made with doc-o-matic

QNB Finans E-Fatura E-Arsiv E-Müstahsil

QNB Finans'in sundugu GIB (Gelir Idaresi Baskanligi) E-Fatura, E-Arsiv, E-Müstahsil gibi servislerin nasil kullanilacagina dair örnekler içeren bir Windows Form uygulamasi

Copyright (c) 2022. All rights reserved.

Table of Contents

Symbol Reference 1

QNBFinansGIB Namespace 1

QNBFinansGIB.DTO Namespace 1

Classes 2

FaturaKdvDTO Class 2

GidenFaturaDetayDTO Class 3

GidenFaturaDTO Class 6

MustahsilMakbuzuDetayDTO Class 11

MustahsilMakbuzuDTO Class 13

QNBFinansGIB.GIBEArsiv Namespace 17

Classes 22

aliciEpostaEkleSilGuncelle Class 27

aliciEpostaEkleSilGuncelleCompletedEventArgs Class 27

aliciEpostaEkleSilGuncelleResponse Class 28

belge Class 29

belgeOutputWrapper Class 30

dosyaInput Class 30

doubleStringOutputWrapper Class 31

earsivServiceResult Class 32

earsivServiceResultEntry Class 33

EarsivWebService Class 34

eFaturaKayitliKullaniciListele Class 111

eFaturaKayitliKullaniciListeleCompletedEventArgs Class 112

eFaturaKullanici Class 113

efaturaKullanicisi Class 114

efaturaKullanicisiCompletedEventArgs Class 114

efaturaKullanicisiKontrol Class 115

efaturaKullanicisiKontrolCompletedEventArgs Class 116

efaturaKullanicisiKontrolResponse Class 117

efaturaKullanicisiResponse Class 117

ePostaDurumSorgula Class 118

ePostaDurumSorgulaCompletedEventArgs Class 118

ePostaGonder Class 119

ePostaGonderCompletedEventArgs Class 120

ePostaGonderResponse Class 121

faturaDTO Class 122

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

faturaIptalEt Class 131
faturaIptalEtCompletedEventArgs Class 131
faturaIptalEtResponse Class 132
faturaIptaliKaldir Class 133
faturaIptaliKaldirCompletedEventArgs Class 133
faturaIptaliKaldirResponse Class 134
faturaItirazEt Class 135
faturaItirazEtCompletedEventArgs Class 135
faturaItirazEtResponse Class 136
faturaItirazKaldir Class 137
faturaItirazKaldirCompletedEventArgs Class 137
faturaItirazKaldirResponse Class 138
faturaListeSorgula Class 139
faturaListeSorgulaCompletedEventArgs Class 139
faturaListeSorgulaCount Class 140
faturaListeSorgulaCountCompletedEventArgs Class 141
faturaListeSorgulaCountResponse Class 142
faturaListeSorgulaPortal Class 142
faturaListeSorgulaPortalCompletedEventArgs Class 143
faturaListeSorgulaPortalResponse Class 144
faturaListeSorgulaResponse Class 145
faturaNoUret Class 145
faturaNoUretCompletedEventArgs Class 146
faturaOlustur Class 147
faturaOlusturCompletedEventArgs Class 147
faturaOlusturExt Class 148
faturaOlusturExtCompletedEventArgs Class 149
faturaOnizleme Class 150
faturaOnizlemeCompletedEventArgs Class 151
faturaSorgula Class 152
faturaSorgulaCompletedEventArgs Class 152
faturaSorgulaExt Class 153
faturaSorgulaExtCompletedEventArgs Class 154
faturaTaslakOlustur Class 155
faturaTaslakOlusturCompletedEventArgs Class 155
faturaTaslakOlusturResponse Class 156
faturaTaslakOnizleme Class 157
faturaTaslakOnizlemeCompletedEventArgs Class 157
faturaTaslakOnizlemeResponse Class 158
faturaTaslakSil Class 159

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

faturaTaslakSilCompletedEventArgs Class 160
faturaTaslakSilResponse Class 161
faturaTaslakSorgula Class 161
faturaTaslakSorgulaCompletedEventArgs Class 162
faturaTaslakSorgulaResponse Class 163
faturaTaslaktanOlustur Class 163
faturaTaslaktanOlusturCompletedEventArgs Class 164
faturaZipiAl Class 165
faturaZipiAlCompletedEventArgs Class 165
faturaZipiAlResponse Class 166
kontorBilgisiGetir Class 167
kontorBilgisiGetirCompletedEventArgs Class 168
kontorBilgisiGetirResponse Class 169
okcRaporBolumAl Class 169
okcRaporBolumAlCompletedEventArgs Class 170
okcRaporKaydet Class 171
okcRaporKaydetCompletedEventArgs Class 172
okcRaporKaydetResponse Class 172
okcRaporOlusturGonder Class 173
okcRaporOlusturGonderCompletedEventArgs Class 173
okcRaporOlusturGonderResponse Class 174
raporBolumAl Class 175
raporBolumAlCompletedEventArgs Class 175
raporBolumBilgisiAl Class 176
raporBolumBilgisiAlCompletedEventArgs Class 177
raporBolumBilgisiAlResponse Class 178
raporBolumDTO Class 178
raporBolumleriOlustur Class 180
raporBolumleriOlusturCompletedEventArgs Class 181
raporBolumleriOlusturResponse Class 182
raporBolumListesiDetayliSorgula Class 182
raporBolumListesiDetayliSorgulaCompletedEventArgs Class 183
raporBolumListesiDetayliSorgulaResponse Class 184
raporBolumListesiSorgula Class 185
raporBolumListesiSorgulaCompletedEventArgs Class 185
raporBolumListesiSorgulaWithInput Class 186
raporBolumListesiSorgulaWithInputCompletedEventArgs Class 187
raporBolumRaporNoGuncelleImzala Class 188
raporBolumRaporNoGuncelleImzalaCompletedEventArgs Class 189
raporBolumRaporNoGuncelleImzalaResponse Class 190

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

raporBolumSil Class 190
raporBolumSilCompletedEventArgs Class 191
raporBolumSilResponse Class 192
rapordaFaturaSorgula Class 192
rapordaFaturaSorgulaCompletedEventArgs Class 193
rapordaFaturaSorgulaResponse Class 194
raporDurumSorgula Class 194
raporDurumSorgulaCompletedEventArgs Class 195
raporDurumSorgulaResponse Class 196
raporGonder Class 196
raporGonderCompletedEventArgs Class 197
raporGonderResponse Class 198
serviceReturnType Class 198
servisSaglayicidanEpostaDurumSorgula Class 198
servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs Class 199
smsDurumSorgula Class 200
smsDurumSorgulaCompletedEventArgs Class 201
smsDurumSorgulaResponse Class 202
smsGonder Class 202
smsGonderCompletedEventArgs Class 203
smsGonderResponse Class 204
stringOutputWrapper Class 205
topluFaturaPaketDosyaGonder Class 205
topluFaturaPaketDosyaGonderCompletedEventArgs Class 206
topluFaturaPaketDosyaGonderResponse Class 207
topluFaturaPaketDosyasiSorgula Class 208
topluFaturaPaketDosyasiSorgulaCompletedEventArgs Class 208
topluFaturaPaketOnayla Class 209
topluFaturaPaketOnaylaCompletedEventArgs Class 210
topluFaturaPaketOnaylaResponse Class 211
topluFaturaPaketSorgula Class 211
topluFaturaPaketSorgulaCompletedEventArgs Class 212
yapilandirmaAyarlariAl Class 213
yapilandirmaAyarlariAlCompletedEventArgs Class 213
yapilandirmaAyarlariAlResponse Class 214
Structs, Records, Enums 215
QNBFinansGIB.GIBEArsiv.belgeFormatiEnum Enumeration 215
QNBFinansGIB.GIBEArsiv.genelBelgeFormatEnum Enumeration 216
Types 216
QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleCompletedEventHandler Type 218

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListeleCompletedEventHandler Type 218
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiCompletedEventHandler Type 218
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrolCompletedEventHandler Type 219
QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEventHandler Type 219
QNBFinansGIB.GIBEArsiv.ePostaGonderCompletedEventHandler Type 219
QNBFinansGIB.GIBEArsiv.faturaIptalEtCompletedEventHandler Type 219
QNBFinansGIB.GIBEArsiv.faturaIptaliKaldirCompletedEventHandler Type 220
QNBFinansGIB.GIBEArsiv.faturaItirazEtCompletedEventHandler Type 220
QNBFinansGIB.GIBEArsiv.faturaItirazKaldirCompletedEventHandler Type 220
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCompletedEventHandler Type 220
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompletedEventHandler Type 220
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalCompletedEventHandler Type 221
QNBFinansGIB.GIBEArsiv.faturaNoUretCompletedEventHandler Type 221
QNBFinansGIB.GIBEArsiv.faturaOlusturCompletedEventHandler Type 221
QNBFinansGIB.GIBEArsiv.faturaOlusturExtCompletedEventHandler Type 221
QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventHandler Type 222
QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventHandler Type 222
QNBFinansGIB.GIBEArsiv.faturaSorgulaExtCompletedEventHandler Type 222
QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturCompletedEventHandler Type 222
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeCompletedEventHandler Type 223
QNBFinansGIB.GIBEArsiv.faturaTaslakSilCompletedEventHandler Type 223
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEventHandler Type 223
QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlusturCompletedEventHandler Type 223
QNBFinansGIB.GIBEArsiv.faturaZipiAlCompletedEventHandler Type 224
QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirCompletedEventHandler Type 224
QNBFinansGIB.GIBEArsiv.okcRaporBolumAlCompletedEventHandler Type 224
QNBFinansGIB.GIBEArsiv.okcRaporKaydetCompletedEventHandler Type 224
QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderCompletedEventHandler Type 224
QNBFinansGIB.GIBEArsiv.raporBolumAlCompletedEventHandler Type 225
QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAlCompletedEventHandler Type 225
QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturCompletedEventHandler Type 225
QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventHandler Type 225
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaCompletedEventHandler Type 226
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventHandler Type 226
QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncelleImzalaCompletedEventHandler Type 226
QNBFinansGIB.GIBEArsiv.raporBolumSilCompletedEventHandler Type 226
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventHandler Type 227
QNBFinansGIB.GIBEArsiv.raporDurumSorgulaCompletedEventHandler Type 227
QNBFinansGIB.GIBEArsiv.raporGonderCompletedEventHandler Type 227
QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSorgulaCompletedEventHandler Type 227

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEArsiv.smsDurumSorgulaCompletedEventHandler Type 228
QNBFinansGIB.GIBEArsiv.smsGonderCompletedEventHandler Type 228
QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCompletedEventHandler Type 228
QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgulaCompletedEventHandler Type 228
QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaCompletedEventHandler Type 229
QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaCompletedEventHandler Type 229
QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAlCompletedEventHandler Type 229
QNBFinansGIB.GIBEFatura Namespace 229
Classes 235
belge Class 238
belgeGonderCompletedEventArgs Class 240
belgeGonderExtCompletedEventArgs Class 241
belgeGonderExtWithValidateCompletedEventArgs Class 242
belgeGonderResp Class 243
belgeGonderWithValidateCompletedEventArgs Class 243
belgeleriTekrarGonderBelgeOidCompletedEventArgs Class 244
belgeleriTekrarGonderCompletedEventArgs Class 245
belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs Class 246
belgev2 Class 247
belgev2Entry Class 249
belgev3 Class 250
belgev4 Class 251
belgev5 Class 253
belgev6 Class 254
cokluGidenBelgeDurumSorgulaCompletedEventArgs Class 255
connectorService Class 256
csXmlOnizlemeCompletedEventArgs Class 389
csXmlToUblCompletedEventArgs Class 389
eFaturaKayitliKullaniciHistory Class 390
eFaturaKayitliKullaniciListeleCompletedEventArgs Class 391
eFaturaKullanici Class 392
efaturaKullaniciBilgisiCompletedEventArgs Class 393
eFaturaKullaniciExtended Class 394
efaturaKullaniciListesiCompletedEventArgs Class 396
efaturaKullanicisiCompletedEventArgs Class 397
eIrsaliyeKayitliKullaniciListeleCompletedEventArgs Class 398
eIrsaliyeKullanici Class 399
eIrsaliyeKullanicisiCompletedEventArgs Class 400
erpBilgileri Class 401
faturaKepIleIadeEdildiCompletedEventArgs Class 401

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

faturaKepIleIadeEdildiIptalCompletedEventArgs Class 402
faturaNoUretCompletedEventArgs Class 403
faturaTarihcesiData Class 404
faturaTarihcesiSorgulaCompletedEventArgs Class 406
faturayaItirazEdildiCompletedEventArgs Class 407
faturayaItirazEdildiIptalCompletedEventArgs Class 408
gelenBelgeDurum Class 409
gelenBelgeDurumSorgulaCompletedEventArgs Class 411
gelenBelgeDurumSorgulaExtCompletedEventArgs Class 412
gelenBelgeDurumv2 Class 413
gelenBelgeDurumv3 Class 414
gelenBelgeDurumv4 Class 415
gelenBelgeDurumv5 Class 416
gelenBelgeEkleriAlCompletedEventArgs Class 417
gelenBelgeleriAlCompletedEventArgs Class 418
gelenBelgeleriAlExt2CompletedEventArgs Class 419
gelenBelgeleriAlExt2Entry Class 420
gelenBelgeleriAlExtCompletedEventArgs Class 420
gelenBelgeleriIndirCompletedEventArgs Class 421
gelenBelgeleriIndirExtCompletedEventArgs Class 422
gelenBelgeleriListeleCompletedEventArgs Class 423
gelenBelgeleriListeleExtCompletedEventArgs Class 424
gelenBelgeParametreleri Class 425
gelenBelgeTutarBilgileri Class 428
gelenBelgeTutarBilgileriSorgulaCompletedEventArgs Class 431
gelenBelgeXmlleriniAlCompletedEventArgs Class 432
gelenBelgeXmlleriniAlExtCompletedEventArgs Class 433
gelenStandartRapolariAlCompletedEventArgs Class 434
gelenTamamlananRapolariAlCompletedEventArgs Class 435
gelenTasinanBelgeleriIndirCompletedEventArgs Class 436
gidenBelgeDurum Class 437
gidenBelgeDurumParametreleri Class 439
gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs Class 440
gidenBelgeDurumSorgulaCompletedEventArgs Class 441
gidenBelgeDurumSorgulaEttnCompletedEventArgs Class 442
gidenBelgeDurumSorgulaExtCompletedEventArgs Class 443
gidenBelgeDurumSorgulaPortalCompletedEventArgs Class 444
gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs Class 445
gidenBelgeDurumv2 Class 446
gidenBelgeDurumv3 Class 447

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

gidenBelgeDurumv4 Class 449
gidenBelgeDurumv5 Class 450
gidenBelgeDurumv6 Class 451
gidenBelgeEkleriAlCompletedEventArgs Class 453
gidenBelgelerDurumSorgulaPortalParametreleri Class 454
gidenBelgeleriIndirCompletedEventArgs Class 455
gidenBelgeleriIndirEttnCompletedEventArgs Class 456
gidenBelgeleriIndirPortalCompletedEventArgs Class 457
gidenBelgeleriIndirPortalParametreleri Class 458
gidenBelgeleriListeleCompletedEventArgs Class 460
gidenBelgeleriListeleData Class 461
gidenBelgeleriListeleParametreleri Class 463
gidenBelgeleriListelePortalCompletedEventArgs Class 464
gidenBelgeleriListelePortalData Class 465
gidenBelgeleriListelePortalDatav2 Class 468
gidenBelgeleriListelePortalParametreleri Class 469
gidenBelgeParametreleri Class 470
gidenBelgeTutarBilgileri Class 473
gidenBelgeTutarBilgileriSorgulaCompletedEventArgs Class 476
gidenTasinanBelgeleriIndirCompletedEventArgs Class 477
irsaliyeTarihcesiData Class 477
irsaliyeTarihcesiSorgulaCompletedEventArgs Class 479
kalanKontorBilgisi Class 480
kayitliKullaniciListeleExtendedCompletedEventArgs Class 482
kayitliKullaniciListeleExtendedTimeCompletedEventArgs Class 483
kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs Class 484
kontorAzaltResp Class 485
kontorBilgisiGetirCompletedEventArgs Class 487
mukellefEFaturaKayit Class 488
serviceReturnType Class 488
temelKontrollerIleBelgeGonderCompletedEventArgs Class 489
toplamBelgeSayisiGetirCompletedEventArgs Class 490
ublOnizlemeCompletedEventArgs Class 491
urunSablonlariniAlCompletedEventArgs Class 492
wsKullaniciBilgileri Class 493
wsKullanicisiKaydetCompletedEventArgs Class 493
yereleAktarilacakBelgeleriAlCompletedEventArgs Class 494
yereleAktarilacakBelgeleriAlExtCompletedEventArgs Class 495
Structs, Records, Enums 496
QNBFinansGIB.GIBEFatura.kontorBirimi Enumeration 496

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEFatura.kontorTipi Enumeration 497
Types 497
QNBFinansGIB.GIBEFatura.belgeGonderCompletedEventHandler Type 499
QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventHandler Type 500
QNBFinansGIB.GIBEFatura.belgeGonderExtWithValidateCompletedEventHandler Type 500
QNBFinansGIB.GIBEFatura.belgeGonderWithValidateCompletedEventHandler Type 500
QNBFinansGIB.GIBEFatura.belgelerAlindiCompletedEventHandler Type 500
QNBFinansGIB.GIBEFatura.belgelerAlindiEntegrasyonSiparisNoGuncelleCompletedEventHandler Type 501
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidCompletedEventHandler Type 501
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompletedEventHandler Type 501
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderYerelBelgeNoCompletedEventHandler Type 501
QNBFinansGIB.GIBEFatura.checkDateValidControlCompletedEventHandler Type 502
QNBFinansGIB.GIBEFatura.cokluGidenBelgeDurumSorgulaCompletedEventHandler Type 502
QNBFinansGIB.GIBEFatura.csXmlOnizlemeCompletedEventHandler Type 502
QNBFinansGIB.GIBEFatura.csXmlToUblCompletedEventHandler Type 502
QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciListeleCompletedEventHandler Type 503
QNBFinansGIB.GIBEFatura.efaturaKullaniciBilgisiCompletedEventHandler Type 503
QNBFinansGIB.GIBEFatura.efaturaKullaniciListesiCompletedEventHandler Type 503
QNBFinansGIB.GIBEFatura.efaturaKullanicisiCompletedEventHandler Type 503
QNBFinansGIB.GIBEFatura.eIrsaliyeKayitliKullaniciListeleCompletedEventHandler Type 504
QNBFinansGIB.GIBEFatura.eIrsaliyeKullanicisiCompletedEventHandler Type 504
QNBFinansGIB.GIBEFatura.erpBilgileriBelirleCompletedEventHandler Type 504
QNBFinansGIB.GIBEFatura.faturaKepIleIadeEdildiCompletedEventHandler Type 504
QNBFinansGIB.GIBEFatura.faturaKepIleIadeEdildiIptalCompletedEventHandler Type 505
QNBFinansGIB.GIBEFatura.faturaMailGonderCompletedEventHandler Type 505
QNBFinansGIB.GIBEFatura.faturaNoUretCompletedEventHandler Type 505
QNBFinansGIB.GIBEFatura.faturaTarihcesiSorgulaCompletedEventHandler Type 505
QNBFinansGIB.GIBEFatura.faturayaItirazEdildiCompletedEventHandler Type 506
QNBFinansGIB.GIBEFatura.faturayaItirazEdildiIptalCompletedEventHandler Type 506
QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaCompletedEventHandler Type 506
QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaExtCompletedEventHandler Type 506
QNBFinansGIB.GIBEFatura.gelenBelgeEkleriAlCompletedEventHandler Type 507
QNBFinansGIB.GIBEFatura.gelenBelgeleriAlCompletedEventHandler Type 507
QNBFinansGIB.GIBEFatura.gelenBelgeleriAlExt2CompletedEventHandler Type 507
QNBFinansGIB.GIBEFatura.gelenBelgeleriAlExtCompletedEventHandler Type 507
QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirCompletedEventHandler Type 508
QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirExtCompletedEventHandler Type 508
QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleCompletedEventHandler Type 508
QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleExtCompletedEventHandler Type 508
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileriSorgulaCompletedEventHandler Type 509

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAlCompletedEventHandler Type 509
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAlExtCompletedEventHandler Type 509
QNBFinansGIB.GIBEFatura.gelenFaturalariArsiveKaldirCompletedEventHandler Type 509
QNBFinansGIB.GIBEFatura.gelenIrsaliyeleriArsiveKaldirCompletedEventHandler Type 510
QNBFinansGIB.GIBEFatura.gelenStandartRapolariAlCompletedEventHandler Type 510
QNBFinansGIB.GIBEFatura.gelenTamamlananRapolariAlCompletedEventHandler Type 510
QNBFinansGIB.GIBEFatura.gelenTasinanBelgeleriIndirCompletedEventHandler Type 511
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaBelgeNoCompletedEventHandler Type 511
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaCompletedEventHandler Type 511
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaEttnCompletedEventHandler Type 511
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaExtCompletedEventHandler Type 512
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaPortalCompletedEventHandler Type 512
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventHandler Type 512
QNBFinansGIB.GIBEFatura.gidenBelgeEkleriAlCompletedEventHandler Type 512
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEventHandler Type 513
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirEttnCompletedEventHandler Type 513
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalCompletedEventHandler Type 513
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleCompletedEventHandler Type 513
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalCompletedEventHandler Type 514
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileriSorgulaCompletedEventHandler Type 514
QNBFinansGIB.GIBEFatura.gidenFaturalariArsiveKaldirCompletedEventHandler Type 514
QNBFinansGIB.GIBEFatura.gidenIrsaliyeleriArsiveKaldirCompletedEventHandler Type 515
QNBFinansGIB.GIBEFatura.gidenTasinanBelgeleriIndirCompletedEventHandler Type 515
QNBFinansGIB.GIBEFatura.irsaliyeMailGonderCompletedEventHandler Type 515
QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiSorgulaCompletedEventHandler Type 515
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCompletedEventHandler Type 516
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTimeCompletedEventHandler Type 516
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedVknTcknCompletedEventHandler Type 516
QNBFinansGIB.GIBEFatura.kontorBilgisiGetirCompletedEventHandler Type 516
QNBFinansGIB.GIBEFatura.temelKontrollerIleBelgeGonderCompletedEventHandler Type 517
QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirCompletedEventHandler Type 517
QNBFinansGIB.GIBEFatura.ublOnizlemeCompletedEventHandler Type 517
QNBFinansGIB.GIBEFatura.urunSablonlariniAlCompletedEventHandler Type 517
QNBFinansGIB.GIBEFatura.wsKullanicisiKaydetCompletedEventHandler Type 518
QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAlCompletedEventHandler Type 518
QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAlExtCompletedEventHandler Type 518
QNBFinansGIB.GIBEFatura.yolcuBeraberFaturaIptalEtCompletedEventHandler Type 518
QNBFinansGIB.GIBEMustahsil Namespace 519
Classes 522
belge Class 525

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

belgeDTO Class 526
belgeOutputWrapper Class 534
belgeZipiAl Class 534
belgeZipiAlCompletedEventArgs Class 535
belgeZipiAlResponse Class 536
doubleStringOutputWrapper Class 537
earsivServiceResult Class 538
earsivServiceResultEntry Class 538
ePostaDurumSorgula Class 539
ePostaDurumSorgulaCompletedEventArgs Class 540
ePostaGonder Class 541
ePostaGonderCompletedEventArgs Class 542
ePostaGonderResponse Class 543
faturaDTO Class 543
kontorBilgisiGetir Class 552
kontorBilgisiGetirCompletedEventArgs Class 553
kontorBilgisiGetirResponse Class 554
mustahsilMakbuzIptalEt Class 555
mustahsilMakbuzIptalEtCompletedEventArgs Class 555
mustahsilMakbuzIptalEtResponse Class 556
mustahsilMakbuzIptaliKaldir Class 557
mustahsilMakbuzIptaliKaldirCompletedEventArgs Class 557
mustahsilMakbuzIptaliKaldirResponse Class 558
mustahsilMakbuzListeSorgula Class 559
mustahsilMakbuzListeSorgulaCompletedEventArgs Class 559
mustahsilMakbuzListeSorgulaPortal Class 560
mustahsilMakbuzListeSorgulaPortalCompletedEventArgs Class 561
mustahsilMakbuzListeSorgulaPortalResponse Class 562
mustahsilMakbuzListeSorgulaResponse Class 562
mustahsilMakbuzOlustur Class 563
mustahsilMakbuzOlusturCompletedEventArgs Class 564
mustahsilMakbuzOnizleme Class 565
mustahsilMakbuzOnizlemeCompletedEventArgs Class 565
mustahsilMakbuzSorgula Class 566
mustahsilMakbuzSorgulaCompletedEventArgs Class 567
mustahsilMakbuzTaslakOlustur Class 568
mustahsilMakbuzTaslakOlusturCompletedEventArgs Class 569
mustahsilMakbuzTaslakOlusturResponse Class 570
mustahsilMakbuzTaslakOnizleme Class 570
mustahsilMakbuzTaslakOnizlemeCompletedEventArgs Class 571

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

mustahsilMakbuzTaslakOnizlemeResponse Class 572
mustahsilMakbuzTaslakSil Class 573
mustahsilMakbuzTaslakSilCompletedEventArgs Class 573
mustahsilMakbuzTaslakSilResponse Class 574
mustahsilMakbuzTaslakSorgula Class 575
mustahsilMakbuzTaslakSorgulaCompletedEventArgs Class 575
mustahsilMakbuzTaslakSorgulaResponse Class 576
mustahsilMakbuzTaslaktanOlustur Class 577
mustahsilMakbuzTaslaktanOlusturCompletedEventArgs Class 577
MustahsilWebService Class 578
raporBolumAl Class 625
raporBolumAlCompletedEventArgs Class 625
raporBolumBilgisiAl Class 626
raporBolumBilgisiAlCompletedEventArgs Class 627
raporBolumBilgisiAlResponse Class 628
raporBolumDTO Class 628
raporBolumleriOlustur Class 630
raporBolumleriOlusturCompletedEventArgs Class 631
raporBolumleriOlusturResponse Class 632
raporBolumListesiDetayliSorgula Class 632
raporBolumListesiDetayliSorgulaCompletedEventArgs Class 633
raporBolumListesiDetayliSorgulaResponse Class 634
raporBolumListesiSorgula Class 634
raporBolumListesiSorgulaCompletedEventArgs Class 635
raporBolumRaporNoGuncelleImzala Class 636
raporBolumRaporNoGuncelleImzalaCompletedEventArgs Class 637
raporBolumRaporNoGuncelleImzalaResponse Class 638
raporBolumSil Class 638
raporBolumSilCompletedEventArgs Class 639
raporBolumSilResponse Class 640
rapordaBelgeSorgula Class 640
rapordaBelgeSorgulaCompletedEventArgs Class 641
rapordaBelgeSorgulaResponse Class 642
raporDurumSorgula Class 642
raporDurumSorgulaCompletedEventArgs Class 643
raporDurumSorgulaResponse Class 644
raporGonder Class 644
raporGonderCompletedEventArgs Class 645
raporGonderResponse Class 646
smsDurumSorgula Class 646

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

smsDurumSorgulaCompletedEventArgs Class 647
smsDurumSorgulaResponse Class 648
smsGonder Class 648
smsGonderCompletedEventArgs Class 649
smsGonderResponse Class 650
stringOutputWrapper Class 651
Structs, Records, Enums 651
QNBFinansGIB.GIBEMustahsil.belgeFormatiEnum Enumeration 651
Types 652
QNBFinansGIB.GIBEMustahsil.belgeZipiAlCompletedEventHandler Type 653
QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaCompletedEventHandler Type 653
QNBFinansGIB.GIBEMustahsil.ePostaGonderCompletedEventHandler Type 654
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirCompletedEventHandler Type 654
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompletedEventHandler Type 654
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldirCompletedEventHandler Type 654
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaCompletedEventHandler Type 655
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortalCompletedEventHandler Type 655
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturCompletedEventHandler Type 655
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCompletedEventHandler Type 655
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCompletedEventHandler Type 656
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturCompletedEventHandler Type 656
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeCompletedEventHandler Type 656
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCompletedEventHandler Type 657
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgulaCompletedEventHandler Type 657
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlusturCompletedEventHandler Type 657
QNBFinansGIB.GIBEMustahsil.raporBolumAlCompletedEventHandler Type 657
QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAlCompletedEventHandler Type 658
QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturCompletedEventHandler Type 658
QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorgulaCompletedEventHandler Type 658
QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCompletedEventHandler Type 658
QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzalaCompletedEventHandler Type 659
QNBFinansGIB.GIBEMustahsil.raporBolumSilCompletedEventHandler Type 659
QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaCompletedEventHandler Type 659
QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaCompletedEventHandler Type 659
QNBFinansGIB.GIBEMustahsil.raporGonderCompletedEventHandler Type 660
QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompletedEventHandler Type 660
QNBFinansGIB.GIBEMustahsil.smsGonderCompletedEventHandler Type 660
QNBFinansGIB.GIBUserService Namespace 660
Classes 661
userService Class 661

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Types 666
QNBFinansGIB.GIBUserService.logoutCompletedEventHandler Type 666
QNBFinansGIB.GIBUserService.wsLoginCompletedEventHandler Type 666
QNBFinansGIB.Properties Namespace 666
Classes 666
Resources Class 667
Settings Class 668
QNBFinansGIB.Utils Namespace 670
Classes 670
BoslukKaldir Class 671
DisServisler Class 672
Enums Class 679
GeriDonus Class 681
MesajSabitler Class 682
YardimciSiniflar Class 683
Classes 742
frmAnaSayfa Class 742
frmAnaSayfa.frmAnaSayfa Constructor 743
frmAnaSayfa Fields 743
frmAnaSayfa Methods 744
Program Class 762
Program Methods 763

Files 763
AssemblyInfo.cs 764
DisServisler.cs 765
Enums.cs 771
FaturaKdvDTO.cs 772
FormAnaSayfa.cs 773
FormAnaSayfa.Designer.cs 789
GeriDonus.cs 792
GidenFaturaDetayDTO.cs 793
GidenFaturaDTO.cs 794
MustahsilMakbuzuDetayDTO.cs 797
MustahsilMakbuzuDTO.cs 798
Program.cs 800
QNBFinansGIB.csproj 800
QNBFinansGIB.sln 800
Reference.cs 800
Resources.Designer.cs 804
Settings.Designer.cs 805

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

YardimciSiniflar.cs 807

Index

a

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1 Symbol Reference

1.1 QNBFinansGIB Namespace

This is namespace QNBFinansGIB.

Namespaces

Name	Description
DTO (see page 1)	This is namespace QNBFinansGIB.DTO.
GIBEArsiv (see page 17)	This is namespace QNBFinansGIB.GIBEArsiv.
GIBEFatura (see page 229)	This is namespace QNBFinansGIB.GIBEFatura.
GIBEMustahsil (see page 519)	This is namespace QNBFinansGIB.GIBEMustahsil.
GIBUserService (see page 660)	This is namespace QNBFinansGIB.GIBUserService.
Properties (see page 666)	This is namespace QNBFinansGIB.Properties.
Utils (see page 670)	This is namespace QNBFinansGIB.Utils.

Classes

	Name	Description
	frmAnaSayfa (see page 742)	QNB Finans GIB Servisi için veri hazirlanan ve servisin test edildigi metotlar içeren Form sinifidir
S	Program (see page 762)	This is class QNBFinansGIB.Program.

1.1.1 QNBFinansGIB.DTO Namespace

This is namespace QNBFinansGIB.DTO.

Classes

	Name	Description
	FaturaKdvDTO (see page 2)	Fatura Detaylarinda Farkli Tür KDV Oranlari Kullanilmissa Çikti tarafinda (XML) TaxTotal kisminda bu bilgilerin ayri ayri gösterilmesi için hazirlanan nesnedir
	GidenFaturaDetayDTO (see page 3)	Giden Fatura Detay Nesnesinde olmasi gereken alanlarla olusturulan siniftir Tutarlar, ürün adi, KDV ve iskonto oranlari Malzeme faturasi ile ilgili alanlar Malzemenin tasindigi araç Plaka, sevk irsaliyesi vb. bilgileri içerir.
	GidenFaturaDTO (see page 6)	Giden Fatura Ana Nesnesinde Olmasi Gereken Alanlarla olusturulan siniftir Burada firma, iletisim, banka, fatura toplam tutari vb. bilgiler bulunmaktadir
	MustahsilMakbuzuDetayDTO (see page 11)	Müstahsil Makbuzu Detay Nesnesinde olmasi gereken alanlarla olusturulan siniftir Tutarlar, ürün adi, miktar, birim fiyat gibi bilgiler bulunmaktadir
	MustahsilMakbuzuDTO (see page 13)	Müstahsil Makbuzu Ana Nesnesinde Olmasi Gereken Alanlarla olusturulan siniftir Burada firma, iletisim, banka, Makbuz toplam tutari vb. bilgiler bulunmaktadir

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.1.1 Classes

Summary

The following table lists classes in this documentation.

Classes

	Name	Description
	FaturaKdvDTO (see page 2)	Fatura Detaylarinda Farkli Tür KDV Oranlari Kullanilmissa Çikti tarafinda (XML) TaxTotal kisminda bu bilgilerin ayri ayri gösterilmesi için hazirlanan nesnedir
	GidenFaturaDetayDTO (see page 3)	Giden Fatura Detay Nesnesinde olmasi gereken alanlarla olusturulan siniftir Tutarlar, ürün adi, KDV ve iskonto oranlari Malzeme faturasi ile ilgili alanlar Malzemenin tasindigi araç Plaka, sevk irsaliyesi vb. bilgileri içerir.
	GidenFaturaDTO (see page 6)	Giden Fatura Ana Nesnesinde Olmasi Gereken Alanlarla olusturulan siniftir Burada firma, iletisim, banka, fatura toplam tutari vb. bilgiler bulunmaktadir
	MustahsilMakbuzuDetayDTO (see page 11)	Müstahsil Makbuzu Detay Nesnesinde olmasi gereken alanlarla olusturulan siniftir Tutarlar, ürün adi, miktar, birim fiyat gibi bilgiler bulunmaktadir
	MustahsilMakbuzuDTO (see page 13)	Müstahsil Makbuzu Ana Nesnesinde Olmasi Gereken Alanlarla olusturulan siniftir Burada firma, iletisim, banka, Makbuz toplam tutari vb. bilgiler bulunmaktadir

1.1.1.1.1 FaturaKdvDTO Class

Summary

Fatura Detaylarinda Farkli Tür KDV Oranlari Kullanilmissa Çikti tarafinda (XML) TaxTotal kisminda bu bilgilerin ayri ayri gösterilmesi için hazirlanan nesnedir

Class Hierarchy

QNBFinansGIB.DTO.FaturaKdvDTO

C#

```
public class FaturaKdvDTO;
```

File

FaturaKdvDTO.cs (see page 772)

FaturaKdvDTO Fields

	Name	Description
	KdvHaricTutar (see page 2)	KDV Hariç Tutar Bilgisi
	KdvOran (see page 3)	KDV Oran Bilgisi
	KdvTutari (see page 3)	KDV Tutari Bilgisi

1.1.1.1.1.1 FaturaKdvDTO Fields

1.1.1.1.1.1.1 FaturaKdvDTO.KdvHaricTutar Field

Summary

KDV Hariç Tutar Bilgisi

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
public decimal? KdvHaricTutar;
```

1.1.1.1.1.1.2 FaturaKdvDTO.KdvOran Field

Summary

KDV Oran Bilgisi

C#

```
public decimal? KdvOran;
```

1.1.1.1.1.1.3 FaturaKdvDTO.KdvTutari Field

Summary

KDV Tutari Bilgisi

C#

```
public decimal? KdvTutari;
```

1.1.1.1.2 GidenFaturaDetayDTO Class

Summary

Giden Fatura Detay Nesnesinde olmasi gereken alanlarla olusturulan siniftir Tutarlar, ürün adi, KDV ve iskonto oranlari Malzeme faturasi ile ilgili alanlar Malzemenin tasindigi araç Plaka, sevk irsaliyesi vb. bilgileri içerir.

Class Hierarchy

C#

```
public class GidenFaturaDetayDTO;
```

File

GidenFaturaDetayDTO.cs (see page 793)

GidenFaturaDetayDTO Fields

	Name	Description
	BirimFiyat (see page 4)	Birim Fiyat Bilgisi
	IskontoOran (see page 4)	Iskonto Oran Bilgisi
	KdvHaricTutar (see page 4)	KDV Hariç Tutar Bilgisi
	KdvOran (see page 4)	KDV Oran Bilgisi
	KdvTutari (see page 4)	KDV Tutari Bilgisi
	Miktar (see page 4)	Miktar Bilgisi
	Tonaj (see page 5)	Tonaj Bilgisi
	YuklemeFormuNo (see page 5)	Yükleme Formu No Bilgisi

GidenFaturaDetayDTO Properties

	Name	Description
	FaturaUrunTuru (see page 5)	Fatura Detayindaki Ürün Türü Bilgisi
	GibKisaltma (see page 5)	GIB Kisaltma Bilgisi (Malzemenin Ölçü Birimi, GIB tarafinda Kilogram KGM olarak adlandirilmaktadir)
	GidenFaturaId (see page 5)	Giden Fatura Id Bilgisi
	IrsaliyeNo (see page 5)	Irsaliye No Bilgisi

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	MalzemeFaturaAciklamasi (see page 5)	Malzeme Fatura Açiklamasi Bilgisi
	PlakaNo (see page 6)	Plaka No Bilgisi
	SevkIrsaliyesiNo (see page 6)	Sevk Irsaliyesi No Bilgisi
	SevkIrsaliyeTarihi (see page 6)	Sevk Irsaliye Tarihi Bilgisi

1.1.1.1.2.1 GidenFaturaDetayDTO Fields

1.1.1.1.2.1.1 GidenFaturaDetayDTO.BirimFiyat Field

Summary

Birim Fiyat Bilgisi

C#

```
public decimal? BirimFiyat;
```

1.1.1.1.2.1.2 GidenFaturaDetayDTO.IskontoOran Field

Summary

Iskonto Oran Bilgisi

C#

```
public decimal? IskontoOran;
```

1.1.1.1.2.1.3 GidenFaturaDetayDTO.KdvHaricTutar Field

Summary

KDV Hariç Tutar Bilgisi

C#

```
public decimal? KdvHaricTutar;
```

1.1.1.1.2.1.4 GidenFaturaDetayDTO.KdvOran Field

Summary

KDV Oran Bilgisi

C#

```
public decimal? KdvOran;
```

1.1.1.1.2.1.5 GidenFaturaDetayDTO.KdvTutari Field

Summary

KDV Tutari Bilgisi

C#

```
public decimal? KdvTutari;
```

1.1.1.1.2.1.6 GidenFaturaDetayDTO.Miktar Field

Summary

Miktar Bilgisi

C#

```
public decimal? Miktar;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.1.1.2.1.7 GidenFaturaDetayDTO.Tonaj Field

Summary

Tonaj Bilgisi

C#

```
public decimal? Tonaj;
```

1.1.1.1.2.1.8 GidenFaturaDetayDTO.YuklemeFormuNo Field

Summary

Yükleme Formu No Bilgisi

C#

```
public int? YuklemeFormuNo;
```

1.1.1.1.2.2 GidenFaturaDetayDTO Properties

1.1.1.1.2.2.1 GidenFaturaDetayDTO.FaturaUrunTuru Property

Summary

Fatura Detayindaki Ürün Türü Bilgisi

C#

```
public string FaturaUrunTuru;
```

1.1.1.1.2.2.2 GidenFaturaDetayDTO.GibKisaltma Property

Summary

GIB Kisaltma Bilgisi (Malzemenin Ölçü Birimi, GIB tarafinda Kilogram KGM olarak adlandirilmaktadir)

C#

```
public string GibKisaltma;
```

1.1.1.1.2.2.3 GidenFaturaDetayDTO.GidenFaturaId Property

Summary

Giden Fatura Id Bilgisi

C#

```
public string GidenFaturaId;
```

1.1.1.1.2.2.4 GidenFaturaDetayDTO.IrsaliyeNo Property

Summary

Irsaliye No Bilgisi

C#

```
public string IrsaliyeNo;
```

1.1.1.1.2.2.5 GidenFaturaDetayDTO.MalzemeFaturaAciklamasi Property

Summary

Malzeme Fatura Açiklamasi Bilgisi

C#

```
public string MalzemeFaturaAciklamasi;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.1.1.2.2.6 GidenFaturaDetayDTO.PlakaNo Property

Summary

Plaka No Bilgisi

C#

```
public string PlakaNo;
```

1.1.1.1.2.2.7 GidenFaturaDetayDTO.SevkIrsaliyesiNo Property

Summary

Sevk Irsaliyesi No Bilgisi

C#

```
public string SevkIrsaliyesiNo;
```

1.1.1.1.2.2.8 GidenFaturaDetayDTO.SevkIrsaliyeTarihi Property

Summary

Sevk Irsaliye Tarihi Bilgisi

C#

```
public DateTime? SevkIrsaliyeTarihi;
```

1.1.1.1.3 GidenFaturaDTO Class

Summary

Giden Fatura Ana Nesnesinde Olmasi Gereken Alanlarla olusturulan siniftir Burada firma, iletisim, banka, fatura toplam tutari vb. bilgiler bulunmaktadir

Class Hierarchy

QNBFinansGIB.DTO.GidenFaturaDTO

C#

```
public class GidenFaturaDTO;
```

File

GidenFaturaDTO.cs (see page 794)

GidenFaturaDTO Fields

	Name	Description
	CepTelefonNo (see page 7)	Cep Telefon No Bilgisi
	FaturaGrupTuruKod (see page 7)	Fatura Grup Türü Kod Bilgisi
	FaturaTuruKod (see page 7)	Fatura Türü Kod Bilgisi
	FaturaTutari (see page 7)	Fatura Tutari Bilgisi
	GercekKisiAd (see page 8)	Gerçek Kisi Ad Bilgisi
	GercekKisiSoyad (see page 8)	Gerçek Kisi Soyad Bilgisi
	GercekKisiTcKimlikNo (see page 8)	Gerçek Kisi TC Kimlik No Bilgisi
	IkametgahAdresi (see page 8)	Ikametgah Adresi Bilgisi
	KdvHaricTutar (see page 8)	KDV Hariç Tutar Bilgisi
	KdvTutari (see page 8)	KDV Tutari Bilgisi
	SatisTuruKod (see page 8)	Satis Türü Kod Bilgisi

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

GidenFaturaDTO Properties

	Name	Description
	Aciklama (see page 9)	Fatura Açiklama Bilgisi
	Adres (see page 9)	Adres Bilgisi
	AltBirimAd (see page 9)	Fatura Kesen Birimin Alt Sube Bilgisi
	BankaAd (see page 9)	Banka Ad Bilgisi
	BankaSube (see page 9)	Banka Sube Bilgisi
	BelgeOid (see page 9)	Belge Oid Id alani
	DuzenlemeTarihi (see page 9)	Düzenleme Tarihi Bilgisi
	EPostaAdresi (see page 10)	E-Posta Adresi Bilgisi
	FaksNo (see page 10)	Faks No Bilgisi
	GibNumarasi (see page 10)	GIB Numarasi Bilgisi
	GidenFaturaId (see page 10)	Giden Fatura Id Bilgisi
	IbanNo (see page 10)	IBAN No Bilgisi
	IlAd (see page 10)	Il Ad Bilgisi
	IlceAd (see page 10)	Ilçe Ad Bilgisi
	TelefonNo (see page 11)	Telefon No Bilgisi
	TuzelKisiAd (see page 11)	Tüzel Kisi Ad Bilgisi
	VergiDairesi (see page 11)	Vergi Dairesi Bilgisi
	VergiNo (see page 11)	Vergi Numarasi Bilgisi

1.1.1.1.3.1 GidenFaturaDTO Fields

1.1.1.1.3.1.1 GidenFaturaDTO.CepTelefonNo Field

Summary

Cep Telefon No Bilgisi

C#

```
public string CepTelefonNo;
```

1.1.1.1.3.1.2 GidenFaturaDTO.FaturaGrupTuruKod Field

Summary

Fatura Grup Türü Kod Bilgisi

C#

```
public int? FaturaGrupTuruKod;
```

1.1.1.1.3.1.3 GidenFaturaDTO.FaturaTuruKod Field

Summary

Fatura Türü Kod Bilgisi

C#

```
public int? FaturaTuruKod;
```

1.1.1.1.3.1.4 GidenFaturaDTO.FaturaTutari Field

Summary

Fatura Tutari Bilgisi

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
public decimal? FaturaTutari;
```

1.1.1.1.3.1.5 GidenFaturaDTO.GercekKisiAd Field

Summary

Gerçek Kisi Ad Bilgisi

C#

```
public string GercekKisiAd;
```

1.1.1.1.3.1.6 GidenFaturaDTO.GercekKisiSoyad Field

Summary

Gerçek Kisi Soyad Bilgisi

C#

```
public string GercekKisiSoyad;
```

1.1.1.1.3.1.7 GidenFaturaDTO.GercekKisiTcKimlikNo Field

Summary

Gerçek Kisi TC Kimlik No Bilgisi

C#

```
public string GercekKisiTcKimlikNo;
```

1.1.1.1.3.1.8 GidenFaturaDTO.IkametgahAdresi Field

Summary

Ikametgah Adresi Bilgisi

C#

```
public string IkametgahAdresi;
```

1.1.1.1.3.1.9 GidenFaturaDTO.KdvHaricTutar Field

Summary

KDV Hariç Tutar Bilgisi

C#

```
public decimal? KdvHaricTutar;
```

1.1.1.1.3.1.10 GidenFaturaDTO.KdvTutari Field

Summary

KDV Tutari Bilgisi

C#

```
public decimal? KdvTutari;
```

1.1.1.1.3.1.11 GidenFaturaDTO.SatisTuruKod Field

Summary

Satis Türü Kod Bilgisi

C#

```
public int? SatisTuruKod;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.1.1.3.2 GidenFaturaDTO Properties

1.1.1.1.3.2.1 GidenFaturaDTO.Aciklama Property

Summary

Fatura Açiklama Bilgisi

C#

```
public string Aciklama;
```

1.1.1.1.3.2.2 GidenFaturaDTO.Adres Property

Summary

Adres Bilgisi

C#

```
public string Adres;
```

1.1.1.1.3.2.3 GidenFaturaDTO.AltBirimAd Property

Summary

Fatura Kesen Birimin Alt Sube Bilgisi

C#

```
public string AltBirimAd;
```

1.1.1.1.3.2.4 GidenFaturaDTO.BankaAd Property

Summary

Banka Ad Bilgisi

C#

```
public string BankaAd;
```

1.1.1.1.3.2.5 GidenFaturaDTO.BankaSube Property

Summary

Banka Sube Bilgisi

C#

```
public string BankaSube;
```

1.1.1.1.3.2.6 GidenFaturaDTO.BelgeOid Property

Summary

Belge Oid Id alani

C#

```
public string BelgeOid;
```

1.1.1.1.3.2.7 GidenFaturaDTO.DuzenlemeTarihi Property

Summary

Düzenleme Tarihi Bilgisi

C#

```
public DateTime? DuzenlemeTarihi;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.1.1.3.2.8 GidenFaturaDTO.EPostaAdresi Property

Summary

E-Posta Adresi Bilgisi

C#

```
public string EPostaAdresi;
```

1.1.1.1.3.2.9 GidenFaturaDTO.FaksNo Property

Summary

Faks No Bilgisi

C#

```
public string FaksNo;
```

1.1.1.1.3.2.10 GidenFaturaDTO.GibNumarasi Property

Summary

GIB Numarasi Bilgisi

C#

```
public string GibNumarasi;
```

1.1.1.1.3.2.11 GidenFaturaDTO.GidenFaturaId Property

Summary

Giden Fatura Id Bilgisi

C#

```
public string GidenFaturaId;
```

1.1.1.1.3.2.12 GidenFaturaDTO.IbanNo Property

Summary

IBAN No Bilgisi

C#

```
public string IbanNo;
```

1.1.1.1.3.2.13 GidenFaturaDTO.IlAd Property

Summary

Il Ad Bilgisi

C#

```
public string IlAd;
```

1.1.1.1.3.2.14 GidenFaturaDTO.IlceAd Property

Summary

Ilçe Ad Bilgisi

C#

```
public string IlceAd;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.1.1.3.2.15 GidenFaturaDTO.TelefonNo Property

Summary

Telefon No Bilgisi

C#

```
public string TelefonNo;
```

1.1.1.1.3.2.16 GidenFaturaDTO.TuzelKisiAd Property

Summary

Tüzel Kisi Ad Bilgisi

C#

```
public string TuzelKisiAd;
```

1.1.1.1.3.2.17 GidenFaturaDTO.VergiDairesi Property

Summary

Vergi Dairesi Bilgisi

C#

```
public string VergiDairesi;
```

1.1.1.1.3.2.18 GidenFaturaDTO.VergiNo Property

Summary

Vergi Numarasi Bilgisi

C#

```
public string VergiNo;
```

1.1.1.1.4 MustahsilMakbuzuDetayDTO Class

Summary

Müstahsil Makbuzu Detay Nesnesinde olmasi gereken alanlarla olusturulan siniftir Tutarlar, ürün adi, miktar, birim fiyat gibi bilgiler bulunmaktadir

Class Hierarchy

C#

```
public class MustahsilMakbuzuDetayDTO;
```

File

MustahsilMakbuzuDetayDTO.cs (see page 797)

MustahsilMakbuzuDetayDTO Fields

	Name	Description
	BirimFiyat (see page 12)	Birim Fiyat Bilgisi
	GelirVergisi (see page 12)	Gelir Vergisi Bilgisi
	Miktar (see page 12)	Miktar Bilgisi
	NetTutar (see page 12)	Net Tutar Bilgisi
	ToplamTutar (see page 12)	Toplam Tutar Bilgisi

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

MustahsilMakbuzuDetayDTO Properties

	Name	Description
	GibKisaltma (see page 12)	GIB Kisaltma Bilgisi (Malzemenin Ölçü Birimi, GIB tarafinda Kilogram KGM olarak adlandirilmaktadir)
	IsinMahiyeti (see page 13)	Isin Mahiyeti Bilgisi
	MustahsilMakbuzuId (see page 13)	Müstahsil Makbuzu Id Bilgisi

1.1.1.1.4.1 MustahsilMakbuzuDetayDTO Fields

1.1.1.1.4.1.1 MustahsilMakbuzuDetayDTO.BirimFiyat Field

Summary

Birim Fiyat Bilgisi

C#

```
public decimal? BirimFiyat;
```

1.1.1.1.4.1.2 MustahsilMakbuzuDetayDTO.GelirVergisi Field

Summary

Gelir Vergisi Bilgisi

C#

```
public decimal? GelirVergisi;
```

1.1.1.1.4.1.3 MustahsilMakbuzuDetayDTO.Miktar Field

Summary

Miktar Bilgisi

C#

```
public decimal? Miktar;
```

1.1.1.1.4.1.4 MustahsilMakbuzuDetayDTO.NetTutar Field

Summary

Net Tutar Bilgisi

C#

```
public decimal? NetTutar;
```

1.1.1.1.4.1.5 MustahsilMakbuzuDetayDTO.ToplamTutar Field

Summary

Toplam Tutar Bilgisi

C#

```
public decimal? ToplamTutar;
```

1.1.1.1.4.2 MustahsilMakbuzuDetayDTO Properties

1.1.1.1.4.2.1 MustahsilMakbuzuDetayDTO.GibKisaltma Property

Summary

GIB Kisaltma Bilgisi (Malzemenin Ölçü Birimi, GIB tarafinda Kilogram KGM olarak adlandirilmaktadir)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
public string GibKisaltma;
```

1.1.1.1.4.2.2 MustahsilMakbuzuDetayDTO.IsinMahiyeti Property

Summary

Isin Mahiyeti Bilgisi

C#

```
public string IsinMahiyeti;
```

1.1.1.1.4.2.3 MustahsilMakbuzuDetayDTO.MustahsilMakbuzuId Property

Summary

Müstahsil Makbuzu Id Bilgisi

C#

```
public string MustahsilMakbuzuId;
```

1.1.1.1.5 MustahsilMakbuzuDTO Class

Summary

Müstahsil Makbuzu Ana Nesnesinde Olmasi Gereken Alanlarla olusturulan siniftir Burada firma, iletisim, banka, Makbuz toplam tutari vb. bilgiler bulunmaktadir

Class Hierarchy

C#

```
public class MustahsilMakbuzuDTO;
```

File

MustahsilMakbuzuDTO.cs (see page 798)

MustahsilMakbuzuDTO Fields

	Name	Description
	GelirVergisi (see page 14)	Gelir Vergisi Bilgisi
	MakbuzGrupTuruKod (see page 14)	Makbuz Grup Türü Kod Bilgisi
	MustahsilMakbuzuTutari (see page 14)	Müstahsil Makbuzu Tutar Bilgisi
	NetTutar (see page 14)	Net Tutar Bilgisi

MustahsilMakbuzuDTO Properties

	Name	Description
	Adres (see page 14)	Adres Bilgisi
	AltBirimAd (see page 15)	Makbuz Kesen Birimin Alt Sube Bilgisi
	BankaAd (see page 15)	Banka Ad Bilgisi
	BankaSube (see page 15)	Banka Sube Bilgisi
	EPostaAdresi (see page 15)	E-Posta Adresi Bilgisi
	FaksNo (see page 15)	Faks No Bilgisi
	IbanNo (see page 15)	IBAN No Bilgisi
	IlAd (see page 15)	Il Ad Bilgisi

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	IlceAd (see page 16)	Ilçe Ad Bilgisi
	MustahsilMakbuzuId (see page 16)	Müstahsil Makbuzu Id Bilgisi
	MustahsilMakbuzuNo (see page 16)	Müstahsil Makbuzu No Bilgisi
	MustahsilMakbuzuTarihi (see page 16)	Müstahsil Makbuzu Tarihi Bilgisi
	TuzelKisiAd (see page 16)	Tüzel Kisi Ad Bilgisi
	VergiDairesi (see page 16)	Vergi Dairesi Bilgisi
	VergiNo (see page 16)	Vergi Numarasi Bilgisi

1.1.1.1.5.1 MustahsilMakbuzuDTO Fields

1.1.1.1.5.1.1 MustahsilMakbuzuDTO.GelirVergisi Field

Summary

Gelir Vergisi Bilgisi

C#

```
public decimal? GelirVergisi;
```

1.1.1.1.5.1.2 MustahsilMakbuzuDTO.MakbuzGrupTuruKod Field

Summary

Makbuz Grup Türü Kod Bilgisi

C#

```
public int? MakbuzGrupTuruKod;
```

1.1.1.1.5.1.3 MustahsilMakbuzuDTO.MustahsilMakbuzuTutari Field

Summary

Müstahsil Makbuzu Tutar Bilgisi

C#

```
public decimal? MustahsilMakbuzuTutari;
```

1.1.1.1.5.1.4 MustahsilMakbuzuDTO.NetTutar Field

Summary

Net Tutar Bilgisi

C#

```
public decimal? NetTutar;
```

1.1.1.1.5.2 MustahsilMakbuzuDTO Properties

1.1.1.1.5.2.1 MustahsilMakbuzuDTO.Adres Property

Summary

Adres Bilgisi

C#

```
public string Adres;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.1.1.5.2.2 MustahsilMakbuzuDTO.AltBirimAd Property

Summary

Makbuz Kesen Birimin Alt Sube Bilgisi

C#

```
public string AltBirimAd;
```

1.1.1.1.5.2.3 MustahsilMakbuzuDTO.BankaAd Property

Summary

Banka Ad Bilgisi

C#

```
public string BankaAd;
```

1.1.1.1.5.2.4 MustahsilMakbuzuDTO.BankaSube Property

Summary

Banka Sube Bilgisi

C#

```
public string BankaSube;
```

1.1.1.1.5.2.5 MustahsilMakbuzuDTO.EPostaAdresi Property

Summary

E-Posta Adresi Bilgisi

C#

```
public string EPostaAdresi;
```

1.1.1.1.5.2.6 MustahsilMakbuzuDTO.FaksNo Property

Summary

Faks No Bilgisi

C#

```
public string FaksNo;
```

1.1.1.1.5.2.7 MustahsilMakbuzuDTO.IbanNo Property

Summary

IBAN No Bilgisi

C#

```
public string IbanNo;
```

1.1.1.1.5.2.8 MustahsilMakbuzuDTO.IlAd Property

Summary

Il Ad Bilgisi

C#

```
public string IlAd;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.1.1.5.2.9 MustahsilMakbuzuDTO.IlceAd Property

Summary

Ilçe Ad Bilgisi

C#

```
public string IlceAd;
```

1.1.1.1.5.2.10 MustahsilMakbuzuDTO.MustahsilMakbuzuId Property

Summary

Müstahsil Makbuzu Id Bilgisi

C#

```
public string MustahsilMakbuzuId;
```

1.1.1.1.5.2.11 MustahsilMakbuzuDTO.MustahsilMakbuzuNo Property

Summary

Müstahsil Makbuzu No Bilgisi

C#

```
public string MustahsilMakbuzuNo;
```

1.1.1.1.5.2.12 MustahsilMakbuzuDTO.MustahsilMakbuzuTarihi Property

Summary

Müstahsil Makbuzu Tarihi Bilgisi

C#

```
public DateTime? MustahsilMakbuzuTarihi;
```

1.1.1.1.5.2.13 MustahsilMakbuzuDTO.TuzelKisiAd Property

Summary

Tüzel Kisi Ad Bilgisi

C#

```
public string TuzelKisiAd;
```

1.1.1.1.5.2.14 MustahsilMakbuzuDTO.VergiDairesi Property

Summary

Vergi Dairesi Bilgisi

C#

```
public string VergiDairesi;
```

1.1.1.1.5.2.15 MustahsilMakbuzuDTO.VergiNo Property

Summary

Vergi Numarasi Bilgisi

C#

```
public string VergiNo;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2 QNBFinansGIB.GIBEArsiv Namespace

This is namespace QNBFinansGIB.GIBEArsiv.

Classes

	Name	Description
	aliciEpostaEkleSilGuncelle (see page 27)	
	aliciEpostaEkleSilGuncelleCompletedEventArgs (see page 27)	
	aliciEpostaEkleSilGuncelleResponse (see page 28)	
	belge (see page 29)	
	belgeOutputWrapper (see page 30)	
	dosyaInput (see page 30)	
	doubleStringOutputWrapper (see page 31)	
	earsivServiceResult (see page 32)	
	earsivServiceResultEntry (see page 33)	
	EarsivWebService (see page 34)	
	eFaturaKayitliKullaniciListele (see page 111)	
	eFaturaKayitliKullaniciListeleCompletedEventArgs (see page 112)	
	eFaturaKullanici (see page 113)	
	efaturaKullanicisi (see page 114)	
	efaturaKullanicisiCompletedEventArgs (see page 114)	
	efaturaKullanicisiKontrol (see page 115)	
	efaturaKullanicisiKontrolCompletedEventArgs (see page 116)	
	efaturaKullanicisiKontrolResponse (see page 117)	
	efaturaKullanicisiResponse (see page 117)	
	ePostaDurumSorgula (see page 118)	
	ePostaDurumSorgulaCompletedEventArgs (see page 118)	
	ePostaGonder (see page 119)	
	ePostaGonderCompletedEventArgs (see page 120)	
	ePostaGonderResponse (see page 121)	
	faturaDTO (see page 122)	
	faturaIptalEt (see page 131)	
	faturaIptalEtCompletedEventArgs (see page 131)	
	faturaIptalEtResponse (see page 132)	
	faturaIptaliKaldir (see page 133)	
	faturaIptaliKaldirCompletedEventArgs (see page 133)	
	faturaIptaliKaldirResponse (see page 134)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	faturaItirazEt (see page 135)	
	faturaItirazEtCompletedEventArgs (see page 135)	
	faturaItirazEtResponse (see page 136)	
	faturaItirazKaldir (see page 137)	
	faturaItirazKaldirCompletedEventArgs (see page 137)	
	faturaItirazKaldirResponse (see page 138)	
	faturaListeSorgula (see page 139)	
	faturaListeSorgulaCompletedEventArgs (see page 139)	
	faturaListeSorgulaCount (see page 140)	
	faturaListeSorgulaCountCompletedEventArgs (see page 141)	
	faturaListeSorgulaCountResponse (see page 142)	
	faturaListeSorgulaPortal (see page 142)	
	faturaListeSorgulaPortalCompletedEventArgs (see page 143)	
	faturaListeSorgulaPortalResponse (see page 144)	
	faturaListeSorgulaResponse (see page 145)	
	faturaNoUret (see page 145)	
	faturaNoUretCompletedEventArgs (see page 146)	
	faturaOlustur (see page 147)	
	faturaOlusturCompletedEventArgs (see page 147)	
	faturaOlusturExt (see page 148)	
	faturaOlusturExtCompletedEventArgs (see page 149)	
	faturaOnizleme (see page 150)	
	faturaOnizlemeCompletedEventArgs (see page 151)	
	faturaSorgula (see page 152)	
	faturaSorgulaCompletedEventArgs (see page 152)	
	faturaSorgulaExt (see page 153)	
	faturaSorgulaExtCompletedEventArgs (see page 154)	
	faturaTaslakOlustur (see page 155)	
	faturaTaslakOlusturCompletedEventArgs (see page 155)	
	faturaTaslakOlusturResponse (see page 156)	
	faturaTaslakOnizleme (see page 157)	
	faturaTaslakOnizlemeCompletedEventArgs (see page 157)	
	faturaTaslakOnizlemeResponse (see page 158)	
	faturaTaslakSil (see page 159)	
	faturaTaslakSilCompletedEventArgs (see page 160)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	faturaTaslakSilResponse (see page 161)	
	faturaTaslakSorgula (see page 161)	
	faturaTaslakSorgulaCompletedEventArgs (see page 162)	
	faturaTaslakSorgulaResponse (see page 163)	
	faturaTaslaktanOlustur (see page 163)	
	faturaTaslaktanOlusturCompletedEventArgs (see page 164)	
	faturaZipiAl (see page 165)	
	faturaZipiAlCompletedEventArgs (see page 165)	
	faturaZipiAlResponse (see page 166)	
	kontorBilgisiGetir (see page 167)	
	kontorBilgisiGetirCompletedEventArgs (see page 168)	
	kontorBilgisiGetirResponse (see page 169)	
	okcRaporBolumAl (see page 169)	
	okcRaporBolumAlCompletedEventArgs (see page 170)	
	okcRaporKaydet (see page 171)	
	okcRaporKaydetCompletedEventArgs (see page 172)	
	okcRaporKaydetResponse (see page 172)	
	okcRaporOlusturGonder (see page 173)	
	okcRaporOlusturGonderCompletedEventArgs (see page 173)	
	okcRaporOlusturGonderResponse (see page 174)	
	raporBolumAl (see page 175)	
	raporBolumAlCompletedEventArgs (see page 175)	
	raporBolumBilgisiAl (see page 176)	
	raporBolumBilgisiAlCompletedEventArgs (see page 177)	
	raporBolumBilgisiAlResponse (see page 178)	
	raporBolumDTO (see page 178)	
	raporBolumleriOlustur (see page 180)	
	raporBolumleriOlusturCompletedEventArgs (see page 181)	
	raporBolumleriOlusturResponse (see page 182)	
	raporBolumListesiDetayliSorgula (see page 182)	
	raporBolumListesiDetayliSorgulaCompletedEventArgs (see page 183)	
	raporBolumListesiDetayliSorgulaResponse (see page 184)	
	raporBolumListesiSorgula (see page 185)	
	raporBolumListesiSorgulaCompletedEventArgs (see page 185)	
	raporBolumListesiSorgulaWithInput (see page 186)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	raporBolumListesiSorgulaWithInputCompletedEventArgs (see page 187)	
	raporBolumRaporNoGuncelleImzala (see page 188)	
	raporBolumRaporNoGuncelleImzalaCompletedEventArgs (see page 189)	
	raporBolumRaporNoGuncelleImzalaResponse (see page 190)	
	raporBolumSil (see page 190)	
	raporBolumSilCompletedEventArgs (see page 191)	
	raporBolumSilResponse (see page 192)	
	rapordaFaturaSorgula (see page 192)	
	rapordaFaturaSorgulaCompletedEventArgs (see page 193)	
	rapordaFaturaSorgulaResponse (see page 194)	
	raporDurumSorgula (see page 194)	
	raporDurumSorgulaCompletedEventArgs (see page 195)	
	raporDurumSorgulaResponse (see page 196)	
	raporGonder (see page 196)	
	raporGonderCompletedEventArgs (see page 197)	
	raporGonderResponse (see page 198)	
	serviceReturnType (see page 198)	
	servisSaglayicidanEpostaDurumSorgula (see page 198)	
	servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs (see page 199)	
	smsDurumSorgula (see page 200)	
	smsDurumSorgulaCompletedEventArgs (see page 201)	
	smsDurumSorgulaResponse (see page 202)	
	smsGonder (see page 202)	
	smsGonderCompletedEventArgs (see page 203)	
	smsGonderResponse (see page 204)	
	stringOutputWrapper (see page 205)	
	topluFaturaPaketDosyaGonder (see page 205)	
	topluFaturaPaketDosyaGonderCompletedEventArgs (see page 206)	
	topluFaturaPaketDosyaGonderResponse (see page 207)	
	topluFaturaPaketDosyasiSorgula (see page 208)	
	topluFaturaPaketDosyasiSorgulaCompletedEventArgs (see page 208)	
	topluFaturaPaketOnayla (see page 209)	
	topluFaturaPaketOnaylaCompletedEventArgs (see page 210)	
	topluFaturaPaketOnaylaResponse (see page 211)	
	topluFaturaPaketSorgula (see page 211)	
	topluFaturaPaketSorgulaCompletedEventArgs (see page 212)	
	yapilandirmaAyarlariAl (see page 213)	
	yapilandirmaAyarlariAlCompletedEventArgs (see page 213)	
	yapilandirmaAyarlariAlResponse (see page 214)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Structs, Records, Enums

	Name	Description
	belgeFormatiEnum (see page 215)	
	genelBelgeFormatEnum (see page 216)	

Types

Name	Description
aliciEpostaEkleSilGuncelleCompletedEventHandler (see page 218)	
eFaturaKayitliKullaniciListeleCompletedEventHandler (see page 218)	
efaturaKullanicisiCompletedEventHandler (see page 218)	
efaturaKullanicisiKontrolCompletedEventHandler (see page 219)	
ePostaDurumSorgulaCompletedEventHandler (see page 219)	
ePostaGonderCompletedEventHandler (see page 219)	
faturaIptalEtCompletedEventHandler (see page 219)	
faturaIptaliKaldirCompletedEventHandler (see page 220)	
faturaItirazEtCompletedEventHandler (see page 220)	
faturaItirazKaldirCompletedEventHandler (see page 220)	
faturaListeSorgulaCompletedEventHandler (see page 220)	
faturaListeSorgulaCountCompletedEventHandler (see page 220)	
faturaListeSorgulaPortalCompletedEventHandler (see page 221)	
faturaNoUretCompletedEventHandler (see page 221)	
faturaOlusturCompletedEventHandler (see page 221)	
faturaOlusturExtCompletedEventHandler (see page 221)	
faturaOnizlemeCompletedEventHandler (see page 222)	
faturaSorgulaCompletedEventHandler (see page 222)	
faturaSorgulaExtCompletedEventHandler (see page 222)	
faturaTaslakOlusturCompletedEventHandler (see page 222)	
faturaTaslakOnizlemeCompletedEventHandler (see page 223)	
faturaTaslakSilCompletedEventHandler (see page 223)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

faturaTaslakSorgulaCompletedEventHandler (see page 223)	
faturaTaslaktanOlusturCompletedEventHandler (see page 223)	
faturaZipiAlCompletedEventHandler (see page 224)	
kontorBilgisiGetirCompletedEventHandler (see page 224)	
okcRaporBolumAlCompletedEventHandler (see page 224)	
okcRaporKaydetCompletedEventHandler (see page 224)	
okcRaporOlusturGonderCompletedEventHandler (see page 224)	
raporBolumAlCompletedEventHandler (see page 225)	
raporBolumBilgisiAlCompletedEventHandler (see page 225)	
raporBolumleriOlusturCompletedEventHandler (see page 225)	
raporBolumListesiDetayliSorgulaCompletedEventHandler (see page 225)	
raporBolumListesiSorgulaCompletedEventHandler (see page 226)	
raporBolumListesiSorgulaWithInputCompletedEventHandler (see page 226)	
raporBolumRaporNoGuncelleImzalaCompletedEventHandler (see page 226)	
raporBolumSilCompletedEventHandler (see page 226)	
rapordaFaturaSorgulaCompletedEventHandler (see page 227)	
raporDurumSorgulaCompletedEventHandler (see page 227)	
raporGonderCompletedEventHandler (see page 227)	
servisSaglayicidanEpostaDurumSorgulaCompletedEventHandler (see page 227)	
smsDurumSorgulaCompletedEventHandler (see page 228)	
smsGonderCompletedEventHandler (see page 228)	
topluFaturaPaketDosyaGonderCompletedEventHandler (see page 228)	
topluFaturaPaketDosyasiSorgulaCompletedEventHandler (see page 228)	
topluFaturaPaketOnaylaCompletedEventHandler (see page 229)	
topluFaturaPaketSorgulaCompletedEventHandler (see page 229)	
yapilandirmaAyarlariAlCompletedEventHandler (see page 229)	

1.1.2.1 Classes

Summary

The following table lists classes in this documentation.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Classes

	Name	Description
	aliciEpostaEkleSilGuncelle (see page 27)	
	aliciEpostaEkleSilGuncelleCompletedEventArgs (see page 27)	
	aliciEpostaEkleSilGuncelleResponse (see page 28)	
	belge (see page 29)	
	belgeOutputWrapper (see page 30)	
	dosyaInput (see page 30)	
	doubleStringOutputWrapper (see page 31)	
	earsivServiceResult (see page 32)	
	earsivServiceResultEntry (see page 33)	
	EarsivWebService (see page 34)	
	eFaturaKayitliKullaniciListele (see page 111)	
	eFaturaKayitliKullaniciListeleCompletedEventArgs (see page 112)	
	eFaturaKullanici (see page 113)	
	efaturaKullanicisi (see page 114)	
	efaturaKullanicisiCompletedEventArgs (see page 114)	
	efaturaKullanicisiKontrol (see page 115)	
	efaturaKullanicisiKontrolCompletedEventArgs (see page 116)	
	efaturaKullanicisiKontrolResponse (see page 117)	
	efaturaKullanicisiResponse (see page 117)	
	ePostaDurumSorgula (see page 118)	
	ePostaDurumSorgulaCompletedEventArgs (see page 118)	
	ePostaGonder (see page 119)	
	ePostaGonderCompletedEventArgs (see page 120)	
	ePostaGonderResponse (see page 121)	
	faturaDTO (see page 122)	
	faturaIptalEt (see page 131)	
	faturaIptalEtCompletedEventArgs (see page 131)	
	faturaIptalEtResponse (see page 132)	
	faturaIptaliKaldir (see page 133)	
	faturaIptaliKaldirCompletedEventArgs (see page 133)	
	faturaIptaliKaldirResponse (see page 134)	
	faturaItirazEt (see page 135)	
	faturaItirazEtCompletedEventArgs (see page 135)	
	faturaItirazEtResponse (see page 136)	
	faturaItirazKaldir (see page 137)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	faturaItirazKaldirCompletedEventArgs (see page 137)	
	faturaItirazKaldirResponse (see page 138)	
	faturaListeSorgula (see page 139)	
	faturaListeSorgulaCompletedEventArgs (see page 139)	
	faturaListeSorgulaCount (see page 140)	
	faturaListeSorgulaCountCompletedEventArgs (see page 141)	
	faturaListeSorgulaCountResponse (see page 142)	
	faturaListeSorgulaPortal (see page 142)	
	faturaListeSorgulaPortalCompletedEventArgs (see page 143)	
	faturaListeSorgulaPortalResponse (see page 144)	
	faturaListeSorgulaResponse (see page 145)	
	faturaNoUret (see page 145)	
	faturaNoUretCompletedEventArgs (see page 146)	
	faturaOlustur (see page 147)	
	faturaOlusturCompletedEventArgs (see page 147)	
	faturaOlusturExt (see page 148)	
	faturaOlusturExtCompletedEventArgs (see page 149)	
	faturaOnizleme (see page 150)	
	faturaOnizlemeCompletedEventArgs (see page 151)	
	faturaSorgula (see page 152)	
	faturaSorgulaCompletedEventArgs (see page 152)	
	faturaSorgulaExt (see page 153)	
	faturaSorgulaExtCompletedEventArgs (see page 154)	
	faturaTaslakOlustur (see page 155)	
	faturaTaslakOlusturCompletedEventArgs (see page 155)	
	faturaTaslakOlusturResponse (see page 156)	
	faturaTaslakOnizleme (see page 157)	
	faturaTaslakOnizlemeCompletedEventArgs (see page 157)	
	faturaTaslakOnizlemeResponse (see page 158)	
	faturaTaslakSil (see page 159)	
	faturaTaslakSilCompletedEventArgs (see page 160)	
	faturaTaslakSilResponse (see page 161)	
	faturaTaslakSorgula (see page 161)	
	faturaTaslakSorgulaCompletedEventArgs (see page 162)	
	faturaTaslakSorgulaResponse (see page 163)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	faturaTaslaktanOlustur (see page 163)	
	faturaTaslaktanOlusturCompletedEventArgs (see page 164)	
	faturaZipiAl (see page 165)	
	faturaZipiAlCompletedEventArgs (see page 165)	
	faturaZipiAlResponse (see page 166)	
	kontorBilgisiGetir (see page 167)	
	kontorBilgisiGetirCompletedEventArgs (see page 168)	
	kontorBilgisiGetirResponse (see page 169)	
	okcRaporBolumAl (see page 169)	
	okcRaporBolumAlCompletedEventArgs (see page 170)	
	okcRaporKaydet (see page 171)	
	okcRaporKaydetCompletedEventArgs (see page 172)	
	okcRaporKaydetResponse (see page 172)	
	okcRaporOlusturGonder (see page 173)	
	okcRaporOlusturGonderCompletedEventArgs (see page 173)	
	okcRaporOlusturGonderResponse (see page 174)	
	raporBolumAl (see page 175)	
	raporBolumAlCompletedEventArgs (see page 175)	
	raporBolumBilgisiAl (see page 176)	
	raporBolumBilgisiAlCompletedEventArgs (see page 177)	
	raporBolumBilgisiAlResponse (see page 178)	
	raporBolumDTO (see page 178)	
	raporBolumleriOlustur (see page 180)	
	raporBolumleriOlusturCompletedEventArgs (see page 181)	
	raporBolumleriOlusturResponse (see page 182)	
	raporBolumListesiDetayliSorgula (see page 182)	
	raporBolumListesiDetayliSorgulaCompletedEventArgs (see page 183)	
	raporBolumListesiDetayliSorgulaResponse (see page 184)	
	raporBolumListesiSorgula (see page 185)	
	raporBolumListesiSorgulaCompletedEventArgs (see page 185)	
	raporBolumListesiSorgulaWithInput (see page 186)	
	raporBolumListesiSorgulaWithInputCompletedEventArgs (see page 187)	
	raporBolumRaporNoGuncelleImzala (see page 188)	
	raporBolumRaporNoGuncelleImzalaCompletedEventArgs (see page 189)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	raporBolumRaporNoGuncelleImzalaResponse (see page 190)	
	raporBolumSil (see page 190)	
	raporBolumSilCompletedEventArgs (see page 191)	
	raporBolumSilResponse (see page 192)	
	rapordaFaturaSorgula (see page 192)	
	rapordaFaturaSorgulaCompletedEventArgs (see page 193)	
	rapordaFaturaSorgulaResponse (see page 194)	
	raporDurumSorgula (see page 194)	
	raporDurumSorgulaCompletedEventArgs (see page 195)	
	raporDurumSorgulaResponse (see page 196)	
	raporGonder (see page 196)	
	raporGonderCompletedEventArgs (see page 197)	
	raporGonderResponse (see page 198)	
	serviceReturnType (see page 198)	
	servisSaglayicidanEpostaDurumSorgula (see page 198)	
	servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs (see page 199)	
	smsDurumSorgula (see page 200)	
	smsDurumSorgulaCompletedEventArgs (see page 201)	
	smsDurumSorgulaResponse (see page 202)	
	smsGonder (see page 202)	
	smsGonderCompletedEventArgs (see page 203)	
	smsGonderResponse (see page 204)	
	stringOutputWrapper (see page 205)	
	topluFaturaPaketDosyaGonder (see page 205)	
	topluFaturaPaketDosyaGonderCompletedEventArgs (see page 206)	
	topluFaturaPaketDosyaGonderResponse (see page 207)	
	topluFaturaPaketDosyasiSorgula (see page 208)	
	topluFaturaPaketDosyasiSorgulaCompletedEventArgs (see page 208)	
	topluFaturaPaketOnayla (see page 209)	
	topluFaturaPaketOnaylaCompletedEventArgs (see page 210)	
	topluFaturaPaketOnaylaResponse (see page 211)	
	topluFaturaPaketSorgula (see page 211)	
	topluFaturaPaketSorgulaCompletedEventArgs (see page 212)	
	yapilandirmaAyarlariAl (see page 213)	
	yapilandirmaAyarlariAlCompletedEventArgs (see page 213)	
	yapilandirmaAyarlariAlResponse (see page 214)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.1 aliciEpostaEkleSilGuncelle Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class aliciEpostaEkleSilGuncelle;
```

File

Reference.cs (see page 800)

aliciEpostaEkleSilGuncelle Properties

	Name	Description
	inputGuncellenecekEposta (see page 27)	
	inputSilinecekEposta (see page 27)	

1.1.2.1.1.1 aliciEpostaEkleSilGuncelle Properties

1.1.2.1.1.1.1 aliciEpostaEkleSilGuncelle.inputGuncellenecekEposta Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string inputGuncellenecekEposta;
```

1.1.2.1.1.1.2 aliciEpostaEkleSilGuncelle.inputSilinecekEposta Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string inputSilinecekEposta;
```

1.1.2.1.2 aliciEpostaEkleSilGuncelleCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class aliciEpostaEkleSilGuncelleCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Methods

	Name	Description
	aliciEpostaEkleSilGuncelleCompletedEventArgs (see page 28)	This is aliciEpostaEkleSilGuncelleCompletedEventArgs, a member of class aliciEpostaEkleSilGuncelleCompletedEventArgs.

aliciEpostaEkleSilGuncelleCompletedEventArgs Properties

	Name	Description
	Result (see page 28)	

1.1.2.1.2.1 aliciEpostaEkleSilGuncelleCompletedEventArgs.aliciEpostaEkleSilGuncelleCompletedEventArgs Constructor

C#

```
internal aliciEpostaEkleSilGuncelleCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is aliciEpostaEkleSilGuncelleCompletedEventArgs, a member of class aliciEpostaEkleSilGuncelleCompletedEventArgs.

Body Source

```
1: internal aliciEpostaEkleSilGuncelleCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.2.2 aliciEpostaEkleSilGuncelleCompletedEventArgs Properties

1.1.2.1.2.2.1 aliciEpostaEkleSilGuncelleCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.3 aliciEpostaEkleSilGuncelleResponse Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class aliciEpostaEkleSilGuncelleResponse;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

aliciEpostaEkleSilGuncelleResponse Properties

	Name	Description
	@return (see page 29)	

1.1.2.1.3.1 aliciEpostaEkleSilGuncelleResponse Properties

1.1.2.1.3.1.1 aliciEpostaEkleSilGuncelleResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.2.1.4 belge Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.belge

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class belge;
```

File

Reference.cs (see page 800)

belge Properties

	Name	Description
	belgeFormati (see page 29)	
	belgeFormatiSpecified (see page 29)	
	belgeIcerigi (see page 30)	

1.1.2.1.4.1 belge Properties

1.1.2.1.4.1.1 belge.belgeFormati Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public belgeFormatiEnum belgeFormati;
```

1.1.2.1.4.1.2 belge.belgeFormatiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool belgeFormatiSpecified;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.4.1.3 belge.belgeIcerigi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary")]
public byte belgeIcerigi;
```

1.1.2.1.5 belgeOutputWrapper Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.belgeOutputWrapper

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class belgeOutputWrapper;
```

File

Reference.cs (see page 800)

belgeOutputWrapper Properties

	Name	Description
	@return (see page 30)	
	output (see page 30)	

1.1.2.1.5.1 belgeOutputWrapper Properties

1.1.2.1.5.1.1 belgeOutputWrapper.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.2.1.5.1.2 belgeOutputWrapper.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public belge output;
```

1.1.2.1.6 dosyaInput Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.dosyaInput

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
]
public class dosyaInput;
```

File

Reference.cs (see page 800)

dosyaInput Properties

	Name	Description
	belgeIcerigi (see page 31)	
	genelBelgeFormatEnum (see page 31)	
	genelBelgeFormatEnumSpecified (see page 31)	

1.1.2.1.6.1 dosyaInput Properties

1.1.2.1.6.1.1 dosyaInput.belgeIcerigi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary")]
public byte belgeIcerigi;
```

1.1.2.1.6.1.2 dosyaInput.genelBelgeFormatEnum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public genelBelgeFormatEnum genelBelgeFormatEnum;
```

1.1.2.1.6.1.3 dosyaInput.genelBelgeFormatEnumSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool genelBelgeFormatEnumSpecified;
```

1.1.2.1.7 doubleStringOutputWrapper Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.doubleStringOutputWrapper

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class doubleStringOutputWrapper;
```

File

Reference.cs (see page 800)

doubleStringOutputWrapper Properties

	Name	Description
	@return (see page 32)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	outputDurum (see page 32)	
	outputEposta (see page 32)	

1.1.2.1.7.1 doubleStringOutputWrapper Properties

1.1.2.1.7.1.1 doubleStringOutputWrapper.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.2.1.7.1.2 doubleStringOutputWrapper.outputDurum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string outputDurum;
```

1.1.2.1.7.1.3 doubleStringOutputWrapper.outputEposta Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string outputEposta;
```

1.1.2.1.8 earsivServiceResult Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.earsivServiceResult

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class earsivServiceResult;
```

File

Reference.cs (see page 800)

earsivServiceResult Properties

	Name	Description
	resultCode (see page 32)	
	resultExtra (see page 33)	
	resultText (see page 33)	

1.1.2.1.8.1 earsivServiceResult Properties

1.1.2.1.8.1.1 earsivServiceResult.resultCode Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string resultCode;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.8.1.2 earsivServiceResult.resultExtra Property

C#

```
[System.Xml.Serialization.XmlArrayAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified
)]
[System.Xml.Serialization.XmlArrayItemAttribute("entry",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=false)]
public earsivServiceResultEntry resultExtra;
```

1.1.2.1.8.1.3 earsivServiceResult.resultText Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string resultText;
```

1.1.2.1.9 earsivServiceResultEntry Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.earsivServiceResultEntry

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(AnonymousType=true,
Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class earsivServiceResultEntry;
```

File

Reference.cs (see page 800)

earsivServiceResultEntry Properties

	Name	Description
	key (see page 33)	
	value (see page 33)	

1.1.2.1.9.1 earsivServiceResultEntry Properties

1.1.2.1.9.1.1 earsivServiceResultEntry.key Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public object key;
```

1.1.2.1.9.1.2 earsivServiceResultEntry.value Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public object value;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.10 EarsivWebService Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Web.Services.WebServiceBindingAttribute(Name="EarsivWebServicePortBinding",
Namespace="http://service.csap.cs.com/")]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaOlusturExt))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(topluFaturaPaketDosyasiSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumRaporNoGuncelleImzalaResponse
))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumRaporNoGuncelleImzala))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaListeSorgulaCountResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaListeSorgulaCount))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumListesiSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(topluFaturaPaketSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(yapilandirmaAyarlariAlResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(yapilandirmaAyarlariAl))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsGonderResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsGonder))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(topluFaturaPaketOnaylaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(topluFaturaPaketOnayla))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporDurumSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporDurumSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaOnizleme))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(kontorBilgisiGetirResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(kontorBilgisiGetir))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslaktanOlustur))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaItirazKaldirResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaItirazKaldir))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumListesiSorgulaWithInput))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(okcRaporOlusturGonderResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(okcRaporOlusturGonder))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslakSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslakSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaListeSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaListeSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumBilgisiAlResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumBilgisiAl))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporGonderResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporGonder))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(efaturaKullanicisiKontrolResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(efaturaKullanicisiKontrol))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaIptaliKaldirResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaIptaliKaldir))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumListesiDetayliSorgulaResponse
))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumListesiDetayliSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsDurumSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsDurumSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaIptalEtResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaIptalEt))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslakSilResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslakSil))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaZipiAlResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaZipiAl))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumleriOlusturResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumleriOlustur))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslakOlusturResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslakOlustur))]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaSorgulaExt))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(stringOutputWrapper))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaNoUret))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(ePostaGonderResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(ePostaGonder))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(rapordaFaturaSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(rapordaFaturaSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumAl))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumSilResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumSil))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaListeSorgulaPortalResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaListeSorgulaPortal))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslakOnizlemeResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslakOnizleme))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(servisSaglayicidanEpostaDurumSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(serviceReturnType))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(eFaturaKayitliKullaniciListele))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(doubleStringOutputWrapper))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(ePostaDurumSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaItirazEtResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaItirazEt))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(efaturaKullanicisiResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(efaturaKullanicisi))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaOlustur))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(aliciEpostaEkleSilGuncelleResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(aliciEpostaEkleSilGuncelle))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(topluFaturaPaketDosyaGonderResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(topluFaturaPaketDosyaGonder))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgeOutputWrapper))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(okcRaporBolumAl))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(okcRaporKaydetResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(okcRaporKaydet))]
public class EarsivWebService : System.Web.Services.Protocols.SoapHttpClientProtocol;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	EarsivWebService (see page 42)	

EarsivWebService Events

	Name	Description
	aliciEpostaEkleSilGuncelleCompleted (see page 107)	
	eFaturaKayitliKullaniciListeleCompleted (see page 107)	
	efaturaKullanicisiCompleted (see page 107)	
	efaturaKullanicisiKontrolCompleted (see page 107)	
	ePostaDurumSorgulaCompleted (see page 107)	
	ePostaGonderCompleted (see page 107)	
	faturaIptalEtCompleted (see page 107)	
	faturaIptaliKaldirCompleted (see page 107)	
	faturaItirazEtCompleted (see page 108)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	faturaItirazKaldirCompleted (see page 108)	
	faturaListeSorgulaCompleted (see page 108)	
	faturaListeSorgulaCountCompleted (see page 108)	
	faturaListeSorgulaPortalCompleted (see page 108)	
	faturaNoUretCompleted (see page 108)	
	faturaOlusturCompleted (see page 108)	
	faturaOlusturExtCompleted (see page 108)	
	faturaOnizlemeCompleted (see page 108)	
	faturaSorgulaCompleted (see page 108)	
	faturaSorgulaExtCompleted (see page 108)	
	faturaTaslakOlusturCompleted (see page 108)	
	faturaTaslakOnizlemeCompleted (see page 109)	
	faturaTaslakSilCompleted (see page 109)	
	faturaTaslakSorgulaCompleted (see page 109)	
	faturaTaslaktanOlusturCompleted (see page 109)	
	faturaZipiAlCompleted (see page 109)	
	kontorBilgisiGetirCompleted (see page 109)	
	okcRaporBolumAlCompleted (see page 109)	
	okcRaporKaydetCompleted (see page 109)	
	okcRaporOlusturGonderCompleted (see page 109)	
	raporBolumAlCompleted (see page 109)	
	raporBolumBilgisiAlCompleted (see page 109)	
	raporBolumleriOlusturCompleted (see page 109)	
	raporBolumListesiDetayliSorgulaCompleted (see page 110)	
	raporBolumListesiSorgulaCompleted (see page 110)	
	raporBolumListesiSorgulaWithInputCompleted (see page 110)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	raporBolumRaporNoGuncelleImzalaCompleted (see page 110)	
	raporBolumSilCompleted (see page 110)	
	rapordaFaturaSorgulaCompleted (see page 110)	
	raporDurumSorgulaCompleted (see page 110)	
	raporGonderCompleted (see page 110)	
	servisSaglayicidanEpostaDurumSorgulaCompleted (see page 110)	
	smsDurumSorgulaCompleted (see page 110)	
	smsGonderCompleted (see page 110)	
	topluFaturaPaketDosyaGonderCompleted (see page 111)	
	topluFaturaPaketDosyasiSorgulaCompleted (see page 111)	
	topluFaturaPaketOnaylaCompleted (see page 111)	
	topluFaturaPaketSorgulaCompleted (see page 111)	
	yapilandirmaAyarlariAlCompleted (see page 111)	

EarsivWebService Methods

	Name	Description
	aliciEpostaEkleSilGuncelle (see page 42)	
	aliciEpostaEkleSilGuncelleAsync (see page 43)	
	CancelAsync (see page 43)	
	eFaturaKayitliKullaniciListele (see page 44)	
	eFaturaKayitliKullaniciListeleAsync (see page 44)	
	efaturaKullanicisi (see page 45)	
	efaturaKullanicisiAsync (see page 45)	
	efaturaKullanicisiKontrol (see page 46)	
	efaturaKullanicisiKontrolAsync (see page 46)	
	ePostaDurumSorgula (see page 46)	
	ePostaDurumSorgulaAsync (see page 47)	
	ePostaGonder (see page 48)	
	ePostaGonderAsync (see page 48)	
	faturaIptalEt (see page 49)	
	faturaIptalEtAsync (see page 49)	
	faturaIptaliKaldir (see page 50)	
	faturaIptaliKaldirAsync (see page 50)	
	faturaItirazEt (see page 51)	
	faturaItirazEtAsync (see page 51)	
	faturaItirazKaldir (see page 52)	
	faturaItirazKaldirAsync (see page 52)	
	faturaListeSorgula (see page 53)	
	faturaListeSorgulaAsync (see page 53)	
	faturaListeSorgulaCount (see page 54)	
	faturaListeSorgulaCountAsync (see page 54)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	faturaListeSorgulaPortal (see page 55)	
	faturaListeSorgulaPortalAsync (see page 55)	
	faturaNoUret (see page 56)	
	faturaNoUretAsync (see page 56)	
	faturaOlustur (see page 57)	
	faturaOlusturAsync (see page 57)	
	faturaOlusturExt (see page 58)	
	faturaOlusturExtAsync (see page 58)	
	faturaOnizleme (see page 59)	
	faturaOnizlemeAsync (see page 60)	
	faturaSorgula (see page 60)	
	faturaSorgulaAsync (see page 61)	
	faturaSorgulaExt (see page 61)	
	faturaSorgulaExtAsync (see page 62)	
	faturaTaslakOlustur (see page 62)	
	faturaTaslakOlusturAsync (see page 63)	
	faturaTaslakOnizleme (see page 63)	
	faturaTaslakOnizlemeAsync (see page 64)	
	faturaTaslakSil (see page 64)	
	faturaTaslakSilAsync (see page 65)	
	faturaTaslakSorgula (see page 65)	
	faturaTaslakSorgulaAsync (see page 66)	
	faturaTaslaktanOlustur (see page 66)	
	faturaTaslaktanOlusturAsync (see page 67)	
	faturaZipiAl (see page 67)	
	faturaZipiAlAsync (see page 68)	
	IsLocalFileSystemWebService (see page 68)	This is IsLocalFileSystemWebService, a member of class EarsivWebService.
	kontorBilgisiGetir (see page 68)	
	kontorBilgisiGetirAsync (see page 69)	
	okcRaporBolumAl (see page 70)	
	okcRaporBolumAlAsync (see page 70)	
	okcRaporKaydet (see page 71)	
	okcRaporKaydetAsync (see page 71)	
	okcRaporOlusturGonder (see page 72)	
	okcRaporOlusturGonderAsync (see page 72)	
	OnaliciEpostaEkleSilGuncelleOperationCompleted (see page 73)	This is OnaliciEpostaEkleSilGuncelleOperationCompleted, a member of class EarsivWebService.
	OneFaturaKayitliKullaniciListeleOperationCompleted (see page 73)	This is OneFaturaKayitliKullaniciListeleOperationCompleted, a member of class EarsivWebService.
	OnefaturaKullanicisiKontrolOperationCompleted (see page 73)	This is OnefaturaKullanicisiKontrolOperationCompleted, a member of class EarsivWebService.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	OnefaturaKullanicisiOperationCompleted (see page 73)	This is OnefaturaKullanicisiOperationCompleted, a member of class EarsivWebService.
	OnePostaDurumSorgulaOperationCompleted (see page 74)	This is OnePostaDurumSorgulaOperationCompleted , a member of class EarsivWebService.
	OnePostaGonderOperationCompleted (see page 74)	This is OnePostaGonderOperationCompleted, a member of class EarsivWebService.
	OnfaturaIptalEtOperationCompleted (see page 74)	This is OnfaturaIptalEtOperationCompleted, a member of class EarsivWebService.
	OnfaturaIptaliKaldirOperationCompleted (see page 75)	This is OnfaturaIptaliKaldirOperationCompleted, a member of class EarsivWebService.
	OnfaturaItirazEtOperationCompleted (see page 75)	This is OnfaturaItirazEtOperationCompleted, a member of class EarsivWebService.
	OnfaturaItirazKaldirOperationCompleted (see page 75)	This is OnfaturaItirazKaldirOperationCompleted, a member of class EarsivWebService.
	OnfaturaListeSorgulaCountOperationCompleted (see page 76)	This is OnfaturaListeSorgulaCountOperationCompleted, a member of class EarsivWebService.
	OnfaturaListeSorgulaOperationCompleted (see page 76)	This is OnfaturaListeSorgulaOperationCompleted, a member of class EarsivWebService.
	OnfaturaListeSorgulaPortalOperationCompleted (see page 76)	This is OnfaturaListeSorgulaPortalOperationCompleted, a member of class EarsivWebService.
	OnfaturaNoUretOperationCompleted (see page 76)	This is OnfaturaNoUretOperationCompleted, a member of class EarsivWebService.
	OnfaturaOlusturExtOperationCompleted (see page 77)	This is OnfaturaOlusturExtOperationCompleted, a member of class EarsivWebService.
	OnfaturaOlusturOperationCompleted (see page 77)	This is OnfaturaOlusturOperationCompleted, a member of class EarsivWebService.
	OnfaturaOnizlemeOperationCompleted (see page 77)	This is OnfaturaOnizlemeOperationCompleted, a member of class EarsivWebService.
	OnfaturaSorgulaExtOperationCompleted (see page 78)	This is OnfaturaSorgulaExtOperationCompleted, a member of class EarsivWebService.
	OnfaturaSorgulaOperationCompleted (see page 78)	This is OnfaturaSorgulaOperationCompleted, a member of class EarsivWebService.
	OnfaturaTaslakOlusturOperationCompleted (see page 78)	This is OnfaturaTaslakOlusturOperationCompleted, a member of class EarsivWebService.
	OnfaturaTaslakOnizlemeOperationCompleted (see page 79)	This is OnfaturaTaslakOnizlemeOperationCompleted , a member of class EarsivWebService.
	OnfaturaTaslakSilOperationCompleted (see page 79)	This is OnfaturaTaslakSilOperationCompleted, a member of class EarsivWebService.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	OnfaturaTaslakSorgulaOperationCompleted (see page 79)	This is OnfaturaTaslakSorgulaOperationCompleted, a member of class EarsivWebService.
	OnfaturaTaslaktanOlusturOperationCompleted (see page 79)	This is OnfaturaTaslaktanOlusturOperationCompleted, a member of class EarsivWebService.
	OnfaturaZipiAlOperationCompleted (see page 80)	This is OnfaturaZipiAlOperationCompleted, a member of class EarsivWebService.
	OnkontorBilgisiGetirOperationCompleted (see page 80)	This is OnkontorBilgisiGetirOperationCompleted, a member of class EarsivWebService.
	OnokcRaporBolumAlOperationCompleted (see page 80)	This is OnokcRaporBolumAlOperationCompleted, a member of class EarsivWebService.
	OnokcRaporKaydetOperationCompleted (see page 81)	This is OnokcRaporKaydetOperationCompleted, a member of class EarsivWebService.
	OnokcRaporOlusturGonderOperationCompleted (see page 81)	This is OnokcRaporOlusturGonderOperationCompleted, a member of class EarsivWebService.
	OnraporBolumAlOperationCompleted (see page 81)	This is OnraporBolumAlOperationCompleted, a member of class EarsivWebService.
	OnraporBolumBilgisiAlOperationCompleted (see page 82)	This is OnraporBolumBilgisiAlOperationCompleted, a member of class EarsivWebService.
	OnraporBolumleriOlusturOperationCompleted (see page 82)	This is OnraporBolumleriOlusturOperationCompleted, a member of class EarsivWebService.
	OnraporBolumListesiDetayliSorgulaOperationCompleted (see page 82)	This is OnraporBolumListesiDetayliSorgulaOperationCompleted, a member of class EarsivWebService.
	OnraporBolumListesiSorgulaOperationCompleted (see page 82)	This is OnraporBolumListesiSorgulaOperationCompleted, a member of class EarsivWebService.
	OnraporBolumListesiSorgulaWithInputOperationCompleted (see page 83)	This is OnraporBolumListesiSorgulaWithInputOperationCompleted, a member of class EarsivWebService.
	OnraporBolumRaporNoGuncelleImzalaOperationCompleted (see page 83)	This is OnraporBolumRaporNoGuncelleImzalaOperationCompleted, a member of class EarsivWebService.
	OnraporBolumSilOperationCompleted (see page 83)	This is OnraporBolumSilOperationCompleted, a member of class EarsivWebService.
	OnrapordaFaturaSorgulaOperationCompleted (see page 84)	This is OnrapordaFaturaSorgulaOperationCompleted, a member of class EarsivWebService.
	OnraporDurumSorgulaOperationCompleted (see page 84)	This is OnraporDurumSorgulaOperationCompleted, a member of class EarsivWebService.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	OnraporGonderOperationCompleted (see page 84)	This is OnraporGonderOperationCompleted, a member of class EarsivWebService.
	OnservisSaglayicidanEpostaDurumSorgulaOperationCompleted (see page 85)	This is OnservisSaglayicidanEpostaDurumSorgulaOperationCompleted, a member of class EarsivWebService.
	OnsmsDurumSorgulaOperationCompleted (see page 85)	This is OnsmsDurumSorgulaOperationCompleted, a member of class EarsivWebService.
	OnsmsGonderOperationCompleted (see page 85)	This is OnsmsGonderOperationCompleted, a member of class EarsivWebService.
	OntopluFaturaPaketDosyaGonderOperationCompleted (see page 86)	This is OntopluFaturaPaketDosyaGonderOperationCompleted, a member of class EarsivWebService.
	OntopluFaturaPaketDosyasiSorgulaOperationCompleted (see page 86)	This is OntopluFaturaPaketDosyasiSorgulaOperationCompleted, a member of class EarsivWebService.
	OntopluFaturaPaketOnaylaOperationCompleted (see page 86)	This is OntopluFaturaPaketOnaylaOperationCompleted, a member of class EarsivWebService.
	OntopluFaturaPaketSorgulaOperationCompleted (see page 86)	This is OntopluFaturaPaketSorgulaOperationCompleted, a member of class EarsivWebService.
	OnyapilandirmaAyarlariAlOperationCompleted (see page 87)	This is OnyapilandirmaAyarlariAlOperationCompleted, a member of class EarsivWebService.
	raporBolumAl (see page 87)	
	raporBolumAlAsync (see page 88)	
	raporBolumBilgisiAl (see page 88)	
	raporBolumBilgisiAlAsync (see page 89)	
	raporBolumleriOlustur (see page 89)	
	raporBolumleriOlusturAsync (see page 90)	
	raporBolumListesiDetayliSorgula (see page 90)	
	raporBolumListesiDetayliSorgulaAsync (see page 91)	
	raporBolumListesiSorgula (see page 91)	
	raporBolumListesiSorgulaAsync (see page 92)	
	raporBolumListesiSorgulaWithInput (see page 92)	
	raporBolumListesiSorgulaWithInputAsync (see page 93)	
	raporBolumRaporNoGuncelleImzala (see page 93)	
	raporBolumRaporNoGuncelleImzalaAsync (see page 94)	
	raporBolumSil (see page 94)	
	raporBolumSilAsync (see page 95)	
	rapordaFaturaSorgula (see page 95)	
	rapordaFaturaSorgulaAsync (see page 96)	
	raporDurumSorgula (see page 96)	
	raporDurumSorgulaAsync (see page 97)	
	raporGonder (see page 97)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	raporGonderAsync (see page 98)	
	servisSaglayicidanEpostaDurumSorgula (see page 98)	
	servisSaglayicidanEpostaDurumSorgulaAsync (see page 99)	
	smsDurumSorgula (see page 99)	
	smsDurumSorgulaAsync (see page 100)	
	smsGonder (see page 100)	
	smsGonderAsync (see page 101)	
	topluFaturaPaketDosyaGonder (see page 101)	
	topluFaturaPaketDosyaGonderAsync (see page 102)	
	topluFaturaPaketDosyasiSorgula (see page 102)	
	topluFaturaPaketDosyasiSorgulaAsync (see page 103)	
	topluFaturaPaketOnayla (see page 103)	
	topluFaturaPaketOnaylaAsync (see page 104)	
	topluFaturaPaketSorgula (see page 104)	
	topluFaturaPaketSorgulaAsync (see page 105)	
	yapilandirmaAyarlariAl (see page 105)	
	yapilandirmaAyarlariAlAsync (see page 106)	

EarsivWebService Properties

	Name	Description
	Url (see page 106)	This is Url, a member of class EarsivWebService.
	UseDefaultCredentials (see page 107)	This is UseDefaultCredentials, a member of class EarsivWebService.

1.1.2.1.10.1 EarsivWebService.EarsivWebService Constructor

C#

```
public EarsivWebService();
```

Body Source

```
 1: public EarsivWebService() {
 2:     this.Url =
global::QNBFinansGIB.Properties.Settings.Default.QNBFinansGIB_GIBEArsiv_EarsivWebService;
 3:     if ((this.IsLocalFileSystemWebService(this.Url) == true)) {
 4:         this.UseDefaultCredentials = true;
 5:         this.useDefaultCredentialsSetExplicitly = false;
 6:     }
 7:     else {
 8:         this.useDefaultCredentialsSetExplicitly = true;
 9:     }
10: }
```

1.1.2.1.10.2 EarsivWebService Methods

1.1.2.1.10.2.1 EarsivWebService.aliciEpostaEkleSilGuncelle Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
aliciEpostaEkleSilGuncelle([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sch
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
ema.XmlSchemaForm.Unqualified)]
string inputGuncellenecekEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string inputSilinecekEposta);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
aliciEpostaEkleSilGuncelle([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sch
ema.XmlSchemaForm.Unqualified)]
string inputGuncellenecekEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string inputSilinecekEposta) {
4:     object[] results = this.Invoke("aliciEpostaEkleSilGuncelle", new object[] {
5:                 inputGuncellenecekEposta,
6:                 inputSilinecekEposta});
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.2.1.10.2.2 aliciEpostaEkleSilGuncelleAsync Method

1.1.2.1.10.2.2.1 EarsivWebService.aliciEpostaEkleSilGuncelleAsync Method (string, string)

C#

```
public void aliciEpostaEkleSilGuncelleAsync(string inputGuncellenecekEposta, string
inputSilinecekEposta);
```

Body Source

```
1: public void aliciEpostaEkleSilGuncelleAsync(string inputGuncellenecekEposta, string
inputSilinecekEposta) {
2:     this.aliciEpostaEkleSilGuncelleAsync(inputGuncellenecekEposta, inputSilinecekEposta,
null);
3: }
```

1.1.2.1.10.2.2.2 EarsivWebService.aliciEpostaEkleSilGuncelleAsync Method (string, string, object)

C#

```
public void aliciEpostaEkleSilGuncelleAsync(string inputGuncellenecekEposta, string
inputSilinecekEposta, object userState);
```

Body Source

```
1: public void aliciEpostaEkleSilGuncelleAsync(string inputGuncellenecekEposta, string
inputSilinecekEposta, object userState) {
2:     if ((this.aliciEpostaEkleSilGuncelleOperationCompleted == null)) {
3:         this.aliciEpostaEkleSilGuncelleOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnaliciEpostaEkleSilGuncelleOperationCompleted);
4:     }
5:     this.InvokeAsync("aliciEpostaEkleSilGuncelle", new object[] {
6:                 inputGuncellenecekEposta,
7:                 inputSilinecekEposta},
this.aliciEpostaEkleSilGuncelleOperationCompleted, userState);
8: }
```

1.1.2.1.10.2.3 EarsivWebService.CancelAsync Method

C#

```
public new void CancelAsync(object userState);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```
1: public new void CancelAsync(object userState) {
2:     base.CancelAsync(userState);
3: }
```

1.1.2.1.10.2.4 EarsivWebService.eFaturaKayitliKullaniciListele Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public eFaturaKullanici[]
eFaturaKayitliKullaniciListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml
.Schema.XmlSchemaForm.Unqualified)]
string kayitZamani);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public eFaturaKullanici[]
eFaturaKayitliKullaniciListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml
.Schema.XmlSchemaForm.Unqualified)]
string kayitZamani) {
4:     object[] results = this.Invoke("eFaturaKayitliKullaniciListele", new object[] {
5:                 kayitZamani});
6:     return ((eFaturaKullanici[])(results[0]));
7: }
```

1.1.2.1.10.2.5 eFaturaKayitliKullaniciListeleAsync Method

1.1.2.1.10.2.5.1 EarsivWebService.eFaturaKayitliKullaniciListeleAsync Method (string)

C#

```
public void eFaturaKayitliKullaniciListeleAsync(string kayitZamani);
```

Body Source

```
1: public void eFaturaKayitliKullaniciListeleAsync(string kayitZamani) {
2:     this.eFaturaKayitliKullaniciListeleAsync(kayitZamani, null);
3: }
```

1.1.2.1.10.2.5.2 EarsivWebService.eFaturaKayitliKullaniciListeleAsync Method (string, object)

C#

```
public void eFaturaKayitliKullaniciListeleAsync(string kayitZamani, object userState);
```

Body Source

```
1: public void eFaturaKayitliKullaniciListeleAsync(string kayitZamani, object userState) {
2:     if ((this.eFaturaKayitliKullaniciListeleOperationCompleted == null)) {
3:         this.eFaturaKayitliKullaniciListeleOperationCompleted = new
System.Threading.SendOrPostCallback(this.OneFaturaKayitliKullaniciListeleOperationCompleted)
;
4:     }
5:     this.InvokeAsync("eFaturaKayitliKullaniciListele", new object[] {
6:                 kayitZamani}, this.eFaturaKayitliKullaniciListeleOperationCompleted,
userState);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
7: }
```

1.1.2.1.10.2.6 EarsivWebService.efaturaKullanicisi Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
efaturaKullanicisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string vergiTcKimlikNo);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
efaturaKullanicisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string vergiTcKimlikNo) {
4:     object[] results = this.Invoke("efaturaKullanicisi", new object[] {
5:                 vergiTcKimlikNo});
6:     return ((bool)(results[0]));
7: }
```

1.1.2.1.10.2.7 efaturaKullanicisiAsync Method

1.1.2.1.10.2.7.1 EarsivWebService.efaturaKullanicisiAsync Method (string)

C#

```
public void efaturaKullanicisiAsync(string vergiTcKimlikNo);
```

Body Source

```
1: public void efaturaKullanicisiAsync(string vergiTcKimlikNo) {
2:     this.efaturaKullanicisiAsync(vergiTcKimlikNo, null);
3: }
```

1.1.2.1.10.2.7.2 EarsivWebService.efaturaKullanicisiAsync Method (string, object)

C#

```
public void efaturaKullanicisiAsync(string vergiTcKimlikNo, object userState);
```

Body Source

```
1: public void efaturaKullanicisiAsync(string vergiTcKimlikNo, object userState) {
2:     if ((this.efaturaKullanicisiOperationCompleted == null)) {
3:         this.efaturaKullanicisiOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnefaturaKullanicisiOperationCompleted);
4:     }
5:     this.InvokeAsync("efaturaKullanicisi", new object[] {
6:                 vergiTcKimlikNo}, this.efaturaKullanicisiOperationCompleted, userState);
7: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.10.2.8 EarsivWebService.efaturaKullanicisiKontrol Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
efaturaKullanicisiKontrol([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
string input);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
efaturaKullanicisiKontrol([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("efaturaKullanicisiKontrol", new object[] {
5:                 input});
6:     return ((bool)(results[0]));
7: }
```

1.1.2.1.10.2.9 efaturaKullanicisiKontrolAsync Method

1.1.2.1.10.2.9.1 EarsivWebService.efaturaKullanicisiKontrolAsync Method (string)

C#

```
public void efaturaKullanicisiKontrolAsync(string input);
```

Body Source

```
1: public void efaturaKullanicisiKontrolAsync(string input) {
2:     this.efaturaKullanicisiKontrolAsync(input, null);
3: }
```

1.1.2.1.10.2.9.2 EarsivWebService.efaturaKullanicisiKontrolAsync Method (string, object)

C#

```
public void efaturaKullanicisiKontrolAsync(string input, object userState);
```

Body Source

```
1: public void efaturaKullanicisiKontrolAsync(string input, object userState) {
2:     if ((this.efaturaKullanicisiKontrolOperationCompleted == null)) {
3:         this.efaturaKullanicisiKontrolOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnefaturaKullanicisiKontrolOperationCompleted);
4:     }
5:     this.InvokeAsync("efaturaKullanicisiKontrol", new object[] {
6:                 input}, this.efaturaKullanicisiKontrolOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.10 EarsivWebService.ePostaDurumSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("outputDurum",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
ePostaDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out string outputEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("outputDurum",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
ePostaDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out string outputEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("ePostaDurumSorgula", new object[] {
5:                 input});
6:     outputEposta = ((string)(results[1]));
7:     @return = ((earsivServiceResult)(results[2]));
8:     return ((string)(results[0]));
9: }
```

1.1.2.1.10.2.11 ePostaDurumSorgulaAsync Method

1.1.2.1.10.2.11.1 EarsivWebService.ePostaDurumSorgulaAsync Method (string)

C#

```
public void ePostaDurumSorgulaAsync(string input);
```

Body Source

```
1: public void ePostaDurumSorgulaAsync(string input) {
2:     this.ePostaDurumSorgulaAsync(input, null);
3: }
```

1.1.2.1.10.2.11.2 EarsivWebService.ePostaDurumSorgulaAsync Method (string, object)

C#

```
public void ePostaDurumSorgulaAsync(string input, object userState);
```

Body Source

```
1: public void ePostaDurumSorgulaAsync(string input, object userState) {
2:     if ((this.ePostaDurumSorgulaOperationCompleted == null)) {
3:         this.ePostaDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnePostaDurumSorgulaOperationCompleted);
4:     }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
5:     this.InvokeAsync("ePostaDurumSorgula", new object[] {
6:                 input}, this.ePostaDurumSorgulaOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.12 EarsivWebService.ePostaGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
ePostaGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaF
orm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ilaveEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
int tanimliEpostayaGonder);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
ePostaGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaF
orm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ilaveEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
int tanimliEpostayaGonder) {
4:     object[] results = this.Invoke("ePostaGonder", new object[] {
5:                 input,
6:                 ilaveEposta,
7:                 tanimliEpostayaGonder});
8:     return ((earsivServiceResult)(results[0]));
9: }
```

1.1.2.1.10.2.13 ePostaGonderAsync Method

1.1.2.1.10.2.13.1 EarsivWebService.ePostaGonderAsync Method (string, string, int)

C#

```
public void ePostaGonderAsync(string input, string ilaveEposta, int tanimliEpostayaGonder);
```

Body Source

```
1: public void ePostaGonderAsync(string input, string ilaveEposta, int
tanimliEpostayaGonder) {
2:     this.ePostaGonderAsync(input, ilaveEposta, tanimliEpostayaGonder, null);
3: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.10.2.13.2 EarsivWebService.ePostaGonderAsync Method (string, string, int, object)

C#

```
public void ePostaGonderAsync(string input, string ilaveEposta, int tanimliEpostayaGonder,
object userState);
```

Body Source

```
public void ePostaGonderAsync(string input, string ilaveEposta, int
tanimliEpostayaGonder, object userState) {
    if ((this.ePostaGonderOperationCompleted == null)) {
        this.ePostaGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnePostaGonderOperationCompleted);
    }
    this.InvokeAsync("ePostaGonder", new object[] {
                input,
                ilaveEposta,
                tanimliEpostayaGonder}, this.ePostaGonderOperationCompleted, userState);
}
```

1.1.2.1.10.2.14 EarsivWebService.faturaIptalEt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaIptalEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string input);
```

Body Source

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaIptalEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string input) {
    object[] results = this.Invoke("faturaIptalEt", new object[] {
                input});
    return ((earsivServiceResult)(results[0]));
}
```

1.1.2.1.10.2.15 faturaIptalEtAsync Method

1.1.2.1.10.2.15.1 EarsivWebService.faturaIptalEtAsync Method (string)

C#

```
public void faturaIptalEtAsync(string input);
```

Body Source

```
public void faturaIptalEtAsync(string input) {
    this.faturaIptalEtAsync(input, null);
}
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.10.2.15.2 EarsivWebService.faturaIptalEtAsync Method (string, object)

C#

```
public void faturaIptalEtAsync(string input, object userState);
```

Body Source

```
1: public void faturaIptalEtAsync(string input, object userState) {
2:     if ((this.faturaIptalEtOperationCompleted == null)) {
3:         this.faturaIptalEtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaIptalEtOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaIptalEt", new object[] {
6:                 input}, this.faturaIptalEtOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.16 EarsivWebService.faturaIptaliKaldir Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaIptaliKaldir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string input);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaIptaliKaldir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("faturaIptaliKaldir", new object[] {
5:                 input});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.2.1.10.2.17 faturaIptaliKaldirAsync Method

1.1.2.1.10.2.17.1 EarsivWebService.faturaIptaliKaldirAsync Method (string)

C#

```
public void faturaIptaliKaldirAsync(string input);
```

Body Source

```
1: public void faturaIptaliKaldirAsync(string input) {
2:     this.faturaIptaliKaldirAsync(input, null);
3: }
```

1.1.2.1.10.2.17.2 EarsivWebService.faturaIptaliKaldirAsync Method (string, object)

C#

```
public void faturaIptaliKaldirAsync(string input, object userState);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```
1: public void faturaIptaliKaldirAsync(string input, object userState) {
2:     if ((this.faturaIptaliKaldirOperationCompleted == null)) {
3:         this.faturaIptaliKaldirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaIptaliKaldirOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaIptaliKaldir", new object[] {
6:                 input}, this.faturaIptaliKaldirOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.18 EarsivWebService.faturaItirazEt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaItirazEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchem
aForm.Unqualified)]
string input);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaItirazEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchem
aForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("faturaItirazEt", new object[] {
5:                 input});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.2.1.10.2.19 faturaItirazEtAsync Method

1.1.2.1.10.2.19.1 EarsivWebService.faturaItirazEtAsync Method (string)

C#

```
public void faturaItirazEtAsync(string input);
```

Body Source

```
1: public void faturaItirazEtAsync(string input) {
2:     this.faturaItirazEtAsync(input, null);
3: }
```

1.1.2.1.10.2.19.2 EarsivWebService.faturaItirazEtAsync Method (string, object)

C#

```
public void faturaItirazEtAsync(string input, object userState);
```

Body Source

```
1: public void faturaItirazEtAsync(string input, object userState) {
2:     if ((this.faturaItirazEtOperationCompleted == null)) {
3:         this.faturaItirazEtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaItirazEtOperationCompleted);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
4:     }
5:     this.InvokeAsync("faturaItirazEt", new object[] {
6:                 input}, this.faturaItirazEtOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.20 EarsivWebService.faturaItirazKaldir Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaItirazKaldir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string input);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaItirazKaldir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("faturaItirazKaldir", new object[] {
5:                 input});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.2.1.10.2.21 faturaItirazKaldirAsync Method

1.1.2.1.10.2.21.1 EarsivWebService.faturaItirazKaldirAsync Method (string)

C#

```
public void faturaItirazKaldirAsync(string input);
```

Body Source

```
1: public void faturaItirazKaldirAsync(string input) {
2:     this.faturaItirazKaldirAsync(input, null);
3: }
```

1.1.2.1.10.2.21.2 EarsivWebService.faturaItirazKaldirAsync Method (string, object)

C#

```
public void faturaItirazKaldirAsync(string input, object userState);
```

Body Source

```
1: public void faturaItirazKaldirAsync(string input, object userState) {
2:     if ((this.faturaItirazKaldirOperationCompleted == null)) {
3:         this.faturaItirazKaldirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaItirazKaldirOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaItirazKaldir", new object[] {
6:                 input}, this.faturaItirazKaldirOperationCompleted, userState);
7: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.10.2.22 EarsivWebService.faturaListeSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaListeSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaListeSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output) {
4:     object[] results = this.Invoke("faturaListeSorgula", new object[] {
5:                 input});
6:     output = ((faturaDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.2.1.10.2.23 faturaListeSorgulaAsync Method

1.1.2.1.10.2.23.1 EarsivWebService.faturaListeSorgulaAsync Method (string)

C#

```
public void faturaListeSorgulaAsync(string input);
```

Body Source

```
1: public void faturaListeSorgulaAsync(string input) {
2:     this.faturaListeSorgulaAsync(input, null);
3: }
```

1.1.2.1.10.2.23.2 EarsivWebService.faturaListeSorgulaAsync Method (string, object)

C#

```
public void faturaListeSorgulaAsync(string input, object userState);
```

Body Source

```
1: public void faturaListeSorgulaAsync(string input, object userState) {
2:     if ((this.faturaListeSorgulaOperationCompleted == null)) {
3:         this.faturaListeSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaListeSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaListeSorgula", new object[] {
6:                 input}, this.faturaListeSorgulaOperationCompleted, userState);
7: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.10.2.24 EarsivWebService.faturaListeSorgulaCount Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaListeSorgulaCount([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema
.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaListeSorgulaCount([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema
.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output) {
4:     object[] results = this.Invoke("faturaListeSorgulaCount", new object[] {
5:                 input});
6:     output = ((faturaDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.2.1.10.2.25 faturaListeSorgulaCountAsync Method

1.1.2.1.10.2.25.1 EarsivWebService.faturaListeSorgulaCountAsync Method (string)

C#

```
public void faturaListeSorgulaCountAsync(string input);
```

Body Source

```
1: public void faturaListeSorgulaCountAsync(string input) {
2:     this.faturaListeSorgulaCountAsync(input, null);
3: }
```

1.1.2.1.10.2.25.2 EarsivWebService.faturaListeSorgulaCountAsync Method (string, object)

C#

```
public void faturaListeSorgulaCountAsync(string input, object userState);
```

Body Source

```
1: public void faturaListeSorgulaCountAsync(string input, object userState) {
2:     if ((this.faturaListeSorgulaCountOperationCompleted == null)) {
3:         this.faturaListeSorgulaCountOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaListeSorgulaCountOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaListeSorgulaCount", new object[] {
6:                 input}, this.faturaListeSorgulaCountOperationCompleted, userState);
7: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.10.2.26 EarsivWebService.faturaListeSorgulaPortal Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaListeSorgulaPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schem
a.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaListeSorgulaPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schem
a.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output) {
4:     object[] results = this.Invoke("faturaListeSorgulaPortal", new object[] {
5:                 input});
6:     output = ((faturaDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.2.1.10.2.27 faturaListeSorgulaPortalAsync Method

1.1.2.1.10.2.27.1 EarsivWebService.faturaListeSorgulaPortalAsync Method (string)

C#

```
public void faturaListeSorgulaPortalAsync(string input);
```

Body Source

```
1: public void faturaListeSorgulaPortalAsync(string input) {
2:     this.faturaListeSorgulaPortalAsync(input, null);
3: }
```

1.1.2.1.10.2.27.2 EarsivWebService.faturaListeSorgulaPortalAsync Method (string, object)

C#

```
public void faturaListeSorgulaPortalAsync(string input, object userState);
```

Body Source

```
1: public void faturaListeSorgulaPortalAsync(string input, object userState) {
2:     if ((this.faturaListeSorgulaPortalOperationCompleted == null)) {
3:         this.faturaListeSorgulaPortalOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaListeSorgulaPortalOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaListeSorgulaPortal", new object[] {
6:                 input}, this.faturaListeSorgulaPortalOperationCompleted, userState);
7: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.10.2.28 EarsivWebService.faturaNoUret Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
faturaNoUret([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaF
orm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
faturaNoUret([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaF
orm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("faturaNoUret", new object[] {
5:                 input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((string)(results[0]));
8: }
```

1.1.2.1.10.2.29 faturaNoUretAsync Method

1.1.2.1.10.2.29.1 EarsivWebService.faturaNoUretAsync Method (string)

C#

```
public void faturaNoUretAsync(string input);
```

Body Source

```
1: public void faturaNoUretAsync(string input) {
2:     this.faturaNoUretAsync(input, null);
3: }
```

1.1.2.1.10.2.29.2 EarsivWebService.faturaNoUretAsync Method (string, object)

C#

```
public void faturaNoUretAsync(string input, object userState);
```

Body Source

```
1: public void faturaNoUretAsync(string input, object userState) {
2:     if ((this.faturaNoUretOperationCompleted == null)) {
3:         this.faturaNoUretOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaNoUretOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaNoUret", new object[] {
6:                 input}, this.faturaNoUretOperationCompleted, userState);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
7: }
```

1.1.2.1.10.2.30 EarsivWebService.faturaOlustur Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
faturaOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge fatura,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
faturaOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge fatura,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("faturaOlustur", new object[] {
5:                 input,
6:                 fatura});
7:     @return = ((earsivServiceResult)(results[1]));
8:     return ((belge)(results[0]));
9: }
```

1.1.2.1.10.2.31 faturaOlusturAsync Method

1.1.2.1.10.2.31.1 EarsivWebService.faturaOlusturAsync Method (string, belge)

C#

```
public void faturaOlusturAsync(string input, belge fatura);
```

Body Source

```
1: public void faturaOlusturAsync(string input, belge fatura) {
2:     this.faturaOlusturAsync(input, fatura, null);
3: }
```

1.1.2.1.10.2.31.2 EarsivWebService.faturaOlusturAsync Method (string, belge, object)

C#

```
public void faturaOlusturAsync(string input, belge fatura, object userState);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```
1: public void faturaOlusturAsync(string input, belge fatura, object userState) {
2:     if ((this.faturaOlusturOperationCompleted == null)) {
3:         this.faturaOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaOlusturOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaOlustur", new object[] {
6:                 input,
7:                 fatura}, this.faturaOlusturOperationCompleted, userState);
8: }
```

1.1.2.1.10.2.32 EarsivWebService.faturaOlusturExt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
faturaOlusturExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSch
emaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge fatura,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
faturaOlusturExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSch
emaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge fatura,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("faturaOlusturExt", new object[] {
5:                 input,
6:                 fatura});
7:     @return = ((earsivServiceResult)(results[1]));
8:     return ((belge)(results[0]));
9: }
```

1.1.2.1.10.2.33 faturaOlusturExtAsync Method

1.1.2.1.10.2.33.1 EarsivWebService.faturaOlusturExtAsync Method (string, belge)

C#

```
public void faturaOlusturExtAsync(string input, belge fatura);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```
1: public void faturaOlusturExtAsync(string input, belge fatura) {
2:     this.faturaOlusturExtAsync(input, fatura, null);
3: }
```

1.1.2.1.10.2.33.2 EarsivWebService.faturaOlusturExtAsync Method (string, belge, object)

C#

```
public void faturaOlusturExtAsync(string input, belge fatura, object userState);
```

Body Source

```
1: public void faturaOlusturExtAsync(string input, belge fatura, object userState) {
2:     if ((this.faturaOlusturExtOperationCompleted == null)) {
3:         this.faturaOlusturExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaOlusturExtOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaOlusturExt", new object[] {
6:                 input,
7:                 fatura}, this.faturaOlusturExtOperationCompleted, userState);
8: }
```

1.1.2.1.10.2.34 EarsivWebService.faturaOnizleme Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
faturaOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchem
aForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge fatura,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
faturaOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchem
aForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge fatura,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("faturaOnizleme", new object[] {
5:                 input,
6:                 fatura});
7:     @return = ((earsivServiceResult)(results[1]));
8:     return ((belge)(results[0]));
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
9: }
```

1.1.2.1.10.2.35 faturaOnizlemeAsync Method

1.1.2.1.10.2.35.1 EarsivWebService.faturaOnizlemeAsync Method (string, belge)

C#

```
public void faturaOnizlemeAsync(string input, belge fatura);
```

Body Source

```
1: public void faturaOnizlemeAsync(string input, belge fatura) {
2:     this.faturaOnizlemeAsync(input, fatura, null);
3: }
```

1.1.2.1.10.2.35.2 EarsivWebService.faturaOnizlemeAsync Method (string, belge, object)

C#

```
public void faturaOnizlemeAsync(string input, belge fatura, object userState);
```

Body Source

```
1: public void faturaOnizlemeAsync(string input, belge fatura, object userState) {
2:     if ((this.faturaOnizlemeOperationCompleted == null)) {
3:         this.faturaOnizlemeOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaOnizlemeOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaOnizleme", new object[] {
6:                 input,
7:                 fatura}, this.faturaOnizlemeOperationCompleted, userState);
8: }
```

1.1.2.1.10.2.36 EarsivWebService.faturaSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
faturaSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
faturaSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("faturaSorgula", new object[] {
5:                 input});
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }
```

1.1.2.1.10.2.37 faturaSorgulaAsync Method

1.1.2.1.10.2.37.1 EarsivWebService.faturaSorgulaAsync Method (string)

C#

```
public void faturaSorgulaAsync(string input);
```

Body Source

```
1: public void faturaSorgulaAsync(string input) {
2:     this.faturaSorgulaAsync(input, null);
3: }
```

1.1.2.1.10.2.37.2 EarsivWebService.faturaSorgulaAsync Method (string, object)

C#

```
public void faturaSorgulaAsync(string input, object userState);
```

Body Source

```
1: public void faturaSorgulaAsync(string input, object userState) {
2:     if ((this.faturaSorgulaOperationCompleted == null)) {
3:         this.faturaSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaSorgula", new object[] {
6:                 input}, this.faturaSorgulaOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.38 EarsivWebService.faturaSorgulaExt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
faturaSorgulaExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSch
emaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
faturaSorgulaExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSch
emaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("faturaSorgulaExt", new object[] {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
5:                 input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }
```

1.1.2.1.10.2.39 faturaSorgulaExtAsync Method

1.1.2.1.10.2.39.1 EarsivWebService.faturaSorgulaExtAsync Method (string)

C#

```
public void faturaSorgulaExtAsync(string input);
```

Body Source

```
1: public void faturaSorgulaExtAsync(string input) {
2:     this.faturaSorgulaExtAsync(input, null);
3: }
```

1.1.2.1.10.2.39.2 EarsivWebService.faturaSorgulaExtAsync Method (string, object)

C#

```
public void faturaSorgulaExtAsync(string input, object userState);
```

Body Source

```
1: public void faturaSorgulaExtAsync(string input, object userState) {
2:     if ((this.faturaSorgulaExtOperationCompleted == null)) {
3:         this.faturaSorgulaExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaSorgulaExtOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaSorgulaExt", new object[] {
6:                 input}, this.faturaSorgulaExtOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.40 EarsivWebService.faturaTaslakOlustur Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaTaslakOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge fatura);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaTaslakOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge fatura) {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
4:     object[] results = this.Invoke("faturaTaslakOlustur", new object[] {
5:                 input,
6:                 fatura});
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.2.1.10.2.41 faturaTaslakOlusturAsync Method

1.1.2.1.10.2.41.1 EarsivWebService.faturaTaslakOlusturAsync Method (string, belge)

C#

```
public void faturaTaslakOlusturAsync(string input, belge fatura);
```

Body Source

```
1: public void faturaTaslakOlusturAsync(string input, belge fatura) {
2:     this.faturaTaslakOlusturAsync(input, fatura, null);
3: }
```

1.1.2.1.10.2.41.2 EarsivWebService.faturaTaslakOlusturAsync Method (string, belge, object)

C#

```
public void faturaTaslakOlusturAsync(string input, belge fatura, object userState);
```

Body Source

```
1: public void faturaTaslakOlusturAsync(string input, belge fatura, object userState) {
2:     if ((this.faturaTaslakOlusturOperationCompleted == null)) {
3:         this.faturaTaslakOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaTaslakOlusturOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaTaslakOlustur", new object[] {
6:                 input,
7:                 fatura}, this.faturaTaslakOlusturOperationCompleted, userState);
8: }
```

1.1.2.1.10.2.42 EarsivWebService.faturaTaslakOnizleme Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaTaslakOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
lSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out belge output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaTaslakOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
lSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
ed)]
out belge output) {
    object[] results = this.Invoke("faturaTaslakOnizleme", new object[] {
                input});
    output = ((belge)(results[1]));
    return ((earsivServiceResult)(results[0]));
}
```

1.1.2.1.10.2.43 faturaTaslakOnizlemeAsync Method

1.1.2.1.10.2.43.1 EarsivWebService.faturaTaslakOnizlemeAsync Method (string)

C#

```
public void faturaTaslakOnizlemeAsync(string input);
```

Body Source

```
public void faturaTaslakOnizlemeAsync(string input) {
    this.faturaTaslakOnizlemeAsync(input, null);
}
```

1.1.2.1.10.2.43.2 EarsivWebService.faturaTaslakOnizlemeAsync Method (string, object)

C#

```
public void faturaTaslakOnizlemeAsync(string input, object userState);
```

Body Source

```
public void faturaTaslakOnizlemeAsync(string input, object userState) {
    if ((this.faturaTaslakOnizlemeOperationCompleted == null)) {
        this.faturaTaslakOnizlemeOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaTaslakOnizlemeOperationCompleted);
    }
    this.InvokeAsync("faturaTaslakOnizleme", new object[] {
                input}, this.faturaTaslakOnizlemeOperationCompleted, userState);
}
```

1.1.2.1.10.2.44 EarsivWebService.faturaTaslakSil Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaTaslakSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSche
maForm.Unqualified)]
string input);
```

Body Source

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaTaslakSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSche
maForm.Unqualified)]
string input) {
    object[] results = this.Invoke("faturaTaslakSil", new object[] {
                input});
    return ((earsivServiceResult)(results[0]));
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
7: }
```

1.1.2.1.10.2.45 faturaTaslakSilAsync Method

1.1.2.1.10.2.45.1 EarsivWebService.faturaTaslakSilAsync Method (string)

C#

```
public void faturaTaslakSilAsync(string input);
```

Body Source

```
1: public void faturaTaslakSilAsync(string input) {
2:     this.faturaTaslakSilAsync(input, null);
3: }
```

1.1.2.1.10.2.45.2 EarsivWebService.faturaTaslakSilAsync Method (string, object)

C#

```
public void faturaTaslakSilAsync(string input, object userState);
```

Body Source

```
1: public void faturaTaslakSilAsync(string input, object userState) {
2:     if ((this.faturaTaslakSilOperationCompleted == null)) {
3:         this.faturaTaslakSilOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaTaslakSilOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaTaslakSil", new object[] {
6:                 input}, this.faturaTaslakSilOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.46 EarsivWebService.faturaTaslakSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaTaslakSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaTaslakSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output) {
4:     object[] results = this.Invoke("faturaTaslakSorgula", new object[] {
5:                 input});
6:     output = ((faturaDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.2.1.10.2.47 faturaTaslakSorgulaAsync Method

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.10.2.47.1 EarsivWebService.faturaTaslakSorgulaAsync Method (string)

C#

```
public void faturaTaslakSorgulaAsync(string input);
```

Body Source

```
1: public void faturaTaslakSorgulaAsync(string input) {
2:     this.faturaTaslakSorgulaAsync(input, null);
3: }
```

1.1.2.1.10.2.47.2 EarsivWebService.faturaTaslakSorgulaAsync Method (string, object)

C#

```
public void faturaTaslakSorgulaAsync(string input, object userState);
```

Body Source

```
1: public void faturaTaslakSorgulaAsync(string input, object userState) {
2:     if ((this.faturaTaslakSorgulaOperationCompleted == null)) {
3:         this.faturaTaslakSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaTaslakSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaTaslakSorgula", new object[] {
6:                 input}, this.faturaTaslakSorgulaOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.48 EarsivWebService.faturaTaslaktanOlustur Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
faturaTaslaktanOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
faturaTaslaktanOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("faturaTaslaktanOlustur", new object[] {
5:                 input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }
```

1.1.2.1.10.2.49 faturaTaslaktanOlusturAsync Method

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.10.2.49.1 EarsivWebService.faturaTaslaktanOlusturAsync Method (string)

C#

```
public void faturaTaslaktanOlusturAsync(string input);
```

Body Source

```
1: public void faturaTaslaktanOlusturAsync(string input) {
2:     this.faturaTaslaktanOlusturAsync(input, null);
3: }
```

1.1.2.1.10.2.49.2 EarsivWebService.faturaTaslaktanOlusturAsync Method (string, object)

C#

```
public void faturaTaslaktanOlusturAsync(string input, object userState);
```

Body Source

```
1: public void faturaTaslaktanOlusturAsync(string input, object userState) {
2:     if ((this.faturaTaslaktanOlusturOperationCompleted == null)) {
3:         this.faturaTaslaktanOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaTaslaktanOlusturOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaTaslaktanOlustur", new object[] {
6:                 input}, this.faturaTaslaktanOlusturOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.50 EarsivWebService.faturaZipiAl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaZipiAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaF
orm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary", IsNullable=true)] out byte[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaZipiAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaF
orm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary", IsNullable=true)] out byte[] output) {
4:     object[] results = this.Invoke("faturaZipiAl", new object[] {
5:                 input});
6:     output = ((byte[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.2.1.10.2.51 faturaZipiAlAsync Method

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.10.2.51.1 EarsivWebService.faturaZipiAlAsync Method (string)

C#

```
public void faturaZipiAlAsync(string input);
```

Body Source

```
1: public void faturaZipiAlAsync(string input) {
2:     this.faturaZipiAlAsync(input, null);
3: }
```

1.1.2.1.10.2.51.2 EarsivWebService.faturaZipiAlAsync Method (string, object)

C#

```
public void faturaZipiAlAsync(string input, object userState);
```

Body Source

```
1: public void faturaZipiAlAsync(string input, object userState) {
2:     if ((this.faturaZipiAlOperationCompleted == null)) {
3:         this.faturaZipiAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaZipiAlOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaZipiAl", new object[] {
6:                 input}, this.faturaZipiAlOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.52 EarsivWebService.IsLocalFileSystemWebService Method

C#

```
private bool IsLocalFileSystemWebService(string url);
```

Description

This is IsLocalFileSystemWebService, a member of class EarsivWebService.

Body Source

```
 1: private bool IsLocalFileSystemWebService(string url) {
 2:     if (((url == null)
 3:                 || (url == string.Empty))) {
 4:         return false;
 5:     }
 6:     System.Uri wsUri = new System.Uri(url);
 7:     if (((wsUri.Port >= 1024)
 8:                 && (string.Compare(wsUri.Host, "localHost",
System.StringComparison.OrdinalIgnoreCase) == 0))) {
 9:         return true;
10:     }
11:     return false;
12: }
```

1.1.2.1.10.2.53 EarsivWebService.kontorBilgisiGetir Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
kontorBilgisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
string kontorTipi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string kontorBirimi);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
kontorBilgisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string kontorTipi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string kontorBirimi) {
4:     object[] results = this.Invoke("kontorBilgisiGetir", new object[] {
5:                 vknTckn,
6:                 kontorTipi,
7:                 kontorBirimi});
8:     return ((earsivServiceResult)(results[0]));
9: }
```

1.1.2.1.10.2.54 kontorBilgisiGetirAsync Method

1.1.2.1.10.2.54.1 EarsivWebService.kontorBilgisiGetirAsync Method (string, string, string)

C#

```
public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string kontorBirimi);
```

Body Source

```
1: public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string
kontorBirimi) {
2:     this.kontorBilgisiGetirAsync(vknTckn, kontorTipi, kontorBirimi, null);
3: }
```

1.1.2.1.10.2.54.2 EarsivWebService.kontorBilgisiGetirAsync Method (string, string, string, object)

C#

```
public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string kontorBirimi,
object userState);
```

Body Source

```
1: public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string
kontorBirimi, object userState) {
2:     if ((this.kontorBilgisiGetirOperationCompleted == null)) {
3:         this.kontorBilgisiGetirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnkontorBilgisiGetirOperationCompleted);
4:     }
5:     this.InvokeAsync("kontorBilgisiGetir", new object[] {
6:                 vknTckn,
7:                 kontorTipi,
8:                 kontorBirimi}, this.kontorBilgisiGetirOperationCompleted, userState);
9: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.10.2.55 EarsivWebService.okcRaporBolumAl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
okcRaporBolumAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSche
maForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
okcRaporBolumAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSche
maForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("okcRaporBolumAl", new object[] {
5:                 input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }
```

1.1.2.1.10.2.56 okcRaporBolumAlAsync Method

1.1.2.1.10.2.56.1 EarsivWebService.okcRaporBolumAlAsync Method (string)

C#

```
public void okcRaporBolumAlAsync(string input);
```

Body Source

```
1: public void okcRaporBolumAlAsync(string input) {
2:     this.okcRaporBolumAlAsync(input, null);
3: }
```

1.1.2.1.10.2.56.2 EarsivWebService.okcRaporBolumAlAsync Method (string, object)

C#

```
public void okcRaporBolumAlAsync(string input, object userState);
```

Body Source

```
1: public void okcRaporBolumAlAsync(string input, object userState) {
2:     if ((this.okcRaporBolumAlOperationCompleted == null)) {
3:         this.okcRaporBolumAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnokcRaporBolumAlOperationCompleted);
4:     }
5:     this.InvokeAsync("okcRaporBolumAl", new object[] {
6:                 input}, this.okcRaporBolumAlOperationCompleted, userState);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
7: }
```

1.1.2.1.10.2.57 EarsivWebService.okcRaporKaydet Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
okcRaporKaydet([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchem
aForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
dosyaInput rapor);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
okcRaporKaydet([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchem
aForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
dosyaInput rapor) {
4:     object[] results = this.Invoke("okcRaporKaydet", new object[] {
5:                 input,
6:                 rapor});
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.2.1.10.2.58 okcRaporKaydetAsync Method

1.1.2.1.10.2.58.1 EarsivWebService.okcRaporKaydetAsync Method (string, dosyaInput)

C#

```
public void okcRaporKaydetAsync(string input, dosyaInput rapor);
```

Body Source

```
1: public void okcRaporKaydetAsync(string input, dosyaInput rapor) {
2:     this.okcRaporKaydetAsync(input, rapor, null);
3: }
```

1.1.2.1.10.2.58.2 EarsivWebService.okcRaporKaydetAsync Method (string, dosyaInput, object)

C#

```
public void okcRaporKaydetAsync(string input, dosyaInput rapor, object userState);
```

Body Source

```
1: public void okcRaporKaydetAsync(string input, dosyaInput rapor, object userState) {
2:     if ((this.okcRaporKaydetOperationCompleted == null)) {
3:         this.okcRaporKaydetOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnokcRaporKaydetOperationCompleted);
4:     }
5:     this.InvokeAsync("okcRaporKaydet", new object[] {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
6:                  input,
7:                  rapor}, this.okcRaporKaydetOperationCompleted, userState);
8: }
```

1.1.2.1.10.2.59 EarsivWebService.okcRaporOlusturGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
okcRaporOlusturGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string input);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
okcRaporOlusturGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("okcRaporOlusturGonder", new object[] {
5:                 input});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.2.1.10.2.60 okcRaporOlusturGonderAsync Method

1.1.2.1.10.2.60.1 EarsivWebService.okcRaporOlusturGonderAsync Method (string)

C#

```
public void okcRaporOlusturGonderAsync(string input);
```

Body Source

```
1: public void okcRaporOlusturGonderAsync(string input) {
2:     this.okcRaporOlusturGonderAsync(input, null);
3: }
```

1.1.2.1.10.2.60.2 EarsivWebService.okcRaporOlusturGonderAsync Method (string, object)

C#

```
public void okcRaporOlusturGonderAsync(string input, object userState);
```

Body Source

```
1: public void okcRaporOlusturGonderAsync(string input, object userState) {
2:     if ((this.okcRaporOlusturGonderOperationCompleted == null)) {
3:         this.okcRaporOlusturGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnokcRaporOlusturGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("okcRaporOlusturGonder", new object[] {
6:                 input}, this.okcRaporOlusturGonderOperationCompleted, userState);
7: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.10.2.61 EarsivWebService.OnaliciEpostaEkleSilGuncelleOperationCompleted Method

C#

```
private void OnaliciEpostaEkleSilGuncelleOperationCompleted(object arg);
```

Description

This is OnaliciEpostaEkleSilGuncelleOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnaliciEpostaEkleSilGuncelleOperationCompleted(object arg) {
2:     if ((this.aliciEpostaEkleSilGuncelleCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.aliciEpostaEkleSilGuncelleCompleted(this, new
aliciEpostaEkleSilGuncelleCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.62 EarsivWebService.OneFaturaKayitliKullaniciListeleOperationCompleted Method

C#

```
private void OneFaturaKayitliKullaniciListeleOperationCompleted(object arg);
```

Description

This is OneFaturaKayitliKullaniciListeleOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OneFaturaKayitliKullaniciListeleOperationCompleted(object arg) {
2:     if ((this.eFaturaKayitliKullaniciListeleCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.eFaturaKayitliKullaniciListeleCompleted(this, new
eFaturaKayitliKullaniciListeleCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.63 EarsivWebService.OnefaturaKullanicisiKontrolOperationCompleted Method

C#

```
private void OnefaturaKullanicisiKontrolOperationCompleted(object arg);
```

Description

This is OnefaturaKullanicisiKontrolOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnefaturaKullanicisiKontrolOperationCompleted(object arg) {
2:     if ((this.efaturaKullanicisiKontrolCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.efaturaKullanicisiKontrolCompleted(this, new
efaturaKullanicisiKontrolCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.64 EarsivWebService.OnefaturaKullanicisiOperationCompleted Method

C#

```
private void OnefaturaKullanicisiOperationCompleted(object arg);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Description

This is OnefaturaKullanicisiOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnefaturaKullanicisiOperationCompleted(object arg) {
2:     if ((this.efaturaKullanicisiCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.efaturaKullanicisiCompleted(this, new
efaturaKullanicisiCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.65 EarsivWebService.OnePostaDurumSorgulaOperationCompleted Method

C#

```
private void OnePostaDurumSorgulaOperationCompleted(object arg);
```

Description

This is OnePostaDurumSorgulaOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnePostaDurumSorgulaOperationCompleted(object arg) {
2:     if ((this.ePostaDurumSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.ePostaDurumSorgulaCompleted(this, new
ePostaDurumSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.66 EarsivWebService.OnePostaGonderOperationCompleted Method

C#

```
private void OnePostaGonderOperationCompleted(object arg);
```

Description

This is OnePostaGonderOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnePostaGonderOperationCompleted(object arg) {
2:     if ((this.ePostaGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.ePostaGonderCompleted(this, new
ePostaGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.67 EarsivWebService.OnfaturaIptalEtOperationCompleted Method

C#

```
private void OnfaturaIptalEtOperationCompleted(object arg);
```

Description

This is OnfaturaIptalEtOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnfaturaIptalEtOperationCompleted(object arg) {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
2:     if ((this.faturaIptalEtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaIptalEtCompleted(this, new
faturaIptalEtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.68 EarsivWebService.OnfaturaIptaliKaldirOperationCompleted Method

C#

```
private void OnfaturaIptaliKaldirOperationCompleted(object arg);
```

Description

This is OnfaturaIptaliKaldirOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnfaturaIptaliKaldirOperationCompleted(object arg) {
2:     if ((this.faturaIptaliKaldirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaIptaliKaldirCompleted(this, new
faturaIptaliKaldirCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.69 EarsivWebService.OnfaturaItirazEtOperationCompleted Method

C#

```
private void OnfaturaItirazEtOperationCompleted(object arg);
```

Description

This is OnfaturaItirazEtOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnfaturaItirazEtOperationCompleted(object arg) {
2:     if ((this.faturaItirazEtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaItirazEtCompleted(this, new
faturaItirazEtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.70 EarsivWebService.OnfaturaItirazKaldirOperationCompleted Method

C#

```
private void OnfaturaItirazKaldirOperationCompleted(object arg);
```

Description

This is OnfaturaItirazKaldirOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnfaturaItirazKaldirOperationCompleted(object arg) {
2:     if ((this.faturaItirazKaldirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaItirazKaldirCompleted(this, new
faturaItirazKaldirCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
6: }
```

1.1.2.1.10.2.71 EarsivWebService.OnfaturaListeSorgulaCountOperationCompleted Method

C#

```
private void OnfaturaListeSorgulaCountOperationCompleted(object arg);
```

Description

This is OnfaturaListeSorgulaCountOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnfaturaListeSorgulaCountOperationCompleted(object arg) {
2:     if ((this.faturaListeSorgulaCountCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaListeSorgulaCountCompleted(this, new
faturaListeSorgulaCountCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.72 EarsivWebService.OnfaturaListeSorgulaOperationCompleted Method

C#

```
private void OnfaturaListeSorgulaOperationCompleted(object arg);
```

Description

This is OnfaturaListeSorgulaOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnfaturaListeSorgulaOperationCompleted(object arg) {
2:     if ((this.faturaListeSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaListeSorgulaCompleted(this, new
faturaListeSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.73 EarsivWebService.OnfaturaListeSorgulaPortalOperationCompleted Method

C#

```
private void OnfaturaListeSorgulaPortalOperationCompleted(object arg);
```

Description

This is OnfaturaListeSorgulaPortalOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnfaturaListeSorgulaPortalOperationCompleted(object arg) {
2:     if ((this.faturaListeSorgulaPortalCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaListeSorgulaPortalCompleted(this, new
faturaListeSorgulaPortalCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.74 EarsivWebService.OnfaturaNoUretOperationCompleted Method

C#

```
private void OnfaturaNoUretOperationCompleted(object arg);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Description

This is OnfaturaNoUretOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnfaturaNoUretOperationCompleted(object arg) {
2:     if ((this.faturaNoUretCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaNoUretCompleted(this, new
faturaNoUretCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.75 EarsivWebService.OnfaturaOlusturExtOperationCompleted Method

C#

```
private void OnfaturaOlusturExtOperationCompleted(object arg);
```

Description

This is OnfaturaOlusturExtOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnfaturaOlusturExtOperationCompleted(object arg) {
2:     if ((this.faturaOlusturExtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaOlusturExtCompleted(this, new
faturaOlusturExtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.76 EarsivWebService.OnfaturaOlusturOperationCompleted Method

C#

```
private void OnfaturaOlusturOperationCompleted(object arg);
```

Description

This is OnfaturaOlusturOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnfaturaOlusturOperationCompleted(object arg) {
2:     if ((this.faturaOlusturCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaOlusturCompleted(this, new
faturaOlusturCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.77 EarsivWebService.OnfaturaOnizlemeOperationCompleted Method

C#

```
private void OnfaturaOnizlemeOperationCompleted(object arg);
```

Description

This is OnfaturaOnizlemeOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnfaturaOnizlemeOperationCompleted(object arg) {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
2:     if ((this.faturaOnizlemeCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaOnizlemeCompleted(this, new
faturaOnizlemeCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.78 EarsivWebService.OnfaturaSorgulaExtOperationCompleted Method

C#

```
private void OnfaturaSorgulaExtOperationCompleted(object arg);
```

Description

This is OnfaturaSorgulaExtOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnfaturaSorgulaExtOperationCompleted(object arg) {
2:     if ((this.faturaSorgulaExtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaSorgulaExtCompleted(this, new
faturaSorgulaExtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.79 EarsivWebService.OnfaturaSorgulaOperationCompleted Method

C#

```
private void OnfaturaSorgulaOperationCompleted(object arg);
```

Description

This is OnfaturaSorgulaOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnfaturaSorgulaOperationCompleted(object arg) {
2:     if ((this.faturaSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaSorgulaCompleted(this, new
faturaSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.80 EarsivWebService.OnfaturaTaslakOlusturOperationCompleted Method

C#

```
private void OnfaturaTaslakOlusturOperationCompleted(object arg);
```

Description

This is OnfaturaTaslakOlusturOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnfaturaTaslakOlusturOperationCompleted(object arg) {
2:     if ((this.faturaTaslakOlusturCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaTaslakOlusturCompleted(this, new
faturaTaslakOlusturCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
6: }
```

1.1.2.1.10.2.81 EarsivWebService.OnfaturaTaslakOnizlemeOperationCompleted Method

C#

```
private void OnfaturaTaslakOnizlemeOperationCompleted(object arg);
```

Description

This is OnfaturaTaslakOnizlemeOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnfaturaTaslakOnizlemeOperationCompleted(object arg) {
2:     if ((this.faturaTaslakOnizlemeCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaTaslakOnizlemeCompleted(this, new
faturaTaslakOnizlemeCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.82 EarsivWebService.OnfaturaTaslakSilOperationCompleted Method

C#

```
private void OnfaturaTaslakSilOperationCompleted(object arg);
```

Description

This is OnfaturaTaslakSilOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnfaturaTaslakSilOperationCompleted(object arg) {
2:     if ((this.faturaTaslakSilCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaTaslakSilCompleted(this, new
faturaTaslakSilCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.83 EarsivWebService.OnfaturaTaslakSorgulaOperationCompleted Method

C#

```
private void OnfaturaTaslakSorgulaOperationCompleted(object arg);
```

Description

This is OnfaturaTaslakSorgulaOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnfaturaTaslakSorgulaOperationCompleted(object arg) {
2:     if ((this.faturaTaslakSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaTaslakSorgulaCompleted(this, new
faturaTaslakSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.84 EarsivWebService.OnfaturaTaslaktanOlusturOperationCompleted Method

C#

```
private void OnfaturaTaslaktanOlusturOperationCompleted(object arg);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Description

This is OnfaturaTaslaktanOlusturOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnfaturaTaslaktanOlusturOperationCompleted(object arg) {
2:     if ((this.faturaTaslaktanOlusturCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaTaslaktanOlusturCompleted(this, new
faturaTaslaktanOlusturCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.85 EarsivWebService.OnfaturaZipiAlOperationCompleted Method

C#

```
private void OnfaturaZipiAlOperationCompleted(object arg);
```

Description

This is OnfaturaZipiAlOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnfaturaZipiAlOperationCompleted(object arg) {
2:     if ((this.faturaZipiAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaZipiAlCompleted(this, new
faturaZipiAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.86 EarsivWebService.OnkontorBilgisiGetirOperationCompleted Method

C#

```
private void OnkontorBilgisiGetirOperationCompleted(object arg);
```

Description

This is OnkontorBilgisiGetirOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnkontorBilgisiGetirOperationCompleted(object arg) {
2:     if ((this.kontorBilgisiGetirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.kontorBilgisiGetirCompleted(this, new
kontorBilgisiGetirCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.87 EarsivWebService.OnokcRaporBolumAlOperationCompleted Method

C#

```
private void OnokcRaporBolumAlOperationCompleted(object arg);
```

Description

This is OnokcRaporBolumAlOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnokcRaporBolumAlOperationCompleted(object arg) {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
2:     if ((this.okcRaporBolumAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.okcRaporBolumAlCompleted(this, new
okcRaporBolumAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.88 EarsivWebService.OnokcRaporKaydetOperationCompleted Method

C#

```
private void OnokcRaporKaydetOperationCompleted(object arg);
```

Description

This is OnokcRaporKaydetOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnokcRaporKaydetOperationCompleted(object arg) {
2:     if ((this.okcRaporKaydetCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.okcRaporKaydetCompleted(this, new
okcRaporKaydetCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.89 EarsivWebService.OnokcRaporOlusturGonderOperationCompleted Method

C#

```
private void OnokcRaporOlusturGonderOperationCompleted(object arg);
```

Description

This is OnokcRaporOlusturGonderOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnokcRaporOlusturGonderOperationCompleted(object arg) {
2:     if ((this.okcRaporOlusturGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.okcRaporOlusturGonderCompleted(this, new
okcRaporOlusturGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.90 EarsivWebService.OnraporBolumAlOperationCompleted Method

C#

```
private void OnraporBolumAlOperationCompleted(object arg);
```

Description

This is OnraporBolumAlOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnraporBolumAlOperationCompleted(object arg) {
2:     if ((this.raporBolumAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumAlCompleted(this, new
raporBolumAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
6: }
```

1.1.2.1.10.2.91 EarsivWebService.OnraporBolumBilgisiAlOperationCompleted Method

C#

```
private void OnraporBolumBilgisiAlOperationCompleted(object arg);
```

Description

This is OnraporBolumBilgisiAlOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnraporBolumBilgisiAlOperationCompleted(object arg) {
2:     if ((this.raporBolumBilgisiAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumBilgisiAlCompleted(this, new
raporBolumBilgisiAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.92 EarsivWebService.OnraporBolumleriOlusturOperationCompleted Method

C#

```
private void OnraporBolumleriOlusturOperationCompleted(object arg);
```

Description

This is OnraporBolumleriOlusturOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnraporBolumleriOlusturOperationCompleted(object arg) {
2:     if ((this.raporBolumleriOlusturCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumleriOlusturCompleted(this, new
raporBolumleriOlusturCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.93 EarsivWebService.OnraporBolumListesiDetayliSorgulaOperationCompleted Method

C#

```
private void OnraporBolumListesiDetayliSorgulaOperationCompleted(object arg);
```

Description

This is OnraporBolumListesiDetayliSorgulaOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnraporBolumListesiDetayliSorgulaOperationCompleted(object arg) {
2:     if ((this.raporBolumListesiDetayliSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumListesiDetayliSorgulaCompleted(this, new
raporBolumListesiDetayliSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.94 EarsivWebService.OnraporBolumListesiSorgulaOperationCompleted Method

C#

```
private void OnraporBolumListesiSorgulaOperationCompleted(object arg);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Description

This is OnraporBolumListesiSorgulaOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnraporBolumListesiSorgulaOperationCompleted(object arg) {
2:     if ((this.raporBolumListesiSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumListesiSorgulaCompleted(this, new
raporBolumListesiSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.95 EarsivWebService.OnraporBolumListesiSorgulaWithInputOperationCompleted Method

C#

```
private void OnraporBolumListesiSorgulaWithInputOperationCompleted(object arg);
```

Description

This is OnraporBolumListesiSorgulaWithInputOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnraporBolumListesiSorgulaWithInputOperationCompleted(object arg) {
2:     if ((this.raporBolumListesiSorgulaWithInputCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumListesiSorgulaWithInputCompleted(this, new
raporBolumListesiSorgulaWithInputCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.96 EarsivWebService.OnraporBolumRaporNoGuncelleImzalaOperationCompleted Method

C#

```
private void OnraporBolumRaporNoGuncelleImzalaOperationCompleted(object arg);
```

Description

This is OnraporBolumRaporNoGuncelleImzalaOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnraporBolumRaporNoGuncelleImzalaOperationCompleted(object arg) {
2:     if ((this.raporBolumRaporNoGuncelleImzalaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumRaporNoGuncelleImzalaCompleted(this, new
raporBolumRaporNoGuncelleImzalaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.97 EarsivWebService.OnraporBolumSilOperationCompleted Method

C#

```
private void OnraporBolumSilOperationCompleted(object arg);
```

Description

This is OnraporBolumSilOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnraporBolumSilOperationCompleted(object arg) {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
2:     if ((this.raporBolumSilCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumSilCompleted(this, new
raporBolumSilCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.98 EarsivWebService.OnrapordaFaturaSorgulaOperationCompleted Method

C#

```
private void OnrapordaFaturaSorgulaOperationCompleted(object arg);
```

Description

This is OnrapordaFaturaSorgulaOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnrapordaFaturaSorgulaOperationCompleted(object arg) {
2:     if ((this.rapordaFaturaSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.rapordaFaturaSorgulaCompleted(this, new
rapordaFaturaSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.99 EarsivWebService.OnraporDurumSorgulaOperationCompleted Method

C#

```
private void OnraporDurumSorgulaOperationCompleted(object arg);
```

Description

This is OnraporDurumSorgulaOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnraporDurumSorgulaOperationCompleted(object arg) {
2:     if ((this.raporDurumSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporDurumSorgulaCompleted(this, new
raporDurumSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.100 EarsivWebService.OnraporGonderOperationCompleted Method

C#

```
private void OnraporGonderOperationCompleted(object arg);
```

Description

This is OnraporGonderOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnraporGonderOperationCompleted(object arg) {
2:     if ((this.raporGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporGonderCompleted(this, new
raporGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
6: }
```

1.1.2.1.10.2.101 EarsivWebService.OnservisSaglayicidanEpostaDurumSorgulaOperationCompleted Method

C#

```
private void OnservisSaglayicidanEpostaDurumSorgulaOperationCompleted(object arg);
```

Description

This is OnservisSaglayicidanEpostaDurumSorgulaOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnservisSaglayicidanEpostaDurumSorgulaOperationCompleted(object arg) {
2:     if ((this.servisSaglayicidanEpostaDurumSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.servisSaglayicidanEpostaDurumSorgulaCompleted(this, new
servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs(invokeArgs.Results,
invokeArgs.Error, invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.102 EarsivWebService.OnsmsDurumSorgulaOperationCompleted Method

C#

```
private void OnsmsDurumSorgulaOperationCompleted(object arg);
```

Description

This is OnsmsDurumSorgulaOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnsmsDurumSorgulaOperationCompleted(object arg) {
2:     if ((this.smsDurumSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.smsDurumSorgulaCompleted(this, new
smsDurumSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.103 EarsivWebService.OnsmsGonderOperationCompleted Method

C#

```
private void OnsmsGonderOperationCompleted(object arg);
```

Description

This is OnsmsGonderOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnsmsGonderOperationCompleted(object arg) {
2:     if ((this.smsGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.smsGonderCompleted(this, new
smsGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.10.2.104 EarsivWebService.OntopluFaturaPaketDosyaGonderOperationCompleted Method

C#

```
private void OntopluFaturaPaketDosyaGonderOperationCompleted(object arg);
```

Description

This is OntopluFaturaPaketDosyaGonderOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OntopluFaturaPaketDosyaGonderOperationCompleted(object arg) {
2:     if ((this.topluFaturaPaketDosyaGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.topluFaturaPaketDosyaGonderCompleted(this, new
topluFaturaPaketDosyaGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.105 EarsivWebService.OntopluFaturaPaketDosyasiSorgulaOperationCompleted Method

C#

```
private void OntopluFaturaPaketDosyasiSorgulaOperationCompleted(object arg);
```

Description

This is OntopluFaturaPaketDosyasiSorgulaOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OntopluFaturaPaketDosyasiSorgulaOperationCompleted(object arg) {
2:     if ((this.topluFaturaPaketDosyasiSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.topluFaturaPaketDosyasiSorgulaCompleted(this, new
topluFaturaPaketDosyasiSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.106 EarsivWebService.OntopluFaturaPaketOnaylaOperationCompleted Method

C#

```
private void OntopluFaturaPaketOnaylaOperationCompleted(object arg);
```

Description

This is OntopluFaturaPaketOnaylaOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OntopluFaturaPaketOnaylaOperationCompleted(object arg) {
2:     if ((this.topluFaturaPaketOnaylaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.topluFaturaPaketOnaylaCompleted(this, new
topluFaturaPaketOnaylaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.107 EarsivWebService.OntopluFaturaPaketSorgulaOperationCompleted Method

C#

```
private void OntopluFaturaPaketSorgulaOperationCompleted(object arg);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Description

This is OntopluFaturaPaketSorgulaOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OntopluFaturaPaketSorgulaOperationCompleted(object arg) {
2:     if ((this.topluFaturaPaketSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.topluFaturaPaketSorgulaCompleted(this, new
topluFaturaPaketSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.108 EarsivWebService.OnyapilandirmaAyarlariAlOperationCompleted Method

C#

```
private void OnyapilandirmaAyarlariAlOperationCompleted(object arg);
```

Description

This is OnyapilandirmaAyarlariAlOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnyapilandirmaAyarlariAlOperationCompleted(object arg) {
2:     if ((this.yapilandirmaAyarlariAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.yapilandirmaAyarlariAlCompleted(this, new
yapilandirmaAyarlariAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.109 EarsivWebService.raporBolumAl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
raporBolumAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaF
orm.Unqualified)]
string bolumRaporNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
raporBolumAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaF
orm.Unqualified)]
string bolumRaporNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("raporBolumAl", new object[] {
5:                 bolumRaporNo});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }
```

1.1.2.1.10.2.110 raporBolumAlAsync Method

1.1.2.1.10.2.110.1 EarsivWebService.raporBolumAlAsync Method (string)

C#

```
public void raporBolumAlAsync(string bolumRaporNo);
```

Body Source

```
1: public void raporBolumAlAsync(string bolumRaporNo) {
2:     this.raporBolumAlAsync(bolumRaporNo, null);
3: }
```

1.1.2.1.10.2.110.2 EarsivWebService.raporBolumAlAsync Method (string, object)

C#

```
public void raporBolumAlAsync(string bolumRaporNo, object userState);
```

Body Source

```
1: public void raporBolumAlAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumAlOperationCompleted == null)) {
3:         this.raporBolumAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumAlOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumAl", new object[] {
6:                 bolumRaporNo}, this.raporBolumAlOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.111 EarsivWebService.raporBolumBilgisiAl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumBilgisiAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string bolumRaporNo);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumBilgisiAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string bolumRaporNo) {
4:     object[] results = this.Invoke("raporBolumBilgisiAl", new object[] {
5:                 bolumRaporNo});
6:     return ((earsivServiceResult)(results[0]));
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
7: }
```

1.1.2.1.10.2.112 raporBolumBilgisiAlAsync Method

1.1.2.1.10.2.112.1 EarsivWebService.raporBolumBilgisiAlAsync Method (string)

C#

```
public void raporBolumBilgisiAlAsync(string bolumRaporNo);
```

Body Source

```
1: public void raporBolumBilgisiAlAsync(string bolumRaporNo) {
2:     this.raporBolumBilgisiAlAsync(bolumRaporNo, null);
3: }
```

1.1.2.1.10.2.112.2 EarsivWebService.raporBolumBilgisiAlAsync Method (string, object)

C#

```
public void raporBolumBilgisiAlAsync(string bolumRaporNo, object userState);
```

Body Source

```
1: public void raporBolumBilgisiAlAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumBilgisiAlOperationCompleted == null)) {
3:         this.raporBolumBilgisiAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumBilgisiAlOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumBilgisiAl", new object[] {
6:                 bolumRaporNo}, this.raporBolumBilgisiAlOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.113 EarsivWebService.raporBolumleriOlustur Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumleriOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string sonGun);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumleriOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string donem,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string sonGun) {
4:     object[] results = this.Invoke("raporBolumleriOlustur", new object[] {
5:                 input,
6:                 donem,
7:                 sonGun});
8:     return ((earsivServiceResult)(results[0]));
9: }
```

1.1.2.1.10.2.114 raporBolumleriOlusturAsync Method

1.1.2.1.10.2.114.1 EarsivWebService.raporBolumleriOlusturAsync Method (string, string, string)

C#

```
public void raporBolumleriOlusturAsync(string input, string donem, string sonGun);
```

Body Source

```
1: public void raporBolumleriOlusturAsync(string input, string donem, string sonGun) {
2:     this.raporBolumleriOlusturAsync(input, donem, sonGun, null);
3: }
```

1.1.2.1.10.2.114.2 EarsivWebService.raporBolumleriOlusturAsync Method (string, string, string, object)

C#

```
public void raporBolumleriOlusturAsync(string input, string donem, string sonGun, object
userState);
```

Body Source

```
1: public void raporBolumleriOlusturAsync(string input, string donem, string sonGun, object
userState) {
2:     if ((this.raporBolumleriOlusturOperationCompleted == null)) {
3:         this.raporBolumleriOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumleriOlusturOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumleriOlustur", new object[] {
6:                 input,
7:                 donem,
8:                 sonGun}, this.raporBolumleriOlusturOperationCompleted, userState);
9: }
```

1.1.2.1.10.2.115 EarsivWebService.raporBolumListesiDetayliSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumListesiDetayliSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string donem, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out raporBolumDTO[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
3: public earsivServiceResult
raporBolumListesiDetayliSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string donem, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out raporBolumDTO[] output) {
4:     object[] results = this.Invoke("raporBolumListesiDetayliSorgula", new object[] {
5:                 donem});
6:     output = ((raporBolumDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.2.1.10.2.116 raporBolumListesiDetayliSorgulaAsync Method

1.1.2.1.10.2.116.1 EarsivWebService.raporBolumListesiDetayliSorgulaAsync Method (string)

C#

```
public void raporBolumListesiDetayliSorgulaAsync(string donem);
```

Body Source

```
1: public void raporBolumListesiDetayliSorgulaAsync(string donem) {
2:     this.raporBolumListesiDetayliSorgulaAsync(donem, null);
3: }
```

1.1.2.1.10.2.116.2 EarsivWebService.raporBolumListesiDetayliSorgulaAsync Method (string, object)

C#

```
public void raporBolumListesiDetayliSorgulaAsync(string donem, object userState);
```

Body Source

```
1: public void raporBolumListesiDetayliSorgulaAsync(string donem, object userState) {
2:     if ((this.raporBolumListesiDetayliSorgulaOperationCompleted == null)) {
3:         this.raporBolumListesiDetayliSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumListesiDetayliSorgulaOperationCompleted
);
4:     }
5:     this.InvokeAsync("raporBolumListesiDetayliSorgula", new object[] {
6:                 donem}, this.raporBolumListesiDetayliSorgulaOperationCompleted,
userState);
7: }
```

1.1.2.1.10.2.117 EarsivWebService.raporBolumListesiSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
raporBolumListesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schem
a.XmlSchemaForm.Unqualified)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
raporBolumListesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schem
a.XmlSchemaForm.Unqualified)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("raporBolumListesiSorgula", new object[] {
5:                 donem});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((string)(results[0]));
8: }
```

1.1.2.1.10.2.118 raporBolumListesiSorgulaAsync Method

1.1.2.1.10.2.118.1 EarsivWebService.raporBolumListesiSorgulaAsync Method (string)

C#

```
public void raporBolumListesiSorgulaAsync(string donem);
```

Body Source

```
1: public void raporBolumListesiSorgulaAsync(string donem) {
2:     this.raporBolumListesiSorgulaAsync(donem, null);
3: }
```

1.1.2.1.10.2.118.2 EarsivWebService.raporBolumListesiSorgulaAsync Method (string, object)

C#

```
public void raporBolumListesiSorgulaAsync(string donem, object userState);
```

Body Source

```
1: public void raporBolumListesiSorgulaAsync(string donem, object userState) {
2:     if ((this.raporBolumListesiSorgulaOperationCompleted == null)) {
3:         this.raporBolumListesiSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumListesiSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumListesiSorgula", new object[] {
6:                 donem}, this.raporBolumListesiSorgulaOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.119 EarsivWebService.raporBolumListesiSorgulaWithInput Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
raporBolumListesiSorgulaWithInput([System.Xml.Serialization.XmlElementAttribute(Form=System.
Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
raporBolumListesiSorgulaWithInput([System.Xml.Serialization.XmlElementAttribute(Form=System.
Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("raporBolumListesiSorgulaWithInput", new object[] {
5:                 input,
6:                 donem});
7:     @return = ((earsivServiceResult)(results[1]));
8:     return ((string)(results[0]));
9: }
```

1.1.2.1.10.2.120 raporBolumListesiSorgulaWithInputAsync Method

1.1.2.1.10.2.120.1 EarsivWebService.raporBolumListesiSorgulaWithInputAsync Method (string, string)

C#

```
public void raporBolumListesiSorgulaWithInputAsync(string input, string donem);
```

Body Source

```
1: public void raporBolumListesiSorgulaWithInputAsync(string input, string donem) {
2:     this.raporBolumListesiSorgulaWithInputAsync(input, donem, null);
3: }
```

1.1.2.1.10.2.120.2 EarsivWebService.raporBolumListesiSorgulaWithInputAsync Method (string, string, object)

C#

```
public void raporBolumListesiSorgulaWithInputAsync(string input, string donem, object
userState);
```

Body Source

```
1: public void raporBolumListesiSorgulaWithInputAsync(string input, string donem, object
userState) {
2:     if ((this.raporBolumListesiSorgulaWithInputOperationCompleted == null)) {
3:         this.raporBolumListesiSorgulaWithInputOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumListesiSorgulaWithInputOperationComplet
ed);
4:     }
5:     this.InvokeAsync("raporBolumListesiSorgulaWithInput", new object[] {
6:                 input,
7:                 donem}, this.raporBolumListesiSorgulaWithInputOperationCompleted,
userState);
8: }
```

1.1.2.1.10.2.121 EarsivWebService.raporBolumRaporNoGuncelleImzala Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
public earsivServiceResult
raporBolumRaporNoGuncelleImzala([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string bolumRaporNo);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumRaporNoGuncelleImzala([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string bolumRaporNo) {
4:     object[] results = this.Invoke("raporBolumRaporNoGuncelleImzala", new object[] {
5:                 bolumRaporNo});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.2.1.10.2.122 raporBolumRaporNoGuncelleImzalaAsync Method

1.1.2.1.10.2.122.1 EarsivWebService.raporBolumRaporNoGuncelleImzalaAsync Method (string)

C#

```
public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo);
```

Body Source

```
1: public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo) {
2:     this.raporBolumRaporNoGuncelleImzalaAsync(bolumRaporNo, null);
3: }
```

1.1.2.1.10.2.122.2 EarsivWebService.raporBolumRaporNoGuncelleImzalaAsync Method (string, object)

C#

```
public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo, object userState);
```

Body Source

```
1: public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumRaporNoGuncelleImzalaOperationCompleted == null)) {
3:         this.raporBolumRaporNoGuncelleImzalaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumRaporNoGuncelleImzalaOperationCompleted
);
4:     }
5:     this.InvokeAsync("raporBolumRaporNoGuncelleImzala", new object[] {
6:                 bolumRaporNo}, this.raporBolumRaporNoGuncelleImzalaOperationCompleted,
userState);
7: }
```

1.1.2.1.10.2.123 EarsivWebService.raporBolumSil Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string bolumRaporNo);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string bolumRaporNo) {
4:     object[] results = this.Invoke("raporBolumSil", new object[] {
5:                 bolumRaporNo});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.2.1.10.2.124 raporBolumSilAsync Method

1.1.2.1.10.2.124.1 EarsivWebService.raporBolumSilAsync Method (string)

C#

```
public void raporBolumSilAsync(string bolumRaporNo);
```

Body Source

```
1: public void raporBolumSilAsync(string bolumRaporNo) {
2:     this.raporBolumSilAsync(bolumRaporNo, null);
3: }
```

1.1.2.1.10.2.124.2 EarsivWebService.raporBolumSilAsync Method (string, object)

C#

```
public void raporBolumSilAsync(string bolumRaporNo, object userState);
```

Body Source

```
1: public void raporBolumSilAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumSilOperationCompleted == null)) {
3:         this.raporBolumSilOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumSilOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumSil", new object[] {
6:                 bolumRaporNo}, this.raporBolumSilOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.125 EarsivWebService.rapordaFaturaSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
rapordaFaturaSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
lSchemaForm.Unqualified)]
string input);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
rapordaFaturaSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
lSchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("rapordaFaturaSorgula", new object[] {
5:                 input});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.2.1.10.2.126 rapordaFaturaSorgulaAsync Method

1.1.2.1.10.2.126.1 EarsivWebService.rapordaFaturaSorgulaAsync Method (string)

C#

```
public void rapordaFaturaSorgulaAsync(string input);
```

Body Source

```
1: public void rapordaFaturaSorgulaAsync(string input) {
2:     this.rapordaFaturaSorgulaAsync(input, null);
3: }
```

1.1.2.1.10.2.126.2 EarsivWebService.rapordaFaturaSorgulaAsync Method (string, object)

C#

```
public void rapordaFaturaSorgulaAsync(string input, object userState);
```

Body Source

```
1: public void rapordaFaturaSorgulaAsync(string input, object userState) {
2:     if ((this.rapordaFaturaSorgulaOperationCompleted == null)) {
3:         this.rapordaFaturaSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnrapordaFaturaSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("rapordaFaturaSorgula", new object[] {
6:                 input}, this.rapordaFaturaSorgulaOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.127 EarsivWebService.raporDurumSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSc
hemaForm.Unqualified)]
string donem);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSc
hemaForm.Unqualified)]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
string donem) {
    object[] results = this.Invoke("raporDurumSorgula", new object[] {
                    donem});
    return ((earsivServiceResult)(results[0]));
}
```

1.1.2.1.10.2.128 raporDurumSorgulaAsync Method

1.1.2.1.10.2.128.1 EarsivWebService.raporDurumSorgulaAsync Method (string)

C#

```
public void raporDurumSorgulaAsync(string donem);
```

Body Source

```
public void raporDurumSorgulaAsync(string donem) {
    this.raporDurumSorgulaAsync(donem, null);
}
```

1.1.2.1.10.2.128.2 EarsivWebService.raporDurumSorgulaAsync Method (string, object)

C#

```
public void raporDurumSorgulaAsync(string donem, object userState);
```

Body Source

```
public void raporDurumSorgulaAsync(string donem, object userState) {
    if ((this.raporDurumSorgulaOperationCompleted == null)) {
        this.raporDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporDurumSorgulaOperationCompleted);
    }
    this.InvokeAsync("raporDurumSorgula", new object[] {
                    donem}, this.raporDurumSorgulaOperationCompleted, userState);
}
```

1.1.2.1.10.2.129 EarsivWebService.raporGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
string donem);
```

Body Source

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
string donem) {
    object[] results = this.Invoke("raporGonder", new object[] {
                    donem});
    return ((earsivServiceResult)(results[0]));
}
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.10.2.130 raporGonderAsync Method

1.1.2.1.10.2.130.1 EarsivWebService.raporGonderAsync Method (string)

C#

```
public void raporGonderAsync(string donem);
```

Body Source

```
1: public void raporGonderAsync(string donem) {
2:     this.raporGonderAsync(donem, null);
3: }
```

1.1.2.1.10.2.130.2 EarsivWebService.raporGonderAsync Method (string, object)

C#

```
public void raporGonderAsync(string donem, object userState);
```

Body Source

```
1: public void raporGonderAsync(string donem, object userState) {
2:     if ((this.raporGonderOperationCompleted == null)) {
3:         this.raporGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("raporGonder", new object[] {
6:                 donem}, this.raporGonderOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.131 EarsivWebService.servisSaglayicidanEpostaDurumSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("outputDurum",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
servisSaglayicidanEpostaDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=Syst
em.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out string outputEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("outputDurum",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
servisSaglayicidanEpostaDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=Syst
em.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out string outputEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("servisSaglayicidanEpostaDurumSorgula", new object[] {
5:                 input});
6:     outputEposta = ((string)(results[1]));
7:     @return = ((earsivServiceResult)(results[2]));
8:     return ((string)(results[0]));
9: }
```

1.1.2.1.10.2.132 servisSaglayicidanEpostaDurumSorgulaAsync Method

1.1.2.1.10.2.132.1 EarsivWebService.servisSaglayicidanEpostaDurumSorgulaAsync Method (string)

C#

```
public void servisSaglayicidanEpostaDurumSorgulaAsync(string input);
```

Body Source

```
1: public void servisSaglayicidanEpostaDurumSorgulaAsync(string input) {
2:     this.servisSaglayicidanEpostaDurumSorgulaAsync(input, null);
3: }
```

1.1.2.1.10.2.132.2 EarsivWebService.servisSaglayicidanEpostaDurumSorgulaAsync Method (string, object)

C#

```
public void servisSaglayicidanEpostaDurumSorgulaAsync(string input, object userState);
```

Body Source

```
1: public void servisSaglayicidanEpostaDurumSorgulaAsync(string input, object userState) {
2:     if ((this.servisSaglayicidanEpostaDurumSorgulaOperationCompleted == null)) {
3:         this.servisSaglayicidanEpostaDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnservisSaglayicidanEpostaDurumSorgulaOperationComp
leted);
4:     }
5:     this.InvokeAsync("servisSaglayicidanEpostaDurumSorgula", new object[] {
6:                 input}, this.servisSaglayicidanEpostaDurumSorgulaOperationCompleted,
userState);
7: }
```

1.1.2.1.10.2.133 EarsivWebService.smsDurumSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
smsDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSche
maForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out string outputDurum);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
smsDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSche
maForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out string outputDurum) {
4:     object[] results = this.Invoke("smsDurumSorgula", new object[] {
5:                 input});
6:     outputDurum = ((string)(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.2.1.10.2.134 smsDurumSorgulaAsync Method

1.1.2.1.10.2.134.1 EarsivWebService.smsDurumSorgulaAsync Method (string)

C#

```
public void smsDurumSorgulaAsync(string input);
```

Body Source

```
1: public void smsDurumSorgulaAsync(string input) {
2:     this.smsDurumSorgulaAsync(input, null);
3: }
```

1.1.2.1.10.2.134.2 EarsivWebService.smsDurumSorgulaAsync Method (string, object)

C#

```
public void smsDurumSorgulaAsync(string input, object userState);
```

Body Source

```
1: public void smsDurumSorgulaAsync(string input, object userState) {
2:     if ((this.smsDurumSorgulaOperationCompleted == null)) {
3:         this.smsDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnsmsDurumSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("smsDurumSorgula", new object[] {
6:                 input}, this.smsDurumSorgulaOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.135 EarsivWebService.smsGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
smsGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm
.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ilaveTelefonNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
int tanimliTelefonNoyaGonder);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
smsGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm
.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ilaveTelefonNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
int tanimliTelefonNoyaGonder) {
4:     object[] results = this.Invoke("smsGonder", new object[] {
5:                 input,
6:                 ilaveTelefonNo,
7:                 tanimliTelefonNoyaGonder});
8:     return ((earsivServiceResult)(results[0]));
9: }
```

1.1.2.1.10.2.136 smsGonderAsync Method

1.1.2.1.10.2.136.1 EarsivWebService.smsGonderAsync Method (string, string, int)

C#

```
public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder);
```

Body Source

```
1: public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder) {
2:     this.smsGonderAsync(input, ilaveTelefonNo, tanimliTelefonNoyaGonder, null);
3: }
```

1.1.2.1.10.2.136.2 EarsivWebService.smsGonderAsync Method (string, string, int, object)

C#

```
public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder, object userState);
```

Body Source

```
1: public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder, object userState) {
2:     if ((this.smsGonderOperationCompleted == null)) {
3:         this.smsGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnsmsGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("smsGonder", new object[] {
6:                 input,
7:                 ilaveTelefonNo,
8:                 tanimliTelefonNoyaGonder}, this.smsGonderOperationCompleted, userState);
9: }
```

1.1.2.1.10.2.137 EarsivWebService.topluFaturaPaketDosyaGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
topluFaturaPaketDosyaGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
hema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge paketDosyasiZip);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
topluFaturaPaketDosyaGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge paketDosyasiZip) {
4:     object[] results = this.Invoke("topluFaturaPaketDosyaGonder", new object[] {
5:                 input,
6:                 paketDosyasiZip});
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.2.1.10.2.138 topluFaturaPaketDosyaGonderAsync Method

1.1.2.1.10.2.138.1 EarsivWebService.topluFaturaPaketDosyaGonderAsync Method (string, belge)

C#

```
public void topluFaturaPaketDosyaGonderAsync(string input, belge paketDosyasiZip);
```

Body Source

```
1: public void topluFaturaPaketDosyaGonderAsync(string input, belge paketDosyasiZip) {
2:     this.topluFaturaPaketDosyaGonderAsync(input, paketDosyasiZip, null);
3: }
```

1.1.2.1.10.2.138.2 EarsivWebService.topluFaturaPaketDosyaGonderAsync Method (string, belge, object)

C#

```
public void topluFaturaPaketDosyaGonderAsync(string input, belge paketDosyasiZip, object
userState);
```

Body Source

```
1: public void topluFaturaPaketDosyaGonderAsync(string input, belge paketDosyasiZip, object
userState) {
2:     if ((this.topluFaturaPaketDosyaGonderOperationCompleted == null)) {
3:         this.topluFaturaPaketDosyaGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OntopluFaturaPaketDosyaGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("topluFaturaPaketDosyaGonder", new object[] {
6:                 input,
7:                 paketDosyasiZip}, this.topluFaturaPaketDosyaGonderOperationCompleted,
userState);
8: }
```

1.1.2.1.10.2.139 EarsivWebService.topluFaturaPaketDosyasiSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
topluFaturaPaketDosyasiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml
.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
topluFaturaPaketDosyasiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml
.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("topluFaturaPaketDosyasiSorgula", new object[] {
5:                 input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }
```

1.1.2.1.10.2.140 topluFaturaPaketDosyasiSorgulaAsync Method

1.1.2.1.10.2.140.1 EarsivWebService.topluFaturaPaketDosyasiSorgulaAsync Method (string)

C#

```
public void topluFaturaPaketDosyasiSorgulaAsync(string input);
```

Body Source

```
1: public void topluFaturaPaketDosyasiSorgulaAsync(string input) {
2:     this.topluFaturaPaketDosyasiSorgulaAsync(input, null);
3: }
```

1.1.2.1.10.2.140.2 EarsivWebService.topluFaturaPaketDosyasiSorgulaAsync Method (string, object)

C#

```
public void topluFaturaPaketDosyasiSorgulaAsync(string input, object userState);
```

Body Source

```
1: public void topluFaturaPaketDosyasiSorgulaAsync(string input, object userState) {
2:     if ((this.topluFaturaPaketDosyasiSorgulaOperationCompleted == null)) {
3:         this.topluFaturaPaketDosyasiSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OntopluFaturaPaketDosyasiSorgulaOperationCompleted)
;
4:     }
5:     this.InvokeAsync("topluFaturaPaketDosyasiSorgula", new object[] {
6:                 input}, this.topluFaturaPaketDosyasiSorgulaOperationCompleted,
userState);
7: }
```

1.1.2.1.10.2.141 EarsivWebService.topluFaturaPaketOnayla Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
topluFaturaPaketOnayla([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string input);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
topluFaturaPaketOnayla([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("topluFaturaPaketOnayla", new object[] {
5:                 input});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.2.1.10.2.142 topluFaturaPaketOnaylaAsync Method

1.1.2.1.10.2.142.1 EarsivWebService.topluFaturaPaketOnaylaAsync Method (string)

C#

```
public void topluFaturaPaketOnaylaAsync(string input);
```

Body Source

```
1: public void topluFaturaPaketOnaylaAsync(string input) {
2:     this.topluFaturaPaketOnaylaAsync(input, null);
3: }
```

1.1.2.1.10.2.142.2 EarsivWebService.topluFaturaPaketOnaylaAsync Method (string, object)

C#

```
public void topluFaturaPaketOnaylaAsync(string input, object userState);
```

Body Source

```
1: public void topluFaturaPaketOnaylaAsync(string input, object userState) {
2:     if ((this.topluFaturaPaketOnaylaOperationCompleted == null)) {
3:         this.topluFaturaPaketOnaylaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OntopluFaturaPaketOnaylaOperationCompleted);
4:     }
5:     this.InvokeAsync("topluFaturaPaketOnayla", new object[] {
6:                 input}, this.topluFaturaPaketOnaylaOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.143 EarsivWebService.topluFaturaPaketSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
public belge
topluFaturaPaketSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema
.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
topluFaturaPaketSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema
.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("topluFaturaPaketSorgula", new object[] {
5:                 input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }
```

1.1.2.1.10.2.144 topluFaturaPaketSorgulaAsync Method

1.1.2.1.10.2.144.1 EarsivWebService.topluFaturaPaketSorgulaAsync Method (string)

C#

```
public void topluFaturaPaketSorgulaAsync(string input);
```

Body Source

```
1: public void topluFaturaPaketSorgulaAsync(string input) {
2:     this.topluFaturaPaketSorgulaAsync(input, null);
3: }
```

1.1.2.1.10.2.144.2 EarsivWebService.topluFaturaPaketSorgulaAsync Method (string, object)

C#

```
public void topluFaturaPaketSorgulaAsync(string input, object userState);
```

Body Source

```
1: public void topluFaturaPaketSorgulaAsync(string input, object userState) {
2:     if ((this.topluFaturaPaketSorgulaOperationCompleted == null)) {
3:         this.topluFaturaPaketSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OntopluFaturaPaketSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("topluFaturaPaketSorgula", new object[] {
6:                 input}, this.topluFaturaPaketSorgulaOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.145 EarsivWebService.yapilandirmaAyarlariAl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
yapilandirmaAyarlariAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out string outputYapilandirma);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
yapilandirmaAyarlariAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out string outputYapilandirma) {
4:     object[] results = this.Invoke("yapilandirmaAyarlariAl", new object[] {
5:                 input});
6:     outputYapilandirma = ((string)(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.2.1.10.2.146 yapilandirmaAyarlariAlAsync Method

1.1.2.1.10.2.146.1 EarsivWebService.yapilandirmaAyarlariAlAsync Method (string)

C#

```
public void yapilandirmaAyarlariAlAsync(string input);
```

Body Source

```
1: public void yapilandirmaAyarlariAlAsync(string input) {
2:     this.yapilandirmaAyarlariAlAsync(input, null);
3: }
```

1.1.2.1.10.2.146.2 EarsivWebService.yapilandirmaAyarlariAlAsync Method (string, object)

C#

```
public void yapilandirmaAyarlariAlAsync(string input, object userState);
```

Body Source

```
1: public void yapilandirmaAyarlariAlAsync(string input, object userState) {
2:     if ((this.yapilandirmaAyarlariAlOperationCompleted == null)) {
3:         this.yapilandirmaAyarlariAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnyapilandirmaAyarlariAlOperationCompleted);
4:     }
5:     this.InvokeAsync("yapilandirmaAyarlariAl", new object[] {
6:                 input}, this.yapilandirmaAyarlariAlOperationCompleted, userState);
7: }
```

1.1.2.1.10.3 EarsivWebService Properties

1.1.2.1.10.3.1 EarsivWebService.Url Property

C#

```
public new string Url;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Description

This is Url, a member of class EarsivWebService.

1.1.2.1.10.3.2 EarsivWebService.UseDefaultCredentials Property

C#

```
public new bool UseDefaultCredentials;
```

Description

This is UseDefaultCredentials, a member of class EarsivWebService.

1.1.2.1.10.4 EarsivWebService Events

1.1.2.1.10.4.1 EarsivWebService.aliciEpostaEkleSilGuncelleCompleted Event

C#

```
public event aliciEpostaEkleSilGuncelleCompletedEventHandler
aliciEpostaEkleSilGuncelleCompleted;
```

1.1.2.1.10.4.2 EarsivWebService.eFaturaKayitliKullaniciListeleCompleted Event

C#

```
public event eFaturaKayitliKullaniciListeleCompletedEventHandler
eFaturaKayitliKullaniciListeleCompleted;
```

1.1.2.1.10.4.3 EarsivWebService.efaturaKullanicisiCompleted Event

C#

```
public event efaturaKullanicisiCompletedEventHandler efaturaKullanicisiCompleted;
```

1.1.2.1.10.4.4 EarsivWebService.efaturaKullanicisiKontrolCompleted Event

C#

```
public event efaturaKullanicisiKontrolCompletedEventHandler
efaturaKullanicisiKontrolCompleted;
```

1.1.2.1.10.4.5 EarsivWebService.ePostaDurumSorgulaCompleted Event

C#

```
public event ePostaDurumSorgulaCompletedEventHandler ePostaDurumSorgulaCompleted;
```

1.1.2.1.10.4.6 EarsivWebService.ePostaGonderCompleted Event

C#

```
public event ePostaGonderCompletedEventHandler ePostaGonderCompleted;
```

1.1.2.1.10.4.7 EarsivWebService.faturaIptalEtCompleted Event

C#

```
public event faturaIptalEtCompletedEventHandler faturaIptalEtCompleted;
```

1.1.2.1.10.4.8 EarsivWebService.faturaIptaliKaldirCompleted Event

C#

```
public event faturaIptaliKaldirCompletedEventHandler faturaIptaliKaldirCompleted;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.10.4.9 EarsivWebService.faturaItirazEtCompleted Event

C#

```
public event faturaItirazEtCompletedEventHandler faturaItirazEtCompleted;
```

1.1.2.1.10.4.10 EarsivWebService.faturaItirazKaldirCompleted Event

C#

```
public event faturaItirazKaldirCompletedEventHandler faturaItirazKaldirCompleted;
```

1.1.2.1.10.4.11 EarsivWebService.faturaListeSorgulaCompleted Event

C#

```
public event faturaListeSorgulaCompletedEventHandler faturaListeSorgulaCompleted;
```

1.1.2.1.10.4.12 EarsivWebService.faturaListeSorgulaCountCompleted Event

C#

```
public event faturaListeSorgulaCountCompletedEventHandler faturaListeSorgulaCountCompleted;
```

1.1.2.1.10.4.13 EarsivWebService.faturaListeSorgulaPortalCompleted Event

C#

```
public event faturaListeSorgulaPortalCompletedEventHandler
faturaListeSorgulaPortalCompleted;
```

1.1.2.1.10.4.14 EarsivWebService.faturaNoUretCompleted Event

C#

```
public event faturaNoUretCompletedEventHandler faturaNoUretCompleted;
```

1.1.2.1.10.4.15 EarsivWebService.faturaOlusturCompleted Event

C#

```
public event faturaOlusturCompletedEventHandler faturaOlusturCompleted;
```

1.1.2.1.10.4.16 EarsivWebService.faturaOlusturExtCompleted Event

C#

```
public event faturaOlusturExtCompletedEventHandler faturaOlusturExtCompleted;
```

1.1.2.1.10.4.17 EarsivWebService.faturaOnizlemeCompleted Event

C#

```
public event faturaOnizlemeCompletedEventHandler faturaOnizlemeCompleted;
```

1.1.2.1.10.4.18 EarsivWebService.faturaSorgulaCompleted Event

C#

```
public event faturaSorgulaCompletedEventHandler faturaSorgulaCompleted;
```

1.1.2.1.10.4.19 EarsivWebService.faturaSorgulaExtCompleted Event

C#

```
public event faturaSorgulaExtCompletedEventHandler faturaSorgulaExtCompleted;
```

1.1.2.1.10.4.20 EarsivWebService.faturaTaslakOlusturCompleted Event

C#

```
public event faturaTaslakOlusturCompletedEventHandler faturaTaslakOlusturCompleted;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.10.4.21 EarsivWebService.faturaTaslakOnizlemeCompleted Event

C#

```
public event faturaTaslakOnizlemeCompletedEventHandler faturaTaslakOnizlemeCompleted;
```

1.1.2.1.10.4.22 EarsivWebService.faturaTaslakSilCompleted Event

C#

```
public event faturaTaslakSilCompletedEventHandler faturaTaslakSilCompleted;
```

1.1.2.1.10.4.23 EarsivWebService.faturaTaslakSorgulaCompleted Event

C#

```
public event faturaTaslakSorgulaCompletedEventHandler faturaTaslakSorgulaCompleted;
```

1.1.2.1.10.4.24 EarsivWebService.faturaTaslaktanOlusturCompleted Event

C#

```
public event faturaTaslaktanOlusturCompletedEventHandler faturaTaslaktanOlusturCompleted;
```

1.1.2.1.10.4.25 EarsivWebService.faturaZipiAlCompleted Event

C#

```
public event faturaZipiAlCompletedEventHandler faturaZipiAlCompleted;
```

1.1.2.1.10.4.26 EarsivWebService.kontorBilgisiGetirCompleted Event

C#

```
public event kontorBilgisiGetirCompletedEventHandler kontorBilgisiGetirCompleted;
```

1.1.2.1.10.4.27 EarsivWebService.okcRaporBolumAlCompleted Event

C#

```
public event okcRaporBolumAlCompletedEventHandler okcRaporBolumAlCompleted;
```

1.1.2.1.10.4.28 EarsivWebService.okcRaporKaydetCompleted Event

C#

```
public event okcRaporKaydetCompletedEventHandler okcRaporKaydetCompleted;
```

1.1.2.1.10.4.29 EarsivWebService.okcRaporOlusturGonderCompleted Event

C#

```
public event okcRaporOlusturGonderCompletedEventHandler okcRaporOlusturGonderCompleted;
```

1.1.2.1.10.4.30 EarsivWebService.raporBolumAlCompleted Event

C#

```
public event raporBolumAlCompletedEventHandler raporBolumAlCompleted;
```

1.1.2.1.10.4.31 EarsivWebService.raporBolumBilgisiAlCompleted Event

C#

```
public event raporBolumBilgisiAlCompletedEventHandler raporBolumBilgisiAlCompleted;
```

1.1.2.1.10.4.32 EarsivWebService.raporBolumleriOlusturCompleted Event

C#

```
public event raporBolumleriOlusturCompletedEventHandler raporBolumleriOlusturCompleted;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.10.4.33 EarsivWebService.raporBolumListesiDetayliSorgulaCompleted Event

C#

```
public event raporBolumListesiDetayliSorgulaCompletedEventHandler
raporBolumListesiDetayliSorgulaCompleted;
```

1.1.2.1.10.4.34 EarsivWebService.raporBolumListesiSorgulaCompleted Event

C#

```
public event raporBolumListesiSorgulaCompletedEventHandler
raporBolumListesiSorgulaCompleted;
```

1.1.2.1.10.4.35 EarsivWebService.raporBolumListesiSorgulaWithInputCompleted Event

C#

```
public event raporBolumListesiSorgulaWithInputCompletedEventHandler
raporBolumListesiSorgulaWithInputCompleted;
```

1.1.2.1.10.4.36 EarsivWebService.raporBolumRaporNoGuncelleImzalaCompleted Event

C#

```
public event raporBolumRaporNoGuncelleImzalaCompletedEventHandler
raporBolumRaporNoGuncelleImzalaCompleted;
```

1.1.2.1.10.4.37 EarsivWebService.raporBolumSilCompleted Event

C#

```
public event raporBolumSilCompletedEventHandler raporBolumSilCompleted;
```

1.1.2.1.10.4.38 EarsivWebService.rapordaFaturaSorgulaCompleted Event

C#

```
public event rapordaFaturaSorgulaCompletedEventHandler rapordaFaturaSorgulaCompleted;
```

1.1.2.1.10.4.39 EarsivWebService.raporDurumSorgulaCompleted Event

C#

```
public event raporDurumSorgulaCompletedEventHandler raporDurumSorgulaCompleted;
```

1.1.2.1.10.4.40 EarsivWebService.raporGonderCompleted Event

C#

```
public event raporGonderCompletedEventHandler raporGonderCompleted;
```

1.1.2.1.10.4.41 EarsivWebService.servisSaglayicidanEpostaDurumSorgulaCompleted Event

C#

```
public event servisSaglayicidanEpostaDurumSorgulaCompletedEventHandler
servisSaglayicidanEpostaDurumSorgulaCompleted;
```

1.1.2.1.10.4.42 EarsivWebService.smsDurumSorgulaCompleted Event

C#

```
public event smsDurumSorgulaCompletedEventHandler smsDurumSorgulaCompleted;
```

1.1.2.1.10.4.43 EarsivWebService.smsGonderCompleted Event

C#

```
public event smsGonderCompletedEventHandler smsGonderCompleted;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.10.4.44 EarsivWebService.topluFaturaPaketDosyaGonderCompleted Event

C#

```
public event topluFaturaPaketDosyaGonderCompletedEventHandler
topluFaturaPaketDosyaGonderCompleted;
```

1.1.2.1.10.4.45 EarsivWebService.topluFaturaPaketDosyasiSorgulaCompleted Event

C#

```
public event topluFaturaPaketDosyasiSorgulaCompletedEventHandler
topluFaturaPaketDosyasiSorgulaCompleted;
```

1.1.2.1.10.4.46 EarsivWebService.topluFaturaPaketOnaylaCompleted Event

C#

```
public event topluFaturaPaketOnaylaCompletedEventHandler topluFaturaPaketOnaylaCompleted;
```

1.1.2.1.10.4.47 EarsivWebService.topluFaturaPaketSorgulaCompleted Event

C#

```
public event topluFaturaPaketSorgulaCompletedEventHandler topluFaturaPaketSorgulaCompleted;
```

1.1.2.1.10.4.48 EarsivWebService.yapilandirmaAyarlariAlCompleted Event

C#

```
public event yapilandirmaAyarlariAlCompletedEventHandler yapilandirmaAyarlariAlCompleted;
```

1.1.2.1.11 eFaturaKayitliKullaniciListele Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class eFaturaKayitliKullaniciListele;
```

File

Reference.cs (see page 800)

eFaturaKayitliKullaniciListele Properties

	Name	Description
	kayitZamani (see page 111)	

1.1.2.1.11.1 eFaturaKayitliKullaniciListele Properties

1.1.2.1.11.1.1 eFaturaKayitliKullaniciListele.kayitZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kayitZamani;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.12 eFaturaKayitliKullaniciListeleCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class eFaturaKayitliKullaniciListeleCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	eFaturaKayitliKullaniciListeleCompletedEventArgs (see page 112)	This is eFaturaKayitliKullaniciListeleCompletedEventArgs, a member of class eFaturaKayitliKullaniciListeleCompletedEventArgs.

eFaturaKayitliKullaniciListeleCompletedEventArgs Properties

	Name	Description
	Result (see page 112)	

1.1.2.1.12.1 eFaturaKayitliKullaniciListeleCompletedEventArgs.eFaturaKayitliKullaniciListeleCompletedEventArgs Constructor

C#

```
internal eFaturaKayitliKullaniciListeleCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is eFaturaKayitliKullaniciListeleCompletedEventArgs, a member of class eFaturaKayitliKullaniciListeleCompletedEventArgs.

Body Source

```
1: internal eFaturaKayitliKullaniciListeleCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.12.2 eFaturaKayitliKullaniciListeleCompletedEventArgs Properties

1.1.2.1.12.2.1 eFaturaKayitliKullaniciListeleCompletedEventArgs.Result Property

C#

```
public eFaturaKullanici Result;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.13 eFaturaKullanici Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class eFaturaKullanici : serviceReturnType;
```

File

Reference.cs (see page 800)

eFaturaKullanici Properties

eFaturaKullanici Class

	Name	Description
	etiket (see page 113)	
	kamuKurulusu (see page 113)	
	kayitZamani (see page 113)	
	unvan (see page 113)	
	vergiTcKimlikNo (see page 114)	

1.1.2.1.13.1 eFaturaKullanici Properties

1.1.2.1.13.1.1 eFaturaKullanici.etiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string etiket;
```

1.1.2.1.13.1.2 eFaturaKullanici.kamuKurulusu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public bool kamuKurulusu;
```

1.1.2.1.13.1.3 eFaturaKullanici.kayitZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kayitZamani;
```

1.1.2.1.13.1.4 eFaturaKullanici.unvan Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string unvan;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.13.1.5 eFaturaKullanici.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string vergiTcKimlikNo;
```

1.1.2.1.14 efaturaKullanicisi Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class efaturaKullanicisi;
```

File

Reference.cs (see page 800)

efaturaKullanicisi Properties

	Name	Description
	vergiTcKimlikNo (see page 114)	

1.1.2.1.14.1 efaturaKullanicisi Properties

1.1.2.1.14.1.1 efaturaKullanicisi.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string vergiTcKimlikNo;
```

1.1.2.1.15 efaturaKullanicisiCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class efaturaKullanicisiCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	efaturaKullanicisiCompletedEventArgs (see page 115)	This is efaturaKullanicisiCompletedEventArgs, a member of class efaturaKullanicisiCompletedEventArgs.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

efaturaKullanicisiCompletedEventArgs Properties

	Name	Description
	Result (see page 115)	

1.1.2.1.15.1 efaturaKullanicisiCompletedEventArgs.efaturaKullanicisiCompletedEventArgs Constructor

C#

```
internal efaturaKullanicisiCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is efaturaKullanicisiCompletedEventArgs, a member of class efaturaKullanicisiCompletedEventArgs.

Body Source

```
1: internal efaturaKullanicisiCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.15.2 efaturaKullanicisiCompletedEventArgs Properties

1.1.2.1.15.2.1 efaturaKullanicisiCompletedEventArgs.Result Property

C#

```
public bool Result;
```

1.1.2.1.16 efaturaKullanicisiKontrol Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrol

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class efaturaKullanicisiKontrol;
```

File

Reference.cs (see page 800)

efaturaKullanicisiKontrol Properties

	Name	Description
	input (see page 116)	

1.1.2.1.16.1 efaturaKullanicisiKontrol Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.16.1.1 efaturaKullanicisiKontrol.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.17 efaturaKullanicisiKontrolCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class efaturaKullanicisiKontrolCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	efaturaKullanicisiKontrolCompletedEventArgs (see page 116)	This is efaturaKullanicisiKontrolCompletedEventArgs, a member of class efaturaKullanicisiKontrolCompletedEventArgs.

efaturaKullanicisiKontrolCompletedEventArgs Properties

	Name	Description
	Result (see page 116)	

1.1.2.1.17.1 efaturaKullanicisiKontrolCompletedEventArgs.efaturaKullanicisiKontrolCompletedEventArgs Constructor

C#

```
internal efaturaKullanicisiKontrolCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is efaturaKullanicisiKontrolCompletedEventArgs, a member of class efaturaKullanicisiKontrolCompletedEventArgs.

Body Source

```
1: internal efaturaKullanicisiKontrolCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.17.2 efaturaKullanicisiKontrolCompletedEventArgs Properties

1.1.2.1.17.2.1 efaturaKullanicisiKontrolCompletedEventArgs.Result Property

C#

```
public bool Result;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.18 efaturaKullanicisiKontrolResponse Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrolResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class efaturaKullanicisiKontrolResponse;
```

File

Reference.cs (see page 800)

efaturaKullanicisiKontrolResponse Properties

	Name	Description
	@return (see page 117)	

1.1.2.1.18.1 efaturaKullanicisiKontrolResponse Properties

1.1.2.1.18.1.1 efaturaKullanicisiKontrolResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public bool @return;
```

1.1.2.1.19 efaturaKullanicisiResponse Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.efaturaKullanicisiResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class efaturaKullanicisiResponse;
```

File

Reference.cs (see page 800)

efaturaKullanicisiResponse Properties

	Name	Description
	@return (see page 118)	

1.1.2.1.19.1 efaturaKullanicisiResponse Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.19.1.1 efaturaKullanicisiResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public bool @return;
```

1.1.2.1.20 ePostaDurumSorgula Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class ePostaDurumSorgula;
```

File

Reference.cs (see page 800)

ePostaDurumSorgula Properties

	Name	Description
	input (see page 118)	

1.1.2.1.20.1 ePostaDurumSorgula Properties

1.1.2.1.20.1.1 ePostaDurumSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.21 ePostaDurumSorgulaCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class ePostaDurumSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	ePostaDurumSorgulaCompletedEventArgs (see page 119)	This is ePostaDurumSorgulaCompletedEventArgs, a member of class ePostaDurumSorgulaCompletedEventArgs.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

ePostaDurumSorgulaCompletedEventArgs Properties

	Name	Description
	@return (see page 119)	
	outputEposta (see page 119)	
	Result (see page 119)	

1.1.2.1.21.1 ePostaDurumSorgulaCompletedEventArgs.ePostaDurumSorgulaCompletedEventArgs Constructor

C#

```
internal ePostaDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is ePostaDurumSorgulaCompletedEventArgs, a member of class ePostaDurumSorgulaCompletedEventArgs.

Body Source

```
1: internal ePostaDurumSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.21.2 ePostaDurumSorgulaCompletedEventArgs Properties

1.1.2.1.21.2.1 ePostaDurumSorgulaCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.2.1.21.2.2 ePostaDurumSorgulaCompletedEventArgs.outputEposta Property

C#

```
public string outputEposta;
```

1.1.2.1.21.2.3 ePostaDurumSorgulaCompletedEventArgs.Result Property

C#

```
public string Result;
```

1.1.2.1.22 ePostaGonder Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class ePostaGonder;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

File

Reference.cs (see page 800)

ePostaGonder Properties

	Name	Description
	ilaveEposta (see page 120)	
	input (see page 120)	
	tanimliEpostayaGonder (see page 120)	

1.1.2.1.22.1 ePostaGonder Properties

1.1.2.1.22.1.1 ePostaGonder.ilaveEposta Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string ilaveEposta;
```

1.1.2.1.22.1.2 ePostaGonder.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.22.1.3 ePostaGonder.tanimliEpostayaGonder Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int tanimliEpostayaGonder;
```

1.1.2.1.23 ePostaGonderCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class ePostaGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	ePostaGonderCompletedEventArgs (see page 121)	This is ePostaGonderCompletedEventArgs, a member of class ePostaGonderCompletedEventArgs.

ePostaGonderCompletedEventArgs Properties

	Name	Description
	Result (see page 121)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.23.1 ePostaGonderCompletedEventArgs.ePostaGonderCompletedEventArgs Constructor

C#

```
internal ePostaGonderCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState);
```

Description

This is ePostaGonderCompletedEventArgs, a member of class ePostaGonderCompletedEventArgs.

Body Source

```
1: internal ePostaGonderCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.23.2 ePostaGonderCompletedEventArgs Properties

1.1.2.1.23.2.1 ePostaGonderCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.24 ePostaGonderResponse Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.ePostaGonderResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class ePostaGonderResponse;
```

File

Reference.cs (see page 800)

ePostaGonderResponse Properties

	Name	Description
	@return (see page 121)	

1.1.2.1.24.1 ePostaGonderResponse Properties

1.1.2.1.24.1.1 ePostaGonderResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.25 faturaDTO Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.faturaDTO

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class faturaDTO;
```

File

Reference.cs (see page 800)

faturaDTO Properties

	Name	Description
	arsiv (see page 124)	
	creationTime (see page 124)	
	currency (see page 124)	
	dokumanFormati (see page 124)	
	durum (see page 124)	
	durumSpecified (see page 124)	
	duzenlenmeZamani (see page 124)	
	epostaGonderimDurumu (see page 124)	
	epostaGonderimDurumuSpecified (see page 124)	
	erpKodu (see page 125)	
	faturaSiraNo (see page 125)	
	faturaSiraNoSpecified (see page 125)	
	faturaZamani (see page 125)	
	ilkKayitZmani (see page 125)	
	indirildi (see page 125)	
	indirildiSpecified (see page 125)	
	invoiceId (see page 125)	
	invoiceTypeCode (see page 125)	
	iptalEdenKullaniciKodu (see page 126)	
	iptalKaynagi (see page 126)	
	iptalKaynagiSpecified (see page 126)	
	iptalRaporTarihi (see page 126)	
	iptalTarihi (see page 126)	
	iptalTarihiExcel (see page 126)	
	islemId (see page 126)	
	issueDate (see page 126)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	itirazEdenKullaniciKodu (see page 126)	
	itirazKaynagi (see page 127)	
	itirazKaynagiSpecified (see page 127)	
	itirazTarihi (see page 127)	
	kagitFatura (see page 127)	
	kagitFaturaSpecified (see page 127)	
	kasa (see page 127)	
	kaynak (see page 127)	
	kepDurum (see page 127)	
	kepDurumSpecified (see page 127)	
	kolayFatura (see page 128)	
	kolayFaturaSpecified (see page 128)	
	okundu (see page 128)	
	okunduSpecified (see page 128)	
	payableAmount (see page 128)	
	payableAmountSpecified (see page 128)	
	profileId (see page 128)	
	raporTarihi (see page 128)	
	receiverContact (see page 128)	
	receiverIdentifier (see page 129)	
	receiverIdentifierTxt (see page 129)	
	receiverName (see page 129)	
	senderContact (see page 129)	
	senderName (see page 129)	
	sonGuncellemeZamani (see page 129)	
	sube (see page 129)	
	tanimliSubeKod (see page 129)	
	telNo (see page 129)	
	toplamTutar (see page 130)	
	toplamTutarSpecified (see page 130)	
	uuid (see page 130)	
	vergilerToplami (see page 130)	
	vergilerToplamiSpecified (see page 130)	
	versiyon (see page 130)	
	versiyonSpecified (see page 130)	
	yazdirildi (see page 130)	
	yazdirildiSpecified (see page 130)	
	yerelFaturaNo (see page 131)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.25.1 faturaDTO Properties

1.1.2.1.25.1.1 faturaDTO.arsiv Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int arsiv;
```

1.1.2.1.25.1.2 faturaDTO.creationTime Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string creationTime;
```

1.1.2.1.25.1.3 faturaDTO.currency Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string currency;
```

1.1.2.1.25.1.4 faturaDTO.dokumanFormati Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string dokumanFormati;
```

1.1.2.1.25.1.5 faturaDTO.durum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int durum;
```

1.1.2.1.25.1.6 faturaDTO.durumSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool durumSpecified;
```

1.1.2.1.25.1.7 faturaDTO.duzenlenmeZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string duzenlenmeZamani;
```

1.1.2.1.25.1.8 faturaDTO.epostaGonderimDurumu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int epostaGonderimDurumu;
```

1.1.2.1.25.1.9 faturaDTO.epostaGonderimDurumuSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
public bool epostaGonderimDurumuSpecified;
```

1.1.2.1.25.1.10 faturaDTO.erpKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string erpKodu;
```

1.1.2.1.25.1.11 faturaDTO.faturaSiraNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int faturaSiraNo;
```

1.1.2.1.25.1.12 faturaDTO.faturaSiraNoSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool faturaSiraNoSpecified;
```

1.1.2.1.25.1.13 faturaDTO.faturaZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string faturaZamani;
```

1.1.2.1.25.1.14 faturaDTO.ilkKayitZmani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string ilkKayitZmani;
```

1.1.2.1.25.1.15 faturaDTO.indirildi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int indirildi;
```

1.1.2.1.25.1.16 faturaDTO.indirildiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool indirildiSpecified;
```

1.1.2.1.25.1.17 faturaDTO.invoiceId Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string invoiceId;
```

1.1.2.1.25.1.18 faturaDTO.invoiceTypeCode Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string invoiceTypeCode;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.25.1.19 faturaDTO.iptalEdenKullaniciKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string iptalEdenKullaniciKodu;
```

1.1.2.1.25.1.20 faturaDTO.iptalKaynagi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int iptalKaynagi;
```

1.1.2.1.25.1.21 faturaDTO.iptalKaynagiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool iptalKaynagiSpecified;
```

1.1.2.1.25.1.22 faturaDTO.iptalRaporTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string iptalRaporTarihi;
```

1.1.2.1.25.1.23 faturaDTO.iptalTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string iptalTarihi;
```

1.1.2.1.25.1.24 faturaDTO.iptalTarihiExcel Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string iptalTarihiExcel;
```

1.1.2.1.25.1.25 faturaDTO.islemId Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string islemId;
```

1.1.2.1.25.1.26 faturaDTO.issueDate Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string issueDate;
```

1.1.2.1.25.1.27 faturaDTO.itirazEdenKullaniciKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string itirazEdenKullaniciKodu;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.25.1.28 faturaDTO.itirazKaynagi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int itirazKaynagi;
```

1.1.2.1.25.1.29 faturaDTO.itirazKaynagiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool itirazKaynagiSpecified;
```

1.1.2.1.25.1.30 faturaDTO.itirazTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string itirazTarihi;
```

1.1.2.1.25.1.31 faturaDTO.kagitFatura Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public bool kagitFatura;
```

1.1.2.1.25.1.32 faturaDTO.kagitFaturaSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kagitFaturaSpecified;
```

1.1.2.1.25.1.33 faturaDTO.kasa Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kasa;
```

1.1.2.1.25.1.34 faturaDTO.kaynak Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int kaynak;
```

1.1.2.1.25.1.35 faturaDTO.kepDurum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int kepDurum;
```

1.1.2.1.25.1.36 faturaDTO.kepDurumSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kepDurumSpecified;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.25.1.37 faturaDTO.kolayFatura Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int kolayFatura;
```

1.1.2.1.25.1.38 faturaDTO.kolayFaturaSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kolayFaturaSpecified;
```

1.1.2.1.25.1.39 faturaDTO.okundu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int okundu;
```

1.1.2.1.25.1.40 faturaDTO.okunduSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool okunduSpecified;
```

1.1.2.1.25.1.41 faturaDTO.payableAmount Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public decimal payableAmount;
```

1.1.2.1.25.1.42 faturaDTO.payableAmountSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool payableAmountSpecified;
```

1.1.2.1.25.1.43 faturaDTO.profileId Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string profileId;
```

1.1.2.1.25.1.44 faturaDTO.raporTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string raporTarihi;
```

1.1.2.1.25.1.45 faturaDTO.receiverContact Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string receiverContact;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.25.1.46 faturaDTO.receiverIdentifier Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string receiverIdentifier;
```

1.1.2.1.25.1.47 faturaDTO.receiverIdentifierTxt Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string receiverIdentifierTxt;
```

1.1.2.1.25.1.48 faturaDTO.receiverName Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string receiverName;
```

1.1.2.1.25.1.49 faturaDTO.senderContact Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string senderContact;
```

1.1.2.1.25.1.50 faturaDTO.senderName Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string senderName;
```

1.1.2.1.25.1.51 faturaDTO.sonGuncellemeZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string sonGuncellemeZamani;
```

1.1.2.1.25.1.52 faturaDTO.sube Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string sube;
```

1.1.2.1.25.1.53 faturaDTO.tanimliSubeKod Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string tanimliSubeKod;
```

1.1.2.1.25.1.54 faturaDTO.telNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string telNo;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.25.1.55 faturaDTO.toplamTutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public decimal toplamTutar;
```

1.1.2.1.25.1.56 faturaDTO.toplamTutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool toplamTutarSpecified;
```

1.1.2.1.25.1.57 faturaDTO.uuid Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string uuid;
```

1.1.2.1.25.1.58 faturaDTO.vergilerToplami Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public decimal vergilerToplami;
```

1.1.2.1.25.1.59 faturaDTO.vergilerToplamiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool vergilerToplamiSpecified;
```

1.1.2.1.25.1.60 faturaDTO.versiyon Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int versiyon;
```

1.1.2.1.25.1.61 faturaDTO.versiyonSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool versiyonSpecified;
```

1.1.2.1.25.1.62 faturaDTO.yazdirildi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int yazdirildi;
```

1.1.2.1.25.1.63 faturaDTO.yazdirildiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool yazdirildiSpecified;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.25.1.64 faturaDTO.yerelFaturaNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string yerelFaturaNo;
```

1.1.2.1.26 faturaIptalEt Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class faturaIptalEt;
```

File

Reference.cs (see page 800)

faturaIptalEt Properties

	Name	Description
	input (see page 131)	

1.1.2.1.26.1 faturaIptalEt Properties

1.1.2.1.26.1.1 faturaIptalEt.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.27 faturaIptalEtCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaIptalEtCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	faturaIptalEtCompletedEventArgs (see page 132)	This is faturaIptalEtCompletedEventArgs, a member of class faturaIptalEtCompletedEventArgs.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

faturaIptalEtCompletedEventArgs Properties

	Name	Description
	Result (see page 132)	

1.1.2.1.27.1 faturaIptalEtCompletedEventArgs.faturaIptalEtCompletedEventArgs Constructor

C#

```
internal faturaIptalEtCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState);
```

Description

This is faturaIptalEtCompletedEventArgs, a member of class faturaIptalEtCompletedEventArgs.

Body Source

```
1: internal faturaIptalEtCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.27.2 faturaIptalEtCompletedEventArgs Properties

1.1.2.1.27.2.1 faturaIptalEtCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.28 faturaIptalEtResponse Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.faturaIptalEtResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class faturaIptalEtResponse;
```

File

Reference.cs (see page 800)

faturaIptalEtResponse Properties

	Name	Description
	@return (see page 133)	

1.1.2.1.28.1 faturaIptalEtResponse Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.28.1.1 faturaIptalEtResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.2.1.29 faturaIptaliKaldir Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class faturaIptaliKaldir;
```

File

Reference.cs (see page 800)

faturaIptaliKaldir Properties

	Name	Description
	input (see page 133)	

1.1.2.1.29.1 faturaIptaliKaldir Properties

1.1.2.1.29.1.1 faturaIptaliKaldir.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.30 faturaIptaliKaldirCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaIptaliKaldirCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	faturaIptaliKaldirCompletedEventArgs (see page 134)	This is faturaIptaliKaldirCompletedEventArgs, a member of class faturaIptaliKaldirCompletedEventArgs.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

faturaIptaliKaldirCompletedEventArgs Properties

	Name	Description
	Result (see page 134)	

1.1.2.1.30.1 faturaIptaliKaldirCompletedEventArgs.faturaIptaliKaldirCompletedEventArgs Constructor

C#

```
internal faturaIptaliKaldirCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is faturaIptaliKaldirCompletedEventArgs, a member of class faturaIptaliKaldirCompletedEventArgs.

Body Source

```
1: internal faturaIptaliKaldirCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.30.2 faturaIptaliKaldirCompletedEventArgs Properties

1.1.2.1.30.2.1 faturaIptaliKaldirCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.31 faturaIptaliKaldirResponse Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.faturaIptaliKaldirResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class faturaIptaliKaldirResponse;
```

File

Reference.cs (see page 800)

faturaIptaliKaldirResponse Properties

	Name	Description
	@return (see page 135)	

1.1.2.1.31.1 faturaIptaliKaldirResponse Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.31.1.1 faturaIptaliKaldirResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.2.1.32 faturaItirazEt Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class faturaItirazEt;
```

File

Reference.cs (see page 800)

faturaItirazEt Properties

	Name	Description
	input (see page 135)	

1.1.2.1.32.1 faturaItirazEt Properties

1.1.2.1.32.1.1 faturaItirazEt.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.33 faturaItirazEtCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaItirazEtCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	faturaItirazEtCompletedEventArgs (see page 136)	This is faturaItirazEtCompletedEventArgs, a member of class faturaItirazEtCompletedEventArgs.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

faturaItirazEtCompletedEventArgs Properties

	Name	Description
	Result (see page 136)	

1.1.2.1.33.1 faturaItirazEtCompletedEventArgs.faturaItirazEtCompletedEventArgs Constructor

C#

```
internal faturaItirazEtCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is faturaItirazEtCompletedEventArgs, a member of class faturaItirazEtCompletedEventArgs.

Body Source

```
1: internal faturaItirazEtCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.33.2 faturaItirazEtCompletedEventArgs Properties

1.1.2.1.33.2.1 faturaItirazEtCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.34 faturaItirazEtResponse Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.faturaItirazEtResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class faturaItirazEtResponse;
```

File

Reference.cs (see page 800)

faturaItirazEtResponse Properties

	Name	Description
	@return (see page 137)	

1.1.2.1.34.1 faturaItirazEtResponse Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.34.1.1 faturaItirazEtResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.2.1.35 faturaItirazKaldir Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class faturaItirazKaldir;
```

File

Reference.cs (see page 800)

faturaItirazKaldir Properties

	Name	Description
	input (see page 137)	

1.1.2.1.35.1 faturaItirazKaldir Properties

1.1.2.1.35.1.1 faturaItirazKaldir.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.36 faturaItirazKaldirCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaItirazKaldirCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	faturaItirazKaldirCompletedEventArgs (see page 138)	This is faturaItirazKaldirCompletedEventArgs, a member of class faturaItirazKaldirCompletedEventArgs.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

faturaItirazKaldirCompletedEventArgs Properties

	Name	Description
	Result (see page 138)	

1.1.2.1.36.1 faturaItirazKaldirCompletedEventArgs.faturaItirazKaldirCompletedEventArgs Constructor

C#

```
internal faturaItirazKaldirCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is faturaItirazKaldirCompletedEventArgs, a member of class faturaItirazKaldirCompletedEventArgs.

Body Source

```
1: internal faturaItirazKaldirCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.36.2 faturaItirazKaldirCompletedEventArgs Properties

1.1.2.1.36.2.1 faturaItirazKaldirCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.37 faturaItirazKaldirResponse Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class faturaItirazKaldirResponse;
```

File

Reference.cs (see page 800)

faturaItirazKaldirResponse Properties

	Name	Description
	@return (see page 139)	

1.1.2.1.37.1 faturaItirazKaldirResponse Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.37.1.1 faturaItirazKaldirResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.2.1.38 faturaListeSorgula Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class faturaListeSorgula;
```

File

Reference.cs (see page 800)

faturaListeSorgula Properties

	Name	Description
	input (see page 139)	

1.1.2.1.38.1 faturaListeSorgula Properties

1.1.2.1.38.1.1 faturaListeSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.39 faturaListeSorgulaCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaListeSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	faturaListeSorgulaCompletedEventArgs (see page 140)	This is faturaListeSorgulaCompletedEventArgs, a member of class faturaListeSorgulaCompletedEventArgs.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

faturaListeSorgulaCompletedEventArgs Properties

	Name	Description
	output (see page 140)	
	Result (see page 140)	

1.1.2.1.39.1 faturaListeSorgulaCompletedEventArgs.faturaListeSorgulaCompletedEventArgs Constructor

C#

```
internal faturaListeSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is faturaListeSorgulaCompletedEventArgs, a member of class faturaListeSorgulaCompletedEventArgs.

Body Source

```
1: internal faturaListeSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.39.2 faturaListeSorgulaCompletedEventArgs Properties

1.1.2.1.39.2.1 faturaListeSorgulaCompletedEventArgs.output Property

C#

```
public faturaDTO output;
```

1.1.2.1.39.2.2 faturaListeSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.40 faturaListeSorgulaCount Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class faturaListeSorgulaCount;
```

File

Reference.cs (see page 800)

faturaListeSorgulaCount Properties

	Name	Description
	input (see page 141)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.40.1 faturaListeSorgulaCount Properties

1.1.2.1.40.1.1 faturaListeSorgulaCount.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.41 faturaListeSorgulaCountCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaListeSorgulaCountCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	faturaListeSorgulaCountCompletedEventArgs (see page 141)	This is faturaListeSorgulaCountCompletedEventArgs, a member of class faturaListeSorgulaCountCompletedEventArgs.

faturaListeSorgulaCountCompletedEventArgs Properties

	Name	Description
	output (see page 142)	
	Result (see page 142)	

1.1.2.1.41.1 faturaListeSorgulaCountCompletedEventArgs.faturaListeSorgulaCountCompletedEventArgs Constructor

C#

```
internal faturaListeSorgulaCountCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is faturaListeSorgulaCountCompletedEventArgs, a member of class faturaListeSorgulaCountCompletedEventArgs.

Body Source

```
1: internal faturaListeSorgulaCountCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.41.2 faturaListeSorgulaCountCompletedEventArgs Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.41.2.1 faturaListeSorgulaCountCompletedEventArgs.output Property

C#

```
public faturaDTO output;
```

1.1.2.1.41.2.2 faturaListeSorgulaCountCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.42 faturaListeSorgulaCountResponse Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class faturaListeSorgulaCountResponse;
```

File

Reference.cs (see page 800)

faturaListeSorgulaCountResponse Properties

	Name	Description
	@return (see page 142)	
	output (see page 142)	

1.1.2.1.42.1 faturaListeSorgulaCountResponse Properties

1.1.2.1.42.1.1 faturaListeSorgulaCountResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.2.1.42.1.2 faturaListeSorgulaCountResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public faturaDTO output;
```

1.1.2.1.43 faturaListeSorgulaPortal Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortal

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class faturaListeSorgulaPortal;
```

File

Reference.cs (see page 800)

faturaListeSorgulaPortal Properties

	Name	Description
	input (see page 143)	

1.1.2.1.43.1 faturaListeSorgulaPortal Properties

1.1.2.1.43.1.1 faturaListeSorgulaPortal.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.44 faturaListeSorgulaPortalCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaListeSorgulaPortalCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	faturaListeSorgulaPortalCompletedEventArgs (see page 143)	This is faturaListeSorgulaPortalCompletedEventArgs, a member of class faturaListeSorgulaPortalCompletedEventArgs.

faturaListeSorgulaPortalCompletedEventArgs Properties

	Name	Description
	output (see page 144)	
	Result (see page 144)	

1.1.2.1.44.1 faturaListeSorgulaPortalCompletedEventArgs.faturaListeSorgulaPortalCompletedEventArgs Constructor

C#

```
internal faturaListeSorgulaPortalCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Description

This is faturaListeSorgulaPortalCompletedEventArgs, a member of class faturaListeSorgulaPortalCompletedEventArgs.

Body Source

```
1: internal faturaListeSorgulaPortalCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.44.2 faturaListeSorgulaPortalCompletedEventArgs Properties

1.1.2.1.44.2.1 faturaListeSorgulaPortalCompletedEventArgs.output Property

C#

```
public faturaDTO output;
```

1.1.2.1.44.2.2 faturaListeSorgulaPortalCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.45 faturaListeSorgulaPortalResponse Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class faturaListeSorgulaPortalResponse;
```

File

Reference.cs (see page 800)

faturaListeSorgulaPortalResponse Properties

	Name	Description
	@return (see page 144)	
	output (see page 144)	

1.1.2.1.45.1 faturaListeSorgulaPortalResponse Properties

1.1.2.1.45.1.1 faturaListeSorgulaPortalResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.2.1.45.1.2 faturaListeSorgulaPortalResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("output",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public faturaDTO output;
```

1.1.2.1.46 faturaListeSorgulaResponse Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.faturaListeSorgulaResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class faturaListeSorgulaResponse;
```

File

Reference.cs (see page 800)

faturaListeSorgulaResponse Properties

	Name	Description
	@return (see page 145)	
	output (see page 145)	

1.1.2.1.46.1 faturaListeSorgulaResponse Properties

1.1.2.1.46.1.1 faturaListeSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.2.1.46.1.2 faturaListeSorgulaResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public faturaDTO output;
```

1.1.2.1.47 faturaNoUret Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.faturaNoUret

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class faturaNoUret;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

faturaNoUret Properties

	Name	Description
	input (see page 146)	

1.1.2.1.47.1 faturaNoUret Properties

1.1.2.1.47.1.1 faturaNoUret.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.48 faturaNoUretCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaNoUretCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	faturaNoUretCompletedEventArgs (see page 146)	This is faturaNoUretCompletedEventArgs, a member of class faturaNoUretCompletedEventArgs.

faturaNoUretCompletedEventArgs Properties

	Name	Description
	@return (see page 147)	
	Result (see page 147)	

1.1.2.1.48.1 faturaNoUretCompletedEventArgs.faturaNoUretCompletedEventArgs Constructor

C#

```
internal faturaNoUretCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState);
```

Description

This is faturaNoUretCompletedEventArgs, a member of class faturaNoUretCompletedEventArgs.

Body Source

```
1: internal faturaNoUretCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.48.2 faturaNoUretCompletedEventArgs Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.48.2.1 faturaNoUretCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.2.1.48.2.2 faturaNoUretCompletedEventArgs.Result Property

C#

```
public string Result;
```

1.1.2.1.49 faturaOlustur Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class faturaOlustur;
```

File

Reference.cs (see page 800)

faturaOlustur Properties

	Name	Description
	fatura (see page 147)	
	input (see page 147)	

1.1.2.1.49.1 faturaOlustur Properties

1.1.2.1.49.1.1 faturaOlustur.fatura Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public belge fatura;
```

1.1.2.1.49.1.2 faturaOlustur.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.50 faturaOlusturCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaOlusturCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	faturaOlusturCompletedEventArgs (see page 148)	This is faturaOlusturCompletedEventArgs, a member of class faturaOlusturCompletedEventArgs.

faturaOlusturCompletedEventArgs Properties

	Name	Description
	@return (see page 148)	
	Result (see page 148)	

1.1.2.1.50.1 faturaOlusturCompletedEventArgs.faturaOlusturCompletedEventArgs Constructor

C#

```
internal faturaOlusturCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState);
```

Description

This is faturaOlusturCompletedEventArgs, a member of class faturaOlusturCompletedEventArgs.

Body Source

```
1: internal faturaOlusturCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.50.2 faturaOlusturCompletedEventArgs Properties

1.1.2.1.50.2.1 faturaOlusturCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.2.1.50.2.2 faturaOlusturCompletedEventArgs.Result Property

C#

```
public belge Result;
```

1.1.2.1.51 faturaOlusturExt Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.faturaOlusturExt

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
]
public class faturaOlusturExt;
```

File

Reference.cs (see page 800)

faturaOlusturExt Properties

	Name	Description
	fatura (see page 149)	
	input (see page 149)	

1.1.2.1.51.1 faturaOlusturExt Properties

1.1.2.1.51.1.1 faturaOlusturExt.fatura Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public belge fatura;
```

1.1.2.1.51.1.2 faturaOlusturExt.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.52 faturaOlusturExtCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaOlusturExtCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	faturaOlusturExtCompletedEventArgs (see page 150)	This is faturaOlusturExtCompletedEventArgs, a member of class faturaOlusturExtCompletedEventArgs.

faturaOlusturExtCompletedEventArgs Properties

	Name	Description
	@return (see page 150)	
	Result (see page 150)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.52.1 faturaOlusturExtCompletedEventArgs.faturaOlusturExtCompletedEventArgs Constructor

C#

```
internal faturaOlusturExtCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is faturaOlusturExtCompletedEventArgs, a member of class faturaOlusturExtCompletedEventArgs.

Body Source

```
1: internal faturaOlusturExtCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.52.2 faturaOlusturExtCompletedEventArgs Properties

1.1.2.1.52.2.1 faturaOlusturExtCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.2.1.52.2.2 faturaOlusturExtCompletedEventArgs.Result Property

C#

```
public belge Result;
```

1.1.2.1.53 faturaOnizleme Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.faturaOnizleme

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class faturaOnizleme;
```

File

Reference.cs (see page 800)

faturaOnizleme Properties

	Name	Description
	fatura (see page 151)	
	input (see page 151)	

1.1.2.1.53.1 faturaOnizleme Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.53.1.1 faturaOnizleme.fatura Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public belge fatura;
```

1.1.2.1.53.1.2 faturaOnizleme.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.54 faturaOnizlemeCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaOnizlemeCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	faturaOnizlemeCompletedEventArgs (see page 151)	This is faturaOnizlemeCompletedEventArgs, a member of class faturaOnizlemeCompletedEventArgs.

faturaOnizlemeCompletedEventArgs Properties

	Name	Description
	@return (see page 152)	
	Result (see page 152)	

1.1.2.1.54.1 faturaOnizlemeCompletedEventArgs.faturaOnizlemeCompletedEventArgs Constructor

C#

```
internal faturaOnizlemeCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is faturaOnizlemeCompletedEventArgs, a member of class faturaOnizlemeCompletedEventArgs.

Body Source

```
1: internal faturaOnizlemeCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.54.2 faturaOnizlemeCompletedEventArgs Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.54.2.1 faturaOnizlemeCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.2.1.54.2.2 faturaOnizlemeCompletedEventArgs.Result Property

C#

```
public belge Result;
```

1.1.2.1.55 faturaSorgula Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class faturaSorgula;
```

File

Reference.cs (see page 800)

faturaSorgula Properties

	Name	Description
	input (see page 152)	

1.1.2.1.55.1 faturaSorgula Properties

1.1.2.1.55.1.1 faturaSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.56 faturaSorgulaCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Methods

	Name	Description
	faturaSorgulaCompletedEventArgs (see page 153)	This is faturaSorgulaCompletedEventArgs, a member of class faturaSorgulaCompletedEventArgs.

faturaSorgulaCompletedEventArgs Properties

	Name	Description
	@return (see page 153)	
	Result (see page 153)	

1.1.2.1.56.1 faturaSorgulaCompletedEventArgs.faturaSorgulaCompletedEventArgs Constructor

C#

```
internal faturaSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState);
```

Description

This is faturaSorgulaCompletedEventArgs, a member of class faturaSorgulaCompletedEventArgs.

Body Source

```
1: internal faturaSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.56.2 faturaSorgulaCompletedEventArgs Properties

1.1.2.1.56.2.1 faturaSorgulaCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.2.1.56.2.2 faturaSorgulaCompletedEventArgs.Result Property

C#

```
public belge Result;
```

1.1.2.1.57 faturaSorgulaExt Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.faturaSorgulaExt

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class faturaSorgulaExt;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

faturaSorgulaExt Properties

	Name	Description
	input (see page 154)	

1.1.2.1.57.1 faturaSorgulaExt Properties

1.1.2.1.57.1.1 faturaSorgulaExt.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.58 faturaSorgulaExtCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaSorgulaExtCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	faturaSorgulaExtCompletedEventArgs (see page 154)	This is faturaSorgulaExtCompletedEventArgs, a member of class faturaSorgulaExtCompletedEventArgs.

faturaSorgulaExtCompletedEventArgs Properties

	Name	Description
	@return (see page 155)	
	Result (see page 155)	

1.1.2.1.58.1 faturaSorgulaExtCompletedEventArgs.faturaSorgulaExtCompletedEventArgs Constructor

C#

```
internal faturaSorgulaExtCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is faturaSorgulaExtCompletedEventArgs, a member of class faturaSorgulaExtCompletedEventArgs.

Body Source

```
1: internal faturaSorgulaExtCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.58.2 faturaSorgulaExtCompletedEventArgs Properties

1.1.2.1.58.2.1 faturaSorgulaExtCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.2.1.58.2.2 faturaSorgulaExtCompletedEventArgs.Result Property

C#

```
public belge Result;
```

1.1.2.1.59 faturaTaslakOlustur Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class faturaTaslakOlustur;
```

File

Reference.cs (see page 800)

faturaTaslakOlustur Properties

	Name	Description
	fatura (see page 155)	
	input (see page 155)	

1.1.2.1.59.1 faturaTaslakOlustur Properties

1.1.2.1.59.1.1 faturaTaslakOlustur.fatura Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public belge fatura;
```

1.1.2.1.59.1.2 faturaTaslakOlustur.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.60 faturaTaslakOlusturCompletedEventArgs Class

Class Hierarchy

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaTaslakOlusturCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	faturaTaslakOlusturCompletedEventArgs (see page 156)	This is faturaTaslakOlusturCompletedEventArgs, a member of class faturaTaslakOlusturCompletedEventArgs.

faturaTaslakOlusturCompletedEventArgs Properties

	Name	Description
	Result (see page 156)	

1.1.2.1.60.1 faturaTaslakOlusturCompletedEventArgs.faturaTaslakOlusturCompletedEventArgs Constructor

C#

```
internal faturaTaslakOlusturCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is faturaTaslakOlusturCompletedEventArgs, a member of class faturaTaslakOlusturCompletedEventArgs.

Body Source

```
1: internal faturaTaslakOlusturCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.60.2 faturaTaslakOlusturCompletedEventArgs Properties

1.1.2.1.60.2.1 faturaTaslakOlusturCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.61 faturaTaslakOlusturResponse Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
public class faturaTaslakOlusturResponse;
```

File

Reference.cs (see page 800)

faturaTaslakOlusturResponse Properties

	Name	Description
	@return (see page 157)	

1.1.2.1.61.1 faturaTaslakOlusturResponse Properties

1.1.2.1.61.1.1 faturaTaslakOlusturResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.2.1.62 faturaTaslakOnizleme Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class faturaTaslakOnizleme;
```

File

Reference.cs (see page 800)

faturaTaslakOnizleme Properties

	Name	Description
	input (see page 157)	

1.1.2.1.62.1 faturaTaslakOnizleme Properties

1.1.2.1.62.1.1 faturaTaslakOnizleme.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.63 faturaTaslakOnizlemeCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaTaslakOnizlemeCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	faturaTaslakOnizlemeCompletedEventArgs (see page 158)	This is faturaTaslakOnizlemeCompletedEventArgs, a member of class faturaTaslakOnizlemeCompletedEventArgs.

faturaTaslakOnizlemeCompletedEventArgs Properties

	Name	Description
	output (see page 158)	
	Result (see page 158)	

1.1.2.1.63.1 faturaTaslakOnizlemeCompletedEventArgs.faturaTaslakOnizlemeCompletedEventArgs Constructor

C#

```
internal faturaTaslakOnizlemeCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is faturaTaslakOnizlemeCompletedEventArgs, a member of class faturaTaslakOnizlemeCompletedEventArgs.

Body Source

```
1: internal faturaTaslakOnizlemeCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.63.2 faturaTaslakOnizlemeCompletedEventArgs Properties

1.1.2.1.63.2.1 faturaTaslakOnizlemeCompletedEventArgs.output Property

C#

```
public belge output;
```

1.1.2.1.63.2.2 faturaTaslakOnizlemeCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.64 faturaTaslakOnizlemeResponse Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class faturaTaslakOnizlemeResponse;
```

File

Reference.cs (see page 800)

faturaTaslakOnizlemeResponse Properties

	Name	Description
	@return (see page 159)	
	output (see page 159)	

1.1.2.1.64.1 faturaTaslakOnizlemeResponse Properties

1.1.2.1.64.1.1 faturaTaslakOnizlemeResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.2.1.64.1.2 faturaTaslakOnizlemeResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public belge output;
```

1.1.2.1.65 faturaTaslakSil Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class faturaTaslakSil;
```

File

Reference.cs (see page 800)

faturaTaslakSil Properties

	Name	Description
	input (see page 160)	

1.1.2.1.65.1 faturaTaslakSil Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.65.1.1 faturaTaslakSil.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.66 faturaTaslakSilCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaTaslakSilCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	faturaTaslakSilCompletedEventArgs (see page 160)	This is faturaTaslakSilCompletedEventArgs, a member of class faturaTaslakSilCompletedEventArgs.

faturaTaslakSilCompletedEventArgs Properties

	Name	Description
	Result (see page 160)	

1.1.2.1.66.1 faturaTaslakSilCompletedEventArgs.faturaTaslakSilCompletedEventArgs Constructor

C#

```
internal faturaTaslakSilCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is faturaTaslakSilCompletedEventArgs, a member of class faturaTaslakSilCompletedEventArgs.

Body Source

```
1: internal faturaTaslakSilCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.66.2 faturaTaslakSilCompletedEventArgs Properties

1.1.2.1.66.2.1 faturaTaslakSilCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.67 faturaTaslakSilResponse Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.faturaTaslakSilResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class faturaTaslakSilResponse;
```

File

Reference.cs (see page 800)

faturaTaslakSilResponse Properties

	Name	Description
	@return (see page 161)	

1.1.2.1.67.1 faturaTaslakSilResponse Properties

1.1.2.1.67.1.1 faturaTaslakSilResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.2.1.68 faturaTaslakSorgula Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.faturaTaslakSorgula

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class faturaTaslakSorgula;
```

File

Reference.cs (see page 800)

faturaTaslakSorgula Properties

	Name	Description
	input (see page 162)	

1.1.2.1.68.1 faturaTaslakSorgula Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.68.1.1 faturaTaslakSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.69 faturaTaslakSorgulaCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaTaslakSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	faturaTaslakSorgulaCompletedEventArgs (see page 162)	This is faturaTaslakSorgulaCompletedEventArgs, a member of class faturaTaslakSorgulaCompletedEventArgs.

faturaTaslakSorgulaCompletedEventArgs Properties

	Name	Description
	output (see page 162)	
	Result (see page 163)	

1.1.2.1.69.1 faturaTaslakSorgulaCompletedEventArgs.faturaTaslakSorgulaCompletedEventArgs Constructor

C#

```
internal faturaTaslakSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is faturaTaslakSorgulaCompletedEventArgs, a member of class faturaTaslakSorgulaCompletedEventArgs.

Body Source

```
1: internal faturaTaslakSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.69.2 faturaTaslakSorgulaCompletedEventArgs Properties

1.1.2.1.69.2.1 faturaTaslakSorgulaCompletedEventArgs.output Property

C#

```
public faturaDTO output;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.69.2.2 faturaTaslakSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.70 faturaTaslakSorgulaResponse Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class faturaTaslakSorgulaResponse;
```

File

Reference.cs (see page 800)

faturaTaslakSorgulaResponse Properties

	Name	Description
	@return (see page 163)	
	output (see page 163)	

1.1.2.1.70.1 faturaTaslakSorgulaResponse Properties

1.1.2.1.70.1.1 faturaTaslakSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.2.1.70.1.2 faturaTaslakSorgulaResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public faturaDTO output;
```

1.1.2.1.71 faturaTaslaktanOlustur Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlustur

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class faturaTaslaktanOlustur;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

File

Reference.cs (see page 800)

faturaTaslaktanOlustur Properties

	Name	Description
	input (see page 164)	

1.1.2.1.71.1 faturaTaslaktanOlustur Properties

1.1.2.1.71.1.1 faturaTaslaktanOlustur.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.72 faturaTaslaktanOlusturCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaTaslaktanOlusturCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	faturaTaslaktanOlusturCompletedEventArgs (see page 164)	This is faturaTaslaktanOlusturCompletedEventArgs, a member of class faturaTaslaktanOlusturCompletedEventArgs.

faturaTaslaktanOlusturCompletedEventArgs Properties

	Name	Description
	@return (see page 165)	
	Result (see page 165)	

1.1.2.1.72.1 faturaTaslaktanOlusturCompletedEventArgs.faturaTaslaktanOlusturCompletedEventArgs

Constructor

C#

```
internal faturaTaslaktanOlusturCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is faturaTaslaktanOlusturCompletedEventArgs, a member of class faturaTaslaktanOlusturCompletedEventArgs.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```
1: internal faturaTaslaktanOlusturCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.72.2 faturaTaslaktanOlusturCompletedEventArgs Properties

1.1.2.1.72.2.1 faturaTaslaktanOlusturCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.2.1.72.2.2 faturaTaslaktanOlusturCompletedEventArgs.Result Property

C#

```
public belge Result;
```

1.1.2.1.73 faturaZipiAl Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class faturaZipiAl;
```

File

Reference.cs (see page 800)

faturaZipiAl Properties

	Name	Description
	input (see page 165)	

1.1.2.1.73.1 faturaZipiAl Properties

1.1.2.1.73.1.1 faturaZipiAl.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.74 faturaZipiAlCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaZipiAlCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	faturaZipiAlCompletedEventArgs (see page 166)	This is faturaZipiAlCompletedEventArgs, a member of class faturaZipiAlCompletedEventArgs.

faturaZipiAlCompletedEventArgs Properties

	Name	Description
	output (see page 166)	
	Result (see page 166)	

1.1.2.1.74.1 faturaZipiAlCompletedEventArgs.faturaZipiAlCompletedEventArgs Constructor

C#

```
internal faturaZipiAlCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState);
```

Description

This is faturaZipiAlCompletedEventArgs, a member of class faturaZipiAlCompletedEventArgs.

Body Source

```
1: internal faturaZipiAlCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.74.2 faturaZipiAlCompletedEventArgs Properties

1.1.2.1.74.2.1 faturaZipiAlCompletedEventArgs.output Property

C#

```
public byte output;
```

1.1.2.1.74.2.2 faturaZipiAlCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.75 faturaZipiAlResponse Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
]
public class faturaZipiAlResponse;
```

File

Reference.cs (see page 800)

faturaZipiAlResponse Properties

	Name	Description
	@return (see page 167)	
	output (see page 167)	

1.1.2.1.75.1 faturaZipiAlResponse Properties

1.1.2.1.75.1.1 faturaZipiAlResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.2.1.75.1.2 faturaZipiAlResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary", IsNullable=true)]
public byte output;
```

1.1.2.1.76 kontorBilgisiGetir Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.kontorBilgisiGetir

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class kontorBilgisiGetir;
```

File

Reference.cs (see page 800)

kontorBilgisiGetir Properties

	Name	Description
	kontorBirimi (see page 168)	
	kontorTipi (see page 168)	
	vknTckn (see page 168)	

1.1.2.1.76.1 kontorBilgisiGetir Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.76.1.1 kontorBilgisiGetir.kontorBirimi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kontorBirimi;
```

1.1.2.1.76.1.2 kontorBilgisiGetir.kontorTipi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kontorTipi;
```

1.1.2.1.76.1.3 kontorBilgisiGetir.vknTckn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string vknTckn;
```

1.1.2.1.77 kontorBilgisiGetirCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class kontorBilgisiGetirCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	kontorBilgisiGetirCompletedEventArgs (see page 168)	This is kontorBilgisiGetirCompletedEventArgs, a member of class kontorBilgisiGetirCompletedEventArgs.

kontorBilgisiGetirCompletedEventArgs Properties

	Name	Description
	Result (see page 169)	

1.1.2.1.77.1 kontorBilgisiGetirCompletedEventArgs.kontorBilgisiGetirCompletedEventArgs Constructor

C#

```
internal kontorBilgisiGetirCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is kontorBilgisiGetirCompletedEventArgs, a member of class kontorBilgisiGetirCompletedEventArgs.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```
1: internal kontorBilgisiGetirCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.77.2 kontorBilgisiGetirCompletedEventArgs Properties

1.1.2.1.77.2.1 kontorBilgisiGetirCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.78 kontorBilgisiGetirResponse Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class kontorBilgisiGetirResponse;
```

File

Reference.cs (see page 800)

kontorBilgisiGetirResponse Properties

	Name	Description
	@return (see page 169)	

1.1.2.1.78.1 kontorBilgisiGetirResponse Properties

1.1.2.1.78.1.1 kontorBilgisiGetirResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.2.1.79 okcRaporBolumAl Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.okcRaporBolumAl

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
public class okcRaporBolumAl;
```

File

Reference.cs (see page 800)

okcRaporBolumAl Properties

	Name	Description
	input (see page 170)	

1.1.2.1.79.1 okcRaporBolumAl Properties

1.1.2.1.79.1.1 okcRaporBolumAl.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.80 okcRaporBolumAlCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class okcRaporBolumAlCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	okcRaporBolumAlCompletedEventArgs (see page 170)	This is okcRaporBolumAlCompletedEventArgs, a member of class okcRaporBolumAlCompletedEventArgs.

okcRaporBolumAlCompletedEventArgs Properties

	Name	Description
	@return (see page 171)	
	Result (see page 171)	

1.1.2.1.80.1 okcRaporBolumAlCompletedEventArgs.okcRaporBolumAlCompletedEventArgs Constructor

C#

```
internal okcRaporBolumAlCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is okcRaporBolumAlCompletedEventArgs, a member of class okcRaporBolumAlCompletedEventArgs.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```
1: internal okcRaporBolumAlCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.80.2 okcRaporBolumAlCompletedEventArgs Properties

1.1.2.1.80.2.1 okcRaporBolumAlCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.2.1.80.2.2 okcRaporBolumAlCompletedEventArgs.Result Property

C#

```
public belge Result;
```

1.1.2.1.81 okcRaporKaydet Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class okcRaporKaydet;
```

File

Reference.cs (see page 800)

okcRaporKaydet Properties

	Name	Description
	input (see page 171)	
	rapor (see page 171)	

1.1.2.1.81.1 okcRaporKaydet Properties

1.1.2.1.81.1.1 okcRaporKaydet.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.81.1.2 okcRaporKaydet.rapor Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public dosyaInput rapor;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.82 okcRaporKaydetCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class okcRaporKaydetCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	okcRaporKaydetCompletedEventArgs (see page 172)	This is okcRaporKaydetCompletedEventArgs, a member of class okcRaporKaydetCompletedEventArgs.

okcRaporKaydetCompletedEventArgs Properties

	Name	Description
	Result (see page 172)	

1.1.2.1.82.1 okcRaporKaydetCompletedEventArgs.okcRaporKaydetCompletedEventArgs Constructor

C#

```
internal okcRaporKaydetCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is okcRaporKaydetCompletedEventArgs, a member of class okcRaporKaydetCompletedEventArgs.

Body Source

```
1: internal okcRaporKaydetCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.82.2 okcRaporKaydetCompletedEventArgs Properties

1.1.2.1.82.2.1 okcRaporKaydetCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.83 okcRaporKaydetResponse Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class okcRaporKaydetResponse;
```

File

Reference.cs (see page 800)

okcRaporKaydetResponse Properties

	Name	Description
	@return (see page 173)	

1.1.2.1.83.1 okcRaporKaydetResponse Properties

1.1.2.1.83.1.1 okcRaporKaydetResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.2.1.84 okcRaporOlusturGonder Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class okcRaporOlusturGonder;
```

File

Reference.cs (see page 800)

okcRaporOlusturGonder Properties

	Name	Description
	input (see page 173)	

1.1.2.1.84.1 okcRaporOlusturGonder Properties

1.1.2.1.84.1.1 okcRaporOlusturGonder.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.85 okcRaporOlusturGonderCompletedEventArgs Class

Class Hierarchy

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class okcRaporOlusturGonderCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	okcRaporOlusturGonderCompletedEventArgs (see page 174)	This is okcRaporOlusturGonderCompletedEventArgs, a member of class okcRaporOlusturGonderCompletedEventArgs.

okcRaporOlusturGonderCompletedEventArgs Properties

	Name	Description
	Result (see page 174)	

1.1.2.1.85.1 okcRaporOlusturGonderCompletedEventArgs.okcRaporOlusturGonderCompletedEventArgs Constructor

C#

```
internal okcRaporOlusturGonderCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is okcRaporOlusturGonderCompletedEventArgs, a member of class okcRaporOlusturGonderCompletedEventArgs.

Body Source

```
1: internal okcRaporOlusturGonderCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.85.2 okcRaporOlusturGonderCompletedEventArgs Properties

1.1.2.1.85.2.1 okcRaporOlusturGonderCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.86 okcRaporOlusturGonderResponse Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
]
public class okcRaporOlusturGonderResponse;
```

File

Reference.cs (see page 800)

okcRaporOlusturGonderResponse Properties

	Name	Description
	@return (see page 175)	

1.1.2.1.86.1 okcRaporOlusturGonderResponse Properties

1.1.2.1.86.1.1 okcRaporOlusturGonderResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.2.1.87 raporBolumAl Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporBolumAl;
```

File

Reference.cs (see page 800)

raporBolumAl Properties

	Name	Description
	bolumRaporNo (see page 175)	

1.1.2.1.87.1 raporBolumAl Properties

1.1.2.1.87.1.1 raporBolumAl.bolumRaporNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string bolumRaporNo;
```

1.1.2.1.88 raporBolumAlCompletedEventArgs Class

Class Hierarchy

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumAlCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	raporBolumAlCompletedEventArgs (see page 176)	This is raporBolumAlCompletedEventArgs, a member of class raporBolumAlCompletedEventArgs.

raporBolumAlCompletedEventArgs Properties

	Name	Description
	@return (see page 176)	
	Result (see page 176)	

1.1.2.1.88.1 raporBolumAlCompletedEventArgs.raporBolumAlCompletedEventArgs Constructor

C#

```
internal raporBolumAlCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState);
```

Description

This is raporBolumAlCompletedEventArgs, a member of class raporBolumAlCompletedEventArgs.

Body Source

```
1: internal raporBolumAlCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.88.2 raporBolumAlCompletedEventArgs Properties

1.1.2.1.88.2.1 raporBolumAlCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.2.1.88.2.2 raporBolumAlCompletedEventArgs.Result Property

C#

```
public belge Result;
```

1.1.2.1.89 raporBolumBilgisiAl Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporBolumBilgisiAl;
```

File

Reference.cs (see page 800)

raporBolumBilgisiAl Properties

	Name	Description
	bolumRaporNo (see page 177)	

1.1.2.1.89.1 raporBolumBilgisiAl Properties

1.1.2.1.89.1.1 raporBolumBilgisiAl.bolumRaporNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string bolumRaporNo;
```

1.1.2.1.90 raporBolumBilgisiAlCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumBilgisiAlCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	raporBolumBilgisiAlCompletedEventArgs (see page 177)	This is raporBolumBilgisiAlCompletedEventArgs, a member of class raporBolumBilgisiAlCompletedEventArgs.

raporBolumBilgisiAlCompletedEventArgs Properties

	Name	Description
	Result (see page 178)	

1.1.2.1.90.1 raporBolumBilgisiAlCompletedEventArgs.raporBolumBilgisiAlCompletedEventArgs Constructor

C#

```
internal raporBolumBilgisiAlCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is raporBolumBilgisiAlCompletedEventArgs, a member of class raporBolumBilgisiAlCompletedEventArgs.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```
1: internal raporBolumBilgisiAlCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.90.2 raporBolumBilgisiAlCompletedEventArgs Properties

1.1.2.1.90.2.1 raporBolumBilgisiAlCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.91 raporBolumBilgisiAlResponse Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAlResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporBolumBilgisiAlResponse;
```

File

Reference.cs (see page 800)

raporBolumBilgisiAlResponse Properties

	Name	Description
	@return (see page 178)	

1.1.2.1.91.1 raporBolumBilgisiAlResponse Properties

1.1.2.1.91.1.1 raporBolumBilgisiAlResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.2.1.92 raporBolumDTO Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.raporBolumDTO

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
public class raporBolumDTO;
```

File

Reference.cs (see page 800)

raporBolumDTO Properties

	Name	Description
	baslangicTarihi (see page 179)	
	bitisTarihi (see page 179)	
	bolumNo (see page 179)	
	bolumNoSpecified (see page 179)	
	bolumRaporNo (see page 179)	
	durum (see page 180)	
	durumAciklama (see page 180)	
	durumKodu (see page 180)	
	sonIslemeZamani (see page 180)	

1.1.2.1.92.1 raporBolumDTO Properties

1.1.2.1.92.1.1 raporBolumDTO.baslangicTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string baslangicTarihi;
```

1.1.2.1.92.1.2 raporBolumDTO.bitisTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string bitisTarihi;
```

1.1.2.1.92.1.3 raporBolumDTO.bolumNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public long bolumNo;
```

1.1.2.1.92.1.4 raporBolumDTO.bolumNoSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool bolumNoSpecified;
```

1.1.2.1.92.1.5 raporBolumDTO.bolumRaporNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string bolumRaporNo;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.92.1.6 raporBolumDTO.durum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int durum;
```

1.1.2.1.92.1.7 raporBolumDTO.durumAciklama Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string durumAciklama;
```

1.1.2.1.92.1.8 raporBolumDTO.durumKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string durumKodu;
```

1.1.2.1.92.1.9 raporBolumDTO.sonIslemeZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string sonIslemeZamani;
```

1.1.2.1.93 raporBolumleriOlustur Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.raporBolumleriOlustur

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporBolumleriOlustur;
```

File

Reference.cs (see page 800)

raporBolumleriOlustur Properties

	Name	Description
	donem (see page 181)	
	input (see page 181)	
	sonGun (see page 181)	

1.1.2.1.93.1 raporBolumleriOlustur Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.93.1.1 raporBolumleriOlustur.donem Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string donem;
```

1.1.2.1.93.1.2 raporBolumleriOlustur.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.93.1.3 raporBolumleriOlustur.sonGun Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string sonGun;
```

1.1.2.1.94 raporBolumleriOlusturCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumleriOlusturCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	raporBolumleriOlusturCompletedEventArgs (see page 181)	This is raporBolumleriOlusturCompletedEventArgs, a member of class raporBolumleriOlusturCompletedEventArgs.

raporBolumleriOlusturCompletedEventArgs Properties

	Name	Description
	Result (see page 182)	

1.1.2.1.94.1 raporBolumleriOlusturCompletedEventArgs.raporBolumleriOlusturCompletedEventArgs Constructor

C#

```
internal raporBolumleriOlusturCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is raporBolumleriOlusturCompletedEventArgs, a member of class raporBolumleriOlusturCompletedEventArgs.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```
1: internal raporBolumleriOlusturCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.94.2 raporBolumleriOlusturCompletedEventArgs Properties

1.1.2.1.94.2.1 raporBolumleriOlusturCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.95 raporBolumleriOlusturResponse Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporBolumleriOlusturResponse;
```

File

Reference.cs (see page 800)

raporBolumleriOlusturResponse Properties

	Name	Description
	@return (see page 182)	

1.1.2.1.95.1 raporBolumleriOlusturResponse Properties

1.1.2.1.95.1.1 raporBolumleriOlusturResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.2.1.96 raporBolumListesiDetayliSorgula Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgula

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
public class raporBolumListesiDetayliSorgula;
```

File

Reference.cs (see page 800)

raporBolumListesiDetayliSorgula Properties

	Name	Description
	donem (see page 183)	

1.1.2.1.96.1 raporBolumListesiDetayliSorgula Properties

1.1.2.1.96.1.1 raporBolumListesiDetayliSorgula.donem Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string donem;
```

1.1.2.1.97 raporBolumListesiDetayliSorgulaCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumListesiDetayliSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	raporBolumListesiDetayliSorgulaCompletedEventArgs (see page 183)	This is raporBolumListesiDetayliSorgulaCompletedEventArgs, a member of class raporBolumListesiDetayliSorgulaCompletedEventArgs.

raporBolumListesiDetayliSorgulaCompletedEventArgs Properties

	Name	Description
	output (see page 184)	
	Result (see page 184)	

1.1.2.1.97.1 raporBolumListesiDetayliSorgulaCompletedEventArgs.raporBolumListesiDetayliSorgulaCompletedEventArgs Constructor

C#

```
internal raporBolumListesiDetayliSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Description

This is raporBolumListesiDetayliSorgulaCompletedEventArgs, a member of class raporBolumListesiDetayliSorgulaCompletedEventArgs.

Body Source

```
1: internal raporBolumListesiDetayliSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.97.2 raporBolumListesiDetayliSorgulaCompletedEventArgs Properties

1.1.2.1.97.2.1 raporBolumListesiDetayliSorgulaCompletedEventArgs.output Property

C#

```
public raporBolumDTO output;
```

1.1.2.1.97.2.2 raporBolumListesiDetayliSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.98 raporBolumListesiDetayliSorgulaResponse Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporBolumListesiDetayliSorgulaResponse;
```

File

Reference.cs (see page 800)

raporBolumListesiDetayliSorgulaResponse Properties

	Name	Description
	@return (see page 184)	
	output (see page 185)	

1.1.2.1.98.1 raporBolumListesiDetayliSorgulaResponse Properties

1.1.2.1.98.1.1 raporBolumListesiDetayliSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.98.1.2 raporBolumListesiDetayliSorgulaResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public raporBolumDTO output;
```

1.1.2.1.99 raporBolumListesiSorgula Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporBolumListesiSorgula;
```

File

Reference.cs (see page 800)

raporBolumListesiSorgula Properties

	Name	Description
	donem (see page 185)	

1.1.2.1.99.1 raporBolumListesiSorgula Properties

1.1.2.1.99.1.1 raporBolumListesiSorgula.donem Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string donem;
```

1.1.2.1.100 raporBolumListesiSorgulaCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumListesiSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Methods

	Name	Description
	raporBolumListesiSorgulaCompletedEventArgs (see page 186)	This is raporBolumListesiSorgulaCompletedEventArgs, a member of class raporBolumListesiSorgulaCompletedEventArgs.

raporBolumListesiSorgulaCompletedEventArgs Properties

	Name	Description
	@return (see page 186)	
	Result (see page 186)	

1.1.2.1.100.1 raporBolumListesiSorgulaCompletedEventArgs.raporBolumListesiSorgulaCompletedEventArgs Constructor

C#

```
internal raporBolumListesiSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is raporBolumListesiSorgulaCompletedEventArgs, a member of class raporBolumListesiSorgulaCompletedEventArgs.

Body Source

```
1: internal raporBolumListesiSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.100.2 raporBolumListesiSorgulaCompletedEventArgs Properties

1.1.2.1.100.2.1 raporBolumListesiSorgulaCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.2.1.100.2.2 raporBolumListesiSorgulaCompletedEventArgs.Result Property

C#

```
public string Result;
```

1.1.2.1.101 raporBolumListesiSorgulaWithInput Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporBolumListesiSorgulaWithInput;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

File

Reference.cs (see page 800)

raporBolumListesiSorgulaWithInput Properties

	Name	Description
	donem (see page 187)	
	input (see page 187)	

1.1.2.1.101.1 raporBolumListesiSorgulaWithInput Properties

1.1.2.1.101.1.1 raporBolumListesiSorgulaWithInput.donem Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string donem;
```

1.1.2.1.101.1.2 raporBolumListesiSorgulaWithInput.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.102 raporBolumListesiSorgulaWithInputCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumListesiSorgulaWithInputCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	raporBolumListesiSorgulaWithInputCompletedEventArgs (see page 188)	This is raporBolumListesiSorgulaWithInputCompletedEventArgs, a member of class raporBolumListesiSorgulaWithInputCompletedEventArgs.

raporBolumListesiSorgulaWithInputCompletedEventArgs Properties

	Name	Description
	@return (see page 188)	
	Result (see page 188)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.102.1 raporBolumListesiSorgulaWithInputCompletedEventArgs.raporBolumListesiSorgulaWithInputCompletedEventArgs Constructor

C#

```
internal raporBolumListesiSorgulaWithInputCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is raporBolumListesiSorgulaWithInputCompletedEventArgs, a member of class raporBolumListesiSorgulaWithInputCompletedEventArgs.

Body Source

```
1: internal raporBolumListesiSorgulaWithInputCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.102.2 raporBolumListesiSorgulaWithInputCompletedEventArgs Properties

1.1.2.1.102.2.1 raporBolumListesiSorgulaWithInputCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.2.1.102.2.2 raporBolumListesiSorgulaWithInputCompletedEventArgs.Result Property

C#

```
public string Result;
```

1.1.2.1.103 raporBolumRaporNoGuncelleImzala Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporBolumRaporNoGuncelleImzala;
```

File

Reference.cs (see page 800)

raporBolumRaporNoGuncelleImzala Properties

	Name	Description
	bolumRaporNo (see page 189)	

1.1.2.1.103.1 raporBolumRaporNoGuncelleImzala Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.103.1.1 raporBolumRaporNoGuncelleImzala.bolumRaporNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string bolumRaporNo;
```

1.1.2.1.104 raporBolumRaporNoGuncelleImzalaCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumRaporNoGuncelleImzalaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	raporBolumRaporNoGuncelleImzalaCompletedEventArgs (see page 189)	This is raporBolumRaporNoGuncelleImzalaCompletedEventArgs, a member of class raporBolumRaporNoGuncelleImzalaCompletedEventArgs.

raporBolumRaporNoGuncelleImzalaCompletedEventArgs Properties

	Name	Description
	Result (see page 190)	

1.1.2.1.104.1 raporBolumRaporNoGuncelleImzalaCompletedEventArgs.raporBolumRaporNoGuncelleImzalaCompletedEventArgs Constructor

C#

```
internal raporBolumRaporNoGuncelleImzalaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is raporBolumRaporNoGuncelleImzalaCompletedEventArgs, a member of class raporBolumRaporNoGuncelleImzalaCompletedEventArgs.

Body Source

```
1: internal raporBolumRaporNoGuncelleImzalaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.104.2 raporBolumRaporNoGuncelleImzalaCompletedEventArgs Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.104.2.1 raporBolumRaporNoGuncelleImzalaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.105 raporBolumRaporNoGuncelleImzalaResponse Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncelleImzalaResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporBolumRaporNoGuncelleImzalaResponse;
```

File

Reference.cs (see page 800)

raporBolumRaporNoGuncelleImzalaResponse Properties

	Name	Description
	@return (see page 190)	

1.1.2.1.105.1 raporBolumRaporNoGuncelleImzalaResponse Properties

1.1.2.1.105.1.1 raporBolumRaporNoGuncelleImzalaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.2.1.106 raporBolumSil Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.raporBolumSil

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporBolumSil;
```

File

Reference.cs (see page 800)

raporBolumSil Properties

	Name	Description
	bolumRaporNo (see page 191)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.106.1 raporBolumSil Properties

1.1.2.1.106.1.1 raporBolumSil.bolumRaporNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string bolumRaporNo;
```

1.1.2.1.107 raporBolumSilCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumSilCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	raporBolumSilCompletedEventArgs (see page 191)	This is raporBolumSilCompletedEventArgs, a member of class raporBolumSilCompletedEventArgs.

raporBolumSilCompletedEventArgs Properties

	Name	Description
	Result (see page 191)	

1.1.2.1.107.1 raporBolumSilCompletedEventArgs.raporBolumSilCompletedEventArgs Constructor

C#

```
internal raporBolumSilCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState);
```

Description

This is raporBolumSilCompletedEventArgs, a member of class raporBolumSilCompletedEventArgs.

Body Source

```
1: internal raporBolumSilCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.107.2 raporBolumSilCompletedEventArgs Properties

1.1.2.1.107.2.1 raporBolumSilCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.108 raporBolumSilResponse Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.raporBolumSilResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporBolumSilResponse;
```

File

Reference.cs (see page 800)

raporBolumSilResponse Properties

	Name	Description
	@return (see page 192)	

1.1.2.1.108.1 raporBolumSilResponse Properties

1.1.2.1.108.1.1 raporBolumSilResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.2.1.109 rapordaFaturaSorgula Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgula

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class rapordaFaturaSorgula;
```

File

Reference.cs (see page 800)

rapordaFaturaSorgula Properties

	Name	Description
	input (see page 193)	

1.1.2.1.109.1 rapordaFaturaSorgula Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.109.1.1 rapordaFaturaSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.110 rapordaFaturaSorgulaCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class rapordaFaturaSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	rapordaFaturaSorgulaCompletedEventArgs (see page 193)	This is rapordaFaturaSorgulaCompletedEventArgs, a member of class rapordaFaturaSorgulaCompletedEventArgs.

rapordaFaturaSorgulaCompletedEventArgs Properties

	Name	Description
	Result (see page 193)	

1.1.2.1.110.1 rapordaFaturaSorgulaCompletedEventArgs.rapordaFaturaSorgulaCompletedEventArgs Constructor

C#

```
internal rapordaFaturaSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is rapordaFaturaSorgulaCompletedEventArgs, a member of class rapordaFaturaSorgulaCompletedEventArgs.

Body Source

```
1: internal rapordaFaturaSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.110.2 rapordaFaturaSorgulaCompletedEventArgs Properties

1.1.2.1.110.2.1 rapordaFaturaSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.111 rapordaFaturaSorgulaResponse Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class rapordaFaturaSorgulaResponse;
```

File

Reference.cs (see page 800)

rapordaFaturaSorgulaResponse Properties

	Name	Description
	@return (see page 194)	

1.1.2.1.111.1 rapordaFaturaSorgulaResponse Properties

1.1.2.1.111.1.1 rapordaFaturaSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.2.1.112 raporDurumSorgula Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.raporDurumSorgula

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporDurumSorgula;
```

File

Reference.cs (see page 800)

raporDurumSorgula Properties

	Name	Description
	donem (see page 195)	

1.1.2.1.112.1 raporDurumSorgula Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.112.1.1 raporDurumSorgula.donem Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string donem;
```

1.1.2.1.113 raporDurumSorgulaCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporDurumSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	raporDurumSorgulaCompletedEventArgs (see page 195)	This is raporDurumSorgulaCompletedEventArgs, a member of class raporDurumSorgulaCompletedEventArgs.

raporDurumSorgulaCompletedEventArgs Properties

	Name	Description
	Result (see page 195)	

1.1.2.1.113.1 raporDurumSorgulaCompletedEventArgs.raporDurumSorgulaCompletedEventArgs Constructor

C#

```
internal raporDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is raporDurumSorgulaCompletedEventArgs, a member of class raporDurumSorgulaCompletedEventArgs.

Body Source

```
1: internal raporDurumSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.113.2 raporDurumSorgulaCompletedEventArgs Properties

1.1.2.1.113.2.1 raporDurumSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.114 raporDurumSorgulaResponse Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.raporDurumSorgulaResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporDurumSorgulaResponse;
```

File

Reference.cs (see page 800)

raporDurumSorgulaResponse Properties

	Name	Description
	@return (see page 196)	

1.1.2.1.114.1 raporDurumSorgulaResponse Properties

1.1.2.1.114.1.1 raporDurumSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.2.1.115 raporGonder Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.raporGonder

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporGonder;
```

File

Reference.cs (see page 800)

raporGonder Properties

	Name	Description
	donem (see page 197)	

1.1.2.1.115.1 raporGonder Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.115.1.1 raporGonder.donem Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string donem;
```

1.1.2.1.116 raporGonderCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	raporGonderCompletedEventArgs (see page 197)	This is raporGonderCompletedEventArgs, a member of class raporGonderCompletedEventArgs.

raporGonderCompletedEventArgs Properties

	Name	Description
	Result (see page 197)	

1.1.2.1.116.1 raporGonderCompletedEventArgs.raporGonderCompletedEventArgs Constructor

C#

```
internal raporGonderCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState);
```

Description

This is raporGonderCompletedEventArgs, a member of class raporGonderCompletedEventArgs.

Body Source

```
1: internal raporGonderCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.116.2 raporGonderCompletedEventArgs Properties

1.1.2.1.116.2.1 raporGonderCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.117 raporGonderResponse Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.raporGonderResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporGonderResponse;
```

File

Reference.cs (see page 800)

raporGonderResponse Properties

	Name	Description
	@return (see page 198)	

1.1.2.1.117.1 raporGonderResponse Properties

1.1.2.1.117.1.1 raporGonderResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.2.1.118 serviceReturnType Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.serviceReturnType

C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(eFaturaKullanici))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class serviceReturnType;
```

File

Reference.cs (see page 800)

1.1.2.1.119 servisSaglayicidanEpostaDurumSorgula Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSorgula

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class servisSaglayicidanEpostaDurumSorgula;
```

File

Reference.cs (see page 800)

servisSaglayicidanEpostaDurumSorgula Properties

	Name	Description
	input (see page 199)	

1.1.2.1.119.1 servisSaglayicidanEpostaDurumSorgula Properties

1.1.2.1.119.1.1 servisSaglayicidanEpostaDurumSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.120 servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs (see page 200)	This is servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs, a member of class servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.

servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs Properties

	Name	Description
	@return (see page 200)	
	outputEposta (see page 200)	
	Result (see page 200)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.120.1 servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs Constructor

C#

```
internal servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs, a member of class servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.

Body Source

```
1: internal servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.120.2 servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs Properties

1.1.2.1.120.2.1 servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.2.1.120.2.2 servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.outputEposta Property

C#

```
public string outputEposta;
```

1.1.2.1.120.2.3 servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.Result Property

C#

```
public string Result;
```

1.1.2.1.121 smsDurumSorgula Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class smsDurumSorgula;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

smsDurumSorgula Properties

	Name	Description
	input (see page 201)	

1.1.2.1.121.1 smsDurumSorgula Properties

1.1.2.1.121.1.1 smsDurumSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.122 smsDurumSorgulaCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class smsDurumSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	smsDurumSorgulaCompletedEventArgs (see page 201)	This is smsDurumSorgulaCompletedEventArgs, a member of class smsDurumSorgulaCompletedEventArgs.

smsDurumSorgulaCompletedEventArgs Properties

	Name	Description
	outputDurum (see page 202)	
	Result (see page 202)	

1.1.2.1.122.1 smsDurumSorgulaCompletedEventArgs.smsDurumSorgulaCompletedEventArgs Constructor

C#

```
internal smsDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is smsDurumSorgulaCompletedEventArgs, a member of class smsDurumSorgulaCompletedEventArgs.

Body Source

```
1: internal smsDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.122.2 smsDurumSorgulaCompletedEventArgs Properties

1.1.2.1.122.2.1 smsDurumSorgulaCompletedEventArgs.outputDurum Property

C#

```
public string outputDurum;
```

1.1.2.1.122.2.2 smsDurumSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.123 smsDurumSorgulaResponse Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.smsDurumSorgulaResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class smsDurumSorgulaResponse;
```

File

Reference.cs (see page 800)

smsDurumSorgulaResponse Properties

	Name	Description
	@return (see page 202)	
	outputDurum (see page 202)	

1.1.2.1.123.1 smsDurumSorgulaResponse Properties

1.1.2.1.123.1.1 smsDurumSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.2.1.123.1.2 smsDurumSorgulaResponse.outputDurum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string outputDurum;
```

1.1.2.1.124 smsGonder Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.smsGonder

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class smsGonder;
```

File

Reference.cs (see page 800)

smsGonder Properties

	Name	Description
	ilaveTelefonNo (see page 203)	
	input (see page 203)	
	tanimliTelefonNoyaGonder (see page 203)	

1.1.2.1.124.1 smsGonder Properties

1.1.2.1.124.1.1 smsGonder.ilaveTelefonNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string ilaveTelefonNo;
```

1.1.2.1.124.1.2 smsGonder.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.124.1.3 smsGonder.tanimliTelefonNoyaGonder Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int tanimliTelefonNoyaGonder;
```

1.1.2.1.125 smsGonderCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class smsGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Methods

	Name	Description
	smsGonderCompletedEventArgs (see page 204)	This is smsGonderCompletedEventArgs, a member of class smsGonderCompletedEventArgs.

smsGonderCompletedEventArgs Properties

	Name	Description
	Result (see page 204)	

1.1.2.1.125.1 smsGonderCompletedEventArgs.smsGonderCompletedEventArgs Constructor

C#

```
internal smsGonderCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState);
```

Description

This is smsGonderCompletedEventArgs, a member of class smsGonderCompletedEventArgs.

Body Source

```
1: internal smsGonderCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.125.2 smsGonderCompletedEventArgs Properties

1.1.2.1.125.2.1 smsGonderCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.126 smsGonderResponse Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class smsGonderResponse;
```

File

Reference.cs (see page 800)

smsGonderResponse Properties

	Name	Description
	@return (see page 205)	

1.1.2.1.126.1 smsGonderResponse Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.126.1.1 smsGonderResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.2.1.127 stringOutputWrapper Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.stringOutputWrapper

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class stringOutputWrapper;
```

File

Reference.cs (see page 800)

stringOutputWrapper Properties

	Name	Description
	@return (see page 205)	
	output (see page 205)	

1.1.2.1.127.1 stringOutputWrapper Properties

1.1.2.1.127.1.1 stringOutputWrapper.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.2.1.127.1.2 stringOutputWrapper.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string output;
```

1.1.2.1.128 topluFaturaPaketDosyaGonder Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonder

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
public class topluFaturaPaketDosyaGonder;
```

File

Reference.cs (see page 800)

topluFaturaPaketDosyaGonder Properties

	Name	Description
	input (see page 206)	
	paketDosyasiZip (see page 206)	

1.1.2.1.128.1 topluFaturaPaketDosyaGonder Properties

1.1.2.1.128.1.1 topluFaturaPaketDosyaGonder.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.128.1.2 topluFaturaPaketDosyaGonder.paketDosyasiZip Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public belge paketDosyasiZip;
```

1.1.2.1.129 topluFaturaPaketDosyaGonderCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class topluFaturaPaketDosyaGonderCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	topluFaturaPaketDosyaGonderCompletedEventArgs (see page 207)	This is topluFaturaPaketDosyaGonderCompletedEventArgs, a member of class topluFaturaPaketDosyaGonderCompletedEventArgs.

topluFaturaPaketDosyaGonderCompletedEventArgs Properties

	Name	Description
	Result (see page 207)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.129.1 topluFaturaPaketDosyaGonderCompletedEventArgs.topluFaturaPaketDosyaGonderCompletedEventArgs Constructor

C#

```
internal topluFaturaPaketDosyaGonderCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is topluFaturaPaketDosyaGonderCompletedEventArgs, a member of class topluFaturaPaketDosyaGonderCompletedEventArgs.

Body Source

```
1: internal topluFaturaPaketDosyaGonderCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.129.2 topluFaturaPaketDosyaGonderCompletedEventArgs Properties

1.1.2.1.129.2.1 topluFaturaPaketDosyaGonderCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.130 topluFaturaPaketDosyaGonderResponse Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class topluFaturaPaketDosyaGonderResponse;
```

File

Reference.cs (see page 800)

topluFaturaPaketDosyaGonderResponse Properties

	Name	Description
	@return (see page 207)	

1.1.2.1.130.1 topluFaturaPaketDosyaGonderResponse Properties

1.1.2.1.130.1.1 topluFaturaPaketDosyaGonderResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.131 topluFaturaPaketDosyasiSorgula Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgula

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class topluFaturaPaketDosyasiSorgula;
```

File

Reference.cs (see page 800)

topluFaturaPaketDosyasiSorgula Properties

	Name	Description
	input (see page 208)	

1.1.2.1.131.1 topluFaturaPaketDosyasiSorgula Properties

1.1.2.1.131.1.1 topluFaturaPaketDosyasiSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.132 topluFaturaPaketDosyasiSorgulaCompletedEventArgs Class

Class Hierarchy

System.ComponentModel.AsyncCompletedEventArgs → QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgulaCompletedEventArgs

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class topluFaturaPaketDosyasiSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	topluFaturaPaketDosyasiSorgulaCompletedEventArgs (see page 209)	This is topluFaturaPaketDosyasiSorgulaCompletedEventArgs, a member of class topluFaturaPaketDosyasiSorgulaCompletedEventArgs.

topluFaturaPaketDosyasiSorgulaCompletedEventArgs Properties

	Name	Description
	@return (see page 209)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	Result (see page 209)	

1.1.2.1.132.1 topluFaturaPaketDosyasiSorgulaCompletedEventArgs.topluFaturaPaketDosyasiSorgulaCompletedEventArgs Constructor

C#

```
internal topluFaturaPaketDosyasiSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is topluFaturaPaketDosyasiSorgulaCompletedEventArgs, a member of class topluFaturaPaketDosyasiSorgulaCompletedEventArgs.

Body Source

```
1: internal topluFaturaPaketDosyasiSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.132.2 topluFaturaPaketDosyasiSorgulaCompletedEventArgs Properties

1.1.2.1.132.2.1 topluFaturaPaketDosyasiSorgulaCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.2.1.132.2.2 topluFaturaPaketDosyasiSorgulaCompletedEventArgs.Result Property

C#

```
public belge Result;
```

1.1.2.1.133 topluFaturaPaketOnayla Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class topluFaturaPaketOnayla;
```

File

Reference.cs (see page 800)

topluFaturaPaketOnayla Properties

	Name	Description
	input (see page 210)	

1.1.2.1.133.1 topluFaturaPaketOnayla Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.133.1.1 topluFaturaPaketOnayla.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.134 topluFaturaPaketOnaylaCompletedEventArgs Class

Class Hierarchy

System.ComponentModel.AsyncCompletedEventArgs → QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaCompletedEventArgs

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class topluFaturaPaketOnaylaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	topluFaturaPaketOnaylaCompletedEventArgs (see page 210)	This is topluFaturaPaketOnaylaCompletedEventArgs, a member of class topluFaturaPaketOnaylaCompletedEventArgs.

topluFaturaPaketOnaylaCompletedEventArgs Properties

	Name	Description
	Result (see page 210)	

1.1.2.1.134.1 topluFaturaPaketOnaylaCompletedEventArgs.topluFaturaPaketOnaylaCompletedEventArgs Constructor

C#

```
internal topluFaturaPaketOnaylaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is topluFaturaPaketOnaylaCompletedEventArgs, a member of class topluFaturaPaketOnaylaCompletedEventArgs.

Body Source

```
1: internal topluFaturaPaketOnaylaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.134.2 topluFaturaPaketOnaylaCompletedEventArgs Properties

1.1.2.1.134.2.1 topluFaturaPaketOnaylaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.135 topluFaturaPaketOnaylaResponse Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class topluFaturaPaketOnaylaResponse;
```

File

Reference.cs (see page 800)

topluFaturaPaketOnaylaResponse Properties

	Name	Description
	@return (see page 211)	

1.1.2.1.135.1 topluFaturaPaketOnaylaResponse Properties

1.1.2.1.135.1.1 topluFaturaPaketOnaylaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.2.1.136 topluFaturaPaketSorgula Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgula

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class topluFaturaPaketSorgula;
```

File

Reference.cs (see page 800)

topluFaturaPaketSorgula Properties

	Name	Description
	input (see page 212)	

1.1.2.1.136.1 topluFaturaPaketSorgula Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.136.1.1 topluFaturaPaketSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.137 topluFaturaPaketSorgulaCompletedEventArgs Class

Class Hierarchy

System.ComponentModel.AsyncCompletedEventArgs → QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaCompletedEventArgs

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class topluFaturaPaketSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	topluFaturaPaketSorgulaCompletedEventArgs (see page 212)	This is topluFaturaPaketSorgulaCompletedEventArgs, a member of class topluFaturaPaketSorgulaCompletedEventArgs.

topluFaturaPaketSorgulaCompletedEventArgs Properties

	Name	Description
	@return (see page 213)	
	Result (see page 213)	

1.1.2.1.137.1 topluFaturaPaketSorgulaCompletedEventArgs.topluFaturaPaketSorgulaCompletedEventArgs Constructor

C#

```
internal topluFaturaPaketSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is topluFaturaPaketSorgulaCompletedEventArgs, a member of class topluFaturaPaketSorgulaCompletedEventArgs.

Body Source

```
1: internal topluFaturaPaketSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.137.2 topluFaturaPaketSorgulaCompletedEventArgs Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.137.2.1 topluFaturaPaketSorgulaCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.2.1.137.2.2 topluFaturaPaketSorgulaCompletedEventArgs.Result Property

C#

```
public belge Result;
```

1.1.2.1.138 yapilandirmaAyarlariAl Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class yapilandirmaAyarlariAl;
```

File

Reference.cs (see page 800)

yapilandirmaAyarlariAl Properties

	Name	Description
	input (see page 213)	

1.1.2.1.138.1 yapilandirmaAyarlariAl Properties

1.1.2.1.138.1.1 yapilandirmaAyarlariAl.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.2.1.139 yapilandirmaAyarlariAlCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class yapilandirmaAyarlariAlCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Methods

	Name	Description
	yapilandirmaAyarlariAlCompletedEventArgs (see page 214)	This is yapilandirmaAyarlariAlCompletedEventArgs, a member of class yapilandirmaAyarlariAlCompletedEventArgs.

yapilandirmaAyarlariAlCompletedEventArgs Properties

	Name	Description
	outputYapilandirma (see page 214)	
	Result (see page 214)	

1.1.2.1.139.1 yapilandirmaAyarlariAlCompletedEventArgs.yapilandirmaAyarlariAlCompletedEventArgs

Constructor

C#

```
internal yapilandirmaAyarlariAlCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is yapilandirmaAyarlariAlCompletedEventArgs, a member of class yapilandirmaAyarlariAlCompletedEventArgs.

Body Source

```
1: internal yapilandirmaAyarlariAlCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.139.2 yapilandirmaAyarlariAlCompletedEventArgs Properties

1.1.2.1.139.2.1 yapilandirmaAyarlariAlCompletedEventArgs.outputYapilandirma Property

C#

```
public string outputYapilandirma;
```

1.1.2.1.139.2.2 yapilandirmaAyarlariAlCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.140 yapilandirmaAyarlariAlResponse Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class yapilandirmaAyarlariAlResponse;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

File

Reference.cs (see page 800)

yapilandirmaAyarlariAlResponse Properties

	Name	Description
	@return (see page 215)	
	outputYapilandirma (see page 215)	

1.1.2.1.140.1 yapilandirmaAyarlariAlResponse Properties

1.1.2.1.140.1.1 yapilandirmaAyarlariAlResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.2.1.140.1.2 yapilandirmaAyarlariAlResponse.outputYapilandirma Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string outputYapilandirma;
```

1.1.2.2 Structs, Records, Enums

Summary

The following table lists structs, records, enums in this documentation.

Enumerations

	Name	Description
	belgeFormatiEnum (see page 215)	
	genelBelgeFormatEnum (see page 216)	

1.1.2.2.1 QNBFinansGIB.GIBEArsiv.belgeFormatiEnum Enumeration

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public enum belgeFormatiEnum {
  UBL,
  CSXML,
  HTML,
  PDF,
  CUSTOM,
  PDF_CUSTOM,
  PDF_UBL,
  CSXML1,
  CSXML2,
  CSXML3,
  PDF_CSXML1,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
    PDF_CSXML2,
    PDF_CSXML3,
    JSON
  }
```

File

Reference.cs (see page 800)

1.1.2.2.2 QNBFinansGIB.GIBEArsiv.genelBelgeFormatEnum Enumeration

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public enum genelBelgeFormatEnum {
  XML,
  CSV
}
```

File

Reference.cs (see page 800)

1.1.2.3 Types

Summary

The following table lists types in this documentation.

Types

Name	Description
aliciEpostaEkleSilGuncelleCompletedEventHandler (see page 218)	
eFaturaKayitliKullaniciListeleCompletedEventHandler (see page 218)	
efaturaKullanicisiCompletedEventHandler (see page 218)	
efaturaKullanicisiKontrolCompletedEventHandler (see page 219)	
ePostaDurumSorgulaCompletedEventHandler (see page 219)	
ePostaGonderCompletedEventHandler (see page 219)	
faturaIptalEtCompletedEventHandler (see page 219)	
faturaIptaliKaldirCompletedEventHandler (see page 220)	
faturaItirazEtCompletedEventHandler (see page 220)	
faturaItirazKaldirCompletedEventHandler (see page 220)	
faturaListeSorgulaCompletedEventHandler (see page 220)	
faturaListeSorgulaCountCompletedEventHandler (see page 220)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

faturaListeSorgulaPortalCompletedEventHandler (see page 221)	
faturaNoUretCompletedEventHandler (see page 221)	
faturaOlusturCompletedEventHandler (see page 221)	
faturaOlusturExtCompletedEventHandler (see page 221)	
faturaOnizlemeCompletedEventHandler (see page 222)	
faturaSorgulaCompletedEventHandler (see page 222)	
faturaSorgulaExtCompletedEventHandler (see page 222)	
faturaTaslakOlusturCompletedEventHandler (see page 222)	
faturaTaslakOnizlemeCompletedEventHandler (see page 223)	
faturaTaslakSilCompletedEventHandler (see page 223)	
faturaTaslakSorgulaCompletedEventHandler (see page 223)	
faturaTaslaktanOlusturCompletedEventHandler (see page 223)	
faturaZipiAlCompletedEventHandler (see page 224)	
kontorBilgisiGetirCompletedEventHandler (see page 224)	
okcRaporBolumAlCompletedEventHandler (see page 224)	
okcRaporKaydetCompletedEventHandler (see page 224)	
okcRaporOlusturGonderCompletedEventHandler (see page 224)	
raporBolumAlCompletedEventHandler (see page 225)	
raporBolumBilgisiAlCompletedEventHandler (see page 225)	
raporBolumleriOlusturCompletedEventHandler (see page 225)	
raporBolumListesiDetayliSorgulaCompletedEventHandler (see page 225)	
raporBolumListesiSorgulaCompletedEventHandler (see page 226)	
raporBolumListesiSorgulaWithInputCompletedEventHandler (see page 226)	
raporBolumRaporNoGuncelleImzalaCompletedEventHandler (see page 226)	
raporBolumSilCompletedEventHandler (see page 226)	
rapordaFaturaSorgulaCompletedEventHandler (see page 227)	
raporDurumSorgulaCompletedEventHandler (see page 227)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

raporGonderCompletedEventHandler (see page 227)	
servisSaglayicidanEpostaDurumSorgulaCompletedEventHandler (see page 227)	
smsDurumSorgulaCompletedEventHandler (see page 228)	
smsGonderCompletedEventHandler (see page 228)	
topluFaturaPaketDosyaGonderCompletedEventHandler (see page 228)	
topluFaturaPaketDosyasiSorgulaCompletedEventHandler (see page 228)	
topluFaturaPaketOnaylaCompletedEventHandler (see page 229)	
topluFaturaPaketSorgulaCompletedEventHandler (see page 229)	
yapilandirmaAyarlariAlCompletedEventHandler (see page 229)	

1.1.2.3.1
QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void aliciEpostaEkleSilGuncelleCompletedEventHandler(object sender,
aliciEpostaEkleSilGuncelleCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.2
QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListeleCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void eFaturaKayitliKullaniciListeleCompletedEventHandler(object sender,
eFaturaKayitliKullaniciListeleCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.3
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void efaturaKullanicisiCompletedEventHandler(object sender,
efaturaKullanicisiCompletedEventArgs e);
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.3.4 QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrolCompletedEventHandler

Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void efaturaKullanicisiKontrolCompletedEventHandler(object sender,
efaturaKullanicisiKontrolCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.5 QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEventHandler

Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void ePostaDurumSorgulaCompletedEventHandler(object sender,
ePostaDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.6 QNBFinansGIB.GIBEArsiv.ePostaGonderCompletedEventHandler

Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void ePostaGonderCompletedEventHandler(object sender,
ePostaGonderCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.7 QNBFinansGIB.GIBEArsiv.faturaIptalEtCompletedEventHandler

Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaIptalEtCompletedEventHandler(object sender,
faturaIptalEtCompletedEventArgs e);
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.3.8 QNBFinansGIB.GIBEArsiv.faturaIptaliKaldirCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaIptaliKaldirCompletedEventHandler(object sender,
faturaIptaliKaldirCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.9 QNBFinansGIB.GIBEArsiv.faturaItirazEtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaItirazEtCompletedEventHandler(object sender,
faturaItirazEtCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.10 QNBFinansGIB.GIBEArsiv.faturaItirazKaldirCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaItirazKaldirCompletedEventHandler(object sender,
faturaItirazKaldirCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.11 QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaListeSorgulaCompletedEventHandler(object sender,
faturaListeSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.12 QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
public delegate void faturaListeSorgulaCountCompletedEventHandler(object sender,
faturaListeSorgulaCountCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.13 QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaListeSorgulaPortalCompletedEventHandler(object sender,
faturaListeSorgulaPortalCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.14 QNBFinansGIB.GIBEArsiv.faturaNoUretCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaNoUretCompletedEventHandler(object sender,
faturaNoUretCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.15 QNBFinansGIB.GIBEArsiv.faturaOlusturCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaOlusturCompletedEventHandler(object sender,
faturaOlusturCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.16 QNBFinansGIB.GIBEArsiv.faturaOlusturExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaOlusturExtCompletedEventHandler(object sender,
faturaOlusturExtCompletedEventArgs e);
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.3.17 QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaOnizlemeCompletedEventHandler(object sender,
faturaOnizlemeCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.18 QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaSorgulaCompletedEventHandler(object sender,
faturaSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.19 QNBFinansGIB.GIBEArsiv.faturaSorgulaExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaSorgulaExtCompletedEventHandler(object sender,
faturaSorgulaExtCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.20 QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaTaslakOlusturCompletedEventHandler(object sender,
faturaTaslakOlusturCompletedEventArgs e);
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.3.21
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaTaslakOnizlemeCompletedEventHandler(object sender,
faturaTaslakOnizlemeCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.22
QNBFinansGIB.GIBEArsiv.faturaTaslakSilCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaTaslakSilCompletedEventHandler(object sender,
faturaTaslakSilCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.23
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaTaslakSorgulaCompletedEventHandler(object sender,
faturaTaslakSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.24
QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlusturCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaTaslaktanOlusturCompletedEventHandler(object sender,
faturaTaslaktanOlusturCompletedEventArgs e);
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.3.25 QNBFinansGIB.GIBEArsiv.faturaZipiAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaZipiAlCompletedEventHandler(object sender,
faturaZipiAlCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.26 QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void kontorBilgisiGetirCompletedEventHandler(object sender,
kontorBilgisiGetirCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.27 QNBFinansGIB.GIBEArsiv.okcRaporBolumAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void okcRaporBolumAlCompletedEventHandler(object sender,
okcRaporBolumAlCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.28 QNBFinansGIB.GIBEArsiv.okcRaporKaydetCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void okcRaporKaydetCompletedEventHandler(object sender,
okcRaporKaydetCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.29 QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
public delegate void okcRaporOlusturGonderCompletedEventHandler(object sender,
okcRaporOlusturGonderCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.30 QNBFinansGIB.GIBEArsiv.raporBolumAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumAlCompletedEventHandler(object sender,
raporBolumAlCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.31 QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumBilgisiAlCompletedEventHandler(object sender,
raporBolumBilgisiAlCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.32 QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumleriOlusturCompletedEventHandler(object sender,
raporBolumleriOlusturCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.33 QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumListesiDetayliSorgulaCompletedEventHandler(object sender,
raporBolumListesiDetayliSorgulaCompletedEventArgs e);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

File

Reference.cs (see page 800)

1.1.2.3.34 QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumListesiSorgulaCompletedEventHandler(object sender,
raporBolumListesiSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.35 QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumListesiSorgulaWithInputCompletedEventHandler(object sender,
raporBolumListesiSorgulaWithInputCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.36 QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncelleImzalaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumRaporNoGuncelleImzalaCompletedEventHandler(object sender,
raporBolumRaporNoGuncelleImzalaCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.37 QNBFinansGIB.GIBEArsiv.raporBolumSilCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumSilCompletedEventHandler(object sender,
raporBolumSilCompletedEventArgs e);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

File

Reference.cs (see page 800)

1.1.2.3.38 QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void rapordaFaturaSorgulaCompletedEventHandler(object sender,
rapordaFaturaSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.39 QNBFinansGIB.GIBEArsiv.raporDurumSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporDurumSorgulaCompletedEventHandler(object sender,
raporDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.40 QNBFinansGIB.GIBEArsiv.raporGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporGonderCompletedEventHandler(object sender,
raporGonderCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.41 QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void servisSaglayicidanEpostaDurumSorgulaCompletedEventHandler(object
sender, servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.3.42 QNBFinansGIB.GIBEArsiv.smsDurumSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void smsDurumSorgulaCompletedEventHandler(object sender,
smsDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.43 QNBFinansGIB.GIBEArsiv.smsGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void smsGonderCompletedEventHandler(object sender,
smsGonderCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.44 QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void topluFaturaPaketDosyaGonderCompletedEventHandler(object sender,
topluFaturaPaketDosyaGonderCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.45 QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void topluFaturaPaketDosyasiSorgulaCompletedEventHandler(object sender,
topluFaturaPaketDosyasiSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.3.46
QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void topluFaturaPaketOnaylaCompletedEventHandler(object sender,
topluFaturaPaketOnaylaCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.47
QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void topluFaturaPaketSorgulaCompletedEventHandler(object sender,
topluFaturaPaketSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.2.3.48
QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void yapilandirmaAyarlariAlCompletedEventHandler(object sender,
yapilandirmaAyarlariAlCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3 QNBFinansGIB.GIBEFatura Namespace

This is namespace QNBFinansGIB.GIBEFatura.

Classes

	Name	Description
	belge (see page 238)	
	belgeGonderCompletedEventArgs (see page 240)	
	belgeGonderExtCompletedEventArgs (see page 241)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	belgeGonderExtWithValidateCompletedEventArgs (see page 242)	
	belgeGonderResp (see page 243)	
	belgeGonderWithValidateCompletedEventArgs (see page 243)	
	belgeleriTekrarGonderBelgeOidCompletedEventArgs (see page 244)	
	belgeleriTekrarGonderCompletedEventArgs (see page 245)	
	belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs (see page 246)	
	belgev2 (see page 247)	
	belgev2Entry (see page 249)	
	belgev3 (see page 250)	
	belgev4 (see page 251)	
	belgev5 (see page 253)	
	belgev6 (see page 254)	
	cokluGidenBelgeDurumSorgulaCompletedEventArgs (see page 255)	
	connectorService (see page 256)	
	csXmlOnizlemeCompletedEventArgs (see page 389)	
	csXmlToUblCompletedEventArgs (see page 389)	
	eFaturaKayitliKullaniciHistory (see page 390)	
	eFaturaKayitliKullaniciListeleCompletedEventArgs (see page 391)	
	eFaturaKullanici (see page 392)	
	efaturaKullaniciBilgisiCompletedEventArgs (see page 393)	
	eFaturaKullaniciExtended (see page 394)	
	efaturaKullaniciListesiCompletedEventArgs (see page 396)	
	efaturaKullanicisiCompletedEventArgs (see page 397)	
	eIrsaliyeKayitliKullaniciListeleCompletedEventArgs (see page 398)	
	eIrsaliyeKullanici (see page 399)	
	eIrsaliyeKullanicisiCompletedEventArgs (see page 400)	
	erpBilgileri (see page 401)	
	faturaKepIleIadeEdildiCompletedEventArgs (see page 401)	
	faturaKepIleIadeEdildiIptalCompletedEventArgs (see page 402)	
	faturaNoUretCompletedEventArgs (see page 403)	
	faturaTarihcesiData (see page 404)	
	faturaTarihcesiSorgulaCompletedEventArgs (see page 406)	
	faturayaItirazEdildiCompletedEventArgs (see page 407)	
	faturayaItirazEdildiIptalCompletedEventArgs (see page 408)	
	gelenBelgeDurum (see page 409)	
	gelenBelgeDurumSorgulaCompletedEventArgs (see page 411)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	gelenBelgeDurumSorgulaExtCompletedEventArgs (see page 412)	
	gelenBelgeDurumv2 (see page 413)	
	gelenBelgeDurumv3 (see page 414)	
	gelenBelgeDurumv4 (see page 415)	
	gelenBelgeDurumv5 (see page 416)	
	gelenBelgeEkleriAlCompletedEventArgs (see page 417)	
	gelenBelgeleriAlCompletedEventArgs (see page 418)	
	gelenBelgeleriAlExt2CompletedEventArgs (see page 419)	
	gelenBelgeleriAlExt2Entry (see page 420)	
	gelenBelgeleriAlExtCompletedEventArgs (see page 420)	
	gelenBelgeleriIndirCompletedEventArgs (see page 421)	
	gelenBelgeleriIndirExtCompletedEventArgs (see page 422)	
	gelenBelgeleriListeleCompletedEventArgs (see page 423)	
	gelenBelgeleriListeleExtCompletedEventArgs (see page 424)	
	gelenBelgeParametreleri (see page 425)	
	gelenBelgeTutarBilgileri (see page 428)	
	gelenBelgeTutarBilgileriSorgulaCompletedEventArgs (see page 431)	
	gelenBelgeXmlleriniAlCompletedEventArgs (see page 432)	
	gelenBelgeXmlleriniAlExtCompletedEventArgs (see page 433)	
	gelenStandartRapolariAlCompletedEventArgs (see page 434)	
	gelenTamamlananRapolariAlCompletedEventArgs (see page 435)	
	gelenTasinanBelgeleriIndirCompletedEventArgs (see page 436)	
	gidenBelgeDurum (see page 437)	
	gidenBelgeDurumParametreleri (see page 439)	
	gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs (see page 440)	
	gidenBelgeDurumSorgulaCompletedEventArgs (see page 441)	
	gidenBelgeDurumSorgulaEttnCompletedEventArgs (see page 442)	
	gidenBelgeDurumSorgulaExtCompletedEventArgs (see page 443)	
	gidenBelgeDurumSorgulaPortalCompletedEventArgs (see page 444)	
	gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs (see page 445)	
	gidenBelgeDurumv2 (see page 446)	
	gidenBelgeDurumv3 (see page 447)	
	gidenBelgeDurumv4 (see page 449)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	gidenBelgeDurumv5 (see page 450)	
	gidenBelgeDurumv6 (see page 451)	
	gidenBelgeEkleriAlCompletedEventArgs (see page 453)	
	gidenBelgelerDurumSorgulaPortalParametreleri (see page 454)	
	gidenBelgeleriIndirCompletedEventArgs (see page 455)	
	gidenBelgeleriIndirEttnCompletedEventArgs (see page 456)	
	gidenBelgeleriIndirPortalCompletedEventArgs (see page 457)	
	gidenBelgeleriIndirPortalParametreleri (see page 458)	
	gidenBelgeleriListeleCompletedEventArgs (see page 460)	
	gidenBelgeleriListeleData (see page 461)	
	gidenBelgeleriListeleParametreleri (see page 463)	
	gidenBelgeleriListelePortalCompletedEventArgs (see page 464)	
	gidenBelgeleriListelePortalData (see page 465)	
	gidenBelgeleriListelePortalDatav2 (see page 468)	
	gidenBelgeleriListelePortalParametreleri (see page 469)	
	gidenBelgeParametreleri (see page 470)	
	gidenBelgeTutarBilgileri (see page 473)	
	gidenBelgeTutarBilgileriSorgulaCompletedEventArgs (see page 476)	
	gidenTasinanBelgeleriIndirCompletedEventArgs (see page 477)	
	irsaliyeTarihcesiData (see page 477)	
	irsaliyeTarihcesiSorgulaCompletedEventArgs (see page 479)	
	kalanKontorBilgisi (see page 480)	
	kayitliKullaniciListeleExtendedCompletedEventArgs (see page 482)	
	kayitliKullaniciListeleExtendedTimeCompletedEventArgs (see page 483)	
	kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs (see page 484)	
	kontorAzaltResp (see page 485)	
	kontorBilgisiGetirCompletedEventArgs (see page 487)	
	mukellefEFaturaKayit (see page 488)	
	serviceReturnType (see page 488)	
	temelKontrollerIleBelgeGonderCompletedEventArgs (see page 489)	
	toplamBelgeSayisiGetirCompletedEventArgs (see page 490)	
	ublOnizlemeCompletedEventArgs (see page 491)	
	urunSablonlariniAlCompletedEventArgs (see page 492)	
	wsKullaniciBilgileri (see page 493)	
	wsKullanicisiKaydetCompletedEventArgs (see page 493)	
	yereleAktarilacakBelgeleriAlCompletedEventArgs (see page 494)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	yereleAktarilacakBelgeleriAlExtCompletedEventArgs (see page 495)	

Structs, Records, Enums

	Name	Description
	kontorBirimi (see page 496)	
	kontorTipi (see page 497)	

Types

Name	Description
belgeGonderCompletedEventHandler (see page 499)	
belgeGonderExtCompletedEventHandler (see page 500)	
belgeGonderExtWithValidateCompletedEventHandler (see page 500)	
belgeGonderWithValidateCompletedEventHandler (see page 500)	
belgelerAlindiCompletedEventHandler (see page 500)	
belgelerAlindiEntegrasyonSiparisNoGuncelleCompletedEventHandler (see page 501)	
belgeleriTekrarGonderBelgeOidCompletedEventHandler (see page 501)	
belgeleriTekrarGonderCompletedEventHandler (see page 501)	
belgeleriTekrarGonderYerelBelgeNoCompletedEventHandler (see page 501)	
checkDateValidControlCompletedEventHandler (see page 502)	
cokluGidenBelgeDurumSorgulaCompletedEventHandler (see page 502)	
csXmlOnizlemeCompletedEventHandler (see page 502)	
csXmlToUblCompletedEventHandler (see page 502)	
eFaturaKayitliKullaniciListeleCompletedEventHandler (see page 503)	
efaturaKullaniciBilgisiCompletedEventHandler (see page 503)	
efaturaKullaniciListesiCompletedEventHandler (see page 503)	
efaturaKullanicisiCompletedEventHandler (see page 503)	
eIrsaliyeKayitliKullaniciListeleCompletedEventHandler (see page 504)	
eIrsaliyeKullanicisiCompletedEventHandler (see page 504)	
erpBilgileriBelirleCompletedEventHandler (see page 504)	
faturaKepIleIadeEdildiCompletedEventHandler (see page 504)	
faturaKepIleIadeEdildiIptalCompletedEventHandler (see page 505)	
faturaMailGonderCompletedEventHandler (see page 505)	
faturaNoUretCompletedEventHandler (see page 505)	
faturaTarihcesiSorgulaCompletedEventHandler (see page 505)	
faturayaItirazEdildiCompletedEventHandler (see page 506)	
faturayaItirazEdildiIptalCompletedEventHandler (see page 506)	
gelenBelgeDurumSorgulaCompletedEventHandler (see page 506)	
gelenBelgeDurumSorgulaExtCompletedEventHandler (see page 506)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

gelenBelgeEkleriAlCompletedEventHandler (see page 507)	
gelenBelgeleriAlCompletedEventHandler (see page 507)	
gelenBelgeleriAlExt2CompletedEventHandler (see page 507)	
gelenBelgeleriAlExtCompletedEventHandler (see page 507)	
gelenBelgeleriIndirCompletedEventHandler (see page 508)	
gelenBelgeleriIndirExtCompletedEventHandler (see page 508)	
gelenBelgeleriListeleCompletedEventHandler (see page 508)	
gelenBelgeleriListeleExtCompletedEventHandler (see page 508)	
gelenBelgeTutarBilgileriSorgulaCompletedEventHandler (see page 509)	
gelenBelgeXmlleriniAlCompletedEventHandler (see page 509)	
gelenBelgeXmlleriniAlExtCompletedEventHandler (see page 509)	
gelenFaturalariArsiveKaldirCompletedEventHandler (see page 509)	
gelenIrsaliyeleriArsiveKaldirCompletedEventHandler (see page 510)	
gelenStandartRapolariAlCompletedEventHandler (see page 510)	
gelenTamamlananRapolariAlCompletedEventHandler (see page 510)	
gelenTasinanBelgeleriIndirCompletedEventHandler (see page 511)	
gidenBelgeDurumSorgulaBelgeNoCompletedEventHandler (see page 511)	
gidenBelgeDurumSorgulaCompletedEventHandler (see page 511)	
gidenBelgeDurumSorgulaEttnCompletedEventHandler (see page 511)	
gidenBelgeDurumSorgulaExtCompletedEventHandler (see page 512)	
gidenBelgeDurumSorgulaPortalCompletedEventHandler (see page 512)	
gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventHandler (see page 512)	
gidenBelgeEkleriAlCompletedEventHandler (see page 512)	
gidenBelgeleriIndirCompletedEventHandler (see page 513)	
gidenBelgeleriIndirEttnCompletedEventHandler (see page 513)	
gidenBelgeleriIndirPortalCompletedEventHandler (see page 513)	
gidenBelgeleriListeleCompletedEventHandler (see page 513)	
gidenBelgeleriListelePortalCompletedEventHandler (see page 514)	
gidenBelgeTutarBilgileriSorgulaCompletedEventHandler (see page 514)	
gidenFaturalariArsiveKaldirCompletedEventHandler (see page 514)	
gidenIrsaliyeleriArsiveKaldirCompletedEventHandler (see page 515)	
gidenTasinanBelgeleriIndirCompletedEventHandler (see page 515)	
irsaliyeMailGonderCompletedEventHandler (see page 515)	
irsaliyeTarihcesiSorgulaCompletedEventHandler (see page 515)	
kayitliKullaniciListeleExtendedCompletedEventHandler (see page 516)	
kayitliKullaniciListeleExtendedTimeCompletedEventHandler (see page 516)	
kayitliKullaniciListeleExtendedVknTcknCompletedEventHandler (see page 516)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

kontorBilgisiGetirCompletedEventHandler (see page 516)	
temelKontrollerIleBelgeGonderCompletedEventHandler (see page 517)	
toplamBelgeSayisiGetirCompletedEventHandler (see page 517)	
ublOnizlemeCompletedEventHandler (see page 517)	
urunSablonlariniAlCompletedEventHandler (see page 517)	
wsKullanicisiKaydetCompletedEventHandler (see page 518)	
yereleAktarilacakBelgeleriAlCompletedEventHandler (see page 518)	
yereleAktarilacakBelgeleriAlExtCompletedEventHandler (see page 518)	
yolcuBeraberFaturaIptalEtCompletedEventHandler (see page 518)	

1.1.3.1 Classes

Summary

The following table lists classes in this documentation.

Classes

	Name	Description
	belge (see page 238)	
	belgeGonderCompletedEventArgs (see page 240)	
	belgeGonderExtCompletedEventArgs (see page 241)	
	belgeGonderExtWithValidateCompletedEventArgs (see page 242)	
	belgeGonderResp (see page 243)	
	belgeGonderWithValidateCompletedEventArgs (see page 243)	
	belgeleriTekrarGonderBelgeOidCompletedEventArgs (see page 244)	
	belgeleriTekrarGonderCompletedEventArgs (see page 245)	
	belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs (see page 246)	
	belgev2 (see page 247)	
	belgev2Entry (see page 249)	
	belgev3 (see page 250)	
	belgev4 (see page 251)	
	belgev5 (see page 253)	
	belgev6 (see page 254)	
	cokluGidenBelgeDurumSorgulaCompletedEventArgs (see page 255)	
	connectorService (see page 256)	
	csXmlOnizlemeCompletedEventArgs (see page 389)	
	csXmlToUblCompletedEventArgs (see page 389)	
	eFaturaKayitliKullaniciHistory (see page 390)	
	eFaturaKayitliKullaniciListeleCompletedEventArgs (see page 391)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	eFaturaKullanici (see page 392)	
	efaturaKullaniciBilgisiCompletedEventArgs (see page 393)	
	eFaturaKullaniciExtended (see page 394)	
	efaturaKullaniciListesiCompletedEventArgs (see page 396)	
	efaturaKullanicisiCompletedEventArgs (see page 397)	
	eIrsaliyeKayitliKullaniciListeleCompletedEventArgs (see page 398)	
	eIrsaliyeKullanici (see page 399)	
	eIrsaliyeKullanicisiCompletedEventArgs (see page 400)	
	erpBilgileri (see page 401)	
	faturaKepIleIadeEdildiCompletedEventArgs (see page 401)	
	faturaKepIleIadeEdildiIptalCompletedEventArgs (see page 402)	
	faturaNoUretCompletedEventArgs (see page 403)	
	faturaTarihcesiData (see page 404)	
	faturaTarihcesiSorgulaCompletedEventArgs (see page 406)	
	faturayaItirazEdildiCompletedEventArgs (see page 407)	
	faturayaItirazEdildiIptalCompletedEventArgs (see page 408)	
	gelenBelgeDurum (see page 409)	
	gelenBelgeDurumSorgulaCompletedEventArgs (see page 411)	
	gelenBelgeDurumSorgulaExtCompletedEventArgs (see page 412)	
	gelenBelgeDurumv2 (see page 413)	
	gelenBelgeDurumv3 (see page 414)	
	gelenBelgeDurumv4 (see page 415)	
	gelenBelgeDurumv5 (see page 416)	
	gelenBelgeEkleriAlCompletedEventArgs (see page 417)	
	gelenBelgeleriAlCompletedEventArgs (see page 418)	
	gelenBelgeleriAlExt2CompletedEventArgs (see page 419)	
	gelenBelgeleriAlExt2Entry (see page 420)	
	gelenBelgeleriAlExtCompletedEventArgs (see page 420)	
	gelenBelgeleriIndirCompletedEventArgs (see page 421)	
	gelenBelgeleriIndirExtCompletedEventArgs (see page 422)	
	gelenBelgeleriListeleCompletedEventArgs (see page 423)	
	gelenBelgeleriListeleExtCompletedEventArgs (see page 424)	
	gelenBelgeParametreleri (see page 425)	
	gelenBelgeTutarBilgileri (see page 428)	
	gelenBelgeTutarBilgileriSorgulaCompletedEventArgs (see page 431)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	gelenBelgeXmlleriniAlCompletedEventArgs (see page 432)	
	gelenBelgeXmlleriniAlExtCompletedEventArgs (see page 433)	
	gelenStandartRapolariAlCompletedEventArgs (see page 434)	
	gelenTamamlananRapolariAlCompletedEventArgs (see page 435)	
	gelenTasinanBelgeleriIndirCompletedEventArgs (see page 436)	
	gidenBelgeDurum (see page 437)	
	gidenBelgeDurumParametreleri (see page 439)	
	gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs (see page 440)	
	gidenBelgeDurumSorgulaCompletedEventArgs (see page 441)	
	gidenBelgeDurumSorgulaEttnCompletedEventArgs (see page 442)	
	gidenBelgeDurumSorgulaExtCompletedEventArgs (see page 443)	
	gidenBelgeDurumSorgulaPortalCompletedEventArgs (see page 444)	
	gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs (see page 445)	
	gidenBelgeDurumv2 (see page 446)	
	gidenBelgeDurumv3 (see page 447)	
	gidenBelgeDurumv4 (see page 449)	
	gidenBelgeDurumv5 (see page 450)	
	gidenBelgeDurumv6 (see page 451)	
	gidenBelgeEkleriAlCompletedEventArgs (see page 453)	
	gidenBelgelerDurumSorgulaPortalParametreleri (see page 454)	
	gidenBelgeleriIndirCompletedEventArgs (see page 455)	
	gidenBelgeleriIndirEttnCompletedEventArgs (see page 456)	
	gidenBelgeleriIndirPortalCompletedEventArgs (see page 457)	
	gidenBelgeleriIndirPortalParametreleri (see page 458)	
	gidenBelgeleriListeleCompletedEventArgs (see page 460)	
	gidenBelgeleriListeleData (see page 461)	
	gidenBelgeleriListeleParametreleri (see page 463)	
	gidenBelgeleriListelePortalCompletedEventArgs (see page 464)	
	gidenBelgeleriListelePortalData (see page 465)	
	gidenBelgeleriListelePortalDatav2 (see page 468)	
	gidenBelgeleriListelePortalParametreleri (see page 469)	
	gidenBelgeParametreleri (see page 470)	
	gidenBelgeTutarBilgileri (see page 473)	
	gidenBelgeTutarBilgileriSorgulaCompletedEventArgs (see page 476)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	gidenTasinanBelgeleriIndirCompletedEventArgs (see page 477)	
	irsaliyeTarihcesiData (see page 477)	
	irsaliyeTarihcesiSorgulaCompletedEventArgs (see page 479)	
	kalanKontorBilgisi (see page 480)	
	kayitliKullaniciListeleExtendedCompletedEventArgs (see page 482)	
	kayitliKullaniciListeleExtendedTimeCompletedEventArgs (see page 483)	
	kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs (see page 484)	
	kontorAzaltResp (see page 485)	
	kontorBilgisiGetirCompletedEventArgs (see page 487)	
	mukellefEFaturaKayit (see page 488)	
	serviceReturnType (see page 488)	
	temelKontrollerIleBelgeGonderCompletedEventArgs (see page 489)	
	toplamBelgeSayisiGetirCompletedEventArgs (see page 490)	
	ublOnizlemeCompletedEventArgs (see page 491)	
	urunSablonlariniAlCompletedEventArgs (see page 492)	
	wsKullaniciBilgileri (see page 493)	
	wsKullanicisiKaydetCompletedEventArgs (see page 493)	
	yereleAktarilacakBelgeleriAlCompletedEventArgs (see page 494)	
	yereleAktarilacakBelgeleriAlExtCompletedEventArgs (see page 495)	

1.1.3.1.1 belge Class

Class Hierarchy

C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev2))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class belge : serviceReturnType;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

belge Properties

belge Class

	Name	Description
	belgeNo (see page 239)	
	belgeSiraNo (see page 239)	
	belgeTarihi (see page 239)	
	belgeTuru (see page 239)	
	belgeVerisi (see page 239)	
	ettn (see page 239)	
	gonderenEtiket (see page 240)	
	gonderenVknTckn (see page 240)	

1.1.3.1.1.1 belge Properties

1.1.3.1.1.1.1 belge.belgeNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeNo;
```

1.1.3.1.1.1.2 belge.belgeSiraNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeSiraNo;
```

1.1.3.1.1.1.3 belge.belgeTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeTarihi;
```

1.1.3.1.1.1.4 belge.belgeTuru Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeTuru;
```

1.1.3.1.1.1.5 belge.belgeVerisi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeVerisi;
```

1.1.3.1.1.1.6 belge.ettn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string ettn;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.1.1.7 belge.gonderenEtiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string gonderenEtiket;
```

1.1.3.1.1.1.8 belge.gonderenVknTckn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string gonderenVknTckn;
```

1.1.3.1.2 belgeGonderCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class belgeGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	belgeGonderCompletedEventArgs (see page 240)	This is belgeGonderCompletedEventArgs, a member of class belgeGonderCompletedEventArgs.

belgeGonderCompletedEventArgs Properties

	Name	Description
	Result (see page 241)	

1.1.3.1.2.1 belgeGonderCompletedEventArgs.belgeGonderCompletedEventArgs Constructor

C#

```
internal belgeGonderCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState);
```

Description

This is belgeGonderCompletedEventArgs, a member of class belgeGonderCompletedEventArgs.

Body Source

```
1: internal belgeGonderCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.2.2 belgeGonderCompletedEventArgs Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.2.2.1 belgeGonderCompletedEventArgs.Result Property

C#

```
public string Result;
```

1.1.3.1.3 belgeGonderExtCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class belgeGonderExtCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	belgeGonderExtCompletedEventArgs (see page 241)	This is belgeGonderExtCompletedEventArgs, a member of class belgeGonderExtCompletedEventArgs.

belgeGonderExtCompletedEventArgs Properties

	Name	Description
	Result (see page 241)	

1.1.3.1.3.1 belgeGonderExtCompletedEventArgs.belgeGonderExtCompletedEventArgs Constructor

C#

```
internal belgeGonderExtCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is belgeGonderExtCompletedEventArgs, a member of class belgeGonderExtCompletedEventArgs.

Body Source

```
1: internal belgeGonderExtCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.3.2 belgeGonderExtCompletedEventArgs Properties

1.1.3.1.3.2.1 belgeGonderExtCompletedEventArgs.Result Property

C#

```
public string Result;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.4 belgeGonderExtWithValidateCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class belgeGonderExtWithValidateCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	belgeGonderExtWithValidateCompletedEventArgs (see page 242)	This is belgeGonderExtWithValidateCompletedEventArgs, a member of class belgeGonderExtWithValidateCompletedEventArgs.

belgeGonderExtWithValidateCompletedEventArgs Properties

	Name	Description
	Result (see page 242)	

1.1.3.1.4.1 belgeGonderExtWithValidateCompletedEventArgs.belgeGonderExtWithValidateCompletedEventArgs Constructor

C#

```
internal belgeGonderExtWithValidateCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is belgeGonderExtWithValidateCompletedEventArgs, a member of class belgeGonderExtWithValidateCompletedEventArgs.

Body Source

```
1: internal belgeGonderExtWithValidateCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.4.2 belgeGonderExtWithValidateCompletedEventArgs Properties

1.1.3.1.4.2.1 belgeGonderExtWithValidateCompletedEventArgs.Result Property

C#

```
public belgeGonderResp Result;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.5 belgeGonderResp Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class belgeGonderResp : serviceReturnType;
```

File

Reference.cs (see page 800)

belgeGonderResp Properties

belgeGonderResp Class

	Name	Description
	belgeOid (see page 243)	
	errorMessage (see page 243)	
	responseStatus (see page 243)	

1.1.3.1.5.1 belgeGonderResp Properties

1.1.3.1.5.1.1 belgeGonderResp.belgeOid Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeOid;
```

1.1.3.1.5.1.2 belgeGonderResp.errorMessage Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string errorMessage;
```

1.1.3.1.5.1.3 belgeGonderResp.responseStatus Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string responseStatus;
```

1.1.3.1.6 belgeGonderWithValidateCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class belgeGonderWithValidateCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	belgeGonderWithValidateCompletedEventArgs (see page 244)	This is belgeGonderWithValidateCompletedEventArgs, a member of class belgeGonderWithValidateCompletedEventArgs.

belgeGonderWithValidateCompletedEventArgs Properties

	Name	Description
	Result (see page 244)	

1.1.3.1.6.1 belgeGonderWithValidateCompletedEventArgs.belgeGonderWithValidateCompletedEventArgs Constructor

C#

```
internal belgeGonderWithValidateCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is belgeGonderWithValidateCompletedEventArgs, a member of class belgeGonderWithValidateCompletedEventArgs.

Body Source

```
1: internal belgeGonderWithValidateCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.6.2 belgeGonderWithValidateCompletedEventArgs Properties

1.1.3.1.6.2.1 belgeGonderWithValidateCompletedEventArgs.Result Property

C#

```
public belgeGonderResp Result;
```

1.1.3.1.7 belgeleriTekrarGonderBelgeOidCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class belgeleriTekrarGonderBelgeOidCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Methods

	Name	Description
	belgeleriTekrarGonderBelgeOidCompletedEventArgs (see page 245)	This is belgeleriTekrarGonderBelgeOidCompletedEventArgs, a member of class belgeleriTekrarGonderBelgeOidCompletedEventArgs.

belgeleriTekrarGonderBelgeOidCompletedEventArgs Properties

	Name	Description
	Result (see page 245)	

1.1.3.1.7.1 belgeleriTekrarGonderBelgeOidCompletedEventArgs.belgeleriTekrarGonderBelgeOidCompletedEventArgs Constructor

C#

```
internal belgeleriTekrarGonderBelgeOidCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is belgeleriTekrarGonderBelgeOidCompletedEventArgs, a member of class belgeleriTekrarGonderBelgeOidCompletedEventArgs.

Body Source

```
1: internal belgeleriTekrarGonderBelgeOidCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.7.2 belgeleriTekrarGonderBelgeOidCompletedEventArgs Properties

1.1.3.1.7.2.1 belgeleriTekrarGonderBelgeOidCompletedEventArgs.Result Property

C#

```
public bool Result;
```

1.1.3.1.8 belgeleriTekrarGonderCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class belgeleriTekrarGonderCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Methods

	Name	Description
	belgeleriTekrarGonderCompletedEventArgs (see page 246)	This is belgeleriTekrarGonderCompletedEventArgs, a member of class belgeleriTekrarGonderCompletedEventArgs.

belgeleriTekrarGonderCompletedEventArgs Properties

	Name	Description
	Result (see page 246)	

1.1.3.1.8.1 belgeleriTekrarGonderCompletedEventArgs.belgeleriTekrarGonderCompletedEventArgs Constructor

C#

```
internal belgeleriTekrarGonderCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is belgeleriTekrarGonderCompletedEventArgs, a member of class belgeleriTekrarGonderCompletedEventArgs.

Body Source

```
1: internal belgeleriTekrarGonderCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.8.2 belgeleriTekrarGonderCompletedEventArgs Properties

1.1.3.1.8.2.1 belgeleriTekrarGonderCompletedEventArgs.Result Property

C#

```
public bool Result;
```

1.1.3.1.9 belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Methods

	Name	Description
	belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs (see page 247)	This is belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs, a member of class belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs.

belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs Properties

	Name	Description
	Result (see page 247)	

1.1.3.1.9.1 belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs.belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs Constructor

C#

```
internal belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs, a member of class belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs.

Body Source

```
1: internal belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.9.2 belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs Properties

1.1.3.1.9.2.1 belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs.Result Property

C#

```
public bool Result;
```

1.1.3.1.10 belgev2 Class

Class Hierarchy

C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
public class belgev2 : belge;
```

File

Reference.cs (see page 800)

belge Properties

belge Class

	Name	Description
	belgeNo (see page 239)	
	belgeSiraNo (see page 239)	
	belgeTarihi (see page 239)	
	belgeTuru (see page 239)	
	belgeVerisi (see page 239)	
	ettn (see page 239)	
	gonderenEtiket (see page 240)	
	gonderenVknTckn (see page 240)	

belgev2 Class

	Name	Description
	alanEtiket (see page 248)	
	aliciUnvan (see page 248)	
	belgeVersiyon (see page 248)	
	belgeXmlZipped (see page 249)	
	ekBilgiler (see page 249)	
	saticiUnvan (see page 249)	
	subeKodu (see page 249)	
	zarfId (see page 249)	
	zarfVerisi (see page 249)	
	zarfXml (see page 249)	

1.1.3.1.10.1 belgev2 Properties

1.1.3.1.10.1.1 belgev2.alanEtiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string alanEtiket;
```

1.1.3.1.10.1.2 belgev2.aliciUnvan Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string aliciUnvan;
```

1.1.3.1.10.1.3 belgev2.belgeVersiyon Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeVersiyon;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.10.1.4 belgev2.belgeXmlZipped Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary")]
public byte belgeXmlZipped;
```

1.1.3.1.10.1.5 belgev2.ekBilgiler Property

C#

```
[System.Xml.Serialization.XmlArrayAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified
)]
[System.Xml.Serialization.XmlArrayItemAttribute("entry",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=false)]
public belgev2Entry ekBilgiler;
```

1.1.3.1.10.1.6 belgev2.saticiUnvan Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string saticiUnvan;
```

1.1.3.1.10.1.7 belgev2.subeKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string subeKodu;
```

1.1.3.1.10.1.8 belgev2.zarfId Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string zarfId;
```

1.1.3.1.10.1.9 belgev2.zarfVerisi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary")]
public byte zarfVerisi;
```

1.1.3.1.10.1.10 belgev2.zarfXml Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string zarfXml;
```

1.1.3.1.11 belgev2Entry Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(AnonymousType=true,
Namespace="http://service.connector.uut.cs.com.tr/")]
public class belgev2Entry;
```

File

Reference.cs (see page 800)

belgev2Entry Properties

	Name	Description
	key (see page 250)	
	value (see page 250)	

1.1.3.1.11.1 belgev2Entry Properties

1.1.3.1.11.1.1 belgev2Entry.key Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string key;
```

1.1.3.1.11.1.2 belgev2Entry.value Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string value;
```

1.1.3.1.12 belgev3 Class

Class Hierarchy

C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class belgev3 : belgev2;
```

File

Reference.cs (see page 800)

belge Properties

belge Class

	Name	Description
	belgeNo (see page 239)	
	belgeSiraNo (see page 239)	
	belgeTarihi (see page 239)	
	belgeTuru (see page 239)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	belgeVerisi (see page 239)	
	ettn (see page 239)	
	gonderenEtiket (see page 240)	
	gonderenVknTckn (see page 240)	

belgev2 Class

	Name	Description
	alanEtiket (see page 248)	
	aliciUnvan (see page 248)	
	belgeVersiyon (see page 248)	
	belgeXmlZipped (see page 249)	
	ekBilgiler (see page 249)	
	saticiUnvan (see page 249)	
	subeKodu (see page 249)	
	zarfId (see page 249)	
	zarfVerisi (see page 249)	
	zarfXml (see page 249)	

belgev3 Class

	Name	Description
	odenecekTutar (see page 251)	
	odenecekTutarDovizCinsi (see page 251)	

1.1.3.1.12.1 belgev3 Properties

1.1.3.1.12.1.1 belgev3.odenecekTutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string odenecekTutar;
```

1.1.3.1.12.1.2 belgev3.odenecekTutarDovizCinsi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string odenecekTutarDovizCinsi;
```

1.1.3.1.13 belgev4 Class

Class Hierarchy

C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
public class belgev4 : belgev3;
```

File

Reference.cs (see page 800)

belge Properties

belge Class

	Name	Description
	belgeNo (see page 239)	
	belgeSiraNo (see page 239)	
	belgeTarihi (see page 239)	
	belgeTuru (see page 239)	
	belgeVerisi (see page 239)	
	ettn (see page 239)	
	gonderenEtiket (see page 240)	
	gonderenVknTckn (see page 240)	

belgev2 Class

	Name	Description
	alanEtiket (see page 248)	
	aliciUnvan (see page 248)	
	belgeVersiyon (see page 248)	
	belgeXmlZipped (see page 249)	
	ekBilgiler (see page 249)	
	saticiUnvan (see page 249)	
	subeKodu (see page 249)	
	zarfId (see page 249)	
	zarfVerisi (see page 249)	
	zarfXml (see page 249)	

belgev3 Class

	Name	Description
	odenecekTutar (see page 251)	
	odenecekTutarDovizCinsi (see page 251)	

belgev4 Class

	Name	Description
	arsivlenmis (see page 252)	
	belgeHash (see page 253)	

1.1.3.1.13.1 belgev4 Properties

1.1.3.1.13.1.1 belgev4.arsivlenmis Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string arsivlenmis;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.13.1.2 belgev4.belgeHash Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeHash;
```

1.1.3.1.14 belgev5 Class

Class Hierarchy

C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class belgev5 : belgev4;
```

File

Reference.cs (see page 800)

belge Properties

belge Class

	Name	Description
	belgeNo (see page 239)	
	belgeSiraNo (see page 239)	
	belgeTarihi (see page 239)	
	belgeTuru (see page 239)	
	belgeVerisi (see page 239)	
	ettn (see page 239)	
	gonderenEtiket (see page 240)	
	gonderenVknTckn (see page 240)	

belgev2 Class

	Name	Description
	alanEtiket (see page 248)	
	aliciUnvan (see page 248)	
	belgeVersiyon (see page 248)	
	belgeXmlZipped (see page 249)	
	ekBilgiler (see page 249)	
	saticiUnvan (see page 249)	
	subeKodu (see page 249)	
	zarfId (see page 249)	
	zarfVerisi (see page 249)	
	zarfXml (see page 249)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

belgev3 Class

	Name	Description
	odenecekTutar (see page 251)	
	odenecekTutarDovizCinsi (see page 251)	

belgev4 Class

	Name	Description
	arsivlenmis (see page 252)	
	belgeHash (see page 253)	

belgev5 Class

	Name	Description
	faturaGelisTarihi (see page 254)	

1.1.3.1.14.1 belgev5 Properties

1.1.3.1.14.1.1 belgev5.faturaGelisTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string faturaGelisTarihi;
```

1.1.3.1.15 belgev6 Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class belgev6 : belgev5;
```

File

Reference.cs (see page 800)

belge Properties

belge Class

	Name	Description
	belgeNo (see page 239)	
	belgeSiraNo (see page 239)	
	belgeTarihi (see page 239)	
	belgeTuru (see page 239)	
	belgeVerisi (see page 239)	
	ettn (see page 239)	
	gonderenEtiket (see page 240)	
	gonderenVknTckn (see page 240)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

belgev2 Class

	Name	Description
	alanEtiket (see page 248)	
	aliciUnvan (see page 248)	
	belgeVersiyon (see page 248)	
	belgeXmlZipped (see page 249)	
	ekBilgiler (see page 249)	
	saticiUnvan (see page 249)	
	subeKodu (see page 249)	
	zarfId (see page 249)	
	zarfVerisi (see page 249)	
	zarfXml (see page 249)	

belgev3 Class

	Name	Description
	odenecekTutar (see page 251)	
	odenecekTutarDovizCinsi (see page 251)	

belgev4 Class

	Name	Description
	arsivlenmis (see page 252)	
	belgeHash (see page 253)	

belgev5 Class

	Name	Description
	faturaGelisTarihi (see page 254)	

belgev6 Class

	Name	Description
	profileId (see page 255)	

1.1.3.1.15.1 belgev6 Properties

1.1.3.1.15.1.1 belgev6.profileId Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string profileId;
```

1.1.3.1.16 cokluGidenBelgeDurumSorgulaCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class cokluGidenBelgeDurumSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

File

Reference.cs (see page 800)

Methods

	Name	Description
	cokluGidenBelgeDurumSorgulaCompletedEventArgs (see page 256)	This is cokluGidenBelgeDurumSorgulaCompletedEventArgs, a member of class cokluGidenBelgeDurumSorgulaCompletedEventArgs.

cokluGidenBelgeDurumSorgulaCompletedEventArgs Properties

	Name	Description
	Result (see page 256)	

1.1.3.1.16.1 cokluGidenBelgeDurumSorgulaCompletedEventArgs.cokluGidenBelgeDurumSorgulaCompletedEventArgs Constructor

C#

```
internal cokluGidenBelgeDurumSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is cokluGidenBelgeDurumSorgulaCompletedEventArgs, a member of class cokluGidenBelgeDurumSorgulaCompletedEventArgs.

Body Source

```
1: internal cokluGidenBelgeDurumSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.16.2 cokluGidenBelgeDurumSorgulaCompletedEventArgs Properties

1.1.3.1.16.2.1 cokluGidenBelgeDurumSorgulaCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.17 connectorService Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Web.Services.WebServiceBindingAttribute(Name="ConnectorServicePortBinding",
Namespace="http://service.csap.cs.com/")]
public class connectorService : System.Web.Services.Protocols.SoapHttpClientProtocol;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

File

Reference.cs (see page 800)

Methods

	Name	Description
	connectorService (see page 268)	

connectorService Events

	Name	Description
	belgeGonderCompleted (see page 382)	
	belgeGonderExtCompleted (see page 382)	
	belgeGonderExtWithValidateCompleted (see page 382)	
	belgeGonderWithValidateCompleted (see page 382)	
	belgelerAlindiCompleted (see page 382)	
	belgelerAlindiEntegrasyonSiparisNoGuncelleCompleted (see page 382)	
	belgeleriTekrarGonderBelgeOidCompleted (see page 382)	
	belgeleriTekrarGonderCompleted (see page 382)	
	belgeleriTekrarGonderYerelBelgeNoCompleted (see page 382)	
	checkDateValidControlCompleted (see page 383)	
	cokluGidenBelgeDurumSorgulaCompleted (see page 383)	
	csXmlOnizlemeCompleted (see page 383)	
	csXmlToUblCompleted (see page 383)	
	eFaturaKayitliKullaniciListeleCompleted (see page 383)	
	efaturaKullaniciBilgisiCompleted (see page 383)	
	efaturaKullaniciListesiCompleted (see page 383)	
	efaturaKullanicisiCompleted (see page 383)	
	eIrsaliyeKayitliKullaniciListeleCompleted (see page 383)	
	eIrsaliyeKullanicisiCompleted (see page 383)	
	erpBilgileriBelirleCompleted (see page 383)	
	faturaKepIleIadeEdildiCompleted (see page 384)	
	faturaKepIleIadeEdildiIptalCompleted (see page 384)	
	faturaMailGonderCompleted (see page 384)	
	faturaNoUretCompleted (see page 384)	
	faturaTarihcesiSorgulaCompleted (see page 384)	
	faturayaItirazEdildiCompleted (see page 384)	
	faturayaItirazEdildiIptalCompleted (see page 384)	
	gelenBelgeDurumSorgulaCompleted (see page 384)	
	gelenBelgeDurumSorgulaExtCompleted (see page 384)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	gelenBelgeEkleriAlCompleted (see page 384)	
	gelenBelgeleriAlCompleted (see page 384)	
	gelenBelgeleriAlExt2Completed (see page 385)	
	gelenBelgeleriAlExtCompleted (see page 385)	
	gelenBelgeleriIndirCompleted (see page 385)	
	gelenBelgeleriIndirExtCompleted (see page 385)	
	gelenBelgeleriListeleCompleted (see page 385)	
	gelenBelgeleriListeleExtCompleted (see page 385)	
	gelenBelgeTutarBilgileriSorgulaCompleted (see page 385)	
	gelenBelgeXmlleriniAlCompleted (see page 385)	
	gelenBelgeXmlleriniAlExtCompleted (see page 385)	
	gelenFaturalariArsiveKaldirCompleted (see page 385)	
	gelenIrsaliyeleriArsiveKaldirCompleted (see page 385)	
	gelenStandartRapolariAlCompleted (see page 386)	
	gelenTamamlananRapolariAlCompleted (see page 386)	
	gelenTasinanBelgeleriIndirCompleted (see page 386)	
	gidenBelgeDurumSorgulaBelgeNoCompleted (see page 386)	
	gidenBelgeDurumSorgulaCompleted (see page 386)	
	gidenBelgeDurumSorgulaEttnCompleted (see page 386)	
	gidenBelgeDurumSorgulaExtCompleted (see page 386)	
	gidenBelgeDurumSorgulaPortalCompleted (see page 386)	
	gidenBelgeDurumSorgulaYerelBelgeNoCompleted (see page 386)	
	gidenBelgeEkleriAlCompleted (see page 386)	
	gidenBelgeleriIndirCompleted (see page 386)	
	gidenBelgeleriIndirEttnCompleted (see page 387)	
	gidenBelgeleriIndirPortalCompleted (see page 387)	
	gidenBelgeleriListeleCompleted (see page 387)	
	gidenBelgeleriListelePortalCompleted (see page 387)	
	gidenBelgeTutarBilgileriSorgulaCompleted (see page 387)	
	gidenFaturalariArsiveKaldirCompleted (see page 387)	
	gidenIrsaliyeleriArsiveKaldirCompleted (see page 387)	
	gidenTasinanBelgeleriIndirCompleted (see page 387)	
	irsaliyeMailGonderCompleted (see page 387)	
	irsaliyeTarihcesiSorgulaCompleted (see page 387)	
	kayitliKullaniciListeleExtendedCompleted (see page 387)	
	kayitliKullaniciListeleExtendedTimeCompleted (see page 388)	
	kayitliKullaniciListeleExtendedVknTcknCompleted (see page 388)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	kontorBilgisiGetirCompleted (see page 388)	
	temelKontrollerIleBelgeGonderCompleted (see page 388)	
	toplamBelgeSayisiGetirCompleted (see page 388)	
	ublOnizlemeCompleted (see page 388)	
	urunSablonlariniAlCompleted (see page 388)	
	wsKullanicisiKaydetCompleted (see page 388)	
	yereleAktarilacakBelgeleriAlCompleted (see page 388)	
	yereleAktarilacakBelgeleriAlExtCompleted (see page 388)	
	yolcuBeraberFaturaIptalEtCompleted (see page 388)	

connectorService Methods

	Name	Description
	belgeGonder (see page 268)	
	belgeGonderAsync (see page 269)	
	belgeGonderExt (see page 270)	
	belgeGonderExtAsync (see page 270)	
	belgeGonderExtWithValidate (see page 271)	
	belgeGonderExtWithValidateAsync (see page 271)	
	belgeGonderWithValidate (see page 272)	
	belgeGonderWithValidateAsync (see page 273)	
	belgelerAlindi (see page 273)	
	belgelerAlindiAsync (see page 274)	
	belgelerAlindiEntegrasyonSiparisNoGuncelle (see page 274)	
	belgelerAlindiEntegrasyonSiparisNoGuncelleAsync (see page 275)	
	belgeleriTekrarGonder (see page 276)	
	belgeleriTekrarGonderAsync (see page 277)	
	belgeleriTekrarGonderBelgeOid (see page 277)	
	belgeleriTekrarGonderBelgeOidAsync (see page 278)	
	belgeleriTekrarGonderYerelBelgeNo (see page 279)	
	belgeleriTekrarGonderYerelBelgeNoAsync (see page 280)	
	CancelAsync (see page 280)	
	checkDateValidControl (see page 280)	
	checkDateValidControlAsync (see page 281)	
	cokluGidenBelgeDurumSorgula (see page 281)	
	cokluGidenBelgeDurumSorgulaAsync (see page 282)	
	csXmlOnizleme (see page 282)	
	csXmlOnizlemeAsync (see page 284)	
	csXmlToUbl (see page 284)	
	csXmlToUblAsync (see page 285)	
	eFaturaKayitliKullaniciListele (see page 286)	
	eFaturaKayitliKullaniciListeleAsync (see page 286)	
	efaturaKullaniciBilgisi (see page 287)	
	efaturaKullaniciBilgisiAsync (see page 287)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	efaturaKullaniciListesi (see page 288)	
	efaturaKullaniciListesiAsync (see page 288)	
	efaturaKullanicisi (see page 289)	
	efaturaKullanicisiAsync (see page 289)	
	eIrsaliyeKayitliKullaniciListele (see page 289)	
	eIrsaliyeKayitliKullaniciListeleAsync (see page 290)	
	eIrsaliyeKullanicisi (see page 290)	
	eIrsaliyeKullanicisiAsync (see page 291)	
	erpBilgileriBelirle (see page 291)	
	erpBilgileriBelirleAsync (see page 292)	
	faturaKepIleIadeEdildi (see page 292)	
	faturaKepIleIadeEdildiAsync (see page 293)	
	faturaKepIleIadeEdildiIptal (see page 293)	
	faturaKepIleIadeEdildiIptalAsync (see page 294)	
	faturaMailGonder (see page 294)	
	faturaMailGonderAsync (see page 295)	
	faturaNoUret (see page 296)	
	faturaNoUretAsync (see page 297)	
	faturaTarihcesiSorgula (see page 297)	
	faturaTarihcesiSorgulaAsync (see page 298)	
	faturayaItirazEdildi (see page 298)	
	faturayaItirazEdildiAsync (see page 299)	
	faturayaItirazEdildiIptal (see page 299)	
	faturayaItirazEdildiIptalAsync (see page 300)	
	gelenBelgeDurumSorgula (see page 301)	
	gelenBelgeDurumSorgulaAsync (see page 301)	
	gelenBelgeDurumSorgulaExt (see page 302)	
	gelenBelgeDurumSorgulaExtAsync (see page 302)	
	gelenBelgeEkleriAl (see page 303)	
	gelenBelgeEkleriAlAsync (see page 304)	
	gelenBelgeleriAl (see page 304)	
	gelenBelgeleriAlAsync (see page 305)	
	gelenBelgeleriAlExt (see page 305)	
	gelenBelgeleriAlExt2 (see page 306)	
	gelenBelgeleriAlExt2Async (see page 307)	
	gelenBelgeleriAlExtAsync (see page 307)	
	gelenBelgeleriIndir (see page 308)	
	gelenBelgeleriIndirAsync (see page 308)	
	gelenBelgeleriIndirExt (see page 309)	
	gelenBelgeleriIndirExtAsync (see page 309)	
	gelenBelgeleriListele (see page 310)	
	gelenBelgeleriListeleAsync (see page 311)	
	gelenBelgeleriListeleExt (see page 311)	
	gelenBelgeleriListeleExtAsync (see page 312)	
	gelenBelgeTutarBilgileriSorgula (see page 312)	
	gelenBelgeTutarBilgileriSorgulaAsync (see page 313)	
	gelenBelgeXmlleriniAl (see page 313)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	gelenBelgeXmlleriniAlAsync (see page 314)	
	gelenBelgeXmlleriniAlExt (see page 315)	
	gelenBelgeXmlleriniAlExtAsync (see page 315)	
	gelenFaturalariArsiveKaldir (see page 316)	
	gelenFaturalariArsiveKaldirAsync (see page 316)	
	gelenIrsaliyeleriArsiveKaldir (see page 317)	
	gelenIrsaliyeleriArsiveKaldirAsync (see page 317)	
	gelenStandartRapolariAl (see page 318)	
	gelenStandartRapolariAlAsync (see page 319)	
	gelenTamamlananRapolariAl (see page 319)	
	gelenTamamlananRapolariAlAsync (see page 320)	
	gelenTasinanBelgeleriIndir (see page 321)	
	gelenTasinanBelgeleriIndirAsync (see page 321)	
	gidenBelgeDurumSorgula (see page 322)	
	gidenBelgeDurumSorgulaAsync (see page 322)	
	gidenBelgeDurumSorgulaBelgeNo (see page 323)	
	gidenBelgeDurumSorgulaBelgeNoAsync (see page 324)	
	gidenBelgeDurumSorgulaEttn (see page 324)	
	gidenBelgeDurumSorgulaEttnAsync (see page 325)	
	gidenBelgeDurumSorgulaExt (see page 325)	
	gidenBelgeDurumSorgulaExtAsync (see page 326)	
	gidenBelgeDurumSorgulaPortal (see page 326)	
	gidenBelgeDurumSorgulaPortalAsync (see page 327)	
	gidenBelgeDurumSorgulaYerelBelgeNo (see page 327)	
	gidenBelgeDurumSorgulaYerelBelgeNoAsync (see page 328)	
	gidenBelgeEkleriAl (see page 328)	
	gidenBelgeEkleriAlAsync (see page 329)	
	gidenBelgeleriIndir (see page 330)	
	gidenBelgeleriIndirAsync (see page 330)	
	gidenBelgeleriIndirEttn (see page 331)	
	gidenBelgeleriIndirEttnAsync (see page 332)	
	gidenBelgeleriIndirPortal (see page 332)	
	gidenBelgeleriIndirPortalAsync (see page 333)	
	gidenBelgeleriListele (see page 333)	
	gidenBelgeleriListeleAsync (see page 334)	
	gidenBelgeleriListelePortal (see page 334)	
	gidenBelgeleriListelePortalAsync (see page 335)	
	gidenBelgeTutarBilgileriSorgula (see page 335)	
	gidenBelgeTutarBilgileriSorgulaAsync (see page 336)	
	gidenFaturalariArsiveKaldir (see page 337)	
	gidenFaturalariArsiveKaldirAsync (see page 337)	
	gidenIrsaliyeleriArsiveKaldir (see page 338)	
	gidenIrsaliyeleriArsiveKaldirAsync (see page 338)	
	gidenTasinanBelgeleriIndir (see page 339)	
	gidenTasinanBelgeleriIndirAsync (see page 339)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	irsaliyeMailGonder (see page 340)	
	irsaliyeMailGonderAsync (see page 341)	
	irsaliyeTarihcesiSorgula (see page 341)	
	irsaliyeTarihcesiSorgulaAsync (see page 342)	
	IsLocalFileSystemWebService (see page 343)	This is IsLocalFileSystemWebService, a member of class connectorService.
	kayitliKullaniciListeleExtended (see page 343)	
	kayitliKullaniciListeleExtendedAsync (see page 344)	
	kayitliKullaniciListeleExtendedTime (see page 344)	
	kayitliKullaniciListeleExtendedTimeAsync (see page 345)	
	kayitliKullaniciListeleExtendedVknTckn (see page 346)	
	kayitliKullaniciListeleExtendedVknTcknAsync (see page 346)	
	kontorBilgisiGetir (see page 347)	
	kontorBilgisiGetirAsync (see page 347)	
	OnbelgeGonderExtOperationCompleted (see page 348)	This is OnbelgeGonderExtOperationCompleted, a member of class connectorService.
	OnbelgeGonderExtWithValidateOperationCompleted (see page 348)	This is OnbelgeGonderExtWithValidateOperationCompleted, a member of class connectorService.
	OnbelgeGonderOperationCompleted (see page 349)	This is OnbelgeGonderOperationCompleted, a member of class connectorService.
	OnbelgeGonderWithValidateOperationCompleted (see page 349)	This is OnbelgeGonderWithValidateOperationCompleted, a member of class connectorService.
	OnbelgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted (see page 349)	This is OnbelgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted, a member of class connectorService.
	OnbelgelerAlindiOperationCompleted (see page 349)	This is OnbelgelerAlindiOperationCompleted, a member of class connectorService.
	OnbelgeleriTekrarGonderBelgeOidOperationCompleted (see page 350)	This is OnbelgeleriTekrarGonderBelgeOidOperationCompleted, a member of class connectorService.
	OnbelgeleriTekrarGonderOperationCompleted (see page 350)	This is OnbelgeleriTekrarGonderOperationCompleted, a member of class connectorService.
	OnbelgeleriTekrarGonderYerelBelgeNoOperationCompleted (see page 350)	This is OnbelgeleriTekrarGonderYerelBelgeNoOperationCompleted, a member of class connectorService.
	OncheckDateValidControlOperationCompleted (see page 351)	This is OncheckDateValidControlOperationCompleted, a member of class connectorService.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	OncokluGidenBelgeDurumSorgulaOperationCompleted (see page 351)	This is OncokluGidenBelgeDurumSorgulaOperationCompleted, a member of class connectorService.
	OncsXmlOnizlemeOperationCompleted (see page 351)	This is OncsXmlOnizlemeOperationCompleted, a member of class connectorService.
	OncsXmlToUblOperationCompleted (see page 352)	This is OncsXmlToUblOperationCompleted, a member of class connectorService.
	OneFaturaKayitliKullaniciListeleOperationCompleted (see page 352)	This is OneFaturaKayitliKullaniciListeleOperationCompleted, a member of class connectorService.
	OnefaturaKullaniciBilgisiOperationCompleted (see page 352)	This is OnefaturaKullaniciBilgisiOperationCompleted, a member of class connectorService.
	OnefaturaKullaniciListesiOperationCompleted (see page 352)	This is OnefaturaKullaniciListesiOperationCompleted, a member of class connectorService.
	OnefaturaKullanicisiOperationCompleted (see page 353)	This is OnefaturaKullanicisiOperationCompleted, a member of class connectorService.
	OneIrsaliyeKayitliKullaniciListeleOperationCompleted (see page 353)	This is OneIrsaliyeKayitliKullaniciListeleOperationCompleted, a member of class connectorService.
	OneIrsaliyeKullanicisiOperationCompleted (see page 353)	This is OneIrsaliyeKullanicisiOperationCompleted, a member of class connectorService.
	OnerpBilgileriBelirleOperationCompleted (see page 354)	This is OnerpBilgileriBelirleOperationCompleted, a member of class connectorService.
	OnfaturaKepIleIadeEdildiIptalOperationCompleted (see page 354)	This is OnfaturaKepIleIadeEdildiIptalOperationCompleted, a member of class connectorService.
	OnfaturaKepIleIadeEdildiOperationCompleted (see page 354)	This is OnfaturaKepIleIadeEdildiOperationCompleted, a member of class connectorService.
	OnfaturaMailGonderOperationCompleted (see page 355)	This is OnfaturaMailGonderOperationCompleted, a member of class connectorService.
	OnfaturaNoUretOperationCompleted (see page 355)	This is OnfaturaNoUretOperationCompleted, a member of class connectorService.
	OnfaturaTarihcesiSorgulaOperationCompleted (see page 355)	This is OnfaturaTarihcesiSorgulaOperationCompleted, a member of class connectorService.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	OnfaturayaItirazEdildiIptalOperationCompleted (see page 355)	This is OnfaturayaItirazEdildiIptalOperationCompleted, a member of class connectorService.
	OnfaturayaItirazEdildiOperationCompleted (see page 356)	This is OnfaturayaItirazEdildiOperationCompleted, a member of class connectorService.
	OngelenBelgeDurumSorgulaExtOperationCompleted (see page 356)	This is OngelenBelgeDurumSorgulaExtOperationCompleted, a member of class connectorService.
	OngelenBelgeDurumSorgulaOperationCompleted (see page 356)	This is OngelenBelgeDurumSorgulaOperationCompleted, a member of class connectorService.
	OngelenBelgeEkleriAlOperationCompleted (see page 357)	This is OngelenBelgeEkleriAlOperationCompleted, a member of class connectorService.
	OngelenBelgeleriAlExt2OperationCompleted (see page 357)	This is OngelenBelgeleriAlExt2OperationCompleted, a member of class connectorService.
	OngelenBelgeleriAlExtOperationCompleted (see page 357)	This is OngelenBelgeleriAlExtOperationCompleted, a member of class connectorService.
	OngelenBelgeleriAlOperationCompleted (see page 358)	This is OngelenBelgeleriAlOperationCompleted, a member of class connectorService.
	OngelenBelgeleriIndirExtOperationCompleted (see page 358)	This is OngelenBelgeleriIndirExtOperationCompleted, a member of class connectorService.
	OngelenBelgeleriIndirOperationCompleted (see page 358)	This is OngelenBelgeleriIndirOperationCompleted, a member of class connectorService.
	OngelenBelgeleriListeleExtOperationCompleted (see page 358)	This is OngelenBelgeleriListeleExtOperationCompleted, a member of class connectorService.
	OngelenBelgeleriListeleOperationCompleted (see page 359)	This is OngelenBelgeleriListeleOperationCompleted, a member of class connectorService.
	OngelenBelgeTutarBilgileriSorgulaOperationCompleted (see page 359)	This is OngelenBelgeTutarBilgileriSorgulaOperationCompleted, a member of class connectorService.
	OngelenBelgeXmlleriniAlExtOperationCompleted (see page 359)	This is OngelenBelgeXmlleriniAlExtOperationCompleted, a member of class connectorService.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	OngelenBelgeXmlleriniAlOperationCompleted (see page 360)	This is OngelenBelgeXmlleriniAlOperationCompleted, a member of class connectorService.
	OngelenFaturalariArsiveKaldirOperationCompleted (see page 360)	This is OngelenFaturalariArsiveKaldirOperationCompleted, a member of class connectorService.
	OngelenIrsaliyeleriArsiveKaldirOperationCompleted (see page 360)	This is OngelenIrsaliyeleriArsiveKaldirOperationCompleted, a member of class connectorService.
	OngelenStandartRapolariAlOperationCompleted (see page 361)	This is OngelenStandartRapolariAlOperationCompleted, a member of class connectorService.
	OngelenTamamlananRapolariAlOperationCompleted (see page 361)	This is OngelenTamamlananRapolariAlOperationCompleted, a member of class connectorService.
	OngelenTasinanBelgeleriIndirOperationCompleted (see page 361)	This is OngelenTasinanBelgeleriIndirOperationCompleted, a member of class connectorService.
	OngidenBelgeDurumSorgulaBelgeNoOperationCompleted (see page 361)	This is OngidenBelgeDurumSorgulaBelgeNoOperationCompleted, a member of class connectorService.
	OngidenBelgeDurumSorgulaEttnOperationCompleted (see page 362)	This is OngidenBelgeDurumSorgulaEttnOperationCompleted, a member of class connectorService.
	OngidenBelgeDurumSorgulaExtOperationCompleted (see page 362)	This is OngidenBelgeDurumSorgulaExtOperationCompleted, a member of class connectorService.
	OngidenBelgeDurumSorgulaOperationCompleted (see page 362)	This is OngidenBelgeDurumSorgulaOperationCompleted, a member of class connectorService.
	OngidenBelgeDurumSorgulaPortalOperationCompleted (see page 363)	This is OngidenBelgeDurumSorgulaPortalOperationCompleted, a member of class connectorService.
	OngidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted (see page 363)	This is OngidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted, a member of class connectorService.
	OngidenBelgeEkleriAlOperationCompleted (see page 363)	This is OngidenBelgeEkleriAlOperationCompleted, a member of class connectorService.
	OngidenBelgeleriIndirEttnOperationCompleted (see page 364)	This is OngidenBelgeleriIndirEttnOperationCompleted, a member of class connectorService.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	OngidenBelgeleriIndirOperationCompleted (see page 364)	This is OngidenBelgeleriIndirOperationCompleted, a member of class connectorService.
	OngidenBelgeleriIndirPortalOperationCompleted (see page 364)	This is OngidenBelgeleriIndirPortalOperationCompleted, a member of class connectorService.
	OngidenBelgeleriListeleOperationCompleted (see page 364)	This is OngidenBelgeleriListeleOperationCompleted, a member of class connectorService.
	OngidenBelgeleriListelePortalOperationCompleted (see page 365)	This is OngidenBelgeleriListelePortalOperationCompleted, a member of class connectorService.
	OngidenBelgeTutarBilgileriSorgulaOperationCompleted (see page 365)	This is OngidenBelgeTutarBilgileriSorgulaOperationCompleted, a member of class connectorService.
	OngidenFaturalariArsiveKaldirOperationCompleted (see page 365)	This is OngidenFaturalariArsiveKaldirOperationCompleted, a member of class connectorService.
	OngidenIrsaliyeleriArsiveKaldirOperationCompleted (see page 366)	This is OngidenIrsaliyeleriArsiveKaldirOperationCompleted, a member of class connectorService.
	OngidenTasinanBelgeleriIndirOperationCompleted (see page 366)	This is OngidenTasinanBelgeleriIndirOperationCompleted, a member of class connectorService.
	OnirsaliyeMailGonderOperationCompleted (see page 366)	This is OnirsaliyeMailGonderOperationCompleted, a member of class connectorService.
	OnirsaliyeTarihcesiSorgulaOperationCompleted (see page 367)	This is OnirsaliyeTarihcesiSorgulaOperationCompleted, a member of class connectorService.
	OnkayitliKullaniciListeleExtendedOperationCompleted (see page 367)	This is OnkayitliKullaniciListeleExtendedOperationCompleted, a member of class connectorService.
	OnkayitliKullaniciListeleExtendedTimeOperationCompleted (see page 367)	This is OnkayitliKullaniciListeleExtendedTimeOperationCompleted, a member of class connectorService.
	OnkayitliKullaniciListeleExtendedVknTcknOperationCompleted (see page 367)	This is OnkayitliKullaniciListeleExtendedVknTcknOperationCompleted, a member of class connectorService.
	OnkontorBilgisiGetirOperationCompleted (see page 368)	This is OnkontorBilgisiGetirOperationCompleted, a member of class connectorService.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	OntemelKontrollerIleBelgeGonderOperationCompleted (see page 368)	This is OntemelKontrollerIleBelgeGonderOperationCompleted, a member of class connectorService.
	OntoplamBelgeSayisiGetirOperationCompleted (see page 368)	This is OntoplamBelgeSayisiGetirOperationCompleted, a member of class connectorService.
	OnublOnizlemeOperationCompleted (see page 369)	This is OnublOnizlemeOperationCompleted, a member of class connectorService.
	OnurunSablonlariniAlOperationCompleted (see page 369)	This is OnurunSablonlariniAlOperationCompleted, a member of class connectorService.
	OnwsKullanicisiKaydetOperationCompleted (see page 369)	This is OnwsKullanicisiKaydetOperationCompleted, a member of class connectorService.
	OnyereleAktarilacakBelgeleriAlExtOperationCompleted (see page 370)	This is OnyereleAktarilacakBelgeleriAlExtOperationCompleted, a member of class connectorService.
	OnyereleAktarilacakBelgeleriAlOperationCompleted (see page 370)	This is OnyereleAktarilacakBelgeleriAlOperationCompleted, a member of class connectorService.
	OnyolcuBeraberFaturaIptalEtOperationCompleted (see page 370)	This is OnyolcuBeraberFaturaIptalEtOperationCompleted, a member of class connectorService.
	temelKontrollerIleBelgeGonder (see page 370)	
	temelKontrollerIleBelgeGonderAsync (see page 372)	
	toplamBelgeSayisiGetir (see page 372)	
	toplamBelgeSayisiGetirAsync (see page 373)	
	ublOnizleme (see page 374)	
	ublOnizlemeAsync (see page 375)	
	urunSablonlariniAl (see page 375)	
	urunSablonlariniAlAsync (see page 376)	
	wsKullanicisiKaydet (see page 376)	
	wsKullanicisiKaydetAsync (see page 377)	
	yereleAktarilacakBelgeleriAl (see page 378)	
	yereleAktarilacakBelgeleriAlAsync (see page 378)	
	yereleAktarilacakBelgeleriAlExt (see page 379)	
	yereleAktarilacakBelgeleriAlExtAsync (see page 379)	
	yolcuBeraberFaturaIptalEt (see page 380)	
	yolcuBeraberFaturaIptalEtAsync (see page 381)	

connectorService Properties

	Name	Description
	Url (see page 381)	This is Url, a member of class connectorService.
	UseDefaultCredentials (see page 382)	This is UseDefaultCredentials, a member of class connectorService.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.1 connectorService.connectorService Constructor

C#

```
public connectorService();
```

Body Source

```
 1: public connectorService() {
 2:     this.Url =
global::QNBFinansGIB.Properties.Settings.Default.QNBFinansGIB_GIBEFatura_connectorService;
 3:     if ((this.IsLocalFileSystemWebService(this.Url) == true)) {
 4:         this.UseDefaultCredentials = true;
 5:         this.useDefaultCredentialsSetExplicitly = false;
 6:     }
 7:     else {
 8:         this.useDefaultCredentialsSetExplicitly = true;
 9:     }
10: }
```

1.1.3.1.17.2 connectorService Methods

1.1.3.1.17.2.1 connectorService.belgeGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("belgeOid",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
belgeGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeHash,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string mimeType,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeVersiyon);
```

Body Source

```
 1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
 2: [return: System.Xml.Serialization.XmlElementAttribute("belgeOid",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
 3: public string
belgeGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeHash,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string mimeType,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeVersiyon) {
 4:     object[] results = this.Invoke("belgeGonder", new object[] {
 5:                 vergiTcKimlikNo,
 6:                 belgeTuru,
 7:                 belgeNo,
 8:                 veri,
 9:                 belgeHash,
10:                 mimeType,
11:                 belgeVersiyon});
12:     return ((string)(results[0]));
13: }
```

1.1.3.1.17.2.2 belgeGonderAsync Method

1.1.3.1.17.2.2.1 connectorService.belgeGonderAsync Method (string, string, string, byte[], string, string, string)

C#

```
public void belgeGonderAsync(string vergiTcKimlikNo, string belgeTuru, string belgeNo,
byte[] veri, string belgeHash, string mimeType, string belgeVersiyon);
```

Body Source

```
1: public void belgeGonderAsync(string vergiTcKimlikNo, string belgeTuru, string belgeNo,
byte[] veri, string belgeHash, string mimeType, string belgeVersiyon) {
2:     this.belgeGonderAsync(vergiTcKimlikNo, belgeTuru, belgeNo, veri, belgeHash,
mimeType, belgeVersiyon, null);
3: }
```

1.1.3.1.17.2.2.2 connectorService.belgeGonderAsync Method (string, string, string, byte[], string, string, string, object)

C#

```
public void belgeGonderAsync(string vergiTcKimlikNo, string belgeTuru, string belgeNo,
byte[] veri, string belgeHash, string mimeType, string belgeVersiyon, object userState);
```

Body Source

```
 1: public void belgeGonderAsync(string vergiTcKimlikNo, string belgeTuru, string belgeNo,
byte[] veri, string belgeHash, string mimeType, string belgeVersiyon, object userState) {
 2:     if ((this.belgeGonderOperationCompleted == null)) {
 3:         this.belgeGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgeGonderOperationCompleted);
 4:     }
 5:     this.InvokeAsync("belgeGonder", new object[] {
 6:                 vergiTcKimlikNo,
 7:                 belgeTuru,
 8:                 belgeNo,
 9:                 veri,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
10:                 belgeHash,
11:                 mimeType,
12:                 belgeVersiyon}, this.belgeGonderOperationCompleted, userState);
13: }
```

1.1.3.1.17.2.3 connectorService.belgeGonderExt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("belgeOid",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
belgeGonderExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchem
aForm.Unqualified)]
gidenBelgeParametreleri parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("belgeOid",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
belgeGonderExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchem
aForm.Unqualified)]
gidenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("belgeGonderExt", new object[] {
5:                 parametreler});
6:     return ((string)(results[0]));
7: }
```

1.1.3.1.17.2.4 belgeGonderExtAsync Method

1.1.3.1.17.2.4.1 connectorService.belgeGonderExtAsync Method (gidenBelgeParametreleri)

C#

```
public void belgeGonderExtAsync(gidenBelgeParametreleri parametreler);
```

Body Source

```
1: public void belgeGonderExtAsync(gidenBelgeParametreleri parametreler) {
2:     this.belgeGonderExtAsync(parametreler, null);
3: }
```

1.1.3.1.17.2.4.2 connectorService.belgeGonderExtAsync Method (gidenBelgeParametreleri, object)

C#

```
public void belgeGonderExtAsync(gidenBelgeParametreleri parametreler, object userState);
```

Body Source

```
1: public void belgeGonderExtAsync(gidenBelgeParametreleri parametreler, object userState) {
2:     if ((this.belgeGonderExtOperationCompleted == null)) {
3:         this.belgeGonderExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgeGonderExtOperationCompleted);
4:     }
5:     this.InvokeAsync("belgeGonderExt", new object[] {
6:                 parametreler}, this.belgeGonderExtOperationCompleted, userState);
7: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.2.5 connectorService.belgeGonderExtWithValidate Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belgeGonderResp
belgeGonderExtWithValidate([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sch
ema.XmlSchemaForm.Unqualified)]
gidenBelgeParametreleri parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belgeGonderResp
belgeGonderExtWithValidate([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sch
ema.XmlSchemaForm.Unqualified)]
gidenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("belgeGonderExtWithValidate", new object[] {
5:                 parametreler});
6:     return ((belgeGonderResp)(results[0]));
7: }
```

1.1.3.1.17.2.6 belgeGonderExtWithValidateAsync Method

1.1.3.1.17.2.6.1 connectorService.belgeGonderExtWithValidateAsync Method (gidenBelgeParametreleri)

C#

```
public void belgeGonderExtWithValidateAsync(gidenBelgeParametreleri parametreler);
```

Body Source

```
1: public void belgeGonderExtWithValidateAsync(gidenBelgeParametreleri parametreler) {
2:     this.belgeGonderExtWithValidateAsync(parametreler, null);
3: }
```

1.1.3.1.17.2.6.2 connectorService.belgeGonderExtWithValidateAsync Method (gidenBelgeParametreleri, object)

C#

```
public void belgeGonderExtWithValidateAsync(gidenBelgeParametreleri parametreler, object
userState);
```

Body Source

```
1: public void belgeGonderExtWithValidateAsync(gidenBelgeParametreleri parametreler, object
userState) {
2:     if ((this.belgeGonderExtWithValidateOperationCompleted == null)) {
3:         this.belgeGonderExtWithValidateOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgeGonderExtWithValidateOperationCompleted);
4:     }
5:     this.InvokeAsync("belgeGonderExtWithValidate", new object[] {
6:                 parametreler}, this.belgeGonderExtWithValidateOperationCompleted,
userState);
7: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.2.7 connectorService.belgeGonderWithValidate Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belgeGonderResp
belgeGonderWithValidate([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema
.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeHash,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string mimeType,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeVersiyon);
```

Body Source

```
 1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
 2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
 3: public belgeGonderResp
belgeGonderWithValidate([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema
.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeHash,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string mimeType,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeVersiyon) {
 4:     object[] results = this.Invoke("belgeGonderWithValidate", new object[] {
 5:                 vergiTcKimlikNo,
 6:                 belgeTuru,
 7:                 belgeNo,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
 8:                 veri,
 9:                 belgeHash,
10:                 mimeType,
11:                 belgeVersiyon});
12:     return ((belgeGonderResp)(results[0]));
13: }
```

1.1.3.1.17.2.8 belgeGonderWithValidateAsync Method

1.1.3.1.17.2.8.1 connectorService.belgeGonderWithValidateAsync Method (string, string, string, byte[], string, string, string)

C#

```
public void belgeGonderWithValidateAsync(string vergiTcKimlikNo, string belgeTuru, string
belgeNo, byte[] veri, string belgeHash, string mimeType, string belgeVersiyon);
```

Body Source

```
1: public void belgeGonderWithValidateAsync(string vergiTcKimlikNo, string belgeTuru,
string belgeNo, byte[] veri, string belgeHash, string mimeType, string belgeVersiyon) {
2:     this.belgeGonderWithValidateAsync(vergiTcKimlikNo, belgeTuru, belgeNo, veri,
belgeHash, mimeType, belgeVersiyon, null);
3: }
```

1.1.3.1.17.2.8.2 connectorService.belgeGonderWithValidateAsync Method (string, string, string, byte[], string, string, string, object)

C#

```
public void belgeGonderWithValidateAsync(string vergiTcKimlikNo, string belgeTuru, string
belgeNo, byte[] veri, string belgeHash, string mimeType, string belgeVersiyon, object
userState);
```

Body Source

```
 1: public void belgeGonderWithValidateAsync(string vergiTcKimlikNo, string belgeTuru,
string belgeNo, byte[] veri, string belgeHash, string mimeType, string belgeVersiyon,
object userState) {
 2:     if ((this.belgeGonderWithValidateOperationCompleted == null)) {
 3:         this.belgeGonderWithValidateOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgeGonderWithValidateOperationCompleted);
 4:     }
 5:     this.InvokeAsync("belgeGonderWithValidate", new object[] {
 6:                 vergiTcKimlikNo,
 7:                 belgeTuru,
 8:                 belgeNo,
 9:                 veri,
10:                 belgeHash,
11:                 mimeType,
12:                 belgeVersiyon}, this.belgeGonderWithValidateOperationCompleted,
userState);
13: }
```

1.1.3.1.17.2.9 connectorService.belgelerAlindi Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
belgelerAlindi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchem
aForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettn",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
string belgeTuru);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
belgelerAlindi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchem
aForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettn",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru) {
3:     this.Invoke("belgelerAlindi", new object[] {
4:                 vergiTcKimlikNo,
5:                 ettn,
6:                 belgeTuru});
7: }
```

1.1.3.1.17.2.10 belgelerAlindiAsync Method

1.1.3.1.17.2.10.1 connectorService.belgelerAlindiAsync Method (string, string[], string)

C#

```
public void belgelerAlindiAsync(string vergiTcKimlikNo, string[] ettn, string belgeTuru);
```

Body Source

```
1: public void belgelerAlindiAsync(string vergiTcKimlikNo, string[] ettn, string belgeTuru)
{
2:     this.belgelerAlindiAsync(vergiTcKimlikNo, ettn, belgeTuru, null);
3: }
```

1.1.3.1.17.2.10.2 connectorService.belgelerAlindiAsync Method (string, string[], string, object)

C#

```
public void belgelerAlindiAsync(string vergiTcKimlikNo, string[] ettn, string belgeTuru,
object userState);
```

Body Source

```
1: public void belgelerAlindiAsync(string vergiTcKimlikNo, string[] ettn, string belgeTuru,
object userState) {
2:     if ((this.belgelerAlindiOperationCompleted == null)) {
3:         this.belgelerAlindiOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgelerAlindiOperationCompleted);
4:     }
5:     this.InvokeAsync("belgelerAlindi", new object[] {
6:                 vergiTcKimlikNo,
7:                 ettn,
8:                 belgeTuru}, this.belgelerAlindiOperationCompleted, userState);
9: }
```

1.1.3.1.17.2.11 connectorService.belgelerAlindiEntegrasyonSiparisNoGuncelle Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
belgelerAlindiEntegrasyonSiparisNoGuncelle([System.Xml.Serialization.XmlElementAttribute(For
m=System.Xml.Schema.XmlSchemaForm.Unqualified)]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettn",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string entegrasyonHedefi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string guncellenmisSiparisNumarasi);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
belgelerAlindiEntegrasyonSiparisNoGuncelle([System.Xml.Serialization.XmlElementAttribute(For
m=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettn",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string entegrasyonHedefi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string guncellenmisSiparisNumarasi) {
3:     this.Invoke("belgelerAlindiEntegrasyonSiparisNoGuncelle", new object[] {
4:                 vergiTcKimlikNo,
5:                 ettn,
6:                 belgeTuru,
7:                 entegrasyonHedefi,
8:                 guncellenmisSiparisNumarasi});
9: }
```

1.1.3.1.17.2.12 belgelerAlindiEntegrasyonSiparisNoGuncelleAsync Method

1.1.3.1.17.2.12.1 connectorService.belgelerAlindiEntegrasyonSiparisNoGuncelleAsync Method (string, string[], string, string, string)

C#

```
public void belgelerAlindiEntegrasyonSiparisNoGuncelleAsync(string vergiTcKimlikNo,
string[] ettn, string belgeTuru, string entegrasyonHedefi, string
guncellenmisSiparisNumarasi);
```

Body Source

```
1: public void belgelerAlindiEntegrasyonSiparisNoGuncelleAsync(string vergiTcKimlikNo,
string[] ettn, string belgeTuru, string entegrasyonHedefi, string
guncellenmisSiparisNumarasi) {
2:     this.belgelerAlindiEntegrasyonSiparisNoGuncelleAsync(vergiTcKimlikNo, ettn,
belgeTuru, entegrasyonHedefi, guncellenmisSiparisNumarasi, null);
3: }
```

1.1.3.1.17.2.12.2 connectorService.belgelerAlindiEntegrasyonSiparisNoGuncelleAsync Method (string, string[], string, string, string, object)

C#

```
public void belgelerAlindiEntegrasyonSiparisNoGuncelleAsync(string vergiTcKimlikNo,
string[] ettn, string belgeTuru, string entegrasyonHedefi, string
guncellenmisSiparisNumarasi, object userState);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```
 1: public void belgelerAlindiEntegrasyonSiparisNoGuncelleAsync(string vergiTcKimlikNo,
string[] ettn, string belgeTuru, string entegrasyonHedefi, string
guncellenmisSiparisNumarasi, object userState) {
 2:     if ((this.belgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted == null)) {
 3:         this.belgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgelerAlindiEntegrasyonSiparisNoGuncelleOperati
onCompleted);
 4:     }
 5:     this.InvokeAsync("belgelerAlindiEntegrasyonSiparisNoGuncelle", new object[] {
 6:                 vergiTcKimlikNo,
 7:                 ettn,
 8:                 belgeTuru,
 9:                 entegrasyonHedefi,
10:                 guncellenmisSiparisNumarasi},
this.belgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted, userState);
11: }
```

1.1.3.1.17.2.13 connectorService.belgeleriTekrarGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
belgeleriTekrarGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettn",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string alanEtiket,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gonderenEtiket);
```

Body Source

```
 1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
 2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
 3: public bool
belgeleriTekrarGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettn",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string alanEtiket,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gonderenEtiket) {
 4:     object[] results = this.Invoke("belgeleriTekrarGonder", new object[] {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
 5:                 vergiTcKimlikNo,
 6:                 ettn,
 7:                 belgeTuru,
 8:                 alanEtiket,
 9:                 gonderenEtiket});
10:     return ((bool)(results[0]));
11: }
```

1.1.3.1.17.2.14 belgeleriTekrarGonderAsync Method

1.1.3.1.17.2.14.1 connectorService.belgeleriTekrarGonderAsync Method (string, string[], string, string, string)

C#

```
public void belgeleriTekrarGonderAsync(string vergiTcKimlikNo, string[] ettn, string
belgeTuru, string alanEtiket, string gonderenEtiket);
```

Body Source

```
1: public void belgeleriTekrarGonderAsync(string vergiTcKimlikNo, string[] ettn, string
belgeTuru, string alanEtiket, string gonderenEtiket) {
2:     this.belgeleriTekrarGonderAsync(vergiTcKimlikNo, ettn, belgeTuru, alanEtiket,
gonderenEtiket, null);
3: }
```

1.1.3.1.17.2.14.2 connectorService.belgeleriTekrarGonderAsync Method (string, string[], string, string, string, object)

C#

```
public void belgeleriTekrarGonderAsync(string vergiTcKimlikNo, string[] ettn, string
belgeTuru, string alanEtiket, string gonderenEtiket, object userState);
```

Body Source

```
 1: public void belgeleriTekrarGonderAsync(string vergiTcKimlikNo, string[] ettn, string
belgeTuru, string alanEtiket, string gonderenEtiket, object userState) {
 2:     if ((this.belgeleriTekrarGonderOperationCompleted == null)) {
 3:         this.belgeleriTekrarGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgeleriTekrarGonderOperationCompleted);
 4:     }
 5:     this.InvokeAsync("belgeleriTekrarGonder", new object[] {
 6:                 vergiTcKimlikNo,
 7:                 ettn,
 8:                 belgeTuru,
 9:                 alanEtiket,
10:                 gonderenEtiket}, this.belgeleriTekrarGonderOperationCompleted,
userState);
11: }
```

1.1.3.1.17.2.15 connectorService.belgeleriTekrarGonderBelgeOid Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
belgeleriTekrarGonderBelgeOid([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("belgeOid",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] belgeOid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string alanEtiket,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gonderenEtiket);
```

Body Source

```
 1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
 2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
 3: public bool
belgeleriTekrarGonderBelgeOid([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("belgeOid",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] belgeOid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string alanEtiket,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gonderenEtiket) {
 4:     object[] results = this.Invoke("belgeleriTekrarGonderBelgeOid", new object[] {
 5:                 vergiTcKimlikNo,
 6:                 belgeOid,
 7:                 belgeTuru,
 8:                 alanEtiket,
 9:                 gonderenEtiket});
10:     return ((bool)(results[0]));
11: }
```

1.1.3.1.17.2.16 belgeleriTekrarGonderBelgeOidAsync Method

1.1.3.1.17.2.16.1 connectorService.belgeleriTekrarGonderBelgeOidAsync Method (string, string[], string, string, string)

C#

```
public void belgeleriTekrarGonderBelgeOidAsync(string vergiTcKimlikNo, string[] belgeOid,
string belgeTuru, string alanEtiket, string gonderenEtiket);
```

Body Source

```
1: public void belgeleriTekrarGonderBelgeOidAsync(string vergiTcKimlikNo, string[]
belgeOid, string belgeTuru, string alanEtiket, string gonderenEtiket) {
2:     this.belgeleriTekrarGonderBelgeOidAsync(vergiTcKimlikNo, belgeOid, belgeTuru,
alanEtiket, gonderenEtiket, null);
3: }
```

1.1.3.1.17.2.16.2 connectorService.belgeleriTekrarGonderBelgeOidAsync Method (string, string[], string, string, string, object)

C#

```
public void belgeleriTekrarGonderBelgeOidAsync(string vergiTcKimlikNo, string[] belgeOid,
string belgeTuru, string alanEtiket, string gonderenEtiket, object userState);
```

Body Source

```
 1: public void belgeleriTekrarGonderBelgeOidAsync(string vergiTcKimlikNo, string[]
belgeOid, string belgeTuru, string alanEtiket, string gonderenEtiket, object userState) {
 2:     if ((this.belgeleriTekrarGonderBelgeOidOperationCompleted == null)) {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
 3:         this.belgeleriTekrarGonderBelgeOidOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgeleriTekrarGonderBelgeOidOperationCompleted);
 4:     }
 5:     this.InvokeAsync("belgeleriTekrarGonderBelgeOid", new object[] {
 6:                 vergiTcKimlikNo,
 7:                 belgeOid,
 8:                 belgeTuru,
 9:                 alanEtiket,
10:                 gonderenEtiket}, this.belgeleriTekrarGonderBelgeOidOperationCompleted,
userState);
11: }
```

1.1.3.1.17.2.17 connectorService.belgeleriTekrarGonderYerelBelgeNo Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
belgeleriTekrarGonderYerelBelgeNo([System.Xml.Serialization.XmlElementAttribute(Form=System.
Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("yerelBelgeNo",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] yerelBelgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string alanEtiket,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gonderenEtiket);
```

Body Source

```
 1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
 2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
 3: public bool
belgeleriTekrarGonderYerelBelgeNo([System.Xml.Serialization.XmlElementAttribute(Form=System.
Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("yerelBelgeNo",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] yerelBelgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string alanEtiket,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gonderenEtiket) {
 4:     object[] results = this.Invoke("belgeleriTekrarGonderYerelBelgeNo", new object[] {
 5:                 vergiTcKimlikNo,
 6:                 yerelBelgeNo,
 7:                 belgeTuru,
 8:                 alanEtiket,
 9:                 gonderenEtiket});
10:     return ((bool)(results[0]));
11: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.2.18 belgeleriTekrarGonderYerelBelgeNoAsync Method

1.1.3.1.17.2.18.1 connectorService.belgeleriTekrarGonderYerelBelgeNoAsync Method (string, string[], string, string, string)

C#

```
public void belgeleriTekrarGonderYerelBelgeNoAsync(string vergiTcKimlikNo, string[]
yerelBelgeNo, string belgeTuru, string alanEtiket, string gonderenEtiket);
```

Body Source

```
1: public void belgeleriTekrarGonderYerelBelgeNoAsync(string vergiTcKimlikNo, string[]
yerelBelgeNo, string belgeTuru, string alanEtiket, string gonderenEtiket) {
2:     this.belgeleriTekrarGonderYerelBelgeNoAsync(vergiTcKimlikNo, yerelBelgeNo,
belgeTuru, alanEtiket, gonderenEtiket, null);
3: }
```

1.1.3.1.17.2.18.2 connectorService.belgeleriTekrarGonderYerelBelgeNoAsync Method (string, string[], string, string, string, object)

C#

```
public void belgeleriTekrarGonderYerelBelgeNoAsync(string vergiTcKimlikNo, string[]
yerelBelgeNo, string belgeTuru, string alanEtiket, string gonderenEtiket, object userState);
```

Body Source

```
 1: public void belgeleriTekrarGonderYerelBelgeNoAsync(string vergiTcKimlikNo, string[]
yerelBelgeNo, string belgeTuru, string alanEtiket, string gonderenEtiket, object userState)
{
 2:     if ((this.belgeleriTekrarGonderYerelBelgeNoOperationCompleted == null)) {
 3:         this.belgeleriTekrarGonderYerelBelgeNoOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgeleriTekrarGonderYerelBelgeNoOperationComplet
ed);
 4:     }
 5:     this.InvokeAsync("belgeleriTekrarGonderYerelBelgeNo", new object[] {
 6:                 vergiTcKimlikNo,
 7:                 yerelBelgeNo,
 8:                 belgeTuru,
 9:                 alanEtiket,
10:                 gonderenEtiket},
this.belgeleriTekrarGonderYerelBelgeNoOperationCompleted, userState);
11: }
```

1.1.3.1.17.2.19 connectorService.CancelAsync Method

C#

```
public new void CancelAsync(object userState);
```

Body Source

```
1: public new void CancelAsync(object userState) {
2:     base.CancelAsync(userState);
3: }
```

1.1.3.1.17.2.20 connectorService.checkDateValidControl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
checkDateValidControl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string arg0,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string arg1);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
checkDateValidControl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string arg0,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string arg1) {
3:     this.Invoke("checkDateValidControl", new object[] {
4:                 arg0,
5:                 arg1});
6: }
```

1.1.3.1.17.2.21 checkDateValidControlAsync Method

1.1.3.1.17.2.21.1 connectorService.checkDateValidControlAsync Method (string, string)

C#

```
public void checkDateValidControlAsync(string arg0, string arg1);
```

Body Source

```
1: public void checkDateValidControlAsync(string arg0, string arg1) {
2:     this.checkDateValidControlAsync(arg0, arg1, null);
3: }
```

1.1.3.1.17.2.21.2 connectorService.checkDateValidControlAsync Method (string, string, object)

C#

```
public void checkDateValidControlAsync(string arg0, string arg1, object userState);
```

Body Source

```
1: public void checkDateValidControlAsync(string arg0, string arg1, object userState) {
2:     if ((this.checkDateValidControlOperationCompleted == null)) {
3:         this.checkDateValidControlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OncheckDateValidControlOperationCompleted);
4:     }
5:     this.InvokeAsync("checkDateValidControl", new object[] {
6:                 arg0,
7:                 arg1}, this.checkDateValidControlOperationCompleted, userState);
8: }
```

1.1.3.1.17.2.22 connectorService.cokluGidenBelgeDurumSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
cokluGidenBelgeDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
ed)]
gidenBelgeDurumParametreleri parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
cokluGidenBelgeDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
gidenBelgeDurumParametreleri parametreler) {
4:     object[] results = this.Invoke("cokluGidenBelgeDurumSorgula", new object[] {
5:                 vergiTcKimlikNo,
6:                 parametreler});
7:     return ((serviceReturnType[])(results[0]));
8: }
```

1.1.3.1.17.2.23 cokluGidenBelgeDurumSorgulaAsync Method

1.1.3.1.17.2.23.1 connectorService.cokluGidenBelgeDurumSorgulaAsync Method (string, gidenBelgeDurumParametreleri)

C#

```
public void cokluGidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler);
```

Body Source

```
1: public void cokluGidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler) {
2:     this.cokluGidenBelgeDurumSorgulaAsync(vergiTcKimlikNo, parametreler, null);
3: }
```

1.1.3.1.17.2.23.2 connectorService.cokluGidenBelgeDurumSorgulaAsync Method (string, gidenBelgeDurumParametreleri, object)

C#

```
public void cokluGidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler, object userState);
```

Body Source

```
1: public void cokluGidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler, object userState) {
2:     if ((this.cokluGidenBelgeDurumSorgulaOperationCompleted == null)) {
3:         this.cokluGidenBelgeDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OncokluGidenBelgeDurumSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("cokluGidenBelgeDurumSorgula", new object[] {
6:                 vergiTcKimlikNo,
7:                 parametreler}, this.cokluGidenBelgeDurumSorgulaOperationCompleted,
userState);
8: }
```

1.1.3.1.17.2.24 connectorService.csXmlOnizleme Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
csXmlOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeVersiyon,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeFormati,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string xsltAdi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru);
```

Body Source

```
 1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
 2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
 3: public byte[]
csXmlOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeVersiyon,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeFormati,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string xsltAdi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru) {
 4:     object[] results = this.Invoke("csXmlOnizleme", new object[] {
 5:                 vergiTcKimlikNo,
 6:                 belgeVersiyon,
 7:                 veri,
 8:                 belgeFormati,
 9:                 xsltAdi,
10:                 belgeTuru});
11:     return ((byte[])(results[0]));
12: }
```

1.1.3.1.17.2.25 csXmlOnizlemeAsync Method

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.2.25.1 connectorService.csXmlOnizlemeAsync Method (string, string, byte[], string, string, string)

C#

```
public void csXmlOnizlemeAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[] veri,
string belgeFormati, string xsltAdi, string belgeTuru);
```

Body Source

```
1: public void csXmlOnizlemeAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[]
veri, string belgeFormati, string xsltAdi, string belgeTuru) {
2:     this.csXmlOnizlemeAsync(vergiTcKimlikNo, belgeVersiyon, veri, belgeFormati, xsltAdi,
belgeTuru, null);
3: }
```

1.1.3.1.17.2.25.2 connectorService.csXmlOnizlemeAsync Method (string, string, byte[], string, string, string, object)

C#

```
public void csXmlOnizlemeAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[] veri,
string belgeFormati, string xsltAdi, string belgeTuru, object userState);
```

Body Source

```
 1: public void csXmlOnizlemeAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[]
veri, string belgeFormati, string xsltAdi, string belgeTuru, object userState) {
 2:     if ((this.csXmlOnizlemeOperationCompleted == null)) {
 3:         this.csXmlOnizlemeOperationCompleted = new
System.Threading.SendOrPostCallback(this.OncsXmlOnizlemeOperationCompleted);
 4:     }
 5:     this.InvokeAsync("csXmlOnizleme", new object[] {
 6:                 vergiTcKimlikNo,
 7:                 belgeVersiyon,
 8:                 veri,
 9:                 belgeFormati,
10:                 xsltAdi,
11:                 belgeTuru}, this.csXmlOnizlemeOperationCompleted, userState);
12: }
```

1.1.3.1.17.2.26 connectorService.csXmlToUbl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
csXmlToUbl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFor
m.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeVersiyon,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string xsltAdi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```
 1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
 2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
 3: public byte[]
csXmlToUbl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFor
m.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeVersiyon,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string xsltAdi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru) {
 4:     object[] results = this.Invoke("csXmlToUbl", new object[] {
 5:                 vergiTcKimlikNo,
 6:                 belgeVersiyon,
 7:                 veri,
 8:                 xsltAdi,
 9:                 belgeTuru});
10:     return ((byte[])(results[0]));
11: }
```

1.1.3.1.17.2.27 csXmlToUblAsync Method

1.1.3.1.17.2.27.1 connectorService.csXmlToUblAsync Method (string, string, byte[], string, string)

C#

```
public void csXmlToUblAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[] veri,
string xsltAdi, string belgeTuru);
```

Body Source

```
1: public void csXmlToUblAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[] veri,
string xsltAdi, string belgeTuru) {
2:     this.csXmlToUblAsync(vergiTcKimlikNo, belgeVersiyon, veri, xsltAdi, belgeTuru, null);
3: }
```

1.1.3.1.17.2.27.2 connectorService.csXmlToUblAsync Method (string, string, byte[], string, string, object)

C#

```
public void csXmlToUblAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[] veri,
string xsltAdi, string belgeTuru, object userState);
```

Body Source

```
 1: public void csXmlToUblAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[] veri,
string xsltAdi, string belgeTuru, object userState) {
 2:     if ((this.csXmlToUblOperationCompleted == null)) {
 3:         this.csXmlToUblOperationCompleted = new
System.Threading.SendOrPostCallback(this.OncsXmlToUblOperationCompleted);
 4:     }
 5:     this.InvokeAsync("csXmlToUbl", new object[] {
 6:                 vergiTcKimlikNo,
 7:                 belgeVersiyon,
 8:                 veri,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
 9:                 xsltAdi,
10:                 belgeTuru}, this.csXmlToUblOperationCompleted, userState);
11: }
```

1.1.3.1.17.2.28 connectorService.eFaturaKayitliKullaniciListele Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public eFaturaKullanici[]
eFaturaKayitliKullaniciListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml
.Schema.XmlSchemaForm.Unqualified)]
string kayitZamani);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public eFaturaKullanici[]
eFaturaKayitliKullaniciListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml
.Schema.XmlSchemaForm.Unqualified)]
string kayitZamani) {
4:     object[] results = this.Invoke("eFaturaKayitliKullaniciListele", new object[] {
5:                 kayitZamani});
6:     return ((eFaturaKullanici[])(results[0]));
7: }
```

1.1.3.1.17.2.29 eFaturaKayitliKullaniciListeleAsync Method

1.1.3.1.17.2.29.1 connectorService.eFaturaKayitliKullaniciListeleAsync Method (string)

C#

```
public void eFaturaKayitliKullaniciListeleAsync(string kayitZamani);
```

Body Source

```
1: public void eFaturaKayitliKullaniciListeleAsync(string kayitZamani) {
2:     this.eFaturaKayitliKullaniciListeleAsync(kayitZamani, null);
3: }
```

1.1.3.1.17.2.29.2 connectorService.eFaturaKayitliKullaniciListeleAsync Method (string, object)

C#

```
public void eFaturaKayitliKullaniciListeleAsync(string kayitZamani, object userState);
```

Body Source

```
1: public void eFaturaKayitliKullaniciListeleAsync(string kayitZamani, object userState) {
2:     if ((this.eFaturaKayitliKullaniciListeleOperationCompleted == null)) {
3:         this.eFaturaKayitliKullaniciListeleOperationCompleted = new
System.Threading.SendOrPostCallback(this.OneFaturaKayitliKullaniciListeleOperationCompleted)
;
4:     }
5:     this.InvokeAsync("eFaturaKayitliKullaniciListele", new object[] {
6:                 kayitZamani}, this.eFaturaKayitliKullaniciListeleOperationCompleted,
userState);
7: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.2.30 connectorService.efaturaKullaniciBilgisi Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public eFaturaKullanici[]
efaturaKullaniciBilgisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema
.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public eFaturaKullanici[]
efaturaKullaniciBilgisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema
.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo) {
4:     object[] results = this.Invoke("efaturaKullaniciBilgisi", new object[] {
5:                 vergiTcKimlikNo});
6:     return ((eFaturaKullanici[])(results[0]));
7: }
```

1.1.3.1.17.2.31 efaturaKullaniciBilgisiAsync Method

1.1.3.1.17.2.31.1 connectorService.efaturaKullaniciBilgisiAsync Method (string)

C#

```
public void efaturaKullaniciBilgisiAsync(string vergiTcKimlikNo);
```

Body Source

```
1: public void efaturaKullaniciBilgisiAsync(string vergiTcKimlikNo) {
2:     this.efaturaKullaniciBilgisiAsync(vergiTcKimlikNo, null);
3: }
```

1.1.3.1.17.2.31.2 connectorService.efaturaKullaniciBilgisiAsync Method (string, object)

C#

```
public void efaturaKullaniciBilgisiAsync(string vergiTcKimlikNo, object userState);
```

Body Source

```
1: public void efaturaKullaniciBilgisiAsync(string vergiTcKimlikNo, object userState) {
2:     if ((this.efaturaKullaniciBilgisiOperationCompleted == null)) {
3:         this.efaturaKullaniciBilgisiOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnefaturaKullaniciBilgisiOperationCompleted);
4:     }
5:     this.InvokeAsync("efaturaKullaniciBilgisi", new object[] {
6:                 vergiTcKimlikNo}, this.efaturaKullaniciBilgisiOperationCompleted,
userState);
7: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.2.32 connectorService.efaturaKullaniciListesi Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public mukellefEFaturaKayit[]
efaturaKullaniciListesi([System.Xml.Serialization.XmlElementAttribute("vergiTcKimlikNoListes
i",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] vergiTcKimlikNoListesi);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public mukellefEFaturaKayit[]
efaturaKullaniciListesi([System.Xml.Serialization.XmlElementAttribute("vergiTcKimlikNoListes
i",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] vergiTcKimlikNoListesi) {
4:     object[] results = this.Invoke("efaturaKullaniciListesi", new object[] {
5:                 vergiTcKimlikNoListesi});
6:     return ((mukellefEFaturaKayit[])(results[0]));
7: }
```

1.1.3.1.17.2.33 efaturaKullaniciListesiAsync Method

1.1.3.1.17.2.33.1 connectorService.efaturaKullaniciListesiAsync Method (string[])

C#

```
public void efaturaKullaniciListesiAsync(string[] vergiTcKimlikNoListesi);
```

Body Source

```
1: public void efaturaKullaniciListesiAsync(string[] vergiTcKimlikNoListesi) {
2:     this.efaturaKullaniciListesiAsync(vergiTcKimlikNoListesi, null);
3: }
```

1.1.3.1.17.2.33.2 connectorService.efaturaKullaniciListesiAsync Method (string[], object)

C#

```
public void efaturaKullaniciListesiAsync(string[] vergiTcKimlikNoListesi, object userState);
```

Body Source

```
1: public void efaturaKullaniciListesiAsync(string[] vergiTcKimlikNoListesi, object
userState) {
2:     if ((this.efaturaKullaniciListesiOperationCompleted == null)) {
3:         this.efaturaKullaniciListesiOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnefaturaKullaniciListesiOperationCompleted);
4:     }
5:     this.InvokeAsync("efaturaKullaniciListesi", new object[] {
6:                 vergiTcKimlikNoListesi}, this.efaturaKullaniciListesiOperationCompleted,
userState);
7: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.2.34 connectorService.efaturaKullanicisi Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
efaturaKullanicisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string vergiTcKimlikNo);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
efaturaKullanicisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string vergiTcKimlikNo) {
4:     object[] results = this.Invoke("efaturaKullanicisi", new object[] {
5:                 vergiTcKimlikNo});
6:     return ((bool)(results[0]));
7: }
```

1.1.3.1.17.2.35 efaturaKullanicisiAsync Method

1.1.3.1.17.2.35.1 connectorService.efaturaKullanicisiAsync Method (string)

C#

```
public void efaturaKullanicisiAsync(string vergiTcKimlikNo);
```

Body Source

```
1: public void efaturaKullanicisiAsync(string vergiTcKimlikNo) {
2:     this.efaturaKullanicisiAsync(vergiTcKimlikNo, null);
3: }
```

1.1.3.1.17.2.35.2 connectorService.efaturaKullanicisiAsync Method (string, object)

C#

```
public void efaturaKullanicisiAsync(string vergiTcKimlikNo, object userState);
```

Body Source

```
1: public void efaturaKullanicisiAsync(string vergiTcKimlikNo, object userState) {
2:     if ((this.efaturaKullanicisiOperationCompleted == null)) {
3:         this.efaturaKullanicisiOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnefaturaKullanicisiOperationCompleted);
4:     }
5:     this.InvokeAsync("efaturaKullanicisi", new object[] {
6:                 vergiTcKimlikNo}, this.efaturaKullanicisiOperationCompleted, userState);
7: }
```

1.1.3.1.17.2.36 connectorService.eIrsaliyeKayitliKullaniciListele Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public eIrsaliyeKullanici[]
eIrsaliyeKayitliKullaniciListele([System.Xml.Serialization.XmlElementAttribute(Form=System.X
ml.Schema.XmlSchemaForm.Unqualified)]
string kayitZamani);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public eIrsaliyeKullanici[]
eIrsaliyeKayitliKullaniciListele([System.Xml.Serialization.XmlElementAttribute(Form=System.X
ml.Schema.XmlSchemaForm.Unqualified)]
string kayitZamani) {
4:     object[] results = this.Invoke("eIrsaliyeKayitliKullaniciListele", new object[] {
5:                 kayitZamani});
6:     return ((eIrsaliyeKullanici[])(results[0]));
7: }
```

1.1.3.1.17.2.37 eIrsaliyeKayitliKullaniciListeleAsync Method

1.1.3.1.17.2.37.1 connectorService.eIrsaliyeKayitliKullaniciListeleAsync Method (string)

C#

```
public void eIrsaliyeKayitliKullaniciListeleAsync(string kayitZamani);
```

Body Source

```
1: public void eIrsaliyeKayitliKullaniciListeleAsync(string kayitZamani) {
2:     this.eIrsaliyeKayitliKullaniciListeleAsync(kayitZamani, null);
3: }
```

1.1.3.1.17.2.37.2 connectorService.eIrsaliyeKayitliKullaniciListeleAsync Method (string, object)

C#

```
public void eIrsaliyeKayitliKullaniciListeleAsync(string kayitZamani, object userState);
```

Body Source

```
1: public void eIrsaliyeKayitliKullaniciListeleAsync(string kayitZamani, object userState) {
2:     if ((this.eIrsaliyeKayitliKullaniciListeleOperationCompleted == null)) {
3:         this.eIrsaliyeKayitliKullaniciListeleOperationCompleted = new
System.Threading.SendOrPostCallback(this.OneIrsaliyeKayitliKullaniciListeleOperationComplete
d);
4:     }
5:     this.InvokeAsync("eIrsaliyeKayitliKullaniciListele", new object[] {
6:                 kayitZamani}, this.eIrsaliyeKayitliKullaniciListeleOperationCompleted,
userState);
7: }
```

1.1.3.1.17.2.38 connectorService.eIrsaliyeKullanicisi Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
eIrsaliyeKullanicisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
lSchemaForm.Unqualified)]
string vergiTcKimlikNo);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
eIrsaliyeKullanicisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
lSchemaForm.Unqualified)]
string vergiTcKimlikNo) {
4:     object[] results = this.Invoke("eIrsaliyeKullanicisi", new object[] {
5:                 vergiTcKimlikNo});
6:     return ((bool)(results[0]));
7: }
```

1.1.3.1.17.2.39 eIrsaliyeKullanicisiAsync Method

1.1.3.1.17.2.39.1 connectorService.eIrsaliyeKullanicisiAsync Method (string)

C#

```
public void eIrsaliyeKullanicisiAsync(string vergiTcKimlikNo);
```

Body Source

```
1: public void eIrsaliyeKullanicisiAsync(string vergiTcKimlikNo) {
2:     this.eIrsaliyeKullanicisiAsync(vergiTcKimlikNo, null);
3: }
```

1.1.3.1.17.2.39.2 connectorService.eIrsaliyeKullanicisiAsync Method (string, object)

C#

```
public void eIrsaliyeKullanicisiAsync(string vergiTcKimlikNo, object userState);
```

Body Source

```
1: public void eIrsaliyeKullanicisiAsync(string vergiTcKimlikNo, object userState) {
2:     if ((this.eIrsaliyeKullanicisiOperationCompleted == null)) {
3:         this.eIrsaliyeKullanicisiOperationCompleted = new
System.Threading.SendOrPostCallback(this.OneIrsaliyeKullanicisiOperationCompleted);
4:     }
5:     this.InvokeAsync("eIrsaliyeKullanicisi", new object[] {
6:                 vergiTcKimlikNo}, this.eIrsaliyeKullanicisiOperationCompleted,
userState);
7: }
```

1.1.3.1.17.2.40 connectorService.erpBilgileriBelirle Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
erpBilgileriBelirle([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
ed)]
erpBilgileri erpBilgileri);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
erpBilgileriBelirle([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
erpBilgileri erpBilgileri) {
3:     this.Invoke("erpBilgileriBelirle", new object[] {
4:                 vergiTcKimlikNo,
5:                 erpBilgileri});
6: }
```

1.1.3.1.17.2.41 erpBilgileriBelirleAsync Method

1.1.3.1.17.2.41.1 connectorService.erpBilgileriBelirleAsync Method (string, erpBilgileri)

C#

```
public void erpBilgileriBelirleAsync(string vergiTcKimlikNo, erpBilgileri erpBilgileri);
```

Body Source

```
1: public void erpBilgileriBelirleAsync(string vergiTcKimlikNo, erpBilgileri erpBilgileri) {
2:     this.erpBilgileriBelirleAsync(vergiTcKimlikNo, erpBilgileri, null);
3: }
```

1.1.3.1.17.2.41.2 connectorService.erpBilgileriBelirleAsync Method (string, erpBilgileri, object)

C#

```
public void erpBilgileriBelirleAsync(string vergiTcKimlikNo, erpBilgileri erpBilgileri,
object userState);
```

Body Source

```
1: public void erpBilgileriBelirleAsync(string vergiTcKimlikNo, erpBilgileri erpBilgileri,
object userState) {
2:     if ((this.erpBilgileriBelirleOperationCompleted == null)) {
3:         this.erpBilgileriBelirleOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnerpBilgileriBelirleOperationCompleted);
4:     }
5:     this.InvokeAsync("erpBilgileriBelirle", new object[] {
6:                 vergiTcKimlikNo,
7:                 erpBilgileri}, this.erpBilgileriBelirleOperationCompleted, userState);
8: }
```

1.1.3.1.17.2.42 connectorService.faturaKepIleIadeEdildi Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
faturaKepIleIadeEdildi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string uuid,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gelenGiden);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
faturaKepIleIadeEdildi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string uuid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gelenGiden) {
4:     object[] results = this.Invoke("faturaKepIleIadeEdildi", new object[] {
5:                 uuid,
6:                 gelenGiden});
7:     return ((bool)(results[0]));
8: }
```

1.1.3.1.17.2.43 faturaKepIleIadeEdildiAsync Method

1.1.3.1.17.2.43.1 connectorService.faturaKepIleIadeEdildiAsync Method (string, string)

C#

```
public void faturaKepIleIadeEdildiAsync(string uuid, string gelenGiden);
```

Body Source

```
1: public void faturaKepIleIadeEdildiAsync(string uuid, string gelenGiden) {
2:     this.faturaKepIleIadeEdildiAsync(uuid, gelenGiden, null);
3: }
```

1.1.3.1.17.2.43.2 connectorService.faturaKepIleIadeEdildiAsync Method (string, string, object)

C#

```
public void faturaKepIleIadeEdildiAsync(string uuid, string gelenGiden, object userState);
```

Body Source

```
1: public void faturaKepIleIadeEdildiAsync(string uuid, string gelenGiden, object
userState) {
2:     if ((this.faturaKepIleIadeEdildiOperationCompleted == null)) {
3:         this.faturaKepIleIadeEdildiOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaKepIleIadeEdildiOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaKepIleIadeEdildi", new object[] {
6:                 uuid,
7:                 gelenGiden}, this.faturaKepIleIadeEdildiOperationCompleted, userState);
8: }
```

1.1.3.1.17.2.44 connectorService.faturaKepIleIadeEdildiIptal Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
faturaKepIleIadeEdildiIptal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string uuid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gelenGiden);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
faturaKepIleIadeEdildiIptal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string uuid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gelenGiden) {
4:     object[] results = this.Invoke("faturaKepIleIadeEdildiIptal", new object[] {
5:                 uuid,
6:                 gelenGiden});
7:     return ((bool)(results[0]));
8: }
```

1.1.3.1.17.2.45 faturaKepIleIadeEdildiIptalAsync Method

1.1.3.1.17.2.45.1 connectorService.faturaKepIleIadeEdildiIptalAsync Method (string, string)

C#

```
public void faturaKepIleIadeEdildiIptalAsync(string uuid, string gelenGiden);
```

Body Source

```
1: public void faturaKepIleIadeEdildiIptalAsync(string uuid, string gelenGiden) {
2:     this.faturaKepIleIadeEdildiIptalAsync(uuid, gelenGiden, null);
3: }
```

1.1.3.1.17.2.45.2 connectorService.faturaKepIleIadeEdildiIptalAsync Method (string, string, object)

C#

```
public void faturaKepIleIadeEdildiIptalAsync(string uuid, string gelenGiden, object
userState);
```

Body Source

```
1: public void faturaKepIleIadeEdildiIptalAsync(string uuid, string gelenGiden, object
userState) {
2:     if ((this.faturaKepIleIadeEdildiIptalOperationCompleted == null)) {
3:         this.faturaKepIleIadeEdildiIptalOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaKepIleIadeEdildiIptalOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaKepIleIadeEdildiIptal", new object[] {
6:                 uuid,
7:                 gelenGiden}, this.faturaKepIleIadeEdildiIptalOperationCompleted,
userState);
8: }
```

1.1.3.1.17.2.46 connectorService.faturaMailGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
faturaMailGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSch
emaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string inOut,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string UUID,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string faturaNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string alicilar,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeFormati);
```

Body Source

```
 1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
 2: public void
faturaMailGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSch
emaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string inOut,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string UUID,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string faturaNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string alicilar,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeFormati) {
 3:     this.Invoke("faturaMailGonder", new object[] {
 4:                 vknTckn,
 5:                 inOut,
 6:                 UUID,
 7:                 faturaNo,
 8:                 alicilar,
 9:                 belgeFormati});
10: }
```

1.1.3.1.17.2.47 faturaMailGonderAsync Method

1.1.3.1.17.2.47.1 connectorService.faturaMailGonderAsync Method (string, string, string, string, string, string)

C#

```
public void faturaMailGonderAsync(string vknTckn, string inOut, string UUID, string
faturaNo, string alicilar, string belgeFormati);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```
1: public void faturaMailGonderAsync(string vknTckn, string inOut, string UUID, string
faturaNo, string alicilar, string belgeFormati) {
2:     this.faturaMailGonderAsync(vknTckn, inOut, UUID, faturaNo, alicilar, belgeFormati,
null);
3: }
```

1.1.3.1.17.2.47.2 connectorService.faturaMailGonderAsync Method (string, string, string, string, string, string, object)

C#

```
public void faturaMailGonderAsync(string vknTckn, string inOut, string UUID, string
faturaNo, string alicilar, string belgeFormati, object userState);
```

Body Source

```
 1: public void faturaMailGonderAsync(string vknTckn, string inOut, string UUID, string
faturaNo, string alicilar, string belgeFormati, object userState) {
 2:     if ((this.faturaMailGonderOperationCompleted == null)) {
 3:         this.faturaMailGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaMailGonderOperationCompleted);
 4:     }
 5:     this.InvokeAsync("faturaMailGonder", new object[] {
 6:                 vknTckn,
 7:                 inOut,
 8:                 UUID,
 9:                 faturaNo,
10:                 alicilar,
11:                 belgeFormati}, this.faturaMailGonderOperationCompleted, userState);
12: }
```

1.1.3.1.17.2.48 connectorService.faturaNoUret Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
faturaNoUret([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaF
orm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string faturaKodu);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
faturaNoUret([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaF
orm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string faturaKodu) {
4:     object[] results = this.Invoke("faturaNoUret", new object[] {
5:                 vknTckn,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
                faturaKodu});
    return ((string)(results[0]));
}
```

1.1.3.1.17.2.49 faturaNoUretAsync Method

1.1.3.1.17.2.49.1 connectorService.faturaNoUretAsync Method (string, string)

C#

```
public void faturaNoUretAsync(string vknTckn, string faturaKodu);
```

Body Source

```
public void faturaNoUretAsync(string vknTckn, string faturaKodu) {
    this.faturaNoUretAsync(vknTckn, faturaKodu, null);
}
```

1.1.3.1.17.2.49.2 connectorService.faturaNoUretAsync Method (string, string, object)

C#

```
public void faturaNoUretAsync(string vknTckn, string faturaKodu, object userState);
```

Body Source

```
public void faturaNoUretAsync(string vknTckn, string faturaKodu, object userState) {
    if ((this.faturaNoUretOperationCompleted == null)) {
        this.faturaNoUretOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaNoUretOperationCompleted);
    }
    this.InvokeAsync("faturaNoUret", new object[] {
                vknTckn,
                faturaKodu}, this.faturaNoUretOperationCompleted, userState);
}
```

1.1.3.1.17.2.50 connectorService.faturaTarihcesiSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
faturaTarihcesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string faturaYonu,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string vknTckn);
```

Body Source

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
faturaTarihcesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string ettn,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string faturaYonu,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string vknTckn) {
4:     object[] results = this.Invoke("faturaTarihcesiSorgula", new object[] {
5:                 ettn,
6:                 faturaYonu,
7:                 vknTckn});
8:     return ((serviceReturnType[])(results[0]));
9: }
```

1.1.3.1.17.2.51 faturaTarihcesiSorgulaAsync Method

1.1.3.1.17.2.51.1 connectorService.faturaTarihcesiSorgulaAsync Method (string, string, string)

C#

```
public void faturaTarihcesiSorgulaAsync(string ettn, string faturaYonu, string vknTckn);
```

Body Source

```
1: public void faturaTarihcesiSorgulaAsync(string ettn, string faturaYonu, string vknTckn) {
2:     this.faturaTarihcesiSorgulaAsync(ettn, faturaYonu, vknTckn, null);
3: }
```

1.1.3.1.17.2.51.2 connectorService.faturaTarihcesiSorgulaAsync Method (string, string, string, object)

C#

```
public void faturaTarihcesiSorgulaAsync(string ettn, string faturaYonu, string vknTckn,
object userState);
```

Body Source

```
1: public void faturaTarihcesiSorgulaAsync(string ettn, string faturaYonu, string vknTckn,
object userState) {
2:     if ((this.faturaTarihcesiSorgulaOperationCompleted == null)) {
3:         this.faturaTarihcesiSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaTarihcesiSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaTarihcesiSorgula", new object[] {
6:                 ettn,
7:                 faturaYonu,
8:                 vknTckn}, this.faturaTarihcesiSorgulaOperationCompleted, userState);
9: }
```

1.1.3.1.17.2.52 connectorService.faturayaItirazEdildi Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool faturayaItirazEdildi([System.Xml.Serialization.XmlElementAttribute("ettnList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnList,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gelenGiden,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string iptalSenaryosu);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
faturayaItirazEdildi([System.Xml.Serialization.XmlElementAttribute("ettnList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnList,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gelenGiden,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string iptalSenaryosu) {
4:     object[] results = this.Invoke("faturayaItirazEdildi", new object[] {
5:                 ettnList,
6:                 gelenGiden,
7:                 iptalSenaryosu});
8:     return ((bool)(results[0]));
9: }
```

1.1.3.1.17.2.53 faturayaItirazEdildiAsync Method

1.1.3.1.17.2.53.1 connectorService.faturayaItirazEdildiAsync Method (string[], string, string)

C#

```
public void faturayaItirazEdildiAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu);
```

Body Source

```
1: public void faturayaItirazEdildiAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu) {
2:     this.faturayaItirazEdildiAsync(ettnList, gelenGiden, iptalSenaryosu, null);
3: }
```

1.1.3.1.17.2.53.2 connectorService.faturayaItirazEdildiAsync Method (string[], string, string, object)

C#

```
public void faturayaItirazEdildiAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu, object userState);
```

Body Source

```
1: public void faturayaItirazEdildiAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu, object userState) {
2:     if ((this.faturayaItirazEdildiOperationCompleted == null)) {
3:         this.faturayaItirazEdildiOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturayaItirazEdildiOperationCompleted);
4:     }
5:     this.InvokeAsync("faturayaItirazEdildi", new object[] {
6:                 ettnList,
7:                 gelenGiden,
8:                 iptalSenaryosu}, this.faturayaItirazEdildiOperationCompleted, userState);
9: }
```

1.1.3.1.17.2.54 connectorService.faturayaItirazEdildiIptal Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
public bool
faturayaItirazEdildiIptal([System.Xml.Serialization.XmlElementAttribute("ettnList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnList,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gelenGiden,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string iptalSenaryosu);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
faturayaItirazEdildiIptal([System.Xml.Serialization.XmlElementAttribute("ettnList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnList,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gelenGiden,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string iptalSenaryosu) {
4:     object[] results = this.Invoke("faturayaItirazEdildiIptal", new object[] {
5:                 ettnList,
6:                 gelenGiden,
7:                 iptalSenaryosu});
8:     return ((bool)(results[0]));
9: }
```

1.1.3.1.17.2.55 faturayaItirazEdildiIptalAsync Method

1.1.3.1.17.2.55.1 connectorService.faturayaItirazEdildiIptalAsync Method (string[], string, string)

C#

```
public void faturayaItirazEdildiIptalAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu);
```

Body Source

```
1: public void faturayaItirazEdildiIptalAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu) {
2:     this.faturayaItirazEdildiIptalAsync(ettnList, gelenGiden, iptalSenaryosu, null);
3: }
```

1.1.3.1.17.2.55.2 connectorService.faturayaItirazEdildiIptalAsync Method (string[], string, string, object)

C#

```
public void faturayaItirazEdildiIptalAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu, object userState);
```

Body Source

```
1: public void faturayaItirazEdildiIptalAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu, object userState) {
2:     if ((this.faturayaItirazEdildiIptalOperationCompleted == null)) {
3:         this.faturayaItirazEdildiIptalOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturayaItirazEdildiIptalOperationCompleted);
4:     }
5:     this.InvokeAsync("faturayaItirazEdildiIptal", new object[] {
6:                 ettnList,
7:                 gelenGiden,
8:                 iptalSenaryosu}, this.faturayaItirazEdildiIptalOperationCompleted,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
userState);
9: }
```

1.1.3.1.17.2.56 connectorService.gelenBelgeDurumSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType
gelenBelgeDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType
gelenBelgeDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru) {
4:     object[] results = this.Invoke("gelenBelgeDurumSorgula", new object[] {
5:                 vergiTcKimlikNo,
6:                 ettn,
7:                 belgeTuru});
8:     return ((serviceReturnType)(results[0]));
9: }
```

1.1.3.1.17.2.57 gelenBelgeDurumSorgulaAsync Method

1.1.3.1.17.2.57.1 connectorService.gelenBelgeDurumSorgulaAsync Method (string, string, string)

C#

```
public void gelenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string ettn, string
belgeTuru);
```

Body Source

```
1: public void gelenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string ettn, string
belgeTuru) {
2:     this.gelenBelgeDurumSorgulaAsync(vergiTcKimlikNo, ettn, belgeTuru, null);
3: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.2.57.2 connectorService.gelenBelgeDurumSorgulaAsync Method (string, string, string, object)

C#

```
public void gelenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string ettn, string
belgeTuru, object userState);
```

Body Source

```
1: public void gelenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string ettn, string
belgeTuru, object userState) {
2:     if ((this.gelenBelgeDurumSorgulaOperationCompleted == null)) {
3:         this.gelenBelgeDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeDurumSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeDurumSorgula", new object[] {
6:                 vergiTcKimlikNo,
7:                 ettn,
8:                 belgeTuru}, this.gelenBelgeDurumSorgulaOperationCompleted, userState);
9: }
```

1.1.3.1.17.2.58 connectorService.gelenBelgeDurumSorgulaExt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType
gelenBelgeDurumSorgulaExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType
gelenBelgeDurumSorgulaExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("gelenBelgeDurumSorgulaExt", new object[] {
5:                 parametreler});
6:     return ((serviceReturnType)(results[0]));
7: }
```

1.1.3.1.17.2.59 gelenBelgeDurumSorgulaExtAsync Method

1.1.3.1.17.2.59.1 connectorService.gelenBelgeDurumSorgulaExtAsync Method (gelenBelgeParametreleri)

C#

```
public void gelenBelgeDurumSorgulaExtAsync(gelenBelgeParametreleri parametreler);
```

Body Source

```
1: public void gelenBelgeDurumSorgulaExtAsync(gelenBelgeParametreleri parametreler) {
2:     this.gelenBelgeDurumSorgulaExtAsync(parametreler, null);
3: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.2.59.2 connectorService.gelenBelgeDurumSorgulaExtAsync Method (gelenBelgeParametreleri, object)

C#

```
public void gelenBelgeDurumSorgulaExtAsync(gelenBelgeParametreleri parametreler, object
userState);
```

Body Source

```
1: public void gelenBelgeDurumSorgulaExtAsync(gelenBelgeParametreleri parametreler, object
userState) {
2:     if ((this.gelenBelgeDurumSorgulaExtOperationCompleted == null)) {
3:         this.gelenBelgeDurumSorgulaExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeDurumSorgulaExtOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeDurumSorgulaExt", new object[] {
6:                 parametreler}, this.gelenBelgeDurumSorgulaExtOperationCompleted,
userState);
7: }
```

1.1.3.1.17.2.60 connectorService.gelenBelgeEkleriAl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gelenBelgeEkleriAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string uuid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gelenBelgeEkleriAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string uuid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru) {
4:     object[] results = this.Invoke("gelenBelgeEkleriAl", new object[] {
5:                 uuid,
6:                 vknTckn,
7:                 belgeTuru});
8:     return ((byte[])(results[0]));
9: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.2.61 gelenBelgeEkleriAlAsync Method

1.1.3.1.17.2.61.1 connectorService.gelenBelgeEkleriAlAsync Method (string, string, string)

C#

```
public void gelenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru);
```

Body Source

```
1: public void gelenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru) {
2:     this.gelenBelgeEkleriAlAsync(uuid, vknTckn, belgeTuru, null);
3: }
```

1.1.3.1.17.2.61.2 connectorService.gelenBelgeEkleriAlAsync Method (string, string, string, object)

C#

```
public void gelenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru, object
userState);
```

Body Source

```
1: public void gelenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru,
object userState) {
2:     if ((this.gelenBelgeEkleriAlOperationCompleted == null)) {
3:         this.gelenBelgeEkleriAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeEkleriAlOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeEkleriAl", new object[] {
6:                 uuid,
7:                 vknTckn,
8:                 belgeTuru}, this.gelenBelgeEkleriAlOperationCompleted, userState);
9: }
```

1.1.3.1.17.2.62 connectorService.gelenBelgeleriAl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gelenBelgeleriAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSch
emaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string sonAlinanBelgeSiraNumarasi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gelenBelgeleriAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSch
emaForm.Unqualified)]
string vergiTcKimlikNo,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string sonAlinanBelgeSiraNumarasi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru) {
4:     object[] results = this.Invoke("gelenBelgeleriAl", new object[] {
5:                 vergiTcKimlikNo,
6:                 sonAlinanBelgeSiraNumarasi,
7:                 belgeTuru});
8:     return ((serviceReturnType[])(results[0]));
9: }
```

1.1.3.1.17.2.63 gelenBelgeleriAlAsync Method

1.1.3.1.17.2.63.1 connectorService.gelenBelgeleriAlAsync Method (string, string, string)

C#

```
public void gelenBelgeleriAlAsync(string vergiTcKimlikNo, string
sonAlinanBelgeSiraNumarasi, string belgeTuru);
```

Body Source

```
1: public void gelenBelgeleriAlAsync(string vergiTcKimlikNo, string
sonAlinanBelgeSiraNumarasi, string belgeTuru) {
2:     this.gelenBelgeleriAlAsync(vergiTcKimlikNo, sonAlinanBelgeSiraNumarasi, belgeTuru,
null);
3: }
```

1.1.3.1.17.2.63.2 connectorService.gelenBelgeleriAlAsync Method (string, string, string, object)

C#

```
public void gelenBelgeleriAlAsync(string vergiTcKimlikNo, string
sonAlinanBelgeSiraNumarasi, string belgeTuru, object userState);
```

Body Source

```
1: public void gelenBelgeleriAlAsync(string vergiTcKimlikNo, string
sonAlinanBelgeSiraNumarasi, string belgeTuru, object userState) {
2:     if ((this.gelenBelgeleriAlOperationCompleted == null)) {
3:         this.gelenBelgeleriAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeleriAlOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeleriAl", new object[] {
6:                 vergiTcKimlikNo,
7:                 sonAlinanBelgeSiraNumarasi,
8:                 belgeTuru}, this.gelenBelgeleriAlOperationCompleted, userState);
9: }
```

1.1.3.1.17.2.64 connectorService.gelenBelgeleriAlExt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gelenBelgeleriAlExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gelenBelgeleriAlExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("gelenBelgeleriAlExt", new object[] {
5:                 parametreler});
6:     return ((serviceReturnType[])(results[0]));
7: }
```

1.1.3.1.17.2.65 connectorService.gelenBelgeleriAlExt2 Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gelenBelgeleriAlExt2([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
lSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru, [System.Xml.Serialization.XmlArrayItemAttribute("entry",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=false)]
gelenBelgeleriAlExt2Entry[] parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gelenBelgeleriAlExt2([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
lSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlArrayAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified
)]
[System.Xml.Serialization.XmlArrayItemAttribute("entry",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=false)]
gelenBelgeleriAlExt2Entry[] parametreler) {
4:     object[] results = this.Invoke("gelenBelgeleriAlExt2", new object[] {
5:                 vergiTcKimlikNo,
6:                 belgeTuru,
7:                 parametreler});
8:     return ((serviceReturnType[])(results[0]));
9: }
```

1.1.3.1.17.2.66 gelenBelgeleriAlExt2Async Method

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.2.66.1 connectorService.gelenBelgeleriAlExt2Async Method (string, string, gelenBelgeleriAlExt2Entry[])

C#

```
public void gelenBelgeleriAlExt2Async(string vergiTcKimlikNo, string belgeTuru,
gelenBelgeleriAlExt2Entry[] parametreler);
```

Body Source

```
1: public void gelenBelgeleriAlExt2Async(string vergiTcKimlikNo, string belgeTuru,
gelenBelgeleriAlExt2Entry[] parametreler) {
2:     this.gelenBelgeleriAlExt2Async(vergiTcKimlikNo, belgeTuru, parametreler, null);
3: }
```

1.1.3.1.17.2.66.2 connectorService.gelenBelgeleriAlExt2Async Method (string, string, gelenBelgeleriAlExt2Entry[], object)

C#

```
public void gelenBelgeleriAlExt2Async(string vergiTcKimlikNo, string belgeTuru,
gelenBelgeleriAlExt2Entry[] parametreler, object userState);
```

Body Source

```
1: public void gelenBelgeleriAlExt2Async(string vergiTcKimlikNo, string belgeTuru,
gelenBelgeleriAlExt2Entry[] parametreler, object userState) {
2:     if ((this.gelenBelgeleriAlExt2OperationCompleted == null)) {
3:         this.gelenBelgeleriAlExt2OperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeleriAlExt2OperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeleriAlExt2", new object[] {
6:                 vergiTcKimlikNo,
7:                 belgeTuru,
8:                 parametreler}, this.gelenBelgeleriAlExt2OperationCompleted, userState);
9: }
```

1.1.3.1.17.2.67 gelenBelgeleriAlExtAsync Method

1.1.3.1.17.2.67.1 connectorService.gelenBelgeleriAlExtAsync Method (gelenBelgeParametreleri)

C#

```
public void gelenBelgeleriAlExtAsync(gelenBelgeParametreleri parametreler);
```

Body Source

```
1: public void gelenBelgeleriAlExtAsync(gelenBelgeParametreleri parametreler) {
2:     this.gelenBelgeleriAlExtAsync(parametreler, null);
3: }
```

1.1.3.1.17.2.67.2 connectorService.gelenBelgeleriAlExtAsync Method (gelenBelgeParametreleri, object)

C#

```
public void gelenBelgeleriAlExtAsync(gelenBelgeParametreleri parametreler, object
userState);
```

Body Source

```
1: public void gelenBelgeleriAlExtAsync(gelenBelgeParametreleri parametreler, object
userState) {
2:     if ((this.gelenBelgeleriAlExtOperationCompleted == null)) {
3:         this.gelenBelgeleriAlExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeleriAlExtOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeleriAlExt", new object[] {
6:                 parametreler}, this.gelenBelgeleriAlExtOperationCompleted, userState);
7: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.2.68 connectorService.gelenBelgeleriIndir Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gelenBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeFormati);
```

Body Source

```
 1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
 2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
 3: public byte[]
gelenBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeFormati) {
 4:     object[] results = this.Invoke("gelenBelgeleriIndir", new object[] {
 5:                 vergiTcKimlikNo,
 6:                 ettnler,
 7:                 belgeTuru,
 8:                 belgeFormati});
 9:     return ((byte[])(results[0]));
10: }
```

1.1.3.1.17.2.69 gelenBelgeleriIndirAsync Method

1.1.3.1.17.2.69.1 connectorService.gelenBelgeleriIndirAsync Method (string, string[], string, string)

C#

```
public void gelenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler, string
belgeTuru, string belgeFormati);
```

Body Source

```
1: public void gelenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler, string
belgeTuru, string belgeFormati) {
2:     this.gelenBelgeleriIndirAsync(vergiTcKimlikNo, ettnler, belgeTuru, belgeFormati,
null);
3: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.2.69.2 connectorService.gelenBelgeleriIndirAsync Method (string, string[], string, string, object)

C#

```
public void gelenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler, string
belgeTuru, string belgeFormati, object userState);
```

Body Source

```
 1: public void gelenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler, string
belgeTuru, string belgeFormati, object userState) {
 2:     if ((this.gelenBelgeleriIndirOperationCompleted == null)) {
 3:         this.gelenBelgeleriIndirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeleriIndirOperationCompleted);
 4:     }
 5:     this.InvokeAsync("gelenBelgeleriIndir", new object[] {
 6:                 vergiTcKimlikNo,
 7:                 ettnler,
 8:                 belgeTuru,
 9:                 belgeFormati}, this.gelenBelgeleriIndirOperationCompleted, userState);
10: }
```

1.1.3.1.17.2.70 connectorService.gelenBelgeleriIndirExt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gelenBelgeleriIndirExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gelenBelgeleriIndirExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("gelenBelgeleriIndirExt", new object[] {
5:                 parametreler});
6:     return ((byte[])(results[0]));
7: }
```

1.1.3.1.17.2.71 gelenBelgeleriIndirExtAsync Method

1.1.3.1.17.2.71.1 connectorService.gelenBelgeleriIndirExtAsync Method (gelenBelgeParametreleri)

C#

```
public void gelenBelgeleriIndirExtAsync(gelenBelgeParametreleri parametreler);
```

Body Source

```
1: public void gelenBelgeleriIndirExtAsync(gelenBelgeParametreleri parametreler) {
2:     this.gelenBelgeleriIndirExtAsync(parametreler, null);
3: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.2.71.2 connectorService.gelenBelgeleriIndirExtAsync Method (gelenBelgeParametreleri, object)

C#

```
public void gelenBelgeleriIndirExtAsync(gelenBelgeParametreleri parametreler, object
userState);
```

Body Source

```
1: public void gelenBelgeleriIndirExtAsync(gelenBelgeParametreleri parametreler, object
userState) {
2:     if ((this.gelenBelgeleriIndirExtOperationCompleted == null)) {
3:         this.gelenBelgeleriIndirExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeleriIndirExtOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeleriIndirExt", new object[] {
6:                 parametreler}, this.gelenBelgeleriIndirExtOperationCompleted, userState);
7: }
```

1.1.3.1.17.2.72 connectorService.gelenBelgeleriListele Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gelenBelgeleriListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string sonAlinanBelgeSiraNumarasi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gelenBelgeleriListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string sonAlinanBelgeSiraNumarasi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru) {
4:     object[] results = this.Invoke("gelenBelgeleriListele", new object[] {
5:                 vergiTcKimlikNo,
6:                 sonAlinanBelgeSiraNumarasi,
7:                 belgeTuru});
8:     return ((serviceReturnType[])(results[0]));
9: }
```

1.1.3.1.17.2.73 gelenBelgeleriListeleAsync Method

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.2.73.1 connectorService.gelenBelgeleriListeleAsync Method (string, string, string)

C#

```
public void gelenBelgeleriListeleAsync(string vergiTcKimlikNo, string
sonAlinanBelgeSiraNumarasi, string belgeTuru);
```

Body Source

```
1: public void gelenBelgeleriListeleAsync(string vergiTcKimlikNo, string
sonAlinanBelgeSiraNumarasi, string belgeTuru) {
2:     this.gelenBelgeleriListeleAsync(vergiTcKimlikNo, sonAlinanBelgeSiraNumarasi,
belgeTuru, null);
3: }
```

1.1.3.1.17.2.73.2 connectorService.gelenBelgeleriListeleAsync Method (string, string, string, object)

C#

```
public void gelenBelgeleriListeleAsync(string vergiTcKimlikNo, string
sonAlinanBelgeSiraNumarasi, string belgeTuru, object userState);
```

Body Source

```
1: public void gelenBelgeleriListeleAsync(string vergiTcKimlikNo, string
sonAlinanBelgeSiraNumarasi, string belgeTuru, object userState) {
2:     if ((this.gelenBelgeleriListeleOperationCompleted == null)) {
3:         this.gelenBelgeleriListeleOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeleriListeleOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeleriListele", new object[] {
6:                 vergiTcKimlikNo,
7:                 sonAlinanBelgeSiraNumarasi,
8:                 belgeTuru}, this.gelenBelgeleriListeleOperationCompleted, userState);
9: }
```

1.1.3.1.17.2.74 connectorService.gelenBelgeleriListeleExt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gelenBelgeleriListeleExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schem
a.XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gelenBelgeleriListeleExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schem
a.XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("gelenBelgeleriListeleExt", new object[] {
5:                 parametreler});
6:     return ((serviceReturnType[])(results[0]));
7: }
```

1.1.3.1.17.2.75 gelenBelgeleriListeleExtAsync Method

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.2.75.1 connectorService.gelenBelgeleriListeleExtAsync Method (gelenBelgeParametreleri)

C#

```
public void gelenBelgeleriListeleExtAsync(gelenBelgeParametreleri parametreler);
```

Body Source

```
1: public void gelenBelgeleriListeleExtAsync(gelenBelgeParametreleri parametreler) {
2:     this.gelenBelgeleriListeleExtAsync(parametreler, null);
3: }
```

1.1.3.1.17.2.75.2 connectorService.gelenBelgeleriListeleExtAsync Method (gelenBelgeParametreleri, object)

C#

```
public void gelenBelgeleriListeleExtAsync(gelenBelgeParametreleri parametreler, object
userState);
```

Body Source

```
1: public void gelenBelgeleriListeleExtAsync(gelenBelgeParametreleri parametreler, object
userState) {
2:     if ((this.gelenBelgeleriListeleExtOperationCompleted == null)) {
3:         this.gelenBelgeleriListeleExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeleriListeleExtOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeleriListeleExt", new object[] {
6:                 parametreler}, this.gelenBelgeleriListeleExtOperationCompleted,
userState);
7: }
```

1.1.3.1.17.2.76 connectorService.gelenBelgeTutarBilgileriSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gelenBelgeTutarBilgileriSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string baslangicGelisTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string bitisGelisTarihi);
```

Body Source

```
 1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
 2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
 3: public serviceReturnType[]
gelenBelgeTutarBilgileriSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string baslangicGelisTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string bitisGelisTarihi) {
 4:     object[] results = this.Invoke("gelenBelgeTutarBilgileriSorgula", new object[] {
 5:                 vergiTcKimlikNo,
 6:                 belgeTuru,
 7:                 baslangicGelisTarihi,
 8:                 bitisGelisTarihi});
 9:     return ((serviceReturnType[])(results[0]));
10: }
```

1.1.3.1.17.2.77 gelenBelgeTutarBilgileriSorgulaAsync Method

1.1.3.1.17.2.77.1 connectorService.gelenBelgeTutarBilgileriSorgulaAsync Method (string, string, string, string)

C#

```
public void gelenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string belgeTuru,
string baslangicGelisTarihi, string bitisGelisTarihi);
```

Body Source

```
1: public void gelenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string
belgeTuru, string baslangicGelisTarihi, string bitisGelisTarihi) {
2:     this.gelenBelgeTutarBilgileriSorgulaAsync(vergiTcKimlikNo, belgeTuru,
baslangicGelisTarihi, bitisGelisTarihi, null);
3: }
```

1.1.3.1.17.2.77.2 connectorService.gelenBelgeTutarBilgileriSorgulaAsync Method (string, string, string, string, object)

C#

```
public void gelenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string belgeTuru,
string baslangicGelisTarihi, string bitisGelisTarihi, object userState);
```

Body Source

```
 1: public void gelenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string
belgeTuru, string baslangicGelisTarihi, string bitisGelisTarihi, object userState) {
 2:     if ((this.gelenBelgeTutarBilgileriSorgulaOperationCompleted == null)) {
 3:         this.gelenBelgeTutarBilgileriSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeTutarBilgileriSorgulaOperationCompleted
);
 4:     }
 5:     this.InvokeAsync("gelenBelgeTutarBilgileriSorgula", new object[] {
 6:                 vergiTcKimlikNo,
 7:                 belgeTuru,
 8:                 baslangicGelisTarihi,
 9:                 bitisGelisTarihi},
this.gelenBelgeTutarBilgileriSorgulaOperationCompleted, userState);
10: }
```

1.1.3.1.17.2.78 connectorService.gelenBelgeXmlleriniAl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string[]
gelenBelgeXmlleriniAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string[]
gelenBelgeXmlleriniAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru) {
4:     object[] results = this.Invoke("gelenBelgeXmlleriniAl", new object[] {
5:                 vergiTcKimlikNo,
6:                 ettnler,
7:                 belgeTuru});
8:     return ((string[])(results[0]));
9: }
```

1.1.3.1.17.2.79 gelenBelgeXmlleriniAlAsync Method

1.1.3.1.17.2.79.1 connectorService.gelenBelgeXmlleriniAlAsync Method (string, string[], string)

C#

```
public void gelenBelgeXmlleriniAlAsync(string vergiTcKimlikNo, string[] ettnler, string
belgeTuru);
```

Body Source

```
1: public void gelenBelgeXmlleriniAlAsync(string vergiTcKimlikNo, string[] ettnler, string
belgeTuru) {
2:     this.gelenBelgeXmlleriniAlAsync(vergiTcKimlikNo, ettnler, belgeTuru, null);
3: }
```

1.1.3.1.17.2.79.2 connectorService.gelenBelgeXmlleriniAlAsync Method (string, string[], string, object)

C#

```
public void gelenBelgeXmlleriniAlAsync(string vergiTcKimlikNo, string[] ettnler, string
belgeTuru, object userState);
```

Body Source

```
1: public void gelenBelgeXmlleriniAlAsync(string vergiTcKimlikNo, string[] ettnler, string
belgeTuru, object userState) {
2:     if ((this.gelenBelgeXmlleriniAlOperationCompleted == null)) {
3:         this.gelenBelgeXmlleriniAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeXmlleriniAlOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeXmlleriniAl", new object[] {
6:                 vergiTcKimlikNo,
7:                 ettnler,
8:                 belgeTuru}, this.gelenBelgeXmlleriniAlOperationCompleted, userState);
9: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.2.80 connectorService.gelenBelgeXmlleriniAlExt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gelenBelgeXmlleriniAlExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schem
a.XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gelenBelgeXmlleriniAlExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schem
a.XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("gelenBelgeXmlleriniAlExt", new object[] {
5:                 parametreler});
6:     return ((byte[])(results[0]));
7: }
```

1.1.3.1.17.2.81 gelenBelgeXmlleriniAlExtAsync Method

1.1.3.1.17.2.81.1 connectorService.gelenBelgeXmlleriniAlExtAsync Method (gelenBelgeParametreleri)

C#

```
public void gelenBelgeXmlleriniAlExtAsync(gelenBelgeParametreleri parametreler);
```

Body Source

```
1: public void gelenBelgeXmlleriniAlExtAsync(gelenBelgeParametreleri parametreler) {
2:     this.gelenBelgeXmlleriniAlExtAsync(parametreler, null);
3: }
```

1.1.3.1.17.2.81.2 connectorService.gelenBelgeXmlleriniAlExtAsync Method (gelenBelgeParametreleri, object)

C#

```
public void gelenBelgeXmlleriniAlExtAsync(gelenBelgeParametreleri parametreler, object
userState);
```

Body Source

```
1: public void gelenBelgeXmlleriniAlExtAsync(gelenBelgeParametreleri parametreler, object
userState) {
2:     if ((this.gelenBelgeXmlleriniAlExtOperationCompleted == null)) {
3:         this.gelenBelgeXmlleriniAlExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeXmlleriniAlExtOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeXmlleriniAlExt", new object[] {
6:                 parametreler}, this.gelenBelgeXmlleriniAlExtOperationCompleted,
userState);
7: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.2.82 connectorService.gelenFaturalariArsiveKaldir Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
gelenFaturalariArsiveKaldir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("invoiceEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] invoiceEttnListesi);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
gelenFaturalariArsiveKaldir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("invoiceEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] invoiceEttnListesi) {
3:     this.Invoke("gelenFaturalariArsiveKaldir", new object[] {
4:                 vergiTcKimlikNo,
5:                 invoiceEttnListesi});
6: }
```

1.1.3.1.17.2.83 gelenFaturalariArsiveKaldirAsync Method

1.1.3.1.17.2.83.1 connectorService.gelenFaturalariArsiveKaldirAsync Method (string, string[])

C#

```
public void gelenFaturalariArsiveKaldirAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi);
```

Body Source

```
1: public void gelenFaturalariArsiveKaldirAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi) {
2:     this.gelenFaturalariArsiveKaldirAsync(vergiTcKimlikNo, invoiceEttnListesi, null);
3: }
```

1.1.3.1.17.2.83.2 connectorService.gelenFaturalariArsiveKaldirAsync Method (string, string[], object)

C#

```
public void gelenFaturalariArsiveKaldirAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi, object userState);
```

Body Source

```
1: public void gelenFaturalariArsiveKaldirAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi, object userState) {
2:     if ((this.gelenFaturalariArsiveKaldirOperationCompleted == null)) {
3:         this.gelenFaturalariArsiveKaldirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenFaturalariArsiveKaldirOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenFaturalariArsiveKaldir", new object[] {
6:                 vergiTcKimlikNo,
7:                 invoiceEttnListesi}, this.gelenFaturalariArsiveKaldirOperationCompleted,
userState);
8: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.2.84 connectorService.gelenIrsaliyeleriArsiveKaldir Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
gelenIrsaliyeleriArsiveKaldir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute("despatchEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] despatchEttnListesi);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
gelenIrsaliyeleriArsiveKaldir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute("despatchEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] despatchEttnListesi) {
3:     this.Invoke("gelenIrsaliyeleriArsiveKaldir", new object[] {
4:                 vergiTcKimlikNo,
5:                 despatchEttnListesi});
6: }
```

1.1.3.1.17.2.85 gelenIrsaliyeleriArsiveKaldirAsync Method

1.1.3.1.17.2.85.1 connectorService.gelenIrsaliyeleriArsiveKaldirAsync Method (string, string[])

C#

```
public void gelenIrsaliyeleriArsiveKaldirAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi);
```

Body Source

```
1: public void gelenIrsaliyeleriArsiveKaldirAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi) {
2:     this.gelenIrsaliyeleriArsiveKaldirAsync(vergiTcKimlikNo, despatchEttnListesi, null);
3: }
```

1.1.3.1.17.2.85.2 connectorService.gelenIrsaliyeleriArsiveKaldirAsync Method (string, string[], object)

C#

```
public void gelenIrsaliyeleriArsiveKaldirAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi, object userState);
```

Body Source

```
1: public void gelenIrsaliyeleriArsiveKaldirAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi, object userState) {
2:     if ((this.gelenIrsaliyeleriArsiveKaldirOperationCompleted == null)) {
3:         this.gelenIrsaliyeleriArsiveKaldirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenIrsaliyeleriArsiveKaldirOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenIrsaliyeleriArsiveKaldir", new object[] {
6:                 vergiTcKimlikNo,
7:                 despatchEttnListesi},
this.gelenIrsaliyeleriArsiveKaldirOperationCompleted, userState);
8: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.2.86 connectorService.gelenStandartRapolariAl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gelenStandartRapolariAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema
.XmlSchemaForm.Unqualified)]
string gonderenVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string aliciVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string baslangicTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string bitisTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gonderimBaslangicTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gonderimBitisTarihi);
```

Body Source

```
 1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
 2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
 3: public byte[]
gelenStandartRapolariAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema
.XmlSchemaForm.Unqualified)]
string gonderenVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string aliciVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string baslangicTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string bitisTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gonderimBaslangicTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gonderimBitisTarihi) {
 4:     object[] results = this.Invoke("gelenStandartRapolariAl", new object[] {
 5:                 gonderenVknTckn,
 6:                 aliciVknTckn,
 7:                 baslangicTarihi,
 8:                 bitisTarihi,
 9:                 gonderimBaslangicTarihi,
10:                 gonderimBitisTarihi});
11:     return ((byte[])(results[0]));
12: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.2.87 gelenStandartRapolariAlAsync Method

1.1.3.1.17.2.87.1 connectorService.gelenStandartRapolariAlAsync Method (string, string, string, string, string, string)

C#

```
public void gelenStandartRapolariAlAsync(string gonderenVknTckn, string aliciVknTckn,
string baslangicTarihi, string bitisTarihi, string gonderimBaslangicTarihi, string
gonderimBitisTarihi);
```

Body Source

```
1: public void gelenStandartRapolariAlAsync(string gonderenVknTckn, string aliciVknTckn,
string baslangicTarihi, string bitisTarihi, string gonderimBaslangicTarihi, string
gonderimBitisTarihi) {
2:     this.gelenStandartRapolariAlAsync(gonderenVknTckn, aliciVknTckn, baslangicTarihi,
bitisTarihi, gonderimBaslangicTarihi, gonderimBitisTarihi, null);
3: }
```

1.1.3.1.17.2.87.2 connectorService.gelenStandartRapolariAlAsync Method (string, string, string, string, string, string, object)

C#

```
public void gelenStandartRapolariAlAsync(string gonderenVknTckn, string aliciVknTckn,
string baslangicTarihi, string bitisTarihi, string gonderimBaslangicTarihi, string
gonderimBitisTarihi, object userState);
```

Body Source

```
 1: public void gelenStandartRapolariAlAsync(string gonderenVknTckn, string aliciVknTckn,
string baslangicTarihi, string bitisTarihi, string gonderimBaslangicTarihi, string
gonderimBitisTarihi, object userState) {
 2:     if ((this.gelenStandartRapolariAlOperationCompleted == null)) {
 3:         this.gelenStandartRapolariAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenStandartRapolariAlOperationCompleted);
 4:     }
 5:     this.InvokeAsync("gelenStandartRapolariAl", new object[] {
 6:                 gonderenVknTckn,
 7:                 aliciVknTckn,
 8:                 baslangicTarihi,
 9:                 bitisTarihi,
10:                 gonderimBaslangicTarihi,
11:                 gonderimBitisTarihi}, this.gelenStandartRapolariAlOperationCompleted,
userState);
12: }
```

1.1.3.1.17.2.88 connectorService.gelenTamamlananRapolariAl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gelenTamamlananRapolariAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
string gonderenVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string aliciVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gelisBasTarihi,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gelisBitTarihi);
```

Body Source

```
 1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
 2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
 3: public byte[]
gelenTamamlananRapolariAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
string gonderenVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string aliciVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gelisBasTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gelisBitTarihi) {
 4:     object[] results = this.Invoke("gelenTamamlananRapolariAl", new object[] {
 5:                 gonderenVknTckn,
 6:                 aliciVknTckn,
 7:                 gelisBasTarihi,
 8:                 gelisBitTarihi});
 9:     return ((byte[])(results[0]));
10: }
```

1.1.3.1.17.2.89 gelenTamamlananRapolariAlAsync Method

1.1.3.1.17.2.89.1 connectorService.gelenTamamlananRapolariAlAsync Method (string, string, string, string)

C#

```
public void gelenTamamlananRapolariAlAsync(string gonderenVknTckn, string aliciVknTckn,
string gelisBasTarihi, string gelisBitTarihi);
```

Body Source

```
1: public void gelenTamamlananRapolariAlAsync(string gonderenVknTckn, string aliciVknTckn,
string gelisBasTarihi, string gelisBitTarihi) {
2:     this.gelenTamamlananRapolariAlAsync(gonderenVknTckn, aliciVknTckn, gelisBasTarihi,
gelisBitTarihi, null);
3: }
```

1.1.3.1.17.2.89.2 connectorService.gelenTamamlananRapolariAlAsync Method (string, string, string, string, object)

C#

```
public void gelenTamamlananRapolariAlAsync(string gonderenVknTckn, string aliciVknTckn,
string gelisBasTarihi, string gelisBitTarihi, object userState);
```

Body Source

```
 1: public void gelenTamamlananRapolariAlAsync(string gonderenVknTckn, string aliciVknTckn,
string gelisBasTarihi, string gelisBitTarihi, object userState) {
 2:     if ((this.gelenTamamlananRapolariAlOperationCompleted == null)) {
 3:         this.gelenTamamlananRapolariAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenTamamlananRapolariAlOperationCompleted);
 4:     }
 5:     this.InvokeAsync("gelenTamamlananRapolariAl", new object[] {
 6:                 gonderenVknTckn,
 7:                 aliciVknTckn,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
 8:                 gelisBasTarihi,
 9:                 gelisBitTarihi}, this.gelenTamamlananRapolariAlOperationCompleted,
userState);
10: }
```

1.1.3.1.17.2.90 connectorService.gelenTasinanBelgeleriIndir Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gelenTasinanBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sch
ema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeFormati);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gelenTasinanBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sch
ema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeFormati) {
4:     object[] results = this.Invoke("gelenTasinanBelgeleriIndir", new object[] {
5:                 vergiTcKimlikNo,
6:                 ettnler,
7:                 belgeFormati});
8:     return ((byte[])(results[0]));
9: }
```

1.1.3.1.17.2.91 gelenTasinanBelgeleriIndirAsync Method

1.1.3.1.17.2.91.1 connectorService.gelenTasinanBelgeleriIndirAsync Method (string, string[], string)

C#

```
public void gelenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler,
string belgeFormati);
```

Body Source

```
1: public void gelenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler,
string belgeFormati) {
2:     this.gelenTasinanBelgeleriIndirAsync(vergiTcKimlikNo, ettnler, belgeFormati, null);
3: }
```

1.1.3.1.17.2.91.2 connectorService.gelenTasinanBelgeleriIndirAsync Method (string, string[], string, object)

C#

```
public void gelenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
string belgeFormati, object userState);
```

Body Source

```
1: public void gelenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler,
string belgeFormati, object userState) {
2:     if ((this.gelenTasinanBelgeleriIndirOperationCompleted == null)) {
3:         this.gelenTasinanBelgeleriIndirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenTasinanBelgeleriIndirOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenTasinanBelgeleriIndir", new object[] {
6:                 vergiTcKimlikNo,
7:                 ettnler,
8:                 belgeFormati}, this.gelenTasinanBelgeleriIndirOperationCompleted,
userState);
9: }
```

1.1.3.1.17.2.92 connectorService.gidenBelgeDurumSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public gidenBelgeDurum
gidenBelgeDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeOid);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public gidenBelgeDurum
gidenBelgeDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeOid) {
4:     object[] results = this.Invoke("gidenBelgeDurumSorgula", new object[] {
5:                 vergiTcKimlikNo,
6:                 belgeOid});
7:     return ((gidenBelgeDurum)(results[0]));
8: }
```

1.1.3.1.17.2.93 gidenBelgeDurumSorgulaAsync Method

1.1.3.1.17.2.93.1 connectorService.gidenBelgeDurumSorgulaAsync Method (string, string)

C#

```
public void gidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string belgeOid);
```

Body Source

```
1: public void gidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string belgeOid) {
2:     this.gidenBelgeDurumSorgulaAsync(vergiTcKimlikNo, belgeOid, null);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
3: }
```

1.1.3.1.17.2.93.2 connectorService.gidenBelgeDurumSorgulaAsync Method (string, string, object)

C#

```
public void gidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string belgeOid, object
userState);
```

Body Source

```
1: public void gidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string belgeOid, object
userState) {
2:     if ((this.gidenBelgeDurumSorgulaOperationCompleted == null)) {
3:         this.gidenBelgeDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeDurumSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeDurumSorgula", new object[] {
6:                 vergiTcKimlikNo,
7:                 belgeOid}, this.gidenBelgeDurumSorgulaOperationCompleted, userState);
8: }
```

1.1.3.1.17.2.94 connectorService.gidenBelgeDurumSorgulaBelgeNo Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public gidenBelgeDurum
gidenBelgeDurumSorgulaBelgeNo([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string urun);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public gidenBelgeDurum
gidenBelgeDurumSorgulaBelgeNo([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string urun) {
4:     object[] results = this.Invoke("gidenBelgeDurumSorgulaBelgeNo", new object[] {
5:                 vergiTcKimlikNo,
6:                 belgeNo,
7:                 urun});
8:     return ((gidenBelgeDurum)(results[0]));
9: }
```

1.1.3.1.17.2.95 gidenBelgeDurumSorgulaBelgeNoAsync Method

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.2.95.1 connectorService.gidenBelgeDurumSorgulaBelgeNoAsync Method (string, string, string)

C#

```
public void gidenBelgeDurumSorgulaBelgeNoAsync(string vergiTcKimlikNo, string belgeNo,
string urun);
```

Body Source

```
1: public void gidenBelgeDurumSorgulaBelgeNoAsync(string vergiTcKimlikNo, string belgeNo,
string urun) {
2:     this.gidenBelgeDurumSorgulaBelgeNoAsync(vergiTcKimlikNo, belgeNo, urun, null);
3: }
```

1.1.3.1.17.2.95.2 connectorService.gidenBelgeDurumSorgulaBelgeNoAsync Method (string, string, string, object)

C#

```
public void gidenBelgeDurumSorgulaBelgeNoAsync(string vergiTcKimlikNo, string belgeNo,
string urun, object userState);
```

Body Source

```
1: public void gidenBelgeDurumSorgulaBelgeNoAsync(string vergiTcKimlikNo, string belgeNo,
string urun, object userState) {
2:     if ((this.gidenBelgeDurumSorgulaBelgeNoOperationCompleted == null)) {
3:         this.gidenBelgeDurumSorgulaBelgeNoOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeDurumSorgulaBelgeNoOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeDurumSorgulaBelgeNo", new object[] {
6:                 vergiTcKimlikNo,
7:                 belgeNo,
8:                 urun}, this.gidenBelgeDurumSorgulaBelgeNoOperationCompleted, userState);
9: }
```

1.1.3.1.17.2.96 connectorService.gidenBelgeDurumSorgulaEttn Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public gidenBelgeDurum
gidenBelgeDurumSorgulaEttn([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sch
ema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ettn);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public gidenBelgeDurum
gidenBelgeDurumSorgulaEttn([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sch
ema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ettn) {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
4:     object[] results = this.Invoke("gidenBelgeDurumSorgulaEttn", new object[] {
5:                 vergiTcKimlikNo,
6:                 ettn});
7:     return ((gidenBelgeDurum)(results[0]));
8: }
```

1.1.3.1.17.2.97 gidenBelgeDurumSorgulaEttnAsync Method

1.1.3.1.17.2.97.1 connectorService.gidenBelgeDurumSorgulaEttnAsync Method (string, string)

C#

```
public void gidenBelgeDurumSorgulaEttnAsync(string vergiTcKimlikNo, string ettn);
```

Body Source

```
1: public void gidenBelgeDurumSorgulaEttnAsync(string vergiTcKimlikNo, string ettn) {
2:     this.gidenBelgeDurumSorgulaEttnAsync(vergiTcKimlikNo, ettn, null);
3: }
```

1.1.3.1.17.2.97.2 connectorService.gidenBelgeDurumSorgulaEttnAsync Method (string, string, object)

C#

```
public void gidenBelgeDurumSorgulaEttnAsync(string vergiTcKimlikNo, string ettn, object
userState);
```

Body Source

```
1: public void gidenBelgeDurumSorgulaEttnAsync(string vergiTcKimlikNo, string ettn, object
userState) {
2:     if ((this.gidenBelgeDurumSorgulaEttnOperationCompleted == null)) {
3:         this.gidenBelgeDurumSorgulaEttnOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeDurumSorgulaEttnOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeDurumSorgulaEttn", new object[] {
6:                 vergiTcKimlikNo,
7:                 ettn}, this.gidenBelgeDurumSorgulaEttnOperationCompleted, userState);
8: }
```

1.1.3.1.17.2.98 connectorService.gidenBelgeDurumSorgulaExt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType
gidenBelgeDurumSorgulaExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
gidenBelgeDurumParametreleri parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType
gidenBelgeDurumSorgulaExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
gidenBelgeDurumParametreleri parametreler) {
4:     object[] results = this.Invoke("gidenBelgeDurumSorgulaExt", new object[] {
5:                 vergiTcKimlikNo,
6:                 parametreler});
7:     return ((serviceReturnType)(results[0]));
8: }
```

1.1.3.1.17.2.99 gidenBelgeDurumSorgulaExtAsync Method

1.1.3.1.17.2.99.1 connectorService.gidenBelgeDurumSorgulaExtAsync Method (string, gidenBelgeDurumParametreleri)

C#

```
public void gidenBelgeDurumSorgulaExtAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler);
```

Body Source

```
1: public void gidenBelgeDurumSorgulaExtAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler) {
2:     this.gidenBelgeDurumSorgulaExtAsync(vergiTcKimlikNo, parametreler, null);
3: }
```

1.1.3.1.17.2.99.2 connectorService.gidenBelgeDurumSorgulaExtAsync Method (string, gidenBelgeDurumParametreleri, object)

C#

```
public void gidenBelgeDurumSorgulaExtAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler, object userState);
```

Body Source

```
1: public void gidenBelgeDurumSorgulaExtAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler, object userState) {
2:     if ((this.gidenBelgeDurumSorgulaExtOperationCompleted == null)) {
3:         this.gidenBelgeDurumSorgulaExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeDurumSorgulaExtOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeDurumSorgulaExt", new object[] {
6:                 vergiTcKimlikNo,
7:                 parametreler}, this.gidenBelgeDurumSorgulaExtOperationCompleted,
userState);
8: }
```

1.1.3.1.17.2.100 connectorService.gidenBelgeDurumSorgulaPortal Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gidenBelgeDurumSorgulaPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.S
chema.XmlSchemaForm.Unqualified)]
gidenBelgelerDurumSorgulaPortalParametreleri parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gidenBelgeDurumSorgulaPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.S
chema.XmlSchemaForm.Unqualified)]
gidenBelgelerDurumSorgulaPortalParametreleri parametreler) {
4:     object[] results = this.Invoke("gidenBelgeDurumSorgulaPortal", new object[] {
5:                 parametreler});
6:     return ((serviceReturnType[])(results[0]));
7: }
```

1.1.3.1.17.2.101 gidenBelgeDurumSorgulaPortalAsync Method

1.1.3.1.17.2.101.1 connectorService.gidenBelgeDurumSorgulaPortalAsync Method (gidenBelgelerDurumSorgulaPortalParametreleri)

C#

```
public void gidenBelgeDurumSorgulaPortalAsync(gidenBelgelerDurumSorgulaPortalParametreleri
parametreler);
```

Body Source

```
1: public void
gidenBelgeDurumSorgulaPortalAsync(gidenBelgelerDurumSorgulaPortalParametreleri
parametreler) {
2:     this.gidenBelgeDurumSorgulaPortalAsync(parametreler, null);
3: }
```

1.1.3.1.17.2.101.2 connectorService.gidenBelgeDurumSorgulaPortalAsync Method (gidenBelgelerDurumSorgulaPortalParametreleri, object)

C#

```
public void gidenBelgeDurumSorgulaPortalAsync(gidenBelgelerDurumSorgulaPortalParametreleri
parametreler, object userState);
```

Body Source

```
1: public void
gidenBelgeDurumSorgulaPortalAsync(gidenBelgelerDurumSorgulaPortalParametreleri
parametreler, object userState) {
2:     if ((this.gidenBelgeDurumSorgulaPortalOperationCompleted == null)) {
3:         this.gidenBelgeDurumSorgulaPortalOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeDurumSorgulaPortalOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeDurumSorgulaPortal", new object[] {
6:                 parametreler}, this.gidenBelgeDurumSorgulaPortalOperationCompleted,
userState);
7: }
```

1.1.3.1.17.2.102 connectorService.gidenBelgeDurumSorgulaYerelBelgeNo Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public gidenBelgeDurum
gidenBelgeDurumSorgulaYerelBelgeNo([System.Xml.Serialization.XmlElementAttribute(Form=System
.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
string yerelBelgeNo);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public gidenBelgeDurum
gidenBelgeDurumSorgulaYerelBelgeNo([System.Xml.Serialization.XmlElementAttribute(Form=System
.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string yerelBelgeNo) {
4:     object[] results = this.Invoke("gidenBelgeDurumSorgulaYerelBelgeNo", new object[] {
5:                 vergiTcKimlikNo,
6:                 yerelBelgeNo});
7:     return ((gidenBelgeDurum)(results[0]));
8: }
```

1.1.3.1.17.2.103 gidenBelgeDurumSorgulaYerelBelgeNoAsync Method

1.1.3.1.17.2.103.1 connectorService.gidenBelgeDurumSorgulaYerelBelgeNoAsync Method (string, string)

C#

```
public void gidenBelgeDurumSorgulaYerelBelgeNoAsync(string vergiTcKimlikNo, string
yerelBelgeNo);
```

Body Source

```
1: public void gidenBelgeDurumSorgulaYerelBelgeNoAsync(string vergiTcKimlikNo, string
yerelBelgeNo) {
2:     this.gidenBelgeDurumSorgulaYerelBelgeNoAsync(vergiTcKimlikNo, yerelBelgeNo, null);
3: }
```

1.1.3.1.17.2.103.2 connectorService.gidenBelgeDurumSorgulaYerelBelgeNoAsync Method (string, string, object)

C#

```
public void gidenBelgeDurumSorgulaYerelBelgeNoAsync(string vergiTcKimlikNo, string
yerelBelgeNo, object userState);
```

Body Source

```
1: public void gidenBelgeDurumSorgulaYerelBelgeNoAsync(string vergiTcKimlikNo, string
yerelBelgeNo, object userState) {
2:     if ((this.gidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted == null)) {
3:         this.gidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeDurumSorgulaYerelBelgeNoOperationComple
ted);
4:     }
5:     this.InvokeAsync("gidenBelgeDurumSorgulaYerelBelgeNo", new object[] {
6:                 vergiTcKimlikNo,
7:                 yerelBelgeNo},
this.gidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted, userState);
8: }
```

1.1.3.1.17.2.104 connectorService.gidenBelgeEkleriAl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gidenBelgeEkleriAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string uuid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gidenBelgeEkleriAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string uuid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru) {
4:     object[] results = this.Invoke("gidenBelgeEkleriAl", new object[] {
5:                 uuid,
6:                 vknTckn,
7:                 belgeTuru});
8:     return ((byte[])(results[0]));
9: }
```

1.1.3.1.17.2.105 gidenBelgeEkleriAlAsync Method

1.1.3.1.17.2.105.1 connectorService.gidenBelgeEkleriAlAsync Method (string, string, string)

C#

```
public void gidenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru);
```

Body Source

```
1: public void gidenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru) {
2:     this.gidenBelgeEkleriAlAsync(uuid, vknTckn, belgeTuru, null);
3: }
```

1.1.3.1.17.2.105.2 connectorService.gidenBelgeEkleriAlAsync Method (string, string, string, object)

C#

```
public void gidenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru, object
userState);
```

Body Source

```
1: public void gidenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru,
object userState) {
2:     if ((this.gidenBelgeEkleriAlOperationCompleted == null)) {
3:         this.gidenBelgeEkleriAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeEkleriAlOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeEkleriAl", new object[] {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
6:                  uuid,
7:                  vknTckn,
8:                  belgeTuru}, this.gidenBelgeEkleriAlOperationCompleted, userState);
9: }
```

1.1.3.1.17.2.106 connectorService.gidenBelgeleriIndir Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gidenBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("belgeOidListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] belgeOidListesi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeFormati);
```

Body Source

```
 1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
 2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
 3: public byte[]
gidenBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("belgeOidListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] belgeOidListesi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeFormati) {
 4:     object[] results = this.Invoke("gidenBelgeleriIndir", new object[] {
 5:                 vergiTcKimlikNo,
 6:                 belgeOidListesi,
 7:                 belgeTuru,
 8:                 belgeFormati});
 9:     return ((byte[])(results[0]));
10: }
```

1.1.3.1.17.2.107 gidenBelgeleriIndirAsync Method

1.1.3.1.17.2.107.1 connectorService.gidenBelgeleriIndirAsync Method (string, string[], string, string)

C#

```
public void gidenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] belgeOidListesi,
string belgeTuru, string belgeFormati);
```

Body Source

```
1: public void gidenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] belgeOidListesi,
string belgeTuru, string belgeFormati) {
2:     this.gidenBelgeleriIndirAsync(vergiTcKimlikNo, belgeOidListesi, belgeTuru,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
belgeFormati, null);
3: }
```

1.1.3.1.17.2.107.2 connectorService.gidenBelgeleriIndirAsync Method (string, string[], string, string, object)

C#

```
public void gidenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] belgeOidListesi,
string belgeTuru, string belgeFormati, object userState);
```

Body Source

```
 1: public void gidenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] belgeOidListesi,
string belgeTuru, string belgeFormati, object userState) {
 2:     if ((this.gidenBelgeleriIndirOperationCompleted == null)) {
 3:         this.gidenBelgeleriIndirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeleriIndirOperationCompleted);
 4:     }
 5:     this.InvokeAsync("gidenBelgeleriIndir", new object[] {
 6:                 vergiTcKimlikNo,
 7:                 belgeOidListesi,
 8:                 belgeTuru,
 9:                 belgeFormati}, this.gidenBelgeleriIndirOperationCompleted, userState);
10: }
```

1.1.3.1.17.2.108 connectorService.gidenBelgeleriIndirEttn Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gidenBelgeleriIndirEttn([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema
.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("belgeEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] belgeEttnListesi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeFormati);
```

Body Source

```
 1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
 2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
 3: public byte[]
gidenBelgeleriIndirEttn([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema
.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("belgeEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] belgeEttnListesi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeFormati) {
 4:     object[] results = this.Invoke("gidenBelgeleriIndirEttn", new object[] {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
 5:                 vergiTcKimlikNo,
 6:                 belgeEttnListesi,
 7:                 belgeTuru,
 8:                 belgeFormati});
 9:     return ((byte[])(results[0]));
10: }
```

1.1.3.1.17.2.109 gidenBelgeleriIndirEttnAsync Method

1.1.3.1.17.2.109.1 connectorService.gidenBelgeleriIndirEttnAsync Method (string, string[], string, string)

C#

```
public void gidenBelgeleriIndirEttnAsync(string vergiTcKimlikNo, string[] belgeEttnListesi,
string belgeTuru, string belgeFormati);
```

Body Source

```
1: public void gidenBelgeleriIndirEttnAsync(string vergiTcKimlikNo, string[]
belgeEttnListesi, string belgeTuru, string belgeFormati) {
2:     this.gidenBelgeleriIndirEttnAsync(vergiTcKimlikNo, belgeEttnListesi, belgeTuru,
belgeFormati, null);
3: }
```

1.1.3.1.17.2.109.2 connectorService.gidenBelgeleriIndirEttnAsync Method (string, string[], string, string, object)

C#

```
public void gidenBelgeleriIndirEttnAsync(string vergiTcKimlikNo, string[] belgeEttnListesi,
string belgeTuru, string belgeFormati, object userState);
```

Body Source

```
 1: public void gidenBelgeleriIndirEttnAsync(string vergiTcKimlikNo, string[]
belgeEttnListesi, string belgeTuru, string belgeFormati, object userState) {
 2:     if ((this.gidenBelgeleriIndirEttnOperationCompleted == null)) {
 3:         this.gidenBelgeleriIndirEttnOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeleriIndirEttnOperationCompleted);
 4:     }
 5:     this.InvokeAsync("gidenBelgeleriIndirEttn", new object[] {
 6:                 vergiTcKimlikNo,
 7:                 belgeEttnListesi,
 8:                 belgeTuru,
 9:                 belgeFormati}, this.gidenBelgeleriIndirEttnOperationCompleted,
userState);
10: }
```

1.1.3.1.17.2.110 connectorService.gidenBelgeleriIndirPortal Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gidenBelgeleriIndirPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
gidenBelgeleriIndirPortalParametreleri parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gidenBelgeleriIndirPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
gidenBelgeleriIndirPortalParametreleri parametreler) {
4:     object[] results = this.Invoke("gidenBelgeleriIndirPortal", new object[] {
5:                 parametreler});
6:     return ((byte[])(results[0]));
7: }
```

1.1.3.1.17.2.111 gidenBelgeleriIndirPortalAsync Method

1.1.3.1.17.2.111.1 connectorService.gidenBelgeleriIndirPortalAsync Method (gidenBelgeleriIndirPortalParametreleri)

C#

```
public void gidenBelgeleriIndirPortalAsync(gidenBelgeleriIndirPortalParametreleri
parametreler);
```

Body Source

```
1: public void gidenBelgeleriIndirPortalAsync(gidenBelgeleriIndirPortalParametreleri
parametreler) {
2:     this.gidenBelgeleriIndirPortalAsync(parametreler, null);
3: }
```

1.1.3.1.17.2.111.2 connectorService.gidenBelgeleriIndirPortalAsync Method (gidenBelgeleriIndirPortalParametreleri, object)

C#

```
public void gidenBelgeleriIndirPortalAsync(gidenBelgeleriIndirPortalParametreleri
parametreler, object userState);
```

Body Source

```
1: public void gidenBelgeleriIndirPortalAsync(gidenBelgeleriIndirPortalParametreleri
parametreler, object userState) {
2:     if ((this.gidenBelgeleriIndirPortalOperationCompleted == null)) {
3:         this.gidenBelgeleriIndirPortalOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeleriIndirPortalOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeleriIndirPortal", new object[] {
6:                 parametreler}, this.gidenBelgeleriIndirPortalOperationCompleted,
userState);
7: }
```

1.1.3.1.17.2.112 connectorService.gidenBelgeleriListele Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gidenBelgeleriListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
gidenBelgeleriListeleParametreleri parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gidenBelgeleriListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
gidenBelgeleriListeleParametreleri parametreler) {
4:     object[] results = this.Invoke("gidenBelgeleriListele", new object[] {
5:                 parametreler});
6:     return ((serviceReturnType[])(results[0]));
7: }
```

1.1.3.1.17.2.113 gidenBelgeleriListeleAsync Method

1.1.3.1.17.2.113.1 connectorService.gidenBelgeleriListeleAsync Method (gidenBelgeleriListeleParametreleri)

C#

```
public void gidenBelgeleriListeleAsync(gidenBelgeleriListeleParametreleri parametreler);
```

Body Source

```
1: public void gidenBelgeleriListeleAsync(gidenBelgeleriListeleParametreleri parametreler) {
2:     this.gidenBelgeleriListeleAsync(parametreler, null);
3: }
```

1.1.3.1.17.2.113.2 connectorService.gidenBelgeleriListeleAsync Method (gidenBelgeleriListeleParametreleri, object)

C#

```
public void gidenBelgeleriListeleAsync(gidenBelgeleriListeleParametreleri parametreler,
object userState);
```

Body Source

```
1: public void gidenBelgeleriListeleAsync(gidenBelgeleriListeleParametreleri parametreler,
object userState) {
2:     if ((this.gidenBelgeleriListeleOperationCompleted == null)) {
3:         this.gidenBelgeleriListeleOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeleriListeleOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeleriListele", new object[] {
6:                 parametreler}, this.gidenBelgeleriListeleOperationCompleted, userState);
7: }
```

1.1.3.1.17.2.114 connectorService.gidenBelgeleriListelePortal Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gidenBelgeleriListelePortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
gidenBelgeleriListelePortalParametreleri parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gidenBelgeleriListelePortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
gidenBelgeleriListelePortalParametreleri parametreler) {
4:     object[] results = this.Invoke("gidenBelgeleriListelePortal", new object[] {
5:                 parametreler});
6:     return ((serviceReturnType[])(results[0]));
7: }
```

1.1.3.1.17.2.115 gidenBelgeleriListelePortalAsync Method

1.1.3.1.17.2.115.1 connectorService.gidenBelgeleriListelePortalAsync Method (gidenBelgeleriListelePortalParametreleri)

C#

```
public void gidenBelgeleriListelePortalAsync(gidenBelgeleriListelePortalParametreleri
parametreler);
```

Body Source

```
1: public void gidenBelgeleriListelePortalAsync(gidenBelgeleriListelePortalParametreleri
parametreler) {
2:     this.gidenBelgeleriListelePortalAsync(parametreler, null);
3: }
```

1.1.3.1.17.2.115.2 connectorService.gidenBelgeleriListelePortalAsync Method (gidenBelgeleriListelePortalParametreleri, object)

C#

```
public void gidenBelgeleriListelePortalAsync(gidenBelgeleriListelePortalParametreleri
parametreler, object userState);
```

Body Source

```
1: public void gidenBelgeleriListelePortalAsync(gidenBelgeleriListelePortalParametreleri
parametreler, object userState) {
2:     if ((this.gidenBelgeleriListelePortalOperationCompleted == null)) {
3:         this.gidenBelgeleriListelePortalOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeleriListelePortalOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeleriListelePortal", new object[] {
6:                 parametreler}, this.gidenBelgeleriListelePortalOperationCompleted,
userState);
7: }
```

1.1.3.1.17.2.116 connectorService.gidenBelgeTutarBilgileriSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gidenBelgeTutarBilgileriSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
string baslangicGonderimTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string bitisGonderimTarihi);
```

Body Source

```
 1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
 2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
 3: public serviceReturnType[]
gidenBelgeTutarBilgileriSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string baslangicGonderimTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string bitisGonderimTarihi) {
 4:     object[] results = this.Invoke("gidenBelgeTutarBilgileriSorgula", new object[] {
 5:                 vergiTcKimlikNo,
 6:                 belgeTuru,
 7:                 baslangicGonderimTarihi,
 8:                 bitisGonderimTarihi});
 9:     return ((serviceReturnType[])(results[0]));
10: }
```

1.1.3.1.17.2.117 gidenBelgeTutarBilgileriSorgulaAsync Method

1.1.3.1.17.2.117.1 connectorService.gidenBelgeTutarBilgileriSorgulaAsync Method (string, string, string, string)

C#

```
public void gidenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string belgeTuru,
string baslangicGonderimTarihi, string bitisGonderimTarihi);
```

Body Source

```
1: public void gidenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string
belgeTuru, string baslangicGonderimTarihi, string bitisGonderimTarihi) {
2:     this.gidenBelgeTutarBilgileriSorgulaAsync(vergiTcKimlikNo, belgeTuru,
baslangicGonderimTarihi, bitisGonderimTarihi, null);
3: }
```

1.1.3.1.17.2.117.2 connectorService.gidenBelgeTutarBilgileriSorgulaAsync Method (string, string, string, string, object)

C#

```
public void gidenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string belgeTuru,
string baslangicGonderimTarihi, string bitisGonderimTarihi, object userState);
```

Body Source

```
 1: public void gidenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string
belgeTuru, string baslangicGonderimTarihi, string bitisGonderimTarihi, object userState) {
 2:     if ((this.gidenBelgeTutarBilgileriSorgulaOperationCompleted == null)) {
 3:         this.gidenBelgeTutarBilgileriSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeTutarBilgileriSorgulaOperationCompleted
);
 4:     }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
 5:     this.InvokeAsync("gidenBelgeTutarBilgileriSorgula", new object[] {
 6:                 vergiTcKimlikNo,
 7:                 belgeTuru,
 8:                 baslangicGonderimTarihi,
 9:                 bitisGonderimTarihi},
this.gidenBelgeTutarBilgileriSorgulaOperationCompleted, userState);
10: }
```

1.1.3.1.17.2.118 connectorService.gidenFaturalariArsiveKaldir Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
gidenFaturalariArsiveKaldir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("invoiceEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] invoiceEttnListesi);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
gidenFaturalariArsiveKaldir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("invoiceEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] invoiceEttnListesi) {
3:     this.Invoke("gidenFaturalariArsiveKaldir", new object[] {
4:                 vergiTcKimlikNo,
5:                 invoiceEttnListesi});
6: }
```

1.1.3.1.17.2.119 gidenFaturalariArsiveKaldirAsync Method

1.1.3.1.17.2.119.1 connectorService.gidenFaturalariArsiveKaldirAsync Method (string, string[])

C#

```
public void gidenFaturalariArsiveKaldirAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi);
```

Body Source

```
1: public void gidenFaturalariArsiveKaldirAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi) {
2:     this.gidenFaturalariArsiveKaldirAsync(vergiTcKimlikNo, invoiceEttnListesi, null);
3: }
```

1.1.3.1.17.2.119.2 connectorService.gidenFaturalariArsiveKaldirAsync Method (string, string[], object)

C#

```
public void gidenFaturalariArsiveKaldirAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi, object userState);
```

Body Source

```
1: public void gidenFaturalariArsiveKaldirAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi, object userState) {
2:     if ((this.gidenFaturalariArsiveKaldirOperationCompleted == null)) {
3:         this.gidenFaturalariArsiveKaldirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenFaturalariArsiveKaldirOperationCompleted);
4:     }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
5:     this.InvokeAsync("gidenFaturalariArsiveKaldir", new object[] {
6:                 vergiTcKimlikNo,
7:                 invoiceEttnListesi}, this.gidenFaturalariArsiveKaldirOperationCompleted,
userState);
8: }
```

1.1.3.1.17.2.120 connectorService.gidenIrsaliyeleriArsiveKaldir Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
gidenIrsaliyeleriArsiveKaldir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute("despatchEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] despatchEttnListesi);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
gidenIrsaliyeleriArsiveKaldir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute("despatchEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] despatchEttnListesi) {
3:     this.Invoke("gidenIrsaliyeleriArsiveKaldir", new object[] {
4:                 vergiTcKimlikNo,
5:                 despatchEttnListesi});
6: }
```

1.1.3.1.17.2.121 gidenIrsaliyeleriArsiveKaldirAsync Method

1.1.3.1.17.2.121.1 connectorService.gidenIrsaliyeleriArsiveKaldirAsync Method (string, string[])

C#

```
public void gidenIrsaliyeleriArsiveKaldirAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi);
```

Body Source

```
1: public void gidenIrsaliyeleriArsiveKaldirAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi) {
2:     this.gidenIrsaliyeleriArsiveKaldirAsync(vergiTcKimlikNo, despatchEttnListesi, null);
3: }
```

1.1.3.1.17.2.121.2 connectorService.gidenIrsaliyeleriArsiveKaldirAsync Method (string, string[], object)

C#

```
public void gidenIrsaliyeleriArsiveKaldirAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi, object userState);
```

Body Source

```
1: public void gidenIrsaliyeleriArsiveKaldirAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi, object userState) {
2:     if ((this.gidenIrsaliyeleriArsiveKaldirOperationCompleted == null)) {
3:         this.gidenIrsaliyeleriArsiveKaldirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenIrsaliyeleriArsiveKaldirOperationCompleted);
4:     }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
5:     this.InvokeAsync("gidenIrsaliyeleriArsiveKaldir", new object[] {
6:                 vergiTcKimlikNo,
7:                 despatchEttnListesi},
this.gidenIrsaliyeleriArsiveKaldirOperationCompleted, userState);
8: }
```

1.1.3.1.17.2.122 connectorService.gidenTasinanBelgeleriIndir Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gidenTasinanBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sch
ema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeFormati);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gidenTasinanBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sch
ema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeFormati) {
4:     object[] results = this.Invoke("gidenTasinanBelgeleriIndir", new object[] {
5:                 vergiTcKimlikNo,
6:                 ettnler,
7:                 belgeFormati});
8:     return ((byte[])(results[0]));
9: }
```

1.1.3.1.17.2.123 gidenTasinanBelgeleriIndirAsync Method

1.1.3.1.17.2.123.1 connectorService.gidenTasinanBelgeleriIndirAsync Method (string, string[], string)

C#

```
public void gidenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler,
string belgeFormati);
```

Body Source

```
1: public void gidenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler,
string belgeFormati) {
2:     this.gidenTasinanBelgeleriIndirAsync(vergiTcKimlikNo, ettnler, belgeFormati, null);
3: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.2.123.2 connectorService.gidenTasinanBelgeleriIndirAsync Method (string, string[], string, object)

C#

```
public void gidenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler,
string belgeFormati, object userState);
```

Body Source

```
1: public void gidenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler,
string belgeFormati, object userState) {
2:     if ((this.gidenTasinanBelgeleriIndirOperationCompleted == null)) {
3:         this.gidenTasinanBelgeleriIndirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenTasinanBelgeleriIndirOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenTasinanBelgeleriIndir", new object[] {
6:                 vergiTcKimlikNo,
7:                 ettnler,
8:                 belgeFormati}, this.gidenTasinanBelgeleriIndirOperationCompleted,
userState);
9: }
```

1.1.3.1.17.2.124 connectorService.irsaliyeMailGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
irsaliyeMailGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string inOut,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string UUID,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string irsaliyeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string alicilar,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeFormati);
```

Body Source

```
 1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
 2: public void
irsaliyeMailGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string inOut,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string UUID,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string irsaliyeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string alicilar,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeFormati) {
 3:     this.Invoke("irsaliyeMailGonder", new object[] {
 4:                 vknTckn,
 5:                 inOut,
 6:                 UUID,
 7:                 irsaliyeNo,
 8:                 alicilar,
 9:                 belgeFormati});
10: }
```

1.1.3.1.17.2.125 irsaliyeMailGonderAsync Method

1.1.3.1.17.2.125.1 connectorService.irsaliyeMailGonderAsync Method (string, string, string, string, string, string)

C#

```
public void irsaliyeMailGonderAsync(string vknTckn, string inOut, string UUID, string
irsaliyeNo, string alicilar, string belgeFormati);
```

Body Source

```
1: public void irsaliyeMailGonderAsync(string vknTckn, string inOut, string UUID, string
irsaliyeNo, string alicilar, string belgeFormati) {
2:     this.irsaliyeMailGonderAsync(vknTckn, inOut, UUID, irsaliyeNo, alicilar,
belgeFormati, null);
3: }
```

1.1.3.1.17.2.125.2 connectorService.irsaliyeMailGonderAsync Method (string, string, string, string, string, string, object)

C#

```
public void irsaliyeMailGonderAsync(string vknTckn, string inOut, string UUID, string
irsaliyeNo, string alicilar, string belgeFormati, object userState);
```

Body Source

```
 1: public void irsaliyeMailGonderAsync(string vknTckn, string inOut, string UUID, string
irsaliyeNo, string alicilar, string belgeFormati, object userState) {
 2:     if ((this.irsaliyeMailGonderOperationCompleted == null)) {
 3:         this.irsaliyeMailGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnirsaliyeMailGonderOperationCompleted);
 4:     }
 5:     this.InvokeAsync("irsaliyeMailGonder", new object[] {
 6:                 vknTckn,
 7:                 inOut,
 8:                 UUID,
 9:                 irsaliyeNo,
10:                 alicilar,
11:                 belgeFormati}, this.irsaliyeMailGonderOperationCompleted, userState);
12: }
```

1.1.3.1.17.2.126 connectorService.irsaliyeTarihcesiSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
irsaliyeTarihcesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schem
a.XmlSchemaForm.Unqualified)]
string ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string irasliyeYonu,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string vknTckn);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
irsaliyeTarihcesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schem
a.XmlSchemaForm.Unqualified)]
string ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string irasliyeYonu,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string vknTckn) {
4:     object[] results = this.Invoke("irsaliyeTarihcesiSorgula", new object[] {
5:                 ettn,
6:                 irasliyeYonu,
7:                 vknTckn});
8:     return ((serviceReturnType[])(results[0]));
9: }
```

1.1.3.1.17.2.127 irsaliyeTarihcesiSorgulaAsync Method

1.1.3.1.17.2.127.1 connectorService.irsaliyeTarihcesiSorgulaAsync Method (string, string, string)

C#

```
public void irsaliyeTarihcesiSorgulaAsync(string ettn, string irasliyeYonu, string vknTckn);
```

Body Source

```
1: public void irsaliyeTarihcesiSorgulaAsync(string ettn, string irasliyeYonu, string
vknTckn) {
2:     this.irsaliyeTarihcesiSorgulaAsync(ettn, irasliyeYonu, vknTckn, null);
3: }
```

1.1.3.1.17.2.127.2 connectorService.irsaliyeTarihcesiSorgulaAsync Method (string, string, string, object)

C#

```
public void irsaliyeTarihcesiSorgulaAsync(string ettn, string irasliyeYonu, string vknTckn,
object userState);
```

Body Source

```
1: public void irsaliyeTarihcesiSorgulaAsync(string ettn, string irasliyeYonu, string
vknTckn, object userState) {
2:     if ((this.irsaliyeTarihcesiSorgulaOperationCompleted == null)) {
3:         this.irsaliyeTarihcesiSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnirsaliyeTarihcesiSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("irsaliyeTarihcesiSorgula", new object[] {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
6:                  ettn,
7:                  irasliyeYonu,
8:                  vknTckn}, this.irsaliyeTarihcesiSorgulaOperationCompleted, userState);
9: }
```

1.1.3.1.17.2.128 connectorService.IsLocalFileSystemWebService Method

C#

```
private bool IsLocalFileSystemWebService(string url);
```

Description

This is IsLocalFileSystemWebService, a member of class connectorService.

Body Source

```
 1: private bool IsLocalFileSystemWebService(string url) {
 2:     if (((url == null)
 3:                 || (url == string.Empty))) {
 4:         return false;
 5:     }
 6:     System.Uri wsUri = new System.Uri(url);
 7:     if (((wsUri.Port >= 1024)
 8:                 && (string.Compare(wsUri.Host, "localHost",
System.StringComparison.OrdinalIgnoreCase) == 0))) {
 9:         return true;
10:     }
11:     return false;
12: }
```

1.1.3.1.17.2.129 connectorService.kayitliKullaniciListeleExtended Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
kayitliKullaniciListeleExtended([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string urun,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
int gecmisEklensin, [System.Xml.Serialization.XmlIgnoreAttribute()] bool
gecmisEklensinSpecified);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
kayitliKullaniciListeleExtended([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string urun,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
int gecmisEklensin,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
[System.Xml.Serialization.XmlIgnoreAttribute()] bool gecmisEklensinSpecified) {
4:     object[] results = this.Invoke("kayitliKullaniciListeleExtended", new object[] {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
                urun,
                gecmisEklensin,
                gecmisEklensinSpecified});
    return ((byte[])(results[0]));
}
```

1.1.3.1.17.2.130 kayitliKullaniciListeleExtendedAsync Method

1.1.3.1.17.2.130.1 connectorService.kayitliKullaniciListeleExtendedAsync Method (string, int, bool)

C#

```
public void kayitliKullaniciListeleExtendedAsync(string urun, int gecmisEklensin, bool
gecmisEklensinSpecified);
```

Body Source

```
public void kayitliKullaniciListeleExtendedAsync(string urun, int gecmisEklensin, bool
gecmisEklensinSpecified) {
    this.kayitliKullaniciListeleExtendedAsync(urun, gecmisEklensin,
gecmisEklensinSpecified, null);
}
```

1.1.3.1.17.2.130.2 connectorService.kayitliKullaniciListeleExtendedAsync Method (string, int, bool, object)

C#

```
public void kayitliKullaniciListeleExtendedAsync(string urun, int gecmisEklensin, bool
gecmisEklensinSpecified, object userState);
```

Body Source

```
public void kayitliKullaniciListeleExtendedAsync(string urun, int gecmisEklensin, bool
gecmisEklensinSpecified, object userState) {
    if ((this.kayitliKullaniciListeleExtendedOperationCompleted == null)) {
        this.kayitliKullaniciListeleExtendedOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnkayitliKullaniciListeleExtendedOperationCompleted
);
    }
    this.InvokeAsync("kayitliKullaniciListeleExtended", new object[] {
                urun,
                gecmisEklensin,
                gecmisEklensinSpecified},
this.kayitliKullaniciListeleExtendedOperationCompleted, userState);
}
```

1.1.3.1.17.2.131 connectorService.kayitliKullaniciListeleExtendedTime Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
kayitliKullaniciListeleExtendedTime([System.Xml.Serialization.XmlElementAttribute(Form=Syste
m.Xml.Schema.XmlSchemaForm.Unqualified)]
string kayitZamani,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string urun,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
int gecmisEklensin, [System.Xml.Serialization.XmlIgnoreAttribute()] bool
gecmisEklensinSpecified);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```
 1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
 2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
 3: public byte[]
kayitliKullaniciListeleExtendedTime([System.Xml.Serialization.XmlElementAttribute(Form=Syste
m.Xml.Schema.XmlSchemaForm.Unqualified)]
string kayitZamani,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string urun,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
int gecmisEklensin,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
[System.Xml.Serialization.XmlIgnoreAttribute()] bool gecmisEklensinSpecified) {
 4:     object[] results = this.Invoke("kayitliKullaniciListeleExtendedTime", new object[] {
 5:                 kayitZamani,
 6:                 urun,
 7:                 gecmisEklensin,
 8:                 gecmisEklensinSpecified});
 9:     return ((byte[])(results[0]));
10: }
```

1.1.3.1.17.2.132 kayitliKullaniciListeleExtendedTimeAsync Method

1.1.3.1.17.2.132.1 connectorService.kayitliKullaniciListeleExtendedTimeAsync Method (string, string, int, bool)

C#

```
public void kayitliKullaniciListeleExtendedTimeAsync(string kayitZamani, string urun, int
gecmisEklensin, bool gecmisEklensinSpecified);
```

Body Source

```
1: public void kayitliKullaniciListeleExtendedTimeAsync(string kayitZamani, string urun,
int gecmisEklensin, bool gecmisEklensinSpecified) {
2:     this.kayitliKullaniciListeleExtendedTimeAsync(kayitZamani, urun, gecmisEklensin,
gecmisEklensinSpecified, null);
3: }
```

1.1.3.1.17.2.132.2 connectorService.kayitliKullaniciListeleExtendedTimeAsync Method (string, string, int, bool, object)

C#

```
public void kayitliKullaniciListeleExtendedTimeAsync(string kayitZamani, string urun, int
gecmisEklensin, bool gecmisEklensinSpecified, object userState);
```

Body Source

```
 1: public void kayitliKullaniciListeleExtendedTimeAsync(string kayitZamani, string urun,
int gecmisEklensin, bool gecmisEklensinSpecified, object userState) {
 2:     if ((this.kayitliKullaniciListeleExtendedTimeOperationCompleted == null)) {
 3:         this.kayitliKullaniciListeleExtendedTimeOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnkayitliKullaniciListeleExtendedTimeOperationCompl
eted);
 4:     }
 5:     this.InvokeAsync("kayitliKullaniciListeleExtendedTime", new object[] {
 6:                 kayitZamani,
 7:                 urun,
 8:                 gecmisEklensin,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
 9:                 gecmisEklensinSpecified},
this.kayitliKullaniciListeleExtendedTimeOperationCompleted, userState);
10: }
```

1.1.3.1.17.2.133 connectorService.kayitliKullaniciListeleExtendedVknTckn Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
kayitliKullaniciListeleExtendedVknTckn([System.Xml.Serialization.XmlElementAttribute(Form=Sy
stem.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string urun);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
kayitliKullaniciListeleExtendedVknTckn([System.Xml.Serialization.XmlElementAttribute(Form=Sy
stem.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string urun) {
4:     object[] results = this.Invoke("kayitliKullaniciListeleExtendedVknTckn", new
object[] {
5:                 vknTckn,
6:                 urun});
7:     return ((byte[])(results[0]));
8: }
```

1.1.3.1.17.2.134 kayitliKullaniciListeleExtendedVknTcknAsync Method

1.1.3.1.17.2.134.1 connectorService.kayitliKullaniciListeleExtendedVknTcknAsync Method (string, string)

C#

```
public void kayitliKullaniciListeleExtendedVknTcknAsync(string vknTckn, string urun);
```

Body Source

```
1: public void kayitliKullaniciListeleExtendedVknTcknAsync(string vknTckn, string urun) {
2:     this.kayitliKullaniciListeleExtendedVknTcknAsync(vknTckn, urun, null);
3: }
```

1.1.3.1.17.2.134.2 connectorService.kayitliKullaniciListeleExtendedVknTcknAsync Method (string, string, object)

C#

```
public void kayitliKullaniciListeleExtendedVknTcknAsync(string vknTckn, string urun, object
userState);
```

Body Source

```
1: public void kayitliKullaniciListeleExtendedVknTcknAsync(string vknTckn, string urun,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
object userState) {
2:     if ((this.kayitliKullaniciListeleExtendedVknTcknOperationCompleted == null)) {
3:         this.kayitliKullaniciListeleExtendedVknTcknOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnkayitliKullaniciListeleExtendedVknTcknOperationCo
mpleted);
4:     }
5:     this.InvokeAsync("kayitliKullaniciListeleExtendedVknTckn", new object[] {
6:                 vknTckn,
7:                 urun}, this.kayitliKullaniciListeleExtendedVknTcknOperationCompleted,
userState);
8: }
```

1.1.3.1.17.2.135 connectorService.kontorBilgisiGetir Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public kalanKontorBilgisi
kontorBilgisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string kontorTipi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string kontorBirimi);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public kalanKontorBilgisi
kontorBilgisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string kontorTipi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string kontorBirimi) {
4:     object[] results = this.Invoke("kontorBilgisiGetir", new object[] {
5:                 vknTckn,
6:                 kontorTipi,
7:                 kontorBirimi});
8:     return ((kalanKontorBilgisi)(results[0]));
9: }
```

1.1.3.1.17.2.136 kontorBilgisiGetirAsync Method

1.1.3.1.17.2.136.1 connectorService.kontorBilgisiGetirAsync Method (string, string, string)

C#

```
public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string kontorBirimi);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```
1: public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string
kontorBirimi) {
2:     this.kontorBilgisiGetirAsync(vknTckn, kontorTipi, kontorBirimi, null);
3: }
```

1.1.3.1.17.2.136.2 connectorService.kontorBilgisiGetirAsync Method (string, string, string, object)

C#

```
public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string kontorBirimi,
object userState);
```

Body Source

```
1: public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string
kontorBirimi, object userState) {
2:     if ((this.kontorBilgisiGetirOperationCompleted == null)) {
3:         this.kontorBilgisiGetirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnkontorBilgisiGetirOperationCompleted);
4:     }
5:     this.InvokeAsync("kontorBilgisiGetir", new object[] {
6:                 vknTckn,
7:                 kontorTipi,
8:                 kontorBirimi}, this.kontorBilgisiGetirOperationCompleted, userState);
9: }
```

1.1.3.1.17.2.137 connectorService.OnbelgeGonderExtOperationCompleted Method

C#

```
private void OnbelgeGonderExtOperationCompleted(object arg);
```

Description

This is OnbelgeGonderExtOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnbelgeGonderExtOperationCompleted(object arg) {
2:     if ((this.belgeGonderExtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.belgeGonderExtCompleted(this, new
belgeGonderExtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.138 connectorService.OnbelgeGonderExtWithValidateOperationCompleted Method

C#

```
private void OnbelgeGonderExtWithValidateOperationCompleted(object arg);
```

Description

This is OnbelgeGonderExtWithValidateOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnbelgeGonderExtWithValidateOperationCompleted(object arg) {
2:     if ((this.belgeGonderExtWithValidateCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.belgeGonderExtWithValidateCompleted(this, new
belgeGonderExtWithValidateCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.2.139 connectorService.OnbelgeGonderOperationCompleted Method

C#

```
private void OnbelgeGonderOperationCompleted(object arg);
```

Description

This is OnbelgeGonderOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnbelgeGonderOperationCompleted(object arg) {
2:     if ((this.belgeGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.belgeGonderCompleted(this, new
belgeGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.140 connectorService.OnbelgeGonderWithValidateOperationCompleted Method

C#

```
private void OnbelgeGonderWithValidateOperationCompleted(object arg);
```

Description

This is OnbelgeGonderWithValidateOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnbelgeGonderWithValidateOperationCompleted(object arg) {
2:     if ((this.belgeGonderWithValidateCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.belgeGonderWithValidateCompleted(this, new
belgeGonderWithValidateCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.141 connectorService.OnbelgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted Method

C#

```
private void OnbelgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted(object arg);
```

Description

This is OnbelgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnbelgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted(object arg) {
2:     if ((this.belgelerAlindiEntegrasyonSiparisNoGuncelleCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.belgelerAlindiEntegrasyonSiparisNoGuncelleCompleted(this, new
System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.142 connectorService.OnbelgelerAlindiOperationCompleted Method

C#

```
private void OnbelgelerAlindiOperationCompleted(object arg);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Description

This is OnbelgelerAlindiOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnbelgelerAlindiOperationCompleted(object arg) {
2:     if ((this.belgelerAlindiCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.belgelerAlindiCompleted(this, new
System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.143 connectorService.OnbelgeleriTekrarGonderBelgeOidOperationCompleted Method

C#

```
private void OnbelgeleriTekrarGonderBelgeOidOperationCompleted(object arg);
```

Description

This is OnbelgeleriTekrarGonderBelgeOidOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnbelgeleriTekrarGonderBelgeOidOperationCompleted(object arg) {
2:     if ((this.belgeleriTekrarGonderBelgeOidCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.belgeleriTekrarGonderBelgeOidCompleted(this, new
belgeleriTekrarGonderBelgeOidCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.144 connectorService.OnbelgeleriTekrarGonderOperationCompleted Method

C#

```
private void OnbelgeleriTekrarGonderOperationCompleted(object arg);
```

Description

This is OnbelgeleriTekrarGonderOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnbelgeleriTekrarGonderOperationCompleted(object arg) {
2:     if ((this.belgeleriTekrarGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.belgeleriTekrarGonderCompleted(this, new
belgeleriTekrarGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.145 connectorService.OnbelgeleriTekrarGonderYerelBelgeNoOperationCompleted Method

C#

```
private void OnbelgeleriTekrarGonderYerelBelgeNoOperationCompleted(object arg);
```

Description

This is OnbelgeleriTekrarGonderYerelBelgeNoOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnbelgeleriTekrarGonderYerelBelgeNoOperationCompleted(object arg) {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
2:     if ((this.belgeleriTekrarGonderYerelBelgeNoCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.belgeleriTekrarGonderYerelBelgeNoCompleted(this, new
belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.146 connectorService.OncheckDateValidControlOperationCompleted Method

C#

```
private void OncheckDateValidControlOperationCompleted(object arg);
```

Description

This is OncheckDateValidControlOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OncheckDateValidControlOperationCompleted(object arg) {
2:     if ((this.checkDateValidControlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.checkDateValidControlCompleted(this, new
System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.147 connectorService.OncokluGidenBelgeDurumSorgulaOperationCompleted Method

C#

```
private void OncokluGidenBelgeDurumSorgulaOperationCompleted(object arg);
```

Description

This is OncokluGidenBelgeDurumSorgulaOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OncokluGidenBelgeDurumSorgulaOperationCompleted(object arg) {
2:     if ((this.cokluGidenBelgeDurumSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.cokluGidenBelgeDurumSorgulaCompleted(this, new
cokluGidenBelgeDurumSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.148 connectorService.OncsXmlOnizlemeOperationCompleted Method

C#

```
private void OncsXmlOnizlemeOperationCompleted(object arg);
```

Description

This is OncsXmlOnizlemeOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OncsXmlOnizlemeOperationCompleted(object arg) {
2:     if ((this.csXmlOnizlemeCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.csXmlOnizlemeCompleted(this, new
csXmlOnizlemeCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
6: }
```

1.1.3.1.17.2.149 connectorService.OncsXmlToUblOperationCompleted Method

C#

```
private void OncsXmlToUblOperationCompleted(object arg);
```

Description

This is OncsXmlToUblOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OncsXmlToUblOperationCompleted(object arg) {
2:     if ((this.csXmlToUblCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.csXmlToUblCompleted(this, new
csXmlToUblCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.150 connectorService.OneFaturaKayitliKullaniciListeleOperationCompleted Method

C#

```
private void OneFaturaKayitliKullaniciListeleOperationCompleted(object arg);
```

Description

This is OneFaturaKayitliKullaniciListeleOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OneFaturaKayitliKullaniciListeleOperationCompleted(object arg) {
2:     if ((this.eFaturaKayitliKullaniciListeleCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.eFaturaKayitliKullaniciListeleCompleted(this, new
eFaturaKayitliKullaniciListeleCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.151 connectorService.OnefaturaKullaniciBilgisiOperationCompleted Method

C#

```
private void OnefaturaKullaniciBilgisiOperationCompleted(object arg);
```

Description

This is OnefaturaKullaniciBilgisiOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnefaturaKullaniciBilgisiOperationCompleted(object arg) {
2:     if ((this.efaturaKullaniciBilgisiCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.efaturaKullaniciBilgisiCompleted(this, new
efaturaKullaniciBilgisiCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.152 connectorService.OnefaturaKullaniciListesiOperationCompleted Method

C#

```
private void OnefaturaKullaniciListesiOperationCompleted(object arg);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Description

This is OnefaturaKullaniciListesiOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnefaturaKullaniciListesiOperationCompleted(object arg) {
2:     if ((this.efaturaKullaniciListesiCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.efaturaKullaniciListesiCompleted(this, new
efaturaKullaniciListesiCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.153 connectorService.OnefaturaKullanicisiOperationCompleted Method

C#

```
private void OnefaturaKullanicisiOperationCompleted(object arg);
```

Description

This is OnefaturaKullanicisiOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnefaturaKullanicisiOperationCompleted(object arg) {
2:     if ((this.efaturaKullanicisiCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.efaturaKullanicisiCompleted(this, new
efaturaKullanicisiCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.154 connectorService.OneIrsaliyeKayitliKullaniciListeleOperationCompleted Method

C#

```
private void OneIrsaliyeKayitliKullaniciListeleOperationCompleted(object arg);
```

Description

This is OneIrsaliyeKayitliKullaniciListeleOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OneIrsaliyeKayitliKullaniciListeleOperationCompleted(object arg) {
2:     if ((this.eIrsaliyeKayitliKullaniciListeleCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.eIrsaliyeKayitliKullaniciListeleCompleted(this, new
eIrsaliyeKayitliKullaniciListeleCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.155 connectorService.OneIrsaliyeKullanicisiOperationCompleted Method

C#

```
private void OneIrsaliyeKullanicisiOperationCompleted(object arg);
```

Description

This is OneIrsaliyeKullanicisiOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OneIrsaliyeKullanicisiOperationCompleted(object arg) {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
2:     if ((this.eIrsaliyeKullanicisiCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.eIrsaliyeKullanicisiCompleted(this, new
eIrsaliyeKullanicisiCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.156 connectorService.OnerpBilgileriBelirleOperationCompleted Method

C#

```
private void OnerpBilgileriBelirleOperationCompleted(object arg);
```

Description

This is OnerpBilgileriBelirleOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnerpBilgileriBelirleOperationCompleted(object arg) {
2:     if ((this.erpBilgileriBelirleCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.erpBilgileriBelirleCompleted(this, new
System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.157 connectorService.OnfaturaKepIleIadeEdildiIptalOperationCompleted Method

C#

```
private void OnfaturaKepIleIadeEdildiIptalOperationCompleted(object arg);
```

Description

This is OnfaturaKepIleIadeEdildiIptalOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnfaturaKepIleIadeEdildiIptalOperationCompleted(object arg) {
2:     if ((this.faturaKepIleIadeEdildiIptalCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaKepIleIadeEdildiIptalCompleted(this, new
faturaKepIleIadeEdildiIptalCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.158 connectorService.OnfaturaKepIleIadeEdildiOperationCompleted Method

C#

```
private void OnfaturaKepIleIadeEdildiOperationCompleted(object arg);
```

Description

This is OnfaturaKepIleIadeEdildiOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnfaturaKepIleIadeEdildiOperationCompleted(object arg) {
2:     if ((this.faturaKepIleIadeEdildiCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaKepIleIadeEdildiCompleted(this, new
faturaKepIleIadeEdildiCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
6: }
```

1.1.3.1.17.2.159 connectorService.OnfaturaMailGonderOperationCompleted Method

C#

```
private void OnfaturaMailGonderOperationCompleted(object arg);
```

Description

This is OnfaturaMailGonderOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnfaturaMailGonderOperationCompleted(object arg) {
2:     if ((this.faturaMailGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaMailGonderCompleted(this, new
System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.160 connectorService.OnfaturaNoUretOperationCompleted Method

C#

```
private void OnfaturaNoUretOperationCompleted(object arg);
```

Description

This is OnfaturaNoUretOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnfaturaNoUretOperationCompleted(object arg) {
2:     if ((this.faturaNoUretCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaNoUretCompleted(this, new
faturaNoUretCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.161 connectorService.OnfaturaTarihcesiSorgulaOperationCompleted Method

C#

```
private void OnfaturaTarihcesiSorgulaOperationCompleted(object arg);
```

Description

This is OnfaturaTarihcesiSorgulaOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnfaturaTarihcesiSorgulaOperationCompleted(object arg) {
2:     if ((this.faturaTarihcesiSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaTarihcesiSorgulaCompleted(this, new
faturaTarihcesiSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.162 connectorService.OnfaturayaItirazEdildiIptalOperationCompleted Method

C#

```
private void OnfaturayaItirazEdildiIptalOperationCompleted(object arg);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Description

This is OnfaturayaItirazEdildiIptalOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnfaturayaItirazEdildiIptalOperationCompleted(object arg) {
2:     if ((this.faturayaItirazEdildiIptalCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturayaItirazEdildiIptalCompleted(this, new
faturayaItirazEdildiIptalCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.163 connectorService.OnfaturayaItirazEdildiOperationCompleted Method

C#

```
private void OnfaturayaItirazEdildiOperationCompleted(object arg);
```

Description

This is OnfaturayaItirazEdildiOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnfaturayaItirazEdildiOperationCompleted(object arg) {
2:     if ((this.faturayaItirazEdildiCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturayaItirazEdildiCompleted(this, new
faturayaItirazEdildiCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.164 connectorService.OngelenBelgeDurumSorgulaExtOperationCompleted Method

C#

```
private void OngelenBelgeDurumSorgulaExtOperationCompleted(object arg);
```

Description

This is OngelenBelgeDurumSorgulaExtOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngelenBelgeDurumSorgulaExtOperationCompleted(object arg) {
2:     if ((this.gelenBelgeDurumSorgulaExtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenBelgeDurumSorgulaExtCompleted(this, new
gelenBelgeDurumSorgulaExtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.165 connectorService.OngelenBelgeDurumSorgulaOperationCompleted Method

C#

```
private void OngelenBelgeDurumSorgulaOperationCompleted(object arg);
```

Description

This is OngelenBelgeDurumSorgulaOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngelenBelgeDurumSorgulaOperationCompleted(object arg) {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
2:     if ((this.gelenBelgeDurumSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenBelgeDurumSorgulaCompleted(this, new
gelenBelgeDurumSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.166 connectorService.OngelenBelgeEkleriAlOperationCompleted Method

C#

```
private void OngelenBelgeEkleriAlOperationCompleted(object arg);
```

Description

This is OngelenBelgeEkleriAlOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngelenBelgeEkleriAlOperationCompleted(object arg) {
2:     if ((this.gelenBelgeEkleriAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenBelgeEkleriAlCompleted(this, new
gelenBelgeEkleriAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.167 connectorService.OngelenBelgeleriAlExt2OperationCompleted Method

C#

```
private void OngelenBelgeleriAlExt2OperationCompleted(object arg);
```

Description

This is OngelenBelgeleriAlExt2OperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngelenBelgeleriAlExt2OperationCompleted(object arg) {
2:     if ((this.gelenBelgeleriAlExt2Completed != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenBelgeleriAlExt2Completed(this, new
gelenBelgeleriAlExt2CompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.168 connectorService.OngelenBelgeleriAlExtOperationCompleted Method

C#

```
private void OngelenBelgeleriAlExtOperationCompleted(object arg);
```

Description

This is OngelenBelgeleriAlExtOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngelenBelgeleriAlExtOperationCompleted(object arg) {
2:     if ((this.gelenBelgeleriAlExtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenBelgeleriAlExtCompleted(this, new
gelenBelgeleriAlExtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
6: }
```

1.1.3.1.17.2.169 connectorService.OngelenBelgeleriAlOperationCompleted Method

C#

```
private void OngelenBelgeleriAlOperationCompleted(object arg);
```

Description

This is OngelenBelgeleriAlOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngelenBelgeleriAlOperationCompleted(object arg) {
2:     if ((this.gelenBelgeleriAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenBelgeleriAlCompleted(this, new
gelenBelgeleriAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.170 connectorService.OngelenBelgeleriIndirExtOperationCompleted Method

C#

```
private void OngelenBelgeleriIndirExtOperationCompleted(object arg);
```

Description

This is OngelenBelgeleriIndirExtOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngelenBelgeleriIndirExtOperationCompleted(object arg) {
2:     if ((this.gelenBelgeleriIndirExtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenBelgeleriIndirExtCompleted(this, new
gelenBelgeleriIndirExtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.171 connectorService.OngelenBelgeleriIndirOperationCompleted Method

C#

```
private void OngelenBelgeleriIndirOperationCompleted(object arg);
```

Description

This is OngelenBelgeleriIndirOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngelenBelgeleriIndirOperationCompleted(object arg) {
2:     if ((this.gelenBelgeleriIndirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenBelgeleriIndirCompleted(this, new
gelenBelgeleriIndirCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.172 connectorService.OngelenBelgeleriListeleExtOperationCompleted Method

C#

```
private void OngelenBelgeleriListeleExtOperationCompleted(object arg);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Description

This is OngelenBelgeleriListeleExtOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngelenBelgeleriListeleExtOperationCompleted(object arg) {
2:     if ((this.gelenBelgeleriListeleExtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenBelgeleriListeleExtCompleted(this, new
gelenBelgeleriListeleExtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.173 connectorService.OngelenBelgeleriListeleOperationCompleted Method

C#

```
private void OngelenBelgeleriListeleOperationCompleted(object arg);
```

Description

This is OngelenBelgeleriListeleOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngelenBelgeleriListeleOperationCompleted(object arg) {
2:     if ((this.gelenBelgeleriListeleCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenBelgeleriListeleCompleted(this, new
gelenBelgeleriListeleCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.174 connectorService.OngelenBelgeTutarBilgileriSorgulaOperationCompleted Method

C#

```
private void OngelenBelgeTutarBilgileriSorgulaOperationCompleted(object arg);
```

Description

This is OngelenBelgeTutarBilgileriSorgulaOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngelenBelgeTutarBilgileriSorgulaOperationCompleted(object arg) {
2:     if ((this.gelenBelgeTutarBilgileriSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenBelgeTutarBilgileriSorgulaCompleted(this, new
gelenBelgeTutarBilgileriSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.175 connectorService.OngelenBelgeXmlleriniAlExtOperationCompleted Method

C#

```
private void OngelenBelgeXmlleriniAlExtOperationCompleted(object arg);
```

Description

This is OngelenBelgeXmlleriniAlExtOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngelenBelgeXmlleriniAlExtOperationCompleted(object arg) {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
2:     if ((this.gelenBelgeXmlleriniAlExtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenBelgeXmlleriniAlExtCompleted(this, new
gelenBelgeXmlleriniAlExtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.176 connectorService.OngelenBelgeXmlleriniAlOperationCompleted Method

C#

```
private void OngelenBelgeXmlleriniAlOperationCompleted(object arg);
```

Description

This is OngelenBelgeXmlleriniAlOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngelenBelgeXmlleriniAlOperationCompleted(object arg) {
2:     if ((this.gelenBelgeXmlleriniAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenBelgeXmlleriniAlCompleted(this, new
gelenBelgeXmlleriniAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.177 connectorService.OngelenFaturalariArsiveKaldirOperationCompleted Method

C#

```
private void OngelenFaturalariArsiveKaldirOperationCompleted(object arg);
```

Description

This is OngelenFaturalariArsiveKaldirOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngelenFaturalariArsiveKaldirOperationCompleted(object arg) {
2:     if ((this.gelenFaturalariArsiveKaldirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenFaturalariArsiveKaldirCompleted(this, new
System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.178 connectorService.OngelenIrsaliyeleriArsiveKaldirOperationCompleted Method

C#

```
private void OngelenIrsaliyeleriArsiveKaldirOperationCompleted(object arg);
```

Description

This is OngelenIrsaliyeleriArsiveKaldirOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngelenIrsaliyeleriArsiveKaldirOperationCompleted(object arg) {
2:     if ((this.gelenIrsaliyeleriArsiveKaldirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenIrsaliyeleriArsiveKaldirCompleted(this, new
System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
6: }
```

1.1.3.1.17.2.179 connectorService.OngelenStandartRapolariAlOperationCompleted Method

C#

```
private void OngelenStandartRapolariAlOperationCompleted(object arg);
```

Description

This is OngelenStandartRapolariAlOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngelenStandartRapolariAlOperationCompleted(object arg) {
2:     if ((this.gelenStandartRapolariAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenStandartRapolariAlCompleted(this, new
gelenStandartRapolariAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.180 connectorService.OngelenTamamlananRapolariAlOperationCompleted Method

C#

```
private void OngelenTamamlananRapolariAlOperationCompleted(object arg);
```

Description

This is OngelenTamamlananRapolariAlOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngelenTamamlananRapolariAlOperationCompleted(object arg) {
2:     if ((this.gelenTamamlananRapolariAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenTamamlananRapolariAlCompleted(this, new
gelenTamamlananRapolariAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.181 connectorService.OngelenTasinanBelgeleriIndirOperationCompleted Method

C#

```
private void OngelenTasinanBelgeleriIndirOperationCompleted(object arg);
```

Description

This is OngelenTasinanBelgeleriIndirOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngelenTasinanBelgeleriIndirOperationCompleted(object arg) {
2:     if ((this.gelenTasinanBelgeleriIndirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenTasinanBelgeleriIndirCompleted(this, new
gelenTasinanBelgeleriIndirCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.182 connectorService.OngidenBelgeDurumSorgulaBelgeNoOperationCompleted Method

C#

```
private void OngidenBelgeDurumSorgulaBelgeNoOperationCompleted(object arg);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Description

This is OngidenBelgeDurumSorgulaBelgeNoOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngidenBelgeDurumSorgulaBelgeNoOperationCompleted(object arg) {
2:     if ((this.gidenBelgeDurumSorgulaBelgeNoCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenBelgeDurumSorgulaBelgeNoCompleted(this, new
gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.183 connectorService.OngidenBelgeDurumSorgulaEttnOperationCompleted Method

C#

```
private void OngidenBelgeDurumSorgulaEttnOperationCompleted(object arg);
```

Description

This is OngidenBelgeDurumSorgulaEttnOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngidenBelgeDurumSorgulaEttnOperationCompleted(object arg) {
2:     if ((this.gidenBelgeDurumSorgulaEttnCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenBelgeDurumSorgulaEttnCompleted(this, new
gidenBelgeDurumSorgulaEttnCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.184 connectorService.OngidenBelgeDurumSorgulaExtOperationCompleted Method

C#

```
private void OngidenBelgeDurumSorgulaExtOperationCompleted(object arg);
```

Description

This is OngidenBelgeDurumSorgulaExtOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngidenBelgeDurumSorgulaExtOperationCompleted(object arg) {
2:     if ((this.gidenBelgeDurumSorgulaExtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenBelgeDurumSorgulaExtCompleted(this, new
gidenBelgeDurumSorgulaExtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.185 connectorService.OngidenBelgeDurumSorgulaOperationCompleted Method

C#

```
private void OngidenBelgeDurumSorgulaOperationCompleted(object arg);
```

Description

This is OngidenBelgeDurumSorgulaOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngidenBelgeDurumSorgulaOperationCompleted(object arg) {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
2:     if ((this.gidenBelgeDurumSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenBelgeDurumSorgulaCompleted(this, new
gidenBelgeDurumSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.186 connectorService.OngidenBelgeDurumSorgulaPortalOperationCompleted Method

C#

```
private void OngidenBelgeDurumSorgulaPortalOperationCompleted(object arg);
```

Description

This is OngidenBelgeDurumSorgulaPortalOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngidenBelgeDurumSorgulaPortalOperationCompleted(object arg) {
2:     if ((this.gidenBelgeDurumSorgulaPortalCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenBelgeDurumSorgulaPortalCompleted(this, new
gidenBelgeDurumSorgulaPortalCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.187 connectorService.OngidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted Method

C#

```
private void OngidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted(object arg);
```

Description

This is OngidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted(object arg) {
2:     if ((this.gidenBelgeDurumSorgulaYerelBelgeNoCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenBelgeDurumSorgulaYerelBelgeNoCompleted(this, new
gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.188 connectorService.OngidenBelgeEkleriAlOperationCompleted Method

C#

```
private void OngidenBelgeEkleriAlOperationCompleted(object arg);
```

Description

This is OngidenBelgeEkleriAlOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngidenBelgeEkleriAlOperationCompleted(object arg) {
2:     if ((this.gidenBelgeEkleriAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenBelgeEkleriAlCompleted(this, new
gidenBelgeEkleriAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
6: }
```

1.1.3.1.17.2.189 connectorService.OngidenBelgeleriIndirEttnOperationCompleted Method

C#

```
private void OngidenBelgeleriIndirEttnOperationCompleted(object arg);
```

Description

This is OngidenBelgeleriIndirEttnOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngidenBelgeleriIndirEttnOperationCompleted(object arg) {
2:     if ((this.gidenBelgeleriIndirEttnCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenBelgeleriIndirEttnCompleted(this, new
gidenBelgeleriIndirEttnCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.190 connectorService.OngidenBelgeleriIndirOperationCompleted Method

C#

```
private void OngidenBelgeleriIndirOperationCompleted(object arg);
```

Description

This is OngidenBelgeleriIndirOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngidenBelgeleriIndirOperationCompleted(object arg) {
2:     if ((this.gidenBelgeleriIndirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenBelgeleriIndirCompleted(this, new
gidenBelgeleriIndirCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.191 connectorService.OngidenBelgeleriIndirPortalOperationCompleted Method

C#

```
private void OngidenBelgeleriIndirPortalOperationCompleted(object arg);
```

Description

This is OngidenBelgeleriIndirPortalOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngidenBelgeleriIndirPortalOperationCompleted(object arg) {
2:     if ((this.gidenBelgeleriIndirPortalCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenBelgeleriIndirPortalCompleted(this, new
gidenBelgeleriIndirPortalCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.192 connectorService.OngidenBelgeleriListeleOperationCompleted Method

C#

```
private void OngidenBelgeleriListeleOperationCompleted(object arg);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Description

This is OngidenBelgeleriListeleOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngidenBelgeleriListeleOperationCompleted(object arg) {
2:     if ((this.gidenBelgeleriListeleCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenBelgeleriListeleCompleted(this, new
gidenBelgeleriListeleCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.193 connectorService.OngidenBelgeleriListelePortalOperationCompleted Method

C#

```
private void OngidenBelgeleriListelePortalOperationCompleted(object arg);
```

Description

This is OngidenBelgeleriListelePortalOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngidenBelgeleriListelePortalOperationCompleted(object arg) {
2:     if ((this.gidenBelgeleriListelePortalCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenBelgeleriListelePortalCompleted(this, new
gidenBelgeleriListelePortalCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.194 connectorService.OngidenBelgeTutarBilgileriSorgulaOperationCompleted Method

C#

```
private void OngidenBelgeTutarBilgileriSorgulaOperationCompleted(object arg);
```

Description

This is OngidenBelgeTutarBilgileriSorgulaOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngidenBelgeTutarBilgileriSorgulaOperationCompleted(object arg) {
2:     if ((this.gidenBelgeTutarBilgileriSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenBelgeTutarBilgileriSorgulaCompleted(this, new
gidenBelgeTutarBilgileriSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.195 connectorService.OngidenFaturalariArsiveKaldirOperationCompleted Method

C#

```
private void OngidenFaturalariArsiveKaldirOperationCompleted(object arg);
```

Description

This is OngidenFaturalariArsiveKaldirOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngidenFaturalariArsiveKaldirOperationCompleted(object arg) {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
2:     if ((this.gidenFaturalariArsiveKaldirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenFaturalariArsiveKaldirCompleted(this, new
System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.196 connectorService.OngidenIrsaliyeleriArsiveKaldirOperationCompleted Method

C#

```
private void OngidenIrsaliyeleriArsiveKaldirOperationCompleted(object arg);
```

Description

This is OngidenIrsaliyeleriArsiveKaldirOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngidenIrsaliyeleriArsiveKaldirOperationCompleted(object arg) {
2:     if ((this.gidenIrsaliyeleriArsiveKaldirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenIrsaliyeleriArsiveKaldirCompleted(this, new
System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.197 connectorService.OngidenTasinanBelgeleriIndirOperationCompleted Method

C#

```
private void OngidenTasinanBelgeleriIndirOperationCompleted(object arg);
```

Description

This is OngidenTasinanBelgeleriIndirOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngidenTasinanBelgeleriIndirOperationCompleted(object arg) {
2:     if ((this.gidenTasinanBelgeleriIndirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenTasinanBelgeleriIndirCompleted(this, new
gidenTasinanBelgeleriIndirCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.198 connectorService.OnirsaliyeMailGonderOperationCompleted Method

C#

```
private void OnirsaliyeMailGonderOperationCompleted(object arg);
```

Description

This is OnirsaliyeMailGonderOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnirsaliyeMailGonderOperationCompleted(object arg) {
2:     if ((this.irsaliyeMailGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.irsaliyeMailGonderCompleted(this, new
System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
6: }
```

1.1.3.1.17.2.199 connectorService.OnirsaliyeTarihcesiSorgulaOperationCompleted Method

C#

```
private void OnirsaliyeTarihcesiSorgulaOperationCompleted(object arg);
```

Description

This is OnirsaliyeTarihcesiSorgulaOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnirsaliyeTarihcesiSorgulaOperationCompleted(object arg) {
2:     if ((this.irsaliyeTarihcesiSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.irsaliyeTarihcesiSorgulaCompleted(this, new
irsaliyeTarihcesiSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.200 connectorService.OnkayitliKullaniciListeleExtendedOperationCompleted Method

C#

```
private void OnkayitliKullaniciListeleExtendedOperationCompleted(object arg);
```

Description

This is OnkayitliKullaniciListeleExtendedOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnkayitliKullaniciListeleExtendedOperationCompleted(object arg) {
2:     if ((this.kayitliKullaniciListeleExtendedCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.kayitliKullaniciListeleExtendedCompleted(this, new
kayitliKullaniciListeleExtendedCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.201 connectorService.OnkayitliKullaniciListeleExtendedTimeOperationCompleted Method

C#

```
private void OnkayitliKullaniciListeleExtendedTimeOperationCompleted(object arg);
```

Description

This is OnkayitliKullaniciListeleExtendedTimeOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnkayitliKullaniciListeleExtendedTimeOperationCompleted(object arg) {
2:     if ((this.kayitliKullaniciListeleExtendedTimeCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.kayitliKullaniciListeleExtendedTimeCompleted(this, new
kayitliKullaniciListeleExtendedTimeCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.202 connectorService.OnkayitliKullaniciListeleExtendedVknTcknOperationCompleted Method

C#

```
private void OnkayitliKullaniciListeleExtendedVknTcknOperationCompleted(object arg);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Description

This is OnkayitliKullaniciListeleExtendedVknTcknOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnkayitliKullaniciListeleExtendedVknTcknOperationCompleted(object arg) {
2:     if ((this.kayitliKullaniciListeleExtendedVknTcknCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.kayitliKullaniciListeleExtendedVknTcknCompleted(this, new
kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs(invokeArgs.Results,
invokeArgs.Error, invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.203 connectorService.OnkontorBilgisiGetirOperationCompleted Method

C#

```
private void OnkontorBilgisiGetirOperationCompleted(object arg);
```

Description

This is OnkontorBilgisiGetirOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnkontorBilgisiGetirOperationCompleted(object arg) {
2:     if ((this.kontorBilgisiGetirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.kontorBilgisiGetirCompleted(this, new
kontorBilgisiGetirCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.204 connectorService.OntemelKontrollerIleBelgeGonderOperationCompleted Method

C#

```
private void OntemelKontrollerIleBelgeGonderOperationCompleted(object arg);
```

Description

This is OntemelKontrollerIleBelgeGonderOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OntemelKontrollerIleBelgeGonderOperationCompleted(object arg) {
2:     if ((this.temelKontrollerIleBelgeGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.temelKontrollerIleBelgeGonderCompleted(this, new
temelKontrollerIleBelgeGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.205 connectorService.OntoplamBelgeSayisiGetirOperationCompleted Method

C#

```
private void OntoplamBelgeSayisiGetirOperationCompleted(object arg);
```

Description

This is OntoplamBelgeSayisiGetirOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OntoplamBelgeSayisiGetirOperationCompleted(object arg) {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
2:     if ((this.toplamBelgeSayisiGetirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.toplamBelgeSayisiGetirCompleted(this, new
toplamBelgeSayisiGetirCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.206 connectorService.OnublOnizlemeOperationCompleted Method

C#

```
private void OnublOnizlemeOperationCompleted(object arg);
```

Description

This is OnublOnizlemeOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnublOnizlemeOperationCompleted(object arg) {
2:     if ((this.ublOnizlemeCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.ublOnizlemeCompleted(this, new
ublOnizlemeCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.207 connectorService.OnurunSablonlariniAlOperationCompleted Method

C#

```
private void OnurunSablonlariniAlOperationCompleted(object arg);
```

Description

This is OnurunSablonlariniAlOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnurunSablonlariniAlOperationCompleted(object arg) {
2:     if ((this.urunSablonlariniAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.urunSablonlariniAlCompleted(this, new
urunSablonlariniAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.208 connectorService.OnwsKullanicisiKaydetOperationCompleted Method

C#

```
private void OnwsKullanicisiKaydetOperationCompleted(object arg);
```

Description

This is OnwsKullanicisiKaydetOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnwsKullanicisiKaydetOperationCompleted(object arg) {
2:     if ((this.wsKullanicisiKaydetCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.wsKullanicisiKaydetCompleted(this, new
wsKullanicisiKaydetCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
6: }
```

1.1.3.1.17.2.209 connectorService.OnyereleAktarilacakBelgeleriAlExtOperationCompleted Method

C#

```
private void OnyereleAktarilacakBelgeleriAlExtOperationCompleted(object arg);
```

Description

This is OnyereleAktarilacakBelgeleriAlExtOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnyereleAktarilacakBelgeleriAlExtOperationCompleted(object arg) {
2:     if ((this.yereleAktarilacakBelgeleriAlExtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.yereleAktarilacakBelgeleriAlExtCompleted(this, new
yereleAktarilacakBelgeleriAlExtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.210 connectorService.OnyereleAktarilacakBelgeleriAlOperationCompleted Method

C#

```
private void OnyereleAktarilacakBelgeleriAlOperationCompleted(object arg);
```

Description

This is OnyereleAktarilacakBelgeleriAlOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnyereleAktarilacakBelgeleriAlOperationCompleted(object arg) {
2:     if ((this.yereleAktarilacakBelgeleriAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.yereleAktarilacakBelgeleriAlCompleted(this, new
yereleAktarilacakBelgeleriAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.211 connectorService.OnyolcuBeraberFaturaIptalEtOperationCompleted Method

C#

```
private void OnyolcuBeraberFaturaIptalEtOperationCompleted(object arg);
```

Description

This is OnyolcuBeraberFaturaIptalEtOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnyolcuBeraberFaturaIptalEtOperationCompleted(object arg) {
2:     if ((this.yolcuBeraberFaturaIptalEtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.yolcuBeraberFaturaIptalEtCompleted(this, new
System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.212 connectorService.temelKontrollerIleBelgeGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("belgeOid",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
temelKontrollerIleBelgeGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeHash,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string mimeType,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeVersiyon);
```

Body Source

```
 1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
 2: [return: System.Xml.Serialization.XmlElementAttribute("belgeOid",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
 3: public string
temelKontrollerIleBelgeGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeHash,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string mimeType,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeVersiyon) {
 4:     object[] results = this.Invoke("temelKontrollerIleBelgeGonder", new object[] {
 5:                 vergiTcKimlikNo,
 6:                 belgeNo,
 7:                 veri,
 8:                 belgeHash,
 9:                 mimeType,
10:                 belgeVersiyon});
11:     return ((string)(results[0]));
12: }
```

1.1.3.1.17.2.213 temelKontrollerIleBelgeGonderAsync Method

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.2.213.1 connectorService.temelKontrollerIleBelgeGonderAsync Method (string, string, byte[], string, string, string)

C#

```
public void temelKontrollerIleBelgeGonderAsync(string vergiTcKimlikNo, string belgeNo,
byte[] veri, string belgeHash, string mimeType, string belgeVersiyon);
```

Body Source

```
1: public void temelKontrollerIleBelgeGonderAsync(string vergiTcKimlikNo, string belgeNo,
byte[] veri, string belgeHash, string mimeType, string belgeVersiyon) {
2:     this.temelKontrollerIleBelgeGonderAsync(vergiTcKimlikNo, belgeNo, veri, belgeHash,
mimeType, belgeVersiyon, null);
3: }
```

1.1.3.1.17.2.213.2 connectorService.temelKontrollerIleBelgeGonderAsync Method (string, string, byte[], string, string, string, object)

C#

```
public void temelKontrollerIleBelgeGonderAsync(string vergiTcKimlikNo, string belgeNo,
byte[] veri, string belgeHash, string mimeType, string belgeVersiyon, object userState);
```

Body Source

```
 1: public void temelKontrollerIleBelgeGonderAsync(string vergiTcKimlikNo, string belgeNo,
byte[] veri, string belgeHash, string mimeType, string belgeVersiyon, object userState) {
 2:     if ((this.temelKontrollerIleBelgeGonderOperationCompleted == null)) {
 3:         this.temelKontrollerIleBelgeGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OntemelKontrollerIleBelgeGonderOperationCompleted);
 4:     }
 5:     this.InvokeAsync("temelKontrollerIleBelgeGonder", new object[] {
 6:                 vergiTcKimlikNo,
 7:                 belgeNo,
 8:                 veri,
 9:                 belgeHash,
10:                 mimeType,
11:                 belgeVersiyon}, this.temelKontrollerIleBelgeGonderOperationCompleted,
userState);
12: }
```

1.1.3.1.17.2.214 connectorService.toplamBelgeSayisiGetir Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int
toplamBelgeSayisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeYonu,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeBaslangicTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeBitisTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
ed)]
string belgeBaslangicZamani,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeBitisZamani);
```

Body Source

```
 1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
 2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
 3: public int
toplamBelgeSayisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeYonu,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeBaslangicTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeBitisTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeBaslangicZamani,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeBitisZamani) {
 4:     object[] results = this.Invoke("toplamBelgeSayisiGetir", new object[] {
 5:                 vergiTcKimlikNo,
 6:                 belgeTuru,
 7:                 belgeYonu,
 8:                 belgeBaslangicTarihi,
 9:                 belgeBitisTarihi,
10:                 belgeBaslangicZamani,
11:                 belgeBitisZamani});
12:     return ((int)(results[0]));
13: }
```

1.1.3.1.17.2.215 toplamBelgeSayisiGetirAsync Method

1.1.3.1.17.2.215.1 connectorService.toplamBelgeSayisiGetirAsync Method (string, string, string, string, string, string, string)

C#

```
public void toplamBelgeSayisiGetirAsync(string vergiTcKimlikNo, string belgeTuru, string
belgeYonu, string belgeBaslangicTarihi, string belgeBitisTarihi, string
belgeBaslangicZamani, string belgeBitisZamani);
```

Body Source

```
1: public void toplamBelgeSayisiGetirAsync(string vergiTcKimlikNo, string belgeTuru, string
belgeYonu, string belgeBaslangicTarihi, string belgeBitisTarihi, string
belgeBaslangicZamani, string belgeBitisZamani) {
2:     this.toplamBelgeSayisiGetirAsync(vergiTcKimlikNo, belgeTuru, belgeYonu,
belgeBaslangicTarihi, belgeBitisTarihi, belgeBaslangicZamani, belgeBitisZamani, null);
3: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.2.215.2 connectorService.toplamBelgeSayisiGetirAsync Method (string, string, string, string, string, string, string, object)

C#

```
public void toplamBelgeSayisiGetirAsync(string vergiTcKimlikNo, string belgeTuru, string
belgeYonu, string belgeBaslangicTarihi, string belgeBitisTarihi, string
belgeBaslangicZamani, string belgeBitisZamani, object userState);
```

Body Source

```
 1: public void toplamBelgeSayisiGetirAsync(string vergiTcKimlikNo, string belgeTuru,
string belgeYonu, string belgeBaslangicTarihi, string belgeBitisTarihi, string
belgeBaslangicZamani, string belgeBitisZamani, object userState) {
 2:     if ((this.toplamBelgeSayisiGetirOperationCompleted == null)) {
 3:         this.toplamBelgeSayisiGetirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OntoplamBelgeSayisiGetirOperationCompleted);
 4:     }
 5:     this.InvokeAsync("toplamBelgeSayisiGetir", new object[] {
 6:                 vergiTcKimlikNo,
 7:                 belgeTuru,
 8:                 belgeYonu,
 9:                 belgeBaslangicTarihi,
10:                 belgeBitisTarihi,
11:                 belgeBaslangicZamani,
12:                 belgeBitisZamani}, this.toplamBelgeSayisiGetirOperationCompleted,
userState);
13: }
```

1.1.3.1.17.2.216 connectorService.ublOnizleme Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
ublOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeFormati,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru);
```

Body Source

```
 1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
 2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
 3: public byte[]
ublOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeFormati,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru) {
 4:     object[] results = this.Invoke("ublOnizleme", new object[] {
 5:                 vergiTcKimlikNo,
 6:                 veri,
 7:                 belgeFormati,
 8:                 belgeTuru});
 9:     return ((byte[])(results[0]));
10: }
```

1.1.3.1.17.2.217 ublOnizlemeAsync Method

1.1.3.1.17.2.217.1 connectorService.ublOnizlemeAsync Method (string, byte[], string, string)

C#

```
public void ublOnizlemeAsync(string vergiTcKimlikNo, byte[] veri, string belgeFormati,
string belgeTuru);
```

Body Source

```
1: public void ublOnizlemeAsync(string vergiTcKimlikNo, byte[] veri, string belgeFormati,
string belgeTuru) {
2:     this.ublOnizlemeAsync(vergiTcKimlikNo, veri, belgeFormati, belgeTuru, null);
3: }
```

1.1.3.1.17.2.217.2 connectorService.ublOnizlemeAsync Method (string, byte[], string, string, object)

C#

```
public void ublOnizlemeAsync(string vergiTcKimlikNo, byte[] veri, string belgeFormati,
string belgeTuru, object userState);
```

Body Source

```
 1: public void ublOnizlemeAsync(string vergiTcKimlikNo, byte[] veri, string belgeFormati,
string belgeTuru, object userState) {
 2:     if ((this.ublOnizlemeOperationCompleted == null)) {
 3:         this.ublOnizlemeOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnublOnizlemeOperationCompleted);
 4:     }
 5:     this.InvokeAsync("ublOnizleme", new object[] {
 6:                 vergiTcKimlikNo,
 7:                 veri,
 8:                 belgeFormati,
 9:                 belgeTuru}, this.ublOnizlemeOperationCompleted, userState);
10: }
```

1.1.3.1.17.2.218 connectorService.urunSablonlariniAl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
urunSablonlariniAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
string urun);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
urunSablonlariniAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string urun) {
4:     object[] results = this.Invoke("urunSablonlariniAl", new object[] {
5:                 vergiTcKimlikNo,
6:                 urun});
7:     return ((byte[])(results[0]));
8: }
```

1.1.3.1.17.2.219 urunSablonlariniAlAsync Method

1.1.3.1.17.2.219.1 connectorService.urunSablonlariniAlAsync Method (string, string)

C#

```
public void urunSablonlariniAlAsync(string vergiTcKimlikNo, string urun);
```

Body Source

```
1: public void urunSablonlariniAlAsync(string vergiTcKimlikNo, string urun) {
2:     this.urunSablonlariniAlAsync(vergiTcKimlikNo, urun, null);
3: }
```

1.1.3.1.17.2.219.2 connectorService.urunSablonlariniAlAsync Method (string, string, object)

C#

```
public void urunSablonlariniAlAsync(string vergiTcKimlikNo, string urun, object userState);
```

Body Source

```
1: public void urunSablonlariniAlAsync(string vergiTcKimlikNo, string urun, object
userState) {
2:     if ((this.urunSablonlariniAlOperationCompleted == null)) {
3:         this.urunSablonlariniAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnurunSablonlariniAlOperationCompleted);
4:     }
5:     this.InvokeAsync("urunSablonlariniAl", new object[] {
6:                 vergiTcKimlikNo,
7:                 urun}, this.urunSablonlariniAlOperationCompleted, userState);
8: }
```

1.1.3.1.17.2.220 connectorService.wsKullanicisiKaydet Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public wsKullaniciBilgileri
wsKullanicisiKaydet([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("urunList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] urunList,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string erpKodu);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public wsKullaniciBilgileri
wsKullanicisiKaydet([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("urunList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] urunList,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string erpKodu) {
4:     object[] results = this.Invoke("wsKullanicisiKaydet", new object[] {
5:                 vergiTcKimlikNo,
6:                 urunList,
7:                 erpKodu});
8:     return ((wsKullaniciBilgileri)(results[0]));
9: }
```

1.1.3.1.17.2.221 wsKullanicisiKaydetAsync Method

1.1.3.1.17.2.221.1 connectorService.wsKullanicisiKaydetAsync Method (string, string[], string)

C#

```
public void wsKullanicisiKaydetAsync(string vergiTcKimlikNo, string[] urunList, string
erpKodu);
```

Body Source

```
1: public void wsKullanicisiKaydetAsync(string vergiTcKimlikNo, string[] urunList, string
erpKodu) {
2:     this.wsKullanicisiKaydetAsync(vergiTcKimlikNo, urunList, erpKodu, null);
3: }
```

1.1.3.1.17.2.221.2 connectorService.wsKullanicisiKaydetAsync Method (string, string[], string, object)

C#

```
public void wsKullanicisiKaydetAsync(string vergiTcKimlikNo, string[] urunList, string
erpKodu, object userState);
```

Body Source

```
1: public void wsKullanicisiKaydetAsync(string vergiTcKimlikNo, string[] urunList, string
erpKodu, object userState) {
2:     if ((this.wsKullanicisiKaydetOperationCompleted == null)) {
3:         this.wsKullanicisiKaydetOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnwsKullanicisiKaydetOperationCompleted);
4:     }
5:     this.InvokeAsync("wsKullanicisiKaydet", new object[] {
6:                 vergiTcKimlikNo,
7:                 urunList,
8:                 erpKodu}, this.wsKullanicisiKaydetOperationCompleted, userState);
9: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.2.222 connectorService.yereleAktarilacakBelgeleriAl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
yereleAktarilacakBelgeleriAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.S
chema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string entegrasyonHedefi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
yereleAktarilacakBelgeleriAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.S
chema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string entegrasyonHedefi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru) {
4:     object[] results = this.Invoke("yereleAktarilacakBelgeleriAl", new object[] {
5:                 vergiTcKimlikNo,
6:                 entegrasyonHedefi,
7:                 belgeTuru});
8:     return ((serviceReturnType[])(results[0]));
9: }
```

1.1.3.1.17.2.223 yereleAktarilacakBelgeleriAlAsync Method

1.1.3.1.17.2.223.1 connectorService.yereleAktarilacakBelgeleriAlAsync Method (string, string, string)

C#

```
public void yereleAktarilacakBelgeleriAlAsync(string vergiTcKimlikNo, string
entegrasyonHedefi, string belgeTuru);
```

Body Source

```
1: public void yereleAktarilacakBelgeleriAlAsync(string vergiTcKimlikNo, string
entegrasyonHedefi, string belgeTuru) {
2:     this.yereleAktarilacakBelgeleriAlAsync(vergiTcKimlikNo, entegrasyonHedefi,
belgeTuru, null);
3: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.2.223.2 connectorService.yereleAktarilacakBelgeleriAlAsync Method (string, string, string, object)

C#

```
public void yereleAktarilacakBelgeleriAlAsync(string vergiTcKimlikNo, string
entegrasyonHedefi, string belgeTuru, object userState);
```

Body Source

```
1: public void yereleAktarilacakBelgeleriAlAsync(string vergiTcKimlikNo, string
entegrasyonHedefi, string belgeTuru, object userState) {
2:     if ((this.yereleAktarilacakBelgeleriAlOperationCompleted == null)) {
3:         this.yereleAktarilacakBelgeleriAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnyereleAktarilacakBelgeleriAlOperationCompleted);
4:     }
5:     this.InvokeAsync("yereleAktarilacakBelgeleriAl", new object[] {
6:                 vergiTcKimlikNo,
7:                 entegrasyonHedefi,
8:                 belgeTuru}, this.yereleAktarilacakBelgeleriAlOperationCompleted,
userState);
9: }
```

1.1.3.1.17.2.224 connectorService.yereleAktarilacakBelgeleriAlExt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
yereleAktarilacakBelgeleriAlExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
yereleAktarilacakBelgeleriAlExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("yereleAktarilacakBelgeleriAlExt", new object[] {
5:                 parametreler});
6:     return ((serviceReturnType[])(results[0]));
7: }
```

1.1.3.1.17.2.225 yereleAktarilacakBelgeleriAlExtAsync Method

1.1.3.1.17.2.225.1 connectorService.yereleAktarilacakBelgeleriAlExtAsync Method (gelenBelgeParametreleri)

C#

```
public void yereleAktarilacakBelgeleriAlExtAsync(gelenBelgeParametreleri parametreler);
```

Body Source

```
1: public void yereleAktarilacakBelgeleriAlExtAsync(gelenBelgeParametreleri parametreler) {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
2:     this.yereleAktarilacakBelgeleriAlExtAsync(parametreler, null);
3: }
```

1.1.3.1.17.2.225.2 connectorService.yereleAktarilacakBelgeleriAlExtAsync Method (gelenBelgeParametreleri, object)

C#

```
public void yereleAktarilacakBelgeleriAlExtAsync(gelenBelgeParametreleri parametreler,
object userState);
```

Body Source

```
1: public void yereleAktarilacakBelgeleriAlExtAsync(gelenBelgeParametreleri parametreler,
object userState) {
2:     if ((this.yereleAktarilacakBelgeleriAlExtOperationCompleted == null)) {
3:         this.yereleAktarilacakBelgeleriAlExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnyereleAktarilacakBelgeleriAlExtOperationCompleted
);
4:     }
5:     this.InvokeAsync("yereleAktarilacakBelgeleriAlExt", new object[] {
6:                 parametreler}, this.yereleAktarilacakBelgeleriAlExtOperationCompleted,
userState);
7: }
```

1.1.3.1.17.2.226 connectorService.yolcuBeraberFaturaIptalEt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
yolcuBeraberFaturaIptalEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string seriSiraNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string pusulaTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeOid);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
yolcuBeraberFaturaIptalEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string seriSiraNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
string pusulaTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeOid) {
3:     this.Invoke("yolcuBeraberFaturaIptalEt", new object[] {
4:                 vergiTcKimlikNo,
5:                 ettn,
6:                 seriSiraNo,
7:                 pusulaTarihi,
8:                 belgeOid});
9: }
```

1.1.3.1.17.2.227 yolcuBeraberFaturaIptalEtAsync Method

1.1.3.1.17.2.227.1 connectorService.yolcuBeraberFaturaIptalEtAsync Method (string, string, string, string, string)

C#

```
public void yolcuBeraberFaturaIptalEtAsync(string vergiTcKimlikNo, string ettn, string
seriSiraNo, string pusulaTarihi, string belgeOid);
```

Body Source

```
1: public void yolcuBeraberFaturaIptalEtAsync(string vergiTcKimlikNo, string ettn, string
seriSiraNo, string pusulaTarihi, string belgeOid) {
2:     this.yolcuBeraberFaturaIptalEtAsync(vergiTcKimlikNo, ettn, seriSiraNo, pusulaTarihi,
belgeOid, null);
3: }
```

1.1.3.1.17.2.227.2 connectorService.yolcuBeraberFaturaIptalEtAsync Method (string, string, string, string, string, object)

C#

```
public void yolcuBeraberFaturaIptalEtAsync(string vergiTcKimlikNo, string ettn, string
seriSiraNo, string pusulaTarihi, string belgeOid, object userState);
```

Body Source

```
 1: public void yolcuBeraberFaturaIptalEtAsync(string vergiTcKimlikNo, string ettn, string
seriSiraNo, string pusulaTarihi, string belgeOid, object userState) {
 2:     if ((this.yolcuBeraberFaturaIptalEtOperationCompleted == null)) {
 3:         this.yolcuBeraberFaturaIptalEtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnyolcuBeraberFaturaIptalEtOperationCompleted);
 4:     }
 5:     this.InvokeAsync("yolcuBeraberFaturaIptalEt", new object[] {
 6:                 vergiTcKimlikNo,
 7:                 ettn,
 8:                 seriSiraNo,
 9:                 pusulaTarihi,
10:                 belgeOid}, this.yolcuBeraberFaturaIptalEtOperationCompleted, userState);
11: }
```

1.1.3.1.17.3 connectorService Properties

1.1.3.1.17.3.1 connectorService.Url Property

C#

```
public new string Url;
```

Description

This is Url, a member of class connectorService.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.3.2 connectorService.UseDefaultCredentials Property

C#

```
public new bool UseDefaultCredentials;
```

Description

This is UseDefaultCredentials, a member of class connectorService.

1.1.3.1.17.4 connectorService Events

1.1.3.1.17.4.1 connectorService.belgeGonderCompleted Event

C#

```
public event belgeGonderCompletedEventHandler belgeGonderCompleted;
```

1.1.3.1.17.4.2 connectorService.belgeGonderExtCompleted Event

C#

```
public event belgeGonderExtCompletedEventHandler belgeGonderExtCompleted;
```

1.1.3.1.17.4.3 connectorService.belgeGonderExtWithValidateCompleted Event

C#

```
public event belgeGonderExtWithValidateCompletedEventHandler
belgeGonderExtWithValidateCompleted;
```

1.1.3.1.17.4.4 connectorService.belgeGonderWithValidateCompleted Event

C#

```
public event belgeGonderWithValidateCompletedEventHandler belgeGonderWithValidateCompleted;
```

1.1.3.1.17.4.5 connectorService.belgelerAlindiCompleted Event

C#

```
public event belgelerAlindiCompletedEventHandler belgelerAlindiCompleted;
```

1.1.3.1.17.4.6 connectorService.belgelerAlindiEntegrasyonSiparisNoGuncelleCompleted Event

C#

```
public event belgelerAlindiEntegrasyonSiparisNoGuncelleCompletedEventHandler
belgelerAlindiEntegrasyonSiparisNoGuncelleCompleted;
```

1.1.3.1.17.4.7 connectorService.belgeleriTekrarGonderBelgeOidCompleted Event

C#

```
public event belgeleriTekrarGonderBelgeOidCompletedEventHandler
belgeleriTekrarGonderBelgeOidCompleted;
```

1.1.3.1.17.4.8 connectorService.belgeleriTekrarGonderCompleted Event

C#

```
public event belgeleriTekrarGonderCompletedEventHandler belgeleriTekrarGonderCompleted;
```

1.1.3.1.17.4.9 connectorService.belgeleriTekrarGonderYerelBelgeNoCompleted Event

C#

```
public event belgeleriTekrarGonderYerelBelgeNoCompletedEventHandler
belgeleriTekrarGonderYerelBelgeNoCompleted;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.4.10 connectorService.checkDateValidControlCompleted Event

C#

```
public event checkDateValidControlCompletedEventHandler checkDateValidControlCompleted;
```

1.1.3.1.17.4.11 connectorService.cokluGidenBelgeDurumSorgulaCompleted Event

C#

```
public event cokluGidenBelgeDurumSorgulaCompletedEventHandler
cokluGidenBelgeDurumSorgulaCompleted;
```

1.1.3.1.17.4.12 connectorService.csXmlOnizlemeCompleted Event

C#

```
public event csXmlOnizlemeCompletedEventHandler csXmlOnizlemeCompleted;
```

1.1.3.1.17.4.13 connectorService.csXmlToUblCompleted Event

C#

```
public event csXmlToUblCompletedEventHandler csXmlToUblCompleted;
```

1.1.3.1.17.4.14 connectorService.eFaturaKayitliKullaniciListeleCompleted Event

C#

```
public event eFaturaKayitliKullaniciListeleCompletedEventHandler
eFaturaKayitliKullaniciListeleCompleted;
```

1.1.3.1.17.4.15 connectorService.efaturaKullaniciBilgisiCompleted Event

C#

```
public event efaturaKullaniciBilgisiCompletedEventHandler efaturaKullaniciBilgisiCompleted;
```

1.1.3.1.17.4.16 connectorService.efaturaKullaniciListesiCompleted Event

C#

```
public event efaturaKullaniciListesiCompletedEventHandler efaturaKullaniciListesiCompleted;
```

1.1.3.1.17.4.17 connectorService.efaturaKullanicisiCompleted Event

C#

```
public event efaturaKullanicisiCompletedEventHandler efaturaKullanicisiCompleted;
```

1.1.3.1.17.4.18 connectorService.eIrsaliyeKayitliKullaniciListeleCompleted Event

C#

```
public event eIrsaliyeKayitliKullaniciListeleCompletedEventHandler
eIrsaliyeKayitliKullaniciListeleCompleted;
```

1.1.3.1.17.4.19 connectorService.eIrsaliyeKullanicisiCompleted Event

C#

```
public event eIrsaliyeKullanicisiCompletedEventHandler eIrsaliyeKullanicisiCompleted;
```

1.1.3.1.17.4.20 connectorService.erpBilgileriBelirleCompleted Event

C#

```
public event erpBilgileriBelirleCompletedEventHandler erpBilgileriBelirleCompleted;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.4.21 connectorService.faturaKepIleIadeEdildiCompleted Event

C#

```
public event faturaKepIleIadeEdildiCompletedEventHandler faturaKepIleIadeEdildiCompleted;
```

1.1.3.1.17.4.22 connectorService.faturaKepIleIadeEdildiIptalCompleted Event

C#

```
public event faturaKepIleIadeEdildiIptalCompletedEventHandler
faturaKepIleIadeEdildiIptalCompleted;
```

1.1.3.1.17.4.23 connectorService.faturaMailGonderCompleted Event

C#

```
public event faturaMailGonderCompletedEventHandler faturaMailGonderCompleted;
```

1.1.3.1.17.4.24 connectorService.faturaNoUretCompleted Event

C#

```
public event faturaNoUretCompletedEventHandler faturaNoUretCompleted;
```

1.1.3.1.17.4.25 connectorService.faturaTarihcesiSorgulaCompleted Event

C#

```
public event faturaTarihcesiSorgulaCompletedEventHandler faturaTarihcesiSorgulaCompleted;
```

1.1.3.1.17.4.26 connectorService.faturayaItirazEdildiCompleted Event

C#

```
public event faturayaItirazEdildiCompletedEventHandler faturayaItirazEdildiCompleted;
```

1.1.3.1.17.4.27 connectorService.faturayaItirazEdildiIptalCompleted Event

C#

```
public event faturayaItirazEdildiIptalCompletedEventHandler
faturayaItirazEdildiIptalCompleted;
```

1.1.3.1.17.4.28 connectorService.gelenBelgeDurumSorgulaCompleted Event

C#

```
public event gelenBelgeDurumSorgulaCompletedEventHandler gelenBelgeDurumSorgulaCompleted;
```

1.1.3.1.17.4.29 connectorService.gelenBelgeDurumSorgulaExtCompleted Event

C#

```
public event gelenBelgeDurumSorgulaExtCompletedEventHandler
gelenBelgeDurumSorgulaExtCompleted;
```

1.1.3.1.17.4.30 connectorService.gelenBelgeEkleriAlCompleted Event

C#

```
public event gelenBelgeEkleriAlCompletedEventHandler gelenBelgeEkleriAlCompleted;
```

1.1.3.1.17.4.31 connectorService.gelenBelgeleriAlCompleted Event

C#

```
public event gelenBelgeleriAlCompletedEventHandler gelenBelgeleriAlCompleted;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.4.32 connectorService.gelenBelgeleriAlExt2Completed Event

C#

```
public event gelenBelgeleriAlExt2CompletedEventHandler gelenBelgeleriAlExt2Completed;
```

1.1.3.1.17.4.33 connectorService.gelenBelgeleriAlExtCompleted Event

C#

```
public event gelenBelgeleriAlExtCompletedEventHandler gelenBelgeleriAlExtCompleted;
```

1.1.3.1.17.4.34 connectorService.gelenBelgeleriIndirCompleted Event

C#

```
public event gelenBelgeleriIndirCompletedEventHandler gelenBelgeleriIndirCompleted;
```

1.1.3.1.17.4.35 connectorService.gelenBelgeleriIndirExtCompleted Event

C#

```
public event gelenBelgeleriIndirExtCompletedEventHandler gelenBelgeleriIndirExtCompleted;
```

1.1.3.1.17.4.36 connectorService.gelenBelgeleriListeleCompleted Event

C#

```
public event gelenBelgeleriListeleCompletedEventHandler gelenBelgeleriListeleCompleted;
```

1.1.3.1.17.4.37 connectorService.gelenBelgeleriListeleExtCompleted Event

C#

```
public event gelenBelgeleriListeleExtCompletedEventHandler
gelenBelgeleriListeleExtCompleted;
```

1.1.3.1.17.4.38 connectorService.gelenBelgeTutarBilgileriSorgulaCompleted Event

C#

```
public event gelenBelgeTutarBilgileriSorgulaCompletedEventHandler
gelenBelgeTutarBilgileriSorgulaCompleted;
```

1.1.3.1.17.4.39 connectorService.gelenBelgeXmlleriniAlCompleted Event

C#

```
public event gelenBelgeXmlleriniAlCompletedEventHandler gelenBelgeXmlleriniAlCompleted;
```

1.1.3.1.17.4.40 connectorService.gelenBelgeXmlleriniAlExtCompleted Event

C#

```
public event gelenBelgeXmlleriniAlExtCompletedEventHandler
gelenBelgeXmlleriniAlExtCompleted;
```

1.1.3.1.17.4.41 connectorService.gelenFaturalariArsiveKaldirCompleted Event

C#

```
public event gelenFaturalariArsiveKaldirCompletedEventHandler
gelenFaturalariArsiveKaldirCompleted;
```

1.1.3.1.17.4.42 connectorService.gelenIrsaliyeleriArsiveKaldirCompleted Event

C#

```
public event gelenIrsaliyeleriArsiveKaldirCompletedEventHandler
gelenIrsaliyeleriArsiveKaldirCompleted;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.4.43 connectorService.gelenStandartRapolariAlCompleted Event

C#

```
public event gelenStandartRapolariAlCompletedEventHandler gelenStandartRapolariAlCompleted;
```

1.1.3.1.17.4.44 connectorService.gelenTamamlananRapolariAlCompleted Event

C#

```
public event gelenTamamlananRapolariAlCompletedEventHandler
gelenTamamlananRapolariAlCompleted;
```

1.1.3.1.17.4.45 connectorService.gelenTasinanBelgeleriIndirCompleted Event

C#

```
public event gelenTasinanBelgeleriIndirCompletedEventHandler
gelenTasinanBelgeleriIndirCompleted;
```

1.1.3.1.17.4.46 connectorService.gidenBelgeDurumSorgulaBelgeNoCompleted Event

C#

```
public event gidenBelgeDurumSorgulaBelgeNoCompletedEventHandler
gidenBelgeDurumSorgulaBelgeNoCompleted;
```

1.1.3.1.17.4.47 connectorService.gidenBelgeDurumSorgulaCompleted Event

C#

```
public event gidenBelgeDurumSorgulaCompletedEventHandler gidenBelgeDurumSorgulaCompleted;
```

1.1.3.1.17.4.48 connectorService.gidenBelgeDurumSorgulaEttnCompleted Event

C#

```
public event gidenBelgeDurumSorgulaEttnCompletedEventHandler
gidenBelgeDurumSorgulaEttnCompleted;
```

1.1.3.1.17.4.49 connectorService.gidenBelgeDurumSorgulaExtCompleted Event

C#

```
public event gidenBelgeDurumSorgulaExtCompletedEventHandler
gidenBelgeDurumSorgulaExtCompleted;
```

1.1.3.1.17.4.50 connectorService.gidenBelgeDurumSorgulaPortalCompleted Event

C#

```
public event gidenBelgeDurumSorgulaPortalCompletedEventHandler
gidenBelgeDurumSorgulaPortalCompleted;
```

1.1.3.1.17.4.51 connectorService.gidenBelgeDurumSorgulaYerelBelgeNoCompleted Event

C#

```
public event gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventHandler
gidenBelgeDurumSorgulaYerelBelgeNoCompleted;
```

1.1.3.1.17.4.52 connectorService.gidenBelgeEkleriAlCompleted Event

C#

```
public event gidenBelgeEkleriAlCompletedEventHandler gidenBelgeEkleriAlCompleted;
```

1.1.3.1.17.4.53 connectorService.gidenBelgeleriIndirCompleted Event

C#

```
public event gidenBelgeleriIndirCompletedEventHandler gidenBelgeleriIndirCompleted;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.4.54 connectorService.gidenBelgeleriIndirEttnCompleted Event

C#

```
public event gidenBelgeleriIndirEttnCompletedEventHandler gidenBelgeleriIndirEttnCompleted;
```

1.1.3.1.17.4.55 connectorService.gidenBelgeleriIndirPortalCompleted Event

C#

```
public event gidenBelgeleriIndirPortalCompletedEventHandler
gidenBelgeleriIndirPortalCompleted;
```

1.1.3.1.17.4.56 connectorService.gidenBelgeleriListeleCompleted Event

C#

```
public event gidenBelgeleriListeleCompletedEventHandler gidenBelgeleriListeleCompleted;
```

1.1.3.1.17.4.57 connectorService.gidenBelgeleriListelePortalCompleted Event

C#

```
public event gidenBelgeleriListelePortalCompletedEventHandler
gidenBelgeleriListelePortalCompleted;
```

1.1.3.1.17.4.58 connectorService.gidenBelgeTutarBilgileriSorgulaCompleted Event

C#

```
public event gidenBelgeTutarBilgileriSorgulaCompletedEventHandler
gidenBelgeTutarBilgileriSorgulaCompleted;
```

1.1.3.1.17.4.59 connectorService.gidenFaturalariArsiveKaldirCompleted Event

C#

```
public event gidenFaturalariArsiveKaldirCompletedEventHandler
gidenFaturalariArsiveKaldirCompleted;
```

1.1.3.1.17.4.60 connectorService.gidenIrsaliyeleriArsiveKaldirCompleted Event

C#

```
public event gidenIrsaliyeleriArsiveKaldirCompletedEventHandler
gidenIrsaliyeleriArsiveKaldirCompleted;
```

1.1.3.1.17.4.61 connectorService.gidenTasinanBelgeleriIndirCompleted Event

C#

```
public event gidenTasinanBelgeleriIndirCompletedEventHandler
gidenTasinanBelgeleriIndirCompleted;
```

1.1.3.1.17.4.62 connectorService.irsaliyeMailGonderCompleted Event

C#

```
public event irsaliyeMailGonderCompletedEventHandler irsaliyeMailGonderCompleted;
```

1.1.3.1.17.4.63 connectorService.irsaliyeTarihcesiSorgulaCompleted Event

C#

```
public event irsaliyeTarihcesiSorgulaCompletedEventHandler
irsaliyeTarihcesiSorgulaCompleted;
```

1.1.3.1.17.4.64 connectorService.kayitliKullaniciListeleExtendedCompleted Event

C#

```
public event kayitliKullaniciListeleExtendedCompletedEventHandler
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
kayitliKullaniciListeleExtendedCompleted;
```

1.1.3.1.17.4.65 connectorService.kayitliKullaniciListeleExtendedTimeCompleted Event

C#

```
public event kayitliKullaniciListeleExtendedTimeCompletedEventHandler
kayitliKullaniciListeleExtendedTimeCompleted;
```

1.1.3.1.17.4.66 connectorService.kayitliKullaniciListeleExtendedVknTcknCompleted Event

C#

```
public event kayitliKullaniciListeleExtendedVknTcknCompletedEventHandler
kayitliKullaniciListeleExtendedVknTcknCompleted;
```

1.1.3.1.17.4.67 connectorService.kontorBilgisiGetirCompleted Event

C#

```
public event kontorBilgisiGetirCompletedEventHandler kontorBilgisiGetirCompleted;
```

1.1.3.1.17.4.68 connectorService.temelKontrollerIleBelgeGonderCompleted Event

C#

```
public event temelKontrollerIleBelgeGonderCompletedEventHandler
temelKontrollerIleBelgeGonderCompleted;
```

1.1.3.1.17.4.69 connectorService.toplamBelgeSayisiGetirCompleted Event

C#

```
public event toplamBelgeSayisiGetirCompletedEventHandler toplamBelgeSayisiGetirCompleted;
```

1.1.3.1.17.4.70 connectorService.ublOnizlemeCompleted Event

C#

```
public event ublOnizlemeCompletedEventHandler ublOnizlemeCompleted;
```

1.1.3.1.17.4.71 connectorService.urunSablonlariniAlCompleted Event

C#

```
public event urunSablonlariniAlCompletedEventHandler urunSablonlariniAlCompleted;
```

1.1.3.1.17.4.72 connectorService.wsKullanicisiKaydetCompleted Event

C#

```
public event wsKullanicisiKaydetCompletedEventHandler wsKullanicisiKaydetCompleted;
```

1.1.3.1.17.4.73 connectorService.yereleAktarilacakBelgeleriAlCompleted Event

C#

```
public event yereleAktarilacakBelgeleriAlCompletedEventHandler
yereleAktarilacakBelgeleriAlCompleted;
```

1.1.3.1.17.4.74 connectorService.yereleAktarilacakBelgeleriAlExtCompleted Event

C#

```
public event yereleAktarilacakBelgeleriAlExtCompletedEventHandler
yereleAktarilacakBelgeleriAlExtCompleted;
```

1.1.3.1.17.4.75 connectorService.yolcuBeraberFaturaIptalEtCompleted Event

C#

```
public event yolcuBeraberFaturaIptalEtCompletedEventHandler
yolcuBeraberFaturaIptalEtCompleted;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.18 csXmlOnizlemeCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class csXmlOnizlemeCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	csXmlOnizlemeCompletedEventArgs (see page 389)	This is csXmlOnizlemeCompletedEventArgs, a member of class csXmlOnizlemeCompletedEventArgs.

csXmlOnizlemeCompletedEventArgs Properties

	Name	Description
	Result (see page 389)	

1.1.3.1.18.1 csXmlOnizlemeCompletedEventArgs.csXmlOnizlemeCompletedEventArgs Constructor

C#

```
internal csXmlOnizlemeCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState);
```

Description

This is csXmlOnizlemeCompletedEventArgs, a member of class csXmlOnizlemeCompletedEventArgs.

Body Source

```
1: internal csXmlOnizlemeCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.18.2 csXmlOnizlemeCompletedEventArgs Properties

1.1.3.1.18.2.1 csXmlOnizlemeCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.19 csXmlToUblCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class csXmlToUblCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	csXmlToUblCompletedEventArgs (see page 390)	This is csXmlToUblCompletedEventArgs, a member of class csXmlToUblCompletedEventArgs.

csXmlToUblCompletedEventArgs Properties

	Name	Description
	Result (see page 390)	

1.1.3.1.19.1 csXmlToUblCompletedEventArgs.csXmlToUblCompletedEventArgs Constructor

C#

```
internal csXmlToUblCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState);
```

Description

This is csXmlToUblCompletedEventArgs, a member of class csXmlToUblCompletedEventArgs.

Body Source

```
1: internal csXmlToUblCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.19.2 csXmlToUblCompletedEventArgs Properties

1.1.3.1.19.2.1 csXmlToUblCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.20 eFaturaKayitliKullaniciHistory Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class eFaturaKayitliKullaniciHistory;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

eFaturaKayitliKullaniciHistory Properties

	Name	Description
	etiket (see page 391)	
	etiketOlusturulmaZamani (see page 391)	
	silinmeZamani (see page 391)	

1.1.3.1.20.1 eFaturaKayitliKullaniciHistory Properties

1.1.3.1.20.1.1 eFaturaKayitliKullaniciHistory.etiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string etiket;
```

1.1.3.1.20.1.2 eFaturaKayitliKullaniciHistory.etiketOlusturulmaZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string etiketOlusturulmaZamani;
```

1.1.3.1.20.1.3 eFaturaKayitliKullaniciHistory.silinmeZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string silinmeZamani;
```

1.1.3.1.21 eFaturaKayitliKullaniciListeleCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class eFaturaKayitliKullaniciListeleCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	eFaturaKayitliKullaniciListeleCompletedEventArgs (see page 392)	This is eFaturaKayitliKullaniciListeleCompletedEventArgs, a member of class eFaturaKayitliKullaniciListeleCompletedEventArgs.

eFaturaKayitliKullaniciListeleCompletedEventArgs Properties

	Name	Description
	Result (see page 392)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.21.1 eFaturaKayitliKullaniciListeleCompletedEventArgs.eFaturaKayitliKullaniciListeleCompletedEventArgs Constructor

C#

```
internal eFaturaKayitliKullaniciListeleCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is eFaturaKayitliKullaniciListeleCompletedEventArgs, a member of class eFaturaKayitliKullaniciListeleCompletedEventArgs.

Body Source

```
1: internal eFaturaKayitliKullaniciListeleCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.21.2 eFaturaKayitliKullaniciListeleCompletedEventArgs Properties

1.1.3.1.21.2.1 eFaturaKayitliKullaniciListeleCompletedEventArgs.Result Property

C#

```
public eFaturaKullanici Result;
```

1.1.3.1.22 eFaturaKullanici Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class eFaturaKullanici : serviceReturnType;
```

File

Reference.cs (see page 800)

eFaturaKullanici Properties

eFaturaKullanici Class

	Name	Description
	etiket (see page 393)	
	kamuKurulusu (see page 393)	
	kayitZamani (see page 393)	
	unvan (see page 393)	
	vergiTcKimlikNo (see page 393)	

1.1.3.1.22.1 eFaturaKullanici Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.22.1.1 eFaturaKullanici.etiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string etiket;
```

1.1.3.1.22.1.2 eFaturaKullanici.kamuKurulusu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public bool kamuKurulusu;
```

1.1.3.1.22.1.3 eFaturaKullanici.kayitZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kayitZamani;
```

1.1.3.1.22.1.4 eFaturaKullanici.unvan Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string unvan;
```

1.1.3.1.22.1.5 eFaturaKullanici.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string vergiTcKimlikNo;
```

1.1.3.1.23 efaturaKullaniciBilgisiCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class efaturaKullaniciBilgisiCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	efaturaKullaniciBilgisiCompletedEventArgs (see page 394)	This is efaturaKullaniciBilgisiCompletedEventArgs, a member of class efaturaKullaniciBilgisiCompletedEventArgs.

efaturaKullaniciBilgisiCompletedEventArgs Properties

	Name	Description
	Result (see page 394)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.23.1 efaturaKullaniciBilgisiCompletedEventArgs.efaturaKullaniciBilgisiCompletedEventArgs Constructor

C#

```
internal efaturaKullaniciBilgisiCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is efaturaKullaniciBilgisiCompletedEventArgs, a member of class efaturaKullaniciBilgisiCompletedEventArgs.

Body Source

```
1: internal efaturaKullaniciBilgisiCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.23.2 efaturaKullaniciBilgisiCompletedEventArgs Properties

1.1.3.1.23.2.1 efaturaKullaniciBilgisiCompletedEventArgs.Result Property

C#

```
public eFaturaKullanici Result;
```

1.1.3.1.24 eFaturaKullaniciExtended Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class eFaturaKullaniciExtended : serviceReturnType;
```

File

Reference.cs (see page 800)

eFaturaKullaniciExtended Properties

eFaturaKullaniciExtended Class

	Name	Description
	eFaturaKayitliKullaniciHistoryList (see page 395)	
	etiket (see page 395)	
	etiketOlusturulmaZamani (see page 395)	
	hesapTipi (see page 395)	
	hesapTipiSpecified (see page 395)	
	kamuKurulusu (see page 395)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	kamuKurulusuSpecified (see page 395)	
	kayitZamani (see page 396)	
	tip (see page 396)	
	tipSpecified (see page 396)	
	unvan (see page 396)	
	vergiTcKimlikNo (see page 396)	

1.1.3.1.24.1 eFaturaKullaniciExtended Properties

1.1.3.1.24.1.1 eFaturaKullaniciExtended.eFaturaKayitliKullaniciHistoryList Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("eFaturaKayitliKullaniciHistoryList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public eFaturaKayitliKullaniciHistory eFaturaKayitliKullaniciHistoryList;
```

1.1.3.1.24.1.2 eFaturaKullaniciExtended.etiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string etiket;
```

1.1.3.1.24.1.3 eFaturaKullaniciExtended.etiketOlusturulmaZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string etiketOlusturulmaZamani;
```

1.1.3.1.24.1.4 eFaturaKullaniciExtended.hesapTipi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int hesapTipi;
```

1.1.3.1.24.1.5 eFaturaKullaniciExtended.hesapTipiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool hesapTipiSpecified;
```

1.1.3.1.24.1.6 eFaturaKullaniciExtended.kamuKurulusu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public bool kamuKurulusu;
```

1.1.3.1.24.1.7 eFaturaKullaniciExtended.kamuKurulusuSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kamuKurulusuSpecified;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.24.1.8 eFaturaKullaniciExtended.kayitZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kayitZamani;
```

1.1.3.1.24.1.9 eFaturaKullaniciExtended.tip Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int tip;
```

1.1.3.1.24.1.10 eFaturaKullaniciExtended.tipSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool tipSpecified;
```

1.1.3.1.24.1.11 eFaturaKullaniciExtended.unvan Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string unvan;
```

1.1.3.1.24.1.12 eFaturaKullaniciExtended.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string vergiTcKimlikNo;
```

1.1.3.1.25 efaturaKullaniciListesiCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class efaturaKullaniciListesiCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	efaturaKullaniciListesiCompletedEventArgs (see page 397)	This is efaturaKullaniciListesiCompletedEventArgs, a member of class efaturaKullaniciListesiCompletedEventArgs.

efaturaKullaniciListesiCompletedEventArgs Properties

	Name	Description
	Result (see page 397)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.25.1 efaturaKullaniciListesiCompletedEventArgs.efaturaKullaniciListesiCompletedEventArgs Constructor

C#

```
internal efaturaKullaniciListesiCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is efaturaKullaniciListesiCompletedEventArgs, a member of class efaturaKullaniciListesiCompletedEventArgs.

Body Source

```
1: internal efaturaKullaniciListesiCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.25.2 efaturaKullaniciListesiCompletedEventArgs Properties

1.1.3.1.25.2.1 efaturaKullaniciListesiCompletedEventArgs.Result Property

C#

```
public mukellefEFaturaKayit Result;
```

1.1.3.1.26 efaturaKullanicisiCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class efaturaKullanicisiCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	efaturaKullanicisiCompletedEventArgs (see page 397)	This is efaturaKullanicisiCompletedEventArgs, a member of class efaturaKullanicisiCompletedEventArgs.

efaturaKullanicisiCompletedEventArgs Properties

	Name	Description
	Result (see page 398)	

1.1.3.1.26.1 efaturaKullanicisiCompletedEventArgs.efaturaKullanicisiCompletedEventArgs Constructor

C#

```
internal efaturaKullanicisiCompletedEventArgs(object[] results, System.Exception exception,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
bool cancelled, object userState);
```

Description

This is efaturaKullanicisiCompletedEventArgs, a member of class efaturaKullanicisiCompletedEventArgs.

Body Source

```
1: internal efaturaKullanicisiCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.26.2 efaturaKullanicisiCompletedEventArgs Properties

1.1.3.1.26.2.1 efaturaKullanicisiCompletedEventArgs.Result Property

C#

```
public bool Result;
```

1.1.3.1.27 eIrsaliyeKayitliKullaniciListeleCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class eIrsaliyeKayitliKullaniciListeleCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	eIrsaliyeKayitliKullaniciListeleCompletedEventArgs (see page 398)	This is eIrsaliyeKayitliKullaniciListeleCompletedEventArgs, a member of class eIrsaliyeKayitliKullaniciListeleCompletedEventArgs.

eIrsaliyeKayitliKullaniciListeleCompletedEventArgs Properties

	Name	Description
	Result (see page 399)	

1.1.3.1.27.1 eIrsaliyeKayitliKullaniciListeleCompletedEventArgs.eIrsaliyeKayitliKullaniciListeleCompletedEventArgs Constructor

C#

```
internal eIrsaliyeKayitliKullaniciListeleCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is eIrsaliyeKayitliKullaniciListeleCompletedEventArgs, a member of class eIrsaliyeKayitliKullaniciListeleCompletedEventArgs.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```
1: internal eIrsaliyeKayitliKullaniciListeleCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.27.2 eIrsaliyeKayitliKullaniciListeleCompletedEventArgs Properties

1.1.3.1.27.2.1 eIrsaliyeKayitliKullaniciListeleCompletedEventArgs.Result Property

C#

```
public eIrsaliyeKullanici Result;
```

1.1.3.1.28 eIrsaliyeKullanici Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class eIrsaliyeKullanici : serviceReturnType;
```

File

Reference.cs (see page 800)

eIrsaliyeKullanici Properties

eIrsaliyeKullanici Class

	Name	Description
	etiket (see page 399)	
	kamuKurulusu (see page 399)	
	kayitZamani (see page 400)	
	unvan (see page 400)	
	vergiTcKimlikNo (see page 400)	

1.1.3.1.28.1 eIrsaliyeKullanici Properties

1.1.3.1.28.1.1 eIrsaliyeKullanici.etiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string etiket;
```

1.1.3.1.28.1.2 eIrsaliyeKullanici.kamuKurulusu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public bool kamuKurulusu;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.28.1.3 eIrsaliyeKullanici.kayitZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kayitZamani;
```

1.1.3.1.28.1.4 eIrsaliyeKullanici.unvan Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string unvan;
```

1.1.3.1.28.1.5 eIrsaliyeKullanici.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string vergiTcKimlikNo;
```

1.1.3.1.29 eIrsaliyeKullanicisiCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class eIrsaliyeKullanicisiCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	eIrsaliyeKullanicisiCompletedEventArgs (see page 400)	This is eIrsaliyeKullanicisiCompletedEventArgs, a member of class eIrsaliyeKullanicisiCompletedEventArgs.

eIrsaliyeKullanicisiCompletedEventArgs Properties

	Name	Description
	Result (see page 401)	

1.1.3.1.29.1 eIrsaliyeKullanicisiCompletedEventArgs.eIrsaliyeKullanicisiCompletedEventArgs Constructor

C#

```
internal eIrsaliyeKullanicisiCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is eIrsaliyeKullanicisiCompletedEventArgs, a member of class eIrsaliyeKullanicisiCompletedEventArgs.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```
1: internal eIrsaliyeKullanicisiCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.29.2 eIrsaliyeKullanicisiCompletedEventArgs Properties

1.1.3.1.29.2.1 eIrsaliyeKullanicisiCompletedEventArgs.Result Property

C#

```
public bool Result;
```

1.1.3.1.30 erpBilgileri Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class erpBilgileri;
```

File

Reference.cs (see page 800)

erpBilgileri Properties

	Name	Description
	aciklama (see page 401)	
	kod (see page 401)	

1.1.3.1.30.1 erpBilgileri Properties

1.1.3.1.30.1.1 erpBilgileri.aciklama Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string aciklama;
```

1.1.3.1.30.1.2 erpBilgileri.kod Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kod;
```

1.1.3.1.31 faturaKepIleladeEdildiCompletedEventArgs Class

Class Hierarchy

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaKepIleIadeEdildiCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	faturaKepIleIadeEdildiCompletedEventArgs (see page 402)	This is faturaKepIleIadeEdildiCompletedEventArgs, a member of class faturaKepIleIadeEdildiCompletedEventArgs.

faturaKepIleIadeEdildiCompletedEventArgs Properties

	Name	Description
	Result (see page 402)	

1.1.3.1.31.1 faturaKepIleIadeEdildiCompletedEventArgs.faturaKepIleIadeEdildiCompletedEventArgs Constructor

C#

```
internal faturaKepIleIadeEdildiCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is faturaKepIleIadeEdildiCompletedEventArgs, a member of class faturaKepIleIadeEdildiCompletedEventArgs.

Body Source

```
1: internal faturaKepIleIadeEdildiCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.31.2 faturaKepIleIadeEdildiCompletedEventArgs Properties

1.1.3.1.31.2.1 faturaKepIleIadeEdildiCompletedEventArgs.Result Property

C#

```
public bool Result;
```

1.1.3.1.32 faturaKepIleIadeEdildiIptalCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaKepIleIadeEdildiIptalCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

File

Reference.cs (see page 800)

Methods

	Name	Description
	faturaKepIleIadeEdildiIptalCompletedEventArgs (see page 403)	This is faturaKepIleIadeEdildiIptalCompletedEventArgs, a member of class faturaKepIleIadeEdildiIptalCompletedEventArgs.

faturaKepIleIadeEdildiIptalCompletedEventArgs Properties

	Name	Description
	Result (see page 403)	

1.1.3.1.32.1 faturaKepIleIadeEdildiIptalCompletedEventArgs.faturaKepIleIadeEdildiIptalCompletedEventArgs Constructor

C#

```
internal faturaKepIleIadeEdildiIptalCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is faturaKepIleIadeEdildiIptalCompletedEventArgs, a member of class faturaKepIleIadeEdildiIptalCompletedEventArgs.

Body Source

```
1: internal faturaKepIleIadeEdildiIptalCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.32.2 faturaKepIleIadeEdildiIptalCompletedEventArgs Properties

1.1.3.1.32.2.1 faturaKepIleIadeEdildiIptalCompletedEventArgs.Result Property

C#

```
public bool Result;
```

1.1.3.1.33 faturaNoUretCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaNoUretCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Methods

	Name	Description
	faturaNoUretCompletedEventArgs (see page 404)	This is faturaNoUretCompletedEventArgs, a member of class faturaNoUretCompletedEventArgs.

faturaNoUretCompletedEventArgs Properties

	Name	Description
	Result (see page 404)	

1.1.3.1.33.1 faturaNoUretCompletedEventArgs.faturaNoUretCompletedEventArgs Constructor

C#

```
internal faturaNoUretCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState);
```

Description

This is faturaNoUretCompletedEventArgs, a member of class faturaNoUretCompletedEventArgs.

Body Source

```
1: internal faturaNoUretCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.33.2 faturaNoUretCompletedEventArgs Properties

1.1.3.1.33.2.1 faturaNoUretCompletedEventArgs.Result Property

C#

```
public string Result;
```

1.1.3.1.34 faturaTarihcesiData Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class faturaTarihcesiData : serviceReturnType;
```

File

Reference.cs (see page 800)

faturaTarihcesiData Properties

faturaTarihcesiData Class

	Name	Description
	bagliKayitId (see page 405)	
	faturaEttn (see page 405)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	islem (see page 405)	
	islemAciklama (see page 405)	
	islemKanali (see page 405)	
	islemKanaliAciklama (see page 405)	
	islemSonucu (see page 406)	
	islemZamani (see page 406)	
	kullanici (see page 406)	
	kullaniciIp (see page 406)	
	zarfEttn (see page 406)	

1.1.3.1.34.1 faturaTarihcesiData Properties

1.1.3.1.34.1.1 faturaTarihcesiData.bagliKayitId Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string bagliKayitId;
```

1.1.3.1.34.1.2 faturaTarihcesiData.faturaEttn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string faturaEttn;
```

1.1.3.1.34.1.3 faturaTarihcesiData.islem Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public short islem;
```

1.1.3.1.34.1.4 faturaTarihcesiData.islemAciklama Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string islemAciklama;
```

1.1.3.1.34.1.5 faturaTarihcesiData.islemKanali Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public sbyte islemKanali;
```

1.1.3.1.34.1.6 faturaTarihcesiData.islemKanaliAciklama Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string islemKanaliAciklama;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.34.1.7 faturaTarihcesiData.islemSonucu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string islemSonucu;
```

1.1.3.1.34.1.8 faturaTarihcesiData.islemZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string islemZamani;
```

1.1.3.1.34.1.9 faturaTarihcesiData.kullanici Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kullanici;
```

1.1.3.1.34.1.10 faturaTarihcesiData.kullaniciIp Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kullaniciIp;
```

1.1.3.1.34.1.11 faturaTarihcesiData.zarfEttn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string zarfEttn;
```

1.1.3.1.35 faturaTarihcesiSorgulaCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaTarihcesiSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	faturaTarihcesiSorgulaCompletedEventArgs (see page 407)	This is faturaTarihcesiSorgulaCompletedEventArgs, a member of class faturaTarihcesiSorgulaCompletedEventArgs.

faturaTarihcesiSorgulaCompletedEventArgs Properties

	Name	Description
	Result (see page 407)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.35.1 faturaTarihcesiSorgulaCompletedEventArgs.faturaTarihcesiSorgulaCompletedEventArgs

Constructor

C#

```
internal faturaTarihcesiSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is faturaTarihcesiSorgulaCompletedEventArgs, a member of class faturaTarihcesiSorgulaCompletedEventArgs.

Body Source

```
1: internal faturaTarihcesiSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.35.2 faturaTarihcesiSorgulaCompletedEventArgs Properties

1.1.3.1.35.2.1 faturaTarihcesiSorgulaCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.36 faturayaItirazEdildiCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturayaItirazEdildiCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	faturayaItirazEdildiCompletedEventArgs (see page 408)	This is faturayaItirazEdildiCompletedEventArgs, a member of class faturayaItirazEdildiCompletedEventArgs.

faturayaItirazEdildiCompletedEventArgs Properties

	Name	Description
	Result (see page 408)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.36.1 faturayaItirazEdildiCompletedEventArgs.faturayaItirazEdildiCompletedEventArgs Constructor

C#

```
internal faturayaItirazEdildiCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is faturayaItirazEdildiCompletedEventArgs, a member of class faturayaItirazEdildiCompletedEventArgs.

Body Source

```
1: internal faturayaItirazEdildiCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.36.2 faturayaItirazEdildiCompletedEventArgs Properties

1.1.3.1.36.2.1 faturayaItirazEdildiCompletedEventArgs.Result Property

C#

```
public bool Result;
```

1.1.3.1.37 faturayaItirazEdildiIptalCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturayaItirazEdildiIptalCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	faturayaItirazEdildiIptalCompletedEventArgs (see page 409)	This is faturayaItirazEdildiIptalCompletedEventArgs, a member of class faturayaItirazEdildiIptalCompletedEventArgs.

faturayaItirazEdildiIptalCompletedEventArgs Properties

	Name	Description
	Result (see page 409)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.37.1 faturayaItirazEdildiIptalCompletedEventArgs.faturayaItirazEdildiIptalCompletedEventArgs Constructor

C#

```
internal faturayaItirazEdildiIptalCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is faturayaItirazEdildiIptalCompletedEventArgs, a member of class faturayaItirazEdildiIptalCompletedEventArgs.

Body Source

```
1: internal faturayaItirazEdildiIptalCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.37.2 faturayaItirazEdildiIptalCompletedEventArgs Properties

1.1.3.1.37.2.1 faturayaItirazEdildiIptalCompletedEventArgs.Result Property

C#

```
public bool Result;
```

1.1.3.1.38 gelenBelgeDurum Class

Class Hierarchy

C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv2))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv5))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class gelenBelgeDurum : serviceReturnType;
```

File

Reference.cs (see page 800)

gelenBelgeDurum Properties

gelenBelgeDurum Class

	Name	Description
	alimTarihi (see page 410)	
	belgeNo (see page 410)	
	ettn (see page 410)	
	yanitDetayi (see page 410)	
	yanitDurumu (see page 410)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	yanitGonderimCevabiDetayi (see page 410)	
	yanitGonderimCevabiKodu (see page 410)	
	yanitGonderimDurumu (see page 411)	
	yanitGonderimTarihi (see page 411)	

1.1.3.1.38.1 gelenBelgeDurum Properties

1.1.3.1.38.1.1 gelenBelgeDurum.alimTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string alimTarihi;
```

1.1.3.1.38.1.2 gelenBelgeDurum.belgeNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeNo;
```

1.1.3.1.38.1.3 gelenBelgeDurum.ettn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string ettn;
```

1.1.3.1.38.1.4 gelenBelgeDurum.yanitDetayi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string yanitDetayi;
```

1.1.3.1.38.1.5 gelenBelgeDurum.yanitDurumu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int yanitDurumu;
```

1.1.3.1.38.1.6 gelenBelgeDurum.yanitGonderimCevabiDetayi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string yanitGonderimCevabiDetayi;
```

1.1.3.1.38.1.7 gelenBelgeDurum.yanitGonderimCevabiKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int yanitGonderimCevabiKodu;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.38.1.8 gelenBelgeDurum.yanitGonderimDurumu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int yanitGonderimDurumu;
```

1.1.3.1.38.1.9 gelenBelgeDurum.yanitGonderimTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string yanitGonderimTarihi;
```

1.1.3.1.39 gelenBelgeDurumSorgulaCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeDurumSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	gelenBelgeDurumSorgulaCompletedEventArgs (see page 411)	This is gelenBelgeDurumSorgulaCompletedEventArgs, a member of class gelenBelgeDurumSorgulaCompletedEventArgs.

gelenBelgeDurumSorgulaCompletedEventArgs Properties

	Name	Description
	Result (see page 412)	

1.1.3.1.39.1 gelenBelgeDurumSorgulaCompletedEventArgs.gelenBelgeDurumSorgulaCompletedEventArgs Constructor

C#

```
internal gelenBelgeDurumSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is gelenBelgeDurumSorgulaCompletedEventArgs, a member of class gelenBelgeDurumSorgulaCompletedEventArgs.

Body Source

```
1: internal gelenBelgeDurumSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.39.2 gelenBelgeDurumSorgulaCompletedEventArgs Properties

1.1.3.1.39.2.1 gelenBelgeDurumSorgulaCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.40 gelenBelgeDurumSorgulaExtCompletedEventArgs Class

Class Hierarchy

System.ComponentModel.AsyncCompletedEventArgs → QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaExtCompletedEventArgs

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeDurumSorgulaExtCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	gelenBelgeDurumSorgulaExtCompletedEventArgs (see page 412)	This is gelenBelgeDurumSorgulaExtCompletedEventArgs, a member of class gelenBelgeDurumSorgulaExtCompletedEventArgs.

gelenBelgeDurumSorgulaExtCompletedEventArgs Properties

	Name	Description
	Result (see page 413)	

1.1.3.1.40.1 gelenBelgeDurumSorgulaExtCompletedEventArgs.gelenBelgeDurumSorgulaExtCompletedEventArgs Constructor

C#

```
internal gelenBelgeDurumSorgulaExtCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is gelenBelgeDurumSorgulaExtCompletedEventArgs, a member of class gelenBelgeDurumSorgulaExtCompletedEventArgs.

Body Source

```
1: internal gelenBelgeDurumSorgulaExtCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.40.2 gelenBelgeDurumSorgulaExtCompletedEventArgs Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.40.2.1 gelenBelgeDurumSorgulaExtCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.41 gelenBelgeDurumv2 Class

Class Hierarchy

C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv5))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class gelenBelgeDurumv2 : gelenBelgeDurum;
```

File

Reference.cs (see page 800)

gelenBelgeDurum Properties

gelenBelgeDurum Class

	Name	Description
	alimTarihi (see page 410)	
	belgeNo (see page 410)	
	ettn (see page 410)	
	yanitDetayi (see page 410)	
	yanitDurumu (see page 410)	
	yanitGonderimCevabiDetayi (see page 410)	
	yanitGonderimCevabiKodu (see page 410)	
	yanitGonderimDurumu (see page 411)	
	yanitGonderimTarihi (see page 411)	

gelenBelgeDurumv2 Class

	Name	Description
	siraNo (see page 414)	
	yereleAktarimDurumu (see page 414)	

1.1.3.1.41.1 gelenBelgeDurumv2 Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.41.1.1 gelenBelgeDurumv2.siraNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public long siraNo;
```

1.1.3.1.41.1.2 gelenBelgeDurumv2.yereleAktarimDurumu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int yereleAktarimDurumu;
```

1.1.3.1.42 gelenBelgeDurumv3 Class

Class Hierarchy

C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv5))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class gelenBelgeDurumv3 : gelenBelgeDurumv2;
```

File

Reference.cs (see page 800)

gelenBelgeDurum Properties

gelenBelgeDurum Class

	Name	Description
	alimTarihi (see page 410)	
	belgeNo (see page 410)	
	ettn (see page 410)	
	yanitDetayi (see page 410)	
	yanitDurumu (see page 410)	
	yanitGonderimCevabiDetayi (see page 410)	
	yanitGonderimCevabiKodu (see page 410)	
	yanitGonderimDurumu (see page 411)	
	yanitGonderimTarihi (see page 411)	

gelenBelgeDurumv2 Class

	Name	Description
	siraNo (see page 414)	
	yereleAktarimDurumu (see page 414)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

gelenBelgeDurumv3 Class

	Name	Description
	kepDurum (see page 415)	

1.1.3.1.42.1 gelenBelgeDurumv3 Properties

1.1.3.1.42.1.1 gelenBelgeDurumv3.kepDurum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kepDurum;
```

1.1.3.1.43 gelenBelgeDurumv4 Class

Class Hierarchy

C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv5))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class gelenBelgeDurumv4 : gelenBelgeDurumv3;
```

File

Reference.cs (see page 800)

gelenBelgeDurum Properties

gelenBelgeDurum Class

	Name	Description
	alimTarihi (see page 410)	
	belgeNo (see page 410)	
	ettn (see page 410)	
	yanitDetayi (see page 410)	
	yanitDurumu (see page 410)	
	yanitGonderimCevabiDetayi (see page 410)	
	yanitGonderimCevabiKodu (see page 410)	
	yanitGonderimDurumu (see page 411)	
	yanitGonderimTarihi (see page 411)	

gelenBelgeDurumv2 Class

	Name	Description
	siraNo (see page 414)	
	yereleAktarimDurumu (see page 414)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

gelenBelgeDurumv3 Class

	Name	Description
	kepDurum (see page 415)	

gelenBelgeDurumv4 Class

	Name	Description
	gibIptalDurum (see page 416)	

1.1.3.1.43.1 gelenBelgeDurumv4 Properties

1.1.3.1.43.1.1 gelenBelgeDurumv4.gibIptalDurum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string gibIptalDurum;
```

1.1.3.1.44 gelenBelgeDurumv5 Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class gelenBelgeDurumv5 : gelenBelgeDurumv4;
```

File

Reference.cs (see page 800)

gelenBelgeDurum Properties

gelenBelgeDurum Class

	Name	Description
	alimTarihi (see page 410)	
	belgeNo (see page 410)	
	ettn (see page 410)	
	yanitDetayi (see page 410)	
	yanitDurumu (see page 410)	
	yanitGonderimCevabiDetayi (see page 410)	
	yanitGonderimCevabiKodu (see page 410)	
	yanitGonderimDurumu (see page 411)	
	yanitGonderimTarihi (see page 411)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

gelenBelgeDurumv2 Class

	Name	Description
	siraNo (see page 414)	
	yereleAktarimDurumu (see page 414)	

gelenBelgeDurumv3 Class

	Name	Description
	kepDurum (see page 415)	

gelenBelgeDurumv4 Class

	Name	Description
	gibIptalDurum (see page 416)	

gelenBelgeDurumv5 Class

	Name	Description
	yanitEttn (see page 417)	

1.1.3.1.44.1 gelenBelgeDurumv5 Properties

1.1.3.1.44.1.1 gelenBelgeDurumv5.yanitEttn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string yanitEttn;
```

1.1.3.1.45 gelenBelgeEkleriAlCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeEkleriAlCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	gelenBelgeEkleriAlCompletedEventArgs (see page 418)	This is gelenBelgeEkleriAlCompletedEventArgs, a member of class gelenBelgeEkleriAlCompletedEventArgs.

gelenBelgeEkleriAlCompletedEventArgs Properties

	Name	Description
	Result (see page 418)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.45.1 gelenBelgeEkleriAlCompletedEventArgs.gelenBelgeEkleriAlCompletedEventArgs Constructor

C#

```
internal gelenBelgeEkleriAlCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is gelenBelgeEkleriAlCompletedEventArgs, a member of class gelenBelgeEkleriAlCompletedEventArgs.

Body Source

```
1: internal gelenBelgeEkleriAlCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.45.2 gelenBelgeEkleriAlCompletedEventArgs Properties

1.1.3.1.45.2.1 gelenBelgeEkleriAlCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.46 gelenBelgeleriAlCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeleriAlCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	gelenBelgeleriAlCompletedEventArgs (see page 418)	This is gelenBelgeleriAlCompletedEventArgs, a member of class gelenBelgeleriAlCompletedEventArgs.

gelenBelgeleriAlCompletedEventArgs Properties

	Name	Description
	Result (see page 419)	

1.1.3.1.46.1 gelenBelgeleriAlCompletedEventArgs.gelenBelgeleriAlCompletedEventArgs Constructor

C#

```
internal gelenBelgeleriAlCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Description

This is gelenBelgeleriAlCompletedEventArgs, a member of class gelenBelgeleriAlCompletedEventArgs.

Body Source

```
1: internal gelenBelgeleriAlCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.46.2 gelenBelgeleriAlCompletedEventArgs Properties

1.1.3.1.46.2.1 gelenBelgeleriAlCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.47 gelenBelgeleriAlExt2CompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeleriAlExt2CompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	gelenBelgeleriAlExt2CompletedEventArgs (see page 419)	This is gelenBelgeleriAlExt2CompletedEventArgs, a member of class gelenBelgeleriAlExt2CompletedEventArgs.

gelenBelgeleriAlExt2CompletedEventArgs Properties

	Name	Description
	Result (see page 420)	

1.1.3.1.47.1 gelenBelgeleriAlExt2CompletedEventArgs.gelenBelgeleriAlExt2CompletedEventArgs Constructor

C#

```
internal gelenBelgeleriAlExt2CompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is gelenBelgeleriAlExt2CompletedEventArgs, a member of class gelenBelgeleriAlExt2CompletedEventArgs.

Body Source

```
1: internal gelenBelgeleriAlExt2CompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
3:     this.results = results;
4: }
```

1.1.3.1.47.2 gelenBelgeleriAlExt2CompletedEventArgs Properties

1.1.3.1.47.2.1 gelenBelgeleriAlExt2CompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.48 gelenBelgeleriAlExt2Entry Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(AnonymousType=true,
Namespace="http://service.connector.uut.cs.com.tr/")]
public class gelenBelgeleriAlExt2Entry;
```

File

Reference.cs (see page 800)

gelenBelgeleriAlExt2Entry Properties

	Name	Description
	key (see page 420)	
	value (see page 420)	

1.1.3.1.48.1 gelenBelgeleriAlExt2Entry Properties

1.1.3.1.48.1.1 gelenBelgeleriAlExt2Entry.key Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string key;
```

1.1.3.1.48.1.2 gelenBelgeleriAlExt2Entry.value Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string value;
```

1.1.3.1.49 gelenBelgeleriAlExtCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
public class gelenBelgeleriAlExtCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	gelenBelgeleriAlExtCompletedEventArgs (see page 421)	This is gelenBelgeleriAlExtCompletedEventArgs, a member of class gelenBelgeleriAlExtCompletedEventArgs.

gelenBelgeleriAlExtCompletedEventArgs Properties

	Name	Description
	Result (see page 421)	

1.1.3.1.49.1 gelenBelgeleriAlExtCompletedEventArgs.gelenBelgeleriAlExtCompletedEventArgs Constructor

C#

```
internal gelenBelgeleriAlExtCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is gelenBelgeleriAlExtCompletedEventArgs, a member of class gelenBelgeleriAlExtCompletedEventArgs.

Body Source

```
1: internal gelenBelgeleriAlExtCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.49.2 gelenBelgeleriAlExtCompletedEventArgs Properties

1.1.3.1.49.2.1 gelenBelgeleriAlExtCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.50 gelenBelgeleriIndirCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeleriIndirCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Methods

	Name	Description
	gelenBelgeleriIndirCompletedEventArgs (see page 422)	This is gelenBelgeleriIndirCompletedEventArgs, a member of class gelenBelgeleriIndirCompletedEventArgs.

gelenBelgeleriIndirCompletedEventArgs Properties

	Name	Description
	Result (see page 422)	

1.1.3.1.50.1 gelenBelgeleriIndirCompletedEventArgs.gelenBelgeleriIndirCompletedEventArgs Constructor

C#

```
internal gelenBelgeleriIndirCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is gelenBelgeleriIndirCompletedEventArgs, a member of class gelenBelgeleriIndirCompletedEventArgs.

Body Source

```
1: internal gelenBelgeleriIndirCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.50.2 gelenBelgeleriIndirCompletedEventArgs Properties

1.1.3.1.50.2.1 gelenBelgeleriIndirCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.51 gelenBelgeleriIndirExtCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeleriIndirExtCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	gelenBelgeleriIndirExtCompletedEventArgs (see page 423)	This is gelenBelgeleriIndirExtCompletedEventArgs, a member of class gelenBelgeleriIndirExtCompletedEventArgs.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

gelenBelgeleriIndirExtCompletedEventArgs Properties

	Name	Description
	Result (see page 423)	

1.1.3.1.51.1 gelenBelgeleriIndirExtCompletedEventArgs.gelenBelgeleriIndirExtCompletedEventArgs Constructor

C#

```
internal gelenBelgeleriIndirExtCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is gelenBelgeleriIndirExtCompletedEventArgs, a member of class gelenBelgeleriIndirExtCompletedEventArgs.

Body Source

```
1: internal gelenBelgeleriIndirExtCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.51.2 gelenBelgeleriIndirExtCompletedEventArgs Properties

1.1.3.1.51.2.1 gelenBelgeleriIndirExtCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.52 gelenBelgeleriListeleCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeleriListeleCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	gelenBelgeleriListeleCompletedEventArgs (see page 424)	This is gelenBelgeleriListeleCompletedEventArgs, a member of class gelenBelgeleriListeleCompletedEventArgs.

gelenBelgeleriListeleCompletedEventArgs Properties

	Name	Description
	Result (see page 424)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.52.1 gelenBelgeleriListeleCompletedEventArgs.gelenBelgeleriListeleCompletedEventArgs Constructor

C#

```
internal gelenBelgeleriListeleCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is gelenBelgeleriListeleCompletedEventArgs, a member of class gelenBelgeleriListeleCompletedEventArgs.

Body Source

```
1: internal gelenBelgeleriListeleCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.52.2 gelenBelgeleriListeleCompletedEventArgs Properties

1.1.3.1.52.2.1 gelenBelgeleriListeleCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.53 gelenBelgeleriListeleExtCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeleriListeleExtCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	gelenBelgeleriListeleExtCompletedEventArgs (see page 425)	This is gelenBelgeleriListeleExtCompletedEventArgs, a member of class gelenBelgeleriListeleExtCompletedEventArgs.

gelenBelgeleriListeleExtCompletedEventArgs Properties

	Name	Description
	Result (see page 425)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.53.1 gelenBelgeleriListeleExtCompletedEventArgs.gelenBelgeleriListeleExtCompletedEventArgs Constructor

C#

```
internal gelenBelgeleriListeleExtCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is gelenBelgeleriListeleExtCompletedEventArgs, a member of class gelenBelgeleriListeleExtCompletedEventArgs.

Body Source

```
1: internal gelenBelgeleriListeleExtCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.53.2 gelenBelgeleriListeleExtCompletedEventArgs Properties

1.1.3.1.53.2.1 gelenBelgeleriListeleExtCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.54 gelenBelgeParametreleri Class

Class Hierarchy

QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class gelenBelgeParametreleri;
```

File

Reference.cs (see page 800)

gelenBelgeParametreleri Properties

	Name	Description
	alanEtiket (see page 426)	
	belgeFormati (see page 426)	
	belgelerAlindiMi (see page 426)	
	belgelerAlindiMiSpecified (see page 426)	
	belgeTuru (see page 426)	
	belgeVersiyon (see page 427)	
	donusTipiVersiyon (see page 427)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	entegrasyonHedefi (see page 427)	
	erpKodu (see page 427)	
	ettn (see page 427)	
	faturaTarihiBaslangic (see page 427)	
	faturaTarihiBitis (see page 427)	
	gelisTarihiBaslangic (see page 427)	
	gelisTarihiBitis (see page 427)	
	gonderenEtiket (see page 428)	
	onayDurum (see page 428)	
	sonAlinanBelgeSiraNumarasi (see page 428)	
	subeKodu (see page 428)	
	vergiTcKimlikNo (see page 428)	

1.1.3.1.54.1 gelenBelgeParametreleri Properties

1.1.3.1.54.1.1 gelenBelgeParametreleri.alanEtiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("alanEtiket",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public string alanEtiket;
```

1.1.3.1.54.1.2 gelenBelgeParametreleri.belgeFormati Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeFormati;
```

1.1.3.1.54.1.3 gelenBelgeParametreleri.belgelerAlindiMi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public bool belgelerAlindiMi;
```

1.1.3.1.54.1.4 gelenBelgeParametreleri.belgelerAlindiMiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool belgelerAlindiMiSpecified;
```

1.1.3.1.54.1.5 gelenBelgeParametreleri.belgeTuru Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeTuru;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.54.1.6 gelenBelgeParametreleri.belgeVersiyon Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeVersiyon;
```

1.1.3.1.54.1.7 gelenBelgeParametreleri.donusTipiVersiyon Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string donusTipiVersiyon;
```

1.1.3.1.54.1.8 gelenBelgeParametreleri.entegrasyonHedefi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string entegrasyonHedefi;
```

1.1.3.1.54.1.9 gelenBelgeParametreleri.erpKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string erpKodu;
```

1.1.3.1.54.1.10 gelenBelgeParametreleri.ettn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("ettn",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public string ettn;
```

1.1.3.1.54.1.11 gelenBelgeParametreleri.faturaTarihiBaslangic Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string faturaTarihiBaslangic;
```

1.1.3.1.54.1.12 gelenBelgeParametreleri.faturaTarihiBitis Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string faturaTarihiBitis;
```

1.1.3.1.54.1.13 gelenBelgeParametreleri.gelisTarihiBaslangic Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string gelisTarihiBaslangic;
```

1.1.3.1.54.1.14 gelenBelgeParametreleri.gelisTarihiBitis Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string gelisTarihiBitis;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.54.1.15 gelenBelgeParametreleri.gonderenEtiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("gonderenEtiket",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public string gonderenEtiket;
```

1.1.3.1.54.1.16 gelenBelgeParametreleri.onayDurum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string onayDurum;
```

1.1.3.1.54.1.17 gelenBelgeParametreleri.sonAlinanBelgeSiraNumarasi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string sonAlinanBelgeSiraNumarasi;
```

1.1.3.1.54.1.18 gelenBelgeParametreleri.subeKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string subeKodu;
```

1.1.3.1.54.1.19 gelenBelgeParametreleri.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string vergiTcKimlikNo;
```

1.1.3.1.55 gelenBelgeTutarBilgileri Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class gelenBelgeTutarBilgileri : serviceReturnType;
```

File

Reference.cs (see page 800)

gelenBelgeTutarBilgileri Properties

gelenBelgeTutarBilgileri Class

	Name	Description
	belgeNo (see page 429)	
	belgeTarihi (see page 429)	
	ettn (see page 429)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	gondericiVkn (see page 429)	
	kdv18Oran (see page 429)	
	kdv18Tutar (see page 430)	
	kdv1Oran (see page 430)	
	kdv1Tutar (see page 430)	
	kdv8Oran (see page 430)	
	kdv8Tutar (see page 430)	
	kdvTevkifatOran (see page 430)	
	kdvTevkifatTutari (see page 430)	
	kdvToplamTutari (see page 430)	
	kdvToplamTutariDovizCinsi (see page 430)	
	malHizmetToplamTutari (see page 431)	
	malHizmetToplamTutariDovizCinsi (see page 431)	
	odenecekTutar (see page 431)	
	odenecekTutarDovizCinsi (see page 431)	

1.1.3.1.55.1 gelenBelgeTutarBilgileri Properties

1.1.3.1.55.1.1 gelenBelgeTutarBilgileri.belgeNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeNo;
```

1.1.3.1.55.1.2 gelenBelgeTutarBilgileri.belgeTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeTarihi;
```

1.1.3.1.55.1.3 gelenBelgeTutarBilgileri.ettn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string ettn;
```

1.1.3.1.55.1.4 gelenBelgeTutarBilgileri.gondericiVkn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string gondericiVkn;
```

1.1.3.1.55.1.5 gelenBelgeTutarBilgileri.kdv18Oran Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kdv18Oran;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.55.1.6 gelenBelgeTutarBilgileri.kdv18Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kdv18Tutar;
```

1.1.3.1.55.1.7 gelenBelgeTutarBilgileri.kdv1Oran Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kdv1Oran;
```

1.1.3.1.55.1.8 gelenBelgeTutarBilgileri.kdv1Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kdv1Tutar;
```

1.1.3.1.55.1.9 gelenBelgeTutarBilgileri.kdv8Oran Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kdv8Oran;
```

1.1.3.1.55.1.10 gelenBelgeTutarBilgileri.kdv8Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kdv8Tutar;
```

1.1.3.1.55.1.11 gelenBelgeTutarBilgileri.kdvTevkifatOran Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kdvTevkifatOran;
```

1.1.3.1.55.1.12 gelenBelgeTutarBilgileri.kdvTevkifatTutari Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kdvTevkifatTutari;
```

1.1.3.1.55.1.13 gelenBelgeTutarBilgileri.kdvToplamTutari Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kdvToplamTutari;
```

1.1.3.1.55.1.14 gelenBelgeTutarBilgileri.kdvToplamTutariDovizCinsi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kdvToplamTutariDovizCinsi;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.55.1.15 gelenBelgeTutarBilgileri.malHizmetToplamTutari Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string malHizmetToplamTutari;
```

1.1.3.1.55.1.16 gelenBelgeTutarBilgileri.malHizmetToplamTutariDovizCinsi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string malHizmetToplamTutariDovizCinsi;
```

1.1.3.1.55.1.17 gelenBelgeTutarBilgileri.odenecekTutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string odenecekTutar;
```

1.1.3.1.55.1.18 gelenBelgeTutarBilgileri.odenecekTutarDovizCinsi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string odenecekTutarDovizCinsi;
```

1.1.3.1.56 gelenBelgeTutarBilgileriSorgulaCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeTutarBilgileriSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	gelenBelgeTutarBilgileriSorgulaCompletedEventArgs (see page 432)	This is gelenBelgeTutarBilgileriSorgulaCompletedEventArgs, a member of class gelenBelgeTutarBilgileriSorgulaCompletedEventArgs.

gelenBelgeTutarBilgileriSorgulaCompletedEventArgs Properties

	Name	Description
	Result (see page 432)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.56.1 gelenBelgeTutarBilgileriSorgulaCompletedEventArgs.gelenBelgeTutarBilgileriSorgulaCompletedEventArgs Constructor

C#

```
internal gelenBelgeTutarBilgileriSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is gelenBelgeTutarBilgileriSorgulaCompletedEventArgs, a member of class gelenBelgeTutarBilgileriSorgulaCompletedEventArgs.

Body Source

```
1: internal gelenBelgeTutarBilgileriSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.56.2 gelenBelgeTutarBilgileriSorgulaCompletedEventArgs Properties

1.1.3.1.56.2.1 gelenBelgeTutarBilgileriSorgulaCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.57 gelenBelgeXmlleriniAlCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeXmlleriniAlCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	gelenBelgeXmlleriniAlCompletedEventArgs (see page 433)	This is gelenBelgeXmlleriniAlCompletedEventArgs, a member of class gelenBelgeXmlleriniAlCompletedEventArgs.

gelenBelgeXmlleriniAlCompletedEventArgs Properties

	Name	Description
	Result (see page 433)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.57.1 gelenBelgeXmlleriniAlCompletedEventArgs.gelenBelgeXmlleriniAlCompletedEventArgs Constructor

C#

```
internal gelenBelgeXmlleriniAlCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is gelenBelgeXmlleriniAlCompletedEventArgs, a member of class gelenBelgeXmlleriniAlCompletedEventArgs.

Body Source

```
1: internal gelenBelgeXmlleriniAlCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.57.2 gelenBelgeXmlleriniAlCompletedEventArgs Properties

1.1.3.1.57.2.1 gelenBelgeXmlleriniAlCompletedEventArgs.Result Property

C#

```
public string Result;
```

1.1.3.1.58 gelenBelgeXmlleriniAlExtCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeXmlleriniAlExtCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	gelenBelgeXmlleriniAlExtCompletedEventArgs (see page 434)	This is gelenBelgeXmlleriniAlExtCompletedEventArgs, a member of class gelenBelgeXmlleriniAlExtCompletedEventArgs.

gelenBelgeXmlleriniAlExtCompletedEventArgs Properties

	Name	Description
	Result (see page 434)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.58.1 gelenBelgeXmlleriniAlExtCompletedEventArgs.gelenBelgeXmlleriniAlExtCompletedEventArgs Constructor

C#

```
internal gelenBelgeXmlleriniAlExtCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is gelenBelgeXmlleriniAlExtCompletedEventArgs, a member of class gelenBelgeXmlleriniAlExtCompletedEventArgs.

Body Source

```
1: internal gelenBelgeXmlleriniAlExtCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.58.2 gelenBelgeXmlleriniAlExtCompletedEventArgs Properties

1.1.3.1.58.2.1 gelenBelgeXmlleriniAlExtCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.59 gelenStandartRapolariAlCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenStandartRapolariAlCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	gelenStandartRapolariAlCompletedEventArgs (see page 435)	This is gelenStandartRapolariAlCompletedEventArgs, a member of class gelenStandartRapolariAlCompletedEventArgs.

gelenStandartRapolariAlCompletedEventArgs Properties

	Name	Description
	Result (see page 435)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.59.1 gelenStandartRapolariAlCompletedEventArgs.gelenStandartRapolariAlCompletedEventArgs Constructor

C#

```
internal gelenStandartRapolariAlCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is gelenStandartRapolariAlCompletedEventArgs, a member of class gelenStandartRapolariAlCompletedEventArgs.

Body Source

```
1: internal gelenStandartRapolariAlCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.59.2 gelenStandartRapolariAlCompletedEventArgs Properties

1.1.3.1.59.2.1 gelenStandartRapolariAlCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.60 gelenTamamlananRapolariAlCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenTamamlananRapolariAlCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	gelenTamamlananRapolariAlCompletedEventArgs (see page 436)	This is gelenTamamlananRapolariAlCompletedEventArgs, a member of class gelenTamamlananRapolariAlCompletedEventArgs.

gelenTamamlananRapolariAlCompletedEventArgs Properties

	Name	Description
	Result (see page 436)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.60.1 gelenTamamlananRapolariAlCompletedEventArgs.gelenTamamlananRapolariAlCompletedEventArgs Constructor

C#

```
internal gelenTamamlananRapolariAlCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is gelenTamamlananRapolariAlCompletedEventArgs, a member of class gelenTamamlananRapolariAlCompletedEventArgs.

Body Source

```
1: internal gelenTamamlananRapolariAlCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.60.2 gelenTamamlananRapolariAlCompletedEventArgs Properties

1.1.3.1.60.2.1 gelenTamamlananRapolariAlCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.61 gelenTasinanBelgeleriIndirCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenTasinanBelgeleriIndirCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	gelenTasinanBelgeleriIndirCompletedEventArgs (see page 437)	This is gelenTasinanBelgeleriIndirCompletedEventArgs, a member of class gelenTasinanBelgeleriIndirCompletedEventArgs.

gelenTasinanBelgeleriIndirCompletedEventArgs Properties

	Name	Description
	Result (see page 437)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.61.1 gelenTasinanBelgeleriIndirCompletedEventArgs.gelenTasinanBelgeleriIndirCompletedEventArgs Constructor

C#

```
internal gelenTasinanBelgeleriIndirCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is gelenTasinanBelgeleriIndirCompletedEventArgs, a member of class gelenTasinanBelgeleriIndirCompletedEventArgs.

Body Source

```
1: internal gelenTasinanBelgeleriIndirCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.61.2 gelenTasinanBelgeleriIndirCompletedEventArgs Properties

1.1.3.1.61.2.1 gelenTasinanBelgeleriIndirCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.62 gidenBelgeDurum Class

Class Hierarchy

C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv2))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class gidenBelgeDurum : serviceReturnType;
```

File

Reference.cs (see page 800)

gidenBelgeDurum Properties

gidenBelgeDurum Class

	Name	Description
	aciklama (see page 438)	
	alimTarihi (see page 438)	
	belgeNo (see page 438)	
	durum (see page 438)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	ettn (see page 438)	
	gonderimCevabiDetayi (see page 438)	
	gonderimCevabiKodu (see page 439)	
	gonderimDurumu (see page 439)	
	gonderimTarihi (see page 439)	
	olusturulmaTarihi (see page 439)	
	yanitDetayi (see page 439)	
	yanitDurumu (see page 439)	
	yanitTarihi (see page 439)	

1.1.3.1.62.1 gidenBelgeDurum Properties

1.1.3.1.62.1.1 gidenBelgeDurum.aciklama Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string aciklama;
```

1.1.3.1.62.1.2 gidenBelgeDurum.alimTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string alimTarihi;
```

1.1.3.1.62.1.3 gidenBelgeDurum.belgeNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeNo;
```

1.1.3.1.62.1.4 gidenBelgeDurum.durum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int durum;
```

1.1.3.1.62.1.5 gidenBelgeDurum.ettn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string ettn;
```

1.1.3.1.62.1.6 gidenBelgeDurum.gonderimCevabiDetayi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string gonderimCevabiDetayi;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.62.1.7 gidenBelgeDurum.gonderimCevabiKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int gonderimCevabiKodu;
```

1.1.3.1.62.1.8 gidenBelgeDurum.gonderimDurumu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int gonderimDurumu;
```

1.1.3.1.62.1.9 gidenBelgeDurum.gonderimTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string gonderimTarihi;
```

1.1.3.1.62.1.10 gidenBelgeDurum.olusturulmaTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string olusturulmaTarihi;
```

1.1.3.1.62.1.11 gidenBelgeDurum.yanitDetayi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string yanitDetayi;
```

1.1.3.1.62.1.12 gidenBelgeDurum.yanitDurumu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int yanitDurumu;
```

1.1.3.1.62.1.13 gidenBelgeDurum.yanitTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string yanitTarihi;
```

1.1.3.1.63 gidenBelgeDurumParametreleri Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
public class gidenBelgeDurumParametreleri;
```

File

Reference.cs (see page 800)

gidenBelgeDurumParametreleri Properties

	Name	Description
	belgeNo (see page 440)	
	belgeNoList (see page 440)	
	belgeNoTipi (see page 440)	
	belgeTuru (see page 440)	
	donusTipiVersiyon (see page 440)	

1.1.3.1.63.1 gidenBelgeDurumParametreleri Properties

1.1.3.1.63.1.1 gidenBelgeDurumParametreleri.belgeNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeNo;
```

1.1.3.1.63.1.2 gidenBelgeDurumParametreleri.belgeNoList Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("belgeNoList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public string belgeNoList;
```

1.1.3.1.63.1.3 gidenBelgeDurumParametreleri.belgeNoTipi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeNoTipi;
```

1.1.3.1.63.1.4 gidenBelgeDurumParametreleri.belgeTuru Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeTuru;
```

1.1.3.1.63.1.5 gidenBelgeDurumParametreleri.donusTipiVersiyon Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string donusTipiVersiyon;
```

1.1.3.1.64 gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs (see page 441)	This is gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs, a member of class gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs.

gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs Properties

	Name	Description
	Result (see page 441)	

1.1.3.1.64.1 gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs.gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs Constructor

C#

```
internal gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs, a member of class gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs.

Body Source

```
1: internal gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.64.2 gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs Properties

1.1.3.1.64.2.1 gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs.Result Property

C#

```
public gidenBelgeDurum Result;
```

1.1.3.1.65 gidenBelgeDurumSorgulaCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
public class gidenBelgeDurumSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	gidenBelgeDurumSorgulaCompletedEventArgs (see page 442)	This is gidenBelgeDurumSorgulaCompletedEventArgs, a member of class gidenBelgeDurumSorgulaCompletedEventArgs.

gidenBelgeDurumSorgulaCompletedEventArgs Properties

	Name	Description
	Result (see page 442)	

1.1.3.1.65.1 gidenBelgeDurumSorgulaCompletedEventArgs.gidenBelgeDurumSorgulaCompletedEventArgs Constructor

C#

```
internal gidenBelgeDurumSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is gidenBelgeDurumSorgulaCompletedEventArgs, a member of class gidenBelgeDurumSorgulaCompletedEventArgs.

Body Source

```
1: internal gidenBelgeDurumSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.65.2 gidenBelgeDurumSorgulaCompletedEventArgs Properties

1.1.3.1.65.2.1 gidenBelgeDurumSorgulaCompletedEventArgs.Result Property

C#

```
public gidenBelgeDurum Result;
```

1.1.3.1.66 gidenBelgeDurumSorgulaEttnCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeDurumSorgulaEttnCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Methods

	Name	Description
	gidenBelgeDurumSorgulaEttnCompletedEventArgs (see page 443)	This is gidenBelgeDurumSorgulaEttnCompletedEventArgs, a member of class gidenBelgeDurumSorgulaEttnCompletedEventArgs.

gidenBelgeDurumSorgulaEttnCompletedEventArgs Properties

	Name	Description
	Result (see page 443)	

1.1.3.1.66.1 gidenBelgeDurumSorgulaEttnCompletedEventArgs.gidenBelgeDurumSorgulaEttnCompletedEventArgs Constructor

C#

```
internal gidenBelgeDurumSorgulaEttnCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is gidenBelgeDurumSorgulaEttnCompletedEventArgs, a member of class gidenBelgeDurumSorgulaEttnCompletedEventArgs.

Body Source

```
1: internal gidenBelgeDurumSorgulaEttnCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.66.2 gidenBelgeDurumSorgulaEttnCompletedEventArgs Properties

1.1.3.1.66.2.1 gidenBelgeDurumSorgulaEttnCompletedEventArgs.Result Property

C#

```
public gidenBelgeDurum Result;
```

1.1.3.1.67 gidenBelgeDurumSorgulaExtCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeDurumSorgulaExtCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Methods

	Name	Description
	gidenBelgeDurumSorgulaExtCompletedEventArgs (see page 444)	This is gidenBelgeDurumSorgulaExtCompletedEventArgs, a member of class gidenBelgeDurumSorgulaExtCompletedEventArgs.

gidenBelgeDurumSorgulaExtCompletedEventArgs Properties

	Name	Description
	Result (see page 444)	

1.1.3.1.67.1 gidenBelgeDurumSorgulaExtCompletedEventArgs.gidenBelgeDurumSorgulaExtCompletedEventArgs Constructor

C#

```
internal gidenBelgeDurumSorgulaExtCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is gidenBelgeDurumSorgulaExtCompletedEventArgs, a member of class gidenBelgeDurumSorgulaExtCompletedEventArgs.

Body Source

```
1: internal gidenBelgeDurumSorgulaExtCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.67.2 gidenBelgeDurumSorgulaExtCompletedEventArgs Properties

1.1.3.1.67.2.1 gidenBelgeDurumSorgulaExtCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.68 gidenBelgeDurumSorgulaPortalCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeDurumSorgulaPortalCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Methods

	Name	Description
	gidenBelgeDurumSorgulaPortalCompletedEventArgs (see page 445)	This is gidenBelgeDurumSorgulaPortalCompletedEventArgs, a member of class gidenBelgeDurumSorgulaPortalCompletedEventArgs.

gidenBelgeDurumSorgulaPortalCompletedEventArgs Properties

	Name	Description
	Result (see page 445)	

1.1.3.1.68.1 gidenBelgeDurumSorgulaPortalCompletedEventArgs.gidenBelgeDurumSorgulaPortalCompletedEventArgs Constructor

C#

```
internal gidenBelgeDurumSorgulaPortalCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is gidenBelgeDurumSorgulaPortalCompletedEventArgs, a member of class gidenBelgeDurumSorgulaPortalCompletedEventArgs.

Body Source

```
1: internal gidenBelgeDurumSorgulaPortalCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.68.2 gidenBelgeDurumSorgulaPortalCompletedEventArgs Properties

1.1.3.1.68.2.1 gidenBelgeDurumSorgulaPortalCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.69 gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Methods

	Name	Description
	gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs (see page 446)	This is gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs, a member of class gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs.

gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs Properties

	Name	Description
	Result (see page 446)	

1.1.3.1.69.1 gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs.gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs Constructor

C#

```
internal gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs, a member of class gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs.

Body Source

```
1: internal gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.69.2 gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs Properties

1.1.3.1.69.2.1 gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs.Result Property

C#

```
public gidenBelgeDurum Result;
```

1.1.3.1.70 gidenBelgeDurumv2 Class

Class Hierarchy

C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
public class gidenBelgeDurumv2 : gidenBelgeDurum;
```

File

Reference.cs (see page 800)

gidenBelgeDurum Properties

gidenBelgeDurum Class

	Name	Description
	aciklama (see page 438)	
	alimTarihi (see page 438)	
	belgeNo (see page 438)	
	durum (see page 438)	
	ettn (see page 438)	
	gonderimCevabiDetayi (see page 438)	
	gonderimCevabiKodu (see page 439)	
	gonderimDurumu (see page 439)	
	gonderimTarihi (see page 439)	
	olusturulmaTarihi (see page 439)	
	yanitDetayi (see page 439)	
	yanitDurumu (see page 439)	
	yanitTarihi (see page 439)	

gidenBelgeDurumv2 Class

	Name	Description
	ulastiMi (see page 447)	
	yenidenGonderilebilirMi (see page 447)	

1.1.3.1.70.1 gidenBelgeDurumv2 Properties

1.1.3.1.70.1.1 gidenBelgeDurumv2.ulastiMi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public bool ulastiMi;
```

1.1.3.1.70.1.2 gidenBelgeDurumv2.yenidenGonderilebilirMi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public bool yenidenGonderilebilirMi;
```

1.1.3.1.71 gidenBelgeDurumv3 Class

Class Hierarchy

C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv4))]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class gidenBelgeDurumv3 : gidenBelgeDurumv2;
```

File

Reference.cs (see page 800)

gidenBelgeDurum Properties

gidenBelgeDurum Class

	Name	Description
	aciklama (see page 438)	
	alimTarihi (see page 438)	
	belgeNo (see page 438)	
	durum (see page 438)	
	ettn (see page 438)	
	gonderimCevabiDetayi (see page 438)	
	gonderimCevabiKodu (see page 439)	
	gonderimDurumu (see page 439)	
	gonderimTarihi (see page 439)	
	olusturulmaTarihi (see page 439)	
	yanitDetayi (see page 439)	
	yanitDurumu (see page 439)	
	yanitTarihi (see page 439)	

gidenBelgeDurumv2 Class

	Name	Description
	ulastiMi (see page 447)	
	yenidenGonderilebilirMi (see page 447)	

gidenBelgeDurumv3 Class

	Name	Description
	yerelBelgeOid (see page 448)	

1.1.3.1.71.1 gidenBelgeDurumv3 Properties

1.1.3.1.71.1.1 gidenBelgeDurumv3.yerelBelgeOid Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string yerelBelgeOid;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.72 gidenBelgeDurumv4 Class

Class Hierarchy

C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class gidenBelgeDurumv4 : gidenBelgeDurumv3;
```

File

Reference.cs (see page 800)

gidenBelgeDurum Properties

gidenBelgeDurum Class

	Name	Description
	aciklama (see page 438)	
	alimTarihi (see page 438)	
	belgeNo (see page 438)	
	durum (see page 438)	
	ettn (see page 438)	
	gonderimCevabiDetayi (see page 438)	
	gonderimCevabiKodu (see page 439)	
	gonderimDurumu (see page 439)	
	gonderimTarihi (see page 439)	
	olusturulmaTarihi (see page 439)	
	yanitDetayi (see page 439)	
	yanitDurumu (see page 439)	
	yanitTarihi (see page 439)	

gidenBelgeDurumv2 Class

	Name	Description
	ulastiMi (see page 447)	
	yenidenGonderilebilirMi (see page 447)	

gidenBelgeDurumv3 Class

	Name	Description
	yerelBelgeOid (see page 448)	

gidenBelgeDurumv4 Class

	Name	Description
	gtbFiiliIhracatTarihi (see page 450)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	gtbGcbTescilNo (see page 450)	
	gtbRefNo (see page 450)	

1.1.3.1.72.1 gidenBelgeDurumv4 Properties

1.1.3.1.72.1.1 gidenBelgeDurumv4.gtbFiiliIhracatTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string gtbFiiliIhracatTarihi;
```

1.1.3.1.72.1.2 gidenBelgeDurumv4.gtbGcbTescilNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string gtbGcbTescilNo;
```

1.1.3.1.72.1.3 gidenBelgeDurumv4.gtbRefNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string gtbRefNo;
```

1.1.3.1.73 gidenBelgeDurumv5 Class

Class Hierarchy

C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class gidenBelgeDurumv5 : gidenBelgeDurumv4;
```

File

Reference.cs (see page 800)

gidenBelgeDurum Properties

gidenBelgeDurum Class

	Name	Description
	aciklama (see page 438)	
	alimTarihi (see page 438)	
	belgeNo (see page 438)	
	durum (see page 438)	
	ettn (see page 438)	
	gonderimCevabiDetayi (see page 438)	
	gonderimCevabiKodu (see page 439)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	gonderimDurumu (see page 439)	
	gonderimTarihi (see page 439)	
	olusturulmaTarihi (see page 439)	
	yanitDetayi (see page 439)	
	yanitDurumu (see page 439)	
	yanitTarihi (see page 439)	

gidenBelgeDurumv2 Class

	Name	Description
	ulastiMi (see page 447)	
	yenidenGonderilebilirMi (see page 447)	

gidenBelgeDurumv3 Class

	Name	Description
	yerelBelgeOid (see page 448)	

gidenBelgeDurumv4 Class

	Name	Description
	gtbFiiliIhracatTarihi (see page 450)	
	gtbGcbTescilNo (see page 450)	
	gtbRefNo (see page 450)	

gidenBelgeDurumv5 Class

	Name	Description
	yanitEttn (see page 451)	
	yanitVerilenBelgeEttn (see page 451)	

1.1.3.1.73.1 gidenBelgeDurumv5 Properties

1.1.3.1.73.1.1 gidenBelgeDurumv5.yanitEttn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string yanitEttn;
```

1.1.3.1.73.1.2 gidenBelgeDurumv5.yanitVerilenBelgeEttn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string yanitVerilenBelgeEttn;
```

1.1.3.1.74 gidenBelgeDurumv6 Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class gidenBelgeDurumv6 : gidenBelgeDurumv5;
```

File

Reference.cs (see page 800)

gidenBelgeDurum Properties

gidenBelgeDurum Class

	Name	Description
	aciklama (see page 438)	
	alimTarihi (see page 438)	
	belgeNo (see page 438)	
	durum (see page 438)	
	ettn (see page 438)	
	gonderimCevabiDetayi (see page 438)	
	gonderimCevabiKodu (see page 439)	
	gonderimDurumu (see page 439)	
	gonderimTarihi (see page 439)	
	olusturulmaTarihi (see page 439)	
	yanitDetayi (see page 439)	
	yanitDurumu (see page 439)	
	yanitTarihi (see page 439)	

gidenBelgeDurumv2 Class

	Name	Description
	ulastiMi (see page 447)	
	yenidenGonderilebilirMi (see page 447)	

gidenBelgeDurumv3 Class

	Name	Description
	yerelBelgeOid (see page 448)	

gidenBelgeDurumv4 Class

	Name	Description
	gtbFiiliIhracatTarihi (see page 450)	
	gtbGcbTescilNo (see page 450)	
	gtbRefNo (see page 450)	

gidenBelgeDurumv5 Class

	Name	Description
	yanitEttn (see page 451)	
	yanitVerilenBelgeEttn (see page 451)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

gidenBelgeDurumv6 Class

	Name	Description
	kepDurum (see page 453)	

1.1.3.1.74.1 gidenBelgeDurumv6 Properties

1.1.3.1.74.1.1 gidenBelgeDurumv6.kepDurum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kepDurum;
```

1.1.3.1.75 gidenBelgeEkleriAlCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeEkleriAlCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	gidenBelgeEkleriAlCompletedEventArgs (see page 453)	This is gidenBelgeEkleriAlCompletedEventArgs, a member of class gidenBelgeEkleriAlCompletedEventArgs.

gidenBelgeEkleriAlCompletedEventArgs Properties

	Name	Description
	Result (see page 454)	

1.1.3.1.75.1 gidenBelgeEkleriAlCompletedEventArgs.gidenBelgeEkleriAlCompletedEventArgs Constructor

C#

```
internal gidenBelgeEkleriAlCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is gidenBelgeEkleriAlCompletedEventArgs, a member of class gidenBelgeEkleriAlCompletedEventArgs.

Body Source

```
1: internal gidenBelgeEkleriAlCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.75.2 gidenBelgeEkleriAlCompletedEventArgs Properties

1.1.3.1.75.2.1 gidenBelgeEkleriAlCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.76 gidenBelgelerDurumSorgulaPortalParametreleri Class

Class Hierarchy

QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPortalParametreleri

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class gidenBelgelerDurumSorgulaPortalParametreleri;
```

File

Reference.cs (see page 800)

gidenBelgelerDurumSorgulaPortalParametreleri Properties

	Name	Description
	baslangicOlusturulmaTarihi (see page 454)	
	belgeEttnListesi (see page 454)	
	belgeTuru (see page 455)	
	belgeVersiyon (see page 455)	
	bitisOlusturulmaTarihi (see page 455)	
	faturaBaslangicTarihi (see page 455)	
	faturaBitisTarihi (see page 455)	
	vknTckn (see page 455)	

1.1.3.1.76.1 gidenBelgelerDurumSorgulaPortalParametreleri Properties

1.1.3.1.76.1.1 gidenBelgelerDurumSorgulaPortalParametreleri.baslangicOlusturulmaTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string baslangicOlusturulmaTarihi;
```

1.1.3.1.76.1.2 gidenBelgelerDurumSorgulaPortalParametreleri.belgeEttnListesi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("belgeEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public string belgeEttnListesi;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.76.1.3 gidenBelgelerDurumSorgulaPortalParametreleri.belgeTuru Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeTuru;
```

1.1.3.1.76.1.4 gidenBelgelerDurumSorgulaPortalParametreleri.belgeVersiyon Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeVersiyon;
```

1.1.3.1.76.1.5 gidenBelgelerDurumSorgulaPortalParametreleri.bitisOlusturulmaTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string bitisOlusturulmaTarihi;
```

1.1.3.1.76.1.6 gidenBelgelerDurumSorgulaPortalParametreleri.faturaBaslangicTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string faturaBaslangicTarihi;
```

1.1.3.1.76.1.7 gidenBelgelerDurumSorgulaPortalParametreleri.faturaBitisTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string faturaBitisTarihi;
```

1.1.3.1.76.1.8 gidenBelgelerDurumSorgulaPortalParametreleri.vknTckn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string vknTckn;
```

1.1.3.1.77 gidenBelgeleriIndirCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeleriIndirCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Methods

	Name	Description
	gidenBelgeleriIndirCompletedEventArgs (see page 456)	This is gidenBelgeleriIndirCompletedEventArgs, a member of class gidenBelgeleriIndirCompletedEventArgs.

gidenBelgeleriIndirCompletedEventArgs Properties

	Name	Description
	Result (see page 456)	

1.1.3.1.77.1 gidenBelgeleriIndirCompletedEventArgs.gidenBelgeleriIndirCompletedEventArgs Constructor

C#

```
internal gidenBelgeleriIndirCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is gidenBelgeleriIndirCompletedEventArgs, a member of class gidenBelgeleriIndirCompletedEventArgs.

Body Source

```
1: internal gidenBelgeleriIndirCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.77.2 gidenBelgeleriIndirCompletedEventArgs Properties

1.1.3.1.77.2.1 gidenBelgeleriIndirCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.78 gidenBelgeleriIndirEttnCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeleriIndirEttnCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	gidenBelgeleriIndirEttnCompletedEventArgs (see page 457)	This is gidenBelgeleriIndirEttnCompletedEventArgs, a member of class gidenBelgeleriIndirEttnCompletedEventArgs.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

gidenBelgeleriIndirEttnCompletedEventArgs Properties

	Name	Description
	Result (see page 457)	

1.1.3.1.78.1 gidenBelgeleriIndirEttnCompletedEventArgs.gidenBelgeleriIndirEttnCompletedEventArgs Constructor

C#

```
internal gidenBelgeleriIndirEttnCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is gidenBelgeleriIndirEttnCompletedEventArgs, a member of class gidenBelgeleriIndirEttnCompletedEventArgs.

Body Source

```
1: internal gidenBelgeleriIndirEttnCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.78.2 gidenBelgeleriIndirEttnCompletedEventArgs Properties

1.1.3.1.78.2.1 gidenBelgeleriIndirEttnCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.79 gidenBelgeleriIndirPortalCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeleriIndirPortalCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	gidenBelgeleriIndirPortalCompletedEventArgs (see page 458)	This is gidenBelgeleriIndirPortalCompletedEventArgs, a member of class gidenBelgeleriIndirPortalCompletedEventArgs.

gidenBelgeleriIndirPortalCompletedEventArgs Properties

	Name	Description
	Result (see page 458)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.79.1 gidenBelgeleriIndirPortalCompletedEventArgs.gidenBelgeleriIndirPortalCompletedEventArgs Constructor

C#

```
internal gidenBelgeleriIndirPortalCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is gidenBelgeleriIndirPortalCompletedEventArgs, a member of class gidenBelgeleriIndirPortalCompletedEventArgs.

Body Source

```
1: internal gidenBelgeleriIndirPortalCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.79.2 gidenBelgeleriIndirPortalCompletedEventArgs Properties

1.1.3.1.79.2.1 gidenBelgeleriIndirPortalCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.80 gidenBelgeleriIndirPortalParametreleri Class

Class Hierarchy

QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametreleri

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class gidenBelgeleriIndirPortalParametreleri;
```

File

Reference.cs (see page 800)

gidenBelgeleriIndirPortalParametreleri Properties

	Name	Description
	baslangicGonderimTarihi (see page 459)	
	belgeEttnListesi (see page 459)	
	belgeFormati (see page 459)	
	belgeTuru (see page 459)	
	bitisGonderimTarihi (see page 459)	
	faturaBaslangicTarihi (see page 459)	
	faturaBitisTarihi (see page 459)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	kaynak (see page 460)	
	pageCount (see page 460)	
	vergiTcKimlikNo (see page 460)	

1.1.3.1.80.1 gidenBelgeleriIndirPortalParametreleri Properties

1.1.3.1.80.1.1 gidenBelgeleriIndirPortalParametreleri.baslangicGonderimTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string baslangicGonderimTarihi;
```

1.1.3.1.80.1.2 gidenBelgeleriIndirPortalParametreleri.belgeEttnListesi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("belgeEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public string belgeEttnListesi;
```

1.1.3.1.80.1.3 gidenBelgeleriIndirPortalParametreleri.belgeFormati Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeFormati;
```

1.1.3.1.80.1.4 gidenBelgeleriIndirPortalParametreleri.belgeTuru Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeTuru;
```

1.1.3.1.80.1.5 gidenBelgeleriIndirPortalParametreleri.bitisGonderimTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string bitisGonderimTarihi;
```

1.1.3.1.80.1.6 gidenBelgeleriIndirPortalParametreleri.faturaBaslangicTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string faturaBaslangicTarihi;
```

1.1.3.1.80.1.7 gidenBelgeleriIndirPortalParametreleri.faturaBitisTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string faturaBitisTarihi;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.80.1.8 gidenBelgeleriIndirPortalParametreleri.kaynak Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kaynak;
```

1.1.3.1.80.1.9 gidenBelgeleriIndirPortalParametreleri.pageCount Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string pageCount;
```

1.1.3.1.80.1.10 gidenBelgeleriIndirPortalParametreleri.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string vergiTcKimlikNo;
```

1.1.3.1.81 gidenBelgeleriListeleCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeleriListeleCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	gidenBelgeleriListeleCompletedEventArgs (see page 460)	This is gidenBelgeleriListeleCompletedEventArgs, a member of class gidenBelgeleriListeleCompletedEventArgs.

gidenBelgeleriListeleCompletedEventArgs Properties

	Name	Description
	Result (see page 461)	

1.1.3.1.81.1 gidenBelgeleriListeleCompletedEventArgs.gidenBelgeleriListeleCompletedEventArgs Constructor

C#

```
internal gidenBelgeleriListeleCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is gidenBelgeleriListeleCompletedEventArgs, a member of class gidenBelgeleriListeleCompletedEventArgs.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```
1: internal gidenBelgeleriListeleCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.81.2 gidenBelgeleriListeleCompletedEventArgs Properties

1.1.3.1.81.2.1 gidenBelgeleriListeleCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.82 gidenBelgeleriListeleData Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class gidenBelgeleriListeleData : serviceReturnType;
```

File

Reference.cs (see page 800)

gidenBelgeleriListeleData Properties

gidenBelgeleriListeleData Class

	Name	Description
	alimDurumu (see page 461)	
	alimZamani (see page 462)	
	belgeOid (see page 462)	
	belgeTarihi (see page 462)	
	belgeTuru (see page 462)	
	ettn (see page 462)	
	hataMesaji (see page 462)	
	islemYapanVkn (see page 462)	
	kaynak (see page 462)	
	kullaniciKodu (see page 462)	
	yerelBelgeNo (see page 463)	

1.1.3.1.82.1 gidenBelgeleriListeleData Properties

1.1.3.1.82.1.1 gidenBelgeleriListeleData.alimDurumu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string alimDurumu;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.82.1.2 gidenBelgeleriListeleData.alimZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string alimZamani;
```

1.1.3.1.82.1.3 gidenBelgeleriListeleData.belgeOid Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeOid;
```

1.1.3.1.82.1.4 gidenBelgeleriListeleData.belgeTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeTarihi;
```

1.1.3.1.82.1.5 gidenBelgeleriListeleData.belgeTuru Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeTuru;
```

1.1.3.1.82.1.6 gidenBelgeleriListeleData.ettn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string ettn;
```

1.1.3.1.82.1.7 gidenBelgeleriListeleData.hataMesaji Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string hataMesaji;
```

1.1.3.1.82.1.8 gidenBelgeleriListeleData.islemYapanVkn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string islemYapanVkn;
```

1.1.3.1.82.1.9 gidenBelgeleriListeleData.kaynak Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kaynak;
```

1.1.3.1.82.1.10 gidenBelgeleriListeleData.kullaniciKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kullaniciKodu;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.82.1.11 gidenBelgeleriListeleData.yerelBelgeNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string yerelBelgeNo;
```

1.1.3.1.83 gidenBelgeleriListeleParametreleri Class

Class Hierarchy

QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametreleri

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class gidenBelgeleriListeleParametreleri;
```

File

Reference.cs (see page 800)

gidenBelgeleriListeleParametreleri Properties

	Name	Description
	baslangicBelgeTarihi (see page 463)	
	baslangicGonderimTarihi (see page 463)	
	belgeTuru (see page 464)	
	bitisBelgeTarihi (see page 464)	
	bitisGonderimTarihi (see page 464)	
	vkn (see page 464)	

1.1.3.1.83.1 gidenBelgeleriListeleParametreleri Properties

1.1.3.1.83.1.1 gidenBelgeleriListeleParametreleri.baslangicBelgeTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string baslangicBelgeTarihi;
```

1.1.3.1.83.1.2 gidenBelgeleriListeleParametreleri.baslangicGonderimTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string baslangicGonderimTarihi;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.83.1.3 gidenBelgeleriListeleParametreleri.belgeTuru Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeTuru;
```

1.1.3.1.83.1.4 gidenBelgeleriListeleParametreleri.bitisBelgeTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string bitisBelgeTarihi;
```

1.1.3.1.83.1.5 gidenBelgeleriListeleParametreleri.bitisGonderimTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string bitisGonderimTarihi;
```

1.1.3.1.83.1.6 gidenBelgeleriListeleParametreleri.vkn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string vkn;
```

1.1.3.1.84 gidenBelgeleriListelePortalCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeleriListelePortalCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	gidenBelgeleriListelePortalCompletedEventArgs (see page 465)	This is gidenBelgeleriListelePortalCompletedEventArgs, a member of class gidenBelgeleriListelePortalCompletedEventArgs.

gidenBelgeleriListelePortalCompletedEventArgs Properties

	Name	Description
	Result (see page 465)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.84.1 gidenBelgeleriListelePortalCompletedEventArgs.gidenBelgeleriListelePortalCompletedEventArgs Constructor

C#

```
internal gidenBelgeleriListelePortalCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is gidenBelgeleriListelePortalCompletedEventArgs, a member of class gidenBelgeleriListelePortalCompletedEventArgs.

Body Source

```
1: internal gidenBelgeleriListelePortalCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.84.2 gidenBelgeleriListelePortalCompletedEventArgs Properties

1.1.3.1.84.2.1 gidenBelgeleriListelePortalCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.85 gidenBelgeleriListelePortalData Class

Class Hierarchy

C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeleriListelePortalDatav2))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class gidenBelgeleriListelePortalData : serviceReturnType;
```

File

Reference.cs (see page 800)

gidenBelgeleriListelePortalData Properties

gidenBelgeleriListelePortalData Class

	Name	Description
	alanEtiket (see page 466)	
	alanSubeKodu (see page 466)	
	alanVergiTcKimlikNo (see page 466)	
	belgeNo (see page 466)	
	belgeTarihi (see page 466)	
	belgeTipi (see page 466)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	belgeTuru (see page 467)	
	erpKodu (see page 467)	
	ettn (see page 467)	
	gonderenEtiket (see page 467)	
	gonderenSubeKodu (see page 467)	
	gonderimZamani (see page 467)	
	islemYapanVkn (see page 467)	
	kaynak (see page 467)	
	kullaniciKodu (see page 467)	

1.1.3.1.85.1 gidenBelgeleriListelePortalData Properties

1.1.3.1.85.1.1 gidenBelgeleriListelePortalData.alanEtiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string alanEtiket;
```

1.1.3.1.85.1.2 gidenBelgeleriListelePortalData.alanSubeKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string alanSubeKodu;
```

1.1.3.1.85.1.3 gidenBelgeleriListelePortalData.alanVergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string alanVergiTcKimlikNo;
```

1.1.3.1.85.1.4 gidenBelgeleriListelePortalData.belgeNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeNo;
```

1.1.3.1.85.1.5 gidenBelgeleriListelePortalData.belgeTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeTarihi;
```

1.1.3.1.85.1.6 gidenBelgeleriListelePortalData.belgeTipi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeTipi;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.85.1.7 gidenBelgeleriListelePortalData.belgeTuru Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeTuru;
```

1.1.3.1.85.1.8 gidenBelgeleriListelePortalData.erpKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string erpKodu;
```

1.1.3.1.85.1.9 gidenBelgeleriListelePortalData.ettn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string ettn;
```

1.1.3.1.85.1.10 gidenBelgeleriListelePortalData.gonderenEtiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string gonderenEtiket;
```

1.1.3.1.85.1.11 gidenBelgeleriListelePortalData.gonderenSubeKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string gonderenSubeKodu;
```

1.1.3.1.85.1.12 gidenBelgeleriListelePortalData.gonderimZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string gonderimZamani;
```

1.1.3.1.85.1.13 gidenBelgeleriListelePortalData.islemYapanVkn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string islemYapanVkn;
```

1.1.3.1.85.1.14 gidenBelgeleriListelePortalData.kaynak Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kaynak;
```

1.1.3.1.85.1.15 gidenBelgeleriListelePortalData.kullaniciKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kullaniciKodu;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.86 gidenBelgeleriListelePortalDatav2 Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class gidenBelgeleriListelePortalDatav2 : gidenBelgeleriListelePortalData;
```

File

Reference.cs (see page 800)

gidenBelgeleriListelePortalData Properties

gidenBelgeleriListelePortalData Class

	Name	Description
	alanEtiket (see page 466)	
	alanSubeKodu (see page 466)	
	alanVergiTcKimlikNo (see page 466)	
	belgeNo (see page 466)	
	belgeTarihi (see page 466)	
	belgeTipi (see page 466)	
	belgeTuru (see page 467)	
	erpKodu (see page 467)	
	ettn (see page 467)	
	gonderenEtiket (see page 467)	
	gonderenSubeKodu (see page 467)	
	gonderimZamani (see page 467)	
	islemYapanVkn (see page 467)	
	kaynak (see page 467)	
	kullaniciKodu (see page 467)	

gidenBelgeleriListelePortalDatav2 Class

	Name	Description
	yanitEttn (see page 468)	

1.1.3.1.86.1 gidenBelgeleriListelePortalDatav2 Properties

1.1.3.1.86.1.1 gidenBelgeleriListelePortalDatav2.yanitEttn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string yanitEttn;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.87 gidenBelgeleriListelePortalParametreleri Class

Class Hierarchy

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class gidenBelgeleriListelePortalParametreleri;
```

File

Reference.cs (see page 800)

gidenBelgeleriListelePortalParametreleri Properties

	Name	Description
	baslangicGonderimTarihi (see page 469)	
	belgeEttnListesi (see page 469)	
	belgeTuru (see page 469)	
	belgeVersiyon (see page 470)	
	bitisGonderimTarihi (see page 470)	
	faturaBaslangicTarihi (see page 470)	
	faturaBitisTarihi (see page 470)	
	kaynak (see page 470)	
	pageCount (see page 470)	
	vergiTcKimlikNo (see page 470)	

1.1.3.1.87.1 gidenBelgeleriListelePortalParametreleri Properties

1.1.3.1.87.1.1 gidenBelgeleriListelePortalParametreleri.baslangicGonderimTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string baslangicGonderimTarihi;
```

1.1.3.1.87.1.2 gidenBelgeleriListelePortalParametreleri.belgeEttnListesi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("belgeEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public string belgeEttnListesi;
```

1.1.3.1.87.1.3 gidenBelgeleriListelePortalParametreleri.belgeTuru Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeTuru;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.87.1.4 gidenBelgeleriListelePortalParametreleri.belgeVersiyon Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeVersiyon;
```

1.1.3.1.87.1.5 gidenBelgeleriListelePortalParametreleri.bitisGonderimTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string bitisGonderimTarihi;
```

1.1.3.1.87.1.6 gidenBelgeleriListelePortalParametreleri.faturaBaslangicTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string faturaBaslangicTarihi;
```

1.1.3.1.87.1.7 gidenBelgeleriListelePortalParametreleri.faturaBitisTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string faturaBitisTarihi;
```

1.1.3.1.87.1.8 gidenBelgeleriListelePortalParametreleri.kaynak Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kaynak;
```

1.1.3.1.87.1.9 gidenBelgeleriListelePortalParametreleri.pageCount Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string pageCount;
```

1.1.3.1.87.1.10 gidenBelgeleriListelePortalParametreleri.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string vergiTcKimlikNo;
```

1.1.3.1.88 gidenBelgeParametreleri Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
public class gidenBelgeParametreleri;
```

File

Reference.cs (see page 800)

gidenBelgeParametreleri Properties

	Name	Description
	alanEtiket (see page 471)	
	belgeHash (see page 471)	
	belgeNo (see page 471)	
	belgeTuru (see page 471)	
	belgeVersiyon (see page 472)	
	donusTipiVersiyon (see page 472)	
	erpKodu (see page 472)	
	gonderenEtiket (see page 472)	
	mimeType (see page 472)	
	subeKodu (see page 472)	
	vergiTcKimlikNo (see page 472)	
	veri (see page 472)	
	xsltAdi (see page 473)	
	xsltVeri (see page 473)	

1.1.3.1.88.1 gidenBelgeParametreleri Properties

1.1.3.1.88.1.1 gidenBelgeParametreleri.alanEtiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string alanEtiket;
```

1.1.3.1.88.1.2 gidenBelgeParametreleri.belgeHash Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeHash;
```

1.1.3.1.88.1.3 gidenBelgeParametreleri.belgeNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeNo;
```

1.1.3.1.88.1.4 gidenBelgeParametreleri.belgeTuru Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeTuru;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.88.1.5 gidenBelgeParametreleri.belgeVersiyon Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeVersiyon;
```

1.1.3.1.88.1.6 gidenBelgeParametreleri.donusTipiVersiyon Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string donusTipiVersiyon;
```

1.1.3.1.88.1.7 gidenBelgeParametreleri.erpKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string erpKodu;
```

1.1.3.1.88.1.8 gidenBelgeParametreleri.gonderenEtiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string gonderenEtiket;
```

1.1.3.1.88.1.9 gidenBelgeParametreleri.mimeType Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string mimeType;
```

1.1.3.1.88.1.10 gidenBelgeParametreleri.subeKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string subeKodu;
```

1.1.3.1.88.1.11 gidenBelgeParametreleri.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string vergiTcKimlikNo;
```

1.1.3.1.88.1.12 gidenBelgeParametreleri.veri Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary")]
public byte veri;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.88.1.13 gidenBelgeParametreleri.xsltAdi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string xsltAdi;
```

1.1.3.1.88.1.14 gidenBelgeParametreleri.xsltVeri Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary")]
public byte xsltVeri;
```

1.1.3.1.89 gidenBelgeTutarBilgileri Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class gidenBelgeTutarBilgileri : serviceReturnType;
```

File

Reference.cs (see page 800)

gidenBelgeTutarBilgileri Properties

gidenBelgeTutarBilgileri Class

	Name	Description
	belgeNo (see page 474)	
	belgeTarihi (see page 474)	
	ettn (see page 474)	
	kdv18Oran (see page 474)	
	kdv18Tutar (see page 474)	
	kdv1Oran (see page 474)	
	kdv1Tutar (see page 474)	
	kdv8Oran (see page 474)	
	kdv8Tutar (see page 475)	
	kdvTevkifatOran (see page 475)	
	kdvTevkifatTutari (see page 475)	
	kdvToplamTutari (see page 475)	
	kdvToplamTutariDovizCinsi (see page 475)	
	malHizmetToplamTutari (see page 475)	
	malHizmetToplamTutariDovizCinsi (see page 475)	
	odenecekTutar (see page 475)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	odenecekTutarDovizCinsi (see page 475)	

1.1.3.1.89.1 gidenBelgeTutarBilgileri Properties

1.1.3.1.89.1.1 gidenBelgeTutarBilgileri.belgeNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeNo;
```

1.1.3.1.89.1.2 gidenBelgeTutarBilgileri.belgeTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeTarihi;
```

1.1.3.1.89.1.3 gidenBelgeTutarBilgileri.ettn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string ettn;
```

1.1.3.1.89.1.4 gidenBelgeTutarBilgileri.kdv18Oran Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kdv18Oran;
```

1.1.3.1.89.1.5 gidenBelgeTutarBilgileri.kdv18Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kdv18Tutar;
```

1.1.3.1.89.1.6 gidenBelgeTutarBilgileri.kdv1Oran Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kdv1Oran;
```

1.1.3.1.89.1.7 gidenBelgeTutarBilgileri.kdv1Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kdv1Tutar;
```

1.1.3.1.89.1.8 gidenBelgeTutarBilgileri.kdv8Oran Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kdv8Oran;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.89.1.9 gidenBelgeTutarBilgileri.kdv8Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kdv8Tutar;
```

1.1.3.1.89.1.10 gidenBelgeTutarBilgileri.kdvTevkifatOran Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kdvTevkifatOran;
```

1.1.3.1.89.1.11 gidenBelgeTutarBilgileri.kdvTevkifatTutari Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kdvTevkifatTutari;
```

1.1.3.1.89.1.12 gidenBelgeTutarBilgileri.kdvToplamTutari Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kdvToplamTutari;
```

1.1.3.1.89.1.13 gidenBelgeTutarBilgileri.kdvToplamTutariDovizCinsi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kdvToplamTutariDovizCinsi;
```

1.1.3.1.89.1.14 gidenBelgeTutarBilgileri.malHizmetToplamTutari Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string malHizmetToplamTutari;
```

1.1.3.1.89.1.15 gidenBelgeTutarBilgileri.malHizmetToplamTutariDovizCinsi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string malHizmetToplamTutariDovizCinsi;
```

1.1.3.1.89.1.16 gidenBelgeTutarBilgileri.odenecekTutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string odenecekTutar;
```

1.1.3.1.89.1.17 gidenBelgeTutarBilgileri.odenecekTutarDovizCinsi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string odenecekTutarDovizCinsi;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.90 gidenBelgeTutarBilgileriSorgulaCompletedEventArgs Class

Class Hierarchy

System.ComponentModel.AsyncCompletedEventArgs → QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileriSorgulaCompletedEventArgs

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeTutarBilgileriSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	gidenBelgeTutarBilgileriSorgulaCompletedEventArgs (see page 476)	This is gidenBelgeTutarBilgileriSorgulaCompletedEventArgs, a member of class gidenBelgeTutarBilgileriSorgulaCompletedEventArgs.

gidenBelgeTutarBilgileriSorgulaCompletedEventArgs Properties

	Name	Description
	Result (see page 476)	

1.1.3.1.90.1 gidenBelgeTutarBilgileriSorgulaCompletedEventArgs.gidenBelgeTutarBilgileriSorgulaCompletedEventArgs Constructor

C#

```
internal gidenBelgeTutarBilgileriSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is gidenBelgeTutarBilgileriSorgulaCompletedEventArgs, a member of class gidenBelgeTutarBilgileriSorgulaCompletedEventArgs.

Body Source

```
1: internal gidenBelgeTutarBilgileriSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.90.2 gidenBelgeTutarBilgileriSorgulaCompletedEventArgs Properties

1.1.3.1.90.2.1 gidenBelgeTutarBilgileriSorgulaCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.91 gidenTasinanBelgeleriIndirCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenTasinanBelgeleriIndirCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	gidenTasinanBelgeleriIndirCompletedEventArgs (see page 477)	This is gidenTasinanBelgeleriIndirCompletedEventArgs, a member of class gidenTasinanBelgeleriIndirCompletedEventArgs.

gidenTasinanBelgeleriIndirCompletedEventArgs Properties

	Name	Description
	Result (see page 477)	

1.1.3.1.91.1 gidenTasinanBelgeleriIndirCompletedEventArgs.gidenTasinanBelgeleriIndirCompletedEventArgs Constructor

C#

```
internal gidenTasinanBelgeleriIndirCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is gidenTasinanBelgeleriIndirCompletedEventArgs, a member of class gidenTasinanBelgeleriIndirCompletedEventArgs.

Body Source

```
1: internal gidenTasinanBelgeleriIndirCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.91.2 gidenTasinanBelgeleriIndirCompletedEventArgs Properties

1.1.3.1.91.2.1 gidenTasinanBelgeleriIndirCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.92 irsaliyeTarihcesiData Class

Class Hierarchy

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class irsaliyeTarihcesiData : serviceReturnType;
```

File

Reference.cs (see page 800)

irsaliyeTarihcesiData Properties

irsaliyeTarihcesiData Class

	Name	Description
	bagliKayitId (see page 478)	
	irsaliyeEttn (see page 478)	
	islem (see page 478)	
	islemAciklama (see page 479)	
	islemKanali (see page 479)	
	islemKanaliAciklama (see page 479)	
	islemSonucu (see page 479)	
	islemZamani (see page 479)	
	kullanici (see page 479)	
	kullaniciIp (see page 479)	
	zarfEttn (see page 479)	

1.1.3.1.92.1 irsaliyeTarihcesiData Properties

1.1.3.1.92.1.1 irsaliyeTarihcesiData.bagliKayitId Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string bagliKayitId;
```

1.1.3.1.92.1.2 irsaliyeTarihcesiData.irsaliyeEttn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string irsaliyeEttn;
```

1.1.3.1.92.1.3 irsaliyeTarihcesiData.islem Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public short islem;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.92.1.4 irsaliyeTarihcesiData.islemAciklama Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string islemAciklama;
```

1.1.3.1.92.1.5 irsaliyeTarihcesiData.islemKanali Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public sbyte islemKanali;
```

1.1.3.1.92.1.6 irsaliyeTarihcesiData.islemKanaliAciklama Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string islemKanaliAciklama;
```

1.1.3.1.92.1.7 irsaliyeTarihcesiData.islemSonucu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string islemSonucu;
```

1.1.3.1.92.1.8 irsaliyeTarihcesiData.islemZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string islemZamani;
```

1.1.3.1.92.1.9 irsaliyeTarihcesiData.kullanici Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kullanici;
```

1.1.3.1.92.1.10 irsaliyeTarihcesiData.kullaniciIp Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kullaniciIp;
```

1.1.3.1.92.1.11 irsaliyeTarihcesiData.zarfEttn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string zarfEttn;
```

1.1.3.1.93 irsaliyeTarihcesiSorgulaCompletedEventArgs Class

Class Hierarchy

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class irsaliyeTarihcesiSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	irsaliyeTarihcesiSorgulaCompletedEventArgs (see page 480)	This is irsaliyeTarihcesiSorgulaCompletedEventArgs, a member of class irsaliyeTarihcesiSorgulaCompletedEventArgs.

irsaliyeTarihcesiSorgulaCompletedEventArgs Properties

	Name	Description
	Result (see page 480)	

1.1.3.1.93.1 irsaliyeTarihcesiSorgulaCompletedEventArgs.irsaliyeTarihcesiSorgulaCompletedEventArgs Constructor

C#

```
internal irsaliyeTarihcesiSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is irsaliyeTarihcesiSorgulaCompletedEventArgs, a member of class irsaliyeTarihcesiSorgulaCompletedEventArgs.

Body Source

```
1: internal irsaliyeTarihcesiSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.93.2 irsaliyeTarihcesiSorgulaCompletedEventArgs Properties

1.1.3.1.93.2.1 irsaliyeTarihcesiSorgulaCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.94 kalanKontorBilgisi Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
/")]
public class kalanKontorBilgisi;
```

File

Reference.cs (see page 800)

kalanKontorBilgisi Properties

	Name	Description
	kalan (see page 481)	
	kalanSpecified (see page 481)	
	kontorBirimi (see page 481)	
	kontorBirimiSpecified (see page 481)	
	kontorTipi (see page 482)	
	kontorTipiSpecified (see page 482)	
	limitAsimMiktari (see page 482)	
	limitAsimMiktariSpecified (see page 482)	
	toplamAlinan (see page 482)	
	toplamAlinanSpecified (see page 482)	
	vknTckn (see page 482)	

1.1.3.1.94.1 kalanKontorBilgisi Properties

1.1.3.1.94.1.1 kalanKontorBilgisi.kalan Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public decimal kalan;
```

1.1.3.1.94.1.2 kalanKontorBilgisi.kalanSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kalanSpecified;
```

1.1.3.1.94.1.3 kalanKontorBilgisi.kontorBirimi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public kontorBirimi kontorBirimi;
```

1.1.3.1.94.1.4 kalanKontorBilgisi.kontorBirimiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kontorBirimiSpecified;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.94.1.5 kalanKontorBilgisi.kontorTipi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public kontorTipi kontorTipi;
```

1.1.3.1.94.1.6 kalanKontorBilgisi.kontorTipiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kontorTipiSpecified;
```

1.1.3.1.94.1.7 kalanKontorBilgisi.limitAsimMiktari Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public decimal limitAsimMiktari;
```

1.1.3.1.94.1.8 kalanKontorBilgisi.limitAsimMiktariSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool limitAsimMiktariSpecified;
```

1.1.3.1.94.1.9 kalanKontorBilgisi.toplamAlinan Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public decimal toplamAlinan;
```

1.1.3.1.94.1.10 kalanKontorBilgisi.toplamAlinanSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool toplamAlinanSpecified;
```

1.1.3.1.94.1.11 kalanKontorBilgisi.vknTckn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string vknTckn;
```

1.1.3.1.95 kayitliKullaniciListeleExtendedCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class kayitliKullaniciListeleExtendedCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Methods

	Name	Description
	kayitliKullaniciListeleExtendedCompletedEventArgs (see page 483)	This is kayitliKullaniciListeleExtendedCompletedEventArgs, a member of class kayitliKullaniciListeleExtendedCompletedEventArgs.

kayitliKullaniciListeleExtendedCompletedEventArgs Properties

	Name	Description
	Result (see page 483)	

1.1.3.1.95.1 kayitliKullaniciListeleExtendedCompletedEventArgs.kayitliKullaniciListeleExtendedCompletedEventArgs Constructor

C#

```
internal kayitliKullaniciListeleExtendedCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is kayitliKullaniciListeleExtendedCompletedEventArgs, a member of class kayitliKullaniciListeleExtendedCompletedEventArgs.

Body Source

```
1: internal kayitliKullaniciListeleExtendedCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.95.2 kayitliKullaniciListeleExtendedCompletedEventArgs Properties

1.1.3.1.95.2.1 kayitliKullaniciListeleExtendedCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.96 kayitliKullaniciListeleExtendedTimeCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class kayitliKullaniciListeleExtendedTimeCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Methods

	Name	Description
	kayitliKullaniciListeleExtendedTimeCompletedEventArgs (see page 484)	This is kayitliKullaniciListeleExtendedTimeCompletedEventArgs, a member of class kayitliKullaniciListeleExtendedTimeCompletedEventArgs.

kayitliKullaniciListeleExtendedTimeCompletedEventArgs Properties

	Name	Description
	Result (see page 484)	

1.1.3.1.96.1 kayitliKullaniciListeleExtendedTimeCompletedEventArgs.kayitliKullaniciListeleExtendedTimeCompletedEventArgs Constructor

C#

```
internal kayitliKullaniciListeleExtendedTimeCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is kayitliKullaniciListeleExtendedTimeCompletedEventArgs, a member of class kayitliKullaniciListeleExtendedTimeCompletedEventArgs.

Body Source

```
1: internal kayitliKullaniciListeleExtendedTimeCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.96.2 kayitliKullaniciListeleExtendedTimeCompletedEventArgs Properties

1.1.3.1.96.2.1 kayitliKullaniciListeleExtendedTimeCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.97 kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Methods

	Name	Description
	kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs (see page 485)	This is kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs, a member of class kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs.

kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs Properties

	Name	Description
	Result (see page 485)	

1.1.3.1.97.1 kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs.kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs Constructor

C#

```
internal kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs, a member of class kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs.

Body Source

```
1: internal kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.97.2 kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs Properties

1.1.3.1.97.2.1 kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.98 kontorAzaltResp Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class kontorAzaltResp : serviceReturnType;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

kontorAzaltResp Properties

kontorAzaltResp Class

	Name	Description
	kanalTipi (see page 486)	
	kontorAzaldi (see page 486)	
	kontorTipi (see page 486)	
	miktar (see page 486)	
	miktarSpecified (see page 486)	
	odemeTipi (see page 486)	
	paketTipi (see page 487)	
	vkn (see page 487)	

1.1.3.1.98.1 kontorAzaltResp Properties

1.1.3.1.98.1.1 kontorAzaltResp.kanalTipi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int kanalTipi;
```

1.1.3.1.98.1.2 kontorAzaltResp.kontorAzaldi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public bool kontorAzaldi;
```

1.1.3.1.98.1.3 kontorAzaltResp.kontorTipi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kontorTipi;
```

1.1.3.1.98.1.4 kontorAzaltResp.miktar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public decimal miktar;
```

1.1.3.1.98.1.5 kontorAzaltResp.miktarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool miktarSpecified;
```

1.1.3.1.98.1.6 kontorAzaltResp.odemeTipi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int odemeTipi;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.98.1.7 kontorAzaltResp.paketTipi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int paketTipi;
```

1.1.3.1.98.1.8 kontorAzaltResp.vkn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string vkn;
```

1.1.3.1.99 kontorBilgisiGetirCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class kontorBilgisiGetirCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	kontorBilgisiGetirCompletedEventArgs (see page 487)	This is kontorBilgisiGetirCompletedEventArgs, a member of class kontorBilgisiGetirCompletedEventArgs.

kontorBilgisiGetirCompletedEventArgs Properties

	Name	Description
	Result (see page 488)	

1.1.3.1.99.1 kontorBilgisiGetirCompletedEventArgs.kontorBilgisiGetirCompletedEventArgs Constructor

C#

```
internal kontorBilgisiGetirCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is kontorBilgisiGetirCompletedEventArgs, a member of class kontorBilgisiGetirCompletedEventArgs.

Body Source

```
1: internal kontorBilgisiGetirCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.99.2 kontorBilgisiGetirCompletedEventArgs Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.99.2.1 kontorBilgisiGetirCompletedEventArgs.Result Property

C#

```
public kalanKontorBilgisi Result;
```

1.1.3.1.100 mukellefEFaturaKayit Class

Class Hierarchy

QNBFinansGIB.GIBEFatura.mukellefEFaturaKayit

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class mukellefEFaturaKayit;
```

File

Reference.cs (see page 800)

mukellefEFaturaKayit Properties

	Name	Description
	efaturaKullaniciListesi (see page 488)	
	vergiTcKimlikNo (see page 488)	

1.1.3.1.100.1 mukellefEFaturaKayit Properties

1.1.3.1.100.1.1 mukellefEFaturaKayit.efaturaKullaniciListesi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("efaturaKullaniciListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public eFaturaKullanici efaturaKullaniciListesi;
```

1.1.3.1.100.1.2 mukellefEFaturaKayit.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string vergiTcKimlikNo;
```

1.1.3.1.101 serviceReturnType Class

Class Hierarchy

QNBFinansGIB.GIBEFatura.serviceReturnType

C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgeGonderResp))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(eIrsaliyeKullanici))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeleriListelePortalData))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeleriListelePortalDatav2))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeTutarBilgileri))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeTutarBilgileri))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(irsaliyeTarihcesiData))]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(kontorAzaltResp))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTarihcesiData))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeleriListeleData))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurum))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv2))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurum))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv2))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv6))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(eFaturaKullaniciExtended))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(eFaturaKullanici))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belge))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev2))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class serviceReturnType;
```

File

Reference.cs (see page 800)

1.1.3.1.102 temelKontrollerIleBelgeGonderCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class temelKontrollerIleBelgeGonderCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	temelKontrollerIleBelgeGonderCompletedEventArgs (see page 490)	This is temelKontrollerIleBelgeGonderCompletedEventArgs, a member of class temelKontrollerIleBelgeGonderCompletedEventArgs.

temelKontrollerIleBelgeGonderCompletedEventArgs Properties

	Name	Description
	Result (see page 490)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.102.1 temelKontrollerIleBelgeGonderCompletedEventArgs.temelKontrollerIleBelgeGonderCompletedEventArgs Constructor

C#

```
internal temelKontrollerIleBelgeGonderCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is temelKontrollerIleBelgeGonderCompletedEventArgs, a member of class temelKontrollerIleBelgeGonderCompletedEventArgs.

Body Source

```
1: internal temelKontrollerIleBelgeGonderCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.102.2 temelKontrollerIleBelgeGonderCompletedEventArgs Properties

1.1.3.1.102.2.1 temelKontrollerIleBelgeGonderCompletedEventArgs.Result Property

C#

```
public string Result;
```

1.1.3.1.103 toplamBelgeSayisiGetirCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class toplamBelgeSayisiGetirCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	toplamBelgeSayisiGetirCompletedEventArgs (see page 491)	This is toplamBelgeSayisiGetirCompletedEventArgs, a member of class toplamBelgeSayisiGetirCompletedEventArgs.

toplamBelgeSayisiGetirCompletedEventArgs Properties

	Name	Description
	Result (see page 491)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.103.1 toplamBelgeSayisiGetirCompletedEventArgs.toplamBelgeSayisiGetirCompletedEventArgs Constructor

C#

```
internal toplamBelgeSayisiGetirCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is toplamBelgeSayisiGetirCompletedEventArgs, a member of class toplamBelgeSayisiGetirCompletedEventArgs.

Body Source

```
1: internal toplamBelgeSayisiGetirCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.103.2 toplamBelgeSayisiGetirCompletedEventArgs Properties

1.1.3.1.103.2.1 toplamBelgeSayisiGetirCompletedEventArgs.Result Property

C#

```
public int Result;
```

1.1.3.1.104 ublOnizlemeCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class ublOnizlemeCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	ublOnizlemeCompletedEventArgs (see page 491)	This is ublOnizlemeCompletedEventArgs, a member of class ublOnizlemeCompletedEventArgs.

ublOnizlemeCompletedEventArgs Properties

	Name	Description
	Result (see page 492)	

1.1.3.1.104.1 ublOnizlemeCompletedEventArgs.ublOnizlemeCompletedEventArgs Constructor

C#

```
internal ublOnizlemeCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Description

This is ublOnizlemeCompletedEventArgs, a member of class ublOnizlemeCompletedEventArgs.

Body Source

```
1: internal ublOnizlemeCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.104.2 ublOnizlemeCompletedEventArgs Properties

1.1.3.1.104.2.1 ublOnizlemeCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.105 urunSablonlariniAlCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class urunSablonlariniAlCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	urunSablonlariniAlCompletedEventArgs (see page 492)	This is urunSablonlariniAlCompletedEventArgs, a member of class urunSablonlariniAlCompletedEventArgs.

urunSablonlariniAlCompletedEventArgs Properties

	Name	Description
	Result (see page 493)	

1.1.3.1.105.1 urunSablonlariniAlCompletedEventArgs.urunSablonlariniAlCompletedEventArgs Constructor

C#

```
internal urunSablonlariniAlCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is urunSablonlariniAlCompletedEventArgs, a member of class urunSablonlariniAlCompletedEventArgs.

Body Source

```
1: internal urunSablonlariniAlCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
3:     this.results = results;
4: }
```

1.1.3.1.105.2 urunSablonlariniAlCompletedEventArgs Properties

1.1.3.1.105.2.1 urunSablonlariniAlCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.106 wsKullaniciBilgileri Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class wsKullaniciBilgileri;
```

File

Reference.cs (see page 800)

wsKullaniciBilgileri Properties

	Name	Description
	kullaniciKodu (see page 493)	
	sifre (see page 493)	

1.1.3.1.106.1 wsKullaniciBilgileri Properties

1.1.3.1.106.1.1 wsKullaniciBilgileri.kullaniciKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kullaniciKodu;
```

1.1.3.1.106.1.2 wsKullaniciBilgileri.sifre Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string sifre;
```

1.1.3.1.107 wsKullanicisiKaydetCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
public class wsKullanicisiKaydetCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	wsKullanicisiKaydetCompletedEventArgs (see page 494)	This is wsKullanicisiKaydetCompletedEventArgs, a member of class wsKullanicisiKaydetCompletedEventArgs.

wsKullanicisiKaydetCompletedEventArgs Properties

	Name	Description
	Result (see page 494)	

1.1.3.1.107.1 wsKullanicisiKaydetCompletedEventArgs.wsKullanicisiKaydetCompletedEventArgs Constructor

C#

```
internal wsKullanicisiKaydetCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is wsKullanicisiKaydetCompletedEventArgs, a member of class wsKullanicisiKaydetCompletedEventArgs.

Body Source

```
1: internal wsKullanicisiKaydetCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.107.2 wsKullanicisiKaydetCompletedEventArgs Properties

1.1.3.1.107.2.1 wsKullanicisiKaydetCompletedEventArgs.Result Property

C#

```
public wsKullaniciBilgileri Result;
```

1.1.3.1.108 yereleAktarilacakBelgeleriAlCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class yereleAktarilacakBelgeleriAlCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Methods

	Name	Description
	yereleAktarilacakBelgeleriAlCompletedEventArgs (see page 495)	This is yereleAktarilacakBelgeleriAlCompletedEventArgs, a member of class yereleAktarilacakBelgeleriAlCompletedEventArgs.

yereleAktarilacakBelgeleriAlCompletedEventArgs Properties

	Name	Description
	Result (see page 495)	

1.1.3.1.108.1 yereleAktarilacakBelgeleriAlCompletedEventArgs.yereleAktarilacakBelgeleriAlCompletedEventArgs Constructor

C#

```
internal yereleAktarilacakBelgeleriAlCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is yereleAktarilacakBelgeleriAlCompletedEventArgs, a member of class yereleAktarilacakBelgeleriAlCompletedEventArgs.

Body Source

```
1: internal yereleAktarilacakBelgeleriAlCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.108.2 yereleAktarilacakBelgeleriAlCompletedEventArgs Properties

1.1.3.1.108.2.1 yereleAktarilacakBelgeleriAlCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.109 yereleAktarilacakBelgeleriAlExtCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class yereleAktarilacakBelgeleriAlExtCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Methods

	Name	Description
	yereleAktarilacakBelgeleriAlExtCompletedEventArgs (see page 496)	This is yereleAktarilacakBelgeleriAlExtCompletedEventArgs, a member of class yereleAktarilacakBelgeleriAlExtCompletedEventArgs.

yereleAktarilacakBelgeleriAlExtCompletedEventArgs Properties

	Name	Description
	Result (see page 496)	

1.1.3.1.109.1 yereleAktarilacakBelgeleriAlExtCompletedEventArgs.yereleAktarilacakBelgeleriAlExtCompletedEventArgs Constructor

C#

```
internal yereleAktarilacakBelgeleriAlExtCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is yereleAktarilacakBelgeleriAlExtCompletedEventArgs, a member of class yereleAktarilacakBelgeleriAlExtCompletedEventArgs.

Body Source

```
1: internal yereleAktarilacakBelgeleriAlExtCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.109.2 yereleAktarilacakBelgeleriAlExtCompletedEventArgs Properties

1.1.3.1.109.2.1 yereleAktarilacakBelgeleriAlExtCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.2 Structs, Records, Enums

Summary

The following table lists structs, records, enums in this documentation.

Enumerations

	Name	Description
	kontorBirimi (see page 496)	
	kontorTipi (see page 497)	

1.1.3.2.1 QNBFinansGIB.GIBEFatura.kontorBirimi Enumeration

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public enum kontorBirimi {
  ADET,
  TL,
  MB
}
```

File

Reference.cs (see page 800)

1.1.3.2.2 QNBFinansGIB.GIBEFatura.kontorTipi Enumeration

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public enum kontorTipi {
  FATURA,
  DEFTER,
  KEP,
  KEPSMS,
  ARSIV,
  ARSIVSMS,
  IRSALIYE,
  SMM,
  MMK,
  PORTAL,
  OKC,
  BAYI
}
```

File

Reference.cs (see page 800)

1.1.3.3 Types

Summary

The following table lists types in this documentation.

Types

Name	Description
belgeGonderCompletedEventHandler (see page 499)	
belgeGonderExtCompletedEventHandler (see page 500)	
belgeGonderExtWithValidateCompletedEventHandler (see page 500)	
belgeGonderWithValidateCompletedEventHandler (see page 500)	
belgelerAlindiCompletedEventHandler (see page 500)	
belgelerAlindiEntegrasyonSiparisNoGuncelleCompletedEventHandler (see page 501)	
belgeleriTekrarGonderBelgeOidCompletedEventHandler (see page 501)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

belgeleriTekrarGonderCompletedEventHandler (see page 501)	
belgeleriTekrarGonderYerelBelgeNoCompletedEventHandler (see page 501)	
checkDateValidControlCompletedEventHandler (see page 502)	
cokluGidenBelgeDurumSorgulaCompletedEventHandler (see page 502)	
csXmlOnizlemeCompletedEventHandler (see page 502)	
csXmlToUblCompletedEventHandler (see page 502)	
eFaturaKayitliKullaniciListeleCompletedEventHandler (see page 503)	
efaturaKullaniciBilgisiCompletedEventHandler (see page 503)	
efaturaKullaniciListesiCompletedEventHandler (see page 503)	
efaturaKullanicisiCompletedEventHandler (see page 503)	
eIrsaliyeKayitliKullaniciListeleCompletedEventHandler (see page 504)	
eIrsaliyeKullanicisiCompletedEventHandler (see page 504)	
erpBilgileriBelirleCompletedEventHandler (see page 504)	
faturaKepIleIadeEdildiCompletedEventHandler (see page 504)	
faturaKepIleIadeEdildiIptalCompletedEventHandler (see page 505)	
faturaMailGonderCompletedEventHandler (see page 505)	
faturaNoUretCompletedEventHandler (see page 505)	
faturaTarihcesiSorgulaCompletedEventHandler (see page 505)	
faturayaItirazEdildiCompletedEventHandler (see page 506)	
faturayaItirazEdildiIptalCompletedEventHandler (see page 506)	
gelenBelgeDurumSorgulaCompletedEventHandler (see page 506)	
gelenBelgeDurumSorgulaExtCompletedEventHandler (see page 506)	
gelenBelgeEkleriAlCompletedEventHandler (see page 507)	
gelenBelgeleriAlCompletedEventHandler (see page 507)	
gelenBelgeleriAlExt2CompletedEventHandler (see page 507)	
gelenBelgeleriAlExtCompletedEventHandler (see page 507)	
gelenBelgeleriIndirCompletedEventHandler (see page 508)	
gelenBelgeleriIndirExtCompletedEventHandler (see page 508)	
gelenBelgeleriListeleCompletedEventHandler (see page 508)	
gelenBelgeleriListeleExtCompletedEventHandler (see page 508)	
gelenBelgeTutarBilgileriSorgulaCompletedEventHandler (see page 509)	
gelenBelgeXmlleriniAlCompletedEventHandler (see page 509)	
gelenBelgeXmlleriniAlExtCompletedEventHandler (see page 509)	
gelenFaturalariArsiveKaldirCompletedEventHandler (see page 509)	
gelenIrsaliyeleriArsiveKaldirCompletedEventHandler (see page 510)	
gelenStandartRapolariAlCompletedEventHandler (see page 510)	
gelenTamamlananRapolariAlCompletedEventHandler (see page 510)	
gelenTasinanBelgeleriIndirCompletedEventHandler (see page 511)	
gidenBelgeDurumSorgulaBelgeNoCompletedEventHandler (see page 511)	
gidenBelgeDurumSorgulaCompletedEventHandler (see page 511)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

gidenBelgeDurumSorgulaEttnCompletedEventHandler (see page 511)	
gidenBelgeDurumSorgulaExtCompletedEventHandler (see page 512)	
gidenBelgeDurumSorgulaPortalCompletedEventHandler (see page 512)	
gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventHandler (see page 512)	
gidenBelgeEkleriAlCompletedEventHandler (see page 512)	
gidenBelgeleriIndirCompletedEventHandler (see page 513)	
gidenBelgeleriIndirEttnCompletedEventHandler (see page 513)	
gidenBelgeleriIndirPortalCompletedEventHandler (see page 513)	
gidenBelgeleriListeleCompletedEventHandler (see page 513)	
gidenBelgeleriListelePortalCompletedEventHandler (see page 514)	
gidenBelgeTutarBilgileriSorgulaCompletedEventHandler (see page 514)	
gidenFaturalariArsiveKaldirCompletedEventHandler (see page 514)	
gidenIrsaliyeleriArsiveKaldirCompletedEventHandler (see page 515)	
gidenTasinanBelgeleriIndirCompletedEventHandler (see page 515)	
irsaliyeMailGonderCompletedEventHandler (see page 515)	
irsaliyeTarihcesiSorgulaCompletedEventHandler (see page 515)	
kayitliKullaniciListeleExtendedCompletedEventHandler (see page 516)	
kayitliKullaniciListeleExtendedTimeCompletedEventHandler (see page 516)	
kayitliKullaniciListeleExtendedVknTcknCompletedEventHandler (see page 516)	
kontorBilgisiGetirCompletedEventHandler (see page 516)	
temelKontrollerIleBelgeGonderCompletedEventHandler (see page 517)	
toplamBelgeSayisiGetirCompletedEventHandler (see page 517)	
ublOnizlemeCompletedEventHandler (see page 517)	
urunSablonlariniAlCompletedEventHandler (see page 517)	
wsKullanicisiKaydetCompletedEventHandler (see page 518)	
yereleAktarilacakBelgeleriAlCompletedEventHandler (see page 518)	
yereleAktarilacakBelgeleriAlExtCompletedEventHandler (see page 518)	
yolcuBeraberFaturaIptalEtCompletedEventHandler (see page 518)	

1.1.3.3.1 QNBFinansGIB.GIBEFatura.belgeGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeGonderCompletedEventHandler(object sender,
belgeGonderCompletedEventArgs e);
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.3.2 QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeGonderExtCompletedEventHandler(object sender,
belgeGonderExtCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.3 QNBFinansGIB.GIBEFatura.belgeGonderExtWithValidateCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeGonderExtWithValidateCompletedEventHandler(object sender,
belgeGonderExtWithValidateCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.4 QNBFinansGIB.GIBEFatura.belgeGonderWithValidateCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeGonderWithValidateCompletedEventHandler(object sender,
belgeGonderWithValidateCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.5 QNBFinansGIB.GIBEFatura.belgelerAlindiCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgelerAlindiCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.3.6
QNBFinansGIB.GIBEFatura.belgelerAlindiEntegrasyonSiparisNoGuncelleCompletedEventHandler
Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgelerAlindiEntegrasyonSiparisNoGuncelleCompletedEventHandler(object
sender, System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.7
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidCompletedEventHandler
Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeleriTekrarGonderBelgeOidCompletedEventHandler(object sender,
belgeleriTekrarGonderBelgeOidCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.8
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompletedEventHandler
Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeleriTekrarGonderCompletedEventHandler(object sender,
belgeleriTekrarGonderCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.9
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderYerelBelgeNoCompletedEventHandler
Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeleriTekrarGonderYerelBelgeNoCompletedEventHandler(object sender,
belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs e);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

File

Reference.cs (see page 800)

1.1.3.3.10 QNBFinansGIB.GIBEFatura.checkDateValidControlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void checkDateValidControlCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.11 QNBFinansGIB.GIBEFatura.cokluGidenBelgeDurumSorgulaCompletedEvent Handler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void cokluGidenBelgeDurumSorgulaCompletedEventHandler(object sender,
cokluGidenBelgeDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.12 QNBFinansGIB.GIBEFatura.csXmlOnizlemeCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void csXmlOnizlemeCompletedEventHandler(object sender,
csXmlOnizlemeCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.13 QNBFinansGIB.GIBEFatura.csXmlToUblCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void csXmlToUblCompletedEventHandler(object sender,
csXmlToUblCompletedEventArgs e);
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.3.14
QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciListeleCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void eFaturaKayitliKullaniciListeleCompletedEventHandler(object sender,
eFaturaKayitliKullaniciListeleCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.15
QNBFinansGIB.GIBEFatura.efaturaKullaniciBilgisiCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void efaturaKullaniciBilgisiCompletedEventHandler(object sender,
efaturaKullaniciBilgisiCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.16
QNBFinansGIB.GIBEFatura.efaturaKullaniciListesiCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void efaturaKullaniciListesiCompletedEventHandler(object sender,
efaturaKullaniciListesiCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.17
QNBFinansGIB.GIBEFatura.efaturaKullanicisiCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void efaturaKullanicisiCompletedEventHandler(object sender,
efaturaKullanicisiCompletedEventArgs e);
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.3.18
QNBFinansGIB.GIBEFatura.eIrsaliyeKayitliKullaniciListeleCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void eIrsaliyeKayitliKullaniciListeleCompletedEventHandler(object sender,
eIrsaliyeKayitliKullaniciListeleCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.19
QNBFinansGIB.GIBEFatura.eIrsaliyeKullanicisiCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void eIrsaliyeKullanicisiCompletedEventHandler(object sender,
eIrsaliyeKullanicisiCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.20
QNBFinansGIB.GIBEFatura.erpBilgileriBelirleCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void erpBilgileriBelirleCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.21
QNBFinansGIB.GIBEFatura.faturaKepIleIadeEdildiCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaKepIleIadeEdildiCompletedEventHandler(object sender,
faturaKepIleIadeEdildiCompletedEventArgs e);
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.3.22 QNBFinansGIB.GIBEFatura.faturaKepIleIadeEdildiIptalCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaKepIleIadeEdildiIptalCompletedEventHandler(object sender,
faturaKepIleIadeEdildiIptalCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.23 QNBFinansGIB.GIBEFatura.faturaMailGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaMailGonderCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.24 QNBFinansGIB.GIBEFatura.faturaNoUretCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaNoUretCompletedEventHandler(object sender,
faturaNoUretCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.25 QNBFinansGIB.GIBEFatura.faturaTarihcesiSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaTarihcesiSorgulaCompletedEventHandler(object sender,
faturaTarihcesiSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.3.26
QNBFinansGIB.GIBEFatura.faturayaItirazEdildiCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturayaItirazEdildiCompletedEventHandler(object sender,
faturayaItirazEdildiCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.27
QNBFinansGIB.GIBEFatura.faturayaItirazEdildiIptalCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturayaItirazEdildiIptalCompletedEventHandler(object sender,
faturayaItirazEdildiIptalCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.28
QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeDurumSorgulaCompletedEventHandler(object sender,
gelenBelgeDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.29
QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeDurumSorgulaExtCompletedEventHandler(object sender,
gelenBelgeDurumSorgulaExtCompletedEventArgs e);
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.3.30
QNBFinansGIB.GIBEFatura.gelenBelgeEkleriAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeEkleriAlCompletedEventHandler(object sender,
gelenBelgeEkleriAlCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.31
QNBFinansGIB.GIBEFatura.gelenBelgeleriAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeleriAlCompletedEventHandler(object sender,
gelenBelgeleriAlCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.32
QNBFinansGIB.GIBEFatura.gelenBelgeleriAlExt2CompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeleriAlExt2CompletedEventHandler(object sender,
gelenBelgeleriAlExt2CompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.33
QNBFinansGIB.GIBEFatura.gelenBelgeleriAlExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeleriAlExtCompletedEventHandler(object sender,
gelenBelgeleriAlExtCompletedEventArgs e);
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.3.34
QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeleriIndirCompletedEventHandler(object sender,
gelenBelgeleriIndirCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.35
QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeleriIndirExtCompletedEventHandler(object sender,
gelenBelgeleriIndirExtCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.36
QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeleriListeleCompletedEventHandler(object sender,
gelenBelgeleriListeleCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.37
QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeleriListeleExtCompletedEventHandler(object sender,
gelenBelgeleriListeleExtCompletedEventArgs e);
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.3.38
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileriSorgulaCompletedEventHandler
Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeTutarBilgileriSorgulaCompletedEventHandler(object sender,
gelenBelgeTutarBilgileriSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.39
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAlCompletedEventHandler
Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeXmlleriniAlCompletedEventHandler(object sender,
gelenBelgeXmlleriniAlCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.40
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAlExtCompletedEventHandler
Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeXmlleriniAlExtCompletedEventHandler(object sender,
gelenBelgeXmlleriniAlExtCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.41
QNBFinansGIB.GIBEFatura.gelenFaturalariArsiveKaldirCompletedEventHandler
Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenFaturalariArsiveKaldirCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

File

Reference.cs (see page 800)

1.1.3.3.42 QNBFinansGIB.GIBEFatura.gelenIrsaliyeleriArsiveKaldirCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenIrsaliyeleriArsiveKaldirCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.43 QNBFinansGIB.GIBEFatura.gelenStandartRapolariAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenStandartRapolariAlCompletedEventHandler(object sender,
gelenStandartRapolariAlCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.44 QNBFinansGIB.GIBEFatura.gelenTamamlananRapolariAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenTamamlananRapolariAlCompletedEventHandler(object sender,
gelenTamamlananRapolariAlCompletedEventArgs e);
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.3.45
QNBFinansGIB.GIBEFatura.gelenTasinanBelgeleriIndirCompletedEventHandler
Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenTasinanBelgeleriIndirCompletedEventHandler(object sender,
gelenTasinanBelgeleriIndirCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.46
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaBelgeNoCompletedEventHandler
Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeDurumSorgulaBelgeNoCompletedEventHandler(object sender,
gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.47
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaCompletedEventHandler
Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeDurumSorgulaCompletedEventHandler(object sender,
gidenBelgeDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.48
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaEttnCompletedEventHandler
Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeDurumSorgulaEttnCompletedEventHandler(object sender,
gidenBelgeDurumSorgulaEttnCompletedEventArgs e);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

File

Reference.cs (see page 800)

1.1.3.3.49
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaExtCompletedEventHandler
Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeDurumSorgulaExtCompletedEventHandler(object sender,
gidenBelgeDurumSorgulaExtCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.50
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaPortalCompletedEventHandler
Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeDurumSorgulaPortalCompletedEventHandler(object sender,
gidenBelgeDurumSorgulaPortalCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.51
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventHandler
Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventHandler(object sender,
gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.52
QNBFinansGIB.GIBEFatura.gidenBelgeEkleriAlCompletedEventHandler
Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
public delegate void gidenBelgeEkleriAlCompletedEventHandler(object sender,
gidenBelgeEkleriAlCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.53
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeleriIndirCompletedEventHandler(object sender,
gidenBelgeleriIndirCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.54
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirEttnCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeleriIndirEttnCompletedEventHandler(object sender,
gidenBelgeleriIndirEttnCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.55
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeleriIndirPortalCompletedEventHandler(object sender,
gidenBelgeleriIndirPortalCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.56
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeleriListeleCompletedEventHandler(object sender,
gidenBelgeleriListeleCompletedEventArgs e);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

File

Reference.cs (see page 800)

1.1.3.3.57
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalCompletedEventHandler
Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeleriListelePortalCompletedEventHandler(object sender,
gidenBelgeleriListelePortalCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.58
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileriSorgulaCompletedEventHandler
Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeTutarBilgileriSorgulaCompletedEventHandler(object sender,
gidenBelgeTutarBilgileriSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.59
QNBFinansGIB.GIBEFatura.gidenFaturalariArsiveKaldirCompletedEventHandler
Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenFaturalariArsiveKaldirCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.3.60
QNBFinansGIB.GIBEFatura.gidenIrsaliyeleriArsiveKaldirCompletedEventHandler
Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenIrsaliyeleriArsiveKaldirCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.61
QNBFinansGIB.GIBEFatura.gidenTasinanBelgeleriIndirCompletedEventHandler
Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenTasinanBelgeleriIndirCompletedEventHandler(object sender,
gidenTasinanBelgeleriIndirCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.62
QNBFinansGIB.GIBEFatura.irsaliyeMailGonderCompletedEventHandler
Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void irsaliyeMailGonderCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.63
QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiSorgulaCompletedEventHandler
Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void irsaliyeTarihcesiSorgulaCompletedEventHandler(object sender,
irsaliyeTarihcesiSorgulaCompletedEventArgs e);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

File

Reference.cs (see page 800)

1.1.3.3.64
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void kayitliKullaniciListeleExtendedCompletedEventHandler(object sender,
kayitliKullaniciListeleExtendedCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.65
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTimeCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void kayitliKullaniciListeleExtendedTimeCompletedEventHandler(object
sender, kayitliKullaniciListeleExtendedTimeCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.66
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedVknTcknCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void kayitliKullaniciListeleExtendedVknTcknCompletedEventHandler(object
sender, kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.67
QNBFinansGIB.GIBEFatura.kontorBilgisiGetirCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void kontorBilgisiGetirCompletedEventHandler(object sender,
kontorBilgisiGetirCompletedEventArgs e);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

File

Reference.cs (see page 800)

1.1.3.3.68 QNBFinansGIB.GIBEFatura.temelKontrollerIleBelgeGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void temelKontrollerIleBelgeGonderCompletedEventHandler(object sender,
temelKontrollerIleBelgeGonderCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.69 QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void toplamBelgeSayisiGetirCompletedEventHandler(object sender,
toplamBelgeSayisiGetirCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.70 QNBFinansGIB.GIBEFatura.ublOnizlemeCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void ublOnizlemeCompletedEventHandler(object sender,
ublOnizlemeCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.71 QNBFinansGIB.GIBEFatura.urunSablonlariniAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void urunSablonlariniAlCompletedEventHandler(object sender,
urunSablonlariniAlCompletedEventArgs e);
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.3.72
QNBFinansGIB.GIBEFatura.wsKullanicisiKaydetCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void wsKullanicisiKaydetCompletedEventHandler(object sender,
wsKullanicisiKaydetCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.73
QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void yereleAktarilacakBelgeleriAlCompletedEventHandler(object sender,
yereleAktarilacakBelgeleriAlCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.74
QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAlExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void yereleAktarilacakBelgeleriAlExtCompletedEventHandler(object sender,
yereleAktarilacakBelgeleriAlExtCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.3.3.75
QNBFinansGIB.GIBEFatura.yolcuBeraberFaturaIptalEtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void yolcuBeraberFaturaIptalEtCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

File

Reference.cs (see page 800)

1.1.4 QNBFinansGIB.GIBEMustahsil Namespace

This is namespace QNBFinansGIB.GIBEMustahsil.

Classes

	Name	Description
	belge (see page 525)	
	belgeDTO (see page 526)	
	belgeOutputWrapper (see page 534)	
	belgeZipiAl (see page 534)	
	belgeZipiAlCompletedEventArgs (see page 535)	
	belgeZipiAlResponse (see page 536)	
	doubleStringOutputWrapper (see page 537)	
	earsivServiceResult (see page 538)	
	earsivServiceResultEntry (see page 538)	
	ePostaDurumSorgula (see page 539)	
	ePostaDurumSorgulaCompletedEventArgs (see page 540)	
	ePostaGonder (see page 541)	
	ePostaGonderCompletedEventArgs (see page 542)	
	ePostaGonderResponse (see page 543)	
	faturaDTO (see page 543)	
	kontorBilgisiGetir (see page 552)	
	kontorBilgisiGetirCompletedEventArgs (see page 553)	
	kontorBilgisiGetirResponse (see page 554)	
	mustahsilMakbuzIptalEt (see page 555)	
	mustahsilMakbuzIptalEtCompletedEventArgs (see page 555)	
	mustahsilMakbuzIptalEtResponse (see page 556)	
	mustahsilMakbuzIptaliKaldir (see page 557)	
	mustahsilMakbuzIptaliKaldirCompletedEventArgs (see page 557)	
	mustahsilMakbuzIptaliKaldirResponse (see page 558)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	mustahsilMakbuzListeSorgula (see page 559)	
	mustahsilMakbuzListeSorgulaCompletedEventArgs (see page 559)	
	mustahsilMakbuzListeSorgulaPortal (see page 560)	
	mustahsilMakbuzListeSorgulaPortalCompletedEventArgs (see page 561)	
	mustahsilMakbuzListeSorgulaPortalResponse (see page 562)	
	mustahsilMakbuzListeSorgulaResponse (see page 562)	
	mustahsilMakbuzOlustur (see page 563)	
	mustahsilMakbuzOlusturCompletedEventArgs (see page 564)	
	mustahsilMakbuzOnizleme (see page 565)	
	mustahsilMakbuzOnizlemeCompletedEventArgs (see page 565)	
	mustahsilMakbuzSorgula (see page 566)	
	mustahsilMakbuzSorgulaCompletedEventArgs (see page 567)	
	mustahsilMakbuzTaslakOlustur (see page 568)	
	mustahsilMakbuzTaslakOlusturCompletedEventArgs (see page 569)	
	mustahsilMakbuzTaslakOlusturResponse (see page 570)	
	mustahsilMakbuzTaslakOnizleme (see page 570)	
	mustahsilMakbuzTaslakOnizlemeCompletedEventArgs (see page 571)	
	mustahsilMakbuzTaslakOnizlemeResponse (see page 572)	
	mustahsilMakbuzTaslakSil (see page 573)	
	mustahsilMakbuzTaslakSilCompletedEventArgs (see page 573)	
	mustahsilMakbuzTaslakSilResponse (see page 574)	
	mustahsilMakbuzTaslakSorgula (see page 575)	
	mustahsilMakbuzTaslakSorgulaCompletedEventArgs (see page 575)	
	mustahsilMakbuzTaslakSorgulaResponse (see page 576)	
	mustahsilMakbuzTaslaktanOlustur (see page 577)	
	mustahsilMakbuzTaslaktanOlusturCompletedEventArgs (see page 577)	
	MustahsilWebService (see page 578)	
	raporBolumAl (see page 625)	
	raporBolumAlCompletedEventArgs (see page 625)	
	raporBolumBilgisiAl (see page 626)	
	raporBolumBilgisiAlCompletedEventArgs (see page 627)	
	raporBolumBilgisiAlResponse (see page 628)	
	raporBolumDTO (see page 628)	
	raporBolumleriOlustur (see page 630)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	raporBolumleriOlusturCompletedEventArgs (see page 631)	
	raporBolumleriOlusturResponse (see page 632)	
	raporBolumListesiDetayliSorgula (see page 632)	
	raporBolumListesiDetayliSorgulaCompletedEventArgs (see page 633)	
	raporBolumListesiDetayliSorgulaResponse (see page 634)	
	raporBolumListesiSorgula (see page 634)	
	raporBolumListesiSorgulaCompletedEventArgs (see page 635)	
	raporBolumRaporNoGuncelleImzala (see page 636)	
	raporBolumRaporNoGuncelleImzalaCompletedEventArgs (see page 637)	
	raporBolumRaporNoGuncelleImzalaResponse (see page 638)	
	raporBolumSil (see page 638)	
	raporBolumSilCompletedEventArgs (see page 639)	
	raporBolumSilResponse (see page 640)	
	rapordaBelgeSorgula (see page 640)	
	rapordaBelgeSorgulaCompletedEventArgs (see page 641)	
	rapordaBelgeSorgulaResponse (see page 642)	
	raporDurumSorgula (see page 642)	
	raporDurumSorgulaCompletedEventArgs (see page 643)	
	raporDurumSorgulaResponse (see page 644)	
	raporGonder (see page 644)	
	raporGonderCompletedEventArgs (see page 645)	
	raporGonderResponse (see page 646)	
	smsDurumSorgula (see page 646)	
	smsDurumSorgulaCompletedEventArgs (see page 647)	
	smsDurumSorgulaResponse (see page 648)	
	smsGonder (see page 648)	
	smsGonderCompletedEventArgs (see page 649)	
	smsGonderResponse (see page 650)	
	stringOutputWrapper (see page 651)	

Structs, Records, Enums

	Name	Description
	belgeFormatiEnum (see page 651)	

Types

Name	Description
belgeZipiAlCompletedEventHandler (see page 653)	
ePostaDurumSorgulaCompletedEventHandler (see page 653)	
ePostaGonderCompletedEventHandler (see page 654)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

kontorBilgisiGetirCompletedEventHandler (see page 654)	
mustahsilMakbuzIptalEtCompletedEventHandler (see page 654)	
mustahsilMakbuzIptaliKaldirCompletedEventHandler (see page 654)	
mustahsilMakbuzListeSorgulaCompletedEventHandler (see page 655)	
mustahsilMakbuzListeSorgulaPortalCompletedEventHandler (see page 655)	
mustahsilMakbuzOlusturCompletedEventHandler (see page 655)	
mustahsilMakbuzOnizlemeCompletedEventHandler (see page 655)	
mustahsilMakbuzSorgulaCompletedEventHandler (see page 656)	
mustahsilMakbuzTaslakOlusturCompletedEventHandler (see page 656)	
mustahsilMakbuzTaslakOnizlemeCompletedEventHandler (see page 656)	
mustahsilMakbuzTaslakSilCompletedEventHandler (see page 657)	
mustahsilMakbuzTaslakSorgulaCompletedEventHandler (see page 657)	
mustahsilMakbuzTaslaktanOlusturCompletedEventHandler (see page 657)	
raporBolumAlCompletedEventHandler (see page 657)	
raporBolumBilgisiAlCompletedEventHandler (see page 658)	
raporBolumleriOlusturCompletedEventHandler (see page 658)	
raporBolumListesiDetayliSorgulaCompletedEventHandler (see page 658)	
raporBolumListesiSorgulaCompletedEventHandler (see page 658)	
raporBolumRaporNoGuncelleImzalaCompletedEventHandler (see page 659)	
raporBolumSilCompletedEventHandler (see page 659)	
rapordaBelgeSorgulaCompletedEventHandler (see page 659)	
raporDurumSorgulaCompletedEventHandler (see page 659)	
raporGonderCompletedEventHandler (see page 660)	
smsDurumSorgulaCompletedEventHandler (see page 660)	
smsGonderCompletedEventHandler (see page 660)	

1.1.4.1 Classes

Summary

The following table lists classes in this documentation.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Classes

	Name	Description
	belge (see page 525)	
	belgeDTO (see page 526)	
	belgeOutputWrapper (see page 534)	
	belgeZipiAl (see page 534)	
	belgeZipiAlCompletedEventArgs (see page 535)	
	belgeZipiAlResponse (see page 536)	
	doubleStringOutputWrapper (see page 537)	
	earsivServiceResult (see page 538)	
	earsivServiceResultEntry (see page 538)	
	ePostaDurumSorgula (see page 539)	
	ePostaDurumSorgulaCompletedEventArgs (see page 540)	
	ePostaGonder (see page 541)	
	ePostaGonderCompletedEventArgs (see page 542)	
	ePostaGonderResponse (see page 543)	
	faturaDTO (see page 543)	
	kontorBilgisiGetir (see page 552)	
	kontorBilgisiGetirCompletedEventArgs (see page 553)	
	kontorBilgisiGetirResponse (see page 554)	
	mustahsilMakbuzIptalEt (see page 555)	
	mustahsilMakbuzIptalEtCompletedEventArgs (see page 555)	
	mustahsilMakbuzIptalEtResponse (see page 556)	
	mustahsilMakbuzIptaliKaldir (see page 557)	
	mustahsilMakbuzIptaliKaldirCompletedEventArgs (see page 557)	
	mustahsilMakbuzIptaliKaldirResponse (see page 558)	
	mustahsilMakbuzListeSorgula (see page 559)	
	mustahsilMakbuzListeSorgulaCompletedEventArgs (see page 559)	
	mustahsilMakbuzListeSorgulaPortal (see page 560)	
	mustahsilMakbuzListeSorgulaPortalCompletedEventArgs (see page 561)	
	mustahsilMakbuzListeSorgulaPortalResponse (see page 562)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	mustahsilMakbuzListeSorgulaResponse (see page 562)	
	mustahsilMakbuzOlustur (see page 563)	
	mustahsilMakbuzOlusturCompletedEventArgs (see page 564)	
	mustahsilMakbuzOnizleme (see page 565)	
	mustahsilMakbuzOnizlemeCompletedEventArgs (see page 565)	
	mustahsilMakbuzSorgula (see page 566)	
	mustahsilMakbuzSorgulaCompletedEventArgs (see page 567)	
	mustahsilMakbuzTaslakOlustur (see page 568)	
	mustahsilMakbuzTaslakOlusturCompletedEventArgs (see page 569)	
	mustahsilMakbuzTaslakOlusturResponse (see page 570)	
	mustahsilMakbuzTaslakOnizleme (see page 570)	
	mustahsilMakbuzTaslakOnizlemeCompletedEventArgs (see page 571)	
	mustahsilMakbuzTaslakOnizlemeResponse (see page 572)	
	mustahsilMakbuzTaslakSil (see page 573)	
	mustahsilMakbuzTaslakSilCompletedEventArgs (see page 573)	
	mustahsilMakbuzTaslakSilResponse (see page 574)	
	mustahsilMakbuzTaslakSorgula (see page 575)	
	mustahsilMakbuzTaslakSorgulaCompletedEventArgs (see page 575)	
	mustahsilMakbuzTaslakSorgulaResponse (see page 576)	
	mustahsilMakbuzTaslaktanOlustur (see page 577)	
	mustahsilMakbuzTaslaktanOlusturCompletedEventArgs (see page 577)	
	MustahsilWebService (see page 578)	
	raporBolumAl (see page 625)	
	raporBolumAlCompletedEventArgs (see page 625)	
	raporBolumBilgisiAl (see page 626)	
	raporBolumBilgisiAlCompletedEventArgs (see page 627)	
	raporBolumBilgisiAlResponse (see page 628)	
	raporBolumDTO (see page 628)	
	raporBolumleriOlustur (see page 630)	
	raporBolumleriOlusturCompletedEventArgs (see page 631)	
	raporBolumleriOlusturResponse (see page 632)	
	raporBolumListesiDetayliSorgula (see page 632)	
	raporBolumListesiDetayliSorgulaCompletedEventArgs (see page 633)	
	raporBolumListesiDetayliSorgulaResponse (see page 634)	
	raporBolumListesiSorgula (see page 634)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	raporBolumListesiSorgulaCompletedEventArgs (see page 635)	
	raporBolumRaporNoGuncelleImzala (see page 636)	
	raporBolumRaporNoGuncelleImzalaCompletedEventArgs (see page 637)	
	raporBolumRaporNoGuncelleImzalaResponse (see page 638)	
	raporBolumSil (see page 638)	
	raporBolumSilCompletedEventArgs (see page 639)	
	raporBolumSilResponse (see page 640)	
	rapordaBelgeSorgula (see page 640)	
	rapordaBelgeSorgulaCompletedEventArgs (see page 641)	
	rapordaBelgeSorgulaResponse (see page 642)	
	raporDurumSorgula (see page 642)	
	raporDurumSorgulaCompletedEventArgs (see page 643)	
	raporDurumSorgulaResponse (see page 644)	
	raporGonder (see page 644)	
	raporGonderCompletedEventArgs (see page 645)	
	raporGonderResponse (see page 646)	
	smsDurumSorgula (see page 646)	
	smsDurumSorgulaCompletedEventArgs (see page 647)	
	smsDurumSorgulaResponse (see page 648)	
	smsGonder (see page 648)	
	smsGonderCompletedEventArgs (see page 649)	
	smsGonderResponse (see page 650)	
	stringOutputWrapper (see page 651)	

1.1.4.1.1 belge Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.belge

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class belge;
```

File

Reference.cs (see page 800)

belge Properties

	Name	Description
	belgeFormati (see page 526)	
	belgeFormatiSpecified (see page 526)	
	belgeIcerigi (see page 526)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.1.1 belge Properties

1.1.4.1.1.1.1 belge.belgeFormati Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public belgeFormatiEnum belgeFormati;
```

1.1.4.1.1.1.2 belge.belgeFormatiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool belgeFormatiSpecified;
```

1.1.4.1.1.1.3 belge.belgeIcerigi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary")]
public byte belgeIcerigi;
```

1.1.4.1.2 belgeDTO Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class belgeDTO : faturaDTO;
```

File

Reference.cs (see page 800)

faturaDTO Properties

	Name	Description
	arsiv (see page 545)	
	creationTime (see page 545)	
	currency (see page 545)	
	dokumanFormati (see page 546)	
	durum (see page 546)	
	durumSpecified (see page 546)	
	duzenlenmeZamani (see page 546)	
	epostaGonderimDurumu (see page 546)	
	epostaGonderimDurumuSpecified (see page 546)	
	erpKodu (see page 546)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	faturaSiraNo (see page 546)	
	faturaSiraNoSpecified (see page 546)	
	faturaZamani (see page 547)	
	ilkKayitZmani (see page 547)	
	indirildi (see page 547)	
	indirildiSpecified (see page 547)	
	invoiceId (see page 547)	
	invoiceTypeCode (see page 547)	
	iptalEdenKullaniciKodu (see page 547)	
	iptalKaynagi (see page 547)	
	iptalKaynagiSpecified (see page 547)	
	iptalRaporTarihi (see page 548)	
	iptalTarihi (see page 548)	
	iptalTarihiExcel (see page 548)	
	islemId (see page 548)	
	issueDate (see page 548)	
	itirazEdenKullaniciKodu (see page 548)	
	itirazKaynagi (see page 548)	
	itirazKaynagiSpecified (see page 548)	
	itirazTarihi (see page 548)	
	kagitFatura (see page 549)	
	kagitFaturaSpecified (see page 549)	
	kasa (see page 549)	
	kaynak (see page 549)	
	kepDurum (see page 549)	
	kepDurumSpecified (see page 549)	
	kolayFatura (see page 549)	
	kolayFaturaSpecified (see page 549)	
	okundu (see page 549)	
	okunduSpecified (see page 550)	
	payableAmount (see page 550)	
	payableAmountSpecified (see page 550)	
	profileId (see page 550)	
	raporTarihi (see page 550)	
	receiverContact (see page 550)	
	receiverIdentifier (see page 550)	
	receiverIdentifierTxt (see page 550)	
	receiverName (see page 550)	
	senderContact (see page 551)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	senderName (see page 551)	
	sonGuncellemeZamani (see page 551)	
	sube (see page 551)	
	tanimliSubeKod (see page 551)	
	telNo (see page 551)	
	toplamTutar (see page 551)	
	toplamTutarSpecified (see page 551)	
	uuid (see page 551)	
	vergilerToplami (see page 552)	
	vergilerToplamiSpecified (see page 552)	
	versiyon (see page 552)	
	versiyonSpecified (see page 552)	
	yazdirildi (see page 552)	
	yazdirildiSpecified (see page 552)	
	yerelFaturaNo (see page 552)	

belgeDTO Class

	Name	Description
	belgeNo (see page 529)	
	brutUcret (see page 529)	
	brutUcretSpecified (see page 529)	
	kdv0_Tutar (see page 530)	
	kdv0_TutarSpecified (see page 530)	
	kdv1_Tutar (see page 530)	
	kdv1_TutarSpecified (see page 530)	
	kdv18_Tutar (see page 530)	
	kdv18_TutarSpecified (see page 530)	
	kdv8_Tutar (see page 530)	
	kdv8_TutarSpecified (see page 530)	
	kdvTevkifatTutar (see page 530)	
	kdvTevkifatTutarSpecified (see page 531)	
	netTahsilat (see page 531)	
	netTahsilatSpecified (see page 531)	
	netUcret (see page 531)	
	netUcretSpecified (see page 531)	
	stpj0_Tutar (see page 531)	
	stpj0_TutarSpecified (see page 531)	
	stpj1_Tutar (see page 531)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	stpj1_TutarSpecified (see page 531)	
	stpj10_Tutar (see page 532)	
	stpj10_TutarSpecified (see page 532)	
	stpj15_Tutar (see page 532)	
	stpj15_TutarSpecified (see page 532)	
	stpj17_Tutar (see page 532)	
	stpj17_TutarSpecified (see page 532)	
	stpj2_Tutar (see page 532)	
	stpj2_TutarSpecified (see page 532)	
	stpj20_Tutar (see page 532)	
	stpj20_TutarSpecified (see page 533)	
	stpj3_Tutar (see page 533)	
	stpj3_TutarSpecified (see page 533)	
	stpj4_Tutar (see page 533)	
	stpj4_TutarSpecified (see page 533)	
	stpj5_Tutar (see page 533)	
	stpj5_TutarSpecified (see page 533)	
	stpj7_Tutar (see page 533)	
	stpj7_TutarSpecified (see page 533)	
	tip (see page 534)	
	tipSpecified (see page 534)	

1.1.4.1.2.1 belgeDTO Properties

1.1.4.1.2.1.1 belgeDTO.belgeNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string belgeNo;
```

1.1.4.1.2.1.2 belgeDTO.brutUcret Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public decimal brutUcret;
```

1.1.4.1.2.1.3 belgeDTO.brutUcretSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool brutUcretSpecified;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.2.1.4 belgeDTO.kdv0_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public decimal kdv0_Tutar;
```

1.1.4.1.2.1.5 belgeDTO.kdv0_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kdv0_TutarSpecified;
```

1.1.4.1.2.1.6 belgeDTO.kdv1_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public decimal kdv1_Tutar;
```

1.1.4.1.2.1.7 belgeDTO.kdv1_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kdv1_TutarSpecified;
```

1.1.4.1.2.1.8 belgeDTO.kdv18_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public decimal kdv18_Tutar;
```

1.1.4.1.2.1.9 belgeDTO.kdv18_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kdv18_TutarSpecified;
```

1.1.4.1.2.1.10 belgeDTO.kdv8_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public decimal kdv8_Tutar;
```

1.1.4.1.2.1.11 belgeDTO.kdv8_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kdv8_TutarSpecified;
```

1.1.4.1.2.1.12 belgeDTO.kdvTevkifatTutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public decimal kdvTevkifatTutar;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.2.1.13 belgeDTO.kdvTevkifatTutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kdvTevkifatTutarSpecified;
```

1.1.4.1.2.1.14 belgeDTO.netTahsilat Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public decimal netTahsilat;
```

1.1.4.1.2.1.15 belgeDTO.netTahsilatSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool netTahsilatSpecified;
```

1.1.4.1.2.1.16 belgeDTO.netUcret Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public decimal netUcret;
```

1.1.4.1.2.1.17 belgeDTO.netUcretSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool netUcretSpecified;
```

1.1.4.1.2.1.18 belgeDTO.stpj0_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public decimal stpj0_Tutar;
```

1.1.4.1.2.1.19 belgeDTO.stpj0_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj0_TutarSpecified;
```

1.1.4.1.2.1.20 belgeDTO.stpj1_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public decimal stpj1_Tutar;
```

1.1.4.1.2.1.21 belgeDTO.stpj1_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj1_TutarSpecified;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.2.1.22 belgeDTO.stpj10_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public decimal stpj10_Tutar;
```

1.1.4.1.2.1.23 belgeDTO.stpj10_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj10_TutarSpecified;
```

1.1.4.1.2.1.24 belgeDTO.stpj15_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public decimal stpj15_Tutar;
```

1.1.4.1.2.1.25 belgeDTO.stpj15_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj15_TutarSpecified;
```

1.1.4.1.2.1.26 belgeDTO.stpj17_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public decimal stpj17_Tutar;
```

1.1.4.1.2.1.27 belgeDTO.stpj17_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj17_TutarSpecified;
```

1.1.4.1.2.1.28 belgeDTO.stpj2_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public decimal stpj2_Tutar;
```

1.1.4.1.2.1.29 belgeDTO.stpj2_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj2_TutarSpecified;
```

1.1.4.1.2.1.30 belgeDTO.stpj20_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public decimal stpj20_Tutar;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.2.1.31 belgeDTO.stpj20_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj20_TutarSpecified;
```

1.1.4.1.2.1.32 belgeDTO.stpj3_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public decimal stpj3_Tutar;
```

1.1.4.1.2.1.33 belgeDTO.stpj3_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj3_TutarSpecified;
```

1.1.4.1.2.1.34 belgeDTO.stpj4_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public decimal stpj4_Tutar;
```

1.1.4.1.2.1.35 belgeDTO.stpj4_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj4_TutarSpecified;
```

1.1.4.1.2.1.36 belgeDTO.stpj5_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public decimal stpj5_Tutar;
```

1.1.4.1.2.1.37 belgeDTO.stpj5_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj5_TutarSpecified;
```

1.1.4.1.2.1.38 belgeDTO.stpj7_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public decimal stpj7_Tutar;
```

1.1.4.1.2.1.39 belgeDTO.stpj7_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj7_TutarSpecified;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.2.1.40 belgeDTO.tip Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int tip;
```

1.1.4.1.2.1.41 belgeDTO.tipSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool tipSpecified;
```

1.1.4.1.3 belgeOutputWrapper Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.belgeOutputWrapper

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class belgeOutputWrapper;
```

File

Reference.cs (see page 800)

belgeOutputWrapper Properties

	Name	Description
	@return (see page 534)	
	output (see page 534)	

1.1.4.1.3.1 belgeOutputWrapper Properties

1.1.4.1.3.1.1 belgeOutputWrapper.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.4.1.3.1.2 belgeOutputWrapper.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public belge output;
```

1.1.4.1.4 belgeZipiAl Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.belgeZipiAl

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class belgeZipiAl;
```

File

Reference.cs (see page 800)

belgeZipiAl Properties

	Name	Description
	input (see page 535)	

1.1.4.1.4.1 belgeZipiAl Properties

1.1.4.1.4.1.1 belgeZipiAl.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.4.1.5 belgeZipiAlCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class belgeZipiAlCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	belgeZipiAlCompletedEventArgs (see page 535)	This is belgeZipiAlCompletedEventArgs, a member of class belgeZipiAlCompletedEventArgs.

belgeZipiAlCompletedEventArgs Properties

	Name	Description
	output (see page 536)	
	Result (see page 536)	

1.1.4.1.5.1 belgeZipiAlCompletedEventArgs.belgeZipiAlCompletedEventArgs Constructor

C#

```
internal belgeZipiAlCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Description

This is belgeZipiAlCompletedEventArgs, a member of class belgeZipiAlCompletedEventArgs.

Body Source

```
1: internal belgeZipiAlCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.5.2 belgeZipiAlCompletedEventArgs Properties

1.1.4.1.5.2.1 belgeZipiAlCompletedEventArgs.output Property

C#

```
public byte output;
```

1.1.4.1.5.2.2 belgeZipiAlCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.6 belgeZipiAlResponse Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.belgeZipiAlResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class belgeZipiAlResponse;
```

File

Reference.cs (see page 800)

belgeZipiAlResponse Properties

	Name	Description
	@return (see page 536)	
	output (see page 537)	

1.1.4.1.6.1 belgeZipiAlResponse Properties

1.1.4.1.6.1.1 belgeZipiAlResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.6.1.2 belgeZipiAlResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary", IsNullable=true)]
public byte output;
```

1.1.4.1.7 doubleStringOutputWrapper Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.doubleStringOutputWrapper

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class doubleStringOutputWrapper;
```

File

Reference.cs (see page 800)

doubleStringOutputWrapper Properties

	Name	Description
	@return (see page 537)	
	outputDurum (see page 537)	
	outputEposta (see page 537)	

1.1.4.1.7.1 doubleStringOutputWrapper Properties

1.1.4.1.7.1.1 doubleStringOutputWrapper.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.4.1.7.1.2 doubleStringOutputWrapper.outputDurum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string outputDurum;
```

1.1.4.1.7.1.3 doubleStringOutputWrapper.outputEposta Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string outputEposta;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.8 earsivServiceResult Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.earsivServiceResult

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class earsivServiceResult;
```

File

Reference.cs (see page 800)

earsivServiceResult Properties

	Name	Description
	resultCode (see page 538)	
	resultExtra (see page 538)	
	resultText (see page 538)	

1.1.4.1.8.1 earsivServiceResult Properties

1.1.4.1.8.1.1 earsivServiceResult.resultCode Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string resultCode;
```

1.1.4.1.8.1.2 earsivServiceResult.resultExtra Property

C#

```
[System.Xml.Serialization.XmlArrayAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified
)]
[System.Xml.Serialization.XmlArrayItemAttribute("entry",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=false)]
public earsivServiceResultEntry resultExtra;
```

1.1.4.1.8.1.3 earsivServiceResult.resultText Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string resultText;
```

1.1.4.1.9 earsivServiceResultEntry Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.earsivServiceResultEntry

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(AnonymousType=true,
Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class earsivServiceResultEntry;
```

File

Reference.cs (see page 800)

earsivServiceResultEntry Properties

	Name	Description
	key (see page 539)	
	value (see page 539)	

1.1.4.1.9.1 earsivServiceResultEntry Properties

1.1.4.1.9.1.1 earsivServiceResultEntry.key Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public object key;
```

1.1.4.1.9.1.2 earsivServiceResultEntry.value Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public object value;
```

1.1.4.1.10 ePostaDurumSorgula Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgula

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class ePostaDurumSorgula;
```

File

Reference.cs (see page 800)

ePostaDurumSorgula Properties

	Name	Description
	input (see page 540)	

1.1.4.1.10.1 ePostaDurumSorgula Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.10.1.1 ePostaDurumSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.4.1.11 ePostaDurumSorgulaCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class ePostaDurumSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	ePostaDurumSorgulaCompletedEventArgs (see page 540)	This is ePostaDurumSorgulaCompletedEventArgs, a member of class ePostaDurumSorgulaCompletedEventArgs.

ePostaDurumSorgulaCompletedEventArgs Properties

	Name	Description
	@return (see page 541)	
	outputEposta (see page 541)	
	Result (see page 541)	

1.1.4.1.11.1 ePostaDurumSorgulaCompletedEventArgs.ePostaDurumSorgulaCompletedEventArgs Constructor

C#

```
internal ePostaDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is ePostaDurumSorgulaCompletedEventArgs, a member of class ePostaDurumSorgulaCompletedEventArgs.

Body Source

```
1: internal ePostaDurumSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.11.2 ePostaDurumSorgulaCompletedEventArgs Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.11.2.1 ePostaDurumSorgulaCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.4.1.11.2.2 ePostaDurumSorgulaCompletedEventArgs.outputEposta Property

C#

```
public string outputEposta;
```

1.1.4.1.11.2.3 ePostaDurumSorgulaCompletedEventArgs.Result Property

C#

```
public string Result;
```

1.1.4.1.12 ePostaGonder Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.ePostaGonder

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class ePostaGonder;
```

File

Reference.cs (see page 800)

ePostaGonder Properties

	Name	Description
	ilaveEposta (see page 541)	
	input (see page 541)	
	tanimliEpostayaGonder (see page 542)	

1.1.4.1.12.1 ePostaGonder Properties

1.1.4.1.12.1.1 ePostaGonder.ilaveEposta Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string ilaveEposta;
```

1.1.4.1.12.1.2 ePostaGonder.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.12.1.3 ePostaGonder.tanimliEpostayaGonder Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int tanimliEpostayaGonder;
```

1.1.4.1.13 ePostaGonderCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class ePostaGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	ePostaGonderCompletedEventArgs (see page 542)	This is ePostaGonderCompletedEventArgs, a member of class ePostaGonderCompletedEventArgs.

ePostaGonderCompletedEventArgs Properties

	Name	Description
	Result (see page 542)	

1.1.4.1.13.1 ePostaGonderCompletedEventArgs.ePostaGonderCompletedEventArgs Constructor

C#

```
internal ePostaGonderCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState);
```

Description

This is ePostaGonderCompletedEventArgs, a member of class ePostaGonderCompletedEventArgs.

Body Source

```
1: internal ePostaGonderCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.13.2 ePostaGonderCompletedEventArgs Properties

1.1.4.1.13.2.1 ePostaGonderCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.14 ePostaGonderResponse Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.ePostaGonderResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class ePostaGonderResponse;
```

File

Reference.cs (see page 800)

ePostaGonderResponse Properties

	Name	Description
	@return (see page 543)	

1.1.4.1.14.1 ePostaGonderResponse Properties

1.1.4.1.14.1.1 ePostaGonderResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.4.1.15 faturaDTO Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.faturaDTO

C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgeDTO))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class faturaDTO;
```

File

Reference.cs (see page 800)

faturaDTO Properties

	Name	Description
	arsiv (see page 545)	
	creationTime (see page 545)	
	currency (see page 545)	
	dokumanFormati (see page 546)	
	durum (see page 546)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	durumSpecified (see page 546)	
	duzenlenmeZamani (see page 546)	
	epostaGonderimDurumu (see page 546)	
	epostaGonderimDurumuSpecified (see page 546)	
	erpKodu (see page 546)	
	faturaSiraNo (see page 546)	
	faturaSiraNoSpecified (see page 546)	
	faturaZamani (see page 547)	
	ilkKayitZmani (see page 547)	
	indirildi (see page 547)	
	indirildiSpecified (see page 547)	
	invoiceId (see page 547)	
	invoiceTypeCode (see page 547)	
	iptalEdenKullaniciKodu (see page 547)	
	iptalKaynagi (see page 547)	
	iptalKaynagiSpecified (see page 547)	
	iptalRaporTarihi (see page 548)	
	iptalTarihi (see page 548)	
	iptalTarihiExcel (see page 548)	
	islemId (see page 548)	
	issueDate (see page 548)	
	itirazEdenKullaniciKodu (see page 548)	
	itirazKaynagi (see page 548)	
	itirazKaynagiSpecified (see page 548)	
	itirazTarihi (see page 548)	
	kagitFatura (see page 549)	
	kagitFaturaSpecified (see page 549)	
	kasa (see page 549)	
	kaynak (see page 549)	
	kepDurum (see page 549)	
	kepDurumSpecified (see page 549)	
	kolayFatura (see page 549)	
	kolayFaturaSpecified (see page 549)	
	okundu (see page 549)	
	okunduSpecified (see page 550)	
	payableAmount (see page 550)	
	payableAmountSpecified (see page 550)	
	profileId (see page 550)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	raporTarihi (see page 550)	
	receiverContact (see page 550)	
	receiverIdentifier (see page 550)	
	receiverIdentifierTxt (see page 550)	
	receiverName (see page 550)	
	senderContact (see page 551)	
	senderName (see page 551)	
	sonGuncellemeZamani (see page 551)	
	sube (see page 551)	
	tanimliSubeKod (see page 551)	
	telNo (see page 551)	
	toplamTutar (see page 551)	
	toplamTutarSpecified (see page 551)	
	uuid (see page 551)	
	vergilerToplami (see page 552)	
	vergilerToplamiSpecified (see page 552)	
	versiyon (see page 552)	
	versiyonSpecified (see page 552)	
	yazdirildi (see page 552)	
	yazdirildiSpecified (see page 552)	
	yerelFaturaNo (see page 552)	

1.1.4.1.15.1 faturaDTO Properties

1.1.4.1.15.1.1 faturaDTO.arsiv Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int arsiv;
```

1.1.4.1.15.1.2 faturaDTO.creationTime Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string creationTime;
```

1.1.4.1.15.1.3 faturaDTO.currency Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string currency;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.15.1.4 faturaDTO.dokumanFormati Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string dokumanFormati;
```

1.1.4.1.15.1.5 faturaDTO.durum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int durum;
```

1.1.4.1.15.1.6 faturaDTO.durumSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool durumSpecified;
```

1.1.4.1.15.1.7 faturaDTO.duzenlenmeZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string duzenlenmeZamani;
```

1.1.4.1.15.1.8 faturaDTO.epostaGonderimDurumu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int epostaGonderimDurumu;
```

1.1.4.1.15.1.9 faturaDTO.epostaGonderimDurumuSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool epostaGonderimDurumuSpecified;
```

1.1.4.1.15.1.10 faturaDTO.erpKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string erpKodu;
```

1.1.4.1.15.1.11 faturaDTO.faturaSiraNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int faturaSiraNo;
```

1.1.4.1.15.1.12 faturaDTO.faturaSiraNoSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool faturaSiraNoSpecified;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.15.1.13 faturaDTO.faturaZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string faturaZamani;
```

1.1.4.1.15.1.14 faturaDTO.ilkKayitZmani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string ilkKayitZmani;
```

1.1.4.1.15.1.15 faturaDTO.indirildi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int indirildi;
```

1.1.4.1.15.1.16 faturaDTO.indirildiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool indirildiSpecified;
```

1.1.4.1.15.1.17 faturaDTO.invoiceId Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string invoiceId;
```

1.1.4.1.15.1.18 faturaDTO.invoiceTypeCode Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string invoiceTypeCode;
```

1.1.4.1.15.1.19 faturaDTO.iptalEdenKullaniciKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string iptalEdenKullaniciKodu;
```

1.1.4.1.15.1.20 faturaDTO.iptalKaynagi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int iptalKaynagi;
```

1.1.4.1.15.1.21 faturaDTO.iptalKaynagiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool iptalKaynagiSpecified;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.15.1.22 faturaDTO.iptalRaporTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string iptalRaporTarihi;
```

1.1.4.1.15.1.23 faturaDTO.iptalTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string iptalTarihi;
```

1.1.4.1.15.1.24 faturaDTO.iptalTarihiExcel Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string iptalTarihiExcel;
```

1.1.4.1.15.1.25 faturaDTO.islemId Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string islemId;
```

1.1.4.1.15.1.26 faturaDTO.issueDate Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string issueDate;
```

1.1.4.1.15.1.27 faturaDTO.itirazEdenKullaniciKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string itirazEdenKullaniciKodu;
```

1.1.4.1.15.1.28 faturaDTO.itirazKaynagi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int itirazKaynagi;
```

1.1.4.1.15.1.29 faturaDTO.itirazKaynagiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool itirazKaynagiSpecified;
```

1.1.4.1.15.1.30 faturaDTO.itirazTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string itirazTarihi;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.15.1.31 faturaDTO.kagitFatura Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public bool kagitFatura;
```

1.1.4.1.15.1.32 faturaDTO.kagitFaturaSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kagitFaturaSpecified;
```

1.1.4.1.15.1.33 faturaDTO.kasa Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kasa;
```

1.1.4.1.15.1.34 faturaDTO.kaynak Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int kaynak;
```

1.1.4.1.15.1.35 faturaDTO.kepDurum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int kepDurum;
```

1.1.4.1.15.1.36 faturaDTO.kepDurumSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kepDurumSpecified;
```

1.1.4.1.15.1.37 faturaDTO.kolayFatura Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int kolayFatura;
```

1.1.4.1.15.1.38 faturaDTO.kolayFaturaSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kolayFaturaSpecified;
```

1.1.4.1.15.1.39 faturaDTO.okundu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int okundu;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.15.1.40 faturaDTO.okunduSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool okunduSpecified;
```

1.1.4.1.15.1.41 faturaDTO.payableAmount Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public decimal payableAmount;
```

1.1.4.1.15.1.42 faturaDTO.payableAmountSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool payableAmountSpecified;
```

1.1.4.1.15.1.43 faturaDTO.profileId Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string profileId;
```

1.1.4.1.15.1.44 faturaDTO.raporTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string raporTarihi;
```

1.1.4.1.15.1.45 faturaDTO.receiverContact Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string receiverContact;
```

1.1.4.1.15.1.46 faturaDTO.receiverIdentifier Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string receiverIdentifier;
```

1.1.4.1.15.1.47 faturaDTO.receiverIdentifierTxt Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string receiverIdentifierTxt;
```

1.1.4.1.15.1.48 faturaDTO.receiverName Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string receiverName;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.15.1.49 faturaDTO.senderContact Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string senderContact;
```

1.1.4.1.15.1.50 faturaDTO.senderName Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string senderName;
```

1.1.4.1.15.1.51 faturaDTO.sonGuncellemeZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string sonGuncellemeZamani;
```

1.1.4.1.15.1.52 faturaDTO.sube Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string sube;
```

1.1.4.1.15.1.53 faturaDTO.tanimliSubeKod Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string tanimliSubeKod;
```

1.1.4.1.15.1.54 faturaDTO.telNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string telNo;
```

1.1.4.1.15.1.55 faturaDTO.toplamTutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public decimal toplamTutar;
```

1.1.4.1.15.1.56 faturaDTO.toplamTutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool toplamTutarSpecified;
```

1.1.4.1.15.1.57 faturaDTO.uuid Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string uuid;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.15.1.58 faturaDTO.vergilerToplami Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public decimal vergilerToplami;
```

1.1.4.1.15.1.59 faturaDTO.vergilerToplamiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool vergilerToplamiSpecified;
```

1.1.4.1.15.1.60 faturaDTO.versiyon Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int versiyon;
```

1.1.4.1.15.1.61 faturaDTO.versiyonSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool versiyonSpecified;
```

1.1.4.1.15.1.62 faturaDTO.yazdirildi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int yazdirildi;
```

1.1.4.1.15.1.63 faturaDTO.yazdirildiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool yazdirildiSpecified;
```

1.1.4.1.15.1.64 faturaDTO.yerelFaturaNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string yerelFaturaNo;
```

1.1.4.1.16 kontorBilgisiGetir Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class kontorBilgisiGetir;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

File

Reference.cs (see page 800)

kontorBilgisiGetir Properties

	Name	Description
	kontorBirimi (see page 553)	
	kontorTipi (see page 553)	
	vknTckn (see page 553)	

1.1.4.1.16.1 kontorBilgisiGetir Properties

1.1.4.1.16.1.1 kontorBilgisiGetir.kontorBirimi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kontorBirimi;
```

1.1.4.1.16.1.2 kontorBilgisiGetir.kontorTipi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string kontorTipi;
```

1.1.4.1.16.1.3 kontorBilgisiGetir.vknTckn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string vknTckn;
```

1.1.4.1.17 kontorBilgisiGetirCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class kontorBilgisiGetirCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	kontorBilgisiGetirCompletedEventArgs (see page 554)	This is kontorBilgisiGetirCompletedEventArgs, a member of class kontorBilgisiGetirCompletedEventArgs.

kontorBilgisiGetirCompletedEventArgs Properties

	Name	Description
	Result (see page 554)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.17.1 kontorBilgisiGetirCompletedEventArgs.kontorBilgisiGetirCompletedEventArgs Constructor

C#

```
internal kontorBilgisiGetirCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is kontorBilgisiGetirCompletedEventArgs, a member of class kontorBilgisiGetirCompletedEventArgs.

Body Source

```
1: internal kontorBilgisiGetirCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.17.2 kontorBilgisiGetirCompletedEventArgs Properties

1.1.4.1.17.2.1 kontorBilgisiGetirCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.18 kontorBilgisiGetirResponse Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class kontorBilgisiGetirResponse;
```

File

Reference.cs (see page 800)

kontorBilgisiGetirResponse Properties

	Name	Description
	@return (see page 554)	

1.1.4.1.18.1 kontorBilgisiGetirResponse Properties

1.1.4.1.18.1.1 kontorBilgisiGetirResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.19 mustahsilMakbuzIptalEt Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEt

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class mustahsilMakbuzIptalEt;
```

File

Reference.cs (see page 800)

mustahsilMakbuzIptalEt Properties

	Name	Description
	input (see page 555)	

1.1.4.1.19.1 mustahsilMakbuzIptalEt Properties

1.1.4.1.19.1.1 mustahsilMakbuzIptalEt.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.4.1.20 mustahsilMakbuzIptalEtCompletedEventArgs Class

Class Hierarchy

System.ComponentModel.AsyncCompletedEventArgs → QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompletedEventArgs

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzIptalEtCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	mustahsilMakbuzIptalEtCompletedEventArgs (see page 556)	This is mustahsilMakbuzIptalEtCompletedEventArgs, a member of class mustahsilMakbuzIptalEtCompletedEventArgs.

mustahsilMakbuzIptalEtCompletedEventArgs Properties

	Name	Description
	Result (see page 556)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.20.1 mustahsilMakbuzIptalEtCompletedEventArgs.mustahsilMakbuzIptalEtCompletedEventArgs Constructor

C#

```
internal mustahsilMakbuzIptalEtCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzIptalEtCompletedEventArgs, a member of class mustahsilMakbuzIptalEtCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzIptalEtCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.20.2 mustahsilMakbuzIptalEtCompletedEventArgs Properties

1.1.4.1.20.2.1 mustahsilMakbuzIptalEtCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.21 mustahsilMakbuzIptalEtResponse Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class mustahsilMakbuzIptalEtResponse;
```

File

Reference.cs (see page 800)

mustahsilMakbuzIptalEtResponse Properties

	Name	Description
	@return (see page 556)	

1.1.4.1.21.1 mustahsilMakbuzIptalEtResponse Properties

1.1.4.1.21.1.1 mustahsilMakbuzIptalEtResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.22 mustahsilMakbuzIptaliKaldir Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class mustahsilMakbuzIptaliKaldir;
```

File

Reference.cs (see page 800)

mustahsilMakbuzIptaliKaldir Properties

	Name	Description
	input (see page 557)	

1.1.4.1.22.1 mustahsilMakbuzIptaliKaldir Properties

1.1.4.1.22.1.1 mustahsilMakbuzIptaliKaldir.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.4.1.23 mustahsilMakbuzIptaliKaldirCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzIptaliKaldirCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	mustahsilMakbuzIptaliKaldirCompletedEventArgs (see page 558)	This is mustahsilMakbuzIptaliKaldirCompletedEventArgs, a member of class mustahsilMakbuzIptaliKaldirCompletedEventArgs.

mustahsilMakbuzIptaliKaldirCompletedEventArgs Properties

	Name	Description
	Result (see page 558)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.23.1 mustahsilMakbuzIptaliKaldirCompletedEventArgs.mustahsilMakbuzIptaliKaldirCompletedEventArgs Constructor

C#

```
internal mustahsilMakbuzIptaliKaldirCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzIptaliKaldirCompletedEventArgs, a member of class mustahsilMakbuzIptaliKaldirCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzIptaliKaldirCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.23.2 mustahsilMakbuzIptaliKaldirCompletedEventArgs Properties

1.1.4.1.23.2.1 mustahsilMakbuzIptaliKaldirCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.24 mustahsilMakbuzIptaliKaldirResponse Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldirResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class mustahsilMakbuzIptaliKaldirResponse;
```

File

Reference.cs (see page 800)

mustahsilMakbuzIptaliKaldirResponse Properties

	Name	Description
	@return (see page 558)	

1.1.4.1.24.1 mustahsilMakbuzIptaliKaldirResponse Properties

1.1.4.1.24.1.1 mustahsilMakbuzIptaliKaldirResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.25 mustahsilMakbuzListeSorgula Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class mustahsilMakbuzListeSorgula;
```

File

Reference.cs (see page 800)

mustahsilMakbuzListeSorgula Properties

	Name	Description
	input (see page 559)	

1.1.4.1.25.1 mustahsilMakbuzListeSorgula Properties

1.1.4.1.25.1.1 mustahsilMakbuzListeSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.4.1.26 mustahsilMakbuzListeSorgulaCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzListeSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	mustahsilMakbuzListeSorgulaCompletedEventArgs (see page 560)	This is mustahsilMakbuzListeSorgulaCompletedEventArgs, a member of class mustahsilMakbuzListeSorgulaCompletedEventArgs.

mustahsilMakbuzListeSorgulaCompletedEventArgs Properties

	Name	Description
	output (see page 560)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	Result (see page 560)	

1.1.4.1.26.1 mustahsilMakbuzListeSorgulaCompletedEventArgs.mustahsilMakbuzListeSorgulaCompletedEventArgs Constructor

C#

```
internal mustahsilMakbuzListeSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzListeSorgulaCompletedEventArgs, a member of class mustahsilMakbuzListeSorgulaCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzListeSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.26.2 mustahsilMakbuzListeSorgulaCompletedEventArgs Properties

1.1.4.1.26.2.1 mustahsilMakbuzListeSorgulaCompletedEventArgs.output Property

C#

```
public belgeDTO output;
```

1.1.4.1.26.2.2 mustahsilMakbuzListeSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.27 mustahsilMakbuzListeSorgulaPortal Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class mustahsilMakbuzListeSorgulaPortal;
```

File

Reference.cs (see page 800)

mustahsilMakbuzListeSorgulaPortal Properties

	Name	Description
	input (see page 561)	

1.1.4.1.27.1 mustahsilMakbuzListeSorgulaPortal Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.27.1.1 mustahsilMakbuzListeSorgulaPortal.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.4.1.28 mustahsilMakbuzListeSorgulaPortalCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzListeSorgulaPortalCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	mustahsilMakbuzListeSorgulaPortalCompletedEventArgs (see page 561)	This is mustahsilMakbuzListeSorgulaPortalCompletedEventArgs, a member of class mustahsilMakbuzListeSorgulaPortalCompletedEventArgs.

mustahsilMakbuzListeSorgulaPortalCompletedEventArgs Properties

	Name	Description
	output (see page 562)	
	Result (see page 562)	

1.1.4.1.28.1 mustahsilMakbuzListeSorgulaPortalCompletedEventArgs.mustahsilMakbuzListeSorgulaPortalCompletedEventArgs Constructor

C#

```
internal mustahsilMakbuzListeSorgulaPortalCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzListeSorgulaPortalCompletedEventArgs, a member of class mustahsilMakbuzListeSorgulaPortalCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzListeSorgulaPortalCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.28.2 mustahsilMakbuzListeSorgulaPortalCompletedEventArgs Properties

1.1.4.1.28.2.1 mustahsilMakbuzListeSorgulaPortalCompletedEventArgs.output Property

C#

```
public belgeDTO output;
```

1.1.4.1.28.2.2 mustahsilMakbuzListeSorgulaPortalCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.29 mustahsilMakbuzListeSorgulaPortalResponse Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortalResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class mustahsilMakbuzListeSorgulaPortalResponse;
```

File

Reference.cs (see page 800)

mustahsilMakbuzListeSorgulaPortalResponse Properties

	Name	Description
	@return (see page 562)	
	output (see page 562)	

1.1.4.1.29.1 mustahsilMakbuzListeSorgulaPortalResponse Properties

1.1.4.1.29.1.1 mustahsilMakbuzListeSorgulaPortalResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.4.1.29.1.2 mustahsilMakbuzListeSorgulaPortalResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belgeDTO output;
```

1.1.4.1.30 mustahsilMakbuzListeSorgulaResponse Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaResponse

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class mustahsilMakbuzListeSorgulaResponse;
```

File

Reference.cs (see page 800)

mustahsilMakbuzListeSorgulaResponse Properties

	Name	Description
	@return (see page 563)	
	output (see page 563)	

1.1.4.1.30.1 mustahsilMakbuzListeSorgulaResponse Properties

1.1.4.1.30.1.1 mustahsilMakbuzListeSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.4.1.30.1.2 mustahsilMakbuzListeSorgulaResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belgeDTO output;
```

1.1.4.1.31 mustahsilMakbuzOlustur Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class mustahsilMakbuzOlustur;
```

File

Reference.cs (see page 800)

mustahsilMakbuzOlustur Properties

	Name	Description
	belge (see page 564)	
	input (see page 564)	

1.1.4.1.31.1 mustahsilMakbuzOlustur Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.31.1.1 mustahsilMakbuzOlustur.belge Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public belge belge;
```

1.1.4.1.31.1.2 mustahsilMakbuzOlustur.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.4.1.32 mustahsilMakbuzOlusturCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzOlusturCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	mustahsilMakbuzOlusturCompletedEventArgs (see page 564)	This is mustahsilMakbuzOlusturCompletedEventArgs, a member of class mustahsilMakbuzOlusturCompletedEventArgs.

mustahsilMakbuzOlusturCompletedEventArgs Properties

	Name	Description
	@return (see page 565)	
	Result (see page 565)	

1.1.4.1.32.1 mustahsilMakbuzOlusturCompletedEventArgs.mustahsilMakbuzOlusturCompletedEventArgs Constructor

C#

```
internal mustahsilMakbuzOlusturCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzOlusturCompletedEventArgs, a member of class mustahsilMakbuzOlusturCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzOlusturCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
4: }
```

1.1.4.1.32.2 mustahsilMakbuzOlusturCompletedEventArgs Properties

1.1.4.1.32.2.1 mustahsilMakbuzOlusturCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.4.1.32.2.2 mustahsilMakbuzOlusturCompletedEventArgs.Result Property

C#

```
public belge Result;
```

1.1.4.1.33 mustahsilMakbuzOnizleme Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizleme

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class mustahsilMakbuzOnizleme;
```

File

Reference.cs (see page 800)

mustahsilMakbuzOnizleme Properties

	Name	Description
	belge (see page 565)	
	input (see page 565)	

1.1.4.1.33.1 mustahsilMakbuzOnizleme Properties

1.1.4.1.33.1.1 mustahsilMakbuzOnizleme.belge Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public belge belge;
```

1.1.4.1.33.1.2 mustahsilMakbuzOnizleme.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.4.1.34 mustahsilMakbuzOnizlemeCompletedEventArgs Class

Class Hierarchy

System.ComponentModel.AsyncCompletedEventArgs → QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCompletedEventArgs

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzOnizlemeCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	mustahsilMakbuzOnizlemeCompletedEventArgs (see page 566)	This is mustahsilMakbuzOnizlemeCompletedEventArgs, a member of class mustahsilMakbuzOnizlemeCompletedEventArgs.

mustahsilMakbuzOnizlemeCompletedEventArgs Properties

	Name	Description
	@return (see page 566)	
	Result (see page 566)	

1.1.4.1.34.1 mustahsilMakbuzOnizlemeCompletedEventArgs.mustahsilMakbuzOnizlemeCompletedEventArgs Constructor

C#

```
internal mustahsilMakbuzOnizlemeCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzOnizlemeCompletedEventArgs, a member of class mustahsilMakbuzOnizlemeCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzOnizlemeCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.34.2 mustahsilMakbuzOnizlemeCompletedEventArgs Properties

1.1.4.1.34.2.1 mustahsilMakbuzOnizlemeCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.4.1.34.2.2 mustahsilMakbuzOnizlemeCompletedEventArgs.Result Property

C#

```
public belge Result;
```

1.1.4.1.35 mustahsilMakbuzSorgula Class

Class Hierarchy

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class mustahsilMakbuzSorgula;
```

File

Reference.cs (see page 800)

mustahsilMakbuzSorgula Properties

	Name	Description
	input (see page 567)	

1.1.4.1.35.1 mustahsilMakbuzSorgula Properties

1.1.4.1.35.1.1 mustahsilMakbuzSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.4.1.36 mustahsilMakbuzSorgulaCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	mustahsilMakbuzSorgulaCompletedEventArgs (see page 568)	This is mustahsilMakbuzSorgulaCompletedEventArgs, a member of class mustahsilMakbuzSorgulaCompletedEventArgs.

mustahsilMakbuzSorgulaCompletedEventArgs Properties

	Name	Description
	@return (see page 568)	
	Result (see page 568)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.36.1 mustahsilMakbuzSorgulaCompletedEventArgs.mustahsilMakbuzSorgulaCompletedEventArgs Constructor

C#

```
internal mustahsilMakbuzSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzSorgulaCompletedEventArgs, a member of class mustahsilMakbuzSorgulaCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.36.2 mustahsilMakbuzSorgulaCompletedEventArgs Properties

1.1.4.1.36.2.1 mustahsilMakbuzSorgulaCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.4.1.36.2.2 mustahsilMakbuzSorgulaCompletedEventArgs.Result Property

C#

```
public belge Result;
```

1.1.4.1.37 mustahsilMakbuzTaslakOlustur Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class mustahsilMakbuzTaslakOlustur;
```

File

Reference.cs (see page 800)

mustahsilMakbuzTaslakOlustur Properties

	Name	Description
	belge (see page 569)	
	input (see page 569)	

1.1.4.1.37.1 mustahsilMakbuzTaslakOlustur Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.37.1.1 mustahsilMakbuzTaslakOlustur.belge Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public belge belge;
```

1.1.4.1.37.1.2 mustahsilMakbuzTaslakOlustur.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.4.1.38 mustahsilMakbuzTaslakOlusturCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzTaslakOlusturCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	mustahsilMakbuzTaslakOlusturCompletedEventArgs (see page 569)	This is mustahsilMakbuzTaslakOlusturCompletedEventArgs, a member of class mustahsilMakbuzTaslakOlusturCompletedEventArgs.

mustahsilMakbuzTaslakOlusturCompletedEventArgs Properties

	Name	Description
	Result (see page 570)	

1.1.4.1.38.1 mustahsilMakbuzTaslakOlusturCompletedEventArgs.mustahsilMakbuzTaslakOlusturCompletedEventArgs Constructor

C#

```
internal mustahsilMakbuzTaslakOlusturCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzTaslakOlusturCompletedEventArgs, a member of class mustahsilMakbuzTaslakOlusturCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzTaslakOlusturCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.38.2 mustahsilMakbuzTaslakOlusturCompletedEventArgs Properties

1.1.4.1.38.2.1 mustahsilMakbuzTaslakOlusturCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.39 mustahsilMakbuzTaslakOlusturResponse Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class mustahsilMakbuzTaslakOlusturResponse;
```

File

Reference.cs (see page 800)

mustahsilMakbuzTaslakOlusturResponse Properties

	Name	Description
	@return (see page 570)	

1.1.4.1.39.1 mustahsilMakbuzTaslakOlusturResponse Properties

1.1.4.1.39.1.1 mustahsilMakbuzTaslakOlusturResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.4.1.40 mustahsilMakbuzTaslakOnizleme Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizleme

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class mustahsilMakbuzTaslakOnizleme;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

mustahsilMakbuzTaslakOnizleme Properties

	Name	Description
	input (see page 571)	

1.1.4.1.40.1 mustahsilMakbuzTaslakOnizleme Properties

1.1.4.1.40.1.1 mustahsilMakbuzTaslakOnizleme.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.4.1.41 mustahsilMakbuzTaslakOnizlemeCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzTaslakOnizlemeCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	mustahsilMakbuzTaslakOnizlemeCompletedEventArgs (see page 571)	This is mustahsilMakbuzTaslakOnizlemeCompletedEventArgs , a member of class mustahsilMakbuzTaslakOnizlemeCompletedEventArgs .

mustahsilMakbuzTaslakOnizlemeCompletedEventArgs Properties

	Name	Description
	output (see page 572)	
	Result (see page 572)	

1.1.4.1.41.1 mustahsilMakbuzTaslakOnizlemeCompletedEventArgs.mustahsilMakbuzTaslakOnizlemeCompletedEventArgs Constructor

C#

```
internal mustahsilMakbuzTaslakOnizlemeCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzTaslakOnizlemeCompletedEventArgs, a member of class mustahsilMakbuzTaslakOnizlemeCompletedEventArgs.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```
1: internal mustahsilMakbuzTaslakOnizlemeCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.41.2 mustahsilMakbuzTaslakOnizlemeCompletedEventArgs Properties

1.1.4.1.41.2.1 mustahsilMakbuzTaslakOnizlemeCompletedEventArgs.output Property

C#

```
public belge output;
```

1.1.4.1.41.2.2 mustahsilMakbuzTaslakOnizlemeCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.42 mustahsilMakbuzTaslakOnizlemeResponse Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class mustahsilMakbuzTaslakOnizlemeResponse;
```

File

Reference.cs (see page 800)

mustahsilMakbuzTaslakOnizlemeResponse Properties

	Name	Description
	@return (see page 572)	
	output (see page 572)	

1.1.4.1.42.1 mustahsilMakbuzTaslakOnizlemeResponse Properties

1.1.4.1.42.1.1 mustahsilMakbuzTaslakOnizlemeResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.4.1.42.1.2 mustahsilMakbuzTaslakOnizlemeResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public belge output;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.43 mustahsilMakbuzTaslakSil Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSil

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class mustahsilMakbuzTaslakSil;
```

File

Reference.cs (see page 800)

mustahsilMakbuzTaslakSil Properties

	Name	Description
	input (see page 573)	

1.1.4.1.43.1 mustahsilMakbuzTaslakSil Properties

1.1.4.1.43.1.1 mustahsilMakbuzTaslakSil.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.4.1.44 mustahsilMakbuzTaslakSilCompletedEventArgs Class

Class Hierarchy

System.ComponentModel.AsyncCompletedEventArgs → QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCompletedEventArgs

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzTaslakSilCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	mustahsilMakbuzTaslakSilCompletedEventArgs (see page 574)	This is mustahsilMakbuzTaslakSilCompletedEventArgs, a member of class mustahsilMakbuzTaslakSilCompletedEventArgs.

mustahsilMakbuzTaslakSilCompletedEventArgs Properties

	Name	Description
	Result (see page 574)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.44.1 mustahsilMakbuzTaslakSilCompletedEventArgs.mustahsilMakbuzTaslakSilCompletedEventArgs Constructor

C#

```
internal mustahsilMakbuzTaslakSilCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzTaslakSilCompletedEventArgs, a member of class mustahsilMakbuzTaslakSilCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzTaslakSilCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.44.2 mustahsilMakbuzTaslakSilCompletedEventArgs Properties

1.1.4.1.44.2.1 mustahsilMakbuzTaslakSilCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.45 mustahsilMakbuzTaslakSilResponse Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class mustahsilMakbuzTaslakSilResponse;
```

File

Reference.cs (see page 800)

mustahsilMakbuzTaslakSilResponse Properties

	Name	Description
	@return (see page 574)	

1.1.4.1.45.1 mustahsilMakbuzTaslakSilResponse Properties

1.1.4.1.45.1.1 mustahsilMakbuzTaslakSilResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.46 mustahsilMakbuzTaslakSorgula Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgula

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class mustahsilMakbuzTaslakSorgula;
```

File

Reference.cs (see page 800)

mustahsilMakbuzTaslakSorgula Properties

	Name	Description
	input (see page 575)	

1.1.4.1.46.1 mustahsilMakbuzTaslakSorgula Properties

1.1.4.1.46.1.1 mustahsilMakbuzTaslakSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.4.1.47 mustahsilMakbuzTaslakSorgulaCompletedEventArgs Class

Class Hierarchy

System.ComponentModel.AsyncCompletedEventArgs → QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgulaCompletedEventArgs

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzTaslakSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	mustahsilMakbuzTaslakSorgulaCompletedEventArgs (see page 576)	This is mustahsilMakbuzTaslakSorgulaCompletedEventArgs, a member of class mustahsilMakbuzTaslakSorgulaCompletedEventArgs.

mustahsilMakbuzTaslakSorgulaCompletedEventArgs Properties

	Name	Description
	output (see page 576)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	Result (see page 576)	

1.1.4.1.47.1 mustahsilMakbuzTaslakSorgulaCompletedEventArgs.mustahsilMakbuzTaslakSorgulaCompletedEventArgs Constructor

C#

```
internal mustahsilMakbuzTaslakSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzTaslakSorgulaCompletedEventArgs, a member of class mustahsilMakbuzTaslakSorgulaCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzTaslakSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.47.2 mustahsilMakbuzTaslakSorgulaCompletedEventArgs Properties

1.1.4.1.47.2.1 mustahsilMakbuzTaslakSorgulaCompletedEventArgs.output Property

C#

```
public belgeDTO output;
```

1.1.4.1.47.2.2 mustahsilMakbuzTaslakSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.48 mustahsilMakbuzTaslakSorgulaResponse Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgulaResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class mustahsilMakbuzTaslakSorgulaResponse;
```

File

Reference.cs (see page 800)

mustahsilMakbuzTaslakSorgulaResponse Properties

	Name	Description
	@return (see page 577)	
	output (see page 577)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.48.1 mustahsilMakbuzTaslakSorgulaResponse Properties

1.1.4.1.48.1.1 mustahsilMakbuzTaslakSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.4.1.48.1.2 mustahsilMakbuzTaslakSorgulaResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belgeDTO output;
```

1.1.4.1.49 mustahsilMakbuzTaslaktanOlustur Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class mustahsilMakbuzTaslaktanOlustur;
```

File

Reference.cs (see page 800)

mustahsilMakbuzTaslaktanOlustur Properties

	Name	Description
	input (see page 577)	

1.1.4.1.49.1 mustahsilMakbuzTaslaktanOlustur Properties

1.1.4.1.49.1.1 mustahsilMakbuzTaslaktanOlustur.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.4.1.50 mustahsilMakbuzTaslaktanOlusturCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzTaslaktanOlusturCompletedEventArgs :
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	mustahsilMakbuzTaslaktanOlusturCompletedEventArgs (see page 578)	This is mustahsilMakbuzTaslaktanOlusturCompletedEventArgs, a member of class mustahsilMakbuzTaslaktanOlusturCompletedEventArgs.

mustahsilMakbuzTaslaktanOlusturCompletedEventArgs Properties

	Name	Description
	@return (see page 578)	
	Result (see page 578)	

1.1.4.1.50.1 mustahsilMakbuzTaslaktanOlusturCompletedEventArgs.mustahsilMakbuzTaslaktanOlusturCompletedEventArgs Constructor

C#

```
internal mustahsilMakbuzTaslaktanOlusturCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzTaslaktanOlusturCompletedEventArgs, a member of class mustahsilMakbuzTaslaktanOlusturCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzTaslaktanOlusturCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.50.2 mustahsilMakbuzTaslaktanOlusturCompletedEventArgs Properties

1.1.4.1.50.2.1 mustahsilMakbuzTaslaktanOlusturCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.4.1.50.2.2 mustahsilMakbuzTaslaktanOlusturCompletedEventArgs.Result Property

C#

```
public belge Result;
```

1.1.4.1.51 MustahsilWebService Class

Class Hierarchy

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Web.Services.WebServiceBindingAttribute(Name="MustahsilWebServicePortBinding",
Namespace="http://service.csap.cs.com/")]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzOlustur))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(ePostaGonderResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(ePostaGonder))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsDurumSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsDurumSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumListesiDetayliSorgulaResponse
))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumListesiDetayliSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzIptaliKaldirResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzIptaliKaldir))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(rapordaBelgeSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(rapordaBelgeSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumleriOlusturResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumleriOlustur))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslaktanOlustur))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(doubleStringOutputWrapper))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(ePostaDurumSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzOnizleme))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumSilResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumSil))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgeOutputWrapper))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumAl))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakOlusturResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakOlustur))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakOnizlemeResponse))
]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakOnizleme))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(stringOutputWrapper))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumListesiSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(kontorBilgisiGetirResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(kontorBilgisiGetir))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsGonderResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsGonder))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporDurumSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporDurumSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakSilResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakSil))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzIptalEtResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzIptalEt))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumRaporNoGuncelleImzalaResponse
))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumRaporNoGuncelleImzala))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporGonderResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporGonder))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumBilgisiAlResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumBilgisiAl))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzListeSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzListeSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaDTO))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzListeSorgulaPortalRespon
se))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzListeSorgulaPortal))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgeZipiAlResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgeZipiAl))]
public class MustahsilWebService : System.Web.Services.Protocols.SoapHttpClientProtocol;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Methods

	Name	Description
	MustahsilWebService (see page 584)	

MustahsilWebService Events

	Name	Description
	belgeZipiAlCompleted (see page 622)	
	ePostaDurumSorgulaCompleted (see page 622)	
	ePostaGonderCompleted (see page 622)	
	kontorBilgisiGetirCompleted (see page 622)	
	mustahsilMakbuzIptalEtCompleted (see page 623)	
	mustahsilMakbuzIptaliKaldirCompleted (see page 623)	
	mustahsilMakbuzListeSorgulaCompleted (see page 623)	
	mustahsilMakbuzListeSorgulaPortalCompleted (see page 623)	
	mustahsilMakbuzOlusturCompleted (see page 623)	
	mustahsilMakbuzOnizlemeCompleted (see page 623)	
	mustahsilMakbuzSorgulaCompleted (see page 623)	
	mustahsilMakbuzTaslakOlusturCompleted (see page 623)	
	mustahsilMakbuzTaslakOnizlemeCompleted (see page 623)	
	mustahsilMakbuzTaslakSilCompleted (see page 623)	
	mustahsilMakbuzTaslakSorgulaCompleted (see page 623)	
	mustahsilMakbuzTaslaktanOlusturCompleted (see page 624)	
	raporBolumAlCompleted (see page 624)	
	raporBolumBilgisiAlCompleted (see page 624)	
	raporBolumleriOlusturCompleted (see page 624)	
	raporBolumListesiDetayliSorgulaCompleted (see page 624)	
	raporBolumListesiSorgulaCompleted (see page 624)	
	raporBolumRaporNoGuncelleImzalaCompleted (see page 624)	
	raporBolumSilCompleted (see page 624)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	rapordaBelgeSorgulaCompleted (see page 624)	
	raporDurumSorgulaCompleted (see page 624)	
	raporGonderCompleted (see page 624)	
	smsDurumSorgulaCompleted (see page 625)	
	smsGonderCompleted (see page 625)	

MustahsilWebService Methods

	Name	Description
	belgeZipiAl (see page 584)	
	belgeZipiAlAsync (see page 585)	
	CancelAsync (see page 585)	
	ePostaDurumSorgula (see page 585)	
	ePostaDurumSorgulaAsync (see page 586)	
	ePostaGonder (see page 586)	
	ePostaGonderAsync (see page 587)	
	IsLocalFileSystemWebService (see page 588)	This is IsLocalFileSystemWebService, a member of class MustahsilWebService.
	kontorBilgisiGetir (see page 588)	
	kontorBilgisiGetirAsync (see page 589)	
	mustahsilMakbuzIptalEt (see page 589)	
	mustahsilMakbuzIptalEtAsync (see page 590)	
	mustahsilMakbuzIptaliKaldir (see page 590)	
	mustahsilMakbuzIptaliKaldirAsync (see page 591)	
	mustahsilMakbuzListeSorgula (see page 591)	
	mustahsilMakbuzListeSorgulaAsync (see page 592)	
	mustahsilMakbuzListeSorgulaPortal (see page 592)	
	mustahsilMakbuzListeSorgulaPortalAsync (see page 593)	
	mustahsilMakbuzOlustur (see page 593)	
	mustahsilMakbuzOlusturAsync (see page 594)	
	mustahsilMakbuzOnizleme (see page 594)	
	mustahsilMakbuzOnizlemeAsync (see page 595)	
	mustahsilMakbuzSorgula (see page 595)	
	mustahsilMakbuzSorgulaAsync (see page 596)	
	mustahsilMakbuzTaslakOlustur (see page 596)	
	mustahsilMakbuzTaslakOlusturAsync (see page 597)	
	mustahsilMakbuzTaslakOnizleme (see page 597)	
	mustahsilMakbuzTaslakOnizlemeAsync (see page 598)	
	mustahsilMakbuzTaslakSil (see page 598)	
	mustahsilMakbuzTaslakSilAsync (see page 599)	
	mustahsilMakbuzTaslakSorgula (see page 599)	
	mustahsilMakbuzTaslakSorgulaAsync (see page 600)	
	mustahsilMakbuzTaslaktanOlustur (see page 600)	
	mustahsilMakbuzTaslaktanOlusturAsync (see page 601)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	OnbelgeZipiAlOperationCompleted (see page 601)	This is OnbelgeZipiAlOperationCompleted, a member of class MustahsilWebService.
	OnePostaDurumSorgulaOperationCompleted (see page 602)	This is OnePostaDurumSorgulaOperationCompleted, a member of class MustahsilWebService.
	OnePostaGonderOperationCompleted (see page 602)	This is OnePostaGonderOperationCompleted, a member of class MustahsilWebService.
	OnkontorBilgisiGetirOperationCompleted (see page 602)	This is OnkontorBilgisiGetirOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzIptalEtOperationCompleted (see page 602)	This is OnmustahsilMakbuzIptalEtOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzIptaliKaldirOperationCompleted (see page 603)	This is OnmustahsilMakbuzIptaliKaldirOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzListeSorgulaOperationCompleted (see page 603)	This is OnmustahsilMakbuzListeSorgulaOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzListeSorgulaPortalOperationCompleted (see page 603)	This is OnmustahsilMakbuzListeSorgulaPortalOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzOlusturOperationCompleted (see page 604)	This is OnmustahsilMakbuzOlusturOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzOnizlemeOperationCompleted (see page 604)	This is OnmustahsilMakbuzOnizlemeOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzSorgulaOperationCompleted (see page 604)	This is OnmustahsilMakbuzSorgulaOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzTaslakOlusturOperationCompleted (see page 605)	This is OnmustahsilMakbuzTaslakOlusturOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzTaslakOnizlemeOperationCompleted (see page 605)	This is OnmustahsilMakbuzTaslakOnizlemeOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzTaslakSilOperationCompleted (see page 605)	This is OnmustahsilMakbuzTaslakSilOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzTaslakSorgulaOperationCompleted (see page 605)	This is OnmustahsilMakbuzTaslakSorgulaOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzTaslaktanOlusturOperationCompleted (see page 606)	This is OnmustahsilMakbuzTaslaktanOlusturOperationCompleted, a member of class MustahsilWebService.
	OnraporBolumAlOperationCompleted (see page 606)	This is OnraporBolumAlOperationCompleted, a member of class MustahsilWebService.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	OnraporBolumBilgisiAlOperationCompleted (see page 606)	This is OnraporBolumBilgisiAlOperationCompleted, a member of class MustahsilWebService.
	OnraporBolumleriOlusturOperationCompleted (see page 607)	This is OnraporBolumleriOlusturOperationCompleted, a member of class MustahsilWebService.
	OnraporBolumListesiDetayliSorgulaOperationCompleted (see page 607)	This is OnraporBolumListesiDetayliSorgulaOperationCompleted, a member of class MustahsilWebService.
	OnraporBolumListesiSorgulaOperationCompleted (see page 607)	This is OnraporBolumListesiSorgulaOperationCompleted, a member of class MustahsilWebService.
	OnraporBolumRaporNoGuncelleImzalaOperationCompleted (see page 608)	This is OnraporBolumRaporNoGuncelleImzalaOperationCompleted, a member of class MustahsilWebService.
	OnraporBolumSilOperationCompleted (see page 608)	This is OnraporBolumSilOperationCompleted, a member of class MustahsilWebService.
	OnrapordaBelgeSorgulaOperationCompleted (see page 608)	This is OnrapordaBelgeSorgulaOperationCompleted, a member of class MustahsilWebService.
	OnraporDurumSorgulaOperationCompleted (see page 608)	This is OnraporDurumSorgulaOperationCompleted, a member of class MustahsilWebService.
	OnraporGonderOperationCompleted (see page 609)	This is OnraporGonderOperationCompleted, a member of class MustahsilWebService.
	OnsmsDurumSorgulaOperationCompleted (see page 609)	This is OnsmsDurumSorgulaOperationCompleted, a member of class MustahsilWebService.
	OnsmsGonderOperationCompleted (see page 609)	This is OnsmsGonderOperationCompleted, a member of class MustahsilWebService.
	raporBolumAl (see page 610)	
	raporBolumAlAsync (see page 610)	
	raporBolumBilgisiAl (see page 611)	
	raporBolumBilgisiAlAsync (see page 611)	
	raporBolumleriOlustur (see page 612)	
	raporBolumleriOlusturAsync (see page 612)	
	raporBolumListesiDetayliSorgula (see page 613)	
	raporBolumListesiDetayliSorgulaAsync (see page 613)	
	raporBolumListesiSorgula (see page 614)	
	raporBolumListesiSorgulaAsync (see page 614)	
	raporBolumRaporNoGuncelleImzala (see page 615)	
	raporBolumRaporNoGuncelleImzalaAsync (see page 615)	
	raporBolumSil (see page 616)	
	raporBolumSilAsync (see page 616)	
	rapordaBelgeSorgula (see page 617)	
	rapordaBelgeSorgulaAsync (see page 617)	
	raporDurumSorgula (see page 618)	
	raporDurumSorgulaAsync (see page 618)	
	raporGonder (see page 619)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	raporGonderAsync (see page 619)	
	smsDurumSorgula (see page 620)	
	smsDurumSorgulaAsync (see page 620)	
	smsGonder (see page 621)	
	smsGonderAsync (see page 621)	

MustahsilWebService Properties

	Name	Description
	Url (see page 622)	This is Url, a member of class MustahsilWebService.
	UseDefaultCredentials (see page 622)	This is UseDefaultCredentials, a member of class MustahsilWebService.

1.1.4.1.51.1 MustahsilWebService.MustahsilWebService Constructor

C#

```
public MustahsilWebService();
```

Body Source

```
 1: public MustahsilWebService() {
 2:     this.Url =
global::QNBFinansGIB.Properties.Settings.Default.QNBFinansGIB_GIBEMustahsil_MustahsilWebServ
ice;
 3:     if ((this.IsLocalFileSystemWebService(this.Url) == true)) {
 4:         this.UseDefaultCredentials = true;
 5:         this.useDefaultCredentialsSetExplicitly = false;
 6:     }
 7:     else {
 8:         this.useDefaultCredentialsSetExplicitly = true;
 9:     }
10: }
```

1.1.4.1.51.2 MustahsilWebService Methods

1.1.4.1.51.2.1 MustahsilWebService.belgeZipiAl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
belgeZipiAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary", IsNullable=true)] out byte[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
belgeZipiAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
rm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary", IsNullable=true)] out byte[] output) {
4:     object[] results = this.Invoke("belgeZipiAl", new object[] {
5:                 input});
6:     output = ((byte[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.4.1.51.2.2 belgeZipiAlAsync Method

1.1.4.1.51.2.2.1 MustahsilWebService.belgeZipiAlAsync Method (string)

C#

```
public void belgeZipiAlAsync(string input);
```

Body Source

```
1: public void belgeZipiAlAsync(string input) {
2:     this.belgeZipiAlAsync(input, null);
3: }
```

1.1.4.1.51.2.2.2 MustahsilWebService.belgeZipiAlAsync Method (string, object)

C#

```
public void belgeZipiAlAsync(string input, object userState);
```

Body Source

```
1: public void belgeZipiAlAsync(string input, object userState) {
2:     if ((this.belgeZipiAlOperationCompleted == null)) {
3:         this.belgeZipiAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgeZipiAlOperationCompleted);
4:     }
5:     this.InvokeAsync("belgeZipiAl", new object[] {
6:                 input}, this.belgeZipiAlOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.3 MustahsilWebService.CancelAsync Method

C#

```
public new void CancelAsync(object userState);
```

Body Source

```
1: public new void CancelAsync(object userState) {
2:     base.CancelAsync(userState);
3: }
```

1.1.4.1.51.2.4 MustahsilWebService.ePostaDurumSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("outputDurum",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
ePostaDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
out string outputEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("outputDurum",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
ePostaDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out string outputEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("ePostaDurumSorgula", new object[] {
5:                 input});
6:     outputEposta = ((string)(results[1]));
7:     @return = ((earsivServiceResult)(results[2]));
8:     return ((string)(results[0]));
9: }
```

1.1.4.1.51.2.5 ePostaDurumSorgulaAsync Method

1.1.4.1.51.2.5.1 MustahsilWebService.ePostaDurumSorgulaAsync Method (string)

C#

```
public void ePostaDurumSorgulaAsync(string input);
```

Body Source

```
1: public void ePostaDurumSorgulaAsync(string input) {
2:     this.ePostaDurumSorgulaAsync(input, null);
3: }
```

1.1.4.1.51.2.5.2 MustahsilWebService.ePostaDurumSorgulaAsync Method (string, object)

C#

```
public void ePostaDurumSorgulaAsync(string input, object userState);
```

Body Source

```
1: public void ePostaDurumSorgulaAsync(string input, object userState) {
2:     if ((this.ePostaDurumSorgulaOperationCompleted == null)) {
3:         this.ePostaDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnePostaDurumSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("ePostaDurumSorgula", new object[] {
6:                 input}, this.ePostaDurumSorgulaOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.6 MustahsilWebService.ePostaGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
ePostaGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaF
orm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ilaveEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
int tanimliEpostayaGonder);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
ePostaGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaF
orm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ilaveEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
int tanimliEpostayaGonder) {
4:     object[] results = this.Invoke("ePostaGonder", new object[] {
5:                 input,
6:                 ilaveEposta,
7:                 tanimliEpostayaGonder});
8:     return ((earsivServiceResult)(results[0]));
9: }
```

1.1.4.1.51.2.7 ePostaGonderAsync Method

1.1.4.1.51.2.7.1 MustahsilWebService.ePostaGonderAsync Method (string, string, int)

C#

```
public void ePostaGonderAsync(string input, string ilaveEposta, int tanimliEpostayaGonder);
```

Body Source

```
1: public void ePostaGonderAsync(string input, string ilaveEposta, int
tanimliEpostayaGonder) {
2:     this.ePostaGonderAsync(input, ilaveEposta, tanimliEpostayaGonder, null);
3: }
```

1.1.4.1.51.2.7.2 MustahsilWebService.ePostaGonderAsync Method (string, string, int, object)

C#

```
public void ePostaGonderAsync(string input, string ilaveEposta, int tanimliEpostayaGonder,
object userState);
```

Body Source

```
1: public void ePostaGonderAsync(string input, string ilaveEposta, int
tanimliEpostayaGonder, object userState) {
2:     if ((this.ePostaGonderOperationCompleted == null)) {
3:         this.ePostaGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnePostaGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("ePostaGonder", new object[] {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
6:                  input,
7:                  ilaveEposta,
8:                  tanimliEpostayaGonder}, this.ePostaGonderOperationCompleted, userState);
9: }
```

1.1.4.1.51.2.8 MustahsilWebService.IsLocalFileSystemWebService Method

C#

```
private bool IsLocalFileSystemWebService(string url);
```

Description

This is IsLocalFileSystemWebService, a member of class MustahsilWebService.

Body Source

```
 1: private bool IsLocalFileSystemWebService(string url) {
 2:     if (((url == null)
 3:                 || (url == string.Empty))) {
 4:         return false;
 5:     }
 6:     System.Uri wsUri = new System.Uri(url);
 7:     if (((wsUri.Port >= 1024)
 8:                 && (string.Compare(wsUri.Host, "localHost",
System.StringComparison.OrdinalIgnoreCase) == 0))) {
 9:         return true;
10:     }
11:     return false;
12: }
```

1.1.4.1.51.2.9 MustahsilWebService.kontorBilgisiGetir Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
kontorBilgisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string kontorTipi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string kontorBirimi);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
kontorBilgisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string kontorTipi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
string kontorBirimi) {
    object[] results = this.Invoke("kontorBilgisiGetir", new object[] {
                vknTckn,
                kontorTipi,
                kontorBirimi});
    return ((earsivServiceResult)(results[0]));
}
```

1.1.4.1.51.2.10 kontorBilgisiGetirAsync Method

1.1.4.1.51.2.10.1 MustahsilWebService.kontorBilgisiGetirAsync Method (string, string, string)

C#

```
public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string kontorBirimi);
```

Body Source

```
public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string
kontorBirimi) {
    this.kontorBilgisiGetirAsync(vknTckn, kontorTipi, kontorBirimi, null);
}
```

1.1.4.1.51.2.10.2 MustahsilWebService.kontorBilgisiGetirAsync Method (string, string, string, object)

C#

```
public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string kontorBirimi,
object userState);
```

Body Source

```
public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string
kontorBirimi, object userState) {
    if ((this.kontorBilgisiGetirOperationCompleted == null)) {
        this.kontorBilgisiGetirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnkontorBilgisiGetirOperationCompleted);
    }
    this.InvokeAsync("kontorBilgisiGetir", new object[] {
                vknTckn,
                kontorTipi,
                kontorBirimi}, this.kontorBilgisiGetirOperationCompleted, userState);
}
```

1.1.4.1.51.2.11 MustahsilWebService.mustahsilMakbuzIptalEt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzIptalEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string input);
```

Body Source

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzIptalEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
XmlSchemaForm.Unqualified)]
string input) {
    object[] results = this.Invoke("mustahsilMakbuzIptalEt", new object[] {
                input});
    return ((earsivServiceResult)(results[0]));
}
```

1.1.4.1.51.2.12 mustahsilMakbuzIptalEtAsync Method

1.1.4.1.51.2.12.1 MustahsilWebService.mustahsilMakbuzIptalEtAsync Method (string)

C#

```
public void mustahsilMakbuzIptalEtAsync(string input);
```

Body Source

```
public void mustahsilMakbuzIptalEtAsync(string input) {
    this.mustahsilMakbuzIptalEtAsync(input, null);
}
```

1.1.4.1.51.2.12.2 MustahsilWebService.mustahsilMakbuzIptalEtAsync Method (string, object)

C#

```
public void mustahsilMakbuzIptalEtAsync(string input, object userState);
```

Body Source

```
public void mustahsilMakbuzIptalEtAsync(string input, object userState) {
    if ((this.mustahsilMakbuzIptalEtOperationCompleted == null)) {
        this.mustahsilMakbuzIptalEtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzIptalEtOperationCompleted);
    }
    this.InvokeAsync("mustahsilMakbuzIptalEt", new object[] {
                input}, this.mustahsilMakbuzIptalEtOperationCompleted, userState);
}
```

1.1.4.1.51.2.13 MustahsilWebService.mustahsilMakbuzIptaliKaldir Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzIptaliKaldir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string input);
```

Body Source

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzIptaliKaldir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string input) {
    object[] results = this.Invoke("mustahsilMakbuzIptaliKaldir", new object[] {
                input});
    return ((earsivServiceResult)(results[0]));
}
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.51.2.14 mustahsilMakbuzIptaliKaldirAsync Method

1.1.4.1.51.2.14.1 MustahsilWebService.mustahsilMakbuzIptaliKaldirAsync Method (string)

C#

```
public void mustahsilMakbuzIptaliKaldirAsync(string input);
```

Body Source

```
1: public void mustahsilMakbuzIptaliKaldirAsync(string input) {
2:     this.mustahsilMakbuzIptaliKaldirAsync(input, null);
3: }
```

1.1.4.1.51.2.14.2 MustahsilWebService.mustahsilMakbuzIptaliKaldirAsync Method (string, object)

C#

```
public void mustahsilMakbuzIptaliKaldirAsync(string input, object userState);
```

Body Source

```
1: public void mustahsilMakbuzIptaliKaldirAsync(string input, object userState) {
2:     if ((this.mustahsilMakbuzIptaliKaldirOperationCompleted == null)) {
3:         this.mustahsilMakbuzIptaliKaldirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzIptaliKaldirOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzIptaliKaldir", new object[] {
6:                 input}, this.mustahsilMakbuzIptaliKaldirOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.15 MustahsilWebService.mustahsilMakbuzListeSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzListeSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out belgeDTO[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
mustahsilMakbuzListeSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out belgeDTO[] output) {
4:     object[] results = this.Invoke("mustahsilMakbuzListeSorgula", new object[] {
5:                 input});
6:     output = ((belgeDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.4.1.51.2.16 mustahsilMakbuzListeSorgulaAsync Method

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.51.2.16.1 MustahsilWebService.mustahsilMakbuzListeSorgulaAsync Method (string)

C#

```
public void mustahsilMakbuzListeSorgulaAsync(string input);
```

Body Source

```
1: public void mustahsilMakbuzListeSorgulaAsync(string input) {
2:     this.mustahsilMakbuzListeSorgulaAsync(input, null);
3: }
```

1.1.4.1.51.2.16.2 MustahsilWebService.mustahsilMakbuzListeSorgulaAsync Method (string, object)

C#

```
public void mustahsilMakbuzListeSorgulaAsync(string input, object userState);
```

Body Source

```
1: public void mustahsilMakbuzListeSorgulaAsync(string input, object userState) {
2:     if ((this.mustahsilMakbuzListeSorgulaOperationCompleted == null)) {
3:         this.mustahsilMakbuzListeSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzListeSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzListeSorgula", new object[] {
6:                 input}, this.mustahsilMakbuzListeSorgulaOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.17 MustahsilWebService.mustahsilMakbuzListeSorgulaPortal Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzListeSorgulaPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.
Xml.Schema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out belgeDTO[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
mustahsilMakbuzListeSorgulaPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.
Xml.Schema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out belgeDTO[] output) {
4:     object[] results = this.Invoke("mustahsilMakbuzListeSorgulaPortal", new object[] {
5:                 input});
6:     output = ((belgeDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.4.1.51.2.18 mustahsilMakbuzListeSorgulaPortalAsync Method

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.51.2.18.1 MustahsilWebService.mustahsilMakbuzListeSorgulaPortalAsync Method (string)

C#

```
public void mustahsilMakbuzListeSorgulaPortalAsync(string input);
```

Body Source

```
1: public void mustahsilMakbuzListeSorgulaPortalAsync(string input) {
2:     this.mustahsilMakbuzListeSorgulaPortalAsync(input, null);
3: }
```

1.1.4.1.51.2.18.2 MustahsilWebService.mustahsilMakbuzListeSorgulaPortalAsync Method (string, object)

C#

```
public void mustahsilMakbuzListeSorgulaPortalAsync(string input, object userState);
```

Body Source

```
1: public void mustahsilMakbuzListeSorgulaPortalAsync(string input, object userState) {
2:     if ((this.mustahsilMakbuzListeSorgulaPortalOperationCompleted == null)) {
3:         this.mustahsilMakbuzListeSorgulaPortalOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzListeSorgulaPortalOperationComplet
ed);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzListeSorgulaPortal", new object[] {
6:                 input}, this.mustahsilMakbuzListeSorgulaPortalOperationCompleted,
userState);
7: }
```

1.1.4.1.51.2.19 MustahsilWebService.mustahsilMakbuzOlustur Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
mustahsilMakbuzOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge belge,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
mustahsilMakbuzOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge belge,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
out earsivServiceResult @return) {
    object[] results = this.Invoke("mustahsilMakbuzOlustur", new object[] {
                input,
                belge});
    @return = ((earsivServiceResult)(results[1]));
    return ((belge)(results[0]));
}
```

1.1.4.1.51.2.20 mustahsilMakbuzOlusturAsync Method

1.1.4.1.51.2.20.1 MustahsilWebService.mustahsilMakbuzOlusturAsync Method (string, belge)

C#

```
public void mustahsilMakbuzOlusturAsync(string input, belge belge);
```

Body Source

```
public void mustahsilMakbuzOlusturAsync(string input, belge belge) {
    this.mustahsilMakbuzOlusturAsync(input, belge, null);
}
```

1.1.4.1.51.2.20.2 MustahsilWebService.mustahsilMakbuzOlusturAsync Method (string, belge, object)

C#

```
public void mustahsilMakbuzOlusturAsync(string input, belge belge, object userState);
```

Body Source

```
public void mustahsilMakbuzOlusturAsync(string input, belge belge, object userState) {
    if ((this.mustahsilMakbuzOlusturOperationCompleted == null)) {
        this.mustahsilMakbuzOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzOlusturOperationCompleted);
    }
    this.InvokeAsync("mustahsilMakbuzOlustur", new object[] {
                input,
                belge}, this.mustahsilMakbuzOlusturOperationCompleted, userState);
}
```

1.1.4.1.51.2.21 MustahsilWebService.mustahsilMakbuzOnizleme Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
mustahsilMakbuzOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema
.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge belge,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);
```

Body Source

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
3: public belge
mustahsilMakbuzOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema
.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge belge,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("mustahsilMakbuzOnizleme", new object[] {
5:                 input,
6:                 belge});
7:     @return = ((earsivServiceResult)(results[1]));
8:     return ((belge)(results[0]));
9: }
```

1.1.4.1.51.2.22 mustahsilMakbuzOnizlemeAsync Method

1.1.4.1.51.2.22.1 MustahsilWebService.mustahsilMakbuzOnizlemeAsync Method (string, belge)

C#

```
public void mustahsilMakbuzOnizlemeAsync(string input, belge belge);
```

Body Source

```
1: public void mustahsilMakbuzOnizlemeAsync(string input, belge belge) {
2:     this.mustahsilMakbuzOnizlemeAsync(input, belge, null);
3: }
```

1.1.4.1.51.2.22.2 MustahsilWebService.mustahsilMakbuzOnizlemeAsync Method (string, belge, object)

C#

```
public void mustahsilMakbuzOnizlemeAsync(string input, belge belge, object userState);
```

Body Source

```
1: public void mustahsilMakbuzOnizlemeAsync(string input, belge belge, object userState) {
2:     if ((this.mustahsilMakbuzOnizlemeOperationCompleted == null)) {
3:         this.mustahsilMakbuzOnizlemeOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzOnizlemeOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzOnizleme", new object[] {
6:                 input,
7:                 belge}, this.mustahsilMakbuzOnizlemeOperationCompleted, userState);
8: }
```

1.1.4.1.51.2.23 MustahsilWebService.mustahsilMakbuzSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
mustahsilMakbuzSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
mustahsilMakbuzSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("mustahsilMakbuzSorgula", new object[] {
5:                 input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }
```

1.1.4.1.51.2.24 mustahsilMakbuzSorgulaAsync Method

1.1.4.1.51.2.24.1 MustahsilWebService.mustahsilMakbuzSorgulaAsync Method (string)

C#

```
public void mustahsilMakbuzSorgulaAsync(string input);
```

Body Source

```
1: public void mustahsilMakbuzSorgulaAsync(string input) {
2:     this.mustahsilMakbuzSorgulaAsync(input, null);
3: }
```

1.1.4.1.51.2.24.2 MustahsilWebService.mustahsilMakbuzSorgulaAsync Method (string, object)

C#

```
public void mustahsilMakbuzSorgulaAsync(string input, object userState);
```

Body Source

```
1: public void mustahsilMakbuzSorgulaAsync(string input, object userState) {
2:     if ((this.mustahsilMakbuzSorgulaOperationCompleted == null)) {
3:         this.mustahsilMakbuzSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzSorgula", new object[] {
6:                 input}, this.mustahsilMakbuzSorgulaOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.25 MustahsilWebService.mustahsilMakbuzTaslakOlustur Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzTaslakOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.S
chema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge belge);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
mustahsilMakbuzTaslakOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.S
chema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge belge) {
4:     object[] results = this.Invoke("mustahsilMakbuzTaslakOlustur", new object[] {
5:                 input,
6:                 belge});
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.4.1.51.2.26 mustahsilMakbuzTaslakOlusturAsync Method

1.1.4.1.51.2.26.1 MustahsilWebService.mustahsilMakbuzTaslakOlusturAsync Method (string, belge)

C#

```
public void mustahsilMakbuzTaslakOlusturAsync(string input, belge belge);
```

Body Source

```
1: public void mustahsilMakbuzTaslakOlusturAsync(string input, belge belge) {
2:     this.mustahsilMakbuzTaslakOlusturAsync(input, belge, null);
3: }
```

1.1.4.1.51.2.26.2 MustahsilWebService.mustahsilMakbuzTaslakOlusturAsync Method (string, belge, object)

C#

```
public void mustahsilMakbuzTaslakOlusturAsync(string input, belge belge, object userState);
```

Body Source

```
1: public void mustahsilMakbuzTaslakOlusturAsync(string input, belge belge, object
userState) {
2:     if ((this.mustahsilMakbuzTaslakOlusturOperationCompleted == null)) {
3:         this.mustahsilMakbuzTaslakOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzTaslakOlusturOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzTaslakOlustur", new object[] {
6:                 input,
7:                 belge}, this.mustahsilMakbuzTaslakOlusturOperationCompleted, userState);
8: }
```

1.1.4.1.51.2.27 MustahsilWebService.mustahsilMakbuzTaslakOnizleme Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzTaslakOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string input,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out belge output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
mustahsilMakbuzTaslakOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out belge output) {
4:     object[] results = this.Invoke("mustahsilMakbuzTaslakOnizleme", new object[] {
5:                 input});
6:     output = ((belge)(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.4.1.51.2.28 mustahsilMakbuzTaslakOnizlemeAsync Method

1.1.4.1.51.2.28.1 MustahsilWebService.mustahsilMakbuzTaslakOnizlemeAsync Method (string)

C#

```
public void mustahsilMakbuzTaslakOnizlemeAsync(string input);
```

Body Source

```
1: public void mustahsilMakbuzTaslakOnizlemeAsync(string input) {
2:     this.mustahsilMakbuzTaslakOnizlemeAsync(input, null);
3: }
```

1.1.4.1.51.2.28.2 MustahsilWebService.mustahsilMakbuzTaslakOnizlemeAsync Method (string, object)

C#

```
public void mustahsilMakbuzTaslakOnizlemeAsync(string input, object userState);
```

Body Source

```
1: public void mustahsilMakbuzTaslakOnizlemeAsync(string input, object userState) {
2:     if ((this.mustahsilMakbuzTaslakOnizlemeOperationCompleted == null)) {
3:         this.mustahsilMakbuzTaslakOnizlemeOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzTaslakOnizlemeOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzTaslakOnizleme", new object[] {
6:                 input}, this.mustahsilMakbuzTaslakOnizlemeOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.29 MustahsilWebService.mustahsilMakbuzTaslakSil Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzTaslakSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schem
a.XmlSchemaForm.Unqualified)]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
string input);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
mustahsilMakbuzTaslakSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schem
a.XmlSchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("mustahsilMakbuzTaslakSil", new object[] {
5:                 input});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.4.1.51.2.30 mustahsilMakbuzTaslakSilAsync Method

1.1.4.1.51.2.30.1 MustahsilWebService.mustahsilMakbuzTaslakSilAsync Method (string)

C#

```
public void mustahsilMakbuzTaslakSilAsync(string input);
```

Body Source

```
1: public void mustahsilMakbuzTaslakSilAsync(string input) {
2:     this.mustahsilMakbuzTaslakSilAsync(input, null);
3: }
```

1.1.4.1.51.2.30.2 MustahsilWebService.mustahsilMakbuzTaslakSilAsync Method (string, object)

C#

```
public void mustahsilMakbuzTaslakSilAsync(string input, object userState);
```

Body Source

```
1: public void mustahsilMakbuzTaslakSilAsync(string input, object userState) {
2:     if ((this.mustahsilMakbuzTaslakSilOperationCompleted == null)) {
3:         this.mustahsilMakbuzTaslakSilOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzTaslakSilOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzTaslakSil", new object[] {
6:                 input}, this.mustahsilMakbuzTaslakSilOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.31 MustahsilWebService.mustahsilMakbuzTaslakSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzTaslakSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.S
chema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out belgeDTO[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
mustahsilMakbuzTaslakSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.S
chema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out belgeDTO[] output) {
4:     object[] results = this.Invoke("mustahsilMakbuzTaslakSorgula", new object[] {
5:                 input});
6:     output = ((belgeDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.4.1.51.2.32 mustahsilMakbuzTaslakSorgulaAsync Method

1.1.4.1.51.2.32.1 MustahsilWebService.mustahsilMakbuzTaslakSorgulaAsync Method (string)

C#

```
public void mustahsilMakbuzTaslakSorgulaAsync(string input);
```

Body Source

```
1: public void mustahsilMakbuzTaslakSorgulaAsync(string input) {
2:     this.mustahsilMakbuzTaslakSorgulaAsync(input, null);
3: }
```

1.1.4.1.51.2.32.2 MustahsilWebService.mustahsilMakbuzTaslakSorgulaAsync Method (string, object)

C#

```
public void mustahsilMakbuzTaslakSorgulaAsync(string input, object userState);
```

Body Source

```
1: public void mustahsilMakbuzTaslakSorgulaAsync(string input, object userState) {
2:     if ((this.mustahsilMakbuzTaslakSorgulaOperationCompleted == null)) {
3:         this.mustahsilMakbuzTaslakSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzTaslakSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzTaslakSorgula", new object[] {
6:                 input}, this.mustahsilMakbuzTaslakSorgulaOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.33 MustahsilWebService.mustahsilMakbuzTaslaktanOlustur Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
mustahsilMakbuzTaslaktanOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
mustahsilMakbuzTaslaktanOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("mustahsilMakbuzTaslaktanOlustur", new object[] {
5:                 input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }
```

1.1.4.1.51.2.34 mustahsilMakbuzTaslaktanOlusturAsync Method

1.1.4.1.51.2.34.1 MustahsilWebService.mustahsilMakbuzTaslaktanOlusturAsync Method (string)

C#

```
public void mustahsilMakbuzTaslaktanOlusturAsync(string input);
```

Body Source

```
1: public void mustahsilMakbuzTaslaktanOlusturAsync(string input) {
2:     this.mustahsilMakbuzTaslaktanOlusturAsync(input, null);
3: }
```

1.1.4.1.51.2.34.2 MustahsilWebService.mustahsilMakbuzTaslaktanOlusturAsync Method (string, object)

C#

```
public void mustahsilMakbuzTaslaktanOlusturAsync(string input, object userState);
```

Body Source

```
1: public void mustahsilMakbuzTaslaktanOlusturAsync(string input, object userState) {
2:     if ((this.mustahsilMakbuzTaslaktanOlusturOperationCompleted == null)) {
3:         this.mustahsilMakbuzTaslaktanOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzTaslaktanOlusturOperationCompleted
);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzTaslaktanOlustur", new object[] {
6:                 input}, this.mustahsilMakbuzTaslaktanOlusturOperationCompleted,
userState);
7: }
```

1.1.4.1.51.2.35 MustahsilWebService.OnbelgeZipiAlOperationCompleted Method

C#

```
private void OnbelgeZipiAlOperationCompleted(object arg);
```

Description

This is OnbelgeZipiAlOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnbelgeZipiAlOperationCompleted(object arg) {
2:     if ((this.belgeZipiAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.belgeZipiAlCompleted(this, new
belgeZipiAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.51.2.36 MustahsilWebService.OnePostaDurumSorgulaOperationCompleted Method

C#

```
private void OnePostaDurumSorgulaOperationCompleted(object arg);
```

Description

This is OnePostaDurumSorgulaOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnePostaDurumSorgulaOperationCompleted(object arg) {
2:     if ((this.ePostaDurumSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.ePostaDurumSorgulaCompleted(this, new
ePostaDurumSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.37 MustahsilWebService.OnePostaGonderOperationCompleted Method

C#

```
private void OnePostaGonderOperationCompleted(object arg);
```

Description

This is OnePostaGonderOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnePostaGonderOperationCompleted(object arg) {
2:     if ((this.ePostaGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.ePostaGonderCompleted(this, new
ePostaGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.38 MustahsilWebService.OnkontorBilgisiGetirOperationCompleted Method

C#

```
private void OnkontorBilgisiGetirOperationCompleted(object arg);
```

Description

This is OnkontorBilgisiGetirOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnkontorBilgisiGetirOperationCompleted(object arg) {
2:     if ((this.kontorBilgisiGetirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.kontorBilgisiGetirCompleted(this, new
kontorBilgisiGetirCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.39 MustahsilWebService.OnmustahsilMakbuzIptalEtOperationCompleted Method

C#

```
private void OnmustahsilMakbuzIptalEtOperationCompleted(object arg);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Description

This is OnmustahsilMakbuzIptalEtOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnmustahsilMakbuzIptalEtOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzIptalEtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.mustahsilMakbuzIptalEtCompleted(this, new
mustahsilMakbuzIptalEtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.40 MustahsilWebService.OnmustahsilMakbuzIptaliKaldirOperationCompleted Method

C#

```
private void OnmustahsilMakbuzIptaliKaldirOperationCompleted(object arg);
```

Description

This is OnmustahsilMakbuzIptaliKaldirOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnmustahsilMakbuzIptaliKaldirOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzIptaliKaldirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.mustahsilMakbuzIptaliKaldirCompleted(this, new
mustahsilMakbuzIptaliKaldirCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.41 MustahsilWebService.OnmustahsilMakbuzListeSorgulaOperationCompleted Method

C#

```
private void OnmustahsilMakbuzListeSorgulaOperationCompleted(object arg);
```

Description

This is OnmustahsilMakbuzListeSorgulaOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnmustahsilMakbuzListeSorgulaOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzListeSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.mustahsilMakbuzListeSorgulaCompleted(this, new
mustahsilMakbuzListeSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.42 MustahsilWebService.OnmustahsilMakbuzListeSorgulaPortalOperationCompleted Method

C#

```
private void OnmustahsilMakbuzListeSorgulaPortalOperationCompleted(object arg);
```

Description

This is OnmustahsilMakbuzListeSorgulaPortalOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnmustahsilMakbuzListeSorgulaPortalOperationCompleted(object arg) {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
2:     if ((this.mustahsilMakbuzListeSorgulaPortalCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.mustahsilMakbuzListeSorgulaPortalCompleted(this, new
mustahsilMakbuzListeSorgulaPortalCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.43 MustahsilWebService.OnmustahsilMakbuzOlusturOperationCompleted Method

C#

```
private void OnmustahsilMakbuzOlusturOperationCompleted(object arg);
```

Description

This is OnmustahsilMakbuzOlusturOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnmustahsilMakbuzOlusturOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzOlusturCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.mustahsilMakbuzOlusturCompleted(this, new
mustahsilMakbuzOlusturCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.44 MustahsilWebService.OnmustahsilMakbuzOnizlemeOperationCompleted Method

C#

```
private void OnmustahsilMakbuzOnizlemeOperationCompleted(object arg);
```

Description

This is OnmustahsilMakbuzOnizlemeOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnmustahsilMakbuzOnizlemeOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzOnizlemeCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.mustahsilMakbuzOnizlemeCompleted(this, new
mustahsilMakbuzOnizlemeCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.45 MustahsilWebService.OnmustahsilMakbuzSorgulaOperationCompleted Method

C#

```
private void OnmustahsilMakbuzSorgulaOperationCompleted(object arg);
```

Description

This is OnmustahsilMakbuzSorgulaOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnmustahsilMakbuzSorgulaOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.mustahsilMakbuzSorgulaCompleted(this, new
mustahsilMakbuzSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
6: }
```

1.1.4.1.51.2.46 MustahsilWebService.OnmustahsilMakbuzTaslakOlusturOperationCompleted Method

C#

```
private void OnmustahsilMakbuzTaslakOlusturOperationCompleted(object arg);
```

Description

This is OnmustahsilMakbuzTaslakOlusturOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnmustahsilMakbuzTaslakOlusturOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzTaslakOlusturCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.mustahsilMakbuzTaslakOlusturCompleted(this, new
mustahsilMakbuzTaslakOlusturCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.47 MustahsilWebService.OnmustahsilMakbuzTaslakOnizlemeOperationCompleted Method

C#

```
private void OnmustahsilMakbuzTaslakOnizlemeOperationCompleted(object arg);
```

Description

This is OnmustahsilMakbuzTaslakOnizlemeOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnmustahsilMakbuzTaslakOnizlemeOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzTaslakOnizlemeCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.mustahsilMakbuzTaslakOnizlemeCompleted(this, new
mustahsilMakbuzTaslakOnizlemeCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.48 MustahsilWebService.OnmustahsilMakbuzTaslakSilOperationCompleted Method

C#

```
private void OnmustahsilMakbuzTaslakSilOperationCompleted(object arg);
```

Description

This is OnmustahsilMakbuzTaslakSilOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnmustahsilMakbuzTaslakSilOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzTaslakSilCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.mustahsilMakbuzTaslakSilCompleted(this, new
mustahsilMakbuzTaslakSilCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.49 MustahsilWebService.OnmustahsilMakbuzTaslakSorgulaOperationCompleted Method

C#

```
private void OnmustahsilMakbuzTaslakSorgulaOperationCompleted(object arg);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Description

This is OnmustahsilMakbuzTaslakSorgulaOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnmustahsilMakbuzTaslakSorgulaOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzTaslakSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.mustahsilMakbuzTaslakSorgulaCompleted(this, new
mustahsilMakbuzTaslakSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.50 MustahsilWebService.OnmustahsilMakbuzTaslaktanOlusturOperationCompleted Method

C#

```
private void OnmustahsilMakbuzTaslaktanOlusturOperationCompleted(object arg);
```

Description

This is OnmustahsilMakbuzTaslaktanOlusturOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnmustahsilMakbuzTaslaktanOlusturOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzTaslaktanOlusturCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.mustahsilMakbuzTaslaktanOlusturCompleted(this, new
mustahsilMakbuzTaslaktanOlusturCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.51 MustahsilWebService.OnraporBolumAlOperationCompleted Method

C#

```
private void OnraporBolumAlOperationCompleted(object arg);
```

Description

This is OnraporBolumAlOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnraporBolumAlOperationCompleted(object arg) {
2:     if ((this.raporBolumAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumAlCompleted(this, new
raporBolumAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.52 MustahsilWebService.OnraporBolumBilgisiAlOperationCompleted Method

C#

```
private void OnraporBolumBilgisiAlOperationCompleted(object arg);
```

Description

This is OnraporBolumBilgisiAlOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnraporBolumBilgisiAlOperationCompleted(object arg) {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
2:     if ((this.raporBolumBilgisiAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumBilgisiAlCompleted(this, new
raporBolumBilgisiAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.53 MustahsilWebService.OnraporBolumleriOlusturOperationCompleted Method

C#

```
private void OnraporBolumleriOlusturOperationCompleted(object arg);
```

Description

This is OnraporBolumleriOlusturOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnraporBolumleriOlusturOperationCompleted(object arg) {
2:     if ((this.raporBolumleriOlusturCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumleriOlusturCompleted(this, new
raporBolumleriOlusturCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.54 MustahsilWebService.OnraporBolumListesiDetayliSorgulaOperationCompleted Method

C#

```
private void OnraporBolumListesiDetayliSorgulaOperationCompleted(object arg);
```

Description

This is OnraporBolumListesiDetayliSorgulaOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnraporBolumListesiDetayliSorgulaOperationCompleted(object arg) {
2:     if ((this.raporBolumListesiDetayliSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumListesiDetayliSorgulaCompleted(this, new
raporBolumListesiDetayliSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.55 MustahsilWebService.OnraporBolumListesiSorgulaOperationCompleted Method

C#

```
private void OnraporBolumListesiSorgulaOperationCompleted(object arg);
```

Description

This is OnraporBolumListesiSorgulaOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnraporBolumListesiSorgulaOperationCompleted(object arg) {
2:     if ((this.raporBolumListesiSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumListesiSorgulaCompleted(this, new
raporBolumListesiSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
6: }
```

1.1.4.1.51.2.56 MustahsilWebService.OnraporBolumRaporNoGuncelleImzalaOperationCompleted Method

C#

```
private void OnraporBolumRaporNoGuncelleImzalaOperationCompleted(object arg);
```

Description

This is OnraporBolumRaporNoGuncelleImzalaOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnraporBolumRaporNoGuncelleImzalaOperationCompleted(object arg) {
2:     if ((this.raporBolumRaporNoGuncelleImzalaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumRaporNoGuncelleImzalaCompleted(this, new
raporBolumRaporNoGuncelleImzalaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.57 MustahsilWebService.OnraporBolumSilOperationCompleted Method

C#

```
private void OnraporBolumSilOperationCompleted(object arg);
```

Description

This is OnraporBolumSilOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnraporBolumSilOperationCompleted(object arg) {
2:     if ((this.raporBolumSilCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumSilCompleted(this, new
raporBolumSilCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.58 MustahsilWebService.OnrapordaBelgeSorgulaOperationCompleted Method

C#

```
private void OnrapordaBelgeSorgulaOperationCompleted(object arg);
```

Description

This is OnrapordaBelgeSorgulaOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnrapordaBelgeSorgulaOperationCompleted(object arg) {
2:     if ((this.rapordaBelgeSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.rapordaBelgeSorgulaCompleted(this, new
rapordaBelgeSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.59 MustahsilWebService.OnraporDurumSorgulaOperationCompleted Method

C#

```
private void OnraporDurumSorgulaOperationCompleted(object arg);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Description

This is OnraporDurumSorgulaOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnraporDurumSorgulaOperationCompleted(object arg) {
2:     if ((this.raporDurumSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporDurumSorgulaCompleted(this, new
raporDurumSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.60 MustahsilWebService.OnraporGonderOperationCompleted Method

C#

```
private void OnraporGonderOperationCompleted(object arg);
```

Description

This is OnraporGonderOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnraporGonderOperationCompleted(object arg) {
2:     if ((this.raporGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporGonderCompleted(this, new
raporGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.61 MustahsilWebService.OnsmsDurumSorgulaOperationCompleted Method

C#

```
private void OnsmsDurumSorgulaOperationCompleted(object arg);
```

Description

This is OnsmsDurumSorgulaOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnsmsDurumSorgulaOperationCompleted(object arg) {
2:     if ((this.smsDurumSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.smsDurumSorgulaCompleted(this, new
smsDurumSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.62 MustahsilWebService.OnsmsGonderOperationCompleted Method

C#

```
private void OnsmsGonderOperationCompleted(object arg);
```

Description

This is OnsmsGonderOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnsmsGonderOperationCompleted(object arg) {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
2:     if ((this.smsGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.smsGonderCompleted(this, new
smsGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.63 MustahsilWebService.raporBolumAl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
raporBolumAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaF
orm.Unqualified)]
string bolumRaporNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
raporBolumAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaF
orm.Unqualified)]
string bolumRaporNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("raporBolumAl", new object[] {
5:                 bolumRaporNo});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }
```

1.1.4.1.51.2.64 raporBolumAlAsync Method

1.1.4.1.51.2.64.1 MustahsilWebService.raporBolumAlAsync Method (string)

C#

```
public void raporBolumAlAsync(string bolumRaporNo);
```

Body Source

```
1: public void raporBolumAlAsync(string bolumRaporNo) {
2:     this.raporBolumAlAsync(bolumRaporNo, null);
3: }
```

1.1.4.1.51.2.64.2 MustahsilWebService.raporBolumAlAsync Method (string, object)

C#

```
public void raporBolumAlAsync(string bolumRaporNo, object userState);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```
1: public void raporBolumAlAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumAlOperationCompleted == null)) {
3:         this.raporBolumAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumAlOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumAl", new object[] {
6:                 bolumRaporNo}, this.raporBolumAlOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.65 MustahsilWebService.raporBolumBilgisiAl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumBilgisiAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string bolumRaporNo);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumBilgisiAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string bolumRaporNo) {
4:     object[] results = this.Invoke("raporBolumBilgisiAl", new object[] {
5:                 bolumRaporNo});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.4.1.51.2.66 raporBolumBilgisiAlAsync Method

1.1.4.1.51.2.66.1 MustahsilWebService.raporBolumBilgisiAlAsync Method (string)

C#

```
public void raporBolumBilgisiAlAsync(string bolumRaporNo);
```

Body Source

```
1: public void raporBolumBilgisiAlAsync(string bolumRaporNo) {
2:     this.raporBolumBilgisiAlAsync(bolumRaporNo, null);
3: }
```

1.1.4.1.51.2.66.2 MustahsilWebService.raporBolumBilgisiAlAsync Method (string, object)

C#

```
public void raporBolumBilgisiAlAsync(string bolumRaporNo, object userState);
```

Body Source

```
1: public void raporBolumBilgisiAlAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumBilgisiAlOperationCompleted == null)) {
3:         this.raporBolumBilgisiAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumBilgisiAlOperationCompleted);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
4:     }
5:     this.InvokeAsync("raporBolumBilgisiAl", new object[] {
6:                 bolumRaporNo}, this.raporBolumBilgisiAlOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.67 MustahsilWebService.raporBolumleriOlustur Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumleriOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string sonGun);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumleriOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string sonGun) {
4:     object[] results = this.Invoke("raporBolumleriOlustur", new object[] {
5:                 input,
6:                 donem,
7:                 sonGun});
8:     return ((earsivServiceResult)(results[0]));
9: }
```

1.1.4.1.51.2.68 raporBolumleriOlusturAsync Method

1.1.4.1.51.2.68.1 MustahsilWebService.raporBolumleriOlusturAsync Method (string, string, string)

C#

```
public void raporBolumleriOlusturAsync(string input, string donem, string sonGun);
```

Body Source

```
1: public void raporBolumleriOlusturAsync(string input, string donem, string sonGun) {
2:     this.raporBolumleriOlusturAsync(input, donem, sonGun, null);
3: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.51.2.68.2 MustahsilWebService.raporBolumleriOlusturAsync Method (string, string, string, object)

C#

```
public void raporBolumleriOlusturAsync(string input, string donem, string sonGun, object
userState);
```

Body Source

```
1: public void raporBolumleriOlusturAsync(string input, string donem, string sonGun, object
userState) {
2:     if ((this.raporBolumleriOlusturOperationCompleted == null)) {
3:         this.raporBolumleriOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumleriOlusturOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumleriOlustur", new object[] {
6:                 input,
7:                 donem,
8:                 sonGun}, this.raporBolumleriOlusturOperationCompleted, userState);
9: }
```

1.1.4.1.51.2.69 MustahsilWebService.raporBolumListesiDetayliSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumListesiDetayliSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string donem, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out raporBolumDTO[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumListesiDetayliSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string donem, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out raporBolumDTO[] output) {
4:     object[] results = this.Invoke("raporBolumListesiDetayliSorgula", new object[] {
5:                 donem});
6:     output = ((raporBolumDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.4.1.51.2.70 raporBolumListesiDetayliSorgulaAsync Method

1.1.4.1.51.2.70.1 MustahsilWebService.raporBolumListesiDetayliSorgulaAsync Method (string)

C#

```
public void raporBolumListesiDetayliSorgulaAsync(string donem);
```

Body Source

```
1: public void raporBolumListesiDetayliSorgulaAsync(string donem) {
2:     this.raporBolumListesiDetayliSorgulaAsync(donem, null);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
3: }
```

1.1.4.1.51.2.70.2 MustahsilWebService.raporBolumListesiDetayliSorgulaAsync Method (string, object)

C#

```
public void raporBolumListesiDetayliSorgulaAsync(string donem, object userState);
```

Body Source

```
1: public void raporBolumListesiDetayliSorgulaAsync(string donem, object userState) {
2:     if ((this.raporBolumListesiDetayliSorgulaOperationCompleted == null)) {
3:         this.raporBolumListesiDetayliSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumListesiDetayliSorgulaOperationCompleted
);
4:     }
5:     this.InvokeAsync("raporBolumListesiDetayliSorgula", new object[] {
6:                 donem}, this.raporBolumListesiDetayliSorgulaOperationCompleted,
userState);
7: }
```

1.1.4.1.51.2.71 MustahsilWebService.raporBolumListesiSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
raporBolumListesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schem
a.XmlSchemaForm.Unqualified)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
raporBolumListesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schem
a.XmlSchemaForm.Unqualified)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("raporBolumListesiSorgula", new object[] {
5:                 donem});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((string)(results[0]));
8: }
```

1.1.4.1.51.2.72 raporBolumListesiSorgulaAsync Method

1.1.4.1.51.2.72.1 MustahsilWebService.raporBolumListesiSorgulaAsync Method (string)

C#

```
public void raporBolumListesiSorgulaAsync(string donem);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```
1: public void raporBolumListesiSorgulaAsync(string donem) {
2:     this.raporBolumListesiSorgulaAsync(donem, null);
3: }
```

1.1.4.1.51.2.72.2 MustahsilWebService.raporBolumListesiSorgulaAsync Method (string, object)

C#

```
public void raporBolumListesiSorgulaAsync(string donem, object userState);
```

Body Source

```
1: public void raporBolumListesiSorgulaAsync(string donem, object userState) {
2:     if ((this.raporBolumListesiSorgulaOperationCompleted == null)) {
3:         this.raporBolumListesiSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumListesiSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumListesiSorgula", new object[] {
6:                 donem}, this.raporBolumListesiSorgulaOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.73 MustahsilWebService.raporBolumRaporNoGuncelleImzala Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumRaporNoGuncelleImzala([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string bolumRaporNo);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumRaporNoGuncelleImzala([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string bolumRaporNo) {
4:     object[] results = this.Invoke("raporBolumRaporNoGuncelleImzala", new object[] {
5:                 bolumRaporNo});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.4.1.51.2.74 raporBolumRaporNoGuncelleImzalaAsync Method

1.1.4.1.51.2.74.1 MustahsilWebService.raporBolumRaporNoGuncelleImzalaAsync Method (string)

C#

```
public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo);
```

Body Source

```
1: public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo) {
2:     this.raporBolumRaporNoGuncelleImzalaAsync(bolumRaporNo, null);
3: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.51.2.74.2 MustahsilWebService.raporBolumRaporNoGuncelleImzalaAsync Method (string, object)

C#

```
public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo, object userState);
```

Body Source

```
1: public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumRaporNoGuncelleImzalaOperationCompleted == null)) {
3:         this.raporBolumRaporNoGuncelleImzalaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumRaporNoGuncelleImzalaOperationCompleted
);
4:     }
5:     this.InvokeAsync("raporBolumRaporNoGuncelleImzala", new object[] {
6:                 bolumRaporNo}, this.raporBolumRaporNoGuncelleImzalaOperationCompleted,
userState);
7: }
```

1.1.4.1.51.2.75 MustahsilWebService.raporBolumSil Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string bolumRaporNo);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string bolumRaporNo) {
4:     object[] results = this.Invoke("raporBolumSil", new object[] {
5:                 bolumRaporNo});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.4.1.51.2.76 raporBolumSilAsync Method

1.1.4.1.51.2.76.1 MustahsilWebService.raporBolumSilAsync Method (string)

C#

```
public void raporBolumSilAsync(string bolumRaporNo);
```

Body Source

```
1: public void raporBolumSilAsync(string bolumRaporNo) {
2:     this.raporBolumSilAsync(bolumRaporNo, null);
3: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.51.2.76.2 MustahsilWebService.raporBolumSilAsync Method (string, object)

C#

```
public void raporBolumSilAsync(string bolumRaporNo, object userState);
```

Body Source

```
1: public void raporBolumSilAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumSilOperationCompleted == null)) {
3:         this.raporBolumSilOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumSilOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumSil", new object[] {
6:                 bolumRaporNo}, this.raporBolumSilOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.77 MustahsilWebService.rapordaBelgeSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
rapordaBelgeSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string input);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
rapordaBelgeSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("rapordaBelgeSorgula", new object[] {
5:                 input});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.4.1.51.2.78 rapordaBelgeSorgulaAsync Method

1.1.4.1.51.2.78.1 MustahsilWebService.rapordaBelgeSorgulaAsync Method (string)

C#

```
public void rapordaBelgeSorgulaAsync(string input);
```

Body Source

```
1: public void rapordaBelgeSorgulaAsync(string input) {
2:     this.rapordaBelgeSorgulaAsync(input, null);
3: }
```

1.1.4.1.51.2.78.2 MustahsilWebService.rapordaBelgeSorgulaAsync Method (string, object)

C#

```
public void rapordaBelgeSorgulaAsync(string input, object userState);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```
1: public void rapordaBelgeSorgulaAsync(string input, object userState) {
2:     if ((this.rapordaBelgeSorgulaOperationCompleted == null)) {
3:         this.rapordaBelgeSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnrapordaBelgeSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("rapordaBelgeSorgula", new object[] {
6:                 input}, this.rapordaBelgeSorgulaOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.79 MustahsilWebService.raporDurumSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSc
hemaForm.Unqualified)]
string donem);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSc
hemaForm.Unqualified)]
string donem) {
4:     object[] results = this.Invoke("raporDurumSorgula", new object[] {
5:                 donem});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.4.1.51.2.80 raporDurumSorgulaAsync Method

1.1.4.1.51.2.80.1 MustahsilWebService.raporDurumSorgulaAsync Method (string)

C#

```
public void raporDurumSorgulaAsync(string donem);
```

Body Source

```
1: public void raporDurumSorgulaAsync(string donem) {
2:     this.raporDurumSorgulaAsync(donem, null);
3: }
```

1.1.4.1.51.2.80.2 MustahsilWebService.raporDurumSorgulaAsync Method (string, object)

C#

```
public void raporDurumSorgulaAsync(string donem, object userState);
```

Body Source

```
1: public void raporDurumSorgulaAsync(string donem, object userState) {
2:     if ((this.raporDurumSorgulaOperationCompleted == null)) {
3:         this.raporDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporDurumSorgulaOperationCompleted);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
4:     }
5:     this.InvokeAsync("raporDurumSorgula", new object[] {
6:                 donem}, this.raporDurumSorgulaOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.81 MustahsilWebService.raporGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
string donem);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
string donem) {
4:     object[] results = this.Invoke("raporGonder", new object[] {
5:                 donem});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.4.1.51.2.82 raporGonderAsync Method

1.1.4.1.51.2.82.1 MustahsilWebService.raporGonderAsync Method (string)

C#

```
public void raporGonderAsync(string donem);
```

Body Source

```
1: public void raporGonderAsync(string donem) {
2:     this.raporGonderAsync(donem, null);
3: }
```

1.1.4.1.51.2.82.2 MustahsilWebService.raporGonderAsync Method (string, object)

C#

```
public void raporGonderAsync(string donem, object userState);
```

Body Source

```
1: public void raporGonderAsync(string donem, object userState) {
2:     if ((this.raporGonderOperationCompleted == null)) {
3:         this.raporGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("raporGonder", new object[] {
6:                 donem}, this.raporGonderOperationCompleted, userState);
7: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.51.2.83 MustahsilWebService.smsDurumSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
smsDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSche
maForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out string outputDurum);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
smsDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSche
maForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out string outputDurum) {
4:     object[] results = this.Invoke("smsDurumSorgula", new object[] {
5:                 input});
6:     outputDurum = ((string)(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.4.1.51.2.84 smsDurumSorgulaAsync Method

1.1.4.1.51.2.84.1 MustahsilWebService.smsDurumSorgulaAsync Method (string)

C#

```
public void smsDurumSorgulaAsync(string input);
```

Body Source

```
1: public void smsDurumSorgulaAsync(string input) {
2:     this.smsDurumSorgulaAsync(input, null);
3: }
```

1.1.4.1.51.2.84.2 MustahsilWebService.smsDurumSorgulaAsync Method (string, object)

C#

```
public void smsDurumSorgulaAsync(string input, object userState);
```

Body Source

```
1: public void smsDurumSorgulaAsync(string input, object userState) {
2:     if ((this.smsDurumSorgulaOperationCompleted == null)) {
3:         this.smsDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnsmsDurumSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("smsDurumSorgula", new object[] {
6:                 input}, this.smsDurumSorgulaOperationCompleted, userState);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
7: }
```

1.1.4.1.51.2.85 MustahsilWebService.smsGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
smsGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm
.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ilaveTelefonNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
int tanimliTelefonNoyaGonder);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
smsGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm
.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ilaveTelefonNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
int tanimliTelefonNoyaGonder) {
4:     object[] results = this.Invoke("smsGonder", new object[] {
5:                 input,
6:                 ilaveTelefonNo,
7:                 tanimliTelefonNoyaGonder});
8:     return ((earsivServiceResult)(results[0]));
9: }
```

1.1.4.1.51.2.86 smsGonderAsync Method

1.1.4.1.51.2.86.1 MustahsilWebService.smsGonderAsync Method (string, string, int)

C#

```
public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder);
```

Body Source

```
1: public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder) {
2:     this.smsGonderAsync(input, ilaveTelefonNo, tanimliTelefonNoyaGonder, null);
3: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.51.2.86.2 MustahsilWebService.smsGonderAsync Method (string, string, int, object)

C#

```
public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder, object userState);
```

Body Source

```
1: public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder, object userState) {
2:     if ((this.smsGonderOperationCompleted == null)) {
3:         this.smsGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnsmsGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("smsGonder", new object[] {
6:                 input,
7:                 ilaveTelefonNo,
8:                 tanimliTelefonNoyaGonder}, this.smsGonderOperationCompleted, userState);
9: }
```

1.1.4.1.51.3 MustahsilWebService Properties

1.1.4.1.51.3.1 MustahsilWebService.Url Property

C#

```
public new string Url;
```

Description

This is Url, a member of class MustahsilWebService.

1.1.4.1.51.3.2 MustahsilWebService.UseDefaultCredentials Property

C#

```
public new bool UseDefaultCredentials;
```

Description

This is UseDefaultCredentials, a member of class MustahsilWebService.

1.1.4.1.51.4 MustahsilWebService Events

1.1.4.1.51.4.1 MustahsilWebService.belgeZipiAlCompleted Event

C#

```
public event belgeZipiAlCompletedEventHandler belgeZipiAlCompleted;
```

1.1.4.1.51.4.2 MustahsilWebService.ePostaDurumSorgulaCompleted Event

C#

```
public event ePostaDurumSorgulaCompletedEventHandler ePostaDurumSorgulaCompleted;
```

1.1.4.1.51.4.3 MustahsilWebService.ePostaGonderCompleted Event

C#

```
public event ePostaGonderCompletedEventHandler ePostaGonderCompleted;
```

1.1.4.1.51.4.4 MustahsilWebService.kontorBilgisiGetirCompleted Event

C#

```
public event kontorBilgisiGetirCompletedEventHandler kontorBilgisiGetirCompleted;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.51.4.5 MustahsilWebService.mustahsilMakbuzIptalEtCompleted Event

C#

```
public event mustahsilMakbuzIptalEtCompletedEventHandler mustahsilMakbuzIptalEtCompleted;
```

1.1.4.1.51.4.6 MustahsilWebService.mustahsilMakbuzIptaliKaldirCompleted Event

C#

```
public event mustahsilMakbuzIptaliKaldirCompletedEventHandler
mustahsilMakbuzIptaliKaldirCompleted;
```

1.1.4.1.51.4.7 MustahsilWebService.mustahsilMakbuzListeSorgulaCompleted Event

C#

```
public event mustahsilMakbuzListeSorgulaCompletedEventHandler
mustahsilMakbuzListeSorgulaCompleted;
```

1.1.4.1.51.4.8 MustahsilWebService.mustahsilMakbuzListeSorgulaPortalCompleted Event

C#

```
public event mustahsilMakbuzListeSorgulaPortalCompletedEventHandler
mustahsilMakbuzListeSorgulaPortalCompleted;
```

1.1.4.1.51.4.9 MustahsilWebService.mustahsilMakbuzOlusturCompleted Event

C#

```
public event mustahsilMakbuzOlusturCompletedEventHandler mustahsilMakbuzOlusturCompleted;
```

1.1.4.1.51.4.10 MustahsilWebService.mustahsilMakbuzOnizlemeCompleted Event

C#

```
public event mustahsilMakbuzOnizlemeCompletedEventHandler mustahsilMakbuzOnizlemeCompleted;
```

1.1.4.1.51.4.11 MustahsilWebService.mustahsilMakbuzSorgulaCompleted Event

C#

```
public event mustahsilMakbuzSorgulaCompletedEventHandler mustahsilMakbuzSorgulaCompleted;
```

1.1.4.1.51.4.12 MustahsilWebService.mustahsilMakbuzTaslakOlusturCompleted Event

C#

```
public event mustahsilMakbuzTaslakOlusturCompletedEventHandler
mustahsilMakbuzTaslakOlusturCompleted;
```

1.1.4.1.51.4.13 MustahsilWebService.mustahsilMakbuzTaslakOnizlemeCompleted Event

C#

```
public event mustahsilMakbuzTaslakOnizlemeCompletedEventHandler
mustahsilMakbuzTaslakOnizlemeCompleted;
```

1.1.4.1.51.4.14 MustahsilWebService.mustahsilMakbuzTaslakSilCompleted Event

C#

```
public event mustahsilMakbuzTaslakSilCompletedEventHandler
mustahsilMakbuzTaslakSilCompleted;
```

1.1.4.1.51.4.15 MustahsilWebService.mustahsilMakbuzTaslakSorgulaCompleted Event

C#

```
public event mustahsilMakbuzTaslakSorgulaCompletedEventHandler
mustahsilMakbuzTaslakSorgulaCompleted;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.51.4.16 MustahsilWebService.mustahsilMakbuzTaslaktanOlusturCompleted Event

C#

```
public event mustahsilMakbuzTaslaktanOlusturCompletedEventHandler
mustahsilMakbuzTaslaktanOlusturCompleted;
```

1.1.4.1.51.4.17 MustahsilWebService.raporBolumAlCompleted Event

C#

```
public event raporBolumAlCompletedEventHandler raporBolumAlCompleted;
```

1.1.4.1.51.4.18 MustahsilWebService.raporBolumBilgisiAlCompleted Event

C#

```
public event raporBolumBilgisiAlCompletedEventHandler raporBolumBilgisiAlCompleted;
```

1.1.4.1.51.4.19 MustahsilWebService.raporBolumleriOlusturCompleted Event

C#

```
public event raporBolumleriOlusturCompletedEventHandler raporBolumleriOlusturCompleted;
```

1.1.4.1.51.4.20 MustahsilWebService.raporBolumListesiDetayliSorgulaCompleted Event

C#

```
public event raporBolumListesiDetayliSorgulaCompletedEventHandler
raporBolumListesiDetayliSorgulaCompleted;
```

1.1.4.1.51.4.21 MustahsilWebService.raporBolumListesiSorgulaCompleted Event

C#

```
public event raporBolumListesiSorgulaCompletedEventHandler
raporBolumListesiSorgulaCompleted;
```

1.1.4.1.51.4.22 MustahsilWebService.raporBolumRaporNoGuncelleImzalaCompleted Event

C#

```
public event raporBolumRaporNoGuncelleImzalaCompletedEventHandler
raporBolumRaporNoGuncelleImzalaCompleted;
```

1.1.4.1.51.4.23 MustahsilWebService.raporBolumSilCompleted Event

C#

```
public event raporBolumSilCompletedEventHandler raporBolumSilCompleted;
```

1.1.4.1.51.4.24 MustahsilWebService.rapordaBelgeSorgulaCompleted Event

C#

```
public event rapordaBelgeSorgulaCompletedEventHandler rapordaBelgeSorgulaCompleted;
```

1.1.4.1.51.4.25 MustahsilWebService.raporDurumSorgulaCompleted Event

C#

```
public event raporDurumSorgulaCompletedEventHandler raporDurumSorgulaCompleted;
```

1.1.4.1.51.4.26 MustahsilWebService.raporGonderCompleted Event

C#

```
public event raporGonderCompletedEventHandler raporGonderCompleted;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.51.4.27 MustahsilWebService.smsDurumSorgulaCompleted Event

C#

```
public event smsDurumSorgulaCompletedEventHandler smsDurumSorgulaCompleted;
```

1.1.4.1.51.4.28 MustahsilWebService.smsGonderCompleted Event

C#

```
public event smsGonderCompletedEventHandler smsGonderCompleted;
```

1.1.4.1.52 raporBolumAl Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporBolumAl;
```

File

Reference.cs (see page 800)

raporBolumAl Properties

	Name	Description
	bolumRaporNo (see page 625)	

1.1.4.1.52.1 raporBolumAl Properties

1.1.4.1.52.1.1 raporBolumAl.bolumRaporNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string bolumRaporNo;
```

1.1.4.1.53 raporBolumAlCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumAlCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Methods

	Name	Description
	raporBolumAlCompletedEventArgs (see page 626)	This is raporBolumAlCompletedEventArgs, a member of class raporBolumAlCompletedEventArgs.

raporBolumAlCompletedEventArgs Properties

	Name	Description
	@return (see page 626)	
	Result (see page 626)	

1.1.4.1.53.1 raporBolumAlCompletedEventArgs.raporBolumAlCompletedEventArgs Constructor

C#

```
internal raporBolumAlCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState);
```

Description

This is raporBolumAlCompletedEventArgs, a member of class raporBolumAlCompletedEventArgs.

Body Source

```
1: internal raporBolumAlCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.53.2 raporBolumAlCompletedEventArgs Properties

1.1.4.1.53.2.1 raporBolumAlCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.4.1.53.2.2 raporBolumAlCompletedEventArgs.Result Property

C#

```
public belge Result;
```

1.1.4.1.54 raporBolumBilgisiAl Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporBolumBilgisiAl;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

raporBolumBilgisiAl Properties

	Name	Description
	bolumRaporNo (see page 627)	

1.1.4.1.54.1 raporBolumBilgisiAl Properties

1.1.4.1.54.1.1 raporBolumBilgisiAl.bolumRaporNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string bolumRaporNo;
```

1.1.4.1.55 raporBolumBilgisiAlCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumBilgisiAlCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	raporBolumBilgisiAlCompletedEventArgs (see page 627)	This is raporBolumBilgisiAlCompletedEventArgs, a member of class raporBolumBilgisiAlCompletedEventArgs.

raporBolumBilgisiAlCompletedEventArgs Properties

	Name	Description
	Result (see page 628)	

1.1.4.1.55.1 raporBolumBilgisiAlCompletedEventArgs.raporBolumBilgisiAlCompletedEventArgs Constructor

C#

```
internal raporBolumBilgisiAlCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is raporBolumBilgisiAlCompletedEventArgs, a member of class raporBolumBilgisiAlCompletedEventArgs.

Body Source

```
1: internal raporBolumBilgisiAlCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.55.2 raporBolumBilgisiAlCompletedEventArgs Properties

1.1.4.1.55.2.1 raporBolumBilgisiAlCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.56 raporBolumBilgisiAlResponse Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAlResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporBolumBilgisiAlResponse;
```

File

Reference.cs (see page 800)

raporBolumBilgisiAlResponse Properties

	Name	Description
	@return (see page 628)	

1.1.4.1.56.1 raporBolumBilgisiAlResponse Properties

1.1.4.1.56.1.1 raporBolumBilgisiAlResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.4.1.57 raporBolumDTO Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.raporBolumDTO

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporBolumDTO;
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

raporBolumDTO Properties

	Name	Description
	baslangicTarihi (see page 629)	
	bitisTarihi (see page 629)	
	bolumNo (see page 629)	
	bolumNoSpecified (see page 629)	
	bolumRaporNo (see page 629)	
	durum (see page 629)	
	durumAciklama (see page 630)	
	durumKodu (see page 630)	
	sonIslemeZamani (see page 630)	

1.1.4.1.57.1 raporBolumDTO Properties

1.1.4.1.57.1.1 raporBolumDTO.baslangicTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string baslangicTarihi;
```

1.1.4.1.57.1.2 raporBolumDTO.bitisTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string bitisTarihi;
```

1.1.4.1.57.1.3 raporBolumDTO.bolumNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public long bolumNo;
```

1.1.4.1.57.1.4 raporBolumDTO.bolumNoSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool bolumNoSpecified;
```

1.1.4.1.57.1.5 raporBolumDTO.bolumRaporNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string bolumRaporNo;
```

1.1.4.1.57.1.6 raporBolumDTO.durum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int durum;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.57.1.7 raporBolumDTO.durumAciklama Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string durumAciklama;
```

1.1.4.1.57.1.8 raporBolumDTO.durumKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string durumKodu;
```

1.1.4.1.57.1.9 raporBolumDTO.sonIslemeZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string sonIslemeZamani;
```

1.1.4.1.58 raporBolumleriOlustur Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporBolumleriOlustur;
```

File

Reference.cs (see page 800)

raporBolumleriOlustur Properties

	Name	Description
	donem (see page 630)	
	input (see page 631)	
	sonGun (see page 631)	

1.1.4.1.58.1 raporBolumleriOlustur Properties

1.1.4.1.58.1.1 raporBolumleriOlustur.donem Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string donem;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.58.1.2 raporBolumleriOlustur.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.4.1.58.1.3 raporBolumleriOlustur.sonGun Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string sonGun;
```

1.1.4.1.59 raporBolumleriOlusturCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumleriOlusturCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	raporBolumleriOlusturCompletedEventArgs (see page 631)	This is raporBolumleriOlusturCompletedEventArgs, a member of class raporBolumleriOlusturCompletedEventArgs.

raporBolumleriOlusturCompletedEventArgs Properties

	Name	Description
	Result (see page 632)	

1.1.4.1.59.1 raporBolumleriOlusturCompletedEventArgs.raporBolumleriOlusturCompletedEventArgs Constructor

C#

```
internal raporBolumleriOlusturCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is raporBolumleriOlusturCompletedEventArgs, a member of class raporBolumleriOlusturCompletedEventArgs.

Body Source

```
1: internal raporBolumleriOlusturCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.59.2 raporBolumleriOlusturCompletedEventArgs Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.59.2.1 raporBolumleriOlusturCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.60 raporBolumleriOlusturResponse Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporBolumleriOlusturResponse;
```

File

Reference.cs (see page 800)

raporBolumleriOlusturResponse Properties

	Name	Description
	@return (see page 632)	

1.1.4.1.60.1 raporBolumleriOlusturResponse Properties

1.1.4.1.60.1.1 raporBolumleriOlusturResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.4.1.61 raporBolumListesiDetayliSorgula Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorgula

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporBolumListesiDetayliSorgula;
```

File

Reference.cs (see page 800)

raporBolumListesiDetayliSorgula Properties

	Name	Description
	donem (see page 633)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.61.1 raporBolumListesiDetayliSorgula Properties

1.1.4.1.61.1.1 raporBolumListesiDetayliSorgula.donem Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string donem;
```

1.1.4.1.62 raporBolumListesiDetayliSorgulaCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumListesiDetayliSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	raporBolumListesiDetayliSorgulaCompletedEventArgs (see page 633)	This is raporBolumListesiDetayliSorgulaCompletedEventArgs, a member of class raporBolumListesiDetayliSorgulaCompletedEventArgs.

raporBolumListesiDetayliSorgulaCompletedEventArgs Properties

	Name	Description
	output (see page 634)	
	Result (see page 634)	

1.1.4.1.62.1 raporBolumListesiDetayliSorgulaCompletedEventArgs.raporBolumListesiDetayliSorgulaCompletedEventArgs Constructor

C#

```
internal raporBolumListesiDetayliSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is raporBolumListesiDetayliSorgulaCompletedEventArgs, a member of class raporBolumListesiDetayliSorgulaCompletedEventArgs.

Body Source

```
1: internal raporBolumListesiDetayliSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.62.2 raporBolumListesiDetayliSorgulaCompletedEventArgs Properties

1.1.4.1.62.2.1 raporBolumListesiDetayliSorgulaCompletedEventArgs.output Property

C#

```
public raporBolumDTO output;
```

1.1.4.1.62.2.2 raporBolumListesiDetayliSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.63 raporBolumListesiDetayliSorgulaResponse Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorgulaResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporBolumListesiDetayliSorgulaResponse;
```

File

Reference.cs (see page 800)

raporBolumListesiDetayliSorgulaResponse Properties

	Name	Description
	@return (see page 634)	
	output (see page 634)	

1.1.4.1.63.1 raporBolumListesiDetayliSorgulaResponse Properties

1.1.4.1.63.1.1 raporBolumListesiDetayliSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.4.1.63.1.2 raporBolumListesiDetayliSorgulaResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public raporBolumDTO output;
```

1.1.4.1.64 raporBolumListesiSorgula Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgula

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporBolumListesiSorgula;
```

File

Reference.cs (see page 800)

raporBolumListesiSorgula Properties

	Name	Description
	donem (see page 635)	

1.1.4.1.64.1 raporBolumListesiSorgula Properties

1.1.4.1.64.1.1 raporBolumListesiSorgula.donem Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string donem;
```

1.1.4.1.65 raporBolumListesiSorgulaCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumListesiSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	raporBolumListesiSorgulaCompletedEventArgs (see page 636)	This is raporBolumListesiSorgulaCompletedEventArgs, a member of class raporBolumListesiSorgulaCompletedEventArgs.

raporBolumListesiSorgulaCompletedEventArgs Properties

	Name	Description
	@return (see page 636)	
	Result (see page 636)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.65.1 raporBolumListesiSorgulaCompletedEventArgs.raporBolumListesiSorgulaCompletedEventArgs Constructor

C#

```
internal raporBolumListesiSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is raporBolumListesiSorgulaCompletedEventArgs, a member of class raporBolumListesiSorgulaCompletedEventArgs.

Body Source

```
1: internal raporBolumListesiSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.65.2 raporBolumListesiSorgulaCompletedEventArgs Properties

1.1.4.1.65.2.1 raporBolumListesiSorgulaCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.4.1.65.2.2 raporBolumListesiSorgulaCompletedEventArgs.Result Property

C#

```
public string Result;
```

1.1.4.1.66 raporBolumRaporNoGuncelleImzala Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzala

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporBolumRaporNoGuncelleImzala;
```

File

Reference.cs (see page 800)

raporBolumRaporNoGuncelleImzala Properties

	Name	Description
	bolumRaporNo (see page 637)	

1.1.4.1.66.1 raporBolumRaporNoGuncelleImzala Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.66.1.1 raporBolumRaporNoGuncelleImzala.bolumRaporNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string bolumRaporNo;
```

1.1.4.1.67 raporBolumRaporNoGuncelleImzalaCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumRaporNoGuncelleImzalaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	raporBolumRaporNoGuncelleImzalaCompletedEventArgs (see page 637)	This is raporBolumRaporNoGuncelleImzalaCompletedEventArgs, a member of class raporBolumRaporNoGuncelleImzalaCompletedEventArgs.

raporBolumRaporNoGuncelleImzalaCompletedEventArgs Properties

	Name	Description
	Result (see page 638)	

1.1.4.1.67.1 raporBolumRaporNoGuncelleImzalaCompletedEventArgs.raporBolumRaporNoGuncelleImzalaCompletedEventArgs Constructor

C#

```
internal raporBolumRaporNoGuncelleImzalaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is raporBolumRaporNoGuncelleImzalaCompletedEventArgs, a member of class raporBolumRaporNoGuncelleImzalaCompletedEventArgs.

Body Source

```
1: internal raporBolumRaporNoGuncelleImzalaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.67.2 raporBolumRaporNoGuncelleImzalaCompletedEventArgs Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.67.2.1 raporBolumRaporNoGuncelleImzalaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.68 raporBolumRaporNoGuncelleImzalaResponse Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzalaResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporBolumRaporNoGuncelleImzalaResponse;
```

File

Reference.cs (see page 800)

raporBolumRaporNoGuncelleImzalaResponse Properties

	Name	Description
	@return (see page 638)	

1.1.4.1.68.1 raporBolumRaporNoGuncelleImzalaResponse Properties

1.1.4.1.68.1.1 raporBolumRaporNoGuncelleImzalaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.4.1.69 raporBolumSil Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.raporBolumSil

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporBolumSil;
```

File

Reference.cs (see page 800)

raporBolumSil Properties

	Name	Description
	bolumRaporNo (see page 639)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.69.1 raporBolumSil Properties

1.1.4.1.69.1.1 raporBolumSil.bolumRaporNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string bolumRaporNo;
```

1.1.4.1.70 raporBolumSilCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumSilCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	raporBolumSilCompletedEventArgs (see page 639)	This is raporBolumSilCompletedEventArgs, a member of class raporBolumSilCompletedEventArgs.

raporBolumSilCompletedEventArgs Properties

	Name	Description
	Result (see page 639)	

1.1.4.1.70.1 raporBolumSilCompletedEventArgs.raporBolumSilCompletedEventArgs Constructor

C#

```
internal raporBolumSilCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState);
```

Description

This is raporBolumSilCompletedEventArgs, a member of class raporBolumSilCompletedEventArgs.

Body Source

```
1: internal raporBolumSilCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.70.2 raporBolumSilCompletedEventArgs Properties

1.1.4.1.70.2.1 raporBolumSilCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.71 raporBolumSilResponse Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.raporBolumSilResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporBolumSilResponse;
```

File

Reference.cs (see page 800)

raporBolumSilResponse Properties

	Name	Description
	@return (see page 640)	

1.1.4.1.71.1 raporBolumSilResponse Properties

1.1.4.1.71.1.1 raporBolumSilResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.4.1.72 rapordaBelgeSorgula Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgula

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class rapordaBelgeSorgula;
```

File

Reference.cs (see page 800)

rapordaBelgeSorgula Properties

	Name	Description
	input (see page 641)	

1.1.4.1.72.1 rapordaBelgeSorgula Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.72.1.1 rapordaBelgeSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.4.1.73 rapordaBelgeSorgulaCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class rapordaBelgeSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	rapordaBelgeSorgulaCompletedEventArgs (see page 641)	This is rapordaBelgeSorgulaCompletedEventArgs, a member of class rapordaBelgeSorgulaCompletedEventArgs.

rapordaBelgeSorgulaCompletedEventArgs Properties

	Name	Description
	Result (see page 641)	

1.1.4.1.73.1 rapordaBelgeSorgulaCompletedEventArgs.rapordaBelgeSorgulaCompletedEventArgs Constructor

C#

```
internal rapordaBelgeSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is rapordaBelgeSorgulaCompletedEventArgs, a member of class rapordaBelgeSorgulaCompletedEventArgs.

Body Source

```
1: internal rapordaBelgeSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.73.2 rapordaBelgeSorgulaCompletedEventArgs Properties

1.1.4.1.73.2.1 rapordaBelgeSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.74 rapordaBelgeSorgulaResponse Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class rapordaBelgeSorgulaResponse;
```

File

Reference.cs (see page 800)

rapordaBelgeSorgulaResponse Properties

	Name	Description
	@return (see page 642)	

1.1.4.1.74.1 rapordaBelgeSorgulaResponse Properties

1.1.4.1.74.1.1 rapordaBelgeSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.4.1.75 raporDurumSorgula Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.raporDurumSorgula

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporDurumSorgula;
```

File

Reference.cs (see page 800)

raporDurumSorgula Properties

	Name	Description
	donem (see page 643)	

1.1.4.1.75.1 raporDurumSorgula Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.75.1.1 raporDurumSorgula.donem Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string donem;
```

1.1.4.1.76 raporDurumSorgulaCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporDurumSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	raporDurumSorgulaCompletedEventArgs (see page 643)	This is raporDurumSorgulaCompletedEventArgs, a member of class raporDurumSorgulaCompletedEventArgs.

raporDurumSorgulaCompletedEventArgs Properties

	Name	Description
	Result (see page 643)	

1.1.4.1.76.1 raporDurumSorgulaCompletedEventArgs.raporDurumSorgulaCompletedEventArgs Constructor

C#

```
internal raporDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is raporDurumSorgulaCompletedEventArgs, a member of class raporDurumSorgulaCompletedEventArgs.

Body Source

```
1: internal raporDurumSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.76.2 raporDurumSorgulaCompletedEventArgs Properties

1.1.4.1.76.2.1 raporDurumSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.77 raporDurumSorgulaResponse Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporDurumSorgulaResponse;
```

File

Reference.cs (see page 800)

raporDurumSorgulaResponse Properties

	Name	Description
	@return (see page 644)	

1.1.4.1.77.1 raporDurumSorgulaResponse Properties

1.1.4.1.77.1.1 raporDurumSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.4.1.78 raporGonder Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.raporGonder

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporGonder;
```

File

Reference.cs (see page 800)

raporGonder Properties

	Name	Description
	donem (see page 645)	

1.1.4.1.78.1 raporGonder Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.78.1.1 raporGonder.donem Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string donem;
```

1.1.4.1.79 raporGonderCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	raporGonderCompletedEventArgs (see page 645)	This is raporGonderCompletedEventArgs, a member of class raporGonderCompletedEventArgs.

raporGonderCompletedEventArgs Properties

	Name	Description
	Result (see page 645)	

1.1.4.1.79.1 raporGonderCompletedEventArgs.raporGonderCompletedEventArgs Constructor

C#

```
internal raporGonderCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState);
```

Description

This is raporGonderCompletedEventArgs, a member of class raporGonderCompletedEventArgs.

Body Source

```
1: internal raporGonderCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.79.2 raporGonderCompletedEventArgs Properties

1.1.4.1.79.2.1 raporGonderCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.80 raporGonderResponse Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.raporGonderResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class raporGonderResponse;
```

File

Reference.cs (see page 800)

raporGonderResponse Properties

	Name	Description
	@return (see page 646)	

1.1.4.1.80.1 raporGonderResponse Properties

1.1.4.1.80.1.1 raporGonderResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.4.1.81 smsDurumSorgula Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.smsDurumSorgula

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class smsDurumSorgula;
```

File

Reference.cs (see page 800)

smsDurumSorgula Properties

	Name	Description
	input (see page 647)	

1.1.4.1.81.1 smsDurumSorgula Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.81.1.1 smsDurumSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.4.1.82 smsDurumSorgulaCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class smsDurumSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	smsDurumSorgulaCompletedEventArgs (see page 647)	This is smsDurumSorgulaCompletedEventArgs, a member of class smsDurumSorgulaCompletedEventArgs.

smsDurumSorgulaCompletedEventArgs Properties

	Name	Description
	outputDurum (see page 647)	
	Result (see page 648)	

1.1.4.1.82.1 smsDurumSorgulaCompletedEventArgs.smsDurumSorgulaCompletedEventArgs Constructor

C#

```
internal smsDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is smsDurumSorgulaCompletedEventArgs, a member of class smsDurumSorgulaCompletedEventArgs.

Body Source

```
1: internal smsDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.82.2 smsDurumSorgulaCompletedEventArgs Properties

1.1.4.1.82.2.1 smsDurumSorgulaCompletedEventArgs.outputDurum Property

C#

```
public string outputDurum;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.82.2.2 smsDurumSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.83 smsDurumSorgulaResponse Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class smsDurumSorgulaResponse;
```

File

Reference.cs (see page 800)

smsDurumSorgulaResponse Properties

	Name	Description
	@return (see page 648)	
	outputDurum (see page 648)	

1.1.4.1.83.1 smsDurumSorgulaResponse Properties

1.1.4.1.83.1.1 smsDurumSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.4.1.83.1.2 smsDurumSorgulaResponse.outputDurum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string outputDurum;
```

1.1.4.1.84 smsGonder Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.smsGonder

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class smsGonder;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

File

Reference.cs (see page 800)

smsGonder Properties

	Name	Description
	ilaveTelefonNo (see page 649)	
	input (see page 649)	
	tanimliTelefonNoyaGonder (see page 649)	

1.1.4.1.84.1 smsGonder Properties

1.1.4.1.84.1.1 smsGonder.ilaveTelefonNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string ilaveTelefonNo;
```

1.1.4.1.84.1.2 smsGonder.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string input;
```

1.1.4.1.84.1.3 smsGonder.tanimliTelefonNoyaGonder Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public int tanimliTelefonNoyaGonder;
```

1.1.4.1.85 smsGonderCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class smsGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	smsGonderCompletedEventArgs (see page 650)	This is smsGonderCompletedEventArgs, a member of class smsGonderCompletedEventArgs.

smsGonderCompletedEventArgs Properties

	Name	Description
	Result (see page 650)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.85.1 smsGonderCompletedEventArgs.smsGonderCompletedEventArgs Constructor

C#

```
internal smsGonderCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState);
```

Description

This is smsGonderCompletedEventArgs, a member of class smsGonderCompletedEventArgs.

Body Source

```
1: internal smsGonderCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState) :
2:         base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.85.2 smsGonderCompletedEventArgs Properties

1.1.4.1.85.2.1 smsGonderCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.86 smsGonderResponse Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.smsGonderResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class smsGonderResponse;
```

File

Reference.cs (see page 800)

smsGonderResponse Properties

	Name	Description
	@return (see page 650)	

1.1.4.1.86.1 smsGonderResponse Properties

1.1.4.1.86.1.1 smsGonderResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.87 stringOutputWrapper Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.stringOutputWrapper

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
]
public class stringOutputWrapper;
```

File

Reference.cs (see page 800)

stringOutputWrapper Properties

	Name	Description
	@return (see page 651)	
	output (see page 651)	

1.1.4.1.87.1 stringOutputWrapper Properties

1.1.4.1.87.1.1 stringOutputWrapper.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public earsivServiceResult @return;
```

1.1.4.1.87.1.2 stringOutputWrapper.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string output;
```

1.1.4.2 Structs, Records, Enums

Summary

The following table lists structs, records, enums in this documentation.

Enumerations

	Name	Description
	belgeFormatiEnum (see page 651)	

1.1.4.2.1 QNBFinansGIB.GIBEMustahsil.belgeFormatiEnum Enumeration

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
]
public enum belgeFormatiEnum {
  UBL,
  CSXML,
  HTML,
  PDF,
  CUSTOM,
  PDF_CUSTOM,
  PDF_UBL,
  CSXML1,
  CSXML2,
  CSXML3,
  PDF_CSXML1,
  PDF_CSXML2,
  PDF_CSXML3,
  JSON
}
```

File

Reference.cs (see page 800)

1.1.4.3 Types

Summary

The following table lists types in this documentation.

Types

Name	Description
belgeZipiAlCompletedEventHandler (see page 653)	
ePostaDurumSorgulaCompletedEventHandler (see page 653)	
ePostaGonderCompletedEventHandler (see page 654)	
kontorBilgisiGetirCompletedEventHandler (see page 654)	
mustahsilMakbuzIptalEtCompletedEventHandler (see page 654)	
mustahsilMakbuzIptaliKaldirCompletedEventHandler (see page 654)	
mustahsilMakbuzListeSorgulaCompletedEventHandler (see page 655)	
mustahsilMakbuzListeSorgulaPortalCompletedEventHandler (see page 655)	
mustahsilMakbuzOlusturCompletedEventHandler (see page 655)	
mustahsilMakbuzOnizlemeCompletedEventHandler (see page 655)	
mustahsilMakbuzSorgulaCompletedEventHandler (see page 656)	
mustahsilMakbuzTaslakOlusturCompletedEventHandler (see page 656)	
mustahsilMakbuzTaslakOnizlemeCompletedEventHandler (see page 656)	
mustahsilMakbuzTaslakSilCompletedEventHandler (see page 657)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

mustahsilMakbuzTaslakSorgulaCompletedEventHandler (see page 657)	
mustahsilMakbuzTaslaktanOlusturCompletedEventHandler (see page 657)	
raporBolumAlCompletedEventHandler (see page 657)	
raporBolumBilgisiAlCompletedEventHandler (see page 658)	
raporBolumleriOlusturCompletedEventHandler (see page 658)	
raporBolumListesiDetayliSorgulaCompletedEventHandler (see page 658)	
raporBolumListesiSorgulaCompletedEventHandler (see page 658)	
raporBolumRaporNoGuncelleImzalaCompletedEventHandler (see page 659)	
raporBolumSilCompletedEventHandler (see page 659)	
rapordaBelgeSorgulaCompletedEventHandler (see page 659)	
raporDurumSorgulaCompletedEventHandler (see page 659)	
raporGonderCompletedEventHandler (see page 660)	
smsDurumSorgulaCompletedEventHandler (see page 660)	
smsGonderCompletedEventHandler (see page 660)	

1.1.4.3.1 QNBFinansGIB.GIBEMustahsil.belgeZipiAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeZipiAlCompletedEventHandler(object sender,
belgeZipiAlCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.4.3.2 QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void ePostaDurumSorgulaCompletedEventHandler(object sender,
ePostaDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.3.3
QNBFinansGIB.GIBEMustahsil.ePostaGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void ePostaGonderCompletedEventHandler(object sender,
ePostaGonderCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.4.3.4
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void kontorBilgisiGetirCompletedEventHandler(object sender,
kontorBilgisiGetirCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.4.3.5
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzIptalEtCompletedEventHandler(object sender,
mustahsilMakbuzIptalEtCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.4.3.6
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldirCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzIptaliKaldirCompletedEventHandler(object sender,
mustahsilMakbuzIptaliKaldirCompletedEventArgs e);
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.3.7
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaCompletedEventHandler
Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzListeSorgulaCompletedEventHandler(object sender,
mustahsilMakbuzListeSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.4.3.8
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortalCompletedEventHandler
Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzListeSorgulaPortalCompletedEventHandler(object sender,
mustahsilMakbuzListeSorgulaPortalCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.4.3.9
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturCompletedEventHandler
Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzOlusturCompletedEventHandler(object sender,
mustahsilMakbuzOlusturCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.4.3.10
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCompletedEventHandler
Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzOnizlemeCompletedEventHandler(object sender,
mustahsilMakbuzOnizlemeCompletedEventArgs e);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

File

Reference.cs (see page 800)

1.1.4.3.11 QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzSorgulaCompletedEventHandler(object sender,
mustahsilMakbuzSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.4.3.12 QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzTaslakOlusturCompletedEventHandler(object sender,
mustahsilMakbuzTaslakOlusturCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.4.3.13 QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzTaslakOnizlemeCompletedEventHandler(object sender,
mustahsilMakbuzTaslakOnizlemeCompletedEventArgs e);
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.3.14
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzTaslakSilCompletedEventHandler(object sender,
mustahsilMakbuzTaslakSilCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.4.3.15
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzTaslakSorgulaCompletedEventHandler(object sender,
mustahsilMakbuzTaslakSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.4.3.16
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlusturCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzTaslaktanOlusturCompletedEventHandler(object sender,
mustahsilMakbuzTaslaktanOlusturCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.4.3.17
QNBFinansGIB.GIBEMustahsil.raporBolumAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumAlCompletedEventHandler(object sender,
raporBolumAlCompletedEventArgs e);
```

File

Reference.cs (see page 800)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.3.18
QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumBilgisiAlCompletedEventHandler(object sender,
raporBolumBilgisiAlCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.4.3.19
QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumleriOlusturCompletedEventHandler(object sender,
raporBolumleriOlusturCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.4.3.20
QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumListesiDetayliSorgulaCompletedEventHandler(object sender,
raporBolumListesiDetayliSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.4.3.21
QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumListesiSorgulaCompletedEventHandler(object sender,
raporBolumListesiSorgulaCompletedEventArgs e);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

File

Reference.cs (see page 800)

1.1.4.3.22 QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzalaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumRaporNoGuncelleImzalaCompletedEventHandler(object sender,
raporBolumRaporNoGuncelleImzalaCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.4.3.23 QNBFinansGIB.GIBEMustahsil.raporBolumSilCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumSilCompletedEventHandler(object sender,
raporBolumSilCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.4.3.24 QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void rapordaBelgeSorgulaCompletedEventHandler(object sender,
rapordaBelgeSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.4.3.25 QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporDurumSorgulaCompletedEventHandler(object sender,
raporDurumSorgulaCompletedEventArgs e);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

File

Reference.cs (see page 800)

1.1.4.3.26
QNBFinansGIB.GIBEMustahsil.raporGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporGonderCompletedEventHandler(object sender,
raporGonderCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.4.3.27
QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void smsDurumSorgulaCompletedEventHandler(object sender,
smsDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.4.3.28
QNBFinansGIB.GIBEMustahsil.smsGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void smsGonderCompletedEventHandler(object sender,
smsGonderCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.5 QNBFinansGIB.GIBUserService Namespace

This is namespace QNBFinansGIB.GIBUserService.

Classes

	Name	Description
	userService (see page 661)	

Types

Name	Description
logoutCompletedEventHandler (see page 666)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

wsLoginCompletedEventHandler (see page 666)	

1.1.5.1 Classes

Summary

The following table lists classes in this documentation.

Classes

	Name	Description
	userService (see page 661)	

1.1.5.1.1 userService Class

Class Hierarchy

System.Web.Services.Protocols.SoapHttpClientProtocol → QNBFinansGIB.GIBUserService.userService

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Web.Services.WebServiceBindingAttribute(Name="UserServicePortBinding",
Namespace="http://service.csap.cs.com/")]
public class userService : System.Web.Services.Protocols.SoapHttpClientProtocol;
```

File

Reference.cs (see page 800)

Methods

	Name	Description
	userService (see page 662)	

userService Events

	Name	Description
	logoutCompleted (see page 665)	
	wsLoginCompleted (see page 665)	

userService Methods

	Name	Description
	CancelAsync (see page 662)	
	IsLocalFileSystemWebService (see page 662)	This is IsLocalFileSystemWebService, a member of class userService.
	logout (see page 663)	
	logoutAsync (see page 663)	
	OnlogoutOperationCompleted (see page 663)	This is OnlogoutOperationCompleted, a member of class userService.
	OnwsLoginOperationCompleted (see page 664)	This is OnwsLoginOperationCompleted, a member of class userService.
	wsLogin (see page 664)	
	wsLoginAsync (see page 665)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

userService Properties

	Name	Description
	Url (see page 665)	This is Url, a member of class userService.
	UseDefaultCredentials (see page 665)	This is UseDefaultCredentials, a member of class userService.

1.1.5.1.1.1 userService.userService Constructor

C#

```
public userService();
```

Body Source

```
 1: public userService() {
 2:     this.Url =
global::QNBFinansGIB.Properties.Settings.Default.QNBFinansGIB_GIBUserService_userService;
 3:     if ((this.IsLocalFileSystemWebService(this.Url) == true)) {
 4:         this.UseDefaultCredentials = true;
 5:         this.useDefaultCredentialsSetExplicitly = false;
 6:     }
 7:     else {
 8:         this.useDefaultCredentialsSetExplicitly = true;
 9:     }
10: }
```

1.1.5.1.1.2 userService Methods

1.1.5.1.1.2.1 userService.CancelAsync Method

C#

```
public new void CancelAsync(object userState);
```

Body Source

```
1: public new void CancelAsync(object userState) {
2:     base.CancelAsync(userState);
3: }
```

1.1.5.1.1.2.2 userService.IsLocalFileSystemWebService Method

C#

```
private bool IsLocalFileSystemWebService(string url);
```

Description

This is IsLocalFileSystemWebService, a member of class userService.

Body Source

```
 1: private bool IsLocalFileSystemWebService(string url) {
 2:     if (((url == null)
 3:                 || (url == string.Empty))) {
 4:         return false;
 5:     }
 6:     System.Uri wsUri = new System.Uri(url);
 7:     if (((wsUri.Port >= 1024)
 8:                 && (string.Compare(wsUri.Host, "localHost",
System.StringComparison.OrdinalIgnoreCase) == 0))) {
 9:         return true;
10:     }
11:     return false;
12: }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.5.1.1.2.3 userService.logout Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.csap.cs.com.tr/",
ResponseNamespace="http://service.csap.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void logout();
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.csap.cs.com.tr/",
ResponseNamespace="http://service.csap.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void logout() {
3:     this.Invoke("logout", new object[0]);
4: }
```

1.1.5.1.1.2.4 logoutAsync Method

1.1.5.1.1.2.4.1 userService.logoutAsync Method ()

C#

```
public void logoutAsync();
```

Body Source

```
1: public void logoutAsync() {
2:     this.logoutAsync(null);
3: }
```

1.1.5.1.1.2.4.2 userService.logoutAsync Method (object)

C#

```
public void logoutAsync(object userState);
```

Body Source

```
1: public void logoutAsync(object userState) {
2:     if ((this.logoutOperationCompleted == null)) {
3:         this.logoutOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnlogoutOperationCompleted);
4:     }
5:     this.InvokeAsync("logout", new object[0], this.logoutOperationCompleted, userState);
6: }
```

1.1.5.1.1.2.5 userService.OnlogoutOperationCompleted Method

C#

```
private void OnlogoutOperationCompleted(object arg);
```

Description

This is OnlogoutOperationCompleted, a member of class userService.

Body Source

```
1: private void OnlogoutOperationCompleted(object arg) {
2:     if ((this.logoutCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.logoutCompleted(this, new
System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
5:     }
6: }
```

1.1.5.1.1.2.6 userService.OnwsLoginOperationCompleted Method

C#

```
private void OnwsLoginOperationCompleted(object arg);
```

Description

This is OnwsLoginOperationCompleted, a member of class userService.

Body Source

```
1: private void OnwsLoginOperationCompleted(object arg) {
2:     if ((this.wsLoginCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.wsLoginCompleted(this, new
System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.5.1.1.2.7 userService.wsLogin Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.csap.cs.com.tr/",
ResponseNamespace="http://service.csap.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
wsLogin([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.U
nqualified)]
string userId,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string password,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string lang);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.csap.cs.com.tr/",
ResponseNamespace="http://service.csap.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
wsLogin([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.U
nqualified)]
string userId,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string password,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string lang) {
3:     this.Invoke("wsLogin", new object[] {
4:                 userId,
5:                 password,
6:                 lang});
7: }
```

1.1.5.1.1.2.8 wsLoginAsync Method

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.5.1.1.2.8.1 userService.wsLoginAsync Method (string, string, string)

C#

```
public void wsLoginAsync(string userId, string password, string lang);
```

Body Source

```
1: public void wsLoginAsync(string userId, string password, string lang) {
2:     this.wsLoginAsync(userId, password, lang, null);
3: }
```

1.1.5.1.1.2.8.2 userService.wsLoginAsync Method (string, string, string, object)

C#

```
public void wsLoginAsync(string userId, string password, string lang, object userState);
```

Body Source

```
1: public void wsLoginAsync(string userId, string password, string lang, object userState) {
2:     if ((this.wsLoginOperationCompleted == null)) {
3:         this.wsLoginOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnwsLoginOperationCompleted);
4:     }
5:     this.InvokeAsync("wsLogin", new object[] {
6:                 userId,
7:                 password,
8:                 lang}, this.wsLoginOperationCompleted, userState);
9: }
```

1.1.5.1.1.3 userService Properties

1.1.5.1.1.3.1 userService.Url Property

C#

```
public new string Url;
```

Description

This is Url, a member of class userService.

1.1.5.1.1.3.2 userService.UseDefaultCredentials Property

C#

```
public new bool UseDefaultCredentials;
```

Description

This is UseDefaultCredentials, a member of class userService.

1.1.5.1.1.4 userService Events

1.1.5.1.1.4.1 userService.logoutCompleted Event

C#

```
public event logoutCompletedEventHandler logoutCompleted;
```

1.1.5.1.1.4.2 userService.wsLoginCompleted Event

C#

```
public event wsLoginCompletedEventHandler wsLoginCompleted;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.5.2 Types

Summary

The following table lists types in this documentation.

Types

Name	Description
logoutCompletedEventHandler (see page 666)	
wsLoginCompletedEventHandler (see page 666)	

1.1.5.2.1 QNBFinansGIB.GIBUserService.logoutCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void logoutCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.5.2.2 QNBFinansGIB.GIBUserService.wsLoginCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void wsLoginCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 800)

1.1.6 QNBFinansGIB.Properties Namespace

This is namespace QNBFinansGIB.Properties.

Classes

	Name	Description
	Resources (see page 667)	A strongly-typed resource class, for looking up localized strings, etc.
	Settings (see page 668)	This is class QNBFinansGIB.Properties.Settings.

1.1.6.1 Classes

Summary

The following table lists classes in this documentation.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Classes

	Name	Description
	Resources (see page 667)	A strongly-typed resource class, for looking up localized strings, etc.
	Settings (see page 668)	This is class QNBFinansGIB.Properties.Settings.

1.1.6.1.1 Resources Class

Summary

A strongly-typed resource class, for looking up localized strings, etc.

Class Hierarchy

QNBFinansGIB.Properties.Resources

C#

```
[global::System.CodeDom.Compiler.GeneratedCodeAttribute("System.Resources.Tools.StronglyType
dResourceBuilder",
"4.0.0.0")]
[global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
[global::System.Runtime.CompilerServices.CompilerGeneratedAttribute()]
internal class Resources;
```

File

Resources.Designer.cs (see page 804)

Description

This class was auto-generated by the StronglyTypedResourceBuilder class via a tool like ResGen or Visual Studio. To add or remove a member, edit your .ResX file then rerun ResGen with the /str option, or rebuild your VS project.

Methods

	Name	Description
	Resources (see page 667)	This is Resources, a member of class Resources.

Resources Properties

	Name	Description
S	Culture (see page 668)	Overrides the current thread's CurrentUICulture property for all resource lookups using this strongly typed resource class.
S	ResourceManager (see page 668)	Returns the cached ResourceManager instance used by this class.

1.1.6.1.1.1 Resources.Resources Constructor

C#

```
[global::System.Diagnostics.CodeAnalysis.SuppressMessageAttribute("Microsoft.Performance",
"CA1811:AvoidUncalledPrivateCode")]
internal Resources();
```

Description

This is Resources, a member of class Resources.

Body Source

```
1:
[global::System.Diagnostics.CodeAnalysis.SuppressMessageAttribute("Microsoft.Performance",
"CA1811:AvoidUncalledPrivateCode")]
2: internal Resources()
3: {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
4: }
```

1.1.6.1.1.2 Resources Properties

1.1.6.1.1.2.1 Resources.Culture Property

Summary

Overrides the current thread's CurrentUICulture property for all resource lookups using this strongly typed resource class.

C#

```
[global::System.ComponentModel.EditorBrowsableAttribute(global::System.ComponentModel.Editor
BrowsableState.Advanced)]
internal static global::System.Globalization.CultureInfo Culture;
```

1.1.6.1.1.2.2 Resources.ResourceManager Property

Summary

Returns the cached ResourceManager instance used by this class.

C#

```
[global::System.ComponentModel.EditorBrowsableAttribute(global::System.ComponentModel.Editor
BrowsableState.Advanced)]
internal static global::System.Resources.ResourceManager ResourceManager;
```

1.1.6.1.2 Settings Class

Class Hierarchy

C#

```
[global::System.Runtime.CompilerServices.CompilerGeneratedAttribute()]
[global::System.CodeDom.Compiler.GeneratedCodeAttribute("Microsoft.VisualStudio.Editors.Sett
ingsDesigner.SettingsSingleFileGenerator",
"15.9.0.0")]
internal sealed class Settings : global::System.Configuration.ApplicationSettingsBase;
```

File

Settings.Designer.cs (see page 805)

Description

This is class QNBFinansGIB.Properties.Settings.

Settings Properties

	Name	Description
	Default (see page 669)	This is Default, a member of class Settings.
	QNBFinansGIB_GIBEArsiv_EarsivWebService (see page 669)	This is QNBFinansGIB_GIBEArsiv_EarsivWebService, a member of class Settings.
	QNBFinansGIB_GIBEArsiv_MustahsilWebService (see page 669)	This is QNBFinansGIB_GIBEArsiv_MustahsilWebService, a member of class Settings.
	QNBFinansGIB_GIBEFatura_connectorService (see page 669)	This is QNBFinansGIB_GIBEFatura_connectorService, a member of class Settings.
	QNBFinansGIB_GIBEMustahsil_MustahsilWebService (see page 670)	This is QNBFinansGIB_GIBEMustahsil_MustahsilWebService, a member of class Settings.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	QNBFinansGIB_GIBUserService_userService (see page 670)	This is QNBFinansGIB_GIBUserService_userService, a member of class Settings.

1.1.6.1.2.1 Settings Properties

1.1.6.1.2.1.1 Settings.Default Property

C#

```
public static Settings Default;
```

Description

This is Default, a member of class Settings.

1.1.6.1.2.1.2 Settings.QNBFinansGIB_GIBEArsiv_EarsivWebService Property

C#

```
[global::System.Configuration.ApplicationScopedSettingAttribute()]
[global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSe
tting.WebServiceUrl)]
[global::System.Configuration.DefaultSettingValueAttribute("https://earsivtest.efinans.com.t
r:443/earsiv/ws/EarsivWebService")]
public string QNBFinansGIB_GIBEArsiv_EarsivWebService;
```

Description

This is QNBFinansGIB_GIBEArsiv_EarsivWebService, a member of class Settings.

1.1.6.1.2.1.3 Settings.QNBFinansGIB_GIBEArsiv_MustahsilWebService Property

C#

```
[global::System.Configuration.ApplicationScopedSettingAttribute()]
[global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSe
tting.WebServiceUrl)]
[global::System.Configuration.DefaultSettingValueAttribute("https://earsivtest.efinans.com.t
r/earsiv/ws/MustahsilWebService?wsdl=1")]
public string QNBFinansGIB_GIBEArsiv_MustahsilWebService;
```

Description

This is QNBFinansGIB_GIBEArsiv_MustahsilWebService, a member of class Settings.

1.1.6.1.2.1.4 Settings.QNBFinansGIB_GIBEFatura_connectorService Property

C#

```
[global::System.Configuration.ApplicationScopedSettingAttribute()]
[global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSe
tting.WebServiceUrl)]
[global::System.Configuration.DefaultSettingValueAttribute("https://connectortest.efinans.co
m.tr:443/connector/ws/connectorService")]
public string QNBFinansGIB_GIBEFatura_connectorService;
```

Description

This is QNBFinansGIB_GIBEFatura_connectorService, a member of class Settings.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.6.1.2.1.5 Settings.QNBFinansGIB_GIBEMustahsil_MustahsilWebService Property

C#

```
[global::System.Configuration.ApplicationScopedSettingAttribute()]
[global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSe
tting.WebServiceUrl)]
[global::System.Configuration.DefaultSettingValueAttribute("https://earsivtest.efinans.com.t
r:443/earsiv/ws/MustahsilWebService")]
public string QNBFinansGIB_GIBEMustahsil_MustahsilWebService;
```

Description

This is QNBFinansGIB_GIBEMustahsil_MustahsilWebService, a member of class Settings.

1.1.6.1.2.1.6 Settings.QNBFinansGIB_GIBUserService_userService Property

C#

```
[global::System.Configuration.ApplicationScopedSettingAttribute()]
[global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSe
tting.WebServiceUrl)]
[global::System.Configuration.DefaultSettingValueAttribute("https://connectortest.efinans.co
m.tr:443/connector/ws/userService")]
public string QNBFinansGIB_GIBUserService_userService;
```

Description

This is QNBFinansGIB_GIBUserService_userService, a member of class Settings.

1.1.7 QNBFinansGIB.Utils Namespace

This is namespace QNBFinansGIB.Utils.

Classes

	Name	Description
	BoslukKaldir (see page 671)	This is class QNBFinansGIB.Utils.BoslukKaldir.
	DisServisler (see page 672)	QNB Finans Firmasi tarafindan saglanan GIB Web Servis referanslarinin tüketildigi Ve servise talep gönderilip sonuçlarinin temin edildigi siniftir.
	Enums (see page 679)	Satis Türü Bilgilerinin Bulundugu Enum sinifi
	GeriDonus (see page 681)	E-Fatura Servisinde Önizleme Metodu çagrildiginda dönecek olan deger Burada Tipe göre Dosya (see page 682) uzantisi Zip veya PDF olacagi için Bu konu önemlidir
	MesajSabitler (see page 682)	Yapilan Ekranlarda Verilecek Mesajlarla Ilgili Sabit Sinif
	YardimciSiniflar (see page 683)	Giden Fatura ve Müstahsil Makbuzlari ile ilgili olarak, Kendisi, Ana Kayda Iliskin Detaylar, Aktarilacak Klasör gibi bilgiler kullanilarak QNB Finans GIB Web Servislerine gönderilecek XML dosyalarinin hazirlanmasi ile ilgili Metotlarin bulundugu yardimci siniftir.

1.1.7.1 Classes

Summary

The following table lists classes in this documentation.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Classes

	Name	Description
	BoslukKaldir (see page 671)	This is class QNBFinansGIB.Utils.BoslukKaldir.
	DisServisler (see page 672)	QNB Finans Firmasi tarafindan saglanan GIB Web Servis referanslarinin tüketildigi Ve servise talep gönderilip sonuçlarinin temin edildigi siniftir.
	Enums (see page 679)	Satis Türü Bilgilerinin Bulundugu Enum sinifi
	GeriDonus (see page 681)	E-Fatura Servisinde Önizleme Metodu çagrildiginda dönecek olan deger Burada Tipe göre Dosya (see page 682) uzantisi Zip veya PDF olacagi için Bu konu önemlidir
	MesajSabitler (see page 682)	Yapilan Ekranlarda Verilecek Mesajlarla Ilgili Sabit Sinif
	YardimciSiniflar (see page 683)	Giden Fatura ve Müstahsil Makbuzlari ile ilgili olarak, Kendisi, Ana Kayda Iliskin Detaylar, Aktarilacak Klasör gibi bilgiler kullanilarak QNB Finans GIB Web Servislerine gönderilecek XML dosyalarinin hazirlanmasi ile ilgili Metotlarin bulundugu yardimci siniftir.

1.1.7.1.1 BoslukKaldir Class

Class Hierarchy

QNBFinansGIB.Utils.BoslukKaldir

C#

```
public static class BoslukKaldir;
```

File

GeriDonus.cs (see page 792)

Description

This is class QNBFinansGIB.Utils.BoslukKaldir.

BoslukKaldir Methods

	Name	Description
	BosluklariKaldir (see page 671)	This is BosluklariKaldir, a member of class BoslukKaldir.

1.1.7.1.1.1 BoslukKaldir Methods

1.1.7.1.1.1.1 BoslukKaldir.BosluklariKaldir Method

C#

```
public static TSelf BosluklariKaldir<TSelf>(this TSelf input);
```

Description

This is BosluklariKaldir, a member of class BoslukKaldir.

Body Source

```
 1: public static TSelf BosluklariKaldir<TSelf>(this TSelf input)
 2: {
 3:     if (input == null)
 4:         return input;
 5:
 6:     var stringProperties = typeof(TSelf).GetProperties()
 7:         .Where(p => p.PropertyType == typeof(string));
 8:
 9:     foreach (var stringProperty in stringProperties)
10:     {
11:         string currentValue = (string)stringProperty.GetValue(input, null);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
12:         if (currentValue != null)
13:             stringProperty.SetValue(input, currentValue.Trim().TrimEnd().TrimStart(),
null);
14:     }
15:     return input;
16: }
```

1.1.7.1.2 DisServisler Class

Summary

QNB Finans Firmasi tarafindan saglanan GIB Web Servis referanslarinin tüketildigi Ve servise talep gönderilip sonuçlarinin temin edildigi siniftir.

Class Hierarchy

C#

```
public static class DisServisler;
```

File

DisServisler.cs (see page 765)

DisServisler Methods

	Name	Description
	EArsivGonder (see page 672)	Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan metottur
	EArsivOnIzleme (see page 673)	Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan metottur Burada da E-Faturada oldugu gibi önce Fatura Id bilgisi ile gönderip Bir sonuç gelmezse hazirlanan XML dosyasi gönderilip çikti alinmaya çalisilmaktadir
	EFaturaGonder (see page 674)	Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan metottur
	EFaturaKullanicisiMi (see page 675)	Vergi Kimlik Numarasi Gönderilen Tüzel Kisinin E Fatura Kullanicisi Olup Olmadigini Kontrol Eden Bir Metottur
	EFaturaOnIzleme (see page 676)	Olusturulan XML dosyasinin QNB Finans Tarafinda Önizlemesinin yapilmasini saglayan metottur Eger Belge Oid numarasi varsa XML dosyasini göndermez, bu numarayla sistemdeki çikti alinir. Yoksa XML dosyasi gönderilir, Mali Degeri Yoktur yazan bir filigranla yine XML üzerindeki Yapi üzerinden PDF çiktisi alinicak sekilde veri döner
	EMustahsilGonder (see page 677)	Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan metottur
	EMustahsilOnIzleme (see page 678)	Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan metottur Burada da E-Faturada oldugu gibi önce Fatura Id bilgisi ile gönderip Bir sonuç gelmezse hazirlanan XML dosyasi gönderilip çikti alinmaya çalisilmaktadir
	GetMD5Hash (see page 679)	Dosyanin MD5 hashi alinmasi için yazilan metottur

1.1.7.1.2.1 DisServisler Methods

1.1.7.1.2.1.1 DisServisler.EArsivGonder Method

Summary

Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan metottur

C#

```
public static string EArsivGonder(GidenFaturaDTO gidenFatura, string dosyaAdi);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
string dosyaAdi	Dosya Adi bilgisi

Body Source

```
 1: public static string EArsivGonder(GidenFaturaDTO gidenFatura, string dosyaAdi)
 2: {
 3:     try
 4:     {
 5:         gibUserService = new GIBUserService.userService();
 6:         gibEArsivService = new GIBEArsiv.EarsivWebService();
 7:
 8:         gibUserService.CookieContainer = new System.Net.CookieContainer();
 9:         gibEArsivService.CookieContainer = gibUserService.CookieContainer;
10:
11:         gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, GIBVKN);
12:
13:         string input = "{\"islemId\":\"" + gidenFatura.GidenFaturaId +
"\",\"vkn\":\"3250566851\",\"sube\":\"DFLT\",\"kasa\":\"DFLT\",\"erpKodu\":\"TSF30125\",\"do
nenBelgeFormati\":\"9\"}";
14:
15:         var belgeTemp = new GIBEArsiv.belge();
16:         belgeTemp.belgeFormati = GIBEArsiv.belgeFormatiEnum.UBL;
17:         belgeTemp.belgeFormatiSpecified = true;
18:         belgeTemp.belgeIcerigi = System.IO.File.ReadAllBytes(dosyaAdi);
19:         GIBEArsiv.earsivServiceResult serviceResult = new
GIBEArsiv.earsivServiceResult();
20:         var belge = gibEArsivService.faturaOlustur(input, belgeTemp, out serviceResult);
21:
22:         if (serviceResult.resultCode != "AE00000")
23:             return MesajSabitler.IslemBasarisiz;
24:         else
25:             return MesajSabitler.IslemBasarili;
26:     }
27:     catch (System.Exception ex)
28:     {
29:         return MesajSabitler.IslemBasarisiz;
30:     }
31:     finally
32:     {
33:         gibUserService.logout();
34:     }
35: }
```

1.1.7.1.2.1.2 DisServisler.EArsivOnIzleme Method

Summary

Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan metottur Burada da E-Faturada oldugu gibi önce Fatura Id bilgisi ile gönderip Bir sonuç gelmezse hazirlanan XML dosyasi gönderilip çikti alinmaya çalisilmaktadir

C#

```
public static byte[] EArsivOnIzleme(GidenFaturaDTO gidenFatura, string dosyaAdi);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
string dosyaAdi	Dosya Adi bilgisi

Returns

PDF olarak çiktisi alinacak dosyanin byte dizisi hali

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```
 1: public static byte[] EArsivOnIzleme(GidenFaturaDTO gidenFatura, string dosyaAdi)
 2: {
 3:     try
 4:     {
 5:         gibUserService = new GIBUserService.userService();
 6:         gibEArsivService = new GIBEArsiv.EarsivWebService();
 7:
 8:         gibUserService.CookieContainer = new System.Net.CookieContainer();
 9:         gibEArsivService.CookieContainer = gibUserService.CookieContainer;
10:
11:         gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, GIBVKN);
12:
13:         // Burada VKN ve ERP Kodu önemlidir
14:         string input = "{\"islemId\":\"" + gidenFatura.GidenFaturaId.ToUpper() +
"\",\"faturaUuid\":\"" + gidenFatura.GidenFaturaId.ToUpper() +
"\",\"vkn\":\"3250566851\",\"sube\":\"DFLT\",\"kasa\":\"DFLT\",\"erpKodu\":\"TSF30125\",\"do
nenBelgeFormati\":\"3\"}";
// Buradaki 3 PDF
15:
16:         var belgeTemp = new GIBEArsiv.belge();
17:         belgeTemp.belgeFormati = GIBEArsiv.belgeFormatiEnum.UBL;
18:         belgeTemp.belgeFormatiSpecified = true;
19:         belgeTemp.belgeIcerigi = System.IO.File.ReadAllBytes(dosyaAdi);
20:
21:         GIBEArsiv.earsivServiceResult serviceResult = new
GIBEArsiv.earsivServiceResult();
22:         var temp = gibEArsivService.faturaSorgula(input, out serviceResult);
23:         if (temp != null)
24:             return temp.belgeIcerigi;
25:         else
26:         {
27:             temp = gibEArsivService.faturaOnizleme(input, belgeTemp, out serviceResult);
28:             if (temp != null)
29:                 return temp.belgeIcerigi;
30:             else
31:                 return null;
32:         }
33:     }
34:     catch (System.Exception ex)
35:     {
36:         return null;
37:     }
38:     finally
39:     {
40:         gibUserService.logout();
41:     }
42: }
```

1.1.7.1.2.1.3 DisServisler.EFaturaGonder Method

Summary

Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan metottur

C#

```
public static string EFaturaGonder(GidenFaturaDTO gidenFatura, string dosyaAdi);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
string dosyaAdi	Dosya Adi bilgisi

Returns

Islem Sonucu (Buradan dönen deger gerekli yerlerde kontrol edilip ona göre kullaniciya bilgi verilmektedir.)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```
 1: public static string EFaturaGonder(GidenFaturaDTO gidenFatura, string dosyaAdi)
 2: {
 3:     try
 4:     {
 5:         gibUserService = new GIBUserService.userService();
 6:         gibEFaturaService = new GIBEFatura.connectorService();
 7:
 8:         gibUserService.CookieContainer = new System.Net.CookieContainer();
 9:         gibEFaturaService.CookieContainer = gibUserService.CookieContainer;
10:
11:         gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, GIBVKN);
12:
13:         var parametreler = new GIBEFatura.gidenBelgeParametreleri();
14:         parametreler.vergiTcKimlikNo = "3250566851";
15:         parametreler.belgeTuru = "FATURA_UBL";
16:         parametreler.belgeNo = gidenFatura.GidenFaturaId;
17:         parametreler.belgeVersiyon = "1.0";
18:         parametreler.veri = System.IO.File.ReadAllBytes(dosyaAdi);
19:         parametreler.belgeHash = GetMD5Hash(parametreler.veri);
20:         parametreler.mimeType = "application/xml";
21:         parametreler.erpKodu = GIBERPKodu;
22:
23:         return gibEFaturaService.belgeGonderExt(parametreler);
24:     }
25:     catch (System.Exception ex)
26:     {
27:         return MesajSabitler.IslemBasarisiz;
28:     }
29:     finally
30:     {
31:         gibUserService.logout();
32:     }
33: }
```

1.1.7.1.2.1.4 DisServisler.EFaturaKullanicisiMi Method

Summary

Vergi Kimlik Numarasi Gönderilen Tüzel Kisinin E Fatura Kullanicisi Olup Olmadigini Kontrol Eden Bir Metottur

C#

```
public static bool EFaturaKullanicisiMi(string vergiNo);
```

Parameters

Parameters	Description
string vergiNo	Tüzel Kisi Vergi Kimlik Numarasi

Returns

Kullanici Olup Olmadigi Bilgisi

Body Source

```
 1: public static bool EFaturaKullanicisiMi(string vergiNo)
 2: {
 3:     try
 4:     {
 5:         var kullaniciMi = false;
 6:
 7:         gibUserService = new GIBUserService.userService();
 8:         gibEFaturaService = new GIBEFatura.connectorService();
 9:
10:         gibUserService.CookieContainer = new System.Net.CookieContainer();
11:         gibEFaturaService.CookieContainer = gibUserService.CookieContainer;
12:
13:         gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, GIBVKN);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
14:
15:         kullaniciMi = gibEFaturaService.efaturaKullanicisi(vergiNo);
16:
17:         return kullaniciMi;
18:     }
19:     catch (System.Exception ex)
20:     {
21:         return false;
22:     }
23:     finally
24:     {
25:         gibUserService.logout();
26:     }
27: }
```

1.1.7.1.2.1.5 DisServisler.EFaturaOnIzleme Method

Summary

Olusturulan XML dosyasinin QNB Finans Tarafinda Önizlemesinin yapilmasini saglayan metottur Eger Belge Oid numarasi varsa XML dosyasini göndermez, bu numarayla sistemdeki çikti alinir. Yoksa XML dosyasi gönderilir, Mali Degeri Yoktur yazan bir filigranla yine XML üzerindeki Yapi üzerinden PDF çiktisi alinicak sekilde veri döner

C#

```
public static GeriDonus EFaturaOnIzleme(GidenFaturaDTO gidenFatura, string dosyaAdi);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
string dosyaAdi	Dosya Adi bilgisi

Returns

PDF veya ZIP olarak alinacak dosyanin Byte dizisi hali

Body Source

```
 1: public static GeriDonus EFaturaOnIzleme(GidenFaturaDTO gidenFatura, string dosyaAdi)
 2: {
 3:     try
 4:     {
 5:         gibUserService = new GIBUserService.userService();
 6:         gibEFaturaService = new GIBEFatura.connectorService();
 7:
 8:         gibUserService.CookieContainer = new System.Net.CookieContainer();
 9:         gibEFaturaService.CookieContainer = gibUserService.CookieContainer;
10:
11:         gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, GIBVKN);
12:
13:         string vergiTcKimlikNo = "3250566851";
14:         if (!File.Exists(dosyaAdi))
15:         {
16:             return null;
17:         }
18:         byte[] veri = System.IO.File.ReadAllBytes(dosyaAdi);
19:         string belgeFormati = "PDF";  //HTML, PDF, UBL
20:         string belgeTuru = "FATURA"; //EFATURA ve EIRSALIYE degerleri alabilir.
21:
22:         byte[] onizleme = new byte[1];
23:
24:         var geriDonus = new GeriDonus
25:         {
26:             Dosya = onizleme,
27:             Tip = 0
28:         };
29:
30:         if (!string.IsNullOrEmpty(gidenFatura.BelgeOid))
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
31:         {
32:             var idListesi = new string[1];
33:             idListesi[0] = gidenFatura.BelgeOid;
34:             onizleme = gibEFaturaService.gidenBelgeleriIndir(vergiTcKimlikNo,
idListesi, belgeTuru, belgeFormati);
35:             geriDonus.Dosya = onizleme;
36:             geriDonus.Tip = 1;
37:         }
38:         else
39:         {
40:             onizleme = gibEFaturaService.ublOnizleme(vergiTcKimlikNo, veri,
belgeFormati, belgeTuru);
41:             geriDonus.Dosya = onizleme;
42:             geriDonus.Tip = 0;
43:         }
44:
45:         return geriDonus;
46:     }
47:     catch (System.Exception ex)
48:     {
49:         return null;
50:     }
51:     finally
52:     {
53:         gibUserService.logout();
54:     }
55: }
```

1.1.7.1.2.1.6 DisServisler.EMustahsilGonder Method

Summary

Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan metottur

C#

```
public static string EMustahsilGonder(MustahsilMakbuzuDTO mustahsilMakbuzu, string
dosyaAdi);
```

Parameters

Parameters	Description
MustahsilMakbuzuDTO mustahsilMakbuzu	Müstahsil Makbuzu Bilgisi
string dosyaAdi	Dosya Adi bilgisi

Body Source

```
 1: public static string EMustahsilGonder(MustahsilMakbuzuDTO mustahsilMakbuzu, string
dosyaAdi)
 2: {
 3:     try
 4:     {
 5:         gibUserService = new GIBUserService.userService();
 6:         gibEMustahsilService = new GIBEMustahsil.MustahsilWebService();
 7:
 8:         gibUserService.CookieContainer = new System.Net.CookieContainer();
 9:         gibEMustahsilService.CookieContainer = gibUserService.CookieContainer;
10:
11:         gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, "tr");
12:
13:         string input = "{\"islemId\":\"" + mustahsilMakbuzu.MustahsilMakbuzuId +
"\",\"vkn\":\"3250566851\",\"sube\":\"DFLT\",\"kasa\":\"DFLT\"}";
14:
15:         var belgeTemp = new GIBEMustahsil.belge();
16:         belgeTemp.belgeFormati = GIBEMustahsil.belgeFormatiEnum.UBL;
17:         belgeTemp.belgeFormatiSpecified = true;
18:         belgeTemp.belgeIcerigi = System.IO.File.ReadAllBytes(dosyaAdi);
19:         GIBEMustahsil.earsivServiceResult serviceResult = new
GIBEMustahsil.earsivServiceResult();
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
20:         var belge = gibEMustahsilService.mustahsilMakbuzOlustur(input, belgeTemp, out
serviceResult);
21:
22:         if (serviceResult.resultCode != "AE00000")
23:             return MesajSabitler.IslemBasarisiz;
24:         else
25:             return MesajSabitler.IslemBasarili;
26:     }
27:     catch (System.Exception ex)
28:     {
29:         return MesajSabitler.IslemBasarisiz;
30:     }
31:     finally
32:     {
33:         gibUserService.logout();
34:     }
35: }
```

1.1.7.1.2.1.7 DisServisler.EMustahsilOnIzleme Method

Summary

Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan metottur Burada da E-Faturada oldugu gibi önce Fatura Id bilgisi ile gönderip Bir sonuç gelmezse hazirlanan XML dosyasi gönderilip çikti alinmaya çalisilmaktadir

C#

```
public static byte[] EMustahsilOnIzleme(MustahsilMakbuzuDTO mustahsilMakbuzu, string
dosyaAdi);
```

Parameters

Parameters	Description
MustahsilMakbuzuDTO mustahsilMakbuzu	Müstahsil Makbuzu Bilgisi
string dosyaAdi	Dosya Adi bilgisi

Returns

PDF olarak çiktisi alinacak dosyanin byte dizisi hali

Body Source

```
 1: public static byte[] EMustahsilOnIzleme(MustahsilMakbuzuDTO mustahsilMakbuzu, string
dosyaAdi)
 2: {
 3:     try
 4:     {
 5:         gibUserService = new GIBUserService.userService();
 6:         gibEMustahsilService = new GIBEMustahsil.MustahsilWebService();
 7:
 8:         gibUserService.CookieContainer = new System.Net.CookieContainer();
 9:         gibEMustahsilService.CookieContainer = gibUserService.CookieContainer;
10:
11:         gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, "tr");
12:
13:         // Burada VKN ve ERP Kodu önemlidir
14:         string input = "{\"islemId\":\"" +
mustahsilMakbuzu.MustahsilMakbuzuId.ToUpper() + "\",\"uuid\":\"" +
mustahsilMakbuzu.MustahsilMakbuzuId.ToUpper() +
"\",\"vkn\":\"3250566851\",\"sube\":\"DFLT\",\"kasa\":\"DFLT\",\"erpKodu\":\"TSF30125\",\"do
nenBelgeFormati\":\"3\"}";
// Buradaki 3 PDF
15:
16:         var belgeTemp = new GIBEMustahsil.belge();
17:         belgeTemp.belgeFormati = GIBEMustahsil.belgeFormatiEnum.UBL;
18:         belgeTemp.belgeFormatiSpecified = true;
19:         belgeTemp.belgeIcerigi = System.IO.File.ReadAllBytes(dosyaAdi);
20:
21:         GIBEMustahsil.earsivServiceResult serviceResult = new
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
GIBEMustahsil.earsivServiceResult();
        var temp = gibEMustahsilService.mustahsilMakbuzSorgula(input, out serviceResult);
        if (temp != null)
            return temp.belgeIcerigi;
        else
        {
            temp = gibEMustahsilService.mustahsilMakbuzOnizleme(input, belgeTemp, out serviceResult);
            if (temp != null)
                return temp.belgeIcerigi;
            else
                return null;
        }
    }
    catch (System.Exception ex)
    {
        return null;
    }
    finally
    {
        gibUserService.logout();
    }
}
```

1.1.7.1.2.1.8 DisServisler.GetMD5Hash Method

Summary

Dosyanin MD5 hashi alinmasi için yazilan metottur

C#

```
public static string GetMD5Hash(byte[] gelen);
```

Parameters

Parameters	Description
byte[] gelen	Girdi Bilgisi

Returns

Metnin veya girdinin MD5 hashlenmis hali

Body Source

```
public static string GetMD5Hash(byte[] gelen)
{
    MD5 md5Hash = new MD5CryptoServiceProvider();
    byte[] data = md5Hash.ComputeHash(gelen);
    StringBuilder sBuilder = new StringBuilder();

    for (int i = 0; i < data.Length; i++)
    {
        sBuilder.Append(data[i].ToString("x2"));
    }

    return sBuilder.ToString();
}
```

1.1.7.1.3 Enums Class

Summary

Satis Türü Bilgilerinin Bulundugu Enum sinifi

Class Hierarchy

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
public static class Enums;
```

File

Enums.cs (see page 771)

Enums Enumerations

	Name	Description
	FaturaMakbuzGrupTur (see page 680)	Istisna Faturalarindave Müstahsil Makbuzlarinda Grup Türüne Göre Kontrol yapilmasini saglayan enum Bilgisi Burada Küspe olup olmamasina göre XML içeriginde degisiklikler yapildigi için Bu kisim önemlidir
	FaturaTur (see page 680)	Faturada Türlerinin Kodlarinin Bulundugu enum bilgisi Burada Iade faturasi ise XML içerisinde bazi yapisal degisiklikler gerçeklestirildigi için Bu konu önemlidir.
	SatisTur (see page 681)	Faturadaki Satis Türlerinin Kodlarinin Bulundugu enum bilgisi Burada Ihraç Kayitli ise XML içerisinde bazi yapisal degisiklikler gerçeklestirildigi için Bu konu önemlidir.

1.1.7.1.3.1 Enums Enumerations

1.1.7.1.3.1.1 QNBFinansGIB.Utils.Enums.FaturaMakbuzGrupTur Enumeration

Summary

Istisna Faturalarindave Müstahsil Makbuzlarinda Grup Türüne Göre Kontrol yapilmasini saglayan enum Bilgisi Burada Küspe olup olmamasina göre XML içeriginde degisiklikler yapildigi için Bu kisim önemlidir

C#

```
public enum FaturaMakbuzGrupTur {
  Seker = 1,
  Melas = 2,
  Kuspe = 3,
  Diger = 4,
  Malzeme = 5,
  PancarKuyrugu = 6,
  Alkol = 7,
  Personel = 8
}
```

File

Enums.cs (see page 771)

1.1.7.1.3.1.2 QNBFinansGIB.Utils.Enums.FaturaTur Enumeration

Summary

Faturada Türlerinin Kodlarinin Bulundugu enum bilgisi Burada Iade faturasi ise XML içerisinde bazi yapisal degisiklikler gerçeklestirildigi için Bu konu önemlidir.

C#

```
public enum FaturaTur {
  Muhtelif = 1,
  Kantin = 2,
  Ambar = 3,
  Satis = 4,
  Iade = 5,
  Fark = 6,
  Personel = 7,
  Proforma = 8,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
    NoterlikMakbuzu = 9,
    Harcirah = 10
  }
```

File

Enums.cs (see page 771)

1.1.7.1.3.1.3 QNBFinansGIB.Utils.Enums.SatisTur Enumeration

Summary

Faturadaki Satis Türlerinin Kodlarinin Bulundugu enum bilgisi Burada Ihraç Kayitli ise XML içerisinde bazi yapisal degisiklikler gerçeklestirildigi için Bu konu önemlidir.

C#

```
  public enum SatisTur {
    Vadeli = 1,
    Hesaben = 2,
    Pesin = 3,
    TeskilataVerilen = 4,
    TeslimattaVadeli = 5,
    CiftciyeVerilen = 6,
    IstirakeSatilan = 7,
    PersoneleSatilan = 8,
    ImalatciIhracatci = 9,
    IhracKayitli = 10,
    IstirakeSatilanRezervli = 11,
    RafFiyatGarantili = 12
  }
```

File

Enums.cs (see page 771)

1.1.7.1.4 GeriDonus Class

Summary

E-Fatura Servisinde Önizleme Metodu çagrildiginda dönecek olan deger Burada Tipe göre Dosya (see page 682) uzantisi Zip veya PDF olacagi için Bu konu önemlidir

Class Hierarchy

C#

```
  public class GeriDonus;
```

File

GeriDonus.cs (see page 792)

GeriDonus Properties

	Name	Description
	Dosya (see page 682)	Çikti alinacak dosyanin byte dizisi hali
	Tip (see page 682)	Çikti Tipi Bilgisi

1.1.7.1.4.1 GeriDonus Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.7.1.4.1.1 GeriDonus.Dosya Property

Summary

Çikti alinacak dosyanin byte dizisi hali

C#

```
public byte Dosya;
```

1.1.7.1.4.1.2 GeriDonus.Tip Property

Summary

Çikti Tipi Bilgisi

C#

```
public int Tip;
```

1.1.7.1.5 MesajSabitler Class

Summary

Yapilan Ekranlarda Verilecek Mesajlarla Ilgili Sabit Sinif

Class Hierarchy

QNBFinansGIB.Utils.MesajSabitler

C#

```
public static class MesajSabitler;
```

File

GeriDonus.cs (see page 792)

MesajSabitler Fields

	Name	Description
	IslemBasarili (see page 682)	Islemin Basarili Olduguna Dair Mesaj Bilgisi
	IslemBasarisiz (see page 682)	Islemin Basarisiz Olduguna Dair Mesaj Bilgisi
	MesajBasligi (see page 683)	Islem Mesajlarinin Kutusunda Gösterilecek Baslik Mesaj Bilgisi

1.1.7.1.5.1 MesajSabitler Fields

1.1.7.1.5.1.1 MesajSabitler.IslemBasarili Field

Summary

Islemin Basarili Olduguna Dair Mesaj Bilgisi

C#

```
public static string IslemBasarili = "Islem Basarili";
```

1.1.7.1.5.1.2 MesajSabitler.IslemBasarisiz Field

Summary

Islemin Basarisiz Olduguna Dair Mesaj Bilgisi

C#

```
public static string IslemBasarisiz = "Islem Basarisiz";
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.7.1.5.1.3 MesajSabitler.MesajBasligi Field

Summary

Islem Mesajlarinin Kutusunda Gösterilecek Baslik Mesaj Bilgisi

C#

```
public static string MesajBasligi = "QNB Finans GIB Servis Uygulamasi";
```

1.1.7.1.6 YardimciSiniflar Class

Summary

Giden Fatura ve Müstahsil Makbuzlari ile ilgili olarak, Kendisi, Ana Kayda Iliskin Detaylar, Aktarilacak Klasör gibi bilgiler kullanilarak QNB Finans GIB Web Servislerine gönderilecek XML dosyalarinin hazirlanmasi ile ilgili Metotlarin bulundugu yardimci siniftir.

Class Hierarchy

QNBFinansGIB.Utils.YardimciSiniflar

C#

```
public static class YardimciSiniflar;
```

File

YardimciSiniflar.cs (see page 807)

YardimciSiniflar Methods

	Name	Description
	EArsivXMLOlustur (see page 683)	Giden Fatura Bilgisi Üzerinden E-Arsiv Sistemine Göndermek Için XML Dosyasi Olusturmaya yarayan metottur
	EFaturaXMLOlustur (see page 714)	Giden Fatura Bilgisi Üzerinden E-Fatura Sistemine Göndermek Için XML Dosyasi Olusturmaya yarayan metottur
	EMustahsilXMLOlustur (see page 730)	Müstahsil Makbuzu Bilgisi Üzerinden E-Müstahsil Sistemine Göndermek Için XML Dosyasi Olusturmaya yarayan metottur

1.1.7.1.6.1 YardimciSiniflar Methods

1.1.7.1.6.1.1 YardimciSiniflar.EArsivXMLOlustur Method

Summary

Giden Fatura Bilgisi Üzerinden E-Arsiv Sistemine Göndermek Için XML Dosyasi Olusturmaya yarayan metottur

C#

```
public static string EArsivXMLOlustur(GidenFaturaDTO gidenFatura, List<GidenFaturaDetayDTO>
gidenFaturaDetayListesi, string aktarilacakKlasorAdi, bool mustahsilMakbuzuMu);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi	Giden Fatura Detay Listesi
string aktarilacakKlasorAdi	Olusturulan Dosyanin Aktarilacagi Klasör
bool mustahsilMakbuzuMu	Müstahsil Makbuzu Mu Bilgisi

Returns

Kaydedilen Dosyanin Bilgisayardaki Adresi

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```
    1: public static string EArsivXMLOlustur(GidenFaturaDTO gidenFatura,
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, string aktarilacakKlasorAdi, bool
mustahsilMakbuzuMu)
    2: {
    3:     if (!mustahsilMakbuzuMu)
    4:     {
    5:         #region Sahis Sirketi veya Personel Kaydindan Gelecekse
    6:
    7:         XmlDocument doc = new XmlDocument();
    8:         XmlDeclaration declaration;
    9:         declaration = doc.CreateXmlDeclaration("1.0", "UTF-8", null);
   10:         XmlElement root = doc.DocumentElement;
   11:         doc.InsertBefore(declaration, root);
   12:         //doc.AppendChild(doc.CreateProcessingInstruction("xml-stylesheet",
"type=\"text/xsl\" href=\"general.xslt\""));
   13:
   14:         root = doc.CreateElement("Invoice");
   15:
   16:         gidenFatura = BoslukKaldir.BosluklariKaldir(gidenFatura);
   17:
   18:         var kodSatisTuruKod = 0;
   19:         if (gidenFatura.SatisTuruKod != null)
   20:             kodSatisTuruKod = gidenFatura.SatisTuruKod ?? 0;
   21:
   22:         var kodFaturaTuruKod = 0;
   23:         if (gidenFatura.FaturaTuruKod != null)
   24:             kodFaturaTuruKod = gidenFatura.FaturaTuruKod ?? 0;
   25:
   26:         var kodFaturaGrupTuruKod = 0;
   27:         if (gidenFatura.FaturaGrupTuruKod != null)
   28:             kodFaturaGrupTuruKod = gidenFatura.FaturaGrupTuruKod ?? 0;
   29:
   30:         #region Standart ve Faturaya Bagli Bilgiler
   31:
   32:         // Faturanin türü, düzenleme tarihi, UBL Versiyon Numarasi, GIB Numarasi gibi
bilgiler
   33:         // yer almaktadir
   34:         #region Standart Bilgiler
   35:         root.RemoveAllAttributes();
   36:
   37:         string locationAttribute = "xsi:schemaLocation";
   38:         XmlAttribute location = doc.CreateAttribute("xsi", "schemaLocation",
"urn:oasis:names:specification:ubl:schema:xsd:Invoice-2");
   39:         location.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
../xsdrt/maindoc/UBL-Invoice-2.1.xsd";
   40:         //XmlAttribute location = doc.CreateAttribute(schemaLocation);
   41:         //location.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
../xsdrt/maindoc/UBL-Invoice-2.1.xsd";
   42:         XmlAttribute xlmns = doc.CreateAttribute("xmlns");
   43:         xlmns.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2";
   44:         XmlAttribute xlmnsn4 = doc.CreateAttribute("xmlns:n4");
   45:         xlmnsn4.Value = "http://www.altova.com/samplexml/other-namespace";
   46:         XmlAttribute xlmnsxsi = doc.CreateAttribute("xmlns:xsi");
   47:         xlmnsxsi.Value = "http://www.w3.org/2001/XMLSchema-instance";
   48:         XmlAttribute xlmnscac = doc.CreateAttribute("xmlns:cac");
   49:         xlmnscac.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonAggregateComponents-2";
   50:         XmlAttribute xlmnscbc = doc.CreateAttribute("xmlns:cbc");
   51:         xlmnscbc.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonBasicComponents-2";
   52:         XmlAttribute xlmnsext = doc.CreateAttribute("xmlns:ext");
   53:         xlmnsext.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonExtensionComponents-2";
   54:         XmlAttribute xlmnsxades = doc.CreateAttribute("xmlns:xades");
   55:         //xlmnsxades.Value = "http://uri.etsi.org/01903/v1.3.2#";
   56:         xlmnsxades.Value = "http://uri.etsi.org/01903/v1.3.2";
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
 57:         XmlAttribute xlmnsds = doc.CreateAttribute("xmlns:ds");
 58:         //xlmnsds.Value = "http://www.w3.org/2000/09/xmldsig#";
 59:         xlmnsds.Value = "http://www.w3.org/2000/09/xmldsig";
 60:
 61:         root.Attributes.Append(location);
 62:         root.Attributes.Append(xlmns);
 63:         root.Attributes.Append(xlmnsxsi);
 64:         root.Attributes.Append(xlmnscac);
 65:         root.Attributes.Append(xlmnsext);
 66:         root.Attributes.Append(xlmnsds);
 67:         root.Attributes.Append(xlmnsxades);
 68:         root.Attributes.Append(xlmnscbc);
 69:         root.Attributes.Append(xlmnsn4);
 70:
 71:         var extUbl = doc.CreateElement("ext", "UBLExtensions", xlmnsext.Value);
 72:         var extUbl2 = doc.CreateElement("ext", "UBLExtension", xlmnsext.Value);
 73:         var extUbl3 = doc.CreateElement("ext", "ExtensionContent", xlmnsext.Value);
 74:         extUbl2.AppendChild(extUbl3);
 75:         extUbl.AppendChild(extUbl2);
 76:
 77:         root.AppendChild(extUbl);
 78:
 79:         var versionId = doc.CreateElement("cbc", "UBLVersionID", xlmnscbc.Value);
 80:         versionId.InnerText = "2.1";
 81:         root.AppendChild(versionId);
 82:
 83:         var customizationId = doc.CreateElement("cbc", "CustomizationID",
xlmnscbc.Value);
 84:         customizationId.InnerText = "TR1.2";
 85:         root.AppendChild(customizationId);
 86:
 87:         var profileId = doc.CreateElement("cbc", "ProfileID", xlmnscbc.Value);
 88:         profileId.InnerText = "EARSIVFATURA";
 89:         root.AppendChild(profileId);
 90:
 91:         var id = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
 92:         if (!string.IsNullOrEmpty(gidenFatura.GibNumarasi))
 93:             id.InnerText = gidenFatura.GibNumarasi;
 94:         else
 95:             id.InnerText = "ABC" + gidenFatura.DuzenlemeTarihi?.Year +
DateTime.UtcNow.Ticks.ToString().Substring(0, 9);
 96:         root.AppendChild(id);
 97:
 98:         var copyIndicator = doc.CreateElement("cbc", "CopyIndicator", xlmnscbc.Value);
 99:         copyIndicator.InnerText = "false";
100:         root.AppendChild(copyIndicator);
101:
102:         var gidenFaturaId = doc.CreateElement("cbc", "UUID", xlmnscbc.Value);
103:         gidenFaturaId.InnerText = gidenFatura.GidenFaturaId.Length == 36 ?
gidenFatura.GidenFaturaId.ToUpper() : Guid.NewGuid().ToString().ToUpper();
104:         root.AppendChild(gidenFaturaId);
105:
106:         var issueDate = doc.CreateElement("cbc", "IssueDate", xlmnscbc.Value);
107:         issueDate.InnerText =
gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd");
108:         root.AppendChild(issueDate);
109:
110:         var issueTime = doc.CreateElement("cbc", "IssueTime", xlmnscbc.Value);
111:         issueTime.InnerText = gidenFatura.DuzenlemeTarihi?.ToString("HH:mm:ss");
112:         root.AppendChild(issueTime);
113:
114:         var invoiceTypeCode = doc.CreateElement("cbc", "InvoiceTypeCode",
xlmnscbc.Value);
115:         invoiceTypeCode.InnerText = "SATIS";
116:         if (gidenFatura.KdvTutari == 0 || gidenFaturaDetayListesi.Any(j =>
j.KdvTutari == 0))
117:             invoiceTypeCode.InnerText = "ISTISNA";
118:         if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
119:             invoiceTypeCode.InnerText = "IHRACKAYITLI";
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
120:         if (kodFaturaTuruKod == FaturaTur.Iade.GetHashCode())
121:             invoiceTypeCode.InnerText = "IADE";
122:         root.AppendChild(invoiceTypeCode);
123:
124:         #region Irsaliye Bilgileri
125:
126:         #region Irsaliye ve Tonaj Düzenlemesi
127:
128:         var gidenFaturaDetayListesi2 = new List<GidenFaturaDetayDTO>();
129:         var gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi;
130:         foreach (var item in gidenFaturaDetayListesiTemp)
131:         {
132:             if (!string.IsNullOrEmpty(item.IrsaliyeNo) &&
!string.IsNullOrEmpty(item.PlakaNo))
133:             {
134:                 if (!gidenFaturaDetayListesi2.Any(j => j.IrsaliyeNo ==
item.IrsaliyeNo && j.PlakaNo == item.PlakaNo))
135:                 {
136:                     item.Tonaj = item.Miktar;
137:                     gidenFaturaDetayListesi2.Add(item);
138:                 }
139:                 else
140:                 {
141:                     var index = gidenFaturaDetayListesi2.FindIndex(j => j.IrsaliyeNo
== item.IrsaliyeNo && j.PlakaNo == item.PlakaNo);
142:                     gidenFaturaDetayListesi2[index].Tonaj =
gidenFaturaDetayListesi2[index].Tonaj + item.Miktar;
143:                 }
144:             }
145:             else
146:                 gidenFaturaDetayListesi2.Add(item);
147:         }
148:         //if (gidenFaturaDetayListesi2.Count < 1)
149:         //    gidenFaturaDetayListesi2.Add(new GidenFaturaDetayDTO());
150:
151:         #endregion Irsaliye ve Tonaj Düzenlemesi
152:
153:         if (gidenFaturaDetayListesi2.Count > 0)
154:         {
155:             foreach (var item in gidenFaturaDetayListesi2)
156:             {
157:                 var irsaliyeNote = doc.CreateElement("cbc", "Note", xlmnscbc.Value);
158:                 irsaliyeNote.InnerText = "";
159:                 if (!string.IsNullOrEmpty(item.PlakaNo))
160:                     irsaliyeNote.InnerText += "Plaka No: " + item.PlakaNo;
161:                 if (!string.IsNullOrEmpty(item.SevkIrsaliyesiNo))
162:                     irsaliyeNote.InnerText += " Irsaliye No: " +
item.SevkIrsaliyesiNo;
163:                 if (item.SevkIrsaliyeTarihi != null)
164:                     irsaliyeNote.InnerText += " Irsaliye Tarihi: " +
item.SevkIrsaliyeTarihi?.ToShortDateString();
165:                 if (item.YuklemeFormuNo != null)
166:                     irsaliyeNote.InnerText += " Yükleme Formu No: " +
item.YuklemeFormuNo;
167:                 if (item.Tonaj != null)
168:                     irsaliyeNote.InnerText += " Tonaj: " + item.Tonaj;
169:                 if ((item.FaturaUrunTuru.Contains("Sartname") ||
item.FaturaUrunTuru.Contains("Kira")) && kodFaturaGrupTuruKod ==
FaturaMakbuzGrupTur.Diger.GetHashCode() && !string.IsNullOrEmpty(gidenFatura.Aciklama))
170:                     irsaliyeNote.InnerText += " Açiklama: " + gidenFatura.Aciklama;
171:                 if (!string.IsNullOrEmpty(irsaliyeNote.InnerText))
172:                     root.AppendChild(irsaliyeNote);
173:             }
174:         }
175:
176:         #endregion
177:
178:         var sendType = doc.CreateElement("cbc", "Note", xlmnscbc.Value);
179:         sendType.InnerText = "Gönderim Sekli: ELEKTRONIK";
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
180:         root.AppendChild(sendType);
181:
182:         var documentCurrencyCode = doc.CreateElement("cbc", "DocumentCurrencyCode",
xlmnscbc.Value);
183:         documentCurrencyCode.InnerText = "TRY";
184:         root.AppendChild(documentCurrencyCode);
185:
186:         var lineCountNumeric = doc.CreateElement("cbc", "LineCountNumeric",
xlmnscbc.Value);
187:         lineCountNumeric.InnerText = gidenFaturaDetayListesi.Count.ToString();
188:         root.AppendChild(lineCountNumeric);
189:
190:         #endregion
191:
192:         // Faturaya iliskin imza, adres vb. bilgiler yer almaktadir
193:         #region Signature
194:         var signature = doc.CreateElement("cac", "Signature", xlmnscac.Value);
195:         XmlAttribute signatureIdAttr = doc.CreateAttribute("schemeID");
196:         signatureIdAttr.Value = "VKN_TCKN";
197:         var signatureId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
198:         signatureId.Attributes.Append(signatureIdAttr);
199:         signatureId.InnerText = "3250566851";
200:         signature.AppendChild(signatureId);
201:         var signatoryParty = doc.CreateElement("cac", "SignatoryParty",
xlmnscac.Value);
202:         var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
203:         XmlAttribute signatureIdAttr2 = doc.CreateAttribute("schemeID");
204:         signatureIdAttr2.Value = "VKN";
205:         var signaturePartyId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
206:         signaturePartyId.Attributes.Append(signatureIdAttr2);
207:         signaturePartyId.InnerText = "3250566851";
208:         partyIdentification.AppendChild(signaturePartyId);
209:         signatoryParty.AppendChild(partyIdentification);
210:
211:         #region Postal Address
212:         var postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
213:         var streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
214:         streetName.InnerText = "Mithatpasa Caddesi";
215:         postalAddress.AppendChild(streetName);
216:         var buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
217:         buildingNumber.InnerText = "14";
218:         postalAddress.AppendChild(buildingNumber);
219:         var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
220:         citySubdivisionName.InnerText = "Çankaya";
221:         postalAddress.AppendChild(citySubdivisionName);
222:         var cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
223:         cityName.InnerText = "Ankara";
224:         postalAddress.AppendChild(cityName);
225:         var postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
226:         postalZone.InnerText = "06100";
227:         postalAddress.AppendChild(postalZone);
228:         var country = doc.CreateElement("cac", "Country", xlmnscac.Value);
229:         var countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
230:         countryName.InnerText = "Türkiye";
231:         country.AppendChild(countryName);
232:         postalAddress.AppendChild(country);
233:         signatoryParty.AppendChild(postalAddress);
234:         signature.AppendChild(signatoryParty);
235:
236:         #endregion
237:
238:         var digitalSignatureAttachment = doc.CreateElement("cac",
"DigitalSignatureAttachment", xlmnscac.Value);
239:         var externalReference = doc.CreateElement("cac", "ExternalReference",
xlmnscac.Value);
240:         var uri = doc.CreateElement("cbc", "URI", xlmnscbc.Value);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
241:         uri.InnerText = "#Signature";
242:         externalReference.AppendChild(uri);
243:         digitalSignatureAttachment.AppendChild(externalReference);
244:         signature.AppendChild(digitalSignatureAttachment);
245:
246:         root.AppendChild(signature);
247:         #endregion
248:
249:         // Burada sabit degerler verilmekte olup, Faturayi kesen kuruma veya firmaya
ait bilgiler
250:         // yer almaktadir. Bu kisimda örnek olarak TÜRKSEKER Fabrikalari Genel
Müdürlügü bilgileri
251:         // kullanilmistir. Ancak degistirip test edilebilir.
252:         #region AccountingSupplierParty
253:
254:         var accountingSupplierParty = doc.CreateElement("cac",
"AccountingSupplierParty", xlmnscac.Value);
255:         var party = doc.CreateElement("cac", "Party", xlmnscac.Value);
256:         var webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
257:         webSiteUri.InnerText = "https://www.turkseker.gov.tr";
258:         party.AppendChild(webSiteUri);
259:         XmlAttribute accountingSupplierPartyIdAttr = doc.CreateAttribute("schemeID");
260:         accountingSupplierPartyIdAttr.Value = "VKN_TCKN";
261:         partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
262:         XmlAttribute accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
263:         accountingSupplierPartyIdAttr2.Value = "VKN";
264:         var accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
265:
accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
266:         accountingSupplierPartyPartyId.InnerText = "3250566851";
267:         partyIdentification.AppendChild(accountingSupplierPartyPartyId);
268:         party.AppendChild(partyIdentification);
269:
270:         if (!string.IsNullOrEmpty(gidenFatura.AltBirimAd))
271:         {
272:             partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
273:             accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
274:             accountingSupplierPartyIdAttr2.Value = "SUBENO";
275:             accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
276:
accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
277:             accountingSupplierPartyPartyId.InnerText = gidenFatura.AltBirimAd;
278:             partyIdentification.AppendChild(accountingSupplierPartyPartyId);
279:             party.AppendChild(partyIdentification);
280:         }
281:
282:         var partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
283:         var partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
284:         partyNameReal.InnerText = "TÜRKIYE SEKER FABRIKALARI A.S.";
285:         partyName.AppendChild(partyNameReal);
286:         party.AppendChild(partyName);
287:
288:         #region Postal Address
289:         postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
290:         var postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
291:         postalAddressId.InnerText = "3250566851";
292:         postalAddress.AppendChild(postalAddressId);
293:         streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
294:         streetName.InnerText = "Mithatpasa Caddesi";
295:         postalAddress.AppendChild(streetName);
296:         buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xlmnscbc.Value);
297:         buildingNumber.InnerText = "14";
298:         postalAddress.AppendChild(buildingNumber);
299:         citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
 300:         citySubdivisionName.InnerText = "Çankaya";
 301:         postalAddress.AppendChild(citySubdivisionName);
 302:         cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
 303:         cityName.InnerText = "Ankara";
 304:         postalAddress.AppendChild(cityName);
 305:         postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
 306:         postalZone.InnerText = "06100";
 307:         postalAddress.AppendChild(postalZone);
 308:         country = doc.CreateElement("cac", "Country", xlmnscac.Value);
 309:         countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
 310:         countryName.InnerText = "Türkiye";
 311:         country.AppendChild(countryName);
 312:         postalAddress.AppendChild(country);
 313:         party.AppendChild(postalAddress);
 314:
 315:         #endregion
 316:
 317:         var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xlmnscac.Value);
 318:         var taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
 319:         var taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
 320:         taxSchemeName.InnerText = "Ankara Kurumlar";
 321:         taxScheme.AppendChild(taxSchemeName);
 322:         partyTaxScheme.AppendChild(taxScheme);
 323:         party.AppendChild(partyTaxScheme);
 324:
 325:         var contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
 326:         var telephone = doc.CreateElement("cbc", "Telephone", xlmnscbc.Value);
 327:         telephone.InnerText = "(312) 4585500";
 328:         contact.AppendChild(telephone);
 329:         var telefax = doc.CreateElement("cbc", "Telefax", xlmnscbc.Value);
 330:         telefax.InnerText = "(312) 4585800";
 331:         contact.AppendChild(telefax);
 332:         var electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xlmnscbc.Value);
 333:         electronicMail.InnerText = "maliisler@turkseker.gov.tr";
 334:         contact.AppendChild(electronicMail);
 335:         party.AppendChild(contact);
 336:
 337:         accountingSupplierParty.AppendChild(party);
 338:
 339:         root.AppendChild(accountingSupplierParty);
 340:         #endregion
 341:
 342:         // Bu kisimda fatura kesilen firma bilgileri yer almaktadir
 343:         #region AccountingCustomerParty
 344:
 345:         var accountingCustomerParty = doc.CreateElement("cac",
"AccountingCustomerParty", xlmnscac.Value);
 346:         party = doc.CreateElement("cac", "Party", xlmnscac.Value);
 347:         webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
 348:         party.AppendChild(webSiteUri);
 349:         XmlAttribute accountingCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
 350:         accountingCustomerPartyIdAttr.Value = "TCKN";
 351:         partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
 352:         var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
 353:
accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerPartyIdAttr);
 354:         accountingCustomerPartyPartyId.InnerText = gidenFatura.GercekKisiTcKimlikNo;
 355:         partyIdentification.AppendChild(accountingCustomerPartyPartyId);
 356:         party.AppendChild(partyIdentification);
 357:
 358:         #region Postal Address
 359:         postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
 360:         postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
 361:         postalAddressId.InnerText = gidenFatura.GercekKisiTcKimlikNo;
 362:         postalAddress.AppendChild(postalAddressId);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
363:         var room = doc.CreateElement("cbc", "Room", xlmnscbc.Value);
364:         postalAddress.AppendChild(room);
365:         streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
366:         if (!string.IsNullOrEmpty(gidenFatura.IkametgahAdresi))
367:             streetName.InnerText = gidenFatura.IkametgahAdresi;
368:         postalAddress.AppendChild(streetName);
369:         buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xlmnscbc.Value);
370:         //buildingNumber.InnerText = "";
371:         postalAddress.AppendChild(buildingNumber);
372:         citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
373:         if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
374:             citySubdivisionName.InnerText = gidenFatura.IlceAd;
375:         postalAddress.AppendChild(citySubdivisionName);
376:         cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
377:         if (!string.IsNullOrEmpty(gidenFatura.IlAd))
378:             cityName.InnerText = gidenFatura.IlAd;
379:         postalAddress.AppendChild(cityName);
380:         postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
381:         //postalZone.InnerText = "";
382:         postalAddress.AppendChild(postalZone);
383:         country = doc.CreateElement("cac", "Country", xlmnscac.Value);
384:         countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
385:         countryName.InnerText = "Türkiye";
386:         country.AppendChild(countryName);
387:         postalAddress.AppendChild(country);
388:         party.AppendChild(postalAddress);
389:
390:         #endregion
391:
392:         partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme", xlmnscac.Value);
393:         taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
394:         taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
395:         //if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
396:         //    taxSchemeName.InnerText = gidenFatura.VergiDairesi;
397:         taxScheme.AppendChild(taxSchemeName);
398:         partyTaxScheme.AppendChild(taxScheme);
399:         party.AppendChild(partyTaxScheme);
400:
401:         contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
402:         telephone = doc.CreateElement("cbc", "Telephone", xlmnscbc.Value);
403:         if (!string.IsNullOrEmpty(gidenFatura.CepTelefonNo))
404:             telephone.InnerText = gidenFatura.CepTelefonNo;
405:         contact.AppendChild(telephone);
406:         telefax = doc.CreateElement("cbc", "Telefax", xlmnscbc.Value);
407:         //if (!string.IsNullOrEmpty(gidenFatura.FaksNo))
408:         //    telefax.InnerText = gidenFatura.FaksNo;
409:         contact.AppendChild(telefax);
410:         electronicMail = doc.CreateElement("cbc", "ElectronicMail", xlmnscbc.Value);
411:         if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))
412:             electronicMail.InnerText = gidenFatura.EPostaAdresi;
413:         contact.AppendChild(electronicMail);
414:         party.AppendChild(contact);
415:
416:         var person = doc.CreateElement("cac", "Person", xlmnscac.Value);
417:         var firstName = doc.CreateElement("cbc", "FirstName", xlmnscbc.Value);
418:         firstName.InnerText = gidenFatura.GercekKisiAd;
419:         person.AppendChild(firstName);
420:         var familyName = doc.CreateElement("cbc", "FamilyName", xlmnscbc.Value);
421:         familyName.InnerText = gidenFatura.GercekKisiSoyad;
422:         person.AppendChild(familyName);
423:         party.AppendChild(person);
424:
425:         accountingCustomerParty.AppendChild(party);
426:
427:         root.AppendChild(accountingCustomerParty);
428:         #endregion
429:
430:         if (!string.IsNullOrEmpty(gidenFatura.BankaAd))
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
431:         {
432:             // Eger Banka bilgileri mevcutsa burada banka bilgileri yer almaktadir
433:             #region PaymentMeans
434:
435:             var paymentMeans = doc.CreateElement("cac", "PaymentMeans",
xlmnscac.Value);
436:             var paymentMeansCode = doc.CreateElement("cbc", "PaymentMeansCode",
xlmnscbc.Value);
437:             //paymentMeansCode.InnerText = "1";
438:             /// Burada 1 verildigi zaman Sözlesme Kapsaminda yaziyor metinde
439:             /// ZZZ ise Diger anlaminda geliyor
440:             paymentMeansCode.InnerText = "ZZZ";
441:             paymentMeans.AppendChild(paymentMeansCode);
442:             var payeeFinancialAccount = doc.CreateElement("cac",
"PayeeFinancialAccount", xlmnscac.Value);
443:             var payeeFinancialAccountId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
444:             if (!string.IsNullOrEmpty(gidenFatura.IbanNo))
445:                 payeeFinancialAccountId.InnerText = gidenFatura.IbanNo;
446:             payeeFinancialAccount.AppendChild(payeeFinancialAccountId);
447:             var currencyCode = doc.CreateElement("cbc", "CurrencyCode",
xlmnscbc.Value);
448:             currencyCode.InnerText = "TRY";
449:             payeeFinancialAccount.AppendChild(currencyCode);
450:             var paymentNote = doc.CreateElement("cbc", "PaymentNote", xlmnscbc.Value);
451:             if (!string.IsNullOrEmpty(gidenFatura.BankaAd) &&
!string.IsNullOrEmpty(gidenFatura.BankaSube))
452:                 paymentNote.InnerText = gidenFatura.BankaAd + " - " +
gidenFatura.BankaSube;
453:             payeeFinancialAccount.AppendChild(paymentNote);
454:             paymentMeans.AppendChild(payeeFinancialAccount);
455:             root.AppendChild(paymentMeans);
456:
457:             #endregion
458:         }
459:
460:         #region KDVlerin Belirlenmesi
461:
462:         var faturaKdvListesi = new List<FaturaKdvDTO>();
463:         foreach (var item in gidenFaturaDetayListesi)
464:         {
465:             decimal kodKdvTuruOran = item.KdvOran ?? 0;
466:             if (!faturaKdvListesi.Any(j => j.KdvOran == kodKdvTuruOran))
467:             {
468:                 var faturaKdv = new FaturaKdvDTO
469:                 {
470:                     KdvOran = kodKdvTuruOran,
471:                     KdvTutari = item.KdvTutari,
472:                     KdvHaricTutar = item.KdvHaricTutar
473:                 };
474:                 faturaKdvListesi.Add(faturaKdv);
475:             }
476:             else
477:             {
478:                 var index = faturaKdvListesi.FindIndex(j => j.KdvOran ==
kodKdvTuruOran);
479:                 faturaKdvListesi[index].KdvTutari += item.KdvTutari;
480:                 faturaKdvListesi[index].KdvHaricTutar += item.KdvHaricTutar;
481:             }
482:             if (faturaKdvListesi.Count > 0)
483:                 faturaKdvListesi = faturaKdvListesi.OrderBy(j => j.KdvOran).ToList();
484:         }
485:
486:         #endregion
487:
488:         #region TaxTotal
489:
490:         var sayac = 1;
491:         foreach (var item in faturaKdvListesi)
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
492:         {
493:             // Burada vergi bilgileri yer almaktadir
494:             #region TaxTotal
495:
496:             var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
497:             XmlAttribute currencyIdGeneral = doc.CreateAttribute("currencyID");
498:             currencyIdGeneral.Value = "TRY";
499:             var taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
500:             taxAmount.RemoveAllAttributes();
501:             taxAmount.Attributes.Append(currencyIdGeneral);
502:             taxAmount.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
503:             taxTotal.AppendChild(taxAmount);
504:             var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xlmnscac.Value);
505:             var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xlmnscbc.Value);
506:             taxableAmount.RemoveAllAttributes();
507:             currencyIdGeneral = doc.CreateAttribute("currencyID");
508:             currencyIdGeneral.Value = "TRY";
509:             taxableAmount.Attributes.Append(currencyIdGeneral);
510:             taxableAmount.InnerText = Decimal.Round((decimal)item.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
511:             taxSubTotal.AppendChild(taxableAmount);
512:             var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
513:             taxAmount2.RemoveAllAttributes();
514:             currencyIdGeneral = doc.CreateAttribute("currencyID");
515:             currencyIdGeneral.Value = "TRY";
516:             taxAmount2.Attributes.Append(currencyIdGeneral);
517:             taxAmount2.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
518:             taxSubTotal.AppendChild(taxAmount2);
519:             var calculationSequenceNumeric = doc.CreateElement("cbc",
"CalculationSequenceNumeric", xlmnscbc.Value);
520:             calculationSequenceNumeric.InnerText = sayac + ".0";
521:             taxSubTotal.AppendChild(calculationSequenceNumeric);
522:             var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
523:             percent.InnerText = Decimal.Round((decimal)item.KdvOran, 0,
MidpointRounding.AwayFromZero).ToString();
524:             taxSubTotal.AppendChild(percent);
525:             var taxCategory = doc.CreateElement("cac", "TaxCategory", xlmnscac.Value);
526:             if (item.KdvTutari == 0)
527:             {
528:                 if (kodFaturaGrupTuruKod == FaturaMakbuzGrupTur.Kuspe.GetHashCode())
529:                 {
530:                     var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
531:                     taxExemptionReasonCode.InnerText = "325";
532:                     var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
533:                     taxExemptionReason.InnerText = "13/i Yem Teslimleri";
534:                     taxCategory.AppendChild(taxExemptionReasonCode);
535:                     taxCategory.AppendChild(taxExemptionReason);
536:                 }
537:                 else
538:                 {
539:                     var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
540:                     taxExemptionReasonCode.InnerText = "350";
541:                     var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
542:                     taxExemptionReason.InnerText = "Digerleri";
543:                     taxCategory.AppendChild(taxExemptionReasonCode);
544:                     taxCategory.AppendChild(taxExemptionReason);
545:                 }
546:             }
547:             if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
548:             {
549:                 var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
                taxExemptionReasonCode.InnerText = "701";
                var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason", xlmnscbc.Value);
                taxExemptionReason.InnerText = "3065 sayili Katma Deger Vergisi kanununun 11/1-c maddesi kapsaminda ihraç edilmek sartiyla teslim edildiginden Katma Deger Vergisi tahsil edilmemistir.";
                taxCategory.AppendChild(taxExemptionReasonCode);
                taxCategory.AppendChild(taxExemptionReason);
            }
            var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
            var taxTypeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
            taxTypeName.InnerText = "Katma Deger Vergisi";
            var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xlmnscbc.Value);
            taxTypeCode.InnerText = "0015";
            taxScheme2.AppendChild(taxTypeName);
            taxScheme2.AppendChild(taxTypeCode);
            taxCategory.AppendChild(taxScheme2);
            taxSubTotal.AppendChild(taxCategory);
            taxTotal.AppendChild(taxSubTotal);
            root.AppendChild(taxTotal);

            #endregion
        }

        #endregion

        // Burada vergi bilgileri yer almaktadir
        #region Açiklama Satiri (TaxTotal)

        //var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
        //XmlAttribute currencyId = doc.CreateAttribute("currencyID");
        //currencyId.Value = "TRY";
        //var taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
        //taxAmount.RemoveAllAttributes();
        //taxAmount.Attributes.Append(currencyId);
        //taxAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari, 2, MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
        //taxTotal.AppendChild(taxAmount);
        //var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xlmnscac.Value);
        //var taxableAmount = doc.CreateElement("cbc", "TaxableAmount", xlmnscbc.Value);
        //taxableAmount.RemoveAllAttributes();
        //currencyId = doc.CreateAttribute("currencyID");
        //currencyId.Value = "TRY";
        //taxableAmount.Attributes.Append(currencyId);
        //taxableAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2, MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
        //taxSubTotal.AppendChild(taxableAmount);
        //var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
        //taxAmount2.RemoveAllAttributes();
        //currencyId = doc.CreateAttribute("currencyID");
        //currencyId.Value = "TRY";
        //taxAmount2.Attributes.Append(currencyId);
        //taxAmount2.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari, 2, MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
        //taxSubTotal.AppendChild(taxAmount2);
        //var calculationSequenceNumeric = doc.CreateElement("cbc", "CalculationSequenceNumeric", xlmnscbc.Value);
        //calculationSequenceNumeric.InnerText = "1.0";
        //taxSubTotal.AppendChild(calculationSequenceNumeric);
        //var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
        //if (gidenFatura.KdvHaricTutar != 0)
        //    percent.InnerText = Decimal.Round(((decimal)gidenFatura.KdvTutari * 100) / (decimal)gidenFatura.KdvHaricTutar, 0, MidpointRounding.AwayFromZero).ToString();
        //else
        //    percent.InnerText = "0";
        //taxSubTotal.AppendChild(percent);
        //var taxCategory = doc.CreateElement("cac", "TaxCategory", xlmnscac.Value);
        //if (gidenFatura.KdvTutari == 0)
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
 610:         //{
 611:         //    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
 612:         //    taxExemptionReasonCode.InnerText = "325";
 613:         //    var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xlmnscbc.Value);
 614:         //    taxExemptionReason.InnerText = "13/i Yem Teslimleri";
 615:         //    taxCategory.AppendChild(taxExemptionReasonCode);
 616:         //    taxCategory.AppendChild(taxExemptionReason);
 617:         //}
 618:         //if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
 619:         //{
 620:         //    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
 621:         //    taxExemptionReasonCode.InnerText = "701";
 622:         //    var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xlmnscbc.Value);
 623:         //    taxExemptionReason.InnerText = "3065 sayili Katma Deger Vergisi
kanununun 11/1-c maddesi kapsaminda ihraç edilmek sartiyla teslim edildiginden Katma Deger
Vergisi tahsil edilmemistir.";
 624:         //    taxCategory.AppendChild(taxExemptionReasonCode);
 625:         //    taxCategory.AppendChild(taxExemptionReason);
 626:         //}
 627:         //var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
 628:         //var taxTypeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
 629:         //taxTypeName.InnerText = "Katma Deger Vergisi";
 630:         //var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xlmnscbc.Value);
 631:         //taxTypeCode.InnerText = "0015";
 632:         //taxScheme2.AppendChild(taxTypeName);
 633:         //taxScheme2.AppendChild(taxTypeCode);
 634:         //taxCategory.AppendChild(taxScheme2);
 635:         //taxSubTotal.AppendChild(taxCategory);
 636:         //taxTotal.AppendChild(taxSubTotal);
 637:         //root.AppendChild(taxTotal);
 638:
 639:         #endregion
 640:
 641:         // KDV, KDV Hariç Tutar ve Toplam Tutar bilgileri yer almaktadir
 642:         #region LegalMonetaryTotal
 643:
 644:         var legalMonetaryTotal = doc.CreateElement("cac", "LegalMonetaryTotal",
xlmnscac.Value);
 645:         var lineExtensionAmount = doc.CreateElement("cbc", "LineExtensionAmount",
xlmnscbc.Value);
 646:         lineExtensionAmount.RemoveAllAttributes();
 647:         var currencyId = doc.CreateAttribute("currencyID");
 648:         currencyId.Value = "TRY";
 649:         lineExtensionAmount.Attributes.Append(currencyId);
 650:         lineExtensionAmount.InnerText =
Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
 651:         legalMonetaryTotal.AppendChild(lineExtensionAmount);
 652:         var taxExclusiveAmount = doc.CreateElement("cbc", "TaxExclusiveAmount",
xlmnscbc.Value);
 653:         taxExclusiveAmount.RemoveAllAttributes();
 654:         currencyId = doc.CreateAttribute("currencyID");
 655:         currencyId.Value = "TRY";
 656:         taxExclusiveAmount.Attributes.Append(currencyId);
 657:         taxExclusiveAmount.InnerText =
Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
 658:         legalMonetaryTotal.AppendChild(taxExclusiveAmount);
 659:         var taxInclusiveAmount = doc.CreateElement("cbc", "TaxInclusiveAmount",
xlmnscbc.Value);
 660:         taxInclusiveAmount.RemoveAllAttributes();
 661:         currencyId = doc.CreateAttribute("currencyID");
 662:         currencyId.Value = "TRY";
 663:         taxInclusiveAmount.Attributes.Append(currencyId);
 664:         taxInclusiveAmount.InnerText =
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
Decimal.Round((decimal)gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
            legalMonetaryTotal.AppendChild(taxInclusiveAmount);
            var allowanceTotalAmount = doc.CreateElement("cbc", "AllowanceTotalAmount",
xlmnscbc.Value);
            allowanceTotalAmount.RemoveAllAttributes();
            currencyId = doc.CreateAttribute("currencyID");
            currencyId.Value = "TRY";
            allowanceTotalAmount.Attributes.Append(currencyId);
            allowanceTotalAmount.InnerText = "0.00";
            legalMonetaryTotal.AppendChild(allowanceTotalAmount);
            var payableAmount = doc.CreateElement("cbc", "PayableAmount", xlmnscbc.Value);
            payableAmount.RemoveAllAttributes();
            currencyId = doc.CreateAttribute("currencyID");
            currencyId.Value = "TRY";
            payableAmount.Attributes.Append(currencyId);
            payableAmount.InnerText = Decimal.Round((decimal)gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
            legalMonetaryTotal.AppendChild(payableAmount);
            root.AppendChild(legalMonetaryTotal);
            #endregion

            sayac = 1;
            // Her bir fatura detayi için hazirlanan bölümdür
            foreach (var item in gidenFaturaDetayListesi)
            {
                var detayBilgisi = BoslukKaldir.BosluklariKaldir(item);

                #region InvoiceLine

                // Ölçü Birimi, KDV Hariç Tutar, Para Birimi gibi bilgiler yer almaktadir
                #region MetaData
                var invoiceLine = doc.CreateElement("cac", "InvoiceLine", xlmnscac.Value);
                var invoiceLineId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
                invoiceLineId.InnerText = sayac.ToString();
                invoiceLine.AppendChild(invoiceLineId);
                var quantity = doc.CreateAttribute("unitCode");
                if (!string.IsNullOrEmpty(detayBilgisi.GibKisaltma))
                    quantity.Value = detayBilgisi.GibKisaltma;
                else
                    quantity.Value = "KGM";
                var invoicedQuantity = doc.CreateElement("cbc", "InvoicedQuantity",
xlmnscbc.Value);
                invoicedQuantity.RemoveAllAttributes();
                invoicedQuantity.Attributes.Append(quantity);
                invoicedQuantity.InnerText = Decimal.Round((decimal)detayBilgisi.Miktar,
2, MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
                invoiceLine.AppendChild(invoicedQuantity);
                var lineExtensionAmountDetail = doc.CreateElement("cbc",
"LineExtensionAmount", xlmnscbc.Value);
                lineExtensionAmountDetail.RemoveAllAttributes();
                currencyId = doc.CreateAttribute("currencyID");
                currencyId.Value = "TRY";
                lineExtensionAmountDetail.Attributes.Append(currencyId);
                lineExtensionAmountDetail.InnerText =
Decimal.Round((decimal)detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
                invoiceLine.AppendChild(lineExtensionAmountDetail);
                #endregion

                // Varsa iskonto bilgileri yer almaktadir
                #region AllowanceCharge

                var allowanceCharge = doc.CreateElement("cac", "AllowanceCharge",
xlmnscac.Value);
                var chargeIndicator = doc.CreateElement("cbc", "ChargeIndicator",
xlmnscbc.Value);
                chargeIndicator.InnerText = "false";
                allowanceCharge.AppendChild(chargeIndicator);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
723:             decimal amount2 = 0;
724:             decimal toplamTutar = (decimal)detayBilgisi.KdvHaricTutar;
725:             decimal kodIskontoTuruOran = detayBilgisi.IskontoOran ?? 0;
726:             if (kodIskontoTuruOran > 0)
727:             {
728:                 toplamTutar = Decimal.Round((decimal)detayBilgisi.Miktar *
(decimal)detayBilgisi.BirimFiyat, 4, MidpointRounding.AwayFromZero);
729:                 decimal toplamTutar2 = Decimal.Round(toplamTutar * (100 -
kodIskontoTuruOran) * (decimal)0.01, 4, MidpointRounding.AwayFromZero);
730:                 amount2 = toplamTutar - toplamTutar2;
731:             }
732:             var multiplierFactorNumeric = doc.CreateElement("cbc",
"MultiplierFactorNumeric", xlmnscbc.Value);
733:             multiplierFactorNumeric.InnerText = Decimal.Round(kodIskontoTuruOran *
(decimal)0.01, 2, MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
734:             allowanceCharge.AppendChild(multiplierFactorNumeric);
735:             var amount = doc.CreateElement("cbc", "Amount", xlmnscbc.Value);
736:             currencyId = doc.CreateAttribute("currencyID");
737:             currencyId.Value = "TRY";
738:             amount.RemoveAllAttributes();
739:             amount.Attributes.Append(currencyId);
740:             amount.InnerText = Decimal.Round(amount2, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
741:             allowanceCharge.AppendChild(amount);
742:             var baseAmount = doc.CreateElement("cbc", "BaseAmount", xlmnscbc.Value);
743:             currencyId = doc.CreateAttribute("currencyID");
744:             currencyId.Value = "TRY";
745:             baseAmount.RemoveAllAttributes();
746:             baseAmount.Attributes.Append(currencyId);
747:             baseAmount.InnerText = Decimal.Round(toplamTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
748:             allowanceCharge.AppendChild(baseAmount);
749:             invoiceLine.AppendChild(allowanceCharge);
750:
751:             #endregion
752:
753:             // Vergi bilgileri yer almaktadir
754:             #region TaxTotal
755:             var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
756:             currencyId = doc.CreateAttribute("currencyID");
757:             currencyId.Value = "TRY";
758:             var taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
759:             taxAmount.RemoveAllAttributes();
760:             taxAmount.Attributes.Append(currencyId);
761:             taxAmount.InnerText = Decimal.Round((decimal)detayBilgisi.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
762:             taxTotal.AppendChild(taxAmount);
763:             var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xlmnscac.Value);
764:             var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xlmnscbc.Value);
765:             taxableAmount.RemoveAllAttributes();
766:             currencyId = doc.CreateAttribute("currencyID");
767:             currencyId.Value = "TRY";
768:             taxableAmount.Attributes.Append(currencyId);
769:             taxableAmount.InnerText =
Decimal.Round((decimal)detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
770:             taxSubTotal.AppendChild(taxableAmount);
771:             var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
772:             taxAmount2.RemoveAllAttributes();
773:             currencyId = doc.CreateAttribute("currencyID");
774:             currencyId.Value = "TRY";
775:             taxAmount2.Attributes.Append(currencyId);
776:             taxAmount2.InnerText = Decimal.Round((decimal)detayBilgisi.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
777:             taxSubTotal.AppendChild(taxAmount2);
778:             var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
779:             if (detayBilgisi.KdvOran != null)
780:                 percent.InnerText = Decimal.Round((decimal)detayBilgisi.KdvOran, 2,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
MidpointRounding.AwayFromZero).ToString("N1").Replace(",", ".");
 781:                taxSubTotal.AppendChild(percent);
 782:                var taxCategory = doc.CreateElement("cac", "TaxCategory", xlmnscac.Value);
 783:                var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
 784:                var taxTypeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
 785:                taxTypeName.InnerText = "KDV";
 786:                taxScheme2.AppendChild(taxTypeName);
 787:                var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xlmnscbc.Value);
 788:                taxTypeCode.InnerText = "0015";
 789:                taxScheme2.AppendChild(taxTypeCode);
 790:                taxCategory.AppendChild(taxScheme2);
 791:                taxSubTotal.AppendChild(taxCategory);
 792:                taxTotal.AppendChild(taxSubTotal);
 793:                invoiceLine.AppendChild(taxTotal);
 794:                #endregion
 795:
 796:                // Fatura kesilen ürün detayi ve açiklama bilgileri yer almaktadir
 797:                #region Item
 798:                var invoiceItem = doc.CreateElement("cac", "Item", xlmnscac.Value);
 799:                if (!string.IsNullOrEmpty(detayBilgisi.MalzemeFaturaAciklamasi))
 800:                {
 801:                    var description = doc.CreateElement("cbc", "Description",
xlmnscbc.Value);
 802:                    description.InnerText = detayBilgisi.MalzemeFaturaAciklamasi;
 803:                    invoiceItem.AppendChild(description);
 804:                }
 805:                var detayBilgisiName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
 806:                if (!string.IsNullOrEmpty(detayBilgisi.FaturaUrunTuru))
 807:                    detayBilgisiName.InnerText = detayBilgisi.FaturaUrunTuru;
 808:                invoiceItem.AppendChild(detayBilgisiName);
 809:                invoiceLine.AppendChild(invoiceItem);
 810:                #endregion
 811:
 812:                // Birim fiyat bilgileri yer almaktadir
 813:                #region Price
 814:
 815:                var price = doc.CreateElement("cac", "Price", xlmnscac.Value);
 816:                var priceAmount = doc.CreateElement("cbc", "PriceAmount", xlmnscbc.Value);
 817:                priceAmount.RemoveAllAttributes();
 818:                currencyId = doc.CreateAttribute("currencyID");
 819:                currencyId.Value = "TRY";
 820:                priceAmount.Attributes.Append(currencyId);
 821:                if (detayBilgisi.BirimFiyat != null)
 822:                    priceAmount.InnerText =
Decimal.Round((decimal)detayBilgisi.BirimFiyat, 4,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
 823:                else
 824:                    priceAmount.InnerText = "0.00";
 825:                price.AppendChild(priceAmount);
 826:                invoiceLine.AppendChild(price);
 827:
 828:                #endregion
 829:
 830:                root.AppendChild(invoiceLine);
 831:                #endregion
 832:
 833:                sayac++;
 834:            }
 835:
 836:            #endregion
 837:
 838:            doc.AppendChild(root);
 839:
 840:            #region Dosya Kaydi
 841:
 842:            var fileName = aktarilacakKlasorAdi + "/" + gidenFatura.GidenFaturaId +
".xml";
 843:            doc.Save(fileName);
 844:
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
845:         #endregion
846:
847:         return fileName;
848:
849:         #endregion
850:     }
851:     else
852:     {
853:         #region Tüzel Kisi Bilgisinden Gelecekse
854:
855:         XmlDocument doc = new XmlDocument();
856:         XmlDeclaration declaration;
857:         declaration = doc.CreateXmlDeclaration("1.0", "UTF-8", null);
858:         XmlElement root = doc.DocumentElement;
859:         doc.InsertBefore(declaration, root);
860:         //doc.AppendChild(doc.CreateProcessingInstruction("xml-stylesheet",
"type=\"text/xsl\" href=\"general.xslt\""));
861:
862:         root = doc.CreateElement("Invoice");
863:
864:         var kodSatisTuruKod = 0;
865:         if (gidenFatura.SatisTuruKod != null)
866:             kodSatisTuruKod = gidenFatura.SatisTuruKod ?? 0;
867:
868:         var kodFaturaTuruKod = 0;
869:         if (gidenFatura.FaturaTuruKod != null)
870:             kodFaturaTuruKod = gidenFatura.FaturaTuruKod ?? 0;
871:
872:         var kodFaturaGrupTuruKod = 0;
873:         if (gidenFatura.FaturaGrupTuruKod != null)
874:             kodFaturaGrupTuruKod = gidenFatura.FaturaGrupTuruKod ?? 0;
875:
876:         #region Standart ve Faturaya Bagli Bilgiler
877:
878:         // Faturanin türü, düzenleme tarihi, UBL Versiyon Numarasi, GIB Numarasi gibi
bilgiler
879:         // yer almaktadir
880:         #region Standart Bilgiler
881:         root.RemoveAllAttributes();
882:
883:         string locationAttribute = "xsi:schemaLocation";
884:         XmlAttribute location = doc.CreateAttribute("xsi", "schemaLocation",
"urn:oasis:names:specification:ubl:schema:xsd:Invoice-2");
885:         location.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
../xsdrt/maindoc/UBL-Invoice-2.1.xsd";
886:         //XmlAttribute location = doc.CreateAttribute(schemaLocation);
887:         //location.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
../xsdrt/maindoc/UBL-Invoice-2.1.xsd";
888:         XmlAttribute xlmns = doc.CreateAttribute("xmlns");
889:         xlmns.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2";
890:         XmlAttribute xlmnsn4 = doc.CreateAttribute("xmlns:n4");
891:         xlmnsn4.Value = "http://www.altova.com/samplexml/other-namespace";
892:         XmlAttribute xlmnsxsi = doc.CreateAttribute("xmlns:xsi");
893:         xlmnsxsi.Value = "http://www.w3.org/2001/XMLSchema-instance";
894:         XmlAttribute xlmnscac = doc.CreateAttribute("xmlns:cac");
895:         xlmnscac.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonAggregateComponents-2";
896:         XmlAttribute xlmnscbc = doc.CreateAttribute("xmlns:cbc");
897:         xlmnscbc.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonBasicComponents-2";
898:         XmlAttribute xlmnsext = doc.CreateAttribute("xmlns:ext");
899:         xlmnsext.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonExtensionComponents-2";
900:         XmlAttribute xlmnsxades = doc.CreateAttribute("xmlns:xades");
901:         //xlmnsxades.Value = "http://uri.etsi.org/01903/v1.3.2#";
902:         xlmnsxades.Value = "http://uri.etsi.org/01903/v1.3.2";
903:         XmlAttribute xlmnsds = doc.CreateAttribute("xmlns:ds");
904:         //xlmnsds.Value = "http://www.w3.org/2000/09/xmldsig#";
905:         xlmnsds.Value = "http://www.w3.org/2000/09/xmldsig";
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
 906:
 907:         root.Attributes.Append(location);
 908:         root.Attributes.Append(xlmns);
 909:         root.Attributes.Append(xlmnsxsi);
 910:         root.Attributes.Append(xlmnscac);
 911:         root.Attributes.Append(xlmnsext);
 912:         root.Attributes.Append(xlmnsds);
 913:         root.Attributes.Append(xlmnsxades);
 914:         root.Attributes.Append(xlmnscbc);
 915:         root.Attributes.Append(xlmnsn4);
 916:
 917:         var extUbl = doc.CreateElement("ext", "UBLExtensions", xlmnsext.Value);
 918:         var extUbl2 = doc.CreateElement("ext", "UBLExtension", xlmnsext.Value);
 919:         var extUbl3 = doc.CreateElement("ext", "ExtensionContent", xlmnsext.Value);
 920:         extUbl2.AppendChild(extUbl3);
 921:         extUbl.AppendChild(extUbl2);
 922:
 923:         root.AppendChild(extUbl);
 924:
 925:         var versionId = doc.CreateElement("cbc", "UBLVersionID", xlmnscbc.Value);
 926:         versionId.InnerText = "2.1";
 927:         root.AppendChild(versionId);
 928:
 929:         var customizationId = doc.CreateElement("cbc", "CustomizationID",
xlmnscbc.Value);
 930:         customizationId.InnerText = "TR1.2";
 931:         root.AppendChild(customizationId);
 932:
 933:         var profileId = doc.CreateElement("cbc", "ProfileID", xlmnscbc.Value);
 934:         profileId.InnerText = "EARSIVFATURA";
 935:         root.AppendChild(profileId);
 936:
 937:         var id = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
 938:         if (!string.IsNullOrEmpty(gidenFatura.GibNumarasi))
 939:             id.InnerText = gidenFatura.GibNumarasi;
 940:         else
 941:             id.InnerText = "ABC" + gidenFatura.DuzenlemeTarihi?.Year +
DateTime.UtcNow.Ticks.ToString().Substring(0, 9);
 942:         root.AppendChild(id);
 943:
 944:         var copyIndicator = doc.CreateElement("cbc", "CopyIndicator", xlmnscbc.Value);
 945:         copyIndicator.InnerText = "false";
 946:         root.AppendChild(copyIndicator);
 947:
 948:         var gidenFaturaId = doc.CreateElement("cbc", "UUID", xlmnscbc.Value);
 949:         gidenFaturaId.InnerText = gidenFatura.GidenFaturaId.Length == 36 ?
gidenFatura.GidenFaturaId.ToUpper() : Guid.NewGuid().ToString().ToUpper();
 950:         root.AppendChild(gidenFaturaId);
 951:
 952:         var issueDate = doc.CreateElement("cbc", "IssueDate", xlmnscbc.Value);
 953:         issueDate.InnerText =
gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd");
 954:         root.AppendChild(issueDate);
 955:
 956:         var issueTime = doc.CreateElement("cbc", "IssueTime", xlmnscbc.Value);
 957:         issueTime.InnerText = gidenFatura.DuzenlemeTarihi?.ToString("HH:mm:ss");
 958:         root.AppendChild(issueTime);
 959:
 960:         var invoiceTypeCode = doc.CreateElement("cbc", "InvoiceTypeCode",
xlmnscbc.Value);
 961:         invoiceTypeCode.InnerText = "SATIS";
 962:         if (gidenFatura.KdvTutari == 0 || gidenFaturaDetayListesi.Any(j =>
j.KdvTutari == 0))
 963:             invoiceTypeCode.InnerText = "ISTISNA";
 964:         if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
 965:             invoiceTypeCode.InnerText = "IHRACKAYITLI";
 966:         if (kodFaturaTuruKod == FaturaTur.Iade.GetHashCode())
 967:             invoiceTypeCode.InnerText = "IADE";
 968:         root.AppendChild(invoiceTypeCode);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
 969:
 970:         #region Irsaliye Bilgileri
 971:
 972:         #region Irsaliye ve Tonaj Düzenlemesi
 973:
 974:         var gidenFaturaDetayListesi2 = new List<GidenFaturaDetayDTO>();
 975:         var gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi;
 976:         foreach (var item in gidenFaturaDetayListesiTemp)
 977:         {
 978:             if (!string.IsNullOrEmpty(item.IrsaliyeNo) &&
!string.IsNullOrEmpty(item.PlakaNo))
 979:             {
 980:                 if (!gidenFaturaDetayListesi2.Any(j => j.IrsaliyeNo ==
item.IrsaliyeNo && j.PlakaNo == item.PlakaNo))
 981:                 {
 982:                     item.Tonaj = item.Miktar;
 983:                     gidenFaturaDetayListesi2.Add(item);
 984:                 }
 985:                 else
 986:                 {
 987:                     var index = gidenFaturaDetayListesi2.FindIndex(j => j.IrsaliyeNo
== item.IrsaliyeNo && j.PlakaNo == item.PlakaNo);
 988:                     gidenFaturaDetayListesi2[index].Tonaj =
gidenFaturaDetayListesi2[index].Tonaj + item.Miktar;
 989:                 }
 990:             }
 991:             else
 992:                 gidenFaturaDetayListesi2.Add(item);
 993:         }
 994:         //if (gidenFaturaDetayListesi2.Count < 1)
 995:         //    gidenFaturaDetayListesi2.Add(new GidenFaturaDetayDTO());
 996:
 997:         #endregion Irsaliye ve Tonaj Düzenlemesi
 998:
 999:         if (gidenFaturaDetayListesi2.Count > 0)
1000:         {
1001:             foreach (var item in gidenFaturaDetayListesi2)
1002:             {
1003:                 var irsaliyeNote = doc.CreateElement("cbc", "Note", xlmnscbc.Value);
1004:                 irsaliyeNote.InnerText = "";
1005:                 if (!string.IsNullOrEmpty(item.PlakaNo))
1006:                     irsaliyeNote.InnerText += "Plaka No: " + item.PlakaNo;
1007:                 if (!string.IsNullOrEmpty(item.SevkIrsaliyesiNo))
1008:                     irsaliyeNote.InnerText += " Irsaliye No: " +
item.SevkIrsaliyesiNo;
1009:                 if (item.SevkIrsaliyeTarihi != null)
1010:                     irsaliyeNote.InnerText += " Irsaliye Tarihi: " +
item.SevkIrsaliyeTarihi?.ToShortDateString();
1011:                 if (item.YuklemeFormuNo != null)
1012:                     irsaliyeNote.InnerText += " Yükleme Formu No: " +
item.YuklemeFormuNo;
1013:                 if (item.Tonaj != null)
1014:                     irsaliyeNote.InnerText += " Tonaj: " + item.Tonaj;
1015:                 if ((item.FaturaUrunTuru.Contains("Sartname") ||
item.FaturaUrunTuru.Contains("Kira")) && kodFaturaGrupTuruKod ==
FaturaMakbuzGrupTur.Diger.GetHashCode() && !string.IsNullOrEmpty(gidenFatura.Aciklama))
1016:                     irsaliyeNote.InnerText += " Açiklama: " + gidenFatura.Aciklama;
1017:                 if (!string.IsNullOrEmpty(irsaliyeNote.InnerText))
1018:                     root.AppendChild(irsaliyeNote);
1019:             }
1020:         }
1021:
1022:         #endregion
1023:
1024:         var sendType = doc.CreateElement("cbc", "Note", xlmnscbc.Value);
1025:         sendType.InnerText = "Gönderim Sekli: ELEKTRONIK";
1026:         root.AppendChild(sendType);
1027:
1028:         var documentCurrencyCode = doc.CreateElement("cbc", "DocumentCurrencyCode",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
xlmnscbc.Value);
1029:         documentCurrencyCode.InnerText = "TRY";
1030:         root.AppendChild(documentCurrencyCode);
1031:
1032:         var lineCountNumeric = doc.CreateElement("cbc", "LineCountNumeric",
xlmnscbc.Value);
1033:         lineCountNumeric.InnerText = gidenFaturaDetayListesi.Count.ToString();
1034:         root.AppendChild(lineCountNumeric);
1035:
1036:         #endregion
1037:
1038:         // Faturaya iliskin imza, adres vb. bilgiler yer almaktadir
1039:         #region Signature
1040:         var signature = doc.CreateElement("cac", "Signature", xlmnscac.Value);
1041:         XmlAttribute signatureIdAttr = doc.CreateAttribute("schemeID");
1042:         signatureIdAttr.Value = "VKN_TCKN";
1043:         var signatureId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
1044:         signatureId.Attributes.Append(signatureIdAttr);
1045:         signatureId.InnerText = "3250566851";
1046:         signature.AppendChild(signatureId);
1047:         var signatoryParty = doc.CreateElement("cac", "SignatoryParty",
xlmnscac.Value);
1048:         var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
1049:         XmlAttribute signatureIdAttr2 = doc.CreateAttribute("schemeID");
1050:         signatureIdAttr2.Value = "VKN";
1051:         var signaturePartyId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
1052:         signaturePartyId.Attributes.Append(signatureIdAttr2);
1053:         signaturePartyId.InnerText = "3250566851";
1054:         partyIdentification.AppendChild(signaturePartyId);
1055:         signatoryParty.AppendChild(partyIdentification);
1056:
1057:         #region Postal Address
1058:         var postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
1059:         var streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
1060:         streetName.InnerText = "Mithatpasa Caddesi";
1061:         postalAddress.AppendChild(streetName);
1062:         var buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
1063:         buildingNumber.InnerText = "14";
1064:         postalAddress.AppendChild(buildingNumber);
1065:         var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
1066:         citySubdivisionName.InnerText = "Çankaya";
1067:         postalAddress.AppendChild(citySubdivisionName);
1068:         var cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
1069:         cityName.InnerText = "Ankara";
1070:         postalAddress.AppendChild(cityName);
1071:         var postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
1072:         postalZone.InnerText = "06100";
1073:         postalAddress.AppendChild(postalZone);
1074:         var country = doc.CreateElement("cac", "Country", xlmnscac.Value);
1075:         var countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1076:         countryName.InnerText = "Türkiye";
1077:         country.AppendChild(countryName);
1078:         postalAddress.AppendChild(country);
1079:         signatoryParty.AppendChild(postalAddress);
1080:         signature.AppendChild(signatoryParty);
1081:
1082:         #endregion
1083:
1084:         var digitalSignatureAttachment = doc.CreateElement("cac",
"DigitalSignatureAttachment", xlmnscac.Value);
1085:         var externalReference = doc.CreateElement("cac", "ExternalReference",
xlmnscac.Value);
1086:         var uri = doc.CreateElement("cbc", "URI", xlmnscbc.Value);
1087:         uri.InnerText = "#Signature";
1088:         externalReference.AppendChild(uri);
1089:         digitalSignatureAttachment.AppendChild(externalReference);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
1090:         signature.AppendChild(digitalSignatureAttachment);
1091:
1092:         root.AppendChild(signature);
1093:         #endregion
1094:
1095:         // Burada sabit degerler verilmekte olup, Faturayi kesen kuruma veya firmaya
ait bilgiler
1096:         // yer almaktadir. Bu kisimda örnek olarak TÜRKSEKER Fabrikalari Genel
Müdürlügü bilgileri
1097:         // kullanilmistir. Ancak degistirip test edilebilir.
1098:         #region AccountingSupplierParty
1099:
1100:         var accountingSupplierParty = doc.CreateElement("cac",
"AccountingSupplierParty", xlmnscac.Value);
1101:         var party = doc.CreateElement("cac", "Party", xlmnscac.Value);
1102:         var webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
1103:         webSiteUri.InnerText = "https://www.turkseker.gov.tr";
1104:         party.AppendChild(webSiteUri);
1105:         XmlAttribute accountingSupplierPartyIdAttr = doc.CreateAttribute("schemeID");
1106:         accountingSupplierPartyIdAttr.Value = "VKN_TCKN";
1107:         partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
1108:         XmlAttribute accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
1109:         accountingSupplierPartyIdAttr2.Value = "VKN";
1110:         var accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
1111:
accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
1112:         accountingSupplierPartyPartyId.InnerText = "3250566851";
1113:         partyIdentification.AppendChild(accountingSupplierPartyPartyId);
1114:         party.AppendChild(partyIdentification);
1115:
1116:         if (!string.IsNullOrEmpty(gidenFatura.AltBirimAd))
1117:         {
1118:             partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
1119:             accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
1120:             accountingSupplierPartyIdAttr2.Value = "SUBENO";
1121:             accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
1122:
accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
1123:             accountingSupplierPartyPartyId.InnerText = gidenFatura.AltBirimAd;
1124:             partyIdentification.AppendChild(accountingSupplierPartyPartyId);
1125:             party.AppendChild(partyIdentification);
1126:         }
1127:
1128:         var partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
1129:         var partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1130:         partyNameReal.InnerText = "TÜRKIYE SEKER FABRIKALARI A.S.";
1131:         partyName.AppendChild(partyNameReal);
1132:         party.AppendChild(partyName);
1133:
1134:         #region Postal Address
1135:         postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
1136:         var postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
1137:         postalAddressId.InnerText = "3250566851";
1138:         postalAddress.AppendChild(postalAddressId);
1139:         streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
1140:         streetName.InnerText = "Mithatpasa Caddesi";
1141:         postalAddress.AppendChild(streetName);
1142:         buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xlmnscbc.Value);
1143:         buildingNumber.InnerText = "14";
1144:         postalAddress.AppendChild(buildingNumber);
1145:         citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
1146:         citySubdivisionName.InnerText = "Çankaya";
1147:         postalAddress.AppendChild(citySubdivisionName);
1148:         cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
1149:         cityName.InnerText = "Ankara";
1150:         postalAddress.AppendChild(cityName);
1151:         postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
1152:         postalZone.InnerText = "06100";
1153:         postalAddress.AppendChild(postalZone);
1154:         country = doc.CreateElement("cac", "Country", xlmnscac.Value);
1155:         countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1156:         countryName.InnerText = "Türkiye";
1157:         country.AppendChild(countryName);
1158:         postalAddress.AppendChild(country);
1159:         party.AppendChild(postalAddress);
1160:
1161:         #endregion
1162:
1163:         var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xlmnscac.Value);
1164:         var taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
1165:         var taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1166:         taxSchemeName.InnerText = "Ankara Kurumlar";
1167:         taxScheme.AppendChild(taxSchemeName);
1168:         partyTaxScheme.AppendChild(taxScheme);
1169:         party.AppendChild(partyTaxScheme);
1170:
1171:         var contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
1172:         var telephone = doc.CreateElement("cbc", "Telephone", xlmnscbc.Value);
1173:         telephone.InnerText = "(312) 4585500";
1174:         contact.AppendChild(telephone);
1175:         var telefax = doc.CreateElement("cbc", "Telefax", xlmnscbc.Value);
1176:         telefax.InnerText = "(312) 4585800";
1177:         contact.AppendChild(telefax);
1178:         var electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xlmnscbc.Value);
1179:         electronicMail.InnerText = "maliisler@turkseker.gov.tr";
1180:         contact.AppendChild(electronicMail);
1181:         party.AppendChild(contact);
1182:
1183:         accountingSupplierParty.AppendChild(party);
1184:
1185:         root.AppendChild(accountingSupplierParty);
1186:         #endregion
1187:
1188:         // Bu kisimda fatura kesilen firma bilgileri yer almaktadir
1189:         #region AccountingCustomerParty
1190:
1191:         var accountingCustomerParty = doc.CreateElement("cac",
"AccountingCustomerParty", xlmnscac.Value);
1192:         party = doc.CreateElement("cac", "Party", xlmnscac.Value);
1193:         webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
1194:         party.AppendChild(webSiteUri);
1195:         XmlAttribute accountingCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
1196:         accountingCustomerPartyIdAttr.Value = "TCKN";
1197:         if (!string.IsNullOrEmpty(gidenFatura.VergiNo) && gidenFatura.VergiNo.Length
== 10)
1198:             accountingCustomerPartyIdAttr.Value = "VKN";
1199:         partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
1200:         var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
1201:
accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerPartyIdAttr);
1202:         accountingCustomerPartyPartyId.InnerText = gidenFatura.VergiNo;
1203:         partyIdentification.AppendChild(accountingCustomerPartyPartyId);
1204:         party.AppendChild(partyIdentification);
1205:
1206:         if (!string.IsNullOrEmpty(gidenFatura.VergiNo) && gidenFatura.VergiNo.Length
== 10)
1207:         {
1208:             partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
1209:             partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
1210:             partyNameReal.InnerText = gidenFatura.TuzelKisiAd;
1211:             partyName.AppendChild(partyNameReal);
1212:             party.AppendChild(partyName);
1213:         }
1214:
1215:         #region Postal Address
1216:         postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
1217:         postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
1218:         postalAddressId.InnerText = gidenFatura.VergiNo;
1219:         postalAddress.AppendChild(postalAddressId);
1220:         var room = doc.CreateElement("cbc", "Room", xlmnscbc.Value);
1221:         postalAddress.AppendChild(room);
1222:         streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
1223:         if (!string.IsNullOrEmpty(gidenFatura.Adres))
1224:             streetName.InnerText = gidenFatura.Adres;
1225:         postalAddress.AppendChild(streetName);
1226:         buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xlmnscbc.Value);
1227:         //buildingNumber.InnerText = "";
1228:         postalAddress.AppendChild(buildingNumber);
1229:         citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
1230:         if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
1231:             citySubdivisionName.InnerText = gidenFatura.IlceAd;
1232:         postalAddress.AppendChild(citySubdivisionName);
1233:         cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
1234:         if (!string.IsNullOrEmpty(gidenFatura.IlAd))
1235:             cityName.InnerText = gidenFatura.IlAd;
1236:         postalAddress.AppendChild(cityName);
1237:         postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
1238:         //postalZone.InnerText = "";
1239:         postalAddress.AppendChild(postalZone);
1240:         country = doc.CreateElement("cac", "Country", xlmnscac.Value);
1241:         countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1242:         countryName.InnerText = "Türkiye";
1243:         country.AppendChild(countryName);
1244:         postalAddress.AppendChild(country);
1245:         party.AppendChild(postalAddress);
1246:
1247:         #endregion
1248:
1249:         partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme", xlmnscac.Value);
1250:         taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
1251:         taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1252:         if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
1253:             taxSchemeName.InnerText = gidenFatura.VergiDairesi;
1254:         taxScheme.AppendChild(taxSchemeName);
1255:         partyTaxScheme.AppendChild(taxScheme);
1256:         party.AppendChild(partyTaxScheme);
1257:
1258:         contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
1259:         telephone = doc.CreateElement("cbc", "Telephone", xlmnscbc.Value);
1260:         if (!string.IsNullOrEmpty(gidenFatura.TelefonNo))
1261:             telephone.InnerText = gidenFatura.TelefonNo;
1262:         contact.AppendChild(telephone);
1263:         telefax = doc.CreateElement("cbc", "Telefax", xlmnscbc.Value);
1264:         if (!string.IsNullOrEmpty(gidenFatura.FaksNo))
1265:             telefax.InnerText = gidenFatura.FaksNo;
1266:         contact.AppendChild(telefax);
1267:         electronicMail = doc.CreateElement("cbc", "ElectronicMail", xlmnscbc.Value);
1268:         if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))
1269:             electronicMail.InnerText = gidenFatura.EPostaAdresi;
1270:         contact.AppendChild(electronicMail);
1271:         party.AppendChild(contact);
1272:
1273:         if (!string.IsNullOrEmpty(gidenFatura.VergiNo) && gidenFatura.VergiNo.Length
== 11)
1274:         {
1275:             var liste = gidenFatura.TuzelKisiAd.Split(' ').ToList();
1276:             if (liste.Count > 1)
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
1277:             {
1278:                 var person = doc.CreateElement("cac", "Person", xlmnscac.Value);
1279:                 var firstName = doc.CreateElement("cbc", "FirstName", xlmnscbc.Value);
1280:                 firstName.InnerText = liste[0];
1281:                 person.AppendChild(firstName);
1282:                 var surname = gidenFatura.TuzelKisiAd.Substring(liste[0].Length + 1);
1283:                 var familyName = doc.CreateElement("cbc", "FamilyName",
xlmnscbc.Value);
1284:                 familyName.InnerText = surname;
1285:                 //familyName.InnerText = liste[1];
1286:                 person.AppendChild(familyName);
1287:                 party.AppendChild(person);
1288:             }
1289:         }
1290:
1291:         accountingCustomerParty.AppendChild(party);
1292:
1293:         root.AppendChild(accountingCustomerParty);
1294:         #endregion
1295:
1296:         if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
1297:         {
1298:             if (gidenFatura.VergiNo.Length == 10)
1299:             {
1300:                 // Bu kisimda fatura kesilen firma bilgileri yer almaktadir (Eger
sadece Tüzel Kisilikse, sahis sirketleri için bu yapilmamaktadir)
1301:                 #region BuyerCustomerParty
1302:
1303:                 var buyerCustomerParty = doc.CreateElement("cac",
"BuyerCustomerParty", xlmnscac.Value);
1304:                 party = doc.CreateElement("cac", "Party", xlmnscac.Value);
1305:                 webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
1306:                 party.AppendChild(webSiteUri);
1307:                 XmlAttribute buyerCustomerPartyIdAttr =
doc.CreateAttribute("schemeID");
1308:                 buyerCustomerPartyIdAttr.Value = "VKN";
1309:                 partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
1310:                 var buyerCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
1311:                 buyerCustomerPartyPartyId.Attributes.Append(buyerCustomerPartyIdAttr);
1312:                 buyerCustomerPartyPartyId.InnerText = gidenFatura.VergiNo;
1313:                 partyIdentification.AppendChild(buyerCustomerPartyPartyId);
1314:                 party.AppendChild(partyIdentification);
1315:
1316:                 if (gidenFatura.VergiNo.Length == 10)
1317:                 {
1318:                     partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
1319:                     partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1320:                     partyNameReal.InnerText = gidenFatura.TuzelKisiAd;
1321:                     partyName.AppendChild(partyNameReal);
1322:                     party.AppendChild(partyName);
1323:                 }
1324:
1325:                 #region Postal Address
1326:                 postalAddress = doc.CreateElement("cac", "PostalAddress",
xlmnscac.Value);
1327:                 postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
1328:                 postalAddressId.InnerText = gidenFatura.VergiNo;
1329:                 postalAddress.AppendChild(postalAddressId);
1330:                 room = doc.CreateElement("cbc", "Room", xlmnscbc.Value);
1331:                 postalAddress.AppendChild(room);
1332:                 streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
1333:                 if (!string.IsNullOrEmpty(gidenFatura.Adres))
1334:                     streetName.InnerText = gidenFatura.Adres;
1335:                 postalAddress.AppendChild(streetName);
1336:                 buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
1337:                 //buildingNumber.InnerText = "";
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
1338:                   postalAddress.AppendChild(buildingNumber);
1339:                   citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
1340:                   if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
1341:                       citySubdivisionName.InnerText = gidenFatura.IlceAd;
1342:                   postalAddress.AppendChild(citySubdivisionName);
1343:                   cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
1344:                   if (!string.IsNullOrEmpty(gidenFatura.IlAd))
1345:                       cityName.InnerText = gidenFatura.IlAd;
1346:                   postalAddress.AppendChild(cityName);
1347:                   postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
1348:                   //postalZone.InnerText = "";
1349:                   postalAddress.AppendChild(postalZone);
1350:                   country = doc.CreateElement("cac", "Country", xlmnscac.Value);
1351:                   countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1352:                   countryName.InnerText = "Türkiye";
1353:                   country.AppendChild(countryName);
1354:                   postalAddress.AppendChild(country);
1355:                   party.AppendChild(postalAddress);
1356:
1357:                   #endregion
1358:
1359:                   partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xlmnscac.Value);
1360:                   taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
1361:                   taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1362:                   if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
1363:                       taxSchemeName.InnerText = gidenFatura.VergiDairesi;
1364:                   taxScheme.AppendChild(taxSchemeName);
1365:                   partyTaxScheme.AppendChild(taxScheme);
1366:                   party.AppendChild(partyTaxScheme);
1367:
1368:                   contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
1369:                   telephone = doc.CreateElement("cbc", "Telephone", xlmnscbc.Value);
1370:                   if (!string.IsNullOrEmpty(gidenFatura.TelefonNo))
1371:                       telephone.InnerText = gidenFatura.TelefonNo;
1372:                   contact.AppendChild(telephone);
1373:                   telefax = doc.CreateElement("cbc", "Telefax", xlmnscbc.Value);
1374:                   if (!string.IsNullOrEmpty(gidenFatura.FaksNo))
1375:                       telefax.InnerText = gidenFatura.FaksNo;
1376:                   contact.AppendChild(telefax);
1377:                   electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xlmnscbc.Value);
1378:                   if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))
1379:                       electronicMail.InnerText = gidenFatura.EPostaAdresi;
1380:                   contact.AppendChild(electronicMail);
1381:                   party.AppendChild(contact);
1382:
1383:                   if (gidenFatura.VergiNo.Length == 11)
1384:                   {
1385:                       var liste = gidenFatura.TuzelKisiAd.Split(' ').ToList();
1386:                       if (liste.Count > 1)
1387:                       {
1388:                           var person = doc.CreateElement("cac", "Person",
xlmnscac.Value);
1389:                           var firstName = doc.CreateElement("cbc", "FirstName",
xlmnscbc.Value);
1390:                           firstName.InnerText = liste[0];
1391:                           person.AppendChild(firstName);
1392:                           var surname =
gidenFatura.TuzelKisiAd.Substring(liste[0].Length + 1);
1393:                           var familyName = doc.CreateElement("cbc", "FamilyName",
xlmnscbc.Value);
1394:                           familyName.InnerText = surname;
1395:                           //familyName.InnerText = liste[1];
1396:                           person.AppendChild(familyName);
1397:                           party.AppendChild(person);
1398:                       }
1399:                   }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
1400:
1401:                 buyerCustomerParty.AppendChild(party);
1402:
1403:                 root.AppendChild(buyerCustomerParty);
1404:                 #endregion
1405:             }
1406:         }
1407:
1408:         if (!string.IsNullOrEmpty(gidenFatura.BankaAd))
1409:         {
1410:             // Eger Banka bilgileri mevcutsa burada banka bilgileri yer almaktadir
1411:             #region PaymentMeans
1412:
1413:             var paymentMeans = doc.CreateElement("cac", "PaymentMeans",
xlmnscac.Value);
1414:             var paymentMeansCode = doc.CreateElement("cbc", "PaymentMeansCode",
xlmnscbc.Value);
1415:             //paymentMeansCode.InnerText = "1";
1416:             /// Burada 1 verildigi zaman Sözlesme Kapsaminda yaziyor metinde
1417:             /// ZZZ ise Diger anlaminda geliyor
1418:             paymentMeansCode.InnerText = "ZZZ";
1419:             paymentMeans.AppendChild(paymentMeansCode);
1420:             var payeeFinancialAccount = doc.CreateElement("cac",
"PayeeFinancialAccount", xlmnscac.Value);
1421:             var payeeFinancialAccountId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
1422:             if (!string.IsNullOrEmpty(gidenFatura.IbanNo))
1423:                 payeeFinancialAccountId.InnerText = gidenFatura.IbanNo;
1424:             payeeFinancialAccount.AppendChild(payeeFinancialAccountId);
1425:             var currencyCode = doc.CreateElement("cbc", "CurrencyCode",
xlmnscbc.Value);
1426:             currencyCode.InnerText = "TRY";
1427:             payeeFinancialAccount.AppendChild(currencyCode);
1428:             var paymentNote = doc.CreateElement("cbc", "PaymentNote", xlmnscbc.Value);
1429:             if (!string.IsNullOrEmpty(gidenFatura.BankaAd) &&
!string.IsNullOrEmpty(gidenFatura.BankaSube))
1430:                 paymentNote.InnerText = gidenFatura.BankaAd + " - " +
gidenFatura.BankaSube;
1431:             payeeFinancialAccount.AppendChild(paymentNote);
1432:             paymentMeans.AppendChild(payeeFinancialAccount);
1433:             root.AppendChild(paymentMeans);
1434:
1435:             #endregion
1436:         }
1437:
1438:         #region KDVlerin Belirlenmesi
1439:
1440:         var faturaKdvListesi = new List<FaturaKdvDTO>();
1441:         foreach (var item in gidenFaturaDetayListesi)
1442:         {
1443:             decimal kodKdvTuruOran = item.KdvOran ?? 0;
1444:             if (!faturaKdvListesi.Any(j => j.KdvOran == kodKdvTuruOran))
1445:             {
1446:                 var faturaKdv = new FaturaKdvDTO
1447:                 {
1448:                     KdvOran = kodKdvTuruOran,
1449:                     KdvTutari = item.KdvTutari,
1450:                     KdvHaricTutar = item.KdvHaricTutar
1451:                 };
1452:                 faturaKdvListesi.Add(faturaKdv);
1453:             }
1454:             else
1455:             {
1456:                 var index = faturaKdvListesi.FindIndex(j => j.KdvOran ==
kodKdvTuruOran);
1457:                 faturaKdvListesi[index].KdvTutari += item.KdvTutari;
1458:                 faturaKdvListesi[index].KdvHaricTutar += item.KdvHaricTutar;
1459:             }
1460:             if (faturaKdvListesi.Count > 0)
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
1461:                 faturaKdvListesi = faturaKdvListesi.OrderBy(j => j.KdvOran).ToList();
1462:         }
1463:
1464:         #endregion
1465:
1466:         #region TaxTotal
1467:
1468:         var sayac = 1;
1469:         foreach (var item in faturaKdvListesi)
1470:         {
1471:             // Burada vergi bilgileri yer almaktadir
1472:             #region TaxTotal
1473:
1474:             var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
1475:             XmlAttribute currencyIdGeneral = doc.CreateAttribute("currencyID");
1476:             currencyIdGeneral.Value = "TRY";
1477:             var taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
1478:             taxAmount.RemoveAllAttributes();
1479:             taxAmount.Attributes.Append(currencyIdGeneral);
1480:             taxAmount.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1481:             taxTotal.AppendChild(taxAmount);
1482:             var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xlmnscac.Value);
1483:             var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xlmnscbc.Value);
1484:             taxableAmount.RemoveAllAttributes();
1485:             currencyIdGeneral = doc.CreateAttribute("currencyID");
1486:             currencyIdGeneral.Value = "TRY";
1487:             taxableAmount.Attributes.Append(currencyIdGeneral);
1488:             taxableAmount.InnerText = Decimal.Round((decimal)item.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1489:             taxSubTotal.AppendChild(taxableAmount);
1490:             var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
1491:             taxAmount2.RemoveAllAttributes();
1492:             currencyIdGeneral = doc.CreateAttribute("currencyID");
1493:             currencyIdGeneral.Value = "TRY";
1494:             taxAmount2.Attributes.Append(currencyIdGeneral);
1495:             taxAmount2.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1496:             taxSubTotal.AppendChild(taxAmount2);
1497:             var calculationSequenceNumeric = doc.CreateElement("cbc",
"CalculationSequenceNumeric", xlmnscbc.Value);
1498:             calculationSequenceNumeric.InnerText = sayac + ".0";
1499:             taxSubTotal.AppendChild(calculationSequenceNumeric);
1500:             var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
1501:             percent.InnerText = Decimal.Round((decimal)item.KdvOran, 0,
MidpointRounding.AwayFromZero).ToString();
1502:             taxSubTotal.AppendChild(percent);
1503:             var taxCategory = doc.CreateElement("cac", "TaxCategory", xlmnscac.Value);
1504:             if (item.KdvTutari == 0)
1505:             {
1506:                 if (kodFaturaGrupTuruKod == FaturaMakbuzGrupTur.Kuspe.GetHashCode())
1507:                 {
1508:                     var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
1509:                     taxExemptionReasonCode.InnerText = "325";
1510:                     var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
1511:                     taxExemptionReason.InnerText = "13/i Yem Teslimleri";
1512:                     taxCategory.AppendChild(taxExemptionReasonCode);
1513:                     taxCategory.AppendChild(taxExemptionReason);
1514:                 }
1515:                 else
1516:                 {
1517:                     var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
1518:                     taxExemptionReasonCode.InnerText = "350";
1519:                     var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
1520:                        taxExemptionReason.InnerText = "Digerleri";
1521:                        taxCategory.AppendChild(taxExemptionReasonCode);
1522:                        taxCategory.AppendChild(taxExemptionReason);
1523:                    }
1524:                }
1525:                if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
1526:                {
1527:                    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
1528:                    taxExemptionReasonCode.InnerText = "701";
1529:                    var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
1530:                    taxExemptionReason.InnerText = "3065 sayili Katma Deger Vergisi
kanununun 11/1-c maddesi kapsaminda ihraç edilmek sartiyla teslim edildiginden Katma Deger
Vergisi tahsil edilmemistir.";
1531:                    taxCategory.AppendChild(taxExemptionReasonCode);
1532:                    taxCategory.AppendChild(taxExemptionReason);
1533:                }
1534:                var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
1535:                var taxTypeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1536:                taxTypeName.InnerText = "Katma Deger Vergisi";
1537:                var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xlmnscbc.Value);
1538:                taxTypeCode.InnerText = "0015";
1539:                taxScheme2.AppendChild(taxTypeName);
1540:                taxScheme2.AppendChild(taxTypeCode);
1541:                taxCategory.AppendChild(taxScheme2);
1542:                taxSubTotal.AppendChild(taxCategory);
1543:                taxTotal.AppendChild(taxSubTotal);
1544:                root.AppendChild(taxTotal);
1545:
1546:                #endregion
1547:            }
1548:
1549:            #endregion
1550:
1551:            // Burada vergi bilgileri yer almaktadir
1552:            #region Açiklama Satiri (TaxTotal)
1553:
1554:            //var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
1555:            //XmlAttribute currencyId = doc.CreateAttribute("currencyID");
1556:            //currencyId.Value = "TRY";
1557:            //var taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
1558:            //taxAmount.RemoveAllAttributes();
1559:            //taxAmount.Attributes.Append(currencyId);
1560:            //taxAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1561:            //taxTotal.AppendChild(taxAmount);
1562:            //var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xlmnscac.Value);
1563:            //var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xlmnscbc.Value);
1564:            //taxableAmount.RemoveAllAttributes();
1565:            //currencyId = doc.CreateAttribute("currencyID");
1566:            //currencyId.Value = "TRY";
1567:            //taxableAmount.Attributes.Append(currencyId);
1568:            //taxableAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvHaricTutar,
2, MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1569:            //taxSubTotal.AppendChild(taxableAmount);
1570:            //var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
1571:            //taxAmount2.RemoveAllAttributes();
1572:            //currencyId = doc.CreateAttribute("currencyID");
1573:            //currencyId.Value = "TRY";
1574:            //taxAmount2.Attributes.Append(currencyId);
1575:            //taxAmount2.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1576:            //taxSubTotal.AppendChild(taxAmount2);
1577:            //var calculationSequenceNumeric = doc.CreateElement("cbc",
"CalculationSequenceNumeric", xlmnscbc.Value);
1578:            //calculationSequenceNumeric.InnerText = "1.0";
1579:            //taxSubTotal.AppendChild(calculationSequenceNumeric);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
1580:         //var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
1581:         //if (gidenFatura.KdvHaricTutar != 0)
1582:         //    percent.InnerText = Decimal.Round(((decimal)gidenFatura.KdvTutari *
100) / (decimal)gidenFatura.KdvHaricTutar, 0, MidpointRounding.AwayFromZero).ToString();
1583:         //else
1584:         //    percent.InnerText = "0";
1585:         //taxSubTotal.AppendChild(percent);
1586:         //var taxCategory = doc.CreateElement("cac", "TaxCategory", xlmnscac.Value);
1587:         //if (gidenFatura.KdvTutari == 0)
1588:         //{
1589:         //    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
1590:         //    taxExemptionReasonCode.InnerText = "325";
1591:         //    var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xlmnscbc.Value);
1592:         //    taxExemptionReason.InnerText = "13/i Yem Teslimleri";
1593:         //    taxCategory.AppendChild(taxExemptionReasonCode);
1594:         //    taxCategory.AppendChild(taxExemptionReason);
1595:         //}
1596:         //if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
1597:         //{
1598:         //    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
1599:         //    taxExemptionReasonCode.InnerText = "701";
1600:         //    var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xlmnscbc.Value);
1601:         //    taxExemptionReason.InnerText = "3065 sayili Katma Deger Vergisi
kanununun 11/1-c maddesi kapsaminda ihraç edilmek sartiyla teslim edildiginden Katma Deger
Vergisi tahsil edilmemistir.";
1602:         //    taxCategory.AppendChild(taxExemptionReasonCode);
1603:         //    taxCategory.AppendChild(taxExemptionReason);
1604:         //}
1605:         //var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
1606:         //var taxTypeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1607:         //taxTypeName.InnerText = "Katma Deger Vergisi";
1608:         //var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xlmnscbc.Value);
1609:         //taxTypeCode.InnerText = "0015";
1610:         //taxScheme2.AppendChild(taxTypeName);
1611:         //taxScheme2.AppendChild(taxTypeCode);
1612:         //taxCategory.AppendChild(taxScheme2);
1613:         //taxSubTotal.AppendChild(taxCategory);
1614:         //taxTotal.AppendChild(taxSubTotal);
1615:         //root.AppendChild(taxTotal);
1616:
1617:         #endregion
1618:
1619:         // KDV, KDV Hariç Tutar ve Toplam Tutar bilgileri yer almaktadir
1620:         #region LegalMonetaryTotal
1621:
1622:         var legalMonetaryTotal = doc.CreateElement("cac", "LegalMonetaryTotal",
xlmnscac.Value);
1623:         var lineExtensionAmount = doc.CreateElement("cbc", "LineExtensionAmount",
xlmnscbc.Value);
1624:         lineExtensionAmount.RemoveAllAttributes();
1625:         var currencyId = doc.CreateAttribute("currencyID");
1626:         currencyId.Value = "TRY";
1627:         lineExtensionAmount.Attributes.Append(currencyId);
1628:         lineExtensionAmount.InnerText =
Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1629:         legalMonetaryTotal.AppendChild(lineExtensionAmount);
1630:         var taxExclusiveAmount = doc.CreateElement("cbc", "TaxExclusiveAmount",
xlmnscbc.Value);
1631:         taxExclusiveAmount.RemoveAllAttributes();
1632:         currencyId = doc.CreateAttribute("currencyID");
1633:         currencyId.Value = "TRY";
1634:         taxExclusiveAmount.Attributes.Append(currencyId);
1635:         taxExclusiveAmount.InnerText =
Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1636:         legalMonetaryTotal.AppendChild(taxExclusiveAmount);
1637:         var taxInclusiveAmount = doc.CreateElement("cbc", "TaxInclusiveAmount",
xlmnscbc.Value);
1638:         taxInclusiveAmount.RemoveAllAttributes();
1639:         currencyId = doc.CreateAttribute("currencyID");
1640:         currencyId.Value = "TRY";
1641:         taxInclusiveAmount.Attributes.Append(currencyId);
1642:         taxInclusiveAmount.InnerText =
Decimal.Round((decimal)gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1643:         legalMonetaryTotal.AppendChild(taxInclusiveAmount);
1644:         var allowanceTotalAmount = doc.CreateElement("cbc", "AllowanceTotalAmount",
xlmnscbc.Value);
1645:         allowanceTotalAmount.RemoveAllAttributes();
1646:         currencyId = doc.CreateAttribute("currencyID");
1647:         currencyId.Value = "TRY";
1648:         allowanceTotalAmount.Attributes.Append(currencyId);
1649:         allowanceTotalAmount.InnerText = "0.00";
1650:         legalMonetaryTotal.AppendChild(allowanceTotalAmount);
1651:         var payableAmount = doc.CreateElement("cbc", "PayableAmount", xlmnscbc.Value);
1652:         payableAmount.RemoveAllAttributes();
1653:         currencyId = doc.CreateAttribute("currencyID");
1654:         currencyId.Value = "TRY";
1655:         payableAmount.Attributes.Append(currencyId);
1656:         payableAmount.InnerText = Decimal.Round((decimal)gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1657:         legalMonetaryTotal.AppendChild(payableAmount);
1658:         root.AppendChild(legalMonetaryTotal);
1659:         #endregion
1660:
1661:         sayac = 1;
1662:         // Her bir fatura edtayi için hazirlanan bölümdür
1663:         foreach (var item in gidenFaturaDetayListesi)
1664:         {
1665:             var detayBilgisi = BoslukKaldir.BosluklariKaldir(item);
1666:
1667:             #region InvoiceLine
1668:
1669:             // Ölçü Birimi, KDV Hariç Tutar, Para Birimi gibi bilgiler yer almaktadir
1670:             #region MetaData
1671:             var invoiceLine = doc.CreateElement("cac", "InvoiceLine", xlmnscac.Value);
1672:             var invoiceLineId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
1673:             invoiceLineId.InnerText = sayac.ToString();
1674:             invoiceLine.AppendChild(invoiceLineId);
1675:             var quantity = doc.CreateAttribute("unitCode");
1676:             if (!string.IsNullOrEmpty(detayBilgisi.GibKisaltma))
1677:                 quantity.Value = detayBilgisi.GibKisaltma;
1678:             else
1679:                 quantity.Value = "KGM";
1680:             var invoicedQuantity = doc.CreateElement("cbc", "InvoicedQuantity",
xlmnscbc.Value);
1681:             invoicedQuantity.RemoveAllAttributes();
1682:             invoicedQuantity.Attributes.Append(quantity);
1683:             invoicedQuantity.InnerText = Decimal.Round((decimal)detayBilgisi.Miktar,
2, MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1684:             invoiceLine.AppendChild(invoicedQuantity);
1685:             var lineExtensionAmountDetail = doc.CreateElement("cbc",
"LineExtensionAmount", xlmnscbc.Value);
1686:             lineExtensionAmountDetail.RemoveAllAttributes();
1687:             currencyId = doc.CreateAttribute("currencyID");
1688:             currencyId.Value = "TRY";
1689:             lineExtensionAmountDetail.Attributes.Append(currencyId);
1690:             lineExtensionAmountDetail.InnerText =
Decimal.Round((decimal)detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1691:             invoiceLine.AppendChild(lineExtensionAmountDetail);
1692:             #endregion
1693:
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
1694:             // Varsa iskonto bilgileri yer almaktadir
1695:             #region AllowanceCharge
1696:
1697:             var allowanceCharge = doc.CreateElement("cac", "AllowanceCharge",
xlmnscac.Value);
1698:             var chargeIndicator = doc.CreateElement("cbc", "ChargeIndicator",
xlmnscbc.Value);
1699:             chargeIndicator.InnerText = "false";
1700:             allowanceCharge.AppendChild(chargeIndicator);
1701:             decimal amount2 = 0;
1702:             decimal toplamTutar = (decimal)detayBilgisi.KdvHaricTutar;
1703:             decimal kodIskontoTuruOran = detayBilgisi.IskontoOran ?? 0;
1704:             if (kodIskontoTuruOran > 0)
1705:             {
1706:                 toplamTutar = Decimal.Round((decimal)detayBilgisi.Miktar *
(decimal)detayBilgisi.BirimFiyat, 4, MidpointRounding.AwayFromZero);
1707:                 decimal toplamTutar2 = Decimal.Round(toplamTutar * (100 -
kodIskontoTuruOran) * (decimal)0.01, 4, MidpointRounding.AwayFromZero);
1708:                 amount2 = toplamTutar - toplamTutar2;
1709:             }
1710:             var multiplierFactorNumeric = doc.CreateElement("cbc",
"MultiplierFactorNumeric", xlmnscbc.Value);
1711:             multiplierFactorNumeric.InnerText = Decimal.Round(kodIskontoTuruOran *
(decimal)0.01, 2, MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1712:             allowanceCharge.AppendChild(multiplierFactorNumeric);
1713:             var amount = doc.CreateElement("cbc", "Amount", xlmnscbc.Value);
1714:             currencyId = doc.CreateAttribute("currencyID");
1715:             currencyId.Value = "TRY";
1716:             amount.RemoveAllAttributes();
1717:             amount.Attributes.Append(currencyId);
1718:             amount.InnerText = Decimal.Round(amount2, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1719:             allowanceCharge.AppendChild(amount);
1720:             var baseAmount = doc.CreateElement("cbc", "BaseAmount", xlmnscbc.Value);
1721:             currencyId = doc.CreateAttribute("currencyID");
1722:             currencyId.Value = "TRY";
1723:             baseAmount.RemoveAllAttributes();
1724:             baseAmount.Attributes.Append(currencyId);
1725:             baseAmount.InnerText = Decimal.Round(toplamTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1726:             allowanceCharge.AppendChild(baseAmount);
1727:             invoiceLine.AppendChild(allowanceCharge);
1728:
1729:             #endregion
1730:
1731:             // Vergi bilgileri yer almaktadir
1732:             #region TaxTotal
1733:             var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
1734:             currencyId = doc.CreateAttribute("currencyID");
1735:             currencyId.Value = "TRY";
1736:             var taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
1737:             taxAmount.RemoveAllAttributes();
1738:             taxAmount.Attributes.Append(currencyId);
1739:             taxAmount.InnerText = Decimal.Round((decimal)detayBilgisi.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1740:             taxTotal.AppendChild(taxAmount);
1741:             var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xlmnscac.Value);
1742:             var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xlmnscbc.Value);
1743:             taxableAmount.RemoveAllAttributes();
1744:             currencyId = doc.CreateAttribute("currencyID");
1745:             currencyId.Value = "TRY";
1746:             taxableAmount.Attributes.Append(currencyId);
1747:             taxableAmount.InnerText =
Decimal.Round((decimal)detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1748:             taxSubTotal.AppendChild(taxableAmount);
1749:             var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
1750:             taxAmount2.RemoveAllAttributes();
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
1751:                currencyId = doc.CreateAttribute("currencyID");
1752:                currencyId.Value = "TRY";
1753:                taxAmount2.Attributes.Append(currencyId);
1754:                taxAmount2.InnerText = Decimal.Round((decimal)detayBilgisi.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1755:                taxSubTotal.AppendChild(taxAmount2);
1756:                var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
1757:                if (detayBilgisi.KdvOran != null)
1758:                    percent.InnerText = Decimal.Round((decimal)detayBilgisi.KdvOran, 2,
MidpointRounding.AwayFromZero).ToString("N1").Replace(",", ".");
1759:                taxSubTotal.AppendChild(percent);
1760:                var taxCategory = doc.CreateElement("cac", "TaxCategory", xlmnscac.Value);
1761:                var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
1762:                var taxTypeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1763:                taxTypeName.InnerText = "KDV";
1764:                taxScheme2.AppendChild(taxTypeName);
1765:                var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xlmnscbc.Value);
1766:                taxTypeCode.InnerText = "0015";
1767:                taxScheme2.AppendChild(taxTypeCode);
1768:                taxCategory.AppendChild(taxScheme2);
1769:                taxSubTotal.AppendChild(taxCategory);
1770:                taxTotal.AppendChild(taxSubTotal);
1771:                invoiceLine.AppendChild(taxTotal);
1772:                #endregion
1773:
1774:                // Fatura kesilen ürün detayi ve açiklama bilgileri yer almaktadir
1775:                #region Item
1776:                var invoiceItem = doc.CreateElement("cac", "Item", xlmnscac.Value);
1777:                if (!string.IsNullOrEmpty(detayBilgisi.MalzemeFaturaAciklamasi))
1778:                {
1779:                    var description = doc.CreateElement("cbc", "Description",
xlmnscbc.Value);
1780:                    description.InnerText = detayBilgisi.MalzemeFaturaAciklamasi;
1781:                    invoiceItem.AppendChild(description);
1782:                }
1783:                var itemName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1784:                if (!string.IsNullOrEmpty(detayBilgisi.FaturaUrunTuru))
1785:                    itemName.InnerText = detayBilgisi.FaturaUrunTuru;
1786:                invoiceItem.AppendChild(itemName);
1787:                invoiceLine.AppendChild(invoiceItem);
1788:                #endregion
1789:
1790:                // Birim fiyat bilgileri yer almaktadir
1791:                #region Price
1792:
1793:                var price = doc.CreateElement("cac", "Price", xlmnscac.Value);
1794:                var priceAmount = doc.CreateElement("cbc", "PriceAmount", xlmnscbc.Value);
1795:                priceAmount.RemoveAllAttributes();
1796:                currencyId = doc.CreateAttribute("currencyID");
1797:                currencyId.Value = "TRY";
1798:                priceAmount.Attributes.Append(currencyId);
1799:                if (detayBilgisi.BirimFiyat != null)
1800:                    priceAmount.InnerText =
Decimal.Round((decimal)detayBilgisi.BirimFiyat, 4,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1801:                else
1802:                    priceAmount.InnerText = "0.00";
1803:                price.AppendChild(priceAmount);
1804:                invoiceLine.AppendChild(price);
1805:
1806:                #endregion
1807:
1808:                root.AppendChild(invoiceLine);
1809:                #endregion
1810:
1811:                sayac++;
1812:            }
1813:
1814:            #endregion
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
1815:
1816:         doc.AppendChild(root);
1817:
1818:         #region Dosya Kaydi
1819:
1820:         var fileName = aktarilacakKlasorAdi + "/" + gidenFatura.GidenFaturaId +
".xml";
1821:         doc.Save(fileName);
1822:
1823:         #endregion
1824:
1825:         return fileName;
1826:
1827:         #endregion
1828:     }
1829: }
```

1.1.7.1.6.1.2 YardimciSiniflar.EFaturaXMLOlustur Method

Summary

Giden Fatura Bilgisi Üzerinden E-Fatura Sistemine Göndermek Için XML Dosyasi Olusturmaya yarayan metottur

C#

```
public static string EFaturaXMLOlustur(GidenFaturaDTO gidenFatura,
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, string aktarilacakKlasorAdi);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi	Giden Fatura Detay Listesi
string aktarilacakKlasorAdi	Olusturulan Dosyanin Aktarilacagi Klasör

Returns

Kaydedilen Dosyanin Bilgisayardaki Adresi

Body Source

```
  1: public static string EFaturaXMLOlustur(GidenFaturaDTO gidenFatura,
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, string aktarilacakKlasorAdi)
  2: {
  3:     XmlDocument doc = new XmlDocument();
  4:     XmlDeclaration declaration;
  5:     declaration = doc.CreateXmlDeclaration("1.0", "UTF-8", null);
  6:     XmlElement root = doc.DocumentElement;
  7:     doc.InsertBefore(declaration, root);
  8:     doc.AppendChild(doc.CreateProcessingInstruction("xml-stylesheet",
"type=\"text/xsl\" href=\"general.xslt\""));
  9:
 10:     root = doc.CreateElement("Invoice");
 11:
 12:     gidenFatura = BoslukKaldir.BosluklariKaldir(gidenFatura);
 13:
 14:     var kodSatisTuruKod = 0;
 15:     if (gidenFatura.SatisTuruKod != null)
 16:         kodSatisTuruKod = gidenFatura.SatisTuruKod ?? 0;
 17:
 18:     var kodFaturaTuruKod = 0;
 19:     if (gidenFatura.FaturaTuruKod != null)
 20:         kodFaturaTuruKod = gidenFatura.FaturaTuruKod ?? 0;
 21:
 22:     var kodFaturaGrupTuruKod = 0;
 23:     if (gidenFatura.FaturaGrupTuruKod != null)
 24:         kodFaturaGrupTuruKod = gidenFatura.FaturaGrupTuruKod ?? 0;
 25:
 26:     #region Standart ve Faturaya Bagli Bilgiler
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
 27:
 28:     // Faturanin türü, düzenleme tarihi, UBL Versiyon Numarasi, GIB Numarasi gibi
bilgiler
 29:     // yer almaktadir
 30:     #region Standart Bilgiler
 31:     root.RemoveAllAttributes();
 32:     string locationAttribute = "xsi:schemaLocation";
 33:     XmlAttribute location = doc.CreateAttribute("xsi", "schemaLocation",
"urn:oasis:names:specification:ubl:schema:xsd:Invoice-2");
 34:     location.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
../xsdrt/maindoc/UBL-Invoice-2.1.xsd";
 35:     //XmlAttribute location = doc.CreateAttribute(schemaLocation);
 36:     //location.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
../xsdrt/maindoc/UBL-Invoice-2.1.xsd";
 37:     XmlAttribute xlmns = doc.CreateAttribute("xmlns");
 38:     xlmns.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2";
 39:     XmlAttribute xlmnsn4 = doc.CreateAttribute("xmlns:n4");
 40:     xlmnsn4.Value = "http://www.altova.com/samplexml/other-namespace";
 41:     XmlAttribute xlmnsxsi = doc.CreateAttribute("xmlns:xsi");
 42:     xlmnsxsi.Value = "http://www.w3.org/2001/XMLSchema-instance";
 43:     XmlAttribute xlmnscac = doc.CreateAttribute("xmlns:cac");
 44:     xlmnscac.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonAggregateComponents-2";
 45:     XmlAttribute xlmnscbc = doc.CreateAttribute("xmlns:cbc");
 46:     xlmnscbc.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonBasicComponents-2";
 47:     XmlAttribute xlmnsext = doc.CreateAttribute("xmlns:ext");
 48:     xlmnsext.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonExtensionComponents-2";
 49:     root.Attributes.Append(location);
 50:     root.Attributes.Append(xlmns);
 51:     root.Attributes.Append(xlmnsn4);
 52:     root.Attributes.Append(xlmnsxsi);
 53:     root.Attributes.Append(xlmnscac);
 54:     root.Attributes.Append(xlmnscbc);
 55:     root.Attributes.Append(xlmnsext);
 56:     var extUbl = doc.CreateElement("ext", "UBLExtensions", xlmnsext.Value);
 57:     var extUbl2 = doc.CreateElement("ext", "UBLExtension", xlmnsext.Value);
 58:     var extUbl3 = doc.CreateElement("ext", "ExtensionContent", xlmnsext.Value);
 59:     var extUbl4 = doc.CreateElement("n4", "auto-generated_for_wildcard",
xlmnsn4.Value);
 60:     extUbl3.AppendChild(extUbl4);
 61:     extUbl2.AppendChild(extUbl3);
 62:     extUbl.AppendChild(extUbl2);
 63:
 64:     root.AppendChild(extUbl);
 65:
 66:     var versionId = doc.CreateElement("cbc", "UBLVersionID", xlmnscbc.Value);
 67:     versionId.InnerText = "2.1";
 68:     root.AppendChild(versionId);
 69:
 70:     var customizationId = doc.CreateElement("cbc", "CustomizationID", xlmnscbc.Value);
 71:     customizationId.InnerText = "TR1.2";
 72:     root.AppendChild(customizationId);
 73:
 74:     var profileId = doc.CreateElement("cbc", "ProfileID", xlmnscbc.Value);
 75:     profileId.InnerText = "TEMELFATURA";
 76:     root.AppendChild(profileId);
 77:
 78:     var id = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
 79:     if (!string.IsNullOrEmpty(gidenFatura.GibNumarasi))
 80:         id.InnerText = gidenFatura.GibNumarasi;
 81:     else
 82:         id.InnerText = "ABC" + gidenFatura.DuzenlemeTarihi?.Year +
DateTime.UtcNow.Ticks.ToString().Substring(0, 9);
 83:     root.AppendChild(id);
 84:
 85:     var copyIndicator = doc.CreateElement("cbc", "CopyIndicator", xlmnscbc.Value);
 86:     copyIndicator.InnerText = "false";
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
 87:     root.AppendChild(copyIndicator);
 88:
 89:     var gidenFaturaId = doc.CreateElement("cbc", "UUID", xlmnscbc.Value);
 90:     gidenFaturaId.InnerText = gidenFatura.GidenFaturaId.Length == 36 ?
gidenFatura.GidenFaturaId.ToUpper() : Guid.NewGuid().ToString().ToUpper();
 91:     root.AppendChild(gidenFaturaId);
 92:
 93:     var issueDate = doc.CreateElement("cbc", "IssueDate", xlmnscbc.Value);
 94:     issueDate.InnerText = gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd");
 95:     root.AppendChild(issueDate);
 96:
 97:     var issueTime = doc.CreateElement("cbc", "IssueTime", xlmnscbc.Value);
 98:     issueTime.InnerText = gidenFatura.DuzenlemeTarihi?.ToString("HH:mm:ss");
 99:     root.AppendChild(issueTime);
100:
101:     var invoiceTypeCode = doc.CreateElement("cbc", "InvoiceTypeCode", xlmnscbc.Value);
102:     invoiceTypeCode.InnerText = "SATIS";
103:     if (gidenFatura.KdvTutari == 0 || gidenFaturaDetayListesi.Any(j => j.KdvTutari ==
0))
104:         invoiceTypeCode.InnerText = "ISTISNA";
105:     if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
106:         invoiceTypeCode.InnerText = "IHRACKAYITLI";
107:     if (kodFaturaTuruKod == FaturaTur.Iade.GetHashCode())
108:         invoiceTypeCode.InnerText = "IADE";
109:     root.AppendChild(invoiceTypeCode);
110:
111:     #region Irsaliye Bilgileri
112:
113:     #region Irsaliye ve Tonaj Düzenlemesi
114:
115:     var gidenFaturaDetayListesi2 = new List<GidenFaturaDetayDTO>();
116:     var gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi;
117:     foreach (var item in gidenFaturaDetayListesiTemp)
118:     {
119:         if (!string.IsNullOrEmpty(item.IrsaliyeNo) &&
!string.IsNullOrEmpty(item.PlakaNo))
120:         {
121:             if (!gidenFaturaDetayListesi2.Any(j => j.IrsaliyeNo == item.IrsaliyeNo &&
j.PlakaNo == item.PlakaNo))
122:             {
123:                 item.Tonaj = item.Miktar;
124:                 gidenFaturaDetayListesi2.Add(item);
125:             }
126:             else
127:             {
128:                 var index = gidenFaturaDetayListesi2.FindIndex(j => j.IrsaliyeNo ==
item.IrsaliyeNo && j.PlakaNo == item.PlakaNo);
129:                 gidenFaturaDetayListesi2[index].Tonaj =
gidenFaturaDetayListesi2[index].Tonaj + item.Miktar;
130:             }
131:         }
132:         else
133:             gidenFaturaDetayListesi2.Add(item);
134:     }
135:     //if (gidenFaturaDetayListesi2.Count < 1)
136:     //    gidenFaturaDetayListesi2.Add(new GidenFaturaDetayDTO());
137:
138:     #endregion Irsaliye ve Tonaj Düzenlemesi
139:
140:     if (gidenFaturaDetayListesi2.Count > 0)
141:     {
142:         foreach (var item in gidenFaturaDetayListesi2)
143:         {
144:             var irsaliyeNote = doc.CreateElement("cbc", "Note", xlmnscbc.Value);
145:             irsaliyeNote.InnerText = "";
146:             if (!string.IsNullOrEmpty(item.PlakaNo))
147:                 irsaliyeNote.InnerText += "Plaka No: " + item.PlakaNo;
148:             if (!string.IsNullOrEmpty(item.SevkIrsaliyesiNo))
149:                 irsaliyeNote.InnerText += " Irsaliye No: " + item.SevkIrsaliyesiNo;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
150:             if (item.SevkIrsaliyeTarihi != null)
151:                 irsaliyeNote.InnerText += " Irsaliye Tarihi: " +
item.SevkIrsaliyeTarihi?.ToShortDateString();
152:             if (item.YuklemeFormuNo != null)
153:                 irsaliyeNote.InnerText += " Yükleme Formu No: " + item.YuklemeFormuNo;
154:             if (item.Tonaj != null)
155:                 irsaliyeNote.InnerText += " Tonaj: " + item.Tonaj;
156:             if ((item.FaturaUrunTuru.Contains("Sartname") ||
item.FaturaUrunTuru.Contains("Kira")) && kodFaturaGrupTuruKod ==
FaturaMakbuzGrupTur.Diger.GetHashCode() && !string.IsNullOrEmpty(gidenFatura.Aciklama))
157:                 irsaliyeNote.InnerText += " Açiklama: " + gidenFatura.Aciklama;
158:             if (!string.IsNullOrEmpty(irsaliyeNote.InnerText))
159:                 root.AppendChild(irsaliyeNote);
160:         }
161:     }
162:
163:     #endregion
164:
165:     var documentCurrencyCode = doc.CreateElement("cbc", "DocumentCurrencyCode",
xlmnscbc.Value);
166:     documentCurrencyCode.InnerText = "TRY";
167:     root.AppendChild(documentCurrencyCode);
168:
169:     var lineCountNumeric = doc.CreateElement("cbc", "LineCountNumeric",
xlmnscbc.Value);
170:     lineCountNumeric.InnerText = gidenFaturaDetayListesi.Count.ToString();
171:     root.AppendChild(lineCountNumeric);
172:
173:     #region AdditionalDocumentReference
174:
175:     var additionalDocumentReference = doc.CreateElement("cac",
"AdditionalDocumentReference", xlmnscac.Value);
176:     var additionalDocumentReferenceId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
177:     additionalDocumentReferenceId.InnerText = gidenFatura.GidenFaturaId;
178:     additionalDocumentReference.AppendChild(additionalDocumentReferenceId);
179:     issueDate = doc.CreateElement("cbc", "IssueDate", xlmnscbc.Value);
180:     issueDate.InnerText = gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd");
181:     additionalDocumentReference.AppendChild(issueDate);
182:     var documentType = doc.CreateElement("cbc", "DocumentType", xlmnscbc.Value);
183:     documentType.InnerText = "XSLT";
184:     additionalDocumentReference.AppendChild(documentType);
185:     var attachment = doc.CreateElement("cac", "Attachment", xlmnscac.Value);
186:     var embeddedDocumentBinaryObject = doc.CreateElement("cbc",
"EmbeddedDocumentBinaryObject", xlmnscbc.Value);
187:     XmlAttribute characterSetCode = doc.CreateAttribute("characterSetCode");
188:     characterSetCode.Value = "UTF-8";
189:     XmlAttribute encodingCode = doc.CreateAttribute("encodingCode");
190:     encodingCode.Value = "Base64";
191:     XmlAttribute mimeCode = doc.CreateAttribute("mimeCode");
192:     mimeCode.Value = "application/xml";
193:     embeddedDocumentBinaryObject.Attributes.Append(characterSetCode);
194:     embeddedDocumentBinaryObject.Attributes.Append(encodingCode);
195:     embeddedDocumentBinaryObject.Attributes.Append(mimeCode);
196:     attachment.AppendChild(embeddedDocumentBinaryObject);
197:     additionalDocumentReference.AppendChild(attachment);
198:
199:     root.AppendChild(additionalDocumentReference);
200:
201:     #endregion
202:
203:     #endregion
204:
205:     // Faturaya iliskin imza, adres vb. bilgiler yer almaktadir
206:     #region Signature
207:     var signature = doc.CreateElement("cac", "Signature", xlmnscac.Value);
208:     XmlAttribute signatureIdAttr = doc.CreateAttribute("schemeID");
209:     signatureIdAttr.Value = "VKN_TCKN";
210:     var signatureId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
211:     signatureId.Attributes.Append(signatureIdAttr);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
212:     signatureId.InnerText = "3250566851";
213:     signature.AppendChild(signatureId);
214:     var signatoryParty = doc.CreateElement("cac", "SignatoryParty", xlmnscac.Value);
215:     var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
216:     XmlAttribute signatureIdAttr2 = doc.CreateAttribute("schemeID");
217:     signatureIdAttr2.Value = "VKN";
218:     var signaturePartyId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
219:     signaturePartyId.Attributes.Append(signatureIdAttr2);
220:     signaturePartyId.InnerText = "3250566851";
221:     partyIdentification.AppendChild(signaturePartyId);
222:     signatoryParty.AppendChild(partyIdentification);
223:
224:     #region Postal Address
225:     var postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
226:     var streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
227:     streetName.InnerText = "Mithatpasa Caddesi";
228:     postalAddress.AppendChild(streetName);
229:     var buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xlmnscbc.Value);
230:     buildingNumber.InnerText = "14";
231:     postalAddress.AppendChild(buildingNumber);
232:     var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
233:     citySubdivisionName.InnerText = "Çankaya";
234:     postalAddress.AppendChild(citySubdivisionName);
235:     var cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
236:     cityName.InnerText = "Ankara";
237:     postalAddress.AppendChild(cityName);
238:     var postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
239:     postalZone.InnerText = "06100";
240:     postalAddress.AppendChild(postalZone);
241:     var country = doc.CreateElement("cac", "Country", xlmnscac.Value);
242:     var countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
243:     countryName.InnerText = "Türkiye";
244:     country.AppendChild(countryName);
245:     postalAddress.AppendChild(country);
246:     signatoryParty.AppendChild(postalAddress);
247:     signature.AppendChild(signatoryParty);
248:
249:     #endregion
250:
251:     var digitalSignatureAttachment = doc.CreateElement("cac",
"DigitalSignatureAttachment", xlmnscac.Value);
252:     var externalReference = doc.CreateElement("cac", "ExternalReference",
xlmnscac.Value);
253:     var uri = doc.CreateElement("cbc", "URI", xlmnscbc.Value);
254:     uri.InnerText = "#Signature";
255:     externalReference.AppendChild(uri);
256:     digitalSignatureAttachment.AppendChild(externalReference);
257:     signature.AppendChild(digitalSignatureAttachment);
258:
259:     root.AppendChild(signature);
260:     #endregion
261:
262:     // Burada sabit degerler verilmekte olup, Faturayi kesen kuruma veya firmaya ait
bilgiler
263:     // yer almaktadir. Bu kisimda örnek olarak TÜRKSEKER Fabrikalari Genel Müdürlügü
bilgileri
264:     // kullanilmistir. Ancak degistirip test edilebilir.
265:     #region AccountingSupplierParty
266:
267:     var accountingSupplierParty = doc.CreateElement("cac", "AccountingSupplierParty",
xlmnscac.Value);
268:     var party = doc.CreateElement("cac", "Party", xlmnscac.Value);
269:     var webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
270:     webSiteUri.InnerText = "https://www.turkseker.gov.tr";
271:     party.AppendChild(webSiteUri);
272:     XmlAttribute accountingSupplierPartyIdAttr = doc.CreateAttribute("schemeID");
273:     accountingSupplierPartyIdAttr.Value = "VKN_TCKN";
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
274:     partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
275:     XmlAttribute accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
276:     accountingSupplierPartyIdAttr2.Value = "VKN";
277:     var accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
278:     accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
279:     accountingSupplierPartyPartyId.InnerText = "3250566851";
280:     partyIdentification.AppendChild(accountingSupplierPartyPartyId);
281:     party.AppendChild(partyIdentification);
282:
283:     if (!string.IsNullOrEmpty(gidenFatura.AltBirimAd))
284:     {
285:         partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
286:         accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
287:         accountingSupplierPartyIdAttr2.Value = "SUBENO";
288:         accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
289:
accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
290:         accountingSupplierPartyPartyId.InnerText = gidenFatura.AltBirimAd;
291:         partyIdentification.AppendChild(accountingSupplierPartyPartyId);
292:         party.AppendChild(partyIdentification);
293:     }
294:
295:     var partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
296:     var partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
297:     partyNameReal.InnerText = "TÜRKIYE SEKER FABRIKALARI A.S.";
298:     partyName.AppendChild(partyNameReal);
299:     party.AppendChild(partyName);
300:
301:     #region Postal Address
302:     postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
303:     var postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
304:     postalAddressId.InnerText = "3250566851";
305:     postalAddress.AppendChild(postalAddressId);
306:     streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
307:     streetName.InnerText = "Mithatpasa Caddesi";
308:     postalAddress.AppendChild(streetName);
309:     buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xlmnscbc.Value);
310:     buildingNumber.InnerText = "14";
311:     postalAddress.AppendChild(buildingNumber);
312:     citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
313:     citySubdivisionName.InnerText = "Çankaya";
314:     postalAddress.AppendChild(citySubdivisionName);
315:     cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
316:     cityName.InnerText = "Ankara";
317:     postalAddress.AppendChild(cityName);
318:     postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
319:     postalZone.InnerText = "06100";
320:     postalAddress.AppendChild(postalZone);
321:     country = doc.CreateElement("cac", "Country", xlmnscac.Value);
322:     countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
323:     countryName.InnerText = "Türkiye";
324:     country.AppendChild(countryName);
325:     postalAddress.AppendChild(country);
326:     party.AppendChild(postalAddress);
327:
328:     #endregion
329:
330:     var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme", xlmnscac.Value);
331:     var taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
332:     var taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
333:     taxSchemeName.InnerText = "Ankara Kurumlar";
334:     taxScheme.AppendChild(taxSchemeName);
335:     partyTaxScheme.AppendChild(taxScheme);
336:     party.AppendChild(partyTaxScheme);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
337:
338:     var contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
339:     var telephone = doc.CreateElement("cbc", "Telephone", xlmnscbc.Value);
340:     telephone.InnerText = "(312) 4585500";
341:     contact.AppendChild(telephone);
342:     var telefax = doc.CreateElement("cbc", "Telefax", xlmnscbc.Value);
343:     telefax.InnerText = "(312) 4585800";
344:     contact.AppendChild(telefax);
345:     var electronicMail = doc.CreateElement("cbc", "ElectronicMail", xlmnscbc.Value);
346:     electronicMail.InnerText = "maliisler@turkseker.gov.tr";
347:     contact.AppendChild(electronicMail);
348:     party.AppendChild(contact);
349:
350:     accountingSupplierParty.AppendChild(party);
351:
352:     root.AppendChild(accountingSupplierParty);
353:     #endregion
354:
355:     // Bu kisimda fatura kesilen firma bilgileri yer almaktadir
356:     #region AccountingCustomerParty
357:
358:     var accountingCustomerParty = doc.CreateElement("cac", "AccountingCustomerParty",
xlmnscac.Value);
359:     party = doc.CreateElement("cac", "Party", xlmnscac.Value);
360:     webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
361:     party.AppendChild(webSiteUri);
362:     XmlAttribute accountingCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
363:     accountingCustomerPartyIdAttr.Value = "TCKN";
364:     if (!string.IsNullOrEmpty(gidenFatura.VergiNo) && gidenFatura.VergiNo.Length == 10)
365:         accountingCustomerPartyIdAttr.Value = "VKN";
366:     partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
367:     var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
368:     accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerPartyIdAttr);
369:     accountingCustomerPartyPartyId.InnerText = gidenFatura.VergiNo;
370:     partyIdentification.AppendChild(accountingCustomerPartyPartyId);
371:     party.AppendChild(partyIdentification);
372:
373:     if (!string.IsNullOrEmpty(gidenFatura.VergiNo) && gidenFatura.VergiNo.Length == 10)
374:     {
375:         partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
376:         partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
377:         partyNameReal.InnerText = gidenFatura.TuzelKisiAd;
378:         partyName.AppendChild(partyNameReal);
379:         party.AppendChild(partyName);
380:     }
381:
382:     #region Postal Address
383:     postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
384:     postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
385:     postalAddressId.InnerText = gidenFatura.VergiNo;
386:     postalAddress.AppendChild(postalAddressId);
387:     var room = doc.CreateElement("cbc", "Room", xlmnscbc.Value);
388:     postalAddress.AppendChild(room);
389:     streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
390:     if (!string.IsNullOrEmpty(gidenFatura.Adres))
391:         streetName.InnerText = gidenFatura.Adres;
392:     postalAddress.AppendChild(streetName);
393:     buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xlmnscbc.Value);
394:     //buildingNumber.InnerText = "";
395:     postalAddress.AppendChild(buildingNumber);
396:     citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
397:     if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
398:         citySubdivisionName.InnerText = gidenFatura.IlceAd;
399:     postalAddress.AppendChild(citySubdivisionName);
400:     cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
401:     if (!string.IsNullOrEmpty(gidenFatura.IlAd))
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
402:         cityName.InnerText = gidenFatura.IlAd;
403:     postalAddress.AppendChild(cityName);
404:     postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
405:     //postalZone.InnerText = "";
406:     postalAddress.AppendChild(postalZone);
407:     country = doc.CreateElement("cac", "Country", xlmnscac.Value);
408:     countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
409:     countryName.InnerText = "Türkiye";
410:     country.AppendChild(countryName);
411:     postalAddress.AppendChild(country);
412:     party.AppendChild(postalAddress);
413:
414:     #endregion
415:
416:     partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme", xlmnscac.Value);
417:     taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
418:     taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
419:     if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
420:         taxSchemeName.InnerText = gidenFatura.VergiDairesi;
421:     taxScheme.AppendChild(taxSchemeName);
422:     partyTaxScheme.AppendChild(taxScheme);
423:     party.AppendChild(partyTaxScheme);
424:
425:     contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
426:     electronicMail = doc.CreateElement("cbc", "ElectronicMail", xlmnscbc.Value);
427:     if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))
428:         electronicMail.InnerText = gidenFatura.EPostaAdresi;
429:     contact.AppendChild(electronicMail);
430:     party.AppendChild(contact);
431:
432:     if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
433:     {
434:         if (gidenFatura.VergiNo.Length == 11)
435:         {
436:             var liste = gidenFatura.TuzelKisiAd.Split(' ').ToList();
437:             if (liste.Count > 1)
438:             {
439:                 var person = doc.CreateElement("cac", "Person", xlmnscac.Value);
440:                 var firstName = doc.CreateElement("cbc", "FirstName", xlmnscbc.Value);
441:                 firstName.InnerText = liste[0];
442:                 person.AppendChild(firstName);
443:                 var surname = gidenFatura.TuzelKisiAd.Substring(liste[0].Length + 1);
444:                 var familyName = doc.CreateElement("cbc", "FamilyName",
xlmnscbc.Value);
445:                 familyName.InnerText = surname;
446:                 //familyName.InnerText = liste[1];
447:                 person.AppendChild(familyName);
448:                 party.AppendChild(person);
449:             }
450:         }
451:     }
452:
453:     accountingCustomerParty.AppendChild(party);
454:
455:     root.AppendChild(accountingCustomerParty);
456:     #endregion
457:
458:     if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
459:     {
460:         if (gidenFatura.VergiNo.Length == 10)
461:         {
462:             // Bu kisimda fatura kesilen firma bilgileri yer almaktadir (Eger sadece
Tüzel Kisilikse, sahis sirketleri için bu yapilmamaktadir)
463:             #region BuyerCustomerParty
464:
465:             var buyerCustomerParty = doc.CreateElement("cac", "BuyerCustomerParty",
xlmnscac.Value);
466:             party = doc.CreateElement("cac", "Party", xlmnscac.Value);
467:             webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
468:             party.AppendChild(webSiteUri);
469:             XmlAttribute buyerCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
470:             buyerCustomerPartyIdAttr.Value = "VKN";
471:             partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
472:             var buyerCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
473:             buyerCustomerPartyPartyId.Attributes.Append(buyerCustomerPartyIdAttr);
474:             buyerCustomerPartyPartyId.InnerText = gidenFatura.VergiNo;
475:             partyIdentification.AppendChild(buyerCustomerPartyPartyId);
476:             party.AppendChild(partyIdentification);
477:
478:             if (gidenFatura.VergiNo.Length == 10)
479:             {
480:                 partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
481:                 partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
482:                 partyNameReal.InnerText = gidenFatura.TuzelKisiAd;
483:                 partyName.AppendChild(partyNameReal);
484:                 party.AppendChild(partyName);
485:             }
486:
487:             #region Postal Address
488:             postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
489:             postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
490:             postalAddressId.InnerText = gidenFatura.VergiNo;
491:             postalAddress.AppendChild(postalAddressId);
492:             room = doc.CreateElement("cbc", "Room", xlmnscbc.Value);
493:             postalAddress.AppendChild(room);
494:             streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
495:             if (!string.IsNullOrEmpty(gidenFatura.Adres))
496:                 streetName.InnerText = gidenFatura.Adres;
497:             postalAddress.AppendChild(streetName);
498:             buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
499:             //buildingNumber.InnerText = "";
500:             postalAddress.AppendChild(buildingNumber);
501:             citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
502:             if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
503:                 citySubdivisionName.InnerText = gidenFatura.IlceAd;
504:             postalAddress.AppendChild(citySubdivisionName);
505:             cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
506:             if (!string.IsNullOrEmpty(gidenFatura.IlAd))
507:                 cityName.InnerText = gidenFatura.IlAd;
508:             postalAddress.AppendChild(cityName);
509:             postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
510:             //postalZone.InnerText = "";
511:             postalAddress.AppendChild(postalZone);
512:             country = doc.CreateElement("cac", "Country", xlmnscac.Value);
513:             countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
514:             countryName.InnerText = "Türkiye";
515:             country.AppendChild(countryName);
516:             postalAddress.AppendChild(country);
517:             party.AppendChild(postalAddress);
518:
519:             #endregion
520:
521:             partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xlmnscac.Value);
522:             taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
523:             taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
524:             if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
525:                 taxSchemeName.InnerText = gidenFatura.VergiDairesi;
526:             taxScheme.AppendChild(taxSchemeName);
527:             partyTaxScheme.AppendChild(taxScheme);
528:             party.AppendChild(partyTaxScheme);
529:
530:             contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
531:             electronicMail = doc.CreateElement("cbc", "ElectronicMail",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
xlmnscbc.Value);
532:             if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))
533:                 electronicMail.InnerText = gidenFatura.EPostaAdresi;
534:             contact.AppendChild(electronicMail);
535:             party.AppendChild(contact);
536:
537:             if (gidenFatura.VergiNo.Length == 11)
538:             {
539:                 var liste = gidenFatura.TuzelKisiAd.Split(' ').ToList();
540:                 if (liste.Count > 1)
541:                 {
542:                     var person = doc.CreateElement("cac", "Person", xlmnscac.Value);
543:                     var firstName = doc.CreateElement("cbc", "FirstName",
xlmnscbc.Value);
544:                     firstName.InnerText = liste[0];
545:                     person.AppendChild(firstName);
546:                     var surname = gidenFatura.TuzelKisiAd.Substring(liste[0].Length +
1);
547:                     var familyName = doc.CreateElement("cbc", "FamilyName",
xlmnscbc.Value);
548:                     familyName.InnerText = surname;
549:                     //familyName.InnerText = liste[1];
550:                     person.AppendChild(familyName);
551:                     party.AppendChild(person);
552:                 }
553:             }
554:
555:             buyerCustomerParty.AppendChild(party);
556:
557:             root.AppendChild(buyerCustomerParty);
558:             #endregion
559:         }
560:     }
561:
562:     if (!string.IsNullOrEmpty(gidenFatura.BankaAd))
563:     {
564:         // Eger Banka bilgileri mevcutsa burada banka bilgileri yer almaktadir
565:         #region PaymentMeans
566:
567:         var paymentMeans = doc.CreateElement("cac", "PaymentMeans", xlmnscac.Value);
568:         var paymentMeansCode = doc.CreateElement("cbc", "PaymentMeansCode",
xlmnscbc.Value);
569:         //paymentMeansCode.InnerText = "1";
570:         /// Burada 1 verildigi zaman Sözlesme Kapsaminda yaziyor metinde
571:         /// ZZZ ise Diger anlaminda geliyor
572:         paymentMeansCode.InnerText = "ZZZ";
573:         paymentMeans.AppendChild(paymentMeansCode);
574:         var payeeFinancialAccount = doc.CreateElement("cac", "PayeeFinancialAccount",
xlmnscac.Value);
575:         var payeeFinancialAccountId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
576:         if (!string.IsNullOrEmpty(gidenFatura.IbanNo))
577:             payeeFinancialAccountId.InnerText = gidenFatura.IbanNo;
578:         payeeFinancialAccount.AppendChild(payeeFinancialAccountId);
579:         var currencyCode = doc.CreateElement("cbc", "CurrencyCode", xlmnscbc.Value);
580:         currencyCode.InnerText = "TRY";
581:         payeeFinancialAccount.AppendChild(currencyCode);
582:         var paymentNote = doc.CreateElement("cbc", "PaymentNote", xlmnscbc.Value);
583:         if (!string.IsNullOrEmpty(gidenFatura.BankaAd) &&
!string.IsNullOrEmpty(gidenFatura.BankaSube))
584:             paymentNote.InnerText = gidenFatura.BankaAd + " - " +
gidenFatura.BankaSube;
585:         payeeFinancialAccount.AppendChild(paymentNote);
586:         paymentMeans.AppendChild(payeeFinancialAccount);
587:         root.AppendChild(paymentMeans);
588:
589:         #endregion
590:     }
591:
592:     #region KDVlerin Belirlenmesi
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
593:
594:     var faturaKdvListesi = new List<FaturaKdvDTO>();
595:     foreach (var item in gidenFaturaDetayListesi)
596:     {
597:         decimal kodKdvTuruOran = item.KdvOran ?? 0;
598:         if (!faturaKdvListesi.Any(j => j.KdvOran == kodKdvTuruOran))
599:         {
600:             var faturaKdv = new FaturaKdvDTO
601:             {
602:                 KdvOran = kodKdvTuruOran,
603:                 KdvTutari = item.KdvTutari,
604:                 KdvHaricTutar = item.KdvHaricTutar
605:             };
606:             faturaKdvListesi.Add(faturaKdv);
607:         }
608:         else
609:         {
610:             var index = faturaKdvListesi.FindIndex(j => j.KdvOran == kodKdvTuruOran);
611:             faturaKdvListesi[index].KdvTutari += item.KdvTutari;
612:             faturaKdvListesi[index].KdvHaricTutar += item.KdvHaricTutar;
613:         }
614:         if (faturaKdvListesi.Count > 0)
615:             faturaKdvListesi = faturaKdvListesi.OrderBy(j => j.KdvOran).ToList();
616:     }
617:
618:     #endregion
619:
620:     #region TaxTotal
621:
622:     var sayac = 1;
623:     foreach (var item in faturaKdvListesi)
624:     {
625:         // Burada vergi bilgileri yer almaktadir
626:         #region TaxTotal
627:
628:         var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
629:         XmlAttribute currencyIdGeneral = doc.CreateAttribute("currencyID");
630:         currencyIdGeneral.Value = "TRY";
631:         var taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
632:         taxAmount.RemoveAllAttributes();
633:         taxAmount.Attributes.Append(currencyIdGeneral);
634:         taxAmount.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
635:         taxTotal.AppendChild(taxAmount);
636:         var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xlmnscac.Value);
637:         var taxableAmount = doc.CreateElement("cbc", "TaxableAmount", xlmnscbc.Value);
638:         taxableAmount.RemoveAllAttributes();
639:         currencyIdGeneral = doc.CreateAttribute("currencyID");
640:         currencyIdGeneral.Value = "TRY";
641:         taxableAmount.Attributes.Append(currencyIdGeneral);
642:         taxableAmount.InnerText = Decimal.Round((decimal)item.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
643:         taxSubTotal.AppendChild(taxableAmount);
644:         var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
645:         taxAmount2.RemoveAllAttributes();
646:         currencyIdGeneral = doc.CreateAttribute("currencyID");
647:         currencyIdGeneral.Value = "TRY";
648:         taxAmount2.Attributes.Append(currencyIdGeneral);
649:         taxAmount2.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
650:         taxSubTotal.AppendChild(taxAmount2);
651:         var calculationSequenceNumeric = doc.CreateElement("cbc",
"CalculationSequenceNumeric", xlmnscbc.Value);
652:         calculationSequenceNumeric.InnerText = sayac + ".0";
653:         taxSubTotal.AppendChild(calculationSequenceNumeric);
654:         var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
655:         percent.InnerText = Decimal.Round((decimal)item.KdvOran, 0,
MidpointRounding.AwayFromZero).ToString();
656:         taxSubTotal.AppendChild(percent);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
657:         var taxCategory = doc.CreateElement("cac", "TaxCategory", xlmnscac.Value);
658:         if (item.KdvTutari == 0)
659:         {
660:             if (kodFaturaGrupTuruKod == FaturaMakbuzGrupTur.Kuspe.GetHashCode())
661:             {
662:                 var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
663:                 taxExemptionReasonCode.InnerText = "325";
664:                 var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
665:                 taxExemptionReason.InnerText = "13/i Yem Teslimleri";
666:                 taxCategory.AppendChild(taxExemptionReasonCode);
667:                 taxCategory.AppendChild(taxExemptionReason);
668:             }
669:             else
670:             {
671:                 var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
672:                 taxExemptionReasonCode.InnerText = "350";
673:                 var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
674:                 taxExemptionReason.InnerText = "Digerleri";
675:                 taxCategory.AppendChild(taxExemptionReasonCode);
676:                 taxCategory.AppendChild(taxExemptionReason);
677:             }
678:         }
679:         if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
680:         {
681:             var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
682:             taxExemptionReasonCode.InnerText = "701";
683:             var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xlmnscbc.Value);
684:             taxExemptionReason.InnerText = "3065 sayili Katma Deger Vergisi kanununun
11/1-c maddesi kapsaminda ihraç edilmek sartiyla teslim edildiginden Katma Deger Vergisi
tahsil edilmemistir.";
685:             taxCategory.AppendChild(taxExemptionReasonCode);
686:             taxCategory.AppendChild(taxExemptionReason);
687:         }
688:         var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
689:         var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xlmnscbc.Value);
690:         taxTypeCode.InnerText = "0015";
691:         taxScheme2.AppendChild(taxTypeCode);
692:         taxCategory.AppendChild(taxScheme2);
693:         taxSubTotal.AppendChild(taxCategory);
694:         taxTotal.AppendChild(taxSubTotal);
695:         root.AppendChild(taxTotal);
696:
697:         #endregion
698:
699:         sayac++;
700:     }
701:
702:     #endregion
703:
704:     // Burada vergi bilgileri yer almaktadir (Açiklama Satiri haline getirildi)
705:     #region Açiklama Satiri (TaxTotal)
706:
707:     //var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
708:     //XmlAttribute currencyId = doc.CreateAttribute("currencyID");
709:     //currencyId.Value = "TRY";
710:     //var taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
711:     //taxAmount.RemoveAllAttributes();
712:     //taxAmount.Attributes.Append(currencyId);
713:     //taxAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
714:     //taxTotal.AppendChild(taxAmount);
715:     //var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xlmnscac.Value);
716:     //var taxableAmount = doc.CreateElement("cbc", "TaxableAmount", xlmnscbc.Value);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
717:     //taxableAmount.RemoveAllAttributes();
718:     //currencyId = doc.CreateAttribute("currencyID");
719:     //currencyId.Value = "TRY";
720:     //taxableAmount.Attributes.Append(currencyId);
721:     //taxableAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
722:     //taxSubTotal.AppendChild(taxableAmount);
723:     //var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
724:     //taxAmount2.RemoveAllAttributes();
725:     //currencyId = doc.CreateAttribute("currencyID");
726:     //currencyId.Value = "TRY";
727:     //taxAmount2.Attributes.Append(currencyId);
728:     //taxAmount2.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
729:     //taxSubTotal.AppendChild(taxAmount2);
730:     //var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
731:     //if (gidenFatura.KdvHaricTutar != 0)
732:     //    percent.InnerText = Decimal.Round(((decimal)gidenFatura.KdvTutari * 100) /
(decimal)gidenFatura.KdvHaricTutar, 0, MidpointRounding.AwayFromZero).ToString();
733:     //else
734:     //    percent.InnerText = "0";
735:     //taxSubTotal.AppendChild(percent);
736:     //var taxCategory = doc.CreateElement("cac", "TaxCategory", xlmnscac.Value);
737:     //if (gidenFatura.KdvTutari == 0)
738:     //{
739:     //    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
740:     //    taxExemptionReasonCode.InnerText = "325";
741:     //    var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xlmnscbc.Value);
742:     //    taxExemptionReason.InnerText = "13/i Yem Teslimleri";
743:     //    taxCategory.AppendChild(taxExemptionReasonCode);
744:     //    taxCategory.AppendChild(taxExemptionReason);
745:     //}
746:     //if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
747:     //{
748:     //    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
749:     //    taxExemptionReasonCode.InnerText = "701";
750:     //    var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xlmnscbc.Value);
751:     //    taxExemptionReason.InnerText = "3065 sayili Katma Deger Vergisi kanununun
11/1-c maddesi kapsaminda ihraç edilmek sartiyla teslim edildiginden Katma Deger Vergisi
tahsil edilmemistir.";
752:     //    taxCategory.AppendChild(taxExemptionReasonCode);
753:     //    taxCategory.AppendChild(taxExemptionReason);
754:     //}
755:     //var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
756:     //var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xlmnscbc.Value);
757:     //taxTypeCode.InnerText = "0015";
758:     //taxScheme2.AppendChild(taxTypeCode);
759:     //taxCategory.AppendChild(taxScheme2);
760:     //taxSubTotal.AppendChild(taxCategory);
761:     //taxTotal.AppendChild(taxSubTotal);
762:     //root.AppendChild(taxTotal);
763:
764:     #endregion
765:
766:     // KDV, KDV Hariç Tutar ve Toplam Tutar bilgileri yer almaktadir
767:     #region LegalMonetaryTotal
768:
769:     var legalMonetaryTotal = doc.CreateElement("cac", "LegalMonetaryTotal",
xlmnscac.Value);
770:     var lineExtensionAmount = doc.CreateElement("cbc", "LineExtensionAmount",
xlmnscbc.Value);
771:     lineExtensionAmount.RemoveAllAttributes();
772:     var currencyId = doc.CreateAttribute("currencyID");
773:     currencyId.Value = "TRY";
774:     lineExtensionAmount.Attributes.Append(currencyId);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
775:     lineExtensionAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvHaricTutar,
2, MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
776:     legalMonetaryTotal.AppendChild(lineExtensionAmount);
777:     var taxExclusiveAmount = doc.CreateElement("cbc", "TaxExclusiveAmount",
xlmnscbc.Value);
778:     taxExclusiveAmount.RemoveAllAttributes();
779:     currencyId = doc.CreateAttribute("currencyID");
780:     currencyId.Value = "TRY";
781:     taxExclusiveAmount.Attributes.Append(currencyId);
782:     taxExclusiveAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvHaricTutar,
2, MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
783:     legalMonetaryTotal.AppendChild(taxExclusiveAmount);
784:     var taxInclusiveAmount = doc.CreateElement("cbc", "TaxInclusiveAmount",
xlmnscbc.Value);
785:     taxInclusiveAmount.RemoveAllAttributes();
786:     currencyId = doc.CreateAttribute("currencyID");
787:     currencyId.Value = "TRY";
788:     taxInclusiveAmount.Attributes.Append(currencyId);
789:     taxInclusiveAmount.InnerText = Decimal.Round((decimal)gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
790:     legalMonetaryTotal.AppendChild(taxInclusiveAmount);
791:     var payableAmount = doc.CreateElement("cbc", "PayableAmount", xlmnscbc.Value);
792:     payableAmount.RemoveAllAttributes();
793:     currencyId = doc.CreateAttribute("currencyID");
794:     currencyId.Value = "TRY";
795:     payableAmount.Attributes.Append(currencyId);
796:     payableAmount.InnerText = Decimal.Round((decimal)gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
797:     legalMonetaryTotal.AppendChild(payableAmount);
798:     root.AppendChild(legalMonetaryTotal);
799:     #endregion
800:
801:     sayac = 1;
802:     // Her bir fatura edtayi için hazirlanan bölümdür
803:     foreach (var item in gidenFaturaDetayListesi)
804:     {
805:         var detayBilgisi = BoslukKaldir.BosluklariKaldir(item);
806:
807:         #region InvoiceLine
808:
809:         // Ölçü Birimi, KDV Hariç Tutar, Para Birimi gibi bilgiler yer almaktadir
810:         #region MetaData
811:         var invoiceLine = doc.CreateElement("cac", "InvoiceLine", xlmnscac.Value);
812:         var invoiceLineId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
813:         invoiceLineId.InnerText = sayac.ToString();
814:         invoiceLine.AppendChild(invoiceLineId);
815:         var quantity = doc.CreateAttribute("unitCode");
816:         if (!string.IsNullOrEmpty(detayBilgisi.GibKisaltma))
817:             quantity.Value = detayBilgisi.GibKisaltma;
818:         else
819:             quantity.Value = "KGM";
820:         var invoicedQuantity = doc.CreateElement("cbc", "InvoicedQuantity",
xlmnscbc.Value);
821:         invoicedQuantity.RemoveAllAttributes();
822:         invoicedQuantity.Attributes.Append(quantity);
823:         invoicedQuantity.InnerText = Decimal.Round((decimal)detayBilgisi.Miktar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
824:         invoiceLine.AppendChild(invoicedQuantity);
825:         var lineExtensionAmountDetail = doc.CreateElement("cbc",
"LineExtensionAmount", xlmnscbc.Value);
826:         lineExtensionAmountDetail.RemoveAllAttributes();
827:         currencyId = doc.CreateAttribute("currencyID");
828:         currencyId.Value = "TRY";
829:         lineExtensionAmountDetail.Attributes.Append(currencyId);
830:         lineExtensionAmountDetail.InnerText =
Decimal.Round((decimal)detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
831:         invoiceLine.AppendChild(lineExtensionAmountDetail);
832:         #endregion
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
833:
834:         // Varsa iskonto bilgileri yer almaktadir
835:         #region AllowanceCharge
836:
837:         var allowanceCharge = doc.CreateElement("cac", "AllowanceCharge",
xlmnscac.Value);
838:         var chargeIndicator = doc.CreateElement("cbc", "ChargeIndicator",
xlmnscbc.Value);
839:         chargeIndicator.InnerText = "false";
840:         allowanceCharge.AppendChild(chargeIndicator);
841:         decimal amount2 = 0;
842:         decimal toplamTutar = (decimal)detayBilgisi.KdvHaricTutar;
843:         decimal kodIskontoTuruOran = detayBilgisi.IskontoOran ?? 0;
844:         if (kodIskontoTuruOran > 0)
845:         {
846:             toplamTutar = Decimal.Round((decimal)detayBilgisi.Miktar *
(decimal)detayBilgisi.BirimFiyat, 4, MidpointRounding.AwayFromZero);
847:             decimal toplamTutar2 = Decimal.Round(toplamTutar * (100 -
kodIskontoTuruOran) * (decimal)0.01, 4, MidpointRounding.AwayFromZero);
848:             amount2 = toplamTutar - toplamTutar2;
849:         }
850:         var multiplierFactorNumeric = doc.CreateElement("cbc",
"MultiplierFactorNumeric", xlmnscbc.Value);
851:         multiplierFactorNumeric.InnerText = Decimal.Round(kodIskontoTuruOran *
(decimal)0.01, 2, MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
852:         allowanceCharge.AppendChild(multiplierFactorNumeric);
853:         var amount = doc.CreateElement("cbc", "Amount", xlmnscbc.Value);
854:         currencyId = doc.CreateAttribute("currencyID");
855:         currencyId.Value = "TRY";
856:         amount.RemoveAllAttributes();
857:         amount.Attributes.Append(currencyId);
858:         amount.InnerText = Decimal.Round(amount2, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
859:         allowanceCharge.AppendChild(amount);
860:         var baseAmount = doc.CreateElement("cbc", "BaseAmount", xlmnscbc.Value);
861:         currencyId = doc.CreateAttribute("currencyID");
862:         currencyId.Value = "TRY";
863:         baseAmount.RemoveAllAttributes();
864:         baseAmount.Attributes.Append(currencyId);
865:         baseAmount.InnerText = Decimal.Round(toplamTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
866:         allowanceCharge.AppendChild(baseAmount);
867:         invoiceLine.AppendChild(allowanceCharge);
868:
869:         #endregion
870:
871:         // Vergi bilgileri yer almaktadir
872:         #region TaxTotal
873:         var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
874:         currencyId = doc.CreateAttribute("currencyID");
875:         currencyId.Value = "TRY";
876:         var taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
877:         taxAmount.RemoveAllAttributes();
878:         taxAmount.Attributes.Append(currencyId);
879:         taxAmount.InnerText = Decimal.Round((decimal)detayBilgisi.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
880:         taxTotal.AppendChild(taxAmount);
881:         var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xlmnscac.Value);
882:         var taxableAmount = doc.CreateElement("cbc", "TaxableAmount", xlmnscbc.Value);
883:         taxableAmount.RemoveAllAttributes();
884:         currencyId = doc.CreateAttribute("currencyID");
885:         currencyId.Value = "TRY";
886:         taxableAmount.Attributes.Append(currencyId);
887:         taxableAmount.InnerText = Decimal.Round((decimal)detayBilgisi.KdvHaricTutar,
2, MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
888:         taxSubTotal.AppendChild(taxableAmount);
889:         var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
890:         taxAmount2.RemoveAllAttributes();
891:         currencyId = doc.CreateAttribute("currencyID");
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
892:         currencyId.Value = "TRY";
893:         taxAmount2.Attributes.Append(currencyId);
894:         taxAmount2.InnerText = Decimal.Round((decimal)detayBilgisi.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
895:         taxSubTotal.AppendChild(taxAmount2);
896:         var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
897:         if (detayBilgisi.KdvOran != null)
898:             percent.InnerText = Decimal.Round((decimal)detayBilgisi.KdvOran, 2,
MidpointRounding.AwayFromZero).ToString("N1").Replace(",", ".");
899:         taxSubTotal.AppendChild(percent);
900:         var taxCategory = doc.CreateElement("cac", "TaxCategory", xlmnscac.Value);
901:         if (detayBilgisi.KdvTutari == 0)
902:         {
903:             if (kodFaturaGrupTuruKod == FaturaMakbuzGrupTur.Kuspe.GetHashCode())
904:             {
905:                 var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
906:                 taxExemptionReasonCode.InnerText = "325";
907:                 var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
908:                 taxExemptionReason.InnerText = "13/i Yem Teslimleri";
909:                 taxCategory.AppendChild(taxExemptionReasonCode);
910:                 taxCategory.AppendChild(taxExemptionReason);
911:             }
912:             else
913:             {
914:                 var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
915:                 taxExemptionReasonCode.InnerText = "350";
916:                 var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
917:                 taxExemptionReason.InnerText = "Digerleri";
918:                 taxCategory.AppendChild(taxExemptionReasonCode);
919:                 taxCategory.AppendChild(taxExemptionReason);
920:             }
921:         }
922:         var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
923:         var taxTypeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
924:         taxTypeName.InnerText = "KDV";
925:         taxScheme2.AppendChild(taxTypeName);
926:         var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xlmnscbc.Value);
927:         taxTypeCode.InnerText = "0015";
928:         taxScheme2.AppendChild(taxTypeCode);
929:         taxCategory.AppendChild(taxScheme2);
930:         taxSubTotal.AppendChild(taxCategory);
931:         taxTotal.AppendChild(taxSubTotal);
932:         invoiceLine.AppendChild(taxTotal);
933:         #endregion
934:
935:         // Fatura kesilen ürün detayi ve açiklama bilgileri yer almaktadir
936:         #region Item
937:         var invoiceItem = doc.CreateElement("cac", "Item", xlmnscac.Value);
938:         if (!string.IsNullOrEmpty(detayBilgisi.MalzemeFaturaAciklamasi))
939:         {
940:             var description = doc.CreateElement("cbc", "Description", xlmnscbc.Value);
941:             description.InnerText = detayBilgisi.MalzemeFaturaAciklamasi;
942:             invoiceItem.AppendChild(description);
943:         }
944:         var detayBilgisiName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
945:         if (!string.IsNullOrEmpty(detayBilgisi.FaturaUrunTuru))
946:             detayBilgisiName.InnerText = detayBilgisi.FaturaUrunTuru;
947:         invoiceItem.AppendChild(detayBilgisiName);
948:         invoiceLine.AppendChild(invoiceItem);
949:         #endregion
950:
951:         // Birim fiyat bilgileri yer almaktadir
952:         #region Price
953:
954:         var price = doc.CreateElement("cac", "Price", xlmnscac.Value);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
955:         var priceAmount = doc.CreateElement("cbc", "PriceAmount", xlmnscbc.Value);
956:         priceAmount.RemoveAllAttributes();
957:         currencyId = doc.CreateAttribute("currencyID");
958:         currencyId.Value = "TRY";
959:         priceAmount.Attributes.Append(currencyId);
960:         if (detayBilgisi.BirimFiyat != null)
961:             priceAmount.InnerText = Decimal.Round((decimal)detayBilgisi.BirimFiyat, 4,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
962:         else
963:             priceAmount.InnerText = "0.00";
964:         price.AppendChild(priceAmount);
965:         invoiceLine.AppendChild(price);
966:
967:         #endregion
968:
969:         root.AppendChild(invoiceLine);
970:         #endregion
971:
972:         sayac++;
973:     }
974:
975:     #endregion
976:
977:     doc.AppendChild(root);
978:
979:     #region Dosya Kaydi
980:
981:     var fileName = aktarilacakKlasorAdi + "/" + gidenFatura.GidenFaturaId + ".xml";
982:     doc.Save(fileName);
983:
984:     #endregion
985:
986:     return fileName;
987: }
```

1.1.7.1.6.1.3 YardimciSiniflar.EMustahsilXMLOlustur Method

Summary

Müstahsil Makbuzu Bilgisi Üzerinden E-Müstahsil Sistemine Göndermek Için XML Dosyasi Olusturmaya yarayan metottur

C#

```
public static string EMustahsilXMLOlustur(MustahsilMakbuzuDTO mustahsilMakbuzu,
List<MustahsilMakbuzuDetayDTO> mustahsilMakbuzuDetayListesi, string aktarilacakKlasorAdi);
```

Parameters

Parameters	Description
MustahsilMakbuzuDTO mustahsilMakbuzu	Müstahsil Makbuzu Bilgisi
List<MustahsilMakbuzuDetayDTO> mustahsilMakbuzuDetayListesi	Müstahsil Makbuzu Detay Bilgisi
string aktarilacakKlasorAdi	Olusturulan Dosyanin Aktarilacagi Klasör

Body Source

```
  1: public static string EMustahsilXMLOlustur(MustahsilMakbuzuDTO mustahsilMakbuzu,
List<MustahsilMakbuzuDetayDTO> mustahsilMakbuzuDetayListesi, string aktarilacakKlasorAdi)
  2: {
  3:     XmlDocument doc = new XmlDocument();
  4:     XmlDeclaration declaration;
  5:     declaration = doc.CreateXmlDeclaration("1.0", "UTF-8", null);
  6:     XmlElement root = doc.DocumentElement;
  7:     doc.InsertBefore(declaration, root);
  8:     doc.AppendChild(doc.CreateProcessingInstruction("xml-stylesheet",
"type=\"text/xsl\" href=\"general.xslt\""));
  9:
 10:     root = doc.CreateElement("CreditNote");
 11:
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
 12:     mustahsilMakbuzu = BoslukKaldir.BosluklariKaldir(mustahsilMakbuzu);
 13:
 14:     var kodMakbuzGrupTuruKod = 0;
 15:     if (mustahsilMakbuzu.MakbuzGrupTuruKod != null)
 16:         kodMakbuzGrupTuruKod = mustahsilMakbuzu.MakbuzGrupTuruKod ?? 0;
 17:
 18:     #region Standart ve Müstahsil Makbuzuna Bagli Bilgiler
 19:
 20:     // Makbuzun türü, kesilme tarihi, UBL Versiyon Numarasi, GIB Numarasi gibi bilgiler
 21:     // yer almaktadir
 22:     #region Standart Bilgiler
 23:     root.RemoveAllAttributes();
 24:     string locationAttribute = "xsi:schemaLocation";
 25:     XmlAttribute location = doc.CreateAttribute("xsi", "schemaLocation",
"urn:oasis:names:specification:ubl:schema:xsd:CreditNote-2");
 26:     location.Value = "urn:oasis:names:specification:ubl:schema:xsd:CreditNote-2
../xsdrt/maindoc/UBL-CreditNote-2.1.xsd";
 27:     XmlAttribute xlmns = doc.CreateAttribute("xmlns");
 28:     xlmns.Value = "urn:oasis:names:specification:ubl:schema:xsd:CreditNote-2";
 29:     XmlAttribute xlmnsn4 = doc.CreateAttribute("xmlns:n4");
 30:     xlmnsn4.Value = "http://www.altova.com/samplexml/other-namespace";
 31:     XmlAttribute xlmnsxsi = doc.CreateAttribute("xmlns:xsi");
 32:     xlmnsxsi.Value = "http://www.w3.org/2001/XMLSchema-instance";
 33:     XmlAttribute xlmnscac = doc.CreateAttribute("xmlns:cac");
 34:     xlmnscac.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonAggregateComponents-2";
 35:     XmlAttribute xlmnscbc = doc.CreateAttribute("xmlns:cbc");
 36:     xlmnscbc.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonBasicComponents-2";
 37:     XmlAttribute xlmnsext = doc.CreateAttribute("xmlns:ext");
 38:     xlmnsext.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonExtensionComponents-2";
 39:     root.Attributes.Append(location);
 40:     root.Attributes.Append(xlmns);
 41:     root.Attributes.Append(xlmnsn4);
 42:     root.Attributes.Append(xlmnsxsi);
 43:     root.Attributes.Append(xlmnscac);
 44:     root.Attributes.Append(xlmnscbc);
 45:     root.Attributes.Append(xlmnsext);
 46:     var extUbl = doc.CreateElement("ext", "UBLExtensions", xlmnsext.Value);
 47:     var extUbl2 = doc.CreateElement("ext", "UBLExtension", xlmnsext.Value);
 48:     var extUbl3 = doc.CreateElement("ext", "ExtensionContent", xlmnsext.Value);
 49:     var extUbl4 = doc.CreateElement("n4", "auto-generated_for_wildcard",
xlmnsn4.Value);
 50:     extUbl3.AppendChild(extUbl4);
 51:     extUbl2.AppendChild(extUbl3);
 52:     extUbl.AppendChild(extUbl2);
 53:
 54:     root.AppendChild(extUbl);
 55:
 56:     var versionId = doc.CreateElement("cbc", "UBLVersionID", xlmnscbc.Value);
 57:     versionId.InnerText = "2.1";
 58:     root.AppendChild(versionId);
 59:
 60:     var customizationId = doc.CreateElement("cbc", "CustomizationID", xlmnscbc.Value);
 61:     customizationId.InnerText = "TR1.2.1";
 62:     root.AppendChild(customizationId);
 63:
 64:     var profileId = doc.CreateElement("cbc", "ProfileID", xlmnscbc.Value);
 65:     profileId.InnerText = "EARSIVBELGE";
 66:     root.AppendChild(profileId);
 67:
 68:     var id = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
 69:     if (!string.IsNullOrEmpty(mustahsilMakbuzu.MustahsilMakbuzuNo))
 70:         id.InnerText = mustahsilMakbuzu.MustahsilMakbuzuNo;
 71:     else
 72:         id.InnerText = "ABC" + mustahsilMakbuzu.MustahsilMakbuzuTarihi?.Year +
DateTime.UtcNow.Ticks.ToString().Substring(0, 9);
 73:     root.AppendChild(id);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
 74:
 75:     var copyIndicator = doc.CreateElement("cbc", "CopyIndicator", xlmnscbc.Value);
 76:     copyIndicator.InnerText = "false";
 77:     root.AppendChild(copyIndicator);
 78:
 79:     var mustahsilMakbuzuId = doc.CreateElement("cbc", "UUID", xlmnscbc.Value);
 80:     mustahsilMakbuzuId.InnerText = mustahsilMakbuzu.MustahsilMakbuzuId.Length == 36 ?
mustahsilMakbuzu.MustahsilMakbuzuId.ToUpper() : Guid.NewGuid().ToString().ToUpper();
 81:     root.AppendChild(mustahsilMakbuzuId);
 82:
 83:     var issueDate = doc.CreateElement("cbc", "IssueDate", xlmnscbc.Value);
 84:     issueDate.InnerText =
mustahsilMakbuzu.MustahsilMakbuzuTarihi?.Date.ToString("yyyy-MM-dd");
 85:     root.AppendChild(issueDate);
 86:
 87:     var issueTime = doc.CreateElement("cbc", "IssueTime", xlmnscbc.Value);
 88:     issueTime.InnerText =
mustahsilMakbuzu.MustahsilMakbuzuTarihi?.ToString("HH:mm:ss");
 89:     root.AppendChild(issueTime);
 90:
 91:     var creditNoteTypeCode = doc.CreateElement("cbc", "CreditNoteTypeCode",
xlmnscbc.Value);
 92:     creditNoteTypeCode.InnerText = "MUSTAHSILMAKBUZ";
 93:     root.AppendChild(creditNoteTypeCode);
 94:
 95:     var sendType = doc.CreateElement("cbc", "Note", xlmnscbc.Value);
 96:     sendType.InnerText = "Gönderim Sekli: ELEKTRONIK";
 97:     root.AppendChild(sendType);
 98:
 99:     var documentCurrencyCode = doc.CreateElement("cbc", "DocumentCurrencyCode",
xlmnscbc.Value);
100:     documentCurrencyCode.InnerText = "TRY";
101:     root.AppendChild(documentCurrencyCode);
102:
103:     var lineCountNumeric = doc.CreateElement("cbc", "LineCountNumeric",
xlmnscbc.Value);
104:     lineCountNumeric.InnerText = mustahsilMakbuzuDetayListesi.Count.ToString();
105:     root.AppendChild(lineCountNumeric);
106:
107:     #region AdditionalDocumentReference
108:
109:     var additionalDocumentReference = doc.CreateElement("cac",
"AdditionalDocumentReference", xlmnscac.Value);
110:     var additionalDocumentReferenceId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
111:     additionalDocumentReferenceId.InnerText =
mustahsilMakbuzu.MustahsilMakbuzuId.Length == 36 ?
mustahsilMakbuzu.MustahsilMakbuzuId.ToUpper() : Guid.NewGuid().ToString().ToUpper();
112:     additionalDocumentReference.AppendChild(additionalDocumentReferenceId);
113:     issueDate = doc.CreateElement("cbc", "IssueDate", xlmnscbc.Value);
114:     issueDate.InnerText =
mustahsilMakbuzu.MustahsilMakbuzuTarihi?.Date.ToString("yyyy-MM-dd");
115:     additionalDocumentReference.AppendChild(issueDate);
116:     var documentType = doc.CreateElement("cbc", "DocumentType", xlmnscbc.Value);
117:     documentType.InnerText = "XSLT";
118:     additionalDocumentReference.AppendChild(documentType);
119:     var attachment = doc.CreateElement("cac", "Attachment", xlmnscac.Value);
120:     var embeddedDocumentBinaryObject = doc.CreateElement("cbc",
"EmbeddedDocumentBinaryObject", xlmnscbc.Value);
121:     XmlAttribute characterSetCode = doc.CreateAttribute("characterSetCode");
122:     characterSetCode.Value = "UTF-8";
123:     XmlAttribute encodingCode = doc.CreateAttribute("encodingCode");
124:     encodingCode.Value = "Base64";
125:     XmlAttribute mimeCode = doc.CreateAttribute("mimeCode");
126:     mimeCode.Value = "application/xml";
127:     embeddedDocumentBinaryObject.Attributes.Append(characterSetCode);
128:     embeddedDocumentBinaryObject.Attributes.Append(encodingCode);
129:     embeddedDocumentBinaryObject.Attributes.Append(mimeCode);
130:     attachment.AppendChild(embeddedDocumentBinaryObject);
131:     additionalDocumentReference.AppendChild(attachment);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
132:
133:     root.AppendChild(additionalDocumentReference);
134:
135:     #endregion
136:
137:     #endregion
138:
139:     // Faturaya iliskin imza, adres vb. bilgiler yer almaktadir
140:     #region Signature
141:     var signature = doc.CreateElement("cac", "Signature", xlmnscac.Value);
142:     XmlAttribute signatureIdAttr = doc.CreateAttribute("schemeID");
143:     signatureIdAttr.Value = "VKN_TCKN";
144:     var signatureId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
145:     signatureId.Attributes.Append(signatureIdAttr);
146:     signatureId.InnerText = "3250566851";
147:     signature.AppendChild(signatureId);
148:     var signatoryParty = doc.CreateElement("cac", "SignatoryParty", xlmnscac.Value);
149:     var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
150:     XmlAttribute signatureIdAttr2 = doc.CreateAttribute("schemeID");
151:     signatureIdAttr2.Value = "VKN";
152:     var signaturePartyId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
153:     signaturePartyId.Attributes.Append(signatureIdAttr2);
154:     signaturePartyId.InnerText = "3250566851";
155:     partyIdentification.AppendChild(signaturePartyId);
156:     signatoryParty.AppendChild(partyIdentification);
157:
158:     #region Postal Address
159:     var postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
160:     var streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
161:     streetName.InnerText = "Mithatpasa Caddesi";
162:     postalAddress.AppendChild(streetName);
163:     var buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xlmnscbc.Value);
164:     buildingNumber.InnerText = "14";
165:     postalAddress.AppendChild(buildingNumber);
166:     var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
167:     citySubdivisionName.InnerText = "Çankaya";
168:     postalAddress.AppendChild(citySubdivisionName);
169:     var cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
170:     cityName.InnerText = "Ankara";
171:     postalAddress.AppendChild(cityName);
172:     var postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
173:     postalZone.InnerText = "06100";
174:     postalAddress.AppendChild(postalZone);
175:     var country = doc.CreateElement("cac", "Country", xlmnscac.Value);
176:     var countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
177:     countryName.InnerText = "Türkiye";
178:     country.AppendChild(countryName);
179:     postalAddress.AppendChild(country);
180:     signatoryParty.AppendChild(postalAddress);
181:     signature.AppendChild(signatoryParty);
182:
183:     #endregion
184:
185:     var digitalSignatureAttachment = doc.CreateElement("cac",
"DigitalSignatureAttachment", xlmnscac.Value);
186:     var externalReference = doc.CreateElement("cac", "ExternalReference",
xlmnscac.Value);
187:     var uri = doc.CreateElement("cbc", "URI", xlmnscbc.Value);
188:     uri.InnerText = "#Signature";
189:     externalReference.AppendChild(uri);
190:     digitalSignatureAttachment.AppendChild(externalReference);
191:     signature.AppendChild(digitalSignatureAttachment);
192:
193:     root.AppendChild(signature);
194:     #endregion
195:
196:     // Burada sabit degerler verilmekte olup, Makbuzu kesen kuruma veya firmaya ait
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
bilgiler
197:     // yer almaktadir. Bu kisimda örnek olarak TÜRKSEKER Fabrikalari Genel Müdürlügü
bilgileri
198:     // kullanilmistir. Ancak degistirip test edilebilir.
199:     #region AccountingSupplierParty
200:
201:     var accountingSupplierParty = doc.CreateElement("cac", "AccountingSupplierParty",
xlmnscac.Value);
202:     var party = doc.CreateElement("cac", "Party", xlmnscac.Value);
203:     var websiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
204:     websiteUri.InnerText = "https://www.turkseker.gov.tr";
205:     party.AppendChild(websiteUri);
206:     XmlAttribute accountingSupplierPartyIdAttr = doc.CreateAttribute("schemeID");
207:     accountingSupplierPartyIdAttr.Value = "VKN_TCKN";
208:     partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
209:     XmlAttribute accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
210:     accountingSupplierPartyIdAttr2.Value = "VKN";
211:     var accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
212:     accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
213:     accountingSupplierPartyPartyId.InnerText = "3250566851";
214:     partyIdentification.AppendChild(accountingSupplierPartyPartyId);
215:     party.AppendChild(partyIdentification);
216:
217:     if (!string.IsNullOrEmpty(mustahsilMakbuzu.AltBirimAd))
218:     {
219:         partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
220:         accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
221:         accountingSupplierPartyIdAttr2.Value = "SUBENO";
222:         accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
223:
accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
224:         accountingSupplierPartyPartyId.InnerText = mustahsilMakbuzu.AltBirimAd;
225:         partyIdentification.AppendChild(accountingSupplierPartyPartyId);
226:         party.AppendChild(partyIdentification);
227:     }
228:
229:     var partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
230:     var partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
231:     partyNameReal.InnerText = "TÜRKIYE SEKER FABRIKALARI A.S.";
232:     partyName.AppendChild(partyNameReal);
233:     party.AppendChild(partyName);
234:
235:     #region Postal Address
236:     postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
237:     var postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
238:     postalAddressId.InnerText = "3250566851";
239:     postalAddress.AppendChild(postalAddressId);
240:     streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
241:     streetName.InnerText = "Mithatpasa Caddesi";
242:     postalAddress.AppendChild(streetName);
243:     buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xlmnscbc.Value);
244:     buildingNumber.InnerText = "14";
245:     postalAddress.AppendChild(buildingNumber);
246:     citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
247:     citySubdivisionName.InnerText = "Çankaya";
248:     postalAddress.AppendChild(citySubdivisionName);
249:     cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
250:     cityName.InnerText = "Ankara";
251:     postalAddress.AppendChild(cityName);
252:     postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
253:     postalZone.InnerText = "06100";
254:     postalAddress.AppendChild(postalZone);
255:     country = doc.CreateElement("cac", "Country", xlmnscac.Value);
256:     countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
257:     countryName.InnerText = "Türkiye";
258:     country.AppendChild(countryName);
259:     postalAddress.AppendChild(country);
260:     party.AppendChild(postalAddress);
261:
262:     #endregion
263:
264:     var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme", xlmnscac.Value);
265:     var taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
266:     var taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
267:     taxSchemeName.InnerText = "Ankara Kurumlar";
268:     taxScheme.AppendChild(taxSchemeName);
269:     partyTaxScheme.AppendChild(taxScheme);
270:     party.AppendChild(partyTaxScheme);
271:
272:     var contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
273:     var telephone = doc.CreateElement("cbc", "Telephone", xlmnscbc.Value);
274:     telephone.InnerText = "(312) 4585500";
275:     contact.AppendChild(telephone);
276:     var telefax = doc.CreateElement("cbc", "Telefax", xlmnscbc.Value);
277:     telefax.InnerText = "(312) 4585800";
278:     contact.AppendChild(telefax);
279:     var electronicMail = doc.CreateElement("cbc", "ElectronicMail", xlmnscbc.Value);
280:     electronicMail.InnerText = "maliisler@turkseker.gov.tr";
281:     contact.AppendChild(electronicMail);
282:     party.AppendChild(contact);
283:
284:     accountingSupplierParty.AppendChild(party);
285:
286:     root.AppendChild(accountingSupplierParty);
287:     #endregion
288:
289:     // Bu kisimda makbuz kesilen firma bilgileri yer almaktadir
290:     #region AccountingCustomerParty
291:
292:     var accountingCustomerParty = doc.CreateElement("cac", "AccountingCustomerParty",
xlmnscac.Value);
293:     party = doc.CreateElement("cac", "Party", xlmnscac.Value);
294:     webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
295:     party.AppendChild(webSiteUri);
296:     XmlAttribute accountingCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
297:     accountingCustomerPartyIdAttr.Value = "TCKN";
298:     if (mustahsilMakbuzu.VergiNo.Length == 10)
299:         accountingCustomerPartyIdAttr.Value = "VKN";
300:     partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
301:     var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
302:     accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerPartyIdAttr);
303:     accountingCustomerPartyPartyId.InnerText = mustahsilMakbuzu.VergiNo;
304:     partyIdentification.AppendChild(accountingCustomerPartyPartyId);
305:     party.AppendChild(partyIdentification);
306:
307:     if (mustahsilMakbuzu.VergiNo.Length == 10)
308:     {
309:         partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
310:         partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
311:         partyNameReal.InnerText = mustahsilMakbuzu.TuzelKisiAd;
312:         partyName.AppendChild(partyNameReal);
313:         party.AppendChild(partyName);
314:     }
315:
316:     #region Postal Address
317:     postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
318:     postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
319:     postalAddressId.InnerText = mustahsilMakbuzu.VergiNo;
320:     postalAddress.AppendChild(postalAddressId);
321:     var room = doc.CreateElement("cbc", "Room", xlmnscbc.Value);
322:     postalAddress.AppendChild(room);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
323:     streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
324:     if (!string.IsNullOrEmpty(mustahsilMakbuzu.Adres))
325:         streetName.InnerText = mustahsilMakbuzu.Adres;
326:     postalAddress.AppendChild(streetName);
327:     buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xlmnscbc.Value);
328:     //buildingNumber.InnerText = "";
329:     postalAddress.AppendChild(buildingNumber);
330:     citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
331:     if (!string.IsNullOrEmpty(mustahsilMakbuzu.IlceAd))
332:         citySubdivisionName.InnerText = mustahsilMakbuzu.IlceAd;
333:     postalAddress.AppendChild(citySubdivisionName);
334:     cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
335:     if (!string.IsNullOrEmpty(mustahsilMakbuzu.IlAd))
336:         cityName.InnerText = mustahsilMakbuzu.IlAd;
337:     postalAddress.AppendChild(cityName);
338:     postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
339:     //postalZone.InnerText = "";
340:     postalAddress.AppendChild(postalZone);
341:     country = doc.CreateElement("cac", "Country", xlmnscac.Value);
342:     countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
343:     countryName.InnerText = "Türkiye";
344:     country.AppendChild(countryName);
345:     postalAddress.AppendChild(country);
346:     party.AppendChild(postalAddress);
347:
348:     #endregion
349:
350:     partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme", xlmnscac.Value);
351:     taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
352:     taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
353:     if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiDairesi))
354:         taxSchemeName.InnerText = mustahsilMakbuzu.VergiDairesi;
355:     taxScheme.AppendChild(taxSchemeName);
356:     partyTaxScheme.AppendChild(taxScheme);
357:     party.AppendChild(partyTaxScheme);
358:
359:     contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
360:     electronicMail = doc.CreateElement("cbc", "ElectronicMail", xlmnscbc.Value);
361:     if (!string.IsNullOrEmpty(mustahsilMakbuzu.EPostaAdresi))
362:         electronicMail.InnerText = mustahsilMakbuzu.EPostaAdresi;
363:     contact.AppendChild(electronicMail);
364:     party.AppendChild(contact);
365:
366:     if (mustahsilMakbuzu.VergiNo.Length == 11)
367:     {
368:         var liste = mustahsilMakbuzu.TuzelKisiAd.Split(' ').ToList();
369:         if (liste.Count > 1)
370:         {
371:             var person = doc.CreateElement("cac", "Person", xlmnscac.Value);
372:             var firstName = doc.CreateElement("cbc", "FirstName", xlmnscbc.Value);
373:             firstName.InnerText = liste[0];
374:             person.AppendChild(firstName);
375:             var surname = mustahsilMakbuzu.TuzelKisiAd.Substring(liste[0].Length + 1);
376:             var familyName = doc.CreateElement("cbc", "FamilyName", xlmnscbc.Value);
377:             familyName.InnerText = surname;
378:             //familyName.InnerText = liste[1];
379:             person.AppendChild(familyName);
380:             party.AppendChild(person);
381:         }
382:     }
383:
384:     accountingCustomerParty.AppendChild(party);
385:
386:     root.AppendChild(accountingCustomerParty);
387:     #endregion
388:
389:     if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo))
390:     {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
391:         if (mustahsilMakbuzu.VergiNo.Length == 10)
392:         {
393:             // Bu kisimda makbuz kesilen firma bilgileri yer almaktadir (Eger sadece
Tüzel Kisilikse, sahis sirketleri için bu yapilmamaktadir)
394:             #region BuyerCustomerParty
395:
396:             var buyerCustomerParty = doc.CreateElement("cac", "BuyerCustomerParty",
xlmnscac.Value);
397:             party = doc.CreateElement("cac", "Party", xlmnscac.Value);
398:             webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
399:             party.AppendChild(webSiteUri);
400:             XmlAttribute buyerCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
401:             buyerCustomerPartyIdAttr.Value = "VKN";
402:             partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
403:             var buyerCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
404:             buyerCustomerPartyPartyId.Attributes.Append(buyerCustomerPartyIdAttr);
405:             buyerCustomerPartyPartyId.InnerText = mustahsilMakbuzu.VergiNo;
406:             partyIdentification.AppendChild(buyerCustomerPartyPartyId);
407:             party.AppendChild(partyIdentification);
408:
409:             if (mustahsilMakbuzu.VergiNo.Length == 10)
410:             {
411:                 partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
412:                 partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
413:                 partyNameReal.InnerText = mustahsilMakbuzu.TuzelKisiAd;
414:                 partyName.AppendChild(partyNameReal);
415:                 party.AppendChild(partyName);
416:             }
417:
418:             #region Postal Address
419:             postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
420:             postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
421:             postalAddressId.InnerText = mustahsilMakbuzu.VergiNo;
422:             postalAddress.AppendChild(postalAddressId);
423:             room = doc.CreateElement("cbc", "Room", xlmnscbc.Value);
424:             postalAddress.AppendChild(room);
425:             streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
426:             if (!string.IsNullOrEmpty(mustahsilMakbuzu.Adres))
427:                 streetName.InnerText = mustahsilMakbuzu.Adres;
428:             postalAddress.AppendChild(streetName);
429:             buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
430:             //buildingNumber.InnerText = "";
431:             postalAddress.AppendChild(buildingNumber);
432:             citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
433:             if (!string.IsNullOrEmpty(mustahsilMakbuzu.IlceAd))
434:                 citySubdivisionName.InnerText = mustahsilMakbuzu.IlceAd;
435:             postalAddress.AppendChild(citySubdivisionName);
436:             cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
437:             if (!string.IsNullOrEmpty(mustahsilMakbuzu.IlAd))
438:                 cityName.InnerText = mustahsilMakbuzu.IlAd;
439:             postalAddress.AppendChild(cityName);
440:             postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
441:             //postalZone.InnerText = "";
442:             postalAddress.AppendChild(postalZone);
443:             country = doc.CreateElement("cac", "Country", xlmnscac.Value);
444:             countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
445:             countryName.InnerText = "Türkiye";
446:             country.AppendChild(countryName);
447:             postalAddress.AppendChild(country);
448:             party.AppendChild(postalAddress);
449:
450:             #endregion
451:
452:             partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xlmnscac.Value);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
453:                taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
454:                taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
455:                if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiDairesi))
456:                    taxSchemeName.InnerText = mustahsilMakbuzu.VergiDairesi;
457:                taxScheme.AppendChild(taxSchemeName);
458:                partyTaxScheme.AppendChild(taxScheme);
459:                party.AppendChild(partyTaxScheme);
460:
461:                contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
462:                electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xlmnscbc.Value);
463:                if (!string.IsNullOrEmpty(mustahsilMakbuzu.EPostaAdresi))
464:                    electronicMail.InnerText = mustahsilMakbuzu.EPostaAdresi;
465:                contact.AppendChild(electronicMail);
466:                party.AppendChild(contact);
467:
468:                if (mustahsilMakbuzu.VergiNo.Length == 11)
469:                {
470:                    var liste = mustahsilMakbuzu.TuzelKisiAd.Split(' ').ToList();
471:                    if (liste.Count > 1)
472:                    {
473:                        var person = doc.CreateElement("cac", "Person", xlmnscac.Value);
474:                        var firstName = doc.CreateElement("cbc", "FirstName",
xlmnscbc.Value);
475:                        firstName.InnerText = liste[0];
476:                        person.AppendChild(firstName);
477:                        var surname =
mustahsilMakbuzu.TuzelKisiAd.Substring(liste[0].Length + 1);
478:                        var familyName = doc.CreateElement("cbc", "FamilyName",
xlmnscbc.Value);
479:                        familyName.InnerText = surname;
480:                        //familyName.InnerText = liste[1];
481:                        person.AppendChild(familyName);
482:                        party.AppendChild(person);
483:                    }
484:                }
485:
486:                buyerCustomerParty.AppendChild(party);
487:
488:                root.AppendChild(buyerCustomerParty);
489:                #endregion
490:            }
491:        }
492:
493:        // Burada vergi bilgileri yer almaktadir
494:        #region TaxTotal
495:
496:        var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
497:        XmlAttribute currencyId = doc.CreateAttribute("currencyID");
498:        currencyId.Value = "TRY";
499:        var taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
500:        taxAmount.RemoveAllAttributes();
501:        taxAmount.Attributes.Append(currencyId);
502:        taxAmount.InnerText = Decimal.Round((decimal)mustahsilMakbuzu.GelirVergisi, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
503:        taxTotal.AppendChild(taxAmount);
504:        var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xlmnscac.Value);
505:        var taxableAmount = doc.CreateElement("cbc", "TaxableAmount", xlmnscbc.Value);
506:        taxableAmount.RemoveAllAttributes();
507:        currencyId = doc.CreateAttribute("currencyID");
508:        currencyId.Value = "TRY";
509:        taxableAmount.Attributes.Append(currencyId);
510:        taxableAmount.InnerText = Decimal.Round((decimal)mustahsilMakbuzu.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
511:        taxSubTotal.AppendChild(taxableAmount);
512:        var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
513:        taxAmount2.RemoveAllAttributes();
514:        currencyId = doc.CreateAttribute("currencyID");
515:        currencyId.Value = "TRY";
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
516:     taxAmount2.Attributes.Append(currencyId);
517:     taxAmount2.InnerText = Decimal.Round((decimal)mustahsilMakbuzu.GelirVergisi, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
518:     taxSubTotal.AppendChild(taxAmount2);
519:     var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
520:     if (mustahsilMakbuzu.NetTutar != 0)
521:         percent.InnerText = Decimal.Round(((decimal)mustahsilMakbuzu.GelirVergisi *
100) / (decimal)mustahsilMakbuzu.NetTutar, 0, MidpointRounding.AwayFromZero).ToString();
522:     else
523:         percent.InnerText = "0";
524:     taxSubTotal.AppendChild(percent);
525:     var taxCategory = doc.CreateElement("cac", "TaxCategory", xlmnscac.Value);
526:     if (mustahsilMakbuzu.GelirVergisi == 0)
527:     {
528:         if (kodMakbuzGrupTuruKod == FaturaMakbuzGrupTur.Kuspe.GetHashCode())
529:         {
530:             var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
531:             taxExemptionReasonCode.InnerText = "325";
532:             var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xlmnscbc.Value);
533:             taxExemptionReason.InnerText = "13/i Yem Teslimleri";
534:             taxCategory.AppendChild(taxExemptionReasonCode);
535:             taxCategory.AppendChild(taxExemptionReason);
536:         }
537:         else
538:         {
539:             var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
540:             taxExemptionReasonCode.InnerText = "350";
541:             var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xlmnscbc.Value);
542:             taxExemptionReason.InnerText = "Digerleri";
543:             taxCategory.AppendChild(taxExemptionReasonCode);
544:             taxCategory.AppendChild(taxExemptionReason);
545:         }
546:     }
547:     var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
548:     var taxName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
549:     taxName.InnerText = "GV STOPAJI";
550:     taxScheme2.AppendChild(taxName);
551:     var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xlmnscbc.Value);
552:     taxTypeCode.InnerText = "0003";
553:     taxScheme2.AppendChild(taxTypeCode);
554:     taxCategory.AppendChild(taxScheme2);
555:     taxSubTotal.AppendChild(taxCategory);
556:     taxTotal.AppendChild(taxSubTotal);
557:     root.AppendChild(taxTotal);
558:
559:     #endregion
560:
561:     // Gelir Vergisi, Net Tutar ve Toplam Tutar bilgileri yer almaktadir
562:     #region LegalMonetaryTotal
563:
564:     var legalMonetaryTotal = doc.CreateElement("cac", "LegalMonetaryTotal",
xlmnscac.Value);
565:     var lineExtensionAmount = doc.CreateElement("cbc", "LineExtensionAmount",
xlmnscbc.Value);
566:     lineExtensionAmount.RemoveAllAttributes();
567:     currencyId = doc.CreateAttribute("currencyID");
568:     currencyId.Value = "TRY";
569:     lineExtensionAmount.Attributes.Append(currencyId);
570:     lineExtensionAmount.InnerText = Decimal.Round((decimal)mustahsilMakbuzu.NetTutar,
2, MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
571:     legalMonetaryTotal.AppendChild(lineExtensionAmount);
572:     var taxExclusiveAmount = doc.CreateElement("cbc", "TaxExclusiveAmount",
xlmnscbc.Value);
573:     taxExclusiveAmount.RemoveAllAttributes();
574:     currencyId = doc.CreateAttribute("currencyID");
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
575:     currencyId.Value = "TRY";
576:     taxExclusiveAmount.Attributes.Append(currencyId);
577:     taxExclusiveAmount.InnerText = Decimal.Round((decimal)mustahsilMakbuzu.NetTutar,
2, MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
578:     legalMonetaryTotal.AppendChild(taxExclusiveAmount);
579:     var taxInclusiveAmount = doc.CreateElement("cbc", "TaxInclusiveAmount",
xlmnscbc.Value);
580:     taxInclusiveAmount.RemoveAllAttributes();
581:     currencyId = doc.CreateAttribute("currencyID");
582:     currencyId.Value = "TRY";
583:     taxInclusiveAmount.Attributes.Append(currencyId);
584:     taxInclusiveAmount.InnerText = Decimal.Round((decimal)mustahsilMakbuzu.NetTutar,
2, MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
585:     legalMonetaryTotal.AppendChild(taxInclusiveAmount);
586:     var payableAmount = doc.CreateElement("cbc", "PayableAmount", xlmnscbc.Value);
587:     payableAmount.RemoveAllAttributes();
588:     currencyId = doc.CreateAttribute("currencyID");
589:     currencyId.Value = "TRY";
590:     payableAmount.Attributes.Append(currencyId);
591:     payableAmount.InnerText = Decimal.Round((decimal)mustahsilMakbuzu.NetTutar -
(decimal)mustahsilMakbuzu.GelirVergisi, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
592:     legalMonetaryTotal.AppendChild(payableAmount);
593:     root.AppendChild(legalMonetaryTotal);
594:     #endregion
595:
596:     var sayac = 1;
597:     // Her bir makbuz detayi için hazirlanan bölümdür
598:     foreach (var item in mustahsilMakbuzuDetayListesi)
599:     {
600:         var detayBilgisi = BoslukKaldir.BosluklariKaldir(item);
601:
602:         #region CreditNoteLine
603:
604:         #region MetaData
605:         var creditNoteLine = doc.CreateElement("cac", "CreditNoteLine",
xlmnscac.Value);
606:         var creditNoteLineId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
607:         creditNoteLineId.InnerText = sayac.ToString();
608:         creditNoteLine.AppendChild(creditNoteLineId);
609:         var quantity = doc.CreateAttribute("unitCode");
610:         quantity.Value = "KGM";
611:         var creditedQuantity = doc.CreateElement("cbc", "CreditedQuantity",
xlmnscbc.Value);
612:         creditedQuantity.RemoveAllAttributes();
613:         creditedQuantity.Attributes.Append(quantity);
614:         creditedQuantity.InnerText = Decimal.Round((decimal)detayBilgisi.Miktar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
615:         creditNoteLine.AppendChild(creditedQuantity);
616:         var lineExtensionAmountDetail = doc.CreateElement("cbc",
"LineExtensionAmount", xlmnscbc.Value);
617:         lineExtensionAmountDetail.RemoveAllAttributes();
618:         currencyId = doc.CreateAttribute("currencyID");
619:         currencyId.Value = "TRY";
620:         lineExtensionAmountDetail.Attributes.Append(currencyId);
621:         lineExtensionAmountDetail.InnerText =
Decimal.Round((decimal)detayBilgisi.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
622:         creditNoteLine.AppendChild(lineExtensionAmountDetail);
623:         #endregion
624:
625:         #region TaxTotal
626:         taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
627:         currencyId = doc.CreateAttribute("currencyID");
628:         currencyId.Value = "TRY";
629:         taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
630:         taxAmount.RemoveAllAttributes();
631:         taxAmount.Attributes.Append(currencyId);
632:         taxAmount.InnerText = Decimal.Round((decimal)detayBilgisi.GelirVergisi, 2,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
        taxTotal.AppendChild(taxAmount);
        taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xlmnscac.Value);
        taxableAmount = doc.CreateElement("cbc", "TaxableAmount", xlmnscbc.Value);
        taxableAmount.RemoveAllAttributes();
        currencyId = doc.CreateAttribute("currencyID");
        currencyId.Value = "TRY";
        taxableAmount.Attributes.Append(currencyId);
        taxableAmount.InnerText = Decimal.Round((decimal)detayBilgisi.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
        taxSubTotal.AppendChild(taxableAmount);
        taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
        taxAmount2.RemoveAllAttributes();
        currencyId = doc.CreateAttribute("currencyID");
        currencyId.Value = "TRY";
        taxAmount2.Attributes.Append(currencyId);
        taxAmount2.InnerText = Decimal.Round((decimal)detayBilgisi.GelirVergisi, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
        taxSubTotal.AppendChild(taxAmount2);
        percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
        percent.InnerText = "2";
        taxSubTotal.AppendChild(percent);
        taxCategory = doc.CreateElement("cac", "TaxCategory", xlmnscac.Value);
        taxScheme2 = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
        var taxTypeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
        taxTypeName.InnerText = "GV STOPAJI";
        taxScheme2.AppendChild(taxTypeName);
        taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xlmnscbc.Value);
        taxTypeCode.InnerText = "0003";
        taxScheme2.AppendChild(taxTypeCode);
        taxCategory.AppendChild(taxScheme2);
        taxSubTotal.AppendChild(taxCategory);
        taxTotal.AppendChild(taxSubTotal);
        creditNoteLine.AppendChild(taxTotal);
        #endregion

        #region Item
        var creditNoteItem = doc.CreateElement("cac", "Item", xlmnscac.Value);
        var itemName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
        itemName.InnerText = detayBilgisi.IsinMahiyeti;
        creditNoteItem.AppendChild(itemName);
        creditNoteLine.AppendChild(creditNoteItem);
        #endregion

        #region Price

        var price = doc.CreateElement("cac", "Price", xlmnscac.Value);
        var priceAmount = doc.CreateElement("cbc", "PriceAmount", xlmnscbc.Value);
        priceAmount.RemoveAllAttributes();
        currencyId = doc.CreateAttribute("currencyID");
        currencyId.Value = "TRY";
        priceAmount.Attributes.Append(currencyId);
        if (detayBilgisi.BirimFiyat != null)
            priceAmount.InnerText = Decimal.Round((decimal)detayBilgisi.BirimFiyat, 4,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
        else
            priceAmount.InnerText = "0.00";
        price.AppendChild(priceAmount);
        creditNoteLine.AppendChild(price);

        #endregion

        root.AppendChild(creditNoteLine);
        #endregion

        sayac++;
    }

    #endregion
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
698:
699:     doc.AppendChild(root);
700:
701:     #region Dosya Kaydi
702:
703:     var fileName = aktarilacakKlasorAdi + "/" + mustahsilMakbuzu.MustahsilMakbuzuId +
".xml";
704:     doc.Save(fileName);
705:
706:     #endregion
707:
708:     return fileName;
709: }
```

1.1.8 Classes

Summary

The following table lists classes in this documentation.

Classes

	Name	Description
	frmAnaSayfa (see page 742)	QNB Finans GIB Servisi için veri hazirlanan ve servisin test edildigi metotlar içeren Form sinifidir
	Program (see page 762)	This is class QNBFinansGIB.Program.

1.1.8.1 frmAnaSayfa Class

Summary

QNB Finans GIB Servisi için veri hazirlanan ve servisin test edildigi metotlar içeren Form sinifidir

Class Hierarchy

C#

```
public class frmAnaSayfa : Form;
```

File

FormAnaSayfa.Designer.cs (see page 789)

Methods

	Name	Description
	frmAnaSayfa (see page 743)	This is frmAnaSayfa, a member of class frmAnaSayfa.

frmAnaSayfa Fields

	Name	Description
	gidenFaturaDetayListesi (see page 743)	Giden Fatura Detay Listesi
	gidenFaturaListesi (see page 744)	Giden Fatura Listesi
	mustahsilMakbuzuDetayListesi (see page 744)	Müstahsil Makbuzu Detay Listesi
	mustahsilMakbuzuListesi (see page 744)	Müstahsil Makbuzu Listesi

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

frmAnaSayfa Methods

	Name	Description
	btnGIBOnizleme_Click (see page 744)	Sistemde E-Fatura veya E-Arsive yollansin yollanmasin Hazirlanan XML dosyalarinin bu sistemlerde nasil göründügüne dair Önizleme alinmasini saglayan metottur. Bu önizleme PDF veya ZIP olarak alinacak Sorun olsa da olmasa da bir mesaj ile kullanici bilgilendirilecektir.
	btnGIBOnizlemeMustahsil_Click (see page 745)	Sistemde E-Müstahsil Servisine yollansin yollanmasin Hazirlanan XML dosyalarinin bu sistemlerde nasil göründügüne dair Önizleme alinmasini saglayan metottur. Bu önizleme PDF veya ZIP olarak alinacak Sorun olsa da olmasa da bir mesaj ile kullanici bilgilendirilecektir.
	btnServiseGonder_Click (see page 747)	Sistem tarafindan hazirlanan XML dosyasinin E-Fatura veya E-Arsiv servisine gönderilmesi için hazirlanan metottur. Burada islemin basarili olup olmamasina göre kullanici bilgilendirilecektir.
	btnServiseGonderMustahsil_Click (see page 748)	Sistem tarafindan hazirlanan XML dosyasinin E-Müstahsil servisine gönderilmesi için hazirlanan metottur. Burada islemin basarili olup olmamasina göre kullanici bilgilendirilecektir.
	btnXmlOlustur_Click (see page 749)	Sistemde E-Fatura ve E-Arsiv Servislerine Gönderilecek Formatta Ideal XML dosyalarinin olusturulmasi için XML Olustur Butonuna tiklandigi zaman Yapilacak islemlerin hazirlandigi metottur.
	btnXmlOlusturMustahsil_Click (see page 750)	Sistemde E-Müstahsil Servislerine Gönderilecek Formatta Ideal XML dosyalarinin olusturulmasi için XML Olustur Butonuna tiklandigi zaman Yapilacak islemlerin hazirlandigi metottur.
	Dispose (see page 751)	Clean up any resources being used.
	FormAnaSayfa_Shown (see page 751)	Burada Form görüntülenirken Kendi hazirladigimiz Giden Fatura ve Detaylarinin olusturup listeye atiyoruz ki Buradan sonra butonlara tiklandiginda Bu listeler üzerinden kolayca islem yapilabilsin
	frmAnaSayfa_FormClosed (see page 760)	Form kapandigi zaman ne yapilacagini belirten bir metottur
	InitializeComponent (see page 760)	Required method for Designer support - do not modify the contents of this method with the code editor.

1.1.8.1.1 frmAnaSayfa.frmAnaSayfa Constructor

C#

```
public frmAnaSayfa();
```

Description

This is frmAnaSayfa, a member of class frmAnaSayfa.

Body Source

```
1: public frmAnaSayfa()
2: {
3:     InitializeComponent();
4: }
```

1.1.8.1.2 frmAnaSayfa Fields

1.1.8.1.2.1 frmAnaSayfa.gidenFaturaDetayListesi Field

Summary

Giden Fatura Detay Listesi

C#

```
public List<GidenFaturaDetayDTO> gidenFaturaDetayListesi = new List<GidenFaturaDetayDTO>();
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.8.1.2.2 frmAnaSayfa.gidenFaturaListesi Field

Summary

Giden Fatura Listesi

C#

```
public List<GidenFaturaDTO> gidenFaturaListesi = new List<GidenFaturaDTO>();
```

1.1.8.1.2.3 frmAnaSayfa.mustahsilMakbuzuDetayListesi Field

Summary

Müstahsil Makbuzu Detay Listesi

C#

```
public List<MustahsilMakbuzuDetayDTO> mustahsilMakbuzuDetayListesi = new
List<MustahsilMakbuzuDetayDTO>();
```

1.1.8.1.2.4 frmAnaSayfa.mustahsilMakbuzuListesi Field

Summary

Müstahsil Makbuzu Listesi

C#

```
public List<MustahsilMakbuzuDTO> mustahsilMakbuzuListesi = new List<MustahsilMakbuzuDTO>();
```

1.1.8.1.3 frmAnaSayfa Methods

1.1.8.1.3.1 frmAnaSayfa.btnGIBOnizleme_Click Method

Summary

Sistemde E-Fatura veya E-Arsive yollansin yollanmasin Hazirlanan XML dosyalarinin bu sistemlerde nasil göründügüne dair Önizleme alinmasini saglayan metottur. Bu önizleme PDF veya ZIP olarak alinacak Sorun olsa da olmasa da bir mesaj ile kullanici bilgilendirilecektir.

C#

```
private void btnGIBOnizleme_Click(object sender, EventArgs e);
```

Parameters

Parameters	Description
object sender	
EventArgs e	

Body Source

```
 1: private void btnGIBOnizleme_Click(object sender, EventArgs e)
 2: {
 3:     using (var dialogKlasorSecimi = new FolderBrowserDialog())
 4:     {
 5:         dialogKlasorSecimi.SelectedPath = Application.StartupPath;
 6:         DialogResult result = dialogKlasorSecimi.ShowDialog();
 7:
 8:         if (result == DialogResult.OK &&
!string.IsNullOrWhiteSpace(dialogKlasorSecimi.SelectedPath))
 9:         {
10:             var klasorAdi = dialogKlasorSecimi.SelectedPath;
11:             // Burada form yüklendigi zaman hazirlanan giden faturalardan rastgele
birinin
12:             // ve ona ait detay kayitlarinin seçilmesi saglaniyor
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
13:             var index = new Random().Next(gidenFaturaListesi.Count);
14:             var gidenFatura = gidenFaturaListesi[index];
15:             var gidenFaturaDetayListesiTemp = new List<GidenFaturaDetayDTO>();
16:             if (gidenFaturaDetayListesi.Any(j => j.GidenFaturaId ==
gidenFatura.GidenFaturaId))
17:                 gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi.Where(j =>
j.GidenFaturaId == gidenFatura.GidenFaturaId).ToList();
18:
19:             #region XML Olusturma ve Servis Önizlemesi
20:             var dosyaAdi = "";
21:             var geriDonus = new GeriDonus();
22:             geriDonus.Tip = 0;
23:             var dosya = new byte[1];
24:             var kullaniciMi = false;
25:             if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
26:             {
27:                 kullaniciMi = DisServisler.EFaturaKullanicisiMi(gidenFatura.VergiNo);
28:                 if (kullaniciMi)
29:                 {
30:                     dosyaAdi = YardimciSiniflar.EFaturaXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi);
31:                     geriDonus = DisServisler.EFaturaOnIzleme(gidenFatura, dosyaAdi);
32:                     if (geriDonus != null)
33:                         dosya = geriDonus.Dosya;
34:                 }
35:                 else
36:                 {
37:                     dosyaAdi = YardimciSiniflar.EArsivXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, true);
38:                     dosya = DisServisler.EArsivOnIzleme(gidenFatura, dosyaAdi);
39:                 }
40:             }
41:             else
42:             {
43:                 dosyaAdi = YardimciSiniflar.EArsivXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, false);
44:                 dosya = DisServisler.EArsivOnIzleme(gidenFatura, dosyaAdi);
45:             }
46:
47:             if (dosya != null && dosya.Length > 1)
48:             {
49:                 var dosyaAdiTemp = dosyaAdi.Replace("xml", "pdf");
50:                 if (kullaniciMi && !string.IsNullOrEmpty(gidenFatura.BelgeOid))
51:                     dosyaAdiTemp = dosyaAdi.Replace("xml", "zip");
52:                 if (geriDonus != null && geriDonus.Tip == 1)
53:                     dosyaAdiTemp = dosyaAdi.Replace("xml", "zip");
54:
55:                 File.WriteAllBytes(dosyaAdiTemp, dosya);
56:
57:                 MessageBox.Show(dosyaAdiTemp + " adresinde gerekli PDF veya ZIP dosyasi
olusturulmustur.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
58:             }
59:             else
60:             {
61:                 MessageBox.Show("Söz konusu faturanin önizlemesi olusturulamamistir",
MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Error);
62:             }
63:
64:             #endregion
65:         }
66:     }
67: }
```

1.1.8.1.3.2 frmAnaSayfa.btnGIBOnizlemeMustahsil_Click Method

Summary

Sistemde E-Müstahsil Servisine yollansin yollanmasin Hazirlanan XML dosyalarinin bu sistemlerde nasil göründügüne dair

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Önizleme alinmasini saglayan metottur. Bu önizleme PDF veya ZIP olarak alinacak Sorun olsa da olmasa da bir mesaj ile kullanici bilgilendirilecektir.

C#

```
private void btnGIBOnizlemeMustahsil_Click(object sender, EventArgs e);
```

Parameters

Parameters	Description
object sender	
EventArgs e	

Body Source

```
 1: private void btnGIBOnizlemeMustahsil_Click(object sender, EventArgs e)
 2: {
 3:     using (var dialogKlasorSecimi = new FolderBrowserDialog())
 4:     {
 5:         dialogKlasorSecimi.SelectedPath = Application.StartupPath;
 6:         DialogResult result = dialogKlasorSecimi.ShowDialog();
 7:
 8:         if (result == DialogResult.OK &&
!string.IsNullOrWhiteSpace(dialogKlasorSecimi.SelectedPath))
 9:         {
10:             var klasorAdi = dialogKlasorSecimi.SelectedPath;
11:             // Burada form yüklendigi zaman hazirlanan müstahsil makbuzlarindan
rastgele birinin
12:             // ve ona ait detay kayitlarinin seçilmesi saglaniyor
13:             var index = new Random().Next(mustahsilMakbuzuListesi.Count);
14:             var mustahsilMakbuzu = mustahsilMakbuzuListesi[index];
15:             var mustahsilMakbuzuDetayListesiTemp = new List<MustahsilMakbuzuDetayDTO>();
16:             if (mustahsilMakbuzuDetayListesi.Any(j => j.MustahsilMakbuzuId ==
mustahsilMakbuzu.MustahsilMakbuzuId))
17:                 mustahsilMakbuzuDetayListesiTemp = mustahsilMakbuzuDetayListesi.Where(j
=> j.MustahsilMakbuzuId == mustahsilMakbuzu.MustahsilMakbuzuId).ToList();
18:
19:             #region XML Olusturma ve Servis Önizlemesi
20:             var dosyaAdi = "";
21:             var geriDonus = new GeriDonus();
22:             geriDonus.Tip = 0;
23:             var dosya = new byte[1];
24:             if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo))
25:             {
26:                 dosyaAdi = YardimciSiniflar.EMustahsilXMLOlustur(mustahsilMakbuzu,
mustahsilMakbuzuDetayListesiTemp, klasorAdi);
27:                 dosya = DisServisler.EMustahsilOnIzleme(mustahsilMakbuzu, dosyaAdi);
28:             }
29:             else
30:             {
31:                 MessageBox.Show("Müstahsil Makbuzunu servise göndermek için vergi no
zorunludur", MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Warning);
32:             }
33:
34:             if (dosya != null && dosya.Length > 1)
35:             {
36:                 var dosyaAdiTemp = dosyaAdi.Replace("xml", "pdf");
37:                 if (geriDonus != null && geriDonus.Tip == 1)
38:                     dosyaAdiTemp = dosyaAdi.Replace("xml", "zip");
39:
40:                 File.WriteAllBytes(dosyaAdiTemp, dosya);
41:
42:                 MessageBox.Show(dosyaAdiTemp + " adresinde gerekli PDF veya ZIP dosyasi
olusturulmustur.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
43:             }
44:             else
45:             {
46:                 MessageBox.Show("Söz konusu faturanin önizlemesi olusturulamamistir",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Error);
47:             }
48:
49:             #endregion
50:         }
51:     }
52: }
```

1.1.8.1.3.3 frmAnaSayfa.btnServiseGonder_Click Method

Summary

Sistem tarafindan hazirlanan XML dosyasinin E-Fatura veya E-Arsiv servisine gönderilmesi için hazirlanan metottur. Burada islemin basarili olup olmamasina göre kullanici bilgilendirilecektir.

C#

```
private void btnServiseGonder_Click(object sender, EventArgs e);
```

Parameters

Parameters	Description
object sender	
EventArgs e	

Body Source

```
 1: private void btnServiseGonder_Click(object sender, EventArgs e)
 2: {
 3:     using (var dialogKlasorSecimi = new FolderBrowserDialog())
 4:     {
 5:         dialogKlasorSecimi.SelectedPath = Application.StartupPath;
 6:         DialogResult result = dialogKlasorSecimi.ShowDialog();
 7:
 8:         if (result == DialogResult.OK &&
!string.IsNullOrWhiteSpace(dialogKlasorSecimi.SelectedPath))
 9:         {
10:             var klasorAdi = dialogKlasorSecimi.SelectedPath;
11:             // Burada form yüklendigi zaman hazirlanan giden faturalardan rastgele
birinin
12:             // ve ona ait detay kayitlarinin seçilmesi saglaniyor
13:             var index = new Random().Next(gidenFaturaListesi.Count);
14:             var gidenFatura = gidenFaturaListesi[index];
15:             var gidenFaturaDetayListesiTemp = new List<GidenFaturaDetayDTO>();
16:             if (gidenFaturaDetayListesi.Any(j => j.GidenFaturaId ==
gidenFatura.GidenFaturaId))
17:                 gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi.Where(j =>
j.GidenFaturaId == gidenFatura.GidenFaturaId).ToList();
18:
19:             #region XML Olusturma ve Servise Gönderme
20:             var dosyaAdi = "";
21:             var sonuc = "";
22:             var kullaniciMi = false;
23:             if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
24:             {
25:                 kullaniciMi = DisServisler.EFaturaKullanicisiMi(gidenFatura.VergiNo);
26:                 if (kullaniciMi)
27:                 {
28:                     dosyaAdi = YardimciSiniflar.EFaturaXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi);
29:                     sonuc = DisServisler.EFaturaGonder(gidenFatura, dosyaAdi);
30:                     if (sonuc != MesajSabitler.IslemBasarisiz)
31:                     {
32:                         if (sonuc.Length <= 20)
33:                             gidenFatura.BelgeOid = sonuc;
34:                     }
35:                 }
36:                 else
37:                 {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
38:                     dosyaAdi = YardimciSiniflar.EArsivXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, true);
39:                     sonuc = DisServisler.EArsivGonder(gidenFatura, dosyaAdi);
40:                 }
41:             }
42:             else
43:             {
44:                 dosyaAdi = YardimciSiniflar.EArsivXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, false);
45:                 sonuc = DisServisler.EArsivGonder(gidenFatura, dosyaAdi);
46:             }
47:
48:             if (sonuc == MesajSabitler.IslemBasarisiz)
49:             {
50:                 MessageBox.Show(dosyaAdi + " dosyasinin servise gönderilmesinde bir
sorun yasanmistir.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Error);
51:             }
52:             else
53:             {
54:                 MessageBox.Show(dosyaAdi + " dosyasi basariyla GIB servislerine
gönderilmistir.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
55:             }
56:
57:             #endregion
58:         }
59:     }
60: }
```

1.1.8.1.3.4 frmAnaSayfa.btnServiseGonderMustahsil_Click Method

Summary

Sistem tarafindan hazirlanan XML dosyasinin E-Müstahsil servisine gönderilmesi için hazirlanan metottur. Burada islemin basarili olup olmamasina göre kullanici bilgilendirilecektir.

C#

```
private void btnServiseGonderMustahsil_Click(object sender, EventArgs e);
```

Parameters

Parameters	Description
object sender	
EventArgs e	

Body Source

```
 1: private void btnServiseGonderMustahsil_Click(object sender, EventArgs e)
 2: {
 3:     using (var dialogKlasorSecimi = new FolderBrowserDialog())
 4:     {
 5:         dialogKlasorSecimi.SelectedPath = Application.StartupPath;
 6:         DialogResult result = dialogKlasorSecimi.ShowDialog();
 7:
 8:         if (result == DialogResult.OK &&
!string.IsNullOrWhiteSpace(dialogKlasorSecimi.SelectedPath))
 9:         {
10:             var klasorAdi = dialogKlasorSecimi.SelectedPath;
11:             // Burada form yüklendigi zaman hazirlanan müstahsil makbuzlarindan
rastgele birinin
12:             // ve ona ait detay kayitlarinin seçilmesi saglaniyor
13:             var index = new Random().Next(mustahsilMakbuzuListesi.Count);
14:             var mustahsilMakbuzu = mustahsilMakbuzuListesi[index];
15:             var mustahsilMakbuzuDetayListesiTemp = new List<MustahsilMakbuzuDetayDTO>();
16:             if (mustahsilMakbuzuDetayListesi.Any(j => j.MustahsilMakbuzuId ==
mustahsilMakbuzu.MustahsilMakbuzuId))
17:                 mustahsilMakbuzuDetayListesiTemp = mustahsilMakbuzuDetayListesi.Where(j
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
=> j.MustahsilMakbuzuId == mustahsilMakbuzu.MustahsilMakbuzuId).ToList();
18:
19:             #region XML Olusturma ve Servise Gönderme
20:             var dosyaAdi = "";
21:             var sonuc = "";
22:             if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo))
23:             {
24:                 dosyaAdi = YardimciSiniflar.EMustahsilXMLOlustur(mustahsilMakbuzu,
mustahsilMakbuzuDetayListesiTemp, klasorAdi);
25:                 sonuc = DisServisler.EMustahsilGonder(mustahsilMakbuzu, dosyaAdi);
26:             }
27:             else
28:             {
29:                 MessageBox.Show("Müstahsil Makbuzunu servise göndermek için vergi no
zorunludur", MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Warning);
30:             }
31:
32:             if (sonuc == MesajSabitler.IslemBasarisiz)
33:             {
34:                 MessageBox.Show(dosyaAdi + " dosyasinin servise gönderilmesinde bir
sorun yasanmistir.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Error);
35:             }
36:             else
37:             {
38:                 MessageBox.Show(dosyaAdi + " dosyasi basariyla GIB servislerine
gönderilmistir.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
39:             }
40:
41:             #endregion
42:         }
43:     }
44: }
```

1.1.8.1.3.5 frmAnaSayfa.btnXmlOlustur_Click Method

Summary

Sistemde E-Fatura ve E-Arsiv Servislerine Gönderilecek Formatta Ideal XML dosyalarinin olusturulmasi için XML Olustur Butonuna tiklandigi zaman Yapilacak islemlerin hazirlandigi metottur.

C#

```
private void btnXmlOlustur_Click(object sender, EventArgs e);
```

Parameters

Parameters	Description
object sender	
EventArgs e	

Body Source

```
 1: private void btnXmlOlustur_Click(object sender, EventArgs e)
 2: {
 3:     using (var dialogKlasorSecimi = new FolderBrowserDialog())
 4:     {
 5:         dialogKlasorSecimi.SelectedPath = Application.StartupPath;
 6:         DialogResult result = dialogKlasorSecimi.ShowDialog();
 7:
 8:         if (result == DialogResult.OK &&
!string.IsNullOrWhiteSpace(dialogKlasorSecimi.SelectedPath))
 9:         {
10:             var klasorAdi = dialogKlasorSecimi.SelectedPath;
11:             // Burada form yüklendigi zaman hazirlanan giden faturalardan rastgele
birinin
12:             // ve ona ait detay kayitlarinin seçilmesi saglaniyor
13:             var index = new Random().Next(gidenFaturaListesi.Count);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
14:             var gidenFatura = gidenFaturaListesi[index];
15:             var gidenFaturaDetayListesiTemp = new List<GidenFaturaDetayDTO>();
16:             if (gidenFaturaDetayListesi.Any(j => j.GidenFaturaId ==
gidenFatura.GidenFaturaId))
17:                 gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi.Where(j =>
j.GidenFaturaId == gidenFatura.GidenFaturaId).ToList();
18:
19:             #region XML Olusturma
20:             var dosyaAdi = "";
21:             if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
22:             {
23:                 var kullaniciMi =
DisServisler.EFaturaKullanicisiMi(gidenFatura.VergiNo);
24:                 if (kullaniciMi)
25:                 {
26:                     dosyaAdi = YardimciSiniflar.EFaturaXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi);
27:                 }
28:                 else
29:                 {
30:                     dosyaAdi = YardimciSiniflar.EArsivXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, true);
31:                 }
32:             }
33:             else
34:             {
35:                 dosyaAdi = YardimciSiniflar.EArsivXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, false);
36:             }
37:
38:             MessageBox.Show(dosyaAdi + " adresinde gerekli XML dosyasi
olusturulmustur.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
39:
40:             #endregion
41:         }
42:     }
43: }
```

1.1.8.1.3.6 frmAnaSayfa.btnXmlOlusturMustahsil_Click Method

Summary

Sistemde E-Müstahsil Servislerine Gönderilecek Formatta Ideal XML dosyalarinin olusturulmasi için XML Olustur Butonuna tiklandigi zaman Yapilacak islemlerin hazirlandigi metottur.

C#

```
private void btnXmlOlusturMustahsil_Click(object sender, EventArgs e);
```

Parameters

Parameters	Description
object sender	
EventArgs e	

Body Source

```
 1: private void btnXmlOlusturMustahsil_Click(object sender, EventArgs e)
 2: {
 3:     using (var dialogKlasorSecimi = new FolderBrowserDialog())
 4:     {
 5:         dialogKlasorSecimi.SelectedPath = Application.StartupPath;
 6:         DialogResult result = dialogKlasorSecimi.ShowDialog();
 7:
 8:         if (result == DialogResult.OK &&
!string.IsNullOrWhiteSpace(dialogKlasorSecimi.SelectedPath))
 9:         {
10:             var klasorAdi = dialogKlasorSecimi.SelectedPath;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
11:             // Burada form yüklendigi zaman hazirlanan müstahsil makbuzlarindan
rastgele birinin
12:             // ve ona ait detay kayitlarinin seçilmesi saglaniyor
13:             var index = new Random().Next(mustahsilMakbuzuListesi.Count);
14:             var mustahsilMakbuzu = mustahsilMakbuzuListesi[index];
15:             var mustahsilMakbuzuDetayListesiTemp = new List<MustahsilMakbuzuDetayDTO>();
16:             if (mustahsilMakbuzuDetayListesi.Any(j => j.MustahsilMakbuzuId ==
mustahsilMakbuzu.MustahsilMakbuzuId))
17:                 mustahsilMakbuzuDetayListesiTemp = mustahsilMakbuzuDetayListesi.Where(j
=> j.MustahsilMakbuzuId == mustahsilMakbuzu.MustahsilMakbuzuId).ToList();
18:
19:             #region XML Olusturma
20:             var dosyaAdi = "";
21:             if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo))
22:             {
23:                 dosyaAdi = YardimciSiniflar.EMustahsilXMLOlustur(mustahsilMakbuzu,
mustahsilMakbuzuDetayListesiTemp, klasorAdi);
24:                 MessageBox.Show(dosyaAdi + " adresinde gerekli XML dosyasi
olusturulmustur.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
25:             }
26:             else
27:             {
28:                 MessageBox.Show("Müstahsil Makbuzu olusturmak için vergi numarasi
zorunludur", MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Warning);
29:             }
30:             #endregion
31:         }
32:     }
33: }
```

1.1.8.1.3.7 frmAnaSayfa.Dispose Method

Summary

Clean up any resources being used.

C#

```
protected override void Dispose(bool disposing);
```

Parameters

Parameters	Description
bool disposing	true if managed resources should be disposed; otherwise, false.

Body Source

```
1: protected override void Dispose(bool disposing)
2: {
3:     if (disposing && (components != null))
4:     {
5:         components.Dispose();
6:     }
7:     base.Dispose(disposing);
8: }
```

1.1.8.1.3.8 frmAnaSayfa.FormAnaSayfa_Shown Method

Summary

Burada Form görüntülenirken Kendi hazirladigimiz Giden Fatura ve Detaylarinin olusturup listeye atiyoruz ki Buradan sonra butonlara tiklandiginda Bu listeler üzerinden kolayca islem yapilabilsin

C#

```
private void FormAnaSayfa_Shown(object sender, EventArgs e);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Parameters

Parameters	Description
object sender	
EventArgs e	

Body Source

```
 1: private void FormAnaSayfa_Shown(object sender, EventArgs e)
 2: {
 3:     #region Ilk Verilerin Hazirlanmasi
 4:
 5:     #region Giden Faturalar
 6:     #region Giden Faturalari Ekleme
 7:     var gidenFatura = new GidenFaturaDTO
 8:     {
 9:         GidenFaturaId = "1",
10:         AltBirimAd = "  A Birimi    ",
11:         TuzelKisiAd = "Deneme Sirketi - 1",
12:         VergiNo = "53602329864",
13:         VergiDairesi = "ANKARA",
14:         Adres = "Kizilay Gima'nin Önü",
15:         FaksNo = "03121111111",
16:         BankaAd = "Türkiye Is Bankasi",
17:         BankaSube = "Kizilay",
18:         IbanNo = "TR130006297372542652383131",
19:         DuzenlemeTarihi = new DateTime(2022, 1, 13),
20:         IlAd = "Ankara",
21:         IlceAd = "Çankaya",
22:         SatisTuruKod = SatisTur.Hesaben.GetHashCode(),
23:         FaturaGrupTuruKod = FaturaMakbuzGrupTur.Diger.GetHashCode(),
24:         GibNumarasi = "MLT2022000010998",
25:         KdvHaricTutar = 0,
26:         KdvTutari = 0,
27:         FaturaTutari = 0,
28:         Aciklama = "Denem amaçli eklenmistir",
29:     };
30:     gidenFaturaListesi.Add(gidenFatura);
31:
32:     gidenFatura = new GidenFaturaDTO
33:     {
34:         GidenFaturaId = "2",
35:         AltBirimAd = "B Birimi    ",
36:         TuzelKisiAd = "  Deneme Sirketi - 2",
37:         VergiNo = "9250936109",
38:         VergiDairesi = "ANKARA",
39:         Adres = "Kizilay YKM",
40:         FaksNo = "03121111112",
41:         BankaAd = "Vakiflar Bankasi",
42:         BankaSube = "Kizilay",
43:         IbanNo = "TR530006291586775935345942",
44:         DuzenlemeTarihi = new DateTime(2022, 1, 1),
45:         IlAd = "Ankara",
46:         IlceAd = "Etimesgut",
47:         SatisTuruKod = SatisTur.Pesin.GetHashCode(),
48:         FaturaGrupTuruKod = FaturaMakbuzGrupTur.Malzeme.GetHashCode(),
49:         FaturaTuruKod = FaturaTur.Iade.GetHashCode(),
50:         GibNumarasi = "MLT2022000099999",
51:         KdvHaricTutar = 0,
52:         KdvTutari = 0,
53:         FaturaTutari = 0,
54:     };
55:     gidenFaturaListesi.Add(gidenFatura);
56:
57:     gidenFatura = new GidenFaturaDTO
58:     {
59:         GidenFaturaId = "3",
60:         AltBirimAd = "B Birimi    ",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
        TuzelKisiAd = "  Deneme Sirketi - 3",
        VergiNo = "5240018140",
        VergiDairesi = "ANKARA",
        Adres = "Zafer Çarsisi",
        FaksNo = "03121111113",
        BankaAd = "Vakif Katilim Bankasi",
        BankaSube = "Kizilay",
        IbanNo = "TR830006214925976839299642",
        DuzenlemeTarihi = new DateTime(2022, 1, 11),
        IlAd = "Ankara",
        IlceAd = "Etimesgut",
        SatisTuruKod = SatisTur.ImalatciIhracatci.GetHashCode(),
        FaturaTuruKod = FaturaTur.Iade.GetHashCode(),
        GibNumarasi = "KST2022000009999",
        KdvHaricTutar = 0,
        KdvTutari = 0,
        FaturaTutari = 0,
    };
    gidenFaturaListesi.Add(gidenFatura);

    gidenFatura = new GidenFaturaDTO
    {
        GidenFaturaId = "4",
        AltBirimAd = "B Birimi    ",
        TuzelKisiAd = "Deneme Sirketi - 4",
        VergiNo = "6940116151",
        VergiDairesi = "ANKARA",
        Adres = "Göksu Parki",
        FaksNo = "03121111114",
        BankaAd = "Kuveyt Tür",
        BankaSube = "Kizilay",
        IbanNo = "TR350006267645192879857714",
        DuzenlemeTarihi = new DateTime(2022, 1, 31),
        IlAd = "Ankara",
        IlceAd = "Çubuk",
        SatisTuruKod = SatisTur.IhracKayitli.GetHashCode(),
        FaturaGrupTuruKod = FaturaMakbuzGrupTur.Personel.GetHashCode(),
        GibNumarasi = "ILG202200009999",
        KdvHaricTutar = 0,
        KdvTutari = 0,
        FaturaTutari = 0,
    };
    gidenFaturaListesi.Add(gidenFatura);

    gidenFatura = new GidenFaturaDTO
    {
        GidenFaturaId = "5",
        AltBirimAd = "B Birimi    ",
        TuzelKisiAd = "Deneme Sirketi - 3",
        VergiNo = "20101516422",
        VergiDairesi = "ANKARA",
        Adres = "Dost'un Önü",
        FaksNo = "03121111113",
        BankaAd = "Enpara.Com Bankadan Güzeli",
        BankaSube = "Karakusunlar Sube",
        IbanNo = "TR630006295412435711171488",
        DuzenlemeTarihi = new DateTime(2022, 2, 1),
        IlAd = "Ankara",
        IlceAd = "Pursaklar",
        SatisTuruKod = SatisTur.Vadeli.GetHashCode(),
        GibNumarasi = "SUS2022000999999",
        KdvHaricTutar = 0,
        KdvTutari = 0,
        FaturaTutari = 0,
    };
    gidenFaturaListesi.Add(gidenFatura);

    gidenFatura = new GidenFaturaDTO
    {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
130:         GidenFaturaId = "6",
131:         AltBirimAd = "B Birimi    ",
132:         GercekKisiTcKimlikNo = "52270709114",
133:         GercekKisiAd = "Adnan",
134:         GercekKisiSoyad = "Senses",
135:         CepTelefonNo = "05555555555",
136:         EPostaAdresi = "adnansenses@mynet.com",
137:         IkametgahAdresi = "Dost'un Önü",
138:         BankaAd = "Halkbank",
139:         BankaSube = "Etimesgut Sube",
140:         IbanNo = "TR540006234114125194267726",
141:         DuzenlemeTarihi = new DateTime(2022, 2, 2),
142:         IlAd = "Konya",
143:         IlceAd = "Beysehir",
144:         SatisTuruKod = SatisTur.RafFiyatGarantili.GetHashCode(),
145:         GibNumarasi = "YZG2022000999999",
146:         KdvHaricTutar = 0,
147:         KdvTutari = 0,
148:         FaturaTutari = 0,
149:     };
150:     gidenFaturaListesi.Add(gidenFatura);
151:
152:     gidenFatura = new GidenFaturaDTO
153:     {
154:         GidenFaturaId = "7",
155:         AltBirimAd = "B Birimi    ",
156:         GercekKisiTcKimlikNo = "20077290692",
157:         GercekKisiAd = "Mehmet Emin",
158:         GercekKisiSoyad = "Akdeniz",
159:         CepTelefonNo = "05555555554",
160:         EPostaAdresi = "memo@yahoo.com",
161:         IkametgahAdresi = "Fiskiyenin orasi",
162:         BankaAd = "Bank Mellat",
163:         BankaSube = "Yenimahalle Sube",
164:         IbanNo = "TR410006276748779926367358",
165:         DuzenlemeTarihi = new DateTime(2022, 1, 25),
166:         IlAd = "Agri",
167:         IlceAd = "Patnos",
168:         SatisTuruKod = SatisTur.IstirakeSatilan.GetHashCode(),
169:         GibNumarasi = "AGR2022000999999",
170:         KdvHaricTutar = 0,
171:         KdvTutari = 0,
172:         FaturaTutari = 0,
173:     };
174:     gidenFaturaListesi.Add(gidenFatura);
175:     #endregion
176:
177:     #region Giden Fatura Detaylari Ekleme
178:
179:     var gidenFaturaDetay = new GidenFaturaDetayDTO
180:     {
181:         GidenFaturaId = "7",
182:         BirimFiyat = (decimal)0.1234,
183:         Miktar = 1000,
184:         KdvOran = 0,
185:         IskontoOran = 0,
186:         KdvHaricTutar = 1234,
187:         KdvTutari = 0,
188:         GibKisaltma = "KGM",
189:         IrsaliyeNo = "1",
190:         MalzemeFaturaAciklamasi = "Ofis demirbasi için alindi",
191:         SevkIrsaliyeTarihi = new DateTime(2022, 1, 1),
192:         SevkIrsaliyesiNo = "34",
193:         PlakaNo = "06GUC777",
194:         FaturaUrunTuru = "Dizüstü Bilgisayar",
195:         Tonaj = 1,
196:         YuklemeFormuNo = 1234
197:     };
198:     gidenFaturaDetayListesi.Add(gidenFaturaDetay);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
199:
200:     gidenFaturaDetay = new GidenFaturaDetayDTO
201:     {
202:         GidenFaturaId = "7",
203:         BirimFiyat = (decimal)0.1,
204:         Miktar = 10000,
205:         KdvOran = 18,
206:         IskontoOran = 0,
207:         KdvHaricTutar = 1000,
208:         KdvTutari = 180,
209:         GibKisaltma = "KWT",
210:         IrsaliyeNo = "1",
211:         MalzemeFaturaAciklamasi = "Ofis demirbasi 2 için alindi",
212:         SevkIrsaliyeTarihi = new DateTime(2022, 1, 1),
213:         SevkIrsaliyesiNo = "34",
214:         PlakaNo = "06GUC778",
215:         FaturaUrunTuru = "Priz",
216:         Tonaj = 1,
217:         YuklemeFormuNo = 1236
218:     };
219:     gidenFaturaDetayListesi.Add(gidenFaturaDetay);
220:
221:     gidenFaturaDetay = new GidenFaturaDetayDTO
222:     {
223:         GidenFaturaId = "7",
224:         BirimFiyat = (decimal)0.1234,
225:         Miktar = 1000,
226:         KdvOran = 1,
227:         IskontoOran = 0,
228:         KdvHaricTutar = 1234,
229:         KdvTutari = (decimal)12.34,
230:         GibKisaltma = "MTR",
231:         PlakaNo = "06GC7447",
232:         FaturaUrunTuru = "Çubuk Mikrofon",
233:     };
234:     gidenFaturaDetayListesi.Add(gidenFaturaDetay);
235:
236:     gidenFaturaDetay = new GidenFaturaDetayDTO
237:     {
238:         GidenFaturaId = "2",
239:         BirimFiyat = (decimal)0.1234,
240:         Miktar = 1000,
241:         KdvOran = 1,
242:         IskontoOran = 0,
243:         KdvHaricTutar = 1234,
244:         KdvTutari = (decimal)12.34,
245:         GibKisaltma = "KWT",
246:         PlakaNo = "06GC7447",
247:         FaturaUrunTuru = "Çubuk Mikrofon",
248:     };
249:     gidenFaturaDetayListesi.Add(gidenFaturaDetay);
250:
251:     gidenFaturaDetay = new GidenFaturaDetayDTO
252:     {
253:         GidenFaturaId = "3",
254:         BirimFiyat = (decimal)0.124,
255:         Miktar = 5000,
256:         KdvOran = 8,
257:         IskontoOran = 0,
258:         KdvHaricTutar = 6020,
259:         KdvTutari = (decimal)481.6,
260:         GibKisaltma = "MON",
261:         PlakaNo = "06J1234",
262:         FaturaUrunTuru = "Mouse",
263:     };
264:     gidenFaturaDetayListesi.Add(gidenFaturaDetay);
265:
266:     gidenFaturaDetay = new GidenFaturaDetayDTO
267:     {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
268:         GidenFaturaId = "1",
269:         BirimFiyat = 500,
270:         Miktar = 120,
271:         KdvOran = 18,
272:         IskontoOran = 0,
273:         KdvHaricTutar = 60000,
274:         KdvTutari = 12800,
275:         GibKisaltma = "LTR",
276:         PlakaNo = "06C99876",
277:         FaturaUrunTuru = "Sartname Bedeli",
278:     };
279:     gidenFaturaDetayListesi.Add(gidenFaturaDetay);
280:
281:     #endregion
282:
283:     #region Giden Fatura Toplamlari Hesaplama ve Olmayanlara Ekleme
284:
285:     foreach (var item in gidenFaturaListesi)
286:     {
287:         if (gidenFaturaDetayListesi.Any(j => j.GidenFaturaId == item.GidenFaturaId))
288:         {
289:             var gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi.Where(j =>
j.GidenFaturaId == item.GidenFaturaId).ToList();
290:             item.KdvHaricTutar = gidenFaturaDetayListesiTemp.Sum(j => j.KdvHaricTutar);
291:             item.KdvTutari = gidenFaturaDetayListesiTemp.Sum(j => j.KdvTutari);
292:             item.FaturaTutari = item.KdvHaricTutar + item.KdvTutari;
293:         }
294:         else
295:         {
296:             gidenFaturaDetay = new GidenFaturaDetayDTO
297:             {
298:                 GidenFaturaId = item.GidenFaturaId,
299:                 BirimFiyat = (decimal)1.5,
300:                 Miktar = 1000,
301:                 KdvOran = 0,
302:                 IskontoOran = 0,
303:                 KdvHaricTutar = 1500,
304:                 KdvTutari = 0,
305:                 GibKisaltma = "MTR",
306:                 FaturaUrunTuru = "Deneme " + item.GidenFaturaId,
307:             };
308:             item.KdvHaricTutar = gidenFaturaDetay.KdvHaricTutar;
309:             item.KdvTutari = gidenFaturaDetay.KdvTutari;
310:             item.FaturaTutari = item.KdvHaricTutar + item.KdvTutari;
311:             gidenFaturaDetayListesi.Add(gidenFaturaDetay);
312:         }
313:     }
314:
315:     #endregion
316:     #endregion
317:
318:     #region Müstahsil Makbuzlar
319:     #region Müstahsil Makbuzlari Ekleme
320:     var mustahsilMakbuzu = new MustahsilMakbuzuDTO
321:     {
322:         MustahsilMakbuzuId = "1",
323:         AltBirimAd = "A Birimi",
324:         TuzelKisiAd = "Deneme Sirketi - 1",
325:         VergiNo = "53602329864",
326:         VergiDairesi = "ANKARA",
327:         Adres = "Kizilay Gima'nin Önü",
328:         FaksNo = "03121111111",
329:         BankaAd = "Türkiye Is Bankasi",
330:         BankaSube = "Kizilay",
331:         IbanNo = "TR1300062973725426523831 31",
332:         MustahsilMakbuzuTarihi = new DateTime(2022, 2, 13),
333:         IlAd = "Ankara",
334:         IlceAd = "Çankaya",
335:         MustahsilMakbuzuNo = "MLT2022000010998",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
        MakbuzGrupTuruKod = FaturaMakbuzGrupTur.Kuspe.GetHashCode(),
        NetTutar = 0,
        GelirVergisi = 0,
        MustahsilMakbuzuTutari = 0,
    };
    mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);

    mustahsilMakbuzu = new MustahsilMakbuzuDTO
    {
        MustahsilMakbuzuId = "2",
        AltBirimAd = "B Birimi",
        TuzelKisiAd = "Deneme Sirketi - 2",
        VergiNo = "9250936109",
        VergiDairesi = "ANKARA",
        Adres = "Kizilay YKM",
        FaksNo = "03121111112",
        BankaAd = "Vakiflar Bankasi",
        BankaSube = "Kizilay",
        IbanNo = "TR530006291586775935345942",
        MustahsilMakbuzuTarihi = new DateTime(2022, 2, 1),
        IlAd = "Ankara",
        IlceAd = "Etimesgut",
        MustahsilMakbuzuNo = "MLT2022000099999",
        MakbuzGrupTuruKod = FaturaMakbuzGrupTur.Personel.GetHashCode(),
        NetTutar = 0,
        GelirVergisi = 0,
        MustahsilMakbuzuTutari = 0,
    };
    mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);

    mustahsilMakbuzu = new MustahsilMakbuzuDTO
    {
        MustahsilMakbuzuId = "3",
        TuzelKisiAd = "Deneme Sirketi - 3",
        VergiNo = "5240018140",
        VergiDairesi = "ANKARA",
        Adres = "Zafer Çarsisi",
        FaksNo = "03121111113",
        BankaAd = "Vakif Katilim Bankasi",
        BankaSube = "Kizilay",
        IbanNo = "TR830006214925976839299642",
        MustahsilMakbuzuTarihi = new DateTime(2022, 2, 11),
        IlAd = "Ankara",
        IlceAd = "Etimesgut",
        MustahsilMakbuzuNo = "KST2022000009999",
        NetTutar = 0,
        GelirVergisi = 0,
        MustahsilMakbuzuTutari = 0,
    };
    mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);

    mustahsilMakbuzu = new MustahsilMakbuzuDTO
    {
        MustahsilMakbuzuId = "4",
        TuzelKisiAd = "Deneme Sirketi - 4",
        VergiNo = "6940116151",
        VergiDairesi = "ANKARA",
        Adres = "Göksu Parki",
        FaksNo = "03121111114",
        BankaAd = "Kuveyt Tür",
        BankaSube = "Kizilay",
        IbanNo = "TR350006267645192879857714",
        MustahsilMakbuzuTarihi = new DateTime(2022, 2, 3),
        IlAd = "Ankara",
        IlceAd = "Çubuk",
        MustahsilMakbuzuNo = "ILG202200009999",
        NetTutar = 0,
        GelirVergisi = 0,
        MustahsilMakbuzuTutari = 0,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
    };
    mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);

    mustahsilMakbuzu = new MustahsilMakbuzuDTO
    {
        MustahsilMakbuzuId = "5",
        TuzelKisiAd = "Deneme Sirketi - 3",
        VergiNo = "20101516422",
        VergiDairesi = "ANKARA",
        Adres = "Dost'un Önü",
        FaksNo = "03121111113",
        BankaAd = "Enpara.Com Bankadan Güzeli",
        BankaSube = "Karakusunlar Sube",
        IbanNo = "TR630006295412435711171488",
        MustahsilMakbuzuTarihi = new DateTime(2022, 2, 1),
        IlAd = "Ankara",
        IlceAd = "Pursaklar",
        MustahsilMakbuzuNo = "SUS2022000999999",
        NetTutar = 0,
        GelirVergisi = 0,
        MustahsilMakbuzuTutari = 0,
    };
    mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);

    mustahsilMakbuzu = new MustahsilMakbuzuDTO
    {
        MustahsilMakbuzuId = "6",
        VergiNo = "52270709114",
        TuzelKisiAd = "Adnan Senses",
        EPostaAdresi = "adnansenses@mynet.com",
        Adres = "Dost'un Önü",
        BankaAd = "Halkbank",
        BankaSube = "Etimesgut Sube",
        IbanNo = "TR540006234114125194267726",
        MustahsilMakbuzuTarihi = new DateTime(2022, 2, 2),
        IlAd = "Konya",
        IlceAd = "Beysehir",
        MustahsilMakbuzuNo = "YZG2022000999999",
        NetTutar = 0,
        GelirVergisi = 0,
        MustahsilMakbuzuTutari = 0,
    };
    mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);

    mustahsilMakbuzu = new MustahsilMakbuzuDTO
    {
        MustahsilMakbuzuId = "7",
        VergiNo = "20077290692",
        TuzelKisiAd = "Mehmet Emin",
        EPostaAdresi = "memo@yahoo.com",
        BankaAd = "Bank Mellat",
        BankaSube = "Yenimahalle Sube",
        IbanNo = "TR410006276748779926367358",
        MustahsilMakbuzuTarihi = new DateTime(2022, 1, 25),
        IlAd = "Agri",
        IlceAd = "Patnos",
        MustahsilMakbuzuNo = "AGR2022000999999",
        NetTutar = 0,
        GelirVergisi = 0,
        MustahsilMakbuzuTutari = 0,
    };
    mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
    #endregion

    #region Müstahsil Makbuz Detaylari Ekleme

    var mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
    {
        MustahsilMakbuzuId = "7",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
474:         BirimFiyat = (decimal)0.1234,
475:         Miktar = 1000,
476:         NetTutar = 1234,
477:         GelirVergisi = 0,
478:         GibKisaltma = "KGM",
479:         IsinMahiyeti = "Dizüstü Bilgisayar",
480:     };
481:     mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
482:
483:     mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
484:     {
485:         MustahsilMakbuzuId = "7",
486:         BirimFiyat = (decimal)0.1234,
487:         Miktar = 1000,
488:         NetTutar = 1234,
489:         GelirVergisi = (decimal)12.34,
490:         ToplamTutar = (decimal)1246.34,
491:         GibKisaltma = "MTR",
492:         IsinMahiyeti = "Çubuk Mikrofon",
493:     };
494:     mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
495:
496:     mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
497:     {
498:         MustahsilMakbuzuId = "2",
499:         BirimFiyat = (decimal)0.1234,
500:         Miktar = 1000,
501:         NetTutar = 1234,
502:         GelirVergisi = (decimal)12.34,
503:         ToplamTutar = (decimal)1246.34,
504:         GibKisaltma = "KWT",
505:         IsinMahiyeti = "Çubuk Mikrofon",
506:     };
507:     mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
508:
509:     mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
510:     {
511:         MustahsilMakbuzuId = "3",
512:         BirimFiyat = (decimal)0.124,
513:         Miktar = 5000,
514:         NetTutar = 6020,
515:         GelirVergisi = (decimal)481.6,
516:         ToplamTutar = (decimal)6500.6,
517:         GibKisaltma = "MON",
518:         IsinMahiyeti = "Mouse",
519:     };
520:     mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
521:
522:     mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
523:     {
524:         MustahsilMakbuzuId = "1",
525:         BirimFiyat = 500,
526:         Miktar = 120,
527:         NetTutar = 60000,
528:         GelirVergisi = 12800,
529:         ToplamTutar = 72800,
530:         GibKisaltma = "LTR",
531:         IsinMahiyeti = "Ayakkabi",
532:     };
533:     mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
534:
535:     #endregion
536:
537:     #region Müstahsil Makbuz Toplamlari Hesaplama ve Olmayanlara Ekleme
538:
539:     foreach (var item in mustahsilMakbuzuListesi)
540:     {
541:         if (mustahsilMakbuzuDetayListesi.Any(j => j.MustahsilMakbuzuId ==
item.MustahsilMakbuzuId))
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
        {
            var mustahsilMakbuzuDetayListesiTemp = mustahsilMakbuzuDetayListesi.Where(j => j.MustahsilMakbuzuId == item.MustahsilMakbuzuId).ToList();
            item.NetTutar = mustahsilMakbuzuDetayListesiTemp.Sum(j => j.NetTutar);
            item.GelirVergisi = mustahsilMakbuzuDetayListesiTemp.Sum(j => j.GelirVergisi);
            item.MustahsilMakbuzuTutari = item.NetTutar + item.GelirVergisi;
        }
        else
        {
            mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
            {
                MustahsilMakbuzuId = item.MustahsilMakbuzuId,
                BirimFiyat = (decimal)1.5,
                Miktar = 1000,
                NetTutar = 1500,
                GelirVergisi = 0,
                ToplamTutar = 1500,
                GibKisaltma = "MTR",
                IsinMahiyeti = "Deneme " + item.MustahsilMakbuzuId,
            };
            item.NetTutar = mustahsilMakbuzuDetay.NetTutar;
            item.GelirVergisi = mustahsilMakbuzuDetay.GelirVergisi;
            item.MustahsilMakbuzuTutari = item.NetTutar + item.GelirVergisi;
            mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
        }
    }

    #endregion
    #endregion

    #endregion
}
```

1.1.8.1.3.9 frmAnaSayfa.frmAnaSayfa_FormClosed Method

Summary

Form kapandigi zaman ne yapilacagini belirten bir metottur

C#

```
private void frmAnaSayfa_FormClosed(object sender, FormClosedEventArgs e);
```

Parameters

Parameters	Description
object sender	
FormClosedEventArgs e	

Body Source

```
private void frmAnaSayfa_FormClosed(object sender, FormClosedEventArgs e)
{
    MessageBox.Show("Programi kullandiginiz için tesekkürler", MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Information);
    Application.Exit();
}
```

1.1.8.1.3.10 frmAnaSayfa.InitializeComponent Method

Summary

Required method for Designer support - do not modify the contents of this method with the code editor.

C#

```
private void InitializeComponent();
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```
 1: private void InitializeComponent()
 2: {
 3:     this.btnXmlOlustur = new System.Windows.Forms.Button();
 4:     this.btnGIBOnizleme = new System.Windows.Forms.Button();
 5:     this.btnServiseGonder = new System.Windows.Forms.Button();
 6:     this.groupBox1 = new System.Windows.Forms.GroupBox();
 7:     this.groupBox2 = new System.Windows.Forms.GroupBox();
 8:     this.btnXmlOlusturMustahsil = new System.Windows.Forms.Button();
 9:     this.btnServiseGonderMustahsil = new System.Windows.Forms.Button();
10:     this.btnGIBOnizlemeMustahsil = new System.Windows.Forms.Button();
11:     this.groupBox1.SuspendLayout();
12:     this.groupBox2.SuspendLayout();
13:     this.SuspendLayout();
14:     //
15:     // btnXmlOlustur
16:     //
17:     this.btnXmlOlustur.Location = new System.Drawing.Point(6, 30);
18:     this.btnXmlOlustur.Name = "btnXmlOlustur";
19:     this.btnXmlOlustur.Size = new System.Drawing.Size(116, 58);
20:     this.btnXmlOlustur.TabIndex = 0;
21:     this.btnXmlOlustur.Text = "XML Olustur";
22:     this.btnXmlOlustur.UseVisualStyleBackColor = true;
23:     this.btnXmlOlustur.Click += new System.EventHandler(this.btnXmlOlustur_Click);
24:     //
25:     // btnGIBOnizleme
26:     //
27:     this.btnGIBOnizleme.Location = new System.Drawing.Point(140, 30);
28:     this.btnGIBOnizleme.Name = "btnGIBOnizleme";
29:     this.btnGIBOnizleme.Size = new System.Drawing.Size(174, 58);
30:     this.btnGIBOnizleme.TabIndex = 1;
31:     this.btnGIBOnizleme.Text = "GIB Fatura Çikti Önizleme";
32:     this.btnGIBOnizleme.UseVisualStyleBackColor = true;
33:     this.btnGIBOnizleme.Click += new System.EventHandler(this.btnGIBOnizleme_Click);
34:     //
35:     // btnServiseGonder
36:     //
37:     this.btnServiseGonder.Location = new System.Drawing.Point(331, 30);
38:     this.btnServiseGonder.Name = "btnServiseGonder";
39:     this.btnServiseGonder.Size = new System.Drawing.Size(165, 58);
40:     this.btnServiseGonder.TabIndex = 2;
41:     this.btnServiseGonder.Text = "Servise Gönder";
42:     this.btnServiseGonder.UseVisualStyleBackColor = true;
43:     this.btnServiseGonder.Click += new
System.EventHandler(this.btnServiseGonder_Click);
44:     //
45:     // groupBox1
46:     //
47:     this.groupBox1.Controls.Add(this.btnXmlOlustur);
48:     this.groupBox1.Controls.Add(this.btnServiseGonder);
49:     this.groupBox1.Controls.Add(this.btnGIBOnizleme);
50:     this.groupBox1.Location = new System.Drawing.Point(12, 12);
51:     this.groupBox1.Name = "groupBox1";
52:     this.groupBox1.Size = new System.Drawing.Size(502, 119);
53:     this.groupBox1.TabIndex = 3;
54:     this.groupBox1.TabStop = false;
55:     this.groupBox1.Text = "E-Fatura ve E-Arsiv";
56:     //
57:     // groupBox2
58:     //
59:     this.groupBox2.Controls.Add(this.btnXmlOlusturMustahsil);
60:     this.groupBox2.Controls.Add(this.btnServiseGonderMustahsil);
61:     this.groupBox2.Controls.Add(this.btnGIBOnizlemeMustahsil);
62:     this.groupBox2.Location = new System.Drawing.Point(12, 137);
63:     this.groupBox2.Name = "groupBox2";
64:     this.groupBox2.Size = new System.Drawing.Size(502, 119);
65:     this.groupBox2.TabIndex = 4;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
 66:     this.groupBox2.TabStop = false;
 67:     this.groupBox2.Text = "E-Müstahsil";
 68:     //
 69:     // btnXmlOlusturMustahsil
 70:     //
 71:     this.btnXmlOlusturMustahsil.Location = new System.Drawing.Point(6, 30);
 72:     this.btnXmlOlusturMustahsil.Name = "btnXmlOlusturMustahsil";
 73:     this.btnXmlOlusturMustahsil.Size = new System.Drawing.Size(116, 58);
 74:     this.btnXmlOlusturMustahsil.TabIndex = 0;
 75:     this.btnXmlOlusturMustahsil.Text = "XML Olustur";
 76:     this.btnXmlOlusturMustahsil.UseVisualStyleBackColor = true;
 77:     this.btnXmlOlusturMustahsil.Click += new
System.EventHandler(this.btnXmlOlusturMustahsil_Click);
 78:     //
 79:     // btnServiseGonderMustahsil
 80:     //
 81:     this.btnServiseGonderMustahsil.Location = new System.Drawing.Point(331, 30);
 82:     this.btnServiseGonderMustahsil.Name = "btnServiseGonderMustahsil";
 83:     this.btnServiseGonderMustahsil.Size = new System.Drawing.Size(165, 58);
 84:     this.btnServiseGonderMustahsil.TabIndex = 2;
 85:     this.btnServiseGonderMustahsil.Text = "Servise Gönder";
 86:     this.btnServiseGonderMustahsil.UseVisualStyleBackColor = true;
 87:     this.btnServiseGonderMustahsil.Click += new
System.EventHandler(this.btnServiseGonderMustahsil_Click);
 88:     //
 89:     // btnGIBOnizlemeMustahsil
 90:     //
 91:     this.btnGIBOnizlemeMustahsil.Location = new System.Drawing.Point(140, 30);
 92:     this.btnGIBOnizlemeMustahsil.Name = "btnGIBOnizlemeMustahsil";
 93:     this.btnGIBOnizlemeMustahsil.Size = new System.Drawing.Size(174, 58);
 94:     this.btnGIBOnizlemeMustahsil.TabIndex = 1;
 95:     this.btnGIBOnizlemeMustahsil.Text = "GIB Makbuz Çikti Önizleme";
 96:     this.btnGIBOnizlemeMustahsil.UseVisualStyleBackColor = true;
 97:     this.btnGIBOnizlemeMustahsil.Click += new
System.EventHandler(this.btnGIBOnizlemeMustahsil_Click);
 98:     //
 99:     // frmAnaSayfa
100:     //
101:     this.AutoScaleDimensions = new System.Drawing.SizeF(6F, 13F);
102:     this.AutoScaleMode = System.Windows.Forms.AutoScaleMode.Font;
103:     this.AutoSize = true;
104:     this.AutoSizeMode = System.Windows.Forms.AutoSizeMode.GrowAndShrink;
105:     this.ClientSize = new System.Drawing.Size(526, 272);
106:     this.Controls.Add(this.groupBox2);
107:     this.Controls.Add(this.groupBox1);
108:     this.Name = "frmAnaSayfa";
109:     this.StartPosition = System.Windows.Forms.FormStartPosition.CenterScreen;
110:     this.Text = "QNB Finans GIB Servis Uygulamasi";
111:     this.FormClosed += new
System.Windows.Forms.FormClosedEventHandler(this.frmAnaSayfa_FormClosed);
112:     this.Shown += new System.EventHandler(this.FormAnaSayfa_Shown);
113:     this.groupBox1.ResumeLayout(false);
114:     this.groupBox2.ResumeLayout(false);
115:     this.ResumeLayout(false);
116:
117: }
```

1.1.8.2 Program Class

Class Hierarchy

QNBFinansGIB.Program

C#

```
public static class Program;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

File

Program.cs (see page 800)

Description

This is class QNBFinansGIB.Program.

Program Methods

	Name	Description
	Main (see page 763)	The main entry point for the application.

1.1.8.2.1 Program Methods

1.1.8.2.1.1 Program.Main Method

Summary

The main entry point for the application.

C#

```
[STAThread]
private static void Main();
```

Body Source

```
1: [STAThread]
2: static void Main()
3: {
4:     Application.EnableVisualStyles();
5:     Application.SetCompatibleTextRenderingDefault(false);
6:     Application.Run(new frmAnaSayfa());
7: }
```

1.2 Files

Summary

The following table lists files in this documentation.

Files

Name	Description
AssemblyInfo.cs (see page 764)	This is file AssemblyInfo.cs.
DisServisler.cs (see page 765)	This is file DisServisler.cs.
Enums.cs (see page 771)	This is file Enums.cs.
FaturaKdvDTO.cs (see page 772)	This is file FaturaKdvDTO.cs.
FormAnaSayfa.cs (see page 773)	This is file FormAnaSayfa.cs.
FormAnaSayfa.Designer.cs (see page 789)	This is file FormAnaSayfa.Designer.cs.
GeriDonus.cs (see page 792)	This is file GeriDonus.cs.
GidenFaturaDetayDTO.cs (see page 793)	This is file GidenFaturaDetayDTO.cs.
GidenFaturaDTO.cs (see page 794)	This is file GidenFaturaDTO.cs.
MustahsilMakbuzuDetayDTO.cs (see page 797)	This is file MustahsilMakbuzuDetayDTO.cs.
MustahsilMakbuzuDTO.cs (see page 798)	This is file MustahsilMakbuzuDTO.cs.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Program.cs (see page 800)	This is file Program.cs.
QNBFinansGIB.csproj (see page 800)	This is file QNBFinansGIB.csproj.
QNBFinansGIB.sln (see page 800)	This is file QNBFinansGIB.sln.
Reference.cs (see page 800)	This code was generated by a tool. Runtime Version:4.0.30319.42000 Changes to this file may cause incorrect behavior and will be lost if the code is regenerated.
Resources.Designer.cs (see page 804)	This code was generated by a tool. Runtime Version:4.0.30319.42000 Changes to this file may cause incorrect behavior and will be lost if the code is regenerated.
Settings.Designer.cs (see page 805)	This code was generated by a tool. Runtime Version:4.0.30319.42000 Changes to this file may cause incorrect behavior and will be lost if the code is regenerated.
YardimciSiniflar.cs (see page 807)	This is file YardimciSiniflar.cs.

1.2.1 AssemblyInfo.cs

This is file AssemblyInfo.cs.

Body Source

```
 1: ?using System.Reflection;
 2: using System.Runtime.CompilerServices;
 3: using System.Runtime.InteropServices;
 4:
 5: // General Information about an assembly is controlled through the following
 6: // set of attributes. Change these attribute values to modify the information
 7: // associated with an assembly.
 8: [assembly: AssemblyTitle("QNBFinansGIB")]
 9: [assembly: AssemblyDescription("")]
10: [assembly: AssemblyConfiguration("")]
11: [assembly: AssemblyCompany("")]
12: [assembly: AssemblyProduct("QNBFinansGIB")]
13: [assembly: AssemblyCopyright("Copyright ©  2022")]
14: [assembly: AssemblyTrademark("")]
15: [assembly: AssemblyCulture("")]
16:
17: // Setting ComVisible to false makes the types in this assembly not visible
18: // to COM components.  If you need to access a type in this assembly from
19: // COM, set the ComVisible attribute to true on that type.
20: [assembly: ComVisible(false)]
21:
22: // The following GUID is for the ID of the typelib if this project is exposed to COM
23: [assembly: Guid("044ecf1f-a1a7-459d-bed5-89780129b388")]
24:
25: // Version information for an assembly consists of the following four values:
26: //
27: //      Major Version
28: //      Minor Version
29: //      Build Number
30: //      Revision
31: //
32: // You can specify all the values or you can default the Build and Revision Numbers
33: // by using the '*' as shown below:
34: // [assembly: AssemblyVersion("1.0.*")]
35: [assembly: AssemblyVersion("1.0.0.0")]
36: [assembly: AssemblyFileVersion("1.0.0.0")]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.2.2 DisServisler.cs

This is file DisServisler.cs.

Body Source

```
 1: ?using QNBFinansGIB.DTO;
 2: using System.IO;
 3: using System.Security.Cryptography;
 4: using System.Text;
 5:
 6: namespace QNBFinansGIB.Utils
 7: {
 8:     /// <summary>
 9:     /// QNB Finans Firmasi tarafindan saglanan GIB Web Servis referanslarinin
tüketildigi
10:     /// Ve servise talep gönderilip sonuçlarinin temin edildigi siniftir.
11:     /// </summary>
12:     public static class DisServisler
13:     {
14:         #region QNB GIB
15:
16:         /// <summary>
17:         /// Servis Kullanici Adi Bilgisi
18:         /// </summary>
19:         private static readonly string GIBKullaniciAdi = "turkseker.ws";
20:         /// <summary>
21:         /// Servis Sifre Bilgisi
22:         /// </summary>
23:         private static readonly string GIBSifre = "1234qqqQ";
24:         /// <summary>
25:         /// Servise Gönderilecek Vergi No Bilgisi
26:         /// </summary>
27:         private static readonly string GIBVKN = "3250566851";
28:         /// <summary>
29:         /// Servis Için Tanimlanmis ERP Kodu Bilgisi
30:         /// </summary>
31:         private static readonly string GIBERPKodu = "TSF30125";
32:         /// <summary>
33:         /// GIB Login Servis istemcisi
34:         /// </summary>
35:         private static GIBUserService.userService gibUserService = new
GIBUserService.userService();
36:         /// <summary>
37:         /// GIB E-Fatura Servis istemcisi
38:         /// </summary>
39:         private static GIBEFatura.connectorService gibEFaturaService = new
GIBEFatura.connectorService();
40:         /// <summary>
41:         /// GIB E-Arsiv Servis istemcisi
42:         /// </summary>
43:         private static GIBEArsiv.EarsivWebService gibEArsivService = new
GIBEArsiv.EarsivWebService();
44:         /// <summary>
45:         /// GIB E-Arsiv Servis istemcisi
46:         /// </summary>
47:         private static GIBEMustahsil.MustahsilWebService gibEMustahsilService = new
GIBEMustahsil.MustahsilWebService();
48:
49:         /// <summary>
50:         /// Vergi Kimlik Numarasi Gönderilen Tüzel Kisinin E Fatura Kullanicisi Olup
Olmadigini Kontrol Eden
51:         /// Bir Metottur
52:         /// </summary>
53:         /// <param name="vergiNo">Tüzel Kisi Vergi Kimlik Numarasi</param>
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
54:         /// <returns>Kullanici Olup Olmadigi Bilgisi</returns>
55:         public static bool EFaturaKullanicisiMi(string vergiNo)
56:         {
57:             try
58:             {
59:                 var kullaniciMi = false;
60:
61:                 gibUserService = new GIBUserService.userService();
62:                 gibEFaturaService = new GIBEFatura.connectorService();
63:
64:                 gibUserService.CookieContainer = new System.Net.CookieContainer();
65:                 gibEFaturaService.CookieContainer = gibUserService.CookieContainer;
66:
67:                 gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, GIBVKN);
68:
69:                 kullaniciMi = gibEFaturaService.efaturaKullanicisi(vergiNo);
70:
71:                 return kullaniciMi;
72:             }
73:             catch (System.Exception ex)
74:             {
75:                 return false;
76:             }
77:             finally
78:             {
79:                 gibUserService.logout();
80:             }
81:         }
82:
83:         /// <summary>
84:         /// Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan
metottur
85:         /// </summary>
86:         /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
87:         /// <param name="dosyaAdi">Dosya Adi bilgisi</param>
88:         /// <returns>Islem Sonucu (Buradan dönen deger gerekli yerlerde kontrol edilip
ona göre kullaniciya bilgi verilmektedir.)</returns>
89:         public static string EFaturaGonder(GidenFaturaDTO gidenFatura, string dosyaAdi)
90:         {
91:             try
92:             {
93:                 gibUserService = new GIBUserService.userService();
94:                 gibEFaturaService = new GIBEFatura.connectorService();
95:
96:                 gibUserService.CookieContainer = new System.Net.CookieContainer();
97:                 gibEFaturaService.CookieContainer = gibUserService.CookieContainer;
98:
99:                 gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, GIBVKN);
100:
101:                var parametreler = new GIBEFatura.gidenBelgeParametreleri();
102:                parametreler.vergiTcKimlikNo = "3250566851";
103:                parametreler.belgeTuru = "FATURA_UBL";
104:                parametreler.belgeNo = gidenFatura.GidenFaturaId;
105:                parametreler.belgeVersiyon = "1.0";
106:                parametreler.veri = System.IO.File.ReadAllBytes(dosyaAdi);
107:                parametreler.belgeHash = GetMD5Hash(parametreler.veri);
108:                parametreler.mimeType = "application/xml";
109:                parametreler.erpKodu = GIBERPKodu;
110:
111:                return gibEFaturaService.belgeGonderExt(parametreler);
112:            }
113:            catch (System.Exception ex)
114:            {
115:                return MesajSabitler.IslemBasarisiz;
116:            }
117:            finally
118:            {
119:                gibUserService.logout();
120:            }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
121:         }
122:
123:         /// <summary>
124:         /// Olusturulan XML dosyasinin QNB Finans Tarafinda Önizlemesinin yapilmasini
saglayan metottur
125:         /// Eger Belge Oid numarasi varsa XML dosyasini göndermez, bu numarayla
sistemdeki çikti alinir.
126:         /// Yoksa XML dosyasi gönderilir, Mali Degeri Yoktur yazan bir filigranla yine
XML üzerindeki
127:         /// Yapi üzerinden PDF çiktisi alinicak sekilde veri döner
128:         /// </summary>
129:         /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
130:         /// <param name="dosyaAdi">Dosya Adi bilgisi</param>
131:         /// <returns>PDF veya ZIP olarak alinacak dosyanin Byte dizisi hali</returns>
132:         public static GeriDonus EFaturaOnIzleme(GidenFaturaDTO gidenFatura, string
dosyaAdi)
133:         {
134:             try
135:             {
136:                 gibUserService = new GIBUserService.userService();
137:                 gibEFaturaService = new GIBEFatura.connectorService();
138:
139:                 gibUserService.CookieContainer = new System.Net.CookieContainer();
140:                 gibEFaturaService.CookieContainer = gibUserService.CookieContainer;
141:
142:                 gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, GIBVKN);
143:
144:                 string vergiTcKimlikNo = "3250566851";
145:                 if (!File.Exists(dosyaAdi))
146:                 {
147:                     return null;
148:                 }
149:                 byte[] veri = System.IO.File.ReadAllBytes(dosyaAdi);
150:                 string belgeFormati = "PDF";  //HTML, PDF, UBL
151:                 string belgeTuru = "FATURA"; //EFATURA ve EIRSALIYE degerleri alabilir.
152:
153:                 byte[] onizleme = new byte[1];
154:
155:                 var geriDonus = new GeriDonus
156:                 {
157:                     Dosya = onizleme,
158:                     Tip = 0
159:                 };
160:
161:                 if (!string.IsNullOrEmpty(gidenFatura.BelgeOid))
162:                 {
163:                     var idListesi = new string[1];
164:                     idListesi[0] = gidenFatura.BelgeOid;
165:                     onizleme = gibEFaturaService.gidenBelgeleriIndir(vergiTcKimlikNo,
idListesi, belgeTuru, belgeFormati);
166:                     geriDonus.Dosya = onizleme;
167:                     geriDonus.Tip = 1;
168:                 }
169:                 else
170:                 {
171:                     onizleme = gibEFaturaService.ublOnizleme(vergiTcKimlikNo, veri,
belgeFormati, belgeTuru);
172:                     geriDonus.Dosya = onizleme;
173:                     geriDonus.Tip = 0;
174:                 }
175:
176:                 return geriDonus;
177:             }
178:             catch (System.Exception ex)
179:             {
180:                 return null;
181:             }
182:             finally
183:             {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
184:                 gibUserService.logout();
185:             }
186:         }
187:
188:         /// <summary>
189:         /// Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan
metottur
190:         /// </summary>
191:         /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
192:         /// <param name="dosyaAdi">Dosya Adi bilgisi</param>
193:         /// <returns></returns>
194:         public static string EArsivGonder(GidenFaturaDTO gidenFatura, string dosyaAdi)
195:         {
196:             try
197:             {
198:                 gibUserService = new GIBUserService.userService();
199:                 gibEArsivService = new GIBEArsiv.EarsivWebService();
200:
201:                 gibUserService.CookieContainer = new System.Net.CookieContainer();
202:                 gibEArsivService.CookieContainer = gibUserService.CookieContainer;
203:
204:                 gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, GIBVKN);
205:
206:                 string input = "{\"islemId\":\"" + gidenFatura.GidenFaturaId +
"\",\"vkn\":\"3250566851\",\"sube\":\"DFLT\",\"kasa\":\"DFLT\",\"erpKodu\":\"TSF30125\",\"do
nenBelgeFormati\":\"9\"}";
207:
208:                 var belgeTemp = new GIBEArsiv.belge();
209:                 belgeTemp.belgeFormati = GIBEArsiv.belgeFormatiEnum.UBL;
210:                 belgeTemp.belgeFormatiSpecified = true;
211:                 belgeTemp.belgeIcerigi = System.IO.File.ReadAllBytes(dosyaAdi);
212:                 GIBEArsiv.earsivServiceResult serviceResult = new
GIBEArsiv.earsivServiceResult();
213:                 var belge = gibEArsivService.faturaOlustur(input, belgeTemp, out
serviceResult);
214:
215:                 if (serviceResult.resultCode != "AE00000")
216:                     return MesajSabitler.IslemBasarisiz;
217:                 else
218:                     return MesajSabitler.IslemBasarili;
219:             }
220:             catch (System.Exception ex)
221:             {
222:                 return MesajSabitler.IslemBasarisiz;
223:             }
224:             finally
225:             {
226:                 gibUserService.logout();
227:             }
228:         }
229:
230:         /// <summary>
231:         /// Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan
metottur
232:         /// Burada da E-Faturada oldugu gibi önce Fatura Id bilgisi ile gönderip
233:         /// Bir sonuç gelmezse hazirlanan XML dosyasi gönderilip çikti alinmaya
çalisilmaktadir
234:         /// </summary>
235:         /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
236:         /// <param name="dosyaAdi">Dosya Adi bilgisi</param>
237:         /// <returns>PDF olarak çiktisi alinacak dosyanin byte dizisi hali</returns>
238:         public static byte[] EArsivOnIzleme(GidenFaturaDTO gidenFatura, string
dosyaAdi)
239:         {
240:             try
241:             {
242:                 gibUserService = new GIBUserService.userService();
243:                 gibEArsivService = new GIBEArsiv.EarsivWebService();
244:
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
245:                    gibUserService.CookieContainer = new System.Net.CookieContainer();
246:                    gibEArsivService.CookieContainer = gibUserService.CookieContainer;
247:
248:                    gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, GIBVKN);
249:
250:                    // Burada VKN ve ERP Kodu önemlidir
251:                    string input = "{\"islemId\":\"" + gidenFatura.GidenFaturaId.ToUpper()
+ "\",\"faturaUuid\":\"" + gidenFatura.GidenFaturaId.ToUpper() +
"\",\"vkn\":\"3250566851\",\"sube\":\"DFLT\",\"kasa\":\"DFLT\",\"erpKodu\":\"TSF30125\",\"do
nenBelgeFormati\":\"3\"}";
// Buradaki 3 PDF
252:
253:                    var belgeTemp = new GIBEArsiv.belge();
254:                    belgeTemp.belgeFormati = GIBEArsiv.belgeFormatiEnum.UBL;
255:                    belgeTemp.belgeFormatiSpecified = true;
256:                    belgeTemp.belgeIcerigi = System.IO.File.ReadAllBytes(dosyaAdi);
257:
258:                    GIBEArsiv.earsivServiceResult serviceResult = new
GIBEArsiv.earsivServiceResult();
259:                    var temp = gibEArsivService.faturaSorgula(input, out serviceResult);
260:                    if (temp != null)
261:                        return temp.belgeIcerigi;
262:                    else
263:                    {
264:                        temp = gibEArsivService.faturaOnizleme(input, belgeTemp, out
serviceResult);
265:                        if (temp != null)
266:                            return temp.belgeIcerigi;
267:                        else
268:                            return null;
269:                    }
270:                }
271:                catch (System.Exception ex)
272:                {
273:                    return null;
274:                }
275:                finally
276:                {
277:                    gibUserService.logout();
278:                }
279:            }
280:
281:            /// <summary>
282:            /// Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan
metottur
283:            /// </summary>
284:            /// <param name="mustahsilMakbuzu">Müstahsil Makbuzu Bilgisi</param>
285:            /// <param name="dosyaAdi">Dosya Adi bilgisi</param>
286:            /// <returns></returns>
287:            public static string EMustahsilGonder(MustahsilMakbuzuDTO mustahsilMakbuzu,
string dosyaAdi)
288:            {
289:                try
290:                {
291:                    gibUserService = new GIBUserService.userService();
292:                    gibEMustahsilService = new GIBEMustahsil.MustahsilWebService();
293:
294:                    gibUserService.CookieContainer = new System.Net.CookieContainer();
295:                    gibEMustahsilService.CookieContainer = gibUserService.CookieContainer;
296:
297:                    gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, "tr");
298:
299:                    string input = "{\"islemId\":\"" + mustahsilMakbuzu.MustahsilMakbuzuId
+ "\",\"vkn\":\"3250566851\",\"sube\":\"DFLT\",\"kasa\":\"DFLT\"}";
300:
301:                    var belgeTemp = new GIBEMustahsil.belge();
302:                    belgeTemp.belgeFormati = GIBEMustahsil.belgeFormatiEnum.UBL;
303:                    belgeTemp.belgeFormatiSpecified = true;
304:                    belgeTemp.belgeIcerigi = System.IO.File.ReadAllBytes(dosyaAdi);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
305:                 GIBEMustahsil.earsivServiceResult serviceResult = new
GIBEMustahsil.earsivServiceResult();
306:                 var belge = gibEMustahsilService.mustahsilMakbuzOlustur(input,
belgeTemp, out serviceResult);
307:
308:                 if (serviceResult.resultCode != "AE00000")
309:                     return MesajSabitler.IslemBasarisiz;
310:                 else
311:                     return MesajSabitler.IslemBasarili;
312:             }
313:             catch (System.Exception ex)
314:             {
315:                 return MesajSabitler.IslemBasarisiz;
316:             }
317:             finally
318:             {
319:                 gibUserService.logout();
320:             }
321:         }
322:
323:         /// <summary>
324:         /// Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan
metottur
325:         /// Burada da E-Faturada oldugu gibi önce Fatura Id bilgisi ile gönderip
326:         /// Bir sonuç gelmezse hazirlanan XML dosyasi gönderilip çikti alinmaya
çalisilmaktadir
327:         /// </summary>
328:         /// <param name="mustahsilMakbuzu">Müstahsil Makbuzu Bilgisi</param>
329:         /// <param name="dosyaAdi">Dosya Adi bilgisi</param>
330:         /// <returns>PDF olarak çiktisi alinacak dosyanin byte dizisi hali</returns>
331:         public static byte[] EMustahsilOnIzleme(MustahsilMakbuzuDTO mustahsilMakbuzu,
string dosyaAdi)
332:         {
333:             try
334:             {
335:                 gibUserService = new GIBUserService.userService();
336:                 gibEMustahsilService = new GIBEMustahsil.MustahsilWebService();
337:
338:                 gibUserService.CookieContainer = new System.Net.CookieContainer();
339:                 gibEMustahsilService.CookieContainer = gibUserService.CookieContainer;
340:
341:                 gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, "tr");
342:
343:                 // Burada VKN ve ERP Kodu önemlidir
344:                 string input = "{\"islemId\":\"" +
mustahsilMakbuzu.MustahsilMakbuzuId.ToUpper() + "\",\"uuid\":\"" +
mustahsilMakbuzu.MustahsilMakbuzuId.ToUpper() +
"\",\"vkn\":\"3250566851\",\"sube\":\"DFLT\",\"kasa\":\"DFLT\",\"erpKodu\":\"TSF30125\",\"do
nenBelgeFormati\":\"3\"}";
// Buradaki 3 PDF
345:
346:                 var belgeTemp = new GIBEMustahsil.belge();
347:                 belgeTemp.belgeFormati = GIBEMustahsil.belgeFormatiEnum.UBL;
348:                 belgeTemp.belgeFormatiSpecified = true;
349:                 belgeTemp.belgeIcerigi = System.IO.File.ReadAllBytes(dosyaAdi);
350:
351:                 GIBEMustahsil.earsivServiceResult serviceResult = new
GIBEMustahsil.earsivServiceResult();
352:                 var temp = gibEMustahsilService.mustahsilMakbuzSorgula(input, out
serviceResult);
353:                 if (temp != null)
354:                     return temp.belgeIcerigi;
355:                 else
356:                 {
357:                     temp = gibEMustahsilService.mustahsilMakbuzOnizleme(input,
belgeTemp, out serviceResult);
358:                     if (temp != null)
359:                         return temp.belgeIcerigi;
360:                     else
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
                        return null;
                    }
                }
                catch (System.Exception ex)
                {
                    return null;
                }
                finally
                {
                    gibUserService.logout();
                }
            }

            /// <summary>
            /// Dosyanin MD5 hashi alinmasi için yazilan metottur
            /// </summary>
            /// <param name="gelen">Girdi Bilgisi</param>
            /// <returns>Metnin veya girdinin MD5 hashlenmis hali</returns>
            public static string GetMD5Hash(byte[] gelen)
            {
                MD5 md5Hash = new MD5CryptoServiceProvider();
                byte[] data = md5Hash.ComputeHash(gelen);
                StringBuilder sBuilder = new StringBuilder();

                for (int i = 0; i < data.Length; i++)
                {
                    sBuilder.Append(data[i].ToString("x2"));
                }

                return sBuilder.ToString();
            }

            #endregion QNB GIB
        }
    }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.3 Enums.cs

This is file Enums.cs.

Body Source

```
?namespace QNBFinansGIB.Utils
{
    /// <summary>
    /// Satis Türü Bilgilerinin Bulundugu Enum sinifi
    /// </summary>
    public static class Enums
    {
        /// <summary>
        /// Faturadaki Satis Türlerinin Kodlarinin Bulundugu enum bilgisi
        /// Burada Ihraç Kayitli ise XML içerisinde bazi yapisal degisiklikler gerçeklestirildigi için
        /// Bu konu önemlidir.
        /// </summary>
        public enum SatisTur
        {
            Vadeli = 1,
            Hesaben = 2,
            Pesin = 3,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
18:             TeskilataVerilen = 4,
19:             TeslimattaVadeli = 5,
20:             CiftciyeVerilen = 6,
21:             IstirakeSatilan = 7,
22:             PersoneleSatilan = 8,
23:             ImalatciIhracatci = 9,
24:             IhracKayitli = 10,
25:             IstirakeSatilanRezervli = 11,
26:             RafFiyatGarantili = 12
27:         }
28:
29:         /// <summary>
30:         /// Faturada Türlerinin Kodlarinin Bulundugu enum bilgisi
31:         /// Burada Iade faturasi ise XML içerisinde bazi yapisal degisiklikler
gerçeklestirildigi için
32:         /// Bu konu önemlidir.
33:         /// </summary>
34:         public enum FaturaTur
35:         {
36:             Muhtelif = 1,
37:             Kantin = 2,
38:             Ambar = 3,
39:             Satis = 4,
40:             Iade = 5,
41:             Fark = 6,
42:             Personel = 7,
43:             Proforma = 8,
44:             NoterlikMakbuzu = 9,
45:             Harcirah = 10
46:         }
47:
48:         /// <summary>
49:         /// Istisna Faturalarindave Müstahsil Makbuzlarinda Grup Türüne Göre Kontrol
yapilmasini saglayan enum Bilgisi
50:         /// Burada Küspe olup olmamasina göre XML içeriginde degisiklikler yapildigi
için
51:         /// Bu kisim önemlidir
52:         /// </summary>
53:         public enum FaturaMakbuzGrupTur
54:         {
55:             Seker = 1,
56:             Melas = 2,
57:             Kuspe = 3,
58:             Diger = 4,
59:             Malzeme = 5,
60:             PancarKuyrugu = 6,
61:             Alkol = 7,
62:             Personel = 8
63:         }
64:     }
65: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.4 FaturaKdvDTO.cs

This is file FaturaKdvDTO.cs.

Body Source

```
1: ?namespace QNBFinansGIB.DTO
2: {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
    /// <summary>
    /// Fatura Detaylarinda Farkli Tür KDV Oranlari Kullanilmissa
    /// Çikti tarafinda (XML)
    /// TaxTotal kisminda bu bilgilerin ayri ayri gösterilmesi için hazirlanan nesnedir
    /// </summary>
    public class FaturaKdvDTO
    {
        /// <summary>
        /// KDV Oran Bilgisi
        /// </summary>
        public decimal? KdvOran;

        /// <summary>
        /// KDV Tutari Bilgisi
        /// </summary>
        public decimal? KdvTutari;

        /// <summary>
        /// KDV Hariç Tutar Bilgisi
        /// </summary>
        public decimal? KdvHaricTutar;
    }
}
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.5 FormAnaSayfa.cs

This is file FormAnaSayfa.cs.

Body Source

```
?using QNBFinansGIB.DTO;
using QNBFinansGIB.Utils;
using System;
using System.Collections.Generic;
using System.IO;
using System.Linq;
using System.Windows.Forms;
using static QNBFinansGIB.Utils.Enums;

namespace QNBFinansGIB
{
    /// <summary>
    /// QNB Finans GIB Servisi için veri hazirlanan ve servisin test edildigi metotlar
içeren
    /// Form sinifidir
    /// </summary>
    public partial class frmAnaSayfa : Form
    {
        #region Sabit Elemanlar
        /// <summary>
        /// Giden Fatura Listesi
        /// </summary>
        public List<GidenFaturaDTO> gidenFaturaListesi = new List<GidenFaturaDTO>();
        /// <summary>
        /// Giden Fatura Detay Listesi
        /// </summary>
        public List<GidenFaturaDetayDTO> gidenFaturaDetayListesi = new
List<GidenFaturaDetayDTO>();
        /// <summary>
        /// Müstahsil Makbuzu Listesi
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
 29:         /// </summary>
 30:         public List<MustahsilMakbuzuDTO> mustahsilMakbuzuListesi = new
List<MustahsilMakbuzuDTO>();
 31:         /// <summary>
 32:         /// Müstahsil Makbuzu Detay Listesi
 33:         /// </summary>
 34:         public List<MustahsilMakbuzuDetayDTO> mustahsilMakbuzuDetayListesi = new
List<MustahsilMakbuzuDetayDTO>();
 35:         #endregion
 36:
 37:         public frmAnaSayfa()
 38:         {
 39:             InitializeComponent();
 40:         }
 41:
 42:         /// <summary>
 43:         /// Burada Form görüntülenirken
 44:         /// Kendi hazirladigimiz Giden Fatura ve Detaylarinin olusturup listeye
atiyoruz ki
 45:         /// Buradan sonra butonlara tiklandiginda
 46:         /// Bu listeler üzerinden kolayca islem yapilabilsin
 47:         /// </summary>
 48:         /// <param name="sender"></param>
 49:         /// <param name="e"></param>
 50:         private void FormAnaSayfa_Shown(object sender, EventArgs e)
 51:         {
 52:             #region Ilk Verilerin Hazirlanmasi
 53:
 54:             #region Giden Faturalar
 55:             #region Giden Faturalari Ekleme
 56:             var gidenFatura = new GidenFaturaDTO
 57:             {
 58:                 GidenFaturaId = "1",
 59:                 AltBirimAd = "  A Birimi    ",
 60:                 TuzelKisiAd = "Deneme Sirketi - 1",
 61:                 VergiNo = "53602329864",
 62:                 VergiDairesi = "ANKARA",
 63:                 Adres = "Kizilay Gima'nin Önü",
 64:                 FaksNo = "03121111111",
 65:                 BankaAd = "Türkiye Is Bankasi",
 66:                 BankaSube = "Kizilay",
 67:                 IbanNo = "TR130006297372542652383131",
 68:                 DuzenlemeTarihi = new DateTime(2022, 1, 13),
 69:                 IlAd = "Ankara",
 70:                 IlceAd = "Çankaya",
 71:                 SatisTuruKod = SatisTur.Hesaben.GetHashCode(),
 72:                 FaturaGrupTuruKod = FaturaMakbuzGrupTur.Diger.GetHashCode(),
 73:                 GibNumarasi = "MLT2022000010998",
 74:                 KdvHaricTutar = 0,
 75:                 KdvTutari = 0,
 76:                 FaturaTutari = 0,
 77:                 Aciklama = "Denem amaçli eklenmistir",
 78:             };
 79:             gidenFaturaListesi.Add(gidenFatura);
 80:
 81:             gidenFatura = new GidenFaturaDTO
 82:             {
 83:                 GidenFaturaId = "2",
 84:                 AltBirimAd = "B Birimi    ",
 85:                 TuzelKisiAd = "  Deneme Sirketi - 2",
 86:                 VergiNo = "9250936109",
 87:                 VergiDairesi = "ANKARA",
 88:                 Adres = "Kizilay YKM",
 89:                 FaksNo = "03121111112",
 90:                 BankaAd = "Vakiflar Bankasi",
 91:                 BankaSube = "Kizilay",
 92:                 IbanNo = "TR530006291586775935345942",
 93:                 DuzenlemeTarihi = new DateTime(2022, 1, 1),
 94:                 IlAd = "Ankara",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
                IlceAd = "Etimesgut",
                SatisTuruKod = SatisTur.Pesin.GetHashCode(),
                FaturaGrupTuruKod = FaturaMakbuzGrupTur.Malzeme.GetHashCode(),
                FaturaTuruKod = FaturaTur.Iade.GetHashCode(),
                GibNumarasi = "MLT2022000099999",
                KdvHaricTutar = 0,
                KdvTutari = 0,
                FaturaTutari = 0,
            };
            gidenFaturaListesi.Add(gidenFatura);

            gidenFatura = new GidenFaturaDTO
            {
                GidenFaturaId = "3",
                AltBirimAd = "B Birimi    ",
                TuzelKisiAd = "  Deneme Sirketi - 3",
                VergiNo = "5240018140",
                VergiDairesi = "ANKARA",
                Adres = "Zafer Çarsisi",
                FaksNo = "03121111113",
                BankaAd = "Vakif Katilim Bankasi",
                BankaSube = "Kizilay",
                IbanNo = "TR830006214925976839299642",
                DuzenlemeTarihi = new DateTime(2022, 1, 11),
                IlAd = "Ankara",
                IlceAd = "Etimesgut",
                SatisTuruKod = SatisTur.ImalatciIhracatci.GetHashCode(),
                FaturaTuruKod = FaturaTur.Iade.GetHashCode(),
                GibNumarasi = "KST2022000009999",
                KdvHaricTutar = 0,
                KdvTutari = 0,
                FaturaTutari = 0,
            };
            gidenFaturaListesi.Add(gidenFatura);

            gidenFatura = new GidenFaturaDTO
            {
                GidenFaturaId = "4",
                AltBirimAd = "B Birimi    ",
                TuzelKisiAd = "Deneme Sirketi - 4",
                VergiNo = "6940116151",
                VergiDairesi = "ANKARA",
                Adres = "Göksu Parki",
                FaksNo = "03121111114",
                BankaAd = "Kuveyt Tür",
                BankaSube = "Kizilay",
                IbanNo = "TR350006267645192879857714",
                DuzenlemeTarihi = new DateTime(2022, 1, 31),
                IlAd = "Ankara",
                IlceAd = "Çubuk",
                SatisTuruKod = SatisTur.IhracKayitli.GetHashCode(),
                FaturaGrupTuruKod = FaturaMakbuzGrupTur.Personel.GetHashCode(),
                GibNumarasi = "ILG202200009999",
                KdvHaricTutar = 0,
                KdvTutari = 0,
                FaturaTutari = 0,
            };
            gidenFaturaListesi.Add(gidenFatura);

            gidenFatura = new GidenFaturaDTO
            {
                GidenFaturaId = "5",
                AltBirimAd = "B Birimi    ",
                TuzelKisiAd = "Deneme Sirketi - 3",
                VergiNo = "20101516422",
                VergiDairesi = "ANKARA",
                Adres = "Dost'un Önü",
                FaksNo = "03121111113",
                BankaAd = "Enpara.Com Bankadan Güzeli",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
                BankaSube = "Karakusunlar Sube",
                IbanNo = "TR630006295412435711171488",
                DuzenlemeTarihi = new DateTime(2022, 2, 1),
                IlAd = "Ankara",
                IlceAd = "Pursaklar",
                SatisTuruKod = SatisTur.Vadeli.GetHashCode(),
                GibNumarasi = "SUS2022000999999",
                KdvHaricTutar = 0,
                KdvTutari = 0,
                FaturaTutari = 0,
            };
            gidenFaturaListesi.Add(gidenFatura);

            gidenFatura = new GidenFaturaDTO
            {
                GidenFaturaId = "6",
                AltBirimAd = "B Birimi    ",
                GercekKisiTcKimlikNo = "52270709114",
                GercekKisiAd = "Adnan",
                GercekKisiSoyad = "Senses",
                CepTelefonNo = "05555555555",
                EPostaAdresi = "adnansenses@mynet.com",
                IkametgahAdresi = "Dost'un Önü",
                BankaAd = "Halkbank",
                BankaSube = "Etimesgut Sube",
                IbanNo = "TR540006234114125194267726",
                DuzenlemeTarihi = new DateTime(2022, 2, 2),
                IlAd = "Konya",
                IlceAd = "Beysehir",
                SatisTuruKod = SatisTur.RafFiyatGarantili.GetHashCode(),
                GibNumarasi = "YZG2022000999999",
                KdvHaricTutar = 0,
                KdvTutari = 0,
                FaturaTutari = 0,
            };
            gidenFaturaListesi.Add(gidenFatura);

            gidenFatura = new GidenFaturaDTO
            {
                GidenFaturaId = "7",
                AltBirimAd = "B Birimi    ",
                GercekKisiTcKimlikNo = "20077290692",
                GercekKisiAd = "Mehmet Emin",
                GercekKisiSoyad = "Akdeniz",
                CepTelefonNo = "05555555554",
                EPostaAdresi = "memo@yahoo.com",
                IkametgahAdresi = "Fiskiyenin orasi",
                BankaAd = "Bank Mellat",
                BankaSube = "Yenimahalle Sube",
                IbanNo = "TR410006276748779926367358",
                DuzenlemeTarihi = new DateTime(2022, 1, 25),
                IlAd = "Agri",
                IlceAd = "Patnos",
                SatisTuruKod = SatisTur.IstirakeSatilan.GetHashCode(),
                GibNumarasi = "AGR2022000999999",
                KdvHaricTutar = 0,
                KdvTutari = 0,
                FaturaTutari = 0,
            };
            gidenFaturaListesi.Add(gidenFatura);
            #endregion

            #region Giden Fatura Detaylari Ekleme

            var gidenFaturaDetay = new GidenFaturaDetayDTO
            {
                GidenFaturaId = "7",
                BirimFiyat = (decimal)0.1234,
                Miktar = 1000,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
                KdvOran = 0,
                IskontoOran = 0,
                KdvHaricTutar = 1234,
                KdvTutari = 0,
                GibKisaltma = "KGM",
                IrsaliyeNo = "1",
                MalzemeFaturaAciklamasi = "Ofis demirbasi için alindi",
                SevkIrsaliyeTarihi = new DateTime(2022, 1, 1),
                SevkIrsaliyesiNo = "34",
                PlakaNo = "06GUC777",
                FaturaUrunTuru = "Dizüstü Bilgisayar",
                Tonaj = 1,
                YuklemeFormuNo = 1234
            };
            gidenFaturaDetayListesi.Add(gidenFaturaDetay);

            gidenFaturaDetay = new GidenFaturaDetayDTO
            {
                GidenFaturaId = "7",
                BirimFiyat = (decimal)0.1,
                Miktar = 10000,
                KdvOran = 18,
                IskontoOran = 0,
                KdvHaricTutar = 1000,
                KdvTutari = 180,
                GibKisaltma = "KWT",
                IrsaliyeNo = "1",
                MalzemeFaturaAciklamasi = "Ofis demirbasi 2 için alindi",
                SevkIrsaliyeTarihi = new DateTime(2022, 1, 1),
                SevkIrsaliyesiNo = "34",
                PlakaNo = "06GUC778",
                FaturaUrunTuru = "Priz",
                Tonaj = 1,
                YuklemeFormuNo = 1236
            };
            gidenFaturaDetayListesi.Add(gidenFaturaDetay);

            gidenFaturaDetay = new GidenFaturaDetayDTO
            {
                GidenFaturaId = "7",
                BirimFiyat = (decimal)0.1234,
                Miktar = 1000,
                KdvOran = 1,
                IskontoOran = 0,
                KdvHaricTutar = 1234,
                KdvTutari = (decimal)12.34,
                GibKisaltma = "MTR",
                PlakaNo = "06GC7447",
                FaturaUrunTuru = "Çubuk Mikrofon",
            };
            gidenFaturaDetayListesi.Add(gidenFaturaDetay);

            gidenFaturaDetay = new GidenFaturaDetayDTO
            {
                GidenFaturaId = "2",
                BirimFiyat = (decimal)0.1234,
                Miktar = 1000,
                KdvOran = 1,
                IskontoOran = 0,
                KdvHaricTutar = 1234,
                KdvTutari = (decimal)12.34,
                GibKisaltma = "KWT",
                PlakaNo = "06GC7447",
                FaturaUrunTuru = "Çubuk Mikrofon",
            };
            gidenFaturaDetayListesi.Add(gidenFaturaDetay);

            gidenFaturaDetay = new GidenFaturaDetayDTO
            {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
                GidenFaturaId = "3",
                BirimFiyat = (decimal)0.124,
                Miktar = 5000,
                KdvOran = 8,
                IskontoOran = 0,
                KdvHaricTutar = 6020,
                KdvTutari = (decimal)481.6,
                GibKisaltma = "MON",
                PlakaNo = "06J1234",
                FaturaUrunTuru = "Mouse",
            };
            gidenFaturaDetayListesi.Add(gidenFaturaDetay);

            gidenFaturaDetay = new GidenFaturaDetayDTO
            {
                GidenFaturaId = "1",
                BirimFiyat = 500,
                Miktar = 120,
                KdvOran = 18,
                IskontoOran = 0,
                KdvHaricTutar = 60000,
                KdvTutari = 12800,
                GibKisaltma = "LTR",
                PlakaNo = "06C99876",
                FaturaUrunTuru = "Sartname Bedeli",
            };
            gidenFaturaDetayListesi.Add(gidenFaturaDetay);

            #endregion

            #region Giden Fatura Toplamlari Hesaplama ve Olmayanlara Ekleme

            foreach (var item in gidenFaturaListesi)
            {
                if (gidenFaturaDetayListesi.Any(j => j.GidenFaturaId == item.GidenFaturaId))
                {
                    var gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi.Where(j => j.GidenFaturaId == item.GidenFaturaId).ToList();
                    item.KdvHaricTutar = gidenFaturaDetayListesiTemp.Sum(j => j.KdvHaricTutar);
                    item.KdvTutari = gidenFaturaDetayListesiTemp.Sum(j => j.KdvTutari);
                    item.FaturaTutari = item.KdvHaricTutar + item.KdvTutari;
                }
                else
                {
                    gidenFaturaDetay = new GidenFaturaDetayDTO
                    {
                        GidenFaturaId = item.GidenFaturaId,
                        BirimFiyat = (decimal)1.5,
                        Miktar = 1000,
                        KdvOran = 0,
                        IskontoOran = 0,
                        KdvHaricTutar = 1500,
                        KdvTutari = 0,
                        GibKisaltma = "MTR",
                        FaturaUrunTuru = "Deneme " + item.GidenFaturaId,
                    };
                    item.KdvHaricTutar = gidenFaturaDetay.KdvHaricTutar;
                    item.KdvTutari = gidenFaturaDetay.KdvTutari;
                    item.FaturaTutari = item.KdvHaricTutar + item.KdvTutari;
                    gidenFaturaDetayListesi.Add(gidenFaturaDetay);
                }
            }

            #endregion
            #endregion

            #region Müstahsil Makbuzlar
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
368:                #region Müstahsil Makbuzlari Ekleme
369:                var mustahsilMakbuzu = new MustahsilMakbuzuDTO
370:                {
371:                    MustahsilMakbuzuId = "1",
372:                    AltBirimAd = "A Birimi",
373:                    TuzelKisiAd = "Deneme Sirketi - 1",
374:                    VergiNo = "53602329864",
375:                    VergiDairesi = "ANKARA",
376:                    Adres = "Kizilay Gima'nin Önü",
377:                    FaksNo = "03121111111",
378:                    BankaAd = "Türkiye Is Bankasi",
379:                    BankaSube = "Kizilay",
380:                    IbanNo = "TR130006297372542652383131",
381:                    MustahsilMakbuzuTarihi = new DateTime(2022, 2, 13),
382:                    IlAd = "Ankara",
383:                    IlceAd = "Çankaya",
384:                    MustahsilMakbuzuNo = "MLT2022000010998",
385:                    MakbuzGrupTuruKod = FaturaMakbuzGrupTur.Kuspe.GetHashCode(),
386:                    NetTutar = 0,
387:                    GelirVergisi = 0,
388:                    MustahsilMakbuzuTutari = 0,
389:                };
390:                mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
391:
392:                mustahsilMakbuzu = new MustahsilMakbuzuDTO
393:                {
394:                    MustahsilMakbuzuId = "2",
395:                    AltBirimAd = "B Birimi",
396:                    TuzelKisiAd = "Deneme Sirketi - 2",
397:                    VergiNo = "9250936109",
398:                    VergiDairesi = "ANKARA",
399:                    Adres = "Kizilay YKM",
400:                    FaksNo = "03121111112",
401:                    BankaAd = "Vakiflar Bankasi",
402:                    BankaSube = "Kizilay",
403:                    IbanNo = "TR530006291586775935345942",
404:                    MustahsilMakbuzuTarihi = new DateTime(2022, 2, 1),
405:                    IlAd = "Ankara",
406:                    IlceAd = "Etimesgut",
407:                    MustahsilMakbuzuNo = "MLT2022000099999",
408:                    MakbuzGrupTuruKod = FaturaMakbuzGrupTur.Personel.GetHashCode(),
409:                    NetTutar = 0,
410:                    GelirVergisi = 0,
411:                    MustahsilMakbuzuTutari = 0,
412:                };
413:                mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
414:
415:                mustahsilMakbuzu = new MustahsilMakbuzuDTO
416:                {
417:                    MustahsilMakbuzuId = "3",
418:                    TuzelKisiAd = "Deneme Sirketi - 3",
419:                    VergiNo = "5240018140",
420:                    VergiDairesi = "ANKARA",
421:                    Adres = "Zafer Çarsisi",
422:                    FaksNo = "03121111113",
423:                    BankaAd = "Vakif Katilim Bankasi",
424:                    BankaSube = "Kizilay",
425:                    IbanNo = "TR830006214925976839299642",
426:                    MustahsilMakbuzuTarihi = new DateTime(2022, 2, 11),
427:                    IlAd = "Ankara",
428:                    IlceAd = "Etimesgut",
429:                    MustahsilMakbuzuNo = "KST2022000009999",
430:                    NetTutar = 0,
431:                    GelirVergisi = 0,
432:                    MustahsilMakbuzuTutari = 0,
433:                };
434:                mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
435:
436:                mustahsilMakbuzu = new MustahsilMakbuzuDTO
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
437:                {
438:                    MustahsilMakbuzuId = "4",
439:                    TuzelKisiAd = "Deneme Sirketi - 4",
440:                    VergiNo = "6940116151",
441:                    VergiDairesi = "ANKARA",
442:                    Adres = "Göksu Parki",
443:                    FaksNo = "03121111114",
444:                    BankaAd = "Kuveyt Tür",
445:                    BankaSube = "Kizilay",
446:                    IbanNo = "TR350006267645192879857714",
447:                    MustahsilMakbuzuTarihi = new DateTime(2022, 2, 3),
448:                    IlAd = "Ankara",
449:                    IlceAd = "Çubuk",
450:                    MustahsilMakbuzuNo = "ILG202200009999",
451:                    NetTutar = 0,
452:                    GelirVergisi = 0,
453:                    MustahsilMakbuzuTutari = 0,
454:                };
455:                mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
456:
457:                mustahsilMakbuzu = new MustahsilMakbuzuDTO
458:                {
459:                    MustahsilMakbuzuId = "5",
460:                    TuzelKisiAd = "Deneme Sirketi - 3",
461:                    VergiNo = "20101516422",
462:                    VergiDairesi = "ANKARA",
463:                    Adres = "Dost'un Önü",
464:                    FaksNo = "03121111113",
465:                    BankaAd = "Enpara.Com Bankadan Güzeli",
466:                    BankaSube = "Karakusunlar Sube",
467:                    IbanNo = "TR630006295412435711171488",
468:                    MustahsilMakbuzuTarihi = new DateTime(2022, 2, 1),
469:                    IlAd = "Ankara",
470:                    IlceAd = "Pursaklar",
471:                    MustahsilMakbuzuNo = "SUS2022000999999",
472:                    NetTutar = 0,
473:                    GelirVergisi = 0,
474:                    MustahsilMakbuzuTutari = 0,
475:                };
476:                mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
477:
478:                mustahsilMakbuzu = new MustahsilMakbuzuDTO
479:                {
480:                    MustahsilMakbuzuId = "6",
481:                    VergiNo = "52270709114",
482:                    TuzelKisiAd = "Adnan Senses",
483:                    EPostaAdresi = "adnansenses@mynet.com",
484:                    Adres = "Dost'un Önü",
485:                    BankaAd = "Halkbank",
486:                    BankaSube = "Etimesgut Sube",
487:                    IbanNo = "TR540006234114125194267726",
488:                    MustahsilMakbuzuTarihi = new DateTime(2022, 2, 2),
489:                    IlAd = "Konya",
490:                    IlceAd = "Beysehir",
491:                    MustahsilMakbuzuNo = "YZG2022000999999",
492:                    NetTutar = 0,
493:                    GelirVergisi = 0,
494:                    MustahsilMakbuzuTutari = 0,
495:                };
496:                mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
497:
498:                mustahsilMakbuzu = new MustahsilMakbuzuDTO
499:                {
500:                    MustahsilMakbuzuId = "7",
501:                    VergiNo = "20077290692",
502:                    TuzelKisiAd = "Mehmet Emin",
503:                    EPostaAdresi = "memo@yahoo.com",
504:                    BankaAd = "Bank Mellat",
505:                    BankaSube = "Yenimahalle Sube",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
                IbanNo = "TR410006276748779926367358",
                MustahsilMakbuzuTarihi = new DateTime(2022, 1, 25),
                IlAd = "Agri",
                IlceAd = "Patnos",
                MustahsilMakbuzuNo = "AGR2022000999999",
                NetTutar = 0,
                GelirVergisi = 0,
                MustahsilMakbuzuTutari = 0,
            };
            mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
            #endregion

            #region Müstahsil Makbuz Detaylari Ekleme

            var mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
            {
                MustahsilMakbuzuId = "7",
                BirimFiyat = (decimal)0.1234,
                Miktar = 1000,
                NetTutar = 1234,
                GelirVergisi = 0,
                GibKisaltma = "KGM",
                IsinMahiyeti = "Dizüstü Bilgisayar",
            };
            mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);

            mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
            {
                MustahsilMakbuzuId = "7",
                BirimFiyat = (decimal)0.1234,
                Miktar = 1000,
                NetTutar = 1234,
                GelirVergisi = (decimal)12.34,
                ToplamTutar = (decimal)1246.34,
                GibKisaltma = "MTR",
                IsinMahiyeti = "Çubuk Mikrofon",
            };
            mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);

            mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
            {
                MustahsilMakbuzuId = "2",
                BirimFiyat = (decimal)0.1234,
                Miktar = 1000,
                NetTutar = 1234,
                GelirVergisi = (decimal)12.34,
                ToplamTutar = (decimal)1246.34,
                GibKisaltma = "KWT",
                IsinMahiyeti = "Çubuk Mikrofon",
            };
            mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);

            mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
            {
                MustahsilMakbuzuId = "3",
                BirimFiyat = (decimal)0.124,
                Miktar = 5000,
                NetTutar = 6020,
                GelirVergisi = (decimal)481.6,
                ToplamTutar = (decimal)6500.6,
                GibKisaltma = "MON",
                IsinMahiyeti = "Mouse",
            };
            mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);

            mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
            {
                MustahsilMakbuzuId = "1",
                BirimFiyat = 500,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
575:                 Miktar = 120,
576:                 NetTutar = 60000,
577:                 GelirVergisi = 12800,
578:                 ToplamTutar = 72800,
579:                 GibKisaltma = "LTR",
580:                 IsinMahiyeti = "Ayakkabi",
581:             };
582:             mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
583:
584:             #endregion
585:
586:             #region Müstahsil Makbuz Toplamlari Hesaplama ve Olmayanlara Ekleme
587:
588:             foreach (var item in mustahsilMakbuzuListesi)
589:             {
590:                 if (mustahsilMakbuzuDetayListesi.Any(j => j.MustahsilMakbuzuId ==
item.MustahsilMakbuzuId))
591:                 {
592:                     var mustahsilMakbuzuDetayListesiTemp =
mustahsilMakbuzuDetayListesi.Where(j => j.MustahsilMakbuzuId ==
item.MustahsilMakbuzuId).ToList();
593:                     item.NetTutar = mustahsilMakbuzuDetayListesiTemp.Sum(j =>
j.NetTutar);
594:                     item.GelirVergisi = mustahsilMakbuzuDetayListesiTemp.Sum(j =>
j.GelirVergisi);
595:                     item.MustahsilMakbuzuTutari = item.NetTutar + item.GelirVergisi;
596:                 }
597:                 else
598:                 {
599:                     mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
600:                     {
601:                         MustahsilMakbuzuId = item.MustahsilMakbuzuId,
602:                         BirimFiyat = (decimal)1.5,
603:                         Miktar = 1000,
604:                         NetTutar = 1500,
605:                         GelirVergisi = 0,
606:                         ToplamTutar = 1500,
607:                         GibKisaltma = "MTR",
608:                         IsinMahiyeti = "Deneme " + item.MustahsilMakbuzuId,
609:                     };
610:                     item.NetTutar = mustahsilMakbuzuDetay.NetTutar;
611:                     item.GelirVergisi = mustahsilMakbuzuDetay.GelirVergisi;
612:                     item.MustahsilMakbuzuTutari = item.NetTutar + item.GelirVergisi;
613:                     mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
614:                 }
615:             }
616:
617:             #endregion
618:             #endregion
619:
620:             #endregion
621:         }
622:
623:         /// <summary>
624:         /// Form kapandigi zaman ne yapilacagini belirten bir metottur
625:         /// </summary>
626:         /// <param name="sender"></param>
627:         /// <param name="e"></param>
628:         private void frmAnaSayfa_FormClosed(object sender, FormClosedEventArgs e)
629:         {
630:             MessageBox.Show("Programi kullandiginiz için tesekkürler",
MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Information);
631:             Application.Exit();
632:         }
633:
634:         #region E-Fatura ve E-Arsiv Metotlari
635:         /// <summary>
636:         /// Sistemde E-Fatura ve E-Arsiv Servislerine Gönderilecek Formatta
637:         /// Ideal XML dosyalarinin olusturulmasi için XML Olustur Butonuna tiklandigi
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
zaman
        /// Yapilacak islemlerin hazirlandigi metottur.
        /// </summary>
        /// <param name="sender"></param>
        /// <param name="e"></param>
        private void btnXmlOlustur_Click(object sender, EventArgs e)
        {
            using (var dialogKlasorSecimi = new FolderBrowserDialog())
            {
                dialogKlasorSecimi.SelectedPath = Application.StartupPath;
                DialogResult result = dialogKlasorSecimi.ShowDialog();

                if (result == DialogResult.OK &&
!string.IsNullOrWhiteSpace(dialogKlasorSecimi.SelectedPath))
                {
                    var klasorAdi = dialogKlasorSecimi.SelectedPath;
                    // Burada form yüklendigi zaman hazirlanan giden faturalardan
rastgele birinin
                    // ve ona ait detay kayitlarinin seçilmesi saglaniyor
                    var index = new Random().Next(gidenFaturaListesi.Count);
                    var gidenFatura = gidenFaturaListesi[index];
                    var gidenFaturaDetayListesiTemp = new List<GidenFaturaDetayDTO>();
                    if (gidenFaturaDetayListesi.Any(j => j.GidenFaturaId ==
gidenFatura.GidenFaturaId))
                        gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi.Where(j
=> j.GidenFaturaId == gidenFatura.GidenFaturaId).ToList();

                    #region XML Olusturma
                    var dosyaAdi = "";
                    if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
                    {
                        var kullaniciMi =
DisServisler.EFaturaKullanicisiMi(gidenFatura.VergiNo);
                        if (kullaniciMi)
                        {
                            dosyaAdi = YardimciSiniflar.EFaturaXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi);
                        }
                        else
                        {
                            dosyaAdi = YardimciSiniflar.EArsivXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, true);
                        }
                    }
                    else
                    {
                        dosyaAdi = YardimciSiniflar.EArsivXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, false);
                    }

                    MessageBox.Show(dosyaAdi + " adresinde gerekli XML dosyasi
olusturulmustur.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);

                    #endregion
                }
            }
        }

        /// <summary>
        /// Sistemde E-Fatura veya E-Arsive yollansin yollanmasin
        /// Hazirlanan XML dosyalarinin bu sistemlerde nasil görüdügüne dair
        /// Önizleme alinmasini saglayan metottur. Bu önizleme PDF veya ZIP olarak
alinacak
        /// Sorun olsa da olmasa da bir mesaj ile kullanici bilgilendirilecektir.
        /// </summary>
        /// <param name="sender"></param>
        /// <param name="e"></param>
        private void btnGIBOnizleme_Click(object sender, EventArgs e)
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
695:         {
696:             using (var dialogKlasorSecimi = new FolderBrowserDialog())
697:             {
698:                 dialogKlasorSecimi.SelectedPath = Application.StartupPath;
699:                 DialogResult result = dialogKlasorSecimi.ShowDialog();
700:
701:                 if (result == DialogResult.OK &&
!string.IsNullOrWhiteSpace(dialogKlasorSecimi.SelectedPath))
702:                 {
703:                     var klasorAdi = dialogKlasorSecimi.SelectedPath;
704:                     // Burada form yüklendigi zaman hazirlanan giden faturalardan
rastgele birinin
705:                     // ve ona ait detay kayitlarinin seçilmesi saglaniyor
706:                     var index = new Random().Next(gidenFaturaListesi.Count);
707:                     var gidenFatura = gidenFaturaListesi[index];
708:                     var gidenFaturaDetayListesiTemp = new List<GidenFaturaDetayDTO>();
709:                     if (gidenFaturaDetayListesi.Any(j => j.GidenFaturaId ==
gidenFatura.GidenFaturaId))
710:                         gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi.Where(j
=> j.GidenFaturaId == gidenFatura.GidenFaturaId).ToList();
711:
712:                     #region XML Olusturma ve Servis Önizlemesi
713:                     var dosyaAdi = "";
714:                     var geriDonus = new GeriDonus();
715:                     geriDonus.Tip = 0;
716:                     var dosya = new byte[1];
717:                     var kullaniciMi = false;
718:                     if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
719:                     {
720:                         kullaniciMi =
DisServisler.EFaturaKullanicisiMi(gidenFatura.VergiNo);
721:                         if (kullaniciMi)
722:                         {
723:                             dosyaAdi = YardimciSiniflar.EFaturaXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi);
724:                             geriDonus = DisServisler.EFaturaOnIzleme(gidenFatura,
dosyaAdi);
725:                             if (geriDonus != null)
726:                                 dosya = geriDonus.Dosya;
727:                         }
728:                         else
729:                         {
730:                             dosyaAdi = YardimciSiniflar.EArsivXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, true);
731:                             dosya = DisServisler.EArsivOnIzleme(gidenFatura, dosyaAdi);
732:                         }
733:                     }
734:                     else
735:                     {
736:                         dosyaAdi = YardimciSiniflar.EArsivXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, false);
737:                         dosya = DisServisler.EArsivOnIzleme(gidenFatura, dosyaAdi);
738:                     }
739:
740:                     if (dosya != null && dosya.Length > 1)
741:                     {
742:                         var dosyaAdiTemp = dosyaAdi.Replace("xml", "pdf");
743:                         if (kullaniciMi && !string.IsNullOrEmpty(gidenFatura.BelgeOid))
744:                             dosyaAdiTemp = dosyaAdi.Replace("xml", "zip");
745:                         if (geriDonus != null && geriDonus.Tip == 1)
746:                             dosyaAdiTemp = dosyaAdi.Replace("xml", "zip");
747:
748:                         File.WriteAllBytes(dosyaAdiTemp, dosya);
749:
750:                         MessageBox.Show(dosyaAdiTemp + " adresinde gerekli PDF veya
ZIP dosyasi olusturulmustur.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
751:                     }
752:                     else
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
753:                    {
754:                        MessageBox.Show("Söz konusu faturanin önizlemesi
olusturulamamistir", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Error);
755:                    }
756:
757:                    #endregion
758:                }
759:            }
760:        }
761:
762:        /// <summary>
763:        /// Sistem tarafindan hazirlanan XML dosyasinin
764:        /// E-Fatura veya E-Arsiv servisine gönderilmesi için hazirlanan metottur.
765:        /// Burada islemin basarili olup olmamasina göre kullanici
bilgilendirilecektir.
766:        /// </summary>
767:        /// <param name="sender"></param>
768:        /// <param name="e"></param>
769:        private void btnServiseGonder_Click(object sender, EventArgs e)
770:        {
771:            using (var dialogKlasorSecimi = new FolderBrowserDialog())
772:            {
773:                dialogKlasorSecimi.SelectedPath = Application.StartupPath;
774:                DialogResult result = dialogKlasorSecimi.ShowDialog();
775:
776:                if (result == DialogResult.OK &&
!string.IsNullOrWhiteSpace(dialogKlasorSecimi.SelectedPath))
777:                {
778:                    var klasorAdi = dialogKlasorSecimi.SelectedPath;
779:                    // Burada form yüklendigi zaman hazirlanan giden faturalardan
rastgele birinin
780:                    // ve ona ait detay kayitlarinin seçilmesi saglaniyor
781:                    var index = new Random().Next(gidenFaturaListesi.Count);
782:                    var gidenFatura = gidenFaturaListesi[index];
783:                    var gidenFaturaDetayListesiTemp = new List<GidenFaturaDetayDTO>();
784:                    if (gidenFaturaDetayListesi.Any(j => j.GidenFaturaId ==
gidenFatura.GidenFaturaId))
785:                        gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi.Where(j
=> j.GidenFaturaId == gidenFatura.GidenFaturaId).ToList();
786:
787:                    #region XML Olusturma ve Servise Gönderme
788:                    var dosyaAdi = "";
789:                    var sonuc = "";
790:                    var kullaniciMi = false;
791:                    if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
792:                    {
793:                        kullaniciMi =
DisServisler.EFaturaKullanicisiMi(gidenFatura.VergiNo);
794:                        if (kullaniciMi)
795:                        {
796:                            dosyaAdi = YardimciSiniflar.EFaturaXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi);
797:                            sonuc = DisServisler.EFaturaGonder(gidenFatura, dosyaAdi);
798:                            if (sonuc != MesajSabitler.IslemBasarisiz)
799:                            {
800:                                if (sonuc.Length <= 20)
801:                                    gidenFatura.BelgeOid = sonuc;
802:                            }
803:                        }
804:                        else
805:                        {
806:                            dosyaAdi = YardimciSiniflar.EArsivXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, true);
807:                            sonuc = DisServisler.EArsivGonder(gidenFatura, dosyaAdi);
808:                        }
809:                    }
810:                    else
811:                    {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
812:                            dosyaAdi = YardimciSiniflar.EArsivXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, false);
813:                            sonuc = DisServisler.EArsivGonder(gidenFatura, dosyaAdi);
814:                        }
815:
816:                        if (sonuc == MesajSabitler.IslemBasarisiz)
817:                        {
818:                            MessageBox.Show(dosyaAdi + " dosyasinin servise
gönderilmesinde bir sorun yasanmistir.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Error);
819:                        }
820:                        else
821:                        {
822:                            MessageBox.Show(dosyaAdi + " dosyasi basariyla GIB
servislerine gönderilmistir.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
823:                        }
824:
825:                        #endregion
826:                    }
827:                }
828:            }
829:            #endregion
830:
831:            #region E-Müstahsil Metotlari
832:            /// <summary>
833:            /// Sistemde E-Müstahsil Servislerine Gönderilecek Formatta
834:            /// Ideal XML dosyalarinin olusturulmasi için XML Olustur Butonuna tiklandigi
zaman
835:            /// Yapilacak islemlerin hazirlandigi metottur.
836:            /// </summary>
837:            /// <param name="sender"></param>
838:            /// <param name="e"></param>
839:            private void btnXmlOlusturMustahsil_Click(object sender, EventArgs e)
840:            {
841:                using (var dialogKlasorSecimi = new FolderBrowserDialog())
842:                {
843:                    dialogKlasorSecimi.SelectedPath = Application.StartupPath;
844:                    DialogResult result = dialogKlasorSecimi.ShowDialog();
845:
846:                    if (result == DialogResult.OK &&
!string.IsNullOrWhiteSpace(dialogKlasorSecimi.SelectedPath))
847:                    {
848:                        var klasorAdi = dialogKlasorSecimi.SelectedPath;
849:                        // Burada form yüklendigi zaman hazirlanan müstahsil
makbuzlarindan rastgele birinin
850:                        // ve ona ait detay kayitlarinin seçilmesi saglaniyor
851:                        var index = new Random().Next(mustahsilMakbuzuListesi.Count);
852:                        var mustahsilMakbuzu = mustahsilMakbuzuListesi[index];
853:                        var mustahsilMakbuzuDetayListesiTemp = new
List<MustahsilMakbuzuDetayDTO>();
854:                        if (mustahsilMakbuzuDetayListesi.Any(j => j.MustahsilMakbuzuId ==
mustahsilMakbuzu.MustahsilMakbuzuId))
855:                            mustahsilMakbuzuDetayListesiTemp =
mustahsilMakbuzuDetayListesi.Where(j => j.MustahsilMakbuzuId ==
mustahsilMakbuzu.MustahsilMakbuzuId).ToList();
856:
857:                        #region XML Olusturma
858:                        var dosyaAdi = "";
859:                        if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo))
860:                        {
861:                            dosyaAdi =
YardimciSiniflar.EMustahsilXMLOlustur(mustahsilMakbuzu, mustahsilMakbuzuDetayListesiTemp,
klasorAdi);
862:                            MessageBox.Show(dosyaAdi + " adresinde gerekli XML dosyasi
olusturulmustur.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
863:                        }
864:                        else
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
865:                    {
866:                        MessageBox.Show("Müstahsil Makbuzu olusturmak için vergi
numarasi zorunludur", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Warning);
867:                    }
868:                    #endregion
869:                }
870:            }
871:        }
872:
873:        /// <summary>
874:        /// Sistemde E-Müstahsil Servisine yollansin yollanmasin
875:        /// Hazirlanan XML dosyalarinin bu sistemlerde nasil göründügüne dair
876:        /// Önizleme alinmasini saglayan metottur. Bu önizleme PDF veya ZIP olarak
alinacak
877:        /// Sorun olsa da olmasa da bir mesaj ile kullanici bilgilendirilecektir.
878:        /// </summary>
879:        /// <param name="sender"></param>
880:        /// <param name="e"></param>
881:        private void btnGIBOnizlemeMustahsil_Click(object sender, EventArgs e)
882:        {
883:            using (var dialogKlasorSecimi = new FolderBrowserDialog())
884:            {
885:                dialogKlasorSecimi.SelectedPath = Application.StartupPath;
886:                DialogResult result = dialogKlasorSecimi.ShowDialog();
887:
888:                if (result == DialogResult.OK &&
!string.IsNullOrWhiteSpace(dialogKlasorSecimi.SelectedPath))
889:                {
890:                    var klasorAdi = dialogKlasorSecimi.SelectedPath;
891:                    // Burada form yüklendigi zaman hazirlanan müstahsil
makbuzlarindan rastgele birinin
892:                    // ve ona ait detay kayitlarinin seçilmesi saglaniyor
893:                    var index = new Random().Next(mustahsilMakbuzuListesi.Count);
894:                    var mustahsilMakbuzu = mustahsilMakbuzuListesi[index];
895:                    var mustahsilMakbuzuDetayListesiTemp = new
List<MustahsilMakbuzuDetayDTO>();
896:                    if (mustahsilMakbuzuDetayListesi.Any(j => j.MustahsilMakbuzuId ==
mustahsilMakbuzu.MustahsilMakbuzuId))
897:                        mustahsilMakbuzuDetayListesiTemp =
mustahsilMakbuzuDetayListesi.Where(j => j.MustahsilMakbuzuId ==
mustahsilMakbuzu.MustahsilMakbuzuId).ToList();
898:
899:                    #region XML Olusturma ve Servis Önizlemesi
900:                    var dosyaAdi = "";
901:                    var geriDonus = new GeriDonus();
902:                    geriDonus.Tip = 0;
903:                    var dosya = new byte[1];
904:                    if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo))
905:                    {
906:                        dosyaAdi =
YardimciSiniflar.EMustahsilXMLOlustur(mustahsilMakbuzu, mustahsilMakbuzuDetayListesiTemp,
klasorAdi);
907:                        dosya = DisServisler.EMustahsilOnIzleme(mustahsilMakbuzu,
dosyaAdi);
908:                    }
909:                    else
910:                    {
911:                        MessageBox.Show("Müstahsil Makbuzunu servise göndermek için
vergi no zorunludur", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Warning);
912:                    }
913:
914:                    if (dosya != null && dosya.Length > 1)
915:                    {
916:                        var dosyaAdiTemp = dosyaAdi.Replace("xml", "pdf");
917:                        if (geriDonus != null && geriDonus.Tip == 1)
918:                            dosyaAdiTemp = dosyaAdi.Replace("xml", "zip");
919:
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
920:                        File.WriteAllBytes(dosyaAdiTemp, dosya);
921:
922:                        MessageBox.Show(dosyaAdiTemp + " adresinde gerekli PDF veya
ZIP dosyasi olusturulmustur.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
923:                    }
924:                    else
925:                    {
926:                        MessageBox.Show("Söz konusu faturanin önizlemesi
olusturulamamistir", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Error);
927:                    }
928:
929:                    #endregion
930:                }
931:            }
932:        }
933:
934:        /// <summary>
935:        /// Sistem tarafindan hazirlanan XML dosyasinin
936:        /// E-Müstahsil servisine gönderilmesi için hazirlanan metottur.
937:        /// Burada islemin basarili olup olmamasina göre kullanici
bilgilendirilecektir.
938:        /// </summary>
939:        /// <param name="sender"></param>
940:        /// <param name="e"></param>
941:        private void btnServiseGonderMustahsil_Click(object sender, EventArgs e)
942:        {
943:            using (var dialogKlasorSecimi = new FolderBrowserDialog())
944:            {
945:                dialogKlasorSecimi.SelectedPath = Application.StartupPath;
946:                DialogResult result = dialogKlasorSecimi.ShowDialog();
947:
948:                if (result == DialogResult.OK &&
!string.IsNullOrWhiteSpace(dialogKlasorSecimi.SelectedPath))
949:                {
950:                    var klasorAdi = dialogKlasorSecimi.SelectedPath;
951:                    // Burada form yüklendigi zaman hazirlanan müstahsil
makbuzlarindan rastgele birinin
952:                    // ve ona ait detay kayitlarinin seçilmesi saglaniyor
953:                    var index = new Random().Next(mustahsilMakbuzuListesi.Count);
954:                    var mustahsilMakbuzu = mustahsilMakbuzuListesi[index];
955:                    var mustahsilMakbuzuDetayListesiTemp = new
List<MustahsilMakbuzuDetayDTO>();
956:                    if (mustahsilMakbuzuDetayListesi.Any(j => j.MustahsilMakbuzuId ==
mustahsilMakbuzu.MustahsilMakbuzuId))
957:                        mustahsilMakbuzuDetayListesiTemp =
mustahsilMakbuzuDetayListesi.Where(j => j.MustahsilMakbuzuId ==
mustahsilMakbuzu.MustahsilMakbuzuId).ToList();
958:
959:                    #region XML Olusturma ve Servise Gönderme
960:                    var dosyaAdi = "";
961:                    var sonuc = "";
962:                    if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo))
963:                    {
964:                        dosyaAdi =
YardimciSiniflar.EMustahsilXMLOlustur(mustahsilMakbuzu, mustahsilMakbuzuDetayListesiTemp,
klasorAdi);
965:                        sonuc = DisServisler.EMustahsilGonder(mustahsilMakbuzu,
dosyaAdi);
966:                    }
967:                    else
968:                    {
969:                        MessageBox.Show("Müstahsil Makbuzunu servise göndermek için
vergi no zorunludur", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Warning);
970:                    }
971:
972:                    if (sonuc == MesajSabitler.IslemBasarisiz)
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
                    {
                        MessageBox.Show(dosyaAdi + " dosyasinin servise gönderilmesinde bir sorun yasanmistir.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Error);
                    }
                    else
                    {
                        MessageBox.Show(dosyaAdi + " dosyasi basariyla GIB servislerine gönderilmistir.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Information);
                    }

                    #endregion
                }
            }
        }
        #endregion
    }
}
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.6 FormAnaSayfa.Designer.cs

This is file FormAnaSayfa.Designer.cs.

Body Source

```
?namespace QNBFinansGIB
{
    partial class frmAnaSayfa
    {
        /// <summary>
        /// Required designer variable.
        /// </summary>
        private System.ComponentModel.IContainer components = null;

        /// <summary>
        /// Clean up any resources being used.
        /// </summary>
        /// <param name="disposing">true if managed resources should be disposed; otherwise, false.</param>
        protected override void Dispose(bool disposing)
        {
            if (disposing && (components != null))
            {
                components.Dispose();
            }
            base.Dispose(disposing);
        }

        #region Windows Form Designer generated code

        /// <summary>
        /// Required method for Designer support - do not modify
        /// the contents of this method with the code editor.
        /// </summary>
        private void InitializeComponent()
        {
            this.btnXmlOlustur = new System.Windows.Forms.Button();
            this.btnGIBOnizleme = new System.Windows.Forms.Button();
            this.btnServiseGonder = new System.Windows.Forms.Button();
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
34:             this.groupBox1 = new System.Windows.Forms.GroupBox();
35:             this.groupBox2 = new System.Windows.Forms.GroupBox();
36:             this.btnXmlOlusturMustahsil = new System.Windows.Forms.Button();
37:             this.btnServiseGonderMustahsil = new System.Windows.Forms.Button();
38:             this.btnGIBOnizlemeMustahsil = new System.Windows.Forms.Button();
39:             this.groupBox1.SuspendLayout();
40:             this.groupBox2.SuspendLayout();
41:             this.SuspendLayout();
42:             //
43:             // btnXmlOlustur
44:             //
45:             this.btnXmlOlustur.Location = new System.Drawing.Point(6, 30);
46:             this.btnXmlOlustur.Name = "btnXmlOlustur";
47:             this.btnXmlOlustur.Size = new System.Drawing.Size(116, 58);
48:             this.btnXmlOlustur.TabIndex = 0;
49:             this.btnXmlOlustur.Text = "XML Olustur";
50:             this.btnXmlOlustur.UseVisualStyleBackColor = true;
51:             this.btnXmlOlustur.Click += new
System.EventHandler(this.btnXmlOlustur_Click);
52:             //
53:             // btnGIBOnizleme
54:             //
55:             this.btnGIBOnizleme.Location = new System.Drawing.Point(140, 30);
56:             this.btnGIBOnizleme.Name = "btnGIBOnizleme";
57:             this.btnGIBOnizleme.Size = new System.Drawing.Size(174, 58);
58:             this.btnGIBOnizleme.TabIndex = 1;
59:             this.btnGIBOnizleme.Text = "GIB Fatura Çikti Önizleme";
60:             this.btnGIBOnizleme.UseVisualStyleBackColor = true;
61:             this.btnGIBOnizleme.Click += new
System.EventHandler(this.btnGIBOnizleme_Click);
62:             //
63:             // btnServiseGonder
64:             //
65:             this.btnServiseGonder.Location = new System.Drawing.Point(331, 30);
66:             this.btnServiseGonder.Name = "btnServiseGonder";
67:             this.btnServiseGonder.Size = new System.Drawing.Size(165, 58);
68:             this.btnServiseGonder.TabIndex = 2;
69:             this.btnServiseGonder.Text = "Servise Gönder";
70:             this.btnServiseGonder.UseVisualStyleBackColor = true;
71:             this.btnServiseGonder.Click += new
System.EventHandler(this.btnServiseGonder_Click);
72:             //
73:             // groupBox1
74:             //
75:             this.groupBox1.Controls.Add(this.btnXmlOlustur);
76:             this.groupBox1.Controls.Add(this.btnServiseGonder);
77:             this.groupBox1.Controls.Add(this.btnGIBOnizleme);
78:             this.groupBox1.Location = new System.Drawing.Point(12, 12);
79:             this.groupBox1.Name = "groupBox1";
80:             this.groupBox1.Size = new System.Drawing.Size(502, 119);
81:             this.groupBox1.TabIndex = 3;
82:             this.groupBox1.TabStop = false;
83:             this.groupBox1.Text = "E-Fatura ve E-Arsiv";
84:             //
85:             // groupBox2
86:             //
87:             this.groupBox2.Controls.Add(this.btnXmlOlusturMustahsil);
88:             this.groupBox2.Controls.Add(this.btnServiseGonderMustahsil);
89:             this.groupBox2.Controls.Add(this.btnGIBOnizlemeMustahsil);
90:             this.groupBox2.Location = new System.Drawing.Point(12, 137);
91:             this.groupBox2.Name = "groupBox2";
92:             this.groupBox2.Size = new System.Drawing.Size(502, 119);
93:             this.groupBox2.TabIndex = 4;
94:             this.groupBox2.TabStop = false;
95:             this.groupBox2.Text = "E-Müstahsil";
96:             //
97:             // btnXmlOlusturMustahsil
98:             //
99:             this.btnXmlOlusturMustahsil.Location = new System.Drawing.Point(6, 30);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
100:             this.btnXmlOlusturMustahsil.Name = "btnXmlOlusturMustahsil";
101:             this.btnXmlOlusturMustahsil.Size = new System.Drawing.Size(116, 58);
102:             this.btnXmlOlusturMustahsil.TabIndex = 0;
103:             this.btnXmlOlusturMustahsil.Text = "XML Olustur";
104:             this.btnXmlOlusturMustahsil.UseVisualStyleBackColor = true;
105:             this.btnXmlOlusturMustahsil.Click += new
System.EventHandler(this.btnXmlOlusturMustahsil_Click);
106:             //
107:             // btnServiseGonderMustahsil
108:             //
109:             this.btnServiseGonderMustahsil.Location = new System.Drawing.Point(331,
30);
110:             this.btnServiseGonderMustahsil.Name = "btnServiseGonderMustahsil";
111:             this.btnServiseGonderMustahsil.Size = new System.Drawing.Size(165, 58);
112:             this.btnServiseGonderMustahsil.TabIndex = 2;
113:             this.btnServiseGonderMustahsil.Text = "Servise Gönder";
114:             this.btnServiseGonderMustahsil.UseVisualStyleBackColor = true;
115:             this.btnServiseGonderMustahsil.Click += new
System.EventHandler(this.btnServiseGonderMustahsil_Click);
116:             //
117:             // btnGIBOnizlemeMustahsil
118:             //
119:             this.btnGIBOnizlemeMustahsil.Location = new System.Drawing.Point(140, 30);
120:             this.btnGIBOnizlemeMustahsil.Name = "btnGIBOnizlemeMustahsil";
121:             this.btnGIBOnizlemeMustahsil.Size = new System.Drawing.Size(174, 58);
122:             this.btnGIBOnizlemeMustahsil.TabIndex = 1;
123:             this.btnGIBOnizlemeMustahsil.Text = "GIB Makbuz Çikti Önizleme";
124:             this.btnGIBOnizlemeMustahsil.UseVisualStyleBackColor = true;
125:             this.btnGIBOnizlemeMustahsil.Click += new
System.EventHandler(this.btnGIBOnizlemeMustahsil_Click);
126:             //
127:             // frmAnaSayfa
128:             //
129:             this.AutoScaleDimensions = new System.Drawing.SizeF(6F, 13F);
130:             this.AutoScaleMode = System.Windows.Forms.AutoScaleMode.Font;
131:             this.AutoSize = true;
132:             this.AutoSizeMode = System.Windows.Forms.AutoSizeMode.GrowAndShrink;
133:             this.ClientSize = new System.Drawing.Size(526, 272);
134:             this.Controls.Add(this.groupBox2);
135:             this.Controls.Add(this.groupBox1);
136:             this.Name = "frmAnaSayfa";
137:             this.StartPosition = System.Windows.Forms.FormStartPosition.CenterScreen;
138:             this.Text = "QNB Finans GIB Servis Uygulamasi";
139:             this.FormClosed += new
System.Windows.Forms.FormClosedEventHandler(this.frmAnaSayfa_FormClosed);
140:             this.Shown += new System.EventHandler(this.FormAnaSayfa_Shown);
141:             this.groupBox1.ResumeLayout(false);
142:             this.groupBox2.ResumeLayout(false);
143:             this.ResumeLayout(false);
144:
145:         }
146:
147:         #endregion
148:
149:         private System.Windows.Forms.Button btnXmlOlustur;
150:         private System.Windows.Forms.Button btnGIBOnizleme;
151:         private System.Windows.Forms.Button btnServiseGonder;
152:         private System.Windows.Forms.GroupBox groupBox1;
153:         private System.Windows.Forms.GroupBox groupBox2;
154:         private System.Windows.Forms.Button btnXmlOlusturMustahsil;
155:         private System.Windows.Forms.Button btnServiseGonderMustahsil;
156:         private System.Windows.Forms.Button btnGIBOnizlemeMustahsil;
157:     }
158: }
159:
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.7 GeriDonus.cs

This is file GeriDonus.cs.

Body Source

```
 1: ?using System.Linq;
 2:
 3: namespace QNBFinansGIB.Utils
 4: {
 5:     /// <summary>
 6:     /// E-Fatura Servisinde Önizleme Metodu çagrildiginda dönecek olan deger
 7:     /// Burada Tipe göre
 8:     /// Dosya uzantisi Zip veya PDF olacagi için
 9:     /// Bu konu önemlidir
10:     /// </summary>
11:     public class GeriDonus
12:     {
13:         /// <summary>
14:         /// Çikti alinacak dosyanin byte dizisi hali
15:         /// </summary>
16:         public byte[] Dosya { get; set; }
17:         /// <summary>
18:         /// Çikti Tipi Bilgisi
19:         /// </summary>
20:         public int Tip { get; set; }
21:     }
22:
23:     /// <summary>
24:     /// Yapilan Ekranlarda Verilecek Mesajlarla Ilgili Sabit Sinif
25:     /// </summary>
26:     public static class MesajSabitler
27:     {
28:         /// <summary>
29:         /// Islemin Basarili Olduguna Dair Mesaj Bilgisi
30:         /// </summary>
31:         public static string IslemBasarili = "Islem Basarili";
32:         /// <summary>
33:         /// Islemin Basarisiz Olduguna Dair Mesaj Bilgisi
34:         /// </summary>
35:         public static string IslemBasarisiz = "Islem Basarisiz";
36:         /// <summary>
37:         /// Islem Mesajlarinin Kutusunda Gösterilecek Baslik Mesaj Bilgisi
38:         /// </summary>
39:         public static string MesajBasligi = "QNB Finans GIB Servis Uygulamasi";
40:     }
41:
42:     public static class BoslukKaldir
43:     {
44:         public static TSelf BosluklariKaldir<TSelf>(this TSelf input)
45:         {
46:             if (input == null)
47:                 return input;
48:
49:             var stringProperties = typeof(TSelf).GetProperties()
50:                 .Where(p => p.PropertyType == typeof(string));
51:
52:             foreach (var stringProperty in stringProperties)
53:             {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
                string currentValue = (string)stringProperty.GetValue(input, null);
                if (currentValue != null)
                    stringProperty.SetValue(input,
currentValue.Trim().TrimEnd().TrimStart(), null);
            }
            return input;
        }
    }
}
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.8 GidenFaturaDetayDTO.cs

This is file GidenFaturaDetayDTO.cs.

Body Source

```
?using System;

namespace QNBFinansGIB.DTO
{
    /// <summary>
    /// Giden Fatura Detay Nesnesinde olmasi gereken alanlarla olusturulan siniftir
    /// Tutarlar, ürün adi, KDV ve iskonto oranlari
    /// Malzeme faturasi ile ilgili alanlar
    /// Malzemenin tasindigi araç Plaka, sevk irsaliyesi vb. bilgileri içerir.
    /// </summary>
    public class GidenFaturaDetayDTO
    {
        /// <summary>
        /// Giden Fatura Id Bilgisi
        /// </summary>
        public string GidenFaturaId { get; set; }

        /// <summary>
        /// Fatura Detayindaki Ürün Türü Bilgisi
        /// </summary>
        public string FaturaUrunTuru { get; set; }

        /// <summary>
        /// Iskonto Oran Bilgisi
        /// </summary>
        public decimal? IskontoOran;

        /// <summary>
        /// Plaka No Bilgisi
        /// </summary>
        public string PlakaNo { get; set; }

        /// <summary>
        /// Irsaliye No Bilgisi
        /// </summary>
        public string IrsaliyeNo { get; set; }

        /// <summary>
        /// Tonaj Bilgisi
        /// </summary>
        public decimal? Tonaj;

        /// <summary>
        /// Sevk Irsaliyesi No Bilgisi
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
45:         /// </summary>
46:         public string SevkIrsaliyesiNo { get; set; }
47:
48:         /// <summary>
49:         /// Sevk Irsaliye Tarihi Bilgisi
50:         /// </summary>
51:         public DateTime? SevkIrsaliyeTarihi { get; set; }
52:
53:         /// <summary>
54:         /// Yükleme Formu No Bilgisi
55:         /// </summary>
56:         public int? YuklemeFormuNo;
57:
58:         /// <summary>
59:         /// Birim Fiyat Bilgisi
60:         /// </summary>
61:         public decimal? BirimFiyat;
62:
63:         /// <summary>
64:         /// Miktar Bilgisi
65:         /// </summary>
66:         public decimal? Miktar;
67:
68:         /// <summary>
69:         /// KDV Hariç Tutar Bilgisi
70:         /// </summary>
71:         public decimal? KdvHaricTutar;
72:
73:         /// <summary>
74:         /// KDV Tutari Bilgisi
75:         /// </summary>
76:         public decimal? KdvTutari;
77:
78:         /// <summary>
79:         /// Malzeme Fatura Açiklamasi Bilgisi
80:         /// </summary>
81:         public string MalzemeFaturaAciklamasi { get; set; }
82:
83:         /// <summary>
84:         /// GIB Kisaltma Bilgisi (Malzemenin Ölçü Birimi, GIB tarafinda Kilogram KGM
olarak adlandirilmaktadir)
85:         /// </summary>
86:         public string GibKisaltma { get; set; }
87:
88:         /// <summary>
89:         /// KDV Oran Bilgisi
90:         /// </summary>
91:         public decimal? KdvOran;
92:     }
93: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.9 GidenFaturaDTO.cs

This is file GidenFaturaDTO.cs.

Body Source

```
1: ?using System;
2:
3: namespace QNBFinansGIB.DTO
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
 4: {
 5:     /// <summary>
 6:     /// Giden Fatura Ana Nesnesinde Olmasi Gereken Alanlarla olusturulan siniftir
 7:     /// Burada firma, iletisim, banka, fatura toplam tutari vb. bilgiler bulunmaktadir
 8:     /// </summary>
 9:     public class GidenFaturaDTO
10:     {
11:         /// <summary>
12:         /// Giden Fatura Id Bilgisi
13:         /// </summary>
14:         public string GidenFaturaId { get; set; }
15:
16:         /// <summary>
17:         /// Fatura Kesen Birimin Alt Sube Bilgisi
18:         /// </summary>
19:         public string AltBirimAd { get; set; }
20:
21:         /// <summary>
22:         /// Satis Türü Kod Bilgisi
23:         /// </summary>
24:         public int? SatisTuruKod;
25:
26:         /// <summary>
27:         /// Fatura Türü Kod Bilgisi
28:         /// </summary>
29:         public int? FaturaTuruKod;
30:
31:         /// <summary>
32:         /// Fatura Grup Türü Kod Bilgisi
33:         /// </summary>
34:         public int? FaturaGrupTuruKod;
35:
36:         /// <summary>
37:         /// Fatura Açiklama Bilgisi
38:         /// </summary>
39:         public string Aciklama { get; set; }
40:
41:         #region Gerçek Kisi Bilgileri
42:
43:         /// <summary>
44:         /// Gerçek Kisi Ad Bilgisi
45:         /// </summary>
46:         public string GercekKisiAd;
47:
48:         /// <summary>
49:         /// Gerçek Kisi Soyad Bilgisi
50:         /// </summary>
51:         public string GercekKisiSoyad;
52:
53:         /// <summary>
54:         /// Gerçek Kisi TC Kimlik No Bilgisi
55:         /// </summary>
56:         public string GercekKisiTcKimlikNo;
57:
58:         /// <summary>
59:         /// Ikametgah Adresi Bilgisi
60:         /// </summary>
61:         public string IkametgahAdresi;
62:
63:         /// <summary>
64:         /// Cep Telefon No Bilgisi
65:         /// </summary>
66:         public string CepTelefonNo;
67:         #endregion
68:
69:         #region Tüzel Kisi Bilgileri
70:         /// <summary>
71:         /// Tüzel Kisi Ad Bilgisi
72:         /// </summary>
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
        public string TuzelKisiAd { get; set; }

        /// <summary>
        /// Vergi Numarasi Bilgisi
        /// </summary>
        public string VergiNo { get; set; }

        /// <summary>
        /// Vergi Dairesi Bilgisi
        /// </summary>
        public string VergiDairesi { get; set; }

        /// <summary>
        /// Il Ad Bilgisi
        /// </summary>
        public string IlAd { get; set; }

        /// <summary>
        /// Ilçe Ad Bilgisi
        /// </summary>
        public string IlceAd { get; set; }

        /// <summary>
        /// Adres Bilgisi
        /// </summary>
        public string Adres { get; set; }

        /// <summary>
        /// E-Posta Adresi Bilgisi
        /// </summary>
        public string EPostaAdresi { get; set; }

        /// <summary>
        /// Telefon No Bilgisi
        /// </summary>
        public string TelefonNo { get; set; }

        /// <summary>
        /// Faks No Bilgisi
        /// </summary>
        public string FaksNo { get; set; }

        /// <summary>
        /// IBAN No Bilgisi
        /// </summary>
        public string IbanNo { get; set; }

        /// <summary>
        /// Banka Ad Bilgisi
        /// </summary>
        public string BankaAd { get; set; }

        /// <summary>
        /// Banka Sube Bilgisi
        /// </summary>
        public string BankaSube { get; set; }
        #endregion

        /// <summary>
        /// Düzenleme Tarihi Bilgisi
        /// </summary>
        public DateTime? DuzenlemeTarihi { get; set; }

        /// <summary>
        /// GIB Numarasi Bilgisi
        /// </summary>
        public string GibNumarasi { get; set; }

        /// <summary>
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
        /// Belge Oid Id alani
        /// </summary>
        public string BelgeOid { get; set; }

        /// <summary>
        /// KDV Hariç Tutar Bilgisi
        /// </summary>
        public decimal? KdvHaricTutar;

        /// <summary>
        /// KDV Tutari Bilgisi
        /// </summary>
        public decimal? KdvTutari;

        /// <summary>
        /// Fatura Tutari Bilgisi
        /// </summary>
        public decimal? FaturaTutari;
    }
}
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.10 MustahsilMakbuzuDetayDTO.cs

This is file MustahsilMakbuzuDetayDTO.cs.

Body Source

```
?namespace QNBFinansGIB.DTO
{
    /// <summary>
    /// Müstahsil Makbuzu Detay Nesnesinde olmasi gereken alanlarla olusturulan siniftir
    /// Tutarlar, ürün adi, miktar, birim fiyat gibi bilgiler bulunmaktadir
    /// </summary>
    public class MustahsilMakbuzuDetayDTO
    {
        /// <summary>
        /// Müstahsil Makbuzu Id Bilgisi
        /// </summary>
        public string MustahsilMakbuzuId { get; set; }

        /// <summary>
        /// Isin Mahiyeti Bilgisi
        /// </summary>
        public string IsinMahiyeti { get; set; }

        /// <summary>
        /// Birim Fiyat Bilgisi
        /// </summary>
        public decimal? BirimFiyat;

        /// <summary>
        /// Miktar Bilgisi
        /// </summary>
        public decimal? Miktar;

        /// <summary>
        /// Gelir Vergisi Bilgisi
        /// </summary>
        public decimal? GelirVergisi;

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
        /// <summary>
        /// Net Tutar Bilgisi
        /// </summary>
        public decimal? NetTutar;

        /// <summary>
        /// Toplam Tutar Bilgisi
        /// </summary>
        public decimal? ToplamTutar;

        /// <summary>
        /// GIB Kisaltma Bilgisi (Malzemenin Ölçü Birimi, GIB tarafinda Kilogram KGM olarak adlandirilmaktadir)
        /// </summary>
        public string GibKisaltma { get; set; }
    }
}
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.11 MustahsilMakbuzuDTO.cs

This is file MustahsilMakbuzuDTO.cs.

Body Source

```
?using System;

namespace QNBFinansGIB.DTO
{
    /// <summary>
    /// Müstahsil Makbuzu Ana Nesnesinde Olmasi Gereken Alanlarla olusturulan siniftir
    /// Burada firma, iletisim, banka, Makbuz toplam tutari vb. bilgiler bulunmaktadir
    /// </summary>
    public class MustahsilMakbuzuDTO
    {
        /// <summary>
        /// Müstahsil Makbuzu Id Bilgisi
        /// </summary>
        public string MustahsilMakbuzuId { get; set; }

        /// <summary>
        /// Makbuz Kesen Birimin Alt Sube Bilgisi
        /// </summary>
        public string AltBirimAd { get; set; }

        /// <summary>
        /// Tüzel Kisi Ad Bilgisi
        /// </summary>
        public string TuzelKisiAd { get; set; }

        /// <summary>
        /// Vergi Numarasi Bilgisi
        /// </summary>
        public string VergiNo { get; set; }

        /// <summary>
        /// Vergi Dairesi Bilgisi
        /// </summary>
        public string VergiDairesi { get; set; }

        /// <summary>
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
37:         /// Il Ad Bilgisi
38:         /// </summary>
39:         public string IlAd { get; set; }
40:
41:         /// <summary>
42:         /// Ilçe Ad Bilgisi
43:         /// </summary>
44:         public string IlceAd { get; set; }
45:
46:         /// <summary>
47:         /// Adres Bilgisi
48:         /// </summary>
49:         public string Adres { get; set; }
50:
51:         /// <summary>
52:         /// E-Posta Adresi Bilgisi
53:         /// </summary>
54:         public string EPostaAdresi { get; set; }
55:
56:         /// <summary>
57:         /// Faks No Bilgisi
58:         /// </summary>
59:         public string FaksNo { get; set; }
60:
61:         /// <summary>
62:         /// IBAN No Bilgisi
63:         /// </summary>
64:         public string IbanNo { get; set; }
65:
66:         /// <summary>
67:         /// Banka Ad Bilgisi
68:         /// </summary>
69:         public string BankaAd { get; set; }
70:
71:         /// <summary>
72:         /// Banka Sube Bilgisi
73:         /// </summary>
74:         public string BankaSube { get; set; }
75:
76:         /// <summary>
77:         /// Müstahsil Makbuzu No Bilgisi
78:         /// </summary>
79:         public string MustahsilMakbuzuNo { get; set; }
80:
81:         /// <summary>
82:         /// Müstahsil Makbuzu Tarihi Bilgisi
83:         /// </summary>
84:         public DateTime? MustahsilMakbuzuTarihi { get; set; }
85:
86:         /// <summary>
87:         /// Net Tutar Bilgisi
88:         /// </summary>
89:         public decimal? NetTutar;
90:
91:         /// <summary>
92:         /// Müstahsil Makbuzu Tutar Bilgisi
93:         /// </summary>
94:         public decimal? MustahsilMakbuzuTutari;
95:
96:         /// <summary>
97:         /// Gelir Vergisi Bilgisi
98:         /// </summary>
99:         public decimal? GelirVergisi;
100:
101:        /// <summary>
102:        /// Makbuz Grup Türü Kod Bilgisi
103:        /// </summary>
104:        public int? MakbuzGrupTuruKod;
105:    }
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
106: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.12 Program.cs

This is file Program.cs.

Body Source

```
 1: ?using System;
 2: using System.Collections.Generic;
 3: using System.Linq;
 4: using System.Windows.Forms;
 5:
 6: namespace QNBFinansGIB
 7: {
 8:     static class Program
 9:     {
10:         /// <summary>
11:         /// The main entry point for the application.
12:         /// </summary>
13:         [STAThread]
14:         static void Main()
15:         {
16:             Application.EnableVisualStyles();
17:             Application.SetCompatibleTextRenderingDefault(false);
18:             Application.Run(new frmAnaSayfa());
19:         }
20:     }
21: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.13 QNBFinansGIB.csproj

This is file QNBFinansGIB.csproj.

1.2.14 QNBFinansGIB.sln

This is file QNBFinansGIB.sln.

1.2.15 Reference.cs

This code was generated by a tool. Runtime Version:4.0.30319.42000

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Changes to this file may cause incorrect behavior and will be lost if the code is regenerated.

Body Source

```
 1: ?//------------------------------------------------------------------------------
 2: // <auto-generated>
 3: //     This code was generated by a tool.
 4: //     Runtime Version:4.0.30319.42000
 5: //
 6: //     Changes to this file may cause incorrect behavior and will be lost if
 7: //     the code is regenerated.
 8: // </auto-generated>
 9: //------------------------------------------------------------------------------
10:
11: //
12: // This source code was auto-generated by Microsoft.VSDesigner, Version
4.0.30319.42000.
13: //
14: #pragma warning disable 1591
15:
16: namespace QNBFinansGIB.GIBUserService {
17:     using System;
18:     using System.Web.Services;
19:     using System.Diagnostics;
20:     using System.Web.Services.Protocols;
21:     using System.Xml.Serialization;
22:     using System.ComponentModel;
23:
24:
25:     /// <remarks/>
26:     [System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services",
"4.8.4084.0")]
27:     [System.Diagnostics.DebuggerStepThroughAttribute()]
28:     [System.ComponentModel.DesignerCategoryAttribute("code")]
29:     [System.Web.Services.WebServiceBindingAttribute(Name="UserServicePortBinding",
Namespace="http://service.csap.cs.com/")]
30:     public partial class userService :
System.Web.Services.Protocols.SoapHttpClientProtocol {
31:
32:         private System.Threading.SendOrPostCallback wsLoginOperationCompleted;
33:
34:         private System.Threading.SendOrPostCallback logoutOperationCompleted;
35:
36:         private bool useDefaultCredentialsSetExplicitly;
37:
38:         /// <remarks/>
39:         public userService() {
40:             this.Url =
global::QNBFinansGIB.Properties.Settings.Default.QNBFinansGIB_GIBUserService_userService;
41:             if ((this.IsLocalFileSystemWebService(this.Url) == true)) {
42:                 this.UseDefaultCredentials = true;
43:                 this.useDefaultCredentialsSetExplicitly = false;
44:             }
45:             else {
46:                 this.useDefaultCredentialsSetExplicitly = true;
47:             }
48:         }
49:
50:         public new string Url {
51:             get {
52:                 return base.Url;
53:             }
54:             set {
55:                 if ((((this.IsLocalFileSystemWebService(base.Url) == true)
56:                             && (this.useDefaultCredentialsSetExplicitly == false))
57:                             && (this.IsLocalFileSystemWebService(value) == false))) {
58:                     base.UseDefaultCredentials = false;
59:                 }
60:                 base.Url = value;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
            }
        }

        public new bool UseDefaultCredentials {
            get {
                return base.UseDefaultCredentials;
            }
            set {
                base.UseDefaultCredentials = value;
                this.useDefaultCredentialsSetExplicitly = true;
            }
        }

        /// <remarks/>
        public event wsLoginCompletedEventHandler wsLoginCompleted;

        /// <remarks/>
        public event logoutCompletedEventHandler logoutCompleted;

        /// <remarks/>
        [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.csap.cs.com.tr/",
ResponseNamespace="http://service.csap.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
        public void
wsLogin([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.U
nqualified)]
string userId,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string password,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string lang) {
            this.Invoke("wsLogin", new object[] {
                        userId,
                        password,
                        lang});
        }

        /// <remarks/>
        public void wsLoginAsync(string userId, string password, string lang) {
            this.wsLoginAsync(userId, password, lang, null);
        }

        /// <remarks/>
        public void wsLoginAsync(string userId, string password, string lang, object
userState) {
            if ((this.wsLoginOperationCompleted == null)) {
                this.wsLoginOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnwsLoginOperationCompleted);
            }
            this.InvokeAsync("wsLogin", new object[] {
                        userId,
                        password,
                        lang}, this.wsLoginOperationCompleted, userState);
        }

        private void OnwsLoginOperationCompleted(object arg) {
            if ((this.wsLoginCompleted != null)) {
                System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
                this.wsLoginCompleted(this, new
System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
            }
        }

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
112:         /// <remarks/>
113:         [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.csap.cs.com.tr/",
ResponseNamespace="http://service.csap.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
114:         public void logout() {
115:             this.Invoke("logout", new object[0]);
116:         }
117:
118:         /// <remarks/>
119:         public void logoutAsync() {
120:             this.logoutAsync(null);
121:         }
122:
123:         /// <remarks/>
124:         public void logoutAsync(object userState) {
125:             if ((this.logoutOperationCompleted == null)) {
126:                 this.logoutOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnlogoutOperationCompleted);
127:             }
128:             this.InvokeAsync("logout", new object[0], this.logoutOperationCompleted,
userState);
129:         }
130:
131:         private void OnlogoutOperationCompleted(object arg) {
132:             if ((this.logoutCompleted != null)) {
133:                 System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
134:                 this.logoutCompleted(this, new
System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
135:             }
136:         }
137:
138:         /// <remarks/>
139:         public new void CancelAsync(object userState) {
140:             base.CancelAsync(userState);
141:         }
142:
143:         private bool IsLocalFileSystemWebService(string url) {
144:             if (((url == null)
145:                         || (url == string.Empty))) {
146:                 return false;
147:             }
148:             System.Uri wsUri = new System.Uri(url);
149:             if (((wsUri.Port >= 1024)
150:                         && (string.Compare(wsUri.Host, "localHost",
System.StringComparison.OrdinalIgnoreCase) == 0))) {
151:                 return true;
152:             }
153:             return false;
154:         }
155:     }
156:
157:     /// <remarks/>
158:     [System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services",
"4.8.4084.0")]
159:     public delegate void wsLoginCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
160:
161:     /// <remarks/>
162:     [System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services",
"4.8.4084.0")]
163:     public delegate void logoutCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
164: }
165:
166: #pragma warning restore 1591
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.16 Resources.Designer.cs

This code was generated by a tool. Runtime Version:4.0.30319.42000

Changes to this file may cause incorrect behavior and will be lost if the code is regenerated.

Body Source

```
 1: ?//------------------------------------------------------------------------------
 2: // <auto-generated>
 3: //     This code was generated by a tool.
 4: //     Runtime Version:4.0.30319.42000
 5: //
 6: //     Changes to this file may cause incorrect behavior and will be lost if
 7: //     the code is regenerated.
 8: // </auto-generated>
 9: //------------------------------------------------------------------------------
10:
11: namespace QNBFinansGIB.Properties
12: {
13:
14:
15:     /// <summary>
16:     ///   A strongly-typed resource class, for looking up localized strings, etc.
17:     /// </summary>
18:     // This class was auto-generated by the StronglyTypedResourceBuilder
19:     // class via a tool like ResGen or Visual Studio.
20:     // To add or remove a member, edit your .ResX file then rerun ResGen
21:     // with the /str option, or rebuild your VS project.
22:
[global::System.CodeDom.Compiler.GeneratedCodeAttribute("System.Resources.Tools.StronglyType
dResourceBuilder",
"4.0.0.0")]
23:     [global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
24:     [global::System.Runtime.CompilerServices.CompilerGeneratedAttribute()]
25:     internal class Resources
26:     {
27:
28:         private static global::System.Resources.ResourceManager resourceMan;
29:
30:         private static global::System.Globalization.CultureInfo resourceCulture;
31:
32:
[global::System.Diagnostics.CodeAnalysis.SuppressMessageAttribute("Microsoft.Performance",
"CA1811:AvoidUncalledPrivateCode")]
33:         internal Resources()
34:         {
35:         }
36:
37:         /// <summary>
38:         ///   Returns the cached ResourceManager instance used by this class.
39:         /// </summary>
40:
[global::System.ComponentModel.EditorBrowsableAttribute(global::System.ComponentModel.Editor
BrowsableState.Advanced)]
41:         internal static global::System.Resources.ResourceManager ResourceManager
42:         {
43:             get
44:             {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
45:                 if ((resourceMan == null))
46:                 {
47:                     global::System.Resources.ResourceManager temp = new
global::System.Resources.ResourceManager("QNBFinansGIB.Properties.Resources",
typeof(Resources).Assembly);
48:                     resourceMan = temp;
49:                 }
50:                 return resourceMan;
51:             }
52:         }
53:
54:         /// <summary>
55:         ///   Overrides the current thread's CurrentUICulture property for all
56:         ///   resource lookups using this strongly typed resource class.
57:         /// </summary>
58:
[global::System.ComponentModel.EditorBrowsableAttribute(global::System.ComponentModel.Editor
BrowsableState.Advanced)]
59:         internal static global::System.Globalization.CultureInfo Culture
60:         {
61:             get
62:             {
63:                 return resourceCulture;
64:             }
65:             set
66:             {
67:                 resourceCulture = value;
68:             }
69:         }
70:     }
71: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.17 Settings.Designer.cs

This code was generated by a tool. Runtime Version:4.0.30319.42000

Changes to this file may cause incorrect behavior and will be lost if the code is regenerated.

Body Source

```
 1: ?//------------------------------------------------------------------------------
 2: // <auto-generated>
 3: //     This code was generated by a tool.
 4: //     Runtime Version:4.0.30319.42000
 5: //
 6: //     Changes to this file may cause incorrect behavior and will be lost if
 7: //     the code is regenerated.
 8: // </auto-generated>
 9: //------------------------------------------------------------------------------
10:
11: namespace QNBFinansGIB.Properties {
12:
13:
14:     [global::System.Runtime.CompilerServices.CompilerGeneratedAttribute()]
15:
[global::System.CodeDom.Compiler.GeneratedCodeAttribute("Microsoft.VisualStudio.Editors.Sett
ingsDesigner.SettingsSingleFileGenerator",
"15.9.0.0")]
16:     internal sealed partial class Settings :
global::System.Configuration.ApplicationSettingsBase {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
17:
18:         private static Settings defaultInstance =
((Settings)(global::System.Configuration.ApplicationSettingsBase.Synchronized(new
Settings())));
19:
20:         public static Settings Default {
21:             get {
22:                 return defaultInstance;
23:             }
24:         }
25:
26:         [global::System.Configuration.ApplicationScopedSettingAttribute()]
27:         [global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
28:
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSe
tting.WebServiceUrl)]
29:
[global::System.Configuration.DefaultSettingValueAttribute("https://connectortest.efinans.co
m.tr:443/connector/ws/userService")]
30:         public string QNBFinansGIB_GIBUserService_userService {
31:             get {
32:                 return ((string)(this["QNBFinansGIB_GIBUserService_userService"]));
33:             }
34:         }
35:
36:         [global::System.Configuration.ApplicationScopedSettingAttribute()]
37:         [global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
38:
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSe
tting.WebServiceUrl)]
39:
[global::System.Configuration.DefaultSettingValueAttribute("https://connectortest.efinans.co
m.tr:443/connector/ws/connectorService")]
40:         public string QNBFinansGIB_GIBEFatura_connectorService {
41:             get {
42:                 return ((string)(this["QNBFinansGIB_GIBEFatura_connectorService"]));
43:             }
44:         }
45:
46:         [global::System.Configuration.ApplicationScopedSettingAttribute()]
47:         [global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
48:
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSe
tting.WebServiceUrl)]
49:
[global::System.Configuration.DefaultSettingValueAttribute("https://earsivtest.efinans.com.t
r:443/earsiv/ws/EarsivWebService")]
50:         public string QNBFinansGIB_GIBEArsiv_EarsivWebService {
51:             get {
52:                 return ((string)(this["QNBFinansGIB_GIBEArsiv_EarsivWebService"]));
53:             }
54:         }
55:
56:         [global::System.Configuration.ApplicationScopedSettingAttribute()]
57:         [global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
58:
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSe
tting.WebServiceUrl)]
59:
[global::System.Configuration.DefaultSettingValueAttribute("https://earsivtest.efinans.com.t
r/earsiv/ws/MustahsilWebService?wsdl=1")]
60:         public string QNBFinansGIB_GIBEArsiv_MustahsilWebService {
61:             get {
62:                 return ((string)(this["QNBFinansGIB_GIBEArsiv_MustahsilWebService"]));
63:             }
64:         }
65:
66:         [global::System.Configuration.ApplicationScopedSettingAttribute()]
67:         [global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
68:
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSe
tting.WebServiceUrl)]
69:
[global::System.Configuration.DefaultSettingValueAttribute("https://earsivtest.efinans.com.t
r:443/earsiv/ws/MustahsilWebService")]
70:         public string QNBFinansGIB_GIBEMustahsil_MustahsilWebService {
71:             get {
72:                 return
((string)(this["QNBFinansGIB_GIBEMustahsil_MustahsilWebService"]));
73:             }
74:         }
75:     }
76: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.18 YardimciSiniflar.cs

This is file YardimciSiniflar.cs.

Body Source

```
  1: ?using QNBFinansGIB.DTO;
  2: using System;
  3: using System.Collections.Generic;
  4: using System.Linq;
  5: using System.Xml;
  6: using static QNBFinansGIB.Utils.Enums;
  7:
  8: namespace QNBFinansGIB.Utils
  9: {
 10:     /// <summary>
 11:     /// Giden Fatura ve Müstahsil Makbuzlari ile ilgili olarak, Kendisi, Ana Kayda
Iliskin Detaylar, Aktarilacak Klasör gibi bilgiler kullanilarak
 12:     /// QNB Finans GIB Web Servislerine gönderilecek XML dosyalarinin hazirlanmasi
ile ilgili
 13:     /// Metotlarin bulundugu yardimci siniftir.
 14:     /// </summary>
 15:     public static class YardimciSiniflar
 16:     {
 17:         /// <summary>
 18:         /// Giden Fatura Bilgisi Üzerinden E-Fatura Sistemine Göndermek Için
 19:         /// XML Dosyasi Olusturmaya yarayan metottur
 20:         /// </summary>
 21:         /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
 22:         /// <param name="gidenFaturaDetayListesi">Giden Fatura Detay Listesi</param>
 23:         /// <param name="aktarilacakKlasorAdi">Olusturulan Dosyanin Aktarilacagi
Klasör</param>
 24:         /// <returns>Kaydedilen Dosyanin Bilgisayardaki Adresi</returns>
 25:         public static string EFaturaXMLOlustur(GidenFaturaDTO gidenFatura,
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, string aktarilacakKlasorAdi)
 26:         {
 27:             XmlDocument doc = new XmlDocument();
 28:             XmlDeclaration declaration;
 29:             declaration = doc.CreateXmlDeclaration("1.0", "UTF-8", null);
 30:             XmlElement root = doc.DocumentElement;
 31:             doc.InsertBefore(declaration, root);
 32:             doc.AppendChild(doc.CreateProcessingInstruction("xml-stylesheet",
"type=\"text/xsl\" href=\"general.xslt\""));
 33:
 34:             root = doc.CreateElement("Invoice");
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
35:
36:             gidenFatura = BoslukKaldir.BosluklariKaldir(gidenFatura);
37:
38:             var kodSatisTuruKod = 0;
39:             if (gidenFatura.SatisTuruKod != null)
40:                 kodSatisTuruKod = gidenFatura.SatisTuruKod ?? 0;
41:
42:             var kodFaturaTuruKod = 0;
43:             if (gidenFatura.FaturaTuruKod != null)
44:                 kodFaturaTuruKod = gidenFatura.FaturaTuruKod ?? 0;
45:
46:             var kodFaturaGrupTuruKod = 0;
47:             if (gidenFatura.FaturaGrupTuruKod != null)
48:                 kodFaturaGrupTuruKod = gidenFatura.FaturaGrupTuruKod ?? 0;
49:
50:             #region Standart ve Faturaya Bagli Bilgiler
51:
52:             // Faturanin türü, düzenleme tarihi, UBL Versiyon Numarasi, GIB Numarasi
gibi bilgiler
53:             // yer almaktadir
54:             #region Standart Bilgiler
55:             root.RemoveAllAttributes();
56:             string locationAttribute = "xsi:schemaLocation";
57:             XmlAttribute location = doc.CreateAttribute("xsi", "schemaLocation",
"urn:oasis:names:specification:ubl:schema:xsd:Invoice-2");
58:             location.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
../xsdrt/maindoc/UBL-Invoice-2.1.xsd";
59:             //XmlAttribute location = doc.CreateAttribute(schemaLocation);
60:             //location.Value =
"urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
../xsdrt/maindoc/UBL-Invoice-2.1.xsd";
61:             XmlAttribute xlmns = doc.CreateAttribute("xmlns");
62:             xlmns.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2";
63:             XmlAttribute xlmnsn4 = doc.CreateAttribute("xmlns:n4");
64:             xlmnsn4.Value = "http://www.altova.com/samplexml/other-namespace";
65:             XmlAttribute xlmnsxsi = doc.CreateAttribute("xmlns:xsi");
66:             xlmnsxsi.Value = "http://www.w3.org/2001/XMLSchema-instance";
67:             XmlAttribute xlmnscac = doc.CreateAttribute("xmlns:cac");
68:             xlmnscac.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonAggregateComponents-2";
69:             XmlAttribute xlmnscbc = doc.CreateAttribute("xmlns:cbc");
70:             xlmnscbc.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonBasicComponents-2";
71:             XmlAttribute xlmnsext = doc.CreateAttribute("xmlns:ext");
72:             xlmnsext.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonExtensionComponents-2";
73:             root.Attributes.Append(location);
74:             root.Attributes.Append(xlmns);
75:             root.Attributes.Append(xlmnsn4);
76:             root.Attributes.Append(xlmnsxsi);
77:             root.Attributes.Append(xlmnscac);
78:             root.Attributes.Append(xlmnscbc);
79:             root.Attributes.Append(xlmnsext);
80:             var extUbl = doc.CreateElement("ext", "UBLExtensions", xlmnsext.Value);
81:             var extUbl2 = doc.CreateElement("ext", "UBLExtension", xlmnsext.Value);
82:             var extUbl3 = doc.CreateElement("ext", "ExtensionContent",
xlmnsext.Value);
83:             var extUbl4 = doc.CreateElement("n4", "auto-generated_for_wildcard",
xlmnsn4.Value);
84:             extUbl3.AppendChild(extUbl4);
85:             extUbl2.AppendChild(extUbl3);
86:             extUbl.AppendChild(extUbl2);
87:
88:             root.AppendChild(extUbl);
89:
90:             var versionId = doc.CreateElement("cbc", "UBLVersionID", xlmnscbc.Value);
91:             versionId.InnerText = "2.1";
92:             root.AppendChild(versionId);
93:
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
            var customizationId = doc.CreateElement("cbc", "CustomizationID", xlmnscbc.Value);
            customizationId.InnerText = "TR1.2";
            root.AppendChild(customizationId);

            var profileId = doc.CreateElement("cbc", "ProfileID", xlmnscbc.Value);
            profileId.InnerText = "TEMELFATURA";
            root.AppendChild(profileId);

            var id = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
            if (!string.IsNullOrEmpty(gidenFatura.GibNumarasi))
                id.InnerText = gidenFatura.GibNumarasi;
            else
                id.InnerText = "ABC" + gidenFatura.DuzenlemeTarihi?.Year + DateTime.UtcNow.Ticks.ToString().Substring(0, 9);
            root.AppendChild(id);

            var copyIndicator = doc.CreateElement("cbc", "CopyIndicator", xlmnscbc.Value);
            copyIndicator.InnerText = "false";
            root.AppendChild(copyIndicator);

            var gidenFaturaId = doc.CreateElement("cbc", "UUID", xlmnscbc.Value);
            gidenFaturaId.InnerText = gidenFatura.GidenFaturaId.Length == 36 ? gidenFatura.GidenFaturaId.ToUpper() : Guid.NewGuid().ToString().ToUpper();
            root.AppendChild(gidenFaturaId);

            var issueDate = doc.CreateElement("cbc", "IssueDate", xlmnscbc.Value);
            issueDate.InnerText = gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd");
            root.AppendChild(issueDate);

            var issueTime = doc.CreateElement("cbc", "IssueTime", xlmnscbc.Value);
            issueTime.InnerText = gidenFatura.DuzenlemeTarihi?.ToString("HH:mm:ss");
            root.AppendChild(issueTime);

            var invoiceTypeCode = doc.CreateElement("cbc", "InvoiceTypeCode", xlmnscbc.Value);
            invoiceTypeCode.InnerText = "SATIS";
            if (gidenFatura.KdvTutari == 0 || gidenFaturaDetayListesi.Any(j => j.KdvTutari == 0))
                invoiceTypeCode.InnerText = "ISTISNA";
            if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
                invoiceTypeCode.InnerText = "IHRACKAYITLI";
            if (kodFaturaTuruKod == FaturaTur.Iade.GetHashCode())
                invoiceTypeCode.InnerText = "IADE";
            root.AppendChild(invoiceTypeCode);

            #region Irsaliye Bilgileri

            #region Irsaliye ve Tonaj Düzenlemesi

            var gidenFaturaDetayListesi2 = new List<GidenFaturaDetayDTO>();
            var gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi;
            foreach (var item in gidenFaturaDetayListesiTemp)
            {
                if (!string.IsNullOrEmpty(item.IrsaliyeNo) && !string.IsNullOrEmpty(item.PlakaNo))
                {
                    if (!gidenFaturaDetayListesi2.Any(j => j.IrsaliyeNo == item.IrsaliyeNo && j.PlakaNo == item.PlakaNo))
                    {
                        item.Tonaj = item.Miktar;
                        gidenFaturaDetayListesi2.Add(item);
                    }
                    else
                    {
                        var index = gidenFaturaDetayListesi2.FindIndex(j => j.IrsaliyeNo == item.IrsaliyeNo && j.PlakaNo == item.PlakaNo);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
 153:                        gidenFaturaDetayListesi2[index].Tonaj =
gidenFaturaDetayListesi2[index].Tonaj + item.Miktar;
 154:                    }
 155:                }
 156:                else
 157:                    gidenFaturaDetayListesi2.Add(item);
 158:            }
 159:            //if (gidenFaturaDetayListesi2.Count < 1)
 160:            //    gidenFaturaDetayListesi2.Add(new GidenFaturaDetayDTO());
 161:
 162:            #endregion Irsaliye ve Tonaj Düzenlemesi
 163:
 164:            if (gidenFaturaDetayListesi2.Count > 0)
 165:            {
 166:                foreach (var item in gidenFaturaDetayListesi2)
 167:                {
 168:                    var irsaliyeNote = doc.CreateElement("cbc", "Note",
xlmnscbc.Value);
 169:                    irsaliyeNote.InnerText = "";
 170:                    if (!string.IsNullOrEmpty(item.PlakaNo))
 171:                        irsaliyeNote.InnerText += "Plaka No: " + item.PlakaNo;
 172:                    if (!string.IsNullOrEmpty(item.SevkIrsaliyesiNo))
 173:                        irsaliyeNote.InnerText += " Irsaliye No: " +
item.SevkIrsaliyesiNo;
 174:                    if (item.SevkIrsaliyeTarihi != null)
 175:                        irsaliyeNote.InnerText += " Irsaliye Tarihi: " +
item.SevkIrsaliyeTarihi?.ToShortDateString();
 176:                    if (item.YuklemeFormuNo != null)
 177:                        irsaliyeNote.InnerText += " Yükleme Formu No: " +
item.YuklemeFormuNo;
 178:                    if (item.Tonaj != null)
 179:                        irsaliyeNote.InnerText += " Tonaj: " + item.Tonaj;
 180:                    if ((item.FaturaUrunTuru.Contains("Sartname") ||
item.FaturaUrunTuru.Contains("Kira")) && kodFaturaGrupTuruKod ==
FaturaMakbuzGrupTur.Diger.GetHashCode() && !string.IsNullOrEmpty(gidenFatura.Aciklama))
 181:                        irsaliyeNote.InnerText += " Açiklama: " +
gidenFatura.Aciklama;
 182:                    if (!string.IsNullOrEmpty(irsaliyeNote.InnerText))
 183:                        root.AppendChild(irsaliyeNote);
 184:                }
 185:            }
 186:
 187:            #endregion
 188:
 189:            var documentCurrencyCode = doc.CreateElement("cbc",
"DocumentCurrencyCode", xlmnscbc.Value);
 190:            documentCurrencyCode.InnerText = "TRY";
 191:            root.AppendChild(documentCurrencyCode);
 192:
 193:            var lineCountNumeric = doc.CreateElement("cbc", "LineCountNumeric",
xlmnscbc.Value);
 194:            lineCountNumeric.InnerText = gidenFaturaDetayListesi.Count.ToString();
 195:            root.AppendChild(lineCountNumeric);
 196:
 197:            #region AdditionalDocumentReference
 198:
 199:            var additionalDocumentReference = doc.CreateElement("cac",
"AdditionalDocumentReference", xlmnscac.Value);
 200:            var additionalDocumentReferenceId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
 201:            additionalDocumentReferenceId.InnerText = gidenFatura.GidenFaturaId;
 202:            additionalDocumentReference.AppendChild(additionalDocumentReferenceId);
 203:            issueDate = doc.CreateElement("cbc", "IssueDate", xlmnscbc.Value);
 204:            issueDate.InnerText =
gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd");
 205:            additionalDocumentReference.AppendChild(issueDate);
 206:            var documentType = doc.CreateElement("cbc", "DocumentType",
xlmnscbc.Value);
 207:            documentType.InnerText = "XSLT";
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
            additionalDocumentReference.AppendChild(documentType);
            var attachment = doc.CreateElement("cac", "Attachment", xlmnscac.Value);
            var embeddedDocumentBinaryObject = doc.CreateElement("cbc",
"EmbeddedDocumentBinaryObject", xlmnscbc.Value);
            XmlAttribute characterSetCode = doc.CreateAttribute("characterSetCode");
            characterSetCode.Value = "UTF-8";
            XmlAttribute encodingCode = doc.CreateAttribute("encodingCode");
            encodingCode.Value = "Base64";
            XmlAttribute mimeCode = doc.CreateAttribute("mimeCode");
            mimeCode.Value = "application/xml";
            embeddedDocumentBinaryObject.Attributes.Append(characterSetCode);
            embeddedDocumentBinaryObject.Attributes.Append(encodingCode);
            embeddedDocumentBinaryObject.Attributes.Append(mimeCode);
            attachment.AppendChild(embeddedDocumentBinaryObject);
            additionalDocumentReference.AppendChild(attachment);

            root.AppendChild(additionalDocumentReference);

            #endregion

            #endregion

            // Faturaya iliskin imza, adres vb. bilgiler yer almaktadir
            #region Signature
            var signature = doc.CreateElement("cac", "Signature", xlmnscac.Value);
            XmlAttribute signatureIdAttr = doc.CreateAttribute("schemeID");
            signatureIdAttr.Value = "VKN_TCKN";
            var signatureId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
            signatureId.Attributes.Append(signatureIdAttr);
            signatureId.InnerText = "3250566851";
            signature.AppendChild(signatureId);
            var signatoryParty = doc.CreateElement("cac", "SignatoryParty",
xlmnscac.Value);
            var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
            XmlAttribute signatureIdAttr2 = doc.CreateAttribute("schemeID");
            signatureIdAttr2.Value = "VKN";
            var signaturePartyId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
            signaturePartyId.Attributes.Append(signatureIdAttr2);
            signaturePartyId.InnerText = "3250566851";
            partyIdentification.AppendChild(signaturePartyId);
            signatoryParty.AppendChild(partyIdentification);

            #region Postal Address
            var postalAddress = doc.CreateElement("cac", "PostalAddress",
xlmnscac.Value);
            var streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
            streetName.InnerText = "Mithatpasa Caddesi";
            postalAddress.AppendChild(streetName);
            var buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
            buildingNumber.InnerText = "14";
            postalAddress.AppendChild(buildingNumber);
            var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
            citySubdivisionName.InnerText = "Çankaya";
            postalAddress.AppendChild(citySubdivisionName);
            var cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
            cityName.InnerText = "Ankara";
            postalAddress.AppendChild(cityName);
            var postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
            postalZone.InnerText = "06100";
            postalAddress.AppendChild(postalZone);
            var country = doc.CreateElement("cac", "Country", xlmnscac.Value);
            var countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
            countryName.InnerText = "Türkiye";
            country.AppendChild(countryName);
            postalAddress.AppendChild(country);
            signatoryParty.AppendChild(postalAddress);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
271:             signature.AppendChild(signatoryParty);
272:
273:             #endregion
274:
275:             var digitalSignatureAttachment = doc.CreateElement("cac",
"DigitalSignatureAttachment", xlmnscac.Value);
276:             var externalReference = doc.CreateElement("cac", "ExternalReference",
xlmnscac.Value);
277:             var uri = doc.CreateElement("cbc", "URI", xlmnscbc.Value);
278:             uri.InnerText = "#Signature";
279:             externalReference.AppendChild(uri);
280:             digitalSignatureAttachment.AppendChild(externalReference);
281:             signature.AppendChild(digitalSignatureAttachment);
282:
283:             root.AppendChild(signature);
284:             #endregion
285:
286:             // Burada sabit degerler verilmekte olup, Faturayi kesen kuruma veya
firmaya ait bilgiler
287:             // yer almaktadir. Bu kisimda örnek olarak TÜRKSEKER Fabrikalari Genel
Müdürlügü bilgileri
288:             // kullanilmistir. Ancak degistirip test edilebilir.
289:             #region AccountingSupplierParty
290:
291:             var accountingSupplierParty = doc.CreateElement("cac",
"AccountingSupplierParty", xlmnscac.Value);
292:             var party = doc.CreateElement("cac", "Party", xlmnscac.Value);
293:             var webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
294:             webSiteUri.InnerText = "https://www.turkseker.gov.tr";
295:             party.AppendChild(webSiteUri);
296:             XmlAttribute accountingSupplierPartyIdAttr =
doc.CreateAttribute("schemeID");
297:             accountingSupplierPartyIdAttr.Value = "VKN_TCKN";
298:             partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
299:             XmlAttribute accountingSupplierPartyIdAttr2 =
doc.CreateAttribute("schemeID");
300:             accountingSupplierPartyIdAttr2.Value = "VKN";
301:             var accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
302:
accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
303:             accountingSupplierPartyPartyId.InnerText = "3250566851";
304:             partyIdentification.AppendChild(accountingSupplierPartyPartyId);
305:             party.AppendChild(partyIdentification);
306:
307:             if (!string.IsNullOrEmpty(gidenFatura.AltBirimAd))
308:             {
309:                 partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
310:                 accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
311:                 accountingSupplierPartyIdAttr2.Value = "SUBENO";
312:                 accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
313:
accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
314:                 accountingSupplierPartyPartyId.InnerText = gidenFatura.AltBirimAd;
315:                 partyIdentification.AppendChild(accountingSupplierPartyPartyId);
316:                 party.AppendChild(partyIdentification);
317:             }
318:
319:             var partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
320:             var partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
321:             partyNameReal.InnerText = "TÜRKIYE SEKER FABRIKALARI A.S.";
322:             partyName.AppendChild(partyNameReal);
323:             party.AppendChild(partyName);
324:
325:             #region Postal Address
326:             postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
327:             var postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
328:             postalAddressId.InnerText = "3250566851";
329:             postalAddress.AppendChild(postalAddressId);
330:             streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
331:             streetName.InnerText = "Mithatpasa Caddesi";
332:             postalAddress.AppendChild(streetName);
333:             buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
334:             buildingNumber.InnerText = "14";
335:             postalAddress.AppendChild(buildingNumber);
336:             citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
337:             citySubdivisionName.InnerText = "Çankaya";
338:             postalAddress.AppendChild(citySubdivisionName);
339:             cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
340:             cityName.InnerText = "Ankara";
341:             postalAddress.AppendChild(cityName);
342:             postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
343:             postalZone.InnerText = "06100";
344:             postalAddress.AppendChild(postalZone);
345:             country = doc.CreateElement("cac", "Country", xlmnscac.Value);
346:             countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
347:             countryName.InnerText = "Türkiye";
348:             country.AppendChild(countryName);
349:             postalAddress.AppendChild(country);
350:             party.AppendChild(postalAddress);
351:
352:             #endregion
353:
354:             var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xlmnscac.Value);
355:             var taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
356:             var taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
357:             taxSchemeName.InnerText = "Ankara Kurumlar";
358:             taxScheme.AppendChild(taxSchemeName);
359:             partyTaxScheme.AppendChild(taxScheme);
360:             party.AppendChild(partyTaxScheme);
361:
362:             var contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
363:             var telephone = doc.CreateElement("cbc", "Telephone", xlmnscbc.Value);
364:             telephone.InnerText = "(312) 4585500";
365:             contact.AppendChild(telephone);
366:             var telefax = doc.CreateElement("cbc", "Telefax", xlmnscbc.Value);
367:             telefax.InnerText = "(312) 4585800";
368:             contact.AppendChild(telefax);
369:             var electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xlmnscbc.Value);
370:             electronicMail.InnerText = "maliisler@turkseker.gov.tr";
371:             contact.AppendChild(electronicMail);
372:             party.AppendChild(contact);
373:
374:             accountingSupplierParty.AppendChild(party);
375:
376:             root.AppendChild(accountingSupplierParty);
377:             #endregion
378:
379:             // Bu kisimda fatura kesilen firma bilgileri yer almaktadir
380:             #region AccountingCustomerParty
381:
382:             var accountingCustomerParty = doc.CreateElement("cac",
"AccountingCustomerParty", xlmnscac.Value);
383:             party = doc.CreateElement("cac", "Party", xlmnscac.Value);
384:             webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
385:             party.AppendChild(webSiteUri);
386:             XmlAttribute accountingCustomerPartyIdAttr =
doc.CreateAttribute("schemeID");
387:             accountingCustomerPartyIdAttr.Value = "TCKN";
388:             if (!string.IsNullOrEmpty(gidenFatura.VergiNo) &&
gidenFatura.VergiNo.Length == 10)
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
 389:                 accountingCustomerPartyIdAttr.Value = "VKN";
 390:             partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
 391:             var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
 392:
accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerPartyIdAttr);
 393:             accountingCustomerPartyPartyId.InnerText = gidenFatura.VergiNo;
 394:             partyIdentification.AppendChild(accountingCustomerPartyPartyId);
 395:             party.AppendChild(partyIdentification);
 396:
 397:             if (!string.IsNullOrEmpty(gidenFatura.VergiNo) &&
gidenFatura.VergiNo.Length == 10)
 398:             {
 399:                 partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
 400:                 partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
 401:                 partyNameReal.InnerText = gidenFatura.TuzelKisiAd;
 402:                 partyName.AppendChild(partyNameReal);
 403:                 party.AppendChild(partyName);
 404:             }
 405:
 406:             #region Postal Address
 407:             postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
 408:             postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
 409:             postalAddressId.InnerText = gidenFatura.VergiNo;
 410:             postalAddress.AppendChild(postalAddressId);
 411:             var room = doc.CreateElement("cbc", "Room", xlmnscbc.Value);
 412:             postalAddress.AppendChild(room);
 413:             streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
 414:             if (!string.IsNullOrEmpty(gidenFatura.Adres))
 415:                 streetName.InnerText = gidenFatura.Adres;
 416:             postalAddress.AppendChild(streetName);
 417:             buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
 418:             //buildingNumber.InnerText = "";
 419:             postalAddress.AppendChild(buildingNumber);
 420:             citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
 421:             if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
 422:                 citySubdivisionName.InnerText = gidenFatura.IlceAd;
 423:             postalAddress.AppendChild(citySubdivisionName);
 424:             cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
 425:             if (!string.IsNullOrEmpty(gidenFatura.IlAd))
 426:                 cityName.InnerText = gidenFatura.IlAd;
 427:             postalAddress.AppendChild(cityName);
 428:             postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
 429:             //postalZone.InnerText = "";
 430:             postalAddress.AppendChild(postalZone);
 431:             country = doc.CreateElement("cac", "Country", xlmnscac.Value);
 432:             countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
 433:             countryName.InnerText = "Türkiye";
 434:             country.AppendChild(countryName);
 435:             postalAddress.AppendChild(country);
 436:             party.AppendChild(postalAddress);
 437:
 438:             #endregion
 439:
 440:             partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xlmnscac.Value);
 441:             taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
 442:             taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
 443:             if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
 444:                 taxSchemeName.InnerText = gidenFatura.VergiDairesi;
 445:             taxScheme.AppendChild(taxSchemeName);
 446:             partyTaxScheme.AppendChild(taxScheme);
 447:             party.AppendChild(partyTaxScheme);
 448:
 449:             contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
 450:             electronicMail = doc.CreateElement("cbc", "ElectronicMail",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
xlmnscbc.Value);
            if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))
                electronicMail.InnerText = gidenFatura.EPostaAdresi;
            contact.AppendChild(electronicMail);
            party.AppendChild(contact);

            if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
            {
                if (gidenFatura.VergiNo.Length == 11)
                {
                    var liste = gidenFatura.TuzelKisiAd.Split(' ').ToList();
                    if (liste.Count > 1)
                    {
                        var person = doc.CreateElement("cac", "Person",
xlmnscac.Value);
                        var firstName = doc.CreateElement("cbc", "FirstName",
xlmnscbc.Value);
                        firstName.InnerText = liste[0];
                        person.AppendChild(firstName);
                        var surname =
gidenFatura.TuzelKisiAd.Substring(liste[0].Length + 1);
                        var familyName = doc.CreateElement("cbc", "FamilyName",
xlmnscbc.Value);
                        familyName.InnerText = surname;
                        //familyName.InnerText = liste[1];
                        person.AppendChild(familyName);
                        party.AppendChild(person);
                    }
                }
            }

            accountingCustomerParty.AppendChild(party);

            root.AppendChild(accountingCustomerParty);
            #endregion

            if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
            {
                if (gidenFatura.VergiNo.Length == 10)
                {
                    // Bu kisimda fatura kesilen firma bilgileri yer almaktadir (Eger
sadece Tüzel Kisilikse, sahis sirketleri için bu yapilmamaktadir)
                    #region BuyerCustomerParty

                    var buyerCustomerParty = doc.CreateElement("cac",
"BuyerCustomerParty", xlmnscac.Value);
                    party = doc.CreateElement("cac", "Party", xlmnscac.Value);
                    webSiteUri = doc.CreateElement("cbc", "WebsiteURI",
xlmnscbc.Value);
                    party.AppendChild(webSiteUri);
                    XmlAttribute buyerCustomerPartyIdAttr =
doc.CreateAttribute("schemeID");
                    buyerCustomerPartyIdAttr.Value = "VKN";
                    partyIdentification = doc.CreateElement("cac",
"PartyIdentification", xlmnscac.Value);
                    var buyerCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
buyerCustomerPartyPartyId.Attributes.Append(buyerCustomerPartyIdAttr);
                    buyerCustomerPartyPartyId.InnerText = gidenFatura.VergiNo;
                    partyIdentification.AppendChild(buyerCustomerPartyPartyId);
                    party.AppendChild(partyIdentification);

                    if (gidenFatura.VergiNo.Length == 10)
                    {
                        partyName = doc.CreateElement("cac", "PartyName",
xlmnscac.Value);
                        partyNameReal = doc.CreateElement("cbc", "Name",
xlmnscbc.Value);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
506:                        partyNameReal.InnerText = gidenFatura.TuzelKisiAd;
507:                        partyName.AppendChild(partyNameReal);
508:                        party.AppendChild(partyName);
509:                    }
510:
511:                    #region Postal Address
512:                    postalAddress = doc.CreateElement("cac", "PostalAddress",
xlmnscac.Value);
513:                    postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
514:                    postalAddressId.InnerText = gidenFatura.VergiNo;
515:                    postalAddress.AppendChild(postalAddressId);
516:                    room = doc.CreateElement("cbc", "Room", xlmnscbc.Value);
517:                    postalAddress.AppendChild(room);
518:                    streetName = doc.CreateElement("cbc", "StreetName",
xlmnscbc.Value);
519:                    if (!string.IsNullOrEmpty(gidenFatura.Adres))
520:                        streetName.InnerText = gidenFatura.Adres;
521:                    postalAddress.AppendChild(streetName);
522:                    buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
523:                    //buildingNumber.InnerText = "";
524:                    postalAddress.AppendChild(buildingNumber);
525:                    citySubdivisionName = doc.CreateElement("cbc",
"CitySubdivisionName", xlmnscbc.Value);
526:                    if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
527:                        citySubdivisionName.InnerText = gidenFatura.IlceAd;
528:                    postalAddress.AppendChild(citySubdivisionName);
529:                    cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
530:                    if (!string.IsNullOrEmpty(gidenFatura.IlAd))
531:                        cityName.InnerText = gidenFatura.IlAd;
532:                    postalAddress.AppendChild(cityName);
533:                    postalZone = doc.CreateElement("cbc", "PostalZone",
xlmnscbc.Value);
534:                    //postalZone.InnerText = "";
535:                    postalAddress.AppendChild(postalZone);
536:                    country = doc.CreateElement("cac", "Country", xlmnscac.Value);
537:                    countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
538:                    countryName.InnerText = "Türkiye";
539:                    country.AppendChild(countryName);
540:                    postalAddress.AppendChild(country);
541:                    party.AppendChild(postalAddress);
542:
543:                    #endregion
544:
545:                    partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xlmnscac.Value);
546:                    taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
547:                    taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
548:                    if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
549:                        taxSchemeName.InnerText = gidenFatura.VergiDairesi;
550:                    taxScheme.AppendChild(taxSchemeName);
551:                    partyTaxScheme.AppendChild(taxScheme);
552:                    party.AppendChild(partyTaxScheme);
553:
554:                    contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
555:                    electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xlmnscbc.Value);
556:                    if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))
557:                        electronicMail.InnerText = gidenFatura.EPostaAdresi;
558:                    contact.AppendChild(electronicMail);
559:                    party.AppendChild(contact);
560:
561:                    if (gidenFatura.VergiNo.Length == 11)
562:                    {
563:                        var liste = gidenFatura.TuzelKisiAd.Split(' ').ToList();
564:                        if (liste.Count > 1)
565:                        {
566:                            var person = doc.CreateElement("cac", "Person",
xlmnscac.Value);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
 567:                                var firstName = doc.CreateElement("cbc", "FirstName",
xlmnscbc.Value);
 568:                                firstName.InnerText = liste[0];
 569:                                person.AppendChild(firstName);
 570:                                var surname =
gidenFatura.TuzelKisiAd.Substring(liste[0].Length + 1);
 571:                                var familyName = doc.CreateElement("cbc", "FamilyName",
xlmnscbc.Value);
 572:                                familyName.InnerText = surname;
 573:                                //familyName.InnerText = liste[1];
 574:                                person.AppendChild(familyName);
 575:                                party.AppendChild(person);
 576:                            }
 577:                        }
 578:
 579:                        buyerCustomerParty.AppendChild(party);
 580:
 581:                        root.AppendChild(buyerCustomerParty);
 582:                        #endregion
 583:                    }
 584:                }
 585:
 586:                if (!string.IsNullOrEmpty(gidenFatura.BankaAd))
 587:                {
 588:                    // Eger Banka bilgileri mevcutsa burada banka bilgileri yer almaktadir
 589:                    #region PaymentMeans
 590:
 591:                    var paymentMeans = doc.CreateElement("cac", "PaymentMeans",
xlmnscac.Value);
 592:                    var paymentMeansCode = doc.CreateElement("cbc", "PaymentMeansCode",
xlmnscbc.Value);
 593:                    //paymentMeansCode.InnerText = "1";
 594:                    /// Burada 1 verildigi zaman Sözlesme Kapsaminda yaziyor metinde
 595:                    /// ZZZ ise Diger anlaminda geliyor
 596:                    paymentMeansCode.InnerText = "ZZZ";
 597:                    paymentMeans.AppendChild(paymentMeansCode);
 598:                    var payeeFinancialAccount = doc.CreateElement("cac",
"PayeeFinancialAccount", xlmnscac.Value);
 599:                    var payeeFinancialAccountId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
 600:                    if (!string.IsNullOrEmpty(gidenFatura.IbanNo))
 601:                        payeeFinancialAccountId.InnerText = gidenFatura.IbanNo;
 602:                    payeeFinancialAccount.AppendChild(payeeFinancialAccountId);
 603:                    var currencyCode = doc.CreateElement("cbc", "CurrencyCode",
xlmnscbc.Value);
 604:                    currencyCode.InnerText = "TRY";
 605:                    payeeFinancialAccount.AppendChild(currencyCode);
 606:                    var paymentNote = doc.CreateElement("cbc", "PaymentNote",
xlmnscbc.Value);
 607:                    if (!string.IsNullOrEmpty(gidenFatura.BankaAd) &&
!string.IsNullOrEmpty(gidenFatura.BankaSube))
 608:                        paymentNote.InnerText = gidenFatura.BankaAd + " - " +
gidenFatura.BankaSube;
 609:                    payeeFinancialAccount.AppendChild(paymentNote);
 610:                    paymentMeans.AppendChild(payeeFinancialAccount);
 611:                    root.AppendChild(paymentMeans);
 612:
 613:                    #endregion
 614:                }
 615:
 616:                #region KDVlerin Belirlenmesi
 617:
 618:                var faturaKdvListesi = new List<FaturaKdvDTO>();
 619:                foreach (var item in gidenFaturaDetayListesi)
 620:                {
 621:                    decimal kodKdvTuruOran = item.KdvOran ?? 0;
 622:                    if (!faturaKdvListesi.Any(j => j.KdvOran == kodKdvTuruOran))
 623:                    {
 624:                        var faturaKdv = new FaturaKdvDTO
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
625:                        {
626:                            KdvOran = kodKdvTuruOran,
627:                            KdvTutari = item.KdvTutari,
628:                            KdvHaricTutar = item.KdvHaricTutar
629:                        };
630:                        faturaKdvListesi.Add(faturaKdv);
631:                    }
632:                    else
633:                    {
634:                        var index = faturaKdvListesi.FindIndex(j => j.KdvOran ==
kodKdvTuruOran);
635:                        faturaKdvListesi[index].KdvTutari += item.KdvTutari;
636:                        faturaKdvListesi[index].KdvHaricTutar += item.KdvHaricTutar;
637:                    }
638:                    if (faturaKdvListesi.Count > 0)
639:                        faturaKdvListesi = faturaKdvListesi.OrderBy(j =>
j.KdvOran).ToList();
640:                }
641:
642:                #endregion
643:
644:                #region TaxTotal
645:
646:                var sayac = 1;
647:                foreach (var item in faturaKdvListesi)
648:                {
649:                    // Burada vergi bilgileri yer almaktadir
650:                    #region TaxTotal
651:
652:                    var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
653:                    XmlAttribute currencyIdGeneral = doc.CreateAttribute("currencyID");
654:                    currencyIdGeneral.Value = "TRY";
655:                    var taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
656:                    taxAmount.RemoveAllAttributes();
657:                    taxAmount.Attributes.Append(currencyIdGeneral);
658:                    taxAmount.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
659:                    taxTotal.AppendChild(taxAmount);
660:                    var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal",
xlmnscac.Value);
661:                    var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xlmnscbc.Value);
662:                    taxableAmount.RemoveAllAttributes();
663:                    currencyIdGeneral = doc.CreateAttribute("currencyID");
664:                    currencyIdGeneral.Value = "TRY";
665:                    taxableAmount.Attributes.Append(currencyIdGeneral);
666:                    taxableAmount.InnerText = Decimal.Round((decimal)item.KdvHaricTutar,
2, MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
667:                    taxSubTotal.AppendChild(taxableAmount);
668:                    var taxAmount2 = doc.CreateElement("cbc", "TaxAmount",
xlmnscbc.Value);
669:                    taxAmount2.RemoveAllAttributes();
670:                    currencyIdGeneral = doc.CreateAttribute("currencyID");
671:                    currencyIdGeneral.Value = "TRY";
672:                    taxAmount2.Attributes.Append(currencyIdGeneral);
673:                    taxAmount2.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
674:                    taxSubTotal.AppendChild(taxAmount2);
675:                    var calculationSequenceNumeric = doc.CreateElement("cbc",
"CalculationSequenceNumeric", xlmnscbc.Value);
676:                    calculationSequenceNumeric.InnerText = sayac + ".0";
677:                    taxSubTotal.AppendChild(calculationSequenceNumeric);
678:                    var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
679:                    percent.InnerText = Decimal.Round((decimal)item.KdvOran, 0,
MidpointRounding.AwayFromZero).ToString();
680:                    taxSubTotal.AppendChild(percent);
681:                    var taxCategory = doc.CreateElement("cac", "TaxCategory",
xlmnscac.Value);
682:                    if (item.KdvTutari == 0)
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
683:                {
684:                    if (kodFaturaGrupTuruKod ==
FaturaMakbuzGrupTur.Kuspe.GetHashCode())
685:                    {
686:                        var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
687:                        taxExemptionReasonCode.InnerText = "325";
688:                        var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
689:                        taxExemptionReason.InnerText = "13/i Yem Teslimleri";
690:                        taxCategory.AppendChild(taxExemptionReasonCode);
691:                        taxCategory.AppendChild(taxExemptionReason);
692:                    }
693:                    else
694:                    {
695:                        var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
696:                        taxExemptionReasonCode.InnerText = "350";
697:                        var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
698:                        taxExemptionReason.InnerText = "Digerleri";
699:                        taxCategory.AppendChild(taxExemptionReasonCode);
700:                        taxCategory.AppendChild(taxExemptionReason);
701:                    }
702:                }
703:                if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
704:                {
705:                    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
706:                    taxExemptionReasonCode.InnerText = "701";
707:                    var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
708:                    taxExemptionReason.InnerText = "3065 sayili Katma Deger Vergisi
kanununun 11/1-c maddesi kapsaminda ihraç edilmek sartiyla teslim edildiginden Katma Deger
Vergisi tahsil edilmemistir.";
709:                    taxCategory.AppendChild(taxExemptionReasonCode);
710:                    taxCategory.AppendChild(taxExemptionReason);
711:                }
712:                var taxScheme2 = doc.CreateElement("cac", "TaxScheme",
xlmnscac.Value);
713:                var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode",
xlmnscbc.Value);
714:                taxTypeCode.InnerText = "0015";
715:                taxScheme2.AppendChild(taxTypeCode);
716:                taxCategory.AppendChild(taxScheme2);
717:                taxSubTotal.AppendChild(taxCategory);
718:                taxTotal.AppendChild(taxSubTotal);
719:                root.AppendChild(taxTotal);
720:
721:                #endregion
722:
723:                sayac++;
724:            }
725:
726:            #endregion
727:
728:            // Burada vergi bilgileri yer almaktadir (Açiklama Satiri haline
getirildi)
729:            #region Açiklama Satiri (TaxTotal)
730:
731:            //var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
732:            //XmlAttribute currencyId = doc.CreateAttribute("currencyID");
733:            //currencyId.Value = "TRY";
734:            //var taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
735:            //taxAmount.RemoveAllAttributes();
736:            //taxAmount.Attributes.Append(currencyId);
737:            //taxAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
738:            //taxTotal.AppendChild(taxAmount);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
739:                //var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal",
xlmnscac.Value);
740:                //var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xlmnscbc.Value);
741:                //taxableAmount.RemoveAllAttributes();
742:                //currencyId = doc.CreateAttribute("currencyID");
743:                //currencyId.Value = "TRY";
744:                //taxableAmount.Attributes.Append(currencyId);
745:                //taxableAmount.InnerText =
Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
746:                //taxSubTotal.AppendChild(taxableAmount);
747:                //var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
748:                //taxAmount2.RemoveAllAttributes();
749:                //currencyId = doc.CreateAttribute("currencyID");
750:                //currencyId.Value = "TRY";
751:                //taxAmount2.Attributes.Append(currencyId);
752:                //taxAmount2.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
753:                //taxSubTotal.AppendChild(taxAmount2);
754:                //var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
755:                //if (gidenFatura.KdvHaricTutar != 0)
756:                //    percent.InnerText = Decimal.Round(((decimal)gidenFatura.KdvTutari *
100) / (decimal)gidenFatura.KdvHaricTutar, 0, MidpointRounding.AwayFromZero).ToString();
757:                //else
758:                //    percent.InnerText = "0";
759:                //taxSubTotal.AppendChild(percent);
760:                //var taxCategory = doc.CreateElement("cac", "TaxCategory",
xlmnscac.Value);
761:                //if (gidenFatura.KdvTutari == 0)
762:                //{
763:                //    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
764:                //    taxExemptionReasonCode.InnerText = "325";
765:                //    var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
766:                //    taxExemptionReason.InnerText = "13/i Yem Teslimleri";
767:                //    taxCategory.AppendChild(taxExemptionReasonCode);
768:                //    taxCategory.AppendChild(taxExemptionReason);
769:                //}
770:                //if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
771:                //{
772:                //    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
773:                //    taxExemptionReasonCode.InnerText = "701";
774:                //    var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
775:                //    taxExemptionReason.InnerText = "3065 sayili Katma Deger Vergisi
kanununun 11/1-c maddesi kapsaminda ihraç edilmek sartiyla teslim edildiginden Katma Deger
Vergisi tahsil edilmemistir.";
776:                //    taxCategory.AppendChild(taxExemptionReasonCode);
777:                //    taxCategory.AppendChild(taxExemptionReason);
778:                //}
779:                //var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
780:                //var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode",
xlmnscbc.Value);
781:                //taxTypeCode.InnerText = "0015";
782:                //taxScheme2.AppendChild(taxTypeCode);
783:                //taxCategory.AppendChild(taxScheme2);
784:                //taxSubTotal.AppendChild(taxCategory);
785:                //taxTotal.AppendChild(taxSubTotal);
786:                //root.AppendChild(taxTotal);
787:
788:                #endregion
789:
790:                // KDV, KDV Hariç Tutar ve Toplam Tutar bilgileri yer almaktadir
791:                #region LegalMonetaryTotal
792:
793:                var legalMonetaryTotal = doc.CreateElement("cac", "LegalMonetaryTotal",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
xlmnscac.Value);
 794:                var lineExtensionAmount = doc.CreateElement("cbc", "LineExtensionAmount",
xlmnscbc.Value);
 795:                lineExtensionAmount.RemoveAllAttributes();
 796:                var currencyId = doc.CreateAttribute("currencyID");
 797:                currencyId.Value = "TRY";
 798:                lineExtensionAmount.Attributes.Append(currencyId);
 799:                lineExtensionAmount.InnerText =
Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
 800:                legalMonetaryTotal.AppendChild(lineExtensionAmount);
 801:                var taxExclusiveAmount = doc.CreateElement("cbc", "TaxExclusiveAmount",
xlmnscbc.Value);
 802:                taxExclusiveAmount.RemoveAllAttributes();
 803:                currencyId = doc.CreateAttribute("currencyID");
 804:                currencyId.Value = "TRY";
 805:                taxExclusiveAmount.Attributes.Append(currencyId);
 806:                taxExclusiveAmount.InnerText =
Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
 807:                legalMonetaryTotal.AppendChild(taxExclusiveAmount);
 808:                var taxInclusiveAmount = doc.CreateElement("cbc", "TaxInclusiveAmount",
xlmnscbc.Value);
 809:                taxInclusiveAmount.RemoveAllAttributes();
 810:                currencyId = doc.CreateAttribute("currencyID");
 811:                currencyId.Value = "TRY";
 812:                taxInclusiveAmount.Attributes.Append(currencyId);
 813:                taxInclusiveAmount.InnerText =
Decimal.Round((decimal)gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
 814:                legalMonetaryTotal.AppendChild(taxInclusiveAmount);
 815:                var payableAmount = doc.CreateElement("cbc", "PayableAmount",
xlmnscbc.Value);
 816:                payableAmount.RemoveAllAttributes();
 817:                currencyId = doc.CreateAttribute("currencyID");
 818:                currencyId.Value = "TRY";
 819:                payableAmount.Attributes.Append(currencyId);
 820:                payableAmount.InnerText =
Decimal.Round((decimal)gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
 821:                legalMonetaryTotal.AppendChild(payableAmount);
 822:                root.AppendChild(legalMonetaryTotal);
 823:                #endregion
 824:
 825:                sayac = 1;
 826:                // Her bir fatura edtayi için hazirlanan bölümdür
 827:                foreach (var item in gidenFaturaDetayListesi)
 828:                {
 829:                    var detayBilgisi = BoslukKaldir.BosluklariKaldir(item);
 830:
 831:                    #region InvoiceLine
 832:
 833:                    // Ölçü Birimi, KDV Hariç Tutar, Para Birimi gibi bilgiler yer
almaktadir
 834:                    #region MetaData
 835:                    var invoiceLine = doc.CreateElement("cac", "InvoiceLine",
xlmnscac.Value);
 836:                    var invoiceLineId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
 837:                    invoiceLineId.InnerText = sayac.ToString();
 838:                    invoiceLine.AppendChild(invoiceLineId);
 839:                    var quantity = doc.CreateAttribute("unitCode");
 840:                    if (!string.IsNullOrEmpty(detayBilgisi.GibKisaltma))
 841:                        quantity.Value = detayBilgisi.GibKisaltma;
 842:                    else
 843:                        quantity.Value = "KGM";
 844:                    var invoicedQuantity = doc.CreateElement("cbc", "InvoicedQuantity",
xlmnscbc.Value);
 845:                    invoicedQuantity.RemoveAllAttributes();
 846:                    invoicedQuantity.Attributes.Append(quantity);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
 847:                 invoicedQuantity.InnerText =
Decimal.Round((decimal)detayBilgisi.Miktar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
 848:                 invoiceLine.AppendChild(invoicedQuantity);
 849:                 var lineExtensionAmountDetail = doc.CreateElement("cbc",
"LineExtensionAmount", xlmnscbc.Value);
 850:                 lineExtensionAmountDetail.RemoveAllAttributes();
 851:                 currencyId = doc.CreateAttribute("currencyID");
 852:                 currencyId.Value = "TRY";
 853:                 lineExtensionAmountDetail.Attributes.Append(currencyId);
 854:                 lineExtensionAmountDetail.InnerText =
Decimal.Round((decimal)detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
 855:                 invoiceLine.AppendChild(lineExtensionAmountDetail);
 856:                 #endregion
 857:
 858:                 // Varsa iskonto bilgileri yer almaktadir
 859:                 #region AllowanceCharge
 860:
 861:                 var allowanceCharge = doc.CreateElement("cac", "AllowanceCharge",
xlmnscac.Value);
 862:                 var chargeIndicator = doc.CreateElement("cbc", "ChargeIndicator",
xlmnscbc.Value);
 863:                 chargeIndicator.InnerText = "false";
 864:                 allowanceCharge.AppendChild(chargeIndicator);
 865:                 decimal amount2 = 0;
 866:                 decimal toplamTutar = (decimal)detayBilgisi.KdvHaricTutar;
 867:                 decimal kodIskontoTuruOran = detayBilgisi.IskontoOran ?? 0;
 868:                 if (kodIskontoTuruOran > 0)
 869:                 {
 870:                     toplamTutar = Decimal.Round((decimal)detayBilgisi.Miktar *
(decimal)detayBilgisi.BirimFiyat, 4, MidpointRounding.AwayFromZero);
 871:                     decimal toplamTutar2 = Decimal.Round(toplamTutar * (100 -
kodIskontoTuruOran) * (decimal)0.01, 4, MidpointRounding.AwayFromZero);
 872:                     amount2 = toplamTutar - toplamTutar2;
 873:                 }
 874:                 var multiplierFactorNumeric = doc.CreateElement("cbc",
"MultiplierFactorNumeric", xlmnscbc.Value);
 875:                 multiplierFactorNumeric.InnerText = Decimal.Round(kodIskontoTuruOran
* (decimal)0.01, 2, MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
 876:                 allowanceCharge.AppendChild(multiplierFactorNumeric);
 877:                 var amount = doc.CreateElement("cbc", "Amount", xlmnscbc.Value);
 878:                 currencyId = doc.CreateAttribute("currencyID");
 879:                 currencyId.Value = "TRY";
 880:                 amount.RemoveAllAttributes();
 881:                 amount.Attributes.Append(currencyId);
 882:                 amount.InnerText = Decimal.Round(amount2, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
 883:                 allowanceCharge.AppendChild(amount);
 884:                 var baseAmount = doc.CreateElement("cbc", "BaseAmount",
xlmnscbc.Value);
 885:                 currencyId = doc.CreateAttribute("currencyID");
 886:                 currencyId.Value = "TRY";
 887:                 baseAmount.RemoveAllAttributes();
 888:                 baseAmount.Attributes.Append(currencyId);
 889:                 baseAmount.InnerText = Decimal.Round(toplamTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
 890:                 allowanceCharge.AppendChild(baseAmount);
 891:                 invoiceLine.AppendChild(allowanceCharge);
 892:
 893:                 #endregion
 894:
 895:                 // Vergi bilgileri yer almaktadir
 896:                 #region TaxTotal
 897:                 var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
 898:                 currencyId = doc.CreateAttribute("currencyID");
 899:                 currencyId.Value = "TRY";
 900:                 var taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
 901:                 taxAmount.RemoveAllAttributes();
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
 902:                 taxAmount.Attributes.Append(currencyId);
 903:                 taxAmount.InnerText = Decimal.Round((decimal)detayBilgisi.KdvTutari,
2, MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
 904:                 taxTotal.AppendChild(taxAmount);
 905:                 var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal",
xlmnscac.Value);
 906:                 var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xlmnscbc.Value);
 907:                 taxableAmount.RemoveAllAttributes();
 908:                 currencyId = doc.CreateAttribute("currencyID");
 909:                 currencyId.Value = "TRY";
 910:                 taxableAmount.Attributes.Append(currencyId);
 911:                 taxableAmount.InnerText =
Decimal.Round((decimal)detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
 912:                 taxSubTotal.AppendChild(taxableAmount);
 913:                 var taxAmount2 = doc.CreateElement("cbc", "TaxAmount",
xlmnscbc.Value);
 914:                 taxAmount2.RemoveAllAttributes();
 915:                 currencyId = doc.CreateAttribute("currencyID");
 916:                 currencyId.Value = "TRY";
 917:                 taxAmount2.Attributes.Append(currencyId);
 918:                 taxAmount2.InnerText = Decimal.Round((decimal)detayBilgisi.KdvTutari,
2, MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
 919:                 taxSubTotal.AppendChild(taxAmount2);
 920:                 var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
 921:                 if (detayBilgisi.KdvOran != null)
 922:                     percent.InnerText = Decimal.Round((decimal)detayBilgisi.KdvOran,
2, MidpointRounding.AwayFromZero).ToString("N1").Replace(",", ".");
 923:                 taxSubTotal.AppendChild(percent);
 924:                 var taxCategory = doc.CreateElement("cac", "TaxCategory",
xlmnscac.Value);
 925:                 if (detayBilgisi.KdvTutari == 0)
 926:                 {
 927:                     if (kodFaturaGrupTuruKod ==
FaturaMakbuzGrupTur.Kuspe.GetHashCode())
 928:                     {
 929:                         var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
 930:                         taxExemptionReasonCode.InnerText = "325";
 931:                         var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
 932:                         taxExemptionReason.InnerText = "13/i Yem Teslimleri";
 933:                         taxCategory.AppendChild(taxExemptionReasonCode);
 934:                         taxCategory.AppendChild(taxExemptionReason);
 935:                     }
 936:                     else
 937:                     {
 938:                         var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
 939:                         taxExemptionReasonCode.InnerText = "350";
 940:                         var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
 941:                         taxExemptionReason.InnerText = "Digerleri";
 942:                         taxCategory.AppendChild(taxExemptionReasonCode);
 943:                         taxCategory.AppendChild(taxExemptionReason);
 944:                     }
 945:                 }
 946:                 var taxScheme2 = doc.CreateElement("cac", "TaxScheme",
xlmnscac.Value);
 947:                 var taxTypeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
 948:                 taxTypeName.InnerText = "KDV";
 949:                 taxScheme2.AppendChild(taxTypeName);
 950:                 var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode",
xlmnscbc.Value);
 951:                 taxTypeCode.InnerText = "0015";
 952:                 taxScheme2.AppendChild(taxTypeCode);
 953:                 taxCategory.AppendChild(taxScheme2);
 954:                 taxSubTotal.AppendChild(taxCategory);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
955:                    taxTotal.AppendChild(taxSubTotal);
956:                    invoiceLine.AppendChild(taxTotal);
957:                    #endregion
958:
959:                    // Fatura kesilen ürün detayi ve açiklama bilgileri yer almaktadir
960:                    #region Item
961:                    var invoiceItem = doc.CreateElement("cac", "Item", xlmnscac.Value);
962:                    if (!string.IsNullOrEmpty(detayBilgisi.MalzemeFaturaAciklamasi))
963:                    {
964:                        var description = doc.CreateElement("cbc", "Description",
xlmnscbc.Value);
965:                        description.InnerText = detayBilgisi.MalzemeFaturaAciklamasi;
966:                        invoiceItem.AppendChild(description);
967:                    }
968:                    var detayBilgisiName = doc.CreateElement("cbc", "Name",
xlmnscbc.Value);
969:                    if (!string.IsNullOrEmpty(detayBilgisi.FaturaUrunTuru))
970:                        detayBilgisiName.InnerText = detayBilgisi.FaturaUrunTuru;
971:                    invoiceItem.AppendChild(detayBilgisiName);
972:                    invoiceLine.AppendChild(invoiceItem);
973:                    #endregion
974:
975:                    // Birim fiyat bilgileri yer almaktadir
976:                    #region Price
977:
978:                    var price = doc.CreateElement("cac", "Price", xlmnscac.Value);
979:                    var priceAmount = doc.CreateElement("cbc", "PriceAmount",
xlmnscbc.Value);
980:                    priceAmount.RemoveAllAttributes();
981:                    currencyId = doc.CreateAttribute("currencyID");
982:                    currencyId.Value = "TRY";
983:                    priceAmount.Attributes.Append(currencyId);
984:                    if (detayBilgisi.BirimFiyat != null)
985:                        priceAmount.InnerText =
Decimal.Round((decimal)detayBilgisi.BirimFiyat, 4,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
986:                    else
987:                        priceAmount.InnerText = "0.00";
988:                    price.AppendChild(priceAmount);
989:                    invoiceLine.AppendChild(price);
990:
991:                    #endregion
992:
993:                    root.AppendChild(invoiceLine);
994:                    #endregion
995:
996:                    sayac++;
997:                }
998:
999:                #endregion
1000:
1001:               doc.AppendChild(root);
1002:
1003:               #region Dosya Kaydi
1004:
1005:               var fileName = aktarilacakKlasorAdi + "/" + gidenFatura.GidenFaturaId +
".xml";
1006:               doc.Save(fileName);
1007:
1008:               #endregion
1009:
1010:               return fileName;
1011:           }
1012:
1013:           /// <summary>
1014:           /// Giden Fatura Bilgisi Üzerinden E-Arsiv Sistemine Göndermek Için
1015:           /// XML Dosyasi Olusturmaya yarayan metottur
1016:           /// </summary>
1017:           /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
1018:         /// <param name="gidenFaturaDetayListesi">Giden Fatura Detay Listesi</param>
1019:         /// <param name="aktarilacakKlasorAdi">Olusturulan Dosyanin Aktarilacagi
Klasör</param>
1020:         /// <param name="mustahsilMakbuzuMu">Müstahsil Makbuzu Mu Bilgisi</param>
1021:         /// <returns>Kaydedilen Dosyanin Bilgisayardaki Adresi</returns>
1022:         public static string EArsivXMLOlustur(GidenFaturaDTO gidenFatura,
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, string aktarilacakKlasorAdi, bool
mustahsilMakbuzuMu)
1023:         {
1024:             if (!mustahsilMakbuzuMu)
1025:             {
1026:                 #region Sahis Sirketi veya Personel Kaydindan Gelecekse
1027:
1028:                 XmlDocument doc = new XmlDocument();
1029:                 XmlDeclaration declaration;
1030:                 declaration = doc.CreateXmlDeclaration("1.0", "UTF-8", null);
1031:                 XmlElement root = doc.DocumentElement;
1032:                 doc.InsertBefore(declaration, root);
1033:                 //doc.AppendChild(doc.CreateProcessingInstruction("xml-stylesheet",
"type=\"text/xsl\" href=\"general.xslt\""));
1034:
1035:                 root = doc.CreateElement("Invoice");
1036:
1037:                 gidenFatura = BoslukKaldir.BosluklariKaldir(gidenFatura);
1038:
1039:                 var kodSatisTuruKod = 0;
1040:                 if (gidenFatura.SatisTuruKod != null)
1041:                     kodSatisTuruKod = gidenFatura.SatisTuruKod ?? 0;
1042:
1043:                 var kodFaturaTuruKod = 0;
1044:                 if (gidenFatura.FaturaTuruKod != null)
1045:                     kodFaturaTuruKod = gidenFatura.FaturaTuruKod ?? 0;
1046:
1047:                 var kodFaturaGrupTuruKod = 0;
1048:                 if (gidenFatura.FaturaGrupTuruKod != null)
1049:                     kodFaturaGrupTuruKod = gidenFatura.FaturaGrupTuruKod ?? 0;
1050:
1051:                 #region Standart ve Faturaya Bagli Bilgiler
1052:
1053:                 // Faturanin türü, düzenleme tarihi, UBL Versiyon Numarasi, GIB
Numarasi gibi bilgiler
1054:                 // yer almaktadir
1055:                 #region Standart Bilgiler
1056:                 root.RemoveAllAttributes();
1057:
1058:                 string locationAttribute = "xsi:schemaLocation";
1059:                 XmlAttribute location = doc.CreateAttribute("xsi", "schemaLocation",
"urn:oasis:names:specification:ubl:schema:xsd:Invoice-2");
1060:                 location.Value =
"urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
../xsdrt/maindoc/UBL-Invoice-2.1.xsd";
1061:                 //XmlAttribute location = doc.CreateAttribute(schemaLocation);
1062:                 //location.Value =
"urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
../xsdrt/maindoc/UBL-Invoice-2.1.xsd";
1063:                 XmlAttribute xlmns = doc.CreateAttribute("xmlns");
1064:                 xlmns.Value =
"urn:oasis:names:specification:ubl:schema:xsd:Invoice-2";
1065:                 XmlAttribute xlmnsn4 = doc.CreateAttribute("xmlns:n4");
1066:                 xlmnsn4.Value = "http://www.altova.com/samplexml/other-namespace";
1067:                 XmlAttribute xlmnsxsi = doc.CreateAttribute("xmlns:xsi");
1068:                 xlmnsxsi.Value = "http://www.w3.org/2001/XMLSchema-instance";
1069:                 XmlAttribute xlmnscac = doc.CreateAttribute("xmlns:cac");
1070:                 xlmnscac.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonAggregateComponents-2";
1071:                 XmlAttribute xlmnscbc = doc.CreateAttribute("xmlns:cbc");
1072:                 xlmnscbc.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonBasicComponents-2";
1073:                 XmlAttribute xlmnsext = doc.CreateAttribute("xmlns:ext");
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
1074:                 xlmnsext.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonExtensionComponents-2";
1075:                 XmlAttribute xlmnsxades = doc.CreateAttribute("xmlns:xades");
1076:                 //xlmnsxades.Value = "http://uri.etsi.org/01903/v1.3.2#";
1077:                 xlmnsxades.Value = "http://uri.etsi.org/01903/v1.3.2";
1078:                 XmlAttribute xlmnsds = doc.CreateAttribute("xmlns:ds");
1079:                 //xlmnsds.Value = "http://www.w3.org/2000/09/xmldsig#";
1080:                 xlmnsds.Value = "http://www.w3.org/2000/09/xmldsig";
1081:
1082:                 root.Attributes.Append(location);
1083:                 root.Attributes.Append(xlmns);
1084:                 root.Attributes.Append(xlmnsxsi);
1085:                 root.Attributes.Append(xlmnscac);
1086:                 root.Attributes.Append(xlmnsext);
1087:                 root.Attributes.Append(xlmnsds);
1088:                 root.Attributes.Append(xlmnsxades);
1089:                 root.Attributes.Append(xlmnscbc);
1090:                 root.Attributes.Append(xlmnsn4);
1091:
1092:                 var extUbl = doc.CreateElement("ext", "UBLExtensions",
xlmnsext.Value);
1093:                 var extUbl2 = doc.CreateElement("ext", "UBLExtension",
xlmnsext.Value);
1094:                 var extUbl3 = doc.CreateElement("ext", "ExtensionContent",
xlmnsext.Value);
1095:                 extUbl2.AppendChild(extUbl3);
1096:                 extUbl.AppendChild(extUbl2);
1097:
1098:                 root.AppendChild(extUbl);
1099:
1100:                 var versionId = doc.CreateElement("cbc", "UBLVersionID",
xlmnscbc.Value);
1101:                 versionId.InnerText = "2.1";
1102:                 root.AppendChild(versionId);
1103:
1104:                 var customizationId = doc.CreateElement("cbc", "CustomizationID",
xlmnscbc.Value);
1105:                 customizationId.InnerText = "TR1.2";
1106:                 root.AppendChild(customizationId);
1107:
1108:                 var profileId = doc.CreateElement("cbc", "ProfileID", xlmnscbc.Value);
1109:                 profileId.InnerText = "EARSIVFATURA";
1110:                 root.AppendChild(profileId);
1111:
1112:                 var id = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
1113:                 if (!string.IsNullOrEmpty(gidenFatura.GibNumarasi))
1114:                     id.InnerText = gidenFatura.GibNumarasi;
1115:                 else
1116:                     id.InnerText = "ABC" + gidenFatura.DuzenlemeTarihi?.Year +
DateTime.UtcNow.Ticks.ToString().Substring(0, 9);
1117:                 root.AppendChild(id);
1118:
1119:                 var copyIndicator = doc.CreateElement("cbc", "CopyIndicator",
xlmnscbc.Value);
1120:                 copyIndicator.InnerText = "false";
1121:                 root.AppendChild(copyIndicator);
1122:
1123:                 var gidenFaturaId = doc.CreateElement("cbc", "UUID", xlmnscbc.Value);
1124:                 gidenFaturaId.InnerText = gidenFatura.GidenFaturaId.Length == 36 ?
gidenFatura.GidenFaturaId.ToUpper() : Guid.NewGuid().ToString().ToUpper();
1125:                 root.AppendChild(gidenFaturaId);
1126:
1127:                 var issueDate = doc.CreateElement("cbc", "IssueDate", xlmnscbc.Value);
1128:                 issueDate.InnerText =
gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd");
1129:                 root.AppendChild(issueDate);
1130:
1131:                 var issueTime = doc.CreateElement("cbc", "IssueTime", xlmnscbc.Value);
1132:                 issueTime.InnerText =
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
gidenFatura.DuzenlemeTarihi?.ToString("HH:mm:ss");
1133:                 root.AppendChild(issueTime);
1134:
1135:                 var invoiceTypeCode = doc.CreateElement("cbc", "InvoiceTypeCode",
xlmnscbc.Value);
1136:                 invoiceTypeCode.InnerText = "SATIS";
1137:                 if (gidenFatura.KdvTutari == 0 || gidenFaturaDetayListesi.Any(j =>
j.KdvTutari == 0))
1138:                     invoiceTypeCode.InnerText = "ISTISNA";
1139:                 if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
1140:                     invoiceTypeCode.InnerText = "IHRACKAYITLI";
1141:                 if (kodFaturaTuruKod == FaturaTur.Iade.GetHashCode())
1142:                     invoiceTypeCode.InnerText = "IADE";
1143:                 root.AppendChild(invoiceTypeCode);
1144:
1145:                 #region Irsaliye Bilgileri
1146:
1147:                 #region Irsaliye ve Tonaj Düzenlemesi
1148:
1149:                 var gidenFaturaDetayListesi2 = new List<GidenFaturaDetayDTO>();
1150:                 var gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi;
1151:                 foreach (var item in gidenFaturaDetayListesiTemp)
1152:                 {
1153:                     if (!string.IsNullOrEmpty(item.IrsaliyeNo) &&
!string.IsNullOrEmpty(item.PlakaNo))
1154:                     {
1155:                         if (!gidenFaturaDetayListesi2.Any(j => j.IrsaliyeNo ==
item.IrsaliyeNo && j.PlakaNo == item.PlakaNo))
1156:                         {
1157:                             item.Tonaj = item.Miktar;
1158:                             gidenFaturaDetayListesi2.Add(item);
1159:                         }
1160:                         else
1161:                         {
1162:                             var index = gidenFaturaDetayListesi2.FindIndex(j =>
j.IrsaliyeNo == item.IrsaliyeNo && j.PlakaNo == item.PlakaNo);
1163:                             gidenFaturaDetayListesi2[index].Tonaj =
gidenFaturaDetayListesi2[index].Tonaj + item.Miktar;
1164:                         }
1165:                     }
1166:                     else
1167:                         gidenFaturaDetayListesi2.Add(item);
1168:                 }
1169:                 //if (gidenFaturaDetayListesi2.Count < 1)
1170:                 //    gidenFaturaDetayListesi2.Add(new GidenFaturaDetayDTO());
1171:
1172:                 #endregion Irsaliye ve Tonaj Düzenlemesi
1173:
1174:                 if (gidenFaturaDetayListesi2.Count > 0)
1175:                 {
1176:                     foreach (var item in gidenFaturaDetayListesi2)
1177:                     {
1178:                         var irsaliyeNote = doc.CreateElement("cbc", "Note",
xlmnscbc.Value);
1179:                         irsaliyeNote.InnerText = "";
1180:                         if (!string.IsNullOrEmpty(item.PlakaNo))
1181:                             irsaliyeNote.InnerText += "Plaka No: " + item.PlakaNo;
1182:                         if (!string.IsNullOrEmpty(item.SevkIrsaliyesiNo))
1183:                             irsaliyeNote.InnerText += " Irsaliye No: " +
item.SevkIrsaliyesiNo;
1184:                         if (item.SevkIrsaliyeTarihi != null)
1185:                             irsaliyeNote.InnerText += " Irsaliye Tarihi: " +
item.SevkIrsaliyeTarihi?.ToShortDateString();
1186:                         if (item.YuklemeFormuNo != null)
1187:                             irsaliyeNote.InnerText += " Yükleme Formu No: " +
item.YuklemeFormuNo;
1188:                         if (item.Tonaj != null)
1189:                             irsaliyeNote.InnerText += " Tonaj: " + item.Tonaj;
1190:                         if ((item.FaturaUrunTuru.Contains("Sartname") ||
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
item.FaturaUrunTuru.Contains("Kira")) && kodFaturaGrupTuruKod ==
FaturaMakbuzGrupTur.Diger.GetHashCode() && !string.IsNullOrEmpty(gidenFatura.Aciklama))
1191:                               irsaliyeNote.InnerText += " Açiklama: " +
gidenFatura.Aciklama;
1192:                           if (!string.IsNullOrEmpty(irsaliyeNote.InnerText))
1193:                               root.AppendChild(irsaliyeNote);
1194:                       }
1195:                   }
1196:
1197:                   #endregion
1198:
1199:                   var sendType = doc.CreateElement("cbc", "Note", xlmnscbc.Value);
1200:                   sendType.InnerText = "Gönderim Sekli: ELEKTRONIK";
1201:                   root.AppendChild(sendType);
1202:
1203:                   var documentCurrencyCode = doc.CreateElement("cbc",
"DocumentCurrencyCode", xlmnscbc.Value);
1204:                   documentCurrencyCode.InnerText = "TRY";
1205:                   root.AppendChild(documentCurrencyCode);
1206:
1207:                   var lineCountNumeric = doc.CreateElement("cbc", "LineCountNumeric",
xlmnscbc.Value);
1208:                   lineCountNumeric.InnerText = gidenFaturaDetayListesi.Count.ToString();
1209:                   root.AppendChild(lineCountNumeric);
1210:
1211:                   #endregion
1212:
1213:                   // Faturaya iliskin imza, adres vb. bilgiler yer almaktadir
1214:                   #region Signature
1215:                   var signature = doc.CreateElement("cac", "Signature", xlmnscac.Value);
1216:                   XmlAttribute signatureIdAttr = doc.CreateAttribute("schemeID");
1217:                   signatureIdAttr.Value = "VKN_TCKN";
1218:                   var signatureId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
1219:                   signatureId.Attributes.Append(signatureIdAttr);
1220:                   signatureId.InnerText = "3250566851";
1221:                   signature.AppendChild(signatureId);
1222:                   var signatoryParty = doc.CreateElement("cac", "SignatoryParty",
xlmnscac.Value);
1223:                   var partyIdentification = doc.CreateElement("cac",
"PartyIdentification", xlmnscac.Value);
1224:                   XmlAttribute signatureIdAttr2 = doc.CreateAttribute("schemeID");
1225:                   signatureIdAttr2.Value = "VKN";
1226:                   var signaturePartyId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
1227:                   signaturePartyId.Attributes.Append(signatureIdAttr2);
1228:                   signaturePartyId.InnerText = "3250566851";
1229:                   partyIdentification.AppendChild(signaturePartyId);
1230:                   signatoryParty.AppendChild(partyIdentification);
1231:
1232:                   #region Postal Address
1233:                   var postalAddress = doc.CreateElement("cac", "PostalAddress",
xlmnscac.Value);
1234:                   var streetName = doc.CreateElement("cbc", "StreetName",
xlmnscbc.Value);
1235:                   streetName.InnerText = "Mithatpasa Caddesi";
1236:                   postalAddress.AppendChild(streetName);
1237:                   var buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
1238:                   buildingNumber.InnerText = "14";
1239:                   postalAddress.AppendChild(buildingNumber);
1240:                   var citySubdivisionName = doc.CreateElement("cbc",
"CitySubdivisionName", xlmnscbc.Value);
1241:                   citySubdivisionName.InnerText = "Çankaya";
1242:                   postalAddress.AppendChild(citySubdivisionName);
1243:                   var cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
1244:                   cityName.InnerText = "Ankara";
1245:                   postalAddress.AppendChild(cityName);
1246:                   var postalZone = doc.CreateElement("cbc", "PostalZone",
xlmnscbc.Value);
1247:                   postalZone.InnerText = "06100";
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
1248:                 postalAddress.AppendChild(postalZone);
1249:                 var country = doc.CreateElement("cac", "Country", xlmnscac.Value);
1250:                 var countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1251:                 countryName.InnerText = "Türkiye";
1252:                 country.AppendChild(countryName);
1253:                 postalAddress.AppendChild(country);
1254:                 signatoryParty.AppendChild(postalAddress);
1255:                 signature.AppendChild(signatoryParty);
1256:
1257:                 #endregion
1258:
1259:                 var digitalSignatureAttachment = doc.CreateElement("cac",
"DigitalSignatureAttachment", xlmnscac.Value);
1260:                 var externalReference = doc.CreateElement("cac", "ExternalReference",
xlmnscac.Value);
1261:                 var uri = doc.CreateElement("cbc", "URI", xlmnscbc.Value);
1262:                 uri.InnerText = "#Signature";
1263:                 externalReference.AppendChild(uri);
1264:                 digitalSignatureAttachment.AppendChild(externalReference);
1265:                 signature.AppendChild(digitalSignatureAttachment);
1266:
1267:                 root.AppendChild(signature);
1268:                 #endregion
1269:
1270:                 // Burada sabit degerler verilmekte olup, Faturayi kesen kuruma veya
firmaya ait bilgiler
1271:                 // yer almaktadir. Bu kisimda örnek olarak TÜRKSEKER Fabrikalari
Genel Müdürlügü bilgileri
1272:                 // kullanilmistir. Ancak degistirip test edilebilir.
1273:                 #region AccountingSupplierParty
1274:
1275:                 var accountingSupplierParty = doc.CreateElement("cac",
"AccountingSupplierParty", xlmnscac.Value);
1276:                 var party = doc.CreateElement("cac", "Party", xlmnscac.Value);
1277:                 var webSiteUri = doc.CreateElement("cbc", "WebsiteURI",
xlmnscbc.Value);
1278:                 webSiteUri.InnerText = "https://www.turkseker.gov.tr";
1279:                 party.AppendChild(webSiteUri);
1280:                 XmlAttribute accountingSupplierPartyIdAttr =
doc.CreateAttribute("schemeID");
1281:                 accountingSupplierPartyIdAttr.Value = "VKN_TCKN";
1282:                 partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
1283:                 XmlAttribute accountingSupplierPartyIdAttr2 =
doc.CreateAttribute("schemeID");
1284:                 accountingSupplierPartyIdAttr2.Value = "VKN";
1285:                 var accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
1286:
accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
1287:                 accountingSupplierPartyPartyId.InnerText = "3250566851";
1288:                 partyIdentification.AppendChild(accountingSupplierPartyPartyId);
1289:                 party.AppendChild(partyIdentification);
1290:
1291:                 if (!string.IsNullOrEmpty(gidenFatura.AltBirimAd))
1292:                 {
1293:                     partyIdentification = doc.CreateElement("cac",
"PartyIdentification", xlmnscac.Value);
1294:                     accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
1295:                     accountingSupplierPartyIdAttr2.Value = "SUBENO";
1296:                     accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
1297:
accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
1298:                     accountingSupplierPartyPartyId.InnerText = gidenFatura.AltBirimAd;
1299:                     partyIdentification.AppendChild(accountingSupplierPartyPartyId);
1300:                     party.AppendChild(partyIdentification);
1301:                 }
1302:
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
1303:                   var partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
1304:                   var partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1305:                   partyNameReal.InnerText = "TÜRKIYE SEKER FABRIKALARI A.S.";
1306:                   partyName.AppendChild(partyNameReal);
1307:                   party.AppendChild(partyName);
1308:
1309:                   #region Postal Address
1310:                   postalAddress = doc.CreateElement("cac", "PostalAddress",
xlmnscac.Value);
1311:                   var postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
1312:                   postalAddressId.InnerText = "3250566851";
1313:                   postalAddress.AppendChild(postalAddressId);
1314:                   streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
1315:                   streetName.InnerText = "Mithatpasa Caddesi";
1316:                   postalAddress.AppendChild(streetName);
1317:                   buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
1318:                   buildingNumber.InnerText = "14";
1319:                   postalAddress.AppendChild(buildingNumber);
1320:                   citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
1321:                   citySubdivisionName.InnerText = "Çankaya";
1322:                   postalAddress.AppendChild(citySubdivisionName);
1323:                   cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
1324:                   cityName.InnerText = "Ankara";
1325:                   postalAddress.AppendChild(cityName);
1326:                   postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
1327:                   postalZone.InnerText = "06100";
1328:                   postalAddress.AppendChild(postalZone);
1329:                   country = doc.CreateElement("cac", "Country", xlmnscac.Value);
1330:                   countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1331:                   countryName.InnerText = "Türkiye";
1332:                   country.AppendChild(countryName);
1333:                   postalAddress.AppendChild(country);
1334:                   party.AppendChild(postalAddress);
1335:
1336:                   #endregion
1337:
1338:                   var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xlmnscac.Value);
1339:                   var taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
1340:                   var taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1341:                   taxSchemeName.InnerText = "Ankara Kurumlar";
1342:                   taxScheme.AppendChild(taxSchemeName);
1343:                   partyTaxScheme.AppendChild(taxScheme);
1344:                   party.AppendChild(partyTaxScheme);
1345:
1346:                   var contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
1347:                   var telephone = doc.CreateElement("cbc", "Telephone", xlmnscbc.Value);
1348:                   telephone.InnerText = "(312) 4585500";
1349:                   contact.AppendChild(telephone);
1350:                   var telefax = doc.CreateElement("cbc", "Telefax", xlmnscbc.Value);
1351:                   telefax.InnerText = "(312) 4585800";
1352:                   contact.AppendChild(telefax);
1353:                   var electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xlmnscbc.Value);
1354:                   electronicMail.InnerText = "maliisler@turkseker.gov.tr";
1355:                   contact.AppendChild(electronicMail);
1356:                   party.AppendChild(contact);
1357:
1358:                   accountingSupplierParty.AppendChild(party);
1359:
1360:                   root.AppendChild(accountingSupplierParty);
1361:                   #endregion
1362:
1363:                   // Bu kisimda fatura kesilen firma bilgileri yer almaktadir
1364:                   #region AccountingCustomerParty
1365:
1366:                   var accountingCustomerParty = doc.CreateElement("cac",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
"AccountingCustomerParty", xlmnscac.Value);
1367:                   party = doc.CreateElement("cac", "Party", xlmnscac.Value);
1368:                   webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
1369:                   party.AppendChild(webSiteUri);
1370:                   XmlAttribute accountingCustomerPartyIdAttr =
doc.CreateAttribute("schemeID");
1371:                   accountingCustomerPartyIdAttr.Value = "TCKN";
1372:                   partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
1373:                   var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
1374:
accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerPartyIdAttr);
1375:                   accountingCustomerPartyPartyId.InnerText =
gidenFatura.GercekKisiTcKimlikNo;
1376:                   partyIdentification.AppendChild(accountingCustomerPartyPartyId);
1377:                   party.AppendChild(partyIdentification);
1378:
1379:                   #region Postal Address
1380:                   postalAddress = doc.CreateElement("cac", "PostalAddress",
xlmnscac.Value);
1381:                   postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
1382:                   postalAddressId.InnerText = gidenFatura.GercekKisiTcKimlikNo;
1383:                   postalAddress.AppendChild(postalAddressId);
1384:                   var room = doc.CreateElement("cbc", "Room", xlmnscbc.Value);
1385:                   postalAddress.AppendChild(room);
1386:                   streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
1387:                   if (!string.IsNullOrEmpty(gidenFatura.IkametgahAdresi))
1388:                       streetName.InnerText = gidenFatura.IkametgahAdresi;
1389:                   postalAddress.AppendChild(streetName);
1390:                   buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
1391:                   //buildingNumber.InnerText = "";
1392:                   postalAddress.AppendChild(buildingNumber);
1393:                   citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
1394:                   if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
1395:                       citySubdivisionName.InnerText = gidenFatura.IlceAd;
1396:                   postalAddress.AppendChild(citySubdivisionName);
1397:                   cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
1398:                   if (!string.IsNullOrEmpty(gidenFatura.IlAd))
1399:                       cityName.InnerText = gidenFatura.IlAd;
1400:                   postalAddress.AppendChild(cityName);
1401:                   postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
1402:                   //postalZone.InnerText = "";
1403:                   postalAddress.AppendChild(postalZone);
1404:                   country = doc.CreateElement("cac", "Country", xlmnscac.Value);
1405:                   countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1406:                   countryName.InnerText = "Türkiye";
1407:                   country.AppendChild(countryName);
1408:                   postalAddress.AppendChild(country);
1409:                   party.AppendChild(postalAddress);
1410:
1411:                   #endregion
1412:
1413:                   partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xlmnscac.Value);
1414:                   taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
1415:                   taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1416:                   //if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
1417:                   //    taxSchemeName.InnerText = gidenFatura.VergiDairesi;
1418:                   taxScheme.AppendChild(taxSchemeName);
1419:                   partyTaxScheme.AppendChild(taxScheme);
1420:                   party.AppendChild(partyTaxScheme);
1421:
1422:                   contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
1423:                   telephone = doc.CreateElement("cbc", "Telephone", xlmnscbc.Value);
1424:                   if (!string.IsNullOrEmpty(gidenFatura.CepTelefonNo))
1425:                       telephone.InnerText = gidenFatura.CepTelefonNo;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
1426:                 contact.AppendChild(telephone);
1427:                 telefax = doc.CreateElement("cbc", "Telefax", xlmnscbc.Value);
1428:                 //if (!string.IsNullOrEmpty(gidenFatura.FaksNo))
1429:                 //    telefax.InnerText = gidenFatura.FaksNo;
1430:                 contact.AppendChild(telefax);
1431:                 electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xlmnscbc.Value);
1432:                 if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))
1433:                     electronicMail.InnerText = gidenFatura.EPostaAdresi;
1434:                 contact.AppendChild(electronicMail);
1435:                 party.AppendChild(contact);
1436:
1437:                 var person = doc.CreateElement("cac", "Person", xlmnscac.Value);
1438:                 var firstName = doc.CreateElement("cbc", "FirstName", xlmnscbc.Value);
1439:                 firstName.InnerText = gidenFatura.GercekKisiAd;
1440:                 person.AppendChild(firstName);
1441:                 var familyName = doc.CreateElement("cbc", "FamilyName",
xlmnscbc.Value);
1442:                 familyName.InnerText = gidenFatura.GercekKisiSoyad;
1443:                 person.AppendChild(familyName);
1444:                 party.AppendChild(person);
1445:
1446:                 accountingCustomerParty.AppendChild(party);
1447:
1448:                 root.AppendChild(accountingCustomerParty);
1449:                 #endregion
1450:
1451:                 if (!string.IsNullOrEmpty(gidenFatura.BankaAd))
1452:                 {
1453:                     // Eger Banka bilgileri mevcutsa burada banka bilgileri yer
almaktadir
1454:                     #region PaymentMeans
1455:
1456:                     var paymentMeans = doc.CreateElement("cac", "PaymentMeans",
xlmnscac.Value);
1457:                     var paymentMeansCode = doc.CreateElement("cbc",
"PaymentMeansCode", xlmnscbc.Value);
1458:                     //paymentMeansCode.InnerText = "1";
1459:                     /// Burada 1 verildigi zaman Sözlesme Kapsaminda yaziyor metinde
1460:                     /// ZZZ ise Diger anlaminda geliyor
1461:                     paymentMeansCode.InnerText = "ZZZ";
1462:                     paymentMeans.AppendChild(paymentMeansCode);
1463:                     var payeeFinancialAccount = doc.CreateElement("cac",
"PayeeFinancialAccount", xlmnscac.Value);
1464:                     var payeeFinancialAccountId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
1465:                     if (!string.IsNullOrEmpty(gidenFatura.IbanNo))
1466:                         payeeFinancialAccountId.InnerText = gidenFatura.IbanNo;
1467:                     payeeFinancialAccount.AppendChild(payeeFinancialAccountId);
1468:                     var currencyCode = doc.CreateElement("cbc", "CurrencyCode",
xlmnscbc.Value);
1469:                     currencyCode.InnerText = "TRY";
1470:                     payeeFinancialAccount.AppendChild(currencyCode);
1471:                     var paymentNote = doc.CreateElement("cbc", "PaymentNote",
xlmnscbc.Value);
1472:                     if (!string.IsNullOrEmpty(gidenFatura.BankaAd) &&
!string.IsNullOrEmpty(gidenFatura.BankaSube))
1473:                         paymentNote.InnerText = gidenFatura.BankaAd + " - " +
gidenFatura.BankaSube;
1474:                     payeeFinancialAccount.AppendChild(paymentNote);
1475:                     paymentMeans.AppendChild(payeeFinancialAccount);
1476:                     root.AppendChild(paymentMeans);
1477:
1478:                     #endregion
1479:                 }
1480:
1481:                 #region KDVlerin Belirlenmesi
1482:
1483:                 var faturaKdvListesi = new List<FaturaKdvDTO>();
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
1484:                 foreach (var item in gidenFaturaDetayListesi)
1485:                 {
1486:                     decimal kodKdvTuruOran = item.KdvOran ?? 0;
1487:                     if (!faturaKdvListesi.Any(j => j.KdvOran == kodKdvTuruOran))
1488:                     {
1489:                         var faturaKdv = new FaturaKdvDTO
1490:                         {
1491:                             KdvOran = kodKdvTuruOran,
1492:                             KdvTutari = item.KdvTutari,
1493:                             KdvHaricTutar = item.KdvHaricTutar
1494:                         };
1495:                         faturaKdvListesi.Add(faturaKdv);
1496:                     }
1497:                     else
1498:                     {
1499:                         var index = faturaKdvListesi.FindIndex(j => j.KdvOran ==
kodKdvTuruOran);
1500:                         faturaKdvListesi[index].KdvTutari += item.KdvTutari;
1501:                         faturaKdvListesi[index].KdvHaricTutar += item.KdvHaricTutar;
1502:                     }
1503:                     if (faturaKdvListesi.Count > 0)
1504:                         faturaKdvListesi = faturaKdvListesi.OrderBy(j =>
j.KdvOran).ToList();
1505:                 }
1506:
1507:                 #endregion
1508:
1509:                 #region TaxTotal
1510:
1511:                 var sayac = 1;
1512:                 foreach (var item in faturaKdvListesi)
1513:                 {
1514:                     // Burada vergi bilgileri yer almaktadir
1515:                     #region TaxTotal
1516:
1517:                     var taxTotal = doc.CreateElement("cac", "TaxTotal",
xlmnscac.Value);
1518:                     XmlAttribute currencyIdGeneral =
doc.CreateAttribute("currencyID");
1519:                     currencyIdGeneral.Value = "TRY";
1520:                     var taxAmount = doc.CreateElement("cbc", "TaxAmount",
xlmnscbc.Value);
1521:                     taxAmount.RemoveAllAttributes();
1522:                     taxAmount.Attributes.Append(currencyIdGeneral);
1523:                     taxAmount.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1524:                     taxTotal.AppendChild(taxAmount);
1525:                     var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal",
xlmnscac.Value);
1526:                     var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xlmnscbc.Value);
1527:                     taxableAmount.RemoveAllAttributes();
1528:                     currencyIdGeneral = doc.CreateAttribute("currencyID");
1529:                     currencyIdGeneral.Value = "TRY";
1530:                     taxableAmount.Attributes.Append(currencyIdGeneral);
1531:                     taxableAmount.InnerText =
Decimal.Round((decimal)item.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1532:                     taxSubTotal.AppendChild(taxableAmount);
1533:                     var taxAmount2 = doc.CreateElement("cbc", "TaxAmount",
xlmnscbc.Value);
1534:                     taxAmount2.RemoveAllAttributes();
1535:                     currencyIdGeneral = doc.CreateAttribute("currencyID");
1536:                     currencyIdGeneral.Value = "TRY";
1537:                     taxAmount2.Attributes.Append(currencyIdGeneral);
1538:                     taxAmount2.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1539:                     taxSubTotal.AppendChild(taxAmount2);
1540:                     var calculationSequenceNumeric = doc.CreateElement("cbc",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
"CalculationSequenceNumeric", xlmnscbc.Value);
                    calculationSequenceNumeric.InnerText = sayac + ".0";
                    taxSubTotal.AppendChild(calculationSequenceNumeric);
                    var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
                    percent.InnerText = Decimal.Round((decimal)item.KdvOran, 0,
MidpointRounding.AwayFromZero).ToString();
                    taxSubTotal.AppendChild(percent);
                    var taxCategory = doc.CreateElement("cac", "TaxCategory",
xlmnscac.Value);
                    if (item.KdvTutari == 0)
                    {
                        if (kodFaturaGrupTuruKod ==
FaturaMakbuzGrupTur.Kuspe.GetHashCode())
                        {
                            var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
                            taxExemptionReasonCode.InnerText = "325";
                            var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
                            taxExemptionReason.InnerText = "13/i Yem Teslimleri";
                            taxCategory.AppendChild(taxExemptionReasonCode);
                            taxCategory.AppendChild(taxExemptionReason);
                        }
                        else
                        {
                            var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
                            taxExemptionReasonCode.InnerText = "350";
                            var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
                            taxExemptionReason.InnerText = "Digerleri";
                            taxCategory.AppendChild(taxExemptionReasonCode);
                            taxCategory.AppendChild(taxExemptionReason);
                        }
                    }
                    if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
                    {
                        var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
                        taxExemptionReasonCode.InnerText = "701";
                        var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
                        taxExemptionReason.InnerText = "3065 sayili Katma Deger
Vergisi kanununun 11/1-c maddesi kapsaminda ihraç edilmek sartiyla teslim edildiginden
Katma Deger Vergisi tahsil edilmemistir.";
                        taxCategory.AppendChild(taxExemptionReasonCode);
                        taxCategory.AppendChild(taxExemptionReason);
                    }
                    var taxScheme2 = doc.CreateElement("cac", "TaxScheme",
xlmnscac.Value);
                    var taxTypeName = doc.CreateElement("cbc", "Name",
xlmnscbc.Value);
                    taxTypeName.InnerText = "Katma Deger Vergisi";
                    var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode",
xlmnscbc.Value);
                    taxTypeCode.InnerText = "0015";
                    taxScheme2.AppendChild(taxTypeName);
                    taxScheme2.AppendChild(taxTypeCode);
                    taxCategory.AppendChild(taxScheme2);
                    taxSubTotal.AppendChild(taxCategory);
                    taxTotal.AppendChild(taxSubTotal);
                    root.AppendChild(taxTotal);

                    #endregion
                }

                #endregion

                // Burada vergi bilgileri yer almaktadir
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
1595:                 #region Açiklama Satiri (TaxTotal)
1596:
1597:                 //var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
1598:                 //XmlAttribute currencyId = doc.CreateAttribute("currencyID");
1599:                 //currencyId.Value = "TRY";
1600:                 //var taxAmount = doc.CreateElement("cbc", "TaxAmount",
xlmnscbc.Value);
1601:                 //taxAmount.RemoveAllAttributes();
1602:                 //taxAmount.Attributes.Append(currencyId);
1603:                 //taxAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari,
2, MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1604:                 //taxTotal.AppendChild(taxAmount);
1605:                 //var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal",
xlmnscac.Value);
1606:                 //var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xlmnscbc.Value);
1607:                 //taxableAmount.RemoveAllAttributes();
1608:                 //currencyId = doc.CreateAttribute("currencyID");
1609:                 //currencyId.Value = "TRY";
1610:                 //taxableAmount.Attributes.Append(currencyId);
1611:                 //taxableAmount.InnerText =
Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1612:                 //taxSubTotal.AppendChild(taxableAmount);
1613:                 //var taxAmount2 = doc.CreateElement("cbc", "TaxAmount",
xlmnscbc.Value);
1614:                 //taxAmount2.RemoveAllAttributes();
1615:                 //currencyId = doc.CreateAttribute("currencyID");
1616:                 //currencyId.Value = "TRY";
1617:                 //taxAmount2.Attributes.Append(currencyId);
1618:                 //taxAmount2.InnerText =
Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1619:                 //taxSubTotal.AppendChild(taxAmount2);
1620:                 //var calculationSequenceNumeric = doc.CreateElement("cbc",
"CalculationSequenceNumeric", xlmnscbc.Value);
1621:                 //calculationSequenceNumeric.InnerText = "1.0";
1622:                 //taxSubTotal.AppendChild(calculationSequenceNumeric);
1623:                 //var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
1624:                 //if (gidenFatura.KdvHaricTutar != 0)
1625:                 //    percent.InnerText =
Decimal.Round(((decimal)gidenFatura.KdvTutari * 100) / (decimal)gidenFatura.KdvHaricTutar,
0, MidpointRounding.AwayFromZero).ToString();
1626:                 //else
1627:                 //    percent.InnerText = "0";
1628:                 //taxSubTotal.AppendChild(percent);
1629:                 //var taxCategory = doc.CreateElement("cac", "TaxCategory",
xlmnscac.Value);
1630:                 //if (gidenFatura.KdvTutari == 0)
1631:                 //{
1632:                 //    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
1633:                 //    taxExemptionReasonCode.InnerText = "325";
1634:                 //    var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
1635:                 //    taxExemptionReason.InnerText = "13/i Yem Teslimleri";
1636:                 //    taxCategory.AppendChild(taxExemptionReasonCode);
1637:                 //    taxCategory.AppendChild(taxExemptionReason);
1638:                 //}
1639:                 //if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
1640:                 //{
1641:                 //    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
1642:                 //    taxExemptionReasonCode.InnerText = "701";
1643:                 //    var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
1644:                 //    taxExemptionReason.InnerText = "3065 sayili Katma Deger Vergisi
kanununun 11/1-c maddesi kapsaminda ihraç edilmek sartiyla teslim edildiginden Katma Deger
Vergisi tahsil edilmemistir.";
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
1645:                 //    taxCategory.AppendChild(taxExemptionReasonCode);
1646:                 //    taxCategory.AppendChild(taxExemptionReason);
1647:                 //}
1648:                 //var taxScheme2 = doc.CreateElement("cac", "TaxScheme",
xlmnscac.Value);
1649:                 //var taxTypeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1650:                 //taxTypeName.InnerText = "Katma Deger Vergisi";
1651:                 //var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode",
xlmnscbc.Value);
1652:                 //taxTypeCode.InnerText = "0015";
1653:                 //taxScheme2.AppendChild(taxTypeName);
1654:                 //taxScheme2.AppendChild(taxTypeCode);
1655:                 //taxCategory.AppendChild(taxScheme2);
1656:                 //taxSubTotal.AppendChild(taxCategory);
1657:                 //taxTotal.AppendChild(taxSubTotal);
1658:                 //root.AppendChild(taxTotal);
1659:
1660:                 #endregion
1661:
1662:                 // KDV, KDV Hariç Tutar ve Toplam Tutar bilgileri yer almaktadir
1663:                 #region LegalMonetaryTotal
1664:
1665:                 var legalMonetaryTotal = doc.CreateElement("cac",
"LegalMonetaryTotal", xlmnscac.Value);
1666:                 var lineExtensionAmount = doc.CreateElement("cbc",
"LineExtensionAmount", xlmnscbc.Value);
1667:                 lineExtensionAmount.RemoveAllAttributes();
1668:                 var currencyId = doc.CreateAttribute("currencyID");
1669:                 currencyId.Value = "TRY";
1670:                 lineExtensionAmount.Attributes.Append(currencyId);
1671:                 lineExtensionAmount.InnerText =
Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1672:                 legalMonetaryTotal.AppendChild(lineExtensionAmount);
1673:                 var taxExclusiveAmount = doc.CreateElement("cbc",
"TaxExclusiveAmount", xlmnscbc.Value);
1674:                 taxExclusiveAmount.RemoveAllAttributes();
1675:                 currencyId = doc.CreateAttribute("currencyID");
1676:                 currencyId.Value = "TRY";
1677:                 taxExclusiveAmount.Attributes.Append(currencyId);
1678:                 taxExclusiveAmount.InnerText =
Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1679:                 legalMonetaryTotal.AppendChild(taxExclusiveAmount);
1680:                 var taxInclusiveAmount = doc.CreateElement("cbc",
"TaxInclusiveAmount", xlmnscbc.Value);
1681:                 taxInclusiveAmount.RemoveAllAttributes();
1682:                 currencyId = doc.CreateAttribute("currencyID");
1683:                 currencyId.Value = "TRY";
1684:                 taxInclusiveAmount.Attributes.Append(currencyId);
1685:                 taxInclusiveAmount.InnerText =
Decimal.Round((decimal)gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1686:                 legalMonetaryTotal.AppendChild(taxInclusiveAmount);
1687:                 var allowanceTotalAmount = doc.CreateElement("cbc",
"AllowanceTotalAmount", xlmnscbc.Value);
1688:                 allowanceTotalAmount.RemoveAllAttributes();
1689:                 currencyId = doc.CreateAttribute("currencyID");
1690:                 currencyId.Value = "TRY";
1691:                 allowanceTotalAmount.Attributes.Append(currencyId);
1692:                 allowanceTotalAmount.InnerText = "0.00";
1693:                 legalMonetaryTotal.AppendChild(allowanceTotalAmount);
1694:                 var payableAmount = doc.CreateElement("cbc", "PayableAmount",
xlmnscbc.Value);
1695:                 payableAmount.RemoveAllAttributes();
1696:                 currencyId = doc.CreateAttribute("currencyID");
1697:                 currencyId.Value = "TRY";
1698:                 payableAmount.Attributes.Append(currencyId);
1699:                 payableAmount.InnerText =
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
Decimal.Round((decimal)gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
                    legalMonetaryTotal.AppendChild(payableAmount);
                    root.AppendChild(legalMonetaryTotal);
                    #endregion

                    sayac = 1;
                    // Her bir fatura detayi için hazirlanan bölümdür
                    foreach (var item in gidenFaturaDetayListesi)
                    {
                        var detayBilgisi = BoslukKaldir.BosluklariKaldir(item);

                        #region InvoiceLine

                        // Ölçü Birimi, KDV Hariç Tutar, Para Birimi gibi bilgiler yer
almaktadir
                        #region MetaData
                        var invoiceLine = doc.CreateElement("cac", "InvoiceLine",
xlmnscac.Value);
                        var invoiceLineId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
                        invoiceLineId.InnerText = sayac.ToString();
                        invoiceLine.AppendChild(invoiceLineId);
                        var quantity = doc.CreateAttribute("unitCode");
                        if (!string.IsNullOrEmpty(detayBilgisi.GibKisaltma))
                            quantity.Value = detayBilgisi.GibKisaltma;
                        else
                            quantity.Value = "KGM";
                        var invoicedQuantity = doc.CreateElement("cbc",
"InvoicedQuantity", xlmnscbc.Value);
                        invoicedQuantity.RemoveAllAttributes();
                        invoicedQuantity.Attributes.Append(quantity);
                        invoicedQuantity.InnerText =
Decimal.Round((decimal)detayBilgisi.Miktar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
                        invoiceLine.AppendChild(invoicedQuantity);
                        var lineExtensionAmountDetail = doc.CreateElement("cbc",
"LineExtensionAmount", xlmnscbc.Value);
                        lineExtensionAmountDetail.RemoveAllAttributes();
                        currencyId = doc.CreateAttribute("currencyID");
                        currencyId.Value = "TRY";
                        lineExtensionAmountDetail.Attributes.Append(currencyId);
                        lineExtensionAmountDetail.InnerText =
Decimal.Round((decimal)detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
                        invoiceLine.AppendChild(lineExtensionAmountDetail);
                        #endregion

                        // Varsa iskonto bilgileri yer almaktadir
                        #region AllowanceCharge

                        var allowanceCharge = doc.CreateElement("cac", "AllowanceCharge",
xlmnscac.Value);
                        var chargeIndicator = doc.CreateElement("cbc", "ChargeIndicator",
xlmnscbc.Value);
                        chargeIndicator.InnerText = "false";
                        allowanceCharge.AppendChild(chargeIndicator);
                        decimal amount2 = 0;
                        decimal toplamTutar = (decimal)detayBilgisi.KdvHaricTutar;
                        decimal kodIskontoTuruOran = detayBilgisi.IskontoOran ?? 0;
                        if (kodIskontoTuruOran > 0)
                        {
                            toplamTutar = Decimal.Round((decimal)detayBilgisi.Miktar *
(decimal)detayBilgisi.BirimFiyat, 4, MidpointRounding.AwayFromZero);
                            decimal toplamTutar2 = Decimal.Round(toplamTutar * (100 -
kodIskontoTuruOran) * (decimal)0.01, 4, MidpointRounding.AwayFromZero);
                            amount2 = toplamTutar - toplamTutar2;
                        }
                        var multiplierFactorNumeric = doc.CreateElement("cbc",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
"MultiplierFactorNumeric", xlmnscbc.Value);
1754:                       multiplierFactorNumeric.InnerText =
Decimal.Round(kodIskontoTuruOran * (decimal)0.01, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1755:                       allowanceCharge.AppendChild(multiplierFactorNumeric);
1756:                       var amount = doc.CreateElement("cbc", "Amount", xlmnscbc.Value);
1757:                       currencyId = doc.CreateAttribute("currencyID");
1758:                       currencyId.Value = "TRY";
1759:                       amount.RemoveAllAttributes();
1760:                       amount.Attributes.Append(currencyId);
1761:                       amount.InnerText = Decimal.Round(amount2, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1762:                       allowanceCharge.AppendChild(amount);
1763:                       var baseAmount = doc.CreateElement("cbc", "BaseAmount",
xlmnscbc.Value);
1764:                       currencyId = doc.CreateAttribute("currencyID");
1765:                       currencyId.Value = "TRY";
1766:                       baseAmount.RemoveAllAttributes();
1767:                       baseAmount.Attributes.Append(currencyId);
1768:                       baseAmount.InnerText = Decimal.Round(toplamTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1769:                       allowanceCharge.AppendChild(baseAmount);
1770:                       invoiceLine.AppendChild(allowanceCharge);
1771:
1772:                       #endregion
1773:
1774:                       // Vergi bilgileri yer almaktadir
1775:                       #region TaxTotal
1776:                       var taxTotal = doc.CreateElement("cac", "TaxTotal",
xlmnscac.Value);
1777:                       currencyId = doc.CreateAttribute("currencyID");
1778:                       currencyId.Value = "TRY";
1779:                       var taxAmount = doc.CreateElement("cbc", "TaxAmount",
xlmnscbc.Value);
1780:                       taxAmount.RemoveAllAttributes();
1781:                       taxAmount.Attributes.Append(currencyId);
1782:                       taxAmount.InnerText =
Decimal.Round((decimal)detayBilgisi.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1783:                       taxTotal.AppendChild(taxAmount);
1784:                       var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal",
xlmnscac.Value);
1785:                       var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xlmnscbc.Value);
1786:                       taxableAmount.RemoveAllAttributes();
1787:                       currencyId = doc.CreateAttribute("currencyID");
1788:                       currencyId.Value = "TRY";
1789:                       taxableAmount.Attributes.Append(currencyId);
1790:                       taxableAmount.InnerText =
Decimal.Round((decimal)detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1791:                       taxSubTotal.AppendChild(taxableAmount);
1792:                       var taxAmount2 = doc.CreateElement("cbc", "TaxAmount",
xlmnscbc.Value);
1793:                       taxAmount2.RemoveAllAttributes();
1794:                       currencyId = doc.CreateAttribute("currencyID");
1795:                       currencyId.Value = "TRY";
1796:                       taxAmount2.Attributes.Append(currencyId);
1797:                       taxAmount2.InnerText =
Decimal.Round((decimal)detayBilgisi.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
1798:                       taxSubTotal.AppendChild(taxAmount2);
1799:                       var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
1800:                       if (detayBilgisi.KdvOran != null)
1801:                           percent.InnerText =
Decimal.Round((decimal)detayBilgisi.KdvOran, 2,
MidpointRounding.AwayFromZero).ToString("N1").Replace(",", ".");
1802:                       taxSubTotal.AppendChild(percent);
1803:                       var taxCategory = doc.CreateElement("cac", "TaxCategory",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
xlmnscac.Value);
                    var taxScheme2 = doc.CreateElement("cac", "TaxScheme",
xlmnscac.Value);
                    var taxTypeName = doc.CreateElement("cbc", "Name",
xlmnscbc.Value);
                    taxTypeName.InnerText = "KDV";
                    taxScheme2.AppendChild(taxTypeName);
                    var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode",
xlmnscbc.Value);
                    taxTypeCode.InnerText = "0015";
                    taxScheme2.AppendChild(taxTypeCode);
                    taxCategory.AppendChild(taxScheme2);
                    taxSubTotal.AppendChild(taxCategory);
                    taxTotal.AppendChild(taxSubTotal);
                    invoiceLine.AppendChild(taxTotal);
                    #endregion

                    // Fatura kesilen ürün detayi ve açiklama bilgileri yer almaktadir
                    #region Item
                    var invoiceItem = doc.CreateElement("cac", "Item",
xlmnscac.Value);
                    if (!string.IsNullOrEmpty(detayBilgisi.MalzemeFaturaAciklamasi))
                    {
                        var description = doc.CreateElement("cbc", "Description",
xlmnscbc.Value);
                        description.InnerText = detayBilgisi.MalzemeFaturaAciklamasi;
                        invoiceItem.AppendChild(description);
                    }
                    var detayBilgisiName = doc.CreateElement("cbc", "Name",
xlmnscbc.Value);
                    if (!string.IsNullOrEmpty(detayBilgisi.FaturaUrunTuru))
                        detayBilgisiName.InnerText = detayBilgisi.FaturaUrunTuru;
                    invoiceItem.AppendChild(detayBilgisiName);
                    invoiceLine.AppendChild(invoiceItem);
                    #endregion

                    // Birim fiyat bilgileri yer almaktadir
                    #region Price

                    var price = doc.CreateElement("cac", "Price", xlmnscac.Value);
                    var priceAmount = doc.CreateElement("cbc", "PriceAmount",
xlmnscbc.Value);
                    priceAmount.RemoveAllAttributes();
                    currencyId = doc.CreateAttribute("currencyID");
                    currencyId.Value = "TRY";
                    priceAmount.Attributes.Append(currencyId);
                    if (detayBilgisi.BirimFiyat != null)
                        priceAmount.InnerText =
Decimal.Round((decimal)detayBilgisi.BirimFiyat, 4,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
                    else
                        priceAmount.InnerText = "0.00";
                    price.AppendChild(priceAmount);
                    invoiceLine.AppendChild(price);

                    #endregion

                    root.AppendChild(invoiceLine);
                    #endregion

                    sayac++;
                }

                #endregion

                doc.AppendChild(root);

                #region Dosya Kaydi

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
1863:                   var fileName = aktarilacakKlasorAdi + "/" + gidenFatura.GidenFaturaId
+ ".xml";
1864:                   doc.Save(fileName);
1865:
1866:                   #endregion
1867:
1868:                   return fileName;
1869:
1870:                   #endregion
1871:               }
1872:               else
1873:               {
1874:                   #region Tüzel Kisi Bilgisinden Gelecekse
1875:
1876:                   XmlDocument doc = new XmlDocument();
1877:                   XmlDeclaration declaration;
1878:                   declaration = doc.CreateXmlDeclaration("1.0", "UTF-8", null);
1879:                   XmlElement root = doc.DocumentElement;
1880:                   doc.InsertBefore(declaration, root);
1881:                   //doc.AppendChild(doc.CreateProcessingInstruction("xml-stylesheet",
"type=\"text/xsl\" href=\"general.xslt\""));
1882:
1883:                   root = doc.CreateElement("Invoice");
1884:
1885:                   var kodSatisTuruKod = 0;
1886:                   if (gidenFatura.SatisTuruKod != null)
1887:                       kodSatisTuruKod = gidenFatura.SatisTuruKod ?? 0;
1888:
1889:                   var kodFaturaTuruKod = 0;
1890:                   if (gidenFatura.FaturaTuruKod != null)
1891:                       kodFaturaTuruKod = gidenFatura.FaturaTuruKod ?? 0;
1892:
1893:                   var kodFaturaGrupTuruKod = 0;
1894:                   if (gidenFatura.FaturaGrupTuruKod != null)
1895:                       kodFaturaGrupTuruKod = gidenFatura.FaturaGrupTuruKod ?? 0;
1896:
1897:                   #region Standart ve Faturaya Bagli Bilgiler
1898:
1899:                   // Faturanin türü, düzenleme tarihi, UBL Versiyon Numarasi, GIB
Numarasi gibi bilgiler
1900:                   // yer almaktadir
1901:                   #region Standart Bilgiler
1902:                   root.RemoveAllAttributes();
1903:
1904:                   string locationAttribute = "xsi:schemaLocation";
1905:                   XmlAttribute location = doc.CreateAttribute("xsi", "schemaLocation",
"urn:oasis:names:specification:ubl:schema:xsd:Invoice-2");
1906:                   location.Value =
"urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
../xsdrt/maindoc/UBL-Invoice-2.1.xsd";
1907:                   //XmlAttribute location = doc.CreateAttribute(schemaLocation);
1908:                   //location.Value =
"urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
../xsdrt/maindoc/UBL-Invoice-2.1.xsd";
1909:                   XmlAttribute xlmns = doc.CreateAttribute("xmlns");
1910:                   xlmns.Value =
"urn:oasis:names:specification:ubl:schema:xsd:Invoice-2";
1911:                   XmlAttribute xlmnsn4 = doc.CreateAttribute("xmlns:n4");
1912:                   xlmnsn4.Value = "http://www.altova.com/samplexml/other-namespace";
1913:                   XmlAttribute xlmnsxsi = doc.CreateAttribute("xmlns:xsi");
1914:                   xlmnsxsi.Value = "http://www.w3.org/2001/XMLSchema-instance";
1915:                   XmlAttribute xlmnscac = doc.CreateAttribute("xmlns:cac");
1916:                   xlmnscac.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonAggregateComponents-2";
1917:                   XmlAttribute xlmnscbc = doc.CreateAttribute("xmlns:cbc");
1918:                   xlmnscbc.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonBasicComponents-2";
1919:                   XmlAttribute xlmnsext = doc.CreateAttribute("xmlns:ext");
1920:                   xlmnsext.Value =
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
"urn:oasis:names:specification:ubl:schema:xsd:CommonExtensionComponents-2";
                XmlAttribute xlmnsxades = doc.CreateAttribute("xmlns:xades");
                //xlmnsxades.Value = "http://uri.etsi.org/01903/v1.3.2#";
                xlmnsxades.Value = "http://uri.etsi.org/01903/v1.3.2";
                XmlAttribute xlmnsds = doc.CreateAttribute("xmlns:ds");
                //xlmnsds.Value = "http://www.w3.org/2000/09/xmldsig#";
                xlmnsds.Value = "http://www.w3.org/2000/09/xmldsig";

                root.Attributes.Append(location);
                root.Attributes.Append(xlmns);
                root.Attributes.Append(xlmnsxsi);
                root.Attributes.Append(xlmnscac);
                root.Attributes.Append(xlmnsext);
                root.Attributes.Append(xlmnsds);
                root.Attributes.Append(xlmnsxades);
                root.Attributes.Append(xlmnscbc);
                root.Attributes.Append(xlmnsn4);

                var extUbl = doc.CreateElement("ext", "UBLExtensions",
xlmnsext.Value);
                var extUbl2 = doc.CreateElement("ext", "UBLExtension",
xlmnsext.Value);
                var extUbl3 = doc.CreateElement("ext", "ExtensionContent",
xlmnsext.Value);
                extUbl2.AppendChild(extUbl3);
                extUbl.AppendChild(extUbl2);

                root.AppendChild(extUbl);

                var versionId = doc.CreateElement("cbc", "UBLVersionID",
xlmnscbc.Value);
                versionId.InnerText = "2.1";
                root.AppendChild(versionId);

                var customizationId = doc.CreateElement("cbc", "CustomizationID",
xlmnscbc.Value);
                customizationId.InnerText = "TR1.2";
                root.AppendChild(customizationId);

                var profileId = doc.CreateElement("cbc", "ProfileID", xlmnscbc.Value);
                profileId.InnerText = "EARSIVFATURA";
                root.AppendChild(profileId);

                var id = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
                if (!string.IsNullOrEmpty(gidenFatura.GibNumarasi))
                    id.InnerText = gidenFatura.GibNumarasi;
                else
                    id.InnerText = "ABC" + gidenFatura.DuzenlemeTarihi?.Year +
DateTime.UtcNow.Ticks.ToString().Substring(0, 9);
                root.AppendChild(id);

                var copyIndicator = doc.CreateElement("cbc", "CopyIndicator",
xlmnscbc.Value);
                copyIndicator.InnerText = "false";
                root.AppendChild(copyIndicator);

                var gidenFaturaId = doc.CreateElement("cbc", "UUID", xlmnscbc.Value);
                gidenFaturaId.InnerText = gidenFatura.GidenFaturaId.Length == 36 ?
gidenFatura.GidenFaturaId.ToUpper() : Guid.NewGuid().ToString().ToUpper();
                root.AppendChild(gidenFaturaId);

                var issueDate = doc.CreateElement("cbc", "IssueDate", xlmnscbc.Value);
                issueDate.InnerText =
gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd");
                root.AppendChild(issueDate);

                var issueTime = doc.CreateElement("cbc", "IssueTime", xlmnscbc.Value);
                issueTime.InnerText =
gidenFatura.DuzenlemeTarihi?.ToString("HH:mm:ss");
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
1979:                 root.AppendChild(issueTime);
1980:
1981:                 var invoiceTypeCode = doc.CreateElement("cbc", "InvoiceTypeCode",
xlmnscbc.Value);
1982:                 invoiceTypeCode.InnerText = "SATIS";
1983:                 if (gidenFatura.KdvTutari == 0 || gidenFaturaDetayListesi.Any(j =>
j.KdvTutari == 0))
1984:                     invoiceTypeCode.InnerText = "ISTISNA";
1985:                 if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
1986:                     invoiceTypeCode.InnerText = "IHRACKAYITLI";
1987:                 if (kodFaturaTuruKod == FaturaTur.Iade.GetHashCode())
1988:                     invoiceTypeCode.InnerText = "IADE";
1989:                 root.AppendChild(invoiceTypeCode);
1990:
1991:                 #region Irsaliye Bilgileri
1992:
1993:                 #region Irsaliye ve Tonaj Düzenlemesi
1994:
1995:                 var gidenFaturaDetayListesi2 = new List<GidenFaturaDetayDTO>();
1996:                 var gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi;
1997:                 foreach (var item in gidenFaturaDetayListesiTemp)
1998:                 {
1999:                     if (!string.IsNullOrEmpty(item.IrsaliyeNo) &&
!string.IsNullOrEmpty(item.PlakaNo))
2000:                     {
2001:                         if (!gidenFaturaDetayListesi2.Any(j => j.IrsaliyeNo ==
item.IrsaliyeNo && j.PlakaNo == item.PlakaNo))
2002:                         {
2003:                             item.Tonaj = item.Miktar;
2004:                             gidenFaturaDetayListesi2.Add(item);
2005:                         }
2006:                         else
2007:                         {
2008:                             var index = gidenFaturaDetayListesi2.FindIndex(j =>
j.IrsaliyeNo == item.IrsaliyeNo && j.PlakaNo == item.PlakaNo);
2009:                             gidenFaturaDetayListesi2[index].Tonaj =
gidenFaturaDetayListesi2[index].Tonaj + item.Miktar;
2010:                         }
2011:                     }
2012:                     else
2013:                         gidenFaturaDetayListesi2.Add(item);
2014:                 }
2015:                 //if (gidenFaturaDetayListesi2.Count < 1)
2016:                 //    gidenFaturaDetayListesi2.Add(new GidenFaturaDetayDTO());
2017:
2018:                 #endregion Irsaliye ve Tonaj Düzenlemesi
2019:
2020:                 if (gidenFaturaDetayListesi2.Count > 0)
2021:                 {
2022:                     foreach (var item in gidenFaturaDetayListesi2)
2023:                     {
2024:                         var irsaliyeNote = doc.CreateElement("cbc", "Note",
xlmnscbc.Value);
2025:                         irsaliyeNote.InnerText = "";
2026:                         if (!string.IsNullOrEmpty(item.PlakaNo))
2027:                             irsaliyeNote.InnerText += "Plaka No: " + item.PlakaNo;
2028:                         if (!string.IsNullOrEmpty(item.SevkIrsaliyesiNo))
2029:                             irsaliyeNote.InnerText += " Irsaliye No: " +
item.SevkIrsaliyesiNo;
2030:                         if (item.SevkIrsaliyeTarihi != null)
2031:                             irsaliyeNote.InnerText += " Irsaliye Tarihi: " +
item.SevkIrsaliyeTarihi?.ToShortDateString();
2032:                         if (item.YuklemeFormuNo != null)
2033:                             irsaliyeNote.InnerText += " Yükleme Formu No: " +
item.YuklemeFormuNo;
2034:                         if (item.Tonaj != null)
2035:                             irsaliyeNote.InnerText += " Tonaj: " + item.Tonaj;
2036:                         if ((item.FaturaUrunTuru.Contains("Sartname") ||
item.FaturaUrunTuru.Contains("Kira")) && kodFaturaGrupTuruKod ==
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
FaturaMakbuzGrupTur.Diger.GetHashCode() && !string.IsNullOrEmpty(gidenFatura.Aciklama))
2037:                                irsaliyeNote.InnerText += " Açiklama: " +
gidenFatura.Aciklama;
2038:                            if (!string.IsNullOrEmpty(irsaliyeNote.InnerText))
2039:                                root.AppendChild(irsaliyeNote);
2040:                        }
2041:                    }
2042:
2043:                    #endregion
2044:
2045:                    var sendType = doc.CreateElement("cbc", "Note", xlmnscbc.Value);
2046:                    sendType.InnerText = "Gönderim Sekli: ELEKTRONIK";
2047:                    root.AppendChild(sendType);
2048:
2049:                    var documentCurrencyCode = doc.CreateElement("cbc",
"DocumentCurrencyCode", xlmnscbc.Value);
2050:                    documentCurrencyCode.InnerText = "TRY";
2051:                    root.AppendChild(documentCurrencyCode);
2052:
2053:                    var lineCountNumeric = doc.CreateElement("cbc", "LineCountNumeric",
xlmnscbc.Value);
2054:                    lineCountNumeric.InnerText = gidenFaturaDetayListesi.Count.ToString();
2055:                    root.AppendChild(lineCountNumeric);
2056:
2057:                    #endregion
2058:
2059:                    // Faturaya iliskin imza, adres vb. bilgiler yer almaktadir
2060:                    #region Signature
2061:                    var signature = doc.CreateElement("cac", "Signature", xlmnscac.Value);
2062:                    XmlAttribute signatureIdAttr = doc.CreateAttribute("schemeID");
2063:                    signatureIdAttr.Value = "VKN_TCKN";
2064:                    var signatureId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
2065:                    signatureId.Attributes.Append(signatureIdAttr);
2066:                    signatureId.InnerText = "3250566851";
2067:                    signature.AppendChild(signatureId);
2068:                    var signatoryParty = doc.CreateElement("cac", "SignatoryParty",
xlmnscac.Value);
2069:                    var partyIdentification = doc.CreateElement("cac",
"PartyIdentification", xlmnscac.Value);
2070:                    XmlAttribute signatureIdAttr2 = doc.CreateAttribute("schemeID");
2071:                    signatureIdAttr2.Value = "VKN";
2072:                    var signaturePartyId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
2073:                    signaturePartyId.Attributes.Append(signatureIdAttr2);
2074:                    signaturePartyId.InnerText = "3250566851";
2075:                    partyIdentification.AppendChild(signaturePartyId);
2076:                    signatoryParty.AppendChild(partyIdentification);
2077:
2078:                    #region Postal Address
2079:                    var postalAddress = doc.CreateElement("cac", "PostalAddress",
xlmnscac.Value);
2080:                    var streetName = doc.CreateElement("cbc", "StreetName",
xlmnscbc.Value);
2081:                    streetName.InnerText = "Mithatpasa Caddesi";
2082:                    postalAddress.AppendChild(streetName);
2083:                    var buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
2084:                    buildingNumber.InnerText = "14";
2085:                    postalAddress.AppendChild(buildingNumber);
2086:                    var citySubdivisionName = doc.CreateElement("cbc",
"CitySubdivisionName", xlmnscbc.Value);
2087:                    citySubdivisionName.InnerText = "Çankaya";
2088:                    postalAddress.AppendChild(citySubdivisionName);
2089:                    var cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
2090:                    cityName.InnerText = "Ankara";
2091:                    postalAddress.AppendChild(cityName);
2092:                    var postalZone = doc.CreateElement("cbc", "PostalZone",
xlmnscbc.Value);
2093:                    postalZone.InnerText = "06100";
2094:                    postalAddress.AppendChild(postalZone);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
2095:                 var country = doc.CreateElement("cac", "Country", xlmnscac.Value);
2096:                 var countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
2097:                 countryName.InnerText = "Türkiye";
2098:                 country.AppendChild(countryName);
2099:                 postalAddress.AppendChild(country);
2100:                 signatoryParty.AppendChild(postalAddress);
2101:                 signature.AppendChild(signatoryParty);
2102:
2103:                 #endregion
2104:
2105:                 var digitalSignatureAttachment = doc.CreateElement("cac",
"DigitalSignatureAttachment", xlmnscac.Value);
2106:                 var externalReference = doc.CreateElement("cac", "ExternalReference",
xlmnscac.Value);
2107:                 var uri = doc.CreateElement("cbc", "URI", xlmnscbc.Value);
2108:                 uri.InnerText = "#Signature";
2109:                 externalReference.AppendChild(uri);
2110:                 digitalSignatureAttachment.AppendChild(externalReference);
2111:                 signature.AppendChild(digitalSignatureAttachment);
2112:
2113:                 root.AppendChild(signature);
2114:                 #endregion
2115:
2116:                 // Burada sabit degerler verilmekte olup, Faturayi kesen kuruma veya
firmaya ait bilgiler
2117:                 // yer almaktadir. Bu kisimda örnek olarak TÜRKSEKER Fabrikalari
Genel Müdürlügü bilgileri
2118:                 // kullanilmistir. Ancak degistirip test edilebilir.
2119:                 #region AccountingSupplierParty
2120:
2121:                 var accountingSupplierParty = doc.CreateElement("cac",
"AccountingSupplierParty", xlmnscac.Value);
2122:                 var party = doc.CreateElement("cac", "Party", xlmnscac.Value);
2123:                 var webSiteUri = doc.CreateElement("cbc", "WebsiteURI",
xlmnscbc.Value);
2124:                 webSiteUri.InnerText = "https://www.turkseker.gov.tr";
2125:                 party.AppendChild(webSiteUri);
2126:                 XmlAttribute accountingSupplierPartyIdAttr =
doc.CreateAttribute("schemeID");
2127:                 accountingSupplierPartyIdAttr.Value = "VKN_TCKN";
2128:                 partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
2129:                 XmlAttribute accountingSupplierPartyIdAttr2 =
doc.CreateAttribute("schemeID");
2130:                 accountingSupplierPartyIdAttr2.Value = "VKN";
2131:                 var accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
2132:
accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
2133:                 accountingSupplierPartyPartyId.InnerText = "3250566851";
2134:                 partyIdentification.AppendChild(accountingSupplierPartyPartyId);
2135:                 party.AppendChild(partyIdentification);
2136:
2137:                 if (!string.IsNullOrEmpty(gidenFatura.AltBirimAd))
2138:                 {
2139:                     partyIdentification = doc.CreateElement("cac",
"PartyIdentification", xlmnscac.Value);
2140:                     accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
2141:                     accountingSupplierPartyIdAttr2.Value = "SUBENO";
2142:                     accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
2143:
accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
2144:                     accountingSupplierPartyPartyId.InnerText = gidenFatura.AltBirimAd;
2145:                     partyIdentification.AppendChild(accountingSupplierPartyPartyId);
2146:                     party.AppendChild(partyIdentification);
2147:                 }
2148:
2149:                 var partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
2150:                 var partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
2151:                 partyNameReal.InnerText = "TÜRKIYE SEKER FABRIKALARI A.S.";
2152:                 partyName.AppendChild(partyNameReal);
2153:                 party.AppendChild(partyName);
2154:
2155:                 #region Postal Address
2156:                 postalAddress = doc.CreateElement("cac", "PostalAddress",
xlmnscac.Value);
2157:                 var postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
2158:                 postalAddressId.InnerText = "3250566851";
2159:                 postalAddress.AppendChild(postalAddressId);
2160:                 streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
2161:                 streetName.InnerText = "Mithatpasa Caddesi";
2162:                 postalAddress.AppendChild(streetName);
2163:                 buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
2164:                 buildingNumber.InnerText = "14";
2165:                 postalAddress.AppendChild(buildingNumber);
2166:                 citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
2167:                 citySubdivisionName.InnerText = "Çankaya";
2168:                 postalAddress.AppendChild(citySubdivisionName);
2169:                 cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
2170:                 cityName.InnerText = "Ankara";
2171:                 postalAddress.AppendChild(cityName);
2172:                 postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
2173:                 postalZone.InnerText = "06100";
2174:                 postalAddress.AppendChild(postalZone);
2175:                 country = doc.CreateElement("cac", "Country", xlmnscac.Value);
2176:                 countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
2177:                 countryName.InnerText = "Türkiye";
2178:                 country.AppendChild(countryName);
2179:                 postalAddress.AppendChild(country);
2180:                 party.AppendChild(postalAddress);
2181:
2182:                 #endregion
2183:
2184:                 var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xlmnscac.Value);
2185:                 var taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
2186:                 var taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
2187:                 taxSchemeName.InnerText = "Ankara Kurumlar";
2188:                 taxScheme.AppendChild(taxSchemeName);
2189:                 partyTaxScheme.AppendChild(taxScheme);
2190:                 party.AppendChild(partyTaxScheme);
2191:
2192:                 var contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
2193:                 var telephone = doc.CreateElement("cbc", "Telephone", xlmnscbc.Value);
2194:                 telephone.InnerText = "(312) 4585500";
2195:                 contact.AppendChild(telephone);
2196:                 var telefax = doc.CreateElement("cbc", "Telefax", xlmnscbc.Value);
2197:                 telefax.InnerText = "(312) 4585800";
2198:                 contact.AppendChild(telefax);
2199:                 var electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xlmnscbc.Value);
2200:                 electronicMail.InnerText = "maliisler@turkseker.gov.tr";
2201:                 contact.AppendChild(electronicMail);
2202:                 party.AppendChild(contact);
2203:
2204:                 accountingSupplierParty.AppendChild(party);
2205:
2206:                 root.AppendChild(accountingSupplierParty);
2207:                 #endregion
2208:
2209:                 // Bu kisimda fatura kesilen firma bilgileri yer almaktadir
2210:                 #region AccountingCustomerParty
2211:
2212:                 var accountingCustomerParty = doc.CreateElement("cac",
"AccountingCustomerParty", xlmnscac.Value);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
2213:                 party = doc.CreateElement("cac", "Party", xlmnscac.Value);
2214:                 webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
2215:                 party.AppendChild(webSiteUri);
2216:                 XmlAttribute accountingCustomerPartyIdAttr =
doc.CreateAttribute("schemeID");
2217:                 accountingCustomerPartyIdAttr.Value = "TCKN";
2218:                 if (!string.IsNullOrEmpty(gidenFatura.VergiNo) &&
gidenFatura.VergiNo.Length == 10)
2219:                     accountingCustomerPartyIdAttr.Value = "VKN";
2220:                 partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
2221:                 var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
2222:
accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerPartyIdAttr);
2223:                 accountingCustomerPartyPartyId.InnerText = gidenFatura.VergiNo;
2224:                 partyIdentification.AppendChild(accountingCustomerPartyPartyId);
2225:                 party.AppendChild(partyIdentification);
2226:
2227:                 if (!string.IsNullOrEmpty(gidenFatura.VergiNo) &&
gidenFatura.VergiNo.Length == 10)
2228:                 {
2229:                     partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
2230:                     partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
2231:                     partyNameReal.InnerText = gidenFatura.TuzelKisiAd;
2232:                     partyName.AppendChild(partyNameReal);
2233:                     party.AppendChild(partyName);
2234:                 }
2235:
2236:                 #region Postal Address
2237:                 postalAddress = doc.CreateElement("cac", "PostalAddress",
xlmnscac.Value);
2238:                 postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
2239:                 postalAddressId.InnerText = gidenFatura.VergiNo;
2240:                 postalAddress.AppendChild(postalAddressId);
2241:                 var room = doc.CreateElement("cbc", "Room", xlmnscbc.Value);
2242:                 postalAddress.AppendChild(room);
2243:                 streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
2244:                 if (!string.IsNullOrEmpty(gidenFatura.Adres))
2245:                     streetName.InnerText = gidenFatura.Adres;
2246:                 postalAddress.AppendChild(streetName);
2247:                 buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
2248:                 //buildingNumber.InnerText = "";
2249:                 postalAddress.AppendChild(buildingNumber);
2250:                 citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
2251:                 if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
2252:                     citySubdivisionName.InnerText = gidenFatura.IlceAd;
2253:                 postalAddress.AppendChild(citySubdivisionName);
2254:                 cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
2255:                 if (!string.IsNullOrEmpty(gidenFatura.IlAd))
2256:                     cityName.InnerText = gidenFatura.IlAd;
2257:                 postalAddress.AppendChild(cityName);
2258:                 postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
2259:                 //postalZone.InnerText = "";
2260:                 postalAddress.AppendChild(postalZone);
2261:                 country = doc.CreateElement("cac", "Country", xlmnscac.Value);
2262:                 countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
2263:                 countryName.InnerText = "Türkiye";
2264:                 country.AppendChild(countryName);
2265:                 postalAddress.AppendChild(country);
2266:                 party.AppendChild(postalAddress);
2267:
2268:                 #endregion
2269:
2270:                 partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xlmnscac.Value);
2271:                 taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
2272:                 taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
2273:                 if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
2274:                     taxSchemeName.InnerText = gidenFatura.VergiDairesi;
2275:                 taxScheme.AppendChild(taxSchemeName);
2276:                 partyTaxScheme.AppendChild(taxScheme);
2277:                 party.AppendChild(partyTaxScheme);
2278:
2279:                 contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
2280:                 telephone = doc.CreateElement("cbc", "Telephone", xlmnscbc.Value);
2281:                 if (!string.IsNullOrEmpty(gidenFatura.TelefonNo))
2282:                     telephone.InnerText = gidenFatura.TelefonNo;
2283:                 contact.AppendChild(telephone);
2284:                 telefax = doc.CreateElement("cbc", "Telefax", xlmnscbc.Value);
2285:                 if (!string.IsNullOrEmpty(gidenFatura.FaksNo))
2286:                     telefax.InnerText = gidenFatura.FaksNo;
2287:                 contact.AppendChild(telefax);
2288:                 electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xlmnscbc.Value);
2289:                 if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))
2290:                     electronicMail.InnerText = gidenFatura.EPostaAdresi;
2291:                 contact.AppendChild(electronicMail);
2292:                 party.AppendChild(contact);
2293:
2294:                 if (!string.IsNullOrEmpty(gidenFatura.VergiNo) &&
gidenFatura.VergiNo.Length == 11)
2295:                 {
2296:                     var liste = gidenFatura.TuzelKisiAd.Split(' ').ToList();
2297:                     if (liste.Count > 1)
2298:                     {
2299:                         var person = doc.CreateElement("cac", "Person",
xlmnscac.Value);
2300:                         var firstName = doc.CreateElement("cbc", "FirstName",
xlmnscbc.Value);
2301:                         firstName.InnerText = liste[0];
2302:                         person.AppendChild(firstName);
2303:                         var surname =
gidenFatura.TuzelKisiAd.Substring(liste[0].Length + 1);
2304:                         var familyName = doc.CreateElement("cbc", "FamilyName",
xlmnscbc.Value);
2305:                         familyName.InnerText = surname;
2306:                         //familyName.InnerText = liste[1];
2307:                         person.AppendChild(familyName);
2308:                         party.AppendChild(person);
2309:                     }
2310:                 }
2311:
2312:                 accountingCustomerParty.AppendChild(party);
2313:
2314:                 root.AppendChild(accountingCustomerParty);
2315:                 #endregion
2316:
2317:                 if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
2318:                 {
2319:                     if (gidenFatura.VergiNo.Length == 10)
2320:                     {
2321:                         // Bu kisimda fatura kesilen firma bilgileri yer almaktadir
(Eger sadece Tüzel Kisilikse, sahis sirketleri için bu yapilmamaktadir)
2322:                         #region BuyerCustomerParty
2323:
2324:                         var buyerCustomerParty = doc.CreateElement("cac",
"BuyerCustomerParty", xlmnscac.Value);
2325:                         party = doc.CreateElement("cac", "Party", xlmnscac.Value);
2326:                         webSiteUri = doc.CreateElement("cbc", "WebsiteURI",
xlmnscbc.Value);
2327:                         party.AppendChild(webSiteUri);
2328:                         XmlAttribute buyerCustomerPartyIdAttr =
doc.CreateAttribute("schemeID");
2329:                         buyerCustomerPartyIdAttr.Value = "VKN";
2330:                         partyIdentification = doc.CreateElement("cac",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
"PartyIdentification", xlmnscac.Value);
2331:                           var buyerCustomerPartyPartyId = doc.CreateElement("cbc",
"ID", xlmnscbc.Value);
2332:
buyerCustomerPartyPartyId.Attributes.Append(buyerCustomerPartyIdAttr);
2333:                           buyerCustomerPartyPartyId.InnerText = gidenFatura.VergiNo;
2334:                           partyIdentification.AppendChild(buyerCustomerPartyPartyId);
2335:                           party.AppendChild(partyIdentification);
2336:
2337:                           if (gidenFatura.VergiNo.Length == 10)
2338:                           {
2339:                               partyName = doc.CreateElement("cac", "PartyName",
xlmnscac.Value);
2340:                               partyNameReal = doc.CreateElement("cbc", "Name",
xlmnscbc.Value);
2341:                               partyNameReal.InnerText = gidenFatura.TuzelKisiAd;
2342:                               partyName.AppendChild(partyNameReal);
2343:                               party.AppendChild(partyName);
2344:                           }
2345:
2346:                           #region Postal Address
2347:                           postalAddress = doc.CreateElement("cac", "PostalAddress",
xlmnscac.Value);
2348:                           postalAddressId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
2349:                           postalAddressId.InnerText = gidenFatura.VergiNo;
2350:                           postalAddress.AppendChild(postalAddressId);
2351:                           room = doc.CreateElement("cbc", "Room", xlmnscbc.Value);
2352:                           postalAddress.AppendChild(room);
2353:                           streetName = doc.CreateElement("cbc", "StreetName",
xlmnscbc.Value);
2354:                           if (!string.IsNullOrEmpty(gidenFatura.Adres))
2355:                               streetName.InnerText = gidenFatura.Adres;
2356:                           postalAddress.AppendChild(streetName);
2357:                           buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
2358:                           //buildingNumber.InnerText = "";
2359:                           postalAddress.AppendChild(buildingNumber);
2360:                           citySubdivisionName = doc.CreateElement("cbc",
"CitySubdivisionName", xlmnscbc.Value);
2361:                           if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
2362:                               citySubdivisionName.InnerText = gidenFatura.IlceAd;
2363:                           postalAddress.AppendChild(citySubdivisionName);
2364:                           cityName = doc.CreateElement("cbc", "CityName",
xlmnscbc.Value);
2365:                           if (!string.IsNullOrEmpty(gidenFatura.IlAd))
2366:                               cityName.InnerText = gidenFatura.IlAd;
2367:                           postalAddress.AppendChild(cityName);
2368:                           postalZone = doc.CreateElement("cbc", "PostalZone",
xlmnscbc.Value);
2369:                           //postalZone.InnerText = "";
2370:                           postalAddress.AppendChild(postalZone);
2371:                           country = doc.CreateElement("cac", "Country", xlmnscac.Value);
2372:                           countryName = doc.CreateElement("cbc", "Name",
xlmnscbc.Value);
2373:                           countryName.InnerText = "Türkiye";
2374:                           country.AppendChild(countryName);
2375:                           postalAddress.AppendChild(country);
2376:                           party.AppendChild(postalAddress);
2377:
2378:                           #endregion
2379:
2380:                           partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xlmnscac.Value);
2381:                           taxScheme = doc.CreateElement("cac", "TaxScheme",
xlmnscac.Value);
2382:                           taxSchemeName = doc.CreateElement("cbc", "Name",
xlmnscbc.Value);
2383:                           if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
2384:                                   taxSchemeName.InnerText = gidenFatura.VergiDairesi;
2385:                               taxScheme.AppendChild(taxSchemeName);
2386:                               partyTaxScheme.AppendChild(taxScheme);
2387:                               party.AppendChild(partyTaxScheme);
2388:
2389:                               contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
2390:                               telephone = doc.CreateElement("cbc", "Telephone",
xlmnscbc.Value);
2391:                               if (!string.IsNullOrEmpty(gidenFatura.TelefonNo))
2392:                                   telephone.InnerText = gidenFatura.TelefonNo;
2393:                               contact.AppendChild(telephone);
2394:                               telefax = doc.CreateElement("cbc", "Telefax", xlmnscbc.Value);
2395:                               if (!string.IsNullOrEmpty(gidenFatura.FaksNo))
2396:                                   telefax.InnerText = gidenFatura.FaksNo;
2397:                               contact.AppendChild(telefax);
2398:                               electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xlmnscbc.Value);
2399:                               if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))
2400:                                   electronicMail.InnerText = gidenFatura.EPostaAdresi;
2401:                               contact.AppendChild(electronicMail);
2402:                               party.AppendChild(contact);
2403:
2404:                               if (gidenFatura.VergiNo.Length == 11)
2405:                               {
2406:                                   var liste = gidenFatura.TuzelKisiAd.Split(' ').ToList();
2407:                                   if (liste.Count > 1)
2408:                                   {
2409:                                       var person = doc.CreateElement("cac", "Person",
xlmnscac.Value);
2410:                                       var firstName = doc.CreateElement("cbc", "FirstName",
xlmnscbc.Value);
2411:                                       firstName.InnerText = liste[0];
2412:                                       person.AppendChild(firstName);
2413:                                       var surname =
gidenFatura.TuzelKisiAd.Substring(liste[0].Length + 1);
2414:                                       var familyName = doc.CreateElement("cbc",
"FamilyName", xlmnscbc.Value);
2415:                                       familyName.InnerText = surname;
2416:                                       //familyName.InnerText = liste[1];
2417:                                       person.AppendChild(familyName);
2418:                                       party.AppendChild(person);
2419:                                   }
2420:                               }
2421:
2422:                               buyerCustomerParty.AppendChild(party);
2423:
2424:                               root.AppendChild(buyerCustomerParty);
2425:                               #endregion
2426:                           }
2427:                       }
2428:
2429:                       if (!string.IsNullOrEmpty(gidenFatura.BankaAd))
2430:                       {
2431:                           // Eger Banka bilgileri mevcutsa burada banka bilgileri yer
almaktadir
2432:                           #region PaymentMeans
2433:
2434:                           var paymentMeans = doc.CreateElement("cac", "PaymentMeans",
xlmnscac.Value);
2435:                           var paymentMeansCode = doc.CreateElement("cbc",
"PaymentMeansCode", xlmnscbc.Value);
2436:                           //paymentMeansCode.InnerText = "1";
2437:                           /// Burada 1 verildigi zaman Sözlesme Kapsaminda yaziyor metinde
2438:                           /// ZZZ ise Diger anlaminda geliyor
2439:                           paymentMeansCode.InnerText = "ZZZ";
2440:                           paymentMeans.AppendChild(paymentMeansCode);
2441:                           var payeeFinancialAccount = doc.CreateElement("cac",
"PayeeFinancialAccount", xlmnscac.Value);
2442:                           var payeeFinancialAccountId = doc.CreateElement("cbc", "ID",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
xlmnscbc.Value);
                    if (!string.IsNullOrEmpty(gidenFatura.IbanNo))
                        payeeFinancialAccountId.InnerText = gidenFatura.IbanNo;
                    payeeFinancialAccount.AppendChild(payeeFinancialAccountId);
                    var currencyCode = doc.CreateElement("cbc", "CurrencyCode",
xlmnscbc.Value);
                    currencyCode.InnerText = "TRY";
                    payeeFinancialAccount.AppendChild(currencyCode);
                    var paymentNote = doc.CreateElement("cbc", "PaymentNote",
xlmnscbc.Value);
                    if (!string.IsNullOrEmpty(gidenFatura.BankaAd) &&
!string.IsNullOrEmpty(gidenFatura.BankaSube))
                        paymentNote.InnerText = gidenFatura.BankaAd + " - " +
gidenFatura.BankaSube;
                    payeeFinancialAccount.AppendChild(paymentNote);
                    paymentMeans.AppendChild(payeeFinancialAccount);
                    root.AppendChild(paymentMeans);

                    #endregion
                }

                #region KDVlerin Belirlenmesi

                var faturaKdvListesi = new List<FaturaKdvDTO>();
                foreach (var item in gidenFaturaDetayListesi)
                {
                    decimal kodKdvTuruOran = item.KdvOran ?? 0;
                    if (!faturaKdvListesi.Any(j => j.KdvOran == kodKdvTuruOran))
                    {
                        var faturaKdv = new FaturaKdvDTO
                        {
                            KdvOran = kodKdvTuruOran,
                            KdvTutari = item.KdvTutari,
                            KdvHaricTutar = item.KdvHaricTutar
                        };
                        faturaKdvListesi.Add(faturaKdv);
                    }
                    else
                    {
                        var index = faturaKdvListesi.FindIndex(j => j.KdvOran ==
kodKdvTuruOran);
                        faturaKdvListesi[index].KdvTutari += item.KdvTutari;
                        faturaKdvListesi[index].KdvHaricTutar += item.KdvHaricTutar;
                    }
                    if (faturaKdvListesi.Count > 0)
                        faturaKdvListesi = faturaKdvListesi.OrderBy(j =>
j.KdvOran).ToList();
                }

                #endregion

                #region TaxTotal

                var sayac = 1;
                foreach (var item in faturaKdvListesi)
                {
                    // Burada vergi bilgileri yer almaktadir
                    #region TaxTotal

                    var taxTotal = doc.CreateElement("cac", "TaxTotal",
xlmnscac.Value);
                    XmlAttribute currencyIdGeneral =
doc.CreateAttribute("currencyID");
                    currencyIdGeneral.Value = "TRY";
                    var taxAmount = doc.CreateElement("cbc", "TaxAmount",
xlmnscbc.Value);
                    taxAmount.RemoveAllAttributes();
                    taxAmount.Attributes.Append(currencyIdGeneral);
                    taxAmount.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
                    taxTotal.AppendChild(taxAmount);
                    var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal",
xlmnscac.Value);
                    var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xlmnscbc.Value);
                    taxableAmount.RemoveAllAttributes();
                    currencyIdGeneral = doc.CreateAttribute("currencyID");
                    currencyIdGeneral.Value = "TRY";
                    taxableAmount.Attributes.Append(currencyIdGeneral);
                    taxableAmount.InnerText =
Decimal.Round((decimal)item.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
                    taxSubTotal.AppendChild(taxableAmount);
                    var taxAmount2 = doc.CreateElement("cbc", "TaxAmount",
xlmnscbc.Value);
                    taxAmount2.RemoveAllAttributes();
                    currencyIdGeneral = doc.CreateAttribute("currencyID");
                    currencyIdGeneral.Value = "TRY";
                    taxAmount2.Attributes.Append(currencyIdGeneral);
                    taxAmount2.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
                    taxSubTotal.AppendChild(taxAmount2);
                    var calculationSequenceNumeric = doc.CreateElement("cbc",
"CalculationSequenceNumeric", xlmnscbc.Value);
                    calculationSequenceNumeric.InnerText = sayac + ".0";
                    taxSubTotal.AppendChild(calculationSequenceNumeric);
                    var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
                    percent.InnerText = Decimal.Round((decimal)item.KdvOran, 0,
MidpointRounding.AwayFromZero).ToString();
                    taxSubTotal.AppendChild(percent);
                    var taxCategory = doc.CreateElement("cac", "TaxCategory",
xlmnscac.Value);
                    if (item.KdvTutari == 0)
                    {
                        if (kodFaturaGrupTuruKod ==
FaturaMakbuzGrupTur.Kuspe.GetHashCode())
                        {
                            var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
                            taxExemptionReasonCode.InnerText = "325";
                            var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
                            taxExemptionReason.InnerText = "13/i Yem Teslimleri";
                            taxCategory.AppendChild(taxExemptionReasonCode);
                            taxCategory.AppendChild(taxExemptionReason);
                        }
                        else
                        {
                            var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
                            taxExemptionReasonCode.InnerText = "350";
                            var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
                            taxExemptionReason.InnerText = "Digerleri";
                            taxCategory.AppendChild(taxExemptionReasonCode);
                            taxCategory.AppendChild(taxExemptionReason);
                        }
                    }
                    if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
                    {
                        var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
                        taxExemptionReasonCode.InnerText = "701";
                        var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
                        taxExemptionReason.InnerText = "3065 sayili Katma Deger
Vergisi kanununun 11/1-c maddesi kapsaminda ihraç edilmek sartiyla teslim edildiginden
Katma Deger Vergisi tahsil edilmemistir.";
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
2552:                           taxCategory.AppendChild(taxExemptionReasonCode);
2553:                           taxCategory.AppendChild(taxExemptionReason);
2554:                       }
2555:                       var taxScheme2 = doc.CreateElement("cac", "TaxScheme",
xlmnscac.Value);
2556:                       var taxTypeName = doc.CreateElement("cbc", "Name",
xlmnscbc.Value);
2557:                       taxTypeName.InnerText = "Katma Deger Vergisi";
2558:                       var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode",
xlmnscbc.Value);
2559:                       taxTypeCode.InnerText = "0015";
2560:                       taxScheme2.AppendChild(taxTypeName);
2561:                       taxScheme2.AppendChild(taxTypeCode);
2562:                       taxCategory.AppendChild(taxScheme2);
2563:                       taxSubTotal.AppendChild(taxCategory);
2564:                       taxTotal.AppendChild(taxSubTotal);
2565:                       root.AppendChild(taxTotal);
2566:
2567:                       #endregion
2568:                   }
2569:
2570:                   #endregion
2571:
2572:                   // Burada vergi bilgileri yer almaktadir
2573:                   #region Açiklama Satiri (TaxTotal)
2574:
2575:                   //var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
2576:                   //XmlAttribute currencyId = doc.CreateAttribute("currencyID");
2577:                   //currencyId.Value = "TRY";
2578:                   //var taxAmount = doc.CreateElement("cbc", "TaxAmount",
xlmnscbc.Value);
2579:                   //taxAmount.RemoveAllAttributes();
2580:                   //taxAmount.Attributes.Append(currencyId);
2581:                   //taxAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari,
2, MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
2582:                   //taxTotal.AppendChild(taxAmount);
2583:                   //var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal",
xlmnscac.Value);
2584:                   //var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xlmnscbc.Value);
2585:                   //taxableAmount.RemoveAllAttributes();
2586:                   //currencyId = doc.CreateAttribute("currencyID");
2587:                   //currencyId.Value = "TRY";
2588:                   //taxableAmount.Attributes.Append(currencyId);
2589:                   //taxableAmount.InnerText =
Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
2590:                   //taxSubTotal.AppendChild(taxableAmount);
2591:                   //var taxAmount2 = doc.CreateElement("cbc", "TaxAmount",
xlmnscbc.Value);
2592:                   //taxAmount2.RemoveAllAttributes();
2593:                   //currencyId = doc.CreateAttribute("currencyID");
2594:                   //currencyId.Value = "TRY";
2595:                   //taxAmount2.Attributes.Append(currencyId);
2596:                   //taxAmount2.InnerText =
Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
2597:                   //taxSubTotal.AppendChild(taxAmount2);
2598:                   //var calculationSequenceNumeric = doc.CreateElement("cbc",
"CalculationSequenceNumeric", xlmnscbc.Value);
2599:                   //calculationSequenceNumeric.InnerText = "1.0";
2600:                   //taxSubTotal.AppendChild(calculationSequenceNumeric);
2601:                   //var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
2602:                   //if (gidenFatura.KdvHaricTutar != 0)
2603:                   //    percent.InnerText =
Decimal.Round(((decimal)gidenFatura.KdvTutari * 100) / (decimal)gidenFatura.KdvHaricTutar,
0, MidpointRounding.AwayFromZero).ToString();
2604:                   //else
2605:                   //    percent.InnerText = "0";
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
2606:                   //taxSubTotal.AppendChild(percent);
2607:                   //var taxCategory = doc.CreateElement("cac", "TaxCategory",
xlmnscac.Value);
2608:                   //if (gidenFatura.KdvTutari == 0)
2609:                   //{
2610:                   //    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
2611:                   //    taxExemptionReasonCode.InnerText = "325";
2612:                   //    var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
2613:                   //    taxExemptionReason.InnerText = "13/i Yem Teslimleri";
2614:                   //    taxCategory.AppendChild(taxExemptionReasonCode);
2615:                   //    taxCategory.AppendChild(taxExemptionReason);
2616:                   //}
2617:                   //if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
2618:                   //{
2619:                   //    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
2620:                   //    taxExemptionReasonCode.InnerText = "701";
2621:                   //    var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
2622:                   //    taxExemptionReason.InnerText = "3065 sayili Katma Deger Vergisi
kanununun 11/1-c maddesi kapsaminda ihraç edilmek sartiyla teslim edildiginden Katma Deger
Vergisi tahsil edilmemistir.";
2623:                   //    taxCategory.AppendChild(taxExemptionReasonCode);
2624:                   //    taxCategory.AppendChild(taxExemptionReason);
2625:                   //}
2626:                   //var taxScheme2 = doc.CreateElement("cac", "TaxScheme",
xlmnscac.Value);
2627:                   //var taxTypeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
2628:                   //taxTypeName.InnerText = "Katma Deger Vergisi";
2629:                   //var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode",
xlmnscbc.Value);
2630:                   //taxTypeCode.InnerText = "0015";
2631:                   //taxScheme2.AppendChild(taxTypeName);
2632:                   //taxScheme2.AppendChild(taxTypeCode);
2633:                   //taxCategory.AppendChild(taxScheme2);
2634:                   //taxSubTotal.AppendChild(taxCategory);
2635:                   //taxTotal.AppendChild(taxSubTotal);
2636:                   //root.AppendChild(taxTotal);
2637:
2638:                   #endregion
2639:
2640:                   // KDV, KDV Hariç Tutar ve Toplam Tutar bilgileri yer almaktadir
2641:                   #region LegalMonetaryTotal
2642:
2643:                   var legalMonetaryTotal = doc.CreateElement("cac",
"LegalMonetaryTotal", xlmnscac.Value);
2644:                   var lineExtensionAmount = doc.CreateElement("cbc",
"LineExtensionAmount", xlmnscbc.Value);
2645:                   lineExtensionAmount.RemoveAllAttributes();
2646:                   var currencyId = doc.CreateAttribute("currencyID");
2647:                   currencyId.Value = "TRY";
2648:                   lineExtensionAmount.Attributes.Append(currencyId);
2649:                   lineExtensionAmount.InnerText =
Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
2650:                   legalMonetaryTotal.AppendChild(lineExtensionAmount);
2651:                   var taxExclusiveAmount = doc.CreateElement("cbc",
"TaxExclusiveAmount", xlmnscbc.Value);
2652:                   taxExclusiveAmount.RemoveAllAttributes();
2653:                   currencyId = doc.CreateAttribute("currencyID");
2654:                   currencyId.Value = "TRY";
2655:                   taxExclusiveAmount.Attributes.Append(currencyId);
2656:                   taxExclusiveAmount.InnerText =
Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
2657:                   legalMonetaryTotal.AppendChild(taxExclusiveAmount);
2658:                   var taxInclusiveAmount = doc.CreateElement("cbc",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
"TaxInclusiveAmount", xlmnscbc.Value);
2659:                   taxInclusiveAmount.RemoveAllAttributes();
2660:                   currencyId = doc.CreateAttribute("currencyID");
2661:                   currencyId.Value = "TRY";
2662:                   taxInclusiveAmount.Attributes.Append(currencyId);
2663:                   taxInclusiveAmount.InnerText =
Decimal.Round((decimal)gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
2664:                   legalMonetaryTotal.AppendChild(taxInclusiveAmount);
2665:                   var allowanceTotalAmount = doc.CreateElement("cbc",
"AllowanceTotalAmount", xlmnscbc.Value);
2666:                   allowanceTotalAmount.RemoveAllAttributes();
2667:                   currencyId = doc.CreateAttribute("currencyID");
2668:                   currencyId.Value = "TRY";
2669:                   allowanceTotalAmount.Attributes.Append(currencyId);
2670:                   allowanceTotalAmount.InnerText = "0.00";
2671:                   legalMonetaryTotal.AppendChild(allowanceTotalAmount);
2672:                   var payableAmount = doc.CreateElement("cbc", "PayableAmount",
xlmnscbc.Value);
2673:                   payableAmount.RemoveAllAttributes();
2674:                   currencyId = doc.CreateAttribute("currencyID");
2675:                   currencyId.Value = "TRY";
2676:                   payableAmount.Attributes.Append(currencyId);
2677:                   payableAmount.InnerText =
Decimal.Round((decimal)gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
2678:                   legalMonetaryTotal.AppendChild(payableAmount);
2679:                   root.AppendChild(legalMonetaryTotal);
2680:                   #endregion
2681:
2682:                   sayac = 1;
2683:                   // Her bir fatura edtayi için hazirlanan bölümdür
2684:                   foreach (var item in gidenFaturaDetayListesi)
2685:                   {
2686:                       var detayBilgisi = BoslukKaldir.BosluklariKaldir(item);
2687:
2688:                       #region InvoiceLine
2689:
2690:                       // Ölçü Birimi, KDV Hariç Tutar, Para Birimi gibi bilgiler yer
almaktadir
2691:                       #region MetaData
2692:                       var invoiceLine = doc.CreateElement("cac", "InvoiceLine",
xlmnscac.Value);
2693:                       var invoiceLineId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
2694:                       invoiceLineId.InnerText = sayac.ToString();
2695:                       invoiceLine.AppendChild(invoiceLineId);
2696:                       var quantity = doc.CreateAttribute("unitCode");
2697:                       if (!string.IsNullOrEmpty(detayBilgisi.GibKisaltma))
2698:                           quantity.Value = detayBilgisi.GibKisaltma;
2699:                       else
2700:                           quantity.Value = "KGM";
2701:                       var invoicedQuantity = doc.CreateElement("cbc",
"InvoicedQuantity", xlmnscbc.Value);
2702:                       invoicedQuantity.RemoveAllAttributes();
2703:                       invoicedQuantity.Attributes.Append(quantity);
2704:                       invoicedQuantity.InnerText =
Decimal.Round((decimal)detayBilgisi.Miktar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
2705:                       invoiceLine.AppendChild(invoicedQuantity);
2706:                       var lineExtensionAmountDetail = doc.CreateElement("cbc",
"LineExtensionAmount", xlmnscbc.Value);
2707:                       lineExtensionAmountDetail.RemoveAllAttributes();
2708:                       currencyId = doc.CreateAttribute("currencyID");
2709:                       currencyId.Value = "TRY";
2710:                       lineExtensionAmountDetail.Attributes.Append(currencyId);
2711:                       lineExtensionAmountDetail.InnerText =
Decimal.Round((decimal)detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
2712:                       invoiceLine.AppendChild(lineExtensionAmountDetail);
2713:                       #endregion
2714:
2715:                       // Varsa iskonto bilgileri yer almaktadir
2716:                       #region AllowanceCharge
2717:
2718:                       var allowanceCharge = doc.CreateElement("cac", "AllowanceCharge",
xlmnscac.Value);
2719:                       var chargeIndicator = doc.CreateElement("cbc", "ChargeIndicator",
xlmnscbc.Value);
2720:                       chargeIndicator.InnerText = "false";
2721:                       allowanceCharge.AppendChild(chargeIndicator);
2722:                       decimal amount2 = 0;
2723:                       decimal toplamTutar = (decimal)detayBilgisi.KdvHaricTutar;
2724:                       decimal kodIskontoTuruOran = detayBilgisi.IskontoOran ?? 0;
2725:                       if (kodIskontoTuruOran > 0)
2726:                       {
2727:                           toplamTutar = Decimal.Round((decimal)detayBilgisi.Miktar *
(decimal)detayBilgisi.BirimFiyat, 4, MidpointRounding.AwayFromZero);
2728:                           decimal toplamTutar2 = Decimal.Round(toplamTutar * (100 -
kodIskontoTuruOran) * (decimal)0.01, 4, MidpointRounding.AwayFromZero);
2729:                           amount2 = toplamTutar - toplamTutar2;
2730:                       }
2731:                       var multiplierFactorNumeric = doc.CreateElement("cbc",
"MultiplierFactorNumeric", xlmnscbc.Value);
2732:                       multiplierFactorNumeric.InnerText =
Decimal.Round(kodIskontoTuruOran * (decimal)0.01, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
2733:                       allowanceCharge.AppendChild(multiplierFactorNumeric);
2734:                       var amount = doc.CreateElement("cbc", "Amount", xlmnscbc.Value);
2735:                       currencyId = doc.CreateAttribute("currencyID");
2736:                       currencyId.Value = "TRY";
2737:                       amount.RemoveAllAttributes();
2738:                       amount.Attributes.Append(currencyId);
2739:                       amount.InnerText = Decimal.Round(amount2, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
2740:                       allowanceCharge.AppendChild(amount);
2741:                       var baseAmount = doc.CreateElement("cbc", "BaseAmount",
xlmnscbc.Value);
2742:                       currencyId = doc.CreateAttribute("currencyID");
2743:                       currencyId.Value = "TRY";
2744:                       baseAmount.RemoveAllAttributes();
2745:                       baseAmount.Attributes.Append(currencyId);
2746:                       baseAmount.InnerText = Decimal.Round(toplamTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
2747:                       allowanceCharge.AppendChild(baseAmount);
2748:                       invoiceLine.AppendChild(allowanceCharge);
2749:
2750:                       #endregion
2751:
2752:                       // Vergi bilgileri yer almaktadir
2753:                       #region TaxTotal
2754:                       var taxTotal = doc.CreateElement("cac", "TaxTotal",
xlmnscac.Value);
2755:                       currencyId = doc.CreateAttribute("currencyID");
2756:                       currencyId.Value = "TRY";
2757:                       var taxAmount = doc.CreateElement("cbc", "TaxAmount",
xlmnscbc.Value);
2758:                       taxAmount.RemoveAllAttributes();
2759:                       taxAmount.Attributes.Append(currencyId);
2760:                       taxAmount.InnerText =
Decimal.Round((decimal)detayBilgisi.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
2761:                       taxTotal.AppendChild(taxAmount);
2762:                       var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal",
xlmnscac.Value);
2763:                       var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xlmnscbc.Value);
2764:                       taxableAmount.RemoveAllAttributes();
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
2765:                       currencyId = doc.CreateAttribute("currencyID");
2766:                       currencyId.Value = "TRY";
2767:                       taxableAmount.Attributes.Append(currencyId);
2768:                       taxableAmount.InnerText =
Decimal.Round((decimal)detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
2769:                       taxSubTotal.AppendChild(taxableAmount);
2770:                       var taxAmount2 = doc.CreateElement("cbc", "TaxAmount",
xlmnscbc.Value);
2771:                       taxAmount2.RemoveAllAttributes();
2772:                       currencyId = doc.CreateAttribute("currencyID");
2773:                       currencyId.Value = "TRY";
2774:                       taxAmount2.Attributes.Append(currencyId);
2775:                       taxAmount2.InnerText =
Decimal.Round((decimal)detayBilgisi.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
2776:                       taxSubTotal.AppendChild(taxAmount2);
2777:                       var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
2778:                       if (detayBilgisi.KdvOran != null)
2779:                           percent.InnerText =
Decimal.Round((decimal)detayBilgisi.KdvOran, 2,
MidpointRounding.AwayFromZero).ToString("N1").Replace(",", ".");
2780:                       taxSubTotal.AppendChild(percent);
2781:                       var taxCategory = doc.CreateElement("cac", "TaxCategory",
xlmnscac.Value);
2782:                       var taxScheme2 = doc.CreateElement("cac", "TaxScheme",
xlmnscac.Value);
2783:                       var taxTypeName = doc.CreateElement("cbc", "Name",
xlmnscbc.Value);
2784:                       taxTypeName.InnerText = "KDV";
2785:                       taxScheme2.AppendChild(taxTypeName);
2786:                       var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode",
xlmnscbc.Value);
2787:                       taxTypeCode.InnerText = "0015";
2788:                       taxScheme2.AppendChild(taxTypeCode);
2789:                       taxCategory.AppendChild(taxScheme2);
2790:                       taxSubTotal.AppendChild(taxCategory);
2791:                       taxTotal.AppendChild(taxSubTotal);
2792:                       invoiceLine.AppendChild(taxTotal);
2793:                       #endregion
2794:
2795:                       // Fatura kesilen ürün detayi ve açiklama bilgileri yer almaktadir
2796:                       #region Item
2797:                       var invoiceItem = doc.CreateElement("cac", "Item",
xlmnscac.Value);
2798:                       if (!string.IsNullOrEmpty(detayBilgisi.MalzemeFaturaAciklamasi))
2799:                       {
2800:                           var description = doc.CreateElement("cbc", "Description",
xlmnscbc.Value);
2801:                           description.InnerText = detayBilgisi.MalzemeFaturaAciklamasi;
2802:                           invoiceItem.AppendChild(description);
2803:                       }
2804:                       var itemName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
2805:                       if (!string.IsNullOrEmpty(detayBilgisi.FaturaUrunTuru))
2806:                           itemName.InnerText = detayBilgisi.FaturaUrunTuru;
2807:                       invoiceItem.AppendChild(itemName);
2808:                       invoiceLine.AppendChild(invoiceItem);
2809:                       #endregion
2810:
2811:                       // Birim fiyat bilgileri yer almaktadir
2812:                       #region Price
2813:
2814:                       var price = doc.CreateElement("cac", "Price", xlmnscac.Value);
2815:                       var priceAmount = doc.CreateElement("cbc", "PriceAmount",
xlmnscbc.Value);
2816:                       priceAmount.RemoveAllAttributes();
2817:                       currencyId = doc.CreateAttribute("currencyID");
2818:                       currencyId.Value = "TRY";
2819:                       priceAmount.Attributes.Append(currencyId);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
2820:                     if (detayBilgisi.BirimFiyat != null)
2821:                         priceAmount.InnerText =
Decimal.Round((decimal)detayBilgisi.BirimFiyat, 4,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
2822:                     else
2823:                         priceAmount.InnerText = "0.00";
2824:                     price.AppendChild(priceAmount);
2825:                     invoiceLine.AppendChild(price);
2826:
2827:                     #endregion
2828:
2829:                     root.AppendChild(invoiceLine);
2830:                     #endregion
2831:
2832:                     sayac++;
2833:                 }
2834:
2835:                 #endregion
2836:
2837:                 doc.AppendChild(root);
2838:
2839:                 #region Dosya Kaydi
2840:
2841:                 var fileName = aktarilacakKlasorAdi + "/" + gidenFatura.GidenFaturaId
+ ".xml";
2842:                 doc.Save(fileName);
2843:
2844:                 #endregion
2845:
2846:                 return fileName;
2847:
2848:                 #endregion
2849:             }
2850:         }
2851:
2852:         /// <summary>
2853:         /// Müstahsil Makbuzu Bilgisi Üzerinden E-Müstahsil Sistemine Göndermek Için
2854:         /// XML Dosyasi Olusturmaya yarayan metottur
2855:         /// </summary>
2856:         /// <param name="mustahsilMakbuzu">Müstahsil Makbuzu Bilgisi</param>
2857:         /// <param name="mustahsilMakbuzuDetayListesi">Müstahsil Makbuzu Detay
Bilgisi</param>
2858:         /// <param name="aktarilacakKlasorAdi">Olusturulan Dosyanin Aktarilacagi
Klasör</param>
2859:         public static string EMustahsilXMLOlustur(MustahsilMakbuzuDTO
mustahsilMakbuzu, List<MustahsilMakbuzuDetayDTO> mustahsilMakbuzuDetayListesi, string
aktarilacakKlasorAdi)
2860:         {
2861:             XmlDocument doc = new XmlDocument();
2862:             XmlDeclaration declaration;
2863:             declaration = doc.CreateXmlDeclaration("1.0", "UTF-8", null);
2864:             XmlElement root = doc.DocumentElement;
2865:             doc.InsertBefore(declaration, root);
2866:             doc.AppendChild(doc.CreateProcessingInstruction("xml-stylesheet",
"type=\"text/xsl\" href=\"general.xslt\""));
2867:
2868:             root = doc.CreateElement("CreditNote");
2869:
2870:             mustahsilMakbuzu = BoslukKaldir.BosluklariKaldir(mustahsilMakbuzu);
2871:
2872:             var kodMakbuzGrupTuruKod = 0;
2873:             if (mustahsilMakbuzu.MakbuzGrupTuruKod != null)
2874:                 kodMakbuzGrupTuruKod = mustahsilMakbuzu.MakbuzGrupTuruKod ?? 0;
2875:
2876:             #region Standart ve Müstahsil Makbuzuna Bagli Bilgiler
2877:
2878:             // Makbuzun türü, kesilme tarihi, UBL Versiyon Numarasi, GIB Numarasi
gibi bilgiler
2879:             // yer almaktadir
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
2880:             #region Standart Bilgiler
2881:             root.RemoveAllAttributes();
2882:             string locationAttribute = "xsi:schemaLocation";
2883:             XmlAttribute location = doc.CreateAttribute("xsi", "schemaLocation",
"urn:oasis:names:specification:ubl:schema:xsd:CreditNote-2");
2884:             location.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CreditNote-2
../xsdrt/maindoc/UBL-CreditNote-2.1.xsd";
2885:             XmlAttribute xlmns = doc.CreateAttribute("xmlns");
2886:             xlmns.Value = "urn:oasis:names:specification:ubl:schema:xsd:CreditNote-2";
2887:             XmlAttribute xlmnsn4 = doc.CreateAttribute("xmlns:n4");
2888:             xlmnsn4.Value = "http://www.altova.com/samplexml/other-namespace";
2889:             XmlAttribute xlmnsxsi = doc.CreateAttribute("xmlns:xsi");
2890:             xlmnsxsi.Value = "http://www.w3.org/2001/XMLSchema-instance";
2891:             XmlAttribute xlmnscac = doc.CreateAttribute("xmlns:cac");
2892:             xlmnscac.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonAggregateComponents-2";
2893:             XmlAttribute xlmnscbc = doc.CreateAttribute("xmlns:cbc");
2894:             xlmnscbc.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonBasicComponents-2";
2895:             XmlAttribute xlmnsext = doc.CreateAttribute("xmlns:ext");
2896:             xlmnsext.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonExtensionComponents-2";
2897:             root.Attributes.Append(location);
2898:             root.Attributes.Append(xlmns);
2899:             root.Attributes.Append(xlmnsn4);
2900:             root.Attributes.Append(xlmnsxsi);
2901:             root.Attributes.Append(xlmnscac);
2902:             root.Attributes.Append(xlmnscbc);
2903:             root.Attributes.Append(xlmnsext);
2904:             var extUbl = doc.CreateElement("ext", "UBLExtensions", xlmnsext.Value);
2905:             var extUbl2 = doc.CreateElement("ext", "UBLExtension", xlmnsext.Value);
2906:             var extUbl3 = doc.CreateElement("ext", "ExtensionContent",
xlmnsext.Value);
2907:             var extUbl4 = doc.CreateElement("n4", "auto-generated_for_wildcard",
xlmnsn4.Value);
2908:             extUbl3.AppendChild(extUbl4);
2909:             extUbl2.AppendChild(extUbl3);
2910:             extUbl.AppendChild(extUbl2);
2911:
2912:             root.AppendChild(extUbl);
2913:
2914:             var versionId = doc.CreateElement("cbc", "UBLVersionID", xlmnscbc.Value);
2915:             versionId.InnerText = "2.1";
2916:             root.AppendChild(versionId);
2917:
2918:             var customizationId = doc.CreateElement("cbc", "CustomizationID",
xlmnscbc.Value);
2919:             customizationId.InnerText = "TR1.2.1";
2920:             root.AppendChild(customizationId);
2921:
2922:             var profileId = doc.CreateElement("cbc", "ProfileID", xlmnscbc.Value);
2923:             profileId.InnerText = "EARSIVBELGE";
2924:             root.AppendChild(profileId);
2925:
2926:             var id = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
2927:             if (!string.IsNullOrEmpty(mustahsilMakbuzu.MustahsilMakbuzuNo))
2928:                 id.InnerText = mustahsilMakbuzu.MustahsilMakbuzuNo;
2929:             else
2930:                 id.InnerText = "ABC" + mustahsilMakbuzu.MustahsilMakbuzuTarihi?.Year
+ DateTime.UtcNow.Ticks.ToString().Substring(0, 9);
2931:             root.AppendChild(id);
2932:
2933:             var copyIndicator = doc.CreateElement("cbc", "CopyIndicator",
xlmnscbc.Value);
2934:             copyIndicator.InnerText = "false";
2935:             root.AppendChild(copyIndicator);
2936:
2937:             var mustahsilMakbuzuId = doc.CreateElement("cbc", "UUID", xlmnscbc.Value);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
2938:             mustahsilMakbuzuId.InnerText = mustahsilMakbuzu.MustahsilMakbuzuId.Length
== 36 ? mustahsilMakbuzu.MustahsilMakbuzuId.ToUpper() : Guid.NewGuid().ToString().ToUpper();
2939:             root.AppendChild(mustahsilMakbuzuId);
2940:
2941:             var issueDate = doc.CreateElement("cbc", "IssueDate", xlmnscbc.Value);
2942:             issueDate.InnerText =
mustahsilMakbuzu.MustahsilMakbuzuTarihi?.Date.ToString("yyyy-MM-dd");
2943:             root.AppendChild(issueDate);
2944:
2945:             var issueTime = doc.CreateElement("cbc", "IssueTime", xlmnscbc.Value);
2946:             issueTime.InnerText =
mustahsilMakbuzu.MustahsilMakbuzuTarihi?.ToString("HH:mm:ss");
2947:             root.AppendChild(issueTime);
2948:
2949:             var creditNoteTypeCode = doc.CreateElement("cbc", "CreditNoteTypeCode",
xlmnscbc.Value);
2950:             creditNoteTypeCode.InnerText = "MUSTAHSILMAKBUZ";
2951:             root.AppendChild(creditNoteTypeCode);
2952:
2953:             var sendType = doc.CreateElement("cbc", "Note", xlmnscbc.Value);
2954:             sendType.InnerText = "Gönderim Sekli: ELEKTRONIK";
2955:             root.AppendChild(sendType);
2956:
2957:             var documentCurrencyCode = doc.CreateElement("cbc",
"DocumentCurrencyCode", xlmnscbc.Value);
2958:             documentCurrencyCode.InnerText = "TRY";
2959:             root.AppendChild(documentCurrencyCode);
2960:
2961:             var lineCountNumeric = doc.CreateElement("cbc", "LineCountNumeric",
xlmnscbc.Value);
2962:             lineCountNumeric.InnerText =
mustahsilMakbuzuDetayListesi.Count.ToString();
2963:             root.AppendChild(lineCountNumeric);
2964:
2965:             #region AdditionalDocumentReference
2966:
2967:             var additionalDocumentReference = doc.CreateElement("cac",
"AdditionalDocumentReference", xlmnscac.Value);
2968:             var additionalDocumentReferenceId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
2969:             additionalDocumentReferenceId.InnerText =
mustahsilMakbuzu.MustahsilMakbuzuId.Length == 36 ?
mustahsilMakbuzu.MustahsilMakbuzuId.ToUpper() : Guid.NewGuid().ToString().ToUpper();
2970:             additionalDocumentReference.AppendChild(additionalDocumentReferenceId);
2971:             issueDate = doc.CreateElement("cbc", "IssueDate", xlmnscbc.Value);
2972:             issueDate.InnerText =
mustahsilMakbuzu.MustahsilMakbuzuTarihi?.Date.ToString("yyyy-MM-dd");
2973:             additionalDocumentReference.AppendChild(issueDate);
2974:             var documentType = doc.CreateElement("cbc", "DocumentType",
xlmnscbc.Value);
2975:             documentType.InnerText = "XSLT";
2976:             additionalDocumentReference.AppendChild(documentType);
2977:             var attachment = doc.CreateElement("cac", "Attachment", xlmnscac.Value);
2978:             var embeddedDocumentBinaryObject = doc.CreateElement("cbc",
"EmbeddedDocumentBinaryObject", xlmnscbc.Value);
2979:             XmlAttribute characterSetCode = doc.CreateAttribute("characterSetCode");
2980:             characterSetCode.Value = "UTF-8";
2981:             XmlAttribute encodingCode = doc.CreateAttribute("encodingCode");
2982:             encodingCode.Value = "Base64";
2983:             XmlAttribute mimeCode = doc.CreateAttribute("mimeCode");
2984:             mimeCode.Value = "application/xml";
2985:             embeddedDocumentBinaryObject.Attributes.Append(characterSetCode);
2986:             embeddedDocumentBinaryObject.Attributes.Append(encodingCode);
2987:             embeddedDocumentBinaryObject.Attributes.Append(mimeCode);
2988:             attachment.AppendChild(embeddedDocumentBinaryObject);
2989:             additionalDocumentReference.AppendChild(attachment);
2990:
2991:             root.AppendChild(additionalDocumentReference);
2992:
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
2993:             #endregion
2994:
2995:             #endregion
2996:
2997:             // Faturaya iliskin imza, adres vb. bilgiler yer almaktadir
2998:             #region Signature
2999:             var signature = doc.CreateElement("cac", "Signature", xlmnscac.Value);
3000:             XmlAttribute signatureIdAttr = doc.CreateAttribute("schemeID");
3001:             signatureIdAttr.Value = "VKN_TCKN";
3002:             var signatureId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
3003:             signatureId.Attributes.Append(signatureIdAttr);
3004:             signatureId.InnerText = "3250566851";
3005:             signature.AppendChild(signatureId);
3006:             var signatoryParty = doc.CreateElement("cac", "SignatoryParty",
xlmnscac.Value);
3007:             var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
3008:             XmlAttribute signatureIdAttr2 = doc.CreateAttribute("schemeID");
3009:             signatureIdAttr2.Value = "VKN";
3010:             var signaturePartyId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
3011:             signaturePartyId.Attributes.Append(signatureIdAttr2);
3012:             signaturePartyId.InnerText = "3250566851";
3013:             partyIdentification.AppendChild(signaturePartyId);
3014:             signatoryParty.AppendChild(partyIdentification);
3015:
3016:             #region Postal Address
3017:             var postalAddress = doc.CreateElement("cac", "PostalAddress",
xlmnscac.Value);
3018:             var streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
3019:             streetName.InnerText = "Mithatpasa Caddesi";
3020:             postalAddress.AppendChild(streetName);
3021:             var buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
3022:             buildingNumber.InnerText = "14";
3023:             postalAddress.AppendChild(buildingNumber);
3024:             var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
3025:             citySubdivisionName.InnerText = "Çankaya";
3026:             postalAddress.AppendChild(citySubdivisionName);
3027:             var cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
3028:             cityName.InnerText = "Ankara";
3029:             postalAddress.AppendChild(cityName);
3030:             var postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
3031:             postalZone.InnerText = "06100";
3032:             postalAddress.AppendChild(postalZone);
3033:             var country = doc.CreateElement("cac", "Country", xlmnscac.Value);
3034:             var countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
3035:             countryName.InnerText = "Türkiye";
3036:             country.AppendChild(countryName);
3037:             postalAddress.AppendChild(country);
3038:             signatoryParty.AppendChild(postalAddress);
3039:             signature.AppendChild(signatoryParty);
3040:
3041:             #endregion
3042:
3043:             var digitalSignatureAttachment = doc.CreateElement("cac",
"DigitalSignatureAttachment", xlmnscac.Value);
3044:             var externalReference = doc.CreateElement("cac", "ExternalReference",
xlmnscac.Value);
3045:             var uri = doc.CreateElement("cbc", "URI", xlmnscbc.Value);
3046:             uri.InnerText = "#Signature";
3047:             externalReference.AppendChild(uri);
3048:             digitalSignatureAttachment.AppendChild(externalReference);
3049:             signature.AppendChild(digitalSignatureAttachment);
3050:
3051:             root.AppendChild(signature);
3052:             #endregion
3053:
3054:             // Burada sabit degerler verilmekte olup, Makbuzu kesen kuruma veya
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
firmaya ait bilgiler
3055:             // yer almaktadir. Bu kisimda örnek olarak TÜRKSEKER Fabrikalari Genel
Müdürlügü bilgileri
3056:             // kullanilmistir. Ancak degistirip test edilebilir.
3057:             #region AccountingSupplierParty
3058:
3059:             var accountingSupplierParty = doc.CreateElement("cac",
"AccountingSupplierParty", xlmnscac.Value);
3060:             var party = doc.CreateElement("cac", "Party", xlmnscac.Value);
3061:             var webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
3062:             webSiteUri.InnerText = "https://www.turkseker.gov.tr";
3063:             party.AppendChild(webSiteUri);
3064:             XmlAttribute accountingSupplierPartyIdAttr =
doc.CreateAttribute("schemeID");
3065:             accountingSupplierPartyIdAttr.Value = "VKN_TCKN";
3066:             partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
3067:             XmlAttribute accountingSupplierPartyIdAttr2 =
doc.CreateAttribute("schemeID");
3068:             accountingSupplierPartyIdAttr2.Value = "VKN";
3069:             var accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
3070:
accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
3071:             accountingSupplierPartyPartyId.InnerText = "3250566851";
3072:             partyIdentification.AppendChild(accountingSupplierPartyPartyId);
3073:             party.AppendChild(partyIdentification);
3074:
3075:             if (!string.IsNullOrEmpty(mustahsilMakbuzu.AltBirimAd))
3076:             {
3077:                 partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
3078:                 accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
3079:                 accountingSupplierPartyIdAttr2.Value = "SUBENO";
3080:                 accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
3081:
accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
3082:                 accountingSupplierPartyPartyId.InnerText =
mustahsilMakbuzu.AltBirimAd;
3083:                 partyIdentification.AppendChild(accountingSupplierPartyPartyId);
3084:                 party.AppendChild(partyIdentification);
3085:             }
3086:
3087:             var partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
3088:             var partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
3089:             partyNameReal.InnerText = "TÜRKIYE SEKER FABRIKALARI A.S.";
3090:             partyName.AppendChild(partyNameReal);
3091:             party.AppendChild(partyName);
3092:
3093:             #region Postal Address
3094:             postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
3095:             var postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
3096:             postalAddressId.InnerText = "3250566851";
3097:             postalAddress.AppendChild(postalAddressId);
3098:             streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
3099:             streetName.InnerText = "Mithatpasa Caddesi";
3100:             postalAddress.AppendChild(streetName);
3101:             buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
3102:             buildingNumber.InnerText = "14";
3103:             postalAddress.AppendChild(buildingNumber);
3104:             citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
3105:             citySubdivisionName.InnerText = "Çankaya";
3106:             postalAddress.AppendChild(citySubdivisionName);
3107:             cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
3108:             cityName.InnerText = "Ankara";
3109:             postalAddress.AppendChild(cityName);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
3110:             postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
3111:             postalZone.InnerText = "06100";
3112:             postalAddress.AppendChild(postalZone);
3113:             country = doc.CreateElement("cac", "Country", xlmnscac.Value);
3114:             countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
3115:             countryName.InnerText = "Türkiye";
3116:             country.AppendChild(countryName);
3117:             postalAddress.AppendChild(country);
3118:             party.AppendChild(postalAddress);
3119:
3120:             #endregion
3121:
3122:             var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xlmnscac.Value);
3123:             var taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
3124:             var taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
3125:             taxSchemeName.InnerText = "Ankara Kurumlar";
3126:             taxScheme.AppendChild(taxSchemeName);
3127:             partyTaxScheme.AppendChild(taxScheme);
3128:             party.AppendChild(partyTaxScheme);
3129:
3130:             var contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
3131:             var telephone = doc.CreateElement("cbc", "Telephone", xlmnscbc.Value);
3132:             telephone.InnerText = "(312) 4585500";
3133:             contact.AppendChild(telephone);
3134:             var telefax = doc.CreateElement("cbc", "Telefax", xlmnscbc.Value);
3135:             telefax.InnerText = "(312) 4585800";
3136:             contact.AppendChild(telefax);
3137:             var electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xlmnscbc.Value);
3138:             electronicMail.InnerText = "maliisler@turkseker.gov.tr";
3139:             contact.AppendChild(electronicMail);
3140:             party.AppendChild(contact);
3141:
3142:             accountingSupplierParty.AppendChild(party);
3143:
3144:             root.AppendChild(accountingSupplierParty);
3145:             #endregion
3146:
3147:             // Bu kisimda makbuz kesilen firma bilgileri yer almaktadir
3148:             #region AccountingCustomerParty
3149:
3150:             var accountingCustomerParty = doc.CreateElement("cac",
"AccountingCustomerParty", xlmnscac.Value);
3151:             party = doc.CreateElement("cac", "Party", xlmnscac.Value);
3152:             webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
3153:             party.AppendChild(webSiteUri);
3154:             XmlAttribute accountingCustomerPartyIdAttr =
doc.CreateAttribute("schemeID");
3155:             accountingCustomerPartyIdAttr.Value = "TCKN";
3156:             if (mustahsilMakbuzu.VergiNo.Length == 10)
3157:                 accountingCustomerPartyIdAttr.Value = "VKN";
3158:             partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
3159:             var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
3160:
accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerPartyIdAttr);
3161:             accountingCustomerPartyPartyId.InnerText = mustahsilMakbuzu.VergiNo;
3162:             partyIdentification.AppendChild(accountingCustomerPartyPartyId);
3163:             party.AppendChild(partyIdentification);
3164:
3165:             if (mustahsilMakbuzu.VergiNo.Length == 10)
3166:             {
3167:                 partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
3168:                 partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
3169:                 partyNameReal.InnerText = mustahsilMakbuzu.TuzelKisiAd;
3170:                 partyName.AppendChild(partyNameReal);
3171:                 party.AppendChild(partyName);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
3172:             }
3173:
3174:             #region Postal Address
3175:             postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
3176:             postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
3177:             postalAddressId.InnerText = mustahsilMakbuzu.VergiNo;
3178:             postalAddress.AppendChild(postalAddressId);
3179:             var room = doc.CreateElement("cbc", "Room", xlmnscbc.Value);
3180:             postalAddress.AppendChild(room);
3181:             streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
3182:             if (!string.IsNullOrEmpty(mustahsilMakbuzu.Adres))
3183:                 streetName.InnerText = mustahsilMakbuzu.Adres;
3184:             postalAddress.AppendChild(streetName);
3185:             buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
3186:             //buildingNumber.InnerText = "";
3187:             postalAddress.AppendChild(buildingNumber);
3188:             citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
3189:             if (!string.IsNullOrEmpty(mustahsilMakbuzu.IlceAd))
3190:                 citySubdivisionName.InnerText = mustahsilMakbuzu.IlceAd;
3191:             postalAddress.AppendChild(citySubdivisionName);
3192:             cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
3193:             if (!string.IsNullOrEmpty(mustahsilMakbuzu.IlAd))
3194:                 cityName.InnerText = mustahsilMakbuzu.IlAd;
3195:             postalAddress.AppendChild(cityName);
3196:             postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
3197:             //postalZone.InnerText = "";
3198:             postalAddress.AppendChild(postalZone);
3199:             country = doc.CreateElement("cac", "Country", xlmnscac.Value);
3200:             countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
3201:             countryName.InnerText = "Türkiye";
3202:             country.AppendChild(countryName);
3203:             postalAddress.AppendChild(country);
3204:             party.AppendChild(postalAddress);
3205:
3206:             #endregion
3207:
3208:             partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xlmnscac.Value);
3209:             taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
3210:             taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
3211:             if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiDairesi))
3212:                 taxSchemeName.InnerText = mustahsilMakbuzu.VergiDairesi;
3213:             taxScheme.AppendChild(taxSchemeName);
3214:             partyTaxScheme.AppendChild(taxScheme);
3215:             party.AppendChild(partyTaxScheme);
3216:
3217:             contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
3218:             electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xlmnscbc.Value);
3219:             if (!string.IsNullOrEmpty(mustahsilMakbuzu.EPostaAdresi))
3220:                 electronicMail.InnerText = mustahsilMakbuzu.EPostaAdresi;
3221:             contact.AppendChild(electronicMail);
3222:             party.AppendChild(contact);
3223:
3224:             if (mustahsilMakbuzu.VergiNo.Length == 11)
3225:             {
3226:                 var liste = mustahsilMakbuzu.TuzelKisiAd.Split(' ').ToList();
3227:                 if (liste.Count > 1)
3228:                 {
3229:                     var person = doc.CreateElement("cac", "Person", xlmnscac.Value);
3230:                     var firstName = doc.CreateElement("cbc", "FirstName",
xlmnscbc.Value);
3231:                     firstName.InnerText = liste[0];
3232:                     person.AppendChild(firstName);
3233:                     var surname =
mustahsilMakbuzu.TuzelKisiAd.Substring(liste[0].Length + 1);
3234:                     var familyName = doc.CreateElement("cbc", "FamilyName",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
xlmnscbc.Value);
3235:                     familyName.InnerText = surname;
3236:                     //familyName.InnerText = liste[1];
3237:                     person.AppendChild(familyName);
3238:                     party.AppendChild(person);
3239:                 }
3240:             }
3241:
3242:             accountingCustomerParty.AppendChild(party);
3243:
3244:             root.AppendChild(accountingCustomerParty);
3245:             #endregion
3246:
3247:             if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo))
3248:             {
3249:                 if (mustahsilMakbuzu.VergiNo.Length == 10)
3250:                 {
3251:                     // Bu kisimda makbuz kesilen firma bilgileri yer almaktadir (Eger
sadece Tüzel Kisilikse, sahis sirketleri için bu yapilmamaktadir)
3252:                     #region BuyerCustomerParty
3253:
3254:                     var buyerCustomerParty = doc.CreateElement("cac",
"BuyerCustomerParty", xlmnscac.Value);
3255:                     party = doc.CreateElement("cac", "Party", xlmnscac.Value);
3256:                     webSiteUri = doc.CreateElement("cbc", "WebsiteURI",
xlmnscbc.Value);
3257:                     party.AppendChild(webSiteUri);
3258:                     XmlAttribute buyerCustomerPartyIdAttr =
doc.CreateAttribute("schemeID");
3259:                     buyerCustomerPartyIdAttr.Value = "VKN";
3260:                     partyIdentification = doc.CreateElement("cac",
"PartyIdentification", xlmnscac.Value);
3261:                     var buyerCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
3262:
buyerCustomerPartyPartyId.Attributes.Append(buyerCustomerPartyIdAttr);
3263:                     buyerCustomerPartyPartyId.InnerText = mustahsilMakbuzu.VergiNo;
3264:                     partyIdentification.AppendChild(buyerCustomerPartyPartyId);
3265:                     party.AppendChild(partyIdentification);
3266:
3267:                     if (mustahsilMakbuzu.VergiNo.Length == 10)
3268:                     {
3269:                         partyName = doc.CreateElement("cac", "PartyName",
xlmnscac.Value);
3270:                         partyNameReal = doc.CreateElement("cbc", "Name",
xlmnscbc.Value);
3271:                         partyNameReal.InnerText = mustahsilMakbuzu.TuzelKisiAd;
3272:                         partyName.AppendChild(partyNameReal);
3273:                         party.AppendChild(partyName);
3274:                     }
3275:
3276:                     #region Postal Address
3277:                     postalAddress = doc.CreateElement("cac", "PostalAddress",
xlmnscac.Value);
3278:                     postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
3279:                     postalAddressId.InnerText = mustahsilMakbuzu.VergiNo;
3280:                     postalAddress.AppendChild(postalAddressId);
3281:                     room = doc.CreateElement("cbc", "Room", xlmnscbc.Value);
3282:                     postalAddress.AppendChild(room);
3283:                     streetName = doc.CreateElement("cbc", "StreetName",
xlmnscbc.Value);
3284:                     if (!string.IsNullOrEmpty(mustahsilMakbuzu.Adres))
3285:                         streetName.InnerText = mustahsilMakbuzu.Adres;
3286:                     postalAddress.AppendChild(streetName);
3287:                     buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
3288:                     //buildingNumber.InnerText = "";
3289:                     postalAddress.AppendChild(buildingNumber);
3290:                     citySubdivisionName = doc.CreateElement("cbc",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
"CitySubdivisionName", xlmnscbc.Value);
                        if (!string.IsNullOrEmpty(mustahsilMakbuzu.IlceAd))
                            citySubdivisionName.InnerText = mustahsilMakbuzu.IlceAd;
                        postalAddress.AppendChild(citySubdivisionName);
                        cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
                        if (!string.IsNullOrEmpty(mustahsilMakbuzu.IlAd))
                            cityName.InnerText = mustahsilMakbuzu.IlAd;
                        postalAddress.AppendChild(cityName);
                        postalZone = doc.CreateElement("cbc", "PostalZone",
xlmnscbc.Value);
                        //postalZone.InnerText = "";
                        postalAddress.AppendChild(postalZone);
                        country = doc.CreateElement("cac", "Country", xlmnscac.Value);
                        countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
                        countryName.InnerText = "Türkiye";
                        country.AppendChild(countryName);
                        postalAddress.AppendChild(country);
                        party.AppendChild(postalAddress);

                        #endregion

                        partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xlmnscac.Value);
                        taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
                        taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
                        if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiDairesi))
                            taxSchemeName.InnerText = mustahsilMakbuzu.VergiDairesi;
                        taxScheme.AppendChild(taxSchemeName);
                        partyTaxScheme.AppendChild(taxScheme);
                        party.AppendChild(partyTaxScheme);

                        contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
                        electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xlmnscbc.Value);
                        if (!string.IsNullOrEmpty(mustahsilMakbuzu.EPostaAdresi))
                            electronicMail.InnerText = mustahsilMakbuzu.EPostaAdresi;
                        contact.AppendChild(electronicMail);
                        party.AppendChild(contact);

                        if (mustahsilMakbuzu.VergiNo.Length == 11)
                        {
                            var liste = mustahsilMakbuzu.TuzelKisiAd.Split(' ').ToList();
                            if (liste.Count > 1)
                            {
                                var person = doc.CreateElement("cac", "Person",
xlmnscac.Value);
                                var firstName = doc.CreateElement("cbc", "FirstName",
xlmnscbc.Value);
                                firstName.InnerText = liste[0];
                                person.AppendChild(firstName);
                                var surname =
mustahsilMakbuzu.TuzelKisiAd.Substring(liste[0].Length + 1);
                                var familyName = doc.CreateElement("cbc", "FamilyName",
xlmnscbc.Value);
                                familyName.InnerText = surname;
                                //familyName.InnerText = liste[1];
                                person.AppendChild(familyName);
                                party.AppendChild(person);
                            }
                        }

                        buyerCustomerParty.AppendChild(party);

                        root.AppendChild(buyerCustomerParty);
                        #endregion
                    }
                }

                // Burada vergi bilgileri yer almaktadir
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
3352:             #region TaxTotal
3353:
3354:             var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
3355:             XmlAttribute currencyId = doc.CreateAttribute("currencyID");
3356:             currencyId.Value = "TRY";
3357:             var taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
3358:             taxAmount.RemoveAllAttributes();
3359:             taxAmount.Attributes.Append(currencyId);
3360:             taxAmount.InnerText =
Decimal.Round((decimal)mustahsilMakbuzu.GelirVergisi, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
3361:             taxTotal.AppendChild(taxAmount);
3362:             var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xlmnscac.Value);
3363:             var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xlmnscbc.Value);
3364:             taxableAmount.RemoveAllAttributes();
3365:             currencyId = doc.CreateAttribute("currencyID");
3366:             currencyId.Value = "TRY";
3367:             taxableAmount.Attributes.Append(currencyId);
3368:             taxableAmount.InnerText =
Decimal.Round((decimal)mustahsilMakbuzu.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
3369:             taxSubTotal.AppendChild(taxableAmount);
3370:             var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
3371:             taxAmount2.RemoveAllAttributes();
3372:             currencyId = doc.CreateAttribute("currencyID");
3373:             currencyId.Value = "TRY";
3374:             taxAmount2.Attributes.Append(currencyId);
3375:             taxAmount2.InnerText =
Decimal.Round((decimal)mustahsilMakbuzu.GelirVergisi, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
3376:             taxSubTotal.AppendChild(taxAmount2);
3377:             var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
3378:             if (mustahsilMakbuzu.NetTutar != 0)
3379:                 percent.InnerText =
Decimal.Round(((decimal)mustahsilMakbuzu.GelirVergisi * 100) /
(decimal)mustahsilMakbuzu.NetTutar, 0, MidpointRounding.AwayFromZero).ToString();
3380:             else
3381:                 percent.InnerText = "0";
3382:             taxSubTotal.AppendChild(percent);
3383:             var taxCategory = doc.CreateElement("cac", "TaxCategory", xlmnscac.Value);
3384:             if (mustahsilMakbuzu.GelirVergisi == 0)
3385:             {
3386:                 if (kodMakbuzGrupTuruKod == FaturaMakbuzGrupTur.Kuspe.GetHashCode())
3387:                 {
3388:                     var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
3389:                     taxExemptionReasonCode.InnerText = "325";
3390:                     var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
3391:                     taxExemptionReason.InnerText = "13/i Yem Teslimleri";
3392:                     taxCategory.AppendChild(taxExemptionReasonCode);
3393:                     taxCategory.AppendChild(taxExemptionReason);
3394:                 }
3395:                 else
3396:                 {
3397:                     var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
3398:                     taxExemptionReasonCode.InnerText = "350";
3399:                     var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
3400:                     taxExemptionReason.InnerText = "Digerleri";
3401:                     taxCategory.AppendChild(taxExemptionReasonCode);
3402:                     taxCategory.AppendChild(taxExemptionReason);
3403:                 }
3404:             }
3405:             var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
3406:             var taxName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
3407:             taxName.InnerText = "GV STOPAJI";
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
3408:                taxScheme2.AppendChild(taxName);
3409:                var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xlmnscbc.Value);
3410:                taxTypeCode.InnerText = "0003";
3411:                taxScheme2.AppendChild(taxTypeCode);
3412:                taxCategory.AppendChild(taxScheme2);
3413:                taxSubTotal.AppendChild(taxCategory);
3414:                taxTotal.AppendChild(taxSubTotal);
3415:                root.AppendChild(taxTotal);
3416:
3417:                #endregion
3418:
3419:                // Gelir Vergisi, Net Tutar ve Toplam Tutar bilgileri yer almaktadir
3420:                #region LegalMonetaryTotal
3421:
3422:                var legalMonetaryTotal = doc.CreateElement("cac", "LegalMonetaryTotal",
xlmnscac.Value);
3423:                var lineExtensionAmount = doc.CreateElement("cbc", "LineExtensionAmount",
xlmnscbc.Value);
3424:                lineExtensionAmount.RemoveAllAttributes();
3425:                currencyId = doc.CreateAttribute("currencyID");
3426:                currencyId.Value = "TRY";
3427:                lineExtensionAmount.Attributes.Append(currencyId);
3428:                lineExtensionAmount.InnerText =
Decimal.Round((decimal)mustahsilMakbuzu.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
3429:                legalMonetaryTotal.AppendChild(lineExtensionAmount);
3430:                var taxExclusiveAmount = doc.CreateElement("cbc", "TaxExclusiveAmount",
xlmnscbc.Value);
3431:                taxExclusiveAmount.RemoveAllAttributes();
3432:                currencyId = doc.CreateAttribute("currencyID");
3433:                currencyId.Value = "TRY";
3434:                taxExclusiveAmount.Attributes.Append(currencyId);
3435:                taxExclusiveAmount.InnerText =
Decimal.Round((decimal)mustahsilMakbuzu.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
3436:                legalMonetaryTotal.AppendChild(taxExclusiveAmount);
3437:                var taxInclusiveAmount = doc.CreateElement("cbc", "TaxInclusiveAmount",
xlmnscbc.Value);
3438:                taxInclusiveAmount.RemoveAllAttributes();
3439:                currencyId = doc.CreateAttribute("currencyID");
3440:                currencyId.Value = "TRY";
3441:                taxInclusiveAmount.Attributes.Append(currencyId);
3442:                taxInclusiveAmount.InnerText =
Decimal.Round((decimal)mustahsilMakbuzu.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
3443:                legalMonetaryTotal.AppendChild(taxInclusiveAmount);
3444:                var payableAmount = doc.CreateElement("cbc", "PayableAmount",
xlmnscbc.Value);
3445:                payableAmount.RemoveAllAttributes();
3446:                currencyId = doc.CreateAttribute("currencyID");
3447:                currencyId.Value = "TRY";
3448:                payableAmount.Attributes.Append(currencyId);
3449:                payableAmount.InnerText =
Decimal.Round((decimal)mustahsilMakbuzu.NetTutar - (decimal)mustahsilMakbuzu.GelirVergisi,
2, MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
3450:                legalMonetaryTotal.AppendChild(payableAmount);
3451:                root.AppendChild(legalMonetaryTotal);
3452:                #endregion
3453:
3454:                var sayac = 1;
3455:                // Her bir makbuz detayi için hazirlanan bölümdür
3456:                foreach (var item in mustahsilMakbuzuDetayListesi)
3457:                {
3458:                    var detayBilgisi = BoslukKaldir.BosluklariKaldir(item);
3459:
3460:                    #region CreditNoteLine
3461:
3462:                    #region MetaData
3463:                    var creditNoteLine = doc.CreateElement("cac", "CreditNoteLine",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
xlmnscac.Value);
                var creditNoteLineId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
                creditNoteLineId.InnerText = sayac.ToString();
                creditNoteLine.AppendChild(creditNoteLineId);
                var quantity = doc.CreateAttribute("unitCode");
                quantity.Value = "KGM";
                var creditedQuantity = doc.CreateElement("cbc", "CreditedQuantity",
xlmnscbc.Value);
                creditedQuantity.RemoveAllAttributes();
                creditedQuantity.Attributes.Append(quantity);
                creditedQuantity.InnerText =
Decimal.Round((decimal)detayBilgisi.Miktar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
                creditNoteLine.AppendChild(creditedQuantity);
                var lineExtensionAmountDetail = doc.CreateElement("cbc",
"LineExtensionAmount", xlmnscbc.Value);
                lineExtensionAmountDetail.RemoveAllAttributes();
                currencyId = doc.CreateAttribute("currencyID");
                currencyId.Value = "TRY";
                lineExtensionAmountDetail.Attributes.Append(currencyId);
                lineExtensionAmountDetail.InnerText =
Decimal.Round((decimal)detayBilgisi.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
                creditNoteLine.AppendChild(lineExtensionAmountDetail);
                #endregion

                #region TaxTotal
                taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
                currencyId = doc.CreateAttribute("currencyID");
                currencyId.Value = "TRY";
                taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
                taxAmount.RemoveAllAttributes();
                taxAmount.Attributes.Append(currencyId);
                taxAmount.InnerText =
Decimal.Round((decimal)detayBilgisi.GelirVergisi, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
                taxTotal.AppendChild(taxAmount);
                taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xlmnscac.Value);
                taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xlmnscbc.Value);
                taxableAmount.RemoveAllAttributes();
                currencyId = doc.CreateAttribute("currencyID");
                currencyId.Value = "TRY";
                taxableAmount.Attributes.Append(currencyId);
                taxableAmount.InnerText =
Decimal.Round((decimal)detayBilgisi.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
                taxSubTotal.AppendChild(taxableAmount);
                taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
                taxAmount2.RemoveAllAttributes();
                currencyId = doc.CreateAttribute("currencyID");
                currencyId.Value = "TRY";
                taxAmount2.Attributes.Append(currencyId);
                taxAmount2.InnerText =
Decimal.Round((decimal)detayBilgisi.GelirVergisi, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
                taxSubTotal.AppendChild(taxAmount2);
                percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
                percent.InnerText = "2";
                taxSubTotal.AppendChild(percent);
                taxCategory = doc.CreateElement("cac", "TaxCategory", xlmnscac.Value);
                taxScheme2 = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
                var taxTypeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
                taxTypeName.InnerText = "GV STOPAJI";
                taxScheme2.AppendChild(taxTypeName);
                taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xlmnscbc.Value);
                taxTypeCode.InnerText = "0003";
                taxScheme2.AppendChild(taxTypeCode);
                taxCategory.AppendChild(taxScheme2);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
3519:                 taxSubTotal.AppendChild(taxCategory);
3520:                 taxTotal.AppendChild(taxSubTotal);
3521:                 creditNoteLine.AppendChild(taxTotal);
3522:                 #endregion
3523:
3524:                 #region Item
3525:                 var creditNoteItem = doc.CreateElement("cac", "Item", xlmnscac.Value);
3526:                 var itemName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
3527:                 itemName.InnerText = detayBilgisi.IsinMahiyeti;
3528:                 creditNoteItem.AppendChild(itemName);
3529:                 creditNoteLine.AppendChild(creditNoteItem);
3530:                 #endregion
3531:
3532:                 #region Price
3533:
3534:                 var price = doc.CreateElement("cac", "Price", xlmnscac.Value);
3535:                 var priceAmount = doc.CreateElement("cbc", "PriceAmount",
xlmnscbc.Value);
3536:                 priceAmount.RemoveAllAttributes();
3537:                 currencyId = doc.CreateAttribute("currencyID");
3538:                 currencyId.Value = "TRY";
3539:                 priceAmount.Attributes.Append(currencyId);
3540:                 if (detayBilgisi.BirimFiyat != null)
3541:                     priceAmount.InnerText =
Decimal.Round((decimal)detayBilgisi.BirimFiyat, 4,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
3542:                 else
3543:                     priceAmount.InnerText = "0.00";
3544:                 price.AppendChild(priceAmount);
3545:                 creditNoteLine.AppendChild(price);
3546:
3547:                 #endregion
3548:
3549:                 root.AppendChild(creditNoteLine);
3550:                 #endregion
3551:
3552:                 sayac++;
3553:             }
3554:
3555:             #endregion
3556:
3557:             doc.AppendChild(root);
3558:
3559:             #region Dosya Kaydi
3560:
3561:             var fileName = aktarilacakKlasorAdi + "/" +
mustahsilMakbuzu.MustahsilMakbuzuId + ".xml";
3562:             doc.Save(fileName);
3563:
3564:             #endregion
3565:
3566:             return fileName;
3567:         }
3568:     }
3569: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Index

A

ADET enumeration member 496
aliciEpostaEkleSilGuncelle class 27
about aliciEpostaEkleSilGuncelle class 27
inputGuncellenecekEposta 27
inputSilinecekEposta 27
aliciEpostaEkleSilGuncelleCompletedEventArgs class 27
about aliciEpostaEkleSilGuncelleCompletedEventArgs class 27
aliciEpostaEkleSilGuncelleCompletedEventArgs 28
Result 28
aliciEpostaEkleSilGuncelleResponse class 28
@return 29
about aliciEpostaEkleSilGuncelleResponse class 28
Alkol enumeration member 680
Ambar enumeration member 680
ARSIV enumeration member 497
ARSIVSMS enumeration member 497
AssemblyInfo.cs 764

B

BAYI enumeration member 497
belge class 29, 238, 525
about belge class 29, 238, 525
belgeFormati 29, 526
belgeFormatiSpecified 29, 526
belgeIcerigi 30, 526
belgeNo 239
belgeSiraNo 239
belgeTarihi 239
belgeTuru 239
belgeVerisi 239
ettn 239
gonderenEtiket 240
gonderenVknTckn 240
belgeDTO class 526
about belgeDTO class 526
belgeNo 529
brutUcret 529
brutUcretSpecified 529
kdv0_Tutar 530
kdv0_TutarSpecified 530
kdv1_Tutar 530
kdv1_TutarSpecified 530
kdv18_Tutar 530
kdv18_TutarSpecified 530
kdv8_Tutar 530
kdv8_TutarSpecified 530
kdvTevkifatTutar 530
kdvTevkifatTutarSpecified 531
netTahsilat 531
netTahsilatSpecified 531
netUcret 531
netUcretSpecified 531
stpj0_Tutar 531
stpj0_TutarSpecified 531
stpj1_Tutar 531
stpj1_TutarSpecified 531
stpj10_Tutar 532
stpj10_TutarSpecified 532
stpj15_Tutar 532
stpj15_TutarSpecified 532
stpj17_Tutar 532
stpj17_TutarSpecified 532
stpj2_Tutar 532
stpj2_TutarSpecified 532
stpj20_Tutar 532
stpj20_TutarSpecified 533
stpj3_Tutar 533
stpj3_TutarSpecified 533
stpj4_Tutar 533
stpj4_TutarSpecified 533
stpj5_Tutar 533
stpj5_TutarSpecified 533
stpj7_Tutar 533
stpj7_TutarSpecified 533
tip 534
tipSpecified 534
belgeGonderCompletedEventArgs class 240

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

about belgeGonderCompletedEventArgs class 240
belgeGonderCompletedEventArgs 240
Result 241
belgeGonderExtCompletedEventArgs class 241
about belgeGonderExtCompletedEventArgs class 241
belgeGonderExtCompletedEventArgs 241
Result 241
belgeGonderExtWithValidateCompletedEventArgs class 242
about belgeGonderExtWithValidateCompletedEventArgs class 242
belgeGonderExtWithValidateCompletedEventArgs 242
Result 242
belgeGonderResp class 243
about belgeGonderResp class 243
belgeOid 243
errorMessage 243
responseStatus 243
belgeGonderWithValidateCompletedEventArgs class 243
about belgeGonderWithValidateCompletedEventArgs class 243
belgeGonderWithValidateCompletedEventArgs 244
Result 244
belgeleriTekrarGonderBelgeOidCompletedEventArgs class 244
about belgeleriTekrarGonderBelgeOidCompletedEventArgs class 244
belgeleriTekrarGonderBelgeOidCompletedEventArgs 245
Result 245
belgeleriTekrarGonderCompletedEventArgs class 245
about belgeleriTekrarGonderCompletedEventArgs class 245
belgeleriTekrarGonderCompletedEventArgs 246
Result 246
belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs class 246
about belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs class 246
belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs 247
Result 247
belgeOutputWrapper class 30, 534
@return 30, 534
about belgeOutputWrapper class 30, 534
output 30, 534
belgev2 class 247
about belgev2 class 247
alanEtiket 248
aliciUnvan 248
belgeVersiyon 248
belgeXmlZipped 249
ekBilgiler 249
saticiUnvan 249
subeKodu 249
zarfId 249
zarfVerisi 249
zarfXml 249
belgev2Entry class 249
about belgev2Entry class 249
key 250
value 250
belgev3 class 250
about belgev3 class 250
odenecekTutar 251
odenecekTutarDovizCinsi 251
belgev4 class 251
about belgev4 class 251
arsivlenmis 252
belgeHash 253
belgev5 class 253
about belgev5 class 253
faturaGelisTarihi 254
belgev6 class 254
about belgev6 class 254
profileId 255
belgeZipiAl class 534
about belgeZipiAl class 534
input 535
belgeZipiAlCompletedEventArgs class 535
about belgeZipiAlCompletedEventArgs class 535
belgeZipiAlCompletedEventArgs 535
output 536
Result 536

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

belgeZipiAlResponse class 536
@return 536
about belgeZipiAlResponse class 536
output 537
BoslukKaldir class 671
about BoslukKaldir class 671
BosluklariKaldir 671

C

CiftciyeVerilen enumeration member 681
cokluGidenBelgeDurumSorgulaCompletedEventArgs class 255
about cokluGidenBelgeDurumSorgulaCompletedEventArgs class 255
cokluGidenBelgeDurumSorgulaCompletedEventArgs 256
Result 256
connectorService class 256
about connectorService class 256
belgeGonder 268
belgeGonderAsync 269
belgeGonderCompleted 382
belgeGonderExt 270
belgeGonderExtAsync 270
belgeGonderExtCompleted 382
belgeGonderExtWithValidate 271
belgeGonderExtWithValidateAsync 271
belgeGonderExtWithValidateCompleted 382
belgeGonderWithValidate 272
belgeGonderWithValidateAsync 273
belgeGonderWithValidateCompleted 382
belgelerAlindi 273
belgelerAlindiAsync 274
belgelerAlindiCompleted 382
belgelerAlindiEntegrasyonSiparisNoGuncelle 274
belgelerAlindiEntegrasyonSiparisNoGuncelleAsync 275
belgelerAlindiEntegrasyonSiparisNoGuncelleCompleted 382
belgeleriTekrarGonder 276
belgeleriTekrarGonderAsync 277
belgeleriTekrarGonderBelgeOid 277
belgeleriTekrarGonderBelgeOidAsync 278
belgeleriTekrarGonderBelgeOidCompleted 382
belgeleriTekrarGonderCompleted 382
belgeleriTekrarGonderYerelBelgeNo 279
belgeleriTekrarGonderYerelBelgeNoAsync 280
belgeleriTekrarGonderYerelBelgeNoCompleted 382
CancelAsync 280
checkDateValidControl 280
checkDateValidControlAsync 281
checkDateValidControlCompleted 383
cokluGidenBelgeDurumSorgula 281
cokluGidenBelgeDurumSorgulaAsync 282
cokluGidenBelgeDurumSorgulaCompleted 383
connectorService 268
csXmlOnizleme 282
csXmlOnizlemeAsync 284
csXmlOnizlemeCompleted 383
csXmlToUbl 284
csXmlToUblAsync 285
csXmlToUblCompleted 383
eFaturaKayitliKullaniciListele 286
eFaturaKayitliKullaniciListeleAsync 286
eFaturaKayitliKullaniciListeleCompleted 383
efaturaKullaniciBilgisi 287
efaturaKullaniciBilgisiAsync 287
efaturaKullaniciBilgisiCompleted 383
efaturaKullaniciListesi 288
efaturaKullaniciListesiAsync 288
efaturaKullaniciListesiCompleted 383
efaturaKullanicisi 289
efaturaKullanicisiAsync 289
efaturaKullanicisiCompleted 383
eIrsaliyeKayitliKullaniciListele 289
eIrsaliyeKayitliKullaniciListeleAsync 290
eIrsaliyeKayitliKullaniciListeleCompleted 383
eIrsaliyeKullanicisi 290
eIrsaliyeKullanicisiAsync 291
eIrsaliyeKullanicisiCompleted 383
erpBilgileriBelirle 291
erpBilgileriBelirleAsync 292
erpBilgileriBelirleCompleted 383
faturaKepIleIadeEdildi 292

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

faturaKepIleIadeEdildiAsync 293
faturaKepIleIadeEdildiCompleted 384
faturaKepIleIadeEdildiIptal 293
faturaKepIleIadeEdildiIptalAsync 294
faturaKepIleIadeEdildiIptalCompleted 384
faturaMailGonder 294
faturaMailGonderAsync 295, 296
faturaMailGonderCompleted 384
faturaNoUret 296
faturaNoUretAsync 297
faturaNoUretCompleted 384
faturaTarihcesiSorgula 297
faturaTarihcesiSorgulaAsync 298
faturaTarihcesiSorgulaCompleted 384
faturayaItirazEdildi 298
faturayaItirazEdildiAsync 299
faturayaItirazEdildiCompleted 384
faturayaItirazEdildiIptal 299
faturayaItirazEdildiIptalAsync 300
faturayaItirazEdildiIptalCompleted 384
gelenBelgeDurumSorgula 301
gelenBelgeDurumSorgulaAsync 301, 302
gelenBelgeDurumSorgulaCompleted 384
gelenBelgeDurumSorgulaExt 302
gelenBelgeDurumSorgulaExtAsync 302, 303
gelenBelgeDurumSorgulaExtCompleted 384
gelenBelgeEkleriAl 303
gelenBelgeEkleriAlAsync 304
gelenBelgeEkleriAlCompleted 384
gelenBelgeleriAl 304
gelenBelgeleriAlAsync 305
gelenBelgeleriAlCompleted 384
gelenBelgeleriAlExt 305
gelenBelgeleriAlExt2 306
gelenBelgeleriAlExt2Async 307
gelenBelgeleriAlExt2Completed 385
gelenBelgeleriAlExtAsync 307
gelenBelgeleriAlExtCompleted 385
gelenBelgeleriIndir 308
gelenBelgeleriIndirAsync 308, 309
gelenBelgeleriIndirCompleted 385
gelenBelgeleriIndirExt 309
gelenBelgeleriIndirExtAsync 309, 310
gelenBelgeleriIndirExtCompleted 385
gelenBelgeleriListele 310
gelenBelgeleriListeleAsync 311
gelenBelgeleriListeleCompleted 385
gelenBelgeleriListeleExt 311
gelenBelgeleriListeleExtAsync 312
gelenBelgeleriListeleExtCompleted 385
gelenBelgeTutarBilgileriSorgula 312
gelenBelgeTutarBilgileriSorgulaAsync 313
gelenBelgeTutarBilgileriSorgulaCompleted 385
gelenBelgeXmlleriniAl 313
gelenBelgeXmlleriniAlAsync 314
gelenBelgeXmlleriniAlCompleted 385
gelenBelgeXmlleriniAlExt 315
gelenBelgeXmlleriniAlExtAsync 315
gelenBelgeXmlleriniAlExtCompleted 385
gelenFaturalariArsiveKaldir 316
gelenFaturalariArsiveKaldirAsync 316
gelenFaturalariArsiveKaldirCompleted 385
gelenIrsaliyeleriArsiveKaldir 317
gelenIrsaliyeleriArsiveKaldirAsync 317
gelenIrsaliyeleriArsiveKaldirCompleted 385
gelenStandartRapolariAl 318
gelenStandartRapolariAlAsync 319
gelenStandartRapolariAlCompleted 386
gelenTamamlananRapolariAl 319
gelenTamamlananRapolariAlAsync 320
gelenTamamlananRapolariAlCompleted 386
gelenTasinanBelgeleriIndir 321
gelenTasinanBelgeleriIndirAsync 321
gelenTasinanBelgeleriIndirCompleted 386
gidenBelgeDurumSorgula 322
gidenBelgeDurumSorgulaAsync 322, 323
gidenBelgeDurumSorgulaBelgeNo 323
gidenBelgeDurumSorgulaBelgeNoAsync 324
gidenBelgeDurumSorgulaBelgeNoCompleted 386
gidenBelgeDurumSorgulaCompleted 386
gidenBelgeDurumSorgulaEttn 324
gidenBelgeDurumSorgulaEttnAsync 325

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

gidenBelgeDurumSorgulaEttnCompleted 386
gidenBelgeDurumSorgulaExt 325
gidenBelgeDurumSorgulaExtAsync 326
gidenBelgeDurumSorgulaExtCompleted 386
gidenBelgeDurumSorgulaPortal 326
gidenBelgeDurumSorgulaPortalAsync 327
gidenBelgeDurumSorgulaPortalCompleted 386
gidenBelgeDurumSorgulaYerelBelgeNo 327
gidenBelgeDurumSorgulaYerelBelgeNoAsync 328
gidenBelgeDurumSorgulaYerelBelgeNoCompleted 386
gidenBelgeEkleriAl 328
gidenBelgeEkleriAlAsync 329
gidenBelgeEkleriAlCompleted 386
gidenBelgeleriIndir 330
gidenBelgeleriIndirAsync 330, 331
gidenBelgeleriIndirCompleted 386
gidenBelgeleriIndirEttn 331
gidenBelgeleriIndirEttnAsync 332
gidenBelgeleriIndirEttnCompleted 387
gidenBelgeleriIndirPortal 332
gidenBelgeleriIndirPortalAsync 333
gidenBelgeleriIndirPortalCompleted 387
gidenBelgeleriListele 333
gidenBelgeleriListeleAsync 334
gidenBelgeleriListeleCompleted 387
gidenBelgeleriListelePortal 334
gidenBelgeleriListelePortalAsync 335
gidenBelgeleriListelePortalCompleted 387
gidenBelgeTutarBilgileriSorgula 335
gidenBelgeTutarBilgileriSorgulaAsync 336
gidenBelgeTutarBilgileriSorgulaCompleted 387
gidenFaturalariArsiveKaldir 337
gidenFaturalariArsiveKaldirAsync 337
gidenFaturalariArsiveKaldirCompleted 387
gidenIrsaliyeleriArsiveKaldir 338
gidenIrsaliyeleriArsiveKaldirAsync 338
gidenIrsaliyeleriArsiveKaldirCompleted 387
gidenTasinanBelgeleriIndir 339
gidenTasinanBelgeleriIndirAsync 339, 340
gidenTasinanBelgeleriIndirCompleted 387
irsaliyeMailGonder 340
irsaliyeMailGonderAsync 341
irsaliyeMailGonderCompleted 387
irsaliyeTarihcesiSorgula 341
irsaliyeTarihcesiSorgulaAsync 342
irsaliyeTarihcesiSorgulaCompleted 387
IsLocalFileSystemWebService 343
kayitliKullaniciListeleExtended 343
kayitliKullaniciListeleExtendedAsync 344
kayitliKullaniciListeleExtendedCompleted 387
kayitliKullaniciListeleExtendedTime 344
kayitliKullaniciListeleExtendedTimeAsync 345
kayitliKullaniciListeleExtendedTimeCompleted 388
kayitliKullaniciListeleExtendedVknTckn 346
kayitliKullaniciListeleExtendedVknTcknAsync 346
kayitliKullaniciListeleExtendedVknTcknCompleted 388
kontorBilgisiGetir 347
kontorBilgisiGetirAsync 347, 348
kontorBilgisiGetirCompleted 388
OnbelgeGonderExtOperationCompleted 348
OnbelgeGonderExtWithValidateOperationCompleted 348
OnbelgeGonderOperationCompleted 349
OnbelgeGonderWithValidateOperationCompleted 349
OnbelgelerAlindiEntegrasyonSiparisNoGuncelleOperation Completed 349
OnbelgelerAlindiOperationCompleted 349
OnbelgeleriTekrarGonderBelgeOidOperationCompleted 350
OnbelgeleriTekrarGonderOperationCompleted 350
OnbelgeleriTekrarGonderYerelBelgeNoOperationCompleted 350
OncheckDateValidControlOperationCompleted 351
OncokluGidenBelgeDurumSorgulaOperationCompleted 351
OncsXmlOnizlemeOperationCompleted 351
OncsXmlToUblOperationCompleted 352
OneFaturaKayitliKullaniciListeleOperationCompleted 352
OnefaturaKullaniciBilgisiOperationCompleted 352
OnefaturaKullaniciListesiOperationCompleted 352
OnefaturaKullanicisiOperationCompleted 353
OneIrsaliyeKayitliKullaniciListeleOperationCompleted 353
OneIrsaliyeKullanicisiOperationCompleted 353

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

OnerpBilgileriBelirleOperationCompleted 354
OnfaturaKepIleIadeEdildiIptalOperationCompleted 354
OnfaturaKepIleIadeEdildiOperationCompleted 354
OnfaturaMailGonderOperationCompleted 355
OnfaturaNoUretOperationCompleted 355
OnfaturaTarihcesiSorgulaOperationCompleted 355
OnfaturayaItirazEdildiIptalOperationCompleted 355
OnfaturayaItirazEdildiOperationCompleted 356
OngelenBelgeDurumSorgulaExtOperationCompleted 356
OngelenBelgeDurumSorgulaOperationCompleted 356
OngelenBelgeEkleriAlOperationCompleted 357
OngelenBelgeleriAlExt2OperationCompleted 357
OngelenBelgeleriAlExtOperationCompleted 357
OngelenBelgeleriAlOperationCompleted 358
OngelenBelgeleriIndirExtOperationCompleted 358
OngelenBelgeleriIndirOperationCompleted 358
OngelenBelgeleriListeleExtOperationCompleted 358
OngelenBelgeleriListeleOperationCompleted 359
OngelenBelgeTutarBilgileriSorgulaOperationCompleted 359
OngelenBelgeXmlleriniAlExtOperationCompleted 359
OngelenBelgeXmlleriniAlOperationCompleted 360
OngelenFaturalariArsiveKaldirOperationCompleted 360
OngelenIrsaliyeleriArsiveKaldirOperationCompleted 360
OngelenStandartRapolariAlOperationCompleted 361
OngelenTamamlananRapolariAlOperationCompleted 361
OngelenTasinanBelgeleriIndirOperationCompleted 361
OngidenBelgeDurumSorgulaBelgeNoOperationCompleted 361
OngidenBelgeDurumSorgulaEttnOperationCompleted 362
OngidenBelgeDurumSorgulaExtOperationCompleted 362
OngidenBelgeDurumSorgulaOperationCompleted 362
OngidenBelgeDurumSorgulaPortalOperationCompleted 363
OngidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted 363
OngidenBelgeEkleriAlOperationCompleted 363
OngidenBelgeleriIndirEttnOperationCompleted 364
OngidenBelgeleriIndirOperationCompleted 364
OngidenBelgeleriIndirPortalOperationCompleted 364
OngidenBelgeleriListeleOperationCompleted 364
OngidenBelgeleriListelePortalOperationCompleted 365
OngidenBelgeTutarBilgileriSorgulaOperationCompleted 365
OngidenFaturalariArsiveKaldirOperationCompleted 365
OngidenIrsaliyeleriArsiveKaldirOperationCompleted 366
OngidenTasinanBelgeleriIndirOperationCompleted 366
OnirsaliyeMailGonderOperationCompleted 366
OnirsaliyeTarihcesiSorgulaOperationCompleted 367
OnkayitliKullaniciListeleExtendedOperationCompleted 367
OnkayitliKullaniciListeleExtendedTimeOperationCompleted 367
OnkayitliKullaniciListeleExtendedVknTcknOperationCompleted 367
OnkontorBilgisiGetirOperationCompleted 368
OntemelKontrollerIleBelgeGonderOperationCompleted 368
OntoplamBelgeSayisiGetirOperationCompleted 368
OnublOnizlemeOperationCompleted 369
OnurunSablonlariniAlOperationCompleted 369
OnwsKullanicisiKaydetOperationCompleted 369
OnyereleAktarilacakBelgeleriAlExtOperationCompleted 370
OnyereleAktarilacakBelgeleriAlOperationCompleted 370
OnyolcuBeraberFaturaIptalEtOperationCompleted 370
temelKontrollerIleBelgeGonder 370
temelKontrollerIleBelgeGonderAsync 372
temelKontrollerIleBelgeGonderCompleted 388
toplamBelgeSayisiGetir 372
toplamBelgeSayisiGetirAsync 373, 374
toplamBelgeSayisiGetirCompleted 388
ublOnizleme 374
ublOnizlemeAsync 375
ublOnizlemeCompleted 388
Url 381
urunSablonlariniAl 375
urunSablonlariniAlAsync 376
urunSablonlariniAlCompleted 388
UseDefaultCredentials 382
wsKullanicisiKaydet 376
wsKullanicisiKaydetAsync 377
wsKullanicisiKaydetCompleted 388

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

yereleAktarilacakBelgeleriAl 378
yereleAktarilacakBelgeleriAlAsync 378, 379
yereleAktarilacakBelgeleriAlCompleted 388
yereleAktarilacakBelgeleriAlExt 379
yereleAktarilacakBelgeleriAlExtAsync 379, 380
yereleAktarilacakBelgeleriAlExtCompleted 388
yolcuBeraberFaturaIptalEt 380
yolcuBeraberFaturaIptalEtAsync 381
yolcuBeraberFaturaIptalEtCompleted 388
CSV enumeration member 216
CSXML enumeration member 215, 651
CSXML1 enumeration member 215, 651
CSXML2 enumeration member 215, 651
CSXML3 enumeration member 215, 651
csXmlOnizlemeCompletedEventArgs class 389
about csXmlOnizlemeCompletedEventArgs class 389
csXmlOnizlemeCompletedEventArgs 389
Result 389
csXmlToUblCompletedEventArgs class 389
about csXmlToUblCompletedEventArgs class 389
csXmlToUblCompletedEventArgs 390
Result 390
CUSTOM enumeration member 215, 651

D

DEFTER enumeration member 497
Diger enumeration member 680
DisServisler class 672
about DisServisler class 672
EArsivGonder 672
EArsivOnIzleme 673
EFaturaGonder 674
EFaturaKullanicisiMi 675
EFaturaOnIzleme 676
EMustahsilGonder 677
EMustahsilOnIzleme 678
GetMD5Hash 679
DisServisler.cs 765
dosyaInput class 30
about dosyaInput class 30
belgeIcerigi 31
genelBelgeFormatEnum 31
genelBelgeFormatEnumSpecified 31
doubleStringOutputWrapper class 31, 537
@return 32, 537
about doubleStringOutputWrapper class 31, 537
outputDurum 32, 537
outputEposta 32, 537

E

earsivServiceResult class 32, 538
about earsivServiceResult class 32, 538
resultCode 32, 538
resultExtra 33, 538
resultText 33, 538
earsivServiceResultEntry class 33, 538
about earsivServiceResultEntry class 33, 538
key 33, 539
value 33, 539
EarsivWebService class 34
about EarsivWebService class 34
aliciEpostaEkleSilGuncelle 42
aliciEpostaEkleSilGuncelleAsync 43
aliciEpostaEkleSilGuncelleCompleted 107
CancelAsync 43
EarsivWebService 42
eFaturaKayitliKullaniciListele 44
eFaturaKayitliKullaniciListeleAsync 44
eFaturaKayitliKullaniciListeleCompleted 107
efaturaKullanicisi 45
efaturaKullanicisiAsync 45
efaturaKullanicisiCompleted 107
efaturaKullanicisiKontrol 46
efaturaKullanicisiKontrolAsync 46
efaturaKullanicisiKontrolCompleted 107
ePostaDurumSorgula 46
ePostaDurumSorgulaAsync 47
ePostaDurumSorgulaCompleted 107
ePostaGonder 48
ePostaGonderAsync 48, 49

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

ePostaGonderCompleted 107
faturaIptalEt 49
faturaIptalEtAsync 49, 50
faturaIptalEtCompleted 107
faturaIptaliKaldir 50
faturaIptaliKaldirAsync 50
faturaIptaliKaldirCompleted 107
faturaItirazEt 51
faturaItirazEtAsync 51
faturaItirazEtCompleted 108
faturaItirazKaldir 52
faturaItirazKaldirAsync 52
faturaItirazKaldirCompleted 108
faturaListeSorgula 53
faturaListeSorgulaAsync 53
faturaListeSorgulaCompleted 108
faturaListeSorgulaCount 54
faturaListeSorgulaCountAsync 54
faturaListeSorgulaCountCompleted 108
faturaListeSorgulaPortal 55
faturaListeSorgulaPortalAsync 55
faturaListeSorgulaPortalCompleted 108
faturaNoUret 56
faturaNoUretAsync 56
faturaNoUretCompleted 108
faturaOlustur 57
faturaOlusturAsync 57
faturaOlusturCompleted 108
faturaOlusturExt 58
faturaOlusturExtAsync 58, 59
faturaOlusturExtCompleted 108
faturaOnizleme 59
faturaOnizlemeAsync 60
faturaOnizlemeCompleted 108
faturaSorgula 60
faturaSorgulaAsync 61
faturaSorgulaCompleted 108
faturaSorgulaExt 61
faturaSorgulaExtAsync 62
faturaSorgulaExtCompleted 108
faturaTaslakOlustur 62
faturaTaslakOlusturAsync 63
faturaTaslakOlusturCompleted 108
faturaTaslakOnizleme 63
faturaTaslakOnizlemeAsync 64
faturaTaslakOnizlemeCompleted 109
faturaTaslakSil 64
faturaTaslakSilAsync 65
faturaTaslakSilCompleted 109
faturaTaslakSorgula 65
faturaTaslakSorgulaAsync 66
faturaTaslakSorgulaCompleted 109
faturaTaslaktanOlustur 66
faturaTaslaktanOlusturAsync 67
faturaTaslaktanOlusturCompleted 109
faturaZipiAl 67
faturaZipiAlAsync 68
faturaZipiAlCompleted 109
IsLocalFileSystemWebService 68
kontorBilgisiGetir 68
kontorBilgisiGetirAsync 69
kontorBilgisiGetirCompleted 109
okcRaporBolumAl 70
okcRaporBolumAlAsync 70
okcRaporBolumAlCompleted 109
okcRaporKaydet 71
okcRaporKaydetAsync 71
okcRaporKaydetCompleted 109
okcRaporOlusturGonder 72
okcRaporOlusturGonderAsync 72
okcRaporOlusturGonderCompleted 109
OnaliciEpostaEkleSilGuncelleOperationCompleted 73
OneFaturaKayitliKullaniciListeleOperationCompleted 73
OnefaturaKullanicisiKontrolOperationCompleted 73
OnefaturaKullanicisiOperationCompleted 73
OnePostaDurumSorgulaOperationCompleted 74
OnePostaGonderOperationCompleted 74
OnfaturaIptalEtOperationCompleted 74
OnfaturaIptaliKaldirOperationCompleted 75
OnfaturaItirazEtOperationCompleted 75
OnfaturaItirazKaldirOperationCompleted 75
OnfaturaListeSorgulaCountOperationCompleted 76

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

OnfaturaListeSorgulaOperationCompleted 76
OnfaturaListeSorgulaPortalOperationCompleted 76
OnfaturaNoUretOperationCompleted 76
OnfaturaOlusturExtOperationCompleted 77
OnfaturaOlusturOperationCompleted 77
OnfaturaOnizlemeOperationCompleted 77
OnfaturaSorgulaExtOperationCompleted 78
OnfaturaSorgulaOperationCompleted 78
OnfaturaTaslakOlusturOperationCompleted 78
OnfaturaTaslakOnizlemeOperationCompleted 79
OnfaturaTaslakSilOperationCompleted 79
OnfaturaTaslakSorgulaOperationCompleted 79
OnfaturaTaslaktanOlusturOperationCompleted 79
OnfaturaZipiAlOperationCompleted 80
OnkontorBilgisiGetirOperationCompleted 80
OnokcRaporBolumAlOperationCompleted 80
OnokcRaporKaydetOperationCompleted 81
OnokcRaporOlusturGonderOperationCompleted 81
OnraporBolumAlOperationCompleted 81
OnraporBolumBilgisiAlOperationCompleted 82
OnraporBolumleriOlusturOperationCompleted 82
OnraporBolumListesiDetayliSorgulaOperationCompleted 82
OnraporBolumListesiSorgulaOperationCompleted 82
OnraporBolumListesiSorgulaWithInputOperationCompleted 83
OnraporBolumRaporNoGuncelleImzalaOperationCompleted 83
OnraporBolumSilOperationCompleted 83
OnrapordaFaturaSorgulaOperationCompleted 84
OnraporDurumSorgulaOperationCompleted 84
OnraporGonderOperationCompleted 84
OnservisSaglayicidanEpostaDurumSorgulaOperationCompleted 85
OnsmsDurumSorgulaOperationCompleted 85
OnsmsGonderOperationCompleted 85
OntopluFaturaPaketDosyaGonderOperationCompleted 86
OntopluFaturaPaketDosyasiSorgulaOperationCompleted 86
OntopluFaturaPaketOnaylaOperationCompleted 86
OntopluFaturaPaketSorgulaOperationCompleted 86
OnyapilandirmaAyarlariAlOperationCompleted 87
raporBolumAl 87
raporBolumAlAsync 88
raporBolumAlCompleted 109
raporBolumBilgisiAl 88
raporBolumBilgisiAlAsync 89
raporBolumBilgisiAlCompleted 109
raporBolumleriOlustur 89
raporBolumleriOlusturAsync 90
raporBolumleriOlusturCompleted 109
raporBolumListesiDetayliSorgula 90
raporBolumListesiDetayliSorgulaAsync 91
raporBolumListesiDetayliSorgulaCompleted 110
raporBolumListesiSorgula 91
raporBolumListesiSorgulaAsync 92
raporBolumListesiSorgulaCompleted 110
raporBolumListesiSorgulaWithInput 92
raporBolumListesiSorgulaWithInputAsync 93
raporBolumListesiSorgulaWithInputCompleted 110
raporBolumRaporNoGuncelleImzala 93
raporBolumRaporNoGuncelleImzalaAsync 94
raporBolumRaporNoGuncelleImzalaCompleted 110
raporBolumSil 94
raporBolumSilAsync 95
raporBolumSilCompleted 110
rapordaFaturaSorgula 95
rapordaFaturaSorgulaAsync 96
rapordaFaturaSorgulaCompleted 110
raporDurumSorgula 96
raporDurumSorgulaAsync 97
raporDurumSorgulaCompleted 110
raporGonder 97
raporGonderAsync 98
raporGonderCompleted 110
servisSaglayicidanEpostaDurumSorgula 98
servisSaglayicidanEpostaDurumSorgulaAsync 99
servisSaglayicidanEpostaDurumSorgulaCompleted 110
smsDurumSorgula 99
smsDurumSorgulaAsync 100
smsDurumSorgulaCompleted 110
smsGonder 100

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

smsGonderAsync 101
smsGonderCompleted 110
topluFaturaPaketDosyaGonder 101
topluFaturaPaketDosyaGonderAsync 102
topluFaturaPaketDosyaGonderCompleted 111
topluFaturaPaketDosyasiSorgula 102
topluFaturaPaketDosyasiSorgulaAsync 103
topluFaturaPaketDosyasiSorgulaCompleted 111
topluFaturaPaketOnayla 103
topluFaturaPaketOnaylaAsync 104
topluFaturaPaketOnaylaCompleted 111
topluFaturaPaketSorgula 104
topluFaturaPaketSorgulaAsync 105
topluFaturaPaketSorgulaCompleted 111
Url 106
UseDefaultCredentials 107
yapilandirmaAyarlariAl 105
yapilandirmaAyarlariAlAsync 106
yapilandirmaAyarlariAlCompleted 111

eFaturaKayitliKullaniciHistory class 390
about eFaturaKayitliKullaniciHistory class 390
etiket 391
etiketOlusturulmaZamani 391
silinmeZamani 391

eFaturaKayitliKullaniciListele class 111
about eFaturaKayitliKullaniciListele class 111
kayitZamani 111

eFaturaKayitliKullaniciListeleCompletedEventArgs class 112, 391
about eFaturaKayitliKullaniciListeleCompletedEventArgs class 112, 391
eFaturaKayitliKullaniciListeleCompletedEventArgs 112, 392
Result 112, 392

eFaturaKullanici class 113, 392
about eFaturaKullanici class 113, 392
etiket 113, 393
kamuKurulusu 113, 393
kayitZamani 113, 393
unvan 113, 393
vergiTcKimlikNo 114, 393

efaturaKullaniciBilgisiCompletedEventArgs class 393
about efaturaKullaniciBilgisiCompletedEventArgs class 393
efaturaKullaniciBilgisiCompletedEventArgs 394
Result 394

eFaturaKullaniciExtended class 394
about eFaturaKullaniciExtended class 394
eFaturaKayitliKullaniciHistoryList 395
etiket 395
etiketOlusturulmaZamani 395
hesapTipi 395
hesapTipiSpecified 395
kamuKurulusu 395
kamuKurulusuSpecified 395
kayitZamani 396
tip 396
tipSpecified 396
unvan 396
vergiTcKimlikNo 396

efaturaKullaniciListesiCompletedEventArgs class 396
about efaturaKullaniciListesiCompletedEventArgs class 396
efaturaKullaniciListesiCompletedEventArgs 397
Result 397

efaturaKullanicisi class 114
about efaturaKullanicisi class 114
vergiTcKimlikNo 114

efaturaKullanicisiCompletedEventArgs class 114, 397
about efaturaKullanicisiCompletedEventArgs class 114, 397
efaturaKullanicisiCompletedEventArgs 115, 397
Result 115, 398

efaturaKullanicisiKontrol class 115
about efaturaKullanicisiKontrol class 115
input 116

efaturaKullanicisiKontrolCompletedEventArgs class 116
about efaturaKullanicisiKontrolCompletedEventArgs class 116
efaturaKullanicisiKontrolCompletedEventArgs 116
Result 116

efaturaKullanicisiKontrolResponse class 117
@return 117
about efaturaKullanicisiKontrolResponse class 117

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

efaturaKullanicisiResponse class 117
@return 118
about efaturaKullanicisiResponse class 117
eIrsaliyeKayitliKullaniciListeleCompletedEventArgs class 398
about eIrsaliyeKayitliKullaniciListeleCompletedEventArgs class 398
eIrsaliyeKayitliKullaniciListeleCompletedEventArgs 398
Result 399
eIrsaliyeKullanici class 399
about eIrsaliyeKullanici class 399
etiket 399
kamuKurulusu 399
kayitZamani 400
unvan 400
vergiTcKimlikNo 400
eIrsaliyeKullanicisiCompletedEventArgs class 400
about eIrsaliyeKullanicisiCompletedEventArgs class 400
eIrsaliyeKullanicisiCompletedEventArgs 400
Result 401
Enums class 679
about Enums class 679
Enums.cs 771
ePostaDurumSorgula class 118, 539
about ePostaDurumSorgula class 118, 539
input 118, 540
ePostaDurumSorgulaCompletedEventArgs class 118, 540
@return 119, 541
about ePostaDurumSorgulaCompletedEventArgs class 118, 540
ePostaDurumSorgulaCompletedEventArgs 119, 540
outputEposta 119, 541
Result 119, 541
ePostaGonder class 119, 541
about ePostaGonder class 119, 541
ilaveEposta 120, 541
input 120, 541
tanimliEpostayaGonder 120, 542
ePostaGonderCompletedEventArgs class 120, 542
about ePostaGonderCompletedEventArgs class 120, 542
ePostaGonderCompletedEventArgs 121, 542
Result 121, 542
ePostaGonderResponse class 121, 543
@return 121, 543
about ePostaGonderResponse class 121, 543
erpBilgileri class 401
about erpBilgileri class 401
aciklama 401
kod 401

F

Fark enumeration member 680
FATURA enumeration member 497
faturaDTO class 122, 543
about faturaDTO class 122, 543
arsiv 124, 545
creationTime 124, 545
currency 124, 545
dokumanFormati 124, 546
durum 124, 546
durumSpecified 124, 546
duzenlenmeZamani 124, 546
epostaGonderimDurumu 124, 546
epostaGonderimDurumuSpecified 124, 546
erpKodu 125, 546
faturaSiraNo 125, 546
faturaSiraNoSpecified 125, 546
faturaZamani 125, 547
ilkKayitZmani 125, 547
indirildi 125, 547
indirildiSpecified 125, 547
invoiceId 125, 547
invoiceTypeCode 125, 547
iptalEdenKullaniciKodu 126, 547
iptalKaynagi 126, 547
iptalKaynagiSpecified 126, 547
iptalRaporTarihi 126, 548
iptalTarihi 126, 548
iptalTarihiExcel 126, 548
islemId 126, 548
issueDate 126, 548
itirazEdenKullaniciKodu 126, 548

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

itirazKaynagi 127, 548
itirazKaynagiSpecified 127, 548
itirazTarihi 127, 548
kagitFatura 127, 549
kagitFaturaSpecified 127, 549
kasa 127, 549
kaynak 127, 549
kepDurum 127, 549
kepDurumSpecified 127, 549
kolayFatura 128, 549
kolayFaturaSpecified 128, 549
okundu 128, 549
okunduSpecified 128, 550
payableAmount 128, 550
payableAmountSpecified 128, 550
profileId 128, 550
raporTarihi 128, 550
receiverContact 128, 550
receiverIdentifier 129, 550
receiverIdentifierTxt 129, 550
receiverName 129, 550
senderContact 129, 551
senderName 129, 551
sonGuncellemeZamani 129, 551
sube 129, 551
tanimliSubeKod 129, 551
telNo 129, 551
toplamTutar 130, 551
toplamTutarSpecified 130, 551
uuid 130, 551
vergilerToplami 130, 552
vergilerToplamiSpecified 130, 552
versiyon 130, 552
versiyonSpecified 130, 552
yazdirildi 130, 552
yazdirildiSpecified 130, 552
yerelFaturaNo 131, 552
faturaIptalEt class 131
about faturaIptalEt class 131
input 131
faturaIptalEtCompletedEventArgs class 131
about faturaIptalEtCompletedEventArgs class 131
faturaIptalEtCompletedEventArgs 132
Result 132
faturaIptalEtResponse class 132
@return 133
about faturaIptalEtResponse class 132
faturaIptaliKaldir class 133
about faturaIptaliKaldir class 133
input 133
faturaIptaliKaldirCompletedEventArgs class 133
about faturaIptaliKaldirCompletedEventArgs class 133
faturaIptaliKaldirCompletedEventArgs 134
Result 134
faturaIptaliKaldirResponse class 134
@return 135
about faturaIptaliKaldirResponse class 134
faturaItirazEt class 135
about faturaItirazEt class 135
input 135
faturaItirazEtCompletedEventArgs class 135
about faturaItirazEtCompletedEventArgs class 135
faturaItirazEtCompletedEventArgs 136
Result 136
faturaItirazEtResponse class 136
@return 137
about faturaItirazEtResponse class 136
faturaItirazKaldir class 137
about faturaItirazKaldir class 137
input 137
faturaItirazKaldirCompletedEventArgs class 137
about faturaItirazKaldirCompletedEventArgs class 137
faturaItirazKaldirCompletedEventArgs 138
Result 138
faturaItirazKaldirResponse class 138
@return 139
about faturaItirazKaldirResponse class 138
FaturaKdvDTO class 2
about FaturaKdvDTO class 2
KdvHaricTutar 2
KdvOran 3
KdvTutari 3

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

FaturaKdvDTO.cs 772
faturaKepIleIadeEdildiCompletedEventArgs class 401
about faturaKepIleIadeEdildiCompletedEventArgs class 401
faturaKepIleIadeEdildiCompletedEventArgs 402
Result 402
faturaKepIleIadeEdildiIptalCompletedEventArgs class 402
about faturaKepIleIadeEdildiIptalCompletedEventArgs class 402
faturaKepIleIadeEdildiIptalCompletedEventArgs 403
Result 403
faturaListeSorgula class 139
about faturaListeSorgula class 139
input 139
faturaListeSorgulaCompletedEventArgs class 139
about faturaListeSorgulaCompletedEventArgs class 139
faturaListeSorgulaCompletedEventArgs 140
output 140
Result 140
faturaListeSorgulaCount class 140
about faturaListeSorgulaCount class 140
input 141
faturaListeSorgulaCountCompletedEventArgs class 141
about faturaListeSorgulaCountCompletedEventArgs class 141
faturaListeSorgulaCountCompletedEventArgs 141
output 142
Result 142
faturaListeSorgulaCountResponse class 142
@return 142
about faturaListeSorgulaCountResponse class 142
output 142
faturaListeSorgulaPortal class 142
about faturaListeSorgulaPortal class 142
input 143
faturaListeSorgulaPortalCompletedEventArgs class 143
about faturaListeSorgulaPortalCompletedEventArgs class 143
faturaListeSorgulaPortalCompletedEventArgs 143
output 144
Result 144
faturaListeSorgulaPortalResponse class 144
@return 144
about faturaListeSorgulaPortalResponse class 144
output 144
faturaListeSorgulaResponse class 145
@return 145
about faturaListeSorgulaResponse class 145
output 145
faturaNoUret class 145
about faturaNoUret class 145
input 146
faturaNoUretCompletedEventArgs class 146, 403
@return 147
about faturaNoUretCompletedEventArgs class 146, 403
faturaNoUretCompletedEventArgs 146, 404
Result 147, 404
faturaOlustur class 147
about faturaOlustur class 147
fatura 147
input 147
faturaOlusturCompletedEventArgs class 147
@return 148
about faturaOlusturCompletedEventArgs class 147
faturaOlusturCompletedEventArgs 148
Result 148
faturaOlusturExt class 148
about faturaOlusturExt class 148
fatura 149
input 149
faturaOlusturExtCompletedEventArgs class 149
@return 150
about faturaOlusturExtCompletedEventArgs class 149
faturaOlusturExtCompletedEventArgs 150
Result 150
faturaOnizleme class 150
about faturaOnizleme class 150
fatura 151
input 151
faturaOnizlemeCompletedEventArgs class 151
@return 152
about faturaOnizlemeCompletedEventArgs class 151
faturaOnizlemeCompletedEventArgs 151

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Result 152
faturaSorgula class 152
about faturaSorgula class 152
input 152
faturaSorgulaCompletedEventArgs class 152
@return 153
about faturaSorgulaCompletedEventArgs class 152
faturaSorgulaCompletedEventArgs 153
Result 153
faturaSorgulaExt class 153
about faturaSorgulaExt class 153
input 154
faturaSorgulaExtCompletedEventArgs class 154
@return 155
about faturaSorgulaExtCompletedEventArgs class 154
faturaSorgulaExtCompletedEventArgs 154
Result 155
faturaTarihcesiData class 404
about faturaTarihcesiData class 404
bagliKayitId 405
faturaEttn 405
islem 405
islemAciklama 405
islemKanali 405
islemKanaliAciklama 405
islemSonucu 406
islemZamani 406
kullanici 406
kullaniciIp 406
zarfEttn 406
faturaTarihcesiSorgulaCompletedEventArgs class 406
about faturaTarihcesiSorgulaCompletedEventArgs class 406
faturaTarihcesiSorgulaCompletedEventArgs 407
Result 407
faturaTaslakOlustur class 155
about faturaTaslakOlustur class 155
fatura 155
input 155
faturaTaslakOlusturCompletedEventArgs class 155
about faturaTaslakOlusturCompletedEventArgs class 155
faturaTaslakOlusturCompletedEventArgs 156
Result 156
faturaTaslakOlusturResponse class 156
@return 157
about faturaTaslakOlusturResponse class 156
faturaTaslakOnizleme class 157
about faturaTaslakOnizleme class 157
input 157
faturaTaslakOnizlemeCompletedEventArgs class 157
about faturaTaslakOnizlemeCompletedEventArgs class 157
faturaTaslakOnizlemeCompletedEventArgs 158
output 158
Result 158
faturaTaslakOnizlemeResponse class 158
@return 159
about faturaTaslakOnizlemeResponse class 158
output 159
faturaTaslakSil class 159
about faturaTaslakSil class 159
input 160
faturaTaslakSilCompletedEventArgs class 160
about faturaTaslakSilCompletedEventArgs class 160
faturaTaslakSilCompletedEventArgs 160
Result 160
faturaTaslakSilResponse class 161
@return 161
about faturaTaslakSilResponse class 161
faturaTaslakSorgula class 161
about faturaTaslakSorgula class 161
input 162
faturaTaslakSorgulaCompletedEventArgs class 162
about faturaTaslakSorgulaCompletedEventArgs class 162
faturaTaslakSorgulaCompletedEventArgs 162
output 162
Result 163
faturaTaslakSorgulaResponse class 163
@return 163
about faturaTaslakSorgulaResponse class 163
output 163
faturaTaslaktanOlustur class 163

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

about faturaTaslaktanOlustur class 163

input 164

faturaTaslaktanOlusturCompletedEventArgs class 164

@return 165

about faturaTaslaktanOlusturCompletedEventArgs class 164

faturaTaslaktanOlusturCompletedEventArgs 164

Result 165

faturayaItirazEdildiCompletedEventArgs class 407

about faturayaItirazEdildiCompletedEventArgs class 407

faturayaItirazEdildiCompletedEventArgs 408

Result 408

faturayaItirazEdildiIptalCompletedEventArgs class 408

about faturayaItirazEdildiIptalCompletedEventArgs class 408

faturayaItirazEdildiIptalCompletedEventArgs 409

Result 409

faturaZipiAl class 165

about faturaZipiAl class 165

input 165

faturaZipiAlCompletedEventArgs class 165

about faturaZipiAlCompletedEventArgs class 165

faturaZipiAlCompletedEventArgs 166

output 166

Result 166

faturaZipiAlResponse class 166

@return 167

about faturaZipiAlResponse class 166

output 167

Files 763

FormAnaSayfa.cs 773

FormAnaSayfa.Designer.cs 789

frmAnaSayfa class 742

about frmAnaSayfa class 742

btnGIBOnizleme_Click 744

btnGIBOnizlemeMustahsil_Click 745

btnServiseGonder_Click 747

btnServiseGonderMustahsil_Click 748

btnXmlOlustur_Click 749

btnXmlOlusturMustahsil_Click 750

Dispose 751

FormAnaSayfa_Shown 751

frmAnaSayfa 743

frmAnaSayfa_FormClosed 760

gidenFaturaDetayListesi 743

gidenFaturaListesi 744

InitializeComponent 760

mustahsilMakbuzuDetayListesi 744

mustahsilMakbuzuListesi 744

G

gelenBelgeDurum class 409

about gelenBelgeDurum class 409

alimTarihi 410

belgeNo 410

ettn 410

yanitDetayi 410

yanitDurumu 410

yanitGonderimCevabiDetayi 410

yanitGonderimCevabiKodu 410

yanitGonderimDurumu 411

yanitGonderimTarihi 411

gelenBelgeDurumSorgulaCompletedEventArgs class 411

about gelenBelgeDurumSorgulaCompletedEventArgs class 411

gelenBelgeDurumSorgulaCompletedEventArgs 411

Result 412

gelenBelgeDurumSorgulaExtCompletedEventArgs class 412

about gelenBelgeDurumSorgulaExtCompletedEventArgs class 412

gelenBelgeDurumSorgulaExtCompletedEventArgs 412

Result 413

gelenBelgeDurumv2 class 413

about gelenBelgeDurumv2 class 413

siraNo 414

yereleAktarimDurumu 414

gelenBelgeDurumv3 class 414

about gelenBelgeDurumv3 class 414

kepDurum 415

gelenBelgeDurumv4 class 415

about gelenBelgeDurumv4 class 415

gibIptalDurum 416

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

gelenBelgeDurumv5 class 416
about gelenBelgeDurumv5 class 416
yanitEttn 417
gelenBelgeEkleriAlCompletedEventArgs class 417
about gelenBelgeEkleriAlCompletedEventArgs class 417
gelenBelgeEkleriAlCompletedEventArgs 418
Result 418
gelenBelgeleriAlCompletedEventArgs class 418
about gelenBelgeleriAlCompletedEventArgs class 418
gelenBelgeleriAlCompletedEventArgs 418
Result 419
gelenBelgeleriAlExt2CompletedEventArgs class 419
about gelenBelgeleriAlExt2CompletedEventArgs class 419
gelenBelgeleriAlExt2CompletedEventArgs 419
Result 420
gelenBelgeleriAlExt2Entry class 420
about gelenBelgeleriAlExt2Entry class 420
key 420
value 420
gelenBelgeleriAlExtCompletedEventArgs class 420
about gelenBelgeleriAlExtCompletedEventArgs class 420
gelenBelgeleriAlExtCompletedEventArgs 421
Result 421
gelenBelgeleriIndirCompletedEventArgs class 421
about gelenBelgeleriIndirCompletedEventArgs class 421
gelenBelgeleriIndirCompletedEventArgs 422
Result 422
gelenBelgeleriIndirExtCompletedEventArgs class 422
about gelenBelgeleriIndirExtCompletedEventArgs class 422
gelenBelgeleriIndirExtCompletedEventArgs 423
Result 423
gelenBelgeleriListeleCompletedEventArgs class 423
about gelenBelgeleriListeleCompletedEventArgs class 423
gelenBelgeleriListeleCompletedEventArgs 424
Result 424
gelenBelgeleriListeleExtCompletedEventArgs class 424
about gelenBelgeleriListeleExtCompletedEventArgs class 424
gelenBelgeleriListeleExtCompletedEventArgs 425
Result 425
gelenBelgeParametreleri class 425
about gelenBelgeParametreleri class 425
alanEtiket 426
belgeFormati 426
belgelerAlindiMi 426
belgelerAlindiMiSpecified 426
belgeTuru 426
belgeVersiyon 427
donusTipiVersiyon 427
entegrasyonHedefi 427
erpKodu 427
ettn 427
faturaTarihiBaslangic 427
faturaTarihiBitis 427
gelisTarihiBaslangic 427
gelisTarihiBitis 427
gonderenEtiket 428
onayDurum 428
sonAlinanBelgeSiraNumarasi 428
subeKodu 428
vergiTcKimlikNo 428
gelenBelgeTutarBilgileri class 428
about gelenBelgeTutarBilgileri class 428
belgeNo 429
belgeTarihi 429
ettn 429
gondericiVkn 429
kdv18Oran 429
kdv18Tutar 430
kdv1Oran 430
kdv1Tutar 430
kdv8Oran 430
kdv8Tutar 430
kdvTevkifatOran 430
kdvTevkifatTutari 430
kdvToplamTutari 430
kdvToplamTutariDovizCinsi 430
malHizmetToplamTutari 431
malHizmetToplamTutariDovizCinsi 431
odenecekTutar 431

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

odenecekTutarDovizCinsi 431

gelenBelgeTutarBilgileriSorgulaCompletedEventArgs class 431

about gelenBelgeTutarBilgileriSorgulaCompletedEventArgs class 431

gelenBelgeTutarBilgileriSorgulaCompletedEventArgs 432

Result 432

gelenBelgeXmlleriniAlCompletedEventArgs class 432

about gelenBelgeXmlleriniAlCompletedEventArgs class 432

gelenBelgeXmlleriniAlCompletedEventArgs 433

Result 433

gelenBelgeXmlleriniAlExtCompletedEventArgs class 433

about gelenBelgeXmlleriniAlExtCompletedEventArgs class 433

gelenBelgeXmlleriniAlExtCompletedEventArgs 434

Result 434

gelenStandartRapolariAlCompletedEventArgs class 434

about gelenStandartRapolariAlCompletedEventArgs class 434

gelenStandartRapolariAlCompletedEventArgs 435

Result 435

gelenTamamlananRapolariAlCompletedEventArgs class 435

about gelenTamamlananRapolariAlCompletedEventArgs class 435

gelenTamamlananRapolariAlCompletedEventArgs 436

Result 436

gelenTasinanBelgeleriIndirCompletedEventArgs class 436

about gelenTasinanBelgeleriIndirCompletedEventArgs class 436

gelenTasinanBelgeleriIndirCompletedEventArgs 437

Result 437

GeriDonus class 681

about GeriDonus class 681

Dosya 682

Tip 682

GeriDonus.cs 792

gidenBelgeDurum class 437

about gidenBelgeDurum class 437

aciklama 438

alimTarihi 438

belgeNo 438

durum 438

ettn 438

gonderimCevabiDetayi 438

gonderimCevabiKodu 439

gonderimDurumu 439

gonderimTarihi 439

olusturulmaTarihi 439

yanitDetayi 439

yanitDurumu 439

yanitTarihi 439

gidenBelgeDurumParametreleri class 439

about gidenBelgeDurumParametreleri class 439

belgeNo 440

belgeNoList 440

belgeNoTipi 440

belgeTuru 440

donusTipiVersiyon 440

gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs class 440

about gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs class 440

gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs 441

Result 441

gidenBelgeDurumSorgulaCompletedEventArgs class 441

about gidenBelgeDurumSorgulaCompletedEventArgs class 441

gidenBelgeDurumSorgulaCompletedEventArgs 442

Result 442

gidenBelgeDurumSorgulaEttnCompletedEventArgs class 442

about gidenBelgeDurumSorgulaEttnCompletedEventArgs class 442

gidenBelgeDurumSorgulaEttnCompletedEventArgs 443

Result 443

gidenBelgeDurumSorgulaExtCompletedEventArgs class 443

about gidenBelgeDurumSorgulaExtCompletedEventArgs class 443

gidenBelgeDurumSorgulaExtCompletedEventArgs 444

Result 444

gidenBelgeDurumSorgulaPortalCompletedEventArgs class 444

about gidenBelgeDurumSorgulaPortalCompletedEventArgs class 444

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

gidenBelgeDurumSorgulaPortalCompletedEventArgs 445

Result 445

gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs class 445

about gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs class 445

gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs 446

Result 446

gidenBelgeDurumv2 class 446

about gidenBelgeDurumv2 class 446

ulastiMi 447

yenidenGonderilebilirMi 447

gidenBelgeDurumv3 class 447

about gidenBelgeDurumv3 class 447

yerelBelgeOid 448

gidenBelgeDurumv4 class 449

about gidenBelgeDurumv4 class 449

gtbFiiliIhracatTarihi 450

gtbGcbTescilNo 450

gtbRefNo 450

gidenBelgeDurumv5 class 450

about gidenBelgeDurumv5 class 450

yanitEttn 451

yanitVerilenBelgeEttn 451

gidenBelgeDurumv6 class 451

about gidenBelgeDurumv6 class 451

kepDurum 453

gidenBelgeEkleriAlCompletedEventArgs class 453

about gidenBelgeEkleriAlCompletedEventArgs class 453

gidenBelgeEkleriAlCompletedEventArgs 453

Result 454

gidenBelgelerDurumSorgulaPortalParametreleri class 454

about gidenBelgelerDurumSorgulaPortalParametreleri class 454

baslangicOlusturulmaTarihi 454

belgeEttnListesi 454

belgeTuru 455

belgeVersiyon 455

bitisOlusturulmaTarihi 455

faturaBaslangicTarihi 455

faturaBitisTarihi 455

vknTckn 455

gidenBelgeleriIndirCompletedEventArgs class 455

about gidenBelgeleriIndirCompletedEventArgs class 455

gidenBelgeleriIndirCompletedEventArgs 456

Result 456

gidenBelgeleriIndirEttnCompletedEventArgs class 456

about gidenBelgeleriIndirEttnCompletedEventArgs class 456

gidenBelgeleriIndirEttnCompletedEventArgs 457

Result 457

gidenBelgeleriIndirPortalCompletedEventArgs class 457

about gidenBelgeleriIndirPortalCompletedEventArgs class 457

gidenBelgeleriIndirPortalCompletedEventArgs 458

Result 458

gidenBelgeleriIndirPortalParametreleri class 458

about gidenBelgeleriIndirPortalParametreleri class 458

baslangicGonderimTarihi 459

belgeEttnListesi 459

belgeFormati 459

belgeTuru 459

bitisGonderimTarihi 459

faturaBaslangicTarihi 459

faturaBitisTarihi 459

kaynak 460

pageCount 460

vergiTcKimlikNo 460

gidenBelgeleriListeleCompletedEventArgs class 460

about gidenBelgeleriListeleCompletedEventArgs class 460

gidenBelgeleriListeleCompletedEventArgs 460

Result 461

gidenBelgeleriListeleData class 461

about gidenBelgeleriListeleData class 461

alimDurumu 461

alimZamani 462

belgeOid 462

belgeTarihi 462

belgeTuru 462

ettn 462

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

hataMesaji 462
islemYapanVkn 462
kaynak 462
kullaniciKodu 462
yerelBelgeNo 463
gidenBelgeleriListeleParametreleri class 463
about gidenBelgeleriListeleParametreleri class 463
baslangicBelgeTarihi 463
baslangicGonderimTarihi 463
belgeTuru 464
bitisBelgeTarihi 464
bitisGonderimTarihi 464
vkn 464
gidenBelgeleriListelePortalCompletedEventArgs class 464
about gidenBelgeleriListelePortalCompletedEventArgs class 464
gidenBelgeleriListelePortalCompletedEventArgs 465
Result 465
gidenBelgeleriListelePortalData class 465
about gidenBelgeleriListelePortalData class 465
alanEtiket 466
alanSubeKodu 466
alanVergiTcKimlikNo 466
belgeNo 466
belgeTarihi 466
belgeTipi 466
belgeTuru 467
erpKodu 467
ettn 467
gonderenEtiket 467
gonderenSubeKodu 467
gonderimZamani 467
islemYapanVkn 467
kaynak 467
kullaniciKodu 467
gidenBelgeleriListelePortalDatav2 class 468
about gidenBelgeleriListelePortalDatav2 class 468
yanitEttn 468
gidenBelgeleriListelePortalParametreleri class 469
about gidenBelgeleriListelePortalParametreleri class 469
baslangicGonderimTarihi 469
belgeEttnListesi 469
belgeTuru 469
belgeVersiyon 470
bitisGonderimTarihi 470
faturaBaslangicTarihi 470
faturaBitisTarihi 470
kaynak 470
pageCount 470
vergiTcKimlikNo 470
gidenBelgeParametreleri class 470
about gidenBelgeParametreleri class 470
alanEtiket 471
belgeHash 471
belgeNo 471
belgeTuru 471
belgeVersiyon 472
donusTipiVersiyon 472
erpKodu 472
gonderenEtiket 472
mimeType 472
subeKodu 472
vergiTcKimlikNo 472
veri 472
xsltAdi 473
xsltVeri 473
gidenBelgeTutarBilgileri class 473
about gidenBelgeTutarBilgileri class 473
belgeNo 474
belgeTarihi 474
ettn 474
kdv18Oran 474
kdv18Tutar 474
kdv1Oran 474
kdv1Tutar 474
kdv8Oran 474
kdv8Tutar 475
kdvTevkifatOran 475
kdvTevkifatTutari 475
kdvToplamTutari 475
kdvToplamTutariDovizCinsi 475
malHizmetToplamTutari 475

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

malHizmetToplamTutariDovizCinsi 475
odenecekTutar 475
odenecekTutarDovizCinsi 475
gidenBelgeTutarBilgileriSorgulaCompletedEventArgs class 476
about gidenBelgeTutarBilgileriSorgulaCompletedEventArgs class 476
gidenBelgeTutarBilgileriSorgulaCompletedEventArgs 476
Result 476
GidenFaturaDetayDTO class 3
about GidenFaturaDetayDTO class 3
BirimFiyat 4
FaturaUrunTuru 5
GibKisaltma 5
GidenFaturaId 5
IrsaliyeNo 5
IskontoOran 4
KdvHaricTutar 4
KdvOran 4
KdvTutari 4
MalzemeFaturaAciklamasi 5
Miktar 4
PlakaNo 6
SevkIrsaliyesiNo 6
SevkIrsaliyeTarihi 6
Tonaj 5
YuklemeFormuNo 5
GidenFaturaDetayDTO.cs 793
GidenFaturaDTO class 6
about GidenFaturaDTO class 6
Aciklama 9
Adres 9
AltBirimAd 9
BankaAd 9
BankaSube 9
BelgeOid 9
CepTelefonNo 7
DuzenlemeTarihi 9
EPostaAdresi 10
FaksNo 10
FaturaGrupTuruKod 7
FaturaTuruKod 7
FaturaTutari 7
GercekKisiAd 8
GercekKisiSoyad 8
GercekKisiTcKimlikNo 8
GibNumarasi 10
GidenFaturaId 10
IbanNo 10
IkametgahAdresi 8
IlAd 10
IlceAd 10
KdvHaricTutar 8
KdvTutari 8
SatisTuruKod 8
TelefonNo 11
TuzelKisiAd 11
VergiDairesi 11
VergiNo 11
GidenFaturaDTO.cs 794
gidenTasinanBelgeleriIndirCompletedEventArgs class 477
about gidenTasinanBelgeleriIndirCompletedEventArgs class 477
gidenTasinanBelgeleriIndirCompletedEventArgs 477
Result 477

H

Harcirah enumeration member 680
Hesaben enumeration member 681
HTML enumeration member 215, 651

I

Iade enumeration member 680
IhracKayitli enumeration member 681
ImalatciIhracatci enumeration member 681
IRSALIYE enumeration member 497
irsaliyeTarihcesiData class 477
about irsaliyeTarihcesiData class 477
bagliKayitId 478
irsaliyeEttn 478
islem 478
islemAciklama 479

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

islemKanali 479

islemKanaliAciklama 479

islemSonucu 479

islemZamani 479

kullanici 479

kullaniciIp 479

zarfEttn 479

irsaliyeTarihcesiSorgulaCompletedEventArgs class 479

about irsaliyeTarihcesiSorgulaCompletedEventArgs class 479

irsaliyeTarihcesiSorgulaCompletedEventArgs 480

Result 480

IstirakeSatilan enumeration member 681

IstirakeSatilanRezervli enumeration member 681

J

JSON enumeration member 215, 651

K

kalanKontorBilgisi class 480

about kalanKontorBilgisi class 480

kalan 481

kalanSpecified 481

kontorBirimi 481

kontorBirimiSpecified 481

kontorTipi 482

kontorTipiSpecified 482

limitAsimMiktari 482

limitAsimMiktariSpecified 482

toplamAlinan 482

toplamAlinanSpecified 482

vknTckn 482

Kantin enumeration member 680

kayitliKullaniciListeleExtendedCompletedEventArgs class 482

about kayitliKullaniciListeleExtendedCompletedEventArgs class 482

kayitliKullaniciListeleExtendedCompletedEventArgs 483

Result 483

kayitliKullaniciListeleExtendedTimeCompletedEventArgs class 483

about kayitliKullaniciListeleExtendedTimeCompletedEventArgs class 483

kayitliKullaniciListeleExtendedTimeCompletedEventArgs 484

Result 484

kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs class 484

about kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs class 484

kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs 485

Result 485

KEP enumeration member 497

KEPSMS enumeration member 497

kontorAzaltResp class 485

about kontorAzaltResp class 485

kanalTipi 486

kontorAzaldi 486

kontorTipi 486

miktar 486

miktarSpecified 486

odemeTipi 486

paketTipi 487

vkn 487

kontorBilgisiGetir class 167, 552

about kontorBilgisiGetir class 167, 552

kontorBirimi 168, 553

kontorTipi 168, 553

vknTckn 168, 553

kontorBilgisiGetirCompletedEventArgs class 168, 487, 553

about kontorBilgisiGetirCompletedEventArgs class 168, 487, 553

kontorBilgisiGetirCompletedEventArgs 168, 487, 554

Result 169, 488, 554

kontorBilgisiGetirResponse class 169, 554

@return 169, 554

about kontorBilgisiGetirResponse class 169, 554

Kuspe enumeration member 680

M

Malzeme enumeration member 680

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

MB enumeration member 496
Melas enumeration member 680
MesajSabitler class 682
about MesajSabitler class 682
IslemBasarili 682
IslemBasarisiz 682
MesajBasligi 683
MMK enumeration member 497
Muhtelif enumeration member 680
mukellefEFaturaKayit class 488
about mukellefEFaturaKayit class 488
efaturaKullaniciListesi 488
vergiTcKimlikNo 488
mustahsilMakbuzIptalEt class 555
about mustahsilMakbuzIptalEt class 555
input 555
mustahsilMakbuzIptalEtCompletedEventArgs class 555
about mustahsilMakbuzIptalEtCompletedEventArgs class 555
mustahsilMakbuzIptalEtCompletedEventArgs 556
Result 556
mustahsilMakbuzIptalEtResponse class 556
@return 556
about mustahsilMakbuzIptalEtResponse class 556
mustahsilMakbuzIptaliKaldir class 557
about mustahsilMakbuzIptaliKaldir class 557
input 557
mustahsilMakbuzIptaliKaldirCompletedEventArgs class 557
about mustahsilMakbuzIptaliKaldirCompletedEventArgs class 557
mustahsilMakbuzIptaliKaldirCompletedEventArgs 558
Result 558
mustahsilMakbuzIptaliKaldirResponse class 558
@return 558
about mustahsilMakbuzIptaliKaldirResponse class 558
mustahsilMakbuzListeSorgula class 559
about mustahsilMakbuzListeSorgula class 559
input 559
mustahsilMakbuzListeSorgulaCompletedEventArgs class 559
about mustahsilMakbuzListeSorgulaCompletedEventArgs class 559
mustahsilMakbuzListeSorgulaCompletedEventArgs 560
output 560
Result 560
mustahsilMakbuzListeSorgulaPortal class 560
about mustahsilMakbuzListeSorgulaPortal class 560
input 561
mustahsilMakbuzListeSorgulaPortalCompletedEventArgs class 561
about mustahsilMakbuzListeSorgulaPortalCompletedEventArgs class 561
mustahsilMakbuzListeSorgulaPortalCompletedEventArgs 561
output 562
Result 562
mustahsilMakbuzListeSorgulaPortalResponse class 562
@return 562
about mustahsilMakbuzListeSorgulaPortalResponse class 562
output 562
mustahsilMakbuzListeSorgulaResponse class 562
@return 563
about mustahsilMakbuzListeSorgulaResponse class 562
output 563
mustahsilMakbuzOlustur class 563
about mustahsilMakbuzOlustur class 563
belge 564
input 564
mustahsilMakbuzOlusturCompletedEventArgs class 564
@return 565
about mustahsilMakbuzOlusturCompletedEventArgs class 564
mustahsilMakbuzOlusturCompletedEventArgs 564
Result 565
mustahsilMakbuzOnizleme class 565
about mustahsilMakbuzOnizleme class 565
belge 565
input 565
mustahsilMakbuzOnizlemeCompletedEventArgs class 565
@return 566
about mustahsilMakbuzOnizlemeCompletedEventArgs class 565
mustahsilMakbuzOnizlemeCompletedEventArgs 566
Result 566

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

mustahsilMakbuzSorgula class 566
about mustahsilMakbuzSorgula class 566
input 567
mustahsilMakbuzSorgulaCompletedEventArgs class 567
@return 568
about mustahsilMakbuzSorgulaCompletedEventArgs class 567
mustahsilMakbuzSorgulaCompletedEventArgs 568
Result 568
mustahsilMakbuzTaslakOlustur class 568
about mustahsilMakbuzTaslakOlustur class 568
belge 569
input 569
mustahsilMakbuzTaslakOlusturCompletedEventArgs class 569
about mustahsilMakbuzTaslakOlusturCompletedEventArgs class 569
mustahsilMakbuzTaslakOlusturCompletedEventArgs 569
Result 570
mustahsilMakbuzTaslakOlusturResponse class 570
@return 570
about mustahsilMakbuzTaslakOlusturResponse class 570
mustahsilMakbuzTaslakOnizleme class 570
about mustahsilMakbuzTaslakOnizleme class 570
input 571
mustahsilMakbuzTaslakOnizlemeCompletedEventArgs class 571
about mustahsilMakbuzTaslakOnizlemeCompletedEventArgs class 571
mustahsilMakbuzTaslakOnizlemeCompletedEventArgs 571
output 572
Result 572
mustahsilMakbuzTaslakOnizlemeResponse class 572
@return 572
about mustahsilMakbuzTaslakOnizlemeResponse class 572
output 572
mustahsilMakbuzTaslakSil class 573
about mustahsilMakbuzTaslakSil class 573
input 573
mustahsilMakbuzTaslakSilCompletedEventArgs class 573
about mustahsilMakbuzTaslakSilCompletedEventArgs class 573
mustahsilMakbuzTaslakSilCompletedEventArgs 574
Result 574
mustahsilMakbuzTaslakSilResponse class 574
@return 574
about mustahsilMakbuzTaslakSilResponse class 574
mustahsilMakbuzTaslakSorgula class 575
about mustahsilMakbuzTaslakSorgula class 575
input 575
mustahsilMakbuzTaslakSorgulaCompletedEventArgs class 575
about mustahsilMakbuzTaslakSorgulaCompletedEventArgs class 575
mustahsilMakbuzTaslakSorgulaCompletedEventArgs 576
output 576
Result 576
mustahsilMakbuzTaslakSorgulaResponse class 576
@return 577
about mustahsilMakbuzTaslakSorgulaResponse class 576
output 577
mustahsilMakbuzTaslaktanOlustur class 577
about mustahsilMakbuzTaslaktanOlustur class 577
input 577
mustahsilMakbuzTaslaktanOlusturCompletedEventArgs class 577
@return 578
about mustahsilMakbuzTaslaktanOlusturCompletedEventArgs class 577
mustahsilMakbuzTaslaktanOlusturCompletedEventArgs 578
Result 578
MustahsilMakbuzuDetayDTO class 11
about MustahsilMakbuzuDetayDTO class 11
BirimFiyat 12
GelirVergisi 12
GibKisaltma 12
IsinMahiyeti 13
Miktar 12
MustahsilMakbuzuId 13
NetTutar 12

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

ToplamTutar 12
MustahsilMakbuzuDetayDTO.cs 797
MustahsilMakbuzuDTO class 13
about MustahsilMakbuzuDTO class 13
Adres 14
AltBirimAd 15
BankaAd 15
BankaSube 15
EPostaAdresi 15
FaksNo 15
GelirVergisi 14
IbanNo 15
IlAd 15
IlceAd 16
MakbuzGrupTuruKod 14
MustahsilMakbuzuId 16
MustahsilMakbuzuNo 16
MustahsilMakbuzuTarihi 16
MustahsilMakbuzuTutari 14
NetTutar 14
TuzelKisiAd 16
VergiDairesi 16
VergiNo 16
MustahsilMakbuzuDTO.cs 798
MustahsilWebService class 578
about MustahsilWebService class 578
belgeZipiAl 584
belgeZipiAlAsync 585
belgeZipiAlCompleted 622
CancelAsync 585
ePostaDurumSorgula 585
ePostaDurumSorgulaAsync 586
ePostaDurumSorgulaCompleted 622
ePostaGonder 586
ePostaGonderAsync 587
ePostaGonderCompleted 622
IsLocalFileSystemWebService 588
kontorBilgisiGetir 588
kontorBilgisiGetirAsync 589
kontorBilgisiGetirCompleted 622
mustahsilMakbuzIptalEt 589
mustahsilMakbuzIptalEtAsync 590
mustahsilMakbuzIptalEtCompleted 623
mustahsilMakbuzIptaliKaldir 590
mustahsilMakbuzIptaliKaldirAsync 591
mustahsilMakbuzIptaliKaldirCompleted 623
mustahsilMakbuzListeSorgula 591
mustahsilMakbuzListeSorgulaAsync 592
mustahsilMakbuzListeSorgulaCompleted 623
mustahsilMakbuzListeSorgulaPortal 592
mustahsilMakbuzListeSorgulaPortalAsync 593
mustahsilMakbuzListeSorgulaPortalCompleted 623
mustahsilMakbuzOlustur 593
mustahsilMakbuzOlusturAsync 594
mustahsilMakbuzOlusturCompleted 623
mustahsilMakbuzOnizleme 594
mustahsilMakbuzOnizlemeAsync 595
mustahsilMakbuzOnizlemeCompleted 623
mustahsilMakbuzSorgula 595
mustahsilMakbuzSorgulaAsync 596
mustahsilMakbuzSorgulaCompleted 623
mustahsilMakbuzTaslakOlustur 596
mustahsilMakbuzTaslakOlusturAsync 597
mustahsilMakbuzTaslakOlusturCompleted 623
mustahsilMakbuzTaslakOnizleme 597
mustahsilMakbuzTaslakOnizlemeAsync 598
mustahsilMakbuzTaslakOnizlemeCompleted 623
mustahsilMakbuzTaslakSil 598
mustahsilMakbuzTaslakSilAsync 599
mustahsilMakbuzTaslakSilCompleted 623
mustahsilMakbuzTaslakSorgula 599
mustahsilMakbuzTaslakSorgulaAsync 600
mustahsilMakbuzTaslakSorgulaCompleted 623
mustahsilMakbuzTaslaktanOlustur 600
mustahsilMakbuzTaslaktanOlusturAsync 601
mustahsilMakbuzTaslaktanOlusturCompleted 624
MustahsilWebService 584
OnbelgeZipiAlOperationCompleted 601
OnePostaDurumSorgulaOperationCompleted 602
OnePostaGonderOperationCompleted 602
OnkontorBilgisiGetirOperationCompleted 602
OnmustahsilMakbuzIptalEtOperationCompleted 602

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

OnmustahsilMakbuzIptaliKaldirOperationCompleted 603
OnmustahsilMakbuzListeSorgulaOperationCompleted 603
OnmustahsilMakbuzListeSorgulaPortalOperationCompleted 603
OnmustahsilMakbuzOlusturOperationCompleted 604
OnmustahsilMakbuzOnizlemeOperationCompleted 604
OnmustahsilMakbuzSorgulaOperationCompleted 604
OnmustahsilMakbuzTaslakOlusturOperationCompleted 605
OnmustahsilMakbuzTaslakOnizlemeOperationCompleted 605
OnmustahsilMakbuzTaslakSilOperationCompleted 605
OnmustahsilMakbuzTaslakSorgulaOperationCompleted 605
OnmustahsilMakbuzTaslaktanOlusturOperationCompleted 606
OnraporBolumAlOperationCompleted 606
OnraporBolumBilgisiAlOperationCompleted 606
OnraporBolumleriOlusturOperationCompleted 607
OnraporBolumListesiDetayliSorgulaOperationCompleted 607
OnraporBolumListesiSorgulaOperationCompleted 607
OnraporBolumRaporNoGuncelleImzalaOperationCompleted 608
OnraporBolumSilOperationCompleted 608
OnrapordaBelgeSorgulaOperationCompleted 608
OnraporDurumSorgulaOperationCompleted 608
OnraporGonderOperationCompleted 609
OnsmsDurumSorgulaOperationCompleted 609
OnsmsGonderOperationCompleted 609
raporBolumAl 610
raporBolumAlAsync 610
raporBolumAlCompleted 624
raporBolumBilgisiAl 611
raporBolumBilgisiAlAsync 611
raporBolumBilgisiAlCompleted 624
raporBolumleriOlustur 612
raporBolumleriOlusturAsync 612, 613
raporBolumleriOlusturCompleted 624
raporBolumListesiDetayliSorgula 613
raporBolumListesiDetayliSorgulaAsync 613, 614
raporBolumListesiDetayliSorgulaCompleted 624
raporBolumListesiSorgula 614
raporBolumListesiSorgulaAsync 614, 615
raporBolumListesiSorgulaCompleted 624
raporBolumRaporNoGuncelleImzala 615
raporBolumRaporNoGuncelleImzalaAsync 615, 616
raporBolumRaporNoGuncelleImzalaCompleted 624
raporBolumSil 616
raporBolumSilAsync 616, 617
raporBolumSilCompleted 624
rapordaBelgeSorgula 617
rapordaBelgeSorgulaAsync 617
rapordaBelgeSorgulaCompleted 624
raporDurumSorgula 618
raporDurumSorgulaAsync 618
raporDurumSorgulaCompleted 624
raporGonder 619
raporGonderAsync 619
raporGonderCompleted 624
smsDurumSorgula 620
smsDurumSorgulaAsync 620
smsDurumSorgulaCompleted 625
smsGonder 621
smsGonderAsync 621, 622
smsGonderCompleted 625
Url 622
UseDefaultCredentials 622

N

NoterlikMakbuzu enumeration member 680

O

OKC enumeration member 497
okcRaporBolumAl class 169
about okcRaporBolumAl class 169
input 170
okcRaporBolumAlCompletedEventArgs class 170
@return 171
about okcRaporBolumAlCompletedEventArgs class 170
okcRaporBolumAlCompletedEventArgs 170

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Result 171
okcRaporKaydet class 171
about okcRaporKaydet class 171
input 171
rapor 171
okcRaporKaydetCompletedEventArgs class 172
about okcRaporKaydetCompletedEventArgs class 172
okcRaporKaydetCompletedEventArgs 172
Result 172
okcRaporKaydetResponse class 172
@return 173
about okcRaporKaydetResponse class 172
okcRaporOlusturGonder class 173
about okcRaporOlusturGonder class 173
input 173
okcRaporOlusturGonderCompletedEventArgs class 173
about okcRaporOlusturGonderCompletedEventArgs class 173
okcRaporOlusturGonderCompletedEventArgs 174
Result 174
okcRaporOlusturGonderResponse class 174
@return 175
about okcRaporOlusturGonderResponse class 174

P

PancarKuyrugu enumeration member 680
PDF enumeration member 215, 651
PDF_CSXML1 enumeration member 215, 651
PDF_CSXML2 enumeration member 215, 651
PDF_CSXML3 enumeration member 215, 651
PDF_CUSTOM enumeration member 215, 651
PDF_UBL enumeration member 215, 651
Personel enumeration member 680
PersoneleSatilan enumeration member 681
Pesin enumeration member 681
PORTAL enumeration member 497
Proforma enumeration member 680
Program class 762
about Program class 762
Main 763
Program.cs 800

Q

QNBFinansGIB 1
QNBFinansGIB namespace 1
Classes 742
QNBFinansGIB.csproj 800
QNBFinansGIB.DTO 1
QNBFinansGIB.DTO namespace 1
Classes 2
QNBFinansGIB.DTO.FaturaKdvDTO 2
QNBFinansGIB.DTO.FaturaKdvDTO.KdvHaricTutar 2
QNBFinansGIB.DTO.FaturaKdvDTO.KdvOran 3
QNBFinansGIB.DTO.FaturaKdvDTO.KdvTutari 3
QNBFinansGIB.DTO.GidenFaturaDetayDTO 3
QNBFinansGIB.DTO.GidenFaturaDetayDTO.BirimFiyat 4
QNBFinansGIB.DTO.GidenFaturaDetayDTO.FaturaUrunTuru 5
QNBFinansGIB.DTO.GidenFaturaDetayDTO.GibKisaltma 5
QNBFinansGIB.DTO.GidenFaturaDetayDTO.GidenFaturaId 5
QNBFinansGIB.DTO.GidenFaturaDetayDTO.IrsaliyeNo 5
QNBFinansGIB.DTO.GidenFaturaDetayDTO.IskontoOran 4
QNBFinansGIB.DTO.GidenFaturaDetayDTO.KdvHaricTutar 4
QNBFinansGIB.DTO.GidenFaturaDetayDTO.KdvOran 4
QNBFinansGIB.DTO.GidenFaturaDetayDTO.KdvTutari 4
QNBFinansGIB.DTO.GidenFaturaDetayDTO.MalzemeFaturaAciklamasi 5
QNBFinansGIB.DTO.GidenFaturaDetayDTO.Miktar 4
QNBFinansGIB.DTO.GidenFaturaDetayDTO.PlakaNo 6
QNBFinansGIB.DTO.GidenFaturaDetayDTO.SevkIrsaliyesiNo 6
QNBFinansGIB.DTO.GidenFaturaDetayDTO.SevkIrsaliyeTarihi 6
QNBFinansGIB.DTO.GidenFaturaDetayDTO.Tonaj 5
QNBFinansGIB.DTO.GidenFaturaDetayDTO.YuklemeFormuNo 5
QNBFinansGIB.DTO.GidenFaturaDTO 6
QNBFinansGIB.DTO.GidenFaturaDTO.Aciklama 9
QNBFinansGIB.DTO.GidenFaturaDTO.Adres 9
QNBFinansGIB.DTO.GidenFaturaDTO.AltBirimAd 9

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.DTO.GidenFaturaDTO.BankaAd 9
QNBFinansGIB.DTO.GidenFaturaDTO.BankaSube 9
QNBFinansGIB.DTO.GidenFaturaDTO.BelgeOid 9
QNBFinansGIB.DTO.GidenFaturaDTO.CepTelefonNo 7
QNBFinansGIB.DTO.GidenFaturaDTO.DuzenlemeTarihi 9
QNBFinansGIB.DTO.GidenFaturaDTO.EPostaAdresi 10
QNBFinansGIB.DTO.GidenFaturaDTO.FaksNo 10
QNBFinansGIB.DTO.GidenFaturaDTO.FaturaGrupTuruKod 7
QNBFinansGIB.DTO.GidenFaturaDTO.FaturaTuruKod 7
QNBFinansGIB.DTO.GidenFaturaDTO.FaturaTutari 7
QNBFinansGIB.DTO.GidenFaturaDTO.GercekKisiAd 8
QNBFinansGIB.DTO.GidenFaturaDTO.GercekKisiSoyad 8
QNBFinansGIB.DTO.GidenFaturaDTO.GercekKisiTcKimlikNo 8
QNBFinansGIB.DTO.GidenFaturaDTO.GibNumarasi 10
QNBFinansGIB.DTO.GidenFaturaDTO.GidenFaturaId 10
QNBFinansGIB.DTO.GidenFaturaDTO.IbanNo 10
QNBFinansGIB.DTO.GidenFaturaDTO.IkametgahAdresi 8
QNBFinansGIB.DTO.GidenFaturaDTO.IlAd 10
QNBFinansGIB.DTO.GidenFaturaDTO.IlceAd 10
QNBFinansGIB.DTO.GidenFaturaDTO.KdvHaricTutar 8
QNBFinansGIB.DTO.GidenFaturaDTO.KdvTutari 8
QNBFinansGIB.DTO.GidenFaturaDTO.SatisTuruKod 8
QNBFinansGIB.DTO.GidenFaturaDTO.TelefonNo 11
QNBFinansGIB.DTO.GidenFaturaDTO.TuzelKisiAd 11
QNBFinansGIB.DTO.GidenFaturaDTO.VergiDairesi 11
QNBFinansGIB.DTO.GidenFaturaDTO.VergiNo 11
QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO 11
QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO.BirimFiyat 12
QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO.GelirVergisi 12
QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO.GibKisaltma 12
QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO.IsinMahiyeti 13
QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO.Miktar 12
QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO.MustahsilMakbuzuId 13
QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO.NetTutar 12
QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO.ToplamTutar 12
QNBFinansGIB.DTO.MustahsilMakbuzuDTO 13
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.Adres 14
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.AltBirimAd 15
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.BankaAd 15
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.BankaSube 15
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.EPostaAdresi 15
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.FaksNo 15
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.GelirVergisi 14
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.IbanNo 15
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.IlAd 15
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.IlceAd 16
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.MakbuzGrupTuruKod 14
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.MustahsilMakbuzuId 16
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.MustahsilMakbuzuNo 16
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.MustahsilMakbuzuTarihi 16
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.MustahsilMakbuzuTutari 14
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.NetTutar 14
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.TuzelKisiAd 16
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.VergiDairesi 16
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.VergiNo 16
QNBFinansGIB.frmAnaSayfa 742
QNBFinansGIB.frmAnaSayfa.btnGIBOnizleme_Click 744
QNBFinansGIB.frmAnaSayfa.btnGIBOnizlemeMustahsil_Click 745
QNBFinansGIB.frmAnaSayfa.btnServiseGonder_Click 747
QNBFinansGIB.frmAnaSayfa.btnServiseGonderMustahsil_Click 748
QNBFinansGIB.frmAnaSayfa.btnXmlOlustur_Click 749
QNBFinansGIB.frmAnaSayfa.btnXmlOlusturMustahsil_Click 750
QNBFinansGIB.frmAnaSayfa.Dispose 751
QNBFinansGIB.frmAnaSayfa.FormAnaSayfa_Shown 751

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.frmAnaSayfa.frmAnaSayfa 743
QNBFinansGIB.frmAnaSayfa.frmAnaSayfa_FormClosed 760
QNBFinansGIB.frmAnaSayfa.gidenFaturaDetayListesi 743
QNBFinansGIB.frmAnaSayfa.gidenFaturaListesi 744
QNBFinansGIB.frmAnaSayfa.InitializeComponent 760
QNBFinansGIB.frmAnaSayfa.mustahsilMakbuzuDetayListesi 744
QNBFinansGIB.frmAnaSayfa.mustahsilMakbuzuListesi 744
QNBFinansGIB.GIBEArsiv 17
QNBFinansGIB.GIBEArsiv namespace 17
Classes 22
Structs, Records, Enums 215
Types 216
QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelle 27
QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelle.inputGuncellenecekEposta 27
QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelle.inputSilinecekEposta 27
QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleCompletedEventArgs 27
QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleCompletedEventArgs.aliciEpostaEkleSilGuncelleCompletedEventArgs 28
QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleCompletedEventArgs.Result 28
QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleCompletedEventHandler 218
QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleCompletedEventHandler type 218
QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleResponse 28
QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleResponse.@return 29
QNBFinansGIB.GIBEArsiv.belge 29
QNBFinansGIB.GIBEArsiv.belge.belgeFormati 29
QNBFinansGIB.GIBEArsiv.belge.belgeFormatiSpecified 29
QNBFinansGIB.GIBEArsiv.belge.belgeIcerigi 30
QNBFinansGIB.GIBEArsiv.belgeFormatiEnum 215
QNBFinansGIB.GIBEArsiv.belgeFormatiEnum enumeration 215
QNBFinansGIB.GIBEArsiv.belgeOutputWrapper 30
QNBFinansGIB.GIBEArsiv.belgeOutputWrapper.@return 30
QNBFinansGIB.GIBEArsiv.belgeOutputWrapper.output 30
QNBFinansGIB.GIBEArsiv.dosyaInput 30
QNBFinansGIB.GIBEArsiv.dosyaInput.belgeIcerigi 31
QNBFinansGIB.GIBEArsiv.dosyaInput.genelBelgeFormatEnum 31
QNBFinansGIB.GIBEArsiv.dosyaInput.genelBelgeFormatEnumSpecified 31
QNBFinansGIB.GIBEArsiv.doubleStringOutputWrapper 31
QNBFinansGIB.GIBEArsiv.doubleStringOutputWrapper.@return 32
QNBFinansGIB.GIBEArsiv.doubleStringOutputWrapper.outputDurum 32
QNBFinansGIB.GIBEArsiv.doubleStringOutputWrapper.outputEposta 32
QNBFinansGIB.GIBEArsiv.earsivServiceResult 32
QNBFinansGIB.GIBEArsiv.earsivServiceResult.resultCode 32
QNBFinansGIB.GIBEArsiv.earsivServiceResult.resultExtra 33
QNBFinansGIB.GIBEArsiv.earsivServiceResult.resultText 33
QNBFinansGIB.GIBEArsiv.earsivServiceResultEntry 33
QNBFinansGIB.GIBEArsiv.earsivServiceResultEntry.key 33
QNBFinansGIB.GIBEArsiv.earsivServiceResultEntry.value 33
QNBFinansGIB.GIBEArsiv.EarsivWebService 34
QNBFinansGIB.GIBEArsiv.EarsivWebService.aliciEpostaEkleSilGuncelle 42
QNBFinansGIB.GIBEArsiv.EarsivWebService.aliciEpostaEkleSilGuncelleAsync 43
QNBFinansGIB.GIBEArsiv.EarsivWebService.aliciEpostaEkleSilGuncelleCompleted 107
QNBFinansGIB.GIBEArsiv.EarsivWebService.CancelAsync 43
QNBFinansGIB.GIBEArsiv.EarsivWebService.EarsivWebService 42
QNBFinansGIB.GIBEArsiv.EarsivWebService.eFaturaKayitliKullaniciListele 44
QNBFinansGIB.GIBEArsiv.EarsivWebService.eFaturaKayitliKullaniciListeleAsync 44

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEArsiv.EarsivWebService.eFaturaKayitliKullaniciListeleCompleted 107
QNBFinansGIB.GIBEArsiv.EarsivWebService.efaturaKullanicisi 45
QNBFinansGIB.GIBEArsiv.EarsivWebService.efaturaKullanicisiAsync 45
QNBFinansGIB.GIBEArsiv.EarsivWebService.efaturaKullanicisiCompleted 107
QNBFinansGIB.GIBEArsiv.EarsivWebService.efaturaKullanicisiKontrol 46
QNBFinansGIB.GIBEArsiv.EarsivWebService.efaturaKullanicisiKontrolAsync 46
QNBFinansGIB.GIBEArsiv.EarsivWebService.efaturaKullanicisiKontrolCompleted 107
QNBFinansGIB.GIBEArsiv.EarsivWebService.ePostaDurumSorgula 46
QNBFinansGIB.GIBEArsiv.EarsivWebService.ePostaDurumSorgulaAsync 47
QNBFinansGIB.GIBEArsiv.EarsivWebService.ePostaDurumSorgulaCompleted 107
QNBFinansGIB.GIBEArsiv.EarsivWebService.ePostaGonder 48
QNBFinansGIB.GIBEArsiv.EarsivWebService.ePostaGonderAsync 48, 49
QNBFinansGIB.GIBEArsiv.EarsivWebService.ePostaGonderCompleted 107
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaIptalEt 49
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaIptalEtAsync 49, 50
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaIptalEtCompleted 107
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaIptaliKaldir 50
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaIptaliKaldirAsync 50
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaIptaliKaldirCompleted 107
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaItirazEt 51
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaItirazEtAsync 51
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaItirazEtCompleted 108
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaItirazKaldir 52
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaItirazKaldirAsync 52
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaItirazKaldirCompleted 108
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgula 53
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgulaAsync 53
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgulaCompleted 108
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgulaCount 54
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgulaCountAsync 54
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgulaCountCompleted 108
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgulaPortal 55
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgulaPortalAsync 55
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgulaPortalCompleted 108
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaNoUret 56
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaNoUretAsync 56
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaNoUretCompleted 108
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOlustur 57

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOlusturAsync 57
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOlusturCompleted 108
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOlusturExt 58
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOlusturExtAsync 58, 59
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOlusturExtCompleted 108
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOnizleme 59
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOnizlemeAsync 60
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOnizlemeCompleted 108
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaSorgula 60
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaSorgulaAsync 61
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaSorgulaCompleted 108
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaSorgulaExt 61
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaSorgulaExtAsync 62
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaSorgulaExtCompleted 108
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakOlustur 62
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakOlusturAsync 63
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakOlusturCompleted 108
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakOnizleme 63
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakOnizlemeAsync 64
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakOnizlemeCompleted 109
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakSil 64
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakSilAsync 65
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakSilCompleted 109
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakSorgula 65
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakSorgulaAsync 66
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakSorgulaCompleted 109
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslaktanOlustur 66
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslaktanOlusturAsync 67
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslaktanOlusturCompleted 109
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaZipiAl 67
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaZipiAlAsync 68
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaZipiAlCompleted 109
QNBFinansGIB.GIBEArsiv.EarsivWebService.IsLocalFileSystemWebService 68
QNBFinansGIB.GIBEArsiv.EarsivWebService.kontorBilgisiGetir 68
QNBFinansGIB.GIBEArsiv.EarsivWebService.kontorBilgisiGetirAsync 69
QNBFinansGIB.GIBEArsiv.EarsivWebService.kontorBilgisiGetirCompleted 109
QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporBolumAl 70

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporBolumAlAsync
70
QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporBolumAlCompleted
109
QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporKaydet
71
QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporKaydetAsync
71
QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporKaydetCompleted
109
QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporOlusturGonder
72
QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporOlusturGonderAsync
72
QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporOlusturGonderCompleted
109
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnaliciEpostaEkleSilGuncelleOperationCompleted
73
QNBFinansGIB.GIBEArsiv.EarsivWebService.OneFaturaKayitliKullaniciListeleOperationCompleted
73
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnefaturaKullanicisiKontrolOperationCompleted
73
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnefaturaKullanicisiOperationCompleted
73
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnePostaDurumSorgulaOperationCompleted
74
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnePostaGonderOperationCompleted
74
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaIptalEtOperationCompleted
74
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaIptaliKaldirOperationCompleted
75
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaItirazEtOperationCompleted
75
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaItirazKaldirOperationCompleted
75
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaListeSorgulaCountOperationCompleted
76
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaListeSorgulaOperationCompleted
76
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaListeSorgulaPortalOperationCompleted
76
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaNoUretOperationCompleted
76
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaOlusturExtOperationCompleted
77
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaOlusturOperationCompleted
77
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaOnizlemeOperationCompleted
77
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaSorgulaExtOperationCompleted
78
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaSorgulaOperationCompleted
78
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaTaslakOlusturOperationCompleted
78
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaTaslakOnizlemeOperationCompleted
79
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaTaslakSilOperationCompleted
79
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaTaslakSorgulaOperationCompleted
79
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaTaslaktanOlusturOperationCompleted
79
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaZipiAlOperationCompleted
80
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnkontorBilgisiGetirOperationCompleted
80
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnokcRaporBolumAlOperationCompleted
80
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnokcRaporKa

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

ydetOperationCompleted
81

QNBFinansGIB.GIBEArsiv.EarsivWebService.OnokcRaporOlusturGonderOperationCompleted
81

QNBFinansGIB.GIBEArsiv.EarsivWebService.OnraporBolumAlOperationCompleted
81

QNBFinansGIB.GIBEArsiv.EarsivWebService.OnraporBolumBilgisiAlOperationCompleted
82

QNBFinansGIB.GIBEArsiv.EarsivWebService.OnraporBolumleriOlusturOperationCompleted
82

QNBFinansGIB.GIBEArsiv.EarsivWebService.OnraporBolumListesiDetayliSorgulaOperationCompleted
82

QNBFinansGIB.GIBEArsiv.EarsivWebService.OnraporBolumListesiSorgulaOperationCompleted
82

QNBFinansGIB.GIBEArsiv.EarsivWebService.OnraporBolumListesiSorgulaWithInputOperationCompleted
83

QNBFinansGIB.GIBEArsiv.EarsivWebService.OnraporBolumRaporNoGuncelleImzalaOperationCompleted
83

QNBFinansGIB.GIBEArsiv.EarsivWebService.OnraporBolumSilOperationCompleted
83

QNBFinansGIB.GIBEArsiv.EarsivWebService.OnrapordaFaturaSorgulaOperationCompleted
84

QNBFinansGIB.GIBEArsiv.EarsivWebService.OnraporDurumSorgulaOperationCompleted
84

QNBFinansGIB.GIBEArsiv.EarsivWebService.OnraporGonderOperationCompleted
84

QNBFinansGIB.GIBEArsiv.EarsivWebService.OnservisSaglayicidanEpostaDurumSorgulaOperationCompleted
85

QNBFinansGIB.GIBEArsiv.EarsivWebService.OnsmsDurumSorgulaOperationCompleted
85

QNBFinansGIB.GIBEArsiv.EarsivWebService.OnsmsGonderOperationCompleted
85

QNBFinansGIB.GIBEArsiv.EarsivWebService.OntopluFaturaPaketDosyaGonderOperationCompleted
86

QNBFinansGIB.GIBEArsiv.EarsivWebService.OntopluFaturaPaketDosyasiSorgulaOperationCompleted
86

QNBFinansGIB.GIBEArsiv.EarsivWebService.OntopluFaturaPaketOnaylaOperationCompleted
86

QNBFinansGIB.GIBEArsiv.EarsivWebService.OntopluFaturaPaketSorgulaOperationCompleted
86

QNBFinansGIB.GIBEArsiv.EarsivWebService.OnyapilandirmaAyarlariAlOperationCompleted
87

QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumAl
87

QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumAlAsync
88

QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumAlCompleted
109

QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumBilgisiAl
88

QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumBilgisiAlAsync
89

QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumBilgisiAlCompleted
109

QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumleriOlustur
89

QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumleriOlusturAsync
90

QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumleriOlusturCompleted
109

QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumListesiDetayliSorgula
90

QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumListesiDetayliSorgulaAsync
91

QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumListesiDetayliSorgulaCompleted
110

QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumListesiSorgula
91

QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumListesiSorgulaAsync
92

QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumListesiSorgulaCompleted
110

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumListesiSorgulaWithInput
92

QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumListesiSorgulaWithInputAsync
93

QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumListesiSorgulaWithInputCompleted
110

QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumRaporNoGuncelleImzala
93

QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumRaporNoGuncelleImzalaAsync
94

QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumRaporNoGuncelleImzalaCompleted
110

QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumSil
94

QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumSilAsync
95

QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumSilCompleted
110

QNBFinansGIB.GIBEArsiv.EarsivWebService.rapordaFaturaSorgula
95

QNBFinansGIB.GIBEArsiv.EarsivWebService.rapordaFaturaSorgulaAsync
96

QNBFinansGIB.GIBEArsiv.EarsivWebService.rapordaFaturaSorgulaCompleted
110

QNBFinansGIB.GIBEArsiv.EarsivWebService.raporDurumSorgula
96

QNBFinansGIB.GIBEArsiv.EarsivWebService.raporDurumSorgulaAsync
97

QNBFinansGIB.GIBEArsiv.EarsivWebService.raporDurumSorgulaCompleted
110

QNBFinansGIB.GIBEArsiv.EarsivWebService.raporGonder 97

QNBFinansGIB.GIBEArsiv.EarsivWebService.raporGonderAsync
98

QNBFinansGIB.GIBEArsiv.EarsivWebService.raporGonderCompleted
110

QNBFinansGIB.GIBEArsiv.EarsivWebService.servisSaglayicidanEpostaDurumSorgula
98

QNBFinansGIB.GIBEArsiv.EarsivWebService.servisSaglayicidanEpostaDurumSorgulaAsync
99

QNBFinansGIB.GIBEArsiv.EarsivWebService.servisSaglayicidanEpostaDurumSorgulaCompleted
110

QNBFinansGIB.GIBEArsiv.EarsivWebService.smsDurumSorgula
99

QNBFinansGIB.GIBEArsiv.EarsivWebService.smsDurumSorgulaAsync
100

QNBFinansGIB.GIBEArsiv.EarsivWebService.smsDurumSorgulaCompleted
110

QNBFinansGIB.GIBEArsiv.EarsivWebService.smsGonder 100

QNBFinansGIB.GIBEArsiv.EarsivWebService.smsGonderAsync
101

QNBFinansGIB.GIBEArsiv.EarsivWebService.smsGonderCompleted
110

QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPaketDosyaGonder
101

QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPaketDosyaGonderAsync
102

QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPaketDosyaGonderCompleted
111

QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPaketDosyasiSorgula
102

QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPaketDosyasiSorgulaAsync
103

QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPaketDosyasiSorgulaCompleted
111

QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPaketOnayla
103

QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPaketOnaylaAsync
104

QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPaketOnaylaCompleted
111

QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPaketSorgula
104

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPaketSorgulaAsync 105
QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPaketSorgulaCompleted 111
QNBFinansGIB.GIBEArsiv.EarsivWebService.Url 106
QNBFinansGIB.GIBEArsiv.EarsivWebService.UseDefaultCredentials 107
QNBFinansGIB.GIBEArsiv.EarsivWebService.yapilandirmaAyarlariAl 105
QNBFinansGIB.GIBEArsiv.EarsivWebService.yapilandirmaAyarlariAlAsync 106
QNBFinansGIB.GIBEArsiv.EarsivWebService.yapilandirmaAyarlariAlCompleted 111
QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListele 111
QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListele.kayitZamani 111
QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListeleCompletedEventArgs 112
QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListeleCompletedEventArgs.eFaturaKayitliKullaniciListeleCompletedEventArgs 112
QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListeleCompletedEventArgs.Result 112
QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListeleCompletedEventHandler 218
QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListeleCompletedEventHandler type 218
QNBFinansGIB.GIBEArsiv.eFaturaKullanici 113
QNBFinansGIB.GIBEArsiv.eFaturaKullanici.etiket 113
QNBFinansGIB.GIBEArsiv.eFaturaKullanici.kamuKurulusu 113
QNBFinansGIB.GIBEArsiv.eFaturaKullanici.kayitZamani 113
QNBFinansGIB.GIBEArsiv.eFaturaKullanici.unvan 113
QNBFinansGIB.GIBEArsiv.eFaturaKullanici.vergiTcKimlikNo 114
QNBFinansGIB.GIBEArsiv.efaturaKullanicisi 114
QNBFinansGIB.GIBEArsiv.efaturaKullanicisi.vergiTcKimlikNo 114
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiCompletedEventArgs 114
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiCompletedEventArgs.efaturaKullanicisiCompletedEventArgs 115
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiCompletedEventArgs.Result 115
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiCompletedEventHandler 218
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiCompletedEventHandler type 218
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrol 115
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrol.input 116
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrolCompletedEventArgs 116
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrolCompletedEventArgs.efaturaKullanicisiKontrolCompletedEventArgs 116
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrolCompletedEventArgs.Result 116
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrolCompletedEventHandler 219
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrolCompletedEventHandler type 219
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrolResponse 117
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrolResponse.@return 117
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiResponse 117
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiResponse.@return 118
QNBFinansGIB.GIBEArsiv.ePostaDurumSorgula 118
QNBFinansGIB.GIBEArsiv.ePostaDurumSorgula.input 118
QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEventArgs 118
QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEventArgs.@return 119
QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEventArgs.ePostaDurumSorgulaCompletedEventArgs 119

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEventArgs.outputEposta 119
QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEventArgs.Result 119
QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEventHandler 219
QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEventHandler type 219
QNBFinansGIB.GIBEArsiv.ePostaGonder 119
QNBFinansGIB.GIBEArsiv.ePostaGonder.ilaveEposta 120
QNBFinansGIB.GIBEArsiv.ePostaGonder.input 120
QNBFinansGIB.GIBEArsiv.ePostaGonder.tanimliEpostayaGonder 120
QNBFinansGIB.GIBEArsiv.ePostaGonderCompletedEventArgs 120
QNBFinansGIB.GIBEArsiv.ePostaGonderCompletedEventArgs.ePostaGonderCompletedEventArgs 121
QNBFinansGIB.GIBEArsiv.ePostaGonderCompletedEventArgs.Result 121
QNBFinansGIB.GIBEArsiv.ePostaGonderCompletedEventHandler 219
QNBFinansGIB.GIBEArsiv.ePostaGonderCompletedEventHandler type 219
QNBFinansGIB.GIBEArsiv.ePostaGonderResponse 121
QNBFinansGIB.GIBEArsiv.ePostaGonderResponse.@return 121
QNBFinansGIB.GIBEArsiv.faturaDTO 122
QNBFinansGIB.GIBEArsiv.faturaDTO.arsiv 124
QNBFinansGIB.GIBEArsiv.faturaDTO.creationTime 124
QNBFinansGIB.GIBEArsiv.faturaDTO.currency 124
QNBFinansGIB.GIBEArsiv.faturaDTO.dokumanFormati 124
QNBFinansGIB.GIBEArsiv.faturaDTO.durum 124
QNBFinansGIB.GIBEArsiv.faturaDTO.durumSpecified 124
QNBFinansGIB.GIBEArsiv.faturaDTO.duzenlenmeZamani 124
QNBFinansGIB.GIBEArsiv.faturaDTO.epostaGonderimDurumu 124
QNBFinansGIB.GIBEArsiv.faturaDTO.epostaGonderimDurumuSpecified 124
QNBFinansGIB.GIBEArsiv.faturaDTO.erpKodu 125
QNBFinansGIB.GIBEArsiv.faturaDTO.faturaSiraNo 125
QNBFinansGIB.GIBEArsiv.faturaDTO.faturaSiraNoSpecified 125
QNBFinansGIB.GIBEArsiv.faturaDTO.faturaZamani 125
QNBFinansGIB.GIBEArsiv.faturaDTO.ilkKayitZmani 125
QNBFinansGIB.GIBEArsiv.faturaDTO.indirildi 125
QNBFinansGIB.GIBEArsiv.faturaDTO.indirildiSpecified 125
QNBFinansGIB.GIBEArsiv.faturaDTO.invoiceId 125
QNBFinansGIB.GIBEArsiv.faturaDTO.invoiceTypeCode 125
QNBFinansGIB.GIBEArsiv.faturaDTO.iptalEdenKullaniciKodu 126
QNBFinansGIB.GIBEArsiv.faturaDTO.iptalKaynagi 126
QNBFinansGIB.GIBEArsiv.faturaDTO.iptalKaynagiSpecified 126
QNBFinansGIB.GIBEArsiv.faturaDTO.iptalRaporTarihi 126
QNBFinansGIB.GIBEArsiv.faturaDTO.iptalTarihi 126
QNBFinansGIB.GIBEArsiv.faturaDTO.iptalTarihiExcel 126
QNBFinansGIB.GIBEArsiv.faturaDTO.islemId 126
QNBFinansGIB.GIBEArsiv.faturaDTO.issueDate 126
QNBFinansGIB.GIBEArsiv.faturaDTO.itirazEdenKullaniciKodu 126
QNBFinansGIB.GIBEArsiv.faturaDTO.itirazKaynagi 127
QNBFinansGIB.GIBEArsiv.faturaDTO.itirazKaynagiSpecified 127
QNBFinansGIB.GIBEArsiv.faturaDTO.itirazTarihi 127
QNBFinansGIB.GIBEArsiv.faturaDTO.kagitFatura 127
QNBFinansGIB.GIBEArsiv.faturaDTO.kagitFaturaSpecified 127
QNBFinansGIB.GIBEArsiv.faturaDTO.kasa 127
QNBFinansGIB.GIBEArsiv.faturaDTO.kaynak 127
QNBFinansGIB.GIBEArsiv.faturaDTO.kepDurum 127
QNBFinansGIB.GIBEArsiv.faturaDTO.kepDurumSpecified 127
QNBFinansGIB.GIBEArsiv.faturaDTO.kolayFatura 128
QNBFinansGIB.GIBEArsiv.faturaDTO.kolayFaturaSpecified 128
QNBFinansGIB.GIBEArsiv.faturaDTO.okundu 128
QNBFinansGIB.GIBEArsiv.faturaDTO.okunduSpecified 128
QNBFinansGIB.GIBEArsiv.faturaDTO.payableAmount 128
QNBFinansGIB.GIBEArsiv.faturaDTO.payableAmountSpecified 128

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEArsiv.faturaDTO.profileId 128
QNBFinansGIB.GIBEArsiv.faturaDTO.raporTarihi 128
QNBFinansGIB.GIBEArsiv.faturaDTO.receiverContact 128
QNBFinansGIB.GIBEArsiv.faturaDTO.receiverIdentifier 129
QNBFinansGIB.GIBEArsiv.faturaDTO.receiverIdentifierTxt 129
QNBFinansGIB.GIBEArsiv.faturaDTO.receiverName 129
QNBFinansGIB.GIBEArsiv.faturaDTO.senderContact 129
QNBFinansGIB.GIBEArsiv.faturaDTO.senderName 129
QNBFinansGIB.GIBEArsiv.faturaDTO.sonGuncellemeZamani 129
QNBFinansGIB.GIBEArsiv.faturaDTO.sube 129
QNBFinansGIB.GIBEArsiv.faturaDTO.tanimliSubeKod 129
QNBFinansGIB.GIBEArsiv.faturaDTO.telNo 129
QNBFinansGIB.GIBEArsiv.faturaDTO.toplamTutar 130
QNBFinansGIB.GIBEArsiv.faturaDTO.toplamTutarSpecified 130
QNBFinansGIB.GIBEArsiv.faturaDTO.uuid 130
QNBFinansGIB.GIBEArsiv.faturaDTO.vergilerToplami 130
QNBFinansGIB.GIBEArsiv.faturaDTO.vergilerToplamiSpecified 130
QNBFinansGIB.GIBEArsiv.faturaDTO.versiyon 130
QNBFinansGIB.GIBEArsiv.faturaDTO.versiyonSpecified 130
QNBFinansGIB.GIBEArsiv.faturaDTO.yazdirildi 130
QNBFinansGIB.GIBEArsiv.faturaDTO.yazdirildiSpecified 130
QNBFinansGIB.GIBEArsiv.faturaDTO.yerelFaturaNo 131
QNBFinansGIB.GIBEArsiv.faturaIptalEt 131
QNBFinansGIB.GIBEArsiv.faturaIptalEt.input 131
QNBFinansGIB.GIBEArsiv.faturaIptalEtCompletedEventArgs 131
QNBFinansGIB.GIBEArsiv.faturaIptalEtCompletedEventArgs.faturaIptalEtCompletedEventArgs 132
QNBFinansGIB.GIBEArsiv.faturaIptalEtCompletedEventArgs.Result 132
QNBFinansGIB.GIBEArsiv.faturaIptalEtCompletedEventHandler 219
QNBFinansGIB.GIBEArsiv.faturaIptalEtCompletedEventHandler type 219
QNBFinansGIB.GIBEArsiv.faturaIptalEtResponse 132
QNBFinansGIB.GIBEArsiv.faturaIptalEtResponse.@return 133
QNBFinansGIB.GIBEArsiv.faturaIptaliKaldir 133
QNBFinansGIB.GIBEArsiv.faturaIptaliKaldir.input 133
QNBFinansGIB.GIBEArsiv.faturaIptaliKaldirCompletedEventArgs 133
QNBFinansGIB.GIBEArsiv.faturaIptaliKaldirCompletedEventArgs.faturaIptaliKaldirCompletedEventArgs 134
QNBFinansGIB.GIBEArsiv.faturaIptaliKaldirCompletedEventArgs.Result 134
QNBFinansGIB.GIBEArsiv.faturaIptaliKaldirCompletedEventHandler 220
QNBFinansGIB.GIBEArsiv.faturaIptaliKaldirCompletedEventHandler type 220
QNBFinansGIB.GIBEArsiv.faturaIptaliKaldirResponse 134
QNBFinansGIB.GIBEArsiv.faturaIptaliKaldirResponse.@return 135
QNBFinansGIB.GIBEArsiv.faturaItirazEt 135
QNBFinansGIB.GIBEArsiv.faturaItirazEt.input 135
QNBFinansGIB.GIBEArsiv.faturaItirazEtCompletedEventArgs 135
QNBFinansGIB.GIBEArsiv.faturaItirazEtCompletedEventArgs.faturaItirazEtCompletedEventArgs 136
QNBFinansGIB.GIBEArsiv.faturaItirazEtCompletedEventArgs.Result 136
QNBFinansGIB.GIBEArsiv.faturaItirazEtCompletedEventHandler 220
QNBFinansGIB.GIBEArsiv.faturaItirazEtCompletedEventHandler type 220
QNBFinansGIB.GIBEArsiv.faturaItirazEtResponse 136
QNBFinansGIB.GIBEArsiv.faturaItirazEtResponse.@return 137
QNBFinansGIB.GIBEArsiv.faturaItirazKaldir 137
QNBFinansGIB.GIBEArsiv.faturaItirazKaldir.input 137
QNBFinansGIB.GIBEArsiv.faturaItirazKaldirCompletedEventArgs 137
QNBFinansGIB.GIBEArsiv.faturaItirazKaldirCompletedEventArgs.faturaItirazKaldirCompletedEventArgs 138
QNBFinansGIB.GIBEArsiv.faturaItirazKaldirCompletedEventArgs.Result 138

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEArsiv.faturaItirazKaldirCompletedEventHandler 220
QNBFinansGIB.GIBEArsiv.faturaItirazKaldirCompletedEventHandler type 220
QNBFinansGIB.GIBEArsiv.faturaItirazKaldirResponse 138
QNBFinansGIB.GIBEArsiv.faturaItirazKaldirResponse.@return 139
QNBFinansGIB.GIBEArsiv.faturaListeSorgula 139
QNBFinansGIB.GIBEArsiv.faturaListeSorgula.input 139
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCompletedEventArgs 139
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCompletedEventArgs.faturaListeSorgulaCompletedEventArgs 140
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCompletedEventArgs.output 140
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCompletedEventArgs.Result 140
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCompletedEventHandler 220
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCompletedEventHandler type 220
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCount 140
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCount.input 141
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompletedEventArgs 141
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompletedEventArgs.faturaListeSorgulaCountCompletedEventArgs 141
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompletedEventArgs.output 142
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompletedEventArgs.Result 142
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompletedEventHandler 220
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompletedEventHandler type 220
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountResponse 142
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountResponse.@return 142
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountResponse.output 142
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortal 142
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortal.input 143
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalCompletedEventArgs 143
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalCompletedEventArgs.faturaListeSorgulaPortalCompletedEventArgs 143
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalCompletedEventArgs.output 144
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalCompletedEventArgs.Result 144
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalCompletedEventHandler 221
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalCompletedEventHandler type 221
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalResponse 144
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalResponse.@return 144
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalResponse.output 144
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaResponse 145
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaResponse.@return 145
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaResponse.output 145
QNBFinansGIB.GIBEArsiv.faturaNoUret 145
QNBFinansGIB.GIBEArsiv.faturaNoUret.input 146
QNBFinansGIB.GIBEArsiv.faturaNoUretCompletedEventArgs 146
QNBFinansGIB.GIBEArsiv.faturaNoUretCompletedEventArgs.@return 147
QNBFinansGIB.GIBEArsiv.faturaNoUretCompletedEventArgs.faturaNoUretCompletedEventArgs 146

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEArsiv.faturaNoUretCompletedEventArgs.Result 147
QNBFinansGIB.GIBEArsiv.faturaNoUretCompletedEventHandler 221
QNBFinansGIB.GIBEArsiv.faturaNoUretCompletedEventHandler type 221
QNBFinansGIB.GIBEArsiv.faturaOlustur 147
QNBFinansGIB.GIBEArsiv.faturaOlustur.fatura 147
QNBFinansGIB.GIBEArsiv.faturaOlustur.input 147
QNBFinansGIB.GIBEArsiv.faturaOlusturCompletedEventArgs 147
QNBFinansGIB.GIBEArsiv.faturaOlusturCompletedEventArgs.@return 148
QNBFinansGIB.GIBEArsiv.faturaOlusturCompletedEventArgs.faturaOlusturCompletedEventArgs 148
QNBFinansGIB.GIBEArsiv.faturaOlusturCompletedEventArgs.Result 148
QNBFinansGIB.GIBEArsiv.faturaOlusturCompletedEventHandler 221
QNBFinansGIB.GIBEArsiv.faturaOlusturCompletedEventHandler type 221
QNBFinansGIB.GIBEArsiv.faturaOlusturExt 148
QNBFinansGIB.GIBEArsiv.faturaOlusturExt.fatura 149
QNBFinansGIB.GIBEArsiv.faturaOlusturExt.input 149
QNBFinansGIB.GIBEArsiv.faturaOlusturExtCompletedEventArgs 149
QNBFinansGIB.GIBEArsiv.faturaOlusturExtCompletedEventArgs.@return 150
QNBFinansGIB.GIBEArsiv.faturaOlusturExtCompletedEventArgs.faturaOlusturExtCompletedEventArgs 150
QNBFinansGIB.GIBEArsiv.faturaOlusturExtCompletedEventArgs.Result 150
QNBFinansGIB.GIBEArsiv.faturaOlusturExtCompletedEventHandler 221
QNBFinansGIB.GIBEArsiv.faturaOlusturExtCompletedEventHandler type 221
QNBFinansGIB.GIBEArsiv.faturaOnizleme 150
QNBFinansGIB.GIBEArsiv.faturaOnizleme.fatura 151
QNBFinansGIB.GIBEArsiv.faturaOnizleme.input 151
QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventArgs 151
QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventArgs.@return 152
QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventArgs.faturaOnizlemeCompletedEventArgs 151
QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventArgs.Result 152
QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventHandler 222
QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventHandler type 222
QNBFinansGIB.GIBEArsiv.faturaSorgula 152
QNBFinansGIB.GIBEArsiv.faturaSorgula.input 152
QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventArgs 152
QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventArgs.@return 153
QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventArgs.faturaSorgulaCompletedEventArgs 153
QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventArgs.Result 153
QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventHandler 222
QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventHandler type 222
QNBFinansGIB.GIBEArsiv.faturaSorgulaExt 153
QNBFinansGIB.GIBEArsiv.faturaSorgulaExt.input 154
QNBFinansGIB.GIBEArsiv.faturaSorgulaExtCompletedEventArgs 154
QNBFinansGIB.GIBEArsiv.faturaSorgulaExtCompletedEventArgs.@return 155
QNBFinansGIB.GIBEArsiv.faturaSorgulaExtCompletedEventArgs.faturaSorgulaExtCompletedEventArgs 154

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEArsiv.faturaSorgulaExtCompletedEventArgs.Result 155
QNBFinansGIB.GIBEArsiv.faturaSorgulaExtCompletedEventHandler 222
QNBFinansGIB.GIBEArsiv.faturaSorgulaExtCompletedEventHandler type 222
QNBFinansGIB.GIBEArsiv.faturaTaslakOlustur 155
QNBFinansGIB.GIBEArsiv.faturaTaslakOlustur.fatura 155
QNBFinansGIB.GIBEArsiv.faturaTaslakOlustur.input 155
QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturCompletedEventArgs 155
QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturCompletedEventArgs.faturaTaslakOlusturCompletedEventArgs 156
QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturCompletedEventArgs.Result 156
QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturCompletedEventHandler 222
QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturCompletedEventHandler type 222
QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturResponse 156
QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturResponse.@return 157
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizleme 157
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizleme.input 157
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeCompletedEventArgs 157
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeCompletedEventArgs.faturaTaslakOnizlemeCompletedEventArgs 158
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeCompletedEventArgs.output 158
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeCompletedEventArgs.Result 158
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeCompletedEventHandler 223
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeCompletedEventHandler type 223
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeResponse 158
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeResponse.@return 159
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeResponse.output 159
QNBFinansGIB.GIBEArsiv.faturaTaslakSil 159
QNBFinansGIB.GIBEArsiv.faturaTaslakSil.input 160
QNBFinansGIB.GIBEArsiv.faturaTaslakSilCompletedEventArgs 160
QNBFinansGIB.GIBEArsiv.faturaTaslakSilCompletedEventArgs.faturaTaslakSilCompletedEventArgs 160
QNBFinansGIB.GIBEArsiv.faturaTaslakSilCompletedEventArgs.Result 160
QNBFinansGIB.GIBEArsiv.faturaTaslakSilCompletedEventHandler 223
QNBFinansGIB.GIBEArsiv.faturaTaslakSilCompletedEventHandler type 223
QNBFinansGIB.GIBEArsiv.faturaTaslakSilResponse 161
QNBFinansGIB.GIBEArsiv.faturaTaslakSilResponse.@return 161
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgula 161
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgula.input 162
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEventArgs 162
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEventArgs.faturaTaslakSorgulaCompletedEventArgs 162
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEventArgs.output 162
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEventArgs.Result 163
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEventHandler 223
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEventHandler type 223
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaResponse 163
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaResponse.@return

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

163

QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaResponse.output
163

QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlustur 163

QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlustur.input 164

QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlusturCompletedEventArgs
164

QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlusturCompletedEventArgs.@return
165

QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlusturCompletedEventArgs.faturaTaslaktanOlusturCompletedEventArgs
164

QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlusturCompletedEventArgs.Result
165

QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlusturCompletedEventHandler
223

QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlusturCompletedEventHandler
type 223

QNBFinansGIB.GIBEArsiv.faturaZipiAl 165

QNBFinansGIB.GIBEArsiv.faturaZipiAl.input 165

QNBFinansGIB.GIBEArsiv.faturaZipiAlCompletedEventArgs
165

QNBFinansGIB.GIBEArsiv.faturaZipiAlCompletedEventArgs.faturaZipiAlCompletedEventArgs
166

QNBFinansGIB.GIBEArsiv.faturaZipiAlCompletedEventArgs.output
166

QNBFinansGIB.GIBEArsiv.faturaZipiAlCompletedEventArgs.Result
166

QNBFinansGIB.GIBEArsiv.faturaZipiAlCompletedEventHandler
224

QNBFinansGIB.GIBEArsiv.faturaZipiAlCompletedEventHandler
type 224

QNBFinansGIB.GIBEArsiv.faturaZipiAlResponse 166

QNBFinansGIB.GIBEArsiv.faturaZipiAlResponse.@return 167

QNBFinansGIB.GIBEArsiv.faturaZipiAlResponse.output 167

QNBFinansGIB.GIBEArsiv.genelBelgeFormatEnum 216

QNBFinansGIB.GIBEArsiv.genelBelgeFormatEnum
enumeration 216

QNBFinansGIB.GIBEArsiv.kontorBilgisiGetir 167

QNBFinansGIB.GIBEArsiv.kontorBilgisiGetir.kontorBirimi 168

QNBFinansGIB.GIBEArsiv.kontorBilgisiGetir.kontorTipi 168

QNBFinansGIB.GIBEArsiv.kontorBilgisiGetir.vknTckn 168

QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirCompletedEventArgs
168

QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirCompletedEventArgs.kontorBilgisiGetirCompletedEventArgs
168

QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirCompletedEventArgs.Result
169

QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirCompletedEventHandler
224

QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirCompletedEventHandler
type 224

QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirResponse 169

QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirResponse.@return
169

QNBFinansGIB.GIBEArsiv.okcRaporBolumAl 169

QNBFinansGIB.GIBEArsiv.okcRaporBolumAl.input 170

QNBFinansGIB.GIBEArsiv.okcRaporBolumAlCompletedEventArgs
170

QNBFinansGIB.GIBEArsiv.okcRaporBolumAlCompletedEventArgs.@return
171

QNBFinansGIB.GIBEArsiv.okcRaporBolumAlCompletedEventArgs.okcRaporBolumAlCompletedEventArgs
170

QNBFinansGIB.GIBEArsiv.okcRaporBolumAlCompletedEventArgs.Result
171

QNBFinansGIB.GIBEArsiv.okcRaporBolumAlCompletedEventHandler
224

QNBFinansGIB.GIBEArsiv.okcRaporBolumAlCompletedEventHandler
type 224

QNBFinansGIB.GIBEArsiv.okcRaporKaydet 171

QNBFinansGIB.GIBEArsiv.okcRaporKaydet.input 171

QNBFinansGIB.GIBEArsiv.okcRaporKaydet.rapor 171

QNBFinansGIB.GIBEArsiv.okcRaporKaydetCompletedEventArgs
172

QNBFinansGIB.GIBEArsiv.okcRaporKaydetCompletedEventArgs.okcRaporKaydetCompletedEventArgs
172

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEArsiv.okcRaporKaydetCompletedEventArgs.Result 172
QNBFinansGIB.GIBEArsiv.okcRaporKaydetCompletedEventHandler 224
QNBFinansGIB.GIBEArsiv.okcRaporKaydetCompletedEventHandler type 224
QNBFinansGIB.GIBEArsiv.okcRaporKaydetResponse 172
QNBFinansGIB.GIBEArsiv.okcRaporKaydetResponse.@return 173
QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonder 173
QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonder.input 173
QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderCompletedEventArgs 173
QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderCompletedEventArgs.okcRaporOlusturGonderCompletedEventArgs 174
QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderCompletedEventArgs.Result 174
QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderCompletedEventHandler 224
QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderCompletedEventHandler type 224
QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderResponse 174
QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderResponse.@return 175
QNBFinansGIB.GIBEArsiv.raporBolumAl 175
QNBFinansGIB.GIBEArsiv.raporBolumAl.bolumRaporNo 175
QNBFinansGIB.GIBEArsiv.raporBolumAlCompletedEventArgs 175
QNBFinansGIB.GIBEArsiv.raporBolumAlCompletedEventArgs.@return 176
QNBFinansGIB.GIBEArsiv.raporBolumAlCompletedEventArgs.raporBolumAlCompletedEventArgs 176
QNBFinansGIB.GIBEArsiv.raporBolumAlCompletedEventArgs.Result 176
QNBFinansGIB.GIBEArsiv.raporBolumAlCompletedEventHandler 225
QNBFinansGIB.GIBEArsiv.raporBolumAlCompletedEventHandler type 225
QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAl 176
QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAl.bolumRaporNo 177
QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAlCompletedEventArgs 177
QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAlCompletedEventArgs.raporBolumBilgisiAlCompletedEventArgs 177
QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAlCompletedEventArgs.Result 178
QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAlCompletedEventHandler 225
QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAlCompletedEventHandler type 225
QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAlResponse 178
QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAlResponse.@return 178
QNBFinansGIB.GIBEArsiv.raporBolumDTO 178
QNBFinansGIB.GIBEArsiv.raporBolumDTO.baslangicTarihi 179
QNBFinansGIB.GIBEArsiv.raporBolumDTO.bitisTarihi 179
QNBFinansGIB.GIBEArsiv.raporBolumDTO.bolumNo 179
QNBFinansGIB.GIBEArsiv.raporBolumDTO.bolumNoSpecified 179
QNBFinansGIB.GIBEArsiv.raporBolumDTO.bolumRaporNo 179
QNBFinansGIB.GIBEArsiv.raporBolumDTO.durum 180
QNBFinansGIB.GIBEArsiv.raporBolumDTO.durumAciklama 180
QNBFinansGIB.GIBEArsiv.raporBolumDTO.durumKodu 180
QNBFinansGIB.GIBEArsiv.raporBolumDTO.sonIslemeZamani 180
QNBFinansGIB.GIBEArsiv.raporBolumleriOlustur 180
QNBFinansGIB.GIBEArsiv.raporBolumleriOlustur.donem 181
QNBFinansGIB.GIBEArsiv.raporBolumleriOlustur.input 181
QNBFinansGIB.GIBEArsiv.raporBolumleriOlustur.sonGun 181
QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturCompletedEventArgs 181

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturCompletedEventArgs.raporBolumleriOlusturCompletedEventArgs
181

QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturCompletedEventArgs.Result
182

QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturCompletedEventHandler
225

QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturCompletedEventHandler
type 225

QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturResponse
182

QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturResponse.@return
182

QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgula
182

QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgula.donem
183

QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventArgs
183

QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventArgs.output
184

QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventArgs.raporBolumListesiDetayliSorgulaCompletedEventArgs
183

QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventArgs.Result
184

QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventHandler
225

QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventHandler
type 225

QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaResponse
184

QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaResponse.@return
184

QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaResponse.output
185

QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgula 185

QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgula.donem
185

QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaCompletedEventArgs
185

QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaCompletedEventArgs.@return
186

QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaCompletedEventArgs.raporBolumListesiSorgulaCompletedEventArgs
186

QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaCompletedEventArgs.Result
186

QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaCompletedEventHandler
226

QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaCompletedEventHandler
type 226

QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInput
186

QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInput.donem
187

QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInput.input
187

QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventArgs
187

QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventArgs.@return
188

QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventArgs.raporBolumListesiSorgulaWithInputCompletedEventArgs
188

QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventArgs.Result
188

QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventHandler
226

QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventHandler
type 226

QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncelleImzala
188

QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncelleImzala.bolumRaporNo
189

QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncelleImzal

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

aCompletedEventArgs
189

QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncelleImzalaCompletedEventArgs.raporBolumRaporNoGuncelleImzalaCompletedEventArgs
189

QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncelleImzalaCompletedEventArgs.Result
190

QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncelleImzalaCompletedEventHandler
226

QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncelleImzalaCompletedEventHandler
type 226

QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncelleImzalaResponse
190

QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncelleImzalaResponse.@return
190

QNBFinansGIB.GIBEArsiv.raporBolumSil 190

QNBFinansGIB.GIBEArsiv.raporBolumSil.bolumRaporNo 191

QNBFinansGIB.GIBEArsiv.raporBolumSilCompletedEventArgs
191

QNBFinansGIB.GIBEArsiv.raporBolumSilCompletedEventArgs.raporBolumSilCompletedEventArgs
191

QNBFinansGIB.GIBEArsiv.raporBolumSilCompletedEventArgs.Result
191

QNBFinansGIB.GIBEArsiv.raporBolumSilCompletedEventHandler
226

QNBFinansGIB.GIBEArsiv.raporBolumSilCompletedEventHandler
type 226

QNBFinansGIB.GIBEArsiv.raporBolumSilResponse 192

QNBFinansGIB.GIBEArsiv.raporBolumSilResponse.@return
192

QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgula 192

QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgula.input 193

QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventArgs
193

QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventArgs.rapordaFaturaSorgulaCompletedEventArgs
193

QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventArgs.Result
193

QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventHandler
227

QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventHandler
type 227

QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaResponse
194

QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaResponse.@return
194

QNBFinansGIB.GIBEArsiv.raporDurumSorgula 194

QNBFinansGIB.GIBEArsiv.raporDurumSorgula.donem 195

QNBFinansGIB.GIBEArsiv.raporDurumSorgulaCompletedEventArgs
195

QNBFinansGIB.GIBEArsiv.raporDurumSorgulaCompletedEventArgs.raporDurumSorgulaCompletedEventArgs
195

QNBFinansGIB.GIBEArsiv.raporDurumSorgulaCompletedEventArgs.Result
195

QNBFinansGIB.GIBEArsiv.raporDurumSorgulaCompletedEventHandler
227

QNBFinansGIB.GIBEArsiv.raporDurumSorgulaCompletedEventHandler
type 227

QNBFinansGIB.GIBEArsiv.raporDurumSorgulaResponse 196

QNBFinansGIB.GIBEArsiv.raporDurumSorgulaResponse.@return
196

QNBFinansGIB.GIBEArsiv.raporGonder 196

QNBFinansGIB.GIBEArsiv.raporGonder.donem 197

QNBFinansGIB.GIBEArsiv.raporGonderCompletedEventArgs
197

QNBFinansGIB.GIBEArsiv.raporGonderCompletedEventArgs.raporGonderCompletedEventArgs
197

QNBFinansGIB.GIBEArsiv.raporGonderCompletedEventArgs.Result
197

QNBFinansGIB.GIBEArsiv.raporGonderCompletedEventHandler
227

QNBFinansGIB.GIBEArsiv.raporGonderCompletedEventHandler
type 227

QNBFinansGIB.GIBEArsiv.raporGonderResponse 198

QNBFinansGIB.GIBEArsiv.raporGonderResponse.@return
198

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEArsiv.serviceReturnType 198

QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSorgula
198

QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSorgula.input
199

QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs
199

QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.@return
200

QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.outputEposta
200

QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.Result
200

QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs
200

QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSorgulaCompletedEventHandler
227

QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSorgulaCompletedEventHandler
type 227

QNBFinansGIB.GIBEArsiv.smsDurumSorgula 200

QNBFinansGIB.GIBEArsiv.smsDurumSorgula.input 201

QNBFinansGIB.GIBEArsiv.smsDurumSorgulaCompletedEventArgs
201

QNBFinansGIB.GIBEArsiv.smsDurumSorgulaCompletedEventArgs.outputDurum
202

QNBFinansGIB.GIBEArsiv.smsDurumSorgulaCompletedEventArgs.Result
202

QNBFinansGIB.GIBEArsiv.smsDurumSorgulaCompletedEventArgs.smsDurumSorgulaCompletedEventArgs
201

QNBFinansGIB.GIBEArsiv.smsDurumSorgulaCompletedEventHandler
228

QNBFinansGIB.GIBEArsiv.smsDurumSorgulaCompletedEventHandler
type 228

QNBFinansGIB.GIBEArsiv.smsDurumSorgulaResponse 202

QNBFinansGIB.GIBEArsiv.smsDurumSorgulaResponse.@return
202

QNBFinansGIB.GIBEArsiv.smsDurumSorgulaResponse.outputDurum
202

QNBFinansGIB.GIBEArsiv.smsGonder 202

QNBFinansGIB.GIBEArsiv.smsGonder.ilaveTelefonNo 203

QNBFinansGIB.GIBEArsiv.smsGonder.input 203

QNBFinansGIB.GIBEArsiv.smsGonder.tanimliTelefonNoyaGonder
203

QNBFinansGIB.GIBEArsiv.smsGonderCompletedEventArgs
203

QNBFinansGIB.GIBEArsiv.smsGonderCompletedEventArgs.Result
204

QNBFinansGIB.GIBEArsiv.smsGonderCompletedEventArgs.smsGonderCompletedEventArgs
204

QNBFinansGIB.GIBEArsiv.smsGonderCompletedEventHandler
228

QNBFinansGIB.GIBEArsiv.smsGonderCompletedEventHandler
type 228

QNBFinansGIB.GIBEArsiv.smsGonderResponse 204

QNBFinansGIB.GIBEArsiv.smsGonderResponse.@return 205

QNBFinansGIB.GIBEArsiv.stringOutputWrapper 205

QNBFinansGIB.GIBEArsiv.stringOutputWrapper.@return 205

QNBFinansGIB.GIBEArsiv.stringOutputWrapper.output 205

QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonder
205

QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonder.input
206

QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonder.paketDosyasiZip
206

QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCompletedEventArgs
206

QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCompletedEventArgs.Result
207

QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCompletedEventArgs.topluFaturaPaketDosyaGonderCompletedEventArgs
207

QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCompletedEventHandler
228

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCompletedEventHandler
type 228

QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderResponse
207

QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderResponse.@return
207

QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgula
208

QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgula.input
208

QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgulaCompletedEventArgs
208

QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgulaCompletedEventArgs.@return
209

QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgulaCompletedEventArgs.Result
209

QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgulaCompletedEventArgs.topluFaturaPaketDosyasiSorgulaCompletedEventArgs
209

QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgulaCompletedEventHandler
228

QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgulaCompletedEventHandler
type 228

QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnayla 209

QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnayla.input 210

QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaCompletedEventArgs
210

QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaCompletedEventArgs.Result
210

QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaCompletedEventArgs.topluFaturaPaketOnaylaCompletedEventArgs
210

QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaCompletedEventHandler
229

QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaCompletedEventHandler
type 229

QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaResponse
211

QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaResponse.@return
211

QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgula 211

QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgula.input 212

QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaCompletedEventArgs
212

QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaCompletedEventArgs.@return
213

QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaCompletedEventArgs.Result
213

QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaCompletedEventArgs.topluFaturaPaketSorgulaCompletedEventArgs
212

QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaCompletedEventHandler
229

QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaCompletedEventHandler
type 229

QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAl 213

QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAl.input 213

QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAlCompletedEventArgs
213

QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAlCompletedEventArgs.outputYapilandirma
214

QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAlCompletedEventArgs.Result
214

QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAlCompletedEventArgs.yapilandirmaAyarlariAlCompletedEventArgs
214

QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAlCompletedEventHandler
229

QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAlCompletedEventHandler
type 229

QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAlResponse
214

QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAlResponse.@return
215

QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAlResponse.outputYapilandirma
215

QNBFinansGIB.GIBEFatura 229

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEFatura namespace 229
Classes 235
Structs, Records, Enums 496
Types 497
QNBFinansGIB.GIBEFatura.belge 238
QNBFinansGIB.GIBEFatura.belge.belgeNo 239
QNBFinansGIB.GIBEFatura.belge.belgeSiraNo 239
QNBFinansGIB.GIBEFatura.belge.belgeTarihi 239
QNBFinansGIB.GIBEFatura.belge.belgeTuru 239
QNBFinansGIB.GIBEFatura.belge.belgeVerisi 239
QNBFinansGIB.GIBEFatura.belge.ettn 239
QNBFinansGIB.GIBEFatura.belge.gonderenEtiket 240
QNBFinansGIB.GIBEFatura.belge.gonderenVknTckn 240
QNBFinansGIB.GIBEFatura.belgeGonderCompletedEventArgs 240
QNBFinansGIB.GIBEFatura.belgeGonderCompletedEventArgs.belgeGonderCompletedEventArgs 240
QNBFinansGIB.GIBEFatura.belgeGonderCompletedEventArgs.Result 241
QNBFinansGIB.GIBEFatura.belgeGonderCompletedEventHandler 499
QNBFinansGIB.GIBEFatura.belgeGonderCompletedEventHandler type 499
QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventArgs 241
QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventArgs.belgeGonderExtCompletedEventArgs 241
QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventArgs.Result 241
QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventHandler 500
QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventHandler type 500
QNBFinansGIB.GIBEFatura.belgeGonderExtWithValidateCompletedEventArgs 242
QNBFinansGIB.GIBEFatura.belgeGonderExtWithValidateCompletedEventArgs.belgeGonderExtWithValidateCompletedEventArgs 242
QNBFinansGIB.GIBEFatura.belgeGonderExtWithValidateCompletedEventArgs.Result 242
QNBFinansGIB.GIBEFatura.belgeGonderExtWithValidateCompletedEventHandler 500
QNBFinansGIB.GIBEFatura.belgeGonderExtWithValidateCompletedEventHandler type 500
QNBFinansGIB.GIBEFatura.belgeGonderResp 243
QNBFinansGIB.GIBEFatura.belgeGonderResp.belgeOid 243
QNBFinansGIB.GIBEFatura.belgeGonderResp.errorMessage 243
QNBFinansGIB.GIBEFatura.belgeGonderResp.responseStatus 243
QNBFinansGIB.GIBEFatura.belgeGonderWithValidateCompletedEventArgs 243
QNBFinansGIB.GIBEFatura.belgeGonderWithValidateCompletedEventArgs.belgeGonderWithValidateCompletedEventArgs 244
QNBFinansGIB.GIBEFatura.belgeGonderWithValidateCompletedEventArgs.Result 244
QNBFinansGIB.GIBEFatura.belgeGonderWithValidateCompletedEventHandler 500
QNBFinansGIB.GIBEFatura.belgeGonderWithValidateCompletedEventHandler type 500
QNBFinansGIB.GIBEFatura.belgelerAlindiCompletedEventHandler 500
QNBFinansGIB.GIBEFatura.belgelerAlindiCompletedEventHandler type 500
QNBFinansGIB.GIBEFatura.belgelerAlindiEntegrasyonSiparisNoGuncelleCompletedEventHandler 501
QNBFinansGIB.GIBEFatura.belgelerAlindiEntegrasyonSiparisNoGuncelleCompletedEventHandler type 501
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidCompletedEventArgs 244
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidCompletedEventArgs.belgeleriTekrarGonderBelgeOidCompletedEventArgs 245
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidCompletedEventArgs.Result 245

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidCompletedEventHandler 501
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidCompletedEventHandler type 501
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompletedEventArgs 245
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompletedEventArgs.belgeleriTekrarGonderCompletedEventArgs 246
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompletedEventArgs.Result 246
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompletedEventHandler 501
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompletedEventHandler type 501
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs 246
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs.belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs 247
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs.Result 247
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderYerelBelgeNoCompletedEventHandler 501
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderYerelBelgeNoCompletedEventHandler type 501
QNBFinansGIB.GIBEFatura.belgev2 247
QNBFinansGIB.GIBEFatura.belgev2.alanEtiket 248
QNBFinansGIB.GIBEFatura.belgev2.aliciUnvan 248
QNBFinansGIB.GIBEFatura.belgev2.belgeVersiyon 248
QNBFinansGIB.GIBEFatura.belgev2.belgeXmlZipped 249
QNBFinansGIB.GIBEFatura.belgev2.ekBilgiler 249
QNBFinansGIB.GIBEFatura.belgev2.saticiUnvan 249
QNBFinansGIB.GIBEFatura.belgev2.subeKodu 249
QNBFinansGIB.GIBEFatura.belgev2.zarfId 249
QNBFinansGIB.GIBEFatura.belgev2.zarfVerisi 249
QNBFinansGIB.GIBEFatura.belgev2.zarfXml 249
QNBFinansGIB.GIBEFatura.belgev2Entry 249
QNBFinansGIB.GIBEFatura.belgev2Entry.key 250
QNBFinansGIB.GIBEFatura.belgev2Entry.value 250
QNBFinansGIB.GIBEFatura.belgev3 250
QNBFinansGIB.GIBEFatura.belgev3.odenecekTutar 251
QNBFinansGIB.GIBEFatura.belgev3.odenecekTutarDovizCinsi 251
QNBFinansGIB.GIBEFatura.belgev4 251
QNBFinansGIB.GIBEFatura.belgev4.arsivlenmis 252
QNBFinansGIB.GIBEFatura.belgev4.belgeHash 253
QNBFinansGIB.GIBEFatura.belgev5 253
QNBFinansGIB.GIBEFatura.belgev5.faturaGelisTarihi 254
QNBFinansGIB.GIBEFatura.belgev6 254
QNBFinansGIB.GIBEFatura.belgev6.profileId 255
QNBFinansGIB.GIBEFatura.checkDateValidControlCompletedEventHandler 502
QNBFinansGIB.GIBEFatura.checkDateValidControlCompletedEventHandler type 502
QNBFinansGIB.GIBEFatura.cokluGidenBelgeDurumSorgulaCompletedEventArgs 255
QNBFinansGIB.GIBEFatura.cokluGidenBelgeDurumSorgulaCompletedEventArgs.cokluGidenBelgeDurumSorgulaCompletedEventArgs 256
QNBFinansGIB.GIBEFatura.cokluGidenBelgeDurumSorgulaCompletedEventArgs.Result 256
QNBFinansGIB.GIBEFatura.cokluGidenBelgeDurumSorgulaCompletedEventHandler 502
QNBFinansGIB.GIBEFatura.cokluGidenBelgeDurumSorgulaCompletedEventHandler type 502
QNBFinansGIB.GIBEFatura.connectorService 256
QNBFinansGIB.GIBEFatura.connectorService.belgeGonder 268
QNBFinansGIB.GIBEFatura.connectorService.belgeGonderAsync 269
QNBFinansGIB.GIBEFatura.connectorService.belgeGonderCompleted 382
QNBFinansGIB.GIBEFatura.connectorService.belgeGonderExt 270
QNBFinansGIB.GIBEFatura.connectorService.belgeGonderExtAsync 270

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEFatura.connectorService.belgeGonderExtCompleted
382

QNBFinansGIB.GIBEFatura.connectorService.belgeGonderExtWithValidate
271

QNBFinansGIB.GIBEFatura.connectorService.belgeGonderExtWithValidateAsync
271

QNBFinansGIB.GIBEFatura.connectorService.belgeGonderExtWithValidateCompleted
382

QNBFinansGIB.GIBEFatura.connectorService.belgeGonderWithValidate
272

QNBFinansGIB.GIBEFatura.connectorService.belgeGonderWithValidateAsync
273

QNBFinansGIB.GIBEFatura.connectorService.belgeGonderWithValidateCompleted
382

QNBFinansGIB.GIBEFatura.connectorService.belgelerAlindi
273

QNBFinansGIB.GIBEFatura.connectorService.belgelerAlindiAsync
274

QNBFinansGIB.GIBEFatura.connectorService.belgelerAlindiCompleted
382

QNBFinansGIB.GIBEFatura.connectorService.belgelerAlindiEntegrasyonSiparisNoGuncelle
274

QNBFinansGIB.GIBEFatura.connectorService.belgelerAlindiEntegrasyonSiparisNoGuncelleAsync
275

QNBFinansGIB.GIBEFatura.connectorService.belgelerAlindiEntegrasyonSiparisNoGuncelleCompleted
382

QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrarGonder
276

QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrarGonderAsync
277

QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrarGonderBelgeOid
277

QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrarGonderBelgeOidAsync
278

QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrarGonderBelgeOidCompleted
382

QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrarGonderCompleted
382

QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrarGonderYerelBelgeNo
279

QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrarGonderYerelBelgeNoAsync
280

QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrarGonderYerelBelgeNoCompleted
382

QNBFinansGIB.GIBEFatura.connectorService.CancelAsync
280

QNBFinansGIB.GIBEFatura.connectorService.checkDateValidControl
280

QNBFinansGIB.GIBEFatura.connectorService.checkDateValidControlAsync
281

QNBFinansGIB.GIBEFatura.connectorService.checkDateValidControlCompleted
383

QNBFinansGIB.GIBEFatura.connectorService.cokluGidenBelgeDurumSorgula
281

QNBFinansGIB.GIBEFatura.connectorService.cokluGidenBelgeDurumSorgulaAsync
282

QNBFinansGIB.GIBEFatura.connectorService.cokluGidenBelgeDurumSorgulaCompleted
383

QNBFinansGIB.GIBEFatura.connectorService.connectorService
268

QNBFinansGIB.GIBEFatura.connectorService.csXmlOnizleme
282

QNBFinansGIB.GIBEFatura.connectorService.csXmlOnizlemeAsync
284

QNBFinansGIB.GIBEFatura.connectorService.csXmlOnizlemeCompleted
383

QNBFinansGIB.GIBEFatura.connectorService.csXmlToUbl
284

QNBFinansGIB.GIBEFatura.connectorService.csXmlToUblAsync
285

QNBFinansGIB.GIBEFatura.connectorService.csXmlToUblCompleted
383

QNBFinansGIB.GIBEFatura.connectorService.eFaturaKayitliK

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

ullaniciListele
286

QNBFinansGIB.GIBEFatura.connectorService.eFaturaKayitliKullaniciListeleAsync
286

QNBFinansGIB.GIBEFatura.connectorService.eFaturaKayitliKullaniciListeleCompleted
383

QNBFinansGIB.GIBEFatura.connectorService.efaturaKullaniciBilgisi
287

QNBFinansGIB.GIBEFatura.connectorService.efaturaKullaniciBilgisiAsync
287

QNBFinansGIB.GIBEFatura.connectorService.efaturaKullaniciBilgisiCompleted
383

QNBFinansGIB.GIBEFatura.connectorService.efaturaKullaniciListesi
288

QNBFinansGIB.GIBEFatura.connectorService.efaturaKullaniciListesiAsync
288

QNBFinansGIB.GIBEFatura.connectorService.efaturaKullaniciListesiCompleted
383

QNBFinansGIB.GIBEFatura.connectorService.efaturaKullanicisi
289

QNBFinansGIB.GIBEFatura.connectorService.efaturaKullanicisiAsync
289

QNBFinansGIB.GIBEFatura.connectorService.efaturaKullanicisiCompleted
383

QNBFinansGIB.GIBEFatura.connectorService.eIrsaliyeKayitliKullaniciListele
289

QNBFinansGIB.GIBEFatura.connectorService.eIrsaliyeKayitliKullaniciListeleAsync
290

QNBFinansGIB.GIBEFatura.connectorService.eIrsaliyeKayitliKullaniciListeleCompleted
383

QNBFinansGIB.GIBEFatura.connectorService.eIrsaliyeKullanicisi
290

QNBFinansGIB.GIBEFatura.connectorService.eIrsaliyeKullanicisiAsync
291

QNBFinansGIB.GIBEFatura.connectorService.eIrsaliyeKullanicisiCompleted
383

QNBFinansGIB.GIBEFatura.connectorService.erpBilgileriBelirle
291

QNBFinansGIB.GIBEFatura.connectorService.erpBilgileriBelirleAsync
292

QNBFinansGIB.GIBEFatura.connectorService.erpBilgileriBelirleCompleted
383

QNBFinansGIB.GIBEFatura.connectorService.faturaKepIleIadeEdildi
292

QNBFinansGIB.GIBEFatura.connectorService.faturaKepIleIadeEdildiAsync
293

QNBFinansGIB.GIBEFatura.connectorService.faturaKepIleIadeEdildiCompleted
384

QNBFinansGIB.GIBEFatura.connectorService.faturaKepIleIadeEdildiIptal
293

QNBFinansGIB.GIBEFatura.connectorService.faturaKepIleIadeEdildiIptalAsync
294

QNBFinansGIB.GIBEFatura.connectorService.faturaKepIleIadeEdildiIptalCompleted
384

QNBFinansGIB.GIBEFatura.connectorService.faturaMailGonder
294

QNBFinansGIB.GIBEFatura.connectorService.faturaMailGonderAsync
295, 296

QNBFinansGIB.GIBEFatura.connectorService.faturaMailGonderCompleted
384

QNBFinansGIB.GIBEFatura.connectorService.faturaNoUret
296

QNBFinansGIB.GIBEFatura.connectorService.faturaNoUretAsync
297

QNBFinansGIB.GIBEFatura.connectorService.faturaNoUretCompleted
384

QNBFinansGIB.GIBEFatura.connectorService.faturaTarihcesiSorgula
297

QNBFinansGIB.GIBEFatura.connectorService.faturaTarihcesiSorgulaAsync
298

QNBFinansGIB.GIBEFatura.connectorService.faturaTarihcesiSorgulaCompleted
384

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEFatura.connectorService.faturayaItirazEdildi
298
QNBFinansGIB.GIBEFatura.connectorService.faturayaItirazEdildiAsync
299
QNBFinansGIB.GIBEFatura.connectorService.faturayaItirazEdildiCompleted
384
QNBFinansGIB.GIBEFatura.connectorService.faturayaItirazEdildiIptal
299
QNBFinansGIB.GIBEFatura.connectorService.faturayaItirazEdildiIptalAsync
300
QNBFinansGIB.GIBEFatura.connectorService.faturayaItirazEdildiIptalCompleted
384
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeDurumSorgula
301
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeDurumSorgulaAsync
301, 302
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeDurumSorgulaCompleted
384
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeDurumSorgulaExt
302
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeDurumSorgulaExtAsync
302, 303
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeDurumSorgulaExtCompleted
384
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeEkleriAl
303
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeEkleriAlAsync
304
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeEkleriAlCompleted
384
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriAl
304
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriAlAsync
305
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriAlCompleted
384
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriAlExt
305
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriAlExt2
306
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriAlExt2Async
307
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriAlExt2Completed
385
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriAlExtAsync
307
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriAlExtCompleted
385
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriIndir
308
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriIndirAsync
308, 309
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriIndirCompleted
385
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriIndirExt
309
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriIndirExtAsync
309, 310
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriIndirExtCompleted
385
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriListele
310
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriListeleAsync
311
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriListeleCompleted
385
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriListeleExt
311
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriListeleExtAsync
312
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriL

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

isteleExtCompleted
385

QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeTutarBilgileriSorgula
312

QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeTutarBilgileriSorgulaAsync
313

QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeTutarBilgileriSorgulaCompleted
385

QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeXmlleriniAl
313

QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeXmlleriniAlAsync
314

QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeXmlleriniAlCompleted
385

QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeXmlleriniAlExt
315

QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeXmlleriniAlExtAsync
315

QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeXmlleriniAlExtCompleted
385

QNBFinansGIB.GIBEFatura.connectorService.gelenFaturalariArsiveKaldir
316

QNBFinansGIB.GIBEFatura.connectorService.gelenFaturalariArsiveKaldirAsync
316

QNBFinansGIB.GIBEFatura.connectorService.gelenFaturalariArsiveKaldirCompleted
385

QNBFinansGIB.GIBEFatura.connectorService.gelenIrsaliyeleriArsiveKaldir
317

QNBFinansGIB.GIBEFatura.connectorService.gelenIrsaliyeleriArsiveKaldirAsync
317

QNBFinansGIB.GIBEFatura.connectorService.gelenIrsaliyeleriArsiveKaldirCompleted
385

QNBFinansGIB.GIBEFatura.connectorService.gelenStandartRapolariAl
318

QNBFinansGIB.GIBEFatura.connectorService.gelenStandartRapolariAlAsync
319

QNBFinansGIB.GIBEFatura.connectorService.gelenStandartRapolariAlCompleted
386

QNBFinansGIB.GIBEFatura.connectorService.gelenTamamlananRapolariAl
319

QNBFinansGIB.GIBEFatura.connectorService.gelenTamamlananRapolariAlAsync
320

QNBFinansGIB.GIBEFatura.connectorService.gelenTamamlananRapolariAlCompleted
386

QNBFinansGIB.GIBEFatura.connectorService.gelenTasinanBelgeleriIndir
321

QNBFinansGIB.GIBEFatura.connectorService.gelenTasinanBelgeleriIndirAsync
321

QNBFinansGIB.GIBEFatura.connectorService.gelenTasinanBelgeleriIndirCompleted
386

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgula
322

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaAsync
322, 323

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaBelgeNo
323

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaBelgeNoAsync
324

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaBelgeNoCompleted
386

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaCompleted
386

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaEttn
324

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaEttnAsync
325

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaEttnCompleted
386

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaExt
325

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaExtAsync

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

326

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaExtCompleted
386

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaPortal
326

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaPortalAsync
327

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaPortalCompleted
386

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaYerelBelgeNo
327

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaYerelBelgeNoAsync
328

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaYerelBelgeNoCompleted
386

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeEkleriAl
328

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeEkleriAlAsync
329

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeEkleriAlCompleted
386

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleriIndir
330

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleriIndirAsync
330, 331

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleriIndirCompleted
386

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleriIndirEttn
331

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleriIndirEttnAsync
332

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleriIndirEttnCompleted
387

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleriIndirPortal
332

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleriIndirPortalAsync
333

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleriIndirPortalCompleted
387

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleriListele
333

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleriListeleAsync
334

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleriListeleCompleted
387

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleriListelePortal
334

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleriListelePortalAsync
335

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleriListelePortalCompleted
387

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeTutarBilgileriSorgula
335

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeTutarBilgileriSorgulaAsync
336

QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeTutarBilgileriSorgulaCompleted
387

QNBFinansGIB.GIBEFatura.connectorService.gidenFaturalariArsiveKaldir
337

QNBFinansGIB.GIBEFatura.connectorService.gidenFaturalariArsiveKaldirAsync
337

QNBFinansGIB.GIBEFatura.connectorService.gidenFaturalariArsiveKaldirCompleted
387

QNBFinansGIB.GIBEFatura.connectorService.gidenIrsaliyeleriArsiveKaldir
338

QNBFinansGIB.GIBEFatura.connectorService.gidenIrsaliyeleriArsiveKaldirAsync
338

QNBFinansGIB.GIBEFatura.connectorService.gidenIrsaliyeleriArsiveKaldirCompleted
387

QNBFinansGIB.GIBEFatura.connectorService.gidenTasinanBelgeleriIndir
339

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEFatura.connectorService.gidenTasinanBelgeleriIndirAsync
339, 340

QNBFinansGIB.GIBEFatura.connectorService.gidenTasinanBelgeleriIndirCompleted
387

QNBFinansGIB.GIBEFatura.connectorService.irsaliyeMailGonder
340

QNBFinansGIB.GIBEFatura.connectorService.irsaliyeMailGonderAsync
341

QNBFinansGIB.GIBEFatura.connectorService.irsaliyeMailGonderCompleted
387

QNBFinansGIB.GIBEFatura.connectorService.irsaliyeTarihcesiSorgula
341

QNBFinansGIB.GIBEFatura.connectorService.irsaliyeTarihcesiSorgulaAsync
342

QNBFinansGIB.GIBEFatura.connectorService.irsaliyeTarihcesiSorgulaCompleted
387

QNBFinansGIB.GIBEFatura.connectorService.IsLocalFileSystemWebService
343

QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciListeleExtended
343

QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciListeleExtendedAsync
344

QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciListeleExtendedCompleted
387

QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciListeleExtendedTime
344

QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciListeleExtendedTimeAsync
345

QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciListeleExtendedTimeCompleted
388

QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciListeleExtendedVknTckn
346

QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciListeleExtendedVknTcknAsync
346

QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciListeleExtendedVknTcknCompleted
388

QNBFinansGIB.GIBEFatura.connectorService.kontorBilgisiGetir
347

QNBFinansGIB.GIBEFatura.connectorService.kontorBilgisiGetirAsync
347, 348

QNBFinansGIB.GIBEFatura.connectorService.kontorBilgisiGetirCompleted
388

QNBFinansGIB.GIBEFatura.connectorService.OnbelgeGonderExtOperationCompleted
348

QNBFinansGIB.GIBEFatura.connectorService.OnbelgeGonderExtWithValidateOperationCompleted
348

QNBFinansGIB.GIBEFatura.connectorService.OnbelgeGonderOperationCompleted
349

QNBFinansGIB.GIBEFatura.connectorService.OnbelgeGonderWithValidateOperationCompleted
349

QNBFinansGIB.GIBEFatura.connectorService.OnbelgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted
349

QNBFinansGIB.GIBEFatura.connectorService.OnbelgelerAlindiOperationCompleted
349

QNBFinansGIB.GIBEFatura.connectorService.OnbelgeleriTekrarGonderBelgeOidOperationCompleted
350

QNBFinansGIB.GIBEFatura.connectorService.OnbelgeleriTekrarGonderOperationCompleted
350

QNBFinansGIB.GIBEFatura.connectorService.OnbelgeleriTekrarGonderYerelBelgeNoOperationCompleted
350

QNBFinansGIB.GIBEFatura.connectorService.OncheckDateValidControlOperationCompleted
351

QNBFinansGIB.GIBEFatura.connectorService.OncokluGidenBelgeDurumSorgulaOperationCompleted
351

QNBFinansGIB.GIBEFatura.connectorService.OncsXmlOnizlemeOperationCompleted
351

QNBFinansGIB.GIBEFatura.connectorService.OncsXmlToUblOperationCompleted
352

QNBFinansGIB.GIBEFatura.connectorService.OneFaturaKayitliKullaniciListeleOperationCompleted
352

QNBFinansGIB.GIBEFatura.connectorService.OnefaturaKulla

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

niciBilgisiOperationCompleted
352

QNBFinansGIB.GIBEFatura.connectorService.OnefaturaKullaniciListesiOperationCompleted
352

QNBFinansGIB.GIBEFatura.connectorService.OnefaturaKullanicisiOperationCompleted
353

QNBFinansGIB.GIBEFatura.connectorService.OneIrsaliyeKayitliKullaniciListeleOperationCompleted
353

QNBFinansGIB.GIBEFatura.connectorService.OneIrsaliyeKullanicisiOperationCompleted
353

QNBFinansGIB.GIBEFatura.connectorService.OnerpBilgileriBelirleOperationCompleted
354

QNBFinansGIB.GIBEFatura.connectorService.OnfaturaKepIleIadeEdildiIptalOperationCompleted
354

QNBFinansGIB.GIBEFatura.connectorService.OnfaturaKepIleIadeEdildiOperationCompleted
354

QNBFinansGIB.GIBEFatura.connectorService.OnfaturaMailGonderOperationCompleted
355

QNBFinansGIB.GIBEFatura.connectorService.OnfaturaNoUretOperationCompleted
355

QNBFinansGIB.GIBEFatura.connectorService.OnfaturaTarihcesiSorgulaOperationCompleted
355

QNBFinansGIB.GIBEFatura.connectorService.OnfaturayaItirazEdildiIptalOperationCompleted
355

QNBFinansGIB.GIBEFatura.connectorService.OnfaturayaItirazEdildiOperationCompleted
356

QNBFinansGIB.GIBEFatura.connectorService.OngelenBelgeDurumSorgulaExtOperationCompleted
356

QNBFinansGIB.GIBEFatura.connectorService.OngelenBelgeDurumSorgulaOperationCompleted
356

QNBFinansGIB.GIBEFatura.connectorService.OngelenBelgeEkleriAlOperationCompleted
357

QNBFinansGIB.GIBEFatura.connectorService.OngelenBelgeleriAlExt2OperationCompleted
357

QNBFinansGIB.GIBEFatura.connectorService.OngelenBelgeleriAlExtOperationCompleted
357

QNBFinansGIB.GIBEFatura.connectorService.OngelenBelgeleriAlOperationCompleted
358

QNBFinansGIB.GIBEFatura.connectorService.OngelenBelgeleriIndirExtOperationCompleted
358

QNBFinansGIB.GIBEFatura.connectorService.OngelenBelgeleriIndirOperationCompleted
358

QNBFinansGIB.GIBEFatura.connectorService.OngelenBelgeleriListeleExtOperationCompleted
358

QNBFinansGIB.GIBEFatura.connectorService.OngelenBelgeleriListeleOperationCompleted
359

QNBFinansGIB.GIBEFatura.connectorService.OngelenBelgeTutarBilgileriSorgulaOperationCompleted
359

QNBFinansGIB.GIBEFatura.connectorService.OngelenBelgeXmlleriniAlExtOperationCompleted
359

QNBFinansGIB.GIBEFatura.connectorService.OngelenBelgeXmlleriniAlOperationCompleted
360

QNBFinansGIB.GIBEFatura.connectorService.OngelenFaturalariArsiveKaldirOperationCompleted
360

QNBFinansGIB.GIBEFatura.connectorService.OngelenIrsaliyeleriArsiveKaldirOperationCompleted
360

QNBFinansGIB.GIBEFatura.connectorService.OngelenStandartRapolariAlOperationCompleted
361

QNBFinansGIB.GIBEFatura.connectorService.OngelenTamamlananRapolariAlOperationCompleted
361

QNBFinansGIB.GIBEFatura.connectorService.OngelenTasinanBelgeleriIndirOperationCompleted
361

QNBFinansGIB.GIBEFatura.connectorService.OngidenBelgeDurumSorgulaBelgeNoOperationCompleted
361

QNBFinansGIB.GIBEFatura.connectorService.OngidenBelgeDurumSorgulaEttnOperationCompleted
362

QNBFinansGIB.GIBEFatura.connectorService.OngidenBelgeDurumSorgulaExtOperationCompleted
362

QNBFinansGIB.GIBEFatura.connectorService.OngidenBelgeDurumSorgulaOperationCompleted
362

QNBFinansGIB.GIBEFatura.connectorService.OngidenBelgeDurumSorgulaPortalOperationCompleted

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

363

QNBFinansGIB.GIBEFatura.connectorService.OngidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted
363

QNBFinansGIB.GIBEFatura.connectorService.OngidenBelgeEkleriAlOperationCompleted
363

QNBFinansGIB.GIBEFatura.connectorService.OngidenBelgeleriIndirEttnOperationCompleted
364

QNBFinansGIB.GIBEFatura.connectorService.OngidenBelgeleriIndirOperationCompleted
364

QNBFinansGIB.GIBEFatura.connectorService.OngidenBelgeleriIndirPortalOperationCompleted
364

QNBFinansGIB.GIBEFatura.connectorService.OngidenBelgeleriListeleOperationCompleted
364

QNBFinansGIB.GIBEFatura.connectorService.OngidenBelgeleriListelePortalOperationCompleted
365

QNBFinansGIB.GIBEFatura.connectorService.OngidenBelgeTutarBilgileriSorgulaOperationCompleted
365

QNBFinansGIB.GIBEFatura.connectorService.OngidenFaturalariArsiveKaldirOperationCompleted
365

QNBFinansGIB.GIBEFatura.connectorService.OngidenIrsaliyeleriArsiveKaldirOperationCompleted
366

QNBFinansGIB.GIBEFatura.connectorService.OngidenTasinanBelgeleriIndirOperationCompleted
366

QNBFinansGIB.GIBEFatura.connectorService.OnirsaliyeMailGonderOperationCompleted
366

QNBFinansGIB.GIBEFatura.connectorService.OnirsaliyeTarihcesiSorgulaOperationCompleted
367

QNBFinansGIB.GIBEFatura.connectorService.OnkayitliKullaniciListeleExtendedOperationCompleted
367

QNBFinansGIB.GIBEFatura.connectorService.OnkayitliKullaniciListeleExtendedTimeOperationCompleted
367

QNBFinansGIB.GIBEFatura.connectorService.OnkayitliKullaniciListeleExtendedVknTcknOperationCompleted
367

QNBFinansGIB.GIBEFatura.connectorService.OnkontorBilgisiGetirOperationCompleted
368

QNBFinansGIB.GIBEFatura.connectorService.OntemelKontrollerIleBelgeGonderOperationCompleted
368

QNBFinansGIB.GIBEFatura.connectorService.OntoplamBelgeSayisiGetirOperationCompleted
368

QNBFinansGIB.GIBEFatura.connectorService.OnublOnizlemeOperationCompleted
369

QNBFinansGIB.GIBEFatura.connectorService.OnurunSablonlariniAlOperationCompleted
369

QNBFinansGIB.GIBEFatura.connectorService.OnwsKullanicisiKaydetOperationCompleted
369

QNBFinansGIB.GIBEFatura.connectorService.OnyereleAktarilacakBelgeleriAlExtOperationCompleted
370

QNBFinansGIB.GIBEFatura.connectorService.OnyereleAktarilacakBelgeleriAlOperationCompleted
370

QNBFinansGIB.GIBEFatura.connectorService.OnyolcuBeraberFaturaIptalEtOperationCompleted
370

QNBFinansGIB.GIBEFatura.connectorService.temelKontrollerIleBelgeGonder
370

QNBFinansGIB.GIBEFatura.connectorService.temelKontrollerIleBelgeGonderAsync
372

QNBFinansGIB.GIBEFatura.connectorService.temelKontrollerIleBelgeGonderCompleted
388

QNBFinansGIB.GIBEFatura.connectorService.toplamBelgeSayisiGetir
372

QNBFinansGIB.GIBEFatura.connectorService.toplamBelgeSayisiGetirAsync
373, 374

QNBFinansGIB.GIBEFatura.connectorService.toplamBelgeSayisiGetirCompleted
388

QNBFinansGIB.GIBEFatura.connectorService.ublOnizleme
374

QNBFinansGIB.GIBEFatura.connectorService.ublOnizlemeAsync
375

QNBFinansGIB.GIBEFatura.connectorService.ublOnizlemeCompleted
388

QNBFinansGIB.GIBEFatura.connectorService.Url 381

QNBFinansGIB.GIBEFatura.connectorService.urunSablonlariniAl
375

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEFatura.connectorService.urunSablonlariniAlAsync
376

QNBFinansGIB.GIBEFatura.connectorService.urunSablonlariniAlCompleted
388

QNBFinansGIB.GIBEFatura.connectorService.UseDefaultCredentials
382

QNBFinansGIB.GIBEFatura.connectorService.wsKullanicisiKaydet
376

QNBFinansGIB.GIBEFatura.connectorService.wsKullanicisiKaydetAsync
377

QNBFinansGIB.GIBEFatura.connectorService.wsKullanicisiKaydetCompleted
388

QNBFinansGIB.GIBEFatura.connectorService.yereleAktarilacakBelgeleriAl
378

QNBFinansGIB.GIBEFatura.connectorService.yereleAktarilacakBelgeleriAlAsync
378, 379

QNBFinansGIB.GIBEFatura.connectorService.yereleAktarilacakBelgeleriAlCompleted
388

QNBFinansGIB.GIBEFatura.connectorService.yereleAktarilacakBelgeleriAlExt
379

QNBFinansGIB.GIBEFatura.connectorService.yereleAktarilacakBelgeleriAlExtAsync
379, 380

QNBFinansGIB.GIBEFatura.connectorService.yereleAktarilacakBelgeleriAlExtCompleted
388

QNBFinansGIB.GIBEFatura.connectorService.yolcuBeraberFaturaIptalEt
380

QNBFinansGIB.GIBEFatura.connectorService.yolcuBeraberFaturaIptalEtAsync
381

QNBFinansGIB.GIBEFatura.connectorService.yolcuBeraberFaturaIptalEtCompleted
388

QNBFinansGIB.GIBEFatura.csXmlOnizlemeCompletedEventArgs
389

QNBFinansGIB.GIBEFatura.csXmlOnizlemeCompletedEventArgs.csXmlOnizlemeCompletedEventArgs
389

QNBFinansGIB.GIBEFatura.csXmlOnizlemeCompletedEventArgs.Result
389

QNBFinansGIB.GIBEFatura.csXmlOnizlemeCompletedEventHandler
502

QNBFinansGIB.GIBEFatura.csXmlOnizlemeCompletedEventHandler
type 502

QNBFinansGIB.GIBEFatura.csXmlToUblCompletedEventArgs
389

QNBFinansGIB.GIBEFatura.csXmlToUblCompletedEventArgs.csXmlToUblCompletedEventArgs
390

QNBFinansGIB.GIBEFatura.csXmlToUblCompletedEventArgs.Result
390

QNBFinansGIB.GIBEFatura.csXmlToUblCompletedEventHandler
502

QNBFinansGIB.GIBEFatura.csXmlToUblCompletedEventHandler
type 502

QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciHistory 390

QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciHistory.etiket
391

QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciHistory.etiketOlusturulmaZamani
391

QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciHistory.silinmeZamani
391

QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciListeleCompletedEventArgs
391

QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciListeleCompletedEventArgs.eFaturaKayitliKullaniciListeleCompletedEventArgs
392

QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciListeleCompletedEventArgs.Result
392

QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciListeleCompletedEventHandler
503

QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciListeleCompletedEventHandler
type 503

QNBFinansGIB.GIBEFatura.eFaturaKullanici 392

QNBFinansGIB.GIBEFatura.eFaturaKullanici.etiket 393

QNBFinansGIB.GIBEFatura.eFaturaKullanici.kamuKurulusu
393

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEFatura.eFaturaKullanici.kayitZamani 393
QNBFinansGIB.GIBEFatura.eFaturaKullanici.unvan 393
QNBFinansGIB.GIBEFatura.eFaturaKullanici.vergiTcKimlikNo 393
QNBFinansGIB.GIBEFatura.efaturaKullaniciBilgisiCompletedEventArgs 393
QNBFinansGIB.GIBEFatura.efaturaKullaniciBilgisiCompletedEventArgs.efaturaKullaniciBilgisiCompletedEventArgs 394
QNBFinansGIB.GIBEFatura.efaturaKullaniciBilgisiCompletedEventArgs.Result 394
QNBFinansGIB.GIBEFatura.efaturaKullaniciBilgisiCompletedEventHandler 503
QNBFinansGIB.GIBEFatura.efaturaKullaniciBilgisiCompletedEventHandler type 503
QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended 394
QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.eFaturaKayitliKullaniciHistoryList 395
QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.etiket 395
QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.etiketOlusturulmaZamani 395
QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.hesapTipi 395
QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.hesapTipiSpecified 395
QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.kamuKurulusu 395
QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.kamuKurulusuSpecified 395
QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.kayitZamani 396
QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.tip 396
QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.tipSpecified 396
QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.unvan 396
QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.vergiTcKimlikNo 396
QNBFinansGIB.GIBEFatura.efaturaKullaniciListesiCompletedEventArgs 396
QNBFinansGIB.GIBEFatura.efaturaKullaniciListesiCompletedEventArgs.efaturaKullaniciListesiCompletedEventArgs 397
QNBFinansGIB.GIBEFatura.efaturaKullaniciListesiCompletedEventArgs.Result 397
QNBFinansGIB.GIBEFatura.efaturaKullaniciListesiCompletedEventHandler 503
QNBFinansGIB.GIBEFatura.efaturaKullaniciListesiCompletedEventHandler type 503
QNBFinansGIB.GIBEFatura.efaturaKullanicisiCompletedEventArgs 397
QNBFinansGIB.GIBEFatura.efaturaKullanicisiCompletedEventArgs.efaturaKullanicisiCompletedEventArgs 397
QNBFinansGIB.GIBEFatura.efaturaKullanicisiCompletedEventArgs.Result 398
QNBFinansGIB.GIBEFatura.efaturaKullanicisiCompletedEventHandler 503
QNBFinansGIB.GIBEFatura.efaturaKullanicisiCompletedEventHandler type 503
QNBFinansGIB.GIBEFatura.eIrsaliyeKayitliKullaniciListeleCompletedEventArgs 398
QNBFinansGIB.GIBEFatura.eIrsaliyeKayitliKullaniciListeleCompletedEventArgs.eIrsaliyeKayitliKullaniciListeleCompletedEventArgs 398
QNBFinansGIB.GIBEFatura.eIrsaliyeKayitliKullaniciListeleCompletedEventArgs.Result 399
QNBFinansGIB.GIBEFatura.eIrsaliyeKayitliKullaniciListeleCompletedEventHandler 504
QNBFinansGIB.GIBEFatura.eIrsaliyeKayitliKullaniciListeleCompletedEventHandler type 504
QNBFinansGIB.GIBEFatura.eIrsaliyeKullanici 399
QNBFinansGIB.GIBEFatura.eIrsaliyeKullanici.etiket 399
QNBFinansGIB.GIBEFatura.eIrsaliyeKullanici.kamuKurulusu 399
QNBFinansGIB.GIBEFatura.eIrsaliyeKullanici.kayitZamani 400

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEFatura.eIrsaliyeKullanici.unvan 400

QNBFinansGIB.GIBEFatura.eIrsaliyeKullanici.vergiTcKimlikNo 400

QNBFinansGIB.GIBEFatura.eIrsaliyeKullanicisiCompletedEventArgs 400

QNBFinansGIB.GIBEFatura.eIrsaliyeKullanicisiCompletedEventArgs.eIrsaliyeKullanicisiCompletedEventArgs 400

QNBFinansGIB.GIBEFatura.eIrsaliyeKullanicisiCompletedEventArgs.Result 401

QNBFinansGIB.GIBEFatura.eIrsaliyeKullanicisiCompletedEventHandler 504

QNBFinansGIB.GIBEFatura.eIrsaliyeKullanicisiCompletedEventHandler type 504

QNBFinansGIB.GIBEFatura.erpBilgileri 401

QNBFinansGIB.GIBEFatura.erpBilgileri.aciklama 401

QNBFinansGIB.GIBEFatura.erpBilgileri.kod 401

QNBFinansGIB.GIBEFatura.erpBilgileriBelirleCompletedEventHandler 504

QNBFinansGIB.GIBEFatura.erpBilgileriBelirleCompletedEventHandler type 504

QNBFinansGIB.GIBEFatura.faturaKepIleIadeEdildiCompletedEventArgs 401

QNBFinansGIB.GIBEFatura.faturaKepIleIadeEdildiCompletedEventArgs.faturaKepIleIadeEdildiCompletedEventArgs 402

QNBFinansGIB.GIBEFatura.faturaKepIleIadeEdildiCompletedEventArgs.Result 402

QNBFinansGIB.GIBEFatura.faturaKepIleIadeEdildiCompletedEventHandler 504

QNBFinansGIB.GIBEFatura.faturaKepIleIadeEdildiCompletedEventHandler type 504

QNBFinansGIB.GIBEFatura.faturaKepIleIadeEdildiIptalCompletedEventArgs 402

QNBFinansGIB.GIBEFatura.faturaKepIleIadeEdildiIptalCompletedEventArgs.faturaKepIleIadeEdildiIptalCompletedEventArgs 403

QNBFinansGIB.GIBEFatura.faturaKepIleIadeEdildiIptalCompletedEventArgs.Result 403

QNBFinansGIB.GIBEFatura.faturaKepIleIadeEdildiIptalCompletedEventHandler 505

QNBFinansGIB.GIBEFatura.faturaKepIleIadeEdildiIptalCompletedEventHandler type 505

QNBFinansGIB.GIBEFatura.faturaMailGonderCompletedEventHandler 505

QNBFinansGIB.GIBEFatura.faturaMailGonderCompletedEventHandler type 505

QNBFinansGIB.GIBEFatura.faturaNoUretCompletedEventArgs 403

QNBFinansGIB.GIBEFatura.faturaNoUretCompletedEventArgs.faturaNoUretCompletedEventArgs 404

QNBFinansGIB.GIBEFatura.faturaNoUretCompletedEventArgs.Result 404

QNBFinansGIB.GIBEFatura.faturaNoUretCompletedEventHandler 505

QNBFinansGIB.GIBEFatura.faturaNoUretCompletedEventHandler type 505

QNBFinansGIB.GIBEFatura.faturaTarihcesiData 404

QNBFinansGIB.GIBEFatura.faturaTarihcesiData.bagliKayitId 405

QNBFinansGIB.GIBEFatura.faturaTarihcesiData.faturaEttn 405

QNBFinansGIB.GIBEFatura.faturaTarihcesiData.islem 405

QNBFinansGIB.GIBEFatura.faturaTarihcesiData.islemAciklama 405

QNBFinansGIB.GIBEFatura.faturaTarihcesiData.islemKanali 405

QNBFinansGIB.GIBEFatura.faturaTarihcesiData.islemKanaliAciklama 405

QNBFinansGIB.GIBEFatura.faturaTarihcesiData.islemSonucu 406

QNBFinansGIB.GIBEFatura.faturaTarihcesiData.islemZamani 406

QNBFinansGIB.GIBEFatura.faturaTarihcesiData.kullanici 406

QNBFinansGIB.GIBEFatura.faturaTarihcesiData.kullaniciIp 406

QNBFinansGIB.GIBEFatura.faturaTarihcesiData.zarfEttn 406

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEFatura.faturaTarihcesiSorgulaCompletedEventArgs 406
QNBFinansGIB.GIBEFatura.faturaTarihcesiSorgulaCompletedEventArgs.faturaTarihcesiSorgulaCompletedEventArgs 407
QNBFinansGIB.GIBEFatura.faturaTarihcesiSorgulaCompletedEventArgs.Result 407
QNBFinansGIB.GIBEFatura.faturaTarihcesiSorgulaCompletedEventHandler 505
QNBFinansGIB.GIBEFatura.faturaTarihcesiSorgulaCompletedEventHandler type 505
QNBFinansGIB.GIBEFatura.faturayaItirazEdildiCompletedEventArgs 407
QNBFinansGIB.GIBEFatura.faturayaItirazEdildiCompletedEventArgs.faturayaItirazEdildiCompletedEventArgs 408
QNBFinansGIB.GIBEFatura.faturayaItirazEdildiCompletedEventArgs.Result 408
QNBFinansGIB.GIBEFatura.faturayaItirazEdildiCompletedEventHandler 506
QNBFinansGIB.GIBEFatura.faturayaItirazEdildiCompletedEventHandler type 506
QNBFinansGIB.GIBEFatura.faturayaItirazEdildiIptalCompletedEventArgs 408
QNBFinansGIB.GIBEFatura.faturayaItirazEdildiIptalCompletedEventArgs.faturayaItirazEdildiIptalCompletedEventArgs 409
QNBFinansGIB.GIBEFatura.faturayaItirazEdildiIptalCompletedEventArgs.Result 409
QNBFinansGIB.GIBEFatura.faturayaItirazEdildiIptalCompletedEventHandler 506
QNBFinansGIB.GIBEFatura.faturayaItirazEdildiIptalCompletedEventHandler type 506
QNBFinansGIB.GIBEFatura.gelenBelgeDurum 409
QNBFinansGIB.GIBEFatura.gelenBelgeDurum.alimTarihi 410
QNBFinansGIB.GIBEFatura.gelenBelgeDurum.belgeNo 410
QNBFinansGIB.GIBEFatura.gelenBelgeDurum.ettn 410
QNBFinansGIB.GIBEFatura.gelenBelgeDurum.yanitDetayi 410
QNBFinansGIB.GIBEFatura.gelenBelgeDurum.yanitDurumu 410
QNBFinansGIB.GIBEFatura.gelenBelgeDurum.yanitGonderimCevabiDetayi 410
QNBFinansGIB.GIBEFatura.gelenBelgeDurum.yanitGonderimCevabiKodu 410
QNBFinansGIB.GIBEFatura.gelenBelgeDurum.yanitGonderimDurumu 411
QNBFinansGIB.GIBEFatura.gelenBelgeDurum.yanitGonderimTarihi 411
QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaCompletedEventArgs 411
QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaCompletedEventArgs.gelenBelgeDurumSorgulaCompletedEventArgs 411
QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaCompletedEventArgs.Result 412
QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaCompletedEventHandler 506
QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaCompletedEventHandler type 506
QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaExtCompletedEventArgs 412
QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaExtCompletedEventArgs.gelenBelgeDurumSorgulaExtCompletedEventArgs 412
QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaExtCompletedEventArgs.Result 413
QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaExtCompletedEventHandler 506
QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaExtCompletedEventHandler type 506
QNBFinansGIB.GIBEFatura.gelenBelgeDurumv2 413
QNBFinansGIB.GIBEFatura.gelenBelgeDurumv2.siraNo 414
QNBFinansGIB.GIBEFatura.gelenBelgeDurumv2.yereleAktarimDurumu 414
QNBFinansGIB.GIBEFatura.gelenBelgeDurumv3 414
QNBFinansGIB.GIBEFatura.gelenBelgeDurumv3.kepDurum 415

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEFatura.gelenBelgeDurumv4 415

QNBFinansGIB.GIBEFatura.gelenBelgeDurumv4.gibIptalDurum
416

QNBFinansGIB.GIBEFatura.gelenBelgeDurumv5 416

QNBFinansGIB.GIBEFatura.gelenBelgeDurumv5.yanitEttn
417

QNBFinansGIB.GIBEFatura.gelenBelgeEkleriAlCompletedEventArgs
417

QNBFinansGIB.GIBEFatura.gelenBelgeEkleriAlCompletedEventArgs.gelenBelgeEkleriAlCompletedEventArgs
418

QNBFinansGIB.GIBEFatura.gelenBelgeEkleriAlCompletedEventArgs.Result
418

QNBFinansGIB.GIBEFatura.gelenBelgeEkleriAlCompletedEventHandler
507

QNBFinansGIB.GIBEFatura.gelenBelgeEkleriAlCompletedEventHandler
type 507

QNBFinansGIB.GIBEFatura.gelenBelgeleriAlCompletedEventArgs
418

QNBFinansGIB.GIBEFatura.gelenBelgeleriAlCompletedEventArgs.gelenBelgeleriAlCompletedEventArgs
418

QNBFinansGIB.GIBEFatura.gelenBelgeleriAlCompletedEventArgs.Result
419

QNBFinansGIB.GIBEFatura.gelenBelgeleriAlCompletedEventHandler
507

QNBFinansGIB.GIBEFatura.gelenBelgeleriAlCompletedEventHandler
type 507

QNBFinansGIB.GIBEFatura.gelenBelgeleriAlExt2CompletedEventArgs
419

QNBFinansGIB.GIBEFatura.gelenBelgeleriAlExt2CompletedEventArgs.gelenBelgeleriAlExt2CompletedEventArgs
419

QNBFinansGIB.GIBEFatura.gelenBelgeleriAlExt2CompletedEventArgs.Result
420

QNBFinansGIB.GIBEFatura.gelenBelgeleriAlExt2CompletedEventHandler
507

QNBFinansGIB.GIBEFatura.gelenBelgeleriAlExt2CompletedEventHandler
type 507

QNBFinansGIB.GIBEFatura.gelenBelgeleriAlExt2Entry 420

QNBFinansGIB.GIBEFatura.gelenBelgeleriAlExt2Entry.key
420

QNBFinansGIB.GIBEFatura.gelenBelgeleriAlExt2Entry.value
420

QNBFinansGIB.GIBEFatura.gelenBelgeleriAlExtCompletedEventArgs
420

QNBFinansGIB.GIBEFatura.gelenBelgeleriAlExtCompletedEventArgs.gelenBelgeleriAlExtCompletedEventArgs
421

QNBFinansGIB.GIBEFatura.gelenBelgeleriAlExtCompletedEventArgs.Result
421

QNBFinansGIB.GIBEFatura.gelenBelgeleriAlExtCompletedEventHandler
507

QNBFinansGIB.GIBEFatura.gelenBelgeleriAlExtCompletedEventHandler
type 507

QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirCompletedEventArgs
421

QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirCompletedEventArgs.gelenBelgeleriIndirCompletedEventArgs
422

QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirCompletedEventArgs.Result
422

QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirCompletedEventHandler
508

QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirCompletedEventHandler
type 508

QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirExtCompletedEventArgs
422

QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirExtCompletedEventArgs.gelenBelgeleriIndirExtCompletedEventArgs
423

QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirExtCompletedEventArgs.Result
423

QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirExtCompletedEventHandler
508

QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirExtCompletedEventHandler
type 508

QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleCompletedEventArgs
423

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleCompletedEventArgs.gelenBelgeleriListeleCompletedEventArgs 424
QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleCompletedEventArgs.Result 424
QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleCompletedEventHandler 508
QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleCompletedEventHandler type 508
QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleExtCompletedEventArgs 424
QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleExtCompletedEventArgs.gelenBelgeleriListeleExtCompletedEventArgs 425
QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleExtCompletedEventArgs.Result 425
QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleExtCompletedEventHandler 508
QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleExtCompletedEventHandler type 508
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri 425
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.alanEtiket 426
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.belgeFormati 426
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.belgelerAlindiMi 426
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.belgelerAlindiMiSpecified 426
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.belgeTuru 426
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.belgeVersiyon 427
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.donusTipiVersiyon 427
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.entegrasyonHedefi 427
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.erpKodu 427
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.ettn 427
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.faturaTarihiBaslangic 427
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.faturaTarihiBitis 427
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.gelisTarihiBaslangic 427
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.gelisTarihiBitis 427
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.gondereenEtiket 428
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.onayDurum 428
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.sonAlinanBelgeSiraNumarasi 428
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.subeKodu 428
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.vergiTcKimlikNo 428
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri 428
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.belgeNo 429
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.belgeTarihi 429
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.ettn 429
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.gondericiVkn 429
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdv18Oran 429
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdv18Tutar 430
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdv1Oran 430
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdv1Tutar 430

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdv8Oran
430
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdv8Tutar
430
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdvTevkifatOran
430
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdvTevkifatTutari
430
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdvToplamTutari
430
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdvToplamTutariDovizCinsi
430
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.malHizmetToplamTutari
431
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.malHizmetToplamTutariDovizCinsi
431
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.odenecekTutar
431
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.odenecekTutarDovizCinsi
431
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileriSorgulaCompletedEventArgs
431
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileriSorgulaCompletedEventArgs.gelenBelgeTutarBilgileriSorgulaCompletedEventArgs
432
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileriSorgulaCompletedEventArgs.Result
432
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileriSorgulaCompletedEventHandler
509
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileriSorgulaCompletedEventHandler
type 509
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAlCompletedEventArgs
432
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAlCompletedEventArgs.gelenBelgeXmlleriniAlCompletedEventArgs
433
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAlCompletedEventArgs.Result
433
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAlCompletedEventHandler
509
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAlCompletedEventHandler
type 509
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAlExtCompletedEventArgs
433
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAlExtCompletedEventArgs.gelenBelgeXmlleriniAlExtCompletedEventArgs
434
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAlExtCompletedEventArgs.Result
434
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAlExtCompletedEventHandler
509
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAlExtCompletedEventHandler
type 509
QNBFinansGIB.GIBEFatura.gelenFaturalariArsiveKaldirCompletedEventHandler
509
QNBFinansGIB.GIBEFatura.gelenFaturalariArsiveKaldirCompletedEventHandler
type 509
QNBFinansGIB.GIBEFatura.gelenIrsaliyeleriArsiveKaldirCompletedEventHandler
510
QNBFinansGIB.GIBEFatura.gelenIrsaliyeleriArsiveKaldirCompletedEventHandler
type 510
QNBFinansGIB.GIBEFatura.gelenStandartRapolariAlCompletedEventArgs
434
QNBFinansGIB.GIBEFatura.gelenStandartRapolariAlCompletedEventArgs.gelenStandartRapolariAlCompletedEventArgs
435
QNBFinansGIB.GIBEFatura.gelenStandartRapolariAlCompletedEventArgs.Result
435
QNBFinansGIB.GIBEFatura.gelenStandartRapolariAlCompletedEventHandler
510
QNBFinansGIB.GIBEFatura.gelenStandartRapolariAlCompletedEventHandler
type 510
QNBFinansGIB.GIBEFatura.gelenTamamlananRapolariAlCompletedEventArgs
435

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEFatura.gelenTamamlananRapolariAlCompletedEventArgs.gelenTamamlananRapolariAlCompletedEventArgs
436

QNBFinansGIB.GIBEFatura.gelenTamamlananRapolariAlCompletedEventArgs.Result
436

QNBFinansGIB.GIBEFatura.gelenTamamlananRapolariAlCompletedEventHandler
510

QNBFinansGIB.GIBEFatura.gelenTamamlananRapolariAlCompletedEventHandler
type 510

QNBFinansGIB.GIBEFatura.gelenTasinanBelgeleriIndirCompletedEventArgs
436

QNBFinansGIB.GIBEFatura.gelenTasinanBelgeleriIndirCompletedEventArgs.gelenTasinanBelgeleriIndirCompletedEventArgs
437

QNBFinansGIB.GIBEFatura.gelenTasinanBelgeleriIndirCompletedEventArgs.Result
437

QNBFinansGIB.GIBEFatura.gelenTasinanBelgeleriIndirCompletedEventHandler
511

QNBFinansGIB.GIBEFatura.gelenTasinanBelgeleriIndirCompletedEventHandler
type 511

QNBFinansGIB.GIBEFatura.gidenBelgeDurum 437

QNBFinansGIB.GIBEFatura.gidenBelgeDurum.aciklama 438

QNBFinansGIB.GIBEFatura.gidenBelgeDurum.alimTarihi 438

QNBFinansGIB.GIBEFatura.gidenBelgeDurum.belgeNo 438

QNBFinansGIB.GIBEFatura.gidenBelgeDurum.durum 438

QNBFinansGIB.GIBEFatura.gidenBelgeDurum.ettn 438

QNBFinansGIB.GIBEFatura.gidenBelgeDurum.gonderimCevabiDetayi
438

QNBFinansGIB.GIBEFatura.gidenBelgeDurum.gonderimCevabiKodu
439

QNBFinansGIB.GIBEFatura.gidenBelgeDurum.gonderimDurumu
439

QNBFinansGIB.GIBEFatura.gidenBelgeDurum.gonderimTarihi
439

QNBFinansGIB.GIBEFatura.gidenBelgeDurum.olusturulmaTarihi
439

QNBFinansGIB.GIBEFatura.gidenBelgeDurum.yanitDetayi
439

QNBFinansGIB.GIBEFatura.gidenBelgeDurum.yanitDurumu
439

QNBFinansGIB.GIBEFatura.gidenBelgeDurum.yanitTarihi 439

QNBFinansGIB.GIBEFatura.gidenBelgeDurumParametreleri
439

QNBFinansGIB.GIBEFatura.gidenBelgeDurumParametreleri.belgeNo
440

QNBFinansGIB.GIBEFatura.gidenBelgeDurumParametreleri.belgeNoList
440

QNBFinansGIB.GIBEFatura.gidenBelgeDurumParametreleri.belgeNoTipi
440

QNBFinansGIB.GIBEFatura.gidenBelgeDurumParametreleri.belgeTuru
440

QNBFinansGIB.GIBEFatura.gidenBelgeDurumParametreleri.donusTipiVersiyon
440

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs
440

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs.gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs
441

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs.Result
441

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaBelgeNoCompletedEventHandler
511

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaBelgeNoCompletedEventHandler
type 511

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaCompletedEventArgs
441

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaCompletedEventArgs.gidenBelgeDurumSorgulaCompletedEventArgs
442

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaCompletedEventArgs.Result
442

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaCompletedEventHandler
511

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaCompletedEventHandler
type 511

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaEttnCompletedEventArgs

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

442

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaEttnCompletedEventArgs.gidenBelgeDurumSorgulaEttnCompletedEventArgs
443

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaEttnCompletedEventArgs.Result
443

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaEttnCompletedEventHandler
511

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaEttnCompletedEventHandler
type 511

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaExtCompletedEventArgs
443

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaExtCompletedEventArgs.gidenBelgeDurumSorgulaExtCompletedEventArgs
444

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaExtCompletedEventArgs.Result
444

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaExtCompletedEventHandler
512

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaExtCompletedEventHandler
type 512

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaPortalCompletedEventArgs
444

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaPortalCompletedEventArgs.gidenBelgeDurumSorgulaPortalCompletedEventArgs
445

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaPortalCompletedEventArgs.Result
445

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaPortalCompletedEventHandler
512

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaPortalCompletedEventHandler
type 512

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs
445

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs.gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs
446

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs.Result
446

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventHandler
512

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventHandler
type 512

QNBFinansGIB.GIBEFatura.gidenBelgeDurumv2 446

QNBFinansGIB.GIBEFatura.gidenBelgeDurumv2.ulastiMi 447

QNBFinansGIB.GIBEFatura.gidenBelgeDurumv2.yenidenGonderilebilirMi
447

QNBFinansGIB.GIBEFatura.gidenBelgeDurumv3 447

QNBFinansGIB.GIBEFatura.gidenBelgeDurumv3.yerelBelgeOid
448

QNBFinansGIB.GIBEFatura.gidenBelgeDurumv4 449

QNBFinansGIB.GIBEFatura.gidenBelgeDurumv4.gtbFiiliIhracatTarihi
450

QNBFinansGIB.GIBEFatura.gidenBelgeDurumv4.gtbGcbTescilNo
450

QNBFinansGIB.GIBEFatura.gidenBelgeDurumv4.gtbRefNo
450

QNBFinansGIB.GIBEFatura.gidenBelgeDurumv5 450

QNBFinansGIB.GIBEFatura.gidenBelgeDurumv5.yanitEttn
451

QNBFinansGIB.GIBEFatura.gidenBelgeDurumv5.yanitVerilenBelgeEttn
451

QNBFinansGIB.GIBEFatura.gidenBelgeDurumv6 451

QNBFinansGIB.GIBEFatura.gidenBelgeDurumv6.kepDurum
453

QNBFinansGIB.GIBEFatura.gidenBelgeEkleriAlCompletedEventArgs
453

QNBFinansGIB.GIBEFatura.gidenBelgeEkleriAlCompletedEventArgs.gidenBelgeEkleriAlCompletedEventArgs
453

QNBFinansGIB.GIBEFatura.gidenBelgeEkleriAlCompletedEventArgs.Result
454

QNBFinansGIB.GIBEFatura.gidenBelgeEkleriAlCompletedEventHandler
512

QNBFinansGIB.GIBEFatura.gidenBelgeEkleriAlCompletedEventHandler
type 512

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPortalParametreleri
454
QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPortalParametreleri.baslangicOlusturulmaTarihi
454
QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPortalParametreleri.belgeEttnListesi
454
QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPortalParametreleri.belgeTuru
455
QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPortalParametreleri.belgeVersiyon
455
QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPortalParametreleri.bitisOlusturulmaTarihi
455
QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPortalParametreleri.faturaBaslangicTarihi
455
QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPortalParametreleri.faturaBitisTarihi
455
QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPortalParametreleri.vknTckn
455
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEventArgs
455
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEventArgs.gidenBelgeleriIndirCompletedEventArgs
456
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEventArgs.Result
456
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEventHandler
513
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEventHandler
type 513
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirEttnCompletedEventArgs
456
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirEttnCompletedEventArgs.gidenBelgeleriIndirEttnCompletedEventArgs
457
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirEttnCompletedEventArgs.Result
457
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirEttnCompletedEventHandler
513
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirEttnCompletedEventHandler
type 513
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalCompletedEventArgs
457
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalCompletedEventArgs.gidenBelgeleriIndirPortalCompletedEventArgs
458
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalCompletedEventArgs.Result
458
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalCompletedEventHandler
513
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalCompletedEventHandler
type 513
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametreleri
458
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametreleri.baslangicGonderimTarihi
459
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametreleri.belgeEttnListesi
459
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametreleri.belgeFormati
459
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametreleri.belgeTuru
459
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametreleri.bitisGonderimTarihi
459
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametreleri.faturaBaslangicTarihi
459
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametreleri.faturaBitisTarihi
459
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametreleri.kaynak
460
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametreleri.pageCount
460
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametreleri.vergiTcKimlikNo
460
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleCompletedE

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

ventArgs
460

QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleCompletedEventArgs.gidenBelgeleriListeleCompletedEventArgs
460

QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleCompletedEventArgs.Result
461

QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleCompletedEventHandler
513

QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleCompletedEventHandler
type 513

QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData 461

QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.alimDurumu
461

QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.alimZamani
462

QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.belgeOid
462

QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.belgeTarihi
462

QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.belgeTuru
462

QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.ettn
462

QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.hataMesaji
462

QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.islemYapanVkn
462

QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.kaynak

462

QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.kullaniciKodu
462

QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.yerelBelgeNo
463

QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametreleri
463

QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametreleri.baslangicBelgeTarihi
463

QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametreleri.baslangicGonderimTarihi
463

QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametreleri.belgeTuru
464

QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametreleri.bitisBelgeTarihi
464

QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametreleri.bitisGonderimTarihi
464

QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametreleri.vkn
464

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalCompletedEventArgs
464

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalCompletedEventArgs.gidenBelgeleriListelePortalCompletedEventArgs
465

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalCompletedEventArgs.Result
465

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalCompletedEventHandler
514

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalCompletedEventHandler
type 514

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData
465

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.alanEtiket
466

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.alanSubeKodu
466

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.alanVergiTcKimlikNo
466

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.belgeNo
466

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.belgeTarihi
466

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.belgeTipi
466

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.belgeTuru

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

467

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.erpKodu
467

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.ettn
467

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.gonderenEtiket
467

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.gonderenSubeKodu
467

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.gonderimZamani
467

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.islemYapanVkn
467

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.kaynak
467

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.kullaniciKodu
467

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalDatav2
468

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalDatav2.yanitEttn
468

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri
469

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.baslangicGonderimTarihi
469

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.belgeEttnListesi
469

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.belgeTuru
469

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.belgeVersiyon
470

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.bitisGonderimTarihi
470

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.faturaBaslangicTarihi
470

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.faturaBitisTarihi
470

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.kaynak
470

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.pageCount
470

QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.vergiTcKimlikNo
470

QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri 470

QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.alanEtiket
471

QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.belgeHash
471

QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.belgeNo
471

QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.belgeTuru
471

QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.belgeVersiyon
472

QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.donusTipiVersiyon
472

QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.erpKodu
472

QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.gonderenEtiket
472

QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.mimeType
472

QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.subeKodu
472

QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.vergiTcKimlikNo
472

QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.veri 472

QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.xsltAdi
473

QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.xsltVeri
473

QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri 473

QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.belgeNo

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

474

QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.belgeTarihi
474

QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.ettn 474

QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdv18Oran
474

QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdv18Tutar
474

QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdv1Oran
474

QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdv1Tutar
474

QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdv8Oran
474

QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdv8Tutar
475

QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdvTevkifatOran
475

QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdvTevkifatTutari
475

QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdvToplamTutari
475

QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdvToplamTutariDovizCinsi
475

QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.malHizmetToplamTutari
475

QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.malHizmetToplamTutariDovizCinsi
475

QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.odenecekTutar
475

QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.odenecekTutarDovizCinsi
475

QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileriSorgulaCompletedEventArgs
476

QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileriSorgulaCompletedEventArgs.gidenBelgeTutarBilgileriSorgulaCompletedEventArgs
476

QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileriSorgulaCompletedEventArgs.Result
476

QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileriSorgulaCompletedEventHandler
514

QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileriSorgulaCompletedEventHandler
type 514

QNBFinansGIB.GIBEFatura.gidenFaturalariArsiveKaldirCompletedEventHandler
514

QNBFinansGIB.GIBEFatura.gidenFaturalariArsiveKaldirCompletedEventHandler
type 514

QNBFinansGIB.GIBEFatura.gidenIrsaliyeleriArsiveKaldirCompletedEventHandler
515

QNBFinansGIB.GIBEFatura.gidenIrsaliyeleriArsiveKaldirCompletedEventHandler
type 515

QNBFinansGIB.GIBEFatura.gidenTasinanBelgeleriIndirCompletedEventArgs
477

QNBFinansGIB.GIBEFatura.gidenTasinanBelgeleriIndirCompletedEventArgs.gidenTasinanBelgeleriIndirCompletedEventArgs
477

QNBFinansGIB.GIBEFatura.gidenTasinanBelgeleriIndirCompletedEventArgs.Result
477

QNBFinansGIB.GIBEFatura.gidenTasinanBelgeleriIndirCompletedEventHandler
515

QNBFinansGIB.GIBEFatura.gidenTasinanBelgeleriIndirCompletedEventHandler
type 515

QNBFinansGIB.GIBEFatura.irsaliyeMailGonderCompletedEventHandler
515

QNBFinansGIB.GIBEFatura.irsaliyeMailGonderCompletedEventHandler
type 515

QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData 477

QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.bagliKayitId
478

QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.irsaliyeEttn
478

QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.islem 478

QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.islemAcikla

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

ma
479

QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.islemKanali
479

QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.islemKanaliAciklama
479

QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.islemSonucu
479

QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.islemZamani
479

QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.kullanici
479

QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.kullaniciIp
479

QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.zarfEttn 479

QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiSorgulaCompletedEventArgs
479

QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiSorgulaCompletedEventArgs.irsaliyeTarihcesiSorgulaCompletedEventArgs
480

QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiSorgulaCompletedEventArgs.Result
480

QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiSorgulaCompletedEventHandler
515

QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiSorgulaCompletedEventHandler
type 515

QNBFinansGIB.GIBEFatura.kalanKontorBilgisi 480

QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.kalan 481

QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.kalanSpecified
481

QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.kontorBirimi
481

QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.kontorBirimiSpecified
481

QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.kontorTipi 482

QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.kontorTipiSpecified
482

QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.limitAsimMiktari
482

QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.limitAsimMiktariSpecified
482

QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.toplamAlinan
482

QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.toplamAlinanSpecified
482

QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.vknTckn 482

QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCompletedEventArgs
482

QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCompletedEventArgs.kayitliKullaniciListeleExtendedCompletedEventArgs
483

QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCompletedEventArgs.Result
483

QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCompletedEventHandler
516

QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCompletedEventHandler
type 516

QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTimeCompletedEventArgs
483

QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTimeCompletedEventArgs.kayitliKullaniciListeleExtendedTimeCompletedEventArgs
484

QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTimeCompletedEventArgs.Result
484

QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTimeCompletedEventHandler
516

QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTimeCompletedEventHandler
type 516

QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs
484

QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs.kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs
485

QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs.Result
485

QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedVknTcknCompletedEventHandler
516

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedVknTcknCompletedEventHandler
type 516

QNBFinansGIB.GIBEFatura.kontorAzaltResp 485

QNBFinansGIB.GIBEFatura.kontorAzaltResp.kanalTipi 486

QNBFinansGIB.GIBEFatura.kontorAzaltResp.kontorAzaldi
486

QNBFinansGIB.GIBEFatura.kontorAzaltResp.kontorTipi 486

QNBFinansGIB.GIBEFatura.kontorAzaltResp.miktar 486

QNBFinansGIB.GIBEFatura.kontorAzaltResp.miktarSpecified
486

QNBFinansGIB.GIBEFatura.kontorAzaltResp.odemeTipi 486

QNBFinansGIB.GIBEFatura.kontorAzaltResp.paketTipi 487

QNBFinansGIB.GIBEFatura.kontorAzaltResp.vkn 487

QNBFinansGIB.GIBEFatura.kontorBilgisiGetirCompletedEventArgs
487

QNBFinansGIB.GIBEFatura.kontorBilgisiGetirCompletedEventArgs.kontorBilgisiGetirCompletedEventArgs
487

QNBFinansGIB.GIBEFatura.kontorBilgisiGetirCompletedEventArgs.Result
488

QNBFinansGIB.GIBEFatura.kontorBilgisiGetirCompletedEventHandler
516

QNBFinansGIB.GIBEFatura.kontorBilgisiGetirCompletedEventHandler
type 516

QNBFinansGIB.GIBEFatura.kontorBirimi 496

QNBFinansGIB.GIBEFatura.kontorBirimi enumeration 496

QNBFinansGIB.GIBEFatura.kontorTipi 497

QNBFinansGIB.GIBEFatura.kontorTipi enumeration 497

QNBFinansGIB.GIBEFatura.mukellefEFaturaKayit 488

QNBFinansGIB.GIBEFatura.mukellefEFaturaKayit.efaturaKullaniciListesi
488

QNBFinansGIB.GIBEFatura.mukellefEFaturaKayit.vergiTcKimlikNo
488

QNBFinansGIB.GIBEFatura.serviceReturnType 488

QNBFinansGIB.GIBEFatura.temelKontrollerIleBelgeGonderCompletedEventArgs
489

QNBFinansGIB.GIBEFatura.temelKontrollerIleBelgeGonderCompletedEventArgs.Result
490

QNBFinansGIB.GIBEFatura.temelKontrollerIleBelgeGonderCompletedEventArgs.temelKontrollerIleBelgeGonderCompletedEventArgs
490

QNBFinansGIB.GIBEFatura.temelKontrollerIleBelgeGonderCompletedEventHandler
517

QNBFinansGIB.GIBEFatura.temelKontrollerIleBelgeGonderCompletedEventHandler
type 517

QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirCompletedEventArgs
490

QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirCompletedEventArgs.Result
491

QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirCompletedEventArgs.toplamBelgeSayisiGetirCompletedEventArgs
491

QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirCompletedEventHandler
517

QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirCompletedEventHandler
type 517

QNBFinansGIB.GIBEFatura.ublOnizlemeCompletedEventArgs
491

QNBFinansGIB.GIBEFatura.ublOnizlemeCompletedEventArgs.Result
492

QNBFinansGIB.GIBEFatura.ublOnizlemeCompletedEventArgs.ublOnizlemeCompletedEventArgs
491

QNBFinansGIB.GIBEFatura.ublOnizlemeCompletedEventHandler
517

QNBFinansGIB.GIBEFatura.ublOnizlemeCompletedEventHandler
type 517

QNBFinansGIB.GIBEFatura.urunSablonlariniAlCompletedEventArgs
492

QNBFinansGIB.GIBEFatura.urunSablonlariniAlCompletedEventArgs.Result
493

QNBFinansGIB.GIBEFatura.urunSablonlariniAlCompletedEventArgs.urunSablonlariniAlCompletedEventArgs
492

QNBFinansGIB.GIBEFatura.urunSablonlariniAlCompletedEventHandler
517

QNBFinansGIB.GIBEFatura.urunSablonlariniAlCompletedEventHandler
type 517

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEFatura.wsKullaniciBilgileri 493

QNBFinansGIB.GIBEFatura.wsKullaniciBilgileri.kullaniciKodu 493

QNBFinansGIB.GIBEFatura.wsKullaniciBilgileri.sifre 493

QNBFinansGIB.GIBEFatura.wsKullanicisiKaydetCompletedEventArgs 493

QNBFinansGIB.GIBEFatura.wsKullanicisiKaydetCompletedEventArgs.Result 494

QNBFinansGIB.GIBEFatura.wsKullanicisiKaydetCompletedEventArgs.wsKullanicisiKaydetCompletedEventArgs 494

QNBFinansGIB.GIBEFatura.wsKullanicisiKaydetCompletedEventHandler 518

QNBFinansGIB.GIBEFatura.wsKullanicisiKaydetCompletedEventHandler type 518

QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAlCompletedEventArgs 494

QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAlCompletedEventArgs.Result 495

QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAlCompletedEventArgs.yereleAktarilacakBelgeleriAlCompletedEventArgs 495

QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAlCompletedEventHandler 518

QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAlCompletedEventHandler type 518

QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAlExtCompletedEventArgs 495

QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAlExtCompletedEventArgs.Result 496

QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAlExtCompletedEventArgs.yereleAktarilacakBelgeleriAlExtCompletedEventArgs 496

QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAlExtCompletedEventHandler 518

QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAlExtCompletedEventHandler type 518

QNBFinansGIB.GIBEFatura.yolcuBeraberFaturaIptalEtCompletedEventHandler 518

QNBFinansGIB.GIBEFatura.yolcuBeraberFaturaIptalEtCompletedEventHandler type 518

QNBFinansGIB.GIBEMustahsil 519

QNBFinansGIB.GIBEMustahsil namespace 519

Classes 522

Structs, Records, Enums 651

Types 652

QNBFinansGIB.GIBEMustahsil.belge 525

QNBFinansGIB.GIBEMustahsil.belge.belgeFormati 526

QNBFinansGIB.GIBEMustahsil.belge.belgeFormatiSpecified 526

QNBFinansGIB.GIBEMustahsil.belge.belgeIcerigi 526

QNBFinansGIB.GIBEMustahsil.belgeDTO 526

QNBFinansGIB.GIBEMustahsil.belgeDTO.belgeNo 529

QNBFinansGIB.GIBEMustahsil.belgeDTO.brutUcret 529

QNBFinansGIB.GIBEMustahsil.belgeDTO.brutUcretSpecified 529

QNBFinansGIB.GIBEMustahsil.belgeDTO.kdv0_Tutar 530

QNBFinansGIB.GIBEMustahsil.belgeDTO.kdv0_TutarSpecified 530

QNBFinansGIB.GIBEMustahsil.belgeDTO.kdv1_Tutar 530

QNBFinansGIB.GIBEMustahsil.belgeDTO.kdv1_TutarSpecified 530

QNBFinansGIB.GIBEMustahsil.belgeDTO.kdv18_Tutar 530

QNBFinansGIB.GIBEMustahsil.belgeDTO.kdv18_TutarSpecified 530

QNBFinansGIB.GIBEMustahsil.belgeDTO.kdv8_Tutar 530

QNBFinansGIB.GIBEMustahsil.belgeDTO.kdv8_TutarSpecified 530

QNBFinansGIB.GIBEMustahsil.belgeDTO.kdvTevkifatTutar 530

QNBFinansGIB.GIBEMustahsil.belgeDTO.kdvTevkifatTutarSpecified 531

QNBFinansGIB.GIBEMustahsil.belgeDTO.netTahsilat 531

QNBFinansGIB.GIBEMustahsil.belgeDTO.netTahsilatSpecified 531

QNBFinansGIB.GIBEMustahsil.belgeDTO.netUcret 531

QNBFinansGIB.GIBEMustahsil.belgeDTO.netUcretSpecified 531

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj0_Tutar 531
QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj0_TutarSpecified 531
QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj1_Tutar 531
QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj1_TutarSpecified 531
QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj10_Tutar 532
QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj10_TutarSpecified 532
QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj15_Tutar 532
QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj15_TutarSpecified 532
QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj17_Tutar 532
QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj17_TutarSpecified 532
QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj2_Tutar 532
QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj2_TutarSpecified 532
QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj20_Tutar 532
QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj20_TutarSpecified 533
QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj3_Tutar 533
QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj3_TutarSpecified 533
QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj4_Tutar 533
QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj4_TutarSpecified 533
QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj5_Tutar 533
QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj5_TutarSpecified 533
QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj7_Tutar 533
QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj7_TutarSpecified 533
QNBFinansGIB.GIBEMustahsil.belgeDTO.tip 534
QNBFinansGIB.GIBEMustahsil.belgeDTO.tipSpecified 534
QNBFinansGIB.GIBEMustahsil.belgeFormatiEnum 651
QNBFinansGIB.GIBEMustahsil.belgeFormatiEnum enumeration 651
QNBFinansGIB.GIBEMustahsil.belgeOutputWrapper 534
QNBFinansGIB.GIBEMustahsil.belgeOutputWrapper.@return 534
QNBFinansGIB.GIBEMustahsil.belgeOutputWrapper.output 534
QNBFinansGIB.GIBEMustahsil.belgeZipiAl 534
QNBFinansGIB.GIBEMustahsil.belgeZipiAl.input 535
QNBFinansGIB.GIBEMustahsil.belgeZipiAlCompletedEventArgs 535
QNBFinansGIB.GIBEMustahsil.belgeZipiAlCompletedEventArgs.belgeZipiAlCompletedEventArgs 535
QNBFinansGIB.GIBEMustahsil.belgeZipiAlCompletedEventArgs.output 536
QNBFinansGIB.GIBEMustahsil.belgeZipiAlCompletedEventArgs.Result 536
QNBFinansGIB.GIBEMustahsil.belgeZipiAlCompletedEventHandler 653
QNBFinansGIB.GIBEMustahsil.belgeZipiAlCompletedEventHandler type 653
QNBFinansGIB.GIBEMustahsil.belgeZipiAlResponse 536
QNBFinansGIB.GIBEMustahsil.belgeZipiAlResponse.@return 536
QNBFinansGIB.GIBEMustahsil.belgeZipiAlResponse.output 537
QNBFinansGIB.GIBEMustahsil.doubleStringOutputWrapper 537
QNBFinansGIB.GIBEMustahsil.doubleStringOutputWrapper.@return 537
QNBFinansGIB.GIBEMustahsil.doubleStringOutputWrapper.outputDurum 537
QNBFinansGIB.GIBEMustahsil.doubleStringOutputWrapper.outputEposta 537
QNBFinansGIB.GIBEMustahsil.earsivServiceResult 538
QNBFinansGIB.GIBEMustahsil.earsivServiceResult.resultCode 538
QNBFinansGIB.GIBEMustahsil.earsivServiceResult.resultExtra 538
QNBFinansGIB.GIBEMustahsil.earsivServiceResult.resultText 538

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEMustahsil.earsivServiceResultEntry 538
QNBFinansGIB.GIBEMustahsil.earsivServiceResultEntry.key 539
QNBFinansGIB.GIBEMustahsil.earsivServiceResultEntry.value 539
QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgula 539
QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgula.input 540
QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaCompletedEventArgs 540
QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaCompletedEventArgs.@return 541
QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaCompletedEventArgs.ePostaDurumSorgulaCompletedEventArgs 540
QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaCompletedEventArgs.outputEposta 541
QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaCompletedEventArgs.Result 541
QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaCompletedEventHandler 653
QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaCompletedEventHandler type 653
QNBFinansGIB.GIBEMustahsil.ePostaGonder 541
QNBFinansGIB.GIBEMustahsil.ePostaGonder.ilaveEposta 541
QNBFinansGIB.GIBEMustahsil.ePostaGonder.input 541
QNBFinansGIB.GIBEMustahsil.ePostaGonder.tanimliEpostayaGonder 542
QNBFinansGIB.GIBEMustahsil.ePostaGonderCompletedEventArgs 542
QNBFinansGIB.GIBEMustahsil.ePostaGonderCompletedEventArgs.ePostaGonderCompletedEventArgs 542
QNBFinansGIB.GIBEMustahsil.ePostaGonderCompletedEventArgs.Result 542
QNBFinansGIB.GIBEMustahsil.ePostaGonderCompletedEventHandler 654
QNBFinansGIB.GIBEMustahsil.ePostaGonderCompletedEventHandler type 654
QNBFinansGIB.GIBEMustahsil.ePostaGonderResponse 543
QNBFinansGIB.GIBEMustahsil.ePostaGonderResponse.@return 543
QNBFinansGIB.GIBEMustahsil.faturaDTO 543
QNBFinansGIB.GIBEMustahsil.faturaDTO.arsiv 545
QNBFinansGIB.GIBEMustahsil.faturaDTO.creationTime 545
QNBFinansGIB.GIBEMustahsil.faturaDTO.currency 545
QNBFinansGIB.GIBEMustahsil.faturaDTO.dokumanFormati 546
QNBFinansGIB.GIBEMustahsil.faturaDTO.durum 546
QNBFinansGIB.GIBEMustahsil.faturaDTO.durumSpecified 546
QNBFinansGIB.GIBEMustahsil.faturaDTO.duzenlenmeZamani 546
QNBFinansGIB.GIBEMustahsil.faturaDTO.epostaGonderimDurumu 546
QNBFinansGIB.GIBEMustahsil.faturaDTO.epostaGonderimDurumuSpecified 546
QNBFinansGIB.GIBEMustahsil.faturaDTO.erpKodu 546
QNBFinansGIB.GIBEMustahsil.faturaDTO.faturaSiraNo 546
QNBFinansGIB.GIBEMustahsil.faturaDTO.faturaSiraNoSpecified 546
QNBFinansGIB.GIBEMustahsil.faturaDTO.faturaZamani 547
QNBFinansGIB.GIBEMustahsil.faturaDTO.ilkKayitZmani 547
QNBFinansGIB.GIBEMustahsil.faturaDTO.indirildi 547
QNBFinansGIB.GIBEMustahsil.faturaDTO.indirildiSpecified 547
QNBFinansGIB.GIBEMustahsil.faturaDTO.invoiceId 547
QNBFinansGIB.GIBEMustahsil.faturaDTO.invoiceTypeCode 547
QNBFinansGIB.GIBEMustahsil.faturaDTO.iptalEdenKullaniciKodu 547
QNBFinansGIB.GIBEMustahsil.faturaDTO.iptalKaynagi 547
QNBFinansGIB.GIBEMustahsil.faturaDTO.iptalKaynagiSpecified 547
QNBFinansGIB.GIBEMustahsil.faturaDTO.iptalRaporTarihi 548
QNBFinansGIB.GIBEMustahsil.faturaDTO.iptalTarihi 548
QNBFinansGIB.GIBEMustahsil.faturaDTO.iptalTarihiExcel 548
QNBFinansGIB.GIBEMustahsil.faturaDTO.islemId 548

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEMustahsil.faturaDTO.issueDate 548
QNBFinansGIB.GIBEMustahsil.faturaDTO.itirazEdenKullaniciKodu 548
QNBFinansGIB.GIBEMustahsil.faturaDTO.itirazKaynagi 548
QNBFinansGIB.GIBEMustahsil.faturaDTO.itirazKaynagiSpecified 548
QNBFinansGIB.GIBEMustahsil.faturaDTO.itirazTarihi 548
QNBFinansGIB.GIBEMustahsil.faturaDTO.kagitFatura 549
QNBFinansGIB.GIBEMustahsil.faturaDTO.kagitFaturaSpecified 549
QNBFinansGIB.GIBEMustahsil.faturaDTO.kasa 549
QNBFinansGIB.GIBEMustahsil.faturaDTO.kaynak 549
QNBFinansGIB.GIBEMustahsil.faturaDTO.kepDurum 549
QNBFinansGIB.GIBEMustahsil.faturaDTO.kepDurumSpecified 549
QNBFinansGIB.GIBEMustahsil.faturaDTO.kolayFatura 549
QNBFinansGIB.GIBEMustahsil.faturaDTO.kolayFaturaSpecified 549
QNBFinansGIB.GIBEMustahsil.faturaDTO.okundu 549
QNBFinansGIB.GIBEMustahsil.faturaDTO.okunduSpecified 550
QNBFinansGIB.GIBEMustahsil.faturaDTO.payableAmount 550
QNBFinansGIB.GIBEMustahsil.faturaDTO.payableAmountSpecified 550
QNBFinansGIB.GIBEMustahsil.faturaDTO.profileId 550
QNBFinansGIB.GIBEMustahsil.faturaDTO.raporTarihi 550
QNBFinansGIB.GIBEMustahsil.faturaDTO.receiverContact 550
QNBFinansGIB.GIBEMustahsil.faturaDTO.receiverIdentifier 550
QNBFinansGIB.GIBEMustahsil.faturaDTO.receiverIdentifierTxt 550
QNBFinansGIB.GIBEMustahsil.faturaDTO.receiverName 550
QNBFinansGIB.GIBEMustahsil.faturaDTO.senderContact 551
QNBFinansGIB.GIBEMustahsil.faturaDTO.senderName 551
QNBFinansGIB.GIBEMustahsil.faturaDTO.sonGuncellemeZamani 551
QNBFinansGIB.GIBEMustahsil.faturaDTO.sube 551
QNBFinansGIB.GIBEMustahsil.faturaDTO.tanimliSubeKod 551
QNBFinansGIB.GIBEMustahsil.faturaDTO.telNo 551
QNBFinansGIB.GIBEMustahsil.faturaDTO.toplamTutar 551
QNBFinansGIB.GIBEMustahsil.faturaDTO.toplamTutarSpecified 551
QNBFinansGIB.GIBEMustahsil.faturaDTO.uuid 551
QNBFinansGIB.GIBEMustahsil.faturaDTO.vergilerToplami 552
QNBFinansGIB.GIBEMustahsil.faturaDTO.vergilerToplamiSpecified 552
QNBFinansGIB.GIBEMustahsil.faturaDTO.versiyon 552
QNBFinansGIB.GIBEMustahsil.faturaDTO.versiyonSpecified 552
QNBFinansGIB.GIBEMustahsil.faturaDTO.yazdirildi 552
QNBFinansGIB.GIBEMustahsil.faturaDTO.yazdirildiSpecified 552
QNBFinansGIB.GIBEMustahsil.faturaDTO.yerelFaturaNo 552
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetir 552
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetir.kontorBirimi 553
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetir.kontorTipi 553
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetir.vknTckn 553
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirCompletedEventArgs 553
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirCompletedEventArgs.kontorBilgisiGetirCompletedEventArgs 554
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirCompletedEventArgs.Result 554
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirCompletedEventHandler 654
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirCompletedEventHandler type 654
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirResponse 554
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirResponse.@return 554
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEt 555
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEt.input 555
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompl

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

etedEventArgs
555

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompletedEventArgs.mustahsilMakbuzIptalEtCompletedEventArgs
556

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompletedEventArgs.Result
556

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompletedEventHandler
654

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompletedEventHandler
type 654

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtResponse
556

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtResponse.@return
556

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldir
557

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldir.input
557

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldirCompletedEventArgs
557

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldirCompletedEventArgs.mustahsilMakbuzIptaliKaldirCompletedEventArgs
558

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldirCompletedEventArgs.Result
558

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldirCompletedEventHandler
654

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldirCompletedEventHandler
type 654

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldirResponse
558

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldirResponse.@return
558

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula
559

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula.input
559

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaCompletedEventArgs
559

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaCompletedEventArgs.mustahsilMakbuzListeSorgulaCompletedEventArgs
560

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaCompletedEventArgs.output
560

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaCompletedEventArgs.Result
560

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaCompletedEventHandler
655

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaCompletedEventHandler
type 655

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortal
560

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortal.input
561

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortalCompletedEventArgs
561

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortalCompletedEventArgs.mustahsilMakbuzListeSorgulaPortalCompletedEventArgs
561

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortalCompletedEventArgs.output
562

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortalCompletedEventArgs.Result
562

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortalCompletedEventHandler
655

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortalCompletedEventHandler
type 655

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortalResponse
562

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortalResponse.@return
562

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortalResponse.output
562

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Response
562

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula Response.@return
563

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula Response.output
563

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlustur 563

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlustur.belge
564

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlustur.input
564

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturCompletedEventArgs
564

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturCompletedEventArgs.@return
565

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturCompletedEventArgs.mustahsilMakbuzOlusturCompletedEventArgs
564

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturCompletedEventArgs.Result
565

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturCompletedEventHandler
655

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturCompletedEventHandler type 655

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizleme
565

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizleme.belge
565

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizleme.input
565

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCompletedEventArgs
565

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCompletedEventArgs.@return
566

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCompletedEventArgs.mustahsilMakbuzOnizlemeCompletedEventArgs
566

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCompletedEventArgs.Result
566

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCompletedEventHandler
655

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCompletedEventHandler type 655

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgula 566

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgula.input
567

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCompletedEventArgs
567

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCompletedEventArgs.@return
568

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCompletedEventArgs.mustahsilMakbuzSorgulaCompletedEventArgs
568

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCompletedEventArgs.Result
568

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCompletedEventHandler
656

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCompletedEventHandler type 656

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlustur
568

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlustur.belge
569

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlustur.input
569

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturCompletedEventArgs
569

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturCompletedEventArgs.mustahsilMakbuzTaslakOlusturCompletedEventArgs
569

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturCompletedEventArgs.Result
570

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturCompletedEventHandler
656

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturCompletedEventHandler
type 656

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturResponse
570

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturResponse.@return
570

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizleme
570

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizleme.input
571

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeCompletedEventArgs
571

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeCompletedEventArgs.mustahsilMakbuzTaslakOnizlemeCompletedEventArgs
571

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeCompletedEventArgs.output
572

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeCompletedEventArgs.Result
572

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeCompletedEventHandler
656

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeCompletedEventHandler
type 656

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeResponse
572

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeResponse.@return
572

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeResponse.output
572

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSil
573

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSil.input
573

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCompletedEventArgs
573

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCompletedEventArgs.mustahsilMakbuzTaslakSilCompletedEventArgs
574

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCompletedEventArgs.Result
574

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCompletedEventHandler
657

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCompletedEventHandler
type 657

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilResponse
574

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilResponse.@return
574

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgula
575

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgula.input
575

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgulaCompletedEventArgs
575

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgulaCompletedEventArgs.mustahsilMakbuzTaslakSorgulaCompletedEventArgs
576

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgulaCompletedEventArgs.output
576

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgulaCompletedEventArgs.Result
576

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgulaCompletedEventHandler
657

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgulaCompletedEventHandler
type 657

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgulaResponse
576

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgulaResponse.@return
577

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgulaResponse.output
577

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlustur

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

577

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlustur.input
577

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlusturCompletedEventArgs
577

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlusturCompletedEventArgs.@return
578

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlusturCompletedEventArgs.mustahsilMakbuzTaslaktanOlusturCompletedEventArgs
578

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlusturCompletedEventArgs.Result
578

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlusturCompletedEventHandler
657

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlusturCompletedEventHandler
type 657

QNBFinansGIB.GIBEMustahsil.MustahsilWebService 578

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.belgeZipiAl
584

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.belgeZipiAlAsync
585

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.belgeZipiAlCompleted
622

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.CancelAsync
585

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.ePostaDurumSorgula
585

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.ePostaDurumSorgulaAsync
586

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.ePostaDurumSorgulaCompleted
622

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.ePostaGonder
586

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.ePostaGonderAsync
587

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.ePostaGonderCompleted
622

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.IsLocalFileSystemWebService
588

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.kontorBilgisiGetir
588

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.kontorBilgisiGetirAsync
589

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.kontorBilgisiGetirCompleted
622

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzIptalEt
589

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzIptalEtAsync
590

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzIptalEtCompleted
623

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzIptaliKaldir
590

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzIptaliKaldirAsync
591

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzIptaliKaldirCompleted
623

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzListeSorgula
591

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzListeSorgulaAsync
592

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzListeSorgulaCompleted
623

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzListeSorgulaPortal
592

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzListeSorgulaPortalAsync
593

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzListeSorgulaPortalCompleted
623

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzOlustur
593

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

silMakbuzOlusturAsync
594

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzOlusturCompleted
623

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzOnizleme
594

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzOnizlemeAsync
595

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzOnizlemeCompleted
623

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzSorgula
595

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzSorgulaAsync
596

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzSorgulaCompleted
623

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakOlustur
596

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakOlusturAsync
597

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakOlusturCompleted
623

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakOnizleme
597

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakOnizlemeAsync
598

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakOnizlemeCompleted
623

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakSil
598

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakSilAsync
599

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakSilCompleted
623

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakSorgula
599

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakSorgulaAsync
600

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakSorgulaCompleted
623

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslaktanOlustur
600

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslaktanOlusturAsync
601

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslaktanOlusturCompleted
624

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.MustahsilWebService
584

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnbelgeZipiAlOperationCompleted
601

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnePostaDurumSorgulaOperationCompleted
602

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnePostaGonderOperationCompleted
602

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnkontorBilgisiGetirOperationCompleted
602

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzIptalEtOperationCompleted
602

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzIptaliKaldirOperationCompleted
603

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzListeSorgulaOperationCompleted
603

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzListeSorgulaPortalOperationCompleted
603

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzOlusturOperationCompleted
604

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzOnizlemeOperationCompleted
604

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzSorgulaOperationCompleted
604

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzTaslakOlusturOperationCompleted

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

605

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzTaslakOnizlemeOperationCompleted
605

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzTaslakSilOperationCompleted
605

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzTaslakSorgulaOperationCompleted
605

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzTaslaktanOlusturOperationCompleted
606

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnraporBolumAlOperationCompleted
606

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnraporBolumBilgisiAlOperationCompleted
606

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnraporBolumleriOlusturOperationCompleted
607

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnraporBolumListesiDetayliSorgulaOperationCompleted
607

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnraporBolumListesiSorgulaOperationCompleted
607

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnraporBolumRaporNoGuncelleImzalaOperationCompleted
608

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnraporBolumSilOperationCompleted
608

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnrapordaBelgeSorgulaOperationCompleted
608

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnraporDurumSorgulaOperationCompleted
608

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnraporGonderOperationCompleted
609

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnsmsDurumSorgulaOperationCompleted
609

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnsmsGonderOperationCompleted
609

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumAl
610

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumAlAsync
610

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumAlCompleted
624

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumBilgisiAl
611

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumBilgisiAlAsync
611

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumBilgisiAlCompleted
624

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumleriOlustur
612

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumleriOlusturAsync
612, 613

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumleriOlusturCompleted
624

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumListesiDetayliSorgula
613

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumListesiDetayliSorgulaAsync
613, 614

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumListesiDetayliSorgulaCompleted
624

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumListesiSorgula
614

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumListesiSorgulaAsync
614, 615

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumListesiSorgulaCompleted
624

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumRaporNoGuncelleImzala
615

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumRaporNoGuncelleImzalaAsync
615, 616

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumRaporNoGuncelleImzalaCompleted
624

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumSil
616

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumSilAsync
616, 617

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumSilCompleted
624

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.rapordaBelgeSorgula
617

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.rapordaBelgeSorgulaAsync
617

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.rapordaBelgeSorgulaCompleted
624

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporDurumSorgula
618

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporDurumSorgulaAsync
618

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporDurumSorgulaCompleted
624

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporGonder
619

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporGonderAsync
619

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporGonderCompleted
624

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.smsDurumSorgula
620

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.smsDurumSorgulaAsync
620

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.smsDurumSorgulaCompleted
625

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.smsGonder
621

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.smsGonderAsync
621, 622

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.smsGonderCompleted
625

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.Url 622

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.UseDefaultCredentials
622

QNBFinansGIB.GIBEMustahsil.raporBolumAl 625

QNBFinansGIB.GIBEMustahsil.raporBolumAl.bolumRaporNo
625

QNBFinansGIB.GIBEMustahsil.raporBolumAlCompletedEventArgs
625

QNBFinansGIB.GIBEMustahsil.raporBolumAlCompletedEventArgs.@return
626

QNBFinansGIB.GIBEMustahsil.raporBolumAlCompletedEventArgs.raporBolumAlCompletedEventArgs
626

QNBFinansGIB.GIBEMustahsil.raporBolumAlCompletedEventArgs.Result
626

QNBFinansGIB.GIBEMustahsil.raporBolumAlCompletedEventHandler
657

QNBFinansGIB.GIBEMustahsil.raporBolumAlCompletedEventHandler
type 657

QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAl 626

QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAl.bolumRaporNo
627

QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAlCompletedEventArgs
627

QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAlCompletedEventArgs.raporBolumBilgisiAlCompletedEventArgs
627

QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAlCompletedEventArgs.Result
628

QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAlCompletedEventHandler
658

QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAlCompletedEventHandler
type 658

QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAlResponse
628

QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAlResponse.@return
628

QNBFinansGIB.GIBEMustahsil.raporBolumDTO 628

QNBFinansGIB.GIBEMustahsil.raporBolumDTO.baslangicTarihi
629

QNBFinansGIB.GIBEMustahsil.raporBolumDTO.bitisTarihi

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

629

QNBFinansGIB.GIBEMustahsil.raporBolumDTO.bolumNo 629

QNBFinansGIB.GIBEMustahsil.raporBolumDTO.bolumNoSpecified
629

QNBFinansGIB.GIBEMustahsil.raporBolumDTO.bolumRaporNo
629

QNBFinansGIB.GIBEMustahsil.raporBolumDTO.durum 629

QNBFinansGIB.GIBEMustahsil.raporBolumDTO.durumAciklama
630

QNBFinansGIB.GIBEMustahsil.raporBolumDTO.durumKodu
630

QNBFinansGIB.GIBEMustahsil.raporBolumDTO.sonIslemeZamani
630

QNBFinansGIB.GIBEMustahsil.raporBolumleriOlustur 630

QNBFinansGIB.GIBEMustahsil.raporBolumleriOlustur.donem
630

QNBFinansGIB.GIBEMustahsil.raporBolumleriOlustur.input
631

QNBFinansGIB.GIBEMustahsil.raporBolumleriOlustur.sonGun

631

QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturCompletedEventArgs
631

QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturCompletedEventArgs.raporBolumleriOlusturCompletedEventArgs
631

QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturCompletedEventArgs.Result
632

QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturCompletedEventHandler
658

QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturCompletedEventHandler
type 658

QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturResponse
632

QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturResponse.@return
632

QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorgula
632

QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorgula.donem
633

QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorgulaCompletedEventArgs
633

QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorgulaCompletedEventArgs.output
634

QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorgulaCompletedEventArgs.raporBolumListesiDetayliSorgulaCompletedEventArgs
633

QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorgulaCompletedEventArgs.Result
634

QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorgulaCompletedEventHandler
658

QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorgulaCompletedEventHandler
type 658

QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorgulaResponse
634

QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorgulaResponse.@return
634

QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorgulaResponse.output
634

QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgula 634

QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgula.donem
635

QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCompletedEventArgs
635

QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCompletedEventArgs.@return
636

QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCompletedEventArgs.raporBolumListesiSorgulaCompletedEventArgs
636

QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCompletedEventArgs.Result
636

QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCompletedEventHandler
658

QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCompletedEventHandler
type 658

QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzala

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

636

QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzala.bolumRaporNo
637

QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzalaCompletedEventArgs
637

QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzalaCompletedEventArgs.raporBolumRaporNoGuncelleImzalaCompletedEventArgs
637

QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzalaCompletedEventArgs.Result
638

QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzalaCompletedEventHandler
659

QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzalaCompletedEventHandler
type 659

QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzalaResponse
638

QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzalaResponse.@return
638

QNBFinansGIB.GIBEMustahsil.raporBolumSil 638

QNBFinansGIB.GIBEMustahsil.raporBolumSil.bolumRaporNo
639

QNBFinansGIB.GIBEMustahsil.raporBolumSilCompletedEventArgs
639

QNBFinansGIB.GIBEMustahsil.raporBolumSilCompletedEventArgs.raporBolumSilCompletedEventArgs
639

QNBFinansGIB.GIBEMustahsil.raporBolumSilCompletedEventArgs.Result
639

QNBFinansGIB.GIBEMustahsil.raporBolumSilCompletedEventHandler
659

QNBFinansGIB.GIBEMustahsil.raporBolumSilCompletedEventHandler
type 659

QNBFinansGIB.GIBEMustahsil.raporBolumSilResponse 640

QNBFinansGIB.GIBEMustahsil.raporBolumSilResponse.@return
640

QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgula 640

QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgula.input
641

QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaCompletedEventArgs
641

QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaCompletedEventArgs.rapordaBelgeSorgulaCompletedEventArgs
641

QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaCompletedEventArgs.Result
641

QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaCompletedEventHandler
659

QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaCompletedEventHandler
type 659

QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaResponse
642

QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaResponse.@return
642

QNBFinansGIB.GIBEMustahsil.raporDurumSorgula 642

QNBFinansGIB.GIBEMustahsil.raporDurumSorgula.donem
643

QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaCompletedEventArgs
643

QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaCompletedEventArgs.raporDurumSorgulaCompletedEventArgs
643

QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaCompletedEventArgs.Result
643

QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaCompletedEventHandler
659

QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaCompletedEventHandler
type 659

QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaResponse
644

QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaResponse.@return
644

QNBFinansGIB.GIBEMustahsil.raporGonder 644

QNBFinansGIB.GIBEMustahsil.raporGonder.donem 645

QNBFinansGIB.GIBEMustahsil.raporGonderCompletedEventArgs
645

QNBFinansGIB.GIBEMustahsil.raporGonderCompletedEventArgs.raporGonderCompletedEventArgs
645

QNBFinansGIB.GIBEMustahsil.raporGonderCompletedEvent

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Args.Result
645

QNBFinansGIB.GIBEMustahsil.raporGonderCompletedEvent
Handler
660

QNBFinansGIB.GIBEMustahsil.raporGonderCompletedEvent
Handler
type 660

QNBFinansGIB.GIBEMustahsil.raporGonderResponse 646

QNBFinansGIB.GIBEMustahsil.raporGonderResponse.@retur
n
646

QNBFinansGIB.GIBEMustahsil.smsDurumSorgula 646

QNBFinansGIB.GIBEMustahsil.smsDurumSorgula.input 647

QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompleted
EventArgs
647

QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompleted
EventArgs.outputDurum
647

QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompleted
EventArgs.Result
648

QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompleted
EventArgs.smsDurumSorgulaCompletedEventArgs
647

QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompleted
EventHandler
660

QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompleted
EventHandler
type 660

QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaResponse
648

QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaResponse.
@return
648

QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaResponse.o
utputDurum
648

QNBFinansGIB.GIBEMustahsil.smsGonder 648

QNBFinansGIB.GIBEMustahsil.smsGonder.ilaveTelefonNo
649

QNBFinansGIB.GIBEMustahsil.smsGonder.input 649

QNBFinansGIB.GIBEMustahsil.smsGonder.tanimliTelefonNoy
aGonder
649

QNBFinansGIB.GIBEMustahsil.smsGonderCompletedEventAr
gs
649

QNBFinansGIB.GIBEMustahsil.smsGonderCompletedEventAr
gs.Result
650

QNBFinansGIB.GIBEMustahsil.smsGonderCompletedEventAr
gs.smsGonderCompletedEventArgs
650

QNBFinansGIB.GIBEMustahsil.smsGonderCompletedEventH
andler
660

QNBFinansGIB.GIBEMustahsil.smsGonderCompletedEventH
andler
type 660

QNBFinansGIB.GIBEMustahsil.smsGonderResponse 650

QNBFinansGIB.GIBEMustahsil.smsGonderResponse.@return
650

QNBFinansGIB.GIBEMustahsil.stringOutputWrapper 651

QNBFinansGIB.GIBEMustahsil.stringOutputWrapper.@return
651

QNBFinansGIB.GIBEMustahsil.stringOutputWrapper.output
651

QNBFinansGIB.GIBUserService 660

QNBFinansGIB.GIBUserService namespace 660

Classes 661

Types 666

QNBFinansGIB.GIBUserService.logoutCompletedEventHandl
er
666

QNBFinansGIB.GIBUserService.logoutCompletedEventHandl
er
type 666

QNBFinansGIB.GIBUserService.userService 661

QNBFinansGIB.GIBUserService.userService.CancelAsync
662

QNBFinansGIB.GIBUserService.userService.IsLocalFileSyste
mWebService
662

QNBFinansGIB.GIBUserService.userService.logout 663

QNBFinansGIB.GIBUserService.userService.logoutAsync 663

QNBFinansGIB.GIBUserService.userService.logoutComplete
d
665

QNBFinansGIB.GIBUserService.userService.OnlogoutOperati
onCompleted
663

QNBFinansGIB.GIBUserService.userService.OnwsLoginOper
ationCompleted
664

QNBFinansGIB.GIBUserService.userService.Url 665

QNBFinansGIB.GIBUserService.userService.UseDefaultCred
entials

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

665
QNBFinansGIB.GIBUserService.userService.userService 662
QNBFinansGIB.GIBUserService.userService.wsLogin 664
QNBFinansGIB.GIBUserService.userService.wsLoginAsync 665
QNBFinansGIB.GIBUserService.userService.wsLoginCompleted 665
QNBFinansGIB.GIBUserService.wsLoginCompletedEventHandler 666
QNBFinansGIB.GIBUserService.wsLoginCompletedEventHandler type 666
QNBFinansGIB.Program 762
QNBFinansGIB.Program.Main 763
QNBFinansGIB.Properties 666
QNBFinansGIB.Properties namespace 666
Classes 666
QNBFinansGIB.Properties.Resources 667
QNBFinansGIB.Properties.Resources.Culture 668
QNBFinansGIB.Properties.Resources.ResourceManager 668
QNBFinansGIB.Properties.Resources.Resources 667
QNBFinansGIB.Properties.Settings 668
QNBFinansGIB.Properties.Settings.Default 669
QNBFinansGIB.Properties.Settings.QNBFinansGIB_GIBEArsiv_EarsivWebService 669
QNBFinansGIB.Properties.Settings.QNBFinansGIB_GIBEArsiv_MustahsilWebService 669
QNBFinansGIB.Properties.Settings.QNBFinansGIB_GIBEFatura_connectorService 669
QNBFinansGIB.Properties.Settings.QNBFinansGIB_GIBEMustahsil_MustahsilWebService 670
QNBFinansGIB.Properties.Settings.QNBFinansGIB_GIBUserService_userService 670
QNBFinansGIB.sln 800
QNBFinansGIB.Utils 670
QNBFinansGIB.Utils namespace 670
Classes 670
QNBFinansGIB.Utils.BoslukKaldir 671
QNBFinansGIB.Utils.BoslukKaldir.BosluklariKaldir 671
QNBFinansGIB.Utils.DisServisler 672
QNBFinansGIB.Utils.DisServisler.EArsivGonder 672
QNBFinansGIB.Utils.DisServisler.EArsivOnIzleme 673
QNBFinansGIB.Utils.DisServisler.EFaturaGonder 674
QNBFinansGIB.Utils.DisServisler.EFaturaKullanicisiMi 675
QNBFinansGIB.Utils.DisServisler.EFaturaOnIzleme 676
QNBFinansGIB.Utils.DisServisler.EMustahsilGonder 677
QNBFinansGIB.Utils.DisServisler.EMustahsilOnIzleme 678
QNBFinansGIB.Utils.DisServisler.GetMD5Hash 679
QNBFinansGIB.Utils.Enums 679
QNBFinansGIB.Utils.Enums.FaturaMakbuzGrupTur 680
QNBFinansGIB.Utils.Enums.FaturaMakbuzGrupTur enumeration 680
QNBFinansGIB.Utils.Enums.FaturaTur 680
QNBFinansGIB.Utils.Enums.FaturaTur enumeration 680
QNBFinansGIB.Utils.Enums.SatisTur 681
QNBFinansGIB.Utils.Enums.SatisTur enumeration 681
QNBFinansGIB.Utils.GeriDonus 681
QNBFinansGIB.Utils.GeriDonus.Dosya 682
QNBFinansGIB.Utils.GeriDonus.Tip 682
QNBFinansGIB.Utils.MesajSabitler 682
QNBFinansGIB.Utils.MesajSabitler.IslemBasarili 682
QNBFinansGIB.Utils.MesajSabitler.IslemBasarisiz 682
QNBFinansGIB.Utils.MesajSabitler.MesajBasligi 683
QNBFinansGIB.Utils.YardimciSiniflar 683
QNBFinansGIB.Utils.YardimciSiniflar.EArsivXMLOlustur 683
QNBFinansGIB.Utils.YardimciSiniflar.EFaturaXMLOlustur 714
QNBFinansGIB.Utils.YardimciSiniflar.EMustahsilXMLOlustur 730

R

RafFiyatGarantili enumeration member 681
raporBolumAl class 175, 625
about raporBolumAl class 175, 625
bolumRaporNo 175, 625
raporBolumAlCompletedEventArgs class 175, 625
@return 176, 626
about raporBolumAlCompletedEventArgs class 175, 625
raporBolumAlCompletedEventArgs 176, 626
Result 176, 626
raporBolumBilgisiAl class 176, 626
about raporBolumBilgisiAl class 176, 626

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

bolumRaporNo 177, 627

raporBolumBilgisiAlCompletedEventArgs class 177, 627

about raporBolumBilgisiAlCompletedEventArgs class 177, 627

raporBolumBilgisiAlCompletedEventArgs 177, 627

Result 178, 628

raporBolumBilgisiAlResponse class 178, 628

@return 178, 628

about raporBolumBilgisiAlResponse class 178, 628

raporBolumDTO class 178, 628

about raporBolumDTO class 178, 628

baslangicTarihi 179, 629

bitisTarihi 179, 629

bolumNo 179, 629

bolumNoSpecified 179, 629

bolumRaporNo 179, 629

durum 180, 629

durumAciklama 180, 630

durumKodu 180, 630

sonIslemeZamani 180, 630

raporBolumleriOlustur class 180, 630

about raporBolumleriOlustur class 180, 630

donem 181, 630

input 181, 631

sonGun 181, 631

raporBolumleriOlusturCompletedEventArgs class 181, 631

about raporBolumleriOlusturCompletedEventArgs class 181, 631

raporBolumleriOlusturCompletedEventArgs 181, 631

Result 182, 632

raporBolumleriOlusturResponse class 182, 632

@return 182, 632

about raporBolumleriOlusturResponse class 182, 632

raporBolumListesiDetayliSorgula class 182, 632

about raporBolumListesiDetayliSorgula class 182, 632

donem 183, 633

raporBolumListesiDetayliSorgulaCompletedEventArgs class 183, 633

about raporBolumListesiDetayliSorgulaCompletedEventArgs class 183, 633

output 184, 634

raporBolumListesiDetayliSorgulaCompletedEventArgs 183, 633

Result 184, 634

raporBolumListesiDetayliSorgulaResponse class 184, 634

@return 184, 634

about raporBolumListesiDetayliSorgulaResponse class 184, 634

output 185, 634

raporBolumListesiSorgula class 185, 634

about raporBolumListesiSorgula class 185, 634

donem 185, 635

raporBolumListesiSorgulaCompletedEventArgs class 185, 635

@return 186, 636

about raporBolumListesiSorgulaCompletedEventArgs class 185, 635

raporBolumListesiSorgulaCompletedEventArgs 186, 636

Result 186, 636

raporBolumListesiSorgulaWithInput class 186

about raporBolumListesiSorgulaWithInput class 186

donem 187

input 187

raporBolumListesiSorgulaWithInputCompletedEventArgs class 187

@return 188

about raporBolumListesiSorgulaWithInputCompletedEventArgs class 187

raporBolumListesiSorgulaWithInputCompletedEventArgs 188

Result 188

raporBolumRaporNoGuncelleImzala class 188, 636

about raporBolumRaporNoGuncelleImzala class 188, 636

bolumRaporNo 189, 637

raporBolumRaporNoGuncelleImzalaCompletedEventArgs class 189, 637

about raporBolumRaporNoGuncelleImzalaCompletedEventArgs class 189, 637

raporBolumRaporNoGuncelleImzalaCompletedEventArgs 189, 637

Result 190, 638

raporBolumRaporNoGuncelleImzalaResponse class 190, 638

@return 190, 638

about raporBolumRaporNoGuncelleImzalaResponse class 190, 638

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

raporBolumSil class 190, 638
about raporBolumSil class 190, 638
bolumRaporNo 191, 639
raporBolumSilCompletedEventArgs class 191, 639
about raporBolumSilCompletedEventArgs class 191, 639
raporBolumSilCompletedEventArgs 191, 639
Result 191, 639
raporBolumSilResponse class 192, 640
@return 192, 640
about raporBolumSilResponse class 192, 640
rapordaBelgeSorgula class 640
about rapordaBelgeSorgula class 640
input 641
rapordaBelgeSorgulaCompletedEventArgs class 641
about rapordaBelgeSorgulaCompletedEventArgs class 641
rapordaBelgeSorgulaCompletedEventArgs 641
Result 641
rapordaBelgeSorgulaResponse class 642
@return 642
about rapordaBelgeSorgulaResponse class 642
rapordaFaturaSorgula class 192
about rapordaFaturaSorgula class 192
input 193
rapordaFaturaSorgulaCompletedEventArgs class 193
about rapordaFaturaSorgulaCompletedEventArgs class 193
rapordaFaturaSorgulaCompletedEventArgs 193
Result 193
rapordaFaturaSorgulaResponse class 194
@return 194
about rapordaFaturaSorgulaResponse class 194
raporDurumSorgula class 194, 642
about raporDurumSorgula class 194, 642
donem 195, 643
raporDurumSorgulaCompletedEventArgs class 195, 643
about raporDurumSorgulaCompletedEventArgs class 195, 643
raporDurumSorgulaCompletedEventArgs 195, 643
Result 195, 643
raporDurumSorgulaResponse class 196, 644
@return 196, 644
about raporDurumSorgulaResponse class 196, 644
raporGonder class 196, 644
about raporGonder class 196, 644
donem 197, 645
raporGonderCompletedEventArgs class 197, 645
about raporGonderCompletedEventArgs class 197, 645
raporGonderCompletedEventArgs 197, 645
Result 197, 645
raporGonderResponse class 198, 646
@return 198, 646
about raporGonderResponse class 198, 646
Reference.cs 800
Resources class 667
about Resources class 667
Culture 668
ResourceManager 668
Resources 667
Resources.Designer.cs 804

S

Satis enumeration member 680
Seker enumeration member 680
serviceReturnType class 198, 488
about serviceReturnType class 198, 488
servisSaglayicidanEpostaDurumSorgula class 198
about servisSaglayicidanEpostaDurumSorgula class 198
input 199
servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs class 199
@return 200
about servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs class 199
outputEposta 200
Result 200
servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs 200
Settings class 668
about Settings class 668
Default 669
QNBFinansGIB_GIBEArsiv_EarsivWebService 669

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB_GIBEArsiv_MustahsilWebService 669
QNBFinansGIB_GIBEFatura_connectorService 669
QNBFinansGIB_GIBEMustahsil_MustahsilWebService 670
QNBFinansGIB_GIBUserService_userService 670
Settings.Designer.cs 805
SMM enumeration member 497
smsDurumSorgula class 200, 646
about smsDurumSorgula class 200, 646
input 201, 647
smsDurumSorgulaCompletedEventArgs class 201, 647
about smsDurumSorgulaCompletedEventArgs class 201, 647
outputDurum 202, 647
Result 202, 648
smsDurumSorgulaCompletedEventArgs 201, 647
smsDurumSorgulaResponse class 202, 648
@return 202, 648
about smsDurumSorgulaResponse class 202, 648
outputDurum 202, 648
smsGonder class 202, 648
about smsGonder class 202, 648
ilaveTelefonNo 203, 649
input 203, 649
tanimliTelefonNoyaGonder 203, 649
smsGonderCompletedEventArgs class 203, 649
about smsGonderCompletedEventArgs class 203, 649
Result 204, 650
smsGonderCompletedEventArgs 204, 650
smsGonderResponse class 204, 650
@return 205, 650
about smsGonderResponse class 204, 650
stringOutputWrapper class 205, 651
@return 205, 651
about stringOutputWrapper class 205, 651
output 205, 651

T

temelKontrollerIleBelgeGonderCompletedEventArgs class 489
about temelKontrollerIleBelgeGonderCompletedEventArgs class 489
Result 490
temelKontrollerIleBelgeGonderCompletedEventArgs 490
TeskilataVerilen enumeration member 681
TeslimattaVadeli enumeration member 681
TL enumeration member 496
toplamBelgeSayisiGetirCompletedEventArgs class 490
about toplamBelgeSayisiGetirCompletedEventArgs class 490
Result 491
toplamBelgeSayisiGetirCompletedEventArgs 491
topluFaturaPaketDosyaGonder class 205
about topluFaturaPaketDosyaGonder class 205
input 206
paketDosyasiZip 206
topluFaturaPaketDosyaGonderCompletedEventArgs class 206
about topluFaturaPaketDosyaGonderCompletedEventArgs class 206
Result 207
topluFaturaPaketDosyaGonderCompletedEventArgs 207
topluFaturaPaketDosyaGonderResponse class 207
@return 207
about topluFaturaPaketDosyaGonderResponse class 207
topluFaturaPaketDosyasiSorgula class 208
about topluFaturaPaketDosyasiSorgula class 208
input 208
topluFaturaPaketDosyasiSorgulaCompletedEventArgs class 208
@return 209
about topluFaturaPaketDosyasiSorgulaCompletedEventArgs class 208
Result 209
topluFaturaPaketDosyasiSorgulaCompletedEventArgs 209
topluFaturaPaketOnayla class 209
about topluFaturaPaketOnayla class 209
input 210
topluFaturaPaketOnaylaCompletedEventArgs class 210
about topluFaturaPaketOnaylaCompletedEventArgs class 210
Result 210
topluFaturaPaketOnaylaCompletedEventArgs 210

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

topluFaturaPaketOnaylaResponse class 211
@return 211
about topluFaturaPaketOnaylaResponse class 211
topluFaturaPaketSorgula class 211
about topluFaturaPaketSorgula class 211
input 212
topluFaturaPaketSorgulaCompletedEventArgs class 212
@return 213
about topluFaturaPaketSorgulaCompletedEventArgs class 212
Result 213
topluFaturaPaketSorgulaCompletedEventArgs 212

U

UBL enumeration member 215, 651
ublOnizlemeCompletedEventArgs class 491
about ublOnizlemeCompletedEventArgs class 491
Result 492
ublOnizlemeCompletedEventArgs 491
urunSablonlariniAlCompletedEventArgs class 492
about urunSablonlariniAlCompletedEventArgs class 492
Result 493
urunSablonlariniAlCompletedEventArgs 492
userService class 661
about userService class 661
CancelAsync 662
IsLocalFileSystemWebService 662
logout 663
logoutAsync 663
logoutCompleted 665
OnlogoutOperationCompleted 663
OnwsLoginOperationCompleted 664
Url 665
UseDefaultCredentials 665
userService 662
wsLogin 664
wsLoginAsync 665
wsLoginCompleted 665

V

Vadeli enumeration member 681

W

wsKullaniciBilgileri class 493
about wsKullaniciBilgileri class 493
kullaniciKodu 493
sifre 493
wsKullanicisiKaydetCompletedEventArgs class 493
about wsKullanicisiKaydetCompletedEventArgs class 493
Result 494
wsKullanicisiKaydetCompletedEventArgs 494

X

XML enumeration member 216

Y

yapilandirmaAyarlariAl class 213
about yapilandirmaAyarlariAl class 213
input 213
yapilandirmaAyarlariAlCompletedEventArgs class 213
about yapilandirmaAyarlariAlCompletedEventArgs class 213
outputYapilandirma 214
Result 214
yapilandirmaAyarlariAlCompletedEventArgs 214
yapilandirmaAyarlariAlResponse class 214
@return 215
about yapilandirmaAyarlariAlResponse class 214
outputYapilandirma 215
YardimciSiniflar class 683
about YardimciSiniflar class 683
EArsivXMLOlustur 683
EFaturaXMLOlustur 714
EMustahsilXMLOlustur 730
YardimciSiniflar.cs 807
yereleAktarilacakBelgeleriAlCompletedEventArgs class 494
about yereleAktarilacakBelgeleriAlCompletedEventArgs class 494
Result 495
yereleAktarilacakBelgeleriAlCompletedEventArgs 495
yereleAktarilacakBelgeleriAlExtCompletedEventArgs class 495

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

about
yereleAktarilacakBelgeleriAlExtCompletedEventArgs
class 495

Result 496

yereleAktarilacakBelgeleriAlExtCompletedEventArgs 496

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.