

QNB Finans E-Fatura E-Arsiv E-Müstahsil

QNB Finans'in sundugu GIB (Gelir İdaresi
Baskanligi) E-Fatura, E-Arsiv, E-Müstahsil gibi
servislerin nasıl kullanilacagina dair örnekler içeren
bir Windows Form uygulamasi

Table of Contents

Symbol Reference

1

QNBFinansGIB Namespace	1
QNBFinansGIB.DTO Namespace	1
Classes	2
FaturaKdvDTO Class	2
GidenFaturaDetayDTO Class	3
GidenFaturaDTO Class	6
MustahsilMakbuzuDetayDTO Class	9
MustahsilMakbuzuDTO Class	10
OrtakDetayVerilerDTO Class	12
OrtakVerilerDTO Class	13
QNBFinansGIB.GIBEArsiv Namespace	16
Classes	21
aliciEpostaEkleSilGuncelle Class	26
aliciEpostaEkleSilGuncelleCompletedEventArgs Class	26
aliciEpostaEkleSilGuncelleResponse Class	27
belge Class	28
belgeOutputWrapper Class	29
dosyalInput Class	29
doubleStringOutputWrapper Class	30
earsivServiceResult Class	31
earsivServiceResultEntry Class	32
EarsivWebService Class	33
eFaturaKayitliKullaniciListele Class	110
eFaturaKayitliKullaniciListeleCompletedEventArgs Class	111
eFaturaKullanici Class	112
efaturaKullanicisi Class	113
efaturaKullanicisiCompletedEventArgs Class	113
efaturaKullanicisiKontrol Class	114
efaturaKullanicisiKontrolCompletedEventArgs Class	115
efaturaKullanicisiKontrolResponse Class	116
efaturaKullanicisiResponse Class	116
ePostaDurumSorgula Class	117
ePostaDurumSorgulaCompletedEventArgs Class	117
ePostaGonder Class	118
ePostaGonderCompletedEventArgs Class	119

ePostaGonderResponse Class	120
faturaDTO Class	121
faturalptalEt Class	130
faturalptalEtCompletedEventArgs Class	130
faturalptalEtResponse Class	131
faturalptaliKaldır Class	132
faturalptaliKaldırCompletedEventArgs Class	132
faturalptaliKaldırResponse Class	133
faturaltirazEt Class	134
faturaltirazEtCompletedEventArgs Class	134
faturaltirazEtResponse Class	135
faturaltirazKaldır Class	136
faturaltirazKaldırCompletedEventArgs Class	136
faturaltirazKaldırResponse Class	137
faturaListeSorgula Class	138
faturaListeSorgulaCompletedEventArgs Class	138
faturaListeSorgulaCount Class	139
faturaListeSorgulaCountCompletedEventArgs Class	140
faturaListeSorgulaCountResponse Class	141
faturaListeSorgulaPortal Class	141
faturaListeSorgulaPortalCompletedEventArgs Class	142
faturaListeSorgulaPortalResponse Class	143
faturaListeSorgulaResponse Class	144
faturaNoUret Class	144
faturaNoUretCompletedEventArgs Class	145
faturaOlustur Class	146
faturaOlusturCompletedEventArgs Class	146
faturaOlusturExt Class	147
faturaOlusturExtCompletedEventArgs Class	148
faturaOnizleme Class	149
faturaOnizlemeCompletedEventArgs Class	150
faturaSorgula Class	151
faturaSorgulaCompletedEventArgs Class	151
faturaSorgulaExt Class	152
faturaSorgulaExtCompletedEventArgs Class	153
faturaTaslakOlustur Class	154
faturaTaslakOlusturCompletedEventArgs Class	154
faturaTaslakOlusturResponse Class	155
faturaTaslakOnizleme Class	156
faturaTaslakOnizlemeCompletedEventArgs Class	156

faturaTaslakOnizlemeResponse Class	157
faturaTaslakSil Class	158
faturaTaslakSilCompletedEventArgs Class	159
faturaTaslakSilResponse Class	160
faturaTaslakSorgula Class	160
faturaTaslakSorgulaCompletedEventArgs Class	161
faturaTaslakSorgulaResponse Class	162
faturaTaslaktanOlustur Class	162
faturaTaslaktanOlusturCompletedEventArgs Class	163
faturaZipiAI Class	164
faturaZipiAICompletedEventArgs Class	164
faturaZipiAIResponse Class	165
kontorBilgisiGetir Class	166
kontorBilgisiGetirCompletedEventArgs Class	167
kontorBilgisiGetirResponse Class	168
okcRaporBolumAI Class	168
okcRaporBolumAICompletedEventArgs Class	169
okcRaporKaydet Class	170
okcRaporKaydetCompletedEventArgs Class	171
okcRaporKaydetResponse Class	171
okcRaporOlusturGonder Class	172
okcRaporOlusturGonderCompletedEventArgs Class	172
okcRaporOlusturGonderResponse Class	173
raporBolumAI Class	174
raporBolumAICompletedEventArgs Class	174
raporBolumBilgisiAI Class	175
raporBolumBilgisiAICompletedEventArgs Class	176
raporBolumBilgisiAIResponse Class	177
raporBolumDTO Class	177
raporBolumleriOlustur Class	179
raporBolumleriOlusturCompletedEventArgs Class	180
raporBolumleriOlusturResponse Class	181
raporBolumListesiDetacliSorgula Class	181
raporBolumListesiDetacliSorgulaCompletedEventArgs Class	182
raporBolumListesiDetacliSorgulaResponse Class	183
raporBolumListesiSorgula Class	184
raporBolumListesiSorgulaCompletedEventArgs Class	184
raporBolumListesiSorgulaWithInput Class	185
raporBolumListesiSorgulaWithInputCompletedEventArgs Class	186
raporBolumRaporNoGuncelleImzala Class	187

raporBolumRaporNoGuncelleImzalaCompletedEventArgs Class	188
raporBolumRaporNoGuncelleImzalaResponse Class	189
raporBolumSil Class	189
raporBolumSilCompletedEventArgs Class	190
raporBolumSilResponse Class	191
rapordaFaturaSorgula Class	191
rapordaFaturaSorgulaCompletedEventArgs Class	192
rapordaFaturaSorgulaResponse Class	193
raporDurumSorgula Class	193
raporDurumSorgulaCompletedEventArgs Class	194
raporDurumSorgulaResponse Class	195
raporGonder Class	195
raporGonderCompletedEventArgs Class	196
raporGonderResponse Class	197
serviceReturnType Class	197
servisSaglayicidanEpostaDurumSorgula Class	197
servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs Class	198
smsDurumSorgula Class	199
smsDurumSorgulaCompletedEventArgs Class	200
smsDurumSorgulaResponse Class	201
smsGonder Class	201
smsGonderCompletedEventArgs Class	202
smsGonderResponse Class	203
stringOutputWrapper Class	204
topluFaturaPaketDosyaGonder Class	204
topluFaturaPaketDosyaGonderCompletedEventArgs Class	205
topluFaturaPaketDosyaGonderResponse Class	206
topluFaturaPaketDosyasiSorgula Class	207
topluFaturaPaketDosyasiSorgulaCompletedEventArgs Class	207
topluFaturaPaketOnayla Class	208
topluFaturaPaketOnaylaCompletedEventArgs Class	209
topluFaturaPaketOnaylaResponse Class	210
topluFaturaPaketSorgula Class	210
topluFaturaPaketSorgulaCompletedEventArgs Class	211
yapilandirmaAyarlariAI Class	212
yapilandirmaAyarlariAICompletedEventArgs Class	212
yapilandirmaAyarlariAIResponse Class	213
Structs, Records, Enums	214
QNBFinansGIB.GIBEArxiv.belgeFormatiEnum Enumeration	214
QNBFinansGIB.GIBEArxiv.genelBelgeFormatEnum Enumeration	215

Types	215
QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleCompletedEventHandler Type	217
QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListeleCompletedEventHandler Type	217
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiCompletedEventHandler Type	217
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrolCompletedEventHandler Type	218
QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEventHandler Type	218
QNBFinansGIB.GIBEArsiv.ePostaGonderCompletedEventHandler Type	218
QNBFinansGIB.GIBEArsiv.faturalptalEtCompletedEventHandler Type	218
QNBFinansGIB.GIBEArsiv.faturalptaliKaldirCompletedEventHandler Type	219
QNBFinansGIB.GIBEArsiv.faturaltirazEtCompletedEventHandler Type	219
QNBFinansGIB.GIBEArsiv.faturaltirazKaldirCompletedEventHandler Type	219
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCompletedEventHandler Type	219
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompletedEventHandler Type	219
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalCompletedEventHandler Type	220
QNBFinansGIB.GIBEArsiv.faturaNoUretCompletedEventHandler Type	220
QNBFinansGIB.GIBEArsiv.faturaOlusturCompletedEventHandler Type	220
QNBFinansGIB.GIBEArsiv.faturaOlusturExtCompletedEventHandler Type	220
QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventHandler Type	221
QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventHandler Type	221
QNBFinansGIB.GIBEArsiv.faturaSorgulaExtCompletedEventHandler Type	221
QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturCompletedEventHandler Type	221
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeCompletedEventHandler Type	222
QNBFinansGIB.GIBEArsiv.faturaTaslakSilCompletedEventHandler Type	222
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEventHandler Type	222
QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlusturCompletedEventHandler Type	222
QNBFinansGIB.GIBEArsiv.faturaZipiAICompletedEventHandler Type	223
QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirCompletedEventHandler Type	223
QNBFinansGIB.GIBEArsiv.okcRaporBolumAICompletedEventHandler Type	223
QNBFinansGIB.GIBEArsiv.okcRaporKaydetCompletedEventHandler Type	223
QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderCompletedEventHandler Type	223
QNBFinansGIB.GIBEArsiv.raporBolumAICompletedEventHandler Type	224
QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAICompletedEventHandler Type	224
QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturCompletedEventHandler Type	224
QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventHandler Type	224
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaCompletedEventHandler Type	225
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventHandler Type	225
QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncelleImzalaCompletedEventHandler Type	225
QNBFinansGIB.GIBEArsiv.raporBolumSilCompletedEventHandler Type	225
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventHandler Type	226
QNBFinansGIB.GIBEArsiv.raporDurumSorgulaCompletedEventHandler Type	226

QNBFinansGIB.GIBEArsiv.raporGonderCompletedEventHandler Type	226
QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSorgulaCompletedEventHandler Type	226
QNBFinansGIB.GIBEArsiv.smsDurumSorgulaCompletedEventHandler Type	227
QNBFinansGIB.GIBEArsiv.smsGonderCompletedEventHandler Type	227
QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCompletedEventHandler Type	227
QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgulaCompletedEventHandler Type	227
QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaCompletedEventHandler Type	228
QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaCompletedEventHandler Type	228
QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAICompletedEventHandler Type	228
QNBFinansGIB.GIBEFatura Namespace	228
Classes	234
belge Class	237
belgeGonderCompletedEventArgs Class	239
belgeGonderExtCompletedEventArgs Class	240
belgeGonderExtWithValidateCompletedEventArgs Class	241
belgeGonderResp Class	242
belgeGonderWithValidateCompletedEventArgs Class	242
belgeleriTekrarGonderBelgeOidCompletedEventArgs Class	243
belgeleriTekrarGonderCompletedEventArgs Class	244
belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs Class	245
belgev2 Class	246
belgev2Entry Class	248
belgev3 Class	249
belgev4 Class	250
belgev5 Class	252
belgev6 Class	253
cokluGidenBelgeDurumSorgulaCompletedEventArgs Class	254
connectorService Class	255
csXmlOnizlemeCompletedEventArgs Class	388
csXmlToUblCompletedEventArgs Class	388
eFaturaKayitliKullaniciHistory Class	389
eFaturaKayitliKullaniciListeleCompletedEventArgs Class	390
eFaturaKullanici Class	391
efaturaKullaniciBilgisiCompletedEventArgs Class	392
eFaturaKullaniciExtended Class	393
efaturaKullaniciListesiCompletedEventArgs Class	395
efaturaKullanicisiCompletedEventArgs Class	396
elrsaliyeKayitliKullaniciListeleCompletedEventArgs Class	397
elrsaliyeKullanici Class	398
elrsaliyeKullanicisiCompletedEventArgs Class	399

erpBilgileri Class	400
faturaKepIleladeEdildiCompletedEventArgs Class	400
faturaKepIleladeEdildilptalCompletedEventArgs Class	401
faturaNoUretCompletedEventArgs Class	402
faturaTarihcesiData Class	403
faturaTarihcesiSorgulaCompletedEventArgs Class	405
faturayaltirazEdildiCompletedEventArgs Class	406
faturayaltirazEdildilptalCompletedEventArgs Class	407
gelenBelgeDurum Class	408
gelenBelgeDurumSorgulaCompletedEventArgs Class	410
gelenBelgeDurumSorgulaExtCompletedEventArgs Class	411
gelenBelgeDurumv2 Class	412
gelenBelgeDurumv3 Class	413
gelenBelgeDurumv4 Class	414
gelenBelgeDurumv5 Class	415
gelenBelgeEkleriAICompletedEventArgs Class	416
gelenBelgeleriAICompletedEventArgs Class	417
gelenBelgeleriAIExt2CompletedEventArgs Class	418
gelenBelgeleriAIExt2Entry Class	419
gelenBelgeleriAIExtCompletedEventArgs Class	419
gelenBelgeleriIndirCompletedEventArgs Class	420
gelenBelgeleriIndirExtCompletedEventArgs Class	421
gelenBelgeleriListeleCompletedEventArgs Class	422
gelenBelgeleriListeleExtCompletedEventArgs Class	423
gelenBelgeParametreleri Class	424
gelenBelgeTutarBilgileri Class	427
gelenBelgeTutarBilgileriSorgulaCompletedEventArgs Class	430
gelenBelgeXmlleriniAICompletedEventArgs Class	431
gelenBelgeXmlleriniAIExtCompletedEventArgs Class	432
gelenStandartRapolariAICompletedEventArgs Class	433
gelenTamamlananRapolariAICompletedEventArgs Class	434
gelenTasinanBelgeleriIndirCompletedEventArgs Class	435
gidenBelgeDurum Class	436
gidenBelgeDurumParametreleri Class	438
gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs Class	439
gidenBelgeDurumSorgulaCompletedEventArgs Class	440
gidenBelgeDurumSorgulaEttnCompletedEventArgs Class	441
gidenBelgeDurumSorgulaExtCompletedEventArgs Class	442
gidenBelgeDurumSorgulaPortalCompletedEventArgs Class	443
gidenBelgeDurumSorgulaYereBelgeNoCompletedEventArgs Class	444

gidenBelgeDurumv2 Class	445
gidenBelgeDurumv3 Class	446
gidenBelgeDurumv4 Class	448
gidenBelgeDurumv5 Class	449
gidenBelgeDurumv6 Class	450
gidenBelgeEkleriAICompletedEventArgs Class	452
gidenBelgelerDurumSorgulaPortalParametreleri Class	453
gidenBelgeleriIndirCompletedEventArgs Class	454
gidenBelgeleriIndirEtnCompletedEventArgs Class	455
gidenBelgeleriIndirPortalCompletedEventArgs Class	456
gidenBelgeleriIndirPortalParametreleri Class	457
gidenBelgeleriListeleCompletedEventArgs Class	459
gidenBelgeleriListeleData Class	460
gidenBelgeleriListeleParametreleri Class	462
gidenBelgeleriListelePortalCompletedEventArgs Class	463
gidenBelgeleriListelePortalData Class	464
gidenBelgeleriListelePortalDatav2 Class	467
gidenBelgeleriListelePortalParametreleri Class	468
gidenBelgeParametreleri Class	469
gidenBelgeTutarBilgileri Class	472
gidenBelgeTutarBilgileriSorgulaCompletedEventArgs Class	475
gidenTasinanBelgeleriIndirCompletedEventArgs Class	476
irsaliyeTarihcesiData Class	476
irsaliyeTarihcesiSorgulaCompletedEventArgs Class	478
kalanKontorBilgisi Class	479
kayitliKullaniciListeleExtendedCompletedEventArgs Class	481
kayitliKullaniciListeleExtendedTimeCompletedEventArgs Class	482
kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs Class	483
kontorAzaltResp Class	484
kontorBilgisiGetirCompletedEventArgs Class	486
mukellefEFaturaKayit Class	487
serviceReturnType Class	487
temelKontrollerleBelgeGonderCompletedEventArgs Class	488
toplamBelgeSayisiGetirCompletedEventArgs Class	489
ublOnizlemeCompletedEventArgs Class	490
urunSablonlariniAICompletedEventArgs Class	491
wsKullaniciBilgileri Class	492
wsKullanicisiKaydetCompletedEventArgs Class	492
yereleAktarilacakBelgeleriAICompletedEventArgs Class	493
yereleAktarilacakBelgeleriAIExtCompletedEventArgs Class	494

Structs, Records, Enums	495
QNBFinansGIB.GIBEFatura.kontorBirim Enumeration	495
QNBFinansGIB.GIBEFatura.kontorTipi Enumeration	496
Types	496
QNBFinansGIB.GIBEFatura.belgeGonderCompletedEventHandler Type	498
QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventHandler Type	499
QNBFinansGIB.GIBEFatura.belgeGonderExtWithValidateCompletedEventHandler Type	499
QNBFinansGIB.GIBEFatura.belgeGonderWithValidateCompletedEventHandler Type	499
QNBFinansGIB.GIBEFatura.belgelerAlindiCompletedEventHandler Type	499
QNBFinansGIB.GIBEFatura.belgelerAlindiEntegrasyonSiparisNoGuncelleCompletedEventHandler Type	500
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidCompletedEventHandler Type	500
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompletedEventHandler Type	500
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderYerelBelgeNoCompletedEventHandler Type	500
QNBFinansGIB.GIBEFatura.checkDateValidControlCompletedEventHandler Type	501
QNBFinansGIB.GIBEFatura.cokluGidenBelgeDurumSorgulaCompletedEventHandler Type	501
QNBFinansGIB.GIBEFatura.csXmlOnizlemeCompletedEventHandler Type	501
QNBFinansGIB.GIBEFatura.csXmlToUblCompletedEventHandler Type	501
QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciListeleCompletedEventHandler Type	502
QNBFinansGIB.GIBEFatura.efaturaKullaniciBilgisiCompletedEventHandler Type	502
QNBFinansGIB.GIBEFatura.efaturaKullaniciListesiCompletedEventHandler Type	502
QNBFinansGIB.GIBEFatura.efaturaKullanicisiCompletedEventHandler Type	502
QNBFinansGIB.GIBEFatura.elrsaliyeKayitliKullaniciListeleCompletedEventHandler Type	503
QNBFinansGIB.GIBEFatura.elrsaliyeKullanicisiCompletedEventHandler Type	503
QNBFinansGIB.GIBEFatura.erpBilgileriBelirleCompletedEventHandler Type	503
QNBFinansGIB.GIBEFatura.faturaKepIleladeEdildiCompletedEventHandler Type	503
QNBFinansGIB.GIBEFatura.faturaKepIleladeEdildilptalCompletedEventHandler Type	504
QNBFinansGIB.GIBEFatura.faturaMailGonderCompletedEventHandler Type	504
QNBFinansGIB.GIBEFatura.faturaNoUretCompletedEventHandler Type	504
QNBFinansGIB.GIBEFatura.faturaTarihcesiSorgulaCompletedEventHandler Type	504
QNBFinansGIB.GIBEFatura.faturayaltirazEdildiCompletedEventHandler Type	505
QNBFinansGIB.GIBEFatura.faturayaltirazEdildilptalCompletedEventHandler Type	505
QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaCompletedEventHandler Type	505
QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaExtCompletedEventHandler Type	505
QNBFinansGIB.GIBEFatura.gelenBelgeEkleriAICompletedEventHandler Type	506
QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEventHandler Type	506
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExt2CompletedEventHandler Type	506
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExtCompletedEventHandler Type	506
QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirCompletedEventHandler Type	507
QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirExtCompletedEventHandler Type	507
QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleCompletedEventHandler Type	507

QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleExtCompletedEventHandler Type	507
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileriSorgulaCompletedEventHandler Type	508
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAICompletedEventHandler Type	508
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAIExtCompletedEventHandler Type	508
QNBFinansGIB.GIBEFatura.gelenFaturalariArsiveKaldirCompletedEventHandler Type	508
QNBFinansGIB.GIBEFatura.gelenIrsaliyeleriArsiveKaldirCompletedEventHandler Type	509
QNBFinansGIB.GIBEFatura.gelenStandartRapolariAICompletedEventHandler Type	509
QNBFinansGIB.GIBEFatura.gelenTamamlananRapolariAICompletedEventHandler Type	509
QNBFinansGIB.GIBEFatura.gelenTasinanBelgeleriIndirCompletedEventHandler Type	510
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaBelgeNoCompletedEventHandler Type	510
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaCompletedEventHandler Type	510
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaEttnCompletedEventHandler Type	510
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaExtCompletedEventHandler Type	511
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaPortalCompletedEventHandler Type	511
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventHandler Type	511
QNBFinansGIB.GIBEFatura.gidenBelgeEkleriAICompletedEventHandler Type	511
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEventHandler Type	512
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirEttnCompletedEventHandler Type	512
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalCompletedEventHandler Type	512
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleCompletedEventHandler Type	512
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalCompletedEventHandler Type	513
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileriSorgulaCompletedEventHandler Type	513
QNBFinansGIB.GIBEFatura.gidenFaturalariArsiveKaldirCompletedEventHandler Type	513
QNBFinansGIB.GIBEFatura.gidenIrsaliyeleriArsiveKaldirCompletedEventHandler Type	514
QNBFinansGIB.GIBEFatura.gidenTasinanBelgeleriIndirCompletedEventHandler Type	514
QNBFinansGIB.GIBEFatura.irsaliyeMailGonderCompletedEventHandler Type	514
QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiSorgulaCompletedEventHandler Type	514
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCompletedEventHandler Type	515
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTimeCompletedEventHandler Type	515
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedVknTcknCompletedEventHandler Type	515
QNBFinansGIB.GIBEFatura.kontorBilgisiGetirCompletedEventHandler Type	515
QNBFinansGIB.GIBEFatura.temelKontrollerleBelgeGonderCompletedEventHandler Type	516
QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirCompletedEventHandler Type	516
QNBFinansGIB.GIBEFatura.ulbOnizlemeCompletedEventHandler Type	516
QNBFinansGIB.GIBEFatura.urunSablonlariniAICompletedEventHandler Type	516
QNBFinansGIB.GIBEFatura.wsKullanicisiKaydetCompletedEventHandler Type	517
QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAICompletedEventHandler Type	517
QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAIExtCompletedEventHandler Type	517
QNBFinansGIB.GIBEFatura.yolcuBeraberFaturalptalEtCompletedEventHandler Type	517
QNBFinansGIB.GIBEMustahsil Namespace	518

Classes	521
belge Class	524
belgeDTO Class	525
belgeOutputWrapper Class	533
belgeZipiAI Class	533
belgeZipiAICompletedEventArgs Class	534
belgeZipiAIResponse Class	535
doubleStringOutputWrapper Class	536
earsivServiceResult Class	537
earsivServiceResultEntry Class	537
ePostaDurumSorgula Class	538
ePostaDurumSorgulaCompletedEventArgs Class	539
ePostaGonder Class	540
ePostaGonderCompletedEventArgs Class	541
ePostaGonderResponse Class	542
faturaDTO Class	542
kontorBilgisiGetir Class	551
kontorBilgisiGetirCompletedEventArgs Class	552
kontorBilgisiGetirResponse Class	553
mustahsilMakbuzIptalEt Class	554
mustahsilMakbuzIptalEtCompletedEventArgs Class	554
mustahsilMakbuzIptalEtResponse Class	555
mustahsilMakbuzIptaliKaldır Class	556
mustahsilMakbuzIptaliKaldırCompletedEventArgs Class	556
mustahsilMakbuzIptaliKaldırResponse Class	557
mustahsilMakbuzListeSorgula Class	558
mustahsilMakbuzListeSorgulaCompletedEventArgs Class	558
mustahsilMakbuzListeSorgulaPortal Class	559
mustahsilMakbuzListeSorgulaPortalCompletedEventArgs Class	560
mustahsilMakbuzListeSorgulaPortalResponse Class	561
mustahsilMakbuzListeSorgulaResponse Class	561
mustahsilMakbuzOlustur Class	562
mustahsilMakbuzOlusturCompletedEventArgs Class	563
mustahsilMakbuzOnizleme Class	564
mustahsilMakbuzOnizlemeCompletedEventArgs Class	564
mustahsilMakbuzSorgula Class	565
mustahsilMakbuzSorgulaCompletedEventArgs Class	566
mustahsilMakbuzTaslakOlustur Class	567
mustahsilMakbuzTaslakOlusturCompletedEventArgs Class	568
mustahsilMakbuzTaslakOlusturResponse Class	569

mustahsilMakbuzTaslakOnizleme Class	569
mustahsilMakbuzTaslakOnizlemeCompletedEventArgs Class	570
mustahsilMakbuzTaslakOnizlemeResponse Class	571
mustahsilMakbuzTaslakSil Class	572
mustahsilMakbuzTaslakSilCompletedEventArgs Class	572
mustahsilMakbuzTaslakSilResponse Class	573
mustahsilMakbuzTaslakSorgula Class	574
mustahsilMakbuzTaslakSorgulaCompletedEventArgs Class	574
mustahsilMakbuzTaslakSorgulaResponse Class	575
mustahsilMakbuzTaslaktanOlustur Class	576
mustahsilMakbuzTaslaktanOlusturCompletedEventArgs Class	576
MustahsilWebService Class	577
raporBolumAI Class	624
raporBolumAICompletedEventArgs Class	624
raporBolumBilgisiAI Class	625
raporBolumBilgisiAICompletedEventArgs Class	626
raporBolumBilgisiAIResponse Class	627
raporBolumDTO Class	627
raporBolumleriOlustur Class	629
raporBolumleriOlusturCompletedEventArgs Class	630
raporBolumleriOlusturResponse Class	631
raporBolumListesiDetayliSorgula Class	631
raporBolumListesiDetayliSorgulaCompletedEventArgs Class	632
raporBolumListesiDetayliSorgulaResponse Class	633
raporBolumListesiSorgula Class	633
raporBolumListesiSorgulaCompletedEventArgs Class	634
raporBolumRaporNoGuncelleImzala Class	635
raporBolumRaporNoGuncelleImzalaCompletedEventArgs Class	636
raporBolumRaporNoGuncelleImzalaResponse Class	637
raporBolumSil Class	637
raporBolumSilCompletedEventArgs Class	638
raporBolumSilResponse Class	639
rapordaBelgeSorgula Class	639
rapordaBelgeSorgulaCompletedEventArgs Class	640
rapordaBelgeSorgulaResponse Class	641
raporDurumSorgula Class	641
raporDurumSorgulaCompletedEventArgs Class	642
raporDurumSorgulaResponse Class	643
raporGonder Class	643
raporGonderCompletedEventArgs Class	644

raporGonderResponse Class	645
smsDurumSorgula Class	645
smsDurumSorgulaCompletedEventArgs Class	646
smsDurumSorgulaResponse Class	647
smsGonder Class	647
smsGonderCompletedEventArgs Class	648
smsGonderResponse Class	649
stringOutputWrapper Class	650
Structs, Records, Enums	650
QNBFinansGIB.GIBEMustahsil.belgeFormatiEnum Enumeration	650
Types	651
QNBFinansGIB.GIBEMustahsil.belgeZipiAiCompletedEventHandler Type	652
QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaCompletedEventHandler Type	652
QNBFinansGIB.GIBEMustahsil.ePostaGonderCompletedEventHandler Type	653
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirCompletedEventHandler Type	653
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompletedEventHandler Type	653
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldirCompletedEventHandler Type	653
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaCompletedEventHandler Type	654
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortalCompletedEventHandler Type	654
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturCompletedEventHandler Type	654
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCompletedEventHandler Type	654
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCompletedEventHandler Type	655
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturCompletedEventHandler Type	655
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeCompletedEventHandler Type	655
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCompletedEventHandler Type	656
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgulaCompletedEventHandler Type	656
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlusturCompletedEventHandler Type	656
QNBFinansGIB.GIBEMustahsil.raporBolumAiCompletedEventHandler Type	656
QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAiCompletedEventHandler Type	657
QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturCompletedEventHandler Type	657
QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorgulaCompletedEventHandler Type	657
QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCompletedEventHandler Type	657
QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzalaCompletedEventHandler Type	658
QNBFinansGIB.GIBEMustahsil.raporBolumSilCompletedEventHandler Type	658
QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaCompletedEventHandler Type	658
QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaCompletedEventHandler Type	658
QNBFinansGIB.GIBEMustahsil.raporGonderCompletedEventHandler Type	659
QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompletedEventHandler Type	659
QNBFinansGIB.GIBEMustahsil.smsGonderCompletedEventHandler Type	659
QNBFinansGIB.GIBUserService Namespace	659

Classes	660
userService Class	660
Types	665
QNBFinansGIB.GIBUserService.logoutCompletedEventHandler Type	665
QNBFinansGIB.GIBUserService.wsLoginCompletedEventHandler Type	665
QNBFinansGIB.Properties Namespace	665
Classes	665
Resources Class	666
Settings Class	667
QNBFinansGIB.Utils Namespace	669
Classes	670
BoslukKaldır Class	670
DisServisler Class	671
Enums Class	689
GeriDonus Class	691
GibNumarasi Class	692
MesajSabitler Class	693
Sabitler Class	694
XMLIslemleri Class	695
Classes	755
frmAnaSayfa Class	755
frmAnaSayfa.frmAnaSayfa Constructor	758
frmAnaSayfa Methods	758
Program Class	789
Program Methods	789
Files	789
AssemblyInfo.cs	790
BoslukKaldır.cs	791
DisServisler.cs	792
Enums.cs	806
FaturaKdvDTO.cs	807
FormAnaSayfa.cs	808
FormAnaSayfa.Designer.cs	830
GeriDonus.cs	835
GibNumarasi.cs	836
GidenFaturaDetayDTO.cs	837
GidenFaturaDTO.cs	838
MesajSabitler.cs	840
MustahsilMakbuzuDetayDTO.cs	841
MustahsilMakbuzuDTO.cs	841

OrtakDetayVerilerDTO.cs	842
OrtakVerilerDTO.cs	843
Program.cs	844
QNBFinansGIB.csproj	845
QNBFinansGIB.sln	845
Reference.cs	845
Resources.Designer.cs	848
Sabitler.cs	850
Settings.Designer.cs	850
XMLIslemleri.cs	852

Index

a

1 Symbol Reference

1.1 QNBFinansGIB Namespace

This is namespace QNBFinansGIB.

Namespaces

Name	Description
DTO (see page 1)	This is namespace QNBFinansGIB.DTO.
GIBEArxiv (see page 16)	This is namespace QNBFinansGIB.GIBEArxiv.
GIBEFatura (see page 228)	This is namespace QNBFinansGIB.GIBEFatura.
GIBEMustahsil (see page 518)	This is namespace QNBFinansGIB.GIBEMustahsil.
GIBUserService (see page 659)	This is namespace QNBFinansGIB.GIBUserService.
Properties (see page 665)	This is namespace QNBFinansGIB.Properties.
Utils (see page 669)	This is namespace QNBFinansGIB.Utils.

Classes

	Name	Description
 frmAnaSayfa (see page 755)	QNB Finans GIB Servisi için veri hazırlanan ve servisin test edildiği metotlar içeren Form sınıfıdır	
 Program (see page 789)	This is class QNBFinansGIB.Program.	

1.1.1 QNBFinansGIB.DTO Namespace

This is namespace QNBFinansGIB.DTO.

Classes

	Name	Description
 FaturaKdvDTO (see page 2)	Fatura Detaylarında Farklı Tür KDV Oranları Kullanılmış Çıktı tarafında (XML) TaxTotal kısmında bu bilgilerin ayrı ayrı gösterilmesi için hazırlanan nesnedir	
 GidenFaturaDetayDTO (see page 3)	Giden Fatura Detayı Nesnesinde olması gereken alanlarla oluşturulan sınıfı Tutarlar, ürün adı, KDV ve İskonto oranları Malzeme faturası ile ilgili alanlar Malzemenin taşıdığı araç Plaka, sevk ırsaliyesi vb. bilgileri içerir.	
 GidenFaturaDTO (see page 6)	Giden Fatura Ana Nesnesinde Olması Gereken Alanlarla oluşturulan sınıfı Burada firma, iletişim, banka, fatura toplam tutarı vb. bilgiler bulunmaktadır	
 MustahsilMakbuzuDetayDTO (see page 9)	Müstahsil Makbuzu Detayı Nesnesinde olması gereken alanlarla oluşturulan sınıfı Tutarlar, ürün adı, miktar, birim fiyat gibi bilgiler bulunmaktadır	
 MustahsilMakbuzuDTO (see page 10)	Müstahsil Makbuzu Ana Nesnesinde Olması Gereken Alanlarla oluşturulan sınıfı Burada firma, iletişim, banka, Makbuz toplam tutarı vb. bilgiler bulunmaktadır	

	OrtakDetayVerilerDTO (see page 12)	Müstahsil Makbuzu ve E-Fatura Detay kısmında Ortak Bulunan alanların hazırlanması için Gerekli olan ortak alanların belirlendiği sınıfıtır.
	OrtakVerilerDTO (see page 13)	Müstahsil Makbuzu ve E-Fatura kısmında BuyerCustomerParty XML kisminin hazırlanması için Gerekli olan ortak alanların belirlendiği sınıfıtır.

1.1.1.1 Classes

Summary

The following table lists classes in this documentation.

Classes

	Name	Description
	FaturaKdvDTO (see page 2)	Fatura Detaylarında Farklı Tür KDV Oranları Kullanılmissa Çıktı tarafında (XML) TaxTotal kısmında bu bilgilerin ayrı ayrı gösterilmesi için hazırlanan nesnedir
	GidenFaturaDetayDTO (see page 3)	Giden Fatura Detay Nesnesinde olmasi gereken alanlarla oluşturulan sınıfı Tutarlar, ürün adı, KDV ve iskonto oranları Malzeme faturası ile ilgili alanlar Malzemenin tasındığı araç Plaka, sevk ırsaliyesi vb. bilgileri içerir.
	GidenFaturaDTO (see page 6)	Giden Fatura Ana Nesnesinde Olması Gereken Alanlarla oluşturulan sınıfı Burada firma, iletişim, banka, fatura toplam tutarı vb. bilgiler bulunmaktadır
	MustahsilMakbuzuDetayDTO (see page 9)	Müstahsil Makbuzu Detay Nesnesinde olmasi gereken alanlarla oluşturulan sınıfı Tutarlar, ürün adı, miktar, birim fiyat gibi bilgiler bulunmaktadır
	MustahsilMakbuzuDTO (see page 10)	Müstahsil Makbuzu Ana Nesnesinde Olması Gereken Alanlarla oluşturulan sınıfı Burada firma, iletişim, banka, Makbuz toplam tutarı vb. bilgiler bulunmaktadır
	OrtakDetayVerilerDTO (see page 12)	Müstahsil Makbuzu ve E-Fatura Detay kısmında Ortak Bulunan alanların hazırlanması için Gerekli olan ortak alanların belirlendiği sınıfıtır.
	OrtakVerilerDTO (see page 13)	Müstahsil Makbuzu ve E-Fatura kısmında BuyerCustomerParty XML kisminin hazırlanması için Gerekli olan ortak alanların belirlendiği sınıfıtır.

1.1.1.1.1 FaturaKdvDTO Class

Summary

Fatura Detaylarında Farklı Tür KDV Oranları Kullanılmissa Çıktı tarafında (XML) TaxTotal kısmında bu bilgilerin ayrı ayrı gösterilmesi için hazırlanan nesnedir

Class Hierarchy

[QNBFinansGIB.DTO.FaturaKdvDTO](#)

C#

```
public class FaturaKdvDTO;
```

File

FaturaKdvDTO.cs ([see page 807](#))

FaturaKdvDTO Fields

	Name	Description
	KdvHaricTutar (see page 3)	KDV Hariç Tutar Bilgisi
	KdvOran (see page 3)	KDV Oran Bilgisi

	KdvTutari (see page 3)	KDV Tutari Bilgisi
--	--	--------------------

1.1.1.1.1 FaturaKdvDTO Fields

1.1.1.1.1.1 FaturaKdvDTO.KdvHaricTutar Field

Summary

KDV Hariç Tutar Bilgisi

C#

```
public decimal? KdvHaricTutar;
```

1.1.1.1.1.2 FaturaKdvDTO.KdvOran Field

Summary

KDV Oran Bilgisi

C#

```
public decimal? KdvOran;
```

1.1.1.1.1.3 FaturaKdvDTO.KdvTutari Field

Summary

KDV Tutari Bilgisi

C#

```
public decimal? KdvTutari;
```

1.1.1.1.2 GidenFaturaDetayDTO Class

Summary

Giden Fatura Detay Nesnesinde olmasi gereken alanlarla olusturulan sınıfı tistarlar, ürün adı, KDV ve iskonto oranları Malzeme faturasi ile ilgili alanlar Malzemenin tasindigi araç Plaka, sevk irsaliyesi vb. bilgileri içerir.

Class Hierarchy



C#

```
public class GidenFaturaDetayDTO : OrtakDetayVerilerDTO;
```

File

GidenFaturaDetayDTO.cs ([see page 837](#))

OrtakDetayVerilerDTO Fields

	Name	Description
	AnaNesneld (see page 13)	Giden Fatura veya Müstahsil Makbuzu Id Bilgisi
	BirimFiyat (see page 13)	Birim Fiyat Bilgisi
	GibKisaltma (see page 13)	GIB Kisaltma Bilgisi (Malzemenin Ölçü Birimi, GIB tarafında Kilogram KGM olarak adlandırılmalıdır)
	Miktar (see page 13)	Miktar Bilgisi

GidenFaturaDetayDTO Class

	Name	Description
	FaturaUrunTuru (see page 4)	Fatura Detayindaki Ürün Türü Bilgisi

❖	IrsaliyeNo (see page 4)	Irsaliye No Bilgisi
❖	IskontoOran (see page 4)	Iskonto Oran Bilgisi
❖	KdvHaricTutar (see page 4)	KDV Hariç Tutar Bilgisi
❖	KdvOran (see page 4)	KDV Oran Bilgisi
❖	KdvTutari (see page 5)	KDV Tutari Bilgisi
❖	KonaklamaVergisi (see page 5)	Konaklama Vergisi Bilgisi
❖	MalzemeFaturaAciklamasi (see page 5)	Malzeme Fatura Açıklaması Bilgisi
❖	PlakaNo (see page 5)	Plaka No Bilgisi
❖	SevkIrsaliyesiNo (see page 5)	Sevk Irsaliyesi No Bilgisi
❖	SevkIrsaliyeTarihi (see page 5)	Sevk Irsaliye Tarihi Bilgisi
❖	Tonaj (see page 5)	Tonaj Bilgisi
❖	YuklemeFormuNo (see page 6)	Yükleme Formu No Bilgisi

1.1.1.1.2.1 GidenFaturaDetayDTO Fields

1.1.1.1.2.1.1 GidenFaturaDetayDTO.FaturaUrunTuru Field

Summary

Fatura Detayındaki Ürün Türü Bilgisi

C#

```
public string FaturaUrunTuru;
```

1.1.1.1.2.1.2 GidenFaturaDetayDTO.IrsaliyeNo Field

Summary

Irsaliye No Bilgisi

C#

```
public string IrsaliyeNo;
```

1.1.1.1.2.1.3 GidenFaturaDetayDTO.IskontoOran Field

Summary

Iskonto Oran Bilgisi

C#

```
public decimal? IskontoOran;
```

1.1.1.1.2.1.4 GidenFaturaDetayDTO.KdvHaricTutar Field

Summary

KDV Hariç Tutar Bilgisi

C#

```
public decimal? KdvHaricTutar;
```

1.1.1.1.2.1.5 GidenFaturaDetayDTO.KdvOran Field

Summary

KDV Oran Bilgisi

C#

```
public decimal? KdvOran;
```

1.1.1.2.1.6 GidenFaturaDetayDTO.KdvTutari Field

Summary

KDV Tutari Bilgisi

C#

```
public decimal? KdvTutari;
```

1.1.1.2.1.7 GidenFaturaDetayDTO.KonaklamaVergisi Field

Summary

Konaklama Vergisi Bilgisi

C#

```
public decimal? KonaklamaVergisi;
```

1.1.1.2.1.8 GidenFaturaDetayDTO.MalzemeFaturaAciklamasi Field

Summary

Malzeme Fatura Açıklaması Bilgisi

C#

```
public string MalzemeFaturaAciklamasi;
```

1.1.1.2.1.9 GidenFaturaDetayDTO.PlakaNo Field

Summary

Plaka No Bilgisi

C#

```
public string PlakaNo;
```

1.1.1.2.1.10 GidenFaturaDetayDTO.SevkIrsaliyesiNo Field

Summary

Sevk Irsaliyesi No Bilgisi

C#

```
public string SevkIrsaliyesiNo;
```

1.1.1.2.1.11 GidenFaturaDetayDTO.SevkIrsaliyeTarihi Field

Summary

Sevk Irsaliye Tarihi Bilgisi

C#

```
public DateTime? SevkIrsaliyeTarihi;
```

1.1.1.2.1.12 GidenFaturaDetayDTO.Tonaj Field

Summary

Tonaj Bilgisi

C#

```
public decimal? Tonaj;
```

1.1.1.2.1.13 GidenFaturaDetayDTO.YuklemeFormuNo Field

Summary

Yukleme Formu No Bilgisi

C#

```
public int? YuklemeFormuNo;
```

1.1.1.3 GidenFaturaDTO Class

Summary

Giden Fatura Ana Nesnesinde Olmasi Gereken Alanlarla olusturulan sınıfıt Burada firma, iletisim, banka, fatura toplam tutarı vb. bilgiler bulunmaktadır

Class Hierarchy



C#

```
public class GidenFaturaDTO : OrtakVerilerDTO;
```

File

GidenFaturaDTO.cs (↗ see page 838)

OrtakVerilerDTO Fields

	Name	Description
❖	Adres (↗ see page 14)	Adres Bilgisi
❖	BankaAd (↗ see page 14)	Banka Ad Bilgisi
❖	BankaSube (↗ see page 14)	Banka Sube Bilgisi
❖	EPostaAdresi (↗ see page 14)	E-Posta Adresi Bilgisi
❖	FaksNo (↗ see page 14)	Faks No Bilgisi
❖	IbanNo (↗ see page 14)	IBAN No Bilgisi
❖	Id (↗ see page 15)	Giden Fatura veya Müstahsil Makbuzu Id Bilgisi
❖	IlAd (↗ see page 15)	Il Ad Bilgisi
❖	IlceAd (↗ see page 15)	Ilçe Ad Bilgisi
❖	IslemTarihi (↗ see page 15)	Müstahsil Makbuzu veya Fatura Düzenleme Tarihi Bilgisi
❖	TuzelKisiAd (↗ see page 15)	Tüzel Kişi Ad Bilgisi
❖	VergiDairesi (↗ see page 15)	Vergi Dairesi Bilgisi
❖	VergiNo (↗ see page 15)	Vergi Numarası Bilgisi

GidenFaturaDTO Class

	Name	Description
❖	Aciklama (↗ see page 7)	Fatura Açıklama Bilgisi
❖	AltBirimAd (↗ see page 7)	Fatura Kesin Birimin Alt Sube Bilgisi
❖	BelgeOid (↗ see page 7)	Belge Oid Id (↗ see page 15) alanı
❖	CepTelefonNo (↗ see page 7)	Cep Telefon No Bilgisi
❖	FaturaGrupTuruKod (↗ see page 7)	Fatura Grup Türü Kod Bilgisi
❖	FaturaTuruKod (↗ see page 7)	Fatura Türü Kod Bilgisi
❖	FaturaTutari (↗ see page 8)	Fatura Tutarı Bilgisi
❖	GercekKisiAd (↗ see page 8)	Gerçek Kişi Ad Bilgisi
❖	GercekKisiSoyad (↗ see page 8)	Gerçek Kişi Soyad Bilgisi

❖	GercekKisiTcKimlikNo (see page 8)	Gerçek Kişi TC Kimlik No Bilgisi
❖	GibNumarasi (see page 8)	GIB Numarası Bilgisi
❖	IkametgahAdresi (see page 8)	İkametgah Adresi Bilgisi
❖	KdvHaricTutar (see page 8)	KDV Hariç Tutar Bilgisi
❖	KdvTutari (see page 9)	KDV Tutarı Bilgisi
❖	KonaklamaVergisi (see page 9)	Konaklama Vergisi Bilgisi
❖	SatisTuruKod (see page 9)	Satis Türü Kod Bilgisi
❖	TelefonNo (see page 9)	Telefon No Bilgisi

1.1.1.1.3.1 GidenFaturaDTO Fields

1.1.1.1.3.1.1 GidenFaturaDTO.Aciklama Field

Summary

Fatura Açıklama Bilgisi

C#

```
public string Aciklama;
```

1.1.1.1.3.1.2 GidenFaturaDTO.AltBirimAd Field

Summary

Fatura Kesin Birimin Alt Sube Bilgisi

C#

```
public string AltBirimAd;
```

1.1.1.1.3.1.3 GidenFaturaDTO.BelgeOid Field

Summary

Belge Oid Id (see page 15) alanı

C#

```
public string BelgeOid;
```

1.1.1.1.3.1.4 GidenFaturaDTO.CepTelefonNo Field

Summary

Cep Telefon No Bilgisi

C#

```
public string CepTelefonNo;
```

1.1.1.1.3.1.5 GidenFaturaDTO.FaturaGrupTuruKod Field

Summary

Fatura Grup Türü Kod Bilgisi

C#

```
public int? FaturaGrupTuruKod;
```

1.1.1.1.3.1.6 GidenFaturaDTO.FaturaTuruKod Field

Summary

Fatura Türü Kod Bilgisi

C#

```
public int? FaturaTuruKod;
```

1.1.1.3.1.7 GidenFaturaDTO.FaturaTutari Field

Summary

Fatura Tutari Bilgisi

C#

```
public decimal? FaturaTutari;
```

1.1.1.3.1.8 GidenFaturaDTO.GercekKisiAd Field

Summary

Gerçek Kisi Ad Bilgisi

C#

```
public string GercekKisiAd;
```

1.1.1.3.1.9 GidenFaturaDTO.GercekKisiSoyad Field

Summary

Gerçek Kisi Soyad Bilgisi

C#

```
public string GercekKisiSoyad;
```

1.1.1.3.1.10 GidenFaturaDTO.GercekKisiTcKimlikNo Field

Summary

Gerçek Kisi TC Kimlik No Bilgisi

C#

```
public string GercekKisiTcKimlikNo;
```

1.1.1.3.1.11 GidenFaturaDTO.GibNumarasi Field

Summary

GIB Numarasi Bilgisi

C#

```
public string GibNumarasi;
```

1.1.1.3.1.12 GidenFaturaDTO.IkametgahAdresi Field

Summary

Ikametgah Adresi Bilgisi

C#

```
public string IkametgahAdresi;
```

1.1.1.3.1.13 GidenFaturaDTO.KdvHaricTutar Field

Summary

KDV Hariç Tutar Bilgisi

C#

```
public decimal? KdvHaricTutar;
```

1.1.1.3.1.14 GidenFaturaDTO.KdvTutari Field

Summary

KDV Tutari Bilgisi

C#

```
public decimal? KdvTutari;
```

1.1.1.3.1.15 GidenFaturaDTO.KonaklamaVergisi Field

Summary

Konaklama Vergisi Bilgisi

C#

```
public decimal? KonaklamaVergisi;
```

1.1.1.3.1.16 GidenFaturaDTO.SatisTuruKod Field

Summary

Satis Türü Kod Bilgisi

C#

```
public int? SatisTuruKod;
```

1.1.1.3.1.17 GidenFaturaDTO.TelponNo Field

Summary

Telpon No Bilgisi

C#

```
public string TelefonNo;
```

1.1.1.4 MustahsilMakbuzuDetayDTO Class

Summary

Müstahsil Makbuzu Detay Nesnesinde olmasi gereken alanlarla olusturulan sınıfı Tutarlar, ürün adı, miktar, birim fiyat gibi bilgiler bulunmaktadır

Class Hierarchy



C#

```
public class MustahsilMakbuzuDetayDTO : OrtakDetayVerilerDTO;
```

File

MustahsilMakbuzuDetayDTO.cs ([see page 841](#))

OrtakDetayVerilerDTO Fields

	Name	Description
❖	AnaNesneld (see page 13)	Giden Fatura veya Müstahsil Makbuzu Id Bilgisi
❖	BirimFiyat (see page 13)	Birim Fiyat Bilgisi
❖	GibKisaltma (see page 13)	GIB Kisaltma Bilgisi (Malzemenin Ölçü Birimi, GIB tarafında Kilogram KGM olarak adlandırılmalıdır)
❖	Miktar (see page 13)	Miktar Bilgisi

MustahsilMakbuzuDetayDTO Class

	Name	Description
◆	GelirVergisi (see page 10)	Gelir Vergisi Bilgisi
◆	IsinMahiyeti (see page 10)	Isin Mahiyeti Bilgisi
◆	NetTutar (see page 10)	Net Tutar Bilgisi
◆	ToplamTutar (see page 10)	Toplam Tutar Bilgisi

1.1.1.1.4.1 MustahsilMakbuzuDetayDTO Fields

1.1.1.1.4.1.1 MustahsilMakbuzuDetayDTO.GelirVergisi Field

Summary

Gelir Vergisi Bilgisi

C#

```
public decimal? GelirVergisi;
```

1.1.1.1.4.1.2 MustahsilMakbuzuDetayDTO.IsinMahiyeti Field

Summary

Isin Mahiyeti Bilgisi

C#

```
public string IsinMahiyeti;
```

1.1.1.1.4.1.3 MustahsilMakbuzuDetayDTO.NetTutar Field

Summary

Net Tutar Bilgisi

C#

```
public decimal? NetTutar;
```

1.1.1.1.4.1.4 MustahsilMakbuzuDetayDTO.ToplamTutar Field

Summary

Toplam Tutar Bilgisi

C#

```
public decimal? ToplamTutar;
```

1.1.1.1.5 MustahsilMakbuzuDTO Class

Summary

Müstahsil Makbuzu Ana Nesnesinde Olmasi Gereken Alanlarla olusturulan siniftir Burada firma, iletisim, banka, Makbuz toplam tutari vb. bilgiler bulunmaktadır

Class Hierarchy



C#

```
public class MustahsilMakbuzuDTO : OrtakVerilerDTO;
```

File

MustahsilMakbuzuDTO.cs (see page 841)

OrtakVerilerDTO Fields

	Name	Description
◆	Adres (see page 14)	Adres Bilgisi
◆	BankaAd (see page 14)	Banka Ad Bilgisi
◆	BankaSube (see page 14)	Banka Sube Bilgisi
◆	EPostaAdresi (see page 14)	E-Posta Adresi Bilgisi
◆	FaksNo (see page 14)	Faks No Bilgisi
◆	IbanNo (see page 14)	IBAN No Bilgisi
◆	Id (see page 15)	Giden Fatura veya Müstahsil Makbuzu Id Bilgisi
◆	IlAd (see page 15)	Il Ad Bilgisi
◆	IlceAd (see page 15)	Ilçe Ad Bilgisi
◆	IslemTarihi (see page 15)	Müstahsil Makbuzu veya Fatura Düzenleme Tarihi Bilgisi
◆	TuzelKisiAd (see page 15)	Tüzel Kisi Ad Bilgisi
◆	VergiDairesi (see page 15)	Vergi Dairesi Bilgisi
◆	VergiNo (see page 15)	Vergi Numarası Bilgisi

MustahsilMakbuzuDTO Class

	Name	Description
◆	AltBirimAd (see page 11)	Makbuz Kesin Birimin Alt Sube Bilgisi
◆	GelirVergisi (see page 11)	Gelir Vergisi Bilgisi
◆	MakbuzGrupTuruKod (see page 12)	Makbuz Grup Türü Kod Bilgisi
◆	MustahsilMakbuzuNo (see page 12)	Müstahsil Makbuzu No Bilgisi
◆	MustahsilMakbuzuTutari (see page 12)	Müstahsil Makbuzu Tutar Bilgisi
◆	NetTutar (see page 12)	Net Tutar Bilgisi

1.1.1.1.5.1 MustahsilMakbuzuDTO Fields**1.1.1.1.5.1.1 MustahsilMakbuzuDTO.AltBirimAd Field****Summary**

Makbuz Kesin Birimin Alt Sube Bilgisi

C#

```
public string AltBirimAd;
```

1.1.1.1.5.1.2 MustahsilMakbuzuDTO.GelirVergisi Field**Summary**

Gelir Vergisi Bilgisi

C#

```
public decimal? GelirVergisi;
```

1.1.1.5.1.3 MustahsilMakbuzuDTO.MakbuzGrupTuruKod Field

Summary

Makbuz Grup Türü Kod Bilgisi

C#

```
public int? MakbuzGrupTuruKod;
```

1.1.1.5.1.4 MustahsilMakbuzuDTO.MustahsilMakbuzuNo Field

Summary

Müstahsil Makbuzu No Bilgisi

C#

```
public string MustahsilMakbuzuNo;
```

1.1.1.5.1.5 MustahsilMakbuzuDTO.MustahsilMakbuzuTutari Field

Summary

Müstahsil Makbuzu Tutar Bilgisi

C#

```
public decimal? MustahsilMakbuzuTutari;
```

1.1.1.5.1.6 MustahsilMakbuzuDTO.NetTutar Field

Summary

Net Tutar Bilgisi

C#

```
public decimal? NetTutar;
```

1.1.1.1.6 OrtakDetayVerilerDTO Class

Summary

Müstahsil Makbuzu ve E-Fatura Detay kısmında Ortak Bulunan alanların hazırlanması için Gerekli olan ortak alanların belirlendiği sınıftır.

Class Hierarchy

```
[QNBFinansGIB.DTO.OrtakDetayVerilerDTO]
```

C#

```
public class OrtakDetayVerilerDTO;
```

File

OrtakDetayVerilerDTO.cs ([see page 842](#))

OrtakDetayVerilerDTO Fields

	Name	Description
◆	AnaNesneld (see page 13)	Giden Fatura veya Müstahsil Makbuzu Id Bilgisi
◆	BirimFiyat (see page 13)	Birim Fiyat Bilgisi
◆	GibKisaltma (see page 13)	GIB Kisaltma Bilgisi (Malzemenin Ölçü Birimi, GIB tarafından Kilogram KGM olarak adlandırılmalıdır)
◆	Miktar (see page 13)	Miktar Bilgisi

1.1.1.1.6.1 OrtakDetayVerilerDTO Fields

1.1.1.1.6.1.1 OrtakDetayVerilerDTO.AnaNesneld Field

Summary

Giden Fatura veya Müstahsil Makbuzu Id Bilgisi

C#

```
public string AnaNesneld;
```

1.1.1.1.6.1.2 OrtakDetayVerilerDTO.BirimFiyat Field

Summary

Birim Fiyat Bilgisi

C#

```
public decimal? BirimFiyat;
```

1.1.1.1.6.1.3 OrtakDetayVerilerDTO.GibKisaltma Field

Summary

GIB Kisaltma Bilgisi (Malzemenin Ölçü Birimi, GIB tarafında Kilogram KGM olarak adlandırılmaktadır)

C#

```
public string GibKisaltma;
```

1.1.1.1.6.1.4 OrtakDetayVerilerDTO.Miktar Field

Summary

Miktar Bilgisi

C#

```
public decimal? Miktar;
```

1.1.1.1.7 OrtakVerilerDTO Class

Summary

Müstahsil Makbuzu ve E-Fatura kısmında BuyerCustomerParty XML kisminin hazırlanması için Gerekli olan ortak alanların belirlendiği sınıftır.

Class Hierarchy

```
[QNBFinansGIB.DTO.OrtakVerilerDTO]
```

C#

```
public class OrtakVerilerDTO;
```

File

OrtakVerilerDTO.cs ( see page 843)

OrtakVerilerDTO Fields

	Name	Description
◆	Adres ( see page 14)	Adres Bilgisi
◆	BankaAd ( see page 14)	Banka Ad Bilgisi
◆	BankaSube ( see page 14)	Banka Sube Bilgisi
◆	EPostaAdresi ( see page 14)	E-Posta Adresi Bilgisi

❖	FaksNo (see page 14)	Faks No Bilgisi
❖	IbanNo (see page 14)	IBAN No Bilgisi
❖	Id (see page 15)	Giden Fatura veya Müstahsil Makbuzu Id Bilgisi
❖	IlAd (see page 15)	Il Ad Bilgisi
❖	IlceAd (see page 15)	Ilçe Ad Bilgisi
❖	IslemTarihi (see page 15)	Müstahsil Makbuzu veya Fatura Düzenleme Tarihi Bilgisi
❖	TuzelKisiAd (see page 15)	Tüzel Kisi Ad Bilgisi
❖	VergiDairesi (see page 15)	Vergi Dairesi Bilgisi
❖	VergiNo (see page 15)	Vergi Numarasi Bilgisi

1.1.1.1.7.1 OrtakVerilerDTO Fields

1.1.1.1.7.1.1 OrtakVerilerDTO.Adres Field

Summary

Adres Bilgisi

C#

```
public string Adres;
```

1.1.1.1.7.1.2 OrtakVerilerDTO.BankaAd Field

Summary

Banka Ad Bilgisi

C#

```
public string BankaAd;
```

1.1.1.1.7.1.3 OrtakVerilerDTO.BankaSube Field

Summary

Banka Sube Bilgisi

C#

```
public string BankaSube;
```

1.1.1.1.7.1.4 OrtakVerilerDTO.EPostaAdresi Field

Summary

E-Posta Adresi Bilgisi

C#

```
public string EPostaAdresi;
```

1.1.1.1.7.1.5 OrtakVerilerDTO.FaksNo Field

Summary

Faks No Bilgisi

C#

```
public string FaksNo;
```

1.1.1.1.7.1.6 OrtakVerilerDTO.IbanNo Field

Summary

IBAN No Bilgisi

C#

```
public string IbanNo;
```

1.1.1.7.1.7 OrtakVerilerDTO.Id Field

Summary

Giden Fatura veya Müstahsil Makbuzu Id Bilgisi

C#

```
public string Id;
```

1.1.1.7.1.8 OrtakVerilerDTO.IIAd Field

Summary

İl Ad Bilgisi

C#

```
public string IIAd;
```

1.1.1.7.1.9 OrtakVerilerDTO.IlceAd Field

Summary

İlçe Ad Bilgisi

C#

```
public string IlceAd;
```

1.1.1.7.1.10 OrtakVerilerDTO.IslemTarihi Field

Summary

Müstahsil Makbuzu veya Fatura Düzenleme Tarihi Bilgisi

C#

```
public DateTime? IslemTarihi;
```

1.1.1.7.1.11 OrtakVerilerDTO.TuzelKisiAd Field

Summary

Tüzel Kişi Ad Bilgisi

C#

```
public string TuzelKisiAd;
```

1.1.1.7.1.12 OrtakVerilerDTO.VergiDairesi Field

Summary

Vergi Dairesi Bilgisi

C#

```
public string VergiDairesi;
```

1.1.1.7.1.13 OrtakVerilerDTO.VergiNo Field

Summary

Vergi Numarası Bilgisi

C#

```
public string VergiNo;
```

1.1.2 QNBFinansGIB.GIBEArxiv Namespace

This is namespace QNBFinansGIB.GIBEArxiv.

Classes

	Name	Description
	aliciEpostaEkleSilGuncelle (see page 26)	
	aliciEpostaEkleSilGuncelleCompletedEventArgs (see page 26)	
	aliciEpostaEkleSilGuncelleResponse (see page 27)	
	belge (see page 28)	
	belgeOutputWrapper (see page 29)	
	dosyalInput (see page 29)	
	doubleStringOutputWrapper (see page 30)	
	earsivServiceResult (see page 31)	
	earsivServiceResultEntry (see page 32)	
	EarsivWebService (see page 33)	
	eFaturaKayitliKullaniciListele (see page 110)	
	eFaturaKayitliKullaniciListeleCompletedEventArgs (see page 111)	
	eFaturaKullanici (see page 112)	
	efaturaKullanici (see page 113)	
	efaturaKullaniciCompletedEventArgs (see page 113)	
	efaturaKullanicisiKontrol (see page 114)	
	efaturaKullanicisiKontrolCompletedEventArgs (see page 115)	
	efaturaKullanicisiKontrolResponse (see page 116)	
	efaturaKullanicisiResponse (see page 116)	
	ePostaDurumSorgula (see page 117)	
	ePostaDurumSorgulaCompletedEventArgs (see page 117)	
	ePostaGonder (see page 118)	
	ePostaGonderCompletedEventArgs (see page 119)	
	ePostaGonderResponse (see page 120)	
	faturaDTO (see page 121)	
	faturalptaliEt (see page 130)	
	faturalptaliEtCompletedEventArgs (see page 130)	
	faturalptaliEtResponse (see page 131)	
	faturalptaliKaldır (see page 132)	
	faturalptaliKaldırCompletedEventArgs (see page 132)	
	faturalptaliKaldırResponse (see page 133)	

	faturaltirazEt (see page 134)	
	faturaltirazEtCompletedEventArgs (see page 134)	
	faturaltirazEtResponse (see page 135)	
	faturaltirazKaldır (see page 136)	
	faturaltirazKaldırCompletedEventArgs (see page 136)	
	faturaltirazKaldırResponse (see page 137)	
	faturaListeSorgula (see page 138)	
	faturaListeSorgulaCompletedEventArgs (see page 138)	
	faturaListeSorgulaCount (see page 139)	
	faturaListeSorgulaCountCompletedEventArgs (see page 140)	
	faturaListeSorgulaCountResponse (see page 141)	
	faturaListeSorgulaPortal (see page 141)	
	faturaListeSorgulaPortalCompletedEventArgs (see page 142)	
	faturaListeSorgulaPortalResponse (see page 143)	
	faturaListeSorgulaResponse (see page 144)	
	faturaNoUret (see page 144)	
	faturaNoUretCompletedEventArgs (see page 145)	
	faturaOlustur (see page 146)	
	faturaOlusturCompletedEventArgs (see page 146)	
	faturaOlusturExt (see page 147)	
	faturaOlusturExtCompletedEventArgs (see page 148)	
	faturaOnizleme (see page 149)	
	faturaOnizlemeCompletedEventArgs (see page 150)	
	faturaSorgula (see page 151)	
	faturaSorgulaCompletedEventArgs (see page 151)	
	faturaSorgulaExt (see page 152)	
	faturaSorgulaExtCompletedEventArgs (see page 153)	
	faturaTaslakOlustur (see page 154)	
	faturaTaslakOlusturCompletedEventArgs (see page 154)	
	faturaTaslakOlusturResponse (see page 155)	
	faturaTaslakOnizleme (see page 156)	
	faturaTaslakOnizlemeCompletedEventArgs (see page 156)	
	faturaTaslakOnizlemeResponse (see page 157)	
	faturaTaslakSil (see page 158)	
	faturaTaslakSilCompletedEventArgs (see page 159)	

	faturaTaslakSilResponse (see page 160)	
	faturaTaslakSorgula (see page 160)	
	faturaTaslakSorgulaCompletedEventArgs (see page 161)	
	faturaTaslakSorgulaResponse (see page 162)	
	faturaTaslaktanOlustur (see page 162)	
	faturaTaslaktanOlusturCompletedEventArgs (see page 163)	
	faturaZipiAI (see page 164)	
	faturaZipiAICompletedEventArgs (see page 164)	
	faturaZipiAIResponse (see page 165)	
	kontorBilgisiGetir (see page 166)	
	kontorBilgisiGetirCompletedEventArgs (see page 167)	
	kontorBilgisiGetirResponse (see page 168)	
	okcRaporBolumAI (see page 168)	
	okcRaporBolumAICompletedEventArgs (see page 169)	
	okcRaporKaydet (see page 170)	
	okcRaporKaydetCompletedEventArgs (see page 171)	
	okcRaporKaydetResponse (see page 171)	
	okcRaporOlusturGonder (see page 172)	
	okcRaporOlusturGonderCompletedEventArgs (see page 172)	
	okcRaporOlusturGonderResponse (see page 173)	
	raporBolumAI (see page 174)	
	raporBolumAICompletedEventArgs (see page 174)	
	raporBolumBilgisiAI (see page 175)	
	raporBolumBilgisiAICompletedEventArgs (see page 176)	
	raporBolumBilgisiAIResponse (see page 177)	
	raporBolumDTO (see page 177)	
	raporBolumleriOlustur (see page 179)	
	raporBolumleriOlusturCompletedEventArgs (see page 180)	
	raporBolumleriOlusturResponse (see page 181)	
	raporBolumListesiDetaqliSorgula (see page 181)	
	raporBolumListesiDetaqliSorgulaCompletedEventArgs (see page 182)	
	raporBolumListesiDetaqliSorgulaResponse (see page 183)	
	raporBolumListesiSorgula (see page 184)	
	raporBolumListesiSorgulaCompletedEventArgs (see page 184)	
	raporBolumListesiSorgulaWithInput (see page 185)	

	raporBolumListesiSorgulaWithInputCompletedEventArgs (↗ see page 186)	
	raporBolumRaporNoGuncelleImzala (↗ see page 187)	
	raporBolumRaporNoGuncelleImzalaCompletedEventArgs (↗ see page 188)	
	raporBolumRaporNoGuncelleImzalaResponse (↗ see page 189)	
	raporBolumSil (↗ see page 189)	
	raporBolumSilCompletedEventArgs (↗ see page 190)	
	raporBolumSilResponse (↗ see page 191)	
	rapordaFaturaSorgula (↗ see page 191)	
	rapordaFaturaSorgulaCompletedEventArgs (↗ see page 192)	
	rapordaFaturaSorgulaResponse (↗ see page 193)	
	raporDurumSorgula (↗ see page 193)	
	raporDurumSorgulaCompletedEventArgs (↗ see page 194)	
	raporDurumSorgulaResponse (↗ see page 195)	
	raporGonder (↗ see page 195)	
	raporGonderCompletedEventArgs (↗ see page 196)	
	raporGonderResponse (↗ see page 197)	
	serviceReturnType (↗ see page 197)	
	servisSaglayicidanEpostaDurumSorgula (↗ see page 197)	
	servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs (↗ see page 198)	
	smsDurumSorgula (↗ see page 199)	
	smsDurumSorgulaCompletedEventArgs (↗ see page 200)	
	smsDurumSorgulaResponse (↗ see page 201)	
	smsGonder (↗ see page 201)	
	smsGonderCompletedEventArgs (↗ see page 202)	
	smsGonderResponse (↗ see page 203)	
	stringOutputWrapper (↗ see page 204)	
	topluFaturaPaketDosyaGonder (↗ see page 204)	
	topluFaturaPaketDosyaGonderCompletedEventArgs (↗ see page 205)	
	topluFaturaPaketDosyaGonderResponse (↗ see page 206)	
	topluFaturaPaketDosyasiSorgula (↗ see page 207)	
	topluFaturaPaketDosyasiSorgulaCompletedEventArgs (↗ see page 207)	
	topluFaturaPaketOnayla (↗ see page 208)	
	topluFaturaPaketOnaylaCompletedEventArgs (↗ see page 209)	
	topluFaturaPaketOnaylaResponse (↗ see page 210)	
	topluFaturaPaketSorgula (↗ see page 210)	
	topluFaturaPaketSorgulaCompletedEventArgs (↗ see page 211)	
	yapilandirmaAyarlariAI (↗ see page 212)	
	yapilandirmaAyarlariAICompletedEventArgs (↗ see page 212)	
	yapilandirmaAyarlariAIResponse (↗ see page 213)	

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Structs, Records, Enums

	Name	Description
	belgeFormatiEnum (see page 214)	
	genelBelgeFormatEnum (see page 215)	

Types

Name	Description
aliciEpostaEkleSilGuncelleCompletedEventHandler (see page 217)	
eFaturaKayitliKullaniciListeleCompletedEventHandler (see page 217)	
efaturaKullanicisiCompletedEventHandler (see page 217)	
efaturaKullanicisiKontrolCompletedEventHandler (see page 218)	
ePostaDurumSorgulaCompletedEventHandler (see page 218)	
ePostaGonderCompletedEventHandler (see page 218)	
faturalptaliEtCompletedEventHandler (see page 218)	
faturalptaliKaldirCompletedEventHandler (see page 219)	
faturaltirazEtCompletedEventHandler (see page 219)	
faturaltirazKaldirCompletedEventHandler (see page 219)	
faturaListeSorgulaCompletedEventHandler (see page 219)	
faturaListeSorgulaCountCompletedEventHandler (see page 219)	
faturaListeSorgulaPortalCompletedEventHandler (see page 220)	
faturaNoUretCompletedEventHandler (see page 220)	
faturaOlusturCompletedEventHandler (see page 220)	
faturaOlusturExtCompletedEventHandler (see page 220)	
faturaOnizlemeCompletedEventHandler (see page 221)	
faturaSorgulaCompletedEventHandler (see page 221)	
faturaSorgulaExtCompletedEventHandler (see page 221)	
faturaTaslakOlusturCompletedEventHandler (see page 221)	
faturaTaslakOnizlemeCompletedEventHandler (see page 222)	
faturaTaslakSilCompletedEventHandler (see page 222)	

faturaTaslakSorgulaCompletedEventHandler (↗ see page 222)	
faturaTaslaktanOlusturCompletedEventHandler (↗ see page 222)	
faturaZipiAICompletedEventHandler (↗ see page 223)	
kontorBilgisiGetirCompletedEventHandler (↗ see page 223)	
okcRaporBolumAICompletedEventHandler (↗ see page 223)	
okcRaporKaydetCompletedEventHandler (↗ see page 223)	
okcRaporOlusturGonderCompletedEventHandler (↗ see page 223)	
raporBolumAICompletedEventHandler (↗ see page 224)	
raporBolumBilgisiAICompletedEventHandler (↗ see page 224)	
raporBolumleriOlusturCompletedEventHandler (↗ see page 224)	
raporBolumListesiDetailliSorgulaCompletedEventHandler (↗ see page 224)	
raporBolumListesiSorgulaCompletedEventHandler (↗ see page 225)	
raporBolumListesiSorgulaWithInputCompletedEventHandler (↗ see page 225)	
raporBolumRaporNoGuncelleImzalaCompletedEventHandler (↗ see page 225)	
raporBolumSilCompletedEventHandler (↗ see page 225)	
rapordaFaturaSorgulaCompletedEventHandler (↗ see page 226)	
raporDurumSorgulaCompletedEventHandler (↗ see page 226)	
raporGonderCompletedEventHandler (↗ see page 226)	
servisSaglayicidanEpostaDurumSorgulaCompletedEventHandler (↗ see page 226)	
smsDurumSorgulaCompletedEventHandler (↗ see page 227)	
smsGonderCompletedEventHandler (↗ see page 227)	
topluFaturaPaketDosyaGonderCompletedEventHandler (↗ see page 227)	
topluFaturaPaketDosyasiSorgulaCompletedEventHandler (↗ see page 227)	
topluFaturaPaketOnaylaCompletedEventHandler (↗ see page 228)	
topluFaturaPaketSorgulaCompletedEventHandler (↗ see page 228)	
yapilandirmaAyarlariAICompletedEventHandler (↗ see page 228)	

1.1.2.1 Classes

Summary

The following table lists classes in this documentation.

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Classes

	Name	Description
	aliciEpostaEkleSilGuncelle (see page 26)	
	aliciEpostaEkleSilGuncelleCompletedEventArgs (see page 26)	
	aliciEpostaEkleSilGuncelleResponse (see page 27)	
	belge (see page 28)	
	belgeOutputWrapper (see page 29)	
	dosyalnput (see page 29)	
	doubleStringOutputWrapper (see page 30)	
	earsivServiceResult (see page 31)	
	earsivServiceResultEntry (see page 32)	
	EarsivWebService (see page 33)	
	eFaturaKayitliKullaniciListele (see page 110)	
	eFaturaKayitliKullaniciListeleCompletedEventArgs (see page 111)	
	eFaturaKullanici (see page 112)	
	efaturaKullanicisi (see page 113)	
	efaturaKullanicisiCompletedEventArgs (see page 113)	
	efaturaKullanicisiKontrol (see page 114)	
	efaturaKullanicisiKontrolCompletedEventArgs (see page 115)	
	efaturaKullanicisiKontrolResponse (see page 116)	
	efaturaKullanicisiResponse (see page 116)	
	ePostaDurumSorgula (see page 117)	
	ePostaDurumSorgulaCompletedEventArgs (see page 117)	
	ePostaGonder (see page 118)	
	ePostaGonderCompletedEventArgs (see page 119)	
	ePostaGonderResponse (see page 120)	
	faturaDTO (see page 121)	
	faturalptaliEt (see page 130)	
	faturalptaliEtCompletedEventArgs (see page 130)	
	faturalptaliEtResponse (see page 131)	
	faturalptaliKaldır (see page 132)	
	faturalptaliKaldırCompletedEventArgs (see page 132)	
	faturalptaliKaldırResponse (see page 133)	
	faturaltirazEt (see page 134)	
	faturaltirazEtCompletedEventArgs (see page 134)	
	faturaltirazEtResponse (see page 135)	
	faturaltirazKaldır (see page 136)	

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	faturaltirazKaldırCompletedEventArgs (see page 136)	
	faturaltirazKaldırResponse (see page 137)	
	faturaListeSorgula (see page 138)	
	faturaListeSorgulaCompletedEventArgs (see page 138)	
	faturaListeSorgulaCount (see page 139)	
	faturaListeSorgulaCountCompletedEventArgs (see page 140)	
	faturaListeSorgulaCountResponse (see page 141)	
	faturaListeSorgulaPortal (see page 141)	
	faturaListeSorgulaPortalCompletedEventArgs (see page 142)	
	faturaListeSorgulaPortalResponse (see page 143)	
	faturaListeSorgulaResponse (see page 144)	
	faturaNoUret (see page 144)	
	faturaNoUretCompletedEventArgs (see page 145)	
	faturaOlustur (see page 146)	
	faturaOlusturCompletedEventArgs (see page 146)	
	faturaOlusturExt (see page 147)	
	faturaOlusturExtCompletedEventArgs (see page 148)	
	faturaOnizleme (see page 149)	
	faturaOnizlemeCompletedEventArgs (see page 150)	
	faturaSorgula (see page 151)	
	faturaSorgulaCompletedEventArgs (see page 151)	
	faturaSorgulaExt (see page 152)	
	faturaSorgulaExtCompletedEventArgs (see page 153)	
	faturaTaslakOlustur (see page 154)	
	faturaTaslakOlusturCompletedEventArgs (see page 154)	
	faturaTaslakOlusturResponse (see page 155)	
	faturaTaslakOnizleme (see page 156)	
	faturaTaslakOnizlemeCompletedEventArgs (see page 156)	
	faturaTaslakOnizlemeResponse (see page 157)	
	faturaTaslakSil (see page 158)	
	faturaTaslakSilCompletedEventArgs (see page 159)	
	faturaTaslakSilResponse (see page 160)	
	faturaTaslakSorgula (see page 160)	
	faturaTaslakSorgulaCompletedEventArgs (see page 161)	
	faturaTaslakSorgulaResponse (see page 162)	

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	faturaTaslaktanOlustur (↗ see page 162)	
	faturaTaslaktanOlusturCompletedEventArgs (↗ see page 163)	
	faturaZipiAI (↗ see page 164)	
	faturaZipiAICompletedEventArgs (↗ see page 164)	
	faturaZipiAIResponse (↗ see page 165)	
	kontorBilgisiGetir (↗ see page 166)	
	kontorBilgisiGetirCompletedEventArgs (↗ see page 167)	
	kontorBilgisiGetirResponse (↗ see page 168)	
	okcRaporBolumAI (↗ see page 168)	
	okcRaporBolumAICompletedEventArgs (↗ see page 169)	
	okcRaporKaydet (↗ see page 170)	
	okcRaporKaydetCompletedEventArgs (↗ see page 171)	
	okcRaporKaydetResponse (↗ see page 171)	
	okcRaporOlusturGonder (↗ see page 172)	
	okcRaporOlusturGonderCompletedEventArgs (↗ see page 172)	
	okcRaporOlusturGonderResponse (↗ see page 173)	
	raporBolumAI (↗ see page 174)	
	raporBolumAICompletedEventArgs (↗ see page 174)	
	raporBolumBilgisiAI (↗ see page 175)	
	raporBolumBilgisiAICompletedEventArgs (↗ see page 176)	
	raporBolumBilgisiAIResponse (↗ see page 177)	
	raporBolumDTO (↗ see page 177)	
	raporBolumleriOlustur (↗ see page 179)	
	raporBolumleriOlusturCompletedEventArgs (↗ see page 180)	
	raporBolumleriOlusturResponse (↗ see page 181)	
	raporBolumListesiDetaqliSorgula (↗ see page 181)	
	raporBolumListesiDetaqliSorgulaCompletedEventArgs (↗ see page 182)	
	raporBolumListesiDetaqliSorgulaResponse (↗ see page 183)	
	raporBolumListesiSorgula (↗ see page 184)	
	raporBolumListesiSorgulaCompletedEventArgs (↗ see page 184)	
	raporBolumListesiSorgulaWithInput (↗ see page 185)	
	raporBolumListesiSorgulaWithInputCompletedEventArgs (↗ see page 186)	
	raporBolumRaporNoGuncelleImzala (↗ see page 187)	
	raporBolumRaporNoGuncelleImzalaCompletedEventArgs (↗ see page 188)	

	raporBolumRaporNoGuncelleImzalaResponse (see page 189)	
	raporBolumSil (see page 189)	
	raporBolumSilCompletedEventArgs (see page 190)	
	raporBolumSilResponse (see page 191)	
	rapordaFaturaSorgula (see page 191)	
	rapordaFaturaSorgulaCompletedEventArgs (see page 192)	
	rapordaFaturaSorgulaResponse (see page 193)	
	raporDurumSorgula (see page 193)	
	raporDurumSorgulaCompletedEventArgs (see page 194)	
	raporDurumSorgulaResponse (see page 195)	
	raporGonder (see page 195)	
	raporGonderCompletedEventArgs (see page 196)	
	raporGonderResponse (see page 197)	
	serviceReturnType (see page 197)	
	servisSaglayicidanEpostaDurumSorgula (see page 197)	
	servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs (see page 198)	
	smsDurumSorgula (see page 199)	
	smsDurumSorgulaCompletedEventArgs (see page 200)	
	smsDurumSorgulaResponse (see page 201)	
	smsGonder (see page 201)	
	smsGonderCompletedEventArgs (see page 202)	
	smsGonderResponse (see page 203)	
	stringOutputWrapper (see page 204)	
	topluFaturaPaketDosyaGonder (see page 204)	
	topluFaturaPaketDosyaGonderCompletedEventArgs (see page 205)	
	topluFaturaPaketDosyaGonderResponse (see page 206)	
	topluFaturaPaketDosyasiSorgula (see page 207)	
	topluFaturaPaketDosyasiSorgulaCompletedEventArgs (see page 207)	
	topluFaturaPaketOnayla (see page 208)	
	topluFaturaPaketOnaylaCompletedEventArgs (see page 209)	
	topluFaturaPaketOnaylaResponse (see page 210)	
	topluFaturaPaketSorgula (see page 210)	
	topluFaturaPaketSorgulaCompletedEventArgs (see page 211)	
	yapilandirmaAyarlariAI (see page 212)	
	yapilandirmaAyarlariAICompletedEventArgs (see page 212)	
	yapilandirmaAyarlariAIResponse (see page 213)	

1.1.2.1.1 aliciEpostaEkleSilGuncelle Class

Class Hierarchy

```
QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelle
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class aliciEpostaEkleSilGuncelle;
```

File

Reference.cs (see page 845)

aliciEpostaEkleSilGuncelle Properties

	Name	Description
	inputGuncellenecekEposta (see page 26)	
	inputSilinecekEposta (see page 26)	

1.1.2.1.1.1 aliciEpostaEkleSilGuncelle Properties

1.1.2.1.1.1.1 aliciEpostaEkleSilGuncelle.inputGuncellenecekEposta Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string inputGuncellenecekEposta;
```

1.1.2.1.1.1.2 aliciEpostaEkleSilGuncelle.inputSilinecekEposta Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string inputSilinecekEposta;
```

1.1.2.1.2 aliciEpostaEkleSilGuncelleCompletedEventArgs Class

Class Hierarchy

```
System.ComponentModel.AsyncCompletedEventArgs --> QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleCompletedEventArgs
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class aliciEpostaEkleSilGuncelleCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	aliciEpostaEkleSilGuncelleCompletedEventArgs	This is aliciEpostaEkleSilGuncelleCompletedEventArgs, a member of class aliciEpostaEkleSilGuncelleCompletedEventArgs. (see page 27)

aliciEpostaEkleSilGuncelleCompletedEventArgs Properties

	Name	Description
	Result (see page 27)	

1.1.2.1.2.1 aliciEpostaEkleSilGuncelleCompletedEventArgs.aliciEpostaEkleSilGuncelleCompletedEventArgs Constructor

C#

```
internal aliciEpostaEkleSilGuncelleCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is aliciEpostaEkleSilGuncelleCompletedEventArgs, a member of class aliciEpostaEkleSilGuncelleCompletedEventArgs.

Body Source

```
1: internal aliciEpostaEkleSilGuncelleCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.2.2 aliciEpostaEkleSilGuncelleCompletedEventArgs Properties

1.1.2.1.2.2.1 aliciEpostaEkleSilGuncelleCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.3 aliciEpostaEkleSilGuncelleResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class aliciEpostaEkleSilGuncelleResponse;
```

File

[Reference.cs](#) ([see page 845](#))

aliciEpostaEkleSilGuncelleResponse Properties

	Name	Description
	@return (see page 28)	

1.1.2.1.3.1 aliciEpostaEkleSilGuncelleResponse Properties**1.1.2.1.3.1.1 aliciEpostaEkleSilGuncelleResponse.@return Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.4 belge Class**Class Hierarchy** QNBFinansGIB.GIBEArsiv.belge**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class belge;
```

FileReference.cs ([see page 845](#))**belge Properties**

	Name	Description
	belgeFormati (see page 28)	
	belgeFormatiSpecified (see page 28)	
	belgelcerigi (see page 29)	

1.1.2.1.4.1 belge Properties**1.1.2.1.4.1.1 belge.belgeFormati Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belgeFormatiEnum belgeFormati;
```

1.1.2.1.4.1.2 belge.belgeFormatiSpecified Property**C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool belgeFormatiSpecified;
```

1.1.2.1.4.1.3 belge.belgeicerigi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
    DataType="base64Binary")]
public byte belgeIcerigi;
```

1.1.2.1.5 belgeOutputWrapper Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.belgeOutputWrapper](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class belgeOutputWrapper;
```

File

Reference.cs ([see page 845](#))

belgeOutputWrapper Properties

	Name	Description
	@return (see page 29)	
	output (see page 29)	

1.1.2.1.5.1 belgeOutputWrapper Properties

1.1.2.1.5.1.1 belgeOutputWrapper.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.5.1.2 belgeOutputWrapper.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge output;
```

1.1.2.1.6 dosyalInput Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.dosyalInput](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
```

```
]
public class dosyaInput;
```

File

Reference.cs (see page 845)

dosyaInput Properties

	Name	Description
	belgelcerigi (see page 30)	
	genelBelgeFormatEnum (see page 30)	
	genelBelgeFormatEnumSpecified (see page 30)	

1.1.2.1.6.1 dosyaInput Properties**1.1.2.1.6.1.1 dosyaInput.belgelcerigi Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
                                              DataType="base64Binary")]
public byte belgelcerigi;
```

1.1.2.1.6.1.2 dosyaInput.genelBelgeFormatEnum Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public genelBelgeFormatEnum genelBelgeFormatEnum;
```

1.1.2.1.6.1.3 dosyaInput.genelBelgeFormatEnumSpecified Property**C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool genelBelgeFormatEnumSpecified;
```

1.1.2.1.7 doubleStringOutputWrapper Class**Class Hierarchy**

```
QNBFinansGIB.GIBEArsiv.doubleStringOutputWrapper
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class doubleStringOutputWrapper;
```

File

Reference.cs (see page 845)

doubleStringOutputWrapper Properties

	Name	Description
	@return (see page 31)	

	outputDurum (see page 31)	
	outputEposta (see page 31)	

1.1.2.1.7.1 doubleStringOutputWrapper Properties

1.1.2.1.7.1.1 doubleStringOutputWrapper.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.7.1.2 doubleStringOutputWrapper.outputDurum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string outputDurum;
```

1.1.2.1.7.1.3 doubleStringOutputWrapper.outputEposta Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string outputEposta;
```

1.1.2.1.8 earsivServiceResult Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.earsivServiceResult](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class earsivServiceResult;
```

File

Reference.cs (see page 845)

earsivServiceResult Properties

	Name	Description
	resultCode (see page 31)	
	resultExtra (see page 32)	
	resultText (see page 32)	

1.1.2.1.8.1 earsivServiceResult Properties

1.1.2.1.8.1.1 earsivServiceResult.resultCode Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string resultCode;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.8.1.2 earsivServiceResult.resultExtra Property

C#

```
[System.Xml.Serialization.XmlArrayAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
[System.Xml.Serialization.XmlArrayItemAttribute("entry",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=false)]
public earsivServiceEntry resultExtra;
```

1.1.2.1.8.1.3 earsivServiceResult.resultText Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string resultText;
```

1.1.2.1.9 earsivServiceEntry Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.earsivServiceEntry](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(AnonymousType=true,
Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class earsivServiceEntry;
```

File

[Reference.cs](#) (see page 845)

earsivServiceEntry Properties

	Name	Description
	key (see page 32)	
	value (see page 32)	

1.1.2.1.9.1 earsivServiceEntry Properties

1.1.2.1.9.1.1 earsivServiceEntry.key Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public object key;
```


1.1.2.1.9.1.2 earsivServiceEntry.value Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public object value;
```

1.1.2.1.10 EarsivWebService Class

Class Hierarchy



C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Web.Services.WebServiceBindingAttribute(Name="EarsivWebServicePortBinding",
Namespace="http://service.csap.cs.com/")]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaOlusturExt))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(topluFaturaPaketDosyasiSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumRaporNoGuncelleImzalaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumRaporNoGuncelleImzala))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaListeSorgulaCountResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaListeSorgulaCount))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumListesiSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(topluFaturaPaketSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(yapilandirmaAyarlariAlResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(yapilandirmaAyarlariAl))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsGonderResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsGonder))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(topluFaturaPaketOnaylaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(topluFaturaPaketOnayla))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporDurumSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporDurumSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaOnizleme))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(kontorBilgisiGetirResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(kontorBilgisiGetir))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslaktanOlustur))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaItirazKaldırResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaItirazKaldır))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumListesiSorgulaWithInput))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(okcRaporOlusturGonderResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(okcRaporOlusturGonder))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslakSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaListeSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaListeSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumBilgisiAlResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumBilgisiAl))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporGonderResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporGonder))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(efaturaKullanicisiKontrolResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(efaturaKullanicisiKontrol))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaIptaliKaldırResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaIptaliKaldır))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumListesiDetayliSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumListesiDetayliSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsDurumSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsDurumSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaIptalEtResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaIptalEt))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslakSilResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslakSil))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaZipiAlResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaZipiAl))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumleriOlusturResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumleriOlustur))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslakOlusturResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslakOlustur))]
  
```

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaSorgulaExt))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(stringOutputWrapper))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaNoUret))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(ePostaGonderResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(ePostaGonder))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(rapordaFaturaSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(rapordaFaturaSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumAl))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumSilResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumSil))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaListeSorgulaPortalResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaListeSorgulaPortal))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslakOnizlemeResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslakOnizleme))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(servisSaglayicidanEpostaDurumSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(serviceReturnType))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(eFaturaKayitliKullaniciListele))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(doubleStringOutputWrapper))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(ePostaDurumSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaItirazEtResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaItirazEt))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(efaturaKullanicisiResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(efaturaKullanicisi))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaOlustur))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(aliciEpostaEkleSilGuncelleResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(aliciEpostaEkleSilGuncelle))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(topluFaturaPaketDosyaGonderResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(topluFaturaPaketDosyaGonder))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgeOutputWrapper))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(okcRaporBolumAl))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(okcRaporKaydetResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(okcRaporKaydet))]

public class EarsivWebService : System.Web.Services.Protocols.SoapHttpClientProtocol;
```

File

Reference.cs (see page 845)

1

Methods

	Name	Description
⚡	EarsivWebService (see page 41)	

EarsivWebService Events

	Name	Description
⚡	aliciEpostaEkleSilGuncelleCompleted (see page 106)	
⚡	eFaturaKayitliKullaniciListeleCompleted (see page 106)	
⚡	efaturaKullanicisiCompleted (see page 106)	
⚡	efaturaKullanicisiKontrolCompleted (see page 106)	
⚡	ePostaDurumSorgulaCompleted (see page 106)	
⚡	ePostaGonderCompleted (see page 106)	
⚡	faturalptaliEtCompleted (see page 106)	
⚡	faturalptaliKaldırCompleted (see page 106)	
⚡	faturaltirazEtCompleted (see page 107)	

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	faturaltirazKaldırCompleted (🔗 see page 107)	
	faturaListeSorgulaCompleted (🔗 see page 107)	
	faturaListeSorgulaCountCompleted (🔗 see page 107)	
	faturaListeSorgulaPortalCompleted (🔗 see page 107)	
	faturaNoUretCompleted (🔗 see page 107)	
	faturaOlusturCompleted (🔗 see page 107)	
	faturaOlusturExtCompleted (🔗 see page 107)	
	faturaOnizlemeCompleted (🔗 see page 107)	
	faturaSorgulaCompleted (🔗 see page 107)	
	faturaSorgulaExtCompleted (🔗 see page 107)	
	faturaTaslakOlusturCompleted (🔗 see page 107)	
	faturaTaslakOnizlemeCompleted (🔗 see page 108)	
	faturaTaslakSilCompleted (🔗 see page 108)	
	faturaTaslakSorgulaCompleted (🔗 see page 108)	
	faturaTaslaktanOlusturCompleted (🔗 see page 108)	
	faturaZipiAICompleted (🔗 see page 108)	
	kontorBilgisiGetirCompleted (🔗 see page 108)	
	okcRaporBolumAICompleted (🔗 see page 108)	
	okcRaporKaydetCompleted (🔗 see page 108)	
	okcRaporOlusturGonderCompleted (🔗 see page 108)	
	raporBolumAICompleted (🔗 see page 108)	
	raporBolumBilgisiAICompleted (🔗 see page 108)	
	raporBolumleriOlusturCompleted (🔗 see page 108)	
	raporBolumListesiDetyaliSorgulaCompleted (🔗 see page 109)	
	raporBolumListesiSorgulaCompleted (🔗 see page 109)	
	raporBolumListesiSorgulaWithInputCompleted (🔗 see page 109)	

	raporBolumRaporNoGuncelleImzalaCompleted (↗ see page 109)	
	raporBolumSilCompleted (↗ see page 109)	
	rapordaFaturaSorgulaCompleted (↗ see page 109)	
	raporDurumSorgulaCompleted (↗ see page 109)	
	raporGonderCompleted (↗ see page 109)	
	servisSaglayicidanEpostaDurumSorgulaCompleted (↗ see page 109)	
	smsDurumSorgulaCompleted (↗ see page 109)	
	smsGonderCompleted (↗ see page 109)	
	topluFaturaPaketDosyaGonderCompleted (↗ see page 110)	
	topluFaturaPaketDosyasiSorgulaCompleted (↗ see page 110)	
	topluFaturaPaketOnaylaCompleted (↗ see page 110)	
	topluFaturaPaketSorgulaCompleted (↗ see page 110)	
	yapilandirmaAyarlariAICompleted (↗ see page 110)	

EarsivWebService Methods

	Name	Description
	aliciEpostaEkleSilGuncelle (↗ see page 41)	
	aliciEpostaEkleSilGuncelleAsync (↗ see page 42)	
	CancelAsync (↗ see page 42)	
	eFaturaKayitliKullaniciListele (↗ see page 43)	
	eFaturaKayitliKullaniciListeleAsync (↗ see page 43)	
	efaturaKullanici (↗ see page 44)	
	efaturaKullaniciAsync (↗ see page 44)	
	efaturaKullaniciKontrol (↗ see page 45)	
	efaturaKullaniciKontrolAsync (↗ see page 45)	
	ePostaDurumSorgula (↗ see page 45)	
	ePostaDurumSorgulaAsync (↗ see page 46)	
	ePostaGonder (↗ see page 47)	
	ePostaGonderAsync (↗ see page 47)	
	faturalptalEt (↗ see page 48)	
	faturalptalEtAsync (↗ see page 48)	
	faturalptaliKaldir (↗ see page 49)	
	faturalptaliKaldirAsync (↗ see page 49)	
	faturaltirazEt (↗ see page 50)	
	faturaltirazEtAsync (↗ see page 50)	
	faturaltirazKaldir (↗ see page 51)	
	faturaltirazKaldirAsync (↗ see page 51)	
	faturaListeSorgula (↗ see page 52)	
	faturaListeSorgulaAsync (↗ see page 52)	
	faturaListeSorgulaCount (↗ see page 53)	
	faturaListeSorgulaCountAsync (↗ see page 53)	

	faturaListeSorgulaPortal (see page 54)	
	faturaListeSorgulaPortalAsync (see page 54)	
	faturaNoUret (see page 55)	
	faturaNoUretAsync (see page 55)	
	faturaOlustur (see page 56)	
	faturaOlusturAsync (see page 56)	
	faturaOlusturExt (see page 57)	
	faturaOlusturExtAsync (see page 57)	
	faturaOnizleme (see page 58)	
	faturaOnizlemeAsync (see page 59)	
	faturaSorgula (see page 59)	
	faturaSorgulaAsync (see page 60)	
	faturaSorgulaExt (see page 60)	
	faturaSorgulaExtAsync (see page 61)	
	faturaTaslakOlustur (see page 61)	
	faturaTaslakOlusturAsync (see page 62)	
	faturaTaslakOnizleme (see page 62)	
	faturaTaslakOnizlemeAsync (see page 63)	
	faturaTaslakSil (see page 63)	
	faturaTaslakSilAsync (see page 64)	
	faturaTaslakSorgula (see page 64)	
	faturaTaslakSorgulaAsync (see page 65)	
	faturaTaslaktanOlustur (see page 65)	
	faturaTaslaktanOlusturAsync (see page 66)	
	faturaZipiAI (see page 66)	
	faturaZipiAIAsync (see page 67)	
	IsLocalFileSystemWebService (see page 67)	This is IsLocalFileSystemWebService, a member of class EarsivWebService.
	kontorBilgisiGetir (see page 67)	
	kontorBilgisiGetirAsync (see page 68)	
	okcRaporBolumAI (see page 69)	
	okcRaporBolumAIAsync (see page 69)	
	okcRaporKaydet (see page 70)	
	okcRaporKaydetAsync (see page 70)	
	okcRaporOlusturGonder (see page 71)	
	okcRaporOlusturGonderAsync (see page 71)	
	OnaliciEpostaEkleSilGuncelleOperationCompleted (see page 72)	This is OnaliciEpostaEkleSilGuncelleOperationCompleted, a member of class EarsivWebService.
	OneFaturaKayitliKullaniciListeleOperationCompleted (see page 72)	This is OneFaturaKayitliKullaniciListeleOperationCompleted, a member of class EarsivWebService.
	OnefaturaKullanicisiKontrolOperationCompleted (see page 72)	This is OnefaturaKullanicisiKontrolOperationCompleted, a member of class EarsivWebService.

	OnefaturaKullaniciOperationCompleted (see page 72)	This is OnefaturaKullaniciOperationCompleted, a member of class EarsivWebService.
	OnePostaDurumSorgulaOperationCompleted (see page 73)	This is OnePostaDurumSorgulaOperationCompleted, a member of class EarsivWebService.
	OnePostaGonderOperationCompleted (see page 73)	This is OnePostaGonderOperationCompleted, a member of class EarsivWebService.
	OnfaturalptalEtOperationCompleted (see page 73)	This is OnfaturalptalEtOperationCompleted, a member of class EarsivWebService.
	OnfaturalptaliKaldirOperationCompleted (see page 74)	This is OnfaturalptaliKaldirOperationCompleted, a member of class EarsivWebService.
	OnfaturaltirazEtOperationCompleted (see page 74)	This is OnfaturaltirazEtOperationCompleted, a member of class EarsivWebService.
	OnfaturaltirazKaldirOperationCompleted (see page 74)	This is OnfaturaltirazKaldirOperationCompleted, a member of class EarsivWebService.
	OnfaturaListeSorgulaCountOperationCompleted (see page 75)	This is OnfaturaListeSorgulaCountOperationCompleted, a member of class EarsivWebService.
	OnfaturaListeSorgulaOperationCompleted (see page 75)	This is OnfaturaListeSorgulaOperationCompleted, a member of class EarsivWebService.
	OnfaturaListeSorgulaPortalOperationCompleted (see page 75)	This is OnfaturaListeSorgulaPortalOperationCompleted, a member of class EarsivWebService.
	OnfaturaNoUretOperationCompleted (see page 75)	This is OnfaturaNoUretOperationCompleted, a member of class EarsivWebService.
	OnfaturaOlusturExtOperationCompleted (see page 76)	This is OnfaturaOlusturExtOperationCompleted, a member of class EarsivWebService.
	OnfaturaOlusturOperationCompleted (see page 76)	This is OnfaturaOlusturOperationCompleted, a member of class EarsivWebService.
	OnfaturaOnizlemeOperationCompleted (see page 76)	This is OnfaturaOnizlemeOperationCompleted, a member of class EarsivWebService.
	OnfaturaSorgulaExtOperationCompleted (see page 77)	This is OnfaturaSorgulaExtOperationCompleted, a member of class EarsivWebService.
	OnfaturaSorgulaOperationCompleted (see page 77)	This is OnfaturaSorgulaOperationCompleted, a member of class EarsivWebService.
	OnfaturaTaslakOlusturOperationCompleted (see page 77)	This is OnfaturaTaslakOlusturOperationCompleted, a member of class EarsivWebService.
	OnfaturaTaslakOnizlemeOperationCompleted (see page 78)	This is OnfaturaTaslakOnizlemeOperationCompleted, a member of class EarsivWebService.
	OnfaturaTaslakSilOperationCompleted (see page 78)	This is OnfaturaTaslakSilOperationCompleted, a member of class EarsivWebService.

	OnfaturaTaslakSorgulaOperationCompleted (see page 78)	This is OnfaturaTaslakSorgulaOperationCompleted, a member of class EarsivWebService.
	OnfaturaTaslaktanOlusturOperationCompleted (see page 78)	This is OnfaturaTaslaktanOlusturOperationCompleted, a member of class EarsivWebService.
	OnfaturaZipiAIOperationCompleted (see page 79)	This is OnfaturaZipiAIOperationCompleted, a member of class EarsivWebService.
	OnkontorBilgisiGetirOperationCompleted (see page 79)	This is OnkontorBilgisiGetirOperationCompleted, a member of class EarsivWebService.
	OnokcRaporBolumAIOperationCompleted (see page 79)	This is OnokcRaporBolumAIOperationCompleted, a member of class EarsivWebService.
	OnokcRaporKaydetOperationCompleted (see page 80)	This is OnokcRaporKaydetOperationCompleted, a member of class EarsivWebService.
	OnokcRaporOlusturGonderOperationCompleted (see page 80)	This is OnokcRaporOlusturGonderOperationCompleted, a member of class EarsivWebService.
	OnraporBolumAIOperationCompleted (see page 80)	This is OnraporBolumAIOperationCompleted, a member of class EarsivWebService.
	OnraporBolumBilgisiAIOperationCompleted (see page 81)	This is OnraporBolumBilgisiAIOperationCompleted, a member of class EarsivWebService.
	OnraporBolumleriOlusturOperationCompleted (see page 81)	This is OnraporBolumleriOlusturOperationCompleted, a member of class EarsivWebService.
	OnraporBolumListesiDetayliSorgulaOperationCompleted (see page 81)	This is OnraporBolumListesiDetayliSorgulaOperationCompleted, a member of class EarsivWebService.
	OnraporBolumListesiSorgulaOperationCompleted (see page 81)	This is OnraporBolumListesiSorgulaOperationCompleted, a member of class EarsivWebService.
	OnraporBolumListesiSorgulaWithInputOperationCompleted (see page 82)	This is OnraporBolumListesiSorgulaWithInputOperationCompleted, a member of class EarsivWebService.
	OnraporBolumRaporNoGuncelleImzalaOperationCompleted (see page 82)	This is OnraporBolumRaporNoGuncelleImzalaOperationCompleted, a member of class EarsivWebService.
	OnraporBolumSilOperationCompleted (see page 82)	This is OnraporBolumSilOperationCompleted, a member of class EarsivWebService.
	OnrapordaFaturaSorgulaOperationCompleted (see page 83)	This is OnrapordaFaturaSorgulaOperationCompleted, a member of class EarsivWebService.
	OnraporDurumSorgulaOperationCompleted (see page 83)	This is OnraporDurumSorgulaOperationCompleted, a member of class EarsivWebService.

	OnraporGonderOperationCompleted (see page 83)	This is OnraporGonderOperationCompleted, a member of class EarsivWebService.
	OnservisSaglayicidanEpostaDurumSorgulaOperationCompleted (see page 84)	This is OnservisSaglayicidanEpostaDurumSorgulaOperationCompleted, a member of class EarsivWebService.
	OnsmsDurumSorgulaOperationCompleted (see page 84)	This is OnsmsDurumSorgulaOperationCompleted, a member of class EarsivWebService.
	OnsmsGonderOperationCompleted (see page 84)	This is OnsmsGonderOperationCompleted, a member of class EarsivWebService.
	OntoplusFaturaPaketDosyaGonderOperationCompleted (see page 85)	This is OntoplusFaturaPaketDosyaGonderOperationCompleted, a member of class EarsivWebService.
	OntoplusFaturaPaketDosyasiSorgulaOperationCompleted (see page 85)	This is OntoplusFaturaPaketDosyasiSorgulaOperationCompleted, a member of class EarsivWebService.
	OntoplusFaturaPaketOnaylaOperationCompleted (see page 85)	This is OntoplusFaturaPaketOnaylaOperationCompleted, a member of class EarsivWebService.
	OntoplusFaturaPaketSorgulaOperationCompleted (see page 85)	This is OntoplusFaturaPaketSorgulaOperationCompleted, a member of class EarsivWebService.
	OnyapilandirmaAyarlariAIOperationCompleted (see page 86)	This is OnyapilandirmaAyarlariAIOperationCompleted, a member of class EarsivWebService.
	raporBolumAI (see page 86)	
	raporBolumAIAsync (see page 87)	
	raporBolumBilgisiAI (see page 87)	
	raporBolumBilgisiAIAsync (see page 88)	
	raporBolumleriOlustur (see page 88)	
	raporBolumleriOlusturAsync (see page 89)	
	raporBolumListesiDetyaliSorgula (see page 89)	
	raporBolumListesiDetyaliSorgulaAsync (see page 90)	
	raporBolumListesiSorgula (see page 90)	
	raporBolumListesiSorgulaAsync (see page 91)	
	raporBolumListesiSorgulaWithInput (see page 91)	
	raporBolumListesiSorgulaWithInputAsync (see page 92)	
	raporBolumRaporNoGuncelleImzala (see page 92)	
	raporBolumRaporNoGuncelleImzalaAsync (see page 93)	
	raporBolumSil (see page 93)	
	raporBolumSilAsync (see page 94)	
	rapordaFaturaSorgula (see page 94)	
	rapordaFaturaSorgulaAsync (see page 95)	
	raporDurumSorgula (see page 95)	
	raporDurumSorgulaAsync (see page 96)	
	raporGonder (see page 96)	

≡	raporGonderAsync ([see page 97)	
≡	servisSaglayicidanEpostaDurumSorgula ([see page 97)	
≡	servisSaglayicidanEpostaDurumSorgulaAsync ([see page 98)	
≡	smsDurumSorgula ([see page 98)	
≡	smsDurumSorgulaAsync ([see page 99)	
≡	smsGonder ([see page 99)	
≡	smsGonderAsync ([see page 100)	
≡	topluFaturaPaketDosyaGonder ([see page 100)	
≡	topluFaturaPaketDosyaGonderAsync ([see page 101)	
≡	topluFaturaPaketDosyasiSorgula ([see page 101)	
≡	topluFaturaPaketDosyasiSorgulaAsync ([see page 102)	
≡	topluFaturaPaketOnayla ([see page 102)	
≡	topluFaturaPaketOnaylaAsync ([see page 103)	
≡	topluFaturaPaketSorgula ([see page 103)	
≡	topluFaturaPaketSorgulaAsync ([see page 104)	
≡	yapilandirmaAyarlariAI ([see page 104)	
≡	yapilandirmaAyarlariAIAsync ([see page 105)	

EarsivWebService Properties

	Name	Description
≡	Url ([see page 105)	This is Url, a member of class EarsivWebService.
≡	UseDefaultCredentials ([see page 106)	This is UseDefaultCredentials, a member of class EarsivWebService.

1.1.2.1.10.1 EarsivWebService.EarsivWebService Constructor

C#

```
public EarsivWebService();
```

Body Source

```

1: public EarsivWebService() {
2:     this.Url =
global::QNBFinansGIB.Properties.Settings.Default.QNBFinansGIB_GIBEArxiv_EarsivWebService;
3:     if ((this.IsLocalFileSystemWebService(this.Url) == true)) {
4:         this.UseDefaultCredentials = true;
5:         this.useDefaultCredentialsSetExplicitly = false;
6:     }
7:     else {
8:         this.useDefaultCredentialsSetExplicitly = true;
9:     }
10: }
```

1.1.2.1.10.2 EarsivWebService Methods

1.1.2.1.10.2.1 EarsivWebService.aliciEpostaEkleSilGuncelle Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
aliciEpostaEkleSilGuncelle([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sch
```

```

ema.XmlSchemaForm.Unqualified)]
string inputGuncellencekEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string inputSilinecekEposta);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivService
aliciEpostaEkleSilGuncelle([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string inputGuncellencekEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string inputSilinecekEposta) {
4:     object[] results = this.Invoke("aliciEpostaEkleSilGuncelle", new object[] {
5:         inputGuncellencekEposta,
6:         inputSilinecekEposta});
7:     return ((earsivServiceResult)(results[0]));
8: }

```

1.1.2.1.10.2.2 aliciEpostaEkleSilGuncelleAsync Method**1.1.2.1.10.2.2.1 EarsivWebService.aliciEpostaEkleSilGuncelleAsync Method (string, string)****C#**

```
public void aliciEpostaEkleSilGuncelleAsync(string inputGuncellencekEposta, string
inputSilinecekEposta);
```

Body Source

```

1: public void aliciEpostaEkleSilGuncelleAsync(string inputGuncellencekEposta, string
inputSilinecekEposta) {
2:     this.aliciEpostaEkleSilGuncelleAsync(inputGuncellencekEposta, inputSilinecekEposta,
null);
3: }

```

1.1.2.1.10.2.2.2 EarsivWebService.aliciEpostaEkleSilGuncelleAsync Method (string, string, object)**C#**

```
public void aliciEpostaEkleSilGuncelleAsync(string inputGuncellencekEposta, string
inputSilinecekEposta, object userState);
```

Body Source

```

1: public void aliciEpostaEkleSilGuncelleAsync(string inputGuncellencekEposta, string
inputSilinecekEposta, object userState) {
2:     if ((this.aliciEpostaEkleSilGuncelleOperationCompleted == null)) {
3:         this.aliciEpostaEkleSilGuncelleOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnaliciEpostaEkleSilGuncelleOperationCompleted);
4:     }
5:     this.InvokeAsync("aliciEpostaEkleSilGuncelle", new object[] {
6:         inputGuncellencekEposta,
7:         inputSilinecekEposta},
this.aliciEpostaEkleSilGuncelleOperationCompleted, userState);
8: }

```

1.1.2.1.10.2.3 EarsivWebService.CancelAsync Method**C#**

```
public new void CancelAsync(object userState);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

Body Source

```

1: public new void CancelAsync(object userState) {
2:     base.CancelAsync(userState);
3: }

```

1.1.2.1.10.2.4 EarsivWebService.eFaturaKayitliKullaniciListele Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public eFaturaKullanici[]
eFaturaKayitliKullaniciListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml
.Schema.XmlSchemaForm.Unqualified)])
string kayitzamani);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public eFaturaKullanici[]
eFaturaKayitliKullaniciListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml
.Schema.XmlSchemaForm.Unqualified)])
string kayitzamani) {
4:     object[] results = this.Invoke("eFaturaKayitliKullaniciListele", new object[] {
5:         kayitzamani});
6:     return ((eFaturaKullanici[])(results[0]));
7: }

```

1.1.2.1.10.2.5 eFaturaKayitliKullaniciListeleAsync Method**1.1.2.1.10.2.5.1 EarsivWebService.eFaturaKayitliKullaniciListeleAsync Method (string)****C#**

```
public void eFaturaKayitliKullaniciListeleAsync(string kayitzamani);
```

Body Source

```

1: public void eFaturaKayitliKullaniciListeleAsync(string kayitzamani) {
2:     this.eFaturaKayitliKullaniciListeleAsync(kayitzamani, null);
3: }

```

1.1.2.1.10.2.5.2 EarsivWebService.eFaturaKayitliKullaniciListeleAsync Method (string, object)**C#**

```
public void eFaturaKayitliKullaniciListeleAsync(string kayitzamani, object userState);
```

Body Source

```

1: public void eFaturaKayitliKullaniciListeleAsync(string kayitzamani, object userState) {
2:     if ((this.eFaturaKayitliKullaniciListeleOperationCompleted == null)) {
3:         this.eFaturaKayitliKullaniciListeleOperationCompleted = new
System.Threading.SendOrPostCallback(this.OneFaturaKayitliKullaniciListeleOperationCompleted)
;
4:     }
5:     this.InvokeAsync("eFaturaKayitliKullaniciListele", new object[] {
6:         kayitzamani}, this.eFaturaKayitliKullaniciListeleOperationCompleted,
userState);

```

```
7: }
```

1.1.2.1.10.2.6 EarsivWebService.efaturaKullanicisi Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
efaturaKullanicisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string vergiTcKimlikNo);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
efaturaKullanicisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string vergiTcKimlikNo) {
4:     object[] results = this.Invoke("efaturaKullanicisi", new object[] {
5:         vergiTcKimlikNo});
6:     return ((bool)(results[0]));
7: }
```

1.1.2.1.10.2.7 efaturaKullanicisiAsync Method

1.1.2.1.10.2.7.1 EarsivWebService.efaturaKullanicisiAsync Method (string)

C#

```
public void efaturaKullanicisiAsync(string vergiTcKimlikNo);
```

Body Source

```
1: public void efaturaKullanicisiAsync(string vergiTcKimlikNo) {
2:     this.efaturaKullanicisiAsync(vergiTcKimlikNo, null);
3: }
```

1.1.2.1.10.2.7.2 EarsivWebService.efaturaKullanicisiAsync Method (string, object)

C#

```
public void efaturaKullanicisiAsync(string vergiTcKimlikNo, object userState);
```

Body Source

```
1: public void efaturaKullanicisiAsync(string vergiTcKimlikNo, object userState) {
2:     if ((this.efaturaKullanicisiOperationCompleted == null)) {
3:         this.efaturaKullanicisiOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnefaturaKullanicisiOperationCompleted);
4:     }
5:     this.InvokeAsync("efaturaKullanicisi", new object[] {
6:         vergiTcKimlikNo}, this.efaturaKullanicisiOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.8 EarsivWebService.efaturaKullanicisiKontrol Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
efaturaKullanicisiKontrol([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
string input);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
efaturaKullanicisiKontrol([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("efaturaKullanicisiKontrol", new object[] {
5:         input});
6:     return ((bool)(results[0]));
7: }
```

1.1.2.1.10.2.9 efaturaKullanicisiKontrolAsync Method

1.1.2.1.10.2.9.1 EarsivWebService.efaturaKullanicisiKontrolAsync Method (string)

C#

```
public void efaturaKullanicisiKontrolAsync(string input);
```

Body Source

```
1: public void efaturaKullanicisiKontrolAsync(string input) {
2:     this.efaturaKullanicisiKontrolAsync(input, null);
3: }
```

1.1.2.1.10.2.9.2 EarsivWebService.efaturaKullanicisiKontrolAsync Method (string, object)

C#

```
public void efaturaKullanicisiKontrolAsync(string input, object userState);
```

Body Source

```
1: public void efaturaKullanicisiKontrolAsync(string input, object userState) {
2:     if ((this.efaturaKullanicisiKontrolOperationCompleted == null)) {
3:         this.efaturaKullanicisiKontrolOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnefaturaKullanicisiKontrolOperationCompleted);
4:     }
5:     this.InvokeAsync("efaturaKullanicisiKontrol", new object[] {
6:         input}, this.efaturaKullanicisiKontrolOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.10 EarsivWebService.ePostaDurumSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",

```

```

RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped]
[return: System.Xml.Serialization.XmlElementAttribute("outputDurum",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
ePostaDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
{
    string input,
    [System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
    out string outputEposta,
    [System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
    out earsivServiceResult @return;
}

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("outputDurum",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
ePostaDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
{
    string input,
    [System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
    out string outputEposta,
    [System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
    out earsivServiceResult @return) {
4:     object[] results = this.Invoke("ePostaDurumSorgula", new object[] {
5:         input});
6:     outputEposta = ((string)(results[1]));
7:     @return = ((earsivServiceResult)(results[2]));
8:     return ((string)(results[0]));
9: }

```

1.1.2.1.10.2.11 ePostaDurumSorgulaAsync Method**1.1.2.1.10.2.11.1 EarsivWebService.ePostaDurumSorgulaAsync Method (string)****C#**

```
public void ePostaDurumSorgulaAsync(string input);
```

Body Source

```

1: public void ePostaDurumSorgulaAsync(string input) {
2:     this.ePostaDurumSorgulaAsync(input, null);
3: }

```

1.1.2.1.10.2.11.2 EarsivWebService.ePostaDurumSorgulaAsync Method (string, object)**C#**

```
public void ePostaDurumSorgulaAsync(string input, object userState);
```

Body Source

```

1: public void ePostaDurumSorgulaAsync(string input, object userState) {
2:     if ((this.ePostaDurumSorgulaOperationCompleted == null)) {
3:         this.ePostaDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnePostaDurumSorgulaOperationCompleted);
4:     }

```

```

5:     this.InvokeAsync("ePostaDurumSorgula", new object[] {
6:         input}, this.ePostaDurumSorgulaOperationCompleted, userState);
7: }

```

1.1.2.1.10.2.12 EarsivWebService.ePostaGonder Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
ePostaGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string ilaveEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
int tanimliEpostayaGonder);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
ePostaGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string ilaveEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
int tanimliEpostayaGonder) {
4:     object[] results = this.Invoke("ePostaGonder", new object[] {
5:         input,
6:         ilaveEposta,
7:         tanimliEpostayaGonder});
8:     return ((earsivServiceResult)(results[0]));
9: }

```

1.1.2.1.10.2.13 ePostaGonderAsync Method

1.1.2.1.10.2.13.1 EarsivWebService.ePostaGonderAsync Method (string, string, int)

C#

```
public void ePostaGonderAsync(string input, string ilaveEposta, int tanimliEpostayaGonder);
```

Body Source

```

1: public void ePostaGonderAsync(string input, string ilaveEposta, int
tanimliEpostayaGonder) {
2:     this.ePostaGonderAsync(input, ilaveEposta, tanimliEpostayaGonder, null);
3: }

```

1.1.2.1.10.2.13.2 EarsivWebService.ePostaGonderAsync Method (string, string, int, object)

C#

```
public void ePostaGonderAsync(string input, string ilaveEposta, int tanimliEpostaGonder,
object userState);
```

Body Source

```
1: public void ePostaGonderAsync(string input, string ilaveEposta, int
tanimliEpostaGonder, object userState) {
2:     if ((this.ePostaGonderOperationCompleted == null)) {
3:         this.ePostaGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnePostaGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("ePostaGonder", new object[] {
6:         input,
7:         ilaveEposta,
8:         tanimliEpostaGonder}, this.ePostaGonderOperationCompleted, userState);
9: }
```

1.1.2.1.10.2.14 EarsivWebService.faturalptalEt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturalptalEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string input);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturalptalEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string input) {
4:     object[] results = this.Invoke("faturalptalEt", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.2.1.10.2.15 faturalptalEtAsync Method

1.1.2.1.10.2.15.1 EarsivWebService.faturalptalEtAsync Method (string)

C#

```
public void faturalptalEtAsync(string input);
```

Body Source

```
1: public void faturalptalEtAsync(string input) {
2:     this.faturalptalEtAsync(input, null);
3: }
```

1.1.2.1.10.2.15.2 EarsivWebService.faturalptalEtAsync Method (string, object)

C#

```
public void faturalptalEtAsync(string input, object userState);
```

Body Source

```
1: public void faturalptalEtAsync(string input, object userState) {
2:     if ((this.faturalptalEtOperationCompleted == null)) {
3:         this.faturalptalEtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturalptalEtOperationCompleted);
4:     }
5:     this.InvokeAsync("faturalptalEt", new object[] {
6:         input}, this.faturalptalEtOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.16 EarsivWebService.faturalptaliKaldır Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturalptaliKaldır([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string input);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturalptaliKaldır([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("faturalptaliKaldır", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.2.1.10.2.17 faturalptaliKaldırAsync Method

1.1.2.1.10.2.17.1 EarsivWebService.faturalptaliKaldırAsync Method (string)

C#

```
public void faturalptaliKaldırAsync(string input);
```

Body Source

```
1: public void faturalptaliKaldırAsync(string input) {
2:     this.faturalptaliKaldırAsync(input, null);
3: }
```

1.1.2.1.10.2.17.2 EarsivWebService.faturalptaliKaldırAsync Method (string, object)

C#

```
public void faturalptaliKaldırAsync(string input, object userState);
```

Body Source

```

1: public void faturaIptaliKaldirAsync(string input, object userState) {
2:     if ((this.faturaIptaliKaldirOperationCompleted == null)) {
3:         this.faturaIptaliKaldirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaIptaliKaldirOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaIptaliKaldir", new object[] {
6:         input}, this.faturaIptaliKaldirOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.18 EarsivWebService.faturaltirazEt Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaltirazEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string input);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaltirazEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string input) {
4:     object[] results = this.Invoke("faturaltirazEt", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.2.1.10.2.19 faturaltirazEtAsync Method**1.1.2.1.10.2.19.1 EarsivWebService.faturaltirazEtAsync Method (string)****C#**

```
public void faturaltirazEtAsync(string input);
```

Body Source

```

1: public void faturaltirazEtAsync(string input) {
2:     this.faturaltirazEtAsync(input, null);
3: }
```

1.1.2.1.10.2.19.2 EarsivWebService.faturaltirazEtAsync Method (string, object)**C#**

```
public void faturaltirazEtAsync(string input, object userState);
```

Body Source

```

1: public void faturaltirazEtAsync(string input, object userState) {
2:     if ((this.faturaltirazEtOperationCompleted == null)) {
3:         this.faturaltirazEtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaltirazEtOperationCompleted);
```

```

4:     }
5:     this.InvokeAsync("faturaItirazEt", new object[] {
6:         input}, this.faturaItirazEtOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.20 EarsivWebService.faturaltirazKaldır Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaItirazKaldır([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaItirazKaldır([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("faturaItirazKaldır", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.2.1.10.2.21 faturaltirazKaldırAsync Method

1.1.2.1.10.2.21.1 EarsivWebService.faturaltirazKaldırAsync Method (string)

C#

```
public void faturaItirazKaldırAsync(string input);
```

Body Source

```

1: public void faturaItirazKaldırAsync(string input) {
2:     this.faturaItirazKaldırAsync(input, null);
3: }
```

1.1.2.1.10.2.21.2 EarsivWebService.faturaltirazKaldırAsync Method (string, object)

C#

```
public void faturaItirazKaldırAsync(string input, object userState);
```

Body Source

```

1: public void faturaItirazKaldırAsync(string input, object userState) {
2:     if ((this.faturaItirazKaldırOperationCompleted == null)) {
3:         this.faturaItirazKaldırOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaItirazKaldırOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaItirazKaldır", new object[] {
6:         input}, this.faturaItirazKaldırOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.22 EarsivWebService.faturaListeSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaListeSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaListeSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output) {
4:     object[] results = this.Invoke("faturaListeSorgula", new object[] {
5:         input});
6:     output = ((faturaDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.2.1.10.2.23 faturaListeSorgulaAsync Method

1.1.2.1.10.2.23.1 EarsivWebService.faturaListeSorgulaAsync Method (string)

C#

```
public void faturaListeSorgulaAsync(string input);
```

Body Source

```
1: public void faturaListeSorgulaAsync(string input) {
2:     this.faturaListeSorgulaAsync(input, null);
3: }
```

1.1.2.1.10.2.23.2 EarsivWebService.faturaListeSorgulaAsync Method (string, object)

C#

```
public void faturaListeSorgulaAsync(string input, object userState);
```

Body Source

```
1: public void faturaListeSorgulaAsync(string input, object userState) {
2:     if ((this.faturaListeSorgulaOperationCompleted == null)) {
3:         this.faturaListeSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaListeSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaListeSorgula", new object[] {
6:         input}, this.faturaListeSorgulaOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.24 EarsivWebService.faturaListeSorgulaCount Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaListeSorgulaCount([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaListeSorgulaCount([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output) {
4:     object[] results = this.Invoke("faturaListeSorgulaCount", new object[] {
5:         input});
6:     output = ((faturaDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.2.1.10.2.25 faturaListeSorgulaCountAsync Method

1.1.2.1.10.2.25.1 EarsivWebService.faturaListeSorgulaCountAsync Method (string)

C#

```
public void faturaListeSorgulaCountAsync(string input);
```

Body Source

```
1: public void faturaListeSorgulaCountAsync(string input) {
2:     this.faturaListeSorgulaCountAsync(input, null);
3: }
```

1.1.2.1.10.2.25.2 EarsivWebService.faturaListeSorgulaCountAsync Method (string, object)

C#

```
public void faturaListeSorgulaCountAsync(string input, object userState);
```

Body Source

```
1: public void faturaListeSorgulaCountAsync(string input, object userState) {
2:     if ((this.faturaListeSorgulaCountOperationCompleted == null)) {
3:         this.faturaListeSorgulaCountOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaListeSorgulaCountOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaListeSorgulaCount", new object[] {
6:         input}, this.faturaListeSorgulaCountOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.26 EarsivWebService.faturaListeSorgulaPortal Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaListeSorgulaPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaListeSorgulaPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output) {
4:     object[] results = this.Invoke("faturaListeSorgulaPortal", new object[] {
5:         input});
6:     output = ((faturaDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.2.1.10.2.27 faturaListeSorgulaPortalAsync Method

1.1.2.1.10.2.27.1 EarsivWebService.faturaListeSorgulaPortalAsync Method (string)

C#

```
public void faturaListeSorgulaPortalAsync(string input);
```

Body Source

```
1: public void faturaListeSorgulaPortalAsync(string input) {
2:     this.faturaListeSorgulaPortalAsync(input, null);
3: }
```

1.1.2.1.10.2.27.2 EarsivWebService.faturaListeSorgulaPortalAsync Method (string, object)

C#

```
public void faturaListeSorgulaPortalAsync(string input, object userState);
```

Body Source

```
1: public void faturaListeSorgulaPortalAsync(string input, object userState) {
2:     if ((this.faturaListeSorgulaPortalOperationCompleted == null)) {
3:         this.faturaListeSorgulaPortalOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaListeSorgulaPortalOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaListeSorgulaPortal", new object[] {
6:         input}, this.faturaListeSorgulaPortalOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.28 EarsivWebService.faturaNoUret Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
faturaNoUret([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
faturaNoUret([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("faturaNoUret", new object[] {
5:         input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((string)(results[0]));
8: }
```

1.1.2.1.10.2.29 faturaNoUretAsync Method

1.1.2.1.10.2.29.1 EarsivWebService.faturaNoUretAsync Method (string)

C#

```
public void faturaNoUretAsync(string input);
```

Body Source

```
1: public void faturaNoUretAsync(string input) {
2:     this.faturaNoUretAsync(input, null);
3: }
```

1.1.2.1.10.2.29.2 EarsivWebService.faturaNoUretAsync Method (string, object)

C#

```
public void faturaNoUretAsync(string input, object userState);
```

Body Source

```
1: public void faturaNoUretAsync(string input, object userState) {
2:     if ((this.faturaNoUretOperationCompleted == null)) {
3:         this.faturaNoUretOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaNoUretOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaNoUret", new object[] {
6:         input}, this.faturaNoUretOperationCompleted, userState);
```

```
7: }
```

1.1.2.1.10.2.30 EarsivWebService.faturaOlustur Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
faturaOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge fatura,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
faturaOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge fatura,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("faturaOlustur", new object[] {
5:         input,
6:         fatura});
7:     @return = ((earsivServiceResult)(results[1]));
8:     return ((belge)(results[0]));
9: }
```

1.1.2.1.10.2.31 faturaOlusturAsync Method

1.1.2.1.10.2.31.1 EarsivWebService.faturaOlusturAsync Method (string, belge)

C#

```
public void faturaOlusturAsync(string input, belge fatura);
```

Body Source

```
1: public void faturaOlusturAsync(string input, belge fatura) {
2:     this.faturaOlusturAsync(input, fatura, null);
3: }
```

1.1.2.1.10.2.31.2 EarsivWebService.faturaOlusturAsync Method (string, belge, object)

C#

```
public void faturaOlusturAsync(string input, belge fatura, object userState);
```

Body Source

```

1: public void faturaOlusturAsync(string input, belge fatura, object userState) {
2:     if ((this.faturaOlusturOperationCompleted == null)) {
3:         this.faturaOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaOlusturOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaOlustur", new object[] {
6:         input,
7:         fatura}, this.faturaOlusturOperationCompleted, userState);
8: }
```

1.1.2.1.10.2.32 EarsivWebService.faturaOlusturExt Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
faturaOlusturExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
belge fatura,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
faturaOlusturExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
belge fatura,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("faturaOlusturExt", new object[] {
5:         input,
6:         fatura});
7:     @return = ((earsivServiceResult)(results[1]));
8:     return ((belge)(results[0]));
9: }
```

1.1.2.1.10.2.33 faturaOlusturExtAsync Method**1.1.2.1.10.2.33.1 EarsivWebService.faturaOlusturExtAsync Method (string, belge)****C#**

```
public void faturaOlusturExtAsync(string input, belge fatura);
```

Body Source

```

1: public void faturaOlusturExtAsync(string input, belge fatura) {
2:     this.faturaOlusturExtAsync(input, fatura, null);
3: }

```

1.1.2.1.10.2.33.2 EarsivWebService.faturaOlusturExtAsync Method (string, belge, object)**C#**

```
public void faturaOlusturExtAsync(string input, belge fatura, object userState);
```

Body Source

```

1: public void faturaOlusturExtAsync(string input, belge fatura, object userState) {
2:     if ((this.faturaOlusturExtOperationCompleted == null)) {
3:         this.faturaOlusturExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaOlusturExtOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaOlusturExt", new object[] {
6:         input,
7:         fatura}, this.faturaOlusturExtOperationCompleted, userState);
8: }

```

1.1.2.1.10.2.34 EarsivWebService.faturaOnizleme Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
faturaOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
belge fatura,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
faturaOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
belge fatura,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("faturaOnizleme", new object[] {
5:         input,
6:         fatura});
7:     @return = ((earsivServiceResult)(results[1]));
8:     return ((belge)(results[0]));

```

```
9: }
```

1.1.2.1.10.2.35 faturaOnizlemeAsync Method

1.1.2.1.10.2.35.1 EarsivWebService.faturaOnizlemeAsync Method (string, belge)

C#

```
public void faturaOnizlemeAsync(string input, belge fatura);
```

Body Source

```
1: public void faturaOnizlemeAsync(string input, belge fatura) {
2:     this.faturaOnizlemeAsync(input, fatura, null);
3: }
```

1.1.2.1.10.2.35.2 EarsivWebService.faturaOnizlemeAsync Method (string, belge, object)

C#

```
public void faturaOnizlemeAsync(string input, belge fatura, object userState);
```

Body Source

```
1: public void faturaOnizlemeAsync(string input, belge fatura, object userState) {
2:     if ((this.faturaOnizlemeOperationCompleted == null)) {
3:         this.faturaOnizlemeOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaOnizlemeOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaOnizleme", new object[] {
6:         input,
7:         fatura}, this.faturaOnizlemeOperationCompleted, userState);
8: }
```

1.1.2.1.10.2.36 EarsivWebService.faturaSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
faturaSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
faturaSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("faturaSorgula", new object[] {
5:         input});
```

```

6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }

```

1.1.2.1.10.2.37 faturaSorgulaAsync Method

1.1.2.1.10.2.37.1 EarsivWebService.faturaSorgulaAsync Method (string)

C#

```
public void faturaSorgulaAsync(string input);
```

Body Source

```

1: public void faturaSorgulaAsync(string input) {
2:     this.faturaSorgulaAsync(input, null);
3: }

```

1.1.2.1.10.2.37.2 EarsivWebService.faturaSorgulaAsync Method (string, object)

C#

```
public void faturaSorgulaAsync(string input, object userState);
```

Body Source

```

1: public void faturaSorgulaAsync(string input, object userState) {
2:     if ((this.faturaSorgulaOperationCompleted == null)) {
3:         this.faturaSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaSorgula", new object[] {
6:         input}, this.faturaSorgulaOperationCompleted, userState);
7: }

```

1.1.2.1.10.2.38 EarsivWebService.faturaSorgulaExt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
faturaSorgulaExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
faturaSorgulaExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("faturaSorgulaExt", new object[] {
```

```

5:             input));
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }

```

1.1.2.1.10.2.39 faturaSorgulaExtAsync Method

1.1.2.1.10.2.39.1 EarsivWebService.faturaSorgulaExtAsync Method (string)

C#

```
public void faturaSorgulaExtAsync(string input);
```

Body Source

```

1: public void faturaSorgulaExtAsync(string input) {
2:     this.faturaSorgulaExtAsync(input, null);
3: }

```

1.1.2.1.10.2.39.2 EarsivWebService.faturaSorgulaExtAsync Method (string, object)

C#

```
public void faturaSorgulaExtAsync(string input, object userState);
```

Body Source

```

1: public void faturaSorgulaExtAsync(string input, object userState) {
2:     if ((this.faturaSorgulaExtOperationCompleted == null)) {
3:         this.faturaSorgulaExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaSorgulaExtOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaSorgulaExt", new object[] {
6:         input}, this.faturaSorgulaExtOperationCompleted, userState);
7: }

```

1.1.2.1.10.2.40 EarsivWebService.faturaTaslakOlustur Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaTaslakOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge fatura);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaTaslakOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge fatura) {
```

```

4:     object[] results = this.Invoke("faturaTaslakOlustur", new object[] {
5:         input,
6:         fatura});
7:     return ((earxivServiceResult)(results[0]));
8: }

```

1.1.2.1.10.2.41 faturaTaslakOlusturAsync Method

1.1.2.1.10.2.41.1 EarsivWebService.faturaTaslakOlusturAsync Method (string, belge)

C#

```
public void faturaTaslakOlusturAsync(string input, belge fatura);
```

Body Source

```

1: public void faturaTaslakOlusturAsync(string input, belge fatura) {
2:     this.faturaTaslakOlusturAsync(input, fatura, null);
3: }

```

1.1.2.1.10.2.41.2 EarsivWebService.faturaTaslakOlusturAsync Method (string, belge, object)

C#

```
public void faturaTaslakOlusturAsync(string input, belge fatura, object userState);
```

Body Source

```

1: public void faturaTaslakOlusturAsync(string input, belge fatura, object userState) {
2:     if ((this.faturaTaslakOlusturOperationCompleted == null)) {
3:         this.faturaTaslakOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaTaslakOlusturOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaTaslakOlustur", new object[] {
6:         input,
7:         fatura}, this.faturaTaslakOlusturOperationCompleted, userState);
8: }

```

1.1.2.1.10.2.42 EarsivWebService.faturaTaslakOnizleme Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earxiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earxiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaTaslakOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out belge output);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earxiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earxiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaTaslakOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]

```

```

ed]
out belge output) {
4:     object[] results = this.Invoke("faturaTaslakOnizleme", new object[] {
5:         input});
6:     output = ((belge)(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }

```

1.1.2.1.10.2.43 faturaTaslakOnizlemeAsync Method

1.1.2.1.10.2.43.1 EarsivWebService.faturaTaslakOnizlemeAsync Method (string)

C#

```
public void faturaTaslakOnizlemeAsync(string input);
```

Body Source

```

1: public void faturaTaslakOnizlemeAsync(string input) {
2:     this.faturaTaslakOnizlemeAsync(input, null);
3: }

```

1.1.2.1.10.2.43.2 EarsivWebService.faturaTaslakOnizlemeAsync Method (string, object)

C#

```
public void faturaTaslakOnizlemeAsync(string input, object userState);
```

Body Source

```

1: public void faturaTaslakOnizlemeAsync(string input, object userState) {
2:     if ((this.faturaTaslakOnizlemeOperationCompleted == null)) {
3:         this.faturaTaslakOnizlemeOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaTaslakOnizlemeOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaTaslakOnizleme", new object[] {
6:         input}, this.faturaTaslakOnizlemeOperationCompleted, userState);
7: }

```

1.1.2.1.10.2.44 EarsivWebService.faturaTaslakSil Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaTaslakSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSche
maForm.Unqualified)]
string input);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaTaslakSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSche
maForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("faturaTaslakSil", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));

```

```
7: }
```

1.1.2.1.10.2.45 faturaTaslakSilAsync Method

1.1.2.1.10.2.45.1 EarsivWebService.faturaTaslakSilAsync Method (string)

C#

```
public void faturaTaslakSilAsync(string input);
```

Body Source

```
1: public void faturaTaslakSilAsync(string input) {
2:     this.faturaTaslakSilAsync(input, null);
3: }
```

1.1.2.1.10.2.45.2 EarsivWebService.faturaTaslakSilAsync Method (string, object)

C#

```
public void faturaTaslakSilAsync(string input, object userState);
```

Body Source

```
1: public void faturaTaslakSilAsync(string input, object userState) {
2:     if ((this.faturaTaslakSilOperationCompleted == null)) {
3:         this.faturaTaslakSilOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaTaslakSilOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaTaslakSil", new object[] {
6:         input}, this.faturaTaslakSilOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.46 EarsivWebService.faturaTaslakSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaTaslakSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaTaslakSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output) {
4:     object[] results = this.Invoke("faturaTaslakSorgula", new object[] {
5:         input});
6:     output = ((faturaDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.2.1.10.2.47 faturaTaslakSorgulaAsync Method

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

1.1.2.1.10.2.47.1 EarsivWebService.faturaTaslakSorgulaAsync Method (string)

C#

```
public void faturaTaslakSorgulaAsync(string input);
```

Body Source

```
1: public void faturaTaslakSorgulaAsync(string input) {
2:     this.faturaTaslakSorgulaAsync(input, null);
3: }
```

1.1.2.1.10.2.47.2 EarsivWebService.faturaTaslakSorgulaAsync Method (string, object)

C#

```
public void faturaTaslakSorgulaAsync(string input, object userState);
```

Body Source

```
1: public void faturaTaslakSorgulaAsync(string input, object userState) {
2:     if ((this.faturaTaslakSorgulaOperationCompleted == null)) {
3:         this.faturaTaslakSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaTaslakSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaTaslakSorgula", new object[] {
6:         input}, this.faturaTaslakSorgulaOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.48 EarsivWebService.faturaTaslaktanOlustur Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
faturaTaslaktanOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
faturaTaslaktanOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("faturaTaslaktanOlustur", new object[] {
5:         input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }
```

1.1.2.1.10.2.49 faturaTaslaktanOlusturAsync Method

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.10.2.49.1 EarsivWebService.faturaTaslaktanOlusturAsync Method (string)

C#

```
public void faturaTaslaktanOlusturAsync(string input);
```

Body Source

```
1: public void faturaTaslaktanOlusturAsync(string input) {
2:     this.faturaTaslaktanOlusturAsync(input, null);
3: }
```

1.1.2.1.10.2.49.2 EarsivWebService.faturaTaslaktanOlusturAsync Method (string, object)

C#

```
public void faturaTaslaktanOlusturAsync(string input, object userState);
```

Body Source

```
1: public void faturaTaslaktanOlusturAsync(string input, object userState) {
2:     if ((this.faturaTaslaktanOlusturOperationCompleted == null)) {
3:         this.faturaTaslaktanOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaTaslaktanOlusturOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaTaslaktanOlustur", new object[] {
6:         input}, this.faturaTaslaktanOlusturOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.50 EarsivWebService.faturaZipiAI Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaZipiAI([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
DataTypes="base64Binary", IsNullable=true)] out byte[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaZipiAI([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
DataTypes="base64Binary", IsNullable=true)] out byte[] output) {
4:     object[] results = this.Invoke("faturaZipiAI", new object[] {
5:         input});
6:     output = ((byte[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.2.1.10.2.51 faturaZipiAIAsync Method

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

1.1.2.1.10.2.51.1 EarsivWebService.faturaZipiAlAsync Method (string)

C#

```
public void faturaZipiAlAsync(string input);
```

Body Source

```
1: public void faturaZipiAlAsync(string input) {
2:     this.faturaZipiAlAsync(input, null);
3: }
```

1.1.2.1.10.2.51.2 EarsivWebService.faturaZipiAlAsync Method (string, object)

C#

```
public void faturaZipiAlAsync(string input, object userState);
```

Body Source

```
1: public void faturaZipiAlAsync(string input, object userState) {
2:     if ((this.faturaZipiAlOperationCompleted == null)) {
3:         this.faturaZipiAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaZipiAlOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaZipiAl", new object[] {
6:         input}, this.faturaZipiAlOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.52 EarsivWebService.IsLocalFileSystemWebService Method

C#

```
private bool IsLocalFileSystemWebService(string url);
```

Description

This is IsLocalFileSystemWebService, a member of class EarsivWebService.

Body Source

```
1: private bool IsLocalFileSystemWebService(string url) {
2:     if (((url == null)
3:           || (url == string.Empty))) {
4:         return false;
5:     }
6:     System.Uri wsUri = new System.Uri(url);
7:     if (((wsUri.Port >= 1024)
8:           && (string.Compare(wsUri.Host, "localhost",
System.StringComparison.OrdinalIgnoreCase) == 0))) {
9:         return true;
10:    }
11:    return false;
12: }
```

1.1.2.1.10.2.53 EarsivWebService.kontorBilgisiGetir Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
kontorBilgisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```

string kontorTipi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string kontorBirim;

Body Source

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("", 
RequestNamespace="http://service.earsiv.uut.cs.com.tr/", 
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/", 
Use=System.Web.Services.Description.SoapBindingUse.Literal, 
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return", 
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
kontorBilgisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string kontorTipi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string kontorBirim) {
4:     object[] results = this.Invoke("kontorBilgisiGetir", new object[] {
5:         vknTckn,
6:         kontorTipi,
7:         kontorBirim});
8:     return ((earsivServiceResult)(results[0]));
9: }

```

1.1.2.1.10.2.54 kontorBilgisiGetirAsync Method

1.1.2.1.10.2.54.1 EarsivWebService.kontorBilgisiGetirAsync Method (string, string, string)

C#

```
public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string kontorBirim);
```

Body Source

```

1: public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string
kontorBirim) {
2:     this.kontorBilgisiGetirAsync(vknTckn, kontorTipi, kontorBirim, null);
3: }

```

1.1.2.1.10.2.54.2 EarsivWebService.kontorBilgisiGetirAsync Method (string, string, string, object)

C#

```
public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string kontorBirim, 
object userState);
```

Body Source

```

1: public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string
kontorBirim, object userState) {
2:     if ((this.kontorBilgisiGetirOperationCompleted == null)) {
3:         this.kontorBilgisiGetirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnkontorBilgisiGetirOperationCompleted);
4:     }
5:     this.InvokeAsync("kontorBilgisiGetir", new object[] {
6:         vknTckn,
7:         kontorTipi,
8:         kontorBirim}, this.kontorBilgisiGetirOperationCompleted, userState);
9: }

```

1.1.2.1.10.2.55 EarsivWebService.okcRaporBolumAl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
okcRaporBolumAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
okcRaporBolumAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("okcRaporBolumAl", new object[] {
5:         input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return (belge)(results[0]);
8: }
```

1.1.2.1.10.2.56 okcRaporBolumAlAsync Method

1.1.2.1.10.2.56.1 EarsivWebService.okcRaporBolumAlAsync Method (string)

C#

```
public void okcRaporBolumAlAsync(string input);
```

Body Source

```
1: public void okcRaporBolumAlAsync(string input) {
2:     this.okcRaporBolumAlAsync(input, null);
3: }
```

1.1.2.1.10.2.56.2 EarsivWebService.okcRaporBolumAlAsync Method (string, object)

C#

```
public void okcRaporBolumAlAsync(string input, object userState);
```

Body Source

```
1: public void okcRaporBolumAlAsync(string input, object userState) {
2:     if ((this.okcRaporBolumAlOperationCompleted == null)) {
3:         this.okcRaporBolumAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnokcRaporBolumAlOperationCompleted);
4:     }
5:     this.InvokeAsync("okcRaporBolumAl", new object[] {
6:         input}, this.okcRaporBolumAlOperationCompleted, userState);
```

```
7: }
```

1.1.2.1.10.2.57 EarsivWebService.okcRaporKaydet Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
okcRaporKaydet([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
dosyaInput rapor);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
okcRaporKaydet([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
dosyaInput rapor) {
4:     object[] results = this.Invoke("okcRaporKaydet", new object[] {
5:         input,
6:         rapor});
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.2.1.10.2.58 okcRaporKaydetAsync Method

1.1.2.1.10.2.58.1 EarsivWebService.okcRaporKaydetAsync Method (string, dosyaInput)

C#

```
public void okcRaporKaydetAsync(string input, dosyaInput rapor);
```

Body Source

```
1: public void okcRaporKaydetAsync(string input, dosyaInput rapor) {
2:     this.okcRaporKaydetAsync(input, rapor, null);
3: }
```

1.1.2.1.10.2.58.2 EarsivWebService.okcRaporKaydetAsync Method (string, dosyaInput, object)

C#

```
public void okcRaporKaydetAsync(string input, dosyaInput rapor, object userState);
```

Body Source

```
1: public void okcRaporKaydetAsync(string input, dosyaInput rapor, object userState) {
2:     if ((this.okcRaporKaydetOperationCompleted == null)) {
3:         this.okcRaporKaydetOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnokcRaporKaydetOperationCompleted);
4:     }
5:     this.InvokeAsync("okcRaporKaydet", new object[] {
```

```

6:           input,
7:           rapor}, this.okcRaporKaydetOperationCompleted, userState);
8: }
```

1.1.2.1.10.2.59 EarsivWebService.okcRaporOlusturGonder Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
okcRaporOlusturGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string input);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
okcRaporOlusturGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("okcRaporOlusturGonder", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.2.1.10.2.60 okcRaporOlusturGonderAsync Method

1.1.2.1.10.2.60.1 EarsivWebService.okcRaporOlusturGonderAsync Method (string)

C#

```
public void okcRaporOlusturGonderAsync(string input);
```

Body Source

```

1: public void okcRaporOlusturGonderAsync(string input) {
2:     this.okcRaporOlusturGonderAsync(input, null);
3: }
```

1.1.2.1.10.2.60.2 EarsivWebService.okcRaporOlusturGonderAsync Method (string, object)

C#

```
public void okcRaporOlusturGonderAsync(string input, object userState);
```

Body Source

```

1: public void okcRaporOlusturGonderAsync(string input, object userState) {
2:     if ((this.okcRaporOlusturGonderOperationCompleted == null)) {
3:         this.okcRaporOlusturGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnokcRaporOlusturGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("okcRaporOlusturGonder", new object[] {
6:         input}, this.okcRaporOlusturGonderOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.61 EarsivWebService.OnaliciEpostaEkleSilGuncelleOperationCompleted Method

C#

```
private void OnaliciEpostaEkleSilGuncelleOperationCompleted(object arg);
```

Description

This is OnaliciEpostaEkleSilGuncelleOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnaliciEpostaEkleSilGuncelleOperationCompleted(object arg) {
2:     if ((this.aliciEpostaEkleSilGuncelleCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.aliciEpostaEkleSilGuncelleCompleted(this, new
6:             aliciEpostaEkleSilGuncelleCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:                 invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

1.1.2.1.10.2.62 EarsivWebService.OneFaturaKayitliKullaniciListeleOperationCompleted Method

C#

```
private void OneFaturaKayitliKullaniciListeleOperationCompleted(object arg);
```

Description

This is OneFaturaKayitliKullaniciListeleOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OneFaturaKayitliKullaniciListeleOperationCompleted(object arg) {
2:     if ((this.eFaturaKayitliKullaniciListeleCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.eFaturaKayitliKullaniciListeleCompleted(this, new
6:             eFaturaKayitliKullaniciListeleCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:                 invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

1.1.2.1.10.2.63 EarsivWebService.OnefaturaKullanicisiKontrolOperationCompleted Method

C#

```
private void OnefaturaKullanicisiKontrolOperationCompleted(object arg);
```

Description

This is OnefaturaKullanicisiKontrolOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnefaturaKullanicisiKontrolOperationCompleted(object arg) {
2:     if ((this.efaturaKullanicisiKontrolCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.efaturaKullanicisiKontrolCompleted(this, new
6:             efaturaKullanicisiKontrolCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:                 invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

1.1.2.1.10.2.64 EarsivWebService.OnefaturaKullanicisiOperationCompleted Method

C#

```
private void OnefaturaKullanicisiOperationCompleted(object arg);
```

Description

This is OnefaturaKullanicisiOperationCompleted, a member of class EarsivWebService.

Body Source

```

1: private void OnefaturaKullanicisiOperationCompleted(object arg) {
2:     if ((this.efaturaKullanicisiCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             (System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.efaturaKullanicisiCompleted(this, new
6:             efaturaKullanicisiCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

1.1.2.1.10.2.65 EarsivWebService.OnePostaDurumSorgulaOperationCompleted Method

C#

```
private void OnePostaDurumSorgulaOperationCompleted(object arg);
```

Description

This is OnePostaDurumSorgulaOperationCompleted, a member of class EarsivWebService.

Body Source

```

1: private void OnePostaDurumSorgulaOperationCompleted(object arg) {
2:     if ((this.ePostaDurumSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             (System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.ePostaDurumSorgulaCompleted(this, new
6:             ePostaDurumSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

1.1.2.1.10.2.66 EarsivWebService.OnePostaGonderOperationCompleted Method

C#

```
private void OnePostaGonderOperationCompleted(object arg);
```

Description

This is OnePostaGonderOperationCompleted, a member of class EarsivWebService.

Body Source

```

1: private void OnePostaGonderOperationCompleted(object arg) {
2:     if ((this.ePostaGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             (System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.ePostaGonderCompleted(this, new
6:             ePostaGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
7:             invokeArgs.UserState));
8:     }
9: }
```

1.1.2.1.10.2.67 EarsivWebService.OnfaturalptalEtOperationCompleted Method

C#

```
private void OnfaturalptalEtOperationCompleted(object arg);
```

Description

This is OnfaturalptalEtOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnfaturalptalEtOperationCompleted(object arg) {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

1:     if ((this.faturaIptalEtCompleted != null)) {
2:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
3:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaIptalEtCompleted(this, new
faturaIptalEtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.68 EarsivWebService.OnfaturaIptaliKaldırOperationCompleted Method

C#

```
private void OnfaturaIptaliKaldırOperationCompleted(object arg);
```

Description

This is OnfaturaIptaliKaldırOperationCompleted, a member of class EarsivWebService.

Body Source

```

1: private void OnfaturaIptaliKaldırOperationCompleted(object arg) {
2:     if ((this.faturaIptaliKaldırCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.faturaIptaliKaldırCompleted(this, new
faturaIptaliKaldırCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
6:     }
6: }
```

1.1.2.1.10.2.69 EarsivWebService.OnfaturaltirazEtOperationCompleted Method

C#

```
private void OnfaturaltirazEtOperationCompleted(object arg);
```

Description

This is OnfaturaltirazEtOperationCompleted, a member of class EarsivWebService.

Body Source

```

1: private void OnfaturaltirazEtOperationCompleted(object arg) {
2:     if ((this.faturaltirazEtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.faturaltirazEtCompleted(this, new
faturaltirazEtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
6:     }
6: }
```

1.1.2.1.10.2.70 EarsivWebService.OnfaturaltirazKaldırOperationCompleted Method

C#

```
private void OnfaturaltirazKaldırOperationCompleted(object arg);
```

Description

This is OnfaturaltirazKaldırOperationCompleted, a member of class EarsivWebService.

Body Source

```

1: private void OnfaturaltirazKaldırOperationCompleted(object arg) {
2:     if ((this.faturaltirazKaldırCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.faturaltirazKaldırCompleted(this, new
faturaltirazKaldırCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
5: }
```

```
6: }
```

1.1.2.1.10.2.71 EarsivWebService.OnfaturaListeSorgulaCountOperationCompleted Method

C#

```
private void OnfaturaListeSorgulaCountOperationCompleted(object arg);
```

Description

This is OnfaturaListeSorgulaCountOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnfaturaListeSorgulaCountOperationCompleted(object arg) {
2:     if ((this.faturaListeSorgulaCountCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaListeSorgulaCountCompleted(this, new
faturaListeSorgulaCountCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.72 EarsivWebService.OnfaturaListeSorgulaOperationCompleted Method

C#

```
private void OnfaturaListeSorgulaOperationCompleted(object arg);
```

Description

This is OnfaturaListeSorgulaOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnfaturaListeSorgulaOperationCompleted(object arg) {
2:     if ((this.faturaListeSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaListeSorgulaCompleted(this, new
faturaListeSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.73 EarsivWebService.OnfaturaListeSorgulaPortalOperationCompleted Method

C#

```
private void OnfaturaListeSorgulaPortalOperationCompleted(object arg);
```

Description

This is OnfaturaListeSorgulaPortalOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnfaturaListeSorgulaPortalOperationCompleted(object arg) {
2:     if ((this.faturaListeSorgulaPortalCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaListeSorgulaPortalCompleted(this, new
faturaListeSorgulaPortalCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.74 EarsivWebService.OnfaturaNoUretOperationCompleted Method

C#

```
private void OnfaturaNoUretOperationCompleted(object arg);
```

Description

This is OnfaturaNoUretOperationCompleted, a member of class EarsivWebService.

Body Source

```

1: private void OnfaturaNoUretOperationCompleted(object arg) {
2:     if ((this.faturaNoUretCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaNoUretCompleted(this, new
faturaNoUretCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.75 EarsivWebService.OnfaturaOlusturExtOperationCompleted Method

C#

```
private void OnfaturaOlusturExtOperationCompleted(object arg);
```

Description

This is OnfaturaOlusturExtOperationCompleted, a member of class EarsivWebService.

Body Source

```

1: private void OnfaturaOlusturExtOperationCompleted(object arg) {
2:     if ((this.faturaOlusturExtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaOlusturExtCompleted(this, new
faturaOlusturExtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.76 EarsivWebService.OnfaturaOlusturOperationCompleted Method

C#

```
private void OnfaturaOlusturOperationCompleted(object arg);
```

Description

This is OnfaturaOlusturOperationCompleted, a member of class EarsivWebService.

Body Source

```

1: private void OnfaturaOlusturOperationCompleted(object arg) {
2:     if ((this.faturaOlusturCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaOlusturCompleted(this, new
faturaOlusturCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.77 EarsivWebService.OnfaturaOnizlemeOperationCompleted Method

C#

```
private void OnfaturaOnizlemeOperationCompleted(object arg);
```

Description

This is OnfaturaOnizlemeOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnfaturaOnizlemeOperationCompleted(object arg) {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```

1:     if ((this.faturaOnizlemeCompleted != null)) {
2:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
3:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaOnizlemeCompleted(this, new
faturaOnizlemeCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.78 EarsivWebService.OnfaturaSorgulaExtOperationCompleted Method

C#

```
private void OnfaturaSorgulaExtOperationCompleted(object arg);
```

Description

This is OnfaturaSorgulaExtOperationCompleted, a member of class EarsivWebService.

Body Source

```

1: private void OnfaturaSorgulaExtOperationCompleted(object arg) {
2:     if ((this.faturaSorgulaExtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.faturaSorgulaExtCompleted(this, new
faturaSorgulaExtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
6:     }
6: }
```

1.1.2.1.10.2.79 EarsivWebService.OnfaturaSorgulaOperationCompleted Method

C#

```
private void OnfaturaSorgulaOperationCompleted(object arg);
```

Description

This is OnfaturaSorgulaOperationCompleted, a member of class EarsivWebService.

Body Source

```

1: private void OnfaturaSorgulaOperationCompleted(object arg) {
2:     if ((this.faturaSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.faturaSorgulaCompleted(this, new
faturaSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
6:     }
6: }
```

1.1.2.1.10.2.80 EarsivWebService.OnfaturaTaslakOlusturOperationCompleted Method

C#

```
private void OnfaturaTaslakOlusturOperationCompleted(object arg);
```

Description

This is OnfaturaTaslakOlusturOperationCompleted, a member of class EarsivWebService.

Body Source

```

1: private void OnfaturaTaslakOlusturOperationCompleted(object arg) {
2:     if ((this.faturaTaslakOlusturCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.faturaTaslakOlusturCompleted(this, new
faturaTaslakOlusturCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
5: }
```

```
6: }
```

1.1.2.1.10.2.81 EarsivWebService.OnfaturaTaslakOnizlemeOperationCompleted Method

C#

```
private void OnfaturaTaslakOnizlemeOperationCompleted(object arg);
```

Description

This is OnfaturaTaslakOnizlemeOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnfaturaTaslakOnizlemeOperationCompleted(object arg) {
2:     if ((this.faturaTaslakOnizlemeCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaTaslakOnizlemeCompleted(this, new
faturaTaslakOnizlemeCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.82 EarsivWebService.OnfaturaTaslakSilOperationCompleted Method

C#

```
private void OnfaturaTaslakSilOperationCompleted(object arg);
```

Description

This is OnfaturaTaslakSilOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnfaturaTaslakSilOperationCompleted(object arg) {
2:     if ((this.faturaTaslakSilCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaTaslakSilCompleted(this, new
faturaTaslakSilCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.83 EarsivWebService.OnfaturaTaslakSorgulaOperationCompleted Method

C#

```
private void OnfaturaTaslakSorgulaOperationCompleted(object arg);
```

Description

This is OnfaturaTaslakSorgulaOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnfaturaTaslakSorgulaOperationCompleted(object arg) {
2:     if ((this.faturaTaslakSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaTaslakSorgulaCompleted(this, new
faturaTaslakSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.84 EarsivWebService.OnfaturaTaslaktanOlusturOperationCompleted Method

C#

```
private void OnfaturaTaslaktanOlusturOperationCompleted(object arg);
```

Description

This is OnfaturaTaslaktanOlusturOperationCompleted, a member of class EarsivWebService.

Body Source

```

1: private void OnfaturaTaslaktanOlusturOperationCompleted(object arg) {
2:     if ((this.faturaTaslaktanOlusturCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaTaslaktanOlusturCompleted(this, new
faturaTaslaktanOlusturCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.85 EarsivWebService.OnfaturaZipiAIOperationCompleted Method**C#**

```
private void OnfaturaZipiAIOperationCompleted(object arg);
```

Description

This is OnfaturaZipiAIOperationCompleted, a member of class EarsivWebService.

Body Source

```

1: private void OnfaturaZipiAIOperationCompleted(object arg) {
2:     if ((this.faturaZipiAICompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaZipiAICompleted(this, new
faturaZipiAICompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.86 EarsivWebService.OnkontorBilgisiGetirOperationCompleted Method**C#**

```
private void OnkontorBilgisiGetirOperationCompleted(object arg);
```

Description

This is OnkontorBilgisiGetirOperationCompleted, a member of class EarsivWebService.

Body Source

```

1: private void OnkontorBilgisiGetirOperationCompleted(object arg) {
2:     if ((this.kontorBilgisiGetirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.kontorBilgisiGetirCompleted(this, new
kontorBilgisiGetirCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.87 EarsivWebService.OnokcRaporBolumAIOperationCompleted Method**C#**

```
private void OnokcRaporBolumAIOperationCompleted(object arg);
```

Description

This is OnokcRaporBolumAIOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnokcRaporBolumAIOperationCompleted(object arg) {
```

```

1:     if ((this.okcRaporBolumAlCompleted != null)) {
2:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
3:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.okcRaporBolumAlCompleted(this, new
okcRaporBolumAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.88 EarsivWebService.OnokcRaporKaydetOperationCompleted Method

C#

```
private void OnokcRaporKaydetOperationCompleted(object arg);
```

Description

This is OnokcRaporKaydetOperationCompleted, a member of class EarsivWebService.

Body Source

```

1: private void OnokcRaporKaydetOperationCompleted(object arg) {
2:     if ((this.okcRaporKaydetCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.okcRaporKaydetCompleted(this, new
okcRaporKaydetCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
6:     }
}
```

1.1.2.1.10.2.89 EarsivWebService.OnokcRaporOlusturGonderOperationCompleted Method

C#

```
private void OnokcRaporOlusturGonderOperationCompleted(object arg);
```

Description

This is OnokcRaporOlusturGonderOperationCompleted, a member of class EarsivWebService.

Body Source

```

1: private void OnokcRaporOlusturGonderOperationCompleted(object arg) {
2:     if ((this.okcRaporOlusturGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.okcRaporOlusturGonderCompleted(this, new
okcRaporOlusturGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
6:     }
}
```

1.1.2.1.10.2.90 EarsivWebService.OnraporBolumAlOperationCompleted Method

C#

```
private void OnraporBolumAlOperationCompleted(object arg);
```

Description

This is OnraporBolumAlOperationCompleted, a member of class EarsivWebService.

Body Source

```

1: private void OnraporBolumAlOperationCompleted(object arg) {
2:     if ((this.raporBolumAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.raporBolumAlCompleted(this, new
raporBolumAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
6:     }
}
```

```
6: }
```

1.1.2.1.10.2.91 EarsivWebService.OnraporBolumBilgisiAlOperationCompleted Method

C#

```
private void OnraporBolumBilgisiAlOperationCompleted(object arg);
```

Description

This is OnraporBolumBilgisiAlOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnraporBolumBilgisiAlOperationCompleted(object arg) {
2:     if ((this.raporBolumBilgisiAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumBilgisiAlCompleted(this, new
raporBolumBilgisiAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.92 EarsivWebService.OnraporBolumleriOlusturOperationCompleted Method

C#

```
private void OnraporBolumleriOlusturOperationCompleted(object arg);
```

Description

This is OnraporBolumleriOlusturOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnraporBolumleriOlusturOperationCompleted(object arg) {
2:     if ((this.raporBolumleriOlusturCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumleriOlusturCompleted(this, new
raporBolumleriOlusturCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.93 EarsivWebService.OnraporBolumListesiDetaigliSorgulaOperationCompleted Method

C#

```
private void OnraporBolumListesiDetaigliSorgulaOperationCompleted(object arg);
```

Description

This is OnraporBolumListesiDetaigliSorgulaOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnraporBolumListesiDetaigliSorgulaOperationCompleted(object arg) {
2:     if ((this.raporBolumListesiDetaigliSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumListesiDetaigliSorgulaCompleted(this, new
raporBolumListesiDetaigliSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.94 EarsivWebService.OnraporBolumListesiSorgulaOperationCompleted Method

C#

```
private void OnraporBolumListesiSorgulaOperationCompleted(object arg);
```

Description

This is OnraporBolumListesiSorgulaOperationCompleted, a member of class EarsivWebService.

Body Source

```

1: private void OnraporBolumListesiSorgulaOperationCompleted(object arg) {
2:     if ((this.raporBolumListesiSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumListesiSorgulaCompleted(this, new
raporBolumListesiSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.95 EarsivWebService.OnraporBolumListesiSorgulaWithInputOperationCompleted Method

C#

```
private void OnraporBolumListesiSorgulaWithInputOperationCompleted(object arg);
```

Description

This is OnraporBolumListesiSorgulaWithInputOperationCompleted, a member of class EarsivWebService.

Body Source

```

1: private void OnraporBolumListesiSorgulaWithInputOperationCompleted(object arg) {
2:     if ((this.raporBolumListesiSorgulaWithInputCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumListesiSorgulaWithInputCompleted(this, new
raporBolumListesiSorgulaWithInputCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.96 EarsivWebService.OnraporBolumRaporNoGuncelleImzalaOperationCompleted Method

C#

```
private void OnraporBolumRaporNoGuncelleImzalaOperationCompleted(object arg);
```

Description

This is OnraporBolumRaporNoGuncelleImzalaOperationCompleted, a member of class EarsivWebService.

Body Source

```

1: private void OnraporBolumRaporNoGuncelleImzalaOperationCompleted(object arg) {
2:     if ((this.raporBolumRaporNoGuncelleImzalaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumRaporNoGuncelleImzalaCompleted(this, new
raporBolumRaporNoGuncelleImzalaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.97 EarsivWebService.OnraporBolumSilOperationCompleted Method

C#

```
private void OnraporBolumSilOperationCompleted(object arg);
```

Description

This is OnraporBolumSilOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnraporBolumSilOperationCompleted(object arg) {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

2:     if ((this.raporBolumSilCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.raporBolumSilCompleted(this, new
6:             raporBolumSilCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
7:             invokeArgs.UserState));
8:     }
9: }

```

1.1.2.1.10.2.98 EarsivWebService.OnrapordaFaturaSorgulaOperationCompleted Method

C#

```
private void OnrapordaFaturaSorgulaOperationCompleted(object arg);
```

Description

This is OnrapordaFaturaSorgulaOperationCompleted, a member of class EarsivWebService.

Body Source

```

1: private void OnrapordaFaturaSorgulaOperationCompleted(object arg) {
2:     if ((this.rapordaFaturaSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.rapordaFaturaSorgulaCompleted(this, new
6:             rapordaFaturaSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }

```

1.1.2.1.10.2.99 EarsivWebService.OnraporDurumSorgulaOperationCompleted Method

C#

```
private void OnraporDurumSorgulaOperationCompleted(object arg);
```

Description

This is OnraporDurumSorgulaOperationCompleted, a member of class EarsivWebService.

Body Source

```

1: private void OnraporDurumSorgulaOperationCompleted(object arg) {
2:     if ((this.raporDurumSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.raporDurumSorgulaCompleted(this, new
6:             raporDurumSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }

```

1.1.2.1.10.2.100 EarsivWebService.OnraporGonderOperationCompleted Method

C#

```
private void OnraporGonderOperationCompleted(object arg);
```

Description

This is OnraporGonderOperationCompleted, a member of class EarsivWebService.

Body Source

```

1: private void OnraporGonderOperationCompleted(object arg) {
2:     if ((this.raporGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.raporGonderCompleted(this, new
6:             raporGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
7:             invokeArgs.UserState));
8:     }
9: }

```

```
6: }
```

1.1.2.1.10.2.101 EarsivWebService.OnservisSaglayicidanEpostaDurumSorgulaOperationCompleted Method

C#

```
private void OnservisSaglayicidanEpostaDurumSorgulaOperationCompleted(object arg);
```

Description

This is OnservisSaglayicidanEpostaDurumSorgulaOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnservisSaglayicidanEpostaDurumSorgulaOperationCompleted(object arg) {
2:     if ((this.servisSaglayicidanEpostaDurumSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.servisSaglayicidanEpostaDurumSorgulaCompleted(this, new
servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs(invokeArgs.Results,
invokeArgs.Error, invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.102 EarsivWebService.OnsmsDurumSorgulaOperationCompleted Method

C#

```
private void OnsmsDurumSorgulaOperationCompleted(object arg);
```

Description

This is OnsmsDurumSorgulaOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnsmsDurumSorgulaOperationCompleted(object arg) {
2:     if ((this.smsDurumSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.smsDurumSorgulaCompleted(this, new
smsDurumSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.103 EarsivWebService.OnsmsGonderOperationCompleted Method

C#

```
private void OnsmsGonderOperationCompleted(object arg);
```

Description

This is OnsmsGonderOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OnsmsGonderOperationCompleted(object arg) {
2:     if ((this.smsGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.smsGonderCompleted(this, new
smsGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.104 EarsivWebService.OntoplufaturaPaketDosyaGonderOperationCompleted Method

C#

```
private void OntoplufaturaPaketDosyaGonderOperationCompleted(object arg);
```

Description

This is OntoplufaturaPaketDosyaGonderOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OntoplufaturaPaketDosyaGonderOperationCompleted(object arg) {
2:     if ((this.toplufaturaPaketDosyaGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.toplufaturaPaketDosyaGonderCompleted(this, new
6:             toplufaturaPaketDosyaGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

1.1.2.1.10.2.105 EarsivWebService.OntoplufaturaPaketDosyasiSorgulaOperationCompleted Method

C#

```
private void OntoplufaturaPaketDosyasiSorgulaOperationCompleted(object arg);
```

Description

This is OntoplufaturaPaketDosyasiSorgulaOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OntoplufaturaPaketDosyasiSorgulaOperationCompleted(object arg) {
2:     if ((this.toplufaturaPaketDosyasiSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.toplufaturaPaketDosyasiSorgulaCompleted(this, new
6:             toplufaturaPaketDosyasiSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

1.1.2.1.10.2.106 EarsivWebService.OntoplufaturaPaketOnaylaOperationCompleted Method

C#

```
private void OntoplufaturaPaketOnaylaOperationCompleted(object arg);
```

Description

This is OntoplufaturaPaketOnaylaOperationCompleted, a member of class EarsivWebService.

Body Source

```
1: private void OntoplufaturaPaketOnaylaOperationCompleted(object arg) {
2:     if ((this.toplufaturaPaketOnaylaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.toplufaturaPaketOnaylaCompleted(this, new
6:             toplufaturaPaketOnaylaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

1.1.2.1.10.2.107 EarsivWebService.OntoplufaturaPaketSorgulaOperationCompleted Method

C#

```
private void OntoplufaturaPaketSorgulaOperationCompleted(object arg);
```

Description

This is OntoplufaturaPaketSorgulaOperationCompleted, a member of class EarsivWebService.

Body Source

```

1: private void OntoplufaturaPaketSorgulaOperationCompleted(object arg) {
2:     if ((this.toplufaturaPaketSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.toplufaturaPaketSorgulaCompleted(this, new
toplufaturaPaketSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.108 EarsivWebService.OnyapilandirmaAyarlariAIOperationCompleted Method

C#

```
private void OnyapilandirmaAyarlariAIOperationCompleted(object arg);
```

Description

This is OnyapilandirmaAyarlariAIOperationCompleted, a member of class EarsivWebService.

Body Source

```

1: private void OnyapilandirmaAyarlariAIOperationCompleted(object arg) {
2:     if ((this.yapilandirmaAyarlariAICompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.yapilandirmaAyarlariAICompleted(this, new
yapilandirmaAyarlariAICompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.2.1.10.2.109 EarsivWebService.raporBolumAI Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
raporBolumAI([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string bolumRaporNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return;
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
raporBolumAI([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string bolumRaporNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
```

```

ed]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("raporBolumAl", new object[] {
5:         bolumRaporNo});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }

```

1.1.2.1.10.2.110 raporBolumAlAsync Method

1.1.2.1.10.2.110.1 EarsivWebService.raporBolumAlAsync Method (string)

C#

```
public void raporBolumAlAsync(string bolumRaporNo);
```

Body Source

```

1: public void raporBolumAlAsync(string bolumRaporNo) {
2:     this.raporBolumAlAsync(bolumRaporNo, null);
3: }

```

1.1.2.1.10.2.110.2 EarsivWebService.raporBolumAlAsync Method (string, object)

C#

```
public void raporBolumAlAsync(string bolumRaporNo, object userState);
```

Body Source

```

1: public void raporBolumAlAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumAlOperationCompleted == null)) {
3:         this.raporBolumAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumAlOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumAl", new object[] {
6:         bolumRaporNo}, this.raporBolumAlOperationCompleted, userState);
7: }

```

1.1.2.1.10.2.111 EarsivWebService.raporBolumBilgisiAl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumBilgisiAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)])
string bolumRaporNo;
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumBilgisiAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified])
string bolumRaporNo) {
4:     object[] results = this.Invoke("raporBolumBilgisiAl", new object[] {
5:         bolumRaporNo});
6:     return ((earsivServiceResult)(results[0]));
}

```

```
7: }
```

1.1.2.1.10.2.112 raporBolumBilgisiAlAsync Method

1.1.2.1.10.2.112.1 EarsivWebService.raporBolumBilgisiAlAsync Method (string)

C#

```
public void raporBolumBilgisiAlAsync(string bolumRaporNo);
```

Body Source

```
1: public void raporBolumBilgisiAlAsync(string bolumRaporNo) {
2:     this.raporBolumBilgisiAlAsync(bolumRaporNo, null);
3: }
```

1.1.2.1.10.2.112.2 EarsivWebService.raporBolumBilgisiAlAsync Method (string, object)

C#

```
public void raporBolumBilgisiAlAsync(string bolumRaporNo, object userState);
```

Body Source

```
1: public void raporBolumBilgisiAlAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumBilgisiAlOperationCompleted == null)) {
3:         this.raporBolumBilgisiAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumBilgisiAlOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumBilgisiAl", new object[] {
6:         bolumRaporNo}, this.raporBolumBilgisiAlOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.113 EarsivWebService.raporBolumleriOlustur Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumleriOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string sonGun);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumleriOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string donem,
```

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string sonGun) {
4:     object[] results = this.Invoke("raporBolumleriOlustur", new object[] {
5:         input,
6:         donem,
7:         sonGun});
8:     return ((earxivServiceResult)(results[0]));
9: }
```

1.1.2.1.10.2.114 raporBolumleriOlusturAsync Method

1.1.2.1.10.2.114.1 EarsivWebService.raporBolumleriOlusturAsync Method (string, string, string)

C#

```
public void raporBolumleriOlusturAsync(string input, string donem, string sonGun);
```

Body Source

```
1: public void raporBolumleriOlusturAsync(string input, string donem, string sonGun) {
2:     this.raporBolumleriOlusturAsync(input, donem, sonGun, null);
3: }
```

1.1.2.1.10.2.114.2 EarsivWebService.raporBolumleriOlusturAsync Method (string, string, string, object)

C#

```
public void raporBolumleriOlusturAsync(string input, string donem, string sonGun, object
userState);
```

Body Source

```
1: public void raporBolumleriOlusturAsync(string input, string donem, string sonGun, object
userState) {
2:     if ((this.raporBolumleriOlusturOperationCompleted == null)) {
3:         this.raporBolumleriOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumleriOlusturOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumleriOlustur", new object[] {
6:         input,
7:         donem,
8:         sonGun}, this.raporBolumleriOlusturOperationCompleted, userState);
9: }
```

1.1.2.1.10.2.115 EarsivWebService.raporBolumListesiDetacliSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earxiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earxiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earxivServiceResult
raporBolumListesiDetacliSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string donem, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out raporBolumDTO[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earxiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earxiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
```

```

3: public earsivServiceResult
raporBolumListesiDetayliSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string donem, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out raporBolumDTO[] output) {
4:     object[] results = this.Invoke("raporBolumListesiDetayliSorgula", new object[] {
5:         donem});
6:     output = ((raporBolumDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }

```

1.1.2.1.10.2.116 raporBolumListesiDetayliSorgulaAsync Method

1.1.2.1.10.2.116.1 EarsivWebService.raporBolumListesiDetayliSorgulaAsync Method (string)

C#

```
public void raporBolumListesiDetayliSorgulaAsync(string donem);
```

Body Source

```

1: public void raporBolumListesiDetayliSorgulaAsync(string donem) {
2:     this.raporBolumListesiDetayliSorgulaAsync(donem, null);
3: }

```

1.1.2.1.10.2.116.2 EarsivWebService.raporBolumListesiDetayliSorgulaAsync Method (string, object)

C#

```
public void raporBolumListesiDetayliSorgulaAsync(string donem, object userState);
```

Body Source

```

1: public void raporBolumListesiDetayliSorgulaAsync(string donem, object userState) {
2:     if ((this.raporBolumListesiDetayliSorgulaOperationCompleted == null)) {
3:         this.raporBolumListesiDetayliSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumListesiDetayliSorgulaOperationCompleted
);
4:     }
5:     this.InvokeAsync("raporBolumListesiDetayliSorgula", new object[] {
6:         donem}, this.raporBolumListesiDetayliSorgulaOperationCompleted,
userState);
7: }

```

1.1.2.1.10.2.117 EarsivWebService.raporBolumListesiSorgula Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
raporBolumListesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",

```

```

Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
raporBolumListesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("raporBolumListesiSorgula", new object[] {
5:         donem});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((string)(results[0]));
8: }

```

1.1.2.1.10.2.118 raporBolumListesiSorgulaAsync Method

1.1.2.1.10.2.118.1 EarsivWebService.raporBolumListesiSorgulaAsync Method (string)

C#

```
public void raporBolumListesiSorgulaAsync(string donem);
```

Body Source

```

1: public void raporBolumListesiSorgulaAsync(string donem) {
2:     this.raporBolumListesiSorgulaAsync(donem, null);
3: }

```

1.1.2.1.10.2.118.2 EarsivWebService.raporBolumListesiSorgulaAsync Method (string, object)

C#

```
public void raporBolumListesiSorgulaAsync(string donem, object userState);
```

Body Source

```

1: public void raporBolumListesiSorgulaAsync(string donem, object userState) {
2:     if ((this.raporBolumListesiSorgulaOperationCompleted == null)) {
3:         this.raporBolumListesiSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumListesiSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumListesiSorgula", new object[] {
6:         donem}, this.raporBolumListesiSorgulaOperationCompleted, userState);
7: }

```

1.1.2.1.10.2.119 EarsivWebService.raporBolumListesiSorgulaWithInput Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
raporBolumListesiSorgulaWithInput([System.Xml.Serialization.XmlElementAttribute(Form=System.
Xml.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
raporBolumListesiSorgulaWithInput([System.Xml.Serialization.XmlElementAttribute(Form=System.
Xml.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("raporBolumListesiSorgulaWithInput", new object[] {
5:         input,
6:         donem});
7:     @return = ((earsivServiceResult)(results[1]));
8:     return ((string)(results[0]));
9: }

```

1.1.2.1.10.2.120 raporBolumListesiSorgulaWithInputAsync Method

1.1.2.1.10.2.120.1 EarsivWebService.raporBolumListesiSorgulaWithInputAsync Method (string, string)

C#

```
public void raporBolumListesiSorgulaWithInputAsync(string input, string donem);
```

Body Source

```

1: public void raporBolumListesiSorgulaWithInputAsync(string input, string donem) {
2:     this.raporBolumListesiSorgulaWithInputAsync(input, donem, null);
3: }

```

1.1.2.1.10.2.120.2 EarsivWebService.raporBolumListesiSorgulaWithInputAsync Method (string, string, object)

C#

```
public void raporBolumListesiSorgulaWithInputAsync(string input, string donem, object
userState);
```

Body Source

```

1: public void raporBolumListesiSorgulaWithInputAsync(string input, string donem, object
userState) {
2:     if ((this.raporBolumListesiSorgulaWithInputOperationCompleted == null)) {
3:         this.raporBolumListesiSorgulaWithInputOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumListesiSorgulaWithInputOperationComple
ted);
4:     }
5:     this.InvokeAsync("raporBolumListesiSorgulaWithInput", new object[] {
6:         input,
7:         donem}, this.raporBolumListesiSorgulaWithInputOperationCompleted,
userState);
8: }

```

1.1.2.1.10.2.121 EarsivWebService.raporBolumRaporNoGuncellelmzala Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
```

```
public earsivServiceResult
raporBolumRaporNoGuncelleImzala([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string bolumRaporNo);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumRaporNoGuncelleImzala([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string bolumRaporNo) {
4:     object[] results = this.Invoke("raporBolumRaporNoGuncelleImzala", new object[] {
5:         bolumRaporNo});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.2.1.10.2.122 raporBolumRaporNoGuncelleImzalaAsync Method**1.1.2.1.10.2.122.1 EarsivWebService.raporBolumRaporNoGuncelleImzalaAsync Method (string)****C#**

```
public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo);
```

Body Source

```
1: public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo) {
2:     this.raporBolumRaporNoGuncelleImzalaAsync(bolumRaporNo, null);
3: }
```

1.1.2.1.10.2.122.2 EarsivWebService.raporBolumRaporNoGuncelleImzalaAsync Method (string, object)**C#**

```
public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo, object userState);
```

Body Source

```
1: public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumRaporNoGuncelleImzalaOperationCompleted == null)) {
3:         this.raporBolumRaporNoGuncelleImzalaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumRaporNoGuncelleImzalaOperationCompleted
);
4:     }
5:     this.InvokeAsync("raporBolumRaporNoGuncelleImzala", new object[] {
6:         bolumRaporNo}, this.raporBolumRaporNoGuncelleImzalaOperationCompleted,
userState);
7: }
```

1.1.2.1.10.2.123 EarsivWebService.raporBolumSil Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string bolumRaporNo);
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string bolumRaporNo) {
4:     object[] results = this.Invoke("raporBolumSil", new object[] {
5:         bolumRaporNo});
6:     return ((earsivServiceResult)(results[0]));
7: }

```

1.1.2.1.10.2.124 raporBolumSilAsync Method**1.1.2.1.10.2.124.1 EarsivWebService.raporBolumSilAsync Method (string)****C#**

```
public void raporBolumSilAsync(string bolumRaporNo);
```

Body Source

```

1: public void raporBolumSilAsync(string bolumRaporNo) {
2:     this.raporBolumSilAsync(bolumRaporNo, null);
3: }

```

1.1.2.1.10.2.124.2 EarsivWebService.raporBolumSilAsync Method (string, object)**C#**

```
public void raporBolumSilAsync(string bolumRaporNo, object userState);
```

Body Source

```

1: public void raporBolumSilAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumSilOperationCompleted == null)) {
3:         this.raporBolumSilOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumSilOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumSil", new object[] {
6:         bolumRaporNo}, this.raporBolumSilOperationCompleted, userState);
7: }

```

1.1.2.1.10.2.125 EarsivWebService.rapordaFaturaSorgula Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
rapordaFaturaSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
lSchemaForm.Unqualified)]
string input);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,

```

```

ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped) ]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
rapordaFaturaSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
lSchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("rapordaFaturaSorgula", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }

```

1.1.2.1.10.2.126 rapordaFaturaSorgulaAsync Method

1.1.2.1.10.2.126.1 EarsivWebService.rapordaFaturaSorgulaAsync Method (string)

C#

```
public void rapordaFaturaSorgulaAsync(string input);
```

Body Source

```

1: public void rapordaFaturaSorgulaAsync(string input) {
2:     this.rapordaFaturaSorgulaAsync(input, null);
3: }

```

1.1.2.1.10.2.126.2 EarsivWebService.rapordaFaturaSorgulaAsync Method (string, object)

C#

```
public void rapordaFaturaSorgulaAsync(string input, object userState);
```

Body Source

```

1: public void rapordaFaturaSorgulaAsync(string input, object userState) {
2:     if ((this.rapordaFaturaSorgulaOperationCompleted == null)) {
3:         this.rapordaFaturaSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnrapordaFaturaSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("rapordaFaturaSorgula", new object[] {
6:         input}, this.rapordaFaturaSorgulaOperationCompleted, userState);
7: }

```

1.1.2.1.10.2.127 EarsivWebService.raporDurumSorgula Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSc
hemaForm.Unqualified)]
string donem);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSc
hemaForm.Unqualified)]

```

```

1:     string donem) {
2:         object[] results = this.Invoke("raporDurumSorgula", new object[] {
3:             donem});
4:         return ((earsivServiceResult)(results[0]));
5:     }
6:
7: }
```

1.1.2.1.10.2.128 raporDurumSorgulaAsync Method

1.1.2.1.10.2.128.1 EarsivWebService.raporDurumSorgulaAsync Method (string)

C#

```
public void raporDurumSorgulaAsync(string donem);
```

Body Source

```

1: public void raporDurumSorgulaAsync(string donem) {
2:     this.raporDurumSorgulaAsync(donem, null);
3: }
```

1.1.2.1.10.2.128.2 EarsivWebService.raporDurumSorgulaAsync Method (string, object)

C#

```
public void raporDurumSorgulaAsync(string donem, object userState);
```

Body Source

```

1: public void raporDurumSorgulaAsync(string donem, object userState) {
2:     if ((this.raporDurumSorgulaOperationCompleted == null)) {
3:         this.raporDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporDurumSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("raporDurumSorgula", new object[] {
6:         donem}, this.raporDurumSorgulaOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.129 EarsivWebService.raporGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
string donem);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
string donem) {
4:     object[] results = this.Invoke("raporGonder", new object[] {
5:         donem});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.2.1.10.2.130 raporGonderAsync Method

1.1.2.1.10.2.130.1 EarsivWebService.raporGonderAsync Method (string)

C#

```
public void raporGonderAsync(string donem);
```

Body Source

```
1: public void raporGonderAsync(string donem) {
2:     this.raporGonderAsync(donem, null);
3: }
```

1.1.2.1.10.2.130.2 EarsivWebService.raporGonderAsync Method (string, object)

C#

```
public void raporGonderAsync(string donem, object userState);
```

Body Source

```
1: public void raporGonderAsync(string donem, object userState) {
2:     if ((this.raporGonderOperationCompleted == null)) {
3:         this.raporGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("raporGonder", new object[] {
6:         donem}, this.raporGonderOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.131 EarsivWebService.servisSaglayicidanEpostaDurumSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("outputDurum",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
servisSaglayicidanEpostaDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out string outputEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return;
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("outputDurum",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
servisSaglayicidanEpostaDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out string outputEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
```

```

ed) ]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("servisSaglayicidanEpostaDurumSorgula", new object[] {
5:         input});
6:     outputEposta = ((string)(results[1]));
7:     @return = ((earsivServiceResult)(results[2]));
8:     return ((string)(results[0]));
9: }

```

1.1.2.1.10.2.132 servisSaglayicidanEpostaDurumSorgulaAsync Method

1.1.2.1.10.2.132.1 EarsivWebService.servisSaglayicidanEpostaDurumSorgulaAsync Method (string)

C#

```
public void servisSaglayicidanEpostaDurumSorgulaAsync(string input);
```

Body Source

```

1: public void servisSaglayicidanEpostaDurumSorgulaAsync(string input) {
2:     this.servisSaglayicidanEpostaDurumSorgulaAsync(input, null);
3: }

```

1.1.2.1.10.2.132.2 EarsivWebService.servisSaglayicidanEpostaDurumSorgulaAsync Method (string, object)

C#

```
public void servisSaglayicidanEpostaDurumSorgulaAsync(string input, object userState);
```

Body Source

```

1: public void servisSaglayicidanEpostaDurumSorgulaAsync(string input, object userState) {
2:     if ((this.servisSaglayicidanEpostaDurumSorgulaOperationCompleted == null)) {
3:         this.servisSaglayicidanEpostaDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnservisSaglayicidanEpostaDurumSorgulaOperationComp
leted);
4:     }
5:     this.InvokeAsync("servisSaglayicidanEpostaDurumSorgula", new object[] {
6:         input}, this.servisSaglayicidanEpostaDurumSorgulaOperationCompleted,
userState);
7: }

```

1.1.2.1.10.2.133 EarsivWebService.smsDurumSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
smsDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSche
maForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed])
out string outputDurum);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult

```

```

smsDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
    string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out string outputDurum) {
4:     object[] results = this.Invoke("smsDurumSorgula", new object[] {
5:         input});
6:     outputDurum = ((string)(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }

```

1.1.2.1.10.2.134 smsDurumSorgulaAsync Method

1.1.2.1.10.2.134.1 EarsivWebService.smsDurumSorgulaAsync Method (string)

C#

```
public void smsDurumSorgulaAsync(string input);
```

Body Source

```

1: public void smsDurumSorgulaAsync(string input) {
2:     this.smsDurumSorgulaAsync(input, null);
3: }

```

1.1.2.1.10.2.134.2 EarsivWebService.smsDurumSorgulaAsync Method (string, object)

C#

```
public void smsDurumSorgulaAsync(string input, object userState);
```

Body Source

```

1: public void smsDurumSorgulaAsync(string input, object userState) {
2:     if ((this.smsDurumSorgulaOperationCompleted == null)) {
3:         this.smsDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnsmsDurumSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("smsDurumSorgula", new object[] {
6:         input}, this.smsDurumSorgulaOperationCompleted, userState);
7: }

```

1.1.2.1.10.2.135 EarsivWebService.smsGonder Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
smsGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm
.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ilaveTelefonNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
int tanimliTelefonNoyaGonder);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,

```

```

ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped) ]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
smsGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm
.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ilaveTelefonNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
int tanimliTelefonNoyaGonder) {
4:     object[] results = this.Invoke("smsGonder", new object[] {
5:         input,
6:         ilaveTelefonNo,
7:         tanimliTelefonNoyaGonder});
8:     return ((earsivServiceResult)(results[0]));
9: }

```

1.1.2.1.10.2.136 smsGonderAsync Method

1.1.2.1.10.2.136.1 EarsivWebService.smsGonderAsync Method (string, string, int)

C#

```

public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder);

```

Body Source

```

1: public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder) {
2:     this.smsGonderAsync(input, ilaveTelefonNo, tanimliTelefonNoyaGonder, null);
3: }

```

1.1.2.1.10.2.136.2 EarsivWebService.smsGonderAsync Method (string, string, int, object)

C#

```

public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder, object userState);

```

Body Source

```

1: public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder, object userState) {
2:     if ((this.smsGonderOperationCompleted == null)) {
3:         this.smsGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnsmsGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("smsGonder", new object[] {
6:         input,
7:         ilaveTelefonNo,
8:         tanimliTelefonNoyaGonder}, this.smsGonderOperationCompleted, userState);
9: }

```

1.1.2.1.10.2.137 EarsivWebService.topluFaturaPaketDosyaGonder Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
topluFaturaPaketDosyaGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc

```

```

    hema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
belge paketDosyasiZip);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
topluFaturaPaketDosyaGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge paketDosyasiZip) {
4:     object[] results = this.Invoke("topluFaturaPaketDosyaGonder", new object[] {
5:         input,
6:         paketDosyasiZip});
7:     return ((earsivServiceResult)(results[0]));
8: }

```

1.1.2.1.10.2.138 topluFaturaPaketDosyaGonderAsync Method**1.1.2.1.10.2.138.1 EarsivWebService.topluFaturaPaketDosyaGonderAsync Method (string, belge)****C#**

```
public void topluFaturaPaketDosyaGonderAsync(string input, belge paketDosyasiZip);
```

Body Source

```

1: public void topluFaturaPaketDosyaGonderAsync(string input, belge paketDosyasiZip) {
2:     this.topluFaturaPaketDosyaGonderAsync(input, paketDosyasiZip, null);
3: }

```

1.1.2.1.10.2.138.2 EarsivWebService.topluFaturaPaketDosyaGonderAsync Method (string, belge, object)**C#**

```
public void topluFaturaPaketDosyaGonderAsync(string input, belge paketDosyasiZip, object
userState);
```

Body Source

```

1: public void topluFaturaPaketDosyaGonderAsync(string input, belge paketDosyasiZip, object
userState) {
2:     if ((this.topluFaturaPaketDosyaGonderOperationCompleted == null)) {
3:         this.topluFaturaPaketDosyaGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OntoplufaturaPaketDosyaGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("topluFaturaPaketDosyaGonder", new object[] {
6:         input,
7:         paketDosyasiZip}, this.topluFaturaPaketDosyaGonderOperationCompleted,
userState);
8: }

```

1.1.2.1.10.2.139 EarsivWebService.topluFaturaPaketDosyasiSorgula Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
```

```

ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped) ]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
toplufaturaPaketDosyasiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml
.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
toplufaturaPaketDosyasiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml
.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("toplufaturaPaketDosyasiSorgula", new object[] {
5:         input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }

```

1.1.2.1.10.2.140 toplufaturaPaketDosyasiSorgulaAsync Method**1.1.2.1.10.2.140.1 EarsivWebService.toplufaturaPaketDosyasiSorgulaAsync Method (string)****C#**

```
public void toplufaturaPaketDosyasiSorgulaAsync(string input);
```

Body Source

```

1: public void toplufaturaPaketDosyasiSorgulaAsync(string input) {
2:     this.toplufaturaPaketDosyasiSorgulaAsync(input, null);
3: }

```

1.1.2.1.10.2.140.2 EarsivWebService.toplufaturaPaketDosyasiSorgulaAsync Method (string, object)**C#**

```
public void toplufaturaPaketDosyasiSorgulaAsync(string input, object userState);
```

Body Source

```

1: public void toplufaturaPaketDosyasiSorgulaAsync(string input, object userState) {
2:     if ((this.toplufaturaPaketDosyasiSorgulaOperationCompleted == null)) {
3:         this.toplufaturaPaketDosyasiSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OntoplufaturaPaketDosyasiSorgulaOperationCompleted)
;
4:     }
5:     this.InvokeAsync("toplufaturaPaketDosyasiSorgula", new object[] {
6:         input}, this.toplufaturaPaketDosyasiSorgulaOperationCompleted,
userState);
7: }

```

1.1.2.1.10.2.141 EarsivWebService.toplufaturaPaketOnayla Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```

RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
toplufaturaPaketOnayla([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
toplufaturaPaketOnayla([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("toplufaturaPaketOnayla", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }

```

1.1.2.1.10.2.142 toplufaturaPaketOnaylaAsync Method**1.1.2.1.10.2.142.1 EarsivWebService.toplufaturaPaketOnaylaAsync Method (string)****C#**

```
public void toplufaturaPaketOnaylaAsync(string input);
```

Body Source

```

1: public void toplufaturaPaketOnaylaAsync(string input) {
2:     this.toplufaturaPaketOnaylaAsync(input, null);
3: }

```

1.1.2.1.10.2.142.2 EarsivWebService.toplufaturaPaketOnaylaAsync Method (string, object)**C#**

```
public void toplufaturaPaketOnaylaAsync(string input, object userState);
```

Body Source

```

1: public void toplufaturaPaketOnaylaAsync(string input, object userState) {
2:     if ((this.toplufaturaPaketOnaylaOperationCompleted == null)) {
3:         this.toplufaturaPaketOnaylaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OntoplufaturaPaketOnaylaOperationCompleted);
4:     }
5:     this.InvokeAsync("toplufaturaPaketOnayla", new object[] {
6:         input}, this.toplufaturaPaketOnaylaOperationCompleted, userState);
7: }

```

1.1.2.1.10.2.143 EarsivWebService.toplufaturaPaketSorgula Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]

```

```

public belge
toplufaturaPaketSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema
.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
toplufaturaPaketSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema
.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("toplufaturaPaketSorgula", new object[] {
5:         input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }

```

1.1.2.1.10.2.144 toplufaturaPaketSorgulaAsync Method**1.1.2.1.10.2.144.1 EarsivWebService.toplufaturaPaketSorgulaAsync Method (string)****C#**

```
public void toplufaturaPaketSorgulaAsync(string input);
```

Body Source

```

1: public void toplufaturaPaketSorgulaAsync(string input) {
2:     this.toplufaturaPaketSorgulaAsync(input, null);
3: }

```

1.1.2.1.10.2.144.2 EarsivWebService.toplufaturaPaketSorgulaAsync Method (string, object)**C#**

```
public void toplufaturaPaketSorgulaAsync(string input, object userState);
```

Body Source

```

1: public void toplufaturaPaketSorgulaAsync(string input, object userState) {
2:     if ((this.toplufaturaPaketSorgulaOperationCompleted == null)) {
3:         this.toplufaturaPaketSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OntoplufaturaPaketSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("toplufaturaPaketSorgula", new object[] {
6:         input}, this.toplufaturaPaketSorgulaOperationCompleted, userState);
7: }

```

1.1.2.1.10.2.145 EarsivWebService.yapilandirmaAyarlariAI Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",

```

```

Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
yapilandirmaAyarlariAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out string outputYapilandirma);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("", RequestNamespace="http://service.earsiv.uut.cs.com.tr/", ResponseNamespace="http://service.earsiv.uut.cs.com.tr/", Use=System.Web.Services.Description.SoapBindingUse.Literal, ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return", Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
yapilandirmaAyarlariAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out string outputYapilandirma) {
4:     object[] results = this.Invoke("yapilandirmaAyarlariAl", new object[] {
5:         input});
6:     outputYapilandirma = ((string)(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }

```

1.1.2.1.10.2.146 yapilandirmaAyarlariAIAsync Method**1.1.2.1.10.2.146.1 EarsivWebService.yapilandirmaAyarlariAIAsync Method (string)****C#**

```
public void yapilandirmaAyarlariAlAsync(string input);
```

Body Source

```

1: public void yapilandirmaAyarlariAlAsync(string input) {
2:     this.yapilandirmaAyarlariAlAsync(input, null);
3: }

```

1.1.2.1.10.2.146.2 EarsivWebService.yapilandirmaAyarlariAIAsync Method (string, object)**C#**

```
public void yapilandirmaAyarlariAlAsync(string input, object userState);
```

Body Source

```

1: public void yapilandirmaAyarlariAlAsync(string input, object userState) {
2:     if ((this.yapilandirmaAyarlariAlOperationCompleted == null)) {
3:         this.yapilandirmaAyarlariAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnyapilandirmaAyarlariAlOperationCompleted);
4:     }
5:     this.InvokeAsync("yapilandirmaAyarlariAl", new object[] {
6:         input}, this.yapilandirmaAyarlariAlOperationCompleted, userState);
7: }

```

1.1.2.1.10.3 EarsivWebService Properties**1.1.2.1.10.3.1 EarsivWebService.Url Property****C#**

```
public new string Url;
```

Description

This is Url, a member of class EarsivWebService.

1.1.2.1.10.3.2 EarsivWebService.UseDefaultCredentials Property**C#**

```
public new bool UseDefaultCredentials;
```

Description

This is UseDefaultCredentials, a member of class EarsivWebService.

1.1.2.1.10.4 EarsivWebService Events**1.1.2.1.10.4.1 EarsivWebService.aliciEpostaEkleSilGuncelleCompleted Event****C#**

```
public event aliciEpostaEkleSilGuncelleCompletedEventHandler  
aliciEpostaEkleSilGuncelleCompleted;
```

1.1.2.1.10.4.2 EarsivWebService.eFaturaKayitliKullaniciListeleCompleted Event**C#**

```
public event eFaturaKayitliKullaniciListeleCompletedEventHandler  
eFaturaKayitliKullaniciListeleCompleted;
```

1.1.2.1.10.4.3 EarsivWebService.efaturaKullanicisiCompleted Event**C#**

```
public event efaturaKullanicisiCompletedEventHandler efaturaKullanicisiCompleted;
```

1.1.2.1.10.4.4 EarsivWebService.efaturaKullanicisiKontrolCompleted Event**C#**

```
public event efaturaKullanicisiKontrolCompletedEventHandler  
efaturaKullanicisiKontrolCompleted;
```

1.1.2.1.10.4.5 EarsivWebService.ePostaDurumSorgulaCompleted Event**C#**

```
public event ePostaDurumSorgulaCompletedEventHandler ePostaDurumSorgulaCompleted;
```

1.1.2.1.10.4.6 EarsivWebService.ePostaGonderCompleted Event**C#**

```
public event ePostaGonderCompletedEventHandler ePostaGonderCompleted;
```

1.1.2.1.10.4.7 EarsivWebService.faturalptalEtCompleted Event**C#**

```
public event faturalptalEtCompletedEventHandler faturalptalEtCompleted;
```

1.1.2.1.10.4.8 EarsivWebService.faturalptaliKaldirCompleted Event**C#**

```
public event faturalptaliKaldirCompletedEventHandler faturalptaliKaldirCompleted;
```

1.1.2.1.10.4.9 EarsivWebService.faturaltirazEtCompleted Event

C#

```
public event faturaItirazEtCompletedEventHandler faturaItirazEtCompleted;
```

1.1.2.1.10.4.10 EarsivWebService.faturaltirazKaldırCompleted Event

C#

```
public event faturaItirazKaldırCompletedEventHandler faturaItirazKaldırCompleted;
```

1.1.2.1.10.4.11 EarsivWebService.faturaListeSorgulaCompleted Event

C#

```
public event faturaListeSorgulaCompletedEventHandler faturaListeSorgulaCompleted;
```

1.1.2.1.10.4.12 EarsivWebService.faturaListeSorgulaCountCompleted Event

C#

```
public event faturaListeSorgulaCountCompletedEventHandler faturaListeSorgulaCountCompleted;
```

1.1.2.1.10.4.13 EarsivWebService.faturaListeSorgulaPortalCompleted Event

C#

```
public event faturaListeSorgulaPortalCompletedEventHandler faturaListeSorgulaPortalCompleted;
```

1.1.2.1.10.4.14 EarsivWebService.faturaNoUretCompleted Event

C#

```
public event faturaNoUretCompletedEventHandler faturaNoUretCompleted;
```

1.1.2.1.10.4.15 EarsivWebService.faturaOlusturCompleted Event

C#

```
public event faturaOlusturCompletedEventHandler faturaOlusturCompleted;
```

1.1.2.1.10.4.16 EarsivWebService.faturaOlusturExtCompleted Event

C#

```
public event faturaOlusturExtCompletedEventHandler faturaOlusturExtCompleted;
```

1.1.2.1.10.4.17 EarsivWebService.faturaOnizlemeCompleted Event

C#

```
public event faturaOnizlemeCompletedEventHandler faturaOnizlemeCompleted;
```

1.1.2.1.10.4.18 EarsivWebService.faturaSorgulaCompleted Event

C#

```
public event faturaSorgulaCompletedEventHandler faturaSorgulaCompleted;
```

1.1.2.1.10.4.19 EarsivWebService.faturaSorgulaExtCompleted Event

C#

```
public event faturaSorgulaExtCompletedEventHandler faturaSorgulaExtCompleted;
```

1.1.2.1.10.4.20 EarsivWebService.faturaTaslakOlusturCompleted Event

C#

```
public event faturaTaslakOlusturCompletedEventHandler faturaTaslakOlusturCompleted;
```

1.1.2.1.10.4.21 EarsivWebService.faturaTaslakOnizlemeCompleted Event

C#

```
public event faturaTaslakOnizlemeCompletedEventHandler faturaTaslakOnizlemeCompleted;
```

1.1.2.1.10.4.22 EarsivWebService.faturaTaslakSilCompleted Event

C#

```
public event faturaTaslakSilCompletedEventHandler faturaTaslakSilCompleted;
```

1.1.2.1.10.4.23 EarsivWebService.faturaTaslakSorgulaCompleted Event

C#

```
public event faturaTaslakSorgulaCompletedEventHandler faturaTaslakSorgulaCompleted;
```

1.1.2.1.10.4.24 EarsivWebService.faturaTaslaktanOlusturCompleted Event

C#

```
public event faturaTaslaktanOlusturCompletedEventHandler faturaTaslaktanOlusturCompleted;
```

1.1.2.1.10.4.25 EarsivWebService.faturaZipiAlCompleted Event

C#

```
public event faturaZipiAlCompletedEventHandler faturaZipiAlCompleted;
```

1.1.2.1.10.4.26 EarsivWebService.kontorBilgisiGetirCompleted Event

C#

```
public event kontorBilgisiGetirCompletedEventHandler kontorBilgisiGetirCompleted;
```

1.1.2.1.10.4.27 EarsivWebService.okcRaporBolumAlCompleted Event

C#

```
public event okcRaporBolumAlCompletedEventHandler okcRaporBolumAlCompleted;
```

1.1.2.1.10.4.28 EarsivWebService.okcRaporKaydetCompleted Event

C#

```
public event okcRaporKaydetCompletedEventHandler okcRaporKaydetCompleted;
```

1.1.2.1.10.4.29 EarsivWebService.okcRaporOlusturGonderCompleted Event

C#

```
public event okcRaporOlusturGonderCompletedEventHandler okcRaporOlusturGonderCompleted;
```

1.1.2.1.10.4.30 EarsivWebService.raporBolumAlCompleted Event

C#

```
public event raporBolumAlCompletedEventHandler raporBolumAlCompleted;
```

1.1.2.1.10.4.31 EarsivWebService.raporBolumBilgisiAlCompleted Event

C#

```
public event raporBolumBilgisiAlCompletedEventHandler raporBolumBilgisiAlCompleted;
```

1.1.2.1.10.4.32 EarsivWebService.raporBolumleriOlusturCompleted Event

C#

```
public event raporBolumleriOlusturCompletedEventHandler raporBolumleriOlusturCompleted;
```

1.1.2.1.10.4.33 EarsivWebService.raporBolumListesiDetayliSorgulaCompleted Event**C#**

```
public event raporBolumListesiDetayliSorgulaCompletedEventHandler  
raporBolumListesiDetayliSorgulaCompleted;
```

1.1.2.1.10.4.34 EarsivWebService.raporBolumListesiSorgulaCompleted Event**C#**

```
public event raporBolumListesiSorgulaCompletedEventHandler  
raporBolumListesiSorgulaCompleted;
```

1.1.2.1.10.4.35 EarsivWebService.raporBolumListesiSorgulaWithInputCompleted Event**C#**

```
public event raporBolumListesiSorgulaWithInputCompletedEventHandler  
raporBolumListesiSorgulaWithInputCompleted;
```

1.1.2.1.10.4.36 EarsivWebService.raporBolumRaporNoGuncelleImzalaCompleted Event**C#**

```
public event raporBolumRaporNoGuncelleImzalaCompletedEventHandler  
raporBolumRaporNoGuncelleImzalaCompleted;
```

1.1.2.1.10.4.37 EarsivWebService.raporBolumSilCompleted Event**C#**

```
public event raporBolumSilCompletedEventHandler raporBolumSilCompleted;
```

1.1.2.1.10.4.38 EarsivWebService.rapordaFaturaSorgulaCompleted Event**C#**

```
public event rapordaFaturaSorgulaCompletedEventHandler rapordaFaturaSorgulaCompleted;
```

1.1.2.1.10.4.39 EarsivWebService.raporDurumSorgulaCompleted Event**C#**

```
public event raporDurumSorgulaCompletedEventHandler raporDurumSorgulaCompleted;
```

1.1.2.1.10.4.40 EarsivWebService.raporGonderCompleted Event**C#**

```
public event raporGonderCompletedEventHandler raporGonderCompleted;
```

1.1.2.1.10.4.41 EarsivWebService.servisSaglayicidanEpostaDurumSorgulaCompleted Event**C#**

```
public event servisSaglayicidanEpostaDurumSorgulaCompletedEventHandler  
servisSaglayicidanEpostaDurumSorgulaCompleted;
```

1.1.2.1.10.4.42 EarsivWebService.smsDurumSorgulaCompleted Event**C#**

```
public event smsDurumSorgulaCompletedEventHandler smsDurumSorgulaCompleted;
```

1.1.2.1.10.4.43 EarsivWebService.smsGonderCompleted Event**C#**

```
public event smsGonderCompletedEventHandler smsGonderCompleted;
```

1.1.2.1.10.4.44 EarsivWebService.topluFaturaPaketDosyaGonderCompleted Event

C#

```
public event topluFaturaPaketDosyaGonderCompletedEventHandler  
topluFaturaPaketDosyaGonderCompleted;
```

1.1.2.1.10.4.45 EarsivWebService.topluFaturaPaketDosyasiSorgulaCompleted Event

C#

```
public event topluFaturaPaketDosyasiSorgulaCompletedEventHandler  
topluFaturaPaketDosyasiSorgulaCompleted;
```

1.1.2.1.10.4.46 EarsivWebService.topluFaturaPaketOnaylaCompleted Event

C#

```
public event topluFaturaPaketOnaylaCompletedEventHandler topluFaturaPaketOnaylaCompleted;
```

1.1.2.1.10.4.47 EarsivWebService.topluFaturaPaketSorgulaCompleted Event

C#

```
public event topluFaturaPaketSorgulaCompletedEventHandler topluFaturaPaketSorgulaCompleted;
```

1.1.2.1.10.4.48 EarsivWebService.yapilandirmaAyarlariAlCompleted Event

C#

```
public event yapilandirmaAyarlariAlCompletedEventHandler yapilandirmaAyarlariAlCompleted;
```

1.1.2.1.11 eFaturaKayitliKullaniciListele Class

Class Hierarchy

[QNBFinansGIB.GIBEArxiv.eFaturaKayitliKullaniciListele](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class eFaturaKayitliKullaniciListele;
```

File

Reference.cs ([see page 845](#))

eFaturaKayitliKullaniciListele Properties

	Name	Description
	kayitZamani (see page 110)	

1.1.2.1.11.1 eFaturaKayitliKullaniciListele Properties


1.1.2.1.11.1.1 eFaturaKayitliKullaniciListele.kayitZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kayitZamani;
```

1.1.2.1.12 eFaturaKayitliKullaniciListeleCompletedEventArgs Class

Class Hierarchy



C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class eFaturaKayitliKullaniciListeleCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;

```

File

Reference.cs (see page 845)

Methods

	Name	Description
	eFaturaKayitliKullaniciListeleCompletedEventArgs (see page 111)	This is eFaturaKayitliKullaniciListeleCompletedEventArgs, a member of class eFaturaKayitliKullaniciListeleCompletedEventArgs.

eFaturaKayitliKullaniciListeleCompletedEventArgs Properties

	Name	Description
	Result (see page 111)	

1.1.2.1.12.1 eFaturaKayitliKullaniciListeleCompletedEventArgs.eFaturaKayitliKullaniciListeleCompletedEventArgs

Constructor

C#

```

internal eFaturaKayitliKullaniciListeleCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);

```

Description

This is eFaturaKayitliKullaniciListeleCompletedEventArgs, a member of class eFaturaKayitliKullaniciListeleCompletedEventArgs.

Body Source

```

1: internal eFaturaKayitliKullaniciListeleCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }

```

1.1.2.1.12.2 eFaturaKayitliKullaniciListeleCompletedEventArgs Properties

1.1.2.1.12.2.1 eFaturaKayitliKullaniciListeleCompletedEventArgs.Result Property

C#

```

public eFaturaKullanici Result;

```

1.1.2.1.13 eFaturaKullanici Class

Class Hierarchy



C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class eFaturaKullanici : serviceReturnType;
  
```

File

Reference.cs (see page 845)

eFaturaKullanici Properties

eFaturaKullanici Class

	Name	Description
	etiket (see page 112)	
	kamuKuruluşu (see page 112)	
	kayitZamani (see page 112)	
	unvan (see page 112)	
	vergiTcKimlikNo (see page 113)	

1.1.2.1.13.1 eFaturaKullanici Properties

1.1.2.1.13.1.1 eFaturaKullanici.etiket Property

C#

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string etiket;
  
```

1.1.2.1.13.1.2 eFaturaKullanici.kamuKurulusu Property

C#

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool kamuKurulusu;
  
```

1.1.2.1.13.1.3 eFaturaKullanici.kayitZamani Property

C#

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kayitZamani;
  
```

1.1.2.1.13.1.4 eFaturaKullanici.unvan Property

C#

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string unvan;
  
```

1.1.2.1.13.1.5 eFaturaKullanici.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vergiTcKimlikNo;
```

1.1.2.1.14 efaturaKullanicisi Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class efaturaKullanicisi;
```

File

Reference.cs (see page 845)

efaturaKullanicisi Properties

	Name	Description
	vergiTcKimlikNo (see page 113)	

1.1.2.1.14.1 efaturaKullanicisi Properties

1.1.2.1.14.1.1 efaturaKullanicisi.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vergiTcKimlikNo;
```

1.1.2.1.15 efaturaKullanicisiCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class efaturaKullanicisiCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	efaturaKullanicisiCompletedEventArgs (see page 114)	This is efaturaKullanicisiCompletedEventArgs, a member of class efaturaKullanicisiCompletedEventArgs.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

efaturaKullanicisiCompletedEventArgs Properties

	Name	Description
	Result (see page 114)	

1.1.2.1.15.1

efaturaKullanicisiCompletedEventArgs.efaturaKullanicisiCompletedEventArgs Constructor

C#

```
internal efaturaKullanicisiCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is efaturaKullanicisiCompletedEventArgs, a member of class efaturaKullanicisiCompletedEventArgs.

Body Source

```
1: internal efaturaKullanicisiCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.15.2 efaturaKullanicisiCompletedEventArgs Properties

1.1.2.1.15.2.1 efaturaKullanicisiCompletedEventArgs.Result Property

C#

```
public bool Result;
```

1.1.2.1.16 efaturaKullanicisiKontrol Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrol](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class efaturaKullanicisiKontrol;
```

File

[Reference.cs \(see page 845\)](#)

efaturaKullanicisiKontrol Properties

	Name	Description
	input (see page 115)	

1.1.2.1.16.1 efaturaKullanicisiKontrol Properties


1.1.2.1.16.1.1 efaturaKullanicisiKontrol.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.17 efaturaKullanicisiKontrolCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class efaturaKullanicisiKontrolCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
!	efaturaKullanicisiKontrolCompletedEventArgs (see page 115)	This is efaturaKullanicisiKontrolCompletedEventArgs, a member of class efaturaKullanicisiKontrolCompletedEventArgs.

efaturaKullanicisiKontrolCompletedEventArgs Properties

	Name	Description
!	Result (see page 115)	

1.1.2.1.17.1

efaturaKullanicisiKontrolCompletedEventArgs.efaturaKullanicisiKontrolCompletedEventArgs Constructor

C#

```
internal efaturaKullanicisiKontrolCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is efaturaKullanicisiKontrolCompletedEventArgs, a member of class efaturaKullanicisiKontrolCompletedEventArgs.

Body Source

```
1: internal efaturaKullanicisiKontrolCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.2.1.17.2 efaturaKullanicisiKontrolCompletedEventArgs Properties

1.1.2.1.17.2.1 efaturaKullanicisiKontrolCompletedEventArgs.Result Property

C#

```
public bool Result;
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.18 efaturaKullanicisiKontrolResponse Class

Class Hierarchy

`QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrolResponse`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class efaturaKullanicisiKontrolResponse;
```

File

Reference.cs ([see page 845](#))

efaturaKullanicisiKontrolResponse Properties

	Name	Description
	@return (see page 116)	

1.1.2.1.18.1 efaturaKullanicisiKontrolResponse Properties

1.1.2.1.18.1.1 efaturaKullanicisiKontrolResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool @return;
```

1.1.2.1.19 efaturaKullanicisiResponse Class

Class Hierarchy

`QNBFinansGIB.GIBEArsiv.efaturaKullanicisiResponse`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class efaturaKullanicisiResponse;
```

File

Reference.cs ([see page 845](#))

efaturaKullanicisiResponse Properties

	Name	Description
	@return (see page 117)	

1.1.2.1.19.1 efaturaKullanicisiResponse Properties

1.1.2.1.19.1.1 efaturaKullanicisiResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool @return;
```

1.1.2.1.20 ePostaDurumSorgula Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class ePostaDurumSorgula;
```

File

Reference.cs (see page 845)

ePostaDurumSorgula Properties

	Name	Description
	input (see page 117)	

1.1.2.1.20.1 ePostaDurumSorgula Properties

1.1.2.1.20.1.1 ePostaDurumSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.21 ePostaDurumSorgulaCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class ePostaDurumSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	ePostaDurumSorgulaCompletedEventArgs (see page 118)	This is ePostaDurumSorgulaCompletedEventArgs, a member of class ePostaDurumSorgulaCompletedEventArgs.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

ePostaDurumSorgulaCompletedEventArgs Properties

	Name	Description
	@return (see page 118)	
	outputEposta (see page 118)	
	Result (see page 118)	

1.1.2.1.21.1**ePostaDurumSorgulaCompletedEventArgs.ePostaDurumSorgulaCompletedEventArgs Constructor**

C#

```
internal ePostaDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is ePostaDurumSorgulaCompletedEventArgs, a member of class ePostaDurumSorgulaCompletedEventArgs.

Body Source

```
1: internal ePostaDurumSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.21.2 ePostaDurumSorgulaCompletedEventArgs Properties**1.1.2.1.21.2.1 ePostaDurumSorgulaCompletedEventArgs.@return Property**

C#

```
public earsivServiceResult @return;
```

1.1.2.1.21.2.2 ePostaDurumSorgulaCompletedEventArgs.outputEposta Property

C#

```
public string outputEposta;
```

1.1.2.1.21.2.3 ePostaDurumSorgulaCompletedEventArgs.Result Property

C#

```
public string Result;
```

1.1.2.1.22 ePostaGonder Class**Class Hierarchy**

```
[QNBFinansGIB.GIBEArsiv.ePostaGonder]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class ePostaGonder;
```

File

Reference.cs (see page 845)

ePostaGonder Properties

	Name	Description
	ilaveEposta (see page 119)	
	input (see page 119)	
	tanimliEpostayaGonder (see page 119)	

1.1.2.1.22.1 ePostaGonder Properties**1.1.2.1.22.1.1 ePostaGonder.ilaveEposta Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ilaveEposta;
```

1.1.2.1.22.1.2 ePostaGonder.input Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.22.1.3 ePostaGonder.tanimliEpostayaGonder Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int tanimliEpostayaGonder;
```

1.1.2.1.23 ePostaGonderCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class ePostaGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	ePostaGonderCompletedEventArgs (see page 120)	This is ePostaGonderCompletedEventArgs, a member of class ePostaGonderCompletedEventArgs.

ePostaGonderCompletedEventArgs Properties

	Name	Description
	Result (see page 120)	

1.1.2.1.23.1 ePostaGonderCompletedEventArgs.ePostaGonderCompletedEventArgs Constructor

C#

```
internal ePostaGonderCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is ePostaGonderCompletedEventArgs, a member of class ePostaGonderCompletedEventArgs.

Body Source

```
1: internal ePostaGonderCompletedEventArgs(object[] results, System.Exception exception,
2:   bool cancelled, object userState) :
3:   base(exception, cancelled, userState) {
4:   this.results = results;
}
```

1.1.2.1.23.2 ePostaGonderCompletedEventArgs Properties

1.1.2.1.23.2.1 ePostaGonderCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.24 ePostaGonderResponse Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.ePostaGonderResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class ePostaGonderResponse;
```

File

Reference.cs ([see page 845](#))

ePostaGonderResponse Properties

	Name	Description
	@return (see page 120)	

1.1.2.1.24.1 ePostaGonderResponse Properties

1.1.2.1.24.1.1 ePostaGonderResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.25 faturaDTO Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.faturaDTO](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaDTO;
```

File

Reference.cs ([see page 845](#))

faturaDTO Properties

	Name	Description
	arsiv (see page 123)	
	creationTime (see page 123)	
	currency (see page 123)	
	dokumanFormati (see page 123)	
	durum (see page 123)	
	durumSpecified (see page 123)	
	duzenlenmeZamani (see page 123)	
	epostaGonderimDurumu (see page 123)	
	epostaGonderimDurumuSpecified (see page 123)	
	erpKodu (see page 124)	
	faturaSiraNo (see page 124)	
	faturaSiraNoSpecified (see page 124)	
	faturaZamani (see page 124)	
	ilkKayitZmani (see page 124)	
	indirildi (see page 124)	
	indirildiSpecified (see page 124)	
	invoiceId (see page 124)	
	invoiceTypeCode (see page 124)	
	iptalEdenKullaniciKodu (see page 125)	
	iptalKaynagi (see page 125)	
	iptalKaynagiSpecified (see page 125)	
	iptalRaporTarihi (see page 125)	
	iptalTarihi (see page 125)	
	iptalTarihiExcel (see page 125)	
	islemlid (see page 125)	
	issueDate (see page 125)	

	itirazEdenKullaniciKodu (↗ see page 125)	
	itirazKaynagi (↗ see page 126)	
	itirazKaynagiSpecified (↗ see page 126)	
	itirazTarihi (↗ see page 126)	
	kagitFatura (↗ see page 126)	
	kagitFaturaSpecified (↗ see page 126)	
	kasa (↗ see page 126)	
	kaynak (↗ see page 126)	
	kepDurum (↗ see page 126)	
	kepDurumSpecified (↗ see page 126)	
	kolayFatura (↗ see page 127)	
	kolayFaturaSpecified (↗ see page 127)	
	okundu (↗ see page 127)	
	okunduSpecified (↗ see page 127)	
	payableAmount (↗ see page 127)	
	payableAmountSpecified (↗ see page 127)	
	profileId (↗ see page 127)	
	raporTarihi (↗ see page 127)	
	receiverContact (↗ see page 127)	
	receiverIdentifier (↗ see page 128)	
	receiverIdentifierTxt (↗ see page 128)	
	receiverName (↗ see page 128)	
	senderContact (↗ see page 128)	
	senderName (↗ see page 128)	
	sonGuncellemeZamani (↗ see page 128)	
	sube (↗ see page 128)	
	tanimliSubeKod (↗ see page 128)	
	telNo (↗ see page 128)	
	toplamTutar (↗ see page 129)	
	toplamTutarSpecified (↗ see page 129)	
	uuid (↗ see page 129)	
	vergilerToplami (↗ see page 129)	
	vergilerToplamiSpecified (↗ see page 129)	
	versiyon (↗ see page 129)	
	versiyonSpecified (↗ see page 129)	
	yazdirildi (↗ see page 129)	
	yazdirildiSpecified (↗ see page 129)	
	yerelFaturaNo (↗ see page 130)	

1.1.2.1.25.1 faturaDTO Properties

1.1.2.1.25.1.1 faturaDTO.arsiv Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int arsiv;
```

1.1.2.1.25.1.2 faturaDTO.creationTime Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string creationTime;
```

1.1.2.1.25.1.3 faturaDTO.currency Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string currency;
```

1.1.2.1.25.1.4 faturaDTO.dokumanFormati Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string dokumanFormati;
```

1.1.2.1.25.1.5 faturaDTO.durum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int durum;
```

1.1.2.1.25.1.6 faturaDTO.durumSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool durumSpecified;
```

1.1.2.1.25.1.7 faturaDTO.duzenlenmeZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string duzenlenmeZamani;
```

1.1.2.1.25.1.8 faturaDTO.epostaGonderimDurumu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int epostaGonderimDurumu;
```

1.1.2.1.25.1.9 faturaDTO.epostaGonderimDurumuSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool epostaGonderimDurumuSpecified;
```

```
public bool epostaGonderimDurumuSpecified;
```

1.1.2.1.25.1.10 faturaDTO.erpKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string erpKodu;
```

1.1.2.1.25.1.11 faturaDTO.faturaSiraNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int faturaSiraNo;
```

1.1.2.1.25.1.12 faturaDTO.faturaSiraNoSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool faturaSiraNoSpecified;
```

1.1.2.1.25.1.13 faturaDTO.faturaZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaZamani;
```

1.1.2.1.25.1.14 faturaDTO.ilkKayitZmani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ilkKayitZmani;
```

1.1.2.1.25.1.15 faturaDTO.indirildi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int indirildi;
```

1.1.2.1.25.1.16 faturaDTO.indirildiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool indirildiSpecified;
```

1.1.2.1.25.1.17 faturaDTO.invoiceId Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string invoiceId;
```

1.1.2.1.25.1.18 faturaDTO.invoiceTypeCode Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string invoiceTypeCode;
```

1.1.2.1.25.1.19 faturaDTO.iptalEdenKullaniciKodu Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string iptalEdenKullaniciKodu;
```

1.1.2.1.25.1.20 faturaDTO.iptalKaynagi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int iptalKaynagi;
```

1.1.2.1.25.1.21 faturaDTO.iptalKaynagiSpecified Property**C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool iptalKaynagiSpecified;
```

1.1.2.1.25.1.22 faturaDTO.iptalRaporTarihi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string iptalRaporTarihi;
```

1.1.2.1.25.1.23 faturaDTO.iptalTarihi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string iptalTarihi;
```

1.1.2.1.25.1.24 faturaDTO.iptalTarihiExcel Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string iptalTarihiExcel;
```

1.1.2.1.25.1.25 faturaDTO.islemId Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemId;
```

1.1.2.1.25.1.26 faturaDTO.issueDate Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string issueDate;
```

1.1.2.1.25.1.27 faturaDTO.itirazEdenKullaniciKodu Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string itirazEdenKullaniciKodu;
```

1.1.2.1.25.1.28 faturaDTO.itirazKaynagi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int itirazKaynagi;
```

1.1.2.1.25.1.29 faturaDTO.itirazKaynagiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool itirazKaynagiSpecified;
```

1.1.2.1.25.1.30 faturaDTO.itirazTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string itirazTarihi;
```

1.1.2.1.25.1.31 faturaDTO.kagitFatura Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool kagitFatura;
```

1.1.2.1.25.1.32 faturaDTO.kagitFaturaSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kagitFaturaSpecified;
```

1.1.2.1.25.1.33 faturaDTO.kasa Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kasa;
```

1.1.2.1.25.1.34 faturaDTO.kaynak Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int kaynak;
```

1.1.2.1.25.1.35 faturaDTO.kepDurum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int kepDurum;
```

1.1.2.1.25.1.36 faturaDTO.kepDurumSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kepDurumSpecified;
```

1.1.2.1.25.1.37 faturaDTO.kolayFatura Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int kolayFatura;
```

1.1.2.1.25.1.38 faturaDTO.kolayFaturaSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kolayFaturaSpecified;
```

1.1.2.1.25.1.39 faturaDTO.okundu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int okundu;
```

1.1.2.1.25.1.40 faturaDTO.okunduSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool okunduSpecified;
```

1.1.2.1.25.1.41 faturaDTO.payableAmount Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal payableAmount;
```

1.1.2.1.25.1.42 faturaDTO.payableAmountSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool payableAmountSpecified;
```

1.1.2.1.25.1.43 faturaDTO.profileId Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string profileId;
```

1.1.2.1.25.1.44 faturaDTO.raporTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string raporTarihi;
```

1.1.2.1.25.1.45 faturaDTO.receiverContact Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string receiverContact;
```

1.1.2.1.25.1.46 faturaDTO.receiverIdentifier Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string receiverIdentifier;
```

1.1.2.1.25.1.47 faturaDTO.receiverIdentifierTxt Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string receiverIdentifierTxt;
```

1.1.2.1.25.1.48 faturaDTO.receiverName Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string receiverName;
```

1.1.2.1.25.1.49 faturaDTO.senderContact Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string senderContact;
```

1.1.2.1.25.1.50 faturaDTO.senderName Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string senderName;
```

1.1.2.1.25.1.51 faturaDTO.sonGuncellemeZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string sonGuncellemeZamani;
```

1.1.2.1.25.1.52 faturaDTO.sube Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string sube;
```

1.1.2.1.25.1.53 faturaDTO.tanimliSubeKod Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string tanimliSubeKod;
```

1.1.2.1.25.1.54 faturaDTO.telNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string telNo;
```

1.1.2.1.25.1.55 faturaDTO.toplamTutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal toplamTutar;
```

1.1.2.1.25.1.56 faturaDTO.toplamTutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool toplamTutarSpecified;
```

1.1.2.1.25.1.57 faturaDTO.uuid Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string uuid;
```

1.1.2.1.25.1.58 faturaDTO.vergilerToplami Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal vergilerToplami;
```

1.1.2.1.25.1.59 faturaDTO.vergilerToplamiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool vergilerToplamiSpecified;
```

1.1.2.1.25.1.60 faturaDTO.versiyon Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int versiyon;
```

1.1.2.1.25.1.61 faturaDTO.versiyonSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool versiyonSpecified;
```

1.1.2.1.25.1.62 faturaDTO.yazdirildi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int yazdirildi;
```

1.1.2.1.25.1.63 faturaDTO.yazdirildiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool yazdirildiSpecified;
```

1.1.2.1.25.1.64 faturaDTO.yerelFaturaNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yerelFaturaNo;
```

1.1.2.1.26 faturalptalEt Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.faturalptalEt](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturalptalEt;
```

File

Reference.cs ([see page 845](#))

faturalptalEt Properties

	Name	Description
	input (see page 130)	

1.1.2.1.26.1 faturalptalEt Properties

1.1.2.1.26.1.1 faturalptalEt.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.27 faturalptalEtCompletedEventArgs Class

Class Hierarchy

[System.ComponentModel.AsyncCompletedEventArgs](#) → [QNBFinansGIB.GIBEArsiv.faturalptalEtCompletedEventArgs](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturalptalEtCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	faturalptalEtCompletedEventArgs (see page 131)	This is faturalptalEtCompletedEventArgs, a member of class faturalptalEtCompletedEventArgs.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

faturalptalEtCompletedEventArgs Properties

	Name	Description
	Result (see page 131)	

1.1.2.1.27.1 faturalptalEtCompletedEventArgs.faturalptalEtCompletedEventArgs Constructor**C#**

```
internal faturalptalEtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is faturalptalEtCompletedEventArgs, a member of class faturalptalEtCompletedEventArgs.

Body Source

```
1: internal faturalptalEtCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.2.1.27.2 faturalptalEtCompletedEventArgs Properties**1.1.2.1.27.2.1 faturalptalEtCompletedEventArgs.Result Property****C#**

```
public earsivServiceResult Result;
```

1.1.2.1.28 faturalptalEtResponse Class**Class Hierarchy**

```
[QNBFinansGIB.GIBEArsiv.faturalptalEtResponse]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class faturalptalEtResponse;
```

File

Reference.cs (see page 845)

faturalptalEtResponse Properties

	Name	Description
	@return (see page 132)	

1.1.2.1.28.1 faturalptalEtResponse Properties

1.1.2.1.28.1.1 faturalptaliEtResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.29 faturalptaliKaldır Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturalptaliKaldır;
```

File

Reference.cs (see page 845)

faturalptaliKaldır Properties

	Name	Description
	input (see page 132)	

1.1.2.1.29.1 faturalptaliKaldır Properties

1.1.2.1.29.1.1 faturalptaliKaldır.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.30 faturalptaliKaldırCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturalptaliKaldırCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	faturalptaliKaldırCompletedEventArgs (see page 133)	This is faturalptaliKaldırCompletedEventArgs, a member of class faturalptaliKaldırCompletedEventArgs.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

faturalptaliKaldirCompletedEventArgs Properties

	Name	Description
	Result (see page 133)	

1.1.2.1.30.1 faturalptaliKaldirCompletedEventArgs.faturalptaliKaldirCompletedEventArgs Constructor**C#**

```
internal faturaIptaliKaldirCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is faturalptaliKaldirCompletedEventArgs, a member of class faturalptaliKaldirCompletedEventArgs.

Body Source

```
1: internal faturaIptaliKaldirCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.30.2 faturalptaliKaldirCompletedEventArgs Properties**1.1.2.1.30.2.1 faturalptaliKaldirCompletedEventArgs.Result Property****C#**

```
public earsivServiceResult Result;
```

1.1.2.1.31 faturalptaliKaldirResponse Class**Class Hierarchy**

```
[QNBFinansGIB.GIBEArsiv.faturalptaliKaldirResponse]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaIptaliKaldirResponse;
```

File

Reference.cs (see page 845)

faturalptaliKaldirResponse Properties

	Name	Description
	@return (see page 134)	

1.1.2.1.31.1 faturalptaliKaldirResponse Properties

1.1.2.1.31.1.1 faturalptaliKaldırResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.32 faturaltirazEt Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaltirazEt;
```

File

Reference.cs (see page 845)

faturaltirazEt Properties

	Name	Description
	input (see page 134)	

1.1.2.1.32.1 faturaltirazEt Properties

1.1.2.1.32.1.1 faturaltirazEt.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.33 faturaltirazEtCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaltirazEtCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	faturaltirazEtCompletedEventArgs (see page 135)	This is faturaltirazEtCompletedEventArgs, a member of class faturaltirazEtCompletedEventArgs.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

faturaltirazEtCompletedEventArgs Properties

	Name	Description
	Result (see page 135)	

1.1.2.1.33.1 faturaltirazEtCompletedEventArgs.faturaltirazEtCompletedEventArgs Constructor**C#**

```
internal faturaItirazEtCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is faturaltirazEtCompletedEventArgs, a member of class faturaltirazEtCompletedEventArgs.

Body Source

```
1: internal faturaItirazEtCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.33.2 faturaltirazEtCompletedEventArgs Properties**1.1.2.1.33.2.1 faturaltirazEtCompletedEventArgs.Result Property****C#**

```
public earsivServiceResult Result;
```

1.1.2.1.34 faturaltirazEtResponse Class**Class Hierarchy**

```
[QNBFinansGIB.GIBEArsiv.faturaltirazEtResponse]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaItirazEtResponse;
```

File

Reference.cs (see page 845)

faturaltirazEtResponse Properties

	Name	Description
	@return (see page 136)	

1.1.2.1.34.1 faturaltirazEtResponse Properties

1.1.2.1.34.1.1 faturaltirazEtResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.35 faturaltirazKaldır Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaltirazKaldır;
```

File

Reference.cs (see page 845)

faturaltirazKaldır Properties

	Name	Description
	input (see page 136)	

1.1.2.1.35.1 faturaltirazKaldır Properties

1.1.2.1.35.1.1 faturaltirazKaldır.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.36 faturaltirazKaldırCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaltirazKaldırCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	faturaltirazKaldırCompletedEventArgs (see page 137)	This is faturaltirazKaldırCompletedEventArgs, a member of class faturaltirazKaldırCompletedEventArgs.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

faturaltirazKaldırCompletedEventArgs Properties

	Name	Description
	Result (see page 137)	

1.1.2.1.36.1 faturaltirazKaldırCompletedEventArgs.faturaltirazKaldırCompletedEventArgs Constructor**C#**

```
internal faturaItirazKaldırCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is faturaltirazKaldırCompletedEventArgs, a member of class faturaltirazKaldırCompletedEventArgs.

Body Source

```
1: internal faturaItirazKaldırCompletedEventArgs(object[] results, System.Exception exception,
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.36.2 faturaltirazKaldırCompletedEventArgs Properties**1.1.2.1.36.2.1 faturaltirazKaldırCompletedEventArgs.Result Property****C#**

```
public earsivServiceResult Result;
```

1.1.2.1.37 faturaltirazKaldırResponse Class**Class Hierarchy**

```
[QNBFinansGIB.GIBEArxiv.faturaltirazKaldırResponse]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class faturaItirazKaldırResponse;
```

File

Reference.cs (see page 845)

faturaltirazKaldırResponse Properties

	Name	Description
	@return (see page 138)	

1.1.2.1.37.1 faturaltirazKaldırResponse Properties

1.1.2.1.37.1.1 faturalirazKaldırResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.38 faturaListeSorgula Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaListeSorgula;
```

File

Reference.cs (see page 845)

faturaListeSorgula Properties

	Name	Description
	input (see page 138)	

1.1.2.1.38.1 faturaListeSorgula Properties

1.1.2.1.38.1.1 faturaListeSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.39 faturaListeSorgulaCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaListeSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	faturaListeSorgulaCompletedEventArgs (see page 139)	This is faturaListeSorgulaCompletedEventArgs, a member of class faturaListeSorgulaCompletedEventArgs.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

faturaListeSorgulaCompletedEventArgs Properties

	Name	Description
	output (see page 139)	
	Result (see page 139)	

1.1.2.1.39.1**faturaListeSorgulaCompletedEventArgs.faturaListeSorgulaCompletedEventArgs Constructor****C#**

```
internal faturaListeSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is faturaListeSorgulaCompletedEventArgs, a member of class faturaListeSorgulaCompletedEventArgs.

Body Source

```
1: internal faturaListeSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.2.1.39.2 faturaListeSorgulaCompletedEventArgs Properties**1.1.2.1.39.2.1 faturaListeSorgulaCompletedEventArgs.output Property****C#**

```
public faturaDTO output;
```

1.1.2.1.39.2.2 faturaListeSorgulaCompletedEventArgs.Result Property**C#**

```
public earsivServiceResult Result;
```

1.1.2.1.40 faturaListeSorgulaCount Class**Class Hierarchy**

```
[QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCount]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaListeSorgulaCount;
```

File

Reference.cs (see page 845)

faturaListeSorgulaCount Properties

	Name	Description
	input (see page 140)	

1.1.2.1.40.1 faturaListeSorgulaCount Properties


1.1.2.1.40.1.1 faturaListeSorgulaCount.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.41 faturaListeSorgulaCountCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaListeSorgulaCountCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	faturaListeSorgulaCountCompletedEventArgs (see page 140)	This is faturaListeSorgulaCountCompletedEventArgs, a member of class faturaListeSorgulaCountCompletedEventArgs.

faturaListeSorgulaCountCompletedEventArgs Properties

	Name	Description
	output (see page 141)	
	Result (see page 141)	

1.1.2.1.41.1

faturaListeSorgulaCountCompletedEventArgs.faturaListeSorgulaCountCompletedEventArgs

Constructor

C#

```
internal faturaListeSorgulaCountCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is faturaListeSorgulaCountCompletedEventArgs, a member of class faturaListeSorgulaCountCompletedEventArgs.

Body Source

```
1: internal faturaListeSorgulaCountCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.2.1.41.2 faturaListeSorgulaCountCompletedEventArgs Properties

1.1.2.1.41.2.1 faturaListeSorgulaCountCompletedEventArgs.output Property

C#

```
public faturaDTO output;
```

1.1.2.1.41.2.2 faturaListeSorgulaCountCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.42 faturaListeSorgulaCountResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaListeSorgulaCountResponse;
```

File

Reference.cs ([see page 845](#))

faturaListeSorgulaCountResponse Properties

	Name	Description
	@return (see page 141)	
	output (see page 141)	

1.1.2.1.42.1 faturaListeSorgulaCountResponse Properties

1.1.2.1.42.1.1 faturaListeSorgulaCountResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.42.1.2 faturaListeSorgulaCountResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public faturaDTO output;
```

1.1.2.1.43 faturaListeSorgulaPortal Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortal](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
```

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class faturaListeSorgulaPortal;
```

File


Reference.cs ([see page 845](#))

faturaListeSorgulaPortal Properties

	Name	Description
	input (see page 142)	

1.1.2.1.43.1 faturaListeSorgulaPortal Properties**1.1.2.1.43.1.1 faturaListeSorgulaPortal.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.44 faturaListeSorgulaPortalCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaListeSorgulaPortalCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	faturaListeSorgulaPortalCompletedEventArgs (see page 142)	This is faturaListeSorgulaPortalCompletedEventArgs, a member of class faturaListeSorgulaPortalCompletedEventArgs.

faturaListeSorgulaPortalCompletedEventArgs Properties

	Name	Description
	output (see page 143)	
	Result (see page 143)	

1.1.2.1.44.1**faturaListeSorgulaPortalCompletedEventArgs.faturaListeSorgulaPortalCompletedEventArgs Constructor****C#**

```
internal faturaListeSorgulaPortalCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Description

This is faturaListeSorgulaPortalCompletedEventArgs, a member of class faturaListeSorgulaPortalCompletedEventArgs.

Body Source

```
1: internal faturaListeSorgulaPortalCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.44.2 faturaListeSorgulaPortalCompletedEventArgs Properties

1.1.2.1.44.2.1 faturaListeSorgulaPortalCompletedEventArgs.output Property

C#

```
public faturaDTO output;
```

1.1.2.1.44.2.2 faturaListeSorgulaPortalCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.45 faturaListeSorgulaPortalResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaListeSorgulaPortalResponse;
```

File

Reference.cs ([see page 845](#))

faturaListeSorgulaPortalResponse Properties

	Name	Description
	@return (see page 143)	
	output (see page 143)	

1.1.2.1.45.1 faturaListeSorgulaPortalResponse Properties

1.1.2.1.45.1.1 faturaListeSorgulaPortalResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.45.1.2 faturaListeSorgulaPortalResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("output",
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public faturaDTO output;
```

1.1.2.1.46 faturaListeSorgulaResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.faturaListeSorgulaResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaListeSorgulaResponse;
```

File

Reference.cs ([see page 845](#))

faturaListeSorgulaResponse Properties

	Name	Description
	@return (see page 144)	
	output (see page 144)	

1.1.2.1.46.1 faturaListeSorgulaResponse Properties

1.1.2.1.46.1.1 faturaListeSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.46.1.2 faturaListeSorgulaResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public faturaDTO output;
```

1.1.2.1.47 faturaNoUret Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.faturaNoUret](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaNoUret;
```

File


Reference.cs ([see page 845](#))

faturaNoUret Properties

	Name	Description
	input (see page 145)	

1.1.2.1.47.1 faturaNoUret Properties**1.1.2.1.47.1.1 faturaNoUret.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.48 faturaNoUretCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaNoUretCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	faturaNoUretCompletedEventArgs (see page 145)	This is faturaNoUretCompletedEventArgs, a member of class faturaNoUretCompletedEventArgs.

faturaNoUretCompletedEventArgs Properties

	Name	Description
	@return (see page 146)	
	Result (see page 146)	

1.1.2.1.48.1 faturaNoUretCompletedEventArgs.faturaNoUretCompletedEventArgs Constructor**C#**

```
internal faturaNoUretCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is faturaNoUretCompletedEventArgs, a member of class faturaNoUretCompletedEventArgs.

Body Source

```
1: internal faturaNoUretCompletedEventArgs(object[] results, System.Exception exception,
2:                                         bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:         this.results = results;
4: }
```

1.1.2.1.48.2 faturaNoUretCompletedEventArgs Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.48.2.1 faturaNoUretCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```


1.1.2.1.48.2.2 faturaNoUretCompletedEventArgs.Result Property

C#

```
public string Result;
```

1.1.2.1.49 faturaOlustur Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaOlustur;
```

File

Reference.cs (see page 845)

faturaOlustur Properties

	Name	Description
	fatura (see page 146)	
	input (see page 146)	

1.1.2.1.49.1 faturaOlustur Properties

1.1.2.1.49.1.1 faturaOlustur.fatura Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge fatura;
```

1.1.2.1.49.1.2 faturaOlustur.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.50 faturaOlusturCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
```

```
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaOlusturCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	faturaOlusturCompletedEventArgs (see page 147)	This is faturaOlusturCompletedEventArgs, a member of class faturaOlusturCompletedEventArgs.

faturaOlusturCompletedEventArgs Properties

	Name	Description
	@return (see page 147)	
	Result (see page 147)	

1.1.2.1.50.1 faturaOlusturCompletedEventArgs.faturaOlusturCompletedEventArgs Constructor**C#**

```
internal faturaOlusturCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState);
```

Description

This is faturaOlusturCompletedEventArgs, a member of class faturaOlusturCompletedEventArgs.

Body Source

```
1: internal faturaOlusturCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.50.2 faturaOlusturCompletedEventArgs Properties**1.1.2.1.50.2.1 faturaOlusturCompletedEventArgs.@return Property****C#**

```
public earsivServiceResult @return;
```

1.1.2.1.50.2.2 faturaOlusturCompletedEventArgs.Result Property**C#**

```
public belge Result;
```

1.1.2.1.51 faturaOlusturExt Class**Class Hierarchy**

```
QNBFinansGIB.GIBEArsiv.faturaOlusturExt
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
]
public class faturaOlusturExt;
```

File

Reference.cs ([see page 845](#))

faturaOlusturExt Properties

	Name	Description
	fatura (see page 148)	
	input (see page 148)	

1.1.2.1.51.1 faturaOlusturExt Properties**1.1.2.1.51.1.1 faturaOlusturExt.fatura Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge fatura;
```

1.1.2.1.51.1.2 faturaOlusturExt.input Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.52 faturaOlusturExtCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaOlusturExtCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	faturaOlusturExtCompletedEventArgs (see page 149)	This is faturaOlusturExtCompletedEventArgs, a member of class faturaOlusturExtCompletedEventArgs.

faturaOlusturExtCompletedEventArgs Properties

	Name	Description
	@return (see page 149)	
	Result (see page 149)	

1.1.2.1.52.1 faturaOlusturExtCompletedEventArgs.faturaOlusturExtCompletedEventArgs Constructor

C#

```
internal faturaOlusturExtCompletedEventArgs(object[] results, System.Exception exception,
    bool cancelled, object userState);
```

Description

This is faturaOlusturExtCompletedEventArgs, a member of class faturaOlusturExtCompletedEventArgs.

Body Source

```
1: internal faturaOlusturExtCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.52.2 faturaOlusturExtCompletedEventArgs Properties

1.1.2.1.52.2.1 faturaOlusturExtCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.2.1.52.2.2 faturaOlusturExtCompletedEventArgs.Result Property

C#

```
public belge Result;
```

1.1.2.1.53 faturaOnizleme Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.faturaOnizleme

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaOnizleme;
```

File

Reference.cs ([see page 845](#))

faturaOnizleme Properties

	Name	Description
	fatura (see page 150)	
	input (see page 150)	

1.1.2.1.53.1 faturaOnizleme Properties

1.1.2.1.53.1.1 faturaOnizleme.fatura Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge fatura;
```

1.1.2.1.53.1.2 faturaOnizleme.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.54 faturaOnizlemeCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaOnizlemeCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	faturaOnizlemeCompletedEventArgs (see page 150)	This is faturaOnizlemeCompletedEventArgs, a member of class faturaOnizlemeCompletedEventArgs.

faturaOnizlemeCompletedEventArgs Properties

	Name	Description
	@return (see page 151)	
	Result (see page 151)	

1.1.2.1.54.1 faturaOnizlemeCompletedEventArgs.faturaOnizlemeCompletedEventArgs Constructor

C#

```
internal faturaOnizlemeCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is faturaOnizlemeCompletedEventArgs, a member of class faturaOnizlemeCompletedEventArgs.

Body Source

```
1: internal faturaOnizlemeCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.2.1.54.2 faturaOnizlemeCompletedEventArgs Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.54.2.1 faturaOnizlemeCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.2.1.54.2.2 faturaOnizlemeCompletedEventArgs.Result Property

C#

```
public belge Result;
```

1.1.2.1.55 faturaSorgula Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaSorgula;
```

File

Reference.cs (see page 845)

faturaSorgula Properties

	Name	Description
	input (see page 151)	

1.1.2.1.55.1 faturaSorgula Properties

1.1.2.1.55.1.1 faturaSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.56 faturaSorgulaCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	faturaSorgulaCompletedEventArgs (see page 152)	This is faturaSorgulaCompletedEventArgs, a member of class faturaSorgulaCompletedEventArgs.

faturaSorgulaCompletedEventArgs Properties

	Name	Description
	@return (see page 152)	
	Result (see page 152)	

1.1.2.1.56.1 faturaSorgulaCompletedEventArgs.faturaSorgulaCompletedEventArgs Constructor

C#

```
internal faturaSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is faturaSorgulaCompletedEventArgs, a member of class faturaSorgulaCompletedEventArgs.

Body Source

```
1: internal faturaSorgulaCompletedEventArgs(object[] results, System.Exception exception,
  bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.56.2 faturaSorgulaCompletedEventArgs Properties

1.1.2.1.56.2.1 faturaSorgulaCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.2.1.56.2.2 faturaSorgulaCompletedEventArgs.Result Property

C#

```
public belge Result;
```

1.1.2.1.57 faturaSorgulaExt Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.faturaSorgulaExt](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class faturaSorgulaExt;
```

File


[Reference.cs](#) ([see page 845](#))

faturaSorgulaExt Properties

	Name	Description
	input (see page 153)	

1.1.2.1.57.1 faturaSorgulaExt Properties**1.1.2.1.57.1.1 faturaSorgulaExt.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.58 faturaSorgulaExtCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaSorgulaExtCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	faturaSorgulaExtCompletedEventArgs (see page 153)	This is faturaSorgulaExtCompletedEventArgs, a member of class faturaSorgulaExtCompletedEventArgs.

faturaSorgulaExtCompletedEventArgs Properties

	Name	Description
	@return (see page 154)	
	Result (see page 154)	

1.1.2.1.58.1**faturaSorgulaExtCompletedEventArgs.faturaSorgulaExtCompletedEventArgs Constructor****C#**

```
internal faturaSorgulaExtCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is faturaSorgulaExtCompletedEventArgs, a member of class faturaSorgulaExtCompletedEventArgs.

Body Source

```
1: internal faturaSorgulaExtCompletedEventArgs(object[] results, System.Exception exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.2.1.58.2 faturaSorgulaExtCompletedEventArgs Properties

1.1.2.1.58.2.1 faturaSorgulaExtCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```


1.1.2.1.58.2.2 faturaSorgulaExtCompletedEventArgs.Result Property

C#

```
public belge Result;
```

1.1.2.1.59 faturaTaslakOlustur Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaTaslakOlustur;
```

File

Reference.cs (see page 845)

faturaTaslakOlustur Properties

	Name	Description
	fatura (see page 154)	
	input (see page 154)	

1.1.2.1.59.1 faturaTaslakOlustur Properties

1.1.2.1.59.1.1 faturaTaslakOlustur.fatura Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge fatura;
```


1.1.2.1.59.1.2 faturaTaslakOlustur.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.60 faturaTaslakOlusturCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaTaslakOlusturCompletedEventArgs :
    System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	faturaTaslakOlusturCompletedEventArgs (see page 155)	This is faturaTaslakOlusturCompletedEventArgs, a member of class faturaTaslakOlusturCompletedEventArgs.

faturaTaslakOlusturCompletedEventArgs Properties

	Name	Description
	Result (see page 155)	

1.1.2.1.60.1**faturaTaslakOlusturCompletedEventArgs.faturaTaslakOlusturCompletedEventArgs Constructor****C#**

```
internal faturaTaslakOlusturCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is faturaTaslakOlusturCompletedEventArgs, a member of class faturaTaslakOlusturCompletedEventArgs.

Body Source

```
1: internal faturaTaslakOlusturCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.2.1.60.2 faturaTaslakOlusturCompletedEventArgs Properties**1.1.2.1.60.2.1 faturaTaslakOlusturCompletedEventArgs.Result Property****C#**

```
public earsivServiceResult Result;
```

1.1.2.1.61 faturaTaslakOlusturResponse Class**Class Hierarchy**

QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
```

```
public class faturaTaslakOlusturResponse;
```

File

Reference.cs (see page 845)

faturaTaslakOlusturResponse Properties

	Name	Description
	@return (see page 156)	

1.1.2.1.61.1 faturaTaslakOlusturResponse Properties**1.1.2.1.61.1.1 faturaTaslakOlusturResponse.@return Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.62 faturaTaslakOnizleme Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaTaslakOnizleme;
```

File


Reference.cs (see page 845)

faturaTaslakOnizleme Properties

	Name	Description
	input (see page 156)	

1.1.2.1.62.1 faturaTaslakOnizleme Properties**1.1.2.1.62.1.1 faturaTaslakOnizleme.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.63 faturaTaslakOnizlemeCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
```

```
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaTaslakOnizlemeCompletedEventArgs :
    System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	faturaTaslakOnizlemeCompletedEventArgs (see page 157)	This is faturaTaslakOnizlemeCompletedEventArgs, a member of class faturaTaslakOnizlemeCompletedEventArgs.

faturaTaslakOnizlemeCompletedEventArgs Properties

	Name	Description
	output (see page 157)	
	Result (see page 157)	

1.1.2.1.63.1**faturaTaslakOnizlemeCompletedEventArgs.faturaTaslakOnizlemeCompletedEventArgs Constructor****C#**

```
internal faturaTaslakOnizlemeCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is faturaTaslakOnizlemeCompletedEventArgs, a member of class faturaTaslakOnizlemeCompletedEventArgs.

Body Source

```
1: internal faturaTaslakOnizlemeCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.2.1.63.2 faturaTaslakOnizlemeCompletedEventArgs Properties**1.1.2.1.63.2.1 faturaTaslakOnizlemeCompletedEventArgs.output Property****C#**

```
public belge output;
```

1.1.2.1.63.2.2 faturaTaslakOnizlemeCompletedEventArgs.Result Property**C#**

```
public earsivServiceResult Result;
```

1.1.2.1.64 faturaTaslakOnizlemeResponse Class**Class Hierarchy**

```
QNBFinansGIB.GIBEArxiv.faturaTaslakOnizlemeResponse
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class faturaTaslakOnizlemeResponse;
```

File

Reference.cs ([see page 845](#))

faturaTaslakOnizlemeResponse Properties

	Name	Description
	@return (see page 158)	
	output (see page 158)	

1.1.2.1.64.1 faturaTaslakOnizlemeResponse Properties**1.1.2.1.64.1.1 faturaTaslakOnizlemeResponse.@return Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.64.1.2 faturaTaslakOnizlemeResponse.output Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge output;
```

1.1.2.1.65 faturaTaslakSil Class**Class Hierarchy**

```
QNBFinansGIB.GIBEArxiv.faturaTaslakSil
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class faturaTaslakSil;
```

File

Reference.cs ([see page 845](#))

faturaTaslakSil Properties

	Name	Description
	input (see page 159)	

1.1.2.1.65.1 faturaTaslakSil Properties

1.1.2.1.65.1.1 faturaTaslakSil.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.66 faturaTaslakSilCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaTaslakSilCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	faturaTaslakSilCompletedEventArgs (see page 159)	This is faturaTaslakSilCompletedEventArgs, a member of class faturaTaslakSilCompletedEventArgs.

faturaTaslakSilCompletedEventArgs Properties

	Name	Description
	Result (see page 159)	

1.1.2.1.66.1 faturaTaslakSilCompletedEventArgs.faturaTaslakSilCompletedEventArgs Constructor

C#

```
internal faturaTaslakSilCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is faturaTaslakSilCompletedEventArgs, a member of class faturaTaslakSilCompletedEventArgs.

Body Source

```
1: internal faturaTaslakSilCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.2.1.66.2 faturaTaslakSilCompletedEventArgs Properties

1.1.2.1.66.2.1 faturaTaslakSilCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.67 faturaTaslakSilResponse Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.faturaTaslakSilResponse
--

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaTaslakSilResponse;
```

File

Reference.cs ([see page 845](#))

faturaTaslakSilResponse Properties

	Name	Description
	@return (see page 160)	

1.1.2.1.67.1 faturaTaslakSilResponse Properties

1.1.2.1.67.1.1 faturaTaslakSilResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.68 faturaTaslakSorgula Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.faturaTaslakSorgula
--

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaTaslakSorgula;
```

File

Reference.cs ([see page 845](#))

faturaTaslakSorgula Properties

	Name	Description
	input (see page 161)	

1.1.2.1.68.1 faturaTaslakSorgula Properties


1.1.2.1.68.1.1 faturaTaslakSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.69 faturaTaslakSorgulaCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaTaslakSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
!	faturaTaslakSorgulaCompletedEventArgs (see page 161)	This is faturaTaslakSorgulaCompletedEventArgs, a member of class faturaTaslakSorgulaCompletedEventArgs.

faturaTaslakSorgulaCompletedEventArgs Properties

	Name	Description
!	output (see page 161)	
!	Result (see page 162)	

1.1.2.1.69.1

faturaTaslakSorgulaCompletedEventArgs.faturaTaslakSorgulaCompletedEventArgs Constructor

C#

```
internal faturaTaslakSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is faturaTaslakSorgulaCompletedEventArgs, a member of class faturaTaslakSorgulaCompletedEventArgs.

Body Source

```
1: internal faturaTaslakSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.2.1.69.2 faturaTaslakSorgulaCompletedEventArgs Properties

1.1.2.1.69.2.1 faturaTaslakSorgulaCompletedEventArgs.output Property

C#

```
public faturadto output;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

1.1.2.1.69.2.2 faturaTaslakSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.70 faturaTaslakSorgulaResponse Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaResponse
--

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaTaslakSorgulaResponse;
```

File

Reference.cs (see page 845)

faturaTaslakSorgulaResponse Properties

	Name	Description
	@return (see page 162)	
	output (see page 162)	

1.1.2.1.70.1 faturaTaslakSorgulaResponse Properties

1.1.2.1.70.1.1 faturaTaslakSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.70.1.2 faturaTaslakSorgulaResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public faturaDTO output;
```

1.1.2.1.71 faturaTaslaktanOlustur Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlustur

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaTaslaktanOlustur;
```

File


Reference.cs (see page 845)

faturaTaslaktanOlustur Properties

	Name	Description
	input (see page 163)	

1.1.2.1.71.1 faturaTaslaktanOlustur Properties**1.1.2.1.71.1.1 faturaTaslaktanOlustur.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.72 faturaTaslaktanOlusturCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaTaslaktanOlusturCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	faturaTaslaktanOlusturCompletedEventArgs (see page 163)	This is faturaTaslaktanOlusturCompletedEventArgs, a member of class faturaTaslaktanOlusturCompletedEventArgs.

faturaTaslaktanOlusturCompletedEventArgs Properties

	Name	Description
	@return (see page 164)	
	Result (see page 164)	

1.1.2.1.72.1**faturaTaslaktanOlusturCompletedEventArgs.faturaTaslaktanOlusturCompletedEventArgs****Constructor****C#**

```
internal faturaTaslaktanOlusturCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is faturaTaslaktanOlusturCompletedEventArgs, a member of class faturaTaslaktanOlusturCompletedEventArgs.

Body Source

```

1: internal faturaTaslaktanOlusturCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }

```

1.1.2.1.72.2 faturaTaslaktanOlusturCompletedEventArgs Properties**1.1.2.1.72.2.1 faturaTaslaktanOlusturCompletedEventArgs.@return Property****C#**

```
public earsivServiceResult @return;
```

1.1.2.1.72.2.2 faturaTaslaktanOlusturCompletedEventArgs.Result Property**C#**

```
public belge Result;
```

1.1.2.1.73 faturaZipiAI Class**Class Hierarchy**

```
QNBFinansGIB.GIBEArsiv.faturaZipiAI
```

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaZipiAI;

```

File

Reference.cs (see page 845)

faturaZipiAI Properties

	Name	Description
	input (see page 164)	

1.1.2.1.73.1 faturaZipiAI Properties**1.1.2.1.73.1.1 faturaZipiAI.input Property****C#**

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;

```

1.1.2.1.74 faturaZipiAICompletedEventArgs Class**Class Hierarchy**

```
System.ComponentModel.AsyncCompletedEventArgs --> QNBFinansGIB.GIBEArsiv.faturaZipiAICompletedEventArgs
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaZipiAICompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	faturaZipiAICompletedEventArgs (see page 165)	This is faturaZipiAICompletedEventArgs, a member of class faturaZipiAICompletedEventArgs.

faturaZipiAICompletedEventArgs Properties

	Name	Description
	output (see page 165)	
	Result (see page 165)	

1.1.2.1.74.1 faturaZipiAICompletedEventArgs.faturaZipiAICompletedEventArgs Constructor**C#**

```
internal faturaZipiAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is faturaZipiAICompletedEventArgs, a member of class faturaZipiAICompletedEventArgs.

Body Source

```
1: internal faturaZipiAICompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.2.1.74.2 faturaZipiAICompletedEventArgs Properties**1.1.2.1.74.2.1 faturaZipiAICompletedEventArgs.output Property****C#**

```
public byte output;
```

1.1.2.1.74.2.2 faturaZipiAICompletedEventArgs.Result Property**C#**

```
public earsivServiceResult Result;
```

1.1.2.1.75 faturaZipiAIResponse Class**Class Hierarchy**

```
QNBFinansGIB.GIBEArsiv.faturaZipiAIResponse
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
```

```
]
public class faturaZipiAlResponse;
```

File

Reference.cs ([see page 845](#))

faturaZipiAlResponse Properties

	Name	Description
	@return (see page 166)	
	output (see page 166)	

1.1.2.1.75.1 faturaZipiAlResponse Properties**1.1.2.1.75.1.1 faturaZipiAlResponse.@return Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.75.1.2 faturaZipiAlResponse.output Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
DataType="base64Binary", IsNullable=true)]
public byte output;
```

1.1.2.1.76 kontorBilgisiGetir Class**Class Hierarchy**

```
QNBFinansGIB.GIBEArsiv.kontorBilgisiGetir
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class kontorBilgisiGetir;
```

File

Reference.cs ([see page 845](#))

kontorBilgisiGetir Properties

	Name	Description
	kontorBirim (see page 167)	
	kontorTipi (see page 167)	
	vknTckn (see page 167)	

1.1.2.1.76.1 kontorBilgisiGetir Properties

1.1.2.1.76.1.1 kontorBilgisiGetir.kontorBirim Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kontorBirim;
```

1.1.2.1.76.1.2 kontorBilgisiGetir.kontorTipi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kontorTipi;
```

1.1.2.1.76.1.3 kontorBilgisiGetir.vknTckn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vknTckn;
```

1.1.2.1.77 kontorBilgisiGetirCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class kontorBilgisiGetirCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	kontorBilgisiGetirCompletedEventArgs (see page 167)	This is kontorBilgisiGetirCompletedEventArgs, a member of class kontorBilgisiGetirCompletedEventArgs.

kontorBilgisiGetirCompletedEventArgs Properties

	Name	Description
	Result (see page 168)	

1.1.2.1.77.1

kontorBilgisiGetirCompletedEventArgs.kontorBilgisiGetirCompletedEventArgs Constructor

C#

```
internal kontorBilgisiGetirCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is kontorBilgisiGetirCompletedEventArgs, a member of class kontorBilgisiGetirCompletedEventArgs.

Body Source

```

1: internal kontorBilgisiGetirCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }

```

1.1.2.1.77.2 kontorBilgisiGetirCompletedEventArgs Properties**1.1.2.1.77.2.1 kontorBilgisiGetirCompletedEventArgs.Result Property****C#**

```
public earsivServiceResult Result;
```

1.1.2.1.78 kontorBilgisiGetirResponse Class**Class Hierarchy**

	QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirResponse
--	---

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class kontorBilgisiGetirResponse;

```

File

Reference.cs ( see page 845)

kontorBilgisiGetirResponse Properties

	Name	Description
	@return ( see page 168)	

1.1.2.1.78.1 kontorBilgisiGetirResponse Properties**1.1.2.1.78.1.1 kontorBilgisiGetirResponse.@return Property****C#**

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;

```

1.1.2.1.79 okcRaporBolumAI Class**Class Hierarchy**

	QNBFinansGIB.GIBEArsiv.okcRaporBolumAI
--	--

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]

```

```
public class okcRaporBolumAl;
```

File


Reference.cs ([see page 845](#))

okcRaporBolumAI Properties

	Name	Description
	input (see page 169)	

1.1.2.1.79.1 okcRaporBolumAI Properties**1.1.2.1.79.1.1 okcRaporBolumAI.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.80 okcRaporBolumAICompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class okcRaporBolumAICompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	okcRaporBolumAICompletedEventArgs (see page 169)	This is okcRaporBolumAICompletedEventArgs, a member of class okcRaporBolumAICompletedEventArgs.

okcRaporBolumAICompletedEventArgs Properties

	Name	Description
	@return (see page 170)	
	Result (see page 170)	

1.1.2.1.80.1**okcRaporBolumAICompletedEventArgs.okcRaporBolumAICompletedEventArgs Constructor****C#**

```
internal okcRaporBolumAICompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is okcRaporBolumAICompletedEventArgs, a member of class okcRaporBolumAICompletedEventArgs.

Body Source

```

1: internal okcRaporBolumAlCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}

```

1.1.2.1.80.2 okcRaporBolumAlCompletedEventArgs Properties**1.1.2.1.80.2.1 okcRaporBolumAlCompletedEventArgs.@return Property****C#**

```
public earsivServiceResult @return;
```

1.1.2.1.80.2.2 okcRaporBolumAlCompletedEventArgs.Result Property**C#**

```
public belge Result;
```

1.1.2.1.81 okcRaporKaydet Class**Class Hierarchy**

```
[QNBFinansGIB.GIBEArsiv.okcRaporKaydet]
```

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[SerializableAttribute()]
[DebuggerStepThroughAttribute()]
[ComponentModel.DesignerCategoryAttribute("code")]
[XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class okcRaporKaydet;

```

File

Reference.cs ( see page 845)

okcRaporKaydet Properties

	Name	Description
	input ( see page 170)	
	rapor ( see page 170)	

1.1.2.1.81.1 okcRaporKaydet Properties**1.1.2.1.81.1.1 okcRaporKaydet.input Property****C#**

```

[XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;

```

1.1.2.1.81.1.2 okcRaporKaydet.rapor Property**C#**

```

[XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public dosyaInput rapor;

```

1.1.2.1.82 okcRaporKaydetCompletedEventArgs Class

Class Hierarchy



C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class okcRaporKaydetCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
  
```

File

Reference.cs (see page 845)

Methods

	Name	Description
!	okcRaporKaydetCompletedEventArgs (see page 171)	This is okcRaporKaydetCompletedEventArgs, a member of class okcRaporKaydetCompletedEventArgs.

okcRaporKaydetCompletedEventArgs Properties

	Name	Description
!	Result (see page 171)	

1.1.2.1.82.1 okcRaporKaydetCompletedEventArgs.okcRaporKaydetCompletedEventArgs Constructor

C#

```

internal okcRaporKaydetCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
  
```

Description

This is okcRaporKaydetCompletedEventArgs, a member of class okcRaporKaydetCompletedEventArgs.

Body Source

```

1: internal okcRaporKaydetCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
  
```

1.1.2.1.82.2 okcRaporKaydetCompletedEventArgs Properties

1.1.2.1.82.2.1 okcRaporKaydetCompletedEventArgs.Result Property

C#

```

public earsivServiceResult Result;
  
```

1.1.2.1.83 okcRaporKaydetResponse Class

Class Hierarchy



C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
  
```

```
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class okcRaporKaydetResponse;
```

File

Reference.cs (see page 845)

okcRaporKaydetResponse Properties

	Name	Description
	@return (see page 172)	

1.1.2.1.83.1 okcRaporKaydetResponse Properties**1.1.2.1.83.1.1 okcRaporKaydetResponse.@return Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.84 okcRaporOlusturGonder Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class okcRaporOlusturGonder;
```

File


Reference.cs (see page 845)

okcRaporOlusturGonder Properties

	Name	Description
	input (see page 172)	

1.1.2.1.84.1 okcRaporOlusturGonder Properties**1.1.2.1.84.1.1 okcRaporOlusturGonder.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.85 okcRaporOlusturGonderCompletedEventArgs Class**Class Hierarchy**

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class okcRaporOlusturGonderCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	okcRaporOlusturGonderCompletedEventArgs (see page 173)	This is okcRaporOlusturGonderCompletedEventArgs, a member of class okcRaporOlusturGonderCompletedEventArgs.

okcRaporOlusturGonderCompletedEventArgs Properties

	Name	Description
	Result (see page 173)	

1.1.2.1.85.1**okcRaporOlusturGonderCompletedEventArgs.okcRaporOlusturGonderCompletedEventArgs Constructor****C#**

```
internal okcRaporOlusturGonderCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is okcRaporOlusturGonderCompletedEventArgs, a member of class okcRaporOlusturGonderCompletedEventArgs.

Body Source

```
1: internal okcRaporOlusturGonderCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.85.2 okcRaporOlusturGonderCompletedEventArgs Properties**1.1.2.1.85.2.1 okcRaporOlusturGonderCompletedEventArgs.Result Property****C#**

```
public earsivServiceResult Result;
```

1.1.2.1.86 okcRaporOlusturGonderResponse Class**Class Hierarchy**

[QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
]
public class okcRaporOlusturGonderResponse;
```

File

Reference.cs (see page 845)

okcRaporOlusturGonderResponse Properties

	Name	Description
	@return (see page 174)	

1.1.2.1.86.1 okcRaporOlusturGonderResponse Properties**1.1.2.1.86.1.1 okcRaporOlusturGonderResponse.@return Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.87 raporBolumAI Class**Class Hierarchy**

QNBFinansGIB.GIBEArsiv.raporBolumAI

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumAI;
```

File

Reference.cs (see page 845)

raporBolumAI Properties

	Name	Description
	bolumRaporNo (see page 174)	

1.1.2.1.87.1 raporBolumAI Properties**1.1.2.1.87.1.1 raporBolumAI.bolumRaporNo Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bolumRaporNo;
```

1.1.2.1.88 raporBolumAICompletedEventArgs Class**Class Hierarchy**

System.ComponentModel.AsyncCompletedEventArgs → QNBFinansGIB.GIBEArsiv.raporBolumAICompletedEventArgs

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumAICompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	raporBolumAICompletedEventArgs (see page 175)	This is raporBolumAICompletedEventArgs, a member of class raporBolumAICompletedEventArgs.

raporBolumAICompletedEventArgs Properties

	Name	Description
	@return (see page 175)	
	Result (see page 175)	

1.1.2.1.88.1 raporBolumAICompletedEventArgs.raporBolumAICompletedEventArgs Constructor**C#**

```
internal raporBolumAICompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState);
```

Description

This is raporBolumAICompletedEventArgs, a member of class raporBolumAICompletedEventArgs.

Body Source

```
1: internal raporBolumAICompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.88.2 raporBolumAICompletedEventArgs Properties**1.1.2.1.88.2.1 raporBolumAICompletedEventArgs.@return Property****C#**

```
public earsivServiceResult @return;
```

1.1.2.1.88.2.2 raporBolumAICompletedEventArgs.Result Property**C#**

```
public belge Result;
```

1.1.2.1.89 raporBolumBilgisiAI Class**Class Hierarchy**

QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAI

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[SerializableAttribute()]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class raporBolumBilgisiAI;
```

File


Reference.cs ([see page 845](#))

raporBolumBilgisiAI Properties

	Name	Description
	bolumRaporNo (see page 176)	

1.1.2.1.89.1 raporBolumBilgisiAI Properties**1.1.2.1.89.1.1 raporBolumBilgisiAI.bolumRaporNo Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bolumRaporNo;
```

1.1.2.1.90 raporBolumBilgisiAICompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumBilgisiAICompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	raporBolumBilgisiAICompletedEventArgs (see page 176)	This is raporBolumBilgisiAICompletedEventArgs, a member of class raporBolumBilgisiAICompletedEventArgs.

raporBolumBilgisiAICompletedEventArgs Properties

	Name	Description
	Result (see page 177)	

1.1.2.1.90.1**raporBolumBilgisiAICompletedEventArgs.raporBolumBilgisiAICompletedEventArgs Constructor****C#**

```
internal raporBolumBilgisiAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is raporBolumBilgisiAICompletedEventArgs, a member of class raporBolumBilgisiAICompletedEventArgs.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```

1: internal raporBolumBilgisiAlCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }

```

1.1.2.1.90.2 raporBolumBilgisiAlCompletedEventArgs Properties**1.1.2.1.90.2.1 raporBolumBilgisiAlCompletedEventArgs.Result Property****C#**

```
public earsivServiceResult Result;
```

1.1.2.1.91 raporBolumBilgisiAlResponse Class**Class Hierarchy**

[QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAlResponse]

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumBilgisiAlResponse;

```

File

Reference.cs (see page 845)

raporBolumBilgisiAlResponse Properties

	Name	Description
	@return (see page 177)	

1.1.2.1.91.1 raporBolumBilgisiAlResponse Properties**1.1.2.1.91.1.1 raporBolumBilgisiAlResponse.@return Property****C#**

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;

```

1.1.2.1.92 raporBolumDTO Class**Class Hierarchy**

[QNBFinansGIB.GIBEArsiv.raporBolumDTO]

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]

```

```
public class raporBolumDTO;
```

File

Reference.cs ([see page 845](#))

raporBolumDTO Properties

	Name	Description
	baslangicTarihi (see page 178)	
	bitisTarihi (see page 178)	
	bolumNo (see page 178)	
	bolumNoSpecified (see page 178)	
	bolumRaporNo (see page 178)	
	durum (see page 179)	
	durumAciklama (see page 179)	
	durumKodu (see page 179)	
	sonIslemeZamani (see page 179)	

1.1.2.1.92.1 raporBolumDTO Properties**1.1.2.1.92.1.1 raporBolumDTO.baslangicTarihi Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string baslangicTarihi;
```

1.1.2.1.92.1.2 raporBolumDTO.bitisTarihi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bitisTarihi;
```

1.1.2.1.92.1.3 raporBolumDTO.bolumNo Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public long bolumNo;
```

1.1.2.1.92.1.4 raporBolumDTO.bolumNoSpecified Property**C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool bolumNoSpecified;
```

1.1.2.1.92.1.5 raporBolumDTO.bolumRaporNo Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bolumRaporNo;
```

1.1.2.1.92.1.6 raporBolumDTO.durum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int durum;
```

1.1.2.1.92.1.7 raporBolumDTO.durumAciklama Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string durumAciklama;
```

1.1.2.1.92.1.8 raporBolumDTO.durumKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string durumKodu;
```

1.1.2.1.92.1.9 raporBolumDTO.sonIslemeZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string sonIslemeZamani;
```

1.1.2.1.93 raporBolumleriOlustur Class

Class Hierarchy

QNBFinansGIB.GIBEArxiv.raporBolumleriOlustur

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumleriOlustur;
```

File

Reference.cs (see page 845)

raporBolumleriOlustur Properties

	Name	Description
	donem (see page 180)	
	input (see page 180)	
	sonGun (see page 180)	

1.1.2.1.93.1 raporBolumleriOlustur Properties

1.1.2.1.93.1.1 raporBolumleriOlustur.donem Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

1.1.2.1.93.1.2 raporBolumleriOlustur.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```


1.1.2.1.93.1.3 raporBolumleriOlustur.sonGun Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string sonGun;
```

1.1.2.1.94 raporBolumleriOlusturCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumleriOlusturCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
!	raporBolumleriOlusturCompletedEventArgs (see page 180)	This is raporBolumleriOlusturCompletedEventArgs, a member of class raporBolumleriOlusturCompletedEventArgs.

raporBolumleriOlusturCompletedEventArgs Properties

	Name	Description
!	Result (see page 181)	

1.1.2.1.94.1

raporBolumleriOlusturCompletedEventArgs.raporBolumleriOlusturCompletedEventArgs Constructor

C#

```
internal raporBolumleriOlusturCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is raporBolumleriOlusturCompletedEventArgs, a member of class raporBolumleriOlusturCompletedEventArgs.

Body Source

```

1: internal raporBolumleriOlusturCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }

```

1.1.2.1.94.2 raporBolumleriOlusturCompletedEventArgs Properties**1.1.2.1.94.2.1 raporBolumleriOlusturCompletedEventArgs.Result Property****C#**

```
public earsivServiceResult Result;
```

1.1.2.1.95 raporBolumleriOlusturResponse Class**Class Hierarchy**

QNBFinansGIB.GIBEArxiv.raporBolumleriOlusturResponse
--

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumleriOlusturResponse;

```

File

Reference.cs ( see page 845)

raporBolumleriOlusturResponse Properties

	Name	Description
	@return ( see page 181)	

1.1.2.1.95.1 raporBolumleriOlusturResponse Properties**1.1.2.1.95.1.1 raporBolumleriOlusturResponse.@return Property****C#**

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;

```

1.1.2.1.96 raporBolumListesiDetaigliSorgula Class**Class Hierarchy**

QNBFinansGIB.GIBEArxiv.raporBolumListesiDetaigliSorgula

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]

```

```
public class raporBolumListesiDetayliSorgula;
```

File


Reference.cs ([see page 845](#))

raporBolumListesiDetayliSorgula Properties

	Name	Description
	donem (see page 182)	

1.1.2.1.96.1 raporBolumListesiDetayliSorgula Properties**1.1.2.1.96.1.1 raporBolumListesiDetayliSorgula.donem Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

1.1.2.1.97 raporBolumListesiDetayliSorgulaCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumListesiDetayliSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	raporBolumListesiDetayliSorgulaCompletedEventArgs (see page 182)	This is raporBolumListesiDetayliSorgulaCompletedEventArgs, a member of class raporBolumListesiDetayliSorgulaCompletedEventArgs.

raporBolumListesiDetayliSorgulaCompletedEventArgs Properties

	Name	Description
	output (see page 183)	
	Result (see page 183)	

1.1.2.1.97.1**raporBolumListesiDetayliSorgulaCompletedEventArgs.raporBolumListesiDetayliSorgulaCompletedEventArgs Constructor****C#**

```
internal raporBolumListesiDetayliSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is raporBolumListesiDetayliSorgulaCompletedEventArgs, a member of class raporBolumListesiDetayliSorgulaCompletedEventArgs.

Body Source

```
1: internal raporBolumListesiDetayliSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.97.2 raporBolumListesiDetayliSorgulaCompletedEventArgs Properties

1.1.2.1.97.2.1 raporBolumListesiDetayliSorgulaCompletedEventArgs.output Property

C#

```
public raporBolumDTO output;
```

1.1.2.1.97.2.2 raporBolumListesiDetayliSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.98 raporBolumListesiDetayliSorgulaResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumListesiDetayliSorgulaResponse;
```

File

Reference.cs ([see page 845](#))

raporBolumListesiDetayliSorgulaResponse Properties

	Name	Description
	@return (see page 183)	
	output (see page 184)	

1.1.2.1.98.1 raporBolumListesiDetayliSorgulaResponse Properties

1.1.2.1.98.1.1 raporBolumListesiDetayliSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```


1.1.2.1.98.1.2 **raporBolumListesiDetayliSorgulaResponse.output** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public raporBolumDTO output;
```

1.1.2.1.99 **raporBolumListesiSorgula** Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumListesiSorgula;
```

File

Reference.cs (see page 845)

raporBolumListesiSorgula Properties

	Name	Description
	donem (see page 184)	

1.1.2.1.99.1 **raporBolumListesiSorgula** Properties


1.1.2.1.99.1.1 **raporBolumListesiSorgula.donem** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

1.1.2.1.100 **raporBolumListesiSorgulaCompletedEventArgs** Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumListesiSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	raporBolumListesiSorgulaCompletedEventArgs	This is raporBolumListesiSorgulaCompletedEventArgs, a member of class raporBolumListesiSorgulaCompletedEventArgs.

raporBolumListesiSorgulaCompletedEventArgs Properties

	Name	Description
	@return (see page 185)	
	Result (see page 185)	

1.1.2.1.100.1

raporBolumListesiSorgulaCompletedEventArgs.raporBolumListesiSorgulaCompletedEventArgs Constructor

C#

```
internal raporBolumListesiSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is raporBolumListesiSorgulaCompletedEventArgs, a member of class raporBolumListesiSorgulaCompletedEventArgs.

Body Source

```
1: internal raporBolumListesiSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.2.1.100.2 raporBolumListesiSorgulaCompletedEventArgs Properties

1.1.2.1.100.2.1 raporBolumListesiSorgulaCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.2.1.100.2.2 raporBolumListesiSorgulaCompletedEventArgs.Result Property

C#

```
public string Result;
```

1.1.2.1.101 raporBolumListesiSorgulaWithInput Class

Class Hierarchy

```
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInput.
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumListesiSorgulaWithInput;
```

File

Reference.cs (see page 845)

raporBolumListesiSorgulaWithInput Properties


	Name	Description
	donem (see page 186)	
	input (see page 186)	

1.1.2.1.101.1 raporBolumListesiSorgulaWithInput Properties**1.1.2.1.101.1.1 raporBolumListesiSorgulaWithInput.donem Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

1.1.2.1.101.1.2 raporBolumListesiSorgulaWithInput.input Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.102 raporBolumListesiSorgulaWithInputCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumListesiSorgulaWithInputCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	raporBolumListesiSorgulaWithInputCompletedEventArgs (see page 187)	This is raporBolumListesiSorgulaWithInputCompletedEventArgs, a member of class raporBolumListesiSorgulaWithInputCompletedEventArgs.

raporBolumListesiSorgulaWithInputCompletedEventArgs Properties

	Name	Description
	@return (see page 187)	
	Result (see page 187)	

1.1.2.1.102.1

raporBolumListesiSorgulaWithInputCompletedEventArgs.raporBolumListesiSorgulaWithInputCompletedEventArgs Constructor

C#

```
internal raporBolumListesiSorgulaWithInputCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is raporBolumListesiSorgulaWithInputCompletedEventArgs, a member of class raporBolumListesiSorgulaWithInputCompletedEventArgs.

Body Source

```
1: internal raporBolumListesiSorgulaWithInputCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.102.2 raporBolumListesiSorgulaWithInputCompletedEventArgs Properties

1.1.2.1.102.2.1 raporBolumListesiSorgulaWithInputCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.2.1.102.2.2 raporBolumListesiSorgulaWithInputCompletedEventArgs.Result Property

C#

```
public string Result;
```

1.1.2.1.103 raporBolumRaporNoGuncelleImzala Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncelleImzala

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumRaporNoGuncelleImzala;
```

File

Reference.cs (see page 845)

raporBolumRaporNoGuncelleImzala Properties

	Name	Description
	bolumRaporNo (see page 188)	

1.1.2.1.103.1 raporBolumRaporNoGuncelleImzala Properties

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.103.1.1 **raporBolumRaporNoGuncellelmzala.bolumRaporNo** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bolumRaporNo;
```

1.1.2.1.104 **raporBolumRaporNoGuncellelmzalaCompletedEventArgs** Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumRaporNoGuncellelmzalaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	raporBolumRaporNoGuncellelmzalaCompletedEventArgs (see page 188)	This is raporBolumRaporNoGuncellelmzalaCompletedEventArgs, a member of class raporBolumRaporNoGuncellelmzalaCompletedEventArgs.

raporBolumRaporNoGuncellelmzalaCompletedEventArgs Properties

	Name	Description
	Result (see page 189)	

1.1.2.1.104.1

raporBolumRaporNoGuncellelmzalaCompletedEventArgs.raporBolumRaporNoGuncellelmzalaCompletedEventArgs Constructor

C#

```
internal raporBolumRaporNoGuncellelmzalaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is raporBolumRaporNoGuncellelmzalaCompletedEventArgs, a member of class raporBolumRaporNoGuncellelmzalaCompletedEventArgs.

Body Source

```
1: internal raporBolumRaporNoGuncellelmzalaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.2.1.104.2 **raporBolumRaporNoGuncellelmzalaCompletedEventArgs** Properties

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.104.2.1 **raporBolumRaporNoGuncelleImzalaCompletedEventArgs.Result** Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.105 **raporBolumRaporNoGuncelleImzalaResponse** Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncelleImzalaResponse
--

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumRaporNoGuncelleImzalaResponse;
```

File

Reference.cs ( see page 845)

raporBolumRaporNoGuncelleImzalaResponse Properties

	Name	Description
	@return ( see page 189)	

1.1.2.1.105.1 **raporBolumRaporNoGuncelleImzalaResponse** Properties

1.1.2.1.105.1.1 **raporBolumRaporNoGuncelleImzalaResponse.@return** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.106 **raporBolumSil** Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.raporBolumSil

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumSil;
```

File

Reference.cs ( see page 845)

raporBolumSil Properties

	Name	Description
	bolumRaporNo ( see page 190)	

1.1.2.1.106.1 raporBolumSil Properties

1.1.2.1.106.1.1 raporBolumSil.bolumRaporNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bolumRaporNo;
```

1.1.2.1.107 raporBolumSilCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumSilCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	raporBolumSilCompletedEventArgs (see page 190)	This is raporBolumSilCompletedEventArgs, a member of class raporBolumSilCompletedEventArgs.

raporBolumSilCompletedEventArgs Properties

	Name	Description
	Result (see page 190)	

1.1.2.1.107.1 raporBolumSilCompletedEventArgs.raporBolumSilCompletedEventArgs Constructor

C#

```
internal raporBolumSilCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is raporBolumSilCompletedEventArgs, a member of class raporBolumSilCompletedEventArgs.

Body Source

```
1: internal raporBolumSilCompletedEventArgs(object[] results, System.Exception exception,
2:   bool cancelled, object userState) :
3:   base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.2.1.107.2 raporBolumSilCompletedEventArgs Properties

1.1.2.1.107.2.1 raporBolumSilCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.108 raporBolumSilResponse Class

Class Hierarchy

`[QNBFinansGIB.GIBEArsiv.raporBolumSilResponse]`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumSilResponse;
```

File

Reference.cs ([see page 845](#))

raporBolumSilResponse Properties

	Name	Description
	@return (see page 191)	

1.1.2.1.108.1 raporBolumSilResponse Properties

1.1.2.1.108.1.1 raporBolumSilResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.109 rapordaFaturaSorgula Class

Class Hierarchy

`[QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgula]`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class rapordaFaturaSorgula;
```

File

Reference.cs ([see page 845](#))

rapordaFaturaSorgula Properties

	Name	Description
	input (see page 192)	

1.1.2.1.109.1 rapordaFaturaSorgula Properties


1.1.2.1.109.1.1 rapordaFaturaSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.110 rapordaFaturaSorgulaCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class rapordaFaturaSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
!	rapordaFaturaSorgulaCompletedEventArgs (see page 192)	This is rapordaFaturaSorgulaCompletedEventArgs, a member of class rapordaFaturaSorgulaCompletedEventArgs.

rapordaFaturaSorgulaCompletedEventArgs Properties

	Name	Description
!	Result (see page 192)	

1.1.2.1.110.1

rapordaFaturaSorgulaCompletedEventArgs.rapordaFaturaSorgulaCompletedEventArgs Constructor

C#

```
internal rapordaFaturaSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is rapordaFaturaSorgulaCompletedEventArgs, a member of class rapordaFaturaSorgulaCompletedEventArgs.

Body Source

```
1: internal rapordaFaturaSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.2.1.110.2 rapordaFaturaSorgulaCompletedEventArgs Properties

1.1.2.1.110.2.1 rapordaFaturaSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.111 rapordaFaturaSorgulaResponse Class

Class Hierarchy

`QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaResponse`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class rapordaFaturaSorgulaResponse;
```

File

Reference.cs (see page 845)

rapordaFaturaSorgulaResponse Properties

	Name	Description
	@return (see page 193)	

1.1.2.1.111.1 rapordaFaturaSorgulaResponse Properties

1.1.2.1.111.1.1 rapordaFaturaSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.112 raporDurumSorgula Class

Class Hierarchy

`QNBFinansGIB.GIBEArsiv.raporDurumSorgula`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporDurumSorgula;
```

File

Reference.cs (see page 845)

raporDurumSorgula Properties

	Name	Description
	donem (see page 194)	

1.1.2.1.112.1 raporDurumSorgula Properties


1.1.2.1.112.1.1 raporDurumSorgula.donem Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

1.1.2.1.113 raporDurumSorgulaCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporDurumSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
!	raporDurumSorgulaCompletedEventArgs (see page 194)	This is raporDurumSorgulaCompletedEventArgs, a member of class raporDurumSorgulaCompletedEventArgs.

raporDurumSorgulaCompletedEventArgs Properties

	Name	Description
!	Result (see page 194)	

1.1.2.1.113.1

raporDurumSorgulaCompletedEventArgs.raporDurumSorgulaCompletedEventArgs Constructor

C#

```
internal raporDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is raporDurumSorgulaCompletedEventArgs, a member of class raporDurumSorgulaCompletedEventArgs.

Body Source

```
1: internal raporDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
2: exception, bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:         this.results = results;
4: }
```

1.1.2.1.113.2 raporDurumSorgulaCompletedEventArgs Properties

1.1.2.1.113.2.1 raporDurumSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.114 raporDurumSorgulaResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.raporDurumSorgulaResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporDurumSorgulaResponse;
```

File

Reference.cs ([see page 845](#))

raporDurumSorgulaResponse Properties

	Name	Description
	@return (see page 195)	

1.1.2.1.114.1 raporDurumSorgulaResponse Properties

1.1.2.1.114.1.1 raporDurumSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.115 raporGonder Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.raporGonder](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporGonder;
```

File

Reference.cs ([see page 845](#))

raporGonder Properties

	Name	Description
	donem (see page 196)	

1.1.2.1.115.1 raporGonder Properties

1.1.2.1.115.1.1 **raporGonder.donem** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

1.1.2.1.116 **raporGonderCompletedEventArgs** Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	raporGonderCompletedEventArgs (see page 196)	This is raporGonderCompletedEventArgs, a member of class raporGonderCompletedEventArgs.

raporGonderCompletedEventArgs Properties

	Name	Description
	Result (see page 196)	

1.1.2.1.116.1 **raporGonderCompletedEventArgs.raporGonderCompletedEventArgs** Constructor

C#

```
internal raporGonderCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is raporGonderCompletedEventArgs, a member of class raporGonderCompletedEventArgs.

Body Source

```
1: internal raporGonderCompletedEventArgs(object[] results, System.Exception exception,
2:   bool cancelled, object userState) :
3:   base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.2.1.116.2 **raporGonderCompletedEventArgs** Properties

1.1.2.1.116.2.1 **raporGonderCompletedEventArgs.Result** Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.117 raporGonderResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEArxiv.raporGonderResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporGonderResponse;
```

File

Reference.cs ([see page 845](#))

raporGonderResponse Properties

	Name	Description
	@return (see page 197)	

1.1.2.1.117.1 raporGonderResponse Properties

1.1.2.1.117.1.1 raporGonderResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.118 serviceReturnType Class

Class Hierarchy

[QNBFinansGIB.GIBEArxiv.serviceReturnType](#)

C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(eFaturaKullanici))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class serviceReturnType;
```

File

Reference.cs ([see page 845](#))

1.1.2.1.119 servisSaglayicidanEpostaDurumSorgula Class

Class Hierarchy

[QNBFinansGIB.GIBEArxiv.servisSaglayicidanEpostaDurumSorgula](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class servisSaglayicidanEpostaDurumSorgula;
```

File


Reference.cs ([see page 845](#))

servisSaglayicidanEpostaDurumSorgula Properties

	Name	Description
	input (see page 198)	

1.1.2.1.119.1 servisSaglayicidanEpostaDurumSorgula Properties**1.1.2.1.119.1.1 servisSaglayicidanEpostaDurumSorgula.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.120 servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs (see page 199)	This is servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs, a member of class servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.

servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs Properties

	Name	Description
	@return (see page 199)	
	outputEposta (see page 199)	
	Result (see page 199)	

1.1.2.1.120.1

servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs

Constructor

C#

```
internal servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs, a member of class servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.

Body Source

```
1: internal servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.120.2 servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs Properties

1.1.2.1.120.2.1 servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.2.1.120.2.2 servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.outputEposta Property

C#

```
public string outputEposta;
```

1.1.2.1.120.2.3 servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.Result Property

C#

```
public string Result;
```

1.1.2.1.121 smsDurumSorgula Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.smsDurumSorgula

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class smsDurumSorgula;
```

File


Reference.cs (see page 845)

smsDurumSorgula Properties

	Name	Description
	input (see page 200)	

1.1.2.1.121.1 smsDurumSorgula Properties**1.1.2.1.121.1.1 smsDurumSorgula.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.122 smsDurumSorgulaCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class smsDurumSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	smsDurumSorgulaCompletedEventArgs (see page 200)	This is smsDurumSorgulaCompletedEventArgs, a member of class smsDurumSorgulaCompletedEventArgs.

smsDurumSorgulaCompletedEventArgs Properties

	Name	Description
	outputDurum (see page 201)	
	Result (see page 201)	

1.1.2.1.122.1**smsDurumSorgulaCompletedEventArgs.smsDurumSorgulaCompletedEventArgs Constructor****C#**

```
internal smsDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is smsDurumSorgulaCompletedEventArgs, a member of class smsDurumSorgulaCompletedEventArgs.

Body Source

```
1: internal smsDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
2:   bool cancelled, object userState) :
3:   base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.2.1.122.2 smsDurumSorgulaCompletedEventArgs Properties

1.1.2.1.122.2.1 smsDurumSorgulaCompletedEventArgs.outputDurum Property

C#

```
public string outputDurum;
```

1.1.2.1.122.2.2 smsDurumSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.123 smsDurumSorgulaResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.smsDurumSorgulaResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class smsDurumSorgulaResponse;
```

File

[Reference.cs](#) ([see page 845](#))

smsDurumSorgulaResponse Properties

	Name	Description
	@return (see page 201)	
	outputDurum (see page 201)	

1.1.2.1.123.1 smsDurumSorgulaResponse Properties

1.1.2.1.123.1.1 smsDurumSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.123.1.2 smsDurumSorgulaResponse.outputDurum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string outputDurum;
```

1.1.2.1.124 smsGonder Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.smsGonder](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class smsGonder;
```

File

Reference.cs (see page 845)

smsGonder Properties

	Name	Description
	ilaveTelefonNo (see page 202)	
	input (see page 202)	
	tanimliTelefonNoyaGonder (see page 202)	

1.1.2.1.124.1 smsGonder Properties**1.1.2.1.124.1.1 smsGonder.ilaveTelefonNo Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ilaveTelefonNo;
```

1.1.2.1.124.1.2 smsGonder.input Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.124.1.3 smsGonder.tanimliTelefonNoyaGonder Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int tanimliTelefonNoyaGonder;
```

1.1.2.1.125 smsGonderCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class smsGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	smsGonderCompletedEventArgs (see page 203)	This is smsGonderCompletedEventArgs, a member of class smsGonderCompletedEventArgs.

smsGonderCompletedEventArgs Properties

	Name	Description
	Result (see page 203)	

1.1.2.1.125.1 smsGonderCompletedEventArgs.smsGonderCompletedEventArgs Constructor

C#

```
internal smsGonderCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is smsGonderCompletedEventArgs, a member of class smsGonderCompletedEventArgs.

Body Source

```
1: internal smsGonderCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.125.2 smsGonderCompletedEventArgs Properties

1.1.2.1.125.2.1 smsGonderCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.126 smsGonderResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.smsGonderResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class smsGonderResponse;
```

File

[Reference.cs](#) ([see page 845](#))

smsGonderResponse Properties

	Name	Description
	@return (see page 204)	

1.1.2.1.126.1 smsGonderResponse Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.126.1.1 smsGonderResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.127 stringOutputWrapper Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.stringOutputWrapper](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class stringOutputWrapper;
```

File

Reference.cs ([see page 845](#))

stringOutputWrapper Properties

	Name	Description
	@return (see page 204)	
	output (see page 204)	

1.1.2.1.127.1 stringOutputWrapper Properties

1.1.2.1.127.1.1 stringOutputWrapper.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.127.1.2 stringOutputWrapper.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string output;
```

1.1.2.1.128 topluFaturaPaketDosyaGonder Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonder](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
```

```
public class topluFaturaPaketDosyaGonder;
```

File

Reference.cs ([see page 845](#))

topluFaturaPaketDosyaGonder Properties


	Name	Description
	input (see page 205)	
	paketDosyasiZip (see page 205)	

1.1.2.1.128.1 topluFaturaPaketDosyaGonder Properties**1.1.2.1.128.1.1 topluFaturaPaketDosyaGonder.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.128.1.2 topluFaturaPaketDosyaGonder.paketDosyasiZip Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge paketDosyasiZip;
```

1.1.2.1.129 topluFaturaPaketDosyaGonderCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class topluFaturaPaketDosyaGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	toplufaturaPaketDosyaGonderCompletedEventArgs (see page 206)	This is topluFaturaPaketDosyaGonderCompletedEventArgs, a member of class topluFaturaPaketDosyaGonderCompletedEventArgs.

toplufaturaPaketDosyaGonderCompletedEventArgs Properties

	Name	Description
	Result (see page 206)	

1.1.2.1.129.1

toplufaturaPaketDosyaGonderCompletedEventArgs.toplufaturaPaketDosyaGonderCompletedEventArgs

Constructor

C#

```
internal toplufaturaPaketDosyaGonderCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is toplufaturaPaketDosyaGonderCompletedEventArgs, a member of class toplufaturaPaketDosyaGonderCompletedEventArgs.

Body Source

```
1: internal toplufaturaPaketDosyaGonderCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.129.2 toplufaturaPaketDosyaGonderCompletedEventArgs Properties

1.1.2.1.129.2.1 toplufaturaPaketDosyaGonderCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.130 toplufaturaPaketDosyaGonderResponse Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.toplufaturaPaketDosyaGonderResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class toplufaturaPaketDosyaGonderResponse;
```

File

Reference.cs (see page 845)

toplufaturaPaketDosyaGonderResponse Properties

	Name	Description
	@return (see page 206)	

1.1.2.1.130.1 toplufaturaPaketDosyaGonderResponse Properties

1.1.2.1.130.1.1 toplufaturaPaketDosyaGonderResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.131 topluFaturaPaketDosyasiSorgula Class

Class Hierarchy

`QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgula`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class topluFaturaPaketDosyasiSorgula;
```

File

Reference.cs (see page 845)

topluFaturaPaketDosyasiSorgula Properties

	Name	Description
	input (see page 207)	

1.1.2.1.131.1 topluFaturaPaketDosyasiSorgula Properties

1.1.2.1.131.1.1 topluFaturaPaketDosyasiSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.132 topluFaturaPaketDosyasiSorgulaCompletedEventArgs Class

Class Hierarchy

`System.ComponentModel.AsyncCompletedEventArgs` → `QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgulaCompletedEventArgs`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class topluFaturaPaketDosyasiSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	toplufaturaPaketDosyasiSorgulaCompletedEventArgs (see page 208)	This is toplufaturaPaketDosyasiSorgulaCompletedEventArgs, a member of class toplufaturaPaketDosyasiSorgulaCompletedEventArgs.

toplufaturaPaketDosyasiSorgulaCompletedEventArgs Properties

	Name	Description
	@return (see page 208)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.



Result (see page 208)

1.1.2.1.132.1

toplufaturaPaketDosyasiSorgulaCompletedEventArgs

toplufaturaPaketDosyasiSorgulaCompletedEventArgs
Constructor

C#

```
internal toplufaturaPaketDosyasiSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is toplufaturaPaketDosyasiSorgulaCompletedEventArgs, a member of class toplufaturaPaketDosyasiSorgulaCompletedEventArgs.

Body Source

```
1: internal toplufaturaPaketDosyasiSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.132.2 toplufaturaPaketDosyasiSorgulaCompletedEventArgs Properties

1.1.2.1.132.2.1 toplufaturaPaketDosyasiSorgulaCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.2.1.132.2.2 toplufaturaPaketDosyasiSorgulaCompletedEventArgs.Result Property

C#

```
public belge Result;
```

1.1.2.1.133 toplufaturaPaketOnayla Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnayla

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class toplufaturaPaketOnayla;
```

File

Reference.cs (see page 845)

toplufaturaPaketOnayla Properties

	Name	Description
	input (see page 209)	

1.1.2.1.133.1 toplufaturaPaketOnayla Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com


1.1.2.1.133.1.1 **toplufaturaPaketOnayla.input** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.134 **toplufaturaPaketOnaylaCompletedEventArgs** Class

Class Hierarchy

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class toplufaturaPaketOnaylaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	toplufaturaPaketOnaylaCompletedEventArgs (see page 209)	This is toplufaturaPaketOnaylaCompletedEventArgs, a member of class toplufaturaPaketOnaylaCompletedEventArgs.

toplufaturaPaketOnaylaCompletedEventArgs Properties

	Name	Description
	Result (see page 209)	

1.1.2.1.134.1

toplufaturaPaketOnaylaCompletedEventArgs.toplufaturaPaketOnaylaCompletedEventArgs

Constructor

C#

```
internal toplufaturaPaketOnaylaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is toplufaturaPaketOnaylaCompletedEventArgs, a member of class toplufaturaPaketOnaylaCompletedEventArgs.

Body Source

```
1: internal toplufaturaPaketOnaylaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.2.1.134.2 **toplufaturaPaketOnaylaCompletedEventArgs** Properties

1.1.2.1.134.2.1 **toplufaturaPaketOnaylaCompletedEventArgs.Result** Property

C#

```
public earsivServiceResult Result;
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.135 topluFaturaPaketOnaylaResponse Class

Class Hierarchy

`QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaResponse`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class topluFaturaPaketOnaylaResponse;
```

File

Reference.cs (see page 845)

topluFaturaPaketOnaylaResponse Properties

	Name	Description
	@return (see page 210)	

1.1.2.1.135.1 topluFaturaPaketOnaylaResponse Properties

1.1.2.1.135.1.1 topluFaturaPaketOnaylaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.136 topluFaturaPaketSorgula Class

Class Hierarchy

`QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgula`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class topluFaturaPaketSorgula;
```

File

Reference.cs (see page 845)

topluFaturaPaketSorgula Properties

	Name	Description
	input (see page 211)	

1.1.2.1.136.1 topluFaturaPaketSorgula Properties


1.1.2.1.136.1.1 **topluFaturaPaketSorgula.input** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.137 **topluFaturaPaketSorgulaCompletedEventArgs** Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class topluFaturaPaketSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
!	topluFaturaPaketSorgulaCompletedEventArgs (see page 211)	This is topluFaturaPaketSorgulaCompletedEventArgs, a member of class topluFaturaPaketSorgulaCompletedEventArgs.

topluFaturaPaketSorgulaCompletedEventArgs Properties

	Name	Description
!	@return (see page 212)	
!	Result (see page 212)	

1.1.2.1.137.1

topluFaturaPaketSorgulaCompletedEventArgs.topluFaturaPaketSorgulaCompletedEventArgs

Constructor

C#

```
internal topluFaturaPaketSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is topluFaturaPaketSorgulaCompletedEventArgs, a member of class topluFaturaPaketSorgulaCompletedEventArgs.

Body Source

```
1: internal topluFaturaPaketSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.2.1.137.2 **topluFaturaPaketSorgulaCompletedEventArgs** Properties

1.1.2.1.137.2.1 **topluFaturaPaketSorgulaCompletedEventArgs.@return** Property

C#

```
public earsivServiceResult @return;
```

1.1.2.1.137.2.2 **topluFaturaPaketSorgulaCompletedEventArgs.Result** Property

C#

```
public belge Result;
```

1.1.2.1.138 **yapilandirmaAyarlariAI** Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class yapilandirmaAyarlariAI;
```

File

Reference.cs (see page 845)

yapilandirmaAyarlariAI Properties

	Name	Description
	input (see page 212)	

1.1.2.1.138.1 **yapilandirmaAyarlariAI** Properties

1.1.2.1.138.1.1 **yapilandirmaAyarlariAI.input** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.139 **yapilandirmaAyarlariAICompletedEventArgs** Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class yapilandirmaAyarlariAICompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
💡	yapilandirmaAyarlariAICompletedEventArgs (see page 213)	This is yapilandirmaAyarlariAICompletedEventArgs, a member of class yapilandirmaAyarlariAICompletedEventArgs.

yapilandirmaAyarlariAICompletedEventArgs Properties

	Name	Description
📝	outputYapilandirma (see page 213)	
📝	Result (see page 213)	

1.1.2.1.139.1

yapilandirmaAyarlariAICompletedEventArgs.yapilandirmaAyarlariAICompletedEventArgs

Constructor

C#

```
internal yapilandirmaAyarlariAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is yapilandirmaAyarlariAICompletedEventArgs, a member of class yapilandirmaAyarlariAICompletedEventArgs.

Body Source

```
1: internal yapilandirmaAyarlariAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.2.1.139.2 yapilandirmaAyarlariAICompletedEventArgs Properties

1.1.2.1.139.2.1 yapilandirmaAyarlariAICompletedEventArgs.outputYapilandirma Property

C#

```
public string outputYapilandirma;
```

1.1.2.1.139.2.2 yapilandirmaAyarlariAICompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.140 yapilandirmaAyarlariAIResponse Class

Class Hierarchy

```
[QNBFinansGIB.GIBEArxiv.yapilandirmaAyarlariAIResponse]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class yapilandirmaAyarlariAIResponse;
```

File

Reference.cs ([see page 845](#))

yapilandirmaAyarlariAIResponse Properties

	Name	Description
	@return (see page 214)	
	outputYapilandirma (see page 214)	

1.1.2.1.140.1 yapilandirmaAyarlariAIResponse Properties**1.1.2.1.140.1.1 yapilandirmaAyarlariAIResponse.@return Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.140.1.2 yapilandirmaAyarlariAIResponse.outputYapilandirma Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string outputYapilandirma;
```

1.1.2.2 Structs, Records, Enums**Summary**

The following table lists structs, records, enums in this documentation.

Enumerations

	Name	Description
	belgeFormatiEnum (see page 214)	
	genelBelgeFormatEnum (see page 215)	

1.1.2.2.1 QNBFinansGIB.GIBEArxiv.belgeFormatiEnum Enumeration**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public enum belgeFormatiEnum {
    UBL,
    CSXML,
    HTML,
    PDF,
    CUSTOM,
    PDF_CUSTOM,
    PDF_UBL,
    CSXML1,
    CSXML2,
    CSXML3,
    PDF_CSXML1,
```

```

    PDF_CSXML2,
    PDF_CSXML3,
    JSON
}

```

File

Reference.cs ([see page 845](#))

1.1.2.2 QNBFinansGIB.GIBEArsiv.genelBelgeFormatEnum Enumeration

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[SerializableAttribute()]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public enum genelBelgeFormatEnum {
    XML,
    CSV
}

```

File

Reference.cs ([see page 845](#))

1.1.2.3 Types

Summary

The following table lists types in this documentation.

Types

Name	Description
aliciEpostaEkleSilGuncelleCompletedEventHandler (see page 217)	
eFaturaKayitliKullaniciListeleCompletedEventHandler (see page 217)	
efaturaKullanicisiCompletedEventHandler (see page 217)	
efaturaKullanicisiKontrolCompletedEventHandler (see page 218)	
ePostaDurumSorgulaCompletedEventHandler (see page 218)	
ePostaGonderCompletedEventHandler (see page 218)	
faturalptaliEtCompletedEventHandler (see page 218)	
faturalptaliKaldirCompletedEventHandler (see page 219)	
faturaltirazEtCompletedEventHandler (see page 219)	
faturaltirazKaldirCompletedEventHandler (see page 219)	
faturaListeSorgulaCompletedEventHandler (see page 219)	
faturaListeSorgulaCountCompletedEventHandler (see page 219)	

faturaListeSorgulaPortalCompletedEventHandler (🔗 see page 220)	
faturaNoUretCompletedEventHandler (🔗 see page 220)	
faturaOlusturCompletedEventHandler (🔗 see page 220)	
faturaOlusturExtCompletedEventHandler (🔗 see page 220)	
faturaOnizlemeCompletedEventHandler (🔗 see page 221)	
faturaSorgulaCompletedEventHandler (🔗 see page 221)	
faturaSorgulaExtCompletedEventHandler (🔗 see page 221)	
faturaTaslakOlusturCompletedEventHandler (🔗 see page 221)	
faturaTaslakOnizlemeCompletedEventHandler (🔗 see page 222)	
faturaTaslakSilCompletedEventHandler (🔗 see page 222)	
faturaTaslakSorgulaCompletedEventHandler (🔗 see page 222)	
faturaTaslaktanOlusturCompletedEventHandler (🔗 see page 222)	
faturaZipiAICompletedEventHandler (🔗 see page 223)	
kontorBilgisiGetirCompletedEventHandler (🔗 see page 223)	
okcRaporBolumAICompletedEventHandler (🔗 see page 223)	
okcRaporKaydetCompletedEventHandler (🔗 see page 223)	
okcRaporOlusturGonderCompletedEventHandler (🔗 see page 223)	
raporBolumAICompletedEventHandler (🔗 see page 224)	
raporBolumBilgisiAICompletedEventHandler (🔗 see page 224)	
raporBolumleriOlusturCompletedEventHandler (🔗 see page 224)	
raporBolumListesiDetayliSorgulaCompletedEventHandler (🔗 see page 224)	
raporBolumListesiSorgulaCompletedEventHandler (🔗 see page 225)	
raporBolumListesiSorgulaWithInputCompletedEventHandler (🔗 see page 225)	
raporBolumRaporNoGuncelleImzalaCompletedEventHandler (🔗 see page 225)	
raporBolumSilCompletedEventHandler (🔗 see page 225)	
rapordaFaturaSorgulaCompletedEventHandler (🔗 see page 226)	
raporDurumSorgulaCompletedEventHandler (🔗 see page 226)	

raporGonderCompletedEventHandler (see page 226)	
servisSaglayicidanEpostaDurumSorgulaCompletedEventHandler (see page 226)	
smsDurumSorgulaCompletedEventHandler (see page 227)	
smsGonderCompletedEventHandler (see page 227)	
topluFaturaPaketDosyaGonderCompletedEventHandler (see page 227)	
topluFaturaPaketDosyasiSorgulaCompletedEventHandler (see page 227)	
topluFaturaPaketOnaylaCompletedEventHandler (see page 228)	
topluFaturaPaketSorgulaCompletedEventHandler (see page 228)	
yapilandirmaAyarlariAICompletedEventHandler (see page 228)	

1.1.2.3.1

QNBFinansGIB.GIBEArxiv.aliciEpostaEkleSilGuncelleCompletedEventHandler

Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void aliciEpostaEkleSilGuncelleCompletedEventHandler(object sender,
aliciEpostaEkleSilGuncelleCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.2

QNBFinansGIB.GIBEArxiv.eFaturaKayitliKullaniciListeleCompletedEventHandler

Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void eFaturaKayitliKullaniciListeleCompletedEventHandler(object sender,
eFaturaKayitliKullaniciListeleCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.3

QNBFinansGIB.GIBEArxiv.efaturaKullanicisiCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void efaturaKullanicisiCompletedEventHandler(object sender,
efaturaKullanicisiCompletedEventArgs e);
```

File

Reference.cs (see page 845)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.3.4

QNBFinansGIB.GIBEArxiv.efaturaKullanicisiKontrolCompletedEventHandler

Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void efaturaKullanicisiKontrolCompletedEventHandler(object sender,
efaturaKullanicisiKontrolCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.5

QNBFinansGIB.GIBEArxiv.ePostaDurumSorgulaCompletedEventHandler

Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void ePostaDurumSorgulaCompletedEventHandler(object sender,
ePostaDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.6 QNBFinansGIB.GIBEArxiv.ePostaGonderCompletedEventHandler

Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void ePostaGonderCompletedEventHandler(object sender,
ePostaGonderCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.7 QNBFinansGIB.GIBEArxiv.faturaIptalEtCompletedEventHandler

Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaIptalEtCompletedEventHandler(object sender,
faturaIptalEtCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.8

QNBFinansGIB.GIBEArsiv.faturalptaliKaldırCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturalptaliKaldırCompletedEventHandler(object sender,
faturalptaliKaldırCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.9 QNBFinansGIB.GIBEArsiv.faturaltirazEtCompletedEventHandler

Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaltirazEtCompletedEventHandler(object sender,
faturaltirazEtCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.10

QNBFinansGIB.GIBEArsiv.faturaltirazKaldırCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaltirazKaldırCompletedEventHandler(object sender,
faturaltirazKaldırCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.11

QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaListeSorgulaCompletedEventHandler(object sender,
faturaListeSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.12

QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
```

```
public delegate void faturaListeSorgulaCountCompletedEventHandler(object sender,
faturaListeSorgulaCountCompletedEventArgs e);
```

File

Reference.cs ([see page 845](#))

1.1.2.3.13

QNBFinansGIB.GIBEArxiv.faturaListeSorgulaPortalCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaListeSorgulaPortalCompletedEventHandler(object sender,
faturaListeSorgulaPortalCompletedEventArgs e);
```

File

Reference.cs ([see page 845](#))

1.1.2.3.14 QNBFinansGIB.GIBEArxiv.faturaNoUretCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaNoUretCompletedEventHandler(object sender,
faturaNoUretCompletedEventArgs e);
```

File

Reference.cs ([see page 845](#))

1.1.2.3.15 QNBFinansGIB.GIBEArxiv.faturaOlusturCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaOlusturCompletedEventHandler(object sender,
faturaOlusturCompletedEventArgs e);
```

File

Reference.cs ([see page 845](#))

1.1.2.3.16

QNBFinansGIB.GIBEArxiv.faturaOlusturExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaOlusturExtCompletedEventHandler(object sender,
faturaOlusturExtCompletedEventArgs e);
```

File

Reference.cs ([see page 845](#))

1.1.2.3.17

QNBFinansGIB.GIBEArxiv.faturaOnizlemeCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaOnizlemeCompletedEventHandler(object sender,
faturaOnizlemeCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.18 QNBFinansGIB.GIBEArxiv.faturaSorgulaCompletedEventHandler

Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaSorgulaCompletedEventHandler(object sender,
faturaSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.19

QNBFinansGIB.GIBEArxiv.faturaSorgulaExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaSorgulaExtCompletedEventHandler(object sender,
faturaSorgulaExtCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.20

QNBFinansGIB.GIBEArxiv.faturaTaslakOlusturCompletedEventHandler

Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaTaslakOlusturCompletedEventHandler(object sender,
faturaTaslakOlusturCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.21

QNBFinansGIB.GIBEArxiv.faturaTaslakOnizlemeCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaTaslakOnizlemeCompletedEventHandler(object sender,
faturaTaslakOnizlemeCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.22

QNBFinansGIB.GIBEArxiv.faturaTaslakSilCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaTaslakSilCompletedEventHandler(object sender,
faturaTaslakSilCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.23

QNBFinansGIB.GIBEArxiv.faturaTaslakSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaTaslakSorgulaCompletedEventHandler(object sender,
faturaTaslakSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.24

QNBFinansGIB.GIBEArxiv.faturaTaslaktanOlusturCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaTaslaktanOlusturCompletedEventHandler(object sender,
faturaTaslaktanOlusturCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.25 QNBFinansGIB.GIBEArxiv.faturaZipiAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaZipiAlCompletedEventHandler(object sender,
faturaZipiAlCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.26

QNBFinansGIB.GIBEArxiv.kontorBilgisiGetirCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void kontorBilgisiGetirCompletedEventHandler(object sender,
kontorBilgisiGetirCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.27

QNBFinansGIB.GIBEArxiv.okcRaporBolumAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void okcRaporBolumAlCompletedEventHandler(object sender,
okcRaporBolumAlCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.28

QNBFinansGIB.GIBEArxiv.okcRaporKaydetCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void okcRaporKaydetCompletedEventHandler(object sender,
okcRaporKaydetCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.29

QNBFinansGIB.GIBEArxiv.okcRaporOlusturGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
```

```
public delegate void okcRaporOlusturGonderCompletedEventHandler(object sender,  
okcRaporOlusturGonderCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.30 QNBFinansGIB.GIBEArxiv.raporBolumAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]  
public delegate void raporBolumAlCompletedEventHandler(object sender,  
raporBolumAlCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.31

QNBFinansGIB.GIBEArxiv.raporBolumBilgisiAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]  
public delegate void raporBolumBilgisiAlCompletedEventHandler(object sender,  
raporBolumBilgisiAlCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.32

QNBFinansGIB.GIBEArxiv.raporBolumleriOlusturCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]  
public delegate void raporBolumleriOlusturCompletedEventHandler(object sender,  
raporBolumleriOlusturCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.33

QNBFinansGIB.GIBEArxiv.raporBolumListesiDetacliSorgulaCompletedEvent Handler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]  
public delegate void raporBolumListesiDetacliSorgulaCompletedEventHandler(object sender,  
raporBolumListesiDetacliSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.34**QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumListesiSorgulaCompletedEventHandler(object sender,
raporBolumListesiSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.35**QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumListesiSorgulaWithInputCompletedEventHandler(object sender,
raporBolumListesiSorgulaWithInputCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.36**QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncelleImzalaCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumRaporNoGuncelleImzalaCompletedEventHandler(object sender,
raporBolumRaporNoGuncelleImzalaCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.37 QNBFinansGIB.GIBEArsiv.raporBolumSilCompletedEventHandler**Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumSilCompletedEventHandler(object sender,
raporBolumSilCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.38**QNBFinansGIB.GIBEArxiv.rapordaFaturaSorgulaCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void rapordaFaturaSorgulaCompletedEventHandler(object sender,
rapordaFaturaSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.39**QNBFinansGIB.GIBEArxiv.raporDurumSorgulaCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporDurumSorgulaCompletedEventHandler(object sender,
raporDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.40 QNBFinansGIB.GIBEArxiv.raporGonderCompletedEventHandler Type**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporGonderCompletedEventHandler(object sender,
raporGonderCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.41**QNBFinansGIB.GIBEArxiv.servisSaglayicidanEpostaDurumSorgulaCompletedEventHandler Type****File**

Reference.cs (see page 845)

1.1.2.3.42

QNBFinansGIB.GIBEArxiv.smsDurumSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void smsDurumSorgulaCompletedEventHandler(object sender,
smsDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.43 QNBFinansGIB.GIBEArxiv.smsGonderCompletedEventHandler

Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void smsGonderCompletedEventHandler(object sender,
smsGonderCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.44

QNBFinansGIB.GIBEArxiv.topluFaturaPaketDosyaGonderCompletedEventHandler

Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void topluFaturaPaketDosyaGonderCompletedEventHandler(object sender,
topluFaturaPaketDosyaGonderCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.45

QNBFinansGIB.GIBEArxiv.topluFaturaPaketDosyasiSorgulaCompletedEventHandler

Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void topluFaturaPaketDosyasiSorgulaCompletedEventHandler(object sender,
topluFaturaPaketDosyasiSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.46

QNBFinansGIB.GIBEArxiv.topluFaturaPaketOnaylaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void topluFaturaPaketOnaylaCompletedEventHandler(object sender,
topluFaturaPaketOnaylaCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.47

QNBFinansGIB.GIBEArxiv.topluFaturaPaketSorgulaCompletedEventHandler

Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void topluFaturaPaketSorgulaCompletedEventHandler(object sender,
topluFaturaPaketSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.2.3.48

QNBFinansGIB.GIBEArxiv.yapilandirmaAyarlariAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void yapilandirmaAyarlariAlCompletedEventHandler(object sender,
yapilandirmaAyarlariAlCompletedEventArgs e);
```

File

Reference.cs (see page 845)



1.1.3 QNBFinansGIB.GIBEFatura Namespace

This is namespace QNBFinansGIB.GIBEFatura.

Classes

	Name	Description
	belge (see page 237)	
	belgeGonderCompletedEventArgs (see page 239)	
	belgeGonderExtCompletedEventArgs (see page 240)	

	belgeGonderExtWithValidateCompletedEventArgs (see page 241)	
	belgeGonderResp (see page 242)	
	belgeGonderWithValidateCompletedEventArgs (see page 242)	
	belgeleriTekrarGonderBelgeOidCompletedEventArgs (see page 243)	
	belgeleriTekrarGonderCompletedEventArgs (see page 244)	
	belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs (see page 245)	
	belgev2 (see page 246)	
	belgev2Entry (see page 248)	
	belgev3 (see page 249)	
	belgev4 (see page 250)	
	belgev5 (see page 252)	
	belgev6 (see page 253)	
	cokluGidenBelgeDurumSorgulaCompletedEventArgs (see page 254)	
	connectorService (see page 255)	
	csXmlOnizlemeCompletedEventArgs (see page 388)	
	csXmlToUblCompletedEventArgs (see page 388)	
	eFaturaKayitliKullaniciHistory (see page 389)	
	eFaturaKayitliKullaniciListeleCompletedEventArgs (see page 390)	
	eFaturaKullanici (see page 391)	
	efaturaKullaniciBilgisiCompletedEventArgs (see page 392)	
	eFaturaKullaniciExtended (see page 393)	
	efaturaKullaniciListesiCompletedEventArgs (see page 395)	
	efaturaKullanicisiCompletedEventArgs (see page 396)	
	elrsaliyeKayitliKullaniciListeleCompletedEventArgs (see page 397)	
	elrsaliyeKullanici (see page 398)	
	elrsaliyeKullanicisiCompletedEventArgs (see page 399)	
	erpBilgileri (see page 400)	
	faturaKepIleladeEdildiCompletedEventArgs (see page 400)	
	faturaKepIleladeEdildilptalCompletedEventArgs (see page 401)	
	faturaNoUretCompletedEventArgs (see page 402)	
	faturaTarihcesiData (see page 403)	
	faturaTarihcesiSorgulaCompletedEventArgs (see page 405)	
	faturayaltirazEdildiCompletedEventArgs (see page 406)	
	faturayaltirazEdildilptalCompletedEventArgs (see page 407)	
	gelenBelgeDurum (see page 408)	
	gelenBelgeDurumSorgulaCompletedEventArgs (see page 410)	

	gelenBelgeDurumSorgulaExtCompletedEventArgs (see page 411)	
	gelenBelgeDurumv2 (see page 412)	
	gelenBelgeDurumv3 (see page 413)	
	gelenBelgeDurumv4 (see page 414)	
	gelenBelgeDurumv5 (see page 415)	
	gelenBelgeEkleriAICompletedEventArgs (see page 416)	
	gelenBelgeleriAICompletedEventArgs (see page 417)	
	gelenBelgeleriAIExt2CompletedEventArgs (see page 418)	
	gelenBelgeleriAIExt2Entry (see page 419)	
	gelenBelgeleriAIExtCompletedEventArgs (see page 419)	
	gelenBelgeleriIndirCompletedEventArgs (see page 420)	
	gelenBelgeleriIndirExtCompletedEventArgs (see page 421)	
	gelenBelgeleriListeleCompletedEventArgs (see page 422)	
	gelenBelgeleriListeleExtCompletedEventArgs (see page 423)	
	gelenBelgeParametreleri (see page 424)	
	gelenBelgeTutarBilgileri (see page 427)	
	gelenBelgeTutarBilgileriSorgulaCompletedEventArgs (see page 430)	
	gelenBelgeXmlleriniAICompletedEventArgs (see page 431)	
	gelenBelgeXmlleriniAIExtCompletedEventArgs (see page 432)	
	gelenStandartRapolariAICompletedEventArgs (see page 433)	
	gelenTamamlananRapolariAICompletedEventArgs (see page 434)	
	gelenTasinanBelgeleriIndirCompletedEventArgs (see page 435)	
	gidenBelgeDurum (see page 436)	
	gidenBelgeDurumParametreleri (see page 438)	
	gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs (see page 439)	
	gidenBelgeDurumSorgulaCompletedEventArgs (see page 440)	
	gidenBelgeDurumSorgulaEttnCompletedEventArgs (see page 441)	
	gidenBelgeDurumSorgulaExtCompletedEventArgs (see page 442)	
	gidenBelgeDurumSorgulaPortalCompletedEventArgs (see page 443)	
	gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs (see page 444)	
	gidenBelgeDurumv2 (see page 445)	
	gidenBelgeDurumv3 (see page 446)	
	gidenBelgeDurumv4 (see page 448)	

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	gidenBelgeDurumv5 (see page 449)	
	gidenBelgeDurumv6 (see page 450)	
	gidenBelgeEkleriAICompletedEventArgs (see page 452)	
	gidenBelgelerDurumSorgulaPortalParametreleri (see page 453)	
	gidenBelgelerilndirCompletedEventArgs (see page 454)	
	gidenBelgelerilndirEttnCompletedEventArgs (see page 455)	
	gidenBelgelerilndirPortalCompletedEventArgs (see page 456)	
	gidenBelgelerilndirPortalParametreleri (see page 457)	
	gidenBelgeleriListeleCompletedEventArgs (see page 459)	
	gidenBelgeleriListeleData (see page 460)	
	gidenBelgeleriListeleParametreleri (see page 462)	
	gidenBelgeleriListelePortalCompletedEventArgs (see page 463)	
	gidenBelgeleriListelePortalData (see page 464)	
	gidenBelgeleriListelePortalDatav2 (see page 467)	
	gidenBelgeleriListelePortalParametreleri (see page 468)	
	gidenBelgeParametreleri (see page 469)	
	gidenBelgeTutarBilgileri (see page 472)	
	gidenBelgeTutarBilgileriSorgulaCompletedEventArgs (see page 475)	
	gidenTasinanBelgelerilndirCompletedEventArgs (see page 476)	
	irsaliyeTarihcesiData (see page 476)	
	irsaliyeTarihcesiSorgulaCompletedEventArgs (see page 478)	
	kalanKontorBilgisi (see page 479)	
	kayitliKullaniciListeleExtendedCompletedEventArgs (see page 481)	
	kayitliKullaniciListeleExtendedTimeCompletedEventArgs (see page 482)	
	kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs (see page 483)	
	kontorAzaltResp (see page 484)	
	kontorBilgisiGetirCompletedEventArgs (see page 486)	
	mukellefEFaturaKayit (see page 487)	
	serviceReturnType (see page 487)	
	temelKontrollerlleBelgeGonderCompletedEventArgs (see page 488)	
	toplambelgeSayisiGetirCompletedEventArgs (see page 489)	
	ublOnizlemeCompletedEventArgs (see page 490)	
	urunSablonlariniAICompletedEventArgs (see page 491)	
	wsKullaniciBilgileri (see page 492)	
	wsKullanicisiKaydetCompletedEventArgs (see page 492)	
	yereleAktarilacakBelgeleriAICompletedEventArgs (see page 493)	

	yereleAktarilacakBelgeleriAIExtCompletedEventArgs (see page 494)	
---	--	--

Structs, Records, Enums

	Name	Description
	kontorBirim (see page 495)	
	kontorTipi (see page 496)	

Types

Name	Description
belgeGonderCompletedEventHandler (see page 498)	
belgeGonderExtCompletedEventHandler (see page 499)	
belgeGonderExtWithValidateCompletedEventHandler (see page 499)	
belgeGonderWithValidateCompletedEventHandler (see page 499)	
belgelerAlindiCompletedEventHandler (see page 499)	
belgelerAlindiEntegrasyonSiparisNoGuncelleCompletedEventHandler (see page 500)	
belgeleriTekrarGonderBelgeOidCompletedEventHandler (see page 500)	
belgeleriTekrarGonderCompletedEventHandler (see page 500)	
belgeleriTekrarGonderYerelBelgeNoCompletedEventHandler (see page 500)	
checkDateValidControlCompletedEventHandler (see page 501)	
cokluGidenBelgeDurumSorgulaCompletedEventHandler (see page 501)	
csXmlOnizlemeCompletedEventHandler (see page 501)	
csXmlToUblCompletedEventHandler (see page 501)	
eFaturaKayitliKullaniciListeleCompletedEventHandler (see page 502)	
efaturaKullaniciBilgisiCompletedEventHandler (see page 502)	
efaturaKullaniciListesiCompletedEventHandler (see page 502)	
efaturaKullanicisiCompletedEventHandler (see page 502)	
elrsaliyeKayitliKullaniciListeleCompletedEventHandler (see page 503)	
elrsaliyeKullanicisiCompletedEventHandler (see page 503)	
erpBilgileriBelirleCompletedEventHandler (see page 503)	
faturaKepIleLadeEdildiCompletedEventHandler (see page 503)	
faturaKepIleLadeEdildilptalCompletedEventHandler (see page 504)	
faturaMailGonderCompletedEventHandler (see page 504)	
faturaNoUretCompletedEventHandler (see page 504)	
faturaTarihcesiSorgulaCompletedEventHandler (see page 504)	
faturayAltirazEdildiCompletedEventHandler (see page 505)	
faturayAltirazEdildilptalCompletedEventHandler (see page 505)	
gelenBelgeDurumSorgulaCompletedEventHandler (see page 505)	
gelenBelgeDurumSorgulaExtCompletedEventHandler (see page 505)	

gelenBelgeEkleriAICompletedEventHandler (see page 506)	
gelenBelgeleriAICompletedEventHandler (see page 506)	
gelenBelgeleriAIExt2CompletedEventHandler (see page 506)	
gelenBelgeleriAIExtCompletedEventHandler (see page 506)	
gelenBelgeleriIndirCompletedEventHandler (see page 507)	
gelenBelgeleriIndirExtCompletedEventHandler (see page 507)	
gelenBelgeleriListeleCompletedEventHandler (see page 507)	
gelenBelgeleriListeleExtCompletedEventHandler (see page 507)	
gelenBelgeTutarBilgileriSorgulaCompletedEventHandler (see page 508)	
gelenBelgeXmlleriniAICompletedEventHandler (see page 508)	
gelenBelgeXmlleriniAIExtCompletedEventHandler (see page 508)	
gelenFaturalariArsiveKaldırCompletedEventHandler (see page 508)	
gelenIrsaliyeleriArsiveKaldırCompletedEventHandler (see page 509)	
gelenStandartRapolariAICompletedEventHandler (see page 509)	
gelenTamamlananRapolariAICompletedEventHandler (see page 509)	
gelenTasinanBelgeleriIndirCompletedEventHandler (see page 510)	
gidenBelgeDurumSorgulaBelgeNoCompletedEventHandler (see page 510)	
gidenBelgeDurumSorgulaCompletedEventHandler (see page 510)	
gidenBelgeDurumSorgulaEttnCompletedEventHandler (see page 510)	
gidenBelgeDurumSorgulaExtCompletedEventHandler (see page 511)	
gidenBelgeDurumSorgulaPortalCompletedEventHandler (see page 511)	
gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventHandler (see page 511)	
gidenBelgeEkleriAICompletedEventHandler (see page 511)	
gidenBelgeleriIndirCompletedEventHandler (see page 512)	
gidenBelgeleriIndirEttnCompletedEventHandler (see page 512)	
gidenBelgeleriIndirPortalCompletedEventHandler (see page 512)	
gidenBelgeleriListeleCompletedEventHandler (see page 512)	
gidenBelgeleriListelePortalCompletedEventHandler (see page 513)	
gidenBelgeTutarBilgileriSorgulaCompletedEventHandler (see page 513)	
gidenFaturalariArsiveKaldırCompletedEventHandler (see page 513)	
gidenIrsaliyeleriArsiveKaldırCompletedEventHandler (see page 514)	
gidenTasinanBelgeleriIndirCompletedEventHandler (see page 514)	
irsaliyeMailGonderCompletedEventHandler (see page 514)	
irsaliyeTarihcesiSorgulaCompletedEventHandler (see page 514)	
kayitliKullaniciListeleExtendedCompletedEventHandler (see page 515)	
kayitliKullaniciListeleExtendedTimeCompletedEventHandler (see page 515)	
kayitliKullaniciListeleExtendedVknTcknCompletedEventHandler (see page 515)	

kontorBilgisiGetirCompletedEventHandler (see page 515)	
temelKontrollerleBelgeGonderCompletedEventHandler (see page 516)	
toplasmBelgeSayisiGetirCompletedEventHandler (see page 516)	
ublOnizlemeCompletedEventHandler (see page 516)	
urunSablonlariniAICompletedEventHandler (see page 516)	
wsKullanicisiKaydetCompletedEventHandler (see page 517)	
yereleAktarilacakBelgeleriAICompletedEventHandler (see page 517)	
yereleAktarilacakBelgeleriAIExtCompletedEventHandler (see page 517)	
yolcuBeraberFaturalptalEtCompletedEventHandler (see page 517)	

1.1.3.1 Classes

Summary

The following table lists classes in this documentation.

Classes

	Name	Description
	belge (see page 237)	
	belgeGonderCompletedEventArgs (see page 239)	
	belgeGonderExtCompletedEventArgs (see page 240)	
	belgeGonderExtWithValidateCompletedEventArgs (see page 241)	
	belgeGonderResp (see page 242)	
	belgeGonderWithValidateCompletedEventArgs (see page 242)	
	belgeleriTekrarGonderBelgeOidCompletedEventArgs (see page 243)	
	belgeleriTekrarGonderCompletedEventArgs (see page 244)	
	belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs (see page 245)	
	belgev2 (see page 246)	
	belgev2Entry (see page 248)	
	belgev3 (see page 249)	
	belgev4 (see page 250)	
	belgev5 (see page 252)	
	belgev6 (see page 253)	
	cokluGidenBelgeDurumSorgulaCompletedEventArgs (see page 254)	
	connectorService (see page 255)	
	csXmlOnizlemeCompletedEventArgs (see page 388)	
	csXmlToUblCompletedEventArgs (see page 388)	
	eFaturaKayitliKullaniciHistory (see page 389)	
	eFaturaKayitliKullaniciListeleCompletedEventArgs (see page 390)	


	eFaturaKullanici (see page 391)	
	efaturaKullaniciBilgisiCompletedEventArgs (see page 392)	
	eFaturaKullaniciExtended (see page 393)	
	efaturaKullaniciListesiCompletedEventArgs (see page 395)	
	efaturaKullanicisiCompletedEventArgs (see page 396)	
	elrsaliyeKayitliKullaniciListeleCompletedEventArgs (see page 397)	
	elrsaliyeKullanici (see page 398)	
	elrsaliyeKullanicisiCompletedEventArgs (see page 399)	
	erpBilgileri (see page 400)	
	faturaKepIleladeEdildiCompletedEventArgs (see page 400)	
	faturaKepIleladeEdildilptalCompletedEventArgs (see page 401)	
	faturaNoUretCompletedEventArgs (see page 402)	
	faturaTarihcesiData (see page 403)	
	faturaTarihcesiSorgulaCompletedEventArgs (see page 405)	
	faturayaltirazEdildiCompletedEventArgs (see page 406)	
	faturayaltirazEdildilptalCompletedEventArgs (see page 407)	
	gelenBelgeDurum (see page 408)	
	gelenBelgeDurumSorgulaCompletedEventArgs (see page 410)	
	gelenBelgeDurumSorgulaExtCompletedEventArgs (see page 411)	
	gelenBelgeDurumv2 (see page 412)	
	gelenBelgeDurumv3 (see page 413)	
	gelenBelgeDurumv4 (see page 414)	
	gelenBelgeDurumv5 (see page 415)	
	gelenBelgeEkleriAICompletedEventArgs (see page 416)	
	gelenBelgeleriAICompletedEventArgs (see page 417)	
	gelenBelgeleriAIExt2CompletedEventArgs (see page 418)	
	gelenBelgeleriAIExt2Entry (see page 419)	
	gelenBelgeleriAIExtCompletedEventArgs (see page 419)	
	gelenBelgeleriIndirCompletedEventArgs (see page 420)	
	gelenBelgeleriIndirExtCompletedEventArgs (see page 421)	
	gelenBelgeleriListeleCompletedEventArgs (see page 422)	
	gelenBelgeleriListeleExtCompletedEventArgs (see page 423)	
	gelenBelgeParametreleri (see page 424)	
	gelenBelgeTutarBilgileri (see page 427)	
	gelenBelgeTutarBilgileriSorgulaCompletedEventArgs (see page 430)	

	gelenBelgeXmlleriniAICompletedEventArgs (see page 431)	
	gelenBelgeXmlleriniAIExtCompletedEventArgs (see page 432)	
	gelenStandartRapolariAICompletedEventArgs (see page 433)	
	gelenTamamlananRapolariAICompletedEventArgs (see page 434)	
	gelenTasinanBelgelerilndirCompletedEventArgs (see page 435)	
	gidenBelgeDurum (see page 436)	
	gidenBelgeDurumParametreleri (see page 438)	
	gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs (see page 439)	
	gidenBelgeDurumSorgulaCompletedEventArgs (see page 440)	
	gidenBelgeDurumSorgulaEtnCompletedEventArgs (see page 441)	
	gidenBelgeDurumSorgulaExtCompletedEventArgs (see page 442)	
	gidenBelgeDurumSorgulaPortalCompletedEventArgs (see page 443)	
	gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs (see page 444)	
	gidenBelgeDurumv2 (see page 445)	
	gidenBelgeDurumv3 (see page 446)	
	gidenBelgeDurumv4 (see page 448)	
	gidenBelgeDurumv5 (see page 449)	
	gidenBelgeDurumv6 (see page 450)	
	gidenBelgeEkleriAICompletedEventArgs (see page 452)	
	gidenBelgelerDurumSorgulaPortalParametreleri (see page 453)	
	gidenBelgelerilndirCompletedEventArgs (see page 454)	
	gidenBelgelerilndirEtnCompletedEventArgs (see page 455)	
	gidenBelgelerilndirPortalCompletedEventArgs (see page 456)	
	gidenBelgelerilndirPortalParametreleri (see page 457)	
	gidenBelgeleriListeleCompletedEventArgs (see page 459)	
	gidenBelgeleriListeleData (see page 460)	
	gidenBelgeleriListeleParametreleri (see page 462)	
	gidenBelgeleriListelePortalCompletedEventArgs (see page 463)	
	gidenBelgeleriListelePortalData (see page 464)	
	gidenBelgeleriListelePortalDatav2 (see page 467)	
	gidenBelgeleriListelePortalParametreleri (see page 468)	
	gidenBelgeParametreleri (see page 469)	
	gidenBelgeTutarBilgileri (see page 472)	
	gidenBelgeTutarBilgileriSorgulaCompletedEventArgs (see page 475)	

	gidenTasinanBelgeleriIndirCompletedEventArgs (see page 476)	
	irsaliyeTarihcesiData (see page 476)	
	irsaliyeTarihcesiSorgulaCompletedEventArgs (see page 478)	
	kalanKontorBilgisi (see page 479)	
	kayitliKullaniciListeleExtendedCompletedEventArgs (see page 481)	
	kayitliKullaniciListeleExtendedTimeCompletedEventArgs (see page 482)	
	kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs (see page 483)	
	kontorAzaltResp (see page 484)	
	kontorBilgisiGetirCompletedEventArgs (see page 486)	
	mukellefEFaturaKayit (see page 487)	
	serviceReturnType (see page 487)	
	temelKontrollerIleBelgeGonderCompletedEventArgs (see page 488)	
	toplumBelgeSayisiGetirCompletedEventArgs (see page 489)	
	ublOnizlemeCompletedEventArgs (see page 490)	
	urunSablonlariniAICompletedEventArgs (see page 491)	
	wsKullaniciBilgileri (see page 492)	
	wsKullanicisiKaydetCompletedEventArgs (see page 492)	
	yereleAktarilacakBelgeleriAICompletedEventArgs (see page 493)	
	yereleAktarilacakBelgeleriAIExtCompletedEventArgs (see page 494)	

1.1.3.1.1 belge Class

Class Hierarchy



C#

```

[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev2))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[Serializable()]
[DebuggerStepThrough()]
[DesignerCategory("code")]
[XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
public class belge : serviceReturnType;
  
```

File

Reference.cs (see page 845)

belge Properties**belge Class**

	Name	Description
	belgeNo (see page 238)	
	belgeSiraNo (see page 238)	
	belgeTarihi (see page 238)	
	belgeTuru (see page 238)	
	belgeVerisi (see page 238)	
	ettn (see page 238)	
	gonderenEtiket (see page 239)	
	gonderenVknTckn (see page 239)	

1.1.3.1.1.1 belge Properties**1.1.3.1.1.1.1 belge.belgeNo Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeNo;
```

1.1.3.1.1.1.2 belge.belgeSiraNo Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeSiraNo;
```

1.1.3.1.1.1.3 belge.belgeTarihi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTarihi;
```

1.1.3.1.1.1.4 belge.belgeTuru Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTuru;
```

1.1.3.1.1.1.5 belge.belgeVerisi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeVerisi;
```

1.1.3.1.1.1.6 belge.ettn Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ettn;
```

1.1.3.1.1.7 belge.gonderenEtiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gonderenEtiket;
```

1.1.3.1.1.8 belge.gonderenVknTckn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gonderenVknTckn;
```

1.1.3.1.2 belgeGonderCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class belgeGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	belgeGonderCompletedEventArgs (see page 239)	This is belgeGonderCompletedEventArgs, a member of class belgeGonderCompletedEventArgs.

belgeGonderCompletedEventArgs Properties

	Name	Description
	Result (see page 240)	

1.1.3.1.2.1 belgeGonderCompletedEventArgs.belgeGonderCompletedEventArgs Constructor

C#

```
internal belgeGonderCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is belgeGonderCompletedEventArgs, a member of class belgeGonderCompletedEventArgs.

Body Source

```
1: internal belgeGonderCompletedEventArgs(object[] results, System.Exception exception,
2: bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.3.1.2.2 belgeGonderCompletedEventArgs Properties


1.1.3.1.2.2.1 belgeGonderCompletedEventArgs.Result Property

C#

```
public string Result;
```

1.1.3.1.3 belgeGonderExtCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class belgeGonderExtCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
!	belgeGonderExtCompletedEventArgs (see page 240)	This is belgeGonderExtCompletedEventArgs, a member of class belgeGonderExtCompletedEventArgs.

belgeGonderExtCompletedEventArgs Properties

	Name	Description
!	Result (see page 240)	

1.1.3.1.3.1 belgeGonderExtCompletedEventArgs.belgeGonderExtCompletedEventArgs Constructor

C#

```
internal belgeGonderExtCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is belgeGonderExtCompletedEventArgs, a member of class belgeGonderExtCompletedEventArgs.

Body Source

```
1: internal belgeGonderExtCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.3.2 belgeGonderExtCompletedEventArgs Properties


1.1.3.1.3.2.1 belgeGonderExtCompletedEventArgs.Result Property

C#

```
public string Result;
```

1.1.3.1.4 belgeGonderExtWithValidateCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class belgeGonderExtWithValidateCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	belgeGonderExtWithValidateCompletedEventArgs (see page 241)	This is belgeGonderExtWithValidateCompletedEventArgs, a member of class belgeGonderExtWithValidateCompletedEventArgs.

belgeGonderExtWithValidateCompletedEventArgs Properties

	Name	Description
	Result (see page 241)	

1.1.3.1.4.1

belgeGonderExtWithValidateCompletedEventArgs.belgeGonderExtWithValidateCompletedEventArgs Constructor

C#

```
internal belgeGonderExtWithValidateCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is belgeGonderExtWithValidateCompletedEventArgs, a member of class belgeGonderExtWithValidateCompletedEventArgs.

Body Source

```
1: internal belgeGonderExtWithValidateCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.4.2 belgeGonderExtWithValidateCompletedEventArgs Properties

1.1.3.1.4.2.1 belgeGonderExtWithValidateCompletedEventArgs.Result Property

C#

```
public belgeGonderResp Result;
```

1.1.3.1.5 belgeGonderResp Class

Class Hierarchy



C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class belgeGonderResp : serviceReturnType;
  
```

File

Reference.cs (see page 845)

belgeGonderResp Properties

belgeGonderResp Class

	Name	Description
	belgeOid (see page 242)	
	errorMessage (see page 242)	
	responseStatus (see page 242)	

1.1.3.1.5.1 belgeGonderResp Properties

1.1.3.1.5.1.1 belgeGonderResp.belgeOid Property

C#

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeOid;
  
```

1.1.3.1.5.1.2 belgeGonderResp.errorMessage Property

C#

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string errorMessage;
  
```

1.1.3.1.5.1.3 belgeGonderResp.responseStatus Property


C#

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string responseStatus;
  
```

1.1.3.1.6 belgeGonderWithValidateCompletedEventArgs Class

Class Hierarchy



C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
  
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class belgeGonderWithValidateCompletedEventArgs :
    System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	belgeGonderWithValidateCompletedEventArgs (see page 243)	This is belgeGonderWithValidateCompletedEventArgs, a member of class belgeGonderWithValidateCompletedEventArgs.

belgeGonderWithValidateCompletedEventArgs Properties

	Name	Description
	Result (see page 243)	

1.1.3.1.6.1**belgeGonderWithValidateCompletedEventArgs.belgeGonderWithValidateCompletedEvent Args****Constructor****C#**

```
internal belgeGonderWithValidateCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is belgeGonderWithValidateCompletedEventArgs, a member of class belgeGonderWithValidateCompletedEventArgs.

Body Source

```
1: internal belgeGonderWithValidateCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.3.1.6.2 belgeGonderWithValidateCompletedEventArgs Properties**1.1.3.1.6.2.1 belgeGonderWithValidateCompletedEventArgs.Result Property****C#**

```
public belgeGonderResp Result;
```

1.1.3.1.7 belgeleriTekrarGonderBelgeOidCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class bolgeleriTekrarGonderBelgeOidCompletedEventArgs :
    System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Methods

	Name	Description
	belgeleriTekrarGonderBelgeOidCompletedEventArgs	This is belgeleriTekrarGonderBelgeOidCompletedEventArgs, a member of class belgeleriTekrarGonderBelgeOidCompletedEventArgs.

belgeleriTekrarGonderBelgeOidCompletedEventArgs Properties

	Name	Description
	Result (see page 244)	

1.1.3.1.7.1

belgeleriTekrarGonderBelgeOidCompletedEventArgs.belgeleriTekrarGonderBelgeOidCompletedEventArgs

Constructor

C#

```
internal belgeleriTekrarGonderBelgeOidCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is belgeleriTekrarGonderBelgeOidCompletedEventArgs, a member of class belgeleriTekrarGonderBelgeOidCompletedEventArgs.

Body Source

```
1: internal belgeleriTekrarGonderBelgeOidCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.7.2 belgeleriTekrarGonderBelgeOidCompletedEventArgs Properties


1.1.3.1.7.2.1 belgeleriTekrarGonderBelgeOidCompletedEventArgs.Result Property

C#

```
public bool Result;
```

1.1.3.1.8 belgeleriTekrarGonderCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class belgeleriTekrarGonderCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
!	belgeleriTekrarGonderCompletedEventArgs	This is belgeleriTekrarGonderCompletedEventArgs, a member of class belgeleriTekrarGonderCompletedEventArgs.

belgeleriTekrarGonderCompletedEventArgs Properties

	Name	Description
!	Result (see page 245)	

1.1.3.1.8.1

belgeleriTekrarGonderCompletedEventArgs.balgeleriTekrarGonderCompletedEventArgs Constructor

C#

```
internal belgeleriTekrarGonderCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is belgeleriTekrarGonderCompletedEventArgs, a member of class belgeleriTekrarGonderCompletedEventArgs.

Body Source

```
1: internal belgeleriTekrarGonderCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.3.1.8.2 belgeleriTekrarGonderCompletedEventArgs Properties


1.1.3.1.8.2.1 belgeleriTekrarGonderCompletedEventArgs.Result Property

C#

```
public bool Result;
```

1.1.3.1.9 belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCode("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs	This is belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs, a member of class belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs.

belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs Properties

	Name	Description
	Result (see page 246)	

1.1.3.1.9.1

belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs.belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs

Constructor

C#

```
internal belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs, a member of class belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs.

Body Source

```
1: internal belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.3.1.9.2 belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs Properties


1.1.3.1.9.2.1 belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs.Result Property

C#

```
public bool Result;
```

1.1.3.1.10 belgev2 Class

Class Hierarchy



C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]

```

```
public class belgev2 : belge;
```

File

Reference.cs ([see page 845](#))

belge Properties**belge Class**

	Name	Description
	belgeNo (see page 238)	
	belgeSiraNo (see page 238)	
	belgeTarihi (see page 238)	
	belgeTuru (see page 238)	
	belgeVerisi (see page 238)	
	ettm (see page 238)	
	gonderenEtiket (see page 239)	
	gonderenVknTckn (see page 239)	

belgev2 Class

	Name	Description
	alanEtiket (see page 247)	
	aliciUnvan (see page 247)	
	belgeVersiyon (see page 247)	
	belgeXmlZipped (see page 248)	
	ekBilgiler (see page 248)	
	saticiUnvan (see page 248)	
	subeKodu (see page 248)	
	zarflid (see page 248)	
	zarfVerisi (see page 248)	
	zarfXml (see page 248)	

1.1.3.1.10.1 belgev2 Properties**1.1.3.1.10.1.1 belgev2.alanEtiket Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string alanEtiket;
```

1.1.3.1.10.1.2 belgev2.aliciUnvan Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string aliciUnvan;
```

1.1.3.1.10.1.3 belgev2.belgeVersiyon Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeVersiyon;
```

1.1.3.1.10.1.4 belgev2.belgeXmlZipped Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
    DataType="base64Binary")]
public byte belgeXmlZipped;
```

1.1.3.1.10.1.5 belgev2.ekBilgiler Property

C#

```
[System.Xml.Serialization.XmlArrayAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified
)]
[System.Xml.Serialization.XmlArrayItemAttribute("entry",
    Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=false)]
public belgev2Entry ekBilgiler;
```

1.1.3.1.10.1.6 belgev2.saticiUnvan Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified
)]
public string saticiUnvan;
```

1.1.3.1.10.1.7 belgev2.subeKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified
)]
public string subeKodu;
```

1.1.3.1.10.1.8 belgev2.zarfId Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified
)]
public string zarfId;
```

1.1.3.1.10.1.9 belgev2.zarfVerisi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
    DataType="base64Binary")]
public byte zarfVerisi;
```

1.1.3.1.10.1.10 belgev2.zarfXml Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified
)]
public string zarfXml;
```

1.1.3.1.11 belgev2Entry Class

Class Hierarchy

QNBFinansGIB.GIBEFatura.belgev2Entry

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(AnonymousType=true,
Namespace="http://service.connector.uut.cs.com.tr/")]
public class belgev2Entry;
```

File

Reference.cs (see page 845)

belgev2Entry Properties


	Name	Description
	key (see page 249)	
	value (see page 249)	

1.1.3.1.11.1 belgev2Entry Properties**1.1.3.1.11.1.1 belgev2Entry.key Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string key;
```

1.1.3.1.11.1.2 belgev2Entry.value Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string value;
```

1.1.3.1.12 belgev3 Class**Class Hierarchy****C#**

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class belgev3 : belgev2;
```

File

Reference.cs (see page 845)

belge Properties**belge Class**

	Name	Description
	belgeNo (see page 238)	
	belgeSiraNo (see page 238)	
	belgeTarihi (see page 238)	
	belgeTuru (see page 238)	

	belgeVerisi (see page 238)	
	ettn (see page 238)	
	gonderenEtiket (see page 239)	
	gonderenVknTckn (see page 239)	

belgev2 Class

	Name	Description
	alanEtiket (see page 247)	
	aliciUnvan (see page 247)	
	belgeVersiyon (see page 247)	
	belgeXmlZipped (see page 248)	
	ekBilgiler (see page 248)	
	saticiUnvan (see page 248)	
	subeKodu (see page 248)	
	zarflId (see page 248)	
	zarfVerisi (see page 248)	
	zarfXml (see page 248)	

belgev3 Class

	Name	Description
	odenecekTutar (see page 250)	
	odenecekTutarDovizCinsi (see page 250)	

1.1.3.1.12.1 belgev3 Properties**1.1.3.1.12.1.1 belgev3.odenecekTutar Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string odenecekTutar;
```

1.1.3.1.12.1.2 belgev3.odenecekTutarDovizCinsi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string odenecekTutarDovizCinsi;
```

1.1.3.1.13 belgev4 Class**Class Hierarchy****C#**

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]

```

```
public class belgev4 : belgev3;
```

File

Reference.cs ([see page 845](#))

belge Properties**belge Class**

	Name	Description
	belgeNo (see page 238)	
	belgeSiraNo (see page 238)	
	belgeTarihi (see page 238)	
	belgeTuru (see page 238)	
	belgeVerisi (see page 238)	
	ettm (see page 238)	
	gonderenEtiket (see page 239)	
	gonderenVknTckn (see page 239)	

belgev2 Class

	Name	Description
	alanEtiket (see page 247)	
	aliciUnvan (see page 247)	
	belgeVersiyon (see page 247)	
	belgeXmlZipped (see page 248)	
	ekBilgiler (see page 248)	
	saticiUnvan (see page 248)	
	subeKodu (see page 248)	
	zarflId (see page 248)	
	zarfVerisi (see page 248)	
	zarfXml (see page 248)	

belgev3 Class

	Name	Description
	odenecekTutar (see page 250)	
	odenecekTutarDovizCinsi (see page 250)	

belgev4 Class

	Name	Description
	arsivlenmis (see page 251)	
	belgeHash (see page 252)	

1.1.3.1.13.1 belgev4 Properties**1.1.3.1.13.1.1 belgev4.arsivlenmis Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string arsivlenmis;
```


1.1.3.1.13.1.2 belgev4.belgeHash Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeHash;
```

1.1.3.1.14 belgev5 Class

Class Hierarchy



C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class belgev5 : belgev4;
```

File

Reference.cs (see page 845)

belge Properties

belge Class

	Name	Description
	belgeNo (see page 238)	
	belgeSiraNo (see page 238)	
	belgeTarihi (see page 238)	
	belgeTuru (see page 238)	
	belgeVerisi (see page 238)	
	ettn (see page 238)	
	gonderenEtiket (see page 239)	
	gonderenVknTckn (see page 239)	

belgev2 Class

	Name	Description
	alanEtiket (see page 247)	
	aliciUnvan (see page 247)	
	belgeVersiyon (see page 247)	
	belgeXmlZipped (see page 248)	
	ekBilgiler (see page 248)	
	saticiUnvan (see page 248)	
	subeKodu (see page 248)	
	zarfId (see page 248)	
	zarfVerisi (see page 248)	
	zarfXml (see page 248)	

belgev3 Class

	Name	Description
	odenecekTutar (see page 250)	
	odenecekTutarDovizCinsi (see page 250)	

belgev4 Class


	Name	Description
	arsivlenmis (see page 251)	
	belgeHash (see page 252)	

belgev5 Class

	Name	Description
	faturaGelisTarihi (see page 253)	

1.1.3.1.14.1 belgev5 Properties**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaGelisTarihi;
```

1.1.3.1.15 belgev6 Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
public class belgev6 : belgev5;
```

File

Reference.cs (see page 845)

belge Properties**belge Class**

	Name	Description
	belgeNo (see page 238)	
	belgeSiraNo (see page 238)	
	belgeTarihi (see page 238)	
	belgeTuru (see page 238)	
	belgeVerisi (see page 238)	
	ettm (see page 238)	
	gonderenEtiket (see page 239)	
	gonderenVknTckn (see page 239)	

belgev2 Class

	Name	Description
	alanEtiket (see page 247)	
	aliciUnvan (see page 247)	
	belgeVersiyon (see page 247)	
	belgeXmlZipped (see page 248)	
	ekBilgiler (see page 248)	
	saticiUnvan (see page 248)	
	subeKodu (see page 248)	
	zarflid (see page 248)	
	zarfVerisi (see page 248)	
	zarfXml (see page 248)	

belgev3 Class

	Name	Description
	odenecekTutar (see page 250)	
	odenecekTutarDovizCinsi (see page 250)	

belgev4 Class

	Name	Description
	arsivlenmis (see page 251)	
	belgeHash (see page 252)	

belgev5 Class


	Name	Description
	faturaGelisTarihi (see page 253)	

belgev6 Class

	Name	Description
	profileId (see page 254)	

1.1.3.1.15.1 belgev6 Properties**1.1.3.1.15.1.1 belgev6.profileId Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string profileId;
```

1.1.3.1.16 cokluGidenBelgeDurumSorgulaCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class cokluGidenBelgeDurumSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

File

Reference.cs (see page 845)

Methods

	Name	Description
	cokluGidenBelgeDurumSorgulaCompletedEventArgs (see page 255)	This is cokluGidenBelgeDurumSorgulaCompletedEventArgs, a member of class cokluGidenBelgeDurumSorgulaCompletedEventArgs.

cokluGidenBelgeDurumSorgulaCompletedEventArgs Properties

	Name	Description
	Result (see page 255)	

1.1.3.1.16.1**cokluGidenBelgeDurumSorgulaCompletedEventArgs.cokluGidenBelgeDurumSorgulaCompletedEventArgs Constructor****C#**

```
internal cokluGidenBelgeDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is cokluGidenBelgeDurumSorgulaCompletedEventArgs, a member of class cokluGidenBelgeDurumSorgulaCompletedEventArgs.

Body Source

```
1: internal cokluGidenBelgeDurumSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.16.2 cokluGidenBelgeDurumSorgulaCompletedEventArgs Properties**1.1.3.1.16.2.1 cokluGidenBelgeDurumSorgulaCompletedEventArgs.Result Property****C#**

```
public serviceReturnType Result;
```

1.1.3.1.17 connectorService Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Web.Services.WebServiceBindingAttribute(Name="ConnectorServicePortBinding",
Namespace="http://service.csap.cs.com/")]
public class connectorService : System.Web.Services.Protocols.SoapHttpClientProtocol;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
⚡	connectorService (see page 267)	

connectorService Events

	Name	Description
⚡	belgeGonderCompleted (see page 381)	
⚡	belgeGonderExtCompleted (see page 381)	
⚡	belgeGonderExtWithValidateCompleted (see page 381)	
⚡	belgeGonderWithValidateCompleted (see page 381)	
⚡	belgelerAlindiCompleted (see page 381)	
⚡	belgelerAlindiEntegrasyonSiparisNoGuncelleCompleted (see page 381)	
⚡	belgeleriTekrarGonderBelgeOidCompleted (see page 381)	
⚡	belgeleriTekrarGonderCompleted (see page 381)	
⚡	belgeleriTekrarGonderYerelBelgeNoCompleted (see page 381)	
⚡	checkDateValidControlCompleted (see page 382)	
⚡	cokluGidenBelgeDurumSorgulaCompleted (see page 382)	
⚡	csXmlOnizlemeCompleted (see page 382)	
⚡	csXmlToUblCompleted (see page 382)	
⚡	eFaturaKayitliKullaniciListeleCompleted (see page 382)	
⚡	efaturaKullaniciBilgisiCompleted (see page 382)	
⚡	efaturaKullaniciListesiCompleted (see page 382)	
⚡	efaturaKullanicisiCompleted (see page 382)	
⚡	elrsaliyeKayitliKullaniciListeleCompleted (see page 382)	
⚡	elrsaliyeKullanicisiCompleted (see page 382)	
⚡	erpBilgileriBelirleCompleted (see page 382)	
⚡	faturaKepIleladeEdildiCompleted (see page 383)	
⚡	faturaKepIleladeEdildilptalCompleted (see page 383)	
⚡	faturaMailGonderCompleted (see page 383)	
⚡	faturaNoUretCompleted (see page 383)	
⚡	faturaTarihcesiSorgulaCompleted (see page 383)	
⚡	faturayaltirazEdildiCompleted (see page 383)	
⚡	faturayaltirazEdildilptalCompleted (see page 383)	
⚡	gelenBelgeDurumSorgulaCompleted (see page 383)	
⚡	gelenBelgeDurumSorgulaExtCompleted (see page 383)	

	gelenBelgeEkleriAICompleted (🔗 see page 383)	
	gelenBelgeleriAICompleted (🔗 see page 383)	
	gelenBelgeleriAIExt2Completed (🔗 see page 384)	
	gelenBelgeleriAIExtCompleted (🔗 see page 384)	
	gelenBelgeleriIndirCompleted (🔗 see page 384)	
	gelenBelgeleriIndirExtCompleted (🔗 see page 384)	
	gelenBelgeleriListeleCompleted (🔗 see page 384)	
	gelenBelgeleriListeleExtCompleted (🔗 see page 384)	
	gelenBelgeTutarBilgileriSorgulaCompleted (🔗 see page 384)	
	gelenBelgeXmlleriniAICompleted (🔗 see page 384)	
	gelenBelgeXmlleriniAIExtCompleted (🔗 see page 384)	
	gelenFaturalariArsiveKaldırCompleted (🔗 see page 384)	
	gelenIrsaliyeleriArsiveKaldırCompleted (🔗 see page 384)	
	gelenStandartRapolariAICompleted (🔗 see page 385)	
	gelenTamamlananRapolariAICompleted (🔗 see page 385)	
	gelenTasinanBelgeleriIndirCompleted (🔗 see page 385)	
	gidenBelgeDurumSorgulaBelgeNoCompleted (🔗 see page 385)	
	gidenBelgeDurumSorgulaCompleted (🔗 see page 385)	
	gidenBelgeDurumSorgulaEtnCompleted (🔗 see page 385)	
	gidenBelgeDurumSorgulaExtCompleted (🔗 see page 385)	
	gidenBelgeDurumSorgulaPortalCompleted (🔗 see page 385)	
	gidenBelgeDurumSorgulaYerelBelgeNoCompleted (🔗 see page 385)	
	gidenBelgeEkleriAICompleted (🔗 see page 385)	
	gidenBelgeleriIndirCompleted (🔗 see page 385)	
	gidenBelgeleriIndirEtnCompleted (🔗 see page 386)	
	gidenBelgeleriIndirPortalCompleted (🔗 see page 386)	
	gidenBelgeleriListeleCompleted (🔗 see page 386)	
	gidenBelgeleriListelePortalCompleted (🔗 see page 386)	
	gidenBelgeTutarBilgileriSorgulaCompleted (🔗 see page 386)	
	gidenFaturalariArsiveKaldırCompleted (🔗 see page 386)	
	gidenIrsaliyeleriArsiveKaldırCompleted (🔗 see page 386)	
	gidenTasinanBelgeleriIndirCompleted (🔗 see page 386)	
	irsaliyeMailGonderCompleted (🔗 see page 386)	
	irsaliyeTarihcesiSorgulaCompleted (🔗 see page 386)	
	kayitliKullaniciListeleExtendedCompleted (🔗 see page 386)	
	kayitliKullaniciListeleExtendedTimeCompleted (🔗 see page 387)	
	kayitliKullaniciListeleExtendedVknTcknCompleted (🔗 see page 387)	

	kontorBilgisiGetirCompleted (see page 387)	
	temelKontrollerleBelgeGonderCompleted (see page 387)	
	toplasmBelgeSayisiGetirCompleted (see page 387)	
	ublOnizlemeCompleted (see page 387)	
	urunSablonlariniAICompleted (see page 387)	
	wsKullaniciKaydetCompleted (see page 387)	
	yereleAktarilacakBelgeleriAICompleted (see page 387)	
	yereleAktarilacakBelgeleriAIExtCompleted (see page 387)	
	yolcuBeraberFaturalptalEtCompleted (see page 387)	

connectorService Methods

Name	Description
belgeGonder (see page 267)	
belgeGonderAsync (see page 268)	
belgeGonderExt (see page 269)	
belgeGonderExtAsync (see page 269)	
belgeGonderExtWithValidate (see page 270)	
belgeGonderExtWithValidateAsync (see page 270)	
belgeGonderWithValidate (see page 271)	
belgeGonderWithValidateAsync (see page 272)	
belgelerAlindi (see page 272)	
belgelerAlindiAsync (see page 273)	
belgelerAlindiEntegrasyonSiparisNoGuncelle (see page 273)	
belgelerAlindiEntegrasyonSiparisNoGuncelleAsync (see page 274)	
belgeleriTekrarGonder (see page 275)	
belgeleriTekrarGonderAsync (see page 276)	
belgeleriTekrarGonderBelgeOid (see page 276)	
belgeleriTekrarGonderBelgeOidAsync (see page 277)	
belgeleriTekrarGonderYerelBelgeNo (see page 278)	
belgeleriTekrarGonderYerelBelgeNoAsync (see page 279)	
CancelAsync (see page 279)	
checkDateValidControl (see page 279)	
checkDateValidControlAsync (see page 280)	
cokluGidenBelgeDurumSorgula (see page 280)	
cokluGidenBelgeDurumSorgulaAsync (see page 281)	
csXmlOnizleme (see page 281)	
csXmlOnizlemeAsync (see page 283)	
csXmlToUbl (see page 283)	
csXmlToUblAsync (see page 284)	
eFaturaKayitliKullaniciListele (see page 285)	
eFaturaKayitliKullaniciListeleAsync (see page 285)	
efaturaKullaniciBilgisi (see page 286)	
efaturaKullaniciBilgisiAsync (see page 286)	

efaturaKullaniciListesi	(see page 287)
efaturaKullaniciListesiAsync	(see page 287)
efaturaKullanicisi	(see page 288)
efaturaKullanicisiAsync	(see page 288)
elrsaliyeKayitliKullaniciListele	(see page 288)
elrsaliyeKayitliKullaniciListeleAsync	(see page 289)
elrsaliyeKullanicisi	(see page 289)
elrsaliyeKullanicisiAsync	(see page 290)
erpBilgileriBelirle	(see page 290)
erpBilgileriBelirleAsync	(see page 291)
faturaKepIleLadeEdildi	(see page 291)
faturaKepIleLadeEdildiAsync	(see page 292)
faturaKepIleLadeEdildilptal	(see page 292)
faturaKepIleLadeEdildilptalAsync	(see page 293)
faturaMailGonder	(see page 293)
faturaMailGonderAsync	(see page 294)
faturaNoUret	(see page 295)
faturaNoUretAsync	(see page 296)
faturaTarihcesiSorgula	(see page 296)
faturaTarihcesiSorgulaAsync	(see page 297)
faturayaltirazEdildi	(see page 297)
faturayaltirazEdildiAsync	(see page 298)
faturayaltirazEdildilptal	(see page 298)
faturayaltirazEdildilptalAsync	(see page 299)
gelenBelgeDurumSorgula	(see page 300)
gelenBelgeDurumSorgulaAsync	(see page 300)
gelenBelgeDurumSorgulaExt	(see page 301)
gelenBelgeDurumSorgulaExtAsync	(see page 301)
gelenBelgeEkleriAI	(see page 302)
gelenBelgeEkleriAIAsync	(see page 303)
gelenBelgeleriAI	(see page 303)
gelenBelgeleriAIAsync	(see page 304)
gelenBelgeleriAIExt	(see page 304)
gelenBelgeleriAIExt2	(see page 305)
gelenBelgeleriAIExt2Async	(see page 306)
gelenBelgeleriAIExtAsync	(see page 306)
gelenBelgeleriIndir	(see page 307)
gelenBelgeleriIndirAsync	(see page 307)
gelenBelgeleriIndirExt	(see page 308)
gelenBelgeleriIndirExtAsync	(see page 308)
gelenBelgeleriListele	(see page 309)
gelenBelgeleriListeleAsync	(see page 310)
gelenBelgeleriListeleExt	(see page 310)
gelenBelgeleriListeleExtAsync	(see page 311)
gelenBelgeTutarBilgileriSorgula	(see page 311)
gelenBelgeTutarBilgileriSorgulaAsync	(see page 312)
gelenBelgeXmllleriniAI	(see page 312)

≡	gelenBelgeXmlleriniAIAsync (↗ see page 313)	
≡	gelenBelgeXmlleriniAIExt (↗ see page 314)	
≡	gelenBelgeXmlleriniAIExtAsync (↗ see page 314)	
≡	gelenFaturalariArsiveKaldır (↗ see page 315)	
≡	gelenFaturalariArsiveKaldırAsync (↗ see page 315)	
≡	gelenIrsaliyeleriArsiveKaldır (↗ see page 316)	
≡	gelenIrsaliyeleriArsiveKaldırAsync (↗ see page 316)	
≡	gelenStandartRapolariAI (↗ see page 317)	
≡	gelenStandartRapolariAIAsync (↗ see page 318)	
≡	gelenTamamlananRapolariAI (↗ see page 318)	
≡	gelenTamamlananRapolariAIAsync (↗ see page 319)	
≡	gelenTasinanBelgeleriIndir (↗ see page 320)	
≡	gelenTasinanBelgeleriIndirAsync (↗ see page 320)	
≡	gidenBelgeDurumSorgula (↗ see page 321)	
≡	gidenBelgeDurumSorgulaAsync (↗ see page 321)	
≡	gidenBelgeDurumSorgulaBelgeNo (↗ see page 322)	
≡	gidenBelgeDurumSorgulaBelgeNoAsync (↗ see page 323)	
≡	gidenBelgeDurumSorgulaEtn (↗ see page 323)	
≡	gidenBelgeDurumSorgulaEtnAsync (↗ see page 324)	
≡	gidenBelgeDurumSorgulaExt (↗ see page 324)	
≡	gidenBelgeDurumSorgulaExtAsync (↗ see page 325)	
≡	gidenBelgeDurumSorgulaPortal (↗ see page 325)	
≡	gidenBelgeDurumSorgulaPortalAsync (↗ see page 326)	
≡	gidenBelgeDurumSorgulaYerelBelgeNo (↗ see page 326)	
≡	gidenBelgeDurumSorgulaYerelBelgeNoAsync (↗ see page 327)	
≡	gidenBelgeEkleriAI (↗ see page 327)	
≡	gidenBelgeEkleriAIAsync (↗ see page 328)	
≡	gidenBelgeleriIndir (↗ see page 329)	
≡	gidenBelgeleriIndirAsync (↗ see page 329)	
≡	gidenBelgeleriIndirEtn (↗ see page 330)	
≡	gidenBelgeleriIndirEtnAsync (↗ see page 331)	
≡	gidenBelgeleriIndirPortal (↗ see page 331)	
≡	gidenBelgeleriIndirPortalAsync (↗ see page 332)	
≡	gidenBelgeleriListele (↗ see page 332)	
≡	gidenBelgeleriListeleAsync (↗ see page 333)	
≡	gidenBelgeleriListelePortal (↗ see page 333)	
≡	gidenBelgeleriListelePortalAsync (↗ see page 334)	
≡	gidenBelgeTutarBilgileriSorgula (↗ see page 334)	
≡	gidenBelgeTutarBilgileriSorgulaAsync (↗ see page 335)	
≡	gidenFaturalariArsiveKaldır (↗ see page 336)	
≡	gidenFaturalariArsiveKaldırAsync (↗ see page 336)	
≡	gidenIrsaliyeleriArsiveKaldır (↗ see page 337)	
≡	gidenIrsaliyeleriArsiveKaldırAsync (↗ see page 337)	
≡	gidenTasinanBelgeleriIndir (↗ see page 338)	
≡	gidenTasinanBelgeleriIndirAsync (↗ see page 338)	

	irsaliyeMailGonder (see page 339)	
	irsaliyeMailGonderAsync (see page 340)	
	irsaliyeTarihcesiSorgula (see page 340)	
	irsaliyeTarihcesiSorgulaAsync (see page 341)	
	IsLocalFileSystemWebService (see page 342)	This is IsLocalFileSystemWebService, a member of class connectorService.
	kayitliKullaniciListeleExtended (see page 342)	
	kayitliKullaniciListeleExtendedAsync (see page 343)	
	kayitliKullaniciListeleExtendedTime (see page 343)	
	kayitliKullaniciListeleExtendedTimeAsync (see page 344)	
	kayitliKullaniciListeleExtendedVknTckn (see page 345)	
	kayitliKullaniciListeleExtendedVknTcknAsync (see page 345)	
	kontorBilgisiGetir (see page 346)	
	kontorBilgisiGetirAsync (see page 346)	
	OnbelgeGonderExtOperationCompleted (see page 347)	This is OnbelgeGonderExtOperationCompleted, a member of class connectorService.
	OnbelgeGonderExtWithValidateOperationCompleted (see page 347)	This is OnbelgeGonderExtWithValidateOperationCompleted, a member of class connectorService.
	OnbelgeGonderOperationCompleted (see page 348)	This is OnbelgeGonderOperationCompleted, a member of class connectorService.
	OnbelgeGonderWithValidateOperationCompleted (see page 348)	This is OnbelgeGonderWithValidateOperationCompleted, a member of class connectorService.
	OnbelgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted (see page 348)	This is OnbelgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted, a member of class connectorService.
	OnbelgelerAlindiOperationCompleted (see page 348)	This is OnbelgelerAlindiOperationCompleted, a member of class connectorService.
	OnbelgeleriTekrarGonderBelgeOidOperationCompleted (see page 349)	This is OnbelgeleriTekrarGonderBelgeOidOperationCompleted, a member of class connectorService.
	OnbelgeleriTekrarGonderOperationCompleted (see page 349)	This is OnbelgeleriTekrarGonderOperationCompleted, a member of class connectorService.
	OnbelgeleriTekrarGonderYerelBelgeNoOperationCompleted (see page 349)	This is OnbelgeleriTekrarGonderYerelBelgeNoOperationCompleted, a member of class connectorService.
	OncheckDateValidControlOperationCompleted (see page 350)	This is OncheckDateValidControlOperationCompleted, a member of class connectorService.

	OncokluGidenBelgeDurumSorgulaOperationCompleted (see page 350)	This is OncokluGidenBelgeDurumSorgulaOperationCompleted, a member of class connectorService.
	OncsXmlOnizlemeOperationCompleted (see page 350)	This is OncsXmlOnizlemeOperationCompleted, a member of class connectorService.
	OncsXmlToUblOperationCompleted (see page 351)	This is OncsXmlToUblOperationCompleted, a member of class connectorService.
	OneFaturaKayitliKullaniciListeleOperationCompleted (see page 351)	This is OneFaturaKayitliKullaniciListeleOperationCompleted, a member of class connectorService.
	OnefaturaKullaniciBilgisiOperationCompleted (see page 351)	This is OnefaturaKullaniciBilgisiOperationCompleted, a member of class connectorService.
	OnefaturaKullaniciListesiOperationCompleted (see page 351)	This is OnefaturaKullaniciListesiOperationCompleted, a member of class connectorService.
	OnefaturaKullanicisiOperationCompleted (see page 352)	This is OnefaturaKullanicisiOperationCompleted, a member of class connectorService.
	OneIrsaliyeKayitliKullaniciListeleOperationCompleted (see page 352)	This is OneIrsaliyeKayitliKullaniciListeleOperationCompleted, a member of class connectorService.
	OneIrsaliyeKullanicisiOperationCompleted (see page 352)	This is OneIrsaliyeKullanicisiOperationCompleted, a member of class connectorService.
	OnerpBilgileriBelirleOperationCompleted (see page 353)	This is OnerpBilgileriBelirleOperationCompleted, a member of class connectorService.
	OnfaturaKepIleladeEdildiDiptalOperationCompleted (see page 353)	This is OnfaturaKepIleladeEdildiDiptalOperationCompleted, a member of class connectorService.
	OnfaturaKepIleladeEdildiOperationCompleted (see page 353)	This is OnfaturaKepIleladeEdildiOperationCompleted, a member of class connectorService.
	OnfaturaMailGonderOperationCompleted (see page 354)	This is OnfaturaMailGonderOperationCompleted, a member of class connectorService.
	OnfaturaNoUretOperationCompleted (see page 354)	This is OnfaturaNoUretOperationCompleted, a member of class connectorService.
	OnfaturaTarihcesiSorgulaOperationCompleted (see page 354)	This is OnfaturaTarihcesiSorgulaOperationCompleted, a member of class connectorService.

	OnfaturayaltirazEdildilptalOperationCompleted (see page 354)	This is OnfaturayaltirazEdildilptalOperationCompleted, a member of class connectorService.
	OnfaturayaltirazEdildiOperationCompleted (see page 355)	This is OnfaturayaltirazEdildiOperationCompleted, a member of class connectorService.
	OngelenBelgeDurumSorgulaExtOperationCompleted (see page 355)	This is OngelenBelgeDurumSorgulaExtOperationCompleted, a member of class connectorService.
	OngelenBelgeDurumSorgulaOperationCompleted (see page 355)	This is OngelenBelgeDurumSorgulaOperationCompleted, a member of class connectorService.
	OngelenBelgeEkleriAIOperationCompleted (see page 356)	This is OngelenBelgeEkleriAIOperationCompleted, a member of class connectorService.
	OngelenBelgeleriAIExt2OperationCompleted (see page 356)	This is OngelenBelgeleriAIExt2OperationCompleted, a member of class connectorService.
	OngelenBelgeleriAIExtOperationCompleted (see page 356)	This is OngelenBelgeleriAIExtOperationCompleted, a member of class connectorService.
	OngelenBelgeleriAIOperationCompleted (see page 357)	This is OngelenBelgeleriAIOperationCompleted, a member of class connectorService.
	OngelenBelgeleriIndirExtOperationCompleted (see page 357)	This is OngelenBelgeleriIndirExtOperationCompleted, a member of class connectorService.
	OngelenBelgeleriIndirOperationCompleted (see page 357)	This is OngelenBelgeleriIndirOperationCompleted, a member of class connectorService.
	OngelenBelgeleriListeleExtOperationCompleted (see page 357)	This is OngelenBelgeleriListeleExtOperationCompleted, a member of class connectorService.
	OngelenBelgeleriListeleOperationCompleted (see page 358)	This is OngelenBelgeleriListeleOperationCompleted, a member of class connectorService.
	OngelenBelgeTutarBilgileriSorgulaOperationCompleted (see page 358)	This is OngelenBelgeTutarBilgileriSorgulaOperationCompleted, a member of class connectorService.
	OngelenBelgeXmlleriniAIExtOperationCompleted (see page 358)	This is OngelenBelgeXmlleriniAIExtOperationCompleted, a member of class connectorService.

	OngelenBelgeXmlleriniAIOperationCompleted (see page 359)	This is OngelenBelgeXmlleriniAIOperationCompleted, a member of class connectorService.
	OngelenFaturalariArsiveKaldirOperationCompleted (see page 359)	This is OngelenFaturalariArsiveKaldirOperationCompleted, a member of class connectorService.
	OngelenIrsaliyeleriArsiveKaldirOperationCompleted (see page 359)	This is OngelenIrsaliyeleriArsiveKaldirOperationCompleted, a member of class connectorService.
	OngelenStandartRapolariAIOperationCompleted (see page 360)	This is OngelenStandartRapolariAIOperationCompleted, a member of class connectorService.
	OngelenTamamlananRapolariAIOperationCompleted (see page 360)	This is OngelenTamamlananRapolariAIOperationCompleted, a member of class connectorService.
	OngelenTasinanBelgelerilndirOperationCompleted (see page 360)	This is OngelenTasinanBelgelerilndirOperationCompleted, a member of class connectorService.
	OngidenBelgeDurumSorgulaBelgeNoOperationCompleted (see page 360)	This is OngidenBelgeDurumSorgulaBelgeNoOperationCompleted, a member of class connectorService.
	OngidenBelgeDurumSorgulaEttnOperationCompleted (see page 361)	This is OngidenBelgeDurumSorgulaEttnOperationCompleted, a member of class connectorService.
	OngidenBelgeDurumSorgulaExtOperationCompleted (see page 361)	This is OngidenBelgeDurumSorgulaExtOperationCompleted, a member of class connectorService.
	OngidenBelgeDurumSorgulaOperationCompleted (see page 361)	This is OngidenBelgeDurumSorgulaOperationCompleted, a member of class connectorService.
	OngidenBelgeDurumSorgulaPortalOperationCompleted (see page 362)	This is OngidenBelgeDurumSorgulaPortalOperationCompleted, a member of class connectorService.
	OngidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted (see page 362)	This is OngidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted, a member of class connectorService.
	OngidenBelgeEkleriAIOperationCompleted (see page 362)	This is OngidenBelgeEkleriAIOperationCompleted, a member of class connectorService.
	OngidenBelgelerilndirEttnOperationCompleted (see page 363)	This is OngidenBelgelerilndirEttnOperationCompleted, a member of class connectorService.

	OngidenBelgeleriIndirOperationCompleted (see page 363)	This is OngidenBelgeleriIndirOperationCompleted, a member of class connectorService.
	OngidenBelgeleriIndirPortalOperationCompleted (see page 363)	This is OngidenBelgeleriIndirPortalOperationCompleted, a member of class connectorService.
	OngidenBelgeleriListeleOperationCompleted (see page 363)	This is OngidenBelgeleriListeleOperationCompleted, a member of class connectorService.
	OngidenBelgeleriListelePortalOperationCompleted (see page 364)	This is OngidenBelgeleriListelePortalOperationCompleted, a member of class connectorService.
	OngidenBelgeTutarBilgileriSorgulaOperationCompleted (see page 364)	This is OngidenBelgeTutarBilgileriSorgulaOperationCompleted, a member of class connectorService.
	OngidenFaturalariArsiveKaldirOperationCompleted (see page 364)	This is OngidenFaturalariArsiveKaldirOperationCompleted, a member of class connectorService.
	OngidenIrsaliyeleriArsiveKaldirOperationCompleted (see page 365)	This is OngidenIrsaliyeleriArsiveKaldirOperationCompleted, a member of class connectorService.
	OngidenTasinanBelgeleriIndirOperationCompleted (see page 365)	This is OngidenTasinanBelgeleriIndirOperationCompleted, a member of class connectorService.
	OnirsaliyeMailGonderOperationCompleted (see page 365)	This is OnirsaliyeMailGonderOperationCompleted, a member of class connectorService.
	OnirsaliyeTarihcesiSorgulaOperationCompleted (see page 366)	This is OnirsaliyeTarihcesiSorgulaOperationCompleted, a member of class connectorService.
	OnkayitliKullaniciListeleExtendedOperationCompleted (see page 366)	This is OnkayitliKullaniciListeleExtendedOperationCompleted, a member of class connectorService.
	OnkayitliKullaniciListeleExtendedTimeOperationCompleted (see page 366)	This is OnkayitliKullaniciListeleExtendedTimeOperationCompleted, a member of class connectorService.
	OnkayitliKullaniciListeleExtendedVknTcknOperationCompleted (see page 366)	This is OnkayitliKullaniciListeleExtendedVknTcknOperationCompleted, a member of class connectorService.
	OnkontorBilgisiGetirOperationCompleted (see page 367)	This is OnkontorBilgisiGetirOperationCompleted, a member of class connectorService.

	OntemelKontrollerIleBelgeGonderOperationCompleted (see page 367)	This is OntemelKontrollerIleBelgeGonderOperationCompleted, a member of class connectorService.
	OntoplamBelgeSayisiGetirOperationCompleted (see page 367)	This is OntoplamBelgeSayisiGetirOperationCompleted, a member of class connectorService.
	OnublOnizlemeOperationCompleted (see page 368)	This is OnublOnizlemeOperationCompleted, a member of class connectorService.
	OnurunSablonlariniAIOperationCompleted (see page 368)	This is OnurunSablonlariniAIOperationCompleted, a member of class connectorService.
	OnwsKullanicisiKaydetOperationCompleted (see page 368)	This is OnwsKullanicisiKaydetOperationCompleted, a member of class connectorService.
	OnyereleAktarilacakBelgeleriAIExtOperationCompleted (see page 369)	This is OnyereleAktarilacakBelgeleriAIExtOperationCompleted, a member of class connectorService.
	OnyereleAktarilacakBelgeleriAIOperationCompleted (see page 369)	This is OnyereleAktarilacakBelgeleriAIOperationCompleted, a member of class connectorService.
	OnyolcuBeraberFaturalptalEtOperationCompleted (see page 369)	This is OnyolcuBeraberFaturalptalEtOperationCompleted, a member of class connectorService.
	temelKontrollerIleBelgeGonder (see page 369)	
	temelKontrollerIleBelgeGonderAsync (see page 371)	
	toplambelgeSayisiGetir (see page 371)	
	toplambelgeSayisiGetirAsync (see page 372)	
	ublOnizleme (see page 373)	
	ublOnizlemeAsync (see page 374)	
	urunSablonlariniAI (see page 374)	
	urunSablonlariniAIAsync (see page 375)	
	wsKullanicisiKaydet (see page 375)	
	wsKullanicisiKaydetAsync (see page 376)	
	yereleAktarilacakBelgeleriAI (see page 377)	
	yereleAktarilacakBelgeleriAIAsync (see page 377)	
	yereleAktarilacakBelgeleriAIExt (see page 378)	
	yereleAktarilacakBelgeleriAIExtAsync (see page 378)	
	yolcuBeraberFaturalptalEt (see page 379)	
	yolcuBeraberFaturalptalEtAsync (see page 380)	

connectorService Properties

	Name	Description
	Url (see page 380)	This is Url, a member of class connectorService.
	UseDefaultCredentials (see page 381)	This is UseDefaultCredentials, a member of class connectorService.

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.1 connectorService.connectorService Constructor

C#

```
public connectorService();
```

Body Source

```
1: public connectorService() {
2:     this.Url =
global::QNBFinansGIB.Properties.Settings.Default.QNBFinansGIB_GIBEFatura_connectorService;
3:     if ((this.IsLocalFileSystem(this.Url) == true)) {
4:         this.UseDefaultCredentials = true;
5:         this.useDefaultCredentialsSetExplicitly = false;
6:     }
7:     else {
8:         this.useDefaultCredentialsSetExplicitly = true;
9:     }
10: }
```

1.1.3.1.17.2 connectorService Methods

1.1.3.1.17.2.1 connectorService.belgeGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("belgeOid",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
belgeGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed),
DataType="base64Binary", IsNullable=true] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeHash,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string mimeType,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeVersiyon);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("belgeOid",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
belgeGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
```

```

string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified),
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeHash,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string mimeType,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeVersiyon) {
4:     object[] results = this.Invoke("belgeGonder", new object[] {
5:         vergiTcKimlikNo,
6:         belgeTuru,
7:         belgeNo,
8:         veri,
9:         belgeHash,
10:        mimeType,
11:        belgeVersiyon});
12:     return ((string)(results[0]));
13: }

```

1.1.3.1.17.2.2.2 belgeGonderAsync Method

1.1.3.1.17.2.2.2.1 connectorService.belgeGonderAsync Method (string, string, string, byte[], string, string, string)

C#

```
public void belgeGonderAsync(string vergiTcKimlikNo, string belgeTuru, string belgeNo,
byte[] veri, string belgeHash, string mimeType, string belgeVersiyon);
```

Body Source

```

1: public void belgeGonderAsync(string vergiTcKimlikNo, string belgeTuru, string belgeNo,
byte[] veri, string belgeHash, string mimeType, string belgeVersiyon) {
2:     this.belgeGonderAsync(vergiTcKimlikNo, belgeTuru, belgeNo, veri, belgeHash,
mimeType, belgeVersiyon, null);
3: }

```

1.1.3.1.17.2.2.2.2 connectorService.belgeGonderAsync Method (string, string, string, byte[], string, string, string, object)

C#

```
public void belgeGonderAsync(string vergiTcKimlikNo, string belgeTuru, string belgeNo,
byte[] veri, string belgeHash, string mimeType, string belgeVersiyon, object userState);
```

Body Source

```

1: public void belgeGonderAsync(string vergiTcKimlikNo, string belgeTuru, string belgeNo,
byte[] veri, string belgeHash, string mimeType, string belgeVersiyon, object userState) {
2:     if ((this.belgeGonderOperationCompleted == null)) {
3:         this.belgeGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgeGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("belgeGonder", new object[] {
6:         vergiTcKimlikNo,
7:         belgeTuru,
8:         belgeNo,
9:         veri,

```

```

10:             belgeHash,
11:             mimeType,
12:             belgeVersiyon}, this.belgeGonderOperationCompleted, userState);
13: }
```

1.1.3.1.17.2.3 connectorService.belgeGonderExt Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("belgeOid",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
belgeGonderExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
gidenBelgeParametreleri parametreler);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("belgeOid",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
belgeGonderExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
gidenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("belgeGonderExt", new object[] {
5:         parametreler});
6:     return ((string)(results[0]));
7: }
```

1.1.3.1.17.2.4 belgeGonderExtAsync Method

1.1.3.1.17.2.4.1 connectorService.belgeGonderExtAsync Method (gidenBelgeParametreleri)

C#

```
public void belgeGonderExtAsync(gidenBelgeParametreleri parametreler);
```

Body Source

```

1: public void belgeGonderExtAsync(gidenBelgeParametreleri parametreler) {
2:     this.belgeGonderExtAsync(parametreler, null);
3: }
```

1.1.3.1.17.2.4.2 connectorService.belgeGonderExtAsync Method (gidenBelgeParametreleri, object)

C#

```
public void belgeGonderExtAsync(gidenBelgeParametreleri parametreler, object userState);
```

Body Source

```

1: public void belgeGonderExtAsync(gidenBelgeParametreleri parametreler, object userState) {
2:     if ((this.belgeGonderExtOperationCompleted == null)) {
3:         this.belgeGonderExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgeGonderExtOperationCompleted);
4:     }
5:     this.InvokeAsync("belgeGonderExt", new object[] {
6:         parametreler}, this.belgeGonderExtOperationCompleted, userState);
7: }
```

1.1.3.1.17.2.5 connectorService.belgeGonderExtWithValidate Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belgeGonderResp
belgeGonderExtWithValidate([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sch
ema.XmlSchemaForm.Unqualified)]
gidenBelgeParametreleri parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belgeGonderResp
belgeGonderExtWithValidate([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sch
ema.XmlSchemaForm.Unqualified)]
gidenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("belgeGonderExtWithValidate", new object[] {
5:         parametreler});
6:     return ((belgeGonderResp)(results[0]));
7: }
```

1.1.3.1.17.2.6 belgeGonderExtWithValidateAsync Method

1.1.3.1.17.2.6.1 connectorService.belgeGonderExtWithValidateAsync Method (gidenBelgeParametreleri)

C#

```
public void belgeGonderExtWithValidateAsync(gidenBelgeParametreleri parametreler);
```

Body Source

```
1: public void belgeGonderExtWithValidateAsync(gidenBelgeParametreleri parametreler) {
2:     this.belgeGonderExtWithValidateAsync(parametreler, null);
3: }
```

1.1.3.1.17.2.6.2 connectorService.belgeGonderExtWithValidateAsync Method (gidenBelgeParametreleri, object)

C#

```
public void belgeGonderExtWithValidateAsync(gidenBelgeParametreleri parametreler, object
userState);
```

Body Source

```
1: public void belgeGonderExtWithValidateAsync(gidenBelgeParametreleri parametreler, object
userState) {
2:     if ((this.belgeGonderExtWithValidateOperationCompleted == null)) {
3:         this.belgeGonderExtWithValidateOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgeGonderExtWithValidateOperationCompleted);
4:     }
5:     this.InvokeAsync("belgeGonderExtWithValidate", new object[] {
6:         parametreler}, this.belgeGonderExtWithValidateOperationCompleted,
userState);
7: }
```

1.1.3.1.17.2.7 connectorService.belgeGonderWithValidate Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belgeGonderResp
belgeGonderWithValidate([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeHash,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string mimeType,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeVersiyon);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belgeGonderResp
belgeGonderWithValidate([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeHash,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string mimeType,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeVersiyon) {
4:     object[] results = this.Invoke("belgeGonderWithValidate", new object[] {
5:         vergiTcKimlikNo,
6:         belgeTuru,
7:         belgeNo,
```

```

8:           veri,
9:           belgeHash,
10:          mimeType,
11:          belgeVersiyon});
12:      return ((belgeGonderResp)(results[0]));
13:  }

```

1.1.3.1.17.2.8 belgeGonderWithValidateAsync Method

1.1.3.1.17.2.8.1 connectorService.belgeGonderWithValidateAsync Method (string, string, string, byte[], string, string, string)

C#

```
public void belgeGonderWithValidateAsync(string vergiTcKimlikNo, string belgeTuru, string
belgeNo, byte[] veri, string belgeHash, string mimeType, string belgeVersiyon);
```

Body Source

```

1: public void belgeGonderWithValidateAsync(string vergiTcKimlikNo, string belgeTuru,
string belgeNo, byte[] veri, string belgeHash, string mimeType, string belgeVersiyon) {
2:     this.belgeGonderWithValidateAsync(vergiTcKimlikNo, belgeTuru, belgeNo, veri,
belgeHash, mimeType, belgeVersiyon, null);
3: }

```

1.1.3.1.17.2.8.2 connectorService.belgeGonderWithValidateAsync Method (string, string, string, byte[], string, string, string, object)

C#

```
public void belgeGonderWithValidateAsync(string vergiTcKimlikNo, string belgeTuru, string
belgeNo, byte[] veri, string belgeHash, string mimeType, string belgeVersiyon, object
userState);
```

Body Source

```

1: public void belgeGonderWithValidateAsync(string vergiTcKimlikNo, string belgeTuru,
string belgeNo, byte[] veri, string belgeHash, string mimeType, string belgeVersiyon,
object userState) {
2:     if ((this.belgeGonderWithValidateOperationCompleted == null)) {
3:         this.belgeGonderWithValidateOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnBelgeGonderWithValidateOperationCompleted);
4:     }
5:     this.InvokeAsync("belgeGonderWithValidate", new object[] {
6:         vergiTcKimlikNo,
7:         belgeTuru,
8:         belgeNo,
9:         veri,
10:        belgeHash,
11:        mimeType,
12:        belgeVersiyon}, this.belgeGonderWithValidateOperationCompleted,
userState);
13: }

```

1.1.3.1.17.2.9 connectorService.belgelerAlindi Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
belgelerAlindi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettn",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```
    string belgeTuru);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
belgelerAlindi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettn",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru) {
3:     this.Invoke("belgelerAlindi", new object[] {
4:         vergiTcKimlikNo,
5:         ettn,
6:         belgeTuru});
7: }
```

1.1.3.1.17.2.10 belgelerAlindiAsync Method**1.1.3.1.17.2.10.1 connectorService.bolgelerAlindiAsync Method (string, string[], string)****C#**

```
public void bolgelerAlindiAsync(string vergiTcKimlikNo, string[] ettn, string belgeTuru);
```

Body Source

```
1: public void bolgelerAlindiAsync(string vergiTcKimlikNo, string[] ettn, string belgeTuru)
{
2:     this.bolgelerAlindiAsync(vergiTcKimlikNo, ettn, belgeTuru, null);
3: }
```

1.1.3.1.17.2.10.2 connectorService.bolgelerAlindiAsync Method (string, string[], string, object)**C#**

```
public void bolgelerAlindiAsync(string vergiTcKimlikNo, string[] ettn, string belgeTuru,
object userState);
```

Body Source

```
1: public void bolgelerAlindiAsync(string vergiTcKimlikNo, string[] ettn, string belgeTuru,
object userState) {
2:     if ((this.bolgelerAlindiOperationCompleted == null)) {
3:         this.bolgelerAlindiOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgelerAlindiOperationCompleted);
4:     }
5:     this.InvokeAsync("bolgelerAlindi", new object[] {
6:         vergiTcKimlikNo,
7:         ettn,
8:         belgeTuru}, this.bolgelerAlindiOperationCompleted, userState);
9: }
```

1.1.3.1.17.2.11 connectorService.bolgelerAlindiEntegrasyonSiparisNoGuncelle Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
bolgelerAlindiEntegrasyonSiparisNoGuncelle([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
```

```

string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettn",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string entegrasyonHedefi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string guncellenmisSiparisNumarasi;
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
belgelerAlindiEntegrasyonSiparisNoGuncelle([System.Xml.Serialization.XmlElementAttribute(For
m=System.Xml.Schema.XmlSchemaForm.Unqualified])
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettn",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string entegrasyonHedefi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string guncellenmisSiparisNumarasi) {
3:     this.Invoke("belgelerAlindiEntegrasyonSiparisNoGuncelle", new object[] {
4:         vergiTcKimlikNo,
5:         ettn,
6:         belgeTuru,
7:         entegrasyonHedefi,
8:         guncellenmisSiparisNumarasi});
9: }
```

1.1.3.1.17.2.12 belgelerAlindiEntegrasyonSiparisNoGuncelleAsync Method**1.1.3.1.17.2.12.1 connectorService.bulgelerAlindiEntegrasyonSiparisNoGuncelleAsync Method (string, string[], string, string, string)****C#**

```
public void belgelerAlindiEntegrasyonSiparisNoGuncelleAsync(string vergiTcKimlikNo,
string[] ettn, string belgeTuru, string entegrasyonHedefi, string
guncellenmisSiparisNumarasi);
```

Body Source

```

1: public void belgelerAlindiEntegrasyonSiparisNoGuncelleAsync(string vergiTcKimlikNo,
string[] ettn, string belgeTuru, string entegrasyonHedefi, string
guncellenmisSiparisNumarasi) {
2:     this.bulgelerAlindiEntegrasyonSiparisNoGuncelleAsync(vergiTcKimlikNo, ettn,
belgeTuru, entegrasyonHedefi, guncellenmisSiparisNumarasi, null);
3: }
```

1.1.3.1.17.2.12.2 connectorService.bulgelerAlindiEntegrasyonSiparisNoGuncelleAsync Method (string, string[], string, string, object)**C#**

```
public void belgelerAlindiEntegrasyonSiparisNoGuncelleAsync(string vergiTcKimlikNo,
string[] ettn, string belgeTuru, string entegrasyonHedefi, string
guncellenmisSiparisNumarasi, object userState);
```

Body Source

```

1: public void belgelerAlindiEntegrasyonSiparisNoGuncelleAsync(string vergiTcKimlikNo,
string[] ettn, string belgeTuru, string entegrasyonHedefi, string
guncellenmisSiparisNumarasi, object userState) {
2:     if ((this.belgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted == null)) {
3:         this.belgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgelerAlindiEntegrasyonSiparisNoGuncelleOperati
onCompleted);
4:     }
5:     this.InvokeAsync("belgelerAlindiEntegrasyonSiparisNoGuncelle", new object[] {
6:         vergiTcKimlikNo,
7:         ettn,
8:         belgeTuru,
9:         entegrasyonHedefi,
10:        guncellenmisSiparisNumarasi},
this.belgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted, userState);
11: }

```

1.1.3.1.17.2.13 connectorService.belgeleriTekrarGonder Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
belgeleriTekrarGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettn",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string alanEtiket,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gonderenEtiket);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
belgeleriTekrarGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettn",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string alanEtiket,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gonderenEtiket) {
4:     object[] results = this.Invoke("belgeleriTekrarGonder", new object[] {

```

```

5:             vergiTcKimlikNo,
6:             ettn,
7:             belgeTuru,
8:             alanEtiket,
9:             gonderenEtiket});
10:        return ((bool)(results[0]));
11:    }

```

1.1.3.1.17.2.14 belgeleriTekrarGonderAsync Method

1.1.3.1.17.2.14.1 connectorService.belgeleriTekrarGonderAsync Method (string, string[], string, string, string)

C#

```
public void belgeleriTekrarGonderAsync(string vergiTcKimlikNo, string[] ettn, string
belgeTuru, string alanEtiket, string gonderenEtiket);
```

Body Source

```

1: public void belgeleriTekrarGonderAsync(string vergiTcKimlikNo, string[] ettn, string
belgeTuru, string alanEtiket, string gonderenEtiket) {
2:     this.belgeleriTekrarGonderAsync(vergiTcKimlikNo, ettn, belgeTuru, alanEtiket,
gonderenEtiket, null);
3: }

```

1.1.3.1.17.2.14.2 connectorService.belgeleriTekrarGonderAsync Method (string, string[], string, string, string, object)

C#

```
public void belgeleriTekrarGonderAsync(string vergiTcKimlikNo, string[] ettn, string
belgeTuru, string alanEtiket, string gonderenEtiket, object userState);
```

Body Source

```

1: public void belgeleriTekrarGonderAsync(string vergiTcKimlikNo, string[] ettn, string
belgeTuru, string alanEtiket, string gonderenEtiket, object userState) {
2:     if ((this.belgeleriTekrarGonderOperationCompleted == null)) {
3:         this.belgeleriTekrarGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgeleriTekrarGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("belgeleriTekrarGonder", new object[] {
6:         vergiTcKimlikNo,
7:         ettn,
8:         belgeTuru,
9:         alanEtiket,
10:        gonderenEtiket}, this.belgeleriTekrarGonderOperationCompleted,
userState);
11: }

```

1.1.3.1.17.2.15 connectorService.belgeleriTekrarGonderBelgeOid Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
belgeleriTekrarGonderBelgeOid([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("belgeOid",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] belgeOid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
```

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string alanEtiket,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gonderenEtiket);

Body Source

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
belgeleriTekrarGonderBelgeOid([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("belgeOid",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] belgeOid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string alanEtiket,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gonderenEtiket) {
4:     object[] results = this.Invoke("belgeleriTekrarGonderBelgeOid", new object[] {
5:         vergiTcKimlikNo,
6:         belgeOid,
7:         belgeTuru,
8:         alanEtiket,
9:         gonderenEtiket});
10:    return ((bool)(results[0]));
11: }

```

1.1.3.1.17.2.16 belgeleriTekrarGonderBelgeOidAsync Method

1.1.3.1.17.2.16.1 connectorService.belgeleriTekrarGonderBelgeOidAsync Method (string, string[], string, string)

C#

```
public void belgeleriTekrarGonderBelgeOidAsync(string vergiTcKimlikNo, string[] belgeOid,
string belgeTuru, string alanEtiket, string gonderenEtiket);
```

Body Source

```

1: public void belgeleriTekrarGonderBelgeOidAsync(string vergiTcKimlikNo, string[]
belgeOid, string belgeTuru, string alanEtiket, string gonderenEtiket) {
2:     this.belgeleriTekrarGonderBelgeOidAsync(vergiTcKimlikNo, belgeOid, belgeTuru,
alanEtiket, gonderenEtiket, null);
3: }

```

1.1.3.1.17.2.16.2 connectorService.belgeleriTekrarGonderBelgeOidAsync Method (string, string[], string, string, object)

C#

```
public void belgeleriTekrarGonderBelgeOidAsync(string vergiTcKimlikNo, string[] belgeOid,
string belgeTuru, string alanEtiket, string gonderenEtiket, object userState);
```

Body Source

```

1: public void belgeleriTekrarGonderBelgeOidAsync(string vergiTcKimlikNo, string[]
belgeOid, string belgeTuru, string alanEtiket, string gonderenEtiket, object userState) {
2:     if ((this.belgeleriTekrarGonderBelgeOidOperationCompleted == null)) {

```

```

3:         this.belgeleriTekrarGonderBelgeOidOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgeleriTekrarGonderBelgeOidOperationCompleted);
4:     }
5:     this.InvokeAsync("belgeleriTekrarGonderBelgeOid", new object[] {
6:         vergiTcKimlikNo,
7:         belgeOid,
8:         belgeTuru,
9:         alanEtiket,
10:        gonderenEtiket}, this.belgeleriTekrarGonderBelgeOidOperationCompleted,
userState);
11:    }

```

1.1.3.1.17.2.17 connectorService.belgeleriTekrarGonderYerelBelgeNo Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
belgeleriTekrarGonderYerelBelgeNo([System.Xml.Serialization.XmlElementAttribute(Form=System.
Xml.Schema.XmlSchemaForm.Unqualified)])
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("yerelBelgeNo",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] yerelBelgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi-
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi-
ed)]
string alanEtiket,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi-
ed)]
string gonderenEtiket);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
belgeleriTekrarGonderYerelBelgeNo([System.Xml.Serialization.XmlElementAttribute(Form=System.
Xml.Schema.XmlSchemaForm.Unqualified)])
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("yerelBelgeNo",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] yerelBelgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi-
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi-
ed)]
string alanEtiket,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi-
ed)]
string gonderenEtiket) {
4:     object[] results = this.Invoke("belgeleriTekrarGonderYerelBelgeNo", new object[] {
5:         vergiTcKimlikNo,
6:         yerelBelgeNo,
7:         belgeTuru,
8:         alanEtiket,
9:         gonderenEtiket});
10:    return ((bool)(results[0]));
11: }

```

1.1.3.1.17.2.18 belgeleriTekrarGonderYerelBelgeNoAsync Method

1.1.3.1.17.2.18.1 connectorService.belgeleriTekrarGonderYerelBelgeNoAsync Method (string, string[], string, string, string)

C#

```
public void belgeleriTekrarGonderYerelBelgeNoAsync(string vergiTcKimlikNo, string[]
yerelBelgeNo, string belgeTuru, string alanEtiket, string gonderenEtiket);
```

Body Source

```
1: public void belgeleriTekrarGonderYerelBelgeNoAsync(string vergiTcKimlikNo, string[]
yerelBelgeNo, string belgeTuru, string alanEtiket, string gonderenEtiket) {
2:     this.belgeleriTekrarGonderYerelBelgeNoAsync(vergiTcKimlikNo, yerelBelgeNo,
belgeTuru, alanEtiket, gonderenEtiket, null);
3: }
```

1.1.3.1.17.2.18.2 connectorService.belgeleriTekrarGonderYerelBelgeNoAsync Method (string, string[], string, string, object)

C#

```
public void belgeleriTekrarGonderYerelBelgeNoAsync(string vergiTcKimlikNo, string[]
yerelBelgeNo, string belgeTuru, string alanEtiket, string gonderenEtiket, object userState);
```

Body Source

```
1: public void belgeleriTekrarGonderYerelBelgeNoAsync(string vergiTcKimlikNo, string[]
yerelBelgeNo, string belgeTuru, string alanEtiket, string gonderenEtiket, object userState)
{
2:     if ((this.belgeleriTekrarGonderYerelBelgeNoOperationCompleted == null)) {
3:         this.belgeleriTekrarGonderYerelBelgeNoOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgeleriTekrarGonderYerelBelgeNoOperationComplet
ed);
4:     }
5:     this.InvokeAsync("belgeleriTekrarGonderYerelBelgeNo", new object[] {
6:         vergiTcKimlikNo,
7:         yerelBelgeNo,
8:         belgeTuru,
9:         alanEtiket,
10:        gonderenEtiket},
this.belgeleriTekrarGonderYerelBelgeNoOperationCompleted, userState);
11: }
```

1.1.3.1.17.2.19 connectorService.CancelAsync Method

C#

```
public new void CancelAsync(object userState);
```

Body Source

```
1: public new void CancelAsync(object userState) {
2:     base.CancelAsync(userState);
3: }
```

1.1.3.1.17.2.20 connectorService.checkDateValidControl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
checkDateValidControl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string arg0,
```

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string arg1);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
checkDateValidControl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string arg0,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string arg1,
string arg1) {
3:     this.Invoke("checkDateValidControl", new object[] {
4:         arg0,
5:         arg1});
6: }
```

1.1.3.1.17.2.21 checkDateValidControlAsync Method**1.1.3.1.17.2.21.1 connectorService.checkDateValidControlAsync Method (string, string)****C#**

```
public void checkDateValidControlAsync(string arg0, string arg1);
```

Body Source

```
1: public void checkDateValidControlAsync(string arg0, string arg1) {
2:     this.checkDateValidControlAsync(arg0, arg1, null);
3: }
```

1.1.3.1.17.2.21.2 connectorService.checkDateValidControlAsync Method (string, string, object)**C#**

```
public void checkDateValidControlAsync(string arg0, string arg1, object userState);
```

Body Source

```
1: public void checkDateValidControlAsync(string arg0, string arg1, object userState) {
2:     if ((this.checkDateValidControlOperationCompleted == null)) {
3:         this.checkDateValidControlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OncheckDateValidControlOperationCompleted);
4:     }
5:     this.InvokeAsync("checkDateValidControl", new object[] {
6:         arg0,
7:         arg1}, this.checkDateValidControlOperationCompleted, userState);
8: }
```

1.1.3.1.17.2.22 connectorService.cokluGidenBelgeDurumSorgula Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
cokluGidenBelgeDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
```

```
ed])
gidenBelgeDurumParametreleri parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
cokluGidenBelgeDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)])
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
gidenBelgeDurumParametreleri parametreler) {
4:     object[] results = this.Invoke("cokluGidenBelgeDurumSorgula", new object[] {
5:         vergiTcKimlikNo,
6:         parametreler});
7:     return ((serviceReturnType[])(results[0]));
8: }
```

1.1.3.1.17.2.23 cokluGidenBelgeDurumSorgulaAsync Method**1.1.3.1.17.2.23.1 connectorService.cokluGidenBelgeDurumSorgulaAsync Method (string,
gidenBelgeDurumParametreleri)****C#**

```
public void cokluGidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler);
```

Body Source

```
1: public void cokluGidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler) {
2:     this.cokluGidenBelgeDurumSorgulaAsync(vergiTcKimlikNo, parametreler, null);
3: }
```

**1.1.3.1.17.2.23.2 connectorService.cokluGidenBelgeDurumSorgulaAsync Method (string,
gidenBelgeDurumParametreleri, object)****C#**

```
public void cokluGidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler, object userState);
```

Body Source

```
1: public void cokluGidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler, object userState) {
2:     if ((this.cokluGidenBelgeDurumSorgulaOperationCompleted == null)) {
3:         this.cokluGidenBelgeDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OncokluGidenBelgeDurumSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("cokluGidenBelgeDurumSorgula", new object[] {
6:         vergiTcKimlikNo,
7:         parametreler}, this.cokluGidenBelgeDurumSorgulaOperationCompleted,
userState);
8: }
```

1.1.3.1.17.2.24 connectorService.csXmlOnizleme Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
```

```

ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
csXmlOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)])
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeFormati,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string xsltAdi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
csXmlOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)])
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeVersiyon,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed),
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeFormati,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string xsltAdi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru) {
4:     object[] results = this.Invoke("csXmlOnizleme", new object[] {
5:         vergiTcKimlikNo,
6:         belgeVersiyon,
7:         veri,
8:         belgeFormati,
9:         xsltAdi,
10:        belgeTuru});
11:     return ((byte[])(results[0]));
12: }

```

1.1.3.1.17.2.25 csXmlOnizlemeAsync Method

1.1.3.1.17.2.25.1 connectorService.csXmlOnizlemeAsync Method (string, string, byte[], string, string, string)

C#

```
public void csXmlOnizlemeAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[] veri,
string belgeFormati, string xsltAdi, string belgeTuru);
```

Body Source

```
1: public void csXmlOnizlemeAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[]
veri, string belgeFormati, string xsltAdi, string belgeTuru) {
2:     this.csXmlOnizlemeAsync(vergiTcKimlikNo, belgeVersiyon, veri, belgeFormati, xsltAdi,
belgeTuru, null);
3: }
```

1.1.3.1.17.2.25.2 connectorService.csXmlOnizlemeAsync Method (string, string, byte[], string, string, string, object)

C#

```
public void csXmlOnizlemeAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[] veri,
string belgeFormati, string xsltAdi, string belgeTuru, object userState);
```

Body Source

```
1: public void csXmlOnizlemeAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[]
veri, string belgeFormati, string xsltAdi, string belgeTuru, object userState) {
2:     if ((this.csXmlOnizlemeOperationCompleted == null)) {
3:         this.csXmlOnizlemeOperationCompleted = new
System.Threading.SendOrPostCallback(this.OncsXmlOnizlemeOperationCompleted);
4:     }
5:     this.InvokeAsync("csXmlOnizleme", new object[] {
6:         vergiTcKimlikNo,
7:         belgeVersiyon,
8:         veri,
9:         belgeFormati,
10:        xsltAdi,
11:        belgeTuru}, this.csXmlOnizlemeOperationCompleted, userState);
12: }
```

1.1.3.1.17.2.26 connectorService.csXmlToUbl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
csXmlToUbl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFor
m.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeVersiyon,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string xsltAdi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
csXmlToUbl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeVersiyon,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
dataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string xsldAdi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru) {
4:     object[] results = this.Invoke("csXmlToUbl", new object[] {
5:         vergiTcKimlikNo,
6:         belgeVersiyon,
7:         veri,
8:         xsldAdi,
9:         belgeTuru});
10:    return ((byte[])(results[0]));
11: }

```

1.1.3.1.17.2.27 csXmlToUblAsync Method**1.1.3.1.17.2.27.1 connectorService.csXmlToUblAsync Method (string, string, byte[], string, string)****C#**

```
public void csXmlToUblAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[] veri,
string xsldAdi, string belgeTuru);
```

Body Source

```

1: public void csXmlToUblAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[] veri,
string xsldAdi, string belgeTuru) {
2:     this.csXmlToUblAsync(vergiTcKimlikNo, belgeVersiyon, veri, xsldAdi, belgeTuru, null);
3: }

```

1.1.3.1.17.2.27.2 connectorService.csXmlToUblAsync Method (string, string, byte[], string, string, object)**C#**

```
public void csXmlToUblAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[] veri,
string xsldAdi, string belgeTuru, object userState);
```

Body Source

```

1: public void csXmlToUblAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[] veri,
string xsldAdi, string belgeTuru, object userState) {
2:     if ((this.csXmlToUblOperationCompleted == null)) {
3:         this.csXmlToUblOperationCompleted = new
System.Threading.SendOrPostCallback(this.OncsXmlToUblOperationCompleted);
4:     }
5:     this.InvokeAsync("csXmlToUbl", new object[] {
6:         vergiTcKimlikNo,
7:         belgeVersiyon,
8:         veri,

```

```

9:           xsldtAdi,
10:          belgeTuru}, this.csXmlToUblOperationCompleted, userState);
11:      }

```

1.1.3.1.17.2.28 connectorService.eFaturaKayitliKullaniciListele Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public eFaturaKullanici[]
eFaturaKayitliKullaniciListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml
.Schema.XmlSchemaForm.Unqualified)])
string kayitZamani);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public eFaturaKullanici[]
eFaturaKayitliKullaniciListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml
.Schema.XmlSchemaForm.Unqualified)])
string kayitZamani) {
4:     object[] results = this.Invoke("eFaturaKayitliKullaniciListele", new object[] {
5:         kayitZamani});
6:     return ((eFaturaKullanici[]) (results[0]));
7: }

```

1.1.3.1.17.2.29 eFaturaKayitliKullaniciListeleAsync Method

1.1.3.1.17.2.29.1 connectorService.eFaturaKayitliKullaniciListeleAsync Method (string)

C#

```
public void eFaturaKayitliKullaniciListeleAsync(string kayitZamani);
```

Body Source

```

1: public void eFaturaKayitliKullaniciListeleAsync(string kayitZamani) {
2:     this.eFaturaKayitliKullaniciListeleAsync(kayitZamani, null);
3: }

```

1.1.3.1.17.2.29.2 connectorService.eFaturaKayitliKullaniciListeleAsync Method (string, object)

C#

```
public void eFaturaKayitliKullaniciListeleAsync(string kayitZamani, object userState);
```

Body Source

```

1: public void eFaturaKayitliKullaniciListeleAsync(string kayitZamani, object userState) {
2:     if ((this.eFaturaKayitliKullaniciListeleOperationCompleted == null)) {
3:         this.eFaturaKayitliKullaniciListeleOperationCompleted = new
System.Threading.SendOrPostCallback(this.OneFaturaKayitliKullaniciListeleOperationCompleted)
;
4:     }
5:     this.InvokeAsync("eFaturaKayitliKullaniciListele", new object[] {
6:         kayitZamani}, this.eFaturaKayitliKullaniciListeleOperationCompleted,
userState);
7: }

```

1.1.3.1.17.2.30 connectorService.efaturaKullaniciBilgisi Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public eFaturaKullanici[]
efaturaKullaniciBilgisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public eFaturaKullanici[]
efaturaKullaniciBilgisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo) {
4:     object[] results = this.Invoke("efaturaKullaniciBilgisi", new object[] {
5:         vergiTcKimlikNo});
6:     return ((eFaturaKullanici[])(results[0]));
7: }
```

1.1.3.1.17.2.31 efaturaKullaniciBilgisiAsync Method

1.1.3.1.17.2.31.1 connectorService.efaturaKullaniciBilgisiAsync Method (string)

C#

```
public void efaturaKullaniciBilgisiAsync(string vergiTcKimlikNo);
```

Body Source

```
1: public void efaturaKullaniciBilgisiAsync(string vergiTcKimlikNo) {
2:     this.efaturaKullaniciBilgisiAsync(vergiTcKimlikNo, null);
3: }
```

1.1.3.1.17.2.31.2 connectorService.efaturaKullaniciBilgisiAsync Method (string, object)

C#

```
public void efaturaKullaniciBilgisiAsync(string vergiTcKimlikNo, object userState);
```

Body Source

```
1: public void efaturaKullaniciBilgisiAsync(string vergiTcKimlikNo, object userState) {
2:     if ((this.efaturaKullaniciBilgisiOperationCompleted == null)) {
3:         this.efaturaKullaniciBilgisiOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnefaturaKullaniciBilgisiOperationCompleted);
4:     }
5:     this.InvokeAsync("efaturaKullaniciBilgisi", new object[] {
6:         vergiTcKimlikNo}, this.efaturaKullaniciBilgisiOperationCompleted,
userState);
7: }
```

1.1.3.1.17.2.32 connectorService.efaturaKullaniciListesi Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public mukellefEFaturaKayit[]
efaturaKullaniciListesi([System.Xml.Serialization.XmlElementAttribute("vergiTcKimlikNoListesi",
i",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] vergiTcKimlikNoListesi);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public mukellefEFaturaKayit[]
efaturaKullaniciListesi([System.Xml.Serialization.XmlElementAttribute("vergiTcKimlikNoListesi",
i",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] vergiTcKimlikNoListesi) {
4:     object[] results = this.Invoke("efaturaKullaniciListesi", new object[] {
5:         vergiTcKimlikNoListesi});
6:     return ((mukellefEFaturaKayit[])(results[0]));
7: }
```

1.1.3.1.17.2.33 efaturaKullaniciListesiAsync Method

1.1.3.1.17.2.33.1 connectorService.efaturaKullaniciListesiAsync Method (string[])

C#

```
public void efaturaKullaniciListesiAsync(string[] vergiTcKimlikNoListesi);
```

Body Source

```
1: public void efaturaKullaniciListesiAsync(string[] vergiTcKimlikNoListesi) {
2:     this.efaturaKullaniciListesiAsync(vergiTcKimlikNoListesi, null);
3: }
```

1.1.3.1.17.2.33.2 connectorService.efaturaKullaniciListesiAsync Method (string[], object)

C#

```
public void efaturaKullaniciListesiAsync(string[] vergiTcKimlikNoListesi, object userState);
```

Body Source

```
1: public void efaturaKullaniciListesiAsync(string[] vergiTcKimlikNoListesi, object
userState) {
2:     if ((this.efaturaKullaniciListesiOperationCompleted == null)) {
3:         this.efaturaKullaniciListesiOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnefaturaKullaniciListesiOperationCompleted);
4:     }
5:     this.InvokeAsync("efaturaKullaniciListesi", new object[] {
6:         vergiTcKimlikNoListesi}, this.efaturaKullaniciListesiOperationCompleted,
userState);
7: }
```

1.1.3.1.17.2.34 connectorService.efaturaKullanicisi Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
efaturaKullanicisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
efaturaKullanicisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo) {
4:     object[] results = this.Invoke("efaturaKullanicisi", new object[] {
5:         vergiTcKimlikNo});
6:     return ((bool)(results[0]));
7: }
```

1.1.3.1.17.2.35 efaturaKullanicisiAsync Method

1.1.3.1.17.2.35.1 connectorService.efaturaKullanicisiAsync Method (string)

C#

```
public void efaturaKullanicisiAsync(string vergiTcKimlikNo);
```

Body Source

```
1: public void efaturaKullanicisiAsync(string vergiTcKimlikNo) {
2:     this.efaturaKullanicisiAsync(vergiTcKimlikNo, null);
3: }
```

1.1.3.1.17.2.35.2 connectorService.efaturaKullanicisiAsync Method (string, object)

C#

```
public void efaturaKullanicisiAsync(string vergiTcKimlikNo, object userState);
```

Body Source

```
1: public void efaturaKullanicisiAsync(string vergiTcKimlikNo, object userState) {
2:     if ((this.efaturaKullanicisiOperationCompleted == null)) {
3:         this.efaturaKullanicisiOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnefaturaKullanicisiOperationCompleted);
4:     }
5:     this.InvokeAsync("efaturaKullanicisi", new object[] {
6:         vergiTcKimlikNo}, this.efaturaKullanicisiOperationCompleted, userState);
7: }
```

1.1.3.1.17.2.36 connectorService.elrsaliyeKayitliKullaniciListele Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",

```

```

RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public eIrsaliyeKullanici[]
eIrsaliyeKayitliKullaniciListele([System.Xml.Serialization.XmlElementAttribute(Form=System.X
ml.Schema.XmlSchemaForm.Unqualified)])
string kayitZamani);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public eIrsaliyeKullanici[]
eIrsaliyeKayitliKullaniciListele([System.Xml.Serialization.XmlElementAttribute(Form=System.X
ml.Schema.XmlSchemaForm.Unqualified)])
string kayitZamani) {
4:     object[] results = this.Invoke("eIrsaliyeKayitliKullaniciListele", new object[] {
5:         kayitZamani});
6:     return ((eIrsaliyeKullanici[])(results[0]));
7: }

```

1.1.3.1.17.2.37 eIrsaliyeKayitliKullaniciListeleAsync Method**1.1.3.1.17.2.37.1 connectorService.eIrsaliyeKayitliKullaniciListeleAsync Method (string)****C#**

```
public void eIrsaliyeKayitliKullaniciListeleAsync(string kayitZamani);
```

Body Source

```

1: public void eIrsaliyeKayitliKullaniciListeleAsync(string kayitZamani) {
2:     this.eIrsaliyeKayitliKullaniciListeleAsync(kayitZamani, null);
3: }

```

1.1.3.1.17.2.37.2 connectorService.eIrsaliyeKayitliKullaniciListeleAsync Method (string, object)**C#**

```
public void eIrsaliyeKayitliKullaniciListeleAsync(string kayitZamani, object userState);
```

Body Source

```

1: public void eIrsaliyeKayitliKullaniciListeleAsync(string kayitZamani, object userState) {
2:     if ((this.eIrsaliyeKayitliKullaniciListeleOperationCompleted == null)) {
3:         this.eIrsaliyeKayitliKullaniciListeleOperationCompleted = new
System.Threading.SendOrPostCallback(this.OneIrsaliyeKayitliKullaniciListeleOperationComplete
d);
4:     }
5:     this.InvokeAsync("eIrsaliyeKayitliKullaniciListele", new object[] {
6:         kayitZamani}, this.eIrsaliyeKayitliKullaniciListeleOperationCompleted,
userState);
7: }

```

1.1.3.1.17.2.38 connectorService.eIrsaliyeKullanicisi Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]

```

```
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
eIrsaliyeKullanicisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
lSchemaForm.Unqualified)]
string vergiTcKimlikNo);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("", 
RequestNamespace="http://service.connector.uut.cs.com.tr/", 
ResponseNamespace="http://service.connector.uut.cs.com.tr/", 
Use=System.Web.Services.Description.SoapBindingUse.Literal, 
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
eIrsaliyeKullanicisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
lSchemaForm.Unqualified)]
string vergiTcKimlikNo) {
4:     object[] results = this.Invoke("eIrsaliyeKullanicisi", new object[] {
5:         vergiTcKimlikNo});
6:     return ((bool)(results[0]));
7: }
```

1.1.3.1.17.2.39 eIrsaliyeKullanicisiAsync Method**1.1.3.1.17.2.39.1 connectorService.eIrsaliyeKullanicisiAsync Method (string)****C#**

```
public void eIrsaliyeKullanicisiAsync(string vergiTcKimlikNo);
```

Body Source

```
1: public void eIrsaliyeKullanicisiAsync(string vergiTcKimlikNo) {
2:     this.eIrsaliyeKullanicisiAsync(vergiTcKimlikNo, null);
3: }
```

1.1.3.1.17.2.39.2 connectorService.eIrsaliyeKullanicisiAsync Method (string, object)**C#**

```
public void eIrsaliyeKullanicisiAsync(string vergiTcKimlikNo, object userState);
```

Body Source

```
1: public void eIrsaliyeKullanicisiAsync(string vergiTcKimlikNo, object userState) {
2:     if ((this.eIrsaliyeKullanicisiOperationCompleted == null)) {
3:         this.eIrsaliyeKullanicisiOperationCompleted = new
System.Threading.SendOrPostCallback(this.OneIrsaliyeKullanicisiOperationCompleted);
4:     }
5:     this.InvokeAsync("eIrsaliyeKullanicisi", new object[] {
6:         vergiTcKimlikNo}, this.eIrsaliyeKullanicisiOperationCompleted,
userState);
7: }
```

1.1.3.1.17.2.40 connectorService.erpBilgileriBelirle Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("", 
RequestNamespace="http://service.connector.uut.cs.com.tr/", 
ResponseNamespace="http://service.connector.uut.cs.com.tr/", 
Use=System.Web.Services.Description.SoapBindingUse.Literal, 
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
erpBilgileriBelirle([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
lSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
```

```
ed])
erpBilgileri erpBilgileri;
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
erpBilgileriBelirle([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
erpBilgileri erpBilgileri {
3:     this.Invoke("erpBilgileriBelirle", new object[] {
4:         vergiTcKimlikNo,
5:         erpBilgileri);
6: }
```

1.1.3.1.17.2.41 erpBilgileriBelirleAsync Method**1.1.3.1.17.2.41.1 connectorService.erpBilgileriBelirleAsync Method (string, erpBilgileri)****C#**

```
public void erpBilgileriBelirleAsync(string vergiTcKimlikNo, erpBilgileri erpBilgileri);
```

Body Source

```
1: public void erpBilgileriBelirleAsync(string vergiTcKimlikNo, erpBilgileri erpBilgileri) {
2:     this.erpBilgileriBelirleAsync(vergiTcKimlikNo, erpBilgileri, null);
3: }
```

1.1.3.1.17.2.41.2 connectorService.erpBilgileriBelirleAsync Method (string, erpBilgileri, object)**C#**

```
public void erpBilgileriBelirleAsync(string vergiTcKimlikNo, erpBilgileri erpBilgileri,
object userState);
```

Body Source

```
1: public void erpBilgileriBelirleAsync(string vergiTcKimlikNo, erpBilgileri erpBilgileri,
object userState) {
2:     if ((this.erpBilgileriBelirleOperationCompleted == null)) {
3:         this.erpBilgileriBelirleOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnerpBilgileriBelirleOperationCompleted);
4:     }
5:     this.InvokeAsync("erpBilgileriBelirle", new object[] {
6:         vergiTcKimlikNo,
7:         erpBilgileri, this.erpBilgileriBelirleOperationCompleted, userState);
8: }
```

1.1.3.1.17.2.42 connectorService.faturaKepIleIadeEdildi Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
faturaKepIleIadeEdildi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string uuid,
```

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gelenGiden);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
faturaKepIleIadeEdildi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string uuid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gelenGiden) {
4:     object[] results = this.Invoke("faturaKepIleIadeEdildi", new object[] {
5:         uuid,
6:         gelenGiden});
7:     return ((bool)(results[0]));
8: }
```

1.1.3.1.17.2.43 faturaKepIleIadeEdildiAsync Method**1.1.3.1.17.2.43.1 connectorService.faturaKepIleIadeEdildiAsync Method (string, string)****C#**

```
public void faturaKepIleIadeEdildiAsync(string uuid, string gelenGiden);
```

Body Source

```
1: public void faturaKepIleIadeEdildiAsync(string uuid, string gelenGiden) {
2:     this.faturaKepIleIadeEdildiAsync(uuid, gelenGiden, null);
3: }
```

1.1.3.1.17.2.43.2 connectorService.faturaKepIleIadeEdildiAsync Method (string, string, object)**C#**

```
public void faturaKepIleIadeEdildiAsync(string uuid, string gelenGiden, object userState);
```

Body Source

```
1: public void faturaKepIleIadeEdildiAsync(string uuid, string gelenGiden, object
userState) {
2:     if ((this.faturaKepIleIadeEdildiOperationCompleted == null)) {
3:         this.faturaKepIleIadeEdildiOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaKepIleIadeEdildiOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaKepIleIadeEdildi", new object[] {
6:         uuid,
7:         gelenGiden}, this.faturaKepIleIadeEdildiOperationCompleted, userState);
8: }
```

1.1.3.1.17.2.44 connectorService.faturaKepIleIadeEdildilptal Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
```

```
faturaKepIleIadeEdildiIptal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string uuid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gelenGiden);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
faturaKepIleIadeEdildiIptal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string uuid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gelenGiden) {
4:     object[] results = this.Invoke("faturaKepIleIadeEdildiIptal", new object[] {
5:         uuid,
6:         gelenGiden});
7:     return ((bool)(results[0]));
8: }
```

1.1.3.1.17.2.45 faturaKepIleIadeEdildiIptalAsync Method**1.1.3.1.17.2.45.1 connectorService.faturaKepIleIadeEdildiIptalAsync Method (string, string)****C#**

```
public void faturaKepIleIadeEdildiIptalAsync(string uuid, string gelenGiden);
```

Body Source

```
1: public void faturaKepIleIadeEdildiIptalAsync(string uuid, string gelenGiden) {
2:     this.faturaKepIleIadeEdildiIptalAsync(uuid, gelenGiden, null);
3: }
```

1.1.3.1.17.2.45.2 connectorService.faturaKepIleIadeEdildiIptalAsync Method (string, string, object)**C#**

```
public void faturaKepIleIadeEdildiIptalAsync(string uuid, string gelenGiden, object
userState);
```

Body Source

```
1: public void faturaKepIleIadeEdildiIptalAsync(string uuid, string gelenGiden, object
userState) {
2:     if ((this.faturaKepIleIadeEdildiIptalOperationCompleted == null)) {
3:         this.faturaKepIleIadeEdildiIptalOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaKepIleIadeEdildiIptalOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaKepIleIadeEdildiIptal", new object[] {
6:         uuid,
7:         gelenGiden}, this.faturaKepIleIadeEdildiIptalOperationCompleted,
userState);
8: }
```

1.1.3.1.17.2.46 connectorService.faturaMailGonder Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
```

```

Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
faturaMailGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string inout,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string UUID,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string faturaNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string alicilar,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
faturaMailGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string inout,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string UUID,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string faturaNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string alicilar,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati) {
3:     this.Invoke("faturaMailGonder", new object[] {
4:         vknTckn,
5:         inout,
6:         UUID,
7:         faturaNo,
8:         alicilar,
9:         belgeFormati});
10: }

```

1.1.3.1.17.2.47 faturaMailGonderAsync Method

1.1.3.1.17.2.47.1 connectorService.faturaMailGonderAsync Method (string, string, string, string, string, string)

C#

```

public void faturaMailGonderAsync(string vknTckn, string inout, string UUID, string
faturaNo, string alicilar, string belgeFormati);

```

Body Source

```

1: public void faturaMailGonderAsync(string vknTckn, string inout, string UUID, string
faturaNo, string alicilar, string belgeFormati) {
2:     this.faturaMailGonderAsync(vknTckn, inout, UUID, faturaNo, alicilar, belgeFormati,
null);
3: }

```

1.1.3.1.17.2.47.2 connectorService.faturaMailGonderAsync Method (string, string, string, string, string, object)**C#**

```
public void faturaMailGonderAsync(string vknTckn, string inout, string UUID, string
faturaNo, string alicilar, string belgeFormati, object userState);
```

Body Source

```

1: public void faturaMailGonderAsync(string vknTckn, string inout, string UUID, string
faturaNo, string alicilar, string belgeFormati, object userState) {
2:     if ((this.faturaMailGonderOperationCompleted == null)) {
3:         this.faturaMailGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaMailGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaMailGonder", new object[] {
6:         vknTckn,
7:         inout,
8:         UUID,
9:         faturaNo,
10:        alicilar,
11:        belgeFormati}, this.faturaMailGonderOperationCompleted, userState);
12: }

```

1.1.3.1.17.2.48 connectorService.faturaNoUret Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
faturaNoUret([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string faturaKodu);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
faturaNoUret([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string faturaKodu) {
4:     object[] results = this.Invoke("faturaNoUret", new object[] {
5:         vknTckn,

```

```

6:           faturaKodu));
7:       return ((string)(results[0]));
8:   }

```

1.1.3.1.17.2.49 faturaNoUretAsync Method

1.1.3.1.17.2.49.1 connectorService.faturaNoUretAsync Method (string, string)

C#

```
public void faturaNoUretAsync(string vknTckn, string faturaKodu);
```

Body Source

```

1: public void faturaNoUretAsync(string vknTckn, string faturaKodu) {
2:     this.faturaNoUretAsync(vknTckn, faturaKodu, null);
3: }

```

1.1.3.1.17.2.49.2 connectorService.faturaNoUretAsync Method (string, string, object)

C#

```
public void faturaNoUretAsync(string vknTckn, string faturaKodu, object userState);
```

Body Source

```

1: public void faturaNoUretAsync(string vknTckn, string faturaKodu, object userState) {
2:     if ((this.faturaNoUretOperationCompleted == null)) {
3:         this.faturaNoUretOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaNoUretOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaNoUret", new object[] {
6:         vknTckn,
7:         faturaKodu}, this.faturaNoUretOperationCompleted, userState);
8: }

```

1.1.3.1.17.2.50 connectorService.faturaTarihcesiSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
faturaTarihcesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string faturaYonu,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
faturaTarihcesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string ettn,
```

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string faturaYonu,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn) {
4:     object[] results = this.Invoke("faturaTarihcesiSorgula", new object[] {
5:         ettn,
6:         faturaYonu,
7:         vknTckn});
8:     return ((serviceReturnType[]) (results[0]));
9: }
```

1.1.3.1.17.2.51 faturaTarihcesiSorgulaAsync Method

1.1.3.1.17.2.51.1 connectorService.faturaTarihcesiSorgulaAsync Method (string, string, string)

C#

```
public void faturaTarihcesiSorgulaAsync(string ettn, string faturaYonu, string vknTckn);
```

Body Source

```
1: public void faturaTarihcesiSorgulaAsync(string ettn, string faturaYonu, string vknTckn) {
2:     this.faturaTarihcesiSorgulaAsync(ettn, faturaYonu, vknTckn, null);
3: }
```

1.1.3.1.17.2.51.2 connectorService.faturaTarihcesiSorgulaAsync Method (string, string, string, object)

C#

```
public void faturaTarihcesiSorgulaAsync(string ettn, string faturaYonu, string vknTckn,
object userState);
```

Body Source

```
1: public void faturaTarihcesiSorgulaAsync(string ettn, string faturaYonu, string vknTckn,
object userState) {
2:     if ((this.faturaTarihcesiSorgulaOperationCompleted == null)) {
3:         this.faturaTarihcesiSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaTarihcesiSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaTarihcesiSorgula", new object[] {
6:         ettn,
7:         faturaYonu,
8:         vknTckn}, this.faturaTarihcesiSorgulaOperationCompleted, userState);
9: }
```

1.1.3.1.17.2.52 connectorService.faturayaltirazEdildi Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool faturayaItirazEdildi([System.Xml.Serialization.XmlElementAttribute("ettnList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnList,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gelenGiden,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string iptalSenaryosu);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
faturayaItirazEdildi([System.Xml.Serialization.XmlElementAttribute("ettnList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnList,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gelenGiden,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string iptalSenaryosu) {
4:     object[] results = this.Invoke("faturayaItirazEdildi", new object[] {
5:         ettnList,
6:         gelenGiden,
7:         iptalSenaryosu});
8:     return ((bool)(results[0]));
9: }

```

1.1.3.1.17.2.53 faturayaltirazEdildiAsync Method

1.1.3.1.17.2.53.1 connectorService.faturayaltirazEdildiAsync Method (string[], string, string)

C#

```
public void faturayaItirazEdildiAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu);
```

Body Source

```

1: public void faturayaItirazEdildiAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu) {
2:     this.faturayaItirazEdildiAsync(ettnList, gelenGiden, iptalSenaryosu, null);
3: }
```

1.1.3.1.17.2.53.2 connectorService.faturayaltirazEdildiAsync Method (string[], string, string, object)

C#

```
public void faturayaItirazEdildiAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu, object userState);
```

Body Source

```

1: public void faturayaItirazEdildiAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu, object userState) {
2:     if ((this.faturayaItirazEdildiOperationCompleted == null)) {
3:         this.faturayaItirazEdildiOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturayaItirazEdildiOperationCompleted);
4:     }
5:     this.InvokeAsync("faturayaItirazEdildi", new object[] {
6:         ettnList,
7:         gelenGiden,
8:         iptalSenaryosu}, this.faturayaItirazEdildiOperationCompleted, userState);
9: }
```

1.1.3.1.17.2.54 connectorService.faturayaltirazEdildilptl Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
```

```

public bool
faturayaItirazEdildiIptal([System.Xml.Serialization.XmlElementAttribute("ettnList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnList,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gelenGiden,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string iptalSenaryosu);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
faturayaItirazEdildiIptal([System.Xml.Serialization.XmlElementAttribute("ettnList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnList,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gelenGiden,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string iptalSenaryosu) {
4:     object[] results = this.Invoke("faturayaItirazEdildiIptal", new object[] {
5:         ettnList,
6:         gelenGiden,
7:         iptalSenaryosu});
8:     return ((bool)(results[0]));
9: }

```

1.1.3.1.17.2.55 faturayaltirazEdildilptaAsync Method**1.1.3.1.17.2.55.1 connectorService.faturayaltirazEdildilptaAsync Method (string[], string, string)****C#**

```

public void faturayaItirazEdildiIptalAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu);

```

Body Source

```

1: public void faturayaItirazEdildiIptalAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu) {
2:     this.faturayaItirazEdildiIptalAsync(ettnList, gelenGiden, iptalSenaryosu, null);
3: }

```

1.1.3.1.17.2.55.2 connectorService.faturayaltirazEdildilptaAsync Method (string[], string, string, object)**C#**

```

public void faturayaItirazEdildiIptalAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu, object userState);

```

Body Source

```

1: public void faturayaItirazEdildiIptalAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu, object userState) {
2:     if ((this.faturayaItirazEdildiIptalOperationCompleted == null)) {
3:         this.faturayaItirazEdildiIptalOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturayaItirazEdildiIptalOperationCompleted);
4:     }
5:     this.InvokeAsync("faturayaItirazEdildiIptal", new object[] {
6:         ettnList,
7:         gelenGiden,
8:         iptalSenaryosu}, this.faturayaItirazEdildiIptalOperationCompleted,

```

```
    userState);
9: }
```

1.1.3.1.17.2.56 connectorService.gelenBelgeDurumSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType
gelenBelgeDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType
gelenBelgeDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru) {
4:     object[] results = this.Invoke("gelenBelgeDurumSorgula", new object[] {
5:         vergiTcKimlikNo,
6:         ettn,
7:         belgeTuru});
8:     return ((serviceReturnType)(results[0]));
9: }
```

1.1.3.1.17.2.57 gelenBelgeDurumSorgulaAsync Method

1.1.3.1.17.2.57.1 connectorService.gelenBelgeDurumSorgulaAsync Method (string, string, string)

C#

```
public void gelenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string ettn, string
belgeTuru);
```

Body Source

```
1: public void gelenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string ettn, string
belgeTuru) {
2:     this.gelenBelgeDurumSorgulaAsync(vergiTcKimlikNo, ettn, belgeTuru, null);
3: }
```

1.1.3.1.17.2.57.2 connectorService.gelenBelgeDurumSorgulaAsync Method (string, string, string, object)

C#

```
public void gelenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string ettn, string belgeTuru, object userState);
```

Body Source

```
1: public void gelenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string ettn, string belgeTuru, object userState) {
2:     if ((this.gelenBelgeDurumSorgulaOperationCompleted == null)) {
3:         this.gelenBelgeDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeDurumSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeDurumSorgula", new object[] {
6:         vergiTcKimlikNo,
7:         ettn,
8:         belgeTuru}, this.gelenBelgeDurumSorgulaOperationCompleted, userState);
9: }
```

1.1.3.1.17.2.58 connectorService.gelenBelgeDurumSorgulaExt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType
gelenBelgeDurumSorgulaExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType
gelenBelgeDurumSorgulaExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("gelenBelgeDurumSorgulaExt", new object[] {
5:         parametreler});
6:     return ((serviceReturnType)(results[0]));
7: }
```

1.1.3.1.17.2.59 gelenBelgeDurumSorgulaExtAsync Method

1.1.3.1.17.2.59.1 connectorService.gelenBelgeDurumSorgulaExtAsync Method (gelenBelgeParametreleri)

C#

```
public void gelenBelgeDurumSorgulaExtAsync(gelenBelgeParametreleri parametreler);
```

Body Source

```
1: public void gelenBelgeDurumSorgulaExtAsync(gelenBelgeParametreleri parametreler) {
2:     this.gelenBelgeDurumSorgulaExtAsync(parametreler, null);
3: }
```

1.1.3.1.17.2.59.2 connectorService.gelenBelgeDurumSorgulaExtAsync Method (gelenBelgeParametreleri, object)

C#

```
public void gelenBelgeDurumSorgulaExtAsync(gelenBelgeParametreleri parametreler, object
userState);
```

Body Source

```
1: public void gelenBelgeDurumSorgulaExtAsync(gelenBelgeParametreleri parametreler, object
userState) {
2:     if ((this.gelenBelgeDurumSorgulaExtOperationCompleted == null)) {
3:         this.gelenBelgeDurumSorgulaExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeDurumSorgulaExtOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeDurumSorgulaExt", new object[] {
6:         parametreler}, this.gelenBelgeDurumSorgulaExtOperationCompleted,
userState);
7: }
```

1.1.3.1.17.2.60 connectorService.gelenBelgeEkleriAl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gelenBelgeEkleriAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string uuid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gelenBelgeEkleriAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string uuid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru) {
4:     object[] results = this.Invoke("gelenBelgeEkleriAl", new object[] {
5:         uuid,
6:         vknTckn,
7:         belgeTuru});
8:     return ((byte[])(results[0]));
9: }
```

1.1.3.1.17.2.61 gelenBelgeEkleriAlAsync Method

1.1.3.1.17.2.61.1 connectorService.gelenBelgeEkleriAlAsync Method (string, string, string)

C#

```
public void gelenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru);
```

Body Source

```
1: public void gelenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru) {
2:     this.gelenBelgeEkleriAlAsync(uuid, vknTckn, belgeTuru, null);
3: }
```

1.1.3.1.17.2.61.2 connectorService.gelenBelgeEkleriAlAsync Method (string, string, string, object)

C#

```
public void gelenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru, object
userState);
```

Body Source

```
1: public void gelenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru,
object userState) {
2:     if ((this.gelenBelgeEkleriAlOperationCompleted == null)) {
3:         this.gelenBelgeEkleriAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeEkleriAlOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeEkleriAl", new object[] {
6:         uuid,
7:         vknTckn,
8:         belgeTuru}, this.gelenBelgeEkleriAlOperationCompleted, userState);
9: }
```

1.1.3.1.17.2.62 connectorService.gelenBelgeleriAl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gelenBelgeleriAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSch
emaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string sonAlinanBelgeSiraNumarasi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gelenBelgeleriAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSch
emaForm.Unqualified)]
string vergiTcKimlikNo,
```

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string sonAlinanBelgeSiraNumarasi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru) {
4:     object[] results = this.Invoke("gelenBelgeleriAl", new object[] {
5:         vergiTcKimlikNo,
6:         sonAlinanBelgeSiraNumarasi,
7:         belgeTuru});
8:     return ((serviceReturnType[]) (results[0]));
9: }
```

1.1.3.1.17.2.63 gelenBelgeleriAIAsyc Method

1.1.3.1.17.2.63.1 connectorService.gelenBelgeleriAIAsyc Method (string, string, string)

C#

```
public void gelenBelgeleriAlAsyc(string vergiTcKimlikNo, string
sonAlinanBelgeSiraNumarasi, string belgeTuru);
```

Body Source

```
1: public void gelenBelgeleriAlAsyc(string vergiTcKimlikNo, string
sonAlinanBelgeSiraNumarasi, string belgeTuru) {
2:     this.gelenBelgeleriAlAsyc(vergiTcKimlikNo, sonAlinanBelgeSiraNumarasi, belgeTuru,
null);
3: }
```

1.1.3.1.17.2.63.2 connectorService.gelenBelgeleriAIAsyc Method (string, string, string, object)

C#

```
public void gelenBelgeleriAlAsyc(string vergiTcKimlikNo, string
sonAlinanBelgeSiraNumarasi, string belgeTuru, object userState);
```

Body Source

```
1: public void gelenBelgeleriAlAsyc(string vergiTcKimlikNo, string
sonAlinanBelgeSiraNumarasi, string belgeTuru, object userState) {
2:     if ((this.gelenBelgeleriAlOperationCompleted == null)) {
3:         this.gelenBelgeleriAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeleriAlOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeleriAl", new object[] {
6:         vergiTcKimlikNo,
7:         sonAlinanBelgeSiraNumarasi,
8:         belgeTuru}, this.gelenBelgeleriAlOperationCompleted, userState);
9: }
```

1.1.3.1.17.2.64 connectorService.gelenBelgeleriAIExt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gelenBelgeleriAlExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
```

```

ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gelenBelgeleriAlExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("gelenBelgeleriAlExt", new object[] {
5:         parametreler});
6:     return ((serviceReturnType[])(results[0]));
7: }

```

1.1.3.1.17.2.65 connectorService.gelenBelgeleriAlExt2 Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gelenBelgeleriAlExt2([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
lSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru, [System.Xml.Serialization.XmlArrayItemAttribute("entry",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=false)]
gelenBelgeleriAlExt2Entry[] parametreler);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gelenBelgeleriAlExt2([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
lSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlArrayAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified
)]
[System.Xml.Serialization.XmlArrayItemAttribute("entry",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=false)]
gelenBelgeleriAlExt2Entry[] parametreler) {
4:     object[] results = this.Invoke("gelenBelgeleriAlExt2", new object[] {
5:         vergiTcKimlikNo,
6:         belgeTuru,
7:         parametreler});
8:     return ((serviceReturnType[])(results[0]));
9: }

```

1.1.3.1.17.2.66 gelenBelgeleriAlExt2Async Method

1.1.3.1.17.2.66.1 connectorService.gelenBelgeleriAIExt2Async Method (string, string, gelenBelgeleriAIExt2Entry[])

C#

```
public void gelenBelgeleriAIExt2Async(string vergiTcKimlikNo, string belgeTuru,
gelenBelgeleriAIExt2Entry[] parametreler);
```

Body Source

```
1: public void gelenBelgeleriAIExt2Async(string vergiTcKimlikNo, string belgeTuru,
gelenBelgeleriAIExt2Entry[] parametreler) {
2:     this.gelenBelgeleriAIExt2Async(vergiTcKimlikNo, belgeTuru, parametreler, null);
3: }
```

1.1.3.1.17.2.66.2 connectorService.gelenBelgeleriAIExt2Async Method (string, string, gelenBelgeleriAIExt2Entry[], object)

C#

```
public void gelenBelgeleriAIExt2Async(string vergiTcKimlikNo, string belgeTuru,
gelenBelgeleriAIExt2Entry[] parametreler, object userState);
```

Body Source

```
1: public void gelenBelgeleriAIExt2Async(string vergiTcKimlikNo, string belgeTuru,
gelenBelgeleriAIExt2Entry[] parametreler, object userState) {
2:     if ((this.gelenBelgeleriAIExt2OperationCompleted == null)) {
3:         this.gelenBelgeleriAIExt2OperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeleriAIExt2OperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeleriAIExt2", new object[] {
6:         vergiTcKimlikNo,
7:         belgeTuru,
8:         parametreler}, this.gelenBelgeleriAIExt2OperationCompleted, userState);
9: }
```

1.1.3.1.17.2.67 gelenBelgeleriAIExtAsync Method

1.1.3.1.17.2.67.1 connectorService.gelenBelgeleriAIExtAsync Method (gelenBelgeParametreleri)

C#

```
public void gelenBelgeleriAIExtAsync(gelenBelgeParametreleri parametreler);
```

Body Source

```
1: public void gelenBelgeleriAIExtAsync(gelenBelgeParametreleri parametreler) {
2:     this.gelenBelgeleriAIExtAsync(parametreler, null);
3: }
```

1.1.3.1.17.2.67.2 connectorService.gelenBelgeleriAIExtAsync Method (gelenBelgeParametreleri, object)

C#

```
public void gelenBelgeleriAIExtAsync(gelenBelgeParametreleri parametreler, object
userState);
```

Body Source

```
1: public void gelenBelgeleriAIExtAsync(gelenBelgeParametreleri parametreler, object
userState) {
2:     if ((this.gelenBelgeleriAIExtOperationCompleted == null)) {
3:         this.gelenBelgeleriAIExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeleriAIExtOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeleriAIExt", new object[] {
6:         parametreler}, this.gelenBelgeleriAIExtOperationCompleted, userState);
7: }
```

1.1.3.1.17.2.68 connectorService.gelenBelgeleriIndir Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gelenBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeFormati);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gelenBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeFormati) {
4:     object[] results = this.Invoke("gelenBelgeleriIndir", new object[] {
5:         vergiTcKimlikNo,
6:         ettnler,
7:         belgeTuru,
8:         belgeFormati});
9:     return ((byte[])(results[0]));
10: }
```

1.1.3.1.17.2.69 gelenBelgeleriIndirAsync Method

1.1.3.1.17.2.69.1 connectorService.gelenBelgeleriIndirAsync Method (string, string[], string, string)

C#

```
public void gelenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler, string
belgeTuru, string belgeFormati);
```

Body Source

```
1: public void gelenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler, string
belgeTuru, string belgeFormati) {
2:     this.gelenBelgeleriIndirAsync(vergiTcKimlikNo, ettnler, belgeTuru, belgeFormati,
null);
3: }
```

1.1.3.1.17.2.69.2 connectorService.gelenBelgeleriIndirAsync Method (string, string[], string, string, object)**C#**

```
public void gelenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler, string belgeTuru, string belgeFormati, object userState);
```

Body Source

```
1: public void gelenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler, string belgeTuru, string belgeFormati, object userState) {
2:     if ((this.gelenBelgeleriIndirOperationCompleted == null)) {
3:         this.gelenBelgeleriIndirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeleriIndirOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeleriIndir", new object[] {
6:         vergiTcKimlikNo,
7:         ettnler,
8:         belgeTuru,
9:         belgeFormati}, this.gelenBelgeleriIndirOperationCompleted, userState);
10: }
```

1.1.3.1.17.2.70 connectorService.gelenBelgeleriIndirExt Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gelenBelgeleriIndirExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gelenBelgeleriIndirExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("gelenBelgeleriIndirExt", new object[] {
5:         parametreler});
6:     return ((byte[])(results[0]));
7: }
```

1.1.3.1.17.2.71 gelenBelgeleriIndirExtAsync Method**1.1.3.1.17.2.71.1 connectorService.gelenBelgeleriIndirExtAsync Method (gelenBelgeParametreleri)****C#**

```
public void gelenBelgeleriIndirExtAsync(gelenBelgeParametreleri parametreler);
```

Body Source

```
1: public void gelenBelgeleriIndirExtAsync(gelenBelgeParametreleri parametreler) {
2:     this.gelenBelgeleriIndirExtAsync(parametreler, null);
3: }
```

1.1.3.1.17.2.71.2 connectorService.gelenBelgeleriIndirExtAsync Method (gelenBelgeParametreleri, object)

C#

```
public void gelenBelgeleriIndirExtAsync(gelenBelgeParametreleri parametreler, object
userState);
```

Body Source

```
1: public void gelenBelgeleriIndirExtAsync(gelenBelgeParametreleri parametreler, object
userState) {
2:     if ((this.gelenBelgeleriIndirExtOperationCompleted == null)) {
3:         this.gelenBelgeleriIndirExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeleriIndirExtOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeleriIndirExt", new object[] {
6:         parametreler}, this.gelenBelgeleriIndirExtOperationCompleted, userState);
7: }
```

1.1.3.1.17.2.72 connectorService.gelenBelgeleriListele Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gelenBelgeleriListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string sonAlinanBelgeSiraNumarasi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gelenBelgeleriListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string sonAlinanBelgeSiraNumarasi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru) {
4:     object[] results = this.Invoke("gelenBelgeleriListele", new object[] {
5:         vergiTcKimlikNo,
6:         sonAlinanBelgeSiraNumarasi,
7:         belgeTuru});
8:     return ((serviceReturnType[])(results[0]));
9: }
```

1.1.3.1.17.2.73 gelenBelgeleriListeleAsync Method

1.1.3.1.17.2.73.1 connectorService.gelenBelgeleriListeleAsync Method (string, string, string)

C#

```
public void gelenBelgeleriListeleAsync(string vergiTcKimlikNo, string sonAlinanBelgeSiraNumarasi, string belgeTuru);
```

Body Source

```
1: public void gelenBelgeleriListeleAsync(string vergiTcKimlikNo, string
sonAlinanBelgeSiraNumarasi, string belgeTuru) {
2:     this.gelenBelgeleriListeleAsync(vergiTcKimlikNo, sonAlinanBelgeSiraNumarasi,
belgeTuru, null);
3: }
```

1.1.3.1.17.2.73.2 connectorService.gelenBelgeleriListeleAsync Method (string, string, string, object)

C#

```
public void gelenBelgeleriListeleAsync(string vergiTcKimlikNo, string
sonAlinanBelgeSiraNumarasi, string belgeTuru, object userState);
```

Body Source

```
1: public void gelenBelgeleriListeleAsync(string vergiTcKimlikNo, string
sonAlinanBelgeSiraNumarasi, string belgeTuru, object userState) {
2:     if ((this.gelenBelgeleriListeleOperationCompleted == null)) {
3:         this.gelenBelgeleriListeleOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeleriListeleOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeleriListele", new object[] {
6:         vergiTcKimlikNo,
7:         sonAlinanBelgeSiraNumarasi,
8:         belgeTuru}, this.gelenBelgeleriListeleOperationCompleted, userState);
9: }
```

1.1.3.1.17.2.74 connectorService.gelenBelgeleriListeleExt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gelenBelgeleriListeleExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gelenBelgeleriListeleExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("gelenBelgeleriListeleExt", new object[] {
5:         parametreler});
6:     return ((serviceReturnType[])(results[0]));
7: }
```

1.1.3.1.17.2.75 gelenBelgeleriListeleExtAsync Method

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

1.1.3.1.17.2.75.1 connectorService.gelenBelgeleriListeleExtAsync Method (gelenBelgeParametreleri)**C#**

```
public void gelenBelgeleriListeleExtAsync(gelenBelgeParametreleri parametreler);
```

Body Source

```
1: public void gelenBelgeleriListeleExtAsync(gelenBelgeParametreleri parametreler) {
2:     this.gelenBelgeleriListeleExtAsync(parametreler, null);
3: }
```

1.1.3.1.17.2.75.2 connectorService.gelenBelgeleriListeleExtAsync Method (gelenBelgeParametreleri, object)**C#**

```
public void gelenBelgeleriListeleExtAsync(gelenBelgeParametreleri parametreler, object
userState);
```

Body Source

```
1: public void gelenBelgeleriListeleExtAsync(gelenBelgeParametreleri parametreler, object
userState) {
2:     if ((this.gelenBelgeleriListeleExtOperationCompleted == null)) {
3:         this.gelenBelgeleriListeleExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeleriListeleExtOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeleriListeleExt", new object[] {
6:         parametreler}, this.gelenBelgeleriListeleExtOperationCompleted,
userState);
7: }
```

1.1.3.1.17.2.76 connectorService.gelenBelgeTutarBilgileriSorgula Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gelenBelgeTutarBilgileriSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string baslangicGelisTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string bitisGelisTarihi);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gelenBelgeTutarBilgileriSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
```

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string baslangicGelisTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string bitisGelisTarihi) {
4:     object[] results = this.Invoke("gelenBelgeTutarBilgileriSorgula", new object[] {
5:         vergiTcKimlikNo,
6:         belgeTuru,
7:         baslangicGelisTarihi,
8:         bitisGelisTarihi});
9:     return ((serviceReturnType[])(results[0]));
10: }
```

1.1.3.1.17.2.77 gelenBelgeTutarBilgileriSorgulaAsync Method

1.1.3.1.17.2.77.1 connectorService.gelenBelgeTutarBilgileriSorgulaAsync Method (string, string, string, string)

C#

```
public void gelenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string belgeTuru,
string baslangicGelisTarihi, string bitisGelisTarihi);
```

Body Source

```
1: public void gelenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string
belgeTuru, string baslangicGelisTarihi, string bitisGelisTarihi) {
2:     this.gelenBelgeTutarBilgileriSorgulaAsync(vergiTcKimlikNo, belgeTuru,
baslangicGelisTarihi, bitisGelisTarihi, null);
3: }
```

1.1.3.1.17.2.77.2 connectorService.gelenBelgeTutarBilgileriSorgulaAsync Method (string, string, string, string, object)

C#

```
public void gelenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string belgeTuru,
string baslangicGelisTarihi, string bitisGelisTarihi, object userState);
```

Body Source

```
1: public void gelenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string
belgeTuru, string baslangicGelisTarihi, string bitisGelisTarihi, object userState) {
2:     if ((this.gelenBelgeTutarBilgileriSorgulaOperationCompleted == null)) {
3:         this.gelenBelgeTutarBilgileriSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeTutarBilgileriSorgulaOperationCompleted
);
4:     }
5:     this.InvokeAsync("gelenBelgeTutarBilgileriSorgula", new object[] {
6:         vergiTcKimlikNo,
7:         belgeTuru,
8:         baslangicGelisTarihi,
9:         bitisGelisTarihi},
this.gelenBelgeTutarBilgileriSorgulaOperationCompleted, userState);
10: }
```

1.1.3.1.17.2.78 connectorService.gelenBelgeXmlleriniAI Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
```

```

Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string[]
gelenBelgeXmlleriniAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string[]
gelenBelgeXmlleriniAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru) {
4:     object[] results = this.Invoke("gelenBelgeXmlleriniAl", new object[] {
5:         vergiTcKimlikNo,
6:         ettnler,
7:         belgeTuru});
8:     return ((string[])(results[0]));
9: }

```

1.1.3.1.17.2.79 gelenBelgeXmlleriniAlAsync Method**1.1.3.1.17.2.79.1 connectorService.gelenBelgeXmlleriniAlAsync Method (string, string[], string)****C#**

```

public void gelenBelgeXmlleriniAlAsync(string vergiTcKimlikNo, string[] ettnler, string
belgeTuru);

```

Body Source

```

1: public void gelenBelgeXmlleriniAlAsync(string vergiTcKimlikNo, string[] ettnler, string
belgeTuru) {
2:     this.gelenBelgeXmlleriniAlAsync(vergiTcKimlikNo, ettnler, belgeTuru, null);
3: }

```

1.1.3.1.17.2.79.2 connectorService.gelenBelgeXmlleriniAlAsync Method (string, string[], string, object)**C#**

```

public void gelenBelgeXmlleriniAlAsync(string vergiTcKimlikNo, string[] ettnler, string
belgeTuru, object userState);

```

Body Source

```

1: public void gelenBelgeXmlleriniAlAsync(string vergiTcKimlikNo, string[] ettnler, string
belgeTuru, object userState) {
2:     if ((this.gelenBelgeXmlleriniAlOperationCompleted == null)) {
3:         this.gelenBelgeXmlleriniAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeXmlleriniAlOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeXmlleriniAl", new object[] {
6:         vergiTcKimlikNo,
7:         ettnler,
8:         belgeTuru}, this.gelenBelgeXmlleriniAlOperationCompleted, userState);
9: }

```

1.1.3.1.17.2.80 connectorService.gelenBelgeXmlleriniAlExt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gelenBelgeXmlleriniAlExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gelenBelgeXmlleriniAlExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("gelenBelgeXmlleriniAlExt", new object[] {
5:         parametreler});
6:     return ((byte[])(results[0]));
7: }
```

1.1.3.1.17.2.81 gelenBelgeXmlleriniAlExtAsync Method

1.1.3.1.17.2.81.1 connectorService.gelenBelgeXmlleriniAlExtAsync Method (gelenBelgeParametreleri)

C#

```
public void gelenBelgeXmlleriniAlExtAsync(gelenBelgeParametreleri parametreler);
```

Body Source

```
1: public void gelenBelgeXmlleriniAlExtAsync(gelenBelgeParametreleri parametreler) {
2:     this.gelenBelgeXmlleriniAlExtAsync(parametreler, null);
3: }
```

1.1.3.1.17.2.81.2 connectorService.gelenBelgeXmlleriniAlExtAsync Method (gelenBelgeParametreleri, object)

C#

```
public void gelenBelgeXmlleriniAlExtAsync(gelenBelgeParametreleri parametreler, object
userState);
```

Body Source

```
1: public void gelenBelgeXmlleriniAlExtAsync(gelenBelgeParametreleri parametreler, object
userState) {
2:     if ((this.gelenBelgeXmlleriniAlExtOperationCompleted == null)) {
3:         this.gelenBelgeXmlleriniAlExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeXmlleriniAlExtOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeXmlleriniAlExt", new object[] {
6:         parametreler}, this.gelenBelgeXmlleriniAlExtOperationCompleted,
userState);
7: }
```

1.1.3.1.17.2.82 connectorService.gelenFaturalariArsiveKaldır Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
gelenFaturalariArsiveKaldır([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("invoiceEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] invoiceEttnListesi);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
gelenFaturalariArsiveKaldır([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("invoiceEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] invoiceEttnListesi) {
3:     this.Invoke("gelenFaturalariArsiveKaldır", new object[] {
4:         vergiTcKimlikNo,
5:         invoiceEttnListesi});
6: }
```

1.1.3.1.17.2.83 gelenFaturalariArsiveKaldırAsync Method

1.1.3.1.17.2.83.1 connectorService.gelenFaturalariArsiveKaldırAsync Method (string, string[])

C#

```
public void gelenFaturalariArsiveKaldırAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi);
```

Body Source

```
1: public void gelenFaturalariArsiveKaldırAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi) {
2:     this.gelenFaturalariArsiveKaldırAsync(vergiTcKimlikNo, invoiceEttnListesi, null);
3: }
```

1.1.3.1.17.2.83.2 connectorService.gelenFaturalariArsiveKaldırAsync Method (string, string[], object)

C#

```
public void gelenFaturalariArsiveKaldırAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi, object userState);
```

Body Source

```
1: public void gelenFaturalariArsiveKaldırAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi, object userState) {
2:     if ((this.gelenFaturalariArsiveKaldırOperationCompleted == null)) {
3:         this.gelenFaturalariArsiveKaldırOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenFaturalariArsiveKaldırOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenFaturalariArsiveKaldır", new object[] {
6:         vergiTcKimlikNo,
7:         invoiceEttnListesi}, this.gelenFaturalariArsiveKaldırOperationCompleted,
userState);
8: }
```

1.1.3.1.17.2.84 connectorService.gelenIrsaliyeleriArsiveKaldır Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
gelenIrsaliyeleriArsiveKaldır([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute("despatchEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] despatchEttnListesi);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
gelenIrsaliyeleriArsiveKaldır([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute("despatchEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] despatchEttnListesi) {
3:     this.Invoke("gelenIrsaliyeleriArsiveKaldır", new object[] {
4:         vergiTcKimlikNo,
5:         despatchEttnListesi});
6: }
```

1.1.3.1.17.2.85 gelenIrsaliyeleriArsiveKaldırAsync Method

1.1.3.1.17.2.85.1 connectorService.gelenIrsaliyeleriArsiveKaldırAsync Method (string, string[])

C#

```
public void gelenIrsaliyeleriArsiveKaldırAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi);
```

Body Source

```
1: public void gelenIrsaliyeleriArsiveKaldırAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi) {
2:     this.gelenIrsaliyeleriArsiveKaldırAsync(vergiTcKimlikNo, despatchEttnListesi, null);
3: }
```

1.1.3.1.17.2.85.2 connectorService.gelenIrsaliyeleriArsiveKaldırAsync Method (string, string[], object)

C#

```
public void gelenIrsaliyeleriArsiveKaldırAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi, object userState);
```

Body Source

```
1: public void gelenIrsaliyeleriArsiveKaldırAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi, object userState) {
2:     if ((this.gelenIrsaliyeleriArsiveKaldırOperationCompleted == null)) {
3:         this.gelenIrsaliyeleriArsiveKaldırOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenIrsaliyeleriArsiveKaldırOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenIrsaliyeleriArsiveKaldır", new object[] {
6:         vergiTcKimlikNo,
7:         despatchEttnListesi},
this.gelenIrsaliyeleriArsiveKaldırOperationCompleted, userState);
8: }
```

1.1.3.1.17.2.86 connectorService.gelenStandartRapolariAl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gelenStandartRapolariAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gonderenVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string aliciVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string baslangicTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string bitisTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gonderimBaslangicTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gonderimBitisTarihi);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gelenStandartRapolariAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gonderenVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string aliciVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string baslangicTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string bitisTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gonderimBaslangicTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gonderimBitisTarihi) {
4:     object[] results = this.Invoke("gelenStandartRapolariAl", new object[] {
5:         gonderenVknTckn,
6:         aliciVknTckn,
7:         baslangicTarihi,
8:         bitisTarihi,
9:         gonderimBaslangicTarihi,
10:        gonderimBitisTarihi});
11:    return ((byte[])(results[0]));
12: }
```

1.1.3.1.17.2.87 gelenStandartRapolariAlAsync Method

1.1.3.1.17.2.87.1 connectorService.gelenStandartRapolariAlAsync Method (string, string, string, string, string)

C#

```
public void gelenStandartRapolariAlAsync(string gonderenVknTckn, string aliciVknTckn,
string baslangicTarihi, string bitisTarihi, string gonderimBaslangicTarihi, string
gonderimBitisTarihi);
```

Body Source

```
1: public void gelenStandartRapolariAlAsync(string gonderenVknTckn, string aliciVknTckn,
string baslangicTarihi, string bitisTarihi, string gonderimBaslangicTarihi, string
gonderimBitisTarihi) {
2:     this.gelenStandartRapolariAlAsync(gonderenVknTckn, aliciVknTckn, baslangicTarihi,
bitisTarihi, gonderimBaslangicTarihi, gonderimBitisTarihi, null);
3: }
```

1.1.3.1.17.2.87.2 connectorService.gelenStandartRapolariAlAsync Method (string, string, string, string, string, object)

C#

```
public void gelenStandartRapolariAlAsync(string gonderenVknTckn, string aliciVknTckn,
string baslangicTarihi, string bitisTarihi, string gonderimBaslangicTarihi, string
gonderimBitisTarihi, object userState);
```

Body Source

```
1: public void gelenStandartRapolariAlAsync(string gonderenVknTckn, string aliciVknTckn,
string baslangicTarihi, string bitisTarihi, string gonderimBaslangicTarihi, string
gonderimBitisTarihi, object userState) {
2:     if ((this.gelenStandartRapolariAlOperationCompleted == null)) {
3:         this.gelenStandartRapolariAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenStandartRapolariAlOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenStandartRapolariAl", new object[] {
6:         gonderenVknTckn,
7:         aliciVknTckn,
8:         baslangicTarihi,
9:         bitisTarihi,
10:        gonderimBaslangicTarihi,
11:        gonderimBitisTarihi}, this.gelenStandartRapolariAlOperationCompleted,
userState);
12: }
```

1.1.3.1.17.2.88 connectorService.gelenTamamlananRapolariAl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gelenTamamlananRapolariAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
string gonderenVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string aliciVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gelisBasTarihi,
```

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gelisBitTarihi;

Body Source

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("", RequestNamespace="http://service.connector.uut.cs.com.tr/", ResponseNamespace="http://service.connector.uut.cs.com.tr/", Use=System.Web.Services.Description.SoapBindingUse.Literal, ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return", Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gelenTamamlananRapolariAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string gonderenVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string aliciVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gelisBasTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gelisBitTarihi {
4:     object[] results = this.Invoke("gelenTamamlananRapolariAl", new object[] {
5:         gonderenVknTckn,
6:         aliciVknTckn,
7:         gelisBasTarihi,
8:         gelisBitTarihi});
9:     return ((byte[])(results[0]));
10: }
```

1.1.3.1.17.2.89 gelenTamamlananRapolariAIAsync Method

1.1.3.1.17.2.89.1 connectorService.gelenTamamlananRapolariAIAsync Method (string, string, string, string)

C#

```
public void gelenTamamlananRapolariAIAsync(string gonderenVknTckn, string aliciVknTckn, string gelisBasTarihi, string gelisBitTarihi);
```

Body Source

```
1: public void gelenTamamlananRapolariAIAsync(string gonderenVknTckn, string aliciVknTckn, string gelisBasTarihi, string gelisBitTarihi) {
2:     this.gelenTamamlananRapolariAIAsync(gonderenVknTckn, aliciVknTckn, gelisBasTarihi, gelisBitTarihi, null);
3: }
```

1.1.3.1.17.2.89.2 connectorService.gelenTamamlananRapolariAIAsync Method (string, string, string, string, object)

C#

```
public void gelenTamamlananRapolariAIAsync(string gonderenVknTckn, string aliciVknTckn, string gelisBasTarihi, string gelisBitTarihi, object userState);
```

Body Source

```
1: public void gelenTamamlananRapolariAIAsync(string gonderenVknTckn, string aliciVknTckn, string gelisBasTarihi, string gelisBitTarihi, object userState) {
2:     if ((this.gelenTamamlananRapolariAIOperationCompleted == null)) {
3:         this.gelenTamamlananRapolariAIOperationCompleted = new System.Threading.SendOrPostCallback(this.OngelenTamamlananRapolariAIOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenTamamlananRapolariAI", new object[] {
6:         gonderenVknTckn,
7:         aliciVknTckn,
```

```

8:             gelisBasTarihi,
9:             gelisBitTarihi}, this.gelenTasinanRapolariAlOperationCompleted,
10:            userState);

```

1.1.3.1.17.2.90 connectorService.gelenTasinanBelgeleriIndir Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gelenTasinanBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gelenTasinanBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati) {
4:     object[] results = this.Invoke("gelenTasinanBelgeleriIndir", new object[] {
5:         vergiTcKimlikNo,
6:         ettnler,
7:         belgeFormati});
8:     return ((byte[])(results[0]));
9: }

```

1.1.3.1.17.2.91 gelenTasinanBelgeleriIndirAsync Method

1.1.3.1.17.2.91.1 connectorService.gelenTasinanBelgeleriIndirAsync Method (string, string[], string)

C#

```

public void gelenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler,
string belgeFormati);

```

Body Source

```

1: public void gelenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler,
string belgeFormati) {
2:     this.gelenTasinanBelgeleriIndirAsync(vergiTcKimlikNo, ettnler, belgeFormati, null);
3: }

```

1.1.3.1.17.2.91.2 connectorService.gelenTasinanBelgeleriIndirAsync Method (string, string[], string, object)

C#

```

public void gelenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler,

```

```
    string belgeFormati, object userState);
```

Body Source

```
1: public void gelenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler,
2:     string belgeFormati, object userState) {
3:     if ((this.gelenTasinanBelgeleriIndirOperationCompleted == null)) {
4:         this.gelenTasinanBelgeleriIndirOperationCompleted = new
5:             System.Threading.SendOrPostCallback(this.OngelenTasinanBelgeleriIndirOperationCompleted);
6:     }
7:     this.InvokeAsync("gelenTasinanBelgeleriIndir", new object[] {
8:         vergiTcKimlikNo,
9:         ettnler,
10:        belgeFormati}, this.gelenTasinanBelgeleriIndirOperationCompleted,
11:        userState);
12: }
```

1.1.3.1.17.2.92 connectorService.gidenBelgeDurumSorgula Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public gidenBelgeDurum
gidenBelgeDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeOid);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public gidenBelgeDurum
gidenBelgeDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeOid) {
4:     object[] results = this.Invoke("gidenBelgeDurumSorgula", new object[] {
5:         vergiTcKimlikNo,
6:         belgeOid});
7:     return ((gidenBelgeDurum)(results[0]));
8: }
```

1.1.3.1.17.2.93 gidenBelgeDurumSorgulaAsync Method**1.1.3.1.17.2.93.1 connectorService.gidenBelgeDurumSorgulaAsync Method (string, string)****C#**

```
public void gidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string belgeOid);
```

Body Source

```
1: public void gidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string belgeOid) {
2:     this.gidenBelgeDurumSorgulaAsync(vergiTcKimlikNo, belgeOid, null);
```

```
3: }
```

1.1.3.1.17.2.93.2 connectorService.gidenBelgeDurumSorgulaAsync Method (string, string, object)

C#

```
public void gidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string belgeOid, object userState);
```

Body Source

```
1: public void gidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string belgeOid, object userState) {
2:     if ((this.gidenBelgeDurumSorgulaOperationCompleted == null)) {
3:         this.gidenBelgeDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeDurumSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeDurumSorgula", new object[] {
6:         vergiTcKimlikNo,
7:         belgeOid}, this.gidenBelgeDurumSorgulaOperationCompleted, userState);
8: }
```

1.1.3.1.17.2.94 connectorService.gidenBelgeDurumSorgulaBelgeNo Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public gidenBelgeDurum
gidenBelgeDurumSorgulaBelgeNo([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string urun);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public gidenBelgeDurum
gidenBelgeDurumSorgulaBelgeNo([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string urun) {
4:     object[] results = this.Invoke("gidenBelgeDurumSorgulaBelgeNo", new object[] {
5:         vergiTcKimlikNo,
6:         belgeNo,
7:         urun});
8:     return ((gidenBelgeDurum)(results[0]));
9: }
```

1.1.3.1.17.2.95 gidenBelgeDurumSorgulaBelgeNoAsync Method

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

1.1.3.1.17.2.95.1 connectorService.gidenBelgeDurumSorgulaBelgeNoAsync Method (string, string, string)**C#**

```
public void gidenBelgeDurumSorgulaBelgeNoAsync(string vergiTcKimlikNo, string belgeNo,
string urun);
```

Body Source

```
1: public void gidenBelgeDurumSorgulaBelgeNoAsync(string vergiTcKimlikNo, string belgeNo,
string urun) {
2:     this.gidenBelgeDurumSorgulaBelgeNoAsync(vergiTcKimlikNo, belgeNo, urun, null);
3: }
```

1.1.3.1.17.2.95.2 connectorService.gidenBelgeDurumSorgulaBelgeNoAsync Method (string, string, string, object)**C#**

```
public void gidenBelgeDurumSorgulaBelgeNoAsync(string vergiTcKimlikNo, string belgeNo,
string urun, object userState);
```

Body Source

```
1: public void gidenBelgeDurumSorgulaBelgeNoAsync(string vergiTcKimlikNo, string belgeNo,
string urun, object userState) {
2:     if ((this.gidenBelgeDurumSorgulaBelgeNoOperationCompleted == null)) {
3:         this.gidenBelgeDurumSorgulaBelgeNoOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeDurumSorgulaBelgeNoOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeDurumSorgulaBelgeNo", new object[] {
6:         vergiTcKimlikNo,
7:         belgeNo,
8:         urun}, this.gidenBelgeDurumSorgulaBelgeNoOperationCompleted, userState);
9: }
```

1.1.3.1.17.2.96 connectorService.gidenBelgeDurumSorgulaEttn Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public gidenBelgeDurum
gidenBelgeDurumSorgulaEttn([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sch
ema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ettn);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public gidenBelgeDurum
gidenBelgeDurumSorgulaEttn([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sch
ema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ettn) {
```

```

4:     object[] results = this.Invoke("gidenBelgeDurumSorgulaEttn", new object[] {
5:         vergiTcKimlikNo,
6:         ettn});
7:     return ((gidenBelgeDurum)(results[0]));
8: }

```

1.1.3.1.17.2.97 gidenBelgeDurumSorgulaEttnAsync Method

1.1.3.1.17.2.97.1 connectorService.gidenBelgeDurumSorgulaEttnAsync Method (string, string)

C#

```
public void gidenBelgeDurumSorgulaEttnAsync(string vergiTcKimlikNo, string ettn);
```

Body Source

```

1: public void gidenBelgeDurumSorgulaEttnAsync(string vergiTcKimlikNo, string ettn) {
2:     this.gidenBelgeDurumSorgulaEttnAsync(vergiTcKimlikNo, ettn, null);
3: }

```

1.1.3.1.17.2.97.2 connectorService.gidenBelgeDurumSorgulaEttnAsync Method (string, string, object)

C#

```
public void gidenBelgeDurumSorgulaEttnAsync(string vergiTcKimlikNo, string ettn, object userState);
```

Body Source

```

1: public void gidenBelgeDurumSorgulaEttnAsync(string vergiTcKimlikNo, string ettn, object userState) {
2:     if ((this.gidenBelgeDurumSorgulaEttnOperationCompleted == null)) {
3:         this.gidenBelgeDurumSorgulaEttnOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeDurumSorgulaEttnOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeDurumSorgulaEttn", new object[] {
6:         vergiTcKimlikNo,
7:         ettn}, this.gidenBelgeDurumSorgulaEttnOperationCompleted, userState);
8: }

```

1.1.3.1.17.2.98 connectorService.gidenBelgeDurumSorgulaExt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType
gidenBelgeDurumSorgulaExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
gidenBelgeDurumParametreleri parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType
gidenBelgeDurumSorgulaExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)])
```

```

string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
gidenBelgeDurumParametreleri parametreler) {
4:     object[] results = this.Invoke("gidenBelgeDurumSorgulaExt", new object[] {
5:         vergiTcKimlikNo,
6:         parametreler});
7:     return ((serviceReturnType)(results[0]));
8: }

```

1.1.3.1.17.2.99 gidenBelgeDurumSorgulaExtAsync Method

1.1.3.1.17.2.99.1 connectorService.gidenBelgeDurumSorgulaExtAsync Method (string, gidenBelgeDurumParametreleri)

C#

```
public void gidenBelgeDurumSorgulaExtAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler);
```

Body Source

```

1: public void gidenBelgeDurumSorgulaExtAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler) {
2:     this.gidenBelgeDurumSorgulaExtAsync(vergiTcKimlikNo, parametreler, null);
3: }

```

1.1.3.1.17.2.99.2 connectorService.gidenBelgeDurumSorgulaExtAsync Method (string, gidenBelgeDurumParametreleri, object)

C#

```
public void gidenBelgeDurumSorgulaExtAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler, object userState);
```

Body Source

```

1: public void gidenBelgeDurumSorgulaExtAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler, object userState) {
2:     if ((this.gidenBelgeDurumSorgulaExtOperationCompleted == null)) {
3:         this.gidenBelgeDurumSorgulaExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeDurumSorgulaExtOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeDurumSorgulaExt", new object[] {
6:         vergiTcKimlikNo,
7:         parametreler}, this.gidenBelgeDurumSorgulaExtOperationCompleted,
userState);
8: }

```

1.1.3.1.17.2.100 connectorService.gidenBelgeDurumSorgulaPortal Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gidenBelgeDurumSorgulaPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.S
chema.XmlSchemaForm.Unqualified)]
gidenBelgelerDurumSorgulaPortalParametreleri parametreler);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/")

```

```

1: Use=System.Web.Services.Description.SoapBindingUse.Literal,
2: ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gidenBelgeDurumSorgulaPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.S
chema.XmlSchemaForm.Unqualified)]
gidenBelgelerDurumSorgulaPortalParametreleri parametreler) {
4:     object[] results = this.Invoke("gidenBelgeDurumSorgulaPortal", new object[] {
5:         parametreler});
6:     return ((serviceReturnType[])(results[0]));
7: }

```

1.1.3.1.17.2.101 gidenBelgeDurumSorgulaPortalAsync Method

1.1.3.1.17.2.101.1 connectorService.gidenBelgeDurumSorgulaPortalAsync Method (gidenBelgelerDurumSorgulaPortalParametreleri)

```
C#
public void gidenBelgeDurumSorgulaPortalAsync(gidenBelgelerDurumSorgulaPortalParametreleri
parametreler);
```

Body Source

```

1: public void
gidenBelgeDurumSorgulaPortalAsync(gidenBelgelerDurumSorgulaPortalParametreleri
parametreler) {
2:     this.gidenBelgeDurumSorgulaPortalAsync(parametreler, null);
3: }
```

1.1.3.1.17.2.101.2 connectorService.gidenBelgeDurumSorgulaPortalAsync Method (gidenBelgelerDurumSorgulaPortalParametreleri, object)

```
C#
public void gidenBelgeDurumSorgulaPortalAsync(gidenBelgelerDurumSorgulaPortalParametreleri
parametreler, object userState);
```

Body Source

```

1: public void
gidenBelgeDurumSorgulaPortalAsync(gidenBelgelerDurumSorgulaPortalParametreleri
parametreler, object userState) {
2:     if ((this.gidenBelgeDurumSorgulaPortalOperationCompleted == null)) {
3:         this.gidenBelgeDurumSorgulaPortalOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeDurumSorgulaPortalOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeDurumSorgulaPortal", new object[] {
6:         parametreler}, this.gidenBelgeDurumSorgulaPortalOperationCompleted,
userState);
7: }
```

1.1.3.1.17.2.102 connectorService.gidenBelgeDurumSorgulaYerelBelgeNo Method

```
C#
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public gidenBelgeDurum
gidenBelgeDurumSorgulaYerelBelgeNo([System.Xml.Serialization.XmlElementAttribute(Form=System
.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

    string yerelBelgeNo);
Body Source
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public gidenBelgeDurum
gidenBelgeDurumSorgulaYerelBelgeNo([System.Xml.Serialization.XmlElementAttribute(Form=System
.Xml.Schema.XmlSchemaForm.Unqualified)])
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string yerelBelgeNo) {
4:     object[] results = this.Invoke("gidenBelgeDurumSorgulaYerelBelgeNo", new object[] {
5:         vergiTcKimlikNo,
6:         yerelBelgeNo});
7:     return ((gidenBelgeDurum)(results[0]));
8: }

```

1.1.3.1.17.2.103 gidenBelgeDurumSorgulaYerelBelgeNoAsync Method

1.1.3.1.17.2.103.1 connectorService.gidenBelgeDurumSorgulaYerelBelgeNoAsync Method (string, string)

C#

```
public void gidenBelgeDurumSorgulaYerelBelgeNoAsync(string vergiTcKimlikNo, string
yerelBelgeNo);
```

Body Source

```

1: public void gidenBelgeDurumSorgulaYerelBelgeNoAsync(string vergiTcKimlikNo, string
yerelBelgeNo) {
2:     this.gidenBelgeDurumSorgulaYerelBelgeNoAsync(vergiTcKimlikNo, yerelBelgeNo, null);
3: }
```

1.1.3.1.17.2.103.2 connectorService.gidenBelgeDurumSorgulaYerelBelgeNoAsync Method (string, string, object)

C#

```
public void gidenBelgeDurumSorgulaYerelBelgeNoAsync(string vergiTcKimlikNo, string
yerelBelgeNo, object userState);
```

Body Source

```

1: public void gidenBelgeDurumSorgulaYerelBelgeNoAsync(string vergiTcKimlikNo, string
yerelBelgeNo, object userState) {
2:     if ((this.gidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted == null)) {
3:         this.gidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeDurumSorgulaYerelBelgeNoOperationComple
ted);
4:     }
5:     this.InvokeAsync("gidenBelgeDurumSorgulaYerelBelgeNo", new object[] {
6:         vergiTcKimlikNo,
7:         yerelBelgeNo},
this.gidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted, userState);
8: }
```

1.1.3.1.17.2.104 connectorService.gidenBelgeEkleriAI Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
```

```

ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped) ]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true) ]
public byte[]
gidenBelgeEkleriAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string uuid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("", RequestNamespace="http://service.connector.uut.cs.com.tr/", ResponseNamespace="http://service.connector.uut.cs.com.tr/", Use=System.Web.Services.Description.SoapBindingUse.Literal, ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped) ]
2: [return: System.Xml.Serialization.XmlElementAttribute("return", Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true) ]
3: public byte[]
gidenBelgeEkleriAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string uuid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru) {
4:     object[] results = this.Invoke("gidenBelgeEkleriAl", new object[] {
5:         uuid,
6:         vknTckn,
7:         belgeTuru});
8:     return ((byte[])(results[0]));
9: }

```

1.1.3.1.17.2.105 gidenBelgeEkleriAlAsync Method**1.1.3.1.17.2.105.1 connectorService.gidenBelgeEkleriAlAsync Method (string, string, string)****C#**

```
public void gidenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru);
```

Body Source

```

1: public void gidenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru) {
2:     this.gidenBelgeEkleriAlAsync(uuid, vknTckn, belgeTuru, null);
3: }

```

1.1.3.1.17.2.105.2 connectorService.gidenBelgeEkleriAlAsync Method (string, string, string, object)**C#**

```
public void gidenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru, object userState);
```

Body Source

```

1: public void gidenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru, object userState) {
2:     if ((this.gidenBelgeEkleriAlOperationCompleted == null)) {
3:         this.gidenBelgeEkleriAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeEkleriAlOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeEkleriAl", new object[] {

```

```

6:             uuid,
7:             vknTckn,
8:             belgeTuru}, this.gidenBelgeEkleriAlOperationCompleted, userState);
9: }

```

1.1.3.1.17.2.106 connectorService.gidenBelgeleriIndir Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[] gidenBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("belgeOidListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] belgeOidListesi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)
string belgeFormati);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[] gidenBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("belgeOidListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] belgeOidListesi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)
string belgeFormati) {
4:     object[] results = this.Invoke("gidenBelgeleriIndir", new object[] {
5:         vergiTcKimlikNo,
6:         belgeOidListesi,
7:         belgeTuru,
8:         belgeFormati});
9:     return ((byte[])(results[0]));
10: }

```

1.1.3.1.17.2.107 gidenBelgeleriIndirAsync Method

1.1.3.1.17.2.107.1 connectorService.gidenBelgeleriIndirAsync Method (**string**, **string**[], **string**, **string**)

C#

```

public void gidenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] belgeOidListesi,
string belgeTuru, string belgeFormati);

```

Body Source

```

1: public void gidenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] belgeOidListesi,
string belgeTuru, string belgeFormati) {
2:     this.gidenBelgeleriIndirAsync(vergiTcKimlikNo, belgeOidListesi, belgeTuru,

```

```

belgeFormati, null);
3: }

```

1.1.3.1.17.2.107.2 connectorService.gidenBelgeleriIndirAsync Method (string, string[], string, string, object)

C#

```

public void gidenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] belgeOidListesi,
string belgeTuru, string belgeFormati, object userState);

```

Body Source

```

1: public void gidenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] belgeOidListesi,
2: string belgeTuru, string belgeFormati, object userState) {
3:     if ((this.gidenBelgeleriIndirOperationCompleted == null)) {
4:         this.gidenBelgeleriIndirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeleriIndirOperationCompleted);
5:     }
6:     this.InvokeAsync("gidenBelgeleriIndir", new object[] {
7:         vergiTcKimlikNo,
8:         belgeOidListesi,
9:         belgeTuru,
10:        belgeFormati}, this.gidenBelgeleriIndirOperationCompleted, userState);
10: }

```

1.1.3.1.17.2.108 connectorService.gidenBelgeleriIndirEttn Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gidenBelgeleriIndirEttn([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("belgeEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] belgeEttnListesi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gidenBelgeleriIndirEttn([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("belgeEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] belgeEttnListesi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati) {
4:     object[] results = this.Invoke("gidenBelgeleriIndirEttn", new object[] {

```

```

5:             vergiTcKimlikNo,
6:             belgeEttnListesi,
7:             belgeTuru,
8:             belgeFormati});
9:         return ((byte[])(results[0]));
10:    }

```

1.1.3.1.17.2.109 gidenBelgeleriIndirEttnAsync Method

1.1.3.1.17.2.109.1 connectorService.gidenBelgeleriIndirEttnAsync Method (string, string[], string, string)

C#

```
public void gidenBelgeleriIndirEttnAsync(string vergiTcKimlikNo, string[] belgeEttnListesi, string belgeTuru, string belgeFormati);
```

Body Source

```

1: public void gidenBelgeleriIndirEttnAsync(string vergiTcKimlikNo, string[]
belgeEttnListesi, string belgeTuru, string belgeFormati) {
2:     this.gidenBelgeleriIndirEttnAsync(vergiTcKimlikNo, belgeEttnListesi, belgeTuru,
belgeFormati, null);
3: }

```

1.1.3.1.17.2.109.2 connectorService.gidenBelgeleriIndirEttnAsync Method (string, string[], string, string, object)

C#

```
public void gidenBelgeleriIndirEttnAsync(string vergiTcKimlikNo, string[] belgeEttnListesi, string belgeTuru, string belgeFormati, object userState);
```

Body Source

```

1: public void gidenBelgeleriIndirEttnAsync(string vergiTcKimlikNo, string[]
belgeEttnListesi, string belgeTuru, string belgeFormati, object userState) {
2:     if ((this.gidenBelgeleriIndirEttnOperationCompleted == null)) {
3:         this.gidenBelgeleriIndirEttnOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeleriIndirEttnOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeleriIndirEttn", new object[] {
6:         vergiTcKimlikNo,
7:         belgeEttnListesi,
8:         belgeTuru,
9:         belgeFormati}, this.gidenBelgeleriIndirEttnOperationCompleted,
userState);
10: }

```

1.1.3.1.17.2.110 connectorService.gidenBelgeleriIndirPortal Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gidenBelgeleriIndirPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
gidenBelgeleriIndirPortalParametreleri parametreler);
```

Body Source

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
```

```

2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gidenBelgeleriIndirPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
gidenBelgeleriIndirPortalParametreleri parametreler) {
4:     object[] results = this.Invoke("gidenBelgeleriIndirPortal", new object[] {
5:         parametreler});
6:     return ((byte[])(results[0]));
7: }

```

1.1.3.1.17.2.111 gidenBelgeleriIndirPortalAsync Method

1.1.3.1.17.2.111.1 connectorService.gidenBelgeleriIndirPortalAsync Method (gidenBelgeleriIndirPortalParametreleri)

C#

```
public void gidenBelgeleriIndirPortalAsync(gidenBelgeleriIndirPortalParametreleri parametreler);
```

Body Source

```

1: public void gidenBelgeleriIndirPortalAsync(gidenBelgeleriIndirPortalParametreleri parametreler) {
2:     this.gidenBelgeleriIndirPortalAsync(parametreler, null);
3: }

```

1.1.3.1.17.2.111.2 connectorService.gidenBelgeleriIndirPortalAsync Method (gidenBelgeleriIndirPortalParametreleri, object)

C#

```
public void gidenBelgeleriIndirPortalAsync(gidenBelgeleriIndirPortalParametreleri parametreler, object userState);
```

Body Source

```

1: public void gidenBelgeleriIndirPortalAsync(gidenBelgeleriIndirPortalParametreleri parametreler, object userState) {
2:     if ((this.gidenBelgeleriIndirPortalOperationCompleted == null)) {
3:         this.gidenBelgeleriIndirPortalOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeleriIndirPortalOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeleriIndirPortal", new object[] {
6:         parametreler}, this.gidenBelgeleriIndirPortalOperationCompleted,
userState);
7: }

```

1.1.3.1.17.2.112 connectorService.gidenBelgeleriListele Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gidenBelgeleriListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
gidenBelgeleriListeleParametreleri parametreler);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",

```

```

1: Use=System.Web.Services.Description.SoapBindingUse.Literal,
2: ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)
3: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
4: public serviceReturnType[]
5: gidenBelgeleriListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified])
6: gidenBelgeleriListeleParametreleri parametreler) {
7:     object[] results = this.Invoke("gidenBelgeleriListele", new object[] {
8:         parametreler});
9:     return ((serviceReturnType[])(results[0]));
10: }

```

1.1.3.1.17.2.113 gidenBelgeleriListeleAsync Method

1.1.3.1.17.2.113.1 connectorService.gidenBelgeleriListeleAsync Method (gidenBelgeleriListeleParametreleri)

C#

```
public void gidenBelgeleriListeleAsync(gidenBelgeleriListeleParametreleri parametreler);
```

Body Source

```

1: public void gidenBelgeleriListeleAsync(gidenBelgeleriListeleParametreleri parametreler) {
2:     this.gidenBelgeleriListeleAsync(parametreler, null);
3: }

```

1.1.3.1.17.2.113.2 connectorService.gidenBelgeleriListeleAsync Method (gidenBelgeleriListeleParametreleri, object)

C#

```
public void gidenBelgeleriListeleAsync(gidenBelgeleriListeleParametreleri parametreler,
object userState);
```

Body Source

```

1: public void gidenBelgeleriListeleAsync(gidenBelgeleriListeleParametreleri parametreler,
2: object userState) {
3:     if ((this.gidenBelgeleriListeleOperationCompleted == null)) {
4:         this.gidenBelgeleriListeleOperationCompleted = new
5: System.Threading.SendOrPostCallback(this.OngidenBelgeleriListeleOperationCompleted);
6:     }
7:     this.InvokeAsync("gidenBelgeleriListele", new object[] {
8:         parametreler}, this.gidenBelgeleriListeleOperationCompleted, userState);
9: }

```

1.1.3.1.17.2.114 connectorService.gidenBelgeleriListelePortal Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.utm.cs.com.tr/",
ResponseNamespace="http://service.connector.utm.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gidenBelgeleriListelePortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified])
gidenBelgeleriListelePortalParametreleri parametreler);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.utm.cs.com.tr/",
ResponseNamespace="http://service.connector.utm.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,

```

```

ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped) ]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gidenBelgeleriListelePortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
gidenBelgeleriListelePortalParametreleri parametreler) {
4:     object[] results = this.Invoke("gidenBelgeleriListelePortal", new object[] {
5:         parametreler});
6:     return ((serviceReturnType[])(results[0]));
7: }

```

1.1.3.1.17.2.115 gidenBelgeleriListelePortalAsync Method

1.1.3.1.17.2.115.1 connectorService.gidenBelgeleriListelePortalAsync Method (gidenBelgeleriListelePortalParametreleri)

C#

```
public void gidenBelgeleriListelePortalAsync(gidenBelgeleriListelePortalParametreleri
parametreler);
```

Body Source

```

1: public void gidenBelgeleriListelePortalAsync(gidenBelgeleriListelePortalParametreleri
parametreler) {
2:     this.gidenBelgeleriListelePortalAsync(parametreler, null);
3: }
```

1.1.3.1.17.2.115.2 connectorService.gidenBelgeleriListelePortalAsync Method (gidenBelgeleriListelePortalParametreleri, object)

C#

```
public void gidenBelgeleriListelePortalAsync(gidenBelgeleriListelePortalParametreleri
parametreler, object userState);
```

Body Source

```

1: public void gidenBelgeleriListelePortalAsync(gidenBelgeleriListelePortalParametreleri
parametreler, object userState) {
2:     if ((this.gidenBelgeleriListelePortalOperationCompleted == null)) {
3:         this.gidenBelgeleriListelePortalOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeleriListelePortalOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeleriListelePortal", new object[] {
6:         parametreler}, this.gidenBelgeleriListelePortalOperationCompleted,
userState);
7: }
```

1.1.3.1.17.2.116 connectorService.gidenBelgeTutarBilgileriSorgula Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gidenBelgeTutarBilgileriSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
```

```

string baslangicGonderimTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string bitisGonderimTarihi);

Body Source

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gidenBelgeTutarBilgileriSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string baslangicGonderimTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string bitisGonderimTarihi) {
4:     object[] results = this.Invoke("gidenBelgeTutarBilgileriSorgula", new object[] {
5:         vergiTcKimlikNo,
6:         belgeTuru,
7:         baslangicGonderimTarihi,
8:         bitisGonderimTarihi});
9:     return ((serviceReturnType[])(results[0]));
10: }

```

1.1.3.1.17.2.117 gidenBelgeTutarBilgileriSorgulaAsync Method

1.1.3.1.17.2.117.1 connectorService.gidenBelgeTutarBilgileriSorgulaAsync Method (string, string, string)

C#

```
public void gidenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string belgeTuru,
string baslangicGonderimTarihi, string bitisGonderimTarihi);
```

Body Source

```

1: public void gidenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string
belgeTuru, string baslangicGonderimTarihi, string bitisGonderimTarihi) {
2:     this.gidenBelgeTutarBilgileriSorgulaAsync(vergiTcKimlikNo, belgeTuru,
baslangicGonderimTarihi, bitisGonderimTarihi, null);
3: }

```

1.1.3.1.17.2.117.2 connectorService.gidenBelgeTutarBilgileriSorgulaAsync Method (string, string, string, object)

C#

```
public void gidenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string belgeTuru,
string baslangicGonderimTarihi, string bitisGonderimTarihi, object userState);
```

Body Source

```

1: public void gidenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string
belgeTuru, string baslangicGonderimTarihi, string bitisGonderimTarihi, object userState) {
2:     if ((this.gidenBelgeTutarBilgileriSorgulaOperationCompleted == null)) {
3:         this.gidenBelgeTutarBilgileriSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeTutarBilgileriSorgulaOperationCompleted
);
4:     }

```

```

5:     this.InvokeAsync("gidenBelgeTutarBilgileriSorgula", new object[] {
6:         vergiTcKimlikNo,
7:         belgeTuru,
8:         baslangicGonderimTarihi,
9:         bitisGonderimTarihi},
10:    this.gidenBelgeTutarBilgileriSorgulaOperationCompleted, userState);
10: }

```

1.1.3.1.17.2.118 connectorService.gidenFaturalariArsiveKaldir Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
gidenFaturalariArsiveKaldir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("invoiceEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] invoiceEttnListesi);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
gidenFaturalariArsiveKaldir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("invoiceEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] invoiceEttnListesi) {
3:     this.Invoke("gidenFaturalariArsiveKaldir", new object[] {
4:         vergiTcKimlikNo,
5:         invoiceEttnListesi});
6: }

```

1.1.3.1.17.2.119 gidenFaturalariArsiveKaldirAsync Method

1.1.3.1.17.2.119.1 connectorService.gidenFaturalariArsiveKaldirAsync Method (string, string[])

C#

```

public void gidenFaturalariArsiveKaldirAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi);

```

Body Source

```

1: public void gidenFaturalariArsiveKaldirAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi) {
2:     this.gidenFaturalariArsiveKaldirAsync(vergiTcKimlikNo, invoiceEttnListesi, null);
3: }

```

1.1.3.1.17.2.119.2 connectorService.gidenFaturalariArsiveKaldirAsync Method (string, string[], object)

C#

```

public void gidenFaturalariArsiveKaldirAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi, object userState);

```

Body Source

```

1: public void gidenFaturalariArsiveKaldirAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi, object userState) {
2:     if ((this.gidenFaturalariArsiveKaldirOperationCompleted == null)) {
3:         this.gidenFaturalariArsiveKaldirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenFaturalariArsiveKaldirOperationCompleted);
4:     }

```

```

5:     this.InvokeAsync("gidenFaturalariArsiveKaldir", new object[] {
6:         vergiTcKimlikNo,
7:         invoiceEttnListesi}, this.gidenFaturalariArsiveKaldirOperationCompleted,
8:         userState);

```

1.1.3.1.17.2.120 connectorService.gidenIrsaliyeleriArsiveKaldir Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
gidenIrsaliyeleriArsiveKaldir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute("despatchEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] despatchEttnListesi);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
gidenIrsaliyeleriArsiveKaldir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute("despatchEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] despatchEttnListesi) {
3:     this.Invoke("gidenIrsaliyeleriArsiveKaldir", new object[] {
4:         vergiTcKimlikNo,
5:         despatchEttnListesi});
6: }

```

1.1.3.1.17.2.121 gidenIrsaliyeleriArsiveKaldirAsync Method

1.1.3.1.17.2.121.1 connectorService.gidenIrsaliyeleriArsiveKaldirAsync Method (string, string[])

C#

```

public void gidenIrsaliyeleriArsiveKaldirAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi);

```

Body Source

```

1: public void gidenIrsaliyeleriArsiveKaldirAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi) {
2:     this.gidenIrsaliyeleriArsiveKaldirAsync(vergiTcKimlikNo, despatchEttnListesi, null);
3: }

```

1.1.3.1.17.2.121.2 connectorService.gidenIrsaliyeleriArsiveKaldirAsync Method (string, string[], object)

C#

```

public void gidenIrsaliyeleriArsiveKaldirAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi, object userState);

```

Body Source

```

1: public void gidenIrsaliyeleriArsiveKaldirAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi, object userState) {
2:     if ((this.gidenIrsaliyeleriArsiveKaldirOperationCompleted == null)) {
3:         this.gidenIrsaliyeleriArsiveKaldirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenIrsaliyeleriArsiveKaldirOperationCompleted);
4:     }

```

```

5:     this.InvokeAsync("gidenIrsaliyeleriArsiveKaldir", new object[] {
6:         vergiTcKimlikNo,
7:         despatchEttnListesi},
8:     this.gidenIrsaliyeleriArsiveKaldirOperationCompleted, userState);

```

1.1.3.1.17.2.122 connectorService.gidenTasinanBelgeleriIndir Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gidenTasinanBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gidenTasinanBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati) {
4:     object[] results = this.Invoke("gidenTasinanBelgeleriIndir", new object[] {
5:         vergiTcKimlikNo,
6:         ettnler,
7:         belgeFormati});
8:     return ((byte[])(results[0]));
9: }

```

1.1.3.1.17.2.123 gidenTasinanBelgeleriIndirAsync Method

1.1.3.1.17.2.123.1 connectorService.gidenTasinanBelgeleriIndirAsync Method (string, string[], string)

C#

```
public void gidenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler,
string belgeFormati);
```

Body Source

```

1: public void gidenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler,
string belgeFormati) {
2:     this.gidenTasinanBelgeleriIndirAsync(vergiTcKimlikNo, ettnler, belgeFormati, null);
3: }

```

1.1.3.1.17.2.123.2 connectorService.gidenTasinanBelgeleriIndirAsync Method (string, string[], string, object)

C#

```
public void gidenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler,
string belgeFormati, object userState);
```

Body Source

```
1: public void gidenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler,
2:     string belgeFormati, object userState) {
3:     if ((this.gidenTasinanBelgeleriIndirOperationCompleted == null)) {
4:         this.gidenTasinanBelgeleriIndirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenTasinanBelgeleriIndirOperationCompleted);
5:     }
6:     this.InvokeAsync("gidenTasinanBelgeleriIndir", new object[] {
7:         vergiTcKimlikNo,
8:         ettnler,
9:         belgeFormati}, this.gidenTasinanBelgeleriIndirOperationCompleted,
userState);
9: }
```

1.1.3.1.17.2.124 connectorService.irsaliyeMailGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
irsaliyeMailGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string inout,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string UUID,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string irsaliyeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string alicilar,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
irsaliyeMailGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string inout,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string UUID,
```

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string irsaliyeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string alicilar,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati) {
3:     this.Invoke("irsaliyeMailGonder", new object[] {
4:         vknTckn,
5:         inout,
6:         UUID,
7:         irsaliyeNo,
8:         alicilar,
9:         belgeFormati});
10: }
```

1.1.3.1.17.2.125 **irsaliyeMailGonderAsync** Method

1.1.3.1.17.2.125.1 **connectorService.irsaliyeMailGonderAsync** Method (string, string, string, string, string, string)

C#

```
public void irsaliyeMailGonderAsync(string vknTckn, string inout, string UUID, string
irsaliyeNo, string alicilar, string belgeFormati);
```

Body Source

```
1: public void irsaliyeMailGonderAsync(string vknTckn, string inout, string UUID, string
irsaliyeNo, string alicilar, string belgeFormati) {
2:     this.irsaliyeMailGonderAsync(vknTckn, inout, UUID, irsaliyeNo, alicilar,
belgeFormati, null);
3: }
```

1.1.3.1.17.2.125.2 **connectorService.irsaliyeMailGonderAsync** Method (string, string, string, string, string, string, object)

C#

```
public void irsaliyeMailGonderAsync(string vknTckn, string inout, string UUID, string
irsaliyeNo, string alicilar, string belgeFormati, object userState);
```

Body Source

```
1: public void irsaliyeMailGonderAsync(string vknTckn, string inout, string UUID, string
irsaliyeNo, string alicilar, string belgeFormati, object userState) {
2:     if ((this.irsaliyeMailGonderOperationCompleted == null)) {
3:         this.irsaliyeMailGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnirsaliyeMailGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("irsaliyeMailGonder", new object[] {
6:         vknTckn,
7:         inout,
8:         UUID,
9:         irsaliyeNo,
10:        alicilar,
11:        belgeFormati}, this.irsaliyeMailGonderOperationCompleted, userState);
12: }
```

1.1.3.1.17.2.126 **connectorService.irsaliyeTarihcesiSorgula** Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
irsaliyeTarihcesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string irasliyeYonu,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
irsaliyeTarihcesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string irasliyeYonu,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn) {
4:     object[] results = this.Invoke("irsaliyeTarihcesiSorgula", new object[] {
5:         ettn,
6:         irasliyeYonu,
7:         vknTckn});
8:     return ((serviceReturnType[])(results[0]));
9: }

```

1.1.3.1.17.2.127 irsaliyeTarihcesiSorgulaAsync Method**1.1.3.1.17.2.127.1 connectorService.irsaliyeTarihcesiSorgulaAsync Method (string, string, string)****C#**

```
public void irsaliyeTarihcesiSorgulaAsync(string ettn, string irasliyeYonu, string vknTckn);
```

Body Source

```

1: public void irsaliyeTarihcesiSorgulaAsync(string ettn, string irasliyeYonu, string vknTckn) {
2:     this.irsaliyeTarihcesiSorgulaAsync(ettn, irasliyeYonu, vknTckn, null);
3: }

```

1.1.3.1.17.2.127.2 connectorService.irsaliyeTarihcesiSorgulaAsync Method (string, string, string, object)**C#**

```
public void irsaliyeTarihcesiSorgulaAsync(string ettn, string irasliyeYonu, string vknTckn,
object userState);
```

Body Source

```

1: public void irsaliyeTarihcesiSorgulaAsync(string ettn, string irasliyeYonu, string vknTckn,
object userState) {
2:     if ((this.irsaliyeTarihcesiSorgulaOperationCompleted == null)) {
3:         this.irsaliyeTarihcesiSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnirsaliyeTarihcesiSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("irsaliyeTarihcesiSorgula", new object[] {

```

```

6:             ettn,
7:             irasliyeYonu,
8:             vknTckn}, this.irsaliyeTarihcesiSorgulaOperationCompleted, userState);
9: }

```

1.1.3.1.17.2.128 connectorService.IsLocalFileSystemWebService Method

C#

```
private bool IsLocalFileSystemWebService(string url);
```

Description

This is IsLocalFileSystemWebService, a member of class connectorService.

Body Source

```

1: private bool IsLocalFileSystemWebService(string url) {
2:     if (((url == null)
3:           || (url == string.Empty))) {
4:         return false;
5:     }
6:     System.Uri wsUri = new System.Uri(url);
7:     if (((wsUri.Port >= 1024)
8:           && (string.Compare(wsUri.Host, "localhost",
System.StringComparison.OrdinalIgnoreCase) == 0))) {
9:         return true;
10:    }
11:    return false;
12: }

```

1.1.3.1.17.2.129 connectorService.kayitliKullaniciListeleExtended Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
kayitliKullaniciListeleExtended([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string urun,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
int gecmisEklensin, [System.Xml.Serialization.XmlIgnoreAttribute()] bool
gecmisEklensinSpecified);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
kayitliKullaniciListeleExtended([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string urun,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
int gecmisEklensin,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
[System.Xml.Serialization.XmlIgnoreAttribute()] bool gecmisEklensinSpecified) {
4:     object[] results = this.Invoke("kayitliKullaniciListeleExtended", new object[] {

```

```

5:                 urun,
6:                 gecmisEklensin,
7:                 gecmisEklensinSpecified});
8:     return ((byte[])(results[0]));
9: }

```

1.1.3.1.17.2.130 kayitliKullaniciListeleExtendedAsync Method

1.1.3.1.17.2.130.1 connectorService.kayitliKullaniciListeleExtendedAsync Method (string, int, bool)

C#

```
public void kayitliKullaniciListeleExtendedAsync(string urun, int gecmisEklensin, bool gecmisEklensinSpecified);
```

Body Source

```

1: public void kayitliKullaniciListeleExtendedAsync(string urun, int gecmisEklensin, bool
gecmisEklensinSpecified) {
2:     this.kayitliKullaniciListeleExtendedAsync(urun, gecmisEklensin,
gecmisEklensinSpecified, null);
3: }

```

1.1.3.1.17.2.130.2 connectorService.kayitliKullaniciListeleExtendedAsync Method (string, int, bool, object)

C#

```
public void kayitliKullaniciListeleExtendedAsync(string urun, int gecmisEklensin, bool
gecmisEklensinSpecified, object userState);
```

Body Source

```

1: public void kayitliKullaniciListeleExtendedAsync(string urun, int gecmisEklensin, bool
gecmisEklensinSpecified, object userState) {
2:     if ((this.kayitliKullaniciListeleExtendedOperationCompleted == null)) {
3:         this.kayitliKullaniciListeleExtendedOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnkayitliKullaniciListeleExtendedOperationCompleted
);
4:     }
5:     this.InvokeAsync("kayitliKullaniciListeleExtended", new object[] {
6:         urun,
7:         gecmisEklensin,
8:         gecmisEklensinSpecified},
this.kayitliKullaniciListeleExtendedOperationCompleted, userState);
9: }

```

1.1.3.1.17.2.131 connectorService.kayitliKullaniciListeleExtendedTime Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
kayitliKullaniciListeleExtendedTime([System.Xml.Serialization.XmlElementAttribute(Form=System
.Xml.Schema.XmlSchemaForm.Unqualified)]
string kayitZamani,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string urun,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
int gecmisEklensin, [System.Xml.Serialization.XmlIgnoreAttribute()] bool
gecmisEklensinSpecified);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
kayitliKullaniciListeleExtendedTime([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string kayitzamani,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string urun,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
int gecmisEklensin,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
[System.Xml.Serialization.XmlIgnoreAttribute()] bool gecmisEklensinSpecified) {
4:     object[] results = this.Invoke("kayitliKullaniciListeleExtendedTime", new object[] {
5:         kayitzamani,
6:         urun,
7:         gecmisEklensin,
8:         gecmisEklensinSpecified});
9:     return ((byte[])(results[0]));
10: }

```

1.1.3.1.17.2.132 kayitliKullaniciListeleExtendedTimeAsync Method**1.1.3.1.17.2.132.1 connectorService.kayitliKullaniciListeleExtendedTimeAsync Method (string, string, int, bool)****C#**

```
public void kayitliKullaniciListeleExtendedTimeAsync(string kayitzamani, string urun, int
gecmisEklensin, bool gecmisEklensinSpecified);
```

Body Source

```

1: public void kayitliKullaniciListeleExtendedTimeAsync(string kayitzamani, string urun,
int gecmisEklensin, bool gecmisEklensinSpecified) {
2:     this.kayitliKullaniciListeleExtendedTimeAsync(kayitzamani, urun, gecmisEklensin,
gecmisEklensinSpecified, null);
3: }

```

1.1.3.1.17.2.132.2 connectorService.kayitliKullaniciListeleExtendedTimeAsync Method (string, string, int, bool, object)**C#**

```
public void kayitliKullaniciListeleExtendedTimeAsync(string kayitzamani, string urun, int
gecmisEklensin, bool gecmisEklensinSpecified, object userState);
```

Body Source

```

1: public void kayitliKullaniciListeleExtendedTimeAsync(string kayitzamani, string urun,
int gecmisEklensin, bool gecmisEklensinSpecified, object userState) {
2:     if ((this.kayitliKullaniciListeleExtendedTimeOperationCompleted == null)) {
3:         this.kayitliKullaniciListeleExtendedTimeOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnkayitliKullaniciListeleExtendedTimeOperationCompl
eted);
4:     }
5:     this.InvokeAsync("kayitliKullaniciListeleExtendedTime", new object[] {
6:         kayitzamani,
7:         urun,
8:         gecmisEklensin,

```

```

9:             gecmisEklensinSpecified},
this.kayitliKullaniciListeleExtendedTimeOperationCompleted, userState);
10: }
```

1.1.3.1.17.2.133 connectorService.kayitliKullaniciListeleExtendedVknTckn Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
kayitliKullaniciListeleExtendedVknTckn([System.Xml.Serialization.XmlElementAttribute(Form=Sy
stem.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string urun);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
kayitliKullaniciListeleExtendedVknTckn([System.Xml.Serialization.XmlElementAttribute(Form=Sy
stem.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string urun) {
4:     object[] results = this.Invoke("kayitliKullaniciListeleExtendedVknTckn", new
object[] {
5:         vknTckn,
6:         urun});
7:     return ((byte[])(results[0]));
8: }
```

1.1.3.1.17.2.134 kayitliKullaniciListeleExtendedVknTcknAsync Method

1.1.3.1.17.2.134.1 connectorService.kayitliKullaniciListeleExtendedVknTcknAsync Method (string, string)

C#

```
public void kayitliKullaniciListeleExtendedVknTcknAsync(string vknTckn, string urun);
```

Body Source

```

1: public void kayitliKullaniciListeleExtendedVknTcknAsync(string vknTckn, string urun) {
2:     this.kayitliKullaniciListeleExtendedVknTcknAsync(vknTckn, urun, null);
3: }
```

1.1.3.1.17.2.134.2 connectorService.kayitliKullaniciListeleExtendedVknTcknAsync Method (string, string, object)

C#

```
public void kayitliKullaniciListeleExtendedVknTcknAsync(string vknTckn, string urun, object
userState);
```

Body Source

```
1: public void kayitliKullaniciListeleExtendedVknTcknAsync(string vknTckn, string urun,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

object userState) {
2:     if ((this.kayitliKullaniciListeleExtendedVknTcknOperationCompleted == null)) {
3:         this.kayitliKullaniciListeleExtendedVknTcknOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnkayitliKullaniciListeleExtendedVknTcknOperationCo
mpleted);
4:     }
5:     this.InvokeAsync("kayitliKullaniciListeleExtendedVknTckn", new object[] {
6:         vknTckn,
7:         urun}, this.kayitliKullaniciListeleExtendedVknTcknOperationCompleted,
userState);
8: }

```

1.1.3.1.17.2.135 connectorService.kontorBilgisiGetir Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public kalanKontorBilgisi
kontorBilgisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
schemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string kontorTipi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string kontorBirim);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public kalanKontorBilgisi
kontorBilgisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
schemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string kontorTipi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string kontorBirim) {
4:     object[] results = this.Invoke("kontorBilgisiGetir", new object[] {
5:         vknTckn,
6:         kontorTipi,
7:         kontorBirim});
8:     return ((kalanKontorBilgisi)(results[0]));
9: }

```

1.1.3.1.17.2.136 kontorBilgisiGetirAsync Method

1.1.3.1.17.2.136.1 connectorService.kontorBilgisiGetirAsync Method (string, string, string)

C#

```
public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string kontorBirim);
```

Body Source

```

1: public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string
kontorBirim) {
2:     this.kontorBilgisiGetirAsync(vknTckn, kontorTipi, kontorBirim, null);
3: }
```

1.1.3.1.17.2.136.2 connectorService.kontorBilgisiGetirAsync Method (string, string, string, object)**C#**

```
public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string kontorBirim,
object userState);
```

Body Source

```

1: public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string
kontorBirim, object userState) {
2:     if ((this.kontorBilgisiGetirOperationCompleted == null)) {
3:         this.kontorBilgisiGetirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnkontorBilgisiGetirOperationCompleted);
4:     }
5:     this.InvokeAsync("kontorBilgisiGetir", new object[] {
6:         vknTckn,
7:         kontorTipi,
8:         kontorBirim}, this.kontorBilgisiGetirOperationCompleted, userState);
9: }
```

1.1.3.1.17.2.137 connectorService.OnbelgeGonderExtOperationCompleted Method**C#**

```
private void OnbelgeGonderExtOperationCompleted(object arg);
```

Description

This is OnbelgeGonderExtOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OnbelgeGonderExtOperationCompleted(object arg) {
2:     if ((this.belgeGonderExtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.belgeGonderExtCompleted(this, new
belgeGonderExtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.138 connectorService.OnbelgeGonderExtWithValidateOperationCompleted Method**C#**

```
private void OnbelgeGonderExtWithValidateOperationCompleted(object arg);
```

Description

This is OnbelgeGonderExtWithValidateOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OnbelgeGonderExtWithValidateOperationCompleted(object arg) {
2:     if ((this.belgeGonderExtWithValidateCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.belgeGonderExtWithValidateCompleted(this, new
belgeGonderExtWithValidateCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.139 connectorService.OnbelgeGonderOperationCompleted Method

C#

```
private void OnbelgeGonderOperationCompleted(object arg);
```

Description

This is OnbelgeGonderOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnbelgeGonderOperationCompleted(object arg) {
2:     if ((this.belgeGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.belgeGonderCompleted(this, new
6: belgeGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.140 connectorService.OnbelgeGonderWithValidateOperationCompleted Method

C#

```
private void OnbelgeGonderWithValidateOperationCompleted(object arg);
```

Description

This is OnbelgeGonderWithValidateOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnbelgeGonderWithValidateOperationCompleted(object arg) {
2:     if ((this.belgeGonderWithValidateCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.belgeGonderWithValidateCompleted(this, new
6: belgeGonderWithValidateCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.141 connectorService.OnbelgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted Method

C#

```
private void OnbelgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted(object arg);
```

Description

This is OnbelgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnbelgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted(object arg) {
2:     if ((this.belgelerAlindiEntegrasyonSiparisNoGuncelleCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.belgelerAlindiEntegrasyonSiparisNoGuncelleCompleted(this, new
6: System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.142 connectorService.OnbelgelerAlindiOperationCompleted Method

C#

```
private void OnbelgelerAlindiOperationCompleted(object arg);
```

Description

This is OnbelgelerAlindiOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OnbelgelerAlindiOperationCompleted(object arg) {
2:     if ((this.belgelerAlindiCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             (System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.belgelerAlindiCompleted(this, new
6:             System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.143 connectorService.OnbelgeleriTekrarGonderBelgeOidOperationCompleted Method

C#

```
private void OnbelgeleriTekrarGonderBelgeOidOperationCompleted(object arg);
```

Description

This is OnbelgeleriTekrarGonderBelgeOidOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OnbelgeleriTekrarGonderBelgeOidOperationCompleted(object arg) {
2:     if ((this.belgeleriTekrarGonderBelgeOidCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             (System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.belgeleriTekrarGonderBelgeOidCompleted(this, new
6:             belgeleriTekrarGonderBelgeOidCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.144 connectorService.OnbelgeleriTekrarGonderOperationCompleted Method

C#

```
private void OnbelgeleriTekrarGonderOperationCompleted(object arg);
```

Description

This is OnbelgeleriTekrarGonderOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OnbelgeleriTekrarGonderOperationCompleted(object arg) {
2:     if ((this.belgeleriTekrarGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             (System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.belgeleriTekrarGonderCompleted(this, new
6:             belgeleriTekrarGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.145 connectorService.OnbelgeleriTekrarGonderYerelBelgeNoOperationCompleted Method

C#

```
private void OnbelgeleriTekrarGonderYerelBelgeNoOperationCompleted(object arg);
```

Description

This is OnbelgeleriTekrarGonderYerelBelgeNoOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnbelgeleriTekrarGonderYerelBelgeNoOperationCompleted(object arg) {
```

```

2:     if ((this.belgeleriTekrarGonderYerelBelgeNoCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.belgeleriTekrarGonderYerelBelgeNoCompleted(this, new
6: belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
7:     }
8: }

```

1.1.3.1.17.2.146 connectorService.OncheckDateValidControlOperationCompleted Method

C#

```
private void OncheckDateValidControlOperationCompleted(object arg);
```

Description

This is OncheckDateValidControlOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OncheckDateValidControlOperationCompleted(object arg) {
2:     if ((this.checkDateValidControlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.checkDateValidControlCompleted(this, new
6: System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
7:     }
8: }

```

1.1.3.1.17.2.147 connectorService.OncokluGidenBelgeDurumSorgulaOperationCompleted Method

C#

```
private void OncokluGidenBelgeDurumSorgulaOperationCompleted(object arg);
```

Description

This is OncokluGidenBelgeDurumSorgulaOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OncokluGidenBelgeDurumSorgulaOperationCompleted(object arg) {
2:     if ((this.cokluGidenBelgeDurumSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.cokluGidenBelgeDurumSorgulaCompleted(this, new
6: cokluGidenBelgeDurumSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
7:     }
8: }

```

1.1.3.1.17.2.148 connectorService.OncsXmlOnizlemeOperationCompleted Method

C#

```
private void OncsXmlOnizlemeOperationCompleted(object arg);
```

Description

This is OncsXmlOnizlemeOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OncsXmlOnizlemeOperationCompleted(object arg) {
2:     if ((this.csXmlOnizlemeCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.csXmlOnizlemeCompleted(this, new
6: csXmlOnizlemeCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
7:     }
8: }

```

```
6: }
```

1.1.3.1.17.2.149 connectorService.OncsXmlToUblOperationCompleted Method

C#

```
private void OncsXmlToUblOperationCompleted(object arg);
```

Description

This is OncsXmlToUblOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OncsXmlToUblOperationCompleted(object arg) {
2:     if ((this.csXmlToUblCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.csXmlToUblCompleted(this, new
6:             csXmlToUblCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
7:             invokeArgs.UserState));
8:     }
9: }
```

1.1.3.1.17.2.150 connectorService.OneFaturaKayitliKullaniciListeleOperationCompleted Method

C#

```
private void OneFaturaKayitliKullaniciListeleOperationCompleted(object arg);
```

Description

This is OneFaturaKayitliKullaniciListeleOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OneFaturaKayitliKullaniciListeleOperationCompleted(object arg) {
2:     if ((this.eFaturaKayitliKullaniciListeleCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.eFaturaKayitliKullaniciListeleCompleted(this, new
6:             eFaturaKayitliKullaniciListeleCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

1.1.3.1.17.2.151 connectorService.OnefaturaKullaniciBilgisiOperationCompleted Method

C#

```
private void OnefaturaKullaniciBilgisiOperationCompleted(object arg);
```

Description

This is OnefaturaKullaniciBilgisiOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnefaturaKullaniciBilgisiOperationCompleted(object arg) {
2:     if ((this.efaturaKullaniciBilgisiCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.efaturaKullaniciBilgisiCompleted(this, new
6:             efaturaKullaniciBilgisiCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

1.1.3.1.17.2.152 connectorService.OnefaturaKullaniciListesiOperationCompleted Method

C#

```
private void OnefaturaKullaniciListesiOperationCompleted(object arg);
```

Description

This is OnefaturaKullaniciListesiOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OnefaturaKullaniciListesiOperationCompleted(object arg) {
2:     if ((this.efaturaKullaniciListesiCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.efaturaKullaniciListesiCompleted(this, new
efaturaKullaniciListesiCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.153 connectorService.OnefaturaKullanicisiOperationCompleted Method

C#

```
private void OnefaturaKullanicisiOperationCompleted(object arg);
```

Description

This is OnefaturaKullanicisiOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OnefaturaKullanicisiOperationCompleted(object arg) {
2:     if ((this.efaturaKullanicisiCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.efaturaKullanicisiCompleted(this, new
efaturaKullanicisiCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.154 connectorService.OneIrsaliyeKayitliKullaniciListeleOperationCompleted Method

C#

```
private void OneIrsaliyeKayitliKullaniciListeleOperationCompleted(object arg);
```

Description

This is OneIrsaliyeKayitliKullaniciListeleOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OneIrsaliyeKayitliKullaniciListeleOperationCompleted(object arg) {
2:     if ((this.eIrsaliyeKayitliKullaniciListeleCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.eIrsaliyeKayitliKullaniciListeleCompleted(this, new
eIrsaliyeKayitliKullaniciListeleCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.155 connectorService.OneIrsaliyeKullanicisiOperationCompleted Method

C#

```
private void OneIrsaliyeKullanicisiOperationCompleted(object arg);
```

Description

This is OneIrsaliyeKullanicisiOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OneIrsaliyeKullanicisiOperationCompleted(object arg) {
```

```

1:     if ((this.eIrsaliyeKullanicisiCompleted != null)) {
2:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
3:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.eIrsaliyeKullanicisiCompleted(this, new
eIrsaliyeKullanicisiCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.156 connectorService.OnerpBilgileriBelirleOperationCompleted Method**C#**

```
private void OnerpBilgileriBelirleOperationCompleted(object arg);
```

Description

This is OnerpBilgileriBelirleOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OnerpBilgileriBelirleOperationCompleted(object arg) {
2:     if ((this.erpBilgileriBelirleCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.erpBilgileriBelirleCompleted(this, new
System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
6:     }
```

1.1.3.1.17.2.157 connectorService.OnfaturaKepIleIadeEdildiIptalOperationCompleted Method**C#**

```
private void OnfaturaKepIleIadeEdildiIptalOperationCompleted(object arg);
```

Description

This is OnfaturaKepIleIadeEdildiIptalOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OnfaturaKepIleIadeEdildiIptalOperationCompleted(object arg) {
2:     if ((this.faturaKepIleIadeEdildiIptalCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.faturaKepIleIadeEdildiIptalCompleted(this, new
faturaKepIleIadeEdildiIptalCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
6:     }
```

1.1.3.1.17.2.158 connectorService.OnfaturaKepIleIadeEdildiOperationCompleted Method**C#**

```
private void OnfaturaKepIleIadeEdildiOperationCompleted(object arg);
```

Description

This is OnfaturaKepIleIadeEdildiOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OnfaturaKepIleIadeEdildiOperationCompleted(object arg) {
2:     if ((this.faturaKepIleIadeEdildiCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.faturaKepIleIadeEdildiCompleted(this, new
faturaKepIleIadeEdildiCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
6:     }
```

```
6: }
```

1.1.3.1.17.2.159 connectorService.OnfaturaMailGonderOperationCompleted Method

C#

```
private void OnfaturaMailGonderOperationCompleted(object arg);
```

Description

This is OnfaturaMailGonderOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnfaturaMailGonderOperationCompleted(object arg) {
2:     if ((this.faturaMailGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaMailGonderCompleted(this, new
System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.160 connectorService.OnfaturaNoUretOperationCompleted Method

C#

```
private void OnfaturaNoUretOperationCompleted(object arg);
```

Description

This is OnfaturaNoUretOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnfaturaNoUretOperationCompleted(object arg) {
2:     if ((this.faturaNoUretCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaNoUretCompleted(this, new
faturaNoUretCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.161 connectorService.OnfaturaTarihcesiSorgulaOperationCompleted Method

C#

```
private void OnfaturaTarihcesiSorgulaOperationCompleted(object arg);
```

Description

This is OnfaturaTarihcesiSorgulaOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnfaturaTarihcesiSorgulaOperationCompleted(object arg) {
2:     if ((this.faturaTarihcesiSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaTarihcesiSorgulaCompleted(this, new
faturaTarihcesiSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.162 connectorService.OnfaturayaltirazEdildilptalOperationCompleted Method

C#

```
private void OnfaturayaltirazEdildilptalOperationCompleted(object arg);
```

Description

This is OnfaturayaltirazEdildiIptalOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OnfaturayaItirazEdildiIptalOperationCompleted(object arg) {
2:     if ((this.faturayaItirazEdildiIptalCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturayaItirazEdildiIptalCompleted(this, new
faturayaItirazEdildiIptalCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.163 connectorService.OnfaturayaltirazEdildiOperationCompleted Method

C#

```
private void OnfaturayaItirazEdildiOperationCompleted(object arg);
```

Description

This is OnfaturayaltirazEdildiOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OnfaturayaItirazEdildiOperationCompleted(object arg) {
2:     if ((this.faturayaItirazEdildiCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturayaItirazEdildiCompleted(this, new
faturayaItirazEdildiCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.164 connectorService.OngelenBelgeDurumSorgulaExtOperationCompleted Method

C#

```
private void OngelenBelgeDurumSorgulaExtOperationCompleted(object arg);
```

Description

This is OngelenBelgeDurumSorgulaExtOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OngelenBelgeDurumSorgulaExtOperationCompleted(object arg) {
2:     if ((this.gelenBelgeDurumSorgulaExtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenBelgeDurumSorgulaExtCompleted(this, new
gelenBelgeDurumSorgulaExtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.165 connectorService.OngelenBelgeDurumSorgulaOperationCompleted Method

C#

```
private void OngelenBelgeDurumSorgulaOperationCompleted(object arg);
```

Description

This is OngelenBelgeDurumSorgulaOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngelenBelgeDurumSorgulaOperationCompleted(object arg) {
```

```

1:     if ((this.gelenBelgeDurumSorgulaCompleted != null)) {
2:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
3:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenBelgeDurumSorgulaCompleted(this, new
gelenBelgeDurumSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.166 connectorService.OngelenBelgeEkleriAIOperationCompleted Method

C#

```
private void OngelenBelgeEkleriAIOperationCompleted(object arg);
```

Description

This is OngelenBelgeEkleriAIOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OngelenBelgeEkleriAIOperationCompleted(object arg) {
2:     if ((this.gelenBelgeEkleriAICompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gelenBelgeEkleriAICompleted(this, new
gelenBelgeEkleriAICompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
6:     }
6: }
```

1.1.3.1.17.2.167 connectorService.OngelenBelgeleriAIExt2OperationCompleted Method

C#

```
private void OngelenBelgeleriAIExt2OperationCompleted(object arg);
```

Description

This is OngelenBelgeleriAIExt2OperationCompleted, a member of class connectorService.

Body Source

```

1: private void OngelenBelgeleriAIExt2OperationCompleted(object arg) {
2:     if ((this.gelenBelgeleriAIExt2Completed != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gelenBelgeleriAIExt2Completed(this, new
gelenBelgeleriAIExt2CompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
6:     }
6: }
```

1.1.3.1.17.2.168 connectorService.OngelenBelgeleriAIExtOperationCompleted Method

C#

```
private void OngelenBelgeleriAIExtOperationCompleted(object arg);
```

Description

This is OngelenBelgeleriAIExtOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OngelenBelgeleriAIExtOperationCompleted(object arg) {
2:     if ((this.gelenBelgeleriAIExtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gelenBelgeleriAIExtCompleted(this, new
gelenBelgeleriAIExtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
5: }
```

```
6: }
```

1.1.3.1.17.2.169 connectorService.OngelenBelgeleriAlOperationCompleted Method

C#

```
private void OngelenBelgeleriAlOperationCompleted(object arg);
```

Description

This is OngelenBelgeleriAlOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngelenBelgeleriAlOperationCompleted(object arg) {
2:     if ((this.gelenBelgeleriAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenBelgeleriAlCompleted(this, new
gelenBelgeleriAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.170 connectorService.OngelenBelgeleriIndirExtOperationCompleted Method

C#

```
private void OngelenBelgeleriIndirExtOperationCompleted(object arg);
```

Description

This is OngelenBelgeleriIndirExtOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngelenBelgeleriIndirExtOperationCompleted(object arg) {
2:     if ((this.gelenBelgeleriIndirExtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenBelgeleriIndirExtCompleted(this, new
gelenBelgeleriIndirExtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.171 connectorService.OngelenBelgeleriIndirOperationCompleted Method

C#

```
private void OngelenBelgeleriIndirOperationCompleted(object arg);
```

Description

This is OngelenBelgeleriIndirOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngelenBelgeleriIndirOperationCompleted(object arg) {
2:     if ((this.gelenBelgeleriIndirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenBelgeleriIndirCompleted(this, new
gelenBelgeleriIndirCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.172 connectorService.OngelenBelgeleriListeleExtOperationCompleted Method

C#

```
private void OngelenBelgeleriListeleExtOperationCompleted(object arg);
```

Description

This is OngelenBelgeleriListeleExtOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OngelenBelgeleriListeleExtOperationCompleted(object arg) {
2:     if ((this.gelenBelgeleriListeleExtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenBelgeleriListeleExtCompleted(this, new
gelenBelgeleriListeleExtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.173 connectorService.OngelenBelgeleriListeleOperationCompleted Method

C#

```
private void OngelenBelgeleriListeleOperationCompleted(object arg);
```

Description

This is OngelenBelgeleriListeleOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OngelenBelgeleriListeleOperationCompleted(object arg) {
2:     if ((this.gelenBelgeleriListeleCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenBelgeleriListeleCompleted(this, new
gelenBelgeleriListeleCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.174 connectorService.OngelenBelgeTutarBilgileriSorgulaOperationCompleted Method

C#

```
private void OngelenBelgeTutarBilgileriSorgulaOperationCompleted(object arg);
```

Description

This is OngelenBelgeTutarBilgileriSorgulaOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OngelenBelgeTutarBilgileriSorgulaOperationCompleted(object arg) {
2:     if ((this.gelenBelgeTutarBilgileriSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenBelgeTutarBilgileriSorgulaCompleted(this, new
gelenBelgeTutarBilgileriSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.175 connectorService.OngelenBelgeXmlleriniAlExtOperationCompleted Method

C#

```
private void OngelenBelgeXmlleriniAlExtOperationCompleted(object arg);
```

Description

This is OngelenBelgeXmlleriniAlExtOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngelenBelgeXmlleriniAlExtOperationCompleted(object arg) {
```

```

1:     if ((this.gelenBelgeXmlleriniAlExtCompleted != null)) {
2:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
3:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenBelgeXmlleriniAlExtCompleted(this, new
gelenBelgeXmlleriniAlExtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }

```

1.1.3.1.17.2.176 connectorService.OngelenBelgeXmlleriniAlOperationCompleted Method

C#

```
private void OngelenBelgeXmlleriniAlOperationCompleted(object arg);
```

Description

This is OngelenBelgeXmlleriniAlOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OngelenBelgeXmlleriniAlOperationCompleted(object arg) {
2:     if ((this.gelenBelgeXmlleriniAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gelenBelgeXmlleriniAlCompleted(this, new
gelenBelgeXmlleriniAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
6:     }

```

1.1.3.1.17.2.177 connectorService.OngelenFaturalariArsiveKaldırOperationCompleted Method

C#

```
private void OngelenFaturalariArsiveKaldırOperationCompleted(object arg);
```

Description

This is OngelenFaturalariArsiveKaldırOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OngelenFaturalariArsiveKaldırOperationCompleted(object arg) {
2:     if ((this.gelenFaturalariArsiveKaldırCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gelenFaturalariArsiveKaldırCompleted(this, new
System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
6:     }

```

1.1.3.1.17.2.178 connectorService.OngelenIrsaliyeleriArsiveKaldırOperationCompleted Method

C#

```
private void OngelenIrsaliyeleriArsiveKaldırOperationCompleted(object arg);
```

Description

This is OngelenIrsaliyeleriArsiveKaldırOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OngelenIrsaliyeleriArsiveKaldırOperationCompleted(object arg) {
2:     if ((this.gelenIrsaliyeleriArsiveKaldırCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gelenIrsaliyeleriArsiveKaldırCompleted(this, new
System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
6:     }

```

```
6: }
```

1.1.3.1.17.2.179 connectorService.OngelenStandartRapolariAIOperationCompleted Method

C#

```
private void OngelenStandartRapolariAIOperationCompleted(object arg);
```

Description

This is OngelenStandartRapolariAIOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngelenStandartRapolariAIOperationCompleted(object arg) {
2:     if ((this.gelenStandartRapolariAICompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenStandartRapolariAICompleted(this, new
gelenStandartRapolariAICompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.180 connectorService.OngelenTamamlananRapolariAIOperationCompleted Method

C#

```
private void OngelenTamamlananRapolariAIOperationCompleted(object arg);
```

Description

This is OngelenTamamlananRapolariAIOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngelenTamamlananRapolariAIOperationCompleted(object arg) {
2:     if ((this.gelenTamamlananRapolariAICompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenTamamlananRapolariAICompleted(this, new
gelenTamamlananRapolariAICompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.181 connectorService.OngelenTasinanBelgeleriIndirOperationCompleted Method

C#

```
private void OngelenTasinanBelgeleriIndirOperationCompleted(object arg);
```

Description

This is OngelenTasinanBelgeleriIndirOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngelenTasinanBelgeleriIndirOperationCompleted(object arg) {
2:     if ((this.gelenTasinanBelgeleriIndirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenTasinanBelgeleriIndirCompleted(this, new
gelenTasinanBelgeleriIndirCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.182 connectorService.OngidenBelgeDurumSorgulaBelgeNoOperationCompleted Method

C#

```
private void OngidenBelgeDurumSorgulaBelgeNoOperationCompleted(object arg);
```

Description

This is OngidenBelgeDurumSorgulaBelgeNoOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OngidenBelgeDurumSorgulaBelgeNoOperationCompleted(object arg) {
2:     if ((this.gidenBelgeDurumSorgulaBelgeNoCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenBelgeDurumSorgulaBelgeNoCompleted(this, new
gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.183 connectorService.OngidenBelgeDurumSorgulaEttnOperationCompleted Method

C#

```
private void OngidenBelgeDurumSorgulaEttnOperationCompleted(object arg);
```

Description

This is OngidenBelgeDurumSorgulaEttnOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OngidenBelgeDurumSorgulaEttnOperationCompleted(object arg) {
2:     if ((this.gidenBelgeDurumSorgulaEttnCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenBelgeDurumSorgulaEttnCompleted(this, new
gidenBelgeDurumSorgulaEttnCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.184 connectorService.OngidenBelgeDurumSorgulaExtOperationCompleted Method

C#

```
private void OngidenBelgeDurumSorgulaExtOperationCompleted(object arg);
```

Description

This is OngidenBelgeDurumSorgulaExtOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OngidenBelgeDurumSorgulaExtOperationCompleted(object arg) {
2:     if ((this.gidenBelgeDurumSorgulaExtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenBelgeDurumSorgulaExtCompleted(this, new
gidenBelgeDurumSorgulaExtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.185 connectorService.OngidenBelgeDurumSorgulaOperationCompleted Method

C#

```
private void OngidenBelgeDurumSorgulaOperationCompleted(object arg);
```

Description

This is OngidenBelgeDurumSorgulaOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngidenBelgeDurumSorgulaOperationCompleted(object arg) {
```

```

1:     if ((this.gidenBelgeDurumSorgulaCompleted != null)) {
2:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
3:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenBelgeDurumSorgulaCompleted(this, new
5:             gidenBelgeDurumSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
6:             invokeArgs.Cancelled, invokeArgs.UserState));
7:     }
8: }
```

1.1.3.1.17.2.186 connectorService.OngidenBelgeDurumSorgulaPortalOperationCompleted Method**C#**

```
private void OngidenBelgeDurumSorgulaPortalOperationCompleted(object arg);
```

Description

This is OngidenBelgeDurumSorgulaPortalOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OngidenBelgeDurumSorgulaPortalOperationCompleted(object arg) {
2:     if ((this.gidenBelgeDurumSorgulaPortalCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gidenBelgeDurumSorgulaPortalCompleted(this, new
6:             gidenBelgeDurumSorgulaPortalCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

1.1.3.1.17.2.187 connectorService.OngidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted Method**C#**

```
private void OngidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted(object arg);
```

Description

This is OngidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OngidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted(object arg) {
2:     if ((this.gidenBelgeDurumSorgulaYerelBelgeNoCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gidenBelgeDurumSorgulaYerelBelgeNoCompleted(this, new
6:             gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

1.1.3.1.17.2.188 connectorService.OngidenBelgeEkleriAlOperationCompleted Method**C#**

```
private void OngidenBelgeEkleriAlOperationCompleted(object arg);
```

Description

This is OngidenBelgeEkleriAlOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OngidenBelgeEkleriAlOperationCompleted(object arg) {
2:     if ((this.gidenBelgeEkleriAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gidenBelgeEkleriAlCompleted(this, new
6:             gidenBelgeEkleriAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
7:     }
8: }
```

```
6: }
```

1.1.3.1.17.2.189 connectorService.OngidenBelgeleriIndirEttnOperationCompleted Method

C#

```
private void OngidenBelgeleriIndirEttnOperationCompleted(object arg);
```

Description

This is OngidenBelgeleriIndirEttnOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngidenBelgeleriIndirEttnOperationCompleted(object arg) {
2:     if ((this.gidenBelgeleriIndirEttnCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenBelgeleriIndirEttnCompleted(this, new
gidenBelgeleriIndirEttnCompletedEventArgs(invokerArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.190 connectorService.OngidenBelgeleriIndirOperationCompleted Method

C#

```
private void OngidenBelgeleriIndirOperationCompleted(object arg);
```

Description

This is OngidenBelgeleriIndirOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngidenBelgeleriIndirOperationCompleted(object arg) {
2:     if ((this.gidenBelgeleriIndirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenBelgeleriIndirCompleted(this, new
gidenBelgeleriIndirCompletedEventArgs(invokerArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.191 connectorService.OngidenBelgeleriIndirPortalOperationCompleted Method

C#

```
private void OngidenBelgeleriIndirPortalOperationCompleted(object arg);
```

Description

This is OngidenBelgeleriIndirPortalOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngidenBelgeleriIndirPortalOperationCompleted(object arg) {
2:     if ((this.gidenBelgeleriIndirPortalCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenBelgeleriIndirPortalCompleted(this, new
gidenBelgeleriIndirPortalCompletedEventArgs(invokerArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.192 connectorService.OngidenBelgeleriListeleOperationCompleted Method

C#

```
private void OngidenBelgeleriListeleOperationCompleted(object arg);
```

Description

This is OngidenBelgeleriListeleOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OngidenBelgeleriListeleOperationCompleted(object arg) {
2:     if ((this.gidenBelgeleriListeleCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenBelgeleriListeleCompleted(this, new
gidenBelgeleriListeleCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.193 connectorService.OngidenBelgeleriListelePortalOperationCompleted Method

C#

```
private void OngidenBelgeleriListelePortalOperationCompleted(object arg);
```

Description

This is OngidenBelgeleriListelePortalOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OngidenBelgeleriListelePortalOperationCompleted(object arg) {
2:     if ((this.gidenBelgeleriListelePortalCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenBelgeleriListelePortalCompleted(this, new
gidenBelgeleriListelePortalCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.194 connectorService.OngidenBelgeTutarBilgileriSorgulaOperationCompleted Method

C#

```
private void OngidenBelgeTutarBilgileriSorgulaOperationCompleted(object arg);
```

Description

This is OngidenBelgeTutarBilgileriSorgulaOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OngidenBelgeTutarBilgileriSorgulaOperationCompleted(object arg) {
2:     if ((this.gidenBelgeTutarBilgileriSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenBelgeTutarBilgileriSorgulaCompleted(this, new
gidenBelgeTutarBilgileriSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.195 connectorService.OngidenFaturalariArsiveKaldirOperationCompleted Method

C#

```
private void OngidenFaturalariArsiveKaldirOperationCompleted(object arg);
```

Description

This is OngidenFaturalariArsiveKaldirOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OngidenFaturalariArsiveKaldirOperationCompleted(object arg) {
```

```

1:     if ((this.gidenFaturalariArsiveKaldirCompleted != null)) {
2:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
3:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenFaturalariArsiveKaldirCompleted(this, new
5:             System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
6:             invokeArgs.UserState));
7:     }
8: }
```

1.1.3.1.17.2.196 connectorService.OngidenIrsaliyeleriArsiveKaldirOperationCompleted Method**C#**

```
private void OngidenIrsaliyeleriArsiveKaldirOperationCompleted(object arg);
```

Description

This is OngidenIrsaliyeleriArsiveKaldirOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OngidenIrsaliyeleriArsiveKaldirOperationCompleted(object arg) {
2:     if ((this.gidenIrsaliyeleriArsiveKaldirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gidenIrsaliyeleriArsiveKaldirCompleted(this, new
6:             System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
7:             invokeArgs.UserState));
8:     }
9: }
```

1.1.3.1.17.2.197 connectorService.OngidenTasinanBelgeleriIndirOperationCompleted Method**C#**

```
private void OngidenTasinanBelgeleriIndirOperationCompleted(object arg);
```

Description

This is OngidenTasinanBelgeleriIndirOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OngidenTasinanBelgeleriIndirOperationCompleted(object arg) {
2:     if ((this.gidenTasinanBelgeleriIndirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gidenTasinanBelgeleriIndirCompleted(this, new
6:             gidenTasinanBelgeleriIndirCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

1.1.3.1.17.2.198 connectorService.OnirsaliyeMailGonderOperationCompleted Method**C#**

```
private void OnirsaliyeMailGonderOperationCompleted(object arg);
```

Description

This is OnirsaliyeMailGonderOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OnirsaliyeMailGonderOperationCompleted(object arg) {
2:     if ((this.irsaliyeMailGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.irsaliyeMailGonderCompleted(this, new
6:             System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
7:             invokeArgs.UserState));
8:     }
9: }
```

```
6: }
```

1.1.3.1.17.2.199 connectorService.OnirsaliyeTarihcesiSorgulaOperationCompleted Method

C#

```
private void OnirsaliyeTarihcesiSorgulaOperationCompleted(object arg);
```

Description

This is OnirsaliyeTarihcesiSorgulaOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnirsaliyeTarihcesiSorgulaOperationCompleted(object arg) {
2:     if ((this.irsaliyeTarihcesiSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.irsaliyeTarihcesiSorgulaCompleted(this, new
irsaliyeTarihcesiSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.200 connectorService.OnkayitliKullaniciListeleExtendedOperationCompleted Method

C#

```
private void OnkayitliKullaniciListeleExtendedOperationCompleted(object arg);
```

Description

This is OnkayitliKullaniciListeleExtendedOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnkayitliKullaniciListeleExtendedOperationCompleted(object arg) {
2:     if ((this.kayitliKullaniciListeleExtendedCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.kayitliKullaniciListeleExtendedCompleted(this, new
kayitliKullaniciListeleExtendedCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.201 connectorService.OnkayitliKullaniciListeleExtendedTimeOperationCompleted Method

C#

```
private void OnkayitliKullaniciListeleExtendedTimeOperationCompleted(object arg);
```

Description

This is OnkayitliKullaniciListeleExtendedTimeOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnkayitliKullaniciListeleExtendedTimeOperationCompleted(object arg) {
2:     if ((this.kayitliKullaniciListeleExtendedTimeCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.kayitliKullaniciListeleExtendedTimeCompleted(this, new
kayitliKullaniciListeleExtendedTimeCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.202 connectorService.OnkayitliKullaniciListeleExtendedVknTcknOperationCompleted Method

C#

```
private void OnkayitliKullaniciListeleExtendedVknTcknOperationCompleted(object arg);
```

Description

This is OnkayitliKullaniciListeleExtendedVknTcknOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OnkayitliKullaniciListeleExtendedVknTcknOperationCompleted(object arg) {
2:     if ((this.kayitliKullaniciListeleExtendedVknTcknCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.kayitliKullaniciListeleExtendedVknTcknCompleted(this, new
kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs(invokeArgs.Results,
invokeArgs.Error, invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.203 connectorService.OnkontorBilgisiGetirOperationCompleted Method

C#

```
private void OnkontorBilgisiGetirOperationCompleted(object arg);
```

Description

This is OnkontorBilgisiGetirOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OnkontorBilgisiGetirOperationCompleted(object arg) {
2:     if ((this.kontorBilgisiGetirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.kontorBilgisiGetirCompleted(this, new
kontorBilgisiGetirCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.204 connectorService.OntemelKontrollerIleBelgeGonderOperationCompleted Method

C#

```
private void OntemelKontrollerIleBelgeGonderOperationCompleted(object arg);
```

Description

This is OntemelKontrollerIleBelgeGonderOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OntemelKontrollerIleBelgeGonderOperationCompleted(object arg) {
2:     if ((this.temelKontrollerIleBelgeGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.temelKontrollerIleBelgeGonderCompleted(this, new
temelKontrollerIleBelgeGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.205 connectorService.OntoplasmBelgeSayisiGetirOperationCompleted Method

C#

```
private void OntoplasmBelgeSayisiGetirOperationCompleted(object arg);
```

Description

This is OntoplasmBelgeSayisiGetirOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OntoplasmBelgeSayisiGetirOperationCompleted(object arg) {
```

```

1:     if ((this.toplamBelgeSayisiGetirCompleted != null)) {
2:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
3:         this.toplamBelgeSayisiGetirCompleted(this, new
toplamBelgeSayisiGetirCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
4:     }
5:   }
6: }
```

1.1.3.1.17.2.206 connectorService.OnublOnizlemeOperationCompleted Method

C#

```
private void OnublOnizlemeOperationCompleted(object arg);
```

Description

This is OnublOnizlemeOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OnublOnizlemeOperationCompleted(object arg) {
2:     if ((this.ulblOnizlemeCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.ulblOnizlemeCompleted(this, new
ulblOnizlemeCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.207 connectorService.OnurunSablonlariniAlOperationCompleted Method

C#

```
private void OnurunSablonlariniAlOperationCompleted(object arg);
```

Description

This is OnurunSablonlariniAlOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OnurunSablonlariniAlOperationCompleted(object arg) {
2:     if ((this.urunSablonlariniAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.urunSablonlariniAlCompleted(this, new
urunSablonlariniAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.208 connectorService.OnwsKullanicisiKaydetOperationCompleted Method

C#

```
private void OnwsKullanicisiKaydetOperationCompleted(object arg);
```

Description

This is OnwsKullanicisiKaydetOperationCompleted, a member of class connectorService.

Body Source

```

1: private void OnwsKullanicisiKaydetOperationCompleted(object arg) {
2:     if ((this.wsKullanicisiKaydetCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.wsKullanicisiKaydetCompleted(this, new
wsKullanicisiKaydetCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
}
```

```
6: }
```

1.1.3.1.17.2.209 connectorService.OnyereleAktarilacakBelgeleriAlExtOperationCompleted Method

C#

```
private void OnyereleAktarilacakBelgeleriAlExtOperationCompleted(object arg);
```

Description

This is OnyereleAktarilacakBelgeleriAlExtOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnyereleAktarilacakBelgeleriAlExtOperationCompleted(object arg) {
2:     if ((this.yereleAktarilacakBelgeleriAlExtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.yereleAktarilacakBelgeleriAlExtCompleted(this, new
yereleAktarilacakBelgeleriAlExtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.210 connectorService.OnyereleAktarilacakBelgeleriAlOperationCompleted Method

C#

```
private void OnyereleAktarilacakBelgeleriAlOperationCompleted(object arg);
```

Description

This is OnyereleAktarilacakBelgeleriAlOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnyereleAktarilacakBelgeleriAlOperationCompleted(object arg) {
2:     if ((this.yereleAktarilacakBelgeleriAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.yereleAktarilacakBelgeleriAlCompleted(this, new
yereleAktarilacakBelgeleriAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.211 connectorService.OnyolcuBeraberFaturalptalEtOperationCompleted Method

C#

```
private void OnyolcuBeraberFaturalptalEtOperationCompleted(object arg);
```

Description

This is OnyolcuBeraberFaturalptalEtOperationCompleted, a member of class connectorService.

Body Source

```
1: private void OnyolcuBeraberFaturalptalEtOperationCompleted(object arg) {
2:     if ((this.yolcuBeraberFaturalptalEtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.yolcuBeraberFaturalptalEtCompleted(this, new
System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.3.1.17.2.212 connectorService.temelKontrollerIleBelgeGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",

```

```

RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped]
[return: System.Xml.Serialization.XmlElementAttribute("belgeOid",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
temelKontrollerIleBelgeGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed),
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeHash,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string mimeType,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeVersiyon);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped]
2: [return: System.Xml.Serialization.XmlElementAttribute("belgeOid",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
temelKontrollerIleBelgeGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed),
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeHash,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string mimeType,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeVersiyon) {
4:     object[] results = this.Invoke("temelKontrollerIleBelgeGonder", new object[] {
5:         vergiTcKimlikNo,
6:         belgeNo,
7:         veri,
8:         belgeHash,
9:         mimeType,
10:        belgeVersiyon});
11:    return ((string)(results[0]));
12: }

```

1.1.3.1.17.2.213 temelKontrollerIleBelgeGonderAsync Method

1.1.3.1.17.2.213.1 connectorService.temelKontrollerIleBelgeGonderAsync Method (string, string, byte[], string, string, string)

C#

```
public void temelKontrollerIleBelgeGonderAsync(string vergiTcKimlikNo, string belgeNo,
byte[] veri, string belgeHash, string mimeType, string belgeVersiyon);
```

Body Source

```
1: public void temelKontrollerIleBelgeGonderAsync(string vergiTcKimlikNo, string belgeNo,
byte[] veri, string belgeHash, string mimeType, string belgeVersiyon) {
2:     this.temelKontrollerIleBelgeGonderAsync(vergiTcKimlikNo, belgeNo, veri, belgeHash,
mimeType, belgeVersiyon, null);
3: }
```

1.1.3.1.17.2.213.2 connectorService.temelKontrollerIleBelgeGonderAsync Method (string, string, byte[], string, string, object)

C#

```
public void temelKontrollerIleBelgeGonderAsync(string vergiTcKimlikNo, string belgeNo,
byte[] veri, string belgeHash, string mimeType, string belgeVersiyon, object userState);
```

Body Source

```
1: public void temelKontrollerIleBelgeGonderAsync(string vergiTcKimlikNo, string belgeNo,
byte[] veri, string belgeHash, string mimeType, string belgeVersiyon, object userState) {
2:     if ((this.temelKontrollerIleBelgeGonderOperationCompleted == null)) {
3:         this.temelKontrollerIleBelgeGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OntemelKontrollerIleBelgeGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("temelKontrollerIleBelgeGonder", new object[] {
6:         vergiTcKimlikNo,
7:         belgeNo,
8:         veri,
9:         belgeHash,
10:        mimeType,
11:        belgeVersiyon}, this.temelKontrollerIleBelgeGonderOperationCompleted,
userState);
12: }
```

1.1.3.1.17.2.214 connectorService.toplamBelgeSayisiGetir Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int
toplambelgesayisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeYonu,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeBaslangicTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeBitisTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
```

```

ed)]
string belgeBaslangicZamani,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeBitisZamani);

Body Source

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public int
toplambelgesayisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeYonu,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeBaslangicTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeBitisTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeBaslangicZamani,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeBitisZamani) {
4:     object[] results = this.Invoke("toplambelgesayisiGetir", new object[] {
5:         vergiTcKimlikNo,
6:         belgeTuru,
7:         belgeYonu,
8:         belgeBaslangicTarihi,
9:         belgeBitisTarihi,
10:        belgeBaslangicZamani,
11:        belgeBitisZamani});
12:    return ((int)(results[0]));
13: }

```

1.1.3.1.17.2.215 toplambelgesayisiGetirAsync Method

1.1.3.1.17.2.215.1 connectorService.toplambelgesayisiGetirAsync Method (string, string, string, string, string, string)

C#

```

public void toplambelgesayisiGetirAsync(string vergiTcKimlikNo, string belgeTuru, string
belgeYonu, string belgeBaslangicTarihi, string belgeBitisTarihi, string
belgeBaslangicZamani, string belgeBitisZamani);

```

Body Source

```

1: public void toplambelgesayisiGetirAsync(string vergiTcKimlikNo, string belgeTuru, string
belgeYonu, string belgeBaslangicTarihi, string belgeBitisTarihi, string
belgeBaslangicZamani, string belgeBitisZamani) {
2:     this.toplambelgesayisiGetirAsync(vergiTcKimlikNo, belgeTuru, belgeYonu,
belgeBaslangicTarihi, belgeBitisTarihi, belgeBaslangicZamani, belgeBitisZamani, null);
3: }

```

1.1.3.1.17.2.215.2 connectorService.toplamBelgeSayisiGetirAsync Method (string, string, string, string, string, string, object)

C#

```
public void toplamBelgeSayisiGetirAsync(string vergiTcKimlikNo, string belgeTuru, string
belgeYonu, string belgeBaslangicTarihi, string belgeBitisTarihi, string
belgeBaslangicZamani, string belgeBitisZamani, object userState);
```

Body Source

```
1: public void toplamBelgeSayisiGetirAsync(string vergiTcKimlikNo, string belgeTuru,
string belgeYonu, string belgeBaslangicTarihi, string belgeBitisTarihi, string
belgeBaslangicZamani, string belgeBitisZamani, object userState) {
2:     if ((this.toplamBelgeSayisiGetirOperationCompleted == null)) {
3:         this.toplamBelgeSayisiGetirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OntoplambelgesayisiGetirOperationCompleted);
4:     }
5:     this.InvokeAsync("toplambelgesayisiGetir", new object[] {
6:         vergiTcKimlikNo,
7:         belgeTuru,
8:         belgeYonu,
9:         belgeBaslangicTarihi,
10:        belgeBitisTarihi,
11:        belgeBaslangicZamani,
12:        belgeBitisZamani}, this.toplamBelgeSayisiGetirOperationCompleted,
userState);
13: }
```

1.1.3.1.17.2.216 connectorService.ulbOnizleme Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
ublOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeFormati,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
ublOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed),
```

```

1:  [System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
2:  [System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3:  string belgeFormati,
4:  object[] results = this.Invoke("ublOnizleme", new object[] {
5:      vergiTcKimlikNo,
6:      veri,
7:      belgeFormati,
8:      belgeTuru});
9:  return ((byte[])(results[0]));
10: }

```

1.1.3.1.17.2.217 ublOnizlemeAsync Method

1.1.3.1.17.2.217.1 connectorService.ulblOnizlemeAsync Method (string, byte[], string, string)

C#

```
public void ublOnizlemeAsync(string vergiTcKimlikNo, byte[] veri, string belgeFormati, string belgeTuru);
```

Body Source

```

1: public void ublOnizlemeAsync(string vergiTcKimlikNo, byte[] veri, string belgeFormati, string belgeTuru) {
2:     this.ulblOnizlemeAsync(vergiTcKimlikNo, veri, belgeFormati, belgeTuru, null);
3: }

```

1.1.3.1.17.2.217.2 connectorService.ulblOnizlemeAsync Method (string, byte[], string, string, object)

C#

```
public void ublOnizlemeAsync(string vergiTcKimlikNo, byte[] veri, string belgeFormati, string belgeTuru, object userState);
```

Body Source

```

1: public void ublOnizlemeAsync(string vergiTcKimlikNo, byte[] veri, string belgeFormati, string belgeTuru, object userState) {
2:     if ((this.ulblOnizlemeOperationCompleted == null)) {
3:         this.ulblOnizlemeOperationCompleted = new System.Threading.SendOrPostCallback(this.OnulblOnizlemeOperationCompleted);
4:     }
5:     this.InvokeAsync("ublOnizleme", new object[] {
6:         vergiTcKimlikNo,
7:         veri,
8:         belgeFormati,
9:         belgeTuru}, this.ulblOnizlemeOperationCompleted, userState);
10: }

```

1.1.3.1.17.2.218 connectorService.urunSablonlariniAl Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
urunSablonlariniAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]

```

```
    string urun);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
urunSablonlariniAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string urun)
{
4:     object[] results = this.Invoke("urunSablonlariniAl", new object[] {
5:         vergiTcKimlikNo,
6:         urun});
7:     return ((byte[])(results[0]));
8: }
```

1.1.3.1.17.2.219 urunSablonlariniAlAsync Method**1.1.3.1.17.2.219.1 connectorService.urunSablonlariniAlAsync Method (string, string)****C#**

```
public void urunSablonlariniAlAsync(string vergiTcKimlikNo, string urun);
```

Body Source

```
1: public void urunSablonlariniAlAsync(string vergiTcKimlikNo, string urun) {
2:     this.urunSablonlariniAlAsync(vergiTcKimlikNo, urun, null);
3: }
```

1.1.3.1.17.2.219.2 connectorService.urunSablonlariniAlAsync Method (string, string, object)**C#**

```
public void urunSablonlariniAlAsync(string vergiTcKimlikNo, string urun, object userState);
```

Body Source

```
1: public void urunSablonlariniAlAsync(string vergiTcKimlikNo, string urun, object
userState) {
2:     if ((this.urunSablonlariniAlOperationCompleted == null)) {
3:         this.urunSablonlariniAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnurunSablonlariniAlOperationCompleted);
4:     }
5:     this.InvokeAsync("urunSablonlariniAl", new object[] {
6:         vergiTcKimlikNo,
7:         urun}, this.urunSablonlariniAlOperationCompleted, userState);
8: }
```

1.1.3.1.17.2.220 connectorService.wsKullaniciKaydet Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public wsKullaniciBilgileri
wsKullaniciKaydet([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)])
```

```

string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("urunList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] urunList,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string erpKodu);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public wsKullaniciBilgileri
wsKullanicisiKaydet([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("urunList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] urunList,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string erpKodu) {
4:     object[] results = this.Invoke("wsKullanicisiKaydet", new object[] {
5:         vergiTcKimlikNo,
6:         urunList,
7:         erpKodu});
8:     return ((wsKullaniciBilgileri)(results[0]));
9: }

```

1.1.3.1.17.2.221 wsKullanicisiKaydetAsync Method**1.1.3.1.17.2.221.1 connectorService.wsKullanicisiKaydetAsync Method (string, string[], string)****C#**

```

public void wsKullanicisiKaydetAsync(string vergiTcKimlikNo, string[] urunList, string
erpKodu);

```

Body Source

```

1: public void wsKullanicisiKaydetAsync(string vergiTcKimlikNo, string[] urunList, string
erpKodu) {
2:     this.wsKullanicisiKaydetAsync(vergiTcKimlikNo, urunList, erpKodu, null);
3: }

```

1.1.3.1.17.2.221.2 connectorService.wsKullanicisiKaydetAsync Method (string, string[], string, object)**C#**

```

public void wsKullanicisiKaydetAsync(string vergiTcKimlikNo, string[] urunList, string
erpKodu, object userState);

```

Body Source

```

1: public void wsKullanicisiKaydetAsync(string vergiTcKimlikNo, string[] urunList, string
erpKodu, object userState) {
2:     if ((this.wsKullanicisiKaydetOperationCompleted == null)) {
3:         this.wsKullanicisiKaydetOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnwsKullanicisiKaydetOperationCompleted);
4:     }
5:     this.InvokeAsync("wsKullanicisiKaydet", new object[] {
6:         vergiTcKimlikNo,
7:         urunList,
8:         erpKodu}, this.wsKullanicisiKaydetOperationCompleted, userState);
9: }

```

1.1.3.1.17.2.222 connectorService.yereleAktarilacakBelgeleriAI Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
yereleAktarilacakBelgeleriAI([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.S
chema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string entegrasyonHedefi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
yereleAktarilacakBelgeleriAI([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.S
chema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string entegrasyonHedefi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru) {
4:     object[] results = this.Invoke("yereleAktarilacakBelgeleriAI", new object[] {
5:         vergiTcKimlikNo,
6:         entegrasyonHedefi,
7:         belgeTuru});
8:     return ((serviceReturnType[])(results[0]));
9: }
```

1.1.3.1.17.2.223 yereleAktarilacakBelgeleriAIAsync Method

1.1.3.1.17.2.223.1 connectorService.yereleAktarilacakBelgeleriAIAsync Method (string, string, string)

C#

```
public void yereleAktarilacakBelgeleriAIAsync(string vergiTcKimlikNo, string
entegrasyonHedefi, string belgeTuru);
```

Body Source

```
1: public void yereleAktarilacakBelgeleriAIAsync(string vergiTcKimlikNo, string
entegrasyonHedefi, string belgeTuru) {
2:     this.yereleAktarilacakBelgeleriAIAsync(vergiTcKimlikNo, entegrasyonHedefi,
belgeTuru, null);
3: }
```

1.1.3.1.17.2.223.2 connectorService.yereleAktarilacakBelgeleriAIAsync Method (string, string, string, object)

C#

```
public void yereleAktarilacakBelgeleriAIAsync(string vergiTcKimlikNo, string entegrasyonHedefi, string belgeTuru, object userState);
```

Body Source

```
1: public void yereleAktarilacakBelgeleriAIAsync(string vergiTcKimlikNo, string entegrasyonHedefi, string belgeTuru, object userState) {
2:     if ((this.yereleAktarilacakBelgeleriAIOperationCompleted == null)) {
3:         this.yereleAktarilacakBelgeleriAIOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnyereleAktarilacakBelgeleriAIOperationCompleted);
4:     }
5:     this.InvokeAsync("yereleAktarilacakBelgeleriAI", new object[] {
6:         vergiTcKimlikNo,
7:         entegrasyonHedefi,
8:         belgeTuru}, this.yereleAktarilacakBelgeleriAIOperationCompleted,
userState);
9: }
```

1.1.3.1.17.2.224 connectorService.yereleAktarilacakBelgeleriAIExt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
yereleAktarilacakBelgeleriAIExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
yereleAktarilacakBelgeleriAIExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("yereleAktarilacakBelgeleriAIExt", new object[] {
5:         parametreler});
6:     return ((serviceReturnType[])(results[0]));
7: }
```

1.1.3.1.17.2.225 yereleAktarilacakBelgeleriAIExtAsync Method

1.1.3.1.17.2.225.1 connectorService.yereleAktarilacakBelgeleriAIExtAsync Method (gelenBelgeParametreleri)

C#

```
public void yereleAktarilacakBelgeleriAIExtAsync(gelenBelgeParametreleri parametreler);
```

Body Source

```
1: public void yereleAktarilacakBelgeleriAIExtAsync(gelenBelgeParametreleri parametreler) {
```

```

2:     this.yereleAktarilacakBelgeleriAlExtAsync(parametreler, null);
3: }

```

1.1.3.1.17.2.225.2 connectorService.yereleAktarilacakBelgeleriAlExtAsync Method (gelenBelgeParametreleri, object)

C#

```
public void yereleAktarilacakBelgeleriAlExtAsync(gelenBelgeParametreleri parametreler,
object userState);
```

Body Source

```

1: public void yereleAktarilacakBelgeleriAlExtAsync(gelenBelgeParametreleri parametreler,
object userState) {
2:     if ((this.yereleAktarilacakBelgeleriAlExtOperationCompleted == null)) {
3:         this.yereleAktarilacakBelgeleriAlExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnyereleAktarilacakBelgeleriAlExtOperationCompleted
);
4:     }
5:     this.InvokeAsync("yereleAktarilacakBelgeleriAlExt", new object[] {
6:         parametreler}, this.yereleAktarilacakBelgeleriAlExtOperationCompleted,
userState);
7: }

```

1.1.3.1.17.2.226 connectorService.yolcuBeraberFaturalptalEt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
yolcuBeraberFaturaIptalEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string seriSiraNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string pusulaTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeOid);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
yolcuBeraberFaturaIptalEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string seriSiraNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]

```

```

string pusulaTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeOid) {
3:     this.Invoke("yolcuBeraberFaturaIptalEt", new object[] {
4:         vergiTcKimlikNo,
5:         ettn,
6:         seriSiraNo,
7:         pusulaTarihi,
8:         belgeOid});
9: }

```

1.1.3.1.17.2.227 yolcuBeraberFaturalptaIEtAsync Method

1.1.3.1.17.2.227.1 connectorService.yolcuBeraberFaturalptaIEtAsync Method (string, string, string, string, string)

C#

```
public void yolcuBeraberFaturaIptalEtAsync(string vergiTcKimlikNo, string ettn, string
seriSiraNo, string pusulaTarihi, string belgeOid);
```

Body Source

```

1: public void yolcuBeraberFaturaIptalEtAsync(string vergiTcKimlikNo, string ettn, string
seriSiraNo, string pusulaTarihi, string belgeOid) {
2:     this.yolcuBeraberFaturaIptalEtAsync(vergiTcKimlikNo, ettn, seriSiraNo, pusulaTarihi,
belgeOid, null);
3: }

```

1.1.3.1.17.2.227.2 connectorService.yolcuBeraberFaturalptaIEtAsync Method (string, string, string, string, string, object)

C#

```
public void yolcuBeraberFaturaIptalEtAsync(string vergiTcKimlikNo, string ettn, string
seriSiraNo, string pusulaTarihi, string belgeOid, object userState);
```

Body Source

```

1: public void yolcuBeraberFaturaIptalEtAsync(string vergiTcKimlikNo, string ettn, string
seriSiraNo, string pusulaTarihi, string belgeOid, object userState) {
2:     if ((this.yolcuBeraberFaturaIptalEtOperationCompleted == null)) {
3:         this.yolcuBeraberFaturaIptalEtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnyolcuBeraberFaturaIptalEtOperationCompleted);
4:     }
5:     this.InvokeAsync("yolcuBeraberFaturaIptalEt", new object[] {
6:         vergiTcKimlikNo,
7:         ettn,
8:         seriSiraNo,
9:         pusulaTarihi,
10:        belgeOid}, this.yolcuBeraberFaturaIptalEtOperationCompleted, userState);
11: }

```

1.1.3.1.17.3 connectorService Properties

1.1.3.1.17.3.1 connectorService.Url Property

C#

```
public new string Url;
```

Description

This is Url, a member of class connectorService.

1.1.3.1.17.3.2 connectorService.UseDefaultCredentials Property

C#

```
public new bool UseDefaultCredentials;
```

Description

This is UseDefaultCredentials, a member of class connectorService.

1.1.3.1.17.4 connectorService Events

1.1.3.1.17.4.1 connectorService.belgeGonderCompleted Event

C#

```
public event belgeGonderCompletedEventHandler belgeGonderCompleted;
```

1.1.3.1.17.4.2 connectorService.belgeGonderExtCompleted Event

C#

```
public event belgeGonderExtCompletedEventHandler belgeGonderExtCompleted;
```

1.1.3.1.17.4.3 connectorService.belgeGonderExtWithValidateCompleted Event

C#

```
public event belgeGonderExtWithValidateCompletedEventHandler  
belgeGonderExtWithValidateCompleted;
```

1.1.3.1.17.4.4 connectorService.belgeGonderWithValidateCompleted Event

C#

```
public event belgeGonderWithValidateCompletedEventHandler belgeGonderWithValidateCompleted;
```

1.1.3.1.17.4.5 connectorService.belgelerAlindiCompleted Event

C#

```
public event belgelerAlindiCompletedEventHandler belgelerAlindiCompleted;
```

1.1.3.1.17.4.6 connectorService.belgelerAlindiEntegrasyonSiparisNoGuncelleCompleted Event

C#

```
public event belgelerAlindiEntegrasyonSiparisNoGuncelleCompletedEventHandler  
belgelerAlindiEntegrasyonSiparisNoGuncelleCompleted;
```

1.1.3.1.17.4.7 connectorService.belgeleriTekrarGonderBelgeOidCompleted Event

C#

```
public event belgeleriTekrarGonderBelgeOidCompletedEventHandler  
belgeleriTekrarGonderBelgeOidCompleted;
```

1.1.3.1.17.4.8 connectorService.belgeleriTekrarGonderCompleted Event

C#

```
public event belgeleriTekrarGonderCompletedEventHandler belgeleriTekrarGonderCompleted;
```

1.1.3.1.17.4.9 connectorService.belgeleriTekrarGonderYerelBelgeNoCompleted Event

C#

```
public event belgeleriTekrarGonderYerelBelgeNoCompletedEventHandler  
belgeleriTekrarGonderYerelBelgeNoCompleted;
```

1.1.3.1.17.4.10 connectorService.checkDateValidControlCompleted Event**C#**

```
public event checkDateValidControlCompletedEventHandler checkDateValidControlCompleted;
```

1.1.3.1.17.4.11 connectorService.cokluGidenBelgeDurumSorgulaCompleted Event**C#**

```
public event cokluGidenBelgeDurumSorgulaCompletedEventHandler cokluGidenBelgeDurumSorgulaCompleted;
```

1.1.3.1.17.4.12 connectorService.csXmlOnizlemeCompleted Event**C#**

```
public event csXmlOnizlemeCompletedEventHandler csXmlOnizlemeCompleted;
```

1.1.3.1.17.4.13 connectorService.csXmlToUblCompleted Event**C#**

```
public event csXmlToUblCompletedEventHandler csXmlToUblCompleted;
```

1.1.3.1.17.4.14 connectorService.eFaturaKayitliKullaniciListeleCompleted Event**C#**

```
public event eFaturaKayitliKullaniciListeleCompletedEventHandler eFaturaKayitliKullaniciListeleCompleted;
```

1.1.3.1.17.4.15 connectorService.efaturaKullaniciBilgisiCompleted Event**C#**

```
public event efaturaKullaniciBilgisiCompletedEventHandler efaturaKullaniciBilgisiCompleted;
```

1.1.3.1.17.4.16 connectorService.efaturaKullaniciListesiCompleted Event**C#**

```
public event efaturaKullaniciListesiCompletedEventHandler efaturaKullaniciListesiCompleted;
```

1.1.3.1.17.4.17 connectorService.efaturaKullanicisiCompleted Event**C#**

```
public event efaturaKullanicisiCompletedEventHandler efaturaKullanicisiCompleted;
```

1.1.3.1.17.4.18 connectorService.eIrsaliyeKayitliKullaniciListeleCompleted Event**C#**

```
public event eIrsaliyeKayitliKullaniciListeleCompletedEventHandler eIrsaliyeKayitliKullaniciListeleCompleted;
```

1.1.3.1.17.4.19 connectorService.eIrsaliyeKullanicisiCompleted Event**C#**

```
public event eIrsaliyeKullanicisiCompletedEventHandler eIrsaliyeKullanicisiCompleted;
```

1.1.3.1.17.4.20 connectorService.erpBilgileriBelirleCompleted Event**C#**

```
public event erpBilgileriBelirleCompletedEventHandler erpBilgileriBelirleCompleted;
```

1.1.3.1.17.4.21 connectorService.faturaKepIleIadeEdildiCompleted Event**C#**

```
public event faturaKepIleIadeEdildiCompletedEventHandler faturaKepIleIadeEdildiCompleted;
```

1.1.3.1.17.4.22 connectorService.faturaKepIleIadeEdildiIptalCompleted Event**C#**

```
public event faturaKepIleIadeEdildiIptalCompletedEventHandler faturaKepIleIadeEdildiIptalCompleted;
```

1.1.3.1.17.4.23 connectorService.faturaMailGonderCompleted Event**C#**

```
public event faturaMailGonderCompletedEventHandler faturaMailGonderCompleted;
```

1.1.3.1.17.4.24 connectorService.faturaNoUretCompleted Event**C#**

```
public event faturaNoUretCompletedEventHandler faturaNoUretCompleted;
```

1.1.3.1.17.4.25 connectorService.faturaTarihcesiSorgulaCompleted Event**C#**

```
public event faturaTarihcesiSorgulaCompletedEventHandler faturaTarihcesiSorgulaCompleted;
```

1.1.3.1.17.4.26 connectorService.faturayaItirazEdildiCompleted Event**C#**

```
public event faturayaItirazEdildiCompletedEventHandler faturayaItirazEdildiCompleted;
```

1.1.3.1.17.4.27 connectorService.faturayaItirazEdildiIptalCompleted Event**C#**

```
public event faturayaItirazEdildiIptalCompletedEventHandler faturayaItirazEdildiIptalCompleted;
```

1.1.3.1.17.4.28 connectorService.gelenBelgeDurumSorgulaCompleted Event**C#**

```
public event gelenBelgeDurumSorgulaCompletedEventHandler gelenBelgeDurumSorgulaCompleted;
```

1.1.3.1.17.4.29 connectorService.gelenBelgeDurumSorgulaExtCompleted Event**C#**

```
public event gelenBelgeDurumSorgulaExtCompletedEventHandler gelenBelgeDurumSorgulaExtCompleted;
```

1.1.3.1.17.4.30 connectorService.gelenBelgeEkleriAlCompleted Event**C#**

```
public event gelenBelgeEkleriAlCompletedEventHandler gelenBelgeEkleriAlCompleted;
```

1.1.3.1.17.4.31 connectorService.gelenBelgeleriAlCompleted Event**C#**

```
public event gelenBelgeleriAlCompletedEventHandler gelenBelgeleriAlCompleted;
```

1.1.3.1.17.4.32 connectorService.gelenBelgeleriAlExt2Completed Event**C#**

```
public event gelenBelgeleriAlExt2CompletedEventHandler gelenBelgeleriAlExt2Completed;
```

1.1.3.1.17.4.33 connectorService.gelenBelgeleriAlExtCompleted Event**C#**

```
public event gelenBelgeleriAlExtCompletedEventHandler gelenBelgeleriAlExtCompleted;
```

1.1.3.1.17.4.34 connectorService.gelenBelgeleriIndirCompleted Event**C#**

```
public event gelenBelgeleriIndirCompletedEventHandler gelenBelgeleriIndirCompleted;
```

1.1.3.1.17.4.35 connectorService.gelenBelgeleriIndirExtCompleted Event**C#**

```
public event gelenBelgeleriIndirExtCompletedEventHandler gelenBelgeleriIndirExtCompleted;
```

1.1.3.1.17.4.36 connectorService.gelenBelgeleriListeleCompleted Event**C#**

```
public event gelenBelgeleriListeleCompletedEventHandler gelenBelgeleriListeleCompleted;
```

1.1.3.1.17.4.38 connectorService.gelenBelgeTutarBilgileriSorgulaCompleted Event**C#**

```
public event gelenBelgeTutarBilgileriSorgulaCompletedEventHandler gelenBelgeTutarBilgileriSorgulaCompleted;
```

1.1.3.1.17.4.39 connectorService.gelenBelgeXmlleriniAlCompleted Event**C#**

```
public event gelenBelgeXmlleriniAlCompletedEventHandler gelenBelgeXmlleriniAlCompleted;
```

1.1.3.1.17.4.40 connectorService.gelenBelgeXmlleriniAlExtCompleted Event**C#**

```
public event gelenBelgeXmlleriniAlExtCompletedEventHandler gelenBelgeXmlleriniAlExtCompleted;
```

1.1.3.1.17.4.41 connectorService.gelenFaturalariArsiveKaldirCompleted Event**C#**

```
public event gelenFaturalariArsiveKaldirCompletedEventHandler gelenFaturalariArsiveKaldirCompleted;
```

1.1.3.1.17.4.42 connectorService.gelenIrsaliyeleriArsiveKaldirCompleted Event**C#**

```
public event gelenIrsaliyeleriArsiveKaldirCompletedEventHandler gelenIrsaliyeleriArsiveKaldirCompleted;
```

1.1.3.1.17.4.43 connectorService.gelenStandartRapolariAlCompleted Event

C#

```
public event gelenStandartRapolariAlCompletedEventHandler gelenStandartRapolariAlCompleted;
```

1.1.3.1.17.4.44 connectorService.gelenTamamlananRapolariAlCompleted Event

C#

```
public event gelenTamamlananRapolariAlCompletedEventHandler gelenTamamlananRapolariAlCompleted;
```

1.1.3.1.17.4.45 connectorService.gelenTasinanBelgeleriIndirCompleted Event

C#

```
public event gelenTasinanBelgeleriIndirCompletedEventHandler gelenTasinanBelgeleriIndirCompleted;
```

1.1.3.1.17.4.46 connectorService.gidenBelgeDurumSorgulaBelgeNoCompleted Event

C#

```
public event gidenBelgeDurumSorgulaBelgeNoCompletedEventHandler gidenBelgeDurumSorgulaBelgeNoCompleted;
```

1.1.3.1.17.4.47 connectorService.gidenBelgeDurumSorgulaCompleted Event

C#

```
public event gidenBelgeDurumSorgulaCompletedEventHandler gidenBelgeDurumSorgulaCompleted;
```

1.1.3.1.17.4.48 connectorService.gidenBelgeDurumSorgulaEttnCompleted Event

C#

```
public event gidenBelgeDurumSorgulaEttnCompletedEventHandler gidenBelgeDurumSorgulaEttnCompleted;
```

1.1.3.1.17.4.49 connectorService.gidenBelgeDurumSorgulaExtCompleted Event

C#

```
public event gidenBelgeDurumSorgulaExtCompletedEventHandler gidenBelgeDurumSorgulaExtCompleted;
```

1.1.3.1.17.4.50 connectorService.gidenBelgeDurumSorgulaPortalCompleted Event

C#

```
public event gidenBelgeDurumSorgulaPortalCompletedEventHandler gidenBelgeDurumSorgulaPortalCompleted;
```

1.1.3.1.17.4.51 connectorService.gidenBelgeDurumSorgulaYerelBelgeNoCompleted Event

C#

```
public event gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventHandler gidenBelgeDurumSorgulaYerelBelgeNoCompleted;
```

1.1.3.1.17.4.52 connectorService.gidenBelgeEkleriAlCompleted Event

C#

```
public event gidenBelgeEkleriAlCompletedEventHandler gidenBelgeEkleriAlCompleted;
```

1.1.3.1.17.4.53 connectorService.gidenBelgeleriIndirCompleted Event

C#

```
public event gidenBelgeleriIndirCompletedEventHandler gidenBelgeleriIndirCompleted;
```

1.1.3.1.17.4.54 connectorService.gidenBelgeleriIndirEttnCompleted Event

C#

```
public event gidenBelgeleriIndirEttnCompletedEventHandler gidenBelgeleriIndirEttnCompleted;
```

1.1.3.1.17.4.55 connectorService.gidenBelgeleriIndirPortalCompleted Event

C#

```
public event gidenBelgeleriIndirPortalCompletedEventHandler  
gidenBelgeleriIndirPortalCompleted;
```

1.1.3.1.17.4.56 connectorService.gidenBelgeleriListeleCompleted Event

C#

```
public event gidenBelgeleriListeleCompletedEventHandler gidenBelgeleriListeleCompleted;
```

1.1.3.1.17.4.57 connectorService.gidenBelgeleriListelePortalCompleted Event

C#

```
public event gidenBelgeleriListelePortalCompletedEventHandler  
gidenBelgeleriListelePortalCompleted;
```

1.1.3.1.17.4.58 connectorService.gidenBelgeTutarBilgileriSorgulaCompleted Event

C#

```
public event gidenBelgeTutarBilgileriSorgulaCompletedEventHandler  
gidenBelgeTutarBilgileriSorgulaCompleted;
```

1.1.3.1.17.4.59 connectorService.gidenFaturalariArsiveKaldırCompleted Event

C#

```
public event gidenFaturalariArsiveKaldirCompletedEventHandler  
gidenFaturalariArsiveKaldirCompleted;
```

1.1.3.1.17.4.60 connectorService.gidenIrsaliyeleriArsiveKaldırCompleted Event

C#

```
public event gidenIrsaliyeleriArsiveKaldirCompletedEventHandler  
gidenIrsaliyeleriArsiveKaldirCompleted;
```

1.1.3.1.17.4.61 connectorService.gidenTasinanBelgeleriIndirCompleted Event

C#

```
public event gidenTasinanBelgeleriIndirCompletedEventHandler  
gidenTasinanBelgeleriIndirCompleted;
```

1.1.3.1.17.4.62 connectorService.irsaliyeMailGonderCompleted Event

C#

```
public event irsaliyeMailGonderCompletedEventHandler irsaliyeMailGonderCompleted;
```

1.1.3.1.17.4.63 connectorService.irsaliyeTarihcesiSorgulaCompleted Event

C#

```
public event irsaliyeTarihcesiSorgulaCompletedEventHandler  
irsaliyeTarihcesiSorgulaCompleted;
```

1.1.3.1.17.4.64 connectorService.kayitliKullaniciListeleExtendedCompleted Event

C#

```
public event kayitliKullaniciListeleExtendedCompletedEventHandler
```

```
kayitliKullaniciListeleExtendedCompleted;
```

1.1.3.1.17.4.65 connectorService.kayitliKullaniciListeleExtendedTimeCompleted Event

C#

```
public event kayitliKullaniciListeleExtendedTimeCompletedEventHandler  
kayitliKullaniciListeleExtendedTimeCompleted;
```

1.1.3.1.17.4.66 connectorService.kayitliKullaniciListeleExtendedVknTcknCompleted Event

C#

```
public event kayitliKullaniciListeleExtendedVknTcknCompletedEventHandler  
kayitliKullaniciListeleExtendedVknTcknCompleted;
```

1.1.3.1.17.4.67 connectorService.kontorBilgisiGetirCompleted Event

C#

```
public event kontorBilgisiGetirCompletedEventHandler kontorBilgisiGetirCompleted;
```

1.1.3.1.17.4.68 connectorService.temelKontrollerIleBelgeGonderCompleted Event

C#

```
public event temelKontrollerIleBelgeGonderCompletedEventHandler  
temelKontrollerIleBelgeGonderCompleted;
```

1.1.3.1.17.4.69 connectorService.toplamBelgeSayisiGetirCompleted Event

C#

```
public event toplamBelgeSayisiGetirCompletedEventHandler toplamBelgeSayisiGetirCompleted;
```

1.1.3.1.17.4.70 connectorService.ulbOnizlemeCompleted Event

C#

```
public event ulbOnizlemeCompletedEventHandler ulbOnizlemeCompleted;
```

1.1.3.1.17.4.71 connectorService.urunSablonlariniAlCompleted Event

C#

```
public event urunSablonlariniAlCompletedEventHandler urunSablonlariniAlCompleted;
```

1.1.3.1.17.4.72 connectorService.wsKullanicisiKaydetCompleted Event

C#

```
public event wsKullanicisiKaydetCompletedEventHandler wsKullanicisiKaydetCompleted;
```

1.1.3.1.17.4.73 connectorService.yereleAktarilacakBelgeleriAlCompleted Event

C#

```
public event yereleAktarilacakBelgeleriAlCompletedEventHandler  
yereleAktarilacakBelgeleriAlCompleted;
```

1.1.3.1.17.4.74 connectorService.yereleAktarilacakBelgeleriAlExtCompleted Event

C#

```
public event yereleAktarilacakBelgeleriAlExtCompletedEventHandler  
yereleAktarilacakBelgeleriAlExtCompleted;
```


1.1.3.1.17.4.75 connectorService.yolcuBeraberFaturalptalEtCompleted Event

C#

```
public event yolcuBeraberFaturaIptalEtCompletedEventHandler  
yolcuBeraberFaturaIptalEtCompleted;
```

1.1.3.1.18 csXmlOnizlemeCompletedEventArgs Class

Class Hierarchy



C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class csXmlOnizlemeCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
  
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	csXmlOnizlemeCompletedEventArgs (see page 388)	This is csXmlOnizlemeCompletedEventArgs, a member of class csXmlOnizlemeCompletedEventArgs.

csXmlOnizlemeCompletedEventArgs Properties

	Name	Description
	Result (see page 388)	

1.1.3.1.18.1 csXmlOnizlemeCompletedEventArgs.csXmlOnizlemeCompletedEventArgs Constructor

C#

```

internal csXmlOnizlemeCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState);
  
```

Description

This is csXmlOnizlemeCompletedEventArgs, a member of class csXmlOnizlemeCompletedEventArgs.

Body Source

```

1: internal csXmlOnizlemeCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
  
```

1.1.3.1.18.2 csXmlOnizlemeCompletedEventArgs Properties

1.1.3.1.18.2.1 csXmlOnizlemeCompletedEventArgs.Result Property

C#

```

public byte Result;
  
```

1.1.3.1.19 csXmlToUblCompletedEventArgs Class

Class Hierarchy



C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
  
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class csXmlToUblCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	csXmlToUblCompletedEventArgs (see page 389)	This is csXmlToUblCompletedEventArgs, a member of class csXmlToUblCompletedEventArgs.

csXmlToUblCompletedEventArgs Properties

	Name	Description
	Result (see page 389)	

1.1.3.1.19.1 csXmlToUblCompletedEventArgs.csXmlToUblCompletedEventArgs Constructor**C#**

```
internal csXmlToUblCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is csXmlToUblCompletedEventArgs, a member of class csXmlToUblCompletedEventArgs.

Body Source

```
1: internal csXmlToUblCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.19.2 csXmlToUblCompletedEventArgs Properties**1.1.3.1.19.2.1 csXmlToUblCompletedEventArgs.Result Property****C#**

```
public byte Result;
```

1.1.3.1.20 eFaturaKayitliKullaniciHistory Class**Class Hierarchy**

```
[QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciHistory]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class eFaturaKayitliKullaniciHistory;
```

File

Reference.cs ([see page 845](#))

eFaturaKayitliKullaniciHistory Properties

	Name	Description
	etiket (see page 390)	
	etiketOlusturulmaZamani (see page 390)	
	silinmeZamani (see page 390)	

1.1.3.1.20.1 eFaturaKayitliKullaniciHistory Properties

1.1.3.1.20.1.1 eFaturaKayitliKullaniciHistory.etiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string etiket;
```

1.1.3.1.20.1.2 eFaturaKayitliKullaniciHistory.etiketOlusturulmaZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string etiketOlusturulmaZamani;
```


1.1.3.1.20.1.3 eFaturaKayitliKullaniciHistory.silinmeZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string silinmeZamani;
```

1.1.3.1.21 eFaturaKayitliKullaniciListeleCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class eFaturaKayitliKullaniciListeleCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	eFaturaKayitliKullaniciListeleCompletedEventArgs (see page 391)	This is eFaturaKayitliKullaniciListeleCompletedEventArgs, a member of class eFaturaKayitliKullaniciListeleCompletedEventArgs.

eFaturaKayitliKullaniciListeleCompletedEventArgs Properties

	Name	Description
	Result (see page 391)	

1.1.3.1.21.1

eFaturaKayitliKullaniciListeleCompletedEventArgs.eFaturaKayitliKullaniciListeleCompletedEventArgs Constructor

C#

```
internal eFaturaKayitliKullaniciListeleCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is eFaturaKayitliKullaniciListeleCompletedEventArgs, a member of class eFaturaKayitliKullaniciListeleCompletedEventArgs.

Body Source

```
1: internal eFaturaKayitliKullaniciListeleCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.21.2 eFaturaKayitliKullaniciListeleCompletedEventArgs Properties

1.1.3.1.21.2.1 eFaturaKayitliKullaniciListeleCompletedEventArgs.Result Property

C#

```
public eFaturaKullanici Result;
```

1.1.3.1.22 eFaturaKullanici Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
public class eFaturaKullanici : serviceReturnType;
```

File

Reference.cs (see page 845)

eFaturaKullanici Properties

eFaturaKullanici Class

	Name	Description
	etiket (see page 392)	
	kamuKurulusu (see page 392)	
	kayitZamani (see page 392)	
	unvan (see page 392)	
	vergiTcKimlikNo (see page 392)	

1.1.3.1.22.1 eFaturaKullanici Properties

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.22.1.1 eFaturaKullanici.etiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string etiket;
```

1.1.3.1.22.1.2 eFaturaKullanici.kamuKurulusu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool kamuKurulusu;
```

1.1.3.1.22.1.3 eFaturaKullanici.kayitZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kayitZamani;
```

1.1.3.1.22.1.4 eFaturaKullanici.unvan Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string unvan;
```


1.1.3.1.22.1.5 eFaturaKullanici.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vergiTcKimlikNo;
```

1.1.3.1.23 efaturaKullaniciBilgisiCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class efaturaKullaniciBilgisiCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	efaturaKullaniciBilgisiCompletedEventArgs (see page 393)	This is efaturaKullaniciBilgisiCompletedEventArgs, a member of class efaturaKullaniciBilgisiCompletedEventArgs.

efaturaKullaniciBilgisiCompletedEventArgs Properties

	Name	Description
	Result (see page 393)	

1.1.3.1.23.1

efaturaKullaniciBilgisiCompletedEventArgs

C#

```
internal efaturaKullaniciBilgisiCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is efaturaKullaniciBilgisiCompletedEventArgs, a member of class efaturaKullaniciBilgisiCompletedEventArgs.

Body Source

```
1: internal efaturaKullaniciBilgisiCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.3.1.23.2 efaturaKullaniciBilgisiCompletedEventArgs Properties

1.1.3.1.23.2.1 efaturaKullaniciBilgisiCompletedEventArgs.Result Property

C#

```
public eFaturaKullanici Result;
```

1.1.3.1.24 eFaturaKullaniciExtended Class

Class Hierarchy



1
C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class eFaturaKullaniciExtended : serviceReturnType;
```

File

Reference.cs (see page 845)

eFaturaKullaniciExtended Properties

eFaturaKullaniciExtended Class

	Name	Description
	eFaturaKayitliKullaniciHistoryList (see page 394)	
	etiket (see page 394)	
	etiketOlusturulmaZamani (see page 394)	
	hesapTipi (see page 394)	
	hesapTipiSpecified (see page 394)	
	kamuKurulusu (see page 394)	

	kamuKurulusuSpecified (see page 394)	
	kayitZamani (see page 395)	
	tip (see page 395)	
	tipSpecified (see page 395)	
	unvan (see page 395)	
	vergiTcKimlikNo (see page 395)	

1.1.3.1.24.1 eFaturaKullaniciExtended Properties

1.1.3.1.24.1.1 eFaturaKullaniciExtended.eFaturaKayitliKullaniciHistoryList Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("eFaturaKayitliKullaniciHistoryList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public eFaturaKayitliKullaniciHistory eFaturaKayitliKullaniciHistory;
```

1.1.3.1.24.1.2 eFaturaKullaniciExtended.etiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string etiket;
```

1.1.3.1.24.1.3 eFaturaKullaniciExtended.etiketOlusturulmaZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string etiketOlusturulmaZamani;
```

1.1.3.1.24.1.4 eFaturaKullaniciExtended.hesapTipi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int hesapTipi;
```

1.1.3.1.24.1.5 eFaturaKullaniciExtended.hesapTipiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool hesapTipiSpecified;
```

1.1.3.1.24.1.6 eFaturaKullaniciExtended.kamuKurulusu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool kamuKurulusu;
```

1.1.3.1.24.1.7 eFaturaKullaniciExtended.kamuKurulusuSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kamuKurulusuSpecified;
```

1.1.3.1.24.1.8 eFaturaKullaniciExtended.kayitZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kayitZamani;
```

1.1.3.1.24.1.9 eFaturaKullaniciExtended.tip Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int tip;
```

1.1.3.1.24.1.10 eFaturaKullaniciExtended.tipSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool tipSpecified;
```

1.1.3.1.24.1.11 eFaturaKullaniciExtended.unvan Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string unvan;
```


1.1.3.1.24.1.12 eFaturaKullaniciExtended.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vergiTcKimlikNo;
```

1.1.3.1.25 efaturaKullaniciListesiCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class efaturaKullaniciListesiCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	efaturaKullaniciListesiCompletedEventArgs (see page 396)	This is efaturaKullaniciListesiCompletedEventArgs, a member of class efaturaKullaniciListesiCompletedEventArgs.

efaturaKullaniciListesiCompletedEventArgs Properties

	Name	Description
	Result (see page 396)	

1.1.3.1.25.1

efaturaKullaniciListesiCompletedEventArgs.**efaturaKullaniciListesiCompletedEventArgs** Constructor

C#

```
internal efaturaKullaniciListesiCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is efaturaKullaniciListesiCompletedEventArgs, a member of class efaturaKullaniciListesiCompletedEventArgs.

Body Source

```
1: internal efaturaKullaniciListesiCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.25.2 efaturaKullaniciListesiCompletedEventArgs Properties


1.1.3.1.25.2.1 efaturaKullaniciListesiCompletedEventArgs.Result Property

C#

```
public mukellefEFaturaKayit Result;
```

1.1.3.1.26 efaturaKullanicisiCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class efaturaKullanicisiCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (↗ see page 845)

Methods

	Name	Description
↗	efaturaKullanicisiCompletedEventArgs (↗ see page 396)	This is efaturaKullanicisiCompletedEventArgs, a member of class efaturaKullanicisiCompletedEventArgs.

efaturaKullanicisiCompletedEventArgs Properties

	Name	Description
↗	Result (↗ see page 397)	

1.1.3.1.26.1

efaturaKullanicisiCompletedEventArgs.**efaturaKullanicisiCompletedEventArgs** Constructor

C#

```
internal efaturaKullanicisiCompletedEventArgs(object[] results, System.Exception exception,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```
    bool cancelled, object userState);
```

Description


This is efaturaKullanicisiCompletedEventArgs, a member of class efaturaKullanicisiCompletedEventArgs.

Body Source

```
1: internal efaturaKullanicisiCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.26.2 efaturaKullanicisiCompletedEventArgs Properties**1.1.3.1.26.2.1 efaturaKullanicisiCompletedEventArgs.Result Property****C#**

```
public bool Result;
```

1.1.3.1.27 elrsaliyeKayitliKullaniciListeleCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class eIrsaliyeKayitliKullaniciListeleCompletedEventArgs : 
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (↗ see page 845)

Methods

	Name	Description
💡	elrsaliyeKayitliKullaniciListeleCompletedEventArgs (↗ see page 397)	This is elrsaliyeKayitliKullaniciListeleCompletedEventArgs, a member of class elrsaliyeKayitliKullaniciListeleCompletedEventArgs.

elrsaliyeKayitliKullaniciListeleCompletedEventArgs Properties

	Name	Description
📝	Result (↗ see page 398)	

1.1.3.1.27.1**elrsaliyeKayitliKullaniciListeleCompletedEventArgs.elrsaliyeKayitliKullaniciListeleCompletedEventArgs****Constructor****C#**

```
internal eIrsaliyeKayitliKullaniciListeleCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is elrsaliyeKayitliKullaniciListeleCompletedEventArgs, a member of class elrsaliyeKayitliKullaniciListeleCompletedEventArgs.

Body Source

```

1: internal eIrsaliyeKayitliKullaniciListeleCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }

```

1.1.3.1.27.2 eIrsaliyeKayitliKullaniciListeleCompletedEventArgs Properties**1.1.3.1.27.2.1 eIrsaliyeKayitliKullaniciListeleCompletedEventArgs.Result Property****C#**

```
public eIrsaliyeKullanici Result;
```

1.1.3.1.28 eIrsaliyeKullanici Class**Class Hierarchy****C#**

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class eIrsaliyeKullanici : serviceReturnType;

```

File

Reference.cs (see page 845)

eIrsaliyeKullanici Properties**eIrsaliyeKullanici Class**

	Name	Description
	etiket (see page 398)	
	kamuKurulusu (see page 398)	
	kayitZamani (see page 399)	
	unvan (see page 399)	
	vergiTcKimlikNo (see page 399)	

1.1.3.1.28.1 eIrsaliyeKullanici Properties**1.1.3.1.28.1.1 eIrsaliyeKullanici.etiket Property****C#**

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string etiket;

```

1.1.3.1.28.1.2 eIrsaliyeKullanici.kamuKurulusu Property**C#**

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool kamuKurulusu;

```

1.1.3.1.28.1.3 elrsaliyeKullanici.kayitZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kayitZamani;
```

1.1.3.1.28.1.4 elrsaliyeKullanici.unvan Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string unvan;
```


1.1.3.1.28.1.5 elrsaliyeKullanici.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vergiTcKimlikNo;
```

1.1.3.1.29 elrsaliyeKullanicisiCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class eIrsaliyeKullanicisiCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (↗ see page 845)

Methods

	Name	Description
!	elrsaliyeKullanicisiCompletedEventArgs (↗ see page 399)	This is elrsaliyeKullanicisiCompletedEventArgs, a member of class elrsaliyeKullanicisiCompletedEventArgs.

elrsaliyeKullanicisiCompletedEventArgs Properties

	Name	Description
!	Result (↗ see page 400)	

1.1.3.1.29.1

elrsaliyeKullanicisiCompletedEventArgs.eIrsaliyeKullanicisiCompletedEventArgs Constructor

C#

```
internal eIrsaliyeKullanicisiCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is elrsaliyeKullanicisiCompletedEventArgs, a member of class elrsaliyeKullanicisiCompletedEventArgs.

Body Source

```

1: internal eIrsaliyeKullanicisiCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }

```

1.1.3.1.29.2 eIrsaliyeKullanicisiCompletedEventArgs Properties**1.1.3.1.29.2.1 eIrsaliyeKullanicisiCompletedEventArgs.Result Property****C#**

```
public bool Result;
```

1.1.3.1.30 erpBilgileri Class**Class Hierarchy**

```
[QNBFinansGIB.GIBEFatura.erpBilgileri]
```

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class erpBilgileri;

```

File

Reference.cs ( see page 845)

erpBilgileri Properties

	Name	Description
	aciklama ( see page 400)	
	kod ( see page 400)	

1.1.3.1.30.1 erpBilgileri Properties**1.1.3.1.30.1.1 erpBilgileri.aciklama Property****C#**

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string aciklama;

```

1.1.3.1.30.1.2 erpBilgileri.kod Property**C#**

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kod;

```

1.1.3.1.31 faturaKepIleladeEdildiCompletedEventArgs Class**Class Hierarchy**

```
[System.ComponentModel.AsyncCompletedEventArgs] --> [QNBFinansGIB.GIBEFatura.faturaKepIleladeEdildiCompletedEventArgs]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaKepIleIadeEdildiCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	faturaKepIleIadeEdildiCompletedEventArgs (see page 401)	This is faturaKepIleIadeEdildiCompletedEventArgs, a member of class faturaKepIleIadeEdildiCompletedEventArgs.

faturaKepIleIadeEdildiCompletedEventArgs Properties

	Name	Description
	Result (see page 401)	

1.1.3.1.31.1**faturaKepIleIadeEdildiCompletedEventArgs.faturaKepIleIadeEdildiCompletedEventArgs Constructor****C#**

```
internal faturaKepIleIadeEdildiCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description


This is faturaKepIleIadeEdildiCompletedEventArgs, a member of class faturaKepIleIadeEdildiCompletedEventArgs.

Body Source

```
1: internal faturaKepIleIadeEdildiCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.3.1.31.2 faturaKepIleIadeEdildiCompletedEventArgs Properties**1.1.3.1.31.2.1 faturaKepIleIadeEdildiCompletedEventArgs.Result Property****C#**

```
public bool Result;
```

1.1.3.1.32 faturaKepIleIadeEdildiIptalCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaKepIleIadeEdildiIptalCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
!	faturaKepIleladeEdildilptalCompletedEventArgs (see page 402)	This is faturaKepIleladeEdildilptalCompletedEventArgs, a member of class faturaKepIleladeEdildilptalCompletedEventArgs.

faturaKepIleladeEdildilptalCompletedEventArgs Properties

	Name	Description
!	Result (see page 402)	

1.1.3.1.32.1**faturaKepIleladeEdildilptalCompletedEventArgs.faturaKepIleladeEdildilptalCompletedEventArgs Properties****Constructor****C#**

```
internal faturaKepIleladeEdildilptalCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is faturaKepIleladeEdildilptalCompletedEventArgs, a member of class faturaKepIleladeEdildilptalCompletedEventArgs.

Body Source

```
1: internal faturaKepIleladeEdildilptalCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.32.2 faturaKepIleladeEdildilptalCompletedEventArgs Properties**1.1.3.1.32.2.1 faturaKepIleladeEdildilptalCompletedEventArgs.Result Property****C#**

```
public bool Result;
```

1.1.3.1.33 faturaNoUretCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaNoUretCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	faturaNoUretCompletedEventArgs (see page 403)	This is faturaNoUretCompletedEventArgs, a member of class faturaNoUretCompletedEventArgs.

faturaNoUretCompletedEventArgs Properties

	Name	Description
	Result (see page 403)	

1.1.3.1.33.1 faturaNoUretCompletedEventArgs.faturaNoUretCompletedEventArgs Constructor

C#

```
internal faturaNoUretCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is faturaNoUretCompletedEventArgs, a member of class faturaNoUretCompletedEventArgs.

Body Source

```
1: internal faturaNoUretCompletedEventArgs(object[] results, System.Exception exception,
2:   bool cancelled, object userState) :
3:   base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.3.1.33.2 faturaNoUretCompletedEventArgs Properties

1.1.3.1.33.2.1 faturaNoUretCompletedEventArgs.Result Property

C#

```
public string Result;
```

1.1.3.1.34 faturaTarihcesiData Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class faturaTarihcesiData : serviceReturnType;
```

File

Reference.cs ([see page 845](#))

faturaTarihcesiData Properties

faturaTarihcesiData Class

	Name	Description
	bagliKayitId (see page 404)	
	faturaEtn (see page 404)	

	islem (see page 404)	
	islemAciklama (see page 404)	
	islemKanali (see page 404)	
	islemKanaliAciklama (see page 404)	
	islemSonucu (see page 405)	
	islemZamani (see page 405)	
	kullanici (see page 405)	
	kullanicilp (see page 405)	
	zarfEttn (see page 405)	

1.1.3.1.34.1 faturaTarihcesiData Properties

1.1.3.1.34.1.1 faturaTarihcesiData.bagliKayitId Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bagliKayitId;
```

1.1.3.1.34.1.2 faturaTarihcesiData.faturaEttn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaEttn;
```

1.1.3.1.34.1.3 faturaTarihcesiData.islem Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public short islem;
```

1.1.3.1.34.1.4 faturaTarihcesiData.islemAciklama Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemAciklama;
```

1.1.3.1.34.1.5 faturaTarihcesiData.islemKanali Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public sbyte islemKanali;
```

1.1.3.1.34.1.6 faturaTarihcesiData.islemKanaliAciklama Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemKanaliAciklama;
```

1.1.3.1.34.1.7 faturaTarihcesiData.islemSonucu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemSonucu;
```

1.1.3.1.34.1.8 faturaTarihcesiData.islemZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemZamani;
```

1.1.3.1.34.1.9 faturaTarihcesiData.kullanici Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kullanici;
```

1.1.3.1.34.1.10 faturaTarihcesiData.kullanicilp Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kullaniciIp;
```


1.1.3.1.34.1.11 faturaTarihcesiData.zarfEttn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string zarfEttn;
```

1.1.3.1.35 faturaTarihcesiSorgulaCompletedEventArgs Class

Class Hierarchy

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaTarihcesiSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	faturaTarihcesiSorgulaCompletedEventArgs (see page 406)	This is faturaTarihcesiSorgulaCompletedEventArgs, a member of class faturaTarihcesiSorgulaCompletedEventArgs.

faturaTarihcesiSorgulaCompletedEventArgs Properties

	Name	Description
	Result (see page 406)	

1.1.3.1.35.1

faturaTarihcesiSorgulaCompletedEventArgs.faturaTarihcesiSorgulaCompletedEventArgs

Constructor

C#

```
internal faturaTarihcesiSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is faturaTarihcesiSorgulaCompletedEventArgs, a member of class faturaTarihcesiSorgulaCompletedEventArgs.

Body Source

```
1: internal faturaTarihcesiSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.3.1.35.2 faturaTarihcesiSorgulaCompletedEventArgs Properties


1.1.3.1.35.2.1 faturaTarihcesiSorgulaCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.36 faturayaltirazEdildiCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturayaltirazEdildiCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	faturayaltirazEdildiCompletedEventArgs (see page 407)	This is faturayaltirazEdildiCompletedEventArgs, a member of class faturayaltirazEdildiCompletedEventArgs.

faturayaltirazEdildiCompletedEventArgs Properties

	Name	Description
	Result (see page 407)	

1.1.3.1.36.1

faturayaltirazEdildiCompletedEventArgs.faturayaltirazEdildiCompletedEventArgs Constructor

C#

```
internal faturayaItirazEdildiCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is faturayaltirazEdildiCompletedEventArgs, a member of class faturayaltirazEdildiCompletedEventArgs.

Body Source

```
1: internal faturayaItirazEdildiCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.36.2 faturayaltirazEdildiCompletedEventArgs Properties


1.1.3.1.36.2.1 faturayaltirazEdildiCompletedEventArgs.Result Property

C#

```
public bool Result;
```

1.1.3.1.37 faturayaltirazEdildilptalCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturayaItirazEdildiIptalCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
≡	faturayaltirazEdildilptalCompletedEventArgs (see page 408)	This is faturayaltirazEdildilptalCompletedEventArgs, a member of class faturayaltirazEdildilptalCompletedEventArgs.

faturayaltirazEdildilptalCompletedEventArgs Properties

	Name	Description
≡	Result (see page 408)	

1.1.3.1.37.1

faturayaltirazEdildilptalCompletedEventArgs.faturayaltirazEdildilptalCompletedEventArgs

S
Constructor

C#

```
internal faturayaItirazEdildiIptalCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is faturayaltirazEdildilptalCompletedEventArgs, a member of class faturayaltirazEdildilptalCompletedEventArgs.

Body Source

```
1: internal faturayaItirazEdildiIptalCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.3.1.37.2 faturayaltirazEdildilptalCompletedEventArgs Properties

1.1.3.1.37.2.1 faturayaltirazEdildilptalCompletedEventArgs.Result Property

C#

```
public bool Result;
```

1.1.3.1.38 gelenBelgeDurum Class

Class Hierarchy



C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv2))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv5))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[Serializable()]
[DebuggerStepThrough()]
[DesignerCategory("code")]
[XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class gelenBelgeDurum : serviceReturnType;
```

File

Reference.cs (see page 845)

gelenBelgeDurum Properties

gelenBelgeDurum Class

	Name	Description
	alimTarihi (see page 409)	
	belgeNo (see page 409)	
	ettn (see page 409)	
	yanitDetayi (see page 409)	
	yanitDurumu (see page 409)	

	yanitGonderimCevabiDetayi (see page 409)	
	yanitGonderimCevabiKodu (see page 409)	
	yanitGonderimDurumu (see page 410)	
	yanitGonderimTarihi (see page 410)	

1.1.3.1.38.1 gelenBelgeDurum Properties

1.1.3.1.38.1.1 gelenBelgeDurum.alimTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string alimTarihi;
```

1.1.3.1.38.1.2 gelenBelgeDurum.belgeNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeNo;
```

1.1.3.1.38.1.3 gelenBelgeDurum.ettn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ettn;
```

1.1.3.1.38.1.4 gelenBelgeDurum.yanitDetayi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yanitDetayi;
```

1.1.3.1.38.1.5 gelenBelgeDurum.yanitDurumu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int yanitDurumu;
```

1.1.3.1.38.1.6 gelenBelgeDurum.yanitGonderimCevabiDetayi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yanitGonderimCevabiDetayi;
```

1.1.3.1.38.1.7 gelenBelgeDurum.yanitGonderimCevabiKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int yanitGonderimCevabiKodu;
```

1.1.3.1.38.1.8 gelenBelgeDurum.yanitGonderimDurumu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int yanitGonderimDurumu;
```


1.1.3.1.38.1.9 gelenBelgeDurum.yanitGonderimTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yanitGonderimTarihi;
```

1.1.3.1.39 gelenBelgeDurumSorgulaCompletedEventArgs Class

Class Hierarchy

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeDurumSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	gelenBelgeDurumSorgulaCompletedEventArgs (see page 410)	This is gelenBelgeDurumSorgulaCompletedEventArgs, a member of class gelenBelgeDurumSorgulaCompletedEventArgs.

gelenBelgeDurumSorgulaCompletedEventArgs Properties

	Name	Description
	Result (see page 411)	

1.1.3.1.39.1

gelenBelgeDurumSorgulaCompletedEventArgs.gelenBelgeDurumSorgulaCompletedEventArgs Constructor

C#

```
internal gelenBelgeDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gelenBelgeDurumSorgulaCompletedEventArgs, a member of class gelenBelgeDurumSorgulaCompletedEventArgs.

Body Source

```
1: internal gelenBelgeDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.3.1.39.2 gelenBelgeDurumSorgulaCompletedEventArgs Properties


1.1.3.1.39.2.1 gelenBelgeDurumSorgulaCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.40 gelenBelgeDurumSorgulaExtCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeDurumSorgulaExtCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	gelenBelgeDurumSorgulaExtCompletedEventArgs (see page 411)	This is gelenBelgeDurumSorgulaExtCompletedEventArgs, a member of class gelenBelgeDurumSorgulaExtCompletedEventArgs.

gelenBelgeDurumSorgulaExtCompletedEventArgs Properties

	Name	Description
	Result (see page 412)	

1.1.3.1.40.1

gelenBelgeDurumSorgulaExtCompletedEventArgs.gelenBelgeDurumSorgulaExtCompletedEventArgs Properties

Constructor

C#

```
internal gelenBelgeDurumSorgulaExtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gelenBelgeDurumSorgulaExtCompletedEventArgs, a member of class gelenBelgeDurumSorgulaExtCompletedEventArgs.

Body Source

```
1: internal gelenBelgeDurumSorgulaExtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.3.1.40.2 gelenBelgeDurumSorgulaExtCompletedEventArgs Properties


1.1.3.1.40.2.1 gelenBelgeDurumSorgulaExtCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.41 gelenBelgeDurumv2 Class

Class Hierarchy



C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv5))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class gelenBelgeDurumv2 : gelenBelgeDurum;
```

File

Reference.cs (see page 845)

gelenBelgeDurum Properties

gelenBelgeDurum Class

	Name	Description
	alimTarihi (see page 409)	
	belgeNo (see page 409)	
	ettn (see page 409)	
	yanitDetayi (see page 409)	
	yanitDurumu (see page 409)	
	yanitGonderimCevabiDetayi (see page 409)	
	yanitGonderimCevabiKodu (see page 409)	
	yanitGonderimDurumu (see page 410)	
	yanitGonderimTarihi (see page 410)	

gelenBelgeDurumv2 Class

	Name	Description
	siraNo (see page 413)	
	yereleAktarimDurumu (see page 413)	

1.1.3.1.41.1 gelenBelgeDurumv2 Properties

1.1.3.1.41.1.1 gelenBelgeDurumv2.siraNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public long siraNo;
```


1.1.3.1.41.1.2 gelenBelgeDurumv2.yereleAktarimDurumu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int yereleAktarimDurumu;
```

1.1.3.1.42 gelenBelgeDurumv3 Class

Class Hierarchy



C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv5))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class gelenBelgeDurumv3 : gelenBelgeDurumv2;
```

File

Reference.cs (see page 845)

gelenBelgeDurum Properties

gelenBelgeDurum Class

	Name	Description
	alimTarihi (see page 409)	
	belgeNo (see page 409)	
	ettn (see page 409)	
	yanitDetayi (see page 409)	
	yanitDurumu (see page 409)	
	yanitGonderimCevabiDetayi (see page 409)	
	yanitGonderimCevabiKodu (see page 409)	
	yanitGonderimDurumu (see page 410)	
	yanitGonderimTarihi (see page 410)	

gelenBelgeDurumv2 Class


	Name	Description
	siraNo (see page 413)	
	yereleAktarimDurumu (see page 413)	

gelenBelgeDurumv3 Class

	Name	Description
	kepDurum (see page 414)	

1.1.3.1.42.1 gelenBelgeDurumv3 Properties**1.1.3.1.42.1.1 gelenBelgeDurumv3.kepDurum Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kepDurum;
```

1.1.3.1.43 gelenBelgeDurumv4 Class**Class Hierarchy****C#**

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv5))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class gelenBelgeDurumv4 : gelenBelgeDurumv3;
```

File

Reference.cs ([see page 845](#))

gelenBelgeDurum Properties**gelenBelgeDurum Class**

	Name	Description
	alimTarihi (see page 409)	
	belgeNo (see page 409)	
	ettn (see page 409)	
	yanitDetayi (see page 409)	
	yanitDurumu (see page 409)	
	yanitGonderimCevabiDetayi (see page 409)	
	yanitGonderimCevabiKodu (see page 409)	
	yanitGonderimDurumu (see page 410)	
	yanitGonderimTarihi (see page 410)	

gelenBelgeDurumv2 Class

	Name	Description
	siraNo (see page 413)	
	yereleAktarimDurumu (see page 413)	

gelenBelgeDurumv3 Class


	Name	Description
	kepDurum (see page 414)	

gelenBelgeDurumv4 Class

	Name	Description
	giblptalDurum (see page 415)	

1.1.3.1.43.1 gelenBelgeDurumv4 Properties**1.1.3.1.43.1.1 gelenBelgeDurumv4.giblptalDurum Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string giblptalDurum;
```

1.1.3.1.44 gelenBelgeDurumv5 Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class gelenBelgeDurumv5 : gelenBelgeDurumv4;
```

File

Reference.cs ([see page 845](#))

gelenBelgeDurum Properties**gelenBelgeDurum Class**

	Name	Description
	alimTarihi (see page 409)	
	belgeNo (see page 409)	
	ettn (see page 409)	
	yanitDetayi (see page 409)	
	yanitDurumu (see page 409)	
	yanitGonderimCevabiDetayi (see page 409)	
	yanitGonderimCevabiKodu (see page 409)	
	yanitGonderimDurumu (see page 410)	
	yanitGonderimTarihi (see page 410)	

gelenBelgeDurumv2 Class

	Name	Description
	siraNo (see page 413)	
	yereleAktarimDurumu (see page 413)	

gelenBelgeDurumv3 Class

	Name	Description
	kepDurum (see page 414)	

gelenBelgeDurumv4 Class


	Name	Description
	giblptalDurum (see page 415)	

gelenBelgeDurumv5 Class

	Name	Description
	yanitEttn (see page 416)	

1.1.3.1.44.1 gelenBelgeDurumv5 Properties**1.1.3.1.44.1.1 gelenBelgeDurumv5.yanitEttn Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yanitEttn;
```

1.1.3.1.45 gelenBelgeEkleriAICompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeEkleriAICompletedEventArgs : 
System.ComponentModel.AsyncCompletedEventArgs;
```

FileReference.cs ([see page 845](#))**Methods**

	Name	Description
	gelenBelgeEkleriAICompletedEventArgs (see page 417)	This is gelenBelgeEkleriAICompletedEventArgs, a member of class gelenBelgeEkleriAICompletedEventArgs.

gelenBelgeEkleriAICompletedEventArgs Properties

	Name	Description
	Result (see page 417)	

1.1.3.1.45.1

gelenBelgeEkleriAICompletedEventArgs.gelenBelgeEkleriAICompletedEventArgs Constructor

C#

```
internal gelenBelgeEkleriAICompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is gelenBelgeEkleriAICompletedEventArgs, a member of class gelenBelgeEkleriAICompletedEventArgs.

Body Source

```
1: internal gelenBelgeEkleriAICompletedEventArgs(object[] results, System.Exception exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.45.2 gelenBelgeEkleriAICompletedEventArgs Properties


1.1.3.1.45.2.1 gelenBelgeEkleriAICompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.46 gelenBelgeleriAICompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeleriAICompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
≡	gelenBelgeleriAICompletedEventArgs (see page 417)	This is gelenBelgeleriAICompletedEventArgs, a member of class gelenBelgeleriAICompletedEventArgs.

gelenBelgeleriAICompletedEventArgs Properties

	Name	Description
!	Result (see page 418)	

1.1.3.1.46.1 gelenBelgeleriAICompletedEventArgs.gelenBelgeleriAICompletedEventArgs Constructor

C#

```
internal gelenBelgeleriAICompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is gelenBelgeleriAICompletedEventArgs, a member of class gelenBelgeleriAICompletedEventArgs.

Body Source

```
1: internal gelenBelgeleriAICompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.46.2 gelenBelgeleriAICompletedEventArgs Properties


1.1.3.1.46.2.1 gelenBelgeleriAICompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.47 gelenBelgeleriAIExt2CompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeleriAIExt2CompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	gelenBelgeleriAIExt2CompletedEventArgs (see page 418)	This is gelenBelgeleriAIExt2CompletedEventArgs, a member of class gelenBelgeleriAIExt2CompletedEventArgs.

gelenBelgeleriAIExt2CompletedEventArgs Properties

	Name	Description
	Result (see page 419)	

1.1.3.1.47.1

gelenBelgeleriAIExt2CompletedEventArgs.gelenBelgeleriAIExt2CompletedEventArgs Constructor

C#

```
internal gelenBelgeleriAIExt2CompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is gelenBelgeleriAIExt2CompletedEventArgs, a member of class gelenBelgeleriAIExt2CompletedEventArgs.

Body Source

```
1: internal gelenBelgeleriAIExt2CompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
```

```

3:     this.results = results;
4: }
```

1.1.3.1.47.2 gelenBelgeleriAIExt2CompletedEventArgs Properties

1.1.3.1.47.2.1 gelenBelgeleriAIExt2CompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.48 gelenBelgeleriAIExt2Entry Class

Class Hierarchy

```
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExt2Entry
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(AnonymousType=true,
Namespace="http://service.connector.uut.cs.com.tr/")]
public class gelenBelgeleriAIExt2Entry;
```

File

Reference.cs (see page 845)

gelenBelgeleriAIExt2Entry Properties

	Name	Description
	key (see page 419)	
	value (see page 419)	

1.1.3.1.48.1 gelenBelgeleriAIExt2Entry Properties

1.1.3.1.48.1.1 gelenBelgeleriAIExt2Entry.key Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string key;
```

1.1.3.1.48.1.2 gelenBelgeleriAIExt2Entry.value Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string value;
```

1.1.3.1.49 gelenBelgeleriAIExtCompletedEventArgs Class

Class Hierarchy

```
System.ComponentModel.AsyncCompletedEventArgs --> QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExtCompletedEventArgs
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
```

```
public class gelenBelgeleriAIExtCompletedEventArgs :  
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	gelenBelgeleriAIExtCompletedEventArgs (see page 420)	This is gelenBelgeleriAIExtCompletedEventArgs, a member of class gelenBelgeleriAIExtCompletedEventArgs.

gelenBelgeleriAIExtCompletedEventArgs Properties

	Name	Description
	Result (see page 420)	

1.1.3.1.49.1**gelenBelgeleriAIExtCompletedEventArgs.gelenBelgeleriAIExtCompletedEventArgs Constructor****C#**

```
internal gelenBelgeleriAIExtCompletedEventArgs(object[] results, System.Exception  
exception, bool cancelled, object userState);
```

Description

This is gelenBelgeleriAIExtCompletedEventArgs, a member of class gelenBelgeleriAIExtCompletedEventArgs.

Body Source

```
1: internal gelenBelgeleriAIExtCompletedEventArgs(object[] results, System.Exception  
exception, bool cancelled, object userState) :  
2:     base(exception, cancelled, userState) {  
3:         this.results = results;  
4:     }
```

1.1.3.1.49.2 gelenBelgeleriAIExtCompletedEventArgs Properties**1.1.3.1.49.2.1 gelenBelgeleriAIExtCompletedEventArgs.Result Property****C#**

```
public serviceReturnType Result;
```

1.1.3.1.50 gelenBelgeleriIndirCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]  
[System.Diagnostics.DebuggerStepThroughAttribute()]  
[System.ComponentModel.DesignerCategoryAttribute("code")]  
public class gelenBelgeleriIndirCompletedEventArgs :  
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
📑	gelenBelgeleriIndirCompletedEventArgs	This is gelenBelgeleriIndirCompletedEventArgs, a member of class gelenBelgeleriIndirCompletedEventArgs. (see page 421)

gelenBelgeleriIndirCompletedEventArgs Properties

	Name	Description
📝	Result (see page 421)	

1.1.3.1.50.1

gelenBelgeleriIndirCompletedEventArgs.gelenBelgeleriIndirCompletedEventArgs Constructor

C#

```
internal gelenBelgeleriIndirCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gelenBelgeleriIndirCompletedEventArgs, a member of class gelenBelgeleriIndirCompletedEventArgs.

Body Source

```
1: internal gelenBelgeleriIndirCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.3.1.50.2 gelenBelgeleriIndirCompletedEventArgs Properties


1.1.3.1.50.2.1 gelenBelgeleriIndirCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.51 gelenBelgeleriIndirExtCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCode("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeleriIndirExtCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
📑	gelenBelgeleriIndirExtCompletedEventArgs	This is gelenBelgeleriIndirExtCompletedEventArgs, a member of class gelenBelgeleriIndirExtCompletedEventArgs. (see page 422)

gelenBelgeleriIndirExtCompletedEventArgs Properties

	Name	Description
	Result (see page 422)	

1.1.3.1.51.1**gelenBelgeleriIndirExtCompletedEventArgs.gelenBelgeleriIndirExtCompletedEventArgs Constructor****C#**

```
internal gelenBelgeleriIndirExtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description


This is gelenBelgeleriIndirExtCompletedEventArgs, a member of class gelenBelgeleriIndirExtCompletedEventArgs.

Body Source

```
1: internal gelenBelgeleriIndirExtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.51.2 gelenBelgeleriIndirExtCompletedEventArgs Properties**1.1.3.1.51.2.1 gelenBelgeleriIndirExtCompletedEventArgs.Result Property****C#**

```
public byte Result;
```

1.1.3.1.52 gelenBelgeleriListeleCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeleriListeleCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	gelenBelgeleriListeleCompletedEventArgs (see page 423)	This is gelenBelgeleriListeleCompletedEventArgs, a member of class gelenBelgeleriListeleCompletedEventArgs.

gelenBelgeleriListeleCompletedEventArgs Properties

	Name	Description
	Result (see page 423)	

1.1.3.1.52.1

gelenBelgeleriListeleCompletedEventArgs.gelenBelgeleriListeleCompletedEventArgs Constructor

C#

```
internal gelenBelgeleriListeleCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gelenBelgeleriListeleCompletedEventArgs, a member of class gelenBelgeleriListeleCompletedEventArgs.

Body Source

```
1: internal gelenBelgeleriListeleCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.52.2 gelenBelgeleriListeleCompletedEventArgs Properties


1.1.3.1.52.2.1 gelenBelgeleriListeleCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.53 gelenBelgeleriListeleExtCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeleriListeleExtCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	gelenBelgeleriListeleExtCompletedEventArgs (see page 424)	This is gelenBelgeleriListeleExtCompletedEventArgs, a member of class gelenBelgeleriListeleExtCompletedEventArgs.

gelenBelgeleriListeleExtCompletedEventArgs Properties

	Name	Description
	Result (see page 424)	

1.1.3.1.53.1

gelenBelgeleriListeleExtCompletedEventArgs.gelenBelgeleriListeleExtCompletedEventArgs Constructor

C#

```
internal gelenBelgeleriListeleExtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gelenBelgeleriListeleExtCompletedEventArgs, a member of class gelenBelgeleriListeleExtCompletedEventArgs.

Body Source

```
1: internal gelenBelgeleriListeleExtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.3.1.53.2 gelenBelgeleriListeleExtCompletedEventArgs Properties

1.1.3.1.53.2.1 gelenBelgeleriListeleExtCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.54 gelenBelgeParametreleri Class

Class Hierarchy

[QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class gelenBelgeParametreleri:
```

File

[Reference.cs](#) ([see page 845](#))

gelenBelgeParametreleri Properties

	Name	Description
	alanEtiket (see page 425)	
	belgeFormati (see page 425)	
	belgelerAlindiMi (see page 425)	
	belgelerAlindiMiSpecified (see page 425)	
	belgeTuru (see page 425)	
	belgeVersiyon (see page 426)	
	donusTipiVersiyon (see page 426)	

	entegrasyonHedefi (see page 426)	
	erpKodu (see page 426)	
	ettm (see page 426)	
	faturaTarihiBaslangic (see page 426)	
	faturaTarihiBitis (see page 426)	
	girisTarihiBaslangic (see page 426)	
	girisTarihiBitis (see page 426)	
	gonderenEtiket (see page 427)	
	onayDurum (see page 427)	
	sonAlinanBelgeSiraNumarasi (see page 427)	
	subeKodu (see page 427)	
	vergiTcKimlikNo (see page 427)	

1.1.3.1.54.1 gelenBelgeParametreleri Properties

1.1.3.1.54.1.1 gelenBelgeParametreleri.alanEtiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("alanEtiket",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public string alanEtiket;
```

1.1.3.1.54.1.2 gelenBelgeParametreleri.belgeFormati Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeFormati;
```

1.1.3.1.54.1.3 gelenBelgeParametreleri.belgelerAlindiMi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool belgelerAlindiMi;
```

1.1.3.1.54.1.4 gelenBelgeParametreleri.belgelerAlindiMiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool belgelerAlindiMiSpecified;
```

1.1.3.1.54.1.5 gelenBelgeParametreleri.belgeTuru Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTuru;
```

1.1.3.1.54.1.6 gelenBelgeParametreleri.belgeVersiyon Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeVersiyon;
```

1.1.3.1.54.1.7 gelenBelgeParametreleri.donusTipiVersiyon Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donusTipiVersiyon;
```

1.1.3.1.54.1.8 gelenBelgeParametreleri.entegrasyonHedefi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string entegrasyonHedefi;
```

1.1.3.1.54.1.9 gelenBelgeParametreleri.erpKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string erpKodu;
```

1.1.3.1.54.1.10 gelenBelgeParametreleri.ettn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("ettn",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public string ettn;
```

1.1.3.1.54.1.11 gelenBelgeParametreleri.faturaTarihiBaslangic Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaTarihiBaslangic;
```

1.1.3.1.54.1.12 gelenBelgeParametreleri.faturaTarihiBitis Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaTarihiBitis;
```

1.1.3.1.54.1.13 gelenBelgeParametreleri.gelisTarihiBaslangic Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gelisTarihiBaslangic;
```

1.1.3.1.54.1.14 gelenBelgeParametreleri.gelisTarihiBitis Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gelisTarihiBitis;
```

1.1.3.1.54.1.15 gelenBelgeParametreleri.gonderenEtiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("gonderenEtiket",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public string gonderenEtiket;
```

1.1.3.1.54.1.16 gelenBelgeParametreleri.onayDurum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string onayDurum;
```

1.1.3.1.54.1.17 gelenBelgeParametreleri.sonAlinanBelgeSiraNumarasi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string sonAlinanBelgeSiraNumarasi;
```

1.1.3.1.54.1.18 gelenBelgeParametreleri.subeKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string subeKodu;
```

1.1.3.1.54.1.19 gelenBelgeParametreleri.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vergiTcKimlikNo;
```

1.1.3.1.55 gelenBelgeTutarBilgileri Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class gelenBelgeTutarBilgileri : serviceReturnType;
```

File

Reference.cs (see page 845)

gelenBelgeTutarBilgileri Properties

gelenBelgeTutarBilgileri Class

	Name	Description
	belgeNo (see page 428)	
	belgeTarihi (see page 428)	
	ettn (see page 428)	

	gondericiVkn (see page 428)	
	kdv18Oran (see page 428)	
	kdv18Tutar (see page 429)	
	kdv1Oran (see page 429)	
	kdv1Tutar (see page 429)	
	kdv8Oran (see page 429)	
	kdv8Tutar (see page 429)	
	kdvTevkifatOran (see page 429)	
	kdvTevkifatTutari (see page 429)	
	kdvToplamTutari (see page 429)	
	kdvToplamTutariDovizCinsi (see page 429)	
	malHizmetToplamTutari (see page 430)	
	malHizmetToplamTutariDovizCinsi (see page 430)	
	odenecekTutar (see page 430)	
	odenecekTutarDovizCinsi (see page 430)	

1.1.3.1.55.1 gelenBelgeTutarBilgileri Properties

1.1.3.1.55.1.1 gelenBelgeTutarBilgileri.belgeNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeNo;
```

1.1.3.1.55.1.2 gelenBelgeTutarBilgileri.belgeTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTarihi;
```

1.1.3.1.55.1.3 gelenBelgeTutarBilgileri.ettn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ettn;
```

1.1.3.1.55.1.4 gelenBelgeTutarBilgileri.gondericiVkn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gondericiVkn;
```

1.1.3.1.55.1.5 gelenBelgeTutarBilgileri.kdv18Oran Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv18Oran;
```

1.1.3.1.55.1.6 gelenBelgeTutarBilgileri.kdv18Tutar Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv18Tutar;
```

1.1.3.1.55.1.7 gelenBelgeTutarBilgileri.kdv1Oran Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv1Oran;
```

1.1.3.1.55.1.8 gelenBelgeTutarBilgileri.kdv1Tutar Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv1Tutar;
```

1.1.3.1.55.1.9 gelenBelgeTutarBilgileri.kdv8Oran Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv8Oran;
```

1.1.3.1.55.1.10 gelenBelgeTutarBilgileri.kdv8Tutar Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv8Tutar;
```

1.1.3.1.55.1.11 gelenBelgeTutarBilgileri.kdvTevkifatOran Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdvTevkifatOran;
```

1.1.3.1.55.1.12 gelenBelgeTutarBilgileri.kdvTevkifatTutari Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdvTevkifatTutari;
```

1.1.3.1.55.1.13 gelenBelgeTutarBilgileri.kdvToplamTutari Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdvToplamTutari;
```

1.1.3.1.55.1.14 gelenBelgeTutarBilgileri.kdvToplamTutariDovizCinsi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdvToplamTutariDovizCinsi;
```

1.1.3.1.55.1.15 gelenBelgeTutarBilgileri.malHizmetToplamTutari Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string malHizmetToplamTutari;
```

1.1.3.1.55.1.16 gelenBelgeTutarBilgileri.malHizmetToplamTutariDovizCinsi Property**C#**


```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string malHizmetToplamTutariDovizCinsi;
```

1.1.3.1.55.1.17 gelenBelgeTutarBilgileri.odenecekTutar Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string odenecekTutar;
```

1.1.3.1.55.1.18 gelenBelgeTutarBilgileri.odenecekTutarDovizCinsi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string odenecekTutarDovizCinsi;
```

1.1.3.1.56 gelenBelgeTutarBilgileriSorgulaCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCode("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
public class gelenBelgeTutarBilgileriSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

FileReference.cs ([see page 845](#))**Methods**

	Name	Description
	gelenBelgeTutarBilgileriSorgulaCompletedEventArgs (see page 431)	This is gelenBelgeTutarBilgileriSorgulaCompletedEventArgs, a member of class gelenBelgeTutarBilgileriSorgulaCompletedEventArgs.

gelenBelgeTutarBilgileriSorgulaCompletedEventArgs Properties

	Name	Description
	Result (see page 431)	

1.1.3.1.56.1

gelenBelgeTutarBilgileriSorgulaCompletedEventArgs.gelenBelgeTutarBilgileriSorgulaCompletedEventArgs

Constructor

C#

```
internal gelenBelgeTutarBilgileriSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is gelenBelgeTutarBilgileriSorgulaCompletedEventArgs, a member of class gelenBelgeTutarBilgileriSorgulaCompletedEventArgs.

Body Source

```
1: internal gelenBelgeTutarBilgileriSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.56.2 gelenBelgeTutarBilgileriSorgulaCompletedEventArgs Properties


1.1.3.1.56.2.1 gelenBelgeTutarBilgileriSorgulaCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.57 gelenBelgeXmlleriniAlCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeXmlleriniAlCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
!	gelenBelgeXmlleriniAlCompletedEventArgs (see page 432)	This is gelenBelgeXmlleriniAlCompletedEventArgs, a member of class gelenBelgeXmlleriniAlCompletedEventArgs.

gelenBelgeXmlleriniAlCompletedEventArgs Properties

	Name	Description
!	Result (see page 432)	

1.1.3.1.57.1

gelenBelgeXmlleriniAICompletedEventArgs.gelenBelgeXmlleriniAICompletedEventArgs Constructor

C#

```
internal gelenBelgeXmlleriniAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gelenBelgeXmlleriniAICompletedEventArgs, a member of class gelenBelgeXmlleriniAICompletedEventArgs.

Body Source

```
1: internal gelenBelgeXmlleriniAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.57.2 gelenBelgeXmlleriniAICompletedEventArgs Properties


1.1.3.1.57.2.1 gelenBelgeXmlleriniAICompletedEventArgs.Result Property

C#

```
public string Result;
```

1.1.3.1.58 gelenBelgeXmlleriniAIExtCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeXmlleriniAIExtCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	gelenBelgeXmlleriniAIExtCompletedEventArgs (see page 433)	This is gelenBelgeXmlleriniAIExtCompletedEventArgs, a member of class gelenBelgeXmlleriniAIExtCompletedEventArgs.

gelenBelgeXmlleriniAIExtCompletedEventArgs Properties

	Name	Description
	Result (see page 433)	

1.1.3.1.58.1

gelenBelgeXmlleriniAIExtCompletedEventArgs.gelenBelgeXmlleriniAIExtCompletedEventArgs Constructor

C#

```
internal gelenBelgeXmlleriniAIExtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gelenBelgeXmlleriniAIExtCompletedEventArgs, a member of class gelenBelgeXmlleriniAIExtCompletedEventArgs.

Body Source

```
1: internal gelenBelgeXmlleriniAIExtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.3.1.58.2 gelenBelgeXmlleriniAIExtCompletedEventArgs Properties


1.1.3.1.58.2.1 gelenBelgeXmlleriniAIExtCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.59 gelenStandartRapolariAICompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenStandartRapolariAICompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
!	gelenStandartRapolariAICompletedEventArgs (see page 434)	This is gelenStandartRapolariAICompletedEventArgs, a member of class gelenStandartRapolariAICompletedEventArgs.

gelenStandartRapolariAICompletedEventArgs Properties

	Name	Description
!	Result (see page 434)	

1.1.3.1.59.1

gelenStandartRapolariAICompletedEventArgs.gelenStandartRapolariAICompletedEventArgs Constructor

C#

```
internal gelenStandartRapolariAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gelenStandartRapolariAICompletedEventArgs, a member of class gelenStandartRapolariAICompletedEventArgs.

Body Source

```
1: internal gelenStandartRapolariAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.3.1.59.2 gelenStandartRapolariAICompletedEventArgs Properties


1.1.3.1.59.2.1 gelenStandartRapolariAICompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.60 gelenTamamlananRapolariAICompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenTamamlananRapolariAICompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	gelenTamamlananRapolariAICompletedEventArgs (see page 435)	This is gelenTamamlananRapolariAICompletedEventArgs, a member of class gelenTamamlananRapolariAICompletedEventArgs.

gelenTamamlananRapolariAICompletedEventArgs Properties

	Name	Description
	Result (see page 435)	

1.1.3.1.60.1

gelenTamamlananRapolariAICompletedEventArgs.gelenTamamlananRapolariAICompletedEventArgs

Constructor

C#

```
internal gelenTamamlananRapolariAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gelenTamamlananRapolariAICompletedEventArgs, a member of class gelenTamamlananRapolariAICompletedEventArgs.

Body Source

```
1: internal gelenTamamlananRapolariAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.60.2 gelenTamamlananRapolariAICompletedEventArgs Properties


1.1.3.1.60.2.1 gelenTamamlananRapolariAICompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.61 gelenTasinanBelgeleriIndirCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenTasinanBelgeleriIndirCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	gelenTasinanBelgeleriIndirCompletedEventArgs (see page 436)	This is gelenTasinanBelgeleriIndirCompletedEventArgs, a member of class gelenTasinanBelgeleriIndirCompletedEventArgs.

gelenTasinanBelgeleriIndirCompletedEventArgs Properties

	Name	Description
	Result (see page 436)	

1.1.3.1.61.1

gelenTasinanBelgeleriIndirCompletedEventArgs.gelenTasinanBelgeleriIndirCompletedEventArgs Constructor

C#

```
internal gelenTasinanBelgeleriIndirCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gelenTasinanBelgeleriIndirCompletedEventArgs, a member of class gelenTasinanBelgeleriIndirCompletedEventArgs.

Body Source

```
1: internal gelenTasinanBelgeleriIndirCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.3.1.61.2 gelenTasinanBelgeleriIndirCompletedEventArgs Properties

1.1.3.1.61.2.1 gelenTasinanBelgeleriIndirCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.62 gidenBelgeDurum Class

Class Hierarchy



C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv2))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class gidenBelgeDurum : serviceReturnType;
```

File

Reference.cs (↗ see page 845)

gidenBelgeDurum Properties

gidenBelgeDurum Class

	Name	Description
	aciklama (↗ see page 437)	
	alimTarihi (↗ see page 437)	
	belgeNo (↗ see page 437)	
	durum (↗ see page 437)	

	ettn (see page 437)	
	gonderimCevabiDetayi (see page 437)	
	gonderimCevabiKodu (see page 438)	
	gonderimDurumu (see page 438)	
	gonderimTarihi (see page 438)	
	olusturulmaTarihi (see page 438)	
	yanitDetayi (see page 438)	
	yanitDurumu (see page 438)	
	yanitTarihi (see page 438)	

1.1.3.1.62.1 **gidenBelgeDurum** Properties

1.1.3.1.62.1.1 **gidenBelgeDurum.aciklama** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string aciklama;
```

1.1.3.1.62.1.2 **gidenBelgeDurum.alimTarihi** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string alimTarihi;
```

1.1.3.1.62.1.3 **gidenBelgeDurum.belgeNo** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeNo;
```

1.1.3.1.62.1.4 **gidenBelgeDurum.durum** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int durum;
```

1.1.3.1.62.1.5 **gidenBelgeDurum.ettn** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ettn;
```

1.1.3.1.62.1.6 **gidenBelgeDurum.gonderimCevabiDetayi** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gonderimCevabiDetayi;
```

1.1.3.1.62.1.7 gidenBelgeDurum.gonderimCevabiKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int gonderimCevabiKodu;
```

1.1.3.1.62.1.8 gidenBelgeDurum.gonderimDurumu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int gonderimDurumu;
```

1.1.3.1.62.1.9 gidenBelgeDurum.gonderimTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gonderimTarihi;
```

1.1.3.1.62.1.10 gidenBelgeDurum.olusturulmaTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string olusturulmaTarihi;
```

1.1.3.1.62.1.11 gidenBelgeDurum.yanitDetayi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yanitDetayi;
```

1.1.3.1.62.1.12 gidenBelgeDurum.yanitDurumu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int yanitDurumu;
```

1.1.3.1.62.1.13 gidenBelgeDurum.yanitTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yanitTarihi;
```

1.1.3.1.63 gidenBelgeDurumParametreleri Class

Class Hierarchy

[QNBFinansGIB.GIBEFatura.gidenBelgeDurumParametreleri](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
[""]]
```

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
public class gidenBelgeDurumParametreleri;
```

File

Reference.cs ([see page 845](#))

gidenBelgeDurumParametreleri Properties

	Name	Description
	belgeNo (see page 439)	
	belgeNoList (see page 439)	
	belgeNoTipi (see page 439)	
	belgeTuru (see page 439)	
	donusTipiVersiyon (see page 439)	

1.1.3.1.63.1 gidenBelgeDurumParametreleri Properties**1.1.3.1.63.1.1 gidenBelgeDurumParametreleri.belgeNo Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeNo;
```

1.1.3.1.63.1.2 gidenBelgeDurumParametreleri.belgeNoList Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute("belgeNoList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public string belgeNoList;
```

1.1.3.1.63.1.3 gidenBelgeDurumParametreleri.belgeNoTipi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeNoTipi;
```

1.1.3.1.63.1.4 gidenBelgeDurumParametreleri.belgeTuru Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTuru;
```

1.1.3.1.63.1.5 gidenBelgeDurumParametreleri.donusTipiVersiyon Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donusTipiVersiyon;
```

1.1.3.1.64 gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs (see page 440)	This is gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs, a member of class gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs.

gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs Properties

	Name	Description
	Result (see page 440)	

1.1.3.1.64.1**gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs.gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs**
Constructor**C#**

```
internal gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description


This is gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs, a member of class gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs.

Body Source

```
1: internal gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.3.1.64.2 gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs Properties**1.1.3.1.64.2.1 gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs.Result Property****C#**

```
public gidenBelgeDurum Result;
```

1.1.3.1.65 gidenBelgeDurumSorgulaCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
public class gidenBelgeDurumSorgulaCompletedEventArgs :  
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	gidenBelgeDurumSorgulaCompletedEventArgs (see page 441)	This is gidenBelgeDurumSorgulaCompletedEventArgs, a member of class gidenBelgeDurumSorgulaCompletedEventArgs.

gidenBelgeDurumSorgulaCompletedEventArgs Properties

	Name	Description
	Result (see page 441)	

1.1.3.1.65.1**gidenBelgeDurumSorgulaCompletedEventArgs.gidenBelgeDurumSorgulaCompletedEventArgs Constructor****C#**

```
internal gidenBelgeDurumSorgulaCompletedEventArgs(object[] results, System.Exception  
exception, bool cancelled, object userState);
```

Description


This is gidenBelgeDurumSorgulaCompletedEventArgs, a member of class gidenBelgeDurumSorgulaCompletedEventArgs.

Body Source

```
1: internal gidenBelgeDurumSorgulaCompletedEventArgs(object[] results, System.Exception  
exception, bool cancelled, object userState) :  
2:     base(exception, cancelled, userState) {  
3:         this.results = results;  
4:     }
```

1.1.3.1.65.2 gidenBelgeDurumSorgulaCompletedEventArgs Properties**1.1.3.1.65.2.1 gidenBelgeDurumSorgulaCompletedEventArgs.Result Property****C#**

```
public gidenBelgeDurum Result;
```

1.1.3.1.66 gidenBelgeDurumSorgulaEttnCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]  
[System.Diagnostics.DebuggerStepThrough()]  
[System.ComponentModel.DesignerCategoryAttribute("code")]  
public class gidenBelgeDurumSorgulaEttnCompletedEventArgs :  
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	gidenBelgeDurumSorgulaEttnCompletedEventArgs (see page 442)	This is gidenBelgeDurumSorgulaEttnCompletedEventArgs, a member of class gidenBelgeDurumSorgulaEttnCompletedEventArgs.

gidenBelgeDurumSorgulaEttnCompletedEventArgs Properties

	Name	Description
	Result (see page 442)	

1.1.3.1.66.1

gidenBelgeDurumSorgulaEttnCompletedEventArgs.gidenBelgeDurumSorgulaEttnCompletedEventArgs Constructor

C#

```
internal gidenBelgeDurumSorgulaEttnCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gidenBelgeDurumSorgulaEttnCompletedEventArgs, a member of class gidenBelgeDurumSorgulaEttnCompletedEventArgs.

Body Source

```
1: internal gidenBelgeDurumSorgulaEttnCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.66.2 gidenBelgeDurumSorgulaEttnCompletedEventArgs Properties


1.1.3.1.66.2.1 gidenBelgeDurumSorgulaEttnCompletedEventArgs.Result Property

C#

```
public gidenBelgeDurum Result;
```

1.1.3.1.67 gidenBelgeDurumSorgulaExtCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeDurumSorgulaExtCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
!	gidenBelgeDurumSorgulaExtCompletedEventArgs (see page 443)	This is gidenBelgeDurumSorgulaExtCompletedEventArgs, a member of class gidenBelgeDurumSorgulaExtCompletedEventArgs.

gidenBelgeDurumSorgulaExtCompletedEventArgs Properties

	Name	Description
!	Result (see page 443)	

1.1.3.1.67.1

gidenBelgeDurumSorgulaExtCompletedEventArgs.gidenBelgeDurumSorgulaExtCompletedEventArgs Constructor

C#

```
internal gidenBelgeDurumSorgulaExtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gidenBelgeDurumSorgulaExtCompletedEventArgs, a member of class gidenBelgeDurumSorgulaExtCompletedEventArgs.

Body Source

```
1: internal gidenBelgeDurumSorgulaExtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.3.1.67.2 gidenBelgeDurumSorgulaExtCompletedEventArgs Properties


1.1.3.1.67.2.1 gidenBelgeDurumSorgulaExtCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.68 gidenBelgeDurumSorgulaPortalCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeDurumSorgulaPortalCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs {
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	gidenBelgeDurumSorgulaPortalCompletedEventArgs	This is gidenBelgeDurumSorgulaPortalCompletedEventArgs, a member of class gidenBelgeDurumSorgulaPortalCompletedEventArgs.

gidenBelgeDurumSorgulaPortalCompletedEventArgs Properties

	Name	Description
	Result (see page 444)	

1.1.3.1.68.1

gidenBelgeDurumSorgulaPortalCompletedEventArgs.gidenBelgeDurumSorgulaPortalCompletedEventArgs

Constructor

C#

```
internal gidenBelgeDurumSorgulaPortalCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gidenBelgeDurumSorgulaPortalCompletedEventArgs, a member of class gidenBelgeDurumSorgulaPortalCompletedEventArgs.

Body Source

```
1: internal gidenBelgeDurumSorgulaPortalCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.68.2 gidenBelgeDurumSorgulaPortalCompletedEventArgs Properties


1.1.3.1.68.2.1 gidenBelgeDurumSorgulaPortalCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.69 gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
!	gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs (see page 445)	This is gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs, a member of class gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs.

gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs Properties

	Name	Description
!	Result (see page 445)	

1.1.3.1.69.1

gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs.gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs

Constructor

C#

```
internal gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs, a member of class gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs.

Body Source

```
1: internal gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.3.1.69.2 gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs Properties


1.1.3.1.69.2.1 gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs.Result Property

C#

```
public gidenBelgeDurum Result;
```

1.1.3.1.70 gidenBelgeDurumv2 Class

Class Hierarchy



C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]

```

```
public class gidenBelgeDurumv2 : gidenBelgeDurum;
```

File

Reference.cs ([see page 845](#))

gidenBelgeDurum Properties**gidenBelgeDurum Class**

	Name	Description
	aciklama (see page 437)	
	alimTarihi (see page 437)	
	belgeNo (see page 437)	
	durum (see page 437)	
	ettn (see page 437)	
	gonderimCevabiDetayi (see page 437)	
	gonderimCevabiKodu (see page 438)	
	gonderimDurumu (see page 438)	
	gonderimTarihi (see page 438)	
	olusturulmaTarihi (see page 438)	
	yanitDetayi (see page 438)	
	yanitDurumu (see page 438)	
	yanitTarihi (see page 438)	

gidenBelgeDurumv2 Class


	Name	Description
	ulastiMi (see page 446)	
	yenidenGonderilebilirMi (see page 446)	

1.1.3.1.70.1 gidenBelgeDurumv2 Properties**1.1.3.1.70.1.1 gidenBelgeDurumv2.ulastiMi Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool ulastiMi;
```

1.1.3.1.70.1.2 gidenBelgeDurumv2.yenidenGonderilebilirMi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool yenidenGonderilebilirMi;
```

1.1.3.1.71 gidenBelgeDurumv3 Class**Class Hierarchy****C#**

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv4))]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv5)) ]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv6)) ]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class gidenBelgeDurumv3 : gidenBelgeDurumv2;
```

File

Reference.cs ([see page 845](#))

gidenBelgeDurum Properties**gidenBelgeDurum Class**

	Name	Description
	aciklama (see page 437)	
	alimTarihi (see page 437)	
	belgeNo (see page 437)	
	durum (see page 437)	
	ettn (see page 437)	
	gonderimCevabiDetayi (see page 437)	
	gonderimCevabiKodu (see page 438)	
	gonderimDurumu (see page 438)	
	gonderimTarihi (see page 438)	
	olusturulmaTarihi (see page 438)	
	yanitDetayi (see page 438)	
	yanitDurumu (see page 438)	
	yanitTarihi (see page 438)	

gidenBelgeDurumv2 Class

	Name	Description
	ulastiMi (see page 446)	
	yenidenGonderilebilirMi (see page 446)	

gidenBelgeDurumv3 Class


	Name	Description
	yerelBelgeOid (see page 447)	

1.1.3.1.71.1 gidenBelgeDurumv3 Properties**1.1.3.1.71.1.1 gidenBelgeDurumv3.yerelBelgeOid Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yerelBelgeOid;
```

1.1.3.1.72 gidenBelgeDurumv4 Class

Class Hierarchy



C#

```

[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
public class gidenBelgeDurumv4 : gidenBelgeDurumv3;
  
```

File

Reference.cs (see page 845)

gidenBelgeDurum Properties

gidenBelgeDurum Class

	Name	Description
	aciklama (see page 437)	
	alimTarihi (see page 437)	
	belgeNo (see page 437)	
	durum (see page 437)	
	ettn (see page 437)	
	gonderimCevabiDetayi (see page 437)	
	gonderimCevabiKodu (see page 438)	
	gonderimDurumu (see page 438)	
	gonderimTarihi (see page 438)	
	olusturulmaTarihi (see page 438)	
	yanitDetayi (see page 438)	
	yanitDurumu (see page 438)	
	yanitTarihi (see page 438)	

gidenBelgeDurumv2 Class

	Name	Description
	ulastiMi (see page 446)	
	yenidenGonderilebilirMi (see page 446)	

gidenBelgeDurumv3 Class

	Name	Description
	yerelBelgeOid (see page 447)	

gidenBelgeDurumv4 Class

	Name	Description
	gtbFililhracatTarihi (see page 449)	

	gtbGcbTescilNo (see page 449)	
	gtbRefNo (see page 449)	

1.1.3.1.72.1 gidenBelgeDurumv4 Properties

1.1.3.1.72.1.1 gidenBelgeDurumv4.gtbFiiliIhracatTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gtbFiiliIhracatTarihi;
```

1.1.3.1.72.1.2 gidenBelgeDurumv4.gtbGcbTescilNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gtbGcbTescilNo;
```


1.1.3.1.72.1.3 gidenBelgeDurumv4.gtbRefNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gtbRefNo;
```

1.1.3.1.73 gidenBelgeDurumv5 Class

Class Hierarchy



C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class gidenBelgeDurumv5 : gidenBelgeDurumv4;
```

File

Reference.cs (see page 845)

gidenBelgeDurum Properties

gidenBelgeDurum Class

	Name	Description
	aciklama (see page 437)	
	alimTarihi (see page 437)	
	belgeNo (see page 437)	
	durum (see page 437)	
	ettn (see page 437)	
	gonderimCevabiDetayi (see page 437)	
	gonderimCevabiKodu (see page 438)	

	gonderimDurumu (see page 438)	
	gonderimTarihi (see page 438)	
	olusturulmaTarihi (see page 438)	
	yanitDetayi (see page 438)	
	yanitDurumu (see page 438)	
	yanitTarihi (see page 438)	

gidenBelgeDurumv2 Class

	Name	Description
	ulastiMi (see page 446)	
	yenidenGonderilebilirMi (see page 446)	

gidenBelgeDurumv3 Class

	Name	Description
	yerelBelgeOid (see page 447)	

gidenBelgeDurumv4 Class

	Name	Description
	gtbFiilihracatTarihi (see page 449)	
	gtbGcbTescilNo (see page 449)	
	gtbRefNo (see page 449)	

gidenBelgeDurumv5 Class


	Name	Description
	yanitEtn (see page 450)	
	yanitVerilenBelgeEtn (see page 450)	

1.1.3.1.73.1 gidenBelgeDurumv5 Properties**1.1.3.1.73.1.1 gidenBelgeDurumv5.yanitEtn Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yanitEtn;
```

1.1.3.1.73.1.2 gidenBelgeDurumv5.yanitVerilenBelgeEtn Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yanitVerilenBelgeEtn;
```

1.1.3.1.74 gidenBelgeDurumv6 Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class gidenBelgeDurumv6 : gidenBelgeDurumv5;
```

File

Reference.cs ([see page 845](#))

gidenBelgeDurum Properties**gidenBelgeDurum Class**

	Name	Description
	aciklama (see page 437)	
	alimTarihi (see page 437)	
	belgeNo (see page 437)	
	durum (see page 437)	
	ettn (see page 437)	
	gonderimCevabiDetayi (see page 437)	
	gonderimCevabiKodu (see page 438)	
	gonderimDurumu (see page 438)	
	gonderimTarihi (see page 438)	
	olusturulmaTarihi (see page 438)	
	yanitDetayi (see page 438)	
	yanitDurumu (see page 438)	
	yanitTarihi (see page 438)	

gidenBelgeDurumv2 Class

	Name	Description
	ulastiMi (see page 446)	
	yenidenGonderilebilirMi (see page 446)	

gidenBelgeDurumv3 Class

	Name	Description
	yerelBelgeOid (see page 447)	

gidenBelgeDurumv4 Class

	Name	Description
	gtbFiihlhracatTarihi (see page 449)	
	gtbGcbTescilNo (see page 449)	
	gtbRefNo (see page 449)	

gidenBelgeDurumv5 Class


	Name	Description
	yanitEtn (see page 450)	
	yanitVerilenBelgeEtn (see page 450)	

gidenBelgeDurumv6 Class

	Name	Description
	kepDurum (see page 452)	

1.1.3.1.74.1 gidenBelgeDurumv6 Properties**1.1.3.1.74.1.1 gidenBelgeDurumv6.kepDurum Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kepDurum;
```

1.1.3.1.75 gidenBelgeEkleriAICompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeEkleriAICompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	gidenBelgeEkleriAICompletedEventArgs (see page 452)	This is gidenBelgeEkleriAICompletedEventArgs, a member of class gidenBelgeEkleriAICompletedEventArgs.

gidenBelgeEkleriAICompletedEventArgs Properties

	Name	Description
	Result (see page 453)	

1.1.3.1.75.1**gidenBelgeEkleriAICompletedEventArgs.gidenBelgeEkleriAICompletedEventArgs Constructor****C#**

```
internal gidenBelgeEkleriAICompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is gidenBelgeEkleriAICompletedEventArgs, a member of class gidenBelgeEkleriAICompletedEventArgs.

Body Source

```
1: internal gidenBelgeEkleriAICompletedEventArgs(object[] results, System.Exception exception,
2: bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:         this.results = results;
4: }
```

1.1.3.1.75.2 gidenBelgeEkleriAICompletedEventArgs Properties

1.1.3.1.75.2.1 gidenBelgeEkleriAICompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.76 gidenBelgelerDurumSorgulaPortalParametreleri Class

Class Hierarchy

`[QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPortalParametreleri]`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class gidenBelgelerDurumSorgulaPortalParametreleri;
```

File

Reference.cs (see page 845)

gidenBelgelerDurumSorgulaPortalParametreleri Properties

	Name	Description
	baslangicOlusturulmaTarihi (see page 453)	
	belgeEttnListesi (see page 453)	
	belgeTuru (see page 454)	
	belgeVersiyon (see page 454)	
	bitisOlusturulmaTarihi (see page 454)	
	faturaBaslangicTarihi (see page 454)	
	faturaBitisTarihi (see page 454)	
	vknTckn (see page 454)	

1.1.3.1.76.1 gidenBelgelerDurumSorgulaPortalParametreleri Properties

1.1.3.1.76.1.1 gidenBelgelerDurumSorgulaPortalParametreleri.baslangicOlusturulmaTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string baslangicOlusturulmaTarihi;
```

1.1.3.1.76.1.2 gidenBelgelerDurumSorgulaPortalParametreleri.belgeEttnListesi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("belgeEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public string belgeEttnListesi;
```

1.1.3.1.76.1.3 **gidenBelgelerDurumSorgulaPortalParametreleri.belgeTuru** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTuru;
```

1.1.3.1.76.1.4 **gidenBelgelerDurumSorgulaPortalParametreleri.belgeVersiyon** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeVersiyon;
```

1.1.3.1.76.1.5 **gidenBelgelerDurumSorgulaPortalParametreleri.bitisOlusturulmaTarihi** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bitisOlusturulmaTarihi;
```

1.1.3.1.76.1.6 **gidenBelgelerDurumSorgulaPortalParametreleri.faturaBaslangicTarihi** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaBaslangicTarihi;
```

1.1.3.1.76.1.7 **gidenBelgelerDurumSorgulaPortalParametreleri.faturaBitisTarihi** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaBitisTarihi;
```

1.1.3.1.76.1.8 **gidenBelgelerDurumSorgulaPortalParametreleri.vknTckn** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vknTckn;
```

1.1.3.1.77 **gidenBelgeleriIndirCompletedEventArgs** Class

Class Hierarchy

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeleriIndirCompletedEventArgs :
    System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
📑	gidenBelgeleriIndirCompletedEventArgs	This is gidenBelgeleriIndirCompletedEventArgs, a member of class gidenBelgeleriIndirCompletedEventArgs.

gidenBelgeleriIndirCompletedEventArgs Properties

	Name	Description
📝	Result (🔗 see page 455)	

1.1.3.1.77.1

gidenBelgeleriIndirCompletedEventArgs.gidenBelgeleriIndirCompletedEventArgs Constructor

C#

```
internal gidenBelgeleriIndirCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gidenBelgeleriIndirCompletedEventArgs, a member of class gidenBelgeleriIndirCompletedEventArgs.

Body Source

```
1: internal gidenBelgeleriIndirCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.3.1.77.2 gidenBelgeleriIndirCompletedEventArgs Properties


1.1.3.1.77.2.1 gidenBelgeleriIndirCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.78 gidenBelgeleriIndirEttnCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCode("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeleriIndirEttnCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (🔗 see page 845)

Methods

	Name	Description
📑	gidenBelgeleriIndirEttnCompletedEventArgs	This is gidenBelgeleriIndirEttnCompletedEventArgs, a member of class gidenBelgeleriIndirEttnCompletedEventArgs.

gidenBelgeleriIndirEttnCompletedEventArgs Properties

	Name	Description
	Result (see page 456)	

1.1.3.1.78.1**gidenBelgeleriIndirEttnCompletedEventArgs.gidenBelgeleriIndirEttnCompletedEventArgs Constructor****C#**

```
internal gidenBelgeleriIndirEttnCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description


This is gidenBelgeleriIndirEttnCompletedEventArgs, a member of class gidenBelgeleriIndirEttnCompletedEventArgs.

Body Source

```
1: internal gidenBelgeleriIndirEttnCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.3.1.78.2 gidenBelgeleriIndirEttnCompletedEventArgs Properties**1.1.3.1.78.2.1 gidenBelgeleriIndirEttnCompletedEventArgs.Result Property****C#**

```
public byte Result;
```

1.1.3.1.79 gidenBelgeleriIndirPortalCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeleriIndirPortalCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	gidenBelgeleriIndirPortalCompletedEventArgs (see page 457)	This is gidenBelgeleriIndirPortalCompletedEventArgs, a member of class gidenBelgeleriIndirPortalCompletedEventArgs.

gidenBelgeleriIndirPortalCompletedEventArgs Properties

	Name	Description
	Result (see page 457)	

1.1.3.1.79.1

gidenBelgeleriIndirPortalCompletedEventArgs.gidenBelgeleriIndirPortalCompletedEventArgs Constructor

C#

```
internal gidenBelgeleriIndirPortalCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gidenBelgeleriIndirPortalCompletedEventArgs, a member of class gidenBelgeleriIndirPortalCompletedEventArgs.

Body Source

```
1: internal gidenBelgeleriIndirPortalCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.3.1.79.2 gidenBelgeleriIndirPortalCompletedEventArgs Properties

1.1.3.1.79.2.1 gidenBelgeleriIndirPortalCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.80 gidenBelgeleriIndirPortalParametreleri Class

Class Hierarchy

QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametreleri

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class gidenBelgeleriIndirPortalParametreleri;
```

File

Reference.cs (see page 845)

gidenBelgeleriIndirPortalParametreleri Properties

	Name	Description
	baslangicGonderimTarihi (see page 458)	
	belgeEttnListesi (see page 458)	
	belgeFormati (see page 458)	
	belgeTuru (see page 458)	
	bitisGonderimTarihi (see page 458)	
	faturaBaslangicTarihi (see page 458)	
	faturaBitisTarihi (see page 458)	

	kaynak (see page 459)	
	pageCount (see page 459)	
	vergiTcKimlikNo (see page 459)	

1.1.3.1.80.1 gidenBelgeleriIndirPortalParametreleri Properties

1.1.3.1.80.1.1 gidenBelgeleriIndirPortalParametreleri.baslangicGonderimTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string baslangicGonderimTarihi;
```

1.1.3.1.80.1.2 gidenBelgeleriIndirPortalParametreleri.belgeEttnListesi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("belgeEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public string belgeEttnListesi;
```

1.1.3.1.80.1.3 gidenBelgeleriIndirPortalParametreleri.belgeFormati Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeFormati;
```

1.1.3.1.80.1.4 gidenBelgeleriIndirPortalParametreleri.belgeTuru Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTuru;
```

1.1.3.1.80.1.5 gidenBelgeleriIndirPortalParametreleri.bitisGonderimTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bitisGonderimTarihi;
```

1.1.3.1.80.1.6 gidenBelgeleriIndirPortalParametreleri.faturaBaslangicTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaBaslangicTarihi;
```

1.1.3.1.80.1.7 gidenBelgeleriIndirPortalParametreleri.faturaBitisTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaBitisTarihi;
```

1.1.3.1.80.1.8 gidenBelgeleriIndirPortalParametreleri.kaynak Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kaynak;
```

1.1.3.1.80.1.9 gidenBelgeleriIndirPortalParametreleri.pageCount Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string pageCount;
```


1.1.3.1.80.1.10 gidenBelgeleriIndirPortalParametreleri.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vergiTcKimlikNo;
```

1.1.3.1.81 gidenBelgeleriListeleCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeleriListeleCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
!	gidenBelgeleriListeleCompletedEventArgs	This is gidenBelgeleriListeleCompletedEventArgs, a member of class gidenBelgeleriListeleCompletedEventArgs.

gidenBelgeleriListeleCompletedEventArgs Properties

	Name	Description
!	Result (see page 460)	

1.1.3.1.81.1

gidenBelgeleriListeleCompletedEventArgs.gidenBelgeleriListeleCompletedEventArgs Constructor

C#

```
internal gidenBelgeleriListeleCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gidenBelgeleriListeleCompletedEventArgs, a member of class gidenBelgeleriListeleCompletedEventArgs.

Body Source

```

1: internal gidenBelgeleriListeleCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }

```

1.1.3.1.81.2 gidenBelgeleriListeleCompletedEventArgs Properties**1.1.3.1.81.2.1 gidenBelgeleriListeleCompletedEventArgs.Result Property****C#**

```
public serviceReturnType Result;
```

1.1.3.1.82 gidenBelgeleriListeleData Class**Class Hierarchy****C#**

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
")]
public class gidenBelgeleriListeleData : serviceReturnType;

```

File

Reference.cs (see page 845)

gidenBelgeleriListeleData Properties**gidenBelgeleriListeleData Class**

	Name	Description
	alimDurumu (see page 460)	
	alimZamani (see page 461)	
	belgeOid (see page 461)	
	belgeTarihi (see page 461)	
	belgeTuru (see page 461)	
	ettn (see page 461)	
	hataMesaji (see page 461)	
	islemYapanVkn (see page 461)	
	kaynak (see page 461)	
	kullaniciKodu (see page 461)	
	yerelBelgeNo (see page 462)	

1.1.3.1.82.1 gidenBelgeleriListeleData Properties**1.1.3.1.82.1.1 gidenBelgeleriListeleData.alimDurumu Property****C#**

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string alimDurumu;

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.82.1.2 **gidenBelgeleriListeleData.alimZamani** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string alimZamani;
```

1.1.3.1.82.1.3 **gidenBelgeleriListeleData.belgeOid** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeOid;
```

1.1.3.1.82.1.4 **gidenBelgeleriListeleData.belgeTarihi** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTarihi;
```

1.1.3.1.82.1.5 **gidenBelgeleriListeleData.belgeTuru** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTuru;
```

1.1.3.1.82.1.6 **gidenBelgeleriListeleData.ettn** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ettn;
```

1.1.3.1.82.1.7 **gidenBelgeleriListeleData.hataMesaji** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string hataMesaji;
```

1.1.3.1.82.1.8 **gidenBelgeleriListeleData.islemYapanVkn** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemYapanVkn;
```

1.1.3.1.82.1.9 **gidenBelgeleriListeleData.kaynak** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kaynak;
```

1.1.3.1.82.1.10 **gidenBelgeleriListeleData.kullaniciKodu** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kullaniciKodu;
```

1.1.3.1.82.1.11 gidenBelgeleriListeleData.yerelBelgeNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yerelBelgeNo;
```

1.1.3.1.83 gidenBelgeleriListeleParametreleri Class

Class Hierarchy

```
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametreleri
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
public class gidenBelgeleriListeleParametreleri;
```

File

Reference.cs (see page 845)

gidenBelgeleriListeleParametreleri Properties

	Name	Description
	baslangicBelgeTarihi (see page 462)	
	baslangicGonderimTarihi (see page 462)	
	belgeTuru (see page 463)	
	bitisBelgeTarihi (see page 463)	
	bitisGonderimTarihi (see page 463)	
	vkn (see page 463)	

1.1.3.1.83.1 gidenBelgeleriListeleParametreleri Properties

1.1.3.1.83.1.1 gidenBelgeleriListeleParametreleri.baslangicBelgeTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string baslangicBelgeTarihi;
```

1.1.3.1.83.1.2 gidenBelgeleriListeleParametreleri.baslangicGonderimTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string baslangicGonderimTarihi;
```

1.1.3.1.83.1.3 **gidenBelgeleriListeleParametreleri.belgeTuru** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTuru;
```

1.1.3.1.83.1.4 **gidenBelgeleriListeleParametreleri.bitisBelgeTarihi** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bitisBelgeTarihi;
```

1.1.3.1.83.1.5 **gidenBelgeleriListeleParametreleri.bitisGonderimTarihi** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bitisGonderimTarihi;
```


1.1.3.1.83.1.6 **gidenBelgeleriListeleParametreleri.vkn** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vkn;
```

1.1.3.1.84 **gidenBelgeleriListelePortalCompletedEventArgs** Class

Class Hierarchy

**C#**

```
[System.CodeDom.Compiler.GeneratedCode("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
public class gidenBelgeleriListelePortalCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	gidenBelgeleriListelePortalCompletedEventArgs (see page 464)	This is gidenBelgeleriListelePortalCompletedEventArgs, a member of class gidenBelgeleriListelePortalCompletedEventArgs.

gidenBelgeleriListelePortalCompletedEventArgs Properties

	Name	Description
	Result (see page 464)	

1.1.3.1.84.1

gidenBelgeleriListelePortalCompletedEventArgs.gidenBelgeleriListelePortalCompletedEventArgs Constructor

C#

```
internal gidenBelgeleriListelePortalCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gidenBelgeleriListelePortalCompletedEventArgs, a member of class gidenBelgeleriListelePortalCompletedEventArgs.

Body Source

```
1: internal gidenBelgeleriListelePortalCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.3.1.84.2 gidenBelgeleriListelePortalCompletedEventArgs Properties


1.1.3.1.84.2.1 gidenBelgeleriListelePortalCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.85 gidenBelgeleriListelePortalData Class

Class Hierarchy



C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeleriListelePortalDatav2))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[SerializableAttribute()]
[Diagnostics.DebuggerStepThroughAttribute()]
[ComponentModel.DesignerCategoryAttribute("code")]
[XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class gidenBelgeleriListelePortalData : serviceReturnType;
```

File

Reference.cs (see page 845)

gidenBelgeleriListelePortalData Properties

gidenBelgeleriListelePortalData Class

	Name	Description
	alanEtiket (see page 465)	
	alanSubeKodu (see page 465)	
	alanVergiTcKimlikNo (see page 465)	
	belgeNo (see page 465)	
	belgeTarihi (see page 465)	
	belgeTipi (see page 465)	

	belgeTuru (see page 466)	
	erpKodu (see page 466)	
	ettn (see page 466)	
	gonderenEtiket (see page 466)	
	gonderenSubeKodu (see page 466)	
	gonderimZamani (see page 466)	
	islemYapanVkn (see page 466)	
	kaynak (see page 466)	
	kullaniciKodu (see page 466)	

1.1.3.1.85.1 gidenBelgeleriListelePortalData Properties

1.1.3.1.85.1.1 gidenBelgeleriListelePortalData.alanEtiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string alanEtiket;
```

1.1.3.1.85.1.2 gidenBelgeleriListelePortalData.alanSubeKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string alanSubeKodu;
```

1.1.3.1.85.1.3 gidenBelgeleriListelePortalData.alanVergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string alanVergiTcKimlikNo;
```

1.1.3.1.85.1.4 gidenBelgeleriListelePortalData.belgeNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeNo;
```

1.1.3.1.85.1.5 gidenBelgeleriListelePortalData.belgeTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTarihi;
```

1.1.3.1.85.1.6 gidenBelgeleriListelePortalData.belgeTipi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTipi;
```

1.1.3.1.85.1.7 gidenBelgeleriListelePortalData.belgeTuru Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTuru;
```

1.1.3.1.85.1.8 gidenBelgeleriListelePortalData.erpKodu Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string erpKodu;
```

1.1.3.1.85.1.9 gidenBelgeleriListelePortalData.ettn Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ettn;
```

1.1.3.1.85.1.10 gidenBelgeleriListelePortalData.gonderenEtiket Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gonderenEtiket;
```

1.1.3.1.85.1.11 gidenBelgeleriListelePortalData.gonderenSubeKodu Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gonderenSubeKodu;
```

1.1.3.1.85.1.12 gidenBelgeleriListelePortalData.gonderimZamani Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gonderimZamani;
```

1.1.3.1.85.1.13 gidenBelgeleriListelePortalData.islemYapanVkn Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemYapanVkn;
```

1.1.3.1.85.1.14 gidenBelgeleriListelePortalData.kaynak Property**C#**


```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kaynak;
```

1.1.3.1.85.1.15 gidenBelgeleriListelePortalData.kullaniciKodu Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kullaniciKodu;
```

1.1.3.1.86 gidenBelgeleriListelePortalDatav2 Class

Class Hierarchy



C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
public class gidenBelgeleriListelePortalDatav2 : gidenBelgeleriListelePortalData;
  
```

File

Reference.cs (see page 845)

gidenBelgeleriListelePortalData Properties

gidenBelgeleriListelePortalData Class

	Name	Description
	alanEtiket (see page 465)	
	alanSubeKodu (see page 465)	
	alanVergiTcKimlikNo (see page 465)	
	belgeNo (see page 465)	
	belgeTarihi (see page 465)	
	belgeTipi (see page 465)	
	belgeTuru (see page 466)	
	erpKodu (see page 466)	
	ettm (see page 466)	
	gonderenEtiket (see page 466)	
	gonderenSubeKodu (see page 466)	
	gonderimZamani (see page 466)	
	islemYapanVkn (see page 466)	
	kaynak (see page 466)	
	kullaniciKodu (see page 466)	

gidenBelgeleriListelePortalDatav2 Class

	Name	Description
	yanitEttm (see page 467)	

1.1.3.1.86.1 gidenBelgeleriListelePortalDatav2 Properties

1.1.3.1.86.1.1 gidenBelgeleriListelePortalDatav2.yanitEttm Property

C#

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yanitEttm;
  
```

1.1.3.1.87 gidenBelgeleriListelePortalParametreleri Class

Class Hierarchy

```
[QNBFInansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
")]
public class gidenBelgeleriListelePortalParametreleri;
```

File

Reference.cs ([see page 845](#))

gidenBelgeleriListelePortalParametreleri Properties

	Name	Description
	baslangicGonderimTarihi (see page 468)	
	belgeEttnListesi (see page 468)	
	belgeTuru (see page 468)	
	belgeVersiyon (see page 469)	
	bitisGonderimTarihi (see page 469)	
	faturaBaslangicTarihi (see page 469)	
	faturaBitisTarihi (see page 469)	
	kaynak (see page 469)	
	pageCount (see page 469)	
	vergiTcKimlikNo (see page 469)	

1.1.3.1.87.1 gidenBelgeleriListelePortalParametreleri Properties

1.1.3.1.87.1.1 gidenBelgeleriListelePortalParametreleri.baslangicGonderimTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string baslangicGonderimTarihi;
```

1.1.3.1.87.1.2 gidenBelgeleriListelePortalParametreleri.belgeEttnListesi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("belgeEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public string belgeEttnListesi;
```

1.1.3.1.87.1.3 gidenBelgeleriListelePortalParametreleri.belgeTuru Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTuru;
```

1.1.3.1.87.1.4 gidenBelgeleriListelePortalParametreleri.belgeVersiyon Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeVersiyon;
```

1.1.3.1.87.1.5 gidenBelgeleriListelePortalParametreleri.bitisGonderimTarihi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bitisGonderimTarihi;
```

1.1.3.1.87.1.6 gidenBelgeleriListelePortalParametreleri.faturaBaslangicTarihi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaBaslangicTarihi;
```

1.1.3.1.87.1.7 gidenBelgeleriListelePortalParametreleri.faturaBitisTarihi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaBitisTarihi;
```

1.1.3.1.87.1.8 gidenBelgeleriListelePortalParametreleri.kaynak Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kaynak;
```

1.1.3.1.87.1.9 gidenBelgeleriListelePortalParametreleri.pageCount Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string pageCount;
```

1.1.3.1.87.1.10 gidenBelgeleriListelePortalParametreleri.vergiTcKimlikNo Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vergiTcKimlikNo;
```

1.1.3.1.88 gidenBelgeParametreleri Class**Class Hierarchy**

```
QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
[""]]
```

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
public class gidenBelgeParametreleri;
```

File

Reference.cs ([see page 845](#))

gidenBelgeParametreleri Properties

	Name	Description
	alanEtiket (see page 470)	
	belgeHash (see page 470)	
	belgeNo (see page 470)	
	belgeTuru (see page 470)	
	belgeVersiyon (see page 471)	
	donusTipiVersiyon (see page 471)	
	erpKodu (see page 471)	
	gonderenEtiket (see page 471)	
	mimeType (see page 471)	
	subeKodu (see page 471)	
	vergiTcKimlikNo (see page 471)	
	veri (see page 471)	
	xsltAdi (see page 472)	
	xsltVeri (see page 472)	

1.1.3.1.88.1 gidenBelgeParametreleri Properties**1.1.3.1.88.1.1 gidenBelgeParametreleri.alanEtiket Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string alanEtiket;
```

1.1.3.1.88.1.2 gidenBelgeParametreleri.belgeHash Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeHash;
```

1.1.3.1.88.1.3 gidenBelgeParametreleri.belgeNo Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeNo;
```

1.1.3.1.88.1.4 gidenBelgeParametreleri.belgeTuru Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTuru;
```

1.1.3.1.88.1.5 gidenBelgeParametreleri.belgeVersiyon Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeVersiyon;
```

1.1.3.1.88.1.6 gidenBelgeParametreleri.donusTipiVersiyon Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donusTipiVersiyon;
```

1.1.3.1.88.1.7 gidenBelgeParametreleri.erpKodu Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string erpKodu;
```

1.1.3.1.88.1.8 gidenBelgeParametreleri.gonderenEtiket Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gonderenEtiket;
```

1.1.3.1.88.1.9 gidenBelgeParametreleri.mimeType Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string mimeType;
```

1.1.3.1.88.1.10 gidenBelgeParametreleri.subeKodu Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string subeKodu;
```

1.1.3.1.88.1.11 gidenBelgeParametreleri.vergiTcKimlikNo Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vergiTcKimlikNo;
```

1.1.3.1.88.1.12 gidenBelgeParametreleri.veri Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
(DataType="base64Binary")]
public byte veri;
```

1.1.3.1.88.1.13 gidenBelgeParametreleri.xsltAdi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string xsltAdi;
```

1.1.3.1.88.1.14 gidenBelgeParametreleri.xsltVeri Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
Data_Type="base64Binary")]
public byte xsltVeri;
```

1.1.3.1.89 gidenBelgeTutarBilgileri Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
public class gidenBelgeTutarBilgileri : serviceReturnType;
```

File

Reference.cs (see page 845)

gidenBelgeTutarBilgileri Properties

gidenBelgeTutarBilgileri Class

	Name	Description
	belgeNo (see page 473)	
	belgeTarihi (see page 473)	
	ettn (see page 473)	
	kdv18Oran (see page 473)	
	kdv18Tutar (see page 473)	
	kdv1Oran (see page 473)	
	kdv1Tutar (see page 473)	
	kdv8Oran (see page 473)	
	kdv8Tutar (see page 474)	
	kdvTevkifatOran (see page 474)	
	kdvTevkifatTutari (see page 474)	
	kdvToplamTutari (see page 474)	
	KdvToplamTutariDovizCinsi (see page 474)	
	malHizmetToplamTutari (see page 474)	
	malHizmetToplamTutariDovizCinsi (see page 474)	
	odenecekTutar (see page 474)	

	odenekTutarDovizCinsi (see page 474)	
---	--	--

1.1.3.1.89.1 gidenBelgeTutarBilgileri Properties

1.1.3.1.89.1.1 gidenBelgeTutarBilgileri.belgeNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeNo;
```

1.1.3.1.89.1.2 gidenBelgeTutarBilgileri.belgeTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTarihi;
```

1.1.3.1.89.1.3 gidenBelgeTutarBilgileri.ettn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ettn;
```

1.1.3.1.89.1.4 gidenBelgeTutarBilgileri.kdv18Oran Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv18Oran;
```

1.1.3.1.89.1.5 gidenBelgeTutarBilgileri.kdv18Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv18Tutar;
```

1.1.3.1.89.1.6 gidenBelgeTutarBilgileri.kdv1Oran Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv1Oran;
```

1.1.3.1.89.1.7 gidenBelgeTutarBilgileri.kdv1Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv1Tutar;
```

1.1.3.1.89.1.8 gidenBelgeTutarBilgileri.kdv8Oran Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv8Oran;
```

1.1.3.1.89.1.9 gidenBelgeTutarBilgileri.kdv8Tutar Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv8Tutar;
```

1.1.3.1.89.1.10 gidenBelgeTutarBilgileri.kdvTevkifatOran Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdvTevkifatOran;
```

1.1.3.1.89.1.11 gidenBelgeTutarBilgileri.kdvTevkifatTutari Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdvTevkifatTutari;
```

1.1.3.1.89.1.12 gidenBelgeTutarBilgileri.kdvToplamTutari Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdvToplamTutari;
```

1.1.3.1.89.1.13 gidenBelgeTutarBilgileri.kdvToplamTutariDovizCinsi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdvToplamTutariDovizCinsi;
```

1.1.3.1.89.1.14 gidenBelgeTutarBilgileri.malHizmetToplamTutari Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string malHizmetToplamTutari;
```

1.1.3.1.89.1.15 gidenBelgeTutarBilgileri.malHizmetToplamTutariDovizCinsi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string malHizmetToplamTutariDovizCinsi;
```

1.1.3.1.89.1.16 gidenBelgeTutarBilgileri.odenecekTutar Property**C#**


```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string odenecekTutar;
```

1.1.3.1.89.1.17 gidenBelgeTutarBilgileri.odenecekTutarDovizCinsi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string odenecekTutarDovizCinsi;
```

1.1.3.1.90 gidenBelgeTutarBilgileriSorgulaCompletedEventArgs Class

Class Hierarchy



C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeTutarBilgileriSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;

```

File

Reference.cs (see page 845)

Methods

	Name	Description
	gidenBelgeTutarBilgileriSorgulaCompletedEventArgs (see page 475)	This is gidenBelgeTutarBilgileriSorgulaCompletedEventArgs, a member of class gidenBelgeTutarBilgileriSorgulaCompletedEventArgs.

gidenBelgeTutarBilgileriSorgulaCompletedEventArgs Properties

	Name	Description
	Result (see page 475)	

1.1.3.1.90.1

gidenBelgeTutarBilgileriSorgulaCompletedEventArgs.gidenBelgeTutarBilgileriSorgulaCompletedEventArgs

Constructor

C#

```

internal gidenBelgeTutarBilgileriSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);

```

Description

This is gidenBelgeTutarBilgileriSorgulaCompletedEventArgs, a member of class gidenBelgeTutarBilgileriSorgulaCompletedEventArgs.

Body Source

```

1: internal gidenBelgeTutarBilgileriSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }

```

1.1.3.1.90.2 gidenBelgeTutarBilgileriSorgulaCompletedEventArgs Properties

1.1.3.1.90.2.1 gidenBelgeTutarBilgileriSorgulaCompletedEventArgs.Result Property

C#


```

public serviceReturnType Result;

```

1.1.3.1.91 gidenTasinanBelgeleriIndirCompletedEventArgs Class

Class Hierarchy



C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenTasinanBelgeleriIndirCompletedEventArgs :
    System.ComponentModel.AsyncCompletedEventArgs;

```

File

Reference.cs (see page 845)

Methods

	Name	Description
≡	gidenTasinanBelgeleriIndirCompletedEventArgs (see page 476)	This is gidenTasinanBelgeleriIndirCompletedEventArgs, a member of class gidenTasinanBelgeleriIndirCompletedEventArgs.

gidenTasinanBelgeleriIndirCompletedEventArgs Properties

	Name	Description
≡	Result (see page 476)	

1.1.3.1.91.1

gidenTasinanBelgeleriIndirCompletedEventArgs.gidenTasinanBelgeleriIndirCompletedEventArgs

Constructor

C#

```

internal gidenTasinanBelgeleriIndirCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);

```

Description

This is gidenTasinanBelgeleriIndirCompletedEventArgs, a member of class gidenTasinanBelgeleriIndirCompletedEventArgs.

Body Source

```

1: internal gidenTasinanBelgeleriIndirCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }

```

1.1.3.1.91.2 gidenTasinanBelgeleriIndirCompletedEventArgs Properties

1.1.3.1.91.2.1 gidenTasinanBelgeleriIndirCompletedEventArgs.Result Property

C#


```

public byte Result;

```

1.1.3.1.92 irsaliyeTarihcesiData Class

Class Hierarchy



Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
")]
public class irsaliyeTarihcesiData : serviceReturnType;
```

File

Reference.cs ([see page 845](#))

irsaliyeTarihcesiData Properties**irsaliyeTarihcesiData Class**

	Name	Description
	bagliKayitId (see page 477)	
	irsaliyeEttn (see page 477)	
	islem (see page 477)	
	islemAciklama (see page 478)	
	islemKanali (see page 478)	
	islemKanaliAciklama (see page 478)	
	islemSonucu (see page 478)	
	islemZamani (see page 478)	
	kullanici (see page 478)	
	kullanicilp (see page 478)	
	zarfEttn (see page 478)	

1.1.3.1.92.1 irsaliyeTarihcesiData Properties**1.1.3.1.92.1.1 irsaliyeTarihcesiData.bagliKayitId Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string bagliKayitId;
```

1.1.3.1.92.1.2 irsaliyeTarihcesiData.irsaliyeEttn Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string irsaliyeEttn;
```

1.1.3.1.92.1.3 irsaliyeTarihcesiData.islem Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public short islem;
```

1.1.3.1.92.1.4 **irsaliyeTarihcesiData.islemAciklama** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemAciklama;
```

1.1.3.1.92.1.5 **irsaliyeTarihcesiData.islemKanali** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public sbyte islemKanali;
```

1.1.3.1.92.1.6 **irsaliyeTarihcesiData.islemKanaliAciklama** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemKanaliAciklama;
```

1.1.3.1.92.1.7 **irsaliyeTarihcesiData.islemSonucu** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemSonucu;
```

1.1.3.1.92.1.8 **irsaliyeTarihcesiData.islemZamani** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemZamani;
```

1.1.3.1.92.1.9 **irsaliyeTarihcesiData.kullanici** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kullanici;
```

1.1.3.1.92.1.10 **irsaliyeTarihcesiData.kullaniciIp** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kullaniciIp;
```


1.1.3.1.92.1.11 **irsaliyeTarihcesiData.zarfEtn** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string zarfEtn;
```

1.1.3.1.93 **irsaliyeTarihcesiSorgulaCompletedEventArgs** Class

Class Hierarchy



Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class irsaliyeTarihcesiSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ( see page 845)

Methods

	Name	Description
	irsaliyeTarihcesiSorgulaCompletedEventArgs ( see page 479)	This is irsaliyeTarihcesiSorgulaCompletedEventArgs , a member of class irsaliyeTarihcesiSorgulaCompletedEventArgs .

irsaliyeTarihcesiSorgulaCompletedEventArgs Properties

	Name	Description
	Result ( see page 479)	

1.1.3.1.93.1**irsaliyeTarihcesiSorgulaCompletedEventArgs.irsaliyeTarihcesiSorgulaCompletedEventArgs Constructor****C#**

```
internal irsaliyeTarihcesiSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is **irsaliyeTarihcesiSorgulaCompletedEventArgs**, a member of class **irsaliyeTarihcesiSorgulaCompletedEventArgs**.

Body Source

```
1: internal irsaliyeTarihcesiSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.93.2 irsaliyeTarihcesiSorgulaCompletedEventArgs Properties**1.1.3.1.93.2.1 irsaliyeTarihcesiSorgulaCompletedEventArgs.Result Property****C#**

```
public serviceReturnType Result;
```

1.1.3.1.94 kalanKontorBilgisi Class**Class Hierarchy**

```
QNBFinansGIB.GIBEFatura.kalanKontorBilgisi
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
```

```
/ " ) ]
public class kalanKontorBilgisi;
```

File

Reference.cs ([see page 845](#))

kalanKontorBilgisi Properties

	Name	Description
	kalan (see page 480)	
	kalanSpecified (see page 480)	
	kontorBirim (see page 480)	
	kontorBirimSpecified (see page 480)	
	kontorTipi (see page 481)	
	kontorTipiSpecified (see page 481)	
	limitAsimMiktari (see page 481)	
	limitAsimMiktariSpecified (see page 481)	
	toplasmAlinan (see page 481)	
	toplasmAlinanSpecified (see page 481)	
	vknTckn (see page 481)	

1.1.3.1.94.1 kalanKontorBilgisi Properties**1.1.3.1.94.1.1 kalanKontorBilgisi.kalan Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal kalan;
```

1.1.3.1.94.1.2 kalanKontorBilgisi.kalanSpecified Property**C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kalanSpecified;
```

1.1.3.1.94.1.3 kalanKontorBilgisi.kontorBirim Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public kontorBirim kontorBirim;
```

1.1.3.1.94.1.4 kalanKontorBilgisi.kontorBirimSpecified Property**C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kontorBirimSpecified;
```

1.1.3.1.94.1.5 kalanKontorBilgisi.kontorTipi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public kontorTipi kontorTipi;
```

1.1.3.1.94.1.6 kalanKontorBilgisi.kontorTipiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kontorTipiSpecified;
```

1.1.3.1.94.1.7 kalanKontorBilgisi.limitAsimMiktari Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal limitAsimMiktari;
```

1.1.3.1.94.1.8 kalanKontorBilgisi.limitAsimMiktariSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool limitAsimMiktariSpecified;
```

1.1.3.1.94.1.9 kalanKontorBilgisi.toplamAlinan Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal toplamAlinan;
```

1.1.3.1.94.1.10 kalanKontorBilgisi.toplamAlinanSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool toplamAlinanSpecified;
```


1.1.3.1.94.1.11 kalanKontorBilgisi.vknTckn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vknTckn;
```

1.1.3.1.95 kayitliKullaniciListeleExtendedCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class kayitliKullaniciListeleExtendedCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
!	kayitliKullaniciListeleExtendedCompletedEventArgs (see page 482)	This is kayitliKullaniciListeleExtendedCompletedEventArgs, a member of class kayitliKullaniciListeleExtendedCompletedEventArgs.

kayitliKullaniciListeleExtendedCompletedEventArgs Properties

	Name	Description
!	Result (see page 482)	

1.1.3.1.95.1

kayitliKullaniciListeleExtendedCompletedEventArgs.kayitliKullaniciListeleExtendedCompletedEventArgs

Constructor

C#

```
internal kayitliKullaniciListeleExtendedCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is kayitliKullaniciListeleExtendedCompletedEventArgs, a member of class kayitliKullaniciListeleExtendedCompletedEventArgs.

Body Source

```
1: internal kayitliKullaniciListeleExtendedCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.3.1.95.2 kayitliKullaniciListeleExtendedCompletedEventArgs Properties

1.1.3.1.95.2.1 kayitliKullaniciListeleExtendedCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.96 kayitliKullaniciListeleExtendedTimeCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class kayitliKullaniciListeleExtendedTimeCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
!	kayitliKullaniciListeleExtendedTimeCompletedEventArgs (see page 483)	This is kayitliKullaniciListeleExtendedTimeCompletedEventArgs, a member of class kayitliKullaniciListeleExtendedTimeCompletedEventArgs.

kayitliKullaniciListeleExtendedTimeCompletedEventArgs Properties

	Name	Description
!	Result (see page 483)	

1.1.3.1.96.1

kayitliKullaniciListeleExtendedTimeCompletedEventArgs.kayitliKullaniciListeleExtendedTimeCompletedEventArgs Constructor

C#

```
internal kayitliKullaniciListeleExtendedTimeCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is kayitliKullaniciListeleExtendedTimeCompletedEventArgs, a member of class kayitliKullaniciListeleExtendedTimeCompletedEventArgs.

Body Source

```
1: internal kayitliKullaniciListeleExtendedTimeCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.3.1.96.2 kayitliKullaniciListeleExtendedTimeCompletedEventArgs Properties


1.1.3.1.96.2.1 kayitliKullaniciListeleExtendedTimeCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.97 kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs	This is kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs, a member of class kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs.

kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs Properties

	Name	Description
	Result (see page 484)	

1.1.3.1.97.1

kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs.kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs

Constructor

C#

```
internal kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs, a member of class kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs.

Body Source

```
1: internal kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.3.1.97.2 kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs Properties

1.1.3.1.97.2.1 kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.98 kontorAzaltResp Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
public class kontorAzaltResp : serviceReturnType;
```

File

Reference.cs ([see page 845](#))

kontorAzaltResp Properties

kontorAzaltResp Class

	Name	Description
	kanalTipi (see page 485)	
	kontorAzaldi (see page 485)	
	kontorTipi (see page 485)	
	miktar (see page 485)	
	miktarSpecified (see page 485)	
	odemeTipi (see page 485)	
	paketTipi (see page 486)	
	vkn (see page 486)	

1.1.3.1.98.1 kontorAzaltResp Properties

1.1.3.1.98.1.1 kontorAzaltResp.kanalTipi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int kanalTipi;
```

1.1.3.1.98.1.2 kontorAzaltResp.kontorAzaldi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool kontorAzaldi;
```

1.1.3.1.98.1.3 kontorAzaltResp.kontorTipi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kontorTipi;
```

1.1.3.1.98.1.4 kontorAzaltResp.miktar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal miktar;
```

1.1.3.1.98.1.5 kontorAzaltResp.miktarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool miktarSpecified;
```

1.1.3.1.98.1.6 kontorAzaltResp.odemeTipi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int odemeTipi;
```

1.1.3.1.98.1.7 kontorAzaltResp.paketTipi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int paketTipi;
```


1.1.3.1.98.1.8 kontorAzaltResp.vkn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vkn;
```

1.1.3.1.99 kontorBilgisiGetirCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class kontorBilgisiGetirCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (↗ see page 845)

Methods

	Name	Description
!	kontorBilgisiGetirCompletedEventArgs (↗ see page 486)	This is kontorBilgisiGetirCompletedEventArgs, a member of class kontorBilgisiGetirCompletedEventArgs.

kontorBilgisiGetirCompletedEventArgs Properties

	Name	Description
!	Result (↗ see page 487)	

1.1.3.1.99.1

kontorBilgisiGetirCompletedEventArgs.kontorBilgisiGetirCompletedEventArgs Constructor

C#

```
internal kontorBilgisiGetirCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is kontorBilgisiGetirCompletedEventArgs, a member of class kontorBilgisiGetirCompletedEventArgs.

Body Source

```
1: internal kontorBilgisiGetirCompletedEventArgs(object[] results, System.Exception exception,
2:   bool cancelled, object userState) :
3:   base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.3.1.99.2 kontorBilgisiGetirCompletedEventArgs Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

1.1.3.1.99.2.1 kontorBilgisiGetirCompletedEventArgs.Result Property

C#

```
public kalanKontorBilgisi Result;
```

1.1.3.1.100 mukellefEFaturaKayit Class

Class Hierarchy

[QNBFinansGIB.GIBEFatura.mukellefEFaturaKayit](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class mukellefEFaturaKayit;
```

File

[Reference.cs](#) (see page 845)

mukellefEFaturaKayit Properties

	Name	Description
	efaturaKullaniciListesi (see page 487)	
	vergiTcKimlikNo (see page 487)	

1.1.3.1.100.1 mukellefEFaturaKayit Properties

1.1.3.1.100.1.1 mukellefEFaturaKayit.efaturaKullaniciListesi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("efaturaKullaniciListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public eFaturaKullanici efaturaKullaniciListesi;
```

1.1.3.1.100.1.2 mukellefEFaturaKayit.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string vergiTcKimlikNo;
```

1.1.3.1.101 serviceReturnType Class

Class Hierarchy

[QNBFinansGIB.GIBEFatura.serviceReturnType](#)

C#


```
[System.Xml.Serialization.XmlIncludeAttribute(typeof\(belgeGonderResp\))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof\(eIrsaliyeKullanici\))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof\(gidenBelgeleriListelePortalData\))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof\(gidenBelgeleriListelePortalDatav2\))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof\(gelenBelgeTutarBilgileri\))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof\(gidenBelgeTutarBilgileri\))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof\(irsaliyeTarihcesiData\))]
```

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(kontorAzaltResp))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTarihcesiData))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeleriListeleData))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurum))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv2))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurum))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv2))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv6))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(eFaturaKullaniciExtended))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(eFaturaKullanici))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belge))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev2))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class serviceReturnType;
```

File

Reference.cs ([see page 845](#))

1.1.3.1.102 temelKontrollerIleBelgeGonderCompletedEventArgs Class

Class Hierarchy**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class temelKontrollerIleBelgeGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	temelKontrollerIleBelgeGonderCompletedEventArgs (see page 489)	This is temelKontrollerIleBelgeGonderCompletedEventArgs, a member of class temelKontrollerIleBelgeGonderCompletedEventArgs.

temelKontrollerIleBelgeGonderCompletedEventArgs Properties

	Name	Description
	Result (see page 489)	

1.1.3.1.102.1

temelKontrollerIleBelgeGonderCompletedEventArgs.temelKontrollerIleBelgeGonderCompletedEventArgs

Constructor

C#

```
internal temelKontrollerIleBelgeGonderCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is temelKontrollerIleBelgeGonderCompletedEventArgs, a member of class temelKontrollerIleBelgeGonderCompletedEventArgs.

Body Source

```
1: internal temelKontrollerIleBelgeGonderCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.102.2 temelKontrollerIleBelgeGonderCompletedEventArgs Properties


1.1.3.1.102.2.1 temelKontrollerIleBelgeGonderCompletedEventArgs.Result Property

C#

```
public string Result;
```

1.1.3.1.103 toplamBelgeSayisiGetirCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class toplamBelgeSayisiGetirCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	toplamBelgeSayisiGetirCompletedEventArgs (see page 490)	This is toplamBelgeSayisiGetirCompletedEventArgs, a member of class toplamBelgeSayisiGetirCompletedEventArgs.

toplambelgesayisiGetirCompletedEventArgs Properties

	Name	Description
	Result (see page 490)	

1.1.3.1.103.1

toplambelgesayisiGetirCompletedEventArgs.toplambelgesayisiGetirCompletedEventArgs s Constructor

C#

```
internal toplambelgesayisiGetirCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is toplambelgesayisiGetirCompletedEventArgs, a member of class toplambelgesayisiGetirCompletedEventArgs.

Body Source

```
1: internal toplambelgesayisiGetirCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :  
2:     base(exception, cancelled, userState) {  
3:         this.results = results;  
4:     }
```

1.1.3.1.103.2 toplambelgesayisiGetirCompletedEventArgs Properties

1.1.3.1.103.2.1 toplambelgesayisiGetirCompletedEventArgs.Result Property

C#

```
public int Result;
```

1.1.3.1.104 ublOnizlemeCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class ublOnizlemeCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
💡	ublOnizlemeCompletedEventArgs (see page 490)	This is ublOnizlemeCompletedEventArgs, a member of class ublOnizlemeCompletedEventArgs.

ublOnizlemeCompletedEventArgs Properties

	Name	Description
💡	Result (see page 491)	

1.1.3.1.104.1 ublOnizlemeCompletedEventArgs.ulbOnizlemeCompletedEventArgs Constructor

C#

```
internal ublOnizlemeCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

Description

This is ublOnizlemeCompletedEventArgs, a member of class ublOnizlemeCompletedEventArgs.

Body Source

```
1: internal ublOnizlemeCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.3.1.104.2 ublOnizlemeCompletedEventArgs Properties


1.1.3.1.104.2.1 ublOnizlemeCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.105 urunSablonlariniAICompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class urunSablonlariniAICompletedEventArgs :
    System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	urunSablonlariniAICompletedEventArgs (see page 491)	This is urunSablonlariniAICompletedEventArgs, a member of class urunSablonlariniAICompletedEventArgs.

urunSablonlariniAICompletedEventArgs Properties

	Name	Description
	Result (see page 492)	

1.1.3.1.105.1

urunSablonlariniAICompletedEventArgs.urunSablonlariniAICompletedEventArgs Constructor

C#

```
internal urunSablonlariniAICompletedEventArgs(object[] results, System.Exception exception,
    bool cancelled, object userState);
```

Description

This is urunSablonlariniAICompletedEventArgs, a member of class urunSablonlariniAICompletedEventArgs.

Body Source

```
1: internal urunSablonlariniAICompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
```

```

3:     this.results = results;
4: }

```

1.1.3.1.105.2 urunSablonlariniAICompletedEventArgs Properties

1.1.3.1.105.2.1 urunSablonlariniAICompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.106 wsKullaniciBilgileri Class

Class Hierarchy

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[SerializableAttribute()]
[Diagnostics.DebuggerStepThroughAttribute()]
[ComponentModel.DesignerCategoryAttribute("code")]
[XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
public class wsKullaniciBilgileri;

```

File

Reference.cs (see page 845)

wsKullaniciBilgileri Properties

	Name	Description
	kullaniciKodu (see page 492)	
	sifre (see page 492)	

1.1.3.1.106.1 wsKullaniciBilgileri Properties

1.1.3.1.106.1.1 wsKullaniciBilgileri.kullaniciKodu Property

C#

```

[XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kullaniciKodu;

```

1.1.3.1.106.1.2 wsKullaniciBilgileri.sifre Property

C#

```

[XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string sifre;

```

1.1.3.1.107 wsKullanicisiKaydetCompletedEventArgs Class

Class Hierarchy

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[Diagnostics.DebuggerStepThroughAttribute()]
[ComponentModel.DesignerCategoryAttribute("code")]

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
public class wsKullanicisiKaydetCompletedEventArgs :  
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	wsKullanicisiKaydetCompletedEventArgs (see page 493)	This is wsKullanicisiKaydetCompletedEventArgs, a member of class wsKullanicisiKaydetCompletedEventArgs.

wsKullanicisiKaydetCompletedEventArgs Properties

	Name	Description
	Result (see page 493)	

1.1.3.1.107.1**wsKullanicisiKaydetCompletedEventArgs.wsKullanicisiKaydetCompletedEventArgs Constructor****C#**

```
internal wsKullanicisiKaydetCompletedEventArgs(object[] results, System.Exception  
exception, bool cancelled, object userState);
```

Description

This is wsKullanicisiKaydetCompletedEventArgs, a member of class wsKullanicisiKaydetCompletedEventArgs.

Body Source

```
1: internal wsKullanicisiKaydetCompletedEventArgs(object[] results, System.Exception  
exception, bool cancelled, object userState) :  
2:     base(exception, cancelled, userState) {  
3:         this.results = results;  
4:     }
```

1.1.3.1.107.2 wsKullanicisiKaydetCompletedEventArgs Properties**1.1.3.1.107.2.1 wsKullanicisiKaydetCompletedEventArgs.Result Property****C#**

```
public wsKullaniciBilgileri Result;
```

1.1.3.1.108 yereleAktarilacakBelgeleriAlCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]  
[System.Diagnostics.DebuggerStepThroughAttribute()]  
[System.ComponentModel.DesignerCategoryAttribute("code")]  
public class yereleAktarilacakBelgeleriAlCompletedEventArgs :  
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
!	yereleAktarilacakBelgeleriAICompletedEventArgs (see page 494)	This is yereleAktarilacakBelgeleriAICompletedEventArgs, a member of class yereleAktarilacakBelgeleriAICompletedEventArgs.

yereleAktarilacakBelgeleriAICompletedEventArgs Properties

	Name	Description
!	Result (see page 494)	

1.1.3.1.108.1

yereleAktarilacakBelgeleriAICompletedEventArgs.yereleAktarilacakBelgeleriAICompletedEventArgs Constructor

C#

```
internal yereleAktarilacakBelgeleriAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is yereleAktarilacakBelgeleriAICompletedEventArgs, a member of class yereleAktarilacakBelgeleriAICompletedEventArgs.

Body Source

```
1: internal yereleAktarilacakBelgeleriAICompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.3.1.108.2 yereleAktarilacakBelgeleriAICompletedEventArgs Properties


1.1.3.1.108.2.1 yereleAktarilacakBelgeleriAICompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.109 yereleAktarilacakBelgeleriAIExtCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class yereleAktarilacakBelgeleriAIExtCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs {
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	yereleAktarilacakBelgeleriAIExtCompletedEventArgs	This is yereleAktarilacakBelgeleriAIExtCompletedEventArgs, a member of class yereleAktarilacakBelgeleriAIExtCompletedEventArgs.

yereleAktarilacakBelgeleriAIExtCompletedEventArgs Properties

	Name	Description
	Result (see page 495)	

1.1.3.1.109.1

yereleAktarilacakBelgeleriAIExtCompletedEventArgs.yereleAktarilacakBelgeleriAIExtCompletedEventArgs

Constructor

C#

```
internal yereleAktarilacakBelgeleriAIExtCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is yereleAktarilacakBelgeleriAIExtCompletedEventArgs, a member of class yereleAktarilacakBelgeleriAIExtCompletedEventArgs.

Body Source

```
1: internal yereleAktarilacakBelgeleriAIExtCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.109.2 yereleAktarilacakBelgeleriAIExtCompletedEventArgs Properties

1.1.3.1.109.2.1 yereleAktarilacakBelgeleriAIExtCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.2 Structs, Records, Enums

Summary

The following table lists structs, records, enums in this documentation.

Enumerations

	Name	Description
	kontorBirimi (see page 495)	
	kontorTipi (see page 496)	

1.1.3.2.1 QNBFinansGIB.GIBEFatura.kontorBirimi Enumeration

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
```

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
")]
public enum kontorBirim {
    ADET,
    TL,
    MB
}
```

File

Reference.cs (see page 845)

1.1.3.2.2 QNBFinansGIB.GIBEFatura.kontorTipi Enumeration

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
")]
public enum kontorTipi {
    FATURA,
    DEFTER,
    KEP,
    KEPSMS,
    ARSIV,
    ARSIVSMS,
    IRSALIYE,
    SMM,
    MMK,
    PORTAL,
    OKC,
    BAYI
}
```

File

Reference.cs (see page 845)

1.1.3.3 Types

Summary

The following table lists types in this documentation.

Types

Name	Description
belgeGonderCompletedEventHandler (see page 498)	
belgeGonderExtCompletedEventHandler (see page 499)	
belgeGonderExtWithValidateCompletedEventHandler (see page 499)	
belgeGonderWithValidateCompletedEventHandler (see page 499)	
belgelerAlindiCompletedEventHandler (see page 499)	
belgelerAlindiEntegrasyonSiparisNoGuncelleCompletedEventHandler (see page 500)	
belgeleriTekrarGonderBelgeOidCompletedEventHandler (see page 500)	

belgeleriTekrarGonderCompletedEventHandler (see page 500)	
belgeleriTekrarGonderYerelBelgeNoCompletedEventHandler (see page 500)	
checkDateValidControlCompletedEventHandler (see page 501)	
cokluGidenBelgeDurumSorgulaCompletedEventHandler (see page 501)	
csXmlOnizlemeCompletedEventHandler (see page 501)	
csXmlToUblCompletedEventHandler (see page 501)	
eFaturaKayitliKullaniciListeleCompletedEventHandler (see page 502)	
efaturaKullaniciBilgisiCompletedEventHandler (see page 502)	
efaturaKullaniciListesiCompletedEventHandler (see page 502)	
efaturaKullanicisiCompletedEventHandler (see page 502)	
elrsaliyeKayitliKullaniciListeleCompletedEventHandler (see page 503)	
elrsaliyeKullanicisiCompletedEventHandler (see page 503)	
erpBilgileriBelirleCompletedEventHandler (see page 503)	
faturaKepIleLadeEdildiCompletedEventHandler (see page 503)	
faturaKepIleLadeEdildilptalCompletedEventHandler (see page 504)	
faturaMailGonderCompletedEventHandler (see page 504)	
faturaNoUretCompletedEventHandler (see page 504)	
faturaTarihcesiSorgulaCompletedEventHandler (see page 504)	
faturayAltirazEdildiCompletedEventHandler (see page 505)	
faturayAltirazEdildilptalCompletedEventHandler (see page 505)	
gelenBelgeDurumSorgulaCompletedEventHandler (see page 505)	
gelenBelgeDurumSorgulaExtCompletedEventHandler (see page 505)	
gelenBelgeEkleriAICompletedEventHandler (see page 506)	
gelenBelgeleriAICompletedEventHandler (see page 506)	
gelenBelgeleriAIExt2CompletedEventHandler (see page 506)	
gelenBelgeleriAIExtCompletedEventHandler (see page 506)	
gelenBelgeleriIndirCompletedEventHandler (see page 507)	
gelenBelgeleriIndirExtCompletedEventHandler (see page 507)	
gelenBelgeleriListeleCompletedEventHandler (see page 507)	
gelenBelgeleriListeleExtCompletedEventHandler (see page 507)	
gelenBelgeTutarBilgileriSorgulaCompletedEventHandler (see page 508)	
gelenBelgeXmlleriniAICompletedEventHandler (see page 508)	
gelenBelgeXmlleriniAIExtCompletedEventHandler (see page 508)	
gelenFaturalariArsiveKaldirCompletedEventHandler (see page 508)	
gelenIrsaliyeleriArsiveKaldirCompletedEventHandler (see page 509)	
gelenStandartRapolariAICompletedEventHandler (see page 509)	
gelenTamamlananRapolariAICompletedEventHandler (see page 509)	
gelenTasinanBelgeleriIndirCompletedEventHandler (see page 510)	
gidenBelgeDurumSorgulaBelgeNoCompletedEventHandler (see page 510)	
gidenBelgeDurumSorgulaCompletedEventHandler (see page 510)	

gidenBelgeDurumSorgulaEttnCompletedEventHandler (see page 510)	
gidenBelgeDurumSorgulaExtCompletedEventHandler (see page 511)	
gidenBelgeDurumSorgulaPortalCompletedEventHandler (see page 511)	
gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventHandler (see page 511)	
gidenBelgeEkleriAICompletedEventHandler (see page 511)	
gidenBelgelerilndirCompletedEventHandler (see page 512)	
gidenBelgelerilndirEttnCompletedEventHandler (see page 512)	
gidenBelgelerilndirPortalCompletedEventHandler (see page 512)	
gidenBelgeleriListeleCompletedEventHandler (see page 512)	
gidenBelgeleriListelePortalCompletedEventHandler (see page 513)	
gidenBelgeTutarBilgileriSorgulaCompletedEventHandler (see page 513)	
gidenFaturalariArsiveKaldirCompletedEventHandler (see page 513)	
gidenIrsaliyeleriArsiveKaldirCompletedEventHandler (see page 514)	
gidenTasinanBelgelerilndirCompletedEventHandler (see page 514)	
irsaliyeMailGonderCompletedEventHandler (see page 514)	
irsaliyeTarihcesiSorgulaCompletedEventHandler (see page 514)	
kayitliKullaniciListeleExtendedCompletedEventHandler (see page 515)	
kayitliKullaniciListeleExtendedTimeCompletedEventHandler (see page 515)	
kayitliKullaniciListeleExtendedVknTcknCompletedEventHandler (see page 515)	
kontorBilgisiGetirCompletedEventHandler (see page 515)	
temelKontrollerlleBelgeGonderCompletedEventHandler (see page 516)	
toplambelgeSayisiGetirCompletedEventHandler (see page 516)	
ublOnizlemeCompletedEventHandler (see page 516)	
urunSablonlariniAICompletedEventHandler (see page 516)	
wsKullanicisiKaydetCompletedEventHandler (see page 517)	
yereleAktarilacakBelgeleriAICompletedEventHandler (see page 517)	
yereleAktarilacakBelgeleriAIExtCompletedEventHandler (see page 517)	
yolcuBeraberFaturalptalEtCompletedEventHandler (see page 517)	

1.1.3.3.1 QNBFinansGIB.GIBEFatura.belgeGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeGonderCompletedEventHandler(object sender,
belgeGonderEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.2

QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeGonderExtCompletedEventHandler(object sender,
belgeGonderExtCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.3

QNBFinansGIB.GIBEFatura.belgeGonderExtWithValidateCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeGonderExtWithValidateCompletedEventHandler(object sender,
belgeGonderExtWithValidateCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.4

QNBFinansGIB.GIBEFatura.belgeGonderWithValidateCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeGonderWithValidateCompletedEventHandler(object sender,
belgeGonderWithValidateCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.5 QNBFinansGIB.GIBEFatura.belgelerAlindiCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgelerAlindiCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.6

QNBFinansGIB.GIBEFatura.belgelerAlindiEntegrasyonSiparisNoGuncelleCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgelerAlindiEntegrasyonSiparisNoGuncelleCompletedEventHandler(object
sender, System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.7

QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeleriTekrarGonderBelgeOidCompletedEventHandler(object sender,
belgeleriTekrarGonderBelgeOidCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.8

QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeleriTekrarGonderCompletedEventHandler(object sender,
belgeleriTekrarGonderCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.9

QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderYerelBelgeNoCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeleriTekrarGonderYerelBelgeNoCompletedEventHandler(object sender,
belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs e);
```

File

Reference.cs ([see page 845](#))

1.1.3.3.10**QNBFinansGIB.GIBEFatura.checkDateValidControlCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void checkDateValidControlCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs ([see page 845](#))

1.1.3.3.11**QNBFinansGIB.GIBEFatura.cokluGidenBelgeDurumSorgulaCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void cokluGidenBelgeDurumSorgulaCompletedEventHandler(object sender,
cokluGidenBelgeDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs ([see page 845](#))

1.1.3.3.12**QNBFinansGIB.GIBEFatura.csXmlOnizlemeCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void csXmlOnizlemeCompletedEventHandler(object sender,
csXmlOnizlemeCompletedEventArgs e);
```

File

Reference.cs ([see page 845](#))

1.1.3.3.13 QNBFinansGIB.GIBEFatura.csXmlToUblCompletedEventHandler Type**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void csXmlToUblCompletedEventHandler(object sender,
csXmlToUblCompletedEventArgs e);
```

File

Reference.cs ([see page 845](#))

1.1.3.3.14

QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciListeleCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void eFaturaKayitliKullaniciListeleCompletedEventHandler(object sender,
eFaturaKayitliKullaniciListeleCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.15

QNBFinansGIB.GIBEFatura.efaturaKullaniciBilgisiCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void efaturaKullaniciBilgisiCompletedEventHandler(object sender,
efaturaKullaniciBilgisiCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.16

QNBFinansGIB.GIBEFatura.efaturaKullaniciListesiCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void efaturaKullaniciListesiCompletedEventHandler(object sender,
efaturaKullaniciListesiCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.17

QNBFinansGIB.GIBEFatura.efaturaKullanicisiCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void efaturaKullanicisiCompletedEventHandler(object sender,
efaturaKullanicisiCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.18

QNBFinansGIB.GIBEFatura.eIrsaliyeKayitliKullaniciListeleCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void eIrsaliyeKayitliKullaniciListeleCompletedEventHandler(object sender,
eIrsaliyeKayitliKullaniciListeleCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.19

QNBFinansGIB.GIBEFatura.eIrsaliyeKullanicisiCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void eIrsaliyeKullanicisiCompletedEventHandler(object sender,
eIrsaliyeKullanicisiCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.20

QNBFinansGIB.GIBEFatura.erpBilgileriBelirleCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void erpBilgileriBelirleCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.21

QNBFinansGIB.GIBEFatura.faturaKepIleIadeEdildiCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaKepIleIadeEdildiCompletedEventHandler(object sender,
faturaKepIleIadeEdildiCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.22

QNBFinansGIB.GIBEFatura.faturaKepIleIadeEdildiIptalCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaKepIleIadeEdildiIptalCompletedEventHandler(object sender,
faturaKepIleIadeEdildiIptalCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.23

QNBFinansGIB.GIBEFatura.faturaMailGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaMailGonderCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.24 QNBFinansGIB.GIBEFatura.faturaNoUretCompletedEventHandler

Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaNoUretCompletedEventHandler(object sender,
faturaNoUretCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.25

QNBFinansGIB.GIBEFatura.faturaTarihcesiSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaTarihcesiSorgulaCompletedEventHandler(object sender,
faturaTarihcesiSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.26

QNBFinansGIB.GIBEFatura.faturayaltirazEdildiCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturayaItirazEdildiCompletedEventHandler(object sender,
faturayaItirazEdildiCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.27

QNBFinansGIB.GIBEFatura.faturayaltirazEdildilptalCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturayaItirazEdildiIptalCompletedEventHandler(object sender,
faturayaItirazEdildiIptalCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.28

QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeDurumSorgulaCompletedEventHandler(object sender,
gelenBelgeDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.29

QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeDurumSorgulaExtCompletedEventHandler(object sender,
gelenBelgeDurumSorgulaExtCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.30

QNBFinansGIB.GIBEFatura.gelenBelgeEkleriAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeEkleriAlCompletedEventHandler(object sender,
gelenBelgeEkleriAlCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.31

QNBFinansGIB.GIBEFatura.gelenBelgeleriAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeleriAlCompletedEventHandler(object sender,
gelenBelgeleriAlCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.32

QNBFinansGIB.GIBEFatura.gelenBelgeleriAlExt2CompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeleriAlExt2CompletedEventHandler(object sender,
gelenBelgeleriAlExt2CompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.33

QNBFinansGIB.GIBEFatura.gelenBelgeleriAlExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeleriAlExtCompletedEventHandler(object sender,
gelenBelgeleriAlExtCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.34

QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeleriIndirCompletedEventHandler(object sender,
gelenBelgeleriIndirCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.35

QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeleriIndirExtCompletedEventHandler(object sender,
gelenBelgeleriIndirExtCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.36

QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeleriListeleCompletedEventHandler(object sender,
gelenBelgeleriListeleCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.37

QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeleriListeleExtCompletedEventHandler(object sender,
gelenBelgeleriListeleExtCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.38

QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileriSorgulaCompletedEvent Handler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeTutarBilgileriSorgulaCompletedEventHandler(object sender,
gelenBelgeTutarBilgileriSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.39

QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeXmlleriniAlCompletedEventHandler(object sender,
gelenBelgeXmlleriniAlCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.40

QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAlExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeXmlleriniAlExtCompletedEventHandler(object sender,
gelenBelgeXmlleriniAlExtCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.41

QNBFinansGIB.GIBEFatura.gelenFaturalariArsiveKaldirCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenFaturalariArsiveKaldirCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.42**QNBFinansGIB.GIBEFatura.gelenIrsaliyeleriArsiveKaldırCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenIrsaliyeleriArsiveKaldırCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.43**QNBFinansGIB.GIBEFatura.gelenStandartRapolariAlCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenStandartRapolariAlCompletedEventHandler(object sender,
gelenStandartRapolariAlCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.44**QNBFinansGIB.GIBEFatura.gelenTamamlananRapolariAlCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenTamamlananRapolariAlCompletedEventHandler(object sender,
gelenTamamlananRapolariAlCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.45

QNBFinansGIB.GIBEFatura.gelenTasinanBelgeleriIndirCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenTasinanBelgeleriIndirCompletedEventHandler(object sender,
gelenTasinanBelgeleriIndirCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.46

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaBelgeNoCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeDurumSorgulaBelgeNoCompletedEventHandler(object sender,
gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.47

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeDurumSorgulaCompletedEventHandler(object sender,
gidenBelgeDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.48

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaEttnCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeDurumSorgulaEttnCompletedEventHandler(object sender,
gidenBelgeDurumSorgulaEttnCompletedEventArgs e);
```

File

Reference.cs ([see page 845](#))

1.1.3.3.49**QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaExtCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeDurumSorgulaExtCompletedEventHandler(object sender,
gidenBelgeDurumSorgulaExtCompletedEventArgs e);
```

File

Reference.cs ([see page 845](#))

1.1.3.3.50**QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaPortalCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeDurumSorgulaPortalCompletedEventHandler(object sender,
gidenBelgeDurumSorgulaPortalCompletedEventArgs e);
```

File

Reference.cs ([see page 845](#))

1.1.3.3.51**QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventHandler(object sender,
gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs e);
```

File

Reference.cs ([see page 845](#))

1.1.3.3.52**QNBFinansGIB.GIBEFatura.gidenBelgeEkleriAICompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
```

```
public delegate void gidenBelgeEkleriAlCompletedEventHandler(object sender,
gidenBelgeEkleriAlCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.53

QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeleriIndirCompletedEventHandler(object sender,
gidenBelgeleriIndirCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.54

QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirEttnCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeleriIndirEttnCompletedEventHandler(object sender,
gidenBelgeleriIndirEttnCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.55

QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeleriIndirPortalCompletedEventHandler(object sender,
gidenBelgeleriIndirPortalCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.56

QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeleriListeleCompletedEventHandler(object sender,
gidenBelgeleriListeleCompletedEventArgs e);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

File

Reference.cs (see page 845)

1.1.3.3.57**QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeleriListelePortalCompletedEventHandler(object sender,
gidenBelgeleriListelePortalCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.58**QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileriSorgulaCompletedEventHan****dler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeTutarBilgileriSorgulaCompletedEventHandler(object sender,
gidenBelgeTutarBilgileriSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.59**QNBFinansGIB.GIBEFatura.gidenFaturalariArsiveKaldirCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenFaturalariArsiveKaldirCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.60

QNBFinansGIB.GIBEFatura.gidenIrsaliyeleriArsiveKaldirCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenIrsaliyeleriArsiveKaldirCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.61

QNBFinansGIB.GIBEFatura.gidenTasinanBelgeleriIndirCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenTasinanBelgeleriIndirCompletedEventHandler(object sender,
gidenTasinanBelgeleriIndirCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.62

QNBFinansGIB.GIBEFatura.irsaliyeMailGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void irsaliyeMailGonderCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.63

QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void irsaliyeTarihcesiSorgulaCompletedEventHandler(object sender,
irsaliyeTarihcesiSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.64**QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCompletedEvent Handler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void kayitliKullaniciListeleExtendedCompletedEventHandler(object sender,
    kayitliKullaniciListeleExtendedCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.65**QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTimeCompletedEvent Handler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void kayitliKullaniciListeleExtendedTimeCompletedEventHandler(object
    sender, kayitliKullaniciListeleExtendedTimeCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.66**QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedVknTcknCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void kayitliKullaniciListeleExtendedVknTcknCompletedEventHandler(object
    sender, kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.67**QNBFinansGIB.GIBEFatura.kontorBilgisiGetirCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void kontorBilgisiGetirCompletedEventHandler(object sender,
    kontorBilgisiGetirCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.68**QNBFinansGIB.GIBEFatura.temelKontrollerIleBelgeGonderCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void temelKontrollerIleBelgeGonderCompletedEventHandler(object sender,
temelKontrollerIleBelgeGonderCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.69**QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void toplamBelgeSayisiGetirCompletedEventHandler(object sender,
toplambelgesayisiGetirCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.70 QNBFinansGIB.GIBEFatura.ublOnizlemeCompletedEventHandler**Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void ublOnizlemeCompletedEventHandler(object sender,
ublonizlemeCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.71**QNBFinansGIB.GIBEFatura.urunSablonlariniAlCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void urunSablonlariniAlCompletedEventHandler(object sender,
urunSablonlariniAlCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.72

QNBFinansGIB.GIBEFatura.wsKullanicisiKaydetCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void wsKullanicisiKaydetCompletedEventHandler(object sender,
wsKullanicisiKaydetCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.73

QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void yereleAktarilacakBelgeleriAlCompletedEventHandler(object sender,
yereleAktarilacakBelgeleriAlCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.74

QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAlExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void yereleAktarilacakBelgeleriAlExtCompletedEventHandler(object sender,
yereleAktarilacakBelgeleriAlExtCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.3.3.75

QNBFinansGIB.GIBEFatura.yolcuBeraberFaturalptalEtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void yolcuBeraberFaturalptalEtCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs ([see page 845](#))

1.1.4 QNBFinansGIB.GIBEMustahsil Namespace

This is namespace QNBFinansGIB.GIBEMustahsil.

Classes

	Name	Description
	belge (see page 524)	
	belgeDTO (see page 525)	
	belgeOutputWrapper (see page 533)	
	belgeZipiAI (see page 533)	
	belgeZipiAICompletedEventArgs (see page 534)	
	belgeZipiAIResponse (see page 535)	
	doubleStringOutputWrapper (see page 536)	
	earsivServiceResult (see page 537)	
	earsivServiceResultEntry (see page 537)	
	ePostaDurumSorgula (see page 538)	
	ePostaDurumSorgulaCompletedEventArgs (see page 539)	
	ePostaGonder (see page 540)	
	ePostaGonderCompletedEventArgs (see page 541)	
	ePostaGonderResponse (see page 542)	
	faturaDTO (see page 542)	
	kontorBilgisiGetir (see page 551)	
	kontorBilgisiGetirCompletedEventArgs (see page 552)	
	kontorBilgisiGetirResponse (see page 553)	
	mustahsilMakbuliptalEt (see page 554)	
	mustahsilMakbuliptalEtCompletedEventArgs (see page 554)	
	mustahsilMakbuliptalEtResponse (see page 555)	
	mustahsilMakbuliptaliKaldır (see page 556)	
	mustahsilMakbuliptaliKaldırCompletedEventArgs (see page 556)	
	mustahsilMakbuliptaliKaldırResponse (see page 557)	

	mustahsilMakbuzListeSorgula (see page 558)	
	mustahsilMakbuzListeSorgulaCompletedEventArgs (see page 558)	
	mustahsilMakbuzListeSorgulaPortal (see page 559)	
	mustahsilMakbuzListeSorgulaPortalCompletedEventArgs (see page 560)	
	mustahsilMakbuzListeSorgulaPortalResponse (see page 561)	
	mustahsilMakbuzListeSorgulaResponse (see page 561)	
	mustahsilMakbuzOlustur (see page 562)	
	mustahsilMakbuzOlusturCompletedEventArgs (see page 563)	
	mustahsilMakbuzOnizleme (see page 564)	
	mustahsilMakbuzOnizlemeCompletedEventArgs (see page 564)	
	mustahsilMakbuzSorgula (see page 565)	
	mustahsilMakbuzSorgulaCompletedEventArgs (see page 566)	
	mustahsilMakbuzTaslakOlustur (see page 567)	
	mustahsilMakbuzTaslakOlusturCompletedEventArgs (see page 568)	
	mustahsilMakbuzTaslakOlusturResponse (see page 569)	
	mustahsilMakbuzTaslakOnizleme (see page 569)	
	mustahsilMakbuzTaslakOnizlemeCompletedEventArgs (see page 570)	
	mustahsilMakbuzTaslakOnizlemeResponse (see page 571)	
	mustahsilMakbuzTaslakSil (see page 572)	
	mustahsilMakbuzTaslakSilCompletedEventArgs (see page 572)	
	mustahsilMakbuzTaslakSilResponse (see page 573)	
	mustahsilMakbuzTaslakSorgula (see page 574)	
	mustahsilMakbuzTaslakSorgulaCompletedEventArgs (see page 574)	
	mustahsilMakbuzTaslakSorgulaResponse (see page 575)	
	mustahsilMakbuzTaslaktanOlustur (see page 576)	
	mustahsilMakbuzTaslaktanOlusturCompletedEventArgs (see page 576)	
	MustahsilWebService (see page 577)	
	raporBolumAI (see page 624)	
	raporBolumAICompletedEventArgs (see page 624)	
	raporBolumBilgisiAI (see page 625)	
	raporBolumBilgisiAICompletedEventArgs (see page 626)	
	raporBolumBilgisiAIResponse (see page 627)	
	raporBolumDTO (see page 627)	
	raporBolumleriOlustur (see page 629)	

	raporBolumleriOlusturCompletedEventArgs (↗ see page 630)	
	raporBolumleriOlusturResponse (↗ see page 631)	
	raporBolumListesiDetayliSorgula (↗ see page 631)	
	raporBolumListesiDetayliSorgulaCompletedEventArgs (↗ see page 632)	
	raporBolumListesiDetayliSorgulaResponse (↗ see page 633)	
	raporBolumListesiSorgula (↗ see page 633)	
	raporBolumListesiSorgulaCompletedEventArgs (↗ see page 634)	
	raporBolumRaporNoGuncelleImzala (↗ see page 635)	
	raporBolumRaporNoGuncelleImzalaCompletedEventArgs (↗ see page 636)	
	raporBolumRaporNoGuncelleImzalaResponse (↗ see page 637)	
	raporBolumSil (↗ see page 637)	
	raporBolumSilCompletedEventArgs (↗ see page 638)	
	raporBolumSilResponse (↗ see page 639)	
	rapordaBelgeSorgula (↗ see page 639)	
	rapordaBelgeSorgulaCompletedEventArgs (↗ see page 640)	
	rapordaBelgeSorgulaResponse (↗ see page 641)	
	raporDurumSorgula (↗ see page 641)	
	raporDurumSorgulaCompletedEventArgs (↗ see page 642)	
	raporDurumSorgulaResponse (↗ see page 643)	
	raporGonder (↗ see page 643)	
	raporGonderCompletedEventArgs (↗ see page 644)	
	raporGonderResponse (↗ see page 645)	
	smsDurumSorgula (↗ see page 645)	
	smsDurumSorgulaCompletedEventArgs (↗ see page 646)	
	smsDurumSorgulaResponse (↗ see page 647)	
	smsGonder (↗ see page 647)	
	smsGonderCompletedEventArgs (↗ see page 648)	
	smsGonderResponse (↗ see page 649)	
	stringOutputWrapper (↗ see page 650)	

Structs, Records, Enums

	Name	Description
	belgeFormatiEnum (↗ see page 650)	

Types

Name	Description
belgeZipAlCompletedEventHandler (↗ see page 652)	
ePostaDurumSorgulaCompletedEventHandler (↗ see page 652)	
ePostaGonderCompletedEventHandler (↗ see page 653)	

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

kontorBilgisiGetirCompletedEventHandler (see page 653)	
mustahsilMakbuzIptalEtCompletedEventHandler (see page 653)	
mustahsilMakbuzIptaliKaldırCompletedEventHandler (see page 653)	
mustahsilMakbuzListeSorgulaCompletedEventHandler (see page 654)	
mustahsilMakbuzListeSorgulaPortalCompletedEventHandler (see page 654)	
mustahsilMakbuzOlusturCompletedEventHandler (see page 654)	
mustahsilMakbuzOnizlemeCompletedEventHandler (see page 654)	
mustahsilMakbuzSorgulaCompletedEventHandler (see page 655)	
mustahsilMakbuzTaslakOlusturCompletedEventHandler (see page 655)	
mustahsilMakbuzTaslakOnizlemeCompletedEventHandler (see page 655)	
mustahsilMakbuzTaslakSilCompletedEventHandler (see page 656)	
mustahsilMakbuzTaslakSorgulaCompletedEventHandler (see page 656)	
mustahsilMakbuzTaslaktanOlusturCompletedEventHandler (see page 656)	
raporBolumAICompletedEventHandler (see page 656)	
raporBolumBilgisiAICompletedEventHandler (see page 657)	
raporBolumleriOlusturCompletedEventHandler (see page 657)	
raporBolumListesiDetayliSorgulaCompletedEventHandler (see page 657)	
raporBolumListesiSorgulaCompletedEventHandler (see page 657)	
raporBolumRaporNoGuncelleImzalaCompletedEventHandler (see page 658)	
raporBolumSilCompletedEventHandler (see page 658)	
rapordaBelgeSorgulaCompletedEventHandler (see page 658)	
raporDurumSorgulaCompletedEventHandler (see page 658)	
raporGonderCompletedEventHandler (see page 659)	
smsDurumSorgulaCompletedEventHandler (see page 659)	
smsGonderCompletedEventHandler (see page 659)	

1.1.4.1 Classes

Summary

The following table lists classes in this documentation.

Classes

	Name	Description
	belge (↗ see page 524)	
	belgeDTO (↗ see page 525)	
	belgeOutputWrapper (↗ see page 533)	
	belgeZipiAI (↗ see page 533)	
	belgeZipiAICompletedEventArgs (↗ see page 534)	
	belgeZipiAIResponse (↗ see page 535)	
	doubleStringOutputWrapper (↗ see page 536)	
	earsivServiceResult (↗ see page 537)	
	earsivServiceResultEntry (↗ see page 537)	
	ePostaDurumSorgula (↗ see page 538)	
	ePostaDurumSorgulaCompletedEventArgs (↗ see page 539)	
	ePostaGonder (↗ see page 540)	
	ePostaGonderCompletedEventArgs (↗ see page 541)	
	ePostaGonderResponse (↗ see page 542)	
	faturaDTO (↗ see page 542)	
	kontorBilgisiGetir (↗ see page 551)	
	kontorBilgisiGetirCompletedEventArgs (↗ see page 552)	
	kontorBilgisiGetirResponse (↗ see page 553)	
	mustahsilMakbulptalEt (↗ see page 554)	
	mustahsilMakbulptalEtCompletedEventArgs (↗ see page 554)	
	mustahsilMakbulptalEtResponse (↗ see page 555)	
	mustahsilMakbulptaliKaldır (↗ see page 556)	
	mustahsilMakbulptaliKaldırCompletedEventArgs (↗ see page 556)	
	mustahsilMakbulptaliKaldırResponse (↗ see page 557)	
	mustahsilMakbulzListeSorgula (↗ see page 558)	
	mustahsilMakbulzListeSorgulaCompletedEventArgs (↗ see page 558)	
	mustahsilMakbulzListeSorgulaPortal (↗ see page 559)	
	mustahsilMakbulzListeSorgulaPortalCompletedEventArgs (↗ see page 560)	
	mustahsilMakbulzListeSorgulaPortalResponse (↗ see page 561)	

	mustahsilMakbuzListeSorgulaResponse (see page 561)	
	mustahsilMakbuzOlustur (see page 562)	
	mustahsilMakbuzOlusturCompletedEventArgs (see page 563)	
	mustahsilMakbuzOnizleme (see page 564)	
	mustahsilMakbuzOnizlemeCompletedEventArgs (see page 564)	
	mustahsilMakbuzSorgula (see page 565)	
	mustahsilMakbuzSorgulaCompletedEventArgs (see page 566)	
	mustahsilMakbuzTaslakOlustur (see page 567)	
	mustahsilMakbuzTaslakOlusturCompletedEventArgs (see page 568)	
	mustahsilMakbuzTaslakOlusturResponse (see page 569)	
	mustahsilMakbuzTaslakOnizleme (see page 569)	
	mustahsilMakbuzTaslakOnizlemeCompletedEventArgs (see page 570)	
	mustahsilMakbuzTaslakOnizlemeResponse (see page 571)	
	mustahsilMakbuzTaslakSil (see page 572)	
	mustahsilMakbuzTaslakSilCompletedEventArgs (see page 572)	
	mustahsilMakbuzTaslakSilResponse (see page 573)	
	mustahsilMakbuzTaslakSorgula (see page 574)	
	mustahsilMakbuzTaslakSorgulaCompletedEventArgs (see page 574)	
	mustahsilMakbuzTaslakSorgulaResponse (see page 575)	
	mustahsilMakbuzTaslaktanOlustur (see page 576)	
	mustahsilMakbuzTaslaktanOlusturCompletedEventArgs (see page 576)	
	MustahsilWebService (see page 577)	
	raporBolumAI (see page 624)	
	raporBolumAICompletedEventArgs (see page 624)	
	raporBolumBilgisiAI (see page 625)	
	raporBolumBilgisiAICompletedEventArgs (see page 626)	
	raporBolumBilgisiAIResponse (see page 627)	
	raporBolumDTO (see page 627)	
	raporBolumleriOlustur (see page 629)	
	raporBolumleriOlusturCompletedEventArgs (see page 630)	
	raporBolumleriOlusturResponse (see page 631)	
	raporBolumListesiDetyaliSorgula (see page 631)	
	raporBolumListesiDetyaliSorgulaCompletedEventArgs (see page 632)	
	raporBolumListesiDetyaliSorgulaResponse (see page 633)	
	raporBolumListesiSorgula (see page 633)	

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	raporBolumListesiSorgulaCompletedEventArgs (see page 634)	
	raporBolumRaporNoGuncellelmzala (see page 635)	
	raporBolumRaporNoGuncellelmzalaCompletedEventArgs (see page 636)	
	raporBolumRaporNoGuncellelmzalaResponse (see page 637)	
	raporBolumSil (see page 637)	
	raporBolumSilCompletedEventArgs (see page 638)	
	raporBolumSilResponse (see page 639)	
	rapordaBelgeSorgula (see page 639)	
	rapordaBelgeSorgulaCompletedEventArgs (see page 640)	
	rapordaBelgeSorgulaResponse (see page 641)	
	raporDurumSorgula (see page 641)	
	raporDurumSorgulaCompletedEventArgs (see page 642)	
	raporDurumSorgulaResponse (see page 643)	
	raporGonder (see page 643)	
	raporGonderCompletedEventArgs (see page 644)	
	raporGonderResponse (see page 645)	
	smsDurumSorgula (see page 645)	
	smsDurumSorgulaCompletedEventArgs (see page 646)	
	smsDurumSorgulaResponse (see page 647)	
	smsGonder (see page 647)	
	smsGonderCompletedEventArgs (see page 648)	
	smsGonderResponse (see page 649)	
	stringOutputWrapper (see page 650)	

1.1.4.1.1 belge Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.belge](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class belge;
```

File

[Reference.cs \(see page 845\)](#)

belge Properties

	Name	Description
	belgeFormati (see page 525)	
	belgeFormatiSpecified (see page 525)	
	belgelcerigi (see page 525)	

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.1.1 belge Properties

1.1.4.1.1.1.1 belge.belgeFormati Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belgeFormatiEnum belgeFormati;
```

1.1.4.1.1.1.2 belge.belgeFormatiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool belgeFormatiSpecified;
```

1.1.4.1.1.1.3 belge.belgeIcerigi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
DataTyle="base64Binary")]
public byte belgeIcerigi;
```

1.1.4.1.2 belgeDTO Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class belgeDTO : faturaDTO;
```

File

Reference.cs (see page 845)

faturaDTO Properties

	Name	Description
	arsiv (see page 544)	
	creationTime (see page 544)	
	currency (see page 544)	
	dokumanFormati (see page 545)	
	durum (see page 545)	
	durumSpecified (see page 545)	
	duzenlenmeZamani (see page 545)	
	epostaGonderimDurumu (see page 545)	
	epostaGonderimDurumuSpecified (see page 545)	
	erpKodu (see page 545)	

	faturaSiraNo (see page 545)
	faturaSiraNoSpecified (see page 545)
	faturaZamani (see page 546)
	ilkKayitZmani (see page 546)
	indirildi (see page 546)
	indirildiSpecified (see page 546)
	invoiceId (see page 546)
	invoiceTypeCode (see page 546)
	iptalEdenKullaniciKodu (see page 546)
	iptalKaynagi (see page 546)
	iptalKaynagiSpecified (see page 546)
	iptalRaporTarihi (see page 547)
	iptalTarihi (see page 547)
	iptalTarihiExcel (see page 547)
	islemId (see page 547)
	issueDate (see page 547)
	itirazEdenKullaniciKodu (see page 547)
	itirazKaynagi (see page 547)
	itirazKaynagiSpecified (see page 547)
	itirazTarihi (see page 547)
	kagitFatura (see page 548)
	kagitFaturaSpecified (see page 548)
	kasa (see page 548)
	kaynak (see page 548)
	kepDurum (see page 548)
	kepDurumSpecified (see page 548)
	kolayFatura (see page 548)
	kolayFaturaSpecified (see page 548)
	okundu (see page 548)
	okunduSpecified (see page 549)
	payableAmount (see page 549)
	payableAmountSpecified (see page 549)
	profileId (see page 549)
	raporTarihi (see page 549)
	receiverContact (see page 549)
	receiverIdentifier (see page 549)
	receiverIdentifierTxt (see page 549)
	receiverName (see page 549)
	senderContact (see page 550)

	senderName (see page 550)	
	sonGuncellemeZamani (see page 550)	
	sube (see page 550)	
	tanimliSubeKod (see page 550)	
	telNo (see page 550)	
	toplamTutar (see page 550)	
	toplamTutarSpecified (see page 550)	
	uuid (see page 550)	
	vergilerToplami (see page 551)	
	vergilerToplamiSpecified (see page 551)	
	versiyon (see page 551)	
	versiyonSpecified (see page 551)	
	yazdirildi (see page 551)	
	yazdirildiSpecified (see page 551)	
	yerelFaturaNo (see page 551)	

belgeDTO Class

	Name	Description
	belgeNo (see page 528)	
	brutUcret (see page 528)	
	brutUcretSpecified (see page 528)	
	kdv0_Tutar (see page 529)	
	kdv0_TutarSpecified (see page 529)	
	kdv1_Tutar (see page 529)	
	kdv1_TutarSpecified (see page 529)	
	kdv18_Tutar (see page 529)	
	kdv18_TutarSpecified (see page 529)	
	kdv8_Tutar (see page 529)	
	kdv8_TutarSpecified (see page 529)	
	kdvTevkifatTutar (see page 529)	
	kdvTevkifatTutarSpecified (see page 530)	
	netTahsilat (see page 530)	
	netTahsilatSpecified (see page 530)	
	netUcret (see page 530)	
	netUcretSpecified (see page 530)	
	stpj0_Tutar (see page 530)	
	stpj0_TutarSpecified (see page 530)	
	stpj1_Tutar (see page 530)	

	stpj1_TutarSpecified (↗ see page 530)	
	stpj10_Tutar (↗ see page 531)	
	stpj10_TutarSpecified (↗ see page 531)	
	stpj15_Tutar (↗ see page 531)	
	stpj15_TutarSpecified (↗ see page 531)	
	stpj17_Tutar (↗ see page 531)	
	stpj17_TutarSpecified (↗ see page 531)	
	stpj2_Tutar (↗ see page 531)	
	stpj2_TutarSpecified (↗ see page 531)	
	stpj20_Tutar (↗ see page 531)	
	stpj20_TutarSpecified (↗ see page 532)	
	stpj3_Tutar (↗ see page 532)	
	stpj3_TutarSpecified (↗ see page 532)	
	stpj4_Tutar (↗ see page 532)	
	stpj4_TutarSpecified (↗ see page 532)	
	stpj5_Tutar (↗ see page 532)	
	stpj5_TutarSpecified (↗ see page 532)	
	stpj7_Tutar (↗ see page 532)	
	stpj7_TutarSpecified (↗ see page 532)	
	tip (↗ see page 533)	
	tipSpecified (↗ see page 533)	

1.1.4.1.2.1 belgeDTO Properties

1.1.4.1.2.1.1 belgeDTO.belgeNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeNo;
```

1.1.4.1.2.1.2 belgeDTO.brutUcret Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal brutUcret;
```

1.1.4.1.2.1.3 belgeDTO.brutUcretSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool brutUcretspecified;
```

1.1.4.1.2.1.4 belgeDTO.kdv0_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal kdv0_Tutar;
```

1.1.4.1.2.1.5 belgeDTO.kdv0_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kdv0_TutarSpecified;
```

1.1.4.1.2.1.6 belgeDTO.kdv1_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal kdv1_Tutar;
```

1.1.4.1.2.1.7 belgeDTO.kdv1_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kdv1_TutarSpecified;
```

1.1.4.1.2.1.8 belgeDTO.kdv18_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal kdv18_Tutar;
```

1.1.4.1.2.1.9 belgeDTO.kdv18_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kdv18_TutarSpecified;
```

1.1.4.1.2.1.10 belgeDTO.kdv8_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal kdv8_Tutar;
```

1.1.4.1.2.1.11 belgeDTO.kdv8_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kdv8_TutarSpecified;
```

1.1.4.1.2.1.12 belgeDTO.kdvTevkifatTutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal kdvTevkifatTutar;
```

1.1.4.1.2.1.13 belgeDTO.kdvTevkifatTutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kdvtlevkifatTutarSpecified;
```

1.1.4.1.2.1.14 belgeDTO.netTahsilat Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal netTahsilat;
```

1.1.4.1.2.1.15 belgeDTO.netTahsilatSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool netTahsilatSpecified;
```

1.1.4.1.2.1.16 belgeDTO.netUcret Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal netUcret;
```

1.1.4.1.2.1.17 belgeDTO.netUcretSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool netUcretSpecified;
```

1.1.4.1.2.1.18 belgeDTO.stpj0_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj0_Tutar;
```

1.1.4.1.2.1.19 belgeDTO.stpj0_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj0_TutarSpecified;
```

1.1.4.1.2.1.20 belgeDTO.stpj1_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj1_Tutar;
```

1.1.4.1.2.1.21 belgeDTO.stpj1_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj1_TutarSpecified;
```

1.1.4.1.2.1.22 belgeDTO.stpj10_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj10_Tutar;
```

1.1.4.1.2.1.23 belgeDTO.stpj10_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj10_TutarSpecified;
```

1.1.4.1.2.1.24 belgeDTO.stpj15_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj15_Tutar;
```

1.1.4.1.2.1.25 belgeDTO.stpj15_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj15_TutarSpecified;
```

1.1.4.1.2.1.26 belgeDTO.stpj17_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj17_Tutar;
```

1.1.4.1.2.1.27 belgeDTO.stpj17_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj17_TutarSpecified;
```

1.1.4.1.2.1.28 belgeDTO.stpj2_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj2_Tutar;
```

1.1.4.1.2.1.29 belgeDTO.stpj2_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj2_TutarSpecified;
```

1.1.4.1.2.1.30 belgeDTO.stpj20_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj20_Tutar;
```

1.1.4.1.2.1.31 belgeDTO.stpj20_TutarSpecified Property**C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj20_TutarSpecified;
```

1.1.4.1.2.1.32 belgeDTO.stpj3_Tutar Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj3_Tutar;
```

1.1.4.1.2.1.33 belgeDTO.stpj3_TutarSpecified Property**C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj3_TutarSpecified;
```

1.1.4.1.2.1.34 belgeDTO.stpj4_Tutar Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj4_Tutar;
```

1.1.4.1.2.1.35 belgeDTO.stpj4_TutarSpecified Property**C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj4_TutarSpecified;
```

1.1.4.1.2.1.36 belgeDTO.stpj5_Tutar Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj5_Tutar;
```

1.1.4.1.2.1.37 belgeDTO.stpj5_TutarSpecified Property**C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj5_TutarSpecified;
```

1.1.4.1.2.1.38 belgeDTO.stpj7_Tutar Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj7_Tutar;
```

1.1.4.1.2.1.39 belgeDTO.stpj7_TutarSpecified Property**C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj7_TutarSpecified;
```

1.1.4.1.2.1.40 belgeDTO.tip Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int tip;
```

1.1.4.1.2.1.41 belgeDTO.tipSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool tipSpecified;
```

1.1.4.1.3 belgeOutputWrapper Class

Class Hierarchy

```
QNBFinansGIB.GIBEMustahsil.belgeOutputWrapper
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class belgeOutputWrapper;
```

File

Reference.cs ( see page 845)

belgeOutputWrapper Properties

	Name	Description
	@return ( see page 533)	
	output ( see page 533)	

1.1.4.1.3.1 belgeOutputWrapper Properties

1.1.4.1.3.1.1 belgeOutputWrapper.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.3.1.2 belgeOutputWrapper.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge output;
```

1.1.4.1.4 belgeZipAI Class

Class Hierarchy

```
QNBFinansGIB.GIBEMustahsil.belgeZipAI
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class belgeZipiAI;
```

File


Reference.cs (see page 845)

belgeZipiAI Properties

	Name	Description
	input (see page 534)	

1.1.4.1.4.1 belgeZipiAI Properties**1.1.4.1.4.1.1 belgeZipiAI.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.5 belgeZipiAICompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class belgeZipiAICompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	belgeZipiAICompletedEventArgs (see page 534)	This is belgeZipiAICompletedEventArgs, a member of class belgeZipiAICompletedEventArgs.

belgeZipiAICompletedEventArgs Properties

	Name	Description
	output (see page 535)	
	Result (see page 535)	

1.1.4.1.5.1 belgeZipiAICompletedEventArgs.belgeZipiAICompletedEventArgs Constructor**C#**

```
internal belgeZipiAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is belgeZipiAICompletedEventArgs, a member of class belgeZipiAICompletedEventArgs.

Body Source

```
1: internal belgeZipiAICompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.4.1.5.2 belgeZipiAICompletedEventArgs Properties

1.1.4.1.5.2.1 belgeZipiAICompletedEventArgs.output Property

C#

```
public byte output;
```

1.1.4.1.5.2.2 belgeZipiAICompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.6 belgeZipiAIResponse Class

Class Hierarchy

```
[QNBFinansGIB.GIBEMustahsil.belgeZipiAIResponse]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class belgeZipiAIResponse;
```

File

Reference.cs ( see page 845)

belgeZipiAIResponse Properties

	Name	Description
	@return ( see page 535)	
	output ( see page 536)	

1.1.4.1.6.1 belgeZipiAIResponse Properties

1.1.4.1.6.1.1 belgeZipiAIResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.6.1.2 belgeZipiAIResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
    DataType="base64Binary", IsNullable=true)]
public byte output;
```

1.1.4.1.7 doubleStringOutputWrapper Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.doubleStringOutputWrapper](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class doubleStringOutputWrapper;
```

File

Reference.cs ([see page 845](#))

doubleStringOutputWrapper Properties

	Name	Description
	@return (see page 536)	
	outputDurum (see page 536)	
	outputEposta (see page 536)	

1.1.4.1.7.1 doubleStringOutputWrapper Properties

1.1.4.1.7.1.1 doubleStringOutputWrapper.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.7.1.2 doubleStringOutputWrapper.outputDurum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string outputDurum;
```

1.1.4.1.7.1.3 doubleStringOutputWrapper.outputEposta Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string outputEposta;
```

1.1.4.1.8 earsivServiceResult Class

Class Hierarchy

`QNBFinansGIB.GIBEMustahsil.earsivServiceResult`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class earsivServiceResult;
```

File

Reference.cs (see page 845)

earsivServiceResult Properties

	Name	Description
	resultCode (see page 537)	
	resultExtra (see page 537)	
	resultText (see page 537)	

1.1.4.1.8.1 earsivServiceResult Properties

1.1.4.1.8.1.1 earsivServiceResult.resultCode Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string resultCode;
```

1.1.4.1.8.1.2 earsivServiceResult.resultExtra Property

C#

```
[System.Xml.Serialization.XmlArrayAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
[System.Xml.Serialization.XmlArrayItemAttribute("entry",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=false)]
public earsivServiceResultEntry resultExtra;
```

1.1.4.1.8.1.3 earsivServiceResult.resultText Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string resultText;
```

1.1.4.1.9 earsivServiceResultEntry Class

Class Hierarchy

`QNBFinansGIB.GIBEMustahsil.earsivServiceResultEntry`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(AnonymousType=true,
Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class earsivServiceResultEntry;
```

File

Reference.cs (see page 845)

earsivServiceResultEntry Properties

	Name	Description
	key (see page 538)	
	value (see page 538)	

1.1.4.1.9.1 earsivServiceResultEntry Properties**1.1.4.1.9.1.1 earsivServiceResultEntry.key Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public object key;
```

1.1.4.1.9.1.2 earsivServiceResultEntry.value Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public object value;
```

1.1.4.1.10 ePostaDurumSorgula Class**Class Hierarchy**

[QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgula](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class ePostaDurumSorgula;
```

File

Reference.cs (see page 845)

ePostaDurumSorgula Properties

	Name	Description
	input (see page 539)	

1.1.4.1.10.1 ePostaDurumSorgula Properties


1.1.4.1.10.1.1 ePostaDurumSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.11 ePostaDurumSorgulaCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class ePostaDurumSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
≡	ePostaDurumSorgulaCompletedEventArgs (see page 539)	This is ePostaDurumSorgulaCompletedEventArgs, a member of class ePostaDurumSorgulaCompletedEventArgs.

ePostaDurumSorgulaCompletedEventArgs Properties

	Name	Description
⊕	@return (see page 540)	
⊕	outputEposta (see page 540)	
⊕	Result (see page 540)	

1.1.4.1.11.1

ePostaDurumSorgulaCompletedEventArgs.ePostaDurumSorgulaCompletedEventArgs Constructor

C#

```
internal ePostaDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is ePostaDurumSorgulaCompletedEventArgs, a member of class ePostaDurumSorgulaCompletedEventArgs.

Body Source

```
1: internal ePostaDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.4.1.11.2 ePostaDurumSorgulaCompletedEventArgs Properties

1.1.4.1.11.2.1 ePostaDurumSorgulaCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.4.1.11.2.2 ePostaDurumSorgulaCompletedEventArgs.outputEposta Property

C#

```
public string outputEposta;
```

1.1.4.1.11.2.3 ePostaDurumSorgulaCompletedEventArgs.Result Property

C#

```
public string Result;
```

1.1.4.1.12 ePostaGonder Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.ePostaGonder](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class ePostaGonder;
```

File

Reference.cs ([see page 845](#))

ePostaGonder Properties

	Name	Description
	ilaveEposta (see page 540)	
	input (see page 540)	
	tanimliEpostayaGonder (see page 541)	

1.1.4.1.12.1 ePostaGonder Properties

1.1.4.1.12.1.1 ePostaGonder.ilaveEposta Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ilaveEposta;
```

1.1.4.1.12.1.2 ePostaGonder.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```


1.1.4.1.12.1.3 ePostaGonder.tanimliEpostaGonder Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int tanimliEpostaGonder;
```

1.1.4.1.13 ePostaGonderCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class ePostaGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	ePostaGonderCompletedEventArgs (see page 541)	This is ePostaGonderCompletedEventArgs, a member of class ePostaGonderCompletedEventArgs.

ePostaGonderCompletedEventArgs Properties

	Name	Description
	Result (see page 541)	

1.1.4.1.13.1 ePostaGonderCompletedEventArgs.ePostaGonderCompletedEventArgs Constructor

C#

```
internal ePostaGonderCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is ePostaGonderCompletedEventArgs, a member of class ePostaGonderCompletedEventArgs.

Body Source

```
1: internal ePostaGonderCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.4.1.13.2 ePostaGonderCompletedEventArgs Properties

1.1.4.1.13.2.1 ePostaGonderCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.14 ePostaGonderResponse Class

Class Hierarchy

`QNBFinansGIB.GIBEMustahsil.ePostaGonderResponse`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class ePostaGonderResponse;
```

File

Reference.cs (see page 845)

ePostaGonderResponse Properties

	Name	Description
	@return (see page 542)	

1.1.4.1.14.1 ePostaGonderResponse Properties

1.1.4.1.14.1.1 ePostaGonderResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.15 faturaDTO Class

Class Hierarchy

`QNBFinansGIB.GIBEMustahsil.faturaDTO`

C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgeDTO))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaDTO;
```

File

Reference.cs (see page 845)

faturaDTO Properties

	Name	Description
	arsiv (see page 544)	
	creationTime (see page 544)	
	currency (see page 544)	
	dokumanFormati (see page 545)	
	durum (see page 545)	

	durumSpecified (see page 545)	
	duzenlenmeZamani (see page 545)	
	epostaGonderimDurumu (see page 545)	
	epostaGonderimDurumuSpecified (see page 545)	
	erpKodu (see page 545)	
	faturaSiraNo (see page 545)	
	faturaSiraNoSpecified (see page 545)	
	faturaZamani (see page 546)	
	ilkKayitZmani (see page 546)	
	indirildi (see page 546)	
	indirildiSpecified (see page 546)	
	invoiceId (see page 546)	
	invoiceTypeCode (see page 546)	
	iptalEdenKullaniciKodu (see page 546)	
	iptalKaynagi (see page 546)	
	iptalKaynagiSpecified (see page 546)	
	iptalRaporTarihi (see page 547)	
	iptalTarihi (see page 547)	
	iptalTarihiExcel (see page 547)	
	islemId (see page 547)	
	issueDate (see page 547)	
	itirazEdenKullaniciKodu (see page 547)	
	itirazKaynagi (see page 547)	
	itirazKaynagiSpecified (see page 547)	
	itirazTarihi (see page 547)	
	kagitFatura (see page 548)	
	kagitFaturaSpecified (see page 548)	
	kasa (see page 548)	
	kaynak (see page 548)	
	kepDurum (see page 548)	
	kepDurumSpecified (see page 548)	
	kolayFatura (see page 548)	
	kolayFaturaSpecified (see page 548)	
	okundu (see page 548)	
	okunduSpecified (see page 549)	
	payableAmount (see page 549)	
	payableAmountSpecified (see page 549)	
	profileId (see page 549)	

	raporTarihi (see page 549)
	receiverContact (see page 549)
	receiverIdentifier (see page 549)
	receiverIdentifierTxt (see page 549)
	receiverName (see page 549)
	senderContact (see page 550)
	senderName (see page 550)
	sonGuncellemeZamani (see page 550)
	sube (see page 550)
	tanimliSubeKod (see page 550)
	telNo (see page 550)
	toplumTutar (see page 550)
	toplumTutarSpecified (see page 550)
	uuid (see page 550)
	vergilerToplami (see page 551)
	vergilerToplamiSpecified (see page 551)
	versiyon (see page 551)
	versiyonSpecified (see page 551)
	yazdirildi (see page 551)
	yazdirildiSpecified (see page 551)
	yerelFaturaNo (see page 551)

1.1.4.1.15.1 faturaDTO Properties

1.1.4.1.15.1.1 faturaDTO.arsiv Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int arsiv;
```

1.1.4.1.15.1.2 faturaDTO.creationTime Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string creationTime;
```

1.1.4.1.15.1.3 faturaDTO.currency Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string currency;
```

1.1.4.1.15.1.4 faturaDTO.dokumanFormati Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string dokumanFormati;
```

1.1.4.1.15.1.5 faturaDTO.durum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int durum;
```

1.1.4.1.15.1.6 faturaDTO.durumSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool durumSpecified;
```

1.1.4.1.15.1.7 faturaDTO.duzenlenmeZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string duzenlenmeZamani;
```

1.1.4.1.15.1.8 faturaDTO.epostaGonderimDurumu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int epostaGonderimDurumu;
```

1.1.4.1.15.1.9 faturaDTO.epostaGonderimDurumuSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool epostaGonderimDurumuSpecified;
```

1.1.4.1.15.1.10 faturaDTO.erpKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string erpKodu;
```

1.1.4.1.15.1.11 faturaDTO.faturaSiraNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int faturaSiraNo;
```

1.1.4.1.15.1.12 faturaDTO.faturaSiraNoSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool faturaSiraNoSpecified;
```

1.1.4.1.15.1.13 **faturaDTO.faturaZamani** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaZamani;
```

1.1.4.1.15.1.14 **faturaDTO.ilkKayitZmani** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ilkKayitZmani;
```

1.1.4.1.15.1.15 **faturaDTO.indirildi** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int indirildi;
```

1.1.4.1.15.1.16 **faturaDTO.indirildiSpecified** Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool indirildiSpecified;
```

1.1.4.1.15.1.17 **faturaDTO.invoiceId** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string invoiceId;
```

1.1.4.1.15.1.18 **faturaDTO.invoiceTypeCode** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string invoiceTypeCode;
```

1.1.4.1.15.1.19 **faturaDTO.iptalEdenKullaniciKodu** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string iptalEdenKullaniciKodu;
```

1.1.4.1.15.1.20 **faturaDTO.iptalKaynagi** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int iptalKaynagi;
```

1.1.4.1.15.1.21 **faturaDTO.iptalKaynagiSpecified** Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool iptalKaynagiSpecified;
```

1.1.4.1.15.1.22 faturaDTO.iptalRaporTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string iptalRaporTarihi;
```

1.1.4.1.15.1.23 faturaDTO.iptalTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string iptalTarihi;
```

1.1.4.1.15.1.24 faturaDTO.iptalTarihiExcel Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string iptalTarihiExcel;
```

1.1.4.1.15.1.25 faturaDTO.islemId Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemId;
```

1.1.4.1.15.1.26 faturaDTO.issueDate Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string issueDate;
```

1.1.4.1.15.1.27 faturaDTO.itirazEdenKullaniciKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string itirazEdenKullaniciKodu;
```

1.1.4.1.15.1.28 faturaDTO.itirazKaynagi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int itirazKaynagi;
```

1.1.4.1.15.1.29 faturaDTO.itirazKaynagiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool itirazKaynagiSpecified;
```

1.1.4.1.15.1.30 faturaDTO.itirazTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string itirazTarihi;
```

1.1.4.1.15.1.31 faturaDTO.kagitFatura Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool kagitFatura;
```

1.1.4.1.15.1.32 faturaDTO.kagitFaturaSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kagitFaturaSpecified;
```

1.1.4.1.15.1.33 faturaDTO.kasa Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kasa;
```

1.1.4.1.15.1.34 faturaDTO.kaynak Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int kaynak;
```

1.1.4.1.15.1.35 faturaDTO.kepDurum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int kepDurum;
```

1.1.4.1.15.1.36 faturaDTO.kepDurumSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kepDurumSpecified;
```

1.1.4.1.15.1.37 faturaDTO.kolayFatura Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int kolayFatura;
```

1.1.4.1.15.1.38 faturaDTO.kolayFaturaSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kolayFaturaSpecified;
```

1.1.4.1.15.1.39 faturaDTO.okundu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int okundu;
```

1.1.4.1.15.1.40 faturaDTO.okunduSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool okunduSpecified;
```

1.1.4.1.15.1.41 faturaDTO.payableAmount Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal payableAmount;
```

1.1.4.1.15.1.42 faturaDTO.payableAmountSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool payableAmountSpecified;
```

1.1.4.1.15.1.43 faturaDTO.profileId Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string profileId;
```

1.1.4.1.15.1.44 faturaDTO.raporTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string raporTarihi;
```

1.1.4.1.15.1.45 faturaDTO.receiverContact Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string receiverContact;
```

1.1.4.1.15.1.46 faturaDTO.receiverIdentifier Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string receiverIdentifier;
```

1.1.4.1.15.1.47 faturaDTO.receiverIdentifierTxt Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string receiverIdentifierTxt;
```

1.1.4.1.15.1.48 faturaDTO.receiverName Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string receiverName;
```

1.1.4.1.15.1.49 faturaDTO.senderContact Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string senderContact;
```

1.1.4.1.15.1.50 faturaDTO.senderName Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string senderName;
```

1.1.4.1.15.1.51 faturaDTO.sonGuncellemeZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string sonGuncellemeZamani;
```

1.1.4.1.15.1.52 faturaDTO.sube Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string sube;
```

1.1.4.1.15.1.53 faturaDTO.tanimliSubeKod Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string tanimliSubeKod;
```

1.1.4.1.15.1.54 faturaDTO.telNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string telNo;
```

1.1.4.1.15.1.55 faturaDTO.toplamTutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal toplamTutar;
```

1.1.4.1.15.1.56 faturaDTO.toplamTutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool toplamTutarSpecified;
```

1.1.4.1.15.1.57 faturaDTO.uuid Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string uuid;
```

1.1.4.1.15.1.58 faturaDTO.vergilerToplami Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal vergilerToplami;
```

1.1.4.1.15.1.59 faturaDTO.vergilerToplamiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool vergilerToplamiSpecified;
```

1.1.4.1.15.1.60 faturaDTO.versiyon Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int versiyon;
```

1.1.4.1.15.1.61 faturaDTO.versiyonSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool versiyonSpecified;
```

1.1.4.1.15.1.62 faturaDTO.yazdirildi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int yazdirildi;
```

1.1.4.1.15.1.63 faturaDTO.yazdirildiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool yazdirildiSpecified;
```

1.1.4.1.15.1.64 faturaDTO.yerelFaturaNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yerelFaturaNo;
```

1.1.4.1.16 kontorBilgisiGetir Class

Class Hierarchy

```
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetir
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class kontorBilgisiGetir;
```

File

Reference.cs (see page 845)

kontorBilgisiGetir Properties

	Name	Description
	kontorBirim (see page 552)	
	kontorTipi (see page 552)	
	vknTckn (see page 552)	

1.1.4.1.16.1 kontorBilgisiGetir Properties**1.1.4.1.16.1.1 kontorBilgisiGetir.kontorBirim Property****C#**


```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kontorBirim;
```

1.1.4.1.16.1.2 kontorBilgisiGetir.kontorTipi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kontorTipi;
```

1.1.4.1.16.1.3 kontorBilgisiGetir.vknTckn Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vknTckn;
```

1.1.4.1.17 kontorBilgisiGetirCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class kontorBilgisiGetirCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	kontorBilgisiGetirCompletedEventArgs (see page 553)	This is kontorBilgisiGetirCompletedEventArgs, a member of class kontorBilgisiGetirCompletedEventArgs.

kontorBilgisiGetirCompletedEventArgs Properties

	Name	Description
	Result (see page 553)	

1.1.4.1.17.1

kontorBilgisiGetirCompletedEventArgs.kontorBilgisiGetirCompletedEventArgs Constructor

C#

```
internal kontorBilgisiGetirCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is kontorBilgisiGetirCompletedEventArgs, a member of class kontorBilgisiGetirCompletedEventArgs.

Body Source

```
1: internal kontorBilgisiGetirCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.4.1.17.2 kontorBilgisiGetirCompletedEventArgs Properties

1.1.4.1.17.2.1 kontorBilgisiGetirCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.18 kontorBilgisiGetirResponse Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class kontorBilgisiGetirResponse;
```

File

Reference.cs (see page 845)

kontorBilgisiGetirResponse Properties

	Name	Description
	@return (see page 553)	

1.1.4.1.18.1 kontorBilgisiGetirResponse Properties

1.1.4.1.18.1.1 kontorBilgisiGetirResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.19 mustahsilMakbuzIptalEt Class

Class Hierarchy

```
[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEt]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzIptalEt;
```

File

Reference.cs ([see page 845](#))

mustahsilMakbuzIptalEt Properties

	Name	Description
	input (see page 554)	

1.1.4.1.19.1 mustahsilMakbuzIptalEt Properties

1.1.4.1.19.1.1 mustahsilMakbuzIptalEt.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.20 mustahsilMakbuzIptalEtCompletedEventArgs Class

Class Hierarchy

```
System.ComponentModel.AsyncCompletedEventArgs --> QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompletedEventArgs
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzIptalEtCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	mustahsilMakbuzIptalEtCompletedEventArgs (see page 555)	This is mustahsilMakbuzIptalEtCompletedEventArgs, a member of class mustahsilMakbuzIptalEtCompletedEventArgs.

mustahsilMakbuzIptalEtCompletedEventArgs Properties

	Name	Description
	Result (see page 555)	

1.1.4.1.20.1

mustahsilMakbuzIptalEtCompletedEventArgs.mustahsilMakbuzIptalEtCompletedEventArgs Constructor

C#

```
internal mustahsilMakbuzIptalEtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzIptalEtCompletedEventArgs, a member of class mustahsilMakbuzIptalEtCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzIptalEtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.4.1.20.2 mustahsilMakbuzIptalEtCompletedEventArgs Properties

1.1.4.1.20.2.1 mustahsilMakbuzIptalEtCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.21 mustahsilMakbuzIptalEtResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzIptalEtResponse;
```

File

Reference.cs ([see page 845](#))

mustahsilMakbuzIptalEtResponse Properties

	Name	Description
	@return (see page 555)	

1.1.4.1.21.1 mustahsilMakbuzIptalEtResponse Properties

1.1.4.1.21.1.1 mustahsilMakbuzIptalEtResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.22 mustahsilMakbuzIptaliKaldır Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldır](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzIptaliKaldır;
```

File

Reference.cs ([see page 845](#))

mustahsilMakbuzIptaliKaldır Properties

	Name	Description
	input (see page 556)	

1.1.4.1.22.1 mustahsilMakbuzIptaliKaldır Properties

1.1.4.1.22.1.1 mustahsilMakbuzIptaliKaldır.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.23 mustahsilMakbuzIptaliKaldırCompletedEventArgs Class

Class Hierarchy

[System.ComponentModel.AsyncCompletedEventArgs](#) → [QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldırCompletedEventArgs](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzIptaliKaldırCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	mustahsilMakbuzIptaliKaldırCompletedEventArgs (see page 557)	This is mustahsilMakbuzIptaliKaldırCompletedEventArgs, a member of class mustahsilMakbuzIptaliKaldırCompletedEventArgs.

mustahsilMakbuzIptaliKaldırCompletedEventArgs Properties

	Name	Description
	Result (see page 557)	

1.1.4.1.23.1

mustahsilMakbuzIptaliKaldırCompletedEventArgs.mustahsilMakbuzIptaliKaldırCompletedEventArgs

Constructor

C#

```
internal mustahsilMakbuzIptaliKaldırCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzIptaliKaldırCompletedEventArgs, a member of class mustahsilMakbuzIptaliKaldırCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzIptaliKaldırCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.23.2 mustahsilMakbuzIptaliKaldırCompletedEventArgs Properties

1.1.4.1.23.2.1 mustahsilMakbuzIptaliKaldırCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.24 mustahsilMakbuzIptaliKaldırResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldırResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzIptaliKaldırResponse;
```

File

[Reference.cs](#) ([see page 845](#))

mustahsilMakbuzIptaliKaldırResponse Properties

	Name	Description
	@return (see page 557)	

1.1.4.1.24.1 mustahsilMakbuzIptaliKaldırResponse Properties

1.1.4.1.24.1.1 mustahsilMakbuzIptaliKaldırResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.25 mustahsilMakbuzListeSorgula Class

Class Hierarchy

`QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzListeSorgula;
```

File

Reference.cs (see page 845)

mustahsilMakbuzListeSorgula Properties

	Name	Description
	input (see page 558)	

1.1.4.1.25.1 mustahsilMakbuzListeSorgula Properties

1.1.4.1.25.1.1 mustahsilMakbuzListeSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.26 mustahsilMakbuzListeSorgulaCompletedEventArgs Class

Class Hierarchy

`System.ComponentModel.AsyncCompletedEventArgs` → `QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaCompletedEventArgs`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzListeSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	mustahsilMakbuzListeSorgulaCompletedEventArgs (see page 559)	This is mustahsilMakbuzListeSorgulaCompletedEventArgs, a member of class mustahsilMakbuzListeSorgulaCompletedEventArgs.

mustahsilMakbuzListeSorgulaCompletedEventArgs Properties

	Name	Description
	output (see page 559)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	Result (see page 559)	
---	---	--

1.1.4.1.26.1

mustahsilMakbuzListeSorgulaCompletedEventArgs.mustahsilMakbuzListeSorgulaCompletedEventArgs Constructor

C#

```
internal mustahsilMakbuzListeSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzListeSorgulaCompletedEventArgs, a member of class mustahsilMakbuzListeSorgulaCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzListeSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.26.2 mustahsilMakbuzListeSorgulaCompletedEventArgs Properties

1.1.4.1.26.2.1 mustahsilMakbuzListeSorgulaCompletedEventArgs.output Property

C#

```
public belgeDTO output;
```

1.1.4.1.26.2.2 mustahsilMakbuzListeSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.27 mustahsilMakbuzListeSorgulaPortal Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortal](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzListeSorgulaPortal;
```

File

[Reference.cs \(\[see page 845\]\(#\) \)](#)

mustahsilMakbuzListeSorgulaPortal Properties

	Name	Description
	input (see page 560)	

1.1.4.1.27.1 mustahsilMakbuzListeSorgulaPortal Properties

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.


1.1.4.1.27.1.1 mustahsilMakbuzListeSorgulaPortal.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.28 mustahsilMakbuzListeSorgulaPortalCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzListeSorgulaPortalCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
!	mustahsilMakbuzListeSorgulaPortalCompletedEventArgs (see page 560)	This is mustahsilMakbuzListeSorgulaPortalCompletedEventArgs, a member of class mustahsilMakbuzListeSorgulaPortalCompletedEventArgs.

mustahsilMakbuzListeSorgulaPortalCompletedEventArgs Properties

	Name	Description
!	output (see page 561)	
!	Result (see page 561)	

1.1.4.1.28.1

mustahsilMakbuzListeSorgulaPortalCompletedEventArgs.mustahsilMakbuzListeSorgulaPortalCompletedEventArgs Constructor

C#

```
internal mustahsilMakbuzListeSorgulaPortalCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzListeSorgulaPortalCompletedEventArgs, a member of class mustahsilMakbuzListeSorgulaPortalCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzListeSorgulaPortalCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.28.2 mustahsilMakbuzListeSorgulaPortalCompletedEventArgs Properties

1.1.4.1.28.2.1 mustahsilMakbuzListeSorgulaPortalCompletedEventArgs.output Property

C#

```
public belgeDTO output;
```

1.1.4.1.28.2.2 mustahsilMakbuzListeSorgulaPortalCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.29 mustahsilMakbuzListeSorgulaPortalResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortalResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzListeSorgulaPortalResponse;
```

File

Reference.cs ([see page 845](#))

mustahsilMakbuzListeSorgulaPortalResponse Properties

	Name	Description
	@return (see page 561)	
	output (see page 561)	

1.1.4.1.29.1 mustahsilMakbuzListeSorgulaPortalResponse Properties

1.1.4.1.29.1.1 mustahsilMakbuzListeSorgulaPortalResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.29.1.2 mustahsilMakbuzListeSorgulaPortalResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belgeDTO output;
```

1.1.4.1.30 mustahsilMakbuzListeSorgulaResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzListeSorgulaResponse;
```

File

Reference.cs (see page 845)

mustahsilMakbuzListeSorgulaResponse Properties

	Name	Description
	@return (see page 562)	
	output (see page 562)	

1.1.4.1.30.1 mustahsilMakbuzListeSorgulaResponse Properties**1.1.4.1.30.1.1 mustahsilMakbuzListeSorgulaResponse.@return Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.30.1.2 mustahsilMakbuzListeSorgulaResponse.output Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belgeDTO output;
```

1.1.4.1.31 mustahsilMakbuzOlustur Class**Class Hierarchy**

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlustur

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzOlustur;
```

File

Reference.cs (see page 845)

mustahsilMakbuzOlustur Properties

	Name	Description
	belge (see page 563)	
	input (see page 563)	

1.1.4.1.31.1 mustahsilMakbuzOlustur Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

1.1.4.1.31.1.1 mustahsilMakbuzOlustur.belge Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge belge;
```


1.1.4.1.31.1.2 mustahsilMakbuzOlustur.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.32 mustahsilMakbuzOlusturCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzOlusturCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	mustahsilMakbuzOlusturCompletedEventArgs (see page 563)	This is mustahsilMakbuzOlusturCompletedEventArgs, a member of class mustahsilMakbuzOlusturCompletedEventArgs.

mustahsilMakbuzOlusturCompletedEventArgs Properties

	Name	Description
	@return (see page 564)	
	Result (see page 564)	

1.1.4.1.32.1

mustahsilMakbuzOlusturCompletedEventArgs.mustahsilMakbuzOlusturCompletedEventArgs

Constructor

C#

```
internal mustahsilMakbuzOlusturCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzOlusturCompletedEventArgs, a member of class mustahsilMakbuzOlusturCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzOlusturCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
```

```
4: }
```

1.1.4.1.32.2 mustahsilMakbuzOlusturCompletedEventArgs Properties

1.1.4.1.32.2.1 mustahsilMakbuzOlusturCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.4.1.32.2.2 mustahsilMakbuzOlusturCompletedEventArgs.Result Property

C#

```
public belge Result;
```

1.1.4.1.33 mustahsilMakbuzOnizleme Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzOnizleme;
```

File

Reference.cs (see page 845)

mustahsilMakbuzOnizleme Properties

	Name	Description
	belge (see page 564)	
	input (see page 564)	

1.1.4.1.33.1 mustahsilMakbuzOnizleme Properties

1.1.4.1.33.1.1 mustahsilMakbuzOnizleme.belge Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge belge;
```


1.1.4.1.33.1.2 mustahsilMakbuzOnizleme.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.34 mustahsilMakbuzOnizlemeCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzOnizlemeCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	mustahsilMakbuzOnizlemeCompletedEventArgs (see page 565)	This is mustahsilMakbuzOnizlemeCompletedEventArgs, a member of class mustahsilMakbuzOnizlemeCompletedEventArgs.

mustahsilMakbuzOnizlemeCompletedEventArgs Properties

	Name	Description
	@return (see page 565)	
	Result (see page 565)	

1.1.4.1.34.1**mustahsilMakbuzOnizlemeCompletedEventArgs.mustahsilMakbuzOnizlemeCompletedEventArgs Constructor****C#**

```
internal mustahsilMakbuzOnizlemeCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzOnizlemeCompletedEventArgs, a member of class mustahsilMakbuzOnizlemeCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzOnizlemeCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.34.2 mustahsilMakbuzOnizlemeCompletedEventArgs Properties**1.1.4.1.34.2.1 mustahsilMakbuzOnizlemeCompletedEventArgs.@return Property****C#**

```
public earsivServiceResult @return;
```

1.1.4.1.34.2.2 mustahsilMakbuzOnizlemeCompletedEventArgs.Result Property**C#**

```
public belge Result;
```

1.1.4.1.35 mustahsilMakbuzSorgula Class**Class Hierarchy**

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgula](#)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class mustahsilMakbuzSorgula;
```

File

Reference.cs ([see page 845](#))

mustahsilMakbuzSorgula Properties

	Name	Description
	input (see page 566)	

1.1.4.1.35.1 mustahsilMakbuzSorgula Properties**1.1.4.1.35.1.1 mustahsilMakbuzSorgula.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.36 mustahsilMakbuzSorgulaCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	mustahsilMakbuzSorgulaCompletedEventArgs (see page 567)	This is mustahsilMakbuzSorgulaCompletedEventArgs, a member of class mustahsilMakbuzSorgulaCompletedEventArgs.

mustahsilMakbuzSorgulaCompletedEventArgs Properties

	Name	Description
	@return (see page 567)	
	Result (see page 567)	

1.1.4.1.36.1

mustahsilMakbuzSorgulaCompletedEventArgs.mustahsilMakbuzSorgulaCompletedEventArgs Constructor

C#

```
internal mustahsilMakbuzSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzSorgulaCompletedEventArgs, a member of class mustahsilMakbuzSorgulaCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.4.1.36.2 mustahsilMakbuzSorgulaCompletedEventArgs Properties

1.1.4.1.36.2.1 mustahsilMakbuzSorgulaCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.4.1.36.2.2 mustahsilMakbuzSorgulaCompletedEventArgs.Result Property

C#

```
public belge Result;
```

1.1.4.1.37 mustahsilMakbuzTaslakOlustur Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlustur](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzTaslakOlustur;
```

File

[Reference.cs](#) (see page 845)

mustahsilMakbuzTaslakOlustur Properties

	Name	Description
	belge (see page 568)	
	input (see page 568)	

1.1.4.1.37.1 mustahsilMakbuzTaslakOlustur Properties

1.1.4.1.37.1.1 mustahsilMakbuzTaslakOlustur.belge Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge belge;
```

1.1.4.1.37.1.2 mustahsilMakbuzTaslakOlustur.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.38 mustahsilMakbuzTaslakOlusturCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzTaslakOlusturCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	mustahsilMakbuzTaslakOlusturCompletedEventArgs (see page 568)	This is mustahsilMakbuzTaslakOlusturCompletedEventArgs, a member of class mustahsilMakbuzTaslakOlusturCompletedEventArgs.

mustahsilMakbuzTaslakOlusturCompletedEventArgs Properties

	Name	Description
	Result (see page 569)	

1.1.4.1.38.1

mustahsilMakbuzTaslakOlusturCompletedEventArgs.mustahsilMakbuzTaslakOlusturCompletedEventArgs

Constructor

C#

```
internal mustahsilMakbuzTaslakOlusturCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzTaslakOlusturCompletedEventArgs, a member of class mustahsilMakbuzTaslakOlusturCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzTaslakOlusturCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
```

```

2:         base(exception, cancelled, userState) {
3:             this.results = results;
4:         }

```

1.1.4.1.38.2 mustahsilMakbuzTaslakOlusturCompletedEventArgs Properties

1.1.4.1.38.2.1 mustahsilMakbuzTaslakOlusturCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.39 mustahsilMakbuzTaslakOlusturResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturResponse](#)

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[SerializableAttribute()]
[DebuggerStepThroughAttribute()]
[ComponentModel.DesignerCategoryAttribute("code")]
[XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzTaslakOlusturResponse;

```

File

Reference.cs ([see page 845](#))

mustahsilMakbuzTaslakOlusturResponse Properties

	Name	Description
	@return (see page 569)	

1.1.4.1.39.1 mustahsilMakbuzTaslakOlusturResponse Properties

1.1.4.1.39.1.1 mustahsilMakbuzTaslakOlusturResponse.@return Property

C#

```

[XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;

```

1.1.4.1.40 mustahsilMakbuzTaslakOnizleme Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizleme](#)

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[SerializableAttribute()]
[DebuggerStepThroughAttribute()]
[ComponentModel.DesignerCategoryAttribute("code")]
[XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzTaslakOnizleme;

```

File


Reference.cs ([see page 845](#))

mustahsilMakbuzTaslakOnizleme Properties

	Name	Description
	input (see page 570)	

1.1.4.1.40.1 mustahsilMakbuzTaslakOnizleme Properties**1.1.4.1.40.1.1 mustahsilMakbuzTaslakOnizleme.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.41 mustahsilMakbuzTaslakOnizlemeCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzTaslakOnizlemeCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

FileReference.cs ([see page 845](#))**Methods**

	Name	Description
	mustahsilMakbuzTaslakOnizlemeCompletedEventArgs (see page 570)	This is mustahsilMakbuzTaslakOnizlemeCompletedEventArgs , a member of class mustahsilMakbuzTaslakOnizlemeCompletedEventArgs .

mustahsilMakbuzTaslakOnizlemeCompletedEventArgs Properties

	Name	Description
	output (see page 571)	
	Result (see page 571)	

1.1.4.1.41.1**mustahsilMakbuzTaslakOnizlemeCompletedEventArgs.mustahsilMakbuzTaslakOnizlemeCompletedEventArgs Constructor****C#**

```
internal mustahsilMakbuzTaslakOnizlemeCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzTaslakOnizlemeCompletedEventArgs, a member of class mustahsilMakbuzTaslakOnizlemeCompletedEventArgs.

Body Source

```

1: internal mustahsilMakbuzTaslakOnizlemeCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }

```

1.1.4.1.41.2 mustahsilMakbuzTaslakOnizlemeCompletedEventArgs Properties**1.1.4.1.41.2.1 mustahsilMakbuzTaslakOnizlemeCompletedEventArgs.output Property****C#**

```
public belge output;
```

1.1.4.1.41.2.2 mustahsilMakbuzTaslakOnizlemeCompletedEventArgs.Result Property**C#**

```
public earsivServiceResult Result;
```

1.1.4.1.42 mustahsilMakbuzTaslakOnizlemeResponse Class**Class Hierarchy**

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeResponse

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzTaslakOnizlemeResponse;

```

File

Reference.cs ( see page 845)

mustahsilMakbuzTaslakOnizlemeResponse Properties

	Name	Description
	@return ( see page 571)	
	output ( see page 571)	

1.1.4.1.42.1 mustahsilMakbuzTaslakOnizlemeResponse Properties**1.1.4.1.42.1.1 mustahsilMakbuzTaslakOnizlemeResponse.@return Property****C#**

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;

```

1.1.4.1.42.1.2 mustahsilMakbuzTaslakOnizlemeResponse.output Property**C#**

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge output;

```

1.1.4.1.43 mustahsilMakbuzTaslakSil Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSil](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzTaslakSil;
```

File

Reference.cs ([see page 845](#))

mustahsilMakbuzTaslakSil Properties

	Name	Description
	input (see page 572)	

1.1.4.1.43.1 mustahsilMakbuzTaslakSil Properties

1.1.4.1.43.1.1 mustahsilMakbuzTaslakSil.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.44 mustahsilMakbuzTaslakSilCompletedEventArgs Class

Class Hierarchy

[System.ComponentModel.AsyncCompletedEventArgs](#) → [QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCompletedEventArgs](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzTaslakSilCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	mustahsilMakbuzTaslakSilCompletedEventArgs (see page 573)	This is mustahsilMakbuzTaslakSilCompletedEventArgs, a member of class mustahsilMakbuzTaslakSilCompletedEventArgs.

mustahsilMakbuzTaslakSilCompletedEventArgs Properties

	Name	Description
	Result (see page 573)	

1.1.4.1.44.1

mustahsilMakbuzTaslakSilCompletedEventArgs.mustahsilMakbuzTaslakSilCompletedEventArgs Constructor

C#

```
internal mustahsilMakbuzTaslakSilCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzTaslakSilCompletedEventArgs, a member of class mustahsilMakbuzTaslakSilCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzTaslakSilCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.4.1.44.2 mustahsilMakbuzTaslakSilCompletedEventArgs Properties

1.1.4.1.44.2.1 mustahsilMakbuzTaslakSilCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.45 mustahsilMakbuzTaslakSilResponse Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzTaslakSilResponse;
```

File

Reference.cs ( see page 845)

mustahsilMakbuzTaslakSilResponse Properties

	Name	Description
	@return ( see page 573)	

1.1.4.1.45.1 mustahsilMakbuzTaslakSilResponse Properties

1.1.4.1.45.1.1 mustahsilMakbuzTaslakSilResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.46 mustahsilMakbuzTaslakSorgula Class

Class Hierarchy

`[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgula]`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzTaslakSorgula;
```

File

Reference.cs ([see page 845](#))

mustahsilMakbuzTaslakSorgula Properties

	Name	Description
	input (see page 574)	

1.1.4.1.46.1 mustahsilMakbuzTaslakSorgula Properties

1.1.4.1.46.1.1 mustahsilMakbuzTaslakSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.47 mustahsilMakbuzTaslakSorgulaCompletedEventArgs Class

Class Hierarchy

`System.ComponentModel.AsyncCompletedEventArgs` → `[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgulaCompletedEventArgs]`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzTaslakSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	mustahsilMakbuzTaslakSorgulaCompletedEventArgs (see page 575)	This is mustahsilMakbuzTaslakSorgulaCompletedEventArgs, a member of class mustahsilMakbuzTaslakSorgulaCompletedEventArgs.

mustahsilMakbuzTaslakSorgulaCompletedEventArgs Properties

	Name	Description
	output (see page 575)	

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.



Result (see page 575)

1.1.4.1.47.1

mustahsilMakbuzTaslakSorgulaCompletedEventArgs.mustahsilMakbuzTaslakSorgulaCompletedEventArgs Constructor

C#

```
internal mustahsilMakbuzTaslakSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzTaslakSorgulaCompletedEventArgs, a member of class mustahsilMakbuzTaslakSorgulaCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzTaslakSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.47.2 mustahsilMakbuzTaslakSorgulaCompletedEventArgs Properties

1.1.4.1.47.2.1 mustahsilMakbuzTaslakSorgulaCompletedEventArgs.output Property

C#

```
public belgeDTO output;
```

1.1.4.1.47.2.2 mustahsilMakbuzTaslakSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.48 mustahsilMakbuzTaslakSorgulaResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgulaResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzTaslakSorgulaResponse;
```

File

[Reference.cs](#) (see page 845)

mustahsilMakbuzTaslakSorgulaResponse Properties

	Name	Description
	@return (see page 576)	
	output (see page 576)	

1.1.4.1.48.1 mustahsilMakbuzTaslakSorgulaResponse Properties

1.1.4.1.48.1.1 mustahsilMakbuzTaslakSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.48.1.2 mustahsilMakbuzTaslakSorgulaResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belgeDTO output;
```

1.1.4.1.49 mustahsilMakbuzTaslaktanOlustur Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlustur](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzTaslaktanOlustur;
```

File

Reference.cs ([see page 845](#))

mustahsilMakbuzTaslaktanOlustur Properties

	Name	Description
	input (see page 576)	

1.1.4.1.49.1 mustahsilMakbuzTaslaktanOlustur Properties

1.1.4.1.49.1.1 mustahsilMakbuzTaslaktanOlustur.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.50 mustahsilMakbuzTaslaktanOlusturCompletedEventArgs Class

Class Hierarchy

[System.ComponentModel.AsyncCompletedEventArgs](#) → [QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlusturCompletedEventArgs](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzTaslaktanOlusturCompletedEventArgs :
```

```
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ( see page 845)

Methods

	Name	Description
	mustahsilMakbuzTaslaktanOlusturCompletedEventArgs ( see page 577)	This is mustahsilMakbuzTaslaktanOlusturCompletedEventArgs, a member of class mustahsilMakbuzTaslaktanOlusturCompletedEventArgs.

mustahsilMakbuzTaslaktanOlusturCompletedEventArgs Properties

	Name	Description
	@return ( see page 577)	
	Result ( see page 577)	

1.1.4.1.50.1**mustahsilMakbuzTaslaktanOlusturCompletedEventArgs.mustahsilMakbuzTaslaktanOlusturCompletedEventArgs****Constructor****C#**

```
internal mustahsilMakbuzTaslaktanOlusturCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzTaslaktanOlusturCompletedEventArgs, a member of class mustahsilMakbuzTaslaktanOlusturCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzTaslaktanOlusturCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.50.2 mustahsilMakbuzTaslaktanOlusturCompletedEventArgs Properties**1.1.4.1.50.2.1 mustahsilMakbuzTaslaktanOlusturCompletedEventArgs.@return Property****C#**

```
public earsivServiceResult @return;
```

1.1.4.1.50.2.2 mustahsilMakbuzTaslaktanOlusturCompletedEventArgs.Result Property**C#**

```
public belge Result;
```

1.1.4.1.51 MustahsilWebService Class**Class Hierarchy**

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Web.Services.WebServiceBindingAttribute(Name="MustahsilWebServicePortBinding",
Namespace="http://service.csap.cs.com/")]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzOlustur))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(ePostaGonderResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(ePostaGonder))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsDurumSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsDurumSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumListesiDetayliSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumListesiDetayliSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzIptaliKaldirResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzIptaliKaldır))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(rapordaBelgeSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(rapordaBelgeSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumlerOlusturResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumleriOlustur))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslaktanOlustur))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(doubleStringOutputWrapper))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(ePostaDurumSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzOnizleme))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumSilResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumSil))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgeOutputWrapper))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumAl))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakOlusturResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakOlustur))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakOnizlemeResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakOnizleme))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(stringOutputWrapper))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumListesiSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(kontorBilgisiGetirResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(kontorBilgisiGetir))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsGonderResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsGonder))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporDurumSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporDurumSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakSilResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakSil))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzIptalEtResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzIptalEt))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumRaporNoGuncelleImzalaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumRaporNoGuncelleImzala))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporGonderResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporGonder))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumBilgisiAlResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumBilgisiAl))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzListeSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzListeSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaDTO))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzListeSorgulaPortalResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzListeSorgulaPortal))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgeZipiAlResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgeZipiAl))]
public class MustahsilWebService : System.Web.Services.Protocols.SoapHttpClientProtocol;
```

File

Reference.cs (see page 845)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

Methods

	Name	Description
⚡	MustahsilWebService (see page 583)	

MustahsilWebService Events

	Name	Description
⚡	belgeZipiAICompleted (see page 621)	
⚡	ePostaDurumSorgulaCompleted (see page 621)	
⚡	ePostaGonderCompleted (see page 621)	
⚡	kontorBilgisiGetirCompleted (see page 621)	
⚡	mustahsilMakbuzIptaliEtCompleted (see page 622)	
⚡	mustahsilMakbuzIptaliKaldirCompleted (see page 622)	
⚡	mustahsilMakbuzListeSorgulaCompleted (see page 622)	
⚡	mustahsilMakbuzListeSorgulaPortalCompleted (see page 622)	
⚡	mustahsilMakbuzOlusturCompleted (see page 622)	
⚡	mustahsilMakbuzOnizlemeCompleted (see page 622)	
⚡	mustahsilMakbuzSorgulaCompleted (see page 622)	
⚡	mustahsilMakbuzTaslakOlusturCompleted (see page 622)	
⚡	mustahsilMakbuzTaslakOnizlemeCompleted (see page 622)	
⚡	mustahsilMakbuzTaslakSilCompleted (see page 622)	
⚡	mustahsilMakbuzTaslakSorgulaCompleted (see page 622)	
⚡	mustahsilMakbuzTaslaktanOlusturCompleted (see page 623)	
⚡	raporBolumAICompleted (see page 623)	
⚡	raporBolumBilgisiAICompleted (see page 623)	
⚡	raporBolumleriOlusturCompleted (see page 623)	
⚡	raporBolumListesiDetailliSorgulaCompleted (see page 623)	
⚡	raporBolumListesiSorgulaCompleted (see page 623)	
⚡	raporBolumRaporNoGuncellelmzalaCompleted (see page 623)	
⚡	raporBolumSilCompleted (see page 623)	

	rapordaBelgeSorgulaCompleted (↗ see page 623)	
	raporDurumSorgulaCompleted (↗ see page 623)	
	raporGonderCompleted (↗ see page 623)	
	smsDurumSorgulaCompleted (↗ see page 624)	
	smsGonderCompleted (↗ see page 624)	

MustahsilWebService Methods

	Name	Description
	belgeZipiAI (↗ see page 583)	
	belgeZipiAIAsync (↗ see page 584)	
	CancelAsync (↗ see page 584)	
	ePostaDurumSorgula (↗ see page 584)	
	ePostaDurumSorgulaAsync (↗ see page 585)	
	ePostaGonder (↗ see page 585)	
	ePostaGonderAsync (↗ see page 586)	
	IsLocalFileSystemWebService (↗ see page 587)	This is IsLocalFileSystemWebService, a member of class MustahsilWebService.
	kontorBilgisiGetir (↗ see page 587)	
	kontorBilgisiGetirAsync (↗ see page 588)	
	mustahsilMakbuzIptalEt (↗ see page 588)	
	mustahsilMakbuzIptalEtAsync (↗ see page 589)	
	mustahsilMakbuzIptaliKaldır (↗ see page 589)	
	mustahsilMakbuzIptaliKaldırAsync (↗ see page 590)	
	mustahsilMakbuzListeSorgula (↗ see page 590)	
	mustahsilMakbuzListeSorgulaAsync (↗ see page 591)	
	mustahsilMakbuzListeSorgulaPortal (↗ see page 591)	
	mustahsilMakbuzListeSorgulaPortalAsync (↗ see page 592)	
	mustahsilMakbuzOlustur (↗ see page 592)	
	mustahsilMakbuzOlusturAsync (↗ see page 593)	
	mustahsilMakbuzOnizleme (↗ see page 593)	
	mustahsilMakbuzOnizlemeAsync (↗ see page 594)	
	mustahsilMakbuzSorgula (↗ see page 594)	
	mustahsilMakbuzSorgulaAsync (↗ see page 595)	
	mustahsilMakbuzTaslakOlustur (↗ see page 595)	
	mustahsilMakbuzTaslakOlusturAsync (↗ see page 596)	
	mustahsilMakbuzTaslakOnizleme (↗ see page 596)	
	mustahsilMakbuzTaslakOnizlemeAsync (↗ see page 597)	
	mustahsilMakbuzTaslakSil (↗ see page 597)	
	mustahsilMakbuzTaslakSilAsync (↗ see page 598)	
	mustahsilMakbuzTaslakSorgula (↗ see page 598)	
	mustahsilMakbuzTaslakSorgulaAsync (↗ see page 599)	
	mustahsilMakbuzTaslaktanOlustur (↗ see page 599)	
	mustahsilMakbuzTaslaktanOlusturAsync (↗ see page 600)	

	OnbelgeZipiAIOperationCompleted (↗ see page 600)	This is OnbelgeZipiAIOperationCompleted, a member of class MustahsilWebService.
	OnePostaDurumSorgulaOperationCompleted (↗ see page 601)	This is OnePostaDurumSorgulaOperationCompleted, a member of class MustahsilWebService.
	OnePostaGonderOperationCompleted (↗ see page 601)	This is OnePostaGonderOperationCompleted, a member of class MustahsilWebService.
	OnkontorBilgisiGetirOperationCompleted (↗ see page 601)	This is OnkontorBilgisiGetirOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzIptalEtOperationCompleted (↗ see page 601)	This is OnmustahsilMakbuzIptalEtOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzIptaliKaldirOperationCompleted (↗ see page 602)	This is OnmustahsilMakbuzIptaliKaldirOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzListeSorgulaOperationCompleted (↗ see page 602)	This is OnmustahsilMakbuzListeSorgulaOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzListeSorgulaPortalOperationCompleted (↗ see page 602)	This is OnmustahsilMakbuzListeSorgulaPortalOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzOlusturOperationCompleted (↗ see page 603)	This is OnmustahsilMakbuzOlusturOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzOnizlemeOperationCompleted (↗ see page 603)	This is OnmustahsilMakbuzOnizlemeOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzSorgulaOperationCompleted (↗ see page 603)	This is OnmustahsilMakbuzSorgulaOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzTaslakOlusturOperationCompleted (↗ see page 604)	This is OnmustahsilMakbuzTaslakOlusturOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzTaslakOnizlemeOperationCompleted (↗ see page 604)	This is OnmustahsilMakbuzTaslakOnizlemeOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzTaslakSilOperationCompleted (↗ see page 604)	This is OnmustahsilMakbuzTaslakSilOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzTaslakSorgulaOperationCompleted (↗ see page 604)	This is OnmustahsilMakbuzTaslakSorgulaOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzTaslaktanOlusturOperationCompleted (↗ see page 605)	This is OnmustahsilMakbuzTaslaktanOlusturOperationCompleted, a member of class MustahsilWebService.
	OnraporBolumAIOperationCompleted (↗ see page 605)	This is OnraporBolumAIOperationCompleted, a member of class MustahsilWebService.

	OnraporBolumBilgisiAIOperationCompleted (see page 605)	This is OnraporBolumBilgisiAIOperationCompleted, a member of class MustahsilWebService.
	OnraporBolumleriOlusturOperationCompleted (see page 606)	This is OnraporBolumleriOlusturOperationCompleted, a member of class MustahsilWebService.
	OnraporBolumListesiDetaigliSorgulaOperationCompleted (see page 606)	This is OnraporBolumListesiDetaigliSorgulaOperationCompleted, a member of class MustahsilWebService.
	OnraporBolumListesiSorgulaOperationCompleted (see page 606)	This is OnraporBolumListesiSorgulaOperationCompleted, a member of class MustahsilWebService.
	OnraporBolumRaporNoGuncelleImzalaOperationCompleted (see page 607)	This is OnraporBolumRaporNoGuncelleImzalaOperationCompleted, a member of class MustahsilWebService.
	OnraporBolumSilOperationCompleted (see page 607)	This is OnraporBolumSilOperationCompleted, a member of class MustahsilWebService.
	OnrapordaBelgeSorgulaOperationCompleted (see page 607)	This is OnrapordaBelgeSorgulaOperationCompleted, a member of class MustahsilWebService.
	OnraporDurumSorgulaOperationCompleted (see page 607)	This is OnraporDurumSorgulaOperationCompleted, a member of class MustahsilWebService.
	OnraporGonderOperationCompleted (see page 608)	This is OnraporGonderOperationCompleted, a member of class MustahsilWebService.
	OnsmsDurumSorgulaOperationCompleted (see page 608)	This is OnsmsDurumSorgulaOperationCompleted, a member of class MustahsilWebService.
	OnsmsGonderOperationCompleted (see page 608)	This is OnsmsGonderOperationCompleted, a member of class MustahsilWebService.
	raporBolumAI (see page 609)	
	raporBolumAIAsync (see page 609)	
	raporBolumBilgisiAI (see page 610)	
	raporBolumBilgisiAIAsync (see page 610)	
	raporBolumleriOlustur (see page 611)	
	raporBolumleriOlusturAsync (see page 611)	
	raporBolumListesiDetaigliSorgula (see page 612)	
	raporBolumListesiDetaigliSorgulaAsync (see page 612)	
	raporBolumListesiSorgula (see page 613)	
	raporBolumListesiSorgulaAsync (see page 613)	
	raporBolumRaporNoGuncelleImzala (see page 614)	
	raporBolumRaporNoGuncelleImzalaAsync (see page 614)	
	raporBolumSil (see page 615)	
	raporBolumSilAsync (see page 615)	
	rapordaBelgeSorgula (see page 616)	
	rapordaBelgeSorgulaAsync (see page 616)	
	raporDurumSorgula (see page 617)	
	raporDurumSorgulaAsync (see page 617)	
	raporGonder (see page 618)	

	raporGonderAsync (see page 618)	
	smsDurumSorgula (see page 619)	
	smsDurumSorgulaAsync (see page 619)	
	smsGonder (see page 620)	
	smsGonderAsync (see page 620)	

MustahsilWebService Properties

	Name	Description
	Url (see page 621)	This is Url, a member of class MustahsilWebService.
	UseDefaultCredentials (see page 621)	This is UseDefaultCredentials, a member of class MustahsilWebService.

1.1.4.1.51.1 MustahsilWebService.MustahsilWebService Constructor**C#**

```
public MustahsilWebService();
```

Body Source

```
1: public MustahsilWebService() {
2:     this.Url =
global::QNBFinansGIB.Properties.Settings.Default.QNBFinansGIB_GIBEMustahsil_MustahsilWebServ
ice;
3:     if ((this.IsLocalFileSystemWebService(this.Url) == true)) {
4:         this.UseDefaultCredentials = true;
5:         this.useDefaultCredentialsSetExplicitly = false;
6:     }
7:     else {
8:         this.useDefaultCredentialsSetExplicitly = true;
9:     }
10: }
```

1.1.4.1.51.2 MustahsilWebService Methods**1.1.4.1.51.2.1 MustahsilWebService.belgeZipiAI Method****C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
belgeZipiAI([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary", IsNullable=true)] out byte[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
belgeZipiAI([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
```

```

    rm.Unqualified) ]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
DataTpe="base64Binary", IsNullble=true)] out byte[] output) {
4:     object[] results = this.Invoke("belgeZipiAl", new object[] {
5:         input});
6:     output = ((byte[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }

```

1.1.4.1.51.2.2 belgeZipiAlAsync Method

1.1.4.1.51.2.2.1 MustahsilWebService.belgeZipiAlAsync Method (string)

C#

```
public void belgeZipiAlAsync(string input);
```

Body Source

```

1: public void belgeZipiAlAsync(string input) {
2:     this.belgeZipiAlAsync(input, null);
3: }

```

1.1.4.1.51.2.2.2 MustahsilWebService.belgeZipiAlAsync Method (string, object)

C#

```
public void belgeZipiAlAsync(string input, object userState);
```

Body Source

```

1: public void belgeZipiAlAsync(string input, object userState) {
2:     if ((this.belgeZipiAlOperationCompleted == null)) {
3:         this.belgeZipiAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgeZipiAlOperationCompleted);
4:     }
5:     this.InvokeAsync("belgeZipiAl", new object[] {
6:         input}, this.belgeZipiAlOperationCompleted, userState);
7: }

```

1.1.4.1.51.2.3 MustahsilWebService.CancelAsync Method

C#

```
public new void CancelAsync(object userState);
```

Body Source

```

1: public new void CancelAsync(object userState) {
2:     base.CancelAsync(userState);
3: }

```

1.1.4.1.51.2.4 MustahsilWebService.ePostaDurumSorgula Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("outputDurum",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
ePostaDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]

```

```

out string outputEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return;

Body Source

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("", 
RequestNamespace="http://service.earsiv.uut.cs.com.tr/", 
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/", 
Use=System.Web.Services.Description.SoapBindingUse.Literal, 
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("outputDurum", 
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
ePostaDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out string outputEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return {
4:     object[] results = this.Invoke("ePostaDurumSorgula", new object[] {
5:         input});
6:     outputEposta = ((string)(results[1]));
7:     @return = ((earsivServiceResult)(results[2]));
8:     return ((string)(results[0]));
9: }

```

1.1.4.1.51.2.5 ePostaDurumSorgulaAsync Method

1.1.4.1.51.2.5.1 MustahsilWebService.ePostaDurumSorgulaAsync Method (string)

C#

```
public void ePostaDurumSorgulaAsync(string input);
```

Body Source

```

1: public void ePostaDurumSorgulaAsync(string input) {
2:     this.ePostaDurumSorgulaAsync(input, null);
3: }

```

1.1.4.1.51.2.5.2 MustahsilWebService.ePostaDurumSorgulaAsync Method (string, object)

C#

```
public void ePostaDurumSorgulaAsync(string input, object userState);
```

Body Source

```

1: public void ePostaDurumSorgulaAsync(string input, object userState) {
2:     if ((this.ePostaDurumSorgulaOperationCompleted == null)) {
3:         this.ePostaDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnePostaDurumSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("ePostaDurumSorgula", new object[] {
6:         input}, this.ePostaDurumSorgulaOperationCompleted, userState);
7: }

```

1.1.4.1.51.2.6 MustahsilWebService.ePostaGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("", 
RequestNamespace="http://service.earsiv.uut.cs.com.tr/", 
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/", 
Use=System.Web.Services.Description.SoapBindingUse.Literal, 
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
```

```
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
ePostaGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string ilaveEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
int tanimliEpostayaGonder);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
ePostaGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string ilaveEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
int tanimliEpostayaGonder) {
4:     object[] results = this.Invoke("ePostaGonder", new object[] {
5:         input,
6:         ilaveEposta,
7:         tanimliEpostayaGonder});
8:     return ((earsivServiceResult)(results[0]));
9: }
```

1.1.4.1.51.2.7 ePostaGonderAsync Method**1.1.4.1.51.2.7.1 MustahsilWebService.ePostaGonderAsync Method (string, string, int)****C#**

```
public void ePostaGonderAsync(string input, string ilaveEposta, int tanimliEpostayaGonder);
```

Body Source

```
1: public void ePostaGonderAsync(string input, string ilaveEposta, int
tanimliEpostayaGonder) {
2:     this.ePostaGonderAsync(input, ilaveEposta, tanimliEpostayaGonder, null);
3: }
```

1.1.4.1.51.2.7.2 MustahsilWebService.ePostaGonderAsync Method (string, string, int, object)**C#**

```
public void ePostaGonderAsync(string input, string ilaveEposta, int tanimliEpostayaGonder,
object userState);
```

Body Source

```
1: public void ePostaGonderAsync(string input, string ilaveEposta, int
tanimliEpostayaGonder, object userState) {
2:     if ((this.ePostaGonderOperationCompleted == null)) {
3:         this.ePostaGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnePostaGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("ePostaGonder", new object[] {
```

```

6:             input,
7:             ilaveEposta,
8:             tanimliEpostaYayaGonder}, this.ePostaGonderOperationCompleted, userState);
9: }

```

1.1.4.1.51.2.8 MustahsilWebService.IsLocalFileSystemWebService Method

C#

```
private bool IsLocalFileSystemWebService(string url);
```

Description

This is IsLocalFileSystemWebService, a member of class MustahsilWebService.

Body Source

```

1: private bool IsLocalFileSystemWebService(string url) {
2:     if (((url == null)
3:           || (url == string.Empty))) {
4:         return false;
5:     }
6:     System.Uri wsUri = new System.Uri(url);
7:     if (((wsUri.Port >= 1024)
8:           && (string.Compare(wsUri.Host, "localhost",
System.StringComparison.OrdinalIgnoreCase) == 0))) {
9:         return true;
10:    }
11:    return false;
12: }

```

1.1.4.1.51.2.9 MustahsilWebService.kontorBilgisiGetir Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
kontorBilgisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string kontorTipi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string kontorBirim);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
kontorBilgisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string kontorTipi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]

```

```

string kontorBirimii) {
4:     object[] results = this.Invoke("kontorBilgisiGetir", new object[] {
5:         vknTckn,
6:         kontorTipi,
7:         kontorBirimii});
8:     return ((earsivServiceResult)(results[0]));
9: }

```

1.1.4.1.51.2.10 kontorBilgisiGetirAsync Method

1.1.4.1.51.2.10.1 MustahsilWebService.kontorBilgisiGetirAsync Method (string, string, string)

C#

```
public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string kontorBirimii);
```

Body Source

```

1: public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string
kontorBirimii) {
2:     this.kontorBilgisiGetirAsync(vknTckn, kontorTipi, kontorBirimii, null);
3: }

```

1.1.4.1.51.2.10.2 MustahsilWebService.kontorBilgisiGetirAsync Method (string, string, string, object)

C#

```
public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string kontorBirimii,
object userState);
```

Body Source

```

1: public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string
kontorBirimii, object userState) {
2:     if ((this.kontorBilgisiGetirOperationCompleted == null)) {
3:         this.kontorBilgisiGetirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnkontorBilgisiGetirOperationCompleted);
4:     }
5:     this.InvokeAsync("kontorBilgisiGetir", new object[] {
6:         vknTckn,
7:         kontorTipi,
8:         kontorBirimii}, this.kontorBilgisiGetirOperationCompleted, userState);
9: }

```

1.1.4.1.51.2.11 MustahsilWebService.mustahsilMakbuzIptalEt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzIptalEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)])
string input);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
mustahsilMakbuzIptalEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.

```

```

XmlSchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("mustahsilMakbuzIptalEt", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }

```

1.1.4.1.51.2.12 mustahsilMakbuzIptalEtAsync Method

1.1.4.1.51.2.12.1 MustahsilWebService.mustahsilMakbuzIptalEtAsync Method (string)

C#

```
public void mustahsilMakbuzIptalEtAsync(string input);
```

Body Source

```

1: public void mustahsilMakbuzIptalEtAsync(string input) {
2:     this.mustahsilMakbuzIptalEtAsync(input, null);
3: }

```

1.1.4.1.51.2.12.2 MustahsilWebService.mustahsilMakbuzIptalEtAsync Method (string, object)

C#

```
public void mustahsilMakbuzIptalEtAsync(string input, object userState);
```

Body Source

```

1: public void mustahsilMakbuzIptalEtAsync(string input, object userState) {
2:     if ((this.mustahsilMakbuzIptalEtOperationCompleted == null)) {
3:         this.mustahsilMakbuzIptalEtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzIptalEtOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzIptalEt", new object[] {
6:         input}, this.mustahsilMakbuzIptalEtOperationCompleted, userState);
7: }

```

1.1.4.1.51.2.13 MustahsilWebService.mustahsilMakbuzIptaliKaldır Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzIptaliKaldır([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string input);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
mustahsilMakbuzIptaliKaldır([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("mustahsilMakbuzIptaliKaldır", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }

```

1.1.4.1.51.2.14 mustahsilMakbuzIptaliKaldırAsync Method

1.1.4.1.51.2.14.1 MustahsilWebService.mustahsilMakbuzIptaliKaldırAsync Method (string)

C#

```
public void mustahsilMakbuzIptaliKaldırAsync(string input);
```

Body Source

```
1: public void mustahsilMakbuzIptaliKaldırAsync(string input) {
2:     this.mustahsilMakbuzIptaliKaldırAsync(input, null);
3: }
```

1.1.4.1.51.2.14.2 MustahsilWebService.mustahsilMakbuzIptaliKaldırAsync Method (string, object)

C#

```
public void mustahsilMakbuzIptaliKaldırAsync(string input, object userState);
```

Body Source

```
1: public void mustahsilMakbuzIptaliKaldırAsync(string input, object userState) {
2:     if ((this.mustahsilMakbuzIptaliKaldırOperationCompleted == null)) {
3:         this.mustahsilMakbuzIptaliKaldırOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzIptaliKaldırOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzIptaliKaldır", new object[] {
6:         input}, this.mustahsilMakbuzIptaliKaldırOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.15 MustahsilWebService.mustahsilMakbuzListeSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzListeSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hma.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out belgeDTO[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
mustahsilMakbuzListeSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hma.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out belgeDTO[] output) {
4:     object[] results = this.Invoke("mustahsilMakbuzListeSorgula", new object[] {
5:         input});
6:     output = ((belgeDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.4.1.51.2.16 mustahsilMakbuzListeSorgulaAsync Method

1.1.4.1.51.2.16.1 MustahsilWebService.mustahsilMakbuzListeSorgulaAsync Method (string)

C#

```
public void mustahsilMakbuzListeSorgulaAsync(string input);
```

Body Source

```
1: public void mustahsilMakbuzListeSorgulaAsync(string input) {  
2:     this.mustahsilMakbuzListeSorgulaAsync(input, null);  
3: }
```

1.1.4.1.51.2.16.2 MustahsilWebService.mustahsilMakbuzListeSorgulaAsync Method (string, object)

C#

```
public void mustahsilMakbuzListeSorgulaAsync(string input, object userState);
```

Body Source

```
1: public void mustahsilMakbuzListeSorgulaAsync(string input, object userState) {  
2:     if ((this.mustahsilMakbuzListeSorgulaOperationCompleted == null)) {  
3:         this.mustahsilMakbuzListeSorgulaOperationCompleted = new  
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzListeSorgulaOperationCompleted);  
4:     }  
5:     this.InvokeAsync("mustahsilMakbuzListeSorgula", new object[] {  
6:         input}, this.mustahsilMakbuzListeSorgulaOperationCompleted, userState);  
7: }
```

1.1.4.1.51.2.17 MustahsilWebService.mustahsilMakbuzListeSorgulaPortal Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",  
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",  
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",  
Use=System.Web.Services.Description.SoapBindingUse.Literal,  
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]  
[return: System.Xml.Serialization.XmlElementAttribute("return",  
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]  
public earsivServiceResult  
mustahsilMakbuzListeSorgulaPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.  
Xml.Schema.XmlSchemaForm.Unqualified)])  
string input, [System.Xml.Serialization.XmlElementAttribute("output",  
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out belgeDTO[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",  
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",  
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",  
Use=System.Web.Services.Description.SoapBindingUse.Literal,  
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]  
2: [return: System.Xml.Serialization.XmlElementAttribute("return",  
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]  
3: public earsivServiceResult  
mustahsilMakbuzListeSorgulaPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.  
Xml.Schema.XmlSchemaForm.Unqualified)])  
string input, [System.Xml.Serialization.XmlElementAttribute("output",  
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out belgeDTO[] output) {  
4:     object[] results = this.Invoke("mustahsilMakbuzListeSorgulaPortal", new object[] {  
5:         input});  
6:     output = ((belgeDTO[])(results[1]));  
7:     return ((earsivServiceResult)(results[0]));  
8: }
```

1.1.4.1.51.2.18 mustahsilMakbuzListeSorgulaPortalAsync Method

1.1.4.1.51.2.18.1 MustahsilWebService.mustahsilMakbuzListeSorgulaPortalAsync Method (string)

C#

```
public void mustahsilMakbuzListeSorgulaPortalAsync(string input);
```

Body Source

```
1: public void mustahsilMakbuzListeSorgulaPortalAsync(string input) {  
2:     this.mustahsilMakbuzListeSorgulaPortalAsync(input, null);  
3: }
```

1.1.4.1.51.2.18.2 MustahsilWebService.mustahsilMakbuzListeSorgulaPortalAsync Method (string, object)

C#

```
public void mustahsilMakbuzListeSorgulaPortalAsync(string input, object userState);
```

Body Source

```
1: public void mustahsilMakbuzListeSorgulaPortalAsync(string input, object userState) {  
2:     if ((this.mustahsilMakbuzListeSorgulaPortalOperationCompleted == null)) {  
3:         this.mustahsilMakbuzListeSorgulaPortalOperationCompleted = new  
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzListeSorgulaPortalOperationComplet  
ed);  
4:     }  
5:     this.InvokeAsync("mustahsilMakbuzListeSorgulaPortal", new object[] {  
6:         input}, this.mustahsilMakbuzListeSorgulaPortalOperationCompleted,  
userState);  
7: }
```

1.1.4.1.51.2.19 MustahsilWebService.mustahsilMakbuzOlustur Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute(" ",  
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",  
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",  
Use=System.Web.Services.Description.SoapBindingUse.Literal,  
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]  
[return: System.Xml.Serialization.XmlElementAttribute("output",  
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]  
public belge  
mustahsilMakbuzOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.  
XmlSchemaForm.Unqualified)]  
string input,  
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi  
ed)]  
belge belge,  
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi  
ed)]  
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute(" ",  
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",  
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",  
Use=System.Web.Services.Description.SoapBindingUse.Literal,  
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]  
2: [return: System.Xml.Serialization.XmlElementAttribute("output",  
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]  
3: public belge  
mustahsilMakbuzOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.  
XmlSchemaForm.Unqualified)]  
string input,  
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi  
ed)]  
belge belge,  
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi  
ed)]
```

```

out earsivServiceResult @return) {
4:     object[] results = this.Invoke("mustahsilMakbuzOlustur", new object[] {
5:         input,
6:         belge});
7:     @return = ((earsivServiceResult)(results[1]));
8:     return ((belge)(results[0]));
9: }

```

1.1.4.1.51.2.20 mustahsilMakbuzOlusturAsync Method

1.1.4.1.51.2.20.1 MustahsilWebService.mustahsilMakbuzOlusturAsync Method (string, belge)

C#

```
public void mustahsilMakbuzOlusturAsync(string input, belge belge);
```

Body Source

```

1: public void mustahsilMakbuzOlusturAsync(string input, belge belge) {
2:     this.mustahsilMakbuzOlusturAsync(input, belge, null);
3: }

```

1.1.4.1.51.2.20.2 MustahsilWebService.mustahsilMakbuzOlusturAsync Method (string, belge, object)

C#

```
public void mustahsilMakbuzOlusturAsync(string input, belge belge, object userState);
```

Body Source

```

1: public void mustahsilMakbuzOlusturAsync(string input, belge belge, object userState) {
2:     if ((this.mustahsilMakbuzOlusturOperationCompleted == null)) {
3:         this.mustahsilMakbuzOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzOlusturOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzOlustur", new object[] {
6:         input,
7:         belge}, this.mustahsilMakbuzOlusturOperationCompleted, userState);
8: }

```

1.1.4.1.51.2.21 MustahsilWebService.mustahsilMakbuzOnizleme Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
mustahsilMakbuzOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema
.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge belge,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]

```

```

3: public belge
mustahsilMakbuzOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
belge belge,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("mustahsilMakbuzOnizleme", new object[] {
5:         input,
6:         belge});
7:     @return = ((earsivServiceResult)(results[1]));
8:     return ((belge)(results[0]));
9: }

```

1.1.4.1.51.2.22 mustahsilMakbuzOnizlemeAsync Method

1.1.4.1.51.2.22.1 MustahsilWebService.mustahsilMakbuzOnizlemeAsync Method (string, belge)

C#

```
public void mustahsilMakbuzOnizlemeAsync(string input, belge belge);
```

Body Source

```

1: public void mustahsilMakbuzOnizlemeAsync(string input, belge belge) {
2:     this.mustahsilMakbuzOnizlemeAsync(input, belge, null);
3: }

```

1.1.4.1.51.2.22.2 MustahsilWebService.mustahsilMakbuzOnizlemeAsync Method (string, belge, object)

C#

```
public void mustahsilMakbuzOnizlemeAsync(string input, belge belge, object userState);
```

Body Source

```

1: public void mustahsilMakbuzOnizlemeAsync(string input, belge belge, object userState) {
2:     if ((this.mustahsilMakbuzOnizlemeOperationCompleted == null)) {
3:         this.mustahsilMakbuzOnizlemeOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzOnizlemeOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzOnizleme", new object[] {
6:         input,
7:         belge}, this.mustahsilMakbuzOnizlemeOperationCompleted, userState);
8: }

```

1.1.4.1.51.2.23 MustahsilWebService.mustahsilMakbuzSorgula Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
mustahsilMakbuzSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return);

```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
mustahsilMakbuzSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("mustahsilMakbuzSorgula", new object[] {
5:         input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }

```

1.1.4.1.51.2.24 mustahsilMakbuzSorgulaAsync Method

1.1.4.1.51.2.24.1 MustahsilWebService.mustahsilMakbuzSorgulaAsync Method (string)

C#

```
public void mustahsilMakbuzSorgulaAsync(string input);
```

Body Source

```

1: public void mustahsilMakbuzSorgulaAsync(string input) {
2:     this.mustahsilMakbuzSorgulaAsync(input, null);
3: }
```

1.1.4.1.51.2.24.2 MustahsilWebService.mustahsilMakbuzSorgulaAsync Method (string, object)

C#

```
public void mustahsilMakbuzSorgulaAsync(string input, object userState);
```

Body Source

```

1: public void mustahsilMakbuzSorgulaAsync(string input, object userState) {
2:     if ((this.mustahsilMakbuzSorgulaOperationCompleted == null)) {
3:         this.mustahsilMakbuzSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzSorgula", new object[] {
6:         input}, this.mustahsilMakbuzSorgulaOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.25 MustahsilWebService.mustahsilMakbuzTaslakOlustur Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzTaslakOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.S
chema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge belge);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
mustahsilMakbuzTaslakOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.S
chema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge belge) {
4:     object[] results = this.Invoke("mustahsilMakbuzTaslakOlustur", new object[] {
5:         input,
6:         belge});
7:     return ((earsivServiceResult)(results[0]));
8: }

```

1.1.4.1.51.2.26 mustahsilMakbuzTaslakOlusturAsync Method**1.1.4.1.51.2.26.1 MustahsilWebService.mustahsilMakbuzTaslakOlusturAsync Method (string, belge)****C#**

```
public void mustahsilMakbuzTaslakOlusturAsync(string input, belge belge);
```

Body Source

```

1: public void mustahsilMakbuzTaslakOlusturAsync(string input, belge belge) {
2:     this.mustahsilMakbuzTaslakOlusturAsync(input, belge, null);
3: }

```

1.1.4.1.51.2.26.2 MustahsilWebService.mustahsilMakbuzTaslakOlusturAsync Method (string, belge, object)**C#**

```
public void mustahsilMakbuzTaslakOlusturAsync(string input, belge belge, object userState);
```

Body Source

```

1: public void mustahsilMakbuzTaslakOlusturAsync(string input, belge belge, object
userState) {
2:     if ((this.mustahsilMakbuzTaslakOlusturOperationCompleted == null)) {
3:         this.mustahsilMakbuzTaslakOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzTaslakOlusturOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzTaslakOlustur", new object[] {
6:         input,
7:         belge}, this.mustahsilMakbuzTaslakOlusturOperationCompleted, userState);
8: }

```

1.1.4.1.51.2.27 MustahsilWebService.mustahsilMakbuzTaslakOnizleme Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzTaslakOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string input,

```

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out belge output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
mustahsilMakbuzTaslakOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out belge output) {
4:     object[] results = this.Invoke("mustahsilMakbuzTaslakOnizleme", new object[] {
5:         input});
6:     output = ((belge)(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.4.1.51.2.28 mustahsilMakbuzTaslakOnizlemeAsync Method**1.1.4.1.51.2.28.1 MustahsilWebService.mustahsilMakbuzTaslakOnizlemeAsync Method (string)****C#**

```
public void mustahsilMakbuzTaslakOnizlemeAsync(string input);
```

Body Source

```
1: public void mustahsilMakbuzTaslakOnizlemeAsync(string input) {
2:     this.mustahsilMakbuzTaslakOnizlemeAsync(input, null);
3: }
```

1.1.4.1.51.2.28.2 MustahsilWebService.mustahsilMakbuzTaslakOnizlemeAsync Method (string, object)**C#**

```
public void mustahsilMakbuzTaslakOnizlemeAsync(string input, object userState);
```

Body Source

```
1: public void mustahsilMakbuzTaslakOnizlemeAsync(string input, object userState) {
2:     if ((this.mustahsilMakbuzTaslakOnizlemeOperationCompleted == null)) {
3:         this.mustahsilMakbuzTaslakOnizlemeOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzTaslakOnizlemeOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzTaslakOnizleme", new object[] {
6:         input}, this.mustahsilMakbuzTaslakOnizlemeOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.29 MustahsilWebService.mustahsilMakbuzTaslakSil Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzTaslakSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schem
a.XmlSchemaForm.Unqualified)])
```

```
    string input);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
mustahsilMakbuzTaslakSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("mustahsilMakbuzTaslakSil", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.4.1.51.2.30 mustahsilMakbuzTaslakSilAsync Method**1.1.4.1.51.2.30.1 MustahsilWebService.mustahsilMakbuzTaslakSilAsync Method (string)****C#**

```
public void mustahsilMakbuzTaslakSilAsync(string input);
```

Body Source

```
1: public void mustahsilMakbuzTaslakSilAsync(string input) {
2:     this.mustahsilMakbuzTaslakSilAsync(input, null);
3: }
```

1.1.4.1.51.2.30.2 MustahsilWebService.mustahsilMakbuzTaslakSilAsync Method (string, object)**C#**

```
public void mustahsilMakbuzTaslakSilAsync(string input, object userState);
```

Body Source

```
1: public void mustahsilMakbuzTaslakSilAsync(string input, object userState) {
2:     if ((this.mustahsilMakbuzTaslakSilOperationCompleted == null)) {
3:         this.mustahsilMakbuzTaslakSilOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzTaslakSilOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzTaslakSil", new object[] {
6:         input}, this.mustahsilMakbuzTaslakSilOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.31 MustahsilWebService.mustahsilMakbuzTaslakSorgula Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzTaslakSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out belgeDTO[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
```

```

ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
mustahsilMakbuzTaslakSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.S
chema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out belgeDTO[] output) {
4:     object[] results = this.Invoke("mustahsilMakbuzTaslakSorgula", new object[] {
5:         input});
6:     output = ((belgeDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }

```

1.1.4.1.51.2.32 mustahsilMakbuzTaslakSorgulaAsync Method

1.1.4.1.51.2.32.1 MustahsilWebService.mustahsilMakbuzTaslakSorgulaAsync Method (string)

C#

```
public void mustahsilMakbuzTaslakSorgulaAsync(string input);
```

Body Source

```

1: public void mustahsilMakbuzTaslakSorgulaAsync(string input) {
2:     this.mustahsilMakbuzTaslakSorgulaAsync(input, null);
3: }

```

1.1.4.1.51.2.32.2 MustahsilWebService.mustahsilMakbuzTaslakSorgulaAsync Method (string, object)

C#

```
public void mustahsilMakbuzTaslakSorgulaAsync(string input, object userState);
```

Body Source

```

1: public void mustahsilMakbuzTaslakSorgulaAsync(string input, object userState) {
2:     if ((this.mustahsilMakbuzTaslakSorgulaOperationCompleted == null)) {
3:         this.mustahsilMakbuzTaslakSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzTaslakSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzTaslakSorgula", new object[] {
6:         input}, this.mustahsilMakbuzTaslakSorgulaOperationCompleted, userState);
7: }

```

1.1.4.1.51.2.33 MustahsilWebService.mustahsilMakbuzTaslaktanOlustur Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
mustahsilMakbuzTaslaktanOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
```

```

1: Use=System.Web.Services.Description.SoapBindingUse.Literal,
2: ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
3: Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
mustahsilMakbuzTaslaktanOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
1.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("mustahsilMakbuzTaslaktanOlustur", new object[] {
5:         input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }

```

1.1.4.1.51.2.34 mustahsilMakbuzTaslaktanOlusturAsync Method

1.1.4.1.51.2.34.1 MustahsilWebService.mustahsilMakbuzTaslaktanOlusturAsync Method (string)

C#

```
public void mustahsilMakbuzTaslaktanOlusturAsync(string input);
```

Body Source

```

1: public void mustahsilMakbuzTaslaktanOlusturAsync(string input) {
2:     this.mustahsilMakbuzTaslaktanOlusturAsync(input, null);
3: }

```

1.1.4.1.51.2.34.2 MustahsilWebService.mustahsilMakbuzTaslaktanOlusturAsync Method (string, object)

C#

```
public void mustahsilMakbuzTaslaktanOlusturAsync(string input, object userState);
```

Body Source

```

1: public void mustahsilMakbuzTaslaktanOlusturAsync(string input, object userState) {
2:     if ((this.mustahsilMakbuzTaslaktanOlusturOperationCompleted == null)) {
3:         this.mustahsilMakbuzTaslaktanOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzTaslaktanOlusturOperationCompleted
);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzTaslaktanOlustur", new object[] {
6:         input}, this.mustahsilMakbuzTaslaktanOlusturOperationCompleted,
userState);
7: }

```

1.1.4.1.51.2.35 MustahsilWebService.OnbelgeZipiAIOperationCompleted Method

C#

```
private void OnbelgeZipiAIOperationCompleted(object arg);
```

Description

This is OnbelgeZipiAIOperationCompleted, a member of class MustahsilWebService.

Body Source

```

1: private void OnbelgeZipiAIOperationCompleted(object arg) {
2:     if ((this.belgeZipiAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.belgeZipiAlCompleted(this, new
belgeZipiAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }

```

1.1.4.1.51.2.36 MustahsilWebService.OnePostaDurumSorgulaOperationCompleted Method

C#

```
private void OnePostaDurumSorgulaOperationCompleted(object arg);
```

Description

This is OnePostaDurumSorgulaOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnePostaDurumSorgulaOperationCompleted(object arg) {
2:     if ((this.ePostaDurumSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.ePostaDurumSorgulaCompleted(this, new
ePostaDurumSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
6:     }
6: }
```

1.1.4.1.51.2.37 MustahsilWebService.OnePostaGonderOperationCompleted Method

C#

```
private void OnePostaGonderOperationCompleted(object arg);
```

Description

This is OnePostaGonderOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnePostaGonderOperationCompleted(object arg) {
2:     if ((this.ePostaGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.ePostaGonderCompleted(this, new
ePostaGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
6:     }
6: }
```

1.1.4.1.51.2.38 MustahsilWebService.OnkontorBilgisiGetirOperationCompleted Method

C#

```
private void OnkontorBilgisiGetirOperationCompleted(object arg);
```

Description

This is OnkontorBilgisiGetirOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnkontorBilgisiGetirOperationCompleted(object arg) {
2:     if ((this.kontorBilgisiGetirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.kontorBilgisiGetirCompleted(this, new
kontorBilgisiGetirCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
6:     }
6: }
```

1.1.4.1.51.2.39 MustahsilWebService.OnmustahsilMakbuzIptalEtOperationCompleted Method

C#

```
private void OnmustahsilMakbuzIptalEtOperationCompleted(object arg);
```

Description

This is OnmustahsilMakbuzIptalEtOperationCompleted, a member of class MustahsilWebService.

Body Source

```

1: private void OnmustahsilMakbuzIptalEtOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzIptalEtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.mustahsilMakbuzIptalEtCompleted(this, new
mustahsilMakbuzIptalEtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.40 MustahsilWebService.OnmustahsilMakbuzIptaliKaldırOperationCompleted Method

C#

```
private void OnmustahsilMakbuzIptaliKaldırOperationCompleted(object arg);
```

Description

This is OnmustahsilMakbuzIptaliKaldırOperationCompleted, a member of class MustahsilWebService.

Body Source

```

1: private void OnmustahsilMakbuzIptaliKaldırOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzIptaliKaldırCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.mustahsilMakbuzIptaliKaldırCompleted(this, new
mustahsilMakbuzIptaliKaldırCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.41 MustahsilWebService.OnmustahsilMakbuzListeSorgulaOperationCompleted Method

C#

```
private void OnmustahsilMakbuzListeSorgulaOperationCompleted(object arg);
```

Description

This is OnmustahsilMakbuzListeSorgulaOperationCompleted, a member of class MustahsilWebService.

Body Source

```

1: private void OnmustahsilMakbuzListeSorgulaOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzListeSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.mustahsilMakbuzListeSorgulaCompleted(this, new
mustahsilMakbuzListeSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.42 MustahsilWebService.OnmustahsilMakbuzListeSorgulaPortalOperationCompleted Method

C#

```
private void OnmustahsilMakbuzListeSorgulaPortalOperationCompleted(object arg);
```

Description

This is OnmustahsilMakbuzListeSorgulaPortalOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnmustahsilMakbuzListeSorgulaPortalOperationCompleted(object arg) {
```

```

2:     if ((this.mustahsilMakbuzListeSorgulaPortalCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.mustahsilMakbuzListeSorgulaPortalCompleted(this, new
mustahsilMakbuzListeSorgulaPortalCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
6:     }

```

1.1.4.1.51.2.43 MustahsilWebService.OnmustahsilMakbuzOlusturOperationCompleted Method

C#

```
private void OnmustahsilMakbuzOlusturOperationCompleted(object arg);
```

Description

This is OnmustahsilMakbuzOlusturOperationCompleted, a member of class MustahsilWebService.

Body Source

```

1: private void OnmustahsilMakbuzOlusturOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzOlusturCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.mustahsilMakbuzOlusturCompleted(this, new
mustahsilMakbuzOlusturCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
6:     }

```

1.1.4.1.51.2.44 MustahsilWebService.OnmustahsilMakbuzOnizlemeOperationCompleted Method

C#

```
private void OnmustahsilMakbuzOnizlemeOperationCompleted(object arg);
```

Description

This is OnmustahsilMakbuzOnizlemeOperationCompleted, a member of class MustahsilWebService.

Body Source

```

1: private void OnmustahsilMakbuzOnizlemeOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzOnizlemeCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.mustahsilMakbuzOnizlemeCompleted(this, new
mustahsilMakbuzOnizlemeCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
6:     }

```

1.1.4.1.51.2.45 MustahsilWebService.OnmustahsilMakbuzSorgulaOperationCompleted Method

C#

```
private void OnmustahsilMakbuzSorgulaOperationCompleted(object arg);
```

Description

This is OnmustahsilMakbuzSorgulaOperationCompleted, a member of class MustahsilWebService.

Body Source

```

1: private void OnmustahsilMakbuzSorgulaOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.mustahsilMakbuzSorgulaCompleted(this, new
mustahsilMakbuzSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
6:     }

```

```
6: }
```

1.1.4.1.51.2.46 MustahsilWebService.OnmustahsilMakbuzTaslakOlusturOperationCompleted Method

C#

```
private void OnmustahsilMakbuzTaslakOlusturOperationCompleted(object arg);
```

Description

This is OnmustahsilMakbuzTaslakOlusturOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnmustahsilMakbuzTaslakOlusturOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzTaslakOlusturCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.mustahsilMakbuzTaslakOlusturCompleted(this, new
mustahsilMakbuzTaslakOlusturCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.47 MustahsilWebService.OnmustahsilMakbuzTaslakOnizlemeOperationCompleted Method

C#

```
private void OnmustahsilMakbuzTaslakOnizlemeOperationCompleted(object arg);
```

Description

This is OnmustahsilMakbuzTaslakOnizlemeOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnmustahsilMakbuzTaslakOnizlemeOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzTaslakOnizlemeCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.mustahsilMakbuzTaslakOnizlemeCompleted(this, new
mustahsilMakbuzTaslakOnizlemeCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.48 MustahsilWebService.OnmustahsilMakbuzTaslakSilOperationCompleted Method

C#

```
private void OnmustahsilMakbuzTaslakSilOperationCompleted(object arg);
```

Description

This is OnmustahsilMakbuzTaslakSilOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnmustahsilMakbuzTaslakSilOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzTaslakSilCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.mustahsilMakbuzTaslakSilCompleted(this, new
mustahsilMakbuzTaslakSilCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.49 MustahsilWebService.OnmustahsilMakbuzTaslakSorgulaOperationCompleted Method

C#

```
private void OnmustahsilMakbuzTaslakSorgulaOperationCompleted(object arg);
```

Description

This is OnmustahsilMakbuzTaslakSorgulaOperationCompleted, a member of class MustahsilWebService.

Body Source

```

1: private void OnmustahsilMakbuzTaslakSorgulaOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzTaslakSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.mustahsilMakbuzTaslakSorgulaCompleted(this, new
mustahsilMakbuzTaslakSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.50 MustahsilWebService.OnmustahsilMakbuzTaslaktanOlusturOperationCompleted Method**C#**

```
private void OnmustahsilMakbuzTaslaktanOlusturOperationCompleted(object arg);
```

Description

This is OnmustahsilMakbuzTaslaktanOlusturOperationCompleted, a member of class MustahsilWebService.

Body Source

```

1: private void OnmustahsilMakbuzTaslaktanOlusturOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzTaslaktanOlusturCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.mustahsilMakbuzTaslaktanOlusturCompleted(this, new
mustahsilMakbuzTaslaktanOlusturCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.51 MustahsilWebService.OnraporBolumAIOperationCompleted Method**C#**

```
private void OnraporBolumAIOperationCompleted(object arg);
```

Description

This is OnraporBolumAIOperationCompleted, a member of class MustahsilWebService.

Body Source

```

1: private void OnraporBolumAIOperationCompleted(object arg) {
2:     if ((this.raporBolumAICompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumAICompleted(this, new
raporBolumAICompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.52 MustahsilWebService.OnraporBolumBilgisiAIOperationCompleted Method**C#**

```
private void OnraporBolumBilgisiAIOperationCompleted(object arg);
```

Description

This is OnraporBolumBilgisiAIOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnraporBolumBilgisiAIOperationCompleted(object arg) {
```

```

2:     if ((this.raporBolumBilgisiAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.raporBolumBilgisiAlCompleted(this, new
6:             raporBolumBilgisiAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

1.1.4.1.51.2.53 MustahsilWebService.OnraporBolumleriOlusturOperationCompleted Method

C#

```
private void OnraporBolumleriOlusturOperationCompleted(object arg);
```

Description

This is OnraporBolumleriOlusturOperationCompleted, a member of class MustahsilWebService.

Body Source

```

1: private void OnraporBolumleriOlusturOperationCompleted(object arg) {
2:     if ((this.raporBolumleriOlusturCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.raporBolumleriOlusturCompleted(this, new
6:             raporBolumleriOlusturCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

1.1.4.1.51.2.54 MustahsilWebService.OnraporBolumListesiDetaigliSorgulaOperationCompleted Method

C#

```
private void OnraporBolumListesiDetaigliSorgulaOperationCompleted(object arg);
```

Description

This is OnraporBolumListesiDetaigliSorgulaOperationCompleted, a member of class MustahsilWebService.

Body Source

```

1: private void OnraporBolumListesiDetaigliSorgulaOperationCompleted(object arg) {
2:     if ((this.raporBolumListesiDetaigliSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.raporBolumListesiDetaigliSorgulaCompleted(this, new
6:             raporBolumListesiDetaigliSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

1.1.4.1.51.2.55 MustahsilWebService.OnraporBolumListesiSorgulaOperationCompleted Method

C#

```
private void OnraporBolumListesiSorgulaOperationCompleted(object arg);
```

Description

This is OnraporBolumListesiSorgulaOperationCompleted, a member of class MustahsilWebService.

Body Source

```

1: private void OnraporBolumListesiSorgulaOperationCompleted(object arg) {
2:     if ((this.raporBolumListesiSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.raporBolumListesiSorgulaCompleted(this, new
6:             raporBolumListesiSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

```
6: }
```

1.1.4.1.51.2.56 MustahsilWebService.OnraporBolumRaporNoGuncelleImzalaOperationCompleted Method

C#

```
private void OnraporBolumRaporNoGuncelleImzalaOperationCompleted(object arg);
```

Description

This is OnraporBolumRaporNoGuncelleImzalaOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnraporBolumRaporNoGuncelleImzalaOperationCompleted(object arg) {
2:     if ((this.raporBolumRaporNoGuncelleImzalaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumRaporNoGuncelleImzalaCompleted(this, new
raporBolumRaporNoGuncelleImzalaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.57 MustahsilWebService.OnraporBolumSilOperationCompleted Method

C#

```
private void OnraporBolumSilOperationCompleted(object arg);
```

Description

This is OnraporBolumSilOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnraporBolumSilOperationCompleted(object arg) {
2:     if ((this.raporBolumSilCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumSilCompleted(this, new
raporBolumSilCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.58 MustahsilWebService.OnrapordaBelgeSorgulaOperationCompleted Method

C#

```
private void OnrapordaBelgeSorgulaOperationCompleted(object arg);
```

Description

This is OnrapordaBelgeSorgulaOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnrapordaBelgeSorgulaOperationCompleted(object arg) {
2:     if ((this.rapordaBelgeSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.rapordaBelgeSorgulaCompleted(this, new
rapordaBelgeSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.59 MustahsilWebService.OnraporDurumSorgulaOperationCompleted Method

C#

```
private void OnraporDurumSorgulaOperationCompleted(object arg);
```

Description

This is OnraporDurumSorgulaOperationCompleted, a member of class MustahsilWebService.

Body Source

```

1: private void OnraporDurumSorgulaOperationCompleted(object arg) {
2:     if ((this.raporDurumSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporDurumSorgulaCompleted(this, new
raporDurumSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.60 MustahsilWebService.OnraporGonderOperationCompleted Method

C#

```
private void OnraporGonderOperationCompleted(object arg);
```

Description

This is OnraporGonderOperationCompleted, a member of class MustahsilWebService.

Body Source

```

1: private void OnraporGonderOperationCompleted(object arg) {
2:     if ((this.raporGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporGonderCompleted(this, new
raporGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.61 MustahsilWebService.OnsmsDurumSorgulaOperationCompleted Method

C#

```
private void OnsmsDurumSorgulaOperationCompleted(object arg);
```

Description

This is OnsmsDurumSorgulaOperationCompleted, a member of class MustahsilWebService.

Body Source

```

1: private void OnsmsDurumSorgulaOperationCompleted(object arg) {
2:     if ((this.smsDurumSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.smsDurumSorgulaCompleted(this, new
smsDurumSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

1.1.4.1.51.2.62 MustahsilWebService.OnsmsGonderOperationCompleted Method

C#

```
private void OnsmsGonderOperationCompleted(object arg);
```

Description

This is OnsmsGonderOperationCompleted, a member of class MustahsilWebService.

Body Source

```
1: private void OnsmsGonderOperationCompleted(object arg) {
```

```

2:     if ((this.smsGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.smsGonderCompleted(this, new
6: smsGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
6:     }

```

1.1.4.1.51.2.63 MustahsilWebService.raporBolumAI Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
raporBolumAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string bolumRaporNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return;

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
raporBolumAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string bolumRaporNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("raporBolumAl", new object[] {
5:         bolumRaporNo});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }

```

1.1.4.1.51.2.64 raporBolumAIAsync Method

1.1.4.1.51.2.64.1 MustahsilWebService.raporBolumAIAsync Method (string)

C#

```
public void raporBolumAlAsync(string bolumRaporNo);
```

Body Source

```

1: public void raporBolumAlAsync(string bolumRaporNo) {
2:     this.raporBolumAlAsync(bolumRaporNo, null);
3: }

```

1.1.4.1.51.2.64.2 MustahsilWebService.raporBolumAIAsync Method (string, object)

C#

```
public void raporBolumAlAsync(string bolumRaporNo, object userState);
```

Body Source

```

1: public void raporBolumAlAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumAlOperationCompleted == null)) {
3:         this.raporBolumAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumAlOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumAl", new object[] {
6:         bolumRaporNo}, this.raporBolumAlOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.65 MustahsilWebService.raporBolumBilgisiAl Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumBilgisiAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string bolumRaporNo);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumBilgisiAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string bolumRaporNo) {
4:     object[] results = this.Invoke("raporBolumBilgisiAl", new object[] {
5:         bolumRaporNo});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.4.1.51.2.66 raporBolumBilgisiAlAsync Method**1.1.4.1.51.2.66.1 MustahsilWebService.raporBolumBilgisiAlAsync Method (string)****C#**

```
public void raporBolumBilgisiAlAsync(string bolumRaporNo);
```

Body Source

```

1: public void raporBolumBilgisiAlAsync(string bolumRaporNo) {
2:     this.raporBolumBilgisiAlAsync(bolumRaporNo, null);
3: }
```

1.1.4.1.51.2.66.2 MustahsilWebService.raporBolumBilgisiAlAsync Method (string, object)**C#**

```
public void raporBolumBilgisiAlAsync(string bolumRaporNo, object userState);
```

Body Source

```

1: public void raporBolumBilgisiAlAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumBilgisiAlOperationCompleted == null)) {
3:         this.raporBolumBilgisiAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumBilgisiAlOperationCompleted);
```

```

4:     }
5:     this.InvokeAsync("raporBolumBilgisiAl", new object[] {
6:         bolumRaporNo}, this.raporBolumBilgisiAlOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.67 MustahsilWebService.raporBolumleriOlustur Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumleriOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string sonGun);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumleriOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string sonGun) {
4:     object[] results = this.Invoke("raporBolumleriOlustur", new object[] {
5:         input,
6:         donem,
7:         sonGun});
8:     return ((earsivServiceResult)(results[0]));
9: }
```

1.1.4.1.51.2.68 raporBolumleriOlusturAsync Method

1.1.4.1.51.2.68.1 MustahsilWebService.raporBolumleriOlusturAsync Method (string, string, string)

C#

```
public void raporBolumleriOlusturAsync(string input, string donem, string sonGun);
```

Body Source

```

1: public void raporBolumleriOlusturAsync(string input, string donem, string sonGun) {
2:     this.raporBolumleriOlusturAsync(input, donem, sonGun, null);
3: }
```

1.1.4.1.51.2.68.2 MustahsilWebService.raporBolumleriOlusturAsync Method (string, string, string, object)

C#

```
public void raporBolumleriOlusturAsync(string input, string donem, string sonGun, object
userState);
```

Body Source

```
1: public void raporBolumleriOlusturAsync(string input, string donem, string sonGun, object
userState) {
2:     if ((this.raporBolumleriOlusturOperationCompleted == null)) {
3:         this.raporBolumleriOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumleriOlusturOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumleriOlustur", new object[] {
6:         input,
7:         donem,
8:         sonGun}, this.raporBolumleriOlusturOperationCompleted, userState);
9: }
```

1.1.4.1.51.2.69 MustahsilWebService.raporBolumListesiDetayliSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumListesiDetayliSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string donem, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out raporBolumDTO[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumListesiDetayliSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string donem, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out raporBolumDTO[] output) {
4:     object[] results = this.Invoke("raporBolumListesiDetayliSorgula", new object[] {
5:         donem});
6:     output = ((raporBolumDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.4.1.51.2.70 raporBolumListesiDetayliSorgulaAsync Method

1.1.4.1.51.2.70.1 MustahsilWebService.raporBolumListesiDetayliSorgulaAsync Method (string)

C#

```
public void raporBolumListesiDetayliSorgulaAsync(string donem);
```

Body Source

```
1: public void raporBolumListesiDetayliSorgulaAsync(string donem) {
2:     this.raporBolumListesiDetayliSorgulaAsync(donem, null);
```

```
3: }
```

1.1.4.1.51.2.70.2 MustahsilWebService.raporBolumListesiDetayliSorgulaAsync Method (string, object)

C#

```
public void raporBolumListesiDetayliSorgulaAsync(string donem, object userState);
```

Body Source

```
1: public void raporBolumListesiDetayliSorgulaAsync(string donem, object userState) {
2:     if ((this.raporBolumListesiDetayliSorgulaOperationCompleted == null)) {
3:         this.raporBolumListesiDetayliSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumListesiDetayliSorgulaOperationCompleted
);
4:     }
5:     this.InvokeAsync("raporBolumListesiDetayliSorgula", new object[] {
6:         donem}, this.raporBolumListesiDetayliSorgulaOperationCompleted,
userState);
7: }
```

1.1.4.1.51.2.71 MustahsilWebService.raporBolumListesiSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
raporBolumListesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
raporBolumListesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("raporBolumListesiSorgula", new object[] {
5:         donem});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((string)(results[0]));
8: }
```

1.1.4.1.51.2.72 raporBolumListesiSorgulaAsync Method

1.1.4.1.51.2.72.1 MustahsilWebService.raporBolumListesiSorgulaAsync Method (string)

C#

```
public void raporBolumListesiSorgulaAsync(string donem);
```

Body Source

```

1: public void raporBolumListesiSorgulaAsync(string donem) {
2:     this.raporBolumListesiSorgulaAsync(donem, null);
3: }

```

1.1.4.1.51.2.72.2 MustahsilWebService.raporBolumListesiSorgulaAsync Method (string, object)**C#**

```
public void raporBolumListesiSorgulaAsync(string donem, object userState);
```

Body Source

```

1: public void raporBolumListesiSorgulaAsync(string donem, object userState) {
2:     if ((this.raporBolumListesiSorgulaOperationCompleted == null)) {
3:         this.raporBolumListesiSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumListesiSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumListesiSorgula", new object[] {
6:         donem}, this.raporBolumListesiSorgulaOperationCompleted, userState);
7: }

```

1.1.4.1.51.2.73 MustahsilWebService.raporBolumRaporNoGuncelleImzala Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumRaporNoGuncelleImzala([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
1.Schema.XmlSchemaForm.Unqualified)]
string bolumRaporNo);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumRaporNoGuncelleImzala([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
1.Schema.XmlSchemaForm.Unqualified)]
string bolumRaporNo) {
4:     object[] results = this.Invoke("raporBolumRaporNoGuncelleImzala", new object[] {
5:         bolumRaporNo});
6:     return ((earsivServiceResult)(results[0]));
7: }

```

1.1.4.1.51.2.74 raporBolumRaporNoGuncelleImzalaAsync Method**1.1.4.1.51.2.74.1 MustahsilWebService.raporBolumRaporNoGuncelleImzalaAsync Method (string)****C#**

```
public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo);
```

Body Source

```

1: public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo) {
2:     this.raporBolumRaporNoGuncelleImzalaAsync(bolumRaporNo, null);
3: }

```

1.1.4.1.51.2.74.2 MustahsilWebService.raporBolumRaporNoGuncelleImzalaAsync Method (string, object)**C#**

```
public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo, object userState);
```

Body Source

```
1: public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumRaporNoGuncelleImzalaOperationCompleted == null)) {
3:         this.raporBolumRaporNoGuncelleImzalaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumRaporNoGuncelleImzalaOperationCompleted
);
4:     }
5:     this.InvokeAsync("raporBolumRaporNoGuncelleImzala", new object[] {
6:         bolumRaporNo}, this.raporBolumRaporNoGuncelleImzalaOperationCompleted,
userState);
7: }
```

1.1.4.1.51.2.75 MustahsilWebService.raporBolumSil Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string bolumRaporNo);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string bolumRaporNo) {
4:     object[] results = this.Invoke("raporBolumSil", new object[] {
5:         bolumRaporNo});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.4.1.51.2.76 raporBolumSilAsync Method**1.1.4.1.51.2.76.1 MustahsilWebService.raporBolumSilAsync Method (string)****C#**

```
public void raporBolumSilAsync(string bolumRaporNo);
```

Body Source

```
1: public void raporBolumSilAsync(string bolumRaporNo) {
2:     this.raporBolumSilAsync(bolumRaporNo, null);
3: }
```

1.1.4.1.51.2.76.2 MustahsilWebService.raporBolumSilAsync Method (string, object)

C#

```
public void raporBolumSilAsync(string bolumRaporNo, object userState);
```

Body Source

```
1: public void raporBolumSilAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumSilOperationCompleted == null)) {
3:         this.raporBolumSilOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumSilOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumSil", new object[] {
6:         bolumRaporNo}, this.raporBolumSilOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.77 MustahsilWebService.rapordaBelgeSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
rapordaBelgeSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string input);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
rapordaBelgeSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string input)
4:     object[] results = this.Invoke("rapordaBelgeSorgula", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.4.1.51.2.78 rapordaBelgeSorgulaAsync Method

1.1.4.1.51.2.78.1 MustahsilWebService.rapordaBelgeSorgulaAsync Method (string)

C#

```
public void rapordaBelgeSorgulaAsync(string input);
```

Body Source

```
1: public void rapordaBelgeSorgulaAsync(string input) {
2:     this.rapordaBelgeSorgulaAsync(input, null);
3: }
```

1.1.4.1.51.2.78.2 MustahsilWebService.rapordaBelgeSorgulaAsync Method (string, object)

C#

```
public void rapordaBelgeSorgulaAsync(string input, object userState);
```

Body Source

```

1: public void rapordaBelgeSorgulaAsync(string input, object userState) {
2:     if ((this.rapordaBelgeSorgulaOperationCompleted == null)) {
3:         this.rapordaBelgeSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnrapordaBelgeSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("rapordaBelgeSorgula", new object[] {
6:         input}, this.rapordaBelgeSorgulaOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.79 MustahsilWebService.raporDurumSorgula Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSc
hemaForm.Unqualified)]
string donem);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSc
hemaForm.Unqualified)]
string donem) {
4:     object[] results = this.Invoke("raporDurumSorgula", new object[] {
5:         donem});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.4.1.51.2.80 raporDurumSorgulaAsync Method**1.1.4.1.51.2.80.1 MustahsilWebService.raporDurumSorgulaAsync Method (string)****C#**

```
public void raporDurumSorgulaAsync(string donem);
```

Body Source

```

1: public void raporDurumSorgulaAsync(string donem) {
2:     this.raporDurumSorgulaAsync(donem, null);
3: }
```

1.1.4.1.51.2.80.2 MustahsilWebService.raporDurumSorgulaAsync Method (string, object)**C#**

```
public void raporDurumSorgulaAsync(string donem, object userState);
```

Body Source

```

1: public void raporDurumSorgulaAsync(string donem, object userState) {
2:     if ((this.raporDurumSorgulaOperationCompleted == null)) {
3:         this.raporDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporDurumSorgulaOperationCompleted);
```

```

4:      }
5:      this.InvokeAsync("raporDurumSorgula", new object[] {
6:          donem}, this.raporDurumSorgulaOperationCompleted, userState);
7:  }

```

1.1.4.1.51.2.81 MustahsilWebService.raporGonder Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
string donem);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
string donem) {
4:     object[] results = this.Invoke("raporGonder", new object[] {
5:         donem});
6:     return ((earsivServiceResult)(results[0]));
7: }

```

1.1.4.1.51.2.82 raporGonderAsync Method

1.1.4.1.51.2.82.1 MustahsilWebService.raporGonderAsync Method (string)

C#

```
public void raporGonderAsync(string donem);
```

Body Source

```

1: public void raporGonderAsync(string donem) {
2:     this.raporGonderAsync(donem, null);
3: }

```

1.1.4.1.51.2.82.2 MustahsilWebService.raporGonderAsync Method (string, object)

C#

```
public void raporGonderAsync(string donem, object userState);
```

Body Source

```

1: public void raporGonderAsync(string donem, object userState) {
2:     if ((this.raporGonderOperationCompleted == null)) {
3:         this.raporGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("raporGonder", new object[] {
6:         donem}, this.raporGonderOperationCompleted, userState);
7: }

```

1.1.4.1.51.2.83 MustahsilWebService.smsDurumSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
smsDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out string outputDurum);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
smsDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out string outputDurum) {
4:     object[] results = this.Invoke("smsDurumSorgula", new object[] {
5:         input});
6:     outputDurum = ((string)(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.4.1.51.2.84 smsDurumSorgulaAsync Method

1.1.4.1.51.2.84.1 MustahsilWebService.smsDurumSorgulaAsync Method (string)

C#

```
public void smsDurumSorgulaAsync(string input);
```

Body Source

```
1: public void smsDurumSorgulaAsync(string input) {
2:     this.smsDurumSorgulaAsync(input, null);
3: }
```

1.1.4.1.51.2.84.2 MustahsilWebService.smsDurumSorgulaAsync Method (string, object)

C#

```
public void smsDurumSorgulaAsync(string input, object userState);
```

Body Source

```
1: public void smsDurumSorgulaAsync(string input, object userState) {
2:     if ((this.smsDurumSorgulaOperationCompleted == null)) {
3:         this.smsDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnsmsDurumSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("smsDurumSorgula", new object[] {
6:         input}, this.smsDurumSorgulaOperationCompleted, userState);
```

```
7: }
```

1.1.4.1.51.2.85 MustahsilWebService.smsGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
smsGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm
.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ilaveTelefonNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
int tanimliTelefonNoyaGonder);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
smsGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm
.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ilaveTelefonNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
int tanimliTelefonNoyaGonder) {
4:     object[] results = this.Invoke("smsGonder", new object[] {
5:         input,
6:         ilaveTelefonNo,
7:         tanimliTelefonNoyaGonder});
8:     return ((earsivServiceResult)(results[0]));
9: }
```

1.1.4.1.51.2.86 smsGonderAsync Method

1.1.4.1.51.2.86.1 MustahsilWebService.smsGonderAsync Method (string, string, int)

C#

```
public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder);
```

Body Source

```
1: public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder) {
2:     this.smsGonderAsync(input, ilaveTelefonNo, tanimliTelefonNoyaGonder, null);
3: }
```

1.1.4.1.51.2.86.2 MustahsilWebService.smsGonderAsync Method (string, string, int, object)

C#

```
public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder, object userState);
```

Body Source

```
1: public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder, object userState) {
2:     if ((this.smsGonderOperationCompleted == null)) {
3:         this.smsGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnsmsGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("smsGonder", new object[] {
6:         input,
7:         ilaveTelefonNo,
8:         tanimliTelefonNoyaGonder}, this.smsGonderOperationCompleted, userState);
9: }
```

1.1.4.1.51.3 MustahsilWebService Properties

1.1.4.1.51.3.1 MustahsilWebService.Url Property

C#

```
public new string Url;
```

Description

This is Url, a member of class MustahsilWebService.

1.1.4.1.51.3.2 MustahsilWebService.UseDefaultCredentials Property

C#

```
public new bool UseDefaultCredentials;
```

Description

This is UseDefaultCredentials, a member of class MustahsilWebService.

1.1.4.1.51.4 MustahsilWebService Events

1.1.4.1.51.4.1 MustahsilWebService.belgeZipiAlCompleted Event

C#

```
public event belgeZipiAlCompletedEventHandler belgeZipiAlCompleted;
```

1.1.4.1.51.4.2 MustahsilWebService.ePostaDurumSorgulaCompleted Event

C#

```
public event ePostaDurumSorgulaCompletedEventHandler ePostaDurumSorgulaCompleted;
```

1.1.4.1.51.4.3 MustahsilWebService.ePostaGonderCompleted Event

C#

```
public event ePostaGonderCompletedEventHandler ePostaGonderCompleted;
```

1.1.4.1.51.4.4 MustahsilWebService.kontorBilgisiGetirCompleted Event

C#

```
public event kontorBilgisiGetirCompletedEventHandler kontorBilgisiGetirCompleted;
```

1.1.4.1.51.4.5 MustahsilWebService.mustahsilMakbuzIptalEtCompleted Event**C#**

```
public event mustahsilMakbuzIptalEtCompletedEventHandler mustahsilMakbuzIptalEtCompleted;
```

1.1.4.1.51.4.6 MustahsilWebService.mustahsilMakbuzIptaliKaldırCompleted Event**C#**

```
public event mustahsilMakbuzIptaliKaldırCompletedEventHandler mustahsilMakbuzIptaliKaldırCompleted;
```

1.1.4.1.51.4.7 MustahsilWebService.mustahsilMakbuzListeSorgulaCompleted Event**C#**

```
public event mustahsilMakbuzListeSorgulaCompletedEventHandler mustahsilMakbuzListeSorgulaCompleted;
```

1.1.4.1.51.4.8 MustahsilWebService.mustahsilMakbuzListeSorgulaPortalCompleted Event**C#**

```
public event mustahsilMakbuzListeSorgulaPortalCompletedEventHandler mustahsilMakbuzListeSorgulaPortalCompleted;
```

1.1.4.1.51.4.9 MustahsilWebService.mustahsilMakbuzOlusturCompleted Event**C#**

```
public event mustahsilMakbuzOlusturCompletedEventHandler mustahsilMakbuzOlusturCompleted;
```

1.1.4.1.51.4.10 MustahsilWebService.mustahsilMakbuzOnizlemeCompleted Event**C#**

```
public event mustahsilMakbuzOnizlemeCompletedEventHandler mustahsilMakbuzOnizlemeCompleted;
```

1.1.4.1.51.4.11 MustahsilWebService.mustahsilMakbuzSorgulaCompleted Event**C#**

```
public event mustahsilMakbuzSorgulaCompletedEventHandler mustahsilMakbuzSorgulaCompleted;
```

1.1.4.1.51.4.12 MustahsilWebService.mustahsilMakbuzTaslakOlusturCompleted Event**C#**

```
public event mustahsilMakbuzTaslakOlusturCompletedEventHandler mustahsilMakbuzTaslakOlusturCompleted;
```

1.1.4.1.51.4.13 MustahsilWebService.mustahsilMakbuzTaslakOnizlemeCompleted Event**C#**

```
public event mustahsilMakbuzTaslakOnizlemeCompletedEventHandler mustahsilMakbuzTaslakOnizlemeCompleted;
```

1.1.4.1.51.4.14 MustahsilWebService.mustahsilMakbuzTaslakSilCompleted Event**C#**

```
public event mustahsilMakbuzTaslakSilCompletedEventHandler mustahsilMakbuzTaslakSilCompleted;
```

1.1.4.1.51.4.15 MustahsilWebService.mustahsilMakbuzTaslakSorgulaCompleted Event**C#**

```
public event mustahsilMakbuzTaslakSorgulaCompletedEventHandler mustahsilMakbuzTaslakSorgulaCompleted;
```

1.1.4.1.51.4.16 MustahsilWebService.mustahsilMakbuzTaslaktanOlusturCompleted Event**C#**

```
public event mustahsilMakbuzTaslaktanOlusturCompletedEventHandler  
mustahsilMakbuzTaslaktanOlusturCompleted;
```

1.1.4.1.51.4.17 MustahsilWebService.raporBolumAlCompleted Event**C#**

```
public event raporBolumAlCompletedEventHandler raporBolumAlCompleted;
```

1.1.4.1.51.4.18 MustahsilWebService.raporBolumBilgisiAlCompleted Event**C#**

```
public event raporBolumBilgisiAlCompletedEventHandler raporBolumBilgisiAlCompleted;
```

1.1.4.1.51.4.19 MustahsilWebService.raporBolumleriOlusturCompleted Event**C#**

```
public event raporBolumleriOlusturCompletedEventHandler raporBolumleriOlusturCompleted;
```

1.1.4.1.51.4.20 MustahsilWebService.raporBolumListesiDetayliSorgulaCompleted Event**C#**

```
public event raporBolumListesiDetayliSorgulaCompletedEventHandler  
raporBolumListesiDetayliSorgulaCompleted;
```

1.1.4.1.51.4.21 MustahsilWebService.raporBolumListesiSorgulaCompleted Event**C#**

```
public event raporBolumListesiSorgulaCompletedEventHandler  
raporBolumListesiSorgulaCompleted;
```

1.1.4.1.51.4.22 MustahsilWebService.raporBolumRaporNoGuncelleImzalaCompleted Event**C#**

```
public event raporBolumRaporNoGuncelleImzalaCompletedEventHandler  
raporBolumRaporNoGuncelleImzalaCompleted;
```

1.1.4.1.51.4.23 MustahsilWebService.raporBolumSilCompleted Event**C#**

```
public event raporBolumSilCompletedEventHandler raporBolumSilCompleted;
```

1.1.4.1.51.4.24 MustahsilWebService.rapordaBelgeSorgulaCompleted Event**C#**

```
public event rapordaBelgeSorgulaCompletedEventHandler rapordaBelgeSorgulaCompleted;
```

1.1.4.1.51.4.25 MustahsilWebService.raporDurumSorgulaCompleted Event**C#**

```
public event raporDurumSorgulaCompletedEventHandler raporDurumSorgulaCompleted;
```

1.1.4.1.51.4.26 MustahsilWebService.raporGonderCompleted Event**C#**

```
public event raporGonderCompletedEventHandler raporGonderCompleted;
```

1.1.4.1.51.4.27 MustahsilWebService.smsDurumSorgulaCompleted Event

C#

```
public event smsDurumSorgulaCompletedEventHandler smsDurumSorgulaCompleted;
```

1.1.4.1.51.4.28 MustahsilWebService.smsGonderCompleted Event

C#

```
public event smsGonderCompletedEventHandler smsGonderCompleted;
```

1.1.4.1.52 raporBolumAI Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumAI;
```

File

Reference.cs (see page 845)

raporBolumAI Properties

	Name	Description
	bolumRaporNo (see page 624)	

1.1.4.1.52.1 raporBolumAI Properties

1.1.4.1.52.1.1 raporBolumAI.bolumRaporNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bolumRaporNo;
```

1.1.4.1.53 raporBolumAICompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumAICompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
!	raporBolumAICompletedEventArgs (see page 625)	This is raporBolumAICompletedEventArgs, a member of class raporBolumAICompletedEventArgs.

raporBolumAICompletedEventArgs Properties

	Name	Description
!	@return (see page 625)	
!	Result (see page 625)	

1.1.4.1.53.1 raporBolumAICompletedEventArgs.raporBolumAICompletedEventArgs Constructor

C#

```
internal raporBolumAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is raporBolumAICompletedEventArgs, a member of class raporBolumAICompletedEventArgs.

Body Source

```
1: internal raporBolumAICompletedEventArgs(object[] results, System.Exception exception,
  bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.53.2 raporBolumAICompletedEventArgs Properties

1.1.4.1.53.2.1 raporBolumAICompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.4.1.53.2.2 raporBolumAICompletedEventArgs.Result Property

C#

```
public belge Result;
```

1.1.4.1.54 raporBolumBilgisiAI Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAI](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class raporBolumBilgisiAI;
```

File


Reference.cs ([see page 845](#))

raporBolumBilgisiAI Properties

	Name	Description
	bolumRaporNo (see page 626)	

1.1.4.1.54.1 raporBolumBilgisiAI Properties**1.1.4.1.54.1.1 raporBolumBilgisiAI.bolumRaporNo Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bolumRaporNo;
```

1.1.4.1.55 raporBolumBilgisiAICompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumBilgisiAICompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	raporBolumBilgisiAICompletedEventArgs (see page 626)	This is raporBolumBilgisiAICompletedEventArgs, a member of class raporBolumBilgisiAICompletedEventArgs.

raporBolumBilgisiAICompletedEventArgs Properties

	Name	Description
	Result (see page 627)	

1.1.4.1.55.1**raporBolumBilgisiAICompletedEventArgs.raporBolumBilgisiAICompletedEventArgs Constructor****C#**

```
internal raporBolumBilgisiAICompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is raporBolumBilgisiAICompletedEventArgs, a member of class raporBolumBilgisiAICompletedEventArgs.

Body Source

```
1: internal raporBolumBilgisiAICompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.4.1.55.2 raporBolumBilgisiAICompletedEventArgs Properties

1.1.4.1.55.2.1 raporBolumBilgisiAICompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.56 raporBolumBilgisiAIResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAIResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumBilgisiAIResponse;
```

File

Reference.cs ([see page 845](#))

raporBolumBilgisiAIResponse Properties

	Name	Description
	@return (see page 627)	

1.1.4.1.56.1 raporBolumBilgisiAIResponse Properties

1.1.4.1.56.1.1 raporBolumBilgisiAIResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.57 raporBolumDTO Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.raporBolumDTO](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumDTO;
```

File

Reference.cs ([see page 845](#))

raporBolumDTO Properties

	Name	Description
	baslangicTarihi (see page 628)	
	bitisTarihi (see page 628)	
	bolumNo (see page 628)	
	bolumNoSpecified (see page 628)	
	bolumRaporNo (see page 628)	
	durum (see page 628)	
	durumAciklama (see page 629)	
	durumKodu (see page 629)	
	sonIslemeZamani (see page 629)	

1.1.4.1.57.1 raporBolumDTO Properties**1.1.4.1.57.1.1 raporBolumDTO.baslangicTarihi Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string baslangicTarihi;
```

1.1.4.1.57.1.2 raporBolumDTO.bitisTarihi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bitisTarihi;
```

1.1.4.1.57.1.3 raporBolumDTO.bolumNo Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public long bolumNo;
```

1.1.4.1.57.1.4 raporBolumDTO.bolumNoSpecified Property**C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool bolumNoSpecified;
```

1.1.4.1.57.1.5 raporBolumDTO.bolumRaporNo Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bolumRaporNo;
```

1.1.4.1.57.1.6 raporBolumDTO.durum Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int durum;
```

1.1.4.1.57.1.7 **raporBolumDTO.durumAciklama** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string durumAciklama;
```

1.1.4.1.57.1.8 **raporBolumDTO.durumKodu** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string durumKodu;
```

1.1.4.1.57.1.9 **raporBolumDTO.sonIslemeZamani** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string sonIslemeZamani;
```

1.1.4.1.58 **raporBolumleriOlustur** Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.raporBolumleriOlustur](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumleriOlustur;
```

File

Reference.cs ([see page 845](#))

raporBolumleriOlustur Properties

	Name	Description
	donem (see page 629)	
	input (see page 630)	
	sonGun (see page 630)	

1.1.4.1.58.1 **raporBolumleriOlustur** Properties

1.1.4.1.58.1.1 **raporBolumleriOlustur.donem** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

1.1.4.1.58.1.2 raporBolumleriOlustur.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```


1.1.4.1.58.1.3 raporBolumleriOlustur.sonGun Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string sonGun;
```

1.1.4.1.59 raporBolumleriOlusturCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumleriOlusturCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	raporBolumleriOlusturCompletedEventArgs (see page 630)	This is raporBolumleriOlusturCompletedEventArgs, a member of class raporBolumleriOlusturCompletedEventArgs.

raporBolumleriOlusturCompletedEventArgs Properties

	Name	Description
	Result (see page 631)	

1.1.4.1.59.1

raporBolumleriOlusturCompletedEventArgs.raporBolumleriOlusturCompletedEventArgs Constructor

C#

```
internal raporBolumleriOlusturCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is raporBolumleriOlusturCompletedEventArgs, a member of class raporBolumleriOlusturCompletedEventArgs.

Body Source

```
1: internal raporBolumleriOlusturCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.4.1.59.2 raporBolumleriOlusturCompletedEventArgs Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.59.2.1 **raporBolumleriOlusturCompletedEventArgs.Result** Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.60 **raporBolumleriOlusturResponse** Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumleriOlusturResponse;
```

File

Reference.cs ([see page 845](#))

raporBolumleriOlusturResponse Properties

	Name	Description
	@return (see page 631)	

1.1.4.1.60.1 **raporBolumleriOlusturResponse** Properties

1.1.4.1.60.1.1 **raporBolumleriOlusturResponse.@return** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.61 **raporBolumListesiDetayliSorgula** Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorgula](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumListesiDetayliSorgula;
```

File

Reference.cs ([see page 845](#))

raporBolumListesiDetayliSorgula Properties

	Name	Description
	donem (see page 632)	

1.1.4.1.61.1 raporBolumListesiDetayliSorgula Properties


1.1.4.1.61.1.1 raporBolumListesiDetayliSorgula.donem Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

1.1.4.1.62 raporBolumListesiDetayliSorgulaCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumListesiDetayliSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	raporBolumListesiDetayliSorgulaCompletedEventArgs (see page 632)	This is raporBolumListesiDetayliSorgulaCompletedEventArgs, a member of class raporBolumListesiDetayliSorgulaCompletedEventArgs.

raporBolumListesiDetayliSorgulaCompletedEventArgs Properties

	Name	Description
	output (see page 633)	
	Result (see page 633)	

1.1.4.1.62.1

raporBolumListesiDetayliSorgulaCompletedEventArgs.raporBolumListesiDetayliSorgulaCompletedEventArgs

Constructor

C#

```
internal raporBolumListesiDetayliSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is raporBolumListesiDetayliSorgulaCompletedEventArgs, a member of class raporBolumListesiDetayliSorgulaCompletedEventArgs.

Body Source

```
1: internal raporBolumListesiDetayliSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.4.1.62.2 raporBolumListesiDetayliSorgulaCompletedEventArgs Properties

1.1.4.1.62.2.1 raporBolumListesiDetayliSorgulaCompletedEventArgs.output Property

C#

```
public raporBolumDTO output;
```

1.1.4.1.62.2.2 raporBolumListesiDetayliSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.63 raporBolumListesiDetayliSorgulaResponse Class

Class Hierarchy

 QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorgulaResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumListesiDetayliSorgulaResponse;
```

File

Reference.cs ( see page 845)

raporBolumListesiDetayliSorgulaResponse Properties

	Name	Description
	@return ( see page 633)	
	output ( see page 633)	

1.1.4.1.63.1 raporBolumListesiDetayliSorgulaResponse Properties

1.1.4.1.63.1.1 raporBolumListesiDetayliSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.63.1.2 raporBolumListesiDetayliSorgulaResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public raporBolumDTO output;
```

1.1.4.1.64 raporBolumListesiSorgula Class

Class Hierarchy

 QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgula

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class raporBolumListesiSorgula;
```

File


Reference.cs ([see page 845](#))

raporBolumListesiSorgula Properties

	Name	Description
	donem (see page 634)	

1.1.4.1.64.1 raporBolumListesiSorgula Properties**1.1.4.1.64.1.1 raporBolumListesiSorgula.donem Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

1.1.4.1.65 raporBolumListesiSorgulaCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumListesiSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	raporBolumListesiSorgulaCompletedEventArgs (see page 635)	This is raporBolumListesiSorgulaCompletedEventArgs, a member of class raporBolumListesiSorgulaCompletedEventArgs.

raporBolumListesiSorgulaCompletedEventArgs Properties

	Name	Description
	@return (see page 635)	
	Result (see page 635)	

1.1.4.1.65.1

raporBolumListesiSorgulaCompletedEventArgs.raporBolumListesiSorgulaCompletedEventArgs Constructor

C#

```
internal raporBolumListesiSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is raporBolumListesiSorgulaCompletedEventArgs, a member of class raporBolumListesiSorgulaCompletedEventArgs.

Body Source

```
1: internal raporBolumListesiSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.4.1.65.2 raporBolumListesiSorgulaCompletedEventArgs Properties

1.1.4.1.65.2.1 raporBolumListesiSorgulaCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.4.1.65.2.2 raporBolumListesiSorgulaCompletedEventArgs.Result Property

C#

```
public string Result;
```

1.1.4.1.66 raporBolumRaporNoGuncelleImzala Class

Class Hierarchy

```
[QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzala]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumRaporNoGuncelleImzala;
```

File

Reference.cs ([see page 845](#))

raporBolumRaporNoGuncelleImzala Properties

	Name	Description
	bolumRaporNo (see page 636)	

1.1.4.1.66.1 raporBolumRaporNoGuncelleImzala Properties


1.1.4.1.66.1.1 **raporBolumRaporNoGuncellelmzala.bolumRaporNo** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bolumRaporNo;
```

1.1.4.1.67 **raporBolumRaporNoGuncellelmzalaCompletedEventArgs** Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumRaporNoGuncellelmzalaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	raporBolumRaporNoGuncellelmzalaCompletedEventArgs (see page 636)	This is raporBolumRaporNoGuncellelmzalaCompletedEventArgs, a member of class raporBolumRaporNoGuncellelmzalaCompletedEventArgs.

raporBolumRaporNoGuncellelmzalaCompletedEventArgs Properties

	Name	Description
	Result (see page 637)	

1.1.4.1.67.1

raporBolumRaporNoGuncellelmzalaCompletedEventArgs.raporBolumRaporNoGuncellelmzalaCompletedEventArgs Constructor

C#

```
internal raporBolumRaporNoGuncellelmzalaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is raporBolumRaporNoGuncellelmzalaCompletedEventArgs, a member of class raporBolumRaporNoGuncellelmzalaCompletedEventArgs.

Body Source

```
1: internal raporBolumRaporNoGuncellelmzalaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.4.1.67.2 **raporBolumRaporNoGuncellelmzalaCompletedEventArgs** Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

1.1.4.1.67.2.1 **raporBolumRaporNoGuncelleImzalaCompletedEventArgs.Result** Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.68 **raporBolumRaporNoGuncelleImzalaResponse** Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzalaResponse
--

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumRaporNoGuncelleImzalaResponse;
```

File

Reference.cs ( see page 845)

raporBolumRaporNoGuncelleImzalaResponse Properties

	Name	Description
	@return ( see page 637)	

1.1.4.1.68.1 **raporBolumRaporNoGuncelleImzalaResponse** Properties

1.1.4.1.68.1.1 **raporBolumRaporNoGuncelleImzalaResponse.@return** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.69 **raporBolumSil** Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.raporBolumSil
--

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumSil;
```

File

Reference.cs ( see page 845)

raporBolumSil Properties

	Name	Description
	bolumRaporNo ( see page 638)	

1.1.4.1.69.1 raporBolumSil Properties

1.1.4.1.69.1.1 raporBolumSil.bolumRaporNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bolumRaporNo;
```

1.1.4.1.70 raporBolumSilCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumSilCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	raporBolumSilCompletedEventArgs (see page 638)	This is raporBolumSilCompletedEventArgs, a member of class raporBolumSilCompletedEventArgs.

raporBolumSilCompletedEventArgs Properties

	Name	Description
	Result (see page 638)	

1.1.4.1.70.1 raporBolumSilCompletedEventArgs.raporBolumSilCompletedEventArgs Constructor

C#

```
internal raporBolumSilCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is raporBolumSilCompletedEventArgs, a member of class raporBolumSilCompletedEventArgs.

Body Source

```
1: internal raporBolumSilCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.70.2 raporBolumSilCompletedEventArgs Properties

1.1.4.1.70.2.1 raporBolumSilCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.71 raporBolumSilResponse Class

Class Hierarchy

`[QNBFinansGIB.GIBEMustahsil.raporBolumSilResponse]`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumSilResponse;
```

File

Reference.cs ([see page 845](#))

raporBolumSilResponse Properties

	Name	Description
	@return (see page 639)	

1.1.4.1.71.1 raporBolumSilResponse Properties

1.1.4.1.71.1.1 raporBolumSilResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.72 rapordaBelgeSorgula Class

Class Hierarchy

`[QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgula]`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class rapordaBelgeSorgula;
```

File

Reference.cs ([see page 845](#))

rapordaBelgeSorgula Properties

	Name	Description
	input (see page 640)	

1.1.4.1.72.1 rapordaBelgeSorgula Properties


1.1.4.1.72.1.1 rapordaBelgeSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.73 rapordaBelgeSorgulaCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class rapordaBelgeSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
!	rapordaBelgeSorgulaCompletedEventArgs (see page 640)	This is rapordaBelgeSorgulaCompletedEventArgs, a member of class rapordaBelgeSorgulaCompletedEventArgs.

rapordaBelgeSorgulaCompletedEventArgs Properties

	Name	Description
!	Result (see page 640)	

1.1.4.1.73.1

rapordaBelgeSorgulaCompletedEventArgs.rapordaBelgeSorgulaCompletedEventArgs Constructor

C#

```
internal rapordaBelgeSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is rapordaBelgeSorgulaCompletedEventArgs, a member of class rapordaBelgeSorgulaCompletedEventArgs.

Body Source

```
1: internal rapordaBelgeSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.4.1.73.2 rapordaBelgeSorgulaCompletedEventArgs Properties

1.1.4.1.73.2.1 rapordaBelgeSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.74 rapordaBelgeSorgulaResponse Class

Class Hierarchy

`QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaResponse`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class rapordaBelgeSorgulaResponse;
```

File

Reference.cs ([see page 845](#))

rapordaBelgeSorgulaResponse Properties

	Name	Description
	@return (see page 641)	

1.1.4.1.74.1 rapordaBelgeSorgulaResponse Properties

1.1.4.1.74.1.1 rapordaBelgeSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.75 raporDurumSorgula Class

Class Hierarchy

`QNBFinansGIB.GIBEMustahsil.raporDurumSorgula`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporDurumSorgula;
```

File

Reference.cs ([see page 845](#))

raporDurumSorgula Properties

	Name	Description
	donem (see page 642)	

1.1.4.1.75.1 raporDurumSorgula Properties


1.1.4.1.75.1.1 raporDurumSorgula.donem Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

1.1.4.1.76 raporDurumSorgulaCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporDurumSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
!	raporDurumSorgulaCompletedEventArgs (see page 642)	This is raporDurumSorgulaCompletedEventArgs, a member of class raporDurumSorgulaCompletedEventArgs.

raporDurumSorgulaCompletedEventArgs Properties

	Name	Description
!	Result (see page 642)	

1.1.4.1.76.1

raporDurumSorgulaCompletedEventArgs.raporDurumSorgulaCompletedEventArgs Constructor

C#

```
internal raporDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is raporDurumSorgulaCompletedEventArgs, a member of class raporDurumSorgulaCompletedEventArgs.

Body Source

```
1: internal raporDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
2: exception, bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:         this.results = results;
4: }
```

1.1.4.1.76.2 raporDurumSorgulaCompletedEventArgs Properties

1.1.4.1.76.2.1 raporDurumSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.77 raporDurumSorgulaResponse Class

Class Hierarchy

`QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaResponse`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporDurumSorgulaResponse;
```

File

Reference.cs ([see page 845](#))

raporDurumSorgulaResponse Properties

	Name	Description
	@return (see page 643)	

1.1.4.1.77.1 raporDurumSorgulaResponse Properties

1.1.4.1.77.1.1 raporDurumSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.78 raporGonder Class

Class Hierarchy

`QNBFinansGIB.GIBEMustahsil.raporGonder`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporGonder;
```

File

Reference.cs ([see page 845](#))

raporGonder Properties

	Name	Description
	donem (see page 644)	

1.1.4.1.78.1 raporGonder Properties


1.1.4.1.78.1.1 raporGonder.donem Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

1.1.4.1.79 raporGonderCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	raporGonderCompletedEventArgs (see page 644)	This is raporGonderCompletedEventArgs, a member of class raporGonderCompletedEventArgs.

raporGonderCompletedEventArgs Properties

	Name	Description
	Result (see page 644)	

1.1.4.1.79.1 raporGonderCompletedEventArgs.raporGonderCompletedEventArgs Constructor

C#

```
internal raporGonderCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is raporGonderCompletedEventArgs, a member of class raporGonderCompletedEventArgs.

Body Source

```
1: internal raporGonderCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.4.1.79.2 raporGonderCompletedEventArgs Properties

1.1.4.1.79.2.1 raporGonderCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.80 raporGonderResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.raporGonderResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporGonderResponse;
```

File

Reference.cs ([see page 845](#))

raporGonderResponse Properties

	Name	Description
	@return (see page 645)	

1.1.4.1.80.1 raporGonderResponse Properties

1.1.4.1.80.1.1 raporGonderResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.81 smsDurumSorgula Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.smsDurumSorgula](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class smsDurumSorgula;
```

File

Reference.cs ([see page 845](#))

smsDurumSorgula Properties

	Name	Description
	input (see page 646)	

1.1.4.1.81.1 smsDurumSorgula Properties


1.1.4.1.81.1.1 smsDurumSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.82 smsDurumSorgulaCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class smsDurumSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
!	smsDurumSorgulaCompletedEventArgs (see page 646)	This is smsDurumSorgulaCompletedEventArgs, a member of class smsDurumSorgulaCompletedEventArgs.

smsDurumSorgulaCompletedEventArgs Properties

	Name	Description
!	outputDurum (see page 646)	
!	Result (see page 647)	

1.1.4.1.82.1

smsDurumSorgulaCompletedEventArgs.smsDurumSorgulaCompletedEventArgs Constructor

C#

```
internal smsDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is smsDurumSorgulaCompletedEventArgs, a member of class smsDurumSorgulaCompletedEventArgs.

Body Source

```
1: internal smsDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
2: bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:         this.results = results;
4: }
```

1.1.4.1.82.2 smsDurumSorgulaCompletedEventArgs Properties

1.1.4.1.82.2.1 smsDurumSorgulaCompletedEventArgs.outputDurum Property

C#

```
public string outputDurum;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com


1.1.4.1.82.2.2 smsDurumSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.83 smsDurumSorgulaResponse Class

Class Hierarchy

 QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class smsDurumSorgulaResponse;
```

File

Reference.cs ( see page 845)

smsDurumSorgulaResponse Properties

	Name	Description
	@return ( see page 647)	
	outputDurum ( see page 647)	

1.1.4.1.83.1 smsDurumSorgulaResponse Properties

1.1.4.1.83.1.1 smsDurumSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```


1.1.4.1.83.1.2 smsDurumSorgulaResponse.outputDurum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string outputDurum;
```

1.1.4.1.84 smsGonder Class

Class Hierarchy

 QNBFinansGIB.GIBEMustahsil.smsGonder

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class smsGonder;
```

File

Reference.cs ([see page 845](#))

smsGonder Properties

	Name	Description
	ilaveTelefonNo (see page 648)	
	input (see page 648)	
	tanimliTelefonNoyaGonder (see page 648)	

1.1.4.1.84.1 smsGonder Properties**1.1.4.1.84.1.1 smsGonder.ilaveTelefonNo Property****C#**


```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ilaveTelefonNo;
```

1.1.4.1.84.1.2 smsGonder.input Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.84.1.3 smsGonder.tanimliTelefonNoyaGonder Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int tanimliTelefonNoyaGonder;
```

1.1.4.1.85 smsGonderCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class smsGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 845](#))

Methods

	Name	Description
	smsGonderCompletedEventArgs (see page 649)	This is smsGonderCompletedEventArgs, a member of class smsGonderCompletedEventArgs.

smsGonderCompletedEventArgs Properties

	Name	Description
	Result (see page 649)	

1.1.4.1.85.1 smsGonderCompletedEventArgs.smsGonderCompletedEventArgs Constructor

C#

```
internal smsGonderCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is smsGonderCompletedEventArgs, a member of class smsGonderCompletedEventArgs.

Body Source

```
1: internal smsGonderCompletedEventArgs(object[] results, System.Exception exception, bool
2:     cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.4.1.85.2 smsGonderCompletedEventArgs Properties

1.1.4.1.85.2.1 smsGonderCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.86 smsGonderResponse Class

Class Hierarchy

```
[QNBFinansGIB.GIBEMustahsil.smsGonderResponse]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class smsGonderResponse;
```

File

Reference.cs (see page 845)

smsGonderResponse Properties

	Name	Description
	@return (see page 649)	

1.1.4.1.86.1 smsGonderResponse Properties

1.1.4.1.86.1.1 smsGonderResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.87 stringOutputWrapper Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.stringOutputWrapper](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class stringOutputWrapper;
```

File

Reference.cs ([see page 845](#))

stringOutputWrapper Properties

	Name	Description
	@return (see page 650)	
	output (see page 650)	

1.1.4.1.87.1 stringOutputWrapper Properties

1.1.4.1.87.1.1 stringOutputWrapper.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.87.1.2 stringOutputWrapper.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string output;
```

1.1.4.2 Structs, Records, Enums

Summary

The following table lists structs, records, enums in this documentation.

Enumerations

	Name	Description
	belgeFormatiEnum (see page 650)	

1.1.4.2.1 QNBFinansGIB.GIBEMustahsil.belgeFormatiEnum Enumeration

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
```

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```

]
public enum belgeFormatiEnum {
    UBL,
    CSXML,
    HTML,
    PDF,
    CUSTOM,
    PDF_CUSTOM,
    PDF_UBL,
    CSXML1,
    CSXML2,
    CSXML3,
    PDF_CSXML1,
    PDF_CSXML2,
    PDF_CSXML3,
    JSON
}

```

File

Reference.cs ([see page 845](#))

1.1.4.3 Types

Summary

The following table lists types in this documentation.

Types

Name	Description
belgeZipiACompletedEventHandler (see page 652)	
ePostaDurumSorgulaCompletedEventHandler (see page 652)	
ePostaGonderCompletedEventHandler (see page 653)	
kontorBilgisiGetirCompletedEventHandler (see page 653)	
mustahsilMakbuzIptalEtCompletedEventHandler (see page 653)	
mustahsilMakbuzIptaliKaldirCompletedEventHandler (see page 653)	
mustahsilMakbuzListeSorgulaCompletedEventHandler (see page 654)	
mustahsilMakbuzListeSorgulaPortalCompletedEventHandler (see page 654)	
mustahsilMakbuzOlusturCompletedEventHandler (see page 654)	
mustahsilMakbuzOnizlemeCompletedEventHandler (see page 654)	
mustahsilMakbuzSorgulaCompletedEventHandler (see page 655)	
mustahsilMakbuzTaslakOlusturCompletedEventHandler (see page 655)	
mustahsilMakbuzTaslakOnizlemeCompletedEventHandler (see page 655)	
mustahsilMakbuzTaslakSilCompletedEventHandler (see page 656)	

mustahsilMakbuzTaslakSorgulaCompletedEventHandler (↗ see page 656)	
mustahsilMakbuzTaslaktanOlusturCompletedEventHandler (↗ see page 656)	
raporBolumAICompletedEventHandler (↗ see page 656)	
raporBolumBilgisiAICompletedEventHandler (↗ see page 657)	
raporBolumleriOlusturCompletedEventHandler (↗ see page 657)	
raporBolumListesiDetayliSorgulaCompletedEventHandler (↗ see page 657)	
raporBolumListesiSorgulaCompletedEventHandler (↗ see page 657)	
raporBolumRaporNoGuncelleImzalaCompletedEventHandler (↗ see page 658)	
raporBolumSilCompletedEventHandler (↗ see page 658)	
rapordaBelgeSorgulaCompletedEventHandler (↗ see page 658)	
raporDurumSorgulaCompletedEventHandler (↗ see page 658)	
raporGonderCompletedEventHandler (↗ see page 659)	
smsDurumSorgulaCompletedEventHandler (↗ see page 659)	
smsGonderCompletedEventHandler (↗ see page 659)	

1.1.4.3.1 QNBFinansGIB.GIBEMustahsil.belgeZipiAICompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeZipiAICompletedEventHandler(object sender,
belgeZipiAICompletedEventArgs e);
```

File

Reference.cs (↗ see page 845)

1.1.4.3.2

QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void ePostaDurumSorgulaCompletedEventHandler(object sender,
ePostaDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs (↗ see page 845)

1.1.4.3.3

QNBFinansGIB.GIBEMustahsil.ePostaGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void ePostaGonderCompletedEventHandler(object sender,
ePostaGonderCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.4.3.4

QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void kontorBilgisiGetirCompletedEventHandler(object sender,
kontorBilgisiGetirCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.4.3.5

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzIptalEtCompletedEventHandler(object sender,
mustahsilMakbuzIptalEtCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.4.3.6

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldırCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzIptaliKaldırCompletedEventHandler(object sender,
mustahsilMakbuzIptaliKaldırCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.4.3.7

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaCompletedEventHandler **Type**

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzListeSorgulaCompletedEventHandler(object sender,
mustahsilMakbuzListeSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.4.3.8

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortalCompletedEventHandler **Type**

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzListeSorgulaPortalCompletedEventHandler(object sender,
mustahsilMakbuzListeSorgulaPortalCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.4.3.9

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturCompletedEventHandler **Type**

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzOlusturCompletedEventHandler(object sender,
mustahsilMakbuzOlusturCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.4.3.10

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCompletedEventH **andler** **Type**

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzOnizlemeCompletedEventHandler(object sender,
mustahsilMakbuzOnizlemeCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.4.3.11**QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzSorgulaCompletedEventHandler(object sender,
mustahsilMakbuzSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.4.3.12**QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzTaslakOlusturCompletedEventHandler(object sender,
mustahsilMakbuzTaslakOlusturCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.4.3.13**QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzTaslakOnizlemeCompletedEventHandler(object sender,
mustahsilMakbuzTaslakOnizlemeCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.4.3.14
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzTaslakSilCompletedEventHandler(object sender,
mustahsilMakbuzTaslakSilCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.4.3.15
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzTaslakSorgulaCompletedEventHandler(object sender,
mustahsilMakbuzTaslakSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.4.3.16
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlusturCompletedEventHandler Type
Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzTaslaktanOlusturCompletedEventHandler(object sender,
mustahsilMakbuzTaslaktanOlusturCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.4.3.17
QNBFinansGIB.GIBEMustahsil.raporBolumAlCompletedEventHandler Type
Type

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumAlCompletedEventHandler(object sender,
raporBolumAlCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.4.3.18

QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumBilgisiAlCompletedEventHandler(object sender,
raporBolumBilgisiAlCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.4.3.19

QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumleriOlusturCompletedEventHandler(object sender,
raporBolumleriOlusturCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.4.3.20

QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumListesiDetayliSorgulaCompletedEventHandler(object sender,
raporBolumListesiDetayliSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.4.3.21

QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumListesiSorgulaCompletedEventHandler(object sender,
raporBolumListesiSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.4.3.22**QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzalaCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumRaporNoGuncelleImzalaCompletedEventHandler(object sender,
raporBolumRaporNoGuncelleImzalaCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.4.3.23**QNBFinansGIB.GIBEMustahsil.raporBolumSilCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumSilCompletedEventHandler(object sender,
raporBolumSilCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.4.3.24**QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void rapordaBelgeSorgulaCompletedEventHandler(object sender,
rapordaBelgeSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 845)

1.1.4.3.25**QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporDurumSorgulaCompletedEventHandler(object sender,
raporDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs ([see page 845](#))

1.1.4.3.26**QNBFinansGIB.GIBEMustahsil.raporGonderCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporGonderCompletedEventHandler(object sender,
raporGonderCompletedEventArgs e);
```

File

Reference.cs ([see page 845](#))

1.1.4.3.27**QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void smsDurumSorgulaCompletedEventHandler(object sender,
smsDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs ([see page 845](#))

1.1.4.3.28**QNBFinansGIB.GIBEMustahsil.smsGonderCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void smsGonderCompletedEventHandler(object sender,
smsGonderCompletedEventArgs e);
```

File

Reference.cs ([see page 845](#))

1.1.5 QNBFinansGIB.GIBUserService Namespace

This is namespace QNBFinansGIB.GIBUserService.

Classes

	Name	Description
	userService (see page 660)	

Types

Name	Description
logoutCompletedEventHandler (see page 665)	

wsLoginCompletedEventHandler (see page 665)	
---	--

1.1.5.1 Classes

Summary


The following table lists classes in this documentation.

Classes

	Name	Description
	userService (see page 660)	

1.1.5.1.1 userService Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Web.Services.WebServiceBindingAttribute(Name="UserServicePortBinding",
Namespace="http://service.csap.cs.com/")]
public class userService : System.Web.Services.Protocols.SoapHttpClientProtocol;
```

File

Reference.cs (see page 845)

Methods

	Name	Description
	userService (see page 661)	

userService Events

	Name	Description
	logoutCompleted (see page 664)	
	wsLoginCompleted (see page 664)	

userService Methods

	Name	Description
	CancelAsync (see page 661)	
	IsLocalFileSystemWebService (see page 661)	This is IsLocalFileSystemWebService, a member of class userService.
	logout (see page 662)	
	logoutAsync (see page 662)	
	OnlogoutOperationCompleted (see page 662)	This is OnlogoutOperationCompleted, a member of class userService.
	OnwsLoginOperationCompleted (see page 663)	This is OnwsLoginOperationCompleted, a member of class userService.
	wsLogin (see page 663)	
	wsLoginAsync (see page 664)	

userService Properties

	Name	Description
	Url (see page 664)	This is Url, a member of class userService.
	UseDefaultCredentials (see page 664)	This is UseDefaultCredentials, a member of class userService.

1.1.5.1.1.1 userService.userService Constructor**C#**

```
public userService();
```

Body Source

```
1: public userService() {
2:     this.Url =
global::QNBFinansGIB.Properties.Settings.Default.QNBFinansGIB_GIBUserService_userService;
3:     if ((this.IsLocalFileSystemWebService(this.Url) == true)) {
4:         this.UseDefaultCredentials = true;
5:         this.useDefaultCredentialsSetExplicitly = false;
6:     }
7:     else {
8:         this.useDefaultCredentialsSetExplicitly = true;
9:     }
10: }
```

1.1.5.1.1.2 userService Methods**1.1.5.1.1.2.1 userService.CancelAsync Method****C#**

```
public new void CancelAsync(object userState);
```

Body Source

```
1: public new void CancelAsync(object userState) {
2:     base.CancelAsync(userState);
3: }
```

1.1.5.1.1.2.2 userService.IsLocalFileSystemWebService Method**C#**

```
private bool IsLocalFileSystemWebService(string url);
```

Description

This is IsLocalFileSystemWebService, a member of class userService.

Body Source

```
1: private bool IsLocalFileSystemWebService(string url) {
2:     if (((url == null)
3:           || (url == string.Empty))) {
4:         return false;
5:     }
6:     System.Uri wsUri = new System.Uri(url);
7:     if (((wsUri.Port >= 1024)
8:           && (string.Compare(wsUri.Host, "localhost",
System.StringComparison.OrdinalIgnoreCase) == 0))) {
9:         return true;
10:    }
11:    return false;
12: }
```

1.1.5.1.1.2.3 userService.logout Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.csap.cs.com.tr/",
ResponseNamespace="http://service.csap.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void logout();
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.csap.cs.com.tr/",
ResponseNamespace="http://service.csap.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void logout() {
3:     this.Invoke("logout", new object[0]);
4: }
```

1.1.5.1.1.2.4 logoutAsync Method

1.1.5.1.1.2.4.1 userService.logoutAsync Method ()

C#

```
public void logoutAsync();
```

Body Source

```
1: public void logoutAsync() {
2:     this.logoutAsync(null);
3: }
```

1.1.5.1.1.2.4.2 userService.logoutAsync Method (object)

C#

```
public void logoutAsync(object userState);
```

Body Source

```
1: public void logoutAsync(object userState) {
2:     if ((this.logoutOperationCompleted == null)) {
3:         this.logoutOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnlogoutOperationCompleted);
4:     }
5:     this.InvokeAsync("logout", new object[0], this.logoutOperationCompleted, userState);
6: }
```

1.1.5.1.1.2.5 userService.OnlogoutOperationCompleted Method

C#

```
private void OnlogoutOperationCompleted(object arg);
```

Description

This is OnlogoutOperationCompleted, a member of class userService.

Body Source

```
1: private void OnlogoutOperationCompleted(object arg) {
2:     if ((this.logoutCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.logoutCompleted(this, new
System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
```

```

5:      }
6:  }
```

1.1.5.1.1.2.6 userService.OnwsLoginOperationCompleted Method

C#

```
private void OnwsLoginOperationCompleted(object arg);
```

Description

This is OnwsLoginOperationCompleted, a member of class userService.

Body Source

```

1: private void OnwsLoginOperationCompleted(object arg) {
2:     if ((this.wsLoginCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.wsLoginCompleted(this, new
6:             System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
7:             invokeArgs.UserState));
8:     }
9: }
```

1.1.5.1.1.2.7 userService.wsLogin Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.csap.cs.com.tr/",
ResponseNamespace="http://service.csap.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
wsLogin([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string userId,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string password,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string lang);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.csap.cs.com.tr/",
ResponseNamespace="http://service.csap.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
wsLogin([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string userId,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string password,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string lang) {
3:     this.Invoke("wsLogin", new object[] {
4:         userId,
5:         password,
6:         lang});
7: }
```

1.1.5.1.1.2.8 wsLoginAsync Method

1.1.5.1.1.2.8.1 userService.wsLoginAsync Method (string, string, string)**C#**

```
public void wsLoginAsync(string userId, string password, string lang);
```

Body Source

```
1: public void wsLoginAsync(string userId, string password, string lang) {
2:     this.wsLoginAsync(userId, password, lang, null);
3: }
```

1.1.5.1.1.2.8.2 userService.wsLoginAsync Method (string, string, string, object)**C#**

```
public void wsLoginAsync(string userId, string password, string lang, object userState);
```

Body Source

```
1: public void wsLoginAsync(string userId, string password, string lang, object userState) {
2:     if ((this.wsLoginOperationCompleted == null)) {
3:         this.wsLoginOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnwsLoginOperationCompleted);
4:     }
5:     this.InvokeAsync("wsLogin", new object[] {
6:         userId,
7:         password,
8:         lang}, this.wsLoginOperationCompleted, userState);
9: }
```

1.1.5.1.1.3 userService Properties**1.1.5.1.1.3.1 userService.Url Property****C#**

```
public new string Url;
```

Description

This is Url, a member of class userService.

1.1.5.1.1.3.2 userService.UseDefaultCredentials Property**C#**

```
public new bool UseDefaultCredentials;
```

Description

This is UseDefaultCredentials, a member of class userService.

1.1.5.1.1.4 userService Events**1.1.5.1.1.4.1 userService.logoutCompleted Event****C#**

```
public event logoutCompletedEventHandler logoutCompleted;
```

1.1.5.1.1.4.2 userService.wsLoginCompleted Event**C#**

```
public event wsLoginCompletedEventHandler wsLoginCompleted;
```

1.1.5.2 Types

Summary

The following table lists types in this documentation.

Types

Name	Description
logoutCompletedEventHandler (see page 665)	
wsLoginCompletedEventHandler (see page 665)	

1.1.5.2.1 QNBFInansGIB.GIBUserService.logoutCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void logoutCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs ([see page 845](#))

1.1.5.2.2 QNBFInansGIB.GIBUserService.wsLoginCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void wsLoginCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs ([see page 845](#))

1.1.6 QNBFInansGIB.Properties Namespace

This is namespace QNBFInansGIB.Properties.

Classes

	Name	Description
	Resources (see page 666)	A strongly-typed resource class, for looking up localized strings, etc.
	Settings (see page 667)	This is class QNBFInansGIB.Properties.Settings.

1.1.6.1 Classes

Summary

The following table lists classes in this documentation.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Classes

	Name	Description
	Resources (see page 666)	A strongly-typed resource class, for looking up localized strings, etc.
	Settings (see page 667)	This is class QNBFinansGIB.Properties.Settings.

1.1.6.1.1 Resources Class

Summary

A strongly-typed resource class, for looking up localized strings, etc.

Class Hierarchy

[QNBFinansGIB.Properties.Resources](#)

C#

```
[global::System.CodeDom.Compiler.GeneratedCodeAttribute("System.Resources.Tools.StronglyType
dResourceBuilder",
"4.0.0.0")]
[global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
[global::System.Runtime.CompilerServices.CompilerGeneratedAttribute()]
internal class Resources;
```

File

Resources.Designer.cs (see page 848)

Description

This class was auto-generated by the StronglyTypedResourceBuilder class via a tool like ResGen or Visual Studio. To add or remove a member, edit your .ResX file then rerun ResGen with the /str option, or rebuild your VS project.

Methods

	Name	Description
	Resources (see page 666)	This is Resources, a member of class Resources.

Resources Properties

	Name	Description
	Culture (see page 667)	Overrides the current thread's CurrentUICulture property for all resource lookups using this strongly typed resource class.
	ResourceManager (see page 667)	Returns the cached ResourceManager instance used by this class.

1.1.6.1.1.1 Resources.Resources Constructor

C#

```
[global::System.Diagnostics.CodeAnalysis.SuppressMessageAttribute("Microsoft.Performance",
"CA1811:AvoidUncalledPrivateCode")]
internal Resources();
```

Description

This is Resources, a member of class Resources.

Body Source

```
1:
[global::System.Diagnostics.CodeAnalysis.SuppressMessageAttribute("Microsoft.Performance",
"CA1811:AvoidUncalledPrivateCode")]
2: internal Resources()
3: {
```

```
4: }
```

1.1.6.1.1.2 Resources Properties

1.1.6.1.1.2.1 Resources.Culture Property

Summary

Overrides the current thread's CurrentUICulture property for all resource lookups using this strongly typed resource class.

C#

```
[global::System.ComponentModel.EditorBrowsableAttribute(global::System.ComponentModel.Editor
BrowsableState.Advanced)]
internal static global::System.Globalization.CultureInfo Culture;
```

1.1.6.1.1.2.2 Resources.ResourceManager Property

Summary


Returns the cached ResourceManager instance used by this class.

C#

```
[global::System.ComponentModel.EditorBrowsableAttribute(global::System.ComponentModel.Editor
BrowsableState.Advanced)]
internal static global::System.Resources.ResourceManager ResourceManager;
```

1.1.6.1.2 Settings Class

Class Hierarchy



C#

```
[global::System.Runtime.CompilerServices.CompilerGeneratedAttribute()]
[global::System.CodeDom.Compiler.GeneratedCodeAttribute("Microsoft.VisualStudio.Editors.SettingsDesigner.SettingsSingleFileGenerator",
"15.9.0.0")]
internal sealed class Settings : global::System.Configuration.ApplicationSettingsBase;
```

File

Settings.Designer.cs ([see page 850](#))

Description

This is class QNBFInansGIB.Properties.Settings.

Settings Properties

	Name	Description
	Default (see page 668)	This is Default, a member of class Settings.
	QNBFInansGIB_GIBEArsiv_EarsivWebService (see page 668)	This is QNBFInansGIB_GIBEArsiv_EarsivWebService, a member of class Settings.
	QNBFInansGIB_GIBEArsiv_MustahsilWebService (see page 668)	This is QNBFInansGIB_GIBEArsiv_MustahsilWebService, a member of class Settings.
	QNBFInansGIB_GIBEFatura_connectorService (see page 668)	This is QNBFInansGIB_GIBEFatura_connectorService, a member of class Settings.
	QNBFInansGIB_GIBEMustahsil_MustahsilWebService (see page 669)	This is QNBFInansGIB_GIBEMustahsil_MustahsilWebService, a member of class Settings.

	QNBFinansGIB_GIBUserService.UserService (see page 669)	This is QNBFinansGIB_GIBUserService.UserService, a member of class Settings.
---	--	--

1.1.6.1.2.1 Settings Properties

1.1.6.1.2.1.1 Settings.Default Property

C#

```
public static Settings Default;
```

Description

This is Default, a member of class Settings.

1.1.6.1.2.1.2 Settings.QNBFinansGIB_GIBEArsiv_EarsivWebService Property

C#

```
[global::System.Configuration.ApplicationScopedSettingAttribute()]
[global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSetting.WebServiceUrl)]
[global::System.Configuration.DefaultSettingValueAttribute("https://earsivtest.efinans.com.tr:443/earsiv/ws/EarsivWebService")]
public string QNBFinansGIB_GIBEArsiv_EarsivWebService;
```

Description

This is QNBFinansGIB_GIBEArsiv_EarsivWebService, a member of class Settings.

1.1.6.1.2.1.3 Settings.QNBFinansGIB_GIBEArsiv_MustahsilWebService Property

C#

```
[global::System.Configuration.ApplicationScopedSettingAttribute()]
[global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSetting.WebServiceUrl)]
[global::System.Configuration.DefaultSettingValueAttribute("https://earsivtest.efinans.com.tr/earsiv/ws/MustahsilWebService?wsdl=1")]
public string QNBFinansGIB_GIBEArsiv_MustahsilWebService;
```

Description

This is QNBFinansGIB_GIBEArsiv_MustahsilWebService, a member of class Settings.

1.1.6.1.2.1.4 Settings.QNBFinansGIB_GIBEFatura_connectorService Property

C#

```
[global::System.Configuration.ApplicationScopedSettingAttribute()]
[global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSetting.WebServiceUrl)]
[global::System.Configuration.DefaultSettingValueAttribute("https://connectortest.efinans.com.tr:443/connector/ws/connectorService")]
public string QNBFinansGIB_GIBEFatura_connectorService;
```

Description

This is QNBFinansGIB_GIBEFatura_connectorService, a member of class Settings.

1.1.6.1.2.1.5 Settings.QNBFinansGIB_GIBEMustahsil_MustahsilWebService Property

C#

```
[global::System.Configuration.ApplicationScopedSettingAttribute()]
[global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSetting.WebServiceUrl)]
[global::System.Configuration.DefaultSettingValueAttribute("https://earsivtest.efinans.com.tr:443/earsiv/ws/MustahsilWebService")]
public string QNBFinansGIB_GIBEMustahsil_MustahsilWebService;
```

Description

This is QNBFinansGIB_GIBEMustahsil_MustahsilWebService, a member of class Settings.

1.1.6.1.2.1.6 Settings.QNBFinansGIB_GIBUserService_userService Property

C#

```
[global::System.Configuration.ApplicationScopedSettingAttribute()]
[global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSetting.WebServiceUrl)]
[global::System.Configuration.DefaultSettingValueAttribute("https://connectortest.efinans.com.tr:443/connector/ws/userService")]
public string QNBFinansGIB_GIBUserService_userService;
```

Description

This is QNBFinansGIB_GIBUserService_userService, a member of class Settings.

1.1.7 QNBFinansGIB.Utils Namespace

This is namespace QNBFinansGIB.Utils.

Classes

	Name	Description
❖ S	BoslukKaldır (see page 670)	Girdi olarak verilen bir nesnenin içerisindeki String türündeki elemanları kontrol ederek Bu string değerlerdeki boslukları kaldırma yarayan bir sınıfıtır
❖ S	DisServisler (see page 671)	QNB Finans Firması tarafından sağlanan GIB Web Servis referanslarının tüketildiği Ve servise talep gönderiliş sonuçlarının temin edildiği sınıfıtır.
❖ S	Enums (see page 689)	Satış Türü Bilgilerinin Bulunduğu Enum sınıfı
❖	GeriDonus (see page 691)	E-Fatura Servisinde Önizleme Metodu çağrılmışında dönerek olan değer Burada Tipe göre Dosya (see page 692) uzantısı Zip veya PDF olacak için Bu konu önemlidir
❖ S	GibNumarası (see page 692)	GIB Numarası değerlerinin otomatik olarak oluşturulması için hazırlanan sınıfıtır
❖ S	MesajSabitler (see page 693)	Yapılan Ekranda Verilecek Mesajlarla İlgili Sabit Sınıf
❖ S	Sabitler (see page 694)	Sistemde Elle Kontroller Yapılmaması ve Hatalı Veri Girişini Engellemek Amaçlı Kullanılan Sabit sınıfıdır.
❖ S	XMLİslemleri (see page 695)	Giden Fatura ve Müstahsil Makbuzları ile ilgili olarak, Kendisi, Ana Kayda İlişkin Detaylar, Aktarılacak Klasör gibi bilgiler kullanılarak QNB Finans GIB Web Servislerine gönderilecek XML dosyalarının hazırlanması ile ilgili Metotların bulunduğu yardımcı sınıfıtır.

1.1.7.1 Classes

Summary

The following table lists classes in this documentation.

Classes

	Name	Description
❖ S	BoslukKaldır (see page 670)	Girdi olarak verilen bir nesnenin İçerisindeki String türündeki elemanları kontrol ederek Bu string değerlerde boslukları kaldırırmaya yarayan bir sınıfır
❖ S	DisServisler (see page 671)	QNB Finans Firması tarafından sağlanan GIB Web Servis referanslarının tüketildiği Ve servise talep gönderilip sonuçlarının temin edildiği sınıfır.
❖ S	Enums (see page 689)	Satış Türü Bilgilerinin Bulunduğu Enum sınıfı
❖ S	GeriDonus (see page 691)	E-Fatura Servisinde Önizleme Metodu çağrıldığında donecek olan değer Burada Tipe göre Dosya (see page 692) uzantısı Zip veya PDF olacagi için Bu konu önemlidir
❖ S	GibNumarası (see page 692)	GIB Numarası değerlerinin otomatik olarak oluşturulması için hazırlanan sınıfır
❖ S	MesajSabitler (see page 693)	Yapılan Ekranlarda Verilecek Mesajlarla İlgili Sabit Sınıf
❖ S	Sabitler (see page 694)	Sistemde Elle Kontroller Yapılmaması ve Hatalı Veri Girişini Engellemek Amaçlı Kullanılan Sabit sınıfıdır.
❖ S	XMLİslemleri (see page 695)	Giden Fatura ve Müstahsil Makbuzları ile ilgili olarak, Kendisi, Ana Kayda İlişkin Detaylar, Aktarılacak Klasör gibi bilgiler kullanılarak QNB Finans GIB Web Servislerine gönderilecek XML dosyalarının hazırlanması ile ilgili Metotların bulunduğu yardımçı sınıfır.

1.1.7.1.1 BoslukKaldır Class

Summary

Girdi olarak verilen bir nesnenin İçerisindeki String türündeki elemanları kontrol ederek Bu string değerlerde boslukları kaldırırmaya yarayan bir sınıfır

Class Hierarchy

QNBFinansGIB.Utils.BoslukKaldır

C#

```
public static class BoslukKaldır;
```

File

BoslukKaldır.cs (see page 791)

BoslukKaldır Methods

	Name	Description
❖ S	BosluklarıKaldır (see page 671)	Generic olarak herhangi bir sınıf vb. kontrol edildiginde İçerisindeki string değerlerin bosluklarının kaldırılması için Hazırlanmış metottur.

1.1.7.1.1.1 BoslukKaldır Methods

1.1.7.1.1.1 BoslukKaldır.BosluklariKaldır Method

Summary

Generic olarak herhangi bir sınıf vb. kontrol edildiğinde içerisindeki string değerlerin boşluklarının kaldırılması için hazırlanmış metottur.

C#

```
public static TSelf BosluklariKaldır<TSelf>(this TSelf input);
```

Parameters

Parameters	Description
this TSelf input	Girdi Degeri

Type Parameters

Type Parameters	Description
TSelf	Girdinin ait olduğu tür, sınıf vb.

Returns

Girdinin boşluksuz halleri

Body Source

```
1: public static TSelf BosluklariKaldır<TSelf>(this TSelf input)
2: {
3:     if (input == null)
4:         return default;
5:
6:     var stringProperties = typeof(TSelf).GetProperties()
7:         .Where(p => p.PropertyType == typeof(string));
8:
9:     foreach (var stringProperty in stringProperties)
10:    {
11:        var currentValue = (string)stringProperty.GetValue(input, null);
12:        if (currentValue != null)
13:            stringProperty.SetValue(input, currentValue.Trim().TrimEnd().TrimStart(),
14: null);
15:    }
16:    return input;
17: }
```

1.1.7.1.2 DisServisler Class

Summary

QNB Finans Firması tarafından sağlanan GIB Web Servis referanslarının tüketildiği ve servise talep gönderilip sonuçlarının temin edildiği sınıfıdır.

Class Hierarchy

```
QNBFinansGIB.Utils.DisServisler
```

C#

```
public static class DisServisler;
```

File

DisServisler.cs ( see page 792)

DisServisler Methods

	Name	Description
✳️ S	BelgeOidDurumunaGoreEvrapGonder (🔗 see page 673)	Belge Oid numarasina göre servisten gerekli kontrollerin yapıldığı ve sonucun gösterildiği metottur.
✳️ S	BelgeOidKontrol (🔗 see page 673)	Gönderilen Id bilgisine sahip Faturanın Belge Oid Bilgisinin QNB Finans Tarafına gönderilmesini sağlayan metottur
✳️ S	EArsivFaturaSorgula (🔗 see page 674)	E-Arsiv Fatura servisine belli bir input ve dosya adı ile Talepte bulunarak işlem yapmak için hazırlanan metottur
✳️ S	EArsivGonder (🔗 see page 675)	Oluşturulan XML dosyasının QNB Finans Tarafına gönderilmesini sağlayan metottur
✳️ S	EArsivOnzleme (🔗 see page 676)	Oluşturulan XML dosyasının QNB Finans Tarafına gönderilmesini sağlayan metottur Burada da E-Faturada olduğu gibi önce Fatura Id bilgisi ile gönderip Bir sonuç gelmezse hazırlanan XML dosyası gönderilip çıktı alınmaya çalışılmaktadır
✳️ S	EArsivServisineBaglan (🔗 see page 677)	E-Arsiv Servisine Baglanmak İçin Gerekli İşlemlerin gerçekleştirildiği metottur.
✳️ S	EArsivSilmeyeUygunMu (🔗 see page 677)	Ilgili faturanın QNB Finans servislerine gönderilip gönderilmediği Gönderildi ise durumuna bakarak Bu kaydın silinebilir olup olmadığını belirleye bir metottur.
✳️ S	EFaturaGonder (🔗 see page 678)	Oluşturulan XML dosyasının QNB Finans Tarafına gönderilmesini sağlayan metottur
✳️ S	EFaturaKullaniciListesi (🔗 see page 680)	Girilen tarihten sonraki E-Fatura Mükellef Listesini getiren metottur Bir Metottur
✳️ S	EFaturaKullanicisiMi (🔗 see page 681)	Vergi Kimlik Numarası Gönderilen Tüzel Kisinin E Fatura Kullanicisi Olup Olmadığını Kontrol Eden Bir Metottur
✳️ S	EFaturaOnzleme (🔗 see page 681)	Oluşturulan XML dosyasının QNB Finans Tarafında Önizlemesinin yapılmasını sağlayan metottur Eger Belge Oid numarası varsa XML dosyasını göndermez, bu numarayla sistemdeki çıktı alınır. Yoksa XML dosyası gönderilir, Mali Degeri Yaktır yazan bir filigranla yine XML üzerindeki Yapı üzerinden PDF çıktısı alınacak şekilde veri döner
✳️ S	EFaturaServisineBaglan (🔗 see page 682)	E-Fatura Servisine Baglanmak İçin Gerekli olan işlemlerin gerçekleştirildiği metottur
✳️ S	EFaturaSilmeyeUygunMu (🔗 see page 683)	Ilgili faturanın QNB Finans servislerine gönderilip gönderilmediği Gönderildi ise durumuna bakarak Bu kaydın silinebilir olup olmadığını belirleye bir metottur.
✳️ S	EMustahsilGonder (🔗 see page 683)	Oluşturulan XML dosyasının QNB Finans Tarafına gönderilmesini sağlayan metottur
✳️ S	EMustahsilOnzleme (🔗 see page 684)	Oluşturulan XML dosyasının QNB Finans Tarafına gönderilmesini sağlayan metottur Burada da E-Faturada olduğu gibi önce Fatura Id bilgisi ile gönderip Bir sonuç gelmezse hazırlanan XML dosyası gönderilip çıktı alınmaya çalışılmaktadır
✳️ S	EMustahsilServisineBaglan (🔗 see page 685)	E-Müstahsil Servisine Baglanmak İçin Gerekli işlemlerin gerçekleştirildiği metottur.
✳️ S	EMustahsilSilmeyeUygunMu (🔗 see page 686)	Ilgili faturanın QNB Finans servislerine gönderilip gönderilmediği Gönderildi ise durumuna bakarak Bu kaydın silinebilir olup olmadığını belirleye bir metottur.
✳️ S	GetMD5Hash (🔗 see page 686)	Dosyanın MD5 hashi alınması için yazılan metottur
✳️ S	GibYanitKodunaGoreSonucGetir (🔗 see page 687)	GIB'den gele yanıt koduna göre Sonuç oluştururan ve gösteren metottur.
✳️ S	ServistenBelgeDurumuGetir (🔗 see page 688)	Servisten belgenin gönderilme durumunun getirilmesi için Hazırlanmış olan metottur.
✳️ S	TarihBilgisiDuzenle (🔗 see page 688)	Servisten gelen bilgideki tarih bilgisi sıralı olmadığı için Buna göre tarih bilgisinin olması gereken hale getirilmesi için Hazırlanmış bir metottur.

1.1.7.1.2.1 DisServisler Methods

1.1.7.1.2.1.1 DisServisler.BelgeOidDurumunaGoreEvrapGonder Method

Summary

Belge Oid numarasina göre servisten gerekli kontrollerin yapildigi Ve sonucun gösterildigi metottur.

C#

```
private static void BelgeOidDurumunaGoreEvrapGonder(string belgeOid,
gidenBelgeParametreleri parametreler, out string sonucMesaji);
```

Parameters

Parameters	Description
string belgeOid	Belge Oid Numarasi
gidenBelgeParametreleri parametreler	Servis Parametreleri
out string sonucMesaji	Sonuç Mesaji

Body Source

```

1: private static void BelgeOidDurumunaGoreEvrapGonder(string belgeOid,
gidenBelgeParametreleri parametreler, out string sonucMesaji)
2: {
3:     #region Belge Oid Durumuna Göre Evrap Gönderme
4:
5:     if (!string.IsNullOrEmpty(belgeOid))
6:     {
7:         if (belgeOid != "Tekrar Gönder")
8:             sonucMesaji = _gibEFaturaService.belgeGonderExt(parametreler);
9:         else
10:        {
11:            var yenidenGonderDurum = false;
12:            //var ettnDizi = new string[1];
13:            //ettnDizi[0] = parametreler.belgeNo;
14:            //while (yenidenGonderDurum == false)
15:            //{
16:                //    yenidenGonderDurum =
_gibEFaturaService.belgeleriTekrarGonder(parametreler.vergiTcKimlikNo, ettnDizi,
parametreler.belgeTuru, parametreler.alanEtiket, parametreler.gonderenEtiket);
17:            //}
18:            var belgeOidDizi = new string[1];
19:            belgeOidDizi[0] = belgeOid;
20:            while (yenidenGonderDurum == false)
21:            {
22:                yenidenGonderDurum =
_gibEFaturaService.belgeleriTekrarGonderBelgeOid(parametreler.vergiTcKimlikNo,
belgeOidDizi, parametreler.belgeTuru, parametreler.alanEtiket, parametreler.gonderenEtiket);
23:            }
24:
25:            sonucMesaji = belgeOid;
26:        }
27:    }
28:    else
29:        sonucMesaji = _gibEFaturaService.belgeGonderExt(parametreler);
30:
31:    #endregion
32: }
```

1.1.7.1.2.1.2 DisServisler.BelgeOidKontrol Method

Summary

Gönderilen Id bilgisine sahip Faturanın Belge Oid Bilgisinin QNB Finans Tarafına gönderilmesini saglayan metottur

C#

```
public static string BelgeOidKontrol(string gidenFaturaId, DateTime? baslangicTarihi,
DateTime? bitisTarihi);
```

Parameters

Parameters	Description
string gidenFaturaId	Giden Fatura Id Bilgisi
DateTime? baslangicTarihi	Baslangic Tarihi bilgisi
DateTime? bitisTarihi	Bitis Tarihi Bilgisi

Returns

İslém Sonucu (Buradan dönen değer gerekli yerlerde kontrol edilip ona göre kullanıcıya bilgi verilmektedir.)

Body Source

```
1: public static string BelgeOidKontrol(string gidenFaturaId, DateTime? baslangicTarihi,
2: DateTime? bitisTarihi)
3: {
4:     try
5:     {
6:         EFaturaServisineBaglan();
7:         var parametreler = new gidenBelgeleriListeleParametreleri
8:         {
9:             vkn = "3250566851",
10:            belgeTuru = "FATURA_UBL",
11:            baslangicGonderimTarihi = baslangicTarihi?.ToString("yyyyMMdd"),
12:            bitisGonderimTarihi = bitisTarihi?.ToString("yyyyMMdd")
13:        };
14:        const string sonucMesaji = "İslém Basarılı";
15:        var liste = _gibEFaturaService.gidenBelgeleriListele(parametreler);
16:        foreach (var item in liste)
17:        {
18:            if (item is gidenBelgeleriListeleData nesne && nesne.yerelBelgeNo ==
gidenFaturaId)
19:                return nesne.belgeOid;
20:        }
21:
22:        return sonucMesaji;
23:    }
24:    catch (Exception ex)
25:    {
26:        return MesajSabitler.IslémBasarisiz;
27:    }
28:    finally
29:    {
30:        _gibUserService.logout();
31:    }
32: }
```

1.1.7.1.2.1.3 DisServisler.EArsivFaturaSorgula Method**Summary**

E-Arsiv Fatura servisine belli bir input ve dosya adı ile Talepte bulunarak işlem yapmak için hazırlanan metottur

C#

```
private static belge EArsivFaturaSorgula(string dosyaAdi, string inputKontrol, out belge
belgeTemp, out earsivServiceResult serviceResult);
```

Parameters

Parameters	Description
string dosyaAdi	Dosya Adı Bilgisi

string inputKontrol	Input Metin Bilgisi
out belge belgeTemp	Temp Belge Bilgisi
out earsivServiceResult serviceResult	Servis Sonucu Bilgisi

Body Source

```

1: private static belge EArsivFaturaSorgula(string dosyaAdi, string inputKontrol, out
belge belgeTemp,
2:     out earsivServiceResult serviceResult)
3: {
4:     belgeTemp = new belge
5:     {
6:         belgeFormati = belgeFormatiEnum.UBL,
7:         belgeFormatiSpecified = true,
8:         belgeIcerigi = File.ReadAllBytes(dosyaAdi)
9:     };
10:    serviceResult = new earsivServiceResult();
11:    var temp = _gibEArsivService.faturaSorgula(inputKontrol, out serviceResult);
12:    return temp;
13: }
```

1.1.7.1.2.1.4 DisServisler.EArsivGonder Method**Summary**

Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan metottur

C#

```
public static string EArsivGonder(GidenFaturaDTO gidenFatura, string dosyaAdi);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
string dosyaAdi	Dosya Adi bilgisi

Body Source

```

1: public static string EArsivGonder(GidenFaturaDTO gidenFatura, string dosyaAdi)
2: {
3:     try
4:     {
5:         EArsivServisineBaglan();
6:
7:         var input = "{\"islemId\":\"" + gidenFatura.Id +
"\\",\"vkn\":\"3250566851\",\"sube\":\"DFLT\",\"kasa\":\"DFLT\",\"erpKodu\":\"TSF30125\",\"do
nenBelgeFormati\":\"9\"}";
8:         //string inputKontrol =
"{\"vkn\":\"3250566851\",\"donenBelgeFormati\":\"9\",\"faturaUuid\":\"" + gidenFatura.Id +
"\"}";
9:         var inputKontrol = "{\"faturaUuid\":\"" + gidenFatura.Id +
"\\",\"vkn\":\"3250566851\",\"sube\":\"DFLT\",\"kasa\":\"DFLT\",\"erpKodu\":\"TSF30125\",\"do
nenBelgeFormati\":\"9\"}";
10:
11:         var temp = EArsivFaturaSorgula(dosyaAdi, inputKontrol, out var belgeTemp, out
var serviceResult);
12:
13:         if (serviceResult.resultCode != MesajSabitler.ServisIslemiBasariKodu)
14:             _gibEArsivService.faturaOlustur(input, belgeTemp, out serviceResult);
15:         else
16:             return MesajSabitler.IslemBasarili;
17:
18:         return serviceResult.resultCode != MesajSabitler.ServisIslemiBasariKodu ?
MesajSabitler.IslemBasarisiz : MesajSabitler.IslemBasarili;
19:
20:         //var belge = _gibEArsivService.faturaOlustur(input, belgeTemp, out
serviceResult);
```

```

21:         //if (serviceResult.resultCode != MesajSabitler.ServisIslemiBasariKodu)
22:             //    return MesajSabitler.IslemBasarisiz;
23:         //else
24:             //    return MesajSabitler.IslemBasarili;
25:     }
26: }
27: catch (Exception ex)
28: {
29:     return MesajSabitler.IslemBasarisiz;
30: }
31: finally
32: {
33:     _gibUserService.logout();
34: }
35: }
```

1.1.7.1.2.1.5 DisServisler.EArsivOnzleme Method

Summary

Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan metottur Burada da E-Faturada oldugu gibi önce Fatura Id bilgisi ile gönderip Bir sonuç gelmezse hazırlanan XML dosyasi gönderilip çıktı alınmaya çalışilmaktadir

C#

```
public static byte[] EArsivOnzleme(GidenFaturaDTO gidenFatura, string dosyaAdi);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
string dosyaAdi	Dosya Adi bilgisi

Returns

PDF olarak çıktısı alınacak dosyanın byte dizisi hali

Body Source

```

1: public static byte[] EArsivOnzleme(GidenFaturaDTO gidenFatura, string dosyaAdi)
2: {
3:     try
4:     {
5:         EArsivServisineBaglan();
6:
7:         // Burada VKN ve ERP Kodu önemlidir
8:         var input = "{\"islemId\":\"" + gidenFatura.Id.ToUpper() +
"\\",\"faturaUuid\":\"" + gidenFatura.Id.ToUpper() +
"\\",\"vkn\":\"3250566851\",\"sube\":\"DFLT\",\"kasa\":\"DFLT\",\"erpKodu\":\"TSF30125\",\"do
nenBelgeFormati\":\"3\"}";
// Buradaki 3 PDF
9:
10:        var temp = EArsivFaturaSorgula(dosyaAdi, input, out var belgeTemp, out_);
11:        if (temp != null)
12:            return temp.belgeIcerigi;
13:        else
14:        {
15:            temp = _gibEArsivService.faturaOnzleme(input, belgeTemp, out_);
16:            return temp?.belgeIcerigi;
17:        }
18:    }
19:    catch (Exception ex)
20:    {
21:        return null;
22:    }
23:    finally
24:    {
25:        _gibUserService.logout();
26:    }
}
```

```
27: }
```

1.1.7.1.2.1.6 DisServisler.EArsivServisineBaglan Method

Summary

E-Arsiv Servisine Baglanmak İçin Gerekli Islemelerin gerçekleştirildiği metottur.

C#

```
private static void EArsivServisineBaglan();
```

Body Source

```
1: private static void EArsivServisineBaglan()
2: {
3:     _gibUserService = new GIBUserService.userService();
4:     _gibEArsivService = new EarsivWebService();
5:
6:     _gibUserService.CookieContainer = new System.Net.CookieContainer();
7:     _gibEArsivService.CookieContainer = _gibUserService.CookieContainer;
8:
9:     _gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, GIBVKN);
10: }
```

1.1.7.1.2.1.7 DisServisler.EArsivSilmeyeUygunMu Method

Summary

Ilgili faturanın QNB Finans servislerine gönderilip gönderilmemiği Gönderildi ise durumuna bakarak Bu kaydın silinebilir olup olmadığını belirleye bir metottur.

C#

```
public static bool EArsivSilmeyeUygunMu(string gidenFaturaId);
```

Parameters

Parameters	Description
string gidenFaturaId	Giden Fatura Id Bilgisi

Body Source

```
1: public static bool EArsivSilmeyeUygunMu(string gidenFaturaId)
2: {
3:     try
4:     {
5:         var uygunMu = true;
6:
7:         EArsivServisineBaglan();
8:
9:         var inputKontrol = "{\"faturaUuid\":\"" + gidenFaturaId +
"\\",\"vkn\":\"3250566851\",\"sube\":\"DFLT\",\"kasa\":\"DFLT\",\"erpKodu\":\"TSF30125\",\"do-
nenBelgeFormati\":\"9\"}";
10:
11:        // var fatura = new belge
12:        // {
13:        //     belgeFormati = belgeFormatiEnum.UBL,
14:        //     belgeFormatiSpecified = true
15:        // };
16:        _gibEArsivService.faturaSorgula(inputKontrol, out var serviceResult);
17:        if (serviceResult.resultCode == MesajSabitler.ServisIslemiBasariKodu)
18:            uygunMu = false;
19:
20:        return uygunMu;
21:    }
22:    catch (Exception ex)
23:    {
24:        return true;
25:    }
26:    finally
```

```

27:     {
28:         _gibUserService.logout();
29:     }
30: }
```

1.1.7.1.2.1.8 DisServisler.EFaturaGonder Method

Summary

Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan metottur

C#

```
public static string EFaturaGonder(GidenFaturaDTO gidenFatura, string dosyaAdi, string belgeOid);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
string dosyaAdi	Dosya Adi Bilgisi
string belgeOid	Belge Oid Bilgisi

Returns

Islem Sonucu (Buradan dönen deger gerekli yerlerde kontrol edilip ona göre kullaniciya bilgi verilmektedir.)

Body Source

```

1: public static string EFaturaGonder(GidenFaturaDTO gidenFatura, string dosyaAdi, string
belgeOid)
2: {
3:     try
4:     {
5:         EFaturaServisineBaglan();
6:
7:         var parametreler = new gidenBelgeParametreleri
8:         {
9:             vergiTcKimlikNo = "3250566851",
10:            belgeTuru = "FATURA_UBL",
11:            belgeNo = gidenFatura.Id,
12:            belgeVersiyon = "1.0",
13:            veri = File.ReadAllBytes(dosyaAdi)
14:        };
15:        parametreler.belgeHash = GetMD5Hash(parametreler.veri);
16:        parametreler.mimeType = "application/xml";
17:        parametreler.erpKodu = GIBERP_Kodu;
18:
19:        string sonucMesaji;
20:        try
21:        {
22:            var belgeDurumEsas =
_gibEFaturaService.gidenBelgeDurumSorgulaYerelBelgeNo(parametreler.vergiTcKimlikNo,
parametreler.belgeNo);
23:            if (belgeDurumEsas.durum != 1 && belgeDurumEsas.durum != 3)
24:            {
25:                BelgeOidDurumunaGoreEvrapGonder(belgeOid, parametreler, out
sonucMesaji);
26:
27:                #region Belge Durumu Kontrolü
28:
29:                if (sonucMesaji.Length > 20) return sonucMesaji;
30:                var durum = ServistenBelgeDurumuGetir(parametreler, out var
belgeDurum);
31:                switch (durum)
32:                {
33:                    case 2:
34:                        sonucMesaji = MesajSabitler.IslamBasarisiz;
35:                        break;
```

```

36:             case 3:
37:             {
38:                 var gonderimDurumu = belgeDurum.gonderimDurumu;
39:                 switch (gonderimDurumu)
40:                 {
41:                     case 2:
42:                         return sonucMesaji;
43:                     case 4:
44:                         return sonucMesaji;
45:                     case 3:
46:                     {
47:                         GibYanitKodunaGoreSonucGetir(belgeDurum, sonucMesaji,
48:                                         return eFaturaGonder;
49:                                     }
50:                                 }
51:                                 break;
52:                             }
53:                         }
54:                         #endregion
55:                     }
56:                     else if (belgeDurumEsas.durum == 3)
57:                     {
58:                         if (!string.IsNullOrEmpty(belgeOid))
59:                             return belgeOid;
60:                         else
61:                             sonucMesaji = MesajSabitler.IslemBasarili;
62:                         }
63:                         else
64:                         {
65:                             sonucMesaji = MesajSabitler.IslemBasarisiz;
66:                         }
67:                         }
68:                         return sonucMesaji;
69:                     }
70:                     catch (Exception)
71:                     {
72:                         BelgeOidDurumunaGoreEvrapGonder(belgeOid, parametreler, out sonucMesaji);
73:                         #region Belge Durumu Kontrolü
74:
75:                         if (sonucMesaji.Length > 20) return sonucMesaji;
76:                         var durum = ServistenBelgeDurumuGetir(parametreler, out var belgeDurum);
77:                         switch (durum)
78:                         {
79:                             case 2:
80:                                 sonucMesaji = MesajSabitler.IslemBasarisiz;
81:                                 break;
82:                             case 3:
83:                             {
84:                                 var gonderimDurumu = belgeDurum.gonderimDurumu;
85:                                 switch (gonderimDurumu)
86:                                 {
87:                                     case 2:
88:                                         return sonucMesaji;
89:                                     case 4:
90:                                         return sonucMesaji;
91:                                     case 3:
92:                                     {
93:                                         GibYanitKodunaGoreSonucGetir(belgeDurum, sonucMesaji, out
94:                                         var eFaturaGonder);
95:                                         return eFaturaGonder;
96:                                     }
97:                                     }
98:                                     break;
99:                                 }
100:                             }
101:                         }
102:                         }

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```

103:         #endregion
104:         return sonucMesaji;
105:     }
106: }
107: catch (Exception ex)
108: {
109:     return MesajSabitler.IslamBasarisiz;
110: }
111: finally
112: {
113:     _gibUserService.logout();
114: }
115: }
116: }
```

1.1.7.1.2.1.9 DisServisler.EFaturaKullaniciListesi Method

Summary

Girilen tarihten sonraki E-Fatura Mükellef Listesini getiren metottur Bir Metottur

C#

```
public static List<string> EFaturaKullaniciListesi(DateTime islemTarihi);
```

Parameters

Parameters	Description
DateTime islemTarihi	Islem Tarihi Bilgisi

Returns

E-Fatura Kullanici Listesi

Body Source

```

1: public static List<string> EFaturaKullaniciListesi(DateTime islemTarihi)
2: {
3:     try
4:     {
5:         EFaturaServisineBaglan();
6:
7:         var vergiKimlikNoListesi = new List<string>();
8:
9:         var islemTarihiString = islemTarihi.Date.ToString("yyyyMMdd") +
islemTarihi.ToString("HHmmss");
10:        var list = _gibEFaturaService.eFaturaKayitliKullaniciListele(islemTarihiString);
11:        foreach (var item in list)
12:        {
13:            var sb = new StringBuilder();
14:            TarihBilgisiDuzenle(item, sb);
15:            if (sb.ToString().Length <= 0) continue;
16:            var eklencekKayit = item.vergiTcKimlikNo + " - " + item.unvan + " - Kayit
Zamani: " + sb;
17:            if (vergiKimlikNoListesi.All(j => j != eklencekKayit))
18:                vergiKimlikNoListesi.Add(eklencekKayit);
19:        }
20:
21:        return vergiKimlikNoListesi;
22:    }
23:    catch (Exception ex)
24:    {
25:        return new List<string>();
26:    }
27:    finally
28:    {
29:        _gibUserService.logout();
30:    }
31: }
```

1.1.7.1.2.1.10 DisServisler.EFaturaKullanicisiMi Method

Summary

Vergi Kimlik Numarası Gönderilen Tüzel Kisinin E Fatura Kullanicisi Olup Olmadigini Kontrol Eden Bir Metottur

C#

```
public static bool EFaturaKullanicisiMi(string vergiNo);
```

Parameters

Parameters	Description
string vergiNo	Tüzel Kisi Vergi Kimlik Numarasi

Returns

Kullanici Olup Olmadigi Bilgisi

Body Source

```
1: public static bool EFaturaKullanicisiMi(string vergiNo)
2: {
3:     try
4:     {
5:         EFaturaServisineBaglan();
6:
7:         var kullaniciMi = _gibEFaturaService.efaturaKullanicisi(vergiNo);
8:
9:         return kullaniciMi;
10:    }
11:   catch (Exception ex)
12:   {
13:       return false;
14:   }
15:   finally
16:   {
17:       _gibUserService.logout();
18:   }
19: }
```

1.1.7.1.2.1.11 DisServisler.EFaturaOnIzleme Method

Summary

Olusturulan XML dosyasinin QNB Finans Tarafinda Önizlemesinin yapilmasini saglayan metottur Eger Belge Oid numarası varsa XML dosyasını göndermez, bu numarayla sistemdeki çıktı alınır. Yoksa XML dosyası gönderilir, Mali Degeri Yoktur yanan bir filigranla yine XML üzerindeki Yapı üzerinden PDF çıktısı alınacak sekilde veri döner

C#

```
public static GeriDonus EFaturaOnIzleme(GidenFaturaDTO gidenFatura, string dosyaAdi);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
string dosyaAdi	Dosya Adı bilgisi

Returns

PDF veya ZIP olarak alınacak dosyanın Byte dizisi hali

Body Source

```
1: public static GeriDonus EFaturaOnIzleme(GidenFaturaDTO gidenFatura, string dosyaAdi)
2: {
3:     try
4:     {
5:         EFaturaServisineBaglan();
```

```

6:
7:         const string vergiTcKimlikNo = "3250566851";
8:         if (!File.Exists(dosyaAdi))
9:         {
10:             return null;
11:         }
12:         var veri = File.ReadAllBytes(dosyaAdi);
13:         const string belgeFormati = "PDF"; //HTML, PDF, UBL
14:         const string belgeTuru = "FATURA"; //EFATURA ve EIRSALIYE degerleri alabilir.
15:
16:         var onizleme = new byte[1];
17:
18:         var geriDonus = new GeriDonus
19:         {
20:             Dosya = onizleme,
21:             Tip = 0
22:         };
23:
24:         if (!string.IsNullOrEmpty(gidenFatura.BelgeOid))
25:         {
26:             var idListesi = new string[1];
27:             idListesi[0] = gidenFatura.BelgeOid;
28:             onizleme = _gibEFaturaService.gidenBelgeleriIndir(vergiTcKimlikNo,
idListesi, belgeTuru, belgeFormati);
29:             geriDonus.Dosya = onizleme;
30:             geriDonus.Tip = 1;
31:         }
32:         else
33:         {
34:             onizleme = _gibEFaturaService.ulbOnizleme(vergiTcKimlikNo, veri,
belgeFormati, belgeTuru);
35:             geriDonus.Dosya = onizleme;
36:             geriDonus.Tip = 0;
37:         }
38:
39:         return geriDonus;
40:     }
41:     catch (Exception ex)
42:     {
43:         return null;
44:     }
45:     finally
46:     {
47:         _gibUserService.logout();
48:     }
49: }

```

1.1.7.1.2.1.12 DisServisler.EFaturaServisineBaglan Method

Summary

E-Fatura Servisine Baglanmak Için Gerekli olan islemlerin gerçekleştirildiği metottur

C#

```
private static void EFaturaServisineBaglan();
```

Body Source

```

1: private static void EFaturaServisineBaglan()
2: {
3:     _gibUserService = new GIBUserService.userService();
4:     _gibEFaturaService = new connectorService();
5:
6:     _gibUserService.CookieContainer = new System.Net.CookieContainer();
7:     _gibEFaturaService.CookieContainer = _gibUserService.CookieContainer;
8:
9:     _gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, GIVKN);
10: }
```

1.1.7.1.2.1.13 DisServisler.EFaturaSilmeyeUygunMu Method

Summary

İlgili faturanın QNB Finans servislerine gönderildip gönderilmemiği Gönderildi ise durumuna bakarak Bu kaydın silinebilir olup olmadığını belirleye bir metottur.

C#

```
public static bool EFaturaSilmeyeUygunMu(string gidenFaturaId);
```

Parameters

Parameters	Description
string gidenFaturaId	Giden Fatura Id Bilgisi

Returns

Kaydin Silinmeye Uygun Olup Olmadigi Bilgisi

Body Source

```

1: public static bool EFaturaSilmeyeUygunMu(string gidenFaturaId)
2: {
3:     try
4:     {
5:         var uygunMu = true;
6:
7:         EFaturaServisineBaglan();
8:
9:         var parametreler = new gidenBelgeParametreleri
10:        {
11:            vergiTcKimlikNo = "3250566851",
12:            belgeTuru = "FATURA_UBL",
13:            belgeNo = gidenFaturaId,
14:            erpKodu = GIBERP_Kodu
15:        };
16:        var belgeDurumEsas =
_gibEFaturaService.gidenBelgeDurumSorgulaYerelBelgeNo(parametreler.vergiTcKimlikNo,
parametreler.belgeNo);
17:        if (belgeDurumEsas.durum == 1 || belgeDurumEsas.durum == 3)
18:            uygunMu = false;
19:
20:        return uygunMu;
21:    }
22:    catch (Exception ex)
23:    {
24:        return true;
25:    }
26:    finally
27:    {
28:        _gibUserService.logout();
29:    }
30: }
```

1.1.7.1.2.1.14 DisServisler.EMustahsilGonder Method

Summary

Oluşturulan XML dosyasının QNB Finans Tarafına gönderilmesini sağlayan metottur

C#

```
public static string EMustahsilGonder(MustahsilMakbuzuDTO mustahsilMakbuzu, string dosyaAdi);
```

Parameters

Parameters	Description
MustahsilMakbuzuDTO mustahsilMakbuzu	Müstahsil Makbuzu Bilgisi
string dosyaAdi	Dosya Adı bilgisi

Body Source

```

1: public static string EMustahsilGonder(MustahsilMakbuzuDTO mustahsilMakbuzu, string
dosyaAdi)
2: {
3:     try
4:     {
5:         EMustahsilServisineBaglan();
6:
7:         var input = "{\"islemId\":\"" + mustahsilMakbuzu.Id +
"\\",\"vkn\":\"3250566851\",\"sube\":\"DFLT\",\"kasa\":\"DFLT\"}";
8:         var inputKontrol = "{\"islemId\":\"" + mustahsilMakbuzu.Id.ToUpper() +
"\\",\"uuid\":\"" + mustahsilMakbuzu.Id.ToUpper() +
"\\\",\"vkn\":\"3250566851\",\"sube\":\"DFLT\",\"kasa\":\"DFLT\"}";
9:
10:        var belgeTemp = new GIBEMustahsil.belge
11:        {
12:            belgeFormati = GIBEMustahsil.belgeFormatiEnum.UBL,
13:            belgeFormatiSpecified = true,
14:            belgeIcerigi = File.ReadAllBytes(dosyaAdi)
15:        };
16:
17:        _gibEMustahsilService.mustahsilMakbuzSorgula(inputKontrol, out var
serviceResult);
18:        if (serviceResult.resultCode != MesajSabitler.ServisIslemiBasariKodu)
19:            _gibEMustahsilService.mustahsilMakbuzOlustur(input, belgeTemp, out
serviceResult);
20:        else
21:            return MesajSabitler.IslemBasarili;
22:
23:        return serviceResult.resultCode != MesajSabitler.ServisIslemiBasariKodu ?
MesajSabitler.IslemBasarisiz : MesajSabitler.IslemBasarili;
24:    }
25:    catch (Exception ex)
26:    {
27:        return MesajSabitler.IslemBasarisiz;
28:    }
29:    finally
30:    {
31:        _gibUserService.logout();
32:    }
33: }
```

1.1.7.1.2.1.15 DisServisler.EMustahsilOnizleme Method

Summary

Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan metottur Burada da E-Faturada oldugu gibi önce Fatura Id bilgisi ile gönderip Bir sonuç gelmezse hazırlanan XML dosyasi gönderilip çıktı alınmaya çalışilmaktadır

C#

```
public static byte[] EMustahsilOnizleme(MustahsilMakbuzuDTO mustahsilMakbuzu, string
dosyaAdi);
```

Parameters

Parameters	Description
MustahsilMakbuzuDTO mustahsilMakbuzu	Müstahsil Makbuzu Bilgisi
string dosyaAdi	Dosya Adı bilgisi

Returns

PDF olarak çiktisi alınacak dosyanın byte dizisi hali

Body Source

```

1: public static byte[] EMustahsilOnIzleme(MustahsilMakbuzuDTO mustahsilMakbuzu, string
dosyaAdi)
2: {
3:     try
4:     {
5:         EMustahsilServisineBaglan();
6:
7:         // Burada VKN ve ERP Kodu önemlidir
8:         var input = "{\"islemId\":\"" + mustahsilMakbuzu.Id.ToUpper() +
"\\",\"uuid\":\"" + mustahsilMakbuzu.Id.ToUpper() +
"\\\",\"vkn\":\"3250566851\",\"sube\":\"DFLT\",\"kasa\":\"DFLT\",\"erpKodu\":\"TSF30125\",\"do-
nenBelgeFormati\":\"3\"}";
9:
10:        var belgeTemp = new GIBEMustahsil.belge
11:        {
12:            belgeFormati = GIBEMustahsil.belgeFormatiEnum.UBL,
13:            belgeFormatiSpecified = true,
14:            belgeIcerigi = File.ReadAllBytes(dosyaAdi)
15:        };
16:        var temp = _gibEMustahsilService.mustahsilMakbuzSorgula(input, out__);
17:        if (temp != null)
18:            return temp.belgeIcerigi;
19:        else
20:        {
21:            temp = _gibEMustahsilService.mustahsilMakbuzOnizleme(input, belgeTemp, out__);
22:            return temp?.belgeIcerigi;
23:        }
24:    }
25:    catch (Exception ex)
26:    {
27:        return null;
28:    }
29:    finally
30:    {
31:        _gibUserService.logout();
32:    }
33: }
```

1.1.7.1.2.1.16 DisServisler.EMustahsilServisineBaglan Method**Summary**

E-Müstahsil Servisine Baglanmak için Gerekli islemlerin gerçekleştirildiği metottur.

C#

```
private static void EMustahsilServisineBaglan();
```

Body Source

```

1: private static void EMustahsilServisineBaglan()
2: {
3:     _gibUserService = new GIBUserService.userService();
4:     _gibEMustahsilService = new GIBEMustahsil.MustahsilWebService();
5:
6:     _gibUserService.CookieContainer = new System.Net.CookieContainer();
7:     _gibEMustahsilService.CookieContainer = _gibUserService.CookieContainer;
8:
9:     _gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, "tr");
10: }
```

1.1.7.1.2.1.17 DisServisler.EMustahsilSilmeyeUygunMu Method

Summary

İlgili faturanın QNB Finans servislerine gönderildip gönderilmemiği Gönderildi ise durumuna bakarak Bu kaydın silinebilir olup olmadığını belirleye bir metottur.

C#

```
public static bool EMustahsilSilmeyeUygunMu(string mustahsilMakbuzuId);
```

Parameters

Parameters	Description
string mustahsilMakbuzuId	Müstahsil Makbuzu Id Bilgisi

Returns

Kaydin Silinmeye Uygun Olup Olmadigi Bilgisi

Body Source

```
1: public static bool EMustahsilSilmeyeUygunMu(string mustahsilMakbuzuId)
2: {
3:     try
4:     {
5:         var uygunMu = true;
6:
7:         EMustahsilServisineBaglan();
8:
9:         var inputKontrol = "{\"islemId\":\"\" + mustahsilMakbuzuId.ToUpper() +
"\\\",\\\"uuid\\\":\\\" + mustahsilMakbuzuId.ToUpper() +
"\\\",\\\"vkn\\\":\\\"3250566851\\\",\\\"sube\\\":\\\"DFLT\\\",\\\"kasa\\\":\\\"DFLT\\\"}";
10:
11:         _gibEMustahsilService.mustahsilMakbuzSorgula(inputKontrol, out var
serviceResult);
12:         if (serviceResult.resultCode == MesajSabitler.ServisIslemiBasariKodu)
13:             uygunMu = false;
14:
15:         return uygunMu;
16:     }
17:     catch (Exception ex)
18:     {
19:         return true;
20:     }
21:     finally
22:     {
23:         _gibUserService.logout();
24:     }
25: }
```

1.1.7.1.2.1.18 DisServisler.GetMD5Hash Method

Summary

Dosyanın MD5 hashi alınması için yazılan metottur

C#

```
private static string GetMD5Hash(byte[] gelen);
```

Parameters

Parameters	Description
byte[] gelen	Girdi Bilgisi

Returns

Metnin veya girdinin MD5 hashlenmis hali

Body Source

```

1: private static string GetMD5Hash(byte[] gelen)
2: {
3:     var md5Hash = new MD5CryptoServiceProvider();
4:     var data = md5Hash.ComputeHash(gelen);
5:     var sBuilder = new StringBuilder();
6:
7:     foreach (var t in data)
8:     {
9:         sBuilder.Append(t.ToString("x2"));
10:    }
11:
12:    return sBuilder.ToString();
13: }
```

1.1.7.1.2.1.19 DisServisler.GibYanitKodunaGoreSonucGetir Method**Summary**

GIB'den gele yanıt koduna göre Sonuç olusturan ve gösteren metottur.

C#

```
private static void GibYanitKodunaGoreSonucGetir(gidenBelgeDurum belgeDurum, string sonucMesaji, out string eFaturaGonder);
```

Parameters

Parameters	Description
gidenBelgeDurum belgeDurum	Belge Durum Bilgisi
string sonucMesaji	Sonuç Mesajı Bilgisi
out string eFaturaGonder	Servisten gelecek sonuç bilgisi

Body Source

```

1: private static void GibYanitKodunaGoreSonucGetir(gidenBelgeDurum belgeDurum, string sonucMesaji, out string eFaturaGonder)
2: {
3:     var gibYanitKodu = belgeDurum.gonderimCevabiKodu;
4:     if (gibYanitKodu > 1300)
5:     {
6:         eFaturaGonder = sonucMesaji;
7:         return;
8:     }
9:
10:    if (Sabitler.TekrarGonderilebilecekKodListesi.Any(j => j == gibYanitKodu))
11:    {
12:        eFaturaGonder = "Tekrar Gönder";
13:        return;
14:    }
15:
16:    if (Sabitler.TekrarGonderilebilecekKodListesi.All(j => j != gibYanitKodu) &&
gibYanitKodu <= 1200 && gibYanitKodu >= 1100)
17:    {
18:        eFaturaGonder = MesajSabitler.IslemBasarisiz;
19:        return;
20:    }
21:
22:    if (gibYanitKodu == 1210 || gibYanitKodu == 1120)
23:    {
24:        eFaturaGonder = MesajSabitler.IslemBasarisiz;
25:        return;
26:    }
27:
28:    eFaturaGonder = sonucMesaji;
29: }
```

1.1.7.1.2.1.20 DisServisler.ServistenBelgeDurumuGetir Method

Summary

Servisten belgenin gönderilme durumunun getirilmesi için Hazırlanmış olan metottur.

C#

```
private static int ServistenBelgeDurumuGetir(gidenBelgeParametreleri parametreler, out
gidenBelgeDurum belgeDurum);
```

Parameters

Parameters	Description
gidenBelgeParametreleri parametreler	Servis Parametreleri
out gidenBelgeDurum belgeDurum	Belge Durum Bilgisi

Returns

Durum Kodu

Body Source

```
1: private static int ServistenBelgeDurumuGetir(gidenBelgeParametreleri parametreler, out
gidenBelgeDurum belgeDurum)
2: {
3:     // önemli not: buradaki metotta Belge Oid'ye göre kontrol yapılıyor
4:     //var belgeDurum =
5:     _gibEFaturaService.gidenBelgeDurumSorgula(parametreler.vergiTcKimlikNo, sonucMesaji);
6:     //var durum = belgeDurum.durum;
7:     //while (durum == 1)
8:     //{
9:         //    belgeDurum =
10:        _gibEFaturaService.gidenBelgeDurumSorgula(parametreler.vergiTcKimlikNo, sonucMesaji);
11:        //    durum = belgeDurum.durum;
12:        belgeDurum =
13:        _gibEFaturaService.gidenBelgeDurumSorgulaYerelBelgeNo(parametreler.vergiTcKimlikNo,
parametreler.belgeNo);
14:        var durum = belgeDurum.durum;
15:        while (durum == 1)
16:        {
17:            belgeDurum =
18:            _gibEFaturaService.gidenBelgeDurumSorgulaYerelBelgeNo(parametreler.vergiTcKimlikNo,
parametreler.belgeNo);
19:            durum = belgeDurum.durum;
20:        }
21: }
```

1.1.7.1.2.1.21 DisServisler.TarihBilgisiDuzenle Method

Summary

Servisten gelen bilgideki tarih bilgisi sıralı olmadığı için Buna göre tarih bilgisinin olması gereken hale getirilmesi için Hazırlanmış bir metottur.

C#

```
private static void TarihBilgisiDuzenle(eFaturaKullanici item, StringBuilder sb);
```

Parameters

Parameters	Description
eFaturaKullanici item	Servistne dönen kullanici bilgisi
StringBuilder sb	String Builder Bilgisi

Body Source

```

1: private static void TarihBilgisiDuzenle(eFaturaKullanici item, StringBuilder sb)
2: {
3:     if (string.IsNullOrEmpty(item.kayitZamani)) return;
4:     sb.Append(item.kayitZamani.Substring(6, 2));
5:     sb.Append("-");
6:     sb.Append(item.kayitZamani.Substring(4, 2));
7:     sb.Append("-");
8:     sb.Append(item.kayitZamani.Substring(0, 4));
9:     sb.Append(" ");
10:    sb.Append(item.kayitZamani.Substring(8, 2));
11:    sb.Append(":");
12:    sb.Append(item.kayitZamani.Substring(10, 2));
13:    sb.Append(":");
14:    sb.Append(item.kayitZamani.Substring(12, 2));
15: }

```

1.1.7.1.3 Enums Class

Summary

Satis Türü Bilgilerinin Bulundugu Enum sınıfı

Class Hierarchy

[QNBFinansGIB.Utils.Enums](#)

C#

```
public static class Enums;
```

File

Enums.cs ([see page 806](#))

Enums Enumerations

	Name	Description
	BelgeTur (see page 689)	This is record QNBFinansGIB.Utils.Enums.BelgeTur.
	FaturaMakbuzGrupTur (see page 690)	Istisna Faturalarindave Müstahsil Makbuzlarında Grup Türüne Göre Kontrol yapılmasını saglayan enum Bilgisi Burada Küspe olup olmamasına göre XML içerisinde degisiklikler yapıldığı için Bu kisim önemlidir
	FaturaTur (see page 690)	Faturada Türlerinin Kodlarının Bulundugu enum bilgisi Burada lade faturasi ise XML içerisinde bazi yapisal degisiklikler gerçekleştirildiği için Bu konu önemlidir.
	LetterCase (see page 690)	This is record QNBFinansGIB.Utils.Enums.LetterCase.
	SatisTur (see page 691)	Faturadaki Satis Türlerinin Kodlarının Bulundugu enum bilgisi Burada İhraç Kayitlı ise XML içerisinde bazi yapisal degisiklikler gerçekleştirildiği için Bu konu önemlidir.

1.1.7.1.3.1 Enums Enumerations

1.1.7.1.3.1.1 QNBFinansGIB.Utils.Enums.BelgeTur Enumeration

C#

```

[Flags]
public enum BelgeTur {
    EFatura,
    EArsiv
}

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

File

Enums.cs (see page 806)

Description

This is record QNBFinansGIB.Utils.Enums.BelgeTur.

1.1.7.1.3.1.2 QNBFinansGIB.Utils.Enums.FaturaMakbuzGrupTur Enumeration**Summary**

Istisna Faturalarindave Müstahsil Makbzularında Grup Türüne Göre Kontrol yapılmasını saglayan enum Bilgisi Burada Küspe olup olmamasına göre XML içerisinde degisiklikler yapıldığı için Bu kisim önemlidir

C#

```
public enum FaturaMakbuzGrupTur {
    Seker = 1,
    Melas = 2,
    Kuspe = 3,
    Diger = 4,
    Malzeme = 5,
    PancarKuyrugu = 6,
    Alkol = 7,
    Personel = 8
}
```

File

Enums.cs (see page 806)

1.1.7.1.3.1.3 QNBFinansGIB.Utils.Enums.FaturaTur Enumeration**Summary**

Faturada Türlerinin Kodlarının Bulundugu enum bilgisi Burada lade faturasi ise XML içerisinde bazi yapisal degisiklikler gerçekleştirildiği için Bu konu önemlidir.

C#

```
public enum FaturaTur {
    Muhtelif = 1,
    Kantin = 2,
    Ambar = 3,
    Satis = 4,
    Iade = 5,
    Fark = 6,
    Personel = 7,
    Proforma = 8,
    NoterlikMakbuzu = 9,
    Harcirah = 10
}
```

File

Enums.cs (see page 806)

1.1.7.1.3.1.4 QNBFinansGIB.Utils.Enums.LetterCase Enumeration**C#**

```
[Flags]
public enum LetterCase {
    Lower,
    Upper
}
```

FileEnums.cs ([see page 806](#))**Description**

This is record QNBFinansGIB.Utils.Enums.LetterCase.

1.1.7.1.3.1.5 QNBFinansGIB.Utils.Enums.SatisTur Enumeration**Summary**

Faturadaki Satis Türlerinin Kodlarının Bulundugu enum bilgisi Burada İhraç Kayitli ise XML içerisinde bazi yapisal degisiklikler gerçekleştirildiği için Bu konu önemlidir.

C#

```
public enum SatisTur {
    Vadeli = 1,
    Hesaben = 2,
    Pesin = 3,
    TeskilataVerilen = 4,
    TeslimattaVadeli = 5,
    CiftciyeVerilen = 6,
    IstirakeSatilan = 7,
    PersoneleSatilan = 8,
    ImalatciIhracatci = 9,
    IhracKayitli = 10,
    IstirakeSatilanRezervli = 11,
    RafFiyatGarantili = 12
}
```

FileEnums.cs ([see page 806](#))**1.1.7.1.4 GeriDonus Class****Summary**

E-Fatura Servisinde Önizleme Metodu çağrıldığında dönecek olan deger Burada Tipe göre Dosya ([see page 692](#)) uzantisi Zip veya PDF olacagi için Bu konu önemlidir

Class Hierarchy

QNBFinansGIB.Utils.GeriDonus

C#

```
public class GeriDonus;
```

FileGeriDonus.cs ([see page 835](#))**GeriDonus Properties**

	Name	Description
	Dosya (see page 692)	Çıktı alınacak dosyanın byte dizisi hali
	Tip (see page 692)	Çıktı Tipi Bilgisi

1.1.7.1.4.1 GeriDonus Properties

1.1.7.1.4.1.1 GeriDonus.Dosya Property

Summary

Çıktı alınacak dosyanın byte dizisi hali

C#

```
public byte Dosya;
```

1.1.7.1.4.1.2 GeriDonus.Tip Property

Summary

Çıktı Tipi Bilgisi

C#

```
public int Tip;
```

1.1.7.1.5 GibNumarasi Class

Summary

GIB Numarasi değerlerinin otomatik olarak oluşturulması için hazırlanan sınıfır

Class Hierarchy

[QNBFinansGIB.Utils.GibNumarasi](#)

C#

```
public static class GibNumarasi;
```

File

GibNumarasi.cs ([\[?\]](#) see page 836)

GibNumarasi Methods

	Name	Description
	RastgeleGibNumarasiOlustur ([?] see page 692)	Fatura veya Makbuz nesnesi üzerinden rastgele GIB numarasi olusturulması için Gerekli metottur
	RastgeleMetinOlustur ([?] see page 693)	Girilen boyut ve yazı türüne göre Rastgele metin olusturulması için hazırlanan bir metottur

1.1.7.1.5.1 GibNumarasi Methods

1.1.7.1.5.1.1 GibNumarasi.RastgeleGibNumarasiOlustur Method

Summary

Fatura veya Makbuz nesnesi üzerinden rastgele GIB numarasi olusturulması için Gerekli metottur

C#

```
public static string RastgeleGibNumarasiOlustur(DateTime? belgeTarihi);
```

Parameters

Parameters	Description
DateTime? belgeTarihi	Belge Tarihi Bilgisi

Returns

GIB Numarasi

Body Source

```

1: public static string RastgeleGibNumarasiOlustur(DateTime? belgeTarihi)
2: {
3:     var baslangicMetni = RastgeleMetinOlustur(3, LetterCase.Lower);
4:     var islemTarihi = belgeTarihi ?? DateTime.Now;
5:     // maksimum 9 haneli olacagi için böyle bir güncelleme yapıldı
6:     var faturaSayisi = new Random().Next(Sabitler.MaksimumFaturaNumarasi);
7:     var stringBuilder = new StringBuilder();
8:     stringBuilder.Append(baslangicMetni);
9:     stringBuilder.Append(islemTarihi.Year.ToString());
10:    stringBuilder.Append(faturaSayisi.ToString().PadLeft(9, '0'));
11:    return stringBuilder.ToString();
12: }

```

1.1.7.1.5.1.2 GibNumarasi.RastgeleMetinOlustur Method**Summary**

Girilen boyut ve yazı türüne göre Rastgele metin oluşturulması için hazırlanan bir metottur

C#

```
private static string RastgeleMetinOlustur(int boyut, LetterCase letterCase);
```

Parameters

Parameters	Description
int boyut	Istenen metnin boyutu
LetterCase letterCase	Yazı Tipi (Büyük Harf mi, Küçük Harf Mi)

Returns

Rastgele Metin Bilgisi

Body Source

```

1: private static string RastgeleMetinOlustur(int boyut, LetterCase letterCase)
2: {
3:     var builder = new StringBuilder(boyut);
4:     var random = new Random();
5:     var offset = letterCase == LetterCase.Lower ? 'a' : 'A';
6:     const int lettersOffset = 26;
7:     for (var i = 0; i < boyut; i++)
8:     {
9:         var @char = (char)random.Next(offset, offset + lettersOffset);
10:        builder.Append(@char);
11:    }
12:    return letterCase == LetterCase.Lower ? builder.ToString().ToLower() :
builder.ToString();
13: }

```

1.1.7.1.6 MesajSabitler Class**Summary**

Yapılan Ekranlarda Verilecek Mesajlarla İlgili Sabit Sınıf

Class Hierarchy

```
[QNBFinansGIB.Utils.MesajSabitler]
```

C#

```
public static class MesajSabitler;
```

File

MesajSabitler.cs ( see page 840)

MesajSabitler Fields

	Name	Description
◆	IslemBasarili (see page 694)	Islemin Basarili Olduguna Dair Mesaj Bilgisi
◆	IslemBasarisiz (see page 694)	Islemin Basarisiz Olduguna Dair Mesaj Bilgisi
◆	MesajBasligi (see page 694)	Islem Mesajlarinin Kutusunda Gösterilecek Baslik Mesaj Bilgisi
◆	ServisIslemiBasariKodu (see page 694)	QNB Servislerinden Gelen Basarili Mesaj Kod Bilgisi

1.1.7.1.6.1 MesajSabitler Fields

1.1.7.1.6.1.1 MesajSabitler.IslemBasarili Field

Summary

Islemin Basarili Olduguna Dair Mesaj Bilgisi

C#

```
public const string IslemBasarili = "Islem Basarili";
```

1.1.7.1.6.1.2 MesajSabitler.IslemBasarisiz Field

Summary

Islemin Basarisiz Olduguna Dair Mesaj Bilgisi

C#

```
public const string IslemBasarisiz = "Islem Basarisiz";
```

1.1.7.1.6.1.3 MesajSabitler.MesajBasligi Field

Summary

Islem Mesajlarinin Kutusunda Gösterilecek Baslik Mesaj Bilgisi

C#

```
public const string MesajBasligi = "QNB Finans GIB Servis Uygulamasi";
```

1.1.7.1.6.1.4 MesajSabitler.ServisIslemiBasariKodu Field

Summary

QNB Servislerinden Gelen Basarili Mesaj Kod Bilgisi

C#

```
public const string ServisIslemiBasariKodu = "AE00000";
```

1.1.7.1.7 Sabitler Class

Summary

Sistemde Elle Kontroller Yapilmaması ve Hatali Veri Girisini Engellemek Amaçlı Kullanilan Sabit sinifidir.

Class Hierarchy

```
[QNBFinansGIB.Utils.Sabitler]
```

C#

```
public static class Sabitler;
```

File

Sabitler.cs (see page 850)

Sabitler Fields

	Name	Description
◆ S R	KonaklamaVergiKontrolTarihi (↗ see page 695)	This is KonaklamaVergiKontrolTarihi, a member of class Sabitler.
◆	MaksimumFaturaNumarasi (↗ see page 695)	This is MaksimumFaturaNumarasi, a member of class Sabitler.
◆ S R	TekrarGonderilebilecekKodListesi (↗ see page 695)	This is TekrarGonderilebilecekKodListesi, a member of class Sabitler.

1.1.7.1.7.1 Sabitler Fields

1.1.7.1.7.1.1 Sabitler.KonaklamaVergiKontrolTarihi Field

C#

```
public static readonly DateTime KonaklamaVergiKontrolTarihi = new DateTime(2023, 1, 1);
```

Description

This is KonaklamaVergiKontrolTarihi, a member of class Sabitler.

1.1.7.1.7.1.2 Sabitler.MaksimumFaturaNumarasi Field

C#

```
public const int MaksimumFaturaNumarasi = 999999999;
```

Description

This is MaksimumFaturaNumarasi, a member of class Sabitler.

1.1.7.1.7.1.3 Sabitler.TekrarGonderilebilecekKodListesi Field

C#

```
public static readonly List<int> TekrarGonderilebilecekKodListesi = new List<int> { 1110, 1120, 1130, 1131, 1132, 1133, 1140, 1141, 1142, 1143, 1150, 1160, 1161, 1170, 1171, 1172, 1175, 1176, 1177, 1180, 1181, 1190, 1195, 1215, 1230 };
```

Description

This is TekrarGonderilebilecekKodListesi, a member of class Sabitler.

1.1.7.1.8 XMLIslemleri Class

Summary

Giden Fatura ve Müstahsil Makbuzlari ile ilgili olarak, Kendisi, Ana Kayda Iliskin Detaylar, Aktarilacak Klasör gibi bilgiler kullanilarak QNB Finans GIB Web Servislerine gönderilecek XML dosyalarinin hazırlanması ile ilgili Metotlarin bulunduğu yardimci siniftir.

Class Hierarchy

```
[QNBFinansGIB.Utils.XMLIslemleri]
```

C#

```
public static class XMLIslemleri:
```

File

XMLIslemleri.cs (↗ see page 852)

XMLİslemeleri Methods

	Name	Description
≡ S	EArsivBankaBilgileriDuzenle (see page 697)	E-Arsiv Kisminda Tüzel Kisi De Olsa Sahis Sirketi De Olsa Banka Bilgilerinin hazırlandığı kod blogu aynı olduğu için Burada tek bir yerden güncelleme yapılması için gerekli işlemlerin gerçekleştirildiği metottur.
≡ S	EArsivFaturaDetaylariDuzenle (see page 698)	E-Arsiv Kisminda Tüzel Kisiden Gelse de Sahis Sirketinden Gelse De Fatura Detayları XML içerisinde islenirken aynı işlemler gerçekleştirildiginden Bu kod bloklarının tek bir yerde tutulması Birinde yapılan güncellemenin iki tarafı da etkilemesi saglandı
≡ S	EArsivSahisSirketineAitKismiHazirla (see page 703)	E-Arsiv faturasında sahis sirketine ait kisimların hazırlanması için Gerçeklestirilmis metottur
≡ S	EArsivStandartImzaVeFirmaBilgisiDuzenle (see page 704)	E-Arsiv Kisminda Tüzel Kisi de Olsa Sahis Sirketi De Olsa Standart Alanlar, Imza Kismi ve Faturayı Kesen Firma Kismi ile ilgili kod blokları Aynı olduğu için Burada tek bir yerden güncelleme yapılması için gerekli işlemlerin gerçekleştirildiği metottur.
≡ S	EArsivTuzelKisiyeAitKismiHazirla (see page 707)	E-Arsiv faturasında tüzel kişiye ait kisimların hazırlanması için Gerçeklestirilmis metottur
≡ S	EArsivVergiVeDigerAlanlarDuzenle (see page 711)	E-Arsiv Kisminda Tüzel Kisi de Olsa Sahis Sirketi De Olsa Vergi, Iskonto vb. Kismi ile ilgili kod blokları Aynı olduğu için Burada tek bir yerden güncelleme yapılması için gerekli işlemlerin gerçekleştirildiği metottur.
≡ S	EArsivXMLOlustur (see page 713)	Giden Fatura Bilgisi Üzerinden E-Arsiv Sistemine Göndermek İçin XML Dosyasi Olusturmaya yaranan metottur
≡ S	EFaturaBankaBilgileriDuzenle (see page 714)	E-Fatura kisminda Banka Bilgilerinin girildigi Ve XML içerisinde yerlestirildigi metottur.
≡ S	EFaturaDetayBilgileriniDuzenle (see page 715)	E-Fatura Kisminda Fatura Detayları ile ilgil olarak Yapılan ismeerin tek bir yerde tutuldugu metottur.
≡ S	EFaturaEkDokumanReferansDuzenle (see page 719)	E-Fatura XML dosyasi hazırlanirken Varsa bir sablonun çekilerek Ek Doküman Referans bilgisinin düzenlenmesi için Hazırlanmis olan metottur
≡ S	EFaturaHeaderBilgisiDuzenle (see page 721)	E-Fatura XML dosyasi hazırlanirken XML'in ilk hali ve gerekli temel parametrelerin eklenmesi için Hazırlanmis olan metottur.
≡ S	EFaturaKesilenFirmaBilgileriDuzenle (see page 722)	E-Fatura XML dosyasi hazırlanirken Fatura Kesilen Firmanın Bilgilerinin Girildigi Ve XML dosyasi içerisinde ele alindigi metottur.
≡ S	EFaturaXMLOlustur (see page 724)	Giden Fatura Bilgisi Üzerinden E-Fatura Sistemine Göndermek İçin XML Dosyasi Olusturmaya yaranan metottur
≡ S	EMustahsilEkDokumanReferansDuzenle (see page 726)	E-Müstahsil Makbuzu XML dosyasi hazırlanirken Varsa bir sablonun çekilerek Ek Doküman Referans bilgisinin düzenlenmesi için Hazırlanmis olan metottur
≡ S	EMustahsilHeaderBilgisiDuzenle (see page 727)	E-Müstahsil Makbuzu XML dosyasi hazırlanirken Temel parametrelerin olduğu Header bilgilerinin düzenlenmesi için hazırlanmis olan metottur.
≡ S	EMustahsilKrediTuruDuzenle (see page 728)	E-Müstahsil Makbuzu XML dosyasi hazırlanirken Kredi Türü bilgilerinin düzenlenendi metottur.
≡ S	EMustahsilMakbuzDetayBilgileriDuzenle (see page 729)	E-Müstahsil Makbuzu XML dosyasi hazırlanirken Makbuz Detay bilgileri üzerinden gerekli işlemlerin Gerçeklestirildiği metottur.
≡ S	EMustahsilMakbuzKesenFirmaBilgisiDuzenle (see page 731)	E-Müstahsil Makbuzu XML dosyasi hazırlanirken Makbuz Kesen Firmanın Bilgilerinin Düzenlendiği metottur.
≡ S	EMustahsilMakbuzKesilenFirmaBilgisiDuzenle (see page 733)	E-Müstahsil Makbuzu XML dosyasi hazırlanirken Makbuz Kesilen Firmanın Bilgilerinin Düzenlendiği metottur.

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

  S	EMustahsilMakbuzKesilenKisiBilgisiDuzenle (see page 735)	E-Müstahsil Makbuzu XML dosyasi hazırlanirken Makbuz Kesilen Kisi veya Firmanın Bilgilerinin Düzenlendiği metottur.
  S	EMustahsilMakbuzVergiBilgisiDuzenle (see page 736)	E-Müstahsil Makbuzu XML dosyasi hazırlanirken Ana Vergi Bilgilerinin Düzenlendiği Metottur
  S	EMustahsilXMLOlustur (see page 738)	Müstahsil Makbuzu Bilgisi Üzerinden E-Müstahsil Sistemine Göndermek İçin XML Dosyasi Olusturmaya yaranan metottur
  S	FaturaGenelTutarDuzenle (see page 739)	E-Fatura olsun E-Arsiv olsun Faturadaki genel KDV Tutarı, KDV Hariç Tutar, Toplam Tutar bilgilerinin Hazırlanması ve XML içerişine yerleştirilmesi için Gelistirilmiş metottur
  S	FaturaKdvBelirle (see page 741)	E-Fatura olsun E-Arsiv olsun Fatura detaylarında KDV ile ilgili kisimların belirlenmesi için Hazırlanan metottur
  S	FaturaKesenFirmaBilgisiDuzenle (see page 742)	E-Fatura ve E-Arsiv tarafında Fatura kesen firma bilgileri aynı olduğu için Bu bilgilerin tek bir yerden girilebilmesi adına Gerekli islemlerin gerçekleştirildiği metottur.
  S	FaturaKesilenKisiBilgisiDuzenle (see page 743)	E-Fatura XML dosyasi hazırlanirken Fatura kesilen gerçek veya tüzel kisinin bilgilerinin düzenlenmesi için Hazırlanmış olan metottur.
  S	FaturaMakbuzImzaBilgisiDuzenle (see page 744)	E-Fatura ve E-Arsiv tarafında Faturanın imza bilgileri aynı olduğu için Tek bir metot içerisinde ele alınması için Gerekli islemlerin gerçekleştirildiği metottur.
  S	FaturaMakbuzKesilenKisiBilgisiDuzenle (see page 745)	E-Fatura veya Müstahsil Makbuzu Kesilen Kisi veya Firma Bilgilerinin Düzenlendiği Metottur.
  S	FaturaXMLDokumanillkHaliOlustur (see page 747)	E-Fatura ve E-Arsiv tarafında XML dosyasına ilk hali verilmesi Fatura ile ilgili temel değer atamalarının yapılması için Hazırlanmış metottur.
  S	GenelVergiBilgileriDuzenle (see page 748)	E-Fatura olsun E-Arsiv Olsun Fatura detaylarından belirlene KDV listesi üzerinden Ana vergi bilgilerinin XML içerisinde olusturulması için Hazırlanmış metottur
  S	GonderimSekliBilgisiDuzenle (see page 750)	E-Fatura ve Müstahsil Makbuzu tarafında Gonderim Sekli bilgileri düzenlenmesi için Gerekli bilgilerin Düzenlendiği bir metottur.
  S	IndicatorVeUuidBilgisiDuzenle (see page 751)	E-Fatura ve Müstahsil Makbuzu tarafında Copy Indicator ve UUID bilgileri düzenlenmesi için Gerekli bilgilerin Düzenlendiği bir metottur.
  S	IrsaliyeBilgisiDuzenle (see page 751)	E-Fatura olsun E-Arsiv olsun Fatura Detaylarından Irsaliye bilgisini düzenleyip buna göre Gerekli islemlerin gerçekleşmesini sağlayan metottur.
  S	ParaBirimVeKayitSayisiDuzenle (see page 753)	E-Müstahsil, E-Fatura ve E-Arsiv tarafında Ana elemanlar arasında Para Birimi ve Kayıt Sayısı Bilgilerinin Düzenlenmesi için gerekli islemlerin gerçekleştirildiği metottur.
  S	TarihSaatDuzenle (see page 753)	E-Fatura ve Müstahsil Makbuzu tarafında Tarih ve saat bilgileri düzenlenmesi için Gerekli bilgilerin Düzenlendiği bir metottur.
  S	TemelBilgileriDuzenle (see page 754)	E-Fatura ve E-Arsiv tarafında Dokümanın basında yer alan bazı XML elemanlarının ortak bir şekilde Düzenlenmesi için Hazırlanmış metottur.
  S	XMLDosyasiniKaydet (see page 755)	E-Fatura olsun E-Arsiv olsun E-Müstahsil olsun Hazırlanan XML dosyasının kaydedilip Dosya adının döndürülmesi için Hazırlanmış metottur.

1.1.7.1.8.1 XMLİslemleri Methods

1.1.7.1.8.1.1 XMLİslemleri.EArsivBankaBilgileriDuzenle Method

Summary

E-Arsiv Kisminda Tüzel Kisi De Olsa Sahis Sirketi De Olsa Banka Bilgilerinin hazirlandigi kod blogu ayni oldugu için Burada

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

tek bir yerden güncelleme yapılması için gerekli işlemlerin gerçekleştirildiği metottur.

C#

```
private static void EArsivBankaBilgileriDuzenle(GidenFaturaDTO gidenFatura, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XmlElement root);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
Xmldocument doc	XML Dokümani Bilgisi
XmlAttribute xmlnscac	XML Attribute Bilgisi
XmlAttribute xmlnscbc	XML Attribute Bilgisi
XmlElement root	XML Ana Eleman Bilgisi

Body Source

```
1: private static void EArsivBankaBilgileriDuzenle(GidenFaturaDTO gidenFatura, Xmldocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XmlElement root)
2: {
3:     if (string.IsNullOrEmpty(gidenFatura.BankaAd)) return;
4:
5:     // Eger Banka bilgileri mevcutsa burada banka bilgileri yer almaktadir
6:
7:     #region PaymentMeans
8:
9:     var paymentMeans = doc.CreateElement("cac", "PaymentMeans", xmlnscac.Value);
10:    var paymentMeansCode = doc.CreateElement("cbc", "PaymentMeansCode", xmlnscbc.Value);
11:    //paymentMeansCode.InnerText = "1";
12:
13:    // Burada 1 verildigi zaman Sözlesme Kapsaminda yaziyor metinde
14:    // ZZZ ise Diger anlaminda geliyor
15:    paymentMeansCode.InnerText = "ZZZ";
16:    paymentMeans.AppendChild(paymentMeansCode);
17:    var payeeFinancialAccount = doc.CreateElement("cac", "PayeeFinancialAccount",
18:        xmlnscac.Value);
19:    var payeeFinancialAccountId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
20:    if (!string.IsNullOrEmpty(gidenFatura.IbanNo))
21:        payeeFinancialAccountId.InnerText = gidenFatura.IbanNo;
22:    payeeFinancialAccount.AppendChild(payeeFinancialAccountId);
23:    var currencyCode = doc.CreateElement("cbc", "CurrencyCode", xmlnscbc.Value);
24:    currencyCode.InnerText = "TRY";
25:    payeeFinancialAccount.AppendChild(currencyCode);
26:    var paymentNote = doc.CreateElement("cbc", "PaymentNote", xmlnscbc.Value);
27:    if (!string.IsNullOrEmpty(gidenFatura.BankaAd) &&
28:        !string.IsNullOrEmpty(gidenFatura.BankaSube))
29:        paymentNote.InnerText = gidenFatura.BankaAd + " - " + gidenFatura.BankaSube;
30:    payeeFinancialAccount.AppendChild(paymentNote);
31:    paymentMeans.AppendChild(payeeFinancialAccount);
32:    root.AppendChild(paymentMeans);
33: }
```

1.1.7.1.8.1.2 XMLIslemleri.EArsivFaturaDetaylariDuzenle Method

Summary

E-Arsiv Kisminda Tüzel Kisiden Gelse de Sahis Sirketinden Gelse De Fatura Detayları XML içerisinde islenirken aynı işlemler gerçekleştirildiginden Bu kod bloklarının tek bir yerde tutulması Birinde yapılan güncellemenin iki tarafı da etkilemesi saglandi

C#

```
private static int EArsivFaturaDetaylariDuzenle(GidenFaturaDTO gidenFatura,
GidenFaturaDetayDTO item, Xmldocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc,
int sayac, XmlElement root);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
GidenFaturaDetayDTO item	Fatura Detay Bilgisi
XmlDocument doc	XML Dokümani Bilgisi
XmlAttribute xmlnscac	XML Attribute Bilgisi
XmlAttribute xmlnscbc	XML Attribute Bilgisi
int sayac	Sayaç Bilgisi
XmlElement root	XML Ana Eleman Bilgisi

Returns

Sayaç Bilgisi

Body Source

```

1: private static int EArsivFaturaDetaylariDuzenle(GidenFaturaDTO gidenFatura,
2:   GidenFaturaDetayDTO item, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc,
3:   int sayac, XmlElement root)
4: {
5:   var detayBilgisi = item.BosluklariKaldir();
6:
7:   // Ölçü Birimi, KDV Hariç Tutar, Para Birimi gibi bilgiler yer almaktadir
8:
9:   #region MetaData
10:
11:  var invoiceLine = doc.CreateElement("cac", "InvoiceLine", xmlnscac.Value);
12:  var invoiceLineId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
13:  invoiceLineId.InnerText = sayac.ToString();
14:  invoiceLine.AppendChild(invoiceLineId);
15:  var quantity = doc.CreateAttribute("unitCode");
16:  quantity.Value = !string.IsNullOrEmpty(detayBilgisi.GibKisaltma) ?
detayBilgisi.GibKisaltma : "KGM";
17:  var invoicedQuantity = doc.CreateElement("cbc", "InvoicedQuantity",
xmlnscbc.Value);
18:  invoicedQuantity.RemoveAllAttributes();
19:  invoicedQuantity.Attributes.Append(quantity);
20:  invoicedQuantity.InnerText = Decimal
21:    .Round((decimal) detayBilgisi.Miktar, 2,
MidpointRounding.AwayFromZero).ToString()
22:    .Replace(", ", ".");
23:  invoiceLine.AppendChild(invoicedQuantity);
24:  var lineExtensionAmountDetail = doc.CreateElement("cbc", "LineExtensionAmount",
xmlnscbc.Value);
25:  lineExtensionAmountDetail.RemoveAllAttributes();
26:  var currencyId = doc.CreateAttribute("currencyID");
27:  currencyId.Value = "TRY";
28:  lineExtensionAmountDetail.Attributes.Append(currencyId);
29:  lineExtensionAmountDetail.InnerText = Decimal
30:    .Round((decimal) detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
31:    .Replace(", ", ".");
32:  invoiceLine.AppendChild(lineExtensionAmountDetail);
33:
34:  #endregion
35:
36:  // Varsa iskonto bilgileri yer almaktadir
37:
38:  #region AllowanceCharge
39:
40:  var allowanceCharge = doc.CreateElement("cac", "AllowanceCharge", xmlnscac.Value);
41:  var chargeIndicator = doc.CreateElement("cbc", "ChargeIndicator", xmlnscbc.Value);
42:  chargeIndicator.InnerText = "false";

```

```

43:     allowanceCharge.AppendChild(chargeIndicator);
44:     decimal amount2 = 0;
45:     var toplamTutar = (decimal) detayBilgisi.KdvHaricTutar;
46:     var kodIskontoTuruOran = detayBilgisi.IskontoOran ?? 0;
47:     if (kodIskontoTuruOran > 0)
48:     {
49:         toplamTutar = Decimal.Round((decimal) detayBilgisi.Miktar * (decimal)
detayBilgisi.BirimFiyat,
50:                                         4, MidpointRounding.AwayFromZero);
51:         var toplamTutar2 = Decimal.Round(toplamTutar * (100 - kodIskontoTuruOran) *
(decimal) 0.01,
52:                                         4, MidpointRounding.AwayFromZero);
53:         amount2 = toplamTutar - toplamTutar2;
54:     }
55:
56:     var multiplierFactorNumeric = doc.CreateElement("cbc", "MultiplierFactorNumeric",
xmlns:cbc.Value);
57:     multiplierFactorNumeric.InnerText = Decimal
58:                                         .Round(kodIskontoTuruOran * (decimal) 0.01, 2,
MidpointRounding.AwayFromZero).ToString()
59:                                         .Replace(", ", ".");
60:     allowanceCharge.AppendChild(multiplierFactorNumeric);
61:     var amount = doc.CreateElement("cbc", "Amount", xmlns:cbc.Value);
62:     currencyId = doc.CreateAttribute("currencyID");
63:     currencyId.Value = "TRY";
64:     amount.RemoveAllAttributes();
65:     amount.Attributes.Append(currencyId);
66:     amount.InnerText = Decimal.Round(amount2, 2,
MidpointRounding.AwayFromZero).ToString()
67:                                         .Replace(", ", ".");
68:     allowanceCharge.AppendChild(amount);
69:     var baseAmount = doc.CreateElement("cbc", "BaseAmount", xmlns:cbc.Value);
70:     currencyId = doc.CreateAttribute("currencyID");
71:     currencyId.Value = "TRY";
72:     baseAmount.RemoveAllAttributes();
73:     baseAmount.Attributes.Append(currencyId);
74:     baseAmount.InnerText = Decimal.Round(toplamTutar, 2,
MidpointRounding.AwayFromZero).ToString()
75:                                         .Replace(", ", ".");
76:     allowanceCharge.AppendChild(baseAmount);
77:     invoiceLine.AppendChild(allowanceCharge);
78:
79: #endregion
80:
81: // Vergi bilgileri yer almaktadir
82:
83: #region TaxTotal
84:
85: var taxTotal = doc.CreateElement("cac", "TaxTotal", xmlns:cac.Value);
86: currencyId = doc.CreateAttribute("currencyID");
87: currencyId.Value = "TRY";
88: var taxAmount = doc.CreateElement("cbc", "TaxAmount", xmlns:cbc.Value);
89: taxAmount.RemoveAllAttributes();
90: taxAmount.Attributes.Append(currencyId);
91: taxAmount.InnerText = Decimal
92:                                         .Round((decimal) detayBilgisi.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString()
93:                                         .Replace(", ", ".");
94:     if (item.KonaklamaVergisi > 0 && gidenFatura.IslemTarihi >=
Sabitler.KonaklamaVergiKontrolTarihi)
95:         taxAmount.InnerText = Decimal
96:                                         .Round((decimal) detayBilgisi.KdvTutari + (decimal)
detayBilgisi.KonaklamaVergisi, 2,
97:                                         MidpointRounding.AwayFromZero).ToString()
98:                                         .Replace(", ", ".");
99:     taxTotal.AppendChild(taxAmount);
100:    var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xmlns:cac.Value);
101:    var taxableAmount = doc.CreateElement("cbc", "TaxableAmount", xmlns:cbc.Value);
102:    taxableAmount.RemoveAllAttributes();

```

```

103:     currencyId = doc.CreateAttribute("currencyID");
104:     currencyId.Value = "TRY";
105:     taxableAmount.Attributes.Append(currencyId);
106:     taxableAmount.InnerText = Decimal
107:         .Round((decimal) detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
108:         .Replace(", ", ".");
109:     taxSubTotal.AppendChild(taxableAmount);
110:     var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
111:     taxAmount2.RemoveAllAttributes();
112:     currencyId = doc.CreateAttribute("currencyID");
113:     currencyId.Value = "TRY";
114:     taxAmount2.Attributes.Append(currencyId);
115:     taxAmount2.InnerText = Decimal
116:         .Round((decimal) detayBilgisi.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString()
117:         .Replace(", ", ".");
118:     taxSubTotal.AppendChild(taxAmount2);
119:     var percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
120:     if (detayBilgisi.KdvOran != null)
121:         percent.InnerText = Decimal
122:             .Round((decimal) detayBilgisi.KdvOran, 2,
MidpointRounding.AwayFromZero).ToString("N1")
123:             .Replace(", ");
124:     taxSubTotal.AppendChild(percent);
125:     var taxCategory = doc.CreateElement("cac", "TaxCategory", xmlnscac.Value);
126:     var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
127:     var taxTypeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
128:     taxTypeName.InnerText = "KDV";
129:     taxScheme2.AppendChild(taxTypeName);
130:     var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xmlnscbc.Value);
131:     taxTypeCode.InnerText = "0015";
132:     taxScheme2.AppendChild(taxTypeCode);
133:     taxCategory.AppendChild(taxScheme2);
134:     taxSubTotal.AppendChild(taxCategory);
135:     taxTotal.AppendChild(taxSubTotal);
136:     if (item.KonaklamaVergisi > 0 && gidenFatura.IslemTarihi >=
Sabitler.KonaklamaVergiKontrolTarihi)
137:     {
138:         #region TaxSubTotal (Konaklama Vergisi İçinde)
139:
140:         taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xmlnscac.Value);
141:         taxableAmount = doc.CreateElement("cbc", "TaxableAmount", xmlnscbc.Value);
142:         taxableAmount.RemoveAllAttributes();
143:         currencyId = doc.CreateAttribute("currencyID");
144:         currencyId.Value = "TRY";
145:         taxableAmount.Attributes.Append(currencyId);
146:         taxableAmount.InnerText = Decimal
147:             .Round((decimal) detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
148:             .Replace(", ");
149:         taxSubTotal.AppendChild(taxableAmount);
150:         taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
151:         taxAmount2.RemoveAllAttributes();
152:         currencyId = doc.CreateAttribute("currencyID");
153:         currencyId.Value = "TRY";
154:         taxAmount2.Attributes.Append(currencyId);
155:         taxAmount2.InnerText = Decimal
156:             .Round((decimal) detayBilgisi.KonaklamaVergisi, 2,
MidpointRounding.AwayFromZero).ToString()
157:             .Replace(", ");
158:         taxSubTotal.AppendChild(taxAmount2);
159:         percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
160:         percent.InnerText = Decimal
161:             .Round(2, 2, MidpointRounding.AwayFromZero).ToString("N1")
162:             .Replace(", ");
163:         taxSubTotal.AppendChild(percent);
164:         taxCategory = doc.CreateElement("cac", "TaxCategory", xmlnscac.Value);
165:         taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);

```

```

166:         taxTypeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
167:         taxTypeName.InnerText = "Konaklama Vergisi";
168:         taxScheme2.AppendChild(taxTypeName);
169:         taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xmlnscbc.Value);
170:         taxTypeCode.InnerText = "0059";
171:         taxScheme2.AppendChild(taxTypeCode);
172:         taxCategory.AppendChild(taxScheme2);
173:         taxSubTotal.AppendChild(taxCategory);
174:         taxTotal.AppendChild(taxSubTotal);
175:         invoiceLine.AppendChild(taxTotal);
176:
177:     #endregion
178: }
179:
180: invoiceLine.AppendChild(taxTotal);
181:
182: #endregion
183:
184: // Fatura kesilen ürün detayı ve açıklama bilgileri yer almaktadır
185:
186: #region Item
187:
188: var invoiceItem = doc.CreateElement("cac", "Item", xmlnscac.Value);
189: if (!string.IsNullOrEmpty(detayBilgisi.MalzemeFaturaAciklamasi))
190: {
191:     var description = doc.CreateElement("cbc", "Description", xmlnscbc.Value);
192:     description.InnerText = detayBilgisi.MalzemeFaturaAciklamasi;
193:     invoiceItem.AppendChild(description);
194: }
195:
196: var itemName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
197: if (!string.IsNullOrEmpty(detayBilgisi.FaturaUrunTuru))
198:     itemName.InnerText = detayBilgisi.FaturaUrunTuru;
199: invoiceItem.AppendChild(itemName);
200: invoiceLine.AppendChild(invoiceItem);
201:
202: #endregion
203:
204: // Birim fiyat bilgileri yer almaktadır
205:
206: #region Price
207:
208: var price = doc.CreateElement("cac", "Price", xmlnscac.Value);
209: var priceAmount = doc.CreateElement("cbc", "PriceAmount", xmlnscbc.Value);
210: priceAmount.RemoveAllAttributes();
211: currencyId = doc.CreateAttribute("currencyID");
212: currencyId.Value = "TRY";
213: priceAmount.Attributes.Append(currencyId);
214: priceAmount.InnerText = detayBilgisi.BirimFiyat != null
215:     ? Decimal.Round((decimal)detayBilgisi.BirimFiyat, 4,
MidpointRounding.AwayFromZero).ToString()
216:         .Replace(",", ".");
217:         : "0.00";
218: price.AppendChild(priceAmount);
219: invoiceLine.AppendChild(price);
220:
221: #endregion
222:
223: root.AppendChild(invoiceLine);
224:
225: #endregion
226:
227: sayac++;
228: return sayac;
229: }

```

1.1.7.1.8.1.3 XMLİlemleri.EArsivSahisSirketineAitKismiHazirla Method

Summary

E-Arsiv faturasında sahis sirketine ait kisimların hazırlanması için Gerçekleştirilmiş metottur

C#

```
private static void EArsivSahisSirketineAitKismiHazirla(GidenFaturaDTO gidenFatura,
    XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XmlElement root);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
XmlDocument doc	XML Dokümani Bilgisi
XmlAttribute xmlnscac	XML Attribute Bilgisi
XmlAttribute xmlnscbc	XML Attribute Bilgisi
XmlElement root	XML Ana Eleman Bilgisi

Body Source

```
1: private static void EArsivSahisSirketineAitKismiHazirla(GidenFaturaDTO gidenFatura,
2:     XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XmlElement root)
3: {
4:     #region Sahis Sirketine Has Bölüm
5:     // Bu kisimda fatura kesilen firma bilgileri yer almaktadir
6:
7:     #region AccountingCustomerParty
8:
9:     var accountingCustomerParty = doc.CreateElement("cac", "AccountingCustomerParty",
10:         xmlnscac.Value);
11:    var party = doc.CreateElement("cac", "Party", xmlnscac.Value);
12:    var webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlnscbc.Value);
13:    party.AppendChild(webSiteUri);
14:    var accountingCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
15:    accountingCustomerPartyIdAttr.Value = "TCKN";
16:    var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
17:        xmlnscac.Value);
18:    var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
19:    accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerPartyIdAttr);
20:    accountingCustomerPartyPartyId.InnerText = gidenFatura.GercekKisiTcKimlikNo;
21:    partyIdentification.AppendChild(accountingCustomerPartyPartyId);
22:    party.AppendChild(partyIdentification);
23:
24:    #region Postal Address
25:
26:    var postalAddress = doc.CreateElement("cac", "PostalAddress", xmlnscac.Value);
27:    var postalAddressId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
28:    postalAddressId.InnerText = gidenFatura.GercekKisiTcKimlikNo;
29:    postalAddress.AppendChild(postalAddressId);
30:    var room = doc.CreateElement("cbc", "Room", xmlnscbc.Value);
31:    postalAddress.AppendChild(room);
32:    var streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
33:    if (!string.IsNullOrEmpty(gidenFatura.IkametgahAdresi))
34:        streetName.InnerText = gidenFatura.IkametgahAdresi;
35:    postalAddress.AppendChild(streetName);
36:    var buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xmlnscbc.Value);
37:    postalAddress.AppendChild(buildingNumber);
38:    var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
39:        xmlnscbc.Value);
40:    if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
41:        citySubdivisionName.InnerText = gidenFatura.IlceAd;
```

```

42:     if (!string.IsNullOrEmpty(gidenFatura.IlAd))
43:         cityName.InnerText = gidenFatura.IlAd;
44:     postalAddress.AppendChild(cityName);
45:     var postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
46:     //postalZone.InnerText = "";
47:     postalAddress.AppendChild(postalZone);
48:     var country = doc.CreateElement("cac", "Country", xmlnscac.Value);
49:     var countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
50:     countryName.InnerText = "Türkiye";
51:     country.AppendChild(countryName);
52:     postalAddress.AppendChild(country);
53:     party.AppendChild(postalAddress);
54:
55: #endregion
56:
57: var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme", xmlnscac.Value);
58: var taxScheme = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
59: var taxSchemeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
60: //if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
61: //    taxSchemeName.InnerText = gidenFatura.VergiDairesi;
62: taxScheme.AppendChild(taxSchemeName);
63: partyTaxScheme.AppendChild(taxScheme);
64: party.AppendChild(partyTaxScheme);
65:
66: var contact = doc.CreateElement("cac", "Contact", xmlnscac.Value);
67: var telephone = doc.CreateElement("cbc", "Telephone", xmlnscbc.Value);
68: if (!string.IsNullOrEmpty(gidenFatura.CepTelefonNo))
69:     telephone.InnerText = gidenFatura.CepTelefonNo;
70: contact.AppendChild(telephone);
71: var telefax = doc.CreateElement("cbc", "Telefax", xmlnscbc.Value);
72: //if (!string.IsNullOrEmpty(gidenFatura.FaksNo))
73: //    telefax.InnerText = gidenFatura.FaksNo;
74: contact.AppendChild(telefax);
75: var electronicMail = doc.CreateElement("cbc", "ElectronicMail", xmlnscbc.Value);
76: if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))
77:     electronicMail.InnerText = gidenFatura.EPostaAdresi;
78: contact.AppendChild(electronicMail);
79: party.AppendChild(contact);
80:
81: var person = doc.CreateElement("cac", "Person", xmlnscac.Value);
82: var firstName = doc.CreateElement("cbc", "FirstName", xmlnscbc.Value);
83: firstName.InnerText = gidenFatura.GercekKisiAd;
84: person.AppendChild(firstName);
85: var familyName = doc.CreateElement("cbc", "FamilyName", xmlnscbc.Value);
86: familyName.InnerText = gidenFatura.GercekKisiSoyad;
87: person.AppendChild(familyName);
88: party.AppendChild(person);
89:
90: accountingCustomerParty.AppendChild(party);
91:
92: root.AppendChild(accountingCustomerParty);
93:
94: #endregion
95:
96: #endregion
97: }

```

1.1.7.1.8.1.4 XMLIslemleri.EArsivStandartImzaVeFirmaBilgisiDuzenle Method

Summary

E-Arsiv Kisminda Tüzel Kisi de Olsa Sahis Sirketi De Olsa Standart Alanlar, Imza Kismi ve Faturayi Kesen Firma Kismi ile ilgili kod bloklari Ayni oldugu için Burada tek bir yerden güncelleme yapılması için gerekli islemlerin gerçekleştirildiği metottur.

C#

```

private static void EArsivStandartImzaVeFirmaBilgisiDuzenle(GidenFaturaDTO gidenFatura,
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, XmlElement root, XmlDocument doc, int
kodSatisTuruKod, int kodFaturaTuruKod, int kodFaturaGrupTuruKod, out XmlAttribute xmlnscac,

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```
out XmlAttribute xmlnscbc);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi	Giden Fatura Detay Listesi Bilgisi
XmlElement root	XML Ana Eleman Bilgisi
XmlDocument doc	XML Dokümani Bilgisi
int kodSatisTuruKod	Fatura Satis Türü Bilgisi
int kodFaturaTuruKod	Fatura Türü Bilgisi
int kodFaturaGrupTuruKod	Fatura Grup Türü Bilgisi
out XmlAttribute xmlnscac	XML Attribute Bilgisi
out XmlAttribute xmlnscbc	XML Attribute Bilgisi

Body Source

```
1: private static void EArsivStandartImzaVeFirmaBilgisiDuzenle(GidenFaturaDTO
2: gidenFatura, List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, XmlElement root,
3: XmlDocument doc, int kodSatisTuruKod, int kodFaturaTuruKod, int kodFaturaGrupTuruKod, out
4: XmlAttribute xmlnscac, out XmlAttribute xmlnscbc)
5: {
6:     // Faturanın türü, düzenleme tarihi, UBL Versiyon Numarasi, GIB Numarasi gibi
7:     // bilgiler
8:     // yer almaktadır
9:     #region Standart Bilgiler
10:    root.RemoveAllAttributes();
11:    #endregion
12:    var location = doc.CreateAttribute("xsi", "schemaLocation",
13:        "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2");
14:    location.Value =
15:        "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
16:        ./xsdrt/maindoc/UBL-Invoice-2.1.xsd";
17:    //var location = doc.CreateAttribute(schemaLocation);
18:    //location.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
19:    ./xsdrt/maindoc/UBL-Invoice-2.1.xsd";
20:    var xmlns = doc.CreateAttribute("xmlns");
21:    xmlns.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2";
22:    var xmlnsn4 = doc.CreateAttribute("xmlns:n4");
23:    xmlnsn4.Value = "http://www.altova.com/samplexml/other-namespace";
24:    var xmlnsxsi = doc.CreateAttribute("xmlns:xsi");
25:    xmlnsxsi.Value = "http://www.w3.org/2001/XMLSchema-instance";
26:    xmlnscac = doc.CreateAttribute("xmlns:cac");
27:    xmlnscac.Value =
28: "urn:oasis:names:specification:ubl:schema:xsd:CommonAggregateComponents-2";
29:    xmlnscbc = doc.CreateAttribute("xmlns:cbc");
30:    xmlnscbc.Value =
31: "urn:oasis:names:specification:ubl:schema:xsd:CommonBasicComponents-2";
32:    var xmlnsext = doc.CreateAttribute("xmlns:ext");
33:    xmlnsext.Value =
34: "urn:oasis:names:specification:ubl:schema:xsd:CommonExtensionComponents-2";
35:    var xmlnsxades = doc.CreateAttribute("xmlns:xades");
36:    //xmlnsxades.Value = "http://uri.etsi.org/01903/v1.3.2#";
37:    xmlnsxades.Value = "http://uri.etsi.org/01903/v1.3.2";
38:    var xmlnsds = doc.CreateAttribute("xmlns:ds");
39:    //xmlnsds.Value = "http://www.w3.org/2000/09/xmldsig#";
40:    xmlnsds.Value = "http://www.w3.org/2000/09/xmldsig";
```

```

40:     root.Attributes.Append(xmlnscac);
41:     root.Attributes.Append(xmlnsext);
42:     root.Attributes.Append(xmlnsds);
43:     root.Attributes.Append(xmlnsxades);
44:     root.Attributes.Append(xmlnscbc);
45:     root.Attributes.Append(xmlnsn4);
46:
47:     var extUbl = doc.CreateElement("ext", "UBLExtensions", xmlnsext.Value);
48:     var extUbl2 = doc.CreateElement("ext", "UBLExtension", xmlnsext.Value);
49:     var extUbl3 = doc.CreateElement("ext", "ExtensionContent", xmlnsext.Value);
50:     extUbl2.AppendChild(extUbl3);
51:     extUbl.AppendChild(extUbl2);
52:
53:     root.AppendChild(extUbl);
54: #endregion
55:
56:     TemelBilgileriDuzenle("EARSIVFATURA", gidenFatura, gidenFaturaDetayListesi, root,
doc, kodSatisTuruKod, kodFaturaTuruKod, xmlnscbc);
57:
58:     IrsaliyeBilgisiDuzenle(gidenFatura, gidenFaturaDetayListesi, root, doc,
kodFaturaTuruKod, kodFaturaGrupTuruKod, xmlnscbc);
59:
60:     GonderimSekliBilgisiDuzenle(root, doc, xmlnscbc);
61:
62:     ParaBirimVeKayitSayisiDuzenle(gidenFaturaDetayListesi.Count, root, doc, xmlnscbc);
63:
64: #region Açıklama Satırı
65:
66: // #region AdditionalDocumentReference
67: //
68: // var additionalDocumentReference =
69: //   doc.CreateElement("cac", "AdditionalDocumentReference", xmlnscac.Value);
70: // var additionalDocumentReferenceId = doc.CreateElement("abc", "ID",
xmlnscbc.Value);
71: // additionalDocumentReferenceId.InnerText = gidenFatura.Id;
72: // additionalDocumentReference.AppendChild(additionalDocumentReferenceId);
73: // issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
74: // issueDate.InnerText = gidenFatura.IslemTarihi?.Date.ToString("yyyy-MM-dd") ??
string.Empty;
75: // additionalDocumentReference.AppendChild(issueDate);
76: // var documentType = doc.CreateElement("cbc", "DocumentType", xmlnscbc.Value);
77: // documentType.InnerText = "XSLT";
78: // additionalDocumentReference.AppendChild(documentType);
79: // issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
80: // issueDate.InnerText = gidenFatura.IslemTarihi?.Date.ToString("yyyy-MM-dd");
81: // additionalDocumentReference.AppendChild(issueDate);
82: // documentType = doc.CreateElement("cbc", "DocumentType", xmlnscbc.Value);
83: // documentType.InnerText = "XSLT";
84: // additionalDocumentReference.AppendChild(documentType);
85: // var attachment = doc.CreateElement("cac", "Attachment", xmlnscac.Value);
86: // var embeddedDocumentBinaryObject =
87: //   doc.CreateElement("cbc", "EmbeddedDocumentBinaryObject", xmlnscbc.Value);
88: // var characterSetCode = doc.CreateAttribute("characterSetCode");
89: // characterSetCode.Value = "UTF-8";
90: // var encodingCode = doc.CreateAttribute("encodingCode");
91: // encodingCode.Value = "Base64";
92: // XmlAttribute fileName2 = doc.CreateAttribute("fileName");
93: // fileName2.Value = "efatura.xslt";
94: // var mimeCode = doc.CreateAttribute("mimeCode");
95: // mimeCode.Value = "application/xml";
96: // embeddedDocumentBinaryObject.Attributes.Append(characterSetCode);
97: // embeddedDocumentBinaryObject.Attributes.Append(encodingCode);
98: // embeddedDocumentBinaryObject.Attributes.Append(fileName2);
99: // embeddedDocumentBinaryObject.Attributes.Append(mimeCode);
100: //
101: // #region Base 64 Metin
102: //
103: // var sablonAdresi = Directory.GetFiles("../..../Other");
104: // if (sablonAdresi.Length > 0)

```

```

105:    // {
106:    //     foreach (var item in sablonAdresi)
107:    //     {
108:    //         if (item.Contains("earsiv"))
109:    //         {
110:    //             var base64Metin = File.ReadAllText(item);
111:    //             embeddedDocumentBinaryObject.InnerText = base64Metin;
112:    //             break;
113:    //         }
114:    //     }
115:    // }
116:    //
117:    // #endregion
118:    //
119:    // attachment.AppendChild(embeddedDocumentBinaryObject);
120:    // additionalDocumentReference.AppendChild(attachment);
121:    //
122:    // root.AppendChild(additionalDocumentReference);
123:    //
124:    // additionalDocumentReference = doc.CreateElement("cac",
"AdditionalDocumentReference", xmlnscac.Value);
125:    // additionalDocumentReferenceId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
126:    // additionalDocumentReferenceId.InnerText = gidenFatura.Id;
127:    // additionalDocumentReference.AppendChild(additionalDocumentReferenceId);
128:    // issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
129:    // issueDate.InnerText = gidenFatura.IslemTarihi?.Date.ToString("yyyy-MM-dd") ??
string.Empty;
130:    // additionalDocumentReference.AppendChild(issueDate);
131:    // documentType = doc.CreateElement("cbc", "DocumentType", xmlnscbc.Value);
132:    // documentType.InnerText = "XSLT";
133:    // additionalDocumentReference.AppendChild(documentType);
134:    // attachment = doc.CreateElement("cac", "Attachment", xmlnscac.Value);
135:    // embeddedDocumentBinaryObject = doc.CreateElement("cbc",
"EmbeddedDocumentBinaryObject", xmlnscbc.Value);
136:    // characterSetCode = doc.CreateAttribute("characterSetCode");
137:    // characterSetCode.Value = "UTF-8";
138:    // encodingCode = doc.CreateAttribute("encodingCode");
139:    // encodingCode.Value = "Base64";
140:    // mimeCode = doc.CreateAttribute("mimeCode");
141:    // mimeCode.Value = "application/xml";
142:    // embeddedDocumentBinaryObject.Attributes.Append(characterSetCode);
143:    // embeddedDocumentBinaryObject.Attributes.Append(encodingCode);
144:    // embeddedDocumentBinaryObject.Attributes.Append(mimeCode);
145:    // attachment.AppendChild(embeddedDocumentBinaryObject);
146:    // additionalDocumentReference.AppendChild(attachment);
147:    //
148:    // #endregion
149:    #
150:    #endregion
151:
152:    #endregion
153:
154:    FaturaMakbuzImzaBilgisiDuzenle(root, doc, xmlnscac, xmlnscbc);
155:
156:    FaturaKesenFirmaBilgisiDuzenle(gidenFatura, root, doc, xmlnscac, xmlnscbc);
157: }

```

1.1.7.1.8.1.5 XMLIslemleri.EArsivTuzelKisiyeAitKismiHazirla Method

Summary

E-Arsiv faturasında tüzel kişiye ait kisimların hazırlanması için Gerçekleştirilmiş metottur

C#

```

private static void EArsivTuzelKisiyeAitKismiHazirla(GidenFaturaDTO gidenFatura,
XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XElement root);

```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
XmlDocument doc	XML Dokümani Bilgisi
XmlAttribute xmlnscac	XML Attribute Bilgisi
XmlAttribute xmlnscbc	XML Attribute Bilgisi
XmlElement root	XML Ana Eleman Bilgisi

Body Source

```

1: private static void EArsivTuzelKisiyeAitKismiHazirla(GidenFaturaDTO gidenFatura,
2: XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XmlElement root)
3: {
4:     XmlElement partyName, partyNameReal;
5:     #region Tüzel Kisiye Has Bölüm
6:
7:     // Bu kisimda fatura kesilen firma bilgileri yer almaktadir
8:
9:     #region AccountingCustomerParty
10:
11:    var accountingCustomerParty = doc.CreateElement("cac", "AccountingCustomerParty",
xmlnscac.Value);
12:    var party = doc.CreateElement("cac", "Party", xmlnscac.Value);
13:    var webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlnscbc.Value);
14:    party.AppendChild(webSiteUri);
15:    var accountingCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
16:    accountingCustomerPartyIdAttr.Value = "TCKN";
17:    if (!string.IsNullOrEmpty(gidenFatura.VergiNo) && gidenFatura.VergiNo.Length == 10)
18:        accountingCustomerPartyIdAttr.Value = "VKN";
19:    var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlnscac.Value);
20:    var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xmlnscbc.Value);
21:    accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerPartyIdAttr);
22:    accountingCustomerPartyPartyId.InnerText = gidenFatura.VergiNo;
23:    partyIdentification.AppendChild(accountingCustomerPartyPartyId);
24:    party.AppendChild(partyIdentification);
25:
26:    if (!string.IsNullOrEmpty(gidenFatura.VergiNo) && gidenFatura.VergiNo.Length == 10)
27:    {
28:        partyName = doc.CreateElement("cac", "PartyName", xmlnscac.Value);
29:        partyNameReal = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
30:        partyNameReal.InnerText = gidenFatura.TuzelKisiAd;
31:        partyName.AppendChild(partyNameReal);
32:        party.AppendChild(partyName);
33:    }
34:
35:    #region Postal Address
36:
37:    var postalAddress = doc.CreateElement("cac", "PostalAddress", xmlnscac.Value);
38:    var postalAddressId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
39:    postalAddressId.InnerText = gidenFatura.VergiNo;
40:    postalAddress.AppendChild(postalAddressId);
41:    var room = doc.CreateElement("cbc", "Room", xmlnscbc.Value);
42:    postalAddress.AppendChild(room);
43:    var streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
44:    if (!string.IsNullOrEmpty(gidenFatura.Adres))
45:        streetName.InnerText = gidenFatura.Adres;
46:    postalAddress.AppendChild(streetName);
47:    var buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xmlnscbc.Value);
48:    //buildingNumber.InnerText = "";
49:    postalAddress.AppendChild(buildingNumber);
50:    var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xmlnscbc.Value);

```

```

51:     if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
52:         citySubdivisionName.InnerText = gidenFatura.IlceAd;
53:     postalAddress.AppendChild(citySubdivisionName);
54:     var cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
55:     if (!string.IsNullOrEmpty(gidenFatura.IlAd))
56:         cityName.InnerText = gidenFatura.IlAd;
57:     postalAddress.AppendChild(cityName);
58:     var postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
59:     //postalZone.InnerText = "";
60:     postalAddress.AppendChild(postalZone);
61:     var country = doc.CreateElement("cac", "Country", xmlnscac.Value);
62:     var countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
63:     countryName.InnerText = "Türkiye";
64:     country.AppendChild(countryName);
65:     postalAddress.AppendChild(country);
66:     party.AppendChild(postalAddress);
67:
68: #endregion
69:
70: var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme", xmlnscac.Value);
71: var taxScheme = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
72: var taxSchemeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
73: if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
74:     taxSchemeName.InnerText = gidenFatura.VergiDairesi;
75: taxScheme.AppendChild(taxSchemeName);
76: partyTaxScheme.AppendChild(taxScheme);
77: party.AppendChild(partyTaxScheme);
78:
79: var contact = doc.CreateElement("cac", "Contact", xmlnscac.Value);
80: var telephone = doc.CreateElement("cbc", "Telephone", xmlnscbc.Value);
81: if (!string.IsNullOrEmpty(gidenFatura.TelefonNo))
82:     telephone.InnerText = gidenFatura.TelefonNo;
83: contact.AppendChild(telephone);
84: var telefax = doc.CreateElement("cbc", "Telefax", xmlnscbc.Value);
85: if (!string.IsNullOrEmpty(gidenFatura.FaksNo))
86:     telefax.InnerText = gidenFatura.FaksNo;
87: contact.AppendChild(telefax);
88: var electronicMail = doc.CreateElement("cbc", "ElectronicMail", xmlnscbc.Value);
89: if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))
90:     electronicMail.InnerText = gidenFatura.EPostaAdresi;
91: contact.AppendChild(electronicMail);
92: party.AppendChild(contact);
93:
94: if (!string.IsNullOrEmpty(gidenFatura.VergiNo) && gidenFatura.VergiNo.Length == 11)
95: {
96:     var liste = gidenFatura.TuzelKisiAd.Split(' ').ToList();
97:     if (liste.Count >= 1)
98:     {
99:         var person = doc.CreateElement("cac", "Person", xmlnscac.Value);
100:        var firstName = doc.CreateElement("cbc", "FirstName", xmlnscbc.Value);
101:        firstName.InnerText = liste[0];
102:        person.AppendChild(firstName);
103:        var surname = liste[0];
104:        if (liste.Count > 1)
105:            surname = gidenFatura.TuzelKisiAd.Substring(liste[0].Length + 1);
106:        var familyName = doc.CreateElement("cbc", "FamilyName", xmlnscbc.Value);
107:        familyName.InnerText = surname;
108:        //familyName.InnerText = liste[1];
109:        person.AppendChild(familyName);
110:        party.AppendChild(person);
111:    }
112: }
113:
114: accountingCustomerParty.AppendChild(party);
115:
116: root.AppendChild(accountingCustomerParty);
117:
118: #endregion
119:
```

```

120:     if (string.IsNullOrEmpty(gidenFatura.VergiNo)) return;
121:     {
122:         if (gidenFatura.VergiNo.Length != 10) return;
123:         // Bu kısımda fatura kesilen firma bilgileri yer almaktadır (Eğer sadece Tüzel
123:         Kisilikse, sahis şirketleri için bu yapılmamaktadır)
124:
125:         #region BuyerCustomerParty
126:
127:         var buyerCustomerParty = doc.CreateElement("cac", "BuyerCustomerParty",
127:             xmlnscac.Value);
128:         party = doc.CreateElement("cac", "Party", xmlnscac.Value);
129:         webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlnscbc.Value);
130:         party.AppendChild(webSiteUri);
131:         var buyerCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
132:         buyerCustomerPartyIdAttr.Value = "VKN";
133:         partyIdentification = doc.CreateElement("cac", "PartyIdentification",
133:             xmlnscac.Value);
134:         var buyerCustomerPartyPartyId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
135:         buyerCustomerPartyPartyId.Attributes.Append(buyerCustomerPartyIdAttr);
136:         buyerCustomerPartyPartyId.InnerText = gidenFatura.VergiNo;
137:         partyIdentification.AppendChild(buyerCustomerPartyPartyId);
138:         party.AppendChild(partyIdentification);
139:
140:         if (gidenFatura.VergiNo.Length == 10)
141:         {
142:             partyName = doc.CreateElement("cac", "PartyName", xmlnscac.Value);
143:             partyNameReal = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
144:             partyNameReal.InnerText = gidenFatura.TuzelKisiAd;
145:             partyName.AppendChild(partyNameReal);
146:             party.AppendChild(partyName);
147:         }
148:
149:         #region Postal Address
150:
151:         postalAddress = doc.CreateElement("cac", "PostalAddress", xmlnscac.Value);
152:         postalAddressId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
153:         postalAddressId.InnerText = gidenFatura.VergiNo;
154:         postalAddress.AppendChild(postalAddressId);
155:         room = doc.CreateElement("cbc", "Room", xmlnscbc.Value);
156:         postalAddress.AppendChild(room);
157:         streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
158:         if (!string.IsNullOrEmpty(gidenFatura.Adres))
159:             streetName.InnerText = gidenFatura.Adres;
160:         postalAddress.AppendChild(streetName);
161:         buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xmlnscbc.Value);
162:         //buildingNumber.InnerText = "";
163:         postalAddress.AppendChild(buildingNumber);
164:         citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
164:             xmlnscbc.Value);
165:         if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
166:             citySubdivisionName.InnerText = gidenFatura.IlceAd;
167:         postalAddress.AppendChild(citySubdivisionName);
168:         cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
169:         if (!string.IsNullOrEmpty(gidenFatura.IlAd))
170:             cityName.InnerText = gidenFatura.IlAd;
171:         postalAddress.AppendChild(cityName);
172:         postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
173:         //postalZone.InnerText = "";
174:         postalAddress.AppendChild(postalZone);
175:         country = doc.CreateElement("cac", "Country", xmlnscac.Value);
176:         countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
177:         countryName.InnerText = "Türkiye";
178:         country.AppendChild(countryName);
179:         postalAddress.AppendChild(country);
180:         party.AppendChild(postalAddress);
181:
182:         #endregion
183:
184:         partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme", xmlnscac.Value);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

185:         taxScheme = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
186:         taxSchemeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
187:         if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
188:             taxSchemeName.InnerText = gidenFatura.VergiDairesi;
189:         taxScheme.AppendChild(taxSchemeName);
190:         partyTaxScheme.AppendChild(taxScheme);
191:         party.AppendChild(partyTaxScheme);
192:
193:         contact = doc.CreateElement("cac", "Contact", xmlnscac.Value);
194:         telephone = doc.CreateElement("cbc", "Telephone", xmlnscbc.Value);
195:         if (!string.IsNullOrEmpty(gidenFatura.TelponNo))
196:             telephone.InnerText = gidenFatura.TelponNo;
197:         contact.AppendChild(telephone);
198:         telefax = doc.CreateElement("cbc", "Telefax", xmlnscbc.Value);
199:         if (!string.IsNullOrEmpty(gidenFatura.FaksNo))
200:             telefax.InnerText = gidenFatura.FaksNo;
201:         contact.AppendChild(telefax);
202:         electronicMail = doc.CreateElement("cbc", "ElectronicMail", xmlnscbc.Value);
203:         if (!string.IsNullOrEmpty(gidenFatura.EpostaAdresi))
204:             electronicMail.InnerText = gidenFatura.EpostaAdresi;
205:         contact.AppendChild(electronicMail);
206:         party.AppendChild(contact);
207:
208:         if (gidenFatura.VergiNo.Length == 11)
209:         {
210:             var liste = gidenFatura.TuzelKisiAd.Split(' ').ToList();
211:             if (liste.Count >= 1)
212:             {
213:                 var person = doc.CreateElement("cac", "Person", xmlnscac.Value);
214:                 var firstName = doc.CreateElement("cbc", "FirstName", xmlnscbc.Value);
215:                 firstName.InnerText = liste[0];
216:                 person.AppendChild(firstName);
217:                 var surname = liste[0];
218:                 if (liste.Count > 1)
219:                     surname = gidenFatura.TuzelKisiAd.Substring(liste[0].Length + 1);
220:                 var familyName = doc.CreateElement("cbc", "FamilyName",
221:                     xmlnscbc.Value);
222:                 familyName.InnerText = surname;
223: //familyName.InnerText = liste[1];
224:                 person.AppendChild(familyName);
225:                 party.AppendChild(person);
226:             }
227:
228:             buyerCustomerParty.AppendChild(party);
229:             root.AppendChild(buyerCustomerParty);
230:
231:             #endregion
232:         }
233:     }
234:
235:     #endregion
236: }

```

1.1.7.1.8.1.6 XMLIslemleri.EArsivVergiVeDigerAlanlarDuzenle Method

Summary

E-Arsiv Kisminda Tüzel Kisi de Olsa Sahis Sirketi De Olsa Vergi, Iskonto vb. Kismi ile ilgili kod bloklari Ayni oldugu için Burada tek bir yerden güncelleme yapılması için gerekli islemlerin gerçekleştirildiği metottur.

C#

```

private static void EArsivVergiVeDigerAlanlarDuzenle(GidenFaturaDTO gidenFatura,
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, XmlDocument doc, XmlAttribute xmlnscac,
XmlAttribute xmlnscbc, int kodFaturaGrupTuruKod, int kodSatisturuKod, XElement root);

```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi	Giden Fatura Detay Listesi Bilgisi
XmlDocument doc	XML Dokümani Bilgisi
XmlAttribute xmlnscac	XML Attribute Bilgisi
XmlAttribute xmlnscbc	XML Attribute Bilgisi
int kodFaturaGrupTuruKod	Fatura Grup Türü Bilgisi
int kodSatisTuruKod	Fatura Satis Türü Bilgisi
XmlElement root	XML Ana Eleman Bilgisi

Body Source

```

1: private static void EArsivVergiVeDigerAlanlarDuzenle(GidenFaturaDTO gidenFatura,
2: List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, XmlDocument doc, XmlAttribute xmlnscac,
3: XmlAttribute xmlnscbc, int kodFaturaGrupTuruKod, int kodSatisTuruKod, XmlElement root)
4: {
5:     FaturaKdvBelirle(gidenFatura, gidenFaturaDetayListesi, out var faturaKdvListesi);
6:     GenelVergiBilgileriDuzenle(doc, xmlnscac, xmlnscbc, kodFaturaGrupTuruKod,
7: kodSatisTuruKod, root,
8:         faturaKdvListesi);
9:
10:    #region Açıklama Satiri (TaxTotal)
11:
12:    //var taxTotal = doc.CreateElement("cac", "TaxTotal", xmlnscac.Value);
13:    //var currencyId = doc.CreateAttribute("currencyID");
14:    //currencyId.Value = "TRY";
15:    //var taxAmount = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
16:    //taxAmount.RemoveAllAttributes();
17:    //taxAmount.Attributes.Append(currencyId);
18:    //taxAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
19: MidpointRounding.AwayFromZero).ToString().Replace(",",".");
20:    //taxTotal.AppendChild(taxAmount);
21:    //var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xmlnscac.Value);
22:    //var taxableAmount = doc.CreateElement("cbc", "TaxableAmount", xmlnscbc.Value);
23:    //taxableAmount.RemoveAllAttributes();
24:    //currencyId = doc.CreateAttribute("currencyID");
25:    //currencyId.Value = "TRY";
26:    //taxableAmount.Attributes.Append(currencyId);
27:    //taxableAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
28: MidpointRounding.AwayFromZero).ToString().Replace(",",".");
29:    //taxSubTotal.AppendChild(taxableAmount);
30:    //var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
31:    //taxAmount2.RemoveAllAttributes();
32:    //currencyId = doc.CreateAttribute("currencyID");
33:    //currencyId.Value = "TRY";
34:    //taxAmount2.Attributes.Append(currencyId);
35:    //var calculationSequenceNumeric = doc.CreateElement("cbc",
36: "CalculationSequenceNumeric", xmlnscbc.Value);
37:    //calculationSequenceNumeric.InnerText = "1.0";
38:    //taxSubTotal.AppendChild(calculationSequenceNumeric);
39:    //var percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
40:    //if (gidenFatura.KdvHaricTutar != 0)
41:    //    percent.InnerText = Decimal.Round(((decimal)gidenFatura.KdvTutari * 100) /
42: (decimal)gidenFatura.KdvHaricTutar, 0, MidpointRounding.AwayFromZero).ToString();
43:    //else
44:    //    percent.InnerText = "0";
45:    //taxSubTotal.AppendChild(percent);

```

```

44:     //var taxCategory = doc.CreateElement("cac", "TaxCategory", xmlnscac.Value);
45:     //if (gidenFatura.KdvTutari == 0)
46:     //{
47:         //    var taxExemptionReasonCode = doc.CreateElement("cbc",
48: "TaxExemptionReasonCode", xmlnscbc.Value);
49:         //    taxExemptionReasonCode.InnerText = "325";
50:         //    var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
51: xmlnscbc.Value);
52:         //    taxExemptionReason.InnerText = "13/i Yem Teslimleri";
53:         //    taxCategory.AppendChild(taxExemptionReasonCode);
54:         //    taxCategory.AppendChild(taxExemptionReason);
55:     //}
56:     //if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
57:     //{
58:         //    var taxExemptionReasonCode = doc.CreateElement("cbc",
59: "TaxExemptionReasonCode", xmlnscbc.Value);
60:         //    taxExemptionReasonCode.InnerText = "701";
61:         //    var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
62: xmlnscbc.Value);
63:         //    taxExemptionReason.InnerText = "3065 sayili Katma Deger Vergisi kanununun
64: 11/1-c maddesi kapsamında ihraç edilmek şartıyla teslim edildiginden Katma Deger Vergisi
65: tahsil edilmemistir.";
66:         //    taxCategory.AppendChild(taxExemptionReasonCode);
67:         //    taxCategory.AppendChild(taxExemptionReason);
68:     //}
69:     //var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
70:     //var taxTypeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
71:     //taxTypeName.InnerText = "Katma Deger Vergisi";
72:     //var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xmlnscbc.Value);
73:     //taxTypeCode.InnerText = "0015";
74:     //taxScheme2.AppendChild(taxTypeName);
75:     //taxScheme2.AppendChild(taxTypeCode);
76:     //taxCategory.AppendChild(taxScheme2);
77:     //taxSubTotal.AppendChild(taxCategory);
78:     //taxTotal.AppendChild(taxSubTotal);
79:     //root.AppendChild(taxTotal);
80: }
81: #endregion
82:
83: FaturaGenelTutarDuzenle(gidenFatura, doc, xmlnscac, xmlnscbc, root, false);
84: }
```

1.1.7.1.8.1.7 XMLIslemeleri.EArsivXMLOlustur Method

Summary

Giden Fatura Bilgisi Üzerinden E-Arsiv Sistemine Göndermek İçin XML Dosyasi Olusturmaya yarayan metottur

C#

```
public static string EArsivXMLOlustur(GidenFaturaDTO gidenFatura, List<GidenFaturaDetayDTO>
gidenFaturaDetayListesi, string aktarilacakKlasorAdi, bool tuzelKisilikMi);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi	Giden Fatura Detay Listesi
string aktarilacakKlasorAdi	Olusturulan Dosyanin Aktarilacagi Klasör
bool tuzelKisilikMi	Tüzel Kisilik Mi (Sahis veya Sahis Sirketi Degil) Bilgisi

Returns

Kaydedilen Dosyanin Bilgisayardaki Adresi

Body Source

```
1: public static string EArsivXMLOlustur(GidenFaturaDTO gidenFatura,
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, string aktarilacakKlasorAdi, bool
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

tuzelKisilikMi)
2: {
3:     var doc = FaturaXMLDokumanIilkHaliOlustur(BelgeTur.EArsiv, ref gidenFatura, out var
root, out var kodSatisTuruKod, out var kodFaturaTuruKod, out var kodFaturaGrupTuruKod);
4:
5:     EArsivStandartImzaVeFirmaBilgisiDuzenle(gidenFatura, gidenFaturaDetayListesi, root,
doc,
6:         kodSatisTuruKod, kodFaturaTuruKod, kodFaturaGrupTuruKod, out var xmlnscac, out
var xmlnscbc);
7:
8:     if (!tuzelKisilikMi)
9:         EArsivSahisSirketineAitKismiHazirla(gidenFatura, doc, xmlnscac, xmlnscbc, root);
10:    else
11:        EArsivTuzelKisiyeAitKismiHazirla(gidenFatura, doc, xmlnscac, xmlnscbc, root);
12:
13:    EArsivBankaBilgileriDuzenle(gidenFatura, doc, xmlnscac, xmlnscbc, root);
14:
15:    EArsivVergiVeDigerAlanlarDuzenle(gidenFatura, gidenFaturaDetayListesi, doc,
xmlnscac, xmlnscbc,
16:         kodFaturaGrupTuruKod, kodSatisTuruKod, root);
17:
18:    gidenFaturaDetayListesi.Aggregate(1, (current, item) =>
EArsivFaturaDetaylariDuzenle(gidenFatura, item, doc, xmlnscac, xmlnscbc, current, root));
19:
20:    doc.AppendChild(root);
21:
22:    return XMLDosyasiniKaydet(gidenFatura.Id, aktarilacakKlasorAdi, doc);
23: }

```

1.1.7.1.8.1.8 XMLIslemleri.EFaturaBankaBilgileriDuzenle Method

Summary

E-Fatura kisminda Banka Bilgilerinin girildigi Ve XML içeresine yerlestirildigi metottur.

C#

```
private static void EFaturaBankaBilgileriDuzenle(GidenFaturaDTO gidenFatura, XmlDocument
doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XmlElement root);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
XmlDocument doc	XML Dokümani Bilgisi
XmlAttribute xmlnscac	XML Attribute Bilgisi
XmlAttribute xmlnscbc	XML Attribute Bilgisi
XmlElement root	XML Ana Eleman Bilgisi

Body Source

```

1: private static void EFaturaBankaBilgileriDuzenle(GidenFaturaDTO gidenFatura,
XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XmlElement root)
2: {
3:     if (string.IsNullOrEmpty(gidenFatura.BankaAd)) return;
4:     // Eger Banka bilgileri mevcutsa burada banka bilgileri yer almaktadir
5:
6:     #region PaymentMeans
7:
8:     var paymentMeans = doc.CreateElement("cac", "PaymentMeans", xmlnscac.Value);
9:     var paymentMeansCode = doc.CreateElement("cbc", "PaymentMeansCode", xmlnscbc.Value);
10:    //paymentMeansCode.InnerText = "1";
11:
12:    // Burada 1 verildigi zaman Sözlesme Kapsaminda yaziyor metinde
13:    // ZZZ ise Diger anlaminda geliyor
14:    paymentMeansCode.InnerText = "ZZZ";
15:    paymentMeans.AppendChild(paymentMeansCode);
16:    var payeeFinancialAccount = doc.CreateElement("cac", "PayeeFinancialAccount",

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

xmlnscac.Value);
17:     var payeeFinancialAccountId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
18:     if (!string.IsNullOrEmpty(gidenFatura.IbanNo))
19:         payeeFinancialAccountId.InnerText = gidenFatura.IbanNo;
20:     payeeFinancialAccount.AppendChild(payeeFinancialAccountId);
21:     var currencyCode = doc.CreateElement("cbc", "CurrencyCode", xmlnscbc.Value);
22:     currencyCode.InnerText = "TRY";
23:     payeeFinancialAccount.AppendChild(currencyCode);
24:     var paymentNote = doc.CreateElement("cbc", "PaymentNote", xmlnscbc.Value);
25:     if (!string.IsNullOrEmpty(gidenFatura.BankaAd) &&
!string.IsNullOrEmpty(gidenFatura.BankaSube))
26:         paymentNote.InnerText = gidenFatura.BankaAd + " - " + gidenFatura.BankaSube;
27:     payeeFinancialAccount.AppendChild(paymentNote);
28:     paymentMeans.AppendChild(payeeFinancialAccount);
29:     root.AppendChild(paymentMeans);
30:
31: #endregion
32: }

```

1.1.7.1.8.1.9 XMLIslemleri.EFaturaDetayBilgileriniDuzenle Method

Summary

E-Fatura Kisminda Fatura Detayları ile ilgil olarak Yapılan ismmeerin tek bir yerde tutuldugu metottur.

C#

```

private static int EFaturaDetayBilgileriniDuzenle(GidenFaturaDTO gidenFatura,
GidenFaturaDetayDTO item, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc,
int sayac, int kodFaturaGrupTuruKod, XElement root);

```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
GidenFaturaDetayDTO item	Fatura Detay Bilgisi
XmlDocument doc	XML Dokümani Bilgisi
XmlAttribute xmlnscac	XML Attribute Bilgisi
XmlAttribute xmlnscbc	XML Attribute Bilgisi
int sayac	Sayaç Bilgisi
int kodFaturaGrupTuruKod	Fatura Grup Türü Kodu
XMLElement root	XML Ana Eleman Bilgisi

Returns

Sayaç Bilgisi

Body Source

```

1: private static int EFaturaDetayBilgileriniDuzenle(GidenFaturaDTO gidenFatura,
GidenFaturaDetayDTO item, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc,
int sayac, int kodFaturaGrupTuruKod, XElement root)
2: {
3:     var detayBilgisi = item.BosluklariKaldir();
4:
5:     #region InvoiceLine
6:
7:     // Ölçü Birimi, KDV Hariç Tutar, Para Birimi gibi bilgiler yer almaktadir
8:
9:     #region MetaData
10:
11:    var invoiceLine = doc.CreateElement("cac", "InvoiceLine", xmlnscac.Value);
12:    var invoiceLineId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
13:    invoiceLineId.InnerText = sayac.ToString();
14:    invoiceLine.AppendChild(invoiceLineId);
15:    var quantity = doc.CreateAttribute("unitCode");
16:    quantity.Value = !string.IsNullOrEmpty(detayBilgisi.GibKisaltma) ?

```

```

detayBilgisi.GibKisaltma : "KGM";
17:     var invoicedQuantity = doc.CreateElement("cbc", "InvoicedQuantity",
xmlnscbc.Value);
18:     invoicedQuantity.RemoveAllAttributes();
19:     invoicedQuantity.Attributes.Append(quantity);
20:     invoicedQuantity.InnerText = Decimal
21:         .Round((decimal) detayBilgisi.Miktar, 2,
MidpointRounding.AwayFromZero).ToString()
22:             .Replace(", ", ".");
23:     invoiceLine.AppendChild(invoicedQuantity);
24:     var lineExtensionAmountDetail = doc.CreateElement("cbc", "LineExtensionAmount",
xmlnscbc.Value);
25:     lineExtensionAmountDetail.RemoveAllAttributes();
26:     var currencyId = doc.CreateAttribute("currencyID");
27:     currencyId.Value = "TRY";
28:     lineExtensionAmountDetail.Attributes.Append(currencyId);
29:     lineExtensionAmountDetail.InnerText = Decimal
30:         .Round((decimal) detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
31:             .Replace(", ", ".");
32:     invoiceLine.AppendChild(lineExtensionAmountDetail);
33:
34: #endregion
35:
36: // Varsa iskonto bilgileri yer almaktadir
37:
38: #region AllowanceCharge
39:
40: var allowanceCharge = doc.CreateElement("cac", "AllowanceCharge", xmlnscac.Value);
41: var chargeIndicator = doc.CreateElement("cbc", "ChargeIndicator", xmlnscbc.Value);
42: chargeIndicator.InnerText = "false";
43: allowanceCharge.AppendChild(chargeIndicator);
44: decimal amount2 = 0;
45: var toplamTutar = (decimal) detayBilgisi.KdvHaricTutar;
46: var kodIskontoTuruOran = detayBilgisi.IskontoOran ?? 0;
47: if (kodIskontoTuruOran > 0)
48: {
49:     toplamTutar = Decimal.Round((decimal) detayBilgisi.Miktar * (decimal)
detayBilgisi.BirimFiyat, 4,
50:             MidpointRounding.AwayFromZero);
51:     var toplamTutar2 = Decimal.Round(toplamTutar * (100 - kodIskontoTuruOran) *
(decimal) 0.01, 4,
52:             MidpointRounding.AwayFromZero);
53:     amount2 = toplamTutar - toplamTutar2;
54: }
55:
56: var multiplierFactorNumeric = doc.CreateElement("cbc", "MultiplierFactorNumeric",
xmlnscbc.Value);
57: multiplierFactorNumeric.InnerText = Decimal
58:     .Round(kodIskontoTuruOran * (decimal) 0.01, 2,
MidpointRounding.AwayFromZero).ToString()
59:     .Replace(", ", ".");
60: allowanceCharge.AppendChild(multiplierFactorNumeric);
61: var amount = doc.CreateElement("cbc", "Amount", xmlnscbc.Value);
62: currencyId = doc.CreateAttribute("currencyID");
63: currencyId.Value = "TRY";
64: amount.RemoveAllAttributes();
65: amount.Attributes.Append(currencyId);
66: amount.InnerText = Decimal.Round(amount2, 2,
MidpointRounding.AwayFromZero).ToString()
67:     .Replace(", ", ".");
68: allowanceCharge.AppendChild(amount);
69: var baseAmount = doc.CreateElement("cbc", "BaseAmount", xmlnscbc.Value);
70: currencyId = doc.CreateAttribute("currencyID");
71: currencyId.Value = "TRY";
72: baseAmount.RemoveAllAttributes();
73: baseAmount.Attributes.Append(currencyId);
74: baseAmount.InnerText = Decimal.Round(toplamTutar, 2,
MidpointRounding.AwayFromZero).ToString()

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

75:         .Replace(", ", ".");
76:     allowanceCharge.AppendChild(baseAmount);
77:     invoiceLine.AppendChild(allowanceCharge);
78:
79: #endregion
80:
81: // Vergi bilgileri yer almaktadir
82:
83: #region TaxTotal
84:
85: var taxTotal = doc.CreateElement("cac", "TaxTotal", xmlnscac.Value);
86: currencyId = doc.CreateAttribute("currencyID");
87: currencyId.Value = "TRY";
88: var taxAmount = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
89: taxAmount.RemoveAllAttributes();
90: taxAmount.Attributes.Append(currencyId);
91: taxAmount.InnerText = Decimal.Round((decimal) detayBilgisi.KdvTutari, 2,
MidpointRounding.AwayFromZero)
92:         .ToString().Replace(", ", ".");
93: if (item.KonaklamaVergisi > 0 && gidenFatura.IslemTarihi >=
Sabitler.KonaklamaVergiKontrolTarihi)
94:         taxAmount.InnerText = Decimal
95:             .Round((decimal) detayBilgisi.KdvTutari + (decimal)
detayBilgisi.KonaklamaVergisi, 2,
MidpointRounding.AwayFromZero)
96:             .ToString().Replace(", ", ".");
97: taxTotal.AppendChild(taxAmount);
98:
99: var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xmlnscac.Value);
100: var taxableAmount = doc.CreateElement("cbc", "TaxableAmount", xmlnscbc.Value);
101: taxableAmount.RemoveAllAttributes();
102: currencyId = doc.CreateAttribute("currencyID");
103: currencyId.Value = "TRY";
104: taxableAmount.Attributes.Append(currencyId);
105: taxableAmount.InnerText = Decimal
106:     .Round((decimal) detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
107:     .Replace(", ", ".");
108: taxSubTotal.AppendChild(taxableAmount);
109: var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
110: taxAmount2.RemoveAllAttributes();
111: currencyId = doc.CreateAttribute("currencyID");
112: currencyId.Value = "TRY";
113: taxAmount2.Attributes.Append(currencyId);
114: taxAmount2.InnerText = Decimal.Round((decimal) detayBilgisi.KdvTutari, 2,
MidpointRounding.AwayFromZero)
115:     .ToString().Replace(", ", ".");
116: taxSubTotal.AppendChild(taxAmount2);
117: var percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
118: if (detayBilgisi.KdvOran != null)
119:     percent.InnerText = Decimal.Round((decimal) detayBilgisi.KdvOran, 2,
MidpointRounding.AwayFromZero)
120:     .ToString("N1").Replace(", ", ".");
121: taxSubTotal.AppendChild(percent);
122: var taxCategory = doc.CreateElement("cac", "TaxCategory", xmlnscac.Value);
123: if (detayBilgisi.KdvTutari == 0)
124: {
125:     if (kodFaturaGrupTuruKod == FaturaMakbuzGrupTur.Kuspe.GetHashCode())
126:     {
127:         var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xmlnscbc.Value);
128:         taxExemptionReasonCode.InnerText = "325";
129:         var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xmlnscbc.Value);
130:         taxExemptionReason.InnerText = "13/i Yem Teslimleri";
131:         taxCategory.AppendChild(taxExemptionReasonCode);
132:         taxCategory.AppendChild(taxExemptionReason);
133:     }
134:     else
135:     {

```

```

136:         var taxExemptionReasonCode = doc.CreateElement("cbc",
137:             "TaxExemptionReasonCode", xmlnscbc.Value);
138:         taxExemptionReasonCode.InnerText = "350";
139:         var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xmlnscbc.Value);
140:         taxExemptionReason.InnerText = "Digerleri";
141:         taxCategory.AppendChild(taxExemptionReasonCode);
142:         taxCategory.AppendChild(taxExemptionReason);
143:     }
144:
145:     var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
146:     var taxTypeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
147:     taxTypeName.InnerText = "KDV";
148:     taxScheme2.AppendChild(taxTypeName);
149:     var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xmlnscbc.Value);
150:     taxTypeCode.InnerText = "0015";
151:     taxScheme2.AppendChild(taxTypeCode);
152:     taxCategory.AppendChild(taxScheme2);
153:     taxSubTotal.AppendChild(taxCategory);
154:     taxTotal.AppendChild(taxSubTotal);
155:     if (item.KonaklamaVergisi > 0 && gidenFatura.IslemTarihi >=
Sabitler.KonaklamaVergiKontrolTarihi)
156:     {
157:         #region TaxSubTotal (Konaklama Vergisi İçin)
158:
159:         taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xmlnscac.Value);
160:         taxableAmount = doc.CreateElement("cbc", "TaxableAmount", xmlnscbc.Value);
161:         taxableAmount.RemoveAllAttributes();
162:         currencyId = doc.CreateAttribute("currencyID");
163:         currencyId.Value = "TRY";
164:         taxableAmount.Attributes.Append(currencyId);
165:         taxableAmount.InnerText = Decimal
166:             .Round((decimal) detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
167:             .Replace(", ", ".");
168:         taxSubTotal.AppendChild(taxableAmount);
169:         taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
170:         taxAmount2.RemoveAllAttributes();
171:         currencyId = doc.CreateAttribute("currencyID");
172:         currencyId.Value = "TRY";
173:         taxAmount2.Attributes.Append(currencyId);
174:         taxAmount2.InnerText = Decimal
175:             .Round((decimal) detayBilgisi.KonaklamaVergisi, 2,
MidpointRounding.AwayFromZero)
176:             .ToString().Replace(", ", ".");
177:         taxSubTotal.AppendChild(taxAmount2);
178:         percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
179:         percent.InnerText = Decimal
180:             .Round(2, 2, MidpointRounding.AwayFromZero)
181:             .ToString("N1").Replace(", ", ".");
182:         taxSubTotal.AppendChild(percent);
183:         taxCategory = doc.CreateElement("cac", "TaxCategory", xmlnscac.Value);
184:         taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
185:         taxTypeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
186:         taxTypeName.InnerText = "Konaklama Vergisi";
187:         taxScheme2.AppendChild(taxTypeName);
188:         taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xmlnscbc.Value);
189:         taxTypeCode.InnerText = "0059";
190:         taxScheme2.AppendChild(taxTypeCode);
191:         taxCategory.AppendChild(taxScheme2);
192:         taxSubTotal.AppendChild(taxCategory);
193:         taxTotal.AppendChild(taxSubTotal);
194:         invoiceLine.AppendChild(taxTotal);
195:
196:         #endregion
197:     }
198:
199:     invoiceLine.AppendChild(taxTotal);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

200:
201:    #endregion
202:
203:    // Fatura kesilen ürün detayı ve açıklama bilgileri yer almaktadır
204:
205:    #region Item
206:
207:    var invoiceItem = doc.CreateElement("cac", "Item", xmlnscac.Value);
208:    if (!string.IsNullOrEmpty(detayBilgisi.MalzemeFaturaAciklamasi))
209:    {
210:        var description = doc.CreateElement("cbc", "Description", xmlnscbc.Value);
211:        description.InnerText = detayBilgisi.MalzemeFaturaAciklamasi;
212:        invoiceItem.AppendChild(description);
213:    }
214:
215:    var detayBilgisiName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
216:    if (!string.IsNullOrEmpty(detayBilgisi.FaturaUruturu))
217:        detayBilgisiName.InnerText = detayBilgisi.FaturaUruturu;
218:    invoiceItem.AppendChild(detayBilgisiName);
219:    invoiceLine.AppendChild(invoiceItem);
220:
221:    #endregion
222:
223:    // Birim fiyat bilgileri yer almaktadır
224:
225:    #region Price
226:
227:    var price = doc.CreateElement("cac", "Price", xmlnscac.Value);
228:    var priceAmount = doc.CreateElement("cbc", "PriceAmount", xmlnscbc.Value);
229:    priceAmount.RemoveAllAttributes();
230:    currencyId = doc.CreateAttribute("currencyID");
231:    currencyId.Value = "TRY";
232:    priceAmount.Attributes.Append(currencyId);
233:    priceAmount.InnerText = detayBilgisi.BirimFiyat != null
234:        ? Decimal.Round(decimal) detayBilgisi.BirimFiyat, 4,
MidpointRounding.AwayFromZero).ToString()
235:            .Replace(", ", ".")
236:            : "0.00";
237:    price.AppendChild(priceAmount);
238:    invoiceLine.AppendChild(price);
239:
240:    #endregion
241:
242:    root.AppendChild(invoiceLine);
243:
244:    #endregion
245:
246:    sayac++;
247:    return sayac;
248: }

```

1.1.7.1.8.1.10 XMLİslemleri.EFaturaEkDokumanReferansDuzenle Method

Summary

E-Fatura XML dosyası hazırlanırken Varsa bir sablonun çekilerek Ek Doküman Referans bilgisinin düzenlenmesi için Hazırlanmış olan metottur

C#

```
private static void EFaturaEkDokumanReferansDuzenle(GidenFaturaDTO gidenFatura, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XElement root);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
XmlDocument doc	XML Doküman Bilgisi

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

XmlAttribute xmlnscac	XML Attribute Bilgisi
XmlAttribute xmlnscbc	XML Attribute Bilgisi
XmlElement root	XML Ana Eleman Bilgisi

Body Source

```

1: private static void EFaturaEkDokumanReferansDuzenle(GidenFaturaDTO gidenFatura,
XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XElement root)
2: {
3:     #region AdditionalDocumentReference
4:
5:     var additionalDocumentReference = doc.CreateElement("cac",
"AdditionalDocumentReference", xmlnscac.Value);
6:     var additionalDocumentReferenceId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
7:     additionalDocumentReferenceId.InnerText = gidenFatura.Id;
8:     additionalDocumentReference.AppendChild(additionalDocumentReferenceId);
9:     var issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
10:    issueDate.InnerText = gidenFatura.IslamTarihi?.Date.ToString("yyyy-MM-dd") ?? string.Empty;
11:    additionalDocumentReference.AppendChild(issueDate);
12:    var documentType = doc.CreateElement("cbc", "DocumentType", xmlnscbc.Value);
13:    documentType.InnerText = "XSLT";
14:    additionalDocumentReference.AppendChild(documentType);
15:    issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
16:    issueDate.InnerText = gidenFatura.IslamTarihi?.Date.ToString("yyyy-MM-dd");
17:    additionalDocumentReference.AppendChild(issueDate);
18:    documentType = doc.CreateElement("cbc", "DocumentType", xmlnscbc.Value);
19:    documentType.InnerText = "XSLT";
20:    additionalDocumentReference.AppendChild(documentType);
21:    var attachment = doc.CreateElement("cac", "Attachment", xmlnscac.Value);
22:    var embeddedDocumentBinaryObject = doc.CreateElement("cbc",
"EmbeddedDocumentBinaryObject", xmlnscbc.Value);
23:    var characterSetCode = doc.CreateAttribute("characterSetCode");
24:    characterSetCode.Value = "UTF-8";
25:    var encodingCode = doc.CreateAttribute("encodingCode");
26:    encodingCode.Value = "Base64";
27:    // XmlAttribute fileName2 = doc.CreateAttribute("fileName");
28:    // fileName2.Value = "efatura.xslt";
29:    var mimeCode = doc.CreateAttribute("mimeCode");
30:    mimeCode.Value = "application/xml";
31:    embeddedDocumentBinaryObject.Attributes.Append(characterSetCode);
32:    embeddedDocumentBinaryObject.Attributes.Append(encodingCode);
33:    // embeddedDocumentBinaryObject.Attributes.Append(fileName2);
34:    embeddedDocumentBinaryObject.Attributes.Append(mimeCode);
35:
36:    #region Base 64 Metin
37:
38:    var sablonAdresi = Directory.GetFiles("../..../Other");
39:    if (sablonAdresi.Length > 0)
40:    {
41:        foreach (var item in sablonAdresi)
42:        {
43:            if (!item.Contains("efatura")) continue;
44:            var base64Metin = File.ReadAllText(item);
45:            embeddedDocumentBinaryObject.InnerText = base64Metin;
46:            break;
47:        }
48:    }
49:
50:    #endregion
51:
52:    attachment.AppendChild(embeddedDocumentBinaryObject);
53:    additionalDocumentReference.AppendChild(attachment);
54:
55:    root.AppendChild(additionalDocumentReference);
56:
57:    additionalDocumentReference = doc.CreateElement("cac",
"AdditionalDocumentReference", xmlnscac.Value);

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

58:     additionalDocumentReferenceId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
59:     additionalDocumentReferenceId.InnerText = gidenFatura.Id;
60:     additionalDocumentReference.AppendChild(additionalDocumentReferenceId);
61:     issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
62:     issueDate.InnerText = gidenFatura.IslamTarihi?.Date.ToString("yyyy-MM-dd") ??
string.Empty;
63:     additionalDocumentReference.AppendChild(issueDate);
64:     documentType = doc.CreateElement("cbc", "DocumentType", xmlnscbc.Value);
65:     documentType.InnerText = "XSLT";
66:     additionalDocumentReference.AppendChild(documentType);
67:     attachment = doc.CreateElement("cac", "Attachment", xmlnscac.Value);
68:     embeddedDocumentBinaryObject = doc.CreateElement("cbc",
"EmbeddedDocumentBinaryObject", xmlnscbc.Value);
69:     characterSetCode = doc.CreateAttribute("characterSetCode");
70:     characterSetCode.Value = "UTF-8";
71:     encodingCode = doc.CreateAttribute("encodingCode");
72:     encodingCode.Value = "Base64";
73:     mimeCode = doc.CreateAttribute("mimeCode");
74:     mimeCode.Value = "application/xml";
75:     embeddedDocumentBinaryObject.Attributes.Append(characterSetCode);
76:     embeddedDocumentBinaryObject.Attributes.Append(encodingCode);
77:     embeddedDocumentBinaryObject.Attributes.Append(mimeCode);
78:     attachment.AppendChild(embeddedDocumentBinaryObject);
79:     additionalDocumentReference.AppendChild(attachment);
80:
81: #endregion
82: }
```

1.1.7.1.8.1.11 XMLIslemleri.EFaturaHeaderBilgisiDuzenle Method

Summary

E-Fatura XML dosyasi hazırlanırken XML'in ilk hali ve gerekli temel parametrelerin eklenmesi için Hazırlanmış olan metottur.

C#

```
private static void EFaturaHeaderBilgisiDuzenle(XmlDocument doc, XmlElement root, out
XmlAttribute xmlnscac, out XmlAttribute xmlnscbc);
```

Parameters

Parameters	Description
XmlDocument doc	XML Doküman Bilgisi
XmlElement root	XML Ana Eleman Bilgisi
out XmlAttribute xmlnscac	XML Attribute Bilgisi
out XmlAttribute xmlnscbc	XML Attribute Bilgisi

Body Source

```

1: private static void EFaturaHeaderBilgisiDuzenle(XmlDocument doc, XmlElement root, out
XmlAttribute xmlnscac, out XmlAttribute xmlnscbc)
2: {
3:     // var locationAttribute = "xsi:schemaLocation";
4:     var location = doc.CreateAttribute("xsi", "schemaLocation",
5:         "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2");
6:     location.Value =
7:         "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
..xsdrt/maindoc/UBL-Invoice-2.1.xsd";
8:     //var location = doc.CreateAttribute(schemaLocation);
9:     //location.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
..xsdrt/maindoc/UBL-Invoice-2.1.xsd";
10:    var xmlns = doc.CreateAttribute("xmlns");
11:    xmlns.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2";
12:    var xmlnsn4 = doc.CreateAttribute("xmlns:n4");
13:    xmlnsn4.Value = "http://www.altova.com/simplexml/other-namespace";
14:    var xmlnsxsi = doc.CreateAttribute("xmlns:xsi");
15:    xmlnsxsi.Value = "http://www.w3.org/2001/XMLSchema-instance";
16:    xmlnscac = doc.CreateAttribute("xmlns:cac");
```

```

17:     xmlnscac.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonAggregateComponents-2";
18:     xmlnscbc = doc.CreateAttribute("xmlns:cbc");
19:     xmlnscbc.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonBasicComponents-2";
20:     var xmlnsext = doc.CreateAttribute("xmlns:ext");
21:     xmlnsext.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonExtensionComponents-2";
22:     root.Attributes.Append(location);
23:     root.Attributes.Append(xmlns);
24:     root.Attributes.Append(xmlnsn4);
25:     root.Attributes.Append(xmlns xsi);
26:     root.Attributes.Append(xmlncac);
27:     root.Attributes.Append(xmlncbc);
28:     root.Attributes.Append(xmlnsext);
29:     var extUbl = doc.CreateElement("ext", "UBLExtensions", xmlnsext.Value);
30:     var extUbl2 = doc.CreateElement("ext", "UBLExtension", xmlnsext.Value);
31:     var extUbl3 = doc.CreateElement("ext", "ExtensionContent", xmlnsext.Value);
32:     var extUbl4 = doc.CreateElement("n4", "auto-generated_for_wildcard", xmlnsn4.Value);
33:     extUbl3.AppendChild(extUbl4);
34:     extUbl2.AppendChild(extUbl3);
35:     extUbl.AppendChild(extUbl2);
36:
37:     root.AppendChild(extUbl);
38: }
```

1.1.7.1.8.1.12 XMLIslemleri.EFaturaKesilenFirmaBilgileriDuzenle Method

Summary

E-Fatura XML dosyasi hazırlanirken Fatura Kesilen Firmanın Bilgilerinin Girildiği Ve XML dosyasi içerisinde ele alındığı metottur.

C#

```
private static void EFaturaKesilenFirmaBilgileriDuzenle(GidenFaturaDTO gidenFatura,
XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XmlElement root);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
XmlDocument doc	XML Doküman Bilgisi
XmlAttribute xmlnscac	XML Attribute Bilgisi
XmlAttribute xmlnscbc	XML Attribute Bilgisi
XmlElement root	XML Ana Eleman Bilgisi

Body Source

```

1: private static void EFaturaKesilenFirmaBilgileriDuzenle(GidenFaturaDTO gidenFatura,
 XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XmlElement root)
2: {
3:     // Bu kisimda fatura kesilen firma bilgileri yer almaktadir
4:
5:     #region AccountingCustomerParty
6:
7:     var accountingCustomerParty = doc.CreateElement("cac", "AccountingCustomerParty",
xmlncac.Value);
8:     var party = doc.CreateElement("cac", "Party", xmlnscac.Value);
9:     var webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlnscbc.Value);
10:    party.AppendChild(webSiteUri);
11:    var accountingCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
12:    accountingCustomerPartyIdAttr.Value = "TCKN";
13:    if (!string.IsNullOrEmpty(gidenFatura.VergiNo) && gidenFatura.VergiNo.Length == 10)
14:        accountingCustomerPartyIdAttr.Value = "VKN";
15:    var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlncac.Value);
16:    var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
```

```

xmlns:cbc.Value);
17:     accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerPartyIdAttr);
18:     accountingCustomerPartyPartyId.InnerText = gidenFatura.VergiNo;
19:     partyIdentification.AppendChild(accountingCustomerPartyPartyId);
20:     party.AppendChild(partyIdentification);
21:
22:     if (!string.IsNullOrEmpty(gidenFatura.VergiNo) && gidenFatura.VergiNo.Length == 10)
23:     {
24:         var partyName = doc.CreateElement("cac", "PartyName", xmlns:cac.Value);
25:         var partyNameReal = doc.CreateElement("cbc", "Name", xmlns:cbc.Value);
26:         partyNameReal.InnerText = gidenFatura.TuzelKisiAd;
27:         partyName.AppendChild(partyNameReal);
28:         party.AppendChild(partyName);
29:     }
30:
31: #region Postal Address
32:
33: var postalAddress = doc.CreateElement("cac", "PostalAddress", xmlns:cac.Value);
34: var postalAddressId = doc.CreateElement("cbc", "ID", xmlns:cbc.Value);
35: postalAddressId.InnerText = gidenFatura.VergiNo;
36: postalAddress.AppendChild(postalAddressId);
37: var room = doc.CreateElement("cbc", "Room", xmlns:cbc.Value);
38: postalAddress.AppendChild(room);
39: var streetName = doc.CreateElement("cbc", "StreetName", xmlns:cbc.Value);
40: if (!string.IsNullOrEmpty(gidenFatura.Adres))
41:     streetName.InnerText = gidenFatura.Adres;
42: postalAddress.AppendChild(streetName);
43: var buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xmlns:cbc.Value);
44: //buildingNumber.InnerText = "";
45: postalAddress.AppendChild(buildingNumber);
46: var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xmlns:cbc.Value);
47: if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
48:     citySubdivisionName.InnerText = gidenFatura.IlceAd;
49: postalAddress.AppendChild(citySubdivisionName);
50: var cityName = doc.CreateElement("cbc", "CityName", xmlns:cbc.Value);
51: if (!string.IsNullOrEmpty(gidenFatura.IlAd))
52:     cityName.InnerText = gidenFatura.IlAd;
53: postalAddress.AppendChild(cityName);
54: var postalZone = doc.CreateElement("cbc", "PostalZone", xmlns:cbc.Value);
55: //postalZone.InnerText = "";
56: postalAddress.AppendChild(postalZone);
57: var country = doc.CreateElement("cac", "Country", xmlns:cac.Value);
58: var countryName = doc.CreateElement("cbc", "Name", xmlns:cbc.Value);
59: countryName.InnerText = "Türkiye";
60: country.AppendChild(countryName);
61: postalAddress.AppendChild(country);
62: party.AppendChild(postalAddress);
63:
64: #endregion
65:
66: var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme", xmlns:cac.Value);
67: var taxScheme = doc.CreateElement("cac", "TaxScheme", xmlns:cac.Value);
68: var taxSchemeName = doc.CreateElement("cbc", "Name", xmlns:cbc.Value);
69: if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
70:     taxSchemeName.InnerText = gidenFatura.VergiDairesi;
71: taxScheme.AppendChild(taxSchemeName);
72: partyTaxScheme.AppendChild(taxScheme);
73: party.AppendChild(partyTaxScheme);
74:
75: var contact = doc.CreateElement("cac", "Contact", xmlns:cac.Value);
76: var electronicMail = doc.CreateElement("cbc", "ElectronicMail", xmlns:cbc.Value);
77: if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))
78:     electronicMail.InnerText = gidenFatura.EPostaAdresi;
79: contact.AppendChild(electronicMail);
80: party.AppendChild(contact);
81:
82: if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
83: {

```

```

84:         if (gidenFatura.VergiNo.Length == 11)
85:     {
86:         var liste = gidenFatura.TuzelKisiAd.Split(' ').ToList();
87:         if (liste.Count >= 1)
88:         {
89:             var person = doc.CreateElement("cac", "Person", xmlnscac.Value);
90:             var firstName = doc.CreateElement("cbc", "FirstName", xmlnscbc.Value);
91:             firstName.InnerText = liste[0];
92:             person.AppendChild(firstName);
93:             var surname = liste[0];
94:             if (liste.Count > 1)
95:                 surname = gidenFatura.TuzelKisiAd.Substring(liste[0].Length + 1);
96:             var familyName = doc.CreateElement("cbc", "FamilyName",
xmlnscbc.Value);
97:             familyName.InnerText = surname;
98:             //familyName.InnerText = liste[1];
99:             person.AppendChild(familyName);
100:            party.AppendChild(person);
101:        }
102:    }
103: }
104:
105: accountingCustomerParty.AppendChild(party);
106: root.AppendChild(accountingCustomerParty);
107:
108:
109: #endregion
110: }
```

1.1.7.1.8.1.13 XMLIslemleri.EFaturaXMLOlustur Method

Summary

Giden Fatura Bilgisi Üzerinden E-Fatura Sistemine Göndermek İçin XML Dosyasi Olusturmaya yarayan metottur

C#

```
public static string EFaturaXMLOlustur(GidenFaturaDTO gidenFatura,
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, string aktarilacakKlasorAdi);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi	Giden Fatura Detay Listesi
string aktarilacakKlasorAdi	Olusturulan Dosyanin Aktarilacagi Klasör

Returns

Kaydedilen Dosyanin Bilgisayardaki Adresi

Body Source

```

1: public static string EFaturaXMLOlustur(GidenFaturaDTO gidenFatura,
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, string aktarilacakKlasorAdi)
2: {
3:     var doc = FaturaXMLDokumaniIlkHaliOlustur(BelgeTur.EFatura, ref gidenFatura, out
var root, out var kodSatisTuruKod, out var kodFaturaTuruKod, out var kodFaturaGrupTuruKod);
4:
5:     if (string.IsNullOrEmpty(gidenFatura.VergiNo) &&
!string.IsNullOrEmpty(gidenFatura.GercekKisiTcKimlikNo))
6:         gidenFatura.VergiNo = gidenFatura.GercekKisiTcKimlikNo;
7:
8:     // Faturanin türü, düzenleme tarihi, UBL Versiyon Numarasi, GIB Numarasi gibi
bilgiler
9:     // yer almaktadir
10:
11:    root.RemoveAllAttributes();
12:
```

```

13:     EFaturaHeaderBilgisiDuzenle(doc, root, out var xmlnscac, out var xmlnscbc);
14:
15:     TemelBilgileriDuzenle("TEMELFATURA", gidenFatura, gidenFaturaDetayListesi, root,
doc, kodSatisTuruKod, kodFaturaTuruKod, xmlnscbc);
16:
17:     IrsaliyeBilgisiDuzenle(gidenFatura, gidenFaturaDetayListesi, root, doc,
kodFaturaTuruKod, kodFaturaGrupTuruKod, xmlnscbc);
18:
19:     ParaBirimVeKayitSayisiDuzenle(gidenFaturaDetayListesi.Count, root, doc, xmlnscbc);
20:
21:     EFaturaEkDokumanReferansDuzenle(gidenFatura, doc, xmlnscac, xmlnscbc, root);
22:
23:     FaturaMakbuzImzaBilgisiDuzenle(root, doc, xmlnscac, xmlnscbc);
24:
25:     FaturaKesenFirmaBilgisiDuzenle(gidenFatura, root, doc, xmlnscac, xmlnscbc);
26:
27:     EFaturaKesilenFirmaBilgileriDuzenle(gidenFatura, doc, xmlnscac, xmlnscbc, root);
28:
29:     FaturaKesilenKisiBilgisiDuzenle(gidenFatura, doc, xmlnscac, xmlnscbc, root);
30:
31:     EFaturaBankaBilgileriDuzenle(gidenFatura, doc, xmlnscac, xmlnscbc, root);
32:
33:     FaturaKdvBelirle(gidenFatura, gidenFaturaDetayListesi, out var faturaKdvListesi);
34:
35:     GenelVergiBilgileriDuzenle(doc, xmlnscac, xmlnscbc, kodFaturaGrupTuruKod,
kodSatisTuruKod, root,
36:         faturaKdvListesi);
37:
38:     // Burada vergi bilgileri yer almaktadir (Açıklama Satiri haline getirildi)
39:
40:     #region Açıklama Satiri (TaxTotal)
41:
42:     //var taxTotal = doc.CreateElement("cac", "TaxTotal", xmlnscac.Value);
43:     //var currencyId = doc.CreateAttribute("currencyID");
44:     //currencyId.Value = "TRY";
45:     //var taxAmount = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
46:     //taxAmount.RemoveAllAttributes();
47:     //taxAmount.Attributes.Append(currencyId);
48:     //taxAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",","."));
49:     //taxTotal.AppendChild(taxAmount);
50:     //var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xmlnscac.Value);
51:     //var taxableAmount = doc.CreateElement("cbc", "TaxableAmount", xmlnscbc.Value);
52:     //taxableAmount.RemoveAllAttributes();
53:     //currencyId = doc.CreateAttribute("currencyID");
54:     //currencyId.Value = "TRY";
55:     //taxableAmount.Attributes.Append(currencyId);
56:     //taxableAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",","."));
57:     //taxSubTotal.AppendChild(taxableAmount);
58:     //var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
59:     //taxAmount2.RemoveAllAttributes();
60:     //currencyId = doc.CreateAttribute("currencyID");
61:     //currencyId.Value = "TRY";
62:     //taxAmount2.Attributes.Append(currencyId);
63:     //taxAmount2.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",","."));
64:     //taxSubTotal.AppendChild(taxAmount2);
65:     //var percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
66:     //if (gidenFatura.KdvHaricTutar != 0)
67:     //    percent.InnerText = Decimal.Round(((decimal)gidenFatura.KdvTutari * 100) /
(decimal)gidenFatura.KdvHaricTutar, 0, MidpointRounding.AwayFromZero).ToString();
68:     //else
69:     //    percent.InnerText = "0";
70:     //taxSubTotal.AppendChild(percent);
71:     //var taxCategory = doc.CreateElement("cac", "TaxCategory", xmlnscac.Value);
72:     //if (gidenFatura.KdvTutari == 0)
73:     //{
74:         //    var taxExemptionReasonCode = doc.CreateElement("cbc",

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

"TaxExemptionReasonCode", xmlnscbc.Value);
75:    // taxExemptionReasonCode.InnerText = "325";
76:    // var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xmlnscbc.Value);
77:    // taxExemptionReason.InnerText = "13/i Yem Teslimleri";
78:    // taxCategory.AppendChild(taxExemptionReasonCode);
79:    // taxCategory.AppendChild(taxExemptionReason);
80: }
81: //if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
82: //{
83:    // var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xmlnscbc.Value);
84:    // taxExemptionReasonCode.InnerText = "701";
85:    // var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xmlnscbc.Value);
86:    // taxExemptionReason.InnerText = "3065 sayili Katma Deger Vergisi kanununun
11/1-c maddesi kapsamında ihraç edilmek şartıyla teslim edildiginden Katma Deger Vergisi
tahsil edilmemistir.";
87:    // taxCategory.AppendChild(taxExemptionReasonCode);
88:    // taxCategory.AppendChild(taxExemptionReason);
89: }
90: //var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
91: //var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xmlnscbc.Value);
92: //taxTypeCode.InnerText = "0015";
93: //taxScheme2.AppendChild(taxTypeCode);
94: //taxCategory.AppendChild(taxScheme2);
95: //taxSubTotal.AppendChild(taxCategory);
96: //taxTotal.AppendChild(taxSubTotal);
97: //root.AppendChild(taxTotal);
98:
99: #endregion
100:
101: FaturaGenelTutarDuzenle(gidenFatura, doc, xmlnscac, xmlnscbc, root, true);
102:
103: gidenFaturaDetayListesiAggregate(1, (current, item) =>
EFaturaDetayBilgileriniDuzenle(gidenFatura, item, doc, xmlnscac, xmlnscbc, current,
kodFaturaGrupTuruKod, root));
104:
105: doc.AppendChild(root);
106:
107: return XMLDosyasiniKaydet(gidenFatura.Id, aktarilacakKlasorAdi, doc);
108: }

```

1.1.7.1.8.1.14 XMLIslemleri.EMustahsilEkDokumanReferansDuzenle Method

Summary

E-Müstahsil Makbuzu XML dosyasi hazırlanirken Varsa bir sablonun çekilerek Ek Doküman Referans bilgisinin düzenlenmesi için Hazırlanmis olan metottur

C#

```

private static void EMustahsilEkDokumanReferansDuzenle(MustahsilMakbuzuDTO
mustahsilMakbuzu, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XmlElement
root);

```

Parameters

Parameters	Description
MustahsilMakbuzuDTO mustahsilMakbuzu	Müstahsil Makbuzu Bilgisi
XmlDocument doc	XML Doküman Bilgisi
XmlAttribute xmlnscac	XML Attribute Bilgisi
XmlAttribute xmlnscbc	XML Attribute Bilgisi
XmlElement root	XML Ana Eleman Bilgisi

Body Source

```

1: private static void EMustahsilEkDokumanReferansDuzenle(MustahsilMakbuzuDTO

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

mustahsilMakbuzu, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XmlElement
root)
2:         {
3:             #region AdditionalDocumentReference
4:
5:             var additionalDocumentReference = doc.CreateElement("cac",
"AdditionalDocumentReference", xmlnscac.Value);
6:             var additionalDocumentReferenceId = doc.CreateElement("cbc", "ID",
xmlnscbc.Value);
7:             additionalDocumentReferenceId.InnerText = mustahsilMakbuzu.Id.Length == 36
8:                 ? mustahsilMakbuzu.Id.ToUpper()
9:                 : Guid.NewGuid().ToString().ToUpper();
10:            additionalDocumentReference.AppendChild(additionalDocumentReferenceId);
11:            var issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
12:            issueDate.InnerText =
mustahsilMakbuzu.IslamTarihi?.Date.ToString("yyyy-MM-dd") ?? string.Empty;
13:            additionalDocumentReference.AppendChild(issueDate);
14:            var documentType = doc.CreateElement("cbc", "DocumentType", xmlnscbc.Value);
15:            documentType.InnerText = "XSLT";
16:            additionalDocumentReference.AppendChild(documentType);
17:            var attachment = doc.CreateElement("cac", "Attachment", xmlnscac.Value);
18:            var embeddedDocumentBinaryObject = doc.CreateElement("cbc",
"EmbeddedDocumentBinaryObject", xmlnscbc.Value);
19:            var characterSetCode = doc.CreateAttribute("characterSetCode");
20:            characterSetCode.Value = "UTF-8";
21:            var encodingCode = doc.CreateAttribute("encodingCode");
22:            encodingCode.Value = "Base64";
23:            var mimeCode = doc.CreateAttribute("mimeCode");
24:            mimeCode.Value = "application/xml";
25:            embeddedDocumentBinaryObject.Attributes.Append(characterSetCode);
26:            embeddedDocumentBinaryObject.Attributes.Append(encodingCode);
27:            embeddedDocumentBinaryObject.Attributes.Append(mimeCode);
28:            attachment.AppendChild(embeddedDocumentBinaryObject);
29:            additionalDocumentReference.AppendChild(attachment);
30:
31:            root.AppendChild(additionalDocumentReference);
32:
33:        #endregion
34:    }

```

1.1.7.1.8.1.15 XMLIslemleri.EMustahsilHeaderBilgisiDuzenle Method

Summary

E-Müstahsil Makbuzu XML dosyasi hazırlanirken Temel parametrelerin oldugu Header bilgilerinin düzenlenmesi için hazırlanmış olan metottur.

C#

```
private static void EMustahsilHeaderBilgisiDuzenle(MustahsilMakbuzuDTO mustahsilMakbuzu,
 XmlDocument doc, XmlElement root, out XmlAttribute xmlnscac, out XmlAttribute xmlnscbc);
```

Parameters

Parameters	Description
MustahsilMakbuzuDTO mustahsilMakbuzu	Müstahsil Makbuzu Bilgisi
XmlDocument doc	XML Doküman Bilgisi
XmlElement root	XML Ana Eleman Bilgisi
out XmlAttribute xmlnscac	XML Attribute Bilgisi
out XmlAttribute xmlnscbc	XML Attribute Bilgisi

Body Source

```

1: private static void EMustahsilHeaderBilgisiDuzenle(MustahsilMakbuzuDTO
mustahsilMakbuzu, XmlDocument doc, XmlElement root, out XmlAttribute xmlnscac, out
XmlAttribute xmlnscbc)
2: {
3:     // var locationAttribute = "xsi:schemaLocation";

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

4:     var location = doc.CreateAttribute("xsi", "schemaLocation",
5:         "urn:oasis:names:specification:ubl:schema:xsd:CreditNote-2");
6:     location.Value =
7:         "urn:oasis:names:specification:ubl:schema:xsd:CreditNote-2
..../xsdrt/maindoc/UBL-CreditNote-2.1.xsd";
8:     var xmlns = doc.CreateAttribute("xmlns");
9:     xmlns.Value = "urn:oasis:names:specification:ubl:schema:xsd:CreditNote-2";
10:    var xmlnsn4 = doc.CreateAttribute("xmlns:n4");
11:    xmlnsn4.Value = "http://www.altova.com/samplexml/other-namespace";
12:    var xmlnsxsi = doc.CreateAttribute("xmlns:xsi");
13:    xmlnsxsi.Value = "http://www.w3.org/2001/XMLSchema-instance";
14:    xmlnscac = doc.CreateAttribute("xmlns:cac");
15:    xmlnscac.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonAggregateComponents-2";
16:    xmlnscbc = doc.CreateAttribute("xmlns:cbc");
17:    xmlnscbc.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonBasicComponents-2";
18:    var xmlnsext = doc.CreateAttribute("xmlns:ext");
19:    xmlnsext.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonExtensionComponents-2";
20:    root.Attributes.Append(location);
21:    root.Attributes.Append(xmlns);
22:    root.Attributes.Append(xmlsn4);
23:    root.Attributes.Append(xmlnsxsi);
24:    root.Attributes.Append(xmlnscac);
25:    root.Attributes.Append(xmlnscbc);
26:    root.Attributes.Append(xmlnsext);
27:    var extUbl = doc.CreateElement("ext", "UBLExtensions", xmlnsext.Value);
28:    var extUbl2 = doc.CreateElement("ext", "UBLExtension", xmlnsext.Value);
29:    var extUbl3 = doc.CreateElement("ext", "ExtensionContent", xmlnsext.Value);
30:    var extUbl4 = doc.CreateElement("n4", "auto-generated_for_wildcard", xmlnsn4.Value);
31:    extUbl3.AppendChild(extUbl4);
32:    extUbl2.AppendChild(extUbl3);
33:    extUbl.AppendChild(extUbl2);
34:
35:    root.AppendChild(extUbl);
36:
37:    var versionId = doc.CreateElement("cbc", "UBLVersionID", xmlnscbc.Value);
38:    versionId.InnerText = "2.1";
39:    root.AppendChild(versionId);
40:
41:    var customizationId = doc.CreateElement("cbc", "CustomizationID", xmlnscbc.Value);
42:    customizationId.InnerText = "TR1.2.1";
43:    root.AppendChild(customizationId);
44:
45:    var profileId = doc.CreateElement("cbc", "ProfileID", xmlnscbc.Value);
46:    profileId.InnerText = "EARSIVBELGE";
47:    root.AppendChild(profileId);
48:
49:    var id = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
50:    if (!string.IsNullOrEmpty(mustahsilMakbuzu.MustahsilMakbuzuNo))
51:        id.InnerText = mustahsilMakbuzu.MustahsilMakbuzuNo;
52:    else
53:        id.InnerText = "ABC" + mustahsilMakbuzu.IslemTarihi?.Year +
54:            DateTime.UtcNow.Ticks.ToString().Substring(0, 9);
55:    root.AppendChild(id);
56: }

```

1.1.7.1.8.1.16 XMLİşlemleri.EMustahsilKrediTuruDuzenle Method

Summary

E-Müstahsil Makbuzu XML dosyasi hazırlanırken Kredi Türü bilgilerinin düzenlendiği metottur.

C#

```

private static void EMustahsilKrediTuruDuzenle(XmlDocument doc, XmlAttribute xmlnscbc,
XmlElement root);

```

Parameters

Parameters	Description
XmlDocument doc	XML Doküman Bilgisi
XmlAttribute xmlnscbc	XML Attribute Bilgisi
XMLElement root	XML Ana Eleman Bilgisi

Body Source

```

1: private static void EMustahsilKrediTuruDuzenle(XmlDocument doc, XmlAttribute xmlnscbc,
XmlElement root)
2: {
3:     var creditNoteTypeCode = doc.CreateElement("cbc", "CreditNoteTypeCode",
xmlnscbc.Value);
4:     creditNoteTypeCode.InnerText = "MUSTAHSILMAKBUZ";
5:     root.AppendChild(creditNoteTypeCode);
6: }
```

1.1.7.1.8.1.17 XMLIslemleri.EMustahsilMakbuzDetayBilgileriDuzenle Method

Summary

E-Müstahsil Makbuzu XML dosyası hazırlanırken Makbuz Detay bilgileri üzerinden gerekli işlemlerin Gerçekleştirildiği metottur.

C#

```
private static int EMustahsilMakbuzDetayBilgileriDuzenle(MustahsilMakbuzuDetayDTO item,
 XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, int sayac, XMLElement root);
```

Parameters

Parameters	Description
MustahsilMakbuzuDetayDTO item	Müstahsil Makbuzu Detay Bilgisi
XmlDocument doc	XML Doküman Bilgisi
XmlAttribute xmlnscac	XML Attribute Bilgisi
XmlAttribute xmlnscbc	XML Attribute Bilgisi
int sayac	Sayaç Bilgisi
XMLElement root	XML Ana Eleman Bilgisi

Body Source

```

1: private static int EMustahsilMakbuzDetayBilgileriDuzenle(MustahsilMakbuzuDetayDTO
item, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, int sayac, XMLElement
root)
2: {
3:     var detayBilgisi = item.BosluklariKaldir();
4:
5:     #region CreditNoteLine
6:
7:     #region MetaData
8:
9:     var creditNoteLine = doc.CreateElement("cac", "CreditNoteLine", xmlnscac.Value);
10:    var creditNoteLineId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
11:    creditNoteLineId.InnerText = sayac.ToString();
12:    creditNoteLine.AppendChild(creditNoteLineId);
13:    var quantity = doc.CreateAttribute("unitCode");
14:    quantity.Value = "KGM";
15:    var creditedQuantity = doc.CreateElement("cbc", "CreditedQuantity",
xmlnscbc.Value);
16:    creditedQuantity.RemoveAllAttributes();
17:    creditedQuantity.Attributes.Append(quantity);
18:    creditedQuantity.InnerText = Decimal
19:        .Round((decimal) detayBilgisi.Miktar, 2,
MidpointRounding.AwayFromZero).ToString()
20:        .Replace(".", ","));

```

```

21:     creditNoteLine.AppendChild(creditedQuantity);
22:     var lineExtensionAmountDetail = doc.CreateElement("cbc", "LineExtensionAmount",
xmlns:cbc.Value);
23:     lineExtensionAmountDetail.RemoveAllAttributes();
24:     var currencyId = doc.CreateAttribute("currencyID");
25:     currencyId.Value = "TRY";
26:     lineExtensionAmountDetail.Attributes.Append(currencyId);
27:     lineExtensionAmountDetail.InnerText = Decimal
28:         .Round((decimal) detayBilgisi.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString()
29:             .Replace(", ", ".");
30:     creditNoteLine.AppendChild(lineExtensionAmountDetail);
31:
32: #endregion
33:
34: #region TaxTotal
35:
36:     var taxTotal = doc.CreateElement("cac", "TaxTotal", xmlns:cac.Value);
37:     currencyId = doc.CreateAttribute("currencyID");
38:     currencyId.Value = "TRY";
39:     var taxAmount = doc.CreateElement("cbc", "TaxAmount", xmlns:cbc.Value);
40:     taxAmount.RemoveAllAttributes();
41:     taxAmount.Attributes.Append(currencyId);
42:     taxAmount.InnerText = Decimal
43:         .Round((decimal) detayBilgisi.GelirVergisi, 2,
MidpointRounding.AwayFromZero).ToString()
44:             .Replace(", ", ".");
45:     taxTotal.AppendChild(taxAmount);
46:     var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xmlns:cac.Value);
47:     var taxableAmount = doc.CreateElement("cbc", "TaxableAmount", xmlns:cbc.Value);
48:     taxableAmount.RemoveAllAttributes();
49:     currencyId = doc.CreateAttribute("currencyID");
50:     currencyId.Value = "TRY";
51:     taxableAmount.Attributes.Append(currencyId);
52:     taxableAmount.InnerText = Decimal
53:         .Round((decimal) detayBilgisi.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString()
54:             .Replace(", ", ".");
55:     taxSubTotal.AppendChild(taxableAmount);
56:     var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlns:cbc.Value);
57:     taxAmount2.RemoveAllAttributes();
58:     currencyId = doc.CreateAttribute("currencyID");
59:     currencyId.Value = "TRY";
60:     taxAmount2.Attributes.Append(currencyId);
61:     taxAmount2.InnerText = Decimal
62:         .Round((decimal) detayBilgisi.GelirVergisi, 2,
MidpointRounding.AwayFromZero).ToString()
63:             .Replace(", ", ".");
64:     taxSubTotal.AppendChild(taxAmount2);
65:     var percent = doc.CreateElement("cbc", "Percent", xmlns:cbc.Value);
66:     percent.InnerText = "2";
67:     taxSubTotal.AppendChild(percent);
68:     var taxCategory = doc.CreateElement("cac", "TaxCategory", xmlns:cac.Value);
69:     var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlns:cac.Value);
70:     var taxTypeName = doc.CreateElement("cbc", "Name", xmlns:cbc.Value);
71:     taxTypeName.InnerText = "GV STOPAJI";
72:     taxScheme2.AppendChild(taxTypeName);
73:     var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xmlns:cbc.Value);
74:     taxTypeCode.InnerText = "0003";
75:     taxScheme2.AppendChild(taxTypeCode);
76:     taxCategory.AppendChild(taxScheme2);
77:     taxSubTotal.AppendChild(taxCategory);
78:     taxTotal.AppendChild(taxSubTotal);
79:     creditNoteLine.AppendChild(taxTotal);
80:
81: #endregion
82:
83: #region Item
84:

```

```

85:     var creditNoteItem = doc.CreateElement("cac", "Item", xmlnscac.Value);
86:     var itemName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
87:     itemName.InnerText = detayBilgisi.IsinMahiyeti;
88:     creditNoteItem.AppendChild(itemName);
89:     creditNoteLine.AppendChild(creditNoteItem);
90:
91: #endregion
92:
93: #region Price
94:
95:     var price = doc.CreateElement("cac", "Price", xmlnscac.Value);
96:     var priceAmount = doc.CreateElement("cbc", "PriceAmount", xmlnscbc.Value);
97:     priceAmount.RemoveAllAttributes();
98:     currencyId = doc.CreateAttribute("currencyID");
99:     currencyId.Value = "TRY";
100:    priceAmount.Attributes.Append(currencyId);
101:    priceAmount.InnerText = detayBilgisi.BirimFiyat != null
102:        ? Decimal.Round((decimal)detayBilgisi.BirimFiyat, 4,
MidpointRounding.AwayFromZero).ToString()
103:            .Replace(", ", ".")
104:            : "0.00";
105:    price.AppendChild(priceAmount);
106:    creditNoteLine.AppendChild(price);
107:
108: #endregion
109:
110: root.AppendChild(creditNoteLine);
111:
112: #endregion
113:
114: sayac++;
115: return sayac;
116: }

```

1.1.7.1.8.1.18 XMLIslemleri.EMustahsilMakbuzKesenFirmaBilgisiDuzenle Method

Summary

E-Müstahsil Makbuzu XML dosyasi hazırlanirken Makbuz Kesen Firmanın Bilgilerinin Düzenlendiği metottur.

C#

```
private static void EMustahsilMakbuzKesenFirmaBilgisiDuzenle(MustahsilMakbuzuDTO
mustahsilMakbuzu, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XmlElement
root);
```

Parameters

Parameters	Description
MustahsilMakbuzuDTO mustahsilMakbuzu	Müstahsil Makbuzu Bilgisi
XmlDocument doc	XML Doküman Bilgisi
XmlAttribute xmlnscac	XML Attribute Bilgisi
XmlAttribute xmlnscbc	XML Attribute Bilgisi
XmlElement root	XML Ana Eleman Bilgisi

Body Source

```

1: private static void EMustahsilMakbuzKesenFirmaBilgisiDuzenle(MustahsilMakbuzuDTO
mustahsilMakbuzu, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XmlElement
root)
2: {
3:     // Burada sabit değerler verilmekte olup, Makbuzu kesen kuruma veya firmaya ait
bilgiler
4:     // yer almaktadır. Bu kısımda örnek olarak TÜRKSEKER Fabrikaları Genel Müdürlüğü
bilgileri
5:     // kullanılmıştır. Ancak değiştirip test edilebilir.
6:
7:     #region AccountingSupplierParty

```

```

8:
9:     var accountingSupplierParty = doc.CreateElement("cac", "AccountingSupplierParty",
xmlnsCAC.Value);
10:    var party = doc.CreateElement("cac", "Party", xmlnsCAC.Value);
11:    var webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlnsCBC.Value);
12:    webSiteUri.InnerText = "https://www.turkseker.gov.tr";
13:    party.AppendChild(webSiteUri);
14:    var accountingSupplierPartyIdAttr = doc.CreateAttribute("schemeID");
15:    accountingSupplierPartyIdAttr.Value = "VKN_TCKN";
16:    var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlnsCAC.Value);
17:    var accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
18:    accountingSupplierPartyIdAttr2.Value = "VKN";
19:    var accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID", xmlnsCBC.Value);
20:    accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
21:    accountingSupplierPartyPartyId.InnerText = "3250566851";
22:    partyIdentification.AppendChild(accountingSupplierPartyPartyId);
23:    party.AppendChild(partyIdentification);
24:
25:    if (!string.IsNullOrEmpty(mustahsilMakbuzu.AltBirimAd))
26:    {
27:        partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlnsCAC.Value);
28:        accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
29:        accountingSupplierPartyIdAttr2.Value = "SUBENO";
30:        accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID", xmlnsCBC.Value);
31:
32:        accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
33:        accountingSupplierPartyPartyId.InnerText = mustahsilMakbuzu.AltBirimAd;
34:        partyIdentification.AppendChild(accountingSupplierPartyPartyId);
35:        party.AppendChild(partyIdentification);
36:
37:        var partyName = doc.CreateElement("cac", "PartyName", xmlnsCAC.Value);
38:        var partyNameReal = doc.CreateElement("cbc", "Name", xmlnsCBC.Value);
39:        partyNameReal.InnerText = "TÜRKİYE SEKER FABRIKALARI A.S.";
40:        partyName.AppendChild(partyNameReal);
41:        party.AppendChild(partyName);
42:
43:    #region Postal Address
44:
45:        var postalAddress = doc.CreateElement("cac", "PostalAddress", xmlnsCAC.Value);
46:        var postalAddressId = doc.CreateElement("cbc", "ID", xmlnsCBC.Value);
47:        postalAddressId.InnerText = "3250566851";
48:        postalAddress.AppendChild(postalAddressId);
49:        var streetName = doc.CreateElement("cbc", "StreetName", xmlnsCBC.Value);
50:        streetName.InnerText = "Mithatpasa Caddesi";
51:        postalAddress.AppendChild(streetName);
52:        var buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xmlnsCBC.Value);
53:        buildingNumber.InnerText = "14";
54:        postalAddress.AppendChild(buildingNumber);
55:        var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xmlnsCBC.Value);
56:        citySubdivisionName.InnerText = "Çankaya";
57:        postalAddress.AppendChild(citySubdivisionName);
58:        var cityName = doc.CreateElement("cbc", "CityName", xmlnsCBC.Value);
59:        cityName.InnerText = "Ankara";
60:        postalAddress.AppendChild(cityName);
61:        var postalZone = doc.CreateElement("cbc", "PostalZone", xmlnsCBC.Value);
62:        postalZone.InnerText = "06100";
63:        postalAddress.AppendChild(postalZone);
64:        var country = doc.CreateElement("cac", "Country", xmlnsCAC.Value);
65:        var countryName = doc.CreateElement("cbc", "Name", xmlnsCBC.Value);
66:        countryName.InnerText = "Türkiye";
67:        country.AppendChild(countryName);
68:        postalAddress.AppendChild(country);
69:        party.AppendChild(postalAddress);
70:
71:    #endregion

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```

72:
73:     var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme", xmlnscac.Value);
74:     var taxScheme = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
75:     var taxSchemeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
76:     taxSchemeName.InnerText = "Ankara Kurumlar";
77:     taxScheme.AppendChild(taxSchemeName);
78:     partyTaxScheme.AppendChild(taxScheme);
79:     party.AppendChild(partyTaxScheme);
80:
81:     var contact = doc.CreateElement("cac", "Contact", xmlnscac.Value);
82:     var telephone = doc.CreateElement("cbc", "Telephone", xmlnscbc.Value);
83:     telephone.InnerText = "(312) 4585500";
84:     contact.AppendChild(telephone);
85:     var telefax = doc.CreateElement("cbc", "Telefax", xmlnscbc.Value);
86:     telefax.InnerText = "(312) 4585800";
87:     contact.AppendChild(telefax);
88:     var electronicMail = doc.CreateElement("cbc", "ElectronicMail", xmlnscbc.Value);
89:     electronicMail.InnerText = "maliisler@turkseker.gov.tr";
90:     contact.AppendChild(electronicMail);
91:     party.AppendChild(contact);
92:
93:     accountingSupplierParty.AppendChild(party);
94:
95:     root.AppendChild(accountingSupplierParty);
96:
97: #endregion
98: }
```

1.1.7.1.8.1.19 XMLIslemleri.EMustahsilMakbuzKesilenFirmaBilgisiDuzenle Method

Summary

E-Müstahsil Makbuzu XML dosyasi hazirlanirken Makbuz Kesilen Firmanın Bilgilerinin Düzenlendiği metottur.

C#

```
private static void EMustahsilMakbuzKesilenFirmaBilgisiDuzenle(MustahsilMakbuzuDTO mustahsilMakbuzu, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XmlElement root);
```

Parameters

Parameters	Description
MustahsilMakbuzuDTO mustahsilMakbuzu	Müstahsil Makbuzu Bilgisi
XmlDocument doc	XML Doküman Bilgisi
XmlAttribute xmlnscac	XML Attribute Bilgisi
XmlAttribute xmlnscbc	XML Attribute Bilgisi
XmlElement root	XML Ana Eleman Bilgisi

Body Source

```

1: private static void EMustahsilMakbuzKesilenFirmaBilgisiDuzenle(MustahsilMakbuzuDTO mustahsilMakbuzu, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XmlElement root)
2: {
3:     // Bu kisimda makbuz kesilen firma bilgileri yer almaktadir
4:
5:     #region AccountingCustomerParty
6:
7:     var accountingCustomerParty = doc.CreateElement("cac", "AccountingCustomerParty",
xmlnscac.Value);
8:     var party = doc.CreateElement("cac", "Party", xmlnscac.Value);
9:     var webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlnscbc.Value);
10:    party.AppendChild(webSiteUri);
11:    var accountingCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
12:    accountingCustomerPartyIdAttr.Value = "TCKN";
13:    if (mustahsilMakbuzu.VergiNo.Length == 10)
14:        accountingCustomerPartyIdAttr.Value = "VKN";
```

```

15:     var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlnsCAC.Value);
16:     var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xmlnsCBC.Value);
17:     accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerPartyIdAttr);
18:     accountingCustomerPartyPartyId.InnerText = mustahsilMakbuzu.VergiNo;
19:     partyIdentification.AppendChild(accountingCustomerPartyPartyId);
20:     party.AppendChild(partyIdentification);
21:
22:     if (mustahsilMakbuzu.VergiNo.Length == 10)
23:     {
24:         var partyName = doc.CreateElement("cac", "PartyName", xmlnsCAC.Value);
25:         var partyNameReal = doc.CreateElement("cbc", "Name", xmlnsCBC.Value);
26:         partyNameReal.InnerText = mustahsilMakbuzu.TuzelKisiAd;
27:         partyName.AppendChild(partyNameReal);
28:         party.AppendChild(partyName);
29:     }
30:
31: #region Postal Address
32:
33: var postalAddress = doc.CreateElement("cac", "PostalAddress", xmlnsCAC.Value);
34: var postalAddressId = doc.CreateElement("cbc", "ID", xmlnsCBC.Value);
35: postalAddressId.InnerText = mustahsilMakbuzu.VergiNo;
36: postalAddress.AppendChild(postalAddressId);
37: var room = doc.CreateElement("cbc", "Room", xmlnsCBC.Value);
38: postalAddress.AppendChild(room);
39: var streetName = doc.CreateElement("cbc", "StreetName", xmlnsCBC.Value);
40: if (!string.IsNullOrEmpty(mustahsilMakbuzu.Adres))
41:     streetName.InnerText = mustahsilMakbuzu.Adres;
42: postalAddress.AppendChild(streetName);
43: var buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xmlnsCBC.Value);
44: //buildingNumber.InnerText = "";
45: postalAddress.AppendChild(buildingNumber);
46: var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xmlnsCBC.Value);
47: if (!string.IsNullOrEmpty(mustahsilMakbuzu.IlceAd))
48:     citySubdivisionName.InnerText = mustahsilMakbuzu.IlceAd;
49: postalAddress.AppendChild(citySubdivisionName);
50: var cityName = doc.CreateElement("cbc", "CityName", xmlnsCBC.Value);
51: if (!string.IsNullOrEmpty(mustahsilMakbuzu.IlAd))
52:     cityName.InnerText = mustahsilMakbuzu.IlAd;
53: postalAddress.AppendChild(cityName);
54: var postalZone = doc.CreateElement("cbc", "PostalZone", xmlnsCBC.Value);
55: //postalZone.InnerText = "";
56: postalAddress.AppendChild(postalZone);
57: var country = doc.CreateElement("cac", "Country", xmlnsCAC.Value);
58: var countryName = doc.CreateElement("cbc", "Name", xmlnsCBC.Value);
59: countryName.InnerText = "Türkiye";
60: country.AppendChild(countryName);
61: postalAddress.AppendChild(country);
62: party.AppendChild(postalAddress);
63:
64: #endregion
65:
66: var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme", xmlnsCAC.Value);
67: var taxScheme = doc.CreateElement("cac", "TaxScheme", xmlnsCAC.Value);
68: var taxSchemeName = doc.CreateElement("cbc", "Name", xmlnsCBC.Value);
69: if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiDairesi))
70:     taxSchemeName.InnerText = mustahsilMakbuzu.VergiDairesi;
71: taxScheme.AppendChild(taxSchemeName);
72: partyTaxScheme.AppendChild(taxScheme);
73: party.AppendChild(partyTaxScheme);
74:
75: var contact = doc.CreateElement("cac", "Contact", xmlnsCAC.Value);
76: var electronicMail = doc.CreateElement("cbc", "ElectronicMail", xmlnsCBC.Value);
77: if (!string.IsNullOrEmpty(mustahsilMakbuzu.EpostaAdresi))
78:     electronicMail.InnerText = mustahsilMakbuzu.EpostaAdresi;
79: contact.AppendChild(electronicMail);
80: party.AppendChild(contact);

```

```

81:
82:     if (mustahsilMakbuzu.VergiNo.Length == 11)
83:     {
84:         var liste = mustahsilMakbuzu.TuzelKisiAd.Split(' ').ToList();
85:         if (liste.Count >= 1)
86:         {
87:             var person = doc.CreateElement("cac", "Person", xmlnscac.Value);
88:             var firstName = doc.CreateElement("cbc", "FirstName", xmlnscbc.Value);
89:             firstName.InnerText = liste[0];
90:             person.AppendChild(firstName);
91:             var surname = liste[0];
92:             if (liste.Count > 1)
93:                 surname = mustahsilMakbuzu.TuzelKisiAd.Substring(liste[0].Length + 1);
94:             var familyName = doc.CreateElement("cbc", "FamilyName", xmlnscbc.Value);
95:             familyName.InnerText = surname;
96:             //familyName.InnerText = liste[1];
97:             person.AppendChild(familyName);
98:             party.AppendChild(person);
99:         }
100:    }
101:
102:    accountingCustomerParty.AppendChild(party);
103:
104:    root.AppendChild(accountingCustomerParty);
105:
106: #endregion
107: }

```

1.1.7.1.8.1.20 XMLIslemleri.EMustahsilMakbuzKesilenKisiBilgisiDuzenle Method

Summary

E-Müstahsil Makbuzu XML dosyasi hazırlanirken Makbuz Kesilen Kisi veya Firmanın Bilgilerinin Düzenlendiği metottur.

C#

```

private static void EMustahsilMakbuzKesilenKisiBilgisiDuzenle(MustahsilMakbuzuDTO
mustahsilMakbuzu, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XmlElement
root);

```

Parameters

Parameters	Description
MustahsilMakbuzuDTO mustahsilMakbuzu	Müstahsil Makbuzu Bilgisi
XmlDocument doc	XML Doküman Bilgisi
XmlAttribute xmlnscac	XML Attribute Bilgisi
XmlAttribute xmlnscbc	XML Attribute Bilgisi
XmlElement root	XML Ana Eleman Bilgisi

Body Source

```

1: private static void EMustahsilMakbuzKesilenKisiBilgisiDuzenle(MustahsilMakbuzuDTO
mustahsilMakbuzu, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XmlElement
root)
2: {
3:     if (string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo)) return;
4:     if (mustahsilMakbuzu.VergiNo.Length != 10) return;
5:     var ortakVeriler = new OrtakVerilerDTO
6:     {
7:         Adres = mustahsilMakbuzu.Adres,
8:         IlAd = mustahsilMakbuzu.IlAd,
9:         IlceAd = mustahsilMakbuzu.IlceAd,
10:        VergiDairesi = mustahsilMakbuzu.VergiDairesi,
11:        VergiNo = mustahsilMakbuzu.VergiNo,
12:        EpostaAdresi = mustahsilMakbuzu.EpostaAdresi,
13:        TuzelKisiAd = mustahsilMakbuzu.TuzelKisiAd
14:    };
15:    FaturaMakbuzKesilenKisiBilgisiDuzenle(ortakVeriler, doc, xmlnscac, xmlnscbc, root);

```

```
16: }
```

1.1.7.1.8.1.21 XMLIslemleri.EMustahsilMakbuzVergiBilgisiDuzenle Method

Summary

E-Müstahsil Makbuzu XML dosyasi hazırlanirken Ana Vergi Bilgilerinin Düzenlendiği Metottur

C#

```
private static void EMustahsilMakbuzVergiBilgisiDuzenle(MustahsilMakbuzuDTO
mustahsilMakbuzu, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, int
kodMakbuzGrupTuruKod, XmlElement root);
```

Parameters

Parameters	Description
MustahsilMakbuzuDTO mustahsilMakbuzu	Müstahsil Makbuzu Bilgisi
XmlDocument doc	XML Doküman Bilgisi
XmlAttribute xmlnscac	XML Attribute Bilgisi
XmlAttribute xmlnscbc	XML Attribute Bilgisi
int kodMakbuzGrupTuruKod	Makbuz Grup Türü Kodu
XmlElement root	XML Ana Eleman Bilgisi

Body Source

```
1: private static void EMustahsilMakbuzVergiBilgisiDuzenle(MustahsilMakbuzuDTO
mustahsilMakbuzu, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, int
kodMakbuzGrupTuruKod, XmlElement root)
2: {
3:     // Burada vergi bilgileri yer almaktadir
4:
5:     #region TaxTotal
6:
7:     var taxTotal = doc.CreateElement("cac", "TaxTotal", xmlnscac.Value);
8:     var currencyId = doc.CreateAttribute("currencyID");
9:     currencyId.Value = "TRY";
10:    var taxAmount = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
11:    taxAmount.RemoveAllAttributes();
12:    taxAmount.Attributes.Append(currencyId);
13:    taxAmount.InnerText = Decimal
14:        .Round((decimal) mustahsilMakbuzu.GelirVergisi, 2,
MidpointRounding.AwayFromZero).ToString()
15:        .Replace(",", ".");
16:    taxTotal.AppendChild(taxAmount);
17:    var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xmlnscac.Value);
18:    var taxableAmount = doc.CreateElement("cbc", "TaxableAmount", xmlnscbc.Value);
19:    taxableAmount.RemoveAllAttributes();
20:    currencyId = doc.CreateAttribute("currencyID");
21:    currencyId.Value = "TRY";
22:    taxableAmount.Attributes.Append(currencyId);
23:    taxableAmount.InnerText = Decimal
24:        .Round((decimal) mustahsilMakbuzu.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString()
25:        .Replace(",", ".");
26:    taxSubTotal.AppendChild(taxableAmount);
27:    var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
28:    taxAmount2.RemoveAllAttributes();
29:    currencyId = doc.CreateAttribute("currencyID");
30:    currencyId.Value = "TRY";
31:    taxAmount2.Attributes.Append(currencyId);
32:    taxAmount2.InnerText = Decimal
33:        .Round((decimal) mustahsilMakbuzu.GelirVergisi, 2,
MidpointRounding.AwayFromZero).ToString()
34:        .Replace(",", ".");
35:    taxSubTotal.AppendChild(taxAmount2);
36:    var percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
37:    percent.InnerText = mustahsilMakbuzu.NetTutar != 0
```

```

38:             ? Decimal.Round(((decimal) mustahsilMakbuzu.GelirVergisi * 100) / (decimal)
mustahsilMakbuzu.NetTutar,
39:                 0, MidpointRounding.AwayFromZero).ToString()
40:                 : "0";
41:             taxSubTotal.AppendChild(percent);
42:             var taxCategory = doc.CreateElement("cac", "TaxCategory", xmlnscac.Value);
43:             if (mustahsilMakbuzu.GelirVergisi == 0)
44:             {
45:                 if (kodMakbuzGrupTuruKod == FaturaMakbuzGrupTur.Kuspe.GetHashCode())
46:                 {
47:                     var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xmlnscbc.Value);
48:                     taxExemptionReasonCode.InnerText = "325";
49:                     var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xmlnscbc.Value);
50:                     taxExemptionReason.InnerText = "13/i Yem Teslimleri";
51:                     taxCategory.AppendChild(taxExemptionReasonCode);
52:                     taxCategory.AppendChild(taxExemptionReason);
53:                 }
54:                 else
55:                 {
56:                     var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xmlnscbc.Value);
57:                     taxExemptionReasonCode.InnerText = "350";
58:                     var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xmlnscbc.Value);
59:                     taxExemptionReason.InnerText = "Digerleri";
60:                     taxCategory.AppendChild(taxExemptionReasonCode);
61:                     taxCategory.AppendChild(taxExemptionReason);
62:                 }
63:             }
64:
65:             var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
66:             var taxName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
67:             taxName.InnerText = "GV STOPAJI";
68:             taxScheme2.AppendChild(taxName);
69:             var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xmlnscbc.Value);
70:             taxTypeCode.InnerText = "0003";
71:             taxScheme2.AppendChild(taxTypeCode);
72:             taxCategory.AppendChild(taxScheme2);
73:             taxSubTotal.AppendChild(taxCategory);
74:             taxTotal.AppendChild(taxSubTotal);
75:             root.AppendChild(taxTotal);
76:
77: #endregion
78:
79: // Gelir Vergisi, Net Tutar ve Toplam Tutar bilgileri yer almaktadir
80:
81: #region LegalMonetaryTotal
82:
83:     var legalMonetaryTotal = doc.CreateElement("cac", "LegalMonetaryTotal",
xmlnscac.Value);
84:     var lineExtensionAmount = doc.CreateElement("cbc", "LineExtensionAmount",
xmlnscbc.Value);
85:     lineExtensionAmount.RemoveAllAttributes();
86:     currencyId = doc.CreateAttribute("currencyID");
87:     currencyId.Value = "TRY";
88:     lineExtensionAmount.Attributes.Append(currencyId);
89:     lineExtensionAmount.InnerText = Decimal
90:         .Round((decimal) mustahsilMakbuzu.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString()
91:         .Replace(",", ".");
92:     legalMonetaryTotal.AppendChild(lineExtensionAmount);
93:     var taxExclusiveAmount = doc.CreateElement("cbc", "TaxExclusiveAmount",
xmlnscbc.Value);
94:     taxExclusiveAmount.RemoveAllAttributes();
95:     currencyId = doc.CreateAttribute("currencyID");
96:     currencyId.Value = "TRY";
97:     taxExclusiveAmount.Attributes.Append(currencyId);

```

```

98:     taxExclusiveAmount.InnerText = Decimal
99:         .Round((decimal) mustahsilMakbuzu.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString()
100:        .Replace(", ", ".");
101:    legalMonetaryTotal.AppendChild(taxExclusiveAmount);
102:    var taxInclusiveAmount = doc.CreateElement("cbc", "TaxInclusiveAmount",
xmlnscbc.Value);
103:    taxInclusiveAmount.RemoveAllAttributes();
104:    currencyId = doc.CreateAttribute("currencyID");
105:    currencyId.Value = "TRY";
106:    taxInclusiveAmount.Attributes.Append(currencyId);
107:    taxInclusiveAmount.InnerText = Decimal
108:        .Round((decimal) mustahsilMakbuzu.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString()
109:        .Replace(", ", ".");
110:    legalMonetaryTotal.AppendChild(taxInclusiveAmount);
111:    var payableAmount = doc.CreateElement("cbc", "PayableAmount", xmlnscbc.Value);
112:    payableAmount.RemoveAllAttributes();
113:    currencyId = doc.CreateAttribute("currencyID");
114:    currencyId.Value = "TRY";
115:    payableAmount.Attributes.Append(currencyId);
116:    payableAmount.InnerText = Decimal
117:        .Round((decimal) mustahsilMakbuzu.NetTutar - (decimal)
mustahsilMakbuzu.GelirVergisi, 2,
118:            MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
119:    legalMonetaryTotal.AppendChild(payableAmount);
120:    root.AppendChild(legalMonetaryTotal);
121:
122: #endregion
123: }

```

1.1.7.1.8.1.22 XMLIslemleri.EMustahsilXMLOlustur Method

Summary

Müstahsil Makbuzu Bilgisi Üzerinden E-Müstahsil Sistemine Göndermek İçin XML Dosyasi Olusturmaya yarayan metottur

C#

```
public static string EMustahsilXMLOlustur(MustahsilMakbuzuDTO mustahsilMakbuzu,
List<MustahsilMakbuzuDetayDTO> mustahsilMakbuzuDetayListesi, string aktarilacakKlasorAdi);
```

Parameters

Parameters	Description
MustahsilMakbuzuDTO mustahsilMakbuzu	Müstahsil Makbuzu Bilgisi
List<MustahsilMakbuzuDetayDTO> mustahsilMakbuzuDetayListesi	Müstahsil Makbuzu Detay Bilgisi
string aktarilacakKlasorAdi	Olusturulan Dosyanin Aktarilacagi Klasör

Body Source

```

1: public static string EMustahsilXMLOlustur(MustahsilMakbuzuDTO mustahsilMakbuzu,
List<MustahsilMakbuzuDetayDTO> mustahsilMakbuzuDetayListesi, string aktarilacakKlasorAdi)
2: {
3:     var doc = new XmlDocument();
4:     var declaration = doc.CreateXmlDeclaration("1.0", "UTF-8", null);
5:     var root = doc.DocumentElement;
6:     doc.InsertBefore(declaration, root);
7:     doc.AppendChild(
8:         doc.CreateProcessingInstruction("xml-stylesheet", "type=\"text/xsl\""
href="\"general.xslt\""));
9:
10:    root = doc.CreateElement("CreditNote");
11:
12:    mustahsilMakbuzu = mustahsilMakbuzu.BosluklariKaldir();
13:
14:    var kodMakbuzGrupTuruKod = mustahsilMakbuzu.MakbuzGrupTuruKod ?? 0;
15:

```

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```

16:     root.RemoveAllAttributes();
17:
18:     // Makbuzun türü, kesilme tarihi, UBL Versiyon Numarasi, GIB Numarasi gibi bilgiler
19:     // yer almaktadir
20:     EMustahsilHeaderBilgisiDuzenle(mustahsilMakbuzu, doc, root, out var xmlnscac, out
var xmlnscbc);
21:
22:     IndicatorVeUuidBilgisiDuzenle(mustahsilMakbuzu.Id, root, doc, xmlnscbc);
23:
24:     TarihSaatDuzenle(mustahsilMakbuzu.IslemTarihi, root, doc, xmlnscbc);
25:
26:     EMustahsilKrediTuruDuzenle(doc, xmlnscac, root);
27:
28:     GonderimSekliBilgisiDuzenle(root, doc, xmlnscbc);
29:
30:     ParaBirimIveKayitSayisiDuzenle(mustahsilMakbuzuDetayListesi.Count, root, doc,
xmlnscbc);
31:
32:     EMustahsilEkDokumanReferansDuzenle(mustahsilMakbuzu, doc, xmlnscac, xmlnscbc, root);
33:
34:     FaturaMakbuzImzaBilgisiDuzenle(root, doc, xmlnscac, xmlnscbc);
35:
36:     EMustahsilMakbuzKesenFirmaBilgisiDuzenle(mustahsilMakbuzu, doc, xmlnscac, xmlnscbc,
root);
37:
38:     EMustahsilMakbuzKesilenFirmaBilgisiDuzenle(mustahsilMakbuzu, doc, xmlnscac,
xmlnscbc, root);
39:
40:     EMustahsilMakbuzKesilenKisiBilgisiDuzenle(mustahsilMakbuzu, doc, xmlnscac,
xmlnscbc, root);
41:
42:     EMustahsilMakbuzVergiBilgisiDuzenle(mustahsilMakbuzu, doc, xmlnscac, xmlnscbc,
kodMakbuzGrupTuruKod, root);
43:
44:     mustahsilMakbuzuDetayListesi.Aggregate(1, (current, item) =>
EMustahsilMakbuzDetayBilgileriDuzenle(item, doc, xmlnscac, xmlnscbc, current, root));
45:
46:     doc.AppendChild(root);
47:
48:     return XMLDosyasiniKaydet(mustahsilMakbuzu.Id, aktarilacakKlasorAdi, doc);
49: }

```

1.1.7.1.8.1.23 XMLIslemleri.FaturaGenelTutarDuzenle Method

Summary

E-Fatura olsun E-Arsiv olsun Faturadaki genel KDV Tutarı, KDV Hariç Tutar, Toplam Tutar bilgilerinin Hazırlanması ve XML içerisinde yerlestirilmesi için Gelistirilmiş metottur

C#

```
private static void FaturaGenelTutarDuzenle(GidenFaturaDTO gidenFatura, XmlDocument doc,
XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XElement root, bool isAllowanceHere);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
Xmldocument doc	XML Dokümani Bilgisi
XmlAttribute xmlnscac	XML Attribute Bilgisi
XmlAttribute xmlnscbc	XML Attribute Bilgisi
XMLElement root	XML Ana Eleman Bilgisi
bool isAllowanceHere	Allowance Elemani Olacak Mi Bilgisi (E-Fatura için true, E-Arsiv için false olacak)

Body Source

```

1: private static void FaturaGenelTutarDuzenle(GidenFaturaDTO gidenFatura, XmlDocument
doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XElement root, bool isAllowanceHere)
2: {
3:     // KDV, KDV Hariç Tutar ve Toplam Tutar bilgileri yer almaktadir
4:
5:     #region LegalMonetaryTotal
6:
7:     var legalMonetaryTotal = doc.CreateElement("cac", "LegalMonetaryTotal",
xmlnscac.Value);
8:     var lineExtensionAmount = doc.CreateElement("cbc", "LineExtensionAmount",
xmlnscbc.Value);
9:     lineExtensionAmount.RemoveAllAttributes();
10:    var currencyId = doc.CreateAttribute("currencyID");
11:    currencyId.Value = "TRY";
12:    lineExtensionAmount.Attributes.Append(currencyId);
13:    lineExtensionAmount.InnerText = Decimal
14:        .Round((decimal) gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
15:        .Replace(", ", ".");
16:    legalMonetaryTotal.AppendChild(lineExtensionAmount);
17:    var taxExclusiveAmount = doc.CreateElement("cbc", "TaxExclusiveAmount",
xmlnscbc.Value);
18:    taxExclusiveAmount.RemoveAllAttributes();
19:    currencyId = doc.CreateAttribute("currencyID");
20:    currencyId.Value = "TRY";
21:    taxExclusiveAmount.Attributes.Append(currencyId);
22:    taxExclusiveAmount.InnerText = Decimal
23:        .Round((decimal) gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
24:        .Replace(", ", ".");
25:    legalMonetaryTotal.AppendChild(taxExclusiveAmount);
26:    var taxInclusiveAmount = doc.CreateElement("cbc", "TaxInclusiveAmount",
xmlnscbc.Value);
27:    taxInclusiveAmount.RemoveAllAttributes();
28:    currencyId = doc.CreateAttribute("currencyID");
29:    currencyId.Value = "TRY";
30:    taxInclusiveAmount.Attributes.Append(currencyId);
31:    taxInclusiveAmount.InnerText = Decimal
32:        .Round((decimal) gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString()
33:        .Replace(", ", ".");
34:    legalMonetaryTotal.AppendChild(taxInclusiveAmount);
35:    if (isAllowanceHere)
36:    {
37:        var allowanceTotalAmount = doc.CreateElement("cbc", "AllowanceTotalAmount",
xmlnscbc.Value);
38:        allowanceTotalAmount.RemoveAllAttributes();
39:        currencyId = doc.CreateAttribute("currencyID");
40:        currencyId.Value = "TRY";
41:        allowanceTotalAmount.Attributes.Append(currencyId);
42:        allowanceTotalAmount.InnerText = "0.00";
43:        legalMonetaryTotal.AppendChild(allowanceTotalAmount);
44:    }
45:
46:    var payableAmount = doc.CreateElement("cbc", "PayableAmount", xmlnscbc.Value);
47:    payableAmount.RemoveAllAttributes();
48:    currencyId = doc.CreateAttribute("currencyID");
49:    currencyId.Value = "TRY";
50:    payableAmount.Attributes.Append(currencyId);
51:    payableAmount.InnerText = Decimal
52:        .Round((decimal) gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString()
53:        .Replace(", ", ".");
54:    legalMonetaryTotal.AppendChild(payableAmount);
55:    root.AppendChild(legalMonetaryTotal);
56:
```

```

57:     #endregion
58: }
```

1.1.7.1.8.1.24 XMLIslemleri.FaturaKdvBelirle Method

Summary

E-Fatura olsun E-Arsiv olsun Fatura detaylarında KDV ile ilgili kisimların belirlenmesi için Hazırlanan metottur

C#

```
private static void FaturaKdvBelirle(GidenFaturaDTO gidenFatura, List<GidenFaturaDetayDTO>
gidenFaturaDetayListesi, out List<FaturaKdvDTO> faturaKdvListesi);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi	Giden Fatura Detay Listesi Bilgisi
out List<FaturaKdvDTO> faturaKdvListesi	Fatura Detay KDV Listesi Bilgisi

Body Source

```

1: private static void FaturaKdvBelirle(GidenFaturaDTO gidenFatura,
2: List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, out List<FaturaKdvDTO> faturaKdvListesi)
3: {
4:     #region KDVlerin Belirlenmesi
5:     faturaKdvListesi = new List<FaturaKdvDTO>();
6:     foreach (var item in gidenFaturaDetayListesi)
7:     {
8:         var kodKdvTuruOran = item.KdvOran ?? 0;
9:         if (faturaKdvListesi.All(j => j.KdvOran != kodKdvTuruOran))
10:        {
11:            var faturaKdv = new FaturaKdvDTO
12:            {
13:                KdvOran = kodKdvTuruOran,
14:                KdvTutari = item.KdvTutari,
15:                KdvHaricTutar = item.KdvHaricTutar
16:            };
17:            faturaKdvListesi.Add(faturaKdv);
18:        }
19:    else
20:    {
21:        var index = faturaKdvListesi.FindIndex(j => j.KdvOran == kodKdvTuruOran);
22:        faturaKdvListesi[index].KdvTutari += item.KdvTutari;
23:        faturaKdvListesi[index].KdvHaricTutar += item.KdvHaricTutar;
24:    }
25:
26:    if (faturaKdvListesi.Count > 0)
27:        faturaKdvListesi = faturaKdvListesi.OrderBy(j => j.KdvOran).ToList();
28:    }
29:
30:    if (!!(gidenFaturaDetayListesi.Sum(j => j.KonaklamaVergisi) > 0) ||
31: !(gidenFatura.IslemTarihi?.Year >= 2023)) return;
32:    {
33:        var faturaKdv = new FaturaKdvDTO
34:        {
35:            KdvOran = 2,
36:            KdvTutari = gidenFaturaDetayListesi.Sum(j => j.KonaklamaVergisi),
37:            KdvHaricTutar = gidenFaturaDetayListesi.Sum(j => j.KdvHaricTutar)
38:        };
39:        faturaKdvListesi.Add(faturaKdv);
40:    }
41: #endregion
42: }
```

1.1.7.1.8.1.25 XMLIslemleri.FaturaKesenFirmaBilgisiDuzenle Method

Summary

E-Fatura ve E-Arsiv tarafında Fatura kesen firma bilgileri aynı olduğu için Bu bilgilerin tek bir yerden girilebilmesi adına Gerekli işlemlerin gerçekleştirildiği metottur.

C#

```
private static void FaturaKesenFirmaBilgisiDuzenle(GidenFaturaDTO gidenFatura, XmlElement root, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
XmlElement root	XML Ana Eleman Bilgisi
XmlDocument doc	XML Dokümani Bilgisi
XmlAttribute xmlnscac	XML Attribute Bilgisi
XmlAttribute xmlnscbc	XML Attribute Bilgisi

Body Source

```

1: private static void FaturaKesenFirmaBilgisiDuzenle(GidenFaturaDTO gidenFatura,
2:     XmlElement root, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc)
3: {
4:     // Burada sabit değerler verilmekte olup, Faturayı kesen kuruma veya firmaya ait
5:     // bilgiler
6:     // yer almaktadır. Bu kısımda örnek olarak TÜRKSEKER Fabrikaları Genel Müdürlüğü
7:     // bilgileri
8:     // kullanılmıştır. Ancak değiştirip test edilebilir.
9:     #region AccountingSupplierParty
10:    var accountingSupplierParty = doc.CreateElement("cac", "AccountingSupplierParty",
11:        xmlnscac.Value);
12:    var party = doc.CreateElement("cac", "Party", xmlnscac.Value);
13:    var webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlnscbc.Value);
14:    webSiteUri.InnerText = "https://www.turkseker.gov.tr";
15:    party.AppendChild(webSiteUri);
16:    var accountingSupplierPartyIdAttr = doc.CreateAttribute("schemeID");
17:    accountingSupplierPartyIdAttr.Value = "VKN_TCKN";
18:    var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
19:        xmlnscac.Value);
20:    var accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
21:    accountingSupplierPartyIdAttr2.Value = "VKN";
22:    var accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
23:    accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
24:    accountingSupplierPartyPartyId.InnerText = "3250566851";
25:    partyIdentification.AppendChild(accountingSupplierPartyPartyId);
26:    party.AppendChild(partyIdentification);
27:    if (!string.IsNullOrEmpty(gidenFatura.AltBirimAd))
28:    {
29:        partyIdentification = doc.CreateElement("cac", "PartyIdentification",
30:            xmlnscac.Value);
31:        accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
32:        accountingSupplierPartyIdAttr2.Value = "SUBENO";
33:        accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
34:        accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
35:        accountingSupplierPartyPartyId.InnerText = gidenFatura.AltBirimAd;
36:        partyIdentification.AppendChild(accountingSupplierPartyPartyId);
37:        party.AppendChild(partyIdentification);
38:    }
39:    var partyName = doc.CreateElement("cac", "PartyName", xmlnscac.Value);

```

```

38:     var partyNameReal = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
39:     partyNameReal.InnerText = "TÜRKİYE SEKER FABRIKALARI A.S.";
40:     partyName.AppendChild(partyNameReal);
41:     party.AppendChild(partyName);
42:
43: #region Postal Address
44:
45:     var postalAddress = doc.CreateElement("cac", "PostalAddress", xmlnscac.Value);
46:     var postalAddressId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
47:     postalAddressId.InnerText = "3250566851";
48:     postalAddress.AppendChild(postalAddressId);
49:     var streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
50:     streetName.InnerText = "Mithatpasa Caddesi";
51:     postalAddress.AppendChild(streetName);
52:     var buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xmlnscbc.Value);
53:     buildingNumber.InnerText = "14";
54:     postalAddress.AppendChild(buildingNumber);
55:     var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
      xmlnscbc.Value);
56:     citySubdivisionName.InnerText = "Çankaya";
57:     postalAddress.AppendChild(citySubdivisionName);
58:     var cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
59:     cityName.InnerText = "Ankara";
60:     postalAddress.AppendChild(cityName);
61:     var postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
62:     postalZone.InnerText = "06100";
63:     postalAddress.AppendChild(postalZone);
64:     var country = doc.CreateElement("cac", "Country", xmlnscac.Value);
65:     var countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
66:     countryName.InnerText = "Türkiye";
67:     country.AppendChild(countryName);
68:     postalAddress.AppendChild(country);
69:     party.AppendChild(postalAddress);
70:
71: #endregion
72:
73:     var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme", xmlnscac.Value);
74:     var taxScheme = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
75:     var taxSchemeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
76:     taxSchemeName.InnerText = "Ankara Kurumlar";
77:     taxScheme.AppendChild(taxSchemeName);
78:     partyTaxScheme.AppendChild(taxScheme);
79:     party.AppendChild(partyTaxScheme);
80:
81:     var contact = doc.CreateElement("cac", "Contact", xmlnscac.Value);
82:     var telephone = doc.CreateElement("cbc", "Telephone", xmlnscbc.Value);
83:     telephone.InnerText = "(312) 4585500";
84:     contact.AppendChild(telephone);
85:     var telefax = doc.CreateElement("cbc", "Telefax", xmlnscbc.Value);
86:     telefax.InnerText = "(312) 4585800";
87:     contact.AppendChild(telefax);
88:     var electronicMail = doc.CreateElement("cbc", "ElectronicMail", xmlnscbc.Value);
89:     electronicMail.InnerText = "maliisler@turkseker.gov.tr";
90:     contact.AppendChild(electronicMail);
91:     party.AppendChild(contact);
92:
93:     accountingSupplierParty.AppendChild(party);
94:
95:     root.AppendChild(accountingSupplierParty);
96:
97: #endregion
98: }

```

1.1.7.1.8.1.26 XMLİslemleri.FaturaKesilenKisiBilgisiDuzenle Method

Summary

E-Fatura XML dosyasi hazırlanırken Fatura kesilen gerçek veya tüzel kisinin bilgilerinin düzenlenmesi için Hazırlanmış olan metottur.

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
private static void FaturaKesilenKisiBilgisiDuzenle(GidenFaturaDTO gidenFatura, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XmlElement root);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
XmlDocument doc	XML Doküman Bilgisi
XmlAttribute xmlnscac	XML Attribute Bilgisi
XmlAttribute xmlnscbc	XML Attribute Bilgisi
XmlElement root	XML Ana Eleman Bilgisi

Body Source

```
1: private static void FaturaKesilenKisiBilgisiDuzenle(GidenFaturaDTO gidenFatura,
2: XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XmlElement root)
3: {
4:     if (string.IsNullOrEmpty(gidenFatura.VergiNo)) return;
5:     if (gidenFatura.VergiNo.Length != 10) return;
6:     var ortakVeriler = new OrtakVerilerDTO
7:     {
8:         Adres = gidenFatura.Adres,
9:         IlAd = gidenFatura.IlAd,
10:        IlceAd = gidenFatura.IlceAd,
11:        VergiDairesi = gidenFatura.VergiDairesi,
12:        VergiNo = gidenFatura.VergiNo,
13:        EPostaAdresi = gidenFatura.EPostaAdresi,
14:        TuzelKisiAd = gidenFatura.TuzelKisiAd
15:    };
16:    FaturaMakbuzKesilenKisiBilgisiDuzenle(ortakVeriler, doc, xmlnscac, xmlnscbc, root);
}
```

1.1.7.1.8.1.27 XMLIslemleri.FaturaMakbuzImzaBilgisiDuzenle Method**Summary**

E-Fatura ve E-Arsiv tarafında Faturanın imza bilgileri aynı olduğu için Tek bir metot içerisinde ele alınması için Gerekli islemlerin gerçekleştirildiği metottur.

C#

```
private static void FaturaMakbuzImzaBilgisiDuzenle(XmlElement root, XmlDocument doc,
XmlAttribute xmlnscac, XmlAttribute xmlnscbc);
```

Parameters

Parameters	Description
XmlElement root	XML Ana Eleman Bilgisi
XmlDocument doc	XML Dokümanı Bilgisi
XmlAttribute xmlnscac	XML Attribute Bilgisi
XmlAttribute xmlnscbc	XML Attribute Bilgisi

Body Source

```
1: private static void FaturaMakbuzImzaBilgisiDuzenle(XmlElement root, XmlDocument doc,
2: XmlAttribute xmlnscac, XmlAttribute xmlnscbc)
3: {
4:     // Faturaya iliskin imza, adres vb. bilgiler yer almaktadir
5:     #region Signature
6:     var signature = doc.CreateElement("cac", "Signature", xmlnscac.Value);
7:     var signatureIdAttr = doc.CreateAttribute("schemeID");
8:     signatureIdAttr.Value = "VKN_TCKN";
9: }
```

```

10:    var signatureId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
11:    signatureId.Attributes.Append(signatureIdAttr);
12:    signatureId.InnerText = "3250566851";
13:    signature.AppendChild(signatureId);
14:    var signatoryParty = doc.CreateElement("cac", "SignatoryParty", xmlnscac.Value);
15:    var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
16:        xmlnscac.Value);
16:    var signatureIdAttr2 = doc.CreateAttribute("schemeID");
17:    signatureIdAttr2.Value = "VKN";
18:    var signaturePartyId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
19:    signaturePartyId.Attributes.Append(signatureIdAttr2);
20:    signaturePartyId.InnerText = "3250566851";
21:    partyIdentification.AppendChild(signaturePartyId);
22:    signatoryParty.AppendChild(partyIdentification);
23:
24: #region Postal Address
25:
26: var postalAddress = doc.CreateElement("cac", "PostalAddress", xmlnscac.Value);
27: var streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
28: streetName.InnerText = "Mithatpasa Caddesi";
29: postalAddress.AppendChild(streetName);
30: var buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xmlnscbc.Value);
31: buildingNumber.InnerText = "14";
32: postalAddress.AppendChild(buildingNumber);
33: var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
34:        xmlnscbc.Value);
34: citySubdivisionName.InnerText = "Çankaya";
35: postalAddress.AppendChild(citySubdivisionName);
36: var cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
37: cityName.InnerText = "Ankara";
38: postalAddress.AppendChild(cityName);
39: var postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
40: postalZone.InnerText = "06100";
41: postalAddress.AppendChild(postalZone);
42: var country = doc.CreateElement("cac", "Country", xmlnscac.Value);
43: var countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
44: countryName.InnerText = "Türkiye";
45: country.AppendChild(countryName);
46: postalAddress.AppendChild(country);
47: signatoryParty.AppendChild(postalAddress);
48: signature.AppendChild(signatoryParty);
49:
50: #endregion
51:
52: var digitalSignatureAttachment = doc.CreateElement("cac",
53: "DigitalSignatureAttachment", xmlnscac.Value);
54: var externalReference = doc.CreateElement("cac", "ExternalReference",
55: xmlnscac.Value);
56: var uri = doc.CreateElement("cbc", "URI", xmlnscbc.Value);
57: uri.InnerText = "#Signature";
58: externalReference.AppendChild(uri);
59: digitalSignatureAttachment.AppendChild(externalReference);
60: signature.AppendChild(digitalSignatureAttachment);
61:
62: #endregion
63: }

```

1.1.7.1.8.1.28 XMLİslemleri.FaturaMakbuzKesilenKisiBilgisiDuzenle Method

Summary

E-Fatura veya Müstahsil Makbuzu Kesilen Kişi veya Firma Bilgilerinin Düzenlendiği Metottur.

C#

```

private static void FaturaMakbuzKesilenKisiBilgisiDuzenle(OrtakVerilerDTO ortakVeriler,
    XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XElement root);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

Parameters

Parameters	Description
OrtakVerilerDTO ortakVeriler	Fatura ve Makbuz Bünyesindeki Ortak Veriler
XmlDocument doc	XML Dokümani Bilgisi
XmlAttribute xmlnscac	XML Attribute Bilgisi
XmlAttribute xmlnscbc	XML Attribute Bilgisi
XmlElement root	XML Ana Eleman Bilgisi

Body Source

```

1: private static void FaturaMakbuzKesilenKisiBilgisiDuzenle(OrtakVerilerDTO
ortakVeriler, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XmlElement
root)
2: {
3:     // Bu kisimda makbuz kesilen firma bilgileri yer almaktadir (Eger sadece Tuzel
Kisilikse, sahis sirketleri icin bu yapilmamaktadir)
4:
5:     #region BuyerCustomerParty
6:
7:     var buyerCustomerParty = doc.CreateElement("cac", "BuyerCustomerParty",
xmlnscac.Value);
8:     var party = doc.CreateElement("cac", "Party", xmlnscac.Value);
9:     var webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlnscbc.Value);
10:    party.AppendChild(webSiteUri);
11:    var buyerCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
12:    buyerCustomerPartyIdAttr.Value = "VKN";
13:    var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlnscac.Value);
14:    var buyerCustomerPartyPartyId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
15:    buyerCustomerPartyPartyId.Attributes.Append(buyerCustomerPartyIdAttr);
16:    buyerCustomerPartyPartyId.InnerText = ortakVeriler.VergiNo;
17:    partyIdentification.AppendChild(buyerCustomerPartyPartyId);
18:    party.AppendChild(partyIdentification);
19:
20:    if (ortakVeriler.VergiNo.Length == 10)
21:    {
22:        var partyName = doc.CreateElement("cac", "PartyName", xmlnscac.Value);
23:        var partyNameReal = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
24:        partyNameReal.InnerText = ortakVeriler.TuzelKisiAd;
25:        partyName.AppendChild(partyNameReal);
26:        party.AppendChild(partyName);
27:    }
28:
29:    #region Postal Address
30:
31:    var postalAddress = doc.CreateElement("cac", "PostalAddress", xmlnscac.Value);
32:    var postalAddressId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
33:    postalAddressId.InnerText = ortakVeriler.VergiNo;
34:    postalAddress.AppendChild(postalAddressId);
35:    var room = doc.CreateElement("cbc", "Room", xmlnscbc.Value);
36:    postalAddress.AppendChild(room);
37:    var streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
38:    if (!string.IsNullOrEmpty(ortakVeriler.Adres))
39:        streetName.InnerText = ortakVeriler.Adres;
40:    postalAddress.AppendChild(streetName);
41:    var buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xmlnscbc.Value);
42:    //buildingNumber.InnerText = "";
43:    postalAddress.AppendChild(buildingNumber);
44:    var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xmlnscbc.Value);
45:    if (!string.IsNullOrEmpty(ortakVeriler.IlceAd))
46:        citySubdivisionName.InnerText = ortakVeriler.IlceAd;
47:    postalAddress.AppendChild(citySubdivisionName);
48:    var cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
49:    if (!string.IsNullOrEmpty(ortakVeriler.IlAd))

```

```

50:         cityName.InnerText = ortakVeriler.IlAd;
51:         postalAddress.AppendChild(cityName);
52:         var postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
53:         //postalZone.InnerText = "";
54:         postalAddress.AppendChild(postalZone);
55:         var country = doc.CreateElement("cac", "Country", xmlnscac.Value);
56:         var countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
57:         countryName.InnerText = "Türkiye";
58:         country.AppendChild(countryName);
59:         postalAddress.AppendChild(country);
60:         party.AppendChild(postalAddress);
61:
62: #endregion
63:
64:         var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme", xmlnscac.Value);
65:         var taxScheme = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
66:         var taxSchemeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
67:         if (!string.IsNullOrEmpty(ortakVeriler.VergiDairesi))
68:             taxSchemeName.InnerText = ortakVeriler.VergiDairesi;
69:         taxScheme.AppendChild(taxSchemeName);
70:         partyTaxScheme.AppendChild(taxScheme);
71:         party.AppendChild(partyTaxScheme);
72:
73:         var contact = doc.CreateElement("cac", "Contact", xmlnscac.Value);
74:         var electronicMail = doc.CreateElement("cbc", "ElectronicMail", xmlnscbc.Value);
75:         if (!string.IsNullOrEmpty(ortakVeriler.EPostaAdresi))
76:             electronicMail.InnerText = ortakVeriler.EPostaAdresi;
77:         contact.AppendChild(electronicMail);
78:         party.AppendChild(contact);
79:
80:         if (ortakVeriler.VergiNo.Length == 11)
81:     {
82:             var liste = ortakVeriler.TuzelKisiAd.Split(' ').ToList();
83:             if (liste.Count >= 1)
84:             {
85:                 var person = doc.CreateElement("cac", "Person", xmlnscac.Value);
86:                 var firstName = doc.CreateElement("cbc", "FirstName", xmlnscbc.Value);
87:                 firstName.InnerText = liste[0];
88:                 person.AppendChild(firstName);
89:                 var surname = liste[0];
90:                 if (liste.Count > 1)
91:                     surname = ortakVeriler.TuzelKisiAd.Substring(liste[0].Length + 1);
92:                 var familyName = doc.CreateElement("cbc", "FamilyName", xmlnscbc.Value);
93:                 familyName.InnerText = surname;
94:                 //familyName.InnerText = liste[1];
95:                 person.AppendChild(familyName);
96:                 party.AppendChild(person);
97:             }
98:         }
99:
100:        buyerCustomerParty.AppendChild(party);
101:
102:        root.AppendChild(buyerCustomerParty);
103:
104: #endregion
105: }

```

1.1.7.1.8.1.29 XMLIslemleri.FaturaXMLDokumanIlkHaliOlustur Method

Summary

E-Fatura ve E-Arsiv tarafında XML dosyasına ilk hali verilmesi Fatura ile ilgili temel değer atamalarının yapılması için Hazırlanmış metottur.

C#

```

private static XmlDocument FaturaXMLDokumanIlkHaliOlustur(BelgeTur belgeTur, ref
GidenFaturaDTO gidenFatura, out XmlElement root, out int kodSatisTuruKod, out int
kodFaturaTuruKod, out int kodFaturaGrupTuruKod);

```

Parameters

Parameters	Description
BelgeTur belgeTur	E-Fatura veya E-Arsiv Bilgisi
ref GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
out XmlElement root	XML Ana Eleman Bilgisi
out int kodSatisTuruKod	Fatura Satis Türü Bilgisi
out int kodFaturaTuruKod	Fatura Türü Bilgisi
out int kodFaturaGrupTuruKod	Fatura Grup Türü Bilgisi

Returns

XML Dokümani

Body Source

```

1: private static XmlDocument FaturaXMLDokumaniIlkHaliOlustur(BelgeTur belgeTur, ref
2: GidenFaturaDTO gidenFatura, out XmlElement root, out int kodSatisTuruKod, out int
3: kodFaturaTuruKod, out int kodFaturaGrupTuruKod)
4: {
5:     var doc = new XmlDocument();
6:     var declaration = doc.CreateXmlDeclaration("1.0", "UTF-8", null);
7:     root = doc.DocumentElement;
8:     doc.InsertBefore(declaration, root);
9:     if (belgeTur == BelgeTur.EFatura)
10:        doc.AppendChild(doc.CreateProcessingInstruction("xml-stylesheet",
11: "type=\\"text/xsl\\" href=\\"general.xslt\\\"");
12:        //doc.AppendChild(doc.CreateProcessingInstruction("xml-stylesheet",
13: "type=\\"text/xsl\\" href=\\"general.xslt\\\""));
14:
15:     kodSatisTuruKod = gidenFatura.SatisTuruKod ?? 0;
16:     kodFaturaTuruKod = gidenFatura.FaturaTuruKod ?? 0;
17:     kodFaturaGrupTuruKod = gidenFatura.FaturaGrupTuruKod ?? 0;
18:
19:     gidenFatura = gidenFatura.BosluklariKaldir();
20:
21:     root = doc.CreateElement("Invoice");
22:     return doc;
23: }
```

1.1.7.1.8.1.30 XMLIslemleri.GenelVergiBilgileriDuzenle Method

Summary

E-Fatura olsun E-Arsiv Olsun Fatura detaylarından belirlene KDV listesi üzerinden Ana vergi bilgilerinin XML içerisinde oluşturulması için Hazırlanmış metottur

C#

```
private static void GenelVergiBilgileriDuzenle(XmlDocument doc, XmlAttribute xmlnscac,
XmlAttribute xmlnscbc, int kodFaturaGrupTuruKod, int kodSatisTuruKod, XmlElement root,
List<FaturaKdvDTO> faturaKdvListesi);
```

Parameters

Parameters	Description
XmlDocument doc	XML Dokümani Bilgisi
XmlAttribute xmlnscac	XML Attribute Bilgisi
XmlAttribute xmlnscbc	XML Attribute Bilgisi
int kodFaturaGrupTuruKod	Fatura Grup Türü Bilgisi
int kodSatisTuruKod	Fatura Satis Türü Bilgisi
XmlElement root	XML Ana Eleman Bilgisi
List<FaturaKdvDTO> faturaKdvListesi	Fatura Detay KDV Listesi Bilgisi

Body Source

```

1: private static void GenelVergiBilgileriDuzenle(XmlDocument doc, XmlAttribute xmlnsscac,
  XmlAttribute xmlnscbc, int kodFaturaGrupTuruKod, int kodSatisTuruKod, XmlElement root,
  List<FaturaKdvDTO> faturaKdvListesi)
2: {
3:     #region TaxTotal
4:
5:     const int sayac = 1;
6:     foreach (var item in faturaKdvListesi)
7:     {
8:         // Burada vergi bilgileri yer almaktadir
9:
10:        #region TaxTotal
11:
12:        var taxTotal = doc.CreateElement("cac", "TaxTotal", xmlnsscac.Value);
13:        var currencyIdGeneral = doc.CreateAttribute("currencyID");
14:        currencyIdGeneral.Value = "TRY";
15:        var taxAmount = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
16:        taxAmount.RemoveAllAttributes();
17:        taxAmount.Attributes.Append(currencyIdGeneral);
18:        taxAmount.InnerText = Decimal.Round((decimal) item.KdvTutari, 2,
MidpointRounding.AwayFromZero)
19:            .ToString().Replace(", ", ".");
20:        taxTotal.AppendChild(taxAmount);
21:        var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xmlnsscac.Value);
22:        var taxableAmount = doc.CreateElement("cbc", "TaxableAmount", xmlnscbc.Value);
23:        taxableAmount.RemoveAllAttributes();
24:        currencyIdGeneral = doc.CreateAttribute("currencyID");
25:        currencyIdGeneral.Value = "TRY";
26:        taxableAmount.Attributes.Append(currencyIdGeneral);
27:        taxableAmount.InnerText = Decimal
28:            .Round((decimal) item.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
29:            .Replace(", ", ".");
30:        taxSubTotal.AppendChild(taxableAmount);
31:        var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
32:        taxAmount2.RemoveAllAttributes();
33:        currencyIdGeneral = doc.CreateAttribute("currencyID");
34:        currencyIdGeneral.Value = "TRY";
35:        taxAmount2.Attributes.Append(currencyIdGeneral);
36:        taxAmount2.InnerText = Decimal.Round((decimal) item.KdvTutari, 2,
MidpointRounding.AwayFromZero)
37:            .ToString().Replace(", ", ".");
38:        taxSubTotal.AppendChild(taxAmount2);
39:        var calculationSequenceNumeric =
40:            doc.CreateElement("cbc", "CalculationSequenceNumeric", xmlnscbc.Value);
41:        calculationSequenceNumeric.InnerText = sayac + ".0";
42:        taxSubTotal.AppendChild(calculationSequenceNumeric);
43:        var percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
44:        percent.InnerText = Decimal.Round((decimal) item.KdvOran, 0,
MidpointRounding.AwayFromZero)
45:            .ToString();
46:        taxSubTotal.AppendChild(percent);
47:        var taxCategory = doc.CreateElement("cac", "TaxCategory", xmlnsscac.Value);
48:        if (item.KdvTutari == 0)
49:        {
50:            if (kodFaturaGrupTuruKod == FaturaMakbuzGrupTur.Kuspe.GetHashCode())
51:            {
52:                var taxExemptionReasonCode =
53:                    doc.CreateElement("cbc", "TaxExemptionReasonCode", xmlnscbc.Value);
54:                taxExemptionReasonCode.InnerText = "325";
55:                var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xmlnscbc.Value);
56:                taxExemptionReason.InnerText = "13/i Yem Teslimleri";
57:                taxCategory.AppendChild(taxExemptionReasonCode);
58:                taxCategory.AppendChild(taxExemptionReason);
59:            }
}

```

```

60:         else
61:     {
62:         var taxExemptionReasonCode =
63:             doc.CreateElement("cbc", "TaxExemptionReasonCode", xmlnscbc.Value);
64:         taxExemptionReasonCode.InnerText = "350";
65:         var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xmlnscbc.Value);
66:         taxExemptionReason.InnerText = "Digerleri";
67:         taxCategory.AppendChild(taxExemptionReasonCode);
68:         taxCategory.AppendChild(taxExemptionReason);
69:     }
70: }
71:
72: if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
73: {
74:     var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xmlnscbc.Value);
75:     taxExemptionReasonCode.InnerText = "701";
76:     var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xmlnscbc.Value);
77:     taxExemptionReason.InnerText =
78:         "3065 sayili Katma Deger Vergisi kanununun 11/1-c maddesi kapsaminda
ihraq edilmek sartiyla teslim edildiginden Katma Deger Vergisi tahsil edilmemistir.";
79:     taxCategory.AppendChild(taxExemptionReasonCode);
80:     taxCategory.AppendChild(taxExemptionReason);
81: }
82:
83: var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
84: var taxTypeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
85: taxTypeName.InnerText = item.KdvOran != 2 ? "Katma Deger Vergisi" : "Konaklama
Vergisi";
86: var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xmlnscbc.Value);
87: taxTypeCode.InnerText = item.KdvOran != 2 ? "0015" : "0059";
88: taxScheme2.AppendChild(taxTypeName);
89: taxScheme2.AppendChild(taxTypeCode);
90: taxCategory.AppendChild(taxScheme2);
91: taxSubTotal.AppendChild(taxCategory);
92: taxTotal.AppendChild(taxSubTotal);
93: root.AppendChild(taxTotal);
94:
95: #endregion
96: }
97:
98: #endregion
99: }
```

1.1.7.1.8.1.31 XMLIslemleri.GonderimSekliBilgisiDuzenle Method

Summary

E-Fatura ve Müstahsil Makbuzu tarafında Gönderim Sekli bilgileri düzenlenmesi için Gerekli bilgilerin düzenlendiği bir metottur.

C#

```
private static void GonderimSekliBilgisiDuzenle(XmlElement root, XmlDocument doc,
XmlAttribute xmlnscbc);
```

Parameters

Parameters	Description
XmlElement root	XML Ana Eleman Bilgisi
XmlDocument doc	XML Doküman Bilgisi
XmlAttribute xmlnscbc	XML Attribute Bilgisi

Body Source

```
1: private static void GonderimSekliBilgisiDuzenle(XmlElement root, XmlDocument doc,
XmlAttribute xmlnscbc)
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

2: {
3:     var sendType = doc.CreateElement("cbc", "Note", xmlnscbc.Value);
4:     sendType.InnerText = "Gönderim Sekli: ELEKTRONIK";
5:     root.AppendChild(sendType);
6: }

```

1.1.7.1.8.1.32 XMLIslemleri.IndicatorVeUuidBilgisiDuzenle Method

Summary

E-Fatura ve Müstahsil Makbuzu tarafında Copy Indicator ve UUID bilgileri düzenlenmesi için Gerekli bilgilerin düzenlendiği bir metottur.

C#

```
private static void IndicatorVeUuidBilgisiDuzenle(string id, XmlElement root, XmlDocument doc, XmlAttribute xmlnscbc);
```

Parameters

Parameters	Description
string id	Fatura veya Makbuz Id Bilgisi
XmlElement root	XML Ana Eleman Bilgisi
XmlDocument doc	XML Doküman Bilgisi
XmlAttribute xmlnscbc	XML Attribute Bilgisi

Body Source

```

1: private static void IndicatorVeUuidBilgisiDuzenle(string id, XmlElement root,
2: Xmldocument doc, Xmlelement xmlnscbc)
3: {
4:     var copyIndicator = doc.CreateElement("cbc", "CopyIndicator", xmlnscbc.Value);
5:     copyIndicator.InnerText = "false";
6:     root.AppendChild(copyIndicator);
7:
8:     var nesneId = doc.CreateElement("cbc", "UUID", xmlnscbc.Value);
9:     nesneId.InnerText = id.Length == 36
10:        ? id.ToUpper()
11:        : Guid.NewGuid().ToString().ToUpper();
12:     root.AppendChild(nesneId);
13: }

```

1.1.7.1.8.1.33 XMLIslemleri.IrsaliyeBilgisiDuzenle Method

Summary

E-Fatura olsun E-Arsiv olsun Fatura Detaylarından Irsaliye bilgisini düzenleyip buna göre Gerekli işlemlerin gerçekleşmesini saglayan metottur.

C#

```
private static void IrsaliyeBilgisiDuzenle(GidenFaturaDTO gidenFatura,
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, XmlElement root, Xmldocument doc, int kodFaturaTuruKod, int kodFaturaGrupTuruKod, XmlAttribute xmlnscbc);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi	Giden Fatura Detay Listesi Bilgisi
XmlElement root	XML Ana Eleman Bilgisi
XmlDocument doc	XML Dokümanı Bilgisi
int kodFaturaTuruKod	Fatura Türü Bilgisi
int kodFaturaGrupTuruKod	Fatura Grup Türü Bilgisi
XmlAttribute xmlnscbc	XML Attribute Bilgisi

Body Source

```

1: private static void IrsaliyeBilgisiDuzenle(GidenFaturaDTO gidenFatura,
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, XmlElement root, XmlDocument doc, int
kodFaturaTuruKod, int kodFaturaGrupTuruKod, XmlAttribute xmlnscbc)
2: {
3:     #region Irsaliye Bilgileri
4:
5:     #region Irsaliye ve Tonaj Düzenlemesi
6:
7:     var gidenFaturaDetayListesi2 = new List<GidenFaturaDetayDTO>();
8:     foreach (var item in gidenFaturaDetayListesi)
9:     {
10:         if (!string.IsNullOrEmpty(item.IrsaliyeNo) &&
!string.IsNullOrEmpty(item.PlakaNo))
11:         {
12:             if (!gidenFaturaDetayListesi2.Any(j =>
13:                 j.IrsaliyeNo == item.IrsaliyeNo && j.PlakaNo == item.PlakaNo))
14:             {
15:                 item.Tonaj = item.Miktar;
16:                 gidenFaturaDetayListesi2.Add(item);
17:             }
18:             else
19:             {
20:                 var index = gidenFaturaDetayListesi2.FindIndex(j =>
21:                     j.IrsaliyeNo == item.IrsaliyeNo && j.PlakaNo == item.PlakaNo);
22:                 gidenFaturaDetayListesi2[index].Tonaj += item.Miktar;
23:             }
24:         }
25:         else
26:             gidenFaturaDetayListesi2.Add(item);
27:     }
28: //if (gidenFaturaDetayListesi2.Count < 1)
29: //    gidenFaturaDetayListesi2.Add(new GidenFaturaDetayDTO());
30:
31: #endregion Irsaliye ve Tonaj Düzenlemesi
32:
33: if (gidenFaturaDetayListesi2.Count <= 0) return;
34: {
35:     foreach (var item in gidenFaturaDetayListesi2)
36:     {
37:         var irsaliyeNote = doc.CreateElement("cbc", "Note", xmlnscbc.Value);
38:         irsaliyeNote.InnerText = "";
39:         if (!string.IsNullOrEmpty(item.PlakaNo))
40:             irsaliyeNote.InnerText += "Plaka No: " + item.PlakaNo;
41:         if (!string.IsNullOrEmpty(item.SevkIrsaliyesiNo))
42:             irsaliyeNote.InnerText += " Irsaliye No: " + item.SevkIrsaliyesiNo;
43:         if (item.SevkIrsaliyeTarihi != null)
44:             irsaliyeNote.InnerText +=
45:                 " Irsaliye Tarihi: " + item.SevkIrsaliyeTarihi?.ToString("yyyy-MM-dd");
46:         if (item.YuklemeFormuNo != null)
47:             irsaliyeNote.InnerText += " Yükleme Formu No: " + item.YuklemeFormuNo;
48:         if (item.Tonaj != null)
49:             irsaliyeNote.InnerText += " Tonaj: " + item.Tonaj;
50:         if (kodFaturaTuruKod == FaturaTur.Iade.GetHashCode() ||
51:             ((item.FaturaUruturu.Contains("Sartname") ||
52:               kodFaturaGrupTuruKod == FaturaMakbuzGrupTur.Diger.GetHashCode()) &&
53:               !string.IsNullOrEmpty(gidenFatura.Aciklama))
54:             irsaliyeNote.InnerText += " Açıklama: " + gidenFatura.Aciklama;
55:         if (!string.IsNullOrEmpty(irsaliyeNote.InnerText))
56:             root.AppendChild(irsaliyeNote);
57:     }
58: }
59:
60: #endregion
61: }
```

1.1.7.1.8.1.34 XMLIslemleri.ParaBirimVeKayitSayisiDuzenle Method

Summary

E-Müstahsil, E-Fatura ve E-Arsiv tarafında Ana elemanlar arasında Para Birimi ve Kayıt Sayısı Bilgilerinin Düzenlenmesi için gerekli işlemlerin gerçekleştirildiği metottur.

C#

```
private static void ParaBirimVeKayitSayisiDuzenle(int kayitSayisi, XmlElement root,
XmlDocument doc, XmlAttribute xmlnscbc);
```

Parameters

Parameters	Description
int kayitSayisi	Kayıt Sayısı Bilgisi
XmlElement root	XML Ana Eleman Bilgisi
XmlDocument doc	XML Doküman Bilgisi
XmlAttribute xmlnscbc	XML Attribute Bilgisi

Body Source

```
1: private static void ParaBirimVeKayitSayisiDuzenle(int kayitSayisi, XmlElement root,
2: XmlDocument doc, XmlAttribute xmlnscbc)
3: {
4:     var documentCurrencyCode = doc.CreateElement("cbc", "DocumentCurrencyCode",
5:         xmlnscbc.Value);
6:     documentCurrencyCode.InnerText = "TRY";
7:     root.AppendChild(documentCurrencyCode);
8:     var lineCountNumeric = doc.CreateElement("cbc", "LineCountNumeric", xmlnscbc.Value);
9:     lineCountNumeric.InnerText = kayitSayisi.ToString();
10:    root.AppendChild(lineCountNumeric);
10: }
```

1.1.7.1.8.1.35 XMLIslemleri.TarihSaatDuzenle Method

Summary

E-Fatura ve Müstahsil Makbuzu tarafında Tarih ve saat bilgileri düzenlenmesi için Gerekli bilgilerin düzenlendiği bir metottur.

C#

```
private static void TarihSaatDuzenle(DateTime? islemTarihi, XmlElement root, XmlDocument
doc, XmlAttribute xmlnscbc);
```

Parameters

Parameters	Description
DateTime? islemTarihi	Fatura veya Makbuz İşlem Tarihi Bilgisi
XmlElement root	XML Ana Eleman Bilgisi
XmlDocument doc	XML Doküman Bilgisi
XmlAttribute xmlnscbc	XML Attribute Bilgisi

Body Source

```
1: private static void TarihSaatDuzenle(DateTime? islemTarihi, XmlElement root,
2: XmlDocument doc, XmlAttribute xmlnscbc)
3: {
4:     var issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
5:     issueDate.InnerText = islemTarihi?.Date.ToString("yyyy-MM-dd") ?? string.Empty;
6:     root.AppendChild(issueDate);
7:     var issueTime = doc.CreateElement("cbc", "IssueTime", xmlnscbc.Value);
8:     issueTime.InnerText = islemTarihi?.ToString("HH:mm:ss") ?? string.Empty;
9:     root.AppendChild(issueTime);
10: }
```

1.1.7.1.8.1.36 XMLIslemleri.TemelBilgileriDuzenle Method

Summary

E-Fatura ve E-Arsiv tarafında Dokümanın basında yer alan bazi XML elemanlarının ortak bir şekilde Düzenlenmesi için hazırlanan metottur.

C#

```
private static void TemelBilgileriDuzenle(string faturaTuru, GidenFaturaDTO gidenFatura,
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, XmlElement root, XmlDocument doc, int
kodSatisTuruKod, int kodFaturaTuruKod, XmlAttribute xmlnscbc);
```

Parameters

Parameters	Description
string faturaTuru	Fatura Türü Bilgisi
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi	Giden Fatura Detay Listesi Bilgisi
XmlElement root	XML Ana Eleman Bilgisi
XmlDocument doc	XML Dokümani Bilgisi
int kodSatisTuruKod	Fatura Satis Türü Bilgisi
int kodFaturaTuruKod	Fatura Türü Bilgisi
XmlAttribute xmlnscbc	XML Attribute Bilgisi

Body Source

```
1: private static void TemelBilgileriDuzenle(string faturaTuru, GidenFaturaDTO
gidenFatura, List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, XmlElement root,
XmlDocument doc, int kodSatisTuruKod, int kodFaturaTuruKod, XmlAttribute xmlnscbc)
2: {
3:     var versionId = doc.CreateElement("cbc", "UBLVersionID", xmlnscbc.Value);
4:     versionId.InnerText = "2.1";
5:     root.AppendChild(versionId);
6:
7:     var customizationId = doc.CreateElement("cbc", "CustomizationID", xmlnscbc.Value);
8:     customizationId.InnerText = "TR1.2";
9:     root.AppendChild(customizationId);
10:
11:    var profileId = doc.CreateElement("cbc", "ProfileID", xmlnscbc.Value);
12:    profileId.InnerText = faturaTuru;
13:    root.AppendChild(profileId);
14:
15:    var id = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
16:    if (!string.IsNullOrEmpty(gidenFatura.GibNumarasi))
17:        id.InnerText = gidenFatura.GibNumarasi;
18:    else
19:        id.InnerText = "ABC" + gidenFatura.IslemTarihi?.Year +
20:                      DateTime.UtcNow.Ticks.ToString().Substring(0, 9);
21:    root.AppendChild(id);
22:
23:    IndicatorVeUuidBilgisiDuzenle(gidenFatura.Id, root, doc, xmlnscbc);
24:
25:    TarihSaatDuzenle(gidenFatura.IslemTarihi, root, doc, xmlnscbc);
26:
27:    var invoiceTypeCode = doc.CreateElement("cbc", "InvoiceTypeCode", xmlnscbc.Value);
28:    invoiceTypeCode.InnerText = "SATIS";
29:    if (gidenFatura.KdvTutari == 0 || gidenFaturaDetayListesi.Any(j => j.KdvTutari ==
0))
30:        invoiceTypeCode.InnerText = "ISTISNA";
31:    if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
32:        invoiceTypeCode.InnerText = "IHRACKAYITLI";
33:    if (kodFaturaTuruKod == FaturaTur.Iade.GetHashCode())
34:        invoiceTypeCode.InnerText = "IADE";
35:    root.AppendChild(invoiceTypeCode);
```

```
36: }
```

1.1.7.1.8.1.37 XMLIslemleri.XMLDosyasiniKaydet Method

Summary

E-Fatura olsun E-Arsiv olsun E-Müstahsil olsun Hazırlanan XML dosyasının kaydedilip Dosya adının döndürülmesi için Hazırlanan metottur.

C#

```
private static string XMLDosyasiniKaydet(string id, string aktarilacakKlasorAdi,
 XmlDocument doc);
```

Parameters

Parameters	Description
string id	Nesnenin Id Bilgisi
string aktarilacakKlasorAdi	Aktarılacak Klasör Adı Bilgisi
XmlDocument doc	XML Dokümanı Bilgisi

Returns

Kaydedilen dosyanın tüm adı bilgisi

Body Source

```
1: private static string XMLDosyasiniKaydet(string id, string aktarilacakKlasorAdi,
 XmlDocument doc)
2: {
3:     #region Dosya Kaydi
4:
5:     var fileName = aktarilacakKlasorAdi + "/" + id + ".xml";
6:     doc.Save(fileName);
7:
8:     #endregion
9:
10:    return fileName;
11: }
```

1.1.8 Classes

Summary

The following table lists classes in this documentation.

Classes


	Name	Description
	frmAnaSayfa (see page 755)	QNB Finans GIB Servisi için veri hazırlanan ve servisin test edildiği metodlar içeren Form sınıfıdır
	Program (see page 789)	This is class QNBFinansGIB.Program.

1.1.8.1 frmAnaSayfa Class

Summary

QNB Finans GIB Servisi için veri hazırlanan ve servisin test edildiği metodlar içeren Form sınıfıdır

Class Hierarchy



C#

```
public class frmAnaSayfa : Form;
```

File

FormAnaSayfa.Designer.cs ([see page 830](#))

Methods

	Name	Description
	frmAnaSayfa (see page 758)	This is frmAnaSayfa, a member of class frmAnaSayfa.

frmAnaSayfa Methods

	Name	Description
	btnBelgeOidKontrol_Click (see page 758)	Eger Fatura E-Fatura Mükellefine kesiliyorsa Ve Belge Oid degeri yoksa, Daha önce gönderilme ihtimaline karsilik olarak Bu bilgilerin servis üzerinden temin edilebilmesi için gerekli islemler gerçekleştirildi
	btnEFaturaKullaniciListeAktar_Click (see page 759)	Ekrandan girilne tarihten öncesine ait Kayitli E-Fatura Mükellef Vergi Numara listesini disariya TXT formatında aktaran metottur
	btnEFaturaKullaniciListesi_Click (see page 759)	Ekrandan girilne tarihten öncesine ait Kayitli E-Fatura Mükellef Vergi Numara listesini getiren Ve Listbox'i dolduran metottur.
	btnEFaturaKullaniciListesiTemizle_Click (see page 760)	Ekrandan girilne tarihten öncesine ait Kayitli E-Fatura Mükellef Vergi Numara listesini temizlemek için hazırlanan metottur
	btnFaturaSil_Click (see page 760)	Faturanin sisteme gönderilip gönderilmmediği kontrol edilerek Buna göre silinip silinmeyecegina karar verilmesini saglayan metottur.
	btnGIBOnizleme_Click (see page 761)	Sistemde E-Fatura veya E-Arsive yollansın yollanmasın Hazırlanan XML dosyalarının bu sistemlerde nasıl göründüğüne dair Önizleme alınmasını saglayan metottur. Bu önizleme PDF veya ZIP olarak alınacak Sorun olsa da olmasa da bir mesaj ile kullanici bilgilendirilecektir.
	btnGIBOnizlemeMustahsil_Click (see page 762)	Sistemde E-Müstahsil Servisine yollansın yollanmasın Hazırlanan XML dosyalarının bu sistemlerde nasıl göründüğüne dair Önizleme alınmasını saglayan metottur. Bu önizleme PDF veya ZIP olarak alınacak Sorun olsa da olmasa da bir mesaj ile kullanici bilgilendirilecektir.
	btnMakbuzSil_Click (see page 762)	Makbuzun sisteme gönderilip gönderilmmediği kontrol edilerek Buna göre silinip silinmeyecegina karar verilmesini saglayan metottur.
	btnServiseGonder_Click (see page 763)	Sistem tarafından hazırlanan XML dosyasının E-Fatura veya E-Arsiv servisine gönderilmesi için hazırlanan metottur. Burada islemin başarılı olup olmamasına göre kullanici bilgilendirilecektir.
	btnServiseGonderMustahsil_Click (see page 764)	Sistem tarafından hazırlanan XML dosyasının E-Müstahsil servisine gönderilmesi için hazırlanan metottur. Burada islemin başarılı olup olmamasına göre kullanici bilgilendirilecektir.
	btnXmlOlustur_Click (see page 764)	Sistemde E-Fatura ve E-Arsiv Servislerine Gönderilecek Formatta Ideal XML dosyalarının oluşturulması için XML Olustur Butonuna tiklandigi zaman Yapılacak islemlerin hazırlandigi metottur.

	btnXmlOlusturMustahsil_Click (see page 765)	Sistemde E-Müstahsil Servislerine Gönderilecek Formatta Ideal XML dosyalarinin olusturulmasi için XML Olustur Butonuna tiklandigi zaman Yapilacak islemelerin hazirlanligi metottur.
	Dispose (see page 766)	Clean up any resources being used.
S	EArsivXMLOlusturVeOnizlemeYap (see page 766)	E-Arsiv Servisinden Faturanın Önizlemesini Yapmak İçin XML Olusturan ve bunu ilgili servislere gönderen metottur.
S	EArsivXMLOlusturVeServiseGonder (see page 767)	E-Arsiv Servisine Fatura gönderimi İçin XML Olusturan ve bunu ilgili servislere gönderen metottur.
	EFaturaKullaniciListesiniTXTFormatindaKaydet (see page 767)	Burada olusan E-Fatura Kullanici Listesini TXT Dosyasina kaydetmek için Gerekli islemelerin gerçekleştirildiği kod blokları bulunmaktadır
S	EFaturaKullanicisiMi (see page 768)	Faturadaki bilgiler kontrol edilerek Vergi No veya TC Kimlik No üzerinden Söz konusu mükellefin E-Fatura Mükellefi olup olmadiginin kontrol edildiği metottur.
S	EFaturaXMLOlusturVeOnizlemeYap (see page 768)	E-Fatura Servisinden Faturanın Önizlemesini Yapmak İçin XML Olusturan ve bunu ilgili servislere gönderen metottur.
S	EFaturaXMLOlusturVeServiseGonder (see page 769)	E-Fatura Servisine Fatura gönderimi İçin XML Olusturan ve bunu ilgili servislere gönderen metottur.
S	FaturaDosyaOnizlemeYap (see page 770)	E-Fatura veya E-Arsiv Faturasi önizlemesi yapılirken Servisten gelen degere göre Dosyanın önizlemesinin yapılmaması ile ilgili islemelerin gerçekleştirildiği metottur.
	FormAnaSayfa_Shown (see page 770)	Burada Form görüntülenirken Kendi hazırladığımız Giden Fatura ve Detaylarının olusturup listeye atıyoruz ki Buradan sonra butonlara tiklandiginda Bu listeler üzerinden kolayca islem yapılabilisin
	frmAnaSayfa_FormClosed (see page 780)	Form kapandığı zaman ne yapılacagini belirten bir metottur
	InitializeComponent (see page 780)	Required method for Designer support - do not modify the contents of this method with the code editor.
S	IslemIcinKlasorSecildiMi (see page 785)	Klasör Seçimi Yapılması ve klasör seçiliğe Bu klasör adının alınması için gerekli islemelerin gerçekleştirildiği metottur.
S	IslemSonucuMesajiHazirla (see page 785)	Servise gönderme konusunda sonuca göre bilgi mesajı verilmesini saglayan metottur
	IslemYapilacakFaturaBilgisiDuzenle (see page 786)	Islem yapılacak Giden Fatura ve detay bilgilerinin düzenlenmesi için Gerekli islemelerin gerçekleştirildiği metottur.
	IslemYapilacakMakbuzBilgisiDuzenle (see page 786)	Islem yapılacak Müstahsil Makbuzu ve detay bilgilerinin düzenlenmesi için Gerekli islemelerin gerçekleştirildiği metottur.
S	listBox_DrawItem (see page 787)	This method is used to meaure the length of the item in listbox and make it multi line without using scrollbar and let the user see more efficiently
S	listBox_MeasureItem (see page 787)	This method is used to meaure the length of the item in listbox and make it multi line without using scrollbar and let the user see more efficiently
S	MustahsilMakbuzuDosyaOnizlemeYap (see page 787)	Önizleme için servise gönderme islemi gerçekleştirilen sonra Servisten gelen byte dizisinin durumuna göre Makbuzun servis önizlemesinin yapılmaması ile ilgili islemelerin Gerçekleştirildiği metottur
S	ZipDosyasindanPdfCikar (see page 788)	E-Fatura Sisteminde Onaylı Fatura Çıktısı PDF yerine ZIP Formatında Geldigi için bu ZIP formatındaki byte array üzerinden İçindeki PDF dosyasının alınip yazdırılması için Gerkli metottur

1.1.8.1.1 frmAnaSayfa.frmAnaSayfa Constructor

C#

```
public frmAnaSayfa();
```

Description

This is frmAnaSayfa, a member of class frmAnaSayfa.

Body Source

```
1: public frmAnaSayfa()
2: {
3:     InitializeComponent();
4: }
```

1.1.8.1.2 frmAnaSayfa Methods

1.1.8.1.2.1 frmAnaSayfa.btnBelgeOidKontrol_Click Method

Summary

Eger Fatura E-Fatura Mükellefine kesiliyorsa Ve Belge Oid degeri yoksa, Daha önce gönderilme ihtimaline karsilik olarak Bu bilgilerin servis üzerinden temin edilebilmesi için gerekli islemler gerçekleştirildi

C#

```
private void btnBelgeOidKontrol_Click(object sender, EventArgs e);
```

Parameters

Parameters	Description
object sender	The sender info (For example Main Form)
EventArgs e	Event Arguments

Body Source

```
1: private void btnBelgeOidKontrol_Click(object sender, EventArgs e)
2: {
3:     #region E-Fatura Mükelleflerinin Fatura Id Bilgilerinin Temini
4:
5:     var gidenFaturaIdListesi = (from item in gidenFaturaListesi where
!string.IsNullOrEmpty(item.VergiNo) let eFaturaKullaniciMi =
DisServisler.EFaturaKullaniciMi(item.VergiNo) where eFaturaKullaniciMi select
item.Id).ToList();
6:
7:     #endregion
8:
9:     var islemSonucu = string.Empty;
10:    if (gidenFaturaIdListesi.Count <= 0) return;
11:    {
12:        var builder = new StringBuilder();
13:        builder.Append(islemSonucu);
14:        foreach (var item in gidenFaturaIdListesi)
15:        {
16:            var sonuc = DisServisler.BelgeOidKontrol(item, DateTime.Now.AddMonths(-3),
DateTime.Now);
17:            if (sonuc != MesajSabitler.IslemBasarili && sonuc !=
MesajSabitler.IslemBasarisiz)
18:                builder.Append(item + " belge numarali faturanin Belge Oid degeri: " +
sonuc + ", ");
19:        }
20:
21:        islemSonucu = builder.ToString();
22:        if (islemSonucu.Length <= 2) return;
```

```

23:         islemSonucu = islemSonucu.Substring(0, islemSonucu.Length - 2);
24:         MessageBox.Show(islemSonucu, MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
25:                         MessageBoxIcon.Information);
26:     }
27: }
```

1.1.8.1.2.2 frmAnaSayfa.btnEFaturaKullaniciListeAktar_Click Method

Summary

Ekrandan girilne tarihten öncesine ait Kayitli E-Fatura Mükellef Vergi Numara listesini disariya TXT formatinda aktaran metottur

C#

```
private void btnEFaturaKullaniciListeAktar(object sender, EventArgs e);
```

Parameters

Parameters	Description
object sender	The sender info (For example Main Form)
EventArgs e	Event Arguments

Body Source

```

1: private void btnEFaturaKullaniciListeAktar(object sender, EventArgs e)
2: {
3:     if (lbEFaturaKullaniciListesi.Items.Count < 1)
4:         MessageBox.Show("Aktarilacak bir E-Fatura Kullanici listesi bulunamadi",
MesajSabitler.MesajBasligi,
5:                         MessageBoxButtons.OK, MessageBoxIcon.Error);
6:     else
7:     {
8:         using (var dialogKlasorSecimi = new FolderBrowserDialog())
9:         {
10:             if (!IslemIcinKlasorSecildiMi(dialogKlasorSecimi, out var klasorAdi))
return;
11:
12:             var dosyaAdi = EFaturaKullaniciListesiniTXTFormatindaKaydet(klasorAdi);
13:             MessageBox.Show(dosyaAdi + " dosyasi üzerinde kayitli E-Fatura Mükellefleri
listelenmistir.","
14:                 MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
15:         }
16:     }
17: }
```

1.1.8.1.2.3 frmAnaSayfa.btnEFaturaKullaniciListesi_Click Method

Summary

Ekrandan girilne tarihten öncesine ait Kayitli E-Fatura Mükellef Vergi Numara listesini getiren Ve Listbox'i dolduran metottur.

C#

```
private void btnEFaturaKullaniciListesi_Click(object sender, EventArgs e);
```

Parameters

Parameters	Description
object sender	The sender info (For example Main Form)
EventArgs e	Event Arguments

Body Source

```

1: private void btnEFaturaKullaniciListesi_Click(object sender, EventArgs e)
2: {
3:     lbEFaturaKullaniciListesi.Items.Clear();
4:     var vergiKimlikNoListesi =
```

```

1: DisServisler.EFaturaKullaniciListesi(dtpFaturaTarihi.Value);
2:     foreach (var item in vergiKimlikNoListesi.Where(item =>
3:         !string.IsNullOrEmpty(item)))
4:             lbEFaturaKullaniciListesi.Items.Add(item);
5:
6:     MessageBox.Show(vergiKimlikNoListesi.Count + " adet e-fatura mükellef kaydi
7: bulundu",
8:         MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Information);
9:
10: }

```

1.1.8.1.2.4 frmAnaSayfa.btnEFaturaKullaniciListesiTemizle_Click Method

Summary

Ekrandan girilne tarihten öncesine ait Kayitli E-Fatura Mükellef Vergi Numara listesini temizlemek için hazırlanan metottur

C#

```
private void btnEFaturaKullaniciListesiTemizle_Click(object sender, EventArgs e);
```

Parameters

Parameters	Description
object sender	The sender info (For example Main Form)
EventArgs e	Event Arguments

Body Source

```

1: private void btnEFaturaKullaniciListesiTemizle_Click(object sender, EventArgs e)
2: {
3:     var kayitSayisi = lbEFaturaKullaniciListesi.Items.Count;
4:     lbEFaturaKullaniciListesi.Items.Clear();
5:     MessageBox.Show(kayitSayisi + " adet E-Fatura Mükellefi sagdaki listeden
6: temizlenmistir.",
7:         MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Information);

```

1.1.8.1.2.5 frmAnaSayfa.btnFaturaSil_Click Method

Summary

Faturanın sisteme gönderilip gönderilmemiş kontrol edilerek Buna göre silinip silinmeyeceğine karar verilmesini sağlayan metottur.

C#

```
private void btnFaturaSil_Click(object sender, EventArgs e);
```

Parameters

Parameters	Description
object sender	The sender info (For example Main Form)
EventArgs e	Event Arguments

Body Source

```

1: private void btnFaturaSil_Click(object sender, EventArgs e)
2: {
3:     var index = new Random().Next(gidenFaturaListesi.Count);
4:     var gidenFatura = gidenFaturaListesi[index];
5:
6:     if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
7:     {
8:         var eFaturaKullanicisiMi =
DisServisler.EFaturaKullanicisiMi(gidenFatura.VergiNo);
9:         var sonuc = eFaturaKullanicisiMi
10:            ? DisServisler.EFaturaSilmeyeUygunMu(gidenFatura.Id)
11:            : DisServisler.EArsivSilmeyeUygunMu(gidenFatura.Id);
12:

```

```

13:         if (sonuc)
14:             MessageBox.Show(gidenFatura.Id + " yerel belge numarali fatura silinebilir",
15:                             MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
16:                             MessageBoxIcon.Information);
17:         else
18:             MessageBox.Show(
19:                 gidenFatura.Id +
20:                 " yerel belge numarali fatura GIB servislerine gönderildigi,
21:                 onaylandigi veya onay bekledigi için silinemez",
22:                 MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Error);
23:     }
24:     else
25:     {
26:         MessageBox.Show("Vergi Numarasi olmayan bir fatura silinemez.",
27:                         MesajSabitler.MesajBasligi,
28:                         MessageBoxButtons.OK, MessageBoxIcon.Error);
29:     }
30: }

```

1.1.8.1.2.6 frmAnaSayfa.btnGIBOnizleme_Click Method

Summary

Sisteme E-Fatura veya E-Arsive yollansın yollanmasın Hazırlanan XML dosyalarının bu sistemlerde nasıl görüneceğine dair Önizleme alınmasını sağlayan metottur. Bu önizleme PDF veya ZIP olarak alınacak Sorun olsa da olmasa da bir mesaj ile kullanıcı bilgilendirilecektir.

C#

```
private void btnGIBOnizleme_Click(object sender, EventArgs e);
```

Parameters

Parameters	Description
object sender	The sender info (For example Main Form)
EventArgs e	Event Arguments

Body Source

```

1: private void btnGIBOnizleme_Click(object sender, EventArgs e)
2: {
3:     using (var dialogKlasorSecimi = new FolderBrowserDialog())
4:     {
5:         if (!IslemIcinKlasorSecildiMi(dialogKlasorSecimi, out var klasorAdi)) return;
6:         IslemYapilacakFaturaBilgisiDuzenle(out var gidenFatura, out var
gidenFaturaDetayListesiTemp);
7:
8:         #region XML Olusturma ve Servis Önizlemesi
9:
10:        var geriDonus = new GeriDonus {Tip = 0};
11:        var dosya = new byte[1];
12:        var eFaturaKullanicisiMi = EFaturaKullanicisiMi(gidenFatura);
13:        dosya = eFaturaKullanicisiMi
14:            ? EFaturaXMLOlusturVeOnIzlemeYap(gidenFatura, gidenFaturaDetayListesiTemp,
klasorAdi, out var dosyaAdi, out geriDonus, dosya)
15:            : EArsivXMLOlusturVeOnIzlemeYap(gidenFatura, gidenFaturaDetayListesiTemp,
klasorAdi, out dosyaAdi);
16:
17:        var belgeTur = eFaturaKullanicisiMi ? BelgeTur.EFatura : BelgeTur.EArsiv;
18:
19:        FaturaDosyaOnizlemeYap(dosya, dosyaAdi, belgeTur, gidenFatura, geriDonus);
20:
21:        #endregion
22:    }
23: }

```

1.1.8.1.2.7 frmAnaSayfa.btnGIBOnizlemeMustahsil_Click Method

Summary

Sistemde E-Müstahsil Servisine yollansın yollanmasın Hazırlanan XML dosyalarının bu sistemlerde nasıl görüneceğine dair Önizleme alınmasını sağlayan metottur. Bu önizleme PDF veya ZIP olarak alınacak Sorun olsa da olmasa da bir mesaj ile kullanıcı bilgilendirilecektir.

C#

```
private void btnGIBOnizlemeMustahsil_Click(object sender, EventArgs e);
```

Parameters

Parameters	Description
object sender	The sender info (For example Main Form)
EventArgs e	Event Arguments

Body Source

```

1: private void btnGIBOnizlemeMustahsil_Click(object sender, EventArgs e)
2: {
3:     using (var dialogKlasorSecimi = new FolderBrowserDialog())
4:     {
5:         if (!IslemIcinKlasorSecildiMi(dialogKlasorSecimi, out var klasorAdi)) return;
6:         IslemYapilacakMakbuzBilgisiDuzenle(out var mustahsilMakbuzu, out var
mustahsilMakbuzuDetayListesiTemp);
7:
8:         #region XML Oluşturma ve Servis Önizlemesi
9:
10:        var dosyaAdi = "";
11:        var dosya = new byte[1];
12:        if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo))
13:        {
14:            dosyaAdi = XMLIslemleri.EMustahsilXMLOlustur(mustahsilMakbuzu,
mustahsilMakbuzuDetayListesiTemp,
15:                klasorAdi);
16:            dosya = DisServisler.EMustahsilOnIzleme(mustahsilMakbuzu, dosyaAdi);
17:        }
18:        else
19:        {
20:            MessageBox.Show("Müstahsil Makbuzunu servise göndermek için vergi no
zorunludur",
21:                MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Warning);
22:        }
23:
24:        MustahsilMakbuzuDosyaOnizlemeYap(dosya, dosyaAdi);
25:
26:        #endregion
27:    }
28: }
```

1.1.8.1.2.8 frmAnaSayfa.btnMakbuzSil_Click Method

Summary

Makbuzun sisteme gönderilip gönderilmemiş kontrol edilerek Buna göre silinip silinmeyeceğine karar verilmesini sağlayan metottur.

C#

```
private void btnMakbuzSil_Click(object sender, EventArgs e);
```

Parameters

Parameters	Description
object sender	The sender info (For example Main Form)
EventArgs e	Event Arguments

Body Source

```

1: private void btnMakbuzSil_Click(object sender, EventArgs e)
2: {
3:     var index = new Random().Next(mustahsilMakbuzuListesi.Count);
4:     var mustahsilMakbuzu = mustahsilMakbuzuListesi[index];
5:
6:     if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo))
7:     {
8:         var sonuc = DisServisler.EMustahsilSilmeyeUygunMu(mustahsilMakbuzu.Id);
9:
10:        if (sonuc)
11:            MessageBox.Show(mustahsilMakbuzu.Id + " yerel belge numarali makbuz
silinebilir",
12:                         MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
13:        else
14:            MessageBox.Show(
15:                mustahsilMakbuzu.Id +
16:                " yerel belge numarali makbuz GIB servislerine gönderildiği,
onaylandığı veya onay beklediği için silinemez",
17:                MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Error);
18:    }
19:    else
20:    {
21:        MessageBox.Show("Vergi Numarası olmayan bir makbuz silinemez.",
MesajSabitler.MesajBasligi,
22:                         MessageBoxButtons.OK, MessageBoxIcon.Error);
23:    }
24: }
```

1.1.8.1.2.9 frmAnaSayfa.btnServiseGonder_Click Method**Summary**

Sistem tarafından hazırlanan XML dosyasının E-Fatura veya E-Arsiv servisine gönderilmesi için hazırlanan metottur. Burada işlemi başarılı olup olmamasına göre kullanıcı bilgilendirilecektir.

C#

```
private void btnServiseGonder_Click(object sender, EventArgs e);
```

Parameters

Parameters	Description
object sender	The sender info (For example Main Form)
EventArgs e	Event Arguments

Body Source

```

1: private void btnServiseGonder_Click(object sender, EventArgs e)
2: {
3:     using (var dialogKlasorSecimi = new FolderBrowserDialog())
4:     {
5:         if (!IslemIcinKlasorSecildiMi(dialogKlasorSecimi, out var klasorAdi)) return;
6:         IslemYapilacakFaturaBilgisiDuzenle(out var gidenFatura, out var
gidenFaturaDetayListesiTemp);
7:
8:         #region XML Oluşturma ve Servise Gönderme
9:
10:        var eFaturaKullanicisiMi = EFaturaKullanicisiMi(gidenFatura);
11:        var sonuc = eFaturaKullanicisiMi
```

```

12:             ? EFaturaXMLOlusturVeServiseGonder(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, out var dosyaAdi)
13:             : EArsivXMLOlusturVeServiseGonder(gidenFatura, gidenFaturaDetayListesiTemp,
klasorAdi, out dosyaAdi);
14:
15:         IslemSonucuMesajiHazirla(sonuc, dosyaAdi);
16:
17:     #endregion
18: }
19: }
```

1.1.8.1.2.10 frmAnaSayfa.btnServiseGonderMustahsil_Click Method

Summary

Sistem tarafından hazırlanan XML dosyasının E-Müstahsil servisine gönderilmesi için hazırlanan metottur. Burada işlemin başarılı olup olmamasına göre kullanıcı bilgilendirilecektir.

C#

```
private void btnServiseGonderMustahsil_Click(object sender, EventArgs e);
```

Parameters

Parameters	Description
object sender	The sender info (For example Main Form)
EventArgs e	Event Arguments

Body Source

```

1: private void btnServiseGonderMustahsil_Click(object sender, EventArgs e)
2: {
3:     using (var dialogKlasorSecimi = new FolderBrowserDialog())
4:     {
5:         if (!IslemIcinKlasorSecildiMi(dialogKlasorSecimi, out var klasorAdi)) return;
6:         IslemYapilacakMakbuzBilgisiDuzenle(out var mustahsilMakbuzu, out var
mustahsilMakbuzuDetayListesiTemp);
7:
8:         #region XML Oluşturma ve Servise Gönderme
9:
10:        var dosyaAdi = "";
11:        var sonuc = "";
12:        if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo))
13:        {
14:            dosyaAdi = XMLIslemleri.EMustahsilXMLOlustur(mustahsilMakbuzu,
mustahsilMakbuzuDetayListesiTemp,
15:                klasorAdi);
16:            sonuc = DisServisler.EMustahsilGonder(mustahsilMakbuzu, dosyaAdi);
17:        }
18:        else
19:        {
20:            MessageBox.Show("Müstahsil Makbuzunu servise göndermek için vergi no
zorunludur",
21:                MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Warning);
22:        }
23:
24:        IslemSonucuMesajiHazirla(sonuc, dosyaAdi);
25:
26:        #endregion
27:    }
28: }
```

1.1.8.1.2.11 frmAnaSayfa.btnXmlOlustur_Click Method

Summary

Sisteme E-Fatura ve E-Arsiv Servislerine Gönderilecek Formatta Ideal XML dosyalarının oluşturulması için XML Olustur

Butonuna tiklandigi zaman Yapilacak islemlerin hazirlandigi metottur.

C#

```
private void btnXmlOlustur_Click(object sender, EventArgs e);
```

Parameters

Parameters	Description
object sender	The sender info (For example Main Form)
EventArgs e	Event Arguments

Body Source

```
1: private void btnXmlOlustur_Click(object sender, EventArgs e)
2: {
3:     using (var dialogKlasorSecimi = new FolderBrowserDialog())
4:     {
5:         if (!IslemIcinKlasorSecildiMi(dialogKlasorSecimi, out var klasorAdi)) return;
6:         IslemYapilacakFaturaBilgisiDuzenle(out var gidenFatura, out var
gidenFaturaDetayListesiTemp);
7:
8:         #region XML Olusturma
9:
10:        var eFaturaKullanicisiMi = EFaturaKullanicisiMi(gidenFatura);
11:        var dosyaAdi = eFaturaKullanicisiMi
12:            ? XMLIslemleri.EFaturaXMLOlustur(gidenFatura, gidenFaturaDetayListesiTemp,
klasorAdi)
13:            : XMLIslemleri.EArsivXMLOlustur(gidenFatura, gidenFaturaDetayListesiTemp,
klasorAdi,
14:                true);
15:
16:        MessageBox.Show(dosyaAdi + " adresinde gerekli XML dosyasi olusturulmustur.",
17:            MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
18:
19:        #endregion
20:    }
21: }
```

1.1.8.1.2.12 frmAnaSayfa.btnXmlOlusturMustahsil_Click Method

Summary

Sistemde E-Müstahsil Servislerine Gonderilecek Formatta Ideal XML dosyalarinin olusturulmasi için XML Olustur Butonuna tiklandigi zaman Yapilacak islemlerin hazirlandigi metottur.

C#

```
private void btnXmlOlusturMustahsil_Click(object sender, EventArgs e);
```

Parameters

Parameters	Description
object sender	The sender info (For example Main Form)
EventArgs e	Event Arguments

Body Source

```
1: private void btnXmlOlusturMustahsil_Click(object sender, EventArgs e)
2: {
3:     using (var dialogKlasorSecimi = new FolderBrowserDialog())
4:     {
5:         if (!IslemIcinKlasorSecildiMi(dialogKlasorSecimi, out var klasorAdi)) return;
6:         IslemYapilacakMakbuzBilgisiDuzenle(out var mustahsilMakbuzu, out var
mustahsilMakbuzuDetayListesiTemp);
7:
8:         #region XML Olusturma
9:
```

```

10:         if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo))
11:         {
12:             var dosyaAdi = XMLIslemeleri.EMustahsilXMLOlustur(mustahsilMakbuzu,
13:                         mustahsilMakbuzuDetayListesiTemp, klasorAdi);
14:             MessageBox.Show(dosyaAdi + " adresinde gerekli XML dosyasi
olusturulmustur.",
15:                         MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
16:                         MessageBoxIcon.Information);
16:         }
17:     else
18:     {
19:         MessageBox.Show("Müstahsil Makbuzu olusturmak için vergi numarasi
zorunludur",
20:                         MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
21:                         MessageBoxIcon.Warning);
21:     }
22:
23:     #endregion
24: }
25: }
```

1.1.8.1.2.13 frmAnaSayfa.Dispose Method

Summary

Clean up any resources being used.

C#

```
protected override void Dispose(bool disposing);
```

Parameters

Parameters	Description
bool disposing	true if managed resources should be disposed; otherwise, false.

Body Source

```

1: protected override void Dispose(bool disposing)
2: {
3:     if (disposing && (components != null))
4:     {
5:         components.Dispose();
6:     }
7:     base.Dispose(disposing);
8: }
```

1.1.8.1.2.14 frmAnaSayfa.EArsivXMLOlusturVeOnIzlemeYap Method

Summary

E-Arsiv Servisinden Faturanın Önizlemesini Yapmak İçin XML Olusturan ve Bunu İlgili Servislere Gönderen Metottur.

C#

```
private static byte[] EArsivXMLOlusturVeOnIzlemeYap(GidenFaturaDTO gidenFatura,
List<GidenFaturaDetayDTO> gidenFaturaDetayListesiTemp, string klasorAdi, out string
dosyaAdi);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
List<GidenFaturaDetayDTO> gidenFaturaDetayListesiTemp	Giden Fatura Detay Listesi Bilgisi
string klasorAdi	Dosyanın Çıkarılacağı Klasör Bilgisi
out string dosyaAdi	Olusacak Dosya Adı Bilgisi

Returns

Dosya Adı Bilgisi

Body Source

```

1: private static byte[] EArsivXMLOlusturVeOnIzlemeYap(GidenFaturaDTO gidenFatura,
List<GidenFaturaDetayDTO> gidenFaturaDetayListesiTemp, string klasorAdi, out string
dosyaAdi)
2: {
3:     dosyaAdi = XMLIslemeleri.EArsivXMLOlustur(gidenFatura, gidenFaturaDetayListesiTemp,
4:         klasorAdi, true);
5:     var dosya = DisServisler.EArsivOnIzleme(gidenFatura, dosyaAdi);
6:     return dosya;
7: }
```

1.1.8.1.2.15 frmAnaSayfa.EArsivXMLOlusturVeServiceGonder Method**Summary**

E-Arsiv Servisine Fatura gönderimi İçin XML Olusturan ve bunu ilgili servislere gönderen metottur.

C#

```

private static string EArsivXMLOlusturVeServiceGonder(GidenFaturaDTO gidenFatura,
List<GidenFaturaDetayDTO> gidenFaturaDetayListesiTemp, string klasorAdi, out string
dosyaAdi);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
List<GidenFaturaDetayDTO> gidenFaturaDetayListesiTemp	Giden Fatura Detay Listesi Bilgisi
string klasorAdi	Dosyanın Çıkarılacağı Klasör Bilgisi
out string dosyaAdi	Olusacak Dosya Adı Bilgisi

Returns

Dosya Adı Bilgisi

Body Source

```

1: private static string EArsivXMLOlusturVeServiceGonder(GidenFaturaDTO gidenFatura,
List<GidenFaturaDetayDTO> gidenFaturaDetayListesiTemp, string klasorAdi, out string
dosyaAdi)
2: {
3:     dosyaAdi = XMLIslemeleri.EArsivXMLOlustur(gidenFatura, gidenFaturaDetayListesiTemp,
4:         klasorAdi, false);
5:     var sonuc = DisServisler.EArsivGonder(gidenFatura, dosyaAdi);
6:     return sonuc;
7: }
```

1.1.8.1.2.16 frmAnaSayfa.EFaturaKullaniciListesiniTXTFormatindaKaydet Method**Summary**

Burada olusan E-Fatura Kullanıcı Listesini TXT Dosyasına kaydetmek için Gerekli işlemlerin gerçekleştirildiği kod blokları bulunmaktadır

C#

```
private string EFaturaKullaniciListesiniTXTFormatindaKaydet(string klasorAdi);
```

Parameters

Parameters	Description
string klasorAdi	Dosyanın kaydedileceği klasör adı

Returns

Dosyanin adi

Body Source

```

1: private string EFaturaKullaniciListesiniTXTFormatindaKaydet(string klasorAdi)
2: {
3:     var ad = Guid.NewGuid().ToString();
4:     var dosyaAdi = klasorAdi + "/" + ad + ".txt";
5:     var dosyaKaydi = new StreamWriter(dosyaAdi);
6:     foreach (var item in lbEFaturaKullaniciListesi.Items)
7:         dosyaKaydi.WriteLine(item.ToString());
8:     dosyaKaydi.Close();
9:     return dosyaAdi;
10: }
```

1.1.8.1.2.17 frmAnaSayfa.EFaturaKullanicisiMi Method**Summary**

Faturadaki bilgiler kontrol edilerek Vergi No veya TC Kimlik No üzerinden Söz konusu mükellefin E-Fatura Mükellefi olup olmadiginin kontrol edildigi metottur.

C#

```
private static bool EFaturaKullanicisiMi(GidenFaturaDTO gidenFatura);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi

Returns

Sahsin E-Fatura Mükellefi Olup Olmadigi Bilgisi

Body Source

```

1: private static bool EFaturaKullanicisiMi(GidenFaturaDTO gidenFatura)
2: {
3:     var eFaturaKullanicisiMi = false;
4:     if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
5:         eFaturaKullanicisiMi = DisServisler.EFaturaKullanicisiMi(gidenFatura.VergiNo);
6:     else
7:     {
8:         if (!string.IsNullOrEmpty(gidenFatura.GercekKisiTcKimlikNo))
9:             eFaturaKullanicisiMi =
DisServisler.EFaturaKullanicisiMi(gidenFatura.GercekKisiTcKimlikNo);
10:    }
11:
12:    return eFaturaKullanicisiMi;
13: }
```

1.1.8.1.2.18 frmAnaSayfa.EFaturaXMLOlusturVeOnIzlemeYap Method**Summary**

E-Fatura Servisinden Faturanin Önizlemesini Yapmak Için XML Olusturan ve bunu ilgili servislere gönderen metottur.

C#

```
private static byte[] EFaturaXMLOlusturVeOnIzlemeYap(GidenFaturaDTO gidenFatura,
List<GidenFaturaDetayDTO> gidenFaturaDetayListesiTemp, string klasorAdi, out string
dosyaAdi, out GeriDonus geriDonus, byte[] dosya);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

List<GidenFaturaDetayDTO> gidenFaturaDetayListesiTemp	Giden Fatura Detay Listesi Bilgisi
string klasorAdi	Dosyanın Çıkarılacağı Klasör Bilgisi
out string dosyaAdi	Olusacak Dosya Adı Bilgisi
out GeriDonus geriDonus	Servis Geri Dönüş Bilgisi
byte[] dosya	Olusan Dosya Bilgisi

Returns

Dosya Bilgisi

Body Source

```

1: private static byte[] EFaturaXMLOlusturVeOnIzlemeYap(GidenFaturaDTO gidenFatura,
2:   List<GidenFaturaDetayDTO> gidenFaturaDetayListesiTemp, string klasorAdi, out string
3:   dosyaAdi, out GeriDonus geriDonus, byte[] dosya)
4: {
5:     dosyaAdi = XMLIslemleri.EFaturaXMLOlustur(gidenFatura, gidenFaturaDetayListesiTemp,
6:         klasorAdi);
7:     geriDonus = DisServisler.EFaturaOnIzleme(gidenFatura, dosyaAdi);
8:     if (geriDonus != null)
9:         dosya = geriDonus.Dosya;
10:    return dosya;
11: }
```

1.1.8.1.2.19 frmAnaSayfa.EFaturaXMLOlusturVeServiseGonder Method**Summary**

E-Fatura Servisine Fatura gönderimi İçin XML Olusturan ve bunu ilgili servislere gönderen metottur.

C#

```
private static string EFaturaXMLOlusturVeServiseGonder(GidenFaturaDTO gidenFatura,
List<GidenFaturaDetayDTO> gidenFaturaDetayListesiTemp, string klasorAdi, out string
dosyaAdi);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
List<GidenFaturaDetayDTO> gidenFaturaDetayListesiTemp	Giden Fatura Detay Listesi Bilgisi
string klasorAdi	Dosyanın Çıkarılacağı Klasör Bilgisi
out string dosyaAdi	Olusacak Dosya Adı Bilgisi

Returns

Dosya Adı Bilgisi

Body Source

```

1: private static string EFaturaXMLOlusturVeServiseGonder(GidenFaturaDTO gidenFatura,
2:   List<GidenFaturaDetayDTO> gidenFaturaDetayListesiTemp, string klasorAdi, out string
3:   dosyaAdi)
4: {
5:     dosyaAdi = XMLIslemleri.EFaturaXMLOlustur(gidenFatura, gidenFaturaDetayListesiTemp,
6:         klasorAdi);
7:     var sonuc = DisServisler.EFaturaGonder(gidenFatura, dosyaAdi, gidenFatura.BelgeOid);
8:     if (sonuc == MesajSabitler.IslamBasarisiz) return sonuc;
9:     if (sonuc.Length <= 20)
10:      gidenFatura.BelgeOid = sonuc;
11: }
```

1.1.8.1.2.20 frmAnaSayfa.FaturaDosyaOnizlemeYap Method

Summary

E-Fatura veya E-Arsiv Faturasi önizlemesi yapılirken Servisten gelen degere göre Dosyanın önizlemesinin yapılmaması ile ilgili işlemlerin gerçekleştirildiği metottur.

C#

```
private static void FaturaDosyaOnizlemeYap(byte[] dosya, string dosyaAdi, BelgeTur belgeTur, GidenFaturaDTO gidenFatura, GeriDonus geriDonus);
```

Parameters

Parameters	Description
byte[] dosya	Servisten Dönen Byte Dizisi
string dosyaAdi	Hedef Dosya Adı
BelgeTur belgeTur	Belge Türü Bilgisi
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
GeriDonus geriDonus	Servisten Gelen geri Dönüş Bilgisi

Body Source

```
1: private static void FaturaDosyaOnizlemeYap(byte[] dosya, string dosyaAdi, BelgeTur
belgeTur, GidenFaturaDTO gidenFatura, GeriDonus geriDonus)
2: {
3:     if (dosya != null && dosya.Length > 1)
4:     {
5:         var dosyaAdiTemp = dosyaAdi.Replace("xml", "pdf");
6:
7:         if (belgeTur == BelgeTur.EFatura && !string.IsNullOrEmpty(gidenFatura.BelgeOid))
8:             dosya = ZipDosyasindanPdfCikar(dosya);
9:         if (geriDonus != null && geriDonus.Tip == 1)
10:            dosya = ZipDosyasindanPdfCikar(dosya);
11:
12:        File.WriteAllBytes(dosyaAdiTemp, dosya);
13:
14:        MessageBox.Show(dosyaAdiTemp + " adresinde gerekli PDF veya ZIP dosyasi
olusturulmustur.",
15:                         MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
16:        if (File.Exists(dosyaAdiTemp))
17:            System.Diagnostics.Process.Start(dosyaAdiTemp);
18:    }
19:    else
20:    {
21:        MessageBox.Show("Söz konusu faturanın önizlemesi olusturulamamistir",
MesajSabitler.MesajBasligi,
22:                         MessageBoxButtons.OK, MessageBoxIcon.Error);
23:    }
24: }
```

1.1.8.1.2.21 frmAnaSayfa.FormAnaSayfa_Shown Method

Summary

Burada Form görüntülenirken Kendi hazırladığımız Giden Fatura ve Detaylarının oluşturup listeye atıyoruz ki Buradan sonra butonlara tıklandığında Bu listeler üzerinden kolayca işlem yapılabilisin

C#

```
private void FormAnaSayfa_Shown(object sender, EventArgs e);
```

Parameters

Parameters	Description
object sender	The sender info (For example Main Form)
EventArgs e	Event Arguments

Body Source

```

1: private void FormAnaSayfa_Shown(object sender, EventArgs e)
2: {
3:     #region Ekrandaki Alanların Düzenlenmesi
4:
5:     dtpFaturaTarihi.Format = DateTimePickerFormat.Short;
6:     lbEFaturaKullaniciListesi.DrawMode = DrawMode.OwnerDrawVariable;
7:     lbEFaturaKullaniciListesi.MeasureItem += listBox_MeasureItem;
8:     lbEFaturaKullaniciListesi.DrawItem += listBox_DrawItem;
9:
10:    #endregion
11:
12:    #region İlk Verilerin Hazırlanması
13:
14:    #region Giden Faturalar
15:
16:    #region Giden Faturaları Ekleme
17:
18:    var gidenFatura = new GidenFaturaDTO
19:    {
20:        Id = "11",
21:        AltBirimAd = " A Birimi      ",
22:        TuzelKisiAd = "Deneme Sirketi - 1",
23:        VergiNo = "53602329864",
24:        VergiDairesi = "ANKARA",
25:        Adres = "Kizilay Gima'nin önü",
26:        FaksNo = "03121111111",
27:        BankaAd = "Türkiye İş Bankası",
28:        BankaSube = "Kızılay",
29:        IbanNo = "TR130006297372542652383131",
30:        IslemTarihi = new DateTime(2022, 1, 13),
31:        IlAd = "Ankara",
32:        IlceAd = "Çankaya",
33:        SatisTuruKod = SatisTur.Hesaben.GetHashCode(),
34:        FaturaGrupTuruKod = FaturaMakbuzGrupTur.Diger.GetHashCode(),
35:        KdvHaricTutar = 0,
36:        KdvTutari = 0,
37:        FaturaTutari = 0,
38:        KonaklamaVergisi = 0,
39:        Aciklama = "Deneme amaçlı eklenmiştir"
40:    };
41:    gidenFatura.GibNumarasi =
GibNumarasi.RastgeleGibNumarasiOlustur(gidenFatura.IslemTarihi);
42:    gidenFaturaListesi.Add(gidenFatura);
43:
44:    gidenFatura = new GidenFaturaDTO
45:    {
46:        Id = "21",
47:        AltBirimAd = "B Birimi      ",
48:        TuzelKisiAd = " Deneme Sirketi - 2",
49:        VergiNo = "9250936109",
50:        VergiDairesi = "ANKARA",
51:        Adres = "Kızılay YKM",
52:        FaksNo = "03121111112",
53:        BankaAd = "Vakıflar Bankası",
54:        BankaSube = "Kızılay",
55:        IbanNo = "TR530006291586775935345942",
56:        IslemTarihi = new DateTime(2022, 1, 1),
57:        IlAd = "Ankara",
58:        IlceAd = "Etimesgut",
59:        SatisTuruKod = SatisTur.Pesin.GetHashCode(),

```

```

60:         FaturaGrupTuruKod = FaturaMakbuzGrupTur.Malzeme.GetHashCode(),
61:         FaturaTuruKod = FaturaTur.Iade.GetHashCode(),
62:         KdvHaricTutar = 0,
63:         KdvTutari = 0,
64:         FaturaTutari = 0,
65:         KonaklamaVergisi = 0
66:     };
67:     gidenFatura.GibNumarasi =
GibNumarasi.RastgeleGibNumarasiOlustur(gidenFatura.IslemTarihi);
68:     gidenFaturaListesi.Add(gidenFatura);
69:
70:     gidenFatura = new GidenFaturaDTO
71:     {
72:         Id = "31",
73:         AltBirimAd = "B Birimi      ",
74:         TuzelKisiAd = " Deneme Sirketi - 3",
75:         VergiNo = "5240018140",
76:         VergiDairesi = "ANKARA",
77:         Adres = "Zafer Çarsisi",
78:         FaksNo = "03121111113",
79:         BankaAd = "Vakif Katilim Bankasi",
80:         BankaSube = "Kizilay",
81:         IbanNo = "TR830006214925976839299642",
82:         IslemTarihi = new DateTime(2023, 1, 11),
83:         IlAd = "Ankara",
84:         IlceAd = "Etimesgut",
85:         SatisTuruKod = SatisTur.ImalatciIhracatci.GetHashCode(),
86:         FaturaTuruKod = FaturaTur.Iade.GetHashCode(),
87:         KdvHaricTutar = 0,
88:         KdvTutari = 0,
89:         FaturaTutari = 0,
90:         KonaklamaVergisi = 0
91:     };
92:     gidenFatura.GibNumarasi =
GibNumarasi.RastgeleGibNumarasiOlustur(gidenFatura.IslemTarihi);
93:     gidenFaturaListesi.Add(gidenFatura);
94:
95:     gidenFatura = new GidenFaturaDTO
96:     {
97:         Id = "41",
98:         AltBirimAd = "B Birimi      ",
99:         TuzelKisiAd = "Deneme Sirketi - 4",
100:        VergiNo = "6940116151",
101:        VergiDairesi = "ANKARA",
102:        Adres = "Göksu Parki",
103:        FaksNo = "03121111114",
104:        BankaAd = "Kuveyt Tür",
105:        BankaSube = "Kizilay",
106:        IbanNo = "TR350006267645192879857714",
107:        IslemTarihi = new DateTime(2022, 1, 31),
108:        IlAd = "Ankara",
109:        IlceAd = "Çubuk",
110:        SatisTuruKod = SatisTur.IhracKayitli.GetHashCode(),
111:        FaturaGrupTuruKod = FaturaMakbuzGrupTur.Personel.GetHashCode(),
112:        KdvHaricTutar = 0,
113:        KdvTutari = 0,
114:        FaturaTutari = 0,
115:        KonaklamaVergisi = 0
116:    };
117:    gidenFatura.GibNumarasi =
GibNumarasi.RastgeleGibNumarasiOlustur(gidenFatura.IslemTarihi);
118:    gidenFaturaListesi.Add(gidenFatura);
119:
120:    gidenFatura = new GidenFaturaDTO
121:    {
122:        Id = "51",
123:        AltBirimAd = "B Birimi      ",
124:        TuzelKisiAd = "Deneme Sirketi - 3",
125:        VergiNo = "20101516422",

```

```

126:     VergiDairesi = "ANKARA",
127:     Adres = "Dost'un Önü",
128:     FaksNo = "03121111113",
129:     BankaAd = "Enpara.Com Bankadan Güzel",
130:     BankaSube = "Karakusunlar Sube",
131:     IbanNo = "TR630006295412435711171488",
132:     IslemTarihi = new DateTime(2022, 2, 1),
133:     IlAd = "Ankara",
134:     IlceAd = "Pursaklar",
135:     SatisTuruKod = SatisTur.Vadeli.GetHashCode(),
136:     KdvHaricTutar = 0,
137:     KdvTutari = 0,
138:     FaturaTutari = 0,
139:     KonaklamaVergisi = 0
140: };
141: gidenFatura.GibNumarasi =
GibNumarasi.RastgeleGibNumarasiOlustur(gidenFatura.IslemTarihi);
142: gidenFaturaListesi.Add(gidenFatura);
143:
144: gidenFatura = new GidenFaturaDTO
145: {
146:     Id = "61",
147:     AltBirimAd = "B Birimi      ",
148:     GercekKisiTcKimlikNo = "11738150028",
149:     GercekKisiAd = "Adnan",
150:     GercekKisiSoyad = "Senses",
151:     CepTelefonNo = "05555555555",
152:     EPostaAdresi = "adnansenses@mynet.com",
153:     IkametgahAdresi = "Dost'un Önü",
154:     BankaAd = "Halkbank",
155:     BankaSube = "Etimesgut Sube",
156:     IbanNo = "TR540006234114125194267726",
157:     IslemTarihi = new DateTime(2022, 2, 2),
158:     IlAd = "Konya",
159:     IlceAd = "Beysehir",
160:     SatisTuruKod = SatisTur.RafFiyatGarantili.GetHashCode(),
161:     GibNumarasi = "YZG2022000999999",
162:     KdvHaricTutar = 0,
163:     KdvTutari = 0,
164:     FaturaTutari = 0,
165:     KonaklamaVergisi = 0
166: };
167: gidenFatura.GibNumarasi =
GibNumarasi.RastgeleGibNumarasiOlustur(gidenFatura.IslemTarihi);
168: gidenFaturaListesi.Add(gidenFatura);
169:
170: gidenFatura = new GidenFaturaDTO
171: {
172:     Id = "71",
173:     AltBirimAd = "B Birimi      ",
174:     GercekKisiTcKimlikNo = "20077290692",
175:     GercekKisiAd = "Mehmet Emin",
176:     GercekKisiSoyad = "Akdeniz",
177:     CepTelefonNo = "05555555554",
178:     EPostaAdresi = "memo@yahoo.com",
179:     IkametgahAdresi = "Fiskiyenin orası",
180:     BankaAd = "Bank Mellat",
181:     BankaSube = "Yenimahalle Sube",
182:     IbanNo = "TR410006276748779926367358",
183:     IslemTarihi = new DateTime(2022, 1, 25),
184:     IlAd = "Agri",
185:     IlceAd = "Patnos",
186:     SatisTuruKod = SatisTur.IstirakeSatilan.GetHashCode(),
187:     GibNumarasi = "AGR2022000999999",
188:     KdvHaricTutar = 0,
189:     KdvTutari = 0,
190:     FaturaTutari = 0,
191:     KonaklamaVergisi = 0
192: };

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
193:     gidenFatura.GibNumarasi =
GibNumarasi.RastgeleGibNumarasiOlustur(gidenFatura.IslemTarihi);
194:     gidenFaturaListesi.Add(gidenFatura);
195:
196: #endregion
197:
198: #region Giden Fatura Detaylari Ekleme
199:
200: var gidenFaturaDetay = new GidenFaturaDetayDTO
201: {
202:     AnaNesneId = "71",
203:     BirimFiyat = (decimal) 0.1234,
204:     Miktar = 1000,
205:     KdvOran = 0,
206:     IskontoOran = 0,
207:     KdvHaricTutar = 1234,
208:     KdvTutari = 0,
209:     KonaklamaVergisi = 0,
210:     GibKisaltma = "KGM",
211:     IrsaliyeNo = "1",
212:     MalzemeFaturaAciklamasi = "Ofis demirbasi için alindi",
213:     SevkIrsaliyeTarihi = new DateTime(2022, 1, 1),
214:     SevkIrsaliyesiNo = "34",
215:     PlakaNo = "06GUC777",
216:     FaturaUruturu = "Dizüstü Bilgisayar",
217:     Tonaj = 1,
218:     YuklemeFormuNo = 1234
219: };
220: gidenFaturaDetayListesi.Add(gidenFaturaDetay);
221:
222: gidenFaturaDetay = new GidenFaturaDetayDTO
223: {
224:     AnaNesneId = "71",
225:     BirimFiyat = (decimal) 0.1,
226:     Miktar = 10000,
227:     KdvOran = 18,
228:     IskontoOran = 0,
229:     KdvHaricTutar = 1000,
230:     KdvTutari = 180,
231:     KonaklamaVergisi = 0,
232:     GibKisaltma = "KWT",
233:     IrsaliyeNo = "1",
234:     MalzemeFaturaAciklamasi = "Ofis demirbasi 2 için alindi",
235:     SevkIrsaliyeTarihi = new DateTime(2022, 1, 1),
236:     SevkIrsaliyesiNo = "34",
237:     PlakaNo = "06GUC778",
238:     FaturaUruturu = "Priz",
239:     Tonaj = 1,
240:     YuklemeFormuNo = 1236
241: };
242: gidenFaturaDetayListesi.Add(gidenFaturaDetay);
243:
244: gidenFaturaDetay = new GidenFaturaDetayDTO
245: {
246:     AnaNesneId = "11",
247:     BirimFiyat = (decimal) 0.1,
248:     Miktar = 10000,
249:     KdvOran = 18,
250:     IskontoOran = 0,
251:     KdvHaricTutar = 1000,
252:     KdvTutari = 180,
253:     KonaklamaVergisi = 20,
254:     GibKisaltma = "KWT",
255:     IrsaliyeNo = "1",
256:     MalzemeFaturaAciklamasi = "Konaklama için alindi",
257:     SevkIrsaliyeTarihi = new DateTime(2022, 1, 1),
258:     SevkIrsaliyesiNo = "34",
259:     PlakaNo = "06GUC778",
260:     FaturaUruturu = "Misafirhane",
```

```
261:         Tonaj = 1,
262:         YuklemeFormuNo = 1236
263:     };
264:     gidenFaturaDetayListesi.Add(gidenFaturaDetay);
265:
266:     gidenFaturaDetay = new GidenFaturaDetayDTO
267:     {
268:         AnaNesneId = "71",
269:         BirimFiyat = (decimal) 0.1234,
270:         Miktar = 1000,
271:         KdvOran = 1,
272:         IskontoOran = 0,
273:         KdvHaricTutar = 1234,
274:         KdvTutari = (decimal) 12.34,
275:         KonaklamaVergisi = 0,
276:         GibKisaltma = "MTR",
277:         PlakaNo = "06GC7447",
278:         FaturaUrunturu = "Çubuk Mikrofon"
279:     };
280:     gidenFaturaDetayListesi.Add(gidenFaturaDetay);
281:
282:     gidenFaturaDetay = new GidenFaturaDetayDTO
283:     {
284:         AnaNesneId = "21",
285:         BirimFiyat = (decimal) 0.1234,
286:         Miktar = 1000,
287:         KdvOran = 1,
288:         IskontoOran = 0,
289:         KdvHaricTutar = 1234,
290:         KdvTutari = (decimal) 12.34,
291:         KonaklamaVergisi = 0,
292:         GibKisaltma = "KWT",
293:         PlakaNo = "06GC7447",
294:         FaturaUrunturu = "Çubuk Mikrofon"
295:     };
296:     gidenFaturaDetayListesi.Add(gidenFaturaDetay);
297:
298:     gidenFaturaDetay = new GidenFaturaDetayDTO
299:     {
300:         AnaNesneId = "31",
301:         BirimFiyat = (decimal) 0.124,
302:         Miktar = 5000,
303:         KdvOran = 8,
304:         IskontoOran = 0,
305:         KdvHaricTutar = 6020,
306:         KdvTutari = (decimal) 481.6,
307:         KonaklamaVergisi = 0,
308:         GibKisaltma = "MON",
309:         PlakaNo = "06J1234",
310:         FaturaUrunturu = "Mouse"
311:     };
312:     gidenFaturaDetayListesi.Add(gidenFaturaDetay);
313:
314:     gidenFaturaDetay = new GidenFaturaDetayDTO
315:     {
316:         AnaNesneId = "11",
317:         BirimFiyat = 500,
318:         Miktar = 120,
319:         KdvOran = 18,
320:         IskontoOran = 0,
321:         KdvHaricTutar = 60000,
322:         KdvTutari = 12800,
323:         KonaklamaVergisi = 1200,
324:         GibKisaltma = "LTR",
325:         PlakaNo = "06C99876",
326:         FaturaUrunturu = "Misafirhane"
327:     };
328:     gidenFaturaDetayListesi.Add(gidenFaturaDetay);
329:
```

```

330:     #endregion
331:
332:     #region Giden Fatura Toplamlari Hesaplama ve Olmayanlara Ekleme
333:
334:     foreach (var item in gidenFaturaListesi)
335:     {
336:         if (gidenFaturaDetayListesi.Any(j => j.AnaNesneId == item.Id))
337:         {
338:             var gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi
339:                 .Where(j => j.AnaNesneId == item.Id).ToList();
340:             item.KdvHaricTutar = gidenFaturaDetayListesiTemp.Sum(j => j.KdvHaricTutar);
341:             item.KdvTutari = gidenFaturaDetayListesiTemp.Sum(j => j.KdvTutari);
342:             item.KonaklamaVergisi = gidenFaturaDetayListesiTemp.Sum(j =>
j.KonaklamaVergisi);
343:             item.FaturaTutari = item.KdvHaricTutar + item.KdvTutari +
item.KonaklamaVergisi;
344:         }
345:         else
346:         {
347:             gidenFaturaDetay = new GidenFaturaDetayDTO
348:             {
349:                 AnaNesneId = item.Id,
350:                 BirimFiyat = (decimal) 1.5,
351:                 Miktar = 1000,
352:                 KdvOran = 0,
353:                 IskontoOran = 0,
354:                 KdvHaricTutar = 1500,
355:                 KdvTutari = 0,
356:                 KonaklamaVergisi = 30,
357:                 GibKisaltma = "MTR",
358:                 FaturaUrunTuru = "Misafirhane " + item.Id
359:             };
360:             item.KdvHaricTutar = gidenFaturaDetay.KdvHaricTutar;
361:             item.KdvTutari = gidenFaturaDetay.KdvTutari;
362:             item.KonaklamaVergisi = gidenFaturaDetay.KonaklamaVergisi;
363:             item.FaturaTutari = item.KdvHaricTutar + item.KdvTutari +
item.KonaklamaVergisi;
364:             gidenFaturaDetayListesi.Add(gidenFaturaDetay);
365:         }
366:     }
367:
368:     #endregion
369:
370:     #endregion
371:
372:     #region Müstahsil Makbuzlar
373:
374:     #region Müstahsil Makbuzlari Ekleme
375:
376:     var mustahsilMakbuzu = new MustahsilMakbuzuDTO
377:     {
378:         Id = "1",
379:         AltBirimAd = "A Birimi",
380:         TuzelKisiAd = "Deneme Sirketi - 1",
381:         VergiNo = "53602329864",
382:         VergiDairesi = "ANKARA",
383:         Adres = "Kizilay Gima'nin önü",
384:         FaksNo = "03121111111",
385:         BankaAd = "Türkiye İş Bankası",
386:         BankaSube = "Kizilay",
387:         IbanNo = "TR130006297372542652383131",
388:         IslemTarihi = new DateTime(2022, 4, 13),
389:         IlAd = "Ankara",
390:         IlceAd = "Çankaya",
391:         MustahsilMakbuzuNo = "MLT2022000010998",
392:         MakbuzGrupTurKod = FaturaMakbuzGrupTur.Kuspe.GetHashCode(),
393:         NetTutar = 0,
394:         GelirVergisi = 0,
395:         MustahsilMakbuzuTutari = 0

```

```

396:     };
397:     mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
398:
399:     mustahsilMakbuzu = new MustahsilMakbuzuDTO
400:     {
401:         Id = "2",
402:         AltBirimAd = "B Birimi",
403:         TuzelKisiAd = "Deneme Sirketi - 2",
404:         VergiNo = "9250936109",
405:         VergiDairesi = "ANKARA",
406:         Adres = "Kizilay YKM",
407:         FaksNo = "03121111112",
408:         BankaAd = "Vakiflar Bankasi",
409:         BankaSube = "Kizilay",
410:         IbanNo = "TR530006291586775935345942",
411:         IslemTarihi = new DateTime(2022, 4, 1),
412:         IlAd = "Ankara",
413:         IlceAd = "Etimesgut",
414:         MakbuzGrupTuruKod = FaturaMakbuzGrupTur.Personel.GetHashCode(),
415:         NetTutar = 0,
416:         GelirVergisi = 0,
417:         MustahsilMakbuzuTutari = 0
418:     };
419:     mustahsilMakbuzu.MustahsilMakbuzuNo =
GibNumarasi.RastgeleGibNumarasiOlustur(mustahsilMakbuzu.IslemTarihi);
420:     mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
421:
422:     mustahsilMakbuzu = new MustahsilMakbuzuDTO
423:     {
424:         Id = "c3da32c1-c0f1-4061-8234-ec09f83804fa",
425:         TuzelKisiAd = "Deneme Sirketi - 3",
426:         VergiNo = "5240018140",
427:         VergiDairesi = "ANKARA",
428:         Adres = "Zafer Carsisi",
429:         FaksNo = "03121111113",
430:         BankaAd = "Vakif Katilikim Bankasi",
431:         BankaSube = "Kizilay",
432:         IbanNo = "TR830006214925976839299642",
433:         IslemTarihi = new DateTime(2022, 4, 11),
434:         IlAd = "Ankara",
435:         IlceAd = "Etimesgut",
436:         NetTutar = 0,
437:         GelirVergisi = 0,
438:         MustahsilMakbuzuTutari = 0
439:     };
440:     mustahsilMakbuzu.MustahsilMakbuzuNo =
GibNumarasi.RastgeleGibNumarasiOlustur(mustahsilMakbuzu.IslemTarihi);
441:     mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
442:
443:     mustahsilMakbuzu = new MustahsilMakbuzuDTO
444:     {
445:         Id = "4",
446:         TuzelKisiAd = "Deneme Sirketi - 4",
447:         VergiNo = "6940116151",
448:         VergiDairesi = "ANKARA",
449:         Adres = "Göksu Parki",
450:         FaksNo = "03121111114",
451:         BankaAd = "Kuveyt Tür",
452:         BankaSube = "Kizilay",
453:         IbanNo = "TR350006267645192879857714",
454:         IslemTarihi = new DateTime(2022, 4, 3),
455:         IlAd = "Ankara",
456:         IlceAd = "Çubuk",
457:         NetTutar = 0,
458:         GelirVergisi = 0,
459:         MustahsilMakbuzuTutari = 0
460:     };
461:     mustahsilMakbuzu.MustahsilMakbuzuNo =
GibNumarasi.RastgeleGibNumarasiOlustur(mustahsilMakbuzu.IslemTarihi);

```

```

462:     mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
463:
464:     mustahsilMakbuzu = new MustahsilMakbuzuDTO
465:     {
466:         Id = "5",
467:         TuzelKisiAd = "Deneme Sirketi - 3",
468:         VergiNo = "20101516422",
469:         VergiDairesi = "ANKARA",
470:         Adres = "Dost'un önü",
471:         FaksNo = "03121111113",
472:         BankaAd = "Enpara.Com Bankadan Güzeli",
473:         BankaSube = "Karakusunlar Sube",
474:         IbanNo = "TR630006295412435711171488",
475:         IslemTarihi = new DateTime(2022, 4, 1),
476:         IlAd = "Ankara",
477:         IlceAd = "Pursaklar",
478:         NetTutar = 0,
479:         GelirVergisi = 0,
480:         MustahsilMakbuzuTutari = 0
481:     };
482:     mustahsilMakbuzu.MustahsilMakbuzuNo =
GibNumarasi.RastgeleGibNumarasiOlustur(mustahsilMakbuzu.IslemTarihi);
483:     mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
484:
485:     mustahsilMakbuzu = new MustahsilMakbuzuDTO
486:     {
487:         Id = "6",
488:         VergiNo = "52270709114",
489:         TuzelKisiAd = "Adnan Senses",
490:         EPostaAdresi = "adnansenses@mynet.com",
491:         Adres = "Dost'un önü",
492:         BankaAd = "Halkbank",
493:         BankaSube = "Etimesgut Sube",
494:         IbanNo = "TR540006234114125194267726",
495:         IslemTarihi = new DateTime(2022, 4, 2),
496:         IlAd = "Konya",
497:         IlceAd = "Beysehir",
498:         NetTutar = 0,
499:         GelirVergisi = 0,
500:         MustahsilMakbuzuTutari = 0
501:     };
502:     mustahsilMakbuzu.MustahsilMakbuzuNo =
GibNumarasi.RastgeleGibNumarasiOlustur(mustahsilMakbuzu.IslemTarihi);
503:     mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
504:
505:     mustahsilMakbuzu = new MustahsilMakbuzuDTO
506:     {
507:         Id = "7",
508:         VergiNo = "20077290692",
509:         TuzelKisiAd = "Mehmet Emin",
510:         EPostaAdresi = "memo@yahoo.com",
511:         BankaAd = "Bank Mellat",
512:         BankaSube = "Yenimahalle Sube",
513:         IbanNo = "TR410006276748779926367358",
514:         IslemTarihi = new DateTime(2022, 4, 25),
515:         IlAd = "Agri",
516:         IlceAd = "Patnos",
517:         NetTutar = 0,
518:         GelirVergisi = 0,
519:         MustahsilMakbuzuTutari = 0
520:     };
521:     mustahsilMakbuzu.MustahsilMakbuzuNo =
GibNumarasi.RastgeleGibNumarasiOlustur(mustahsilMakbuzu.IslemTarihi);
522:     mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
523:
524: #endregion
525:
526: #region Müstahsil Makbuz Detaylari Ekleme
527:
```

```

528:     var mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
529:     {
530:         AnaNesneId = "7",
531:         BirimFiyat = (decimal) 0.1234,
532:         Miktar = 1000,
533:         NetTutar = 1234,
534:         GelirVergisi = 0,
535:         GibKisaltma = "KGM",
536:         IsinMahiyeti = "Dizüstü Bilgisayar"
537:     };
538:     mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
539:
540:     mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
541:     {
542:         AnaNesneId = "7",
543:         BirimFiyat = (decimal) 0.1234,
544:         Miktar = 1000,
545:         NetTutar = 1234,
546:         GelirVergisi = (decimal) 12.34,
547:         ToplamTutar = (decimal) 1246.34,
548:         GibKisaltma = "MTR",
549:         IsinMahiyeti = "Çubuk Mikrofon"
550:     };
551:     mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
552:
553:     mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
554:     {
555:         AnaNesneId = "2",
556:         BirimFiyat = (decimal) 0.1234,
557:         Miktar = 1000,
558:         NetTutar = 1234,
559:         GelirVergisi = (decimal) 12.34,
560:         ToplamTutar = (decimal) 1246.34,
561:         GibKisaltma = "KWT",
562:         IsinMahiyeti = "Çubuk Mikrofon"
563:     };
564:     mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
565:
566:     mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
567:     {
568:         AnaNesneId = "3",
569:         BirimFiyat = (decimal) 0.124,
570:         Miktar = 5000,
571:         NetTutar = 6020,
572:         GelirVergisi = (decimal) 481.6,
573:         ToplamTutar = (decimal) 6500.6,
574:         GibKisaltma = "MON",
575:         IsinMahiyeti = "Mouse"
576:     };
577:     mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
578:
579:     mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
580:     {
581:         AnaNesneId = "1",
582:         BirimFiyat = 500,
583:         Miktar = 120,
584:         NetTutar = 60000,
585:         GelirVergisi = 12800,
586:         ToplamTutar = 72800,
587:         GibKisaltma = "LTR",
588:         IsinMahiyeti = "Ayakkabı"
589:     };
590:     mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
591:
592: #endregion
593:
594: #region Müstahsil Makbuz Toplamlari Hesaplama ve Olmayanlara Ekleme
595:
596: foreach (var item in mustahsilMakbuzuListesi)

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

597:         {
598:             if (mustahsilMakbuzuDetayListesi.Any(j => j.AnaNesneId == item.Id))
599:             {
600:                 var mustahsilMakbuzuDetayListesiTemp = mustahsilMakbuzuDetayListesi
601:                     .Where(j => j.AnaNesneId == item.Id).ToList();
602:                 item.NetTutar = mustahsilMakbuzuDetayListesiTemp.Sum(j => j.NetTutar);
603:                 item.GelirVergisi = mustahsilMakbuzuDetayListesiTemp.Sum(j =>
j.GelirVergisi);
604:                 item.MustahsilMakbuzuTutari = item.NetTutar + item.GelirVergisi;
605:             }
606:         else
607:             {
608:                 mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
609:                 {
610:                     AnaNesneId = item.Id,
611:                     BirimFiyat = (decimal) 1.5,
612:                     Miktar = 1000,
613:                     NetTutar = 1500,
614:                     GelirVergisi = 0,
615:                     ToplamTutar = 1500,
616:                     GibKisaltma = "MTR",
617:                     IsinMahiyeti = "Deneme " + item.Id
618:                 };
619:                 item.NetTutar = mustahsilMakbuzuDetay.NetTutar;
620:                 item.GelirVergisi = mustahsilMakbuzuDetay.GelirVergisi;
621:                 item.MustahsilMakbuzuTutari = item.NetTutar + item.GelirVergisi;
622:                 mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
623:             }
624:         }
625:
626:     #endregion
627:
628:     #endregion
629:
630:     #endregion
631: }

```

1.1.8.1.2.22 frmAnaSayfa.frmAnaSayfa_FormClosed Method

Summary

Form kapandigi zaman ne yapilacagini belirten bir metottur

C#

```
private void frmAnaSayfa_FormClosed(object sender, FormClosedEventArgs e);
```

Parameters

Parameters	Description
object sender	The sender info (For example Main Form)
FormClosedEventArgs e	Event Arguments

Body Source

```

1: private void frmAnaSayfa_FormClosed(object sender, FormClosedEventArgs e)
2: {
3:     MessageBox.Show("Programi kullandiginiz için teşekkürler",
MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Information);
4:     Application.Exit();
5: }

```

1.1.8.1.2.23 frmAnaSayfa.InitializeComponent Method

Summary

Required method for Designer support - do not modify the contents of this method with the code editor.

C#

```
private void InitializeComponent();
```

Body Source

```
1: private void InitializeComponent()
2: {
3:     this.btnXmlOlustur = new System.Windows.Forms.Button();
4:     this.btnGIBOnizleme = new System.Windows.Forms.Button();
5:     this.btnServiceGonder = new System.Windows.Forms.Button();
6:     this.gbEFaturaEArsiv = new System.Windows.Forms.GroupBox();
7:     this.btnFaturaSil = new System.Windows.Forms.Button();
8:     this.btnBelgeOidKontrol = new System.Windows.Forms.Button();
9:     this.gbEFatura = new System.Windows.Forms.GroupBox();
10:    this.btnEFaturaKullaniciListesiTemizle = new System.Windows.Forms.Button();
11:    this.btnEFaturaKullaniciListeAktar = new System.Windows.Forms.Button();
12:    this.lblMukellefListesi = new System.Windows.Forms.Label();
13:    this.lbEFaturaKullaniciListesi = new System.Windows.Forms.ListBox();
14:    this.dtpFaturaTarihi = new System.Windows.Forms.DateTimePicker();
15:    this.btnEFaturaKullaniciListesi = new System.Windows.Forms.Button();
16:    this.gbEMustahsil = new System.Windows.Forms.GroupBox();
17:    this.btnMakbuzSil = new System.Windows.Forms.Button();
18:    this.btnXmlOlusturMustahsil = new System.Windows.Forms.Button();
19:    this.btnServiceGonderMustahsil = new System.Windows.Forms.Button();
20:    this.btnGIBOnizlemeMustahsil = new System.Windows.Forms.Button();
21:    this.gbEFaturaEArsiv.SuspendLayout();
22:    this.gbEFatura.SuspendLayout();
23:    this.gbEMustahsil.SuspendLayout();
24:    this.SuspendLayout();
25:    //
26:    // btnXmlOlustur
27:    //
28:    this.btnXmlOlustur.Location = new System.Drawing.Point(8, 37);
29:    this.btnXmlOlustur.Margin = new System.Windows.Forms.Padding(4);
30:    this.btnXmlOlustur.Name = "btnXmlOlustur";
31:    this.btnXmlOlustur.Size = new System.Drawing.Size(155, 38);
32:    this.btnXmlOlustur.TabIndex = 0;
33:    this.btnXmlOlustur.Text = "XML Olustur";
34:    this.btnXmlOlustur.UseVisualStyleBackColor = true;
35:    this.btnXmlOlustur.Click += new System.EventHandler(this.btnXmlOlustur_Click);
36:    //
37:    // btnGIBOnizleme
38:    //
39:    this.btnGIBOnizleme.Location = new System.Drawing.Point(171, 37);
40:    this.btnGIBOnizleme.Margin = new System.Windows.Forms.Padding(4);
41:    this.btnGIBOnizleme.Name = "btnGIBOnizleme";
42:    this.btnGIBOnizleme.Size = new System.Drawing.Size(232, 38);
43:    this.btnGIBOnizleme.TabIndex = 1;
44:    this.btnGIBOnizleme.Text = "GIB Fatura Çıktı Önizleme";
45:    this.btnGIBOnizleme.UseVisualStyleBackColor = true;
46:    this.btnGIBOnizleme.Click += new System.EventHandler(this.btnGIBOnizleme_Click);
47:    //
48:    // btnServiceGonder
49:    //
50:    this.btnServiceGonder.Location = new System.Drawing.Point(411, 37);
51:    this.btnServiceGonder.Margin = new System.Windows.Forms.Padding(4);
52:    this.btnServiceGonder.Name = "btnServiceGonder";
53:    this.btnServiceGonder.Size = new System.Drawing.Size(220, 38);
54:    this.btnServiceGonder.TabIndex = 2;
55:    this.btnServiceGonder.Text = "Servise Gönder";
56:    this.btnServiceGonder.UseVisualStyleBackColor = true;
57:    this.btnServiceGonder.Click += new
System.EventHandler(this.btnServiceGonder_Click);
58:    //
59:    // gbEFaturaEArsiv
60:    //
61:    this.gbEFaturaEArsiv.Controls.Add(this.btnFaturaSil);
62:    this.gbEFaturaEArsiv.Controls.Add(this.btnBelgeOidKontrol);
```

```

63:     this.gbEFaturaEArsiv.Controls.Add(this.btnXmlOlustur);
64:     this.gbEFaturaEArsiv.Controls.Add(this.btnServiceGonder);
65:     this.gbEFaturaEArsiv.Controls.Add(this.btnGIBOnizleme);
66:     this.gbEFaturaEArsiv.Location = new System.Drawing.Point(16, 15);
67:     this.gbEFaturaEArsiv.Margin = new System.Windows.Forms.Padding(4);
68:     this.gbEFaturaEArsiv.Name = "gbEFaturaEArsiv";
69:     this.gbEFaturaEArsiv.Padding = new System.Windows.Forms.Padding(4);
70:     this.gbEFaturaEArsiv.Size = new System.Drawing.Size(868, 146);
71:     this.gbEFaturaEArsiv.TabIndex = 3;
72:     this.gbEFaturaEArsiv.TabStop = false;
73:     this.gbEFaturaEArsiv.Text = "E-Fatura ve E-Arsiv";
74:     //
75: // btnFaturaSil
76: //
77:     this.btnFaturaSil.Location = new System.Drawing.Point(297, 89);
78:     this.btnFaturaSil.Margin = new System.Windows.Forms.Padding(4);
79:     this.btnFaturaSil.Name = "btnFaturaSil";
80:     this.btnFaturaSil.Size = new System.Drawing.Size(220, 38);
81:     this.btnFaturaSil.TabIndex = 4;
82:     this.btnFaturaSil.Text = "Fatura Sil";
83:     this.btnFaturaSil.UseVisualStyleBackColor = true;
84:     this.btnFaturaSil.Click += new System.EventHandler(this.btnFaturaSil_Click);
85:     //
86: // btnBelgeOidKontrol
87: //
88:     this.btnBelgeOidKontrol.Location = new System.Drawing.Point(639, 37);
89:     this.btnBelgeOidKontrol.Margin = new System.Windows.Forms.Padding(4);
90:     this.btnBelgeOidKontrol.Name = "btnBelgeOidKontrol";
91:     this.btnBelgeOidKontrol.Size = new System.Drawing.Size(220, 38);
92:     this.btnBelgeOidKontrol.TabIndex = 3;
93:     this.btnBelgeOidKontrol.Text = "Belge Oid Kontrol";
94:     this.btnBelgeOidKontrol.UseVisualStyleBackColor = true;
95:     this.btnBelgeOidKontrol.Click += new
System.EventHandler(this.btnBelgeOidKontrol_Click);
96:     //
97: // gbEFatura
98: //
99:     this.gbEFatura.Controls.Add(this.btnEFaturaKullaniciListesiTemizle);
100:    this.gbEFatura.Controls.Add(this.btnEFaturaKullaniciListeAktar);
101:    this.gbEFatura.Controls.Add(this.lblMukellefListesi);
102:    this.gbEFatura.Controls.Add(this.lblEFaturaKullaniciListesi);
103:    this.gbEFatura.Controls.Add(this.dtpFaturaTarihi);
104:    this.gbEFatura.Controls.Add(this.btnEFaturaKullaniciListesi);
105:    this.gbEFatura.Location = new System.Drawing.Point(16, 149);
106:    this.gbEFatura.Margin = new System.Windows.Forms.Padding(4);
107:    this.gbEFatura.Name = "gbEFatura";
108:    this.gbEFatura.Padding = new System.Windows.Forms.Padding(4);
109:    this.gbEFatura.Size = new System.Drawing.Size(868, 158);
110:    this.gbEFatura.TabIndex = 4;
111:    this.gbEFatura.TabStop = false;
112:    this.gbEFatura.Text = "E-Fatura";
113:    //
114: // btnEFaturaKullaniciListesiTemizle
115: //
116:     this.btnEFaturaKullaniciListesiTemizle.Location = new System.Drawing.Point(8, 122);
117:     this.btnEFaturaKullaniciListesiTemizle.Margin = new
System.Windows.Forms.Padding(4);
118:     this.btnEFaturaKullaniciListesiTemizle.Name = "btnEFaturaKullaniciListesiTemizle";
119:     this.btnEFaturaKullaniciListesiTemizle.Size = new System.Drawing.Size(155, 28);
120:     this.btnEFaturaKullaniciListesiTemizle.TabIndex = 8;
121:     this.btnEFaturaKullaniciListesiTemizle.Text = "Listeyi Temizle";
122:     this.btnEFaturaKullaniciListesiTemizle.UseVisualStyleBackColor = true;
123:     this.btnEFaturaKullaniciListesiTemizle.Click += new
System.EventHandler(this.btnEFaturaKullaniciListesiTemizle_Click);
124:     //
125: // btnEFaturaKullaniciListeAktar
126: //
127:     this.btnEFaturaKullaniciListeAktar.Location = new System.Drawing.Point(183, 122);
128:     this.btnEFaturaKullaniciListeAktar.Margin = new System.Windows.Forms.Padding(4);

```

```

129:     this.btnEFaturaKullaniciListeAktar.Name = "btnEFaturaKullaniciListeAktar";
130:     this.btnEFaturaKullaniciListeAktar.Size = new System.Drawing.Size(220, 28);
131:     this.btnEFaturaKullaniciListeAktar.TabIndex = 7;
132:     this.btnEFaturaKullaniciListeAktar.Text = "Listeyi Disariya Aktar";
133:     this.btnEFaturaKullaniciListeAktar.UseVisualStyleBackColor = true;
134:     this.btnEFaturaKullaniciListeAktar.Click += new
System.EventHandler(this.btnEFaturaKullaniciListeAktar_Click);
135:     //
136:     // lblMukellefListesi
137:     //
138:     this.lblMukellefListesi.Font = new System.Drawing.Font("Microsoft Sans Serif",
8.25F, System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, ((byte)(162)));
139:     this.lblMukellefListesi.ForeColor = System.Drawing.Color.Red;
140:     this.lblMukellefListesi.Location = new System.Drawing.Point(8, 75);
141:     this.lblMukellefListesi.Margin = new System.Windows.Forms.Padding(4, 0, 4, 0);
142:     this.lblMukellefListesi.Name = "lblMukellefListesi";
143:     this.lblMukellefListesi.Size = new System.Drawing.Size(397, 28);
144:     this.lblMukellefListesi.TabIndex = 6;
145:     this.lblMukellefListesi.Text = "Seçilen Tarihten Sonra E-Fatura Mükellefi Olan
Kullanicilar =>";
146:     this.lblMukellefListesi.TextAlign = System.Drawing.ContentAlignment.MiddleCenter;
147:     //
148:     // lbEFaturaKullaniciListesi
149:     //
150:     this.lbEFaturaKullaniciListesi.FormattingEnabled = true;
151:     this.lbEFaturaKullaniciListesi.ItemHeight = 16;
152:     this.lbEFaturaKullaniciListesi.Location = new System.Drawing.Point(425, 34);
153:     this.lbEFaturaKullaniciListesi.Margin = new System.Windows.Forms.Padding(4);
154:     this.lbEFaturaKullaniciListesi.Name = "lbEFaturaKullaniciListesi";
155:     this.lbEFaturaKullaniciListesi.Size = new System.Drawing.Size(432, 116);
156:     this.lbEFaturaKullaniciListesi.TabIndex = 5;
157:     //
158:     // dtpFaturaTarihi
159:     //
160:     this.dtpFaturaTarihi.Location = new System.Drawing.Point(8, 38);
161:     this.dtpFaturaTarihi.Margin = new System.Windows.Forms.Padding(4);
162:     this.dtpFaturaTarihi.Name = "dtpFaturaTarihi";
163:     this.dtpFaturaTarihi.Size = new System.Drawing.Size(153, 22);
164:     this.dtpFaturaTarihi.TabIndex = 4;
165:     //
166:     // btnEFaturaKullaniciListesi
167:     //
168:     this.btnEFaturaKullaniciListesi.Location = new System.Drawing.Point(183, 34);
169:     this.btnEFaturaKullaniciListesi.Margin = new System.Windows.Forms.Padding(4);
170:     this.btnEFaturaKullaniciListesi.Name = "btneFaturaKullaniciListesi";
171:     this.btnEFaturaKullaniciListesi.Size = new System.Drawing.Size(220, 28);
172:     this.btnEFaturaKullaniciListesi.TabIndex = 3;
173:     this.btnEFaturaKullaniciListesi.Text = "E-Fatura Kullanici Listesi";
174:     this.btnEFaturaKullaniciListesi.UseVisualStyleBackColor = true;
175:     this.btnEFaturaKullaniciListesi.Click += new
System.EventHandler(this.btnEFaturaKullaniciListesi_Click);
176:     //
177:     // gbEMustahsil
178:     //
179:     this.gbEMustahsil.Controls.Add(this.btnMakbuzSil);
180:     this.gbEMustahsil.Controls.Add(this.btnXmlOlusturMustahsil);
181:     this.gbEMustahsil.Controls.Add(this.btnServiceGonderMustahsil);
182:     this.gbEMustahsil.Controls.Add(this.btnGIBOnizlemeMustahsil);
183:     this.gbEMustahsil.Location = new System.Drawing.Point(16, 314);
184:     this.gbEMustahsil.Margin = new System.Windows.Forms.Padding(4);
185:     this.gbEMustahsil.Name = "gbEMustahsil";
186:     this.gbEMustahsil.Padding = new System.Windows.Forms.Padding(4);
187:     this.gbEMustahsil.Size = new System.Drawing.Size(868, 96);
188:     this.gbEMustahsil.TabIndex = 5;
189:     this.gbEMustahsil.TabStop = false;
190:     this.gbEMustahsil.Text = "E-Müstahsil";
191:     //
192:     // btnMakbuzSil
193:     //

```

```

194:     this.btnMakbuzSil.Location = new System.Drawing.Point(639, 37);
195:     this.btnMakbuzSil.Margin = new System.Windows.Forms.Padding(4);
196:     this.btnMakbuzSil.Name = "btnMakbuzSil";
197:     this.btnMakbuzSil.Size = new System.Drawing.Size(220, 38);
198:     this.btnMakbuzSil.TabIndex = 3;
199:     this.btnMakbuzSil.Text = "Makbuz Sil";
200:     this.btnMakbuzSil.UseVisualStyleBackColor = true;
201:     this.btnMakbuzSil.Click += new System.EventHandler(this.btnMakbuzSil_Click);
202:     //
203:     // btnXmlOlusturMustahsil
204:     //
205:     this.btnXmlOlusturMustahsil.Location = new System.Drawing.Point(8, 37);
206:     this.btnXmlOlusturMustahsil.Margin = new System.Windows.Forms.Padding(4);
207:     this.btnXmlOlusturMustahsil.Name = "btnXmlOlusturMustahsil";
208:     this.btnXmlOlusturMustahsil.Size = new System.Drawing.Size(155, 38);
209:     this.btnXmlOlusturMustahsil.TabIndex = 0;
210:     this.btnXmlOlusturMustahsil.Text = "XML Olustur";
211:     this.btnXmlOlusturMustahsil.UseVisualStyleBackColor = true;
212:     this.btnXmlOlusturMustahsil.Click += new
System.EventHandler(this.btnXmlOlusturMustahsil_Click);
213:     //
214:     // btnServiseGonderMustahsil
215:     //
216:     this.btnServiseGonderMustahsil.Location = new System.Drawing.Point(411, 37);
217:     this.btnServiseGonderMustahsil.Margin = new System.Windows.Forms.Padding(4);
218:     this.btnServiseGonderMustahsil.Name = "btnServiseGonderMustahsil";
219:     this.btnServiseGonderMustahsil.Size = new System.Drawing.Size(220, 38);
220:     this.btnServiseGonderMustahsil.TabIndex = 2;
221:     this.btnServiseGonderMustahsil.Text = "Servise Gonder";
222:     this.btnServiseGonderMustahsil.UseVisualStyleBackColor = true;
223:     this.btnServiseGonderMustahsil.Click += new
System.EventHandler(this.btnServiseGonderMustahsil_Click);
224:     //
225:     // btnGIBOnizlemeMustahsil
226:     //
227:     this.btnGIBOnizlemeMustahsil.Location = new System.Drawing.Point(171, 37);
228:     this.btnGIBOnizlemeMustahsil.Margin = new System.Windows.Forms.Padding(4);
229:     this.btnGIBOnizlemeMustahsil.Name = "btnGIBOnizlemeMustahsil";
230:     this.btnGIBOnizlemeMustahsil.Size = new System.Drawing.Size(232, 38);
231:     this.btnGIBOnizlemeMustahsil.TabIndex = 1;
232:     this.btnGIBOnizlemeMustahsil.Text = "GIB Makbuz Cikti Onizleme";
233:     this.btnGIBOnizlemeMustahsil.UseVisualStyleBackColor = true;
234:     this.btnGIBOnizlemeMustahsil.Click += new
System.EventHandler(this.btnGIBOnizlemeMustahsil_Click);
235:     //
236:     // frmAnaSayfa
237:     //
238:     this.AutoScaleDimensions = new System.Drawing.SizeF(8F, 16F);
239:     this.AutoScaleMode = System.Windows.Forms.AutoScaleMode.Font;
240:     this.AutoSize = true;
241:     this.AutoScaleMode = System.Windows.Forms.AutoScaleMode.GrowAndShrink;
242:     this.ClientSize = new System.Drawing.Size(900, 425);
243:     this.Controls.Add(this.gbEMustahsil);
244:     this.Controls.Add(this.gbEFatura);
245:     this.Controls.Add(this.gbEFaturaEArsiv);
246:     this.Margin = new System.Windows.Forms.Padding(4);
247:     this.Name = "frmAnaSayfa";
248:     this.StartPosition = System.Windows.Forms.FormStartPosition.CenterScreen;
249:     this.Text = "QNB Finans GIB Servis Uygulamasi";
250:     this.FormClosed += new
System.Windows.Forms.FormClosedEventHandler(this.frmAnaSayfa_FormClosed);
251:     thisShown += new System.EventHandler(this.FormAnaSayfa_Shown);
252:     this.gbEFaturaEArsiv.ResumeLayout(false);
253:     this.gbEFatura.ResumeLayout(false);
254:     this.gbEMustahsil.ResumeLayout(false);
255:     this.ResumeLayout(false);
256:   }

```

1.1.8.1.2.24 frmAnaSayfa.IslemicinKlasorSecildiMi Method

Summary

Klasör Seçimi Yapılması ve klasör seçilirse Bu klasör adının alınması için gerekli işlemlerin gerçekleştirildiği metottur.

C#

```
private static bool IslemIcinKlasorSecildiMi(FolderBrowserDialog dialogKlasorSecimi, out string klasorAdi);
```

Parameters

Parameters	Description
FolderBrowserDialog dialogKlasorSecimi	Klasör Seçim Dyalogu
out string klasorAdi	Bos Klasör Adı

Returns

Klasör Seçiminin Yapılıp Yapılmadığı Bilgisi

Body Source

```
1: private static bool IslemIcinKlasorSecildiMi(FolderBrowserDialog dialogKlasorSecimi,
2: out string klasorAdi)
3: {
4:     dialogKlasorSecimi.SelectedPath = Application.StartupPath;
5:     var klasorSecimDiyalodu = dialogKlasorSecimi.ShowDialog();
6:     if (klasorSecimDiyalodu != DialogResult.OK ||
7:         string.IsNullOrWhiteSpace(dialogKlasorSecimi.SelectedPath))
8:     {
9:         klasorAdi = null;
10:    return false;
11: }
12:
13: klasorAdi = dialogKlasorSecimi.SelectedPath;
14: return true;
15: }
```

1.1.8.1.2.25 frmAnaSayfa.IslemSonucuMesajiHazirla Method

Summary

Servise gönderme konusunda sonuca göre bilgi mesajı verilmesini sağlayan metottur

C#

```
private static void IslemSonucuMesajiHazirla(string sonuc, string dosyaAdi);
```

Parameters

Parameters	Description
string sonuc	Islem Sonucu Bilgisi
string dosyaAdi	Dosya Adı Bilgisi

Body Source

```
1: private static void IslemSonucuMesajiHazirla(string sonuc, string dosyaAdi)
2: {
3:     if (sonuc == MesajSabitler.IslamBasarisiz)
4:     {
5:         MessageBox.Show(dosyaAdi + " dosyasinin servise gönderilmesinde bir sorun
yasanmistir.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Error);
6:     }
7:     else
8:     {
9:         MessageBox.Show(dosyaAdi + " dosyasi basariyla GIB servislerine
```

```

11:             MesajSabitler.MesajBasligi,
12:             MessageBoxButtons.OK, MessageBoxIcon.Information);
13:         }
14:     }

```

1.1.8.1.2.26 frmAnaSayfa.IslemYapilacakFaturaBilgisiDuzenle Method

Summary

İsləm yapılmak Giden Fatura ve detay bilgilerinin düzenlenmesi için Gerekli işlemlerin gerçekleştirildiği metottur.

C#

```
private void IslemYapilacakFaturaBilgisiDuzenle(out GidenFaturaDTO gidenFatura, out
List<GidenFaturaDetayDTO> gidenFaturaDetayListesiTemp);
```

Parameters

Parameters	Description
out GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
out List<GidenFaturaDetayDTO> gidenFaturaDetayListesiTemp	Giden Fatura Detay Listesi Bilgisi

Body Source

```

1: private void IslemYapilacakFaturaBilgisiDuzenle(out GidenFaturaDTO gidenFatura,
2:         out List<GidenFaturaDetayDTO> gidenFaturaDetayListesiTemp)
3: {
4:     // Burada form yükleniği zaman hazırlanan giden faturalardan rastgele birinin
5:     // ve ona ait detay kayıtlarının seçilmesi sağlanıyor
6:     var index = new Random().Next(gidenFaturaListesi.Count);
7:     gidenFatura = gidenFaturaListesi[index];
8:     gidenFaturaDetayListesiTemp = new List<GidenFaturaDetayDTO>();
9:     var dto = gidenFatura;
10:    if (gidenFaturaDetayListesi.Any(j => j.AnaNesneId == dto.Id))
11:        gidenFaturaDetayListesiTemp =
12:            gidenFaturaDetayListesi.Where(j => j.AnaNesneId == dto.Id).ToList();
13: }

```

1.1.8.1.2.27 frmAnaSayfa.IslemYapilacakMakbuzBilgisiDuzenle Method

Summary

İsləm yapılmak Müstahsil Makbuzu ve detay bilgilerinin düzenlenmesi için Gerekli işlemlerin gerçekleştirildiği metottur.

C#

```
private void IslemYapilacakMakbuzBilgisiDuzenle(out MustahsilMakbuzuDTO mustahsilMakbuzu,
out List<MustahsilMakbuzuDetayDTO> mustahsilMakbuzuDetayListesiTemp);
```

Parameters

Parameters	Description
out MustahsilMakbuzuDTO mustahsilMakbuzu	Müstahsil Makbuzu Bilgisi
out List<MustahsilMakbuzuDetayDTO> mustahsilMakbuzuDetayListesiTemp	Müstahsil Makbuzu Detay Listesi Bilgisi

Body Source

```

1: private void IslemYapilacakMakbuzBilgisiDuzenle(out MustahsilMakbuzuDTO
mustahsilMakbuzu,
2:         out List<MustahsilMakbuzuDetayDTO> mustahsilMakbuzuDetayListesiTemp)
3: {
4:     // Burada form yükleniği zaman hazırlanan müstahsil makbzularından rastgele birinin
5:     // ve ona ait detay kayıtlarının seçilmesi sağlanıyor
6:     var index = new Random().Next(mustahsilMakbuzuListesi.Count);
7:     mustahsilMakbuzu = mustahsilMakbuzuListesi[index];
8:     mustahsilMakbuzuDetayListesiTemp = new List<MustahsilMakbuzuDetayDTO>();

```

```

9:     var dto = mustahsilMakbuzu;
10:    if (mustahsilMakbuzuDetayListesi.Any(j => j.AnaNesneId == dto.Id))
11:        mustahsilMakbuzuDetayListesiTemp = mustahsilMakbuzuDetayListesi
12:            .Where(j => j.AnaNesneId == dto.Id).ToList();
13: }

```

1.1.8.1.2.28 frmAnaSayfa.listBox_DrawItem Method

Summary

This method is used to measure the length of the item in listbox and make it multi line without using scrollbar and let the user see more efficiently

C#

```
private static void listBox_DrawItem(object sender, DrawItemEventArgs e);
```

Parameters

Parameters	Description
object sender	The sender info (For example Main Form)
DrawItemEventArgs e	Event Arguments

Body Source

```

1: private static void listBox_DrawItem(object sender, DrawItemEventArgs e)
2: {
3:     if (!(sender is ListBox listBox)) return;
4:     e.DrawBackground();
5:     e.DrawFocusRectangle();
6:     if (listBox.Items.Count > 0)
7:         e.Graphics.DrawString(listBox.Items[e.Index].ToString(), e.Font, new
SolidBrush(e.ForeColor), e.Bounds);
8: }

```

1.1.8.1.2.29 frmAnaSayfa.listBox_MeasureItem Method

Summary

This method is used to measure the length of the item in listbox and make it multi line without using scrollbar and let the user see more efficiently

C#

```
private static void listBox_MeasureItem(object sender, MeasureItemEventArgs e);
```

Parameters

Parameters	Description
object sender	The sender info (For example Main Form)
MeasureItemEventArgs e	Event Arguments

Body Source

```

1: private static void listBox_MeasureItem(object sender, MeasureItemEventArgs e)
2: {
3:     if (!(sender is ListBox listBox)) return;
4:     if (listBox.Items.Count > 0)
5:         e.ItemHeight = (int) e.Graphics.MeasureString(listBox.Items[e.Index].ToString(),
listBox.Font, listBox.Width).Height;
6: }

```

1.1.8.1.2.30 frmAnaSayfa.MustahsilMakbuzuDosyaOnizlemeYap Method

Summary

Önizleme için servise gönderme işlemi gerçeklestikten sonra Servisten gelen byte dizisinin durumuna göre Makbuzun servis önizlemesinin yapılip yapılmaması ile ilgili işlemlerin Gerçekleştirildiği metottur

C#

```
private static void MustahsilMakbuzuDosyaOnizlemeYap(byte[] dosya, string dosyaAdi);
```

Parameters

Parameters	Description
byte[] dosya	Servisten Dönen Byte Dizisi
string dosyaAdi	Hedef Dosya Adı

Body Source

```
1: private static void MustahsilMakbuzuDosyaOnizlemeYap(byte[] dosya, string dosyaAdi)
2: {
3:     if (dosya != null && dosya.Length > 1)
4:     {
5:         var dosyaAdiTempt = dosyaAdi.Replace("xml", "pdf");
6:
7:         File.WriteAllBytes(dosyaAdiTempt, dosya);
8:
9:         MessageBox.Show(dosyaAdiTempt + " adresinde gerekli PDF veya ZIP dosyasi
olusturulmustur.", 
10:             MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
11:
12:         if (File.Exists(dosyaAdiTempt))
13:             System.Diagnostics.Process.Start(dosyaAdiTempt);
14:     }
15:     else
16:     {
17:         MessageBox.Show("Söz konusu faturanın önizlemesi oluşturulamamıştır",
MesajSabitler.MesajBasligi,
18:             MessageBoxButtons.OK, MessageBoxIcon.Error);
19:     }
20: }
```

1.1.8.1.2.31 frmAnaSayfa.ZipDosyasindanPdfCikar Method**Summary**

E-Fatura Sisteminden Onaylı Fatura Çıktısı PDF yerine ZIP Formatında Geldiği için bu ZIP formatındaki byte array üzerinden İçindeki PDF dosyasının alınıp yazdırılması için Gerekli metottur

C#

```
private static byte[] ZipDosyasindanPdfCikar(byte[] dosya);
```

Parameters

Parameters	Description
byte[] dosya	ZIP Byte Array

Returns

PDF Byte Array

Body Source

```
1: private static byte[] ZipDosyasindanPdfCikar(byte[] dosya)
2: {
3:     var streamZip = new MemoryStream(dosya);
4:     using (var zip = new ZipArchive(streamZip, ZipArchiveMode.Update))
5:     {
6:         foreach (var entry in zip.Entries)
7:         {
8:             var streamTemp = entry.Open();
9:             byte[] bytes;
10:            using (var ms = new MemoryStream())
11:            {
```

```

12:                     streamTemp.CopyTo(ms);
13:                     bytes = ms.ToArray();
14:                 }
15:
16:                 dosya = bytes;
17:             }
18:         }
19:
20:         return dosya;
21:     }

```

1.1.8.2 Program Class

Class Hierarchy

[QNBFinansGIB.Program](#)

C#

`internal static class Program;`

File

[Program.cs](#) ( see page 844)

Description

This is class QNBFinansGIB.Program.

Program Methods

	Name	Description
 	Main ( see page 789)	The main entry point for the application.

1.1.8.2.1 Program Methods

1.1.8.2.1.1 Program.Main Method

Summary

The main entry point for the application.

C#

```
[STAThread]
private static void Main();
```

Body Source

```

1: [STAThread]
2: private static void Main()
3: {
4:     Application.EnableVisualStyles();
5:     Application.SetCompatibleTextRenderingDefault(false);
6:     Application.Run(new frmAnaSayfa());
7: }
```

1.2 Files

Summary

The following table lists files in this documentation.

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Files

Name	Description
AssemblyInfo.cs (see page 790)	This is file AssemblyInfo.cs.
BoslukKaldır.cs (see page 791)	This is file BoslukKaldır.cs.
DisServisler.cs (see page 792)	This is file DisServisler.cs.
Enums.cs (see page 806)	This is file Enums.cs.
FaturaKdvDTO.cs (see page 807)	This is file FaturaKdvDTO.cs.
FormAnaSayfa.cs (see page 808)	This is file FormAnaSayfa.cs.
FormAnaSayfa.Designer.cs (see page 830)	This is file FormAnaSayfa.Designer.cs.
GeriDonus.cs (see page 835)	This is file GeriDonus.cs.
GibNumarasi.cs (see page 836)	This is file GibNumarasi.cs.
GidenFaturaDetayDTO.cs (see page 837)	This is file GidenFaturaDetayDTO.cs.
GidenFaturaDTO.cs (see page 838)	This is file GidenFaturaDTO.cs.
MesajSabitler.cs (see page 840)	This is file MesajSabitler.cs.
MustahsilMakbuzuDetayDTO.cs (see page 841)	This is file MustahsilMakbuzuDetayDTO.cs.
MustahsilMakbuzuDTO.cs (see page 841)	This is file MustahsilMakbuzuDTO.cs.
OrtakDetayVerilerDTO.cs (see page 842)	This is file OrtakDetayVerilerDTO.cs.
OrtakVerilerDTO.cs (see page 843)	This is file OrtakVerilerDTO.cs.
Program.cs (see page 844)	This is file Program.cs.
QNBFinansGIB.csproj (see page 845)	This is file QNBFinansGIB.csproj.
QNBFinansGIB.sln (see page 845)	This is file QNBFinansGIB.sln.
Reference.cs (see page 845)	This code was generated by a tool. Runtime Version:4.0.30319.42000 Changes to this file may cause incorrect behavior and will be lost if the code is regenerated.
Resources.Designer.cs (see page 848)	This code was generated by a tool. Runtime Version:4.0.30319.42000 Changes to this file may cause incorrect behavior and will be lost if the code is regenerated.
Sabitler.cs (see page 850)	This is file Sabitler.cs.
Settings.Designer.cs (see page 850)	This code was generated by a tool. Runtime Version:4.0.30319.42000 Changes to this file may cause incorrect behavior and will be lost if the code is regenerated.
XMLIslemleri.cs (see page 852)	This is file XMLIslemleri.cs.

1.2.1 AssemblyInfo.cs

This is file AssemblyInfo.cs.

Body Source

```

1: ?using System.Reflection;
2: using System.Runtime.InteropServices;
3:
4: // General Information about an assembly is controlled through the following
5: // set of attributes. Change these attribute values to modify the information
6: // associated with an assembly.
7: [assembly: AssemblyTitle("QNBFinansGIB")]
8: [assembly: AssemblyDescription("")]
9: [assembly: AssemblyConfiguration("")]
10: [assembly: AssemblyCompany("")]
11: [assembly: AssemblyProduct("QNBFinansGIB")]

```

```

12: [assembly: AssemblyCopyright("Copyright © 2022")]
13: [assembly: AssemblyTrademark("")]
14: [assembly: AssemblyCulture("")]
15:
16: // Setting ComVisible to false makes the types in this assembly not visible
17: // to COM components. If you need to access a type in this assembly from
18: // COM, set the ComVisible attribute to true on that type.
19: [assembly: ComVisible(false)]
20:
21: // The following GUID is for the ID of the typelib if this project is exposed to COM
22: [assembly: Guid("044ecf1f-ala7-459d-bed5-89780129b388")]
23:
24: // Version information for an assembly consists of the following four values:
25: //
26: // Major Version
27: // Minor Version
28: // Build Number
29: // Revision
30: //
31: // You can specify all the values or you can default the Build and Revision Numbers
32: // by using the '*' as shown below:
33: // [assembly: AssemblyVersion("1.0.*")]
34: [assembly: AssemblyVersion("1.0.0.0")]
35: [assembly: AssemblyFileVersion("1.0.0.0")]

```

1.2.2 BoslukKaldır.cs

This is file BoslukKaldır.cs.

Body Source

```

1: ?using System.Linq;
2:
3: namespace QNBFinansGIB.Utils
4: {
5:     /// <summary>
6:     /// Girdi olarak verilen bir nesnenin
7:     /// İçerisindeki String türündeki elemanları kontrol ederek
8:     /// Bu string değerlerdeki boslukları kaldırma yarayan bir sınıfdır
9:     /// </summary>
10:    public static class BoslukKaldır
11:    {
12:        /// <summary>
13:        /// Generic olarak herhangi bir sınıf vb. kontrol edildiğinde
14:        /// İçerisindeki string değerlerin bosluklarının kaldırılması için
15:        /// Hazırlanmış metottur.
16:        /// </summary>
17:        /// <typeparam name="TSelf">Girdinin ait olduğu tür, sınıf vb.</typeparam>
18:        /// <param name="input">Girdi Değeri</param>
19:        /// <returns>Girdinin bosluksuz halleri</returns>
20:        public static TSelf BosluklarıKaldır<TSelf>(this TSelf input)
21:        {
22:            if (input == null)
23:                return default;
24:
25:            var stringProperties = typeof(TSelf).GetProperties()
26:                .Where(p => p.PropertyType == typeof(string));
27:
28:            foreach (var stringProperty in stringProperties)
29:            {
30:                var currentValue = (string)stringProperty.GetValue(input, null);
31:                if (currentValue != null)
32:                    stringProperty.SetValue(input,
currentValue.Trim().TrimEnd().TrimStart(), null);
33:            }
34:            return input;

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

35:         }
36:     }
37: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.3 DisServisler.cs

This is file DisServisler.cs.

Body Source

```

1: ?using QNBFinansGIB.DTO;
2: using System;
3: using System.Collections.Generic;
4: using System.IO;
5: using System.Linq;
6: using System.Security.Cryptography;
7: using System.Text;
8: using QNBFinansGIB.GIBEArsiv;
9: using QNBFinansGIB.GIBEFatura;
10: using belge = QNBFinansGIB.GIBEArsiv.belge;
11: using eFaturaKullanici = QNBFinansGIB.GIBEFatura.eFaturaKullanici;
12:
13: namespace QNBFinansGIB.Utils
14: {
15:     /// <summary>
16:     /// QNB Finans Firmasi tarafindan saglanan GIB Web Servis referanslarinin
tuketildigi
17:     /// Ve servise talep gönderilip sonuçlarının temin edildiği sınıftır.
18:     /// </summary>
19:     public static class DisServisler
20:     {
21:         #region QNB GIB
22:
23:         /// <summary>
24:         /// Servis Kullanici Adı Bilgisi
25:         /// </summary>
26:         private const string GIBKullaniciAdi = "turkseker.ws";
27:
28:         /// <summary>
29:         /// Servis Sifre Bilgisi
30:         /// </summary>
31:         private const string GIBSifre = "1234qqqQ";
32:
33:         /// <summary>
34:         /// Servise Gönderilecek Vergi No Bilgisi
35:         /// </summary>
36:         private const string GIVKN = "3250566851";
37:
38:         /// <summary>
39:         /// Servis İçin Tanımlanmış ERP Kodu Bilgisi
40:         /// </summary>
41:         private const string GIBERP_Kodu = "TSF30125";
42:
43:         /// <summary>
44:         /// GIB Login Servis istemcisi
45:         /// </summary>
46:         private static GIBUserService.userService _gibUserService = new
GIBUserService.userService();
47:
48:         /// <summary>
        /// GIB E-Fatura Servis istemcisi
    }
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
49:         /// </summary>
50:         private static connectorService _gibEFaturaService = new connectorService();
51:         /// <summary>
52:         /// GIB E-Arsiv Servis istemcisi
53:         /// </summary>
54:         private static EarsivWebService _gibEArsivService = new EarsivWebService();
55:         /// <summary>
56:         /// GIB E-Arsiv Servis istemcisi
57:         /// </summary>
58:         private static GIBEMustahsil.MustahsilWebService _gibEMustahsilService = new
GIBEMustahsil.MustahsilWebService();
59:
60:         #region E-Fatura Metotlari
61:
62:         /// <summary>
63:         /// Vergi Kimlik Numarasi Gonderilen Tuzel Kisinin E Fatura Kullanicisi Olup
Olmadigini Kontrol Eden
64:         /// Bir Metottur
65:         /// </summary>
66:         /// <param name="vergiNo">Tuzel Kisi Vergi Kimlik Numarasi</param>
67:         /// <returns>Kullanici Olup Olmadigi Bilgisi</returns>
68:         public static bool EFaturaKullanicisiMi(string vergiNo)
69:
70:             try
71:             {
72:                 EFaturaServisineBaglan();
73:
74:                 var kullaniciMi = _gibEFaturaService.efaturaKullanicisi(vergiNo);
75:
76:                 return kullaniciMi;
77:             }
78:             catch (Exception ex)
79:             {
80:                 return false;
81:             }
82:             finally
83:             {
84:                 _gibUserService.logout();
85:             }
86:         }
87:
88:         /// <summary>
89:         /// Girilen tarichten sonraki E-Fatura Mükellef Listesini getiren metottur
90:         /// Bir Metottur
91:         /// </summary>
92:         /// <param name="islemTarihi">Islem Tarihi Bilgisi</param>
93:         /// <returns>E-Fatura Kullanici Listesi</returns>
94:         public static List<string> EFaturaKullaniciListesi(DateTime islemTarihi)
95:
96:             try
97:             {
98:                 EFaturaServisineBaglan();
99:
100:                var vergiKimlikNoListesi = new List<string>();
101:
102:                var islemTarihiString = islemTarihi.Date.ToString("yyyyMMdd") +
islemTarihi.ToString("HHmmss");
103:                var list =
_gibEFaturaService.eFaturaKayitliKullaniciListele(islemTarihiString);
104:                foreach (var item in list)
105:                {
106:                    var sb = new StringBuilder();
107:                    TarihBilgisiDuzenle(item, sb);
108:                    if (sb.ToString().Length <= 0) continue;
109:                    var eklenecekKayit = item.vergiTcKimlikNo + " - " + item.unvan + "
- Kayit Zamani: " + sb;
110:                    if (vergiKimlikNoListesi.All(j => j != eklenecekKayit))
111:                        vergiKimlikNoListesi.Add(eklenecekKayit);
112:                }
113:            }
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```
113:             return vergiKimlikNoListesi;
114:         }
115:     }
116:     catch (Exception ex)
117:     {
118:         return new List<string>();
119:     }
120:     finally
121:     {
122:         _gibUserService.logout();
123:     }
124: }
125:
126: /// <summary>
127: /// Servisten gelen bilgideki tarih bilgisi sirali olmadigi icin
128: /// Buna gore tarih bilgisinin olmasi gereken hale getirilmesi icin
129: /// Hazirlanmis bir metottur.
130: /// </summary>
131: /// <param name="item">Servistne donen kullanici bilgisi</param>
132: /// <param name="sb">String Builder Bilgisi</param>
133: private static void TarihBilgisiDuzenle(eFaturaKullanici item, StringBuilder
sb)
134: {
135:     if (string.IsNullOrEmpty(item.kayitZamani)) return;
136:     sb.Append(item.kayitZamani.Substring(6, 2));
137:     sb.Append("-");
138:     sb.Append(item.kayitZamani.Substring(4, 2));
139:     sb.Append("-");
140:     sb.Append(item.kayitZamani.Substring(0, 4));
141:     sb.Append(" ");
142:     sb.Append(item.kayitZamani.Substring(8, 2));
143:     sb.Append(":");
144:     sb.Append(item.kayitZamani.Substring(10, 2));
145:     sb.Append(":");
146:     sb.Append(item.kayitZamani.Substring(12, 2));
147: }
148:
149: /// <summary>
150: /// Ilgili faturanin QNB Finans servislerine gönderilip gönderilmediği
151: /// Gönderildi ise durumuna bakarak
152: /// Bu kaydin silinebilir olup olmadigini belirleye bir metottur.
153: /// </summary>
154: /// <param name="gidenFaturaId">Giden Fatura Id Bilgisi</param>
155: /// <returns>Kaydin Silinmeye Uygun Olup Olmadigi Bilgisi</returns>
156: public static bool EFaturaSilmeyeUygunMu(string gidenFaturaId)
157: {
158:     try
159:     {
160:         var uygunMu = true;
161:
162:         EFaturaServisineBaglan();
163:
164:         var parametreler = new gidenBelgeParametreleri
165:         {
166:             vergiTcKimlikNo = "3250566851",
167:             belgeTuru = "FATURA_UBL",
168:             belgeNo = gidenFaturaId,
169:             erpKodu = GIBERP_Kodu
170:         };
171:         var belgeDurumEsas =
172:             _gibEFaturaService.gidenBelgeDurumSorgulaYerelBelgeNo(parametreler.vergiTcKimlikNo,
173:             parametreler.belgeNo);
174:         if (belgeDurumEsas.durum == 1 || belgeDurumEsas.durum == 3)
175:             uygunMu = false;
176:
177:     }
178:     catch (Exception ex)
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```

179:             return true;
180:         }
181:     finally
182:     {
183:         _gibUserService.logout();
184:     }
185: }
186:
187:     /// <summary>
188:     /// Gonderilen Id bilgisine sahip Faturanin Belge Oid Bilgisinin QNB Finans
Tarafina gönderilmesini saglayan metottur
189:     /// </summary>
190:     /// <param name="gidenFaturaId">Giden Fatura Id Bilgisi</param>
191:     /// <param name="baslangicTarihi">Baslangic Tarihi bilgisi</param>
192:     /// <param name="bitisTarihi">Bitis Tarihi Bilgisi</param>
193:     /// <returns>Islem Sonucu (Buradan dönen deger gerekli yerlerde kontrol edilip
ona göre kullaniciya bilgi verilmektedir.)</returns>
194:     public static string BelgeOidKontrol(string gidenFaturaId, DateTime?
baslangicTarihi, DateTime? bitisTarihi)
195:     {
196:         try
197:         {
198:             EFaturaServisineBaglan();
199:
200:             var parametreler = new gidenBelgeleriListeleParametreleri
201:             {
202:                 vkn = "3250566851",
203:                 belgeTuru = "FATURA_UBL",
204:                 baslangicGonderimTarihi = baslangicTarihi?.ToString("yyyyMMdd"),
205:                 bitisGonderimTarihi = bitisTarihi?.ToString("yyyyMMdd")
206:             };
207:             const string sonucMesaji = "Islem Basarili";
208:             var liste = _gibEFaturaService.gidenBelgeleriListele(parametreler);
209:             foreach (var item in liste)
210:             {
211:                 if (item is gidenBelgeleriListeleData nesne && nesne.yerelBelgeNo
== gidenFaturaId)
212:                     return nesne.belgeOid;
213:             }
214:
215:             return sonucMesaji;
216:         }
217:         catch (Exception ex)
218:         {
219:             return MesajSabitler.IslemBasarisiz;
220:         }
221:     finally
222:     {
223:         _gibUserService.logout();
224:     }
225: }
226:
227:     /// <summary>
228:     /// Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan
metottur
229:     /// </summary>
230:     /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
231:     /// <param name="dosyaAdi">Dosya Adi Bilgisi</param>
232:     /// <param name="belgeOid">Belge Oid Bilgisi</param>
233:     /// <returns>Islem Sonucu (Buradan dönen deger gerekli yerlerde kontrol edilip
ona göre kullaniciya bilgi verilmektedir.)</returns>
234:     public static string EFaturaGonder(GidenFaturaDTO gidenFatura, string
dosyaAdi, string belgeOid)
235:     {
236:         try
237:         {
238:             EFaturaServisineBaglan();
239:
240:             var parametreler = new gidenBelgeParametreleri

```

```

241:         {
242:             vergiTcKimlikNo = "3250566851",
243:             belgeTuru = "FATURA_UBL",
244:             belgeNo = gidenFatura.Id,
245:             belgeVersiyon = "1.0",
246:             veri = File.ReadAllBytes(dosyaAdi)
247:         };
248:         parametreler.belgeHash = GetMD5Hash(parametreler.veri);
249:         parametreler.mimeType = "application/xml";
250:         parametreler.erpKodu = GIBERP_Kodu;
251:
252:         string sonucMesaji;
253:         try
254:         {
255:             var belgeDurumEsas =
256: _gibEFaturaService.gidenBelgeDurumSorgulaYerelBelgeNo(parametreler.vergiTcKimlikNo,
257: parametreler.belgeNo);
258:             if (belgeDurumEsas.durum != 1 && belgeDurumEsas.durum != 3)
259:             {
260:                 BelgeOidDurumunaGoreEvrapGonder(belgeOid, parametreler, out
261: sonucMesaji);
262:             #region Belge Durumu Kontrolü
263:             if (sonucMesaji.Length > 20) return sonucMesaji;
264:             var durum = ServistenBelgeDurumuGetir(parametreler, out var
265: belgeDurum);
266:             switch (durum)
267:             {
268:                 case 2:
269:                     sonucMesaji = MesajSabitler.IslamBasarisiz;
270:                     break;
271:                 case 3:
272:                     {
273:                         var gonderimDurumu = belgeDurum.gonderimDurumu;
274:                         switch (gonderimDurumu)
275:                         {
276:                             case 2:
277:                                 return sonucMesaji;
278:                             case 4:
279:                                 return sonucMesaji;
280:                             case 3:
281:                                 GibYanitKodunaGoreSonucGetir(belgeDurum,
282: sonucMesaji, out var eFaturaGonder);
283:                             return eFaturaGonder;
284:                         }
285:                         break;
286:                     }
287:                 }
288:             #endregion
289:         }
290:         else if (belgeDurumEsas.durum == 3)
291:         {
292:             if (!string.IsNullOrEmpty(belgeOid))
293:                 return belgeOid;
294:             else
295:                 sonucMesaji = MesajSabitler.IslamBasarili;
296:             }
297:             else
298:             {
299:                 sonucMesaji = MesajSabitler.IslamBasarisiz;
300:             }
301:
302:             return sonucMesaji;
303:         }
304:     catch (Exception)

```

```

305:             {
306:                 BelgeOidDurumunaGoreEvrapGonder(belgeOid, parametreler, out
sonucMesaji);
307:
308:                 #region Belge Durumu Kontrolü
309:
310:                 if (sonucMesaji.Length > 20) return sonucMesaji;
311:                 var durum = ServistenBelgeDurumuGetir(parametreler, out var
belgeDurum);
312:
313:                 switch (durum)
314:                 {
315:                     case 2:
316:                         sonucMesaji = MesajSabitler.IslemBasarisiz;
317:                         break;
318:                     case 3:
319:                         {
320:                             var gonderimDurumu = belgeDurum.gonderimDurumu;
321:                             switch (gonderimDurumu)
322:                             {
323:                                 case 2:
324:                                     return sonucMesaji;
325:                                 case 4:
326:                                     return sonucMesaji;
327:                                 case 3:
328:                                     {
329:                                         GibYanitKodunaGoreSonucGetir(belgeDurum,
sonucMesaji, out var eFaturaGonder);
330:                                         return eFaturaGonder;
331:                                     }
332:
333:                                     break;
334:                                 }
335:                             }
336:                         #endregion
337:
338:                         return sonucMesaji;
339:                     }
340:                 }
341:                 catch (Exception ex)
342:                 {
343:                     return MesajSabitler.IslemBasarisiz;
344:                 }
345:                 finally
346:                 {
347:                     _gibUserService.logout();
348:                 }
349:             }
350:
351:             /// <summary>
352:             /// Belge Oid numarasina göre servisten gerekli kontrollerin yapildigi
353:             /// Ve sonucun gösterildiği metottur.
354:             /// </summary>
355:             /// <param name="belgeOid">Belge Oid Numarasi</param>
356:             /// <param name="parametreler">Servis Parametreleri</param>
357:             /// <param name="sonucMesaji">Sonuç Mesajı</param>
358:             private static void BelgeOidDurumunaGoreEvrapGonder(string belgeOid,
gidenBelgeParametreleri parametrelere, out string sonucMesaji)
359:             {
360:                 #region Belge Oid Durumuna Göre Evrap Gönderme
361:
362:                 if (!string.IsNullOrEmpty(belgeOid))
363:                 {
364:                     if (belgeOid != "Tekrar Gönder")
365:                         sonucMesaji = _gibEFaturaService.belgeGonderExt(parametrelere);
366:
367:                     {
368:                         var yenidenGonderDurum = false;
369:                         //var ettnDizi = new string[1];

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

370:             //ettnDizi[0] = parametreler.belgeNo;
371:             //while (yenidenGonderDurum == false)
372:             //{
373:                 //    yenidenGonderDurum =
_gibEFaturaService.belgeleriTekrarGonder(parametreler.vergiTcKimlikNo, ettnDizi,
parametreler.belgeTuru, parametreler.alanEtiket, parametreler.gonderenEtiket);
374:             //}
375:             var belgeOidDizi = new string[1];
376:             belgeOidDizi[0] = belgeOid;
377:             while (yenidenGonderDurum == false)
378:             {
379:                 yenidenGonderDurum =
_gibEFaturaService.belgeleriTekrarGonderBelgeOid(parametreler.vergiTcKimlikNo,
belgeOidDizi, parametreler.belgeTuru, parametreler.alanEtiket, parametreler.gonderenEtiket);
380:             }
381:             sonucMesaji = belgeOid;
382:         }
383:     }
384:     else
385:         sonucMesaji = _gibEFaturaService.belgeGonderExt(parametreler);
386:     #endregion
387: }
388:
389: }
390:
391: /// <summary>
392: /// Servisten belgenin gönderilme durumunun getirilmesi için
393: /// Hazırlanmış olan metottur.
394: /// </summary>
395: /// <param name="parametreler">Servis Parametreleri</param>
396: /// <param name="belgeDurum">Belge Durum Bilgisi</param>
397: /// <returns>Durum Kodu</returns>
398: private static int ServistenBelgeDurumuGetir(gidenBelgeParametreleri
parametreler, out gidenBelgeDurum belgeDurum)
399: {
400:     // önemli not: buradaki metotta Belge Oid'ye göre kontrol yapılıyor
401:     //var belgeDurum =
_gibEFaturaService.gidenBelgeDurumSorgula(parametreler.vergiTcKimlikNo, sonucMesaji);
402:     //var durum = belgeDurum.durum;
403:     //while (durum == 1)
404:     //{
405:         //    belgeDurum =
_gibEFaturaService.gidenBelgeDurumSorgula(parametreler.vergiTcKimlikNo, sonucMesaji);
406:         //    durum = belgeDurum.durum;
407:     //}
408:     belgeDurum =
_gibEFaturaService.gidenBelgeDurumSorgulaYerelBelgeNo(parametreler.vergiTcKimlikNo,
parametreler.belgeNo);
409:     var durum = belgeDurum.durum;
410:     while (durum == 1)
411:     {
412:         belgeDurum =
_gibEFaturaService.gidenBelgeDurumSorgulaYerelBelgeNo(parametreler.vergiTcKimlikNo,
parametreler.belgeNo);
413:         durum = belgeDurum.durum;
414:     }
415:
416:     return durum;
417: }
418:
419: /// <summary>
420: /// GIB'den gele yanıt koduna göre
421: /// Sonuç oluştururan ve gösteren metottur.
422: /// </summary>
423: /// <param name="belgeDurum">Belge Durum Bilgisi</param>
424: /// <param name="sonucMesaji">Sonuç Mesajı Bilgisi</param>
425: /// <param name="eFaturaGonder">Servisten gelecek sonuç bilgisi</param>
426: private static void GibYanitKodunaGoreSonucGetir(gidenBelgeDurum belgeDurum,
string sonucMesaji, out string eFaturaGonder)

```



```
490:             var idListesi = new string[1];
491:             idListesi[0] = gidenFatura.BelgeOid;
492:             onizleme = _gibEFaturaService.gidenBelgeleriIndir(vergiTcKimlikNo,
493:             idListesi, belgeTuru, belgeFormati);
494:             geriDonus.Dosya = onizleme;
495:             geriDonus.Tip = 1;
496:         }
497:     }
498:     onizleme = _gibEFaturaService.ulnOnizleme(vergiTcKimlikNo, veri,
belgeFormati, belgeTuru);
499:     geriDonus.Dosya = onizleme;
500:     geriDonus.Tip = 0;
501: }
502:
503: return geriDonus;
504: }
505: catch (Exception ex)
506: {
507:     return null;
508: }
509: finally
510: {
511:     _gibUserService.logout();
512: }
513: }
514:
515: /// <summary>
516: /// E-Fatura Servisine Baglanmak Icin
517: /// Gerekli olan islemlerin geciklestirildigi metottur
518: /// </summary>
519: private static void EFaturaServisineBaglan()
520: {
521:     _gibUserService = new GIBUserService.userService();
522:     _gibeFaturaService = new connectorService();
523:
524:     _gibUserService.CookieContainer = new System.Net.CookieContainer();
525:     _gibeFaturaService.CookieContainer = _gibUserService.CookieContainer;
526:
527:     _gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, GIBVKN);
528: }
529:
530: /// <summary>
531: /// Dosyanin MD5 hashi alinmasi icin yazilan metottur
532: /// </summary>
533: /// <param name="gelen">Girdi Bilgisi</param>
534: /// <returns>Metnin veya girdinin MD5 hashlenmis hali</returns>
535: private static string GetMD5Hash(byte[] gelen)
536: {
537:     var md5Hash = new MD5CryptoServiceProvider();
538:     var data = md5Hash.ComputeHash(gelen);
539:     var sBuilder = new StringBuilder();
540:
541:     foreach (var t in data)
542:     {
543:         sBuilder.Append(t.ToString("x2"));
544:     }
545:
546:     return sBuilder.ToString();
547: }
548:
549: #endregion
550:
551: #region E-Arsiv Metotlari
552:
553: /// <summary>
554: /// Ilgili faturanin QNB Finans servislerine gönderilip gönderilmmediği
555: /// Gönderildi ise durumuna bakarak
556: /// Bu kaydin silinebilir olup olmadigini belirleye bir metottur.
```

```

557:         /// </summary>
558:         /// <param name="gidenFaturaId">Giden Fatura Id Bilgisi</param>
559:         /// <returns></returns>
560:         public static bool EArsivSilmeyeUygunMu(string gidenFaturaId)
561:     {
562:         try
563:         {
564:             var uygunMu = true;
565:
566:             EArsivServisineBaglan();
567:
568:             var inputKontrol = "{\"faturaUuid\":\"" + gidenFaturaId +
569: "\", \"vkn\": \"3250566851\", \"sube\": \"DFLT\", \"kasa\": \"DFLT\", \"erpKodu\": \"TSF30125\", \"do
nenBelgeFormati\": \"9\"}";
570:
571:             // var fatura = new belge
572:             // {
573:             //     belgeFormati = belgeFormatiEnum.UBL,
574:             //     belgeFormatiSpecified = true
575:             // };
576:             _gibEArsivService.faturaSorgula(inputKontrol, out var serviceResult);
577:             if (serviceResult.resultCode == MesajSabitler.ServisIslemiBasariKodu)
578:                 uygunMu = false;
579:
580:             return uygunMu;
581:         }
582:         catch (Exception ex)
583:         {
584:             return true;
585:         }
586:         finally
587:         {
588:             _gibUserService.logout();
589:         }
590:
591:         /// <summary>
592:         /// Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan
metottur
593:         /// </summary>
594:         /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
595:         /// <param name="dosyaAdi">Dosya Adi bilgisi</param>
596:         /// <returns></returns>
597:         public static string EArsivGonder(GidenFaturaDTO gidenFatura, string dosyaAdi)
598:     {
599:         try
600:         {
601:             EArsivServisineBaglan();
602:
603:             var input = "{\"islemId\": \"\" + gidenFatura.Id +
604: "\", \"vkn\": \"3250566851\", \"sube\": \"DFLT\", \"kasa\": \"DFLT\", \"erpKodu\": \"TSF30125\", \"do
nenBelgeFormati\": \"9\"}";
605:             //string inputKontrol =
606:             //{
607:             //    "vkn": "3250566851",
608:             //    "donenBelgeFormati": "9",
609:             //    "faturaUuid": "" + gidenFatura.Id +
610:             //};
611:             var inputKontrol = "{\"faturaUuid\": \"\" + gidenFatura.Id +
612: "\", \"vkn\": \"3250566851\", \"sube\": \"DFLT\", \"kasa\": \"DFLT\", \"erpKodu\": \"TSF30125\", \"do
nenBelgeFormati\": \"9\"}";
613:
614:             var temp = EArsivFaturaSorgula(dosyaAdi, inputKontrol, out var
belgeTemp, out var serviceResult);
615:
616:             if (serviceResult.resultCode != MesajSabitler.ServisIslemiBasariKodu)
617:                 _gibeArsivService.faturaOlustur(input, belgeTemp, out
serviceResult);
618:
619:             else
620:                 return MesajSabitler.IslemBasarili;
621:
622:             return serviceResult.resultCode !=

```

```

MesajSabitler.ServisIslemiBasariKodu ? MesajSabitler.IslemBasarisiz :
MesajSabitler.IslemBasarili;
615:
616:         //var belge = _gibEArsivService.faturaOlustur(input, belgeTemp, out
serviceResult);
617:
618:         //if (serviceResult.resultCode != MesajSabitler.ServisIslemiBasariKodu)
619:         //    return MesajSabitler.IslemBasarisiz;
620:         //else
621:         //    return MesajSabitler.IslemBasarili;
622:     }
623:     catch (Exception ex)
624:     {
625:         return MesajSabitler.IslemBasarisiz;
626:     }
627:     finally
628:     {
629:         _gibUserService.logout();
630:     }
631: }
632:
633: /// <summary>
634: /// Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan
metottur
635: /// Burada da E-Faturada oldugu gibi önce Fatura Id bilgisi ile gönderip
636: /// Bir sonuç gelmezse hazırlanan XML dosyasi gönderilip çıktı alınmaya
çalismaktadir
637: /// </summary>
638: /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
639: /// <param name="dosyaAdi">Dosya Adı bilgisi</param>
640: /// <returns>PDF olarak çiktisi alınacak dosyanın byte dizisi hali</returns>
641: public static byte[] EArsivOnIzleme(GidenFaturaDTO gidenFatura, string
dosyaAdi)
642: {
643:     try
644:     {
645:         EArsivServisineBaglan();
646:
647:         // Burada VKN ve ERP Kodu önemlidir
648:         var input = "{\"islemId\":\"" + gidenFatura.Id.ToUpper() +
"\" , \"faturaUuid\":\"\" : \"\" " + gidenFatura.Id.ToUpper() +
"\" , \"vkn\":" + "3250566851\" , \"sube\":\"DFLT\" , \"kasa\":\"DFLT\" , \"erpKodu\":\"TSF30125\" , \"do" +
"nenBelgeFormati\":\"3\"}";
// Buradaki 3 PDF
649:
650:         var temp = EArsivFaturaSorgula(dosyaAdi, input, out var belgeTemp, out
_);
651:         if (temp != null)
652:             return temp.belgeIcerigi;
653:         else
654:         {
655:             temp = _gibEArsivService.faturaOnizleme(input, belgeTemp, out _);
656:             return temp?.belgeIcerigi;
657:         }
658:     }
659:     catch (Exception ex)
660:     {
661:         return null;
662:     }
663:     finally
664:     {
665:         _gibUserService.logout();
666:     }
667: }
668:
669: /// <summary>
670: /// E-Arsiv Servisine Baglanmak Için
671: /// Gerekli Islemlerin gerçekleştirildiği metottur.
672: /// </summary>

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

673:     private static void EArsivServisineBaglan()
674:     {
675:         _gibUserService = new GIBUserService.userService();
676:         _gibeArsivService = new EarsivWebService();
677:
678:         _gibUserService.CookieContainer = new System.Net.CookieContainer();
679:         _gibeArsivService.CookieContainer = _gibUserService.CookieContainer;
680:
681:         _gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, GIBVKN);
682:     }
683:
684:     /// <summary>
685:     /// E-Arsiv Fatura servisine belli bir input ve dosya adı ile
686:     /// Talepte bulunarak işlem yapmak için hazırlanan metottur
687:     /// </summary>
688:     /// <param name="dosyaAdi">Dosya Adı Bilgisi</param>
689:     /// <param name="inputKontrol">Input Metin Bilgisi</param>
690:     /// <param name="belgeTemp">Temp Belge Bilgisi</param>
691:     /// <param name="serviceResult">Servis Sonucu Bilgisi</param>
692:     /// <returns></returns>
693:     private static belge EArsivFaturaSorgula(string dosyaAdi, string inputKontrol,
out belge belgeTemp,
694:                                     out earsivServiceResult serviceResult)
695:     {
696:         belgeTemp = new belge
697:         {
698:             belgeFormati = belgeFormatiEnum.UBL,
699:             belgeFormatiSpecified = true,
700:             belgeIcerigi = File.ReadAllBytes(dosyaAdi)
701:         };
702:         serviceResult = new earsivServiceResult();
703:         var temp = _gibeArsivService.faturaSorgula(inputKontrol, out
serviceResult);
704:         return temp;
705:     }
706:
707: #endregion
708:
709: #region E-Müstahsil Metotlari
710:
711:     /// <summary>
712:     /// Ilgili faturanın QNB Finans servislerine gönderilip gönderilmmediği
713:     /// Gönderildi ise durumuna bakarak
714:     /// Bu kaydin silinebilir olup olmadigini belirleye bir metottur.
715:     /// </summary>
716:     /// <param name="mustahsilMakbuzuId">Müstahsil Makbuzu Id Bilgisi</param>
717:     /// <returns>Kaydin Silinmeye Uygun Olup Olmadigi Bilgisi</returns>
718:     public static bool EMustahsilSilmeyeUygunMu(string mustahsilMakbuzuId)
719:     {
720:         try
721:         {
722:             var uygunMu = true;
723:
724:             EMustahsilServisineBaglan();
725:
726:             var inputKontrol = "{\"islemId\":\"" + mustahsilMakbuzuId.ToUpper() +
727:                 "\",\"uuid\":\"" + mustahsilMakbuzuId.ToUpper() +
728:                 "\",\"vkn\":\"" + "3250566851\"," + "\"sube\":\"DFLT\",\"kasa\":\"DFLT\"}";
729:
730:             _gibeMustahsilService.mustahsilMakbuzSorgula(inputKontrol, out var
serviceResult);
731:             if (serviceResult.resultCode == MesajSabitler.ServisIslemiBasariKodu)
732:                 uygunMu = false;
733:
734:             return uygunMu;
735:         }
736:         catch (Exception ex)
737:         {
738:             return true;
739:         }
740:     }

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```
737:         }
738:     }
739:     {
740:         _gibUserService.logout();
741:     }
742: }
743:
744: /// <summary>
745: /// Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan
metottur
746: /// </summary>
747: /// <param name="mustahsilMakbuzu">Müstahsil Makbuzu Bilgisi</param>
748: /// <param name="dosyaAdi">Dosya Adi bilgisi</param>
749: /// <returns></returns>
750: public static string EMustahsilGonder(MustahsilMakbuzuDTO mustahsilMakbuzu,
string dosyaAdi)
751: {
752:     try
753:     {
754:         EMustahsilServisineBaglan();
755:
756:         var input = "{\"islemId\":\"" + mustahsilMakbuzu.Id +
"\\",\"vkn\":\"" + "3250566851\",\"sube\":\"DFLT\",\"kasa\":\"DFLT\"}";
757:         var inputKontrol = "{\"islemId\":\"" + mustahsilMakbuzu.Id.ToUpper() +
"\\",\"uuid\":\"" + mustahsilMakbuzu.Id.ToUpper() +
"\\",\"vkn\":\"" + "3250566851\",\"sube\":\"DFLT\",\"kasa\":\"DFLT\"}";
758:
759:         var belgeTemp = new GIBEMustahsil.belge
760:         {
761:             belgeFormati = GIBEMustahsil.belgeFormatiEnum.UBL,
762:             belgeFormatiSpecified = true,
763:             belgeIcerigi = File.ReadAllBytes(dosyaAdi)
764:         };
765:
766:         _gibEMustahsilService.mustahsilMakbuzSorgula(inputKontrol, out var
serviceResult);
767:         if (serviceResult.resultCode != MesajSabitler.ServisIslemiBasariKodu)
768:             _gibEMustahsilService.mustahsilMakbuzOlustur(input, belgeTemp, out
serviceResult);
769:         else
770:             return MesajSabitler.IslemBasarili;
771:
772:         return serviceResult.resultCode !=
MesajSabitler.ServisIslemiBasariKodu ? MesajSabitler.IslemBasarisiz :
MesajSabitler.IslemBasarili;
773:     }
774:     catch (Exception ex)
775:     {
776:         return MesajSabitler.IslemBasarisiz;
777:     }
778:     finally
779:     {
780:         _gibUserService.logout();
781:     }
782: }
783:
784: /// <summary>
785: /// Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan
metottur
786: /// Burada da E-Faturada oldugu gibi önce Fatura Id bilgisi ile gönderip
787: /// Bir sonuç gelmezse hazırlanan XML dosyası gönderilip çıktı alınmaya
çalisilmaktadir
788: /// </summary>
789: /// <param name="mustahsilMakbuzu">Müstahsil Makbuzu Bilgisi</param>
790: /// <param name="dosyaAdi">Dosya Adi bilgisi</param>
791: /// <returns>PDF olarak çıktısı alınacak dosyanın byte dizisi hali</returns>
792: public static byte[] EMustahsilOnIzleme(MustahsilMakbuzuDTO mustahsilMakbuzu,
string dosyaAdi)
793: {
```

```

794:         try
795:     {
796:         EMustahsilServisineBaglan();
797:
798:         // Burada VKN ve ERP Kodu önemlidir
799:         var input = "{\"islemId\":\"\" + mustahsilMakbuzu.Id.ToUpper() +
"\\\",\\\"uuid\\\":\\\" + mustahsilMakbuzu.Id.ToUpper() +
\"\\\",\\\"vkn\\\":\\\"3250566851\\\",\\\"sube\\\":\\\"DFLT\\\",\\\"kasa\\\":\\\"DFLT\\\",\\\"erpKodu\\\":\\\"TSF30125\\\",\\\"do
nenBelgeFormati\\\":\\\"3\\\"}";
// Buradaki 3 PDF
800:
801:         var belgeTemp = new GIBEMustahsil.belge
802:         {
803:             belgeFormati = GIBEMustahsil.belgeFormatiEnum.UBL,
804:             belgeFormatiSpecified = true,
805:             belgeIcerigi = File.ReadAllBytes(dosyaAdi)
806:         };
807:         var temp = _gibEMustahsilService.mustahsilMakbuzSorgula(input, out__);
808:         if (temp != null)
809:             return temp.belgeIcerigi;
810:         else
811:         {
812:             temp = _gibEMustahsilService.mustahsilMakbuzOnizleme(input,
belgeTemp, out__);
813:             return temp?.belgeIcerigi;
814:         }
815:     }
816:     catch (Exception ex)
817:     {
818:         return null;
819:     }
820:     finally
821:     {
822:         _gibUserService.logout();
823:     }
824: }
825:
826: /// <summary>
827: /// E-Müstahsil Servisine Baglanmak için
828: /// Gerekli islemlerin gerçekleştirildiği metottur.
829: /// </summary>
830: private static void EMustahsilServisineBaglan()
831: {
832:     _gibUserService = new GIBUserService.userService();
833:     _gibEMustahsilService = new GIBEMustahsil.MustahsilWebService();
834:
835:     _gibUserService.CookieContainer = new System.Net.CookieContainer();
836:     _gibEMustahsilService.CookieContainer = _gibUserService.CookieContainer;
837:
838:     _gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, "tr");
839: }
840:
841: #endregion
842:
843: #endregion QNB GIB
844: }
845: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.4 Enums.cs

This is file Enums.cs.

Body Source

```
1: ?using System;
2:
3: namespace QNBFinansGIB.Utils
4: {
5:     /// <summary>
6:     /// Satış Türü Bilgilerinin Bulunduğu Enum sınıfı
7:     /// </summary>
8:     public static class Enums
9:     {
10:         [Flags]
11:         public enum BelgeTur
12:         {
13:             EFatura,
14:             EArsiv
15:         }
16:
17:         [Flags]
18:         public enum LetterCase
19:         {
20:             Lower,
21:             Upper
22:         }
23:
24:         /// <summary>
25:         /// Faturadaki Satış Türlerinin Kodlarının Bulunduğu enum bilgisi
26:         /// Burada İhraç Kayıtlı ise XML içerisinde bazi yapışal degisiklikler
gerçeklestirildiği için
27:         /// Bu konu önemlidir.
28:         /// </summary>
29:         public enum SatisTur
30:         {
31:             Vadeli = 1,
32:             Hesaben = 2,
33:             Pesin = 3,
34:             TeskilataVerilen = 4,
35:             TeslimattaVadeli = 5,
36:             CiftciyeVerilen = 6,
37:             IstirakeSatilan = 7,
38:             PersoneleSatilan = 8,
39:             ImalatciIhracatci = 9,
40:             IhracKayitli = 10,
41:             IstirakeSatilanRezervli = 11,
42:             RafFiyatGarantili = 12
43:         }
44:
45:         /// <summary>
46:         /// Faturada Türlerinin Kodlarının Bulunduğu enum bilgisi
47:         /// Burada İade faturası ise XML içerisinde bazi yapışal degisiklikler
gerçeklestirildiği için
48:         /// Bu konu önemlidir.
49:         /// </summary>
50:         public enum FaturaTur
51:         {
52:             Muhtelif = 1,
53:             Kantin = 2,
54:             Ambar = 3,
55:             Satis = 4,
56:             Iade = 5,
57:             Fark = 6,
```

```

58:             Personel = 7,
59:             Proforma = 8,
60:             NoterlikMakbuzu = 9,
61:             Harcirah = 10
62:         }
63:
64:         /// <summary>
65:         /// Istisna Faturalarindave Müstahsil Makbuzlarinda Grup Türüne Göre Kontrol
yapilmasini saglayan enum Bilgisi
66:         /// Burada Küspe olup olmamasina göre XML içерiginde degisiklikler yapıldığı
için
67:         /// Bu kisim önemlidir
68:         /// </summary>
69:     public enum FaturaMakbuzGrupTur
70:     {
71:         Seker = 1,
72:         Melas = 2,
73:         Kuspe = 3,
74:         Diger = 4,
75:         Malzeme = 5,
76:         PancarKuyrugu = 6,
77:         Alkol = 7,
78:         Personel = 8
79:     }
80: }
81: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.5 FaturaKdvDTO.cs

This is file FaturaKdvDTO.cs.

Body Source

```

1: ?namespace QNBFinansGIB.DTO
2: {
3:     /// <summary>
4:     /// Fatura Detaylarinda Farkli Tür KDV Oranları Kullanılmışsa
5:     /// Çıktı tarafında (XML)
6:     /// TaxTotal kısmında bu bilgilerin ayrı ayrı gösterilmesi için hazırlanan nesnedir
7:     /// </summary>
8:     public class FaturaKdvDTO
9:     {
10:         /// <summary>
11:         /// KDV Oran Bilgisi
12:         /// </summary>
13:         public decimal? KdvOran;
14:
15:         /// <summary>
16:         /// KDV Tutarı Bilgisi
17:         /// </summary>
18:         public decimal? KdvTutari;
19:
20:         /// <summary>
21:         /// KDV Hariç Tutar Bilgisi
22:         /// </summary>
23:         public decimal? KdvHaricTutar;
24:     }
25: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.6 FormAnaSayfa.cs

This is file FormAnaSayfa.cs.

Body Source

```

1: ?using QNBFinansGIB.DTO;
2: using QNBFinansGIB.Utils;
3: using System;
4: using System.Collections.Generic;
5: using System.Drawing;
6: using System.IO;
7: using System.IO.Compression;
8: using System.Linq;
9: using System.Text;
10: using System.Windows.Forms;
11: using static QNBFinansGIB.Utils.Enums;
12:
13: namespace QNBFinansGIB
14: {
15:     /// <summary>
16:     /// QNB Finans GIB Servisi için veri hazırlanan ve servisin test edildiği
metotlar içeren
17:     /// Form sınıfıdır
18:     /// </summary>
19:     public partial class frmAnaSayfa : Form
20:     {
21:         #region Sabit Elemanlar
22:
23:         /// <summary>
24:         /// Giden Fatura Listesi
25:         /// </summary>
26:         private readonly List<GidenFaturaDTO> gidenFaturaListesi = new
List<GidenFaturaDTO>();
27:
28:         /// <summary>
29:         /// Giden Fatura Detay Listesi
30:         /// </summary>
31:         private readonly List<GidenFaturaDetayDTO> gidenFaturaDetayListesi = new
List<GidenFaturaDetayDTO>();
32:
33:         /// <summary>
34:         /// Müstahsil Makbuzu Listesi
35:         /// </summary>
36:         private readonly List<MustahsilMakbuzuDTO> mustahsilMakbuzuListesi = new
List<MustahsilMakbuzuDTO>();
37:
38:         /// <summary>
39:         /// Müstahsil Makbuzu Detay Listesi
40:         /// </summary>
41:         private readonly List<MustahsilMakbuzuDetayDTO> mustahsilMakbuzuDetayListesi
= new List<MustahsilMakbuzuDetayDTO>();
42:
43:         #endregion
44:
45:         public frmAnaSayfa()
46:         {
47:             InitializeComponent();
48:         }

```

```

49:
50:    /// <summary>
51:    /// Burada Form görüntülenirken
52:    /// Kendi hazırladığımız Giden Fatura ve Detaylarinin olusturup listeye
53:    /// atiyoruz ki
54:    /// Buradan sonra butonlara tiklandiginda
55:    /// Bu listeler üzerinden kolayca islem yapilabilisin
56:    /// </summary>
57:    /// <param name="sender">The sender info (For example Main Form)</param>
58:    /// <param name="e">Event Arguments</param>
59:    private void FormAnaSayfa_Shown(object sender, EventArgs e)
60:    {
61:        #region Ekrandaki Alanların Düzenlenmesi
62:
63:        dtpFaturaTarihi.Format = DateTimePickerFormat.Short;
64:        lbEFaturaKullaniciListesi.DrawMode = DrawMode.OwnerDrawVariable;
65:        lbEFaturaKullaniciListesi.MeasureItem += listBox_MeasureItem;
66:        lbEFaturaKullaniciListesi.DrawItem += listBox_DrawItem;
67:
68:        #endregion
69:
70:        #region İlk Verilerin Hazirlanması
71:
72:        #region Giden Faturalar
73:
74:        #region Giden Faturaları Ekleme
75:
76:        var gidenFatura = new GidenFaturaDTO
77:        {
78:            Id = "11",
79:            AltBirimAd = " A Birimi      ",
80:            TuzelKisiAd = "Deneme Sirketi - 1",
81:            VergiNo = "53602329864",
82:            VergiDairesi = "ANKARA",
83:            Adres = "Kizilay Gima'nin önü",
84:            FaksNo = "03121111111",
85:            BankaAd = "Türkiye İş Bankası",
86:            BankaSube = "Kizilay",
87:            IbanNo = "TR130006297372542652383131",
88:            IslemTarihi = new DateTime(2022, 1, 13),
89:            IlAd = "Ankara",
90:            IlceAd = "Çankaya",
91:            SatisTuruKod = SatisTur.Hesaben.GetHashCode(),
92:            FaturaGrupTuruKod = FaturaMakbuzGrupTur.Diger.GetHashCode(),
93:            KdvHaricTutar = 0,
94:            KdvTutari = 0,
95:            FaturaTutari = 0,
96:            KonaklamaVergisi = 0,
97:            Aciklama = "Deneme amaçlı eklenmiştir"
98:        };
99:        gidenFatura.GibNumarasi =
GibNumarasi.RastgeleGibNumarasiOlustur(gidenFatura.IslemTarihi);
100:       gidenFaturaListesi.Add(gidenFatura);
101:
102:       gidenFatura = new GidenFaturaDTO
103:       {
104:           Id = "21",
105:           AltBirimAd = "B Birimi      ",
106:           TuzelKisiAd = " Deneme Sirketi - 2",
107:           VergiNo = "9250936109",
108:           VergiDairesi = "ANKARA",
109:           Adres = "Kizilay YKM",
110:           FaksNo = "03121111112",
111:           BankaAd = "Vakıflar Bankası",
112:           BankaSube = "Kizilay",
113:           IbanNo = "TR530006291586775935345942",
114:           IslemTarihi = new DateTime(2022, 1, 1),
115:           IlAd = "Ankara",
IlceAd = "Etimesgut",

```

```
116:             SatisTuruKod = SatisTur.Pesin.GetHashCode(),
117:             FaturaGrupTuruKod = FaturaMakbuzGrupTur.Malzeme.GetHashCode(),
118:             FaturaTuruKod = FaturaTur.Iade.GetHashCode(),
119:             KdvHariçTutar = 0,
120:             KdvTutari = 0,
121:             FaturaTutari = 0,
122:             KonaklamaVergisi = 0
123:         };
124:         gidenFatura.GibNumarasi =
GibNumarasi.RastgeleGibNumarasiOlustur(gidenFatura.IslemTarihi);
125:         gidenFaturaListesi.Add(gidenFatura);
126:
127:         gidenFatura = new GidenFaturaDTO
128:     {
129:         Id = "31",
130:         AltBirimAd = "B Birimi      ",
131:         TuzelKisiAd = " Deneme Sirketi - 3",
132:         VergiNo = "5240018140",
133:         VergiDairesi = "ANKARA",
134:         Adres = "Zafer Çarsisi",
135:         FaksNo = "0312111113",
136:         BankaAd = "Vakif Katilim Bankasi",
137:         BankaSube = "Kizilay",
138:         IbanNo = "TR830006214925976839299642",
139:         IslemTarihi = new DateTime(2023, 1, 11),
140:         IlAd = "Ankara",
141:         IlceAd = "Etimesgut",
142:         SatisTuruKod = SatisTur.ImalatciIhracatci.GetHashCode(),
143:         FaturaTuruKod = FaturaTur.Iade.GetHashCode(),
144:         KdvHariçTutar = 0,
145:         KdvTutari = 0,
146:         FaturaTutari = 0,
147:         KonaklamaVergisi = 0
148:     };
149:     gidenFatura.GibNumarasi =
GibNumarasi.RastgeleGibNumarasiOlustur(gidenFatura.IslemTarihi);
150:     gidenFaturaListesi.Add(gidenFatura);
151:
152:     gidenFatura = new GidenFaturaDTO
153:     {
154:         Id = "41",
155:         AltBirimAd = "B Birimi      ",
156:         TuzelKisiAd = "Deneme Sirketi - 4",
157:         VergiNo = "6940116151",
158:         VergiDairesi = "ANKARA",
159:         Adres = "Göksu Parki",
160:         FaksNo = "0312111114",
161:         BankaAd = "Kuveyt Tür",
162:         BankaSube = "Kizilay",
163:         IbanNo = "TR350006267645192879857714",
164:         IslemTarihi = new DateTime(2022, 1, 31),
165:         IlAd = "Ankara",
166:         IlceAd = "Çubuk",
167:         SatisTuruKod = SatisTur.IhracKayitli.GetHashCode(),
168:         FaturaGrupTuruKod = FaturaMakbuzGrupTur.Personel.GetHashCode(),
169:         KdvHariçTutar = 0,
170:         KdvTutari = 0,
171:         FaturaTutari = 0,
172:         KonaklamaVergisi = 0
173:     };
174:     gidenFatura.GibNumarasi =
GibNumarasi.RastgeleGibNumarasiOlustur(gidenFatura.IslemTarihi);
175:     gidenFaturaListesi.Add(gidenFatura);
176:
177:     gidenFatura = new GidenFaturaDTO
178:     {
179:         Id = "51",
180:         AltBirimAd = "B Birimi      ",
181:         TuzelKisiAd = "Deneme Sirketi - 3",
```

```
182:             VergiNo = "20101516422",
183:             VergiDairesi = "ANKARA",
184:             Adres = "Dost'un Önü",
185:             FaksNo = "03121111113",
186:             BankaAd = "Enpara.Com Bankadan Güzeli",
187:             BankaSube = "Karakusunlar Sube",
188:             IbanNo = "TR630006295412435711171488",
189:             IslemTarihi = new DateTime(2022, 2, 1),
190:             IlAd = "Ankara",
191:             IlceAd = "Pursaklar",
192:             SatisTuruKod = SatisTur.Vadeli.GetHashCode(),
193:             KdvHaricTutar = 0,
194:             KdvTutari = 0,
195:             FaturaTutari = 0,
196:             KonaklamaVergisi = 0
197:         };
198:         gidenFatura.GibNumarasi =
GibNumarasi.RastgeleGibNumarasiOlustur(gidenFatura.IslemTarihi);
199:         gidenFaturaListesi.Add(gidenFatura);
200:
201:         gidenFatura = new GidenFaturaDTO
202:     {
203:         Id = "61",
204:         AltBirimAd = "B Birimi      ",
205:         GercekKisiTcKimlikNo = "11738150028",
206:         GercekKisiAd = "Adnan",
207:         GercekKisiSoyad = "Senses",
208:         CepTelefonNo = "05555555555",
209:         EPostaAdresi = "adnansenses@mynet.com",
210:         IkametgahAdresi = "Dost'un Önü",
211:         BankaAd = "Halkbank",
212:         BankaSube = "Etimesgut Sube",
213:         IbanNo = "TR540006234114125194267726",
214:         IslemTarihi = new DateTime(2022, 2, 2),
215:         IlAd = "Konya",
216:         IlceAd = "Beysehir",
217:         SatisTuruKod = SatisTur.RafFiyatGarantili.GetHashCode(),
218:         GibNumarasi = "YZG2022000999999",
219:         KdvHaricTutar = 0,
220:         KdvTutari = 0,
221:         FaturaTutari = 0,
222:         KonaklamaVergisi = 0
223:     };
224:     gidenFatura.GibNumarasi =
GibNumarasi.RastgeleGibNumarasiOlustur(gidenFatura.IslemTarihi);
225:     gidenFaturaListesi.Add(gidenFatura);
226:
227:     gidenFatura = new GidenFaturaDTO
228:     {
229:         Id = "71",
230:         AltBirimAd = "B Birimi      ",
231:         GercekKisiTcKimlikNo = "20077290692",
232:         GercekKisiAd = "Mehmet Emin",
233:         GercekKisiSoyad = "Akdeniz",
234:         CepTelefonNo = "05555555554",
235:         EPostaAdresi = "memo@yahoo.com",
236:         IkametgahAdresi = "Fiskiyenin orası",
237:         BankaAd = "Bank Mellat",
238:         BankaSube = "Yenimahalle Sube",
239:         IbanNo = "TR410006276748779926367358",
240:         IslemTarihi = new DateTime(2022, 1, 25),
241:         IlAd = "Agri",
242:         IlceAd = "Patnos",
243:         SatisTuruKod = SatisTur.IstirakeSatilan.GetHashCode(),
244:         GibNumarasi = "AGR2022000999999",
245:         KdvHaricTutar = 0,
246:         KdvTutari = 0,
247:         FaturaTutari = 0,
248:         KonaklamaVergisi = 0
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
249:         };
250:         gidenFatura.GibNumarasi =
GibNumarasi.RastgeleGibNumarasiOlustur(gidenFatura.IslemTarihi);
251:         gidenFaturaListesi.Add(gidenFatura);
252:
253:         #endregion
254:
255:         #region Giden Fatura Detayları Ekleme
256:
257:         var gidenFaturaDetay = new GidenFaturaDetayDTO
258:         {
259:             AnaNesneId = "71",
260:             BirimFiyat = (decimal) 0.1234,
261:             Miktar = 1000,
262:             KdvOran = 0,
263:             IskontOoran = 0,
264:             KdvHaricTutar = 1234,
265:             KdvTutari = 0,
266:             KonaklamaVergisi = 0,
267:             GibKisaltma = "KGM",
268:             IrsaliyeNo = "1",
269:             MalzemeFaturaAciklamasi = "Ofis demirbaşı için alındı",
270:             SevkIrsaliyeTarihi = new DateTime(2022, 1, 1),
271:             SevkIrsaliyesiNo = "34",
272:             PlakaNo = "06GUC777",
273:             FaturaUrunTuru = "Dizüstü Bilgisayar",
274:             Tonaj = 1,
275:             YuklemeFormuNo = 1234
276:         };
277:         gidenFaturaDetayListesi.Add(gidenFaturaDetay);
278:
279:         gidenFaturaDetay = new GidenFaturaDetayDTO
280:         {
281:             AnaNesneId = "71",
282:             BirimFiyat = (decimal) 0.1,
283:             Miktar = 10000,
284:             KdvOran = 18,
285:             IskontOoran = 0,
286:             KdvHaricTutar = 1000,
287:             KdvTutari = 180,
288:             KonaklamaVergisi = 0,
289:             GibKisaltma = "KWT",
290:             IrsaliyeNo = "1",
291:             MalzemeFaturaAciklamasi = "Ofis demirbaşı 2 için alındı",
292:             SevkIrsaliyeTarihi = new DateTime(2022, 1, 1),
293:             SevkIrsaliyesiNo = "34",
294:             PlakaNo = "06GUC778",
295:             FaturaUrunTuru = "Priz",
296:             Tonaj = 1,
297:             YuklemeFormuNo = 1236
298:         };
299:         gidenFaturaDetayListesi.Add(gidenFaturaDetay);
300:
301:         gidenFaturaDetay = new GidenFaturaDetayDTO
302:         {
303:             AnaNesneId = "11",
304:             BirimFiyat = (decimal) 0.1,
305:             Miktar = 10000,
306:             KdvOran = 18,
307:             IskontOoran = 0,
308:             KdvHaricTutar = 1000,
309:             KdvTutari = 180,
310:             KonaklamaVergisi = 20,
311:             GibKisaltma = "KWT",
312:             IrsaliyeNo = "1",
313:             MalzemeFaturaAciklamasi = "Konaklama için alındı",
314:             SevkIrsaliyeTarihi = new DateTime(2022, 1, 1),
315:             SevkIrsaliyesiNo = "34",
316:             PlakaNo = "06GUC778",
```

```
317:             FaturaUrunTuru = "Misafirhane",
318:             Tonaj = 1,
319:             YuklemeFormuNo = 1236
320:         };
321:         gidenFaturaDetayListesi.Add(gidenFaturaDetay);
322:
323:         gidenFaturaDetay = new GidenFaturaDetayDTO
324:         {
325:             AnaNesneId = "71",
326:             BirimFiyat = (decimal) 0.1234,
327:             Miktar = 1000,
328:             KdvOran = 1,
329:             IskontoOran = 0,
330:             KdvHaricTutar = 1234,
331:             KdvTutari = (decimal) 12.34,
332:             KonaklamaVergisi = 0,
333:             GibKisaltma = "MTR",
334:             PlakaNo = "06GC7447",
335:             FaturaUrunTuru = "Çubuk Mikrofon"
336:         };
337:         gidenFaturaDetayListesi.Add(gidenFaturaDetay);
338:
339:         gidenFaturaDetay = new GidenFaturaDetayDTO
340:         {
341:             AnaNesneId = "21",
342:             BirimFiyat = (decimal) 0.1234,
343:             Miktar = 1000,
344:             KdvOran = 1,
345:             IskontoOran = 0,
346:             KdvHaricTutar = 1234,
347:             KdvTutari = (decimal) 12.34,
348:             KonaklamaVergisi = 0,
349:             GibKisaltma = "KWT",
350:             PlakaNo = "06GC7447",
351:             FaturaUrunTuru = "Çubuk Mikrofon"
352:         };
353:         gidenFaturaDetayListesi.Add(gidenFaturaDetay);
354:
355:         gidenFaturaDetay = new GidenFaturaDetayDTO
356:         {
357:             AnaNesneId = "31",
358:             BirimFiyat = (decimal) 0.124,
359:             Miktar = 5000,
360:             KdvOran = 8,
361:             IskontoOran = 0,
362:             KdvHaricTutar = 6020,
363:             KdvTutari = (decimal) 481.6,
364:             KonaklamaVergisi = 0,
365:             GibKisaltma = "MON",
366:             PlakaNo = "06J1234",
367:             FaturaUrunTuru = "Mouse"
368:         };
369:         gidenFaturaDetayListesi.Add(gidenFaturaDetay);
370:
371:         gidenFaturaDetay = new GidenFaturaDetayDTO
372:         {
373:             AnaNesneId = "11",
374:             BirimFiyat = 500,
375:             Miktar = 120,
376:             KdvOran = 18,
377:             IskontoOran = 0,
378:             KdvHaricTutar = 60000,
379:             KdvTutari = 12800,
380:             KonaklamaVergisi = 1200,
381:             GibKisaltma = "LTR",
382:             PlakaNo = "06C99876",
383:             FaturaUrunTuru = "Misafirhane"
384:         };
385:         gidenFaturaDetayListesi.Add(gidenFaturaDetay);
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```

386:
387:         #endregion
388:
389:         #region Giden Fatura Toplamlari Hesaplama ve Olmayanlara Ekleme
390:
391:         foreach (var item in gidenFaturaListesi)
392:         {
393:             if (gidenFaturaDetayListesi.Any(j => j.AnaNesneId == item.Id))
394:             {
395:                 var gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi
396:                     .Where(j => j.AnaNesneId == item.Id).ToList();
397:                 item.KdvHaricTutar = gidenFaturaDetayListesiTemp.Sum(j =>
j.KdvHaricTutar);
398:                 item.KdvTutari = gidenFaturaDetayListesiTemp.Sum(j =>
j.KdvTutari);
399:                 item.KonaklamaVergisi = gidenFaturaDetayListesiTemp.Sum(j =>
j.KonaklamaVergisi);
400:                 item.FaturaTutari = item.KdvHaricTutar + item.KdvTutari +
item.KonaklamaVergisi;
401:             }
402:             else
403:             {
404:                 gidenFaturaDetay = new GidenFaturaDetayDTO
405:                 {
406:                     AnaNesneId = item.Id,
407:                     BirimFiyat = (decimal) 1.5,
408:                     Miktar = 1000,
409:                     KdvOran = 0,
410:                     IskontoOran = 0,
411:                     KdvHaricTutar = 1500,
412:                     KdvTutari = 0,
413:                     KonaklamaVergisi = 30,
414:                     GibKisaltma = "MTR",
415:                     FaturaUrunTuru = "Misafirhane " + item.Id
416:                 };
417:                 item.KdvHaricTutar = gidenFaturaDetay.KdvHaricTutar;
418:                 item.KdvTutari = gidenFaturaDetay.KdvTutari;
419:                 item.KonaklamaVergisi = gidenFaturaDetay.KonaklamaVergisi;
420:                 item.FaturaTutari = item.KdvHaricTutar + item.KdvTutari +
item.KonaklamaVergisi;
421:                 gidenFaturaDetayListesi.Add(gidenFaturaDetay);
422:             }
423:         }
424:
425:         #endregion
426:
427:         #endregion
428:
429:         #region Müstahsil Makbuzlar
430:
431:         #region Müstahsil Makbuzlari Ekleme
432:
433:         var mustahsilMakbuzu = new MustahsilMakbuzuDTO
434:         {
435:             Id = "1",
436:             AltBirimAd = "A Birimi",
437:             TuzelKisiAd = "Deneme Sirketi - 1",
438:             VergiNo = "53602329864",
439:             VergiDairesi = "ANKARA",
440:             Adres = "Kizilay Gima'nin önü",
441:             FaksNo = "03121111111",
442:             BankaAd = "Türkiye İş Bankası",
443:             BankaSube = "Kizilay",
444:             IbanNo = "TR130006297372542652383131",
445:             IslemTarihi = new DateTime(2022, 4, 13),
446:             IlAd = "Ankara",
447:             IlceAd = "Çankaya",
448:             MustahsilMakbuzuNo = "MLT2022000010998",
449:             MakbuzGrupTuruKod = FaturaMakbuzGrupTur.Kuspe.GetHashCode(),

```

```
450:             NetTutar = 0,
451:             GelirVergisi = 0,
452:             MustahsilMakbuzuTutari = 0
453:         } ;
454:         mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
455:
456:         mustahsilMakbuzu = new MustahsilMakbuzuDTO
457:     {
458:         Id = "2",
459:         AltBirimAd = "B Birimi",
460:         TuzelKisiAd = "Deneme Sirketi - 2",
461:         VergiNo = "9250936109",
462:         VergiDairesi = "ANKARA",
463:         Adres = "Kizilay YKM",
464:         FaksNo = "03121111112",
465:         BankaAd = "Vakiflar Bankasi",
466:         BankaSube = "Kizilay",
467:         IbanNo = "TR530006291586775935345942",
468:         IslemTarihi = new DateTime(2022, 4, 1),
469:         IlAd = "Ankara",
470:         IlceAd = "Etimesgut",
471:         MakbuzGrupTuruKod = FaturaMakbuzGrupTur.Personel.GetHashCode(),
472:         NetTutar = 0,
473:         GelirVergisi = 0,
474:         MustahsilMakbuzuTutari = 0
475:     };
476:     mustahsilMakbuzu.MustahsilMakbuzuNo =
GibNumarasi.RastgeleGibNumarasiOlustur(mustahsilMakbuzu.IslemTarihi);
477:     mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
478:
479:     mustahsilMakbuzu = new MustahsilMakbuzuDTO
480:     {
481:         Id = "c3da32c1-c0f1-4061-8234-ec09f83804fa",
482:         TuzelKisiAd = "Deneme Sirketi - 3",
483:         VergiNo = "5240018140",
484:         VergiDairesi = "ANKARA",
485:         Adres = "Zafer Çarsisi",
486:         FaksNo = "03121111113",
487:         BankaAd = "Vakif Katilim Bankasi",
488:         BankaSube = "Kizilay",
489:         IbanNo = "TR830006214925976839299642",
490:         IslemTarihi = new DateTime(2022, 4, 11),
491:         IlAd = "Ankara",
492:         IlceAd = "Etimesgut",
493:         NetTutar = 0,
494:         GelirVergisi = 0,
495:         MustahsilMakbuzuTutari = 0
496:     };
497:     mustahsilMakbuzu.MustahsilMakbuzuNo =
GibNumarasi.RastgeleGibNumarasiOlustur(mustahsilMakbuzu.IslemTarihi);
498:     mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
499:
500:     mustahsilMakbuzu = new MustahsilMakbuzuDTO
501:     {
502:         Id = "4",
503:         TuzelKisiAd = "Deneme Sirketi - 4",
504:         VergiNo = "6940116151",
505:         VergiDairesi = "ANKARA",
506:         Adres = "Göksu Parki",
507:         FaksNo = "03121111114",
508:         BankaAd = "Kuveyt Tür",
509:         BankaSube = "Kizilay",
510:         IbanNo = "TR350006267645192879857714",
511:         IslemTarihi = new DateTime(2022, 4, 3),
512:         IlAd = "Ankara",
513:         IlceAd = "Çubuk",
514:         NetTutar = 0,
515:         GelirVergisi = 0,
516:         MustahsilMakbuzuTutari = 0
```

```

517:         };
518:         mustahsilMakbuzu.MustahsilMakbuzuNo =
GibNumarasi.RastgeleGibNumarasiOlustur(mustahsilMakbuzu.IslemTarihi);
519:         mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
520:
521:         mustahsilMakbuzu = new MustahsilMakbuzuDTO
522:         {
523:             Id = "5",
524:             TuzelKisiAd = "Deneme Sirketi - 3",
525:             VergiNo = "20101516422",
526:             VergiDairesi = "ANKARA",
527:             Adres = "Dost'un Önү",
528:             FaksNo = "0312111113",
529:             BankaAd = "Enpara.Com Bankadan Güzeli",
530:             BankaSube = "Karakusunlar Sube",
531:             IbanNo = "TR630006295412435711171488",
532:             IslemTarihi = new DateTime(2022, 4, 1),
533:             IlAd = "Ankara",
534:             IlceAd = "Pursaklar",
535:             NetTutar = 0,
536:             GelirVergisi = 0,
537:             MustahsilMakbuzuTutari = 0
538:         };
539:         mustahsilMakbuzu.MustahsilMakbuzuNo =
GibNumarasi.RastgeleGibNumarasiOlustur(mustahsilMakbuzu.IslemTarihi);
540:         mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
541:
542:         mustahsilMakbuzu = new MustahsilMakbuzuDTO
543:         {
544:             Id = "6",
545:             VergiNo = "52270709114",
546:             TuzelKisiAd = "Adnan Senses",
547:             EPostaAdresi = "adnansenses@mynet.com",
548:             Adres = "Dost'un Önү",
549:             BankaAd = "Halkbank",
550:             BankaSube = "Etimesgut Sube",
551:             IbanNo = "TR540006234114125194267726",
552:             IslemTarihi = new DateTime(2022, 4, 2),
553:             IlAd = "Konya",
554:             IlceAd = "Beysehir",
555:             NetTutar = 0,
556:             GelirVergisi = 0,
557:             MustahsilMakbuzuTutari = 0
558:         };
559:         mustahsilMakbuzu.MustahsilMakbuzuNo =
GibNumarasi.RastgeleGibNumarasiOlustur(mustahsilMakbuzu.IslemTarihi);
560:         mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
561:
562:         mustahsilMakbuzu = new MustahsilMakbuzuDTO
563:         {
564:             Id = "7",
565:             VergiNo = "20077290692",
566:             TuzelKisiAd = "Mehmet Emin",
567:             EPostaAdresi = "memo@yahoo.com",
568:             BankaAd = "Bank Mellat",
569:             BankaSube = "Yenimahalle Sube",
570:             IbanNo = "TR410006276748779926367358",
571:             IslemTarihi = new DateTime(2022, 4, 25),
572:             IlAd = "Agri",
573:             IlceAd = "Patnos",
574:             NetTutar = 0,
575:             GelirVergisi = 0,
576:             MustahsilMakbuzuTutari = 0
577:         };
578:         mustahsilMakbuzu.MustahsilMakbuzuNo =
GibNumarasi.RastgeleGibNumarasiOlustur(mustahsilMakbuzu.IslemTarihi);
579:         mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
580:
581:         #endregion

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```
582:  
583: #region Müstahsil Makbuz Detaylari Ekleme  
584:  
585: var mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO  
586: {  
587:     AnaNesneId = "7",  
588:     BirimFiyat = (decimal) 0.1234,  
589:     Miktar = 1000,  
590:     NetTutar = 1234,  
591:     GelirVergisi = 0,  
592:     GibKisaltma = "KGM",  
593:     IsinMahiyeti = "Dizüstü Bilgisayar"  
594: };  
595: mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);  
596:  
597: mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO  
598: {  
599:     AnaNesneId = "7",  
600:     BirimFiyat = (decimal) 0.1234,  
601:     Miktar = 1000,  
602:     NetTutar = 1234,  
603:     GelirVergisi = (decimal) 12.34,  
604:     ToplamTutar = (decimal) 1246.34,  
605:     GibKisaltma = "MTR",  
606:     IsinMahiyeti = "Çubuk Mikrofon"  
607: };  
608: mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);  
609:  
610: mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO  
611: {  
612:     AnaNesneId = "2",  
613:     BirimFiyat = (decimal) 0.1234,  
614:     Miktar = 1000,  
615:     NetTutar = 1234,  
616:     GelirVergisi = (decimal) 12.34,  
617:     ToplamTutar = (decimal) 1246.34,  
618:     GibKisaltma = "KWT",  
619:     IsinMahiyeti = "Çubuk Mikrofon"  
620: };  
621: mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);  
622:  
623: mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO  
624: {  
625:     AnaNesneId = "3",  
626:     BirimFiyat = (decimal) 0.124,  
627:     Miktar = 5000,  
628:     NetTutar = 6020,  
629:     GelirVergisi = (decimal) 481.6,  
630:     ToplamTutar = (decimal) 6500.6,  
631:     GibKisaltma = "MON",  
632:     IsinMahiyeti = "Mouse"  
633: };  
634: mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);  
635:  
636: mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO  
637: {  
638:     AnaNesneId = "1",  
639:     BirimFiyat = 500,  
640:     Miktar = 120,  
641:     NetTutar = 60000,  
642:     GelirVergisi = 12800,  
643:     ToplamTutar = 72800,  
644:     GibKisaltma = "LTR",  
645:     IsinMahiyeti = "Ayakkabi"  
646: };  
647: mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);  
648:  
649: #endregion  
650:
```

```

651:         #region Müstahsil Makbuz Toplamlari Hesaplama ve Olmayanlara Ekleme
652:
653:         foreach (var item in mustahsilMakbuzuListesi)
654:         {
655:             if (mustahsilMakbuzuDetayListesi.Any(j => j.AnaNesneId == item.Id))
656:             {
657:                 var mustahsilMakbuzuDetayListesiTemp =
mustahsilMakbuzuDetayListesi
658:                     .Where(j => j.AnaNesneId == item.Id).ToList();
659:                     item.NetTutar = mustahsilMakbuzuDetayListesiTemp.Sum(j =>
j.NetTutar);
660:                     item.GelirVergisi = mustahsilMakbuzuDetayListesiTemp.Sum(j =>
j.GelirVergisi);
661:                     item.MustahsilMakbuzuTutari = item.NetTutar + item.GelirVergisi;
662:             }
663:         else
664:         {
665:             mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
666:             {
667:                 AnaNesneId = item.Id,
668:                 BirimFiyat = (decimal) 1.5,
669:                 Miktar = 1000,
670:                 NetTutar = 1500,
671:                 GelirVergisi = 0,
672:                 ToplamTutar = 1500,
673:                 GibKisaltma = "MTR",
674:                 IsinMahiyeti = "Deneme " + item.Id
675:             };
676:             item.NetTutar = mustahsilMakbuzuDetay.NetTutar;
677:             item.GelirVergisi = mustahsilMakbuzuDetay.GelirVergisi;
678:             item.MustahsilMakbuzuTutari = item.NetTutar + item.GelirVergisi;
679:             mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
680:         }
681:     }
682:
683:     #endregion
684:
685:     #endregion
686:
687:     #endregion
688: }
689:
690:     /// <summary>
691:     /// This method is used to meaure the length of the item in listbox and make
it multi line
692:     /// without using scrollbar and let the user see more efficiently
693:     /// </summary>
694:     /// <param name="sender">The sender info (For example Main Form)</param>
695:     /// <param name="e">Event Arguments</param>
696:     private static void listBox_MeasureItem(object sender, MeasureItemEventArgs e)
697:     {
698:         if (!(sender is ListBox listBox)) return;
699:         if (listBox.Items.Count > 0)
700:             e.ItemHeight = (int)
e.Graphics.MeasureString(listBox.Items[e.Index].ToString(), listBox.Font,
listBox.Width).Height;
701:     }
702:
703:     /// <summary>
704:     /// This method is used to meaure the length of the item in listbox and make
it multi line
705:     /// without using scrollbar and let the user see more efficiently
706:     /// </summary>
707:     /// <param name="sender">The sender info (For example Main Form)</param>
708:     /// <param name="e">Event Arguments</param>
709:     private static void listBox_DrawItem(object sender, DrawItemEventArgs e)
710:     {
711:         if (!(sender is ListBox listBox)) return;
712:         e.DrawBackground();

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

713:             e.DrawFocusRectangle();
714:             if (listBox.Items.Count > 0)
715:                 e.Graphics.DrawString(listBox.Items[e.Index].ToString(), e.Font, new
SolidBrush(e.ForeColor), e.Bounds);
716:             }
717:         }
718:         /// <summary>
719:         /// Form kapandigi zaman ne yapilacagini belirten bir metottur
720:         /// </summary>
721:         /// <param name="sender">The sender info (For example Main Form)</param>
722:         /// <param name="e">Event Arguments</param>
723:         private void frmAnaSayfa_FormClosed(object sender, FormClosedEventArgs e)
724:         {
725:             MessageBox.Show("Programi kullandiginiz için tesekkürler",
MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Information);
726:             Application.Exit();
727:         }
728:     }
729:     #region E-Fatura ve E-Arsiv Metotlari
730:     /// <summary>
731:     /// Sistemde E-Fatura ve E-Arsiv Servislerine Gönderilecek Formatta
732:     /// Ideal XML dosyalarinin olusturulmasi için XML Olustur Butonuna tiklandigi
zaman
733:     /// Yapiacak islemlerin hazirlanligi metottur.
734:     /// </summary>
735:     /// <param name="sender">The sender info (For example Main Form)</param>
736:     /// <param name="e">Event Arguments</param>
737:     private void btnXmlOlustur_Click(object sender, EventArgs e)
738:     {
739:         using (var dialogKlasorSecimi = new FolderBrowserDialog())
740:         {
741:             if (!IslemIcinKlasorSecildiMi(dialogKlasorSecimi, out var klasorAdi))
return;
742:             IslemYapilacakFaturaBilgisiDuzenle(out var gidenFatura, out var
gidenFaturaDetayListesiTemp);
743:             #region XML Oluşturma
744:             var eFaturaKullaniciMi = EFaturaKullaniciMi(gidenFatura);
745:             var dosyaAdi = eFaturaKullaniciMi
746:                 ? XMLIslemleri.EFaturaXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi)
747:                 : XMLIslemleri.EArsivXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi,
748:                     true);
749:             MessageBox.Show(dosyaAdi + " adresinde gerekli XML dosyasi
750:                         olusturulmustur.",
751:                         MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
752:                         MessageBoxIcon.Information);
753:             #endregion
754:         }
755:     }
756:     /// <summary>
757:     /// Sistemde E-Fatura veya E-Arsive yollansin yollanmasin
758:     /// Hazirlanan XML dosyalarinin bu sistemlerde nasil gorundugune dair
759:     /// Onizleme alinmasini saglayan metottur. Bu onizleme PDF veya ZIP olarak
alinacak
760:     /// Sorun olsa da olmasa da bir mesaj ile kullanici bilgilendirilecektir.
761:     /// </summary>
762:     /// <param name="sender">The sender info (For example Main Form)</param>
763:     /// <param name="e">Event Arguments</param>
764:     private void btnGIBOnizleme_Click(object sender, EventArgs e)
765:     {
766:         using (var dialogKlasorSecimi = new FolderBrowserDialog())
767:         {

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

772:             if (!IslemIcinKlasorSecildiMi(dialogKlasorSecimi, out var klasorAdi))
return;
773:             IslemYapilacakFaturaBilgisiDuzenle(out var gidenFatura, out var
gidenFaturaDetayListesiTemp);
774:
775:             #region XML Olusturma ve Servis Onizlemesi
776:
777:             var geriDonus = new GeriDonus {Tip = 0};
778:             var dosya = new byte[1];
779:             var eFaturaKullanicisiMi = EFaturaKullanicisiMi(gidenFatura);
780:             dosya = eFaturaKullanicisiMi
781:                 ? EFaturaXMLOlusturVeOnIzlemeYap(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, out var dosyaAdi, out geriDonus, dosya)
782:                 : EArsivXMLOlusturVeOnIzlemeYap(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, out dosyaAdi);
783:
784:             var belgeTur = eFaturaKullanicisiMi ? BelgeTur.EFatura :
BelgeTur.EArsiv;
785:
786:             FaturaDosyaOnizlemeYap(dosya, dosyaAdi, belgeTur, gidenFatura,
geriDonus);
787:
788:         }
789:     }
790:
791:
792:     /// <summary>
793:     /// Sistem tarafindan hazirlanan XML dosyasinin
794:     /// E-Fatura veya E-Arsiv servisine gonderilmesi için hazirlanan metottur.
795:     /// Burada islemin basarili olup olmamasina gore kullanici
bilgilendirilecektir.
796:     /// </summary>
797:     /// <param name="sender">The sender info (For example Main Form)</param>
798:     /// <param name="e">Event Arguments</param>
799:     private void btnServiseGonder_Click(object sender, EventArgs e)
800:
801:     {
802:         using (var dialogKlasorSecimi = new FolderBrowserDialog())
803:         {
804:             IslemYapilacakFaturaBilgisiDuzenle(out var gidenFatura, out var
gidenFaturaDetayListesiTemp);
805:
806:             #region XML Olusturma ve Servise Gonderme
807:
808:             var eFaturaKullanicisiMi = EFaturaKullanicisiMi(gidenFatura);
809:             var sonuc = eFaturaKullanicisiMi
810:                 ? EFaturaXMLOlusturVeServiseGonder(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, out var dosyaAdi)
811:                 : EArsivXMLOlusturVeServiseGonder(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, out dosyaAdi);
812:
813:             IslemSonucuMesajiHazirla(sonuc, dosyaAdi);
814:
815:         }
816:     }
817:
818:
819:     /// <summary>
820:     /// Eger Fatura E-Fatura Mükellefine kesiliyorsa
821:     /// Ve Belge Oid degeri yoksas,
822:     /// Daha once gonderilme ihtimaline karsilik olarak
823:     /// Bu bilgilerin servis üzerinden temin edilebilmesi için gerekli islemler
gerceklestirildi
824:     /// </summary>
825:     /// <param name="sender">The sender info (For example Main Form)</param>
826:     /// <param name="e">Event Arguments</param>
827:     private void btnBelgeOidKontrol_Click(object sender, EventArgs e)
828:     {

```

```

829:         #region E-Fatura Mükelleflerinin Fatura Id Bilgilerinin Temini
830:
831:         var gidenFaturaIdListesi = (from item in gidenFaturaListesi where
832: !string.IsNullOrEmpty(item.VergiNo) let eFaturaKullanicisiMi =
833: DisServisler.EFaturaKullanicisiMi(item.VergiNo) where eFaturaKullanicisiMi select
834: item.Id).ToList();
835:
836:         #endregion
837:
838:         var islemSonucu = string.Empty;
839:         if (gidenFaturaIdListesi.Count <= 0) return;
840:         {
841:             var builder = new StringBuilder();
842:             builder.Append(islemSonucu);
843:             foreach (var item in gidenFaturaIdListesi)
844:             {
845:                 var sonuc = DisServisler.BelgeOidKontrol(item,
846: DateTime.Now.AddMonths(-3), DateTime.Now);
847:                 if (sonuc != MesajSabitler.IslemBasarili && sonuc !=
848: MesajSabitler.IslemBasarisiz)
849:                     builder.Append(item + " belge numarali faturanin Belge Oid
850: degeri: " + sonuc + " , ");
851:             }
852:         }
853:     }
854:
855:     /// <summary>
856:     /// Faturanin sisteme gönderilip gönderilmemiş kontrol edilerek
857:     /// Buna göre silinip silinmeyeceğine karar verilmesini saglayan metottur.
858:     /// </summary>
859:     /// <param name="sender">The sender info (For example Main Form)</param>
860:     /// <param name="e">Event Arguments</param>
861:     private void btnFaturaSil_Click(object sender, EventArgs e)
862:     {
863:         var index = new Random().Next(gidenFaturaListesi.Count);
864:         var gidenFatura = gidenFaturaListesi[index];
865:
866:         if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
867:         {
868:             var eFaturaKullanicisiMi =
869: DisServisler.EFaturaKullanicisiMi(gidenFatura.VergiNo);
870:             var sonuc = eFaturaKullanicisiMi
871:                 ? DisServisler.EFaturaSilmeyeUygunMu(gidenFatura.Id)
872:                 : DisServisler.EArsivSilmeyeUygunMu(gidenFatura.Id);
873:
874:             if (sonuc)
875:                 MessageBox.Show(gidenFatura.Id + " yerel belge numarali fatura
876: silinebilir",
877:                         MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
878:                         MessageBoxIcon.Information);
879:             else
880:                 MessageBox.Show(
881:                     gidenFatura.Id +
882:                     " yerel belge numarali fatura GIB servislerine gönderildiği,
883: onaylandığı veya onay beklediği için silinmez",
884:                     MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
885:                     MessageBoxIcon.Error);
886:         }
887:     }
888: 
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

885:                               MessageBoxButtons.OK, MessageBoxIcon.Error);
886:                           }
887:                       }
888:                   }
889:               /// <summary>
890:               /// Ekrandan girilne tarihten öncesine ait
891:               /// Kayitli E-Fatura Mükellef Vergi Numara listesini getiren
892:               /// Ve Listbox'i dolduran metottur.
893:           /// </summary>
894:           /// <param name="sender">The sender info (For example Main Form)</param>
895:           /// <param name="e">Event Arguments</param>
896:           private void btnEFaturaKullaniciListesi_Click(object sender, EventArgs e)
897:           {
898:               lbEFaturaKullaniciListesi.Items.Clear();
899:               var vergiKimlikNoListesi =
DisServisler.EFaturaKullaniciListesi(dtpFaturaTarihi.Value);
900:               foreach (var item in vergiKimlikNoListesi.Where(item =>
!string.IsNullOrEmpty(item)))
901:                   lbEFaturaKullaniciListesi.Items.Add(item);
902:
903:               MessageBox.Show(vergiKimlikNoListesi.Count + " adet e-fatura mükellef
kaydi bulundu",
904:                               MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
905:           }
906:
907:           /// <summary>
908:           /// Ekrandan girilne tarihten öncesine ait
909:           /// Kayitli E-Fatura Mükellef Vergi Numara listesini disariya TXT formatinda
aktaran metottur
910:           /// </summary>
911:           /// <param name="sender">The sender info (For example Main Form)</param>
912:           /// <param name="e">Event Arguments</param>
913:           private void btnEFaturaKullaniciListeAktar_Click(object sender, EventArgs e)
914:           {
915:               if (lbEFaturaKullaniciListesi.Items.Count < 1)
916:                   MessageBox.Show("Aktarilacak bir E-Fatura Kullanici listesi
bulunamadi", MesajSabitler.MesajBasligi,
917:                               MessageBoxButtons.OK, MessageBoxIcon.Error);
918:               else
919:               {
920:                   using (var dialogKlasorSecimi = new FolderBrowserDialog())
921:                   {
922:                       if (!IslemIcinKlasorSecildiMi(dialogKlasorSecimi, out var
klasorAdi)) return;
923:
924:                       var dosyaAdi =
EFaturaKullaniciListesiniTXTFormatindaKaydet(klasorAdi);
925:                       MessageBox.Show(dosyaAdi + " dosyasi üzerinde kayitli E-Fatura
Mükellefleri listelenmistir.",
926:                               MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
927:                   }
928:               }
929:           }
930:
931:           /// <summary>
932:           /// Ekrandan girilne tarihten öncesine ait
933:           /// Kayitli E-Fatura Mükellef Vergi Numara listesini temizlemek için
hazirlanan metottur
934:           /// </summary>
935:           /// <param name="sender">The sender info (For example Main Form)</param>
936:           /// <param name="e">Event Arguments</param>
937:           private void btnEFaturaKullaniciListesiTemizle_Click(object sender, EventArgs
e)
938:           {
939:               var kayitSayisi = lbEFaturaKullaniciListesi.Items.Count;
940:               lbEFaturaKullaniciListesi.Items.Clear();
941:               MessageBox.Show(kayitSayisi + " adet E-Fatura Mükellefi sagdaki listeden

```

```

temizlenmistir.",

942:             MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
943:         }
944:
945:         #endregion
946:
947:         #region E-Müstahsil Metotlari
948:
949:         /// <summary>
950:         /// Sistemde E-Müstahsil Servislerine Gönderilecek Formatta
951:         /// Ideal XML dosyalarinin olusturulmasi için XML Olustur Butonuna tiklandigi
zaman
952:         /// Yapilacak islemlerin hazirlanindi metottur.
953:         /// </summary>
954:         /// <param name="sender">The sender info (For example Main Form)</param>
955:         /// <param name="e">Event Arguments</param>
956:         private void btnXmlOlusturMustahsil_Click(object sender, EventArgs e)
957:     {
958:         using (var dialogKlasorSecimi = new FolderBrowserDialog())
959:         {
960:             if (!IslemIcinKlasorSecildiMi(dialogKlasorSecimi, out var klasorAdi))
return;
961:             IslemYapilacakMakbuzBilgisiDuzenle(out var mustahsilMakbuzu, out var
mustahsilMakbuzuDetayListesiTemp);
962:
963:             #region XML Olusturma
964:
965:             if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo))
{
966:                 var dosyaAdi = XMLIslemleri.EMustahsilXMLOlustur(mustahsilMakbuzu,
967:                         mustahsilMakbuzuDetayListesiTemp, klasorAdi);
968:                 MessageBox.Show(dosyaAdi + " adresinde gerekli XML dosyasi
olusturulmustur.",
969:                         MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
970:             }
971:             else
972:             {
973:                 MessageBox.Show("Müstahsil Makbuzu olusturmak için vergi numarasi
zorunludur",
974:                         MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Warning);
975:             }
976:
977:
978:             #endregion
979:         }
980:
981:
982:             /// <summary>
983:             /// Sistemde E-Müstahsil Servisine yollansin yollanmasin
984:             /// Hazirlanan XML dosyalarinin bu sistemlerde nasil gorundugune dair
985:             /// Onizleme alinmasini saglayan metottur. Bu onizleme PDF veya ZIP olarak
alinacak
986:             /// Sorun olsa da olmasa da bir mesaj ile kullanici bilgilendirilecektir.
987:             /// </summary>
988:             /// <param name="sender">The sender info (For example Main Form)</param>
989:             /// <param name="e">Event Arguments</param>
990:             private void btnGIBOnizlemeMustahsil_Click(object sender, EventArgs e)
991:         {
992:             using (var dialogKlasorSecimi = new FolderBrowserDialog())
993:             {
994:                 if (!IslemIcinKlasorSecildiMi(dialogKlasorSecimi, out var klasorAdi))
return;
995:                 IslemYapilacakMakbuzBilgisiDuzenle(out var mustahsilMakbuzu, out var
mustahsilMakbuzuDetayListesiTemp);
996:
997:                 #region XML Olusturma ve Servis Onizlemesi
998:

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

999:         var dosyaAdi = "";
1000:        var dosya = new byte[1];
1001:        if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo))
1002:        {
1003:            dosyaAdi = XMLIslemleri.EMustahsilXMLOlustur(mustahsilMakbuzu,
mustahsilMakbuzuDetayListesiTemp,
1004:                                         klasorAdi);
1005:            dosya = DisServisler.EMustahsilOnIzleme(mustahsilMakbuzu,
dosyaAdi);
1006:        }
1007:        else
1008:        {
1009:            MessageBox.Show("Müstahsil Makbuzunu servise göndermek için vergi
no zorunludur",
1010:                         MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Warning);
1011:        }
1012:
1013:        MustahsilMakbuzuDosyaOnizlemeYap(dosya, dosyaAdi);
1014:
1015:        #endregion
1016:    }
1017:
1018:
1019:    /// <summary>
1020:    /// Sistem tarafından hazırlanan XML dosyasının
1021:    /// E-Müstahsil servisine gönderilmesi için hazırlanan metottur.
1022:    /// Burada işlemin başarılı olup olmamasına göre kullanıcı
bilgilendirilecektir.
1023:    /// </summary>
1024:    /// <param name="sender">The sender info (For example Main Form)</param>
1025:    /// <param name="e">Event Arguments</param>
1026:    private void btnServiseGonderMustahsil_Click(object sender, EventArgs e)
1027:    {
1028:        using (var dialogKlasorSecimi = new FolderBrowserDialog())
1029:        {
1030:            if (!IslemIcinKlasorSecildiMi(dialogKlasorSecimi, out var klasorAdi))
return;
1031:            IslemYapilacakMakbuzBilgisiDuzenle(out var mustahsilMakbuzu, out var
mustahsilMakbuzuDetayListesiTemp);
1032:
1033:            #region XML Olusturma ve Servise Gönderme
1034:
1035:            var dosyaAdi = "";
1036:            var sonuc = "";
1037:            if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo))
1038:            {
1039:                dosyaAdi = XMLIslemleri.EMustahsilXMLOlustur(mustahsilMakbuzu,
mustahsilMakbuzuDetayListesiTemp,
1040:                                         klasorAdi);
1041:                sonuc = DisServisler.EMustahsilGonder(mustahsilMakbuzu, dosyaAdi);
1042:            }
1043:            else
1044:            {
1045:                MessageBox.Show("Müstahsil Makbuzunu servise göndermek için vergi
no zorunludur",
1046:                             MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Warning);
1047:            }
1048:
1049:            IslemSonucuMesajiHazirla(sonuc, dosyaAdi);
1050:
1051:            #endregion
1052:        }
1053:
1054:
1055:    /// <summary>
1056:    /// Makbuzun sisteme gönderilip gönderilmediği kontrol edilerek
1057:    /// Buna göre silinip silinemeyecegin karar verilmesini saglayan metottur.

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

1058:         /// </summary>
1059:         /// <param name="sender">The sender info (For example Main Form)</param>
1060:         /// <param name="e">Event Arguments</param>
1061:         private void btnMakbuzSil_Click(object sender, EventArgs e)
1062:     {
1063:         var index = new Random().Next(mustahsilMakbuzuListesi.Count);
1064:         var mustahsilMakbuzu = mustahsilMakbuzuListesi[index];
1065:
1066:         if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo))
1067:         {
1068:             var sonuc =
DisServisler.EMustahsilSilmeyeUygunMu(mustahsilMakbuzu.Id);
1069:
1070:             if (sonuc)
1071:                 MessageBox.Show(mustahsilMakbuzu.Id + " yerel belge numarali
makbuz silinebilir",
1072:                                 MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
1073:             else
1074:                 MessageBox.Show(
1075:                     mustahsilMakbuzu.Id +
1076:                     " yerel belge numarali makbuz GIB servislerine gönderildigi,
onaylandigi veya onay bekledigi için silinemez",
1077:                     MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Error);
1078:             }
1079:             else
1080:             {
1081:                 MessageBox.Show("Vergi Numarası olmayan bir makbuz silinemez.",
MesajSabitler.MesajBasligi,
1082:                                 MessageBoxButtons.OK, MessageBoxIcon.Error);
1083:             }
1084:         }
1085:
1086: #endregion
1087:
1088: #region Diger Yardimci Metotlar
1089:
1090:         /// <summary>
1091:         /// Faturadaki bilgiler kontrol edilerek
1092:         /// Vergi No veya TC Kimlik No üzerinden
1093:         /// Söz konusu mükellefin E-Fatura
1094:         /// Mükellefi olup olmadiginin kontrol edildigi metottur.
1095:         /// </summary>
1096:         /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
1097:         /// <returns>Sahsin E-Fatura Mükellefi Olup Olmadigi Bilgisi</returns>
1098:         private static bool EFaturaKullanicisiMi(GidenFaturaDTO gidenFatura)
1099:     {
1100:         var eFaturaKullanicisiMi = false;
1101:         if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
1102:             eFaturaKullanicisiMi =
DisServisler.EFaturaKullanicisiMi(gidenFatura.VergiNo);
1103:             else
1104:             {
1105:                 if (!string.IsNullOrEmpty(gidenFatura.GercekKisiTcKimlikNo))
1106:                     eFaturaKullanicisiMi =
DisServisler.EFaturaKullanicisiMi(gidenFatura.GercekKisiTcKimlikNo);
1107:             }
1108:
1109:             return eFaturaKullanicisiMi;
1110:     }
1111:
1112:         /// <summary>
1113:         /// Burada olusan E-Fatura Kullanici Listesini
1114:         /// TXT Dosyasina kaydetmek icin
1115:         /// Gerekli islemlerin gerceklestirildigi kod bloklari bulunmaktadır
1116:         /// </summary>
1117:         /// <param name="klasorAdi">Dosyanin kaydedilecegi klasör adi</param>
1118:         /// <returns>Dosyanin adi</returns>

```

```

1119:     private string EFaturaKullaniciListesiniTXTFormatindaKaydet(string klasorAdi)
1120:     {
1121:         var ad = Guid.NewGuid().ToString();
1122:         var dosyaAdi = klasorAdi + "/" + ad + ".txt";
1123:         var dosyaKaydi = new StreamWriter(dosyaAdi);
1124:         foreach (var item in lbEFaturaKullaniciListesi.Items)
1125:             dosyaKaydi.WriteLine(item.ToString());
1126:         dosyaKaydi.Close();
1127:         return dosyaAdi;
1128:     }
1129:
1130: /// <summary>
1131: /// E-Fatura veya E-Arsiv Faturasi önizlemesi yapilirken
1132: /// Servisten gelen degere göre
1133: /// Dosyanin önizlemesinin yapılip yapılmaması ile ilgili islemlerin
gerçeklestirildigi metottur.
1134: /// </summary>
1135: /// <param name="dosya">Servisten Dönen Byte Dizisi</param>
1136: /// <param name="dosyaAdi">Hedef Dosya Adı</param>
1137: /// <param name="belgeTur">Belge Türü Bilgisi</param>
1138: /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
1139: /// <param name="geriDonus">Servisten Gelen geri Dönüs Bilgisi</param>
1140: private static void FaturaDosyaOnizlemeYap(byte[] dosya, string dosyaAdi,
BelgeTur belgeTur, GidenFaturaDTO gidenFatura, GeriDonus geriDonus)
1141: {
1142:     if (dosya != null && dosya.Length > 1)
1143:     {
1144:         var dosyaAdiTTemp = dosyaAdi.Replace("xml", "pdf");
1145:
1146:         if (belgeTur == BelgeTur.EFatura &&
!string.IsNullOrEmpty(gidenFatura.BelgeOid))
1147:             dosya = ZipDosyasindanPdfCikar(dosya);
1148:         if (geriDonus != null && geriDonus.Tip == 1)
1149:             dosya = ZipDosyasindanPdfCikar(dosya);
1150:
1151:         File.WriteAllBytes(dosyaAdiTTemp, dosya);
1152:
1153:         MessageBox.Show(dosyaAdiTTemp + " adresinde gerekli PDF veya ZIP
dosyasi olusturulmustur.", ,
MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
1154:         if (File.Exists(dosyaAdiTTemp))
1155:             System.Diagnostics.Process.Start(dosyaAdiTTemp);
1156:         }
1157:     else
1158:     {
1159:         MessageBox.Show("Söz konusu faturanın önizlemesi oluşturulamamıştır",
MesajSabitler.MesajBasligi,
1160:                         MessageBoxButtons.OK, MessageBoxIcon.Error);
1161:     }
1162: }
1163: }

1164:
1165: /// <summary>
1166: /// Önizleme için servise gönderme işlemi gerçekleştirildikten sonra
1167: /// Servisten gelen byte dizisinin durumuna göre
1168: /// Makbuzun servis önizlemesinin yapılip yapılmaması ile ilgili islemlerin
1169: /// Gerçeklestirildiği metottur
1170: /// </summary>
1171: /// <param name="dosya">Servisten Dönen Byte Dizisi</param>
1172: /// <param name="dosyaAdi">Hedef Dosya Adı</param>
1173: private static void MustahsilMakbuzuDosyaOnizlemeYap(byte[] dosya, string
dosyaAdi)
1174: {
1175:     if (dosya != null && dosya.Length > 1)
1176:     {
1177:         var dosyaAdiTTemp = dosyaAdi.Replace("xml", "pdf");
1178:
1179:         File.WriteAllBytes(dosyaAdiTTemp, dosya);
1180:

```

```

1181:             MessageBox.Show(dosyaAdiTemp + " adresinde gerekli PDF veya ZIP dosyasi olusturulmustur.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Information);
1182:             System.Diagnostics.Process.Start(dosyaAdiTemp);
1183:         }
1184:         if (File.Exists(dosyaAdiTemp))
1185:             System.Diagnostics.Process.Start(dosyaAdiTemp);
1186:         }
1187:         else
1188:         {
1189:             MessageBox.Show("Söz konusu faturanin önizlemesi olusturulamamistir", MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Error);
1190:         }
1191:     }
1192: }
1193:
1194: /// <summary>
1195: /// Klasör Seçimi Yapilmasi ve klasör seçilirse
1196: /// Bu klasör adinin alınması için gerekli islemlerin gerçekleştirildiği metottur.
1197: /// </summary>
1198: /// <param name="dialogKlasorSecimi">Klasör Seçim Dyalogu</param>
1199: /// <param name="klasorAdi">Bos Klasör Adı</param>
1200: /// <returns>Klasör Seçiminin Yapılıp Yapılmadığı Bilgisi</returns>
1201: private static bool IslemIcinKlasorSecildiMi(FolderBrowserDialog dialogKlasorSecimi, out string klasorAdi)
1202: {
1203:     dialogKlasorSecimi.SelectedPath = Application.StartupPath;
1204:     var klasorSecimDiyalogu = dialogKlasorSecimi.ShowDialog();
1205:
1206:     if (klasorSecimDiyalogu != DialogResult.OK ||
1207:         string.IsNullOrWhiteSpace(dialogKlasorSecimi.SelectedPath))
1208:     {
1209:         klasorAdi = null;
1210:         return false;
1211:     }
1212:
1213:     klasorAdi = dialogKlasorSecimi.SelectedPath;
1214:     return true;
1215: }
1216:
1217: /// <summary>
1218: /// Islem yapilacak Giden Fatura ve detay bilgilerinin düzenlenmesi için
1219: /// Gerekli islemlerin gerçekleştirildiği metottur.
1220: /// </summary>
1221: /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
1222: /// <param name="gidenFaturaDetayListesiTemp">Giden Fatura Detay Listesi Bilgisi</param>
1223: private void IslemYapilacakFaturaBilgisiDuzenle(out GidenFaturaDTO
gidenFatura,
1224:         out List<GidenFaturaDetayDTO> gidenFaturaDetayListesiTemp)
1225: {
1226:     // Burada form yüklenigi zaman hazırlanan giden faturalardan rastgele
birinin
1227:     // ve ona ait detay kayitlarinin seçilmesi saglanıyor
var index = new Random().Next(gidenFaturaListesi.Count);
1228:     gidenFatura = gidenFaturaListesi[index];
1229:     gidenFaturaDetayListesiTemp = new List<GidenFaturaDetayDTO>();
1230:     var dto = gidenFatura;
1231:     if (gidenFaturaDetayListesi.Any(j => j.AnaNesneId == dto.Id))
1232:         gidenFaturaDetayListesiTemp =
1233:             gidenFaturaDetayListesi.Where(j => j.AnaNesneId ==
1234:                 dto.Id).ToList();
1235: }
1236:
1237: /// <summary>
1238: /// Islem yapilacak Müstahsil Makbuzu ve detay bilgilerinin düzenlenmesi için
1239: /// Gerekli islemlerin gerçekleştirildiği metottur.
1240: /// </summary>

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

1241:      /// <param name="mustahsilMakbuzu">Müstahsil Makbuzu Bilgisi</param>
1242:      /// <param name="mustahsilMakbuzuDetayListesiTemp">Müstahsil Makbuzu Detay
1243:      Listesi Bilgisi</param>
1243:      private void IslemYapilacakMakbuzBilgisiDuzenle(out MustahsilMakbuzuDTO
mustahsilMakbuzu,
1244:          out List<MustahsilMakbuzuDetayDTO> mustahsilMakbuzuDetayListesiTemp)
1245:      {
1246:          // Burada form yüklenigi zaman hazırlanan müstahsil makbzularından
rastgele birinin
1247:          // ve ona ait detay kayitlarinin seçilmesi saglanıyor
1248:          var index = new Random().Next(mustahsilMakbuzuListesi.Count);
mustahsilMakbuzu = mustahsilMakbuzuListesi[index];
mustahsilMakbuzuDetayListesiTemp = new List<MustahsilMakbuzuDetayDTO>();
1251:          var dto = mustahsilMakbuzu;
1252:          if (mustahsilMakbuzuDetayListesi.Any(j => j.AnaNesneId == dto.Id))
mustahsilMakbuzuDetayListesiTemp = mustahsilMakbuzuDetayListesi
                .Where(j => j.AnaNesneId == dto.Id).ToList();
1255:      }
1256:
1257:      /// <summary>
1258:      /// Servise gönderme konusunda sonuca göre bilgi mesajı verilmesini saglayan
metottur
1259:      /// </summary>
1260:      /// <param name="sonuc">Islem Sonucu Bilgisi</param>
1261:      /// <param name="dosyaAdi">Dosya Adı Bilgisi</param>
1262:      private static void IslemSonucuMesajiHazirla(string sonuc, string dosyaAdi)
1263:      {
1264:          if (sonuc == MesajSabitler.IslemBasarisiz)
1265:          {
1266:              MessageBox.Show(dosyaAdi + " dosyasının servise gönderilmesinde bir
sorun yasanmıştır.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Error);
1268:          }
1269:          else
1270:          {
1271:              MessageBox.Show(dosyaAdi + " dosyasi basariyla GIB servislerine
gönderilmistir.", MesajSabitler.MesajBasligi,
MessageBoxButtons.OK, MessageBoxIcon.Information);
1274:          }
1275:      }
1276:
1277:      /// <summary>
1278:      /// E-Fatura Sisteminden Onaylı Fatura Çıktısı PDF yerine ZIP Formatında
1279:      /// Geldiği için bu ZIP formatındaki byte array üzerinden
1280:      /// İçindeki PDF dosyasının alınıp yazdırılması için
1281:      /// Gerekli metottur
1282:      /// </summary>
1283:      /// <param name="dosya">ZIP Byte Array</param>
1284:      /// <returns>PDF Byte Array</returns>
1285:      private static byte[] ZipDosyasindanPdfCikar(byte[] dosya)
1286:      {
1287:          var streamZip = new MemoryStream(dosya);
1288:          using (var zip = new ZipArchive(streamZip, ZipArchiveMode.Update))
1289:          {
1290:              foreach (var entry in zip.Entries)
1291:              {
1292:                  var streamTemp = entry.Open();
1293:                  byte[] bytes;
1294:                  using (var ms = new MemoryStream())
1295:                  {
1296:                      streamTemp.CopyTo(ms);
1297:                      bytes = ms.ToArray();
1298:                  }
1299:
1300:                  dosya = bytes;
1301:              }
1302:          }

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

1303:
1304:        return dosya;
1305:    }
1306:
1307:    /// <summary>
1308:    /// E-Fatura Servisinden Faturanın Önizlemesini Yapmak İçin
1309:    /// XML Olusturan ve bunu ilgili servislere gönderen metottur.
1310:    /// </summary>
1311:    /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
1312:    /// <param name="gidenFaturaDetayListesiTemp">Giden Fatura Detay Listesi
Bilgisi</param>
1313:    /// <param name="klasorAdi">Dosyanın Çıkarılacağı Klasör Bilgisi</param>
1314:    /// <param name="dosyaAdi">Olusacak Dosya Adı Bilgisi</param>
1315:    /// <param name="geriDonus">Servis Geri Dönüş Bilgisi</param>
1316:    /// <param name="dosya">Olusan Dosya Bilgisi</param>
1317:    /// <returns>Dosya Bilgisi</returns>
1318:    private static byte[] EFaturaXMLOlusturVeOnIzlemeYap(GidenFaturaDTO
gidenFatura, List<GidenFaturaDetayDTO> gidenFaturaDetayListesiTemp, string klasorAdi, out
string dosyaAdi, out GeriDonus geriDonus, byte[] dosya)
1319:    {
1320:        dosyaAdi = XMLIslemleri.EFaturaXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp,
1321:            klasorAdi);
1322:        geriDonus = DisServisler.EFaturaOnIzleme(gidenFatura, dosyaAdi);
1323:        if (geriDonus != null)
1324:            dosya = geriDonus.Dosya;
1325:        return dosya;
1326:    }
1327:
1328:    /// <summary>
1329:    /// E-Arsiv Servisinden Faturanın Önizlemesini Yapmak İçin
1330:    /// XML Olusturan ve bunu ilgili servislere gönderen metottur.
1331:    /// </summary>
1332:    /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
1333:    /// <param name="gidenFaturaDetayListesiTemp">Giden Fatura Detay Listesi
Bilgisi</param>
1334:    /// <param name="klasorAdi">Dosyanın Çıkarılacağı Klasör Bilgisi</param>
1335:    /// <param name="dosyaAdi">Olusacak Dosya Adı Bilgisi</param>
1336:    /// <returns>Dosya Adı Bilgisi</returns>
1337:    private static byte[] EArsivXMLOlusturVeOnIzlemeYap(GidenFaturaDTO
gidenFatura, List<GidenFaturaDetayDTO> gidenFaturaDetayListesiTemp, string klasorAdi, out
string dosyaAdi)
1338:    {
1339:        dosyaAdi = XMLIslemleri.EArsivXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp,
1340:            klasorAdi, true);
1341:        var dosya = DisServisler.EArsivOnIzleme(gidenFatura, dosyaAdi);
1342:        return dosya;
1343:    }
1344:
1345:    /// <summary>
1346:    /// E-Fatura Servisine Fatura gönderimi İçin
1347:    /// XML Olusturan ve bunu ilgili servislere gönderen metottur.
1348:    /// </summary>
1349:    /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
1350:    /// <param name="gidenFaturaDetayListesiTemp">Giden Fatura Detay Listesi
Bilgisi</param>
1351:    /// <param name="klasorAdi">Dosyanın Çıkarılacağı Klasör Bilgisi</param>
1352:    /// <param name="dosyaAdi">Olusacak Dosya Adı Bilgisi</param>
1353:    /// <returns>Dosya Adı Bilgisi</returns>
1354:    private static string EFaturaXMLOlusturVeServiceGonder(GidenFaturaDTO
gidenFatura, List<GidenFaturaDetayDTO> gidenFaturaDetayListesiTemp, string klasorAdi, out
string dosyaAdi)
1355:    {
1356:        dosyaAdi = XMLIslemleri.EFaturaXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp,
1357:            klasorAdi);
1358:        var sonuc = DisServisler.EFaturaGonder(gidenFatura, dosyaAdi,
gidenFatura.BelgeOid);

```

```

1359:             if (sonuc == MesajSabitler.IslamBasarisiz) return sonuc;
1360:             if (sonuc.Length <= 20)
1361:                 gidenFatura.BelgeOid = sonuc;
1362:
1363:             return sonuc;
1364:         }
1365:
1366:         /// <summary>
1367:         /// E-Arsiv Servisine Fatura gönderimi İçin
1368:         /// XML Oluşturan ve bunu ilgili servislere gönderen metottur.
1369:         /// </summary>
1370:         /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
1371:         /// <param name="gidenFaturaDetayListesiTemp">Giden Fatura Detay Listesi
Bilgisi</param>
1372:         /// <param name="klasorAdi">Dosyanın Çıkarılacağı Klasör Bilgisi</param>
1373:         /// <param name="dosyaAdi">Olacak Dosya Adı Bilgisi</param>
1374:         /// <returns>Dosya Adı Bilgisi</returns>
1375:         private static string EArsivXMLOlusturVeServiseGonder(GidenFaturaDTO
gidenFatura, List<GidenFaturaDetayDTO> gidenFaturaDetayListesiTemp, string klasorAdi, out
string dosyaAdi)
1376:         {
1377:             dosyaAdi = XMLIslemeleri.EArsivXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp,
1378:                 klasorAdi, false);
1379:             var sonuc = DisServisler.EArsivGonder(gidenFatura, dosyaAdi);
1380:             return sonuc;
1381:         }
1382:
1383:         #endregion
1384:     }
1385: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.7 FormAnaSayfa.Designer.cs

This is file FormAnaSayfa.Designer.cs.

Body Source

```

1: ?namespace QNBFinansGIB
2: {
3:     partial class frmAnaSayfa
4:     {
5:         /// <summary>
6:         /// Required designer variable.
7:         /// </summary>
8:         private System.ComponentModel.IContainer components = null;
9:
10:        /// <summary>
11:        /// Clean up any resources being used.
12:        /// </summary>
13:        /// <param name="disposing">true if managed resources should be disposed;
otherwise, false.</param>
14:        protected override void Dispose(bool disposing)
15:        {
16:            if (disposing && (components != null))
17:            {
18:                components.Dispose();
19:            }
20:            base.Dispose(disposing);
21:        }
22:    }
23: }
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
22:
23:     #region Windows Form Designer generated code
24:
25:     /// <summary>
26:     /// Required method for Designer support - do not modify
27:     /// the contents of this method with the code editor.
28:     /// </summary>
29:     private void InitializeComponent()
30:     {
31:         this.btnXmlOlustur = new System.Windows.Forms.Button();
32:         this.btnGIBOnizleme = new System.Windows.Forms.Button();
33:         this.btnServiceGonder = new System.Windows.Forms.Button();
34:         this.gbEFaturaEArsiv = new System.Windows.Forms.GroupBox();
35:         this.btnFaturaSil = new System.Windows.Forms.Button();
36:         this.btnBelgeOidKontrol = new System.Windows.Forms.Button();
37:         this.gbEFatura = new System.Windows.Forms.GroupBox();
38:         this.btnEFaturaKullaniciListesiTemizle = new System.Windows.Forms.Button();
39:         this.btnEFaturaKullaniciListeAktar = new System.Windows.Forms.Button();
40:         this.lblMukellefListesi = new System.Windows.Forms.Label();
41:         this.lbEFaturaKullaniciListesi = new System.Windows.Forms.ListBox();
42:         this.dtpFaturaTarihi = new System.Windows.Forms.DateTimePicker();
43:         this.btnEFaturaKullaniciListesi = new System.Windows.Forms.Button();
44:         this.gbEMustahsil = new System.Windows.Forms.GroupBox();
45:         this.btnMakbuzSil = new System.Windows.Forms.Button();
46:         this.btnXmlOlusturMustahsil = new System.Windows.Forms.Button();
47:         this.btnServiceGonderMustahsil = new System.Windows.Forms.Button();
48:         this.btnGIBOnizlemeMustahsil = new System.Windows.Forms.Button();
49:         this.gbEFaturaEArsiv.SuspendLayout();
50:         this.gbEFatura.SuspendLayout();
51:         this.gbEMustahsil.SuspendLayout();
52:         this.SuspendLayout();
53:         // 
54:         // btnXmlOlustur
55:         //
56:         this.btnXmlOlustur.Location = new System.Drawing.Point(8, 37);
57:         this.btnXmlOlustur.Margin = new System.Windows.Forms.Padding(4);
58:         this.btnXmlOlustur.Name = "btnXmlOlustur";
59:         this.btnXmlOlustur.Size = new System.Drawing.Size(155, 38);
60:         this.btnXmlOlustur.TabIndex = 0;
61:         this.btnXmlOlustur.Text = "XML Olustur";
62:         this.btnXmlOlustur.UseVisualStyleBackColor = true;
63:         this.btnXmlOlustur.Click += new
System.EventHandler(this.btnXmlOlustur_Click);
64:         //
65:         // btnGIBOnizleme
66:         //
67:         this.btnGIBOnizleme.Location = new System.Drawing.Point(171, 37);
68:         this.btnGIBOnizleme.Margin = new System.Windows.Forms.Padding(4);
69:         this.btnGIBOnizleme.Name = "btnGIBOnizleme";
70:         this.btnGIBOnizleme.Size = new System.Drawing.Size(232, 38);
71:         this.btnGIBOnizleme.TabIndex = 1;
72:         this.btnGIBOnizleme.Text = "GIB Fatura Çıktı Önizleme";
73:         this.btnGIBOnizleme.UseVisualStyleBackColor = true;
74:         this.btnGIBOnizleme.Click += new
System.EventHandler(this.btnGIBOnizleme_Click);
75:         //
76:         // btnServiceGonder
77:         //
78:         this.btnServiceGonder.Location = new System.Drawing.Point(411, 37);
79:         this.btnServiceGonder.Margin = new System.Windows.Forms.Padding(4);
80:         this.btnServiceGonder.Name = "btnServiceGonder";
81:         this.btnServiceGonder.Size = new System.Drawing.Size(220, 38);
82:         this.btnServiceGonder.TabIndex = 2;
83:         this.btnServiceGonder.Text = "Servise Gönder";
84:         this.btnServiceGonder.UseVisualStyleBackColor = true;
85:         this.btnServiceGonder.Click += new
System.EventHandler(this.btnServiceGonder_Click);
86:         //
87:         // gbEFaturaEArsiv
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```

88:         //
89:         this.gbEFaturaEArsiv.Controls.Add(this.btnFaturaSil);
90:         this.gbEFaturaEArsiv.Controls.Add(this.btnBelgeOidKontrol);
91:         this.gbEFaturaEArsiv.Controls.Add(this.btnXmlOlustur);
92:         this.gbEFaturaEArsiv.Controls.Add(this.btnServiseGonder);
93:         this.gbEFaturaEArsiv.Controls.Add(this.btnGIBOnizleme);
94:         this.gbEFaturaEArsiv.Location = new System.Drawing.Point(16, 15);
95:         this.gbEFaturaEArsiv.Margin = new System.Windows.Forms.Padding(4);
96:         this.gbEFaturaEArsiv.Name = "gbEFaturaEArsiv";
97:         this.gbEFaturaEArsiv.Padding = new System.Windows.Forms.Padding(4);
98:         this.gbEFaturaEArsiv.Size = new System.Drawing.Size(868, 146);
99:         this.gbEFaturaEArsiv.TabIndex = 3;
100:        this.gbEFaturaEArsiv.TabStop = false;
101:        this.gbEFaturaEArsiv.Text = "E-Fatura ve E-Arsiv";
102:        //
103:        // btnFaturaSil
104:        //
105:        this.btnFaturaSil.Location = new System.Drawing.Point(297, 89);
106:        this.btnFaturaSil.Margin = new System.Windows.Forms.Padding(4);
107:        this.btnFaturaSil.Name = "btnFaturaSil";
108:        this.btnFaturaSil.Size = new System.Drawing.Size(220, 38);
109:        this.btnFaturaSil.TabIndex = 4;
110:        this.btnFaturaSil.Text = "Fatura Sil";
111:        this.btnFaturaSil.UseVisualStyleBackColor = true;
112:        this.btnFaturaSil.Click += new
System.EventHandler(this.btnFaturaSil_Click);
113:        //
114:        // btnBelgeOidKontrol
115:        //
116:        this.btnBelgeOidKontrol.Location = new System.Drawing.Point(639, 37);
117:        this.btnBelgeOidKontrol.Margin = new System.Windows.Forms.Padding(4);
118:        this.btnBelgeOidKontrol.Name = "btnBelgeOidKontrol";
119:        this.btnBelgeOidKontrol.Size = new System.Drawing.Size(220, 38);
120:        this.btnBelgeOidKontrol.TabIndex = 3;
121:        this.btnBelgeOidKontrol.Text = "Belge Oid Kontrol";
122:        this.btnBelgeOidKontrol.UseVisualStyleBackColor = true;
123:        this.btnBelgeOidKontrol.Click += new
System.EventHandler(this.btnBelgeOidKontrol_Click);
124:        //
125:        // gbEFatura
126:        //
127:        this.gbEFatura.Controls.Add(this.btnEFaturaKullaniciListesiTemizle);
128:        this.gbEFatura.Controls.Add(this.btnEFaturaKullaniciListeAktar);
129:        this.gbEFatura.Controls.Add(this.lblMukellefListesi);
130:        this.gbEFatura.Controls.Add(this.lbeFaturaKullaniciListesi);
131:        this.gbEFatura.Controls.Add(this.dtpFaturaTarihi);
132:        this.gbEFatura.Controls.Add(this.btnEFaturaKullaniciListesi);
133:        this.gbEFatura.Location = new System.Drawing.Point(16, 149);
134:        this.gbEFatura.Margin = new System.Windows.Forms.Padding(4);
135:        this.gbEFatura.Name = "gbEFatura";
136:        this.gbEFatura.Padding = new System.Windows.Forms.Padding(4);
137:        this.gbEFatura.Size = new System.Drawing.Size(868, 158);
138:        this.gbEFatura.TabIndex = 4;
139:        this.gbEFatura.TabStop = false;
140:        this.gbEFatura.Text = "E-Fatura";
141:        //
142:        // btnEFaturaKullaniciListesiTemizle
143:        //
144:        this.btnEFaturaKullaniciListesiTemizle.Location = new
System.Drawing.Point(8, 122);
145:        this.btnEFaturaKullaniciListesiTemizle.Margin = new
System.Windows.Forms.Padding(4);
146:        this.btnEFaturaKullaniciListesiTemizle.Name =
"btnEFaturaKullaniciListesiTemizle";
147:        this.btnEFaturaKullaniciListesiTemizle.Size = new System.Drawing.Size(155,
28);
148:        this.btnEFaturaKullaniciListesiTemizle.TabIndex = 8;
149:        this.btnEFaturaKullaniciListesiTemizle.Text = "Listeyi Temizle";
150:        this.btnEFaturaKullaniciListesiTemizle.UseVisualStyleBackColor = true;

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

151:         this.btnEFaturaKullaniciListesiTemizle.Click += new
System.EventHandler(this.btnEFaturaKullaniciListesiTemizle_Click);
152:         //
153:         // btnEFaturaKullaniciListeAktar
154:         //
155:         this.btnEFaturaKullaniciListeAktar.Location = new
System.Drawing.Point(183, 122);
156:         this.btnEFaturaKullaniciListeAktar.Margin = new
System.Windows.Forms.Padding(4);
157:         this.btnEFaturaKullaniciListeAktar.Name = "btnEFaturaKullaniciListeAktar";
158:         this.btnEFaturaKullaniciListeAktar.Size = new System.Drawing.Size(220, 28);
159:         this.btnEFaturaKullaniciListeAktar.TabIndex = 7;
160:         this.btnEFaturaKullaniciListeAktar.Text = "Listeyi Disariya Aktar";
161:         this.btnEFaturaKullaniciListeAktar.UseVisualStyleBackColor = true;
162:         this.btnEFaturaKullaniciListeAktar.Click += new
System.EventHandler(this.btnEFaturaKullaniciListeAktar_Click);
163:         //
164:         // lblMukellefListesi
165:         //
166:         this.lblMukellefListesi.Font = new System.Drawing.Font("Microsoft Sans
Serif", 8.25F, System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, ((byte)
(162)));
167:         this.lblMukellefListesi.ForeColor = System.Drawing.Color.Red;
168:         this.lblMukellefListesi.Location = new System.Drawing.Point(8, 75);
169:         this.lblMukellefListesi.Margin = new System.Windows.Forms.Padding(4, 0, 4,
0);
170:         this.lblMukellefListesi.Name = "lblMukellefListesi";
171:         this.lblMukellefListesi.Size = new System.Drawing.Size(397, 28);
172:         this.lblMukellefListesi.TabIndex = 6;
173:         this.lblMukellefListesi.Text = "Seçilen Tarihten Sonra E-Fatura Mükellefi
Olan Kullanicilar =>";
174:         this.lblMukellefListesi.TextAlign =
System.Drawing.ContentAlignment.MiddleCenter;
175:         //
176:         // lbEFaturaKullaniciListesi
177:         //
178:         this.lbEFaturaKullaniciListesi.FormattingEnabled = true;
179:         this.lbEFaturaKullaniciListesi.ItemHeight = 16;
180:         this.lbEFaturaKullaniciListesi.Location = new System.Drawing.Point(425,
34);
181:         this.lbEFaturaKullaniciListesi.Margin = new
System.Windows.Forms.Padding(4);
182:         this.lbEFaturaKullaniciListesi.Name = "lbEFaturaKullaniciListesi";
183:         this.lbEFaturaKullaniciListesi.Size = new System.Drawing.Size(432, 116);
184:         this.lbEFaturaKullaniciListesi.TabIndex = 5;
185:         //
186:         // dtpFaturaTarihi
187:         //
188:         this.dtpFaturaTarihi.Location = new System.Drawing.Point(8, 38);
189:         this.dtpFaturaTarihi.Margin = new System.Windows.Forms.Padding(4);
190:         this.dtpFaturaTarihi.Name = "dtpFaturaTarihi";
191:         this.dtpFaturaTarihi.Size = new System.Drawing.Size(153, 22);
192:         this.dtpFaturaTarihi.TabIndex = 4;
193:         //
194:         // btnEFaturaKullaniciListesi
195:         //
196:         this.btnEFaturaKullaniciListesi.Location = new System.Drawing.Point(183,
34);
197:         this.btnEFaturaKullaniciListesi.Margin = new
System.Windows.Forms.Padding(4);
198:         this.btnEFaturaKullaniciListesi.Name = "btnEFaturaKullaniciListesi";
199:         this.btnEFaturaKullaniciListesi.Size = new System.Drawing.Size(220, 28);
200:         this.btnEFaturaKullaniciListesi.TabIndex = 3;
201:         this.btnEFaturaKullaniciListesi.Text = "E-Fatura Kullanici Listesi";
202:         this.btnEFaturaKullaniciListesi.UseVisualStyleBackColor = true;
203:         this.btnEFaturaKullaniciListesi.Click += new
System.EventHandler(this.btnEFaturaKullaniciListesi_Click);
204:         //
205:         // gbEMustahsil

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```
206:      //  
207:      this.gbEMustahsil.Controls.Add(this.btnMakbuzSil);  
208:      this.gbEMustahsil.Controls.Add(this.btnXmlOlusturMustahsil);  
209:      this.gbEMustahsil.Controls.Add(this.btnServiseGonderMustahsil);  
210:      this.gbEMustahsil.Controls.Add(this.btnGIBOnizlemeMustahsil);  
211:      this.gbEMustahsil.Location = new System.Drawing.Point(16, 314);  
212:      this.gbEMustahsil.Margin = new System.Windows.Forms.Padding(4);  
213:      this.gbEMustahsil.Name = "gbEMustahsil";  
214:      this.gbEMustahsil.Padding = new System.Windows.Forms.Padding(4);  
215:      this.gbEMustahsil.Size = new System.Drawing.Size(868, 96);  
216:      this.gbEMustahsil.TabIndex = 5;  
217:      this.gbEMustahsil.TabStop = false;  
218:      this.gbEMustahsil.Text = "E-Müstahsil";  
219:  
220:      //  
221:      // btnMakbuzSil  
222:      //  
223:      this.btnMakbuzSil.Location = new System.Drawing.Point(639, 37);  
224:      this.btnMakbuzSil.Margin = new System.Windows.Forms.Padding(4);  
225:      this.btnMakbuzSil.Name = "btnMakbuzSil";  
226:      this.btnMakbuzSil.Size = new System.Drawing.Size(220, 38);  
227:      this.btnMakbuzSil.TabIndex = 3;  
228:      this.btnMakbuzSil.Text = "Makbuz Sil";  
229:      this.btnMakbuzSil.UseVisualStyleBackColor = true;  
230:      this.btnMakbuzSil.Click += new  
System.EventHandler(this.btnMakbuzSil_Click);  
231:      //  
232:      // btnXmlOlusturMustahsil  
233:      //  
234:      this.btnXmlOlusturMustahsil.Location = new System.Drawing.Point(8, 37);  
235:      this.btnXmlOlusturMustahsil.Margin = new System.Windows.Forms.Padding(4);  
236:      this.btnXmlOlusturMustahsil.Name = "btnXmlOlusturMustahsil";  
237:      this.btnXmlOlusturMustahsil.Size = new System.Drawing.Size(155, 38);  
238:      this.btnXmlOlusturMustahsil.TabIndex = 0;  
239:      this.btnXmlOlusturMustahsil.Text = "XML Olustur";  
240:      this.btnXmlOlusturMustahsil.UseVisualStyleBackColor = true;  
241:      this.btnXmlOlusturMustahsil.Click += new  
System.EventHandler(this.btnXmlOlusturMustahsil_Click);  
242:      //  
243:      // btnServiseGonderMustahsil  
244:      //  
245:      this.btnServiseGonderMustahsil.Location = new System.Drawing.Point(411,  
37);  
246:      this.btnServiseGonderMustahsil.Margin = new  
System.Windows.Forms.Padding(4);  
247:      this.btnServiseGonderMustahsil.Name = "btnServiseGonderMustahsil";  
248:      this.btnServiseGonderMustahsil.Size = new System.Drawing.Size(220, 38);  
249:      this.btnServiseGonderMustahsil.TabIndex = 2;  
250:      this.btnServiseGonderMustahsil.Text = "Servise Gonder";  
251:      this.btnServiseGonderMustahsil.UseVisualStyleBackColor = true;  
252:      this.btnServiseGonderMustahsil.Click += new  
System.EventHandler(this.btnServiseGonderMustahsil_Click);  
253:      //  
254:      // btnGIBOnizlemeMustahsil  
255:      //  
256:      this.btnGIBOnizlemeMustahsil.Location = new System.Drawing.Point(171, 37);  
257:      this.btnGIBOnizlemeMustahsil.Margin = new System.Windows.Forms.Padding(4);  
258:      this.btnGIBOnizlemeMustahsil.Name = "btnGIBOnizlemeMustahsil";  
259:      this.btnGIBOnizlemeMustahsil.Size = new System.Drawing.Size(232, 38);  
260:      this.btnGIBOnizlemeMustahsil.TabIndex = 1;  
261:      this.btnGIBOnizlemeMustahsil.Text = "GIB Makbuz Çıktı Önizleme";  
262:      this.btnGIBOnizlemeMustahsil.UseVisualStyleBackColor = true;  
263:      this.btnGIBOnizlemeMustahsil.Click += new  
System.EventHandler(this.btnGIBOnizlemeMustahsil_Click);  
264:      //  
265:      // frmAnaSayfa  
266:      //  
267:      this.AutoScaleDimensions = new System.Drawing.SizeF(8F, 16F);  
268:      this.AutoScaleMode = System.Windows.Forms.AutoScaleMode.Font;  
269:      this.AutoSize = true;
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

269:         this.AutoScaleMode = System.Windows.Forms.AutoScaleMode.GrowAndShrink;
270:         this.ClientSize = new System.Drawing.Size(900, 425);
271:         this.Controls.Add(this.gbEMustahsil);
272:         this.Controls.Add(this.gbEFatura);
273:         this.Controls.Add(this.gbEFaturaEArsiv);
274:         this.Margin = new System.Windows.Forms.Padding(4);
275:         this.Name = "frmAnaSayfa";
276:         this.StartPosition = System.Windows.Forms.FormStartPosition.CenterScreen;
277:         this.Text = "QNB Finans GIB Servis Uygulaması";
278:         this.FormClosed += new
System.Windows.Forms.FormClosedEventHandler(this.frmAnaSayfa_FormClosed);
279:             thisShown += new System.EventHandler(this.FormAnaSayfa_Shown);
280:             this.gbEFaturaEArsiv.ResumeLayout(false);
281:             this.gbEFatura.ResumeLayout(false);
282:             this.gbEMustahsil.ResumeLayout(false);
283:             this.ResumeLayout(false);
284:         }
285:
286:         private System.Windows.Forms.Button btnServiseGonderMustahsil;
287:
288:         private System.Windows.Forms.Button btnEFaturaKullaniciListesiTemizle;
289:
290:         private System.Windows.Forms.Button btnEFaturaKullaniciListeAktar;
291:
292:         private System.Windows.Forms.Label lblMukellefListesi;
293:
294:         private System.Windows.Forms.GroupBox gbEMustahsil;
295:         private System.Windows.Forms.Button btnMakbuzSil;
296:         private System.Windows.Forms.Button btnXmlOlusturMustahsil;
297:         private System.Windows.Forms.Button btngIBOnizlemeMustahsil;
298:         private System.Windows.Forms.Button btnEFaturaKullaniciListesi;
299:         private System.Windows.Forms.DateTimePicker dtpFaturaTarihi;
300:         private System.Windows.Forms.ListBox lbeFaturaKullaniciListesi;
301:
302: #endregion
303:
304:         private System.Windows.Forms.Button btnXmlOlustur;
305:         private System.Windows.Forms.Button btngIBOnizleme;
306:         private System.Windows.Forms.Button btnServiseGonder;
307:         private System.Windows.Forms.GroupBox gbEFaturaEArsiv;
308:         private System.Windows.Forms.GroupBox gbEFatura;
309:         private System.Windows.Forms.Button btnBelgeOidKontrol;
310:         private System.Windows.Forms.Button btnFaturaSil;
311:     }
312: }
313:
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.8 GeriDonus.cs

This is file GeriDonus.cs.

Body Source

```

1: ?namespace QNBFinansGIB.Utils
2: {
3:     /// <summary>
4:     /// E-Fatura Servisinde Önizleme Metodu çağrıldığında dönecek olan değer
5:     /// Burada Tipe göre
6:     /// Dosya uzantısı Zip veya PDF olacağı için
7:     /// Bu konu önemlidir

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```

8:     /// </summary>
9:     public class GeriDonus
10:    {
11:        /// <summary>
12:        /// Çıktı alınacak dosyanın byte dizisi hali
13:        /// </summary>
14:        public byte[] Dosya { get; set; }
15:        /// <summary>
16:        /// Çıktı Tipi Bilgisi
17:        /// </summary>
18:        public int Tip { get; set; }
19:    }
20: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.9 GibNumarasi.cs

This is file GibNumarasi.cs.

Body Source

```

1: ?using System;
2: using System.Text;
3: using static QNBFinansGIB.Utils.Enums;
4:
5: namespace QNBFinansGIB.Utils
6: {
7:     /// <summary>
8:     /// GIB Numarasi degerlerinin otomatik olarak olusturulmasi için hazırlanan sınıf
9:     /// </summary>
10:    public static class GibNumarasi
11:    {
12:        /// <summary>
13:        /// Fatura veya Makbuz nesnesi üzerinden rastgele GIB numarasi olusturulması
14:        /// için
15:        /// Gerekli metottur
16:        /// </summary>
17:        /// <param name="belgeTarihi">Belge Tarihi Bilgisi</param>
18:        /// <returns>GIB Numarasi</returns>
19:        public static string RastgeleGibNumarasiOlustur(DateTime? belgeTarihi)
20:        {
21:            var baslangicMetni = RastgeleMetinOlustur(3, LetterCase.Lower);
22:            var islemTarihi = belgeTarihi ?? DateTime.Now;
23:            // maksimum 9 haneli olacagi için böyle bir güncelleme yapıldı
24:            var faturaSayisi = new Random().Next(Sabitler.MaksimumFaturaNumarasi);
25:            var stringBuilder = new StringBuilder();
26:            stringBuilder.Append(baslangicMetni);
27:            stringBuilder.Append(islemTarihi.Year.ToString());
28:            stringBuilder.Append(faturaSayisi.ToString().PadLeft(9, '0'));
29:            return stringBuilder.ToString();
30:        }
31:        /// <summary>
32:        /// Girilen boyut ve yazı türüne göre
33:        /// Rastgele metin olusturulması için hazırlanan bir metottur
34:        /// </summary>
35:        /// <param name="boyut">İstenen metnin boyutu</param>
36:        /// <param name="letterCase">Yazı Tipi (Büyük Harf mi, Küçük Harf Mi)</param>
37:        /// <returns>Rastgele Metin Bilgisi</returns>
38:        private static string RastgeleMetinOlustur(int boyut, LetterCase letterCase)
39:        {
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

40:         var builder = new StringBuilder(boyut);
41:         var random = new Random();
42:         var offset = letterCase == LetterCase.Lower ? 'a' : 'A';
43:         const int lettersOffset = 26;
44:         for (var i = 0; i < boyut; i++)
45:         {
46:             var @char = (char)random.Next(offset, offset + lettersOffset);
47:             builder.Append(@char);
48:         }
49:         return letterCase == LetterCase.Lower ? builder.ToString().ToLower() :
builder.ToString();
50:     }
51: }
52: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.10 GidenFaturaDetayDTO.cs

This is file GidenFaturaDetayDTO.cs.

Body Source

```

1: ?using System;
2:
3: namespace QNBFinansGIB.DTO
4: {
5:     /// <summary>
6:     /// Giden Fatura Detay Nesnesinde olmasi gereken alanlarla olusturulan siniftir
7:     /// Tutarlar, ürün adı, KDV ve iskonto oranları
8:     /// Malzeme faturasi ile ilgili alanlar
9:     /// Malzemenin tasindigi araç Plaka, sevk irlsaliyesi vb. bilgileri içerir.
10:    /// </summary>
11:    public class GidenFaturaDetayDTO : OrtakDetayVerilerDTO
12:    {
13:        /// <summary>
14:        /// Giden Fatura Id Bilgisi
15:        /// </summary>
16:        public string GidenFaturaId;
17:
18:        /// <summary>
19:        /// Fatura Detayindaki Ürün Türü Bilgisi
20:        /// </summary>
21:        public string FaturaUrunTuru;
22:
23:        /// <summary>
24:        /// Iskonto Oran Bilgisi
25:        /// </summary>
26:        public decimal? IskontoOran;
27:
28:        /// <summary>
29:        /// Plaka No Bilgisi
30:        /// </summary>
31:        public string PlakaNo;
32:
33:        /// <summary>
34:        /// Irlsaliye No Bilgisi
35:        /// </summary>
36:        public string IrlsaliyeNo;
37:
38:        /// <summary>
39:        /// Tonaj Bilgisi
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```

40:     /// <summary>
41:     public decimal? Tonaj;
42:
43:     /// <summary>
44:     /// Sevk Irsaliyesi No Bilgisi
45:     /// </summary>
46:     public string SevkIrsaliyesiNo;
47:
48:     /// <summary>
49:     /// Sevk Irsaliye Tarihi Bilgisi
50:     /// </summary>
51:     public DateTime? SevkIrsaliyeTarihi;
52:
53:     /// <summary>
54:     /// Yükleme Formu No Bilgisi
55:     /// </summary>
56:     public int? YuklemeFormuNo;
57:
58:     /// <summary>
59:     /// KDV Hariç Tutar Bilgisi
60:     /// </summary>
61:     public decimal? KdvHaricTutar;
62:
63:     /// <summary>
64:     /// KDV Tutari Bilgisi
65:     /// </summary>
66:     public decimal? KdvTutari;
67:
68:     /// <summary>
69:     /// Konaklama Vergisi Bilgisi
70:     /// </summary>
71:     public decimal? KonaklamaVergisi;
72:
73:     /// <summary>
74:     /// Malzeme Fatura Açıklaması Bilgisi
75:     /// </summary>
76:     public string MalzemeFaturaAciklamasi;
77:
78:     /// <summary>
79:     /// KDV Oran Bilgisi
80:     /// </summary>
81:     public decimal? KdvOran;
82: }
83: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.11 GidenFaturaDTO.cs

This is file GidenFaturaDTO.cs.

Body Source

```

1: ?namespace QNBFinansGIB.DTO
2: {
3:     /// <summary>
4:     /// Giden Fatura Ana Nesnesinde Olmasi Gereken Alanlarla olusturulan siniftir
5:     /// Burada firma, iletisim, banka, fatura toplam tutari vb. bilgiler bulunmaktadır
6:     /// </summary>
7:     public class GidenFaturaDTO : OrtakVerilerDTO
8:     {
9:         // /// <summary>
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
10:     /// /// Giden Fatura Id Bilgisi
11:     /// /// </summary>
12:     // public string GidenFaturaId;
13:
14:     /// <summary>
15:     /// Fatura Kesin Birimin Alt Sube Bilgisi
16:     /// </summary>
17:     public string AltBirimAd;
18:
19:     /// <summary>
20:     /// Satış Türü Kod Bilgisi
21:     /// </summary>
22:     public int? SatisTuruKod;
23:
24:     /// <summary>
25:     /// Fatura Türü Kod Bilgisi
26:     /// </summary>
27:     public int? FaturaTuruKod;
28:
29:     /// <summary>
30:     /// Fatura Grup Türü Kod Bilgisi
31:     /// </summary>
32:     public int? FaturaGrupTuruKod;
33:
34:     /// <summary>
35:     /// Fatura Açıklama Bilgisi
36:     /// </summary>
37:     public string Aciklama;
38:
39:     #region Gerçek Kişi Bilgileri
40:
41:     /// <summary>
42:     /// Gerçek Kişi Ad Bilgisi
43:     /// </summary>
44:     public string GercekKisiAd;
45:
46:     /// <summary>
47:     /// Gerçek Kişi Soyad Bilgisi
48:     /// </summary>
49:     public string GercekKisiSoyad;
50:
51:     /// <summary>
52:     /// Gerçek Kişi TC Kimlik No Bilgisi
53:     /// </summary>
54:     public string GercekKisiTcKimlikNo;
55:
56:     /// <summary>
57:     /// İkametgah Adresi Bilgisi
58:     /// </summary>
59:     public string IkametgahAdresi;
60:
61:     /// <summary>
62:     /// Cep Telefon No Bilgisi
63:     /// </summary>
64:     public string CepTelefonNo;
65:     #endregion
66:
67:     /// <summary>
68:     /// Telefon No Bilgisi
69:     /// </summary>
70:     public string TelefonNo;
71:
72:     /// <summary>
73:     /// GİB Numarasi Bilgisi
74:     /// </summary>
75:     public string GibNumarasi;
76:
77:     /// <summary>
78:     /// Belge Oid Id alani
```

```

79:         /// </summary>
80:         public string BelgeOid;
81:
82:         /// <summary>
83:         /// KDV Hariç Tutar Bilgisi
84:         /// </summary>
85:         public decimal? KdvHaricTutar;
86:
87:         /// <summary>
88:         /// KDV Tutari Bilgisi
89:         /// </summary>
90:         public decimal? KdvTutari;
91:
92:         /// <summary>
93:         /// Konaklama Vergisi Bilgisi
94:         /// </summary>
95:         public decimal? KonaklamaVergisi;
96:
97:         /// <summary>
98:         /// Fatura Tutari Bilgisi
99:         /// </summary>
100:        public decimal? FaturaTutari;
101:    }
102: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.12 MesajSabitler.cs

This is file MesajSabitler.cs.

Body Source

```

1: ?namespace QNBFinansGIB.Utils
2: {
3:     /// <summary>
4:     /// Yapilan Ekranlarda Verilecek Mesajlarla Ilgili Sabit Sinif
5:     /// </summary>
6:     public static class MesajSabitler
7:     {
8:         /// <summary>
9:         /// Islem Basarili Olduguna Dair Mesaj Bilgisi
10:        /// </summary>
11:        public const string IslemBasarili = "Islem Basarili";
12:        /// <summary>
13:        /// Islem Basarisiz Olduguna Dair Mesaj Bilgisi
14:        /// </summary>
15:        public const string IslemBasarisiz = "Islem Basarisiz";
16:        /// <summary>
17:        /// Islem Mesajlarinin Kutusunda Gösterilecek Baslik Mesaj Bilgisi
18:        /// </summary>
19:        public const string MesajBasligi = "QNB Finans GIB Servis Uygulamasi";
20:        /// <summary>
21:        /// QNB Servislerinden Gelen Basarili Mesaj Kod Bilgisi
22:        /// </summary>
23:        public const string ServisIsleemiBasariKodu = "AE00000";
24:    }
25: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.13 MustahsilMakbuzuDetayDTO.cs

This is file MustahsilMakbuzuDetayDTO.cs.

Body Source

```

1: ?namespace QNBFinansGIB.DTO
2: {
3:     /// <summary>
4:     /// Müstahsil Makbuzu Detay Nesnesinde olmasi gereken alanlarla olusturulan siniftir
5:     /// Tutarlar, ürün adı, miktar, birim fiyat gibi bilgiler bulunmaktadir
6:     /// </summary>
7:     public class MustahsilMakbuzuDetayDTO : OrtakDetayVerilerDTO
8:     {
9:         /// <summary>
10:        /// Müstahsil Makbuzu Id Bilgisi
11:        /// </summary>
12:        public string MustahsilMakbuzuId;
13:
14:        /// <summary>
15:        /// Isin Mahiyeti Bilgisi
16:        /// </summary>
17:        public string IsinMahiyeti;
18:
19:        /// <summary>
20:        /// Gelir Vergisi Bilgisi
21:        /// </summary>
22:        public decimal? GelirVergisi;
23:
24:        /// <summary>
25:        /// Net Tutar Bilgisi
26:        /// </summary>
27:        public decimal? NetTutar;
28:
29:        /// <summary>
30:        /// Toplam Tutar Bilgisi
31:        /// </summary>
32:        public decimal? ToplamTutar;
33:    }
34: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.14 MustahsilMakbuzuDTO.cs

This is file MustahsilMakbuzuDTO.cs.

Body Source

```

1: ?namespace QNBFinansGIB.DTO
2: {
3:     /// <summary>
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```

4:     /// Müstahsil Makbuzu Ana Nesnesinde Olmasi Gereken Alanlarla olusturulan siniftir
5:     /// Burada firma, iletisim, banka, Makbuz toplam tutari vb. bilgiler bulunmaktadir
6:     /// </summary>
7:     public class MustahsilMakbuzuDTO : OrtakVerilerDTO
8:     {
9:         /// <summary>
10:        /// Müstahsil Makbuzu Id Bilgisi
11:        /// </summary>
12:        public string MustahsilMakbuzuId;
13:
14:        /// <summary>
15:        /// Makbuz Kesin Birimin Alt Sube Bilgisi
16:        /// </summary>
17:        public string AltBirimAd;
18:
19:        /// <summary>
20:        /// Müstahsil Makbuzu No Bilgisi
21:        /// </summary>
22:        public string MustahsilMakbuzuNo;
23:
24:        /// <summary>
25:        /// Net Tutar Bilgisi
26:        /// </summary>
27:        public decimal? NetTutar;
28:
29:        /// <summary>
30:        /// Müstahsil Makbuzu Tutar Bilgisi
31:        /// </summary>
32:        public decimal? MustahsilMakbuzuTutari;
33:
34:        /// <summary>
35:        /// Gelir Vergisi Bilgisi
36:        /// </summary>
37:        public decimal? GelirVergisi;
38:
39:        /// <summary>
40:        /// Makbuz Grup Türü Kod Bilgisi
41:        /// </summary>
42:        public int? MakbuzGrupTuruKod;
43:    }
44: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.15 OrtakDetayVerilerDTO.cs

This is file OrtakDetayVerilerDTO.cs.

Body Source

```

1: ?namespace QNBFinansGIB.DTO
2: {
3:     /// <summary>
4:     /// Müstahsil Makbuzu ve E-Fatura Detay kisminda
5:     /// Ortak Bulunan alanların hazırlanması için
6:     /// Gerekli olan ortak alanların belirlendiği siniftir.
7:     /// </summary>
8:     public class OrtakDetayVerilerDTO
9:     {
10:         /// <summary>
11:         /// Giden Fatura veya Müstahsil Makbuzu Id Bilgisi
12:         /// </summary>
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```

13:     public string AnaNesneId;
14: 
15:     /// <summary>
16:     /// Birim Fiyat Bilgisi
17:     /// </summary>
18:     public decimal? BirimFiyat;
19: 
20:     /// <summary>
21:     /// Miktar Bilgisi
22:     /// </summary>
23:     public decimal? Miktar;
24: 
25:     /// <summary>
26:     /// GIB Kisaltma Bilgisi (Malzemenin Ölçü Birimi, GIB tarafında Kilogram KGM
27:     /// olarak adlandırılmalıdır)
28:     /// </summary>
29:     public string GibKisaltma;
30: }

```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.16 OrtakVerilerDTO.cs

This is file OrtakVerilerDTO.cs.

Body Source

```

1: ?using System;
2: 
3: namespace QNBFinansGIB.DTO
4: {
5:     /// <summary>
6:     /// Müstahsil Makbuzu ve E-Fatura kisminda
7:     /// BuyerCustomerParty XML kisminin hazırlanması için
8:     /// Gerekli olan ortak alanların belirlendiği sınıftır.
9:     /// </summary>
10:    public class OrtakVerilerDTO
11:    {
12:        /// <summary>
13:        /// Giden Fatura veya Müstahsil Makbuzu Id Bilgisi
14:        /// </summary>
15:        public string Id;
16: 
17:        /// <summary>
18:        /// Müstahsil Makbuzu veya Fatura Düzenleme Tarihi Bilgisi
19:        /// </summary>
20:        public DateTime? IslemTarihi;
21: 
22:        /// <summary>
23:        /// Tüzel Kişi Ad Bilgisi
24:        /// </summary>
25:        public string TuzelKisiAd;
26: 
27:        /// <summary>
28:        /// Vergi Numarası Bilgisi
29:        /// </summary>
30:        public string VergiNo;
31: 
32:        /// <summary>
33:        /// Vergi Dairesi Bilgisi
34:        /// </summary>

```

```

35:         public string VergiDairesi;
36:
37:         /// <summary>
38:         /// İl Ad Bilgisi
39:         /// </summary>
40:         public string IlAd;
41:
42:         /// <summary>
43:         /// İlçe Ad Bilgisi
44:         /// </summary>
45:         public string IlceAd;
46:
47:         /// <summary>
48:         /// Adres Bilgisi
49:         /// </summary>
50:         public string Adres;
51:
52:         /// <summary>
53:         /// E-Posta Adresi Bilgisi
54:         /// </summary>
55:         public string EpostaAdresi;
56:
57:         /// <summary>
58:         /// Faks No Bilgisi
59:         /// </summary>
60:         public string FaksNo;
61:
62:         /// <summary>
63:         /// IBAN No Bilgisi
64:         /// </summary>
65:         public string IbanNo;
66:
67:         /// <summary>
68:         /// Banka Ad Bilgisi
69:         /// </summary>
70:         public string BankaAd;
71:
72:         /// <summary>
73:         /// Banka Sube Bilgisi
74:         /// </summary>
75:         public string BankaSube;
76:     }
77: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.17 Program.cs

This is file Program.cs.

Body Source

```

1: ?using System;
2: using System.Windows.Forms;
3:
4: namespace QNBFinansGIB
5: {
6:     internal static class Program
7:     {
8:         /// <summary>
9:         /// The main entry point for the application.
10:        /// </summary>
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```

11:         [STAThread]
12:         private static void Main()
13:         {
14:             Application.EnableVisualStyles();
15:             Application.SetCompatibleTextRenderingDefault(false);
16:             Application.Run(new frmAnaSayfa());
17:         }
18:     }
19: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.18 QNBFinansGIB.csproj

This is file QNBFinansGIB.csproj.

1.2.19 QNBFinansGIB.sln

This is file QNBFinansGIB.sln.

1.2.20 Reference.cs

This code was generated by a tool. Runtime Version:4.0.30319.42000

Changes to this file may cause incorrect behavior and will be lost if the code is regenerated.

Body Source

```

1: ?-----
2: // <auto-generated>
3: //   This code was generated by a tool.
4: //   Runtime Version:4.0.30319.42000
5: //
6: //   Changes to this file may cause incorrect behavior and will be lost if
7: //   the code is regenerated.
8: // </auto-generated>
9: //-----
10:
11: //
12: // This source code was auto-generated by Microsoft.VSDesigner, Version
4.0.30319.42000.
13: //
14: #pragma warning disable 1591
15:
16: namespace QNBFinansGIB.GIBUserService {
17:     using System;
18:     using System.Web.Services;
19:     using System.Diagnostics;
20:     using System.Web.Services.Protocols;
21:     using System.Xml.Serialization;
22:     using System.ComponentModel;
23:
24: }
```

```
25:     /// <remarks/>
26:     [System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services",
27: "4.8.4084.0")]
28:     [System.Diagnostics.DebuggerStepThroughAttribute()]
29:     [System.ComponentModel.DesignerCategoryAttribute("code")]
30:     [System.Web.Services.WebServiceBindingAttribute(Name="UserServicePortBinding",
Namespace="http://service.csap.cs.com/")]
31:     public partial class userService :
System.Web.Services.Protocols.SoapHttpClientProtocol {
32:         private System.Threading.SendOrPostCallback wsLoginOperationCompleted;
33:
34:         private System.Threading.SendOrPostCallback logoutOperationCompleted;
35:
36:         private bool useDefaultCredentialsSetExplicitly;
37:
38:         /// <remarks/>
39:         public userService() {
40:             this.Url =
global::QNBFinansGIB.Properties.Settings.Default.QNBFinansGIB_GIBUserService_userService;
41:             if ((this.IsLocalFileSystemWebService(this.Url) == true)) {
42:                 this.UseDefaultCredentials = true;
43:                 this.useDefaultCredentialsSetExplicitly = false;
44:             }
45:             else {
46:                 this.useDefaultCredentialsSetExplicitly = true;
47:             }
48:         }
49:
50:         public new string Url {
51:             get {
52:                 return base.Url;
53:             }
54:             set {
55:                 if (((this.IsLocalFileSystemWebService(base.Url) == true)
56:                     && (this.useDefaultCredentialsSetExplicitly == false))
57:                     && (this.IsLocalFileSystemWebService(value) == false))) {
58:                     base.UseDefaultCredentials = false;
59:                 }
60:                 base.Url = value;
61:             }
62:         }
63:
64:         public new bool UseDefaultCredentials {
65:             get {
66:                 return base.UseDefaultCredentials;
67:             }
68:             set {
69:                 base.UseDefaultCredentials = value;
70:                 this.useDefaultCredentialsSetExplicitly = true;
71:             }
72:         }
73:
74:         /// <remarks/>
75:         public event wsLoginCompletedEventHandler wsLoginCompleted;
76:
77:         /// <remarks/>
78:         public event logoutCompletedEventHandler logoutCompleted;
79:
80:         /// <remarks/>
81:         [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.csap.cs.com.tr/",
ResponseNamespace="http://service.csap.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
82:         public void
wsLogin([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string userId,
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
[string password,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string lang) {
83:         this.Invoke("wsLogin", new object[] {
84:             userId,
85:             password,
86:             lang});
87:     }
88:
89:     /// <remarks/>
90:     public void wsLoginAsync(string userId, string password, string lang) {
91:         this.wsLoginAsync(userId, password, lang, null);
92:     }
93:
94:     /// <remarks/>
95:     public void wsLoginAsync(string userId, string password, string lang, object
userState) {
96:         if ((this.wsLoginOperationCompleted == null)) {
97:             this.wsLoginOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnwsLoginOperationCompleted);
98:         }
99:         this.InvokeAsync("wsLogin", new object[] {
100:             userId,
101:             password,
102:             lang}, this.wsLoginOperationCompleted, userState);
103:     }
104:
105:     private void OnwsLoginOperationCompleted(object arg) {
106:         if ((this.wsLoginCompleted != null)) {
107:             System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
108:             this.wsLoginCompleted(this, new
System.ComponentModel.AsyncCompletedEventArgs(invokerArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
109:         }
110:     }
111:
112:     /// <remarks/>
113:     [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.csap.cs.com.tr/",
ResponseNamespace="http://service.csap.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
114:     public void logout() {
115:         this.Invoke("logout", new object[0]);
116:     }
117:
118:     /// <remarks/>
119:     public void logoutAsync() {
120:         this.logoutAsync(null);
121:     }
122:
123:     /// <remarks/>
124:     public void logoutAsync(object userState) {
125:         if ((this.logoutOperationCompleted == null)) {
126:             this.logoutOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnlogoutOperationCompleted);
127:         }
128:         this.InvokeAsync("logout", new object[0], this.logoutOperationCompleted,
userState);
129:     }
130:
131:     private void OnlogoutOperationCompleted(object arg) {
132:         if ((this.logoutCompleted != null)) {
133:             System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
```

```

134:             this.logoutCompleted(this, new
System.ComponentModel.AsyncCompletedEventArgs(invokerArgs.Error, invokerArgs.Cancelled,
invokerArgs.UserState));
135:         }
136:     }
137:
138:     /// <remarks/>
139:     public new void CancelAsync(object userState) {
140:         base.CancelAsync(userState);
141:     }
142:
143:     private bool IsLocalFileSystemWebService(string url) {
144:         if (((url == null)
145:             || (url == string.Empty))) {
146:             return false;
147:         }
148:         System.Uri wsUri = new System.Uri(url);
149:         if (((wsUri.Port >= 1024)
150:             && (string.Compare(wsUri.Host, "localhost",
System.StringComparison.OrdinalIgnoreCase) == 0))) {
151:             return true;
152:         }
153:         return false;
154:     }
155: }
156:
157: /// <remarks/>
158: [System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services",
"4.8.4084.0")]
159: public delegate void wsLoginCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
160:
161: /// <remarks/>
162: [System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services",
"4.8.4084.0")]
163: public delegate void logoutCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
164: }
165:
166: #pragma warning restore 1591

```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.21 Resources.Designer.cs

This code was generated by a tool. Runtime Version:4.0.30319.42000

Changes to this file may cause incorrect behavior and will be lost if the code is regenerated.

Body Source

```

1: ?-----
2: // <auto-generated>
3: //   This code was generated by a tool.
4: //   Runtime Version:4.0.30319.42000
5: //
6: //   Changes to this file may cause incorrect behavior and will be lost if
7: //   the code is regenerated.
8: // </auto-generated>
9: ?-----
10:
11: namespace QNBFinansGIB.Properties

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
12: {
13:
14:
15:     /// <summary>
16:     /// A strongly-typed resource class, for looking up localized strings, etc.
17:     /// </summary>
18:     // This class was auto-generated by the StronglyTypedResourceBuilder
19:     // class via a tool like ResGen or Visual Studio.
20:     // To add or remove a member, edit your .ResX file then rerun ResGen
21:     // with the /str option, or rebuild your VS project.
22:
[global::System.CodeDom.Compiler.GeneratedCodeAttribute("System.Resources.Tools.StronglyType
dResourceBuilder",
"4.0.0.0")]
23:     [global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
24:     [global::System.Runtime.CompilerServices.CompilerGeneratedAttribute()]
25:     internal class Resources
26:     {
27:
28:         private static global::System.Resources.ResourceManager resourceMan;
29:
30:         private static global::System.Globalization.CultureInfo resourceCulture;
31:
32:
[global::System.Diagnostics.CodeAnalysis.SuppressMessageAttribute("Microsoft.Performance",
"CA1811:AvoidUncalledPrivateCode")]
33:         internal Resources()
34:         {
35:         }
36:
37:         /// <summary>
38:         /// Returns the cached ResourceManager instance used by this class.
39:         /// </summary>
40:
[global::System.ComponentModel.EditorBrowsableAttribute(global::System.ComponentModel.Editor
BrowsableState.Advanced)]
41:         internal static global::System.Resources.ResourceManager ResourceManager
42:         {
43:             get
44:             {
45:                 if ((resourceMan == null))
46:                 {
47:                     global::System.Resources.ResourceManager temp = new
global::System.Resources.ResourceManager("QNBFinansGIB.Properties.Resources",
typeof(Resources).Assembly);
48:                     resourceMan = temp;
49:                 }
50:                 return resourceMan;
51:             }
52:         }
53:
54:         /// <summary>
55:         /// Overrides the current thread's CurrentUICulture property for all
56:         /// resource lookups using this strongly typed resource class.
57:         /// </summary>
58:
[global::System.ComponentModel.EditorBrowsableAttribute(global::System.ComponentModel.Editor
BrowsableState.Advanced)]
59:         internal static global::System.Globalization.CultureInfo Culture
60:         {
61:             get
62:             {
63:                 return resourceCulture;
64:             }
65:             set
66:             {
67:                 resourceCulture = value;
68:             }
69:         }
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
70:     }
71: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.22 Sabitler.cs

This is file Sabitler.cs.

Body Source

```
1: ?using System;
2: using System.Collections.Generic;
3:
4: namespace QNBFinansGIB.Utils
5: {
6:     /// <summary>
7:     /// Sistemde Elle Kontroller Yapilmamasi ve Hatali Veri Girisini Engellemek Amaçlı
Kullanilan
8:     /// Sabit sinifidir.
9:     /// </summary>
10:    public static class Sabitler
11:    {
12:        public static readonly List<int> TekrarGonderilecekKodListesi = new
List<int> { 1110, 1120, 1130, 1131, 1132, 1133, 1140, 1141, 1142, 1143, 1150, 1160, 1161,
1170, 1171, 1172, 1175, 1176, 1177, 1180, 1181, 1190, 1195, 1215, 1230 };
13:
14:        public const int MaksimumFaturaNumarasi = 9999999999;
15:
16:        public static readonly DateTime KonaklamaVergiKontrolTarihi = new
DateTime(2023, 1, 1);
17:    }
18: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.23 Settings.Designer.cs

This code was generated by a tool. Runtime Version:4.0.30319.42000

Changes to this file may cause incorrect behavior and will be lost if the code is regenerated.

Body Source

```
1: ?-----
2: // <auto-generated>
3: //   This code was generated by a tool.
4: //   Runtime Version:4.0.30319.42000
5: //
6: //   Changes to this file may cause incorrect behavior and will be lost if
7: //   the code is regenerated.
8: // </auto-generated>
9: //-----
10:
11: namespace QNBFinansGIB.Properties {
```

```
12:
13:
14:     [global::System.Runtime.CompilerServices.CompilerGeneratedAttribute()]
15:
[global::System.CodeDom.Compiler.GeneratedCodeAttribute("Microsoft.VisualStudioEditors.SettingsDesigner.SettingsSingleFileGenerator",
"15.9.0.0")]
16:     internal sealed partial class Settings :
global::System.Configuration.ApplicationSettingsBase {
17:
18:         private static Settings defaultInstance =
((Settings)(global::System.Configuration.ApplicationSettingsBase.Synchronized(new
Settings()))));
19:
20:         public static Settings Default {
21:             get {
22:                 return defaultInstance;
23:             }
24:         }
25:
26:         [global::System.Configuration.ApplicationScopedSettingAttribute()]
27:         [global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
28:
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSetting.WebServiceUrl)]
29:
[global::System.Configuration.DefaultSettingValueAttribute("https://connectortest.efinans.com.tr:443/connector/ws/userService")]
30:         public string QNBFinansGIB_GIBUserService_userService {
31:             get {
32:                 return ((string)(this["QNBFinansGIB_GIBUserService_userService"]));
33:             }
34:         }
35:
36:         [global::System.Configuration.ApplicationScopedSettingAttribute()]
37:         [global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
38:
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSetting.WebServiceUrl)]
39:
[global::System.Configuration.DefaultSettingValueAttribute("https://connectortest.efinans.com.tr:443/connector/ws/connectorService")]
40:         public string QNBFinansGIB_GIBEFatura_connectorService {
41:             get {
42:                 return ((string)(this["QNBFinansGIB_GIBEFatura_connectorService"]));
43:             }
44:         }
45:
46:         [global::System.Configuration.ApplicationScopedSettingAttribute()]
47:         [global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
48:
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSetting.WebServiceUrl)]
49:
[global::System.Configuration.DefaultSettingValueAttribute("https://earsivtest.efinans.com.tr:443/earsiv/ws/EarsivWebService")]
50:         public string QNBFinansGIB_GIBEArsiv_EarsivWebService {
51:             get {
52:                 return ((string)(this["QNBFinansGIB_GIBEArsiv_EarsivWebService"]));
53:             }
54:         }
55:
56:         [global::System.Configuration.ApplicationScopedSettingAttribute()]
57:         [global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
58:
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSetting.WebServiceUrl)]
59:
[global::System.Configuration.DefaultSettingValueAttribute("https://earsivtest.efinans.com.t
```

```
r/earsiv/ws/MustahsilWebService?wsdl=1")]
60:     public string QNBFinansGIB_GIBEarsiv_MustahsilWebService {
61:         get {
62:             return ((string)(this[ "QNBFinansGIB_GIBEarsiv_MustahsilWebService" ]));
63:         }
64:     }
65:
66:     [global::System.Configuration.ApplicationScopedSettingAttribute()]
67:     [global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
68:
69:     [global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSetting.WebServiceUrl)]
70:     public string QNBFinansGIB_GIBEMustahsil_MustahsilWebService {
71:         get {
72:             return
73:             ((string)(this[ "QNBFinansGIB_GIBEMustahsil_MustahsilWebService" ]));
74:         }
75:     }
76: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.24 XMLIslemleri.cs

This is file XMLIslemleri.cs.

Body Source

```
1: ?using QNBFinansGIB.DTO;
2: using System;
3: using System.Collections.Generic;
4: using System.IO;
5: using System.Linq;
6: using System.Xml;
7: using static QNBFinansGIB.Utils.Enums;
8:
9: namespace QNBFinansGIB.Utils
10: {
11:     /// <summary>
12:     /// Giden Fatura ve Müstahsil Makbuzlari ile ilgili olarak, Kendisi, Ana Kayda
13:     /// Ilinskin Detaylar, Aktarilacak Klasör gibi bilgiler kullanilarak
14:     /// QNB Finans GIB Web Servislerine gönderilecek XML dosyalarinin hazırlanması
15:     /// ile ilgili
16:     /// Metotların bulunduğu yardımcı sınıfı.
17:     /// </summary>
18:     public static class XMLIslemleri
19:     {
20:         /// <summary>
21:         /// Giden Fatura Bilgisi Üzerinden E-Fatura Sistemine Göndermek İçin
22:         /// XML Dosyası Olusturmaya yarayan metottur
23:         /// </summary>
24:         /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
25:         /// <param name="gidenFaturaDetayListesi">Giden Fatura Detay Listesi</param>
26:         /// <param name="aktarilacakKlasorAdi">Olusturulan Dosyanın Aktarılacağı
Klasör</param>
27:         /// <returns>Kaydedilen Dosyanın Bilgisayardaki Adresi</returns>
28:         public static string EFaturaXMLOlustur(GidenFaturaDTO gidenFatura,
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, string aktarilacakKlasorAdi)
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

27:             {
28:                 var doc = FaturaXMLDokumaniIlkHaliOlustur(BelgeTur.EFatura, ref
gidenFatura, out var root, out var kodSatisTuruKod, out var kodFaturaTuruKod, out var
kodFaturaGrupTuruKod);
29:
30:                 if (string.IsNullOrEmpty(gidenFatura.VergiNo) &&
!string.IsNullOrEmpty(gidenFatura.GercekKisiTcKimlikNo))
31:                     gidenFatura.VergiNo = gidenFatura.GercekKisiTcKimlikNo;
32:
33:                 // Faturanın türü, düzenleme tarihi, UBL Versiyon Numarası, GIB Numarası
gibi bilgiler
34:                 // yer almaktadır
35:
36:                 root.RemoveAllAttributes();
37:
38:                 EFaturaHeaderBilgisiDuzenle(doc, root, out var xmlnscac, out var
xmlnscbc);
39:
40:                 TemelBilgileriDuzenle("TEMELFATURA", gidenFatura,
gidenFaturaDetayListesi, root, doc, kodSatisTuruKod, kodFaturaTuruKod, xmlnscbc);
41:
42:                 IrsaliyeBilgisiDuzenle(gidenFatura, gidenFaturaDetayListesi, root, doc,
kodFaturaTuruKod, kodFaturaGrupTuruKod, xmlnscbc);
43:
44:                 ParaBirimİVeKayıtSayısıDuzenle(gidenFaturaDetayListesi.Count, root, doc,
xmlnscbc);
45:
46:                 EFaturaEkDokumanReferansDuzenle(gidenFatura, doc, xmlnscac, xmlnscbc,
root);
47:
48:                 FaturaMakbuzImzaBilgisiDuzenle(root, doc, xmlnscac, xmlnscbc);
49:
50:                 FaturaKesenFirmaBilgisiDuzenle(gidenFatura, root, doc, xmlnscac,
xmlnscbc);
51:
52:                 EFaturaKesilenFirmaBilgileriDuzenle(gidenFatura, doc, xmlnscac, xmlnscbc,
root);
53:
54:                 FaturaKesilenKisiBilgisiDuzenle(gidenFatura, doc, xmlnscac, xmlnscbc,
root);
55:
56:                 EFaturaBankaBilgileriDuzenle(gidenFatura, doc, xmlnscac, xmlnscbc, root);
57:
58:                 FaturaKdvBelirle(gidenFatura, gidenFaturaDetayListesi, out var
faturaKdvListesi);
59:
60:                 GenelVergiBilgileriDuzenle(doc, xmlnscac, xmlnscbc, kodFaturaGrupTuruKod,
kodSatisTuruKod, root,
61:                     faturaKdvListesi);
62:
63:                 // Burada vergi bilgileri yer almaktadır (Açıklama Satırı haline
getirildi)
64:
65:                 #region Açıklama Satırı (TaxTotal)
66:
67:                 //var taxTotal = doc.CreateElement("cac", "TaxTotal", xmlnscac.Value);
68:                 //var currencyId = doc.CreateAttribute("currencyID");
69:                 //currencyId.Value = "TRY";
70:                 //var taxAmount = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
71:                 //taxAmount.RemoveAllAttributes();
72:                 //taxAmount.Attributes.Append(currencyId);
73:                 //taxAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
74:                 //taxTotal.AppendChild(taxAmount);
75:                 //var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal",
xmlnscac.Value);
76:                 //var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xmlnscbc.Value);
77:                 //taxableAmount.RemoveAllAttributes();

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

78:             //currencyId = doc.CreateAttribute("currencyID");
79:             //currencyId.Value = "TRY";
80:             //taxableAmount.Attributes.Append(currencyId);
81:             //taxableAmount.InnerText =
Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
82:             //taxSubTotal.AppendChild(taxableAmount);
83:             //var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
84:             //taxAmount2.RemoveAllAttributes();
85:             //currencyId = doc.CreateAttribute("currencyID");
86:             //currencyId.Value = "TRY";
87:             //taxAmount2.Attributes.Append(currencyId);
88:             //taxAmount2.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
89:             //taxSubTotal.AppendChild(taxAmount2);
90:             //var percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
91:             //if (gidenFatura.KdvHaricTutar != 0)
92:                 // percent.InnerText = Decimal.Round(((decimal)gidenFatura.KdvTutari *
100) / (decimal)gidenFatura.KdvHaricTutar, 0, MidpointRounding.AwayFromZero).ToString();
93:             //else
94:                 // percent.InnerText = "0";
95:             //taxSubTotal.AppendChild(percent);
96:             //var taxCategory = doc.CreateElement("cac", "TaxCategory",
xmlnscac.Value);
97:             //if (gidenFatura.KdvTutari == 0)
98:                 //{
99:                     // var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xmlnscbc.Value);
100:                    // taxExemptionReasonCode.InnerText = "325";
101:                    // var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xmlnscbc.Value);
102:                    // taxExemptionReason.InnerText = "13/i Yem Teslimleri";
103:                    // taxCategory.AppendChild(taxExemptionReasonCode);
104:                    // taxCategory.AppendChild(taxExemptionReason);
105:                 //}
106:                 //if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
107:                 //{
108:                     // var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xmlnscbc.Value);
109:                     // taxExemptionReasonCode.InnerText = "701";
110:                     // var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xmlnscbc.Value);
111:                     // taxExemptionReason.InnerText = "3065 sayili Katma Deger Vergisi
kanununun 11/1-c maddesi kapsaminda ihraç edilmek şartıyla teslim edildiginden Katma Deger
Vergisi tahsil edilmemistir.";
112:                     // taxCategory.AppendChild(taxExemptionReasonCode);
113:                     // taxCategory.AppendChild(taxExemptionReason);
114:                 //}
115:                 //var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
116:                 //var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode",
xmlnscbc.Value);
117:                 //taxTypeCode.InnerText = "0015";
118:                 //taxScheme2.AppendChild(taxTypeCode);
119:                 //taxCategory.AppendChild(taxScheme2);
120:                 //taxSubTotal.AppendChild(taxCategory);
121:                 //taxTotal.AppendChild(taxSubTotal);
122:                 //root.AppendChild(taxTotal);
123:
124:             #endregion
125:
126:             FaturaGenelTutarDuzenle(gidenFatura, doc, xmlnscac, xmlnscbc, root, true);
127:
128:             gidenFaturaDetayListesi.Aggregate(1, (current, item) =>
EFaturaDetayBilgileriniDuzenle(gidenFatura, item, doc, xmlnscac, xmlnscbc, current,
kodFaturaGrupTuruKod, root));
129:
130:             doc.AppendChild(root);
131:
132:             return XMLDosyasiniKaydet(gidenFatura.Id, aktarilacakKlasorAdi, doc);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

133:         }
134:
135:        /// <summary>
136:        /// Giden Fatura Bilgisi Üzerinden E-Arsiv Sistemine Göndermek İçin
137:        /// XML Dosyasi Olusturmaya yarayan metottur
138:        /// </summary>
139:        /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
140:        /// <param name="gidenFaturaDetayListesi">Giden Fatura Detay Listesi</param>
141:        /// <param name="aktarilacakKlasorAdi">Olusturulan Dosyanin Aktarilacagi
Klasör</param>
142:        /// <param name="tuzelKisilikMi">Tüzel Kisilik Mi (Sahis veya Sahis Sirketi
Degil) Bilgisi</param>
143:        /// <returns>Kaydedilen Dosyanin Bilgisayardaki Adresi</returns>
144:        public static string EArsivXMLOlustur(GidenFaturaDTO gidenFatura,
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, string aktarilacakKlasorAdi, bool
tuzelKisilikMi)
145:        {
146:            var doc = FaturaXMLDokumaniIlkHaliOlustur(BelgeTur.EArsiv, ref
gidenFatura, out var root, out var kodSatisTuruKod, out var kodFaturaTuruKod, out var
kodFaturaGrupTuruKod);
147:
148:            EArsivStandartImzaVeFirmaBilgisiDuzenle(gidenFatura,
gidenFaturaDetayListesi, root, doc,
149:                kodSatisTuruKod, kodFaturaTuruKod, kodFaturaGrupTuruKod, out var
xmlnscac, out var xmlnscbc);
150:
151:            if (!tuzelKisilikMi)
152:                EArsivSahisSirketineAitKismiHazirla(gidenFatura, doc, xmlnscac,
xmlnscbc, root);
153:            else
154:                EArsivTuzelKisiyeAitKismiHazirla(gidenFatura, doc, xmlnscac,
xmlnscbc, root);
155:
156:            EArsivBankaBilgileriDuzenle(gidenFatura, doc, xmlnscac, xmlnscbc, root);
157:
158:            EArsivVergiVeDigerAlanlarDuzenle(gidenFatura, gidenFaturaDetayListesi,
doc, xmlnscac, xmlnscbc,
159:                kodFaturaGrupTuruKod, kodSatisTuruKod, root);
160:
161:            gidenFaturaDetayListesi.Aggregate(1, (current, item) =>
EArsivFaturaDetaylariDuzenle(gidenFatura, item, doc, xmlnscac, xmlnscbc, current, root));
162:
163:            doc.AppendChild(root);
164:
165:            return XMLDosyasiniKaydet(gidenFatura.Id, aktarilacakKlasorAdi, doc);
166:        }
167:
168:        /// <summary>
169:        /// Müstahsil Makbuzu Bilgisi Üzerinden E-Müstahsil Sistemine Göndermek İçin
170:        /// XML Dosyasi Olusturmaya yarayan metottur
171:        /// </summary>
172:        /// <param name="mustahsilMakbuzu">Müstahsil Makbuzu Bilgisi</param>
173:        /// <param name="mustahsilMakbuzuDetayListesi">Müstahsil Makbuzu Detay
Bilgisi</param>
174:        /// <param name="aktarilacakKlasorAdi">Olusturulan Dosyanin Aktarilacagi
Klasör</param>
175:        public static string EMustahsilXMLOlustur(MustahsilMakbuzuDTO
mustahsilMakbuzu, List<MustahsilMakbuzuDetayDTO> mustahsilMakbuzuDetayListesi, string
aktarilacakKlasorAdi)
176:        {
177:            var doc = new XmlDocument();
178:            var declaration = doc.CreateXmlDeclaration("1.0", "UTF-8", null);
179:            var root = doc.DocumentElement;
180:            doc.InsertBefore(declaration, root);
181:            doc.AppendChild(
182:                doc.CreateProcessingInstruction("xml-stylesheet", "type=\"text/xsl\""
href="\"general.xslt\""));
183:
184:            root = doc.CreateElement("CreditNote");

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

185:             mustahsilMakбузу = mustahsilMakбузу.BosluklariKaldır();
186:
187:
188:             var kodMakбузGrupTuruKod = mustahsilMakбузу.MakбузGrupTuruKod ?? 0;
189:
190:             root.RemoveAllAttributes();
191:
192:             // Makбузun түрү, kesilme tариhi, UBL Versiyon Numarasi, GIB Numarasi
gibi bilgiler
193:             // yer almaktadir
194:             EMustahsilHeaderBilgisiDuzenle(mustahsilMakбузу, doc, root, out var
xmlnscac, out var xmlnscbc);
195:
196:             IndicatorVeUuidBilgisiDuzenle(mustahsilMakбузу.Id, root, doc, xmlnscbc);
197:
198:             TarihSaatDuzenle(mustahsilMakбузу.IslemTarihi, root, doc, xmlnscbc);
199:
200:             EMustahsilKrediTuruDuzenle(doc, xmlnscbc, root);
201:
202:             GonderimSekliBilgisiDuzenle(root, doc, xmlnscbc);
203:
204:             ParaBirimVeKayitSayisiDuzenle(mustahsilMakбузуDetayListesi.Count, root,
doc, xmlnscbc);
205:
206:             EMustahsilEkDokumanReferansDuzenle(mustahsilMakбузу, doc, xmlnscac,
xmlnscbc, root);
207:
208:             FaturaMakбузImzaBilgisiDuzenle(root, doc, xmlnscac, xmlnscbc);
209:
210:             EMustahsilMakбузKesenFirmaBilgisiDuzenle(mustahsilMakбузу, doc, xmlnscac,
xmlnscbc, root);
211:
212:             EMustahsilMakбузKesilenFirmaBilgisiDuzenle(mustahsilMakбузу, doc,
xmlnscac, xmlnscbc, root);
213:
214:             EMustahsilMakбузKesilenKisiBilgisiDuzenle(mustahsilMakбузу, doc,
xmlnscac, xmlnscbc, root);
215:
216:             EMustahsilMakбузVergiBilgisiDuzenle(mustahsilMakбузу, doc, xmlnscac,
xmlnscbc, kodMakбузGrupTuruKod, root);
217:
218:             mustahsilMakбузуDetayListesi.Aggregate(1, (current, item) =>
EMustahsilMakбузDetayBilgileriDuzenle(item, doc, xmlnscac, xmlnscbc, current, root));
219:
220:             doc.AppendChild(root);
221:
222:             return XMLDosyasiniKaydet(mustahsilMakбузу.Id, aktarilacakKlasorAdı, doc);
223:         }
224:
225:         /// <summary>
226:         /// E-Müstahsil Makбузу XML dosyasi hazirlanirken
227:         /// Temel parametrelerin oldugu
228:         /// Header bilgilerinin düzenlenmesi için hazırlanmış olan metottur.
229:         /// </summary>
230:         /// <param name="mustahsilMakбузу">Mustahsil Makбузу Bilgisi</param>
231:         /// <param name="doc">XML Dokument Bilgisi</param>
232:         /// <param name="root">XML Ana Eleman Bilgisi</param>
233:         /// <param name="xmlnscac">XML Attribute Bilgisi</param>
234:         /// <param name="xmlnscbc">XML Attribute Bilgisi</param>
235:         private static void EMustahsilHeaderBilgisiDuzenle(MustahsilMakбузуDTO
mustahsilMakбузу, XmlDocument doc, XmlElement root, out XmlAttribute xmlnscac, out
XmlAttribute xmlnscbc)
236:         {
237:             // var locationAttribute = "xsi:schemaLocation";
238:             var location = doc.CreateAttribute("xsi", "schemaLocation",
239:                 "urn:oasis:names:specification:ubl:schema:xsd:CreditNote-2");
240:             location.Value =
241:                 "urn:oasis:names:specification:ubl:schema:xsd:CreditNote-2
..xsdrt/maindoc/UBL-CreditNote-2.1.xsd";

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

242:         var xmlns = doc.CreateAttribute("xmlns");
243:         xmlns.Value = "urn:oasis:names:specification:ubl:schema:xsd:CreditNote-2";
244:         var xmlnsn4 = doc.CreateAttribute("xmlns:n4");
245:         xmlnsn4.Value = "http://www.altova.com/samplexml/other-namespace";
246:         var xmlnsxsi = doc.CreateAttribute("xmlns:xsi");
247:         xmlnsxsi.Value = "http://www.w3.org/2001/XMLSchema-instance";
248:         xmlnscac = doc.CreateAttribute("xmlns:cac");
249:         xmlnscac.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonAggregateComponents-2";
250:         xmlnscbc = doc.CreateAttribute("xmlns:cbc");
251:         xmlnscbc.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonBasicComponents-2";
252:         var xmlnsext = doc.CreateAttribute("xmlns:ext");
253:         xmlnsext.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonExtensionComponents-2";
254:         root.Attributes.Append(location);
255:         root.Attributes.Append(xmlns);
256:         root.Attributes.Append(xmlnsn4);
257:         root.Attributes.Append(xmlnsxsi);
258:         root.Attributes.Append(xmlnscac);
259:         root.Attributes.Append(xmlnscbc);
260:         root.Attributes.Append(xmlnsext);
261:         var extUbl = doc.CreateElement("ext", "UBLExtensions", xmlnsext.Value);
262:         var extUbl2 = doc.CreateElement("ext", "UBLExtension", xmlnsext.Value);
263:         var extUbl3 = doc.CreateElement("ext", "ExtensionContent",
xmlnsext.Value);
264:         var extUbl4 = doc.CreateElement("n4", "auto-generated_for_wildcard",
265:             extUbl3.AppendChild(extUbl4);
266:             extUbl2.AppendChild(extUbl3);
267:             extUbl.AppendChild(extUbl2);
268:
269:             root.AppendChild(extUbl);
270:
271:             var versionId = doc.CreateElement("cbc", "UBLVersionID", xmlnscbc.Value);
272:             versionId.InnerText = "2.1";
273:             root.AppendChild(versionId);
274:
275:             var customizationId = doc.CreateElement("cbc", "CustomizationID",
xmlnscbc.Value);
276:             customizationId.InnerText = "TR1.2.1";
277:             root.AppendChild(customizationId);
278:
279:             var profileId = doc.CreateElement("cbc", "ProfileID", xmlnscbc.Value);
280:             profileId.InnerText = "EARSIVBELGE";
281:             root.AppendChild(profileId);
282:
283:             var id = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
284:             if (!string.IsNullOrEmpty(mustahsilMakbuzu.MustahsilMakbuzuNo))
285:                 id.InnerText = mustahsilMakbuzu.MustahsilMakbuzuNo;
286:             else
287:                 id.InnerText = "ABC" + mustahsilMakbuzu.IslemTarihi?.Year +
288:                               DateTime.UtcNow.Ticks.ToString().Substring(0, 9);
289:             root.AppendChild(id);
290:
291: }
292:     /// <summary>
293:     /// E-Müstahsil Makbuzu XML dosyasi hazirlanirken
294:     /// Kredi Türü bilgilerinin düzenlenigi metottur.
295:     /// </summary>
296:     /// <param name="doc">XML Doküman Bilgisi</param>
297:     /// <param name="xmlnscbc">XML Attribute Bilgisi</param>
298:     /// <param name="root">XML Ana Eleman Bilgisi</param>
299:     private static void EMustahsilKrediTuruDuzenle(XmlDocument doc, XmlAttribute
xmlnscbc, XmlElement root)
300:     {
301:         var creditNoteTypeCode = doc.CreateElement("cbc", "CreditNoteTypeCode",
xmlnscbc.Value);
302:         creditNoteTypeCode.InnerText = "MUSTAHSILMAKBUZ";

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

303:         root.AppendChild(creditNoteTypeCode);
304:     }
305:
306:    /// <summary>
307:    /// E-Müstahsil Makbuzu XML dosyasi hazirlanirken
308:    /// Varsa bir sablonun cekilerek
309:    /// Ek Dokuman Referans bilgisinin düzenlenmesi için
310:    /// Hazirlanmis olan metottur
311:    /// </summary>
312:    /// <param name="mustahsilMakbuzu">Müstahsil Makbuzu Bilgisi</param>
313:    /// <param name="doc">XML Dokuman Bilgisi</param>
314:    /// <param name="xmlnscac">XML Attribute Bilgisi</param>
315:    /// <param name="xmlnscbc">XML Attribute Bilgisi</param>
316:    /// <param name="root">XML Ana Eleman Bilgisi</param>
317:    private static void EMustahsilEkDokumanReferansDuzenle(MustahsilMakbuzuDTO
mustahsilMakbuzu, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XmlElement
root)
318:    {
319:        #region AdditionalDocumentReference
320:
321:            var additionalDocumentReference = doc.CreateElement("cac",
"AdditionalDocumentReference", xmlnscac.Value);
322:            var additionalDocumentReferenceId = doc.CreateElement("cbc",
"ID", xmlnscbc.Value);
323:            additionalDocumentReferenceId.InnerText =
mustahsilMakbuzu.Id.Length == 36
324:                ? mustahsilMakbuzu.Id.ToUpper()
325:                : Guid.NewGuid().ToString().ToUpper();
326:
additionalDocumentReference.AppendChild(additionalDocumentReferenceId);
327:            var issueDate = doc.CreateElement("cbc", "IssueDate",
xmlnscbc.Value);
328:            issueDate.InnerText =
mustahsilMakbuzu.IslamTarihi?.Date.ToString("yyyy-MM-dd") ?? string.Empty;
329:            additionalDocumentReference.AppendChild(issueDate);
330:            var documentType = doc.CreateElement("cbc", "DocumentType",
xmlnscbc.Value);
331:            documentType.InnerText = "XSLT";
332:            additionalDocumentReference.AppendChild(documentType);
333:            var attachment = doc.CreateElement("cac", "Attachment",
xmlnscac.Value);
334:            var embeddedDocumentBinaryObject = doc.CreateElement("cbc",
"EmbeddedDocumentBinaryObject", xmlnscbc.Value);
335:            var characterSetCode = doc.CreateAttribute("characterSetCode");
characterSetCode.Value = "UTF-8";
337:            var encodingCode = doc.CreateAttribute("encodingCode");
encodingCode.Value = "Base64";
339:            var mimeCode = doc.CreateAttribute("mimeCode");
mimeCode.Value = "application/xml";
340:            embeddedDocumentBinaryObject.Attributes.Append(characterSetCode);
embeddedDocumentBinaryObject.Attributes.Append(encodingCode);
343:            embeddedDocumentBinaryObject.Attributes.Append(mimeCode);
344:            attachment.AppendChild(embeddedDocumentBinaryObject);
345:            additionalDocumentReference.AppendChild(attachment);
346:
347:            root.AppendChild(additionalDocumentReference);
348:
349:        #endregion
350:    }
351:
352:    /// <summary>
353:    /// E-Müstahsil Makbuzu XML dosyasi hazirlanirken
354:    /// Makbuz Kesin Firmainin Bilgilerinin
355:    /// Düzenlendiği metottur.
356:    /// </summary>
357:    /// <param name="mustahsilMakbuzu">Müstahsil Makbuzu Bilgisi</param>
358:    /// <param name="doc">XML Dokuman Bilgisi</param>
359:    /// <param name="xmlnscac">XML Attribute Bilgisi</param>
360:    /// <param name="xmlnscbc">XML Attribute Bilgisi</param>
```

```

361:         /// <param name="root">XML Ana Eleman Bilgisi</param>
362:         private static void
EMustahsilMakbuzKesenFirmaBilgisiDuzenle(MustahsilMakbuzuDTO mustahsilMakbuzu, XmlDocument
doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XmlElement root)
363:         {
364:             // Burada sabit degerler verilmekte olup, Makbuzu kesen kuruma veya
firmaya ait bilgiler
365:             // yer almaktadir. Bu kisimda örnekk olarak TÜRKSEKER Fabrikalari Genel
Müdürlüğü bilgileri
366:             // kullanilmistir. Ancak degistirip test edilebilir.
367:
368:             #region AccountingSupplierParty
369:
370:             var accountingSupplierParty = doc.CreateElement("cac",
"AccountingSupplierParty", xmlnscac.Value);
371:             var party = doc.CreateElement("cac", "Party", xmlnscac.Value);
372:             var webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlnscbc.Value);
webSiteUri.InnerText = "https://www.turkseker.gov.tr";
374:             party.AppendChild(webSiteUri);
375:             var accountingSupplierPartyIdAttr = doc.CreateAttribute("schemeID");
376:             accountingSupplierPartyIdAttr.Value = "VKN_TCKN";
377:             var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlnscac.Value);
378:             var accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
accountingSupplierPartyIdAttr2.Value = "VKN";
379:             var accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xmlnscbc.Value);
380:
381:             accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
382:                 accountingSupplierPartyPartyId.InnerText = "3250566851";
383:                 partyIdentification.AppendChild(accountingSupplierPartyPartyId);
384:                 party.AppendChild(partyIdentification);
385:
386:                 if (!string.IsNullOrEmpty(mustahsilMakbuzu.AltBirimAd))
387:                 {
388:                     partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlnscac.Value);
389:                     accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
390:                     accountingSupplierPartyIdAttr2.Value = "SUBENO";
391:                     accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xmlnscbc.Value);
392:
393:                     accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
394:                         accountingSupplierPartyPartyId.InnerText =
mustahsilMakbuzu.AltBirimAd;
395:                         partyIdentification.AppendChild(accountingSupplierPartyPartyId);
396:                         party.AppendChild(partyIdentification);
397:                 }
398:
399:                 var partyName = doc.CreateElement("cac", "PartyName", xmlnscac.Value);
400:                 var partyNameReal = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
partyNameReal.InnerText = "TÜRKİYE SEKER FABRIKALARI A.S.";
401:                 partyName.AppendChild(partyNameReal);
402:                 party.AppendChild(partyName);
403:
404:                 #region Postal Address
405:
406:                 var postalAddress = doc.CreateElement("cac", "PostalAddress",
xmlnscac.Value);
407:                 var postalAddressId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
postalAddressId.InnerText = "3250566851";
408:                 postalAddress.AppendChild(postalAddressId);
409:                 var streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
streetName.InnerText = "Mithatpasa Caddesi";
410:                 postalAddress.AppendChild(streetName);
411:                 var buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xmlnscbc.Value);
412:                 buildingNumber.InnerText = "14";
413:                 postalAddress.AppendChild(buildingNumber);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

416:         var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xmlns:cbc.Value);
417:         citySubdivisionName.InnerText = "Çankaya";
418:         postalAddress.AppendChild(citySubdivisionName);
419:         var cityName = doc.CreateElement("cbc", "CityName", xmlns:cbc.Value);
420:         cityName.InnerText = "Ankara";
421:         postalAddress.AppendChild(cityName);
422:         var postalZone = doc.CreateElement("cbc", "PostalZone", xmlns:cbc.Value);
423:         postalZone.InnerText = "06100";
424:         postalAddress.AppendChild(postalZone);
425:         var country = doc.CreateElement("cac", "Country", xmlns:cac.Value);
426:         var countryName = doc.CreateElement("cbc", "Name", xmlns:cbc.Value);
427:         countryName.InnerText = "Türkiye";
428:         country.AppendChild(countryName);
429:         postalAddress.AppendChild(country);
430:         party.AppendChild(postalAddress);
431:
432:     #endregion
433:
434:     var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xmlns:cac.Value);
435:     var taxScheme = doc.CreateElement("cac", "TaxScheme", xmlns:cac.Value);
436:     var taxSchemeName = doc.CreateElement("cbc", "Name", xmlns:cbc.Value);
437:     taxSchemeName.InnerText = "Ankara Kurumlar";
438:     taxScheme.AppendChild(taxSchemeName);
439:     partyTaxScheme.AppendChild(taxScheme);
440:     party.AppendChild(partyTaxScheme);
441:
442:     var contact = doc.CreateElement("cac", "Contact", xmlns:cac.Value);
443:     var telephone = doc.CreateElement("cbc", "Telephone", xmlns:cbc.Value);
444:     telephone.InnerText = "(312) 4585500";
445:     contact.AppendChild(telephone);
446:     var telefax = doc.CreateElement("cbc", "Telefax", xmlns:cbc.Value);
447:     telefax.InnerText = "(312) 4585800";
448:     contact.AppendChild(telefax);
449:     var electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xmlns:cbc.Value);
450:     electronicMail.InnerText = "maliisler@turkseker.gov.tr";
451:     contact.AppendChild(electronicMail);
452:     party.AppendChild(contact);
453:
454:     accountingSupplierParty.AppendChild(party);
455:
456:     root.AppendChild(accountingSupplierParty);
457:
458: #endregion
459: }
460:
461: /// <summary>
462: /// E-Müstahsil Makbuzu XML dosyasi hazirlanirken
463: /// Makbuz Kesilen Firma bilgilerinin
464: /// Duzenlendiği metottur.
465: /// </summary>
466: /// <param name="mustahsilMakbuzu">Müstahsil Makbuzu Bilgisi</param>
467: /// <param name="doc">XML Doküman Bilgisi</param>
468: /// <param name="xmlns:cac">XML Attribute Bilgisi</param>
469: /// <param name="xmlns:cbc">XML Attribute Bilgisi</param>
470: /// <param name="root">XML Ana Eleman Bilgisi</param>
471: private static void
EMustahsilMakbuzKesilenFirmaBilgisiDuzenle(MustahsilMakbuzuDTO mustahsilMakbuzu,
XmlDocument doc, XmlAttribute xmlns:cac, XmlAttribute xmlns:cbc, XElement root)
472: {
473:     // Bu kisimda makbuz kesilen firma bilgileri yer almaktadir
474:
475:     #region AccountingCustomerParty
476:
477:     var accountingCustomerParty = doc.CreateElement("cac",
"AccountingCustomerParty", xmlns:cac.Value);
478:     var party = doc.CreateElement("cac", "Party", xmlns:cac.Value);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

479:         var webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlnscbc.Value);
480:         party.AppendChild(webSiteUri);
481:         var accountingCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
482:         accountingCustomerPartyIdAttr.Value = "TCKN";
483:         if (mustahsilMakbuzu.VergiNo.Length == 10)
484:             accountingCustomerPartyIdAttr.Value = "VKN";
485:         var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
486:             xmlnscac.Value);
487:         var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
488:             xmlnscbc.Value);
489:         accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerPartyIdAttr);
490:         accountingCustomerPartyPartyId.InnerText = mustahsilMakbuzu.VergiNo;
491:         partyIdentification.AppendChild(accountingCustomerPartyPartyId);
492:         party.AppendChild(partyIdentification);
493:         if (mustahsilMakbuzu.VergiNo.Length == 10)
494:         {
495:             var partyName = doc.CreateElement("cac", "PartyName", xmlnscac.Value);
496:             var partyNameReal = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
497:             partyNameReal.InnerText = mustahsilMakbuzu.TuzelKisiAd;
498:             partyName.AppendChild(partyNameReal);
499:             party.AppendChild(partyName);
500:
501:         #region Postal Address
502:
503:         var postalAddress = doc.CreateElement("cac", "PostalAddress",
504:             xmlnscac.Value);
505:         var postalAddressId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
506:         postalAddressId.InnerText = mustahsilMakbuzu.VergiNo;
507:         postalAddress.AppendChild(postalAddressId);
508:         var room = doc.CreateElement("cbc", "Room", xmlnscbc.Value);
509:         postalAddress.AppendChild(room);
510:         var streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
511:         if (!string.IsNullOrEmpty(mustahsilMakbuzu.Adres))
512:             streetName.InnerText = mustahsilMakbuzu.Adres;
513:         postalAddress.AppendChild(streetName);
514:         var buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
515:             xmlnscbc.Value);
516:         //buildingNumber.InnerText = "";
517:         postalAddress.AppendChild(buildingNumber);
518:         var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
519:             xmlnscbc.Value);
520:         if (!string.IsNullOrEmpty(mustahsilMakbuzu.IlceAd))
521:             citySubdivisionName.InnerText = mustahsilMakbuzu.IlceAd;
522:         postalAddress.AppendChild(citySubdivisionName);
523:         var cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
524:         if (!string.IsNullOrEmpty(mustahsilMakbuzu.IlAd))
525:             cityName.InnerText = mustahsilMakbuzu.IlAd;
526:         postalAddress.AppendChild(cityName);
527:         var postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
528:         //postalZone.InnerText = "";
529:         postalAddress.AppendChild(postalZone);
530:         var country = doc.CreateElement("cac", "Country", xmlnscac.Value);
531:         var countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
532:         countryName.InnerText = "Türkiye";
533:         country.AppendChild(countryName);
534:         postalAddress.AppendChild(country);
535:         party.AppendChild(postalAddress);
536:     #endregion
537:     var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
538:         xmlnscac.Value);
539:     var taxScheme = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
540:     var taxSchemeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
      if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiDairesi))
          taxSchemeName.InnerText = mustahsilMakbuzu.VergiDairesi;

```

```

541:             taxScheme.AppendChild(taxSchemeName);
542:             partyTaxScheme.AppendChild(taxScheme);
543:             party.AppendChild(partyTaxScheme);
544:
545:             var contact = doc.CreateElement("cac", "Contact", xmlnscac.Value);
546:             var electronicMail = doc.CreateElement("cbc", "ElectronicMail",
547:             xmlnscbc.Value);
548:             if (!string.IsNullOrEmpty(mustahsilMakbuzu.EPostaAdresi))
549:                 electronicMail.InnerText = mustahsilMakbuzu.EPostaAdresi;
550:             contact.AppendChild(electronicMail);
551:             party.AppendChild(contact);
552:
553:             if (mustahsilMakbuzu.VergiNo.Length == 11)
554:             {
555:                 var liste = mustahsilMakbuzu.TuzelKisiAd.Split(' ').ToList();
556:                 if (liste.Count >= 1)
557:                 {
558:                     var person = doc.CreateElement("cac", "Person", xmlnscac.Value);
559:                     var firstName = doc.CreateElement("cbc", "FirstName",
560:                     xmlnscbc.Value);
561:                     firstName.InnerText = liste[0];
562:                     person.AppendChild(firstName);
563:                     var surname = liste[0];
564:                     if (liste.Count > 1)
565:                         surname =
566:                         mustahsilMakbuzu.TuzelKisiAd.Substring(liste[0].Length + 1);
567:                     var familyName = doc.CreateElement("cbc", "FamilyName",
568:                     xmlnscbc.Value);
569:                     familyName.InnerText = surname;
570:                     //familyName.InnerText = liste[1];
571:                     person.AppendChild(familyName);
572:                     party.AppendChild(person);
573:                 }
574:             }
575:
576:             #endregion
577:         }
578:
579:         /// <summary>
580:         /// E-Müstahsil Makbuzu XML dosyasi hazirlanirken
581:         /// Makbuz Kesilen Kisi veya Firmanın Bilgilerinin
582:         /// Düzenlendiği metottur.
583:         /// </summary>
584:         /// <param name="mustahsilMakbuzu">Müstahsil Makbuzu Bilgisi</param>
585:         /// <param name="doc">XML Doküman Bilgisi</param>
586:         /// <param name="xmlnscac">XML Attribute Bilgisi</param>
587:         /// <param name="xmlnscbc">XML Attribute Bilgisi</param>
588:         /// <param name="root">XML Ana Eleman Bilgisi</param>
589:         private static void
EMustahsilMakbuzKesilenKisiBilgisiDuzenle(MustahsilMakbuzuDTO mustahsilMakbuzu, XmlDocument
doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XmlElement root)
590:         {
591:             if (string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo)) return;
592:             if (mustahsilMakbuzu.VergiNo.Length != 10) return;
593:             var ortakVeriler = new OrtakVerilerDTO
594:             {
595:                 Adres = mustahsilMakbuzu.Adres,
596:                 IlAd = mustahsilMakbuzu.IlAd,
597:                 IlceAd = mustahsilMakbuzu.IlceAd,
598:                 VergiDairesi = mustahsilMakbuzu.VergiDairesi,
599:                 VergiNo = mustahsilMakbuzu.VergiNo,
600:                 EPostaAdresi = mustahsilMakbuzu.EPostaAdresi,
601:                 TuzelKisiAd = mustahsilMakbuzu.TuzelKisiAd
602:             };
603:             FaturaMakbuzKesilenKisiBilgisiDuzenle(ortakVeriler, doc, xmlnscac,

```

```

xmlns:cbc, root);
604:    }
605:
606:    /// <summary>
607:    /// E-Müstahsil Makbuzu XML dosyasi hazirlanirken
608:    /// Ana Vergi Bilgilerinin Düzenlendiği Metottur
609:    /// </summary>
610:    /// <param name="mustahsilMakbuzu">Müstahsil Makbuzu Bilgisi</param>
611:    /// <param name="doc">XML Doküman Bilgisi</param>
612:    /// <param name="xmlnscac">XML Attribute Bilgisi</param>
613:    /// <param name="xmlnscbc">XML Attribute Bilgisi</param>
614:    /// <param name="kodMakbuzGrupTuruKod">Makbuz Grup Türü Kodu</param>
615:    /// <param name="root">XML Ana Eleman Bilgisi</param>
616:    private static void EMustahsilMakbuzVergiBilgisiDuzenle(MustahsilMakbuzuDTO
mustahsilMakbuzu, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, int
kodMakbuzGrupTuruKod, XElement root)
617:    {
618:        // Burada vergi bilgileri yer almaktadir
619:
620:        #region TaxTotal
621:
622:        var taxTotal = doc.CreateElement("cac", "TaxTotal", xmlnscac.Value);
623:        var currencyId = doc.CreateAttribute("currencyID");
624:        currencyId.Value = "TRY";
625:        var taxAmount = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
626:        taxAmount.RemoveAllAttributes();
627:        taxAmount.Attributes.Append(currencyId);
628:        taxAmount.InnerText = Decimal
629:            .Round((decimal) mustahsilMakbuzu.GelirVergisi, 2,
MidpointRounding.AwayFromZero).ToString()
630:            .Replace(", ", ".");
631:            taxTotal.AppendChild(taxAmount);
632:            var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xmlnscac.Value);
633:            var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xmlnscbc.Value);
634:            taxableAmount.RemoveAllAttributes();
635:            currencyId = doc.CreateAttribute("currencyID");
636:            currencyId.Value = "TRY";
637:            taxableAmount.Attributes.Append(currencyId);
638:            taxableAmount.InnerText = Decimal
639:                .Round((decimal) mustahsilMakbuzu.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString()
640:                .Replace(", ", ".");
641:                taxSubTotal.AppendChild(taxableAmount);
642:                var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
643:                taxAmount2.RemoveAllAttributes();
644:                currencyId = doc.CreateAttribute("currencyID");
645:                currencyId.Value = "TRY";
646:                taxAmount2.Attributes.Append(currencyId);
647:                taxAmount2.InnerText = Decimal
648:                    .Round((decimal) mustahsilMakbuzu.GelirVergisi, 2,
MidpointRounding.AwayFromZero).ToString()
649:                    .Replace(", ", ".");
650:                    taxSubTotal.AppendChild(taxAmount2);
651:                    var percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
652:                    percent.InnerText = mustahsilMakbuzu.NetTutar != 0
653:                        ? Decimal.Round(((decimal) mustahsilMakbuzu.GelirVergisi * 100) /
(decimal) mustahsilMakbuzu.NetTutar,
654:                            0, MidpointRounding.AwayFromZero).ToString()
655:                            : "0";
656:                            taxSubTotal.AppendChild(percent);
657:                            var taxCategory = doc.CreateElement("cac", "TaxCategory", xmlnscac.Value);
658:                            if (mustahsilMakbuzu.GelirVergisi == 0)
659:                            {
660:                                if (kodMakbuzGrupTuruKod == FaturaMakbuzGrupTur.Kuspe.GetHashCode())
661:                                {
662:                                    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xmlnscbc.Value);
663:                                    taxExemptionReasonCode.InnerText = "325";

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

664:             var taxExemptionReason = doc.CreateElement("cbc",
665: "TaxExemptionReason", xmlnscbc.Value);
666:             taxExemptionReason.InnerText = "13/i Yem Teslimleri";
667:             taxCategory.AppendChild(taxExemptionReasonCode);
668:             taxCategory.AppendChild(taxExemptionReason);
669:         }
670:     {
671:         var taxExemptionReasonCode = doc.CreateElement("cbc",
672: "TaxExemptionReasonCode", xmlnscbc.Value);
673:         taxExemptionReasonCode.InnerText = "350";
674:         var taxExemptionReason = doc.CreateElement("cbc",
675: "TaxExemptionReason", xmlnscbc.Value);
676:         taxExemptionReason.InnerText = "Digerleri";
677:         taxCategory.AppendChild(taxExemptionReasonCode);
678:         taxCategory.AppendChild(taxExemptionReason);
679:     }
680:     var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
681:     var taxName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
682:     taxName.InnerText = "GV STOPAJI";
683:     taxScheme2.AppendChild(taxName);
684:     var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xmlnscbc.Value);
685:     taxTypeCode.InnerText = "0003";
686:     taxScheme2.AppendChild(taxTypeCode);
687:     taxCategory.AppendChild(taxScheme2);
688:     taxSubTotal.AppendChild(taxCategory);
689:     taxTotal.AppendChild(taxSubTotal);
690:     root.AppendChild(taxTotal);
691:
692: #endregion
693:
694: // Gelir Vergisi, Net Tutar ve Toplam Tutar bilgileri yer almaktadir
695:
696: #region LegalMonetaryTotal
697:
698: var legalMonetaryTotal = doc.CreateElement("cac", "LegalMonetaryTotal",
xmlnscac.Value);
699: var lineExtensionAmount = doc.CreateElement("cbc", "LineExtensionAmount",
xmlnscbc.Value);
700: lineExtensionAmount.RemoveAllAttributes();
701: currencyId = doc.CreateAttribute("currencyID");
702: currencyId.Value = "TRY";
703: lineExtensionAmount.Attributes.Append(currencyId);
704: lineExtensionAmount.InnerText = Decimal
705:     .Round((decimal) mustahsilMakbuzu.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString()
706:     .Replace(",", ".");
707:     legalMonetaryTotal.AppendChild(lineExtensionAmount);
708: var taxExclusiveAmount = doc.CreateElement("cbc", "TaxExclusiveAmount",
xmlnscbc.Value);
709: taxExclusiveAmount.RemoveAllAttributes();
710: currencyId = doc.CreateAttribute("currencyID");
711: currencyId.Value = "TRY";
712: taxExclusiveAmount.Attributes.Append(currencyId);
713: taxExclusiveAmount.InnerText = Decimal
714:     .Round((decimal) mustahsilMakbuzu.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString()
715:     .Replace(",", ".");
716:     legalMonetaryTotal.AppendChild(taxExclusiveAmount);
717: var taxInclusiveAmount = doc.CreateElement("cbc", "TaxInclusiveAmount",
xmlnscbc.Value);
718: taxInclusiveAmount.RemoveAllAttributes();
719: currencyId = doc.CreateAttribute("currencyID");
720: currencyId.Value = "TRY";
721: taxInclusiveAmount.Attributes.Append(currencyId);
722: taxInclusiveAmount.InnerText = Decimal
723:     .Round((decimal) mustahsilMakbuzu.NetTutar, 2,

```

```

        MidpointRounding.AwayFromZero).ToString()
    724:             .Replace(", ", ".");
    725:             legalMonetaryTotal.AppendChild(taxInclusiveAmount);
    726:             var payableAmount = doc.CreateElement("cbc", "PayableAmount",
xmlns:cbc.Value);
    727:             payableAmount.RemoveAllAttributes();
    728:             currencyId = doc.CreateAttribute("currencyID");
    729:             currencyId.Value = "TRY";
    730:             payableAmount.Attributes.Append(currencyId);
    731:             payableAmount.InnerText = Decimal
    732:                 .Round((decimal) mustahsilMakbuzu.NetTutar - (decimal)
mustahsilMakbuzu.GelirVergisi, 2,
    733:                     MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
    734:                     legalMonetaryTotal.AppendChild(payableAmount);
    735:                     root.AppendChild(legalMonetaryTotal);
    736:
    737:             #endregion
    738:         }
    739:
    740:         /// <summary>
    741:         /// E-Müstahsil Makbuzu XML dosyasi hazırlanirken
    742:         /// Makbuz Detay bilgileri üzerinden gerekli islemlerin
    743:         /// Gerçeklestirildigi metottur.
    744:         /// </summary>
    745:         /// <param name="item">Müstahsil Makbuzu Detay Bilgisi</param>
    746:         /// <param name="doc">XML Doküman Bilgisi</param>
    747:         /// <param name="xmlnscac">XML Attribute Bilgisi</param>
    748:         /// <param name="xmlns:cbc">XML Attribute Bilgisi</param>
    749:         /// <param name="sayac">Sayac Bilgisi</param>
    750:         /// <param name="root">XML Ana Eleman Bilgisi</param>
    751:         private static int
EMustahsilMakbuzDetayBilgileriDuzenle(MustahsilMakbuzuDetayDTO item, XmlDocument doc,
XmlAttribute xmlnscac, XmlAttribute xmlns:cbc, int sayac, XElement root)
    752:         {
    753:             var detayBilgisi = item.BosluklariKaldir();
    754:
    755:             #region CreditNoteLine
    756:
    757:             #region MetaData
    758:
    759:             var creditNoteLine = doc.CreateElement("cac", "CreditNoteLine",
xmlnscac.Value);
    760:             var creditNoteLineId = doc.CreateElement("cbc", "ID", xmlns:cbc.Value);
    761:             creditNoteLineId.InnerText = sayac.ToString();
    762:             creditNoteLine.AppendChild(creditNoteLineId);
    763:             var quantity = doc.CreateAttribute("unitCode");
    764:             quantity.Value = "KGM";
    765:             var creditedQuantity = doc.CreateElement("cbc", "CreditedQuantity",
xmlns:cbc.Value);
    766:             creditedQuantity.RemoveAllAttributes();
    767:             creditedQuantity.Attributes.Append(quantity);
    768:             creditedQuantity.InnerText = Decimal
    769:                 .Round((decimal) detayBilgisi.Miktar, 2,
MidpointRounding.AwayFromZero).ToString()
    770:                 .Replace(", ", ".");
    771:                 creditNoteLine.AppendChild(creditedQuantity);
    772:                 var lineExtensionAmountDetail = doc.CreateElement("cbc",
"LineExtensionAmount", xmlns:cbc.Value);
    773:                 lineExtensionAmountDetail.RemoveAllAttributes();
    774:                 var currencyId = doc.CreateAttribute("currencyID");
    775:                 currencyId.Value = "TRY";
    776:                 lineExtensionAmountDetail.Attributes.Append(currencyId);
    777:                 lineExtensionAmountDetail.InnerText = Decimal
    778:                     .Round((decimal) detayBilgisi.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString()
    779:                     .Replace(", ", ".");
    780:                     creditNoteLine.AppendChild(lineExtensionAmountDetail);
    781:
    782:             #endregion

```

```
783:  
784: #region TaxTotal  
785:  
786: var taxTotal = doc.CreateElement("cac", "TaxTotal", xmlnscac.Value);  
787: currencyId = doc.CreateAttribute("currencyID");  
788: currencyId.Value = "TRY";  
789: var taxAmount = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);  
790: taxAmount.RemoveAllAttributes();  
791: taxAmount.Attributes.Append(currencyId);  
792: taxAmount.InnerText = Decimal  
793: .Round((decimal) detayBilgisi.GelirVergisi, 2,  
MidpointRounding.AwayFromZero).ToString()  
794: .Replace(",", ".");  
795: taxTotal.AppendChild(taxAmount);  
796: var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xmlnscac.Value);  
797: var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",  
xmlnscbc.Value);  
798: taxableAmount.RemoveAllAttributes();  
799: currencyId = doc.CreateAttribute("currencyID");  
800: currencyId.Value = "TRY";  
801: taxableAmount.Attributes.Append(currencyId);  
802: taxableAmount.InnerText = Decimal  
803: .Round((decimal) detayBilgisi.NetTutar, 2,  
MidpointRounding.AwayFromZero).ToString()  
804: .Replace(",", ".");  
805: taxSubTotal.AppendChild(taxableAmount);  
806: var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);  
807: taxAmount2.RemoveAllAttributes();  
808: currencyId = doc.CreateAttribute("currencyID");  
809: currencyId.Value = "TRY";  
810: taxAmount2.Attributes.Append(currencyId);  
811: taxAmount2.InnerText = Decimal  
812: .Round((decimal) detayBilgisi.GelirVergisi, 2,  
MidpointRounding.AwayFromZero).ToString()  
813: .Replace(",", ".");  
814: taxSubTotal.AppendChild(taxAmount2);  
815: var percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);  
816: percent.InnerText = "2";  
taxSubTotal.AppendChild(percent);  
var taxCategory = doc.CreateElement("cac", "TaxCategory", xmlnscac.Value);  
var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);  
var taxTypeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);  
taxTypeName.InnerText = "GV STOPAJI";  
taxScheme2.AppendChild(taxTypeName);  
var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xmlnscbc.Value);  
taxTypeCode.InnerText = "0003";  
taxScheme2.AppendChild(taxTypeCode);  
taxCategory.AppendChild(taxScheme2);  
taxSubTotal.AppendChild(taxCategory);  
taxTotal.AppendChild(taxSubTotal);  
creditNoteLine.AppendChild(taxTotal);  
830:  
831: #endregion  
832:  
833: #region Item  
834:  
835: var creditNoteItem = doc.CreateElement("cac", "Item", xmlnscac.Value);  
836: var itemName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);  
itemName.InnerText = detayBilgisi.IsinMahiyeti;  
creditNoteItem.AppendChild(itemName);  
creditNoteLine.AppendChild(creditNoteItem);  
840:  
841: #endregion  
842:  
843: #region Price  
844:  
845: var price = doc.CreateElement("cac", "Price", xmlnscac.Value);  
var priceAmount = doc.CreateElement("cbc", "PriceAmount", xmlnscbc.Value);  
priceAmount.RemoveAllAttributes();
```

```

848:             currencyId = doc.CreateAttribute("currencyID");
849:             currencyId.Value = "TRY";
850:             priceAmount.Attributes.Append(currencyId);
851:             priceAmount.InnerText = detayBilgisi.BirimFiyat != null
852:                 ? Decimal.Round((decimal) detayBilgisi.BirimFiyat, 4,
853:                     MidpointRounding.AwayFromZero).ToString()
854:                         .Replace(", ", ".")
855:                         : "0.00";
856:             price.AppendChild(priceAmount);
857:             creditNoteLine.AppendChild(price);
858:         #endregion
859:
860:         root.AppendChild(creditNoteLine);
861:
862:     #endregion
863:
864:     sayac++;
865:     return sayac;
866: }
867:
868: /// <summary>
869: /// E-Fatura XML dosyasi hazirlanirken
870: /// XML'in ilk hali ve gerekli temel parametrelerin eklenmesi için
871: /// Hazirlanmis olan metottur.
872: /// </summary>
873: /// <param name="doc">XML Doküman Bilgisi</param>
874: /// <param name="root">XML Ana Eleman Bilgisi</param>
875: /// <param name="xmlnscac">XML Attribute Bilgisi</param>
876: /// <param name="xmlnscbc">XML Attribute Bilgisi</param>
877: private static void EFaturaHeaderBilgisiDuzenle(XmlDocument doc, XmlElement
root, out XmlAttribute xmlnscac, out XmlAttribute xmlnscbc)
878: {
879:     // var locationAttribute = "xsi:schemaLocation";
880:     var location = doc.CreateAttribute("xsi", "schemaLocation",
881:         "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2");
882:     location.Value =
883:         "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
..xsdrt/maindoc/UBL-Invoice-2.1.xsd";
884:     //var location = doc.CreateAttribute(schemaLocation);
885:     //location.Value =
"urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
..xsdrt/maindoc/UBL-Invoice-2.1.xsd";
886:     var xmlns = doc.CreateAttribute("xmlns");
887:     xmlns.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2";
888:     var xmlnsn4 = doc.CreateAttribute("xmlns:n4");
889:     xmlnsn4.Value = "http://www.altova.com/simplexml/other-namespace";
890:     var xmlnsxsi = doc.CreateAttribute("xmlns:xsi");
891:     xmlnsxsi.Value = "http://www.w3.org/2001/XMLSchema-instance";
892:     xmlnscac = doc.CreateAttribute("xmlns:cac");
893:     xmlnscac.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonAggregateComponents-2";
894:     xmlnscbc = doc.CreateAttribute("xmlns:cbc");
895:     xmlnscbc.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonBasicComponents-2";
896:     var xmlnsext = doc.CreateAttribute("xmlns:ext");
897:     xmlnsext.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonExtensionComponents-2";
898:     root.Attributes.Append(location);
899:     root.Attributes.Append(xmlns);
900:     root.Attributes.Append(xmlnsn4);
901:     root.Attributes.Append(xmlinxsi);
902:     root.Attributes.Append(xmlnscac);
903:     root.Attributes.Append(xmlnscbc);
904:     root.Attributes.Append(xmlnsext);
905:     var extUbl = doc.CreateElement("ext", "UBLExtensions", xmlnsext.Value);
906:     var extUbl2 = doc.CreateElement("ext", "UBLExtension", xmlnsext.Value);
907:     var extUbl3 = doc.CreateElement("ext", "ExtensionContent",
xmlnsext.Value);

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

908:         var extUbl4 = doc.CreateElement("n4", "auto-generated_for_wildcard",
xmlnsn4.Value);
909:         extUbl3.AppendChild(extUbl4);
910:         extUbl2.AppendChild(extUbl3);
911:         extUbl.AppendChild(extUbl2);
912:         root.AppendChild(extUbl);
913:     }
915:
916:    /// <summary>
917:    /// E-Fatura XML dosyasi hazirlanirken
918:    /// Varsa bir sablonun çekilerek
919:    /// Ek Doküman Referans bilgisinin düzenlenmesi için
920:    /// Hazirlanmis olan metottur
921:    /// </summary>
922:    /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
923:    /// <param name="doc">XML Doküman Bilgisi</param>
924:    /// <param name="xmlnscac">XML Attribute Bilgisi</param>
925:    /// <param name="xmlnscbc">XML Attribute Bilgisi</param>
926:    /// <param name="root">XML Ana Eleman Bilgisi</param>
927:    private static void EFaturaEkDokumanReferansDuzenle(GidenFaturaDTO
gidenFatura, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XmlElement root)
928:    {
929:        #region AdditionalDocumentReference
930:
931:        var additionalDocumentReference = doc.CreateElement("cac",
"AdditionalDocumentReference", xmlnscac.Value);
932:        var additionalDocumentReferenceId = doc.CreateElement("cbc", "ID",
xmlnscbc.Value);
933:        additionalDocumentReferenceId.InnerText = gidenFatura.Id;
934:        additionalDocumentReference.AppendChild(additionalDocumentReferenceId);
935:        var issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
936:        issueDate.InnerText =
gidenFatura.IslemTarihi?.Date.ToString("yyyy-MM-dd") ?? string.Empty;
937:        additionalDocumentReference.AppendChild(issueDate);
938:        var documentType = doc.CreateElement("cbc", "DocumentType",
xmlnscbc.Value);
939:        documentType.InnerText = "XSLT";
940:        additionalDocumentReference.AppendChild(documentType);
941:        issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
942:        issueDate.InnerText =
gidenFatura.IslemTarihi?.Date.ToString("yyyy-MM-dd"));
943:        additionalDocumentReference.AppendChild(issueDate);
944:        documentType = doc.CreateElement("cbc", "DocumentType", xmlnscbc.Value);
945:        documentType.InnerText = "XSLT";
946:        additionalDocumentReference.AppendChild(documentType);
947:        var attachment = doc.CreateElement("cac", "Attachment", xmlnscac.Value);
948:        var embeddedDocumentBinaryObject = doc.CreateElement("cbc",
"EmbeddedDocumentBinaryObject", xmlnscbc.Value);
949:        var characterSetCode = doc.CreateAttribute("characterSetCode");
950:        characterSetCode.Value = "UTF-8";
951:        var encodingCode = doc.CreateAttribute("encodingCode");
952:        encodingCode.Value = "Base64";
953:        //XmlAttribute fileName2 = doc.CreateAttribute("fileName");
954:        //fileName2.Value = "efatura.xslt";
955:        var mimeCode = doc.CreateAttribute("mimeCode");
956:        mimeCode.Value = "application/xml";
957:        embeddedDocumentBinaryObject.Attributes.Append(characterSetCode);
958:        embeddedDocumentBinaryObject.Attributes.Append(encodingCode);
959:        //embeddedDocumentBinaryObject.Attributes.Append(fileName2);
960:        embeddedDocumentBinaryObject.Attributes.Append(mimeCode);
961:
962:        #region Base 64 Metin
963:
964:        var sablonAdresi = Directory.GetFiles("../..../Other");
965:        if (sablonAdresi.Length > 0)
966:        {
967:            foreach (var item in sablonAdresi)
968:            {

```

```

969:             if (!item.Contains("efatura")) continue;
970:             var base64Metin = File.ReadAllText(item);
971:             embeddedDocumentBinaryObject.InnerText = base64Metin;
972:             break;
973:         }
974:     }
975:
976: #endregion
977:
978:         attachment.AppendChild(embeddedDocumentBinaryObject);
979:         additionalDocumentReference.AppendChild(attachment);
980:
981:         root.AppendChild(additionalDocumentReference);
982:
983:         additionalDocumentReference = doc.CreateElement("cac",
984: "AdditionalDocumentReference", xmlnscac.Value);
984:         additionalDocumentReferenceId = doc.CreateElement("cbc", "ID",
xmlnscbc.Value);
985:         additionalDocumentReferenceId.InnerText = gidenFatura.Id;
986:         additionalDocumentReference.AppendChild(additionalDocumentReferenceId);
987:         issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
988:         issueDate.InnerText =
gidenFatura.IslemTarihi?.Date.ToString("yyyy-MM-dd") ?? string.Empty;
989:         additionalDocumentReference.AppendChild(issueDate);
990:         documentType = doc.CreateElement("cbc", "DocumentType", xmlnscbc.Value);
991:         documentType.InnerText = "XSLT";
992:         additionalDocumentReference.AppendChild(documentType);
993:         attachment = doc.CreateElement("cac", "Attachment", xmlnscac.Value);
994:         embeddedDocumentBinaryObject = doc.CreateElement("cbc",
"EmbeddedDocumentBinaryObject", xmlnscbc.Value);
995:         characterSetCode = doc.CreateAttribute("characterSetCode");
996:         characterSetCode.Value = "UTF-8";
997:         encodingCode = doc.CreateAttribute("encodingCode");
998:         encodingCode.Value = "Base64";
999:         mimeCode = doc.CreateAttribute("mimeCode");
1000:        mimeCode.Value = "application/xml";
1001:        embeddedDocumentBinaryObject.Attributes.Append(characterSetCode);
1002:        embeddedDocumentBinaryObject.Attributes.Append(encodingCode);
1003:        embeddedDocumentBinaryObject.Attributes.Append(mimeCode);
1004:        attachment.AppendChild(embeddedDocumentBinaryObject);
1005:        additionalDocumentReference.AppendChild(attachment);
1006:
1007: #endregion
1008: }
1009:
1010: /// <summary>
1011: /// E-Fatura XML dosyasi hazirlanirken
1012: /// Fatura Kesilen Firmanın Bilgilerinin Girildigi
1013: /// Ve XML dosyasi içerisinde ele alindigi metottur.
1014: /// </summary>
1015: /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
1016: /// <param name="doc">XML Doküman Bilgisi</param>
1017: /// <param name="xmlnscac">XML Attribute Bilgisi</param>
1018: /// <param name="xmlnscbc">XML Attribute Bilgisi</param>
1019: /// <param name="root">XML Ana Eleman Bilgisi</param>
1020: private static void EFaturaKesilenFirmaBilgileriDuzenle(GidenFaturaDTO
gidenFatura, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XElement root)
1021: {
1022:     // Bu kisimda fatura kesilen firma bilgileri yer almaktadir
1023:
1024: #region AccountingCustomerParty
1025:
1026:     var accountingCustomerParty = doc.CreateElement("cac",
"AccountingCustomerParty", xmlnscac.Value);
1027:     var party = doc.CreateElement("cac", "Party", xmlnscac.Value);
1028:     var webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlnscbc.Value);
1029:     party.AppendChild(webSiteUri);
1030:     var accountingCustomerIdAttr = doc.CreateAttribute("schemeID");
1031:     accountingCustomerIdAttr.Value = "TCKN";

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

1032:         if (!string.IsNullOrEmpty(gidenFatura.VergiNo) &&
gidenFatura.VergiNo.Length == 10)
1033:             accountingCustomerPartyIdAttr.Value = "VKN";
1034:             var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlnscac.Value);
1035:             var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xmlnscbc.Value);
1036:
accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerPartyIdAttr);
1037:             accountingCustomerPartyPartyId.InnerText = gidenFatura.VergiNo;
1038:             partyIdentification.AppendChild(accountingCustomerPartyPartyId);
1039:             party.AppendChild(partyIdentification);
1040:
1041:             if (!string.IsNullOrEmpty(gidenFatura.VergiNo) &&
gidenFatura.VergiNo.Length == 10)
1042:                 {
1043:                     var partyName = doc.CreateElement("cac", "PartyName", xmlnscac.Value);
1044:                     var partyNameReal = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
1045:                     partyNameReal.InnerText = gidenFatura.TuzelKisiAd;
1046:                     partyName.AppendChild(partyNameReal);
1047:                     party.AppendChild(partyName);
1048:                 }
1049:
1050:             #region Postal Address
1051:
1052:             var postalAddress = doc.CreateElement("cac", "PostalAddress",
xmlnscac.Value);
1053:             var postalAddressId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
postalAddressId.InnerText = gidenFatura.VergiNo;
1055:             postalAddress.AppendChild(postalAddressId);
1056:             var room = doc.CreateElement("cbc", "Room", xmlnscbc.Value);
postalAddress.AppendChild(room);
1058:             var streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
1059:             if (!string.IsNullOrEmpty(gidenFatura.Adres))
streetName.InnerText = gidenFatura.Adres;
1060:             postalAddress.AppendChild(streetName);
1061:             var buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xmlnscbc.Value);
1062:
//buildingNumber.InnerText = "";
1064:             postalAddress.AppendChild(buildingNumber);
1065:             var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xmlnscbc.Value);
1066:             if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
citySubdivisionName.InnerText = gidenFatura.IlceAd;
1067:             postalAddress.AppendChild(citySubdivisionName);
1068:             var cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
1069:             if (!string.IsNullOrEmpty(gidenFatura.IlAd))
cityName.InnerText = gidenFatura.IlAd;
1070:             postalAddress.AppendChild(cityName);
1072:             var postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
1073:             //postalZone.InnerText = "";
1074:             postalAddress.AppendChild(postalZone);
1075:             var country = doc.CreateElement("cac", "Country", xmlnscac.Value);
1076:             var countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
1077:             countryName.InnerText = "Türkiye";
1078:             country.AppendChild(countryName);
1079:             postalAddress.AppendChild(country);
1080:             party.AppendChild(postalAddress);
1082:
1083:             #endregion
1084:
1085:             var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xmlnscac.Value);
1086:             var taxScheme = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
1087:             var taxSchemeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
1088:             if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
taxSchemeName.InnerText = gidenFatura.VergiDairesi;
1089:             taxScheme.AppendChild(taxSchemeName);
1090:             partyTaxScheme.AppendChild(taxScheme);
1091:

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

1092:             party.AppendChild(partyTaxScheme);
1093:
1094:             var contact = doc.CreateElement("cac", "Contact", xmlnscac.Value);
1095:             var electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xmlnscbc.Value);
1096:             if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))
1097:                 electronicMail.InnerText = gidenFatura.EPostaAdresi;
1098:             contact.AppendChild(electronicMail);
1099:             party.AppendChild(contact);
1100:
1101:             if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
1102:             {
1103:                 if (gidenFatura.VergiNo.Length == 11)
1104:                 {
1105:                     var liste = gidenFatura.TuzelKisiAd.Split(' ').ToList();
1106:                     if (liste.Count >= 1)
1107:                     {
1108:                         var person = doc.CreateElement("cac", "Person",
xmlnscac.Value);
1109:                         var firstName = doc.CreateElement("cbc", "FirstName",
xmlnscbc.Value);
1110:                         firstName.InnerText = liste[0];
1111:                         person.AppendChild(firstName);
1112:                         var surname = liste[0];
1113:                         if (liste.Count > 1)
1114:                             surname =
gidenFatura.TuzelKisiAd.Substring(liste[0].Length + 1);
1115:                         var familyName = doc.CreateElement("cbc", "FamilyName",
xmlnscbc.Value);
1116:                         familyName.InnerText = surname;
//familyName.InnerText = liste[1];
1117:                         person.AppendChild(familyName);
1118:                         party.AppendChild(person);
1119:                     }
1120:                 }
1121:             }
1122:         }
1123:
1124:         accountingCustomerParty.AppendChild(party);
1125:
1126:         root.AppendChild(accountingCustomerParty);
1127:
1128: #endregion
1129:     }
1130:
1131: /// <summary>
1132: /// E-Fatura XML dosyasi hazirlanirken
1133: /// Fatura kesilen gerçek veya tüzel kisinin bilgilerinin düzenlenmesi için
1134: /// Hazirlanmis olan metottur.
1135: /// </summary>
1136: /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
1137: /// <param name="doc">XML Doküman Bilgisi</param>
1138: /// <param name="xmlnscac">XML Attribute Bilgisi</param>
1139: /// <param name="xmlnscbc">XML Attribute Bilgisi</param>
1140: /// <param name="root">XML Ana Eleman Bilgisi</param>
1141: private static void FaturaKesilenKisiBilgisiDuzenle(GidenFaturaDTO
gidenFatura, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XmlElement root)
1142:     {
1143:         if (string.IsNullOrEmpty(gidenFatura.VergiNo)) return;
1144:         if (gidenFatura.VergiNo.Length != 10) return;
1145:         var ortakVeriler = new OrtakVerilerDTO
1146:         {
1147:             Adres = gidenFatura.Adres,
1148:             IlAd = gidenFatura.IlAd,
1149:             IlceAd = gidenFatura.IlceAd,
1150:             VergiDairesi = gidenFatura.VergiDairesi,
1151:             VergiNo = gidenFatura.VergiNo,
1152:             EPostaAdresi = gidenFatura.EPostaAdresi,
1153:             TuzelKisiAd = gidenFatura.TuzelKisiAd
1154:         };

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

1155:             FaturaMakbuzKesilenKisiBilgisiDuzenle(ortakVeriler, doc, xmlnscac,
xmlnscbc, root);
1156:         }
1157:
1158:         /// <summary>
1159:         /// E-Fatura Kisminda
1160:         /// Fatura Detaylari ile ilgil olarak
1161:         /// Yapilan islmeerin tek bir yerde tutuldugu metottur.
1162:         /// </summary>
1163:         /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
1164:         /// <param name="item">Fatura Detay Bilgisi</param>
1165:         /// <param name="doc">XML Dokumani Bilgisi</param>
1166:         /// <param name="xmlnscac">XML Attribute Bilgisi</param>
1167:         /// <param name="xmlnscbc">XML Attribute Bilgisi</param>
1168:         /// <param name="sayac">Sayaç Bilgisi</param>
1169:         /// <param name="kodFaturaGrupTuruKod">Fatura Grup Türü Kodu</param>
1170:         /// <param name="root">XML Ana Eleman Bilgisi</param>
1171:         /// <returns>Sayaç Bilgisi</returns>
1172:         private static int EFaturaDetayBilgileriniDuzenle(GidenFaturaDTO gidenFatura,
GidenFaturaDetayDTO item, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc,
int sayac, int kodFaturaGrupTuruKod, XElement root)
1173:         {
1174:             var detayBilgisi = item.BosluklariKaldir();
1175:
1176:             #region InvoiceLine
1177:
1178:             // Ölçü Birimi, KDV Hariç Tutar, Para Birimi gibi bilgiler yer almaktadir
1179:
1180:             #region MetaData
1181:
1182:                 var invoiceLine = doc.CreateElement("cac", "InvoiceLine", xmlnscac.Value);
1183:                 var invoiceLineId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
1184:                 invoiceLineId.InnerText = sayac.ToString();
1185:                 invoiceLine.AppendChild(invoiceLineId);
1186:                 var quantity = doc.CreateAttribute("unitCode");
1187:                 quantity.Value = !string.IsNullOrEmpty(detayBilgisi.GibKisaltma) ?
detayBilgisi.GibKisaltma : "KGM";
1188:                 var invoicedQuantity = doc.CreateElement("cbc", "InvoicedQuantity",
xmlnscbc.Value);
1189:                 invoicedQuantity.RemoveAllAttributes();
1190:                 invoicedQuantity.Attributes.Append(quantity);
1191:                 invoicedQuantity.InnerText = Decimal
1192:                     .Round((decimal) detayBilgisi.Miktar, 2,
MidpointRounding.AwayFromZero).ToString()
1193:                         .Replace(", ", ".");
1194:                 invoiceLine.AppendChild(invoicedQuantity);
1195:                 var lineExtensionAmountDetail = doc.CreateElement("cbc",
"LineExtensionAmount", xmlnscbc.Value);
1196:                 lineExtensionAmountDetail.RemoveAllAttributes();
1197:                 var currencyId = doc.CreateAttribute("currencyID");
1198:                 currencyId.Value = "TRY";
1199:                 lineExtensionAmountDetail.Attributes.Append(currencyId);
1200:                 lineExtensionAmountDetail.InnerText = Decimal
1201:                     .Round((decimal) detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
1202:                         .Replace(", ", ".");
1203:                 invoiceLine.AppendChild(lineExtensionAmountDetail);
1204:
1205:             #endregion
1206:
1207:             // Varsa iskonto bilgileri yer almaktadir
1208:
1209:             #region AllowanceCharge
1210:
1211:                 var allowanceCharge = doc.CreateElement("cac", "AllowanceCharge",
xmlnscac.Value);
1212:                 var chargeIndicator = doc.CreateElement("cbc", "ChargeIndicator",
xmlnscbc.Value);
1213:                 chargeIndicator.InnerText = "false";

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

1214:         allowanceCharge.AppendChild(chargeIndicator);
1215:         decimal amount2 = 0;
1216:         var toplamTutar = (decimal) detayBilgisi.KdvHaricTutar;
1217:         var kodIskontoTuruOran = detayBilgisi.IskontoOran ?? 0;
1218:         if (kodIskontoTuruOran > 0)
1219:         {
1220:             toplamTutar = Decimal.Round((decimal) detayBilgisi.Miktar * (decimal)
detayBilgisi.BirimFiyat, 4,
1221:                                         MidpointRounding.AwayFromZero);
1222:             var toplamTutar2 = Decimal.Round(toplamTutar * (100 -
kodIskontoTuruOran) * (decimal) 0.01, 4,
1223:                                         MidpointRounding.AwayFromZero);
1224:             amount2 = toplamTutar - toplamTutar2;
1225:         }
1226:
1227:         var multiplierFactorNumeric = doc.CreateElement("cbc",
"MultiplierFactorNumeric", xmlnscbc.Value);
1228:         multiplierFactorNumeric.InnerText = Decimal
1229:             .Round(kodIskontoTuruOran * (decimal) 0.01, 2,
MidpointRounding.AwayFromZero).ToString()
1230:             .Replace(", ", ".");
1231:         allowanceCharge.AppendChild(multiplierFactorNumeric);
1232:         var amount = doc.CreateElement("cbc", "Amount", xmlnscbc.Value);
1233:         currencyId = doc.CreateAttribute("currencyID");
1234:         currencyId.Value = "TRY";
1235:         amount.RemoveAllAttributes();
1236:         amount.Attributes.Append(currencyId);
1237:         amount.InnerText = Decimal.Round(amount2, 2,
MidpointRounding.AwayFromZero).ToString()
1238:             .Replace(", ", ".");
1239:         allowanceCharge.AppendChild(amount);
1240:         var baseAmount = doc.CreateElement("cbc", "BaseAmount", xmlnscbc.Value);
1241:         currencyId = doc.CreateAttribute("currencyID");
1242:         currencyId.Value = "TRY";
1243:         baseAmount.RemoveAllAttributes();
1244:         baseAmount.Attributes.Append(currencyId);
1245:         baseAmount.InnerText = Decimal.Round(toplamTutar, 2,
MidpointRounding.AwayFromZero).ToString()
1246:             .Replace(", ", ".");
1247:         allowanceCharge.AppendChild(baseAmount);
1248:         invoiceLine.AppendChild(allowanceCharge);
1249:
1250: #endregion
1251:
1252: // Vergi bilgileri yer almaktadir
1253:
1254: #region TaxTotal
1255:
1256: var taxTotal = doc.CreateElement("cac", "TaxTotal", xmlnscac.Value);
1257: currencyId = doc.CreateAttribute("currencyID");
1258: currencyId.Value = "TRY";
1259: var taxAmount = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
1260: taxAmount.RemoveAllAttributes();
1261: taxAmount.Attributes.Append(currencyId);
1262: taxAmount.InnerText = Decimal.Round((decimal) detayBilgisi.KdvTutari, 2,
MidpointRounding.AwayFromZero)
1263:     .ToString().Replace(", ", ".");
1264:     if (item.KonaklamaVergisi > 0 && gidenFatura.IslemTarihi >=
Sabitler.KonaklamaVergiKontrolTarihi)
1265:         taxAmount.InnerText = Decimal
1266:             .Round((decimal) detayBilgisi.KdvTutari + (decimal)
detayBilgisi.KonaklamaVergisi, 2,
1267:                 MidpointRounding.AwayFromZero)
1268:             .ToString().Replace(", ", ".");
1269:             taxTotal.AppendChild(taxAmount);
1270:             var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xmlnscac.Value);
1271:             var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xmlnscbc.Value);
1272:             taxableAmount.RemoveAllAttributes();

```

```

1273:             currencyId = doc.CreateAttribute("currencyID");
1274:             currencyId.Value = "TRY";
1275:             taxableAmount.Attributes.Append(currencyId);
1276:             taxableAmount.InnerText = Decimal
1277:                 .Round((decimal) detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
1278:                 .Replace(", ", ".");
1279:             taxSubTotal.AppendChild(taxableAmount);
1280:             var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
1281:             taxAmount2.RemoveAllAttributes();
1282:             currencyId = doc.CreateAttribute("currencyID");
1283:             currencyId.Value = "TRY";
1284:             taxAmount2.Attributes.Append(currencyId);
1285:             taxAmount2.InnerText = Decimal.Round((decimal) detayBilgisi.KdvTutari, 2,
MidpointRounding.AwayFromZero)
1286:                 .ToString().Replace(", ", ".");
1287:             taxSubTotal.AppendChild(taxAmount2);
1288:             var percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
1289:             if (detayBilgisi.KdvOran != null)
1290:                 percent.InnerText = Decimal.Round((decimal) detayBilgisi.KdvOran, 2,
MidpointRounding.AwayFromZero)
1291:                     .ToString("N1").Replace(", ", ".");
1292:             taxSubTotal.AppendChild(percent);
1293:             var taxCategory = doc.CreateElement("cac", "TaxCategory", xmlnscac.Value);
1294:             if (detayBilgisi.KdvTutari == 0)
1295:             {
1296:                 if (kodFaturaGrupTuruKod == FaturaMakbuzGrupTur.Kuspe.GetHashCode())
1297:                 {
1298:                     var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xmlnscbc.Value);
1299:                     taxExemptionReasonCode.InnerText = "325";
1300:                     var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xmlnscbc.Value);
1301:                     taxExemptionReason.InnerText = "13/i Yem Teslimleri";
1302:                     taxCategory.AppendChild(taxExemptionReasonCode);
1303:                     taxCategory.AppendChild(taxExemptionReason);
1304:                 }
1305:                 else
1306:                 {
1307:                     var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xmlnscbc.Value);
1308:                     taxExemptionReasonCode.InnerText = "350";
1309:                     var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xmlnscbc.Value);
1310:                     taxExemptionReason.InnerText = "Digerleri";
1311:                     taxCategory.AppendChild(taxExemptionReasonCode);
1312:                     taxCategory.AppendChild(taxExemptionReason);
1313:                 }
1314:             }
1315:
1316:             var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
1317:             var taxTypeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
1318:             taxTypeName.InnerText = "KDV";
1319:             taxScheme2.AppendChild(taxTypeName);
1320:             var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xmlnscbc.Value);
1321:             taxTypeCode.InnerText = "0015";
1322:             taxScheme2.AppendChild(taxTypeCode);
1323:             taxCategory.AppendChild(taxScheme2);
1324:             taxSubTotal.AppendChild(taxCategory);
1325:             taxTotal.AppendChild(taxSubTotal);
1326:             if (item.KonaklamaVergisi > 0 && gidenFatura.IslamTarihi >=
Sabitler.KonaklamaVergiKontrolTarihi)
1327:             {
1328:                 #region TaxSubTotal (Konaklama Vergisi İçin)
1329:
1330:                 taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xmlnscac.Value);
1331:                 taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xmlnscbc.Value);
1332:                 taxableAmount.RemoveAllAttributes();

```

```

1333:         currencyId = doc.CreateAttribute("currencyID");
1334:         currencyId.Value = "TRY";
1335:         taxableAmount.Attributes.Append(currencyId);
1336:         taxableAmount.InnerText = Decimal
1337:             .Round((decimal) detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
1338:                 .Replace(", ", ".");
1339:                 taxSubTotal.AppendChild(taxableAmount);
1340:                 taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
1341:                 taxAmount2.RemoveAllAttributes();
1342:                 currencyId = doc.CreateAttribute("currencyID");
1343:                 currencyId.Value = "TRY";
1344:                 taxAmount2.Attributes.Append(currencyId);
1345:                 taxAmount2.InnerText = Decimal
1346:                     .Round((decimal) detayBilgisi.KonaklamaVergisi, 2,
MidpointRounding.AwayFromZero)
1347:                         .ToString().Replace(", ", ".");
1348:                         taxSubTotal.AppendChild(taxAmount2);
1349:                         percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
1350:                         percent.InnerText = Decimal
1351:                             .Round(2, 2, MidpointRounding.AwayFromZero)
1352:                             .ToString("N1").Replace(", ", ".");
1353:                             taxSubTotal.AppendChild(percent);
1354:                             taxCategory = doc.CreateElement("cac", "TaxCategory", xmlnscac.Value);
1355:                             taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
1356:                             taxTypeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
1357:                             taxTypeName.InnerText = "Konaklama Vergisi";
1358:                             taxScheme2.AppendChild(taxTypeName);
1359:                             taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xmlnscbc.Value);
1360:                             taxTypeCode.InnerText = "0059";
1361:                             taxScheme2.AppendChild(taxTypeCode);
1362:                             taxCategory.AppendChild(taxScheme2);
1363:                             taxSubTotal.AppendChild(taxCategory);
1364:                             taxTotal.AppendChild(taxSubTotal);
1365:                             invoiceLine.AppendChild(taxTotal);
1366:
1367: #endregion
1368: }
1369:
1370: invoiceLine.AppendChild(taxTotal);
1371:
1372: #endregion
1373:
1374: // Fatura kesilen ürün detayı ve açıklama bilgileri yer almaktadır
1375:
1376: #region Item
1377:
1378: var invoiceItem = doc.CreateElement("cac", "Item", xmlnscac.Value);
1379: if (!string.IsNullOrEmpty(detayBilgisi.MalzemeFaturaAciklamasi))
1380: {
1381:     var description = doc.CreateElement("cbc", "Description",
xmlnscbc.Value);
1382:     description.InnerText = detayBilgisi.MalzemeFaturaAciklamasi;
1383:     invoiceItem.AppendChild(description);
1384: }
1385:
1386: var detayBilgisiName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
1387: if (!string.IsNullOrEmpty(detayBilgisi.FaturaUrunTuru))
1388:     detayBilgisiName.InnerText = detayBilgisi.FaturaUrunTuru;
1389: invoiceItem.AppendChild(detayBilgisiName);
1390: invoiceLine.AppendChild(invoiceItem);
1391:
1392: #endregion
1393:
1394: // Birim fiyat bilgileri yer almaktadır
1395:
1396: #region Price
1397:
1398: var price = doc.CreateElement("cac", "Price", xmlnscac.Value);

```

```

1399:         var priceAmount = doc.CreateElement("cbc", "PriceAmount", xmlnscbc.Value);
1400:         priceAmount.RemoveAllAttributes();
1401:         currencyId = doc.CreateAttribute("currencyID");
1402:         currencyId.Value = "TRY";
1403:         priceAmount.Attributes.Append(currencyId);
1404:         priceAmount.InnerText = detayBilgisi.BirimFiyat != null
1405:             ? Decimal.Round((decimal) detayBilgisi.BirimFiyat, 4,
MidpointRounding.AwayFromZero).ToString()
1406:                 .Replace(", ", ".")
1407:                 : "0.00";
1408:         price.AppendChild(priceAmount);
1409:         invoiceLine.AppendChild(price);
1410:
1411:     #endregion
1412:
1413:     root.AppendChild(invoiceLine);
1414:
1415: #endregion
1416:
1417:     sayac++;
1418:     return sayac;
1419: }
1420:
1421: /// <summary>
1422: /// E-Fatura veya Müstahsil Makbuzu Kesilen Kişi veya Firma Bilgilerinin
Düzenlendiği
1423: /// Metottur.
1424: /// </summary>
1425: /// <param name="ortakVeriler">Fatura ve Makbuz Bünyesindeki Ortak
Veriler</param>
1426: /// <param name="doc">XML Dokümanı Bilgisi</param>
1427: /// <param name="xmlnscac">XML Attribute Bilgisi</param>
1428: /// <param name="xmlnscbc">XML Attribute Bilgisi</param>
1429: /// <param name="root">XML Ana Eleman Bilgisi</param>
1430: private static void FaturaMakbuzKesilenKisiBilgisiDuzenle(OrtakVerilerDTO
ortakVeriler, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XmlElement
root)
1431: {
1432:     // Bu kısımda makbuz kesilen firma bilgileri yer almaktadır (Eğer sadece
Tüzel
Kisilikse, sahis sirketleri için bu yapılmamaktadır)
1433:
1434:     #region BuyerCustomerParty
1435:
1436:     var buyerCustomerParty = doc.CreateElement("cac", "BuyerCustomerParty",
xmlnscac.Value);
1437:     var party = doc.CreateElement("cac", "Party", xmlnscac.Value);
1438:     var webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlnscbc.Value);
party.AppendChild(webSiteUri);
1440:     var buyerCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
1441:     buyerCustomerPartyIdAttr.Value = "VKN";
1442:     var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlnscac.Value);
1443:     var buyerCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xmlnscbc.Value);
1444:     buyerCustomerPartyPartyId.Attributes.Append(buyerCustomerPartyIdAttr);
1445:     buyerCustomerPartyPartyId.InnerText = ortakVeriler.VergiNo;
1446:     partyIdentification.AppendChild(buyerCustomerPartyPartyId);
1447:     party.AppendChild(partyIdentification);
1448:
1449:     if (ortakVeriler.VergiNo.Length == 10)
1450:     {
1451:         var partyName = doc.CreateElement("cac", "PartyName", xmlnscac.Value);
1452:         var partyNameReal = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
partyNameReal.InnerText = ortakVeriler.TuzelKisiAd;
1454:         partyName.AppendChild(partyNameReal);
1455:         party.AppendChild(partyName);
1456:     }
1457:
1458:     #region Postal Address

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

1459:
1460:         var postalAddress = doc.CreateElement("cac", "PostalAddress",
xmlnscac.Value);
1461:
1462:         var postalAddressId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
1463:         postalAddressId.InnerText = ortakVeriler.VergiNo;
1464:         postalAddress.AppendChild(postalAddressId);
1465:         var room = doc.CreateElement("cbc", "Room", xmlnscbc.Value);
1466:         postalAddress.AppendChild(room);
1467:         var streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
1468:         if (!string.IsNullOrEmpty(ortakVeriler.Adres))
1469:             streetName.InnerText = ortakVeriler.Adres;
1470:         postalAddress.AppendChild(streetName);
1471:         var buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xmlnscbc.Value);
1472:         //buildingNumber.InnerText = "";
1473:         postalAddress.AppendChild(buildingNumber);
1474:         var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xmlnscbc.Value);
1475:         if (!string.IsNullOrEmpty(ortakVeriler.IlceAd))
1476:             citySubdivisionName.InnerText = ortakVeriler.IlceAd;
1477:         postalAddress.AppendChild(citySubdivisionName);
1478:         var cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
1479:         if (!string.IsNullOrEmpty(ortakVeriler.IlAd))
1480:             cityName.InnerText = ortakVeriler.IlAd;
1481:         postalAddress.AppendChild(cityName);
1482:         var postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
1483:         //postalZone.InnerText = "";
1484:         postalAddress.AppendChild(postalZone);
1485:         var country = doc.CreateElement("cac", "Country", xmlnscac.Value);
1486:         var countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
1487:         countryName.InnerText = "Türkiye";
1488:         country.AppendChild(countryName);
1489:         postalAddress.AppendChild(country);
1490:         party.AppendChild(postalAddress);

#endregion

1491:
1492:
1493:         var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xmlnscac.Value);
1494:
1495:         var taxScheme = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
1496:         var taxSchemeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
1497:         if (!string.IsNullOrEmpty(ortakVeriler.VergiDairesi))
1498:             taxSchemeName.InnerText = ortakVeriler.VergiDairesi;
1499:         taxScheme.AppendChild(taxSchemeName);
1500:         partyTaxScheme.AppendChild(taxScheme);
1501:         party.AppendChild(partyTaxScheme);

1502:
1503:         var contact = doc.CreateElement("cac", "Contact", xmlnscac.Value);
1504:         var electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xmlnscbc.Value);
1505:         if (!string.IsNullOrEmpty(ortakVeriler.EpostaAdresi))
1506:             electronicMail.InnerText = ortakVeriler.EpostaAdresi;
1507:         contact.AppendChild(electronicMail);
1508:         party.AppendChild(contact);

1509:         if (ortakVeriler.VergiNo.Length == 11)
1510:     {
1511:         var liste = ortakVeriler.TuzelKisiAd.Split(' ').ToList();
1512:         if (liste.Count >= 1)
1513:     {
1514:         var person = doc.CreateElement("cac", "Person", xmlnscac.Value);
1515:         var firstName = doc.CreateElement("cbc", "FirstName",
xmlnscbc.Value);
1516:         firstName.InnerText = liste[0];
1517:         person.AppendChild(firstName);
1518:         var surname = liste[0];
1519:         if (liste.Count > 1)
1520:             surname = ortakVeriler.TuzelKisiAd.Substring(liste[0].Length
+ 1);

```

```

1521:             var familyName = doc.CreateElement("cbc", "FamilyName",
xmlnscbc.Value);
1522:             familyName.InnerText = surname;
1523:             //familyName.InnerText = liste[1];
1524:             person.AppendChild(familyName);
1525:             party.AppendChild(person);
1526:         }
1527:     }
1528:
1529:     buyerCustomerParty.AppendChild(party);
1530:
1531:     root.AppendChild(buyerCustomerParty);
1532:
1533: #endregion
1534: }
1535:
1536: /// <summary>
1537: /// E-Fatura ve E-Arsiv tarafinda
1538: /// XML dosyasina ilk hali verilmesi
1539: /// Fatura ile ilgili temel deger atamalarinin yapilmasi icin
1540: /// Hazirlanmis metottur.
1541: /// </summary>
1542: /// <param name="belgeTur">E-Fatura veya E-Arsiv Bilgisi</param>
1543: /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
1544: /// <param name="root">XML Ana Eleman Bilgisi</param>
1545: /// <param name="kodSatisTuruKod">Fatura Satis Turu Bilgisi</param>
1546: /// <param name="kodFaturaTuruKod">Fatura Turu Bilgisi</param>
1547: /// <param name="kodFaturaGrupTuruKod">Fatura Grup Turu Bilgisi</param>
1548: /// <returns>XML Dokumani</returns>
1549: private static XmlDocument FaturaXMLDokumaniIlkHaliOlustur(BelgeTur belgeTur,
ref GidenFaturaDTO gidenFatura, out XmlElement root, out int kodSatisTuruKod, out int
kodFaturaTuruKod, out int kodFaturaGrupTuruKod)
1550: {
1551:     var doc = new XmlDocument();
1552:     var declaration = doc.CreateXmlDeclaration("1.0", "UTF-8", null);
1553:     root = doc.DocumentElement;
1554:     doc.InsertBefore(declaration, root);
1555:     if (belgeTur == BelgeTur.EFatura)
1556:         doc.AppendChild(doc.CreateProcessingInstruction("xml-stylesheet",
"type=\text/xsl\" href=\"general.xslt\""));
1557:         //doc.AppendChild(doc.CreateProcessingInstruction("xml-stylesheet",
"type=\text/xsl\" href=\"general.xslt\""));
1558:
1559:     kodSatisTuruKod = gidenFatura.SatisTuruKod ?? 0;
1560:     kodFaturaTuruKod = gidenFatura.FaturaTuruKod ?? 0;
1561:     kodFaturaGrupTuruKod = gidenFatura.FaturaGrupTuruKod ?? 0;
1562:
1563:     gidenFatura = gidenFatura.BosluklariKaldir();
1564:
1565:     root = doc.CreateElement("Invoice");
1566:     return doc;
1567: }
1568:
1569: /// <summary>
1570: /// E-Arsiv Kismina Tuzel Kisi de Olsa Sahis Sirketi De Olsa
1571: /// Standart Alanlar, Imza Kismi ve Faturayi Kesen Firma Kismi ile ilgili kod
bloklari
1572: /// Ayni oldugu icin
1573: /// Burada tek bir yerden güncelleme yapılması için gerekli islemlerin
gerçeklestirildigi metottur.
1574: /// </summary>
1575: /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
1576: /// <param name="gidenFaturaDetayListesi">Giden Fatura Detay Listesi
Bilgisi</param>
1577: /// <param name="root">XML Ana Eleman Bilgisi</param>
1578: /// <param name="doc">XML Dokumani Bilgisi</param>
1579: /// <param name="kodSatisTuruKod">Fatura Satis Turu Bilgisi</param>
1580: /// <param name="kodFaturaTuruKod">Fatura Turu Bilgisi</param>
1581: /// <param name="kodFaturaGrupTuruKod">Fatura Grup Turu Bilgisi</param>

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

1582:         /// <param name="xmlnscac">XML Attribute Bilgisi</param>
1583:         /// <param name="xmlnscbc">XML Attribute Bilgisi</param>
1584:         private static void EArsivStandartImzaVeFirmaBilgisiDuzenle(GidenFaturaDTO
gidenFatura, List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, XElement root,
XmlDocument doc, int kodSatisTuruKod, int kodFaturaTuruKod, int kodFaturaGrupTuruKod, out
XmlAttribute xmlnscac, out XmlAttribute xmlnscbc)
1585:         {
1586:             // Faturanin türü, düzenleme tarihi, UBL Versiyon Numarasi, GIB Numarasi
gibi bilgiler
1587:             // yer almaktadir
1588:
1589:             #region Standart Bilgiler
1590:
1591:             root.RemoveAllAttributes();
1592:
1593:             #region Ilk Alanlar
1594:             // var locationAttribute = "xsi:schemaLocation";
1595:             var location = doc.CreateAttribute("xsi", "schemaLocation",
1596:                 "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2");
1597:             location.Value =
1598:                 "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
..xsdrt/maindoc/UBL-Invoice-2.1.xsd";
1599:             //var location = doc.CreateAttribute(schemaLocation);
1600:             //location.Value =
"urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
..xsdrt/maindoc/UBL-Invoice-2.1.xsd";
1601:             var xmlns = doc.CreateAttribute("xmlns");
1602:             xmlns.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2";
1603:             var xmlnsn4 = doc.CreateAttribute("xmlns:n4");
1604:             xmlnsn4.Value = "http://www.altova.com/simplexml/other-namespace";
1605:             var xmlnsxsi = doc.CreateAttribute("xmlns:xsi");
1606:             xmlnsxsi.Value = "http://www.w3.org/2001/XMLSchema-instance";
1607:             xmlnscac = doc.CreateAttribute("xmlns:cac");
1608:             xmlnscac.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonAggregateComponents-2";
1609:             xmlnscbc = doc.CreateAttribute("xmlns:cbc");
1610:             xmlnscbc.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonBasicComponents-2";
1611:             var xmlnsext = doc.CreateAttribute("xmlns:ext");
1612:             xmlnsext.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonExtensionComponents-2";
1613:             var xmlnsxades = doc.CreateAttribute("xmlns:xades");
1614:             //xmlnsxades.Value = "http://uri.etsi.org/01903/v1.3.2#";
1615:             xmlnsxades.Value = "http://uri.etsi.org/01903/v1.3.2";
1616:             var xmlnsds = doc.CreateAttribute("xmlns:ds");
1617:             //xmlnsds.Value = "http://www.w3.org/2000/09/xmldsig#";
1618:             xmlnsds.Value = "http://www.w3.org/2000/09/xmldsig";
1619:
1620:             root.Attributes.Append(location);
1621:             root.Attributes.Append(xmlns);
1622:             root.Attributes.Append(xmlinxsi);
1623:             root.Attributes.Append(xmlnscac);
1624:             root.Attributes.Append(xmlnsext);
1625:             root.Attributes.Append(xmlnsds);
1626:             root.Attributes.Append(xmlinxades);
1627:             root.Attributes.Append(xmlnscbc);
1628:             root.Attributes.Append(xmlnsn4);
1629:
1630:             var extUbl = doc.CreateElement("ext", "UBLExtensions", xmlnsext.Value);
1631:             var extUbl2 = doc.CreateElement("ext", "UBLExtension", xmlnsext.Value);
1632:             var extUbl3 = doc.CreateElement("ext", "ExtensionContent",
xmlnsext.Value);
1633:             extUbl2.AppendChild(extUbl3);
1634:             extUbl.AppendChild(extUbl2);
1635:
1636:             root.AppendChild(extUbl);
#endregion
1638:
1639:             TemelBilgileriDuzenle("EARSFATURA", gidenFatura,

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

gidenFaturaDetayListesi, root, doc, kodSatisTuruKod, kodFaturaTuruKod, xmlnscbc);
1640:
1641:           IrsaliyeBilgisiDuzenle(gidenFatura, gidenFaturaDetayListesi, root, doc,
kodFaturaTuruKod, kodFaturaGrupTuruKod, xmlnscbc);
1642:
1643:           GonderimSekliBilgisiDuzenle(root, doc, xmlnscbc);
1644:
1645:           ParaBirimVeKayitSayisiDuzenle(gidenFaturaDetayListesi.Count, root, doc,
xmlnscbc);
1646:
1647:           #region Açıklama Satiri
1648:
1649:           // #region AdditionalDocumentReference
1650:           //
1651:           // var additionalDocumentReference =
1652:           //     doc.CreateElement("cac", "AdditionalDocumentReference",
xmlnscac.Value);
1653:           // var additionalDocumentReferenceId = doc.CreateElement("cbc", "ID",
xmlnscbc.Value);
1654:           // additionalDocumentReferenceId.InnerText = gidenFatura.Id;
1655:           // additionalDocumentReference.AppendChild(additionalDocumentReferenceId);
1656:           // issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
1657:           // issueDate.InnerText =
gidenFatura.IslemTarihi?.Date.ToString("yyyy-MM-dd") ?? string.Empty;
1658:           // additionalDocumentReference.AppendChild(issueDate);
1659:           // var documentType = doc.CreateElement("cbc", "DocumentType",
xmlnscbc.Value);
1660:           // documentType.InnerText = "XSLT";
1661:           // additionalDocumentReference.AppendChild(documentType);
1662:           // issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
1663:           // issueDate.InnerText =
gidenFatura.IslemTarihi?.Date.ToString("yyyy-MM-dd");
1664:           // additionalDocumentReference.AppendChild(issueDate);
1665:           // documentType = doc.CreateElement("cbc", "DocumentType",
xmlnscbc.Value);
1666:           // documentType.InnerText = "XSLT";
1667:           // additionalDocumentReference.AppendChild(documentType);
1668:           // var attachment = doc.CreateElement("cac", "Attachment",
xmlnscac.Value);
1669:           // var embeddedDocumentBinaryObject =
1670:           //     doc.CreateElement("cbc", "EmbeddedDocumentBinaryObject",
xmlnscbc.Value);
1671:           // var characterSetCode = doc.CreateAttribute("characterSetCode");
1672:           // characterSetCode.Value = "UTF-8";
1673:           // var encodingCode = doc.CreateAttribute("encodingCode");
1674:           // encodingCode.Value = "Base64";
1675:           // // XmlAttribute fileName2 = doc.CreateAttribute("fileName");
1676:           // // fileName2.Value = "efatura.xslt";
1677:           // var mimeCode = doc.CreateAttribute("mimeCode");
1678:           // mimeCode.Value = "application/xml";
1679:           // embeddedDocumentBinaryObject.Attributes.Append(characterSetCode);
1680:           // embeddedDocumentBinaryObject.Attributes.Append(encodingCode);
1681:           // // embeddedDocumentBinaryObject.Attributes.Append(fileName2);
1682:           // embeddedDocumentBinaryObject.Attributes.Append(mimeCode);
1683:
1684:           // #region Base 64 Metin
1685:
1686:           // var sablonAdresi = Directory.GetFiles("../..../Other");
1687:           // if (sablonAdresi.Length > 0)
1688:           // {
1689:           //     foreach (var item in sablonAdresi)
1690:           //     {
1691:           //         if (item.Contains("earsiv"))
1692:           //         {
1693:           //             var base64Metin = File.ReadAllText(item);
1694:           //             embeddedDocumentBinaryObject.InnerText = base64Metin;
1695:           //             break;
1696:           //         }
1697:           //     }

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

1698:         // }
1699:         //
1700:         // #endregion
1701:         //
1702:         // attachment.AppendChild(embeddedDocumentBinaryObject);
1703:         // additionalDocumentReference.AppendChild(attachment);
1704:         //
1705:         // root.AppendChild(additionalDocumentReference);
1706:         //
1707:         // additionalDocumentReference = doc.CreateElement("cac",
"AdditionalDocumentReference", xmlnscac.Value);
1708:         // additionalDocumentReferenceId = doc.CreateElement("cbc", "ID",
xmlnscbc.Value);
1709:         // additionalDocumentReferenceId.InnerText = gidenFatura.Id;
1710:         // additionalDocumentReference.AppendChild(additionalDocumentReferenceId);
1711:         // issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
1712:         // issueDate.InnerText =
gidenFatura.IslemTarihi?.Date.ToString("yyyy-MM-dd") ?? string.Empty;
1713:         // additionalDocumentReference.AppendChild(issueDate);
1714:         // documentType = doc.CreateElement("cbc", "DocumentType",
xmlnscbc.Value);
1715:         // documentType.InnerText = "XSLT";
1716:         // additionalDocumentReference.AppendChild(documentType);
1717:         // attachment = doc.CreateElement("cac", "Attachment", xmlnscac.Value);
1718:         // embeddedDocumentBinaryObject = doc.CreateElement("cbc",
"EmbeddedDocumentBinaryObject", xmlnscbc.Value);
1719:         // characterSetCode = doc.CreateAttribute("characterSetCode");
1720:         // characterSetCode.Value = "UTF-8";
1721:         // encodingCode = doc.CreateAttribute("encodingCode");
1722:         // encodingCode.Value = "Base64";
1723:         // mimeCode = doc.CreateAttribute("mimeCode");
1724:         // mimeCode.Value = "application/xml";
1725:         // embeddedDocumentBinaryObject.Attributes.Append(characterSetCode);
1726:         // embeddedDocumentBinaryObject.Attributes.Append(encodingCode);
1727:         // embeddedDocumentBinaryObject.Attributes.Append(mimeCode);
1728:         // attachment.AppendChild(embeddedDocumentBinaryObject);
1729:         // additionalDocumentReference.AppendChild(attachment);
1730:         //
1731:         // #endregion
1732:         #
1733:         #endregion
1734:         #
1735:         #endregion
1736:
1737:         FaturaMakbuzImzaBilgisiDuzenle(root, doc, xmlnscac, xmlnscbc);
1738:
1739:         FaturaKesenFirmaBilgisiDuzenle(gidenFatura, root, doc, xmlnscac,
xmlnscbc);
1740:     }
1741:
1742:     /// <summary>
1743:     /// E-Fatura ve Müstahsil Makbuzu tarafında
1744:     /// Gönderim Sekli bilgileri düzenlenmesi için
1745:     /// Gerekli bilgilerin düzenlenendi bir metottur.
1746:     /// </summary>
1747:     /// <param name="root">XML Ana Eleman Bilgisi</param>
1748:     /// <param name="doc">XML Doküman Bilgisi</param>
1749:     /// <param name="xmlnscbc">XML Attribute Bilgisi</param>
1750:     private static void GonderimSekliBilgisiDuzenle(XmlElement root, XmlDocument
doc, XmlAttribute xmlnscbc)
1751:     {
1752:         var sendType = doc.CreateElement("cbc", "Note", xmlnscbc.Value);
1753:         sendType.InnerText = "Gönderim Sekli: ELEKTRONIK";
1754:         root.AppendChild(sendType);
1755:     }
1756:
1757:     /// <summary>
1758:     /// E-Fatura ve E-Arsiv tarafında
1759:     /// Fatura kesen firma bilgileri aynı oldugu için

```

```

1760:      /// Bu bilgilerin tek bir yerden girilebilmesi adina
1761:      /// Gerekli islemlerin gerceklestirildigi metottur.
1762:      /// </summary>
1763:      /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
1764:      /// <param name="root">XML Ana Eleman Bilgisi</param>
1765:      /// <param name="doc">XML Dokumani Bilgisi</param>
1766:      /// <param name="xmlnscac">XML Attribute Bilgisi</param>
1767:      /// <param name="xmlnscbc">XML Attribute Bilgisi</param>
1768:      private static void FaturaKesenFirmaBilgisiDuzenle(GidenFaturaDTO
gidenFatura, XElement root, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc)
1769:      {
1770:          // Burada sabit degerler verilmekte olup, Faturayı kesen kuruma veya
firmaya ait bilgiler
1771:          // yer almaktadir. Bu kisimda örnekk olarak TÜRKSEKER Fabrikalari Genel
Müdürlüğü bilgileri
1772:          // kullanilmistir. Ancak degistirip test edilebilir.
1773:
1774:          #region AccountingSupplierParty
1775:
1776:          var accountingSupplierParty = doc.CreateElement("cac",
"AccountingSupplierParty", xmlnscac.Value);
1777:          var party = doc.CreateElement("cac", "Party", xmlnscac.Value);
1778:          var webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlnscbc.Value);
webSiteUri.InnerText = "https://www.turkseker.gov.tr";
party.AppendChild(webSiteUri);
1781:          var accountingSupplierPartyIdAttr = doc.CreateAttribute("schemeID");
1782:          accountingSupplierPartyIdAttr.Value = "VKN_TCKN";
1783:          var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlnscac.Value);
1784:          var accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
1785:          accountingSupplierPartyIdAttr2.Value = "VKN";
1786:          var accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xmlnscbc.Value);
1787:
accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
1788:          accountingSupplierPartyPartyId.InnerText = "3250566851";
1789:          partyIdentification.AppendChild(accountingSupplierPartyPartyId);
party.AppendChild(partyIdentification);
1791:
1792:          if (!string.IsNullOrEmpty(gidenFatura.AltBirimAd))
1793:          {
1794:              partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlnscac.Value);
1795:              accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
1796:              accountingSupplierPartyIdAttr2.Value = "SUBENO";
1797:              accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xmlnscbc.Value);
1798:
accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
1799:              accountingSupplierPartyPartyId.InnerText = gidenFatura.AltBirimAd;
1800:              partyIdentification.AppendChild(accountingSupplierPartyPartyId);
party.AppendChild(partyIdentification);
1802:          }
1803:
var partyName = doc.CreateElement("cac", "PartyName", xmlnscac.Value);
var partyNameReal = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
partyNameReal.InnerText = "TÜRKİYE SEKER FABRIKALARI A.S.";
partyName.AppendChild(partyNameReal);
party.AppendChild(partyName);
1809:
1810:          #region Postal Address
1811:
1812:          var postalAddress = doc.CreateElement("cac", "PostalAddress",
xmlnscac.Value);
1813:          var postalAddressId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
postalAddressId.InnerText = "3250566851";
postalAddress.AppendChild(postalAddressId);
1816:          var streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
streetName.InnerText = "Mithatpasa Caddesi";

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

1818:         postalAddress.AppendChild(streetName);
1819:         var buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xmlns:cbc.Value);
1820:         buildingNumber.InnerText = "14";
1821:         postalAddress.AppendChild(buildingNumber);
1822:         var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xmlns:cbc.Value);
1823:         citySubdivisionName.InnerText = "Çankaya";
1824:         postalAddress.AppendChild(citySubdivisionName);
1825:         var cityName = doc.CreateElement("cbc", "CityName", xmlns:cbc.Value);
cityName.InnerText = "Ankara";
1826:         postalAddress.AppendChild(cityName);
1827:         var postalZone = doc.CreateElement("cbc", "PostalZone", xmlns:cbc.Value);
postalZone.InnerText = "06100";
1828:         postalAddress.AppendChild(postalZone);
1829:         var country = doc.CreateElement("cac", "Country", xmlns:cac.Value);
var countryName = doc.CreateElement("cbc", "Name", xmlns:cbc.Value);
countryName.InnerText = "Türkiye";
1830:         country.AppendChild(countryName);
1831:         postalAddress.AppendChild(country);
1832:         party.AppendChild(postalAddress);

1833: #endregion
1834:
1835: var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xmlns:cac.Value);
1836: var taxScheme = doc.CreateElement("cac", "TaxScheme", xmlns:cac.Value);
var taxSchemeName = doc.CreateElement("cbc", "Name", xmlns:cbc.Value);
taxSchemeName.InnerText = "Ankara Kurumlar";
1837: taxScheme.AppendChild(taxSchemeName);
1838: partyTaxScheme.AppendChild(taxScheme);
1839: party.AppendChild(partyTaxScheme);

1840: var contact = doc.CreateElement("cac", "Contact", xmlns:cac.Value);
var telephone = doc.CreateElement("cbc", "Telephone", xmlns:cbc.Value);
telephone.InnerText = "(312) 4585500";
1841: contact.AppendChild(telephone);
1842: var telefax = doc.CreateElement("cbc", "Telefax", xmlns:cbc.Value);
telefax.InnerText = "(312) 4585800";
1843: contact.AppendChild(telefax);
1844: var electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xmlns:cbc.Value);
electronicMail.InnerText = "maliisler@turkseker.gov.tr";
1845: contact.AppendChild(electronicMail);
1846: party.AppendChild(contact);

1847: accountingSupplierParty.AppendChild(party);
1848: root.AppendChild(accountingSupplierParty);

1849: #endregion
1850: }
1851:
1852: #region
1853: /// <summary>
1854: /// E-Fatura ve E-Arsiv tarafında
1855: /// Dokümanın başında yer alan bazı XML elemanlarının ortak bir şekilde
1856: /// Düzenlenmesi için hazırlanmış metottur.
1857: /// </summary>
1858: /// <param name="faturaTuru">Fatura Türü Bilgisi</param>
1859: /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
1860: /// <param name="gidenFaturaDetayListesi">Giden Fatura Detay Listesi
1861: /// Bilgisi</param>
1862: /// <param name="root">XML Ana Eleman Bilgisi</param>
1863: /// <param name="doc">XML Dokümanı Bilgisi</param>
1864: /// <param name="kodSatisTuruKod">Fatura Satış Türü Bilgisi</param>
1865: /// <param name="kodFaturaTuruKod">Fatura Türü Bilgisi</param>
1866: /// <param name="xmlns:cbc">XML Attribute Bilgisi</param>
1867: private static void TemelBilgileriDuzenle(string faturaTuru, GidenFaturaDTO
1868: gidenFatura, List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, XElement root,
1869: 
```

```

XmlDocument doc, int kodSatisTuruKod, int kodFaturaTuruKod, XmlAttribute xmlnscbc)
1881:    {
1882:        var versionId = doc.CreateElement("cbc", "UBLVersionID", xmlnscbc.Value);
1883:        versionId.InnerText = "2.1";
1884:        root.AppendChild(versionId);
1885:
1886:        var customizationId = doc.CreateElement("cbc", "CustomizationID",
1887:            customizationId.InnerText = "TR1.2";
1888:            root.AppendChild(customizationId);
1889:
1890:        var profileId = doc.CreateElement("cbc", "ProfileID", xmlnscbc.Value);
1891:        profileId.InnerText = faturaTuru;
1892:        root.AppendChild(profileId);
1893:
1894:        var id = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
1895:        if (!string.IsNullOrEmpty(gidenFatura.GibNumarasi))
1896:            id.InnerText = gidenFatura.GibNumarasi;
1897:        else
1898:            id.InnerText = "ABC" + gidenFatura.IslemTarihi?.Year +
1899:                DateTime.UtcNow.Ticks.ToString().Substring(0, 9);
1900:        root.AppendChild(id);
1901:
1902:        IndicatorVeUuidBilgisiDuzenle(gidenFatura.Id, root, doc, xmlnscbc);
1903:
1904:        TarihSaatDuzenle(gidenFatura.IslemTarihi, root, doc, xmlnscbc);
1905:
1906:        var invoiceTypeCode = doc.CreateElement("cbc", "InvoiceTypeCode",
1907:            xmlnscbc.Value);
1908:        invoiceTypeCode.InnerText = "SATIS";
1909:        if (gidenFatura.KdvTutari == 0 || gidenFaturaDetayListesi.Any(j =>
j.KdvTutari == 0))
1910:            invoiceTypeCode.InnerText = "ISTISNA";
1911:        if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
1912:            invoiceTypeCode.InnerText = "IHRACKAYITLI";
1913:        if (kodFaturaTuruKod == FaturaTur.Iade.GetHashCode())
1914:            invoiceTypeCode.InnerText = "IADE";
1915:        root.AppendChild(invoiceTypeCode);
1916:
1917:        /// <summary>
1918:        /// E-Fatura ve Müstahsil Makbuzu tarafında
1919:        /// Copy Indicator ve UUID bilgileri düzenlenmesi için
1920:        /// Gerekli bilgilerin düzenlenendi bir metottur.
1921:        /// </summary>
1922:        /// <param name="id">Fatura veya Makbuz Id Bilgisi</param>
1923:        /// <param name="root">XML Ana Eleman Bilgisi</param>
1924:        /// <param name="doc">XML Doküman Bilgisi</param>
1925:        /// <param name="xmlnscbc">XML Attribute Bilgisi</param>
1926:        private static void IndicatorVeUuidBilgisiDuzenle(string id, XmlElement root,
1927: XmlDocument doc, XmlAttribute xmlnscbc)
1928:        {
1929:            var copyIndicator = doc.CreateElement("cbc", "CopyIndicator",
1930:                xmlnscbc.Value);
1931:            copyIndicator.InnerText = "false";
1932:            root.AppendChild(copyIndicator);
1933:
1934:            var nesneId = doc.CreateElement("cbc", "UUID", xmlnscbc.Value);
1935:            nesneId.InnerText = id.Length == 36
1936:                ? id.ToUpper()
1937:                : Guid.NewGuid().ToString().ToUpper();
1938:            root.AppendChild(nesneId);
1939:
1940:        /// <summary>
1941:        /// E-Fatura ve Müstahsil Makbuzu tarafında
1942:        /// Tarih ve saat bilgileri düzenlenmesi için
1943:        /// Gerekli bilgilerin düzenlenendi bir metottur.
1944:        /// </summary>

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

1944:     ///<param name="islemTarihi">Fatura veya Makbuz Islem Tarihi Bilgisi</param>
1945:     ///<param name="root">XML Ana Eleman Bilgisi</param>
1946:     ///<param name="doc">XML Doküman Bilgisi</param>
1947:     ///<param name="xmlnscbc">XML Attribute Bilgisi</param>
1948:     private static void TarihSaatDuzenle(DateTime? islemTarihi, XmlElement root,
XmlDocument doc, XmlAttribute xmlnscbc)
1949:     {
1950:         var issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
1951:         issueDate.InnerText = islemTarihi?.Date.ToString("yyyy-MM-dd") ?? string.Empty;
1952:         root.AppendChild(issueDate);
1953:
1954:         var issueTime = doc.CreateElement("cbc", "IssueTime", xmlnscbc.Value);
1955:         issueTime.InnerText = islemTarihi?.ToString("HH:mm:ss") ?? string.Empty;
1956:         root.AppendChild(issueTime);
1957:     }
1958:
1959:     ///<summary>
1960:     ///<E-Fatura olsun E-Arsiv olsun
1961:     ///<Fatura Detaylarından Irsaliye bilgisini düzenleyip buna göre
1962:     ///<Gerekli islemlerin gerçekleşmesini saglayan metottur.
1963:     ///</summary>
1964:     ///<param name="gidenFatura">Giden Fatura Bilgisi</param>
1965:     ///<param name="gidenFaturaDetayListesi">Giden Fatura Detay Listesi
Bilgisi</param>
1966:     ///<param name="root">XML Ana Eleman Bilgisi</param>
1967:     ///<param name="doc">XML Dokümani Bilgisi</param>
1968:     ///<param name="kodFaturaTuruKod">Fatura Türü Bilgisi</param>
1969:     ///<param name="kodFaturaGrupTuruKod">Fatura Grup Türü Bilgisi</param>
1970:     ///<param name="xmlnscbc">XML Attribute Bilgisi</param>
1971:     private static void IrsaliyeBilgisiDuzenle(GidenFaturaDTO gidenFatura,
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, XmlElement root, XmlDocument doc, int
kodFaturaTuruKod, int kodFaturaGrupTuruKod, XmlAttribute xmlnscbc)
1972:     {
1973:         #region Irsaliye Bilgileri
1974:
1975:         #region Irsaliye ve Tonaj Düzenlemesi
1976:
1977:         var gidenFaturaDetayListesi2 = new List<GidenFaturaDetayDTO>();
1978:         foreach (var item in gidenFaturaDetayListesi)
1979:         {
1980:             if (!string.IsNullOrEmpty(item.IrsaliyeNo) &&
!string.IsNullOrEmpty(item.PlakaNo))
1981:             {
1982:                 if (!gidenFaturaDetayListesi2.Any(j =>
1983:                     j.IrsaliyeNo == item.IrsaliyeNo && j.PlakaNo ==
item.PlakaNo))
1984:                 {
1985:                     item.Tonaj = item.Miktar;
1986:                     gidenFaturaDetayListesi2.Add(item);
1987:                 }
1988:                 else
1989:                 {
1990:                     var index = gidenFaturaDetayListesi2.FindIndex(j =>
1991:                         j.IrsaliyeNo == item.IrsaliyeNo && j.PlakaNo ==
item.PlakaNo);
1992:                     gidenFaturaDetayListesi2[index].Tonaj += item.Miktar;
1993:                 }
1994:             }
1995:             else
1996:                 gidenFaturaDetayListesi2.Add(item);
1997:         }
1998:         //if (gidenFaturaDetayListesi2.Count < 1)
1999:         //    gidenFaturaDetayListesi2.Add(new GidenFaturaDetayDTO());
2000:
2001:         #endregion Irsaliye ve Tonaj Düzenlemesi
2002:
2003:         if (gidenFaturaDetayListesi2.Count <= 0) return;
2004:     }

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

2005:         foreach (var item in gidenFaturaDetayListesi2)
2006:     {
2007:         var irsaliyeNote = doc.CreateElement("cbc", "Note",
2008:         xmlnscbc.Value);
2009:         irsaliyeNote.InnerText = "";
2010:         if (!string.IsNullOrEmpty(item.PlakaNo))
2011:             irsaliyeNote.InnerText += "Plaka No: " + item.PlakaNo;
2012:         if (!string.IsNullOrEmpty(item.SevkIrsaliyesiNo))
2013:             irsaliyeNote.InnerText += " Irsaliye No: " +
item.SevkIrsaliyesiNo;
2014:         if (item.SevkIrsaliyeTarihi != null)
2015:             irsaliyeNote.InnerText +=
" Irsaliye Tarihi: " +
item.SevkIrsaliyeTarihi?.ToShortDateString();
2016:         if (item.YuklemeFormuNo != null)
2017:             irsaliyeNote.InnerText += " Yükleme Formu No: " +
item.YuklemeFormuNo;
2018:         if (item.Tonaj != null)
2019:             irsaliyeNote.InnerText += " Tonaj: " + item.Tonaj;
2020:         if (kodFaturaTuruKod == FaturaTur.Iade.GetHashCode() ||
2021:             (item.FaturaUrunTuru.Contains("Sartname") ||
item.FaturaUrunTuru.Contains("Kira")) &&
2022:             kodFaturaGrupTuruKod ==
FaturaMakbuzGrupTur.Diger.GetHashCode()) &&
2023:             !string.IsNullOrEmpty(gidenFatura.Aciklama))
2024:             irsaliyeNote.InnerText += " Açıklama: " +
gidenFatura.Aciklama;
2025:         if (!string.IsNullOrEmpty(irsaliyeNote.InnerText))
2026:             root.AppendChild(irsaliyeNote);
2027:     }
2028: }
2029:
2030: #endregion
2031: }
2032:
2033: /// <summary>
2034: /// E-Arsiv faturasinda sahis sirketine ait kisimlarin hazırlanması için
2035: /// Gerçeklestirilmis metottur
2036: /// </summary>
2037: /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
2038: /// <param name="doc">XML Dokümani Bilgisi</param>
2039: /// <param name="xmlnscac">XML Attribute Bilgisi</param>
2040: /// <param name="xmlnscbc">XML Attribute Bilgisi</param>
2041: /// <param name="root">XML Ana Eleman Bilgisi</param>
2042: private static void EArsivSahisSirketineAitKismiHazirla(GidenFaturaDTO
gidenFatura, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XElement root)
2043: {
2044:     #region Sahis Sirketine Has Bölüm
2045:
2046:     // Bu kisimda fatura kesilen firma bilgileri yer almaktadir
2047:
2048:     #region AccountingCustomerParty
2049:
2050:         var accountingCustomerParty = doc.CreateElement("cac",
"AccountingCustomerParty", xmlnscac.Value);
2051:         var party = doc.CreateElement("cac", "Party", xmlnscac.Value);
2052:         var webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlnscbc.Value);
2053:         party.AppendChild(webSiteUri);
2054:         var accountingCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
2055:         accountingCustomerPartyIdAttr.Value = "TCKN";
2056:         var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlnscac.Value);
2057:         var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xmlnscbc.Value);
2058:
accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerPartyIdAttr);
2059:         accountingCustomerPartyPartyId.InnerText =
gidenFatura.GercekKisiTcKimlikNo;
2060:         partyIdentification.AppendChild(accountingCustomerPartyPartyId);

```

```

2061:         party.AppendChild(partyIdentification);
2062:
2063: #region Postal Address
2064:
2065:         var postalAddress = doc.CreateElement("cac", "PostalAddress",
2066:             xmlnscac.Value);
2067:         var postalAddressId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
2068:         postalAddressId.InnerText = gidenFatura.GercekKisiTcKimlikNo;
2069:         postalAddress.AppendChild(postalAddressId);
2070:         var room = doc.CreateElement("cbc", "Room", xmlnscbc.Value);
2071:         postalAddress.AppendChild(room);
2072:         var streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
2073:         if (!string.IsNullOrEmpty(gidenFatura.IkametgahAdresi))
2074:             streetName.InnerText = gidenFatura.IkametgahAdresi;
2075:         postalAddress.AppendChild(streetName);
2076:         var buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
2077:             xmlnscbc.Value);
2078:         postalAddress.AppendChild(buildingNumber);
2079:         var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
2080:             xmlnscbc.Value);
2081:         if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
2082:             citySubdivisionName.InnerText = gidenFatura.IlceAd;
2083:         postalAddress.AppendChild(citySubdivisionName);
2084:         var cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
2085:         if (!string.IsNullOrEmpty(gidenFatura.IlAd))
2086:             cityName.InnerText = gidenFatura.IlAd;
2087:         postalAddress.AppendChild(cityName);
2088:         var postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
2089:         postalAddress.AppendChild(postalZone);
2090:         var country = doc.CreateElement("cac", "Country", xmlnscac.Value);
2091:         var countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
2092:         countryName.InnerText = "Türkiye";
2093:         country.AppendChild(countryName);
2094:         postalAddress.AppendChild(country);
2095:         party.AppendChild(postalAddress);
2096: #endregion
2097:
2098:         var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
2099:             xmlnscac.Value);
2100:         var taxScheme = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
2101:         var taxSchemeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
2102:         //if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
2103:         //    taxSchemeName.InnerText = gidenFatura.VergiDairesi;
2104:         taxScheme.AppendChild(taxSchemeName);
2105:         partyTaxScheme.AppendChild(taxScheme);
2106:         party.AppendChild(partyTaxScheme);
2107:
2108:         var contact = doc.CreateElement("cac", "Contact", xmlnscac.Value);
2109:         var telephone = doc.CreateElement("cbc", "Telephone", xmlnscbc.Value);
2110:         if (!string.IsNullOrEmpty(gidenFatura.CepTelefonNo))
2111:             telephone.InnerText = gidenFatura.CepTelefonNo;
2112:         contact.AppendChild(telephone);
2113:         var telefax = doc.CreateElement("cbc", "Telefax", xmlnscbc.Value);
2114:         //if (!string.IsNullOrEmpty(gidenFatura.FaksNo))
2115:         //    telefax.InnerText = gidenFatura.FaksNo;
2116:         contact.AppendChild(telefax);
2117:         var electronicMail = doc.CreateElement("cbc", "ElectronicMail",
2118:             xmlnscbc.Value);
2119:         if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))
2120:             electronicMail.InnerText = gidenFatura.EPostaAdresi;
2121:         contact.AppendChild(electronicMail);
2122:         party.AppendChild(contact);
2123:
2124:         var person = doc.CreateElement("cac", "Person", xmlnscac.Value);
2125:         var firstName = doc.CreateElement("cbc", "FirstName", xmlnscbc.Value);
2126:         firstName.InnerText = gidenFatura.GercekKisiAd;

```

```

2125:         person.AppendChild(firstName);
2126:         var familyName = doc.CreateElement("cbc", "FamilyName", xmlnscbc.Value);
2127:         familyName.InnerText = gidenFatura.GercekKisiSoyad;
2128:         person.AppendChild(familyName);
2129:         party.AppendChild(person);
2130:
2131:         accountingCustomerParty.AppendChild(party);
2132:
2133:         root.AppendChild(accountingCustomerParty);
2134:
2135:     #endregion
2136:
2137:     #endregion
2138: }
2139:
2140: /// <summary>
2141: /// E-Arsiv faturasinda tüzel kisiye ait kisimlarin hazırlanması için
2142: /// Gerçeklestirilmis metottur
2143: /// </summary>
2144: /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
2145: /// <param name="doc">XML Dokümani Bilgisi</param>
2146: /// <param name="xmlnscac">XML Attribute Bilgisi</param>
2147: /// <param name="xmlnscbc">XML Attribute Bilgisi</param>
2148: /// <param name="root">XML Ana Eleman Bilgisi</param>
2149: private static void EArsivTuzelKisiyeAitKismiHazirla(GidenFaturaDTO
gidenFatura, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XmlElement root)
2150: {
2151:     XmlElement partyName, partyNameReal;
2152:
2153:     #region Tüzel Kisiye Has Bölüm
2154:
2155:     // Bu kisimda fatura kesilen firma bilgileri yer almaktadir
2156:
2157:     #region AccountingCustomerParty
2158:
2159:         var accountingCustomerParty = doc.CreateElement("cac",
"AccountingCustomerParty", xmlnscac.Value);
2160:         var party = doc.CreateElement("cac", "Party", xmlnscac.Value);
2161:         var webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlnscbc.Value);
2162:         party.AppendChild(webSiteUri);
2163:         var accountingCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
2164:         accountingCustomerPartyIdAttr.Value = "TCKN";
2165:         if (!string.IsNullOrEmpty(gidenFatura.VergiNo) &&
gidenFatura.VergiNo.Length == 10)
2166:             accountingCustomerPartyIdAttr.Value = "VKN";
2167:             var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlnscac.Value);
2168:             var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xmlnscbc.Value);
2169:
accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerPartyIdAttr);
2170:             accountingCustomerPartyPartyId.InnerText = gidenFatura.VergiNo;
2171:             partyIdentification.AppendChild(accountingCustomerPartyPartyId);
2172:             party.AppendChild(partyIdentification);
2173:
2174:             if (!string.IsNullOrEmpty(gidenFatura.VergiNo) &&
gidenFatura.VergiNo.Length == 10)
2175:             {
2176:                 partyName = doc.CreateElement("cac", "PartyName", xmlnscac.Value);
2177:                 partyNameReal = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
2178:                 partyNameReal.InnerText = gidenFatura.TuzelKisiAd;
2179:                 partyName.AppendChild(partyNameReal);
2180:                 party.AppendChild(partyName);
2181:             }
2182:
2183:     #region Postal Address
2184:
2185:     var postalAddress = doc.CreateElement("cac", "PostalAddress",
xmlnscac.Value);

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

2186:         var postalAddressId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
2187:         postalAddressId.InnerText = gidenFatura.VergiNo;
2188:         postalAddress.AppendChild(postalAddressId);
2189:         var room = doc.CreateElement("cbc", "Room", xmlnscbc.Value);
2190:         postalAddress.AppendChild(room);
2191:         var streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
2192:         if (!string.IsNullOrEmpty(gidenFatura.Adres))
2193:             streetName.InnerText = gidenFatura.Adres;
2194:         postalAddress.AppendChild(streetName);
2195:         var buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xmlnscbc.Value);
2196:         //buildingNumber.InnerText = "";
2197:         postalAddress.AppendChild(buildingNumber);
2198:         var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xmlnscbc.Value);
2199:         if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
2200:             citySubdivisionName.InnerText = gidenFatura.IlceAd;
2201:         postalAddress.AppendChild(citySubdivisionName);
2202:         var cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
2203:         if (!string.IsNullOrEmpty(gidenFatura.IlAd))
2204:             cityName.InnerText = gidenFatura.IlAd;
2205:         postalAddress.AppendChild(cityName);
2206:         var postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
2207:         //postalZone.InnerText = "";
2208:         postalAddress.AppendChild(postalZone);
2209:         var country = doc.CreateElement("cac", "Country", xmlnscac.Value);
2210:         var countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
2211:         countryName.InnerText = "Türkiye";
2212:         country.AppendChild(countryName);
2213:         postalAddress.AppendChild(country);
2214:         party.AppendChild(postalAddress);

2215:
2216: #endregion
2217:
2218: var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xmlnscac.Value);
2219: var taxScheme = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
2220: var taxSchemeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
2221: if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
2222:     taxSchemeName.InnerText = gidenFatura.VergiDairesi;
2223: taxScheme.AppendChild(taxSchemeName);
2224: partyTaxScheme.AppendChild(taxScheme);
2225: party.AppendChild(partyTaxScheme);

2226:
2227: var contact = doc.CreateElement("cac", "Contact", xmlnscac.Value);
2228: var telephone = doc.CreateElement("cbc", "Telephone", xmlnscbc.Value);
2229: if (!string.IsNullOrEmpty(gidenFatura.TelefonNo))
2230:     telephone.InnerText = gidenFatura.TelefonNo;
2231: contact.AppendChild(telephone);
2232: var telefax = doc.CreateElement("cbc", "Telefax", xmlnscbc.Value);
2233: if (!string.IsNullOrEmpty(gidenFatura.FaksNo))
2234:     telefax.InnerText = gidenFatura.FaksNo;
2235: contact.AppendChild(telefax);
2236: var electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xmlnscbc.Value);
2237: if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))
2238:     electronicMail.InnerText = gidenFatura.EPostaAdresi;
2239: contact.AppendChild(electronicMail);
2240: party.AppendChild(contact);

2241:
2242: if (!string.IsNullOrEmpty(gidenFatura.VergiNo) &&
gidenFatura.VergiNo.Length == 11)
2243: {
2244:     var liste = gidenFatura.TuzelKisiAd.Split(' ').ToList();
2245:     if (liste.Count >= 1)
2246:     {
2247:         var person = doc.CreateElement("cac", "Person", xmlnscac.Value);
2248:         var firstName = doc.CreateElement("cbc", "FirstName",
xmlnscbc.Value);

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

2249:                     firstName.InnerText = liste[0];
2250:                     person.AppendChild(firstName);
2251:                     var surname = liste[0];
2252:                     if (liste.Count > 1)
2253:                         surname = gidenFatura.TuzelKisiAd.Substring(liste[0].Length +
2254:                                         1);
2255:                     var familyName = doc.CreateElement("cbc", "FamilyName",
2256:                                         familyName.InnerText = surname;
2257:                                         //familyName.InnerText = liste[1];
2258:                                         person.AppendChild(familyName);
2259:                                         party.AppendChild(person);
2260:                                     }
2261:                                 }
2262:                             accountingCustomerParty.AppendChild(party);
2263:                         root.AppendChild(accountingCustomerParty);
2264:                         #endregion
2265:                         if (string.IsNullOrEmpty(gidenFatura.VergiNo)) return;
2266:                         {
2267:                             if (gidenFatura.VergiNo.Length != 10) return;
2268:                             // Bu kisimda fatura kesilen firma bilgileri yer almaktadir (Eger
2269:                             // sadece Tüzel Kisilikse, sahis sirketleri için bu yapilmamaktadir)
2270:                         #region BuyerCustomerParty
2271:                         var buyerCustomerParty = doc.CreateElement("cac",
2272:                                         xmlnscac.Value);
2273:                         party = doc.CreateElement("cac", "Party", xmlnscac.Value);
2274:                         webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlnscbc.Value);
2275:                         party.AppendChild(webSiteUri);
2276:                         var buyerCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
2277:                         buyerCustomerPartyIdAttr.Value = "VKN";
2278:                         partyIdentification = doc.CreateElement("cac", "PartyIdentification",
2279:                                         xmlnscac.Value);
2280:                         var buyerCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
2281:                                         buyerCustomerPartyPartyId.Attributes.Append(buyerCustomerPartyIdAttr));
2282:                         buyerCustomerPartyPartyId.InnerText = gidenFatura.VergiNo;
2283:                         partyIdentification.AppendChild(buyerCustomerPartyPartyId);
2284:                         party.AppendChild(partyIdentification);
2285:                         if (gidenFatura.VergiNo.Length == 10)
2286:                         {
2287:                             partyName = doc.CreateElement("cac", "PartyName", xmlnscac.Value);
2288:                             partyNameReal = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
2289:                             partyNameReal.InnerText = gidenFatura.TuzelKisiAd;
2290:                             partyName.AppendChild(partyNameReal);
2291:                             party.AppendChild(partyName);
2292:                         }
2293:                         #region Postal Address
2294:                         postalAddress = doc.CreateElement("cac", "PostalAddress",
2295:                                         xmlnscac.Value);
2296:                         postalAddressId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
2297:                         postalAddressId.InnerText = gidenFatura.VergiNo;
2298:                         postalAddress.AppendChild(postalAddressId);
2299:                         room = doc.CreateElement("cbc", "Room", xmlnscbc.Value);
2300:                         postalAddress.AppendChild(room);
2301:                         streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
2302:                         if (!string.IsNullOrEmpty(gidenFatura.Adres))
2303:                             streetName.InnerText = gidenFatura.Adres;
2304:                         postalAddress.AppendChild(streetName);
2305:                         buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
2306:                                         xmlnscbc.Value);
2307:                         buildingNumber.InnerText = gidenFatura.BinaNo;
2308:                         postalAddress.AppendChild(buildingNumber);
2309:                         buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
2310:                                         xmlnscbc.Value);

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```

2310:         //buildingNumber.InnerText = "";
2311:         postalAddress.AppendChild(buildingNumber);
2312:         citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
2313:             xmlnscbc.Value);
2314:         if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
2315:             citySubdivisionName.InnerText = gidenFatura.IlceAd;
2316:         postalAddress.AppendChild(citySubdivisionName);
2317:         cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
2318:         if (!string.IsNullOrEmpty(gidenFatura.IlAd))
2319:             cityName.InnerText = gidenFatura.IlAd;
2320:         postalAddress.AppendChild(cityName);
2321:         postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
2322:         //postalZone.InnerText = "";
2323:         postalAddress.AppendChild(postalZone);
2324:         country = doc.CreateElement("cac", "Country", xmlnscac.Value);
2325:         countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
2326:         countryName.InnerText = "Türkiye";
2327:         country.AppendChild(countryName);
2328:         postalAddress.AppendChild(country);
2329:         party.AppendChild(postalAddress);

2330: #endregion
2331:
2332: partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
2333:     xmlnscac.Value);
2334: taxScheme = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
2335: taxSchemeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
2336: if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
2337:     taxSchemeName.InnerText = gidenFatura.VergiDairesi;
2338: taxScheme.AppendChild(taxSchemeName);
2339: partyTaxScheme.AppendChild(taxScheme);
2340: party.AppendChild(partyTaxScheme);

2341: contact = doc.CreateElement("cac", "Contact", xmlnscac.Value);
2342: telephone = doc.CreateElement("cbc", "Telephone", xmlnscbc.Value);
2343: if (!string.IsNullOrEmpty(gidenFatura.TelefonNo))
2344:     telephone.InnerText = gidenFatura.TelefonNo;
2345: contact.AppendChild(telephone);
2346: telefax = doc.CreateElement("cbc", "Telefax", xmlnscbc.Value);
2347: if (!string.IsNullOrEmpty(gidenFatura.FaksNo))
2348:     telefax.InnerText = gidenFatura.FaksNo;
2349: contact.AppendChild(telefax);
2350: electronicMail = doc.CreateElement("cbc", "ElectronicMail",
2351:     xmlnscbc.Value);
2352: if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))
2353:     electronicMail.InnerText = gidenFatura.EPostaAdresi;
2354: contact.AppendChild(electronicMail);
2355: party.AppendChild(contact);

2356: if (gidenFatura.VergiNo.Length == 11)
2357: {
2358:     var liste = gidenFatura.TuzelKisiAd.Split(' ').ToList();
2359:     if (liste.Count >= 1)
2360:     {
2361:         var person = doc.CreateElement("cac", "Person",
2362:             xmlnscac.Value);
2363:         var firstName = doc.CreateElement("cbc", "FirstName",
2364:             xmlnscbc.Value);
2365:         firstName.InnerText = liste[0];
2366:         person.AppendChild(firstName);
2367:         var surname = liste[0];
2368:         if (liste.Count > 1)
2369:             surname =
2370:                 gidenFatura.TuzelKisiAd.Substring(liste[0].Length + 1);
2371:         var familyName = doc.CreateElement("cbc", "FamilyName",
2372:             xmlnscbc.Value);
2373:         familyName.InnerText = surname;
2374:         //familyName.InnerText = liste[1];
2375:         person.AppendChild(familyName);
}

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```

2372:                               party.AppendChild(person);
2373:                           }
2374:                       }
2375:                   buyerCustomerParty.AppendChild(party);
2376:               root.AppendChild(buyerCustomerParty);
2377:           }
2378:       }
2379:   }
2380:   #endregion
2381: }
2382: #endregion
2383: }
2384: }
2385: }
2386: /// <summary>
2387: /// E-Arsiv Kismina Tüzel Kisi De Olsa Sahis Sirketi De Olsa
2388: /// Banka Bilgilerinin hazirlandigi kod blogu ayni oldugu için
2389: /// Burada tek bir yerden güncelleme yapılması için gerekli islemlerin
gerçeklestirildigi metottur.
2390: /// </summary>
2391: /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
2392: /// <param name="doc">XML Dokümani Bilgisi</param>
2393: /// <param name="xmlnscac">XML Attribute Bilgisi</param>
2394: /// <param name="xmlnscbc">XML Attribute Bilgisi</param>
2395: /// <param name="root">XML Ana Eleman Bilgisi</param>
2396: private static void EArsivBankaBilgileriDuzenle(GidenFaturaDTO gidenFatura,
XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XmlElement root)
2397: {
2398:     if (string.IsNullOrEmpty(gidenFatura.BankaAd)) return;
2399:
2400:     // Eger Banka bilgileri mevcutsa burada banka bilgileri yer almaktadir
2401:
2402:     #region PaymentMeans
2403:
2404:     var paymentMeans = doc.CreateElement("cac", "PaymentMeans",
xmlnscac.Value);
2405:     var paymentMeansCode = doc.CreateElement("cbc", "PaymentMeansCode",
xmlnscbc.Value);
2406:     //paymentMeansCode.InnerText = "1";
2407:
2408:     // Burada 1 verildigi zaman Sözlesme Kapsaminda yaziyor metinde
2409:     // ZZZ ise Diger anlaminda geliyor
2410:     paymentMeansCode.InnerText = "ZZZ";
2411:     paymentMeans.AppendChild(paymentMeansCode);
2412:     var payeeFinancialAccount = doc.CreateElement("cac",
"PayeeFinancialAccount", xmlnscac.Value);
2413:     var payeeFinancialAccountId = doc.CreateElement("cbc", "ID",
xmlnscbc.Value);
2414:     if (!string.IsNullOrEmpty(gidenFatura.IbanNo))
2415:         payeeFinancialAccountId.InnerText = gidenFatura.IbanNo;
2416:     payeeFinancialAccount.AppendChild(payeeFinancialAccountId);
2417:     var currencyCode = doc.CreateElement("cbc", "CurrencyCode",
xmlnscbc.Value);
2418:     currencyCode.InnerText = "TRY";
2419:     payeeFinancialAccount.AppendChild(currencyCode);
2420:     var paymentNote = doc.CreateElement("cbc", "PaymentNote", xmlnscbc.Value);
2421:     if (!string.IsNullOrEmpty(gidenFatura.BankaAd) &&
!string.IsNullOrEmpty(gidenFatura.BankaSube))
2422:         paymentNote.InnerText = gidenFatura.BankaAd + " - " +
gidenFatura.BankaSube;
2423:         payeeFinancialAccount.AppendChild(paymentNote);
2424:         paymentMeans.AppendChild(payeeFinancialAccount);
2425:         root.AppendChild(paymentMeans);
2426:
2427:     #endregion
2428: }
2429:
2430: /// <summary>
2431: /// E-Arsiv Kismina Tüzel Kisi de Olsa Sahis Sirketi De Olsa

```

```

2432:      /// Vergi, Iskonto vb. Kismi ile ilgili kod bloklari
2433:      /// Ayni oldugu icin
2434:      /// Burada tek bir yerden güncelleme yapılması için gerekli islemelerin
gerçeklestirildigi metottur.
2435:      /// </summary>
2436:      /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
2437:      /// <param name="gidenFaturaDetayListesi">Giden Fatura Detay Listesi
Bilgisi</param>
2438:      /// <param name="doc">XML Dokümani Bilgisi</param>
2439:      /// <param name="xmlnscac">XML Attribute Bilgisi</param>
2440:      /// <param name="xmlnscbc">XML Attribute Bilgisi</param>
2441:      /// <param name="kodFaturaGrupTuruKod">Fatura Grup Türü Bilgisi</param>
2442:      /// <param name="kodSatisTuruKod">Fatura Satış Türü Bilgisi</param>
2443:      /// <param name="root">XML Ana Eleman Bilgisi</param>
2444:      private static void EArsivVergiVeDigerAlanlarDuzenle(GidenFaturaDTO
gidenFatura, List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, XmlDocument doc,
XmlAttribute xmlnscac, XmlAttribute xmlnscbc, int kodFaturaGrupTuruKod, int
kodSatisTuruKod, XmlElement root)
2445:      {
2446:          FaturaKdvBelirle(gidenFatura, gidenFaturaDetayListesi, out var
faturaKdvListesi);
2447:
2448:          GenelVergiBilgileriDuzenle(doc, xmlnscac, xmlnscbc, kodFaturaGrupTuruKod,
kodSatisTuruKod, root,
2449:              faturaKdvListesi);
2450:
2451:          // Burada vergi bilgileri yer almaktadir
2452:
2453:          #region Açıklama Satiri (TaxTotal)
2454:
2455:          //var taxTotal = doc.CreateElement("cac", "TaxTotal", xmlnscac.Value);
2456:          //var currencyId = doc.CreateAttribute("currencyID");
2457:          //currencyId.Value = "TRY";
2458:          //var taxAmount = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
2459:          //taxAmount.RemoveAllAttributes();
2460:          //taxAmount.Attributes.Append(currencyId);
2461:          //taxAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",",".");
2462:          //taxTotal.AppendChild(taxAmount);
2463:          //var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal",
xmlnscac.Value);
2464:          //var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xmlnscbc.Value);
2465:          //taxableAmount.RemoveAllAttributes();
2466:          //currencyId = doc.CreateAttribute("currencyID");
2467:          //currencyId.Value = "TRY";
2468:          //taxableAmount.Attributes.Append(currencyId);
2469:          //taxableAmount.InnerText =
Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",",".");
2470:          //taxSubTotal.AppendChild(taxableAmount);
2471:          //var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
2472:          //taxAmount2.RemoveAllAttributes();
2473:          //currencyId = doc.CreateAttribute("currencyID");
2474:          //currencyId.Value = "TRY";
2475:          //taxAmount2.Attributes.Append(currencyId);
2476:          //taxAmount2.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",",".");
2477:          //taxSubTotal.AppendChild(taxAmount2);
2478:          //var calculationSequenceNumeric = doc.CreateElement("cbc",
"CalculationSequenceNumeric", xmlnscbc.Value);
2479:          //calculationSequenceNumeric.InnerText = "1.0";
2480:          //taxSubTotal.AppendChild(calculationSequenceNumeric);
2481:          //var percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
2482:          //if (gidenFatura.KdvHaricTutar != 0)
2483:          //    percent.InnerText = Decimal.Round(((decimal)gidenFatura.KdvTutari *
100) / (decimal)gidenFatura.KdvHaricTutar, 0, MidpointRounding.AwayFromZero).ToString();
2484:          //else
2485:          //    percent.InnerText = "0";

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

2486:             //taxSubTotal.AppendChild(percent);
2487:             //var taxCategory = doc.CreateElement("cac", "TaxCategory",
xmlnscac.Value);
2488:             //if (gidenFatura.KdvTutari == 0)
2489:             //{
2490:                 //    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xmlnscbc.Value);
2491:                 //    taxExemptionReasonCode.InnerText = "325";
2492:                 //    var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xmlnscbc.Value);
2493:                 //    taxExemptionReason.InnerText = "13/i Yem Teslimleri";
2494:                 //    taxCategory.AppendChild(taxExemptionReasonCode);
2495:                 //    taxCategory.AppendChild(taxExemptionReason);
2496:             //}
2497:             //if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
2498:             //{
2499:                 //    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xmlnscbc.Value);
2500:                 //    taxExemptionReasonCode.InnerText = "701";
2501:                 //    var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xmlnscbc.Value);
2502:                 //    taxExemptionReason.InnerText = "3065 sayili Katma Deger Vergisi
kanununun 11/1-c maddesi kapsaminda ihraç edilmek sartiyla teslim edildiginden Katma Deger
Vergisi tahsil edilmemistir.";
2503:                 //    taxCategory.AppendChild(taxExemptionReasonCode);
2504:                 //    taxCategory.AppendChild(taxExemptionReason);
2505:             //}
2506:             //var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
2507:             //var taxTypeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
2508:             //taxTypeName.InnerText = "Katma Deger Vergisi";
2509:             //var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode",
xmlnscbc.Value);
2510:             //taxTypeCode.InnerText = "0015";
2511:             //taxScheme2.AppendChild(taxTypeName);
2512:             //taxScheme2.AppendChild(taxTypeCode);
2513:             //taxCategory.AppendChild(taxScheme2);
2514:             //taxSubTotal.AppendChild(taxCategory);
2515:             //taxTotal.AppendChild(taxSubTotal);
2516:             //root.AppendChild(taxTotal);
2517:
2518: #endregion
2519:
2520:         FaturaGenelTutarDuzenle(gidenFatura, doc, xmlnscac, xmlnscbc, root,
false);
2521:     }
2522:
2523:     /// <summary>
2524:     /// E-Arsiv Kismina
2525:     /// Tüzel Kisiden Gelse de Sahis Sirketinden Gelse De
2526:     /// Fatura Detayları XML içerisinde islenirken aynı islemler
gerçeklestirildiginden
2527:     /// Bu kod bloklarının tek bir yerde tutulması
2528:     /// Birinde yapılan güncellemenin iki tarafı da etkilemesi saglandi
2529:     /// </summary>
2530:     /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
2531:     /// <param name="item">Fatura Detay Bilgisi</param>
2532:     /// <param name="doc">XML Dokümani Bilgisi</param>
2533:     /// <param name="xmlnscac">XML Attribute Bilgisi</param>
2534:     /// <param name="xmlnscbc">XML Attribute Bilgisi</param>
2535:     /// <param name="sayac">Sayacı Bilgisi</param>
2536:     /// <param name="root">XML Ana Eleman Bilgisi</param>
2537:     /// <returns>Sayacı Bilgisi</returns>
2538:     private static int EArsivFaturaDetaylariDuzenle(GidenFaturaDTO gidenFatura,
GidenFaturaDetayDTO item, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc,
int sayac, XElement root)
2539:     {
2540:         var detayBilgisi = item.BosluklariKaldır();
2541:
2542: #region InvoiceLine

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```
2543:          // Ölçü Birimi, KDV Hariç Tutar, Para Birimi gibi bilgiler yer almaktadir
2544:
2545:
2546: #region MetaData
2547:
2548:     var invoiceLine = doc.CreateElement("cac", "InvoiceLine", xmlnscac.Value);
2549:     var invoiceLineId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
2550:     invoiceLineId.InnerText = sayac.ToString();
2551:     invoiceLine.AppendChild(invoiceLineId);
2552:     var quantity = doc.CreateAttribute("unitCode");
2553:     quantity.Value = !string.IsNullOrEmpty(detayBilgisi.GibKisaltma) ?
detayBilgisi.GibKisaltma : "KGM";
2554:     var invoicedQuantity = doc.CreateElement("cbc", "InvoicedQuantity",
xmlnscbc.Value);
2555:     invoicedQuantity.RemoveAllAttributes();
2556:     invoicedQuantity.Attributes.Append(quantity);
2557:     invoicedQuantity.InnerText = Decimal
2558:         .Round((decimal) detayBilgisi.Miktar, 2,
MidpointRounding.AwayFromZero).ToString()
2559:             .Replace(", ", ".");
2560:     invoiceLine.AppendChild(invoicedQuantity);
2561:     var lineExtensionAmountDetail = doc.CreateElement("cbc",
"LineExtensionAmount", xmlnscbc.Value);
2562:     lineExtensionAmountDetail.RemoveAllAttributes();
2563:     var currencyId = doc.CreateAttribute("currencyID");
2564:     currencyId.Value = "TRY";
2565:     lineExtensionAmountDetail.Attributes.Append(currencyId);
2566:     lineExtensionAmountDetail.InnerText = Decimal
2567:         .Round((decimal) detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
2568:             .Replace(", ", ".");
2569:     invoiceLine.AppendChild(lineExtensionAmountDetail);
2570:
2571: #endregion
2572:
2573: // Varsa iskonto bilgileri yer almaktadir
2574:
2575: #region AllowanceCharge
2576:
2577:     var allowanceCharge = doc.CreateElement("cac", "AllowanceCharge",
xmlnscac.Value);
2578:     var chargeIndicator = doc.CreateElement("cbc", "ChargeIndicator",
xmlnscbc.Value);
2579:     chargeIndicator.InnerText = "false";
2580:     allowanceCharge.AppendChild(chargeIndicator);
2581:     decimal amount2 = 0;
2582:     var toplamTutar = (decimal) detayBilgisi.KdvHaricTutar;
2583:     var kodIskontoTuruOran = detayBilgisi.IskontoOran ?? 0;
2584:     if (kodIskontoTuruOran > 0)
2585:     {
2586:         toplamTutar = Decimal.Round((decimal) detayBilgisi.Miktar * (decimal)
detayBilgisi.BirimFiyat,
2587:             4, MidpointRounding.AwayFromZero);
2588:         var toplamTutar2 = Decimal.Round(toplamTutar * (100 -
kodIskontoTuruOran) * (decimal) 0.01,
2589:             4, MidpointRounding.AwayFromZero);
2590:         amount2 = toplamTutar - toplamTutar2;
2591:     }
2592:
2593:     var multiplierFactorNumeric = doc.CreateElement("cbc",
"MultiplierFactorNumeric", xmlnscbc.Value);
2594:     multiplierFactorNumeric.InnerText = Decimal
2595:         .Round(kodIskontoTuruOran * (decimal) 0.01, 2,
MidpointRounding.AwayFromZero).ToString()
2596:             .Replace(", ", ".");
2597:     allowanceCharge.AppendChild(multiplierFactorNumeric);
2598:     var amount = doc.CreateElement("cbc", "Amount", xmlnscbc.Value);
2599:     currencyId = doc.CreateAttribute("currencyID");
2600:     currencyId.Value = "TRY";
```

```

2601:         amount.RemoveAllAttributes();
2602:         amount.Attributes.Append(currencyId);
2603:         amount.InnerText = Decimal.Round(amount2, 2,
MidpointRounding.AwayFromZero).ToString()
2604:             .Replace(", ", ".");
2605:             allowanceCharge.AppendChild(amount);
2606:             var baseAmount = doc.CreateElement("cbc", "BaseAmount", xmlnscbc.Value);
2607:             currencyId = doc.CreateAttribute("currencyID");
2608:             currencyId.Value = "TRY";
2609:             baseAmount.RemoveAllAttributes();
2610:             baseAmount.Attributes.Append(currencyId);
2611:             baseAmount.InnerText = Decimal.Round(toplamTutar, 2,
MidpointRounding.AwayFromZero).ToString()
2612:                 .Replace(", ", ".");
2613:                 allowanceCharge.AppendChild(baseAmount);
2614:                 invoiceLine.AppendChild(allowanceCharge);
2615:
2616:             #endregion
2617:
2618:             // Vergi bilgileri yer almaktadir
2619:
2620:             #region TaxTotal
2621:
2622:             var taxTotal = doc.CreateElement("cac", "TaxTotal", xmlnscac.Value);
2623:             currencyId = doc.CreateAttribute("currencyID");
2624:             currencyId.Value = "TRY";
2625:             var taxAmount = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
2626:             taxAmount.RemoveAllAttributes();
2627:             taxAmount.Attributes.Append(currencyId);
2628:             taxAmount.InnerText = Decimal
2629:                 .Round((decimal) detayBilgisi.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString()
2630:                     .Replace(", ", ".");
2631:                     if (item.KonaklamaVergisi > 0 && gidenFatura.IslemTarihi >=
Sabitler.KonaklamaVergiKontrolTarihi)
2632:                         taxAmount.InnerText = Decimal
2633:                             .Round((decimal) detayBilgisi.KdvTutari + (decimal)
detayBilgisi.KonaklamaVergisi, 2,
2634:                                 MidpointRounding.AwayFromZero).ToString()
2635:                                     .Replace(", ", ".");
2636:                                     taxTotal.AppendChild(taxAmount);
2637:                                     var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xmlnscac.Value);
2638:                                     var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xmlnscbc.Value);
2639:                                     taxableAmount.RemoveAllAttributes();
2640:                                     currencyId = doc.CreateAttribute("currencyID");
2641:                                     currencyId.Value = "TRY";
2642:                                     taxableAmount.Attributes.Append(currencyId);
2643:                                     taxableAmount.InnerText = Decimal
2644:                                         .Round((decimal) detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
2645:                                             .Replace(", ", ".");
2646:                                             taxSubTotal.AppendChild(taxableAmount);
2647:                                             var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
2648:                                             taxAmount2.RemoveAllAttributes();
2649:                                             currencyId = doc.CreateAttribute("currencyID");
2650:                                             currencyId.Value = "TRY";
2651:                                             taxAmount2.Attributes.Append(currencyId);
2652:                                             taxAmount2.InnerText = Decimal
2653:                                                 .Round((decimal) detayBilgisi.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString()
2654:                                                     .Replace(", ", ".");
2655:                                                     taxSubTotal.AppendChild(taxAmount2);
2656:                                                     var percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
2657:                                                     if (detayBilgisi.KdvOran != null)
2658:                                                         percent.InnerText = Decimal
2659:                                                             .Round((decimal) detayBilgisi.KdvOran, 2,
MidpointRounding.AwayFromZero).ToString("N1")
2660:                                                               .Replace(", ", ".");

```

```

2661:         taxSubTotal.AppendChild(percent);
2662:         var taxCategory = doc.CreateElement("cac", "TaxCategory", xmlnscac.Value);
2663:         var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
2664:         var taxTypeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
2665:         taxTypeName.InnerText = "KDV";
2666:         taxScheme2.AppendChild(taxTypeName);
2667:         var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xmlnscbc.Value);
2668:         taxTypeCode.InnerText = "0015";
2669:         taxScheme2.AppendChild(taxTypeCode);
2670:         taxCategory.AppendChild(taxScheme2);
2671:         taxSubTotal.AppendChild(taxCategory);
2672:         taxTotal.AppendChild(taxSubTotal);
2673:         if (item.KonaklamaVergisi > 0 && gidenFatura.IslemTarihi >=
Sabitler.KonaklamaVergiKontrolTarihi)
2674:     {
2675:         #region TaxSubTotal (Konaklama Vergisi İçin)
2676:
2677:         taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xmlnscac.Value);
2678:         taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xmlnscbc.Value);
2679:         taxableAmount.RemoveAllAttributes();
2680:         currencyId = doc.CreateAttribute("currencyID");
2681:         currencyId.Value = "TRY";
2682:         taxableAmount.Attributes.Append(currencyId);
2683:         taxableAmount.InnerText = Decimal
2684:             .Round((decimal) detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
2685:             .Replace(",", ".");
2686:         taxSubTotal.AppendChild(taxableAmount);
2687:         taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
2688:         taxAmount2.RemoveAllAttributes();
2689:         currencyId = doc.CreateAttribute("currencyID");
2690:         currencyId.Value = "TRY";
2691:         taxAmount2.Attributes.Append(currencyId);
2692:         taxAmount2.InnerText = Decimal
2693:             .Round((decimal) detayBilgisi.KonaklamaVergisi, 2,
MidpointRounding.AwayFromZero).ToString()
2694:             .Replace(",", ".");
2695:         taxSubTotal.AppendChild(taxAmount2);
2696:         percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
2697:         percent.InnerText = Decimal
2698:             .Round(2, 2, MidpointRounding.AwayFromZero).ToString("N1")
2699:             .Replace(",", ".");
2700:         taxSubTotal.AppendChild(percent);
2701:         taxCategory = doc.CreateElement("cac", "TaxCategory", xmlnscac.Value);
2702:         taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
2703:         taxTypeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
2704:         taxTypeName.InnerText = "Konaklama Vergisi";
2705:         taxScheme2.AppendChild(taxTypeName);
2706:         taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xmlnscbc.Value);
2707:         taxTypeCode.InnerText = "0059";
2708:         taxScheme2.AppendChild(taxTypeCode);
2709:         taxCategory.AppendChild(taxScheme2);
2710:         taxSubTotal.AppendChild(taxCategory);
2711:         taxTotal.AppendChild(taxSubTotal);
2712:         invoiceLine.AppendChild(taxTotal);
2713:
2714:         #endregion
2715:     }
2716:
2717:     invoiceLine.AppendChild(taxTotal);
2718:
2719:     #endregion
2720:
2721:     // Fatura kesilen ürün detayı ve açıklama bilgileri yer almaktadır
2722:
2723:     #region Item
2724:
2725:     var invoiceItem = doc.CreateElement("cac", "Item", xmlnscac.Value);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

2726:             if (!string.IsNullOrEmpty(detayBilgisi.MalzemeFaturaAciklamasi))
2727:             {
2728:                 var description = doc.CreateElement("cbc", "Description",
2729:                     xmlnscbc.Value);
2730:                 description.InnerText = detayBilgisi.MalzemeFaturaAciklamasi;
2731:                 invoiceItem.AppendChild(description);
2732:             }
2733:             var itemName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
2734:             if (!string.IsNullOrEmpty(detayBilgisi.FaturaUrunTuru))
2735:                 itemName.InnerText = detayBilgisi.FaturaUrunTuru;
2736:                 invoiceItem.AppendChild(itemName);
2737:                 invoiceLine.AppendChild(invoiceItem);
2738:
2739: #endregion
2740:
2741: // Birim fiyat bilgileri yer almaktadir
2742:
2743: #region Price
2744:
2745:     var price = doc.CreateElement("cac", "Price", xmlnsscac.Value);
2746:     var priceAmount = doc.CreateElement("cbc", "PriceAmount", xmlnscbc.Value);
2747:     priceAmount.RemoveAllAttributes();
2748:     currencyId = doc.CreateAttribute("currencyID");
2749:     currencyId.Value = "TRY";
2750:     priceAmount.Attributes.Append(currencyId);
2751:     priceAmount.InnerText = detayBilgisi.BirimFiyat != null
2752:         ? Decimal.Round((decimal)detayBilgisi.BirimFiyat, 4,
MidpointRounding.AwayFromZero).ToString()
2753:             .Replace(",", ".")
2754:             : "0.00";
2755:     price.AppendChild(priceAmount);
2756:     invoiceLine.AppendChild(price);
2757:
2758: #endregion
2759:
2760:     root.AppendChild(invoiceLine);
2761:
2762: #endregion
2763:
2764:     sayac++;
2765:     return sayac;
2766:
2767:
2768: /// <summary>
2769: /// E-Fatura kisminda Banka Bilgilerinin girildigi
2770: /// Ve XML içerisine yerlestirildigi metottur.
2771: /// </summary>
2772: /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
2773: /// <param name="doc">XML Dokümani Bilgisi</param>
2774: /// <param name="xmlnsscac">XML Attribute Bilgisi</param>
2775: /// <param name="xmlncbc">XML Attribute Bilgisi</param>
2776: /// <param name="root">XML Ana Eleman Bilgisi</param>
2777: private static void EFaturaBankaBilgileriDuzenle(GidenFaturaDTO gidenFatura,
XmlDocument doc, XmlAttribute xmlnsscac, XmlAttribute xmlncbc, XmlElement root)
2778: {
2779:     if (string.IsNullOrEmpty(gidenFatura.BankaAd)) return;
2780:     // Eger Banka bilgileri mevcutsa burada banka bilgileri yer almaktadir
2781:
2782: #region PaymentMeans
2783:
2784:     var paymentMeans = doc.CreateElement("cac", "PaymentMeans",
2785:         xmlnsscac.Value);
2786:     var paymentMeansCode = doc.CreateElement("cbc", "PaymentMeansCode",
2787:         //paymentMeansCode.InnerText = "1";
2788:         // Burada 1 verildigi zaman Sözlesme Kapsaminda yaziyor metinde
2789:         // ZZZ ise Diger anlaminda geliyor

```

```

2790:             paymentMeansCode.InnerText = "ZZZ";
2791:             paymentMeans.AppendChild(paymentMeansCode);
2792:             var payeeFinancialAccount = doc.CreateElement("cac",
2793: "PayeeFinancialAccount", xmlnscac.Value);
2794:             var payeeFinancialAccountId = doc.CreateElement("cbc", "ID",
xmlnscbc.Value);
2795:             if (!string.IsNullOrEmpty(gidenFatura.IbanNo))
2796:                 payeeFinancialAccountId.InnerText = gidenFatura.IbanNo;
2797:             payeeFinancialAccount.AppendChild(payeeFinancialAccountId);
2798:             var currencyCode = doc.CreateElement("cbc", "CurrencyCode",
xmlnscbc.Value);
2799:             currencyCode.InnerText = "TRY";
2800:             payeeFinancialAccount.AppendChild(currencyCode);
2801:             var paymentNote = doc.CreateElement("cbc", "PaymentNote", xmlnscbc.Value);
2802:             if (!string.IsNullOrEmpty(gidenFatura.BankaAd) &&
!string.IsNullOrEmpty(gidenFatura.BankaSube))
2803:                 paymentNote.InnerText = gidenFatura.BankaAd + " - " +
gidenFatura.BankaSube;
2804:             payeeFinancialAccount.AppendChild(paymentNote);
2805:             paymentMeans.AppendChild(payeeFinancialAccount);
2806:             root.AppendChild(paymentMeans);
2807:         #endregion
2808:     }
2809:
2810:     /// <summary>
2811:     /// E-Fatura olsun E-Arsiv olsun
2812:     /// Fatura detaylarinda KDV ile ilgili kisimlarin belirlenmesi için
2813:     /// Hazirlanan metottur
2814:     /// </summary>
2815:     /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
2816:     /// <param name="gidenFaturaDetayListesi">Giden Fatura Detay Listesi
Bilgisi</param>
2817:     /// <param name="faturaKdvListesi">Fatura Detay KDV Listesi Bilgisi</param>
2818:     private static void FaturaKdvBelirle(GidenFaturaDTO gidenFatura,
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, out List<FaturaKdvDTO> faturaKdvListesi)
2819:     {
2820:         #region KDVlerin Belirlenmesi
2821:
2822:         faturaKdvListesi = new List<FaturaKdvDTO>();
2823:         foreach (var item in gidenFaturaDetayListesi)
2824:         {
2825:             var kodKdvTuruOran = item.KdvOran ?? 0;
2826:             if (faturaKdvListesi.All(j => j.KdvOran != kodKdvTuruOran))
2827:             {
2828:                 var faturaKdv = new FaturaKdvDTO
2829:                 {
2830:                     KdvOran = kodKdvTuruOran,
2831:                     KdvTutari = item.KdvTutari,
2832:                     KdvHaricTutar = item.KdvHaricTutar
2833:                 };
2834:                 faturaKdvListesi.Add(faturaKdv);
2835:             }
2836:             else
2837:             {
2838:                 var index = faturaKdvListesi.FindIndex(j => j.KdvOran ==
kodKdvTuruOran);
2839:                 faturaKdvListesi[index].KdvTutari += item.KdvTutari;
2840:                 faturaKdvListesi[index].KdvHaricTutar += item.KdvHaricTutar;
2841:             }
2842:
2843:             if (faturaKdvListesi.Count > 0)
2844:                 faturaKdvListesi = faturaKdvListesi.OrderBy(j =>
j.KdvOran).ToList();
2845:         }
2846:
2847:         if (!(gidenFaturaDetayListesi.Sum(j => j.KonaklamaVergisi) > 0) ||
!(gidenFatura.IslemTarihi?.Year >= 2023)) return;
2848:     }

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```
2849:         var faturaKdv = new FaturaKdvDTO
2850:         {
2851:             KdvOran = 2,
2852:             KdvTutari = gidenFaturaDetayListesi.Sum(j => j.KonaklamaVergisi),
2853:             KdvHaricTutar = gidenFaturaDetayListesi.Sum(j => j.KdvHaricTutar)
2854:         };
2855:         faturaKdvListesi.Add(faturaKdv);
2856:     }
2857:
2858:     #endregion
2859: }
2860:
2861: /// <summary>
2862: /// E-Fatura olsun E-Arsiv Olsun
2863: /// Fatura detaylarinden belirlene KDV listesi üzerinden
2864: /// Ana vergi bilgilerinin XML içerisinde oluşturulması için
2865: /// Hazırlanmış metottur
2866: /// </summary>
2867: /// <param name="doc">XML Dokümani Bilgisi</param>
2868: /// <param name="xmlnscac">XML Attribute Bilgisi</param>
2869: /// <param name="xmlnscbc">XML Attribute Bilgisi</param>
2870: /// <param name="kodFaturaGrupTuruKod">Fatura Grup Türü Bilgisi</param>
2871: /// <param name="kodSatisTuruKod">Fatura Satış Türü Bilgisi</param>
2872: /// <param name="root">XML Ana Eleman Bilgisi</param>
2873: /// <param name="faturaKdvListesi">Fatura Detay KDV Listesi Bilgisi</param>
2874: private static void GenelVergiBilgileriDuzenle(XmlDocument doc, XmlAttribute
xmlnscac, XmlAttribute xmlnscbc, int kodFaturaGrupTuruKod, int kodSatisTuruKod, XmlElement
root, List<FaturaKdvDTO> faturaKdvListesi)
2875: {
2876:     #region TaxTotal
2877:
2878:     const int sayac = 1;
2879:     foreach (var item in faturaKdvListesi)
2880:     {
2881:         // Burada vergi bilgileri yer almaktadir
2882:
2883:         #region TaxTotal
2884:
2885:         var taxTotal = doc.CreateElement("cac", "TaxTotal", xmlnscac.Value);
2886:         var currencyIdGeneral = doc.CreateAttribute("currencyID");
2887:         currencyIdGeneral.Value = "TRY";
2888:         var taxAmount = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
2889:         taxAmount.RemoveAllAttributes();
2890:         taxAmount.Attributes.Append(currencyIdGeneral);
2891:         taxAmount.InnerText = Decimal.Round((decimal) item.KdvTutari, 2,
MidpointRounding.AwayFromZero)
2892:             .ToString().Replace(", ", ".");
2893:             taxTotal.AppendChild(taxAmount);
2894:             var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal",
xmlnscac.Value);
2895:             var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xmlnscbc.Value);
2896:             taxableAmount.RemoveAllAttributes();
2897:             currencyIdGeneral = doc.CreateAttribute("currencyID");
2898:             currencyIdGeneral.Value = "TRY";
2899:             taxableAmount.Attributes.Append(currencyIdGeneral);
2900:             taxableAmount.InnerText = Decimal
2901:                 .Round((decimal) item.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
2902:                     .Replace(", ", ".");
2903:                     taxSubTotal.AppendChild(taxableAmount);
2904:                     var taxAmount2 = doc.CreateElement("cbc", "TaxAmount",
xmlnscbc.Value);
2905:                     taxAmount2.RemoveAllAttributes();
2906:                     currencyIdGeneral = doc.CreateAttribute("currencyID");
2907:                     currencyIdGeneral.Value = "TRY";
2908:                     taxAmount2.Attributes.Append(currencyIdGeneral);
2909:                     taxAmount2.InnerText = Decimal.Round((decimal) item.KdvTutari, 2,
MidpointRounding.AwayFromZero)
```

```

2910:             .ToString().Replace(", ", "."));
2911:             taxSubTotal.AppendChild(taxAmount2);
2912:             var calculationSequenceNumeric =
2913:                 doc.CreateElement("cbc", "CalculationSequenceNumeric",
xmlns:cbc.Value);
2914:             calculationSequenceNumeric.InnerText = sayac + ".0";
2915:             taxSubTotal.AppendChild(calculationSequenceNumeric);
2916:             var percent = doc.CreateElement("cbc", "Percent", xmlns:cbc.Value);
2917:             percent.InnerText = Decimal.Round((decimal) item.KdvOran, 0,
MidpointRounding.AwayFromZero)
2918:                 .ToString();
2919:                 taxSubTotal.AppendChild(percent);
2920:                 var taxCategory = doc.CreateElement("cac", "TaxCategory",
xmlns:cac.Value);
2921:                 if (item.KdvTutari == 0)
2922:                 {
2923:                     if (kodFaturaGrupTuruKod ==
FaturaMakbuzGrupTur.Kuspe.GetHashCode())
2924:                     {
2925:                         var taxExemptionReasonCode =
doc.CreateElement("cbc", "TaxExemptionReasonCode",
xmlns:cbc.Value);
2926:                         taxExemptionReasonCode.InnerText = "325";
2927:                         var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xmlns:cbc.Value);
2928:                         taxExemptionReason.InnerText = "13/i Yem Teslimleri";
2929:                         taxCategory.AppendChild(taxExemptionReasonCode);
2930:                         taxCategory.AppendChild(taxExemptionReason);
2931:                     }
2932:                 }
2933:                 else
2934:                 {
2935:                     var taxExemptionReasonCode =
doc.CreateElement("cbc", "TaxExemptionReasonCode",
xmlns:cbc.Value);
2936:                     taxExemptionReasonCode.InnerText = "350";
2937:                     var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xmlns:cbc.Value);
2938:                     taxExemptionReason.InnerText = "Digerleri";
2939:                     taxCategory.AppendChild(taxExemptionReasonCode);
2940:                     taxCategory.AppendChild(taxExemptionReason);
2941:                 }
2942:             }
2943:         }
2944:         if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
2945:         {
2946:             var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xmlns:cbc.Value);
2947:             taxExemptionReasonCode.InnerText = "701";
2948:             var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xmlns:cbc.Value);
2949:             taxExemptionReason.InnerText =
2950:                 "3065 sayili Katma Deger Vergisi kanununun 11/1-c maddesi
2951:                 kapsaminda ihraç edilmek sartiyla teslim edildiginden Katma Deger Vergisi tahsil
edilmemistir.";
2952:             taxCategory.AppendChild(taxExemptionReasonCode);
2953:             taxCategory.AppendChild(taxExemptionReason);
2954:         }
2955:         var taxScheme2 = doc.CreateElement("cac", "TaxScheme",
xmlns:cac.Value);
2956:         var taxTypeName = doc.CreateElement("cbc", "Name", xmlns:cbc.Value);
2957:         taxTypeName.InnerText = item.KdvOran != 2 ? "Katma Deger Vergisi" :
2958:             "Konaklama Vergisi";
2959:             var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode",
xmlns:cbc.Value);
2960:             taxTypeCode.InnerText = item.KdvOran != 2 ? "0015" : "0059";
2961:             taxScheme2.AppendChild(taxTypeName);
2962:             taxScheme2.AppendChild(taxTypeCode);
2963:             taxCategory.AppendChild(taxScheme2);

```

```
2964:             taxSubTotal.AppendChild(taxCategory);
2965:             taxTotal.AppendChild(taxSubTotal);
2966:             root.AppendChild(taxTotal);
2967:
2968:         #endregion
2969:     }
2970:
2971:     #endregion
2972: }
2973:
2974:     /// <summary>
2975:     /// E-Fatura olsun E-Arsiv olsun
2976:     /// Faturadaki genel KDV Tutarı, KDV Hariç Tutar, Toplam Tutar bilgilerinin
2977:     /// Hazırlanması ve XML içeresine yerlestirilmesi için
2978:     /// Gelistirilmis metottur
2979:     /// </summary>
2980:     /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
2981:     /// <param name="doc">XML Dokümani Bilgisi</param>
2982:     /// <param name="xmlnscac">XML Attribute Bilgisi</param>
2983:     /// <param name="xmlnscbc">XML Attribute Bilgisi</param>
2984:     /// <param name="root">XML Ana Eleman Bilgisi</param>
2985:     /// <param name="isAllowanceHere">Allowance Elemani Olacak Mi Bilgisi
2986:     (E-Fatura için true, E-Arsiv için false olacak)</param>
2986:     private static void FaturaGenelTutarDuzenle(GidenFaturaDTO gidenFatura,
2986: XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XmlElement root, bool
2986: isAllowanceHere)
2987:     {
2988:         // KDV, KDV Hariç Tutar ve Toplam Tutar bilgileri yer almaktadir
2989:
2990:         #region LegalMonetaryTotal
2991:
2992:         var legalMonetaryTotal = doc.CreateElement("cac", "LegalMonetaryTotal",
2992: xmlnscac.Value);
2993:         var lineExtensionAmount = doc.CreateElement("cbc", "LineExtensionAmount",
2993: xmlnscbc.Value);
2994:
2995:         lineExtensionAmount.RemoveAllAttributes();
2996:         var currencyId = doc.CreateAttribute("currencyID");
2996:         currencyId.Value = "TRY";
2997:         lineExtensionAmount.Attributes.Append(currencyId);
2998:         lineExtensionAmount.InnerText = Decimal
2999:             .Round((decimal) gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
3000:             .Replace(", ", ".");
3001:         legalMonetaryTotal.AppendChild(lineExtensionAmount);
3002:         var taxExclusiveAmount = doc.CreateElement("cbc", "TaxExclusiveAmount",
3002: xmlnscbc.Value);
3003:
3003:         taxExclusiveAmount.RemoveAllAttributes();
3004:         currencyId = doc.CreateAttribute("currencyID");
3005:         currencyId.Value = "TRY";
3006:         taxExclusiveAmount.Attributes.Append(currencyId);
3007:         taxExclusiveAmount.InnerText = Decimal
3008:             .Round((decimal) gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
3009:             .Replace(", ", ".");
3010:         legalMonetaryTotal.AppendChild(taxExclusiveAmount);
3011:         var taxInclusiveAmount = doc.CreateElement("cbc", "TaxInclusiveAmount",
3011: xmlnscbc.Value);
3012:
3012:         taxInclusiveAmount.RemoveAllAttributes();
3013:         currencyId = doc.CreateAttribute("currencyID");
3014:         currencyId.Value = "TRY";
3015:         taxInclusiveAmount.Attributes.Append(currencyId);
3016:         taxInclusiveAmount.InnerText = Decimal
3017:             .Round((decimal) gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString()
3018:             .Replace(", ", ".");
3019:         legalMonetaryTotal.AppendChild(taxInclusiveAmount);
3020:         if (isAllowanceHere)
3021:         {
3022:             var allowanceTotalAmount = doc.CreateElement("cbc",
```

```

"AllowanceTotalAmount", xmlnscbc.Value);
3023:    allowanceTotalAmount.RemoveAllAttributes();
3024:    currencyId = doc.CreateAttribute("currencyID");
3025:    currencyId.Value = "TRY";
3026:    allowanceTotalAmount.Attributes.Append(currencyId);
3027:    allowanceTotalAmount.InnerText = "0.00";
3028:    legalMonetaryTotal.AppendChild(allowanceTotalAmount);
3029: }
3030:
3031: var payableAmount = doc.CreateElement("cbc", "PayableAmount",
xmlnscbc.Value);
3032: payableAmount.RemoveAllAttributes();
3033: currencyId = doc.CreateAttribute("currencyID");
3034: currencyId.Value = "TRY";
3035: payableAmount.Attributes.Append(currencyId);
3036: payableAmount.InnerText = Decimal
3037:     .Round((decimal) gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString()
3038:     .Replace(", ", ".");
3039: legalMonetaryTotal.AppendChild(payableAmount);
3040: root.AppendChild(legalMonetaryTotal);
3041:
3042: #endregion
3043: }
3044:
3045: /// <summary>
3046: /// E-Fatura olsun E-Arsiv olsun E-Müstahsil olsun
3047: /// Hazırlanan XML dosyasının kaydedilip
3048: /// Dosya adının döndürülmesi için
3049: /// Hazırlanan metottur.
3050: /// </summary>
3051: /// <param name="id">Nesnenin Id Bilgisi</param>
3052: /// <param name="aktarilacakKlasorAdı">Aktarılacak Klasör Adı Bilgisi</param>
3053: /// <param name="doc">XML Dokümanı Bilgisi</param>
3054: /// <returns>Kaydedilen dosyanın tüm adı bilgisi</returns>
3055: private static string XMLDosyasiniKaydet(string id, string
aktarilacakKlasorAdı, XmlDocument doc)
3056: {
3057:     #region Dosya Kaydi
3058:
3059:     var fileName = aktarilacakKlasorAdı + "/" + id + ".xml";
3060:     doc.Save(fileName);
3061:
3062:     #endregion
3063:
3064:     return fileName;
3065: }
3066:
3067: /// <summary>
3068: /// E-Müstahsil, E-Fatura ve E-Arsiv tarafından
3069: /// Ana elemanlar arasında Para Birimi ve Kayıt Sayısı Bilgilerinin
3070: /// Düzenlenmesi için gerekli işlemlerin gerçekleştirildiği metottur.
3071: /// </summary>
3072: /// <param name="kayitSayisi">Kayıt Sayısı Bilgisi</param>
3073: /// <param name="root">XML Ana Eleman Bilgisi</param>
3074: /// <param name="doc">XML Doküman Bilgisi</param>
3075: /// <param name="xmlnscbc">XML Attribute Bilgisi</param>
3076: private static void ParaBirimVeKayitSayisiDuzenle(int kayitSayisi,
XmlElement root, XmlDocument doc, XmlAttribute xmlnscbc)
3077: {
3078:     var documentCurrencyCode = doc.CreateElement("cbc",
"DocumentCurrencyCode", xmlnscbc.Value);
3079:     documentCurrencyCode.InnerText = "TRY";
3080:     root.AppendChild(documentCurrencyCode);
3081:
3082:     var lineCountNumeric = doc.CreateElement("cbc", "LineCountNumeric",
xmlnscbc.Value);
3083:     lineCountNumeric.InnerText = kayitSayisi.ToString();
3084:     root.AppendChild(lineCountNumeric);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```
3085:         }
3086:
3087:         /// <summary>
3088:         /// E-Fatura ve E-Arsiv tarafinda
3089:         /// Faturanin imza bilgileri aynı oldugu için
3090:         /// Tek bir metot içerisinde ele alınması için
3091:         /// Gerekli islemlerin gerçekleştirildiği metottur.
3092:         /// </summary>
3093:         /// <param name="root">XML Ana Eleman Bilgisi</param>
3094:         /// <param name="doc">XML Dokümani Bilgisi</param>
3095:         /// <param name="xmlnscac">XML Attribute Bilgisi</param>
3096:         /// <param name="xmlnscbc">XML Attribute Bilgisi</param>
3097:         private static void FaturaMakbuzImzaBilgisiDuzenle(XmlElement root,
XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc)
3098:     {
3099:         // Faturaya iliskin imza, adres vb. bilgiler yer almaktadir
3100:
3101:         #region Signature
3102:
3103:         var signature = doc.CreateElement("cac", "Signature", xmlnscac.Value);
3104:         var signatureIdAttr = doc.CreateAttribute("schemeID");
3105:         signatureIdAttr.Value = "VKN_TCKN";
3106:         var signatureId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
3107:         signatureId.Attributes.Append(signatureIdAttr);
3108:         signatureId.InnerText = "3250566851";
3109:         signature.AppendChild(signatureId);
3110:         var signatoryParty = doc.CreateElement("cac", "SignatoryParty",
xmlnscac.Value);
3111:         var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlnscac.Value);
3112:         var signatureIdAttr2 = doc.CreateAttribute("schemeID");
3113:         signatureIdAttr2.Value = "VKN";
3114:         var signaturePartyId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
3115:         signaturePartyId.Attributes.Append(signatureIdAttr2);
3116:         signaturePartyId.InnerText = "3250566851";
3117:         partyIdentification.AppendChild(signaturePartyId);
3118:         signatoryParty.AppendChild(partyIdentification);
3119:
3120:         #region Postal Address
3121:
3122:         var postalAddress = doc.CreateElement("cac", "PostalAddress",
xmlnscac.Value);
3123:         var streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
3124:         streetName.InnerText = "Mithatpasa Caddesi";
3125:         postalAddress.AppendChild(streetName);
3126:         var buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xmlnscbc.Value);
3127:         buildingNumber.InnerText = "14";
3128:         postalAddress.AppendChild(buildingNumber);
3129:         var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xmlnscbc.Value);
3130:         citySubdivisionName.InnerText = "Çankaya";
3131:         postalAddress.AppendChild(citySubdivisionName);
3132:         var cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
3133:         cityName.InnerText = "Ankara";
3134:         postalAddress.AppendChild(cityName);
3135:         var postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
3136:         postalZone.InnerText = "06100";
3137:         postalAddress.AppendChild(postalZone);
3138:         var country = doc.CreateElement("cac", "Country", xmlnscac.Value);
3139:         var countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
3140:         countryName.InnerText = "Türkiye";
3141:         country.AppendChild(countryName);
3142:         postalAddress.AppendChild(country);
3143:         signatoryParty.AppendChild(postalAddress);
3144:         signature.AppendChild(signatoryParty);
3145:
3146:         #endregion
3147:
```

```
3148:             var digitalSignatureAttachment = doc.CreateElement("cac",
"DigitalSignatureAttachment", xmlnscac.Value);
3149:             var externalReference = doc.CreateElement("cac", "ExternalReference",
xmlnscac.Value);
3150:             var uri = doc.CreateElement("cbc", "URI", xmlnscbc.Value);
3151:             uri.InnerText = "#Signature";
3152:             externalReference.AppendChild(uri);
3153:             digitalSignatureAttachment.AppendChild(externalReference);
3154:             signature.AppendChild(digitalSignatureAttachment);
3155:
3156:             root.AppendChild(signature);
3157:
3158:         #endregion
3159:     }
3160: }
3161: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

Index

A

ADET enumeration member 495
 aliciEpostaEkleSilGuncelle class 26
 about aliciEpostaEkleSilGuncelle class 26
 inputGuncellenecekEposta 26
 inputSilinecekEposta 26
 aliciEpostaEkleSilGuncelleCompletedEventArgs class 26
 about aliciEpostaEkleSilGuncelleCompletedEventArgs class 26
 aliciEpostaEkleSilGuncelleCompletedEventArgs 27
 Result 27
 aliciEpostaEkleSilGuncelleResponse class 27
 @return 28
 about aliciEpostaEkleSilGuncelleResponse class 27
 Alkol enumeration member 690
 Ambar enumeration member 690
 ARSIV enumeration member 496
 ARSIVSMS enumeration member 496
 AssemblyInfo.cs 790

B

BAYI enumeration member 496
 belge class 28, 237, 524
 about belge class 28, 237, 524
 belgeFormati 28, 525
 belgeFormatiSpecified 28, 525
 belgelcerigi 29, 525
 belgeNo 238
 belgeSiraNo 238
 belgeTarihi 238
 belgeTuru 238
 belgeVerisi 238
 ettn 238
 gonderenEtiket 239
 gonderenVknTckn 239
 belgeDTO class 525
 about belgeDTO class 525
 belgeNo 528

brutUcret 528
 brutUcretSpecified 528
 kdv0_Tutar 529
 kdv0_TutarSpecified 529
 kdv1_Tutar 529
 kdv1_TutarSpecified 529
 kdv18_Tutar 529
 kdv18_TutarSpecified 529
 kdv8_Tutar 529
 kdv8_TutarSpecified 529
 kdvTevkifatTutar 529
 kdvTevkifatTutarSpecified 530
 netTahsilat 530
 netTahsilatSpecified 530
 netUcret 530
 netUcretSpecified 530
 stpj0_Tutar 530
 stpj0_TutarSpecified 530
 stpj1_Tutar 530
 stpj1_TutarSpecified 530
 stpj10_Tutar 531
 stpj10_TutarSpecified 531
 stpj15_Tutar 531
 stpj15_TutarSpecified 531
 stpj17_Tutar 531
 stpj17_TutarSpecified 531
 stpj2_Tutar 531
 stpj2_TutarSpecified 531
 stpj20_Tutar 531
 stpj20_TutarSpecified 532
 stpj3_Tutar 532
 stpj3_TutarSpecified 532
 stpj4_Tutar 532
 stpj4_TutarSpecified 532
 stpj5_Tutar 532
 stpj5_TutarSpecified 532
 stpj7_Tutar 532
 stpj7_TutarSpecified 532
 tip 533
 tipSpecified 533
 belgeGonderCompletedEventArgs class 239

about belgeGonderCompletedEventArgs class 239
 belgeGonderCompletedEventArgs 239
 Result 240
belgeGonderExtCompletedEventArgs class 240
 about belgeGonderExtCompletedEventArgs class 240
 belgeGonderExtCompletedEventArgs 240
 Result 240
belgeGonderExtWithValidateCompletedEventArgs class 241
 about belgeGonderExtWithValidateCompletedEventArgs class 241
 belgeGonderExtWithValidateCompletedEventArgs 241
 Result 241
belgeGonderResp class 242
 about belgeGonderResp class 242
 belgeOid 242
 errorMessage 242
 responseStatus 242
belgeGonderWithValidateCompletedEventArgs class 242
 about belgeGonderWithValidateCompletedEventArgs class 242
 belgeGonderWithValidateCompletedEventArgs 243
 Result 243
belgeleriTekrarGonderBelgeOidCompletedEventArgs class 243
 about
 belgeleriTekrarGonderBelgeOidCompletedEventArgs class 243
 belgeleriTekrarGonderBelgeOidCompletedEventArgs 244
 Result 244
belgeleriTekrarGonderCompletedEventArgs class 244
 about belgeleriTekrarGonderCompletedEventArgs class 244
 belgeleriTekrarGonderCompletedEventArgs 245
 Result 245
belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs class 245
 about
 belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs class 245
 belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs 246
 Result 246
belgeOutputWrapper class 29, 533
 @return 29, 533
 about belgeOutputWrapper class 29, 533
 output 29, 533
belgev2 class 246
 about belgev2 class 246
 alanEtiket 247
 aliciUnvan 247
 belgeVersiyon 247
 belgeXmlZipped 248
 ekBilgiler 248
 saticiUnvan 248
 subeKodu 248
 zarfId 248
 zarfVerisi 248
 zarfXml 248
belgev2Entry class 248
 about belgev2Entry class 248
 key 249
 value 249
belgev3 class 249
 about belgev3 class 249
 odenecekTutar 250
 odenecekTutarDovizCinsi 250
belgev4 class 250
 about belgev4 class 250
 arsivlenmis 251
 belgeHash 252
belgev5 class 252
 about belgev5 class 252
 faturaGelisTarihi 253
belgev6 class 253
 about belgev6 class 253
 profileId 254
belgeZipiAI class 533
 about belgeZipiAI class 533
 input 534
belgeZipiAICompletedEventArgs class 534
 about belgeZipiAICompletedEventArgs class 534
 belgeZipiAICompletedEventArgs 534
 output 535
 Result 535

belgeZipiAIResponse class 535	belgeleriTekrarGonderBelgeOidAsync 277
@return 535	belgeleriTekrarGonderBelgeOidCompleted 381
about belgeZipiAIResponse class 535	belgeleriTekrarGonderCompleted 381
output 536	belgeleriTekrarGonderYerelBelgeNo 278
BoslukKaldır class 670	belgeleriTekrarGonderYerelBelgeNoAsync 279
about BoslukKaldır class 670	belgeleriTekrarGonderYerelBelgeNoCompleted 381
BosluklarıKaldır 671	CancelAsync 279
BoslukKaldır.cs 791	checkDateValidControl 279
	checkDateValidControlAsync 280
	checkDateValidControlCompleted 382
C	cokluGidenBelgeDurumSorgula 280
CiftciyeVerilen enumeration member 691	cokluGidenBelgeDurumSorgulaAsync 281
cokluGidenBelgeDurumSorgulaCompletedEventArgs class 254	cokluGidenBelgeDurumSorgulaCompleted 382
about	connectorService 267
cokluGidenBelgeDurumSorgulaCompletedEventArgs class 254	csXmlOnizleme 281
cokluGidenBelgeDurumSorgulaCompletedEventArgs 255	csXmlOnizlemeAsync 283
Result 255	csXmlOnizlemeCompleted 382
connectorService class 255	csXmlToUbl 283
about connectorService class 255	csXmlToUblAsync 284
belgeGonder 267	csXmlToUblCompleted 382
belgeGonderAsync 268	eFaturaKayitliKullaniciListele 285
belgeGonderCompleted 381	eFaturaKayitliKullaniciListeleAsync 285
belgeGonderExt 269	eFaturaKayitliKullaniciListeleCompleted 382
belgeGonderExtAsync 269	efaturaKullaniciBilgisi 286
belgeGonderExtCompleted 381	efaturaKullaniciBilgisiAsync 286
belgeGonderExtWithValidate 270	efaturaKullaniciBilgisiCompleted 382
belgeGonderExtWithValidateAsync 270	efaturaKullaniciListesi 287
belgeGonderExtWithValidateCompleted 381	efaturaKullaniciListesiAsync 287
belgeGonderWithValidate 271	efaturaKullaniciListesiCompleted 382
belgeGonderWithValidateAsync 272	efaturaKullanicisi 288
belgeGonderWithValidateCompleted 381	efaturaKullanicisiAsync 288
belgelerAlindi 272	efaturaKullanicisiCompleted 382
belgelerAlindiAsync 273	elrsaliyeKayitliKullaniciListele 288
belgelerAlindiCompleted 381	elrsaliyeKayitliKullaniciListeleAsync 289
belgelerAlindiEntegrasyonSiparisNoGuncelle 273	elrsaliyeKayitliKullaniciListeleCompleted 382
belgelerAlindiEntegrasyonSiparisNoGuncelleAsync 274	elrsaliyeKullanicisi 289
belgelerAlindiEntegrasyonSiparisNoGuncelleCompleted 381	elrsaliyeKullanicisiAsync 290
belgeleriTekrarGonder 275	elrsaliyeKullanicisiCompleted 382
belgeleriTekrarGonderAsync 276	erpBilgileriBelirle 290
belgeleriTekrarGonderBelgeOid 276	erpBilgileriBelirleAsync 291
	erpBilgileriBelirleCompleted 382

faturaKepIleladeEdildi 291
faturaKepIleladeEdildiAsync 292
faturaKepIleladeEdildiCompleted 383
faturaKepIleladeEdildilptal 292
faturaKepIleladeEdildilptalAsync 293
faturaKepIleladeEdildilptalCompleted 383
faturaMailGonder 293
faturaMailGonderAsync 294, 295
faturaMailGonderCompleted 383
faturaNoUret 295
faturaNoUretAsync 296
faturaNoUretCompleted 383
faturaTarihcesiSorgula 296
faturaTarihcesiSorgulaAsync 297
faturaTarihcesiSorgulaCompleted 383
faturayaltirazEdildi 297
faturayaltirazEdildiAsync 298
faturayaltirazEdildiCompleted 383
faturayaltirazEdildilptal 298
faturayaltirazEdildilptalAsync 299
faturayaltirazEdildilptalCompleted 383
gelenBelgeDurumSorgula 300
gelenBelgeDurumSorgulaAsync 300, 301
gelenBelgeDurumSorgulaCompleted 383
gelenBelgeDurumSorgulaExt 301
gelenBelgeDurumSorgulaExtAsync 301, 302
gelenBelgeDurumSorgulaExtCompleted 383
gelenBelgeEkleriAI 302
gelenBelgeEkleriAIAsync 303
gelenBelgeEkleriAICompleted 383
gelenBelgeleriAI 303
gelenBelgeleriAIAsync 304
gelenBelgeleriAICompleted 383
gelenBelgeleriAIExt 304
gelenBelgeleriAIExt2 305
gelenBelgeleriAIExt2Async 306
gelenBelgeleriAIExt2Completed 384
gelenBelgeleriAIExtAsync 306
gelenBelgeleriAIExtCompleted 384
gelenBelgeleriIndir 307
gelenBelgeleriIndirAsync 307, 308
gelenBelgeleriIndirCompleted 384
gelenBelgeleriIndirExt 308
gelenBelgeleriIndirExtAsync 308, 309
gelenBelgeleriIndirExtCompleted 384
gelenBelgeleriListele 309
gelenBelgeleriListeleAsync 310
gelenBelgeleriListeleCompleted 384
gelenBelgeleriListeleExt 310
gelenBelgeleriListeleExtAsync 311
gelenBelgeleriListeleExtCompleted 384
gelenBelgeTutarBilgileriSorgula 311
gelenBelgeTutarBilgileriSorgulaAsync 312
gelenBelgeTutarBilgileriSorgulaCompleted 384
gelenBelgeXmlleriniAI 312
gelenBelgeXmlleriniAIAsync 313
gelenBelgeXmlleriniAICompleted 384
gelenBelgeXmlleriniAIExt 314
gelenBelgeXmlleriniAIExtAsync 314
gelenBelgeXmlleriniAIExtCompleted 384
gelenFaturalariArsiveKaldır 315
gelenFaturalariArsiveKaldırAsync 315
gelenFaturalariArsiveKaldırCompleted 384
gelenIrsaliyeleriArsiveKaldır 316
gelenIrsaliyeleriArsiveKaldırAsync 316
gelenIrsaliyeleriArsiveKaldırCompleted 384
gelenStandartRapolariAI 317
gelenStandartRapolariAIAsync 318
gelenStandartRapolariAICompleted 385
gelenTamamlananRapolariAI 318
gelenTamamlananRapolariAIAsync 319
gelenTamamlananRapolariAICompleted 385
gelenTasinanBelgeleriIndir 320
gelenTasinanBelgeleriIndirAsync 320
gelenTasinanBelgeleriIndirCompleted 385
gidenBelgeDurumSorgula 321
gidenBelgeDurumSorgulaAsync 321, 322
gidenBelgeDurumSorgulaBelgeNo 322
gidenBelgeDurumSorgulaBelgeNoAsync 323
gidenBelgeDurumSorgulaBelgeNoCompleted 385
gidenBelgeDurumSorgulaCompleted 385
gidenBelgeDurumSorgulaEtn 323

gidenBelgeDurumSorgulaEttnAsync 324	irsaliyeMailGonder 339
gidenBelgeDurumSorgulaEttnCompleted 385	irsaliyeMailGonderAsync 340
gidenBelgeDurumSorgulaExt 324	irsaliyeMailGonderCompleted 386
gidenBelgeDurumSorgulaExtAsync 325	irsaliyeTarihcesiSorgula 340
gidenBelgeDurumSorgulaExtCompleted 385	irsaliyeTarihcesiSorgulaAsync 341
gidenBelgeDurumSorgulaPortal 325	irsaliyeTarihcesiSorgulaCompleted 386
gidenBelgeDurumSorgulaPortalAsync 326	IsLocalFileSystemWebService 342
gidenBelgeDurumSorgulaPortalCompleted 385	kayitliKullaniciListeleExtended 342
gidenBelgeDurumSorgulaYerelBelgeNo 326	kayitliKullaniciListeleExtendedAsync 343
gidenBelgeDurumSorgulaYerelBelgeNoAsync 327	kayitliKullaniciListeleExtendedCompleted 386
gidenBelgeDurumSorgulaYerelBelgeNoCompleted 385	kayitliKullaniciListeleExtendedTime 343
gidenBelgeEkleriAI 327	kayitliKullaniciListeleExtendedTimeAsync 344
gidenBelgeEkleriAIAsync 328	kayitliKullaniciListeleExtendedTimeCompleted 387
gidenBelgeEkleriAICompleted 385	kayitliKullaniciListeleExtendedVknTckn 345
gidenBelgeleriIndir 329	kayitliKullaniciListeleExtendedVknTcknAsync 345
gidenBelgeleriIndirAsync 329, 330	kayitliKullaniciListeleExtendedVknTcknCompleted 387
gidenBelgeleriIndirCompleted 385	kontorBilgisiGetir 346
gidenBelgeleriIndirEttn 330	kontorBilgisiGetirAsync 346, 347
gidenBelgeleriIndirEttnAsync 331	kontorBilgisiGetirCompleted 387
gidenBelgeleriIndirEttnCompleted 386	OnbelgeGonderExtOperationCompleted 347
gidenBelgeleriIndirPortal 331	OnbelgeGonderExtWithValidateOperationCompleted 347
gidenBelgeleriIndirPortalAsync 332	OnbelgeGonderOperationCompleted 348
gidenBelgeleriIndirPortalCompleted 386	OnbelgeGonderWithValidateOperationCompleted 348
gidenBelgeleriListele 332	OnbelgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted 348
gidenBelgeleriListeleAsync 333	OnbelgelerAlindiOperationCompleted 348
gidenBelgeleriListeleCompleted 386	OnbelgeleriTekrarGonderBelgeOidOperationCompleted 349
gidenBelgeleriListelePortal 333	OnbelgeleriTekrarGonderOperationCompleted 349
gidenBelgeleriListelePortalAsync 334	OnbelgeleriTekrarGonderYerelBelgeNoOperationCompleted 349
gidenBelgeleriListelePortalCompleted 386	OncheckDateValidControlOperationCompleted 350
gidenBelgeTutarBilgileriSorgula 334	OncokluGidenBelgeDurumSorgulaOperationCompleted 350
gidenBelgeTutarBilgileriSorgulaAsync 335	OncsXmlOnizlemeOperationCompleted 350
gidenBelgeTutarBilgileriSorgulaCompleted 386	OncsXmlToUblOperationCompleted 351
gidenFaturalariArsiveKaldır 336	OneFaturaKayitliKullaniciListeleOperationCompleted 351
gidenFaturalariArsiveKaldırAsync 336	OnefaturaKullaniciBilgisiOperationCompleted 351
gidenFaturalariArsiveKaldırCompleted 386	OnefaturaKullaniciListesiOperationCompleted 351
gidenIrsaliyeleriArsiveKaldır 337	OnefaturaKullanicisiOperationCompleted 352
gidenIrsaliyeleriArsiveKaldırAsync 337	OneIrsaliyeKayitliKullaniciListeleOperationCompleted 352
gidenIrsaliyeleriArsiveKaldırCompleted 386	
gidenTasinanBelgeleriIndir 338	
gidenTasinanBelgeleriIndirAsync 338, 339	
gidenTasinanBelgeleriIndirCompleted 386	

OneIrsaliyeKullanicisiOperationCompleted	352	OngidenBelgeleriListeleOperationCompleted	363
OnePbilgileriBelirleOperationCompleted	353	OngidenBelgeleriListelePortalOperationCompleted	364
OnfaturaKepilleadeEdildiptalOperationCompleted	353	OngidenBelgeTutarBilgileriSorgulaOperationCompleted	364
OnfaturaKepilleadeEdildiOperationCompleted	353	OngidenFaturalariArsiveKaldirOperationCompleted	364
OnfaturaMailGonderOperationCompleted	354	OngidenIrsaliyeleriArsiveKaldirOperationCompleted	365
OnfaturaNoUretOperationCompleted	354	OngidenTasinanBelgeleriIndirOperationCompleted	365
OnfaturaTarihcesiSorgulaOperationCompleted	354	OnirsaliyeMailGonderOperationCompleted	365
OnfaturayaltirazEdildiptalOperationCompleted	354	OnirsaliyeTarihcesiSorgulaOperationCompleted	366
OnfaturayaltirazEdildiOperationCompleted	355	OnkayitliKullaniciListeleExtendedOperationCompleted	366
OngelenBelgeDurumSorgulaExtOperationCompleted	355	OnkayitliKullaniciListeleExtendedTimeOperationComplete	d
OngelenBelgeDurumSorgulaOperationCompleted	355	366	
OngelenBelgeEkleriAIOperationCompleted	356	OnkayitliKullaniciListeleExtendedVknTcknOperationComp	leted
OngelenBelgeleriAIExt2OperationCompleted	356	366	
OngelenBelgeleriAIExtOperationCompleted	356	OnkontorBilgisiGetirOperationCompleted	367
OngelenBelgeleriAIOperationCompleted	357	OntemelKontrollerlleBelgeGonderOperationCompleted	367
OngelenBelgeleriIndirExtOperationCompleted	357	OntoplambelgeSayisiGetirOperationCompleted	367
OngelenBelgeleriIndirOperationCompleted	357	OnublOnizlemeOperationCompleted	368
OngelenBelgeleriListeleExtOperationCompleted	357	OnurunSablonlariniAIOperationCompleted	368
OngelenBelgeleriListeleOperationCompleted	358	OnwsKullanicisiKaydetOperationCompleted	368
OngelenBelgeTutarBilgileriSorgulaOperationCompleted	358	OnyereleAktarilacakBelgeleriAIExtOperationCompleted	369
OngelenBelgeXmlleriniAIExtOperationCompleted	358	OnyereleAktarilacakBelgeleriAIOperationCompleted	369
OngelenBelgeXmlleriniAIOperationCompleted	359	OnyolcuBeraberFaturalptalEtOperationCompleted	369
OngelenFaturalariArsiveKaldirOperationCompleted	359	temelKontrollerlleBelgeGonder	369
OngelenIrsaliyeleriArsiveKaldirOperationCompleted	359	temelKontrollerlleBelgeGonderAsync	371
OngelenStandartRapolariAIOperationCompleted	360	temelKontrollerlleBelgeGonderCompleted	387
OngelenTamamlananRapolariAIOperationCompleted	360	toplambelgeSayisiGetir	371
OngelenTasinanBelgeleriIndirOperationCompleted	360	toplambelgeSayisiGetirAsync	372, 373
OngidenBelgeDurumSorgulaBelgeNoOperationComplete	d	toplambelgeSayisiGetirCompleted	387
360	ublOnizleme	373	
OngidenBelgeDurumSorgulaEttnOperationCompleted	361	ublOnizlemeAsync	374
OngidenBelgeDurumSorgulaExtOperationCompleted	361	ublOnizlemeCompleted	387
OngidenBelgeDurumSorgulaOperationCompleted	361	Url	380
OngidenBelgeDurumSorgulaPortalOperationCompleted	362	urunSablonlariniAI	374
OngidenBelgeDurumSorgulaYerelBelgeNoOperationCom	pleted	urunSablonlariniAIAsync	375
362	urunSablonlariniAICompleted	387	
OngidenBelgeEkleriAIOperationCompleted	362	UseDefaultCredentials	381
OngidenBelgeleriIndirEttnOperationCompleted	363	wsKullanicisiKaydet	375
OngidenBelgeleriIndirOperationCompleted	363	wsKullanicisiKaydetAsync	376
OngidenBelgeleriIndirPortalOperationCompleted	363		

wsKullaniciKaydetCompleted	387	EFaturaOnzleme	681
yereleAktarilacakBelgeleriAI	377	EFaturaServisineBaglan	682
yereleAktarilacakBelgeleriAIAsync	377, 378	EFaturaSilmeyeUygunMu	683
yereleAktarilacakBelgeleriAICompleted	387	EMustahsilGonder	683
yereleAktarilacakBelgeleriAIExt	378	EMustahsilOnzleme	684
yereleAktarilacakBelgeleriAIExtAsync	378, 379	EMustahsilServisineBaglan	685
yereleAktarilacakBelgeleriAIExtCompleted	387	EMustahsilSilmeyeUygunMu	686
yolcuBeraberFaturalptalEt	379	GetMD5Hash	686
yolcuBeraberFaturalptalEtAsync	380	GibYanitKodunaGoreSonucGetir	687
yolcuBeraberFaturalptalEtCompleted	387	ServistenBelgeDurumuGetir	688
CSV enumeration member	215	TarihBilgisiDuzenle	688
CSXML enumeration member	214, 650	DisServisler.cs	792
CSXML1 enumeration member	214, 650	dosyalInput class	29
CSXML2 enumeration member	214, 650	about dosyalInput class	29
CSXML3 enumeration member	214, 650	belgelcerigi	30
csXmlOnizlemeCompletedEventArgs class	388	genelBelgeFormatEnum	30
about csXmlOnizlemeCompletedEventArgs class	388	genelBelgeFormatEnumSpecified	30
csXmlOnizlemeCompletedEventArgs	388	doubleStringOutputWrapper class	30, 536
Result	388	@return	31, 536
csXmlToUblCompletedEventArgs class	388	about doubleStringOutputWrapper class	30, 536
about csXmlToUblCompletedEventArgs class	388	outputDurum	31, 536
csXmlToUblCompletedEventArgs	389	outputEposta	31, 536
Result	389		
CUSTOM enumeration member	214, 650		

D

DEFTER enumeration member	496
Diger enumeration member	690
DisServisler class	671
about DisServisler class	671
BelgeOidDurumunaGoreEvrapGonder	673
BelgeOidKontrol	673
EArsivFaturaSorgula	674
EArsivGonder	675
EArsivOnzleme	676
EArsivServisineBaglan	677
EArsivSilmeyeUygunMu	677
EFaturaGonder	678
EFaturaKullaniciListesi	680
EFaturaKullanicisiMi	681

E

EArsiv enumeration member	689
earsivServiceResult class	31, 537
about earsivServiceResult class	31, 537
resultCode	31, 537
resultExtra	32, 537
resultText	32, 537
earsivServiceResultEntry class	32, 537
about earsivServiceResultEntry class	32, 537
key	32, 538
value	32, 538
EarsivWebService class	33
about EarsivWebService class	33
aliciEpostaEkleSilGuncelle	41
aliciEpostaEkleSilGuncelleAsync	42
aliciEpostaEkleSilGuncelleCompleted	106
CancelAsync	42

EarsivWebService 41
eFaturaKayitliKullaniciListele 43
eFaturaKayitliKullaniciListeleAsync 43
eFaturaKayitliKullaniciListeleCompleted 106
efaturaKullanicisi 44
efaturaKullanicisiAsync 44
efaturaKullanicisiCompleted 106
efaturaKullanicisiKontrol 45
efaturaKullanicisiKontrolAsync 45
efaturaKullanicisiKontrolCompleted 106
ePostaDurumSorgula 45
ePostaDurumSorgulaAsync 46
ePostaDurumSorgulaCompleted 106
ePostaGonder 47
ePostaGonderAsync 47, 48
ePostaGonderCompleted 106
faturalptalEt 48
faturalptalEtAsync 48, 49
faturalptalEtCompleted 106
faturalptaliKaldır 49
faturalptaliKaldırAsync 49
faturalptaliKaldırCompleted 106
faturaltirazEt 50
faturaltirazEtAsync 50
faturaltirazEtCompleted 107
faturaltirazKaldır 51
faturaltirazKaldırAsync 51
faturaltirazKaldırCompleted 107
faturaListeSorgula 52
faturaListeSorgulaAsync 52
faturaListeSorgulaCompleted 107
faturaListeSorgulaCount 53
faturaListeSorgulaCountAsync 53
faturaListeSorgulaCountCompleted 107
faturaListeSorgulaPortal 54
faturaListeSorgulaPortalAsync 54
faturaListeSorgulaPortalCompleted 107
faturaNoUret 55
faturaNoUretAsync 55
faturaNoUretCompleted 107
faturaOlustur 56
faturaOlusturAsync 56
faturaOlusturCompleted 107
faturaOlusturExt 57
faturaOlusturExtAsync 57, 58
faturaOlusturExtCompleted 107
faturaOnizleme 58
faturaOnizlemeAsync 59
faturaOnizlemeCompleted 107
faturaSorgula 59
faturaSorgulaAsync 60
faturaSorgulaCompleted 107
faturaSorgulaExt 60
faturaSorgulaExtAsync 61
faturaSorgulaExtCompleted 107
faturaTaslakOlustur 61
faturaTaslakOlusturAsync 62
faturaTaslakOlusturCompleted 107
faturaTaslakOnizleme 62
faturaTaslakOnizlemeAsync 63
faturaTaslakOnizlemeCompleted 108
faturaTaslakSil 63
faturaTaslakSilAsync 64
faturaTaslakSilCompleted 108
faturaTaslakSorgula 64
faturaTaslakSorgulaAsync 65
faturaTaslakSorgulaCompleted 108
faturaTaslaktanOlustur 65
faturaTaslaktanOlusturAsync 66
faturaTaslaktanOlusturCompleted 108
faturaZipiAI 66
faturaZipiAIAsync 67
faturaZipiAICompleted 108
IsLocalFileSystemWebService 67
kontorBilgisiGetir 67
kontorBilgisiGetirAsync 68
kontorBilgisiGetirCompleted 108
okcRaporBolumAI 69
okcRaporBolumAIAsync 69
okcRaporBolumAICompleted 108
okcRaporKaydet 70
okcRaporKaydetAsync 70

okcRaporKaydetCompleted	108	OnraporBolumRaporNoGuncelleImzalaOperationCompleted
okcRaporOlusturGonder	71	ed 82
okcRaporOlusturGonderAsync	71	OnraporBolumSilOperationCompleted 82
okcRaporOlusturGonderCompleted	108	OnrapordaFaturaSorgulaOperationCompleted 83
OnaliciEpostaEkleSilGuncelleOperationCompleted	72	OnraporDurumSorgulaOperationCompleted 83
OneFaturaKayitliKullaniciListeleOperationCompleted	72	OnraporGonderOperationCompleted 83
OnefaturaKullanicisiKontrolOperationCompleted	72	OnservisSaglayicidanEpostaDurumSorgulaOperationCom-
OnefaturaKullanicisiOperationCompleted	72	pleted 84
OnePostaDurumSorgulaOperationCompleted	73	OnsmsDurumSorgulaOperationCompleted 84
OnePostaGonderOperationCompleted	73	OnsmsGonderOperationCompleted 84
OnfaturalptalEtOperationCompleted	73	OntoplxFaturaPaketDosyaGonderOperationCompleted 85
OnfaturalptaliKaldirOperationCompleted	74	OntoplxFaturaPaketDosyasiSorgulaOperationCompleted
OnfaturaltirazEtOperationCompleted	74	85
OnfaturaltirazKaldirOperationCompleted	74	OntoplxFaturaPaketOnaylaOperationCompleted 85
OnfaturaListeSorgulaCountOperationCompleted	75	OntoplxFaturaPaketSorgulaOperationCompleted 85
OnfaturaListeSorgulaOperationCompleted	75	OnyapilandirmaAyarlariAIOperationCompleted 86
OnfaturaListeSorgulaPortalOperationCompleted	75	raporBolumAI 86
OnfaturaNoUretOperationCompleted	75	raporBolumAIAsync 87
OnfaturaOlusturExtOperationCompleted	76	raporBolumAICompleted 108
OnfaturaOlusturOperationCompleted	76	raporBolumBilgisiAI 87
OnfaturaOnizlemeOperationCompleted	76	raporBolumBilgisiAIAsync 88
OnfaturaSorgulaExtOperationCompleted	77	raporBolumBilgisiAICompleted 108
OnfaturaSorgulaOperationCompleted	77	raporBolumleriOlustur 88
OnfaturaTaslakOlusturOperationCompleted	77	raporBolumleriOlusturAsync 89
OnfaturaTaslakOnizlemeOperationCompleted	78	raporBolumleriOlusturCompleted 108
OnfaturaTaslakSilOperationCompleted	78	raporBolumListesiDetayliSorgula 89
OnfaturaTaslakSorgulaOperationCompleted	78	raporBolumListesiDetayliSorgulaAsync 90
OnfaturaTaslaktanOlusturOperationCompleted	78	raporBolumListesiDetayliSorgulaCompleted 109
OnfaturaZipiAIOperationCompleted	79	raporBolumListesiSorgula 90
OnkontorBilgisiGetirOperationCompleted	79	raporBolumListesiSorgulaAsync 91
OnokcRaporBolumAIOperationCompleted	79	raporBolumListesiSorgulaCompleted 109
OnokcRaporKaydetOperationCompleted	80	raporBolumListesiSorgulaWithInput 91
OnokcRaporOlusturGonderOperationCompleted	80	raporBolumListesiSorgulaWithInputAsync 92
OnraporBolumAIOperationCompleted	80	raporBolumListesiSorgulaWithInputCompleted 109
OnraporBolumBilgisiAIOperationCompleted	81	raporBolumRaporNoGuncelleImzala 92
OnraporBolumleriOlusturOperationCompleted	81	raporBolumRaporNoGuncelleImzalaAsync 93
OnraporBolumListesiDetayliSorgulaOperationCompleted	81	raporBolumRaporNoGuncelleImzalaCompleted 109
OnraporBolumListesiSorgulaOperationCompleted	81	raporBolumSil 93
OnraporBolumListesiSorgulaWithInputOperationComplete	d 82	raporBolumSilAsync 94
		raporBolumSilCompleted 109

rapordaFaturaSorgula 94
 rapordaFaturaSorgulaAsync 95
 rapordaFaturaSorgulaCompleted 109
 raporDurumSorgula 95
 raporDurumSorgulaAsync 96
 raporDurumSorgulaCompleted 109
 raporGonder 96
 raporGonderAsync 97
 raporGonderCompleted 109
 servisSaglayicidanEpostaDurumSorgula 97
 servisSaglayicidanEpostaDurumSorgulaAsync 98
 servisSaglayicidanEpostaDurumSorgulaCompleted 109
 smsDurumSorgula 98
 smsDurumSorgulaAsync 99
 smsDurumSorgulaCompleted 109
 smsGonder 99
 smsGonderAsync 100
 smsGonderCompleted 109
 topluFaturaPaketDosyaGonder 100
 topluFaturaPaketDosyaGonderAsync 101
 topluFaturaPaketDosyaGonderCompleted 110
 topluFaturaPaketDosyasiSorgula 101
 topluFaturaPaketDosyasiSorgulaAsync 102
 topluFaturaPaketDosyasiSorgulaCompleted 110
 topluFaturaPaketOnayla 102
 topluFaturaPaketOnaylaAsync 103
 topluFaturaPaketOnaylaCompleted 110
 topluFaturaPaketSorgula 103
 topluFaturaPaketSorgulaAsync 104
 topluFaturaPaketSorgulaCompleted 110
 Url 105
 UseDefaultCredentials 106
 yapilandirmaAyarlariAI 104
 yapilandirmaAyarlariAIAsync 105
 yapilandirmaAyarlariAICompleted 110
 EFatura enumeration member 689
 eFaturaKayitliKullaniciHistory class 389
 about eFaturaKayitliKullaniciHistory class 389
 etiket 390
 etiketOlusturulmaZamani 390
 silinmeZamani 390
 eFaturaKayitliKullaniciListele class 110
 about eFaturaKayitliKullaniciListele class 110
 kayitZamani 110
 eFaturaKayitliKullaniciListeleCompletedEventArgs class 111, 390
 about eFaturaKayitliKullaniciListeleCompletedEventArgs class 111, 390
 eFaturaKayitliKullaniciListeleCompletedEventArgs 111, 391
 Result 111, 391
 eFaturaKullanici class 112, 391
 about eFaturaKullanici class 112, 391
 etiket 112, 392
 kamuKurulusu 112, 392
 kayitZamani 112, 392
 unvan 112, 392
 vergiTcKimlikNo 113, 392
 efaturaKullaniciBilgisiCompletedEventArgs class 392
 about efaturaKullaniciBilgisiCompletedEventArgs class 392
 efaturaKullaniciBilgisiCompletedEventArgs 393
 Result 393
 eFaturaKullaniciExtended class 393
 about eFaturaKullaniciExtended class 393
 eFaturaKayitliKullaniciHistoryList 394
 etiket 394
 etiketOlusturulmaZamani 394
 hesapTipi 394
 hesapTipiSpecified 394
 kamuKurulusu 394
 kamuKurulusuSpecified 394
 kayitZamani 395
 tip 395
 tipSpecified 395
 unvan 395
 vergiTcKimlikNo 395
 efaturaKullaniciListesiCompletedEventArgs class 395
 about efaturaKullaniciListesiCompletedEventArgs class 395
 efaturaKullaniciListesiCompletedEventArgs 396
 Result 396
 efaturaKullanicisi class 113

about efaturaKullanici class 113
 vergiTcKimlikNo 113

efaturaKullaniciCompletedEventArgs class 113, 396
 about efaturaKullaniciCompletedEventArgs class 113, 396
 efaturaKullaniciCompletedEventArgs 114, 396
 Result 114, 396

efaturaKullaniciKontrol class 114
 about efaturaKullaniciKontrol class 114
 input 115

efaturaKullaniciKontrolCompletedEventArgs class 115
 about efaturaKullaniciKontrolCompletedEventArgs class 115
 efaturaKullaniciKontrolCompletedEventArgs 115
 Result 115

efaturaKullaniciKontrolResponse class 116
 @return 116
 about efaturaKullaniciKontrolResponse class 116

efaturaKullaniciResponse class 116
 @return 117
 about efaturaKullaniciResponse class 116

eIrsaliyeKayitliKullaniciListeleCompletedEventArgs class 397
 about eIrsaliyeKayitliKullaniciListeleCompletedEventArgs class 397
 eIrsaliyeKayitliKullaniciListeleCompletedEventArgs 397
 Result 398

eIrsaliyeKullanici class 398
 about eIrsaliyeKullanici class 398
 etiket 398
 kamuKurulusu 398
 kayitZamani 399
 unvan 399
 vergiTcKimlikNo 399

eIrsaliyeKullaniciCompletedEventArgs class 399
 about eIrsaliyeKullaniciCompletedEventArgs class 399
 eIrsaliyeKullaniciCompletedEventArgs 399
 Result 400

Enums class 689
 about Enums class 689

Enums.cs 806

ePostaDurumSorgula class 117, 538
 about ePostaDurumSorgula class 117, 538

input 117, 539
 ePostaDurumSorgulaCompletedEventArgs class 117, 539
 @return 118, 540
 about ePostaDurumSorgulaCompletedEventArgs class 117, 539
 ePostaDurumSorgulaCompletedEventArgs 118, 539
 outputEposta 118, 540
 Result 118, 540

ePostaGonder class 118, 540
 about ePostaGonder class 118, 540
 ilaveEposta 119, 540
 input 119, 540
 tanimliEpostayaGonder 119, 541

ePostaGonderCompletedEventArgs class 119, 541
 about ePostaGonderCompletedEventArgs class 119, 541
 ePostaGonderCompletedEventArgs 120, 541
 Result 120, 541

ePostaGonderResponse class 120, 542
 @return 120, 542
 about ePostaGonderResponse class 120, 542

erpBilgileri class 400
 about erpBilgileri class 400
 aciklama 400
 kod 400

F

Fark enumeration member 690
 FATURA enumeration member 496
 faturaDTO class 121, 542
 about faturaDTO class 121, 542
 arsiv 123, 544
 creationTime 123, 544
 currency 123, 544
 dokumanFormati 123, 545
 durum 123, 545
 durumSpecified 123, 545
 duzenlenmeZamani 123, 545
 epostaGonderimDurumu 123, 545
 epostaGonderimDurumuSpecified 123, 545
 erpKodu 124, 545
 faturaSiraNo 124, 545

faturaSiraNoSpecified 124, 545
faturaZamani 124, 546
ilkKayitZmani 124, 546
indirildi 124, 546
indirildiSpecified 124, 546
invoiceId 124, 546
invoiceTypeCode 124, 546
iptalEdenKullaniciKodu 125, 546
iptalKaynagi 125, 546
iptalKaynagiSpecified 125, 546
iptalRaporTarihi 125, 547
iptalTarihi 125, 547
iptalTarihiExcel 125, 547
islemlid 125, 547
issueDate 125, 547
itirazEdenKullaniciKodu 125, 547
itirazKaynagi 126, 547
itirazKaynagiSpecified 126, 547
itirazTarihi 126, 547
kagitFatura 126, 548
kagitFaturaSpecified 126, 548
kasa 126, 548
kaynak 126, 548
kepDurum 126, 548
kepDurumSpecified 126, 548
kolayFatura 127, 548
kolayFaturaSpecified 127, 548
okundu 127, 548
okunduSpecified 127, 549
payableAmount 127, 549
payableAmountSpecified 127, 549
profileId 127, 549
raporTarihi 127, 549
receiverContact 127, 549
receiverIdentifier 128, 549
receiverIdentifierTxt 128, 549
receiverName 128, 549
senderContact 128, 550
senderName 128, 550
sonGuncellemeZamani 128, 550
sube 128, 550

tanimliSubeKod 128, 550
telNo 128, 550
toplamTutar 129, 550
toplamTutarSpecified 129, 550
uuid 129, 550
vergilerToplami 129, 551
vergilerToplamiSpecified 129, 551
versiyon 129, 551
versiyonSpecified 129, 551
yazdirildi 129, 551
yazdirildiSpecified 129, 551
yerelFaturaNo 130, 551

faturalptalEt class 130
 about faturalptalEt class 130
 input 130

faturalptalEtCompletedEventArgs class 130
 about faturalptalEtCompletedEventArgs class 130
 faturalptalEtCompletedEventArgs 131
 Result 131

faturalptalEtResponse class 131
 @return 132
 about faturalptalEtResponse class 131

faturalptaliKaldır class 132
 about faturalptaliKaldır class 132
 input 132

faturalptaliKaldırCompletedEventArgs class 132
 about faturalptaliKaldırCompletedEventArgs class 132
 faturalptaliKaldırCompletedEventArgs 133
 Result 133

faturalptaliKaldırResponse class 133
 @return 134
 about faturalptaliKaldırResponse class 133

faturaltirazEt class 134
 about faturaltirazEt class 134
 input 134

faturaltirazEtCompletedEventArgs class 134
 about faturaltirazEtCompletedEventArgs class 134
 faturaltirazEtCompletedEventArgs 135
 Result 135

faturaltirazEtResponse class 135
 @return 136

about faturaltirazEtResponse class 135
faturaltirazKaldır class 136
 about faturaltirazKaldır class 136
 input 136
faturaltirazKaldırCompletedEventArgs class 136
 about faturaltirazKaldırCompletedEventArgs class 136
 faturaltirazKaldırCompletedEventArgs 137
 Result 137
faturaltirazKaldırResponse class 137
 @return 138
 about faturaltirazKaldırResponse class 137
FaturaKdvDTO class 2
 about FaturaKdvDTO class 2
 KdvHarcTutar 3
 KdvOran 3
 KdvTutari 3
FaturaKdvDTO.cs 807
faturaKepIleladeEdildiCompletedEventArgs class 400
 about faturaKepIleladeEdildiCompletedEventArgs class 400
 faturaKepIleladeEdildiCompletedEventArgs 401
 Result 401
faturaKepIleladeEdildilptalCompletedEventArgs class 401
 about faturaKepIleladeEdildilptalCompletedEventArgs class 401
 faturaKepIleladeEdildilptalCompletedEventArgs 402
 Result 402
faturaListeSorgula class 138
 about faturaListeSorgula class 138
 input 138
faturaListeSorgulaCompletedEventArgs class 138
 about faturaListeSorgulaCompletedEventArgs class 138
 faturaListeSorgulaCompletedEventArgs 139
 output 139
 Result 139
faturaListeSorgulaCount class 139
 about faturaListeSorgulaCount class 139
 input 140
faturaListeSorgulaCountCompletedEventArgs class 140
 about faturaListeSorgulaCountCompletedEventArgs class 140
 faturaListeSorgulaCountCompletedEventArgs 140
 output 141
 Result 141
faturaListeSorgulaCountResponse class 141
 @return 141
 about faturaListeSorgulaCountResponse class 141
 output 141
faturaListeSorgulaPortal class 141
 about faturaListeSorgulaPortal class 141
 input 142
faturaListeSorgulaPortalCompletedEventArgs class 142
 about faturaListeSorgulaPortalCompletedEventArgs class 142
 faturaListeSorgulaPortalCompletedEventArgs 142
 output 143
 Result 143
faturaListeSorgulaPortalResponse class 143
 @return 143
 about faturaListeSorgulaPortalResponse class 143
 output 143
faturaListeSorgulaResponse class 144
 @return 144
 about faturaListeSorgulaResponse class 144
 output 144
faturaNoUret class 144
 about faturaNoUret class 144
 input 145
faturaNoUretCompletedEventArgs class 145, 402
 @return 146
 about faturaNoUretCompletedEventArgs class 145, 402
 faturaNoUretCompletedEventArgs 145, 403
 Result 146, 403
faturaOlustur class 146
 about faturaOlustur class 146
 fatura 146
 input 146
faturaOlusturCompletedEventArgs class 146
 @return 147
 about faturaOlusturCompletedEventArgs class 146
 faturaOlusturCompletedEventArgs 147
 Result 147
faturaOlusturExt class 147

about faturaOlusturExt class 147
fatura 148
input 148
faturaOlusturExtCompletedEventArgs class 148
 @return 149
 about faturaOlusturExtCompletedEventArgs class 148
 faturaOlusturExtCompletedEventArgs 149
 Result 149
faturaOnizleme class 149
 about faturaOnizleme class 149
 fatura 150
 input 150
faturaOnizlemeCompletedEventArgs class 150
 @return 151
 about faturaOnizlemeCompletedEventArgs class 150
 faturaOnizlemeCompletedEventArgs 150
 Result 151
faturaSorgula class 151
 about faturaSorgula class 151
 input 151
faturaSorgulaCompletedEventArgs class 151
 @return 152
 about faturaSorgulaCompletedEventArgs class 151
 faturaSorgulaCompletedEventArgs 152
 Result 152
faturaSorgulaExt class 152
 about faturaSorgulaExt class 152
 input 153
faturaSorgulaExtCompletedEventArgs class 153
 @return 154
 about faturaSorgulaExtCompletedEventArgs class 153
 faturaSorgulaExtCompletedEventArgs 153
 Result 154
faturaTarihcesiData class 403
 about faturaTarihcesiData class 403
 bagliKayitId 404
 faturaEtn 404
 islem 404
 islemAciklama 404
 islemKanali 404
 islemKanaliAciklama 404
islemSonucu 405
islemZamani 405
kullanici 405
kullanicilp 405
zarfEtn 405
faturaTarihcesiSorgulaCompletedEventArgs class 405
 about faturaTarihcesiSorgulaCompletedEventArgs class 405
 faturaTarihcesiSorgulaCompletedEventArgs 406
 Result 406
faturaTaslakOlustur class 154
 about faturaTaslakOlustur class 154
 fatura 154
 input 154
faturaTaslakOlusturCompletedEventArgs class 154
 about faturaTaslakOlusturCompletedEventArgs class 154
 faturaTaslakOlusturCompletedEventArgs 155
 Result 155
faturaTaslakOlusturResponse class 155
 @return 156
 about faturaTaslakOlusturResponse class 155
faturaTaslakOnizleme class 156
 about faturaTaslakOnizleme class 156
 input 156
faturaTaslakOnizlemeCompletedEventArgs class 156
 about faturaTaslakOnizlemeCompletedEventArgs class 156
 faturaTaslakOnizlemeCompletedEventArgs 157
 output 157
 Result 157
faturaTaslakOnizlemeResponse class 157
 @return 158
 about faturaTaslakOnizlemeResponse class 157
 output 158
faturaTaslakSil class 158
 about faturaTaslakSil class 158
 input 159
faturaTaslakSilCompletedEventArgs class 159
 about faturaTaslakSilCompletedEventArgs class 159
 faturaTaslakSilCompletedEventArgs 159
 Result 159

faturaTaslakSilResponse class 160		faturaZipiAIResponse class 165
@return 160		@return 166
about faturaTaslakSilResponse class 160		about faturaZipiAIResponse class 165
faturaTaslakSorgula class 160		output 166
about faturaTaslakSorgula class 160		Files 789
input 161		FormAnaSayfa.cs 808
faturaTaslakSorgulaCompletedEventArgs class 161		FormAnaSayfa.Designer.cs 830
about faturaTaslakSorgulaCompletedEventArgs class 161		frmAnaSayfa class 755
faturaTaslakSorgulaCompletedEventArgs 161		about frmAnaSayfa class 755
output 161		btnBelgeOidKontrol_Click 758
Result 162		btnEFaturaKullaniciListeAktar_Click 759
faturaTaslakSorgulaResponse class 162		btnEFaturaKullaniciListesi_Click 759
@return 162		btnEFaturaKullaniciListesiTemizle_Click 760
about faturaTaslakSorgulaResponse class 162		btnFaturaSil_Click 760
output 162		btnGIBOnizleme_Click 761
faturaTaslaktanOlustur class 162		btnGIBOnizlemeMustahsil_Click 762
about faturaTaslaktanOlustur class 162		btnMakbuzSil_Click 762
input 163		btnServiseGonder_Click 763
faturaTaslaktanOlusturCompletedEventArgs class 163		btnServiseGonderMustahsil_Click 764
@return 164		btnXmlOlustur_Click 764
about faturaTaslaktanOlusturCompletedEventArgs class 163		btnXmlOlusturMustahsil_Click 765
faturaTaslaktanOlusturCompletedEventArgs 163		Dispose 766
Result 164		EArsivXMLOlusturVeOnIzlemeYap 766
faturayaltirazEdildiCompletedEventArgs class 406		EArsivXMLOlusturVeServiseGonder 767
about faturayaltirazEdildiCompletedEventArgs class 406		EFaturaKullaniciListesiniTXTFormatindaKaydet 767
faturayaltirazEdildiCompletedEventArgs 407		EFaturaKullanicisiMi 768
Result 407		EFaturaXMLOlusturVeOnIzlemeYap 768
faturayaltirazEdildilptalCompletedEventArgs class 407		EFaturaXMLOlusturVeServiseGonder 769
about faturayaltirazEdildilptalCompletedEventArgs class 407		FaturaDosyaOnizlemeYap 770
faturayaltirazEdildilptalCompletedEventArgs 408		FormAnaSayfa_Shown 770
Result 408		frmAnaSayfa 758
faturaZipiAI class 164		frmAnaSayfa_FormClosed 780
about faturaZipiAI class 164		InitializeComponent 780
input 164		IslemIcinKlasorSecildiMi 785
faturaZipiAICompletedEventArgs class 164		IslemSonunuMesajiHazirla 785
about faturaZipiAICompletedEventArgs class 164		IslemYapilacakFaturaBilgisiDuzenle 786
faturaZipiAICompletedEventArgs 165		IslemYapilacakMakbuzBilgisiDuzenle 786
output 165		listBox_DrawItem 787
Result 165		listBox_MeasureItem 787
		MustahsilMakbuzuDosyaOnizlemeYap 787
		ZipDosyasindanPdfCikar 788

G

gelenBelgeDurum class 408
 about gelenBelgeDurum class 408
 alimTarihi 409
 belgeNo 409
 ettn 409
 yanitDetayi 409
 yanitDurumu 409
 yanitGonderimCevabiDetayi 409
 yanitGonderimCevabiKodu 409
 yanitGonderimDurumu 410
 yanitGonderimTarihi 410
 gelenBelgeDurumSorgulaCompletedEventArgs class 410
 about gelenBelgeDurumSorgulaCompletedEventArgs class 410
 gelenBelgeDurumSorgulaCompletedEventArgs 410
 Result 411
 gelenBelgeDurumSorgulaExtCompletedEventArgs class 411
 about gelenBelgeDurumSorgulaExtCompletedEventArgs class 411
 gelenBelgeDurumSorgulaExtCompletedEventArgs 411
 Result 412
 gelenBelgeDurumv2 class 412
 about gelenBelgeDurumv2 class 412
 siraNo 413
 yereleAktarimDurumu 413
 gelenBelgeDurumv3 class 413
 about gelenBelgeDurumv3 class 413
 kepDurum 414
 gelenBelgeDurumv4 class 414
 about gelenBelgeDurumv4 class 414
 gibIptalDurum 415
 gelenBelgeDurumv5 class 415
 about gelenBelgeDurumv5 class 415
 yanitEtn 416
 gelenBelgeEkleriAICompletedEventArgs class 416
 about gelenBelgeEkleriAICompletedEventArgs class 416
 gelenBelgeEkleriAICompletedEventArgs 417
 Result 417
 gelenBelgeleriAICompletedEventArgs class 417
 about gelenBelgeleriAICompletedEventArgs class 417
 gelenBelgeleriAICompletedEventArgs 417
 Result 418
 gelenBelgeleriAIExt2CompletedEventArgs class 418
 about gelenBelgeleriAIExt2CompletedEventArgs class 418
 gelenBelgeleriAIExt2CompletedEventArgs 418
 Result 419
 gelenBelgeleriAIExt2Entry class 419
 about gelenBelgeleriAIExt2Entry class 419
 key 419
 value 419
 gelenBelgeleriAIExtCompletedEventArgs class 419
 about gelenBelgeleriAIExtCompletedEventArgs class 419
 gelenBelgeleriAIExtCompletedEventArgs 420
 Result 420
 gelenBelgeleriIndirCompletedEventArgs class 420
 about gelenBelgeleriIndirCompletedEventArgs class 420
 gelenBelgeleriIndirCompletedEventArgs 421
 Result 421
 gelenBelgeleriIndirExtCompletedEventArgs class 421
 about gelenBelgeleriIndirExtCompletedEventArgs class 421
 gelenBelgeleriIndirExtCompletedEventArgs 422
 Result 422
 gelenBelgeleriListeleCompletedEventArgs class 422
 about gelenBelgeleriListeleCompletedEventArgs class 422
 gelenBelgeleriListeleCompletedEventArgs 423
 Result 423
 gelenBelgeleriListeleExtCompletedEventArgs class 423
 about gelenBelgeleriListeleExtCompletedEventArgs class 423
 gelenBelgeleriListeleExtCompletedEventArgs 424
 Result 424
 gelenBelgeParametreleri class 424
 about gelenBelgeParametreleri class 424
 alanEtiket 425
 belgeFormati 425
 belgelerAlindiMi 425
 belgelerAlindiMiSpecified 425
 belgeTuru 425

belgeVersiyon 426
 donusTipiVersiyon 426
 entegrasyonHedefi 426
 erpKodu 426
 ettn 426
 faturaTarihiBaslangic 426
 faturaTarihiBitis 426
 gelisTarihiBaslangic 426
 gelisTarihiBitis 426
 gonderenEtiket 427
 onayDurum 427
 sonAlinanBelgeSiraNumarasi 427
 subeKodu 427
 vergiTcKimlikNo 427
gelenBelgeTutarBilgileri class 427
 about **gelenBelgeTutarBilgileri** class 427
 belgeNo 428
 belgeTarihi 428
 ettn 428
 gondericiVkn 428
 kdv18Oran 428
 kdv18Tutar 429
 kdv1Oran 429
 kdv1Tutar 429
 kdv8Oran 429
 kdv8Tutar 429
 kdvTevkifatOran 429
 kdvTevkifatTutari 429
 kdvToplamTutari 429
 kdvToplamTutariDovizCinsi 429
 malHizmetToplamTutari 430
 malHizmetToplamTutariDovizCinsi 430
 odenecekTutar 430
 odenecekTutarDovizCinsi 430
gelenBelgeTutarBilgileriSorgulaCompletedEventArgs class 430
 about
gelenBelgeTutarBilgileriSorgulaCompletedEventArgs class 430
gelenBelgeTutarBilgileriSorgulaCompletedEventArgs 431
 Result 431
gelenBelgeXmlleriniAICompletedEventArgs class 431
 about **gelenBelgeXmlleriniAICompletedEventArgs** class 431
gelenBelgeXmlleriniAICompletedEventArgs 432
 Result 432
gelenBelgeXmlleriniAIExtCompletedEventArgs class 432
 about **gelenBelgeXmlleriniAIExtCompletedEventArgs** class 432
gelenBelgeXmlleriniAIExtCompletedEventArgs 433
 Result 433
gelenStandartRapolariAICompletedEventArgs class 433
 about **gelenStandartRapolariAICompletedEventArgs** class 433
gelenStandartRapolariAICompletedEventArgs 434
 Result 434
gelenTamamlananRapolariAICompletedEventArgs class 434
 about **gelenTamamlananRapolariAICompletedEventArgs** class 434
gelenTamamlananRapolariAICompletedEventArgs 435
 Result 435
gelenTasinanBelgeleriIndirCompletedEventArgs class 435
 about **gelenTasinanBelgeleriIndirCompletedEventArgs** class 435
gelenTasinanBelgeleriIndirCompletedEventArgs 436
 Result 436
GeriDonus class 691
 about **GeriDonus** class 691
 Dosya 692
 Tip 692
GeriDonus.cs 835
GibNumarasi class 692
 about **GibNumarasi** class 692
 RastgeleGibNumarasiOlustur 692
 RastgeleMetinOlustur 693
GibNumarasi.cs 836
gidenBelgeDurum class 436
 about **gidenBelgeDurum** class 436
 aciklama 437
 alimTarihi 437
 belgeNo 437
 durum 437
 ettn 437
 gonderimCevabiDetayi 437

gonderimCevabiKodu 438
 gonderimDurumu 438
 gonderimTarihi 438
 olusturulmaTarihi 438
 yanitDetayi 438
 yanitDurumu 438
 yanitTarihi 438
 gidenBelgeDurumParametreleri class 438
 about gidenBelgeDurumParametreleri class 438
 belgeNo 439
 belgeNoList 439
 belgeNoTipi 439
 belgeTuru 439
 donusTipiVersiyon 439
 gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs class 439
 about
 gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs class 439
 gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs 440
 Result 440
 gidenBelgeDurumSorgulaCompletedEventArgs class 440
 about gidenBelgeDurumSorgulaCompletedEventArgs class 440
 gidenBelgeDurumSorgulaCompletedEventArgs 441
 Result 441
 gidenBelgeDurumSorgulaEttnCompletedEventArgs class 441
 about gidenBelgeDurumSorgulaEttnCompletedEventArgs class 441
 gidenBelgeDurumSorgulaEttnCompletedEventArgs 442
 Result 442
 gidenBelgeDurumSorgulaExtCompletedEventArgs class 442
 about gidenBelgeDurumSorgulaExtCompletedEventArgs class 442
 gidenBelgeDurumSorgulaExtCompletedEventArgs 443
 Result 443
 gidenBelgeDurumSorgulaPortalCompletedEventArgs class 443
 about
 gidenBelgeDurumSorgulaPortalCompletedEventArgs class 443
 gidenBelgeDurumSorgulaPortalCompletedEventArgs 444
 Result 444

gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs class 444
 about
 gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs class 444
 gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs 445
 Result 445
 gidenBelgeDurumv2 class 445
 about gidenBelgeDurumv2 class 445
 ulastiMi 446
 yenidenGonderilebilirMi 446
 gidenBelgeDurumv3 class 446
 about gidenBelgeDurumv3 class 446
 yerelBelgeOid 447
 gidenBelgeDurumv4 class 448
 about gidenBelgeDurumv4 class 448
 gtbFiilihracatTarihi 449
 gtbGcbTescilNo 449
 gtbRefNo 449
 gidenBelgeDurumv5 class 449
 about gidenBelgeDurumv5 class 449
 yanitEtn 450
 yanitVerilenBelgeEtn 450
 gidenBelgeDurumv6 class 450
 about gidenBelgeDurumv6 class 450
 kepDurum 452
 gidenBelgeEkleriAICompletedEventArgs class 452
 about gidenBelgeEkleriAICompletedEventArgs class 452
 gidenBelgeEkleriAICompletedEventArgs 452
 Result 453
 gidenBelgelerDurumSorgulaPortalParametreleri class 453
 about gidenBelgelerDurumSorgulaPortalParametreleri class 453
 baslangicOlusturulmaTarihi 453
 belgeEtnListesi 453
 belgeTuru 454
 belgeVersiyon 454
 bitisOlusturulmaTarihi 454
 faturaBaslangicTarihi 454
 faturaBitisTarihi 454

vknTckn 454
 gidenBelgeleriIndirCompletedEventArgs class 454
 about gidenBelgeleriIndirCompletedEventArgs class 454
 gidenBelgeleriIndirCompletedEventArgs 455
 Result 455
 gidenBelgeleriIndirEttnCompletedEventArgs class 455
 about gidenBelgeleriIndirEttnCompletedEventArgs class 455
 gidenBelgeleriIndirEttnCompletedEventArgs 456
 Result 456
 gidenBelgeleriIndirPortalCompletedEventArgs class 456
 about gidenBelgeleriIndirPortalCompletedEventArgs class 456
 gidenBelgeleriIndirPortalCompletedEventArgs 457
 Result 457
 gidenBelgeleriIndirPortalParametreleri class 457
 about gidenBelgeleriIndirPortalParametreleri class 457
 baslangicGonderimTarihi 458
 belgeEttnListesi 458
 belgeFormati 458
 belgeTuru 458
 bitisGonderimTarihi 458
 faturaBaslangicTarihi 458
 faturaBitisTarihi 458
 kaynak 459
 pageCount 459
 vergiTcKimlikNo 459
 gidenBelgeleriListeleCompletedEventArgs class 459
 about gidenBelgeleriListeleCompletedEventArgs class 459
 gidenBelgeleriListeleCompletedEventArgs 459
 Result 460
 gidenBelgeleriListeleData class 460
 about gidenBelgeleriListeleData class 460
 alimDurumu 460
 alimZamani 461
 belgeOid 461
 belgeTarihi 461
 belgeTuru 461
 ettm 461
 hataMesaji 461
 islemYapanVkn 461
 kaynak 461
 kullaniciKodu 461
 yerelBelgeNo 462
 gidenBelgeleriListeleParametreleri class 462
 about gidenBelgeleriListeleParametreleri class 462
 baslangicBelgeTarihi 462
 baslangicGonderimTarihi 462
 belgeTuru 463
 bitisBelgeTarihi 463
 bitisGonderimTarihi 463
 vkn 463
 gidenBelgeleriListelePortalCompletedEventArgs class 463
 about gidenBelgeleriListelePortalCompletedEventArgs class 463
 gidenBelgeleriListelePortalCompletedEventArgs 464
 Result 464
 gidenBelgeleriListelePortalData class 464
 about gidenBelgeleriListelePortalData class 464
 alanEtiket 465
 alanSubeKodu 465
 alanVergiTcKimlikNo 465
 belgeNo 465
 belgeTarihi 465
 belgeTipi 465
 belgeTuru 466
 erpKodu 466
 ettm 466
 gonderenEtiket 466
 gonderenSubeKodu 466
 gonderimZamani 466
 islemYapanVkn 466
 kaynak 466
 kullaniciKodu 466
 gidenBelgeleriListelePortalDatav2 class 467
 about gidenBelgeleriListelePortalDatav2 class 467
 yanitEttm 467
 gidenBelgeleriListelePortalParametreleri class 468
 about gidenBelgeleriListelePortalParametreleri class 468
 baslangicGonderimTarihi 468
 belgeEttnListesi 468
 belgeTuru 468

belgeVersiyon 469
 bitisGonderimTarihi 469
 faturaBaslangicTarihi 469
 faturaBitisTarihi 469
 kaynak 469
 pageCount 469
 vergiTcKimlikNo 469
 gidenBelgeParametreleri class 469
 about gidenBelgeParametreleri class 469
 alanEtiket 470
 belgeHash 470
 belgeNo 470
 belgeTuru 470
 belgeVersiyon 471
 donusTipiVersiyon 471
 erpKodu 471
 gonderenEtiket 471
 mimeType 471
 subeKodu 471
 vergiTcKimlikNo 471
 veri 471
 xsltAdi 472
 xsltVeri 472
 gidenBelgeTutarBilgileri class 472
 about gidenBelgeTutarBilgileri class 472
 belgeNo 473
 belgeTarihi 473
 ettm 473
 kdv18Oran 473
 kdv18Tutar 473
 kdv1Oran 473
 kdv1Tutar 473
 kdv8Oran 473
 kdv8Tutar 474
 kdvTevkifatOran 474
 kdvTevkifatTutari 474
 kdvToplamTutari 474
 kdvToplamTutariDovizCinsi 474
 malHizmetToplamTutari 474
 malHizmetToplamTutariDovizCinsi 474
 odencekTutar 474
 odencekTutarDovizCinsi 474
 gidenBelgeTutarBilgileriSorgulaCompletedEventArgs class 475
 about
 gidenBelgeTutarBilgileriSorgulaCompletedEventArgs class 475
 gidenBelgeTutarBilgileriSorgulaCompletedEventArgs 475
 Result 475
 GidenFaturaDetayDTO class 3
 about GidenFaturaDetayDTO class 3
 FaturaUrunTuru 4
 IrsaliyeNo 4
 IskontoOran 4
 KdvHaricTutar 4
 KdvOran 4
 KdvTutari 5
 KonaklamaVergisi 5
 MalzemeFaturaAciklamasi 5
 PlakaNo 5
 SevkIrsaliyesiNo 5
 SevkIrsaliyeTarihi 5
 Tonaj 5
 YuklemeFormuNo 6
 GidenFaturaDetayDTO.cs 837
 GidenFaturaDTO class 6
 about GidenFaturaDTO class 6
 Aciklama 7
 AltBirimAd 7
 BelgeOid 7
 CepTelefonNo 7
 FaturaGrupTuruKod 7
 FaturaTuruKod 7
 FaturaTutari 8
 GercekKisiAd 8
 GercekKisiSoyad 8
 GercekKisiTcKimlikNo 8
 GibNumarasi 8
 IkametgahAdresi 8
 KdvHaricTutar 8
 KdvTutari 9
 KonaklamaVergisi 9
 SatisTuruKod 9

TelefonNo 9

GidenFaturaDTO.cs 838

gidenTasinanBelgeleriIndirCompletedEventArgs class 476

about gidenTasinanBelgeleriIndirCompletedEventArgs class 476

gidenTasinanBelgeleriIndirCompletedEventArgs 476

Result 476

H

Harcirah enumeration member 690

Hesaben enumeration member 691

HTML enumeration member 214, 650

I

lade enumeration member 690

IhracKayitli enumeration member 691

Imalatcilhracatci enumeration member 691

IRSALIYE enumeration member 496

irsaliyeTarihcesiData class 476

about irsaliyeTarihcesiData class 476

bagliKayitId 477

irsaliyeEtn 477

islem 477

islemAciklama 478

islemKanali 478

islemKanaliAciklama 478

islemSonucu 478

islemZamani 478

kullanici 478

kullanicilp 478

zarfEtn 478

irsaliyeTarihcesiSorgulaCompletedEventArgs class 478

about irsaliyeTarihcesiSorgulaCompletedEventArgs class 478

irsaliyeTarihcesiSorgulaCompletedEventArgs 479

Result 479

IstirakeSatilan enumeration member 691

IstirakeSatilanRezervli enumeration member 691

J

JSON enumeration member 214, 650

K

kalanKontorBilgisi class 479

about kalanKontorBilgisi class 479

kalan 480

kalanSpecified 480

kontorBirim 480

kontorBirimSpecified 480

kontorTipi 481

kontorTipiSpecified 481

limitAsimMiktari 481

limitAsimMiktariSpecified 481

toplamlAlinan 481

toplamlAlinanSpecified 481

vknTckn 481

Kantin enumeration member 690

kayitliKullaniciListeleExtendedEventArgs class 481

about
kayitliKullaniciListeleExtendedEventArgs class 481

kayitliKullaniciListeleExtendedEventArgs 482

Result 482

kayitliKullaniciListeleExtendedTimeEventArgs class 482

about
kayitliKullaniciListeleExtendedTimeEventArgs class 482

kayitliKullaniciListeleExtendedTimeEventArgs 483

Result 483

kayitliKullaniciListeleExtendedVknTcknEventArgs class 483

about
kayitliKullaniciListeleExtendedVknTcknEventArgs class 483

kayitliKullaniciListeleExtendedVknTcknEventArgs 484

Result 484

KEP enumeration member 496

KEPSMS enumeration member 496

kontorAzaltResp class 484

about kontorAzaltResp class 484

kanalTipi 485
 kontorAzaldi 485
 kontorTipi 485
 miktar 485
 miktarSpecified 485
 odemeTipi 485
 paketTipi 486
 vkn 486
kontorBilgisiGetir class 166, 551
 about kontorBilgisiGetir class 166, 551
 kontorBirim 167, 552
 kontorTipi 167, 552
 vknTckn 167, 552
kontorBilgisiGetirCompletedEventArgs class 167, 486, 552
 about kontorBilgisiGetirCompletedEventArgs class 167, 486, 552
 kontorBilgisiGetirCompletedEventArgs 167, 486, 553
 Result 168, 487, 553
kontorBilgisiGetirResponse class 168, 553
 @return 168, 553
 about kontorBilgisiGetirResponse class 168, 553
Kuspe enumeration member 690

L
Lower enumeration member 690

M
Malzeme enumeration member 690
MB enumeration member 495
Melas enumeration member 690
MesajSabitler class 693
 about MesajSabitler class 693
 IslemBasarili 694
 IslemBasarisiz 694
 MesajBasligi 694
 ServisIslemiBasariKodu 694
MesajSabitler.cs 840
MMK enumeration member 496
Muhtelif enumeration member 690
mukellefEFaturaKayit class 487
 about mukellefEFaturaKayit class 487

efaturaKullaniciListesi 487
 vergiTcKimlikNo 487
mustahsilMakbuzIptalEt class 554
 about mustahsilMakbuzIptalEt class 554
 input 554
mustahsilMakbuzIptalEtCompletedEventArgs class 554
 about mustahsilMakbuzIptalEtCompletedEventArgs class 554
 mustahsilMakbuzIptalEtCompletedEventArgs 555
 Result 555
mustahsilMakbuzIptalEtResponse class 555
 @return 555
 about mustahsilMakbuzIptalEtResponse class 555
mustahsilMakbuzIptaliKaldır class 556
 about mustahsilMakbuzIptaliKaldır class 556
 input 556
mustahsilMakbuzIptaliKaldırCompletedEventArgs class 556
 about mustahsilMakbuzIptaliKaldırCompletedEventArgs class 556
 mustahsilMakbuzIptaliKaldırCompletedEventArgs 557
 Result 557
mustahsilMakbuzIptaliKaldırResponse class 557
 @return 557
 about mustahsilMakbuzIptaliKaldırResponse class 557
mustahsilMakbuzListeSorgula class 558
 about mustahsilMakbuzListeSorgula class 558
 input 558
mustahsilMakbuzListeSorgulaCompletedEventArgs class 558
 about mustahsilMakbuzListeSorgulaCompletedEventArgs class 558
 mustahsilMakbuzListeSorgulaCompletedEventArgs 559
 output 559
 Result 559
mustahsilMakbuzListeSorgulaPortal class 559
 about mustahsilMakbuzListeSorgulaPortal class 559
 input 560
mustahsilMakbuzListeSorgulaPortalCompletedEventArgs class 560
 about mustahsilMakbuzListeSorgulaPortalCompletedEventArgs class 560
 mustahsilMakbuzListeSorgulaPortalCompletedEventArgs 560

```

output 561
Result 561
mustahsilMakbuzListeSorgulaPortalResponse class 561
@return 561
about mustahsilMakbuzListeSorgulaPortalResponse
class 561
output 561
mustahsilMakbuzListeSorgulaResponse class 561
@return 562
about mustahsilMakbuzListeSorgulaResponse class 561
output 562
mustahsilMakbuzOlustur class 562
about mustahsilMakbuzOlustur class 562
belge 563
input 563
mustahsilMakbuzOlusturCompletedEventArgs class 563
@return 564
about mustahsilMakbuzOlusturCompletedEventArgs
class 563
mustahsilMakbuzOlusturCompletedEventArgs 563
Result 564
mustahsilMakbuzOnizleme class 564
about mustahsilMakbuzOnizleme class 564
belge 564
input 564
mustahsilMakbuzOnizlemeCompletedEventArgs class 564
@return 565
about mustahsilMakbuzOnizlemeCompletedEventArgs
class 564
mustahsilMakbuzOnizlemeCompletedEventArgs 565
Result 565
mustahsilMakbuzSorgula class 565
about mustahsilMakbuzSorgula class 565
input 566
mustahsilMakbuzSorgulaCompletedEventArgs class 566
@return 567
about mustahsilMakbuzSorgulaCompletedEventArgs
class 566
mustahsilMakbuzSorgulaCompletedEventArgs 567
Result 567
mustahsilMakbuzTaslakOlustur class 567
about mustahsilMakbuzTaslakOlustur class 567
belge 568
input 568
mustahsilMakbuzTaslakOlusturCompletedEventArgs class
568
about
mustahsilMakbuzTaslakOlusturCompletedEventArgs
class 568
mustahsilMakbuzTaslakOlusturCompletedEventArgs 568
Result 569
mustahsilMakbuzTaslakOlusturResponse class 569
@return 569
about mustahsilMakbuzTaslakOlusturResponse class 569
mustahsilMakbuzTaslakOnizleme class 569
about mustahsilMakbuzTaslakOnizleme class 569
input 570
mustahsilMakbuzTaslakOnizlemeCompletedEventArgs class
570
about
mustahsilMakbuzTaslakOnizlemeCompletedEventArgs
class 570
mustahsilMakbuzTaslakOnizlemeCompletedEventArgs
570
output 571
Result 571
mustahsilMakbuzTaslakOnizlemeResponse class 571
@return 571
about mustahsilMakbuzTaslakOnizlemeResponse class
571
output 571
mustahsilMakbuzTaslakSil class 572
about mustahsilMakbuzTaslakSil class 572
input 572
mustahsilMakbuzTaslakSilCompletedEventArgs class 572
about mustahsilMakbuzTaslakSilCompletedEventArgs
class 572
mustahsilMakbuzTaslakSilCompletedEventArgs 573
Result 573
mustahsilMakbuzTaslakSilResponse class 573
@return 573
about mustahsilMakbuzTaslakSilResponse class 573
mustahsilMakbuzTaslakSorgula class 574
about mustahsilMakbuzTaslakSorgula class 574
input 574
mustahsilMakbuzTaslakSorgulaCompletedEventArgs class

```

574	belgeZipiAIAsync 584
about	belgeZipiAICompleted 621
mustahsilMakbuzTaslakSorgulaCompletedEventArgs	CancelAsync 584
class 574	ePostaDurumSorgula 584
mustahsilMakbuzTaslakSorgulaCompletedEventArgs 575	ePostaDurumSorgulaAsync 585
output 575	ePostaDurumSorgulaCompleted 621
Result 575	ePostaGonder 585
mustahsilMakbuzTaslakSorgulaResponse class 575	ePostaGonderAsync 586
@return 576	ePostaGonderCompleted 621
about mustahsilMakbuzTaslakSorgulaResponse class	IsLocalFileSystemWebService 587
575	kontorBilgisiGetir 587
output 576	kontorBilgisiGetirAsync 588
mustahsilMakbuzTaslaktanOlustur class 576	kontorBilgisiGetirCompleted 621
about mustahsilMakbuzTaslaktanOlustur class 576	mustahsilMakbuzIptalEt 588
input 576	mustahsilMakbuzIptalEtAsync 589
mustahsilMakbuzTaslaktanOlusturCompletedEventArgs class	mustahsilMakbuzIptalEtCompleted 622
576	mustahsilMakbuzIptaliKaldır 589
@return 577	mustahsilMakbuzIptaliKaldırAsync 590
about	mustahsilMakbuzIptaliKaldırCompleted 622
mustahsilMakbuzTaslaktanOlusturCompletedEventArgs	mustahsilMakbuzListeSorgula 590
class 576	mustahsilMakbuzListeSorgulaAsync 591
mustahsilMakbuzTaslaktanOlusturCompletedEventArgs	mustahsilMakbuzListeSorgulaCompleted 622
577	mustahsilMakbuzListeSorgulaPortal 591
Result 577	mustahsilMakbuzListeSorgulaPortalAsync 592
MustahsilMakbuzuDetayDTO class 9	mustahsilMakbuzListeSorgulaPortalCompleted 622
about MustahsilMakbuzuDetayDTO class 9	mustahsilMakbuzOlustur 592
GelirVergisi 10	mustahsilMakbuzOlusturAsync 593
IsinMahiyeti 10	mustahsilMakbuzOlusturCompleted 622
NetTutar 10	mustahsilMakbuzOnizleme 593
ToplamTutar 10	mustahsilMakbuzOnizlemeAsync 594
MustahsilMakbuzuDetayDTO.cs 841	mustahsilMakbuzOnizlemeCompleted 622
MustahsilMakbuzuDTO class 10	mustahsilMakbuzSorgula 594
about MustahsilMakbuzuDTO class 10	mustahsilMakbuzSorgulaAsync 595
AltBirimAd 11	mustahsilMakbuzSorgulaCompleted 622
GelirVergisi 11	mustahsilMakbuzTaslakOlustur 595
MakbuzGrupTuruKod 12	mustahsilMakbuzTaslakOlusturAsync 596
MustahsilMakbuzuNo 12	mustahsilMakbuzTaslakOlusturCompleted 622
MustahsilMakbuzuTutari 12	mustahsilMakbuzTaslakOnizleme 596
NetTutar 12	mustahsilMakbuzTaslakOnizlemeAsync 597
MustahsilMakbuzuDTO.cs 841	mustahsilMakbuzTaslakOnizlemeCompleted 622
MustahsilWebService class 577	mustahsilMakbuzTaslakSil 597
about MustahsilWebService class 577	
belgeZipiAI 583	

mustahsilMakbuzTaslakSilAsync 598
 mustahsilMakbuzTaslakSilCompleted 622
 mustahsilMakbuzTaslakSorgula 598
 mustahsilMakbuzTaslakSorgulaAsync 599
 mustahsilMakbuzTaslakSorgulaCompleted 622
 mustahsilMakbuzTaslaktanOlustur 599
 mustahsilMakbuzTaslaktanOlusturAsync 600
 mustahsilMakbuzTaslaktanOlusturCompleted 623
 MustahsilWebService 583
 OnbelgeZipiAIOperationCompleted 600
 OnePostaDurumSorgulaOperationCompleted 601
 OnePostaGonderOperationCompleted 601
 OnkontorBilgisiGetirOperationCompleted 601
 OnmustahsilMakbuzIptaliEtOperationCompleted 601
 OnmustahsilMakbuzIptaliKaldirOperationCompleted 602
 OnmustahsilMakbuzListeSorgulaOperationCompleted 602
 OnmustahsilMakbuzListeSorgulaPortalOperationCompleted
 602
 OnmustahsilMakbuzOlusturOperationCompleted 603
 OnmustahsilMakbuzOnizlemeOperationCompleted 603
 OnmustahsilMakbuzSorgulaOperationCompleted 603
 OnmustahsilMakbuzTaslakOlusturOperationCompleted
 604
 OnmustahsilMakbuzTaslakOnizlemeOperationCompleted
 604
 OnmustahsilMakbuzTaslakSilOperationCompleted 604
 OnmustahsilMakbuzTaslakSorgulaOperationCompleted
 604
 OnmustahsilMakbuzTaslaktanOlusturOperationCompleted
 605
 OnraporBolumAIOperationCompleted 605
 OnraporBolumBilgisiAIOperationCompleted 605
 OnraporBolumleriOlusturOperationCompleted 606
 OnraporBolumListesiDetayliSorgulaOperationCompleted
 606
 OnraporBolumListesiSorgulaOperationCompleted 606
 OnraporBolumRaporNoGuncellelmzalaOperationCompleted
 607
 OnraporBolumSilOperationCompleted 607
 OnrapordaBelgeSorgulaOperationCompleted 607
 OnraporDurumSorgulaOperationCompleted 607
 OnraporGonderOperationCompleted 608
 OnsmsDurumSorgulaOperationCompleted 608
 OnsmsGonderOperationCompleted 608
 raporBolumAI 609
 raporBolumAIAsync 609
 raporBolumAICompleted 623
 raporBolumBilgisiAI 610
 raporBolumBilgisiAIAsync 610
 raporBolumBilgisiAICompleted 623
 raporBolumleriOlustur 611
 raporBolumleriOlusturAsync 611, 612
 raporBolumleriOlusturCompleted 623
 raporBolumListesiDetayliSorgula 612
 raporBolumListesiDetayliSorgulaAsync 612, 613
 raporBolumListesiDetayliSorgulaCompleted 623
 raporBolumListesiSorgula 613
 raporBolumListesiSorgulaAsync 613, 614
 raporBolumListesiSorgulaCompleted 623
 raporBolumRaporNoGuncellelmzala 614
 raporBolumRaporNoGuncellelmzalaAsync 614, 615
 raporBolumRaporNoGuncellelmzalaCompleted 623
 raporBolumSil 615
 raporBolumSilAsync 615, 616
 raporBolumSilCompleted 623
 rapordaBelgeSorgula 616
 rapordaBelgeSorgulaAsync 616
 rapordaBelgeSorgulaCompleted 623
 raporDurumSorgula 617
 raporDurumSorgulaAsync 617
 raporDurumSorgulaCompleted 623
 raporGonder 618
 raporGonderAsync 618
 raporGonderCompleted 623
 smsDurumSorgula 619
 smsDurumSorgulaAsync 619
 smsDurumSorgulaCompleted 624
 smsGonder 620
 smsGonderAsync 620, 621
 smsGonderCompleted 624
 Url 621
 UseDefaultCredentials 621

N

NoterlikMakbuzu enumeration member 690

O

OKC enumeration member 496

okcRaporBolumAI class 168

- about okcRaporBolumAI class 168

- input 169

okcRaporBolumAICompletedEventArgs class 169

- @return 170

- about okcRaporBolumAICompletedEventArgs class 169

- okcRaporBolumAICompletedEventArgs 169

- Result 170

okcRaporKaydet class 170

- about okcRaporKaydet class 170

- input 170

- rapor 170

okcRaporKaydetCompletedEventArgs class 171

- about okcRaporKaydetCompletedEventArgs class 171

- okcRaporKaydetCompletedEventArgs 171

- Result 171

okcRaporKaydetResponse class 171

- @return 172

- about okcRaporKaydetResponse class 171

okcRaporOlusturGonder class 172

- about okcRaporOlusturGonder class 172

- input 172

okcRaporOlusturGonderCompletedEventArgs class 172

- about okcRaporOlusturGonderCompletedEventArgs class 172

- okcRaporOlusturGonderCompletedEventArgs 173

- Result 173

okcRaporOlusturGonderResponse class 173

- @return 174

- about okcRaporOlusturGonderResponse class 173

OrtakDetayVerilerDTO class 12

- about OrtakDetayVerilerDTO class 12

- AnaNesneld 13

- BirimFiyat 13

GibKisaltma 13

Miktar 13

OrtakDetayVerilerDTO.cs 842

OrtakVerilerDTO class 13

- about OrtakVerilerDTO class 13

- Adres 14

- BankaAd 14

- BankaSube 14

- EPostaAdresi 14

- FaksNo 14

- IbanNo 14

- Id 15

- IIAd 15

- IlceAd 15

- IslemTarihi 15

- TuzelKisiAd 15

- VergiDairesi 15

- VergiNo 15

OrtakVerilerDTO.cs 843

P

Pancarkuyrugu enumeration member 690

PDF enumeration member 214, 650

PDF_CSXML1 enumeration member 214, 650

PDF_CSXML2 enumeration member 214, 650

PDF_CSXML3 enumeration member 214, 650

PDF_CUSTOM enumeration member 214, 650

PDF_UBL enumeration member 214, 650

Personel enumeration member 690

PersonelleSatilan enumeration member 691

Pesin enumeration member 691

PORTAL enumeration member 496

Proforma enumeration member 690

Program class 789

- about Program class 789

- Main 789

Program.cs 844

Q

QNBFinansGIB 1

QNBFinansGIB namespace 1	QNBFinansGIB.DTO.GidenFaturaDTO.GercekKisiTcKimlikNo 8
Classes 755	
QNBFinansGIB.csproj 845	QNBFinansGIB.DTO.GidenFaturaDTO.GibNumarasi 8
QNBFinansGIB.DTO 1	QNBFinansGIB.DTO.GidenFaturaDTO.IkametgahAdresi 8
QNBFinansGIB.DTO namespace 1	QNBFinansGIB.DTO.GidenFaturaDTO.KdvHaricTutar 8
Classes 2	QNBFinansGIB.DTO.GidenFaturaDTO.KdvTutari 9
QNBFinansGIB.DTO.FaturaKdvDTO 2	QNBFinansGIB.DTO.GidenFaturaDTO.KonaklamaVergisi 9
QNBFinansGIB.DTO.FaturaKdvDTO.KdvHaricTutar 3	QNBFinansGIB.DTO.GidenFaturaDTO.SatisTurukod 9
QNBFinansGIB.DTO.FaturaKdvDTO.KdvOran 3	QNBFinansGIB.DTO.GidenFaturaDTO.TelefonNo 9
QNBFinansGIB.DTO.FaturaKdvDTO.KdvTutari 3	QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO 9
QNBFinansGIB.DTO.GidenFaturaDetayDTO 3	QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO.GelirVergisi 10
QNBFinansGIB.DTO.GidenFaturaDetayDTO.FaturaUrunTuru 4	QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO.IsinMahiyeti 10
QNBFinansGIB.DTO.GidenFaturaDetayDTO.IrsaliyeNo 4	QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO.NetTutar 10
QNBFinansGIB.DTO.GidenFaturaDetayDTO.IskontoOran 4	QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO.ToplamTutar 10
QNBFinansGIB.DTO.GidenFaturaDetayDTO.KdvHaricTutar 4	QNBFinansGIB.DTO.MustahsilMakbuzuDTO 10
QNBFinansGIB.DTO.GidenFaturaDetayDTO.KdvOran 4	QNBFinansGIB.DTO.MustahsilMakbuzuDTO.AltBirimAd 11
QNBFinansGIB.DTO.GidenFaturaDetayDTO.KdvTutari 5	QNBFinansGIB.DTO.MustahsilMakbuzuDTO.GelirVergisi 11
QNBFinansGIB.DTO.GidenFaturaDetayDTO.KonaklamaVergisi 5	QNBFinansGIB.DTO.MustahsilMakbuzuDTO.MakbuzGrupTurukod 12
QNBFinansGIB.DTO.GidenFaturaDetayDTO.MalzemeFaturaAciklamasi 5	QNBFinansGIB.DTO.MustahsilMakbuzuDTO.MustahsilMakbuzuNo 12
QNBFinansGIB.DTO.GidenFaturaDetayDTO.PlakaNo 5	QNBFinansGIB.DTO.MustahsilMakbuzuDTO.MustahsilMakbuzuTutari 12
QNBFinansGIB.DTO.GidenFaturaDetayDTO.SevkiIrsaliyesiNo 5	QNBFinansGIB.DTO.MustahsilMakbuzuDTO.NetTutar 12
QNBFinansGIB.DTO.GidenFaturaDetayDTO.SevkiIrsaliyeTarihi 5	QNBFinansGIB.DTO.OrtakDetayVerilerDTO 12
QNBFinansGIB.DTO.GidenFaturaDetayDTO.Tonaj 5	QNBFinansGIB.DTO.OrtakDetayVerilerDTO.AnaNesneld 13
QNBFinansGIB.DTO.GidenFaturaDetayDTO.YuklemeFormuNo 6	QNBFinansGIB.DTO.OrtakDetayVerilerDTO.BirimFiyat 13
QNBFinansGIB.DTO.GidenFaturaDTO 6	QNBFinansGIB.DTO.OrtakDetayVerilerDTO.GibKisaltma 13
QNBFinansGIB.DTO.GidenFaturaDTO.Aciklama 7	QNBFinansGIB.DTO.OrtakDetayVerilerDTO.Miktari 13
QNBFinansGIB.DTO.GidenFaturaDTO.AltBirimAd 7	QNBFinansGIB.DTO.OrtakVerilerDTO 13
QNBFinansGIB.DTO.GidenFaturaDTO.BelgeOid 7	QNBFinansGIB.DTO.OrtakVerilerDTO.Adres 14
QNBFinansGIB.DTO.GidenFaturaDTO.CepTelefonNo 7	QNBFinansGIB.DTO.OrtakVerilerDTO.BankaAd 14
QNBFinansGIB.DTO.GidenFaturaDTO.FaturaGrupTurukod 7	QNBFinansGIB.DTO.OrtakVerilerDTO.BankaSube 14
QNBFinansGIB.DTO.GidenFaturaDTO.FaturaTurukod 7	QNBFinansGIB.DTO.OrtakVerilerDTO.EpostaAdresi 14
QNBFinansGIB.DTO.GidenFaturaDTO.FaturaTutari 8	QNBFinansGIB.DTO.OrtakVerilerDTO.FaksNo 14
QNBFinansGIB.DTO.GidenFaturaDTO.GercekKisiAd 8	QNBFinansGIB.DTO.OrtakVerilerDTO.IbanNo 14
QNBFinansGIB.DTO.GidenFaturaDTO.GercekKisiSoyad 8	

QNBFinansGIB.DTO.OrtakVerilerDTO.Id 15	QNBFinansGIB.frmAnaSayfa.FaturaDosyaOnizlemeYap 770
QNBFinansGIB.DTO.OrtakVerilerDTO.IIAd 15	QNBFinansGIB.frmAnaSayfa.FormAnaSayfa_Shown 770
QNBFinansGIB.DTO.OrtakVerilerDTO.IlceAd 15	QNBFinansGIB.frmAnaSayfa.frmAnaSayfa 758
QNBFinansGIB.DTO.OrtakVerilerDTO.IslamTarihi 15	QNBFinansGIB.frmAnaSayfa.frmAnaSayfa_FormClosed 780
QNBFinansGIB.DTO.OrtakVerilerDTO.TuzelKisiAd 15	QNBFinansGIB.frmAnaSayfa.InitializeComponent 780
QNBFinansGIB.DTO.OrtakVerilerDTO.VergiDairesi 15	QNBFinansGIB.frmAnaSayfa.IslamIcinKlasorSecildiMi 785
QNBFinansGIB.DTO.OrtakVerilerDTO.VergiNo 15	QNBFinansGIB.frmAnaSayfa.IslamSonucusuMesajHazirla 785
QNBFinansGIB.frmAnaSayfa 755	QNBFinansGIB.frmAnaSayfa.IslamYapilacakFaturaBilgisiDuzenle 786
QNBFinansGIB.frmAnaSayfa.btnBelgeOidKontrol_Click 758	QNBFinansGIB.frmAnaSayfa.IslamYapilacakMakbuzBilgisiDuzenle 786
QNBFinansGIB.frmAnaSayfa.btnEFaturaKullaniciListeAktar_Click 759	QNBFinansGIB.frmAnaSayfa.listBox_DrawItem 787
QNBFinansGIB.frmAnaSayfa.btnEFaturaKullaniciListesi_Click 759	QNBFinansGIB.frmAnaSayfa.listBox_MeasureItem 787
QNBFinansGIB.frmAnaSayfa.btnEFaturaKullaniciListesiTemizle_Click 760	QNBFinansGIB.frmAnaSayfa.MustahsilMakbuzuDosyaOnizlemeYap 787
QNBFinansGIB.frmAnaSayfa.btnFaturaSil_Click 760	QNBFinansGIB.frmAnaSayfa.ZipDosyasindanPdfCikar 788
QNBFinansGIB.frmAnaSayfa.btnGIBOnizleme_Click 761	QNBFinansGIB.GIBEArsiv 16
QNBFinansGIB.frmAnaSayfa.btnGIBOnizlemeMustahsil_Click 762	QNBFinansGIB.GIBEArsiv namespace 16
QNBFinansGIB.frmAnaSayfa.btnMakbuzSil_Click 762	Classes 21
QNBFinansGIB.frmAnaSayfa.btnServiseGonder_Click 763	Structs, Records, Enums 214
QNBFinansGIB.frmAnaSayfa.btnServiseGonderMustahsil_Click 764	Types 215
QNBFinansGIB.frmAnaSayfa.btnXmlOlustur_Click 764	QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelle 26
QNBFinansGIB.frmAnaSayfa.btnXmlOlusturMustahsil_Click 765	QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelle.inputGuncelleneciekposta 26
QNBFinansGIB.frmAnaSayfa.Dispose 766	QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelle.inputSilnecekEposta 26
QNBFinansGIB.frmAnaSayfa.EArsivXMLOlusturVeOnizlemeYap 766	QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleComplet edEventArgs 26
QNBFinansGIB.frmAnaSayfa.EArsivXMLOlusturVeServiseGonder 767	QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleComplet edEventArgs.aliciEpostaEkleSilGuncelleCompletedEventArgs 27
QNBFinansGIB.frmAnaSayfa.EFaturaKullaniciListesiniTXTFormatindaKaydet 767	QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleComplet edEventArgs.Result 27
QNBFinansGIB.frmAnaSayfa.EFaturaKullanicisiMi 768	QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleComplet edEventHandler 217
QNBFinansGIB.frmAnaSayfa.EFaturaXMLOlusturVeOnizlemeYap 768	QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleComplet edEventHandler 217
QNBFinansGIB.frmAnaSayfa.EFaturaXMLOlusturVeServiseGonder 769	QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleResponse

27	SilGuncelleCompleted
QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleRespon se.@return 28	106
QNBFinansGIB.GIBEArsiv.belge 28	QNBFinansGIB.GIBEArsiv.EarsivWebService.CancelAsync 42
QNBFinansGIB.GIBEArsiv.belge.belgeFormati 28	QNBFinansGIB.GIBEArsiv.EarsivWebService.EarsivWebServi ce 41
QNBFinansGIB.GIBEArsiv.belge.belgeFormatiSpecified 28	QNBFinansGIB.GIBEArsiv.EarsivWebService.eFaturaKayitlikU llaniciliListele 43
QNBFinansGIB.GIBEArsiv.belge.belgeFormati 29	QNBFinansGIB.GIBEArsiv.EarsivWebService.eFaturaKayitlikU llaniciliListeleAsync 43
QNBFinansGIB.GIBEArsiv.belgeFormatiEnum 214	QNBFinansGIB.GIBEArsiv.EarsivWebService.eFaturaKayitlikU llaniciliListeleCompleted 106
QNBFinansGIB.GIBEArsiv.belgeFormatiEnum enumeration 214	QNBFinansGIB.GIBEArsiv.EarsivWebService.efaturaKullanici si 44
QNBFinansGIB.GIBEArsiv.belgeOutputWrapper 29	QNBFinansGIB.GIBEArsiv.EarsivWebService.efaturaKullanici siAsync 44
QNBFinansGIB.GIBEArsiv.belgeOutputWrapper.@return 29	QNBFinansGIB.GIBEArsiv.EarsivWebService.efaturaKullanici siCompleted 106
QNBFinansGIB.GIBEArsiv.belgeOutputWrapper.output 29	QNBFinansGIB.GIBEArsiv.EarsivWebService.efaturaKullanici siKontrol 45
QNBFinansGIB.GIBEArsiv.dosyalInput 29	QNBFinansGIB.GIBEArsiv.EarsivWebService.efaturaKullanici siKontrolAsync 45
QNBFinansGIB.GIBEArsiv.dosyalInput.belgelcerigi 30	QNBFinansGIB.GIBEArsiv.EarsivWebService.efaturaKullanici siKontrolCompleted 106
QNBFinansGIB.GIBEArsiv.dosyalInput.genelBelgeFormatEnu m 30	QNBFinansGIB.GIBEArsiv.EarsivWebService.ePostaDurumS orgula 45
QNBFinansGIB.GIBEArsiv.dosyalInput.genelBelgeFormatEnu mSpecified 30	QNBFinansGIB.GIBEArsiv.EarsivWebService.ePostaDurumS orgulaAsync 46
QNBFinansGIB.GIBEArsiv.doubleStringOutputWrapper 30	QNBFinansGIB.GIBEArsiv.EarsivWebService.ePostaDurumS orgulaCompleted 106
QNBFinansGIB.GIBEArsiv.doubleStringOutputWrapper.@retu rn 31	QNBFinansGIB.GIBEArsiv.EarsivWebService.ePostaGonderA sync 47, 48
QNBFinansGIB.GIBEArsiv.doubleStringOutputWrapper.output Durum 31	QNBFinansGIB.GIBEArsiv.EarsivWebService.ePostaGonderC ompleted 106
QNBFinansGIB.GIBEArsiv.doubleStringOutputWrapper.output Eposta 31	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturalptalEt 48
QNBFinansGIB.GIBEArsiv.earsivServiceResult 31	
QNBFinansGIB.GIBEArsiv.earsivServiceResult.resultCode 31	
QNBFinansGIB.GIBEArsiv.earsivServiceResult.resultExtra 32	
QNBFinansGIB.GIBEArsiv.earsivServiceResult.resultText 32	
QNBFinansGIB.GIBEArsiv.earsivServiceResultEntry 32	
QNBFinansGIB.GIBEArsiv.earsivServiceResultEntry.key 32	
QNBFinansGIB.GIBEArsiv.earsivServiceResultEntry.value 32	
QNBFinansGIB.GIBEArsiv.EarsivWebService 33	
QNBFinansGIB.GIBEArsiv.EarsivWebService.aliciEpostaEkle SilGuncelle 41	
QNBFinansGIB.GIBEArsiv.EarsivWebService.aliciEpostaEkle SilGuncelleAsync 42	
QNBFinansGIB.GIBEArsiv.EarsivWebService.aliciEpostaEkle	

QNBFinansGIB.GIBEArsiv.EarsivWebService.faturalptalEtAsync nc 48, 49	ulaPortalAsync 54
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturalptalEtCompleted 106	ulaPortalCompleted 107
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturalptaliKaldi r 49	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaNoUret 55
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturalptaliKaldi rAsync 49	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaNoUretAs ync 55
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturalptaliKaldi rCompleted 106	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaNoUretCo mpleted 107
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaltirazEt 50	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOlustur 56
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaltirazEtAs ync 50	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOlusturAs ync 56
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaltirazEtCo mpleted 107	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOlusturCo mpleted 107
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaltirazKaldi r 51	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOlusturEx t 57
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaltirazKaldi rAsync 51	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOlusturEx tAsync 57, 58
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaltirazKaldi rCompleted 107	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOlusturEx tCompleted 107
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorg ula 52	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOnizleme 58
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorg ulaAsync 52	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOnizleme Async 59
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorg ulaCompleted 107	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOnizleme Completed 107
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorg ulaCount 53	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaSorgula 59
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorg ulaCountAsync 53	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaSorgulaAs ync 60
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorg ulaCountCompleted 107	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaSorgulaC ompleted 107
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorg ulaPortal 54	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaSorgulaEx t 60
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorg	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaSorgulaEx tAsync 61

107	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakOlustur	QNBFinansGIB.GIBEArsiv.EarsivWebService.IsLocalFileSystemWebService
61		67
62	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakOlusturAsync	QNBFinansGIB.GIBEArsiv.EarsivWebService.kontorBilgisiGetir
107	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakOlusturCompleted	QNBFinansGIB.GIBEArsiv.EarsivWebService.kontorBilgisiGetirAsync
62		68
63	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakOnizleme	QNBFinansGIB.GIBEArsiv.EarsivWebService.kontorBilgisiGetirCompleted
108	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakOnizlemeAsync	108
63		QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporBolumAI
108	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakOnizlemeCompleted	69
64		QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporBolumAIAsync
108	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakSilAsync	69
64		QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporBolumAICompleted
108	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakSilCompleted	108
64		QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporKaydet
108	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakSilCompleted	70
65		QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporKaydetAsync
108	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakSorgula	70
65		QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporKaydetCompleted
108	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakSorgulaAsync	108
65		QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporOlusturGonder
108	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakSorgulaCompleted	71
65		QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporOlusturGonderAsync
108	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslaktanOlustur	71
65		QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporOlusturGonderCompleted
66	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslaktanOlusturAsync	108
108		QNBFinansGIB.GIBEArsiv.EarsivWebService.OnaliciEpostaEkleSilGuncelleOperationCompleted
67	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslaktanOlusturCompleted	72
108		QNBFinansGIB.GIBEArsiv.EarsivWebService.OneFaturaKayitliKullaniciListeleOperationCompleted
67	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaZipiAI	72
67	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaZipiAIAsync	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnefaturaKullanicisiKontrolOperationCompleted
108	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaZipiAICompleted	72
108		QNBFinansGIB.GIBEArsiv.EarsivWebService.OnefaturaKullanicisiOperationCompleted
		QNBFinansGIB.GIBEArsiv.EarsivWebService.OnePostaDurmSorgulaOperationCompleted

73	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnpostaGonderOperationCompleted	SorgulaOperationCompleted
73	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturalptalEtOperationCompleted	78
73	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturalptaliKaldırOperationCompleted	79
74	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaltirazEtOperationCompleted	79
74	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaltirazKaldırOperationCompleted	79
75	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaListeSorgulaCountOperationCompleted	80
75	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaListeSorgulaOperationCompleted	80
75	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaListeSorgulaPortalOperationCompleted	80
75	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaNoUretOperationCompleted	80
76	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaOlusturExtOperationCompleted	81
76	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaOlusturOperationCompleted	81
76	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaOnizlemeOperationCompleted	81
77	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaSorgulaExtOperationCompleted	82
77	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaSorgulaOperationCompleted	82
77	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaTaslakOlusturOperationCompleted	82
78	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaTaslakOnizlemeOperationCompleted	83
78	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaTaslakSilOperationCompleted	83
78	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaTaslak	83

QNBFinansGIB.GIBEArxiv.EarsivWebService.OnservisSaglayicidanEpostaDurumSorgulaOperationCompleted 84	QNBFinansGIB.GIBEArxiv.EarsivWebService.raporBolumListesiDetailiSorgulaAsync 90
QNBFinansGIB.GIBEArxiv.EarsivWebService.OnsmsDurumSorgulaOperationCompleted 84	QNBFinansGIB.GIBEArxiv.EarsivWebService.raporBolumListesiDetailiSorgulaCompleted 109
QNBFinansGIB.GIBEArxiv.EarsivWebService.OnsmsGonderOperationCompleted 84	QNBFinansGIB.GIBEArxiv.EarsivWebService.raporBolumListesiSorgula 90
QNBFinansGIB.GIBEArxiv.EarsivWebService.OntoplufaturaPaketDosyaGonderOperationCompleted 85	QNBFinansGIB.GIBEArxiv.EarsivWebService.raporBolumListesiSorgulaAsync 91
QNBFinansGIB.GIBEArxiv.EarsivWebService.OntoplufaturaPaketDosyasiSorgulaOperationCompleted 85	QNBFinansGIB.GIBEArxiv.EarsivWebService.raporBolumListesiSorgulaCompleted 109
QNBFinansGIB.GIBEArxiv.EarsivWebService.OntoplufaturaPaketOnaylaOperationCompleted 85	QNBFinansGIB.GIBEArxiv.EarsivWebService.raporBolumListesiSorgulaWithInput 91
QNBFinansGIB.GIBEArxiv.EarsivWebService.OntoplufaturaPaketSorgulaOperationCompleted 85	QNBFinansGIB.GIBEArxiv.EarsivWebService.raporBolumListesiSorgulaWithInputAsync 92
QNBFinansGIB.GIBEArxiv.EarsivWebService.OnyapilandirmaAyarlariAIOperationCompleted 86	QNBFinansGIB.GIBEArxiv.EarsivWebService.raporBolumListesiSorgulaWithInputCompleted 109
QNBFinansGIB.GIBEArxiv.EarsivWebService.raporBolumAI 86	QNBFinansGIB.GIBEArxiv.EarsivWebService.raporBolumRaporNoGuncellelmzala 92
QNBFinansGIB.GIBEArxiv.EarsivWebService.raporBolumAIAsync 87	QNBFinansGIB.GIBEArxiv.EarsivWebService.raporBolumRaporNoGuncellelmzalaAsync 93
QNBFinansGIB.GIBEArxiv.EarsivWebService.raporBolumAICompleted 108	QNBFinansGIB.GIBEArxiv.EarsivWebService.raporBolumRaporNoGuncellelmzalaCompleted 109
QNBFinansGIB.GIBEArxiv.EarsivWebService.raporBolumBilgisiAI 87	QNBFinansGIB.GIBEArxiv.EarsivWebService.raporBolumSil 93
QNBFinansGIB.GIBEArxiv.EarsivWebService.raporBolumBilgisiAIAsync 88	QNBFinansGIB.GIBEArxiv.EarsivWebService.raporBolumSilSync 94
QNBFinansGIB.GIBEArxiv.EarsivWebService.raporBolumBilgisiAICompleted 108	QNBFinansGIB.GIBEArxiv.EarsivWebService.raporBolumSilICompleted 109
QNBFinansGIB.GIBEArxiv.EarsivWebService.raporBolumleriOlustur 88	QNBFinansGIB.GIBEArxiv.EarsivWebService.rapordaFaturaSorgula 94
QNBFinansGIB.GIBEArxiv.EarsivWebService.raporBolumleriOlusturAsync 89	QNBFinansGIB.GIBEArxiv.EarsivWebService.rapordaFaturaSorgulaAsync 95
QNBFinansGIB.GIBEArxiv.EarsivWebService.raporBolumleriOlusturCompleted 108	QNBFinansGIB.GIBEArxiv.EarsivWebService.rapordaFaturaSorgulaCompleted 109
QNBFinansGIB.GIBEArxiv.EarsivWebService.raporBolumListesiDetailiSorgula 89	QNBFinansGIB.GIBEArxiv.EarsivWebService.raporDurumSorgula 95

QNBFinansGIB.GIBEArsiv.EarsivWebService.raporDurumSorgulaAsync 96	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPaketDosyaSorgulaCompleted 110
QNBFinansGIB.GIBEArsiv.EarsivWebService.raporDurumSorgulaCompleted 109	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPaketOnayla 102
QNBFinansGIB.GIBEArsiv.EarsivWebService.raporGonder 96	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPaketOnaylaAsync 103
QNBFinansGIB.GIBEArsiv.EarsivWebService.raporGonderAsync 97	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPaketOnaylaCompleted 110
QNBFinansGIB.GIBEArsiv.EarsivWebService.raporGonderCompleted 109	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPaketSorgula 103
QNBFinansGIB.GIBEArsiv.EarsivWebService.servisSaglayiciidanEpostaDurumSorgula 97	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPaketSorgulaAsync 104
QNBFinansGIB.GIBEArsiv.EarsivWebService.servisSaglayiciidanEpostaDurumSorgulaAsync 98	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPaketSorgulaCompleted 110
QNBFinansGIB.GIBEArsiv.EarsivWebService.servisSaglayiciidanEpostaDurumSorgulaCompleted 109	QNBFinansGIB.GIBEArsiv.EarsivWebService.Url 105
QNBFinansGIB.GIBEArsiv.EarsivWebService.smsDurumSorgula 98	QNBFinansGIB.GIBEArsiv.EarsivWebService.UseDefaultCredentials 106
QNBFinansGIB.GIBEArsiv.EarsivWebService.smsDurumSorgulaAsync 99	QNBFinansGIB.GIBEArsiv.EarsivWebService.yapilandirmaAyarlariAI 104
QNBFinansGIB.GIBEArsiv.EarsivWebService.smsDurumSorgulaCompleted 109	QNBFinansGIB.GIBEArsiv.EarsivWebService.yapilandirmaAyarlariAIAsync 105
QNBFinansGIB.GIBEArsiv.EarsivWebService.smsGonder 99	QNBFinansGIB.GIBEArsiv.EarsivWebService.yapilandirmaAyarlariAICompleted 110
QNBFinansGIB.GIBEArsiv.EarsivWebService.smsGonderAsync 100	QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListele 110
QNBFinansGIB.GIBEArsiv.EarsivWebService.smsGonderCompleted 109	QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListele.kayitZamani 110
QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPaketDosyaGonder 100	QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListeleCompletedEventArgs 111
QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPaketDosyaGonderAsync 101	QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListeleCompletedEventArgs 111
QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPaketDosyaGonderCompleted 110	QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListeleCompletedEventArgs.eFaturaKayitliKullaniciListeleCompletedEventArgs 111
QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPaketDosyasiSorgula 101	QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListeleCompletedEventArgs.Result 111
QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPaketDosyasiSorgulaAsync 102	QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListeleCompletedEventArgs.Handler 217
	QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListeleCompletedEventArgs.Handler 217

type 217	QNBFinansGIB.GIBEArsiv.efaturaKullaniciResponse.@return 117
QNBFinansGIB.GIBEArsiv.eFaturaKullanici 112	QNBFinansGIB.GIBEArsiv.ePostaDurumSorgula 117
QNBFinansGIB.GIBEArsiv.eFaturaKullanici.etiket 112	QNBFinansGIB.GIBEArsiv.ePostaDurumSorgula.input 117
QNBFinansGIB.GIBEArsiv.eFaturaKullanici.kamuKurulusu 112	QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEventArgs 117
QNBFinansGIB.GIBEArsiv.eFaturaKullanici.kayitZamani 112	QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEventArgs.@return 118
QNBFinansGIB.GIBEArsiv.eFaturaKullanici.unvan 112	QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEventArgs.ePostaDurumSorgulaCompletedEventArgs 118
QNBFinansGIB.GIBEArsiv.eFaturaKullanici.vergiTcKimlikNo 113	QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEventArgs.outputEposta 118
QNBFinansGIB.GIBEArsiv.efaturaKullanici 113	QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEventArgs.Result 118
QNBFinansGIB.GIBEArsiv.efaturaKullanici.vergiTcKimlikNo 113	QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEventHandler 218
QNBFinansGIB.GIBEArsiv.efaturaKullaniciCompletedEventArgs 113	QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEventHandler.type 218
QNBFinansGIB.GIBEArsiv.efaturaKullaniciCompletedEventArgs.efaturaKullaniciCompletedEventArgs 114	QNBFinansGIB.GIBEArsiv.ePostaGonder 118
QNBFinansGIB.GIBEArsiv.efaturaKullaniciCompletedEventArgs.Result 114	QNBFinansGIB.GIBEArsiv.ePostaGonder.ilaveEposta 119
QNBFinansGIB.GIBEArsiv.efaturaKullaniciCompletedEventHandler 217	QNBFinansGIB.GIBEArsiv.ePostaGonder.input 119
QNBFinansGIB.GIBEArsiv.efaturaKullaniciCompletedEventHandler.type 217	QNBFinansGIB.GIBEArsiv.ePostaGonder.tanimliEpostayaGonder 119
QNBFinansGIB.GIBEArsiv.efaturaKullaniciCompletedEventHandler 114	QNBFinansGIB.GIBEArsiv.ePostaGonderCompletedEventArgs 119
QNBFinansGIB.GIBEArsiv.efaturaKullaniciCompletedEventHandler.input 115	QNBFinansGIB.GIBEArsiv.ePostaGonderCompletedEventArgs.ePostaGonderCompletedEventArgs 120
QNBFinansGIB.GIBEArsiv.efaturaKullaniciCompletedEventArgs.KontrolCompletedEventArgs 115	QNBFinansGIB.GIBEArsiv.ePostaGonderCompletedEventArgs.Result 120
QNBFinansGIB.GIBEArsiv.efaturaKullaniciCompletedEventArgs.efaturaKullaniciCompletedEventArgs.KontrolCompletedEventArgs 115	QNBFinansGIB.GIBEArsiv.ePostaGonderCompletedEventHandler 218
QNBFinansGIB.GIBEArsiv.efaturaKullaniciCompletedEventArgs.Result 115	QNBFinansGIB.GIBEArsiv.ePostaGonderCompletedEventHandler.type 218
QNBFinansGIB.GIBEArsiv.efaturaKullaniciCompletedEventArgs.EventHandler 218	QNBFinansGIB.GIBEArsiv.ePostaGonderCompletedEventHandler
QNBFinansGIB.GIBEArsiv.efaturaKullaniciCompletedEventArgs.type 218	QNBFinansGIB.GIBEArsiv.ePostaGonderCompletedEventHandler.type 218
QNBFinansGIB.GIBEArsiv.efaturaKullaniciCompletedEventArgs.KontrolResponse 116	QNBFinansGIB.GIBEArsiv.ePostaGonderResponse 120
QNBFinansGIB.GIBEArsiv.efaturaKullaniciCompletedEventArgs.KontrolResponse.@return 116	QNBFinansGIB.GIBEArsiv.ePostaGonderResponse.@return 120
QNBFinansGIB.GIBEArsiv.efaturaKullaniciResponse 116	QNBFinansGIB.GIBEArsiv.faturaDTO 121

QNBFinansGIB.GIBEArsiv.faturaDTO.arsiv 123	QNBFinansGIB.GIBEArsiv.faturaDTO.kaynak 126
QNBFinansGIB.GIBEArsiv.faturaDTO.creationTime 123	QNBFinansGIB.GIBEArsiv.faturaDTO.kepDurum 126
QNBFinansGIB.GIBEArsiv.faturaDTO.currency 123	QNBFinansGIB.GIBEArsiv.faturaDTO.kepDurumSpecified 126
QNBFinansGIB.GIBEArsiv.faturaDTO.dokumanFormati 123	QNBFinansGIB.GIBEArsiv.faturaDTO.kolayFatura 127
QNBFinansGIB.GIBEArsiv.faturaDTO.durum 123	QNBFinansGIB.GIBEArsiv.faturaDTO.kolayFaturaSpecified 127
QNBFinansGIB.GIBEArsiv.faturaDTO.durumSpecified 123	QNBFinansGIB.GIBEArsiv.faturaDTO.okundu 127
QNBFinansGIB.GIBEArsiv.faturaDTO.duzenlenmeZamani 123	QNBFinansGIB.GIBEArsiv.faturaDTO.okunduSpecified 127
QNBFinansGIB.GIBEArsiv.faturaDTO.epostaGonderimDurumu 123	QNBFinansGIB.GIBEArsiv.faturaDTO.payableAmount 127
QNBFinansGIB.GIBEArsiv.faturaDTO.epostaGonderimDurumuSpecified 123	QNBFinansGIB.GIBEArsiv.faturaDTO.payableAmountSpecified 127
QNBFinansGIB.GIBEArsiv.faturaDTO.erpKodu 124	QNBFinansGIB.GIBEArsiv.faturaDTO.profileId 127
QNBFinansGIB.GIBEArsiv.faturaDTO.faturaSiraNo 124	QNBFinansGIB.GIBEArsiv.faturaDTO.raporTarihi 127
QNBFinansGIB.GIBEArsiv.faturaDTO.faturaSiraNoSpecified 124	QNBFinansGIB.GIBEArsiv.faturaDTO.receiverContact 127
QNBFinansGIB.GIBEArsiv.faturaDTO.faturaZamani 124	QNBFinansGIB.GIBEArsiv.faturaDTO.receiverIdentifier 128
QNBFinansGIB.GIBEArsiv.faturaDTO.ilkKayitZmani 124	QNBFinansGIB.GIBEArsiv.faturaDTO.receiverIdentifierTxt 128
QNBFinansGIB.GIBEArsiv.faturaDTO.indirildi 124	QNBFinansGIB.GIBEArsiv.faturaDTO.receiverName 128
QNBFinansGIB.GIBEArsiv.faturaDTO.indirildiSpecified 124	QNBFinansGIB.GIBEArsiv.faturaDTO.senderContact 128
QNBFinansGIB.GIBEArsiv.faturaDTO.invoiceId 124	QNBFinansGIB.GIBEArsiv.faturaDTO.senderName 128
QNBFinansGIB.GIBEArsiv.faturaDTO.invoiceTypeCode 124	QNBFinansGIB.GIBEArsiv.faturaDTO.sonGuncellemeZamani 128
QNBFinansGIB.GIBEArsiv.faturaDTO.ipdalEdenKullaniciKodu 125	QNBFinansGIB.GIBEArsiv.faturaDTO.sube 128
QNBFinansGIB.GIBEArsiv.faturaDTO.ipdalKaynagi 125	QNBFinansGIB.GIBEArsiv.faturaDTO.tanimliSubeKod 128
QNBFinansGIB.GIBEArsiv.faturaDTO.ipdalKaynagiSpecified 125	QNBFinansGIB.GIBEArsiv.faturaDTO.telNo 128
QNBFinansGIB.GIBEArsiv.faturaDTO.ipdalRaporTarihi 125	QNBFinansGIB.GIBEArsiv.faturaDTO.toplamTutar 129
QNBFinansGIB.GIBEArsiv.faturaDTO.ipdalTarihi 125	QNBFinansGIB.GIBEArsiv.faturaDTO.toplamTutarSpecified 129
QNBFinansGIB.GIBEArsiv.faturaDTO.ipdalTarihiExcel 125	QNBFinansGIB.GIBEArsiv.faturaDTO.uuid 129
QNBFinansGIB.GIBEArsiv.faturaDTO.islemId 125	QNBFinansGIB.GIBEArsiv.faturaDTO.vergilerToplami 129
QNBFinansGIB.GIBEArsiv.faturaDTO.issueDate 125	QNBFinansGIB.GIBEArsiv.faturaDTO.vergilerToplamiSpecified 129
QNBFinansGIB.GIBEArsiv.faturaDTO.itirazEdenKullaniciKodu 125	QNBFinansGIB.GIBEArsiv.faturaDTO.versiyon 129
QNBFinansGIB.GIBEArsiv.faturaDTO.itirazKaynagi 126	QNBFinansGIB.GIBEArsiv.faturaDTO.versiyonSpecified 129
QNBFinansGIB.GIBEArsiv.faturaDTO.itirazKaynagiSpecified 126	QNBFinansGIB.GIBEArsiv.faturaDTO.yazdirildi 129
QNBFinansGIB.GIBEArsiv.faturaDTO.itirazTarihi 126	QNBFinansGIB.GIBEArsiv.faturaDTO.yazdirildiSpecified 129
QNBFinansGIB.GIBEArsiv.faturaDTO.kagitFatura 126	QNBFinansGIB.GIBEArsiv.faturaDTO.yerelFaturaNo 130
QNBFinansGIB.GIBEArsiv.faturaDTO.kagitFaturaSpecified 126	QNBFinansGIB.GIBEArsiv.faturalptalEt 130
QNBFinansGIB.GIBEArsiv.faturaDTO.kasa 126	QNBFinansGIB.GIBEArsiv.faturalptalEt.input 130
	QNBFinansGIB.GIBEArsiv.faturalptalEtCompletedEventArgs 130
	QNBFinansGIB.GIBEArsiv.faturalptalEtCompletedEventArgs.f

aturalptalEtCompletedEventArgs 131	QNBFinansGIB.GIBEArsiv.faturalptalEtCompletedEventArgs Result 131	QNBFinansGIB.GIBEArsiv.faturaltirazEtResponse 135 QNBFinansGIB.GIBEArsiv.faturaltirazEtResponse.@return 136
QNBFinansGIB.GIBEArsiv.faturalptalEtCompletedEventHandl er 218	QNBFinansGIB.GIBEArsiv.faturalptalEtCompletedEventHandl er type 218	QNBFinansGIB.GIBEArsiv.faturaltirazKaldır 136 QNBFinansGIB.GIBEArsiv.faturaltirazKaldır.input 136 QNBFinansGIB.GIBEArsiv.faturaltirazKaldırCompletedEventA rgs 136
QNBFinansGIB.GIBEArsiv.faturalptalEtCompletedEventHandl er type 218	QNBFinansGIB.GIBEArsiv.faturalptalEtResponse 131 QNBFinansGIB.GIBEArsiv.faturalptalEtResponse.@return 132	QNBFinansGIB.GIBEArsiv.faturaltirazKaldırCompletedEventA rgs.faturaltirazKaldırCompletedEventArgs 137
QNBFinansGIB.GIBEArsiv.faturalptaliKaldır 132	QNBFinansGIB.GIBEArsiv.faturalptaliKaldır.input 132	QNBFinansGIB.GIBEArsiv.faturaltirazKaldırCompletedEventA rgs.Result 137
QNBFinansGIB.GIBEArsiv.faturalptaliKaldırCompletedEventA rgs 132	QNBFinansGIB.GIBEArsiv.faturalptaliKaldırCompletedEventA rgs.faturalptaliKaldırCompletedEventArgs 133	QNBFinansGIB.GIBEArsiv.faturaltirazKaldırCompletedEventH andler 219
QNBFinansGIB.GIBEArsiv.faturalptaliKaldırCompletedEventA rgs.Result 133	QNBFinansGIB.GIBEArsiv.faturalptaliKaldırCompletedEventA rgs.Result	QNBFinansGIB.GIBEArsiv.faturaltirazKaldırCompletedEventH andler type 219
QNBFinansGIB.GIBEArsiv.faturalptaliKaldırCompletedEventH andler 219	QNBFinansGIB.GIBEArsiv.faturalptaliKaldırCompletedEventH andler.type 219	QNBFinansGIB.GIBEArsiv.faturaltirazKaldırResponse 137
QNBFinansGIB.GIBEArsiv.faturalptaliKaldırResponse 133	QNBFinansGIB.GIBEArsiv.faturalptaliKaldırResponse. @return 134	QNBFinansGIB.GIBEArsiv.faturaltirazKaldırResponse.@retur n 138
QNBFinansGIB.GIBEArsiv.faturaltirazEt 134	QNBFinansGIB.GIBEArsiv.faturaltirazEt.input 134	QNBFinansGIB.GIBEArsiv.faturaListeSorgula 138
QNBFinansGIB.GIBEArsiv.faturaltirazEtCompletedEventArgs 134	QNBFinansGIB.GIBEArsiv.faturaltirazEtCompletedEventArgs faturaltirazEtCompletedEventArgs 135	QNBFinansGIB.GIBEArsiv.faturaListeSorgula.input 138
QNBFinansGIB.GIBEArsiv.faturaltirazEtCompletedEventArgs. Result 135	QNBFinansGIB.GIBEArsiv.faturaltirazEtCompletedEventArgs. Result	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCompletedEvent Args 138
QNBFinansGIB.GIBEArsiv.faturaltirazEtCompletedEventHandl er 219	QNBFinansGIB.GIBEArsiv.faturaltirazEtCompletedEventHandl er type 219	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCompletedEvent Handler 219
QNBFinansGIB.GIBEArsiv.faturaltirazEtCompletedEventHandl er type 219	QNBFinansGIB.GIBEArsiv.faturaltirazEtCompletedEventHandl er type 219	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCompletedEvent Handler type 219
		QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCount 139
		QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCount.input 140
		QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompleted EventArgs 140
		QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompleted EventArgs.faturaListeSorgulaCountCompletedEventArgs

140	144
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompletedEventArgs.output 141	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaResponse.output 144
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompletedEventArgs.Result 141	QNBFinansGIB.GIBEArsiv.faturaNoUret 144
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompletedEventArgs.Handler 219	QNBFinansGIB.GIBEArsiv.faturaNoUretCompletedEventArgs 145
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompletedEventArgs.type 219	QNBFinansGIB.GIBEArsiv.faturaNoUretCompletedEventArgs. @return 146
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountResponse 141	QNBFinansGIB.GIBEArsiv.faturaNoUretCompletedEventArgs. faturaNoUretCompletedEventArgs 145
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountResponse. @return 141	QNBFinansGIB.GIBEArsiv.faturaNoUretCompletedEventArgs. Result 146
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountResponse. output 141	QNBFinansGIB.GIBEArsiv.faturaNoUretCompletedEventArgs.Handler 220
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortal 141	QNBFinansGIB.GIBEArsiv.faturaNoUretCompletedEventArgs.type 220
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortal.input 142	QNBFinansGIB.GIBEArsiv.faturaOlustur 146
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalCompletedEventArgs 142	QNBFinansGIB.GIBEArsiv.faturaOlustur.fatura 146
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalCompletedEventArgs.faturaListeSorgulaPortalCompletedEventArgs 142	QNBFinansGIB.GIBEArsiv.faturaOlustur.input 146
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalCompletedEventArgs.output 143	QNBFinansGIB.GIBEArsiv.faturaOlusturCompletedEventArgs 146
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalCompletedEventArgs.Result 143	QNBFinansGIB.GIBEArsiv.faturaOlusturCompletedEventArgs.faturaOlusturCompletedEventArgs 147
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalCompletedEventArgs.Handler 220	QNBFinansGIB.GIBEArsiv.faturaOlusturCompletedEventArgs.Result 147
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalCompletedEventArgs.type 220	QNBFinansGIB.GIBEArsiv.faturaOlusturCompletedEventArgs.Handler 220
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalResponse 143	QNBFinansGIB.GIBEArsiv.faturaOlusturCompletedEventArgs.type 220
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalResponse. @return 143	QNBFinansGIB.GIBEArsiv.faturaOlusturExt 147
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalResponse. output 143	QNBFinansGIB.GIBEArsiv.faturaOlusturExt.fatura 148
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaResponse 144	QNBFinansGIB.GIBEArsiv.faturaOlusturExt.input 148
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaResponse. @return	QNBFinansGIB.GIBEArsiv.faturaOlusturExtCompletedEventArgs 148
	QNBFinansGIB.GIBEArsiv.faturaOlusturExtCompletedEventArgs

gs.@return
149

QNBFinansGIB.GIBEArsiv.faturaOlusturExtCompletedEventArgs
149

QNBFinansGIB.GIBEArsiv.faturaOlusturExtCompletedEventArgs.Result
149

QNBFinansGIB.GIBEArsiv.faturaOlusturExtCompletedEventArgs.
Handler
220

QNBFinansGIB.GIBEArsiv.faturaOlusturExtCompletedEventArgs.
type 220

QNBFinansGIB.GIBEArsiv.faturaOnizleme 149

QNBFinansGIB.GIBEArsiv.faturaOnizleme.fatura 150

QNBFinansGIB.GIBEArsiv.faturaOnizleme.input 150

QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventArgs
150

QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventArgs.
.@return
151

QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventArgs.
.faturaOnizlemeCompletedEventArgs
150

QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventArgs.Result
151

QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventArgs.
.Handler
221

QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventArgs.
.type 221

QNBFinansGIB.GIBEArsiv.faturaSorgula 151

QNBFinansGIB.GIBEArsiv.faturaSorgula.input 151

QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventArgs
151

QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventArgs.
.@return
152

QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventArgs.
.faturaSorgulaCompletedEventArgs
152

QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventArgs.
.Result
152

QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventArgs.
.Handler
221

QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventArgsHandler
type 221

QNBFinansGIB.GIBEArsiv.faturaSorgulaExt 152

QNBFinansGIB.GIBEArsiv.faturaSorgulaExt.input 153

QNBFinansGIB.GIBEArsiv.faturaSorgulaExtCompletedEventArgs
153

QNBFinansGIB.GIBEArsiv.faturaSorgulaExtCompletedEventArgs.
.@return
154

QNBFinansGIB.GIBEArsiv.faturaSorgulaExtCompletedEventArgs.
.faturaSorgulaExtCompletedEventArgs
153

QNBFinansGIB.GIBEArsiv.faturaSorgulaExtCompletedEventArgs.
.Result
154

QNBFinansGIB.GIBEArsiv.faturaSorgulaExtCompletedEventArgs.
.Handler
221

QNBFinansGIB.GIBEArsiv.faturaSorgulaExtCompletedEventArgs.
.type 221

QNBFinansGIB.GIBEArsiv.faturaTaslakOlustur 154

QNBFinansGIB.GIBEArsiv.faturaTaslakOlustur.fatura 154

QNBFinansGIB.GIBEArsiv.faturaTaslakOlustur.input 154

QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturCompletedEventArgs
154

QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturCompletedEventArgs.
.faturaTaslakOlusturCompletedEventArgs
155

QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturCompletedEventArgs.
.Result
155

QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturCompletedEventArgs.
.Handler
221

QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturCompletedEventArgs.
.type 221

QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturResponse 155

QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturResponse.
.@return
156

QNBFinansGIB.GIBEArsiv.faturaTaslakOnizleme 156

QNBFinansGIB.GIBEArsiv.faturaTaslakOnizleme.input 156

QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeCompletedEventArgs
156

QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeCompletedE

ventArgs.faturaTaslakOnizlemeCompletedEventArgs 157	ntArgs.output 161
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeCompletedEventArgs.output 157	QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEventArgs.Result 162
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeCompletedEventArgs.Result 157	QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEventArgsHandler 222
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeCompletedEventArgsHandler type 222	QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEventArgsHandler type 222
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeCompletedEventArgsHandler type 222	QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaResponse 162
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeResponse 157	QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaResponse.@return 162
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeResponse.@return 158	QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaResponse.output 162
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeResponse.output 158	QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlustur 162
QNBFinansGIB.GIBEArsiv.faturaTaslakSil 158	QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlustur.input 163
QNBFinansGIB.GIBEArsiv.faturaTaslakSil.input 159	QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlusturCompletedEventArgs 163
QNBFinansGIB.GIBEArsiv.faturaTaslakSilCompletedEventArgs 159	QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlusturCompletedEventArgs. @return 164
QNBFinansGIB.GIBEArsiv.faturaTaslakSilCompletedEventArgs.faturaTaslakSilCompletedEventArgs 159	QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlusturCompletedEventArgs.faturaTaslaktanOlusturCompletedEventArgs 163
QNBFinansGIB.GIBEArsiv.faturaTaslakSilCompletedEventArgs.Result 159	QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlusturCompletedEventArgs.Result 164
QNBFinansGIB.GIBEArsiv.faturaTaslakSilCompletedEventArgsHandler 222	QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlusturCompletedEventArgsHandler type 222
QNBFinansGIB.GIBEArsiv.faturaTaslakSilCompletedEventArgsHandler type 222	QNBFinansGIB.GIBEArsiv.faturaZipiAI 164
QNBFinansGIB.GIBEArsiv.faturaTaslakSilResponse 160	QNBFinansGIB.GIBEArsiv.faturaZipiAI.input 164
QNBFinansGIB.GIBEArsiv.faturaTaslakSilResponse.@return 160	QNBFinansGIB.GIBEArsiv.faturaZipiAICompletedEventArgs 164
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgula 160	QNBFinansGIB.GIBEArsiv.faturaZipiAICompletedEventArgs.faturaZipiAICompletedEventArgs 165
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgula.input 161	QNBFinansGIB.GIBEArsiv.faturaZipiAICompletedEventArgs.output 165
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEventArgs 161	QNBFinansGIB.GIBEArsiv.faturaZipiAICompletedEventArgs.Result 165
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEventArgs.faturaTaslakSorgulaCompletedEventArgs 161	
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEventArgs	
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEventArgs	
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEventArgs	

QNBFinansGIB.GIBEArsiv.faturaZipiAICompletedEventHandle r 223	Handler 223
QNBFinansGIB.GIBEArsiv.faturaZipiAICompletedEventHandle r type 223	QNBFinansGIB.GIBEArsiv.okcRaporBolumAICompletedEvent Handler type 223
QNBFinansGIB.GIBEArsiv.faturaZipiAIResponse 165	QNBFinansGIB.GIBEArsiv.okcRaporKaydet 170
QNBFinansGIB.GIBEArsiv.faturaZipiAIResponse.@return 166	QNBFinansGIB.GIBEArsiv.okcRaporKaydet.input 170
QNBFinansGIB.GIBEArsiv.faturaZipiAIResponse.output 166	QNBFinansGIB.GIBEArsiv.okcRaporKaydet.rapor 170
QNBFinansGIB.GIBEArsiv.genelBelgeFormatEnum 215	QNBFinansGIB.GIBEArsiv.okcRaporKaydetCompletedEventA rgs 171
QNBFinansGIB.GIBEArsiv.genelBelgeFormatEnum enumeration 215	QNBFinansGIB.GIBEArsiv.okcRaporKaydetCompletedEventA rgs.okcRaporKaydetCompletedEventArgs 171
QNBFinansGIB.GIBEArsiv.kontorBilgisiGetir 166	QNBFinansGIB.GIBEArsiv.okcRaporKaydetCompletedEventA rgs.Result 171
QNBFinansGIB.GIBEArsiv.kontorBilgisiGetir.kontorBirim 167	QNBFinansGIB.GIBEArsiv.okcRaporKaydetCompletedEventH andler 223
QNBFinansGIB.GIBEArsiv.kontorBilgisiGetir.kontorTipi 167	QNBFinansGIB.GIBEArsiv.okcRaporKaydetCompletedEventH andler type 223
QNBFinansGIB.GIBEArsiv.kontorBilgisiGetir.vknTckn 167	QNBFinansGIB.GIBEArsiv.okcRaporKaydetResponse 171
QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirCompletedEventA rgs 167	QNBFinansGIB.GIBEArsiv.okcRaporKaydetResponse.@retur n 172
QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirCompletedEventA rgs.kontorBilgisiGetirCompletedEventArgs	QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonder 172
167	QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonder.input 172
QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirCompletedEventA rgs.Result 168	QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderComplete dEventArgs 172
QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirCompletedEvent Handler 223	QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderComplete dEventArgs.okcRaporOlusturGonderCompletedEventArgs 173
QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirCompletedEvent Handler type 223	QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderComplete dEventArgs.Result 173
QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirResponse 168	QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderComplete dEventArgs.okcRaporOlusturGonderCompletedEventArgs 173
QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirResponse.@retur n 168	QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderComplete dEventArgs.OKC_RaporOlusturGonderResponse 173
QNBFinansGIB.GIBEArsiv.okcRaporBolumAI 168	QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderComplete dEventArgs.OKC_RaporOlusturGonderResponse. @return 174
QNBFinansGIB.GIBEArsiv.okcRaporBolumAI.input 169	QNBFinansGIB.GIBEArsiv.raporBolumAI 174
QNBFinansGIB.GIBEArsiv.okcRaporBolumAICompletedEvent Args 169	QNBFinansGIB.GIBEArsiv.raporBolumAI.bolumRaporNo 174
QNBFinansGIB.GIBEArsiv.okcRaporBolumAICompletedEvent Args.@return 170	
QNBFinansGIB.GIBEArsiv.okcRaporBolumAICompletedEvent Args.okcRaporBolumAICompletedEventArgs 169	
QNBFinansGIB.GIBEArsiv.okcRaporBolumAICompletedEvent Args.Result 170	
QNBFinansGIB.GIBEArsiv.okcRaporBolumAICompletedEvent	

QNBFinansGIB.GIBEArsiv.raporBolumAICompletedEventArgs 174	QNBFinansGIB.GIBEArsiv.raporBolumDTO.durum 179 QNBFinansGIB.GIBEArsiv.raporBolumDTO.durumAciklama 179
QNBFinansGIB.GIBEArsiv.raporBolumAICompletedEventArgs .@return 175	QNBFinansGIB.GIBEArsiv.raporBolumDTO.durumKodu 179 QNBFinansGIB.GIBEArsiv.raporBolumDTO.sonIslemeZamani 179
QNBFinansGIB.GIBEArsiv.raporBolumAICompletedEventArgs .raporBolumAICompletedEventArgs 175	QNBFinansGIB.GIBEArsiv.raporBolumleriOlustur 179 QNBFinansGIB.GIBEArsiv.raporBolumleriOlustur.donem 180 QNBFinansGIB.GIBEArsiv.raporBolumleriOlustur.input 180
QNBFinansGIB.GIBEArsiv.raporBolumAICompletedEventArgs .Result 175	QNBFinansGIB.GIBEArsiv.raporBolumleriOlustur.sonGun 180 QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturCompletedE ventArgs 180
QNBFinansGIB.GIBEArsiv.raporBolumAICompletedEventHan dler 224	QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturCompletedE ventArgs.raporBolumleriOlusturCompletedEventArgs 180
QNBFinansGIB.GIBEArsiv.raporBolumAICompletedEventHan dler type 224	QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturCompletedE ventArgs.Result 181
QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAI 175	QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturCompletedE ventHandler 224
QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAI.bolumRaporN o 176	QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturCompletedE ventHandler type 224
QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAICompletedEve ntArgs 176	QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturCompletedE ventHandler type 224
QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAICompletedEve ntArgs.raporBolumBilgisiAICompletedEventArgs 176	QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturResponse 181
QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAICompletedEve ntArgs.Result 177	QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturResponse. @ return 181
QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAICompletedEve ntHandler 224	QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgula 181
QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAICompletedEve ntHandler type 224	QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgula.d onem 182
QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAIResponse 177	QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaC ompletedEventArgs 182
QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAIResponse. @ret urn 177	QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaC ompletedEventArgs.output 183
QNBFinansGIB.GIBEArsiv.raporBolumDTO 177	QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaC ompletedEventArgs.raporBolumListesiDetayliSorgulaComple tedEventArgs 182
QNBFinansGIB.GIBEArsiv.raporBolumDTO.baslangicTarihi 178	QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaC ompletedEventArgs.raporBolumListesiDetayliSorgulaComple tedEventArgs 182
QNBFinansGIB.GIBEArsiv.raporBolumDTO.bitisTarihi 178	QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaC ompletedEventArgs.Result 183
QNBFinansGIB.GIBEArsiv.raporBolumDTO.bolumNo 178	QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaC ompletedEventArgs 178
QNBFinansGIB.GIBEArsiv.raporBolumDTO.bolumNoSpecifie d 178	QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaC ompletedEventArgs.Result 183
QNBFinansGIB.GIBEArsiv.raporBolumDTO.bolumRaporNo 178	QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaC ompletedEventArgs 178

224	QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventArgs.Result 187
QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventHandler type 224	QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventArgs 225
QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaResponse 183	QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventArgs type 225
QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaResponse.@return 183	QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncellelmzala 187
QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaResponse.output 184	QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncellelmzala.bolumRaporNo 188
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgula 184	QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncellelmzalaCompletedEventArgs 188
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgula.donem 184	QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncellelmzalaCompletedEventArgs.RaporBolumRaporNoGuncellelmzalaCompletedEventArgs 188
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaCompletedEventArgs 184	QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncellelmzalaCompletedEventArgs.Result 189
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaCompletedEventArgs.@return 185	QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncellelmzalaCompletedEventArgs.Result 189
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaCompletedEventArgs.raporBolumListesiSorgulaCompletedEventArgs 185	QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncellelmzalaCompletedEventArgs.Result 189
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaCompletedEventArgs.Result 185	QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncellelmzalaCompletedEventArgs.Result 189
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaCompletedEventArgs.type 225	QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncellelmzalaResponse 189
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaCompletedEventArgs type 225	QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncellelmzalaResponse.Result 189
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInput 185	QNBFinansGIB.GIBEArsiv.raporBolumSil 189
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInput.donem 186	QNBFinansGIB.GIBEArsiv.raporBolumSil.bolumRaporNo 190
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInput.input 186	QNBFinansGIB.GIBEArsiv.raporBolumSilCompletedEventArgs 190
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventArgs 186	QNBFinansGIB.GIBEArsiv.raporBolumSilCompletedEventArgs.raporBolumSilCompletedEventArgs 190
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventArgs.@return 187	QNBFinansGIB.GIBEArsiv.raporBolumSilCompletedEventArgs.Result 190
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventArgs.raporBolumListesiSorgulaWithInputCompletedEventArgs 187	QNBFinansGIB.GIBEArsiv.raporBolumSilCompletedEventArgs.Result 190
	QNBFinansGIB.GIBEArsiv.raporBolumSilCompletedEventArgs.Result 225
	QNBFinansGIB.GIBEArsiv.raporBolumSilCompletedEventArgs.Result 225

type 225	196
QNBFinansGIB.GIBEArsiv.raporBolumSilResponse 191	QNBFinansGIB.GIBEArsiv.raporGonderCompletedEventArgs. raporGonderCompletedEventArgs 196
QNBFinansGIB.GIBEArsiv.raporBolumSilResponse.@return 191	QNBFinansGIB.GIBEArsiv.raporGonderCompletedEventArgs. Result 196
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgula 191	QNBFinansGIB.GIBEArsiv.raporGonderCompletedEventArgs. Result 196
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgula.input 192	QNBFinansGIB.GIBEArsiv.raporGonderCompletedEventArgs. Result 196
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedE ventArgs 192	QNBFinansGIB.GIBEArsiv.raporGonderCompletedEventArgs. Handler 226
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedE ventArgs.rapordaFaturaSorgulaCompletedEventArgs 192	QNBFinansGIB.GIBEArsiv.raporGonderCompletedEventArgs. Handler type 226
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedE ventArgs.Result 192	QNBFinansGIB.GIBEArsiv.raporGonderResponse 197 QNBFinansGIB.GIBEArsiv.raporGonderResponse.@return 197
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedE ventHandler 226	QNBFinansGIB.GIBEArsiv.serviceReturnType 197 QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSo rgula 197
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedE ventHandler type 226	QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSo rgula.input 198
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaResponse 193	QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSo rgulaCompletedEventArgs 198
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaResponse. @ return 193	QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSo rgulaCompletedEventArgs. @return 199
QNBFinansGIB.GIBEArsiv.raporDurumSorgula 193	QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSo rgulaCompletedEventArgs. @return 199
QNBFinansGIB.GIBEArsiv.raporDurumSorgula.donem 194	QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSo rgulaCompletedEventArgs.outputEposta 199
QNBFinansGIB.GIBEArsiv.raporDurumSorgulaCompletedEve ntArgs 194	QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSo rgulaCompletedEventArgs.Result 199
QNBFinansGIB.GIBEArsiv.raporDurumSorgulaCompletedEve ntArgs.raporDurumSorgulaCompletedEventArgs 194	QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSo rgulaCompletedEventArgs.servisSaglayicidanEpostaDurumSo rgulaCompletedEventArgs 199
QNBFinansGIB.GIBEArsiv.raporDurumSorgulaCompletedEve ntArgs.Result 194	QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSo rgulaCompletedEventArgs.servisSaglayicidanEpostaDurumSo rgulaCompletedEventArgs 199
QNBFinansGIB.GIBEArsiv.raporDurumSorgulaCompletedEve ntHandler 226	QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSo rgulaCompletedEventArgs.servisSaglayicidanEpostaDurumSo rgulaCompletedEventArgs 226
QNBFinansGIB.GIBEArsiv.raporDurumSorgulaCompletedEve ntHandler type 226	QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSo rgulaCompletedEventArgs.type 226
QNBFinansGIB.GIBEArsiv.raporDurumSorgulaResponse 195	QNBFinansGIB.GIBEArsiv.smsDurumSorgula 199
QNBFinansGIB.GIBEArsiv.raporDurumSorgulaResponse. @re turn 195	QNBFinansGIB.GIBEArsiv.smsDurumSorgula.input 200
QNBFinansGIB.GIBEArsiv.raporGonder 195	QNBFinansGIB.GIBEArsiv.smsDurumSorgulaCompletedEven tArgs 200
QNBFinansGIB.GIBEArsiv.raporGonder.donem 196	QNBFinansGIB.GIBEArsiv.smsDurumSorgulaCompletedEven tArgs.outputDurum
QNBFinansGIB.GIBEArsiv.raporGonderCompletedEventArgs	

201	QNBFinansGIB.GIBEArsiv.smsDurumSorgulaCompletedEventArgs.Result	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonder.packageDosyasiZip
201	QNBFinansGIB.GIBEArsiv.smsDurumSorgulaCompletedEventArgs.smsDurumSorgulaCompletedEventArgs	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCompletedEventArgs
200	QNBFinansGIB.GIBEArsiv.smsDurumSorgulaCompletedEventHandler	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCompletedEventArgs.Result
227	QNBFinansGIB.GIBEArsiv.smsDurumSorgulaCompletedEventHandler.type	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCompletedEventArgs.topluFaturaPaketDosyaGonderCompletedEventArgs
201	QNBFinansGIB.GIBEArsiv.smsDurumSorgulaResponse	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCompletedEventArgs.topluFaturaPaketDosyaGonderCompletedEventArgs.type
201	QNBFinansGIB.GIBEArsiv.smsDurumSorgulaResponse.@return	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCompletedEventArgs.topluFaturaPaketDosyaGonderCompletedEventArgs.type
201	QNBFinansGIB.GIBEArsiv.smsDurumSorgulaResponse.outputDurum	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderResponse
201	QNBFinansGIB.GIBEArsiv.smsGonder	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderResponse.type
202	QNBFinansGIB.GIBEArsiv.smsGonder.ilaveTelefonNo	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderResponse.type
202	QNBFinansGIB.GIBEArsiv.smsGonder.input	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderResponse.type
202	QNBFinansGIB.GIBEArsiv.smsGonder.tanimliTelefonNoyaGonder	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgula
202	QNBFinansGIB.GIBEArsiv.smsGonderCompletedEventArgs	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgula.type
203	QNBFinansGIB.GIBEArsiv.smsGonderCompletedEventArgs.Result	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgulaCompletedEventArgs
203	QNBFinansGIB.GIBEArsiv.smsGonderCompletedEventArgs.smsGonderCompletedEventArgs	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgulaCompletedEventArgs.type
227	QNBFinansGIB.GIBEArsiv.smsGonderCompletedEventHandler	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgulaCompletedEventArgs.Result
227	QNBFinansGIB.GIBEArsiv.smsGonderCompletedEventHandler.type	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgulaCompletedEventArgs.type
203	QNBFinansGIB.GIBEArsiv.smsGonderResponse	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgulaCompletedEventArgs.type
204	QNBFinansGIB.GIBEArsiv.smsGonderResponse.@return	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgulaCompletedEventArgs.type
204	QNBFinansGIB.GIBEArsiv.stringOutputWrapper	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgulaCompletedEventArgs.type
204	QNBFinansGIB.GIBEArsiv.stringOutputWrapper.@return	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgulaCompletedEventArgs.type
204	QNBFinansGIB.GIBEArsiv.stringOutputWrapper.output	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgulaCompletedEventArgs.type
204	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonder	QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnayla
205	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonder.input	QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnayla.input
205	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderEventArgs	QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaCompletedEventArgs

209	QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAICompletedEventHandler
QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaCompletedEventArgs.Result	228
209	QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAICompletedEventHandler
QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaCompletedEventArgs.topluFaturaPaketOnaylaCompletedEventArgs	type 228
209	QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAIResponse
QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaCompletedEventArgs	213
228	QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAIResponse.
QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaCompletedEventArgs.type	@return 214
QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaResponse	QNBFinansGIB.GIBEFatura namespace 228
210	Classes 234
QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaResponse.@return	Structs, Records, Enums 495
210	Types 496
QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgula	QNBFinansGIB.GIBEFatura.belge 237
QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgula.input	QNBFinansGIB.GIBEFatura.belge.belgeNo 238
QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaCompletedEventArgs	QNBFinansGIB.GIBEFatura.belge.belgeSiraNo 238
211	QNBFinansGIB.GIBEFatura.belge.belgeTarihi 238
QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaCompletedEventArgs.@return	QNBFinansGIB.GIBEFatura.belge.belgeTuru 238
212	QNBFinansGIB.GIBEFatura.belge.belgeVerisi 238
QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaCompletedEventArgs.Result	QNBFinansGIB.GIBEFatura.belge.ettn 238
212	QNBFinansGIB.GIBEFatura.belge.gonderenEtiket 239
QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaCompletedEventArgs.topluFaturaPaketSorgulaCompletedEventArgs	QNBFinansGIB.GIBEFatura.belge.gonderenVknTckn 239
211	QNBFinansGIB.GIBEFatura.belgeGonderCompletedEventArgs 239
QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaCompletedEventArgs.EventHandler	QNBFinansGIB.GIBEFatura.belgeGonderCompletedEventArgs.belgeGonderCompletedEventArgs 239
228	QNBFinansGIB.GIBEFatura.belgeGonderCompletedEventArgs.Result 240
QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaCompletedEventArgs.type	QNBFinansGIB.GIBEFatura.belgeGonderCompletedEventArgsHandler 498
QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAI	QNBFinansGIB.GIBEFatura.belgeGonderCompletedEventArgsHandler type 498
212	QNBFinansGIB.GIBEFatura.belgeGonderCompletedEventArgs.Result 240
QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAI.input	QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventArgs 240
QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAICompletedEventArgs	QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventArgs.belgeGonderExtCompletedEventArgs 240
212	
QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAICompletedEventArgs.outputYapilandirma	
213	
QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAICompletedEventArgs.Result	
213	
QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAICompletedEventArgs.yapilandirmaAyarlariAICompletedEventArgs	
213	

QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEvent Args.Result 240	QNBFinansGIB.GIBEFatura.belgelerAlindiEntegrasyonSiparis NoGuncelleCompletedEventHandler 500
QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEvent Handler 499	QNBFinansGIB.GIBEFatura.belgelerAlindiEntegrasyonSiparis NoGuncelleCompletedEventHandler type 500
QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEvent Handler type 499	QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidC ompletedEventArgs 243
QNBFinansGIB.GIBEFatura.belgeGonderExtWithValidateCom pletedEventArgs 241	QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidC ompletedEventArgs.belgeleriTekrarGonderBelgeOidComplete dEventArgs 244
QNBFinansGIB.GIBEFatura.belgeGonderExtWithValidateCom pletedEventArgs.belgeGonderExtWithValidateCompletedEven tArgs 241	QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidC ompletedEventArgs.Result 244
QNBFinansGIB.GIBEFatura.belgeGonderExtWithValidateCom pletedEventArgs.Result 241	QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidC ompletedEventArgsHandler 500
QNBFinansGIB.GIBEFatura.belgeGonderExtWithValidateCom pletedEventArgs.Handler 499	QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidC ompletedEventArgsHandler type 500
QNBFinansGIB.GIBEFatura.belgeGonderExtWithValidateCom pletedEventArgsHandler type 499	QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompleted EventArgs 244
QNBFinansGIB.GIBEFatura.belgeGonderResp 242	QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompleted EventArgs.belgeleriTekrarGonderCompletedEventArgs 245
QNBFinansGIB.GIBEFatura.belgeGonderResp.belgeOid 242	QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompleted EventArgs.Result 245
QNBFinansGIB.GIBEFatura.belgeGonderResp.errorMessage 242	QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompleted EventArgsHandler 500
QNBFinansGIB.GIBEFatura.belgeGonderResp.responseStatu s 242	QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompleted EventArgsHandler type 500
QNBFinansGIB.GIBEFatura.belgeGonderWithValidateComple tedEventArgs 242	QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompleted EventArgsHandler type 500
QNBFinansGIB.GIBEFatura.belgeGonderWithValidateComple tedEventArgs.belgeGonderWithValidateCompletedEventArgs 243	QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderYerelBelge NoCompletedEventArgs 245
QNBFinansGIB.GIBEFatura.belgeGonderWithValidateComple tedEventArgs.Result 243	QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderYerelBelge NoCompletedEventArgs.belgeleriTekrarGonderYerelBelgeNo CompletedEventArgs 246
QNBFinansGIB.GIBEFatura.belgeGonderWithValidateComple tedEventArgs.Handler 499	QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderYerelBelge NoCompletedEventArgs.Result 246
QNBFinansGIB.GIBEFatura.belgeGonderWithValidateComple tedEventArgsHandler type 499	QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderYerelBelge NoCompletedEventArgsHandler 500
QNBFinansGIB.GIBEFatura.belgelerAlindiCompletedEventHa ndler 499	QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderYerelBelge NoCompletedEventArgsHandler type 500

QNBFinansGIB.GIBEFatura.belgev2	246	ompletedEventHandler	
QNBFinansGIB.GIBEFatura.belgev2.alanEtiket	247	type 501	
QNBFinansGIB.GIBEFatura.belgev2.aliciUnvan	247	QNBFinansGIB.GIBEFatura.connectorService	255
QNBFinansGIB.GIBEFatura.belgev2.belgeVersiyon	247	QNBFinansGIB.GIBEFatura.connectorService.belgeGonder	267
QNBFinansGIB.GIBEFatura.belgev2.belgeXmlZipped	248	QNBFinansGIB.GIBEFatura.connectorService.belgeGonderAs	
QNBFinansGIB.GIBEFatura.belgev2.ekBilgiler	248	ync	
QNBFinansGIB.GIBEFatura.belgev2.saticiUnvan	248	QNBFinansGIB.GIBEFatura.connectorService.belgeGonderC	
QNBFinansGIB.GIBEFatura.belgev2.subeKodu	248	ompleted	
QNBFinansGIB.GIBEFatura.belgev2.zarfId	248	381	
QNBFinansGIB.GIBEFatura.belgev2.zarfVerisi	248	QNBFinansGIB.GIBEFatura.connectorService.belgeGonderEx	
QNBFinansGIB.GIBEFatura.belgev2.zarfXml	248	t	
QNBFinansGIB.GIBEFatura.belgev2Entry	248	269	
QNBFinansGIB.GIBEFatura.belgev2Entry.key	249	QNBFinansGIB.GIBEFatura.connectorService.belgeGonderEx	
QNBFinansGIB.GIBEFatura.belgev2Entry.value	249	tAsync	
QNBFinansGIB.GIBEFatura.belgev3	249	269	
QNBFinansGIB.GIBEFatura.belgev3.odenecekTutar	250	QNBFinansGIB.GIBEFatura.connectorService.belgeGonderEx	
QNBFinansGIB.GIBEFatura.belgev3.odenecekTutarDovizCins	i	tCompleted	
250		381	
QNBFinansGIB.GIBEFatura.belgev4	250	QNBFinansGIB.GIBEFatura.connectorService.belgeGonderEx	
QNBFinansGIB.GIBEFatura.belgev4.arsivlenmis	251	tWithValidate	
QNBFinansGIB.GIBEFatura.belgev4.belgeHash	252	270	
QNBFinansGIB.GIBEFatura.belgev5	252	QNBFinansGIB.GIBEFatura.connectorService.belgeGonderEx	
QNBFinansGIB.GIBEFatura.belgev5.faturaGelisTarihi	253	tWithValidateCompleted	
QNBFinansGIB.GIBEFatura.belgev6	253	381	
QNBFinansGIB.GIBEFatura.belgev6.profileId	254	QNBFinansGIB.GIBEFatura.connectorService.belgeGonderWi	
QNBFinansGIB.GIBEFatura.checkDateValidControlComplete	dEventHandler	thValidate	
501		271	
QNBFinansGIB.GIBEFatura.checkDateValidControlComplete	dEventHandler	QNBFinansGIB.GIBEFatura.connectorService.belgeGonderWi	
type 501		thValidateAsync	
QNBFinansGIB.GIBEFatura.cokluGidenBelgeDurumSorgulaC	ompletedEventArgs	272	
254		QNBFinansGIB.GIBEFatura.connectorService.belgelerAlindi	
QNBFinansGIB.GIBEFatura.cokluGidenBelgeDurumSorgulaC	ompletedEventArgs.cokluGidenBelgeDurumSorgulaComple	272	
255	dEventArgs	QNBFinansGIB.GIBEFatura.connectorService.belgelerAlindiA	
QNBFinansGIB.GIBEFatura.cokluGidenBelgeDurumSorgulaC	ompletedEventArgs.Result	sync	
255		273	
QNBFinansGIB.GIBEFatura.cokluGidenBelgeDurumSorgulaC	ompletedEventHandler	QNBFinansGIB.GIBEFatura.connectorService.belgelerAlindiC	
501		ompleted	
QNBFinansGIB.GIBEFatura.cokluGidenBelgeDurumSorgulaC		381	

QNBFinansGIB.GIBEFatura.connectorService.belgelerAlindiE ntegrasyonSiparisNoGuncelleCompleted 381	QNBFinansGIB.GIBEFatura.connectorService.csXmlOnizleme 281
QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrar Gonder 275	QNBFinansGIB.GIBEFatura.connectorService.csXmlOnizleme Async 283
QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrar GonderAsync 276	QNBFinansGIB.GIBEFatura.connectorService.csXmlOnizleme Completed 382
QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrar GonderBelgeOid 276	QNBFinansGIB.GIBEFatura.connectorService.csXmlToUbl 283
QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrar GonderBelgeOidAsync 277	QNBFinansGIB.GIBEFatura.connectorService.csXmlToUblAs ync 284
QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrar GonderBelgeOidCompleted 381	QNBFinansGIB.GIBEFatura.connectorService.csXmlToUblCo mpleted 382
QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrar GonderCompleted 381	QNBFinansGIB.GIBEFatura.connectorService.eFaturaKayitliK ullaniciListele 285
QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrar GonderYerelBelgeNo 278	QNBFinansGIB.GIBEFatura.connectorService.eFaturaKayitliK ullaniciListeleAsync 285
QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrar GonderYerelBelgeNoAsync 279	QNBFinansGIB.GIBEFatura.connectorService.eFaturaKayitliK ullaniciListeleCompleted 382
QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrar GonderYerelBelgeNoCompleted 381	QNBFinansGIB.GIBEFatura.connectorService.efaturaKullanici Bilgisi 286
QNBFinansGIB.GIBEFatura.connectorService.CancelAsync 279	QNBFinansGIB.GIBEFatura.connectorService.efaturaKullanici BilgisiAsync 286
QNBFinansGIB.GIBEFatura.connectorService.checkDateValid Control 279	QNBFinansGIB.GIBEFatura.connectorService.efaturaKullanici BilgisiCompleted 382
QNBFinansGIB.GIBEFatura.connectorService.checkDateValid ControlAsync 280	QNBFinansGIB.GIBEFatura.connectorService.efaturaKullanici Listesi 287
QNBFinansGIB.GIBEFatura.connectorService.checkDateValid ControlCompleted 382	QNBFinansGIB.GIBEFatura.connectorService.efaturaKullanici ListesiAsync 287
QNBFinansGIB.GIBEFatura.connectorService.cokluGidenBel geDurumSorgula 280	QNBFinansGIB.GIBEFatura.connectorService.efaturaKullanici ListesiCompleted 382
QNBFinansGIB.GIBEFatura.connectorService.cokluGidenBel geDurumSorgulaAsync 281	QNBFinansGIB.GIBEFatura.connectorService.efaturaKullanici si 288
QNBFinansGIB.GIBEFatura.connectorService.cokluGidenBel geDurumSorgulaCompleted 382	QNBFinansGIB.GIBEFatura.connectorService.efaturaKullanici siAsync 288
QNBFinansGIB.GIBEFatura.connectorService.connectorServ ice 267	QNBFinansGIB.GIBEFatura.connectorService.efaturaKullanici siCompleted 382

QNBFinansGIB.GIBEFatura.connectorService.elrsaliyeKayitli KullaniciListele 288	383
QNBFinansGIB.GIBEFatura.connectorService.elrsaliyeKayitli KullaniciListeleAsync 289	295
QNBFinansGIB.GIBEFatura.connectorService.elrsaliyeKayitli KullaniciListeleCompleted 382	296
QNBFinansGIB.GIBEFatura.connectorService.elrsaliyeKullani cisi 289	QNBFinansGIB.GIBEFatura.connectorService.faturaNoUretC ompleted 383
QNBFinansGIB.GIBEFatura.connectorService.elrsaliyeKullani cisiAsync 290	QNBFinansGIB.GIBEFatura.connectorService.faturaTarihcesi Sorgula 296
QNBFinansGIB.GIBEFatura.connectorService.elrsaliyeKullani cisiCompleted 382	QNBFinansGIB.GIBEFatura.connectorService.faturaTarihcesi SorgulaAsync 297
QNBFinansGIB.GIBEFatura.connectorService.erpBilgileriBelir le 290	QNBFinansGIB.GIBEFatura.connectorService.faturaTarihcesi SorgulaCompleted 383
QNBFinansGIB.GIBEFatura.connectorService.erpBilgileriBelir leAsync 291	QNBFinansGIB.GIBEFatura.connectorService.faturayaltirazE dildi 297
QNBFinansGIB.GIBEFatura.connectorService.erpBilgileriBelir leCompleted 382	QNBFinansGIB.GIBEFatura.connectorService.faturayaltirazE dildiAsync 298
QNBFinansGIB.GIBEFatura.connectorService.faturaKepIlelad eEdildi 291	QNBFinansGIB.GIBEFatura.connectorService.faturayaltirazE dildipta 298
QNBFinansGIB.GIBEFatura.connectorService.faturaKepIlelad eEdildiAsync 292	QNBFinansGIB.GIBEFatura.connectorService.faturayaltirazE dildiptaAsync 299
QNBFinansGIB.GIBEFatura.connectorService.faturaKepIlelad eEdildiCompleted 383	QNBFinansGIB.GIBEFatura.connectorService.faturayaltirazE dildiptaCompleted 383
QNBFinansGIB.GIBEFatura.connectorService.faturaKepIlelad eEdildiptal 292	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeDur umSorgula 300
QNBFinansGIB.GIBEFatura.connectorService.faturaKepIlelad eEdildiptalAsync 293	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeDur umSorgulaAsync 300, 301
QNBFinansGIB.GIBEFatura.connectorService.faturaKepIlelad eEdildiptalCompleted 383	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeDur umSorgulaCompleted 383
QNBFinansGIB.GIBEFatura.connectorService.faturaMailGond er 293	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeDur umSorgulaExt 301
QNBFinansGIB.GIBEFatura.connectorService.faturaMailGond erAsync 294, 295	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeDur umSorgulaExtAsync 301, 302
QNBFinansGIB.GIBEFatura.connectorService.faturaMailGond erCompleted	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeDur umSorgulaExtCompleted

383	ndirExtCompleted
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeEkle riAI 302	384
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeEkle riAIAsync 303	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriL istele 309
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeEkle riAICompleted 383	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriL isteleAsync 310
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri AI 303	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriL isteleCompleted 384
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri AIAsync 304	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriL isteleExt 310
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri AICompleted 383	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriL isteleExtAsync 311
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri AIExt 304	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriL isteleExtCompleted 384
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri AIExt2 305	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeTut arBilgileriSorgula 311
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri AIExt2Async 306	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeTut arBilgileriSorgulaAsync 312
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri AIExt2Completed 384	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeTut arBilgileriSorgulaCompleted 384
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri AIExtAsync 306	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeXmll eriniAI 312
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri AIExtCompleted 384	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeXmll eriniAIAsync 313
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriL ndir 307	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeXmll eriniAICompleted 384
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriL ndirAsync 307, 308	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeXmll eriniAIExt 314
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriL ndirCompleted 384	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeXmll eriniAIExtAsync 314
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriL ndirExt 308	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeXmll eriniAIExtCompleted 384
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriL ndirExtAsync 308, 309	QNBFinansGIB.GIBEFatura.connectorService.gelenFaturalari ArsiveKaldır 315
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriL	QNBFinansGIB.GIBEFatura.connectorService.gelenFaturalari ArsiveKaldırAsync 315

QNBFinansGIB.GIBEFatura.connectorService.gelenFaturalari ArsiveKaldırCompleted 384	385	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaCompleted 385
QNBFinansGIB.GIBEFatura.connectorService.gelenIrsaliyeleri ArsiveKaldır 316	323	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaEttn 323
QNBFinansGIB.GIBEFatura.connectorService.gelenIrsaliyeleri ArsiveKaldırAsync 316	324	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaEttnAsync 324
QNBFinansGIB.GIBEFatura.connectorService.gelenIrsaliyeleri ArsiveKaldırCompleted 384	385	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaEttnCompleted 385
QNBFinansGIB.GIBEFatura.connectorService.gelenStandartR apolariAI 317	324	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaExt 324
QNBFinansGIB.GIBEFatura.connectorService.gelenStandartR apolariAIAsync 318	325	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaExtAsync 325
QNBFinansGIB.GIBEFatura.connectorService.gelenStandartR apolariAICompleted 385	325	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaExtCompleted 325
QNBFinansGIB.GIBEFatura.connectorService.gelenTamamla nanRapolariAI 318	326	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaPortal 326
QNBFinansGIB.GIBEFatura.connectorService.gelenTamamla nanRapolariAIAsync 319	326	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaPortalAsync 326
QNBFinansGIB.GIBEFatura.connectorService.gelenTamamla nanRapolariAICompleted 385	327	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaPortalCompleted 327
QNBFinansGIB.GIBEFatura.connectorService.gelenTasinanB elgelerilndir 320	327	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaYerelBelgeNo 327
QNBFinansGIB.GIBEFatura.connectorService.gelenTasinanB elgelerilndirAsync 320	327	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaYerelBelgeNoAsync 327
QNBFinansGIB.GIBEFatura.connectorService.gelenTasinanB elgelerilndirCompleted 385	327	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaYerelBelgeNoCompleted 327
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgula 321	328	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeEkle riAI 327
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaAsync 321, 322	328	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeEkle riAIAsync 328
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaBelgeNo 322	328	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeEkle riAICompleted 328
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaBelgeNoAsync 323	329	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgelerilndir 329
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaBelgeNoCompleted	329	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgelerilndir 329

ndirAsync 329, 330	QNBFinansGIB.GIBEFatura.connectorService.gidenFaturalariArsiveKaldirAsync 336
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgelerilndirCompleted 385	QNBFinansGIB.GIBEFatura.connectorService.gidenFaturalariArsiveKaldirCompleted 386
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgelerilndirEtn 330	QNBFinansGIB.GIBEFatura.connectorService.gidenIrsaliyeleriArsiveKaldir 337
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgelerilndirEtnAsync 331	QNBFinansGIB.GIBEFatura.connectorService.gidenIrsaliyeleriArsiveKaldirAsync 337
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgelerilndirEtnCompleted 386	QNBFinansGIB.GIBEFatura.connectorService.gidenIrsaliyeleriArsiveKaldirCompleted 386
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgelerilndirPortal 331	QNBFinansGIB.GIBEFatura.connectorService.gidenTasinanBalgelerilndir 338
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgelerilndirPortalAsync 332	QNBFinansGIB.GIBEFatura.connectorService.gidenTasinanBalgelerilndirAsync 338, 339
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgelerilndirPortalCompleted 386	QNBFinansGIB.GIBEFatura.connectorService.gidenTasinanBalgelerilndirCompleted 386
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgelerilistele 332	QNBFinansGIB.GIBEFatura.connectorService.irsaliyeMailGonder 339
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgelerilisteleAsync 333	QNBFinansGIB.GIBEFatura.connectorService.irsaliyeMailGonderAsync 340
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgelerilisteleCompleted 386	QNBFinansGIB.GIBEFatura.connectorService.irsaliyeMailGonderCompleted 386
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgelerilistelePortal 333	QNBFinansGIB.GIBEFatura.connectorService.irsaliyeTarihcesiSorgula 340
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgelerilistelePortalAsync 334	QNBFinansGIB.GIBEFatura.connectorService.irsaliyeTarihcesiSorgulaAsync 341
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgelerilistelePortalCompleted 386	QNBFinansGIB.GIBEFatura.connectorService.irsaliyeTarihcesiSorgulaCompleted 386
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeTutarBilgileriSorgula 334	QNBFinansGIB.GIBEFatura.connectorService.IsLocalFileSystemWebService 342
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeTutarBilgileriSorgulaAsync 335	QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciListeleExtended 342
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeTutarBilgileriSorgulaCompleted 386	QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciListeleExtendedAsync 343
QNBFinansGIB.GIBEFatura.connectorService.gidenFaturalariArsiveKaldir 336	QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciListeleExtendedCompleted

386	rarGonderYerelBelgeNoOperationCompleted
QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciIsteleExtendedTime 343	349
QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciIsteleExtendedTimeAsync 344	QNBFinansGIB.GIBEFatura.connectorService.OncheckDateV alidControlOperationCompleted 350
QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciIsteleExtendedTimeCompleted 387	QNBFinansGIB.GIBEFatura.connectorService.OncokluGiden BelgeDurumSorgulaOperationCompleted 350
QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciIsteleExtendedVknTckn 345	QNBFinansGIB.GIBEFatura.connectorService.OncsXmlOnizle meOperationCompleted 350
QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciIsteleExtendedVknTcknAsync 345	QNBFinansGIB.GIBEFatura.connectorService.OncsXmlToUbl OperationCompleted 351
QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciIsteleExtendedVknTcknCompleted 387	QNBFinansGIB.GIBEFatura.connectorService.OneFaturaKay tiKullaniciListeleOperationCompleted 351
QNBFinansGIB.GIBEFatura.connectorService.kontorBilgisiGe tir 346	QNBFinansGIB.GIBEFatura.connectorService.OnefaturaKulla niciBilgisiOperationCompleted 351
QNBFinansGIB.GIBEFatura.connectorService.kontorBilgisiGe tirAsync 346, 347	QNBFinansGIB.GIBEFatura.connectorService.OnefaturaKulla niciListesiOperationCompleted 351
QNBFinansGIB.GIBEFatura.connectorService.kontorBilgisiGe tirCompleted 387	QNBFinansGIB.GIBEFatura.connectorService.OnefaturaKulla nicisiOperationCompleted 352
QNBFinansGIB.GIBEFatura.connectorService.OnbelgeGonde rExtOperationCompleted 347	QNBFinansGIB.GIBEFatura.connectorService.OneIrsaliyeKay tiKullaniciListeleOperationCompleted 352
QNBFinansGIB.GIBEFatura.connectorService.OnbelgeGonde rExtWithValidateOperationCompleted 347	QNBFinansGIB.GIBEFatura.connectorService.OneIrsaliyeKull anicisiOperationCompleted 352
QNBFinansGIB.GIBEFatura.connectorService.OnbelgeGonde rOperationCompleted 348	QNBFinansGIB.GIBEFatura.connectorService.OnerpBilgileriB elirleOperationCompleted 353
QNBFinansGIB.GIBEFatura.connectorService.OnbelgeGonde rWithValidateOperationCompleted 348	QNBFinansGIB.GIBEFatura.connectorService.OnfaturaKepille IadeEdildilptalOperationCompleted 353
QNBFinansGIB.GIBEFatura.connectorService.OnbelgelerAlin diIntegrasyonSiparisNoGuncelleOperationCompleted 348	QNBFinansGIB.GIBEFatura.connectorService.OnfaturaKepille IadeEdildiOperationCompleted 353
QNBFinansGIB.GIBEFatura.connectorService.OnbelgelerAlin diOperationCompleted 348	QNBFinansGIB.GIBEFatura.connectorService.OnfaturaMailG onderOperationCompleted 354
QNBFinansGIB.GIBEFatura.connectorService.OnbelgeleriTek rarGonderBelgeOidOperationCompleted 349	QNBFinansGIB.GIBEFatura.connectorService.OnfaturaNoUre tOperationCompleted 354
QNBFinansGIB.GIBEFatura.connectorService.OnbelgeleriTek rarGonderOperationCompleted 349	QNBFinansGIB.GIBEFatura.connectorService.OnfaturaTarihc esiSorgulaOperationCompleted 354
QNBFinansGIB.GIBEFatura.connectorService.OnbelgeleriTek	QNBFinansGIB.GIBEFatura.connectorService.Onfaturayaltira zEdildilptalOperationCompleted 354

QNBFinansGIB.GIBEFatura.connectorService.Onfaturayaltira zEdildiOperationCompleted 355	360	QNBFinansGIB.GIBEFatura.connectorService.OngelenTasina nBelgeleriIndirOperationCompleted 360
QNBFinansGIB.GIBEFatura.connectorService.OngelenBelge DurumSorgulaExtOperationCompleted 355	360	QNBFinansGIB.GIBEFatura.connectorService.OngidenBelge DurumSorgulaBelgeNoOperationCompleted 360
QNBFinansGIB.GIBEFatura.connectorService.OngelenBelge DurumSorgulaOperationCompleted 355	360	QNBFinansGIB.GIBEFatura.connectorService.OngidenBelge DurumSorgulaEttnOperationCompleted 361
QNBFinansGIB.GIBEFatura.connectorService.OngelenBelge EkleriAIOperationCompleted 356	361	QNBFinansGIB.GIBEFatura.connectorService.OngidenBelge DurumSorgulaExtOperationCompleted 361
QNBFinansGIB.GIBEFatura.connectorService.OngelenBelge eriAIExt2OperationCompleted 356	361	QNBFinansGIB.GIBEFatura.connectorService.OngidenBelge DurumSorgulaOperationCompleted 361
QNBFinansGIB.GIBEFatura.connectorService.OngelenBelge eriAIExtOperationCompleted 356	361	QNBFinansGIB.GIBEFatura.connectorService.OngidenBelge DurumSorgulaPortalOperationCompleted 362
QNBFinansGIB.GIBEFatura.connectorService.OngelenBelge eriAIOperationCompleted 357	362	QNBFinansGIB.GIBEFatura.connectorService.OngidenBelge DurumSorgulaYerelBelgeNoOperationCompleted 362
QNBFinansGIB.GIBEFatura.connectorService.OngelenBelge eriIndirExtOperationCompleted 357	362	QNBFinansGIB.GIBEFatura.connectorService.OngidenBelge EkleriAIOperationCompleted 362
QNBFinansGIB.GIBEFatura.connectorService.OngelenBelge eriIndirOperationCompleted 357	362	QNBFinansGIB.GIBEFatura.connectorService.OngidenBelge eriIndirEttnOperationCompleted 363
QNBFinansGIB.GIBEFatura.connectorService.OngelenBelge eriListeleExtOperationCompleted 357	363	QNBFinansGIB.GIBEFatura.connectorService.OngidenBelge eriIndirOperationCompleted 363
QNBFinansGIB.GIBEFatura.connectorService.OngelenBelge eriListeleOperationCompleted 358	363	QNBFinansGIB.GIBEFatura.connectorService.OngidenBelge eriIndirPortalOperationCompleted 363
QNBFinansGIB.GIBEFatura.connectorService.OngelenBelgeT utarBilgileriSorgulaOperationCompleted 358	363	QNBFinansGIB.GIBEFatura.connectorService.OngidenBelge eriListeleOperationCompleted 363
QNBFinansGIB.GIBEFatura.connectorService.OngelenBelge XmlleriniAIExtOperationCompleted 358	363	QNBFinansGIB.GIBEFatura.connectorService.OngidenBelge eriListelePortalOperationCompleted 364
QNBFinansGIB.GIBEFatura.connectorService.OngelenBelge XmlleriniAIOperationCompleted 359	364	QNBFinansGIB.GIBEFatura.connectorService.OngidenBelgeT utarBilgileriSorgulaOperationCompleted 364
QNBFinansGIB.GIBEFatura.connectorService.OngelenFatural ariArsiveKaldırOperationCompleted 359	364	QNBFinansGIB.GIBEFatura.connectorService.OngidenFatural ariArsiveKaldırOperationCompleted 364
QNBFinansGIB.GIBEFatura.connectorService.OngelenIrsaliye IeriArsiveKaldırOperationCompleted 359	364	QNBFinansGIB.GIBEFatura.connectorService.OngidenIrsaliye IeriArsiveKaldırOperationCompleted 365
QNBFinansGIB.GIBEFatura.connectorService.OngelenStanda rtRapolariAIOperationCompleted 360	365	QNBFinansGIB.GIBEFatura.connectorService.OngidenTasina nBelgeleriIndirOperationCompleted 365
QNBFinansGIB.GIBEFatura.connectorService.OngelenTama mlananRapolariAIOperationCompleted	365	QNBFinansGIB.GIBEFatura.connectorService.OnirsaliyeMail

GonderOperationCompleted 365	QNBFinansGIB.GIBEFatura.connectorService.toplamBelgeSayisiGetirAsync 372, 373
QNBFinansGIB.GIBEFatura.connectorService.OnirsaliyeTarihesiSorgulaOperationCompleted 366	QNBFinansGIB.GIBEFatura.connectorService.toplamBelgeSayisiGetirCompleted 387
QNBFinansGIB.GIBEFatura.connectorService.OnkayitliKullanicilisteExtendedOperationCompleted 366	QNBFinansGIB.GIBEFatura.connectorService.ulbOnizleme 373
QNBFinansGIB.GIBEFatura.connectorService.OnkayitliKullanicilisteExtendedTimeOperationCompleted 366	QNBFinansGIB.GIBEFatura.connectorService.ulbOnizlemeAsync 374
QNBFinansGIB.GIBEFatura.connectorService.OnkayitliKullanicilisteExtendedVknTcknOperationCompleted 366	QNBFinansGIB.GIBEFatura.connectorService.ulbOnizlemeCompleted 387
QNBFinansGIB.GIBEFatura.connectorService.OnkontorBilgisiGetirOperationCompleted 367	QNBFinansGIB.GIBEFatura.connectorService.Url 380
QNBFinansGIB.GIBEFatura.connectorService.OntemelKontrolIerlleBelgeGonderOperationCompleted 367	QNBFinansGIB.GIBEFatura.connectorService.urunSablonlariiniAI 374
QNBFinansGIB.GIBEFatura.connectorService.OntoplambelgeSayisiGetirOperationCompleted 367	QNBFinansGIB.GIBEFatura.connectorService.urunSablonlariiniAIAsync 375
QNBFinansGIB.GIBEFatura.connectorService.OnublOnizlemeOperationCompleted 368	QNBFinansGIB.GIBEFatura.connectorService.urunSablonlariiniAICompleted 387
QNBFinansGIB.GIBEFatura.connectorService.OnurunSablonlariiniAIOperationCompleted 368	QNBFinansGIB.GIBEFatura.connectorService.UseDefaultCredentials 381
QNBFinansGIB.GIBEFatura.connectorService.OnwsKullanicisiKaydetOperationCompleted 368	QNBFinansGIB.GIBEFatura.connectorService.wsKullanicisiKaydet 375
QNBFinansGIB.GIBEFatura.connectorService.OnyereleAktarilacakBelgeleriAIExtOperationCompleted 369	QNBFinansGIB.GIBEFatura.connectorService.wsKullanicisiKaydetAsync 376
QNBFinansGIB.GIBEFatura.connectorService.OnyereleAktarilacakBelgeleriAIOperationCompleted 369	QNBFinansGIB.GIBEFatura.connectorService.wsKullanicisiKaydetCompleted 387
QNBFinansGIB.GIBEFatura.connectorService.OnyolcuBeraberFaturalptalEtOperationCompleted 369	QNBFinansGIB.GIBEFatura.connectorService.yereleAktarilacakBelgeleriAI 377
QNBFinansGIB.GIBEFatura.connectorService.temelKontrollerIleBelgeGonder 369	QNBFinansGIB.GIBEFatura.connectorService.yereleAktarilacakBelgeleriAIAsync 377, 378
QNBFinansGIB.GIBEFatura.connectorService.temelKontrollerIleBelgeGonderAsync 371	QNBFinansGIB.GIBEFatura.connectorService.yereleAktarilacakBelgeleriAICompleted 387
QNBFinansGIB.GIBEFatura.connectorService.temelKontrollerIleBelgeGonderCompleted 387	QNBFinansGIB.GIBEFatura.connectorService.yereleAktarilacakBelgeleriAIExt 378
QNBFinansGIB.GIBEFatura.connectorService.toplamBelgeSayisiGetir 371	QNBFinansGIB.GIBEFatura.connectorService.yereleAktarilacakBelgeleriAIExtAsync 378, 379
	QNBFinansGIB.GIBEFatura.connectorService.yereleAktarilacakBelgeleriAIExtCompleted

387	QNBFinansGIB.GIBEFatura.connectorService.yolcuBeraberFaturalptaEt 379	QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciListeleCompletedEventArgs.eFaturaKayitliKullaniciListeleCompletedEventArgs 391
380	QNBFinansGIB.GIBEFatura.connectorService.yolcuBeraberFaturalptaEtAsync 380	QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciListeleCompletedEventArgs.Result 391
387	QNBFinansGIB.GIBEFatura.connectorService.yolcuBeraberFaturalptaEtCompleted 387	QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciListeleCompletedEventHandler 502
388	QNBFinansGIB.GIBEFatura.csXmlOnizlemeCompletedEventArgs 388	QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciListeleCompletedEventHandler type 502
388	QNBFinansGIB.GIBEFatura.csXmlOnizlemeCompletedEventArgs.csXmlOnizlemeCompletedEventArgs 388	QNBFinansGIB.GIBEFatura.eFaturaKullanici 391
388	QNBFinansGIB.GIBEFatura.csXmlOnizlemeCompletedEventArgs.Result 388	QNBFinansGIB.GIBEFatura.eFaturaKullanici.etiket 392
501	QNBFinansGIB.GIBEFatura.csXmlOnizlemeCompletedEventHandler type 501	QNBFinansGIB.GIBEFatura.eFaturaKullanici.kamuKurulusu 392
388	QNBFinansGIB.GIBEFatura.csXmlOnizlemeCompletedEventHandler type 501	QNBFinansGIB.GIBEFatura.eFaturaKullanici.kayitZamani 392
388	QNBFinansGIB.GIBEFatura.csXmlToUblCompletedEventArgs 388	QNBFinansGIB.GIBEFatura.eFaturaKullanici.unvan 392
389	QNBFinansGIB.GIBEFatura.csXmlToUblCompletedEventArgs.csXmlToUblCompletedEventArgs 389	QNBFinansGIB.GIBEFatura.eFaturaKullanici.vergiTcKimlikNo 392
389	QNBFinansGIB.GIBEFatura.csXmlToUblCompletedEventArgs.Result 389	QNBFinansGIB.GIBEFatura.efaturaKullaniciBilgisiCompletedEventArgs 392
501	QNBFinansGIB.GIBEFatura.csXmlToUblCompletedEventHandler type 501	QNBFinansGIB.GIBEFatura.efaturaKullaniciBilgisiCompletedEventArgs 393
501	QNBFinansGIB.GIBEFatura.csXmlToUblCompletedEventHandler type 501	QNBFinansGIB.GIBEFatura.efaturaKullaniciBilgisiCompletedEventHandler type 502
389	QNBFinansGIB.GIBEFatura.csXmlToUblCompletedEventHandler type 501	QNBFinansGIB.GIBEFatura.efaturaKullaniciBilgisiCompletedEventArgs 393
389	QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciHistory 389	QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended 393
390	QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciHistory.etiket 390	QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.eFaturaKayitliKullaniciHistoryList 394
390	QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciHistory.etiketOlusturulmaZamani 390	QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.etiketOlusturulmaZamani 394
390	QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciHistory.silinmeZamani 390	QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.hesapTipi 394
390	QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciListeleCompletedEventArgs 390	QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.hesapTipiSpecified 394

QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.kamuKurulusu 394	entArgs 397
QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.kamuKurulusuSpecified 394	QNBFinansGIB.GIBEFatura.eIrsaliyeKayitliKullaniciListeleCompletedEventArgs.Result 398
QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.kayitZamani 395	QNBFinansGIB.GIBEFatura.eIrsaliyeKayitliKullaniciListeleCompletedEventHandler 503
QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.tip 395	QNBFinansGIB.GIBEFatura.eIrsaliyeKayitliKullaniciListeleCompletedEventHandler type 503
QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.tipSpecified 395	QNBFinansGIB.GIBEFatura.eIrsaliyeKullanici 398
QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.unvan 395	QNBFinansGIB.GIBEFatura.eIrsaliyeKullanici.etiket 398
QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.vergiTcKimlikNo 395	QNBFinansGIB.GIBEFatura.eIrsaliyeKullanici.kamuKuruluşu 398
QNBFinansGIB.GIBEFatura.efaturaKullaniciListesiCompletedEventArgs 395	QNBFinansGIB.GIBEFatura.eIrsaliyeKullanici.kayitZamani 399
QNBFinansGIB.GIBEFatura.efaturaKullaniciListesiCompletedEventArgs.efaturaKullaniciListesiCompletedEventArgs 396	QNBFinansGIB.GIBEFatura.eIrsaliyeKullanici.unvan 399
QNBFinansGIB.GIBEFatura.efaturaKullaniciListesiCompletedEventArgs.Result 396	QNBFinansGIB.GIBEFatura.eIrsaliyeKullanici.vergiTcKimlikNo 399
QNBFinansGIB.GIBEFatura.efaturaKullaniciListesiCompletedEventArgs.EventHandler 502	QNBFinansGIB.GIBEFatura.eIrsaliyeKullanicisiCompletedEventArgs 399
QNBFinansGIB.GIBEFatura.efaturaKullaniciListesiCompletedEventArgs.EventHandler.type 502	QNBFinansGIB.GIBEFatura.eIrsaliyeKullanicisiCompletedEventArgs.Result 399
QNBFinansGIB.GIBEFatura.efaturaKullanicisiCompletedEventArgs 396	QNBFinansGIB.GIBEFatura.eIrsaliyeKullanicisiCompletedEventArgs.Handler 503
QNBFinansGIB.GIBEFatura.efaturaKullanicisiCompletedEventArgs.efaturaKullanicisiCompletedEventArgs 396	QNBFinansGIB.GIBEFatura.eIrsaliyeKullanicisiCompletedEventArgs.Handler type 503
QNBFinansGIB.GIBEFatura.efaturaKullanicisiCompletedEventArgs.Result 397	QNBFinansGIB.GIBEFatura.eIrsaliyeKullanicisiCompletedEventArgs.Handler 503
QNBFinansGIB.GIBEFatura.efaturaKullanicisiCompletedEventArgs.Handler 502	QNBFinansGIB.GIBEFatura.eIrsaliyeKullanicisiCompletedEventArgs.Handler type 503
QNBFinansGIB.GIBEFatura.efaturaKullanicisiCompletedEventArgs.Handler.type 502	QNBFinansGIB.GIBEFatura.eIrsaliyeKullanicisiCompletedEventArgs.BelirleCompletedEventHandler 503
QNBFinansGIB.GIBEFatura.efaturaKullanicisiCompletedEventArgs.BelirleCompletedEventHandler 400	QNBFinansGIB.GIBEFatura.eIrsaliyeKullanicisiCompletedEventArgs.BelirleCompletedEventHandler type 503
QNBFinansGIB.GIBEFatura.eIrsaliyeKayitliKullaniciListeleCompletedEventArgs 397	QNBFinansGIB.GIBEFatura.faturaKeplleladeEdildiCompletedEventArgs 400
QNBFinansGIB.GIBEFatura.eIrsaliyeKayitliKullaniciListeleCompletedEventArgs.eIrsaliyeKayitliKullaniciListeleCompletedEventArgs 401	QNBFinansGIB.GIBEFatura.faturaKeplleladeEdildiCompletedEventArgs.faturaKeplleladeEdildiCompletedEventArgs 401

QNBFinansGIB.GIBEFatura.faturaKepIleladeEdildiCompletedEventArgs.Result 401	QNBFinansGIB.GIBEFatura.faturaTarihcesiData.islemAciklama 404
QNBFinansGIB.GIBEFatura.faturaKepIleladeEdildiCompletedEventHandler 503	QNBFinansGIB.GIBEFatura.faturaTarihcesiData.islemKanali 404
QNBFinansGIB.GIBEFatura.faturaKepIleladeEdildiCompletedEventHandler type 503	QNBFinansGIB.GIBEFatura.faturaTarihcesiData.islemKanaliA ciklama 404
QNBFinansGIB.GIBEFatura.faturaKepIleladeEdildilptalCompletedEventArgs 401	QNBFinansGIB.GIBEFatura.faturaTarihcesiData.islemSonucu 405
QNBFinansGIB.GIBEFatura.faturaKepIleladeEdildilptalCompletedEventArgs.faturaKepIleladeEdildilptalCompletedEventArgs 402	QNBFinansGIB.GIBEFatura.faturaTarihcesiData.islemZamani 405
QNBFinansGIB.GIBEFatura.faturaKepIleladeEdildilptalCompletedEventArgs.Result 402	QNBFinansGIB.GIBEFatura.faturaTarihcesiData.kullanici 405
QNBFinansGIB.GIBEFatura.faturaKepIleladeEdildilptalCompletedEventHandler 504	QNBFinansGIB.GIBEFatura.faturaTarihcesiData.kullanicilp 405
QNBFinansGIB.GIBEFatura.faturaKepIleladeEdildilptalCompletedEventHandler type 504	QNBFinansGIB.GIBEFatura.faturaTarihcesiData.zarfEtn 405
QNBFinansGIB.GIBEFatura.faturaMailGonderCompletedEvent Handler 504	QNBFinansGIB.GIBEFatura.faturaTarihcesiSorgulaCompletedEventArgs 405
QNBFinansGIB.GIBEFatura.faturaMailGonderCompletedEvent Handler type 504	QNBFinansGIB.GIBEFatura.faturaTarihcesiSorgulaCompletedEventArgs.faturaTarihcesiSorgulaCompletedEventArgs 406
QNBFinansGIB.GIBEFatura.faturaNoUretCompletedEventArgs 402	QNBFinansGIB.GIBEFatura.faturaTarihcesiSorgulaCompletedEventArgs.Result 406
QNBFinansGIB.GIBEFatura.faturaNoUretCompletedEventArgs.faturaNoUretCompletedEventArgs 403	QNBFinansGIB.GIBEFatura.faturaTarihcesiSorgulaCompletedEventArgs.Result 504
QNBFinansGIB.GIBEFatura.faturaNoUretCompletedEventArgs.Result 403	QNBFinansGIB.GIBEFatura.faturayaltirazEdildiCompletedEventArgs 406
QNBFinansGIB.GIBEFatura.faturaNoUretCompletedEvent Handler 504	QNBFinansGIB.GIBEFatura.faturayaltirazEdildiCompletedEventArgs.faturayaltirazEdildiCompletedEventArgs 407
QNBFinansGIB.GIBEFatura.faturaNoUretCompletedEvent Handler type 504	QNBFinansGIB.GIBEFatura.faturayaltirazEdildiCompletedEventArgs.Result 407
QNBFinansGIB.GIBEFatura.faturaTarihcesiData 403	QNBFinansGIB.GIBEFatura.faturayaltirazEdildiCompletedEventArgs.Result 505
QNBFinansGIB.GIBEFatura.faturaTarihcesiData.bagliKayitId 404	QNBFinansGIB.GIBEFatura.faturayaltirazEdildilptalCompletedEventArgs 407
QNBFinansGIB.GIBEFatura.faturaTarihcesiData.faturaEtn 404	QNBFinansGIB.GIBEFatura.faturayaltirazEdildilptalCompletedEventArgs.faturayaltirazEdildilptalCompletedEventArgs 407
QNBFinansGIB.GIBEFatura.faturaTarihcesiData.islem 404	QNBFinansGIB.GIBEFatura.faturayaltirazEdildilptalCompletedEventArgs.faturayaltirazEdildilptalCompletedEventArgs.Result 407

408	QNBFinansGIB.GIBEFatura.faturayaltirazEdildilptalCompletedEventArgs.Result	QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaExtCompletedEventArgs.Result 412
408	QNBFinansGIB.GIBEFatura.faturayaltirazEdildilptalCompletedEventHandler	QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaExtCompletedEventHandler 505
505	QNBFinansGIB.GIBEFatura.faturayaltirazEdildilptalCompletedEventHandler	QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaExtCompletedEventHandler type 505
QNBFinansGIB.GIBEFatura.gelenBelgeDurum 408	QNBFinansGIB.GIBEFatura.gelenBelgeDurumv2 412	QNBFinansGIB.GIBEFatura.gelenBelgeDurumv2.siraNo 413
QNBFinansGIB.GIBEFatura.gelenBelgeDurum.alimTarihi 409	QNBFinansGIB.GIBEFatura.gelenBelgeDurumv2.yereleAktarimDurumu 413	QNBFinansGIB.GIBEFatura.gelenBelgeDurumv3 413
QNBFinansGIB.GIBEFatura.gelenBelgeDurum.belgeNo 409	QNBFinansGIB.GIBEFatura.gelenBelgeDurumv3.kepDurum 414	QNBFinansGIB.GIBEFatura.gelenBelgeDurumv4 414
QNBFinansGIB.GIBEFatura.gelenBelgeDurum.ettn 409	QNBFinansGIB.GIBEFatura.gelenBelgeDurumv4.giblptalDurum 415	QNBFinansGIB.GIBEFatura.gelenBelgeEkleriAICompletedEventArgs 416
QNBFinansGIB.GIBEFatura.gelenBelgeDurum.yanitDetayi 409	QNBFinansGIB.GIBEFatura.gelenBelgeDurumv5 415	QNBFinansGIB.GIBEFatura.gelenBelgeEkleriAICompletedEventArgs.Result 417
QNBFinansGIB.GIBEFatura.gelenBelgeDurum.yanitDurumu 409	QNBFinansGIB.GIBEFatura.gelenBelgeEkleriAICompletedEventArgs.ResultHandler 506	QNBFinansGIB.GIBEFatura.gelenBelgeEkleriAICompletedEventArgs.type 506
QNBFinansGIB.GIBEFatura.gelenBelgeDurum.yanitGonderim CevabiDetayi 409	QNBFinansGIB.GIBEFatura.gelenBelgeEkleriAICompletedEventArgs.type 506	QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEventArgs 417
QNBFinansGIB.GIBEFatura.gelenBelgeDurum.yanitGonderim CevabiKodu 409	QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEventArgs.Result 417	QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEventArgs.ResultHandler 506
QNBFinansGIB.GIBEFatura.gelenBelgeDurum.yanitGonderim Durumu 410	QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEventArgs.type 506	QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEventArgs.type 506
QNBFinansGIB.GIBEFatura.gelenBelgeDurum.yanitGonderim Tarihi 410	QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEventArgs.type 506	QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEventArgs.type 506
QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaCompletedEventArgs	QNBFinansGIB.GIBEFatura.gelenBelgeEkleriAICompletedEventArgs.Result 417	QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEventArgs.ResultHandler 506
QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaCompletedEventArgs.gelenBelgeDurumSorgulaCompletedEventArgs	QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEventArgs.type 506	QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEventArgs.type 506
QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaCompletedEventArgs.Result 411	QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEventArgs.type 506	QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEventArgs.type 506
QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaCompletedEventArgsHandler 505	QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEventArgs.type 506	QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEventArgs.type 506
QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaCompletedEventArgsHandler type 505	QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEventArgs.type 506	QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEventArgs.type 506
QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaCompletedEventArgs.Result 411	QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEventArgs.type 506	QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEventArgs.type 506
QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaCompletedEventArgsHandler 506	QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEventArgs.type 506	QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEventArgs.type 506
QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaCompletedEventArgsHandler type 506	QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEventArgs.type 506	QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEventArgs.type 506

QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEventHandler type 506	QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirExtCompletedEventArgs 421
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExt2CompletedEventArgs 418	QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirExtCompletedEventArgs.gelenBelgeleriIndirExtCompletedEventArgs 422
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExt2CompletedEventArgs.gelenBelgeleriAIExt2CompletedEventArgs 418	QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirExtCompletedEventArgs.Result 422
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExt2CompletedEventArgs.Result 419	QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirExtCompletedEventArgs.Handler 507
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExt2CompletedEventArgsHandler 506	QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirExtCompletedEventArgs 507
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExt2CompletedEventArgsHandler type 506	QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleCompletedEventArgs 422
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExt2Entry 419	QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleCompletedEventArgs.gelenBelgeleriListeleCompletedEventArgs 423
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExt2Entry.key 419	QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleCompletedEventArgs.Result 423
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExt2Entry.value 419	QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleCompletedEventArgs.Handler 507
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExtCompletedEventArgs 419	QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleCompletedEventArgs 507
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExtCompletedEventArgs.gelenBelgeleriAIExtCompletedEventArgs 420	QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleCompletedEventArgs.Handler 507
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExtCompletedEventArgs.Result 420	QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleExtCompletedEventArgs 423
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExtCompletedEventArgsHandler 506	QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleExtCompletedEventArgs.gelenBelgeleriListeleExtCompletedEventArgs 424
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExtCompletedEventArgsHandler type 506	QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleExtCompletedEventArgs.Result 424
QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirCompletedEventArgs 420	QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleExtCompletedEventArgs.Handler 507
QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirCompletedEventArgs.gelenBelgeleriIndirCompletedEventArgs 421	QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleExtCompletedEventArgs.Handler 507
QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirCompletedEventArgs.Result 421	QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri 424
QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirCompletedEventArgsHandler 507	QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.alanEtiket 425
QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirCompletedEventArgsHandler type 507	QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.belgeFormati 425
	QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.belgeler

AlindiMi 425	ihi 428
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.belgeler AlindiMiSpecified 425	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.ettн 428 QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.gonderici Vkn
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.belgeTu ru 425	428 QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdv18Or an
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.belgeVe rsiyon 426	428 QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdv18Tut ar
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.donusTi piVersiyon 426	429 QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdv1Ora n
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.entegra syonHedefi 426	429 QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdv1Tuta r
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.erpKod u 426	429 QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdv8Ora n
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.ettн 426	429
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.faturaT arihiBaslangic 426	429 QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdv8Tuta r
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.faturaT arihiBitis 426	429 QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdvTevki fatOran
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.gelisTar ihiBaslangic 426	429 QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdvTevki fatTutari
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.gelisTar ihiBitis 426	429 QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdvTopla mTutari
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.gondere nEtiket 427	429 QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdvTopla mTutariDovizCinsi
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.onayDu rum 427	430 QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.malHizm etToplamTutari
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.sonAlin anBelgeSiraNumarası 427	430 QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.malHizm etToplamTutariDovizCinsi
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.subeKo du 427	430 QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.odenece kTutar
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.vergiiTc KimlikNo 427	430 QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.odenece kTutarDovizCinsi
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri 427	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileriSorgulaC ompletedEventArgs
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.belgeNo 428	430 QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileriSorgulaC ompletedEventArgs.gelenBelgeTutarBilgileriSorgulaComplete
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.belgeTar	

dEventArgs 431	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileriSorgulaCompletedEventArgs.Result 431	QNBFinansGIB.GIBEFatura.gelenStandartRapolariAIComPLETEDEventArgs 433
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileriSorgulaCompletedEventArgs.Result 508	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileriSorgulaCompletedEventArgs.Result 508	QNBFinansGIB.GIBEFatura.gelenStandartRapolariAIComPLETEDEventArgs 434
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileriSorgulaCompletedEventArgs.Result type 508	QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAICompletedEventArgs 431	QNBFinansGIB.GIBEFatura.gelenStandartRapolariAIComPLETEDEventArgs 509
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAICompletedEventArgs.gelenBelgeXmlleriniAICompletedEventArgs 432	QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAICompletedEventArgs.Result 432	QNBFinansGIB.GIBEFatura.gelenStandartRapolariAIComPLETEDEventArgs 434
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAICompletedEventArgs.Result 508	QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAICompletedEventArgs.Result 508	QNBFinansGIB.GIBEFatura.gelenStandartRapolariAIComPLETEDEventArgs 435
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAICompletedEventArgs.type 508	QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAIExtCompletedEventArgs 432	QNBFinansGIB.GIBEFatura.gelenStandartRapolariAIComPLETEDEventArgs 509
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAIExtCompletedEventArgs.gelenBelgeXmlleriniAIExtCompletedEventArgs 433	QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAIExtCompletedEventArgs.Result 433	QNBFinansGIB.GIBEFatura.gelenStandartRapolariAIComPLETEDEventArgs 509
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAIExtCompletedEventArgs.Result 508	QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAIExtCompletedEventArgs.type 508	QNBFinansGIB.GIBEFatura.gelenStandartRapolariAIComPLETEDEventArgs 435
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAIExtCompletedEventArgs.type 508	QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAIExtCompletedEventArgs.Result 433	QNBFinansGIB.GIBEFatura.gelenTasinanBelgeleriIndirCompletedEventArgs 436
QNBFinansGIB.GIBEFatura.gelenFaturalariArsiveKaldirCompletedEventHandler 508	QNBFinansGIB.GIBEFatura.gelenFaturalariArsiveKaldirCompletedEventHandler 508	QNBFinansGIB.GIBEFatura.gelenTasinanBelgeleriIndirCompletedEventArgs 510
QNBFinansGIB.GIBEFatura.gelenFaturalariArsiveKaldirCompletedEventHandler type 508	QNBFinansGIB.GIBEFatura.gelenFaturalariArsiveKaldirCompletedEventHandler type 508	QNBFinansGIB.GIBEFatura.gelenTasinanBelgeleriIndirCompletedEventArgs 510
QNBFinansGIB.GIBEFatura.gelenIrsaliyeleriArsiveKaldirCompletedEventHandler 509	QNBFinansGIB.GIBEFatura.gelenIrsaliyeleriArsiveKaldirCompletedEventHandler 509	QNBFinansGIB.GIBEFatura.gidenBelgeDurum 436
QNBFinansGIB.GIBEFatura.gelenIrsaliyeleriArsiveKaldirCompletedEventHandler type 509	QNBFinansGIB.GIBEFatura.gelenIrsaliyeleriArsiveKaldirCompletedEventHandler type 509	QNBFinansGIB.GIBEFatura.gidenBelgeDurum.aciklama 437
		QNBFinansGIB.GIBEFatura.gidenBelgeDurum.alimTarihi 437
		QNBFinansGIB.GIBEFatura.gidenBelgeDurum.belgeNo 437
		QNBFinansGIB.GIBEFatura.gidenBelgeDurum.durum 437

QNBFinansGIB.GIBEFatura.gidenBelgeDurum.ettn 437	oCompletedEventHandler type 510
QNBFinansGIB.GIBEFatura.gidenBelgeDurum.gonderimCeva biDetayi 437	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaComple tedEventArgs 440
QNBFinansGIB.GIBEFatura.gidenBelgeDurum.gonderimCeva biKodu 438	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaComple tedEventArgs.gidenBelgeDurumSorgulaCompletedEventArgs 441
QNBFinansGIB.GIBEFatura.gidenBelgeDurum.gonderimDuru mu 438	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaComple tedEventArgs.Result 441
QNBFinansGIB.GIBEFatura.gidenBelgeDurum.gonderimTarihi 438	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaComple tedEventHandler 510
QNBFinansGIB.GIBEFatura.gidenBelgeDurum.olusturulmaTar ihi 438	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaComple tedEventHandler type 510
QNBFinansGIB.GIBEFatura.gidenBelgeDurum.yanitDetayi 438	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaEttnCo mpletedEventArgs 441
QNBFinansGIB.GIBEFatura.gidenBelgeDurum.yanitDurumu 438	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaEttnCo mpletedEventArgs.gidenBelgeDurumSorgulaEttnCompletedEv entArgs 442
QNBFinansGIB.GIBEFatura.gidenBelgeDurum.yanitTarihi 438	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaEttnCo mpletedEventArgs.Result 442
QNBFinansGIB.GIBEFatura.gidenBelgeDurumParametreleri 438	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaEttnCo mpletedEventHandler 510
QNBFinansGIB.GIBEFatura.gidenBelgeDurumParametreleri.b elgeNo 439	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaEttnCo mpletedEventHandler type 510
QNBFinansGIB.GIBEFatura.gidenBelgeDurumParametreleri.b elgeNoList 439	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaExtCo mpletedEventArgs 442
QNBFinansGIB.GIBEFatura.gidenBelgeDurumParametreleri.b elgeNoTipi 439	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaExtCo mpletedEventArgs.gidenBelgeDurumSorgulaExtCompletedEv entArgs 443
QNBFinansGIB.GIBEFatura.gidenBelgeDurumParametreleri.b elgeTuru 439	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaExtCo mpletedEventArgs.Result 443
QNBFinansGIB.GIBEFatura.gidenBelgeDurumParametreleri.d onusTipiVersiyon 439	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaExtCo mpletedEventArgs.gidenBelgeDurumSorgulaExtCompletedEv entArgs 511
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaBelgeN oCompletedEventArgs 439	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaExtCo mpletedEventHandler type 511
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaBelgeN oCompletedEventArgs.gidenBelgeDurumSorgulaBelgeNoCom pletedEventArgs 440	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaPortalC ompletedEventArgs 443
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaBelgeN oCompletedEventArgs.Result 440	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaPortalC ompletedEventArgs 443
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaBelgeN oCompletedEventHandler 510	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaPortalC ompletedEventArgs 443
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaBelgeN	

ompletedEventArgs.gidenBelgeDurumSorgulaPortalComplete dEventArgs 444	QNBFinansGIB.GIBEFatura.gidenBelgeDurumv6 450 QNBFinansGIB.GIBEFatura.gidenBelgeDurumv6.kepDurum 452
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaPortalC ompletedEventArgs.Result 444	QNBFinansGIB.GIBEFatura.gidenBelgeEkleriAICompletedEve ntArgs 452
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaPortalC ompletedEventHandler 511	QNBFinansGIB.GIBEFatura.gidenBelgeEkleriAICompletedEve ntArgs.gidenBelgeEkleriAICompletedEventArgs 452
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaPortalC ompletedEventHandler type 511	QNBFinansGIB.GIBEFatura.gidenBelgeEkleriAICompletedEve ntArgs.Result 453
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaYerelB elgeNoCompletedEventArgs 444	QNBFinansGIB.GIBEFatura.gidenBelgeEkleriAICompletedEve ntHandler 511
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaYerelB elgeNoCompletedEventArgs.gidenBelgeDurumSorgulaYereB elgeNoCompletedEventArgs 445	QNBFinansGIB.GIBEFatura.gidenBelgeEkleriAICompletedEve ntHandler type 511
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaYerelB elgeNoCompletedEventArgs.Result 445	QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPorta IParametreleri 453
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaYerelB elgeNoCompletedEventArgs.Handler 511	QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPorta IParametreleri.baslangicOlusturulmaTarihi 453
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaYerelB elgeNoCompletedEventArgs.Handler type 511	QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPorta IParametreleri.belgeEtnListesi 453
QNBFinansGIB.GIBEFatura.gidenBelgeDurumv2 445	QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPorta IParametreleri.belgeTuru 454
QNBFinansGIB.GIBEFatura.gidenBelgeDurumv2.ulastiMi 446	QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPorta IParametreleri.belgeVersiyon 454
QNBFinansGIB.GIBEFatura.gidenBelgeDurumv2.yenidenGon derilebilirMi 446	QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPorta IParametreleri.bitisOlusturulmaTarihi 454
QNBFinansGIB.GIBEFatura.gidenBelgeDurumv3 446	QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPorta IParametreleri.faturaBaslangicTarihi 454
QNBFinansGIB.GIBEFatura.gidenBelgeDurumv3.yerelBelgeO id 447	QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPorta IParametreleri.faturaBitisTarihi 454
QNBFinansGIB.GIBEFatura.gidenBelgeDurumv4 448	QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPorta IParametreleri.vknTckn 454
QNBFinansGIB.GIBEFatura.gidenBelgeDurumv4.gtbFiihlhrac atTarihi 449	QNBFinansGIB.GIBEFatura.gidenBelgelerilndirCompletedEve ntArgs 454
QNBFinansGIB.GIBEFatura.gidenBelgeDurumv4.gtbGcbTesci INo 449	QNBFinansGIB.GIBEFatura.gidenBelgelerilndirCompletedEve ntArgs.gidenBelgelerilndirCompletedEventArgs 455
QNBFinansGIB.GIBEFatura.gidenBelgeDurumv4.gtbRefNo 449	QNBFinansGIB.GIBEFatura.gidenBelgelerilndirCompletedEve ntArgs.Result 450
QNBFinansGIB.GIBEFatura.gidenBelgeDurumv5 449	
QNBFinansGIB.GIBEFatura.gidenBelgeDurumv5.yanitEtn 450	
QNBFinansGIB.GIBEFatura.gidenBelgeDurumv5.yanitVerilen BelgeEtn 450	

455	releri.bitisGonderimTarihi
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEventHandler	458
512	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametreleri.faturaBaslangicTarihi
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEventHandler	458
type 512	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametreleri.faturaBitisTarihi
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirEttnCompletedEventArgs	458
455	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametreleri.kaynak
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirEttnCompletedEventArgs.gidenBelgeleriIndirEttnCompletedEventArgs	459
456	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametreleri.pageCount
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirEttnCompletedEventArgs.Result	459
456	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametreleri.vergiTcKimlikNo
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirEttnCompletedEventHandler	459
512	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleCompletedEventArgs
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirEttnCompletedEventHandler	459
type 512	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleCompletedEventArgs.gidenBelgeleriListeleCompletedEventArgs
456	459
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalCompletedEventArgs.gidenBelgeleriIndirPortalCompletedEventArgs	459
457	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleCompletedEventArgs.Result
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalCompletedEventArgs.Result	460
457	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleCompletedEventHandler
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalCompletedEventHandler	512
512	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleCompletedEventHandler
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalCompletedEventHandler	460
type 512	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.alimDurumu
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametreleri.baslangicGonderimTarihi	460
458	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.alimZamani
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametreleri.belgeEttnListesi	461
458	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.belgeOid
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametreleri.belgeFormati	461
458	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.belgeTarihi
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametreleri.belgeTuru	461
458	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.belgeTuru
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametreleri.hataMesaji	461

QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.islemYapanVkn 461	465	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.alanSubeKodu 465
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.kaynak 461	465	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.alanVergiTcKimlikNo 465
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.kullaniciKodu 461	465	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.belgeNo 465
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.yerelBelgeNo 462	465	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.belgeTarihi 465
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametreleri 462	465	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.belgeTipi 465
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametreleri.baslangicBelgeTarihi 462	465	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.belgeTuru 466
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametreleri.baslangicGonderimTarihi 462	466	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.erpkodu 466
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametreleri.belgeTuru 463	466	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.efttn 466
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametreleri.bitisBelgeTarihi 463	466	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.gonderenEtiket 466
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametreleri.bitisGonderimTarihi 463	466	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.gonderenSubeKodu 466
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametreleri.vkn 463	466	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.gonderimZamani 466
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalCompletedEventArgs 463	466	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.islemYapanVkn 466
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalCompletedEventArgs.gidenBelgeleriListelePortalCompletedEventArgs 464	466	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.kullaniciKodu 466
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalCompletedEventArgs.Result 464	466	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.kullaniciKodu 466
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalCompletedEventHandler 513	467	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.yanitEtn 467
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalCompletedEventHandler.type 513	467	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri 468
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData 464	468	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri 468
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.alanEtiket	468	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri 468

etreleri.baslangicGonderimTarihi 468	471	
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.belgeEttnListesi 468	471	QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.mimeType
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.belgeTuru 468	471	QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.subeKodu
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.belgeVersiyon 469	471	QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.vergiTcKimlikNo
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.bitisGonderimTarihi 469	471	QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.veri
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.faturaBaslangicTarihi 469	472	QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.xsltAdi
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.faturaBitisTarihi 469	472	QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.xsltVeri
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.kaynak 469	473	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.pageCount 469	473	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.belgeNo
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.vergiTcKimlikNo 469	473	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.belgeTarihi
QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri 469	473	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.ettn
QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.alanEtiket 470	473	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdv18Oran
QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.belgeHash 470	473	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdv18Tutar
QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.belgeNo 470	473	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdv1Oran
QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.belgeTuru 470	474	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdv1Tutar
QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.belgeVersiyon 471	474	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdv8Oran
QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.donusTipiVersiyon 471	474	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdv8Tutar
QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.erpKodu 471	474	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdvTevkitOran
QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.gondereEtiket 471	474	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdvToplamTutari
		QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdvToplamTutariDovizCinsi

QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.malHizm etToplamTutari 474	QNBFinansGIB.GIBEFatura.gidenTasinanBelgeleriIndirCompl etedEventHandler type 514
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.malHizm etToplamTutariDovizCinsi 474	QNBFinansGIB.GIBEFatura.irsaliyeMailGonderCompletedEve ntHandler 514
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.odenece kTutar 474	QNBFinansGIB.GIBEFatura.irsaliyeMailGonderCompletedEve ntHandler type 514
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.odenece kTutarDovizCinsi 474	QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData 476 QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.bagliKayitId
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileriSorgulaC ompletedEventArgs 475	477 QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.irsaliyeEttn 477
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileriSorgulaC ompletedEventArgs.gidenBelgeTutarBilgileriSorgulaComple tEventArgs 475	QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.islem 477 QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.islemAcikla ma 478
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileriSorgulaC ompletedEventArgs.Result 475	QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.islemKanalı 478
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileriSorgulaC ompletedEventArgs type 513	QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.islemKanalı Aciklama 478
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileriSorgulaC ompletedEventHandler type 513	QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.islemSonuc u 478
QNBFinansGIB.GIBEFatura.gidenFaturalariArsiveKaldırCompl etedEventHandler 513	QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.islemZama ni 478
QNBFinansGIB.GIBEFatura.gidenFaturalariArsiveKaldırCompl etedEventHandler type 513	QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.kullanici 478
QNBFinansGIB.GIBEFatura.gidenIrsaliyeleriArsiveKaldırComp letedEventHandler 514	QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.kullanicilp 478
QNBFinansGIB.GIBEFatura.gidenIrsaliyeleriArsiveKaldırComp letedEventHandler type 514	QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.zarfEttn 478
QNBFinansGIB.GIBEFatura.gidenIrsaliyeleriArsiveKaldırComp letedEventHandler 476	QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiSorgulaComple tEventArgs 478
QNBFinansGIB.GIBEFatura.gidenTasinanBelgeleriIndirCompl etedEventArgs 476	QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiSorgulaComple tEventArgs.irsaliyeTarihcesiSorgulaCompletedEventArgs 479
QNBFinansGIB.GIBEFatura.gidenTasinanBelgeleriIndirCompl etedEventArgs.gidenTasinanBelgeleriIndirCompletedEventArg s 476	QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiSorgulaComple tEventArgs.Result 479
QNBFinansGIB.GIBEFatura.gidenTasinanBelgeleriIndirCompl etedEventArgs.Result 476	QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiSorgulaComple tEventHandler 514
QNBFinansGIB.GIBEFatura.gidenTasinanBelgeleriIndirCompl etedEventHandler 514	QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiSorgulaComple tEventHandler type 514
	QNBFinansGIB.GIBEFatura.kalanKontorBilgisi 479

QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.kalan 480	meCompletedEventHandler 515
QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.kalanSpecified 480	QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTi meCompletedEventHandler type 515
QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.kontorBirim 480	QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedV nTcknCompletedEventArgs 483
QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.kontorBirimISpec ified 480	QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedV nTcknCompletedEventArgs.kayitliKullaniciListeleExtendedV nTcknCompletedEventArgs 484
QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.kontorTipi 481	QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedV nTcknCompletedEventArgs.Result 484
QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.kontorTipiSpec ified 481	QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedV nTcknCompletedEventArgs 515
QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.limitAsimMiktar i 481	QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedV nTcknCompletedEventArgs type 515
QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.limitAsimMiktar iSpecified 481	QNBFinansGIB.GIBEFatura.kontorAzaltResp 484
QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.toplamAlinan 481	QNBFinansGIB.GIBEFatura.kontorAzaltResp.kanalTipi 485
QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.toplamAlinanS pecified 481	QNBFinansGIB.GIBEFatura.kontorAzaltResp.kontorAzaldi 485
QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.vknTckn 481	QNBFinansGIB.GIBEFatura.kontorAzaltResp.kontorTipi 485
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCo mpletedEventArgs 481	QNBFinansGIB.GIBEFatura.kontorAzaltResp.miktar 485
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCo mpletedEventArgs.kayitliKullaniciListeleExtendedCompletedE ventArgs 482	QNBFinansGIB.GIBEFatura.kontorAzaltResp.miktarSpecified 485
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCo mpletedEventArgs.Result 482	QNBFinansGIB.GIBEFatura.kontorAzaltResp.odemeTipi 485
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCo mpletedEventArgs 515	QNBFinansGIB.GIBEFatura.kontorAzaltResp.paketTipi 486
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCo mpletedEventArgs 515	QNBFinansGIB.GIBEFatura.kontorAzaltResp.vkn 486
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTi meCompletedEventArgs 482	QNBFinansGIB.GIBEFatura.kontorBilgisiGetirCompletedEvent Args 486
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTi meCompletedEventArgs.kayitliKullaniciListeleExtendedTimeC ompletedEventArgs 483	QNBFinansGIB.GIBEFatura.kontorBilgisiGetirCompletedEvent Args.kontorBilgisiGetirCompletedEventArgs 486
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTi meCompletedEventArgs.Result 483	QNBFinansGIB.GIBEFatura.kontorBilgisiGetirCompletedEvent Args.Result 487
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTi meCompletedEventArgs 483	QNBFinansGIB.GIBEFatura.kontorBilgisiGetirCompletedEvent Handler 515
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTi meCompletedEventArgs.kayitliKullaniciListeleExtendedTimeC ompletedEventArgs 483	QNBFinansGIB.GIBEFatura.kontorBilgisiGetirCompletedEvent Handler type 515
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTi meCompletedEventArgs.Result 483	QNBFinansGIB.GIBEFatura.kontorBirim 495
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTi meCompletedEventArgs 483	QNBFinansGIB.GIBEFatura.kontorBirim enumeration 495
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTi meCompletedEventArgs 496	QNBFinansGIB.GIBEFatura.kontorTipi 496

QNBFinansGIB.GIBEFatura.kontorTipi enumeration 496	QNBFinansGIB.GIBEFatura.ulbOnizlemeCompletedEventArgs
QNBFinansGIB.GIBEFatura.mukellefEFaturaKayit 487	dler type 516
QNBFinansGIB.GIBEFatura.mukellefEFaturaKayit.efaturaKullanicilistesi 487	QNBFinansGIB.GIBEFatura.urunSablonlariniAICompletedEventArgs
QNBFinansGIB.GIBEFatura.mukellefEFaturaKayit.vergiTcKimlikNo 487	491
QNBFinansGIB.GIBEFatura.serviceReturnType 487	QNBFinansGIB.GIBEFatura.urunSablonlariniAICompletedEventArgs.Result
QNBFinansGIB.GIBEFatura.temelKontrollerIleBelgeGonderCompletedEventArgs 488	492
QNBFinansGIB.GIBEFatura.temelKontrollerIleBelgeGonderCompletedEventArgs.Result 489	QNBFinansGIB.GIBEFatura.urunSablonlariniAICompletedEventArgs
QNBFinansGIB.GIBEFatura.temelKontrollerIleBelgeGonderCompletedEventArgs.temelKontrollerIleBelgeGonderCompletedEventArgs 489	.urunSablonlariniAICompletedEventArgs
QNBFinansGIB.GIBEFatura.temelKontrollerIleBelgeGonderCompletedEventArgs.type 516	516
QNBFinansGIB.GIBEFatura.temelKontrollerIleBelgeGonderCompletedEventArgs.Result 490	QNBFinansGIB.GIBEFatura.urunSablonlariniAICompletedEventArgs
QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirCompletedEventArgs 490	.urunSablonlariniAICompletedEventArgs
QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirCompletedEventArgs.Result 490	516
QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirCompletedEventArgs.toplamBelgeSayisiGetirCompletedEventArgs 490	QNBFinansGIB.GIBEFatura.wsKullaniciBilgileri
QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirCompletedEventArgs.type 516	492
QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirCompletedEventArgs.Result 491	QNBFinansGIB.GIBEFatura.wsKullaniciBilgileri.kullaniciKodu
QNBFinansGIB.GIBEFatura.ulbOnizlemeCompletedEventArgs 491	492
QNBFinansGIB.GIBEFatura.ulbOnizlemeCompletedEventArgs.Result 491	QNBFinansGIB.GIBEFatura.wsKullaniciBilgileri.sifre
QNBFinansGIB.GIBEFatura.ulbOnizlemeCompletedEventArgs.yereleAktarilacakBelgeleriAICompletedEventArgs	492
QNBFinansGIB.GIBEFatura.ulbOnizlemeCompletedEventArgs.yereleAktarilacakBelgeleriAICompletedEventArgs.Result 492	QNBFinansGIB.GIBEFatura.wsKullanicisiKaydetCompletedEventArgs
QNBFinansGIB.GIBEFatura.ulbOnizlemeCompletedEventArgs.yereleAktarilacakBelgeleriAICompletedEventArgs.type 517	493
QNBFinansGIB.GIBEFatura.ulbOnizlemeCompletedEventArgs.yereleAktarilacakBelgeleriAICompletedEventArgs.Result 493	QNBFinansGIB.GIBEFatura.wsKullanicisiKaydetCompletedEventArgs
QNBFinansGIB.GIBEFatura.ulbOnizlemeCompletedEventArgs.yereleAktarilacakBelgeleriAICompletedEventArgs.yereleAktarilacakBelgeleriAICompletedEventArgs	493
QNBFinansGIB.GIBEFatura.ulbOnizlemeCompletedEventArgs.yereleAktarilacakBelgeleriAICompletedEventArgs.yereleAktarilacakBelgeleriAICompletedEventArgs.Result 493	494
QNBFinansGIB.GIBEFatura.ulbOnizlemeCompletedEventArgs.yereleAktarilacakBelgeleriAICompletedEventArgs.yereleAktarilacakBelgeleriAICompletedEventArgs.type 517	QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAICompletedEventArgs
QNBFinansGIB.GIBEFatura.ulbOnizlemeCompletedEventArgs.yereleAktarilacakBelgeleriAICompletedEventArgs.yereleAktarilacakBelgeleriAICompletedEventArgs.Result 517	494
QNBFinansGIB.GIBEFatura.ulbOnizlemeCompletedEventArgs.yereleAktarilacakBelgeleriAICompletedEventArgs.yereleAktarilacakBelgeleriAICompletedEventArgs.type 517	QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAICompletedEventArgs

QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAIExtCompletedEventArgs 494	QNBFinansGIB.GIBEMustahsil.belgeDTO.kdv8_Tutar 529
QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAIExtCompletedEventArgs.Result 495	QNBFinansGIB.GIBEMustahsil.belgeDTO.kdv8_TutarSpecified 529
QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAIExtCompletedEventArgs.yereleAktarilacakBelgeleriAIExtCompletedEventArgs 495	QNBFinansGIB.GIBEMustahsil.belgeDTO.kdvTevkifatTutar 529
QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAIExtCompletedEventArgsHandler 517	QNBFinansGIB.GIBEMustahsil.belgeDTO.kdvTevkifatTutarSpecified 530
QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAIExtCompletedEventArgsHandler.type 517	QNBFinansGIB.GIBEMustahsil.belgeDTO.netTahsilat 530
QNBFinansGIB.GIBEFatura.yolcuBeraberFaturalptalEtCompletedEventArgsHandler 517	QNBFinansGIB.GIBEMustahsil.belgeDTO.netTahsilatSpecified 530
QNBFinansGIB.GIBEFatura.yolcuBeraberFaturalptalEtCompletedEventArgsHandler.type 517	QNBFinansGIB.GIBEMustahsil.belgeDTO.netUcret 530
QNBFinansGIB.GIBEMustahsil 518	QNBFinansGIB.GIBEMustahsil.belgeDTO.netUcretSpecified 530
QNBFinansGIB.GIBEMustahsil namespace 518	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj0_Tutar 530
Classes 521	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj0_TutarSpecified 530
Structs, Records, Enums 650	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj1_Tutar 530
Types 651	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj1_TutarSpecified 530
QNBFinansGIB.GIBEMustahsil.belge 524	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj10_Tutar 531
QNBFinansGIB.GIBEMustahsil.belge.belgeFormati 525	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj10_TutarSpecified 531
QNBFinansGIB.GIBEMustahsil.belge.belgeFormatiSpecified 525	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj15_Tutar 531
QNBFinansGIB.GIBEMustahsil.belge.belgelcerigi 525	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj15_TutarSpecified 531
QNBFinansGIB.GIBEMustahsil.belgeDTO 525	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj17_Tutar 531
QNBFinansGIB.GIBEMustahsil.belgeDTO.belgeNo 528	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj17_TutarSpecified 531
QNBFinansGIB.GIBEMustahsil.belgeDTO.brutUcret 528	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj2_Tutar 531
QNBFinansGIB.GIBEMustahsil.belgeDTO.brutUcretSpecified 528	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj2_TutarSpecified 531
QNBFinansGIB.GIBEMustahsil.belgeDTO.kdv0_Tutar 529	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj3_Tutar 532
QNBFinansGIB.GIBEMustahsil.belgeDTO.kdv0_TutarSpecified 529	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj3_TutarSpecified 532
QNBFinansGIB.GIBEMustahsil.belgeDTO.kdv1_Tutar 529	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj4_Tutar 532
QNBFinansGIB.GIBEMustahsil.belgeDTO.kdv1_TutarSpecified 529	
QNBFinansGIB.GIBEMustahsil.belgeDTO.kdv18_Tutar 529	
QNBFinansGIB.GIBEMustahsil.belgeDTO.kdv18_TutarSpecified 529	

QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj4_TutarSpecific d 532	536	QNBFinansGIB.GIBEMustahsil.doubleStringOutputWrapper.o utputDurum 536
QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj5_Tutar 532	536	QNBFinansGIB.GIBEMustahsil.doubleStringOutputWrapper.o utputEposta 536
QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj5_TutarSpecific d 532	536	QNBFinansGIB.GIBEMustahsil.earsivServiceResult 537
QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj7_Tutar 532	537	QNBFinansGIB.GIBEMustahsil.earsivServiceResult.resultCod e 537
QNBFinansGIB.GIBEMustahsil.belgeDTO.tip 533	537	QNBFinansGIB.GIBEMustahsil.earsivServiceResult.resultExtr a 537
QNBFinansGIB.GIBEMustahsil.belgeDTO.tipSpecified 533	538	QNBFinansGIB.GIBEMustahsil.earsivServiceResult.resultText 537
QNBFinansGIB.GIBEMustahsil.belgeFormatiEnum 650	538	QNBFinansGIB.GIBEMustahsil.earsivServiceResultEntry 537
QNBFinansGIB.GIBEMustahsil.belgeFormatiEnum enumeration 650	538	QNBFinansGIB.GIBEMustahsil.earsivServiceResultEntry.key 538
QNBFinansGIB.GIBEMustahsil.belgeOutputWrapper 533	538	QNBFinansGIB.GIBEMustahsil.earsivServiceResultEntry.value 538
QNBFinansGIB.GIBEMustahsil.belgeOutputWrapper.@return 533	538	QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgula 538
QNBFinansGIB.GIBEMustahsil.belgeOutputWrapper.output 533	539	QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgula.input 539
QNBFinansGIB.GIBEMustahsil.belgeZipiAI 533	539	QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaComplet edEventArgs 539
QNBFinansGIB.GIBEMustahsil.belgeZipiAI.input 534	539	QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaComple tedEventArgs.@return 540
QNBFinansGIB.GIBEMustahsil.belgeZipiAICompletedEventArgs 534	539	QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaComple tedEventArgs.ePostaDurumSorgulaCompletedEventArgs 539
QNBFinansGIB.GIBEMustahsil.belgeZipiAICompletedEventArgs.belgeZipiAICompletedEventArgs 534	540	QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaComple tedEventArgs.outputEposta 540
QNBFinansGIB.GIBEMustahsil.belgeZipiAICompletedEventArgs.output 535	540	QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaComple tedEventArgs.Result 540
QNBFinansGIB.GIBEMustahsil.belgeZipiAICompletedEventArgs.Result 535	540	QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaComple tedEventArgs.EventHandler 652
QNBFinansGIB.GIBEMustahsil.belgeZipiAICompletedEventArgsHandler 652	540	QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaComple tedEventArgs.Result 540
QNBFinansGIB.GIBEMustahsil.belgeZipiAICompletedEventArgsHandler.type 652	540	QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaComple tedEventArgs.EventHandler 652
QNBFinansGIB.GIBEMustahsil.belgeZipiAIResponse 535	540	QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaComple tedEventArgs.EventHandler type 652
QNBFinansGIB.GIBEMustahsil.belgeZipiAIResponse.@return 535	540	QNBFinansGIB.GIBEMustahsil.ePostaGonder 540
QNBFinansGIB.GIBEMustahsil.belgeZipiAIResponse.output 536	540	QNBFinansGIB.GIBEMustahsil.ePostaGonder.ilaveEposta 540
QNBFinansGIB.GIBEMustahsil.doubleStringOutputWrapper 536	540	QNBFinansGIB.GIBEMustahsil.ePostaGonder.input 540
QNBFinansGIB.GIBEMustahsil.doubleStringOutputWrapper.@return		uuu

QNBFinansGIB.GIBEMustahsil.ePostaGonder.tanimliEpostay aGonder 541	QNBFinansGIB.GIBEMustahsil.faturaDTO.invoiceId 546
QNBFinansGIB.GIBEMustahsil.ePostaGonderCompletedEven tArgs 541	QNBFinansGIB.GIBEMustahsil.faturaDTO.invoiceTypeCode 546
QNBFinansGIB.GIBEMustahsil.ePostaGonderCompletedEven tArgs.ePostaGonderCompletedEventArgs 541	QNBFinansGIB.GIBEMustahsil.faturaDTO.ipalEdenKullaniciK odu 546
QNBFinansGIB.GIBEMustahsil.ePostaGonderCompletedEven tArgs.Result 541	QNBFinansGIB.GIBEMustahsil.faturaDTO.ipalKaynagi 546
QNBFinansGIB.GIBEMustahsil.ePostaGonderCompletedEven tHandler 653	QNBFinansGIB.GIBEMustahsil.faturaDTO.ipalKaynagiSpecifi ed 546
QNBFinansGIB.GIBEMustahsil.ePostaGonderCompletedEven tHandler type 653	QNBFinansGIB.GIBEMustahsil.faturaDTO.ipalRaporTarihi 547
QNBFinansGIB.GIBEMustahsil.ePostaGonderResponse 542	QNBFinansGIB.GIBEMustahsil.faturaDTO.ipalTarihi 547
QNBFinansGIB.GIBEMustahsil.ePostaGonderResponse.@ret urn 542	QNBFinansGIB.GIBEMustahsil.faturaDTO.ipalTarihiExcel 547
QNBFinansGIB.GIBEMustahsil.faturaDTO 542	QNBFinansGIB.GIBEMustahsil.faturaDTO.islemId 547
QNBFinansGIB.GIBEMustahsil.faturaDTO.arsiv 544	QNBFinansGIB.GIBEMustahsil.faturaDTO.issueDate 547
QNBFinansGIB.GIBEMustahsil.faturaDTO.creationTime 544	QNBFinansGIB.GIBEMustahsil.faturaDTO.itirazEdenKullanici Kodu 547
QNBFinansGIB.GIBEMustahsil.faturaDTO.currency 544	QNBFinansGIB.GIBEMustahsil.faturaDTO.itirazKaynagi 547
QNBFinansGIB.GIBEMustahsil.faturaDTO.dokumanFormati 545	QNBFinansGIB.GIBEMustahsil.faturaDTO.itirazKaynagiSpecifi ed 547
QNBFinansGIB.GIBEMustahsil.faturaDTO.durum 545	QNBFinansGIB.GIBEMustahsil.faturaDTO.itirazTarihi 547
QNBFinansGIB.GIBEMustahsil.faturaDTO.durumSpecified 545	QNBFinansGIB.GIBEMustahsil.faturaDTO.kagitFatura 548
QNBFinansGIB.GIBEMustahsil.faturaDTO.duzenlenmeZaman i 545	QNBFinansGIB.GIBEMustahsil.faturaDTO.kagitFaturaSpecifie d 548
QNBFinansGIB.GIBEMustahsil.faturaDTO.epostaGonderimDu rumu 545	QNBFinansGIB.GIBEMustahsil.faturaDTO.kasa 548
QNBFinansGIB.GIBEMustahsil.faturaDTO.epostaGonderimDu rumuSpecified 545	QNBFinansGIB.GIBEMustahsil.faturaDTO.kaynak 548
QNBFinansGIB.GIBEMustahsil.faturaDTO.erpKodu 545	QNBFinansGIB.GIBEMustahsil.faturaDTO.kepDurum 548
QNBFinansGIB.GIBEMustahsil.faturaDTO.faturaSiraNo 545	QNBFinansGIB.GIBEMustahsil.faturaDTO.kepDurumSpecifie d 548
QNBFinansGIB.GIBEMustahsil.faturaDTO.faturaSiraNoSpecifi ed 545	QNBFinansGIB.GIBEMustahsil.faturaDTO.kolayFatura 548
QNBFinansGIB.GIBEMustahsil.faturaDTO.faturaZamani 546	QNBFinansGIB.GIBEMustahsil.faturaDTO.kolayFaturaSpecifi ed 548
QNBFinansGIB.GIBEMustahsil.faturaDTO.ilkKayitZmani 546	QNBFinansGIB.GIBEMustahsil.faturaDTO.okundu 548
QNBFinansGIB.GIBEMustahsil.faturaDTO.indirildi 546	QNBFinansGIB.GIBEMustahsil.faturaDTO.okunduSpecified 549
QNBFinansGIB.GIBEMustahsil.faturaDTO.indirildiSpecified 546	QNBFinansGIB.GIBEMustahsil.faturaDTO.payableAmount 549
	QNBFinansGIB.GIBEMustahsil.faturaDTO.payableAmountSp ecified 549
	QNBFinansGIB.GIBEMustahsil.faturaDTO.profileId 549

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEMustahsil.faturaDTO.raporTarihi 549	entArgs.Result 553
QNBFinansGIB.GIBEMustahsil.faturaDTO.receiverContact 549	QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirCompletedEv entHandler 653
QNBFinansGIB.GIBEMustahsil.faturaDTO.receiverIdentifier 549	QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirCompletedEv entHandler type 653
QNBFinansGIB.GIBEMustahsil.faturaDTO.receiverIdentifierTx t 549	QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirResponse 553
QNBFinansGIB.GIBEMustahsil.faturaDTO.receiverName 549	QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirResponse. @return 553
QNBFinansGIB.GIBEMustahsil.faturaDTO.senderContact 550	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEt 554
QNBFinansGIB.GIBEMustahsil.faturaDTO.senderName 550	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompl etedEventArgs 554
QNBFinansGIB.GIBEMustahsil.faturaDTO.sonGuncellemeZa mani 550	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompl etedEventArgs.mustahsilMakbuzIptalEtCompletedEventArgs 555
QNBFinansGIB.GIBEMustahsil.faturaDTO.sube 550	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompl etedEventArgs.Result 555
QNBFinansGIB.GIBEMustahsil.faturaDTO.tanimliSubeKod 550	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompl etedEventHandler 653
QNBFinansGIB.GIBEMustahsil.faturaDTO.telNo 550	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompl etedEventHandler type 653
QNBFinansGIB.GIBEMustahsil.faturaDTO.toplamTutar 550	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompl etedEventArgs. @return 555
QNBFinansGIB.GIBEMustahsil.faturaDTO.toplamTutarSpecifi ed 550	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompl etedEventArgs.Result 555
QNBFinansGIB.GIBEMustahsil.faturaDTO.uuid 550	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompl etedEventHandler 653
QNBFinansGIB.GIBEMustahsil.faturaDTO.vergilerToplami 551	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompl etedEventHandler type 653
QNBFinansGIB.GIBEMustahsil.faturaDTO.vergilerToplamiSpe cified 551	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtRespo nse 555
QNBFinansGIB.GIBEMustahsil.faturaDTO.versiyon 551	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtRespo nse. @return 555
QNBFinansGIB.GIBEMustahsil.faturaDTO.versiyonSpecified 551	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldir 556
QNBFinansGIB.GIBEMustahsil.faturaDTO.yazdirildi 551	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldir.in put 556
QNBFinansGIB.GIBEMustahsil.faturaDTO.yazdirildiSpecified 551	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldirC ompletedEventArgs 556
QNBFinansGIB.GIBEMustahsil.faturaDTO.yerelFaturaNo 551	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldirC ompletedEventArgs.mustahsilMakbuzIptaliKaldirCompletedEv entArgs 557
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetir 551	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldirC ompletedEventArgs.Result 557
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetir.kontorBirim i 552	
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetir.kontorTipi 552	
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetir.vknTckn 552	
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirCompletedEv entArgs 552	
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirCompletedEv entArgs.kontorBilgisiGetirCompletedEventArgs 553	
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirCompletedEv entArgs 553	

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldırCompletedEventHandler 653	PortalCompletedEventArgs.Result 561
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldırCompletedEventHandler type 653	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula PortalCompletedEventHandler 654
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldırResponse 557	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula PortalCompletedEventHandler type 654
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldırResponse.@return 557	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula PortalResponse 561
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula 558	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula PortalResponse.@return 561
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula. input 558	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula PortalResponse.output 561
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula.CompletedEventArgs 558	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula Response 561
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula.CompletedEventArgs.mustahsilMakbuzListeSorgulaCompletedEventArgs 559	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula Response.@return 562
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula.CompletedEventArgs.output 559	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula Response.output 562
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula.CompletedEventArgs.Result 559	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlustur 562
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula.CompletedEventArgs.Handler 654	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlustur.belge 563
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula.CompletedEventArgs.type 654	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlustur.input 563
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula.Portal 559	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturCompletedEventArgs 563
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula.Portal.input 560	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturCompletedEventArgs.@return 564
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula.PortalCompletedEventArgs 560	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturCompletedEventArgs.mustahsilMakbuzOlusturCompletedEventArgs 563
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula.PortalCompletedEventArgs.mustahsilMakbuzListeSorgulaPortalCompletedEventArgs 560	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturCompletedEventArgs.Result 564
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula.PortalCompletedEventArgs.output 561	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturCompletedEventArgs.Handler 654
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturCompletedEventArgs.type 654
	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizleme

564	r.belge
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizleme.be ge	568
564	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlustu r.input
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizleme.in put	568
564	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlustu rCompletedEventArgs
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCo mpletedEventArgs	568
564	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlustu rCompletedEventArgs.mustahsilMakbuzTaslakOlusturComple tedEventArgs
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCo mpletedEventArgs.@return	568
565	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlustu rCompletedEventArgs.Result
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCo mpletedEventArgs.mustahsilMakbuzOnizlemeComple tArgs	569
565	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlustu rCompletedEventArgs.mustahsilMakbuzTaslakOlusturComple tedEventArgs
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCo mpletedEventArgs.Result	569
565	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlustu rCompletedEventArgs.type
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCo mpletedEventArgs.Handler	655
654	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlustu rCompletedEventArgs.type
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCo mpletedEventArgs.Handler	654
type 654	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlustu rResponse
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgula 565	569
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgula.input	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlustu rResponse.@return
566	569
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCom pletedEventArgs	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlustu rResponse.type
566	569
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCom pletedEventArgs.@return	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizle me
567	569
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCom pletedEventArgs.mustahsilMakbuzSorgulaCompletedEventAr gs	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizle me.type
567	570
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCom pletedEventArgs.Result	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizle meCompletedEventArgs
567	570
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCom pletedEventArgs	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizle meCompletedEventArgs.type
655	571
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCom pletedEventArgs.Handler	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizle meCompletedEventArgs.Result
type 655	571
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlustu r	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizle meCompletedEventArgs.type
567	571
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlustu r	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizle meCompletedEventArgs

meResponse 571	575	
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizle meResponse.@return 571	656	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgulaCompletedEventHandler 656
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizle meResponse.output 571	656	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgulaCompletedEventHandler type 656
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSil 572	575	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgulaResponse 575
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSil.inp ut 572	576	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgulaResponse.@return 576
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCo mpletedEventArgs 572	576	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgulaResponse.output 576
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCo mpletedEventArgs.mustahsilMakbuzTaslakSilCompletedEvent Args 573	576	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlu stur 576
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCo mpletedEventArgs.Result 573	576	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlu stur.input 576
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCo mpletedEventArgs 656	576	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlu sturCompletedEventArgs 576
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCo mpletedEventHandler type 656	577	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlu sturCompletedEventArgs.@return 577
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilRes ponse 573	577	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlu sturCompletedEventArgs.mustahsilMakbuzTaslaktanOlusturC ompletedEventArgs 577
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilRes ponse.@return 573	577	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlu sturCompletedEventArgs.Result 577
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgul a 574	656	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlu sturCompletedEventArgsHandler 656
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgul a.input 574	656	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlu sturCompletedEventArgsHandler type 656
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgul aCompletedEventArgs 574	577	QNBFinansGIB.GIBEMustahsil.MustahsilWebService 577
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgul aCompletedEventArgs.mustahsilMakbuzTaslakSorgulaCompl etedEventArgs 575	583	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.belgeZi piAI 583
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgul aCompletedEventArgs.output 575	584	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.belgeZi piAIAsync 584
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgul aCompletedEventArgs.Result 575	621	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.belgeZi piAICompleted 621
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgul aCompletedEventArgs.Cancel 575	621	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.Cancel Async 575

584	silMakbuzListeSorgulaAsync
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.ePostaDurumSorgula	591
584	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzListeSorgulaCompleted
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.ePostaDurumSorgulaAsync	622
585	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzListeSorgulaPortal
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.ePostaDurumSorgulaCompleted	591
621	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzListeSorgulaPortalAsync
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.ePostaGonder	592
585	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzListeSorgulaPortalCompleted
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.ePostaGonderAsync	622
586	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzOlustur
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.ePostaGonderCompleted	592
621	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzOlusturAsync
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.lsLocalFileSystemWebService	593
587	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzOlusturCompleted
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.kontorBilgisiGetir	622
587	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzOnizleme
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.kontorBilgisiGetirAsync	593
588	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzOnizlemeAsync
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.kontorBilgisiGetirCompleted	594
621	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzOnizlemeCompleted
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzIptalEt	622
588	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzSorgula
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzIptalEtAsync	594
589	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzSorgulaAsync
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzIptalEtCompleted	595
622	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzSorgulaCompleted
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzIptaliKaldır	622
589	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakOlustur
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzIptaliKaldırAsync	595
590	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakOlusturAsync
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzIptaliKaldırCompleted	596
622	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakOlusturCompleted
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzListeSorgula	622
590	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakOnizleme
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah	596

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakOnizlemeAsync 597	602	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzListeSorgulaOperationCompleted 602
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakOnizlemeCompleted 622	602	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzListeSorgulaPortalOperationCompleted 602
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakSil 597	602	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzOlusturOperationCompleted 603
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakSilAsync 598	603	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzOnizlemeOperationCompleted 603
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakSilCompleted 622	603	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzSorgulaOperationCompleted 603
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakSorgula 598	603	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzTaslakOlusturOperationCompleted 604
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakSorgulaAsync 599	604	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzTaslakOnizlemeOperationCompleted 604
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakSorgulaCompleted 622	604	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzTaslakSilOperationCompleted 604
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslaktanOlustur 599	604	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzTaslakSorgulaOperationCompleted 604
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslaktanOlusturAsync 600	604	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzTaslaktanOlusturOperationCompleted 605
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslaktanOlusturCompleted 623	605	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnraporBolumAIOperationCompleted 605
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.MustahsilWebService 583	605	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnraporBolumBilgisiAIOperationCompleted 605
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.Onbelge eZipiAIOperationCompleted 600	605	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnraporBolumListesiDetayliSorgulaOperationCompleted 606
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnePos taDurumSorgulaOperationCompleted 601	606	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnraporBolumListesiSorgulaOperationCompleted 606
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnePos taGonderOperationCompleted 601	606	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnraporBolumRaporNoGuncellelmzalaOperationCompleted 607
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.Onkont orBilgisiGetirOperationCompleted 601	606	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnraporBolumSilOperationCompleted 607
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.Onmust ahsilMakbuzIptaliEtOperationCompleted 601	607	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnraporBolumSilOperationCompleted 607
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.Onmust ahsilMakbuzIptaliKaldirOperationCompleted	607	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.Onrapor

daBelgeSorgulaOperationCompleted 607	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumListesiSorgulaAsync 613, 614
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.Onrapor DurumSorgulaOperationCompleted 607	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumListesiSorgulaCompleted 623
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.Onrapor GonderOperationCompleted 608	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumRaporNoGuncellelmzala 614
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.Onsms DurumSorgulaOperationCompleted 608	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumRaporNoGuncellelmzalaAsync 614, 615
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.Onsms GonderOperationCompleted 608	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumRaporNoGuncellelmzalaCompleted 623
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumAI 609	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumSil 615
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumAIAsync 609	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumSilAsync 615, 616
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumAICompleted 623	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumSilCompleted 623
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumBilgisiAI 610	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporda BelgeSorgula 616
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumBilgisiAIAsync 610	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporda BelgeSorgulaAsync 616
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumBilgisiAICompleted 623	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporda BelgeSorgulaCompleted 623
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumleriOlustur 611	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporDu rumSorgula 617
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumleriOlusturAsync 611, 612	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporDu rumSorgulaAsync 617
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumleriOlusturCompleted 623	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporDu rumSorgulaCompleted 623
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumListesiDetayliSorgula 612	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporGo nder 618
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumListesiDetayliSorgulaAsync 612, 613	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporGo nderAsync 618
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumListesiDetayliSorgulaCompleted 623	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporGo nderCompleted 623
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumListesiSorgula 613	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.smsDur umSorgula

619	EventArgs.Result
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.smsDurumSorgulaAsync 619	627
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.smsDurumSorgulaCompleted 624	QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAICompleted EventHandler 657
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.smsGonder 620	QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAICompleted EventHandler type 657
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.smsGonderAsync 620, 621	QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAIResponse 627
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.smsGonderCompleted 624	QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAIResponse. @return 627
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.Url 621	QNBFinansGIB.GIBEMustahsil.raporBolumDTO 627
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.UseDefaultCredentials 621	QNBFinansGIB.GIBEMustahsil.raporBolumDTO.baslangicTarihi 628
QNBFinansGIB.GIBEMustahsil.raporBolumAI 624	QNBFinansGIB.GIBEMustahsil.raporBolumDTO.bitisTarihi 628
QNBFinansGIB.GIBEMustahsil.raporBolumAI.bolumRaporNo 624	QNBFinansGIB.GIBEMustahsil.raporBolumDTO.bolumNo 628
QNBFinansGIB.GIBEMustahsil.raporBolumAICompletedEventArgs 624	QNBFinansGIB.GIBEMustahsil.raporBolumDTO.bolumRaporNo 628
QNBFinansGIB.GIBEMustahsil.raporBolumAICompletedEventArgs. @return 625	QNBFinansGIB.GIBEMustahsil.raporBolumDTO.durum 628
QNBFinansGIB.GIBEMustahsil.raporBolumAICompletedEventArgs.raporBolumAICompletedEventArgs 625	QNBFinansGIB.GIBEMustahsil.raporBolumDTO.durumAciklama 629
QNBFinansGIB.GIBEMustahsil.raporBolumAICompletedEventArgs.Result 625	QNBFinansGIB.GIBEMustahsil.raporBolumDTO.durumKodu 629
QNBFinansGIB.GIBEMustahsil.raporBolumAICompletedEventArgs.Handler 656	QNBFinansGIB.GIBEMustahsil.raporBolumDTO.sonIslemeZamani 629
QNBFinansGIB.GIBEMustahsil.raporBolumAICompletedEventArgs.type 656	QNBFinansGIB.GIBEMustahsil.raporBolumleriOlustur 629
QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAI 625	QNBFinansGIB.GIBEMustahsil.raporBolumleriOlustur.donem 629
QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAI.bolumRaporNo 626	QNBFinansGIB.GIBEMustahsil.raporBolumleriOlustur.input 630
QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAICompletedEventArgs 626	QNBFinansGIB.GIBEMustahsil.raporBolumleriOlustur.sonGun 630
QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAICompletedEventArgs.raporBolumBilgisiAICompletedEventArgs 626	QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturComplet edEventArgs 630
QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAICompletedEventArgs.Result 626	QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturComplet edEventArgs.raporBolumleriOlusturCompletedEventArgs 630

631	634
QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturCompletedEventHandler	QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCompletedEventArgs.@return
635	635
QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturCompletedEventHandler	QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCompletedEventArgs.raporBolumListesiSorgulaCompletedEventArgs
type 635	635
QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturResponse	QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCompletedEventArgs.Result
631	635
QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturResponse.@return	QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCompletedEventArgs
631	635
QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetaigliSorgula	QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCompletedEventArgs
631	635
QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetaigliSorgula.donem	QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncellelmzala
632	635
QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetaigliSorgulaCompletedEventArgs	QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncellelmzala.bolumRaporNo
632	636
QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetaigliSorgulaCompletedEventArgs.output	QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncellelmzalaCompletedEventArgs
633	636
QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetaigliSorgulaCompletedEventArgs.raporBolumListesiDetaigliSorgulaCompletedEventArgs	QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncellelmzalaCompletedEventArgs.raporBolumRaporNoGuncellelmzalaCompletedEventArgs
632	636
QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetaigliSorgulaCompletedEventArgs.Result	QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncellelmzalaCompletedEventArgs.Result
633	637
QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetaigliSorgulaCompletedEventArgs	QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncellelmzalaCompletedEventArgs
637	638
QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetaigliSorgulaCompletedEventArgs	QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncellelmzalaCompletedEventArgs
type 637	638
QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetaigliSorgulaResponse	QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncellelmzalaResponse
633	637
QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetaigliSorgulaResponse.@return	QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncellelmzalaResponse.@return
633	637
QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetaigliSorgulaResponse.output	QNBFinansGIB.GIBEMustahsil.raporBolumSil 637
633	638
QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgula	QNBFinansGIB.GIBEMustahsil.raporBolumSil.bolumRaporNo
633	638
QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgula.donem	QNBFinansGIB.GIBEMustahsil.raporBolumSilCompletedEventArgs
634	638
QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCompletedEventArgs	QNBFinansGIB.GIBEMustahsil.raporBolumSilCompletedEventArgs.raporBolumSilCompletedEventArgs

638	658
QNBFinansGIB.GIBEMustahsil.raporBolumSilCompletedEven tArgs.Result	QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaCompleted EventHandler
638	type 658
QNBFinansGIB.GIBEMustahsil.raporBolumSilCompletedEven tHandler	QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaResponse
658	643
QNBFinansGIB.GIBEMustahsil.raporBolumSilCompletedEven tHandler	QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaResponse. @return
type 658	643
QNBFinansGIB.GIBEMustahsil.raporBolumSilResponse 639	QNBFinansGIB.GIBEMustahsil.raporGonder 643
QNBFinansGIB.GIBEMustahsil.raporBolumSilResponse.@ret urn	QNBFinansGIB.GIBEMustahsil.raporGonder.donem 644
639	QNBFinansGIB.GIBEMustahsil.raporGonderCompletedEvent Args
QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgula 639	644
QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgula.input	QNBFinansGIB.GIBEMustahsil.raporGonderCompletedEvent Args.raporGonderCompletedEventArgs
640	644
QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaComplet edEventArgs	QNBFinansGIB.GIBEMustahsil.raporGonderCompletedEvent Args.Result
640	644
QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaComplet edEventArgs.rapordaBelgeSorgulaCompletedEventArgs	QNBFinansGIB.GIBEMustahsil.raporGonderCompletedEvent Handler
640	659
QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaComplet edEventArgs.Result	QNBFinansGIB.GIBEMustahsil.raporGonderCompletedEvent Handler
640	type 659
QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaComplet edEventArgs.Result	QNBFinansGIB.GIBEMustahsil.raporGonderResponse 645
658	QNBFinansGIB.GIBEMustahsil.raporGonderResponse.@retur n
QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaComplet edEventArgs.type 658	645
QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaRespon se	QNBFinansGIB.GIBEMustahsil.smsDurumSorgula 645
641	QNBFinansGIB.GIBEMustahsil.smsDurumSorgula.input 646
QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaRespon se.@return	QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompleted EventArgs
641	646
QNBFinansGIB.GIBEMustahsil.raporDurumSorgula 641	QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompleted EventArgs.outputDurum
QNBFinansGIB.GIBEMustahsil.raporDurumSorgula.donem	646
642	QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompleted EventArgs.Result
QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaCompleted EventArgs	647
642	QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompleted EventArgs.smsDurumSorgulaCompletedEventArgs
QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaCompleted EventArgs.raporDurumSorgulaCompletedEventArgs	646
642	QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompleted EventArgs.EventHandler
QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaCompleted EventArgs.Result	659
642	QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompleted EventArgs.EventHandler
QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaCompleted EventArgs	type 659
QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaResponse	QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaResponse

647	661
QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaResponse. @return	QNBFinansGIB.GIBUserService.userService.IsLocalFileSyste mWebService
647	661
QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaResponse.o utputDurum	QNBFinansGIB.GIBUserService.userService.logout 662
647	QNBFinansGIB.GIBUserService.userService.logoutAsync 662
QNBFinansGIB.GIBEMustahsil.smsGonder 647	QNBFinansGIB.GIBUserService.userService.logoutComplete d
QNBFinansGIB.GIBEMustahsil.smsGonder.ilaveTelefonNo 648	664
QNBFinansGIB.GIBEMustahsil.smsGonder.input 648	QNBFinansGIB.GIBUserService.userService.OnlogoutOperati onCompleted
QNBFinansGIB.GIBEMustahsil.smsGonder.tanimliTelefonNoy aGonder	662
648	QNBFinansGIB.GIBUserService.userService.OnwsLoginOper ationCompleted
QNBFinansGIB.GIBEMustahsil.smsGonderCompletedEventAr gs	663
648	QNBFinansGIB.GIBUserService.userService.Url 664
QNBFinansGIB.GIBEMustahsil.smsGonderCompletedEventAr gs.Result	QNBFinansGIB.GIBUserService.userService.UseDefaultCred entials
649	664
QNBFinansGIB.GIBEMustahsil.smsGonderCompletedEventAr gs.smsGonderCompletedEventArgs	QNBFinansGIB.GIBUserService.userService.userService 661
649	QNBFinansGIB.GIBUserService.userService.wsLogin 663
QNBFinansGIB.GIBEMustahsil.smsGonderCompletedEventH andler	QNBFinansGIB.GIBUserService.userService.wsLoginAsync
659	664
QNBFinansGIB.GIBEMustahsil.smsGonderCompletedEventH andler	QNBFinansGIB.GIBUserService.userService.wsLoginComple ted
type 659	664
QNBFinansGIB.GIBEMustahsil.smsGonderResponse 649	QNBFinansGIB.GIBUserService.wsLoginCompletedEventHan dler
QNBFinansGIB.GIBEMustahsil.smsGonderResponse.@return 649	665
QNBFinansGIB.GIBEMustahsil.stringOutputWrapper 650	QNBFinansGIB.GIBUserService.wsLoginCompletedEventHan dler
QNBFinansGIB.GIBEMustahsil.stringOutputWrapper.@return 650	665
QNBFinansGIB.GIBEMustahsil.stringOutputWrapper.output 650	QNBFinansGIB.Program 789
QNBFinansGIB.GIBUserService 659	QNBFinansGIB.Program.Main 789
QNBFinansGIB.GIBUserService namespace 659	QNBFinansGIB.Properties 665
Classes 660	QNBFinansGIB.Properties namespace 665
Types 665	Classes 665
QNBFinansGIB.GIBUserService.logoutCompletedEventHandler 665	QNBFinansGIB.Properties.Resources 666
QNBFinansGIB.GIBUserService.logoutCompletedEventHandler type 665	QNBFinansGIB.Properties.Resources.Culture 667
QNBFinansGIB.GIBUserService.userService 660	QNBFinansGIB.Properties.Resources.ResourceManager 667
QNBFinansGIB.GIBUserService.userService.CancelAsync	QNBFinansGIB.Properties.Resources.Resources 666
	QNBFinansGIB.Properties.Settings 667
	QNBFinansGIB.Properties.Settings.Default 668
	QNBFinansGIB.Properties.Settings.QNBFinansGIB_GIBEArsi v_EarsivWebService
	668
	QNBFinansGIB.Properties.Settings.QNBFinansGIB_GIBEArsi v_MustahsilWebService

668	
QNBFinansGIB.Properties.Settings.QNBFinansGIB_GIBEFatura_connectorService	668
668	
QNBFinansGIB.Properties.Settings.QNBFinansGIB_GIBEMMustahsilMustahsilWebService	669
669	
QNBFinansGIB.Properties.Settings.QNBFinansGIB_GIBUserService.UserService_userService	669
669	
QNBFinansGIB.sln	845
QNBFinansGIB.Utils	669
QNBFinansGIB.Utils namespace	669
Classes	670
QNBFinansGIB.Utils.BoslukKaldır	670
QNBFinansGIB.Utils.BoslukKaldır.BosluklariKaldır	671
QNBFinansGIB.Utils.DisServisler	671
QNBFinansGIB.Utils.DisServisler.BelgeOidDurumunaGoreEvrakGonder	673
QNBFinansGIB.Utils.DisServisler.BelgeOidKontrol	673
QNBFinansGIB.Utils.DisServisler.EArsivFaturaSorgula	674
QNBFinansGIB.Utils.DisServisler.EArsivGonder	675
QNBFinansGIB.Utils.DisServisler.EArsivOnIzleme	676
QNBFinansGIB.Utils.DisServisler.EArsivServisineBaglan	677
QNBFinansGIB.Utils.DisServisler.EArsivSilmeyeUygunMu	677
QNBFinansGIB.Utils.DisServisler.EFaturaGonder	678
QNBFinansGIB.Utils.DisServisler.EFaturaKullaniciListesi	680
QNBFinansGIB.Utils.DisServisler.EFaturaKullanicisiMi	681
QNBFinansGIB.Utils.DisServisler.EFaturaOnIzleme	681
QNBFinansGIB.Utils.DisServisler.EFaturaServisineBaglan	682
QNBFinansGIB.Utils.DisServisler.EFaturaSilmeyeUygunMu	683
QNBFinansGIB.Utils.DisServisler.EMustahsilGonder	683
QNBFinansGIB.Utils.DisServisler.EMustahsilOnIzleme	684
QNBFinansGIB.Utils.DisServisler.EMustahsilServisineBaglan	685
QNBFinansGIB.Utils.DisServisler.EMustahsilSilmeyeUygunMu	686
QNBFinansGIB.Utils.DisServisler.GetMD5Hash	686
QNBFinansGIB.Utils.DisServisler.GibYanitKodunaGoreSonucGetir	687
QNBFinansGIB.Utils.DisServisler.ServistenBelgeDurumuGetir	703
688	
QNBFinansGIB.Utils.DisServisler.TarihBilgisiDuzenle	688
QNBFinansGIB.Utils.Enums	689
QNBFinansGIB.Utils.Enums.BelgeTur	689
QNBFinansGIB.Utils.Enums.BelgeTur enumeration	689
QNBFinansGIB.Utils.Enums.FaturaMakbuzGrupTur	690
QNBFinansGIB.Utils.Enums.FaturaMakbuzGrupTur enumeration	690
QNBFinansGIB.Utils.Enums.FaturaTur	690
QNBFinansGIB.Utils.Enums.FaturaTur enumeration	690
QNBFinansGIB.Utils.Enums.LetterCase	690
QNBFinansGIB.Utils.Enums.LetterCase enumeration	690
QNBFinansGIB.Utils.Enums.SatisTur	691
QNBFinansGIB.Utils.Enums.SatisTur enumeration	691
QNBFinansGIB.Utils.GeriDonus	691
QNBFinansGIB.Utils.GeriDonus.Dosya	692
QNBFinansGIB.Utils.GeriDonus.Tip	692
QNBFinansGIB.Utils.GibNumarasi	692
QNBFinansGIB.Utils.GibNumarasi.RastgeleGibNumarasiOlustur	692
QNBFinansGIB.Utils.GibNumarasi.RastgeleMetinOlustur	693
QNBFinansGIB.Utils.MesajSabitler	693
QNBFinansGIB.Utils.MesajSabitler.IslamBasarili	694
QNBFinansGIB.Utils.MesajSabitler.IslamBasarisiz	694
QNBFinansGIB.Utils.MesajSabitler.MesajBasligi	694
QNBFinansGIB.Utils.MesajSabitler.ServisIslemiBasariKodu	694
QNBFinansGIB.Utils.Sabitler	694
QNBFinansGIB.Utils.Sabitler.KonaklamaVergiKontrolTarihi	695
QNBFinansGIB.Utils.Sabitler.MaksimumFaturaNumarasi	695
QNBFinansGIB.Utils.Sabitler.TekrarGonderilebilecekKodListesi	695
QNBFinansGIB.Utils.XMLIslemleri	695
QNBFinansGIB.Utils.XMLIslemleri.EArsivBankaBilgileriDuzenle	697
QNBFinansGIB.Utils.XMLIslemleri.EArsivFaturaDetaylarıDuzenle	698
QNBFinansGIB.Utils.XMLIslemleri.EArsivSahisSirketineAitKisiHazirla	703

QNBFinansGIB.Utils.XMLIslemleri.EArsivStandartImzaVeFirm aBilgisiDuzenle 704	739	QNBFinansGIB.Utils.XMLIslemleri.FaturaKdvBelirle 741
QNBFinansGIB.Utils.XMLIslemleri.EArsivTuzelKisiyeAitKismi Hazirla 707		QNBFinansGIB.Utils.XMLIslemleri.FaturaKesenFirmaBilgisiDu zenle 742
QNBFinansGIB.Utils.XMLIslemleri.EArsivVergiVeDigerAlanlar Duzenle 711		QNBFinansGIB.Utils.XMLIslemleri.FaturaKesilenKisiBilgisiDuz enle 743
QNBFinansGIB.Utils.XMLIslemleri.EArsivXMLOlustur 713		QNBFinansGIB.Utils.XMLIslemleri.FaturaMakbuzImzaBilgisiD uzenle 744
QNBFinansGIB.Utils.XMLIslemleri.EFaturaBankaBilgileriDuze nle 714		QNBFinansGIB.Utils.XMLIslemleri.FaturaMakbuzKesilenKisiBi lgisiDuzenle 745
QNBFinansGIB.Utils.XMLIslemleri.EFaturaDetayBilgileriniDuz enle 715		QNBFinansGIB.Utils.XMLIslemleri.FaturaXMLDokumanIkkHali Olustur 747
QNBFinansGIB.Utils.XMLIslemleri.EFaturaEkDokumanRefera nsDuzenle 719		QNBFinansGIB.Utils.XMLIslemleri.GenelVergiBilgileriDuzenle 748
QNBFinansGIB.Utils.XMLIslemleri.EFaturaHeaderBilgisiDuze nle 721		QNBFinansGIB.Utils.XMLIslemleri.GonderimSekliBilgisiDuzen le 750
QNBFinansGIB.Utils.XMLIslemleri.EFaturaKesilenFirmaBilgile riDuzenle 722		QNBFinansGIB.Utils.XMLIslemleri.IndicatorVeUuidBilgisiDuze nle 751
QNBFinansGIB.Utils.XMLIslemleri.EFaturaXMLOlustur 724		QNBFinansGIB.Utils.XMLIslemleri.IrsaliyeBilgisiDuzenle 751
QNBFinansGIB.Utils.XMLIslemleri.EMustahsilEkDokumanRef eransDuzenle 726		QNBFinansGIB.Utils.XMLIslemleri.ParaBirimVeKayitSayisiDu zenle 753
QNBFinansGIB.Utils.XMLIslemleri.EMustahsilHeaderBilgisiDu zenle 727		QNBFinansGIB.Utils.XMLIslemleri.TarihSaatDuzenle 753
QNBFinansGIB.Utils.XMLIslemleri.EMustahsilKrediTuruDuzen le 728		QNBFinansGIB.Utils.XMLIslemleri.TemelBilgileriDuzenle 754
QNBFinansGIB.Utils.XMLIslemleri.EMustahsilMakbuzDetayBil gileriDuzenle 729		QNBFinansGIB.Utils.XMLIslemleri.XMLDosyasiniKaydet 755
QNBFinansGIB.Utils.XMLIslemleri.EMustahsilMakbuzKesenFi rmaBilgisiDuzenle 731		
QNBFinansGIB.Utils.XMLIslemleri.EMustahsilMakbuzKesilen FirmaBilgisiDuzenle 733		
QNBFinansGIB.Utils.XMLIslemleri.EMustahsilMakbuzKesilen KisiBilgisiDuzenle 735		
QNBFinansGIB.Utils.XMLIslemleri.EMustahsilMakbuzVergiBil gisiDuzenle 736		
QNBFinansGIB.Utils.XMLIslemleri.EMustahsilXMLOlustur 738		
QNBFinansGIB.Utils.XMLIslemleri.FaturaGenelTutarDuzenle		

R

RafFiyatGarantili enumeration member 691	
raporBolumAI class 174, 624	
about raporBolumAI class 174, 624	
bolumRaporNo 174, 624	
raporBolumAICompletedEventArgs class 174, 624	
@return 175, 625	
about raporBolumAICompletedEventArgs class 174, 624	
raporBolumAICompletedEventArgs 175, 625	
Result 175, 625	
raporBolumBilgisiAI class 175, 625	
about raporBolumBilgisiAI class 175, 625	
bolumRaporNo 176, 626	

raporBolumBilgisiAICompletedEventArgs class 176, 626
 about raporBolumBilgisiAICompletedEventArgs class 176, 626
 raporBolumBilgisiAICompletedEventArgs 176, 626
 Result 177, 627
 raporBolumBilgisiAIResponse class 177, 627
 @return 177, 627
 about raporBolumBilgisiAIResponse class 177, 627
 raporBolumDTO class 177, 627
 about raporBolumDTO class 177, 627
 baslangicTarihi 178, 628
 bitisTarihi 178, 628
 bolumNo 178, 628
 bolumNoSpecified 178, 628
 bolumRaporNo 178, 628
 durum 179, 628
 durumAciklama 179, 629
 durumKodu 179, 629
 sonIslemeZamani 179, 629
 raporBolumleriOlustur class 179, 629
 about raporBolumleriOlustur class 179, 629
 donem 180, 629
 input 180, 630
 sonGun 180, 630
 raporBolumleriOlusturCompletedEventArgs class 180, 630
 about raporBolumleriOlusturCompletedEventArgs class 180, 630
 raporBolumleriOlusturCompletedEventArgs 180, 630
 Result 181, 631
 raporBolumleriOlusturResponse class 181, 631
 @return 181, 631
 about raporBolumleriOlusturResponse class 181, 631
 raporBolumListesiDetayliSorgula class 181, 631
 about raporBolumListesiDetayliSorgula class 181, 631
 donem 182, 632
 raporBolumListesiDetayliSorgulaCompletedEventArgs class 182, 632
 about raporBolumListesiDetayliSorgulaCompletedEventArgs class 182, 632
 output 183, 633
 raporBolumListesiDetayliSorgulaCompletedEventArgs 182, 632
 Result 183, 633
 raporBolumListesiDetayliSorgulaResponse class 183, 633
 @return 183, 633
 about raporBolumListesiDetayliSorgulaResponse class 183, 633
 output 184, 633
 raporBolumListesiSorgula class 184, 633
 about raporBolumListesiSorgula class 184, 633
 donem 184, 634
 raporBolumListesiSorgulaCompletedEventArgs class 184, 634
 @return 185, 635
 about raporBolumListesiSorgulaCompletedEventArgs class 184, 634
 raporBolumListesiSorgulaCompletedEventArgs 185, 635
 Result 185, 635
 raporBolumListesiSorgulaWithInput class 185
 about raporBolumListesiSorgulaWithInput class 185
 donem 186
 input 186
 raporBolumListesiSorgulaWithInputCompletedEventArgs class 186
 @return 187
 about raporBolumListesiSorgulaWithInputCompletedEventArgs class 186
 raporBolumListesiSorgulaWithInputCompletedEventArgs 187
 Result 187
 raporBolumRaporNoGuncellelmzala class 187, 635
 about raporBolumRaporNoGuncellelmzala class 187, 635
 bolumRaporNo 188, 636
 raporBolumRaporNoGuncellelmzalaCompletedEventArgs class 188, 636
 about raporBolumRaporNoGuncellelmzalaCompletedEventArgs class 188, 636
 raporBolumRaporNoGuncellelmzalaCompletedEventArgs 188, 636
 Result 189, 637
 raporBolumRaporNoGuncellelmzalaResponse class 189, 637
 @return 189, 637
 about raporBolumRaporNoGuncellelmzalaResponse class 189, 637
 raporBolumSil class 189, 637
 about raporBolumSil class 189, 637

bolumRaporNo 190, 638
raporBolumSilCompletedEventArgs class 190, 638
 about **raporBolumSilCompletedEventArgs** class 190, 638
raporBolumSilCompletedEventArgs 190, 638
 Result 190, 638
raporBolumSilResponse class 191, 639
 @return 191, 639
 about **raporBolumSilResponse** class 191, 639
rapordaBelgeSorgula class 639
 about **rapordaBelgeSorgula** class 639
 input 640
rapordaBelgeSorgulaCompletedEventArgs class 640
 about **rapordaBelgeSorgulaCompletedEventArgs** class 640
rapordaBelgeSorgulaCompletedEventArgs 640
 Result 640
rapordaBelgeSorgulaResponse class 641
 @return 641
 about **rapordaBelgeSorgulaResponse** class 641
rapordaFaturaSorgula class 191
 about **rapordaFaturaSorgula** class 191
 input 192
rapordaFaturaSorgulaCompletedEventArgs class 192
 about **rapordaFaturaSorgulaCompletedEventArgs** class 192
rapordaFaturaSorgulaCompletedEventArgs 192
 Result 192
rapordaFaturaSorgulaResponse class 193
 @return 193
 about **rapordaFaturaSorgulaResponse** class 193
raporDurumSorgula class 193, 641
 about **raporDurumSorgula** class 193, 641
 donem 194, 642
raporDurumSorgulaCompletedEventArgs class 194, 642
 about **raporDurumSorgulaCompletedEventArgs** class 194, 642
raporDurumSorgulaCompletedEventArgs 194, 642
 Result 194, 642
raporDurumSorgulaResponse class 195, 643
 @return 195, 643
 about **raporDurumSorgulaResponse** class 195, 643
raporGonder class 195, 643
 about **raporGonder** class 195, 643
 donem 196, 644
raporGonderCompletedEventArgs class 196, 644
 about **raporGonderCompletedEventArgs** class 196, 644
raporGonderCompletedEventArgs 196, 644
 Result 196, 644
raporGonderResponse class 197, 645
 @return 197, 645
 about **raporGonderResponse** class 197, 645
Reference.cs 845
Resources class 666
 about **Resources** class 666
Culture 667
ResourceManager 667
Resources 666
Resources.Designer.cs 848

S

Sabitler class 694
 about **Sabitler** class 694
KonaklamaVergiKontrolTarihi 695
MaksimumFaturaNumarasi 695
TekrarGonderilebilecekKodListesi 695
Sabitler.cs 850
Satis enumeration member 690
Seker enumeration member 690
serviceReturnType class 197, 487
 about **serviceReturnType** class 197, 487
servisSaglayicidanEpostaDurumSorgula class 197
 about **servisSaglayicidanEpostaDurumSorgula** class 197
 input 198
servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs class 198
 @return 199
 about
servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs
 class 198
 outputEposta 199
 Result 199
servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs
 199

Settings class 667

about Settings class 667

Default 668

QNBFinansGIB_GIBEArsiv_EarsivWebService 668

QNBFinansGIB_GIBEArsiv_MustahsilWebService 668

QNBFinansGIB_GIBEFatura_connectorService 668

QNBFinansGIB_GIBEMustahsil_MustahsilWebService
669

QNBFinansGIB_GIBUserService_userService 669

Settings.Designer.cs 850

SMM enumeration member 496

smsDurumSorgula class 199, 645

about smsDurumSorgula class 199, 645

input 200, 646

smsDurumSorgulaCompletedEventArgs class 200, 646

about smsDurumSorgulaCompletedEventArgs class 200,
646

outputDurum 201, 646

Result 201, 647

smsDurumSorgulaCompletedEventArgs 200, 646

smsDurumSorgulaResponse class 201, 647

@return 201, 647

about smsDurumSorgulaResponse class 201, 647

outputDurum 201, 647

smsGonder class 201, 647

about smsGonder class 201, 647

ilaveTelefonNo 202, 648

input 202, 648

tanimliTelefonNoyaGonder 202, 648

smsGonderCompletedEventArgs class 202, 648

about smsGonderCompletedEventArgs class 202, 648

Result 203, 649

smsGonderCompletedEventArgs 203, 649

smsGonderResponse class 203, 649

@return 204, 649

about smsGonderResponse class 203, 649

stringOutputWrapper class 204, 650

@return 204, 650

about stringOutputWrapper class 204, 650

output 204, 650

T

temelKontrollerIleBelgeGonderCompletedEventArgs class 488

about

temelKontrollerIleBelgeGonderCompletedEventArgs
class 488

Result 489

temelKontrollerIleBelgeGonderCompletedEventArgs 489

TeskilataVerilen enumeration member 691

TeslimattaVadeli enumeration member 691

TL enumeration member 495

toplambelgesayisiGetirCompletedEventArgs class 489

about toplambelgesayisiGetirCompletedEventArgs class
489

Result 490

toplambelgesayisiGetirCompletedEventArgs 490

toplufaturaPaketDosyaGonder class 204

about toplufaturaPaketDosyaGonder class 204

input 205

paketDosyasiZip 205

toplufaturaPaketDosyaGonderCompletedEventArgs class
205

about
toplufaturaPaketDosyaGonderCompletedEventArgs
class 205

Result 206

toplufaturaPaketDosyaGonderCompletedEventArgs 206

toplufaturaPaketDosyaGonderResponse class 206

@return 206

about toplufaturaPaketDosyaGonderResponse class 206

toplufaturaPaketDosyasiSorgula class 207

about toplufaturaPaketDosyasiSorgula class 207

input 207

toplufaturaPaketDosyasiSorgulaCompletedEventArgs class
207

@return 208

about
toplufaturaPaketDosyasiSorgulaCompletedEventArgs
class 207

Result 208

toplufaturaPaketDosyasiSorgulaCompletedEventArgs
208

toplufaturaPaketOnayla class 208

about toplufaturaPaketOnayla class 208

input 209	userService 661
toplufaturaPaketOnaylaCompletedEventArgs class 209	wsLogin 663
about toplufaturaPaketOnaylaCompletedEventArgs class 209	wsLoginAsync 664
Result 209	wsLoginCompleted 664
toplufaturaPaketOnaylaCompletedEventArgs 209	
toplufaturaPaketOnaylaResponse class 210	
@return 210	V
about toplufaturaPaketOnaylaResponse class 210	Vadeli enumeration member 691
toplufaturaPaketSorgula class 210	
about toplufaturaPaketSorgula class 210	W
input 211	wsKullaniciBilgileri class 492
toplufaturaPaketSorgulaCompletedEventArgs class 211	about wsKullaniciBilgileri class 492
@return 212	kullaniciKodu 492
about toplufaturaPaketSorgulaCompletedEventArgs class 211	sifre 492
Result 212	wsKullanicisiKaydetCompletedEventArgs class 492
toplufaturaPaketSorgulaCompletedEventArgs 211	about wsKullanicisiKaydetCompletedEventArgs class 492
	Result 493
	wsKullanicisiKaydetCompletedEventArgs 493
U	X
UBL enumeration member 214, 650	XML enumeration member 215
ublOnizlemeCompletedEventArgs class 490	XMLIslemleri class 695
about ublOnizlemeCompletedEventArgs class 490	about XMLIslemleri class 695
Result 491	EArsivBankaBilgileriDuzenle 697
ublOnizlemeCompletedEventArgs 490	EArsivFaturaDetaylariDuzenle 698
Upper enumeration member 690	EArsivSahisSirketineAitKismiHazirla 703
urunSablonlariniAICompletedEventArgs class 491	EArsivStandartImzaVeFirmaBilgisiDuzenle 704
about urunSablonlariniAICompletedEventArgs class 491	EArsivTuzelKisiyeAitKismiHazirla 707
Result 492	EArsivVergiVeDigerAlanlarDuzenle 711
urunSablonlariniAICompletedEventArgs 491	EArsivXMLOlustur 713
userService class 660	EFaturaBankaBilgileriDuzenle 714
about userService class 660	EFaturaDetayBilgileriniDuzenle 715
CancelAsync 661	EFaturaEkDokumanReferansDuzenle 719
IsLocalFileSystemWebService 661	EFaturaHeaderBilgisiDuzenle 721
logout 662	EFaturaKesilenFirmaBilgileriDuzenle 722
logoutAsync 662	EFaturaXMLOlustur 724
logoutCompleted 664	EMustahsilEkDokumanReferansDuzenle 726
OnlogoutOperationCompleted 662	EMustahsilHeaderBilgisiDuzenle 727
OnwsLoginOperationCompleted 663	EMustahsilKrediTuruDuzenle 728
Url 664	EMustahsilMakbuzDetayBilgileriDuzenle 729
UseDefaultCredentials 664	EMustahsilMakbuzKesenFirmaBilgisiDuzenle 731

EMustahsilMakbuzKesilenFirmaBilgisiDuzenle 733
 EMustahsilMakbuzKesilenKisiBilgisiDuzenle 735
 EMustahsilMakbuzVergiBilgisiDuzenle 736
 EMustahsilXMLOlustur 738
 FaturaGenelTutarDuzenle 739
 FaturaKdvBelirle 741
 FaturaKesenFirmaBilgisiDuzenle 742
 FaturaKesilenKisiBilgisiDuzenle 743
 FaturaMakbuzImzaBilgisiDuzenle 744
 FaturaMakbuzKesilenKisiBilgisiDuzenle 745
 FaturaXMLDokumanIlkHaliOlustur 747
 GenelVergiBilgileriDuzenle 748
 GonderimSekliBilgisiDuzenle 750
 IndicatorVeUuidBilgisiDuzenle 751
 IrsaliyeBilgisiDuzenle 751
 ParaBirimVeKayitSayisiDuzenle 753
 TarihSaatDuzenle 753
 TemelBilgileriDuzenle 754
 XMLDosyasiniKaydet 755
 XMLIslemleri.cs 852

Y

yapilandirmaAyarlariAI class 212
 about yapilandirmaAyarlariAI class 212
 input 212
 yapilandirmaAyarlariAICompletedEventArgs class 212
 about yapilandirmaAyarlariAICompletedEventArgs class
 212
 outputYapilandirma 213
 Result 213
 yapilandirmaAyarlariAICompletedEventArgs 213
 yapilandirmaAyarlariAIResponse class 213
 @return 214
 about yapilandirmaAyarlariAIResponse class 213
 outputYapilandirma 214
 yereleAktarilacakBelgeleriAICompletedEventArgs class 493
 about yereleAktarilacakBelgeleriAICompletedEventArgs
 class 493
 Result 494
 yereleAktarilacakBelgeleriAICompletedEventArgs 494
 yereleAktarilacakBelgeleriAIExtCompletedEventArgs class
 494