

# **QNB Finans E-Fatura E-Arsiv E-Müstahsil**

QNB Finans'in sundugu GIB (Gelir İdaresi  
Baskanligi) E-Fatura, E-Arsiv, E-Müstahsil gibi  
servislerin nasıl kullanilacagina dair örnekler içeren  
bir Windows Form uygulamasi

## Table of Contents

<b>Symbol Reference</b>	<b>1</b>
<b>QNBFinansGIB Namespace</b>	<b>1</b>
QNBFinansGIB.DTO Namespace	1
Classes	2
FaturaKdvDTO Class	2
GidenFaturaDetayDTO Class	3
GidenFaturaDTO Class	6
MustahsilMakbuzuDetayDTO Class	11
MustahsilMakbuzuDTO Class	13
QNBFinansGIB.GIBEArsiv Namespace	17
Classes	23
aliciEpostaEkleSilGuncelle Class	27
aliciEpostaEkleSilGuncelleCompletedEventArgs Class	28
aliciEpostaEkleSilGuncelleResponse Class	28
belge Class	29
belgeOutputWrapper Class	30
dosyalInput Class	31
doubleStringOutputWrapper Class	31
earsivServiceResult Class	32
earsivServiceResultEntry Class	33
EarsivWebService Class	34
eFaturaKayitliKullaniciListele Class	112
eFaturaKayitliKullaniciListeleCompletedEventArgs Class	112
eFaturaKullanici Class	113
efaturaKullanicisi Class	114
efaturaKullanicisiCompletedEventArgs Class	115
efaturaKullanicisiKontrol Class	116
efaturaKullanicisiKontrolCompletedEventArgs Class	116
efaturaKullanicisiKontrolResponse Class	117
efaturaKullanicisiResponse Class	118
ePostaDurumSorgula Class	118
ePostaDurumSorgulaCompletedEventArgs Class	119
ePostaGonder Class	120
ePostaGonderCompletedEventArgs Class	121
ePostaGonderResponse Class	122
faturaDTO Class	122

faturalptalEt Class	131
faturalptalEtCompletedEventArgs Class	132
faturalptalEtResponse Class	133
faturalptaliKaldır Class	133
faturalptaliKaldırCompletedEventArgs Class	134
faturalptaliKaldırResponse Class	135
faturaltirazEt Class	135
faturaltirazEtCompletedEventArgs Class	136
faturaltirazEtResponse Class	137
faturaltirazKaldır Class	137
faturaltirazKaldırCompletedEventArgs Class	138
faturaltirazKaldırResponse Class	139
faturaListeSorgula Class	139
faturaListeSorgulaCompletedEventArgs Class	140
faturaListeSorgulaCount Class	141
faturaListeSorgulaCountCompletedEventArgs Class	141
faturaListeSorgulaCountResponse Class	142
faturaListeSorgulaPortal Class	143
faturaListeSorgulaPortalCompletedEventArgs Class	143
faturaListeSorgulaPortalResponse Class	144
faturaListeSorgulaResponse Class	145
faturaNoUret Class	146
faturaNoUretCompletedEventArgs Class	146
faturaOlustur Class	147
faturaOlusturCompletedEventArgs Class	148
faturaOlusturExt Class	149
faturaOlusturExtCompletedEventArgs Class	150
faturaOnizleme Class	151
faturaOnizlemeCompletedEventArgs Class	151
faturaSorgula Class	152
faturaSorgulaCompletedEventArgs Class	153
faturaSorgulaExt Class	154
faturaSorgulaExtCompletedEventArgs Class	154
faturaTaslakOlustur Class	155
faturaTaslakOlusturCompletedEventArgs Class	156
faturaTaslakOlusturResponse Class	157
faturaTaslakOnizleme Class	157
faturaTaslakOnizlemeCompletedEventArgs Class	158
faturaTaslakOnizlemeResponse Class	159
faturaTaslakSil Class	160

faturaTaslakSilCompletedEventArgs Class	160
faturaTaslakSilResponse Class	161
faturaTaslakSorgula Class	162
faturaTaslakSorgulaCompletedEventArgs Class	162
faturaTaslakSorgulaResponse Class	163
faturaTaslaktanOlustur Class	164
faturaTaslaktanOlusturCompletedEventArgs Class	164
faturaZipiAI Class	165
faturaZipiAICompletedEventArgs Class	166
faturaZipiAIResponse Class	167
kontorBilgisiGetir Class	168
kontorBilgisiGetirCompletedEventArgs Class	168
kontorBilgisiGetirResponse Class	169
okcRaporBolumAI Class	170
okcRaporBolumAICompletedEventArgs Class	170
okcRaporKaydet Class	171
okcRaporKaydetCompletedEventArgs Class	172
okcRaporKaydetResponse Class	173
okcRaporOlusturGonder Class	173
okcRaporOlusturGonderCompletedEventArgs Class	174
okcRaporOlusturGonderResponse Class	175
raporBolumAI Class	175
raporBolumAICompletedEventArgs Class	176
raporBolumBilgisiAI Class	177
raporBolumBilgisiAICompletedEventArgs Class	177
raporBolumBilgisiAIResponse Class	178
raporBolumDTO Class	179
raporBolumleriOlustur Class	180
raporBolumleriOlusturCompletedEventArgs Class	181
raporBolumleriOlusturResponse Class	182
raporBolumListesiDetyaliSorgula Class	183
raporBolumListesiDetyaliSorgulaCompletedEventArgs Class	183
raporBolumListesiDetyaliSorgulaResponse Class	184
raporBolumListesiSorgula Class	185
raporBolumListesiSorgulaCompletedEventArgs Class	186
raporBolumListesiSorgulaWithInput Class	187
raporBolumListesiSorgulaWithInputCompletedEventArgs Class	187
raporBolumRaporNoGuncelleImzala Class	188
raporBolumRaporNoGuncelleImzalaCompletedEventArgs Class	189
raporBolumRaporNoGuncelleImzalaResponse Class	190

raporBolumSil Class	191
raporBolumSilCompletedEventArgs Class	191
raporBolumSilResponse Class	192
rapordaFaturaSorgula Class	193
rapordaFaturaSorgulaCompletedEventArgs Class	193
rapordaFaturaSorgulaResponse Class	194
raporDurumSorgula Class	195
raporDurumSorgulaCompletedEventArgs Class	195
raporDurumSorgulaResponse Class	196
raporGonder Class	197
raporGonderCompletedEventArgs Class	197
raporGonderResponse Class	198
serviceReturnType Class	199
servisSaglayicidanEpostaDurumSorgula Class	199
servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs Class	199
smsDurumSorgula Class	201
smsDurumSorgulaCompletedEventArgs Class	201
smsDurumSorgulaResponse Class	202
smsGonder Class	203
smsGonderCompletedEventArgs Class	204
smsGonderResponse Class	205
stringOutputWrapper Class	205
topluFaturaPaketDosyaGonder Class	206
topluFaturaPaketDosyaGonderCompletedEventArgs Class	206
topluFaturaPaketDosyaGonderResponse Class	207
topluFaturaPaketDosyasiSorgula Class	208
topluFaturaPaketDosyasiSorgulaCompletedEventArgs Class	208
topluFaturaPaketOnayla Class	210
topluFaturaPaketOnaylaCompletedEventArgs Class	210
topluFaturaPaketOnaylaResponse Class	211
topluFaturaPaketSorgula Class	212
topluFaturaPaketSorgulaCompletedEventArgs Class	212
yapilandirmaAyarlariAI Class	213
yapilandirmaAyarlariAICompletedEventArgs Class	214
yapilandirmaAyarlariAIResponse Class	215
Structs, Records, Enums	215
QNBFinansGIB.GIBEArxiv.belgeFormatiEnum Enumeration	216
QNBFinansGIB.GIBEArxiv.genelBelgeFormatiEnum Enumeration	216
Types	216
QNBFinansGIB.GIBEArxiv.aliciEpostaEkleSilGuncelleCompletedEventHandler Type	218

QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListeleCompletedEventHandler Type	219
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiCompletedEventHandler Type	219
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrolCompletedEventHandler Type	219
QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEventHandler Type	219
QNBFinansGIB.GIBEArsiv.ePostaGonderCompletedEventHandler Type	220
QNBFinansGIB.GIBEArsiv.faturalptalEtCompletedEventHandler Type	220
QNBFinansGIB.GIBEArsiv.faturalptaliKaldirCompletedEventHandler Type	220
QNBFinansGIB.GIBEArsiv.faturaltirazEtCompletedEventHandler Type	220
QNBFinansGIB.GIBEArsiv.faturaltirazKaldirCompletedEventHandler Type	221
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCompletedEventHandler Type	221
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompletedEventHandler Type	221
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalCompletedEventHandler Type	221
QNBFinansGIB.GIBEArsiv.faturaNoUretCompletedEventHandler Type	222
QNBFinansGIB.GIBEArsiv.faturaOlusturCompletedEventHandler Type	222
QNBFinansGIB.GIBEArsiv.faturaOlusturExtCompletedEventHandler Type	222
QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventHandler Type	222
QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventHandler Type	222
QNBFinansGIB.GIBEArsiv.faturaSorgulaExtCompletedEventHandler Type	223
QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturCompletedEventHandler Type	223
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeCompletedEventHandler Type	223
QNBFinansGIB.GIBEArsiv.faturaTaslakSilCompletedEventHandler Type	223
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEventHandler Type	224
QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlusturCompletedEventHandler Type	224
QNBFinansGIB.GIBEArsiv.faturaZipiAICompletedEventHandler Type	224
QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirCompletedEventHandler Type	224
QNBFinansGIB.GIBEArsiv.okcRaporBolumAICompletedEventHandler Type	225
QNBFinansGIB.GIBEArsiv.okcRaporKaydetCompletedEventHandler Type	225
QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderCompletedEventHandler Type	225
QNBFinansGIB.GIBEArsiv.raporBolumAICompletedEventHandler Type	225
QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAICompletedEventHandler Type	226
QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturCompletedEventHandler Type	226
QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventHandler Type	226
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaCompletedEventHandler Type	226
QNBFinansGIB.GIBEArsiv.raporBolumListesiWithInputCompletedEventHandler Type	227
QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncelleImzalaCompletedEventHandler Type	227
QNBFinansGIB.GIBEArsiv.raporBolumSilCompletedEventHandler Type	227
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventHandler Type	227
QNBFinansGIB.GIBEArsiv.raporDurumSorgulaCompletedEventHandler Type	228
QNBFinansGIB.GIBEArsiv.raporGonderCompletedEventHandler Type	228
QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSorgulaCompletedEventHandler Type	228

QNBFinansGIB.GIBEArxiv.smsDurumSorgulaCompletedEventHandler Type	228
QNBFinansGIB.GIBEArxiv.smsGonderCompletedEventHandler Type	229
QNBFinansGIB.GIBEArxiv.topluFaturaPaketDosyaGonderCompletedEventHandler Type	229
QNBFinansGIB.GIBEArxiv.topluFaturaPaketDosyasiSorgulaCompletedEventHandler Type	229
QNBFinansGIB.GIBEArxiv.topluFaturaPaketOnaylaCompletedEventHandler Type	229
QNBFinansGIB.GIBEArxiv.topluFaturaPaketSorgulaCompletedEventHandler Type	230
QNBFinansGIB.GIBEArxiv.yapilandirmaAyarlariAICompletedEventHandler Type	230
<b>QNBFinansGIB.GIBEFatura Namespace</b>	<b>230</b>
<b>Classes</b>	<b>236</b>
belge Class	239
belgeGonderCompletedEventArgs Class	240
belgeGonderExtCompletedEventArgs Class	241
belgeGonderExtWithValidateCompletedEventArgs Class	242
belgeGonderResp Class	243
belgeGonderWithValidateCompletedEventArgs Class	244
belgeleriTekrarGonderBelgeOidCompletedEventArgs Class	245
belgeleriTekrarGonderCompletedEventArgs Class	246
belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs Class	247
belgev2 Class	248
belgev2Entry Class	250
belgev3 Class	250
belgev4 Class	252
belgev5 Class	253
belgev6 Class	254
cokluGidenBelgeDurumSorgulaCompletedEventArgs Class	256
connectorService Class	257
csXmlOnizlemeCompletedEventArgs Class	389
csXmlToUblCompletedEventArgs Class	390
eFaturaKayitliKullaniciHistory Class	391
eFaturaKayitliKullaniciListeleCompletedEventArgs Class	392
eFaturaKullanici Class	393
efaturaKullaniciBilgisiCompletedEventArgs Class	394
eFaturaKullaniciExtended Class	395
efaturaKullaniciListesiCompletedEventArgs Class	397
efaturaKullanicisiCompletedEventArgs Class	398
elrsaliyeKayitliKullaniciListeleCompletedEventArgs Class	399
elrsaliyeKullanici Class	400
elrsaliyeKullanicisiCompletedEventArgs Class	401
erpBilgileri Class	402
faturaKepelleladeEdildiCompletedEventArgs Class	402

faturaKepIleladeEdildilptalCompletedEventArgs Class	403
faturaNoUretCompletedEventArgs Class	404
faturaTarihcesiData Class	405
faturaTarihcesiSorgulaCompletedEventArgs Class	407
faturayaltirazEdildiCompletedEventArgs Class	408
faturayaltirazEdildilptalCompletedEventArgs Class	409
gelenBelgeDurum Class	410
gelenBelgeDurumSorgulaCompletedEventArgs Class	412
gelenBelgeDurumSorgulaExtCompletedEventArgs Class	413
gelenBelgeDurumv2 Class	414
gelenBelgeDurumv3 Class	415
gelenBelgeDurumv4 Class	416
gelenBelgeDurumv5 Class	417
gelenBelgeEkleriAICompletedEventArgs Class	418
gelenBelgeleriAICompletedEventArgs Class	419
gelenBelgeleriAIExt2CompletedEventArgs Class	420
gelenBelgeleriAIExt2Entry Class	421
gelenBelgeleriAIExtCompletedEventArgs Class	421
gelenBelgeleriIndirCompletedEventArgs Class	422
gelenBelgeleriIndirExtCompletedEventArgs Class	423
gelenBelgeleriListeleCompletedEventArgs Class	424
gelenBelgeleriListeleExtCompletedEventArgs Class	425
gelenBelgeParametreleri Class	426
gelenBelgeTutarBilgileri Class	429
gelenBelgeTutarBilgileriSorgulaCompletedEventArgs Class	432
gelenBelgeXmlleriniAICompletedEventArgs Class	433
gelenBelgeXmlleriniAIExtCompletedEventArgs Class	434
gelenStandartRapolariAICompletedEventArgs Class	435
gelenTamamlananRapolariAICompletedEventArgs Class	436
gelenTasinanBelgeleriIndirCompletedEventArgs Class	437
gidenBelgeDurum Class	438
gidenBelgeDurumParametreleri Class	440
gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs Class	441
gidenBelgeDurumSorgulaCompletedEventArgs Class	442
gidenBelgeDurumSorgulaEttnCompletedEventArgs Class	443
gidenBelgeDurumSorgulaExtCompletedEventArgs Class	444
gidenBelgeDurumSorgulaPortalCompletedEventArgs Class	445
gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs Class	446
gidenBelgeDurumv2 Class	447
gidenBelgeDurumv3 Class	448

gidenBelgeDurumv4 Class	450
gidenBelgeDurumv5 Class	451
gidenBelgeDurumv6 Class	452
gidenBelgeEkleriAICompletedEventArgs Class	454
gidenBelgelerDurumSorgulaPortalParametreleri Class	455
gidenBelgeleriIndirCompletedEventArgs Class	456
gidenBelgeleriIndirEtnCompletedEventArgs Class	457
gidenBelgeleriIndirPortalCompletedEventArgs Class	458
gidenBelgeleriIndirPortalParametreleri Class	459
gidenBelgeleriListeleCompletedEventArgs Class	461
gidenBelgeleriListeleData Class	462
gidenBelgeleriListeleParametreleri Class	464
gidenBelgeleriListelePortalCompletedEventArgs Class	465
gidenBelgeleriListelePortalData Class	466
gidenBelgeleriListelePortalDatav2 Class	469
gidenBelgeleriListelePortalParametreleri Class	470
gidenBelgeParametreleri Class	471
gidenBelgeTutarBilgileri Class	474
gidenBelgeTutarBilgileriSorgulaCompletedEventArgs Class	477
gidenTasinanBelgeleriIndirCompletedEventArgs Class	478
irsaliyeTarihcesiData Class	478
irsaliyeTarihcesiSorgulaCompletedEventArgs Class	480
kalanKontorBilgisi Class	481
kayitliKullaniciListeleExtendedCompletedEventArgs Class	483
kayitliKullaniciListeleExtendedTimeCompletedEventArgs Class	484
kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs Class	485
kontorAzaltResp Class	486
kontorBilgisiGetirCompletedEventArgs Class	488
mukellefEFaturaKayit Class	489
serviceReturnType Class	489
temelKontrollerleBelgeGonderCompletedEventArgs Class	490
toplamBelgeSayisiGetirCompletedEventArgs Class	491
ublOnizlemeCompletedEventArgs Class	492
urunSablonlariniAICompletedEventArgs Class	493
wsKullaniciBilgileri Class	494
wsKullanicisiKaydetCompletedEventArgs Class	494
yereleAktarilacakBelgeleriAICompletedEventArgs Class	495
yereleAktarilacakBelgeleriAIExtCompletedEventArgs Class	496
Structs, Records, Enums	497
QNBFinansGIB.GIBEFatura.kontorBirim Enumeration	497

QNBFinansGIB.GIBEFatura.kontorTipi Enumeration	498
Types	498
QNBFinansGIB.GIBEFatura.belgeGonderCompletedEventHandler Type	500
QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventHandler Type	501
QNBFinansGIB.GIBEFatura.belgeGonderExtWithValidateCompletedEventHandler Type	501
QNBFinansGIB.GIBEFatura.belgeGonderWithValidateCompletedEventHandler Type	501
QNBFinansGIB.GIBEFatura.belgeleriAlindiCompletedEventHandler Type	501
QNBFinansGIB.GIBEFatura.belgeleriAlindiEntegrasyonSiparisNoGuncelleCompletedEventHandler Type	502
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidCompletedEventHandler Type	502
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompletedEventHandler Type	502
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderYerelBelgeNoCompletedEventHandler Type	502
QNBFinansGIB.GIBEFatura.checkDateValidControlCompletedEventHandler Type	503
QNBFinansGIB.GIBEFatura.cokluGidenBelgeDurumSorgulaCompletedEventHandler Type	503
QNBFinansGIB.GIBEFatura.csXmlOnizlemeCompletedEventHandler Type	503
QNBFinansGIB.GIBEFatura.csXmlToUblCompletedEventHandler Type	503
QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciListeleCompletedEventHandler Type	504
QNBFinansGIB.GIBEFatura.efaturaKullaniciBilgisiCompletedEventHandler Type	504
QNBFinansGIB.GIBEFatura.efaturaKullaniciListesiCompletedEventHandler Type	504
QNBFinansGIB.GIBEFatura.efaturaKullanicisiCompletedEventHandler Type	504
QNBFinansGIB.GIBEFatura.elrsaliyeKayitliKullaniciListeleCompletedEventHandler Type	505
QNBFinansGIB.GIBEFatura.elrsaliyeKullanicisiCompletedEventHandler Type	505
QNBFinansGIB.GIBEFatura.erpBilgileriBelirleCompletedEventHandler Type	505
QNBFinansGIB.GIBEFatura.faturaKepIleladeEdildiCompletedEventHandler Type	505
QNBFinansGIB.GIBEFatura.faturaKepIleladeEdildilptalCompletedEventHandler Type	506
QNBFinansGIB.GIBEFatura.faturaMailGonderCompletedEventHandler Type	506
QNBFinansGIB.GIBEFatura.faturaNoUretCompletedEventHandler Type	506
QNBFinansGIB.GIBEFatura.faturaTarihcesiSorgulaCompletedEventHandler Type	506
QNBFinansGIB.GIBEFatura.faturayaltirazEdildiCompletedEventHandler Type	507
QNBFinansGIB.GIBEFatura.faturayaltirazEdildilptalCompletedEventHandler Type	507
QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaCompletedEventHandler Type	507
QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaExtCompletedEventHandler Type	507
QNBFinansGIB.GIBEFatura.gelenBelgeEkleriAICompletedEventHandler Type	508
QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEventHandler Type	508
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExt2CompletedEventHandler Type	508
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExtCompletedEventHandler Type	508
QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirCompletedEventHandler Type	509
QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirExtCompletedEventHandler Type	509
QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleCompletedEventHandler Type	509
QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleExtCompletedEventHandler Type	509
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileriSorgulaCompletedEventHandler Type	510

QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAICompletedEventHandler Type	510
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAIExtCompletedEventHandler Type	510
QNBFinansGIB.GIBEFatura.gelenFaturalariArsiveKaldirCompletedEventHandler Type	510
QNBFinansGIB.GIBEFatura.gelenIrsaliyeleriArsiveKaldirCompletedEventHandler Type	511
QNBFinansGIB.GIBEFatura.gelenStandartRapolariAICompletedEventHandler Type	511
QNBFinansGIB.GIBEFatura.gelenTamamlananRapolariAICompletedEventHandler Type	511
QNBFinansGIB.GIBEFatura.gelenTasinanBelgeleriIndirCompletedEventHandler Type	512
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaBelgeNoCompletedEventHandler Type	512
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaCompletedEventHandler Type	512
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaEttnCompletedEventHandler Type	512
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaExtCompletedEventHandler Type	513
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaPortalCompletedEventHandler Type	513
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventHandler Type	513
QNBFinansGIB.GIBEFatura.gidenBelgeEkleriAICompletedEventHandler Type	513
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEventHandler Type	514
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirEttnCompletedEventHandler Type	514
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalCompletedEventHandler Type	514
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleCompletedEventHandler Type	514
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalCompletedEventHandler Type	515
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileriSorgulaCompletedEventHandler Type	515
QNBFinansGIB.GIBEFatura.gidenFaturalariArsiveKaldirCompletedEventHandler Type	515
QNBFinansGIB.GIBEFatura.gidenIrsaliyeleriArsiveKaldirCompletedEventHandler Type	516
QNBFinansGIB.GIBEFatura.gidenTasinanBelgeleriIndirCompletedEventHandler Type	516
QNBFinansGIB.GIBEFatura.irsaliyeMailGonderCompletedEventHandler Type	516
QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiSorgulaCompletedEventHandler Type	516
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCompletedEventHandler Type	517
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTimeCompletedEventHandler Type	517
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedVknTcknCompletedEventHandler Type	517
QNBFinansGIB.GIBEFatura.kontorBilgisiGetirCompletedEventHandler Type	517
QNBFinansGIB.GIBEFatura.temelKontrollerleBelgeGonderCompletedEventHandler Type	518
QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirCompletedEventHandler Type	518
QNBFinansGIB.GIBEFatura.ulbOnizlemeCompletedEventHandler Type	518
QNBFinansGIB.GIBEFatura.urunSablonlariniAICompletedEventHandler Type	518
QNBFinansGIB.GIBEFatura.wsKullanicisiKaydetCompletedEventHandler Type	519
QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAICompletedEventHandler Type	519
QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAIExtCompletedEventHandler Type	519
QNBFinansGIB.GIBEFatura.yolcuBeraberFaturalptalEtCompletedEventHandler Type	519
<b>QNBFinansGIB.GIBEMustahsil Namespace</b>	<b>520</b>
<b>Classes</b>	<b>523</b>
<b>belge Class</b>	<b>526</b>

belgeDTO Class	527
belgeOutputWrapper Class	535
belgeZipiAI Class	535
belgeZipiAICompletedEventArgs Class	536
belgeZipiAIResponse Class	537
doubleStringOutputWrapper Class	538
earsivServiceResult Class	539
earsivServiceResultEntry Class	539
ePostaDurumSorgula Class	540
ePostaDurumSorgulaCompletedEventArgs Class	541
ePostaGonder Class	542
ePostaGonderCompletedEventArgs Class	543
ePostaGonderResponse Class	544
faturaDTO Class	544
kontorBilgisiGetir Class	553
kontorBilgisiGetirCompletedEventArgs Class	554
kontorBilgisiGetirResponse Class	555
mustahsilMakbuzIptalEt Class	556
mustahsilMakbuzIptalEtCompletedEventArgs Class	556
mustahsilMakbuzIptalEtResponse Class	557
mustahsilMakbuzIptaliKaldır Class	558
mustahsilMakbuzIptaliKaldırCompletedEventArgs Class	558
mustahsilMakbuzIptaliKaldırResponse Class	559
mustahsilMakbuzListeSorgula Class	560
mustahsilMakbuzListeSorgulaCompletedEventArgs Class	560
mustahsilMakbuzListeSorgulaPortal Class	561
mustahsilMakbuzListeSorgulaPortalCompletedEventArgs Class	562
mustahsilMakbuzListeSorgulaPortalResponse Class	563
mustahsilMakbuzListeSorgulaResponse Class	563
mustahsilMakbuzOlustur Class	564
mustahsilMakbuzOlusturCompletedEventArgs Class	565
mustahsilMakbuzOnizleme Class	566
mustahsilMakbuzOnizlemeCompletedEventArgs Class	566
mustahsilMakbuzSorgula Class	567
mustahsilMakbuzSorgulaCompletedEventArgs Class	568
mustahsilMakbuzTaslakOlustur Class	569
mustahsilMakbuzTaslakOlusturCompletedEventArgs Class	570
mustahsilMakbuzTaslakOlusturResponse Class	571
mustahsilMakbuzTaslakOnizleme Class	571
mustahsilMakbuzTaslakOnizlemeCompletedEventArgs Class	572

mustahsilMakbuzTaslakOnizlemeResponse Class	573
mustahsilMakbuzTaslakSil Class	574
mustahsilMakbuzTaslakSilCompletedEventArgs Class	574
mustahsilMakbuzTaslakSilResponse Class	575
mustahsilMakbuzTaslakSorgula Class	576
mustahsilMakbuzTaslakSorgulaCompletedEventArgs Class	576
mustahsilMakbuzTaslakSorgulaResponse Class	577
mustahsilMakbuzTaslaktanOlustur Class	578
mustahsilMakbuzTaslaktanOlusturCompletedEventArgs Class	578
MustahsilWebService Class	579
raporBolumAI Class	626
raporBolumAICompletedEventArgs Class	626
raporBolumBilgisiAI Class	627
raporBolumBilgisiAICompletedEventArgs Class	628
raporBolumBilgisiAIResponse Class	629
raporBolumDTO Class	629
raporBolumleriOlustur Class	631
raporBolumleriOlusturCompletedEventArgs Class	632
raporBolumleriOlusturResponse Class	633
raporBolumListesiDetayliSorgula Class	633
raporBolumListesiDetayliSorgulaCompletedEventArgs Class	634
raporBolumListesiDetayliSorgulaResponse Class	635
raporBolumListesiSorgula Class	635
raporBolumListesiSorgulaCompletedEventArgs Class	636
raporBolumRaporNoGuncelleImzala Class	637
raporBolumRaporNoGuncelleImzalaCompletedEventArgs Class	638
raporBolumRaporNoGuncelleImzalaResponse Class	639
raporBolumSil Class	639
raporBolumSilCompletedEventArgs Class	640
raporBolumSilResponse Class	641
rapordaBelgeSorgula Class	641
rapordaBelgeSorgulaCompletedEventArgs Class	642
rapordaBelgeSorgulaResponse Class	643
raporDurumSorgula Class	643
raporDurumSorgulaCompletedEventArgs Class	644
raporDurumSorgulaResponse Class	645
raporGonder Class	645
raporGonderCompletedEventArgs Class	646
raporGonderResponse Class	647
smsDurumSorgula Class	647

smsDurumSorgulaCompletedEventArgs Class	648
smsDurumSorgulaResponse Class	649
smsGonder Class	649
smsGonderCompletedEventArgs Class	650
smsGonderResponse Class	651
stringOutputWrapper Class	652
Structs, Records, Enums	652
QNBFinansGIB.GIBEMustahsil.belgeFormatiEnum Enumeration	652
Types	653
QNBFinansGIB.GIBEMustahsil.belgeZipiAICompletedEventHandler Type	654
QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaCompletedEventHandler Type	654
QNBFinansGIB.GIBEMustahsil.ePostaGonderCompletedEventHandler Type	655
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirCompletedEventHandler Type	655
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliEtCompletedEventHandler Type	655
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldirCompletedEventHandler Type	655
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaCompletedEventHandler Type	656
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortalCompletedEventHandler Type	656
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturCompletedEventHandler Type	656
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCompletedEventHandler Type	656
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCompletedEventHandler Type	657
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturCompletedEventHandler Type	657
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeCompletedEventHandler Type	657
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCompletedEventHandler Type	658
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgulaCompletedEventHandler Type	658
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlusturCompletedEventHandler Type	658
QNBFinansGIB.GIBEMustahsil.raporBolumAICompletedEventHandler Type	658
QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAICompletedEventHandler Type	659
QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturCompletedEventHandler Type	659
QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetyaliSorgulaCompletedEventHandler Type	659
QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCompletedEventHandler Type	659
QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzalaCompletedEventHandler Type	660
QNBFinansGIB.GIBEMustahsil.raporBolumSilCompletedEventHandler Type	660
QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaCompletedEventHandler Type	660
QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaCompletedEventHandler Type	660
QNBFinansGIB.GIBEMustahsil.raporGonderCompletedEventHandler Type	661
QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompletedEventHandler Type	661
QNBFinansGIB.GIBEMustahsil.smsGonderCompletedEventHandler Type	661
QNBFinansGIB.GIBUserService Namespace	661
Classes	662
userService Class	662

Types	667
QNBFinansGIB.GIBUserService.logoutCompletedEventHandler Type	667
QNBFinansGIB.GIBUserService.wsLoginCompletedEventHandler Type	667
QNBFinansGIB.Properties Namespace	667
Classes	667
Resources Class	668
Settings Class	669
QNBFinansGIB.Utils Namespace	671
Classes	672
BoslukKaldır Class	672
DisServisler Class	673
Enums Class	689
GeriDonus Class	691
GibNumarasi Class	692
MesajSabitler Class	694
Sabitler Class	695
YardimciSiniflar Class	695
Classes	752
frmAnaSayfa Class	752
frmAnaSayfa.frmAnaSayfa Constructor	753
frmAnaSayfa Methods	754
Program Class	780
Program Methods	781
<b>Files</b>	<b>781</b>
AssemblyInfo.cs	782
BoslukKaldır.cs	783
DisServisler.cs	783
Enums.cs	797
FaturaKdvDTO.cs	798
FormAnaSayfa.cs	799
FormAnaSayfa.Designer.cs	820
GeriDonus.cs	825
GibNumarasi.cs	826
GidenFaturaDetayDTO.cs	827
GidenFaturaDTO.cs	829
MesajSabitler.cs	831
MustahsilMakbuzuDetayDTO.cs	832
MustahsilMakbuzuDTO.cs	833
Program.cs	834
QNBFinansGIB.csproj	835

QNBFinansGIB.sln	835
Reference.cs	835
Resources.Designer.cs	838
Sabitler.cs	840
Settings.Designer.cs	840
YardimciSınıflar.cs	842

## Index

a

# 1 Symbol Reference

## 1.1 QNBFinansGIB Namespace

This is namespace QNBFinansGIB.

### Namespaces

Name	Description
DTO (see page 1)	This is namespace QNBFinansGIB.DTO.
GIBEArxiv (see page 17)	This is namespace QNBFinansGIB.GIBEArxiv.
GIBEFatura (see page 230)	This is namespace QNBFinansGIB.GIBEFatura.
GIBEMustahsil (see page 520)	This is namespace QNBFinansGIB.GIBEMustahsil.
GIBUserService (see page 661)	This is namespace QNBFinansGIB.GIBUserService.
Properties (see page 667)	This is namespace QNBFinansGIB.Properties.
Utils (see page 671)	This is namespace QNBFinansGIB.Utils.

### Classes

	Name	Description
 frmAnaSayfa (see page 752)	QNB Finans GIB Servisi için veri hazırlanan ve servisin test edildiği metotlar içeren Form sınıfıdır	
 Program (see page 780)	This is class QNBFinansGIB.Program.	

### 1.1.1 QNBFinansGIB.DTO Namespace

This is namespace QNBFinansGIB.DTO.

### Classes

	Name	Description
 FaturaKdvDTO (see page 2)	Fatura Detaylarında Farklı Tür KDV Oranları Kullanılmış Çıktı tarafında (XML) TaxTotal kısmında bu bilgilerin ayrı ayrı gösterilmesi için hazırlanan nesnedir	
 GidenFaturaDetayDTO (see page 3)	Giden Fatura Detayı Nesnesinde olmasının gereken alanlarla oluşturulan sınıfı Tutarlar, ürün adı, KDV ve İskonto oranları Malzeme faturası ile ilgili alanlar Malzemenin taşıdığı araç Plaka, sevk ırsaliyesi vb. bilgileri içerir.	
 GidenFaturaDTO (see page 6)	Giden Fatura Ana Nesnesinde Olması Gereken Alanlarla oluşturulan sınıfı Burada firma, iletişim, banka, fatura toplam tutarı vb. bilgiler bulunmaktadır	
 MustahsilMakbuzuDetayDTO (see page 11)	Müstahsil Makbuzu Detayı Nesnesinde olmasının gereken alanlarla oluşturulan sınıfı Tutarlar, ürün adı, miktar, birim fiyat gibi bilgiler bulunmaktadır	
 MustahsilMakbuzuDTO (see page 13)	Müstahsil Makbuzu Ana Nesnesinde Olması Gereken Alanlarla oluşturulan sınıfı Burada firma, iletişim, banka, Makbuz toplam tutarı vb. bilgiler bulunmaktadır	

## 1.1.1.1 Classes

### Summary

The following table lists classes in this documentation.

### Classes

	Name	Description
◆	FaturaKdvDTO (see page 2)	Fatura Detaylarında Farklı Tür KDV Oranları Kullanılmissa Çıktı tarafında (XML) TaxTotal kısmında bu bilgilerin ayrı ayrı gösterilmesi için hazırlanan nesnedir
◆	GidenFaturaDetayDTO (see page 3)	Giden Fatura Detay Nesnesinde olması gereken alanlarla oluşturulan sınıfı tutarlar, ürün adı, KDV ve İskonto oranları Malzeme faturası ile ilgili alanlar Malzemenin taşındığı araç Plaka, sevk ırsaliyesi vb. bilgileri içerir.
◆	GidenFaturaDTO (see page 6)	Giden Fatura Ana Nesnesinde Olması Gereken Alanlarla oluşturulan sınıfı Burada firma, iletişim, banka, fatura toplam tutarı vb. bilgiler bulunmaktadır
◆	MustahsilMakbuzuDetayDTO (see page 11)	Müstahsil Makbuzu Detay Nesnesinde olması gereken alanlarla oluşturulan sınıfı tutarlar, ürün adı, miktar, birim fiyat gibi bilgiler bulunmaktadır
◆	MustahsilMakbuzuDTO (see page 13)	Müstahsil Makbuzu Ana Nesnesinde Olması Gereken Alanlarla oluşturulan sınıfı Burada firma, iletişim, banka, Makbuz toplam tutarı vb. bilgiler bulunmaktadır

### 1.1.1.1.1 FaturaKdvDTO Class

#### Summary

Fatura Detaylarında Farklı Tür KDV Oranları Kullanılmissa Çıktı tarafında (XML) TaxTotal kısmında bu bilgilerin ayrı ayrı gösterilmesi için hazırlanan nesnedir

#### Class Hierarchy

QNBFinansGIB.DTO.FaturaKdvDTO

#### C#

```
public class FaturaKdvDTO;
```

#### File

FaturaKdvDTO.cs (see page 798)

#### FaturaKdvDTO Fields

	Name	Description
◆	KdvHaricTutar (see page 2)	KDV Hariç Tutar Bilgisi
◆	KdvOran (see page 3)	KDV Oran Bilgisi
◆	KdvTutari (see page 3)	KDV Tutarı Bilgisi

### 1.1.1.1.1.1 FaturaKdvDTO Fields

#### 1.1.1.1.1.1 FaturaKdvDTO.KdvHaricTutar Field

#### Summary

KDV Hariç Tutar Bilgisi

**C#**

```
public decimal? KdvHaricTutar;
```

#### 1.1.1.1.1.2 FaturaKdvDTO.KdvOran Field

**Summary**

KDV Oran Bilgisi

**C#**

```
public decimal? KdvOran;
```

#### 1.1.1.1.1.3 FaturaKdvDTO.KdvTutari Field

**Summary**

KDV Tutari Bilgisi

**C#**

```
public decimal? KdvTutari;
```

### 1.1.1.2 GidenFaturaDetayDTO Class

**Summary**

Giden Fatura Detay Nesnesinde olmasi gereken alanlarla olusturulan siniftir Tutarlar, ürün adı, KDV ve iskonto oranları Malzeme faturasi ile ilgili alanlar Malzemenin tasindigi araç Plaka, sevk irsaliyesi vb. bilgileri içerir.

**Class Hierarchy**

[QNBFinansGIB.DTO.GidenFaturaDetayDTO](#)

**C#**

```
public class GidenFaturaDetayDTO;
```

**File**

GidenFaturaDetayDTO.cs ([\[ \] see page 827](#))

**GidenFaturaDetayDTO Fields**

	Name	Description
❖	BirimFiyat ( <a href="#">[ ] see page 4</a> )	Birim Fiyat Bilgisi
❖	IskontoOran ( <a href="#">[ ] see page 4</a> )	Iskonto Oran Bilgisi
❖	KdvHaricTutar ( <a href="#">[ ] see page 4</a> )	KDV Hariç Tutar Bilgisi
❖	KdvOran ( <a href="#">[ ] see page 4</a> )	KDV Oran Bilgisi
❖	KdvTutari ( <a href="#">[ ] see page 4</a> )	KDV Tutari Bilgisi
❖	KonaklamaVergisi ( <a href="#">[ ] see page 4</a> )	Konaklama Vergisi Bilgisi
❖	Miktar ( <a href="#">[ ] see page 5</a> )	Miktar Bilgisi
❖	Tonaj ( <a href="#">[ ] see page 5</a> )	Tonaj Bilgisi
❖	YuklemeFormuNo ( <a href="#">[ ] see page 5</a> )	Yükleme Formu No Bilgisi

**GidenFaturaDetayDTO Properties**

	Name	Description
	FaturaUrunTuru ( <a href="#">[ ] see page 5</a> )	Fatura Detayindaki Ürün Türü Bilgisi
	GibKisaltma ( <a href="#">[ ] see page 5</a> )	GIB Kisaltma Bilgisi (Malzemenin Ölçü Birimi, GIB tarafında Kilogram KGM olarak adlandırılmalıdır)
	GidenFaturald ( <a href="#">[ ] see page 5</a> )	Giden Fatura Id Bilgisi
	IrsaliyeNo ( <a href="#">[ ] see page 5</a> )	Irsaliye No Bilgisi

	MalzemeFaturaAciklamasi (see page 6)	Malzeme Fatura Açıklaması Bilgisi
	PlakaNo (see page 6)	Plaka No Bilgisi
	SevkIrsaliyesiNo (see page 6)	Sevk Irsaliyesi No Bilgisi
	SevkIrsaliyeTarihi (see page 6)	Sevk Irsaliye Tarihi Bilgisi

### 1.1.1.1.2.1 GidenFaturaDetayDTO Fields

#### 1.1.1.1.2.1.1 GidenFaturaDetayDTO.BirimFiyat Field

##### Summary

Birim Fiyat Bilgisi

C#

```
public decimal? BirimFiyat;
```

#### 1.1.1.1.2.1.2 GidenFaturaDetayDTO.IskontoOran Field

##### Summary

İskonto Oran Bilgisi

C#

```
public decimal? IskontoOran;
```

#### 1.1.1.1.2.1.3 GidenFaturaDetayDTO.KdvHaricTutar Field

##### Summary

KDV Hariç Tutar Bilgisi

C#

```
public decimal? KdvHaricTutar;
```

#### 1.1.1.1.2.1.4 GidenFaturaDetayDTO.KdvOran Field

##### Summary

KDV Oran Bilgisi

C#

```
public decimal? KdvOran;
```

#### 1.1.1.1.2.1.5 GidenFaturaDetayDTO.KdvTutari Field

##### Summary

KDV Tutarı Bilgisi

C#

```
public decimal? KdvTutari;
```

#### 1.1.1.1.2.1.6 GidenFaturaDetayDTO.KonaklamaVergisi Field

##### Summary

Konaklama Vergisi Bilgisi

C#

```
public decimal? KonaklamaVergisi;
```

#### 1.1.1.1.2.1.7 GidenFaturaDetayDTO.Miktar Field

##### Summary

Miktar Bilgisi

C#

```
public decimal? Miktar;
```

#### 1.1.1.1.2.1.8 GidenFaturaDetayDTO.Tonaj Field

##### Summary

Tonaj Bilgisi

C#

```
public decimal? Tonaj;
```

#### 1.1.1.1.2.1.9 GidenFaturaDetayDTO.YuklemeFormuNo Field

##### Summary

Yükleme Formu No Bilgisi

C#

```
public int? YuklemeFormuNo;
```

### 1.1.1.1.2.2 GidenFaturaDetayDTO Properties

#### 1.1.1.1.2.2.1 GidenFaturaDetayDTO.FaturaUrunTuru Property

##### Summary

Fatura Detayındaki Ürün Türü Bilgisi

C#

```
public string FaturaUrunTuru;
```

#### 1.1.1.1.2.2.2 GidenFaturaDetayDTO.GibKisaltma Property

##### Summary

GIB Kisaltma Bilgisi (Malzemenin Ölçü Birimi, GIB tarafında Kilogram KGM olarak adlandırılmaktadır)

C#

```
public string GibKisaltma;
```

#### 1.1.1.1.2.2.3 GidenFaturaDetayDTO.GidenFaturaId Property

##### Summary

Giden Fatura Id Bilgisi

C#

```
public string GidenFaturaId;
```

#### 1.1.1.1.2.2.4 GidenFaturaDetayDTO.IrsaliyeNo Property

##### Summary

Irsaliye No Bilgisi

C#

```
public string IrsaliyeNo;
```

### 1.1.1.2.2.5 GidenFaturaDetayDTO.MalzemeFaturaAciklamasi Property

#### Summary

Malzeme Fatura Açıklaması Bilgisi

#### C#

```
public string MalzemeFaturaAciklamasi;
```

### 1.1.1.2.2.6 GidenFaturaDetayDTO.PlakaNo Property

#### Summary

Plaka No Bilgisi

#### C#

```
public string PlakaNo;
```

### 1.1.1.2.2.7 GidenFaturaDetayDTO.SevkIrsaliyesiNo Property

#### Summary

Sevk Irsaliyesi No Bilgisi

#### C#

```
public string SevkIrsaliyesiNo;
```

### 1.1.1.2.2.8 GidenFaturaDetayDTO.SevkIrsaliyeTarihi Property

#### Summary

Sevk Irsaliye Tarihi Bilgisi

#### C#

```
public DateTime? SevkIrsaliyeTarihi;
```

## 1.1.1.3 GidenFaturaDTO Class

#### Summary

Giden Fatura Ana Nesnesinde Olması Gereken Alanlarla olusturulan sınıfıdır Burada firma, iletisim, banka, fatura toplam tutarı vb. bilgiler bulunmaktadır

#### Class Hierarchy

```
[QNBFinansGIB.DTO.GidenFaturaDTO]
```

#### C#

```
public class GidenFaturaDTO;
```

#### File

GidenFaturaDTO.cs (  see page 829)

#### GidenFaturaDTO Fields

	Name	Description
◆	CepTelefonNo (  see page 7)	Cep Telefon No Bilgisi
◆	FaturaGrupTuruKod (  see page 7)	Fatura Grup Türü Kod Bilgisi
◆	FaturaTuruKod (  see page 7)	Fatura Türü Kod Bilgisi
◆	FaturaTutari (  see page 8)	Fatura Tutarı Bilgisi
◆	GercekKisiAd (  see page 8)	Gerçek Kişi Ad Bilgisi
◆	GercekKisiSoyad (  see page 8)	Gerçek Kişi Soyad Bilgisi

	GercekKisiTcKimlikNo (see page 8)	Gerçek Kişi TC Kimlik No Bilgisi
	IkametgahAdresi (see page 8)	İkametgah Adresi Bilgisi
	KdvHaricTutar (see page 8)	KDV Hariç Tutar Bilgisi
	KdvTutari (see page 8)	KDV Tutarı Bilgisi
	KonaklamaVergisi (see page 9)	Konaklama Vergisi Bilgisi
	SatisTuruKod (see page 9)	Satis Türü Kod Bilgisi

**GidenFaturaDTO Properties**

	Name	Description
	Aciklama (see page 9)	Fatura Açıklama Bilgisi
	Adres (see page 9)	Adres Bilgisi
	AltBirimAd (see page 9)	Fatura Kesen Birimin Alt Sube Bilgisi
	BankaAd (see page 9)	Banka Ad Bilgisi
	BankaSube (see page 9)	Banka Sube Bilgisi
	BelgeOid (see page 10)	Belge Oid Id alanı
	DuzenlemeTarihi (see page 10)	Düzenleme Tarihi Bilgisi
	EPostaAdresi (see page 10)	E-Posta Adresi Bilgisi
	FaksNo (see page 10)	Faks No Bilgisi
	GibNumarasi (see page 10)	GIB Numarasi Bilgisi
	GidenFaturalId (see page 10)	Giden Fatura Id Bilgisi
	IbanNo (see page 10)	IBAN No Bilgisi
	IlAd (see page 11)	İl Ad Bilgisi
	IlceAd (see page 11)	İlçe Ad Bilgisi
	TelefonNo (see page 11)	Telefon No Bilgisi
	TuzelKisiAd (see page 11)	Tüzel Kişi Ad Bilgisi
	VergiDairesi (see page 11)	Vergi Dairesi Bilgisi
	VergiNo (see page 11)	Vergi Numarasi Bilgisi

**1.1.1.1.3.1 GidenFaturaDTO Fields****1.1.1.1.3.1.1 GidenFaturaDTO.CepTelefonNo Field****Summary**

Cep Telefon No Bilgisi

C#

```
public string CepTelefonNo;
```

**1.1.1.1.3.1.2 GidenFaturaDTO.FaturaGrupTuruKod Field****Summary**

Fatura Grup Türü Kod Bilgisi

C#

```
public int? FaturaGrupTuruKod;
```

**1.1.1.1.3.1.3 GidenFaturaDTO.FaturaTuruKod Field****Summary**

Fatura Türü Kod Bilgisi

**C#**

```
public int? FaturaTuruKod;
```

#### 1.1.1.3.1.4 GidenFaturaDTO.FaturaTutari Field

**Summary**

Fatura Tutari Bilgisi

**C#**

```
public decimal? FaturaTutari;
```

#### 1.1.1.3.1.5 GidenFaturaDTO.GercekKisiAd Field

**Summary**

Gerçek Kisi Ad Bilgisi

**C#**

```
public string GercekKisiAd;
```

#### 1.1.1.3.1.6 GidenFaturaDTO.GercekKisiSoyad Field

**Summary**

Gerçek Kisi Soyad Bilgisi

**C#**

```
public string GercekKisiSoyad;
```

#### 1.1.1.3.1.7 GidenFaturaDTO.GercekKisiTcKimlikNo Field

**Summary**

Gerçek Kisi TC Kimlik No Bilgisi

**C#**

```
public string GercekKisiTcKimlikNo;
```

#### 1.1.1.3.1.8 GidenFaturaDTO.IkametgahAdresi Field

**Summary**

Ikametgah Adresi Bilgisi

**C#**

```
public string IkametgahAdresi;
```

#### 1.1.1.3.1.9 GidenFaturaDTO.KdvHaricTutar Field

**Summary**

KDV Hariç Tutar Bilgisi

**C#**

```
public decimal? KdvHaricTutar;
```

#### 1.1.1.3.1.10 GidenFaturaDTO.KdvTutari Field

**Summary**

KDV Tutari Bilgisi

**C#**

```
public decimal? KdvTutari;
```

### 1.1.1.3.1.11 GidenFaturaDTO.KonaklamaVergisi Field

#### Summary

Konaklama Vergisi Bilgisi

C#

```
public decimal? KonaklamaVergisi;
```

### 1.1.1.3.1.12 GidenFaturaDTO.SatisTuruKod Field

#### Summary

Satis Türü Kod Bilgisi

C#

```
public int? SatisTuruKod;
```

## 1.1.1.3.2 GidenFaturaDTO Properties

### 1.1.1.3.2.1 GidenFaturaDTO.Aciklama Property

#### Summary

Fatura Açıklama Bilgisi

C#

```
public string Aciklama;
```

### 1.1.1.3.2.2 GidenFaturaDTO.Adres Property

#### Summary

Adres Bilgisi

C#

```
public string Adres;
```

### 1.1.1.3.2.3 GidenFaturaDTO.AltBirimAd Property

#### Summary

Fatura Kesin Birimin Alt Sube Bilgisi

C#

```
public string AltBirimAd;
```

### 1.1.1.3.2.4 GidenFaturaDTO.BankaAd Property

#### Summary

Banka Ad Bilgisi

C#

```
public string BankaAd;
```

### 1.1.1.3.2.5 GidenFaturaDTO.BankaSube Property

#### Summary

Banka Sube Bilgisi

C#

```
public string BankaSube;
```

#### 1.1.1.3.2.6 GidenFaturaDTO.BelgeOid Property

##### Summary

Belge Oid Id alani

##### C#

```
public string BelgeOid;
```

#### 1.1.1.3.2.7 GidenFaturaDTO.DuzenlemeTarihi Property

##### Summary

Düzenleme Tarihi Bilgisi

##### C#

```
public DateTime? DuzenlemeTarihi;
```

#### 1.1.1.3.2.8 GidenFaturaDTO.EPostaAdresi Property

##### Summary

E-Posta Adresi Bilgisi

##### C#

```
public string EPostaAdresi;
```

#### 1.1.1.3.2.9 GidenFaturaDTO.FaksNo Property

##### Summary

Faks No Bilgisi

##### C#

```
public string FaksNo;
```

#### 1.1.1.3.2.10 GidenFaturaDTO.GibNumarasi Property

##### Summary

GIB Numarasi Bilgisi

##### C#

```
public string GibNumarasi;
```

#### 1.1.1.3.2.11 GidenFaturaDTO.GidenFaturald Property

##### Summary

Giden Fatura Id Bilgisi

##### C#

```
public string GidenFaturald;
```

#### 1.1.1.3.2.12 GidenFaturaDTO.IbanNo Property

##### Summary

IBAN No Bilgisi

##### C#

```
public string IbanNo;
```

#### 1.1.1.3.2.13 GidenFaturaDTO.IIAd Property

##### Summary

İl Ad Bilgisi

##### C#

```
public string IIAd;
```

#### 1.1.1.3.2.14 GidenFaturaDTO.IlceAd Property

##### Summary

İlçe Ad Bilgisi

##### C#

```
public string IlceAd;
```

#### 1.1.1.3.2.15 GidenFaturaDTO.TelponNo Property

##### Summary

Telefon No Bilgisi

##### C#

```
public string TelponNo;
```

#### 1.1.1.3.2.16 GidenFaturaDTO.TuzelKisiAd Property

##### Summary

Tüzel Kişi Ad Bilgisi

##### C#

```
public string TuzelKisiAd;
```

#### 1.1.1.3.2.17 GidenFaturaDTO.VergiDairesi Property

##### Summary

Vergi Dairesi Bilgisi

##### C#

```
public string VergiDairesi;
```

#### 1.1.1.3.2.18 GidenFaturaDTO.VergiNo Property

##### Summary

Vergi Numarası Bilgisi

##### C#

```
public string VergiNo;
```

### 1.1.1.4 MustahsilMakbuzuDetayDTO Class

##### Summary

Müstahsil Makbuzu Detay Nesnesinde olması gereken alanlarla oluşturulan sınıfıdır. Tutarlar, ürün adı, miktar, birim fiyat gibi bilgiler bulunmaktadır.

##### Class Hierarchy

```
[QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO]
```

**C#**

```
public class MustahsilMakbuzuDetayDTO;
```

**File**

MustahsilMakbuzuDetayDTO.cs (see page 832)

**MustahsilMakbuzuDetayDTO Fields**

	<b>Name</b>	<b>Description</b>
◆	BirimFiyat (see page 12)	Birim Fiyat Bilgisi
◆	GelirVergisi (see page 12)	Gelir Vergisi Bilgisi
◆	Miktar (see page 12)	Miktar Bilgisi
◆	NetTutar (see page 12)	Net Tutar Bilgisi
◆	ToplamTutar (see page 13)	Toplam Tutar Bilgisi

**MustahsilMakbuzuDetayDTO Properties**

	<b>Name</b>	<b>Description</b>
	GibKisaltma (see page 13)	GIB Kisaltma Bilgisi (Malzemenin Ölçü Birimi, GIB tarafında Kilogram KGM olarak adlandırılmaktadır)
	IsinMahiyeti (see page 13)	Isin Mahiyeti Bilgisi
	MustahsilMakbuzuld (see page 13)	Müstahsil Makbuzu Id Bilgisi

**1.1.1.1.4.1 MustahsilMakbuzuDetayDTO Fields****1.1.1.1.4.1.1 MustahsilMakbuzuDetayDTO.BirimFiyat Field****Summary**

Birim Fiyat Bilgisi

**C#**

```
public decimal? BirimFiyat;
```

**1.1.1.1.4.1.2 MustahsilMakbuzuDetayDTO.GelirVergisi Field****Summary**

Gelir Vergisi Bilgisi

**C#**

```
public decimal? GelirVergisi;
```

**1.1.1.1.4.1.3 MustahsilMakbuzuDetayDTO.Miktar Field****Summary**

Miktar Bilgisi

**C#**

```
public decimal? Miktar;
```

**1.1.1.1.4.1.4 MustahsilMakbuzuDetayDTO.NetTutar Field****Summary**

Net Tutar Bilgisi

**C#**

```
public decimal? NetTutar;
```

#### 1.1.1.1.4.1.5 MustahsilMakbuzuDetayDTO.ToplamTutar Field

##### Summary

Toplam Tutar Bilgisi

##### C#

```
public decimal? ToplamTutar;
```

#### 1.1.1.1.4.2 MustahsilMakbuzuDetayDTO Properties

##### 1.1.1.1.4.2.1 MustahsilMakbuzuDetayDTO.GibKisaltma Property

##### Summary

GIB Kisaltma Bilgisi (Malzemenin Ölçü Birimi, GIB tarafında Kilogram KGM olarak adlandırılmaktadır)

##### C#

```
public string GibKisaltma;
```

##### 1.1.1.1.4.2.2 MustahsilMakbuzuDetayDTO.IsinMahiyeti Property

##### Summary

Isin Mahiyeti Bilgisi

##### C#

```
public string IsinMahiyeti;
```

##### 1.1.1.1.4.2.3 MustahsilMakbuzuDetayDTO.MustahsilMakbuzuId Property

##### Summary

Müstahsil Makbuzu Id Bilgisi

##### C#

```
public string MustahsilMakbuzuId;
```

#### 1.1.1.1.5 MustahsilMakbuzuDTO Class

##### Summary

Müstahsil Makbuzu Ana Nesnesinde Olması Gereken Alanlarla olusturulan sınıftır Burada firma, iletisim, banka, Makbuz toplam tutarı vb. bilgiler bulunmaktadır

##### Class Hierarchy

```
[QNBFinansGIB.DTO.MustahsilMakbuzuDTO]
```

##### C#

```
public class MustahsilMakbuzuDTO;
```

##### File

MustahsilMakbuzuDTO.cs (see page 833)

##### MustahsilMakbuzuDTO Fields

	Name	Description
◆	GelirVergisi (see page 14)	Gelir Vergisi Bilgisi
◆	MakbuzGrupTuruKod (see page 14)	Makbuz Grup Türü Kod Bilgisi

❖	MustahsilMakbuzuTutari (see page 14)	Müstahsil Makbuzu Tutar Bilgisi
❖	NetTutar (see page 15)	Net Tutar Bilgisi

#### MustahsilMakbuzuDTO Properties

	Name	Description
	Adres (see page 15)	Adres Bilgisi
	AltBirimAd (see page 15)	Makbuz Kesin Birimin Alt Sube Bilgisi
	BankaAd (see page 15)	Banka Ad Bilgisi
	BankaSube (see page 15)	Banka Sube Bilgisi
	EPostaAdresi (see page 15)	E-Posta Adresi Bilgisi
	FaksNo (see page 15)	Faks No Bilgisi
	IbanNo (see page 16)	IBAN No Bilgisi
	IlAd (see page 16)	İl Ad Bilgisi
	IlceAd (see page 16)	İlçe Ad Bilgisi
	MustahsilMakbuzuld (see page 16)	Müstahsil Makbuzu Id Bilgisi
	MustahsilMakbuzuNo (see page 16)	Müstahsil Makbuzu No Bilgisi
	MustahsilMakbuzuTarihi (see page 16)	Müstahsil Makbuzu Tarihi Bilgisi
	TuzelKisiAd (see page 16)	Tüzel Kişi Ad Bilgisi
	VergiDairesi (see page 17)	Vergi Dairesi Bilgisi
	VergiNo (see page 17)	Vergi Numarası Bilgisi

#### 1.1.1.1.5.1 MustahsilMakbuzuDTO Fields

##### 1.1.1.1.5.1.1 MustahsilMakbuzuDTO.GelirVergisi Field

###### Summary

Gelir Vergisi Bilgisi

###### C#

```
public decimal? GelirVergisi;
```

##### 1.1.1.1.5.1.2 MustahsilMakbuzuDTO.MakbuzGrupTuruKod Field

###### Summary

Makbuz Grup Türü Kod Bilgisi

###### C#

```
public int? MakbuzGrupTuruKod;
```

##### 1.1.1.1.5.1.3 MustahsilMakbuzuDTO.MustahsilMakbuzuTutari Field

###### Summary

Müstahsil Makbuzu Tutar Bilgisi

###### C#

```
public decimal? MustahsilMakbuzuTutari;
```

#### 1.1.1.5.1.4 MustahsilMakbuzuDTO.NetTutar Field

##### Summary

Net Tutar Bilgisi

C#

```
public decimal? NetTutar;
```

#### 1.1.1.5.2 MustahsilMakbuzuDTO Properties

##### 1.1.1.5.2.1 MustahsilMakbuzuDTO.Adres Property

##### Summary

Adres Bilgisi

C#

```
public string Adres;
```

##### 1.1.1.5.2.2 MustahsilMakbuzuDTO.AltBirimAd Property

##### Summary

Makbuz Kesin Birimin Alt Sube Bilgisi

C#

```
public string AltBirimAd;
```

##### 1.1.1.5.2.3 MustahsilMakbuzuDTO.BankaAd Property

##### Summary

Banka Ad Bilgisi

C#

```
public string BankaAd;
```

##### 1.1.1.5.2.4 MustahsilMakbuzuDTO.BankaSube Property

##### Summary

Banka Sube Bilgisi

C#

```
public string BankaSube;
```

##### 1.1.1.5.2.5 MustahsilMakbuzuDTO.EPostaAdresi Property

##### Summary

E-Posta Adresi Bilgisi

C#

```
public string EPostaAdresi;
```

##### 1.1.1.5.2.6 MustahsilMakbuzuDTO.FaksNo Property

##### Summary

Faks No Bilgisi

C#

```
public string FaksNo;
```

#### 1.1.1.5.2.7 MustahsilMakbuzuDTO.IbanNo Property

##### Summary

IBAN No Bilgisi

##### C#

```
public string IbanNo;
```

#### 1.1.1.5.2.8 MustahsilMakbuzuDTO.IlAd Property

##### Summary

Il Ad Bilgisi

##### C#

```
public string IlAd;
```

#### 1.1.1.5.2.9 MustahsilMakbuzuDTO.IlceAd Property

##### Summary

Ilçe Ad Bilgisi

##### C#

```
public string IlceAd;
```

#### 1.1.1.5.2.10 MustahsilMakbuzuDTO.MustahsilMakbuzuId Property

##### Summary

Müstahsil Makbuzu Id Bilgisi

##### C#

```
public string MustahsilMakbuzuId;
```

#### 1.1.1.5.2.11 MustahsilMakbuzuDTO.MustahsilMakbuzuNo Property

##### Summary

Müstahsil Makbuzu No Bilgisi

##### C#

```
public string MustahsilMakbuzuNo;
```

#### 1.1.1.5.2.12 MustahsilMakbuzuDTO.MustahsilMakbuzuTarihi Property

##### Summary

Müstahsil Makbuzu Tarihi Bilgisi

##### C#

```
public DateTime? MustahsilMakbuzuTarihi;
```

#### 1.1.1.5.2.13 MustahsilMakbuzuDTO.TuzelKisiAd Property

##### Summary

Tüzel Kisi Ad Bilgisi

##### C#

```
public string TuzelKisiAd;
```

### 1.1.1.5.2.14 MustahsilMakbuzuDTO.VergiDairesi Property

#### Summary

Vergi Dairesi Bilgisi

#### C#

```
public string VergiDairesi;
```

### 1.1.1.5.2.15 MustahsilMakbuzuDTO.VergiNo Property

#### Summary

Vergi Numarasi Bilgisi

#### C#

```
public string VergiNo;
```

## 1.1.2 QNBFinansGIB.GIBEArxiv Namespace

This is namespace QNBFinansGIB.GIBEArxiv.

#### Classes

	Name	Description
	aliciEpostaEkleSilGuncelle (see page 27)	
	aliciEpostaEkleSilGuncelleCompletedEventArgs (see page 28)	
	aliciEpostaEkleSilGuncelleResponse (see page 28)	
	belge (see page 29)	
	belgeOutputWrapper (see page 30)	
	dosyalnput (see page 31)	
	doubleStringOutputWrapper (see page 31)	
	earsivServiceResult (see page 32)	
	earsivServiceResultEntry (see page 33)	
	EarsivWebService (see page 34)	
	eFaturaKayitliKullaniciListele (see page 112)	
	eFaturaKayitliKullaniciListeleCompletedEventArgs (see page 112)	
	eFaturaKullanici (see page 113)	
	efaturaKullanici (see page 114)	
	efaturaKullanicisiCompletedEventArgs (see page 115)	
	efaturaKullanicisiKontrol (see page 116)	
	efaturaKullanicisiKontrolCompletedEventArgs (see page 116)	
	efaturaKullanicisiKontrolResponse (see page 117)	
	efaturaKullanicisiResponse (see page 118)	
	ePostaDurumSorgula (see page 118)	

	ePostaDurumSorgulaCompletedEventArgs (see page 119)	
	ePostaGonder (see page 120)	
	ePostaGonderCompletedEventArgs (see page 121)	
	ePostaGonderResponse (see page 122)	
	faturaDTO (see page 122)	
	faturalptaliEt (see page 131)	
	faturalptaliEtCompletedEventArgs (see page 132)	
	faturalptaliEtResponse (see page 133)	
	faturalptaliKaldır (see page 133)	
	faturalptaliKaldırCompletedEventArgs (see page 134)	
	faturalptaliKaldırResponse (see page 135)	
	faturaltirazEt (see page 135)	
	faturaltirazEtCompletedEventArgs (see page 136)	
	faturaltirazEtResponse (see page 137)	
	faturaltirazKaldır (see page 137)	
	faturaltirazKaldırCompletedEventArgs (see page 138)	
	faturaltirazKaldırResponse (see page 139)	
	faturaListeSorgula (see page 139)	
	faturaListeSorgulaCompletedEventArgs (see page 140)	
	faturaListeSorgulaCount (see page 141)	
	faturaListeSorgulaCountCompletedEventArgs (see page 141)	
	faturaListeSorgulaCountResponse (see page 142)	
	faturaListeSorgulaPortal (see page 143)	
	faturaListeSorgulaPortalCompletedEventArgs (see page 143)	
	faturaListeSorgulaPortalResponse (see page 144)	
	faturaListeSorgulaResponse (see page 145)	
	faturaNoUret (see page 146)	
	faturaNoUretCompletedEventArgs (see page 146)	
	faturaOlustur (see page 147)	
	faturaOlusturCompletedEventArgs (see page 148)	
	faturaOlusturExt (see page 149)	
	faturaOlusturExtCompletedEventArgs (see page 150)	
	faturaOnizleme (see page 151)	
	faturaOnizlemeCompletedEventArgs (see page 151)	
	faturaSorgula (see page 152)	

	faturaSorgulaCompletedEventArgs (see page 153)	
	faturaSorgulaExt (see page 154)	
	faturaSorgulaExtCompletedEventArgs (see page 154)	
	faturaTaslakOlustur (see page 155)	
	faturaTaslakOlusturCompletedEventArgs (see page 156)	
	faturaTaslakOlusturResponse (see page 157)	
	faturaTaslakOnizleme (see page 157)	
	faturaTaslakOnizlemeCompletedEventArgs (see page 158)	
	faturaTaslakOnizlemeResponse (see page 159)	
	faturaTaslakSil (see page 160)	
	faturaTaslakSilCompletedEventArgs (see page 160)	
	faturaTaslakSilResponse (see page 161)	
	faturaTaslakSorgula (see page 162)	
	faturaTaslakSorgulaCompletedEventArgs (see page 162)	
	faturaTaslakSorgulaResponse (see page 163)	
	faturaTaslaktanOlustur (see page 164)	
	faturaTaslaktanOlusturCompletedEventArgs (see page 164)	
	faturaZipiAI (see page 165)	
	faturaZipiAICompletedEventArgs (see page 166)	
	faturaZipiAIResponse (see page 167)	
	kontorBilgisiGetir (see page 168)	
	kontorBilgisiGetirCompletedEventArgs (see page 168)	
	kontorBilgisiGetirResponse (see page 169)	
	okcRaporBolumAI (see page 170)	
	okcRaporBolumAICompletedEventArgs (see page 170)	
	okcRaporKaydet (see page 171)	
	okcRaporKaydetCompletedEventArgs (see page 172)	
	okcRaporKaydetResponse (see page 173)	
	okcRaporOlusturGonder (see page 173)	
	okcRaporOlusturGonderCompletedEventArgs (see page 174)	
	okcRaporOlusturGonderResponse (see page 175)	
	raporBolumAI (see page 175)	
	raporBolumAICompletedEventArgs (see page 176)	
	raporBolumBilgisiAI (see page 177)	
	raporBolumBilgisiAICompletedEventArgs (see page 177)	
	raporBolumBilgisiAIResponse (see page 178)	

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

	raporBolumDTO ( <a href="#">see page 179</a> )	
	raporBolumleriOlustur ( <a href="#">see page 180</a> )	
	raporBolumleriOlusturCompletedEventArgs ( <a href="#">see page 181</a> )	
	raporBolumleriOlusturResponse ( <a href="#">see page 182</a> )	
	raporBolumListesiDetayliSorgula ( <a href="#">see page 183</a> )	
	raporBolumListesiDetayliSorgulaCompletedEventArgs ( <a href="#">see page 183</a> )	
	raporBolumListesiDetayliSorgulaResponse ( <a href="#">see page 184</a> )	
	raporBolumListesiSorgula ( <a href="#">see page 185</a> )	
	raporBolumListesiSorgulaCompletedEventArgs ( <a href="#">see page 186</a> )	
	raporBolumListesiSorgulaWithInput ( <a href="#">see page 187</a> )	
	raporBolumListesiSorgulaWithInputCompletedEventArgs ( <a href="#">see page 187</a> )	
	raporBolumRaporNoGuncellelmzala ( <a href="#">see page 188</a> )	
	raporBolumRaporNoGuncellelmzalaCompletedEventArgs ( <a href="#">see page 189</a> )	
	raporBolumRaporNoGuncellelmzalaResponse ( <a href="#">see page 190</a> )	
	raporBolumSil ( <a href="#">see page 191</a> )	
	raporBolumSilCompletedEventArgs ( <a href="#">see page 191</a> )	
	raporBolumSilResponse ( <a href="#">see page 192</a> )	
	rapordaFaturaSorgula ( <a href="#">see page 193</a> )	
	rapordaFaturaSorgulaCompletedEventArgs ( <a href="#">see page 193</a> )	
	rapordaFaturaSorgulaResponse ( <a href="#">see page 194</a> )	
	raporDurumSorgula ( <a href="#">see page 195</a> )	
	raporDurumSorgulaCompletedEventArgs ( <a href="#">see page 195</a> )	
	raporDurumSorgulaResponse ( <a href="#">see page 196</a> )	
	raporGonder ( <a href="#">see page 197</a> )	
	raporGonderCompletedEventArgs ( <a href="#">see page 197</a> )	
	raporGonderResponse ( <a href="#">see page 198</a> )	
	serviceReturnType ( <a href="#">see page 199</a> )	
	servisSaglayicidanEpostaDurumSorgula ( <a href="#">see page 199</a> )	
	servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs ( <a href="#">see page 199</a> )	
	smsDurumSorgula ( <a href="#">see page 201</a> )	
	smsDurumSorgulaCompletedEventArgs ( <a href="#">see page 201</a> )	
	smsDurumSorgulaResponse ( <a href="#">see page 202</a> )	
	smsGonder ( <a href="#">see page 203</a> )	
	smsGonderCompletedEventArgs ( <a href="#">see page 204</a> )	
	smsGonderResponse ( <a href="#">see page 205</a> )	
	stringOutputWrapper ( <a href="#">see page 205</a> )	
	topluFaturaPaketDosyaGonder ( <a href="#">see page 206</a> )	

	toplufaturaPaketDosyaGonderCompletedEventArgs (see page 206)	
	toplufaturaPaketDosyaGonderResponse (see page 207)	
	toplufaturaPaketDosyasiSorgula (see page 208)	
	toplufaturaPaketDosyasiSorgulaCompletedEventArgs (see page 208)	
	toplufaturaPaketOnayla (see page 210)	
	toplufaturaPaketOnaylaCompletedEventArgs (see page 210)	
	toplufaturaPaketOnaylaResponse (see page 211)	
	toplufaturaPaketSorgula (see page 212)	
	toplufaturaPaketSorgulaCompletedEventArgs (see page 212)	
	yapilandirmaAyarlariAI (see page 213)	
	yapilandirmaAyarlariAICompletedEventArgs (see page 214)	
	yapilandirmaAyarlariAIResponse (see page 215)	

**Structs, Records, Enums**

	Name	Description
	belgeFormatiEnum (see page 216)	
	genelBelgeFormatEnum (see page 216)	

**Types**

Name	Description
aliciEpostaEkleSilGuncelleCompletedEventHandler (see page 218)	
eFaturaKayitliKullaniciListeleCompletedEventHandler (see page 219)	
efaturaKullanicisiCompletedEventHandler (see page 219)	
efaturaKullanicisiKontrolCompletedEventHandler (see page 219)	
ePostaDurumSorgulaCompletedEventHandler (see page 219)	
ePostaGonderCompletedEventHandler (see page 220)	
faturalptaliEtCompletedEventHandler (see page 220)	
faturalptaliKaldirCompletedEventHandler (see page 220)	
faturaltirazEtCompletedEventHandler (see page 220)	
faturaltirazKaldirCompletedEventHandler (see page 221)	
faturaListeSorgulaCompletedEventHandler (see page 221)	
faturaListeSorgulaCountCompletedEventHandler (see page 221)	
faturaListeSorgulaPortalCompletedEventHandler (see page 221)	

faturaNoUretCompletedEventHandler (§ see page 222)	
faturaOlusturCompletedEventHandler (§ see page 222)	
faturaOlusturExtCompletedEventHandler (§ see page 222)	
faturaOnizlemeCompletedEventHandler (§ see page 222)	
faturaSorgulaCompletedEventHandler (§ see page 222)	
faturaSorgulaExtCompletedEventHandler (§ see page 223)	
faturaTaslakOlusturCompletedEventHandler (§ see page 223)	
faturaTaslakOnizlemeCompletedEventHandler (§ see page 223)	
faturaTaslakSilCompletedEventHandler (§ see page 223)	
faturaTaslakSorgulaCompletedEventHandler (§ see page 224)	
faturaTaslaktanOlusturCompletedEventHandler (§ see page 224)	
faturaZipiAICompletedEventHandler (§ see page 224)	
kontorBilgisiGetirCompletedEventHandler (§ see page 224)	
okcRaporBolumAICompletedEventHandler (§ see page 225)	
okcRaporKaydetCompletedEventHandler (§ see page 225)	
okcRaporOlusturGonderCompletedEventHandler (§ see page 225)	
raporBolumAICompletedEventHandler (§ see page 225)	
raporBolumBilgisiAICompletedEventHandler (§ see page 226)	
raporBolumleriOlusturCompletedEventHandler (§ see page 226)	
raporBolumListesiDetyaliSorgulaCompletedEventHandler (§ see page 226)	
raporBolumListesiSorgulaCompletedEventHandler (§ see page 226)	
raporBolumListesiSorgulaWithInputCompletedEventHandler (§ see page 227)	
raporBolumRaporNoGuncelleImzalaCompletedEventHandler (§ see page 227)	
raporBolumSilCompletedEventHandler (§ see page 227)	
rapordaFaturaSorgulaCompletedEventHandler (§ see page 227)	
raporDurumSorgulaCompletedEventHandler (§ see page 228)	
raporGonderCompletedEventHandler (§ see page 228)	

servisSaglayicidanEpostaDurumSorgulaCompletedEventHandler ( <a href="#">see page 228</a> )	
smsDurumSorgulaCompletedEventHandler ( <a href="#">see page 228</a> )	
smsGonderCompletedEventHandler ( <a href="#">see page 229</a> )	
topluFaturaPaketDosyaGonderCompletedEventHandler ( <a href="#">see page 229</a> )	
topluFaturaPaketDosyasiSorgulaCompletedEventHandler ( <a href="#">see page 229</a> )	
topluFaturaPaketOnaylaCompletedEventHandler ( <a href="#">see page 229</a> )	
topluFaturaPaketSorgulaCompletedEventHandler ( <a href="#">see page 230</a> )	
yapilandirmaAyarlariAICompletedEventHandler ( <a href="#">see page 230</a> )	

## 1.1.2.1 Classes

### Summary

The following table lists classes in this documentation.

### Classes

Name	Description
 aliciEpostaEkleSilGuncelle ( <a href="#">see page 27</a> )	
 aliciEpostaEkleSilGuncelleCompletedEventArgs ( <a href="#">see page 28</a> )	
 aliciEpostaEkleSilGuncelleResponse ( <a href="#">see page 28</a> )	
 belge ( <a href="#">see page 29</a> )	
 belgeOutputWrapper ( <a href="#">see page 30</a> )	
 dosyalInput ( <a href="#">see page 31</a> )	
 doubleStringOutputWrapper ( <a href="#">see page 31</a> )	
 earsivServiceResult ( <a href="#">see page 32</a> )	
 earsivServiceResultEntry ( <a href="#">see page 33</a> )	
 EarsivWebService ( <a href="#">see page 34</a> )	
 eFaturaKayitliKullaniciListele ( <a href="#">see page 112</a> )	
 eFaturaKayitliKullaniciListeleCompletedEventArgs ( <a href="#">see page 112</a> )	
 eFaturaKullanici ( <a href="#">see page 113</a> )	
 efaturaKullanici ( <a href="#">see page 114</a> )	
 efaturaKullaniciCompletedEventArgs ( <a href="#">see page 115</a> )	
 efaturaKullanicisiKontrol ( <a href="#">see page 116</a> )	
 efaturaKullanicisiKontrolCompletedEventArgs ( <a href="#">see page 116</a> )	
 efaturaKullanicisiKontrolResponse ( <a href="#">see page 117</a> )	
 efaturaKullanicisiResponse ( <a href="#">see page 118</a> )	
 ePostaDurumSorgula ( <a href="#">see page 118</a> )	
 ePostaDurumSorgulaCompletedEventArgs ( <a href="#">see page 119</a> )	

	ePostaGonder ( <a href="#">see page 120</a> )	
	ePostaGonderCompletedEventArgs ( <a href="#">see page 121</a> )	
	ePostaGonderResponse ( <a href="#">see page 122</a> )	
	faturaDTO ( <a href="#">see page 122</a> )	
	faturalptalEt ( <a href="#">see page 131</a> )	
	faturalptalEtCompletedEventArgs ( <a href="#">see page 132</a> )	
	faturalptalEtResponse ( <a href="#">see page 133</a> )	
	faturalptaliKaldır ( <a href="#">see page 133</a> )	
	faturalptaliKaldırCompletedEventArgs ( <a href="#">see page 134</a> )	
	faturalptaliKaldırResponse ( <a href="#">see page 135</a> )	
	faturaltirazEt ( <a href="#">see page 135</a> )	
	faturaltirazEtCompletedEventArgs ( <a href="#">see page 136</a> )	
	faturaltirazEtResponse ( <a href="#">see page 137</a> )	
	faturaltirazKaldır ( <a href="#">see page 137</a> )	
	faturaltirazKaldırCompletedEventArgs ( <a href="#">see page 138</a> )	
	faturaltirazKaldırResponse ( <a href="#">see page 139</a> )	
	faturaListeSorgula ( <a href="#">see page 139</a> )	
	faturaListeSorgulaCompletedEventArgs ( <a href="#">see page 140</a> )	
	faturaListeSorgulaCount ( <a href="#">see page 141</a> )	
	faturaListeSorgulaCountCompletedEventArgs ( <a href="#">see page 141</a> )	
	faturaListeSorgulaCountResponse ( <a href="#">see page 142</a> )	
	faturaListeSorgulaPortal ( <a href="#">see page 143</a> )	
	faturaListeSorgulaPortalCompletedEventArgs ( <a href="#">see page 143</a> )	
	faturaListeSorgulaPortalResponse ( <a href="#">see page 144</a> )	
	faturaListeSorgulaResponse ( <a href="#">see page 145</a> )	
	faturaNoUret ( <a href="#">see page 146</a> )	
	faturaNoUretCompletedEventArgs ( <a href="#">see page 146</a> )	
	faturaOlustur ( <a href="#">see page 147</a> )	
	faturaOlusturCompletedEventArgs ( <a href="#">see page 148</a> )	
	faturaOlusturExt ( <a href="#">see page 149</a> )	
	faturaOlusturExtCompletedEventArgs ( <a href="#">see page 150</a> )	
	faturaOnizleme ( <a href="#">see page 151</a> )	
	faturaOnizlemeCompletedEventArgs ( <a href="#">see page 151</a> )	
	faturaSorgula ( <a href="#">see page 152</a> )	
	faturaSorgulaCompletedEventArgs ( <a href="#">see page 153</a> )	
	faturaSorgulaExt ( <a href="#">see page 154</a> )	

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

	faturaSorgulaExtCompletedEventArgs (see page 154)	
	faturaTaslakOlustur (see page 155)	
	faturaTaslakOlusturCompletedEventArgs (see page 156)	
	faturaTaslakOlusturResponse (see page 157)	
	faturaTaslakOnizleme (see page 157)	
	faturaTaslakOnizlemeCompletedEventArgs (see page 158)	
	faturaTaslakOnizlemeResponse (see page 159)	
	faturaTaslakSil (see page 160)	
	faturaTaslakSilCompletedEventArgs (see page 160)	
	faturaTaslakSilResponse (see page 161)	
	faturaTaslakSorgula (see page 162)	
	faturaTaslakSorgulaCompletedEventArgs (see page 162)	
	faturaTaslakSorgulaResponse (see page 163)	
	faturaTaslaktanOlustur (see page 164)	
	faturaTaslaktanOlusturCompletedEventArgs (see page 164)	
	faturaZipiAI (see page 165)	
	faturaZipiAICompletedEventArgs (see page 166)	
	faturaZipiAIResponse (see page 167)	
	kontorBilgisiGetir (see page 168)	
	kontorBilgisiGetirCompletedEventArgs (see page 168)	
	kontorBilgisiGetirResponse (see page 169)	
	okcRaporBolumAI (see page 170)	
	okcRaporBolumAICompletedEventArgs (see page 170)	
	okcRaporKaydet (see page 171)	
	okcRaporKaydetCompletedEventArgs (see page 172)	
	okcRaporKaydetResponse (see page 173)	
	okcRaporOlusturGonder (see page 173)	
	okcRaporOlusturGonderCompletedEventArgs (see page 174)	
	okcRaporOlusturGonderResponse (see page 175)	
	raporBolumAI (see page 175)	
	raporBolumAICompletedEventArgs (see page 176)	
	raporBolumBilgisiAI (see page 177)	
	raporBolumBilgisiAICompletedEventArgs (see page 177)	
	raporBolumBilgisiAIResponse (see page 178)	
	raporBolumDTO (see page 179)	
	raporBolumleriOlustur (see page 180)	

	raporBolumleriOlusturCompletedEventArgs (see page 181)	
	raporBolumleriOlusturResponse (see page 182)	
	raporBolumListesiDetayliSorgula (see page 183)	
	raporBolumListesiDetayliSorgulaCompletedEventArgs (see page 183)	
	raporBolumListesiDetayliSorgulaResponse (see page 184)	
	raporBolumListesiSorgula (see page 185)	
	raporBolumListesiSorgulaCompletedEventArgs (see page 186)	
	raporBolumListesiSorgulaWithInput (see page 187)	
	raporBolumListesiSorgulaWithInputCompletedEventArgs (see page 187)	
	raporBolumRaporNoGuncellelmzala (see page 188)	
	raporBolumRaporNoGuncellelmzalaCompletedEventArgs (see page 189)	
	raporBolumRaporNoGuncellelmzalaResponse (see page 190)	
	raporBolumSil (see page 191)	
	raporBolumSilCompletedEventArgs (see page 191)	
	raporBolumSilResponse (see page 192)	
	rapordaFaturaSorgula (see page 193)	
	rapordaFaturaSorgulaCompletedEventArgs (see page 193)	
	rapordaFaturaSorgulaResponse (see page 194)	
	raporDurumSorgula (see page 195)	
	raporDurumSorgulaCompletedEventArgs (see page 195)	
	raporDurumSorgulaResponse (see page 196)	
	raporGonder (see page 197)	
	raporGonderCompletedEventArgs (see page 197)	
	raporGonderResponse (see page 198)	
	serviceReturnType (see page 199)	
	servisSaglayicidanEpostaDurumSorgula (see page 199)	
	servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs (see page 199)	
	smsDurumSorgula (see page 201)	
	smsDurumSorgulaCompletedEventArgs (see page 201)	
	smsDurumSorgulaResponse (see page 202)	
	smsGonder (see page 203)	
	smsGonderCompletedEventArgs (see page 204)	
	smsGonderResponse (see page 205)	
	stringOutputWrapper (see page 205)	
	topluFaturaPaketDosyaGonder (see page 206)	
	topluFaturaPaketDosyaGonderCompletedEventArgs (see page 206)	
	topluFaturaPaketDosyaGonderResponse (see page 207)	

	toplufaturaPaketDosyasiSorgula (see page 208)	
	toplufaturaPaketDosyasiSorgulaCompletedEventArgs (see page 208)	
	toplufaturaPaketOnayla (see page 210)	
	toplufaturaPaketOnaylaCompletedEventArgs (see page 210)	
	toplufaturaPaketOnaylaResponse (see page 211)	
	toplufaturaPaketSorgula (see page 212)	
	toplufaturaPaketSorgulaCompletedEventArgs (see page 212)	
	yapilandirmaAyarlariAI (see page 213)	
	yapilandirmaAyarlariAICompletedEventArgs (see page 214)	
	yapilandirmaAyarlariAIResponse (see page 215)	

## 1.1.2.1.1 aliciEpostaEkleSilGuncelle Class

### Class Hierarchy

```
[QNBFinansGIB.GIBEArxiv.aliciEpostaEkleSilGuncelle]
```

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class aliciEpostaEkleSilGuncelle;
```

### File

Reference.cs (see page 835)

### aliciEpostaEkleSilGuncelle Properties

	Name	Description
	inputGuncellenecekEposta (see page 27)	
	inputSilinecekEposta (see page 27)	

## 1.1.2.1.1.1 aliciEpostaEkleSilGuncelle Properties

### 1.1.2.1.1.1.1 aliciEpostaEkleSilGuncelle.inputGuncellenecekEposta Property

#### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string inputGuncellenecekEposta;
```


### 1.1.2.1.1.1.2 aliciEpostaEkleSilGuncelle.inputSilinecekEposta Property

#### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string inputSilinecekEposta;
```

## 1.1.2.1.2 aliciEpostaEkleSilGuncelleCompletedEventArgs Class

### Class Hierarchy



### C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class aliciEpostaEkleSilGuncelleCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;

```

### File

Reference.cs (see page 835)

### Methods

	Name	Description
	aliciEpostaEkleSilGuncelleCompletedEventArgs (see page 28)	This is aliciEpostaEkleSilGuncelleCompletedEventArgs, a member of class aliciEpostaEkleSilGuncelleCompletedEventArgs.

### aliciEpostaEkleSilGuncelleCompletedEventArgs Properties

	Name	Description
	Result (see page 28)	

### 1.1.2.1.2.1

## aliciEpostaEkleSilGuncelleCompletedEventArgs.aliciEpostaEkleSilGuncelleCompletedEventArgs

### Constructor

#### C#

```

internal aliciEpostaEkleSilGuncelleCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);

```

#### Description

This is aliciEpostaEkleSilGuncelleCompletedEventArgs, a member of class aliciEpostaEkleSilGuncelleCompletedEventArgs.

#### Body Source

```

1: internal aliciEpostaEkleSilGuncelleCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }

```

### 1.1.2.1.2.2 aliciEpostaEkleSilGuncelleCompletedEventArgs Properties

#### 1.1.2.1.2.2.1 aliciEpostaEkleSilGuncelleCompletedEventArgs.Result Property

#### C#


```

public earsivServiceResult Result;

```

## 1.1.2.1.3 aliciEpostaEkleSilGuncelleResponse Class

### Class Hierarchy



Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class aliciEpostaEkleSilGuncelleResponse;
```

**File**

Reference.cs ( [see page 835](#) )

**aliciEpostaEkleSilGuncelleResponse Properties**

	Name	Description
	@return ( <a href="#">see page 29</a> )	

**1.1.2.1.3.1 aliciEpostaEkleSilGuncelleResponse Properties****1.1.2.1.3.1.1 aliciEpostaEkleSilGuncelleResponse.@return Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

**1.1.2.1.4 belge Class****Class Hierarchy**

QNBFinansGIB.GIBEArsiv.belge

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class belge;
```

**File**

Reference.cs ( [see page 835](#) )

**belge Properties**

	Name	Description
	belgeFormati ( <a href="#">see page 30</a> )	
	belgeFormatiSpecified ( <a href="#">see page 30</a> )	
	belgelcerigi ( <a href="#">see page 30</a> )	

**1.1.2.1.4.1 belge Properties**

#### 1.1.2.1.4.1.1 belge.belgeFormati Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belgeFormatiEnum belgeFormati;
```

#### 1.1.2.1.4.1.2 belge.belgeFormatiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool belgeFormatiSpecified;
```

#### 1.1.2.1.4.1.3 belge.belgeIcerigi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
                                             DataType="base64Binary")]
public byte belgeIcerigi;
```

### 1.1.2.1.5 belgeOutputWrapper Class

#### Class Hierarchy

```
QNBFinansGIB.GIBEArsiv.belgeOutputWrapper
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class belgeOutputWrapper;
```

#### File

Reference.cs (  see page 835)

#### belgeOutputWrapper Properties

	Name	Description
	@return (  see page 30)	
	output (  see page 30)	

#### 1.1.2.1.5.1 belgeOutputWrapper Properties

##### 1.1.2.1.5.1.1 belgeOutputWrapper.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

##### 1.1.2.1.5.1.2 belgeOutputWrapper.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge output;
```

## 1.1.2.1.6 dosyalInput Class

### Class Hierarchy

`QNBFinansGIB.GIBEArsiv.dosyalInput`

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class dosyaInput;
```

### File

Reference.cs ( [see page 835](#) )

### dosyalInput Properties

	Name	Description
	belgelcerigi ( <a href="#">see page 31</a> )	
	genelBelgeFormatEnum ( <a href="#">see page 31</a> )	
	genelBelgeFormatEnumSpecified ( <a href="#">see page 31</a> )	

## 1.1.2.1.6.1 dosyalInput Properties

### 1.1.2.1.6.1.1 dosyalInput.belgelcerigi Property

### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
                                             DataType="base64Binary")]
public byte belgeIcerigi;
```

### 1.1.2.1.6.1.2 dosyalInput.genelBelgeFormatEnum Property

### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public genelBelgeFormatEnum genelBelgeFormatEnum;
```

### 1.1.2.1.6.1.3 dosyalInput.genelBelgeFormatEnumSpecified Property

### C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool genelBelgeFormatEnumSpecified;
```

## 1.1.2.1.7 doubleStringOutputWrapper Class

### Class Hierarchy

`QNBFinansGIB.GIBEArsiv.doubleStringOutputWrapper`

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
```

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).*

```
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class doubleStringOutputWrapper;
```

**File**

Reference.cs (see page 835)

**doubleStringOutputWrapper Properties**

	Name	Description
	@return (see page 32)	
	outputDurum (see page 32)	
	outputEposta (see page 32)	

**1.1.2.1.7.1 doubleStringOutputWrapper Properties****1.1.2.1.7.1.1 doubleStringOutputWrapper.@return Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

**1.1.2.1.7.1.2 doubleStringOutputWrapper.outputDurum Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string outputDurum;
```

**1.1.2.1.7.1.3 doubleStringOutputWrapper.outputEposta Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string outputEposta;
```

**1.1.2.1.8 earsivServiceResult Class****Class Hierarchy**

QNBFinansGIB.GIBEArsiv.earsivServiceResult

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class earsivServiceResult;
```

**File**

Reference.cs (see page 835)

**earsivServiceResult Properties**

	Name	Description
	resultCode (see page 33)	

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.*

	resultExtra (see page 33)	
	resultText (see page 33)	

### 1.1.2.1.8.1 earsivServiceResult Properties

#### 1.1.2.1.8.1.1 earsivServiceResult.resultCode Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string resultCode;
```

#### 1.1.2.1.8.1.2 earsivServiceResult.resultExtra Property

C#

```
[System.Xml.Serialization.XmlArrayAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
[System.Xml.Serialization.XmlArrayItemAttribute("entry",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=false)]
public earsivServiceResultEntry resultExtra;
```

#### 1.1.2.1.8.1.3 earsivServiceResult.resultText Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string resultText;
```

### 1.1.2.1.9 earsivServiceResultEntry Class

#### Class Hierarchy

QNBFinansGIB.GIBEArsiv.earsivServiceResultEntry

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(AnonymousType=true,
Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class earsivServiceResultEntry;
```

#### File

Reference.cs (see page 835)

#### earsivServiceResultEntry Properties

	Name	Description
	key (see page 34)	
	value (see page 34)	

#### 1.1.2.1.9.1 earsivServiceResultEntry Properties

### 1.1.2.1.9.1.1 earsivServiceResultEntry.key Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public object key;
```


### 1.1.2.1.9.1.2 earsivServiceResultEntry.value Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public object value;
```

## 1.1.2.1.10 EarsivWebService Class

### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Web.Services.WebServiceBindingAttribute(Name="EarsivWebServicePortBinding",
Namespace="http://service.csap.cs.com/")]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaOlusturExt))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(topluFaturaPaketDosyasiSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumRaporNoGuncelleImzalaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumRaporNoGuncelleImzala))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaListeSorgulaCountResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaListeSorgulaCount))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumListesiSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(topluFaturaPaketSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(yapilandirmaAyarlariAlResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(yapilandirmaAyarlariAl))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsGonderResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsGonder))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(topluFaturaPaketOnaylaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(topluFaturaPaketOnayla))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporDurumSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporDurumSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaOnizleme))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(kontorBilgisiGetirResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(kontorBilgisiGetir))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslaktanOlustur))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaItirazKaldırResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaItirazKaldır))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumListesiSorgulaWithInput))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(okcRaporOlusturGonderResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(okcRaporOlusturGonder))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslakSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslakSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaListeSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaListeSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumBilgisiAlResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumBilgisiAl))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporGonderResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporGonder))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(efaturaKullanicisiKontrolResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(efaturaKullanicisiKontrol))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaIptaliKaldırResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaIptaliKaldır))]
```

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumListesiDetayliSorgulaResponse))]
})
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumListesiDetayliSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsDurumSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsDurumSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaIptalEtResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaIptalEt))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslakSilResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslakSil))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaZipiAlResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaZipiAl))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumleriOlusturResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumleriOlustur))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslakOlusturResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslakOlustur))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaSorgulaExt))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(stringOutputWrapper))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaNoUret))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(ePostaGonderResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(ePostaGonder))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(rapordaFaturaSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(rapordaFaturaSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumAl))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumSilResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumSil))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaListeSorgulaPortalResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaListeSorgulaPortal))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslakOnizlemeResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslakOnizleme))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(servisSaglayicidanEpostaDurumSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(serviceReturnType))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(eFaturaKayitliKullaniciListele))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(doubleStringOutputWrapper))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(ePostaDurumSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaItirazEtResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaItirazEt))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(efaturaKullanicisiResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(efaturaKullanicisi))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaOlustur))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(aliciEpostaEkleSilGuncelleResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(aliciEpostaEkleSilGuncelle))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(topluFaturaPaketDosyaGonderResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(topluFaturaPaketDosyaGonder))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgeOutputWrapper))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(okcRaporBolumAl))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(okcRaporKaydetResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(okcRaporKaydet))]
public class EarsivWebService : System.Web.Services.Protocols.SoapHttpClientProtocol;
```

**File**

Reference.cs (see page 835)

**Methods**

	<b>Name</b>	<b>Description</b>
!	EarsivWebService (see page 42)	

**EarsivWebService Events**

	<b>Name</b>	<b>Description</b>
!	aliciEpostaEkleSilGuncelleCompleted (see page 107)	
!	eFaturaKayitliKullaniciListeleCompleted (see page 107)	
!	efaturaKullanicisiCompleted (see page 108)	

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

	efaturaKullanicisiKontrolCompleted (🔗 see page 108)	
	ePostaDurumSorgulaCompleted (🔗 see page 108)	
	ePostaGonderCompleted (🔗 see page 108)	
	faturalptalEtCompleted (🔗 see page 108)	
	faturalptaliKaldirCompleted (🔗 see page 108)	
	faturaltirazEtCompleted (🔗 see page 108)	
	faturaltirazKaldirCompleted (🔗 see page 108)	
	faturaListeSorgulaCompleted (🔗 see page 108)	
	faturaListeSorgulaCountCompleted (🔗 see page 108)	
	faturaListeSorgulaPortalCompleted (🔗 see page 108)	
	faturaNoUretCompleted (🔗 see page 109)	
	faturaOlusturCompleted (🔗 see page 109)	
	faturaOlusturExtCompleted (🔗 see page 109)	
	faturaOnizlemeCompleted (🔗 see page 109)	
	faturaSorgulaCompleted (🔗 see page 109)	
	faturaSorgulaExtCompleted (🔗 see page 109)	
	faturaTaslakOlusturCompleted (🔗 see page 109)	
	faturaTaslakOnizlemeCompleted (🔗 see page 109)	
	faturaTaslakSilCompleted (🔗 see page 109)	
	faturaTaslakSorgulaCompleted (🔗 see page 109)	
	faturaTaslaktanOlusturCompleted (🔗 see page 109)	
	faturaZipiAICompleted (🔗 see page 109)	
	kontorBilgisiGetirCompleted (🔗 see page 110)	
	okcRaporBolumAICompleted (🔗 see page 110)	
	okcRaporKaydetCompleted (🔗 see page 110)	
	okcRaporOlusturGonderCompleted (🔗 see page 110)	

	raporBolumAICompleted (see page 110)	
	raporBolumBilgisiAICompleted (see page 110)	
	raporBolumleriOlusturCompleted (see page 110)	
	raporBolumListesiDetaylSorgulaCompleted (see page 110)	
	raporBolumListesiSorgulaCompleted (see page 110)	
	raporBolumListesiSorgulaWithInputCompleted (see page 110)	
	raporBolumRaporNoGuncelleImzalaCompleted (see page 110)	
	raporBolumSilCompleted (see page 111)	
	rapordaFaturaSorgulaCompleted (see page 111)	
	raporDurumSorgulaCompleted (see page 111)	
	raporGonderCompleted (see page 111)	
	servisSaglayicidanEpostaDurumSorgulaCompleted (see page 111)	
	smsDurumSorgulaCompleted (see page 111)	
	smsGonderCompleted (see page 111)	
	topluFaturaPaketDosyaGonderCompleted (see page 111)	
	topluFaturaPaketDosyasiSorgulaCompleted (see page 111)	
	topluFaturaPaketOnaylaCompleted (see page 111)	
	topluFaturaPaketSorgulaCompleted (see page 111)	
	yapilandirmaAyarlariAICompleted (see page 112)	

### EarsivWebService Methods

Name	Description
	aliciEpostaEkleSilGuncelle (see page 43)
	aliciEpostaEkleSilGuncelleAsync (see page 43)
	CancelAsync (see page 44)
	eFaturaKayitliKullaniciListele (see page 44)
	eFaturaKayitliKullaniciListeleAsync (see page 44)
	efaturaKullanici (see page 45)
	efaturaKullaniciAsync (see page 45)
	efaturaKullanicisiKontrol (see page 46)
	efaturaKullanicisiKontrolAsync (see page 46)
	ePostaDurumSorgula (see page 47)
	ePostaDurumSorgulaAsync (see page 47)
	ePostaGonder (see page 48)
	ePostaGonderAsync (see page 49)
	faturalptalEt (see page 49)
	faturalptalEtAsync (see page 50)

	faturalptaliKaldır (🔗 see page 50)	
	faturalptaliKaldırAsync (🔗 see page 51)	
	faturaltirazEt (🔗 see page 51)	
	faturaltirazEtAsync (🔗 see page 51)	
	faturaltirazKaldır (🔗 see page 52)	
	faturaltirazKaldırAsync (🔗 see page 52)	
	faturaListeSorgula (🔗 see page 53)	
	faturaListeSorgulaAsync (🔗 see page 53)	
	faturaListeSorgulaCount (🔗 see page 54)	
	faturaListeSorgulaCountAsync (🔗 see page 54)	
	faturaListeSorgulaPortal (🔗 see page 55)	
	faturaListeSorgulaPortalAsync (🔗 see page 55)	
	faturaNoUret (🔗 see page 56)	
	faturaNoUretAsync (🔗 see page 56)	
	faturaOlustur (🔗 see page 57)	
	faturaOlusturAsync (🔗 see page 58)	
	faturaOlusturExt (🔗 see page 58)	
	faturaOlusturExtAsync (🔗 see page 59)	
	faturaOnizleme (🔗 see page 59)	
	faturaOnizlemeAsync (🔗 see page 60)	
	faturaSorgula (🔗 see page 60)	
	faturaSorgulaAsync (🔗 see page 61)	
	faturaSorgulaExt (🔗 see page 61)	
	faturaSorgulaExtAsync (🔗 see page 62)	
	faturaTaslakOlustur (🔗 see page 62)	
	faturaTaslakOlusturAsync (🔗 see page 63)	
	faturaTaslakOnizleme (🔗 see page 63)	
	faturaTaslakOnizlemeAsync (🔗 see page 64)	
	faturaTaslakSil (🔗 see page 64)	
	faturaTaslakSilAsync (🔗 see page 65)	
	faturaTaslakSorgula (🔗 see page 65)	
	faturaTaslakSorgulaAsync (🔗 see page 66)	
	faturaTaslaktanOlustur (🔗 see page 66)	
	faturaTaslaktanOlusturAsync (🔗 see page 67)	
	faturaZipiAI (🔗 see page 67)	
	faturaZipiAIAsync (🔗 see page 68)	
	IsLocalFileSystemWebService (🔗 see page 68)	This is IsLocalFileSystemWebService, a member of class EarsivWebService.
	kontorBilgisiGetir (🔗 see page 69)	
	kontorBilgisiGetirAsync (🔗 see page 69)	
	okcRaporBolumAI (🔗 see page 70)	
	okcRaporBolumAIAsync (🔗 see page 70)	
	okcRaporKaydet (🔗 see page 71)	
	okcRaporKaydetAsync (🔗 see page 72)	
	okcRaporOlusturGonder (🔗 see page 72)	
	okcRaporOlusturGonderAsync (🔗 see page 73)	

	OnaliciEpostaEkleSilGuncelleOperationCompleted (see page 73)	This is OnaliciEpostaEkleSilGuncelleOperationCompleted, a member of class EarsivWebService.
	OneFaturaKayitliKullaniciListeleOperationCompleted (see page 73)	This is OneFaturaKayitliKullaniciListeleOperationCompleted, a member of class EarsivWebService.
	OnefaturaKullanicisiKontrolOperationCompleted (see page 74)	This is OnefaturaKullanicisiKontrolOperationCompleted, a member of class EarsivWebService.
	OnefaturaKullanicisiOperationCompleted (see page 74)	This is OnefaturaKullanicisiOperationCompleted, a member of class EarsivWebService.
	OnePostaDurumSorgulaOperationCompleted (see page 74)	This is OnePostaDurumSorgulaOperationCompleted, a member of class EarsivWebService.
	OnePostaGonderOperationCompleted (see page 74)	This is OnePostaGonderOperationCompleted, a member of class EarsivWebService.
	OnfaturalptalEtOperationCompleted (see page 75)	This is OnfaturalptalEtOperationCompleted, a member of class EarsivWebService.
	OnfaturalptaliKaldirOperationCompleted (see page 75)	This is OnfaturalptaliKaldirOperationCompleted, a member of class EarsivWebService.
	OnfaturaltirazEtOperationCompleted (see page 75)	This is OnfaturaltirazEtOperationCompleted, a member of class EarsivWebService.
	OnfaturaltirazKaldirOperationCompleted (see page 76)	This is OnfaturaltirazKaldirOperationCompleted, a member of class EarsivWebService.
	OnfaturaListeSorgulaCountOperationCompleted (see page 76)	This is OnfaturaListeSorgulaCountOperationCompleted, a member of class EarsivWebService.
	OnfaturaListeSorgulaOperationCompleted (see page 76)	This is OnfaturaListeSorgulaOperationCompleted, a member of class EarsivWebService.
	OnfaturaListeSorgulaPortalOperationCompleted (see page 77)	This is OnfaturaListeSorgulaPortalOperationCompleted, a member of class EarsivWebService.
	OnfaturaNoUretOperationCompleted (see page 77)	This is OnfaturaNoUretOperationCompleted, a member of class EarsivWebService.
	OnfaturaOlusturExtOperationCompleted (see page 77)	This is OnfaturaOlusturExtOperationCompleted, a member of class EarsivWebService.
	OnfaturaOlusturOperationCompleted (see page 77)	This is OnfaturaOlusturOperationCompleted, a member of class EarsivWebService.
	OnfaturaOnizlemeOperationCompleted (see page 78)	This is OnfaturaOnizlemeOperationCompleted, a member of class EarsivWebService.
	OnfaturaSorgulaExtOperationCompleted (see page 78)	This is OnfaturaSorgulaExtOperationCompleted, a member of class EarsivWebService.

	OnfaturaSorgulaOperationCompleted (see page 78)	This is OnfaturaSorgulaOperationCompleted, a member of class EarsivWebService.
	OnfaturaTaslakOlusturOperationCompleted (see page 79)	This is OnfaturaTaslakOlusturOperationCompleted, a member of class EarsivWebService.
	OnfaturaTaslakOnizlemeOperationCompleted (see page 79)	This is OnfaturaTaslakOnizlemeOperationCompleted, a member of class EarsivWebService.
	OnfaturaTaslakSilOperationCompleted (see page 79)	This is OnfaturaTaslakSilOperationCompleted, a member of class EarsivWebService.
	OnfaturaTaslakSorgulaOperationCompleted (see page 80)	This is OnfaturaTaslakSorgulaOperationCompleted, a member of class EarsivWebService.
	OnfaturaTaslaktanOlusturOperationCompleted (see page 80)	This is OnfaturaTaslaktanOlusturOperationCompleted, a member of class EarsivWebService.
	OnfaturaZipiAIOperationCompleted (see page 80)	This is OnfaturaZipiAIOperationCompleted, a member of class EarsivWebService.
	OnkontorBilgisiGetirOperationCompleted (see page 80)	This is OnkontorBilgisiGetirOperationCompleted, a member of class EarsivWebService.
	OnokcRaporBolumAIOperationCompleted (see page 81)	This is OnokcRaporBolumAIOperationCompleted, a member of class EarsivWebService.
	OnokcRaporKaydetOperationCompleted (see page 81)	This is OnokcRaporKaydetOperationCompleted, a member of class EarsivWebService.
	OnokcRaporOlusturGonderOperationCompleted (see page 81)	This is OnokcRaporOlusturGonderOperationCompleted, a member of class EarsivWebService.
	OnraporBolumAIOperationCompleted (see page 82)	This is OnraporBolumAIOperationCompleted, a member of class EarsivWebService.
	OnraporBolumBilgisiAIOperationCompleted (see page 82)	This is OnraporBolumBilgisiAIOperationCompleted, a member of class EarsivWebService.
	OnraporBolumleriOlusturOperationCompleted (see page 82)	This is OnraporBolumleriOlusturOperationCompleted, a member of class EarsivWebService.
	OnraporBolumListesiDetaigliSorgulaOperationCompleted (see page 83)	This is OnraporBolumListesiDetaigliSorgulaOperationCompleted, a member of class EarsivWebService.
	OnraporBolumListesiSorgulaOperationCompleted (see page 83)	This is OnraporBolumListesiSorgulaOperationCompleted, a member of class EarsivWebService.
	OnraporBolumListesiSorgulaWithInputOperationCompleted (see page 83)	This is OnraporBolumListesiSorgulaWithInputOperationCompleted, a member of class EarsivWebService.

	OnraporBolumRaporNoGuncelleImzalaOperationCompleted (↗ see page 83)	This is OnraporBolumRaporNoGuncelleImzalaOperationCompleted, a member of class EarsivWebService.
	OnraporBolumSilOperationCompleted (↗ see page 84)	This is OnraporBolumSilOperationCompleted, a member of class EarsivWebService.
	OnrapordaFaturaSorgulaOperationCompleted (↗ see page 84)	This is OnrapordaFaturaSorgulaOperationCompleted, a member of class EarsivWebService.
	OnraporDurumSorgulaOperationCompleted (↗ see page 84)	This is OnraporDurumSorgulaOperationCompleted, a member of class EarsivWebService.
	OnraporGonderOperationCompleted (↗ see page 85)	This is OnraporGonderOperationCompleted, a member of class EarsivWebService.
	OnservisSaglayicidanEpostaDurumSorgulaOperationCompleted (↗ see page 85)	This is OnservisSaglayicidanEpostaDurumSorgulaOperationCompleted, a member of class EarsivWebService.
	OnsmsDurumSorgulaOperationCompleted (↗ see page 85)	This is OnsmsDurumSorgulaOperationCompleted, a member of class EarsivWebService.
	OnsmsGonderOperationCompleted (↗ see page 86)	This is OnsmsGonderOperationCompleted, a member of class EarsivWebService.
	OntoplusFaturaPaketDosyaGonderOperationCompleted (↗ see page 86)	This is OntoplusFaturaPaketDosyaGonderOperationCompleted, a member of class EarsivWebService.
	OntoplusFaturaPaketDosyasiSorgulaOperationCompleted (↗ see page 86)	This is OntoplusFaturaPaketDosyasiSorgulaOperationCompleted, a member of class EarsivWebService.
	OntoplusFaturaPaketOnaylaOperationCompleted (↗ see page 87)	This is OntoplusFaturaPaketOnaylaOperationCompleted, a member of class EarsivWebService.
	OntoplusFaturaPaketSorgulaOperationCompleted (↗ see page 87)	This is OntoplusFaturaPaketSorgulaOperationCompleted, a member of class EarsivWebService.
	OnyapilandirmaAyarlariAIOperationCompleted (↗ see page 87)	This is OnyapilandirmaAyarlariAIOperationCompleted, a member of class EarsivWebService.
	raporBolumAI (↗ see page 87)	
	raporBolumAIAsync (↗ see page 88)	
	raporBolumBilgisiAI (↗ see page 88)	
	raporBolumBilgisiAIAsync (↗ see page 89)	
	raporBolumleriOlustur (↗ see page 89)	
	raporBolumleriOlusturAsync (↗ see page 90)	
	raporBolumListesiDetayliSorgula (↗ see page 91)	
	raporBolumListesiDetayliSorgulaAsync (↗ see page 91)	
	raporBolumListesiSorgula (↗ see page 92)	
	raporBolumListesiSorgulaAsync (↗ see page 92)	

≡	raporBolumListesiSorgulaWithInput (see page 93)	
≡	raporBolumListesiSorgulaWithInputAsync (see page 93)	
≡	raporBolumRaporNoGuncelleImzala (see page 94)	
≡	raporBolumRaporNoGuncelleImzalaAsync (see page 94)	
≡	raporBolumSil (see page 95)	
≡	raporBolumSilAsync (see page 95)	
≡	rapordaFaturaSorgula (see page 96)	
≡	rapordaFaturaSorgulaAsync (see page 96)	
≡	raporDurumSorgula (see page 97)	
≡	raporDurumSorgulaAsync (see page 97)	
≡	raporGonder (see page 97)	
≡	raporGonderAsync (see page 98)	
≡	servisSaglayicidanEpostaDurumSorgula (see page 98)	
≡	servisSaglayicidanEpostaDurumSorgulaAsync (see page 99)	
≡	smsDurumSorgula (see page 100)	
≡	smsDurumSorgulaAsync (see page 100)	
≡	smsGonder (see page 101)	
≡	smsGonderAsync (see page 101)	
≡	topluFaturaPaketDosyaGonder (see page 102)	
≡	topluFaturaPaketDosyaGonderAsync (see page 102)	
≡	topluFaturaPaketDosyasiSorgula (see page 103)	
≡	topluFaturaPaketDosyasiSorgulaAsync (see page 104)	
≡	topluFaturaPaketOnayla (see page 104)	
≡	topluFaturaPaketOnaylaAsync (see page 105)	
≡	topluFaturaPaketSorgula (see page 105)	
≡	topluFaturaPaketSorgulaAsync (see page 106)	
≡	yapilandirmaAyarlariAI (see page 106)	
≡	yapilandirmaAyarlariAIAsync (see page 107)	

### EarsivWebService Properties

	Name	Description
≡	Url (see page 107)	This is Url, a member of class EarsivWebService.
≡	UseDefaultCredentials (see page 107)	This is UseDefaultCredentials, a member of class EarsivWebService.

#### 1.1.2.1.10.1 EarsivWebService.EarsivWebService Constructor

C#

```
public EarsivWebService();
```

##### Body Source

```
1: public EarsivWebService() {
2:     this.Url =
global::QNBFinansGIB.Properties.Settings.Default.QNBFinansGIB_GIBEArxiv_EarsivWebService;
3:     if ((this.IsLocalFileSystemWebService(this.Url) == true)) {
4:         this.UseDefaultCredentials = true;
5:         this.useDefaultCredentialsSetExplicitly = false;
6:     }
7:     else {
8:         this.useDefaultCredentialsSetExplicitly = true;
9:     }
10: }
```

## 1.1.2.1.10.2 EarsivWebService Methods

### 1.1.2.1.10.2.1 EarsivWebService.aliciEpostaEkleSilGuncelle Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
aliciEpostaEkleSilGuncelle([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sch
ema.XmlSchemaForm.Unqualified)]
string inputGuncellenecekEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string inputSilinecekEposta);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
aliciEpostaEkleSilGuncelle([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sch
ema.XmlSchemaForm.Unqualified)]
string inputGuncellenecekEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string inputSilinecekEposta) {
4:     object[] results = this.Invoke("aliciEpostaEkleSilGuncelle", new object[] {
5:         inputGuncellenecekEposta,
6:         inputSilinecekEposta});
7:     return ((earsivServiceResult)(results[0]));
8: }
```

### 1.1.2.1.10.2.2 aliciEpostaEkleSilGuncelleAsync Method

#### 1.1.2.1.10.2.2.1 EarsivWebService.aliciEpostaEkleSilGuncelleAsync Method (string, string)

C#

```
public void aliciEpostaEkleSilGuncelleAsync(string inputGuncellenecekEposta, string
inputSilinecekEposta);
```

**Body Source**

```
1: public void aliciEpostaEkleSilGuncelleAsync(string inputGuncellenecekEposta, string
inputSilinecekEposta) {
2:     this.aliciEpostaEkleSilGuncelleAsync(inputGuncellenecekEposta, inputSilinecekEposta,
null);
3: }
```

#### 1.1.2.1.10.2.2.2 EarsivWebService.aliciEpostaEkleSilGuncelleAsync Method (string, string, object)

C#

```
public void aliciEpostaEkleSilGuncelleAsync(string inputGuncellenecekEposta, string
inputSilinecekEposta, object userState);
```

**Body Source**

```

1: public void aliciEpostaEkleSilGuncelleAsync(string inputGuncellenecekEposta, string
inputSilinecekEposta, object userState) {
2:     if ((this.aliciEpostaEkleSilGuncelleOperationCompleted == null)) {
3:         this.aliciEpostaEkleSilGuncelleOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnaliciEpostaEkleSilGuncelleOperationCompleted);
4:     }
5:     this.InvokeAsync("aliciEpostaEkleSilGuncelle", new object[] {
6:         inputGuncellenecekEposta,
7:         inputSilinecekEposta},
this.aliciEpostaEkleSilGuncelleOperationCompleted, userState);
8: }
```

**1.1.2.1.10.2.3 EarsivWebService.CancelAsync Method****C#**

```
public new void CancelAsync(object userState);
```

**Body Source**

```

1: public new void CancelAsync(object userState) {
2:     base.CancelAsync(userState);
3: }
```

**1.1.2.1.10.2.4 EarsivWebService.eFaturaKayitliKullaniciListele Method****C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public eFaturaKullanici[]
eFaturaKayitliKullaniciListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml
.Schema.XmlSchemaForm.Unqualified)])
string kayitzamani;
```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public eFaturaKullanici[]
eFaturaKayitliKullaniciListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml
.Schema.XmlSchemaForm.Unqualified)])
string kayitzamani) {
4:     object[] results = this.Invoke("eFaturaKayitliKullaniciListele", new object[] {
5:         kayitzamani});
6:     return ((eFaturaKullanici[])(results[0]));
7: }
```

**1.1.2.1.10.2.5 eFaturaKayitliKullaniciListeleAsync Method****1.1.2.1.10.2.5.1 EarsivWebService.eFaturaKayitliKullaniciListeleAsync Method (string)****C#**

```
public void eFaturaKayitliKullaniciListeleAsync(string kayitzamani);
```

**Body Source**

```
1: public void eFaturaKayitliKullaniciListeleAsync(string kayitzamani) {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

2:     this.eFaturaKayitliKullaniciListeleAsync(kayitZamani, null);
3: }

```

#### 1.1.2.1.10.2.5.2 EarsivWebService.eFaturaKayitliKullaniciListeleAsync Method (string, object)

C#

```
public void eFaturaKayitliKullaniciListeleAsync(string kayitZamani, object userState);
```

##### Body Source

```

1: public void eFaturaKayitliKullaniciListeleAsync(string kayitZamani, object userState) {
2:     if ((this.eFaturaKayitliKullaniciListeleOperationCompleted == null)) {
3:         this.eFaturaKayitliKullaniciListeleOperationCompleted = new
System.Threading.SendOrPostCallback(this.OneFaturaKayitliKullaniciListeleOperationCompleted)
;
4:     }
5:     this.InvokeAsync("eFaturaKayitliKullaniciListele", new object[] {
6:         kayitZamani}, this.eFaturaKayitliKullaniciListeleOperationCompleted,
userState);
7: }

```

#### 1.1.2.1.10.2.6 EarsivWebService.efaturaKullanicisi Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
efaturaKullanicisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string vergiTcKimlikNo);

```

##### Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
efaturaKullanicisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string vergiTcKimlikNo) {
4:     object[] results = this.Invoke("efaturaKullanicisi", new object[] {
5:         vergiTcKimlikNo});
6:     return ((bool)(results[0]));
7: }

```

#### 1.1.2.1.10.2.7 efaturaKullanicisiAsync Method

##### 1.1.2.1.10.2.7.1 EarsivWebService.efaturaKullanicisiAsync Method (string)

C#

```
public void efaturaKullanicisiAsync(string vergiTcKimlikNo);
```

##### Body Source

```

1: public void efaturaKullanicisiAsync(string vergiTcKimlikNo) {
2:     this.efaturaKullanicisiAsync(vergiTcKimlikNo, null);
3: }

```

### 1.1.2.1.10.2.7.2 EarsivWebService.efaturaKullanicisiAsync Method (string, object)

C#

```
public void efaturaKullanicisiAsync(string vergiTcKimlikNo, object userState);
```

**Body Source**

```
1: public void efaturaKullanicisiAsync(string vergiTcKimlikNo, object userState) {
2:     if ((this.efaturaKullanicisiOperationCompleted == null)) {
3:         this.efaturaKullanicisiOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnefaturaKullanicisiOperationCompleted);
4:     }
5:     this.InvokeAsync("efaturaKullanicisi", new object[] {
6:         vergiTcKimlikNo}, this.efaturaKullanicisiOperationCompleted, userState);
7: }
```

### 1.1.2.1.10.2.8 EarsivWebService.efaturaKullanicisiKontrol Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
efaturaKullanicisiKontrol([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
string input);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
efaturaKullanicisiKontrol([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("efaturaKullanicisiKontrol", new object[] {
5:         input});
6:     return ((bool)(results[0]));
7: }
```

### 1.1.2.1.10.2.9 efaturaKullanicisiKontrolAsync Method

#### 1.1.2.1.10.2.9.1 EarsivWebService.efaturaKullanicisiKontrolAsync Method (string)

C#

```
public void efaturaKullanicisiKontrolAsync(string input);
```

**Body Source**

```
1: public void efaturaKullanicisiKontrolAsync(string input) {
2:     this.efaturaKullanicisiKontrolAsync(input, null);
3: }
```

#### 1.1.2.1.10.2.9.2 EarsivWebService.efaturaKullanicisiKontrolAsync Method (string, object)

C#

```
public void efaturaKullanicisiKontrolAsync(string input, object userState);
```

**Body Source**

```

1: public void efaturaKullanicisiKontrolAsync(string input, object userState) {
2:     if ((this.efaturaKullanicisiKontrolOperationCompleted == null)) {
3:         this.efaturaKullanicisiKontrolOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnefaturaKullanicisiKontrolOperationCompleted);
4:     }
5:     this.InvokeAsync("efaturaKullanicisiKontrol", new object[] {
6:         input}, this.efaturaKullanicisiKontrolOperationCompleted, userState);
7: }
```

**1.1.2.1.10.2.10 EarsivWebService.ePostaDurumSorgula Method****C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("outputDurum",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
ePostaDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
{
    string input,
    [System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
    out string outputEposta,
    [System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
    out earsivServiceResult @return);
```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("outputDurum",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
ePostaDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
{
    string input,
    [System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
    out string outputEposta,
    [System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
    out earsivServiceResult @return) {
4:     object[] results = this.Invoke("ePostaDurumSorgula", new object[] {
5:         input});
6:     outputEposta = ((string)(results[1]));
7:     @return = ((earsivServiceResult)(results[2]));
8:     return ((string)(results[0]));
9: }
```

**1.1.2.1.10.2.11 ePostaDurumSorgulaAsync Method****1.1.2.1.10.2.11.1 EarsivWebService.ePostaDurumSorgulaAsync Method (string)****C#**

```
public void ePostaDurumSorgulaAsync(string input);
```

**Body Source**

```

1: public void ePostaDurumSorgulaAsync(string input) {
2:     this.ePostaDurumSorgulaAsync(input, null);
3: }

```

**1.1.2.1.10.2.11.2 EarsivWebService.ePostaDurumSorgulaAsync Method (string, object)****C#**

```
public void ePostaDurumSorgulaAsync(string input, object userState);
```

**Body Source**

```

1: public void ePostaDurumSorgulaAsync(string input, object userState) {
2:     if ((this.ePostaDurumSorgulaOperationCompleted == null)) {
3:         this.ePostaDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnePostaDurumSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("ePostaDurumSorgula", new object[] {
6:         input}, this.ePostaDurumSorgulaOperationCompleted, userState);
7: }

```

**1.1.2.1.10.2.12 EarsivWebService.ePostaGonder Method****C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
ePostaGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string ilaveEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
int tanimliEpostayaGonder);

```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
ePostaGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string ilaveEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
int tanimliEpostayaGonder) {
4:     object[] results = this.Invoke("ePostaGonder", new object[] {
5:         input,
6:         ilaveEposta,
7:         tanimliEpostayaGonder});
8:     return ((earsivServiceResult)(results[0]));
9: }

```

### 1.1.2.1.10.2.13 ePostaGonderAsync Method

#### 1.1.2.1.10.2.13.1 EarsivWebService.ePostaGonderAsync Method (string, string, int)

C#

```
public void ePostaGonderAsync(string input, string ilaveEposta, int tanimliEpostayaGonder);
```

**Body Source**

```
1: public void ePostaGonderAsync(string input, string ilaveEposta, int
tanimliEpostayaGonder) {
2:     this.ePostaGonderAsync(input, ilaveEposta, tanimliEpostayaGonder, null);
3: }
```

#### 1.1.2.1.10.2.13.2 EarsivWebService.ePostaGonderAsync Method (string, string, int, object)

C#

```
public void ePostaGonderAsync(string input, string ilaveEposta, int tanimliEpostayaGonder,
object userState);
```

**Body Source**

```
1: public void ePostaGonderAsync(string input, string ilaveEposta, int
tanimliEpostayaGonder, object userState) {
2:     if ((this.ePostaGonderOperationCompleted == null)) {
3:         this.ePostaGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnPostaGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("ePostaGonder", new object[] {
6:         input,
7:         ilaveEposta,
8:         tanimliEpostayaGonder}, this.ePostaGonderOperationCompleted, userState);
9: }
```

### 1.1.2.1.10.2.14 EarsivWebService.faturalptalEt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturalptalEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)
string input);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturalptalEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)
string input) {
4:     object[] results = this.Invoke("faturalptalEt", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

### 1.1.2.1.10.2.15 faturalptalEtAsync Method

#### 1.1.2.1.10.2.15.1 EarsivWebService.faturalptalEtAsync Method (string)

C#

```
public void faturalptalEtAsync(string input);
```

**Body Source**

```
1: public void faturalptalEtAsync(string input) {
2:     this.faturalptalEtAsync(input, null);
3: }
```

#### 1.1.2.1.10.2.15.2 EarsivWebService.faturalptalEtAsync Method (string, object)

C#

```
public void faturalptalEtAsync(string input, object userState);
```

**Body Source**

```
1: public void faturalptalEtAsync(string input, object userState) {
2:     if ((this.faturalptalEtOperationCompleted == null)) {
3:         this.faturalptalEtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturalptalEtOperationCompleted);
4:     }
5:     this.InvokeAsync("faturalptalEt", new object[] {
6:         input}, this.faturalptalEtOperationCompleted, userState);
7: }
```

### 1.1.2.1.10.2.16 EarsivWebService.faturalptaliKaldır Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturalptaliKaldır([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturalptaliKaldır([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("faturalptaliKaldır", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

### 1.1.2.1.10.2.17 faturalptaliKaldırAsync Method

### 1.1.2.1.10.2.17.1 EarsivWebService.faturalptaliKaldirAsync Method (string)

C#

```
public void faturalptaliKaldirAsync(string input);
```

**Body Source**

```
1: public void faturalptaliKaldirAsync(string input) {
2:     this.faturalptaliKaldirAsync(input, null);
3: }
```

### 1.1.2.1.10.2.17.2 EarsivWebService.faturalptaliKaldirAsync Method (string, object)

C#

```
public void faturalptaliKaldirAsync(string input, object userState);
```

**Body Source**

```
1: public void faturalptaliKaldirAsync(string input, object userState) {
2:     if ((this.faturalptaliKaldirOperationCompleted == null)) {
3:         this.faturalptaliKaldirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturalptaliKaldirOperationCompleted);
4:     }
5:     this.InvokeAsync("faturalptaliKaldir", new object[] {
6:         input}, this.faturalptaliKaldirOperationCompleted, userState);
7: }
```

### 1.1.2.1.10.2.18 EarsivWebService.faturaltirazEt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaltirazEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaltirazEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("faturaltirazEt", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

### 1.1.2.1.10.2.19 faturaltirazEtAsync Method

#### 1.1.2.1.10.2.19.1 EarsivWebService.faturaltirazEtAsync Method (string)

C#

```
public void faturaltirazEtAsync(string input);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

**Body Source**

```

1: public void faturaItirazEtAsync(string input) {
2:     this.faturaItirazEtAsync(input, null);
3: }
```

**1.1.2.1.10.2.19.2 EarsivWebService.faturaltirazEtAsync Method (string, object)****C#**

```
public void faturaItirazEtAsync(string input, object userState);
```

**Body Source**

```

1: public void faturaItirazEtAsync(string input, object userState) {
2:     if ((this.faturaItirazEtOperationCompleted == null)) {
3:         this.faturaItirazEtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaItirazEtOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaItirazEt", new object[] {
6:         input}, this.faturaItirazEtOperationCompleted, userState);
7: }
```

**1.1.2.1.10.2.20 EarsivWebService.faturaltirazKaldır Method****C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaItirazKaldır([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string input);
```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaItirazKaldır([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("faturaItirazKaldır", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

**1.1.2.1.10.2.21 faturaltirazKaldırAsync Method****1.1.2.1.10.2.21.1 EarsivWebService.faturaltirazKaldırAsync Method (string)****C#**

```
public void faturaItirazKaldırAsync(string input);
```

**Body Source**

```

1: public void faturaItirazKaldırAsync(string input) {
2:     this.faturaItirazKaldırAsync(input, null);
3: }
```

### 1.1.2.1.10.2.21.2 EarsivWebService.faturaltirazKaldırAsync Method (string, object)

C#

```
public void faturaltirazKaldırAsync(string input, object userState);
```

**Body Source**

```
1: public void faturaltirazKaldırAsync(string input, object userState) {
2:     if ((this.faturaltirazKaldırOperationCompleted == null)) {
3:         this.faturaltirazKaldırOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaltirazKaldırOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaltirazKaldır", new object[] {
6:         input}, this.faturaltirazKaldırOperationCompleted, userState);
7: }
```

### 1.1.2.1.10.2.22 EarsivWebService.faturaListeSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaListeSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaListeSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output) {
4:     object[] results = this.Invoke("faturaListeSorgula", new object[] {
5:         input});
6:     output = ((faturaDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

### 1.1.2.1.10.2.23 faturaListeSorgulaAsync Method

#### 1.1.2.1.10.2.23.1 EarsivWebService.faturaListeSorgulaAsync Method (string)

C#

```
public void faturaListeSorgulaAsync(string input);
```

**Body Source**

```
1: public void faturaListeSorgulaAsync(string input) {
2:     this.faturaListeSorgulaAsync(input, null);
3: }
```

### 1.1.2.1.10.2.23.2 EarsivWebService.faturaListeSorgulaAsync Method (string, object)

C#

```
public void faturaListeSorgulaAsync(string input, object userState);
```

**Body Source**

```
1: public void faturaListeSorgulaAsync(string input, object userState) {
2:     if ((this.faturaListeSorgulaOperationCompleted == null)) {
3:         this.faturaListeSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaListeSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaListeSorgula", new object[] {
6:         input}, this.faturaListeSorgulaOperationCompleted, userState);
7: }
```

### 1.1.2.1.10.2.24 EarsivWebService.faturaListeSorgulaCount Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaListeSorgulaCount([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema
.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaListeSorgulaCount([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema
.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output) {
4:     object[] results = this.Invoke("faturaListeSorgulaCount", new object[] {
5:         input});
6:     output = ((faturaDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

### 1.1.2.1.10.2.25 faturaListeSorgulaCountAsync Method

#### 1.1.2.1.10.2.25.1 EarsivWebService.faturaListeSorgulaCountAsync Method (string)

C#

```
public void faturaListeSorgulaCountAsync(string input);
```

**Body Source**

```
1: public void faturaListeSorgulaCountAsync(string input) {
2:     this.faturaListeSorgulaCountAsync(input, null);
3: }
```

### 1.1.2.1.10.2.25.2 EarsivWebService.faturaListeSorgulaCountAsync Method (string, object)

C#

```
public void faturaListeSorgulaCountAsync(string input, object userState);
```

**Body Source**

```
1: public void faturaListeSorgulaCountAsync(string input, object userState) {
2:     if ((this.faturaListeSorgulaCountOperationCompleted == null)) {
3:         this.faturaListeSorgulaCountOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaListeSorgulaCountOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaListeSorgulaCount", new object[] {
6:         input}, this.faturaListeSorgulaCountOperationCompleted, userState);
7: }
```

### 1.1.2.1.10.2.26 EarsivWebService.faturaListeSorgulaPortal Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaListeSorgulaPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaListeSorgulaPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output) {
4:     object[] results = this.Invoke("faturaListeSorgulaPortal", new object[] {
5:         input});
6:     output = ((faturaDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

### 1.1.2.1.10.2.27 faturaListeSorgulaPortalAsync Method

#### 1.1.2.1.10.2.27.1 EarsivWebService.faturaListeSorgulaPortalAsync Method (string)

C#

```
public void faturaListeSorgulaPortalAsync(string input);
```

**Body Source**

```
1: public void faturaListeSorgulaPortalAsync(string input) {
2:     this.faturaListeSorgulaPortalAsync(input, null);
3: }
```

### 1.1.2.1.10.2.27.2 EarsivWebService.faturaListeSorgulaPortalAsync Method (string, object)

C#

```
public void faturaListeSorgulaPortalAsync(string input, object userState);
```

**Body Source**

```
1: public void faturaListeSorgulaPortalAsync(string input, object userState) {
2:     if ((this.faturaListeSorgulaPortalOperationCompleted == null)) {
3:         this.faturaListeSorgulaPortalOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaListeSorgulaPortalOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaListeSorgulaPortal", new object[] {
6:         input}, this.faturaListeSorgulaPortalOperationCompleted, userState);
7: }
```

### 1.1.2.1.10.2.28 EarsivWebService.faturaNoUret Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
faturaNoUret([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
faturaNoUret([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("faturaNoUret", new object[] {
5:         input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((string)(results[0]));
8: }
```

### 1.1.2.1.10.2.29 faturaNoUretAsync Method

#### 1.1.2.1.10.2.29.1 EarsivWebService.faturaNoUretAsync Method (string)

C#

```
public void faturaNoUretAsync(string input);
```

**Body Source**

```
1: public void faturaNoUretAsync(string input) {
2:     this.faturaNoUretAsync(input, null);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

```
3: }
```

### 1.1.2.1.10.2.29.2 EarsivWebService.faturaNoUretAsync Method (string, object)

C#

```
public void faturaNoUretAsync(string input, object userState);
```

#### Body Source

```
1: public void faturaNoUretAsync(string input, object userState) {
2:     if ((this.faturaNoUretOperationCompleted == null)) {
3:         this.faturaNoUretOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaNoUretOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaNoUret", new object[] {
6:         input}, this.faturaNoUretOperationCompleted, userState);
7: }
```

### 1.1.2.1.10.2.30 EarsivWebService.faturaOlustur Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
@return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)
public belge
faturaOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge fatura,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return;
```

#### Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [@return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
faturaOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge fatura,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("faturaOlustur", new object[] {
5:         input,
6:         fatura});
7:     @return = ((earsivServiceResult)(results[1]));
8:     return ((belge)(results[0]));
9: }
```

### 1.1.2.1.10.2.31 faturaOlusturAsync Method

### 1.1.2.1.10.2.31.1 EarsivWebService.faturaOlusturAsync Method (string, belge)

C#

```
public void faturaOlusturAsync(string input, belge fatura);
```

**Body Source**

```
1: public void faturaOlusturAsync(string input, belge fatura) {
2:     this.faturaOlusturAsync(input, fatura, null);
3: }
```

### 1.1.2.1.10.2.31.2 EarsivWebService.faturaOlusturAsync Method (string, belge, object)

C#

```
public void faturaOlusturAsync(string input, belge fatura, object userState);
```

**Body Source**

```
1: public void faturaOlusturAsync(string input, belge fatura, object userState) {
2:     if ((this.faturaOlusturOperationCompleted == null)) {
3:         this.faturaOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaOlusturOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaOlustur", new object[] {
6:         input,
7:         fatura}, this.faturaOlusturOperationCompleted, userState);
8: }
```

### 1.1.2.1.10.2.32 EarsivWebService.faturaOlusturExt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
faturaOlusturExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
belge fatura,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
faturaOlusturExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
belge fatura,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
```

```

4:     object[] results = this.Invoke("faturaOlusturExt", new object[] {
5:         input,
6:         fatura});
7:     @return = ((earsvServiceResult)(results[1]));
8:     return ((belge)(results[0]));
9: }

```

### 1.1.2.1.10.2.33 faturaOlusturExtAsync Method

#### 1.1.2.1.10.2.33.1 EarsivWebService.faturaOlusturExtAsync Method (string, belge)

C#

```
public void faturaOlusturExtAsync(string input, belge fatura);
```

#### Body Source

```

1: public void faturaOlusturExtAsync(string input, belge fatura) {
2:     this.faturaOlusturExtAsync(input, fatura, null);
3: }

```

#### 1.1.2.1.10.2.33.2 EarsivWebService.faturaOlusturExtAsync Method (string, belge, object)

C#

```
public void faturaOlusturExtAsync(string input, belge fatura, object userState);
```

#### Body Source

```

1: public void faturaOlusturExtAsync(string input, belge fatura, object userState) {
2:     if ((this.faturaOlusturExtOperationCompleted == null)) {
3:         this.faturaOlusturExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaOlusturExtOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaOlusturExt", new object[] {
6:         input,
7:         fatura}, this.faturaOlusturExtOperationCompleted, userState);
8: }

```

### 1.1.2.1.10.2.34 EarsivWebService.faturaOnizleme Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
@return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)
public belge
faturaOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
belge fatura,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return;

```

#### Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge

```

```

faturaOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
    string input,
    [System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
    belge fatura,
    [System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
    out earsivServiceResult @return) {
4:     object[] results = this.Invoke("faturaOnizleme", new object[] {
5:         input,
6:         fatura});
7:     @return = ((earsivServiceResult)(results[1]));
8:     return ((belge)(results[0]));
9: }

```

### 1.1.2.1.10.2.35 faturaOnizlemeAsync Method

#### 1.1.2.1.10.2.35.1 EarsivWebService.faturaOnizlemeAsync Method (string, belge)

C#

```
public void faturaOnizlemeAsync(string input, belge fatura);
```

**Body Source**

```

1: public void faturaOnizlemeAsync(string input, belge fatura) {
2:     this.faturaOnizlemeAsync(input, fatura, null);
3: }

```

#### 1.1.2.1.10.2.35.2 EarsivWebService.faturaOnizlemeAsync Method (string, belge, object)

C#

```
public void faturaOnizlemeAsync(string input, belge fatura, object userState);
```

**Body Source**

```

1: public void faturaOnizlemeAsync(string input, belge fatura, object userState) {
2:     if ((this.faturaOnizlemeOperationCompleted == null)) {
3:         this.faturaOnizlemeOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaOnizlemeOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaOnizleme", new object[] {
6:         input,
7:         fatura}, this.faturaOnizlemeOperationCompleted, userState);
8: }

```

### 1.1.2.1.10.2.36 EarsivWebService.faturaSorgula Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
faturaSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
    string input,
    [System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
    out earsivServiceResult @return);

```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",

```

```

ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
faturaSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("faturaSorgula", new object[] {
5:         input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }

```

### 1.1.2.1.10.2.37 faturaSorgulaAsync Method

#### 1.1.2.1.10.2.37.1 EarsivWebService.faturaSorgulaAsync Method (string)

C#

```
public void faturaSorgulaAsync(string input);
```

##### Body Source

```

1: public void faturaSorgulaAsync(string input) {
2:     this.faturaSorgulaAsync(input, null);
3: }

```

#### 1.1.2.1.10.2.37.2 EarsivWebService.faturaSorgulaAsync Method (string, object)

C#

```
public void faturaSorgulaAsync(string input, object userState);
```

##### Body Source

```

1: public void faturaSorgulaAsync(string input, object userState) {
2:     if ((this.faturaSorgulaOperationCompleted == null)) {
3:         this.faturaSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaSorgula", new object[] {
6:         input}, this.faturaSorgulaOperationCompleted, userState);
7: }

```

### 1.1.2.1.10.2.38 EarsivWebService.faturaSorgulaExt Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
faturaSorgulaExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSch
emaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);

```

##### Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
faturaSorgulaExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("faturaSorgulaExt", new object[] {
5:         input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }

```

#### 1.1.2.1.10.2.39 faturaSorgulaExtAsync Method

##### 1.1.2.1.10.2.39.1 EarsivWebService.faturaSorgulaExtAsync Method (string)

C#

```
public void faturaSorgulaExtAsync(string input);
```

**Body Source**

```

1: public void faturaSorgulaExtAsync(string input) {
2:     this.faturaSorgulaExtAsync(input, null);
3: }
```

##### 1.1.2.1.10.2.39.2 EarsivWebService.faturaSorgulaExtAsync Method (string, object)

C#

```
public void faturaSorgulaExtAsync(string input, object userState);
```

**Body Source**

```

1: public void faturaSorgulaExtAsync(string input, object userState) {
2:     if ((this.faturaSorgulaExtOperationCompleted == null)) {
3:         this.faturaSorgulaExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaSorgulaExtOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaSorgulaExt", new object[] {
6:         input}, this.faturaSorgulaExtOperationCompleted, userState);
7: }
```

#### 1.1.2.1.10.2.40 EarsivWebService.faturaTaslakOlustur Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute(""),
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaTaslakOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)
belge fatura);
```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaTaslakOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge fatura) {
4:     object[] results = this.Invoke("faturaTaslakOlustur", new object[] {
5:         input,
6:         fatura});
7:     return ((earsivServiceResult)(results[0]));
8: }

```

**1.1.2.1.10.2.41 faturaTaslakOlusturAsync Method****1.1.2.1.10.2.41.1 EarsivWebService.faturaTaslakOlusturAsync Method (string, belge)****C#**

```
public void faturaTaslakOlusturAsync(string input, belge fatura);
```

**Body Source**

```

1: public void faturaTaslakOlusturAsync(string input, belge fatura) {
2:     this.faturaTaslakOlusturAsync(input, fatura, null);
3: }

```

**1.1.2.1.10.2.41.2 EarsivWebService.faturaTaslakOlusturAsync Method (string, belge, object)****C#**

```
public void faturaTaslakOlusturAsync(string input, belge fatura, object userState);
```

**Body Source**

```

1: public void faturaTaslakOlusturAsync(string input, belge fatura, object userState) {
2:     if ((this.faturaTaslakOlusturOperationCompleted == null)) {
3:         this.faturaTaslakOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaTaslakOlusturOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaTaslakOlustur", new object[] {
6:         input,
7:         fatura}, this.faturaTaslakOlusturOperationCompleted, userState);
8: }

```

**1.1.2.1.10.2.42 EarsivWebService.faturaTaslakOnizleme Method****C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaTaslakOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
lSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]

```

```
ed])
out belge output);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaTaslakOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out belge output) {
4:     object[] results = this.Invoke("faturaTaslakOnizleme", new object[] {
5:         input});
6:     output = ((belge)(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

**1.1.2.1.10.2.43 faturaTaslakOnizlemeAsync Method****1.1.2.1.10.2.43.1 EarsivWebService.faturaTaslakOnizlemeAsync Method (string)****C#**

```
public void faturaTaslakOnizlemeAsync(string input);
```

**Body Source**

```
1: public void faturaTaslakOnizlemeAsync(string input) {
2:     this.faturaTaslakOnizlemeAsync(input, null);
3: }
```

**1.1.2.1.10.2.43.2 EarsivWebService.faturaTaslakOnizlemeAsync Method (string, object)****C#**

```
public void faturaTaslakOnizlemeAsync(string input, object userState);
```

**Body Source**

```
1: public void faturaTaslakOnizlemeAsync(string input, object userState) {
2:     if ((this.faturaTaslakOnizlemeOperationCompleted == null)) {
3:         this.faturaTaslakOnizlemeOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaTaslakOnizlemeOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaTaslakOnizleme", new object[] {
6:         input}, this.faturaTaslakOnizlemeOperationCompleted, userState);
7: }
```

**1.1.2.1.10.2.44 EarsivWebService.faturaTaslakSil Method****C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaTaslakSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input);
```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaTaslakSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSche
maForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("faturaTaslakSil", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }

```

**1.1.2.1.10.2.45 faturaTaslakSilAsync Method****1.1.2.1.10.2.45.1 EarsivWebService.faturaTaslakSilAsync Method (string)****C#**

```
public void faturaTaslakSilAsync(string input);
```

**Body Source**

```

1: public void faturaTaslakSilAsync(string input) {
2:     this.faturaTaslakSilAsync(input, null);
3: }

```

**1.1.2.1.10.2.45.2 EarsivWebService.faturaTaslakSilAsync Method (string, object)****C#**

```
public void faturaTaslakSilAsync(string input, object userState);
```

**Body Source**

```

1: public void faturaTaslakSilAsync(string input, object userState) {
2:     if ((this.faturaTaslakSilOperationCompleted == null)) {
3:         this.faturaTaslakSilOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaTaslakSilOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaTaslakSil", new object[] {
6:         input}, this.faturaTaslakSilOperationCompleted, userState);
7: }

```

**1.1.2.1.10.2.46 EarsivWebService.faturaTaslakSorgula Method****C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaTaslakSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output);

```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
```

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com*

```

1: Use=System.Web.Services.Description.SoapBindingUse.Literal,
2: ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)
3: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
4: public earsivServiceResult
faturaTaslakSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
5: string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output) {
6:     object[] results = this.Invoke("faturaTaslakSorgula", new object[] {
7:         input});
8:     output = ((faturaDTO[])(results[1]));
9:     return ((earsivServiceResult)(results[0]));
10: }

```

#### 1.1.2.1.10.2.47 faturaTaslakSorgulaAsync Method

##### 1.1.2.1.10.2.47.1 EarsivWebService.faturaTaslakSorgulaAsync Method (string)

C#

```
public void faturaTaslakSorgulaAsync(string input);
```

**Body Source**

```

1: public void faturaTaslakSorgulaAsync(string input) {
2:     this.faturaTaslakSorgulaAsync(input, null);
3: }

```

##### 1.1.2.1.10.2.47.2 EarsivWebService.faturaTaslakSorgulaAsync Method (string, object)

C#

```
public void faturaTaslakSorgulaAsync(string input, object userState);
```

**Body Source**

```

1: public void faturaTaslakSorgulaAsync(string input, object userState) {
2:     if ((this.faturaTaslakSorgulaOperationCompleted == null)) {
3:         this.faturaTaslakSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaTaslakSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaTaslakSorgula", new object[] {
6:         input}, this.faturaTaslakSorgulaOperationCompleted, userState);
7: }

```

#### 1.1.2.1.10.2.48 EarsivWebService.faturaTaslaktanOlustur Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
faturaTaslaktanOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);

```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,

```

```

ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped) ]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
faturaTaslaktanOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("faturaTaslaktanOlustur", new object[] {
5:         input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }

```

#### 1.1.2.1.10.2.49 faturaTaslaktanOlusturAsync Method

##### 1.1.2.1.10.2.49.1 EarsivWebService.faturaTaslaktanOlusturAsync Method (string)

C#

```
public void faturaTaslaktanOlusturAsync(string input);
```

**Body Source**

```

1: public void faturaTaslaktanOlusturAsync(string input) {
2:     this.faturaTaslaktanOlusturAsync(input, null);
3: }

```

##### 1.1.2.1.10.2.49.2 EarsivWebService.faturaTaslaktanOlusturAsync Method (string, object)

C#

```
public void faturaTaslaktanOlusturAsync(string input, object userState);
```

**Body Source**

```

1: public void faturaTaslaktanOlusturAsync(string input, object userState) {
2:     if ((this.faturaTaslaktanOlusturOperationCompleted == null)) {
3:         this.faturaTaslaktanOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaTaslaktanOlusturOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaTaslaktanOlustur", new object[] {
6:         input}, this.faturaTaslaktanOlusturOperationCompleted, userState);
7: }

```

#### 1.1.2.1.10.2.50 EarsivWebService.faturaZipiAI Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaZipiAI([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
DataType="base64Binary", IsNullable=true)] out byte[] output);

```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
```

```

1: Use=System.Web.Services.Description.SoapBindingUse.Literal,
2: ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
3: Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaZipiAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaF
orm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary", IsNullable=true)] out byte[] output) {
4:     object[] results = this.Invoke("faturaZipiAl", new object[] {
5:         input});
6:     output = ((byte[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }

```

### 1.1.2.1.10.2.51 faturaZipiAIAsync Method

#### 1.1.2.1.10.2.51.1 EarsivWebService.faturaZipiAIAsync Method (string)

C#

```
public void faturaZipiAIAsync(string input);
```

##### Body Source

```

1: public void faturaZipiAIAsync(string input) {
2:     this.faturaZipiAIAsync(input, null);
3: }

```

#### 1.1.2.1.10.2.51.2 EarsivWebService.faturaZipiAIAsync Method (string, object)

C#

```
public void faturaZipiAIAsync(string input, object userState);
```

##### Body Source

```

1: public void faturaZipiAIAsync(string input, object userState) {
2:     if ((this.faturaZipiAIOperationCompleted == null)) {
3:         this.faturaZipiAIOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaZipiAIOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaZipiAI", new object[] {
6:         input}, this.faturaZipiAIOperationCompleted, userState);
7: }

```

### 1.1.2.1.10.2.52 EarsivWebService.IsLocalFileSystemWebService Method

C#

```
private bool IsLocalFileSystemWebService(string url);
```

##### Description

This is IsLocalFileSystemWebService, a member of class EarsivWebService.

##### Body Source

```

1: private bool IsLocalFileSystemWebService(string url) {
2:     if (((url == null)
3:         || (url == string.Empty))) {
4:         return false;
5:     }
6:     System.Uri wsUri = new System.Uri(url);
7:     if (((wsUri.Port >= 1024)
8:         && (string.Compare(wsUri.Host, "localhost",
System.StringComparison.OrdinalIgnoreCase) == 0))) {
9:         return true;
10:    }

```

```

11:     return false;
12: }

```

### 1.1.2.1.10.2.53 EarsivWebService.kontorBilgisiGetir Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
kontorBilgisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string kontorTipi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string kontorBirim);

```

#### Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
kontorBilgisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string kontorTipi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string kontorBirim) {
4:     object[] results = this.Invoke("kontorBilgisiGetir", new object[] {
5:         vknTckn,
6:         kontorTipi,
7:         kontorBirim});
8:     return ((earsivServiceResult)(results[0]));
9: }

```

### 1.1.2.1.10.2.54 kontorBilgisiGetirAsync Method

#### 1.1.2.1.10.2.54.1 EarsivWebService.kontorBilgisiGetirAsync Method (string, string, string)

C#

```
public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string kontorBirim);
```

#### Body Source

```

1: public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string
kontorBirim) {
2:     this.kontorBilgisiGetirAsync(vknTckn, kontorTipi, kontorBirim, null);
3: }

```

#### 1.1.2.1.10.2.54.2 EarsivWebService.kontorBilgisiGetirAsync Method (string, string, string, object)

C#

```
public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string kontorBirim, object userState);
```

##### Body Source

```
1: public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string kontorBirim, object userState) {
2:     if ((this.kontorBilgisiGetirOperationCompleted == null)) {
3:         this.kontorBilgisiGetirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnkontorBilgisiGetirOperationCompleted);
4:     }
5:     this.InvokeAsync("kontorBilgisiGetir", new object[] {
6:         vknTckn,
7:         kontorTipi,
8:         kontorBirim}, this.kontorBilgisiGetirOperationCompleted, userState);
9: }
```

#### 1.1.2.1.10.2.55 EarsivWebService.okcRaporBolumAI Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
okcRaporBolumAI([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSche
maForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);
```

##### Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
okcRaporBolumAI([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSche
maForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("okcRaporBolumAI", new object[] {
5:         input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }
```

#### 1.1.2.1.10.2.56 okcRaporBolumAIAsync Method

##### 1.1.2.1.10.2.56.1 EarsivWebService.okcRaporBolumAIAsync Method (string)

C#

```
public void okcRaporBolumAIAsync(string input);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

**Body Source**

```

1: public void okcRaporBolumAlAsync(string input) {
2:     this.okcRaporBolumAlAsync(input, null);
3: }

```

**1.1.2.1.10.2.56.2 EarsivWebService.okcRaporBolumAlAsync Method (string, object)****C#**

```
public void okcRaporBolumAlAsync(string input, object userState);
```

**Body Source**

```

1: public void okcRaporBolumAlAsync(string input, object userState) {
2:     if ((this.okcRaporBolumAlOperationCompleted == null)) {
3:         this.okcRaporBolumAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnokcRaporBolumAlOperationCompleted);
4:     }
5:     this.InvokeAsync("okcRaporBolumAl", new object[] {
6:         input}, this.okcRaporBolumAlOperationCompleted, userState);
7: }

```

**1.1.2.1.10.2.57 EarsivWebService.okcRaporKaydet Method****C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
okcRaporKaydet([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
dosyaInput rapor);

```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
okcRaporKaydet([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
dosyaInput rapor) {
4:     object[] results = this.Invoke("okcRaporKaydet", new object[] {
5:         input,
6:         rapor});
7:     return ((earsivServiceResult)(results[0]));
8: }

```

**1.1.2.1.10.2.58 okcRaporKaydetAsync Method**

### 1.1.2.1.10.2.58.1 EarsivWebService.okcRaporKaydetAsync Method (string, dosyaInput)

C#

```
public void okcRaporKaydetAsync(string input, dosyaInput rapor);
```

**Body Source**

```
1: public void okcRaporKaydetAsync(string input, dosyaInput rapor) {
2:     this.okcRaporKaydetAsync(input, rapor, null);
3: }
```

### 1.1.2.1.10.2.58.2 EarsivWebService.okcRaporKaydetAsync Method (string, dosyaInput, object)

C#

```
public void okcRaporKaydetAsync(string input, dosyaInput rapor, object userState);
```

**Body Source**

```
1: public void okcRaporKaydetAsync(string input, dosyaInput rapor, object userState) {
2:     if ((this.okcRaporKaydetOperationCompleted == null)) {
3:         this.okcRaporKaydetOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnokcRaporKaydetOperationCompleted);
4:     }
5:     this.InvokeAsync("okcRaporKaydet", new object[] {
6:         input,
7:         rapor}, this.okcRaporKaydetOperationCompleted, userState);
8: }
```

### 1.1.2.1.10.2.59 EarsivWebService.okcRaporOlusturGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("", RequestNamespace="http://service.earsiv.uut.cs.com.tr/", ResponseNamespace="http://service.earsiv.uut.cs.com.tr/", Use=System.Web.Services.Description.SoapBindingUse.Literal, ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return", Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
okcRaporOlusturGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("", RequestNamespace="http://service.earsiv.uut.cs.com.tr/", ResponseNamespace="http://service.earsiv.uut.cs.com.tr/", Use=System.Web.Services.Description.SoapBindingUse.Literal, ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return", Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
okcRaporOlusturGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("okcRaporOlusturGonder", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

### 1.1.2.1.10.2.60 okcRaporOlusturGonderAsync Method

### 1.1.2.1.10.2.60.1 EarsivWebService.okcRaporOlusturGonderAsync Method (string)

C#

```
public void okcRaporOlusturGonderAsync(string input);
```

**Body Source**

```
1: public void okcRaporOlusturGonderAsync(string input) {
2:     this.okcRaporOlusturGonderAsync(input, null);
3: }
```

### 1.1.2.1.10.2.60.2 EarsivWebService.okcRaporOlusturGonderAsync Method (string, object)

C#

```
public void okcRaporOlusturGonderAsync(string input, object userState);
```

**Body Source**

```
1: public void okcRaporOlusturGonderAsync(string input, object userState) {
2:     if ((this.okcRaporOlusturGonderOperationCompleted == null)) {
3:         this.okcRaporOlusturGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnokcRaporOlusturGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("okcRaporOlusturGonder", new object[] {
6:         input}, this.okcRaporOlusturGonderOperationCompleted, userState);
7: }
```

### 1.1.2.1.10.2.61 EarsivWebService.OnaliciEpostaEkleSilGuncelleOperationCompleted Method

C#

```
private void OnaliciEpostaEkleSilGuncelleOperationCompleted(object arg);
```

**Description**

This is OnaliciEpostaEkleSilGuncelleOperationCompleted, a member of class EarsivWebService.

**Body Source**

```
1: private void OnaliciEpostaEkleSilGuncelleOperationCompleted(object arg) {
2:     if ((this.aliciEpostaEkleSilGuncelleCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.aliciEpostaEkleSilGuncelleCompleted(this, new
aliciEpostaEkleSilGuncelleCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.2.1.10.2.62 EarsivWebService.OneFaturaKayitliKullaniciListeleOperationCompleted Method

C#

```
private void OneFaturaKayitliKullaniciListeleOperationCompleted(object arg);
```

**Description**

This is OneFaturaKayitliKullaniciListeleOperationCompleted, a member of class EarsivWebService.

**Body Source**

```
1: private void OneFaturaKayitliKullaniciListeleOperationCompleted(object arg) {
2:     if ((this.eFaturaKayitliKullaniciListeleCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.eFaturaKayitliKullaniciListeleCompleted(this, new
eFaturaKayitliKullaniciListeleCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.2.1.10.2.63 EarsivWebService.OnefaturaKullanicisiKontrolOperationCompleted Method

C#

```
private void OnefaturaKullanicisiKontrolOperationCompleted(object arg);
```

#### Description

This is OnefaturaKullanicisiKontrolOperationCompleted, a member of class EarsivWebService.

#### Body Source

```
1: private void OnefaturaKullanicisiKontrolOperationCompleted(object arg) {
2:     if ((this.efaturaKullanicisiKontrolCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.efaturaKullanicisiKontrolCompleted(this, new
6:             efaturaKullanicisiKontrolCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

### 1.1.2.1.10.2.64 EarsivWebService.OnefaturaKullanicisiOperationCompleted Method

C#

```
private void OnefaturaKullanicisiOperationCompleted(object arg);
```

#### Description

This is OnefaturaKullanicisiOperationCompleted, a member of class EarsivWebService.

#### Body Source

```
1: private void OnefaturaKullanicisiOperationCompleted(object arg) {
2:     if ((this.efaturaKullanicisiCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.efaturaKullanicisiCompleted(this, new
6:             efaturaKullanicisiCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

### 1.1.2.1.10.2.65 EarsivWebService.OnePostaDurumSorgulaOperationCompleted Method

C#

```
private void OnePostaDurumSorgulaOperationCompleted(object arg);
```

#### Description

This is OnePostaDurumSorgulaOperationCompleted, a member of class EarsivWebService.

#### Body Source

```
1: private void OnePostaDurumSorgulaOperationCompleted(object arg) {
2:     if ((this.ePostaDurumSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.ePostaDurumSorgulaCompleted(this, new
6:             ePostaDurumSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

### 1.1.2.1.10.2.66 EarsivWebService.OnePostaGonderOperationCompleted Method

C#

```
private void OnePostaGonderOperationCompleted(object arg);
```

**Description**

This is OnePostaGonderOperationCompleted, a member of class EarsivWebService.

**Body Source**

```

1: private void OnePostaGonderOperationCompleted(object arg) {
2:     if ((this.ePostaGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.ePostaGonderCompleted(this, new
ePostaGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

**1.1.2.1.10.2.67 EarsivWebService.OnfaturaliptalEtOperationCompleted Method****C#**

```
private void OnfaturaliptalEtOperationCompleted(object arg);
```

**Description**

This is OnfaturaliptalEtOperationCompleted, a member of class EarsivWebService.

**Body Source**

```

1: private void OnfaturaliptalEtOperationCompleted(object arg) {
2:     if ((this.faturaIptalEtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaIptalEtCompleted(this, new
faturaIptalEtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

**1.1.2.1.10.2.68 EarsivWebService.OnfaturalptaliKaldırOperationCompleted Method****C#**

```
private void OnfaturalptaliKaldırOperationCompleted(object arg);
```

**Description**

This is OnfaturalptaliKaldırOperationCompleted, a member of class EarsivWebService.

**Body Source**

```

1: private void OnfaturalptaliKaldırOperationCompleted(object arg) {
2:     if ((this.faturaIptaliKaldırCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaIptaliKaldırCompleted(this, new
faturaIptaliKaldırCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

**1.1.2.1.10.2.69 EarsivWebService.OnfaturaltirazEtOperationCompleted Method****C#**

```
private void OnfaturaltirazEtOperationCompleted(object arg);
```

**Description**

This is OnfaturaltirazEtOperationCompleted, a member of class EarsivWebService.

**Body Source**

```
1: private void OnfaturaltirazEtOperationCompleted(object arg) {
```

```

2:     if ((this.faturaItirazEtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.faturaItirazEtCompleted(this, new
faturaItirazEtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
6:     }

```

#### 1.1.2.1.10.2.70 EarsivWebService.OnfaturaItirazKaldırOperationCompleted Method

C#

```
private void OnfaturaItirazKaldırOperationCompleted(object arg);
```

**Description**

This is OnfaturaItirazKaldırOperationCompleted, a member of class EarsivWebService.

**Body Source**

```

1: private void OnfaturaItirazKaldırOperationCompleted(object arg) {
2:     if ((this.faturaItirazKaldırCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.faturaItirazKaldırCompleted(this, new
faturaItirazKaldırCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
6:     }

```

#### 1.1.2.1.10.2.71 EarsivWebService.OnfaturaListeSorgulaCountOperationCompleted Method

C#

```
private void OnfaturaListeSorgulaCountOperationCompleted(object arg);
```

**Description**

This is OnfaturaListeSorgulaCountOperationCompleted, a member of class EarsivWebService.

**Body Source**

```

1: private void OnfaturaListeSorgulaCountOperationCompleted(object arg) {
2:     if ((this.faturaListeSorgulaCountCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.faturaListeSorgulaCountCompleted(this, new
faturaListeSorgulaCountCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
6:     }

```

#### 1.1.2.1.10.2.72 EarsivWebService.OnfaturaListeSorgulaOperationCompleted Method

C#

```
private void OnfaturaListeSorgulaOperationCompleted(object arg);
```

**Description**

This is OnfaturaListeSorgulaOperationCompleted, a member of class EarsivWebService.

**Body Source**

```

1: private void OnfaturaListeSorgulaOperationCompleted(object arg) {
2:     if ((this.faturaListeSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.faturaListeSorgulaCompleted(this, new
faturaListeSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
6:     }

```

```
6: }
```

### 1.1.2.1.10.2.73 EarsivWebService.OnfaturaListeSorgulaPortalOperationCompleted Method

C#

```
private void OnfaturaListeSorgulaPortalOperationCompleted(object arg);
```

#### Description

This is OnfaturaListeSorgulaPortalOperationCompleted, a member of class EarsivWebService.

#### Body Source

```
1: private void OnfaturaListeSorgulaPortalOperationCompleted(object arg) {
2:     if ((this.faturaListeSorgulaPortalCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaListeSorgulaPortalCompleted(this, new
faturaListeSorgulaPortalCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.2.1.10.2.74 EarsivWebService.OnfaturaNoUretOperationCompleted Method

C#

```
private void OnfaturaNoUretOperationCompleted(object arg);
```

#### Description

This is OnfaturaNoUretOperationCompleted, a member of class EarsivWebService.

#### Body Source

```
1: private void OnfaturaNoUretOperationCompleted(object arg) {
2:     if ((this.faturaNoUretCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaNoUretCompleted(this, new
faturaNoUretCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

### 1.1.2.1.10.2.75 EarsivWebService.OnfaturaOlusturExtOperationCompleted Method

C#

```
private void OnfaturaOlusturExtOperationCompleted(object arg);
```

#### Description

This is OnfaturaOlusturExtOperationCompleted, a member of class EarsivWebService.

#### Body Source

```
1: private void OnfaturaOlusturExtOperationCompleted(object arg) {
2:     if ((this.faturaOlusturExtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaOlusturExtCompleted(this, new
faturaOlusturExtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.2.1.10.2.76 EarsivWebService.OnfaturaOlusturOperationCompleted Method

C#

```
private void OnfaturaOlusturOperationCompleted(object arg);
```

## Description

This is OnfaturaOlusturOperationCompleted, a member of class EarsivWebService.

## Body Source

```

1: private void OnfaturaOlusturOperationCompleted(object arg) {
2:     if ((this.faturaOlusturCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaOlusturCompleted(this, new
faturaOlusturCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

### 1.1.2.1.10.2.77 EarsivWebService.OnfaturaOnizlemeOperationCompleted Method

#### C#

```
private void OnfaturaOnizlemeOperationCompleted(object arg);
```

## Description

This is OnfaturaOnizlemeOperationCompleted, a member of class EarsivWebService.

## Body Source

```

1: private void OnfaturaOnizlemeOperationCompleted(object arg) {
2:     if ((this.faturaOnizlemeCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaOnizlemeCompleted(this, new
faturaOnizlemeCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.2.1.10.2.78 EarsivWebService.OnfaturaSorgulaExtOperationCompleted Method

#### C#

```
private void OnfaturaSorgulaExtOperationCompleted(object arg);
```

## Description

This is OnfaturaSorgulaExtOperationCompleted, a member of class EarsivWebService.

## Body Source

```

1: private void OnfaturaSorgulaExtOperationCompleted(object arg) {
2:     if ((this.faturaSorgulaExtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaSorgulaExtCompleted(this, new
faturaSorgulaExtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.2.1.10.2.79 EarsivWebService.OnfaturaSorgulaOperationCompleted Method

#### C#

```
private void OnfaturaSorgulaOperationCompleted(object arg);
```

## Description

This is OnfaturaSorgulaOperationCompleted, a member of class EarsivWebService.

## Body Source

```
1: private void OnfaturaSorgulaOperationCompleted(object arg) {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

2:     if ((this.faturaSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.faturaSorgulaCompleted(this, new
faturaSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
6:     }

```

### 1.1.2.1.10.2.80 EarsivWebService.OnfaturaTaslakOlusturOperationCompleted Method

C#

```
private void OnfaturaTaslakOlusturOperationCompleted(object arg);
```

#### Description

This is OnfaturaTaslakOlusturOperationCompleted, a member of class EarsivWebService.

#### Body Source

```

1: private void OnfaturaTaslakOlusturOperationCompleted(object arg) {
2:     if ((this.faturaTaslakOlusturCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.faturaTaslakOlusturCompleted(this, new
faturaTaslakOlusturCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
6:     }

```

### 1.1.2.1.10.2.81 EarsivWebService.OnfaturaTaslakOnizlemeOperationCompleted Method

C#

```
private void OnfaturaTaslakOnizlemeOperationCompleted(object arg);
```

#### Description

This is OnfaturaTaslakOnizlemeOperationCompleted, a member of class EarsivWebService.

#### Body Source

```

1: private void OnfaturaTaslakOnizlemeOperationCompleted(object arg) {
2:     if ((this.faturaTaslakOnizlemeCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.faturaTaslakOnizlemeCompleted(this, new
faturaTaslakOnizlemeCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
6:     }

```

### 1.1.2.1.10.2.82 EarsivWebService.OnfaturaTaslakSilOperationCompleted Method

C#

```
private void OnfaturaTaslakSilOperationCompleted(object arg);
```

#### Description

This is OnfaturaTaslakSilOperationCompleted, a member of class EarsivWebService.

#### Body Source

```

1: private void OnfaturaTaslakSilOperationCompleted(object arg) {
2:     if ((this.faturaTaslakSilCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.faturaTaslakSilCompleted(this, new
faturaTaslakSilCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
6:     }

```

```
6: }
```

### 1.1.2.1.10.2.83 EarsivWebService.OnfaturaTaslakSorgulaOperationCompleted Method

C#

```
private void OnfaturaTaslakSorgulaOperationCompleted(object arg);
```

#### Description

This is OnfaturaTaslakSorgulaOperationCompleted, a member of class EarsivWebService.

#### Body Source

```
1: private void OnfaturaTaslakSorgulaOperationCompleted(object arg) {
2:     if ((this.faturaTaslakSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaTaslakSorgulaCompleted(this, new
faturaTaslakSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.2.1.10.2.84 EarsivWebService.OnfaturaTaslaktanOlusturOperationCompleted Method

C#

```
private void OnfaturaTaslaktanOlusturOperationCompleted(object arg);
```

#### Description

This is OnfaturaTaslaktanOlusturOperationCompleted, a member of class EarsivWebService.

#### Body Source

```
1: private void OnfaturaTaslaktanOlusturOperationCompleted(object arg) {
2:     if ((this.faturaTaslaktanOlusturCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaTaslaktanOlusturCompleted(this, new
faturaTaslaktanOlusturCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.2.1.10.2.85 EarsivWebService.OnfaturaZipiAlOperationCompleted Method

C#

```
private void OnfaturaZipiAlOperationCompleted(object arg);
```

#### Description

This is OnfaturaZipiAlOperationCompleted, a member of class EarsivWebService.

#### Body Source

```
1: private void OnfaturaZipiAlOperationCompleted(object arg) {
2:     if ((this.faturaZipiAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaZipiAlCompleted(this, new
faturaZipiAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

### 1.1.2.1.10.2.86 EarsivWebService.OnkontorBilgisiGetirOperationCompleted Method

C#

```
private void OnkontorBilgisiGetirOperationCompleted(object arg);
```

## Description

This is OnkontorBilgisiGetirOperationCompleted, a member of class EarsivWebService.

## Body Source

```

1: private void OnkontorBilgisiGetirOperationCompleted(object arg) {
2:     if ((this.kontorBilgisiGetirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.kontorBilgisiGetirCompleted(this, new
kontorBilgisiGetirCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

## 1.1.2.1.10.2.87 EarsivWebService.OnokcRaporBolumAlOperationCompleted Method

### C#

```
private void OnokcRaporBolumAlOperationCompleted(object arg);
```

## Description

This is OnokcRaporBolumAlOperationCompleted, a member of class EarsivWebService.

## Body Source

```

1: private void OnokcRaporBolumAlOperationCompleted(object arg) {
2:     if ((this.okcRaporBolumAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.okcRaporBolumAlCompleted(this, new
okcRaporBolumAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

## 1.1.2.1.10.2.88 EarsivWebService.OnokcRaporKaydetOperationCompleted Method

### C#

```
private void OnokcRaporKaydetOperationCompleted(object arg);
```

## Description

This is OnokcRaporKaydetOperationCompleted, a member of class EarsivWebService.

## Body Source

```

1: private void OnokcRaporKaydetOperationCompleted(object arg) {
2:     if ((this.okcRaporKaydetCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.okcRaporKaydetCompleted(this, new
okcRaporKaydetCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

## 1.1.2.1.10.2.89 EarsivWebService.OnokcRaporOlusturGonderOperationCompleted Method

### C#

```
private void OnokcRaporOlusturGonderOperationCompleted(object arg);
```

## Description

This is OnokcRaporOlusturGonderOperationCompleted, a member of class EarsivWebService.

## Body Source

```
1: private void OnokcRaporOlusturGonderOperationCompleted(object arg) {
```

```

2:     if ((this.okcRaporOlusturGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.okcRaporOlusturGonderCompleted(this, new
6: okcRaporOlusturGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
7:     }
8: }
```

#### 1.1.2.1.10.2.90 EarsivWebService.OnraporBolumAlOperationCompleted Method

C#

```
private void OnraporBolumAlOperationCompleted(object arg);
```

**Description**

This is OnraporBolumAlOperationCompleted, a member of class EarsivWebService.

**Body Source**

```

1: private void OnraporBolumAlOperationCompleted(object arg) {
2:     if ((this.raporBolumAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.raporBolumAlCompleted(this, new
6: raporBolumAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
7:     }
8: }
```

#### 1.1.2.1.10.2.91 EarsivWebService.OnraporBolumBilgisiAlOperationCompleted Method

C#

```
private void OnraporBolumBilgisiAlOperationCompleted(object arg);
```

**Description**

This is OnraporBolumBilgisiAlOperationCompleted, a member of class EarsivWebService.

**Body Source**

```

1: private void OnraporBolumBilgisiAlOperationCompleted(object arg) {
2:     if ((this.raporBolumBilgisiAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.raporBolumBilgisiAlCompleted(this, new
6: raporBolumBilgisiAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
7:     }
8: }
```

#### 1.1.2.1.10.2.92 EarsivWebService.OnraporBolumleriOlusturOperationCompleted Method

C#

```
private void OnraporBolumleriOlusturOperationCompleted(object arg);
```

**Description**

This is OnraporBolumleriOlusturOperationCompleted, a member of class EarsivWebService.

**Body Source**

```

1: private void OnraporBolumleriOlusturOperationCompleted(object arg) {
2:     if ((this.raporBolumleriOlusturCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.raporBolumleriOlusturCompleted(this, new
6: raporBolumleriOlusturCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
7:     }
8: }
```

```
6: }
```

### 1.1.2.1.10.2.93 EarsivWebService.OnraporBolumListesiDetayliSorgulaOperationCompleted Method

C#

```
private void OnraporBolumListesiDetayliSorgulaOperationCompleted(object arg);
```

#### Description

This is OnraporBolumListesiDetayliSorgulaOperationCompleted, a member of class EarsivWebService.

#### Body Source

```
1: private void OnraporBolumListesiDetayliSorgulaOperationCompleted(object arg) {
2:     if ((this.raporBolumListesiDetayliSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumListesiDetayliSorgulaCompleted(this, new
raporBolumListesiDetayliSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.2.1.10.2.94 EarsivWebService.OnraporBolumListesiSorgulaOperationCompleted Method

C#

```
private void OnraporBolumListesiSorgulaOperationCompleted(object arg);
```

#### Description

This is OnraporBolumListesiSorgulaOperationCompleted, a member of class EarsivWebService.

#### Body Source

```
1: private void OnraporBolumListesiSorgulaOperationCompleted(object arg) {
2:     if ((this.raporBolumListesiSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumListesiSorgulaCompleted(this, new
raporBolumListesiSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.2.1.10.2.95 EarsivWebService.OnraporBolumListesiSorgulaWithInputOperationCompleted Method

C#

```
private void OnraporBolumListesiSorgulaWithInputOperationCompleted(object arg);
```

#### Description

This is OnraporBolumListesiSorgulaWithInputOperationCompleted, a member of class EarsivWebService.

#### Body Source

```
1: private void OnraporBolumListesiSorgulaWithInputOperationCompleted(object arg) {
2:     if ((this.raporBolumListesiSorgulaWithInputCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumListesiSorgulaWithInputCompleted(this, new
raporBolumListesiSorgulaWithInputCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.2.1.10.2.96 EarsivWebService.OnraporBolumRaporNoGuncelleImzalaOperationCompleted Method

C#

```
private void OnraporBolumRaporNoGuncelleImzalaOperationCompleted(object arg);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

## Description

This is OnraporBolumRaporNoGuncelleImzalaOperationCompleted, a member of class EarsivWebService.

## Body Source

```

1: private void OnraporBolumRaporNoGuncelleImzalaOperationCompleted(object arg) {
2:     if ((this.raporBolumRaporNoGuncelleImzalaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumRaporNoGuncelleImzalaCompleted(this, new
raporBolumRaporNoGuncelleImzalaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.2.1.10.2.97 EarsivWebService.OnraporBolumSilOperationCompleted Method

#### C#

```
private void OnraporBolumSilOperationCompleted(object arg);
```

## Description

This is OnraporBolumSilOperationCompleted, a member of class EarsivWebService.

## Body Source

```

1: private void OnraporBolumSilOperationCompleted(object arg) {
2:     if ((this.raporBolumSilCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumSilCompleted(this, new
raporBolumSilCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

### 1.1.2.1.10.2.98 EarsivWebService.OnrapordaFaturaSorgulaOperationCompleted Method

#### C#

```
private void OnrapordaFaturaSorgulaOperationCompleted(object arg);
```

## Description

This is OnrapordaFaturaSorgulaOperationCompleted, a member of class EarsivWebService.

## Body Source

```

1: private void OnrapordaFaturaSorgulaOperationCompleted(object arg) {
2:     if ((this.rapordaFaturaSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.rapordaFaturaSorgulaCompleted(this, new
rapordaFaturaSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.2.1.10.2.99 EarsivWebService.OnraporDurumSorgulaOperationCompleted Method

#### C#

```
private void OnraporDurumSorgulaOperationCompleted(object arg);
```

## Description

This is OnraporDurumSorgulaOperationCompleted, a member of class EarsivWebService.

## Body Source

```
1: private void OnraporDurumSorgulaOperationCompleted(object arg) {
```

```

2:     if ((this.raporDurumSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporDurumSorgulaCompleted(this, new
raporDurumSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.2.1.10.2.100 EarsivWebService.OnraporGonderOperationCompleted Method

C#

```
private void OnraporGonderOperationCompleted(object arg);
```

#### Description

This is OnraporGonderOperationCompleted, a member of class EarsivWebService.

#### Body Source

```

1: private void OnraporGonderOperationCompleted(object arg) {
2:     if ((this.raporGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporGonderCompleted(this, new
raporGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

### 1.1.2.1.10.2.101 EarsivWebService.OnservisSaglayicidanEpostaDurumSorgulaOperationCompleted Method

C#

```
private void OnservisSaglayicidanEpostaDurumSorgulaOperationCompleted(object arg);
```

#### Description

This is OnservisSaglayicidanEpostaDurumSorgulaOperationCompleted, a member of class EarsivWebService.

#### Body Source

```

1: private void OnservisSaglayicidanEpostaDurumSorgulaOperationCompleted(object arg) {
2:     if ((this.servisSaglayicidanEpostaDurumSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.servisSaglayicidanEpostaDurumSorgulaCompleted(this, new
servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs(invokeArgs.Results,
invokeArgs.Error, invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.2.1.10.2.102 EarsivWebService.OnsmsDurumSorgulaOperationCompleted Method

C#

```
private void OnsmsDurumSorgulaOperationCompleted(object arg);
```

#### Description

This is OnsmsDurumSorgulaOperationCompleted, a member of class EarsivWebService.

#### Body Source

```

1: private void OnsmsDurumSorgulaOperationCompleted(object arg) {
2:     if ((this.smsDurumSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.smsDurumSorgulaCompleted(this, new
smsDurumSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
```

```

5:      }
6: }
```

### 1.1.2.1.10.2.103 EarsivWebService.OnsmsGonderOperationCompleted Method

C#

```
private void OnsmsGonderOperationCompleted(object arg);
```

#### Description

This is OnsmsGonderOperationCompleted, a member of class EarsivWebService.

#### Body Source

```

1: private void OnsmsGonderOperationCompleted(object arg) {
2:     if ((this.smsGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.smsGonderCompleted(this, new
smsGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

### 1.1.2.1.10.2.104 EarsivWebService.OntoplufaturaPaketDosyaGonderOperationCompleted Method

C#

```
private void OntoplufaturaPaketDosyaGonderOperationCompleted(object arg);
```

#### Description

This is OntoplufaturaPaketDosyaGonderOperationCompleted, a member of class EarsivWebService.

#### Body Source

```

1: private void OntoplufaturaPaketDosyaGonderOperationCompleted(object arg) {
2:     if ((this.topluFaturaPaketDosyaGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.topluFaturaPaketDosyaGonderCompleted(this, new
topluFaturaPaketDosyaGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.2.1.10.2.105 EarsivWebService.OntoplufaturaPaketDosyasiSorgulaOperationCompleted Method

C#

```
private void OntoplufaturaPaketDosyasiSorgulaOperationCompleted(object arg);
```

#### Description

This is OntoplufaturaPaketDosyasiSorgulaOperationCompleted, a member of class EarsivWebService.

#### Body Source

```

1: private void OntoplufaturaPaketDosyasiSorgulaOperationCompleted(object arg) {
2:     if ((this.topluFaturaPaketDosyasiSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.topluFaturaPaketDosyasiSorgulaCompleted(this, new
topluFaturaPaketDosyasiSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.2.1.10.2.106 EarsivWebService.OntoplufaturaPaketOnaylaOperationCompleted Method

C#

```
private void OntoplufaturaPaketOnaylaOperationCompleted(object arg);
```

#### Description

This is OntoplufaturaPaketOnaylaOperationCompleted, a member of class EarsivWebService.

#### Body Source

```
1: private void OntoplufaturaPaketOnaylaOperationCompleted(object arg) {
2:     if ((this.topluFaturaPaketOnaylaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.topluFaturaPaketOnaylaCompleted(this, new
6:             topluFaturaPaketOnaylaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

### 1.1.2.1.10.2.107 EarsivWebService.OntoplufaturaPaketSorgulaOperationCompleted Method

C#

```
private void OntoplufaturaPaketSorgulaOperationCompleted(object arg);
```

#### Description

This is OntoplufaturaPaketSorgulaOperationCompleted, a member of class EarsivWebService.

#### Body Source

```
1: private void OntoplufaturaPaketSorgulaOperationCompleted(object arg) {
2:     if ((this.topluFaturaPaketSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.topluFaturaPaketSorgulaCompleted(this, new
6:             topluFaturaPaketSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

### 1.1.2.1.10.2.108 EarsivWebService.OnyapilandirmaAyarlariAIOperationCompleted Method

C#

```
private void OnyapilandirmaAyarlariAIOperationCompleted(object arg);
```

#### Description

This is OnyapilandirmaAyarlariAIOperationCompleted, a member of class EarsivWebService.

#### Body Source

```
1: private void OnyapilandirmaAyarlariAIOperationCompleted(object arg) {
2:     if ((this.yapilandirmaAyarlariAICompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.yapilandirmaAyarlariAICompleted(this, new
6:             yapilandirmaAyarlariAICompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

### 1.1.2.1.10.2.109 EarsivWebService.raporBolumAI Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
```

```

ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
raporBolumAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string bolumRaporNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return;

```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
raporBolumAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string bolumRaporNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("raporBolumAl", new object[] {
5:         bolumRaporNo});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }

```

**1.1.2.1.10.2.110 raporBolumAIAsync Method****1.1.2.1.10.2.110.1 EarsivWebService.raporBolumAIAsync Method (string)****C#**

```
public void raporBolumAlAsync(string bolumRaporNo);
```

**Body Source**

```

1: public void raporBolumAlAsync(string bolumRaporNo) {
2:     this.raporBolumAlAsync(bolumRaporNo, null);
3: }

```

**1.1.2.1.10.2.110.2 EarsivWebService.raporBolumAIAsync Method (string, object)****C#**

```
public void raporBolumAlAsync(string bolumRaporNo, object userState);
```

**Body Source**

```

1: public void raporBolumAlAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumAlOperationCompleted == null)) {
3:         this.raporBolumAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumAlOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumAl", new object[] {
6:         bolumRaporNo}, this.raporBolumAlOperationCompleted, userState);
7: }

```

**1.1.2.1.10.2.111 EarsivWebService.raporBolumBilgisiAI Method****C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

```

RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumBilgisiAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string bolumRaporNo);

```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumBilgisiAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string bolumRaporNo) {
4:     object[] results = this.Invoke("raporBolumBilgisiAl", new object[] {
5:         bolumRaporNo});
6:     return ((earsivServiceResult)(results[0]));
7: }

```

**1.1.2.1.10.2.112 raporBolumBilgisiAIAsync Method****1.1.2.1.10.2.112.1 EarsivWebService.raporBolumBilgisiAIAsync Method (string)****C#**

```
public void raporBolumBilgisiAIAsync(string bolumRaporNo);
```

**Body Source**

```

1: public void raporBolumBilgisiAIAsync(string bolumRaporNo) {
2:     this.raporBolumBilgisiAIAsync(bolumRaporNo, null);
3: }

```

**1.1.2.1.10.2.112.2 EarsivWebService.raporBolumBilgisiAIAsync Method (string, object)****C#**

```
public void raporBolumBilgisiAIAsync(string bolumRaporNo, object userState);
```

**Body Source**

```

1: public void raporBolumBilgisiAIAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumBilgisiAIOperationCompleted == null)) {
3:         this.raporBolumBilgisiAIOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumBilgisiAIOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumBilgisiAI", new object[] {
6:         bolumRaporNo}, this.raporBolumBilgisiAIOperationCompleted, userState);
7: }

```

**1.1.2.1.10.2.113 EarsivWebService.raporBolumleriOlustur Method****C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]

```

```

public earsivServiceResult
raporBolumleriOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string sonGun);

```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumleriOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string sonGun) {
4:     object[] results = this.Invoke("raporBolumleriOlustur", new object[] {
5:         input,
6:         donem,
7:         sonGun});
8:     return ((earsivServiceResult)(results[0]));
9: }

```

**1.1.2.1.10.2.114 raporBolumleriOlusturAsync Method****1.1.2.1.10.2.114.1 EarsivWebService.raporBolumleriOlusturAsync Method (string, string, string)****C#**

```
public void raporBolumleriOlusturAsync(string input, string donem, string sonGun);
```

**Body Source**

```

1: public void raporBolumleriOlusturAsync(string input, string donem, string sonGun) {
2:     this.raporBolumleriOlusturAsync(input, donem, sonGun, null);
3: }

```

**1.1.2.1.10.2.114.2 EarsivWebService.raporBolumleriOlusturAsync Method (string, string, string, object)****C#**

```
public void raporBolumleriOlusturAsync(string input, string donem, string sonGun, object
userState);
```

**Body Source**

```

1: public void raporBolumleriOlusturAsync(string input, string donem, string sonGun, object
userState) {
2:     if ((this.raporBolumleriOlusturOperationCompleted == null)) {
3:         this.raporBolumleriOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumleriOlusturOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumleriOlustur", new object[] {
6:         input,
7:         donem,
8:         sonGun}, this.raporBolumleriOlusturOperationCompleted, userState);

```

```
9: }
```

### 1.1.2.1.10.2.115 EarsivWebService.raporBolumListesiDetayliSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumListesiDetayliSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string donem, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out raporBolumDTO[] output);
```

#### Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumListesiDetayliSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string donem, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out raporBolumDTO[] output) {
4:     object[] results = this.Invoke("raporBolumListesiDetayliSorgula", new object[] {
5:         donem});
6:     output = ((raporBolumDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

### 1.1.2.1.10.2.116 raporBolumListesiDetayliSorgulaAsync Method

#### 1.1.2.1.10.2.116.1 EarsivWebService.raporBolumListesiDetayliSorgulaAsync Method (string)

C#

```
public void raporBolumListesiDetayliSorgulaAsync(string donem);
```

#### Body Source

```
1: public void raporBolumListesiDetayliSorgulaAsync(string donem) {
2:     this.raporBolumListesiDetayliSorgulaAsync(donem, null);
3: }
```

#### 1.1.2.1.10.2.116.2 EarsivWebService.raporBolumListesiDetayliSorgulaAsync Method (string, object)

C#

```
public void raporBolumListesiDetayliSorgulaAsync(string donem, object userState);
```

#### Body Source

```
1: public void raporBolumListesiDetayliSorgulaAsync(string donem, object userState) {
2:     if ((this.raporBolumListesiDetayliSorgulaOperationCompleted == null)) {
3:         this.raporBolumListesiDetayliSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumListesiDetayliSorgulaOperationCompleted
);
4:     }
5:     this.InvokeAsync("raporBolumListesiDetayliSorgula", new object[] {
6:         donem}, this.raporBolumListesiDetayliSorgulaOperationCompleted,
userState);
7: }
```

### 1.1.2.1.10.2.117 EarsivWebService.raporBolumListesiSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
raporBolumListesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return);
```

#### Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
raporBolumListesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("raporBolumListesiSorgula", new object[] {
5:         donem});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((string)(results[0]));
8: }
```

### 1.1.2.1.10.2.118 raporBolumListesiSorgulaAsync Method

#### 1.1.2.1.10.2.118.1 EarsivWebService.raporBolumListesiSorgulaAsync Method (string)

C#

```
public void raporBolumListesiSorgulaAsync(string donem);
```

#### Body Source

```
1: public void raporBolumListesiSorgulaAsync(string donem) {
2:     this.raporBolumListesiSorgulaAsync(donem, null);
3: }
```

#### 1.1.2.1.10.2.118.2 EarsivWebService.raporBolumListesiSorgulaAsync Method (string, object)

C#

```
public void raporBolumListesiSorgulaAsync(string donem, object userState);
```

#### Body Source

```
1: public void raporBolumListesiSorgulaAsync(string donem, object userState) {
2:     if ((this.raporBolumListesiSorgulaOperationCompleted == null)) {
3:         this.raporBolumListesiSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumListesiSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumListesiSorgula", new object[] {
6:         donem}, this.raporBolumListesiSorgulaOperationCompleted, userState);
```

```
7: }
```

### 1.1.2.1.10.2.119 EarsivWebService.raporBolumListesiSorgulaWithInput Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
raporBolumListesiSorgulaWithInput([System.Xml.Serialization.XmlElementAttribute(Form=System.
Xml.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
raporBolumListesiSorgulaWithInput([System.Xml.Serialization.XmlElementAttribute(Form=System.
Xml.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("raporBolumListesiSorgulaWithInput", new object[] {
5:         input,
6:         donem});
7:     @return = ((earsivServiceResult)(results[1]));
8:     return ((string)(results[0]));
9: }
```

### 1.1.2.1.10.2.120 raporBolumListesiSorgulaWithInputAsync Method

#### 1.1.2.1.10.2.120.1 EarsivWebService.raporBolumListesiSorgulaWithInputAsync Method (string, string)

C#

```
public void raporBolumListesiSorgulaWithInputAsync(string input, string donem);
```

**Body Source**

```
1: public void raporBolumListesiSorgulaWithInputAsync(string input, string donem) {
2:     this.raporBolumListesiSorgulaWithInputAsync(input, donem, null);
3: }
```

#### 1.1.2.1.10.2.120.2 EarsivWebService.raporBolumListesiSorgulaWithInputAsync Method (string, string, object)

C#

```
public void raporBolumListesiSorgulaWithInputAsync(string input, string donem, object
```

```
    userState);
```

**Body Source**

```
1: public void raporBolumListesiSorgulaWithInputAsync(string input, string donem, object
userState) {
2:     if ((this.raporBolumListesiSorgulaWithInputOperationCompleted == null)) {
3:         this.raporBolumListesiSorgulaWithInputOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumListesiSorgulaWithInputOperationComplet
ed);
4:     }
5:     this.InvokeAsync("raporBolumListesiSorgulaWithInput", new object[] {
6:         input,
7:         donem}, this.raporBolumListesiSorgulaWithInputOperationCompleted,
userState);
8: }
```

**1.1.2.1.10.2.121 EarsivWebService.raporBolumRaporNoGuncelleImzala Method****C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumRaporNoGuncelleImzala([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)])
string bolumRaporNo;
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumRaporNoGuncelleImzala([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified])
string bolumRaporNo) {
4:     object[] results = this.Invoke("raporBolumRaporNoGuncelleImzala", new object[] {
5:         bolumRaporNo});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

**1.1.2.1.10.2.122 raporBolumRaporNoGuncelleImzalaAsync Method****1.1.2.1.10.2.122.1 EarsivWebService.raporBolumRaporNoGuncelleImzalaAsync Method (string)****C#**

```
public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo);
```

**Body Source**

```
1: public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo) {
2:     this.raporBolumRaporNoGuncelleImzalaAsync(bolumRaporNo, null);
3: }
```

**1.1.2.1.10.2.122.2 EarsivWebService.raporBolumRaporNoGuncelleImzalaAsync Method (string, object)****C#**

```
public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo, object userState);
```

**Body Source**

```

1: public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumRaporNoGuncelleImzalaOperationCompleted == null)) {
3:         this.raporBolumRaporNoGuncelleImzalaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumRaporNoGuncelleImzalaOperationCompleted
);
4:     }
5:     this.InvokeAsync("raporBolumRaporNoGuncelleImzala", new object[] {
6:         bolumRaporNo}, this.raporBolumRaporNoGuncelleImzalaOperationCompleted,
userState);
7: }
```

**1.1.2.1.10.2.123 EarsivWebService.raporBolumSil Method****C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)])
string bolumRaporNo;
```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)])
string bolumRaporNo) {
4:     object[] results = this.Invoke("raporBolumSil", new object[] {
5:         bolumRaporNo});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

**1.1.2.1.10.2.124 raporBolumSilAsync Method****1.1.2.1.10.2.124.1 EarsivWebService.raporBolumSilAsync Method (string)****C#**

```
public void raporBolumSilAsync(string bolumRaporNo);
```

**Body Source**

```

1: public void raporBolumSilAsync(string bolumRaporNo) {
2:     this.raporBolumSilAsync(bolumRaporNo, null);
3: }
```

**1.1.2.1.10.2.124.2 EarsivWebService.raporBolumSilAsync Method (string, object)****C#**

```
public void raporBolumSilAsync(string bolumRaporNo, object userState);
```

**Body Source**

```

1: public void raporBolumSilAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumSilOperationCompleted == null)) {
```

```

3:         this.raporBolumSilOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumSilOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumSil", new object[] {
6:         bolumRaporNo}, this.raporBolumSilOperationCompleted, userState);
7: }

```

### 1.1.2.1.10.2.125 EarsivWebService.rapordaFaturaSorgula Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
rapordaFaturaSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
lSchemaForm.Unqualified)]
string input);

```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
rapordaFaturaSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
lSchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("rapordaFaturaSorgula", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }

```

### 1.1.2.1.10.2.126 rapordaFaturaSorgulaAsync Method

#### 1.1.2.1.10.2.126.1 EarsivWebService.rapordaFaturaSorgulaAsync Method (string)

C#

```
public void rapordaFaturaSorgulaAsync(string input);
```

**Body Source**

```

1: public void rapordaFaturaSorgulaAsync(string input) {
2:     this.rapordaFaturaSorgulaAsync(input, null);
3: }

```

#### 1.1.2.1.10.2.126.2 EarsivWebService.rapordaFaturaSorgulaAsync Method (string, object)

C#

```
public void rapordaFaturaSorgulaAsync(string input, object userState);
```

**Body Source**

```

1: public void rapordaFaturaSorgulaAsync(string input, object userState) {
2:     if ((this.rapordaFaturaSorgulaOperationCompleted == null)) {
3:         this.rapordaFaturaSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnrapordaFaturaSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("rapordaFaturaSorgula", new object[] {
6:         input}, this.rapordaFaturaSorgulaOperationCompleted, userState);
7: }

```

### 1.1.2.1.10.2.127 EarsivWebService.raporDurumSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string donem);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string donem) {
4:     object[] results = this.Invoke("raporDurumSorgula", new object[] {
5:         donem});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

### 1.1.2.1.10.2.128 raporDurumSorgulaAsync Method

#### 1.1.2.1.10.2.128.1 EarsivWebService.raporDurumSorgulaAsync Method (string)

C#

```
public void raporDurumSorgulaAsync(string donem);
```

**Body Source**

```
1: public void raporDurumSorgulaAsync(string donem) {
2:     this.raporDurumSorgulaAsync(donem, null);
3: }
```

#### 1.1.2.1.10.2.128.2 EarsivWebService.raporDurumSorgulaAsync Method (string, object)

C#

```
public void raporDurumSorgulaAsync(string donem, object userState);
```

**Body Source**

```
1: public void raporDurumSorgulaAsync(string donem, object userState) {
2:     if ((this.raporDurumSorgulaOperationCompleted == null)) {
3:         this.raporDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporDurumSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("raporDurumSorgula", new object[] {
6:         donem}, this.raporDurumSorgulaOperationCompleted, userState);
7: }
```

### 1.1.2.1.10.2.129 EarsivWebService.raporGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",

```

```

RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
string donem);

```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
string donem) {
4:     object[] results = this.Invoke("raporGonder", new object[] {
5:         donem});
6:     return ((earsivServiceResult)(results[0]));
7: }

```

**1.1.2.1.10.2.130 raporGonderAsync Method****1.1.2.1.10.2.130.1 EarsivWebService.raporGonderAsync Method (string)****C#**

```
public void raporGonderAsync(string donem);
```

**Body Source**

```

1: public void raporGonderAsync(string donem) {
2:     this.raporGonderAsync(donem, null);
3: }

```

**1.1.2.1.10.2.130.2 EarsivWebService.raporGonderAsync Method (string, object)****C#**

```
public void raporGonderAsync(string donem, object userState);
```

**Body Source**

```

1: public void raporGonderAsync(string donem, object userState) {
2:     if ((this.raporGonderOperationCompleted == null)) {
3:         this.raporGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("raporGonder", new object[] {
6:         donem}, this.raporGonderOperationCompleted, userState);
7: }

```

**1.1.2.1.10.2.131 EarsivWebService.servisSaglayicidanEpostaDurumSorgula Method****C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)
[return: System.Xml.Serialization.XmlElementAttribute("outputDurum",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]

```

```

public string
servisSaglayicidanEpostaDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out string outputEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return);

```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("outputDurum",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
servisSaglayicidanEpostaDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out string outputEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("servisSaglayicidanEpostaDurumSorgula", new object[] {
5:         input});
6:     outputEposta = ((string)(results[1]));
7:     @return = ((earsivServiceResult)(results[2]));
8:     return ((string)(results[0]));
9: }

```

**1.1.2.1.10.2.132 servisSaglayicidanEpostaDurumSorgulaAsync Method****1.1.2.1.10.2.132.1 EarsivWebService.servisSaglayicidanEpostaDurumSorgulaAsync Method (string)****C#**

```
public void servisSaglayicidanEpostaDurumSorgulaAsync(string input);
```

**Body Source**

```

1: public void servisSaglayicidanEpostaDurumSorgulaAsync(string input) {
2:     this.servisSaglayicidanEpostaDurumSorgulaAsync(input, null);
3: }

```

**1.1.2.1.10.2.132.2 EarsivWebService.servisSaglayicidanEpostaDurumSorgulaAsync Method (string, object)****C#**

```
public void servisSaglayicidanEpostaDurumSorgulaAsync(string input, object userState);
```

**Body Source**

```

1: public void servisSaglayicidanEpostaDurumSorgulaAsync(string input, object userState) {
2:     if ((this.servisSaglayicidanEpostaDurumSorgulaOperationCompleted == null)) {
3:         this.servisSaglayicidanEpostaDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnservisSaglayicidanEpostaDurumSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("servisSaglayicidanEpostaDurumSorgula", new object[] {
6:         input}, this.servisSaglayicidanEpostaDurumSorgulaOperationCompleted,
userState);
7: }

```

### 1.1.2.1.10.2.133 EarsivWebService.smsDurumSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
smsDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out string outputDurum);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
smsDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out string outputDurum) {
4:     object[] results = this.Invoke("smsDurumSorgula", new object[] {
5:         input});
6:     outputDurum = ((string)(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

### 1.1.2.1.10.2.134 smsDurumSorgulaAsync Method

#### 1.1.2.1.10.2.134.1 EarsivWebService.smsDurumSorgulaAsync Method (string)

C#

```
public void smsDurumSorgulaAsync(string input);
```

**Body Source**

```
1: public void smsDurumSorgulaAsync(string input) {
2:     this.smsDurumSorgulaAsync(input, null);
3: }
```

#### 1.1.2.1.10.2.134.2 EarsivWebService.smsDurumSorgulaAsync Method (string, object)

C#

```
public void smsDurumSorgulaAsync(string input, object userState);
```

**Body Source**

```
1: public void smsDurumSorgulaAsync(string input, object userState) {
2:     if ((this.smsDurumSorgulaOperationCompleted == null)) {
3:         this.smsDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnsmsDurumSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("smsDurumSorgula", new object[] {
6:         input}, this.smsDurumSorgulaOperationCompleted, userState);
```

```
7: }
```

### 1.1.2.1.10.2.135 EarsivWebService.smsGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
smsGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm
.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ilaveTelefonNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
int tanimliTelefonNoyaGonder);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
smsGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm
.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ilaveTelefonNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
int tanimliTelefonNoyaGonder) {
4:     object[] results = this.Invoke("smsGonder", new object[] {
5:         input,
6:         ilaveTelefonNo,
7:         tanimliTelefonNoyaGonder});
8:     return ((earsivServiceResult)(results[0]));
9: }
```

### 1.1.2.1.10.2.136 smsGonderAsync Method

#### 1.1.2.1.10.2.136.1 EarsivWebService.smsGonderAsync Method (string, string, int)

C#

```
public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder);
```

**Body Source**

```
1: public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder) {
2:     this.smsGonderAsync(input, ilaveTelefonNo, tanimliTelefonNoyaGonder, null);
3: }
```

### 1.1.2.1.10.2.136.2 EarsivWebService.smsGonderAsync Method (string, string, int, object)

C#

```
public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder, object userState);
```

#### Body Source

```
1: public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder, object userState) {
2:     if ((this.smsGonderOperationCompleted == null)) {
3:         this.smsGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnsmsGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("smsGonder", new object[] {
6:         input,
7:         ilaveTelefonNo,
8:         tanimliTelefonNoyaGonder}, this.smsGonderOperationCompleted, userState);
9: }
```

### 1.1.2.1.10.2.137 EarsivWebService.topluFaturaPaketDosyaGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
topluFaturaPaketDosyaGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge paketDosyasiZip);
```

#### Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
topluFaturaPaketDosyaGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge paketDosyasiZip) {
4:     object[] results = this.Invoke("topluFaturaPaketDosyaGonder", new object[] {
5:         input,
6:         paketDosyasiZip});
7:     return ((earsivServiceResult)(results[0]));
8: }
```

### 1.1.2.1.10.2.138 topluFaturaPaketDosyaGonderAsync Method

#### 1.1.2.1.10.2.138.1 EarsivWebService.topluFaturaPaketDosyaGonderAsync Method (string, belge)

C#

```
public void topluFaturaPaketDosyaGonderAsync(string input, belge paketDosyasiZip);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

**Body Source**

```

1: public void topluFaturaPaketDosyaGonderAsync(string input, belge paketDosyasiZip) {
2:     this.topluFaturaPaketDosyaGonderAsync(input, paketDosyasiZip, null);
3: }

```

**1.1.2.1.10.2.138.2 EarsivWebService.topluFaturaPaketDosyaGonderAsync Method (string, belge, object)****C#**

```
public void topluFaturaPaketDosyaGonderAsync(string input, belge paketDosyasiZip, object userState);
```

**Body Source**

```

1: public void topluFaturaPaketDosyaGonderAsync(string input, belge paketDosyasiZip, object userState) {
2:     if ((this.topluFaturaPaketDosyaGonderOperationCompleted == null)) {
3:         this.topluFaturaPaketDosyaGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OntopluFaturaPaketDosyaGonderCompleted);
4:     }
5:     this.InvokeAsync("topluFaturaPaketDosyaGonder", new object[] {
6:         input,
7:         paketDosyasiZip}, this.topluFaturaPaketDosyaGonderOperationCompleted,
userState);
8: }

```

**1.1.2.1.10.2.139 EarsivWebService.topluFaturaPaketDosyasiSorgula Method****C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
topluFaturaPaketDosyasiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml
.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);
```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
topluFaturaPaketDosyasiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml
.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("topluFaturaPaketDosyasiSorgula", new object[] {
5:         input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }

```

**1.1.2.1.10.2.140 topluFaturaPaketDosyasiSorgulaAsync Method**

### 1.1.2.1.10.2.140.1 EarsivWebService.topluFaturaPaketDosyasiSorgulaAsync Method (string)

C#

```
public void topluFaturaPaketDosyasiSorgulaAsync(string input);
```

#### Body Source

```
1: public void topluFaturaPaketDosyasiSorgulaAsync(string input) {
2:     this.topluFaturaPaketDosyasiSorgulaAsync(input, null);
3: }
```

### 1.1.2.1.10.2.140.2 EarsivWebService.topluFaturaPaketDosyasiSorgulaAsync Method (string, object)

C#

```
public void topluFaturaPaketDosyasiSorgulaAsync(string input, object userState);
```

#### Body Source

```
1: public void topluFaturaPaketDosyasiSorgulaAsync(string input, object userState) {
2:     if ((this.topluFaturaPaketDosyasiSorgulaOperationCompleted == null)) {
3:         this.topluFaturaPaketDosyasiSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OntopluFaturaPaketDosyasiSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("topluFaturaPaketDosyasiSorgula", new object[] {
6:         input}, this.topluFaturaPaketDosyasiSorgulaOperationCompleted,
userState);
7: }
```

### 1.1.2.1.10.2.141 EarsivWebService.topluFaturaPaketOnayla Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
topluFaturaPaketOnayla([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string input);
```

#### Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
topluFaturaPaketOnayla([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("topluFaturaPaketOnayla", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

### 1.1.2.1.10.2.142 topluFaturaPaketOnaylaAsync Method

### 1.1.2.1.10.2.142.1 EarsivWebService.topluFaturaPaketOnaylaAsync Method (string)

C#

```
public void topluFaturaPaketOnaylaAsync(string input);
```

**Body Source**

```
1: public void topluFaturaPaketOnaylaAsync(string input) {
2:     this.topluFaturaPaketOnaylaAsync(input, null);
3: }
```

### 1.1.2.1.10.2.142.2 EarsivWebService.topluFaturaPaketOnaylaAsync Method (string, object)

C#

```
public void topluFaturaPaketOnaylaAsync(string input, object userState);
```

**Body Source**

```
1: public void topluFaturaPaketOnaylaAsync(string input, object userState) {
2:     if ((this.topluFaturaPaketOnaylaOperationCompleted == null)) {
3:         this.topluFaturaPaketOnaylaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OntoplufaturaPaketOnaylaOperationCompleted);
4:     }
5:     this.InvokeAsync("topluFaturaPaketOnayla", new object[] {
6:         input}, this.topluFaturaPaketOnaylaOperationCompleted, userState);
7: }
```

### 1.1.2.1.10.2.143 EarsivWebService.topluFaturaPaketSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
toplufaturaPaketSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
toplufaturaPaketSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("toplufaturaPaketSorgula", new object[] {
5:         input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }
```

### 1.1.2.1.10.2.144 topluFaturaPaketSorgulaAsync Method

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

### 1.1.2.1.10.2.144.1 EarsivWebService.topluFaturaPaketSorgulaAsync Method (string)

C#

```
public void topluFaturaPaketSorgulaAsync(string input);
```

**Body Source**

```
1: public void topluFaturaPaketSorgulaAsync(string input) {
2:     this.topluFaturaPaketSorgulaAsync(input, null);
3: }
```

### 1.1.2.1.10.2.144.2 EarsivWebService.topluFaturaPaketSorgulaAsync Method (string, object)

C#

```
public void topluFaturaPaketSorgulaAsync(string input, object userState);
```

**Body Source**

```
1: public void topluFaturaPaketSorgulaAsync(string input, object userState) {
2:     if ((this.topluFaturaPaketSorgulaOperationCompleted == null)) {
3:         this.topluFaturaPaketSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OntoplufaturaPaketSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("toplufaturaPaketSorgula", new object[] {
6:         input}, this.topluFaturaPaketSorgulaOperationCompleted, userState);
7: }
```

### 1.1.2.1.10.2.145 EarsivWebService.yapilandirmaAyarlariAI Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
yapilandirmaAyarlariAI([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out string outputYapilandirma);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
yapilandirmaAyarlariAI([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out string outputYapilandirma) {
4:     object[] results = this.Invoke("yapilandirmaAyarlariAI", new object[] {
5:         input});
6:     outputYapilandirma = ((string)(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

### 1.1.2.1.10.2.146 yapilandirmaAyarlariAIAsync Method

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

### 1.1.2.1.10.2.146.1 EarsivWebService.yapilandirmaAyarlariAlAsync Method (string)

C#

```
public void yapilandirmaAyarlariAlAsync(string input);
```

**Body Source**

```
1: public void yapilandirmaAyarlariAlAsync(string input) {
2:     this.yapilandirmaAyarlariAlAsync(input, null);
3: }
```

### 1.1.2.1.10.2.146.2 EarsivWebService.yapilandirmaAyarlariAlAsync Method (string, object)

C#

```
public void yapilandirmaAyarlariAlAsync(string input, object userState);
```

**Body Source**

```
1: public void yapilandirmaAyarlariAlAsync(string input, object userState) {
2:     if ((this.yapilandirmaAyarlariAlOperationCompleted == null)) {
3:         this.yapilandirmaAyarlariAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnyapilandirmaAyarlariAlOperationCompleted);
4:     }
5:     this.InvokeAsync("yapilandirmaAyarlariAl", new object[] {
6:         input}, this.yapilandirmaAyarlariAlOperationCompleted, userState);
7: }
```

## 1.1.2.1.10.3 EarsivWebService Properties

### 1.1.2.1.10.3.1 EarsivWebService.Url Property

C#

```
public new string Url;
```

**Description**

This is Url, a member of class EarsivWebService.

### 1.1.2.1.10.3.2 EarsivWebService.UseDefaultCredentials Property

C#

```
public new bool UseDefaultCredentials;
```

**Description**

This is UseDefaultCredentials, a member of class EarsivWebService.

## 1.1.2.1.10.4 EarsivWebService Events

### 1.1.2.1.10.4.1 EarsivWebService.aliciEpostaEkleSilGuncelleCompleted Event

C#

```
public event aliciEpostaEkleSilGuncelleCompletedEventHandler
aliciEpostaEkleSilGuncelleCompleted;
```

### 1.1.2.1.10.4.2 EarsivWebService.eFaturaKayitliKullaniciListeleCompleted Event

C#

```
public event eFaturaKayitliKullaniciListeleCompletedEventHandler
eFaturaKayitliKullaniciListeleCompleted;
```

**1.1.2.1.10.4.3 EarsivWebService.efaturaKullanicisiCompleted Event**

C#

```
public event efaturaKullanicisiCompletedEventHandler efaturaKullanicisiCompleted;
```

**1.1.2.1.10.4.4 EarsivWebService.efaturaKullanicisiKontrolCompleted Event**

C#

```
public event efaturaKullanicisiKontrolCompletedEventHandler efaturaKullanicisiKontrolCompleted;
```

**1.1.2.1.10.4.5 EarsivWebService.ePostaDurumSorgulaCompleted Event**

C#

```
public event ePostaDurumSorgulaCompletedEventHandler ePostaDurumSorgulaCompleted;
```

**1.1.2.1.10.4.6 EarsivWebService.ePostaGonderCompleted Event**

C#

```
public event ePostaGonderCompletedEventHandler ePostaGonderCompleted;
```

**1.1.2.1.10.4.7 EarsivWebService.faturalptalEtCompleted Event**

C#

```
public event faturaIptalEtCompletedEventHandler faturaIptalEtCompleted;
```

**1.1.2.1.10.4.8 EarsivWebService.faturalptaliKaldirCompleted Event**

C#

```
public event faturaIptaliKaldirCompletedEventHandler faturaIptaliKaldirCompleted;
```

**1.1.2.1.10.4.9 EarsivWebService.faturaltirazEtCompleted Event**

C#

```
public event faturaItirazEtCompletedEventHandler faturaItirazEtCompleted;
```

**1.1.2.1.10.4.10 EarsivWebService.faturaltirazKaldirCompleted Event**

C#

```
public event faturaItirazKaldirCompletedEventHandler faturaItirazKaldirCompleted;
```

**1.1.2.1.10.4.11 EarsivWebService.faturaListeSorgulaCompleted Event**

C#

```
public event faturaListeSorgulaCompletedEventHandler faturaListeSorgulaCompleted;
```

**1.1.2.1.10.4.12 EarsivWebService.faturaListeSorgulaCountCompleted Event**

C#

```
public event faturaListeSorgulaCountCompletedEventHandler faturaListeSorgulaCountCompleted;
```

**1.1.2.1.10.4.13 EarsivWebService.faturaListeSorgulaPortalCompleted Event**

C#

```
public event faturaListeSorgulaPortalCompletedEventHandler faturaListeSorgulaPortalCompleted;
```

**1.1.2.1.10.4.14 EarsivWebService.faturaNoUretCompleted Event**

C#

```
public event faturaNoUretCompletedEventHandler faturaNoUretCompleted;
```

**1.1.2.1.10.4.15 EarsivWebService.faturaOlusturCompleted Event**

C#

```
public event faturaOlusturCompletedEventHandler faturaOlusturCompleted;
```

**1.1.2.1.10.4.16 EarsivWebService.faturaOlusturExtCompleted Event**

C#

```
public event faturaOlusturExtCompletedEventHandler faturaOlusturExtCompleted;
```

**1.1.2.1.10.4.17 EarsivWebService.faturaOnizlemeCompleted Event**

C#

```
public event faturaOnizlemeCompletedEventHandler faturaOnizlemeCompleted;
```

**1.1.2.1.10.4.18 EarsivWebService.faturaSorgulaCompleted Event**

C#

```
public event faturaSorgulaCompletedEventHandler faturaSorgulaCompleted;
```

**1.1.2.1.10.4.19 EarsivWebService.faturaSorgulaExtCompleted Event**

C#

```
public event faturaSorgulaExtCompletedEventHandler faturaSorgulaExtCompleted;
```

**1.1.2.1.10.4.20 EarsivWebService.faturaTaslakOlusturCompleted Event**

C#

```
public event faturaTaslakOlusturCompletedEventHandler faturaTaslakOlusturCompleted;
```

**1.1.2.1.10.4.21 EarsivWebService.faturaTaslakOnizlemeCompleted Event**

C#

```
public event faturaTaslakOnizlemeCompletedEventHandler faturaTaslakOnizlemeCompleted;
```

**1.1.2.1.10.4.22 EarsivWebService.faturaTaslakSilCompleted Event**

C#

```
public event faturaTaslakSilCompletedEventHandler faturaTaslakSilCompleted;
```

**1.1.2.1.10.4.23 EarsivWebService.faturaTaslakSorgulaCompleted Event**

C#

```
public event faturaTaslakSorgulaCompletedEventHandler faturaTaslakSorgulaCompleted;
```

**1.1.2.1.10.4.24 EarsivWebService.faturaTaslaktanOlusturCompleted Event**

C#

```
public event faturaTaslaktanOlusturCompletedEventHandler faturaTaslaktanOlusturCompleted;
```

**1.1.2.1.10.4.25 EarsivWebService.faturaZipiAlCompleted Event**

C#

```
public event faturaZipiAlCompletedEventHandler faturaZipiAlCompleted;
```

**1.1.2.1.10.4.26 EarsivWebService.kontorBilgisiGetirCompleted Event****C#**

```
public event kontorBilgisiGetirCompletedEventHandler kontorBilgisiGetirCompleted;
```

**1.1.2.1.10.4.27 EarsivWebService.okcRaporBolumAlCompleted Event****C#**

```
public event okcRaporBolumAlCompletedEventHandler okcRaporBolumAlCompleted;
```

**1.1.2.1.10.4.28 EarsivWebService.okcRaporKaydetCompleted Event****C#**

```
public event okcRaporKaydetCompletedEventHandler okcRaporKaydetCompleted;
```

**1.1.2.1.10.4.29 EarsivWebService.okcRaporOlusturGonderCompleted Event****C#**

```
public event okcRaporOlusturGonderCompletedEventHandler okcRaporOlusturGonderCompleted;
```

**1.1.2.1.10.4.30 EarsivWebService.raporBolumAlCompleted Event****C#**

```
public event raporBolumAlCompletedEventHandler raporBolumAlCompleted;
```

**1.1.2.1.10.4.31 EarsivWebService.raporBolumBilgisiAlCompleted Event****C#**

```
public event raporBolumBilgisiAlCompletedEventHandler raporBolumBilgisiAlCompleted;
```

**1.1.2.1.10.4.32 EarsivWebService.raporBolumleriOlusturCompleted Event****C#**

```
public event raporBolumleriOlusturCompletedEventHandler raporBolumleriOlusturCompleted;
```

**1.1.2.1.10.4.33 EarsivWebService.raporBolumListesiDetacliSorgulaCompleted Event****C#**

```
public event raporBolumListesiDetacliSorgulaCompletedEventHandler raporBolumListesiDetacliSorgulaCompleted;
```

**1.1.2.1.10.4.34 EarsivWebService.raporBolumListesiSorgulaCompleted Event****C#**

```
public event raporBolumListesiSorgulaCompletedEventHandler raporBolumListesiSorgulaCompleted;
```

**1.1.2.1.10.4.35 EarsivWebService.raporBolumListesiSorgulaWithInputCompleted Event****C#**

```
public event raporBolumListesiSorgulaWithInputCompletedEventHandler raporBolumListesiSorgulaWithInputCompleted;
```

**1.1.2.1.10.4.36 EarsivWebService.raporBolumRaporNoGuncelleImzalaCompleted Event****C#**

```
public event raporBolumRaporNoGuncelleImzalaCompletedEventHandler raporBolumRaporNoGuncelleImzalaCompleted;
```

**1.1.2.1.10.4.37 EarsivWebService.raporBolumSilCompleted Event****C#**

```
public event raporBolumSilCompletedEventHandler raporBolumSilCompleted;
```

**1.1.2.1.10.4.38 EarsivWebService.rapordaFaturaSorgulaCompleted Event****C#**

```
public event rapordaFaturaSorgulaCompletedEventHandler rapordaFaturaSorgulaCompleted;
```

**1.1.2.1.10.4.39 EarsivWebService.raporDurumSorgulaCompleted Event****C#**

```
public event raporDurumSorgulaCompletedEventHandler raporDurumSorgulaCompleted;
```

**1.1.2.1.10.4.40 EarsivWebService.raporGonderCompleted Event****C#**

```
public event raporGonderCompletedEventHandler raporGonderCompleted;
```

**1.1.2.1.10.4.41 EarsivWebService.servisSaglayicidanEpostaDurumSorgulaCompleted Event****C#**

```
public event servisSaglayicidanEpostaDurumSorgulaCompletedEventHandler  
servisSaglayicidanEpostaDurumSorgulaCompleted;
```

**1.1.2.1.10.4.42 EarsivWebService.smsDurumSorgulaCompleted Event****C#**

```
public event smsDurumSorgulaCompletedEventHandler smsDurumSorgulaCompleted;
```

**1.1.2.1.10.4.43 EarsivWebService.smsGonderCompleted Event****C#**

```
public event smsGonderCompletedEventHandler smsGonderCompleted;
```

**1.1.2.1.10.4.44 EarsivWebService.topluFaturaPaketDosyaGonderCompleted Event****C#**

```
public event topluFaturaPaketDosyaGonderCompletedEventHandler  
topluFaturaPaketDosyaGonderCompleted;
```

**1.1.2.1.10.4.45 EarsivWebService.topluFaturaPaketDosyasiSorgulaCompleted Event****C#**

```
public event topluFaturaPaketDosyasiSorgulaCompletedEventHandler  
topluFaturaPaketDosyasiSorgulaCompleted;
```

**1.1.2.1.10.4.46 EarsivWebService.topluFaturaPaketOnaylaCompleted Event****C#**

```
public event topluFaturaPaketOnaylaCompletedEventHandler topluFaturaPaketOnaylaCompleted;
```

**1.1.2.1.10.4.47 EarsivWebService.topluFaturaPaketSorgulaCompleted Event****C#**

```
public event topluFaturaPaketSorgulaCompletedEventHandler topluFaturaPaketSorgulaCompleted;
```

#### 1.1.2.1.10.4.48 EarsivWebService.yapilandirmaAyarlariAlCompleted Event

C#

```
public event yapilandirmaAyarlariAlCompletedEventHandler yapilandirmaAyarlariAlCompleted;
```

### 1.1.2.1.11 eFaturaKayitliKullaniciListele Class

#### Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class eFaturaKayitliKullaniciListele;
```

#### File

Reference.cs (see page 835)

#### eFaturaKayitliKullaniciListele Properties

	Name	Description
	kayitZamani (see page 112)	

#### 1.1.2.1.11.1 eFaturaKayitliKullaniciListele Properties

##### 1.1.2.1.11.1.1 eFaturaKayitliKullaniciListele.kayitZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kayitZamani;
```

### 1.1.2.1.12 eFaturaKayitliKullaniciListeleCompletedEventArgs Class

#### Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class eFaturaKayitliKullaniciListeleCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs (see page 835)

#### Methods

	Name	Description
	eFaturaKayitliKullaniciListeleCompletedEventArgs (see page 113)	This is eFaturaKayitliKullaniciListeleCompletedEventArgs, a member of class eFaturaKayitliKullaniciListeleCompletedEventArgs.

**eFaturaKayitliKullaniciListeleCompletedEventArgs Properties**

	Name	Description
	Result (see page 113)	

**1.1.2.1.12.1****eFaturaKayitliKullaniciListeleCompletedEventArgs.eFaturaKayitliKullaniciListeleCompletedEventArgs Constructor****C#**

```
internal eFaturaKayitliKullaniciListeleCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

**Description**

This is eFaturaKayitliKullaniciListeleCompletedEventArgs, a member of class eFaturaKayitliKullaniciListeleCompletedEventArgs.

**Body Source**

```
1: internal eFaturaKayitliKullaniciListeleCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

**1.1.2.1.12.2 eFaturaKayitliKullaniciListeleCompletedEventArgs Properties****1.1.2.1.12.2.1 eFaturaKayitliKullaniciListeleCompletedEventArgs.Result Property****C#**

```
public eFaturaKullanici Result;
```

**1.1.2.1.13 eFaturaKullanici Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class eFaturaKullanici : serviceReturnType;
```

**File**

Reference.cs (see page 835)

**eFaturaKullanici Properties****eFaturaKullanici Class**

	Name	Description
	etiket (see page 114)	
	kamuKurulusu (see page 114)	
	kayitZamani (see page 114)	

	unvan (see page 114)	
	vergiTcKimlikNo (see page 114)	

### 1.1.2.1.13.1 eFaturaKullanici Properties

#### 1.1.2.1.13.1.1 eFaturaKullanici.etiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string etiket;
```

#### 1.1.2.1.13.1.2 eFaturaKullanici.kamuKurulusu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool kamuKurulusu;
```

#### 1.1.2.1.13.1.3 eFaturaKullanici.kayitZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kayitZamani;
```

#### 1.1.2.1.13.1.4 eFaturaKullanici.unvan Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string unvan;
```

#### 1.1.2.1.13.1.5 eFaturaKullanici.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vergiTcKimlikNo;
```

### 1.1.2.1.14 efaturaKullanicisi Class

#### Class Hierarchy

```
QNBFinansGIB.GIBEArsiv.efaturaKullanicisi
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class efaturaKullanicisi;
```

#### File


Reference.cs (see page 835)

**efaturaKullanicisi Properties**

	Name	Description
	vergiTcKimlikNo (see page 115)	

**1.1.2.1.14.1 efaturaKullanicisi Properties****1.1.2.1.14.1.1 efaturaKullanicisi.vergiTcKimlikNo Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vergiTcKimlikNo;
```

**1.1.2.1.15 efaturaKullanicisiCompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class efaturaKullanicisiCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs (see page 835)

**Methods**

	Name	Description
	efaturaKullanicisiCompletedEventArgs (see page 115)	This is efaturaKullanicisiCompletedEventArgs, a member of class efaturaKullanicisiCompletedEventArgs.

**efaturaKullanicisiCompletedEventArgs Properties**

	Name	Description
	Result (see page 116)	

**1.1.2.1.15.1****efaturaKullanicisiCompletedEventArgs.efaturaKullanicisiCompletedEventArgs Constructor****C#**

```
internal efaturaKullanicisiCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

**Description**

This is efaturaKullanicisiCompletedEventArgs, a member of class efaturaKullanicisiCompletedEventArgs.

**Body Source**

```
1: internal efaturaKullanicisiCompletedEventArgs(object[] results, System.Exception exception,
2:                                         bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:         this.results = results;
}
```

### 1.1.2.1.15.2 efaturaKullanicisiCompletedEventArgs Properties

#### 1.1.2.1.15.2.1 efaturaKullanicisiCompletedEventArgs.Result Property

C#

```
public bool Result;
```

### 1.1.2.1.16 efaturaKullanicisiKontrol Class

#### Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class efaturaKullanicisiKontrol;
```

#### File

Reference.cs (see page 835)

#### efaturaKullanicisiKontrol Properties

	Name	Description
	input (see page 116)	

### 1.1.2.1.16.1 efaturaKullanicisiKontrol Properties

#### 1.1.2.1.16.1.1 efaturaKullanicisiKontrol.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

### 1.1.2.1.17 efaturaKullanicisiKontrolCompletedEventArgs Class

#### Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class efaturaKullanicisiKontrolCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs (see page 835)

## Methods

	Name	Description
	efaturaKullanicisiKontrolCompletedEventArgs	This is efaturaKullanicisiKontrolCompletedEventArgs, a member of class efaturaKullanicisiKontrolCompletedEventArgs.

### efaturaKullanicisiKontrolCompletedEventArgs Properties

	Name	Description
	Result (see page 117)	

#### 1.1.2.1.17.1

### efaturaKullanicisiKontrolCompletedEventArgs.efaturaKullanicisiKontrolCompletedEventArgs Constructor

C#

```
internal efaturaKullanicisiKontrolCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

#### Description

This is efaturaKullanicisiKontrolCompletedEventArgs, a member of class efaturaKullanicisiKontrolCompletedEventArgs.

#### Body Source

```
1: internal efaturaKullanicisiKontrolCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

### 1.1.2.1.17.2 efaturaKullanicisiKontrolCompletedEventArgs Properties

#### 1.1.2.1.17.2.1 efaturaKullanicisiKontrolCompletedEventArgs.Result Property

C#

```
public bool Result;
```

## 1.1.2.1.18 efaturaKullanicisiKontrolResponse Class

#### Class Hierarchy

```
[QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrolResponse]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class efaturaKullanicisiKontrolResponse;
```

#### File

Reference.cs (see page 835)

### efaturaKullanicisiKontrolResponse Properties

	Name	Description
	@return (see page 118)	

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

### 1.1.2.1.18.1 efaturaKullanicisiKontrolResponse Properties

#### 1.1.2.1.18.1.1 efaturaKullanicisiKontrolResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool @return;
```

### 1.1.2.1.19 efaturaKullanicisiResponse Class

#### Class Hierarchy

[QNBFinansGIB.GIBEArsiv.efaturaKullanicisiResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class efaturaKullanicisiResponse;
```

#### File

Reference.cs ([see page 835](#))

#### efaturaKullanicisiResponse Properties

	Name	Description
	@return ( <a href="#">see page 118</a> )	

### 1.1.2.1.19.1 efaturaKullanicisiResponse Properties

#### 1.1.2.1.19.1.1 efaturaKullanicisiResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool @return;
```

### 1.1.2.1.20 ePostaDurumSorgula Class

#### Class Hierarchy

[QNBFinansGIB.GIBEArsiv.ePostaDurumSorgula](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class ePostaDurumSorgula;
```

#### File

Reference.cs ([see page 835](#))

## ePostaDurumSorgula Properties

	Name	Description
	input (see page 119)	

### 1.1.2.1.20.1 ePostaDurumSorgula Properties


#### 1.1.2.1.20.1.1 ePostaDurumSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

### 1.1.2.1.21 ePostaDurumSorgulaCompletedEventArgs Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class ePostaDurumSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs (see page 835)

#### Methods

	Name	Description
	ePostaDurumSorgulaCompletedEventArgs (see page 119)	This is ePostaDurumSorgulaCompletedEventArgs, a member of class ePostaDurumSorgulaCompletedEventArgs.

## ePostaDurumSorgulaCompletedEventArgs Properties

	Name	Description
	@return (see page 120)	
	outputEposta (see page 120)	
	Result (see page 120)	

### 1.1.2.1.21.1

## ePostaDurumSorgulaCompletedEventArgs.ePostaDurumSorgulaCompletedEventArgs Constructor

C#

```
internal ePostaDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

#### Description

This is ePostaDurumSorgulaCompletedEventArgs, a member of class ePostaDurumSorgulaCompletedEventArgs.

#### Body Source

```
1: internal ePostaDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
```

```

3:     this.results = results;
4: }
```

### 1.1.2.1.21.2 ePostaDurumSorgulaCompletedEventArgs Properties

#### 1.1.2.1.21.2.1 ePostaDurumSorgulaCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

#### 1.1.2.1.21.2.2 ePostaDurumSorgulaCompletedEventArgs.outputEposta Property

C#

```
public string outputEposta;
```

#### 1.1.2.1.21.2.3 ePostaDurumSorgulaCompletedEventArgs.Result Property

C#

```
public string Result;
```

## 1.1.2.1.22 ePostaGonder Class

### Class Hierarchy

[QNBFinansGIB.GIBEArsiv.ePostaGonder](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class ePostaGonder;
```

### File

Reference.cs ([see page 835](#))

### ePostaGonder Properties

	Name	Description
	ilaveEposta ( <a href="#">see page 120</a> )	
	input ( <a href="#">see page 121</a> )	
	tanimliEpostayaGonder ( <a href="#">see page 121</a> )	

### 1.1.2.1.22.1 ePostaGonder Properties

#### 1.1.2.1.22.1.1 ePostaGonder.ilaveEposta Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ilaveEposta;
```

### 1.1.2.1.22.1.2 ePostaGonder.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```


### 1.1.2.1.22.1.3 ePostaGonder.tanimliEpostayaGonder Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int tanimliEpostayaGonder;
```

## 1.1.2.1.23 ePostaGonderCompletedEventArgs Class

### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class ePostaGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs ([see page 835](#))

### Methods

	Name	Description
	ePostaGonderCompletedEventArgs ( <a href="#">see page 121</a> )	This is ePostaGonderCompletedEventArgs, a member of class ePostaGonderCompletedEventArgs.

### ePostaGonderCompletedEventArgs Properties

	Name	Description
	Result ( <a href="#">see page 122</a> )	

### 1.1.2.1.23.1 ePostaGonderCompletedEventArgs.ePostaGonderCompletedEventArgs Constructor

C#

```
internal ePostaGonderCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

### Description

This is ePostaGonderCompletedEventArgs, a member of class ePostaGonderCompletedEventArgs.

### Body Source

```
1: internal ePostaGonderCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

### 1.1.2.1.23.2 ePostaGonderCompletedEventArgs Properties

### 1.1.2.1.23.2.1 ePostaGonderCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

## 1.1.2.1.24 ePostaGonderResponse Class

### Class Hierarchy

[QNBFinansGIB.GIBEArsiv.ePostaGonderResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class ePostaGonderResponse;
```

### File

[Reference.cs](#) (see page 835)

### ePostaGonderResponse Properties

	Name	Description
	@return (see page 122)	

### 1.1.2.1.24.1 ePostaGonderResponse Properties

#### 1.1.2.1.24.1.1 ePostaGonderResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

## 1.1.2.1.25 faturaDTO Class

### Class Hierarchy

[QNBFinansGIB.GIBEArsiv.faturaDTO](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaDTO;
```

### File

[Reference.cs](#) (see page 835)

### faturaDTO Properties

	Name	Description
	arsiv (see page 124)	

	creationTime (↗ see page 124)	
	currency (↗ see page 124)	
	dokumanFormati (↗ see page 125)	
	durum (↗ see page 125)	
	durumSpecified (↗ see page 125)	
	duzenlenmeZamani (↗ see page 125)	
	epostaGonderimDurumu (↗ see page 125)	
	epostaGonderimDurumuSpecified (↗ see page 125)	
	erpKodu (↗ see page 125)	
	faturaSiraNo (↗ see page 125)	
	faturaSiraNoSpecified (↗ see page 125)	
	faturaZamani (↗ see page 126)	
	ilkKayitZmani (↗ see page 126)	
	indirildi (↗ see page 126)	
	indirildiSpecified (↗ see page 126)	
	invoiceld (↗ see page 126)	
	invoiceTypeCode (↗ see page 126)	
	iptalEdenKullaniciKodu (↗ see page 126)	
	iptalKaynagi (↗ see page 126)	
	iptalKaynagiSpecified (↗ see page 126)	
	iptalRaporTarihi (↗ see page 127)	
	iptalTarihi (↗ see page 127)	
	iptalTarihiExcel (↗ see page 127)	
	islemlid (↗ see page 127)	
	issueDate (↗ see page 127)	
	itirazEdenKullaniciKodu (↗ see page 127)	
	itirazKaynagi (↗ see page 127)	
	itirazKaynagiSpecified (↗ see page 127)	
	itirazTarihi (↗ see page 127)	
	kagitFatura (↗ see page 128)	
	kagitFaturaSpecified (↗ see page 128)	
	kasa (↗ see page 128)	
	kaynak (↗ see page 128)	
	kepDurum (↗ see page 128)	
	kepDurumSpecified (↗ see page 128)	
	kolayFatura (↗ see page 128)	
	kolayFaturaSpecified (↗ see page 128)	
	okundu (↗ see page 128)	
	okunduSpecified (↗ see page 129)	

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

	payableAmount ( <a href="#">see page 129</a> )	
	payableAmountSpecified ( <a href="#">see page 129</a> )	
	profileId ( <a href="#">see page 129</a> )	
	raporTarihi ( <a href="#">see page 129</a> )	
	receiverContact ( <a href="#">see page 129</a> )	
	receiverIdentifier ( <a href="#">see page 129</a> )	
	receiverIdentifierTxt ( <a href="#">see page 129</a> )	
	receiverName ( <a href="#">see page 129</a> )	
	senderContact ( <a href="#">see page 130</a> )	
	senderName ( <a href="#">see page 130</a> )	
	sonGuncellemeZamani ( <a href="#">see page 130</a> )	
	sube ( <a href="#">see page 130</a> )	
	tanimliSubeKod ( <a href="#">see page 130</a> )	
	telNo ( <a href="#">see page 130</a> )	
	toplamTutar ( <a href="#">see page 130</a> )	
	toplamTutarSpecified ( <a href="#">see page 130</a> )	
	uuid ( <a href="#">see page 130</a> )	
	vergilerToplami ( <a href="#">see page 131</a> )	
	vergilerToplamiSpecified ( <a href="#">see page 131</a> )	
	versiyon ( <a href="#">see page 131</a> )	
	versiyonSpecified ( <a href="#">see page 131</a> )	
	yazdirildi ( <a href="#">see page 131</a> )	
	yazdirildiSpecified ( <a href="#">see page 131</a> )	
	yerelFaturaNo ( <a href="#">see page 131</a> )	

### 1.1.2.1.25.1 faturaDTO Properties

#### 1.1.2.1.25.1.1 faturaDTO.arsiv Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int arsiv;
```

#### 1.1.2.1.25.1.2 faturaDTO.creationTime Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string creationTime;
```

#### 1.1.2.1.25.1.3 faturaDTO.currency Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string currency;
```

#### 1.1.2.1.25.1.4 faturaDTO.dokumanFormati Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string dokumanFormati;
```

#### 1.1.2.1.25.1.5 faturaDTO.durum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int durum;
```

#### 1.1.2.1.25.1.6 faturaDTO.durumSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool durumSpecified;
```

#### 1.1.2.1.25.1.7 faturaDTO.duzenlenmeZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string duzenlenmeZamani;
```

#### 1.1.2.1.25.1.8 faturaDTO.epostaGonderimDurumu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int epostaGonderimDurumu;
```

#### 1.1.2.1.25.1.9 faturaDTO.epostaGonderimDurumuSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool epostaGonderimDurumuSpecified;
```

#### 1.1.2.1.25.1.10 faturaDTO.erpKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string erpKodu;
```

#### 1.1.2.1.25.1.11 faturaDTO.faturaSiraNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int faturaSiraNo;
```

#### 1.1.2.1.25.1.12 faturaDTO.faturaSiraNoSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool faturaSiraNoSpecified;
```

#### 1.1.2.1.25.1.13 **faturaDTO.faturaZamani** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaZamani;
```

#### 1.1.2.1.25.1.14 **faturaDTO.ilkKayitZmani** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ilkKayitZmani;
```

#### 1.1.2.1.25.1.15 **faturaDTO.indirildi** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int indirildi;
```

#### 1.1.2.1.25.1.16 **faturaDTO.indirildiSpecified** Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool indirildiSpecified;
```

#### 1.1.2.1.25.1.17 **faturaDTO.invoiceId** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string invoiceId;
```

#### 1.1.2.1.25.1.18 **faturaDTO.invoiceTypeCode** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string invoiceTypeCode;
```

#### 1.1.2.1.25.1.19 **faturaDTO.iptalEdenKullaniciKodu** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string iptalEdenKullaniciKodu;
```

#### 1.1.2.1.25.1.20 **faturaDTO.iptalKaynagi** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int iptalKaynagi;
```

#### 1.1.2.1.25.1.21 **faturaDTO.iptalKaynagiSpecified** Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool iptalKaynagiSpecified;
```

#### 1.1.2.1.25.1.22 faturaDTO.iptalRaporTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string iptalRaporTarihi;
```

#### 1.1.2.1.25.1.23 faturaDTO.iptalTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string iptalTarihi;
```

#### 1.1.2.1.25.1.24 faturaDTO.iptalTarihiExcel Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string iptalTarihiExcel;
```

#### 1.1.2.1.25.1.25 faturaDTO.islemId Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemId;
```

#### 1.1.2.1.25.1.26 faturaDTO.issueDate Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string issueDate;
```

#### 1.1.2.1.25.1.27 faturaDTO.itirazEdenKullaniciKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string itirazEdenKullaniciKodu;
```

#### 1.1.2.1.25.1.28 faturaDTO.itirazKaynagi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int itirazKaynagi;
```

#### 1.1.2.1.25.1.29 faturaDTO.itirazKaynagiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool itirazKaynagiSpecified;
```

#### 1.1.2.1.25.1.30 faturaDTO.itirazTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string itirazTarihi;
```

#### 1.1.2.1.25.1.31 faturaDTO.kagitFatura Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool kagitFatura;
```

#### 1.1.2.1.25.1.32 faturaDTO.kagitFaturaSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kagitFaturaSpecified;
```

#### 1.1.2.1.25.1.33 faturaDTO.kasa Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kasa;
```

#### 1.1.2.1.25.1.34 faturaDTO.kaynak Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int kaynak;
```

#### 1.1.2.1.25.1.35 faturaDTO.kepDurum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int kepDurum;
```

#### 1.1.2.1.25.1.36 faturaDTO.kepDurumSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kepDurumSpecified;
```

#### 1.1.2.1.25.1.37 faturaDTO.kolayFatura Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int kolayFatura;
```

#### 1.1.2.1.25.1.38 faturaDTO.kolayFaturaSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kolayFaturaSpecified;
```

#### 1.1.2.1.25.1.39 faturaDTO.okundu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int okundu;
```

#### 1.1.2.1.25.1.40 faturaDTO.okunduSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool okunduSpecified;
```

#### 1.1.2.1.25.1.41 faturaDTO.payableAmount Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal payableAmount;
```

#### 1.1.2.1.25.1.42 faturaDTO.payableAmountSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool payableAmountSpecified;
```

#### 1.1.2.1.25.1.43 faturaDTO.profileId Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string profileId;
```

#### 1.1.2.1.25.1.44 faturaDTO.raporTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string raporTarihi;
```

#### 1.1.2.1.25.1.45 faturaDTO.receiverContact Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string receiverContact;
```

#### 1.1.2.1.25.1.46 faturaDTO.receiverIdentifier Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string receiverIdentifier;
```

#### 1.1.2.1.25.1.47 faturaDTO.receiverIdentifierTxt Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string receiverIdentifierTxt;
```

#### 1.1.2.1.25.1.48 faturaDTO.receiverName Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string receiverName;
```

#### 1.1.2.1.25.1.49 faturaDTO.senderContact Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string senderContact;
```

#### 1.1.2.1.25.1.50 faturaDTO.senderName Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string senderName;
```

#### 1.1.2.1.25.1.51 faturaDTO.sonGuncellemeZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string sonGuncellemeZamani;
```

#### 1.1.2.1.25.1.52 faturaDTO.sube Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string sube;
```

#### 1.1.2.1.25.1.53 faturaDTO.tanimliSubeKod Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string tanimliSubeKod;
```

#### 1.1.2.1.25.1.54 faturaDTO.telNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string telNo;
```

#### 1.1.2.1.25.1.55 faturaDTO.toplamTutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal toplamTutar;
```

#### 1.1.2.1.25.1.56 faturaDTO.toplamTutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool toplamTutarSpecified;
```

#### 1.1.2.1.25.1.57 faturaDTO.uuid Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string uuid;
```

### 1.1.2.1.25.1.58 faturaDTO.vergilerToplami Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal vergilerToplami;
```

### 1.1.2.1.25.1.59 faturaDTO.vergilerToplamiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool vergilerToplamiSpecified;
```

### 1.1.2.1.25.1.60 faturaDTO.versiyon Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int versiyon;
```

### 1.1.2.1.25.1.61 faturaDTO.versiyonSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool versiyonSpecified;
```

### 1.1.2.1.25.1.62 faturaDTO.yazdirildi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int yazdirildi;
```

### 1.1.2.1.25.1.63 faturaDTO.yazdirildiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool yazdirildiSpecified;
```

### 1.1.2.1.25.1.64 faturaDTO.yerelFaturaNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yerelFaturaNo;
```

## 1.1.2.1.26 faturalptalEt Class

### Class Hierarchy

```
QNBFinansGIB.GIBEArsiv.faturalptalEt
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturalptalEt;
```

**File**


Reference.cs ([see page 835](#))

**faturalptalEt Properties**

	Name	Description
	input ( <a href="#">see page 132</a> )	

**1.1.2.1.26.1 faturalptalEt Properties****1.1.2.1.26.1.1 faturalptalEt.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

**1.1.2.1.27 faturalptalEtCompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturalptalEtCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs ([see page 835](#))

**Methods**

	Name	Description
	faturalptalEtCompletedEventArgs ( <a href="#">see page 132</a> )	This is faturalptalEtCompletedEventArgs, a member of class faturalptalEtCompletedEventArgs.

**faturalptalEtCompletedEventArgs Properties**

	Name	Description
	Result ( <a href="#">see page 133</a> )	

**1.1.2.1.27.1 faturalptalEtCompletedEventArgs.faturalptalEtCompletedEventArgs Constructor****C#**

```
internal faturalptalEtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

**Description**

This is faturalptalEtCompletedEventArgs, a member of class faturalptalEtCompletedEventArgs.

**Body Source**

```
1: internal faturalptalEtCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
```

```
4: }
```

## 1.1.2.1.27.2 faturalptalEtCompletedEventArgs Properties

### 1.1.2.1.27.2.1 faturalptalEtCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

## 1.1.2.1.28 faturalptalEtResponse Class

### Class Hierarchy

```
[QNBFinansGIB.GIBEArsiv.faturalptalEtResponse]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class faturalptalEtResponse;
```

### File

Reference.cs (see page 835)

### faturalptalEtResponse Properties

	Name	Description
	@return (see page 133)	

## 1.1.2.1.28.1 faturalptalEtResponse Properties

### 1.1.2.1.28.1.1 faturalptalEtResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

## 1.1.2.1.29 faturalptaliKaldır Class

### Class Hierarchy

```
[QNBFinansGIB.GIBEArsiv.faturalptaliKaldır]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class faturalptaliKaldır;
```

### File


Reference.cs (see page 835)

**faturalptaliKaldır Properties**

	Name	Description
	input (see page 134)	

**1.1.2.1.29.1 faturalptaliKaldır Properties****1.1.2.1.29.1.1 faturalptaliKaldır.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

**1.1.2.1.30 faturalptaliKaldırCompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturalptaliKaldırCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs (see page 835)

**Methods**

	Name	Description
	faturalptaliKaldırCompletedEventArgs (see page 134)	This is faturalptaliKaldırCompletedEventArgs, a member of class faturalptaliKaldırCompletedEventArgs.

**faturalptaliKaldırCompletedEventArgs Properties**

	Name	Description
	Result (see page 135)	

**1.1.2.1.30.1 faturalptaliKaldırCompletedEventArgs.faturalptaliKaldırCompletedEventArgs Constructor****C#**

```
internal faturalptaliKaldırCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

**Description**

This is faturalptaliKaldırCompletedEventArgs, a member of class faturalptaliKaldırCompletedEventArgs.

**Body Source**

```
1: internal faturalptaliKaldırCompletedEventArgs(object[] results, System.Exception exception,
2: bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:         this.results = results;
4: }
```

**1.1.2.1.30.2 faturalptaliKaldırCompletedEventArgs Properties**

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com*

### 1.1.2.1.30.2.1 faturalptaliKaldırCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

## 1.1.2.1.31 faturalptaliKaldırResponse Class

### Class Hierarchy

[QNBFinansGIB.GIBEArsiv.faturalptaliKaldırResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturalptaliKaldırResponse;
```

### File

[Reference.cs](#) (see page 835)

### faturalptaliKaldırResponse Properties

	Name	Description
	@return (see page 135)	

## 1.1.2.1.31.1 faturalptaliKaldırResponse Properties

### 1.1.2.1.31.1.1 faturalptaliKaldırResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

## 1.1.2.1.32 faturaltirazEt Class

### Class Hierarchy

[QNBFinansGIB.GIBEArsiv.faturaltirazEt](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaltirazEt;
```

### File

[Reference.cs](#) (see page 835)

### faturaltirazEt Properties

	Name	Description
	input (see page 136)	

### 1.1.2.1.32.1 faturaltirazEt Properties

#### 1.1.2.1.32.1.1 faturaltirazEt.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

### 1.1.2.1.33 faturaltirazEtCompletedEventArgs Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaItirazEtCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs ([see page 835](#))

#### Methods

	Name	Description
	faturaltirazEtCompletedEventArgs ( <a href="#">see page 136</a> )	This is faturaltirazEtCompletedEventArgs, a member of class faturaltirazEtCompletedEventArgs.

#### faturaltirazEtCompletedEventArgs Properties

	Name	Description
	Result ( <a href="#">see page 136</a> )	

### 1.1.2.1.33.1 faturaltirazEtCompletedEventArgs.faturaltirazEtCompletedEventArgs Constructor

C#

```
internal faturaItirazEtCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

#### Description

This is faturaltirazEtCompletedEventArgs, a member of class faturaltirazEtCompletedEventArgs.

#### Body Source

```
1: internal faturaItirazEtCompletedEventArgs(object[] results, System.Exception exception,
2: bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:         this.results = results;
4: }
```

### 1.1.2.1.33.2 faturaltirazEtCompletedEventArgs Properties

#### 1.1.2.1.33.2.1 faturaltirazEtCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

## 1.1.2.1.34 faturaltirazEtResponse Class

### Class Hierarchy

[QNBFinansGIB.GIBEArsiv.faturaltirazEtResponse](#)

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaltirazEtResponse;
```

### File

Reference.cs ([see page 835](#))

### faturaltirazEtResponse Properties

	Name	Description
	@return ( <a href="#">see page 137</a> )	

## 1.1.2.1.34.1 faturaltirazEtResponse Properties

### 1.1.2.1.34.1.1 faturaltirazEtResponse.@return Property

### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

## 1.1.2.1.35 faturaltirazKaldır Class

### Class Hierarchy

[QNBFinansGIB.GIBEArsiv.faturaltirazKaldır](#)

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaltirazKaldır;
```

### File

Reference.cs ([see page 835](#))

### faturaltirazKaldır Properties

	Name	Description
	input ( <a href="#">see page 138</a> )	

## 1.1.2.1.35.1 faturaltirazKaldır Properties

### 1.1.2.1.35.1.1 faturaltirazKaldır.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

## 1.1.2.1.36 faturaltirazKaldırCompletedEventArgs Class

### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaItirazKaldırCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs (see page 835)

### Methods

	Name	Description
!	faturaltirazKaldırCompletedEventArgs (see page 138)	This is faturaltirazKaldırCompletedEventArgs, a member of class faturaltirazKaldırCompletedEventArgs.

### faturaltirazKaldırCompletedEventArgs Properties

	Name	Description
!	Result (see page 138)	

### 1.1.2.1.36.1 faturaltirazKaldırCompletedEventArgs.faturaltirazKaldırCompletedEventArgs Constructor

C#

```
internal faturaItirazKaldırCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

### Description

This is faturaltirazKaldırCompletedEventArgs, a member of class faturaltirazKaldırCompletedEventArgs.

### Body Source

```
1: internal faturaItirazKaldırCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

### 1.1.2.1.36.2 faturaltirazKaldırCompletedEventArgs Properties

#### 1.1.2.1.36.2.1 faturaltirazKaldırCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

## 1.1.2.1.37 faturaltirazKaldırResponse Class

### Class Hierarchy

`[QNBFinansGIB.GIBEArsiv.faturaltirazKaldırResponse]`

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaltirazKaldırResponse;
```

### File

Reference.cs ([see page 835](#))

### faturaltirazKaldırResponse Properties

	Name	Description
	@return ( <a href="#">see page 139</a> )	

## 1.1.2.1.37.1 faturaltirazKaldırResponse Properties

### 1.1.2.1.37.1.1 faturaltirazKaldırResponse.@return Property

### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

## 1.1.2.1.38 faturaListeSorgula Class

### Class Hierarchy

`[QNBFinansGIB.GIBEArsiv.faturaListeSorgula]`

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaListeSorgula;
```

### File

Reference.cs ([see page 835](#))

### faturaListeSorgula Properties

	Name	Description
	input ( <a href="#">see page 140</a> )	

## 1.1.2.1.38.1 faturaListeSorgula Properties


### 1.1.2.1.38.1.1 faturaListeSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

## 1.1.2.1.39 faturaListeSorgulaCompletedEventArgs Class

### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaListeSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs (see page 835)

### Methods

	Name	Description
!	faturaListeSorgulaCompletedEventArgs (see page 140)	This is faturaListeSorgulaCompletedEventArgs, a member of class faturaListeSorgulaCompletedEventArgs.

### faturaListeSorgulaCompletedEventArgs Properties

	Name	Description
!	output (see page 140)	
!	Result (see page 141)	

### 1.1.2.1.39.1

## faturaListeSorgulaCompletedEventArgs.faturaListeSorgulaCompletedEventArgs Constructor

C#

```
internal faturaListeSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

### Description

This is faturaListeSorgulaCompletedEventArgs, a member of class faturaListeSorgulaCompletedEventArgs.

### Body Source

```
1: internal faturaListeSorgulaCompletedEventArgs(object[] results, System.Exception exception,
2: bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:         this.results = results;
4: }
```

## 1.1.2.1.39.2 faturaListeSorgulaCompletedEventArgs Properties

### 1.1.2.1.39.2.1 faturaListeSorgulaCompletedEventArgs.output Property

C#

```
public faturadto output;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

### 1.1.2.1.39.2.2 faturaListeSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

## 1.1.2.1.40 faturaListeSorgulaCount Class

### Class Hierarchy

```
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCount
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaListeSorgulaCount;
```

### File

Reference.cs ([see page 835](#))

### faturaListeSorgulaCount Properties

	Name	Description
	input ( <a href="#">see page 141</a> )	

### 1.1.2.1.40.1 faturaListeSorgulaCount Properties

#### 1.1.2.1.40.1.1 faturaListeSorgulaCount.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

## 1.1.2.1.41 faturaListeSorgulaCountCompletedEventArgs Class

### Class Hierarchy

```
System.ComponentModel.AsyncCompletedEventArgs --> QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompletedEventArgs
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaListeSorgulaCountCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs ([see page 835](#))

### Methods

	Name	Description
	faturaListeSorgulaCountCompletedEventArgs ( <a href="#">see page 142</a> )	This is faturaListeSorgulaCountCompletedEventArgs, a member of class faturaListeSorgulaCountCompletedEventArgs.

**faturaListeSorgulaCountCompletedEventArgs Properties**

	Name	Description
	output (see page 142)	
	Result (see page 142)	

**1.1.2.1.41.1****faturaListeSorgulaCountCompletedEventArgs.faturaListeSorgulaCountCompletedEventArgs****Constructor****C#**

```
internal faturaListeSorgulaCountCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

**Description**

This is faturaListeSorgulaCountCompletedEventArgs, a member of class faturaListeSorgulaCountCompletedEventArgs.

**Body Source**

```
1: internal faturaListeSorgulaCountCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

**1.1.2.1.41.2 faturaListeSorgulaCountCompletedEventArgs Properties****1.1.2.1.41.2.1 faturaListeSorgulaCountCompletedEventArgs.output Property****C#**

```
public faturaDTO output;
```

**1.1.2.1.41.2.2 faturaListeSorgulaCountCompletedEventArgs.Result Property****C#**

```
public earsivServiceResult Result;
```

**1.1.2.1.42 faturaListeSorgulaCountResponse Class****Class Hierarchy**

QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountResponse

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaListeSorgulaCountResponse;
```

**File**

Reference.cs (see page 835)

**faturaListeSorgulaCountResponse Properties**

	Name	Description
	@return ( see page 143)	
	output ( see page 143)	

**1.1.2.1.42.1 faturaListeSorgulaCountResponse Properties****1.1.2.1.42.1.1 faturaListeSorgulaCountResponse.@return Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

**1.1.2.1.42.1.2 faturaListeSorgulaCountResponse.output Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public faturaDTO output;
```

**1.1.2.1.43 faturaListeSorgulaPortal Class****Class Hierarchy**

```
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortal
```

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaListeSorgulaPortal;
```

**File**

Reference.cs ( see page 835)

**faturaListeSorgulaPortal Properties**

	Name	Description
	input ( see page 143)	

**1.1.2.1.43.1 faturaListeSorgulaPortal Properties****1.1.2.1.43.1.1 faturaListeSorgulaPortal.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

**1.1.2.1.44 faturaListeSorgulaPortalCompletedEventArgs Class****Class Hierarchy**

```
System.ComponentModel.AsyncCompletedEventArgs --> QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalCompletedEventArgs
```

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.*

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaListeSorgulaPortalCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs ([see page 835](#))

**Methods**

	Name	Description
	faturaListeSorgulaPortalCompletedEventArgs ( <a href="#">see page 144</a> )	This is faturaListeSorgulaPortalCompletedEventArgs, a member of class faturaListeSorgulaPortalCompletedEventArgs.

**faturaListeSorgulaPortalCompletedEventArgs Properties**

	Name	Description
	output ( <a href="#">see page 144</a> )	
	Result ( <a href="#">see page 144</a> )	

**1.1.2.1.44.1****faturaListeSorgulaPortalCompletedEventArgs.faturaListeSorgulaPortalCompletedEventArgs**  
**Constructor****C#**

```
internal faturaListeSorgulaPortalCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

**Description**

This is faturaListeSorgulaPortalCompletedEventArgs, a member of class faturaListeSorgulaPortalCompletedEventArgs.

**Body Source**

```
1: internal faturaListeSorgulaPortalCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

**1.1.2.1.44.2 faturaListeSorgulaPortalCompletedEventArgs Properties****1.1.2.1.44.2.1 faturaListeSorgulaPortalCompletedEventArgs.output Property****C#**

```
public faturaDTO output;
```

**1.1.2.1.44.2.2 faturaListeSorgulaPortalCompletedEventArgs.Result Property****C#**

```
public earsivServiceResult Result;
```

**1.1.2.1.45 faturaListeSorgulaPortalResponse Class****Class Hierarchy**

[QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalResponse](#)

*Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).*

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaListeSorgulaPortalResponse;
```

**File**

Reference.cs (see page 835)

**faturaListeSorgulaPortalResponse Properties**

	Name	Description
	@return (see page 145)	
	output (see page 145)	

**1.1.2.1.45.1 faturaListeSorgulaPortalResponse Properties****1.1.2.1.45.1.1 faturaListeSorgulaPortalResponse.@return Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

**1.1.2.1.45.1.2 faturaListeSorgulaPortalResponse.output Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public faturaDTO output;
```

**1.1.2.1.46 faturaListeSorgulaResponse Class****Class Hierarchy**

[QNBFinansGIB.GIBEArsiv.faturaListeSorgulaResponse](#)

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaListeSorgulaResponse;
```

**File**

Reference.cs (see page 835)

**faturaListeSorgulaResponse Properties**

	Name	Description
	@return (see page 146)	
	output (see page 146)	

**1.1.2.1.46.1 faturaListeSorgulaResponse Properties**

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).*

### 1.1.2.1.46.1.1 faturaListeSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

### 1.1.2.1.46.1.2 faturaListeSorgulaResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public faturaDTO output;
```

## 1.1.2.1.47 faturaNoUret Class

### Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaNoUret;
```

### File

Reference.cs (see page 835)

### faturaNoUret Properties

	Name	Description
	input (see page 146)	

## 1.1.2.1.47.1 faturaNoUret Properties

### 1.1.2.1.47.1.1 faturaNoUret.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

## 1.1.2.1.48 faturaNoUretCompletedEventArgs Class

### Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaNoUretCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs
```

### File

Reference.cs (see page 835)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

## Methods

	Name	Description
	faturaNoUretCompletedEventArgs ( <a href="#">see page 147</a> )	This is faturaNoUretCompletedEventArgs, a member of class faturaNoUretCompletedEventArgs.

## faturaNoUretCompletedEventArgs Properties

	Name	Description
	@return ( <a href="#">see page 147</a> )	
	Result ( <a href="#">see page 147</a> )	

### 1.1.2.1.48.1 faturaNoUretCompletedEventArgs.faturaNoUretCompletedEventArgs Constructor

C#

```
internal faturaNoUretCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

#### Description

This is faturaNoUretCompletedEventArgs, a member of class faturaNoUretCompletedEventArgs.

#### Body Source

```
1: internal faturaNoUretCompletedEventArgs(object[] results, System.Exception exception,
  bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

### 1.1.2.1.48.2 faturaNoUretCompletedEventArgs Properties

#### 1.1.2.1.48.2.1 faturaNoUretCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

#### 1.1.2.1.48.2.2 faturaNoUretCompletedEventArgs.Result Property

C#

```
public string Result;
```

## 1.1.2.1.49 faturaOlustur Class

#### Class Hierarchy

[QNBFinansGIB.GIBEArsiv.faturaOlustur](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class faturaOlustur;
```

#### File

[Reference.cs](#) ([see page 835](#))

## faturaOlustur Properties

	Name	Description
	fatura (see page 148)	
	input (see page 148)	

### 1.1.2.1.49.1 faturaOlustur Properties

#### 1.1.2.1.49.1.1 faturaOlustur.fatura Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge fatura;
```

#### 1.1.2.1.49.1.2 faturaOlustur.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

## 1.1.2.1.50 faturaOlusturCompletedEventArgs Class

### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaOlusturCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 835)

### Methods

	Name	Description
	faturaOlusturCompletedEventArgs (see page 148)	This is faturaOlusturCompletedEventArgs, a member of class faturaOlusturCompletedEventArgs.

### faturaOlusturCompletedEventArgs Properties

	Name	Description
	@return (see page 149)	
	Result (see page 149)	

### 1.1.2.1.50.1 faturaOlusturCompletedEventArgs.faturaOlusturCompletedEventArgs Constructor

C#

```
internal faturaOlusturCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

### Description

This is faturaOlusturCompletedEventArgs, a member of class faturaOlusturCompletedEventArgs.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

**Body Source**

```

1: internal faturaOlusturCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;

```

**1.1.2.1.50.2 faturaOlusturCompletedEventArgs Properties****1.1.2.1.50.2.1 faturaOlusturCompletedEventArgs.@return Property****C#**

```
public earsivServiceResult @return;
```

**1.1.2.1.50.2.2 faturaOlusturCompletedEventArgs.Result Property****C#**

```
public belge Result;
```

**1.1.2.1.51 faturaOlusturExt Class****Class Hierarchy**

```
[QNBFinansGIB.GIBEArsiv.faturaOlusturExt]
```

**C#**

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[SerializableAttribute()]
[DebuggerStepThroughAttribute()]
[ComponentModel.DesignerCategoryAttribute("code")]
[XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class faturaOlusturExt;

```

**File**

Reference.cs (  see page 835)

**faturaOlusturExt Properties**

	Name	Description
	fatura (  see page 149)	
	input (  see page 149)	

**1.1.2.1.51.1 faturaOlusturExt Properties****1.1.2.1.51.1.1 faturaOlusturExt.fatura Property****C#**

```

[XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge fatura;

```

**1.1.2.1.51.1.2 faturaOlusturExt.input Property****C#**

```

[XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;

```

## 1.1.2.1.52 faturaOlusturExtCompletedEventArgs Class

### Class Hierarchy



### C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaOlusturExtCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
  
```

### File

Reference.cs (see page 835)

### Methods

	Name	Description
	faturaOlusturExtCompletedEventArgs (see page 150)	This is faturaOlusturExtCompletedEventArgs, a member of class faturaOlusturExtCompletedEventArgs.

### faturaOlusturExtCompletedEventArgs Properties

	Name	Description
	@return (see page 150)	
	Result (see page 150)	

## 1.1.2.1.52.1 faturaOlusturExtCompletedEventArgs.faturaOlusturExtCompletedEventArgs Constructor

### C#

```

internal faturaOlusturExtCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
  
```

### Description

This is faturaOlusturExtCompletedEventArgs, a member of class faturaOlusturExtCompletedEventArgs.

### Body Source

```

1: internal faturaOlusturExtCompletedEventArgs(object[] results, System.Exception exception,
2:   bool cancelled, object userState) :
3:   base(exception, cancelled, userState) {
4:     this.results = results;
  
```

## 1.1.2.1.52.2 faturaOlusturExtCompletedEventArgs Properties

### 1.1.2.1.52.2.1 faturaOlusturExtCompletedEventArgs.@return Property

### C#

```

public earsivServiceResult @return;
  
```

### 1.1.2.1.52.2.2 faturaOlusturExtCompletedEventArgs.Result Property

### C#

```

public belge Result;
  
```

## 1.1.2.1.53 faturaOnizleme Class

### Class Hierarchy

```
[QNBFinansGIB.GIBEArsiv.faturaOnizleme]
```

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaOnizleme;
```

### File

Reference.cs (see page 835)

### faturaOnizleme Properties

	Name	Description
	fatura (see page 151)	
	input (see page 151)	

## 1.1.2.1.53.1 faturaOnizleme Properties

### 1.1.2.1.53.1.1 faturaOnizleme.fatura Property

#### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge fatura;
```

### 1.1.2.1.53.1.2 faturaOnizleme.input Property

#### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

## 1.1.2.1.54 faturaOnizlemeCompletedEventArgs Class

### Class Hierarchy

```
System.ComponentModel.AsyncCompletedEventArgs --> QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventArgs
```

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaOnizlemeCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs (see page 835)

## Methods

	Name	Description
	faturaOnizlemeCompletedEventArgs	This is faturaOnizlemeCompletedEventArgs, a member of class faturaOnizlemeCompletedEventArgs. ( <a href="#">see page 152</a> )

### faturaOnizlemeCompletedEventArgs Properties

	Name	Description
	@return ( <a href="#">see page 152</a> )	
	Result ( <a href="#">see page 152</a> )	

## 1.1.2.1.54.1 faturaOnizlemeCompletedEventArgs.faturaOnizlemeCompletedEventArgs Constructor

C#

```
internal faturaOnizlemeCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

### Description

This is faturaOnizlemeCompletedEventArgs, a member of class faturaOnizlemeCompletedEventArgs.

### Body Source

```
1: internal faturaOnizlemeCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

## 1.1.2.1.54.2 faturaOnizlemeCompletedEventArgs Properties

### 1.1.2.1.54.2.1 faturaOnizlemeCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

### 1.1.2.1.54.2.2 faturaOnizlemeCompletedEventArgs.Result Property

C#

```
public belge Result;
```

## 1.1.2.1.55 faturaSorgula Class

### Class Hierarchy

[QNBFinansGIB.GIBEArsiv.faturaSorgula](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class faturaSorgula;
```

### File


[Reference.cs](#) ([see page 835](#))

**faturaSorgula Properties**

	Name	Description
	input (see page 153)	

**1.1.2.1.55.1 faturaSorgula Properties****1.1.2.1.55.1.1 faturaSorgula.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

**1.1.2.1.56 faturaSorgulaCompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs (see page 835)

**Methods**

	Name	Description
	faturaSorgulaCompletedEventArgs (see page 153)	This is faturaSorgulaCompletedEventArgs, a member of class faturaSorgulaCompletedEventArgs.

**faturaSorgulaCompletedEventArgs Properties**

	Name	Description
	@return (see page 154)	
	Result (see page 154)	

**1.1.2.1.56.1 faturaSorgulaCompletedEventArgs.faturaSorgulaCompletedEventArgs Constructor****C#**

```
internal faturaSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState);
```

**Description**

This is faturaSorgulaCompletedEventArgs, a member of class faturaSorgulaCompletedEventArgs.

**Body Source**

```
1: internal faturaSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

### 1.1.2.1.56.2 faturaSorgulaCompletedEventArgs Properties

#### 1.1.2.1.56.2.1 faturaSorgulaCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

#### 1.1.2.1.56.2.2 faturaSorgulaCompletedEventArgs.Result Property

C#

```
public belge Result;
```

### 1.1.2.1.57 faturaSorgulaExt Class

#### Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaSorgulaExt;
```

File

Reference.cs (see page 835)

#### faturaSorgulaExt Properties

	Name	Description
	input (see page 154)	

### 1.1.2.1.57.1 faturaSorgulaExt Properties

#### 1.1.2.1.57.1.1 faturaSorgulaExt.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

### 1.1.2.1.58 faturaSorgulaExtCompletedEventArgs Class

#### Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaSorgulaExtCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 835)

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.*

## Methods

	Name	Description
	faturaSorgulaExtCompletedEventArgs ( <a href="#">see page 155</a> )	This is faturaSorgulaExtCompletedEventArgs, a member of class faturaSorgulaExtCompletedEventArgs.

### faturaSorgulaExtCompletedEventArgs Properties

	Name	Description
	@return ( <a href="#">see page 155</a> )	
	Result ( <a href="#">see page 155</a> )	

#### 1.1.2.1.58.1

### faturaSorgulaExtCompletedEventArgs.faturaSorgulaExtCompletedEventArgs Constructor

C#

```
internal faturaSorgulaExtCompletedEventArgs(object[] results, System.Exception exception,
    bool cancelled, object userState);
```

#### Description

This is faturaSorgulaExtCompletedEventArgs, a member of class faturaSorgulaExtCompletedEventArgs.

#### Body Source

```
1: internal faturaSorgulaExtCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

#### 1.1.2.1.58.2 faturaSorgulaExtCompletedEventArgs Properties

##### 1.1.2.1.58.2.1 faturaSorgulaExtCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

##### 1.1.2.1.58.2.2 faturaSorgulaExtCompletedEventArgs.Result Property

C#

```
public belge Result;
```

## 1.1.2.1.59 faturaTaslakOlustur Class

#### Class Hierarchy

[QNBFinansGIB.GIBEArsiv.faturaTaslakOlustur](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaTaslakOlustur;
```

#### File

[Reference.cs](#) ([see page 835](#))

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

**faturaTaslakOlustur Properties**


	Name	Description
	fatura ( <a href="#">see page 156</a> )	
	input ( <a href="#">see page 156</a> )	

**1.1.2.1.59.1 faturaTaslakOlustur Properties****1.1.2.1.59.1.1 faturaTaslakOlustur.fatura Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge fatura;
```

**1.1.2.1.59.1.2 faturaTaslakOlustur.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

**1.1.2.1.60 faturaTaslakOlusturCompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaTaslakOlusturCompletedEventArgs : 
System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs ( [see page 835](#) )

**Methods**

	Name	Description
	faturaTaslakOlusturCompletedEventArgs ( <a href="#">see page 156</a> )	This is faturaTaslakOlusturCompletedEventArgs, a member of class faturaTaslakOlusturCompletedEventArgs.

**faturaTaslakOlusturCompletedEventArgs Properties**

	Name	Description
	Result ( <a href="#">see page 157</a> )	

**1.1.2.1.60.1****faturaTaslakOlusturCompletedEventArgs.faturaTaslakOlusturCompletedEventArgs Constructor****C#**

```
internal faturaTaslakOlusturCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

**Description**

This is faturaTaslakOlusturCompletedEventArgs, a member of class faturaTaslakOlusturCompletedEventArgs.

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).*

**Body Source**

```

1: internal faturaTaslakOlusturCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }

```

**1.1.2.1.60.2 faturaTaslakOlusturCompletedEventArgs Properties****1.1.2.1.60.2.1 faturaTaslakOlusturCompletedEventArgs.Result Property****C#**

```
public earsivServiceResult Result;
```

**1.1.2.1.61 faturaTaslakOlusturResponse Class****Class Hierarchy**

QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturResponse
----------------------------------------------------

**C#**

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaTaslakOlusturResponse:

```

**File**

Reference.cs (see page 835)

**faturaTaslakOlusturResponse Properties**

	Name	Description
	@return (see page 157)	

**1.1.2.1.61.1 faturaTaslakOlusturResponse Properties****1.1.2.1.61.1.1 faturaTaslakOlusturResponse.@return Property****C#**

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;

```

**1.1.2.1.62 faturaTaslakOnizleme Class****Class Hierarchy**

QNBFinansGIB.GIBEArsiv.faturaTaslakOnizleme
---------------------------------------------

**C#**

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]

```

```
public class faturaTaslakOnizleme;
```

## File

Reference.cs (see page 835)

### faturaTaslakOnizleme Properties

	Name	Description
	input (see page 158)	

## 1.1.2.1.62.1 faturaTaslakOnizleme Properties


### 1.1.2.1.62.1.1 faturaTaslakOnizleme.input Property

#### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

## 1.1.2.1.63 faturaTaslakOnizlemeCompletedEventArgs Class

### Class Hierarchy



#### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaTaslakOnizlemeCompletedEventArgs :
    System.ComponentModel.AsyncCompletedEventArgs;
```

## File

Reference.cs (see page 835)

### Methods

	Name	Description
	faturaTaslakOnizlemeCompletedEventArgs (see page 158)	This is faturaTaslakOnizlemeCompletedEventArgs, a member of class faturaTaslakOnizlemeCompletedEventArgs.

### faturaTaslakOnizlemeCompletedEventArgs Properties

	Name	Description
	output (see page 159)	
	Result (see page 159)	

## 1.1.2.1.63.1

### faturaTaslakOnizlemeCompletedEventArgs.faturaTaslakOnizlemeCompletedEventArgs Constructor

#### C#

```
internal faturaTaslakOnizlemeCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

### Description

This is faturaTaslakOnizlemeCompletedEventArgs, a member of class faturaTaslakOnizlemeCompletedEventArgs.

**Body Source**

```

1: internal faturaTaslakOnizlemeCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }

```

**1.1.2.1.63.2 faturaTaslakOnizlemeCompletedEventArgs Properties****1.1.2.1.63.2.1 faturaTaslakOnizlemeCompletedEventArgs.output Property****C#**

```
public belge output;
```

**1.1.2.1.63.2.2 faturaTaslakOnizlemeCompletedEventArgs.Result Property****C#**

```
public earsivServiceResult Result;
```

**1.1.2.1.64 faturaTaslakOnizlemeResponse Class****Class Hierarchy**

QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeResponse

**C#**

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaTaslakOnizlemeResponse ;

```

**File**

Reference.cs ( see page 835)

**faturaTaslakOnizlemeResponse Properties**

	<b>Name</b>	<b>Description</b>
	@return ( see page 159)	
	output ( see page 159)	

**1.1.2.1.64.1 faturaTaslakOnizlemeResponse Properties****1.1.2.1.64.1.1 faturaTaslakOnizlemeResponse.@return Property****C#**

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;

```

**1.1.2.1.64.1.2 faturaTaslakOnizlemeResponse.output Property****C#**

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge output;
```

## 1.1.2.1.65 faturaTaslakSil Class

### Class Hierarchy

```
[QNBFinansGIB.GIBEArsiv.faturaTaslakSil]
```

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaTaslakSil;
```

### File

Reference.cs ( [see page 835](#) )

### faturaTaslakSil Properties

	Name	Description
	input ( <a href="#">see page 160</a> )	

## 1.1.2.1.65.1 faturaTaslakSil Properties

### 1.1.2.1.65.1.1 faturaTaslakSil.input Property

### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

## 1.1.2.1.66 faturaTaslakSilCompletedEventArgs Class

### Class Hierarchy

```
System.ComponentModel.AsyncCompletedEventArgs --> QNBFinansGIB.GIBEArsiv.faturaTaslakSilCompletedEventArgs
```

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaTaslakSilCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs ( [see page 835](#) )

### Methods

	Name	Description
	faturaTaslakSilCompletedEventArgs ( <a href="#">see page 161</a> )	This is faturaTaslakSilCompletedEventArgs, a member of class faturaTaslakSilCompletedEventArgs.

### faturaTaslakSilCompletedEventArgs Properties

	Name	Description
	Result ( <a href="#">see page 161</a> )	

### 1.1.2.1.66.1 faturaTaslakSilCompletedEventArgs.faturaTaslakSilCompletedEventArgs Constructor

C#

```
internal faturaTaslakSilCompletedEventArgs(object[] results, System.Exception exception,
    bool cancelled, object userState);
```

#### Description

This is faturaTaslakSilCompletedEventArgs, a member of class faturaTaslakSilCompletedEventArgs.

#### Body Source

```
1: internal faturaTaslakSilCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

### 1.1.2.1.66.2 faturaTaslakSilCompletedEventArgs Properties

#### 1.1.2.1.66.2.1 faturaTaslakSilCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

### 1.1.2.1.67 faturaTaslakSilResponse Class

#### Class Hierarchy

[QNBFinansGIB.GIBEArsiv.faturaTaslakSilResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class faturaTaslakSilResponse;
```

#### File

Reference.cs ([see page 835](#))

#### faturaTaslakSilResponse Properties

	Name	Description
	@return ( <a href="#">see page 161</a> )	

### 1.1.2.1.67.1 faturaTaslakSilResponse Properties

#### 1.1.2.1.67.1.1 faturaTaslakSilResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

## 1.1.2.1.68 faturaTaslakSorgula Class

### Class Hierarchy

```
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgula
```

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaTaslakSorgula;
```

### File

Reference.cs ( [see page 835](#) )

### faturaTaslakSorgula Properties

	Name	Description
	input ( <a href="#">see page 162</a> )	

## 1.1.2.1.68.1 faturaTaslakSorgula Properties

### 1.1.2.1.68.1.1 faturaTaslakSorgula.input Property

### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

## 1.1.2.1.69 faturaTaslakSorgulaCompletedEventArgs Class

### Class Hierarchy

```
System.ComponentModel.AsyncCompletedEventArgs --> QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEventArgs
```

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaTaslakSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs
```

### File

Reference.cs ( [see page 835](#) )

### Methods

	Name	Description
	faturaTaslakSorgulaCompletedEventArgs ( <a href="#">see page 163</a> )	This is faturaTaslakSorgulaCompletedEventArgs, a member of class faturaTaslakSorgulaCompletedEventArgs.

### faturaTaslakSorgulaCompletedEventArgs Properties

	Name	Description
	output ( <a href="#">see page 163</a> )	
	Result ( <a href="#">see page 163</a> )	

### 1.1.2.1.69.1 faturaTaslakSorgulaCompletedEventArgs.faturaTaslakSorgulaCompletedEventArgs Constructor

C#

```
internal faturaTaslakSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

#### Description

This is faturaTaslakSorgulaCompletedEventArgs, a member of class faturaTaslakSorgulaCompletedEventArgs.

#### Body Source

```
1: internal faturaTaslakSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

### 1.1.2.1.69.2 faturaTaslakSorgulaCompletedEventArgs Properties

#### 1.1.2.1.69.2.1 faturaTaslakSorgulaCompletedEventArgs.output Property

C#

```
public faturaDTO output;
```

#### 1.1.2.1.69.2.2 faturaTaslakSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

### 1.1.2.1.70 faturaTaslakSorgulaResponse Class

#### Class Hierarchy

[QNBFinansGIB.GIBEArsiv faturaTaslakSorgulaResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaTaslakSorgulaResponse;
```

#### File

Reference.cs ([see page 835](#))

#### faturaTaslakSorgulaResponse Properties

	Name	Description
	@return ( <a href="#">see page 164</a> )	
	output ( <a href="#">see page 164</a> )	

### 1.1.2.1.70.1 faturaTaslakSorgulaResponse Properties

### 1.1.2.1.70.1.1 faturaTaslakSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

### 1.1.2.1.70.1.2 faturaTaslakSorgulaResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public faturaDTO output;
```

## 1.1.2.1.71 faturaTaslaktanOlustur Class

### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaTaslaktanOlustur;
```

### File

Reference.cs (see page 835)

### faturaTaslaktanOlustur Properties

	Name	Description
	input (see page 164)	

### 1.1.2.1.71.1 faturaTaslaktanOlustur Properties


#### 1.1.2.1.71.1.1 faturaTaslaktanOlustur.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

## 1.1.2.1.72 faturaTaslaktanOlusturCompletedEventArgs Class

### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaTaslaktanOlusturCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs ([see page 835](#))

**Methods**

	Name	Description
	faturaTaslaktanOlusturCompletedEventArgs ( <a href="#">see page 165</a> )	This is faturaTaslaktanOlusturCompletedEventArgs, a member of class faturaTaslaktanOlusturCompletedEventArgs.

**faturaTaslaktanOlusturCompletedEventArgs Properties**

	Name	Description
	@return ( <a href="#">see page 165</a> )	
	Result ( <a href="#">see page 165</a> )	

**1.1.2.1.72.1****faturaTaslaktanOlusturCompletedEventArgs.faturaTaslaktanOlusturCompletedEventArgs****Constructor****C#**

```
internal faturaTaslaktanOlusturCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

**Description**

This is faturaTaslaktanOlusturCompletedEventArgs, a member of class faturaTaslaktanOlusturCompletedEventArgs.

**Body Source**

```
1: internal faturaTaslaktanOlusturCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

**1.1.2.1.72.2 faturaTaslaktanOlusturCompletedEventArgs Properties****1.1.2.1.72.2.1 faturaTaslaktanOlusturCompletedEventArgs.@return Property****C#**

```
public earsivServiceResult @return;
```

**1.1.2.1.72.2.2 faturaTaslaktanOlusturCompletedEventArgs.Result Property****C#**

```
public belge Result;
```

**1.1.2.1.73 faturaZipAI Class****Class Hierarchy**

[QNBFinansGIB.GIBEArsiv.faturaZipAI]

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
```

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).*

```
]
public class faturaZipiAI;
```

**File**


Reference.cs ( [see page 835](#) )

**faturaZipiAI Properties**

	Name	Description
	input ( <a href="#">see page 166</a> )	

**1.1.2.1.73.1 faturaZipiAI Properties****1.1.2.1.73.1.1 faturaZipiAI.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

**1.1.2.1.74 faturaZipiAICompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaZipiAICompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs ( [see page 835](#) )

**Methods**

	Name	Description
	faturaZipiAICompletedEventArgs ( <a href="#">see page 166</a> )	This is faturaZipiAICompletedEventArgs, a member of class faturaZipiAICompletedEventArgs.

**faturaZipiAICompletedEventArgs Properties**

	Name	Description
	output ( <a href="#">see page 167</a> )	
	Result ( <a href="#">see page 167</a> )	

**1.1.2.1.74.1 faturaZipiAICompletedEventArgs.faturaZipiAICompletedEventArgs Constructor****C#**

```
internal faturaZipiAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

**Description**

This is faturaZipiAICompletedEventArgs, a member of class faturaZipiAICompletedEventArgs.

**Body Source**

```
1: internal faturaZipiAICompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
```

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).*

```

2:         base(exception, cancelled, userState) {
3:             this.results = results;
4:         }

```

### 1.1.2.1.74.2 faturaZipiAICompletedEventArgs Properties

#### 1.1.2.1.74.2.1 faturaZipiAICompletedEventArgs.output Property

C#

```
public byte output;
```

#### 1.1.2.1.74.2.2 faturaZipiAICompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

## 1.1.2.1.75 faturaZipiAIResponse Class

### Class Hierarchy

[QNBFinansGIB.GIBEArsiv.faturaZipiAIResponse](#)

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[SerializableAttribute()]
[Diagnostic.DebugStepThroughAttribute()]
[ComponentModel.DesignerCategoryAttribute("code")]
[Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class faturaZipiAIResponse;

```

### File

Reference.cs ([see page 835](#))

### faturaZipiAIResponse Properties

	Name	Description
	@return ( <a href="#">see page 167</a> )	
	output ( <a href="#">see page 167</a> )	

### 1.1.2.1.75.1 faturaZipiAIResponse Properties

#### 1.1.2.1.75.1.1 faturaZipiAIResponse.@return Property

C#

```

[XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;

```

#### 1.1.2.1.75.1.2 faturaZipiAIResponse.output Property

C#

```

[XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
DataType="base64Binary", IsNullable=true)]
public byte output;

```

## 1.1.2.1.76 kontorBilgisiGetir Class

### Class Hierarchy

```
QNBFinansGIB.GIBEArxiv.kontorBilgisiGetir
```

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class kontorBilgisiGetir;
```

### File

Reference.cs (see page 835)

### kontorBilgisiGetir Properties

	Name	Description
	kontorBirim (see page 168)	
	kontorTipi (see page 168)	
	vknTckn (see page 168)	

## 1.1.2.1.76.1 kontorBilgisiGetir Properties

### 1.1.2.1.76.1.1 kontorBilgisiGetir.kontorBirim Property

### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kontorBirim;
```

### 1.1.2.1.76.1.2 kontorBilgisiGetir.kontorTipi Property

### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kontorTipi;
```

### 1.1.2.1.76.1.3 kontorBilgisiGetir.vknTckn Property

### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vknTckn;
```

## 1.1.2.1.77 kontorBilgisiGetirCompletedEventArgs Class

### Class Hierarchy

```
System.ComponentModel.AsyncCompletedEventArgs --> QNBFinansGIB.GIBEArxiv.kontorBilgisiGetirCompletedEventArgs
```

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class kontorBilgisiGetirCompletedEventArgs :
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

```
System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs (see page 835)

**Methods**

	Name	Description
	kontorBilgisiGetirCompletedEventArgs (see page 169)	This is kontorBilgisiGetirCompletedEventArgs, a member of class kontorBilgisiGetirCompletedEventArgs.

**kontorBilgisiGetirCompletedEventArgs Properties**

	Name	Description
	Result (see page 169)	

**1.1.2.1.77.1****kontorBilgisiGetirCompletedEventArgs.kontorBilgisiGetirCompletedEventArgs Constructor****C#**

```
internal kontorBilgisiGetirCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

**Description**

This is kontorBilgisiGetirCompletedEventArgs, a member of class kontorBilgisiGetirCompletedEventArgs.

**Body Source**

```
1: internal kontorBilgisiGetirCompletedEventArgs(object[] results, System.Exception exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

**1.1.2.1.77.2 kontorBilgisiGetirCompletedEventArgs Properties****1.1.2.1.77.2.1 kontorBilgisiGetirCompletedEventArgs.Result Property****C#**

```
public earsivServiceResult Result;
```

**1.1.2.1.78 kontorBilgisiGetirResponse Class****Class Hierarchy**

```
[QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirResponse]
```

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class kontorBilgisiGetirResponse;
```

**File**


Reference.cs (see page 835)

**kontorBilgisiGetirResponse Properties**

	Name	Description
	@return ( <a href="#">see page 170</a> )	

**1.1.2.1.78.1 kontorBilgisiGetirResponse Properties****1.1.2.1.78.1.1 kontorBilgisiGetirResponse.@return Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

**1.1.2.1.79 okcRaporBolumAI Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class okcRaporBolumAI;
```

**File**


Reference.cs ([see page 835](#))

**okcRaporBolumAI Properties**

	Name	Description
	input ( <a href="#">see page 170</a> )	

**1.1.2.1.79.1 okcRaporBolumAI Properties****1.1.2.1.79.1.1 okcRaporBolumAI.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

**1.1.2.1.80 okcRaporBolumAICompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class okcRaporBolumAICompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs ([see page 835](#))

**Methods**

	<b>Name</b>	<b>Description</b>
	okcRaporBolumAICompletedEventArgs	This is okcRaporBolumAICompletedEventArgs, a member of class okcRaporBolumAICompletedEventArgs.

**okcRaporBolumAICompletedEventArgs Properties**

	<b>Name</b>	<b>Description</b>
	@return ( <a href="#">see page 171</a> )	
	Result ( <a href="#">see page 171</a> )	

**1.1.2.1.80.1****okcRaporBolumAICompletedEventArgs.okcRaporBolumAICompletedEventArgs Constructor****C#**

```
internal okcRaporBolumAICompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

**Description**

This is okcRaporBolumAICompletedEventArgs, a member of class okcRaporBolumAICompletedEventArgs.

**Body Source**

```
1: internal okcRaporBolumAICompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

**1.1.2.1.80.2 okcRaporBolumAICompletedEventArgs Properties****1.1.2.1.80.2.1 okcRaporBolumAICompletedEventArgs.@return Property****C#**

```
public earsivServiceResult @return;
```

**1.1.2.1.80.2.2 okcRaporBolumAICompletedEventArgs.Result Property****C#**

```
public belge Result;
```

**1.1.2.1.81 okcRaporKaydet Class****Class Hierarchy**

[QNBFinansGIB.GIBEArsiv.okcRaporKaydet](#)

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class okcRaporKaydet;
```

**File**

Reference.cs ( [see page 835](#) )

**okcRaporKaydet Properties**

	Name	Description
	input ( <a href="#">see page 172</a> )	
	rapor ( <a href="#">see page 172</a> )	

**1.1.2.1.81.1 okcRaporKaydet Properties****1.1.2.1.81.1.1 okcRaporKaydet.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

**1.1.2.1.81.1.2 okcRaporKaydet.rapor Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public dosyaInput rapor;
```

**1.1.2.1.82 okcRaporKaydetCompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class okcRaporKaydetCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs ( [see page 835](#) )

**Methods**

	Name	Description
	okcRaporKaydetCompletedEventArgs ( <a href="#">see page 172</a> )	This is okcRaporKaydetCompletedEventArgs, a member of class okcRaporKaydetCompletedEventArgs.

**okcRaporKaydetCompletedEventArgs Properties**

	Name	Description
	Result ( <a href="#">see page 173</a> )	

**1.1.2.1.82.1 okcRaporKaydetCompletedEventArgs.okcRaporKaydetCompletedEventArgs Constructor****C#**

```
internal okcRaporKaydetCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

## Description

This is okcRaporKaydetCompletedEventArgs, a member of class okcRaporKaydetCompletedEventArgs.

## Body Source

```
1: internal okcRaporKaydetCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

## 1.1.2.1.82.2 okcRaporKaydetCompletedEventArgs Properties

### 1.1.2.1.82.2.1 okcRaporKaydetCompletedEventArgs.Result Property

#### C#

```
public earsivServiceResult Result;
```

## 1.1.2.1.83 okcRaporKaydetResponse Class

### Class Hierarchy

[QNBFinansGIB.GIBEArsiv.okcRaporKaydetResponse](#)

#### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class okcRaporKaydetResponse;
```

#### File

Reference.cs ([see page 835](#))

### okcRaporKaydetResponse Properties

	Name	Description
	@return ( <a href="#">see page 173</a> )	

## 1.1.2.1.83.1 okcRaporKaydetResponse Properties

### 1.1.2.1.83.1.1 okcRaporKaydetResponse.@return Property

#### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

## 1.1.2.1.84 okcRaporOlusturGonder Class

### Class Hierarchy

[QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonder](#)

#### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
```

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).*

```
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class okcRaporOlusturGonder;
```

**File**


Reference.cs ( [see page 835](#) )

**okcRaporOlusturGonder Properties**

	Name	Description
	input ( <a href="#">see page 174</a> )	

**1.1.2.1.84.1 okcRaporOlusturGonder Properties****1.1.2.1.84.1.1 okcRaporOlusturGonder.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

**1.1.2.1.85 okcRaporOlusturGonderCompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class okcRaporOlusturGonderCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs ( [see page 835](#) )

**Methods**

	Name	Description
	okcRaporOlusturGonderCompletedEventArgs ( <a href="#">see page 174</a> )	This is okcRaporOlusturGonderCompletedEventArgs, a member of class okcRaporOlusturGonderCompletedEventArgs.

**okcRaporOlusturGonderCompletedEventArgs Properties**

	Name	Description
	Result ( <a href="#">see page 175</a> )	

**1.1.2.1.85.1****okcRaporOlusturGonderCompletedEventArgs.okcRaporOlusturGonderCompletedEventArgs Constructor****C#**

```
internal okcRaporOlusturGonderCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

**Description**

This is okcRaporOlusturGonderCompletedEventArgs, a member of class okcRaporOlusturGonderCompletedEventArgs.

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

**Body Source**

```

1: internal okcRaporOlusturGonderCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }

```

**1.1.2.1.85.2 okcRaporOlusturGonderCompletedEventArgs Properties****1.1.2.1.85.2.1 okcRaporOlusturGonderCompletedEventArgs.Result Property****C#**

```
public earsivServiceResult Result;
```

**1.1.2.1.86 okcRaporOlusturGonderResponse Class****Class Hierarchy**

QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderResponse
------------------------------------------------------

**C#**

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class okcRaporOlusturGonderResponse;

```

**File**

Reference.cs (see page 835)

**okcRaporOlusturGonderResponse Properties**

	Name	Description
	@return (see page 175)	

**1.1.2.1.86.1 okcRaporOlusturGonderResponse Properties****1.1.2.1.86.1.1 okcRaporOlusturGonderResponse.@return Property****C#**

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;

```

**1.1.2.1.87 raporBolumAI Class****Class Hierarchy**

QNBFinansGIB.GIBEArsiv.raporBolumAI
-------------------------------------

**C#**

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]

```

```
public class raporBolumAl;
```

**File**


Reference.cs (see page 835)

**raporBolumAl Properties**

	Name	Description
	bolumRaporNo (see page 176)	

**1.1.2.1.87.1 raporBolumAl Properties****1.1.2.1.87.1.1 raporBolumAl.bolumRaporNo Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bolumRaporNo;
```

**1.1.2.1.88 raporBolumAICompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumAICompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs (see page 835)

**Methods**

	Name	Description
	raporBolumAICompletedEventArgs (see page 176)	This is raporBolumAICompletedEventArgs, a member of class raporBolumAICompletedEventArgs.

**raporBolumAICompletedEventArgs Properties**

	Name	Description
	@return (see page 177)	
	Result (see page 177)	

**1.1.2.1.88.1 raporBolumAICompletedEventArgs.raporBolumAICompletedEventArgs Constructor****C#**

```
internal raporBolumAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

**Description**

This is raporBolumAICompletedEventArgs, a member of class raporBolumAICompletedEventArgs.

**Body Source**

```
1: internal raporBolumAICompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

3:     this.results = results;
4: }

```

### 1.1.2.1.88.2 raporBolumAICompletedEventArgs Properties

#### 1.1.2.1.88.2.1 raporBolumAICompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

#### 1.1.2.1.88.2.2 raporBolumAICompletedEventArgs.Result Property

C#

```
public belge Result;
```

## 1.1.2.1.89 raporBolumBilgisiAI Class

### Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumBilgisiAI;
```

### File

Reference.cs (see page 835)

### raporBolumBilgisiAI Properties

	Name	Description
	bolumRaporNo (see page 177)	

### 1.1.2.1.89.1 raporBolumBilgisiAI Properties

#### 1.1.2.1.89.1.1 raporBolumBilgisiAI.bolumRaporNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bolumRaporNo;
```

## 1.1.2.1.90 raporBolumBilgisiAICompletedEventArgs Class

### Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumBilgisiAICompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs (see page 835)

**Methods**

	Name	Description
	raporBolumBilgisiAICompletedEventArgs	This is raporBolumBilgisiAICompletedEventArgs, a member of class raporBolumBilgisiAICompletedEventArgs. ( see page 178)

**raporBolumBilgisiAICompletedEventArgs Properties**

	Name	Description
	Result ( see page 178)	

**1.1.2.1.90.1****raporBolumBilgisiAICompletedEventArgs.raporBolumBilgisiAICompletedEventArgs Constructor****C#**

```
internal raporBolumBilgisiAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

**Description**

This is raporBolumBilgisiAICompletedEventArgs, a member of class raporBolumBilgisiAICompletedEventArgs.

**Body Source**

```
1: internal raporBolumBilgisiAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

**1.1.2.1.90.2 raporBolumBilgisiAICompletedEventArgs Properties****1.1.2.1.90.2.1 raporBolumBilgisiAICompletedEventArgs.Result Property****C#**

```
public earsivServiceResult Result;
```

**1.1.2.1.91 raporBolumBilgisiAIResponse Class****Class Hierarchy**

```
[QNBFinansGIB.GIBEArxiv.raporBolumBilgisiAIResponse]
```

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumBilgisiAIResponse;
```

**File**

Reference.cs ( see page 835)

**raporBolumBilgisiAIResponse Properties**

	Name	Description
	@return ( <a href="#">see page 179</a> )	

**1.1.2.1.91.1 raporBolumBilgisiAIResponse Properties****1.1.2.1.91.1.1 raporBolumBilgisiAIResponse.@return Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

**1.1.2.1.92 raporBolumDTO Class****Class Hierarchy**

[QNBFinansGIB.GIBEArsiv.raporBolumDTO](#)

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumDTO;
```

**File**

[Reference.cs](#) ([see page 835](#))

**raporBolumDTO Properties**

	Name	Description
	baslangicTarihi ( <a href="#">see page 179</a> )	
	bitisTarihi ( <a href="#">see page 180</a> )	
	bolumNo ( <a href="#">see page 180</a> )	
	bolumNoSpecified ( <a href="#">see page 180</a> )	
	bolumRaporNo ( <a href="#">see page 180</a> )	
	durum ( <a href="#">see page 180</a> )	
	durumAciklama ( <a href="#">see page 180</a> )	
	durumKodu ( <a href="#">see page 180</a> )	
	sonIslemeZamani ( <a href="#">see page 180</a> )	

**1.1.2.1.92.1 raporBolumDTO Properties****1.1.2.1.92.1.1 raporBolumDTO.baslangicTarihi Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string baslangicTarihi;
```

### 1.1.2.1.92.1.2 raporBolumDTO.bitisTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bitisTarihi;
```

### 1.1.2.1.92.1.3 raporBolumDTO.bolumNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public long bolumNo;
```

### 1.1.2.1.92.1.4 raporBolumDTO.bolumNoSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool bolumNoSpecified;
```

### 1.1.2.1.92.1.5 raporBolumDTO.bolumRaporNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bolumRaporNo;
```

### 1.1.2.1.92.1.6 raporBolumDTO.durum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int durum;
```

### 1.1.2.1.92.1.7 raporBolumDTO.durumAciklama Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string durumAciklama;
```

### 1.1.2.1.92.1.8 raporBolumDTO.durumKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string durumKodu;
```

### 1.1.2.1.92.1.9 raporBolumDTO.sonIslemeZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string sonIslemeZamani;
```

## 1.1.2.1.93 raporBolumleriOlustur Class

### Class Hierarchy

```
QNBFinansGIB.GIBEArxiv.raporBolumleriOlustur
```

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumleriOlustur;
```

**File**

Reference.cs (see page 835)

**raporBolumleriOlustur Properties**

	Name	Description
	donem (see page 181)	
	input (see page 181)	
	sonGun (see page 181)	

**1.1.2.1.93.1 raporBolumleriOlustur Properties****1.1.2.1.93.1.1 raporBolumleriOlustur.donem Property****C#**


```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

**1.1.2.1.93.1.2 raporBolumleriOlustur.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

**1.1.2.1.93.1.3 raporBolumleriOlustur.sonGun Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string sonGun;
```

**1.1.2.1.94 raporBolumleriOlusturCompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumleriOlusturCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs (see page 835)

## Methods

	Name	Description
	raporBolumleriOlusturCompletedEventArgs	This is raporBolumleriOlusturCompletedEventArgs, a member of class raporBolumleriOlusturCompletedEventArgs.

### raporBolumleriOlusturCompletedEventArgs Properties

	Name	Description
	Result (see page 182)	

#### 1.1.2.1.94.1

### raporBolumleriOlusturCompletedEventArgs.raporBolumleriOlusturCompletedEventArgs Constructor

C#

```
internal raporBolumleriOlusturCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

#### Description

This is raporBolumleriOlusturCompletedEventArgs, a member of class raporBolumleriOlusturCompletedEventArgs.

#### Body Source

```
1: internal raporBolumleriOlusturCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

### 1.1.2.1.94.2 raporBolumleriOlusturCompletedEventArgs Properties

#### 1.1.2.1.94.2.1 raporBolumleriOlusturCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

## 1.1.2.1.95 raporBolumleriOlusturResponse Class

#### Class Hierarchy

QNBFinansGIB.GIBEArxiv.raporBolumleriOlusturResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumleriOlusturResponse;
```

#### File

Reference.cs (see page 835)

### raporBolumleriOlusturResponse Properties

	Name	Description
	@return (see page 183)	

### 1.1.2.1.95.1 **raporBolumleriOlusturResponse** Properties


#### 1.1.2.1.95.1.1 **raporBolumleriOlusturResponse.@return** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

### 1.1.2.1.96 **raporBolumListesiDetayliSorgula** Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumListesiDetayliSorgula;
```

#### File

Reference.cs (  see page 835)

#### raporBolumListesiDetayliSorgula Properties

	Name	Description
	donem (  see page 183)	

### 1.1.2.1.96.1 **raporBolumListesiDetayliSorgula** Properties


#### 1.1.2.1.96.1.1 **raporBolumListesiDetayliSorgula.donem** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

### 1.1.2.1.97 **raporBolumListesiDetayliSorgulaCompletedEventArgs** Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumListesiDetayliSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs (  see page 835)

## Methods

	Name	Description
!	raporBolumListesiDetayliSorgulaCompletedEventArgs ( <a href="#">see page 184</a> )	This is raporBolumListesiDetayliSorgulaCompletedEventArgs, a member of class raporBolumListesiDetayliSorgulaCompletedEventArgs.

### raporBolumListesiDetayliSorgulaCompletedEventArgs Properties

	Name	Description
!	output ( <a href="#">see page 184</a> )	
!	Result ( <a href="#">see page 184</a> )	

#### 1.1.2.1.97.1

### raporBolumListesiDetayliSorgulaCompletedEventArgs.raporBolumListesiDetayliSorgulaCompletedEventArgs Constructor

C#

```
internal raporBolumListesiDetayliSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

#### Description

This is raporBolumListesiDetayliSorgulaCompletedEventArgs, a member of class raporBolumListesiDetayliSorgulaCompletedEventArgs.

#### Body Source

```
1: internal raporBolumListesiDetayliSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

### 1.1.2.1.97.2 raporBolumListesiDetayliSorgulaCompletedEventArgs Properties

#### 1.1.2.1.97.2.1 raporBolumListesiDetayliSorgulaCompletedEventArgs.output Property

C#

```
public raporBolumDTO output;
```

#### 1.1.2.1.97.2.2 raporBolumListesiDetayliSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

## 1.1.2.1.98 raporBolumListesiDetayliSorgulaResponse Class

### Class Hierarchy

```
QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaResponse
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]

```

```
]
public class raporBolumListesiDetayliSorgulaResponse;
```

**File**

Reference.cs ( [see page 835](#) )

**raporBolumListesiDetayliSorgulaResponse Properties**

	Name	Description
	@return ( <a href="#">see page 185</a> )	
	output ( <a href="#">see page 185</a> )	

**1.1.2.1.98.1 raporBolumListesiDetayliSorgulaResponse Properties****1.1.2.1.98.1.1 raporBolumListesiDetayliSorgulaResponse.@return Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

**1.1.2.1.98.1.2 raporBolumListesiDetayliSorgulaResponse.output Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public raporBolumDTO output;
```

**1.1.2.1.99 raporBolumListesiSorgula Class****Class Hierarchy**

[QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgula](#)

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumListesiSorgula;
```

**File**

Reference.cs ( [see page 835](#) )

**raporBolumListesiSorgula Properties**


	Name	Description
	donem ( <a href="#">see page 185</a> )	

**1.1.2.1.99.1 raporBolumListesiSorgula Properties****1.1.2.1.99.1.1 raporBolumListesiSorgula.donem Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

## 1.1.2.1.100 raporBolumListesiSorgulaCompletedEventArgs Class

### Class Hierarchy



### C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumListesiSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs
{

```

### File

Reference.cs ([see page 835](#))

### Methods

	Name	Description
	raporBolumListesiSorgulaCompletedEventArgs ( <a href="#">see page 186</a> )	This is raporBolumListesiSorgulaCompletedEventArgs, a member of class raporBolumListesiSorgulaCompletedEventArgs.

### raporBolumListesiSorgulaCompletedEventArgs Properties

	Name	Description
	@return ( <a href="#">see page 186</a> )	
	Result ( <a href="#">see page 187</a> )	

### 1.1.2.1.100.1

## raporBolumListesiSorgulaCompletedEventArgs.raporBolumListesiSorgulaCompletedEventArgs Constructor

### C#

```

internal raporBolumListesiSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);

```

### Description

This is raporBolumListesiSorgulaCompletedEventArgs, a member of class raporBolumListesiSorgulaCompletedEventArgs.

### Body Source

```

1: internal raporBolumListesiSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }

```

### 1.1.2.1.100.2 raporBolumListesiSorgulaCompletedEventArgs Properties

#### 1.1.2.1.100.2.1 raporBolumListesiSorgulaCompletedEventArgs.@return Property

### C#

```

public earsivServiceResult @return;

```

### 1.1.2.1.100.2.2 raporBolumListesiSorgulaCompletedEventArgs.Result Property

C#

```
public string Result;
```

## 1.1.2.1.101 raporBolumListesiSorgulaWithInput Class

### Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumListesiSorgulaWithInput;
```

### File

Reference.cs (see page 835)

### raporBolumListesiSorgulaWithInput Properties

	Name	Description
	donem (see page 187)	
	input (see page 187)	

### 1.1.2.1.101.1 raporBolumListesiSorgulaWithInput Properties

#### 1.1.2.1.101.1.1 raporBolumListesiSorgulaWithInput.donem Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

#### 1.1.2.1.101.1.2 raporBolumListesiSorgulaWithInput.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

## 1.1.2.1.102 raporBolumListesiSorgulaWithInputCompletedEventArgs Class

### Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumListesiSorgulaWithInputCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs ([see page 835](#))

**Methods**

Name	Description
 <code>raporBolumListesiSorgulaWithInputCompletedEventArgs</code> ( <a href="#">see page 188</a> )	This is <code>raporBolumListesiSorgulaWithInputCompletedEventArgs</code> , a member of class <code>raporBolumListesiSorgulaWithInputCompletedEventArgs</code> .

**raporBolumListesiSorgulaWithInputCompletedEventArgs Properties**

Name	Description
 <code>@return</code> ( <a href="#">see page 188</a> )	
 <code>Result</code> ( <a href="#">see page 188</a> )	

**1.1.2.1.102.1****raporBolumListesiSorgulaWithInputCompletedEventArgs.raporBolumListesiSorgulaWithInputCompletedEventArgs****Constructor****C#**

```
internal raporBolumListesiSorgulaWithInputCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

**Description**

This is `raporBolumListesiSorgulaWithInputCompletedEventArgs`, a member of class `raporBolumListesiSorgulaWithInputCompletedEventArgs`.

**Body Source**

```
1: internal raporBolumListesiSorgulaWithInputCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

**1.1.2.1.102.2 raporBolumListesiSorgulaWithInputCompletedEventArgs Properties****1.1.2.1.102.2.1 raporBolumListesiSorgulaWithInputCompletedEventArgs.@return Property****C#**

```
public earsivServiceResult @return;
```

**1.1.2.1.102.2.2 raporBolumListesiSorgulaWithInputCompletedEventArgs.Result Property****C#**

```
public string Result;
```

**1.1.2.1.103 raporBolumRaporNoGuncellelmzala Class****Class Hierarchy**

[QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncellelmzala](#)

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class raporBolumRaporNoGuncelleImzala;
```

**File**

Reference.cs (see page 835)

**raporBolumRaporNoGuncelleImzala Properties**

	Name	Description
	bolumRaporNo (see page 189)	

**1.1.2.1.103.1 raporBolumRaporNoGuncelleImzala Properties****1.1.2.1.103.1.1 raporBolumRaporNoGuncelleImzala.bolumRaporNo Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bolumRaporNo;
```

**1.1.2.1.104 raporBolumRaporNoGuncelleImzalaCompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumRaporNoGuncelleImzalaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs
```

**File**

Reference.cs (see page 835)

**Methods**

	Name	Description
	raporBolumRaporNoGuncelleImzalaCompletedEventArgs (see page 190)	This is raporBolumRaporNoGuncelleImzalaCompletedEventArgs, a member of class raporBolumRaporNoGuncelleImzalaCompletedEventArgs.

**raporBolumRaporNoGuncelleImzalaCompletedEventArgs Properties**

	Name	Description
	Result (see page 190)	

### 1.1.2.1.104.1

## **raporBolumRaporNoGuncellelmzalaCompletedEventArgs.raporBolumRaporNoGuncellelmzalaCompletedEventArgs**

### Constructor

C#

```
internal raporBolumRaporNoGuncellelmzalaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

### Description

This is raporBolumRaporNoGuncellelmzalaCompletedEventArgs, a member of class raporBolumRaporNoGuncellelmzalaCompletedEventArgs.

### Body Source

```
1: internal raporBolumRaporNoGuncellelmzalaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

### 1.1.2.1.104.2 raporBolumRaporNoGuncellelmzalaCompletedEventArgs Properties

#### 1.1.2.1.104.2.1 raporBolumRaporNoGuncellelmzalaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

## 1.1.2.1.105 raporBolumRaporNoGuncellelmzalaResponse Class

### Class Hierarchy

QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncellelmzalaResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumRaporNoGuncellelmzalaResponse;
```

### File

Reference.cs ( see page 835)

### raporBolumRaporNoGuncellelmzalaResponse Properties

	Name	Description
	@return ( see page 190)	

### 1.1.2.1.105.1 raporBolumRaporNoGuncellelmzalaResponse Properties

#### 1.1.2.1.105.1.1 raporBolumRaporNoGuncellelmzalaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

## 1.1.2.1.106 raporBolumSil Class

### Class Hierarchy

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumSil;
```

### File

Reference.cs ([see page 835](#))

### raporBolumSil Properties

	Name	Description
	bolumRaporNo ( <a href="#">see page 191</a> )	

## 1.1.2.1.106.1 raporBolumSil Properties

### 1.1.2.1.106.1.1 raporBolumSil.bolumRaporNo Property

### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bolumRaporNo;
```

## 1.1.2.1.107 raporBolumSilCompletedEventArgs Class

### Class Hierarchy

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumSilCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs ([see page 835](#))

### Methods

	Name	Description
	raporBolumSilCompletedEventArgs ( <a href="#">see page 192</a> )	This is raporBolumSilCompletedEventArgs, a member of class raporBolumSilCompletedEventArgs.

### raporBolumSilCompletedEventArgs Properties

	Name	Description
	Result ( <a href="#">see page 192</a> )	

## 1.1.2.1.107.1 raporBolumSilCompletedEventArgs.raporBolumSilCompletedEventArgs Constructor

C#

```
internal raporBolumSilCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

### Description

This is raporBolumSilCompletedEventArgs, a member of class raporBolumSilCompletedEventArgs.

### Body Source

```
1: internal raporBolumSilCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

## 1.1.2.1.107.2 raporBolumSilCompletedEventArgs Properties

### 1.1.2.1.107.2.1 raporBolumSilCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

## 1.1.2.1.108 raporBolumSilResponse Class

### Class Hierarchy

```
[QNBFinansGIB.GIBEArsiv.raporBolumSilResponse]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class raporBolumSilResponse;
```

### File

Reference.cs (see page 835)

### raporBolumSilResponse Properties

	Name	Description
	@return (see page 192)	

## 1.1.2.1.108.1 raporBolumSilResponse Properties

### 1.1.2.1.108.1.1 raporBolumSilResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

## 1.1.2.1.109 rapordaFaturaSorgula Class

### Class Hierarchy

[QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgula](#)

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class rapordaFaturaSorgula;
```

### File

Reference.cs ([see page 835](#))

### rapordaFaturaSorgula Properties

	Name	Description
	input ( <a href="#">see page 193</a> )	

## 1.1.2.1.109.1 rapordaFaturaSorgula Properties

### 1.1.2.1.109.1.1 rapordaFaturaSorgula.input Property

### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

## 1.1.2.1.110 rapordaFaturaSorgulaCompletedEventArgs Class

### Class Hierarchy

[System.ComponentModel.AsyncCompletedEventArgs](#) → [QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventArgs](#)

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class rapordaFaturaSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs
```

### File

Reference.cs ([see page 835](#))

### Methods

	Name	Description
	rapordaFaturaSorgulaCompletedEventArgs ( <a href="#">see page 194</a> )	This is rapordaFaturaSorgulaCompletedEventArgs, a member of class rapordaFaturaSorgulaCompletedEventArgs.

### rapordaFaturaSorgulaCompletedEventArgs Properties

	Name	Description
	Result ( <a href="#">see page 194</a> )	

### 1.1.2.1.110.1

## rapordaFaturaSorgulaCompletedEventArgs.rapordaFaturaSorgulaCompletedEventArgs Constructor

C#

```
internal rapordaFaturaSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

### Description

This is rapordaFaturaSorgulaCompletedEventArgs, a member of class rapordaFaturaSorgulaCompletedEventArgs.

### Body Source

```
1: internal rapordaFaturaSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

### 1.1.2.1.110.2 rapordaFaturaSorgulaCompletedEventArgs Properties

#### 1.1.2.1.110.2.1 rapordaFaturaSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

## 1.1.2.1.111 rapordaFaturaSorgulaResponse Class

### Class Hierarchy

```
[QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaResponse]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class rapordaFaturaSorgulaResponse;
```

### File

Reference.cs (see page 835)

### rapordaFaturaSorgulaResponse Properties

	Name	Description
	@return (see page 194)	

### 1.1.2.1.111.1 rapordaFaturaSorgulaResponse Properties

#### 1.1.2.1.111.1.1 rapordaFaturaSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

## 1.1.2.1.112 raporDurumSorgula Class

### Class Hierarchy

[QNBFinansGIB.GIBEArsiv.raporDurumSorgula](#)

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporDurumSorgula;
```

### File

Reference.cs ([see page 835](#))

### raporDurumSorgula Properties

	Name	Description
	donem ( <a href="#">see page 195</a> )	

## 1.1.2.1.112.1 raporDurumSorgula Properties

### 1.1.2.1.112.1.1 raporDurumSorgula.donem Property

### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

## 1.1.2.1.113 raporDurumSorgulaCompletedEventArgs Class

### Class Hierarchy

[System.ComponentModel.AsyncCompletedEventArgs](#) → [QNBFinansGIB.GIBEArsiv.raporDurumSorgulaCompletedEventArgs](#)

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporDurumSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs
```

### File

Reference.cs ([see page 835](#))

### Methods

	Name	Description
	raporDurumSorgulaCompletedEventArgs ( <a href="#">see page 196</a> )	This is raporDurumSorgulaCompletedEventArgs, a member of class raporDurumSorgulaCompletedEventArgs.

### raporDurumSorgulaCompletedEventArgs Properties

	Name	Description
	Result ( <a href="#">see page 196</a> )	

### 1.1.2.1.113.1

## raporDurumSorgulaCompletedEventArgs.raporDurumSorgulaCompletedEventArgs Constructor

C#

```
internal raporDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

### Description

This is raporDurumSorgulaCompletedEventArgs, a member of class raporDurumSorgulaCompletedEventArgs.

### Body Source

```
1: internal raporDurumSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

### 1.1.2.1.113.2 raporDurumSorgulaCompletedEventArgs Properties

#### 1.1.2.1.113.2.1 raporDurumSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

## 1.1.2.1.114 raporDurumSorgulaResponse Class

### Class Hierarchy

[QNBFinansGIB.GIBEArsiv.raporDurumSorgulaResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporDurumSorgulaResponse;
```

### File

Reference.cs ([see page 835](#))

### raporDurumSorgulaResponse Properties

	Name	Description
	@return ( <a href="#">see page 196</a> )	

### 1.1.2.1.114.1 raporDurumSorgulaResponse Properties

#### 1.1.2.1.114.1.1 raporDurumSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

## 1.1.2.1.115 raporGonder Class

### Class Hierarchy

[QNBFinansGIB.GIBEArsiv.raporGonder](#)

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporGonder;
```

### File

Reference.cs ([see page 835](#))

### raporGonder Properties

	Name	Description
	donem ( <a href="#">see page 197</a> )	

## 1.1.2.1.115.1 raporGonder Properties

### 1.1.2.1.115.1.1 raporGonder.donem Property

### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

## 1.1.2.1.116 raporGonderCompletedEventArgs Class

### Class Hierarchy

[System.ComponentModel.AsyncCompletedEventArgs](#) → [QNBFinansGIB.GIBEArsiv.raporGonderCompletedEventArgs](#)

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs ([see page 835](#))

### Methods

	Name	Description
	raporGonderCompletedEventArgs ( <a href="#">see page 198</a> )	This is raporGonderCompletedEventArgs, a member of class raporGonderCompletedEventArgs.

### raporGonderCompletedEventArgs Properties

	Name	Description
	Result ( <a href="#">see page 198</a> )	

### 1.1.2.1.116.1 raporGonderCompletedEventArgs.raporGonderCompletedEventArgs Constructor

C#

```
internal raporGonderCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

#### Description

This is raporGonderCompletedEventArgs, a member of class raporGonderCompletedEventArgs.

#### Body Source

```
1: internal raporGonderCompletedEventArgs(object[] results, System.Exception exception,
2:   bool cancelled, object userState) :
3:   base(exception, cancelled, userState) {
4:   this.results = results;
}
```

### 1.1.2.1.116.2 raporGonderCompletedEventArgs Properties

#### 1.1.2.1.116.2.1 raporGonderCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

### 1.1.2.1.117 raporGonderResponse Class

#### Class Hierarchy

[QNBFinansGIB.GIBEArsiv.raporGonderResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class raporGonderResponse;
```

#### File

Reference.cs ([see page 835](#))

#### raporGonderResponse Properties

	Name	Description
	@return ( <a href="#">see page 198</a> )	

### 1.1.2.1.117.1 raporGonderResponse Properties

#### 1.1.2.1.117.1.1 raporGonderResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

## 1.1.2.1.118 serviceReturnType Class

### Class Hierarchy

[QNBFinansGIB.GIBEArxiv.serviceReturnType](#)

### C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(eFaturaKullanici))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class serviceReturnType;
```

### File

Reference.cs ( [see page 835](#) )

## 1.1.2.1.119 servisSaglayicidanEpostaDurumSorgula Class

### Class Hierarchy

[QNBFinansGIB.GIBEArxiv.servisSaglayicidanEpostaDurumSorgula](#)

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class servisSaglayicidanEpostaDurumSorgula;
```

### File

Reference.cs ( [see page 835](#) )

### servisSaglayicidanEpostaDurumSorgula Properties

	Name	Description
	input ( <a href="#">see page 199</a> )	

## 1.1.2.1.119.1 servisSaglayicidanEpostaDurumSorgula Properties

### 1.1.2.1.119.1.1 servisSaglayicidanEpostaDurumSorgula.input Property

### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

## 1.1.2.1.120 servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs Class

### Class Hierarchy

[System.ComponentModel.AsyncCompletedEventArgs](#) → [QNBFinansGIB.GIBEArxiv.servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs](#)

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs ([\[?\]](#) see page 835)

**Methods**

	<b>Name</b>	<b>Description</b>
	servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs ( <a href="#">[?]</a> see page 200)	This is servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs, a member of class servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.

**servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs Properties**

	<b>Name</b>	<b>Description</b>
	@return ( <a href="#">[?]</a> see page 200)	
	outputEposta ( <a href="#">[?]</a> see page 200)	
	Result ( <a href="#">[?]</a> see page 201)	

**1.1.2.1.120.1****servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs****Constructor****C#**

```
internal servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

**Description**

This is servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs, a member of class servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.

**Body Source**

```
1: internal servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

**1.1.2.1.120.2 servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs Properties****1.1.2.1.120.2.1 servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.@return Property****C#**

```
public earsivServiceResult @return;
```

**1.1.2.1.120.2.2 servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.outputEposta Property****C#**

```
public string outputEposta;
```

### 1.1.2.1.120.2.3 servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.Result Property

C#

```
public string Result;
```

## 1.1.2.1.121 smsDurumSorgula Class

### Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class smsDurumSorgula;
```

### File

Reference.cs (see page 835)

### smsDurumSorgula Properties

	Name	Description
	input (see page 201)	

### 1.1.2.1.121.1 smsDurumSorgula Properties

#### 1.1.2.1.121.1.1 smsDurumSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

## 1.1.2.1.122 smsDurumSorgulaCompletedEventArgs Class

### Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class smsDurumSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs (see page 835)

### Methods

	Name	Description
	smsDurumSorgulaCompletedEventArgs (see page 202)	This is smsDurumSorgulaCompletedEventArgs, a member of class smsDurumSorgulaCompletedEventArgs.

**smsDurumSorgulaCompletedEventArgs Properties**

	Name	Description
	outputDurum (see page 202)	
	Result (see page 202)	

**1.1.2.1.122.1****smsDurumSorgulaCompletedEventArgs.smsDurumSorgulaCompletedEventArgs Constructor****C#**

```
internal smsDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

**Description**

This is smsDurumSorgulaCompletedEventArgs, a member of class smsDurumSorgulaCompletedEventArgs.

**Body Source**

```
1: internal smsDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

**1.1.2.1.122.2 smsDurumSorgulaCompletedEventArgs Properties****1.1.2.1.122.2.1 smsDurumSorgulaCompletedEventArgs.outputDurum Property****C#**

```
public string outputDurum;
```

**1.1.2.1.122.2.2 smsDurumSorgulaCompletedEventArgs.Result Property****C#**

```
public earsivServiceResult Result;
```

**1.1.2.1.123 smsDurumSorgulaResponse Class****Class Hierarchy**

```
[QNBFinansGIB.GIBEArsiv.smsDurumSorgulaResponse]
```

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class smsDurumSorgulaResponse;
```

**File**

Reference.cs (see page 835)

**smsDurumSorgulaResponse Properties**

	Name	Description
	@return (see page 203)	



outputDurum (see page 203)

### 1.1.2.1.123.1 smsDurumSorgulaResponse Properties

#### 1.1.2.1.123.1.1 smsDurumSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

#### 1.1.2.1.123.1.2 smsDurumSorgulaResponse.outputDurum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string outputDurum;
```

### 1.1.2.1.124 smsGonder Class

#### Class Hierarchy

QNBFinansGIB.GIBEArsiv.smsGonder

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class smsGonder;
```

#### File

Reference.cs (see page 835)

#### smsGonder Properties

	Name	Description
	ilaveTelefonNo (see page 203)	
	input (see page 203)	
	tanimliTelefonNoyaGonder (see page 204)	

### 1.1.2.1.124.1 smsGonder Properties

#### 1.1.2.1.124.1.1 smsGonder.ilaveTelefonNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ilaveTelefonNo;
```

#### 1.1.2.1.124.1.2 smsGonder.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

### 1.1.2.1.124.1.3 smsGonder.tanimliTelefonNoyaGonder Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int tanimliTelefonNoyaGonder;
```

## 1.1.2.1.125 smsGonderCompletedEventArgs Class

### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class smsGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs ([see page 835](#))

### Methods

	Name	Description
	smsGonderCompletedEventArgs ( <a href="#">see page 204</a> )	This is smsGonderCompletedEventArgs, a member of class smsGonderCompletedEventArgs.

### smsGonderCompletedEventArgs Properties

	Name	Description
	Result ( <a href="#">see page 204</a> )	

### 1.1.2.1.125.1 smsGonderCompletedEventArgs.smsGonderCompletedEventArgs Constructor

C#

```
internal smsGonderCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

### Description

This is smsGonderCompletedEventArgs, a member of class smsGonderCompletedEventArgs.

### Body Source

```
1: internal smsGonderCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

## 1.1.2.1.125.2 smsGonderCompletedEventArgs Properties

### 1.1.2.1.125.2.1 smsGonderCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

## 1.1.2.1.126 smsGonderResponse Class

### Class Hierarchy

`[QNBFinansGIB.GIBEArsiv.smsGonderResponse]`

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class smsGonderResponse;
```

### File

Reference.cs ([see page 835](#))

### smsGonderResponse Properties

	Name	Description
	@return ( <a href="#">see page 205</a> )	

## 1.1.2.1.126.1 smsGonderResponse Properties

### 1.1.2.1.126.1.1 smsGonderResponse.@return Property

### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

## 1.1.2.1.127 stringOutputWrapper Class

### Class Hierarchy

`[QNBFinansGIB.GIBEArsiv.stringOutputWrapper]`

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class stringOutputWrapper;
```

### File

Reference.cs ([see page 835](#))

### stringOutputWrapper Properties

	Name	Description
	@return ( <a href="#">see page 206</a> )	
	output ( <a href="#">see page 206</a> )	

## 1.1.2.1.127.1 stringOutputWrapper Properties

### 1.1.2.1.127.1.1 stringOutputWrapper.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

### 1.1.2.1.127.1.2 stringOutputWrapper.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string output;
```

## 1.1.2.1.128 topluFaturaPaketDosyaGonder Class

### Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class topluFaturaPaketDosyaGonder;
```

### File

Reference.cs (see page 835)

### topluFaturaPaketDosyaGonder Properties

	Name	Description
	input (see page 206)	
	paketDosyasiZip (see page 206)	

### 1.1.2.1.128.1 topluFaturaPaketDosyaGonder Properties

#### 1.1.2.1.128.1.1 topluFaturaPaketDosyaGonder.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

#### 1.1.2.1.128.1.2 topluFaturaPaketDosyaGonder.paketDosyasiZip Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge paketDosyasizip;
```

## 1.1.2.1.129 topluFaturaPaketDosyaGonderCompletedEventArgs Class

### Class Hierarchy

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.*

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class topluFaturaPaketDosyaGonderCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs (  see page 835)

**Methods**

	<b>Name</b>	<b>Description</b>
	toplufaturaPaketDosyaGonderCompletedEventArgs (  see page 207)	This is toplufaturaPaketDosyaGonderCompletedEventArgs, a member of class toplufaturaPaketDosyaGonderCompletedEventArgs.

**toplufaturaPaketDosyaGonderCompletedEventArgs Properties**

	<b>Name</b>	<b>Description</b>
	Result (  see page 207)	

**1.1.2.1.129.1****toplufaturaPaketDosyaGonderCompletedEventArgs.toplufaturaPaketDosyaGonderCompletedEventArgs**  
**Constructor****C#**

```
internal toplufaturaPaketDosyaGonderCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

**Description**

This is toplufaturaPaketDosyaGonderCompletedEventArgs, a member of class  
toplufaturaPaketDosyaGonderCompletedEventArgs.

**Body Source**

```
1: internal toplufaturaPaketDosyaGonderCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

**1.1.2.1.129.2 toplufaturaPaketDosyaGonderCompletedEventArgs Properties****1.1.2.1.129.2.1 toplufaturaPaketDosyaGonderCompletedEventArgs.Result Property****C#**

```
public earsivServiceResult Result;
```

**1.1.2.1.130 toplufaturaPaketDosyaGonderResponse Class****Class Hierarchy**

[QNBFinansGIB.GIBEArsiv.toplufaturaPaketDosyaGonderResponse](#)

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
```

```
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class topluFaturaPaketDosyaGonderResponse;
```

**File**

Reference.cs (see page 835)

**topluFaturaPaketDosyaGonderResponse Properties**

	Name	Description
	@return (see page 208)	

**1.1.2.1.130.1 topluFaturaPaketDosyaGonderResponse Properties****1.1.2.1.130.1.1 topluFaturaPaketDosyaGonderResponse.@return Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

**1.1.2.1.131 topluFaturaPaketDosyasiSorgula Class****Class Hierarchy**

QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgula

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class topluFaturaPaketDosyasiSorgula;
```

**File**

Reference.cs (see page 835)

**topluFaturaPaketDosyasiSorgula Properties**

	Name	Description
	input (see page 208)	

**1.1.2.1.131.1 topluFaturaPaketDosyasiSorgula Properties****1.1.2.1.131.1.1 topluFaturaPaketDosyasiSorgula.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

**1.1.2.1.132 topluFaturaPaketDosyasiSorgulaCompletedEventArgs Class****Class Hierarchy**

System.ComponentModel.AsyncCompletedEventArgs → QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgulaCompletedEventArgs

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.*

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class topluFaturaPaketDosyasiSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs ([see page 835](#))

**Methods**

	<b>Name</b>	<b>Description</b>
	topluFaturaPaketDosyasiSorgulaCompletedEventArgs ( <a href="#">see page 209</a> )	This is topluFaturaPaketDosyasiSorgulaCompletedEventArgs, a member of class topluFaturaPaketDosyasiSorgulaCompletedEventArgs.

**topluFaturaPaketDosyasiSorgulaCompletedEventArgs Properties**

	<b>Name</b>	<b>Description</b>
	@return ( <a href="#">see page 209</a> )	
	Result ( <a href="#">see page 209</a> )	

**1.1.2.1.132.1****topluFaturaPaketDosyasiSorgulaCompletedEventArgs.topluFaturaPaketDosyasiSorgulaCompletedEventArgs Constructor****C#**

```
internal topluFaturaPaketDosyasiSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

**Description**

This is topluFaturaPaketDosyasiSorgulaCompletedEventArgs, a member of class topluFaturaPaketDosyasiSorgulaCompletedEventArgs.

**Body Source**

```
1: internal topluFaturaPaketDosyasiSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

**1.1.2.1.132.2 topluFaturaPaketDosyasiSorgulaCompletedEventArgs Properties****1.1.2.1.132.2.1 topluFaturaPaketDosyasiSorgulaCompletedEventArgs.@return Property****C#**

```
public earsivServiceResult @return;
```

**1.1.2.1.132.2.2 topluFaturaPaketDosyasiSorgulaCompletedEventArgs.Result Property****C#**

```
public belge Result;
```

## 1.1.2.1.133 topluFaturaPaketOnayla Class

### Class Hierarchy

`[QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnayla]`

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class topluFaturaPaketOnayla;
```

### File

Reference.cs ([see page 835](#))

### topluFaturaPaketOnayla Properties

	Name	Description
	input ( <a href="#">see page 210</a> )	

## 1.1.2.1.133.1 topluFaturaPaketOnayla Properties

### 1.1.2.1.133.1.1 topluFaturaPaketOnayla.input Property

### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

## 1.1.2.1.134 topluFaturaPaketOnaylaCompletedEventArgs Class

### Class Hierarchy

`System.ComponentModel.AsyncCompletedEventArgs` → `[QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaCompletedEventArgs]`

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class topluFaturaPaketOnaylaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs ([see page 835](#))

### Methods

	Name	Description
	toplufaturaPaketOnaylaCompletedEventArgs ( <a href="#">see page 211</a> )	This is toplufaturaPaketOnaylaCompletedEventArgs, a member of class toplufaturaPaketOnaylaCompletedEventArgs.

### toplufaturaPaketOnaylaCompletedEventArgs Properties

	Name	Description
	Result ( <a href="#">see page 211</a> )	

### 1.1.2.1.134.1 topluFaturaPaketOnaylaCompletedEventArgs Constructor

C#

```
internal topluFaturaPaketOnaylaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

#### Description

This is topluFaturaPaketOnaylaCompletedEventArgs, a member of class topluFaturaPaketOnaylaCompletedEventArgs.

#### Body Source

```
1: internal topluFaturaPaketOnaylaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

### 1.1.2.1.134.2 topluFaturaPaketOnaylaCompletedEventArgs Properties

#### 1.1.2.1.134.2.1 topluFaturaPaketOnaylaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

### 1.1.2.1.135 topluFaturaPaketOnaylaResponse Class

#### Class Hierarchy

[QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class topluFaturaPaketOnaylaResponse;
```

#### File

Reference.cs ([see page 835](#))

#### topluFaturaPaketOnaylaResponse Properties

	Name	Description
	@return ( <a href="#">see page 211</a> )	

### 1.1.2.1.135.1 topluFaturaPaketOnaylaResponse Properties

#### 1.1.2.1.135.1.1 topluFaturaPaketOnaylaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

## 1.1.2.1.136 topluFaturaPaketSorgula Class

### Class Hierarchy

```
[QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgula]
```

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class topluFaturaPaketSorgula;
```

### File

Reference.cs ( [see page 835](#) )

### topluFaturaPaketSorgula Properties

	Name	Description
	input ( <a href="#">see page 212</a> )	

## 1.1.2.1.136.1 topluFaturaPaketSorgula Properties

### 1.1.2.1.136.1.1 topluFaturaPaketSorgula.input Property

### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

## 1.1.2.1.137 topluFaturaPaketSorgulaCompletedEventArgs Class

### Class Hierarchy

```
System.ComponentModel.AsyncCompletedEventArgs --> QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaCompletedEventArgs
```

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class topluFaturaPaketSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs ( [see page 835](#) )

### Methods

	Name	Description
	toplufaturaPaketSorgulaCompletedEventArgs ( <a href="#">see page 213</a> )	This is topluFaturaPaketSorgulaCompletedEventArgs, a member of class topluFaturaPaketSorgulaCompletedEventArgs.

### toplufaturaPaketSorgulaCompletedEventArgs Properties

	Name	Description
	@return ( <a href="#">see page 213</a> )	
	Result ( <a href="#">see page 213</a> )	

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

### 1.1.2.1.137.1

## **toplufaturaPaketSorgulaCompletedEventArgs**

### **toplufaturaPaketSorgulaCompletedEventArgs Constructor**

C#

```
internal toplufaturaPaketSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

#### Description

This is toplufaturaPaketSorgulaCompletedEventArgs, a member of class toplufaturaPaketSorgulaCompletedEventArgs.

#### Body Source

```
1: internal toplufaturaPaketSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :  
2:     base(exception, cancelled, userState) {  
3:         this.results = results;  
4:     }
```

### 1.1.2.1.137.2 toplufaturaPaketSorgulaCompletedEventArgs Properties

#### 1.1.2.1.137.2.1 toplufaturaPaketSorgulaCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

#### 1.1.2.1.137.2.2 toplufaturaPaketSorgulaCompletedEventArgs.Result Property

C#

```
public belge Result;
```

### 1.1.2.1.138 yapılandırmaAyarlariAI Class

#### Class Hierarchy

[QNBFinansGIB.GIBEArxiv.yapilandirmaAyarlariAI]

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class yapılandırmaAyarlariAI;
```

#### File

Reference.cs (see page 835)

#### yapilandirmaAyarlariAI Properties

	Name	Description
	input (see page 214)	

### 1.1.2.1.138.1 yapılandırmaAyarlariAI Properties


### 1.1.2.1.138.1.1 **yapilandirmaAyarlariAI.input** Property

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

## 1.1.2.1.139 **yapilandirmaAyarlariAICompletedEventArgs** Class

### Class Hierarchy

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class yapilandirmaAyarlariAICompletedEventArgs :
    System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs ([see page 835](#))

### Methods

	<b>Name</b>	<b>Description</b>
	<b>yapilandirmaAyarlariAICompletedEventArgs</b> ( <a href="#">see page 214</a> )	This is yapilandirmaAyarlariAICompletedEventArgs, a member of class yapilandirmaAyarlariAICompletedEventArgs.

### yapilandirmaAyarlariAICompletedEventArgs Properties

	<b>Name</b>	<b>Description</b>
	outputYapilandirma ( <a href="#">see page 215</a> )	
	Result ( <a href="#">see page 215</a> )	

### 1.1.2.1.139.1

## yapilandirmaAyarlariAICompletedEventArgs.yapilandirmaAyarlariAICompletedEventArgs

### Constructor

**C#**

```
internal yapilandirmaAyarlariAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

### Description

This is yapilandirmaAyarlariAICompletedEventArgs, a member of class yapilandirmaAyarlariAICompletedEventArgs.

### Body Source

```
1: internal yapilandirmaAyarlariAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

### 1.1.2.1.139.2 **yapilandirmaAyarlariAICompletedEventArgs** Properties

### 1.1.2.1.139.2.1 **yapilandirmaAyarlariAICompletedEventArgs.outputYapilandirma** Property

C#

```
public string outputYapilandirma;
```

### 1.1.2.1.139.2.2 **yapilandirmaAyarlariAICompletedEventArgs.Result** Property

C#

```
public earsivServiceResult Result;
```

## 1.1.2.1.140 **yapilandirmaAyarlariAIResponse** Class

### Class Hierarchy

[QNBFinansGIB.GIBEArxiv.yapilandirmaAyarlariAIResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class yapilandirmaAyarlariAIResponse;
```

### File

Reference.cs ([see page 835](#))

### yapilandirmaAyarlariAIResponse Properties

	Name	Description
	@return ( <a href="#">see page 215</a> )	
	outputYapilandirma ( <a href="#">see page 215</a> )	

## 1.1.2.1.140.1 **yapilandirmaAyarlariAIResponse** Properties

### 1.1.2.1.140.1.1 **yapilandirmaAyarlariAIResponse.@return** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

### 1.1.2.1.140.1.2 **yapilandirmaAyarlariAIResponse.outputYapilandirma** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string outputYapilandirma;
```

## 1.1.2.2 Structs, Records, Enums

### Summary

The following table lists structs, records, enums in this documentation.

## Enumerations

	Name	Description
	belgeFormatiEnum (see page 216)	
	genelBelgeFormatEnum (see page 216)	

### 1.1.2.2.1 QNBFinansGIB.GIBEArsiv.belgeFormatiEnum Enumeration

#### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public enum belgeFormatiEnum {
    UBL,
    CSXML,
    HTML,
    PDF,
    CUSTOM,
    PDF_CUSTOM,
    PDF_UBL,
    CSXML1,
    CSXML2,
    CSXML3,
    PDF_CSXML1,
    PDF_CSXML2,
    PDF_CSXML3,
    JSON
}
```

#### File

Reference.cs (see page 835)

### 1.1.2.2.2 QNBFinansGIB.GIBEArsiv.genelBelgeFormatEnum Enumeration

#### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public enum genelBelgeFormatEnum {
    XML,
    CSV
}
```

#### File

Reference.cs (see page 835)

## 1.1.2.3 Types

### Summary

The following table lists types in this documentation.

## Types

Name	Description
aliciEpostaEkleSilGuncelleCompletedEventHandler (↗ see page 218)	
eFaturaKayitliKullaniciListeleCompletedEventHandler (↗ see page 219)	
efaturaKullanicisiCompletedEventHandler (↗ see page 219)	
efaturaKullanicisiKontrolCompletedEventHandler (↗ see page 219)	
ePostaDurumSorgulaCompletedEventHandler (↗ see page 219)	
ePostaGonderCompletedEventHandler (↗ see page 220)	
faturalptaliEtCompletedEventHandler (↗ see page 220)	
faturalptaliKaldırCompletedEventHandler (↗ see page 220)	
faturaltirazEtCompletedEventHandler (↗ see page 220)	
faturaltirazKaldırCompletedEventHandler (↗ see page 221)	
faturaListeSorgulaCompletedEventHandler (↗ see page 221)	
faturaListeSorgulaCountCompletedEventHandler (↗ see page 221)	
faturaListeSorgulaPortalCompletedEventHandler (↗ see page 221)	
faturaNoUretCompletedEventHandler (↗ see page 222)	
faturaOlusturCompletedEventHandler (↗ see page 222)	
faturaOlusturExtCompletedEventHandler (↗ see page 222)	
faturaOnizlemeCompletedEventHandler (↗ see page 222)	
faturaSorgulaCompletedEventHandler (↗ see page 222)	
faturaSorgulaExtCompletedEventHandler (↗ see page 223)	
faturaTaslakOlusturCompletedEventHandler (↗ see page 223)	
faturaTaslakOnizlemeCompletedEventHandler (↗ see page 223)	
faturaTaslakSilCompletedEventHandler (↗ see page 223)	
faturaTaslakSorgulaCompletedEventHandler (↗ see page 224)	
faturaTaslaktanOlusturCompletedEventHandler (↗ see page 224)	
faturaZipiAICompletedEventHandler (↗ see page 224)	

kontorBilgisiGetirCompletedEventHandler (see page 224)	
okcRaporBolumAICompletedEventHandler (see page 225)	
okcRaporKaydetCompletedEventHandler (see page 225)	
okcRaporOlusturGonderCompletedEventHandler (see page 225)	
raporBolumAICompletedEventHandler (see page 225)	
raporBolumBilgisiAICompletedEventHandler (see page 226)	
raporBolumleriOlusturCompletedEventHandler (see page 226)	
raporBolumListesiDetyaliSorgulaCompletedEventHandler (see page 226)	
raporBolumListesiSorgulaCompletedEventHandler (see page 226)	
raporBolumListesiSorgulaWithInputCompletedEventHandler (see page 227)	
raporBolumRaporNoGuncelleImzalaCompletedEventHandler (see page 227)	
raporBolumSilCompletedEventHandler (see page 227)	
rapordaFaturaSorgulaCompletedEventHandler (see page 227)	
raporDurumSorgulaCompletedEventHandler (see page 228)	
raporGonderCompletedEventHandler (see page 228)	
servisSaglayicidanEpostaDurumSorgulaCompletedEventHandler (see page 228)	
smsDurumSorgulaCompletedEventHandler (see page 228)	
smsGonderCompletedEventHandler (see page 229)	
topluFaturaPaketDosyaGonderCompletedEventHandler (see page 229)	
topluFaturaPaketDosyasiSorgulaCompletedEventHandler (see page 229)	
topluFaturaPaketOnaylaCompletedEventHandler (see page 229)	
topluFaturaPaketSorgulaCompletedEventHandler (see page 230)	
yapilandirmaAyarlariAICompletedEventHandler (see page 230)	

### 1.1.2.3.1

## QNBFinansGIB.GIBEArxiv.aliciEpostaEkleSilGuncelleCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void aliciEpostaEkleSilGuncelleCompletedEventHandler(object sender,
aliciEpostaEkleSilGuncelleCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

**1.1.2.3.2****QNBFinansGIB.GIBEArxiv.eFaturaKayitliKullaniciListeleCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void eFaturaKayitliKullaniciListeleCompletedEventHandler(object sender,
eFaturaKayitliKullaniciListeleCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

**1.1.2.3.3****QNBFinansGIB.GIBEArxiv.efaturaKullanicisiCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void efaturaKullanicisiCompletedEventHandler(object sender,
efaturaKullanicisiCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

**1.1.2.3.4****QNBFinansGIB.GIBEArxiv.efaturaKullanicisiKontrolCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void efaturaKullanicisiKontrolCompletedEventHandler(object sender,
efaturaKullanicisiKontrolCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

**1.1.2.3.5****QNBFinansGIB.GIBEArxiv.ePostaDurumSorgulaCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void ePostaDurumSorgulaCompletedEventHandler(object sender,
ePostaDurumSorgulaCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

### 1.1.2.3.6 QNBFinansGIB.GIBEArxiv.ePostaGonderCompletedEventHandler Type

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void ePostaGonderCompletedEventHandler(object sender,
ePostaGonderCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

### 1.1.2.3.7 QNBFinansGIB.GIBEArxiv.faturalptalEtCompletedEventHandler Type

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturalptalEtCompletedEventHandler(object sender,
faturalptalEtCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

### 1.1.2.3.8

### QNBFinansGIB.GIBEArxiv.faturalptaliKaldırCompletedEventHandler Type

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturalptaliKaldırCompletedEventHandler(object sender,
faturalptaliKaldırCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

### 1.1.2.3.9 QNBFinansGIB.GIBEArxiv.faturaltirazEtCompletedEventHandler Type

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaltirazEtCompletedEventHandler(object sender,
faturaltirazEtCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

### 1.1.2.3.10

## QNBFinansGIB.GIBEArxiv.faturaltirazKaldırCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaltirazKaldırCompletedEventHandler(object sender,
faturaltirazKaldırCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.2.3.11

## QNBFinansGIB.GIBEArxiv.faturaListeSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaListeSorgulaCompletedEventHandler(object sender,
faturaListeSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.2.3.12

## QNBFinansGIB.GIBEArxiv.faturaListeSorgulaCountCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaListeSorgulaCountCompletedEventHandler(object sender,
faturaListeSorgulaCountCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.2.3.13

## QNBFinansGIB.GIBEArxiv.faturaListeSorgulaPortalCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaListeSorgulaPortalCompletedEventHandler(object sender,
faturaListeSorgulaPortalCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.2.3.14 QNBFinansGIB.GIBEArsiv.faturaNoUretCompletedEventHandler Type

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaNoUretCompletedEventHandler(object sender,
faturaNoUretCompletedEventArgs e);
```

**File**

Reference.cs ([see page 835](#))

### 1.1.2.3.15 QNBFinansGIB.GIBEArsiv.faturaOlusturCompletedEventHandler Type

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaOlusturCompletedEventHandler(object sender,
faturaOlusturCompletedEventArgs e);
```

**File**

Reference.cs ([see page 835](#))

### 1.1.2.3.16

### QNBFinansGIB.GIBEArsiv.faturaOlusturExtCompletedEventHandler Type

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaOlusturExtCompletedEventHandler(object sender,
faturaOlusturExtCompletedEventArgs e);
```

**File**

Reference.cs ([see page 835](#))

### 1.1.2.3.17

### QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventHandler Type

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaOnizlemeCompletedEventHandler(object sender,
faturaOnizlemeCompletedEventArgs e);
```

**File**

Reference.cs ([see page 835](#))

### 1.1.2.3.18 QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventHandler Type

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaSorgulaCompletedEventHandler(object sender,
faturaSorgulaCompletedEventArgs e);
```

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

**File**

Reference.cs ([see page 835](#))

**1.1.2.3.19****QNBFinansGIB.GIBEArxiv.faturaSorgulaExtCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaSorgulaExtCompletedEventHandler(object sender,
faturaSorgulaExtCompletedEventArgs e);
```

**File**

Reference.cs ([see page 835](#))

**1.1.2.3.20****QNBFinansGIB.GIBEArxiv.faturaTaslakOlusturCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaTaslakOlusturCompletedEventHandler(object sender,
faturaTaslakOlusturCompletedEventArgs e);
```

**File**

Reference.cs ([see page 835](#))

**1.1.2.3.21****QNBFinansGIB.GIBEArxiv.faturaTaslakOnizlemeCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaTaslakOnizlemeCompletedEventHandler(object sender,
faturaTaslakOnizlemeCompletedEventArgs e);
```

**File**

Reference.cs ([see page 835](#))

**1.1.2.3.22****QNBFinansGIB.GIBEArxiv.faturaTaslakSilCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaTaslakSilCompletedEventHandler(object sender,
faturaTaslakSilCompletedEventArgs e);
```

**File**

Reference.cs ([see page 835](#))

### 1.1.2.3.23

## QNBFinansGIB.GIBEArxiv.faturaTaslakSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaTaslakSorgulaCompletedEventHandler(object sender,
faturaTaslakSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.2.3.24

## QNBFinansGIB.GIBEArxiv.faturaTaslaktanOlusturCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaTaslaktanOlusturCompletedEventHandler(object sender,
faturaTaslaktanOlusturCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.2.3.25 QNBFinansGIB.GIBEArxiv.faturaZipiAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaZipiAlCompletedEventHandler(object sender,
faturaZipiAlCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.2.3.26

## QNBFinansGIB.GIBEArxiv.kontorBilgisiGetirCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void kontorBilgisiGetirCompletedEventHandler(object sender,
kontorBilgisiGetirCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.2.3.27

## QNBFinansGIB.GIBEArxiv.okcRaporBolumAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void okcRaporBolumAlCompletedEventHandler(object sender,
okcRaporBolumAlCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.2.3.28

## QNBFinansGIB.GIBEArxiv.okcRaporKaydetCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void okcRaporKaydetCompletedEventHandler(object sender,
okcRaporKaydetCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.2.3.29

## QNBFinansGIB.GIBEArxiv.okcRaporOlusturGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void okcRaporOlusturGonderCompletedEventHandler(object sender,
okcRaporOlusturGonderCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.2.3.30 QNBFinansGIB.GIBEArxiv.raporBolumAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumAlCompletedEventHandler(object sender,
raporBolumAlCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.2.3.31

## QNBFinansGIB.GIBEArxiv.raporBolumBilgisiAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumBilgisiAlCompletedEventHandler(object sender,
raporBolumBilgisiAlCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.2.3.32

## QNBFinansGIB.GIBEArxiv.raporBolumleriOlusturCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumleriOlusturCompletedEventHandler(object sender,
raporBolumleriOlusturCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.2.3.33

## QNBFinansGIB.GIBEArxiv.raporBolumListesiDetayliSorgulaCompletedEvent Handler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumListesiDetayliSorgulaCompletedEventHandler(object sender,
raporBolumListesiDetayliSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.2.3.34

## QNBFinansGIB.GIBEArxiv.raporBolumListesiSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumListesiSorgulaCompletedEventHandler(object sender,
raporBolumListesiSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.2.3.35

#### **QNBFinansGIB.GIBEArxiv.raporBolumListesiSorgulaWithInputCompletedEventHandler**

##### Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumListesiSorgulaWithInputCompletedEventHandler(object sender,
raporBolumListesiSorgulaWithInputCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.2.3.36

#### **QNBFinansGIB.GIBEArxiv.raporBolumRaporNoGuncelleImzalaCompletedEventHandler**

##### Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumRaporNoGuncelleImzalaCompletedEventHandler(object sender,
raporBolumRaporNoGuncelleImzalaCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.2.3.37 QNBFinansGIB.GIBEArxiv.raporBolumSilCompletedEventHandler

##### Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumSilCompletedEventHandler(object sender,
raporBolumSilCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.2.3.38

#### **QNBFinansGIB.GIBEArxiv.rapordaFaturaSorgulaCompletedEventHandler**

##### Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void rapordaFaturaSorgulaCompletedEventHandler(object sender,
rapordaFaturaSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.2.3.39

## QNBFinansGIB.GIBEArxiv.raporDurumSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporDurumSorgulaCompletedEventHandler(object sender,
raporDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs ([see page 835](#))

### 1.1.2.3.40 QNBFinansGIB.GIBEArxiv.raporGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporGonderCompletedEventHandler(object sender,
raporGonderCompletedEventArgs e);
```

File

Reference.cs ([see page 835](#))

### 1.1.2.3.41

## QNBFinansGIB.GIBEArxiv.servisSaglayicidanEpostaDurumSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void servisSaglayicidanEpostaDurumSorgulaCompletedEventHandler(object
sender, servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs ([see page 835](#))

### 1.1.2.3.42

## QNBFinansGIB.GIBEArxiv.smsDurumSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void smsDurumSorgulaCompletedEventHandler(object sender,
smsDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs ([see page 835](#))

### 1.1.2.3.43 QNBFinansGIB.GIBEArxiv.smsGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void smsGonderCompletedEventHandler(object sender,
smsGonderCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.2.3.44

### QNBFinansGIB.GIBEArxiv.topluFaturaPaketDosyaGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void topluFaturaPaketDosyaGonderCompletedEventHandler(object sender,
topluFaturaPaketDosyaGonderCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.2.3.45

### QNBFinansGIB.GIBEArxiv.topluFaturaPaketDosyasiSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void topluFaturaPaketDosyasiSorgulaCompletedEventHandler(object sender,
topluFaturaPaketDosyasiSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.2.3.46

### QNBFinansGIB.GIBEArxiv.topluFaturaPaketOnaylaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void topluFaturaPaketOnaylaCompletedEventHandler(object sender,
topluFaturaPaketOnaylaCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.2.3.47

## **QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaCompletedEventHandler**

### Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void topluFaturaPaketSorgulaCompletedEventHandler(object sender,
topluFaturaPaketSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.2.3.48

## **QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAlCompletedEventHandler**

### Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void yapilandirmaAyarlariAlCompletedEventHandler(object sender,
yapilandirmaAyarlariAlCompletedEventArgs e);
```

File

Reference.cs (see page 835)

---


## 1.1.3 QNBFinansGIB.GIBEFatura Namespace

This is namespace QNBFinansGIB.GIBEFatura.

### Classes

	Name	Description
	belge (see page 239)	
	belgeGonderCompletedEventArgs (see page 240)	
	belgeGonderExtCompletedEventArgs (see page 241)	
	belgeGonderExtWithValidateCompletedEventArgs (see page 242)	
	belgeGonderResp (see page 243)	
	belgeGonderWithValidateCompletedEventArgs (see page 244)	
	belgeleriTekrarGonderBelgeOidCompletedEventArgs (see page 245)	
	belgeleriTekrarGonderCompletedEventArgs (see page 246)	
	belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs (see page 247)	
	belgev2 (see page 248)	

	belgev2Entry (see page 250)	
	belgev3 (see page 250)	
	belgev4 (see page 252)	
	belgev5 (see page 253)	
	belgev6 (see page 254)	
	cokluGidenBelgeDurumSorgulaCompletedEventArgs (see page 256)	
	connectorService (see page 257)	
	csXmlOnizlemeCompletedEventArgs (see page 389)	
	csXmlToUblCompletedEventArgs (see page 390)	
	eFaturaKayitliKullaniciHistory (see page 391)	
	eFaturaKayitliKullaniciListeleCompletedEventArgs (see page 392)	
	eFaturaKullanici (see page 393)	
	efaturaKullaniciBilgisiCompletedEventArgs (see page 394)	
	eFaturaKullaniciExtended (see page 395)	
	efaturaKullaniciListesiCompletedEventArgs (see page 397)	
	efaturaKullanicisiCompletedEventArgs (see page 398)	
	elrsaliyeKayitliKullaniciListeleCompletedEventArgs (see page 399)	
	elrsaliyeKullanici (see page 400)	
	elrsaliyeKullanicisiCompletedEventArgs (see page 401)	
	erpBilgileri (see page 402)	
	faturaKepIleladeEdildiCompletedEventArgs (see page 402)	
	faturaKepIleladeEdildilptalCompletedEventArgs (see page 403)	
	faturaNoUretCompletedEventArgs (see page 404)	
	faturaTarihcesiData (see page 405)	
	faturaTarihcesiSorgulaCompletedEventArgs (see page 407)	
	faturayaltirazEdildiCompletedEventArgs (see page 408)	
	faturayaltirazEdildilptalCompletedEventArgs (see page 409)	
	gelenBelgeDurum (see page 410)	
	gelenBelgeDurumSorgulaCompletedEventArgs (see page 412)	
	gelenBelgeDurumSorgulaExtCompletedEventArgs (see page 413)	
	gelenBelgeDurumv2 (see page 414)	
	gelenBelgeDurumv3 (see page 415)	
	gelenBelgeDurumv4 (see page 416)	
	gelenBelgeDurumv5 (see page 417)	
	gelenBelgeEkleriAICompletedEventArgs (see page 418)	
	gelenBelgeleriAICompletedEventArgs (see page 419)	
	gelenBelgeleriAIExt2CompletedEventArgs (see page 420)	
	gelenBelgeleriAIExt2Entry (see page 421)	

	gelenBelgeleriAIExtCompletedEventArgs (see page 421)	
	gelenBelgeleriIndirCompletedEventArgs (see page 422)	
	gelenBelgeleriIndirExtCompletedEventArgs (see page 423)	
	gelenBelgeleriListeleCompletedEventArgs (see page 424)	
	gelenBelgeleriListeleExtCompletedEventArgs (see page 425)	
	gelenBelgeParametreleri (see page 426)	
	gelenBelgeTutarBilgileri (see page 429)	
	gelenBelgeTutarBilgileriSorgulaCompletedEventArgs (see page 432)	
	gelenBelgeXmlleriniAICompletedEventArgs (see page 433)	
	gelenBelgeXmlleriniAIExtCompletedEventArgs (see page 434)	
	gelenStandartRapolariAICompletedEventArgs (see page 435)	
	gelenTamamlananRapolariAICompletedEventArgs (see page 436)	
	gelenTasinanBelgeleriIndirCompletedEventArgs (see page 437)	
	gidenBelgeDurum (see page 438)	
	gidenBelgeDurumParametreleri (see page 440)	
	gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs (see page 441)	
	gidenBelgeDurumSorgulaCompletedEventArgs (see page 442)	
	gidenBelgeDurumSorgulaEttnCompletedEventArgs (see page 443)	
	gidenBelgeDurumSorgulaExtCompletedEventArgs (see page 444)	
	gidenBelgeDurumSorgulaPortalCompletedEventArgs (see page 445)	
	gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs (see page 446)	
	gidenBelgeDurumv2 (see page 447)	
	gidenBelgeDurumv3 (see page 448)	
	gidenBelgeDurumv4 (see page 450)	
	gidenBelgeDurumv5 (see page 451)	
	gidenBelgeDurumv6 (see page 452)	
	gidenBelgeEkleriAICompletedEventArgs (see page 454)	
	gidenBelgelerDurumSorgulaPortalParametreleri (see page 455)	
	gidenBelgeleriIndirCompletedEventArgs (see page 456)	
	gidenBelgeleriIndirEttnCompletedEventArgs (see page 457)	
	gidenBelgeleriIndirPortalCompletedEventArgs (see page 458)	
	gidenBelgeleriIndirPortalParametreleri (see page 459)	
	gidenBelgeleriListeleCompletedEventArgs (see page 461)	

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

	gidenBelgeleriListeleData (see page 462)	
	gidenBelgeleriListeleParametreleri (see page 464)	
	gidenBelgeleriListelePortalCompletedEventArgs (see page 465)	
	gidenBelgeleriListelePortalData (see page 466)	
	gidenBelgeleriListelePortalDatav2 (see page 469)	
	gidenBelgeleriListelePortalParametreleri (see page 470)	
	gidenBelgeParametreleri (see page 471)	
	gidenBelgeTutarBilgileri (see page 474)	
	gidenBelgeTutarBilgileriSorgulaCompletedEventArgs (see page 477)	
	gidenTasinanBelgeleriIndirCompletedEventArgs (see page 478)	
	irsaliyeTarihcesiData (see page 478)	
	irsaliyeTarihcesiSorgulaCompletedEventArgs (see page 480)	
	kalanKontorBilgisi (see page 481)	
	kayitliKullaniciListeleExtendedCompletedEventArgs (see page 483)	
	kayitliKullaniciListeleExtendedTimeCompletedEventArgs (see page 484)	
	kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs (see page 485)	
	kontorAzaltResp (see page 486)	
	kontorBilgisiGetirCompletedEventArgs (see page 488)	
	mukellefEFaturaKayit (see page 489)	
	serviceReturnType (see page 489)	
	temelKontrollerlleBelgeGonderCompletedEventArgs (see page 490)	
	toplambelgeSayisiGetirCompletedEventArgs (see page 491)	
	ublOnizlemeCompletedEventArgs (see page 492)	
	urunSablonlariniAICompletedEventArgs (see page 493)	
	wsKullaniciBilgileri (see page 494)	
	wsKullanicisiKaydetCompletedEventArgs (see page 494)	
	yereleAktarilacakBelgeleriAICompletedEventArgs (see page 495)	
	yereleAktarilacakBelgeleriAIExtCompletedEventArgs (see page 496)	

**Structs, Records, Enums**

	Name	Description
	kontorBirim (see page 497)	
	kontorTipi (see page 498)	

**Types**

Name	Description
belgeGonderCompletedEventHandler (see page 500)	
belgeGonderExtCompletedEventHandler (see page 501)	

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

belgeGonderExtWithValidateCompletedEventHandler (see page 501)	
belgeGonderWithValidateCompletedEventHandler (see page 501)	
belgelerAlindiCompletedEventHandler (see page 501)	
belgelerAlindiEntegrasyonSiparisNoGuncelleCompletedEventHandler (see page 502)	
belgeleriTekrarGonderBelgeOidCompletedEventHandler (see page 502)	
belgeleriTekrarGonderCompletedEventHandler (see page 502)	
belgeleriTekrarGonderYerelBelgeNoCompletedEventHandler (see page 502)	
checkDateValidControlCompletedEventHandler (see page 503)	
cokluGidenBelgeDurumSorgulaCompletedEventHandler (see page 503)	
csXmlIOnizlemeCompletedEventHandler (see page 503)	
csXmlToUblCompletedEventHandler (see page 503)	
eFaturaKayitliKullaniciListeleCompletedEventHandler (see page 504)	
efaturaKullaniciBilgisiCompletedEventHandler (see page 504)	
efaturaKullaniciListesiCompletedEventHandler (see page 504)	
efaturaKullanicisiCompletedEventHandler (see page 504)	
elrsaliyeKayitliKullaniciListeleCompletedEventHandler (see page 505)	
elrsaliyeKullanicisiCompletedEventHandler (see page 505)	
erpBilgileriBelirleCompletedEventHandler (see page 505)	
faturaKeplileladeEdildiCompletedEventHandler (see page 505)	
faturaKeplileladeEdildilptalCompletedEventHandler (see page 506)	
faturaMailGonderCompletedEventHandler (see page 506)	
faturaNoUretCompletedEventHandler (see page 506)	
faturaTarihcesiSorgulaCompletedEventHandler (see page 506)	
faturayaltirazEdildiCompletedEventHandler (see page 507)	
faturayaltirazEdildilptalCompletedEventHandler (see page 507)	
gelenBelgeDurumSorgulaCompletedEventHandler (see page 507)	
gelenBelgeDurumSorgulaExtCompletedEventHandler (see page 507)	
gelenBelgeEkleriAICompletedEventHandler (see page 508)	
gelenBelgeleriAICompletedEventHandler (see page 508)	
gelenBelgeleriAIExt2CompletedEventHandler (see page 508)	
gelenBelgeleriAIExtCompletedEventHandler (see page 508)	
gelenBelgeleriIndirCompletedEventHandler (see page 509)	
gelenBelgeleriIndirExtCompletedEventHandler (see page 509)	
gelenBelgeleriListeleCompletedEventHandler (see page 509)	
gelenBelgeleriListeleExtCompletedEventHandler (see page 509)	
gelenBelgeTutarBilgileriSorgulaCompletedEventHandler (see page 510)	
gelenBelgeXmlleriniAICompletedEventHandler (see page 510)	
gelenBelgeXmlleriniAIExtCompletedEventHandler (see page 510)	
gelenFaturalariArsiveKaldirCompletedEventHandler (see page 510)	

gelenIrsaliyeleriArsiveKaldirCompletedEventHandler (§ see page 511)	
gelenStandartRapolariAICompletedEventHandler (§ see page 511)	
gelenTamamlananRapolariAICompletedEventHandler (§ see page 511)	
gelenTasinanBelgeleriIndirCompletedEventHandler (§ see page 512)	
gidenBelgeDurumSorgulaBelgeNoCompletedEventHandler (§ see page 512)	
gidenBelgeDurumSorgulaCompletedEventHandler (§ see page 512)	
gidenBelgeDurumSorgulaEttnCompletedEventHandler (§ see page 512)	
gidenBelgeDurumSorgulaExtCompletedEventHandler (§ see page 513)	
gidenBelgeDurumSorgulaPortalCompletedEventHandler (§ see page 513)	
gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventHandler (§ see page 513)	
gidenBelgeEkleriAICompletedEventHandler (§ see page 513)	
gidenBelgeleriIndirCompletedEventHandler (§ see page 514)	
gidenBelgeleriIndirEttnCompletedEventHandler (§ see page 514)	
gidenBelgeleriIndirPortalCompletedEventHandler (§ see page 514)	
gidenBelgeleriListeleCompletedEventHandler (§ see page 514)	
gidenBelgeleriListelePortalCompletedEventHandler (§ see page 515)	
gidenBelgeTutarBilgileriSorgulaCompletedEventHandler (§ see page 515)	
gidenFaturalariArsiveKaldirCompletedEventHandler (§ see page 515)	
gidenIrsaliyeleriArsiveKaldirCompletedEventHandler (§ see page 516)	
gidenTasinanBelgeleriIndirCompletedEventHandler (§ see page 516)	
irsaliyeMailGonderCompletedEventHandler (§ see page 516)	
irsaliyeTarihcesiSorgulaCompletedEventHandler (§ see page 516)	
kayitliKullaniciListeleExtendedCompletedEventHandler (§ see page 517)	
kayitliKullaniciListeleExtendedTimeCompletedEventHandler (§ see page 517)	
kayitliKullaniciListeleExtendedVknTcknCompletedEventHandler (§ see page 517)	
kontorBilgisiGetirCompletedEventHandler (§ see page 517)	
temelKontrollerIleBelgeGonderCompletedEventHandler (§ see page 518)	
toplamBelgeSayisiGetirCompletedEventHandler (§ see page 518)	
ublOnizlemeCompletedEventHandler (§ see page 518)	
urunSablonlariniAICompletedEventHandler (§ see page 518)	
wsKullanicisiKaydetCompletedEventHandler (§ see page 519)	
yereleAktarilacakBelgeleriAICompletedEventHandler (§ see page 519)	
yereleAktarilacakBelgeleriAIExtCompletedEventHandler (§ see page 519)	
yolcuBeraberFaturalptalEtCompletedEventHandler (§ see page 519)	



### 1.1.3.1 Classes


#### Summary

The following table lists classes in this documentation.

#### Classes

	Name	Description
	belge (see page 239)	
	belgeGonderCompletedEventArgs (see page 240)	
	belgeGonderExtCompletedEventArgs (see page 241)	
	belgeGonderExtWithValidateCompletedEventArgs (see page 242)	
	belgeGonderResp (see page 243)	
	belgeGonderWithValidateCompletedEventArgs (see page 244)	
	belgeleriTekrarGonderBelgeOidCompletedEventArgs (see page 245)	
	belgeleriTekrarGonderCompletedEventArgs (see page 246)	
	belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs (see page 247)	
	belgev2 (see page 248)	
	belgev2Entry (see page 250)	
	belgev3 (see page 250)	
	belgev4 (see page 252)	
	belgev5 (see page 253)	
	belgev6 (see page 254)	
	cokluGidenBelgeDurumSorgulaCompletedEventArgs (see page 256)	
	connectorService (see page 257)	
	csXmlOnizlemeCompletedEventArgs (see page 389)	
	csXmlToUblCompletedEventArgs (see page 390)	
	eFaturaKayitliKullaniciHistory (see page 391)	
	eFaturaKayitliKullaniciListeleCompletedEventArgs (see page 392)	
	eFaturaKullanici (see page 393)	
	efaturaKullaniciBilgisiCompletedEventArgs (see page 394)	
	eFaturaKullaniciExtended (see page 395)	
	efaturaKullaniciListesiCompletedEventArgs (see page 397)	
	efaturaKullanicisiCompletedEventArgs (see page 398)	
	elrsaliyeKayitliKullaniciListeleCompletedEventArgs (see page 399)	
	elrsaliyeKullanici (see page 400)	
	elrsaliyeKullanicisiCompletedEventArgs (see page 401)	
	erpBilgileri (see page 402)	

	faturaKepIleladeEdildiCompletedEventArgs (see page 402)	
	faturaKepIleladeEdildilptalCompletedEventArgs (see page 403)	
	faturaNoUretCompletedEventArgs (see page 404)	
	faturaTarihcesiData (see page 405)	
	faturaTarihcesiSorgulaCompletedEventArgs (see page 407)	
	faturayaltirazEdildiCompletedEventArgs (see page 408)	
	faturayaltirazEdildilptalCompletedEventArgs (see page 409)	
	gelenBelgeDurum (see page 410)	
	gelenBelgeDurumSorgulaCompletedEventArgs (see page 412)	
	gelenBelgeDurumSorgulaExtCompletedEventArgs (see page 413)	
	gelenBelgeDurumv2 (see page 414)	
	gelenBelgeDurumv3 (see page 415)	
	gelenBelgeDurumv4 (see page 416)	
	gelenBelgeDurumv5 (see page 417)	
	gelenBelgeEkleriAICompletedEventArgs (see page 418)	
	gelenBelgeleriAICompletedEventArgs (see page 419)	
	gelenBelgeleriAIExt2CompletedEventArgs (see page 420)	
	gelenBelgeleriAIExt2Entry (see page 421)	
	gelenBelgeleriAIExtCompletedEventArgs (see page 421)	
	gelenBelgeleriIndirCompletedEventArgs (see page 422)	
	gelenBelgeleriIndirExtCompletedEventArgs (see page 423)	
	gelenBelgeleriListeleCompletedEventArgs (see page 424)	
	gelenBelgeleriListeleExtCompletedEventArgs (see page 425)	
	gelenBelgeParametreleri (see page 426)	
	gelenBelgeTutarBilgileri (see page 429)	
	gelenBelgeTutarBilgileriSorgulaCompletedEventArgs (see page 432)	
	gelenBelgeXmlleriniAICompletedEventArgs (see page 433)	
	gelenBelgeXmlleriniAIExtCompletedEventArgs (see page 434)	
	gelenStandartRapolariAICompletedEventArgs (see page 435)	
	gelenTamamlananRapolariAICompletedEventArgs (see page 436)	
	gelenTasinanBelgeleriIndirCompletedEventArgs (see page 437)	
	gidenBelgeDurum (see page 438)	
	gidenBelgeDurumParametreleri (see page 440)	


	gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs (↗ see page 441)	
	gidenBelgeDurumSorgulaCompletedEventArgs (↗ see page 442)	
	gidenBelgeDurumSorgulaEttnCompletedEventArgs (↗ see page 443)	
	gidenBelgeDurumSorgulaExtCompletedEventArgs (↗ see page 444)	
	gidenBelgeDurumSorgulaPortalCompletedEventArgs (↗ see page 445)	
	gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs (↗ see page 446)	
	gidenBelgeDurumv2 (↗ see page 447)	
	gidenBelgeDurumv3 (↗ see page 448)	
	gidenBelgeDurumv4 (↗ see page 450)	
	gidenBelgeDurumv5 (↗ see page 451)	
	gidenBelgeDurumv6 (↗ see page 452)	
	gidenBelgeEkleriAICompletedEventArgs (↗ see page 454)	
	gidenBelgelerDurumSorgulaPortalParametreleri (↗ see page 455)	
	gidenBelgeleriIndirCompletedEventArgs (↗ see page 456)	
	gidenBelgeleriIndirEttnCompletedEventArgs (↗ see page 457)	
	gidenBelgeleriIndirPortalCompletedEventArgs (↗ see page 458)	
	gidenBelgeleriIndirPortalParametreleri (↗ see page 459)	
	gidenBelgeleriListeleCompletedEventArgs (↗ see page 461)	
	gidenBelgeleriListeleData (↗ see page 462)	
	gidenBelgeleriListeleParametreleri (↗ see page 464)	
	gidenBelgeleriListelePortalCompletedEventArgs (↗ see page 465)	
	gidenBelgeleriListelePortalData (↗ see page 466)	
	gidenBelgeleriListelePortalDatav2 (↗ see page 469)	
	gidenBelgeleriListelePortalParametreleri (↗ see page 470)	
	gidenBelgeParametreleri (↗ see page 471)	
	gidenBelgeTutarBilgileri (↗ see page 474)	
	gidenBelgeTutarBilgileriSorgulaCompletedEventArgs (↗ see page 477)	
	gidenTasinanBelgeleriIndirCompletedEventArgs (↗ see page 478)	
	irsaliyeTarihcesiData (↗ see page 478)	
	irsaliyeTarihcesiSorgulaCompletedEventArgs (↗ see page 480)	
	kalanKontorBilgisi (↗ see page 481)	
	kayitliKullaniciListeleExtendedCompletedEventArgs (↗ see page 483)	
	kayitliKullaniciListeleExtendedTimeCompletedEventArgs (↗ see page 484)	
	kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs (↗ see page 485)	
	kontorAzaltResp (↗ see page 486)	

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

	kontorBilgisiGetirCompletedEventArgs (see page 488)	
	mukellefEFaturaKayit (see page 489)	
	serviceReturnType (see page 489)	
	temelKontrollerlleBelgeGonderCompletedEventArgs (see page 490)	
	toplambelgeSayisiGetirCompletedEventArgs (see page 491)	
	ublOnizlemeCompletedEventArgs (see page 492)	
	urunSablonlariniAlCompletedEventArgs (see page 493)	
	wsKullaniciBilgileri (see page 494)	
	wsKullanicisiKaydetCompletedEventArgs (see page 494)	
	yereleAktarilacakBelgeleriAlCompletedEventArgs (see page 495)	
	yereleAktarilacakBelgeleriAlExtCompletedEventArgs (see page 496)	

### 1.1.3.1.1 belge Class

#### Class Hierarchy



#### C#

```

[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev2))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class belge : serviceReturnType;
  
```

#### File

Reference.cs (see page 835)

#### belge Properties

#### belge Class

	Name	Description
	belgeNo (see page 240)	
	belgeSiraNo (see page 240)	
	belgeTarihi (see page 240)	
	belgeTuru (see page 240)	
	belgeVerisi (see page 240)	
	ettn (see page 240)	
	gonderenEtiket (see page 240)	
	gonderenVknTckn (see page 240)	

### 1.1.3.1.1.1 belge Properties

### 1.1.3.1.1.1 belge.belgeNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeNo;
```

### 1.1.3.1.1.2 belge.belgeSiraNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeSiraNo;
```

### 1.1.3.1.1.3 belge.belgeTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTarihi;
```

### 1.1.3.1.1.4 belge.belgeTuru Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTuru;
```

### 1.1.3.1.1.5 belge.belgeVerisi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeVerisi;
```

### 1.1.3.1.1.6 belge.ettn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ettn;
```

### 1.1.3.1.1.7 belge.gonderenEtiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gonderenEtiket;
```

### 1.1.3.1.1.8 belge.gonderenVknTckn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gonderenVknTckn;
```

## 1.1.3.1.2 belgeGonderCompletedEventArgs Class

### Class Hierarchy



*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com*

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class belgeGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs (see page 835)

**Methods**

	Name	Description
	belgeGonderCompletedEventArgs (see page 241)	This is belgeGonderCompletedEventArgs, a member of class belgeGonderCompletedEventArgs.

**belgeGonderCompletedEventArgs Properties**

	Name	Description
	Result (see page 241)	

**1.1.3.1.2.1 belgeGonderCompletedEventArgs.belgeGonderCompletedEventArgs Constructor****C#**

```
internal belgeGonderCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState);
```

**Description**


This is belgeGonderCompletedEventArgs, a member of class belgeGonderCompletedEventArgs.

**Body Source**

```
1: internal belgeGonderCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

**1.1.3.1.2.2 belgeGonderCompletedEventArgs Properties****1.1.3.1.2.2.1 belgeGonderCompletedEventArgs.Result Property****C#**

```
public string Result;
```

**1.1.3.1.3 belgeGonderExtCompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class belgeGonderExtCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs (see page 835)

## Methods

	Name	Description
!	belgeGonderExtCompletedEventArgs	This is belgeGonderExtCompletedEventArgs, a member of class belgeGonderExtCompletedEventArgs. ( <a href="#">see page 242</a> )

### belgeGonderExtCompletedEventArgs Properties

	Name	Description
!	Result ( <a href="#">see page 242</a> )	

### 1.1.3.1.3.1 belgeGonderExtCompletedEventArgs.belgeGonderExtCompletedEventArgs Constructor

C#

```
internal belgeGonderExtCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

#### Description

This is belgeGonderExtCompletedEventArgs, a member of class belgeGonderExtCompletedEventArgs.

#### Body Source

```
1: internal belgeGonderExtCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

### 1.1.3.1.3.2 belgeGonderExtCompletedEventArgs Properties


#### 1.1.3.1.3.2.1 belgeGonderExtCompletedEventArgs.Result Property

C#

```
public string Result;
```

### 1.1.3.1.4 belgeGonderExtWithValidateCompletedEventArgs Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class belgeGonderExtWithValidateCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs ([see page 835](#))

#### Methods

	Name	Description
!	belgeGonderExtWithValidateCompletedEventArgs	This is belgeGonderExtWithValidateCompletedEventArgs, a member of class belgeGonderExtWithValidateCompletedEventArgs. ( <a href="#">see page 243</a> )

### belgeGonderExtWithValidateCompletedEventArgs Properties

	Name	Description
	Result (see page 243)	

#### 1.1.3.1.4.1

### belgeGonderExtWithValidateCompletedEventArgs.belgeGonderExtWithValidateCompletedEventArgs Constructor

C#

```
internal belgeGonderExtWithValidateCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

#### Description

This is belgeGonderExtWithValidateCompletedEventArgs, a member of class belgeGonderExtWithValidateCompletedEventArgs.

#### Body Source

```
1: internal belgeGonderExtWithValidateCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

### 1.1.3.1.4.2 belgeGonderExtWithValidateCompletedEventArgs Properties

#### 1.1.3.1.4.2.1 belgeGonderExtWithValidateCompletedEventArgs.Result Property

C#

```
public belgeGonderResp Result;
```

### 1.1.3.1.5 belgeGonderResp Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class belgeGonderResp : serviceReturnType;
```

#### File

Reference.cs (see page 835)

#### belgeGonderResp Properties

#### belgeGonderResp Class

	Name	Description
	belgeOid (see page 244)	
	errorMessage (see page 244)	
	responseStatus (see page 244)	

### 1.1.3.1.5.1 belgeGonderResp Properties

#### 1.1.3.1.5.1.1 belgeGonderResp.belgeOid Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeOid;
```

#### 1.1.3.1.5.1.2 belgeGonderResp.errorMessage Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string errorMessage;
```


#### 1.1.3.1.5.1.3 belgeGonderResp.responseStatus Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string responseStatus;
```

### 1.1.3.1.6 belgeGonderWithValidateCompletedEventArgs Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class belgeGonderWithValidateCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs ([see page 835](#))

#### Methods

	Name	Description
	belgeGonderWithValidateCompletedEventArgs ( <a href="#">see page 244</a> )	This is belgeGonderWithValidateCompletedEventArgs, a member of class belgeGonderWithValidateCompletedEventArgs.

#### belgeGonderWithValidateCompletedEventArgs Properties

	Name	Description
	Result ( <a href="#">see page 245</a> )	

#### 1.1.3.1.6.1

### belgeGonderWithValidateCompletedEventArgs.belgeGonderWithValidateCompletedEventArgs Constructor

C#

```
internal belgeGonderWithValidateCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

**Description**

This is belgeGonderWithValidateCompletedEventArgs, a member of class belgeGonderWithValidateCompletedEventArgs.


**Body Source**

```

1: internal belgeGonderWithValidateCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

**1.1.3.1.6.2 belgeGonderWithValidateCompletedEventArgs Properties****1.1.3.1.6.2.1 belgeGonderWithValidateCompletedEventArgs.Result Property****C#**

```
public belgeGonderResp Result;
```

**1.1.3.1.7 belgeleriTekrarGonderBelgeOidCompletedEventArgs Class****Class Hierarchy****C#**

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class belgeleriTekrarGonderBelgeOidCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs ([see page 835](#))

**Methods**

	Name	Description
	belgeleriTekrarGonderBelgeOidCompletedEventArgs ( <a href="#">see page 245</a> )	This is belgeleriTekrarGonderBelgeOidCompletedEventArgs, a member of class belgeleriTekrarGonderBelgeOidCompletedEventArgs.

**belgeleriTekrarGonderBelgeOidCompletedEventArgs Properties**

	Name	Description
	Result ( <a href="#">see page 246</a> )	

**1.1.3.1.7.1****belgeleriTekrarGonderBelgeOidCompletedEventArgs.beglериTekrarGonderBelgeOidCompletedEventArgs Constructor****C#**

```
internal belgeleriTekrarGonderBelgeOidCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

**Description**

This is belgeleriTekrarGonderBelgeOidCompletedEventArgs, a member of class belgeleriTekrarGonderBelgeOidCompletedEventArgs.

**Body Source**


```

1: internal belgeleriTekrarGonderBelgeOidCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }

```

**1.1.3.1.7.2 belgeleriTekrarGonderBelgeOidCompletedEventArgs Properties****1.1.3.1.7.2.1 belgeleriTekrarGonderBelgeOidCompletedEventArgs.Result Property****C#**

```
public bool Result;
```

**1.1.3.1.8 belgeleriTekrarGonderCompletedEventArgs Class****Class Hierarchy****C#**

```

[System.CodeDom.Compiler.GeneratedCode("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
public class belgeleriTekrarGonderCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;

```

**File**

Reference.cs (↗ see page 835)

**Methods**

	<b>Name</b>	<b>Description</b>
👉	belgeleriTekrarGonderCompletedEventArgs (↗ see page 246)	This is belgeleriTekrarGonderCompletedEventArgs, a member of class belgeleriTekrarGonderCompletedEventArgs.

**belgeleriTekrarGonderCompletedEventArgs Properties**

	<b>Name</b>	<b>Description</b>
📝	Result (↗ see page 247)	

**1.1.3.1.8.1****belgeleriTekrarGonderCompletedEventArgs.balgeleriTekrarGonderCompletedEventArgs Constructor****C#**

```
internal belgeleriTekrarGonderCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

**Description**

This is belgeleriTekrarGonderCompletedEventArgs, a member of class belgeleriTekrarGonderCompletedEventArgs.

**Body Source**

```

1: internal belgeleriTekrarGonderCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }

```

### 1.1.3.1.8.2 belgeleriTekrarGonderCompletedEventArgs Properties


#### 1.1.3.1.8.2.1 belgeleriTekrarGonderCompletedEventArgs.Result Property

C#

```
public bool Result;
```

### 1.1.3.1.9 belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 835)

#### Methods

	Name	Description
!	belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs ( see page 247)	This is belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs, a member of class belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs.

#### belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs Properties

	Name	Description
!	Result ( see page 248)	

#### 1.1.3.1.9.1

### belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs.balgeleriTekrarGonderYerelBelgeNoCompletedEventArgs Constructor

C#

```
internal belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

#### Description

This is belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs, a member of class belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs.

#### Body Source

```
1: internal belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

### 1.1.3.1.9.2 belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs Properties


#### 1.1.3.1.9.2.1 belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs.Result Property

C#

```
public bool Result;
```

### 1.1.3.1.10 belgev2 Class

#### Class Hierarchy



C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class belgev2 : belge;
```

#### File

Reference.cs (see page 835)

#### belge Properties

#### belge Class

	Name	Description
	belgeNo (see page 240)	
	belgeSiraNo (see page 240)	
	belgeTarihi (see page 240)	
	belgeTuru (see page 240)	
	belgeVerisi (see page 240)	
	ettn (see page 240)	
	gonderenEtiket (see page 240)	
	gonderenVknTckn (see page 240)	

#### belgev2 Class

	Name	Description
	alanEtiket (see page 249)	
	aliciUnvan (see page 249)	
	belgeVersiyon (see page 249)	
	belgeXmlZipped (see page 249)	
	ekBilgiler (see page 249)	
	saticiUnvan (see page 249)	
	subeKodu (see page 249)	
	zarflId (see page 249)	
	zarfVerisi (see page 250)	
	zarfXml (see page 250)	

### 1.1.3.1.10.1 belgev2 Properties

#### 1.1.3.1.10.1.1 belgev2.alanEtiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string alanEtiket;
```

#### 1.1.3.1.10.1.2 belgev2.aliciUnvan Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string aliciUnvan;
```

#### 1.1.3.1.10.1.3 belgev2.belgeVersiyon Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeVersiyon;
```

#### 1.1.3.1.10.1.4 belgev2.belgeXmlZipped Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
    DataType="base64Binary")]
public byte belgeXmlZipped;
```

#### 1.1.3.1.10.1.5 belgev2.ekBilgiler Property

C#

```
[System.Xml.Serialization.XmlArrayAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
[System.Xml.Serialization.XmlArrayItemAttribute("entry",
    Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=false)]
public belgev2Entry ekBilgiler;
```

#### 1.1.3.1.10.1.6 belgev2.saticiUnvan Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string saticiUnvan;
```

#### 1.1.3.1.10.1.7 belgev2.subeKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string subeKodu;
```

#### 1.1.3.1.10.1.8 belgev2.zarfId Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string zarfId;
```

### 1.1.3.1.10.1.9 belgev2.zarfVerisi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
    DataType="base64Binary")]
public byte ZarfVerisi;
```

### 1.1.3.1.10.1.10 belgev2.zarfXml Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ZarfXml;
```

## 1.1.3.1.11 belgev2Entry Class

### Class Hierarchy

[QNBFinansGIB.GIBEFatura.belgev2Entry](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(AnonymousType=true,
Namespace="http://service.connector.uut.cs.com.tr/")]
public class belgev2Entry;
```

### File

Reference.cs ([see page 835](#))

### belgev2Entry Properties

	Name	Description
	key ( <a href="#">see page 250</a> )	
	value ( <a href="#">see page 250</a> )	

### 1.1.3.1.11.1 belgev2Entry Properties

#### 1.1.3.1.11.1.1 belgev2Entry.key Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string key;
```

#### 1.1.3.1.11.1.2 belgev2Entry.value Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string value;
```

## 1.1.3.1.12 belgev3 Class

### Class Hierarchy

[QNBFinansGIB.GIBEFatura.serviceReturnType](#) → [QNBFinansGIB.GIBEFatura.belge](#) → [QNBFinansGIB.GIBEFatura.belgev2](#) → [QNBFinansGIB.GIBEFatura.belgev3](#)

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).*

**C#**

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class belgev3 : belgev2;
```

**File**

Reference.cs ([see page 835](#))

**belge Properties****belge Class**

	<b>Name</b>	<b>Description</b>
	belgeNo ( <a href="#">see page 240</a> )	
	belgeSiraNo ( <a href="#">see page 240</a> )	
	belgeTarihi ( <a href="#">see page 240</a> )	
	belgeTuru ( <a href="#">see page 240</a> )	
	belgeVerisi ( <a href="#">see page 240</a> )	
	ettn ( <a href="#">see page 240</a> )	
	gonderenEtiket ( <a href="#">see page 240</a> )	
	gonderenVknTckn ( <a href="#">see page 240</a> )	

**belgev2 Class**

	<b>Name</b>	<b>Description</b>
	alanEtiket ( <a href="#">see page 249</a> )	
	aliciUnvan ( <a href="#">see page 249</a> )	
	belgeVersiyon ( <a href="#">see page 249</a> )	
	belgeXmlZipped ( <a href="#">see page 249</a> )	
	ekBilgiler ( <a href="#">see page 249</a> )	
	saticiUnvan ( <a href="#">see page 249</a> )	
	subeKodu ( <a href="#">see page 249</a> )	
	zarflId ( <a href="#">see page 249</a> )	
	zarfVerisi ( <a href="#">see page 250</a> )	
	zarfXml ( <a href="#">see page 250</a> )	

**belgev3 Class**

	<b>Name</b>	<b>Description</b>
	odenecekTutar ( <a href="#">see page 252</a> )	
	odenecekTutarDovizCinsi ( <a href="#">see page 252</a> )	

**1.1.3.1.12.1 belgev3 Properties**

### 1.1.3.1.12.1.1 belgev3.odenecekTutar Property

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string odenecekTutar;
```


### 1.1.3.1.12.1.2 belgev3.odenecekTutarDovizCinsi Property

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string odenecekTutarDovizCinsi;
```

## 1.1.3.1.13 belgev4 Class

### Class Hierarchy

**C#**

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class belgev4 : belgev3;
```

### File

Reference.cs (see page 835)

### belge Properties

#### belge Class

	Name	Description
	belgeNo (see page 240)	
	belgeSiraNo (see page 240)	
	belgeTarihi (see page 240)	
	belgeTuru (see page 240)	
	belgeVerisi (see page 240)	
	ettn (see page 240)	
	gonderenEtiket (see page 240)	
	gonderenVknTckn (see page 240)	

#### belgev2 Class

	Name	Description
	alanEtiket (see page 249)	
	aliciUnvan (see page 249)	
	belgeVersiyon (see page 249)	
	belgeXmlZipped (see page 249)	
	ekBilgiler (see page 249)	
	saticiUnvan (see page 249)	
	subeKodu (see page 249)	

	zarfId ( <a href="#">see page 249</a> )	
	zarfVerisi ( <a href="#">see page 250</a> )	
	zarfXml ( <a href="#">see page 250</a> )	

**belgev3 Class**

	Name	Description
	odenecekTutar ( <a href="#">see page 252</a> )	
	odenecekTutarDovizCinsi ( <a href="#">see page 252</a> )	

**belgev4 Class**


	Name	Description
	arsivlenmis ( <a href="#">see page 253</a> )	
	belgeHash ( <a href="#">see page 253</a> )	

**1.1.3.1.13.1 belgev4 Properties****1.1.3.1.13.1.1 belgev4.arsivlenmis Property**

```
C#
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string arsivlenmis;
```

**1.1.3.1.13.1.2 belgev4.belgeHash Property**

```
C#
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeHash;
```

**1.1.3.1.14 belgev5 Class****Class Hierarchy****C#**

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class belgev5 : belgev4;
```

**File**

Reference.cs ([see page 835](#))

**belge Properties****belge Class**

	Name	Description
	belgeNo ( <a href="#">see page 240</a> )	
	belgeSiraNo ( <a href="#">see page 240</a> )	
	belgeTarihi ( <a href="#">see page 240</a> )	

	belgeTuru ( <a href="#">see page 240</a> )	
	belgeVerisi ( <a href="#">see page 240</a> )	
	ettn ( <a href="#">see page 240</a> )	
	gonderenEtiket ( <a href="#">see page 240</a> )	
	gonderenVknTckn ( <a href="#">see page 240</a> )	

**belgev2 Class**

	Name	Description
	alanEtiket ( <a href="#">see page 249</a> )	
	aliciUnvan ( <a href="#">see page 249</a> )	
	belgeVersiyon ( <a href="#">see page 249</a> )	
	belgeXmlZipped ( <a href="#">see page 249</a> )	
	ekBilgiler ( <a href="#">see page 249</a> )	
	saticiUnvan ( <a href="#">see page 249</a> )	
	subeKodu ( <a href="#">see page 249</a> )	
	zarflId ( <a href="#">see page 249</a> )	
	zarfVerisi ( <a href="#">see page 250</a> )	
	zarfXml ( <a href="#">see page 250</a> )	

**belgev3 Class**

	Name	Description
	odenecekTutar ( <a href="#">see page 252</a> )	
	odenecekTutarDovizCinsi ( <a href="#">see page 252</a> )	

**belgev4 Class**


	Name	Description
	arsivlenmis ( <a href="#">see page 253</a> )	
	belgeHash ( <a href="#">see page 253</a> )	

**belgev5 Class**

	Name	Description
	faturaGelisTarihi ( <a href="#">see page 254</a> )	

**1.1.3.1.14.1 belgev5 Properties****1.1.3.1.14.1.1 belgev5.faturaGelisTarihi Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaGelisTarihi;
```

**1.1.3.1.15 belgev6 Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
```

```
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class belgev6 : belgev5;
```

**File**

Reference.cs ([see page 835](#))

**belge Properties****belge Class**

	<b>Name</b>	<b>Description</b>
	belgeNo ( <a href="#">see page 240</a> )	
	belgeSiraNo ( <a href="#">see page 240</a> )	
	belgeTarihi ( <a href="#">see page 240</a> )	
	belgeTuru ( <a href="#">see page 240</a> )	
	belgeVerisi ( <a href="#">see page 240</a> )	
	ettn ( <a href="#">see page 240</a> )	
	gonderenEtiket ( <a href="#">see page 240</a> )	
	gonderenVknTckn ( <a href="#">see page 240</a> )	

**belgev2 Class**

	<b>Name</b>	<b>Description</b>
	alanEtiket ( <a href="#">see page 249</a> )	
	aliciUnvan ( <a href="#">see page 249</a> )	
	belgeVersiyon ( <a href="#">see page 249</a> )	
	belgeXmlZipped ( <a href="#">see page 249</a> )	
	ekBilgiler ( <a href="#">see page 249</a> )	
	saticiUnvan ( <a href="#">see page 249</a> )	
	subeKodu ( <a href="#">see page 249</a> )	
	zarfId ( <a href="#">see page 249</a> )	
	zarfVerisi ( <a href="#">see page 250</a> )	
	zarfXml ( <a href="#">see page 250</a> )	

**belgev3 Class**

	<b>Name</b>	<b>Description</b>
	odenecekTutar ( <a href="#">see page 252</a> )	
	odenecekTutarDovizCinsi ( <a href="#">see page 252</a> )	

**belgev4 Class**

	<b>Name</b>	<b>Description</b>
	arsivlenmis ( <a href="#">see page 253</a> )	
	belgeHash ( <a href="#">see page 253</a> )	

**belgev5 Class**


	<b>Name</b>	<b>Description</b>
	faturaGelisTarihi ( <a href="#">see page 254</a> )	

**belgev6 Class**

	Name	Description
	profileId (see page 256)	

**1.1.3.1.15.1 belgev6 Properties****1.1.3.1.15.1.1 belgev6.profileId Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string profileId;
```

**1.1.3.1.16 cokluGidenBelgeDurumSorgulaCompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class cokluGidenBelgeDurumSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs (see page 835)

**Methods**

	Name	Description
	cokluGidenBelgeDurumSorgulaCompletedEventArgs (see page 256)	This is cokluGidenBelgeDurumSorgulaCompletedEventArgs, a member of class cokluGidenBelgeDurumSorgulaCompletedEventArgs.

**cokluGidenBelgeDurumSorgulaCompletedEventArgs Properties**

	Name	Description
	Result (see page 257)	

**1.1.3.1.16.1****cokluGidenBelgeDurumSorgulaCompletedEventArgs.cokluGidenBelgeDurumSorgulaCompletedEventArgs****Constructor****C#**

```
internal cokluGidenBelgeDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

**Description**

This is cokluGidenBelgeDurumSorgulaCompletedEventArgs, a member of class cokluGidenBelgeDurumSorgulaCompletedEventArgs.

**Body Source**

```
1: internal cokluGidenBelgeDurumSorgulaCompletedEventArgs(object[] results,
```

```

System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }

```

### 1.1.3.1.16.2 cokluGidenBelgeDurumSorgulaCompletedEventArgs Properties


#### 1.1.3.1.16.2.1 cokluGidenBelgeDurumSorgulaCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

### 1.1.3.1.17 connectorService Class

#### Class Hierarchy



C#

```

[System.CodeDom.Compiler.GeneratedCode("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Web.Services.WebServiceBindingAttribute(Name="ConnectorServicePortBinding",
Namespace="http://service.csap.cs.com/")]
public class connectorService : System.Web.Services.Protocols.SoapHttpClientProtocol;

```

#### File

Reference.cs (see page 835)

#### Methods

	Name	Description
⚡	connectorService (see page 268)	

#### connectorService Events

	Name	Description
⚡	belgeGonderCompleted (see page 382)	
⚡	belgeGonderExtCompleted (see page 382)	
⚡	belgeGonderExtWithValidateCompleted (see page 382)	
⚡	belgeGonderWithValidateCompleted (see page 383)	
⚡	belgelerAlindiCompleted (see page 383)	
⚡	belgelerAlindiIntegrasyonSiparisNoGuncelleCompleted (see page 383)	
⚡	belgeleriTekrarGonderBelgeOidCompleted (see page 383)	
⚡	belgeleriTekrarGonderCompleted (see page 383)	
⚡	belgeleriTekrarGonderYerelBelgeNoCompleted (see page 383)	
⚡	checkDateValidControlCompleted (see page 383)	
⚡	cokluGidenBelgeDurumSorgulaCompleted (see page 383)	
⚡	csXmlOnizlemeCompleted (see page 383)	

	csXmlToUblCompleted (see page 383)	
	eFaturaKayitliKullaniciListeleCompleted (see page 383)	
	efaturaKullaniciBilgisiCompleted (see page 384)	
	efaturaKullaniciListesiCompleted (see page 384)	
	efaturaKullanicisiCompleted (see page 384)	
	elrsaliyeKayitliKullaniciListeleCompleted (see page 384)	
	elrsaliyeKullanicisiCompleted (see page 384)	
	erpBilgileriBelirleCompleted (see page 384)	
	faturaKeplileladeEdildiCompleted (see page 384)	
	faturaKeplileladeEdildilptalCompleted (see page 384)	
	faturaMailGonderCompleted (see page 384)	
	faturaNoUretCompleted (see page 384)	
	faturaTarihcesiSorgulaCompleted (see page 384)	
	faturayaltirazEdildiCompleted (see page 385)	
	faturayaltirazEdildilptalCompleted (see page 385)	
	gelenBelgeDurumSorgulaCompleted (see page 385)	
	gelenBelgeDurumSorgulaExtCompleted (see page 385)	
	gelenBelgeEkleriAICompleted (see page 385)	
	gelenBelgeleriAICompleted (see page 385)	
	gelenBelgeleriAIExt2Completed (see page 385)	
	gelenBelgeleriAIExtCompleted (see page 385)	
	gelenBelgeleriIndirCompleted (see page 385)	
	gelenBelgeleriIndirExtCompleted (see page 385)	
	gelenBelgeleriListeleCompleted (see page 385)	
	gelenBelgeleriListeleExtCompleted (see page 386)	
	gelenBelgeTutarBilgileriSorgulaCompleted (see page 386)	
	gelenBelgeXmlleriniAICompleted (see page 386)	
	gelenBelgeXmlleriniAIExtCompleted (see page 386)	
	gelenFaturalariArsiveKaldırCompleted (see page 386)	
	gelenIrsaliyeleriArsiveKaldırCompleted (see page 386)	
	gelenStandartRapolariAICompleted (see page 386)	
	gelenTamamlananRapolariAICompleted (see page 386)	
	gelenTasinanBelgeleriIndirCompleted (see page 386)	
	gidenBelgeDurumSorgulaBelgeNoCompleted (see page 386)	
	gidenBelgeDurumSorgulaCompleted (see page 387)	
	gidenBelgeDurumSorgulaEttnCompleted (see page 387)	
	gidenBelgeDurumSorgulaExtCompleted (see page 387)	
	gidenBelgeDurumSorgulaPortalCompleted (see page 387)	
	gidenBelgeDurumSorgulaYerelBelgeNoCompleted (see page 387)	

	gidenBelgeEkleriAICompleted (see page 387)	
	gidenBelgeleriIndirCompleted (see page 387)	
	gidenBelgeleriIndirEttnCompleted (see page 387)	
	gidenBelgeleriIndirPortalCompleted (see page 387)	
	gidenBelgeleriListeleCompleted (see page 387)	
	gidenBelgeleriListelePortalCompleted (see page 387)	
	gidenBelgeTutarBilgileriSorgulaCompleted (see page 388)	
	gidenFaturalariArsiveKaldırCompleted (see page 388)	
	gidenIrsaliyeleriArsiveKaldırCompleted (see page 388)	
	gidenTasinanBelgeleriIndirCompleted (see page 388)	
	irsaliyeMailGonderCompleted (see page 388)	
	irsaliyeTarihcesiSorgulaCompleted (see page 388)	
	kayitliKullaniciListeleExtendedCompleted (see page 388)	
	kayitliKullaniciListeleExtendedTimeCompleted (see page 388)	
	kayitliKullaniciListeleExtendedVknTcknCompleted (see page 388)	
	kontorBilgisiGetirCompleted (see page 388)	
	temelKontrollerlleBelgeGonderCompleted (see page 389)	
	toplambelgeSayisiGetirCompleted (see page 389)	
	ublOnizlemeCompleted (see page 389)	
	urunSablonlariniAICompleted (see page 389)	
	wsKullanicisiKaydetCompleted (see page 389)	
	yereleAktarilacakBelgeleriAICompleted (see page 389)	
	yereleAktarilacakBelgeleriAIExtCompleted (see page 389)	
	yolcuBeraberFaturalptalEtCompleted (see page 389)	

### connectorService Methods

Name	Description
	belgeGonder (see page 268)
	belgeGonderAsync (see page 269)
	belgeGonderExt (see page 270)
	belgeGonderExtAsync (see page 271)
	belgeGonderExtWithValidate (see page 271)
	belgeGonderExtWithValidateAsync (see page 271)
	belgeGonderWithValidate (see page 272)
	belgeGonderWithValidateAsync (see page 273)
	belgelerAlindi (see page 274)
	belgelerAlindiAsync (see page 274)
	belgelerAlindiEntegrasyonSiparisNoGuncelle (see page 275)
	belgelerAlindiEntegrasyonSiparisNoGuncelleAsync (see page 276)
	belgeleriTekrarGonder (see page 276)

≡	belgeleriTekrarGonderAsync (↗ see page 277)	
≡	belgeleriTekrarGonderBelgeOid (↗ see page 278)	
≡	belgeleriTekrarGonderBelgeOidAsync (↗ see page 279)	
≡	belgeleriTekrarGonderYerelBelgeNo (↗ see page 279)	
≡	belgeleriTekrarGonderYerelBelgeNoAsync (↗ see page 280)	
≡	CancelAsync (↗ see page 281)	
≡	checkDateValidControl (↗ see page 281)	
≡	checkDateValidControlAsync (↗ see page 281)	
≡	cokluGidenBelgeDurumSorgula (↗ see page 282)	
≡	cokluGidenBelgeDurumSorgulaAsync (↗ see page 282)	
≡	csXmlOnizleme (↗ see page 283)	
≡	csXmlOnizlemeAsync (↗ see page 284)	
≡	csXmlToUbl (↗ see page 285)	
≡	csXmlToUblAsync (↗ see page 286)	
≡	eFaturaKayitliKullaniciListele (↗ see page 286)	
≡	eFaturaKayitliKullaniciListeleAsync (↗ see page 287)	
≡	efaturaKullaniciBilgisi (↗ see page 287)	
≡	efaturaKullaniciBilgisiAsync (↗ see page 288)	
≡	efaturaKullaniciListesi (↗ see page 288)	
≡	efaturaKullaniciListesiAsync (↗ see page 289)	
≡	efaturaKullanici (↗ see page 289)	
≡	efaturaKullaniciAsync (↗ see page 290)	
≡	elrsaliyeKayitliKullaniciListele (↗ see page 290)	
≡	elrsaliyeKayitliKullaniciListeleAsync (↗ see page 290)	
≡	elrsaliyeKullanici (↗ see page 291)	
≡	elrsaliyeKullaniciAsync (↗ see page 291)	
≡	erpBilgileriBelirle (↗ see page 292)	
≡	erpBilgileriBelirleAsync (↗ see page 292)	
≡	faturaKepIleladeEdildi (↗ see page 293)	
≡	faturaKepIleladeEdildiAsync (↗ see page 293)	
≡	faturaKepIleladeEdildilptal (↗ see page 294)	
≡	faturaKepIleladeEdildilptalAsync (↗ see page 295)	
≡	faturaMailGonder (↗ see page 295)	
≡	faturaMailGonderAsync (↗ see page 296)	
≡	faturaNoUret (↗ see page 297)	
≡	faturaNoUretAsync (↗ see page 297)	
≡	faturaTarihcesiSorgula (↗ see page 298)	
≡	faturaTarihcesiSorgulaAsync (↗ see page 298)	
≡	faturayaltirazEdildi (↗ see page 299)	
≡	faturayaltirazEdildiAsync (↗ see page 299)	
≡	faturayaltirazEdildilptal (↗ see page 300)	
≡	faturayaltirazEdildilptalAsync (↗ see page 301)	
≡	gelenBelgeDurumSorgula (↗ see page 301)	
≡	gelenBelgeDurumSorgulaAsync (↗ see page 302)	
≡	gelenBelgeDurumSorgulaExt (↗ see page 302)	
≡	gelenBelgeDurumSorgulaExtAsync (↗ see page 303)	

	gelenBelgeEkleriAI ( <a href="#">see page 303</a> )	
	gelenBelgeEkleriAIAsync ( <a href="#">see page 304</a> )	
	gelenBelgeleriAI ( <a href="#">see page 305</a> )	
	gelenBelgeleriAIAsync ( <a href="#">see page 305</a> )	
	gelenBelgeleriAIExt ( <a href="#">see page 306</a> )	
	gelenBelgeleriAIExt2 ( <a href="#">see page 306</a> )	
	gelenBelgeleriAIExt2Async ( <a href="#">see page 307</a> )	
	gelenBelgeleriAIExtAsync ( <a href="#">see page 308</a> )	
	gelenBelgeleriIndir ( <a href="#">see page 308</a> )	
	gelenBelgeleriIndirAsync ( <a href="#">see page 309</a> )	
	gelenBelgeleriIndirExt ( <a href="#">see page 309</a> )	
	gelenBelgeleriIndirExtAsync ( <a href="#">see page 310</a> )	
	gelenBelgeleriListele ( <a href="#">see page 310</a> )	
	gelenBelgeleriListeleAsync ( <a href="#">see page 311</a> )	
	gelenBelgeleriListeleExt ( <a href="#">see page 312</a> )	
	gelenBelgeleriListeleExtAsync ( <a href="#">see page 312</a> )	
	gelenBelgeTutarBilgileriSorgula ( <a href="#">see page 313</a> )	
	gelenBelgeTutarBilgileriSorgulaAsync ( <a href="#">see page 313</a> )	
	gelenBelgeXmlleriniAI ( <a href="#">see page 314</a> )	
	gelenBelgeXmlleriniAIAsync ( <a href="#">see page 315</a> )	
	gelenBelgeXmlleriniAIExt ( <a href="#">see page 315</a> )	
	gelenBelgeXmlleriniAIExtAsync ( <a href="#">see page 316</a> )	
	gelenFaturalariArsiveKaldır ( <a href="#">see page 316</a> )	
	gelenFaturalariArsiveKaldırAsync ( <a href="#">see page 317</a> )	
	gelenIrsaliyeleriArsiveKaldır ( <a href="#">see page 317</a> )	
	gelenIrsaliyeleriArsiveKaldırAsync ( <a href="#">see page 318</a> )	
	gelenStandartRapolariAI ( <a href="#">see page 318</a> )	
	gelenStandartRapolariAIAsync ( <a href="#">see page 319</a> )	
	gelenTamamlananRapolariAI ( <a href="#">see page 320</a> )	
	gelenTamamlananRapolariAIAsync ( <a href="#">see page 321</a> )	
	gelenTasinanBelgeleriIndir ( <a href="#">see page 321</a> )	
	gelenTasinanBelgeleriIndirAsync ( <a href="#">see page 322</a> )	
	gidenBelgeDurumSorgula ( <a href="#">see page 322</a> )	
	gidenBelgeDurumSorgulaAsync ( <a href="#">see page 323</a> )	
	gidenBelgeDurumSorgulaBelgeNo ( <a href="#">see page 323</a> )	
	gidenBelgeDurumSorgulaBelgeNoAsync ( <a href="#">see page 324</a> )	
	gidenBelgeDurumSorgulaEtn ( <a href="#">see page 325</a> )	
	gidenBelgeDurumSorgulaEtnAsync ( <a href="#">see page 325</a> )	
	gidenBelgeDurumSorgulaExt ( <a href="#">see page 326</a> )	
	gidenBelgeDurumSorgulaExtAsync ( <a href="#">see page 326</a> )	
	gidenBelgeDurumSorgulaPortal ( <a href="#">see page 327</a> )	
	gidenBelgeDurumSorgulaPortalAsync ( <a href="#">see page 327</a> )	
	gidenBelgeDurumSorgulaYerelBelgeNo ( <a href="#">see page 328</a> )	
	gidenBelgeDurumSorgulaYerelBelgeNoAsync ( <a href="#">see page 329</a> )	
	gidenBelgeEkleriAI ( <a href="#">see page 329</a> )	

	gidenBelgeEkleriAIAsync (see page 330)	
	gidenBelgeleriIndir (see page 330)	
	gidenBelgeleriIndirAsync (see page 331)	
	gidenBelgeleriIndirEttn (see page 332)	
	gidenBelgeleriIndirEttnAsync (see page 332)	
	gidenBelgeleriIndirPortal (see page 333)	
	gidenBelgeleriIndirPortalAsync (see page 333)	
	gidenBelgeleriListele (see page 334)	
	gidenBelgeleriListeleAsync (see page 335)	
	gidenBelgeleriListelePortal (see page 335)	
	gidenBelgeleriListelePortalAsync (see page 336)	
	gidenBelgeTutarBilgileriSorgula (see page 336)	
	gidenBelgeTutarBilgileriSorgulaAsync (see page 337)	
	gidenFaturalariArsiveKaldır (see page 337)	
	gidenFaturalariArsiveKaldırAsync (see page 338)	
	gidenIrsaliyeleriArsiveKaldır (see page 338)	
	gidenIrsaliyeleriArsiveKaldırAsync (see page 339)	
	gidenTasinanBelgeleriIndir (see page 339)	
	gidenTasinanBelgeleriIndirAsync (see page 340)	
	irsaliyeMailGonder (see page 341)	
	irsaliyeMailGonderAsync (see page 342)	
	irsaliyeTarihcesiSorgula (see page 342)	
	irsaliyeTarihcesiSorgulaAsync (see page 343)	
	IsLocalFileSystemWebService (see page 343)	This is IsLocalFileSystemWebService, a member of class connectorService.
	kayitliKullaniciListeleExtended (see page 344)	
	kayitliKullaniciListeleExtendedAsync (see page 344)	
	kayitliKullaniciListeleExtendedTime (see page 345)	
	kayitliKullaniciListeleExtendedTimeAsync (see page 346)	
	kayitliKullaniciListeleExtendedVknTckn (see page 346)	
	kayitliKullaniciListeleExtendedVknTcknAsync (see page 347)	
	kontorBilgisiGetir (see page 347)	
	kontorBilgisiGetirAsync (see page 348)	
	OnbelgeGonderExtOperationCompleted (see page 349)	This is OnbelgeGonderExtOperationCompleted, a member of class connectorService.
	OnbelgeGonderExtWithValidateOperationCompleted (see page 349)	This is OnbelgeGonderExtWithValidateOperationCompleted, a member of class connectorService.
	OnbelgeGonderOperationCompleted (see page 349)	This is OnbelgeGonderOperationCompleted, a member of class connectorService.
	OnbelgeGonderWithValidateOperationCompleted (see page 350)	This is OnbelgeGonderWithValidateOperationCompleted, a member of class connectorService.

	OnbelgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted (see page 350)	This is OnbelgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted, a member of class connectorService.
	OnbelgelerAlindiOperationCompleted (see page 350)	This is OnbelgelerAlindiOperationCompleted, a member of class connectorService.
	OnbelgeleriTekrarGonderBelgeOidOperationCompleted (see page 350)	This is OnbelgeleriTekrarGonderBelgeOidOperationCompleted, a member of class connectorService.
	OnbelgeleriTekrarGonderOperationCompleted (see page 351)	This is OnbelgeleriTekrarGonderOperationCompleted, a member of class connectorService.
	OnbelgeleriTekrarGonderYerelBelgeNoOperationCompleted (see page 351)	This is OnbelgeleriTekrarGonderYerelBelgeNoOperationCompleted, a member of class connectorService.
	OncheckDateValidControlOperationCompleted (see page 351)	This is OncheckDateValidControlOperationCompleted, a member of class connectorService.
	OncokluGidenBelgeDurumSorgulaOperationCompleted (see page 352)	This is OncokluGidenBelgeDurumSorgulaOperationCompleted, a member of class connectorService.
	OncsXmlOnizlemeOperationCompleted (see page 352)	This is OncsXmlOnizlemeOperationCompleted, a member of class connectorService.
	OncsXmlToUblOperationCompleted (see page 352)	This is OncsXmlToUblOperationCompleted, a member of class connectorService.
	OneFaturaKayitliKullaniciListeleOperationCompleted (see page 353)	This is OneFaturaKayitliKullaniciListeleOperationCompleted, a member of class connectorService.
	OnefaturaKullaniciBilgisiOperationCompleted (see page 353)	This is OnefaturaKullaniciBilgisiOperationCompleted, a member of class connectorService.
	OnefaturaKullaniciListesiOperationCompleted (see page 353)	This is OnefaturaKullaniciListesiOperationCompleted, a member of class connectorService.
	OnefaturaKullanicisiOperationCompleted (see page 353)	This is OnefaturaKullanicisiOperationCompleted, a member of class connectorService.
	OneIrsaliyeKayitliKullaniciListeleOperationCompleted (see page 354)	This is OneIrsaliyeKayitliKullaniciListeleOperationCompleted, a member of class connectorService.
	OneIrsaliyeKullanicisiOperationCompleted (see page 354)	This is OneIrsaliyeKullanicisiOperationCompleted, a member of class connectorService.

	OnerpBilgileriBelirleOperationCompleted (see page 354)	This is OnerpBilgileriBelirleOperationCompleted, a member of class connectorService.
	OnfaturaKepIleladeEdildiptalOperationCompleted (see page 355)	This is OnfaturaKepIleladeEdildiptalOperationCompleted, a member of class connectorService.
	OnfaturaKepIleladeEdildiOperationCompleted (see page 355)	This is OnfaturaKepIleladeEdildiOperationCompleted, a member of class connectorService.
	OnfaturaMailGonderOperationCompleted (see page 355)	This is OnfaturaMailGonderOperationCompleted, a member of class connectorService.
	OnfaturaNoUretOperationCompleted (see page 356)	This is OnfaturaNoUretOperationCompleted, a member of class connectorService.
	OnfaturaTarihcesiSorgulaOperationCompleted (see page 356)	This is OnfaturaTarihcesiSorgulaOperationCompleted, a member of class connectorService.
	OnfaturayaltirazEdildiptalOperationCompleted (see page 356)	This is OnfaturayaltirazEdildiptalOperationCompleted, a member of class connectorService.
	OnfaturayaltirazEdildiOperationCompleted (see page 356)	This is OnfaturayaltirazEdildiOperationCompleted, a member of class connectorService.
	OngelenBelgeDurumSorgulaExtOperationCompleted (see page 357)	This is OngelenBelgeDurumSorgulaExtOperationCompleted, a member of class connectorService.
	OngelenBelgeDurumSorgulaOperationCompleted (see page 357)	This is OngelenBelgeDurumSorgulaOperationCompleted, a member of class connectorService.
	OngelenBelgeEkleriAIOperationCompleted (see page 357)	This is OngelenBelgeEkleriAIOperationCompleted, a member of class connectorService.
	OngelenBelgeleriAIExt2OperationCompleted (see page 358)	This is OngelenBelgeleriAIExt2OperationCompleted, a member of class connectorService.
	OngelenBelgeleriAIExtOperationCompleted (see page 358)	This is OngelenBelgeleriAIExtOperationCompleted, a member of class connectorService.
	OngelenBelgeleriAIOperationCompleted (see page 358)	This is OngelenBelgeleriAIOperationCompleted, a member of class connectorService.

	OngelenBelgeleriIndirExtOperationCompleted (see page 359)	This is OngelenBelgeleriIndirExtOperationCompleted, a member of class connectorService.
	OngelenBelgeleriIndirOperationCompleted (see page 359)	This is OngelenBelgeleriIndirOperationCompleted, a member of class connectorService.
	OngelenBelgeleriListeleExtOperationCompleted (see page 359)	This is OngelenBelgeleriListeleExtOperationCompleted, a member of class connectorService.
	OngelenBelgeleriListeleOperationCompleted (see page 359)	This is OngelenBelgeleriListeleOperationCompleted, a member of class connectorService.
	OngelenBelgeTutarBilgileriSorgulaOperationCompleted (see page 360)	This is OngelenBelgeTutarBilgileriSorgulaOperationCompleted, a member of class connectorService.
	OngelenBelgeXmlleriniAIExtOperationCompleted (see page 360)	This is OngelenBelgeXmlleriniAIExtOperationCompleted, a member of class connectorService.
	OngelenBelgeXmlleriniAIOperationCompleted (see page 360)	This is OngelenBelgeXmlleriniAIOperationCompleted, a member of class connectorService.
	OngelenFaturalariArsiveKaldirOperationCompleted (see page 361)	This is OngelenFaturalariArsiveKaldirOperationCompleted, a member of class connectorService.
	OngelenIrsaliyeleriArsiveKaldirOperationCompleted (see page 361)	This is OngelenIrsaliyeleriArsiveKaldirOperationCompleted, a member of class connectorService.
	OngelenStandartRapolariAIOperationCompleted (see page 361)	This is OngelenStandartRapolariAIOperationCompleted, a member of class connectorService.
	OngelenTamamlananRapolariAIOperationCompleted (see page 362)	This is OngelenTamamlananRapolariAIOperationCompleted, a member of class connectorService.
	OngelenTasinanBelgeleriIndirOperationCompleted (see page 362)	This is OngelenTasinanBelgeleriIndirOperationCompleted, a member of class connectorService.
	OngidenBelgeDurumSorgulaBelgeNoOperationCompleted (see page 362)	This is OngidenBelgeDurumSorgulaBelgeNoOperationCompleted, a member of class connectorService.
	OngidenBelgeDurumSorgulaEttnOperationCompleted (see page 362)	This is OngidenBelgeDurumSorgulaEttnOperationCompleted, a member of class connectorService.

	OngidenBelgeDurumSorgulaExtOperationCompleted (see page 363)	This is OngidenBelgeDurumSorgulaExtOperationCompleted, a member of class connectorService.
	OngidenBelgeDurumSorgulaOperationCompleted (see page 363)	This is OngidenBelgeDurumSorgulaOperationCompleted, a member of class connectorService.
	OngidenBelgeDurumSorgulaPortalOperationCompleted (see page 363)	This is OngidenBelgeDurumSorgulaPortalOperationCompleted, a member of class connectorService.
	OngidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted (see page 364)	This is OngidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted, a member of class connectorService.
	OngidenBelgeEkleriAIOperationCompleted (see page 364)	This is OngidenBelgeEkleriAIOperationCompleted, a member of class connectorService.
	OngidenBelgeleriIndirEttnOperationCompleted (see page 364)	This is OngidenBelgeleriIndirEttnOperationCompleted, a member of class connectorService.
	OngidenBelgeleriIndirOperationCompleted (see page 365)	This is OngidenBelgeleriIndirOperationCompleted, a member of class connectorService.
	OngidenBelgeleriIndirPortalOperationCompleted (see page 365)	This is OngidenBelgeleriIndirPortalOperationCompleted, a member of class connectorService.
	OngidenBelgeleriListeleOperationCompleted (see page 365)	This is OngidenBelgeleriListeleOperationCompleted, a member of class connectorService.
	OngidenBelgeleriListelePortalOperationCompleted (see page 365)	This is OngidenBelgeleriListelePortalOperationCompleted, a member of class connectorService.
	OngidenBelgeTutarBilgileriSorgulaOperationCompleted (see page 366)	This is OngidenBelgeTutarBilgileriSorgulaOperationCompleted, a member of class connectorService.
	OngidenFaturalariArsiveKaldirOperationCompleted (see page 366)	This is OngidenFaturalariArsiveKaldirOperationCompleted, a member of class connectorService.
	OngidenIrsaliyeleriArsiveKaldirOperationCompleted (see page 366)	This is OngidenIrsaliyeleriArsiveKaldirOperationCompleted, a member of class connectorService.
	OngidenTasinanBelgeleriIndirOperationCompleted (see page 367)	This is OngidenTasinanBelgeleriIndirOperationCompleted, a member of class connectorService.

	OnirsaliyeMailGonderOperationCompleted (see page 367)	This is OnirsaliyeMailGonderOperationCompleted, a member of class connectorService.
	OnirsaliyeTarihcesiSorgulaOperationCompleted (see page 367)	This is OnirsaliyeTarihcesiSorgulaOperationCompleted, a member of class connectorService.
	OnkayitliKullaniciListeleExtendedOperationCompleted (see page 368)	This is OnkayitliKullaniciListeleExtendedOperationCompleted, a member of class connectorService.
	OnkayitliKullaniciListeleExtendedTimeOperationCompleted (see page 368)	This is OnkayitliKullaniciListeleExtendedTimeOperationCompleted, a member of class connectorService.
	OnkayitliKullaniciListeleExtendedVknTcknOperationCompleted (see page 368)	This is OnkayitliKullaniciListeleExtendedVknTcknOperationCompleted, a member of class connectorService.
	OnkontorBilgisiGetirOperationCompleted (see page 368)	This is OnkontorBilgisiGetirOperationCompleted, a member of class connectorService.
	OntemelKontrollerlleBelgeGonderOperationCompleted (see page 369)	This is OntemelKontrollerlleBelgeGonderOperationCompleted, a member of class connectorService.
	OntoplamBelgeSayisiGetirOperationCompleted (see page 369)	This is OntoplamBelgeSayisiGetirOperationCompleted, a member of class connectorService.
	OnublOnizlemeOperationCompleted (see page 369)	This is OnublOnizlemeOperationCompleted, a member of class connectorService.
	OnurunSablonlariniAIOperationCompleted (see page 370)	This is OnurunSablonlariniAIOperationCompleted, a member of class connectorService.
	OnwsKullanicisiKaydetOperationCompleted (see page 370)	This is OnwsKullanicisiKaydetOperationCompleted, a member of class connectorService.
	OnyereleAktarilacakBelgeleriAIExtOperationCompleted (see page 370)	This is OnyereleAktarilacakBelgeleriAIExtOperationCompleted, a member of class connectorService.
	OnyereleAktarilacakBelgeleriAIOperationCompleted (see page 371)	This is OnyereleAktarilacakBelgeleriAIOperationCompleted, a member of class connectorService.
	OnyolcuBeraberFaturalptalEtOperationCompleted (see page 371)	This is OnyolcuBeraberFaturalptalEtOperationCompleted, a member of class connectorService.
	temelKontrollerlleBelgeGonder (see page 371)	
	temelKontrollerlleBelgeGonderAsync (see page 372)	

oplamBelgeSayisiGetir (see page 373)
toplamBelgeSayisiGetirAsync (see page 374)
ublOnizleme (see page 375)
ublOnizlemeAsync (see page 375)
urunSablonlariniAI (see page 376)
urunSablonlariniAIAsync (see page 377)
wsKullaniciKaydet (see page 377)
wsKullaniciKaydetAsync (see page 378)
yereleAktarilacakBelgeleriAI (see page 378)
yereleAktarilacakBelgeleriAIAsync (see page 379)
yereleAktarilacakBelgeleriAIExt (see page 379)
yereleAktarilacakBelgeleriAIExtAsync (see page 380)
yolcuBeraberFaturalptalEt (see page 380)
yolcuBeraberFaturalptalEtAsync (see page 381)

### connectorService Properties

	Name	Description
	Url (see page 382)	This is Url, a member of class connectorService.
	UseDefaultCredentials (see page 382)	This is UseDefaultCredentials, a member of class connectorService.

### 1.1.3.1.17.1 connectorService.connectorService Constructor

C#

```
public connectorService();
```

#### Body Source

```
1: public connectorService() {
2:     this.Url =
global::QNBFinansGIB.Properties.Settings.Default.QNBFinansGIB_GIBEFatura_connectorService;
3:     if ((this.IsLocalFileSystem(this.Url) == true)) {
4:         this.UseDefaultCredentials = true;
5:         this.useDefaultCredentialsSetExplicitly = false;
6:     }
7:     else {
8:         this.useDefaultCredentialsSetExplicitly = true;
9:     }
10: }
```

### 1.1.3.1.17.2 connectorService Methods

#### 1.1.3.1.17.2.1 connectorService.belgeGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("belgeOid",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
belgeGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
```

```

string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeHash,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string mimeType,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeVersiyon);

```

### Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("belgeOid",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
belgeGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeHash,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string mimeType,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeVersiyon) {
4:     object[] results = this.Invoke("belgeGonder", new object[] {
5:         vergiTcKimlikNo,
6:         belgeTuru,
7:         belgeNo,
8:         veri,
9:         belgeHash,
10:        mimeType,
11:        belgeVersiyon});
12:     return ((string)(results[0]));
13: }

```

#### 1.1.3.1.17.2.2.2 belgeGonderAsync Method

##### 1.1.3.1.17.2.2.1 connectorService.belgeGonderAsync Method (**string, string, string, byte[], string, string, string**)

C#

```

public void belgeGonderAsync(string vergiTcKimlikNo, string belgeTuru, string belgeNo,
byte[] veri, string belgeHash, string mimeType, string belgeVersiyon);

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

**Body Source**

```

1: public void belgeGonderAsync(string vergiTcKimlikNo, string belgeTuru, string belgeNo,
byte[] veri, string belgeHash, string mimeType, string belgeVersiyon) {
2:     this.belgeGonderAsync(vergiTcKimlikNo, belgeTuru, belgeNo, veri, belgeHash,
mimeType, belgeVersiyon, null);
3: }

```

**1.1.3.1.17.2.2.2 connectorService.belgeGonderAsync Method (string, string, string, byte[], string, string, string, object)****C#**

```
public void belgeGonderAsync(string vergiTcKimlikNo, string belgeTuru, string belgeNo,
byte[] veri, string belgeHash, string mimeType, string belgeVersiyon, object userState);
```

**Body Source**

```

1: public void belgeGonderAsync(string vergiTcKimlikNo, string belgeTuru, string belgeNo,
byte[] veri, string belgeHash, string mimeType, string belgeVersiyon, object userState) {
2:     if ((this.belgeGonderOperationCompleted == null)) {
3:         this.belgeGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgeGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("belgeGonder", new object[] {
6:         vergiTcKimlikNo,
7:         belgeTuru,
8:         belgeNo,
9:         veri,
10:        belgeHash,
11:        mimeType,
12:        belgeVersiyon}, this.belgeGonderOperationCompleted, userState);
13: }

```

**1.1.3.1.17.2.3 connectorService.belgeGonderExt Method****C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("belgeOid",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
belgeGonderExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
gidenBelgeParametreleri parametreler);
```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("belgeOid",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
belgeGonderExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
gidenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("belgeGonderExt", new object[] {
5:         parametreler});
6:     return ((string)(results[0]));
7: }

```

**1.1.3.1.17.2.4 belgeGonderExtAsync Method**

### 1.1.3.1.17.2.4.1 connectorService.belgeGonderExtAsync Method (gidenBelgeParametreleri)

C#

```
public void belgeGonderExtAsync(gidenBelgeParametreleri parametreler);
```

**Body Source**

```
1: public void belgeGonderExtAsync(gidenBelgeParametreleri parametreler) {
2:     this.belgeGonderExtAsync(parametreler, null);
3: }
```

### 1.1.3.1.17.2.4.2 connectorService.belgeGonderExtAsync Method (gidenBelgeParametreleri, object)

C#

```
public void belgeGonderExtAsync(gidenBelgeParametreleri parametreler, object userState);
```

**Body Source**

```
1: public void belgeGonderExtAsync(gidenBelgeParametreleri parametreler, object userState) {
2:     if ((this.belgeGonderExtOperationCompleted == null)) {
3:         this.belgeGonderExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgeGonderExtOperationCompleted);
4:     }
5:     this.InvokeAsync("belgeGonderExt", new object[] {
6:         parametreler}, this.belgeGonderExtOperationCompleted, userState);
7: }
```

### 1.1.3.1.17.2.5 connectorService.belgeGonderExtWithValidate Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belgeGonderResp
belgeGonderExtWithValidate([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sch
ema.XmlSchemaForm.Unqualified)]
gidenBelgeParametreleri parametreler);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belgeGonderResp
belgeGonderExtWithValidate([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sch
ema.XmlSchemaForm.Unqualified)]
gidenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("belgeGonderExtWithValidate", new object[] {
5:         parametreler});
6:     return ((belgeGonderResp)(results[0]));
7: }
```

### 1.1.3.1.17.2.6 belgeGonderExtWithValidateAsync Method

#### 1.1.3.1.17.2.6.1 connectorService.belgeGonderExtWithValidateAsync Method (gidenBelgeParametreleri)

C#

```
public void belgeGonderExtWithValidateAsync(gidenBelgeParametreleri parametreler);
```

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com*

**Body Source**

```

1: public void belgeGonderExtWithValidateAsync(gidenBelgeParametreleri parametreler) {
2:     this.belgeGonderExtWithValidateAsync(parametreler, null);
3: }

```

**1.1.3.1.17.2.6.2 connectorService.belgeGonderExtWithValidateAsync Method (gidenBelgeParametreleri, object)****C#**

```
public void belgeGonderExtWithValidateAsync(gidenBelgeParametreleri parametreler, object userState);
```

**Body Source**

```

1: public void belgeGonderExtWithValidateAsync(gidenBelgeParametreleri parametreler, object userState) {
2:     if ((this.belgeGonderExtWithValidateOperationCompleted == null)) {
3:         this.belgeGonderExtWithValidateOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgeGonderExtWithValidateOperationCompleted);
4:     }
5:     this.InvokeAsync("belgeGonderExtWithValidate", new object[] {
6:         parametreler}, this.belgeGonderExtWithValidateOperationCompleted,
userState);
7: }

```

**1.1.3.1.17.2.7 connectorService.belgeGonderWithValidate Method****C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belgeGonderResp
belgeGonderWithValidate([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeHash,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string mimeType,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeVersiyon);
```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]

```

```

3: public belgeGonderResp
belgeGonderWithValidate([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema
.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
DataTpe="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeHash,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string mimeType,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeVersiyon) {
4:     object[] results = this.Invoke("belgeGonderWithValidate", new object[] {
5:         vergiTcKimlikNo,
6:         belgeTuru,
7:         belgeNo,
8:         veri,
9:         belgeHash,
10:        mimeType,
11:        belgeVersiyon});
12:     return ((belgeGonderResp)(results[0]));
13: }

```

### 1.1.3.1.17.2.8 belgeGonderWithValidateAsync Method

#### 1.1.3.1.17.2.8.1 connectorService.belgeGonderWithValidateAsync Method (string, string, string, byte[], string, string, string)

C#

```
public void belgeGonderWithValidateAsync(string vergiTcKimlikNo, string belgeTuru, string
belgeNo, byte[] veri, string belgeHash, string mimeType, string belgeVersiyon);
```

#### Body Source

```

1: public void belgeGonderWithValidateAsync(string vergiTcKimlikNo, string belgeTuru,
string belgeNo, byte[] veri, string belgeHash, string mimeType, string belgeVersiyon) {
2:     this.belgeGonderWithValidateAsync(vergiTcKimlikNo, belgeTuru, belgeNo, veri,
belgeHash, mimeType, belgeVersiyon, null);
3: }

```

#### 1.1.3.1.17.2.8.2 connectorService.belgeGonderWithValidateAsync Method (string, string, string, byte[], string, string, string, object)

C#

```
public void belgeGonderWithValidateAsync(string vergiTcKimlikNo, string belgeTuru, string
belgeNo, byte[] veri, string belgeHash, string mimeType, string belgeVersiyon, object
userState);
```

#### Body Source

```

1: public void belgeGonderWithValidateAsync(string vergiTcKimlikNo, string belgeTuru,
string belgeNo, byte[] veri, string belgeHash, string mimeType, string belgeVersiyon,
object userState) {
2:     if ((this.belgeGonderWithValidateOperationCompleted == null)) {
3:         this.belgeGonderWithValidateOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgeGonderWithValidateOperationCompleted);
4:     }

```

```

5:     this.InvokeAsync("belgeGonderWithValidate", new object[] {
6:         vergiTcKimlikNo,
7:         belgeTuru,
8:         belgeNo,
9:         veri,
10:        belgeHash,
11:        mimeType,
12:        belgeVersiyon}, this.belgeGonderWithValidateOperationCompleted,
userState);
13: }
```

### 1.1.3.1.17.2.9 connectorService.belgelerAlindi Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
belgelerAlindi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettn",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru);
```

#### Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
belgelerAlindi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettn",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru) {
3:     this.Invoke("belgelerAlindi", new object[] {
4:         vergiTcKimlikNo,
5:         ettn,
6:         belgeTuru});
```

### 1.1.3.1.17.2.10 belgelerAlindiAsync Method

#### 1.1.3.1.17.2.10.1 connectorService.belgelerAlindiAsync Method (string, string[], string)

C#

```
public void belgelerAlindiAsync(string vergiTcKimlikNo, string[] ettn, string belgeTuru);
```

#### Body Source

```

1: public void belgelerAlindiAsync(string vergiTcKimlikNo, string[] ettn, string belgeTuru)
{
2:     this.belgelerAlindiAsync(vergiTcKimlikNo, ettn, belgeTuru, null);
3: }
```

#### 1.1.3.1.17.2.10.2 connectorService.belgelerAlindiAsync Method (string, string[], string, object)

C#

```
public void belgelerAlindiAsync(string vergiTcKimlikNo, string[] ettn, string belgeTuru,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```
object userState);
```

**Body Source**

```
1: public void belgelerAlindiAsync(string vergiTcKimlikNo, string[] ettn, string belgeTuru,
2: object userState) {
3:     if ((this.belgelerAlindiOperationCompleted == null)) {
4:         this.belgelerAlindiOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgelerAlindiOperationCompleted);
5:     }
6:     this.InvokeAsync("belgelerAlindi", new object[] {
7:         vergiTcKimlikNo,
8:         ettn,
9:         belgeTuru}, this.belgelerAlindiOperationCompleted, userState);
9: }
```

**1.1.3.1.17.2.11 connectorService.belgelerAlindiEntegrasyonSiparisNoGuncelle Method****C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
belgelerAlindiEntegrasyonSiparisNoGuncelle([System.Xml.Serialization.XmlElementAttribute(Form=
System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettn",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string entegrasyonHedefi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string guncellenmisSiparisNumarasi);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
belgelerAlindiEntegrasyonSiparisNoGuncelle([System.Xml.Serialization.XmlElementAttribute(Form=
System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettn",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string entegrasyonHedefi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string guncellenmisSiparisNumarasi) {
3:     this.Invoke("belgelerAlindiEntegrasyonSiparisNoGuncelle", new object[] {
4:         vergiTcKimlikNo,
5:         ettn,
6:         belgeTuru,
7:         entegrasyonHedefi,
8:         guncellenmisSiparisNumarasi});
9: }
```

**1.1.3.1.17.2.12 belgelerAlindiEntegrasyonSiparisNoGuncelleAsync Method**

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

### 1.1.3.1.17.2.12.1 connectorService.belgelerAlindiEntegrasyonSiparisNoGuncelleAsync Method (string, string[], string, string, string)

C#

```
public void belgelerAlindiEntegrasyonSiparisNoGuncelleAsync(string vergiTcKimlikNo,
string[] ettn, string belgeTuru, string entegrasyonHedefi, string
guncellenmisSiparisNumarasi);
```

#### Body Source

```
1: public void belgelerAlindiEntegrasyonSiparisNoGuncelleAsync(string vergiTcKimlikNo,
string[] ettn, string belgeTuru, string entegrasyonHedefi, string
guncellenmisSiparisNumarasi) {
2:     this.belgelerAlindiEntegrasyonSiparisNoGuncelleAsync(vergiTcKimlikNo, ettn,
belgeTuru, entegrasyonHedefi, guncellenmisSiparisNumarasi, null);
3: }
```

### 1.1.3.1.17.2.12.2 connectorService.belgelerAlindiEntegrasyonSiparisNoGuncelleAsync Method (string, string[], string, string, object)

C#

```
public void belgelerAlindiEntegrasyonSiparisNoGuncelleAsync(string vergiTcKimlikNo,
string[] ettn, string belgeTuru, string entegrasyonHedefi, string
guncellenmisSiparisNumarasi, object userState);
```

#### Body Source

```
1: public void belgelerAlindiEntegrasyonSiparisNoGuncelleAsync(string vergiTcKimlikNo,
string[] ettn, string belgeTuru, string entegrasyonHedefi, string
guncellenmisSiparisNumarasi, object userState) {
2:     if ((this.belgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted == null)) {
3:         this.belgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgelerAlindiEntegrasyonSiparisNoGuncelleOperati
onCompleted);
4:     }
5:     this.InvokeAsync("belgelerAlindiEntegrasyonSiparisNoGuncelle", new object[] {
6:         vergiTcKimlikNo,
7:         ettn,
8:         belgeTuru,
9:         entegrasyonHedefi,
10:        guncellenmisSiparisNumarasi},
this.belgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted, userState);
11: }
```

### 1.1.3.1.17.2.13 connectorService.belgeleriTekrarGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
belgeleriTekrarGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettn",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string alanEtiket,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
```

```

    string gonderenEtiket);

Body Source

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
belgeleriTekrarGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema.X
mlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettn",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string alanEtiket,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gonderenEtiket) {
4:     object[] results = this.Invoke("belgeleriTekrarGonder", new object[] {
5:         vergiTcKimlikNo,
6:         ettn,
7:         belgeTuru,
8:         alanEtiket,
9:         gonderenEtiket});
10:    return ((bool)(results[0]));
11: }

```

#### 1.1.3.1.17.2.14 belgeleriTekrarGonderAsync Method

##### 1.1.3.1.17.2.14.1 connectorService.belgeleriTekrarGonderAsync Method (string, string[], string, string, string)

C#

```
public void belgeleriTekrarGonderAsync(string vergiTcKimlikNo, string[] ettn, string
belgeTuru, string alanEtiket, string gonderenEtiket);
```

**Body Source**

```

1: public void belgeleriTekrarGonderAsync(string vergiTcKimlikNo, string[] ettn, string
belgeTuru, string alanEtiket, string gonderenEtiket) {
2:     this.belgeleriTekrarGonderAsync(vergiTcKimlikNo, ettn, belgeTuru, alanEtiket,
gonderenEtiket, null);
3: }

```

##### 1.1.3.1.17.2.14.2 connectorService.belgeleriTekrarGonderAsync Method (string, string[], string, string, string, object)

C#

```
public void belgeleriTekrarGonderAsync(string vergiTcKimlikNo, string[] ettn, string
belgeTuru, string alanEtiket, string gonderenEtiket, object userState);
```

**Body Source**

```

1: public void belgeleriTekrarGonderAsync(string vergiTcKimlikNo, string[] ettn, string
belgeTuru, string alanEtiket, string gonderenEtiket, object userState) {
2:     if ((this.belgeleriTekrarGonderOperationCompleted == null)) {
3:         this.belgeleriTekrarGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgeleriTekrarGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("belgeleriTekrarGonder", new object[] {
6:         vergiTcKimlikNo,

```

```

7:             ettn,
8:             belgeTuru,
9:             alanEtiket,
10:            gonderenEtiket}, this.belgeleriTekrarGonderOperationCompleted,
userState);
11: }

```

### 1.1.3.1.17.2.15 connectorService.belgeleriTekrarGonderBelgeOid Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool belgeleriTekrarGonderBelgeOid([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("belgeOid",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] belgeOid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string alanEtiket,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gonderenEtiket);

```

#### Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool belgeleriTekrarGonderBelgeOid([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("belgeOid",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] belgeOid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string alanEtiket,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gonderenEtiket) {
4:     object[] results = this.Invoke("belgeleriTekrarGonderBelgeOid", new object[] {
5:         vergiTcKimlikNo,
6:         belgeOid,
7:         belgeTuru,
8:         alanEtiket,
9:         gonderenEtiket});
10:    return ((bool)(results[0]));
11: }

```

### 1.1.3.1.17.2.16 belgeleriTekrarGonderBelgeOidAsync Method

### 1.1.3.1.17.2.16.1 connectorService.belgeleriTekrarGonderBelgeOidAsync Method (string, string[], string, string, string)

C#

```
public void belgeleriTekrarGonderBelgeOidAsync(string vergiTcKimlikNo, string[] belgeOid,
string belgeTuru, string alanEtiket, string gonderenEtiket);
```

**Body Source**

```
1: public void belgeleriTekrarGonderBelgeOidAsync(string vergiTcKimlikNo, string[]
belgeOid, string belgeTuru, string alanEtiket, string gonderenEtiket) {
2:     this.belgeleriTekrarGonderBelgeOidAsync(vergiTcKimlikNo, belgeOid, belgeTuru,
alanEtiket, gonderenEtiket, null);
3: }
```

### 1.1.3.1.17.2.16.2 connectorService.belgeleriTekrarGonderBelgeOidAsync Method (string, string[], string, string, object)

C#

```
public void belgeleriTekrarGonderBelgeOidAsync(string vergiTcKimlikNo, string[] belgeOid,
string belgeTuru, string alanEtiket, string gonderenEtiket, object userState);
```

**Body Source**

```
1: public void belgeleriTekrarGonderBelgeOidAsync(string vergiTcKimlikNo, string[]
belgeOid, string belgeTuru, string alanEtiket, string gonderenEtiket, object userState) {
2:     if ((this.belgeleriTekrarGonderBelgeOidOperationCompleted == null)) {
3:         this.belgeleriTekrarGonderBelgeOidOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgeleriTekrarGonderBelgeOidOperationCompleted);
4:     }
5:     this.InvokeAsync("belgeleriTekrarGonderBelgeOid", new object[] {
6:         vergiTcKimlikNo,
7:         belgeOid,
8:         belgeTuru,
9:         alanEtiket,
10:        gonderenEtiket}, this.belgeleriTekrarGonderBelgeOidOperationCompleted,
userState);
11: }
```

### 1.1.3.1.17.2.17 connectorService.belgeleriTekrarGonderYerelBelgeNo Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
belgeleriTekrarGonderYerelBelgeNo([System.Xml.Serialization.XmlElementAttribute(Form=System.
Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("yerelBelgeNo",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] yerelBelgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string alanEtiket,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gonderenEtiket);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",

```

```

RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
belgeleriTekrarGonderYerelBelgeNo([System.Xml.Serialization.XmlElementAttribute(Form=System.
Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("yerelBelgeNo",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] yerelBelgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string alanEtiket,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gonderenEtiket) {
4:     object[] results = this.Invoke("belgeleriTekrarGonderYerelBelgeNo", new object[] {
5:         vergiTcKimlikNo,
6:         yerelBelgeNo,
7:         belgeTuru,
8:         alanEtiket,
9:         gonderenEtiket});
10:    return ((bool)(results[0]));
11: }

```

#### 1.1.3.1.17.2.18 belgeleriTekrarGonderYerelBelgeNoAsync Method

##### 1.1.3.1.17.2.18.1 connectorService.belgeleriTekrarGonderYerelBelgeNoAsync Method (string, string[], string, string, string)

C#

```
public void belgeleriTekrarGonderYerelBelgeNoAsync(string vergiTcKimlikNo, string[]
yerelBelgeNo, string belgeTuru, string alanEtiket, string gonderenEtiket);
```

##### Body Source

```

1: public void belgeleriTekrarGonderYerelBelgeNoAsync(string vergiTcKimlikNo, string[]
yerelBelgeNo, string belgeTuru, string alanEtiket, string gonderenEtiket) {
2:     this.belgeleriTekrarGonderYerelBelgeNoAsync(vergiTcKimlikNo, yerelBelgeNo,
belgeTuru, alanEtiket, gonderenEtiket, null);
3: }

```

##### 1.1.3.1.17.2.18.2 connectorService.belgeleriTekrarGonderYerelBelgeNoAsync Method (string, string[], string, string, string, object)

C#

```
public void belgeleriTekrarGonderYerelBelgeNoAsync(string vergiTcKimlikNo, string[]
yerelBelgeNo, string belgeTuru, string alanEtiket, string gonderenEtiket, object userState);
```

##### Body Source

```

1: public void belgeleriTekrarGonderYerelBelgeNoAsync(string vergiTcKimlikNo, string[]
yerelBelgeNo, string belgeTuru, string alanEtiket, string gonderenEtiket, object userState)
{
2:     if ((this.belgeleriTekrarGonderYerelBelgeNoOperationCompleted == null)) {
3:         this.belgeleriTekrarGonderYerelBelgeNoOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgeleriTekrarGonderYerelBelgeNoOperationComplet
ed);
4:     }
5:     this.InvokeAsync("belgeleriTekrarGonderYerelBelgeNo", new object[] {
6:         vergiTcKimlikNo,
7:         yerelBelgeNo,
8:         belgeTuru,

```

```

9:                 alanEtiket,
10:                gonderenEtiket},
this.belgeleriTekrarGonderYerelBelgeNoOperationCompleted, userState);
11: }
```

#### 1.1.3.1.17.2.19 connectorService.CancelAsync Method

C#

```
public new void CancelAsync(object userState);
```

**Body Source**

```

1: public new void CancelAsync(object userState) {
2:     base.CancelAsync(userState);
3: }
```

#### 1.1.3.1.17.2.20 connectorService.checkDateValidControl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
checkDateValidControl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string arg0,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string arg1);
```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
checkDateValidControl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string arg0,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string arg1) {
3:     this.Invoke("checkDateValidControl", new object[] {
4:         arg0,
5:         arg1});
```

#### 1.1.3.1.17.2.21 checkDateValidControlAsync Method

##### 1.1.3.1.17.2.21.1 connectorService.checkDateValidControlAsync Method (string, string)

C#

```
public void checkDateValidControlAsync(string arg0, string arg1);
```

**Body Source**

```

1: public void checkDateValidControlAsync(string arg0, string arg1) {
2:     this.checkDateValidControlAsync(arg0, arg1, null);
3: }
```

### 1.1.3.1.17.2.21.2 connectorService.checkDateValidControlAsync Method (string, string, object)

C#

```
public void checkDateValidControlAsync(string arg0, string arg1, object userState);
```

#### Body Source

```
1: public void checkDateValidControlAsync(string arg0, string arg1, object userState) {
2:     if ((this.checkDateValidControlOperationCompleted == null)) {
3:         this.checkDateValidControlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OncheckDateValidControlOperationCompleted);
4:     }
5:     this.InvokeAsync("checkDateValidControl", new object[] {
6:         arg0,
7:         arg1}, this.checkDateValidControlOperationCompleted, userState);
8: }
```

### 1.1.3.1.17.2.22 connectorService.cokluGidenBelgeDurumSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
cokluGidenBelgeDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
gidenBelgeDurumParametreleri parametreler);
```

#### Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
cokluGidenBelgeDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
gidenBelgeDurumParametreleri parametreler) {
4:     object[] results = this.Invoke("cokluGidenBelgeDurumSorgula", new object[] {
5:         vergiTcKimlikNo,
6:         parametreler});
7:     return ((serviceReturnType[])(results[0]));
8: }
```

### 1.1.3.1.17.2.23 cokluGidenBelgeDurumSorgulaAsync Method

#### 1.1.3.1.17.2.23.1 connectorService.cokluGidenBelgeDurumSorgulaAsync Method (string, gidenBelgeDurumParametreleri)

C#

```
public void cokluGidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler);
```

**Body Source**

```

1: public void cokluGidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler) {
2:     this.cokluGidenBelgeDurumSorgulaAsync(vergiTcKimlikNo, parametreler, null);
3: }

```

**1.1.3.1.17.2.23.2 connectorService.cokluGidenBelgeDurumSorgulaAsync Method (string, gidenBelgeDurumParametreleri, object)****C#**

```

public void cokluGidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler, object userState);

```

**Body Source**

```

1: public void cokluGidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler, object userState) {
2:     if ((this.cokluGidenBelgeDurumSorgulaOperationCompleted == null)) {
3:         this.cokluGidenBelgeDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OncokluGidenBelgeDurumSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("cokluGidenBelgeDurumSorgula", new object[] {
6:         vergiTcKimlikNo,
7:         parametreler}, this.cokluGidenBelgeDurumSorgulaOperationCompleted,
userState);
8: }

```

**1.1.3.1.17.2.24 connectorService.csXmlOnizleme Method****C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
csXmlOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeVersiyon,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeFormati,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string xsltAdi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru);

```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]

```

```

csXmlOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeVersiyon,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeFormati,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string xsltAdi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru) {
4:     object[] results = this.Invoke("csXmlOnizleme", new object[] {
5:         vergiTcKimlikNo,
6:         belgeVersiyon,
7:         veri,
8:         belgeFormati,
9:         xsltAdi,
10:        belgeTuru});
11:    return ((byte[])(results[0]));
12: }

```

#### 1.1.3.1.17.2.25 csXmlOnizlemeAsync Method

##### 1.1.3.1.17.2.25.1 connectorService.csXmlOnizlemeAsync Method (string, string, byte[], string, string)

C#

```
public void csXmlOnizlemeAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[] veri,
string belgeFormati, string xsltAdi, string belgeTuru);
```

##### Body Source

```

1: public void csXmlOnizlemeAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[]
veri, string belgeFormati, string xsltAdi, string belgeTuru) {
2:     this.csXmlOnizlemeAsync(vergiTcKimlikNo, belgeVersiyon, veri, belgeFormati, xsltAdi,
belgeTuru, null);
3: }

```

##### 1.1.3.1.17.2.25.2 connectorService.csXmlOnizlemeAsync Method (string, string, byte[], string, string, string, object)

C#

```
public void csXmlOnizlemeAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[] veri,
string belgeFormati, string xsltAdi, string belgeTuru, object userState);
```

##### Body Source

```

1: public void csXmlOnizlemeAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[]
veri, string belgeFormati, string xsltAdi, string belgeTuru, object userState) {
2:     if ((this.csXmlOnizlemeOperationCompleted == null)) {
3:         this.csXmlOnizlemeOperationCompleted = new
System.Threading.SendOrPostCallback(this.OncsXmlOnizlemeOperationCompleted);
4:     }
5:     this.InvokeAsync("csXmlOnizleme", new object[] {
6:         vergiTcKimlikNo,
7:         belgeVersiyon,
8:         veri,
9:         belgeFormati,
10:        xsltAdi,
11:        belgeTuru}, this.csXmlOnizlemeOperationCompleted, userState);

```

```
12: }
```

### 1.1.3.1.17.2.26 connectorService.csXmlToUbl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
csXmlToUbl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeVersiyon,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)
dataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string xsltAdi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru);
```

#### Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
csXmlToUbl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeVersiyon,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)
dataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string xsltAdi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru) {
4:     object[] results = this.Invoke("csXmlToUbl", new object[] {
5:         vergiTcKimlikNo,
6:         belgeVersiyon,
7:         veri,
8:         xsltAdi,
9:         belgeTuru});
10:    return ((byte[])(results[0]));
11: }
```

### 1.1.3.1.17.2.27 csXmlToUblAsync Method

### 1.1.3.1.17.2.27.1 connectorService.csXmlToUblAsync Method (string, string, byte[], string, string)

C#

```
public void csXmlToUblAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[] veri,
string xsltAdi, string belgeTuru);
```

#### Body Source

```
1: public void csXmlToUblAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[] veri,
string xsltAdi, string belgeTuru) {
2:     this.csXmlToUblAsync(vergiTcKimlikNo, belgeVersiyon, veri, xsltAdi, belgeTuru, null);
3: }
```

### 1.1.3.1.17.2.27.2 connectorService.csXmlToUblAsync Method (string, string, byte[], string, string, object)

C#

```
public void csXmlToUblAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[] veri,
string xsltAdi, string belgeTuru, object userState);
```

#### Body Source

```
1: public void csXmlToUblAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[] veri,
string xsltAdi, string belgeTuru, object userState) {
2:     if ((this.csXmlToUblOperationCompleted == null)) {
3:         this.csXmlToUblOperationCompleted = new
System.Threading.SendOrPostCallback(this.OncsXmlToUblOperationCompleted);
4:     }
5:     this.InvokeAsync("csXmlToUbl", new object[] {
6:         vergiTcKimlikNo,
7:         belgeVersiyon,
8:         veri,
9:         xsltAdi,
10:        belgeTuru}, this.csXmlToUblOperationCompleted, userState);
11: }
```

### 1.1.3.1.17.2.28 connectorService.eFaturaKayitliKullaniciListele Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public eFaturaKullanici[]
eFaturaKayitliKullaniciListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml
.Schema.XmlSchemaForm.Unqualified)]
string kayitZamani);
```

#### Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public eFaturaKullanici[]
eFaturaKayitliKullaniciListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml
.Schema.XmlSchemaForm.Unqualified)]
string kayitZamani) {
4:     object[] results = this.Invoke("eFaturaKayitliKullaniciListele", new object[] {
5:         kayitZamani});
6:     return ((eFaturaKullanici[])(results[0]));
7: }
```

### 1.1.3.1.17.2.29 eFaturaKayitliKullaniciListeleAsync Method

#### 1.1.3.1.17.2.29.1 connectorService.eFaturaKayitliKullaniciListeleAsync Method (string)

C#

```
public void eFaturaKayitliKullaniciListeleAsync(string kayitZamani);
```

**Body Source**

```
1: public void eFaturaKayitliKullaniciListeleAsync(string kayitZamani) {
2:     this.eFaturaKayitliKullaniciListeleAsync(kayitZamani, null);
3: }
```

#### 1.1.3.1.17.2.29.2 connectorService.eFaturaKayitliKullaniciListeleAsync Method (string, object)

C#

```
public void eFaturaKayitliKullaniciListeleAsync(string kayitZamani, object userState);
```

**Body Source**

```
1: public void eFaturaKayitliKullaniciListeleAsync(string kayitZamani, object userState) {
2:     if ((this.eFaturaKayitliKullaniciListeleOperationCompleted == null)) {
3:         this.eFaturaKayitliKullaniciListeleOperationCompleted = new
System.Threading.SendOrPostCallback(this.OneFaturaKayitliKullaniciListeleOperationCompleted)
;
4:     }
5:     this.InvokeAsync("eFaturaKayitliKullaniciListele", new object[] {
6:         kayitZamani}, this.eFaturaKayitliKullaniciListeleOperationCompleted,
userState);
7: }
```

### 1.1.3.1.17.2.30 connectorService.efaturaKullaniciBilgisi Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public eFaturaKullanici[]
efaturaKullaniciBilgisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema
.XmlSchemaForm.Unqualified)])
string vergiTcKimlikNo);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public eFaturaKullanici[]
efaturaKullaniciBilgisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema
.XmlSchemaForm.Unqualified)])
string vergiTcKimlikNo) {
4:     object[] results = this.Invoke("efaturaKullaniciBilgisi", new object[] {
5:         vergiTcKimlikNo});
6:     return ((eFaturaKullanici[]) (results[0]));
7: }
```

#### 1.1.3.1.17.2.31 efaturaKullaniciBilgisiAsync Method

### 1.1.3.1.17.2.31.1 connectorService.efaturaKullaniciBilgisiAsync Method (string)

C#

```
public void efaturaKullaniciBilgisiAsync(string vergiTcKimlikNo);
```

**Body Source**

```
1: public void efaturaKullaniciBilgisiAsync(string vergiTcKimlikNo) {  
2:     this.efaturaKullaniciBilgisiAsync(vergiTcKimlikNo, null);  
3: }
```

### 1.1.3.1.17.2.31.2 connectorService.efaturaKullaniciBilgisiAsync Method (string, object)

C#

```
public void efaturaKullaniciBilgisiAsync(string vergiTcKimlikNo, object userState);
```

**Body Source**

```
1: public void efaturaKullaniciBilgisiAsync(string vergiTcKimlikNo, object userState) {  
2:     if ((this.efaturaKullaniciBilgisiOperationCompleted == null)) {  
3:         this.efaturaKullaniciBilgisiOperationCompleted = new  
System.Threading.SendOrPostCallback(this.OnefaturaKullaniciBilgisiOperationCompleted);  
4:     }  
5:     this.InvokeAsync("efaturaKullaniciBilgisi", new object[] {  
6:         vergiTcKimlikNo}, this.efaturaKullaniciBilgisiOperationCompleted,  
userState);  
7: }
```

### 1.1.3.1.17.2.32 connectorService.efaturaKullaniciListesi Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",  
RequestNamespace="http://service.connector.uut.cs.com.tr/",  
ResponseNamespace="http://service.connector.uut.cs.com.tr/",  
Use=System.Web.Services.Description.SoapBindingUse.Literal,  
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]  
[return: System.Xml.Serialization.XmlElementAttribute("return",  
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]  
public mukellefEFaturaKayit[]  
efaturaKullaniciListesi([System.Xml.Serialization.XmlElementAttribute("vergiTcKimlikNoListesi",  
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] vergiTcKimlikNoListesi);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",  
RequestNamespace="http://service.connector.uut.cs.com.tr/",  
ResponseNamespace="http://service.connector.uut.cs.com.tr/",  
Use=System.Web.Services.Description.SoapBindingUse.Literal,  
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]  
2: [return: System.Xml.Serialization.XmlElementAttribute("return",  
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]  
3: public mukellefEFaturaKayit[]  
efaturaKullaniciListesi([System.Xml.Serialization.XmlElementAttribute("vergiTcKimlikNoListesi",  
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] vergiTcKimlikNoListesi) {  
4:     object[] results = this.Invoke("efaturaKullaniciListesi", new object[] {  
5:         vergiTcKimlikNoListesi});  
6:     return ((mukellefEFaturaKayit[])(results[0]));  
7: }
```

### 1.1.3.1.17.2.33 efaturaKullaniciListesiAsync Method

### 1.1.3.1.17.2.33.1 connectorService.efaturaKullaniciListesiAsync Method (string[])

C#

```
public void efaturaKullaniciListesiAsync(string[] vergiTcKimlikNoListesi);
```

**Body Source**

```
1: public void efaturaKullaniciListesiAsync(string[] vergiTcKimlikNoListesi) {
2:     this.efaturaKullaniciListesiAsync(vergiTcKimlikNoListesi, null);
3: }
```

### 1.1.3.1.17.2.33.2 connectorService.efaturaKullaniciListesiAsync Method (string[], object)

C#

```
public void efaturaKullaniciListesiAsync(string[] vergiTcKimlikNoListesi, object userState);
```

**Body Source**

```
1: public void efaturaKullaniciListesiAsync(string[] vergiTcKimlikNoListesi, object userState) {
2:     if ((this.efaturaKullaniciListesiOperationCompleted == null)) {
3:         this.efaturaKullaniciListesiOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnefaturaKullaniciListesiOperationCompleted);
4:     }
5:     this.InvokeAsync("efaturaKullaniciListesi", new object[] {
6:         vergiTcKimlikNoListesi}, this.efaturaKullaniciListesiOperationCompleted,
userState);
7: }
```

### 1.1.3.1.17.2.34 connectorService.efaturaKullanicisi Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
efaturaKullanicisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
efaturaKullanicisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo) {
4:     object[] results = this.Invoke("efaturaKullanicisi", new object[] {
5:         vergiTcKimlikNo});
6:     return ((bool)(results[0]));
7: }
```

### 1.1.3.1.17.2.35 efaturaKullanicisiAsync Method

### 1.1.3.1.17.2.35.1 connectorService.efaturaKullanicisiAsync Method (string)

C#

```
public void efaturaKullanicisiAsync(string vergiTcKimlikNo);
```

**Body Source**

```
1: public void efaturaKullanicisiAsync(string vergiTcKimlikNo) {
2:     this.efaturaKullanicisiAsync(vergiTcKimlikNo, null);
3: }
```

### 1.1.3.1.17.2.35.2 connectorService.efaturaKullanicisiAsync Method (string, object)

C#

```
public void efaturaKullanicisiAsync(string vergiTcKimlikNo, object userState);
```

**Body Source**

```
1: public void efaturaKullanicisiAsync(string vergiTcKimlikNo, object userState) {
2:     if ((this.efaturaKullanicisiOperationCompleted == null)) {
3:         this.efaturaKullanicisiOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnefaturaKullanicisiOperationCompleted);
4:     }
5:     this.InvokeAsync("efaturaKullanicisi", new object[] {
6:         vergiTcKimlikNo}, this.efaturaKullanicisiOperationCompleted, userState);
7: }
```

### 1.1.3.1.17.2.36 connectorService.eIrsaliyeKayitliKullaniciListele Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public eIrsaliyeKullanici[]
eIrsaliyeKayitliKullaniciListele([System.Xml.Serialization.XmlElementAttribute(Form=System.X
ml.Schema.XmlSchemaForm.Unqualified)]
string kayitZamani);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public eIrsaliyeKullanici[]
eIrsaliyeKayitliKullaniciListele([System.Xml.Serialization.XmlElementAttribute(Form=System.X
ml.Schema.XmlSchemaForm.Unqualified)]
string kayitZamani) {
4:     object[] results = this.Invoke("eIrsaliyeKayitliKullaniciListele", new object[] {
5:         kayitZamani});
6:     return ((eIrsaliyeKullanici[])(results[0]));
7: }
```

### 1.1.3.1.17.2.37 eIrsaliyeKayitliKullaniciListeleAsync Method

#### 1.1.3.1.17.2.37.1 connectorService.eIrsaliyeKayitliKullaniciListeleAsync Method (string)

C#

```
public void eIrsaliyeKayitliKullaniciListeleAsync(string kayitZamani);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

**Body Source**

```

1: public void eIrsaliyeKayitliKullaniciListeleAsync(string kayitZamani) {
2:     this.eIrsaliyeKayitliKullaniciListeleAsync(kayitZamani, null);
3: }

```

**1.1.3.1.17.2.37.2 connectorService.eIrsaliyeKayitliKullaniciListeleAsync Method (string, object)****C#**

```
public void eIrsaliyeKayitliKullaniciListeleAsync(string kayitZamani, object userState);
```

**Body Source**

```

1: public void eIrsaliyeKayitliKullaniciListeleAsync(string kayitZamani, object userState) {
2:     if ((this.eIrsaliyeKayitliKullaniciListeleOperationCompleted == null)) {
3:         this.eIrsaliyeKayitliKullaniciListeleOperationCompleted = new
System.Threading.SendOrPostCallback(this.OneIrsaliyeKayitliKullaniciListeleOperationComplete
d);
4:     }
5:     this.InvokeAsync("eIrsaliyeKayitliKullaniciListele", new object[] {
6:         kayitZamani}, this.eIrsaliyeKayitliKullaniciListeleOperationCompleted,
userState);
7: }

```

**1.1.3.1.17.2.38 connectorService.eIrsaliyeKullanicisi Method****C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
eIrsaliyeKullanicisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
lSchemaForm.Unqualified)]
string vergiTcKimlikNo);

```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
eIrsaliyeKullanicisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
lSchemaForm.Unqualified)]
string vergiTcKimlikNo) {
4:     object[] results = this.Invoke("eIrsaliyeKullanicisi", new object[] {
5:         vergiTcKimlikNo});
6:     return ((bool)(results[0]));
7: }

```

**1.1.3.1.17.2.39 eIrsaliyeKullanicisiAsync Method****1.1.3.1.17.2.39.1 connectorService.eIrsaliyeKullanicisiAsync Method (string)****C#**

```
public void eIrsaliyeKullanicisiAsync(string vergiTcKimlikNo);
```

**Body Source**

```

1: public void eIrsaliyeKullanicisiAsync(string vergiTcKimlikNo) {
2:     this.eIrsaliyeKullanicisiAsync(vergiTcKimlikNo, null);

```

```
3: }
```

### 1.1.3.1.17.2.39.2 connectorService.eIrsaliyeKullanicisiAsync Method (string, object)

C#

```
public void eIrsaliyeKullanicisiAsync(string vergiTcKimlikNo, object userState);
```

**Body Source**

```
1: public void eIrsaliyeKullanicisiAsync(string vergiTcKimlikNo, object userState) {
2:     if ((this.eIrsaliyeKullanicisiOperationCompleted == null)) {
3:         this.eIrsaliyeKullanicisiOperationCompleted = new
System.Threading.SendOrPostCallback(this.OneIrsaliyeKullanicisiOperationCompleted);
4:     }
5:     this.InvokeAsync("eIrsaliyeKullanicisi", new object[] {
6:         vergiTcKimlikNo}, this.eIrsaliyeKullanicisiOperationCompleted,
userState);
7: }
```

### 1.1.3.1.17.2.40 connectorService.erpBilgileriBelirle Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
erpBilgileriBelirle([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
erpBilgileri erpBilgileri);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
erpBilgileriBelirle([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
erpBilgileri erpBilgileri) {
3:     this.Invoke("erpBilgileriBelirle", new object[] {
4:         vergiTcKimlikNo,
5:         erpBilgileri});
6: }
```

### 1.1.3.1.17.2.41 erpBilgileriBelirleAsync Method

#### 1.1.3.1.17.2.41.1 connectorService.erpBilgileriBelirleAsync Method (string, erpBilgileri)

C#

```
public void erpBilgileriBelirleAsync(string vergiTcKimlikNo, erpBilgileri erpBilgileri);
```

**Body Source**

```
1: public void erpBilgileriBelirleAsync(string vergiTcKimlikNo, erpBilgileri erpBilgileri) {
2:     this.erpBilgileriBelirleAsync(vergiTcKimlikNo, erpBilgileri, null);
3: }
```

### 1.1.3.1.17.2.41.2 connectorService.erpBilgileriBelirleAsync Method (string, erpBilgileri, object)

C#

```
public void erpBilgileriBelirleAsync(string vergiTcKimlikNo, erpBilgileri erpBilgileri,
object userState);
```

#### Body Source

```
1: public void erpBilgileriBelirleAsync(string vergiTcKimlikNo, erpBilgileri erpBilgileri,
object userState) {
2:     if ((this.erpBilgileriBelirleOperationCompleted == null)) {
3:         this.erpBilgileriBelirleOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnerpBilgileriBelirleOperationCompleted);
4:     }
5:     this.InvokeAsync("erpBilgileriBelirle", new object[] {
6:         vergiTcKimlikNo,
7:         erpBilgileri}, this.erpBilgileriBelirleOperationCompleted, userState);
8: }
```

### 1.1.3.1.17.2.42 connectorService.faturaKepIleIadeEdildi Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
faturaKepIleIadeEdildi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string uuid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gelenGiden);
```

#### Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
faturaKepIleIadeEdildi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string uuid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gelenGiden) {
4:     object[] results = this.Invoke("faturaKepIleIadeEdildi", new object[] {
5:         uuid,
6:         gelenGiden});
7:     return ((bool)(results[0]));
8: }
```

### 1.1.3.1.17.2.43 faturaKepIleIadeEdildiAsync Method

#### 1.1.3.1.17.2.43.1 connectorService.faturaKepIleIadeEdildiAsync Method (string, string)

C#

```
public void faturaKepIleIadeEdildiAsync(string uuid, string gelenGiden);
```

**Body Source**

```

1: public void faturaKepIleIadeEdildiAsync(string uuid, string gelenGiden) {
2:     this.faturaKepIleIadeEdildiAsync(uuid, gelenGiden, null);
3: }

```

**1.1.3.1.17.2.43.2 connectorService.faturaKepIleIadeEdildiAsync Method (string, string, object)****C#**

```
public void faturaKepIleIadeEdildiAsync(string uuid, string gelenGiden, object userState);
```

**Body Source**

```

1: public void faturaKepIleIadeEdildiAsync(string uuid, string gelenGiden, object
userState) {
2:     if ((this.faturaKepIleIadeEdildiOperationCompleted == null)) {
3:         this.faturaKepIleIadeEdildiOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaKepIleIadeEdildiOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaKepIleIadeEdildi", new object[] {
6:         uuid,
7:         gelenGiden}, this.faturaKepIleIadeEdildiOperationCompleted, userState);
8: }

```

**1.1.3.1.17.2.44 connectorService.faturaKepIleIadeEdildiPtal Method****C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
faturaKepIleIadeEdildiPtal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string uuid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gelenGiden);
```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
faturaKepIleIadeEdildiPtal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string uuid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gelenGiden) {
4:     object[] results = this.Invoke("faturaKepIleIadeEdildiPtal", new object[] {
5:         uuid,
6:         gelenGiden});
7:     return ((bool)(results[0]));
8: }

```

**1.1.3.1.17.2.45 faturaKepIleIadeEdildiPtalAsync Method**

**1.1.3.1.17.2.45.1 connectorService.faturaKepIleIadeEdildiIptalAsync Method (string, string)****C#**

```
public void faturaKepIleIadeEdildiIptalAsync(string uuid, string gelenGiden);
```

**Body Source**

```
1: public void faturaKepIleIadeEdildiIptalAsync(string uuid, string gelenGiden) {
2:     this.faturaKepIleIadeEdildiIptalAsync(uuid, gelenGiden, null);
3: }
```

**1.1.3.1.17.2.45.2 connectorService.faturaKepIleIadeEdildiIptalAsync Method (string, string, object)****C#**

```
public void faturaKepIleIadeEdildiIptalAsync(string uuid, string gelenGiden, object
userState);
```

**Body Source**

```
1: public void faturaKepIleIadeEdildiIptalAsync(string uuid, string gelenGiden, object
userState) {
2:     if ((this.faturaKepIleIadeEdildiIptalOperationCompleted == null)) {
3:         this.faturaKepIleIadeEdildiIptalOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaKepIleIadeEdildiIptalOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaKepIleIadeEdildiIptal", new object[] {
6:         uuid,
7:         gelenGiden}, this.faturaKepIleIadeEdildiIptalOperationCompleted,
userState);
8: }
```

**1.1.3.1.17.2.46 connectorService.faturaMailGonder Method****C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
faturaMailGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string inout,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string UUID,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string faturaNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string alicilar,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
faturaMailGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
```

```

emaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string inout,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string UUID,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string faturaNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string alicilar,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati) {
3:     this.Invoke("faturaMailGonder", new object[] {
4:         vknTckn,
5:         inout,
6:         UUID,
7:         faturaNo,
8:         alicilar,
9:         belgeFormati});
10:    }

```

### 1.1.3.1.17.2.47 faturaMailGonderAsync Method

#### 1.1.3.1.17.2.47.1 connectorService.faturaMailGonderAsync Method (string, string, string, string, string, string)

C#

```
public void faturaMailGonderAsync(string vknTckn, string inout, string UUID, string faturaNo, string alicilar, string belgeFormati);
```

##### Body Source

```

1: public void faturaMailGonderAsync(string vknTckn, string inout, string UUID, string
faturaNo, string alicilar, string belgeFormati) {
2:     this.faturaMailGonderAsync(vknTckn, inout, UUID, faturaNo, alicilar, belgeFormati,
null);
3: }

```

#### 1.1.3.1.17.2.47.2 connectorService.faturaMailGonderAsync Method (string, string, string, string, string, string, object)

C#

```
public void faturaMailGonderAsync(string vknTckn, string inout, string UUID, string
faturaNo, string alicilar, string belgeFormati, object userState);
```

##### Body Source

```

1: public void faturaMailGonderAsync(string vknTckn, string inout, string UUID, string
faturaNo, string alicilar, string belgeFormati, object userState) {
2:     if ((this.faturaMailGonderOperationCompleted == null)) {
3:         this.faturaMailGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaMailGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaMailGonder", new object[] {
6:         vknTckn,
7:         inout,
8:         UUID,
9:         faturaNo,
10:        alicilar,
11:        belgeFormati}, this.faturaMailGonderOperationCompleted, userState);
12:    }

```

### 1.1.3.1.17.2.48 connectorService.faturaNoUret Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
faturaNoUret([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string faturaKodu);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
faturaNoUret([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string faturaKodu) {
4:     object[] results = this.Invoke("faturaNoUret", new object[] {
5:         vknTckn,
6:         faturaKodu});
7:     return ((string)(results[0]));
8: }
```

### 1.1.3.1.17.2.49 faturaNoUretAsync Method

#### 1.1.3.1.17.2.49.1 connectorService.faturaNoUretAsync Method (string, string)

C#

```
public void faturaNoUretAsync(string vknTckn, string faturaKodu);
```

**Body Source**

```
1: public void faturaNoUretAsync(string vknTckn, string faturaKodu) {
2:     this.faturaNoUretAsync(vknTckn, faturaKodu, null);
3: }
```

#### 1.1.3.1.17.2.49.2 connectorService.faturaNoUretAsync Method (string, string, object)

C#

```
public void faturaNoUretAsync(string vknTckn, string faturaKodu, object userState);
```

**Body Source**

```
1: public void faturaNoUretAsync(string vknTckn, string faturaKodu, object userState) {
2:     if ((this.faturaNoUretOperationCompleted == null)) {
3:         this.faturaNoUretOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaNoUretOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaNoUret", new object[] {
6:         vknTckn,
```

```

7:             faturaKodu}, this.faturaNoUretOperationCompleted, userState);
8: }

```

### 1.1.3.1.17.2.50 connectorService.faturaTarihcesiSorgula Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
faturaTarihcesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string faturaYonu,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn);

```

#### Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
faturaTarihcesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string faturaYonu,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn) {
4:     object[] results = this.Invoke("faturaTarihcesiSorgula", new object[] {
5:         ettn,
6:         faturaYonu,
7:         vknTckn});
8:     return ((serviceReturnType[])(results[0]));
9: }

```

### 1.1.3.1.17.2.51 faturaTarihcesiSorgulaAsync Method

#### 1.1.3.1.17.2.51.1 connectorService.faturaTarihcesiSorgulaAsync Method (string, string, string)

C#

```
public void faturaTarihcesiSorgulaAsync(string ettn, string faturaYonu, string vknTckn);
```

#### Body Source

```

1: public void faturaTarihcesiSorgulaAsync(string ettn, string faturaYonu, string vknTckn) {
2:     this.faturaTarihcesiSorgulaAsync(ettn, faturaYonu, vknTckn, null);
3: }

```

#### 1.1.3.1.17.2.51.2 connectorService.faturaTarihcesiSorgulaAsync Method (string, string, string, object)

C#

```
public void faturaTarihcesiSorgulaAsync(string ettn, string faturaYonu, string vknTckn,
```

```
object userState);
```

#### Body Source

```
1: public void faturaTarihcesiSorgulaAsync(string ettn, string faturaYonu, string vknTckn,
2:     object userState) {
3:     if ((this.faturaTarihcesiSorgulaOperationCompleted == null)) {
4:         this.faturaTarihcesiSorgulaOperationCompleted = new
5:             System.Threading.SendOrPostCallback(this.OnfaturaTarihcesiSorgulaOperationCompleted);
6:     }
7:     this.InvokeAsync("faturaTarihcesiSorgula", new object[] {
8:         ettn,
9:         faturaYonu,
vknTckn}, this.faturaTarihcesiSorgulaOperationCompleted, userState);
9: }
```

#### 1.1.3.1.17.2.52 connectorService.faturayaltirazEdildi Method

##### C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool faturayaItirazEdildi([System.Xml.Serialization.XmlElementAttribute("ettnList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnList,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gelenGiden,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string iptalSenaryosu);
```

#### Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
faturayaItirazEdildi([System.Xml.Serialization.XmlElementAttribute("ettnList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnList,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gelenGiden,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string iptalSenaryosu) {
4:     object[] results = this.Invoke("faturayaItirazEdildi", new object[] {
5:         ettnList,
6:         gelenGiden,
7:         iptalSenaryosu});
8:     return ((bool)(results[0]));
9: }
```

#### 1.1.3.1.17.2.53 faturayaltirazEdildiAsync Method

##### 1.1.3.1.17.2.53.1 connectorService.faturayaltirazEdildiAsync Method (string[], string, string)

##### C#

```
public void faturayaItirazEdildiAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu);
```

**Body Source**

```

1: public void faturayaItirazEdildiAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu) {
2:     this.faturayaItirazEdildiAsync(ettnList, gelenGiden, iptalSenaryosu, null);
3: }

```

**1.1.3.1.17.2.53.2 connectorService.faturayaltirazEdildiAsync Method (string[], string, string, object)****C#**

```
public void faturayaItirazEdildiAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu, object userState);
```

**Body Source**

```

1: public void faturayaItirazEdildiAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu, object userState) {
2:     if ((this.faturayaItirazEdildiOperationCompleted == null)) {
3:         this.faturayaItirazEdildiOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturayaItirazEdildiOperationCompleted);
4:     }
5:     this.InvokeAsync("faturayaItirazEdildi", new object[] {
6:         ettnList,
7:         gelenGiden,
8:         iptalSenaryosu}, this.faturayaItirazEdildiOperationCompleted, userState);
9: }

```

**1.1.3.1.17.2.54 connectorService.faturayaltirazEdildiIptal Method****C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
faturayaItirazEdildiIptal([System.Xml.Serialization.XmlElementAttribute("ettnList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnList,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gelenGiden,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string iptalSenaryosu);
```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
faturayaItirazEdildiIptal([System.Xml.Serialization.XmlElementAttribute("ettnList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnList,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gelenGiden,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string iptalSenaryosu) {
4:     object[] results = this.Invoke("faturayaItirazEdildiIptal", new object[] {
5:         ettnList,
6:         gelenGiden,

```

```

7:             iptalSenaryosu});
8:         return ((bool)(results[0]));
9:     }

```

### 1.1.3.1.17.2.55 faturayaltirazEdildilptalAsync Method

#### 1.1.3.1.17.2.55.1 connectorService.faturayaltirazEdildilptalAsync Method (string[], string, string)

C#

```
public void faturayaItirazEdildiIptalAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu);
```

**Body Source**

```

1: public void faturayaItirazEdildiIptalAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu) {
2:     this.faturayaItirazEdildiIptalAsync(ettnList, gelenGiden, iptalSenaryosu, null);
3: }

```

#### 1.1.3.1.17.2.55.2 connectorService.faturayaltirazEdildilptalAsync Method (string[], string, string, object)

C#

```
public void faturayaItirazEdildiIptalAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu, object userState);
```

**Body Source**

```

1: public void faturayaItirazEdildiIptalAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu, object userState) {
2:     if ((this.faturayaItirazEdildiIptalOperationCompleted == null)) {
3:         this.faturayaItirazEdildiIptalOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturayaItirazEdildiIptalOperationCompleted);
4:     }
5:     this.InvokeAsync("faturayaItirazEdildiIptal", new object[] {
6:         ettnList,
7:         gelenGiden,
8:         iptalSenaryosu}, this.faturayaItirazEdildiIptalOperationCompleted,
userState);
9: }

```

### 1.1.3.1.17.2.56 connectorService.gelenBelgeDurumSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType
gelenBelgeDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
```

```

2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType
gelenBelgeDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru) {
4:     object[] results = this.Invoke("gelenBelgeDurumSorgula", new object[] {
5:         vergiTcKimlikNo,
6:         ettn,
7:         belgeTuru});
8:     return ((serviceReturnType)(results[0]));
9: }

```

### 1.1.3.1.17.2.57 gelenBelgeDurumSorgulaAsync Method

#### 1.1.3.1.17.2.57.1 connectorService.gelenBelgeDurumSorgulaAsync Method (string, string, string)

C#

```
public void gelenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string ettn, string belgeTuru);
```

**Body Source**

```

1: public void gelenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string ettn, string
belgeTuru) {
2:     this.gelenBelgeDurumSorgulaAsync(vergiTcKimlikNo, ettn, belgeTuru, null);
3: }

```

#### 1.1.3.1.17.2.57.2 connectorService.gelenBelgeDurumSorgulaAsync Method (string, string, string, object)

C#

```
public void gelenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string ettn, string
belgeTuru, object userState);
```

**Body Source**

```

1: public void gelenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string ettn, string
belgeTuru, object userState) {
2:     if ((this.gelenBelgeDurumSorgulaOperationCompleted == null)) {
3:         this.gelenBelgeDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeDurumSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeDurumSorgula", new object[] {
6:         vergiTcKimlikNo,
7:         ettn,
8:         belgeTuru}, this.gelenBelgeDurumSorgulaOperationCompleted, userState);
9: }

```

### 1.1.3.1.17.2.58 connectorService.gelenBelgeDurumSorgulaExt Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType
gelenBelgeDurumSorgulaExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)])

```

```

gelenBelgeParametreleri parametreler);
Body Source
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType
gelenBelgeDurumSorgulaExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
gelenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("gelenBelgeDurumSorgulaExt", new object[] {
5:         parametreler});
6:     return ((serviceReturnType)(results[0]));
7: }

```

### 1.1.3.1.17.2.59 gelenBelgeDurumSorgulaExtAsync Method

#### 1.1.3.1.17.2.59.1 connectorService.gelenBelgeDurumSorgulaExtAsync Method (gelenBelgeParametreleri)

C#

```
public void gelenBelgeDurumSorgulaExtAsync(gelenBelgeParametreleri parametreler);
```

**Body Source**

```

1: public void gelenBelgeDurumSorgulaExtAsync(gelenBelgeParametreleri parametreler) {
2:     this.gelenBelgeDurumSorgulaExtAsync(parametreler, null);
3: }

```

#### 1.1.3.1.17.2.59.2 connectorService.gelenBelgeDurumSorgulaExtAsync Method (gelenBelgeParametreleri, object)

C#

```
public void gelenBelgeDurumSorgulaExtAsync(gelenBelgeParametreleri parametreler, object
userState);
```

**Body Source**

```

1: public void gelenBelgeDurumSorgulaExtAsync(gelenBelgeParametreleri parametreler, object
userState) {
2:     if ((this.gelenBelgeDurumSorgulaExtOperationCompleted == null)) {
3:         this.gelenBelgeDurumSorgulaExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeDurumSorgulaExtOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeDurumSorgulaExt", new object[] {
6:         parametreler}, this.gelenBelgeDurumSorgulaExtOperationCompleted,
userState);
7: }

```

### 1.1.3.1.17.2.60 connectorService.gelenBelgeEkleriAI Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gelenBelgeEkleriAI([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string uuid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
```

```

ed)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru);

Body Source
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gelenBelgeEkleriAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string uuid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru) {
4:     object[] results = this.Invoke("gelenBelgeEkleriAl", new object[] {
5:         uuid,
6:         vknTckn,
7:         belgeTuru});
8:     return ((byte[])(results[0]));
9: }

```

#### 1.1.3.1.17.2.61 gelenBelgeEkleriAlAsync Method

##### 1.1.3.1.17.2.61.1 connectorService.gelenBelgeEkleriAlAsync Method (string, string, string)

C#

```
public void gelenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru);
```

**Body Source**

```

1: public void gelenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru) {
2:     this.gelenBelgeEkleriAlAsync(uuid, vknTckn, belgeTuru, null);
3: }

```

##### 1.1.3.1.17.2.61.2 connectorService.gelenBelgeEkleriAlAsync Method (string, string, string, object)

C#

```
public void gelenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru, object userState);
```

**Body Source**

```

1: public void gelenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru,
object userState) {
2:     if ((this.gelenBelgeEkleriAlOperationCompleted == null)) {
3:         this.gelenBelgeEkleriAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeEkleriAlOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeEkleriAl", new object[] {
6:         uuid,
7:         vknTckn,
8:         belgeTuru}, this.gelenBelgeEkleriAlOperationCompleted, userState);
9: }

```

### 1.1.3.1.17.2.62 connectorService.gelenBelgeleriAI Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gelenBelgeleriAI([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string sonAlinanBelgeSiraNumarasi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gelenBelgeleriAI([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string sonAlinanBelgeSiraNumarasi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru) {
4:     object[] results = this.Invoke("gelenBelgeleriAI", new object[] {
5:         vergiTcKimlikNo,
6:         sonAlinanBelgeSiraNumarasi,
7:         belgeTuru});
8:     return ((serviceReturnType[])(results[0]));
9: }
```

### 1.1.3.1.17.2.63 gelenBelgeleriAIAsync Method

#### 1.1.3.1.17.2.63.1 connectorService.gelenBelgeleriAIAsync Method (string, string, string)

C#

```
public void gelenBelgeleriAlAsync(string vergiTcKimlikNo, string
sonAlinanBelgeSiraNumarasi, string belgeTuru);
```

**Body Source**

```
1: public void gelenBelgeleriAlAsync(string vergiTcKimlikNo, string
sonAlinanBelgeSiraNumarasi, string belgeTuru) {
2:     this.gelenBelgeleriAlAsync(vergiTcKimlikNo, sonAlinanBelgeSiraNumarasi, belgeTuru,
null);
3: }
```

### 1.1.3.1.17.2.63.2 connectorService.gelenBelgeleriAlAsync Method (string, string, string, object)

C#

```
public void gelenBelgeleriAlAsync(string vergiTcKimlikNo, string
sonAlinanBelgeSiraNumarasi, string belgeTuru, object userState);
```

#### Body Source

```
1: public void gelenBelgeleriAlAsync(string vergiTcKimlikNo, string
sonAlinanBelgeSiraNumarasi, string belgeTuru, object userState) {
2:     if ((this.gelenBelgeleriAlOperationCompleted == null)) {
3:         this.gelenBelgeleriAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeleriAlOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeleriAl", new object[] {
6:         vergiTcKimlikNo,
7:         sonAlinanBelgeSiraNumarasi,
8:         belgeTuru}, this.gelenBelgeleriAlOperationCompleted, userState);
9: }
```

### 1.1.3.1.17.2.64 connectorService.gelenBelgeleriAlExt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gelenBelgeleriAlExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler);
```

#### Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gelenBelgeleriAlExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("gelenBelgeleriAlExt", new object[] {
5:         parametreler});
6:     return ((serviceReturnType[])(results[0]));
7: }
```

### 1.1.3.1.17.2.65 connectorService.gelenBelgeleriAlExt2 Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gelenBelgeleriAlExt2([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
lSchemaForm.Unqualified)]
string vergiTcKimlikNo,
```

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru, [System.Xml.Serialization.XmlArrayItemAttribute("entry",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=false)]
gelenBelgeleriAlExt2Entry[] parametreler);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gelenBelgeleriAlExt2([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
lSchemaForm.Unqualified])
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlArrayAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
[System.Xml.Serialization.XmlArrayItemAttribute("entry",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=false)]
gelenBelgeleriAlExt2Entry[] parametreler) {
4:     object[] results = this.Invoke("gelenBelgeleriAlExt2", new object[] {
5:         vergiTcKimlikNo,
6:         belgeTuru,
7:         parametreler});
8:     return ((serviceReturnType[])(results[0]));
9: }
```

**1.1.3.1.17.2.66 gelenBelgeleriAlExt2Async Method****1.1.3.1.17.2.66.1 connectorService.gelenBelgeleriAlExt2Async Method (string, string, gelenBelgeleriAlExt2Entry[])****C#**

```
public void gelenBelgeleriAlExt2Async(string vergiTcKimlikNo, string belgeTuru,
gelenBelgeleriAlExt2Entry[] parametreler);
```

**Body Source**

```
1: public void gelenBelgeleriAlExt2Async(string vergiTcKimlikNo, string belgeTuru,
gelenBelgeleriAlExt2Entry[] parametreler) {
2:     this.gelenBelgeleriAlExt2Async(vergiTcKimlikNo, belgeTuru, parametreler, null);
3: }
```

**1.1.3.1.17.2.66.2 connectorService.gelenBelgeleriAlExt2Async Method (string, string, gelenBelgeleriAlExt2Entry[], object)****C#**

```
public void gelenBelgeleriAlExt2Async(string vergiTcKimlikNo, string belgeTuru,
gelenBelgeleriAlExt2Entry[] parametreler, object userState);
```

**Body Source**

```
1: public void gelenBelgeleriAlExt2Async(string vergiTcKimlikNo, string belgeTuru,
gelenBelgeleriAlExt2Entry[] parametreler, object userState) {
2:     if ((this.gelenBelgeleriAlExt2OperationCompleted == null)) {
3:         this.gelenBelgeleriAlExt2OperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeleriAlExt2OperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeleriAlExt2", new object[] {
6:         vergiTcKimlikNo,
7:         belgeTuru,
```

```

8:             parametreler}, this.gelenBelgeleriAlExt2OperationCompleted, userState);
9: }

```

### 1.1.3.1.17.2.67 gelenBelgeleriAlExtAsync Method

#### 1.1.3.1.17.2.67.1 connectorService.gelenBelgeleriAlExtAsync Method (gelenBelgeParametreleri)

C#

```
public void gelenBelgeleriAlExtAsync(gelenBelgeParametreleri parametreler);
```

##### Body Source

```

1: public void gelenBelgeleriAlExtAsync(gelenBelgeParametreleri parametreler) {
2:     this.gelenBelgeleriAlExtAsync(parametreler, null);
3: }

```

#### 1.1.3.1.17.2.67.2 connectorService.gelenBelgeleriAlExtAsync Method (gelenBelgeParametreleri, object)

C#

```
public void gelenBelgeleriAlExtAsync(gelenBelgeParametreleri parametreler, object
userState);
```

##### Body Source

```

1: public void gelenBelgeleriAlExtAsync(gelenBelgeParametreleri parametreler, object
userState) {
2:     if ((this.gelenBelgeleriAlExtOperationCompleted == null)) {
3:         this.gelenBelgeleriAlExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeleriAlExtOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeleriAlExt", new object[] {
6:         parametreler}, this.gelenBelgeleriAlExtOperationCompleted, userState);
7: }

```

### 1.1.3.1.17.2.68 connectorService.gelenBelgeleriIndir Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gelenBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeFormati);
```

##### Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gelenBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)])
```

```

string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati) {
4:     object[] results = this.Invoke("gelenBelgeleriIndir", new object[] {
5:         vergiTcKimlikNo,
6:         ettnler,
7:         belgeTuru,
8:         belgeFormati});
9:     return ((byte[])(results[0]));
10: }

```

#### 1.1.3.1.17.2.69 gelenBelgeleriIndirAsync Method

##### 1.1.3.1.17.2.69.1 connectorService.gelenBelgeleriIndirAsync Method (string, string[], string, string)

C#

```
public void gelenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler, string
belgeTuru, string belgeFormati);
```

**Body Source**

```

1: public void gelenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler, string
belgeTuru, string belgeFormati) {
2:     this.gelenBelgeleriIndirAsync(vergiTcKimlikNo, ettnler, belgeTuru, belgeFormati,
null);
3: }

```

##### 1.1.3.1.17.2.69.2 connectorService.gelenBelgeleriIndirAsync Method (string, string[], string, string, object)

C#

```
public void gelenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler, string
belgeTuru, string belgeFormati, object userState);
```

**Body Source**

```

1: public void gelenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler, string
belgeTuru, string belgeFormati, object userState) {
2:     if ((this.gelenBelgeleriIndirOperationCompleted == null)) {
3:         this.gelenBelgeleriIndirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeleriIndirOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeleriIndir", new object[] {
6:         vergiTcKimlikNo,
7:         ettnler,
8:         belgeTuru,
9:         belgeFormati}, this.gelenBelgeleriIndirOperationCompleted, userState);
10: }

```

#### 1.1.3.1.17.2.70 connectorService.gelenBelgeleriIndirExt Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gelenBelgeleriIndirExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler);

```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gelenBelgeleriIndirExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("gelenBelgeleriIndirExt", new object[] {
5:         parametreler});
6:     return ((byte[])(results[0]));
7: }

```

**1.1.3.1.17.2.71 gelenBelgeleriIndirExtAsync Method****1.1.3.1.17.2.71.1 connectorService.gelenBelgeleriIndirExtAsync Method (gelenBelgeParametreleri)****C#**

```
public void gelenBelgeleriIndirExtAsync(gelenBelgeParametreleri parametreler);
```

**Body Source**

```

1: public void gelenBelgeleriIndirExtAsync(gelenBelgeParametreleri parametreler) {
2:     this.gelenBelgeleriIndirExtAsync(parametreler, null);
3: }

```

**1.1.3.1.17.2.71.2 connectorService.gelenBelgeleriIndirExtAsync Method (gelenBelgeParametreleri, object)****C#**

```
public void gelenBelgeleriIndirExtAsync(gelenBelgeParametreleri parametreler, object
userState);
```

**Body Source**

```

1: public void gelenBelgeleriIndirExtAsync(gelenBelgeParametreleri parametreler, object
userState) {
2:     if ((this.gelenBelgeleriIndirExtOperationCompleted == null)) {
3:         this.gelenBelgeleriIndirExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeleriIndirExtOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeleriIndirExt", new object[] {
6:         parametreler}, this.gelenBelgeleriIndirExtOperationCompleted, userState);
7: }

```

**1.1.3.1.17.2.72 connectorService.gelenBelgeleriListele Method****C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gelenBelgeleriListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string sonAlinanBelgeSiraNumarasi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]

```

```
ed)]
string belgeTuru);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gelenBelgeleriListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string sonAlinanBelgeSiraNumarasi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru) {
4:     object[] results = this.Invoke("gelenBelgeleriListele", new object[] {
5:         vergiTcKimlikNo,
6:         sonAlinanBelgeSiraNumarasi,
7:         belgeTuru});
8:     return ((serviceReturnType[])(results[0]));
9: }
```

**1.1.3.1.17.2.73 gelenBelgeleriListeleAsync Method****1.1.3.1.17.2.73.1 connectorService.gelenBelgeleriListeleAsync Method (string, string, string)****C#**

```
public void gelenBelgeleriListeleAsync(string vergiTcKimlikNo, string
sonAlinanBelgeSiraNumarasi, string belgeTuru);
```

**Body Source**

```
1: public void gelenBelgeleriListeleAsync(string vergiTcKimlikNo, string
sonAlinanBelgeSiraNumarasi, string belgeTuru) {
2:     this.gelenBelgeleriListeleAsync(vergiTcKimlikNo, sonAlinanBelgeSiraNumarasi,
belgeTuru, null);
3: }
```

**1.1.3.1.17.2.73.2 connectorService.gelenBelgeleriListeleAsync Method (string, string, string, object)****C#**

```
public void gelenBelgeleriListeleAsync(string vergiTcKimlikNo, string
sonAlinanBelgeSiraNumarasi, string belgeTuru, object userState);
```

**Body Source**

```
1: public void gelenBelgeleriListeleAsync(string vergiTcKimlikNo, string
sonAlinanBelgeSiraNumarasi, string belgeTuru, object userState) {
2:     if ((this.gelenBelgeleriListeleOperationCompleted == null)) {
3:         this.gelenBelgeleriListeleOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeleriListeleOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeleriListele", new object[] {
6:         vergiTcKimlikNo,
7:         sonAlinanBelgeSiraNumarasi,
8:         belgeTuru}, this.gelenBelgeleriListeleOperationCompleted, userState);
9: }
```

### 1.1.3.1.17.2.74 connectorService.gelenBelgeleriListeleExt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gelenBelgeleriListeleExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler);
```

#### Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gelenBelgeleriListeleExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("gelenBelgeleriListeleExt", new object[] {
5:         parametreler});
6:     return ((serviceReturnType[])(results[0]));
7: }
```

### 1.1.3.1.17.2.75 gelenBelgeleriListeleExtAsync Method

#### 1.1.3.1.17.2.75.1 connectorService.gelenBelgeleriListeleExtAsync Method (gelenBelgeParametreleri)

C#

```
public void gelenBelgeleriListeleExtAsync(gelenBelgeParametreleri parametreler);
```

#### Body Source

```
1: public void gelenBelgeleriListeleExtAsync(gelenBelgeParametreleri parametreler) {
2:     this.gelenBelgeleriListeleExtAsync(parametreler, null);
3: }
```

#### 1.1.3.1.17.2.75.2 connectorService.gelenBelgeleriListeleExtAsync Method (gelenBelgeParametreleri, object)

C#

```
public void gelenBelgeleriListeleExtAsync(gelenBelgeParametreleri parametreler, object
userState);
```

#### Body Source

```
1: public void gelenBelgeleriListeleExtAsync(gelenBelgeParametreleri parametreler, object
userState) {
2:     if ((this.gelenBelgeleriListeleExtOperationCompleted == null)) {
3:         this.gelenBelgeleriListeleExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeleriListeleExtOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeleriListeleExt", new object[] {
6:         parametreler}, this.gelenBelgeleriListeleExtOperationCompleted,
userState);
7: }
```

### 1.1.3.1.17.2.76 connectorService.gelenBelgeTutarBilgileriSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gelenBelgeTutarBilgileriSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string baslangicGelisTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string bitisGelisTarihi);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gelenBelgeTutarBilgileriSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string baslangicGelisTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string bitisGelisTarihi) {
4:     object[] results = this.Invoke("gelenBelgeTutarBilgileriSorgula", new object[] {
5:         vergiTcKimlikNo,
6:         belgeTuru,
7:         baslangicGelisTarihi,
8:         bitisGelisTarihi});
9:     return ((serviceReturnType[])(results[0]));
10: }
```

### 1.1.3.1.17.2.77 gelenBelgeTutarBilgileriSorgulaAsync Method

#### 1.1.3.1.17.2.77.1 connectorService.gelenBelgeTutarBilgileriSorgulaAsync Method (string, string, string, string)

C#

```
public void gelenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string belgeTuru,
string baslangicGelisTarihi, string bitisGelisTarihi);
```

**Body Source**

```
1: public void gelenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string
belgeTuru, string baslangicGelisTarihi, string bitisGelisTarihi) {
```

```

2:     this.gelenBelgeTutarBilgileriSorgulaAsync(vergiTcKimlikNo, belgeTuru,
baslangicGelisTarihi, bitisGelisTarihi, null);
3: }

```

### 1.1.3.1.17.2.77.2 connectorService.gelenBelgeTutarBilgileriSorgulaAsync Method (string, string, string, string, object)

C#

```

public void gelenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string belgeTuru,
string baslangicGelisTarihi, string bitisGelisTarihi, object userState);

```

#### Body Source

```

1: public void gelenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string
belgeTuru, string baslangicGelisTarihi, string bitisGelisTarihi, object userState) {
2:     if ((this.gelenBelgeTutarBilgileriSorgulaOperationCompleted == null)) {
3:         this.gelenBelgeTutarBilgileriSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeTutarBilgileriSorgulaOperationCompleted
);
4:     }
5:     this.InvokeAsync("gelenBelgeTutarBilgileriSorgula", new object[] {
6:         vergiTcKimlikNo,
7:         belgeTuru,
8:         baslangicGelisTarihi,
9:         bitisGelisTarihi},
this.gelenBelgeTutarBilgileriSorgulaOperationCompleted, userState);
10: }

```

### 1.1.3.1.17.2.78 connectorService.gelenBelgeXmlleriniAl Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string[]
gelenBelgeXmlleriniAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru);

```

#### Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string[]
gelenBelgeXmlleriniAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru) {
4:     object[] results = this.Invoke("gelenBelgeXmlleriniAl", new object[] {
5:         vergiTcKimlikNo,
6:         ettnler,
7:         belgeTuru});

```

```

8:     return ((string[])(results[0]));
9: }

```

### 1.1.3.1.17.2.79 gelenBelgeXmlleriniAlAsync Method

#### 1.1.3.1.17.2.79.1 connectorService.gelenBelgeXmlleriniAlAsync Method (string, string[], string)

C#

```
public void gelenBelgeXmlleriniAlAsync(string vergiTcKimlikNo, string[] ettnler, string
belgeTuru);
```

##### Body Source

```

1: public void gelenBelgeXmlleriniAlAsync(string vergiTcKimlikNo, string[] ettnler, string
belgeTuru) {
2:     this.gelenBelgeXmlleriniAlAsync(vergiTcKimlikNo, ettnler, belgeTuru, null);
3: }

```

#### 1.1.3.1.17.2.79.2 connectorService.gelenBelgeXmlleriniAlAsync Method (string, string[], string, object)

C#

```
public void gelenBelgeXmlleriniAlAsync(string vergiTcKimlikNo, string[] ettnler, string
belgeTuru, object userState);
```

##### Body Source

```

1: public void gelenBelgeXmlleriniAlAsync(string vergiTcKimlikNo, string[] ettnler, string
belgeTuru, object userState) {
2:     if ((this.gelenBelgeXmlleriniAlOperationCompleted == null)) {
3:         this.gelenBelgeXmlleriniAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeXmlleriniAlOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeXmlleriniAl", new object[] {
6:         vergiTcKimlikNo,
7:         ettnler,
8:         belgeTuru}, this.gelenBelgeXmlleriniAlOperationCompleted, userState);
9: }

```

#### 1.1.3.1.17.2.80 connectorService.gelenBelgeXmlleriniAlExt Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gelenBelgeXmlleriniAlExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler);

```

##### Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gelenBelgeXmlleriniAlExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("gelenBelgeXmlleriniAlExt", new object[] {
5:         parametreler});

```

```

6:     return ((byte[])(results[0]));
7: }

```

### 1.1.3.1.17.2.81 gelenBelgeXmlleriniAlExtAsync Method

#### 1.1.3.1.17.2.81.1 connectorService.gelenBelgeXmlleriniAlExtAsync Method (gelenBelgeParametreleri)

C#

```
public void gelenBelgeXmlleriniAlExtAsync(gelenBelgeParametreleri parametreler);
```

**Body Source**

```

1: public void gelenBelgeXmlleriniAlExtAsync(gelenBelgeParametreleri parametreler) {
2:     this.gelenBelgeXmlleriniAlExtAsync(parametreler, null);
3: }

```

#### 1.1.3.1.17.2.81.2 connectorService.gelenBelgeXmlleriniAlExtAsync Method (gelenBelgeParametreleri, object)

C#

```
public void gelenBelgeXmlleriniAlExtAsync(gelenBelgeParametreleri parametreler, object userState);
```

**Body Source**

```

1: public void gelenBelgeXmlleriniAlExtAsync(gelenBelgeParametreleri parametreler, object userState) {
2:     if ((this.gelenBelgeXmlleriniAlExtOperationCompleted == null)) {
3:         this.gelenBelgeXmlleriniAlExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeXmlleriniAlExtOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeXmlleriniAlExt", new object[] {
6:         parametreler}, this.gelenBelgeXmlleriniAlExtOperationCompleted,
userState);
7: }

```

### 1.1.3.1.17.2.82 connectorService.gelenFaturalariArsiveKaldır Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
gelenFaturalariArsiveKaldır([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("invoiceEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] invoiceEttnListesi);
```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
gelenFaturalariArsiveKaldır([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("invoiceEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] invoiceEttnListesi) {
3:     this.Invoke("gelenFaturalariArsiveKaldır", new object[] {
4:         vergiTcKimlikNo,
5:         invoiceEttnListesi});
6: }

```

### 1.1.3.1.17.2.83 gelenFaturalariArsiveKaldirAsync Method

#### 1.1.3.1.17.2.83.1 connectorService.gelenFaturalariArsiveKaldirAsync Method (string, string[])

C#

```
public void gelenFaturalariArsiveKaldirAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi);
```

**Body Source**

```
1: public void gelenFaturalariArsiveKaldirAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi) {
2:     this.gelenFaturalariArsiveKaldirAsync(vergiTcKimlikNo, invoiceEttnListesi, null);
3: }
```

#### 1.1.3.1.17.2.83.2 connectorService.gelenFaturalariArsiveKaldirAsync Method (string, string[], object)

C#

```
public void gelenFaturalariArsiveKaldirAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi, object userState);
```

**Body Source**

```
1: public void gelenFaturalariArsiveKaldirAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi, object userState) {
2:     if ((this.gelenFaturalariArsiveKaldirOperationCompleted == null)) {
3:         this.gelenFaturalariArsiveKaldirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenFaturalariArsiveKaldirOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenFaturalariArsiveKaldir", new object[] {
6:         vergiTcKimlikNo,
7:         invoiceEttnListesi}, this.gelenFaturalariArsiveKaldirOperationCompleted,
userState);
8: }
```

### 1.1.3.1.17.2.84 connectorService.gelenIrsaliyeleriArsiveKaldir Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
gelenIrsaliyeleriArsiveKaldir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute("despatchEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] despatchEttnListesi);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
gelenIrsaliyeleriArsiveKaldir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute("despatchEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] despatchEttnListesi) {
3:     this.Invoke("gelenIrsaliyeleriArsiveKaldir", new object[] {
4:         vergiTcKimlikNo,
5:         despatchEttnListesi});
6: }
```

### 1.1.3.1.17.2.85 gelenIrsaliyeleriArsiveKaldırAsync Method

#### 1.1.3.1.17.2.85.1 connectorService.gelenIrsaliyeleriArsiveKaldırAsync Method (string, string[])

C#

```
public void gelenIrsaliyeleriArsiveKaldırAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi);
```

**Body Source**

```
1: public void gelenIrsaliyeleriArsiveKaldırAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi) {
2:     this.gelenIrsaliyeleriArsiveKaldırAsync(vergiTcKimlikNo, despatchEttnListesi, null);
3: }
```

#### 1.1.3.1.17.2.85.2 connectorService.gelenIrsaliyeleriArsiveKaldırAsync Method (string, string[], object)

C#

```
public void gelenIrsaliyeleriArsiveKaldırAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi, object userState);
```

**Body Source**

```
1: public void gelenIrsaliyeleriArsiveKaldırAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi, object userState) {
2:     if ((this.gelenIrsaliyeleriArsiveKaldırOperationCompleted == null)) {
3:         this.gelenIrsaliyeleriArsiveKaldırOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenIrsaliyeleriArsiveKaldırOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenIrsaliyeleriArsiveKaldır", new object[] {
6:         vergiTcKimlikNo,
7:         despatchEttnListesi},
this.gelenIrsaliyeleriArsiveKaldırOperationCompleted, userState);
8: }
```

### 1.1.3.1.17.2.86 connectorService.gelenStandartRapolariAI Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gelenStandartRapolariAI([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema
.XmlSchemaForm.Unqualified)]
string gönderenVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string aliciVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string baslangicTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string bitisTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gönderimBaslangicTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gönderimBitisTarihi);
```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gelenStandartRapolariAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gonderenVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string aliciVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string baslangicTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string bitisTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gonderimBaslangicTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gonderimBitisTarihi) {
4:     object[] results = this.Invoke("gelenStandartRapolariAl", new object[] {
5:         gonderenVknTckn,
6:         aliciVknTckn,
7:         baslangicTarihi,
8:         bitisTarihi,
9:         gonderimBaslangicTarihi,
10:        gonderimBitisTarihi});
11:     return ((byte[])(results[0]));
12: }

```

**1.1.3.1.17.2.87 gelenStandartRapolariAIAsync Method****1.1.3.1.17.2.87.1 connectorService.gelenStandartRapolariAIAsync Method (string, string, string, string, string, string)****C#**

```
public void gelenStandartRapolariAIAsync(string gonderenVknTckn, string aliciVknTckn,
string baslangicTarihi, string bitisTarihi, string gonderimBaslangicTarihi, string
gonderimBitisTarihi);
```

**Body Source**

```

1: public void gelenStandartRapolariAIAsync(string gonderenVknTckn, string aliciVknTckn,
string baslangicTarihi, string bitisTarihi, string gonderimBaslangicTarihi, string
gonderimBitisTarihi) {
2:     this.gelenStandartRapolariAIAsync(gonderenVknTckn, aliciVknTckn, baslangicTarihi,
bitisTarihi, gonderimBaslangicTarihi, gonderimBitisTarihi, null);
3: }

```

**1.1.3.1.17.2.87.2 connectorService.gelenStandartRapolariAIAsync Method (string, string, string, string, string, string, object)****C#**

```
public void gelenStandartRapolariAIAsync(string gonderenVknTckn, string aliciVknTckn,
string baslangicTarihi, string bitisTarihi, string gonderimBaslangicTarihi, string
gonderimBitisTarihi, object userState);
```

**Body Source**

```

1: public void gelenStandartRapolariAlAsync(string gonderenVknTckn, string aliciVknTckn,
2: string baslangicTarihi, string bitisTarihi, string gonderimBaslangicTarihi, string
3: gonderimBitisTarihi, object userState) {
4:     if ((this.gelenStandartRapolariAlOperationCompleted == null)) {
5:         this.gelenStandartRapolariAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenStandartRapolariAlOperationCompleted);
6:     }
7:     this.InvokeAsync("gelenStandartRapolariAl", new object[] {
8:         gonderenVknTckn,
9:         aliciVknTckn,
10:        baslangicTarihi,
11:        bitisTarihi,
12:        gonderimBaslangicTarihi,
13:        gonderimBitisTarihi}, this.gelenStandartRapolariAlOperationCompleted,
userState);
14: }
```

**1.1.3.1.17.2.88 connectorService.gelenTamamlananRapolariAl Method****C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gelenTamamlananRapolariAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
string gonderenVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string aliciVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gelisBasTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gelisBitTarihi);
```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gelenTamamlananRapolariAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
string gonderenVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string aliciVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gelisBasTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gelisBitTarihi) {
4:     object[] results = this.Invoke("gelenTamamlananRapolariAl", new object[] {
5:         gonderenVknTckn,
6:         aliciVknTckn,
```

```

7:             gelisBasTarihi,
8:             gelisBitTarihi});
9:     return ((byte[])(results[0]));
10: }

```

### 1.1.3.1.17.2.89 gelenTamamlananRapolariAlAsync Method

#### 1.1.3.1.17.2.89.1 connectorService.gelenTamamlananRapolariAlAsync Method (string, string, string, string)

C#

```
public void gelenTamamlananRapolariAlAsync(string gonderenVknTckn, string aliciVknTckn,
string gelisBasTarihi, string gelisBitTarihi);
```

**Body Source**

```

1: public void gelenTamamlananRapolariAlAsync(string gonderenVknTckn, string aliciVknTckn,
string gelisBasTarihi, string gelisBitTarihi) {
2:     this.gelenTamamlananRapolariAlAsync(gonderenVknTckn, aliciVknTckn, gelisBasTarihi,
gelisBitTarihi, null);
3: }

```

#### 1.1.3.1.17.2.89.2 connectorService.gelenTamamlananRapolariAlAsync Method (string, string, string, object)

C#

```
public void gelenTamamlananRapolariAlAsync(string gonderenVknTckn, string aliciVknTckn,
string gelisBasTarihi, string gelisBitTarihi, object userState);
```

**Body Source**

```

1: public void gelenTamamlananRapolariAlAsync(string gonderenVknTckn, string aliciVknTckn,
string gelisBasTarihi, string gelisBitTarihi, object userState) {
2:     if ((this.gelenTamamlananRapolariAlOperationCompleted == null)) {
3:         this.gelenTamamlananRapolariAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenTamamlananRapolariAlOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenTamamlananRapolariAl", new object[] {
6:         gonderenVknTckn,
7:         aliciVknTckn,
8:         gelisBasTarihi,
9:         gelisBitTarihi}, this.gelenTamamlananRapolariAlOperationCompleted,
userState);
10: }

```

### 1.1.3.1.17.2.90 connectorService.gelenTasinanBelgeleriIndir Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gelenTasinanBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sch
ema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeFormati);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
```

```

1: Use=System.Web.Services.Description.SoapBindingUse.Literal,
2: ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
3: Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gelenTasinanBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati) {
4:     object[] results = this.Invoke("gelenTasinanBelgeleriIndir", new object[] {
5:         vergiTcKimlikNo,
6:         ettnler,
7:         belgeFormati});
8:     return ((byte[])(results[0]));
9: }

```

#### 1.1.3.1.17.2.91 gelenTasinanBelgeleriIndirAsync Method

##### 1.1.3.1.17.2.91.1 connectorService.gelenTasinanBelgeleriIndirAsync Method (string, string[], string)

C#

```
public void gelenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler,
string belgeFormati);
```

**Body Source**

```

1: public void gelenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler,
2: string belgeFormati) {
3:     this.gelenTasinanBelgeleriIndirAsync(vergiTcKimlikNo, ettnler, belgeFormati, null);
4: }

```

##### 1.1.3.1.17.2.91.2 connectorService.gelenTasinanBelgeleriIndirAsync Method (string, string[], string, object)

C#

```
public void gelenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler,
string belgeFormati, object userState);
```

**Body Source**

```

1: public void gelenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler,
2: string belgeFormati, object userState) {
3:     if ((this.gelenTasinanBelgeleriIndirOperationCompleted == null)) {
4:         this.gelenTasinanBelgeleriIndirOperationCompleted = new
5: System.Threading.SendOrPostCallback(this.OngelenTasinanBelgeleriIndirOperationCompleted);
6:     }
7:     this.InvokeAsync("gelenTasinanBelgeleriIndir", new object[] {
8:         vergiTcKimlikNo,
9:         ettnler,
10:        belgeFormati}, this.gelenTasinanBelgeleriIndirOperationCompleted,
11: userState);
12: }

```

#### 1.1.3.1.17.2.92 connectorService.gidenBelgeDurumSorgula Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public gidenBelgeDurum
gidenBelgeDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.

```

```

XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeOid);

```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public gidenBelgeDurum
gidenBelgeDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified])
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeOid) {
4:     object[] results = this.Invoke("gidenBelgeDurumSorgula", new object[] {
5:         vergiTcKimlikNo,
6:         belgeOid});
7:     return ((gidenBelgeDurum)(results[0]));
8: }

```

**1.1.3.1.17.2.93 gidenBelgeDurumSorgulaAsync Method****1.1.3.1.17.2.93.1 connectorService.gidenBelgeDurumSorgulaAsync Method (string, string)****C#**

```
public void gidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string belgeOid);
```

**Body Source**

```

1: public void gidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string belgeOid) {
2:     this.gidenBelgeDurumSorgulaAsync(vergiTcKimlikNo, belgeOid, null);
3: }

```

**1.1.3.1.17.2.93.2 connectorService.gidenBelgeDurumSorgulaAsync Method (string, string, object)****C#**

```
public void gidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string belgeOid, object userState);
```

**Body Source**

```

1: public void gidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string belgeOid, object userState) {
2:     if ((this.gidenBelgeDurumSorgulaOperationCompleted == null)) {
3:         this.gidenBelgeDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeDurumSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeDurumSorgula", new object[] {
6:         vergiTcKimlikNo,
7:         belgeOid}, this.gidenBelgeDurumSorgulaOperationCompleted, userState);
8: }

```

**1.1.3.1.17.2.94 connectorService.gidenBelgeDurumSorgulaBelgeNo Method****C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
```

```
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public gidenBelgeDurum
gidenBelgeDurumSorgulaBelgeNo([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi-
ed)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi-
ed)]
string urun);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public gidenBelgeDurum
gidenBelgeDurumSorgulaBelgeNo([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi-
ed)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi-
ed)]
string urun) {
4:     object[] results = this.Invoke("gidenBelgeDurumSorgulaBelgeNo", new object[] {
5:         vergiTcKimlikNo,
6:         belgeNo,
7:         urun});
8:     return ((gidenBelgeDurum)(results[0]));
9: }
```

**1.1.3.1.17.2.95 gidenBelgeDurumSorgulaBelgeNoAsync Method****1.1.3.1.17.2.95.1 connectorService.gidenBelgeDurumSorgulaBelgeNoAsync Method (string, string, string)****C#**

```
public void gidenBelgeDurumSorgulaBelgeNoAsync(string vergiTcKimlikNo, string belgeNo,
string urun);
```

**Body Source**

```
1: public void gidenBelgeDurumSorgulaBelgeNoAsync(string vergiTcKimlikNo, string belgeNo,
string urun) {
2:     this.gidenBelgeDurumSorgulaBelgeNoAsync(vergiTcKimlikNo, belgeNo, urun, null);
3: }
```

**1.1.3.1.17.2.95.2 connectorService.gidenBelgeDurumSorgulaBelgeNoAsync Method (string, string, string, object)****C#**

```
public void gidenBelgeDurumSorgulaBelgeNoAsync(string vergiTcKimlikNo, string belgeNo,
string urun, object userState);
```

**Body Source**

```
1: public void gidenBelgeDurumSorgulaBelgeNoAsync(string vergiTcKimlikNo, string belgeNo,
string urun, object userState) {
2:     if ((this.gidenBelgeDurumSorgulaBelgeNoOperationCompleted == null)) {
3:         this.gidenBelgeDurumSorgulaBelgeNoOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeDurumSorgulaBelgeNoOperationCompleted);
```

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com*

```

4:      }
5:      this.InvokeAsync("gidenBelgeDurumSorgulaBelgeNo", new object[] {
6:          vergiTcKimlikNo,
7:          belgeNo,
8:          urun}, this.gidenBelgeDurumSorgulaBelgeNoOperationCompleted, userState);
9:  }

```

### 1.1.3.1.17.2.96 connectorService.gidenBelgeDurumSorgulaEttn Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public gidenBelgeDurum
gidenBelgeDurumSorgulaEttn([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sch
ema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ettn);

```

#### Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public gidenBelgeDurum
gidenBelgeDurumSorgulaEttn([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sch
ema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed])
string ettn) {
4:     object[] results = this.Invoke("gidenBelgeDurumSorgulaEttn", new object[] {
5:         vergiTcKimlikNo,
6:         ettn});
7:     return ((gidenBelgeDurum)(results[0]));
8: }

```

### 1.1.3.1.17.2.97 gidenBelgeDurumSorgulaEttnAsync Method

#### 1.1.3.1.17.2.97.1 connectorService.gidenBelgeDurumSorgulaEttnAsync Method (string, string)

C#

```
public void gidenBelgeDurumSorgulaEttnAsync(string vergiTcKimlikNo, string ettn);
```

#### Body Source

```

1: public void gidenBelgeDurumSorgulaEttnAsync(string vergiTcKimlikNo, string ettn) {
2:     this.gidenBelgeDurumSorgulaEttnAsync(vergiTcKimlikNo, ettn, null);
3: }

```

#### 1.1.3.1.17.2.97.2 connectorService.gidenBelgeDurumSorgulaEttnAsync Method (string, string, object)

C#

```
public void gidenBelgeDurumSorgulaEttnAsync(string vergiTcKimlikNo, string ettn, object
userState);
```

**Body Source**

```

1: public void gidenBelgeDurumSorgulaEttnAsync(string vergiTcKimlikNo, string ettn, object
userState) {
2:     if ((this.gidenBelgeDurumSorgulaEttnOperationCompleted == null)) {
3:         this.gidenBelgeDurumSorgulaEttnOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeDurumSorgulaEttnOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeDurumSorgulaEttn", new object[] {
6:         vergiTcKimlikNo,
7:         ettn}, this.gidenBelgeDurumSorgulaEttnOperationCompleted, userState);
8: }

```

**1.1.3.1.17.2.98 connectorService.gidenBelgeDurumSorgulaExt Method****C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType
gidenBelgeDurumSorgulaExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
gidenBelgeDurumParametreleri parametreler);

```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType
gidenBelgeDurumSorgulaExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
gidenBelgeDurumParametreleri parametreler) {
4:     object[] results = this.Invoke("gidenBelgeDurumSorgulaExt", new object[] {
5:         vergiTcKimlikNo,
6:         parametreler});
7:     return ((serviceReturnType)(results[0]));
8: }

```

**1.1.3.1.17.2.99 gidenBelgeDurumSorgulaExtAsync Method****1.1.3.1.17.2.99.1 connectorService.gidenBelgeDurumSorgulaExtAsync Method (string,
gidenBelgeDurumParametreleri)****C#**

```

public void gidenBelgeDurumSorgulaExtAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler);

```

**Body Source**

```

1: public void gidenBelgeDurumSorgulaExtAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler) {
2:     this.gidenBelgeDurumSorgulaExtAsync(vergiTcKimlikNo, parametreler, null);

```

```
3: }
```

### 1.1.3.1.17.2.99.2 connectorService.gidenBelgeDurumSorgulaExtAsync Method (string, gidenBelgeDurumParametreleri, object)

C#

```
public void gidenBelgeDurumSorgulaExtAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler, object userState);
```

#### Body Source

```
1: public void gidenBelgeDurumSorgulaExtAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler, object userState) {
2:     if ((this.gidenBelgeDurumSorgulaExtOperationCompleted == null)) {
3:         this.gidenBelgeDurumSorgulaExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeDurumSorgulaExtOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeDurumSorgulaExt", new object[] {
6:         vergiTcKimlikNo,
7:         parametreler}, this.gidenBelgeDurumSorgulaExtOperationCompleted,
userState);
8: }
```

### 1.1.3.1.17.2.100 connectorService.gidenBelgeDurumSorgulaPortal Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gidenBelgeDurumSorgulaPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.S
chema.XmlSchemaForm.Unqualified)]
gidenBelgelerDurumSorgulaPortalParametreleri parametreler);
```

#### Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gidenBelgeDurumSorgulaPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.S
chema.XmlSchemaForm.Unqualified)]
gidenBelgelerDurumSorgulaPortalParametreleri parametreler) {
4:     object[] results = this.Invoke("gidenBelgeDurumSorgulaPortal", new object[] {
5:         parametreler});
6:     return ((serviceReturnType[])(results[0]));
7: }
```

### 1.1.3.1.17.2.101 gidenBelgeDurumSorgulaPortalAsync Method

#### 1.1.3.1.17.2.101.1 connectorService.gidenBelgeDurumSorgulaPortalAsync Method (gidenBelgelerDurumSorgulaPortalParametreleri)

C#

```
public void gidenBelgeDurumSorgulaPortalAsync(gidenBelgelerDurumSorgulaPortalParametreleri
parametreler);
```

**Body Source**

```

1: public void
gidenBelgeDurumSorgulaPortalAsync(gidenBelgelerDurumSorgulaPortalParametreleri
parametreler) {
2:     this.gidenBelgeDurumSorgulaPortalAsync(parametreler, null);
3: }

```

**1.1.3.1.17.2.101.2 connectorService.gidenBelgeDurumSorgulaPortalAsync Method  
(gidenBelgelerDurumSorgulaPortalParametreleri, object)****C#**

```
public void gidenBelgeDurumSorgulaPortalAsync(gidenBelgelerDurumSorgulaPortalParametreleri
parametreler, object userState);
```

**Body Source**

```

1: public void
gidenBelgeDurumSorgulaPortalAsync(gidenBelgelerDurumSorgulaPortalParametreleri
parametreler, object userState) {
2:     if ((this.gidenBelgeDurumSorgulaPortalOperationCompleted == null)) {
3:         this.gidenBelgeDurumSorgulaPortalOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeDurumSorgulaPortalOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeDurumSorgulaPortal", new object[] {
6:         parametreler}, this.gidenBelgeDurumSorgulaPortalOperationCompleted,
userState);
7: }

```

**1.1.3.1.17.2.102 connectorService.gidenBelgeDurumSorgulaYerelBelgeNo Method****C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public gidenBelgeDurum
gidenBelgeDurumSorgulaYerelBelgeNo([System.Xml.Serialization.XmlElementAttribute(Form=System
.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string yerelBelgeNo);
```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public gidenBelgeDurum
gidenBelgeDurumSorgulaYerelBelgeNo([System.Xml.Serialization.XmlElementAttribute(Form=System
.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string yerelBelgeNo) {
4:     object[] results = this.Invoke("gidenBelgeDurumSorgulaYerelBelgeNo", new object[] {
5:         vergiTcKimlikNo,
6:         yerelBelgeNo});
7:     return ((gidenBelgeDurum)(results[0]));
8: }

```

### 1.1.3.1.17.2.103 gidenBelgeDurumSorgulaYerelBelgeNoAsync Method

#### 1.1.3.1.17.2.103.1 connectorService.gidenBelgeDurumSorgulaYerelBelgeNoAsync Method (string, string)

C#

```
public void gidenBelgeDurumSorgulaYerelBelgeNoAsync(string vergiTcKimlikNo, string
yerelBelgeNo);
```

**Body Source**

```
1: public void gidenBelgeDurumSorgulaYerelBelgeNoAsync(string vergiTcKimlikNo, string
yerelBelgeNo) {
2:     this.gidenBelgeDurumSorgulaYerelBelgeNoAsync(vergiTcKimlikNo, yerelBelgeNo, null);
3: }
```

#### 1.1.3.1.17.2.103.2 connectorService.gidenBelgeDurumSorgulaYerelBelgeNoAsync Method (string, string, object)

C#

```
public void gidenBelgeDurumSorgulaYerelBelgeNoAsync(string vergiTcKimlikNo, string
yerelBelgeNo, object userState);
```

**Body Source**

```
1: public void gidenBelgeDurumSorgulaYerelBelgeNoAsync(string vergiTcKimlikNo, string
yerelBelgeNo, object userState) {
2:     if ((this.gidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted == null)) {
3:         this.gidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeDurumSorgulaYerelBelgeNoOperationComple
ted);
4:     }
5:     this.InvokeAsync("gidenBelgeDurumSorgulaYerelBelgeNo", new object[] {
6:         vergiTcKimlikNo,
7:         yerelBelgeNo},
this.gidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted, userState);
8: }
```

### 1.1.3.1.17.2.104 connectorService.gidenBelgeEkleriAI Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gidenBelgeEkleriAI([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
schemaForm.Unqualified)]
string uuid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
```

```

3: public byte[]
gidenBelgeEkleriAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string uuid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru) {
4:     object[] results = this.Invoke("gidenBelgeEkleriAl", new object[] {
5:         uuid,
6:         vknTckn,
7:         belgeTuru});
8:     return ((byte[])(results[0]));
9: }

```

### 1.1.3.1.17.2.105 gidenBelgeEkleriAlAsync Method

#### 1.1.3.1.17.2.105.1 connectorService.gidenBelgeEkleriAlAsync Method (string, string, string)

C#

```
public void gidenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru);
```

##### Body Source

```

1: public void gidenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru) {
2:     this.gidenBelgeEkleriAlAsync(uuid, vknTckn, belgeTuru, null);
3: }

```

#### 1.1.3.1.17.2.105.2 connectorService.gidenBelgeEkleriAlAsync Method (string, string, string, object)

C#

```
public void gidenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru, object userState);
```

##### Body Source

```

1: public void gidenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru,
object userState) {
2:     if ((this.gidenBelgeEkleriAlOperationCompleted == null)) {
3:         this.gidenBelgeEkleriAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeEkleriAlOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeEkleriAl", new object[] {
6:         uuid,
7:         vknTckn,
8:         belgeTuru}, this.gidenBelgeEkleriAlOperationCompleted, userState);
9: }

```

### 1.1.3.1.17.2.106 connectorService.gidenBelgeleriIndir Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gidenBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("belgeOidListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] belgeOidListesi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]

```

```

string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati);

Body Source

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gidenBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("belgeOidListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] belgeOidListesi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati) {
4:     object[] results = this.Invoke("gidenBelgeleriIndir", new object[] {
5:         vergiTcKimlikNo,
6:         belgeOidListesi,
7:         belgeTuru,
8:         belgeFormati});
9:     return ((byte[])(results[0]));
10: }

```

#### 1.1.3.1.17.2.107 gidenBelgeleriIndirAsync Method

##### 1.1.3.1.17.2.107.1 connectorService.gidenBelgeleriIndirAsync Method (string, string[], string, string)

C#

```

public void gidenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] belgeOidListesi,
string belgeTuru, string belgeFormati);

```

**Body Source**

```

1: public void gidenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] belgeOidListesi,
string belgeTuru, string belgeFormati) {
2:     this.gidenBelgeleriIndirAsync(vergiTcKimlikNo, belgeOidListesi, belgeTuru,
belgeFormati, null);
3: }

```

##### 1.1.3.1.17.2.107.2 connectorService.gidenBelgeleriIndirAsync Method (string, string[], string, string, object)

C#

```

public void gidenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] belgeOidListesi,
string belgeTuru, string belgeFormati, object userState);

```

**Body Source**

```

1: public void gidenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] belgeOidListesi,
string belgeTuru, string belgeFormati, object userState) {
2:     if ((this.gidenBelgeleriIndirOperationCompleted == null)) {
3:         this.gidenBelgeleriIndirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeleriIndirOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeleriIndir", new object[] {
6:         vergiTcKimlikNo,
7:         belgeOidListesi,
8:         belgeTuru,

```

```

9:             belgeFormati}, this.gidenBelgeleriIndirOperationCompleted, userState);
10: }

```

#### 1.1.3.1.17.2.108 connectorService.gidenBelgeleriIndirEttn Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gidenBelgeleriIndirEttn([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("belgeEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] belgeEttnListesi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati);

```

#### Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gidenBelgeleriIndirEttn([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("belgeEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] belgeEttnListesi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati) {
4:     object[] results = this.Invoke("gidenBelgeleriIndirEttn", new object[] {
5:         vergiTcKimlikNo,
6:         belgeEttnListesi,
7:         belgeTuru,
8:         belgeFormati});
9:     return ((byte[])(results[0]));
10: }

```

#### 1.1.3.1.17.2.109 gidenBelgeleriIndirEttnAsync Method

##### 1.1.3.1.17.2.109.1 connectorService.gidenBelgeleriIndirEttnAsync Method (string, string[], string, string)

C#

```

public void gidenBelgeleriIndirEttnAsync(string vergiTcKimlikNo, string[] belgeEttnListesi,
string belgeTuru, string belgeFormati);

```

#### Body Source

```

1: public void gidenBelgeleriIndirEttnAsync(string vergiTcKimlikNo, string[]
belgeEttnListesi, string belgeTuru, string belgeFormati) {
2:     this.gidenBelgeleriIndirEttnAsync(vergiTcKimlikNo, belgeEttnListesi, belgeTuru,
belgeFormati, null);
3: }

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

### 1.1.3.1.17.2.109.2 connectorService.gidenBelgeleriIndirEttnAsync Method (string, string[], string, string, object)

C#

```
public void gidenBelgeleriIndirEttnAsync(string vergiTcKimlikNo, string[] belgeEttnListesi,
string belgeTuru, string belgeFormati, object userState);
```

#### Body Source

```
1: public void gidenBelgeleriIndirEttnAsync(string vergiTcKimlikNo, string[]
belgeEttnListesi, string belgeTuru, string belgeFormati, object userState) {
2:     if ((this.gidenBelgeleriIndirEttnOperationCompleted == null)) {
3:         this.gidenBelgeleriIndirEttnOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeleriIndirEttnOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeleriIndirEttn", new object[] {
6:         vergiTcKimlikNo,
7:         belgeEttnListesi,
8:         belgeTuru,
9:         belgeFormati}, this.gidenBelgeleriIndirEttnOperationCompleted,
userState);
10: }
```

### 1.1.3.1.17.2.110 connectorService.gidenBelgeleriIndirPortal Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gidenBelgeleriIndirPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
gidenBelgeleriIndirPortalParametreleri parametreler);
```

#### Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gidenBelgeleriIndirPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
gidenBelgeleriIndirPortalParametreleri parametreler) {
4:     object[] results = this.Invoke("gidenBelgeleriIndirPortal", new object[] {
5:         parametreler});
6:     return ((byte[])(results[0]));
7: }
```

### 1.1.3.1.17.2.111 gidenBelgeleriIndirPortalAsync Method

#### 1.1.3.1.17.2.111.1 connectorService.gidenBelgeleriIndirPortalAsync Method (gidenBelgeleriIndirPortalParametreleri)

C#

```
public void gidenBelgeleriIndirPortalAsync(gidenBelgeleriIndirPortalParametreleri
parametreler);
```

**Body Source**

```

1: public void gidenBelgeleriIndirPortalAsync(gidenBelgeleriIndirPortalParametreleri
parametreler) {
2:     this.gidenBelgeleriIndirPortalAsync(parametreler, null);
3: }

```

### 1.1.3.1.17.2.111.2 connectorService.gidenBelgeleriIndirPortalAsync Method (gidenBelgeleriIndirPortalParametreleri, object)

**C#**

```
public void gidenBelgeleriIndirPortalAsync(gidenBelgeleriIndirPortalParametreleri
parametreler, object userState);
```

**Body Source**

```

1: public void gidenBelgeleriIndirPortalAsync(gidenBelgeleriIndirPortalParametreleri
parametreler, object userState) {
2:     if ((this.gidenBelgeleriIndirPortalOperationCompleted == null)) {
3:         this.gidenBelgeleriIndirPortalOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeleriIndirPortalOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeleriIndirPortal", new object[] {
6:         parametreler}, this.gidenBelgeleriIndirPortalOperationCompleted,
userState);
7: }

```

### 1.1.3.1.17.2.112 connectorService.gidenBelgeleriListele Method

**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gidenBelgeleriListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified])
gidenBelgeleriListeleParametreleri parametreler);
```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gidenBelgeleriListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified])
gidenBelgeleriListeleParametreleri parametreler) {
4:     object[] results = this.Invoke("gidenBelgeleriListele", new object[] {
5:         parametreler});
6:     return ((serviceReturnType[])(results[0]));
7: }

```

### 1.1.3.1.17.2.113 gidenBelgeleriListeleAsync Method

### 1.1.3.1.17.2.113.1 connectorService.gidenBelgeleriListeleAsync Method (gidenBelgeleriListeleParametreleri)

C#

```
public void gidenBelgeleriListeleAsync(gidenBelgeleriListeleParametreleri parametreler);
```

**Body Source**

```
1: public void gidenBelgeleriListeleAsync(gidenBelgeleriListeleParametreleri parametreler) {  
2:     this.gidenBelgeleriListeleAsync(parametreler, null);  
3: }
```

### 1.1.3.1.17.2.113.2 connectorService.gidenBelgeleriListeleAsync Method (gidenBelgeleriListeleParametreleri, object)

C#

```
public void gidenBelgeleriListeleAsync(gidenBelgeleriListeleParametreleri parametreler,  
object userState);
```

**Body Source**

```
1: public void gidenBelgeleriListeleAsync(gidenBelgeleriListeleParametreleri parametreler,  
object userState) {  
2:     if ((this.gidenBelgeleriListeleOperationCompleted == null)) {  
3:         this.gidenBelgeleriListeleOperationCompleted = new  
System.Threading.SendOrPostCallback(this.OngidenBelgeleriListeleOperationCompleted);  
4:     }  
5:     this.InvokeAsync("gidenBelgeleriListele", new object[] {  
6:         parametreler}, this.gidenBelgeleriListeleOperationCompleted, userState);  
7: }
```

### 1.1.3.1.17.2.114 connectorService.gidenBelgeleriListelePortal Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",  
RequestNamespace="http://service.connector.uut.cs.com.tr/",  
ResponseNamespace="http://service.connector.uut.cs.com.tr/",  
Use=System.Web.Services.Description.SoapBindingUse.Literal,  
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]  
[return: System.Xml.Serialization.XmlElementAttribute("return",  
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]  
public serviceReturnType[]  
gidenBelgeleriListelePortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc  
hema.XmlSchemaForm.Unqualified)]  
gidenBelgeleriListelePortalParametreleri parametreler);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",  
RequestNamespace="http://service.connector.uut.cs.com.tr/",  
ResponseNamespace="http://service.connector.uut.cs.com.tr/",  
Use=System.Web.Services.Description.SoapBindingUse.Literal,  
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]  
2: [return: System.Xml.Serialization.XmlElementAttribute("return",  
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]  
3: public serviceReturnType[]  
gidenBelgeleriListelePortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc  
hema.XmlSchemaForm.Unqualified)]  
gidenBelgeleriListelePortalParametreleri parametreler) {  
4:     object[] results = this.Invoke("gidenBelgeleriListelePortal", new object[] {  
5:         parametreler});  
6:     return ((serviceReturnType[])(results[0]));  
7: }
```

### 1.1.3.1.17.2.115 gidenBelgeleriListelePortalAsync Method

### 1.1.3.1.17.2.115.1 connectorService.gidenBelgeleriListelePortalAsync Method (gidenBelgeleriListelePortalParametreleri)

C#

```
public void gidenBelgeleriListelePortalAsync(gidenBelgeleriListelePortalParametreleri
parametreler);
```

**Body Source**

```
1: public void gidenBelgeleriListelePortalAsync(gidenBelgeleriListelePortalParametreleri
parametreler) {
2:     this.gidenBelgeleriListelePortalAsync(parametreler, null);
3: }
```

### 1.1.3.1.17.2.115.2 connectorService.gidenBelgeleriListelePortalAsync Method (gidenBelgeleriListelePortalParametreleri, object)

C#

```
public void gidenBelgeleriListelePortalAsync(gidenBelgeleriListelePortalParametreleri
parametreler, object userState);
```

**Body Source**

```
1: public void gidenBelgeleriListelePortalAsync(gidenBelgeleriListelePortalParametreleri
parametreler, object userState) {
2:     if ((this.gidenBelgeleriListelePortalOperationCompleted == null)) {
3:         this.gidenBelgeleriListelePortalOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeleriListelePortalOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeleriListelePortal", new object[] {
6:         parametreler}, this.gidenBelgeleriListelePortalOperationCompleted,
userState);
7: }
```

### 1.1.3.1.17.2.116 connectorService.gidenBelgeTutarBilgileriSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gidenBelgeTutarBilgileriSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string baslangicGonderimTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string bitisGonderimTarihi);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
```

```

3: public serviceReturnType[]
gidenBelgeTutarBilgileriSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string baslangicGonderimTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string bitisGonderimTarihi) {
4:     object[] results = this.Invoke("gidenBelgeTutarBilgileriSorgula", new object[] {
5:         vergiTcKimlikNo,
6:         belgeTuru,
7:         baslangicGonderimTarihi,
8:         bitisGonderimTarihi});
9:     return ((serviceReturnType[])(results[0]));
10: }

```

### 1.1.3.1.17.2.117 gidenBelgeTutarBilgileriSorgulaAsync Method

#### 1.1.3.1.17.2.117.1 connectorService.gidenBelgeTutarBilgileriSorgulaAsync Method (string, string, string)

C#

```
public void gidenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string belgeTuru,
string baslangicGonderimTarihi, string bitisGonderimTarihi);
```

##### Body Source

```

1: public void gidenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string
belgeTuru, string baslangicGonderimTarihi, string bitisGonderimTarihi) {
2:     this.gidenBelgeTutarBilgileriSorgulaAsync(vergiTcKimlikNo, belgeTuru,
baslangicGonderimTarihi, bitisGonderimTarihi, null);
3: }

```

#### 1.1.3.1.17.2.117.2 connectorService.gidenBelgeTutarBilgileriSorgulaAsync Method (string, string, string, object)

C#

```
public void gidenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string belgeTuru,
string baslangicGonderimTarihi, string bitisGonderimTarihi, object userState);
```

##### Body Source

```

1: public void gidenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string
belgeTuru, string baslangicGonderimTarihi, string bitisGonderimTarihi, object userState) {
2:     if ((this.gidenBelgeTutarBilgileriSorgulaOperationCompleted == null)) {
3:         this.gidenBelgeTutarBilgileriSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeTutarBilgileriSorgulaOperationCompleted
);
4:     }
5:     this.InvokeAsync("gidenBelgeTutarBilgileriSorgula", new object[] {
6:         vergiTcKimlikNo,
7:         belgeTuru,
8:         baslangicGonderimTarihi,
9:         bitisGonderimTarihi},
this.gidenBelgeTutarBilgileriSorgulaOperationCompleted, userState);
10: }

```

### 1.1.3.1.17.2.118 connectorService.gidenFaturalariArsiveKaldir Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped]
public void
gidenFaturalariArsiveKaldır([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("invoiceEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] invoiceEttnListesi);

```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
gidenFaturalariArsiveKaldır([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("invoiceEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] invoiceEttnListesi) {
3:     this.Invoke("gidenFaturalariArsiveKaldır", new object[] {
4:         vergiTcKimlikNo,
5:         invoiceEttnListesi});
6: }

```

**1.1.3.1.17.2.119 gidenFaturalariArsiveKaldırAsync Method****1.1.3.1.17.2.119.1 connectorService.gidenFaturalariArsiveKaldırAsync Method (string, string[])****C#**

```

public void gidenFaturalariArsiveKaldırAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi);

```

**Body Source**

```

1: public void gidenFaturalariArsiveKaldırAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi) {
2:     this.gidenFaturalariArsiveKaldırAsync(vergiTcKimlikNo, invoiceEttnListesi, null);
3: }

```

**1.1.3.1.17.2.119.2 connectorService.gidenFaturalariArsiveKaldırAsync Method (string, string[], object)****C#**

```

public void gidenFaturalariArsiveKaldırAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi, object userState);

```

**Body Source**

```

1: public void gidenFaturalariArsiveKaldırAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi, object userState) {
2:     if ((this.gidenFaturalariArsiveKaldırOperationCompleted == null)) {
3:         this.gidenFaturalariArsiveKaldırOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenFaturalariArsiveKaldırOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenFaturalariArsiveKaldır", new object[] {
6:         vergiTcKimlikNo,
7:         invoiceEttnListesi}, this.gidenFaturalariArsiveKaldırOperationCompleted,
userState);
8: }

```

**1.1.3.1.17.2.120 connectorService.gidenIrsaliyeleriArsiveKaldır Method****C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,

```

```
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped) ]
public void gidenIrsaliyeleriArsiveKaldir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute("despatchEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] despatchEttnListesi);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("", RequestNamespace="http://service.connector.uut.cs.com.tr/", ResponseNamespace="http://service.connector.uut.cs.com.tr/", Use=System.Web.Services.Description.SoapBindingUse.Literal, ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped) ]
2: public void gidenIrsaliyeleriArsiveKaldir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute("despatchEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] despatchEttnListesi) {
3:     this.Invoke("gidenIrsaliyeleriArsiveKaldir", new object[] {
4:         vergiTcKimlikNo,
5:         despatchEttnListesi});
6: }
```

**1.1.3.1.17.2.121 gidenIrsaliyeleriArsiveKaldirAsync Method****1.1.3.1.17.2.121.1 connectorService.gidenIrsaliyeleriArsiveKaldirAsync Method (string, string[])****C#**

```
public void gidenIrsaliyeleriArsiveKaldirAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi);
```

**Body Source**

```
1: public void gidenIrsaliyeleriArsiveKaldirAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi) {
2:     this.gidenIrsaliyeleriArsiveKaldirAsync(vergiTcKimlikNo, despatchEttnListesi, null);
3: }
```

**1.1.3.1.17.2.121.2 connectorService.gidenIrsaliyeleriArsiveKaldirAsync Method (string, string[], object)****C#**

```
public void gidenIrsaliyeleriArsiveKaldirAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi, object userState);
```

**Body Source**

```
1: public void gidenIrsaliyeleriArsiveKaldirAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi, object userState) {
2:     if ((this.gidenIrsaliyeleriArsiveKaldirOperationCompleted == null)) {
3:         this.gidenIrsaliyeleriArsiveKaldirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenIrsaliyeleriArsiveKaldirOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenIrsaliyeleriArsiveKaldir", new object[] {
6:         vergiTcKimlikNo,
7:         despatchEttnListesi},
this.gidenIrsaliyeleriArsiveKaldirOperationCompleted, userState);
8: }
```

**1.1.3.1.17.2.122 connectorService.gidenTasinanBelgelerilndir Method****C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("", RequestNamespace="http://service.connector.uut.cs.com.tr/", ResponseNamespace="http://service.connector.uut.cs.com.tr/", Use=System.Web.Services.Description.SoapBindingUse.Literal,
```

```

ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped) ]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true) ]
public byte[]
gidenTasinanBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati);

```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("", ,
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped) ]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true) ]
3: public byte[]
gidenTasinanBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati) {
4:     object[] results = this.Invoke("gidenTasinanBelgeleriIndir", new object[] {
5:         vergiTcKimlikNo,
6:         ettnler,
7:         belgeFormati});
8:     return ((byte[])(results[0]));
9: }

```

**1.1.3.1.17.2.123 gidenTasinanBelgeleriIndirAsync Method****1.1.3.1.17.2.123.1 connectorService.gidenTasinanBelgeleriIndirAsync Method (string, string[], string)****C#**

```
public void gidenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler,
string belgeFormati);
```

**Body Source**

```

1: public void gidenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler,
string belgeFormati) {
2:     this.gidenTasinanBelgeleriIndirAsync(vergiTcKimlikNo, ettnler, belgeFormati, null);
3: }

```

**1.1.3.1.17.2.123.2 connectorService.gidenTasinanBelgeleriIndirAsync Method (string, string[], string, object)****C#**

```
public void gidenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler,
string belgeFormati, object userState);
```

**Body Source**

```

1: public void gidenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler,
string belgeFormati, object userState) {
2:     if ((this.gidenTasinanBelgeleriIndirOperationCompleted == null)) {
3:         this.gidenTasinanBelgeleriIndirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenTasinanBelgeleriIndirOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenTasinanBelgeleriIndir", new object[] {
6:         vergiTcKimlikNo,

```

```

7:           ettnler,
8:           belgeFormati}, this.gidenTasinanBelgeleriIndirOperationCompleted,
userState);
9: }
```

### 1.1.3.1.17.2.124 connectorService.irsaliyeMailGonder Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
irsaliyeMailGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string inout,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string UUID,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string irsaliyeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string alicilar,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati);
```

#### Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
irsaliyeMailGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string inout,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string UUID,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string irsaliyeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string alicilar,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati) {
3:     this.Invoke("irsaliyeMailGonder", new object[] {
4:         vknTckn,
5:         inout,
6:         UUID,
7:         irsaliyeNo,
8:         alicilar,
9:         belgeFormati});
10: }
```

### 1.1.3.1.17.2.125 irsaliyeMailGonderAsync Method

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com)

### 1.1.3.1.17.2.125.1 connectorService.irsaliyeMailGonderAsync Method (string, string, string, string, string, string)

C#

```
public void irsaliyeMailGonderAsync(string vknTckn, string inout, string UUID, string
irsaliyeNo, string alicilar, string belgeFormati);
```

#### Body Source

```
1: public void irsaliyeMailGonderAsync(string vknTckn, string inout, string UUID, string
irsaliyeNo, string alicilar, string belgeFormati) {
2:     this.irsaliyeMailGonderAsync(vknTckn, inout, UUID, irsaliyeNo, alicilar,
belgeFormati, null);
3: }
```

### 1.1.3.1.17.2.125.2 connectorService.irsaliyeMailGonderAsync Method (string, string, string, string, string, string, object)

C#

```
public void irsaliyeMailGonderAsync(string vknTckn, string inout, string UUID, string
irsaliyeNo, string alicilar, string belgeFormati, object userState);
```

#### Body Source

```
1: public void irsaliyeMailGonderAsync(string vknTckn, string inout, string UUID, string
irsaliyeNo, string alicilar, string belgeFormati, object userState) {
2:     if ((this.irsaliyeMailGonderOperationCompleted == null)) {
3:         this.irsaliyeMailGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnirsaliyeMailGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("irsaliyeMailGonder", new object[] {
6:         vknTckn,
7:         inout,
8:         UUID,
9:         irsaliyeNo,
10:        alicilar,
11:        belgeFormati}, this.irsaliyeMailGonderOperationCompleted, userState);
12: }
```

### 1.1.3.1.17.2.126 connectorService.irsaliyeTarihcesiSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
irsaliyeTarihcesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string irasliyeYonu,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn);
```

#### Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
```

```

2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
irsaliyeTarihcesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string irasliyeYonu,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn) {
4:     object[] results = this.Invoke("irsaliyeTarihcesiSorgula", new object[] {
5:         ettn,
6:         irasliyeYonu,
7:         vknTckn});
8:     return ((serviceReturnType[])(results[0]));
9: }

```

### 1.1.3.1.17.2.127 **irsaliyeTarihcesiSorgulaAsync** Method

#### 1.1.3.1.17.2.127.1 **connectorService.irsaliyeTarihcesiSorgulaAsync** Method (string, string, string)

C#

```
public void irsaliyeTarihcesiSorgulaAsync(string ettn, string irasliyeYonu, string vknTckn);
```

**Body Source**

```

1: public void irsaliyeTarihcesiSorgulaAsync(string ettn, string irasliyeYonu, string
vknTckn) {
2:     this.irsaliyeTarihcesiSorgulaAsync(ettn, irasliyeYonu, vknTckn, null);
3: }

```

#### 1.1.3.1.17.2.127.2 **connectorService.irsaliyeTarihcesiSorgulaAsync** Method (string, string, string, object)

C#

```
public void irsaliyeTarihcesiSorgulaAsync(string ettn, string irasliyeYonu, string vknTckn,
object userState);
```

**Body Source**

```

1: public void irsaliyeTarihcesiSorgulaAsync(string ettn, string irasliyeYonu, string
vknTckn, object userState) {
2:     if ((this.irsaliyeTarihcesiSorgulaOperationCompleted == null)) {
3:         this.irsaliyeTarihcesiSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnirsaliyeTarihcesiSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("irsaliyeTarihcesiSorgula", new object[] {
6:         ettn,
7:         irasliyeYonu,
8:         vknTckn}, this.irsaliyeTarihcesiSorgulaOperationCompleted, userState);
9: }

```

### 1.1.3.1.17.2.128 **connectorService.IsLocalFileSystemWebService** Method

C#

```
private bool IsLocalFileSystemWebService(string url);
```

**Description**

This is **IsLocalFileSystemWebService**, a member of class **connectorService**.

**Body Source**

```

1: private bool IsLocalFileSystemWebService(string url) {
2:     if (((url == null)
3:         || (url == string.Empty))) {
4:         return false;

```

```

5:      }
6:      System.Uri wsUri = new System.Uri(url);
7:      if (((wsUri.Port >= 1024)
8:          && (string.Compare(wsUri.Host, "localhost",
System.StringComparison.OrdinalIgnoreCase) == 0))) {
9:          return true;
10:     }
11:     return false;
12: }
```

### 1.1.3.17.2.129 connectorService.kayitliKullaniciListeleExtended Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
kayitliKullaniciListeleExtended([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string urun,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
int gecmisEklensin, [System.Xml.Serialization.XmlIgnoreAttribute()] bool
gecmisEklensinSpecified);
```

#### Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
kayitliKullaniciListeleExtended([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string urun,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
int gecmisEklensin,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
[System.Xml.Serialization.XmlIgnoreAttribute()] bool gecmisEklensinSpecified) {
4:     object[] results = this.Invoke("kayitliKullaniciListeleExtended", new object[] {
5:         urun,
6:         gecmisEklensin,
7:         gecmisEklensinSpecified});
8:     return ((byte[])(results[0]));
9: }
```

### 1.1.3.17.2.130 kayitliKullaniciListeleExtendedAsync Method

#### 1.1.3.17.2.130.1 connectorService.kayitliKullaniciListeleExtendedAsync Method (string, int, bool)

C#

```
public void kayitliKullaniciListeleExtendedAsync(string urun, int gecmisEklensin, bool
gecmisEklensinSpecified);
```

#### Body Source

```

1: public void kayitliKullaniciListeleExtendedAsync(string urun, int gecmisEklensin, bool
gecmisEklensinSpecified) {
2:     this.kayitliKullaniciListeleExtendedAsync(urun, gecmisEklensin,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```
gcmisEklensinSpecified, null);
3: }
```

### 1.1.3.1.17.2.130.2 connectorService.kayitliKullaniciListeleExtendedAsync Method (string, int, bool, object)

C#

```
public void kayitliKullaniciListeleExtendedAsync(string urun, int gcmisEklensin, bool
gcmisEklensinSpecified, object userState);
```

**Body Source**

```
1: public void kayitliKullaniciListeleExtendedAsync(string urun, int gcmisEklensin, bool
gcmisEklensinSpecified, object userState) {
2:     if ((this.kayitliKullaniciListeleExtendedOperationCompleted == null)) {
3:         this.kayitliKullaniciListeleExtendedOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnkayitliKullaniciListeleExtendedOperationCompleted
);
4:     }
5:     this.InvokeAsync("kayitliKullaniciListeleExtended", new object[] {
6:         urun,
7:         gcmisEklensin,
8:         gcmisEklensinSpecified},
this.kayitliKullaniciListeleExtendedOperationCompleted, userState);
9: }
```

### 1.1.3.1.17.2.131 connectorService.kayitliKullaniciListeleExtendedTime Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
kayitliKullaniciListeleExtendedTime([System.Xml.Serialization.XmlElementAttribute(Form=System
Xml.Schema.XmlSchemaForm.Unqualified)]
string kayitzamani,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string urun,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
int gcmisEklensin, [System.Xml.Serialization.XmlIgnoreAttribute()] bool
gcmisEklensinSpecified);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
kayitliKullaniciListeleExtendedTime([System.Xml.Serialization.XmlElementAttribute(Form=System
Xml.Schema.XmlSchemaForm.Unqualified)]
string kayitzamani,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string urun,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
int gcmisEklensin,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
[System.Xml.Serialization.XmlIgnoreAttribute()] bool gcmisEklensinSpecified) {
```

```

4:     object[] results = this.Invoke("kayitliKullaniciListeleExtendedTime", new object[] {
5:         kayitZamani,
6:         urun,
7:         gecmisEklensin,
8:         gecmisEklensinSpecified});
9:     return ((byte[])(results[0]));
10: }

```

#### 1.1.3.1.17.2.132 **kayitliKullaniciListeleExtendedTimeAsync** Method

##### 1.1.3.1.17.2.132.1 **connectorService.kayitliKullaniciListeleExtendedTimeAsync** Method (string, string, int, bool)

C#

```
public void kayitliKullaniciListeleExtendedTimeAsync(string kayitZamani, string urun, int gecmisEklensin, bool gecmisEklensinSpecified);
```

##### Body Source

```

1: public void kayitliKullaniciListeleExtendedTimeAsync(string kayitZamani, string urun,
2:     int gecmisEklensin, bool gecmisEklensinSpecified) {
3:     this.kayitliKullaniciListeleExtendedTimeAsync(kayitZamani, urun, gecmisEklensin,
4:     gecmisEklensinSpecified, null);
5: }

```

##### 1.1.3.1.17.2.132.2 **connectorService.kayitliKullaniciListeleExtendedTimeAsync** Method (string, string, int, bool, object)

C#

```
public void kayitliKullaniciListeleExtendedTimeAsync(string kayitZamani, string urun, int gecmisEklensin, bool gecmisEklensinSpecified, object userState);
```

##### Body Source

```

1: public void kayitliKullaniciListeleExtendedTimeAsync(string kayitZamani, string urun,
2:     int gecmisEklensin, bool gecmisEklensinSpecified, object userState) {
3:     if ((this.kayitliKullaniciListeleExtendedTimeOperationCompleted == null)) {
4:         this.kayitliKullaniciListeleExtendedTimeOperationCompleted = new
5:             System.Threading.SendOrPostCallback(this.OnkayitliKullaniciListeleExtendedTimeOperationCompl
6:             eted);
7:     }
8:     this.InvokeAsync("kayitliKullaniciListeleExtendedTime", new object[] {
9:         kayitZamani,
10:        urun,
11:        gecmisEklensin,
12:        gecmisEklensinSpecified},
13:        this.kayitliKullaniciListeleExtendedTimeOperationCompleted, userState);
14: }

```

#### 1.1.3.1.17.2.133 **connectorService.kayitliKullaniciListeleExtendedVknTckn** Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
kayitliKullaniciListeleExtendedVknTckn([System.Xml.Serialization.XmlElementAttribute(Form=Sy
stem.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string urun);

```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
kayitliKullaniciListeleExtendedVknTckn([System.Xml.Serialization.XmlElementAttribute(Form=Sy
stem.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string urun)
4:     object[] results = this.Invoke("kayitliKullaniciListeleExtendedVknTckn", new
object[] {
5:             vknTckn,
6:             urun});
7:     return ((byte[])(results[0]));
8: }

```

**1.1.3.1.17.2.134 kayitliKullaniciListeleExtendedVknTcknAsync Method****1.1.3.1.17.2.134.1 connectorService.kayitliKullaniciListeleExtendedVknTcknAsync Method (string, string)****C#**

```
public void kayitliKullaniciListeleExtendedVknTcknAsync(string vknTckn, string urun);
```

**Body Source**

```

1: public void kayitliKullaniciListeleExtendedVknTcknAsync(string vknTckn, string urun) {
2:     this.kayitliKullaniciListeleExtendedVknTcknAsync(vknTckn, urun, null);
3: }

```

**1.1.3.1.17.2.134.2 connectorService.kayitliKullaniciListeleExtendedVknTcknAsync Method (string, string, object)****C#**

```
public void kayitliKullaniciListeleExtendedVknTcknAsync(string vknTckn, string urun, object
userState);
```

**Body Source**

```

1: public void kayitliKullaniciListeleExtendedVknTcknAsync(string vknTckn, string urun,
object userState) {
2:     if ((this.kayitliKullaniciListeleExtendedVknTcknOperationCompleted == null)) {
3:         this.kayitliKullaniciListeleExtendedVknTcknOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnkayitliKullaniciListeleExtendedVknTcknOperationCo
mpleted);
4:     }
5:     this.InvokeAsync("kayitliKullaniciListeleExtendedVknTckn", new object[] {
6:             vknTckn,
7:             urun}, this.kayitliKullaniciListeleExtendedVknTcknOperationCompleted,
userState);
8: }

```

**1.1.3.1.17.2.135 connectorService.kontorBilgisiGetir Method****C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
```

```

Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public kalanKontorBilgisi
kontorBilgisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string kontorTipi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string kontorBirim);

```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public kalanKontorBilgisi
kontorBilgisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string kontorTipi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string kontorBirim);
4:     object[] results = this.Invoke("kontorBilgisiGetir", new object[] {
5:         vknTckn,
6:         kontorTipi,
7:         kontorBirim});
8:     return ((kalanKontorBilgisi)(results[0]));
9: }

```

**1.1.3.1.17.2.136 kontorBilgisiGetirAsync Method****1.1.3.1.17.2.136.1 connectorService.kontorBilgisiGetirAsync Method (string, string, string)****C#**

```
public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string kontorBirim);
```

**Body Source**

```

1: public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string
kontorBirim) {
2:     this.kontorBilgisiGetirAsync(vknTckn, kontorTipi, kontorBirim, null);
3: }

```

**1.1.3.1.17.2.136.2 connectorService.kontorBilgisiGetirAsync Method (string, string, string, object)****C#**

```
public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string kontorBirim,
object userState);
```

**Body Source**

```

1: public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string
kontorBirim, object userState) {
2:     if ((this.kontorBilgisiGetirOperationCompleted == null)) {
3:         this.kontorBilgisiGetirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnkontorBilgisiGetirOperationCompleted);
4:     }
5:     this.InvokeAsync("kontorBilgisiGetir", new object[] {
6:         vknTckn,

```

```

7:             kontorTipi,
8:             kontorBirim{i}, this.kontorBilgisiGetirOperationCompleted, userState);
9: }

```

### 1.1.3.1.17.2.137 connectorService.OnbelgeGonderExtOperationCompleted Method

C#

```
private void OnbelgeGonderExtOperationCompleted(object arg);
```

#### Description

This is OnbelgeGonderExtOperationCompleted, a member of class connectorService.

#### Body Source

```

1: private void OnbelgeGonderExtOperationCompleted(object arg) {
2:     if ((this.belgeGonderExtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.belgeGonderExtCompleted(this, new
belgeGonderExtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }

```

### 1.1.3.1.17.2.138 connectorService.OnbelgeGonderExtWithValidateOperationCompleted Method

C#

```
private void OnbelgeGonderExtWithValidateOperationCompleted(object arg);
```

#### Description

This is OnbelgeGonderExtWithValidateOperationCompleted, a member of class connectorService.

#### Body Source

```

1: private void OnbelgeGonderExtWithValidateOperationCompleted(object arg) {
2:     if ((this.belgeGonderExtWithValidateCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.belgeGonderExtWithValidateCompleted(this, new
belgeGonderExtWithValidateCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }

```

### 1.1.3.1.17.2.139 connectorService.OnbelgeGonderOperationCompleted Method

C#

```
private void OnbelgeGonderOperationCompleted(object arg);
```

#### Description

This is OnbelgeGonderOperationCompleted, a member of class connectorService.

#### Body Source

```

1: private void OnbelgeGonderOperationCompleted(object arg) {
2:     if ((this.belgeGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.belgeGonderCompleted(this, new
belgeGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }

```

### 1.1.3.1.17.2.140 connectorService.OnbelgeGonderWithValidateOperationCompleted Method

C#

```
private void OnbelgeGonderWithValidateOperationCompleted(object arg);
```

#### Description

This is OnbelgeGonderWithValidateOperationCompleted, a member of class connectorService.

#### Body Source

```
1: private void OnbelgeGonderWithValidateOperationCompleted(object arg) {
2:     if ((this.belgeGonderWithValidateCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.belgeGonderWithValidateCompleted(this, new
6: belgeGonderWithValidateCompletedEventArgs(invokerArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
7:     }
8: }
```

### 1.1.3.1.17.2.141 connectorService.OnbelgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted Method

C#

```
private void OnbelgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted(object arg);
```

#### Description

This is OnbelgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted, a member of class connectorService.

#### Body Source

```
1: private void OnbelgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted(object arg) {
2:     if ((this.belgelerAlindiEntegrasyonSiparisNoGuncelleCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.belgelerAlindiEntegrasyonSiparisNoGuncelleCompleted(this, new
6: System.ComponentModel.AsyncCompletedEventArgs(invokerArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
7:     }
8: }
```

### 1.1.3.1.17.2.142 connectorService.OnbelgelerAlindiOperationCompleted Method

C#

```
private void OnbelgelerAlindiOperationCompleted(object arg);
```

#### Description

This is OnbelgelerAlindiOperationCompleted, a member of class connectorService.

#### Body Source

```
1: private void OnbelgelerAlindiOperationCompleted(object arg) {
2:     if ((this.belgelerAlindiCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.belgelerAlindiCompleted(this, new
6: System.ComponentModel.AsyncCompletedEventArgs(invokerArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
7:     }
8: }
```

### 1.1.3.1.17.2.143 connectorService.OnbelgeleriTekrarGonderBelgeOidOperationCompleted Method

C#

```
private void OnbelgeleriTekrarGonderBelgeOidOperationCompleted(object arg);
```

## Description

This is OnbelgeleriTekrarGonderBelgeOidOperationCompleted, a member of class connectorService.

## Body Source

```

1: private void OnbelgeleriTekrarGonderBelgeOidOperationCompleted(object arg) {
2:     if ((this.belgeleriTekrarGonderBelgeOidCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.belgeleriTekrarGonderBelgeOidCompleted(this, new
belgeleriTekrarGonderBelgeOidCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.3.1.17.2.144 connectorService.OnbelgeleriTekrarGonderOperationCompleted Method

#### C#

```
private void OnbelgeleriTekrarGonderOperationCompleted(object arg);
```

## Description

This is OnbelgeleriTekrarGonderOperationCompleted, a member of class connectorService.

## Body Source

```

1: private void OnbelgeleriTekrarGonderOperationCompleted(object arg) {
2:     if ((this.belgeleriTekrarGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.belgeleriTekrarGonderCompleted(this, new
belgeleriTekrarGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.3.1.17.2.145 connectorService.OnbelgeleriTekrarGonderYerelBelgeNoOperationCompleted Method

#### C#

```
private void OnbelgeleriTekrarGonderYerelBelgeNoOperationCompleted(object arg);
```

## Description

This is OnbelgeleriTekrarGonderYerelBelgeNoOperationCompleted, a member of class connectorService.

## Body Source

```

1: private void OnbelgeleriTekrarGonderYerelBelgeNoOperationCompleted(object arg) {
2:     if ((this.belgeleriTekrarGonderYerelBelgeNoCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.belgeleriTekrarGonderYerelBelgeNoCompleted(this, new
belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.3.1.17.2.146 connectorService.OncheckDateValidControlOperationCompleted Method

#### C#

```
private void OncheckDateValidControlOperationCompleted(object arg);
```

## Description

This is OncheckDateValidControlOperationCompleted, a member of class connectorService.

## Body Source

```
1: private void OncheckDateValidControlOperationCompleted(object arg) {
```

```

1:     if ((this.checkDateValidControlCompleted != null)) {
2:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
3:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.checkDateValidControlCompleted(this, new
5:             System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
6:             invokeArgs.UserState));
7:     }
8: }

```

#### 1.1.3.1.17.2.147 connectorService.OncokluGidenBelgeDurumSorgulaOperationCompleted Method

C#

```
private void OncokluGidenBelgeDurumSorgulaOperationCompleted(object arg);
```

##### Description

This is OncokluGidenBelgeDurumSorgulaOperationCompleted, a member of class connectorService.

##### Body Source

```

1: private void OncokluGidenBelgeDurumSorgulaOperationCompleted(object arg) {
2:     if ((this.cokluGidenBelgeDurumSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.cokluGidenBelgeDurumSorgulaCompleted(this, new
6:             cokluGidenBelgeDurumSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }

```

#### 1.1.3.1.17.2.148 connectorService.OncsXmlOnizlemeOperationCompleted Method

C#

```
private void OncsXmlOnizlemeOperationCompleted(object arg);
```

##### Description

This is OncsXmlOnizlemeOperationCompleted, a member of class connectorService.

##### Body Source

```

1: private void OncsXmlOnizlemeOperationCompleted(object arg) {
2:     if ((this.csXmlOnizlemeCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.csXmlOnizlemeCompleted(this, new
6:             csXmlOnizlemeCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
7:             invokeArgs.UserState));
8:     }
9: }

```

#### 1.1.3.1.17.2.149 connectorService.OncsXmlToUblOperationCompleted Method

C#

```
private void OncsXmlToUblOperationCompleted(object arg);
```

##### Description

This is OncsXmlToUblOperationCompleted, a member of class connectorService.

##### Body Source

```

1: private void OncsXmlToUblOperationCompleted(object arg) {
2:     if ((this.csXmlToUblCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.csXmlToUblCompleted(this, new
6:             csXmlToUblCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
7:             invokeArgs.UserState));
7:     }
8: }

```

```
6: }
```

### 1.1.3.1.17.2.150 connectorService.OneFaturaKayitliKullaniciListeleOperationCompleted Method

C#

```
private void OneFaturaKayitliKullaniciListeleOperationCompleted(object arg);
```

#### Description

This is OneFaturaKayitliKullaniciListeleOperationCompleted, a member of class connectorService.

#### Body Source

```
1: private void OneFaturaKayitliKullaniciListeleOperationCompleted(object arg) {
2:     if ((this.eFaturaKayitliKullaniciListeleCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.eFaturaKayitliKullaniciListeleCompleted(this, new
eFaturaKayitliKullaniciListeleCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.3.1.17.2.151 connectorService.OnefaturaKullaniciBilgisiOperationCompleted Method

C#

```
private void OnefaturaKullaniciBilgisiOperationCompleted(object arg);
```

#### Description

This is OnefaturaKullaniciBilgisiOperationCompleted, a member of class connectorService.

#### Body Source

```
1: private void OnefaturaKullaniciBilgisiOperationCompleted(object arg) {
2:     if ((this.efaturaKullaniciBilgisiCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.efaturaKullaniciBilgisiCompleted(this, new
efaturaKullaniciBilgisiCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.3.1.17.2.152 connectorService.OnefaturaKullaniciListesiOperationCompleted Method

C#

```
private void OnefaturaKullaniciListesiOperationCompleted(object arg);
```

#### Description

This is OnefaturaKullaniciListesiOperationCompleted, a member of class connectorService.

#### Body Source

```
1: private void OnefaturaKullaniciListesiOperationCompleted(object arg) {
2:     if ((this.efaturaKullaniciListesiCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.efaturaKullaniciListesiCompleted(this, new
efaturaKullaniciListesiCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.3.1.17.2.153 connectorService.OnefaturaKullanicisiOperationCompleted Method

C#

```
private void OnefaturaKullanicisiOperationCompleted(object arg);
```

**Description**

This is OnefaturaKullanicisiOperationCompleted, a member of class connectorService.

**Body Source**

```

1: private void OnefaturaKullanicisiOperationCompleted(object arg) {
2:     if ((this.efaturaKullanicisiCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.efaturaKullanicisiCompleted(this, new
efaturaKullanicisiCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

**1.1.3.1.17.2.154 connectorService.OneIrsaliyeKayitliKullaniciListeleOperationCompleted Method****C#**

```
private void OneIrsaliyeKayitliKullaniciListeleOperationCompleted(object arg);
```

**Description**

This is OneIrsaliyeKayitliKullaniciListeleOperationCompleted, a member of class connectorService.

**Body Source**

```

1: private void OneIrsaliyeKayitliKullaniciListeleOperationCompleted(object arg) {
2:     if ((this.eIrsaliyeKayitliKullaniciListeleCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.eIrsaliyeKayitliKullaniciListeleCompleted(this, new
eIrsaliyeKayitliKullaniciListeleCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

**1.1.3.1.17.2.155 connectorService.OneIrsaliyeKullanicisiOperationCompleted Method****C#**

```
private void OneIrsaliyeKullanicisiOperationCompleted(object arg);
```

**Description**

This is OneIrsaliyeKullanicisiOperationCompleted, a member of class connectorService.

**Body Source**

```

1: private void OneIrsaliyeKullanicisiOperationCompleted(object arg) {
2:     if ((this.eIrsaliyeKullanicisiCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.eIrsaliyeKullanicisiCompleted(this, new
eIrsaliyeKullanicisiCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

**1.1.3.1.17.2.156 connectorService.OnerpBilgileriBelirleOperationCompleted Method****C#**

```
private void OnerpBilgileriBelirleOperationCompleted(object arg);
```

**Description**

This is OnerpBilgileriBelirleOperationCompleted, a member of class connectorService.

**Body Source**

```
1: private void OnerpBilgileriBelirleOperationCompleted(object arg) {
```

```

2:     if ((this.erpBilgileriBelirleCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.erpBilgileriBelirleCompleted(this, new
6:             System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
7:             invokeArgs.UserState));
8:     }
9: }
```

**1.1.3.1.17.2.157 connectorService.OnfaturaKepIleIadeEdildiIptalOperationCompleted Method****C#**

```
private void OnfaturaKepIleIadeEdildiIptalOperationCompleted(object arg);
```

**Description**

This is OnfaturaKepIleIadeEdildiIptalOperationCompleted, a member of class connectorService.

**Body Source**

```

1: private void OnfaturaKepIleIadeEdildiIptalOperationCompleted(object arg) {
2:     if ((this.faturaKepIleIadeEdildiIptalCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.faturaKepIleIadeEdildiIptalCompleted(this, new
6:             faturaKepIleIadeEdildiIptalCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

**1.1.3.1.17.2.158 connectorService.OnfaturaKepIleIadeEdildiOperationCompleted Method****C#**

```
private void OnfaturaKepIleIadeEdildiOperationCompleted(object arg);
```

**Description**

This is OnfaturaKepIleIadeEdildiOperationCompleted, a member of class connectorService.

**Body Source**

```

1: private void OnfaturaKepIleIadeEdildiOperationCompleted(object arg) {
2:     if ((this.faturaKepIleIadeEdildiCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.faturaKepIleIadeEdildiCompleted(this, new
6:             faturaKepIleIadeEdildiCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

**1.1.3.1.17.2.159 connectorService.OnfaturaMailGonderOperationCompleted Method****C#**

```
private void OnfaturaMailGonderOperationCompleted(object arg);
```

**Description**

This is OnfaturaMailGonderOperationCompleted, a member of class connectorService.

**Body Source**

```

1: private void OnfaturaMailGonderOperationCompleted(object arg) {
2:     if ((this.faturaMailGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.faturaMailGonderCompleted(this, new
6:             System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
7:             invokeArgs.UserState));
8:     }
9: }
```

```
6: }
```

### 1.1.3.1.17.2.160 connectorService.OnfaturaNoUretOperationCompleted Method

C#

```
private void OnfaturaNoUretOperationCompleted(object arg);
```

#### Description

This is OnfaturaNoUretOperationCompleted, a member of class connectorService.

#### Body Source

```
1: private void OnfaturaNoUretOperationCompleted(object arg) {
2:     if ((this.faturaNoUretCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaNoUretCompleted(this, new
faturaNoUretCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

### 1.1.3.1.17.2.161 connectorService.OnfaturaTarihcesiSorgulaOperationCompleted Method

C#

```
private void OnfaturaTarihcesiSorgulaOperationCompleted(object arg);
```

#### Description

This is OnfaturaTarihcesiSorgulaOperationCompleted, a member of class connectorService.

#### Body Source

```
1: private void OnfaturaTarihcesiSorgulaOperationCompleted(object arg) {
2:     if ((this.faturaTarihcesiSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturaTarihcesiSorgulaCompleted(this, new
faturaTarihcesiSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.3.1.17.2.162 connectorService.OnfaturayaltirazEdildilptalOperationCompleted Method

C#

```
private void OnfaturayaItirazEdildiIptalOperationCompleted(object arg);
```

#### Description

This is OnfaturayaltirazEdildilptalOperationCompleted, a member of class connectorService.

#### Body Source

```
1: private void OnfaturayaItirazEdildiIptalOperationCompleted(object arg) {
2:     if ((this.faturayaItirazEdildiIptalCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.faturayaItirazEdildiIptalCompleted(this, new
faturayaItirazEdildiIptalCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.3.1.17.2.163 connectorService.OnfaturayaltirazEdildiOperationCompleted Method

C#

```
private void OnfaturayaItirazEdildiOperationCompleted(object arg);
```

**Description**

This is OnfaturayaltirazEdildiOperationCompleted, a member of class connectorService.

**Body Source**

```

1: private void OnfaturayaItirazEdildiOperationCompleted(object arg) {
2:     if ((this.faturayaItirazEdildiCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.faturayaItirazEdildiCompleted(this, new
6: faturayaItirazEdildiCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
7:     }
8: }
```

**1.1.3.1.17.2.164 connectorService.OngelenBelgeDurumSorgulaExtOperationCompleted Method****C#**

```
private void OngelenBelgeDurumSorgulaExtOperationCompleted(object arg);
```

**Description**

This is OngelenBelgeDurumSorgulaExtOperationCompleted, a member of class connectorService.

**Body Source**

```

1: private void OngelenBelgeDurumSorgulaExtOperationCompleted(object arg) {
2:     if ((this.gelenBelgeDurumSorgulaExtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gelenBelgeDurumSorgulaExtCompleted(this, new
6: gelenBelgeDurumSorgulaExtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
7:     }
8: }
```

**1.1.3.1.17.2.165 connectorService.OngelenBelgeDurumSorgulaOperationCompleted Method****C#**

```
private void OngelenBelgeDurumSorgulaOperationCompleted(object arg);
```

**Description**

This is OngelenBelgeDurumSorgulaOperationCompleted, a member of class connectorService.

**Body Source**

```

1: private void OngelenBelgeDurumSorgulaOperationCompleted(object arg) {
2:     if ((this.gelenBelgeDurumSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gelenBelgeDurumSorgulaCompleted(this, new
6: gelenBelgeDurumSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
7:     }
8: }
```

**1.1.3.1.17.2.166 connectorService.OngelenBelgeEkleriAIOperationCompleted Method****C#**

```
private void OngelenBelgeEkleriAIOperationCompleted(object arg);
```

**Description**

This is OngelenBelgeEkleriAIOperationCompleted, a member of class connectorService.

**Body Source**

```
1: private void OngelenBelgeEkleriAIOperationCompleted(object arg) {
```

```

1:     if ((this.gelenBelgeEkleriAlCompleted != null)) {
2:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
3:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenBelgeEkleriAlCompleted(this, new
gelenBelgeEkleriAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

#### 1.1.3.1.17.2.167 connectorService.OngelenBelgeleriAlExt2OperationCompleted Method

**C#**

```
private void OngelenBelgeleriAlExt2OperationCompleted(object arg);
```

**Description**

This is OngelenBelgeleriAlExt2OperationCompleted, a member of class connectorService.

**Body Source**

```

1: private void OngelenBelgeleriAlExt2OperationCompleted(object arg) {
2:     if ((this.gelenBelgeleriAlExt2Completed != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gelenBelgeleriAlExt2Completed(this, new
gelenBelgeleriAlExt2CompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
6:     }
6: }
```

#### 1.1.3.1.17.2.168 connectorService.OngelenBelgeleriAlExtOperationCompleted Method

**C#**

```
private void OngelenBelgeleriAlExtOperationCompleted(object arg);
```

**Description**

This is OngelenBelgeleriAlExtOperationCompleted, a member of class connectorService.

**Body Source**

```

1: private void OngelenBelgeleriAlExtOperationCompleted(object arg) {
2:     if ((this.gelenBelgeleriAlExtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gelenBelgeleriAlExtCompleted(this, new
gelenBelgeleriAlExtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
6:     }
6: }
```

#### 1.1.3.1.17.2.169 connectorService.OngelenBelgeleriAlOperationCompleted Method

**C#**

```
private void OngelenBelgeleriAlOperationCompleted(object arg);
```

**Description**

This is OngelenBelgeleriAlOperationCompleted, a member of class connectorService.

**Body Source**

```

1: private void OngelenBelgeleriAlOperationCompleted(object arg) {
2:     if ((this.gelenBelgeleriAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gelenBelgeleriAlCompleted(this, new
gelenBelgeleriAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
5: }
```

```
6: }
```

### 1.1.3.1.17.2.170 connectorService.OngelenBelgeleriIndirExtOperationCompleted Method

C#

```
private void OngelenBelgeleriIndirExtOperationCompleted(object arg);
```

#### Description

This is OngelenBelgeleriIndirExtOperationCompleted, a member of class connectorService.

#### Body Source

```
1: private void OngelenBelgeleriIndirExtOperationCompleted(object arg) {
2:     if ((this.gelenBelgeleriIndirExtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenBelgeleriIndirExtCompleted(this, new
gelenBelgeleriIndirExtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.3.1.17.2.171 connectorService.OngelenBelgeleriIndirOperationCompleted Method

C#

```
private void OngelenBelgeleriIndirOperationCompleted(object arg);
```

#### Description

This is OngelenBelgeleriIndirOperationCompleted, a member of class connectorService.

#### Body Source

```
1: private void OngelenBelgeleriIndirOperationCompleted(object arg) {
2:     if ((this.gelenBelgeleriIndirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenBelgeleriIndirCompleted(this, new
gelenBelgeleriIndirCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.3.1.17.2.172 connectorService.OngelenBelgeleriListeleExtOperationCompleted Method

C#

```
private void OngelenBelgeleriListeleExtOperationCompleted(object arg);
```

#### Description

This is OngelenBelgeleriListeleExtOperationCompleted, a member of class connectorService.

#### Body Source

```
1: private void OngelenBelgeleriListeleExtOperationCompleted(object arg) {
2:     if ((this.gelenBelgeleriListeleExtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenBelgeleriListeleExtCompleted(this, new
gelenBelgeleriListeleExtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.3.1.17.2.173 connectorService.OngelenBelgeleriListeleOperationCompleted Method

C#

```
private void OngelenBelgeleriListeleOperationCompleted(object arg);
```

## Description

This is OngelenBelgeleriListeleOperationCompleted, a member of class connectorService.

## Body Source

```

1: private void OngelenBelgeleriListeleOperationCompleted(object arg) {
2:     if ((this.gelenBelgeleriListeleCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             (System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gelenBelgeleriListeleCompleted(this, new
6:             gelenBelgeleriListeleCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

## 1.1.3.1.17.2.174 connectorService.OngelenBelgeTutarBilgileriSorgulaOperationCompleted Method

### C#

```
private void OngelenBelgeTutarBilgileriSorgulaOperationCompleted(object arg);
```

## Description

This is OngelenBelgeTutarBilgileriSorgulaOperationCompleted, a member of class connectorService.

## Body Source

```

1: private void OngelenBelgeTutarBilgileriSorgulaOperationCompleted(object arg) {
2:     if ((this.gelenBelgeTutarBilgileriSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             (System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gelenBelgeTutarBilgileriSorgulaCompleted(this, new
6:             gelenBelgeTutarBilgileriSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

## 1.1.3.1.17.2.175 connectorService.OngelenBelgeXmlleriniAIExtOperationCompleted Method

### C#

```
private void OngelenBelgeXmlleriniAIExtOperationCompleted(object arg);
```

## Description

This is OngelenBelgeXmlleriniAIExtOperationCompleted, a member of class connectorService.

## Body Source

```

1: private void OngelenBelgeXmlleriniAIExtOperationCompleted(object arg) {
2:     if ((this.gelenBelgeXmlleriniAIExtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             (System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gelenBelgeXmlleriniAIExtCompleted(this, new
6:             gelenBelgeXmlleriniAIExtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

## 1.1.3.1.17.2.176 connectorService.OngelenBelgeXmlleriniAIOperationCompleted Method

### C#

```
private void OngelenBelgeXmlleriniAIOperationCompleted(object arg);
```

## Description

This is OngelenBelgeXmlleriniAIOperationCompleted, a member of class connectorService.

## Body Source

```
1: private void OngelenBelgeXmlleriniAIOperationCompleted(object arg) {
```

```

1:     if ((this.gelenBelgeXmlleriniAlCompleted != null)) {
2:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
3:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenBelgeXmlleriniAlCompleted(this, new
5:             gelenBelgeXmlleriniAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
6:             invokeArgs.Cancelled, invokeArgs.UserState));
7:     }
8: }
```

**1.1.3.1.17.2.177 connectorService.OngelenFaturalariArsiveKaldirOperationCompleted Method****C#**

```
private void OngelenFaturalariArsiveKaldirOperationCompleted(object arg);
```

**Description**

This is OngelenFaturalariArsiveKaldirOperationCompleted, a member of class connectorService.

**Body Source**

```

1: private void OngelenFaturalariArsiveKaldirOperationCompleted(object arg) {
2:     if ((this.gelenFaturalariArsiveKaldirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gelenFaturalariArsiveKaldirCompleted(this, new
6:             System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
7:             invokeArgs.UserState));
8:     }
9: }
```

**1.1.3.1.17.2.178 connectorService.OngelenIrsaliyeleriArsiveKaldirOperationCompleted Method****C#**

```
private void OngelenIrsaliyeleriArsiveKaldirOperationCompleted(object arg);
```

**Description**

This is OngelenIrsaliyeleriArsiveKaldirOperationCompleted, a member of class connectorService.

**Body Source**

```

1: private void OngelenIrsaliyeleriArsiveKaldirOperationCompleted(object arg) {
2:     if ((this.gelenIrsaliyeleriArsiveKaldirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gelenIrsaliyeleriArsiveKaldirCompleted(this, new
6:             System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
7:             invokeArgs.UserState));
8:     }
9: }
```

**1.1.3.1.17.2.179 connectorService.OngelenStandartRapolariAlOperationCompleted Method****C#**

```
private void OngelenStandartRapolariAlOperationCompleted(object arg);
```

**Description**

This is OngelenStandartRapolariAlOperationCompleted, a member of class connectorService.

**Body Source**

```

1: private void OngelenStandartRapolariAlOperationCompleted(object arg) {
2:     if ((this.gelenStandartRapolariAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gelenStandartRapolariAlCompleted(this, new
6:             gelenStandartRapolariAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

```
6: }
```

### 1.1.3.1.17.2.180 connectorService.OngelenTamamlananRapolariAIOperationCompleted Method

C#

```
private void OngelenTamamlananRapolariAIOperationCompleted(object arg);
```

#### Description

This is OngelenTamamlananRapolariAIOperationCompleted, a member of class connectorService.

#### Body Source

```
1: private void OngelenTamamlananRapolariAIOperationCompleted(object arg) {
2:     if ((this.gelenTamamlananRapolariAICompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenTamamlananRapolariAICompleted(this, new
gelenTamamlananRapolariAICompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.3.1.17.2.181 connectorService.OngelenTasinanBelgeleriIndirOperationCompleted Method

C#

```
private void OngelenTasinanBelgeleriIndirOperationCompleted(object arg);
```

#### Description

This is OngelenTasinanBelgeleriIndirOperationCompleted, a member of class connectorService.

#### Body Source

```
1: private void OngelenTasinanBelgeleriIndirOperationCompleted(object arg) {
2:     if ((this.gelenTasinanBelgeleriIndirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gelenTasinanBelgeleriIndirCompleted(this, new
gelenTasinanBelgeleriIndirCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.3.1.17.2.182 connectorService.OngidenBelgeDurumSorgulaBelgeNoOperationCompleted Method

C#

```
private void OngidenBelgeDurumSorgulaBelgeNoOperationCompleted(object arg);
```

#### Description

This is OngidenBelgeDurumSorgulaBelgeNoOperationCompleted, a member of class connectorService.

#### Body Source

```
1: private void OngidenBelgeDurumSorgulaBelgeNoOperationCompleted(object arg) {
2:     if ((this.gidenBelgeDurumSorgulaBelgeNoCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenBelgeDurumSorgulaBelgeNoCompleted(this, new
gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.3.1.17.2.183 connectorService.OngidenBelgeDurumSorgulaEttnOperationCompleted Method

C#

```
private void OngidenBelgeDurumSorgulaEttnOperationCompleted(object arg);
```

## Description

This is OngidenBelgeDurumSorgulaEttnOperationCompleted, a member of class connectorService.

## Body Source

```

1: private void OngidenBelgeDurumSorgulaEttnOperationCompleted(object arg) {
2:     if ((this.gidenBelgeDurumSorgulaEttnCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gidenBelgeDurumSorgulaEttnCompleted(this, new
6:             gidenBelgeDurumSorgulaEttnCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:                 invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

### 1.1.3.1.17.2.184 connectorService.OngidenBelgeDurumSorgulaExtOperationCompleted Method

#### C#

```
private void OngidenBelgeDurumSorgulaExtOperationCompleted(object arg);
```

## Description

This is OngidenBelgeDurumSorgulaExtOperationCompleted, a member of class connectorService.

## Body Source

```

1: private void OngidenBelgeDurumSorgulaExtOperationCompleted(object arg) {
2:     if ((this.gidenBelgeDurumSorgulaExtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gidenBelgeDurumSorgulaExtCompleted(this, new
6:             gidenBelgeDurumSorgulaExtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:                 invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

### 1.1.3.1.17.2.185 connectorService.OngidenBelgeDurumSorgulaOperationCompleted Method

#### C#

```
private void OngidenBelgeDurumSorgulaOperationCompleted(object arg);
```

## Description

This is OngidenBelgeDurumSorgulaOperationCompleted, a member of class connectorService.

## Body Source

```

1: private void OngidenBelgeDurumSorgulaOperationCompleted(object arg) {
2:     if ((this.gidenBelgeDurumSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gidenBelgeDurumSorgulaCompleted(this, new
6:             gidenBelgeDurumSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:                 invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

### 1.1.3.1.17.2.186 connectorService.OngidenBelgeDurumSorgulaPortalOperationCompleted Method

#### C#

```
private void OngidenBelgeDurumSorgulaPortalOperationCompleted(object arg);
```

## Description

This is OngidenBelgeDurumSorgulaPortalOperationCompleted, a member of class connectorService.

## Body Source

```
1: private void OngidenBelgeDurumSorgulaPortalOperationCompleted(object arg) {
```

```

1:     if ((this.gidenBelgeDurumSorgulaPortalCompleted != null)) {
2:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
3:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenBelgeDurumSorgulaPortalCompleted(this, new
5:             gidenBelgeDurumSorgulaPortalCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
6:             invokeArgs.Cancelled, invokeArgs.UserState));
7:     }
8: }
```

**1.1.3.1.17.2.187 connectorService.OngidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted Method****C#**

```
private void OngidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted(object arg);
```

**Description**

This is OngidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted, a member of class connectorService.

**Body Source**

```

1: private void OngidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted(object arg) {
2:     if ((this.gidenBelgeDurumSorgulaYerelBelgeNoCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gidenBelgeDurumSorgulaYerelBelgeNoCompleted(this, new
6:             gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

**1.1.3.1.17.2.188 connectorService.OngidenBelgeEkleriAlOperationCompleted Method****C#**

```
private void OngidenBelgeEkleriAlOperationCompleted(object arg);
```

**Description**

This is OngidenBelgeEkleriAlOperationCompleted, a member of class connectorService.

**Body Source**

```

1: private void OngidenBelgeEkleriAlOperationCompleted(object arg) {
2:     if ((this.gidenBelgeEkleriAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gidenBelgeEkleriAlCompleted(this, new
6:             gidenBelgeEkleriAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

**1.1.3.1.17.2.189 connectorService.OngidenBelgeleriIndirEttnOperationCompleted Method****C#**

```
private void OngidenBelgeleriIndirEttnOperationCompleted(object arg);
```

**Description**

This is OngidenBelgeleriIndirEttnOperationCompleted, a member of class connectorService.

**Body Source**

```

1: private void OngidenBelgeleriIndirEttnOperationCompleted(object arg) {
2:     if ((this.gidenBelgeleriIndirEttnCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gidenBelgeleriIndirEttnCompleted(this, new
6:             gidenBelgeleriIndirEttnCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

```
6: }
```

### 1.1.3.1.17.2.190 connectorService.OngidenBelgeleriIndirOperationCompleted Method

C#

```
private void OngidenBelgeleriIndirOperationCompleted(object arg);
```

#### Description

This is OngidenBelgeleriIndirOperationCompleted, a member of class connectorService.

#### Body Source

```
1: private void OngidenBelgeleriIndirOperationCompleted(object arg) {
2:     if ((this.gidenBelgeleriIndirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gidenBelgeleriIndirCompleted(this, new
6:             gidenBelgeleriIndirCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
```

### 1.1.3.1.17.2.191 connectorService.OngidenBelgeleriIndirPortalOperationCompleted Method

C#

```
private void OngidenBelgeleriIndirPortalOperationCompleted(object arg);
```

#### Description

This is OngidenBelgeleriIndirPortalOperationCompleted, a member of class connectorService.

#### Body Source

```
1: private void OngidenBelgeleriIndirPortalOperationCompleted(object arg) {
2:     if ((this.gidenBelgeleriIndirPortalCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gidenBelgeleriIndirPortalCompleted(this, new
6:             gidenBelgeleriIndirPortalCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
```

### 1.1.3.1.17.2.192 connectorService.OngidenBelgeleriListeleOperationCompleted Method

C#

```
private void OngidenBelgeleriListeleOperationCompleted(object arg);
```

#### Description

This is OngidenBelgeleriListeleOperationCompleted, a member of class connectorService.

#### Body Source

```
1: private void OngidenBelgeleriListeleOperationCompleted(object arg) {
2:     if ((this.gidenBelgeleriListeleCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gidenBelgeleriListeleCompleted(this, new
6:             gidenBelgeleriListeleCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
```

### 1.1.3.1.17.2.193 connectorService.OngidenBelgeleriListelePortalOperationCompleted Method

C#

```
private void OngidenBelgeleriListelePortalOperationCompleted(object arg);
```

## Description

This is OngidenBelgeleriListelePortalOperationCompleted, a member of class connectorService.

## Body Source

```

1: private void OngidenBelgeleriListelePortalOperationCompleted(object arg) {
2:     if ((this.gidenBelgeleriListelePortalCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenBelgeleriListelePortalCompleted(this, new
gidenBelgeleriListelePortalCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

## 1.1.3.1.17.2.194 connectorService.OngidenBelgeTutarBilgileriSorgulaOperationCompleted Method

### C#

```
private void OngidenBelgeTutarBilgileriSorgulaOperationCompleted(object arg);
```

## Description

This is OngidenBelgeTutarBilgileriSorgulaOperationCompleted, a member of class connectorService.

## Body Source

```

1: private void OngidenBelgeTutarBilgileriSorgulaOperationCompleted(object arg) {
2:     if ((this.gidenBelgeTutarBilgileriSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenBelgeTutarBilgileriSorgulaCompleted(this, new
gidenBelgeTutarBilgileriSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

## 1.1.3.1.17.2.195 connectorService.OngidenFaturalariArsiveKaldirOperationCompleted Method

### C#

```
private void OngidenFaturalariArsiveKaldirOperationCompleted(object arg);
```

## Description

This is OngidenFaturalariArsiveKaldirOperationCompleted, a member of class connectorService.

## Body Source

```

1: private void OngidenFaturalariArsiveKaldirOperationCompleted(object arg) {
2:     if ((this.gidenFaturalariArsiveKaldirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenFaturalariArsiveKaldirCompleted(this, new
System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

## 1.1.3.1.17.2.196 connectorService.OngidenIrsaliyeleriArsiveKaldirOperationCompleted Method

### C#

```
private void OngidenIrsaliyeleriArsiveKaldirOperationCompleted(object arg);
```

## Description

This is OngidenIrsaliyeleriArsiveKaldirOperationCompleted, a member of class connectorService.

## Body Source

```
1: private void OngidenIrsaliyeleriArsiveKaldirOperationCompleted(object arg) {
```

```

1:     if ((this.gidenIrsaliyeleriArsiveKaldirCompleted != null)) {
2:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
3:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.gidenIrsaliyeleriArsiveKaldirCompleted(this, new
5:             System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
6:             invokeArgs.UserState));
7:     }
8: }
```

**1.1.3.1.17.2.197 connectorService.OngidenTasinanBelgeleriIndirOperationCompleted Method****C#**

```
private void OngidenTasinanBelgeleriIndirOperationCompleted(object arg);
```

**Description**

This is OngidenTasinanBelgeleriIndirOperationCompleted, a member of class connectorService.

**Body Source**

```

1: private void OngidenTasinanBelgeleriIndirOperationCompleted(object arg) {
2:     if ((this.gidenTasinanBelgeleriIndirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.gidenTasinanBelgeleriIndirCompleted(this, new
6:             gidenTasinanBelgeleriIndirCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

**1.1.3.1.17.2.198 connectorService.OnirsaliyeMailGonderOperationCompleted Method****C#**

```
private void OnirsaliyeMailGonderOperationCompleted(object arg);
```

**Description**

This is OnirsaliyeMailGonderOperationCompleted, a member of class connectorService.

**Body Source**

```

1: private void OnirsaliyeMailGonderOperationCompleted(object arg) {
2:     if ((this.irsaliyeMailGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.irsaliyeMailGonderCompleted(this, new
6:             System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
7:             invokeArgs.UserState));
8:     }
9: }
```

**1.1.3.1.17.2.199 connectorService.OnirsaliyeTarihcesiSorgulaOperationCompleted Method****C#**

```
private void OnirsaliyeTarihcesiSorgulaOperationCompleted(object arg);
```

**Description**

This is OnirsaliyeTarihcesiSorgulaOperationCompleted, a member of class connectorService.

**Body Source**

```

1: private void OnirsaliyeTarihcesiSorgulaOperationCompleted(object arg) {
2:     if ((this.irsaliyeTarihcesiSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.irsaliyeTarihcesiSorgulaCompleted(this, new
6:             irsaliyeTarihcesiSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

```
6: }
```

### 1.1.3.1.17.2.200 connectorService.OnkayitliKullaniciListeleExtendedOperationCompleted Method

C#

```
private void OnkayitliKullaniciListeleExtendedOperationCompleted(object arg);
```

#### Description

This is OnkayitliKullaniciListeleExtendedOperationCompleted, a member of class connectorService.

#### Body Source

```
1: private void OnkayitliKullaniciListeleExtendedOperationCompleted(object arg) {
2:     if ((this.kayitliKullaniciListeleExtendedCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.kayitliKullaniciListeleExtendedCompleted(this, new
kayitliKullaniciListeleExtendedCompletedEventArgs(invokeresults, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.3.1.17.2.201 connectorService.OnkayitliKullaniciListeleExtendedTimeOperationCompleted Method

C#

```
private void OnkayitliKullaniciListeleExtendedTimeOperationCompleted(object arg);
```

#### Description

This is OnkayitliKullaniciListeleExtendedTimeOperationCompleted, a member of class connectorService.

#### Body Source

```
1: private void OnkayitliKullaniciListeleExtendedTimeOperationCompleted(object arg) {
2:     if ((this.kayitliKullaniciListeleExtendedTimeCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.kayitliKullaniciListeleExtendedTimeCompleted(this, new
kayitliKullaniciListeleExtendedTimeCompletedEventArgs(invokeresults, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.3.1.17.2.202 connectorService.OnkayitliKullaniciListeleExtendedVknTcknOperationCompleted Method

C#

```
private void OnkayitliKullaniciListeleExtendedVknTcknOperationCompleted(object arg);
```

#### Description

This is OnkayitliKullaniciListeleExtendedVknTcknOperationCompleted, a member of class connectorService.

#### Body Source

```
1: private void OnkayitliKullaniciListeleExtendedVknTcknOperationCompleted(object arg) {
2:     if ((this.kayitliKullaniciListeleExtendedVknTcknCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.kayitliKullaniciListeleExtendedVknTcknCompleted(this, new
kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs(invokeresults,
invokeArgs.Error, invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.3.1.17.2.203 connectorService.OnkontorBilgisiGetirOperationCompleted Method

C#

```
private void OnkontorBilgisiGetirOperationCompleted(object arg);
```

## Description

This is OnkontorBilgisiGetirOperationCompleted, a member of class connectorService.

## Body Source

```

1: private void OnkontorBilgisiGetirOperationCompleted(object arg) {
2:     if ((this.kontorBilgisiGetirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.kontorBilgisiGetirCompleted(this, new
kontorBilgisiGetirCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

## 1.1.3.1.17.2.204 connectorService.OntemelKontrollerIleBelgeGonderOperationCompleted Method

### C#

```
private void OntemelKontrollerIleBelgeGonderOperationCompleted(object arg);
```

## Description

This is OntemelKontrollerIleBelgeGonderOperationCompleted, a member of class connectorService.

## Body Source

```

1: private void OntemelKontrollerIleBelgeGonderOperationCompleted(object arg) {
2:     if ((this.temelKontrollerIleBelgeGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.temelKontrollerIleBelgeGonderCompleted(this, new
temelKontrollerIleBelgeGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

## 1.1.3.1.17.2.205 connectorService.OntoplamBelgeSayisiGetirOperationCompleted Method

### C#

```
private void OntoplamBelgeSayisiGetirOperationCompleted(object arg);
```

## Description

This is OntoplamBelgeSayisiGetirOperationCompleted, a member of class connectorService.

## Body Source

```

1: private void OntoplamBelgeSayisiGetirOperationCompleted(object arg) {
2:     if ((this.toplambelgesayisiGetirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.toplambelgesayisiGetirCompleted(this, new
toplambelgesayisiGetirCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

## 1.1.3.1.17.2.206 connectorService.OnublOnizlemeOperationCompleted Method

### C#

```
private void OnublOnizlemeOperationCompleted(object arg);
```

## Description

This is OnublOnizlemeOperationCompleted, a member of class connectorService.

## Body Source

```
1: private void OnublOnizlemeOperationCompleted(object arg) {
```

```

1:     if ((this.ulOnizlemeCompleted != null)) {
2:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
3:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.ulOnizlemeCompleted(this, new
5:             ulOnizlemeCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
6:             invokeArgs.UserState));
7:     }
8: }

```

#### 1.1.3.1.17.2.207 connectorService.OnurunSablonlariniAlOperationCompleted Method

C#

```
private void OnurunSablonlariniAlOperationCompleted(object arg);
```

##### Description

This is OnurunSablonlariniAlOperationCompleted, a member of class connectorService.

##### Body Source

```

1: private void OnurunSablonlariniAlOperationCompleted(object arg) {
2:     if ((this.urunSablonlariniAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.urunSablonlariniAlCompleted(this, new
6:             urunSablonlariniAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }

```

#### 1.1.3.1.17.2.208 connectorService.OnwsKullanicisiKaydetOperationCompleted Method

C#

```
private void OnwsKullanicisiKaydetOperationCompleted(object arg);
```

##### Description

This is OnwsKullanicisiKaydetOperationCompleted, a member of class connectorService.

##### Body Source

```

1: private void OnwsKullanicisiKaydetOperationCompleted(object arg) {
2:     if ((this.wsKullanicisiKaydetCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.wsKullanicisiKaydetCompleted(this, new
6:             wsKullanicisiKaydetCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }

```

#### 1.1.3.1.17.2.209 connectorService.OnyereleAktarilacakBelgeleriAlExtOperationCompleted Method

C#

```
private void OnyereleAktarilacakBelgeleriAlExtOperationCompleted(object arg);
```

##### Description

This is OnyereleAktarilacakBelgeleriAlExtOperationCompleted, a member of class connectorService.

##### Body Source

```

1: private void OnyereleAktarilacakBelgeleriAlExtOperationCompleted(object arg) {
2:     if ((this.yereleAktarilacakBelgeleriAlExtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.yereleAktarilacakBelgeleriAlExtCompleted(this, new
6:             yereleAktarilacakBelgeleriAlExtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }

```

```
6: }
```

### 1.1.3.1.17.2.210 connectorService.OnyereleAktarilacakBelgeleriAlOperationCompleted Method

C#

```
private void OnyereleAktarilacakBelgeleriAlOperationCompleted(object arg);
```

#### Description

This is OnyereleAktarilacakBelgeleriAlOperationCompleted, a member of class connectorService.

#### Body Source

```
1: private void OnyereleAktarilacakBelgeleriAlOperationCompleted(object arg) {
2:     if ((this.yereleAktarilacakBelgeleriAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.yereleAktarilacakBelgeleriAlCompleted(this, new
6:             yereleAktarilacakBelgeleriAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
```

### 1.1.3.1.17.2.211 connectorService.OnyolcuBeraberFaturalptalEtOperationCompleted Method

C#

```
private void OnyolcuBeraberFaturalptalEtOperationCompleted(object arg);
```

#### Description

This is OnyolcuBeraberFaturalptalEtOperationCompleted, a member of class connectorService.

#### Body Source

```
1: private void OnyolcuBeraberFaturalptalEtOperationCompleted(object arg) {
2:     if ((this.yolcuBeraberFaturalptalEtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.yolcuBeraberFaturalptalEtCompleted(this, new
6:             System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
7:             invokeArgs.UserState));
```

### 1.1.3.1.17.2.212 connectorService.temelKontrollerIleBelgeGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("belgeOid",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
temelKontrollerIleBelgeGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeHash,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
```

```

string mimeType,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeVersiyon);

Body Source

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("belgeOid",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
temelKontrollerIleBelgeGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeHash,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string mimeType,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeVersiyon) {
4:     object[] results = this.Invoke("temelKontrollerIleBelgeGonder", new object[] {
5:             vergiTcKimlikNo,
6:             belgeNo,
7:             veri,
8:             belgeHash,
9:             mimeType,
10:            belgeVersiyon});
11:    return ((string)(results[0]));
12: }

```

#### 1.1.3.1.17.2.213 temelKontrollerIleBelgeGonderAsync Method

##### 1.1.3.1.17.2.213.1 connectorService.temelKontrollerIleBelgeGonderAsync Method (string, string, byte[], string, string, string)

C#

```
public void temelKontrollerIleBelgeGonderAsync(string vergiTcKimlikNo, string belgeNo,
byte[] veri, string belgeHash, string mimeType, string belgeVersiyon);
```

##### Body Source

```

1: public void temelKontrollerIleBelgeGonderAsync(string vergiTcKimlikNo, string belgeNo,
byte[] veri, string belgeHash, string mimeType, string belgeVersiyon) {
2:     this.temelKontrollerIleBelgeGonderAsync(vergiTcKimlikNo, belgeNo, veri, belgeHash,
mimeType, belgeVersiyon, null);
3: }

```

##### 1.1.3.1.17.2.213.2 connectorService.temelKontrollerIleBelgeGonderAsync Method (string, string, byte[], string, string, string, object)

C#

```
public void temelKontrollerIleBelgeGonderAsync(string vergiTcKimlikNo, string belgeNo,
byte[] veri, string belgeHash, string mimeType, string belgeVersiyon, object userState);
```

**Body Source**

```

1: public void temelKontrollerIleBelgeGonderAsync(string vergiTcKimlikNo, string belgeNo,
byte[] veri, string belgeHash, string mimeType, string belgeVersiyon, object userState) {
2:     if ((this.temelKontrollerIleBelgeGonderOperationCompleted == null)) {
3:         this.temelKontrollerIleBelgeGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OntemelKontrollerIleBelgeGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("temelKontrollerIleBelgeGonder", new object[] {
6:         vergiTcKimlikNo,
7:         belgeNo,
8:         veri,
9:         belgeHash,
10:        mimeType,
11:        belgeVersiyon}, this.temelKontrollerIleBelgeGonderOperationCompleted,
userState);
12: }
```

**1.1.3.1.17.2.214 connectorService.toplamBelgeSayisiGetir Method****C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int
toplamBelgeSayisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeYonu,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeBaslangicTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeBitisTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeBaslangicZamani,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeBitisZamani);
```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public int
toplamBelgeSayisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
```

```

ed)
string belgeYonu,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeBaslangicTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeBitisTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeBaslangicZamani,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeBitisZamani) {
4:     object[] results = this.Invoke("toplambelgesayisiGetir", new object[] {
5:         vergiTcKimlikNo,
6:         belgeTuru,
7:         belgeYonu,
8:         belgeBaslangicTarihi,
9:         belgeBitisTarihi,
10:        belgeBaslangicZamani,
11:        belgeBitisZamani});
12:     return ((int)(results[0]));
13: }

```

### 1.1.3.1.17.2.215 toplambelgesayisiGetirAsync Method

#### 1.1.3.1.17.2.215.1 connectorService.toplambelgesayisiGetirAsync Method (string, string, string, string, string, string)

C#

```

public void toplambelgesayisiGetirAsync(string vergiTcKimlikNo, string belgeTuru, string
belgeYonu, string belgeBaslangicTarihi, string belgeBitisTarihi, string
belgeBaslangicZamani, string belgeBitisZamani);

```

#### Body Source

```

1: public void toplambelgesayisiGetirAsync(string vergiTcKimlikNo, string belgeTuru, string
belgeYonu, string belgeBaslangicTarihi, string belgeBitisTarihi, string
belgeBaslangicZamani, string belgeBitisZamani) {
2:     this.toplambelgesayisiGetirAsync(vergiTcKimlikNo, belgeTuru, belgeYonu,
belgeBaslangicTarihi, belgeBitisTarihi, belgeBaslangicZamani, belgeBitisZamani, null);
3: }

```

#### 1.1.3.1.17.2.215.2 connectorService.toplambelgesayisiGetirAsync Method (string, string, string, string, string, string, object)

C#

```

public void toplambelgesayisiGetirAsync(string vergiTcKimlikNo, string belgeTuru, string
belgeYonu, string belgeBaslangicTarihi, string belgeBitisTarihi, string
belgeBaslangicZamani, string belgeBitisZamani, object userState);

```

#### Body Source

```

1: public void toplambelgesayisiGetirAsync(string vergiTcKimlikNo, string belgeTuru,
string belgeYonu, string belgeBaslangicTarihi, string belgeBitisTarihi, string
belgeBaslangicZamani, string belgeBitisZamani, object userState) {
2:     if ((this.toplambelgesayisiGetirOperationCompleted == null)) {
3:         this.toplambelgesayisiGetirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OntoplambelgesayisiGetirOperationCompleted);
4:     }
5:     this.InvokeAsync("toplambelgesayisiGetir", new object[] {
6:         vergiTcKimlikNo,
7:         belgeTuru,
8:         belgeYonu,
9:         belgeBaslangicTarihi,
10:        belgeBitisTarihi,

```

```

11:             belgeBaslangicZamani,
12:             belgeBitisZamani}, this.toplumBelgeSayisiGetirOperationCompleted,
userState);
13: }
```

### 1.1.3.1.17.2.216 connectorService.ulblOnizleme Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeFormati,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru);
```

#### Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeFormati,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru) {
4:     object[] results = this.Invoke("ulblOnizleme", new object[] {
5:         vergiTcKimlikNo,
6:         veri,
7:         belgeFormati,
8:         belgeTuru});
9:     return ((byte[])(results[0]));
10: }
```

### 1.1.3.1.17.2.217 ulblOnizlemeAsync Method

#### 1.1.3.1.17.2.217.1 connectorService.ulblOnizlemeAsync Method (**string**, **byte**[], **string**, **string**)

C#

```

public void ulblOnizlemeAsync(string vergiTcKimlikNo, byte[] veri, string belgeFormati,
string belgeTuru);
```

**Body Source**

```

1: public void ublOnizlemeAsync(string vergiTcKimlikNo, byte[] veri, string belgeFormati,
2:                               string belgeTuru) {
3:     this.ulblOnizlemeAsync(vergiTcKimlikNo, veri, belgeFormati, belgeTuru, null);
3: }

```

**1.1.3.1.17.2.217.2 connectorService.ulblOnizlemeAsync Method (string, byte[], string, string, object)****C#**

```
public void ulblOnizlemeAsync(string vergiTcKimlikNo, byte[] veri, string belgeFormati,
                               string belgeTuru, object userState);
```

**Body Source**

```

1: public void ulblOnizlemeAsync(string vergiTcKimlikNo, byte[] veri, string belgeFormati,
2:                               string belgeTuru, object userState) {
3:     if ((this.ulblOnizlemeOperationCompleted == null)) {
4:         this.ulblOnizlemeOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnulblOnizlemeOperationCompleted);
5:     }
6:     this.InvokeAsync("ulblOnizleme", new object[] {
7:         vergiTcKimlikNo,
8:         veri,
9:         belgeFormati,
10:        belgeTuru}, this.ulblOnizlemeOperationCompleted, userState);
10: }

```

**1.1.3.1.17.2.218 connectorService.urunSablonlariniAl Method****C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
urunSablonlariniAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string urun);
```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
urunSablonlariniAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string urun) {
4:     object[] results = this.Invoke("urunSablonlariniAl", new object[] {
5:         vergiTcKimlikNo,
6:         urun});
7:     return ((byte[])(results[0]));
8: }

```

### 1.1.3.1.17.2.219 urunSablonlariniAlAsync Method

#### 1.1.3.1.17.2.219.1 connectorService.urunSablonlariniAlAsync Method (string, string)

C#

```
public void urunSablonlariniAlAsync(string vergiTcKimlikNo, string urun);
```

##### Body Source

```
1: public void urunSablonlariniAlAsync(string vergiTcKimlikNo, string urun) {
2:     this.urunSablonlariniAlAsync(vergiTcKimlikNo, urun, null);
3: }
```

#### 1.1.3.1.17.2.219.2 connectorService.urunSablonlariniAlAsync Method (string, string, object)

C#

```
public void urunSablonlariniAlAsync(string vergiTcKimlikNo, string urun, object userState);
```

##### Body Source

```
1: public void urunSablonlariniAlAsync(string vergiTcKimlikNo, string urun, object userState) {
2:     if ((this.urunSablonlariniAlOperationCompleted == null)) {
3:         this.urunSablonlariniAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnurunSablonlariniAlOperationCompleted);
4:     }
5:     this.InvokeAsync("urunSablonlariniAl", new object[] {
6:         vergiTcKimlikNo,
7:         urun}, this.urunSablonlariniAlOperationCompleted, userState);
8: }
```

### 1.1.3.1.17.2.220 connectorService.wsKullaniciKaydet Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public wsKullaniciBilgileri
wsKullaniciKaydet([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("urunList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] urunList,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string erpKodu);
```

##### Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public wsKullaniciBilgileri
wsKullaniciKaydet([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("urunList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] urunList,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string erpKodu) {
```

```

4:     object[] results = this.Invoke("wsKullanicisiKaydet", new object[] {
5:         vergiTcKimlikNo,
6:         urunList,
7:         erpKodu});
8:     return ((wsKullaniciBilgileri)(results[0]));
9: }

```

### 1.1.3.1.17.2.221 wsKullanicisiKaydetAsync Method

#### 1.1.3.1.17.2.221.1 connectorService.wsKullanicisiKaydetAsync Method (string, string[], string)

C#

```
public void wsKullanicisiKaydetAsync(string vergiTcKimlikNo, string[] urunList, string erpKodu);
```

##### Body Source

```

1: public void wsKullanicisiKaydetAsync(string vergiTcKimlikNo, string[] urunList, string
erpKodu) {
2:     this.wsKullanicisiKaydetAsync(vergiTcKimlikNo, urunList, erpKodu, null);
3: }

```

#### 1.1.3.1.17.2.221.2 connectorService.wsKullanicisiKaydetAsync Method (string, string[], string, object)

C#

```
public void wsKullanicisiKaydetAsync(string vergiTcKimlikNo, string[] urunList, string
erpKodu, object userState);
```

##### Body Source

```

1: public void wsKullanicisiKaydetAsync(string vergiTcKimlikNo, string[] urunList, string
erpKodu, object userState) {
2:     if ((this.wsKullanicisiKaydetOperationCompleted == null)) {
3:         this.wsKullanicisiKaydetOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnwsKullanicisiKaydetOperationCompleted);
4:     }
5:     this.InvokeAsync("wsKullanicisiKaydet", new object[] {
6:         vergiTcKimlikNo,
7:         urunList,
8:         erpKodu}, this.wsKullanicisiKaydetOperationCompleted, userState);
9: }

```

### 1.1.3.1.17.2.222 connectorService.yereleAktarilacakBelgeleriAI Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
yereleAktarilacakBelgeleriAI([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.S
chema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string entegrasyonHedefi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru);
```

##### Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
```

```

1: Use=System.Web.Services.Description.SoapBindingUse.Literal,
2: ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)
3: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
4: public serviceReturnType[]
yereleAktarilacakBelgeleriAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.S
chema.XmlSchemaForm.Unqualified)]
5: string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
6: string entegrasyonHedefi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
7: string belgeTuru) {
8:     object[] results = this.Invoke("yereleAktarilacakBelgeleriAl", new object[] {
9:         vergiTcKimlikNo,
10:        entegrasyonHedefi,
11:        belgeTuru});
12:     return ((serviceReturnType[])(results[0]));
13: }

```

### 1.1.3.1.17.2.223 yereleAktarilacakBelgeleriAIAsync Method

#### 1.1.3.1.17.2.223.1 connectorService.yereleAktarilacakBelgeleriAIAsync Method (string, string, string)

C#

```

public void yereleAktarilacakBelgeleriAIAsync(string vergiTcKimlikNo, string
entegrasyonHedefi, string belgeTuru);

```

**Body Source**

```

1: public void yereleAktarilacakBelgeleriAIAsync(string vergiTcKimlikNo, string
entegrasyonHedefi, string belgeTuru) {
2:     this.yereleAktarilacakBelgeleriAIAsync(vergiTcKimlikNo, entegrasyonHedefi,
belgeTuru, null);
3: }

```

#### 1.1.3.1.17.2.223.2 connectorService.yereleAktarilacakBelgeleriAIAsync Method (string, string, string, object)

C#

```

public void yereleAktarilacakBelgeleriAIAsync(string vergiTcKimlikNo, string
entegrasyonHedefi, string belgeTuru, object userState);

```

**Body Source**

```

1: public void yereleAktarilacakBelgeleriAIAsync(string vergiTcKimlikNo, string
entegrasyonHedefi, string belgeTuru, object userState) {
2:     if ((this.yereleAktarilacakBelgeleriAIOperationCompleted == null)) {
3:         this.yereleAktarilacakBelgeleriAIOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnyereleAktarilacakBelgeleriAIOperationCompleted);
4:     }
5:     this.InvokeAsync("yereleAktarilacakBelgeleriAI", new object[] {
6:         vergiTcKimlikNo,
7:         entegrasyonHedefi,
8:         belgeTuru}, this.yereleAktarilacakBelgeleriAIOperationCompleted,
userState);
9: }

```

#### 1.1.3.1.17.2.224 connectorService.yereleAktarilacakBelgeleriAIExt Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
yereleAktarilacakBelgeleriAlExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified])
gelenBelgeParametreleri parametreler);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("", 
RequestNamespace="http://service.connector.uut.cs.com.tr/", 
ResponseNamespace="http://service.connector.uut.cs.com.tr/", 
Use=System.Web.Services.Description.SoapBindingUse.Literal, 
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
yereleAktarilacakBelgeleriAlExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified])
gelenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("yereleAktarilacakBelgeleriAlExt", new object[] {
5:         parametreler});
6:     return ((serviceReturnType[])(results[0]));
7: }
```

**1.1.3.1.17.2.225 yereleAktarilacakBelgeleriAlExtAsync Method****1.1.3.1.17.2.225.1 connectorService.yereleAktarilacakBelgeleriAlExtAsync Method  
(gelenBelgeParametreleri)****C#**

```
public void yereleAktarilacakBelgeleriAlExtAsync(gelenBelgeParametreleri parametreler);
```

**Body Source**

```
1: public void yereleAktarilacakBelgeleriAlExtAsync(gelenBelgeParametreleri parametreler) {
2:     this.yereleAktarilacakBelgeleriAlExtAsync(parametreler, null);
3: }
```

**1.1.3.1.17.2.225.2 connectorService.yereleAktarilacakBelgeleriAlExtAsync Method  
(gelenBelgeParametreleri, object)****C#**

```
public void yereleAktarilacakBelgeleriAlExtAsync(gelenBelgeParametreleri parametreler,
object userState);
```

**Body Source**

```
1: public void yereleAktarilacakBelgeleriAlExtAsync(gelenBelgeParametreleri parametreler,
object userState) {
2:     if ((this.yereleAktarilacakBelgeleriAlExtOperationCompleted == null)) {
3:         this.yereleAktarilacakBelgeleriAlExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnyereleAktarilacakBelgeleriAlExtOperationCompleted
);
4:     }
5:     this.InvokeAsync("yereleAktarilacakBelgeleriAlExt", new object[] {
6:         parametreler}, this.yereleAktarilacakBelgeleriAlExtOperationCompleted,
userState);
7: }
```

**1.1.3.1.17.2.226 connectorService.yolcuBeraberFaturalptalEt Method****C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("", 
RequestNamespace="http://service.connector.uut.cs.com.tr/", 
ResponseNamespace="http://service.connector.uut.cs.com.tr/", 
Use=System.Web.Services.Description.SoapBindingUse.Literal,
```

```

ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped) ]
public void yolcuBeraberFaturaIptalEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string seriSiraNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string pusulaTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeOid);

```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void yolcuBeraberFaturaIptalEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string seriSiraNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string pusulaTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeOid) {
3:     this.Invoke("yolcuBeraberFaturaIptalEt", new object[] {
4:         vergiTcKimlikNo,
5:         ettn,
6:         seriSiraNo,
7:         pusulaTarihi,
8:         belgeOid});
9: }

```

**1.1.3.1.17.2.227 yolcuBeraberFaturalptaIEtAsync Method****1.1.3.1.17.2.227.1 connectorService.yolcuBeraberFaturalptaIEtAsync Method (string, string, string, string,****C#**

```

public void yolcuBeraberFaturalptaIEtAsync(string vergiTcKimlikNo, string ettn, string
seriSiraNo, string pusulaTarihi, string belgeOid);

```

**Body Source**

```

1: public void yolcuBeraberFaturalptaIEtAsync(string vergiTcKimlikNo, string ettn, string
seriSiraNo, string pusulaTarihi, string belgeOid) {
2:     this.yolcuBeraberFaturalptaIEtAsync(vergiTcKimlikNo, ettn, seriSiraNo, pusulaTarihi,
belgeOid, null);
3: }

```

### 1.1.3.1.17.2.227.2 connectorService.yolcuBeraberFaturalptalEtAsync Method (string, string, string, string, string, object)

C#

```
public void yolcuBeraberFaturalptalEtAsync(string vergiTcKimlikNo, string ettn, string
seriSiraNo, string pusulaTarihi, string belgeOid, object userState);
```

#### Body Source

```
1: public void yolcuBeraberFaturalptalEtAsync(string vergiTcKimlikNo, string ettn, string
seriSiraNo, string pusulaTarihi, string belgeOid, object userState) {
2:     if ((this.yolcuBeraberFaturalptalEtOperationCompleted == null)) {
3:         this.yolcuBeraberFaturalptalEtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnyolcuBeraberFaturalptalEtOperationCompleted);
4:     }
5:     this.InvokeAsync("yolcuBeraberFaturalptalEt", new object[] {
6:         vergiTcKimlikNo,
7:         ettn,
8:         seriSiraNo,
9:         pusulaTarihi,
10:        belgeOid}, this.yolcuBeraberFaturalptalEtOperationCompleted, userState);
11: }
```

### 1.1.3.1.17.3 connectorService Properties

#### 1.1.3.1.17.3.1 connectorService.Url Property

C#

```
public new string Url;
```

#### Description

This is Url, a member of class connectorService.

#### 1.1.3.1.17.3.2 connectorService.UseDefaultCredentials Property

C#

```
public new bool UseDefaultCredentials;
```

#### Description

This is UseDefaultCredentials, a member of class connectorService.

### 1.1.3.1.17.4 connectorService Events

#### 1.1.3.1.17.4.1 connectorService.belgeGonderCompleted Event

C#

```
public event belgeGonderCompletedEventHandler belgeGonderCompleted;
```

#### 1.1.3.1.17.4.2 connectorService.belgeGonderExtCompleted Event

C#

```
public event belgeGonderExtCompletedEventHandler belgeGonderExtCompleted;
```

#### 1.1.3.1.17.4.3 connectorService.belgeGonderExtWithValidateCompleted Event

C#

```
public event belgeGonderExtWithValidateCompletedEventHandler
belgeGonderExtWithValidateCompleted;
```

**1.1.3.1.17.4.4 connectorService.belgeGonderWithValidateCompleted Event****C#**

```
public event belgeGonderWithValidateCompletedEventHandler belgeGonderWithValidateCompleted;
```

**1.1.3.1.17.4.5 connectorService.belgelerAlindiCompleted Event****C#**

```
public event belgelerAlindiCompletedEventHandler belgelerAlindiCompleted;
```

**1.1.3.1.17.4.6 connectorService.belgelerAlindiEntegrasyonSiparisNoGuncelleCompleted Event****C#**

```
public event belgelerAlindiEntegrasyonSiparisNoGuncelleCompletedEventHandler  
belgelerAlindiEntegrasyonSiparisNoGuncelleCompleted;
```

**1.1.3.1.17.4.7 connectorService.belgeleriTekrarGonderBelgeOidCompleted Event****C#**

```
public event belgeleriTekrarGonderBelgeOidCompletedEventHandler  
belgeleriTekrarGonderBelgeOidCompleted;
```

**1.1.3.1.17.4.8 connectorService.belgeleriTekrarGonderCompleted Event****C#**

```
public event belgeleriTekrarGonderCompletedEventHandler belgeleriTekrarGonderCompleted;
```

**1.1.3.1.17.4.9 connectorService.belgeleriTekrarGonderYerelBelgeNoCompleted Event****C#**

```
public event belgeleriTekrarGonderYerelBelgeNoCompletedEventHandler  
belgeleriTekrarGonderYerelBelgeNoCompleted;
```

**1.1.3.1.17.4.10 connectorService.checkDateValidControlCompleted Event****C#**

```
public event checkDateValidControlCompletedEventHandler checkDateValidControlCompleted;
```

**1.1.3.1.17.4.11 connectorService.cokluGidenBelgeDurumSorgulaCompleted Event****C#**

```
public event cokluGidenBelgeDurumSorgulaCompletedEventHandler  
cokluGidenBelgeDurumSorgulaCompleted;
```

**1.1.3.1.17.4.12 connectorService.csXmlOnizlemeCompleted Event****C#**

```
public event csXmlOnizlemeCompletedEventHandler csXmlOnizlemeCompleted;
```

**1.1.3.1.17.4.13 connectorService.csXmlToUblCompleted Event****C#**

```
public event csXmlToUblCompletedEventHandler csXmlToUblCompleted;
```

**1.1.3.1.17.4.14 connectorService.eFaturaKayitliKullaniciListeleCompleted Event****C#**

```
public event eFaturaKayitliKullaniciListeleCompletedEventHandler  
eFaturaKayitliKullaniciListeleCompleted;
```

**1.1.3.1.17.4.15 connectorService.efaturaKullaniciBilgisiCompleted Event****C#**

```
public event efaturaKullaniciBilgisiCompletedEventHandler efaturaKullaniciBilgisiCompleted;
```

**1.1.3.1.17.4.16 connectorService.efaturaKullaniciListesiCompleted Event****C#**

```
public event efaturaKullaniciListesiCompletedEventHandler efaturaKullaniciListesiCompleted;
```

**1.1.3.1.17.4.17 connectorService.efaturaKullanicisiCompleted Event****C#**

```
public event efaturaKullanicisiCompletedEventHandler efaturaKullanicisiCompleted;
```

**1.1.3.1.17.4.18 connectorService.eIrsaliyeKayitliKullaniciListeleCompleted Event****C#**

```
public event eIrsaliyeKayitliKullaniciListeleCompletedEventHandler eIrsaliyeKayitliKullaniciListeleCompleted;
```

**1.1.3.1.17.4.19 connectorService.eIrsaliyeKullanicisiCompleted Event****C#**

```
public event eIrsaliyeKullanicisiCompletedEventHandler eIrsaliyeKullanicisiCompleted;
```

**1.1.3.1.17.4.20 connectorService.erpBilgileriBelirleCompleted Event****C#**

```
public event erpBilgileriBelirleCompletedEventHandler erpBilgileriBelirleCompleted;
```

**1.1.3.1.17.4.21 connectorService.faturaKepIleIadeEdildiCompleted Event****C#**

```
public event faturaKepIleIadeEdildiCompletedEventHandler faturaKepIleIadeEdildiCompleted;
```

**1.1.3.1.17.4.22 connectorService.faturaKepIleIadeEdildiIptalCompleted Event****C#**

```
public event faturaKepIleIadeEdildiIptalCompletedEventHandler faturaKepIleIadeEdildiIptalCompleted;
```

**1.1.3.1.17.4.23 connectorService.faturaMailGonderCompleted Event****C#**

```
public event faturaMailGonderCompletedEventHandler faturaMailGonderCompleted;
```

**1.1.3.1.17.4.24 connectorService.faturaNoUretCompleted Event****C#**

```
public event faturaNoUretCompletedEventHandler faturaNoUretCompleted;
```

**1.1.3.1.17.4.25 connectorService.faturaTarihcesiSorgulaCompleted Event****C#**

```
public event faturaTarihcesiSorgulaCompletedEventHandler faturaTarihcesiSorgulaCompleted;
```

**1.1.3.1.17.4.26 connectorService.faturayaltirazEdildiCompleted Event**

C#

```
public event faturayaItirazEdildiCompletedEventHandler faturayaItirazEdildiCompleted;
```

**1.1.3.1.17.4.27 connectorService.faturayaltirazEdildilptalCompleted Event**

C#

```
public event faturayaItirazEdildiIptalCompletedEventHandler faturayaItirazEdildiIptalCompleted;
```

**1.1.3.1.17.4.28 connectorService.gelenBelgeDurumSorgulaCompleted Event**

C#

```
public event gelenBelgeDurumSorgulaCompletedEventHandler gelenBelgeDurumSorgulaCompleted;
```

**1.1.3.1.17.4.29 connectorService.gelenBelgeDurumSorgulaExtCompleted Event**

C#

```
public event gelenBelgeDurumSorgulaExtCompletedEventHandler gelenBelgeDurumSorgulaExtCompleted;
```

**1.1.3.1.17.4.30 connectorService.gelenBelgeEkleriAlCompleted Event**

C#

```
public event gelenBelgeEkleriAlCompletedEventHandler gelenBelgeEkleriAlCompleted;
```

**1.1.3.1.17.4.31 connectorService.gelenBelgeleriAlCompleted Event**

C#

```
public event gelenBelgeleriAlCompletedEventHandler gelenBelgeleriAlCompleted;
```

**1.1.3.1.17.4.32 connectorService.gelenBelgeleriAlExt2Completed Event**

C#

```
public event gelenBelgeleriAlExt2CompletedEventHandler gelenBelgeleriAlExt2Completed;
```

**1.1.3.1.17.4.33 connectorService.gelenBelgeleriAlExtCompleted Event**

C#

```
public event gelenBelgeleriAlExtCompletedEventHandler gelenBelgeleriAlExtCompleted;
```

**1.1.3.1.17.4.34 connectorService.gelenBelgeleriIndirCompleted Event**

C#

```
public event gelenBelgeleriIndirCompletedEventHandler gelenBelgeleriIndirCompleted;
```

**1.1.3.1.17.4.35 connectorService.gelenBelgeleriIndirExtCompleted Event**

C#

```
public event gelenBelgeleriIndirExtCompletedEventHandler gelenBelgeleriIndirExtCompleted;
```

**1.1.3.1.17.4.36 connectorService.gelenBelgeleriListeleCompleted Event**

C#

```
public event gelenBelgeleriListeleCompletedEventHandler gelenBelgeleriListeleCompleted;
```

**1.1.3.1.17.4.37 connectorService.gelenBelgeleriListeleExtCompleted Event**

C#

```
public event gelenBelgeleriListeleExtCompletedEventHandler  
gelenBelgeleriListeleExtCompleted;
```

**1.1.3.1.17.4.38 connectorService.gelenBelgeTutarBilgileriSorgulaCompleted Event**

C#

```
public event gelenBelgeTutarBilgileriSorgulaCompletedEventHandler  
gelenBelgeTutarBilgileriSorgulaCompleted;
```

**1.1.3.1.17.4.39 connectorService.gelenBelgeXmlleriniAlCompleted Event**

C#

```
public event gelenBelgeXmlleriniAlCompletedEventHandler gelenBelgeXmlleriniAlCompleted;
```

**1.1.3.1.17.4.40 connectorService.gelenBelgeXmlleriniAlExtCompleted Event**

C#

```
public event gelenBelgeXmlleriniAlExtCompletedEventHandler  
gelenBelgeXmlleriniAlExtCompleted;
```

**1.1.3.1.17.4.41 connectorService.gelenFaturalariArsiveKaldirCompleted Event**

C#

```
public event gelenFaturalariArsiveKaldirCompletedEventHandler  
gelenFaturalariArsiveKaldirCompleted;
```

**1.1.3.1.17.4.42 connectorService.gelenIrsaliyeleriArsiveKaldirCompleted Event**

C#

```
public event gelenIrsaliyeleriArsiveKaldirCompletedEventHandler  
gelenIrsaliyeleriArsiveKaldirCompleted;
```

**1.1.3.1.17.4.43 connectorService.gelenStandartRapolariAlCompleted Event**

C#

```
public event gelenStandartRapolariAlCompletedEventHandler gelenStandartRapolariAlCompleted;
```

**1.1.3.1.17.4.44 connectorService.gelenTamamlananRapolariAlCompleted Event**

C#

```
public event gelenTamamlananRapolariAlCompletedEventHandler  
gelenTamamlananRapolariAlCompleted;
```

**1.1.3.1.17.4.45 connectorService.gelenTasinanBelgeleriIndirCompleted Event**

C#

```
public event gelenTasinanBelgeleriIndirCompletedEventHandler  
gelenTasinanBelgeleriIndirCompleted;
```

**1.1.3.1.17.4.46 connectorService.gidenBelgeDurumSorgulaBelgeNoCompleted Event**

C#

```
public event gidenBelgeDurumSorgulaBelgeNoCompletedEventHandler  
gidenBelgeDurumSorgulaBelgeNoCompleted;
```

**1.1.3.1.17.4.47 connectorService.gidenBelgeDurumSorgulaCompleted Event**

C#

```
public event gidenBelgeDurumSorgulaCompletedEventHandler gidenBelgeDurumSorgulaCompleted;
```

**1.1.3.1.17.4.48 connectorService.gidenBelgeDurumSorgulaEttnCompleted Event**

C#

```
public event gidenBelgeDurumSorgulaEttnCompletedEventHandler  
gidenBelgeDurumSorgulaEttnCompleted;
```

**1.1.3.1.17.4.49 connectorService.gidenBelgeDurumSorgulaExtCompleted Event**

C#

```
public event gidenBelgeDurumSorgulaExtCompletedEventHandler  
gidenBelgeDurumSorgulaExtCompleted;
```

**1.1.3.1.17.4.50 connectorService.gidenBelgeDurumSorgulaPortalCompleted Event**

C#

```
public event gidenBelgeDurumSorgulaPortalCompletedEventHandler  
gidenBelgeDurumSorgulaPortalCompleted;
```

**1.1.3.1.17.4.51 connectorService.gidenBelgeDurumSorgulaYerelBelgeNoCompleted Event**

C#

```
public event gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventHandler  
gidenBelgeDurumSorgulaYerelBelgeNoCompleted;
```

**1.1.3.1.17.4.52 connectorService.gidenBelgeEkleriAlCompleted Event**

C#

```
public event gidenBelgeEkleriAlCompletedEventHandler gidenBelgeEkleriAlCompleted;
```

**1.1.3.1.17.4.53 connectorService.gidenBelgeleriIndirCompleted Event**

C#

```
public event gidenBelgeleriIndirCompletedEventHandler gidenBelgeleriIndirCompleted;
```

**1.1.3.1.17.4.54 connectorService.gidenBelgeleriIndirEttnCompleted Event**

C#

```
public event gidenBelgeleriIndirEttnCompletedEventHandler gidenBelgeleriIndirEttnCompleted;
```

**1.1.3.1.17.4.55 connectorService.gidenBelgeleriIndirPortalCompleted Event**

C#

```
public event gidenBelgeleriIndirPortalCompletedEventHandler  
gidenBelgeleriIndirPortalCompleted;
```

**1.1.3.1.17.4.56 connectorService.gidenBelgeleriListeleCompleted Event**

C#

```
public event gidenBelgeleriListeleCompletedEventHandler gidenBelgeleriListeleCompleted;
```

**1.1.3.1.17.4.57 connectorService.gidenBelgeleriListelePortalCompleted Event**

C#

```
public event gidenBelgeleriListelePortalCompletedEventHandler  
gidenBelgeleriListelePortalCompleted;
```

**1.1.3.1.17.4.58 connectorService.gidenBelgeTutarBilgileriSorgulaCompleted Event**

C#

```
public event gidenBelgeTutarBilgileriSorgulaCompletedEventHandler
gidenBelgeTutarBilgileriSorgulaCompleted;
```

**1.1.3.1.17.4.59 connectorService.gidenFaturalariArsiveKaldirCompleted Event**

C#

```
public event gidenFaturalariArsiveKaldirCompletedEventHandler
gidenFaturalariArsiveKaldirCompleted;
```

**1.1.3.1.17.4.60 connectorService.gidenIrsaliyeleriArsiveKaldirCompleted Event**

C#

```
public event gidenIrsaliyeleriArsiveKaldirCompletedEventHandler
gidenIrsaliyeleriArsiveKaldirCompleted;
```

**1.1.3.1.17.4.61 connectorService.gidenTasinanBelgeleriIndirCompleted Event**

C#

```
public event gidenTasinanBelgeleriIndirCompletedEventHandler
gidenTasinanBelgeleriIndirCompleted;
```

**1.1.3.1.17.4.62 connectorService.irsaliyeMailGonderCompleted Event**

C#

```
public event irsaliyeMailGonderCompletedEventHandler irsaliyeMailGonderCompleted;
```

**1.1.3.1.17.4.63 connectorService.irsaliyeTarihcesiSorgulaCompleted Event**

C#

```
public event irsaliyeTarihcesiSorgulaCompletedEventHandler
irsaliyeTarihcesiSorgulaCompleted;
```

**1.1.3.1.17.4.64 connectorService.kayitliKullaniciListeleExtendedCompleted Event**

C#

```
public event kayitliKullaniciListeleExtendedCompletedEventHandler
kayitliKullaniciListeleExtendedCompleted;
```

**1.1.3.1.17.4.65 connectorService.kayitliKullaniciListeleExtendedTimeCompleted Event**

C#

```
public event kayitliKullaniciListeleExtendedTimeCompletedEventHandler
kayitliKullaniciListeleExtendedTimeCompleted;
```

**1.1.3.1.17.4.66 connectorService.kayitliKullaniciListeleExtendedVknTcknCompleted Event**

C#

```
public event kayitliKullaniciListeleExtendedVknTcknCompletedEventHandler
kayitliKullaniciListeleExtendedVknTcknCompleted;
```

**1.1.3.1.17.4.67 connectorService.kontorBilgisiGetirCompleted Event**

C#

```
public event kontorBilgisiGetirCompletedEventHandler kontorBilgisiGetirCompleted;
```

**1.1.3.1.17.4.68 connectorService.temelKontrollerIleBelgeGonderCompleted Event****C#**

```
public event temelKontrollerIleBelgeGonderCompletedEventHandler
temelKontrollerIleBelgeGonderCompleted;
```

**1.1.3.1.17.4.69 connectorService.toplamBelgeSayisiGetirCompleted Event****C#**

```
public event toplamBelgeSayisiGetirCompletedEventHandler toplamBelgeSayisiGetirCompleted;
```

**1.1.3.1.17.4.70 connectorService.ulbOnizlemeCompleted Event****C#**

```
public event ulbOnizlemeCompletedEventHandler ulbOnizlemeCompleted;
```

**1.1.3.1.17.4.71 connectorService.urunSablonlariniAlCompleted Event****C#**

```
public event urunSablonlariniAlCompletedEventHandler urunSablonlariniAlCompleted;
```

**1.1.3.1.17.4.72 connectorService.wsKullanicisiKaydetCompleted Event****C#**

```
public event wsKullanicisiKaydetCompletedEventHandler wsKullanicisiKaydetCompleted;
```

**1.1.3.1.17.4.73 connectorService.yereleAktarilacakBelgeleriAlCompleted Event****C#**


```
public event yereleAktarilacakBelgeleriAlCompletedEventHandler
yereleAktarilacakBelgeleriAlCompleted;
```

**1.1.3.1.17.4.74 connectorService.yereleAktarilacakBelgeleriAlExtCompleted Event****C#**

```
public event yereleAktarilacakBelgeleriAlExtCompletedEventHandler
yereleAktarilacakBelgeleriAlExtCompleted;
```

**1.1.3.1.17.4.75 connectorService.yolcuBeraberFaturaIptalEtCompleted Event****C#**

```
public event yolcuBeraberFaturaIptalEtCompletedEventHandler
yolcuBeraberFaturaIptalEtCompleted;
```

**1.1.3.1.18 csXmlOnizlemeCompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class csXmlOnizlemeCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs (see page 835)

**Methods**

	Name	Description
	csXmlOnizlemeCompletedEventArgs	This is csXmlOnizlemeCompletedEventArgs, a member of class csXmlOnizlemeCompletedEventArgs. ( <a href="#">see page 390</a> )

**csXmlOnizlemeCompletedEventArgs Properties**

	Name	Description
	Result ( <a href="#">see page 390</a> )	

**1.1.3.1.18.1 csXmlOnizlemeCompletedEventArgs.csXmlOnizlemeCompletedEventArgs Constructor****C#**

```
internal csXmlOnizlemeCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

**Description**


This is csXmlOnizlemeCompletedEventArgs, a member of class csXmlOnizlemeCompletedEventArgs.

**Body Source**

```
1: internal csXmlOnizlemeCompletedEventArgs(object[] results, System.Exception exception,
2:   bool cancelled, object userState) :
3:   base(exception, cancelled, userState) {
4:   this.results = results;
}
```

**1.1.3.1.18.2 csXmlOnizlemeCompletedEventArgs Properties****1.1.3.1.18.2.1 csXmlOnizlemeCompletedEventArgs.Result Property****C#**

```
public byte Result;
```

**1.1.3.1.19 csXmlToUblCompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class csXmlToUblCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs ([see page 835](#))

**Methods**

	Name	Description
	csXmlToUblCompletedEventArgs	This is csXmlToUblCompletedEventArgs, a member of class csXmlToUblCompletedEventArgs. ( <a href="#">see page 391</a> )

**csXmlToUblCompletedEventArgs Properties**

	Name	Description
	Result ( <a href="#">see page 391</a> )	

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).*

### 1.1.3.1.19.1 csXmlToUblCompletedEventArgs.csXmlToUblCompletedEventArgs Constructor

C#

```
internal csXmlToUblCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

#### Description

This is csXmlToUblCompletedEventArgs, a member of class csXmlToUblCompletedEventArgs.

#### Body Source

```
1: internal csXmlToUblCompletedEventArgs(object[] results, System.Exception exception, bool
2:     cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

### 1.1.3.1.19.2 csXmlToUblCompletedEventArgs Properties

#### 1.1.3.1.19.2.1 csXmlToUblCompletedEventArgs.Result Property

C#

```
public byte Result;
```

### 1.1.3.1.20 eFaturaKayitliKullaniciHistory Class

#### Class Hierarchy

```
[QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciHistory]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
")]
public class eFaturaKayitliKullaniciHistory;
```

#### File

Reference.cs (see page 835)

#### eFaturaKayitliKullaniciHistory Properties

	Name	Description
	etiket (see page 391)	
	etiketOlusturulmaZamani (see page 392)	
	silinmeZamani (see page 392)	

### 1.1.3.1.20.1 eFaturaKayitliKullaniciHistory Properties

#### 1.1.3.1.20.1.1 eFaturaKayitliKullaniciHistory.etiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string etiket;
```

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com*

### 1.1.3.1.20.1.2 eFaturaKayitliKullaniciHistory.etiketOlusturulmaZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string etiketOlusturulmaZamani;
```


### 1.1.3.1.20.1.3 eFaturaKayitliKullaniciHistory.silinmeZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string silinmeZamani;
```

## 1.1.3.1.21 eFaturaKayitliKullaniciListeleCompletedEventArgs Class

### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class eFaturaKayitliKullaniciListeleCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs (see page 835)

### Methods

	Name	Description
!	eFaturaKayitliKullaniciListeleCompletedEventArgs (see page 392)	This is eFaturaKayitliKullaniciListeleCompletedEventArgs, a member of class eFaturaKayitliKullaniciListeleCompletedEventArgs.

### eFaturaKayitliKullaniciListeleCompletedEventArgs Properties

	Name	Description
!	Result (see page 393)	

### 1.1.3.1.21.1

## eFaturaKayitliKullaniciListeleCompletedEventArgs.eFaturaKayitliKullaniciListeleCompletedEventArgs

### Constructor

C#

```
internal eFaturaKayitliKullaniciListeleCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

### Description

This is eFaturaKayitliKullaniciListeleCompletedEventArgs, a member of class eFaturaKayitliKullaniciListeleCompletedEventArgs.

### Body Source

```
1: internal eFaturaKayitliKullaniciListeleCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
```

```

3:     this.results = results;
4: }
```

### 1.1.3.1.21.2 eFaturaKayitliKullaniciListeleCompletedEventArgs Properties

#### 1.1.3.1.21.2.1 eFaturaKayitliKullaniciListeleCompletedEventArgs.Result Property

C#

```
public eFaturaKullanici Result;
```

### 1.1.3.1.22 eFaturaKullanici Class

#### Class Hierarchy



C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[SerializableAttribute()]
[Diagnostics.DebuggerStepThroughAttribute()]
[ComponentModel.DesignerCategoryAttribute("code")]
[XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class eFaturaKullanici : serviceReturnType;
```

#### File

Reference.cs (see page 835)

#### eFaturaKullanici Properties

##### eFaturaKullanici Class

	Name	Description
	etiket (see page 393)	
	kamuKurulusu (see page 393)	
	kayitZamani (see page 394)	
	unvan (see page 394)	
	vergiTcKimlikNo (see page 394)	

### 1.1.3.1.22.1 eFaturaKullanici Properties

#### 1.1.3.1.22.1.1 eFaturaKullanici.etiket Property

C#

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string etiket;
```

#### 1.1.3.1.22.1.2 eFaturaKullanici.kamuKurulusu Property

C#

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool kamuKurulusu;
```

### 1.1.3.1.22.1.3 eFaturaKullanici.kayitZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kayitZamani;
```

### 1.1.3.1.22.1.4 eFaturaKullanici.unvan Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string unvan;
```


### 1.1.3.1.22.1.5 eFaturaKullanici.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vergiTcKimlikNo;
```

## 1.1.3.1.23 efaturaKullaniciBilgisiCompletedEventArgs Class

### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class efaturaKullaniciBilgisiCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs (↗ see page 835)

### Methods

	Name	Description
!	efaturaKullaniciBilgisiCompletedEventArgs (↗ see page 394)	This is efaturaKullaniciBilgisiCompletedEventArgs, a member of class efaturaKullaniciBilgisiCompletedEventArgs.

### efaturaKullaniciBilgisiCompletedEventArgs Properties

	Name	Description
!	Result (↗ see page 395)	

### 1.1.3.1.23.1

## efaturaKullaniciBilgisiCompletedEventArgs.efaturaKullaniciBilgisiCompletedEventArgs Constructor

C#

```
internal efaturaKullaniciBilgisiCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

### Description

This is efaturaKullaniciBilgisiCompletedEventArgs, a member of class efaturaKullaniciBilgisiCompletedEventArgs.

**Body Source**

```

1: internal efaturaKullaniciBilgisiCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }

```

**1.1.3.1.23.2 efaturaKullaniciBilgisiCompletedEventArgs Properties****1.1.3.1.23.2.1 efaturaKullaniciBilgisiCompletedEventArgs.Result Property****C#**

```
public eFaturaKullanici Result;
```

**1.1.3.1.24 eFaturaKullaniciExtended Class****Class Hierarchy****C#**

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
")]
public class eFaturaKullaniciExtended : serviceReturnType;

```

**File**

Reference.cs ( [see page 835](#) )

**eFaturaKullaniciExtended Properties****eFaturaKullaniciExtended Class**

	<b>Name</b>	<b>Description</b>
	eFaturaKayitliKullaniciHistoryList ( <a href="#">see page 396</a> )	
	etiket ( <a href="#">see page 396</a> )	
	etiketOlusturulmaZamani ( <a href="#">see page 396</a> )	
	hesapTipi ( <a href="#">see page 396</a> )	
	hesapTipiSpecified ( <a href="#">see page 396</a> )	
	kamuKurulu ( <a href="#">see page 396</a> )	
	kamuKurulusuSpecified ( <a href="#">see page 396</a> )	
	kayitZamani ( <a href="#">see page 396</a> )	
	tip ( <a href="#">see page 396</a> )	
	tipSpecified ( <a href="#">see page 397</a> )	
	unvan ( <a href="#">see page 397</a> )	
	vergiTcKimlikNo ( <a href="#">see page 397</a> )	

**1.1.3.1.24.1 eFaturaKullaniciExtended Properties**

#### 1.1.3.1.24.1.1 eFaturaKullaniciExtended.eFaturaKayitliKullaniciHistoryList Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("eFaturaKayitliKullaniciHistoryList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public eFaturaKayitliKullaniciHistory eFaturaKayitliKullaniciHistoryList;
```

#### 1.1.3.1.24.1.2 eFaturaKullaniciExtended.etiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string etiket;
```

#### 1.1.3.1.24.1.3 eFaturaKullaniciExtended.etiketOlusturulmaZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string etiketOlusturulmaZamani;
```

#### 1.1.3.1.24.1.4 eFaturaKullaniciExtended.hesapTipi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int hesapTipi;
```

#### 1.1.3.1.24.1.5 eFaturaKullaniciExtended.hesapTipiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool hesapTipiSpecified;
```

#### 1.1.3.1.24.1.6 eFaturaKullaniciExtended.kamuKurulusu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool kamuKurulusu;
```

#### 1.1.3.1.24.1.7 eFaturaKullaniciExtended.kamuKurulusuSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kamuKurulusuSpecified;
```

#### 1.1.3.1.24.1.8 eFaturaKullaniciExtended.kayitZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kayitZamani;
```

#### 1.1.3.1.24.1.9 eFaturaKullaniciExtended.tip Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int tip;
```

### 1.1.3.1.24.1.10 eFaturaKullaniciExtended.tipSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool tipSpecified;
```

### 1.1.3.1.24.1.11 eFaturaKullaniciExtended.unvan Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string unvan;
```


### 1.1.3.1.24.1.12 eFaturaKullaniciExtended.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vergiTcKimlikNo;
```

## 1.1.3.1.25 efaturaKullaniciListesiCompletedEventArgs Class

### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class efaturaKullaniciListesiCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs (see page 835)

### Methods

	Name	Description
!	efaturaKullaniciListesiCompletedEventArgs (see page 397)	This is efaturaKullaniciListesiCompletedEventArgs, a member of class efaturaKullaniciListesiCompletedEventArgs.

### efaturaKullaniciListesiCompletedEventArgs Properties

	Name	Description
!	Result (see page 398)	

### 1.1.3.1.25.1

## efaturaKullaniciListesiCompletedEventArgs.efaturaKullaniciListesiCompletedEventArgs Constructor

C#

```
internal efaturaKullaniciListesiCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

### Description

This is efaturaKullaniciListesiCompletedEventArgs, a member of class efaturaKullaniciListesiCompletedEventArgs.

### Body Source

```
1: internal efaturaKullaniciListesiCompletedEventArgs(object[] results, System.Exception
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }

```

### 1.1.3.1.25.2 efaturaKullaniciListesiCompletedEventArgs Properties

#### 1.1.3.1.25.2.1 efaturaKullaniciListesiCompletedEventArgs.Result Property

C#

```
public mukellefEFaturaKayit Result;
```

### 1.1.3.1.26 efaturaKullanicisiCompletedEventArgs Class

#### Class Hierarchy



C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class efaturaKullanicisiCompletedEventArgs : 
System.ComponentModel.AsyncCompletedEventArgs;

```

#### File

Reference.cs (↗ see page 835)

#### Methods

	Name	Description
!	efaturaKullanicisiCompletedEventArgs (↗ see page 398)	This is efaturaKullanicisiCompletedEventArgs, a member of class efaturaKullanicisiCompletedEventArgs.

#### efaturaKullanicisiCompletedEventArgs Properties

	Name	Description
!	Result (↗ see page 399)	

### 1.1.3.1.26.1

### efaturaKullanicisiCompletedEventArgs.efaturaKullanicisiCompletedEventArgs Constructor

C#

```
internal efaturaKullanicisiCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

#### Description

This is efaturaKullanicisiCompletedEventArgs, a member of class efaturaKullanicisiCompletedEventArgs.

#### Body Source

```

1: internal efaturaKullanicisiCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:         this.results = results;

```

### 1.1.3.1.26.2 efaturaKullanicisiCompletedEventArgs Properties


### 1.1.3.1.26.2.1 efaturaKullanicisiCompletedEventArgs.Result Property

C#

```
public bool Result;
```

## 1.1.3.1.27 elrsaliyeKayitliKullaniciListeleCompletedEventArgs Class

### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class eIrsaliyeKayitliKullaniciListeleCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs (↗ see page 835)

### Methods

	Name	Description
身旁	elrsaliyeKayitliKullaniciListeleCompletedEventArgs (↗ see page 399)	This is elrsaliyeKayitliKullaniciListeleCompletedEventArgs, a member of class elrsaliyeKayitliKullaniciListeleCompletedEventArgs.

### elrsaliyeKayitliKullaniciListeleCompletedEventArgs Properties

	Name	Description
结果	Result (↗ see page 400)	

### 1.1.3.1.27.1

## elrsaliyeKayitliKullaniciListeleCompletedEventArgs.elrsaliyeKayitliKullaniciListeleCompletedEventArgs

### Constructor

C#

```
internal eIrsaliyeKayitliKullaniciListeleCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

### Description

This is elrsaliyeKayitliKullaniciListeleCompletedEventArgs, a member of class elrsaliyeKayitliKullaniciListeleCompletedEventArgs.

### Body Source

```
1: internal eIrsaliyeKayitliKullaniciListeleCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

### 1.1.3.1.27.2 elrsaliyeKayitliKullaniciListeleCompletedEventArgs Properties

### 1.1.3.1.27.2.1 **eIrsaliyeKayitliKullaniciListeleCompletedEventArgs.Result** Property

C#

```
public eIrsaliyeKullanici Result;
```

## 1.1.3.1.28 **eIrsaliyeKullanici** Class

### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
public class eIrsaliyeKullanici : serviceReturnType;
```

### File

Reference.cs (see page 835)

### eIrsaliyeKullanici Properties

#### eIrsaliyeKullanici Class

	Name	Description
	etiket (see page 400)	
	kamuKuruluşu (see page 400)	
	kayitZamani (see page 400)	
	unvan (see page 401)	
	vergiTcKimlikNo (see page 401)	

### 1.1.3.1.28.1 **eIrsaliyeKullanici** Properties

#### 1.1.3.1.28.1.1 **eIrsaliyeKullanici.etiket** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string etiket;
```

#### 1.1.3.1.28.1.2 **eIrsaliyeKullanici.kamuKurulusu** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool kamuKurulusu;
```

#### 1.1.3.1.28.1.3 **eIrsaliyeKullanici.kayitZamani** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kayitZamani;
```

### 1.1.3.1.28.1.4 elrsaliyeKullanici.unvan Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string unvan;
```

### 1.1.3.1.28.1.5 elrsaliyeKullanici.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vergiTcKimlikNo;
```

## 1.1.3.1.29 elrsaliyeKullanicisiCompletedEventArgs Class

### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class eIrsaliyeKullanicisiCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs ([see page 835](#))

### Methods

	Name	Description
	elrsaliyeKullanicisiCompletedEventArgs ( <a href="#">see page 401</a> )	This is elrsaliyeKullanicisiCompletedEventArgs, a member of class elrsaliyeKullanicisiCompletedEventArgs.

### elrsaliyeKullanicisiCompletedEventArgs Properties

	Name	Description
	Result ( <a href="#">see page 402</a> )	

### 1.1.3.1.29.1

## elrsaliyeKullanicisiCompletedEventArgs.eIrsaliyeKullanicisiCompletedEventArgs Constructor

C#

```
internal eIrsaliyeKullanicisiCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

### Description

This is elrsaliyeKullanicisiCompletedEventArgs, a member of class elrsaliyeKullanicisiCompletedEventArgs.

### Body Source

```
1: internal eIrsaliyeKullanicisiCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

## 1.1.3.1.29.2 elrsaliyeKullanicisiCompletedEventArgs Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

### 1.1.3.1.29.2.1 **elrsaliyeKullaniciCompletedEventArgs.Result** Property

C#

```
public bool Result;
```

## 1.1.3.1.30 **erpBilgileri** Class

### Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
public class erpBilgileri;
```

### File

Reference.cs ( see page 835)

### erpBilgileri Properties

	Name	Description
	aciklama (  see page 402)	
	kod (  see page 402)	

### 1.1.3.1.30.1 **erpBilgileri** Properties

#### 1.1.3.1.30.1.1 **erpBilgileri.aciklama** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string aciklama;
```

#### 1.1.3.1.30.1.2 **erpBilgileri.kod** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kod;
```

## 1.1.3.1.31 **faturaKepIleLadeEdildiCompletedEventArgs** Class

### Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaKepIleLadeEdildiCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs (see page 835)

**Methods**

	Name	Description
	faturaKepIleladeEdildiCompletedEventArgs (see page 403)	This is faturaKepIleladeEdildiCompletedEventArgs, a member of class faturaKepIleladeEdildiCompletedEventArgs.

**faturaKepIleladeEdildiCompletedEventArgs Properties**

	Name	Description
	Result (see page 403)	

**1.1.3.1.31.1****faturaKepIleladeEdildiCompletedEventArgs.faturaKepIleladeEdildiCompletedEventArgs Constructor****C#**

```
internal faturaKepIleladeEdildiCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

**Description**


This is faturaKepIleladeEdildiCompletedEventArgs, a member of class faturaKepIleladeEdildiCompletedEventArgs.

**Body Source**

```
1: internal faturaKepIleladeEdildiCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

**1.1.3.1.31.2 faturaKepIleladeEdildiCompletedEventArgs Properties****1.1.3.1.31.2.1 faturaKepIleladeEdildiCompletedEventArgs.Result Property****C#**

```
public bool Result;
```

**1.1.3.1.32 faturaKepIleladeEdildiIptalCompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaKepIleladeEdildiIptalCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs (see page 835)

## Methods

	Name	Description
	faturaKepIleladeEdildilptalCompletedEventArgs ( <a href="#">see page 404</a> )	This is faturaKepIleladeEdildilptalCompletedEventArgs, a member of class faturaKepIleladeEdildilptalCompletedEventArgs.

### faturaKepIleladeEdildilptalCompletedEventArgs Properties

	Name	Description
	Result ( <a href="#">see page 404</a> )	

#### 1.1.3.1.32.1

### faturaKepIleladeEdildilptalCompletedEventArgs.faturaKepIleladeEdildilptalCompletedEventArgs Constructor

C#

```
internal faturaKepIleladeEdildilptalCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

#### Description

This is faturaKepIleladeEdildilptalCompletedEventArgs, a member of class faturaKepIleladeEdildilptalCompletedEventArgs.

#### Body Source

```
1: internal faturaKepIleladeEdildilptalCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

### 1.1.3.1.32.2 faturaKepIleladeEdildilptalCompletedEventArgs Properties

#### 1.1.3.1.32.2.1 faturaKepIleladeEdildilptalCompletedEventArgs.Result Property

C#

```
public bool Result;
```

## 1.1.3.1.33 faturaNoUretCompletedEventArgs Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaNoUretCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs {
```

#### File

Reference.cs ([see page 835](#))

## Methods

	Name	Description
	faturaNoUretCompletedEventArgs ( <a href="#">see page 405</a> )	This is faturaNoUretCompletedEventArgs, a member of class faturaNoUretCompletedEventArgs.

**faturaNoUretCompletedEventArgs Properties**

	Name	Description
	Result ( <a href="#">see page 405</a> )	

**1.1.3.1.33.1 faturaNoUretCompletedEventArgs.faturaNoUretCompletedEventArgs Constructor****C#**

```
internal faturaNoUretCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

**Description**


This is faturaNoUretCompletedEventArgs, a member of class faturaNoUretCompletedEventArgs.

**Body Source**

```
1: internal faturaNoUretCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

**1.1.3.1.33.2 faturaNoUretCompletedEventArgs Properties****1.1.3.1.33.2.1 faturaNoUretCompletedEventArgs.Result Property****C#**

```
public string Result;
```

**1.1.3.1.34 faturaTarihcesiData Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class faturaTarihcesiData : serviceReturnType;
```

**File**

Reference.cs ([see page 835](#))

**faturaTarihcesiData Properties****faturaTarihcesiData Class**

	Name	Description
	bagliKayitId ( <a href="#">see page 406</a> )	
	faturaEtnn ( <a href="#">see page 406</a> )	
	islem ( <a href="#">see page 406</a> )	
	islemAciklama ( <a href="#">see page 406</a> )	
	islemKanali ( <a href="#">see page 406</a> )	

	islemKanaliAciklama (see page 406)	
	islemSonucu (see page 406)	
	islemZamani (see page 407)	
	kullanici (see page 407)	
	kullanicilp (see page 407)	
	zarfEtn (see page 407)	

### 1.1.3.1.34.1 faturaTarihcesiData Properties

#### 1.1.3.1.34.1.1 faturaTarihcesiData.bagliKayitId Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bagliKayitId;
```

#### 1.1.3.1.34.1.2 faturaTarihcesiData.faturaEtn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaEtn;
```

#### 1.1.3.1.34.1.3 faturaTarihcesiData.islem Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public short islem;
```

#### 1.1.3.1.34.1.4 faturaTarihcesiData.islemAciklama Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemAciklama;
```

#### 1.1.3.1.34.1.5 faturaTarihcesiData.islemKanali Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public sbyte islemKanali;
```

#### 1.1.3.1.34.1.6 faturaTarihcesiData.islemKanaliAciklama Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemKanaliAciklama;
```

#### 1.1.3.1.34.1.7 faturaTarihcesiData.islemSonucu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemSonucu;
```

### 1.1.3.1.34.1.8 faturaTarihcesiData.islemZamani Property

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemZamani;
```

### 1.1.3.1.34.1.9 faturaTarihcesiData.kullanici Property

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kullanici;
```

### 1.1.3.1.34.1.10 faturaTarihcesiData.kullaniciIp Property

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kullaniciIp;
```


### 1.1.3.1.34.1.11 faturaTarihcesiData.zarfEttn Property

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string zarfEttn;
```

## 1.1.3.1.35 faturaTarihcesiSorgulaCompletedEventArgs Class

### Class Hierarchy

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaTarihcesiSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs ([see page 835](#))

### Methods

	Name	Description
	faturaTarihcesiSorgulaCompletedEventArgs ( <a href="#">see page 408</a> )	This is faturaTarihcesiSorgulaCompletedEventArgs, a member of class faturaTarihcesiSorgulaCompletedEventArgs.

### faturaTarihcesiSorgulaCompletedEventArgs Properties

	Name	Description
	Result ( <a href="#">see page 408</a> )	

### 1.1.3.1.35.1

## faturaTarihcesiSorgulaCompletedEventArgs.faturaTarihcesiSorgulaCompletedEventArgs

### Constructor

C#

```
internal faturaTarihcesiSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

### Description

This is faturaTarihcesiSorgulaCompletedEventArgs, a member of class faturaTarihcesiSorgulaCompletedEventArgs.

### Body Source

```
1: internal faturaTarihcesiSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

### 1.1.3.1.35.2 faturaTarihcesiSorgulaCompletedEventArgs Properties


#### 1.1.3.1.35.2.1 faturaTarihcesiSorgulaCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

### 1.1.3.1.36 faturayaltirazEdildiCompletedEventArgs Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturayaltirazEdildiCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs (see page 835)

#### Methods

	Name	Description
	faturayaltirazEdildiCompletedEventArgs (see page 409)	This is faturayaltirazEdildiCompletedEventArgs, a member of class faturayaltirazEdildiCompletedEventArgs.

#### faturayaltirazEdildiCompletedEventArgs Properties

	Name	Description
	Result (see page 409)	

### 1.1.3.1.36.1

## faturayaltirazEdildiCompletedEventArgs.faturayaltirazEdildiCompletedEventArgs Constructor

C#

```
internal faturayaItirazEdildiCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

### Description

This is faturayaltirazEdildiCompletedEventArgs, a member of class faturayaltirazEdildiCompletedEventArgs.

### Body Source

```
1: internal faturayaItirazEdildiCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

### 1.1.3.1.36.2 faturayaltirazEdildiCompletedEventArgs Properties


#### 1.1.3.1.36.2.1 faturayaltirazEdildiCompletedEventArgs.Result Property

C#

```
public bool Result;
```

### 1.1.3.1.37 faturayaltirazEdildilptalCompletedEventArgs Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturayaItirazEdildiIptalCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs (see page 835)

#### Methods

	Name	Description
!	faturayaltirazEdildilptalCompletedEventArgs (see page 410)	This is faturayaltirazEdildilptalCompletedEventArgs, a member of class faturayaltirazEdildilptalCompletedEventArgs.

#### faturayaltirazEdildilptalCompletedEventArgs Properties

	Name	Description
!	Result (see page 410)	

### 1.1.3.1.37.1

## faturayaltirazEdildilptalCompletedEventArgs.faturayaltirazEdildilptalCompletedEventArgs

**S**  
**Constructor**

C#

```
internal faturayaItirazEdildiIptalCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

### Description

This is faturayaltirazEdildilptalCompletedEventArgs, a member of class faturayaltirazEdildilptalCompletedEventArgs.

### Body Source

```
1: internal faturayaItirazEdildiIptalCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

### 1.1.3.1.37.2 faturayaltirazEdildilptalCompletedEventArgs Properties

#### 1.1.3.1.37.2.1 faturayaltirazEdildilptalCompletedEventArgs.Result Property

C#

```
public bool Result;
```

### 1.1.3.1.38 gelenBelgeDurum Class

#### Class Hierarchy



C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv2))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv5))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[Serializable()]
[DebuggerStepThrough()]
[DesignerCategory("code")]
[XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class gelenBelgeDurum : serviceReturnType;
```

#### File

Reference.cs (see page 835)

#### gelenBelgeDurum Properties

#### gelenBelgeDurum Class

	Name	Description
	alimTarihi (see page 411)	
	belgeNo (see page 411)	
	ettn (see page 411)	
	yanitDetayi (see page 411)	
	yanitDurumu (see page 411)	

	yanitGonderimCevabiDetayi (see page 411)	
	yanitGonderimCevabiKodu (see page 411)	
	yanitGonderimDurumu (see page 412)	
	yanitGonderimTarihi (see page 412)	

### 1.1.3.1.38.1 gelenBelgeDurum Properties

#### 1.1.3.1.38.1.1 gelenBelgeDurum.alimTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string alimTarihi;
```

#### 1.1.3.1.38.1.2 gelenBelgeDurum.belgeNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeNo;
```

#### 1.1.3.1.38.1.3 gelenBelgeDurum.ettn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ettn;
```

#### 1.1.3.1.38.1.4 gelenBelgeDurum.yanitDetayi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yanitDetayi;
```

#### 1.1.3.1.38.1.5 gelenBelgeDurum.yanitDurumu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int yanitDurumu;
```

#### 1.1.3.1.38.1.6 gelenBelgeDurum.yanitGonderimCevabiDetayi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yanitGonderimCevabiDetayi;
```

#### 1.1.3.1.38.1.7 gelenBelgeDurum.yanitGonderimCevabiKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int yanitGonderimCevabiKodu;
```

### 1.1.3.1.38.1.8 gelenBelgeDurum.yanitGonderimDurumu Property

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int yanitGonderimDurumu;
```


### 1.1.3.1.38.1.9 gelenBelgeDurum.yanitGonderimTarihi Property

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yanitGonderimTarihi;
```

## 1.1.3.1.39 gelenBelgeDurumSorgulaCompletedEventArgs Class

### Class Hierarchy

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeDurumSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs ([see page 835](#))

### Methods

	<b>Name</b>	<b>Description</b>
	gelenBelgeDurumSorgulaCompletedEventArgs ( <a href="#">see page 412</a> )	This is gelenBelgeDurumSorgulaCompletedEventArgs, a member of class gelenBelgeDurumSorgulaCompletedEventArgs.

### gelenBelgeDurumSorgulaCompletedEventArgs Properties

	<b>Name</b>	<b>Description</b>
	Result ( <a href="#">see page 413</a> )	

### 1.1.3.1.39.1

## gelenBelgeDurumSorgulaCompletedEventArgs.gelenBelgeDurumSorgulaCompletedEventArgs Constructor

**C#**

```
internal gelenBelgeDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

### Description

This is gelenBelgeDurumSorgulaCompletedEventArgs, a member of class gelenBelgeDurumSorgulaCompletedEventArgs.

### Body Source

```
1: internal gelenBelgeDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

### 1.1.3.1.39.2 gelenBelgeDurumSorgulaCompletedEventArgs Properties

#### 1.1.3.1.39.2.1 gelenBelgeDurumSorgulaCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

### 1.1.3.1.40 gelenBelgeDurumSorgulaExtCompletedEventArgs Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeDurumSorgulaExtCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs (see page 835)

#### Methods

	Name	Description
	gelenBelgeDurumSorgulaExtCompletedEventArgs (see page 413)	This is gelenBelgeDurumSorgulaExtCompletedEventArgs, a member of class gelenBelgeDurumSorgulaExtCompletedEventArgs.

#### gelenBelgeDurumSorgulaExtCompletedEventArgs Properties

	Name	Description
	Result (see page 414)	

#### 1.1.3.1.40.1

### gelenBelgeDurumSorgulaExtCompletedEventArgs.gelenBelgeDurumSorgulaExtCompletedEventArgs Properties

#### Constructor

C#

```
internal gelenBelgeDurumSorgulaExtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

#### Description

This is gelenBelgeDurumSorgulaExtCompletedEventArgs, a member of class gelenBelgeDurumSorgulaExtCompletedEventArgs.

#### Body Source

```
1: internal gelenBelgeDurumSorgulaExtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

### 1.1.3.1.40.2 gelenBelgeDurumSorgulaExtCompletedEventArgs Properties


### 1.1.3.1.40.2.1 gelenBelgeDurumSorgulaExtCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

## 1.1.3.1.41 gelenBelgeDurumv2 Class

### Class Hierarchy



C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv5))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class gelenBelgeDurumv2 : gelenBelgeDurum
```

### File

Reference.cs (see page 835)

### gelenBelgeDurum Properties

### gelenBelgeDurum Class

	<b>Name</b>	<b>Description</b>
	alimTarihi (see page 411)	
	belgeNo (see page 411)	
	ettn (see page 411)	
	yanitDetayi (see page 411)	
	yanitDurumu (see page 411)	
	yanitGonderimCevabiDetayi (see page 411)	
	yanitGonderimCevabiKodu (see page 411)	
	yanitGonderimDurumu (see page 412)	
	yanitGonderimTarihi (see page 412)	

### gelenBelgeDurumv2 Class

	<b>Name</b>	<b>Description</b>
	siraNo (see page 415)	
	yereleAktarimDurumu (see page 415)	

## 1.1.3.1.41.1 gelenBelgeDurumv2 Properties

### 1.1.3.1.41.1.1 gelenBelgeDurumv2.siraNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public long siraNo;
```


### 1.1.3.1.41.1.2 gelenBelgeDurumv2.yereleAktarimDurumu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int yereleAktarimDurumu;
```

## 1.1.3.1.42 gelenBelgeDurumv3 Class

### Class Hierarchy



C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv5))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class gelenBelgeDurumv3 : gelenBelgeDurumv2;
```

### File

Reference.cs (see page 835)

### gelenBelgeDurum Properties

#### gelenBelgeDurum Class

	Name	Description
	alimTarihi (see page 411)	
	belgeNo (see page 411)	
	ettn (see page 411)	
	yanitDetayi (see page 411)	
	yanitDurumu (see page 411)	
	yanitGonderimCevabiDetayi (see page 411)	
	yanitGonderimCevabiKodu (see page 411)	
	yanitGonderimDurumu (see page 412)	
	yanitGonderimTarihi (see page 412)	

#### gelenBelgeDurumv2 Class


	Name	Description
	siraNo (see page 415)	
	yereleAktarimDurumu (see page 415)	

**gelenBelgeDurumv3 Class**

	Name	Description
	kepDurum ( <a href="#">see page 416</a> )	

**1.1.3.1.42.1 gelenBelgeDurumv3 Properties****1.1.3.1.42.1.1 gelenBelgeDurumv3.kepDurum Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kepDurum;
```

**1.1.3.1.43 gelenBelgeDurumv4 Class****Class Hierarchy****C#**

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv5))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class gelenBelgeDurumv4 : gelenBelgeDurumv3;
```

**File**

Reference.cs ([see page 835](#))

**gelenBelgeDurum Properties****gelenBelgeDurum Class**

	Name	Description
	alimTarihi ( <a href="#">see page 411</a> )	
	belgeNo ( <a href="#">see page 411</a> )	
	ettn ( <a href="#">see page 411</a> )	
	yanitDetayi ( <a href="#">see page 411</a> )	
	yanitDurumu ( <a href="#">see page 411</a> )	
	yanitGonderimCevabiDetayi ( <a href="#">see page 411</a> )	
	yanitGonderimCevabiKodu ( <a href="#">see page 411</a> )	
	yanitGonderimDurumu ( <a href="#">see page 412</a> )	
	yanitGonderimTarihi ( <a href="#">see page 412</a> )	

**gelenBelgeDurumv2 Class**

	Name	Description
	siraNo ( <a href="#">see page 415</a> )	
	yereleAktarimDurumu ( <a href="#">see page 415</a> )	

**gelenBelgeDurumv3 Class**


	Name	Description
	kepDurum ( <a href="#">see page 416</a> )	

**gelenBelgeDurumv4 Class**

	Name	Description
	giblptalDurum ( <a href="#">see page 417</a> )	

**1.1.3.1.43.1 gelenBelgeDurumv4 Properties****1.1.3.1.43.1.1 gelenBelgeDurumv4.giblptalDurum Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string giblptalDurum;
```

**1.1.3.1.44 gelenBelgeDurumv5 Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute	Namespace="http://service.connector.uut.cs.com.tr/"]
public class gelenBelgeDurumv5 : gelenBelgeDurumv4;
```

**File**Reference.cs ([see page 835](#))**gelenBelgeDurum Properties****gelenBelgeDurum Class**

	Name	Description
	alimTarihi ( <a href="#">see page 411</a> )	
	belgeNo ( <a href="#">see page 411</a> )	
	ettn ( <a href="#">see page 411</a> )	
	yanitDetayi ( <a href="#">see page 411</a> )	
	yanitDurumu ( <a href="#">see page 411</a> )	
	yanitGonderimCevabiDetayi ( <a href="#">see page 411</a> )	
	yanitGonderimCevabiKodu ( <a href="#">see page 411</a> )	
	yanitGonderimDurumu ( <a href="#">see page 412</a> )	
	yanitGonderimTarihi ( <a href="#">see page 412</a> )	

**gelenBelgeDurumv2 Class**

	Name	Description
	siraNo ( <a href="#">see page 415</a> )	
	yereleAktarimDurumu ( <a href="#">see page 415</a> )	

**gelenBelgeDurumv3 Class**

	Name	Description
	kepDurum ( <a href="#">see page 416</a> )	

**gelenBelgeDurumv4 Class**


	Name	Description
	giblptalDurum ( <a href="#">see page 417</a> )	

**gelenBelgeDurumv5 Class**

	Name	Description
	yanitEttn ( <a href="#">see page 418</a> )	

**1.1.3.1.44.1 gelenBelgeDurumv5 Properties****1.1.3.1.44.1.1 gelenBelgeDurumv5.yanitEttn Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yanitEttn;
```

**1.1.3.1.45 gelenBelgeEkleriAICompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeEkleriAICompletedEventArgs : 
System.ComponentModel.AsyncCompletedEventArgs;
```

**File**Reference.cs ( [see page 835](#) )**Methods**

	Name	Description
	gelenBelgeEkleriAICompletedEventArgs ( <a href="#">see page 419</a> )	This is gelenBelgeEkleriAICompletedEventArgs, a member of class gelenBelgeEkleriAICompletedEventArgs.

**gelenBelgeEkleriAICompletedEventArgs Properties**

	Name	Description
	Result ( <a href="#">see page 419</a> )	

### 1.1.3.1.45.1

## gelenBelgeEkleriAICompletedEventArgs.gelenBelgeEkleriAICompletedEventArgs Constructor

C#

```
internal gelenBelgeEkleriAICompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

### Description

This is gelenBelgeEkleriAICompletedEventArgs, a member of class gelenBelgeEkleriAICompletedEventArgs.

### Body Source

```
1: internal gelenBelgeEkleriAICompletedEventArgs(object[] results, System.Exception exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

### 1.1.3.1.45.2 gelenBelgeEkleriAICompletedEventArgs Properties

#### 1.1.3.1.45.2.1 gelenBelgeEkleriAICompletedEventArgs.Result Property

C#

```
public byte Result;
```

### 1.1.3.1.46 gelenBelgeleriAICompletedEventArgs Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeleriAICompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs (see page 835)

#### Methods

	Name	Description
≡	gelenBelgeleriAICompletedEventArgs (see page 419)	This is gelenBelgeleriAICompletedEventArgs, a member of class gelenBelgeleriAICompletedEventArgs.

#### gelenBelgeleriAICompletedEventArgs Properties

	Name	Description
!	Result (see page 420)	

#### 1.1.3.1.46.1 gelenBelgeleriAICompletedEventArgs.gelenBelgeleriAICompletedEventArgs Constructor

C#

```
internal gelenBelgeleriAICompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

**Description**


This is gelenBelgeleriAICompletedEventArgs, a member of class gelenBelgeleriAICompletedEventArgs.

**Body Source**

```
1: internal gelenBelgeleriAICompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

**1.1.3.1.46.2 gelenBelgeleriAICompletedEventArgs Properties****1.1.3.1.46.2.1 gelenBelgeleriAICompletedEventArgs.Result Property****C#**

```
public serviceReturnType Result;
```

**1.1.3.1.47 gelenBelgeleriAIExt2CompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeleriAIExt2CompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs ([see page 835](#))

**Methods**

	<b>Name</b>	<b>Description</b>
	gelenBelgeleriAIExt2CompletedEventArgs ( <a href="#">see page 420</a> )	This is gelenBelgeleriAIExt2CompletedEventArgs, a member of class gelenBelgeleriAIExt2CompletedEventArgs.

**gelenBelgeleriAIExt2CompletedEventArgs Properties**

	<b>Name</b>	<b>Description</b>
	Result ( <a href="#">see page 421</a> )	

**1.1.3.1.47.1****gelenBelgeleriAIExt2CompletedEventArgs.gelenBelgeleriAIExt2CompletedEventArgs Constructor****C#**

```
internal gelenBelgeleriAIExt2CompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

**Description**

This is gelenBelgeleriAIExt2CompletedEventArgs, a member of class gelenBelgeleriAIExt2CompletedEventArgs.

**Body Source**

```
1: internal gelenBelgeleriAIExt2CompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
```

```

3:     this.results = results;
4: }
```

### 1.1.3.1.47.2 gelenBelgeleriAIExt2CompletedEventArgs Properties

#### 1.1.3.1.47.2.1 gelenBelgeleriAIExt2CompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

### 1.1.3.1.48 gelenBelgeleriAIExt2Entry Class

#### Class Hierarchy

```
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExt2Entry
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(AnonymousType=true,
Namespace="http://service.connector.uut.cs.com.tr/")]
public class gelenBelgeleriAIExt2Entry;
```

#### File

Reference.cs (see page 835)

#### gelenBelgeleriAIExt2Entry Properties

	Name	Description
	key (see page 421)	
	value (see page 421)	

### 1.1.3.1.48.1 gelenBelgeleriAIExt2Entry Properties

#### 1.1.3.1.48.1.1 gelenBelgeleriAIExt2Entry.key Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string key;
```

#### 1.1.3.1.48.1.2 gelenBelgeleriAIExt2Entry.value Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string value;
```

### 1.1.3.1.49 gelenBelgeleriAIExtCompletedEventArgs Class

#### Class Hierarchy

```
System.ComponentModel.AsyncCompletedEventArgs --> QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExtCompletedEventArgs
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
```

```
public class gelenBelgeleriAIExtCompletedEventArgs :  
System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs (see page 835)

**Methods**

	Name	Description
	gelenBelgeleriAIExtCompletedEventArgs (see page 422)	This is gelenBelgeleriAIExtCompletedEventArgs, a member of class gelenBelgeleriAIExtCompletedEventArgs.

**gelenBelgeleriAIExtCompletedEventArgs Properties**

	Name	Description
	Result (see page 422)	

**1.1.3.1.49.1****gelenBelgeleriAIExtCompletedEventArgs.gelenBelgeleriAIExtCompletedEventArgs Constructor****C#**

```
internal gelenBelgeleriAIExtCompletedEventArgs(object[] results, System.Exception  
exception, bool cancelled, object userState);
```

**Description**

This is gelenBelgeleriAIExtCompletedEventArgs, a member of class gelenBelgeleriAIExtCompletedEventArgs.

**Body Source**

```
1: internal gelenBelgeleriAIExtCompletedEventArgs(object[] results, System.Exception  
exception, bool cancelled, object userState) :  
2:     base(exception, cancelled, userState) {  
3:         this.results = results;  
4:     }
```

**1.1.3.1.49.2 gelenBelgeleriAIExtCompletedEventArgs Properties****1.1.3.1.49.2.1 gelenBelgeleriAIExtCompletedEventArgs.Result Property****C#**

```
public serviceReturnType Result;
```

**1.1.3.1.50 gelenBelgeleriIndirCompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]  
[System.Diagnostics.DebuggerStepThroughAttribute()]  
[System.ComponentModel.DesignerCategoryAttribute("code")]  
public class gelenBelgeleriIndirCompletedEventArgs :  
System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs (see page 835)

## Methods

	Name	Description
📑	gelenBelgeleriIndirCompletedEventArgs	This is gelenBelgeleriIndirCompletedEventArgs, a member of class gelenBelgeleriIndirCompletedEventArgs. ( <a href="#">see page 423</a> )

### gelenBelgeleriIndirCompletedEventArgs Properties

	Name	Description
📝	Result ( <a href="#">see page 423</a> )	

#### 1.1.3.1.50.1

### gelenBelgeleriIndirCompletedEventArgs.gelenBelgeleriIndirCompletedEventArgs Constructor

C#

```
internal gelenBelgeleriIndirCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

#### Description

This is gelenBelgeleriIndirCompletedEventArgs, a member of class gelenBelgeleriIndirCompletedEventArgs.

#### Body Source

```
1: internal gelenBelgeleriIndirCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

### 1.1.3.1.50.2 gelenBelgeleriIndirCompletedEventArgs Properties


#### 1.1.3.1.50.2.1 gelenBelgeleriIndirCompletedEventArgs.Result Property

C#

```
public byte Result;
```

### 1.1.3.1.51 gelenBelgeleriIndirExtCompletedEventArgs Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCode("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeleriIndirExtCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs ([see page 835](#))

#### Methods

	Name	Description
📑	gelenBelgeleriIndirExtCompletedEventArgs	This is gelenBelgeleriIndirExtCompletedEventArgs, a member of class gelenBelgeleriIndirExtCompletedEventArgs. ( <a href="#">see page 424</a> )

**gelenBelgeleriIndirExtCompletedEventArgs Properties**

	Name	Description
	Result ( <a href="#">see page 424</a> )	

**1.1.3.1.51.1****gelenBelgeleriIndirExtCompletedEventArgs.gelenBelgeleriIndirExtCompletedEventArgs Constructor****C#**

```
internal gelenBelgeleriIndirExtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

**Description**


This is gelenBelgeleriIndirExtCompletedEventArgs, a member of class gelenBelgeleriIndirExtCompletedEventArgs.

**Body Source**

```
1: internal gelenBelgeleriIndirExtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

**1.1.3.1.51.2 gelenBelgeleriIndirExtCompletedEventArgs Properties****1.1.3.1.51.2.1 gelenBelgeleriIndirExtCompletedEventArgs.Result Property****C#**

```
public byte Result;
```

**1.1.3.1.52 gelenBelgeleriListeleCompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeleriListeleCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs ([see page 835](#))

**Methods**

	Name	Description
	gelenBelgeleriListeleCompletedEventArgs ( <a href="#">see page 425</a> )	This is gelenBelgeleriListeleCompletedEventArgs, a member of class gelenBelgeleriListeleCompletedEventArgs.

**gelenBelgeleriListeleCompletedEventArgs Properties**

	Name	Description
	Result ( <a href="#">see page 425</a> )	

### 1.1.3.1.52.1

## gelenBelgeleriListeleCompletedEventArgs.gelenBelgeleriListeleCompletedEventArgs Constructor

C#

```
internal gelenBelgeleriListeleCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

### Description

This is gelenBelgeleriListeleCompletedEventArgs, a member of class gelenBelgeleriListeleCompletedEventArgs.

### Body Source

```
1: internal gelenBelgeleriListeleCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

### 1.1.3.1.52.2 gelenBelgeleriListeleCompletedEventArgs Properties


#### 1.1.3.1.52.2.1 gelenBelgeleriListeleCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

### 1.1.3.1.53 gelenBelgeleriListeleExtCompletedEventArgs Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeleriListeleExtCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs (see page 835)

#### Methods

	Name	Description
	gelenBelgeleriListeleExtCompletedEventArgs (see page 426)	This is gelenBelgeleriListeleExtCompletedEventArgs, a member of class gelenBelgeleriListeleExtCompletedEventArgs.

#### gelenBelgeleriListeleExtCompletedEventArgs Properties

	Name	Description
	Result (see page 426)	

### 1.1.3.1.53.1

## **gelenBelgeleriListeleExtCompletedEventArgs.gelenBelgeleriListeleExtCompletedEventArgs** Constructor

C#

```
internal gelenBelgeleriListeleExtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

### Description

This is gelenBelgeleriListeleExtCompletedEventArgs, a member of class gelenBelgeleriListeleExtCompletedEventArgs.

### Body Source

```
1: internal gelenBelgeleriListeleExtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

### 1.1.3.1.53.2 gelenBelgeleriListeleExtCompletedEventArgs Properties

#### 1.1.3.1.53.2.1 gelenBelgeleriListeleExtCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

### 1.1.3.1.54 gelenBelgeParametreleri Class

#### Class Hierarchy

[QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
public class gelenBelgeParametreleri:
```

#### File

[Reference.cs](#) ([see page 835](#))

#### gelenBelgeParametreleri Properties

	Name	Description
	alanEtiket ( <a href="#">see page 427</a> )	
	belgeFormati ( <a href="#">see page 427</a> )	
	belgelerAlindiMi ( <a href="#">see page 427</a> )	
	belgelerAlindiMiSpecified ( <a href="#">see page 427</a> )	
	belgeTuru ( <a href="#">see page 427</a> )	
	belgeVersiyon ( <a href="#">see page 428</a> )	
	donusTipiVersiyon ( <a href="#">see page 428</a> )	

	entegrasyonHedefi (see page 428)	
	erpKodu (see page 428)	
	ettm (see page 428)	
	faturaTarihiBaslangic (see page 428)	
	faturaTarihiBitis (see page 428)	
	gelisTarihiBaslangic (see page 428)	
	gelisTarihiBitis (see page 428)	
	gonderenEtiket (see page 429)	
	onayDurum (see page 429)	
	sonAlinanBelgeSiraNumarasi (see page 429)	
	subeKodu (see page 429)	
	vergiTcKimlikNo (see page 429)	

### 1.1.3.1.54.1 gelenBelgeParametreleri Properties

#### 1.1.3.1.54.1.1 gelenBelgeParametreleri.alanEtiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("alanEtiket",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public string alanEtiket;
```

#### 1.1.3.1.54.1.2 gelenBelgeParametreleri.belgeFormati Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeFormati;
```

#### 1.1.3.1.54.1.3 gelenBelgeParametreleri.belgelerAlindiMi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool belgelerAlindiMi;
```

#### 1.1.3.1.54.1.4 gelenBelgeParametreleri.belgelerAlindiMiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool belgelerAlindiMiSpecified;
```

#### 1.1.3.1.54.1.5 gelenBelgeParametreleri.belgeTuru Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTuru;
```

#### 1.1.3.1.54.1.6 gelenBelgeParametreleri.belgeVersiyon Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeVersiyon;
```

#### 1.1.3.1.54.1.7 gelenBelgeParametreleri.donusTipiVersiyon Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donusTipiVersiyon;
```

#### 1.1.3.1.54.1.8 gelenBelgeParametreleri.entegrasyonHedefi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string entegrasyonHedefi;
```

#### 1.1.3.1.54.1.9 gelenBelgeParametreleri.erpKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string erpKodu;
```

#### 1.1.3.1.54.1.10 gelenBelgeParametreleri.ettn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("ettn",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public string ettn;
```

#### 1.1.3.1.54.1.11 gelenBelgeParametreleri.faturaTarihiBaslangic Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaTarihiBaslangic;
```

#### 1.1.3.1.54.1.12 gelenBelgeParametreleri.faturaTarihiBitis Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaTarihiBitis;
```

#### 1.1.3.1.54.1.13 gelenBelgeParametreleri.gelisTarihiBaslangic Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gelisTarihiBaslangic;
```

#### 1.1.3.1.54.1.14 gelenBelgeParametreleri.gelisTarihiBitis Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gelisTarihiBitis;
```

### 1.1.3.1.54.1.15 gelenBelgeParametreleri.gonderenEtiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("gonderenEtiket",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public string gonderenEtiket;
```

### 1.1.3.1.54.1.16 gelenBelgeParametreleri.onayDurum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string onayDurum;
```

### 1.1.3.1.54.1.17 gelenBelgeParametreleri.sonAlinanBelgeSiraNumarasi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string sonAlinanBelgeSiraNumarasi;
```

### 1.1.3.1.54.1.18 gelenBelgeParametreleri.subeKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string subeKodu;
```

### 1.1.3.1.54.1.19 gelenBelgeParametreleri.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vergiTcKimlikNo;
```

## 1.1.3.1.55 gelenBelgeTutarBilgileri Class

### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class gelenBelgeTutarBilgileri : serviceReturnType;
```

### File

Reference.cs (see page 835)

### gelenBelgeTutarBilgileri Properties

### gelenBelgeTutarBilgileri Class

	Name	Description
	belgeNo (see page 430)	
	belgeTarihi (see page 430)	
	ettn (see page 430)	

	gondericiVkn (see page 430)	
	kdv18Oran (see page 430)	
	kdv18Tutar (see page 431)	
	kdv1Oran (see page 431)	
	kdv1Tutar (see page 431)	
	kdv8Oran (see page 431)	
	kdv8Tutar (see page 431)	
	kdvTevkifatOran (see page 431)	
	kdvTevkifatTutari (see page 431)	
	kdvToplamTutari (see page 431)	
	kdvToplamTutariDovizCinsi (see page 431)	
	malHizmetToplamTutari (see page 432)	
	malHizmetToplamTutariDovizCinsi (see page 432)	
	odenecekTutar (see page 432)	
	odenecekTutarDovizCinsi (see page 432)	

### 1.1.3.1.55.1 gelenBelgeTutarBilgileri Properties

#### 1.1.3.1.55.1.1 gelenBelgeTutarBilgileri.belgeNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeNo;
```

#### 1.1.3.1.55.1.2 gelenBelgeTutarBilgileri.belgeTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTarihi;
```

#### 1.1.3.1.55.1.3 gelenBelgeTutarBilgileri.ettn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ettn;
```

#### 1.1.3.1.55.1.4 gelenBelgeTutarBilgileri.gondericiVkn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gondericiVkn;
```

#### 1.1.3.1.55.1.5 gelenBelgeTutarBilgileri.kdv18Oran Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv18Oran;
```

**1.1.3.1.55.1.6 gelenBelgeTutarBilgileri.kdv18Tutar Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv18Tutar;
```

**1.1.3.1.55.1.7 gelenBelgeTutarBilgileri.kdv1Oran Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv1Oran;
```

**1.1.3.1.55.1.8 gelenBelgeTutarBilgileri.kdv1Tutar Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv1Tutar;
```

**1.1.3.1.55.1.9 gelenBelgeTutarBilgileri.kdv8Oran Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv8Oran;
```

**1.1.3.1.55.1.10 gelenBelgeTutarBilgileri.kdv8Tutar Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv8Tutar;
```

**1.1.3.1.55.1.11 gelenBelgeTutarBilgileri.kdvTevkifatOran Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdvTevkifatOran;
```

**1.1.3.1.55.1.12 gelenBelgeTutarBilgileri.kdvTevkifatTutari Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdvTevkifatTutari;
```

**1.1.3.1.55.1.13 gelenBelgeTutarBilgileri.kdvToplamTutari Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdvToplamTutari;
```

**1.1.3.1.55.1.14 gelenBelgeTutarBilgileri.kdvToplamTutariDovizCinsi Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdvToplamTutariDovizCinsi;
```

### 1.1.3.1.55.1.15 gelenBelgeTutarBilgileri.malHizmetToplamTutari Property

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string malHizmetToplamTutari;
```

### 1.1.3.1.55.1.16 gelenBelgeTutarBilgileri.malHizmetToplamTutariDovizCinsi Property

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string malHizmetToplamTutariDovizCinsi;
```

### 1.1.3.1.55.1.17 gelenBelgeTutarBilgileri.odenecekTutar Property

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string odenecekTutar;
```


### 1.1.3.1.55.1.18 gelenBelgeTutarBilgileri.odenecekTutarDovizCinsi Property

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string odenecekTutarDovizCinsi;
```

## 1.1.3.1.56 gelenBelgeTutarBilgileriSorgulaCompletedEventArgs Class

### Class Hierarchy

**C#**

```
[System.CodeDom.Compiler.GeneratedCode("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
public class gelenBelgeTutarBilgileriSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs ([see page 835](#))

### Methods

	<b>Name</b>	<b>Description</b>
	gelenBelgeTutarBilgileriSorgulaCompletedEventArgs ( <a href="#">see page 433</a> )	This is gelenBelgeTutarBilgileriSorgulaCompletedEventArgs, a member of class gelenBelgeTutarBilgileriSorgulaCompletedEventArgs.

### gelenBelgeTutarBilgileriSorgulaCompletedEventArgs Properties

	<b>Name</b>	<b>Description</b>
	Result ( <a href="#">see page 433</a> )	

### 1.1.3.1.56.1

## **gelenBelgeTutarBilgileriSorgulaCompletedEventArgs.gelenBelgeTutarBilgileriSorgulaCompletedEventArgs**

### Constructor

C#

```
internal gelenBelgeTutarBilgileriSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

### Description

This is gelenBelgeTutarBilgileriSorgulaCompletedEventArgs, a member of class gelenBelgeTutarBilgileriSorgulaCompletedEventArgs.

### Body Source

```
1: internal gelenBelgeTutarBilgileriSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

### 1.1.3.1.56.2 gelenBelgeTutarBilgileriSorgulaCompletedEventArgs Properties


#### 1.1.3.1.56.2.1 gelenBelgeTutarBilgileriSorgulaCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

### 1.1.3.1.57 gelenBelgeXmlleriniAlCompletedEventArgs Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeXmlleriniAlCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs (see page 835)

#### Methods

	Name	Description
!	gelenBelgeXmlleriniAlCompletedEventArgs (see page 434)	This is gelenBelgeXmlleriniAlCompletedEventArgs, a member of class gelenBelgeXmlleriniAlCompletedEventArgs.

#### gelenBelgeXmlleriniAlCompletedEventArgs Properties

	Name	Description
!	Result (see page 434)	

### 1.1.3.1.57.1

## **gelenBelgeXmlleriniAICompletedEventArgs.gelenBelgeXmlleriniAICompletedEventArgs Constructor**

C#

```
internal gelenBelgeXmlleriniAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

### Description

This is gelenBelgeXmlleriniAICompletedEventArgs, a member of class gelenBelgeXmlleriniAICompletedEventArgs.

### Body Source

```
1: internal gelenBelgeXmlleriniAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

### 1.1.3.1.57.2 gelenBelgeXmlleriniAICompletedEventArgs Properties


#### 1.1.3.1.57.2.1 gelenBelgeXmlleriniAICompletedEventArgs.Result Property

C#

```
public string Result;
```

### 1.1.3.1.58 gelenBelgeXmlleriniAIExtCompletedEventArgs Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeXmlleriniAIExtCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs ([see page 835](#))

#### Methods

	Name	Description
	gelenBelgeXmlleriniAIExtCompletedEventArgs ( <a href="#">see page 435</a> )	This is gelenBelgeXmlleriniAIExtCompletedEventArgs, a member of class gelenBelgeXmlleriniAIExtCompletedEventArgs.

#### gelenBelgeXmlleriniAIExtCompletedEventArgs Properties

	Name	Description
	Result ( <a href="#">see page 435</a> )	

### 1.1.3.1.58.1

## **gelenBelgeXmlleriniAIExtCompletedEventArgs.gelenBelgeXmlleriniAIExtCompletedEventArgs Constructor**

C#

```
internal gelenBelgeXmlleriniAIExtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

### Description

This is gelenBelgeXmlleriniAIExtCompletedEventArgs, a member of class gelenBelgeXmlleriniAIExtCompletedEventArgs.

### Body Source

```
1: internal gelenBelgeXmlleriniAIExtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

### 1.1.3.1.58.2 gelenBelgeXmlleriniAIExtCompletedEventArgs Properties


#### 1.1.3.1.58.2.1 gelenBelgeXmlleriniAIExtCompletedEventArgs.Result Property

C#

```
public byte Result;
```

### 1.1.3.1.59 gelenStandartRapolariAICompletedEventArgs Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenStandartRapolariAICompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs (see page 835)

#### Methods

	Name	Description
	gelenStandartRapolariAICompletedEventArgs (see page 436)	This is gelenStandartRapolariAICompletedEventArgs, a member of class gelenStandartRapolariAICompletedEventArgs.

#### gelenStandartRapolariAICompletedEventArgs Properties

	Name	Description
	Result (see page 436)	

### 1.1.3.1.59.1

## gelenStandartRapolariAICompletedEventArgs.gelenStandartRapolariAICompletedEventArgs Constructor

C#

```
internal gelenStandartRapolariAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

### Description

This is gelenStandartRapolariAICompletedEventArgs, a member of class gelenStandartRapolariAICompletedEventArgs.

### Body Source

```
1: internal gelenStandartRapolariAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

### 1.1.3.1.59.2 gelenStandartRapolariAICompletedEventArgs Properties


#### 1.1.3.1.59.2.1 gelenStandartRapolariAICompletedEventArgs.Result Property

C#

```
public byte Result;
```

## 1.1.3.1.60 gelenTamamlananRapolariAICompletedEventArgs Class

### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenTamamlananRapolariAICompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs ([see page 835](#))

### Methods

	Name	Description
	gelenTamamlananRapolariAICompletedEventArgs ( <a href="#">see page 437</a> )	This is gelenTamamlananRapolariAICompletedEventArgs, a member of class gelenTamamlananRapolariAICompletedEventArgs.

### gelenTamamlananRapolariAICompletedEventArgs Properties

	Name	Description
	Result ( <a href="#">see page 437</a> )	

### 1.1.3.1.60.1

## **gelenTamamlananRapolariAICompletedEventArgs.gelenTamamlananRapolariAICompletedEventArgs**

**Constructor**

**C#**

```
internal gelenTamamlananRapolariAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

**Description**

This is gelenTamamlananRapolariAICompletedEventArgs, a member of class gelenTamamlananRapolariAICompletedEventArgs.

**Body Source**

```
1: internal gelenTamamlananRapolariAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

### 1.1.3.1.60.2 gelenTamamlananRapolariAICompletedEventArgs Properties


#### 1.1.3.1.60.2.1 gelenTamamlananRapolariAICompletedEventArgs.Result Property

**C#**

```
public byte Result;
```

### 1.1.3.1.61 gelenTasinanBelgeleriIndirCompletedEventArgs Class

**Class Hierarchy**



**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenTasinanBelgeleriIndirCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs ([see page 835](#))

**Methods**

	<b>Name</b>	<b>Description</b>
	gelenTasinanBelgeleriIndirCompletedEventArgs ( <a href="#">see page 438</a> )	This is gelenTasinanBelgeleriIndirCompletedEventArgs, a member of class gelenTasinanBelgeleriIndirCompletedEventArgs.

#### gelenTasinanBelgeleriIndirCompletedEventArgs Properties

	<b>Name</b>	<b>Description</b>
	Result ( <a href="#">see page 438</a> )	

### 1.1.3.1.61.1

## **gelenTasinanBelgeleriIndirCompletedEventArgs.gelenTasinanBelgeleriIndirCompletedEventArgs Constructor**

C#

```
internal gelenTasinanBelgeleriIndirCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

### Description

This is gelenTasinanBelgeleriIndirCompletedEventArgs, a member of class gelenTasinanBelgeleriIndirCompletedEventArgs.

### Body Source

```
1: internal gelenTasinanBelgeleriIndirCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

### 1.1.3.1.61.2 gelenTasinanBelgeleriIndirCompletedEventArgs Properties


#### 1.1.3.1.61.2.1 gelenTasinanBelgeleriIndirCompletedEventArgs.Result Property

C#

```
public byte Result;
```

## 1.1.3.1.62 gidenBelgeDurum Class

### Class Hierarchy



C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv2))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class gidenBelgeDurum : serviceReturnType;
```

### File

Reference.cs (see page 835)

### gidenBelgeDurum Properties

#### gidenBelgeDurum Class

	Name	Description
	aciklama (see page 439)	
	alimTarihi (see page 439)	
	belgeNo (see page 439)	
	durum (see page 439)	

	ettn ( <a href="#">see page 439</a> )	
	gonderimCevabiDetayi ( <a href="#">see page 439</a> )	
	gonderimCevabiKodu ( <a href="#">see page 440</a> )	
	gonderimDurumu ( <a href="#">see page 440</a> )	
	gonderimTarihi ( <a href="#">see page 440</a> )	
	olusturulmaTarihi ( <a href="#">see page 440</a> )	
	yanitDetayi ( <a href="#">see page 440</a> )	
	yanitDurumu ( <a href="#">see page 440</a> )	
	yanitTarihi ( <a href="#">see page 440</a> )	

### 1.1.3.1.62.1 **gidenBelgeDurum** Properties

#### 1.1.3.1.62.1.1 **gidenBelgeDurum.aciklama** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string aciklama;
```

#### 1.1.3.1.62.1.2 **gidenBelgeDurum.alimTarihi** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string alimTarihi;
```

#### 1.1.3.1.62.1.3 **gidenBelgeDurum.belgeNo** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeNo;
```

#### 1.1.3.1.62.1.4 **gidenBelgeDurum.durum** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int durum;
```

#### 1.1.3.1.62.1.5 **gidenBelgeDurum.ettn** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ettn;
```

#### 1.1.3.1.62.1.6 **gidenBelgeDurum.gonderimCevabiDetayi** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gonderimCevabiDetayi;
```

### 1.1.3.1.62.1.7 gidenBelgeDurum.gonderimCevabiKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int gonderimCevabiKodu;
```

### 1.1.3.1.62.1.8 gidenBelgeDurum.gonderimDurumu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int gonderimDurumu;
```

### 1.1.3.1.62.1.9 gidenBelgeDurum.gonderimTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gonderimTarihi;
```

### 1.1.3.1.62.1.10 gidenBelgeDurum.olusturulmaTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string olusturulmaTarihi;
```

### 1.1.3.1.62.1.11 gidenBelgeDurum.yanitDetayi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yanitDetayi;
```

### 1.1.3.1.62.1.12 gidenBelgeDurum.yanitDurumu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int yanitDurumu;
```

### 1.1.3.1.62.1.13 gidenBelgeDurum.yanitTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yanitTarihi;
```

## 1.1.3.1.63 gidenBelgeDurumParametreleri Class

### Class Hierarchy

```
QNBFinansGIB.GIBEFatura.gidenBelgeDurumParametreleri
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
[""]]
```

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

```
public class gidenBelgeDurumParametreleri;
```

**File**

Reference.cs ( [see page 835](#) )

**gidenBelgeDurumParametreleri Properties**

	Name	Description
	belgeNo ( <a href="#">see page 441</a> )	
	belgeNoList ( <a href="#">see page 441</a> )	
	belgeNoTipi ( <a href="#">see page 441</a> )	
	belgeTuru ( <a href="#">see page 441</a> )	
	donusTipiVersiyon ( <a href="#">see page 441</a> )	

**1.1.3.1.63.1 gidenBelgeDurumParametreleri Properties****1.1.3.1.63.1.1 gidenBelgeDurumParametreleri.belgeNo Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeNo;
```

**1.1.3.1.63.1.2 gidenBelgeDurumParametreleri.belgeNoList Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute("belgeNoList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public string belgeNoList;
```

**1.1.3.1.63.1.3 gidenBelgeDurumParametreleri.belgeNoTipi Property****C#**


```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeNoTipi;
```

**1.1.3.1.63.1.4 gidenBelgeDurumParametreleri.belgeTuru Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTuru;
```

**1.1.3.1.63.1.5 gidenBelgeDurumParametreleri.donusTipiVersiyon Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donusTipiVersiyon;
```

**1.1.3.1.64 gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
```

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).*

```
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs :
    System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs ([see page 835](#))

**Methods**

	<b>Name</b>	<b>Description</b>
	gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs ( <a href="#">see page 442</a> )	This is gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs, a member of class gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs.

**gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs Properties**

	<b>Name</b>	<b>Description</b>
	Result ( <a href="#">see page 442</a> )	

**1.1.3.1.64.1****gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs.gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs**  
**Constructor****C#**

```
internal gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

**Description**


This is gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs, a member of class gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs.

**Body Source**

```
1: internal gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

**1.1.3.1.64.2 gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs Properties****1.1.3.1.64.2.1 gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs.Result Property****C#**

```
public gidenBelgeDurum Result;
```

**1.1.3.1.65 gidenBelgeDurumSorgulaCompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
```

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).*

```
public class gidenBelgeDurumSorgulaCompletedEventArgs :  
System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs (see page 835)

**Methods**

	Name	Description
	gidenBelgeDurumSorgulaCompletedEventArgs (see page 443)	This is gidenBelgeDurumSorgulaCompletedEventArgs, a member of class gidenBelgeDurumSorgulaCompletedEventArgs.

**gidenBelgeDurumSorgulaCompletedEventArgs Properties**

	Name	Description
	Result (see page 443)	

**1.1.3.1.65.1****gidenBelgeDurumSorgulaCompletedEventArgs.gidenBelgeDurumSorgulaCompletedEventArgs Constructor****C#**

```
internal gidenBelgeDurumSorgulaCompletedEventArgs(object[] results, System.Exception  
exception, bool cancelled, object userState);
```

**Description**


This is gidenBelgeDurumSorgulaCompletedEventArgs, a member of class gidenBelgeDurumSorgulaCompletedEventArgs.

**Body Source**

```
1: internal gidenBelgeDurumSorgulaCompletedEventArgs(object[] results, System.Exception  
exception, bool cancelled, object userState) :  
2:     base(exception, cancelled, userState) {  
3:         this.results = results;  
4:     }
```

**1.1.3.1.65.2 gidenBelgeDurumSorgulaCompletedEventArgs Properties****1.1.3.1.65.2.1 gidenBelgeDurumSorgulaCompletedEventArgs.Result Property****C#**

```
public gidenBelgeDurum Result;
```

**1.1.3.1.66 gidenBelgeDurumSorgulaEttnCompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]  
[System.Diagnostics.DebuggerStepThrough()]  
[System.ComponentModel.DesignerCategoryAttribute("code")]  
public class gidenBelgeDurumSorgulaEttnCompletedEventArgs :  
System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs (see page 835)

## Methods

	Name	Description
	gidenBelgeDurumSorgulaEttnCompletedEventArgs ( <a href="#">see page 444</a> )	This is gidenBelgeDurumSorgulaEttnCompletedEventArgs, a member of class gidenBelgeDurumSorgulaEttnCompletedEventArgs.

## gidenBelgeDurumSorgulaEttnCompletedEventArgs Properties

	Name	Description
	Result ( <a href="#">see page 444</a> )	

### 1.1.3.1.66.1

## gidenBelgeDurumSorgulaEttnCompletedEventArgs.gidenBelgeDurumSorgulaEttnCompletedEventArgs Constructor

C#

```
internal gidenBelgeDurumSorgulaEttnCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

### Description

This is gidenBelgeDurumSorgulaEttnCompletedEventArgs, a member of class gidenBelgeDurumSorgulaEttnCompletedEventArgs.

### Body Source

```
1: internal gidenBelgeDurumSorgulaEttnCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

## 1.1.3.1.66.2 gidenBelgeDurumSorgulaEttnCompletedEventArgs Properties


### 1.1.3.1.66.2.1 gidenBelgeDurumSorgulaEttnCompletedEventArgs.Result Property

C#

```
public gidenBelgeDurum Result;
```

## 1.1.3.1.67 gidenBelgeDurumSorgulaExtCompletedEventArgs Class

### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeDurumSorgulaExtCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs ([see page 835](#))

## Methods

	Name	Description
!	gidenBelgeDurumSorgulaExtCompletedEventArgs ( <a href="#">see page 445</a> )	This is gidenBelgeDurumSorgulaExtCompletedEventArgs, a member of class gidenBelgeDurumSorgulaExtCompletedEventArgs.

### gidenBelgeDurumSorgulaExtCompletedEventArgs Properties

	Name	Description
!	Result ( <a href="#">see page 445</a> )	

#### 1.1.3.1.67.1

### gidenBelgeDurumSorgulaExtCompletedEventArgs.gidenBelgeDurumSorgulaExtCompletedEventArgs Constructor

C#

```
internal gidenBelgeDurumSorgulaExtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

#### Description

This is gidenBelgeDurumSorgulaExtCompletedEventArgs, a member of class gidenBelgeDurumSorgulaExtCompletedEventArgs.

#### Body Source

```
1: internal gidenBelgeDurumSorgulaExtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

### 1.1.3.1.67.2 gidenBelgeDurumSorgulaExtCompletedEventArgs Properties


#### 1.1.3.1.67.2.1 gidenBelgeDurumSorgulaExtCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

## 1.1.3.1.68 gidenBelgeDurumSorgulaPortalCompletedEventArgs Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeDurumSorgulaPortalCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs {
```

#### File

Reference.cs ([see page 835](#))

## Methods

	Name	Description
	gidenBelgeDurumSorgulaPortalCompletedEventArgs	This is gidenBelgeDurumSorgulaPortalCompletedEventArgs, a member of class gidenBelgeDurumSorgulaPortalCompletedEventArgs.

### gidenBelgeDurumSorgulaPortalCompletedEventArgs Properties

	Name	Description
	Result ( <a href="#">see page 446</a> )	

#### 1.1.3.1.68.1

### gidenBelgeDurumSorgulaPortalCompletedEventArgs.gidenBelgeDurumSorgulaPortalCompletedEventArgs

#### Constructor

C#

```
internal gidenBelgeDurumSorgulaPortalCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

#### Description

This is gidenBelgeDurumSorgulaPortalCompletedEventArgs, a member of class gidenBelgeDurumSorgulaPortalCompletedEventArgs.

#### Body Source

```
1: internal gidenBelgeDurumSorgulaPortalCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

### 1.1.3.1.68.2 gidenBelgeDurumSorgulaPortalCompletedEventArgs Properties


#### 1.1.3.1.68.2.1 gidenBelgeDurumSorgulaPortalCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

### 1.1.3.1.69 gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs ([see page 835](#))

## Methods

	Name	Description
!	gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs ( <a href="#">see page 447</a> )	This is gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs, a member of class gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs.

### gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs Properties

	Name	Description
!	Result ( <a href="#">see page 447</a> )	

#### 1.1.3.1.69.1

### gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs.gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs Constructor

C#

```
internal gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

#### Description

This is gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs, a member of class gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs.

#### Body Source

```
1: internal gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

### 1.1.3.1.69.2 gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs Properties


#### 1.1.3.1.69.2.1 gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs.Result Property

C#

```
public gidenBelgeDurum Result;
```

## 1.1.3.1.70 gidenBelgeDurumv2 Class

#### Class Hierarchy



C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]

```

```
public class gidenBelgeDurumv2 : gidenBelgeDurum;
```

**File**

Reference.cs ( [see page 835](#) )

**gidenBelgeDurum Properties****gidenBelgeDurum Class**

	Name	Description
	aciklama ( <a href="#">see page 439</a> )	
	alimTarihi ( <a href="#">see page 439</a> )	
	belgeNo ( <a href="#">see page 439</a> )	
	durum ( <a href="#">see page 439</a> )	
	ettn ( <a href="#">see page 439</a> )	
	gonderimCevabiDetayi ( <a href="#">see page 439</a> )	
	gonderimCevabiKodu ( <a href="#">see page 440</a> )	
	gonderimDurumu ( <a href="#">see page 440</a> )	
	gonderimTarihi ( <a href="#">see page 440</a> )	
	olusturulmaTarihi ( <a href="#">see page 440</a> )	
	yanitDetayi ( <a href="#">see page 440</a> )	
	yanitDurumu ( <a href="#">see page 440</a> )	
	yanitTarihi ( <a href="#">see page 440</a> )	

**gidenBelgeDurumv2 Class**


	Name	Description
	ulastiMi ( <a href="#">see page 448</a> )	
	yenidenGonderilebilirMi ( <a href="#">see page 448</a> )	

**1.1.3.1.70.1 gidenBelgeDurumv2 Properties****1.1.3.1.70.1.1 gidenBelgeDurumv2.ulastiMi Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool ulastiMi;
```

**1.1.3.1.70.1.2 gidenBelgeDurumv2.yenidenGonderilebilirMi Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool yenidenGonderilebilirMi;
```

**1.1.3.1.71 gidenBelgeDurumv3 Class****Class Hierarchy****C#**

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv4))]
```

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).*

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv5)) ]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv6)) ]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class gidenBelgeDurumv3 : gidenBelgeDurumv2;
```

**File**

Reference.cs ( [see page 835](#) )

**gidenBelgeDurum Properties****gidenBelgeDurum Class**

	<b>Name</b>	<b>Description</b>
	aciklama ( <a href="#">see page 439</a> )	
	alimTarihi ( <a href="#">see page 439</a> )	
	belgeNo ( <a href="#">see page 439</a> )	
	durum ( <a href="#">see page 439</a> )	
	ettn ( <a href="#">see page 439</a> )	
	gonderimCevabiDetayi ( <a href="#">see page 439</a> )	
	gonderimCevabiKodu ( <a href="#">see page 440</a> )	
	gonderimDurumu ( <a href="#">see page 440</a> )	
	gonderimTarihi ( <a href="#">see page 440</a> )	
	olusturulmaTarihi ( <a href="#">see page 440</a> )	
	yanitDetayi ( <a href="#">see page 440</a> )	
	yanitDurumu ( <a href="#">see page 440</a> )	
	yanitTarihi ( <a href="#">see page 440</a> )	

**gidenBelgeDurumv2 Class**

	<b>Name</b>	<b>Description</b>
	ulastiMi ( <a href="#">see page 448</a> )	
	yenidenGonderilebilirMi ( <a href="#">see page 448</a> )	

**gidenBelgeDurumv3 Class**


	<b>Name</b>	<b>Description</b>
	yerelBelgeOid ( <a href="#">see page 449</a> )	

**1.1.3.1.71.1 gidenBelgeDurumv3 Properties****1.1.3.1.71.1.1 gidenBelgeDurumv3.yerelBelgeOid Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yerelBelgeOid;
```

### 1.1.3.1.72 gidenBelgeDurumv4 Class

#### Class Hierarchy



#### C#

```

[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
public class gidenBelgeDurumv4 : gidenBelgeDurumv3;
  
```

#### File

Reference.cs ( [see page 835](#) )

#### gidenBelgeDurum Properties

#### gidenBelgeDurum Class

	Name	Description
	aciklama ( <a href="#">see page 439</a> )	
	alimTarihi ( <a href="#">see page 439</a> )	
	belgeNo ( <a href="#">see page 439</a> )	
	durum ( <a href="#">see page 439</a> )	
	ettn ( <a href="#">see page 439</a> )	
	gonderimCevabiDetayi ( <a href="#">see page 439</a> )	
	gonderimCevabiKodu ( <a href="#">see page 440</a> )	
	gonderimDurumu ( <a href="#">see page 440</a> )	
	gonderimTarihi ( <a href="#">see page 440</a> )	
	olusturulmaTarihi ( <a href="#">see page 440</a> )	
	yanitDetayi ( <a href="#">see page 440</a> )	
	yanitDurumu ( <a href="#">see page 440</a> )	
	yanitTarihi ( <a href="#">see page 440</a> )	

#### gidenBelgeDurumv2 Class

	Name	Description
	ulastiMi ( <a href="#">see page 448</a> )	
	yenidenGonderilebilirMi ( <a href="#">see page 448</a> )	

#### gidenBelgeDurumv3 Class

	Name	Description
	yerelBelgeOid ( <a href="#">see page 449</a> )	

#### gidenBelgeDurumv4 Class

	Name	Description
	gtbFililhracatTarihi ( <a href="#">see page 451</a> )	

	gtbGcbTescilNo (see page 451)	
	gtbRefNo (see page 451)	

### 1.1.3.1.72.1 gidenBelgeDurumv4 Properties

#### 1.1.3.1.72.1.1 gidenBelgeDurumv4.gtbFiiliIhracatTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gtbFiiliIhracatTarihi;
```

#### 1.1.3.1.72.1.2 gidenBelgeDurumv4.gtbGcbTescilNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gtbGcbTescilNo;
```


#### 1.1.3.1.72.1.3 gidenBelgeDurumv4.gtbRefNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gtbRefNo;
```

### 1.1.3.1.73 gidenBelgeDurumv5 Class

#### Class Hierarchy



C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class gidenBelgeDurumv5 : gidenBelgeDurumv4;
```

#### File

Reference.cs (see page 835)

#### gidenBelgeDurum Properties

#### gidenBelgeDurum Class

	Name	Description
	aciklama (see page 439)	
	alimTarihi (see page 439)	
	belgeNo (see page 439)	
	durum (see page 439)	
	ettn (see page 439)	
	gonderimCevabiDetayi (see page 439)	
	gonderimCevabiKodu (see page 440)	

	gonderimDurumu ( <a href="#">see page 440</a> )	
	gonderimTarihi ( <a href="#">see page 440</a> )	
	olusturulmaTarihi ( <a href="#">see page 440</a> )	
	yanitDetayi ( <a href="#">see page 440</a> )	
	yanitDurumu ( <a href="#">see page 440</a> )	
	yanitTarihi ( <a href="#">see page 440</a> )	

**gidenBelgeDurumv2 Class**

	Name	Description
	ulastiMi ( <a href="#">see page 448</a> )	
	yenidenGonderilebilirMi ( <a href="#">see page 448</a> )	

**gidenBelgeDurumv3 Class**

	Name	Description
	yerelBelgeOid ( <a href="#">see page 449</a> )	

**gidenBelgeDurumv4 Class**

	Name	Description
	gtbFiilihracatTarihi ( <a href="#">see page 451</a> )	
	gtbGcbTescilNo ( <a href="#">see page 451</a> )	
	gtbRefNo ( <a href="#">see page 451</a> )	

**gidenBelgeDurumv5 Class**


	Name	Description
	yanitEtn ( <a href="#">see page 452</a> )	
	yanitVerilenBelgeEtn ( <a href="#">see page 452</a> )	

**1.1.3.1.73.1 gidenBelgeDurumv5 Properties****1.1.3.1.73.1.1 gidenBelgeDurumv5.yanitEtn Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yanitEtn;
```

**1.1.3.1.73.1.2 gidenBelgeDurumv5.yanitVerilenBelgeEtn Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yanitVerilenBelgeEtn;
```

**1.1.3.1.74 gidenBelgeDurumv6 Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
```

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

```
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class gidenBelgeDurumv6 : gidenBelgeDurumv5;
```

**File**

Reference.cs ([see page 835](#))

**gidenBelgeDurum Properties****gidenBelgeDurum Class**

	Name	Description
	aciklama ( <a href="#">see page 439</a> )	
	alimTarihi ( <a href="#">see page 439</a> )	
	belgeNo ( <a href="#">see page 439</a> )	
	durum ( <a href="#">see page 439</a> )	
	ettn ( <a href="#">see page 439</a> )	
	gonderimCevabiDetayi ( <a href="#">see page 439</a> )	
	gonderimCevabiKodu ( <a href="#">see page 440</a> )	
	gonderimDurumu ( <a href="#">see page 440</a> )	
	gonderimTarihi ( <a href="#">see page 440</a> )	
	olusturulmaTarihi ( <a href="#">see page 440</a> )	
	yanitDetayi ( <a href="#">see page 440</a> )	
	yanitDurumu ( <a href="#">see page 440</a> )	
	yanitTarihi ( <a href="#">see page 440</a> )	

**gidenBelgeDurumv2 Class**

	Name	Description
	ulastiMi ( <a href="#">see page 448</a> )	
	yenidenGonderilebilirMi ( <a href="#">see page 448</a> )	

**gidenBelgeDurumv3 Class**

	Name	Description
	yerelBelgeOid ( <a href="#">see page 449</a> )	

**gidenBelgeDurumv4 Class**

	Name	Description
	gtbFiihlhracatTarihi ( <a href="#">see page 451</a> )	
	gtbGcbTescilNo ( <a href="#">see page 451</a> )	
	gtbRefNo ( <a href="#">see page 451</a> )	

**gidenBelgeDurumv5 Class**

	Name	Description
	yanitEtn ( <a href="#">see page 452</a> )	
	yanitVerilenBelgeEtn ( <a href="#">see page 452</a> )	

**gidenBelgeDurumv6 Class**

	Name	Description
	kepDurum (see page 454)	

**1.1.3.1.74.1 gidenBelgeDurumv6 Properties****1.1.3.1.74.1.1 gidenBelgeDurumv6.kepDurum Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kepDurum;
```

**1.1.3.1.75 gidenBelgeEkleriAICompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeEkleriAICompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs (see page 835)

**Methods**

	Name	Description
	gidenBelgeEkleriAICompletedEventArgs (see page 454)	This is gidenBelgeEkleriAICompletedEventArgs, a member of class gidenBelgeEkleriAICompletedEventArgs.

**gidenBelgeEkleriAICompletedEventArgs Properties**

	Name	Description
	Result (see page 455)	

**1.1.3.1.75.1****gidenBelgeEkleriAICompletedEventArgs.gidenBelgeEkleriAICompletedEventArgs Constructor****C#**

```
internal gidenBelgeEkleriAICompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

**Description**

This is gidenBelgeEkleriAICompletedEventArgs, a member of class gidenBelgeEkleriAICompletedEventArgs.

**Body Source**

```
1: internal gidenBelgeEkleriAICompletedEventArgs(object[] results, System.Exception exception,
2: bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

### 1.1.3.1.75.2 gidenBelgeEkleriAICompletedEventArgs Properties

#### 1.1.3.1.75.2.1 gidenBelgeEkleriAICompletedEventArgs.Result Property

C#

```
public byte Result;
```

## 1.1.3.1.76 gidenBelgelerDurumSorgulaPortalParametreleri Class

### Class Hierarchy

`[QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPortalParametreleri]`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class gidenBelgelerDurumSorgulaPortalParametreleri;
```

### File

Reference.cs (see page 835)

### gidenBelgelerDurumSorgulaPortalParametreleri Properties

	Name	Description
	baslangicOlusturulmaTarihi (see page 455)	
	belgeEttnListesi (see page 455)	
	belgeTuru (see page 456)	
	belgeVersiyon (see page 456)	
	bitisOlusturulmaTarihi (see page 456)	
	faturaBaslangicTarihi (see page 456)	
	faturaBitisTarihi (see page 456)	
	vknTckn (see page 456)	

### 1.1.3.1.76.1 gidenBelgelerDurumSorgulaPortalParametreleri Properties

#### 1.1.3.1.76.1.1 gidenBelgelerDurumSorgulaPortalParametreleri.baslangicOlusturulmaTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string baslangicOlusturulmaTarihi;
```

#### 1.1.3.1.76.1.2 gidenBelgelerDurumSorgulaPortalParametreleri.belgeEttnListesi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("belgeEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public string belgeEttnListesi;
```

### 1.1.3.1.76.1.3 **gidenBelgelerDurumSorgulaPortalParametreleri.belgeTuru** Property

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTuru;
```

### 1.1.3.1.76.1.4 **gidenBelgelerDurumSorgulaPortalParametreleri.belgeVersiyon** Property

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeVersiyon;
```

### 1.1.3.1.76.1.5 **gidenBelgelerDurumSorgulaPortalParametreleri.bitisOlusturulmaTarihi** Property

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bitisOlusturulmaTarihi;
```

### 1.1.3.1.76.1.6 **gidenBelgelerDurumSorgulaPortalParametreleri.faturaBaslangicTarihi** Property

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaBaslangicTarihi;
```

### 1.1.3.1.76.1.7 **gidenBelgelerDurumSorgulaPortalParametreleri.faturaBitisTarihi** Property

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaBitisTarihi;
```

### 1.1.3.1.76.1.8 **gidenBelgelerDurumSorgulaPortalParametreleri.vknTckn** Property

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vknTckn;
```

## 1.1.3.1.77 **gidenBelgeleriIndirCompletedEventArgs** Class

### Class Hierarchy

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeleriIndirCompletedEventArgs :
    System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs (see page 835)

## Methods

	Name	Description
📑	gidenBelgeleriIndirCompletedEventArgs	This is gidenBelgeleriIndirCompletedEventArgs, a member of class gidenBelgeleriIndirCompletedEventArgs.

### gidenBelgeleriIndirCompletedEventArgs Properties

	Name	Description
📝	Result (🔗 see page 457)	

#### 1.1.3.1.77.1

### gidenBelgeleriIndirCompletedEventArgs.gidenBelgeleriIndirCompletedEventArgs Constructor

C#

```
internal gidenBelgeleriIndirCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

#### Description

This is gidenBelgeleriIndirCompletedEventArgs, a member of class gidenBelgeleriIndirCompletedEventArgs.

#### Body Source

```
1: internal gidenBelgeleriIndirCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

### 1.1.3.1.77.2 gidenBelgeleriIndirCompletedEventArgs Properties


#### 1.1.3.1.77.2.1 gidenBelgeleriIndirCompletedEventArgs.Result Property

C#

```
public byte Result;
```

## 1.1.3.1.78 gidenBelgeleriIndirEttnCompletedEventArgs Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCode("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeleriIndirEttnCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs (🔗 see page 835)

#### Methods

	Name	Description
📑	gidenBelgeleriIndirEttnCompletedEventArgs	This is gidenBelgeleriIndirEttnCompletedEventArgs, a member of class gidenBelgeleriIndirEttnCompletedEventArgs.

**gidenBelgeleriIndirEttnCompletedEventArgs Properties**

	Name	Description
	Result ( <a href="#">see page 458</a> )	

**1.1.3.1.78.1****gidenBelgeleriIndirEttnCompletedEventArgs.gidenBelgeleriIndirEttnCompletedEventArgs Constructor****C#**

```
internal gidenBelgeleriIndirEttnCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

**Description**


This is gidenBelgeleriIndirEttnCompletedEventArgs, a member of class gidenBelgeleriIndirEttnCompletedEventArgs.

**Body Source**

```
1: internal gidenBelgeleriIndirEttnCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

**1.1.3.1.78.2 gidenBelgeleriIndirEttnCompletedEventArgs Properties****1.1.3.1.78.2.1 gidenBelgeleriIndirEttnCompletedEventArgs.Result Property****C#**

```
public byte Result;
```

**1.1.3.1.79 gidenBelgeleriIndirPortalCompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeleriIndirPortalCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs ([see page 835](#))

**Methods**

	Name	Description
	gidenBelgeleriIndirPortalCompletedEventArgs ( <a href="#">see page 459</a> )	This is gidenBelgeleriIndirPortalCompletedEventArgs, a member of class gidenBelgeleriIndirPortalCompletedEventArgs.

**gidenBelgeleriIndirPortalCompletedEventArgs Properties**

	Name	Description
	Result ( <a href="#">see page 459</a> )	

### 1.1.3.1.79.1

## **gidenBelgeleriIndirPortalCompletedEventArgs.gidenBelgeleriIndirPortalCompletedEventArgs Constructor**

C#

```
internal gidenBelgeleriIndirPortalCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

### Description

This is gidenBelgeleriIndirPortalCompletedEventArgs, a member of class gidenBelgeleriIndirPortalCompletedEventArgs.

### Body Source

```
1: internal gidenBelgeleriIndirPortalCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

### 1.1.3.1.79.2 gidenBelgeleriIndirPortalCompletedEventArgs Properties

#### 1.1.3.1.79.2.1 gidenBelgeleriIndirPortalCompletedEventArgs.Result Property

C#

```
public byte Result;
```

### 1.1.3.1.80 gidenBelgeleriIndirPortalParametreleri Class

#### Class Hierarchy

QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametreleri

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class gidenBelgeleriIndirPortalParametreleri;
```

#### File

Reference.cs ( see page 835)

#### gidenBelgeleriIndirPortalParametreleri Properties

	Name	Description
	baslangicGonderimTarihi ( see page 460)	
	belgeEttnListesi ( see page 460)	
	belgeFormati ( see page 460)	
	belgeTuru ( see page 460)	
	bitisGonderimTarihi ( see page 460)	
	faturaBaslangicTarihi ( see page 460)	
	faturaBitisTarihi ( see page 460)	

	kaynak (see page 461)	
	pageCount (see page 461)	
	vergiTcKimlikNo (see page 461)	

### 1.1.3.1.80.1 gidenBelgeleriIndirPortalParametreleri Properties

#### 1.1.3.1.80.1.1 gidenBelgeleriIndirPortalParametreleri.baslangicGonderimTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string baslangicGonderimTarihi;
```

#### 1.1.3.1.80.1.2 gidenBelgeleriIndirPortalParametreleri.belgeEttnListesi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("belgeEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public string belgeEttnListesi;
```

#### 1.1.3.1.80.1.3 gidenBelgeleriIndirPortalParametreleri.belgeFormati Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeFormati;
```

#### 1.1.3.1.80.1.4 gidenBelgeleriIndirPortalParametreleri.belgeTuru Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTuru;
```

#### 1.1.3.1.80.1.5 gidenBelgeleriIndirPortalParametreleri.bitisGonderimTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bitisGonderimTarihi;
```

#### 1.1.3.1.80.1.6 gidenBelgeleriIndirPortalParametreleri.faturaBaslangicTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaBaslangicTarihi;
```

#### 1.1.3.1.80.1.7 gidenBelgeleriIndirPortalParametreleri.faturaBitisTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaBitisTarihi;
```

### 1.1.3.1.80.1.8 gidenBelgeleriIndirPortalParametreleri.kaynak Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kaynak;
```

### 1.1.3.1.80.1.9 gidenBelgeleriIndirPortalParametreleri.pageCount Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string pageCount;
```


### 1.1.3.1.80.1.10 gidenBelgeleriIndirPortalParametreleri.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vergiTcKimlikNo;
```

## 1.1.3.1.81 gidenBelgeleriListeleCompletedEventArgs Class

### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeleriListeleCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs (see page 835)

### Methods

	Name	Description
!	gidenBelgeleriListeleCompletedEventArgs (see page 461)	This is gidenBelgeleriListeleCompletedEventArgs, a member of class gidenBelgeleriListeleCompletedEventArgs.

### gidenBelgeleriListeleCompletedEventArgs Properties

	Name	Description
!	Result (see page 462)	

### 1.1.3.1.81.1

### gidenBelgeleriListeleCompletedEventArgs.gidenBelgeleriListeleCompletedEventArgs Constructor

C#

```
internal gidenBelgeleriListeleCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

### Description

This is gidenBelgeleriListeleCompletedEventArgs, a member of class gidenBelgeleriListeleCompletedEventArgs.

**Body Source**


```

1: internal gidenBelgeleriListeleCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }

```

**1.1.3.1.81.2 gidenBelgeleriListeleCompletedEventArgs Properties****1.1.3.1.81.2.1 gidenBelgeleriListeleCompletedEventArgs.Result Property****C#**

```
public serviceReturnType Result;
```

**1.1.3.1.82 gidenBelgeleriListeleData Class****Class Hierarchy****C#**

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
")]
public class gidenBelgeleriListeleData : serviceReturnType;

```

**File**

Reference.cs (see page 835)

**gidenBelgeleriListeleData Properties****gidenBelgeleriListeleData Class**

	Name	Description
	alimDurumu (see page 462)	
	alimZamani (see page 463)	
	belgeOid (see page 463)	
	belgeTarihi (see page 463)	
	belgeTuru (see page 463)	
	ettn (see page 463)	
	hataMesaji (see page 463)	
	islemYapanVkn (see page 463)	
	kaynak (see page 463)	
	kullaniciKodu (see page 463)	
	yerelBelgeNo (see page 464)	

**1.1.3.1.82.1 gidenBelgeleriListeleData Properties****1.1.3.1.82.1.1 gidenBelgeleriListeleData.alimDurumu Property****C#**

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string alimDurumu;

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

#### 1.1.3.1.82.1.2 **gidenBelgeleriListeleData.alimZamani** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string alimZamani;
```

#### 1.1.3.1.82.1.3 **gidenBelgeleriListeleData.belgeOid** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeOid;
```

#### 1.1.3.1.82.1.4 **gidenBelgeleriListeleData.belgeTarihi** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTarihi;
```

#### 1.1.3.1.82.1.5 **gidenBelgeleriListeleData.belgeTuru** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTuru;
```

#### 1.1.3.1.82.1.6 **gidenBelgeleriListeleData.ettn** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ettn;
```

#### 1.1.3.1.82.1.7 **gidenBelgeleriListeleData.hataMesaji** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string hataMesaji;
```

#### 1.1.3.1.82.1.8 **gidenBelgeleriListeleData.islemYapanVkn** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemYapanVkn;
```

#### 1.1.3.1.82.1.9 **gidenBelgeleriListeleData.kaynak** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kaynak;
```

#### 1.1.3.1.82.1.10 **gidenBelgeleriListeleData.kullaniciKodu** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kullaniciKodu;
```

### 1.1.3.1.82.1.11 gidenBelgeleriListeleData.yerelBelgeNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yerelBelgeNo;
```

## 1.1.3.1.83 gidenBelgeleriListeleParametreleri Class

### Class Hierarchy

```
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametreleri
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
public class gidenBelgeleriListeleParametreleri;
```

### File

Reference.cs (see page 835)

### gidenBelgeleriListeleParametreleri Properties

	Name	Description
	baslangicBelgeTarihi (see page 464)	
	baslangicGonderimTarihi (see page 464)	
	belgeTuru (see page 465)	
	bitisBelgeTarihi (see page 465)	
	bitisGonderimTarihi (see page 465)	
	vkn (see page 465)	

### 1.1.3.1.83.1 gidenBelgeleriListeleParametreleri Properties

#### 1.1.3.1.83.1.1 gidenBelgeleriListeleParametreleri.baslangicBelgeTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string baslangicBelgeTarihi;
```

#### 1.1.3.1.83.1.2 gidenBelgeleriListeleParametreleri.baslangicGonderimTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string baslangicGonderimTarihi;
```

### 1.1.3.1.83.1.3 **gidenBelgeleriListeleParametreleri.belgeTuru** Property

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTuru;
```

### 1.1.3.1.83.1.4 **gidenBelgeleriListeleParametreleri.bitisBelgeTarihi** Property

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bitisBelgeTarihi;
```

### 1.1.3.1.83.1.5 **gidenBelgeleriListeleParametreleri.bitisGonderimTarihi** Property

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bitisGonderimTarihi;
```


### 1.1.3.1.83.1.6 **gidenBelgeleriListeleParametreleri.vkn** Property

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vkn;
```

## 1.1.3.1.84 **gidenBelgeleriListelePortalCompletedEventArgs** Class

### Class Hierarchy

**C#**

```
[System.CodeDom.Compiler.GeneratedCode("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
public class gidenBelgeleriListelePortalCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs ([see page 835](#))

### Methods

	<b>Name</b>	<b>Description</b>
	gidenBelgeleriListelePortalCompletedEventArgs ( <a href="#">see page 466</a> )	This is gidenBelgeleriListelePortalCompletedEventArgs, a member of class gidenBelgeleriListelePortalCompletedEventArgs.

### gidenBelgeleriListelePortalCompletedEventArgs Properties

	<b>Name</b>	<b>Description</b>
	Result ( <a href="#">see page 466</a> )	

### 1.1.3.1.84.1

## gidenBelgeleriListelePortalCompletedEventArgs.gidenBelgeleriListelePortalCompletedEventArgs Constructor

C#

```
internal gidenBelgeleriListelePortalCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

### Description

This is gidenBelgeleriListelePortalCompletedEventArgs, a member of class gidenBelgeleriListelePortalCompletedEventArgs.

### Body Source

```
1: internal gidenBelgeleriListelePortalCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

### 1.1.3.1.84.2 gidenBelgeleriListelePortalCompletedEventArgs Properties


#### 1.1.3.1.84.2.1 gidenBelgeleriListelePortalCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

### 1.1.3.1.85 gidenBelgeleriListelePortalData Class

#### Class Hierarchy



C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeleriListelePortalDatav2))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[SerializableAttribute()]
[Diagnostics.DebuggerStepThroughAttribute()]
[ComponentModel.DesignerCategory("code")]
[XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class gidenBelgeleriListelePortalData : serviceReturnType;
```

#### File

Reference.cs (see page 835)

#### gidenBelgeleriListelePortalData Properties

#### gidenBelgeleriListelePortalData Class

	Name	Description
	alanEtiket (see page 467)	
	alanSubeKodu (see page 467)	
	alanVergiTcKimlikNo (see page 467)	
	belgeNo (see page 467)	
	belgeTarihi (see page 467)	
	belgeTipi (see page 467)	

	belgeTuru (see page 468)	
	erpKodu (see page 468)	
	ettn (see page 468)	
	gonderenEtiket (see page 468)	
	gonderenSubeKodu (see page 468)	
	gonderimZamani (see page 468)	
	islemYapanVkn (see page 468)	
	kaynak (see page 468)	
	kullaniciKodu (see page 468)	

### 1.1.3.1.85.1 gidenBelgeleriListelePortalData Properties

#### 1.1.3.1.85.1.1 gidenBelgeleriListelePortalData.alanEtiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string alanEtiket;
```

#### 1.1.3.1.85.1.2 gidenBelgeleriListelePortalData.alanSubeKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string alanSubeKodu;
```

#### 1.1.3.1.85.1.3 gidenBelgeleriListelePortalData.alanVergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string alanVergiTcKimlikNo;
```

#### 1.1.3.1.85.1.4 gidenBelgeleriListelePortalData.belgeNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeNo;
```

#### 1.1.3.1.85.1.5 gidenBelgeleriListelePortalData.belgeTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTarihi;
```

#### 1.1.3.1.85.1.6 gidenBelgeleriListelePortalData.belgeTipi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTipi;
```

**1.1.3.1.85.1.7 gidenBelgeleriListelePortalData.belgeTuru Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTuru;
```

**1.1.3.1.85.1.8 gidenBelgeleriListelePortalData.erpKodu Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string erpKodu;
```

**1.1.3.1.85.1.9 gidenBelgeleriListelePortalData.ettn Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ettn;
```

**1.1.3.1.85.1.10 gidenBelgeleriListelePortalData.gonderenEtiket Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gonderenEtiket;
```

**1.1.3.1.85.1.11 gidenBelgeleriListelePortalData.gonderenSubeKodu Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gonderenSubeKodu;
```

**1.1.3.1.85.1.12 gidenBelgeleriListelePortalData.gonderimZamani Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gonderimZamani;
```

**1.1.3.1.85.1.13 gidenBelgeleriListelePortalData.islemYapanVkn Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemYapanVkn;
```

**1.1.3.1.85.1.14 gidenBelgeleriListelePortalData.kaynak Property****C#**


```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kaynak;
```

**1.1.3.1.85.1.15 gidenBelgeleriListelePortalData.kullaniciKodu Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kullaniciKodu;
```

## 1.1.3.1.86 gidenBelgeleriListelePortalDatav2 Class

### Class Hierarchy



### C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
public class gidenBelgeleriListelePortalDatav2 : gidenBelgeleriListelePortalData;
  
```

### File

Reference.cs (see page 835)

### gidenBelgeleriListelePortalData Properties

#### gidenBelgeleriListelePortalData Class

	Name	Description
	alanEtiket (see page 467)	
	alanSubeKodu (see page 467)	
	alanVergiTcKimlikNo (see page 467)	
	belgeNo (see page 467)	
	belgeTarihi (see page 467)	
	belgeTipi (see page 467)	
	belgeTuru (see page 468)	
	erpKodu (see page 468)	
	ettm (see page 468)	
	gonderenEtiket (see page 468)	
	gonderenSubeKodu (see page 468)	
	gonderimZamani (see page 468)	
	islemYapanVkn (see page 468)	
	kaynak (see page 468)	
	kullaniciKodu (see page 468)	

#### gidenBelgeleriListelePortalDatav2 Class

	Name	Description
	yanitEttm (see page 469)	

## 1.1.3.1.86.1 gidenBelgeleriListelePortalDatav2 Properties

### 1.1.3.1.86.1.1 gidenBelgeleriListelePortalDatav2.yanitEttm Property

#### C#

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yanitEttm;
  
```

## 1.1.3.1.87 gidenBelgeleriListelePortalParametreleri Class

### Class Hierarchy

```
[QNBFInansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri]
```

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
")]
public class gidenBelgeleriListelePortalParametreleri;
```

### File

Reference.cs ( [see page 835](#) )

### gidenBelgeleriListelePortalParametreleri Properties

	Name	Description
	baslangicGonderimTarihi ( <a href="#">see page 470</a> )	
	belgeEttnListesi ( <a href="#">see page 470</a> )	
	belgeTuru ( <a href="#">see page 470</a> )	
	belgeVersiyon ( <a href="#">see page 471</a> )	
	bitisGonderimTarihi ( <a href="#">see page 471</a> )	
	faturaBaslangicTarihi ( <a href="#">see page 471</a> )	
	faturaBitisTarihi ( <a href="#">see page 471</a> )	
	kaynak ( <a href="#">see page 471</a> )	
	pageCount ( <a href="#">see page 471</a> )	
	vergiTcKimlikNo ( <a href="#">see page 471</a> )	

## 1.1.3.1.87.1 gidenBelgeleriListelePortalParametreleri Properties

### 1.1.3.1.87.1.1 gidenBelgeleriListelePortalParametreleri.baslangicGonderimTarihi Property

#### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string baslangicGonderimTarihi;
```

### 1.1.3.1.87.1.2 gidenBelgeleriListelePortalParametreleri.belgeEttnListesi Property

#### C#

```
[System.Xml.Serialization.XmlElementAttribute("belgeEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public string belgeEttnListesi;
```

### 1.1.3.1.87.1.3 gidenBelgeleriListelePortalParametreleri.belgeTuru Property

#### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTuru;
```

**1.1.3.1.87.1.4 gidenBelgeleriListelePortalParametreleri.belgeVersiyon Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeVersiyon;
```

**1.1.3.1.87.1.5 gidenBelgeleriListelePortalParametreleri.bitisGonderimTarihi Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bitisGonderimTarihi;
```

**1.1.3.1.87.1.6 gidenBelgeleriListelePortalParametreleri.faturaBaslangicTarihi Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaBaslangicTarihi;
```

**1.1.3.1.87.1.7 gidenBelgeleriListelePortalParametreleri.faturaBitisTarihi Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaBitisTarihi;
```

**1.1.3.1.87.1.8 gidenBelgeleriListelePortalParametreleri.kaynak Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kaynak;
```

**1.1.3.1.87.1.9 gidenBelgeleriListelePortalParametreleri.pageCount Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string pageCount;
```

**1.1.3.1.87.1.10 gidenBelgeleriListelePortalParametreleri.vergiTcKimlikNo Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vergiTcKimlikNo;
```

**1.1.3.1.88 gidenBelgeParametreleri Class****Class Hierarchy**

```
QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri
```

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
[""]]
```

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

```
public class gidenBelgeParametreleri;
```

**File**

Reference.cs (see page 835)

**gidenBelgeParametreleri Properties**

	Name	Description
	alanEtiket (see page 472)	
	belgeHash (see page 472)	
	belgeNo (see page 472)	
	belgeTuru (see page 472)	
	belgeVersiyon (see page 473)	
	donusTipiVersiyon (see page 473)	
	erpKodu (see page 473)	
	gonderenEtiket (see page 473)	
	mimeType (see page 473)	
	subeKodu (see page 473)	
	vergiTcKimlikNo (see page 473)	
	veri (see page 473)	
	xsltAdi (see page 474)	
	xsltVeri (see page 474)	

**1.1.3.1.88.1 gidenBelgeParametreleri Properties****1.1.3.1.88.1.1 gidenBelgeParametreleri.alanEtiket Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string alanEtiket;
```

**1.1.3.1.88.1.2 gidenBelgeParametreleri.belgeHash Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeHash;
```

**1.1.3.1.88.1.3 gidenBelgeParametreleri.belgeNo Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeNo;
```

**1.1.3.1.88.1.4 gidenBelgeParametreleri.belgeTuru Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTuru;
```

**1.1.3.1.88.1.5 gidenBelgeParametreleri.belgeVersiyon Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeVersiyon;
```

**1.1.3.1.88.1.6 gidenBelgeParametreleri.donusTipiVersiyon Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donusTipiVersiyon;
```

**1.1.3.1.88.1.7 gidenBelgeParametreleri.erpKodu Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string erpKodu;
```

**1.1.3.1.88.1.8 gidenBelgeParametreleri.gonderenEtiket Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gonderenEtiket;
```

**1.1.3.1.88.1.9 gidenBelgeParametreleri.mimeType Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string mimeType;
```

**1.1.3.1.88.1.10 gidenBelgeParametreleri.subeKodu Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string subeKodu;
```

**1.1.3.1.88.1.11 gidenBelgeParametreleri.vergiTcKimlikNo Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vergiTcKimlikNo;
```

**1.1.3.1.88.1.12 gidenBelgeParametreleri.veri Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
(DataType="base64Binary")]
public byte veri;
```

### 1.1.3.1.88.1.13 gidenBelgeParametreleri.xsltAdi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string xsltAdi;
```

### 1.1.3.1.88.1.14 gidenBelgeParametreleri.xsltVeri Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
Data_Type="base64Binary")]
public byte xsltVeri;
```

## 1.1.3.1.89 gidenBelgeTutarBilgileri Class

### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
public class gidenBelgeTutarBilgileri : serviceReturnType;
```

### File

Reference.cs (see page 835)

### gidenBelgeTutarBilgileri Properties

#### gidenBelgeTutarBilgileri Class

	Name	Description
	belgeNo (see page 475)	
	belgeTarihi (see page 475)	
	ettn (see page 475)	
	kdv18Oran (see page 475)	
	kdv18Tutar (see page 475)	
	kdv1Oran (see page 475)	
	kdv1Tutar (see page 475)	
	kdv8Oran (see page 475)	
	kdv8Tutar (see page 476)	
	kdvTevkifatOran (see page 476)	
	kdvTevkifatTutari (see page 476)	
	kdvToplamTutari (see page 476)	
	KdvToplamTutariDovizCinsi (see page 476)	
	malHizmetToplamTutari (see page 476)	
	malHizmetToplamTutariDovizCinsi (see page 476)	
	odenecekTutar (see page 476)	

	odenekTutarDovizCinsi ( <a href="#">see page 476</a> )	
-----------------------------------------------------------------------------------	--------------------------------------------------------	--

### 1.1.3.1.89.1 gidenBelgeTutarBilgileri Properties

#### 1.1.3.1.89.1.1 gidenBelgeTutarBilgileri.belgeNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeNo;
```

#### 1.1.3.1.89.1.2 gidenBelgeTutarBilgileri.belgeTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTarihi;
```

#### 1.1.3.1.89.1.3 gidenBelgeTutarBilgileri.ettn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ettn;
```

#### 1.1.3.1.89.1.4 gidenBelgeTutarBilgileri.kdv18Oran Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv18Oran;
```

#### 1.1.3.1.89.1.5 gidenBelgeTutarBilgileri.kdv18Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv18Tutar;
```

#### 1.1.3.1.89.1.6 gidenBelgeTutarBilgileri.kdv1Oran Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv1Oran;
```

#### 1.1.3.1.89.1.7 gidenBelgeTutarBilgileri.kdv1Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv1Tutar;
```

#### 1.1.3.1.89.1.8 gidenBelgeTutarBilgileri.kdv8Oran Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv8Oran;
```

**1.1.3.1.89.1.9 gidenBelgeTutarBilgileri.kdv8Tutar Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv8Tutar;
```

**1.1.3.1.89.1.10 gidenBelgeTutarBilgileri.kdvTevkifatOran Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdvTevkifatOran;
```

**1.1.3.1.89.1.11 gidenBelgeTutarBilgileri.kdvTevkifatTutari Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdvTevkifatTutari;
```

**1.1.3.1.89.1.12 gidenBelgeTutarBilgileri.kdvToplamTutari Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdvToplamTutari;
```

**1.1.3.1.89.1.13 gidenBelgeTutarBilgileri.kdvToplamTutariDovizCinsi Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdvToplamTutariDovizCinsi;
```

**1.1.3.1.89.1.14 gidenBelgeTutarBilgileri.malHizmetToplamTutari Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string malHizmetToplamTutari;
```

**1.1.3.1.89.1.15 gidenBelgeTutarBilgileri.malHizmetToplamTutariDovizCinsi Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string malHizmetToplamTutariDovizCinsi;
```

**1.1.3.1.89.1.16 gidenBelgeTutarBilgileri.odenecekTutar Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string odenecekTutar;
```

**1.1.3.1.89.1.17 gidenBelgeTutarBilgileri.odenecekTutarDovizCinsi Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string odenecekTutarDovizCinsi;
```

## 1.1.3.1.90 gidenBelgeTutarBilgileriSorgulaCompletedEventArgs Class

### Class Hierarchy



### C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeTutarBilgileriSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;

```

### File

Reference.cs (see page 835)

### Methods

	Name	Description
!	gidenBelgeTutarBilgileriSorgulaCompletedEventArgs (see page 477)	This is gidenBelgeTutarBilgileriSorgulaCompletedEventArgs, a member of class gidenBelgeTutarBilgileriSorgulaCompletedEventArgs.

### gidenBelgeTutarBilgileriSorgulaCompletedEventArgs Properties

	Name	Description
!	Result (see page 477)	

### 1.1.3.1.90.1

## gidenBelgeTutarBilgileriSorgulaCompletedEventArgs.gidenBelgeTutarBilgileriSorgulaCompletedEventArgs

### Constructor

### C#

```

internal gidenBelgeTutarBilgileriSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);

```

### Description

This is gidenBelgeTutarBilgileriSorgulaCompletedEventArgs, a member of class gidenBelgeTutarBilgileriSorgulaCompletedEventArgs.

### Body Source

```

1: internal gidenBelgeTutarBilgileriSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }

```

### 1.1.3.1.90.2 gidenBelgeTutarBilgileriSorgulaCompletedEventArgs Properties

#### 1.1.3.1.90.2.1 gidenBelgeTutarBilgileriSorgulaCompletedEventArgs.Result Property

### C#

```

public serviceReturnType Result;

```

## 1.1.3.1.91 gidenTasinanBelgeleriIndirCompletedEventArgs Class

### Class Hierarchy



### C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenTasinanBelgeleriIndirCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;

```

### File

Reference.cs (see page 835)

### Methods

	Name	Description
≡	gidenTasinanBelgeleriIndirCompletedEventArgs (see page 478)	This is gidenTasinanBelgeleriIndirCompletedEventArgs, a member of class gidenTasinanBelgeleriIndirCompletedEventArgs.

### gidenTasinanBelgeleriIndirCompletedEventArgs Properties

	Name	Description
≡	Result (see page 478)	

### 1.1.3.1.91.1

## gidenTasinanBelgeleriIndirCompletedEventArgs.gidenTasinanBelgeleriIndirCompletedEventArgs

### Constructor

### C#

```

internal gidenTasinanBelgeleriIndirCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);

```

### Description

This is gidenTasinanBelgeleriIndirCompletedEventArgs, a member of class gidenTasinanBelgeleriIndirCompletedEventArgs.

### Body Source

```

1: internal gidenTasinanBelgeleriIndirCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }

```

### 1.1.3.1.91.2 gidenTasinanBelgeleriIndirCompletedEventArgs Properties

#### 1.1.3.1.91.2.1 gidenTasinanBelgeleriIndirCompletedEventArgs.Result Property

### C#

```

public byte Result;

```

## 1.1.3.1.92 irsaliyeTarihcesiData Class

### Class Hierarchy



Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
")]
public class irsaliyeTarihcesiData : serviceReturnType;
```

**File**

Reference.cs ( [see page 835](#) )

**irsaliyeTarihcesiData Properties****irsaliyeTarihcesiData Class**

	<b>Name</b>	<b>Description</b>
	bagliKayitId ( <a href="#">see page 479</a> )	
	irsaliyeEttn ( <a href="#">see page 479</a> )	
	islem ( <a href="#">see page 479</a> )	
	islemAciklama ( <a href="#">see page 480</a> )	
	islemKanali ( <a href="#">see page 480</a> )	
	islemKanaliAciklama ( <a href="#">see page 480</a> )	
	islemSonucu ( <a href="#">see page 480</a> )	
	islemZamani ( <a href="#">see page 480</a> )	
	kullanici ( <a href="#">see page 480</a> )	
	kullanicilp ( <a href="#">see page 480</a> )	
	zarfEttn ( <a href="#">see page 480</a> )	

**1.1.3.1.92.1 irsaliyeTarihcesiData Properties****1.1.3.1.92.1.1 irsaliyeTarihcesiData.bagliKayitId Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bagliKayitId;
```

**1.1.3.1.92.1.2 irsaliyeTarihcesiData.irsaliyeEttn Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string irsaliyeEttn;
```

**1.1.3.1.92.1.3 irsaliyeTarihcesiData.islem Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public short islem;
```

#### 1.1.3.1.92.1.4 **irsaliyeTarihcesiData.islemAciklama** Property

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemAciklama;
```

#### 1.1.3.1.92.1.5 **irsaliyeTarihcesiData.islemKanali** Property

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public sbyte islemKanali;
```

#### 1.1.3.1.92.1.6 **irsaliyeTarihcesiData.islemKanaliAciklama** Property

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemKanaliAciklama;
```

#### 1.1.3.1.92.1.7 **irsaliyeTarihcesiData.islemSonucu** Property

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemSonucu;
```

#### 1.1.3.1.92.1.8 **irsaliyeTarihcesiData.islemZamani** Property

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemZamani;
```

#### 1.1.3.1.92.1.9 **irsaliyeTarihcesiData.kullanici** Property

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kullanici;
```

#### 1.1.3.1.92.1.10 **irsaliyeTarihcesiData.kullaniciIp** Property

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kullaniciIp;
```


#### 1.1.3.1.92.1.11 **irsaliyeTarihcesiData.zarfEtn** Property

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string zarfEtn;
```

### 1.1.3.1.93 **irsaliyeTarihcesiSorgulaCompletedEventArgs** Class

#### Class Hierarchy



*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com*

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class irsaliyeTarihcesiSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs ( see page 835)

**Methods**

	<b>Name</b>	<b>Description</b>
	irsaliyeTarihcesiSorgulaCompletedEventArgs ( see page 481)	This is <b>irsaliyeTarihcesiSorgulaCompletedEventArgs</b> , a member of class <b>irsaliyeTarihcesiSorgulaCompletedEventArgs</b> .

**irsaliyeTarihcesiSorgulaCompletedEventArgs Properties**

	<b>Name</b>	<b>Description</b>
	Result ( see page 481)	

**1.1.3.1.93.1****irsaliyeTarihcesiSorgulaCompletedEventArgs.irsaliyeTarihcesiSorgulaCompletedEventArgs Constructor****C#**

```
internal irsaliyeTarihcesiSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

**Description**

This is **irsaliyeTarihcesiSorgulaCompletedEventArgs**, a member of class **irsaliyeTarihcesiSorgulaCompletedEventArgs**.

**Body Source**

```
1: internal irsaliyeTarihcesiSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

**1.1.3.1.93.2 irsaliyeTarihcesiSorgulaCompletedEventArgs Properties****1.1.3.1.93.2.1 irsaliyeTarihcesiSorgulaCompletedEventArgs.Result Property****C#**

```
public serviceReturnType Result;
```

**1.1.3.1.94 kalanKontorBilgisi Class****Class Hierarchy**

QNBFinansGIB.GIBEFatura.kalanKontorBilgisi

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
```

```
/ " ) ]
public class kalanKontorBilgisi;
```

**File**

Reference.cs ( [see page 835](#) )

**kalanKontorBilgisi Properties**

	Name	Description
	kalan ( <a href="#">see page 482</a> )	
	kalanSpecified ( <a href="#">see page 482</a> )	
	kontorBirim ( <a href="#">see page 482</a> )	
	kontorBirimSpecified ( <a href="#">see page 482</a> )	
	kontorTipi ( <a href="#">see page 483</a> )	
	kontorTipiSpecified ( <a href="#">see page 483</a> )	
	limitAsimMiktari ( <a href="#">see page 483</a> )	
	limitAsimMiktariSpecified ( <a href="#">see page 483</a> )	
	toplasmAlinan ( <a href="#">see page 483</a> )	
	toplasmAlinanSpecified ( <a href="#">see page 483</a> )	
	vknTckn ( <a href="#">see page 483</a> )	

**1.1.3.1.94.1 kalanKontorBilgisi Properties****1.1.3.1.94.1.1 kalanKontorBilgisi.kalan Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal kalan;
```

**1.1.3.1.94.1.2 kalanKontorBilgisi.kalanSpecified Property****C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kalanSpecified;
```

**1.1.3.1.94.1.3 kalanKontorBilgisi.kontorBirim Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public kontorBirim kontorBirim;
```

**1.1.3.1.94.1.4 kalanKontorBilgisi.kontorBirimSpecified Property****C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kontorBirimSpecified;
```

### 1.1.3.1.94.1.5 kalanKontorBilgisi.kontorTipi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public kontorTipi kontorTipi;
```

### 1.1.3.1.94.1.6 kalanKontorBilgisi.kontorTipiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kontorTipiSpecified;
```

### 1.1.3.1.94.1.7 kalanKontorBilgisi.limitAsimMiktari Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal limitAsimMiktari;
```

### 1.1.3.1.94.1.8 kalanKontorBilgisi.limitAsimMiktariSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool limitAsimMiktariSpecified;
```

### 1.1.3.1.94.1.9 kalanKontorBilgisi.toplamAlinan Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal toplamAlinan;
```

### 1.1.3.1.94.1.10 kalanKontorBilgisi.toplamAlinanSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool toplamAlinanSpecified;
```


### 1.1.3.1.94.1.11 kalanKontorBilgisi.vknTckn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vknTckn;
```

## 1.1.3.1.95 kayitliKullaniciListeleExtendedCompletedEventArgs Class

### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class kayitliKullaniciListeleExtendedCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs (see page 835)

## Methods

	Name	Description
🔗	kayitliKullaniciListeleExtendedCompletedEventArgs (🔗 see page 484)	This is kayitliKullaniciListeleExtendedCompletedEventArgs, a member of class kayitliKullaniciListeleExtendedCompletedEventArgs.

### kayitliKullaniciListeleExtendedCompletedEventArgs Properties

	Name	Description
🔗	Result (🔗 see page 484)	

#### 1.1.3.1.95.1

### kayitliKullaniciListeleExtendedCompletedEventArgs.kayitliKullaniciListeleExtendedCompletedEventArgs

#### Constructor

C#

```
internal kayitliKullaniciListeleExtendedCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

#### Description

This is kayitliKullaniciListeleExtendedCompletedEventArgs, a member of class kayitliKullaniciListeleExtendedCompletedEventArgs.

#### Body Source

```
1: internal kayitliKullaniciListeleExtendedCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

### 1.1.3.1.95.2 kayitliKullaniciListeleExtendedCompletedEventArgs Properties

#### 1.1.3.1.95.2.1 kayitliKullaniciListeleExtendedCompletedEventArgs.Result Property

C#

```
public byte Result;
```

## 1.1.3.1.96 kayitliKullaniciListeleExtendedTimeCompletedEventArgs Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class kayitliKullaniciListeleExtendedTimeCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs (🔗 see page 835)

## Methods

	Name	Description
!	kayitliKullaniciListeleExtendedTimeCompletedEventArgs ( <a href="#">see page 485</a> )	This is kayitliKullaniciListeleExtendedTimeCompletedEventArgs, a member of class kayitliKullaniciListeleExtendedTimeCompletedEventArgs.

## kayitliKullaniciListeleExtendedTimeCompletedEventArgs Properties

	Name	Description
!	Result ( <a href="#">see page 485</a> )	

### 1.1.3.1.96.1

## kayitliKullaniciListeleExtendedTimeCompletedEventArgs.kayitliKullaniciListeleExtendedTimeCompletedEventArgs Constructor

C#

```
internal kayitliKullaniciListeleExtendedTimeCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

### Description

This is kayitliKullaniciListeleExtendedTimeCompletedEventArgs, a member of class kayitliKullaniciListeleExtendedTimeCompletedEventArgs.

### Body Source

```
1: internal kayitliKullaniciListeleExtendedTimeCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

### 1.1.3.1.96.2 kayitliKullaniciListeleExtendedTimeCompletedEventArgs Properties


#### 1.1.3.1.96.2.1 kayitliKullaniciListeleExtendedTimeCompletedEventArgs.Result Property

C#

```
public byte Result;
```

### 1.1.3.1.97 kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs ([see page 835](#))

## Methods

	Name	Description
	kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs ( <a href="#">see page 486</a> )	This is kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs, a member of class kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs.

### kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs Properties

	Name	Description
	Result ( <a href="#">see page 486</a> )	

#### 1.1.3.1.97.1

### kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs.kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs

#### Constructor

C#

```
internal kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

#### Description

This is kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs, a member of class kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs.

#### Body Source

```
1: internal kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

#### 1.1.3.1.97.2 kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs Properties


##### 1.1.3.1.97.2.1 kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs.Result Property

C#

```
public byte Result;
```

## 1.1.3.1.98 kontorAzaltResp Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
public class kontorAzaltResp : serviceReturnType;
```

#### File

Reference.cs ([see page 835](#))

## **kontorAzaltResp Properties**

### **kontorAzaltResp Class**

	<b>Name</b>	<b>Description</b>
	kanalTipi ( <a href="#">see page 487</a> )	
	kontorAzaldi ( <a href="#">see page 487</a> )	
	kontorTipi ( <a href="#">see page 487</a> )	
	miktar ( <a href="#">see page 487</a> )	
	miktarSpecified ( <a href="#">see page 487</a> )	
	odemeTipi ( <a href="#">see page 487</a> )	
	paketTipi ( <a href="#">see page 488</a> )	
	vkn ( <a href="#">see page 488</a> )	

### **1.1.3.1.98.1 kontorAzaltResp Properties**

#### **1.1.3.1.98.1.1 kontorAzaltResp.kanalTipi Property**

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int kanalTipi;
```

#### **1.1.3.1.98.1.2 kontorAzaltResp.kontorAzaldi Property**

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool kontorAzaldi;
```

#### **1.1.3.1.98.1.3 kontorAzaltResp.kontorTipi Property**

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kontorTipi;
```

#### **1.1.3.1.98.1.4 kontorAzaltResp.miktar Property**

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal miktar;
```

#### **1.1.3.1.98.1.5 kontorAzaltResp.miktarSpecified Property**

**C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool miktarSpecified;
```

#### **1.1.3.1.98.1.6 kontorAzaltResp.odemeTipi Property**

**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int odemeTipi;
```

### 1.1.3.1.98.1.7 kontorAzaltResp.paketTipi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int paketTipi;
```


### 1.1.3.1.98.1.8 kontorAzaltResp.vkn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vkn;
```

## 1.1.3.1.99 kontorBilgisiGetirCompletedEventArgs Class

### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class kontorBilgisiGetirCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs (↗ see page 835)

### Methods

	Name	Description
!	kontorBilgisiGetirCompletedEventArgs (↗ see page 488)	This is kontorBilgisiGetirCompletedEventArgs, a member of class kontorBilgisiGetirCompletedEventArgs.

### kontorBilgisiGetirCompletedEventArgs Properties

	Name	Description
!	Result (↗ see page 489)	

### 1.1.3.1.99.1

## kontorBilgisiGetirCompletedEventArgs.kontorBilgisiGetirCompletedEventArgs Constructor

C#

```
internal kontorBilgisiGetirCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

### Description

This is kontorBilgisiGetirCompletedEventArgs, a member of class kontorBilgisiGetirCompletedEventArgs.

### Body Source

```
1: internal kontorBilgisiGetirCompletedEventArgs(object[] results, System.Exception exception,
2:   bool cancelled, object userState) :
3:   base(exception, cancelled, userState) {
4:     this.results = results;
}
```

### 1.1.3.1.99.2 kontorBilgisiGetirCompletedEventArgs Properties

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com*

### 1.1.3.1.99.2.1 kontorBilgisiGetirCompletedEventArgs.Result Property

C#

```
public kalanKontorBilgisi Result;
```

## 1.1.3.1.100 mukellefEFaturaKayit Class

### Class Hierarchy

[QNBFinansGIB.GIBEFatura.mukellefEFaturaKayit](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class mukellefEFaturaKayit;
```

### File

[Reference.cs](#) (see page 835)

### mukellefEFaturaKayit Properties

	Name	Description
	<a href="#">efaturaKullaniciListesi</a> (see page 489)	
	<a href="#">vergiTcKimlikNo</a> (see page 489)	

### 1.1.3.1.100.1 mukellefEFaturaKayit Properties

#### 1.1.3.1.100.1.1 mukellefEFaturaKayit.efaturaKullaniciListesi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("efaturaKullaniciListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public eFaturaKullanici efaturaKullaniciListesi;
```

#### 1.1.3.1.100.1.2 mukellefEFaturaKayit.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string vergiTcKimlikNo;
```

## 1.1.3.1.101 serviceReturnType Class

### Class Hierarchy

[QNBFinansGIB.GIBEFatura.serviceReturnType](#)

C#


```
[System.Xml.Serialization.XmlIncludeAttribute(typeof\(belgeGonderResp\))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof\(eIrsaliyeKullanici\))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof\(gidenBelgeleriListelePortalData\))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof\(gidenBelgeleriListelePortalDatav2\))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof\(gelenBelgeTutarBilgileri\))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof\(gidenBelgeTutarBilgileri\))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof\(irsaliyeTarihcesiData\))]
```

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(kontorAzaltResp))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTarihcesiData))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeleriListeleData))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurum))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv2))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurum))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv2))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv6))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(eFaturaKullaniciExtended))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(eFaturaKullanici))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belge))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev2))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class serviceReturnType;
```

**File**

Reference.cs ([see page 835](#))

## 1.1.3.1.102 temelKontrollerIleBelgeGonderCompletedEventArgs Class

**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class temelKontrollerIleBelgeGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs ([see page 835](#))

**Methods**

	<b>Name</b>	<b>Description</b>
	temelKontrollerIleBelgeGonderCompletedEventArgs ( <a href="#">see page 491</a> )	This is temelKontrollerIleBelgeGonderCompletedEventArgs, a member of class temelKontrollerIleBelgeGonderCompletedEventArgs.

**temelKontrollerIleBelgeGonderCompletedEventArgs Properties**

	<b>Name</b>	<b>Description</b>
	Result ( <a href="#">see page 491</a> )	

### 1.1.3.1.102.1

## **temelKontrollerIleBelgeGonderCompletedEventArgs.temelKontrollerIleBelgeGonderCompletedEventArgs**

### Constructor

C#

```
internal temelKontrollerIleBelgeGonderCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

### Description

This is temelKontrollerIleBelgeGonderCompletedEventArgs, a member of class temelKontrollerIleBelgeGonderCompletedEventArgs.

### Body Source

```
1: internal temelKontrollerIleBelgeGonderCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

### 1.1.3.1.102.2 temelKontrollerIleBelgeGonderCompletedEventArgs Properties


#### 1.1.3.1.102.2.1 temelKontrollerIleBelgeGonderCompletedEventArgs.Result Property

C#

```
public string Result;
```

### 1.1.3.1.103 toplamBelgeSayisiGetirCompletedEventArgs Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class toplamBelgeSayisiGetirCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs (see page 835)

#### Methods

	Name	Description
	toplamBelgeSayisiGetirCompletedEventArgs (see page 492)	This is toplamBelgeSayisiGetirCompletedEventArgs, a member of class toplamBelgeSayisiGetirCompletedEventArgs.

#### toplambelgesayisiGetirCompletedEventArgs Properties

	Name	Description
	Result (see page 492)	

### 1.1.3.1.103.1

## toplambelgesayisiGetirCompletedEventArgs.toplambelgesayisiGetirCompletedEventArgs s Constructor

C#

```
internal toplambelgesayisiGetirCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

### Description

This is toplambelgesayisiGetirCompletedEventArgs, a member of class toplambelgesayisiGetirCompletedEventArgs.

### Body Source

```
1: internal toplambelgesayisiGetirCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :  
2:     base(exception, cancelled, userState) {  
3:         this.results = results;  
4:     }
```

### 1.1.3.1.103.2 toplambelgesayisiGetirCompletedEventArgs Properties

#### 1.1.3.1.103.2.1 toplambelgesayisiGetirCompletedEventArgs.Result Property

C#

```
public int Result;
```

## 1.1.3.1.104 ublOnizlemeCompletedEventArgs Class

### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class ublOnizlemeCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs (see page 835)

### Methods

	Name	Description
💡	ublOnizlemeCompletedEventArgs (see page 492)	This is ublOnizlemeCompletedEventArgs, a member of class ublOnizlemeCompletedEventArgs.

### ublOnizlemeCompletedEventArgs Properties

	Name	Description
💡	Result (see page 493)	

### 1.1.3.1.104.1 ublOnizlemeCompletedEventArgs.ulbOnizlemeCompletedEventArgs Constructor

C#

```
internal ublOnizlemeCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

## Description

This is ublOnizlemeCompletedEventArgs, a member of class ublOnizlemeCompletedEventArgs.

## Body Source

```
1: internal ublOnizlemeCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

## 1.1.3.1.104.2 ublOnizlemeCompletedEventArgs Properties


### 1.1.3.1.104.2.1 ublOnizlemeCompletedEventArgs.Result Property

#### C#

```
public byte Result;
```

## 1.1.3.1.105 urunSablonlariniAICompletedEventArgs Class

### Class Hierarchy



#### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class urunSablonlariniAICompletedEventArgs :
    System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs ([see page 835](#))

#### Methods

	Name	Description
	urunSablonlariniAICompletedEventArgs ( <a href="#">see page 493</a> )	This is urunSablonlariniAICompletedEventArgs, a member of class urunSablonlariniAICompletedEventArgs.

### urunSablonlariniAICompletedEventArgs Properties

	Name	Description
	Result ( <a href="#">see page 494</a> )	

## 1.1.3.1.105.1

### urunSablonlariniAICompletedEventArgs.urunSablonlariniAICompletedEventArgs Constructor

#### C#

```
internal urunSablonlariniAICompletedEventArgs(object[] results, System.Exception exception,
    bool cancelled, object userState);
```

## Description

This is urunSablonlariniAICompletedEventArgs, a member of class urunSablonlariniAICompletedEventArgs.

## Body Source

```
1: internal urunSablonlariniAICompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
```

```

3:     this.results = results;
4: }

```

### 1.1.3.1.105.2 urunSablonlariniAICompletedEventArgs Properties

#### 1.1.3.1.105.2.1 urunSablonlariniAICompletedEventArgs.Result Property

C#

```
public byte Result;
```

## 1.1.3.1.106 wsKullaniciBilgileri Class

### Class Hierarchy

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[SerializableAttribute()]
[Diagnostics.DebuggerStepThroughAttribute()]
[ComponentModel.DesignerCategoryAttribute("code")]
[XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
public class wsKullaniciBilgileri;

```

### File

Reference.cs (see page 835)

### wsKullaniciBilgileri Properties

	Name	Description
	kullaniciKodu (see page 494)	
	sifre (see page 494)	

### 1.1.3.1.106.1 wsKullaniciBilgileri Properties

#### 1.1.3.1.106.1.1 wsKullaniciBilgileri.kullaniciKodu Property

C#

```

[XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kullaniciKodu;

```

#### 1.1.3.1.106.1.2 wsKullaniciBilgileri.sifre Property

C#

```

[XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string sifre;

```

## 1.1.3.1.107 wsKullanicisiKaydetCompletedEventArgs Class

### Class Hierarchy

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[Diagnostics.DebuggerStepThroughAttribute()]
[ComponentModel.DesignerCategoryAttribute("code")]

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
public class wsKullanicisiKaydetCompletedEventArgs :  
System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs ( [see page 835](#) )

**Methods**

	<b>Name</b>	<b>Description</b>
	wsKullanicisiKaydetCompletedEventArgs ( <a href="#">see page 495</a> )	This is wsKullanicisiKaydetCompletedEventArgs, a member of class wsKullanicisiKaydetCompletedEventArgs.

**wsKullanicisiKaydetCompletedEventArgs Properties**

	<b>Name</b>	<b>Description</b>
	Result ( <a href="#">see page 495</a> )	

**1.1.3.1.107.1****wsKullanicisiKaydetCompletedEventArgs.wsKullanicisiKaydetCompletedEventArgs Constructor****C#**

```
internal wsKullanicisiKaydetCompletedEventArgs(object[] results, System.Exception  
exception, bool cancelled, object userState);
```

**Description**

This is wsKullanicisiKaydetCompletedEventArgs, a member of class wsKullanicisiKaydetCompletedEventArgs.

**Body Source**

```
1: internal wsKullanicisiKaydetCompletedEventArgs(object[] results, System.Exception  
exception, bool cancelled, object userState) :  
2:     base(exception, cancelled, userState) {  
3:         this.results = results;  
4:     }
```

**1.1.3.1.107.2 wsKullanicisiKaydetCompletedEventArgs Properties****1.1.3.1.107.2.1 wsKullanicisiKaydetCompletedEventArgs.Result Property****C#**

```
public wsKullaniciBilgileri Result;
```

**1.1.3.1.108 yereleAktarilacakBelgeleriAlCompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]  
[System.Diagnostics.DebuggerStepThrough()]  
[System.ComponentModel.DesignerCategoryAttribute("code")]  
public class yereleAktarilacakBelgeleriAlCompletedEventArgs :  
System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs ( [see page 835](#) )

## Methods

	Name	Description
!	yereleAktarilacakBelgeleriAICompletedEventArgs ( <a href="#">see page 496</a> )	This is yereleAktarilacakBelgeleriAICompletedEventArgs, a member of class yereleAktarilacakBelgeleriAICompletedEventArgs.

### yereleAktarilacakBelgeleriAICompletedEventArgs Properties

	Name	Description
!	Result ( <a href="#">see page 496</a> )	

#### 1.1.3.1.108.1

### yereleAktarilacakBelgeleriAICompletedEventArgs.yereleAktarilacakBelgeleriAICompletedEventArgs Constructor

C#

```
internal yereleAktarilacakBelgeleriAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

#### Description

This is yereleAktarilacakBelgeleriAICompletedEventArgs, a member of class yereleAktarilacakBelgeleriAICompletedEventArgs.

#### Body Source

```
1: internal yereleAktarilacakBelgeleriAICompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

### 1.1.3.1.108.2 yereleAktarilacakBelgeleriAICompletedEventArgs Properties


#### 1.1.3.1.108.2.1 yereleAktarilacakBelgeleriAICompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

## 1.1.3.1.109 yereleAktarilacakBelgeleriAIExtCompletedEventArgs Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class yereleAktarilacakBelgeleriAIExtCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs {
```

#### File

Reference.cs ([see page 835](#))

## Methods

	Name	Description
	yereleAktarilacakBelgeleriAIExtCompletedEventArgs	This is yereleAktarilacakBelgeleriAIExtCompletedEventArgs, a member of class yereleAktarilacakBelgeleriAIExtCompletedEventArgs.

### yereleAktarilacakBelgeleriAIExtCompletedEventArgs Properties

	Name	Description
	Result ( <a href="#">see page 497</a> )	

#### 1.1.3.1.109.1

### yereleAktarilacakBelgeleriAIExtCompletedEventArgs.yereleAktarilacakBelgeleriAIExtCompletedEventArgs

#### Constructor

C#

```
internal yereleAktarilacakBelgeleriAIExtCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

#### Description

This is yereleAktarilacakBelgeleriAIExtCompletedEventArgs, a member of class yereleAktarilacakBelgeleriAIExtCompletedEventArgs.

#### Body Source

```
1: internal yereleAktarilacakBelgeleriAIExtCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

### 1.1.3.1.109.2 yereleAktarilacakBelgeleriAIExtCompletedEventArgs Properties

#### 1.1.3.1.109.2.1 yereleAktarilacakBelgeleriAIExtCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

## 1.1.3.2 Structs, Records, Enums

#### Summary

The following table lists structs, records, enums in this documentation.

#### Enumerations

	Name	Description
	kontorBirimi ( <a href="#">see page 497</a> )	
	kontorTipi ( <a href="#">see page 498</a> )	

### 1.1.3.2.1 QNBFinansGIB.GIBEFatura.kontorBirimi Enumeration

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
```

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

```
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
")]
public enum kontorBirim {
    ADET,
    TL,
    MB
}
```

**File**

Reference.cs (see page 835)

### 1.1.3.2.2 QNBFinansGIB.GIBEFatura.kontorTipi Enumeration

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
")]
public enum kontorTipi {
    FATURA,
    DEFTER,
    KEP,
    KEPSMS,
    ARSIV,
    ARSIVSMS,
    IRSALIYE,
    SMM,
    MMK,
    PORTAL,
    OKC,
    BAYI
}
```

**File**

Reference.cs (see page 835)

### 1.1.3.3 Types

**Summary**

The following table lists types in this documentation.

**Types**

Name	Description
belgeGonderCompletedEventHandler (see page 500)	
belgeGonderExtCompletedEventHandler (see page 501)	
belgeGonderExtWithValidateCompletedEventHandler (see page 501)	
belgeGonderWithValidateCompletedEventHandler (see page 501)	
belgelerAlindiCompletedEventHandler (see page 501)	
belgelerAlindiEntegrasyonSiparisNoGuncelleCompletedEventHandler (see page 502)	
belgeleriTekrarGonderBelgeOidCompletedEventHandler (see page 502)	

belgeleriTekrarGonderCompletedEventHandler (↗ see page 502)	
belgeleriTekrarGonderYerelBelgeNoCompletedEventHandler (↗ see page 502)	
checkDateValidControlCompletedEventHandler (↗ see page 503)	
cokluGidenBelgeDurumSorgulaCompletedEventHandler (↗ see page 503)	
csXmlOnizlemeCompletedEventHandler (↗ see page 503)	
csXmlToUblCompletedEventHandler (↗ see page 503)	
eFaturaKayitliKullaniciListeleCompletedEventHandler (↗ see page 504)	
efaturaKullaniciBilgisiCompletedEventHandler (↗ see page 504)	
efaturaKullaniciListesiCompletedEventHandler (↗ see page 504)	
efaturaKullanicisiCompletedEventHandler (↗ see page 504)	
elrsaliyeKayitliKullaniciListeleCompletedEventHandler (↗ see page 505)	
elrsaliyeKullanicisiCompletedEventHandler (↗ see page 505)	
erpBilgileriBelirleCompletedEventHandler (↗ see page 505)	
faturaKepIleLadeEdildiCompletedEventHandler (↗ see page 505)	
faturaKepIleLadeEdildilptalCompletedEventHandler (↗ see page 506)	
faturaMailGonderCompletedEventHandler (↗ see page 506)	
faturaNoUretCompletedEventHandler (↗ see page 506)	
faturaTarihcesiSorgulaCompletedEventHandler (↗ see page 506)	
faturayAltirazEdildiCompletedEventHandler (↗ see page 507)	
faturayAltirazEdildilptalCompletedEventHandler (↗ see page 507)	
gelenBelgeDurumSorgulaCompletedEventHandler (↗ see page 507)	
gelenBelgeDurumSorgulaExtCompletedEventHandler (↗ see page 507)	
gelenBelgeEkleriAICompletedEventHandler (↗ see page 508)	
gelenBelgeleriAICompletedEventHandler (↗ see page 508)	
gelenBelgeleriAIExt2CompletedEventHandler (↗ see page 508)	
gelenBelgeleriAIExtCompletedEventHandler (↗ see page 508)	
gelenBelgeleriIndirCompletedEventHandler (↗ see page 509)	
gelenBelgeleriIndirExtCompletedEventHandler (↗ see page 509)	
gelenBelgeleriListeleCompletedEventHandler (↗ see page 509)	
gelenBelgeleriListeleExtCompletedEventHandler (↗ see page 509)	
gelenBelgeTutarBilgileriSorgulaCompletedEventHandler (↗ see page 510)	
gelenBelgeXmlleriniAICompletedEventHandler (↗ see page 510)	
gelenBelgeXmlleriniAIExtCompletedEventHandler (↗ see page 510)	
gelenFaturalariArsiveKaldirCompletedEventHandler (↗ see page 510)	
gelenIrsaliyeleriArsiveKaldirCompletedEventHandler (↗ see page 511)	
gelenStandartRapolariAICompletedEventHandler (↗ see page 511)	
gelenTamamlananRapolariAICompletedEventHandler (↗ see page 511)	
gelenTasinanBelgeleriIndirCompletedEventHandler (↗ see page 512)	
gidenBelgeDurumSorgulaBelgeNoCompletedEventHandler (↗ see page 512)	
gidenBelgeDurumSorgulaCompletedEventHandler (↗ see page 512)	

gidenBelgeDurumSorgulaEttnCompletedEventHandler (see page 512)	
gidenBelgeDurumSorgulaExtCompletedEventHandler (see page 513)	
gidenBelgeDurumSorgulaPortalCompletedEventHandler (see page 513)	
gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventHandler (see page 513)	
gidenBelgeEkleriAICompletedEventHandler (see page 513)	
gidenBelgelerilndirCompletedEventHandler (see page 514)	
gidenBelgelerilndirEttnCompletedEventHandler (see page 514)	
gidenBelgelerilndirPortalCompletedEventHandler (see page 514)	
gidenBelgeleriListeleCompletedEventHandler (see page 514)	
gidenBelgeleriListelePortalCompletedEventHandler (see page 515)	
gidenBelgeTutarBilgileriSorgulaCompletedEventHandler (see page 515)	
gidenFaturalariArsiveKaldirCompletedEventHandler (see page 515)	
gidenIrsaliyeleriArsiveKaldirCompletedEventHandler (see page 516)	
gidenTasinanBelgelerilndirCompletedEventHandler (see page 516)	
irsaliyeMailGonderCompletedEventHandler (see page 516)	
irsaliyeTarihcesiSorgulaCompletedEventHandler (see page 516)	
kayitliKullaniciListeleExtendedCompletedEventHandler (see page 517)	
kayitliKullaniciListeleExtendedTimeCompletedEventHandler (see page 517)	
kayitliKullaniciListeleExtendedVknTcknCompletedEventHandler (see page 517)	
kontorBilgisiGetirCompletedEventHandler (see page 517)	
temelKontrollerlleBelgeGonderCompletedEventHandler (see page 518)	
toplamBelgeSayisiGetirCompletedEventHandler (see page 518)	
ublOnizlemeCompletedEventHandler (see page 518)	
urunSablonlariniAICompletedEventHandler (see page 518)	
wsKullanicisiKaydetCompletedEventHandler (see page 519)	
yereleAktarilacakBelgeleriAICompletedEventHandler (see page 519)	
yereleAktarilacakBelgeleriAIExtCompletedEventHandler (see page 519)	
yolcuBeraberFaturalptalEtCompletedEventHandler (see page 519)	

### 1.1.3.3.1 QNBFinansGIB.GIBEFatura.belgeGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeGonderCompletedEventHandler(object sender,
belgeGonderEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.2

## QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeGonderExtCompletedEventHandler(object sender,
belgeGonderExtCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.3

## QNBFinansGIB.GIBEFatura.belgeGonderExtWithValidateCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeGonderExtWithValidateCompletedEventHandler(object sender,
belgeGonderExtWithValidateCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.4

## QNBFinansGIB.GIBEFatura.belgeGonderWithValidateCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeGonderWithValidateCompletedEventHandler(object sender,
belgeGonderWithValidateCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.5 QNBFinansGIB.GIBEFatura.belgelerAlindiCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgelerAlindiCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.6

## QNBFinansGIB.GIBEFatura.belgelerAlindiEntegrasyonSiparisNoGuncelleCompletedEventHandler

### Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgelerAlindiEntegrasyonSiparisNoGuncelleCompletedEventHandler(object
sender, System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.7

## QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidCompletedEventHandler

### Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeleriTekrarGonderBelgeOidCompletedEventHandler(object sender,
belgeleriTekrarGonderBelgeOidCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.8

## QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompletedEventHandler

### Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeleriTekrarGonderCompletedEventHandler(object sender,
belgeleriTekrarGonderCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.9

## QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderYerelBelgeNoCompletedEventHandler

### Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeleriTekrarGonderYerelBelgeNoCompletedEventHandler(object sender,
belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs e);
```

**File**

Reference.cs ([see page 835](#))

**1.1.3.3.10****QNBFinansGIB.GIBEFatura.checkDateValidControlCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void checkDateValidControlCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

**File**

Reference.cs ([see page 835](#))

**1.1.3.3.11****QNBFinansGIB.GIBEFatura.cokluGidenBelgeDurumSorgulaCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void cokluGidenBelgeDurumSorgulaCompletedEventHandler(object sender,
cokluGidenBelgeDurumSorgulaCompletedEventArgs e);
```

**File**

Reference.cs ([see page 835](#))

**1.1.3.3.12****QNBFinansGIB.GIBEFatura.csXmlOnizlemeCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void csXmlOnizlemeCompletedEventHandler(object sender,
csXmlOnizlemeCompletedEventArgs e);
```

**File**

Reference.cs ([see page 835](#))

**1.1.3.3.13 QNBFinansGIB.GIBEFatura.csXmlToUblCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void csXmlToUblCompletedEventHandler(object sender,
csXmlToUblCompletedEventArgs e);
```

**File**

Reference.cs ([see page 835](#))

### 1.1.3.3.14

## QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciListeleCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void eFaturaKayitliKullaniciListeleCompletedEventHandler(object sender,
eFaturaKayitliKullaniciListeleCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.15

## QNBFinansGIB.GIBEFatura.efaturaKullaniciBilgisiCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void efaturaKullaniciBilgisiCompletedEventHandler(object sender,
efaturaKullaniciBilgisiCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.16

## QNBFinansGIB.GIBEFatura.efaturaKullaniciListesiCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void efaturaKullaniciListesiCompletedEventHandler(object sender,
efaturaKullaniciListesiCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.17

## QNBFinansGIB.GIBEFatura.efaturaKullanicisiCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void efaturaKullanicisiCompletedEventHandler(object sender,
efaturaKullanicisiCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.18

## QNBFinansGIB.GIBEFatura.eIrsaliyeKayitliKullaniciListeleCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void eIrsaliyeKayitliKullaniciListeleCompletedEventHandler(object sender,
eIrsaliyeKayitliKullaniciListeleCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.19

## QNBFinansGIB.GIBEFatura.eIrsaliyeKullanicisiCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void eIrsaliyeKullanicisiCompletedEventHandler(object sender,
eIrsaliyeKullanicisiCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.20

## QNBFinansGIB.GIBEFatura.erpBilgileriBelirleCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void erpBilgileriBelirleCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.21

## QNBFinansGIB.GIBEFatura.faturaKepIleIadeEdildiCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaKepIleIadeEdildiCompletedEventHandler(object sender,
faturaKepIleIadeEdildiCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.22

## QNBFinansGIB.GIBEFatura.faturaKepIleIadeEdildiIptalCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaKepIleIadeEdildiIptalCompletedEventHandler(object sender,
faturaKepIleIadeEdildiIptalCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.23

## QNBFinansGIB.GIBEFatura.faturaMailGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaMailGonderCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.24 QNBFinansGIB.GIBEFatura.faturaNoUretCompletedEventHandler

## Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaNoUretCompletedEventHandler(object sender,
faturaNoUretCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.25

## QNBFinansGIB.GIBEFatura.faturaTarihcesiSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaTarihcesiSorgulaCompletedEventHandler(object sender,
faturaTarihcesiSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.26

## QNBFinansGIB.GIBEFatura.faturayaltirazEdildiCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturayaItirazEdildiCompletedEventHandler(object sender,
faturayaItirazEdildiCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.27

## QNBFinansGIB.GIBEFatura.faturayaltirazEdildilptalCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturayaItirazEdildiIptalCompletedEventHandler(object sender,
faturayaItirazEdildiIptalCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.28

## QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeDurumSorgulaCompletedEventHandler(object sender,
gelenBelgeDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.29

## QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeDurumSorgulaExtCompletedEventHandler(object sender,
gelenBelgeDurumSorgulaExtCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.30

## QNBFinansGIB.GIBEFatura.gelenBelgeEkleriAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeEkleriAlCompletedEventHandler(object sender,
gelenBelgeEkleriAlCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.31

## QNBFinansGIB.GIBEFatura.gelenBelgeleriAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeleriAlCompletedEventHandler(object sender,
gelenBelgeleriAlCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.32

## QNBFinansGIB.GIBEFatura.gelenBelgeleriAlExt2CompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeleriAlExt2CompletedEventHandler(object sender,
gelenBelgeleriAlExt2CompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.33

## QNBFinansGIB.GIBEFatura.gelenBelgeleriAlExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeleriAlExtCompletedEventHandler(object sender,
gelenBelgeleriAlExtCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.34

## QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeleriIndirCompletedEventHandler(object sender,
gelenBelgeleriIndirCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.35

## QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeleriIndirExtCompletedEventHandler(object sender,
gelenBelgeleriIndirExtCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.36

## QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeleriListeleCompletedEventHandler(object sender,
gelenBelgeleriListeleCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.37

## QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeleriListeleExtCompletedEventHandler(object sender,
gelenBelgeleriListeleExtCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.38

## QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileriSorgulaCompletedEvent Handler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeTutarBilgileriSorgulaCompletedEventHandler(object sender,
gelenBelgeTutarBilgileriSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.39

## QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeXmlleriniAlCompletedEventHandler(object sender,
gelenBelgeXmlleriniAlCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.40

## QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAlExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeXmlleriniAlExtCompletedEventHandler(object sender,
gelenBelgeXmlleriniAlExtCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.41

## QNBFinansGIB.GIBEFatura.gelenFaturalariArsiveKaldırCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenFaturalariArsiveKaldırCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

**1.1.3.3.42****QNBFinansGIB.GIBEFatura.gelenIrsaliyeleriArsiveKaldırCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenIrsaliyeleriArsiveKaldırCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

**1.1.3.3.43****QNBFinansGIB.GIBEFatura.gelenStandartRapolariAlCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenStandartRapolariAlCompletedEventHandler(object sender,
gelenStandartRapolariAlCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

**1.1.3.3.44****QNBFinansGIB.GIBEFatura.gelenTamamlananRapolariAlCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenTamamlananRapolariAlCompletedEventHandler(object sender,
gelenTamamlananRapolariAlCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

### 1.1.3.3.45

## QNBFinansGIB.GIBEFatura.gelenTasinanBelgeleriIndirCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenTasinanBelgeleriIndirCompletedEventHandler(object sender,
gelenTasinanBelgeleriIndirCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.46

## QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaBelgeNoCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeDurumSorgulaBelgeNoCompletedEventHandler(object sender,
gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.47

## QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeDurumSorgulaCompletedEventHandler(object sender,
gidenBelgeDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.48

## QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaEttnCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeDurumSorgulaEttnCompletedEventHandler(object sender,
gidenBelgeDurumSorgulaEttnCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

**1.1.3.3.49****QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaExtCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeDurumSorgulaExtCompletedEventHandler(object sender,
gidenBelgeDurumSorgulaExtCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

**1.1.3.3.50****QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaPortalCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeDurumSorgulaPortalCompletedEventHandler(object sender,
gidenBelgeDurumSorgulaPortalCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

**1.1.3.3.51****QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventHandler(object sender,
gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

**1.1.3.3.52****QNBFinansGIB.GIBEFatura.gidenBelgeEkleriAICompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
```

```
public delegate void gidenBelgeEkleriAlCompletedEventHandler(object sender,
gidenBelgeEkleriAlCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

**1.1.3.3.53****QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeleriIndirCompletedEventHandler(object sender,
gidenBelgeleriIndirCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

**1.1.3.3.54****QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirEttnCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeleriIndirEttnCompletedEventHandler(object sender,
gidenBelgeleriIndirEttnCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

**1.1.3.3.55****QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeleriIndirPortalCompletedEventHandler(object sender,
gidenBelgeleriIndirPortalCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

**1.1.3.3.56****QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeleriListeleCompletedEventHandler(object sender,
gidenBelgeleriListeleCompletedEventArgs e);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

**File**

Reference.cs ([see page 835](#))

**1.1.3.3.57****QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeleriListelePortalCompletedEventHandler(object sender,
gidenBelgeleriListelePortalCompletedEventArgs e);
```

**File**

Reference.cs ([see page 835](#))

**1.1.3.3.58****QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileriSorgulaCompletedEventHan****dler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeTutarBilgileriSorgulaCompletedEventHandler(object sender,
gidenBelgeTutarBilgileriSorgulaCompletedEventArgs e);
```

**File**

Reference.cs ([see page 835](#))

**1.1.3.3.59****QNBFinansGIB.GIBEFatura.gidenFaturalariArsiveKaldırCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenFaturalariArsiveKaldirCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

**File**

Reference.cs ([see page 835](#))

### 1.1.3.3.60

## QNBFinansGIB.GIBEFatura.gidenIrsaliyeleriArsiveKaldirCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenIrsaliyeleriArsiveKaldirCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.61

## QNBFinansGIB.GIBEFatura.gidenTasinanBelgeleriIndirCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenTasinanBelgeleriIndirCompletedEventHandler(object sender,
gidenTasinanBelgeleriIndirCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.62

## QNBFinansGIB.GIBEFatura.irsaliyeMailGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void irsaliyeMailGonderCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.63

## QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void irsaliyeTarihcesiSorgulaCompletedEventHandler(object sender,
irsaliyeTarihcesiSorgulaCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

**1.1.3.3.64****QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCompletedEvent Handler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void kayitliKullaniciListeleExtendedCompletedEventHandler(object sender,
    kayitliKullaniciListeleExtendedCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

**1.1.3.3.65****QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTimeCompletedEvent Handler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void kayitliKullaniciListeleExtendedTimeCompletedEventHandler(object
    sender, kayitliKullaniciListeleExtendedTimeCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

**1.1.3.3.66****QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedVknTcknCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void kayitliKullaniciListeleExtendedVknTcknCompletedEventHandler(object
    sender, kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

**1.1.3.3.67****QNBFinansGIB.GIBEFatura.kontorBilgisiGetirCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void kontorBilgisiGetirCompletedEventHandler(object sender,
    kontorBilgisiGetirCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

**1.1.3.3.68****QNBFinansGIB.GIBEFatura.temelKontrollerIleBelgeGonderCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void temelKontrollerIleBelgeGonderCompletedEventHandler(object sender,
temelKontrollerIleBelgeGonderCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

**1.1.3.3.69****QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void toplamBelgeSayisiGetirCompletedEventHandler(object sender,
toplambelgesayisiGetirCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

**1.1.3.3.70 QNBFinansGIB.GIBEFatura.ublOnizlemeCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void ublOnizlemeCompletedEventHandler(object sender,
ublonizlemeCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

**1.1.3.3.71****QNBFinansGIB.GIBEFatura.urunSablonlariniAlCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void urunSablonlariniAlCompletedEventHandler(object sender,
urunSablonlariniAlCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

### 1.1.3.3.72

## QNBFinansGIB.GIBEFatura.wsKullanicisiKaydetCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void wsKullanicisiKaydetCompletedEventHandler(object sender,
wsKullanicisiKaydetCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.73

## QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void yereleAktarilacakBelgeleriAlCompletedEventHandler(object sender,
yereleAktarilacakBelgeleriAlCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.74

## QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAlExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void yereleAktarilacakBelgeleriAlExtCompletedEventHandler(object sender,
yereleAktarilacakBelgeleriAlExtCompletedEventArgs e);
```

File

Reference.cs (see page 835)

### 1.1.3.3.75

## QNBFinansGIB.GIBEFatura.yolcuBeraberFaturalptalEtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void yolcuBeraberFaturalptalEtCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

**File**

Reference.cs ([see page 835](#))

## 1.1.4 QNBFinansGIB.GIBEMustahsil Namespace

This is namespace QNBFinansGIB.GIBEMustahsil.

**Classes**

	<b>Name</b>	<b>Description</b>
	belge ( <a href="#">see page 526</a> )	
	belgeDTO ( <a href="#">see page 527</a> )	
	belgeOutputWrapper ( <a href="#">see page 535</a> )	
	belgeZipiAI ( <a href="#">see page 535</a> )	
	belgeZipiAICompletedEventArgs ( <a href="#">see page 536</a> )	
	belgeZipiAIResponse ( <a href="#">see page 537</a> )	
	doubleStringOutputWrapper ( <a href="#">see page 538</a> )	
	earsivServiceResult ( <a href="#">see page 539</a> )	
	earsivServiceResultEntry ( <a href="#">see page 539</a> )	
	ePostaDurumSorgula ( <a href="#">see page 540</a> )	
	ePostaDurumSorgulaCompletedEventArgs ( <a href="#">see page 541</a> )	
	ePostaGonder ( <a href="#">see page 542</a> )	
	ePostaGonderCompletedEventArgs ( <a href="#">see page 543</a> )	
	ePostaGonderResponse ( <a href="#">see page 544</a> )	
	faturaDTO ( <a href="#">see page 544</a> )	
	kontorBilgisiGetir ( <a href="#">see page 553</a> )	
	kontorBilgisiGetirCompletedEventArgs ( <a href="#">see page 554</a> )	
	kontorBilgisiGetirResponse ( <a href="#">see page 555</a> )	
	mustahsilMakbuliptalEt ( <a href="#">see page 556</a> )	
	mustahsilMakbuliptalEtCompletedEventArgs ( <a href="#">see page 556</a> )	
	mustahsilMakbuliptalEtResponse ( <a href="#">see page 557</a> )	
	mustahsilMakbuliptaliKaldır ( <a href="#">see page 558</a> )	
	mustahsilMakbuliptaliKaldırCompletedEventArgs ( <a href="#">see page 558</a> )	
	mustahsilMakbuliptaliKaldırResponse ( <a href="#">see page 559</a> )	

	mustahsilMakbuzListeSorgula (see page 560)	
	mustahsilMakbuzListeSorgulaCompletedEventArgs (see page 560)	
	mustahsilMakbuzListeSorgulaPortal (see page 561)	
	mustahsilMakbuzListeSorgulaPortalCompletedEventArgs (see page 562)	
	mustahsilMakbuzListeSorgulaPortalResponse (see page 563)	
	mustahsilMakbuzListeSorgulaResponse (see page 563)	
	mustahsilMakbuzOlustur (see page 564)	
	mustahsilMakbuzOlusturCompletedEventArgs (see page 565)	
	mustahsilMakbuzOnizleme (see page 566)	
	mustahsilMakbuzOnizlemeCompletedEventArgs (see page 566)	
	mustahsilMakbuzSorgula (see page 567)	
	mustahsilMakbuzSorgulaCompletedEventArgs (see page 568)	
	mustahsilMakbuzTaslakOlustur (see page 569)	
	mustahsilMakbuzTaslakOlusturCompletedEventArgs (see page 570)	
	mustahsilMakbuzTaslakOlusturResponse (see page 571)	
	mustahsilMakbuzTaslakOnizleme (see page 571)	
	mustahsilMakbuzTaslakOnizlemeCompletedEventArgs (see page 572)	
	mustahsilMakbuzTaslakOnizlemeResponse (see page 573)	
	mustahsilMakbuzTaslakSil (see page 574)	
	mustahsilMakbuzTaslakSilCompletedEventArgs (see page 574)	
	mustahsilMakbuzTaslakSilResponse (see page 575)	
	mustahsilMakbuzTaslakSorgula (see page 576)	
	mustahsilMakbuzTaslakSorgulaCompletedEventArgs (see page 576)	
	mustahsilMakbuzTaslakSorgulaResponse (see page 577)	
	mustahsilMakbuzTaslaktanOlustur (see page 578)	
	mustahsilMakbuzTaslaktanOlusturCompletedEventArgs (see page 578)	
	MustahsilWebService (see page 579)	
	raporBolumAI (see page 626)	
	raporBolumAICompletedEventArgs (see page 626)	
	raporBolumBilgisiAI (see page 627)	
	raporBolumBilgisiAICompletedEventArgs (see page 628)	
	raporBolumBilgisiAIResponse (see page 629)	
	raporBolumDTO (see page 629)	
	raporBolumleriOlustur (see page 631)	

	raporBolumleriOlusturCompletedEventArgs (↗ see page 632)	
	raporBolumleriOlusturResponse (↗ see page 633)	
	raporBolumListesiDetayliSorgula (↗ see page 633)	
	raporBolumListesiDetayliSorgulaCompletedEventArgs (↗ see page 634)	
	raporBolumListesiDetayliSorgulaResponse (↗ see page 635)	
	raporBolumListesiSorgula (↗ see page 635)	
	raporBolumListesiSorgulaCompletedEventArgs (↗ see page 636)	
	raporBolumRaporNoGuncelleImzala (↗ see page 637)	
	raporBolumRaporNoGuncelleImzalaCompletedEventArgs (↗ see page 638)	
	raporBolumRaporNoGuncelleImzalaResponse (↗ see page 639)	
	raporBolumSil (↗ see page 639)	
	raporBolumSilCompletedEventArgs (↗ see page 640)	
	raporBolumSilResponse (↗ see page 641)	
	rapordaBelgeSorgula (↗ see page 641)	
	rapordaBelgeSorgulaCompletedEventArgs (↗ see page 642)	
	rapordaBelgeSorgulaResponse (↗ see page 643)	
	raporDurumSorgula (↗ see page 643)	
	raporDurumSorgulaCompletedEventArgs (↗ see page 644)	
	raporDurumSorgulaResponse (↗ see page 645)	
	raporGonder (↗ see page 645)	
	raporGonderCompletedEventArgs (↗ see page 646)	
	raporGonderResponse (↗ see page 647)	
	smsDurumSorgula (↗ see page 647)	
	smsDurumSorgulaCompletedEventArgs (↗ see page 648)	
	smsDurumSorgulaResponse (↗ see page 649)	
	smsGonder (↗ see page 649)	
	smsGonderCompletedEventArgs (↗ see page 650)	
	smsGonderResponse (↗ see page 651)	
	stringOutputWrapper (↗ see page 652)	

**Structs, Records, Enums**

	Name	Description
	belgeFormatiEnum (↗ see page 652)	

**Types**

Name	Description
belgeZipAICompletedEventHandler (↗ see page 654)	
ePostaDurumSorgulaCompletedEventHandler (↗ see page 654)	
ePostaGonderCompletedEventHandler (↗ see page 655)	

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

kontorBilgisiGetirCompletedEventHandler (see page 655)	
mustahsilMakbuzIptalEtCompletedEventHandler (see page 655)	
mustahsilMakbuzIptaliKaldırCompletedEventHandler (see page 655)	
mustahsilMakbuzListeSorgulaCompletedEventHandler (see page 656)	
mustahsilMakbuzListeSorgulaPortalCompletedEventHandler (see page 656)	
mustahsilMakbuzOlusturCompletedEventHandler (see page 656)	
mustahsilMakbuzOnizlemeCompletedEventHandler (see page 656)	
mustahsilMakbuzSorgulaCompletedEventHandler (see page 657)	
mustahsilMakbuzTaslakOlusturCompletedEventHandler (see page 657)	
mustahsilMakbuzTaslakOnizlemeCompletedEventHandler (see page 657)	
mustahsilMakbuzTaslakSilCompletedEventHandler (see page 658)	
mustahsilMakbuzTaslakSorgulaCompletedEventHandler (see page 658)	
mustahsilMakbuzTaslaktanOlusturCompletedEventHandler (see page 658)	
raporBolumAICompletedEventHandler (see page 658)	
raporBolumBilgisiAICompletedEventHandler (see page 659)	
raporBolumleriOlusturCompletedEventHandler (see page 659)	
raporBolumListesiDetayliSorgulaCompletedEventHandler (see page 659)	
raporBolumListesiSorgulaCompletedEventHandler (see page 659)	
raporBolumRaporNoGuncelleImzalaCompletedEventHandler (see page 660)	
raporBolumSilCompletedEventHandler (see page 660)	
rapordaBelgeSorgulaCompletedEventHandler (see page 660)	
raporDurumSorgulaCompletedEventHandler (see page 660)	
raporGonderCompletedEventHandler (see page 661)	
smsDurumSorgulaCompletedEventHandler (see page 661)	
smsGonderCompletedEventHandler (see page 661)	

## 1.1.4.1 Classes

### Summary

The following table lists classes in this documentation.

## Classes

	<b>Name</b>	<b>Description</b>
	belge ( <a href="#">see page 526</a> )	
	belgeDTO ( <a href="#">see page 527</a> )	
	belgeOutputWrapper ( <a href="#">see page 535</a> )	
	belgeZipiAI ( <a href="#">see page 535</a> )	
	belgeZipiAICompletedEventArgs ( <a href="#">see page 536</a> )	
	belgeZipiAIResponse ( <a href="#">see page 537</a> )	
	doubleStringOutputWrapper ( <a href="#">see page 538</a> )	
	earsivServiceResult ( <a href="#">see page 539</a> )	
	earsivServiceResultEntry ( <a href="#">see page 539</a> )	
	ePostaDurumSorgula ( <a href="#">see page 540</a> )	
	ePostaDurumSorgulaCompletedEventArgs ( <a href="#">see page 541</a> )	
	ePostaGonder ( <a href="#">see page 542</a> )	
	ePostaGonderCompletedEventArgs ( <a href="#">see page 543</a> )	
	ePostaGonderResponse ( <a href="#">see page 544</a> )	
	faturaDTO ( <a href="#">see page 544</a> )	
	kontorBilgisiGetir ( <a href="#">see page 553</a> )	
	kontorBilgisiGetirCompletedEventArgs ( <a href="#">see page 554</a> )	
	kontorBilgisiGetirResponse ( <a href="#">see page 555</a> )	
	mustahsilMakbuzIptalEt ( <a href="#">see page 556</a> )	
	mustahsilMakbuzIptalEtCompletedEventArgs ( <a href="#">see page 556</a> )	
	mustahsilMakbuzIptalEtResponse ( <a href="#">see page 557</a> )	
	mustahsilMakbuzIptaliKaldır ( <a href="#">see page 558</a> )	
	mustahsilMakbuzIptaliKaldırCompletedEventArgs ( <a href="#">see page 558</a> )	
	mustahsilMakbuzIptaliKaldırResponse ( <a href="#">see page 559</a> )	
	mustahsilMakbuzListeSorgula ( <a href="#">see page 560</a> )	
	mustahsilMakbuzListeSorgulaCompletedEventArgs ( <a href="#">see page 560</a> )	
	mustahsilMakbuzListeSorgulaPortal ( <a href="#">see page 561</a> )	
	mustahsilMakbuzListeSorgulaPortalCompletedEventArgs ( <a href="#">see page 562</a> )	
	mustahsilMakbuzListeSorgulaPortalResponse ( <a href="#">see page 563</a> )	

	mustahsilMakbuzListeSorgulaResponse (see page 563)	
	mustahsilMakbuzOlustur (see page 564)	
	mustahsilMakbuzOlusturCompletedEventArgs (see page 565)	
	mustahsilMakbuzOnizleme (see page 566)	
	mustahsilMakbuzOnizlemeCompletedEventArgs (see page 566)	
	mustahsilMakbuzSorgula (see page 567)	
	mustahsilMakbuzSorgulaCompletedEventArgs (see page 568)	
	mustahsilMakbuzTaslakOlustur (see page 569)	
	mustahsilMakbuzTaslakOlusturCompletedEventArgs (see page 570)	
	mustahsilMakbuzTaslakOlusturResponse (see page 571)	
	mustahsilMakbuzTaslakOnizleme (see page 571)	
	mustahsilMakbuzTaslakOnizlemeCompletedEventArgs (see page 572)	
	mustahsilMakbuzTaslakOnizlemeResponse (see page 573)	
	mustahsilMakbuzTaslakSil (see page 574)	
	mustahsilMakbuzTaslakSilCompletedEventArgs (see page 574)	
	mustahsilMakbuzTaslakSilResponse (see page 575)	
	mustahsilMakbuzTaslakSorgula (see page 576)	
	mustahsilMakbuzTaslakSorgulaCompletedEventArgs (see page 576)	
	mustahsilMakbuzTaslakSorgulaResponse (see page 577)	
	mustahsilMakbuzTaslaktanOlustur (see page 578)	
	mustahsilMakbuzTaslaktanOlusturCompletedEventArgs (see page 578)	
	MustahsilWebService (see page 579)	
	raporBolumAI (see page 626)	
	raporBolumAICompletedEventArgs (see page 626)	
	raporBolumBilgisiAI (see page 627)	
	raporBolumBilgisiAICompletedEventArgs (see page 628)	
	raporBolumBilgisiAIResponse (see page 629)	
	raporBolumDTO (see page 629)	
	raporBolumleriOlustur (see page 631)	
	raporBolumleriOlusturCompletedEventArgs (see page 632)	
	raporBolumleriOlusturResponse (see page 633)	
	raporBolumListesiDetyaliSorgula (see page 633)	
	raporBolumListesiDetyaliSorgulaCompletedEventArgs (see page 634)	
	raporBolumListesiDetyaliSorgulaResponse (see page 635)	
	raporBolumListesiSorgula (see page 635)	

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

	raporBolumListesiSorgulaCompletedEventArgs (see page 636)	
	raporBolumRaporNoGuncelleImzala (see page 637)	
	raporBolumRaporNoGuncelleImzalaCompletedEventArgs (see page 638)	
	raporBolumRaporNoGuncelleImzalaResponse (see page 639)	
	raporBolumSil (see page 639)	
	raporBolumSilCompletedEventArgs (see page 640)	
	raporBolumSilResponse (see page 641)	
	rapordaBelgeSorgula (see page 641)	
	rapordaBelgeSorgulaCompletedEventArgs (see page 642)	
	rapordaBelgeSorgulaResponse (see page 643)	
	raporDurumSorgula (see page 643)	
	raporDurumSorgulaCompletedEventArgs (see page 644)	
	raporDurumSorgulaResponse (see page 645)	
	raporGonder (see page 645)	
	raporGonderCompletedEventArgs (see page 646)	
	raporGonderResponse (see page 647)	
	smsDurumSorgula (see page 647)	
	smsDurumSorgulaCompletedEventArgs (see page 648)	
	smsDurumSorgulaResponse (see page 649)	
	smsGonder (see page 649)	
	smsGonderCompletedEventArgs (see page 650)	
	smsGonderResponse (see page 651)	
	stringOutputWrapper (see page 652)	

### 1.1.4.1.1 belge Class

#### Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.belge](#)

#### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class belge;
```

#### File

[Reference.cs \(see page 835\)](#)

#### belge Properties

	Name	Description
	belgeFormati (see page 527)	
	belgeFormatiSpecified (see page 527)	
	belgelcerigi (see page 527)	

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

### 1.1.4.1.1.1 belge Properties

#### 1.1.4.1.1.1.1 belge.belgeFormati Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belgeFormatiEnum belgeFormati;
```

#### 1.1.4.1.1.1.2 belge.belgeFormatiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool belgeFormatiSpecified;
```

#### 1.1.4.1.1.1.3 belge.belgeIcerigi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
DataTypes="base64Binary")]
public byte belgeIcerigi;
```

### 1.1.4.1.2 belgeDTO Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class belgeDTO : faturaDTO;
```

#### File

Reference.cs (see page 835)

#### faturaDTO Properties

	Name	Description
	arsiv (see page 546)	
	creationTime (see page 546)	
	currency (see page 546)	
	dokumanFormati (see page 547)	
	durum (see page 547)	
	durumSpecified (see page 547)	
	duzenlenmeZamani (see page 547)	
	epostaGonderimDurumu (see page 547)	
	epostaGonderimDurumuSpecified (see page 547)	
	erpKodu (see page 547)	

	faturaSiraNo ( <a href="#">see page 547</a> )	
	faturaSiraNoSpecified ( <a href="#">see page 547</a> )	
	faturaZamani ( <a href="#">see page 548</a> )	
	ilkKayitZmani ( <a href="#">see page 548</a> )	
	indirildi ( <a href="#">see page 548</a> )	
	indirildiSpecified ( <a href="#">see page 548</a> )	
	invoiceId ( <a href="#">see page 548</a> )	
	invoiceTypeCode ( <a href="#">see page 548</a> )	
	iptalEdenKullaniciKodu ( <a href="#">see page 548</a> )	
	iptalKaynagi ( <a href="#">see page 548</a> )	
	iptalKaynagiSpecified ( <a href="#">see page 548</a> )	
	iptalRaporTarihi ( <a href="#">see page 549</a> )	
	iptalTarihi ( <a href="#">see page 549</a> )	
	iptalTarihiExcel ( <a href="#">see page 549</a> )	
	islemId ( <a href="#">see page 549</a> )	
	issueDate ( <a href="#">see page 549</a> )	
	itirazEdenKullaniciKodu ( <a href="#">see page 549</a> )	
	itirazKaynagi ( <a href="#">see page 549</a> )	
	itirazKaynagiSpecified ( <a href="#">see page 549</a> )	
	itirazTarihi ( <a href="#">see page 549</a> )	
	kagitFatura ( <a href="#">see page 550</a> )	
	kagitFaturaSpecified ( <a href="#">see page 550</a> )	
	kasa ( <a href="#">see page 550</a> )	
	kaynak ( <a href="#">see page 550</a> )	
	kepDurum ( <a href="#">see page 550</a> )	
	kepDurumSpecified ( <a href="#">see page 550</a> )	
	kolayFatura ( <a href="#">see page 550</a> )	
	kolayFaturaSpecified ( <a href="#">see page 550</a> )	
	okundu ( <a href="#">see page 550</a> )	
	okunduSpecified ( <a href="#">see page 551</a> )	
	payableAmount ( <a href="#">see page 551</a> )	
	payableAmountSpecified ( <a href="#">see page 551</a> )	
	profileId ( <a href="#">see page 551</a> )	
	raporTarihi ( <a href="#">see page 551</a> )	
	receiverContact ( <a href="#">see page 551</a> )	
	receiverIdentifier ( <a href="#">see page 551</a> )	
	receiverIdentifierTxt ( <a href="#">see page 551</a> )	
	receiverName ( <a href="#">see page 551</a> )	
	senderContact ( <a href="#">see page 552</a> )	

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

	senderName ( <a href="#">see page 552</a> )	
	sonGuncellemeZamani ( <a href="#">see page 552</a> )	
	sube ( <a href="#">see page 552</a> )	
	tanimliSubeKod ( <a href="#">see page 552</a> )	
	telNo ( <a href="#">see page 552</a> )	
	toplamTutar ( <a href="#">see page 552</a> )	
	toplamTutarSpecified ( <a href="#">see page 552</a> )	
	uuid ( <a href="#">see page 552</a> )	
	vergilerToplami ( <a href="#">see page 553</a> )	
	vergilerToplamiSpecified ( <a href="#">see page 553</a> )	
	versiyon ( <a href="#">see page 553</a> )	
	versiyonSpecified ( <a href="#">see page 553</a> )	
	yazdirildi ( <a href="#">see page 553</a> )	
	yazdirildiSpecified ( <a href="#">see page 553</a> )	
	yerelFaturaNo ( <a href="#">see page 553</a> )	

**belgeDTO Class**

	Name	Description
	belgeNo ( <a href="#">see page 530</a> )	
	brutUcret ( <a href="#">see page 530</a> )	
	brutUcretSpecified ( <a href="#">see page 530</a> )	
	kdv0_Tutar ( <a href="#">see page 531</a> )	
	kdv0_TutarSpecified ( <a href="#">see page 531</a> )	
	kdv1_Tutar ( <a href="#">see page 531</a> )	
	kdv1_TutarSpecified ( <a href="#">see page 531</a> )	
	kdv18_Tutar ( <a href="#">see page 531</a> )	
	kdv18_TutarSpecified ( <a href="#">see page 531</a> )	
	kdv8_Tutar ( <a href="#">see page 531</a> )	
	kdv8_TutarSpecified ( <a href="#">see page 531</a> )	
	kdvTevkifatTutar ( <a href="#">see page 531</a> )	
	kdvTevkifatTutarSpecified ( <a href="#">see page 532</a> )	
	netTahsilat ( <a href="#">see page 532</a> )	
	netTahsilatSpecified ( <a href="#">see page 532</a> )	
	netUcret ( <a href="#">see page 532</a> )	
	netUcretSpecified ( <a href="#">see page 532</a> )	
	stpj0_Tutar ( <a href="#">see page 532</a> )	
	stpj0_TutarSpecified ( <a href="#">see page 532</a> )	
	stpj1_Tutar ( <a href="#">see page 532</a> )	

	stpj1_TutarSpecified (↗ see page 532)	
	stpj10_Tutar (↗ see page 533)	
	stpj10_TutarSpecified (↗ see page 533)	
	stpj15_Tutar (↗ see page 533)	
	stpj15_TutarSpecified (↗ see page 533)	
	stpj17_Tutar (↗ see page 533)	
	stpj17_TutarSpecified (↗ see page 533)	
	stpj2_Tutar (↗ see page 533)	
	stpj2_TutarSpecified (↗ see page 533)	
	stpj20_Tutar (↗ see page 533)	
	stpj20_TutarSpecified (↗ see page 534)	
	stpj3_Tutar (↗ see page 534)	
	stpj3_TutarSpecified (↗ see page 534)	
	stpj4_Tutar (↗ see page 534)	
	stpj4_TutarSpecified (↗ see page 534)	
	stpj5_Tutar (↗ see page 534)	
	stpj5_TutarSpecified (↗ see page 534)	
	stpj7_Tutar (↗ see page 534)	
	stpj7_TutarSpecified (↗ see page 534)	
	tip (↗ see page 535)	
	tipSpecified (↗ see page 535)	

### 1.1.4.1.2.1 belgeDTO Properties

#### 1.1.4.1.2.1.1 belgeDTO.belgeNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeNo;
```

#### 1.1.4.1.2.1.2 belgeDTO.brutUcret Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal brutUcret;
```

#### 1.1.4.1.2.1.3 belgeDTO.brutUcretSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool brutUcretspecified;
```

#### 1.1.4.1.2.1.4 belgeDTO.kdv0\_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal kdv0_Tutar;
```

#### 1.1.4.1.2.1.5 belgeDTO.kdv0\_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kdv0_TutarSpecified;
```

#### 1.1.4.1.2.1.6 belgeDTO.kdv1\_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal kdv1_Tutar;
```

#### 1.1.4.1.2.1.7 belgeDTO.kdv1\_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kdv1_TutarSpecified;
```

#### 1.1.4.1.2.1.8 belgeDTO.kdv18\_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal kdv18_Tutar;
```

#### 1.1.4.1.2.1.9 belgeDTO.kdv18\_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kdv18_TutarSpecified;
```

#### 1.1.4.1.2.1.10 belgeDTO.kdv8\_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal kdv8_Tutar;
```

#### 1.1.4.1.2.1.11 belgeDTO.kdv8\_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kdv8_TutarSpecified;
```

#### 1.1.4.1.2.1.12 belgeDTO.kdvTevkifatTutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal kdvTevkifatTutar;
```

#### 1.1.4.1.2.1.13 belgeDTO.kdvTevkifatTutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kdvtlevkifatTutarSpecified;
```

#### 1.1.4.1.2.1.14 belgeDTO.netTahsilat Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal netTahsilat;
```

#### 1.1.4.1.2.1.15 belgeDTO.netTahsilatSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool netTahsilatSpecified;
```

#### 1.1.4.1.2.1.16 belgeDTO.netUcret Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal netUcret;
```

#### 1.1.4.1.2.1.17 belgeDTO.netUcretSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool netUcretSpecified;
```

#### 1.1.4.1.2.1.18 belgeDTO.stpj0\_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj0_Tutar;
```

#### 1.1.4.1.2.1.19 belgeDTO.stpj0\_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj0_TutarSpecified;
```

#### 1.1.4.1.2.1.20 belgeDTO.stpj1\_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj1_Tutar;
```

#### 1.1.4.1.2.1.21 belgeDTO.stpj1\_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj1_TutarSpecified;
```

#### 1.1.4.1.2.1.22 belgeDTO.stpj10\_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj10_Tutar;
```

#### 1.1.4.1.2.1.23 belgeDTO.stpj10\_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj10_TutarSpecified;
```

#### 1.1.4.1.2.1.24 belgeDTO.stpj15\_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj15_Tutar;
```

#### 1.1.4.1.2.1.25 belgeDTO.stpj15\_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj15_TutarSpecified;
```

#### 1.1.4.1.2.1.26 belgeDTO.stpj17\_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj17_Tutar;
```

#### 1.1.4.1.2.1.27 belgeDTO.stpj17\_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj17_TutarSpecified;
```

#### 1.1.4.1.2.1.28 belgeDTO.stpj2\_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj2_Tutar;
```

#### 1.1.4.1.2.1.29 belgeDTO.stpj2\_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj2_TutarSpecified;
```

#### 1.1.4.1.2.1.30 belgeDTO.stpj20\_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj20_Tutar;
```

**1.1.4.1.2.1.31 belgeDTO.stpj20\_TutarSpecified Property****C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj20_TutarSpecified;
```

**1.1.4.1.2.1.32 belgeDTO.stpj3\_Tutar Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj3_Tutar;
```

**1.1.4.1.2.1.33 belgeDTO.stpj3\_TutarSpecified Property****C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj3_TutarSpecified;
```

**1.1.4.1.2.1.34 belgeDTO.stpj4\_Tutar Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj4_Tutar;
```

**1.1.4.1.2.1.35 belgeDTO.stpj4\_TutarSpecified Property****C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj4_TutarSpecified;
```

**1.1.4.1.2.1.36 belgeDTO.stpj5\_Tutar Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj5_Tutar;
```

**1.1.4.1.2.1.37 belgeDTO.stpj5\_TutarSpecified Property****C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj5_TutarSpecified;
```

**1.1.4.1.2.1.38 belgeDTO.stpj7\_Tutar Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj7_Tutar;
```

**1.1.4.1.2.1.39 belgeDTO.stpj7\_TutarSpecified Property****C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj7_TutarSpecified;
```

#### 1.1.4.1.2.1.40 belgeDTO.tip Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int tip;
```

#### 1.1.4.1.2.1.41 belgeDTO.tipSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool tipSpecified;
```

### 1.1.4.1.3 belgeOutputWrapper Class

#### Class Hierarchy

```
QNBFinansGIB.GIBEMustahsil.belgeOutputWrapper
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class belgeOutputWrapper;
```

#### File

Reference.cs (see page 835)

#### belgeOutputWrapper Properties

	Name	Description
	@return (see page 535)	
	output (see page 535)	

#### 1.1.4.1.3.1 belgeOutputWrapper Properties

##### 1.1.4.1.3.1.1 belgeOutputWrapper.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

##### 1.1.4.1.3.1.2 belgeOutputWrapper.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge output;
```

### 1.1.4.1.4 belgeZipAI Class

#### Class Hierarchy

```
QNBFinansGIB.GIBEMustahsil.belgeZipAI
```

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class belgeZipiAI;
```

**File**


Reference.cs (see page 835)

**belgeZipiAI Properties**

	Name	Description
	input (see page 536)	

**1.1.4.1.4.1 belgeZipiAI Properties****1.1.4.1.4.1.1 belgeZipiAI.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

**1.1.4.1.5 belgeZipiAICompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class belgeZipiAICompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs (see page 835)

**Methods**

	Name	Description
	belgeZipiAICompletedEventArgs (see page 536)	This is belgeZipiAICompletedEventArgs, a member of class belgeZipiAICompletedEventArgs.

**belgeZipiAICompletedEventArgs Properties**

	Name	Description
	output (see page 537)	
	Result (see page 537)	

**1.1.4.1.5.1 belgeZipiAICompletedEventArgs.belgeZipiAICompletedEventArgs Constructor****C#**

```
internal belgeZipiAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

## Description

This is belgeZipiAICompletedEventArgs, a member of class belgeZipiAICompletedEventArgs.

## Body Source

```
1: internal belgeZipiAICompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

## 1.1.4.1.5.2 belgeZipiAICompletedEventArgs Properties

### 1.1.4.1.5.2.1 belgeZipiAICompletedEventArgs.output Property

C#

```
public byte output;
```

### 1.1.4.1.5.2.2 belgeZipiAICompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

## 1.1.4.1.6 belgeZipiAIResponse Class

### Class Hierarchy

```
[QNBFinansGIB.GIBEMustahsil.belgeZipiAIResponse]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class belgeZipiAIResponse;
```

### File

Reference.cs (  see page 835)

### belgeZipiAIResponse Properties

	Name	Description
	@return (  see page 537)	
	output (  see page 538)	

## 1.1.4.1.6.1 belgeZipiAIResponse Properties

### 1.1.4.1.6.1.1 belgeZipiAIResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

#### 1.1.4.1.6.1.2 belgeZipiAIResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
    DataType="base64Binary", IsNullable=true)]
public byte output;
```

### 1.1.4.1.7 doubleStringOutputWrapper Class

#### Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.doubleStringOutputWrapper](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class doubleStringOutputWrapper;
```

#### File

Reference.cs ( [see page 835](#) )

#### doubleStringOutputWrapper Properties

	Name	Description
	@return ( <a href="#">see page 538</a> )	
	outputDurum ( <a href="#">see page 538</a> )	
	outputEposta ( <a href="#">see page 538</a> )	

### 1.1.4.1.7.1 doubleStringOutputWrapper Properties

#### 1.1.4.1.7.1.1 doubleStringOutputWrapper.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

#### 1.1.4.1.7.1.2 doubleStringOutputWrapper.outputDurum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string outputDurum;
```

#### 1.1.4.1.7.1.3 doubleStringOutputWrapper.outputEposta Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string outputEposta;
```

## 1.1.4.1.8 earsivServiceResult Class

### Class Hierarchy

`QNBFinansGIB.GIBEMustahsil.earsivServiceResult`

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class earsivServiceResult;
```

### File

Reference.cs (see page 835)

### earsivServiceResult Properties

	Name	Description
	resultCode (see page 539)	
	resultExtra (see page 539)	
	resultText (see page 539)	

## 1.1.4.1.8.1 earsivServiceResult Properties

### 1.1.4.1.8.1.1 earsivServiceResult.resultCode Property

### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string resultCode;
```

### 1.1.4.1.8.1.2 earsivServiceResult.resultExtra Property

### C#

```
[System.Xml.Serialization.XmlArrayAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
[System.Xml.Serialization.XmlArrayItemAttribute("entry",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=false)]
public earsivServiceResultEntry resultExtra;
```

### 1.1.4.1.8.1.3 earsivServiceResult.resultText Property

### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string resultText;
```

## 1.1.4.1.9 earsivServiceResultEntry Class

### Class Hierarchy

`QNBFinansGIB.GIBEMustahsil.earsivServiceResultEntry`

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
```

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).*

```
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(AnonymousType=true,
Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class earsivServiceResultEntry;
```

**File**

Reference.cs (see page 835)

**earsivServiceResultEntry Properties**

	Name	Description
	key (see page 540)	
	value (see page 540)	

**1.1.4.1.9.1 earsivServiceResultEntry Properties****1.1.4.1.9.1.1 earsivServiceResultEntry.key Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public object key;
```

**1.1.4.1.9.1.2 earsivServiceResultEntry.value Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public object value;
```

**1.1.4.1.10 ePostaDurumSorgula Class****Class Hierarchy**

[QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgula](#)

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class ePostaDurumSorgula;
```

**File**

Reference.cs (see page 835)

**ePostaDurumSorgula Properties**

	Name	Description
	input (see page 541)	

**1.1.4.1.10.1 ePostaDurumSorgula Properties**


### 1.1.4.1.10.1.1 ePostaDurumSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

### 1.1.4.1.11 ePostaDurumSorgulaCompletedEventArgs Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class ePostaDurumSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs (see page 835)

#### Methods

	Name	Description
!	ePostaDurumSorgulaCompletedEventArgs (see page 541)	This is ePostaDurumSorgulaCompletedEventArgs, a member of class ePostaDurumSorgulaCompletedEventArgs.

#### ePostaDurumSorgulaCompletedEventArgs Properties

	Name	Description
!	@return (see page 542)	
!	outputEposta (see page 542)	
!	Result (see page 542)	

### 1.1.4.1.11.1

### ePostaDurumSorgulaCompletedEventArgs.ePostaDurumSorgulaCompletedEventArgs Constructor

C#

```
internal ePostaDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

#### Description

This is ePostaDurumSorgulaCompletedEventArgs, a member of class ePostaDurumSorgulaCompletedEventArgs.

#### Body Source

```
1: internal ePostaDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

### 1.1.4.1.11.2 ePostaDurumSorgulaCompletedEventArgs Properties

#### 1.1.4.1.11.2.1 ePostaDurumSorgulaCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

#### 1.1.4.1.11.2.2 ePostaDurumSorgulaCompletedEventArgs.outputEposta Property

C#

```
public string outputEposta;
```

#### 1.1.4.1.11.2.3 ePostaDurumSorgulaCompletedEventArgs.Result Property

C#

```
public string Result;
```

### 1.1.4.1.12 ePostaGonder Class

#### Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.ePostaGonder](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class ePostaGonder;
```

#### File

Reference.cs ([see page 835](#))

#### ePostaGonder Properties

	Name	Description
	ilaveEposta ( <a href="#">see page 542</a> )	
	input ( <a href="#">see page 542</a> )	
	tanimliEpostayaGonder ( <a href="#">see page 543</a> )	

### 1.1.4.1.12.1 ePostaGonder Properties

#### 1.1.4.1.12.1.1 ePostaGonder.ilaveEposta Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ilaveEposta;
```

#### 1.1.4.1.12.1.2 ePostaGonder.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```


### 1.1.4.1.12.1.3 ePostaGonder.tanimliEpostaGonder Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int tanimliEpostaGonder;
```

### 1.1.4.1.13 ePostaGonderCompletedEventArgs Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class ePostaGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs ([see page 835](#))

#### Methods

	Name	Description
	ePostaGonderCompletedEventArgs ( <a href="#">see page 543</a> )	This is ePostaGonderCompletedEventArgs, a member of class ePostaGonderCompletedEventArgs.

#### ePostaGonderCompletedEventArgs Properties

	Name	Description
	Result ( <a href="#">see page 543</a> )	

### 1.1.4.1.13.1 ePostaGonderCompletedEventArgs.ePostaGonderCompletedEventArgs Constructor

C#

```
internal ePostaGonderCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

#### Description

This is ePostaGonderCompletedEventArgs, a member of class ePostaGonderCompletedEventArgs.

#### Body Source

```
1: internal ePostaGonderCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

### 1.1.4.1.13.2 ePostaGonderCompletedEventArgs Properties

#### 1.1.4.1.13.2.1 ePostaGonderCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

## 1.1.4.1.14 ePostaGonderResponse Class

### Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.ePostaGonderResponse](#)

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class ePostaGonderResponse;
```

### File

Reference.cs ([see page 835](#))

### ePostaGonderResponse Properties

	Name	Description
	@return ( <a href="#">see page 544</a> )	

## 1.1.4.1.14.1 ePostaGonderResponse Properties

### 1.1.4.1.14.1.1 ePostaGonderResponse.@return Property

### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

## 1.1.4.1.15 faturaDTO Class

### Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.faturaDTO](#)

### C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgeDTO))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaDTO;
```

### File

Reference.cs ([see page 835](#))

### faturaDTO Properties

	Name	Description
	arsiv ( <a href="#">see page 546</a> )	
	creationTime ( <a href="#">see page 546</a> )	
	currency ( <a href="#">see page 546</a> )	
	dokumanFormati ( <a href="#">see page 547</a> )	
	durum ( <a href="#">see page 547</a> )	

	durumSpecified (see page 547)	
	duzenlenmeZamani (see page 547)	
	epostaGonderimDurumu (see page 547)	
	epostaGonderimDurumuSpecified (see page 547)	
	erpKodu (see page 547)	
	faturaSiraNo (see page 547)	
	faturaSiraNoSpecified (see page 547)	
	faturaZamani (see page 548)	
	ilkKayitZmani (see page 548)	
	indirildi (see page 548)	
	indirildiSpecified (see page 548)	
	invoiceId (see page 548)	
	invoiceTypeCode (see page 548)	
	iptalEdenKullaniciKodu (see page 548)	
	iptalKaynagi (see page 548)	
	iptalKaynagiSpecified (see page 548)	
	iptalRaporTarihi (see page 549)	
	iptalTarihi (see page 549)	
	iptalTarihiExcel (see page 549)	
	islemlid (see page 549)	
	issueDate (see page 549)	
	itirazEdenKullaniciKodu (see page 549)	
	itirazKaynagi (see page 549)	
	itirazKaynagiSpecified (see page 549)	
	itirazTarihi (see page 549)	
	kagitFatura (see page 550)	
	kagitFaturaSpecified (see page 550)	
	kasa (see page 550)	
	kaynak (see page 550)	
	kepDurum (see page 550)	
	kepDurumSpecified (see page 550)	
	kolayFatura (see page 550)	
	kolayFaturaSpecified (see page 550)	
	okundu (see page 550)	
	okunduSpecified (see page 551)	
	payableAmount (see page 551)	
	payableAmountSpecified (see page 551)	
	profileId (see page 551)	

	raporTarihi (see page 551)	
	receiverContact (see page 551)	
	receiverIdentifier (see page 551)	
	receiverIdentifierTxt (see page 551)	
	receiverName (see page 551)	
	senderContact (see page 552)	
	senderName (see page 552)	
	sonGuncellemeZamani (see page 552)	
	sube (see page 552)	
	tanimliSubeKod (see page 552)	
	telNo (see page 552)	
	toplamTutar (see page 552)	
	toplamTutarSpecified (see page 552)	
	uuid (see page 552)	
	vergilerToplami (see page 553)	
	vergilerToplamiSpecified (see page 553)	
	versiyon (see page 553)	
	versiyonSpecified (see page 553)	
	yazdirildi (see page 553)	
	yazdirildiSpecified (see page 553)	
	yerelFaturaNo (see page 553)	

### 1.1.4.1.15.1 faturaDTO Properties

#### 1.1.4.1.15.1.1 faturaDTO.arsiv Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int arsiv;
```

#### 1.1.4.1.15.1.2 faturaDTO.creationTime Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string creationTime;
```

#### 1.1.4.1.15.1.3 faturaDTO.currency Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string currency;
```

#### 1.1.4.1.15.1.4 faturaDTO.dokumanFormati Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string dokumanFormati;
```

#### 1.1.4.1.15.1.5 faturaDTO.durum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int durum;
```

#### 1.1.4.1.15.1.6 faturaDTO.durumSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool durumSpecified;
```

#### 1.1.4.1.15.1.7 faturaDTO.duzenlenmeZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string duzenlenmeZamani;
```

#### 1.1.4.1.15.1.8 faturaDTO.epostaGonderimDurumu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int epostaGonderimDurumu;
```

#### 1.1.4.1.15.1.9 faturaDTO.epostaGonderimDurumuSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool epostaGonderimDurumuSpecified;
```

#### 1.1.4.1.15.1.10 faturaDTO.erpKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string erpKodu;
```

#### 1.1.4.1.15.1.11 faturaDTO.faturaSiraNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int faturaSiraNo;
```

#### 1.1.4.1.15.1.12 faturaDTO.faturaSiraNoSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool faturaSiraNoSpecified;
```

#### 1.1.4.1.15.1.13 **faturaDTO.faturaZamani** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaZamani;
```

#### 1.1.4.1.15.1.14 **faturaDTO.ilkKayitZmani** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ilkKayitZmani;
```

#### 1.1.4.1.15.1.15 **faturaDTO.indirildi** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int indirildi;
```

#### 1.1.4.1.15.1.16 **faturaDTO.indirildiSpecified** Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool indirildiSpecified;
```

#### 1.1.4.1.15.1.17 **faturaDTO.invoiceId** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string invoiceId;
```

#### 1.1.4.1.15.1.18 **faturaDTO.invoiceTypeCode** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string invoiceTypeCode;
```

#### 1.1.4.1.15.1.19 **faturaDTO.iptalEdenKullaniciKodu** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string iptalEdenKullaniciKodu;
```

#### 1.1.4.1.15.1.20 **faturaDTO.iptalKaynagi** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int iptalKaynagi;
```

#### 1.1.4.1.15.1.21 **faturaDTO.iptalKaynagiSpecified** Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool iptalKaynagiSpecified;
```

#### 1.1.4.1.15.1.22 faturaDTO.iptalRaporTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string iptalRaporTarihi;
```

#### 1.1.4.1.15.1.23 faturaDTO.iptalTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string iptalTarihi;
```

#### 1.1.4.1.15.1.24 faturaDTO.iptalTarihiExcel Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string iptalTarihiExcel;
```

#### 1.1.4.1.15.1.25 faturaDTO.islemId Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemId;
```

#### 1.1.4.1.15.1.26 faturaDTO.issueDate Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string issueDate;
```

#### 1.1.4.1.15.1.27 faturaDTO.itirazEdenKullaniciKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string itirazEdenKullaniciKodu;
```

#### 1.1.4.1.15.1.28 faturaDTO.itirazKaynagi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int itirazKaynagi;
```

#### 1.1.4.1.15.1.29 faturaDTO.itirazKaynagiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool itirazKaynagiSpecified;
```

#### 1.1.4.1.15.1.30 faturaDTO.itirazTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string itirazTarihi;
```

#### 1.1.4.1.15.1.31 faturaDTO.kagitFatura Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool kagitFatura;
```

#### 1.1.4.1.15.1.32 faturaDTO.kagitFaturaSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kagitFaturaSpecified;
```

#### 1.1.4.1.15.1.33 faturaDTO.kasa Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kasa;
```

#### 1.1.4.1.15.1.34 faturaDTO.kaynak Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int kaynak;
```

#### 1.1.4.1.15.1.35 faturaDTO.kepDurum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int kepDurum;
```

#### 1.1.4.1.15.1.36 faturaDTO.kepDurumSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kepDurumSpecified;
```

#### 1.1.4.1.15.1.37 faturaDTO.kolayFatura Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int kolayFatura;
```

#### 1.1.4.1.15.1.38 faturaDTO.kolayFaturaSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kolayFaturaSpecified;
```

#### 1.1.4.1.15.1.39 faturaDTO.okundu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int okundu;
```

#### 1.1.4.1.15.1.40 faturaDTO.okunduSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool okunduSpecified;
```

#### 1.1.4.1.15.1.41 faturaDTO.payableAmount Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal payableAmount;
```

#### 1.1.4.1.15.1.42 faturaDTO.payableAmountSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool payableAmountSpecified;
```

#### 1.1.4.1.15.1.43 faturaDTO.profileId Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string profileId;
```

#### 1.1.4.1.15.1.44 faturaDTO.raporTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string raporTarihi;
```

#### 1.1.4.1.15.1.45 faturaDTO.receiverContact Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string receiverContact;
```

#### 1.1.4.1.15.1.46 faturaDTO.receiverIdentifier Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string receiverIdentifier;
```

#### 1.1.4.1.15.1.47 faturaDTO.receiverIdentifierTxt Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string receiverIdentifierTxt;
```

#### 1.1.4.1.15.1.48 faturaDTO.receiverName Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string receiverName;
```

#### 1.1.4.1.15.1.49 faturaDTO.senderContact Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string senderContact;
```

#### 1.1.4.1.15.1.50 faturaDTO.senderName Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string senderName;
```

#### 1.1.4.1.15.1.51 faturaDTO.sonGuncellemeZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string sonGuncellemeZamani;
```

#### 1.1.4.1.15.1.52 faturaDTO.sube Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string sube;
```

#### 1.1.4.1.15.1.53 faturaDTO.tanimliSubeKod Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string tanimliSubeKod;
```

#### 1.1.4.1.15.1.54 faturaDTO.telNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string telNo;
```

#### 1.1.4.1.15.1.55 faturaDTO.toplamTutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal toplamTutar;
```

#### 1.1.4.1.15.1.56 faturaDTO.toplamTutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool toplamTutarSpecified;
```

#### 1.1.4.1.15.1.57 faturaDTO.uuid Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string uuid;
```

#### 1.1.4.1.15.1.58 faturaDTO.vergilerToplami Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal vergilerToplami;
```

#### 1.1.4.1.15.1.59 faturaDTO.vergilerToplamiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool vergilerToplamiSpecified;
```

#### 1.1.4.1.15.1.60 faturaDTO.versiyon Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int versiyon;
```

#### 1.1.4.1.15.1.61 faturaDTO.versiyonSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool versiyonSpecified;
```

#### 1.1.4.1.15.1.62 faturaDTO.yazdirildi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int yazdirildi;
```

#### 1.1.4.1.15.1.63 faturaDTO.yazdirildiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool yazdirildiSpecified;
```

#### 1.1.4.1.15.1.64 faturaDTO.yerelFaturaNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yerelFaturaNo;
```

### 1.1.4.1.16 kontorBilgisiGetir Class

#### Class Hierarchy

```
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetir
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class kontorBilgisiGetir;
```

**File**

Reference.cs (see page 835)

**kontorBilgisiGetir Properties**

	Name	Description
	kontorBirim (see page 554)	
	kontorTipi (see page 554)	
	vknTckn (see page 554)	

**1.1.4.1.16.1 kontorBilgisiGetir Properties****1.1.4.1.16.1.1 kontorBilgisiGetir.kontorBirim Property****C#**


```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kontorBirim;
```

**1.1.4.1.16.1.2 kontorBilgisiGetir.kontorTipi Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kontorTipi;
```

**1.1.4.1.16.1.3 kontorBilgisiGetir.vknTckn Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vknTckn;
```

**1.1.4.1.17 kontorBilgisiGetirCompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class kontorBilgisiGetirCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs (see page 835)

**Methods**

	Name	Description
	kontorBilgisiGetirCompletedEventArgs (see page 555)	This is kontorBilgisiGetirCompletedEventArgs, a member of class kontorBilgisiGetirCompletedEventArgs.

**kontorBilgisiGetirCompletedEventArgs Properties**

	Name	Description
	Result (see page 555)	

### 1.1.4.1.17.1

## **kontorBilgisiGetirCompletedEventArgs.kontorBilgisiGetirCompletedEventArgs** Constructor

C#

```
internal kontorBilgisiGetirCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

### Description

This is kontorBilgisiGetirCompletedEventArgs, a member of class kontorBilgisiGetirCompletedEventArgs.

### Body Source

```
1: internal kontorBilgisiGetirCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

### 1.1.4.1.17.2 kontorBilgisiGetirCompletedEventArgs Properties

#### 1.1.4.1.17.2.1 kontorBilgisiGetirCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

### 1.1.4.1.18 kontorBilgisiGetirResponse Class

#### Class Hierarchy

QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class kontorBilgisiGetirResponse;
```

#### File

Reference.cs ( see page 835)

#### kontorBilgisiGetirResponse Properties

	Name	Description
	@return ( see page 555)	

### 1.1.4.1.18.1 kontorBilgisiGetirResponse Properties

#### 1.1.4.1.18.1.1 kontorBilgisiGetirResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

## 1.1.4.1.19 mustahsilMakbuzIptalEt Class

### Class Hierarchy

```
[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEt]
```

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzIptalEt;
```

### File

Reference.cs ( [see page 835](#) )

### mustahsilMakbuzIptalEt Properties

	Name	Description
	input ( <a href="#">see page 556</a> )	

## 1.1.4.1.19.1 mustahsilMakbuzIptalEt Properties

### 1.1.4.1.19.1.1 mustahsilMakbuzIptalEt.input Property

### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

## 1.1.4.1.20 mustahsilMakbuzIptalEtCompletedEventArgs Class

### Class Hierarchy

```
System.ComponentModel.AsyncCompletedEventArgs --> QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompletedEventArgs
```

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzIptalEtCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs ( [see page 835](#) )

### Methods

	Name	Description
	mustahsilMakbuzIptalEtCompletedEventArgs ( <a href="#">see page 557</a> )	This is mustahsilMakbuzIptalEtCompletedEventArgs, a member of class mustahsilMakbuzIptalEtCompletedEventArgs.

### mustahsilMakbuzIptalEtCompletedEventArgs Properties

	Name	Description
	Result ( <a href="#">see page 557</a> )	

### 1.1.4.1.20.1

## mustahsilMakbuzIptalEtCompletedEventArgs.mustahsilMakbuzIptalEtCompletedEventArgs Constructor

C#

```
internal mustahsilMakbuzIptalEtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

### Description

This is mustahsilMakbuzIptalEtCompletedEventArgs, a member of class mustahsilMakbuzIptalEtCompletedEventArgs.

### Body Source

```
1: internal mustahsilMakbuzIptalEtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

### 1.1.4.1.20.2 mustahsilMakbuzIptalEtCompletedEventArgs Properties

#### 1.1.4.1.20.2.1 mustahsilMakbuzIptalEtCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

## 1.1.4.1.21 mustahsilMakbuzIptalEtResponse Class

### Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzIptalEtResponse;
```

### File

Reference.cs ([see page 835](#))

### mustahsilMakbuzIptalEtResponse Properties

	Name	Description
	@return ( <a href="#">see page 557</a> )	

### 1.1.4.1.21.1 mustahsilMakbuzIptalEtResponse Properties

#### 1.1.4.1.21.1.1 mustahsilMakbuzIptalEtResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).*

## 1.1.4.1.22 mustahsilMakbuzIptaliKaldır Class

### Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldır](#)

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzIptaliKaldır;
```

### File

Reference.cs ([see page 835](#))

### mustahsilMakbuzIptaliKaldır Properties

	Name	Description
	input ( <a href="#">see page 558</a> )	

## 1.1.4.1.22.1 mustahsilMakbuzIptaliKaldır Properties

### 1.1.4.1.22.1.1 mustahsilMakbuzIptaliKaldır.input Property

### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

## 1.1.4.1.23 mustahsilMakbuzIptaliKaldırCompletedEventArgs Class

### Class Hierarchy

[System.ComponentModel.AsyncCompletedEventArgs](#) → [QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldırCompletedEventArgs](#)

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzIptaliKaldırCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs
```

### File

Reference.cs ([see page 835](#))

### Methods

	Name	Description
	mustahsilMakbuzIptaliKaldırCompletedEventArgs ( <a href="#">see page 559</a> )	This is mustahsilMakbuzIptaliKaldırCompletedEventArgs, a member of class mustahsilMakbuzIptaliKaldırCompletedEventArgs.

### mustahsilMakbuzIptaliKaldırCompletedEventArgs Properties

	Name	Description
	Result ( <a href="#">see page 559</a> )	

### 1.1.4.1.23.1

## mustahsilMakbuzIptaliKaldırCompletedEventArgs.mustahsilMakbuzIptaliKaldırCompletedEventArgs Constructor

C#

```
internal mustahsilMakbuzIptaliKaldırCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

### Description

This is mustahsilMakbuzIptaliKaldırCompletedEventArgs, a member of class mustahsilMakbuzIptaliKaldırCompletedEventArgs.

### Body Source

```
1: internal mustahsilMakbuzIptaliKaldırCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

### 1.1.4.1.23.2 mustahsilMakbuzIptaliKaldırCompletedEventArgs Properties

#### 1.1.4.1.23.2.1 mustahsilMakbuzIptaliKaldırCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

## 1.1.4.1.24 mustahsilMakbuzIptaliKaldırResponse Class

### Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldırResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzIptaliKaldırResponse;
```

### File

Reference.cs ([see page 835](#))

### mustahsilMakbuzIptaliKaldırResponse Properties

	Name	Description
	@return ( <a href="#">see page 559</a> )	

### 1.1.4.1.24.1 mustahsilMakbuzIptaliKaldırResponse Properties

#### 1.1.4.1.24.1.1 mustahsilMakbuzIptaliKaldırResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

## 1.1.4.1.25 mustahsilMakbuzListeSorgula Class

### Class Hierarchy

`QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula`

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzListeSorgula;
```

### File

Reference.cs (see page 835)

### mustahsilMakbuzListeSorgula Properties

	Name	Description
	input (see page 560)	

## 1.1.4.1.25.1 mustahsilMakbuzListeSorgula Properties

### 1.1.4.1.25.1.1 mustahsilMakbuzListeSorgula.input Property

### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

## 1.1.4.1.26 mustahsilMakbuzListeSorgulaCompletedEventArgs Class

### Class Hierarchy

`System.ComponentModel.AsyncCompletedEventArgs` → `QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaCompletedEventArgs`

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzListeSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs
```

### File

Reference.cs (see page 835)

### Methods

	Name	Description
	mustahsilMakbuzListeSorgulaCompletedEventArgs (see page 561)	This is mustahsilMakbuzListeSorgulaCompletedEventArgs, a member of class mustahsilMakbuzListeSorgulaCompletedEventArgs.

### mustahsilMakbuzListeSorgulaCompletedEventArgs Properties

	Name	Description
	output (see page 561)	

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.*

	Result (see page 561)	
-----------------------------------------------------------------------------------	-----------------------	--

#### 1.1.4.1.26.1

### mustahsilMakbuzListeSorgulaCompletedEventArgs.mustahsilMakbuzListeSorgulaCompletedEventArgs Constructor

C#

```
internal mustahsilMakbuzListeSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

#### Description

This is mustahsilMakbuzListeSorgulaCompletedEventArgs, a member of class mustahsilMakbuzListeSorgulaCompletedEventArgs.

#### Body Source

```
1: internal mustahsilMakbuzListeSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

#### 1.1.4.1.26.2 mustahsilMakbuzListeSorgulaCompletedEventArgs Properties

##### 1.1.4.1.26.2.1 mustahsilMakbuzListeSorgulaCompletedEventArgs.output Property

C#

```
public belgeDTO output;
```

##### 1.1.4.1.26.2.2 mustahsilMakbuzListeSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

#### 1.1.4.1.27 mustahsilMakbuzListeSorgulaPortal Class

##### Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortal](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzListeSorgulaPortal;
```

##### File

[Reference.cs \(see page 835\)](#)

##### mustahsilMakbuzListeSorgulaPortal Properties

	Name	Description
	input (see page 562)	

#### 1.1.4.1.27.1 mustahsilMakbuzListeSorgulaPortal Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).


### 1.1.4.1.27.1.1 mustahsilMakbuzListeSorgulaPortal.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

### 1.1.4.1.28 mustahsilMakbuzListeSorgulaPortalCompletedEventArgs Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzListeSorgulaPortalCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs (see page 835)

#### Methods

	Name	Description
!	mustahsilMakbuzListeSorgulaPortalCompletedEventArgs (see page 562)	This is mustahsilMakbuzListeSorgulaPortalCompletedEventArgs, a member of class mustahsilMakbuzListeSorgulaPortalCompletedEventArgs.

#### mustahsilMakbuzListeSorgulaPortalCompletedEventArgs Properties

	Name	Description
!	output (see page 563)	
!	Result (see page 563)	

### 1.1.4.1.28.1

### mustahsilMakbuzListeSorgulaPortalCompletedEventArgs.mustahsilMakbuzListeSorgulaPortalCompletedEventArgs Constructor

C#

```
internal mustahsilMakbuzListeSorgulaPortalCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

#### Description

This is mustahsilMakbuzListeSorgulaPortalCompletedEventArgs, a member of class mustahsilMakbuzListeSorgulaPortalCompletedEventArgs.

#### Body Source

```
1: internal mustahsilMakbuzListeSorgulaPortalCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

### 1.1.4.1.28.2 mustahsilMakbuzListeSorgulaPortalCompletedEventArgs Properties

#### 1.1.4.1.28.2.1 mustahsilMakbuzListeSorgulaPortalCompletedEventArgs.output Property

C#

```
public belgeDTO output;
```

#### 1.1.4.1.28.2.2 mustahsilMakbuzListeSorgulaPortalCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

### 1.1.4.1.29 mustahsilMakbuzListeSorgulaPortalResponse Class

#### Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortalResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzListeSorgulaPortalResponse;
```

File

Reference.cs ([see page 835](#))

#### mustahsilMakbuzListeSorgulaPortalResponse Properties

	Name	Description
	@return ( <a href="#">see page 563</a> )	
	output ( <a href="#">see page 563</a> )	

### 1.1.4.1.29.1 mustahsilMakbuzListeSorgulaPortalResponse Properties

#### 1.1.4.1.29.1.1 mustahsilMakbuzListeSorgulaPortalResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

#### 1.1.4.1.29.1.2 mustahsilMakbuzListeSorgulaPortalResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belgeDTO output;
```

### 1.1.4.1.30 mustahsilMakbuzListeSorgulaResponse Class

#### Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaResponse](#)

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzListeSorgulaResponse;
```

**File**

Reference.cs (see page 835)

**mustahsilMakbuzListeSorgulaResponse Properties**

	Name	Description
	@return (see page 564)	
	output (see page 564)	

**1.1.4.1.30.1 mustahsilMakbuzListeSorgulaResponse Properties****1.1.4.1.30.1.1 mustahsilMakbuzListeSorgulaResponse.@return Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

**1.1.4.1.30.1.2 mustahsilMakbuzListeSorgulaResponse.output Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belgeDTO output;
```

**1.1.4.1.31 mustahsilMakbuzOlustur Class****Class Hierarchy**

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlustur

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzOlustur;
```

**File**

Reference.cs (see page 835)

**mustahsilMakbuzOlustur Properties**

	Name	Description
	belge (see page 565)	
	input (see page 565)	

**1.1.4.1.31.1 mustahsilMakbuzOlustur Properties**

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com*

### 1.1.4.1.31.1.1 mustahsilMakbuzOlustur.belge Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge belge;
```


### 1.1.4.1.31.1.2 mustahsilMakbuzOlustur.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

## 1.1.4.1.32 mustahsilMakbuzOlusturCompletedEventArgs Class

### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzOlusturCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs ([see page 835](#))

### Methods

	Name	Description
	mustahsilMakbuzOlusturCompletedEventArgs ( <a href="#">see page 565</a> )	This is mustahsilMakbuzOlusturCompletedEventArgs, a member of class mustahsilMakbuzOlusturCompletedEventArgs.

### mustahsilMakbuzOlusturCompletedEventArgs Properties

	Name	Description
	@return ( <a href="#">see page 566</a> )	
	Result ( <a href="#">see page 566</a> )	

### 1.1.4.1.32.1

## mustahsilMakbuzOlusturCompletedEventArgs.mustahsilMakbuzOlusturCompletedEventArgs

### Constructor

C#

```
internal mustahsilMakbuzOlusturCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

### Description

This is mustahsilMakbuzOlusturCompletedEventArgs, a member of class mustahsilMakbuzOlusturCompletedEventArgs.

### Body Source

```
1: internal mustahsilMakbuzOlusturCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
```

```
4: }
```

### 1.1.4.1.32.2 mustahsilMakbuzOlusturCompletedEventArgs Properties

#### 1.1.4.1.32.2.1 mustahsilMakbuzOlusturCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

#### 1.1.4.1.32.2.2 mustahsilMakbuzOlusturCompletedEventArgs.Result Property

C#

```
public belge Result;
```

## 1.1.4.1.33 mustahsilMakbuzOnizleme Class

### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzOnizleme;
```

### File

Reference.cs (see page 835)

### mustahsilMakbuzOnizleme Properties

	Name	Description
	belge (see page 566)	
	input (see page 566)	

### 1.1.4.1.33.1 mustahsilMakbuzOnizleme Properties

#### 1.1.4.1.33.1.1 mustahsilMakbuzOnizleme.belge Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge belge;
```


#### 1.1.4.1.33.1.2 mustahsilMakbuzOnizleme.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

## 1.1.4.1.34 mustahsilMakbuzOnizlemeCompletedEventArgs Class

### Class Hierarchy



Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzOnizlemeCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs ([see page 835](#))

**Methods**

	<b>Name</b>	<b>Description</b>
	mustahsilMakbuzOnizlemeCompletedEventArgs ( <a href="#">see page 567</a> )	This is mustahsilMakbuzOnizlemeCompletedEventArgs, a member of class mustahsilMakbuzOnizlemeCompletedEventArgs.

**mustahsilMakbuzOnizlemeCompletedEventArgs Properties**

	<b>Name</b>	<b>Description</b>
	@return ( <a href="#">see page 567</a> )	
	Result ( <a href="#">see page 567</a> )	

**1.1.4.1.34.1****mustahsilMakbuzOnizlemeCompletedEventArgs.mustahsilMakbuzOnizlemeCompletedEventArgs Constructor****C#**

```
internal mustahsilMakbuzOnizlemeCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

**Description**

This is mustahsilMakbuzOnizlemeCompletedEventArgs, a member of class mustahsilMakbuzOnizlemeCompletedEventArgs.

**Body Source**

```
1: internal mustahsilMakbuzOnizlemeCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

**1.1.4.1.34.2 mustahsilMakbuzOnizlemeCompletedEventArgs Properties****1.1.4.1.34.2.1 mustahsilMakbuzOnizlemeCompletedEventArgs.@return Property****C#**

```
public earsivServiceResult @return;
```

**1.1.4.1.34.2.2 mustahsilMakbuzOnizlemeCompletedEventArgs.Result Property****C#**

```
public belge Result;
```

**1.1.4.1.35 mustahsilMakbuzSorgula Class****Class Hierarchy**

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgula](#)

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).*

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class mustahsilMakbuzSorgula;
```

**File**

Reference.cs ([see page 835](#))

**mustahsilMakbuzSorgula Properties**

	Name	Description
	input ( <a href="#">see page 568</a> )	

**1.1.4.1.35.1 mustahsilMakbuzSorgula Properties****1.1.4.1.35.1.1 mustahsilMakbuzSorgula.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

**1.1.4.1.36 mustahsilMakbuzSorgulaCompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs ([see page 835](#))

**Methods**

	Name	Description
	mustahsilMakbuzSorgulaCompletedEventArgs ( <a href="#">see page 569</a> )	This is mustahsilMakbuzSorgulaCompletedEventArgs, a member of class mustahsilMakbuzSorgulaCompletedEventArgs.

**mustahsilMakbuzSorgulaCompletedEventArgs Properties**

	Name	Description
	@return ( <a href="#">see page 569</a> )	
	Result ( <a href="#">see page 569</a> )	

### 1.1.4.1.36.1

## mustahsilMakbuzSorgulaCompletedEventArgs.mustahsilMakbuzSorgulaCompletedEventArgs Constructor

C#

```
internal mustahsilMakbuzSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

### Description

This is mustahsilMakbuzSorgulaCompletedEventArgs, a member of class mustahsilMakbuzSorgulaCompletedEventArgs.

### Body Source

```
1: internal mustahsilMakbuzSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

### 1.1.4.1.36.2 mustahsilMakbuzSorgulaCompletedEventArgs Properties

#### 1.1.4.1.36.2.1 mustahsilMakbuzSorgulaCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

#### 1.1.4.1.36.2.2 mustahsilMakbuzSorgulaCompletedEventArgs.Result Property

C#

```
public belge Result;
```

### 1.1.4.1.37 mustahsilMakbuzTaslakOlustur Class

#### Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlustur](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzTaslakOlustur;
```

#### File

[Reference.cs](#) ( see page 835)

#### mustahsilMakbuzTaslakOlustur Properties

	Name	Description
	belge ( see page 570)	
	input ( see page 570)	

#### 1.1.4.1.37.1 mustahsilMakbuzTaslakOlustur Properties

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

### 1.1.4.1.37.1.1 mustahsilMakbuzTaslakOlustur.belge Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge belge;
```

### 1.1.4.1.37.1.2 mustahsilMakbuzTaslakOlustur.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

## 1.1.4.1.38 mustahsilMakbuzTaslakOlusturCompletedEventArgs Class

### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzTaslakOlusturCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs ([see page 835](#))

### Methods

	Name	Description
	mustahsilMakbuzTaslakOlusturCompletedEventArgs ( <a href="#">see page 570</a> )	This is mustahsilMakbuzTaslakOlusturCompletedEventArgs, a member of class mustahsilMakbuzTaslakOlusturCompletedEventArgs.

### mustahsilMakbuzTaslakOlusturCompletedEventArgs Properties

	Name	Description
	Result ( <a href="#">see page 571</a> )	

### 1.1.4.1.38.1

## mustahsilMakbuzTaslakOlusturCompletedEventArgs.mustahsilMakbuzTaslakOlusturCompletedEventArgs

### Constructor

C#

```
internal mustahsilMakbuzTaslakOlusturCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

### Description

This is mustahsilMakbuzTaslakOlusturCompletedEventArgs, a member of class mustahsilMakbuzTaslakOlusturCompletedEventArgs.

### Body Source

```
1: internal mustahsilMakbuzTaslakOlusturCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
```

```

2:         base(exception, cancelled, userState) {
3:             this.results = results;
4:         }

```

### 1.1.4.1.38.2 mustahsilMakbuzTaslakOlusturCompletedEventArgs Properties

#### 1.1.4.1.38.2.1 mustahsilMakbuzTaslakOlusturCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

### 1.1.4.1.39 mustahsilMakbuzTaslakOlusturResponse Class

#### Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturResponse](#)

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[SerializableAttribute()]
[DebuggerStepThroughAttribute()]
[ComponentModel.DesignerCategoryAttribute("code")]
[XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzTaslakOlusturResponse;

```

#### File

Reference.cs ([see page 835](#))

#### mustahsilMakbuzTaslakOlusturResponse Properties

	Name	Description
	@return ( <a href="#">see page 571</a> )	

### 1.1.4.1.39.1 mustahsilMakbuzTaslakOlusturResponse Properties

#### 1.1.4.1.39.1.1 mustahsilMakbuzTaslakOlusturResponse.@return Property

C#

```

[XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;

```

### 1.1.4.1.40 mustahsilMakbuzTaslakOnizleme Class

#### Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizleme](#)

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[SerializableAttribute()]
[DebuggerStepThroughAttribute()]
[ComponentModel.DesignerCategoryAttribute("code")]
[XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzTaslakOnizleme;

```

#### File


Reference.cs ([see page 835](#))

**mustahsilMakbuzTaslakOnizleme Properties**

	Name	Description
	input ( <a href="#">see page 572</a> )	

**1.1.4.1.40.1 mustahsilMakbuzTaslakOnizleme Properties****1.1.4.1.40.1.1 mustahsilMakbuzTaslakOnizleme.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

**1.1.4.1.41 mustahsilMakbuzTaslakOnizlemeCompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzTaslakOnizlemeCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

**File**Reference.cs ( [see page 835](#) )**Methods**

	Name	Description
	mustahsilMakbuzTaslakOnizlemeCompletedEventArgs ( <a href="#">see page 572</a> )	This is mustahsilMakbuzTaslakOnizlemeCompletedEventArgs , a member of class mustahsilMakbuzTaslakOnizlemeCompletedEventArgs .

**mustahsilMakbuzTaslakOnizlemeCompletedEventArgs Properties**

	Name	Description
	output ( <a href="#">see page 573</a> )	
	Result ( <a href="#">see page 573</a> )	

**1.1.4.1.41.1****mustahsilMakbuzTaslakOnizlemeCompletedEventArgs.mustahsilMakbuzTaslakOnizlemeCompletedEventArgs Constructor****C#**

```
internal mustahsilMakbuzTaslakOnizlemeCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

**Description**

This is mustahsilMakbuzTaslakOnizlemeCompletedEventArgs, a member of class mustahsilMakbuzTaslakOnizlemeCompletedEventArgs.

**Body Source**

```

1: internal mustahsilMakbuzTaslakOnizlemeCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }

```

**1.1.4.1.41.2 mustahsilMakbuzTaslakOnizlemeCompletedEventArgs Properties****1.1.4.1.41.2.1 mustahsilMakbuzTaslakOnizlemeCompletedEventArgs.output Property****C#**

```
public belge output;
```

**1.1.4.1.41.2.2 mustahsilMakbuzTaslakOnizlemeCompletedEventArgs.Result Property****C#**

```
public earsivServiceResult Result;
```

**1.1.4.1.42 mustahsilMakbuzTaslakOnizlemeResponse Class****Class Hierarchy**

<a href="#">QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeResponse</a>
----------------------------------------------------------------------------------

**C#**

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzTaslakOnizlemeResponse;

```

**File**

Reference.cs ([\[?\]](#) see page 835)

**mustahsilMakbuzTaslakOnizlemeResponse Properties**

	<b>Name</b>	<b>Description</b>
	@return ( <a href="#">[?]</a> see page 573)	
	output ( <a href="#">[?]</a> see page 573)	

**1.1.4.1.42.1 mustahsilMakbuzTaslakOnizlemeResponse Properties****1.1.4.1.42.1.1 mustahsilMakbuzTaslakOnizlemeResponse.@return Property****C#**

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;

```

**1.1.4.1.42.1.2 mustahsilMakbuzTaslakOnizlemeResponse.output Property****C#**

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge output;

```

## 1.1.4.1.43 mustahsilMakbuzTaslakSil Class

### Class Hierarchy

```
[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSil]
```

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzTaslakSil;
```

### File

Reference.cs ( [see page 835](#) )

### mustahsilMakbuzTaslakSil Properties

	Name	Description
	input ( <a href="#">see page 574</a> )	

## 1.1.4.1.43.1 mustahsilMakbuzTaslakSil Properties

### 1.1.4.1.43.1.1 mustahsilMakbuzTaslakSil.input Property

### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

## 1.1.4.1.44 mustahsilMakbuzTaslakSilCompletedEventArgs Class

### Class Hierarchy

```
System.ComponentModel.AsyncCompletedEventArgs --> QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCompletedEventArgs
```

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzTaslakSilCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs ( [see page 835](#) )

### Methods

	Name	Description
	mustahsilMakbuzTaslakSilCompletedEventArgs ( <a href="#">see page 575</a> )	This is mustahsilMakbuzTaslakSilCompletedEventArgs, a member of class mustahsilMakbuzTaslakSilCompletedEventArgs.

### mustahsilMakbuzTaslakSilCompletedEventArgs Properties

	Name	Description
	Result ( <a href="#">see page 575</a> )	

#### 1.1.4.1.44.1

### **mustahsilMakbuzTaslakSilCompletedEventArgs.mustahsilMakbuzTaslakSilCompletedEventArgs Constructor**

C#

```
internal mustahsilMakbuzTaslakSilCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

#### Description

This is mustahsilMakbuzTaslakSilCompletedEventArgs, a member of class mustahsilMakbuzTaslakSilCompletedEventArgs.

#### Body Source

```
1: internal mustahsilMakbuzTaslakSilCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

#### 1.1.4.1.44.2 mustahsilMakbuzTaslakSilCompletedEventArgs Properties

##### 1.1.4.1.44.2.1 mustahsilMakbuzTaslakSilCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

### **1.1.4.1.45 mustahsilMakbuzTaslakSilResponse Class**

#### Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzTaslakSilResponse;
```

#### File

Reference.cs ([see page 835](#))

#### mustahsilMakbuzTaslakSilResponse Properties

	Name	Description
	@return ( <a href="#">see page 575</a> )	

#### 1.1.4.1.45.1 mustahsilMakbuzTaslakSilResponse Properties

##### 1.1.4.1.45.1.1 mustahsilMakbuzTaslakSilResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).*

## 1.1.4.1.46 mustahsilMakbuzTaslakSorgula Class

### Class Hierarchy

```
[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgula]
```

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzTaslakSorgula;
```

### File

Reference.cs ( [see page 835](#) )

### mustahsilMakbuzTaslakSorgula Properties

	Name	Description
	input ( <a href="#">see page 576</a> )	

## 1.1.4.1.46.1 mustahsilMakbuzTaslakSorgula Properties

### 1.1.4.1.46.1.1 mustahsilMakbuzTaslakSorgula.input Property

### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

## 1.1.4.1.47 mustahsilMakbuzTaslakSorgulaCompletedEventArgs Class

### Class Hierarchy

```
System.ComponentModel.AsyncCompletedEventArgs --> QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgulaCompletedEventArgs
```

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzTaslakSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs ( [see page 835](#) )

### Methods

	Name	Description
	mustahsilMakbuzTaslakSorgulaCompletedEventArgs ( <a href="#">see page 577</a> )	This is mustahsilMakbuzTaslakSorgulaCompletedEventArgs, a member of class mustahsilMakbuzTaslakSorgulaCompletedEventArgs.

### mustahsilMakbuzTaslakSorgulaCompletedEventArgs Properties

	Name	Description
	output ( <a href="#">see page 577</a> )	

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).*

	Result ( <a href="#">see page 577</a> )	
--	-----------------------------------------	--

#### 1.1.4.1.47.1

### mustahsilMakbuzTaslakSorgulaCompletedEventArgs.mustahsilMakbuzTaslakSorgulaCompletedEventArgs Constructor

C#

```
internal mustahsilMakbuzTaslakSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

#### Description

This is mustahsilMakbuzTaslakSorgulaCompletedEventArgs, a member of class mustahsilMakbuzTaslakSorgulaCompletedEventArgs.

#### Body Source

```
1: internal mustahsilMakbuzTaslakSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

#### 1.1.4.1.47.2 mustahsilMakbuzTaslakSorgulaCompletedEventArgs Properties

##### 1.1.4.1.47.2.1 mustahsilMakbuzTaslakSorgulaCompletedEventArgs.output Property

C#

```
public belgeDTO output;
```

##### 1.1.4.1.47.2.2 mustahsilMakbuzTaslakSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

### 1.1.4.1.48 mustahsilMakbuzTaslakSorgulaResponse Class

#### Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgulaResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzTaslakSorgulaResponse;
```

#### File

[Reference.cs \( \[see page 835\]\(#\) \)](#)

#### mustahsilMakbuzTaslakSorgulaResponse Properties

	Name	Description
	@return ( <a href="#">see page 578</a> )	
	output ( <a href="#">see page 578</a> )	

### 1.1.4.1.48.1 mustahsilMakbuzTaslakSorgulaResponse Properties

#### 1.1.4.1.48.1.1 mustahsilMakbuzTaslakSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

#### 1.1.4.1.48.1.2 mustahsilMakbuzTaslakSorgulaResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belgeDTO output;
```

### 1.1.4.1.49 mustahsilMakbuzTaslaktanOlustur Class

#### Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlustur](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzTaslaktanOlustur;
```

#### File

Reference.cs ([see page 835](#))

#### mustahsilMakbuzTaslaktanOlustur Properties

	Name	Description
	input ( <a href="#">see page 578</a> )	

### 1.1.4.1.49.1 mustahsilMakbuzTaslaktanOlustur Properties

#### 1.1.4.1.49.1.1 mustahsilMakbuzTaslaktanOlustur.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

### 1.1.4.1.50 mustahsilMakbuzTaslaktanOlusturCompletedEventArgs Class

#### Class Hierarchy

[System.ComponentModel.AsyncCompletedEventArgs](#) → [QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlusturCompletedEventArgs](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzTaslaktanOlusturCompletedEventArgs :
```

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

```
System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs (  see page 835)

**Methods**

	<b>Name</b>	<b>Description</b>
	mustahsilMakbuzTaslaktanOlusturCompletedEventArgs (  see page 579)	This is mustahsilMakbuzTaslaktanOlusturCompletedEventArgs, a member of class mustahsilMakbuzTaslaktanOlusturCompletedEventArgs.

**mustahsilMakbuzTaslaktanOlusturCompletedEventArgs Properties**

	<b>Name</b>	<b>Description</b>
	@return (  see page 579)	
	Result (  see page 579)	

**1.1.4.1.50.1****mustahsilMakbuzTaslaktanOlusturCompletedEventArgs.mustahsilMakbuzTaslaktanOlusturCompletedEventArgs****Constructor****C#**

```
internal mustahsilMakbuzTaslaktanOlusturCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

**Description**

This is mustahsilMakbuzTaslaktanOlusturCompletedEventArgs, a member of class mustahsilMakbuzTaslaktanOlusturCompletedEventArgs.

**Body Source**

```
1: internal mustahsilMakbuzTaslaktanOlusturCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

**1.1.4.1.50.2 mustahsilMakbuzTaslaktanOlusturCompletedEventArgs Properties****1.1.4.1.50.2.1 mustahsilMakbuzTaslaktanOlusturCompletedEventArgs.@return Property****C#**

```
public earsivServiceResult @return;
```

**1.1.4.1.50.2.2 mustahsilMakbuzTaslaktanOlusturCompletedEventArgs.Result Property****C#**

```
public belge Result;
```

**1.1.4.1.51 MustahsilWebService Class****Class Hierarchy**

## C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Web.Services.WebServiceBindingAttribute(Name="MustahsilWebServicePortBinding",
Namespace="http://service.csap.cs.com/")]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzOlustur))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(ePostaGonderResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(ePostaGonder))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsDurumSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsDurumSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumListesiDetayliSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumListesiDetayliSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzIptaliKaldirResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzIptaliKaldır))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(rapordaBelgeSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(rapordaBelgeSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumlerOlusturResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumleriOlustur))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslaktanOlustur))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(doubleStringOutputWrapper))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(ePostaDurumSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzOnizleme))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumSilResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumSil))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgeOutputWrapper))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumAl))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakOlusturResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakOlustur))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakOnizlemeResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakOnizleme))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(stringOutputWrapper))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumListesiSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(kontorBilgisiGetirResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(kontorBilgisiGetir))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsGonderResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsGonder))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporDurumSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporDurumSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakSilResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakSil))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzIptalEtResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzIptalEt))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumRaporNoGuncelleImzalaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumRaporNoGuncelleImzala))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporGonderResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporGonder))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumBilgisiAlResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumBilgisiAl))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzListeSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzListeSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaDTO))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzListeSorgulaPortalResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzListeSorgulaPortal))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgeZipiAlResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgeZipiAl))]
public class MustahsilWebService : System.Web.Services.Protocols.SoapHttpClientProtocol;
```

## File

Reference.cs (see page 835)

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com*

## Methods

	Name	Description
⚡	MustahsilWebService ( <a href="#">see page 585</a> )	

## MustahsilWebService Events

	Name	Description
⚡	belgeZipiAICompleted ( <a href="#">see page 623</a> )	
⚡	ePostaDurumSorgulaCompleted ( <a href="#">see page 623</a> )	
⚡	ePostaGonderCompleted ( <a href="#">see page 623</a> )	
⚡	kontorBilgisiGetirCompleted ( <a href="#">see page 623</a> )	
⚡	mustahsilMakbuzIptalEtCompleted ( <a href="#">see page 624</a> )	
⚡	mustahsilMakbuzIptaliKaldirCompleted ( <a href="#">see page 624</a> )	
⚡	mustahsilMakbuzListeSorgulaCompleted ( <a href="#">see page 624</a> )	
⚡	mustahsilMakbuzListeSorgulaPortalCompleted ( <a href="#">see page 624</a> )	
⚡	mustahsilMakbuzOlusturCompleted ( <a href="#">see page 624</a> )	
⚡	mustahsilMakbuzOnizlemeCompleted ( <a href="#">see page 624</a> )	
⚡	mustahsilMakbuzSorgulaCompleted ( <a href="#">see page 624</a> )	
⚡	mustahsilMakbuzTaslakOlusturCompleted ( <a href="#">see page 624</a> )	
⚡	mustahsilMakbuzTaslakOnizlemeCompleted ( <a href="#">see page 624</a> )	
⚡	mustahsilMakbuzTaslakSilCompleted ( <a href="#">see page 624</a> )	
⚡	mustahsilMakbuzTaslakSorgulaCompleted ( <a href="#">see page 624</a> )	
⚡	mustahsilMakbuzTaslaktanOlusturCompleted ( <a href="#">see page 625</a> )	
⚡	raporBolumAICompleted ( <a href="#">see page 625</a> )	
⚡	raporBolumBilgisiAICompleted ( <a href="#">see page 625</a> )	
⚡	raporBolumleriOlusturCompleted ( <a href="#">see page 625</a> )	
⚡	raporBolumListesiDetailliSorgulaCompleted ( <a href="#">see page 625</a> )	
⚡	raporBolumListesiSorgulaCompleted ( <a href="#">see page 625</a> )	
⚡	raporBolumRaporNoGuncellelmzalaCompleted ( <a href="#">see page 625</a> )	
⚡	raporBolumSilCompleted ( <a href="#">see page 625</a> )	

	rapordaBelgeSorgulaCompleted (see page 625)	
	raporDurumSorgulaCompleted (see page 625)	
	raporGonderCompleted (see page 625)	
	smsDurumSorgulaCompleted (see page 626)	
	smsGonderCompleted (see page 626)	

**MustahsilWebService Methods**

	Name	Description
	belgeZipiAI (see page 585)	
	belgeZipiAIAsync (see page 586)	
	CancelAsync (see page 586)	
	ePostaDurumSorgula (see page 586)	
	ePostaDurumSorgulaAsync (see page 587)	
	ePostaGonder (see page 587)	
	ePostaGonderAsync (see page 588)	
	IsLocalFileSystemWebService (see page 589)	This is IsLocalFileSystemWebService, a member of class MustahsilWebService.
	kontorBilgisiGetir (see page 589)	
	kontorBilgisiGetirAsync (see page 590)	
	mustahsilMakbuzIptalEt (see page 590)	
	mustahsilMakbuzIptalEtAsync (see page 591)	
	mustahsilMakbuzIptaliKaldır (see page 591)	
	mustahsilMakbuzIptaliKaldırAsync (see page 592)	
	mustahsilMakbuzListeSorgula (see page 592)	
	mustahsilMakbuzListeSorgulaAsync (see page 593)	
	mustahsilMakbuzListeSorgulaPortal (see page 593)	
	mustahsilMakbuzListeSorgulaPortalAsync (see page 594)	
	mustahsilMakbuzOlustur (see page 594)	
	mustahsilMakbuzOlusturAsync (see page 595)	
	mustahsilMakbuzOnizleme (see page 595)	
	mustahsilMakbuzOnizlemeAsync (see page 596)	
	mustahsilMakbuzSorgula (see page 596)	
	mustahsilMakbuzSorgulaAsync (see page 597)	
	mustahsilMakbuzTaslakOlustur (see page 597)	
	mustahsilMakbuzTaslakOlusturAsync (see page 598)	
	mustahsilMakbuzTaslakOnizleme (see page 598)	
	mustahsilMakbuzTaslakOnizlemeAsync (see page 599)	
	mustahsilMakbuzTaslakSil (see page 599)	
	mustahsilMakbuzTaslakSilAsync (see page 600)	
	mustahsilMakbuzTaslakSorgula (see page 600)	
	mustahsilMakbuzTaslakSorgulaAsync (see page 601)	
	mustahsilMakbuzTaslaktanOlustur (see page 601)	
	mustahsilMakbuzTaslaktanOlusturAsync (see page 602)	

	OnbelgeZipiAIOperationCompleted (↗ see page 602)	This is OnbelgeZipiAIOperationCompleted, a member of class MustahsilWebService.
	OnePostaDurumSorgulaOperationCompleted (↗ see page 603)	This is OnePostaDurumSorgulaOperationCompleted, a member of class MustahsilWebService.
	OnePostaGonderOperationCompleted (↗ see page 603)	This is OnePostaGonderOperationCompleted, a member of class MustahsilWebService.
	OnkontorBilgisiGetirOperationCompleted (↗ see page 603)	This is OnkontorBilgisiGetirOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzIptalEtOperationCompleted (↗ see page 603)	This is OnmustahsilMakbuzIptalEtOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzIptaliKaldirOperationCompleted (↗ see page 604)	This is OnmustahsilMakbuzIptaliKaldirOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzListeSorgulaOperationCompleted (↗ see page 604)	This is OnmustahsilMakbuzListeSorgulaOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzListeSorgulaPortalOperationCompleted (↗ see page 604)	This is OnmustahsilMakbuzListeSorgulaPortalOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzOlusturOperationCompleted (↗ see page 605)	This is OnmustahsilMakbuzOlusturOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzOnizlemeOperationCompleted (↗ see page 605)	This is OnmustahsilMakbuzOnizlemeOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzSorgulaOperationCompleted (↗ see page 605)	This is OnmustahsilMakbuzSorgulaOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzTaslakOlusturOperationCompleted (↗ see page 606)	This is OnmustahsilMakbuzTaslakOlusturOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzTaslakOnizlemeOperationCompleted (↗ see page 606)	This is OnmustahsilMakbuzTaslakOnizlemeOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzTaslakSilOperationCompleted (↗ see page 606)	This is OnmustahsilMakbuzTaslakSilOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzTaslakSorgulaOperationCompleted (↗ see page 606)	This is OnmustahsilMakbuzTaslakSorgulaOperationCompleted, a member of class MustahsilWebService.
	OnmustahsilMakbuzTaslaktanOlusturOperationCompleted (↗ see page 607)	This is OnmustahsilMakbuzTaslaktanOlusturOperationCompleted, a member of class MustahsilWebService.
	OnraporBolumAIOperationCompleted (↗ see page 607)	This is OnraporBolumAIOperationCompleted, a member of class MustahsilWebService.

	OnraporBolumBilgisiAIOperationCompleted (see page 607)	This is OnraporBolumBilgisiAIOperationCompleted, a member of class MustahsilWebService.
	OnraporBolumleriOlusturOperationCompleted (see page 608)	This is OnraporBolumleriOlusturOperationCompleted, a member of class MustahsilWebService.
	OnraporBolumListesiDetaigliSorgulaOperationCompleted (see page 608)	This is OnraporBolumListesiDetaigliSorgulaOperationCompleted, a member of class MustahsilWebService.
	OnraporBolumListesiSorgulaOperationCompleted (see page 608)	This is OnraporBolumListesiSorgulaOperationCompleted, a member of class MustahsilWebService.
	OnraporBolumRaporNoGuncelleImzalaOperationCompleted (see page 609)	This is OnraporBolumRaporNoGuncelleImzalaOperationCompleted, a member of class MustahsilWebService.
	OnraporBolumSilOperationCompleted (see page 609)	This is OnraporBolumSilOperationCompleted, a member of class MustahsilWebService.
	OnrapordaBelgeSorgulaOperationCompleted (see page 609)	This is OnrapordaBelgeSorgulaOperationCompleted, a member of class MustahsilWebService.
	OnraporDurumSorgulaOperationCompleted (see page 609)	This is OnraporDurumSorgulaOperationCompleted, a member of class MustahsilWebService.
	OnraporGonderOperationCompleted (see page 610)	This is OnraporGonderOperationCompleted, a member of class MustahsilWebService.
	OnsmsDurumSorgulaOperationCompleted (see page 610)	This is OnsmsDurumSorgulaOperationCompleted, a member of class MustahsilWebService.
	OnsmsGonderOperationCompleted (see page 610)	This is OnsmsGonderOperationCompleted, a member of class MustahsilWebService.
	raporBolumAI (see page 611)	
	raporBolumAIAsync (see page 611)	
	raporBolumBilgisiAI (see page 612)	
	raporBolumBilgisiAIAsync (see page 612)	
	raporBolumleriOlustur (see page 613)	
	raporBolumleriOlusturAsync (see page 613)	
	raporBolumListesiDetaigliSorgula (see page 614)	
	raporBolumListesiDetaigliSorgulaAsync (see page 614)	
	raporBolumListesiSorgula (see page 615)	
	raporBolumListesiSorgulaAsync (see page 615)	
	raporBolumRaporNoGuncelleImzala (see page 616)	
	raporBolumRaporNoGuncelleImzalaAsync (see page 616)	
	raporBolumSil (see page 617)	
	raporBolumSilAsync (see page 617)	
	rapordaBelgeSorgula (see page 618)	
	rapordaBelgeSorgulaAsync (see page 618)	
	raporDurumSorgula (see page 619)	
	raporDurumSorgulaAsync (see page 619)	
	raporGonder (see page 620)	

	raporGonderAsync ( <a href="#">see page 620</a> )	
	smsDurumSorgula ( <a href="#">see page 621</a> )	
	smsDurumSorgulaAsync ( <a href="#">see page 621</a> )	
	smsGonder ( <a href="#">see page 622</a> )	
	smsGonderAsync ( <a href="#">see page 622</a> )	

**MustahsilWebService Properties**

	Name	Description
	Url ( <a href="#">see page 623</a> )	This is Url, a member of class MustahsilWebService.
	UseDefaultCredentials ( <a href="#">see page 623</a> )	This is UseDefaultCredentials, a member of class MustahsilWebService.

**1.1.4.1.51.1 MustahsilWebService.MustahsilWebService Constructor****C#**

```
public MustahsilWebService();
```

**Body Source**

```
1: public MustahsilWebService() {
2:     this.Url =
global::QNBFinansGIB.Properties.Settings.Default.QNBFinansGIB_GIBEMustahsil_MustahsilWebServ
ice;
3:     if ((this.IsLocalFileSystemWebService(this.Url) == true)) {
4:         this.UseDefaultCredentials = true;
5:         this.useDefaultCredentialsSetExplicitly = false;
6:     }
7:     else {
8:         this.useDefaultCredentialsSetExplicitly = true;
9:     }
10: }
```

**1.1.4.1.51.2 MustahsilWebService Methods****1.1.4.1.51.2.1 MustahsilWebService.belgeZipiAI Method****C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
belgeZipiAI([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary", IsNullable=true)] out byte[] output);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
belgeZipiAI([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
```

```

    rm.Unqualified) ]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
DataTpe="base64Binary", IsNullble=true)] out byte[] output) {
4:     object[] results = this.Invoke("belgeZipiAl", new object[] {
5:         input});
6:     output = ((byte[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }

```

#### 1.1.4.1.51.2.2 belgeZipiAlAsync Method

##### 1.1.4.1.51.2.2.1 MustahsilWebService.belgeZipiAlAsync Method (string)

C#

```
public void belgeZipiAlAsync(string input);
```

**Body Source**

```

1: public void belgeZipiAlAsync(string input) {
2:     this.belgeZipiAlAsync(input, null);
3: }

```

##### 1.1.4.1.51.2.2.2 MustahsilWebService.belgeZipiAlAsync Method (string, object)

C#

```
public void belgeZipiAlAsync(string input, object userState);
```

**Body Source**

```

1: public void belgeZipiAlAsync(string input, object userState) {
2:     if ((this.belgeZipiAlOperationCompleted == null)) {
3:         this.belgeZipiAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgeZipiAlOperationCompleted);
4:     }
5:     this.InvokeAsync("belgeZipiAl", new object[] {
6:         input}, this.belgeZipiAlOperationCompleted, userState);
7: }

```

##### 1.1.4.1.51.2.3 MustahsilWebService.CancelAsync Method

C#

```
public new void CancelAsync(object userState);
```

**Body Source**

```

1: public new void CancelAsync(object userState) {
2:     base.CancelAsync(userState);
3: }

```

##### 1.1.4.1.51.2.4 MustahsilWebService.ePostaDurumSorgula Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("outputDurum",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
ePostaDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]

```

```

out string outputEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return;

```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("", 
RequestNamespace="http://service.earsiv.uut.cs.com.tr/", 
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/", 
Use=System.Web.Services.Description.SoapBindingUse.Literal, 
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("outputDurum", 
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
ePostaDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out string outputEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return {
4:     object[] results = this.Invoke("ePostaDurumSorgula", new object[] {
5:         input});
6:     outputEposta = ((string)(results[1]));
7:     @return = ((earsivServiceResult)(results[2]));
8:     return ((string)(results[0]));
9: }

```

**1.1.4.1.51.2.5 ePostaDurumSorgulaAsync Method****1.1.4.1.51.2.5.1 MustahsilWebService.ePostaDurumSorgulaAsync Method (string)****C#**

```
public void ePostaDurumSorgulaAsync(string input);
```

**Body Source**

```

1: public void ePostaDurumSorgulaAsync(string input) {
2:     this.ePostaDurumSorgulaAsync(input, null);
3: }

```

**1.1.4.1.51.2.5.2 MustahsilWebService.ePostaDurumSorgulaAsync Method (string, object)****C#**

```
public void ePostaDurumSorgulaAsync(string input, object userState);
```

**Body Source**

```

1: public void ePostaDurumSorgulaAsync(string input, object userState) {
2:     if ((this.ePostaDurumSorgulaOperationCompleted == null)) {
3:         this.ePostaDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnePostaDurumSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("ePostaDurumSorgula", new object[] {
6:         input}, this.ePostaDurumSorgulaOperationCompleted, userState);
7: }

```

**1.1.4.1.51.2.6 MustahsilWebService.ePostaGonder Method****C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("", 
RequestNamespace="http://service.earsiv.uut.cs.com.tr/", 
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/", 
Use=System.Web.Services.Description.SoapBindingUse.Literal, 
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]

```

```
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
ePostaGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string ilaveEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
int tanimliEpostayaGonder);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
ePostaGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string ilaveEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
int tanimliEpostayaGonder) {
4:     object[] results = this.Invoke("ePostaGonder", new object[] {
5:         input,
6:         ilaveEposta,
7:         tanimliEpostayaGonder});
8:     return ((earsivServiceResult)(results[0]));
9: }
```

**1.1.4.1.51.2.7 ePostaGonderAsync Method****1.1.4.1.51.2.7.1 MustahsilWebService.ePostaGonderAsync Method (string, string, int)****C#**

```
public void ePostaGonderAsync(string input, string ilaveEposta, int tanimliEpostayaGonder);
```

**Body Source**

```
1: public void ePostaGonderAsync(string input, string ilaveEposta, int
tanimliEpostayaGonder) {
2:     this.ePostaGonderAsync(input, ilaveEposta, tanimliEpostayaGonder, null);
3: }
```

**1.1.4.1.51.2.7.2 MustahsilWebService.ePostaGonderAsync Method (string, string, int, object)****C#**

```
public void ePostaGonderAsync(string input, string ilaveEposta, int tanimliEpostayaGonder,
object userState);
```

**Body Source**

```
1: public void ePostaGonderAsync(string input, string ilaveEposta, int
tanimliEpostayaGonder, object userState) {
2:     if ((this.ePostaGonderOperationCompleted == null)) {
3:         this.ePostaGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnePostaGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("ePostaGonder", new object[] {
```

```

6:             input,
7:             ilaveEposta,
8:             tanimliEpostaYayaGonder}, this.ePostaGonderOperationCompleted, userState);
9: }

```

#### 1.1.4.1.51.2.8 MustahsilWebService.IsLocalFileSystemWebService Method

C#

```
private bool IsLocalFileSystemWebService(string url);
```

##### Description

This is IsLocalFileSystemWebService, a member of class MustahsilWebService.

##### Body Source

```

1: private bool IsLocalFileSystemWebService(string url) {
2:     if ((url == null)
3:         || (url == string.Empty)) {
4:         return false;
5:     }
6:     System.Uri wsUri = new System.Uri(url);
7:     if ((wsUri.Port >= 1024)
8:         && (string.Compare(wsUri.Host, "localhost",
System.StringComparison.OrdinalIgnoreCase) == 0)) {
9:         return true;
10:    }
11:    return false;
12: }

```

#### 1.1.4.1.51.2.9 MustahsilWebService.kontorBilgisiGetir Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
kontorBilgisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string kontorTipi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string kontorBirim;
```

##### Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
kontorBilgisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string kontorTipi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]

```

```

string kontorBirimii) {
4:     object[] results = this.Invoke("kontorBilgisiGetir", new object[] {
5:         vknTckn,
6:         kontorTipi,
7:         kontorBirimii});
8:     return ((earsivServiceResult)(results[0]));
9: }

```

#### 1.1.4.1.51.2.10 kontorBilgisiGetirAsync Method

##### 1.1.4.1.51.2.10.1 MustahsilWebService.kontorBilgisiGetirAsync Method (string, string, string)

C#

```
public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string kontorBirimii);
```

##### Body Source

```

1: public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string
kontorBirimii) {
2:     this.kontorBilgisiGetirAsync(vknTckn, kontorTipi, kontorBirimii, null);
3: }

```

##### 1.1.4.1.51.2.10.2 MustahsilWebService.kontorBilgisiGetirAsync Method (string, string, string, object)

C#

```
public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string kontorBirimii,
object userState);
```

##### Body Source

```

1: public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string
kontorBirimii, object userState) {
2:     if ((this.kontorBilgisiGetirOperationCompleted == null)) {
3:         this.kontorBilgisiGetirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnkontorBilgisiGetirOperationCompleted);
4:     }
5:     this.InvokeAsync("kontorBilgisiGetir", new object[] {
6:         vknTckn,
7:         kontorTipi,
8:         kontorBirimii}, this.kontorBilgisiGetirOperationCompleted, userState);
9: }

```

#### 1.1.4.1.51.2.11 MustahsilWebService.mustahsilMakbuzIptalEt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzIptalEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)])
string input);
```

##### Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
mustahsilMakbuzIptalEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.

```

```

XmlSchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("mustahsilMakbuzIptalEt", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }

```

#### 1.1.4.1.51.2.12 mustahsilMakbuzIptalEtAsync Method

##### 1.1.4.1.51.2.12.1 MustahsilWebService.mustahsilMakbuzIptalEtAsync Method (string)

C#

```
public void mustahsilMakbuzIptalEtAsync(string input);
```

##### Body Source

```

1: public void mustahsilMakbuzIptalEtAsync(string input) {
2:     this.mustahsilMakbuzIptalEtAsync(input, null);
3: }

```

##### 1.1.4.1.51.2.12.2 MustahsilWebService.mustahsilMakbuzIptalEtAsync Method (string, object)

C#

```
public void mustahsilMakbuzIptalEtAsync(string input, object userState);
```

##### Body Source

```

1: public void mustahsilMakbuzIptalEtAsync(string input, object userState) {
2:     if ((this.mustahsilMakbuzIptalEtOperationCompleted == null)) {
3:         this.mustahsilMakbuzIptalEtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzIptalEtOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzIptalEt", new object[] {
6:         input}, this.mustahsilMakbuzIptalEtOperationCompleted, userState);
7: }

```

#### 1.1.4.1.51.2.13 MustahsilWebService.mustahsilMakbuzIptaliKaldır Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzIptaliKaldır([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string input);

```

##### Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
mustahsilMakbuzIptaliKaldır([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("mustahsilMakbuzIptaliKaldır", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }

```

#### 1.1.4.1.51.2.14 mustahsilMakbuzIptaliKaldırAsync Method

##### 1.1.4.1.51.2.14.1 MustahsilWebService.mustahsilMakbuzIptaliKaldırAsync Method (string)

C#

```
public void mustahsilMakbuzIptaliKaldırAsync(string input);
```

**Body Source**

```
1: public void mustahsilMakbuzIptaliKaldırAsync(string input) {
2:     this.mustahsilMakbuzIptaliKaldırAsync(input, null);
3: }
```

##### 1.1.4.1.51.2.14.2 MustahsilWebService.mustahsilMakbuzIptaliKaldırAsync Method (string, object)

C#

```
public void mustahsilMakbuzIptaliKaldırAsync(string input, object userState);
```

**Body Source**

```
1: public void mustahsilMakbuzIptaliKaldırAsync(string input, object userState) {
2:     if ((this.mustahsilMakbuzIptaliKaldırOperationCompleted == null)) {
3:         this.mustahsilMakbuzIptaliKaldırOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzIptaliKaldırOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzIptaliKaldır", new object[] {
6:         input}, this.mustahsilMakbuzIptaliKaldırOperationCompleted, userState);
7: }
```

#### 1.1.4.1.51.2.15 MustahsilWebService.mustahsilMakbuzListeSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzListeSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hma.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out belgeDTO[] output);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
mustahsilMakbuzListeSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hma.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out belgeDTO[] output) {
4:     object[] results = this.Invoke("mustahsilMakbuzListeSorgula", new object[] {
5:         input});
6:     output = ((belgeDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

#### 1.1.4.1.51.2.16 mustahsilMakbuzListeSorgulaAsync Method

#### 1.1.4.1.51.2.16.1 MustahsilWebService.mustahsilMakbuzListeSorgulaAsync Method (string)

C#

```
public void mustahsilMakbuzListeSorgulaAsync(string input);
```

**Body Source**

```
1: public void mustahsilMakbuzListeSorgulaAsync(string input) {  
2:     this.mustahsilMakbuzListeSorgulaAsync(input, null);  
3: }
```

#### 1.1.4.1.51.2.16.2 MustahsilWebService.mustahsilMakbuzListeSorgulaAsync Method (string, object)

C#

```
public void mustahsilMakbuzListeSorgulaAsync(string input, object userState);
```

**Body Source**

```
1: public void mustahsilMakbuzListeSorgulaAsync(string input, object userState) {  
2:     if ((this.mustahsilMakbuzListeSorgulaOperationCompleted == null)) {  
3:         this.mustahsilMakbuzListeSorgulaOperationCompleted = new  
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzListeSorgulaOperationCompleted);  
4:     }  
5:     this.InvokeAsync("mustahsilMakbuzListeSorgula", new object[] {  
6:         input}, this.mustahsilMakbuzListeSorgulaOperationCompleted, userState);  
7: }
```

#### 1.1.4.1.51.2.17 MustahsilWebService.mustahsilMakbuzListeSorgulaPortal Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",  
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",  
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",  
Use=System.Web.Services.Description.SoapBindingUse.Literal,  
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]  
[return: System.Xml.Serialization.XmlElementAttribute("return",  
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]  
public earsivServiceResult  
mustahsilMakbuzListeSorgulaPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.  
Xml.Schema.XmlSchemaForm.Unqualified)])  
string input, [System.Xml.Serialization.XmlElementAttribute("output",  
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out belgeDTO[] output);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",  
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",  
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",  
Use=System.Web.Services.Description.SoapBindingUse.Literal,  
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]  
2: [return: System.Xml.Serialization.XmlElementAttribute("return",  
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]  
3: public earsivServiceResult  
mustahsilMakbuzListeSorgulaPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.  
Xml.Schema.XmlSchemaForm.Unqualified)])  
string input, [System.Xml.Serialization.XmlElementAttribute("output",  
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out belgeDTO[] output) {  
4:     object[] results = this.Invoke("mustahsilMakbuzListeSorgulaPortal", new object[] {  
5:         input});  
6:     output = ((belgeDTO[])(results[1]));  
7:     return ((earsivServiceResult)(results[0]));  
8: }
```

#### 1.1.4.1.51.2.18 mustahsilMakbuzListeSorgulaPortalAsync Method

#### 1.1.4.1.51.2.18.1 MustahsilWebService.mustahsilMakbuzListeSorgulaPortalAsync Method (string)

C#

```
public void mustahsilMakbuzListeSorgulaPortalAsync(string input);
```

##### Body Source

```
1: public void mustahsilMakbuzListeSorgulaPortalAsync(string input) {  
2:     this.mustahsilMakbuzListeSorgulaPortalAsync(input, null);  
3: }
```

#### 1.1.4.1.51.2.18.2 MustahsilWebService.mustahsilMakbuzListeSorgulaPortalAsync Method (string, object)

C#

```
public void mustahsilMakbuzListeSorgulaPortalAsync(string input, object userState);
```

##### Body Source

```
1: public void mustahsilMakbuzListeSorgulaPortalAsync(string input, object userState) {  
2:     if ((this.mustahsilMakbuzListeSorgulaPortalOperationCompleted == null)) {  
3:         this.mustahsilMakbuzListeSorgulaPortalOperationCompleted = new  
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzListeSorgulaPortalOperationComplet  
ed);  
4:     }  
5:     this.InvokeAsync("mustahsilMakbuzListeSorgulaPortal", new object[] {  
6:         input}, this.mustahsilMakbuzListeSorgulaPortalOperationCompleted,  
userState);  
7: }
```

#### 1.1.4.1.51.2.19 MustahsilWebService.mustahsilMakbuzOlustur Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",  
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",  
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",  
Use=System.Web.Services.Description.SoapBindingUse.Literal,  
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]  
[return: System.Xml.Serialization.XmlElementAttribute("output",  
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]  
public belge  
mustahsilMakbuzOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.  
XmlSchemaForm.Unqualified)]  
string input,  
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi  
ed)]  
belge belge,  
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi  
ed)]  
out earsivServiceResult @return);
```

##### Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",  
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",  
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",  
Use=System.Web.Services.Description.SoapBindingUse.Literal,  
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]  
2: [return: System.Xml.Serialization.XmlElementAttribute("output",  
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]  
3: public belge  
mustahsilMakbuzOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.  
XmlSchemaForm.Unqualified)]  
string input,  
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi  
ed)]  
belge belge,  
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi  
ed)]
```

```

out earsivServiceResult @return) {
4:     object[] results = this.Invoke("mustahsilMakbuzOlustur", new object[] {
5:         input,
6:         belge});
7:     @return = ((earsivServiceResult)(results[1]));
8:     return ((belge)(results[0]));
9: }

```

#### 1.1.4.1.51.2.20 mustahsilMakbuzOlusturAsync Method

##### 1.1.4.1.51.2.20.1 MustahsilWebService.mustahsilMakbuzOlusturAsync Method (string, belge)

C#

```
public void mustahsilMakbuzOlusturAsync(string input, belge belge);
```

**Body Source**

```

1: public void mustahsilMakbuzOlusturAsync(string input, belge belge) {
2:     this.mustahsilMakbuzOlusturAsync(input, belge, null);
3: }

```

##### 1.1.4.1.51.2.20.2 MustahsilWebService.mustahsilMakbuzOlusturAsync Method (string, belge, object)

C#

```
public void mustahsilMakbuzOlusturAsync(string input, belge belge, object userState);
```

**Body Source**

```

1: public void mustahsilMakbuzOlusturAsync(string input, belge belge, object userState) {
2:     if ((this.mustahsilMakbuzOlusturOperationCompleted == null)) {
3:         this.mustahsilMakbuzOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzOlusturOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzOlustur", new object[] {
6:         input,
7:         belge}, this.mustahsilMakbuzOlusturOperationCompleted, userState);
8: }

```

#### 1.1.4.1.51.2.21 MustahsilWebService.mustahsilMakbuzOnizleme Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
mustahsilMakbuzOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema
.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge belge,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);

```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]

```

```

3: public belge
mustahsilMakbuzOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
belge belge,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("mustahsilMakbuzOnizleme", new object[] {
5:         input,
6:         belge});
7:     @return = ((earsivServiceResult)(results[1]));
8:     return ((belge)(results[0]));
9: }

```

#### 1.1.4.1.51.2.22 mustahsilMakbuzOnizlemeAsync Method

##### 1.1.4.1.51.2.22.1 MustahsilWebService.mustahsilMakbuzOnizlemeAsync Method (string, belge)

C#

```
public void mustahsilMakbuzOnizlemeAsync(string input, belge belge);
```

**Body Source**

```

1: public void mustahsilMakbuzOnizlemeAsync(string input, belge belge) {
2:     this.mustahsilMakbuzOnizlemeAsync(input, belge, null);
3: }

```

##### 1.1.4.1.51.2.22.2 MustahsilWebService.mustahsilMakbuzOnizlemeAsync Method (string, belge, object)

C#

```
public void mustahsilMakbuzOnizlemeAsync(string input, belge belge, object userState);
```

**Body Source**

```

1: public void mustahsilMakbuzOnizlemeAsync(string input, belge belge, object userState) {
2:     if ((this.mustahsilMakbuzOnizlemeOperationCompleted == null)) {
3:         this.mustahsilMakbuzOnizlemeOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzOnizlemeOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzOnizleme", new object[] {
6:         input,
7:         belge}, this.mustahsilMakbuzOnizlemeOperationCompleted, userState);
8: }

```

#### 1.1.4.1.51.2.23 MustahsilWebService.mustahsilMakbuzSorgula Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
mustahsilMakbuzSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return);

```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
mustahsilMakbuzSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("mustahsilMakbuzSorgula", new object[] {
5:         input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }

```

#### 1.1.4.1.51.2.24 mustahsilMakbuzSorgulaAsync Method

##### 1.1.4.1.51.2.24.1 MustahsilWebService.mustahsilMakbuzSorgulaAsync Method (string)

C#

```
public void mustahsilMakbuzSorgulaAsync(string input);
```

**Body Source**

```

1: public void mustahsilMakbuzSorgulaAsync(string input) {
2:     this.mustahsilMakbuzSorgulaAsync(input, null);
3: }

```

##### 1.1.4.1.51.2.24.2 MustahsilWebService.mustahsilMakbuzSorgulaAsync Method (string, object)

C#

```
public void mustahsilMakbuzSorgulaAsync(string input, object userState);
```

**Body Source**

```

1: public void mustahsilMakbuzSorgulaAsync(string input, object userState) {
2:     if ((this.mustahsilMakbuzSorgulaOperationCompleted == null)) {
3:         this.mustahsilMakbuzSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzSorgula", new object[] {
6:         input}, this.mustahsilMakbuzSorgulaOperationCompleted, userState);
7: }

```

#### 1.1.4.1.51.2.25 MustahsilWebService.mustahsilMakbuzTaslakOlustur Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzTaslakOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.S
chema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge belge);

```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
mustahsilMakbuzTaslakOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.S
chema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge belge) {
4:     object[] results = this.Invoke("mustahsilMakbuzTaslakOlustur", new object[] {
5:         input,
6:         belge});
7:     return ((earsivServiceResult)(results[0]));
8: }

```

**1.1.4.1.51.2.26 mustahsilMakbuzTaslakOlusturAsync Method****1.1.4.1.51.2.26.1 MustahsilWebService.mustahsilMakbuzTaslakOlusturAsync Method (string, belge)****C#**

```
public void mustahsilMakbuzTaslakOlusturAsync(string input, belge belge);
```

**Body Source**

```

1: public void mustahsilMakbuzTaslakOlusturAsync(string input, belge belge) {
2:     this.mustahsilMakbuzTaslakOlusturAsync(input, belge, null);
3: }

```

**1.1.4.1.51.2.26.2 MustahsilWebService.mustahsilMakbuzTaslakOlusturAsync Method (string, belge, object)****C#**

```
public void mustahsilMakbuzTaslakOlusturAsync(string input, belge belge, object userState);
```

**Body Source**

```

1: public void mustahsilMakbuzTaslakOlusturAsync(string input, belge belge, object
userState) {
2:     if ((this.mustahsilMakbuzTaslakOlusturOperationCompleted == null)) {
3:         this.mustahsilMakbuzTaslakOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzTaslakOlusturOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzTaslakOlustur", new object[] {
6:         input,
7:         belge}, this.mustahsilMakbuzTaslakOlusturOperationCompleted, userState);
8: }

```

**1.1.4.1.51.2.27 MustahsilWebService.mustahsilMakbuzTaslakOnizleme Method****C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzTaslakOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string input,

```

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out belge output);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
mustahsilMakbuzTaslakOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out belge output) {
4:     object[] results = this.Invoke("mustahsilMakbuzTaslakOnizleme", new object[] {
5:         input});
6:     output = ((belge)(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

**1.1.4.1.51.2.28 mustahsilMakbuzTaslakOnizlemeAsync Method****1.1.4.1.51.2.28.1 MustahsilWebService.mustahsilMakbuzTaslakOnizlemeAsync Method (string)****C#**

```
public void mustahsilMakbuzTaslakOnizlemeAsync(string input);
```

**Body Source**

```
1: public void mustahsilMakbuzTaslakOnizlemeAsync(string input) {
2:     this.mustahsilMakbuzTaslakOnizlemeAsync(input, null);
3: }
```

**1.1.4.1.51.2.28.2 MustahsilWebService.mustahsilMakbuzTaslakOnizlemeAsync Method (string, object)****C#**

```
public void mustahsilMakbuzTaslakOnizlemeAsync(string input, object userState);
```

**Body Source**

```
1: public void mustahsilMakbuzTaslakOnizlemeAsync(string input, object userState) {
2:     if ((this.mustahsilMakbuzTaslakOnizlemeOperationCompleted == null)) {
3:         this.mustahsilMakbuzTaslakOnizlemeOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzTaslakOnizlemeOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzTaslakOnizleme", new object[] {
6:         input}, this.mustahsilMakbuzTaslakOnizlemeOperationCompleted, userState);
7: }
```

**1.1.4.1.51.2.29 MustahsilWebService.mustahsilMakbuzTaslakSil Method****C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzTaslakSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schem
a.XmlSchemaForm.Unqualified)])
```

```
    string input);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
mustahsilMakbuzTaslakSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("mustahsilMakbuzTaslakSil", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

**1.1.4.1.51.2.30 mustahsilMakbuzTaslakSilAsync Method****1.1.4.1.51.2.30.1 MustahsilWebService.mustahsilMakbuzTaslakSilAsync Method (string)****C#**

```
public void mustahsilMakbuzTaslakSilAsync(string input);
```

**Body Source**

```
1: public void mustahsilMakbuzTaslakSilAsync(string input) {
2:     this.mustahsilMakbuzTaslakSilAsync(input, null);
3: }
```

**1.1.4.1.51.2.30.2 MustahsilWebService.mustahsilMakbuzTaslakSilAsync Method (string, object)****C#**

```
public void mustahsilMakbuzTaslakSilAsync(string input, object userState);
```

**Body Source**

```
1: public void mustahsilMakbuzTaslakSilAsync(string input, object userState) {
2:     if ((this.mustahsilMakbuzTaslakSilOperationCompleted == null)) {
3:         this.mustahsilMakbuzTaslakSilOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzTaslakSilOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzTaslakSil", new object[] {
6:         input}, this.mustahsilMakbuzTaslakSilOperationCompleted, userState);
7: }
```

**1.1.4.1.51.2.31 MustahsilWebService.mustahsilMakbuzTaslakSorgula Method****C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzTaslakSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out belgeDTO[] output);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
```

```

ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
mustahsilMakbuzTaslakSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.S
chema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out belgeDTO[] output) {
4:     object[] results = this.Invoke("mustahsilMakbuzTaslakSorgula", new object[] {
5:         input});
6:     output = ((belgeDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }

```

#### 1.1.4.1.51.2.32 mustahsilMakbuzTaslakSorgulaAsync Method

##### 1.1.4.1.51.2.32.1 MustahsilWebService.mustahsilMakbuzTaslakSorgulaAsync Method (string)

C#

```
public void mustahsilMakbuzTaslakSorgulaAsync(string input);
```

**Body Source**

```

1: public void mustahsilMakbuzTaslakSorgulaAsync(string input) {
2:     this.mustahsilMakbuzTaslakSorgulaAsync(input, null);
3: }

```

##### 1.1.4.1.51.2.32.2 MustahsilWebService.mustahsilMakbuzTaslakSorgulaAsync Method (string, object)

C#

```
public void mustahsilMakbuzTaslakSorgulaAsync(string input, object userState);
```

**Body Source**

```

1: public void mustahsilMakbuzTaslakSorgulaAsync(string input, object userState) {
2:     if ((this.mustahsilMakbuzTaslakSorgulaOperationCompleted == null)) {
3:         this.mustahsilMakbuzTaslakSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzTaslakSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzTaslakSorgula", new object[] {
6:         input}, this.mustahsilMakbuzTaslakSorgulaOperationCompleted, userState);
7: }

```

#### 1.1.4.1.51.2.33 MustahsilWebService.mustahsilMakbuzTaslaktanOlustur Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
mustahsilMakbuzTaslaktanOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);

```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
```

```

1: Use=System.Web.Services.Description.SoapBindingUse.Literal,
2: ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
3: Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
mustahsilMakbuzTaslaktanOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
1.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("mustahsilMakbuzTaslaktanOlustur", new object[] {
5:         input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }

```

#### 1.1.4.1.51.2.34 mustahsilMakbuzTaslaktanOlusturAsync Method

##### 1.1.4.1.51.2.34.1 MustahsilWebService.mustahsilMakbuzTaslaktanOlusturAsync Method (string)

C#

```
public void mustahsilMakbuzTaslaktanOlusturAsync(string input);
```

##### Body Source

```

1: public void mustahsilMakbuzTaslaktanOlusturAsync(string input) {
2:     this.mustahsilMakbuzTaslaktanOlusturAsync(input, null);
3: }

```

##### 1.1.4.1.51.2.34.2 MustahsilWebService.mustahsilMakbuzTaslaktanOlusturAsync Method (string, object)

C#

```
public void mustahsilMakbuzTaslaktanOlusturAsync(string input, object userState);
```

##### Body Source

```

1: public void mustahsilMakbuzTaslaktanOlusturAsync(string input, object userState) {
2:     if ((this.mustahsilMakbuzTaslaktanOlusturOperationCompleted == null)) {
3:         this.mustahsilMakbuzTaslaktanOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzTaslaktanOlusturOperationCompleted
);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzTaslaktanOlustur", new object[] {
6:         input}, this.mustahsilMakbuzTaslaktanOlusturOperationCompleted,
userState);
7: }

```

#### 1.1.4.1.51.2.35 MustahsilWebService.OnbelgeZipiAIOperationCompleted Method

C#

```
private void OnbelgeZipiAIOperationCompleted(object arg);
```

##### Description

This is OnbelgeZipiAIOperationCompleted, a member of class MustahsilWebService.

##### Body Source

```

1: private void OnbelgeZipiAIOperationCompleted(object arg) {
2:     if ((this.belgeZipiAlCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.belgeZipiAlCompleted(this, new
belgeZipiAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }

```

#### 1.1.4.1.51.2.36 MustahsilWebService.OnePostaDurumSorgulaOperationCompleted Method

C#

```
private void OnePostaDurumSorgulaOperationCompleted(object arg);
```

##### Description

This is OnePostaDurumSorgulaOperationCompleted, a member of class MustahsilWebService.

##### Body Source

```
1: private void OnePostaDurumSorgulaOperationCompleted(object arg) {
2:     if ((this.ePostaDurumSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.ePostaDurumSorgulaCompleted(this, new
ePostaDurumSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
6:     }
6: }
```

#### 1.1.4.1.51.2.37 MustahsilWebService.OnePostaGonderOperationCompleted Method

C#

```
private void OnePostaGonderOperationCompleted(object arg);
```

##### Description

This is OnePostaGonderOperationCompleted, a member of class MustahsilWebService.

##### Body Source

```
1: private void OnePostaGonderOperationCompleted(object arg) {
2:     if ((this.ePostaGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.ePostaGonderCompleted(this, new
ePostaGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
6:     }
6: }
```

#### 1.1.4.1.51.2.38 MustahsilWebService.OnkontorBilgisiGetirOperationCompleted Method

C#

```
private void OnkontorBilgisiGetirOperationCompleted(object arg);
```

##### Description

This is OnkontorBilgisiGetirOperationCompleted, a member of class MustahsilWebService.

##### Body Source

```
1: private void OnkontorBilgisiGetirOperationCompleted(object arg) {
2:     if ((this.kontorBilgisiGetirCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.kontorBilgisiGetirCompleted(this, new
kontorBilgisiGetirCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
6:     }
6: }
```

#### 1.1.4.1.51.2.39 MustahsilWebService.OnmustahsilMakbuzIptalEtOperationCompleted Method

C#

```
private void OnmustahsilMakbuzIptalEtOperationCompleted(object arg);
```

## Description

This is OnmustahsilMakbuzIptalEtOperationCompleted, a member of class MustahsilWebService.

## Body Source

```

1: private void OnmustahsilMakbuzIptalEtOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzIptalEtCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.mustahsilMakbuzIptalEtCompleted(this, new
mustahsilMakbuzIptalEtCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.4.1.51.2.40 MustahsilWebService.OnmustahsilMakbuzIptaliKaldırOperationCompleted Method

#### C#

```
private void OnmustahsilMakbuzIptaliKaldırOperationCompleted(object arg);
```

## Description

This is OnmustahsilMakbuzIptaliKaldırOperationCompleted, a member of class MustahsilWebService.

## Body Source

```

1: private void OnmustahsilMakbuzIptaliKaldırOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzIptaliKaldırCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.mustahsilMakbuzIptaliKaldırCompleted(this, new
mustahsilMakbuzIptaliKaldırCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.4.1.51.2.41 MustahsilWebService.OnmustahsilMakbuzListeSorgulaOperationCompleted Method

#### C#

```
private void OnmustahsilMakbuzListeSorgulaOperationCompleted(object arg);
```

## Description

This is OnmustahsilMakbuzListeSorgulaOperationCompleted, a member of class MustahsilWebService.

## Body Source

```

1: private void OnmustahsilMakbuzListeSorgulaOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzListeSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.mustahsilMakbuzListeSorgulaCompleted(this, new
mustahsilMakbuzListeSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.4.1.51.2.42 MustahsilWebService.OnmustahsilMakbuzListeSorgulaPortalOperationCompleted Method

#### C#

```
private void OnmustahsilMakbuzListeSorgulaPortalOperationCompleted(object arg);
```

## Description

This is OnmustahsilMakbuzListeSorgulaPortalOperationCompleted, a member of class MustahsilWebService.

## Body Source

```
1: private void OnmustahsilMakbuzListeSorgulaPortalOperationCompleted(object arg) {
```

```

2:     if ((this.mustahsilMakbuzListeSorgulaPortalCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.mustahsilMakbuzListeSorgulaPortalCompleted(this, new
mustahsilMakbuzListeSorgulaPortalCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
6:     }

```

#### 1.1.4.1.51.2.43 MustahsilWebService.OnmustahsilMakbuzOlusturOperationCompleted Method

C#

```
private void OnmustahsilMakbuzOlusturOperationCompleted(object arg);
```

**Description**

This is OnmustahsilMakbuzOlusturOperationCompleted, a member of class MustahsilWebService.

**Body Source**

```

1: private void OnmustahsilMakbuzOlusturOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzOlusturCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.mustahsilMakbuzOlusturCompleted(this, new
mustahsilMakbuzOlusturCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
6:     }

```

#### 1.1.4.1.51.2.44 MustahsilWebService.OnmustahsilMakbuzOnizlemeOperationCompleted Method

C#

```
private void OnmustahsilMakbuzOnizlemeOperationCompleted(object arg);
```

**Description**

This is OnmustahsilMakbuzOnizlemeOperationCompleted, a member of class MustahsilWebService.

**Body Source**

```

1: private void OnmustahsilMakbuzOnizlemeOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzOnizlemeCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.mustahsilMakbuzOnizlemeCompleted(this, new
mustahsilMakbuzOnizlemeCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
6:     }

```

#### 1.1.4.1.51.2.45 MustahsilWebService.OnmustahsilMakbuzSorgulaOperationCompleted Method

C#

```
private void OnmustahsilMakbuzSorgulaOperationCompleted(object arg);
```

**Description**

This is OnmustahsilMakbuzSorgulaOperationCompleted, a member of class MustahsilWebService.

**Body Source**

```

1: private void OnmustahsilMakbuzSorgulaOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.mustahsilMakbuzSorgulaCompleted(this, new
mustahsilMakbuzSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
6:     }

```

```
6: }
```

#### 1.1.4.1.51.2.46 MustahsilWebService.OnmustahsilMakbuzTaslakOlusturOperationCompleted Method

C#

```
private void OnmustahsilMakbuzTaslakOlusturOperationCompleted(object arg);
```

##### Description

This is OnmustahsilMakbuzTaslakOlusturOperationCompleted, a member of class MustahsilWebService.

##### Body Source

```
1: private void OnmustahsilMakbuzTaslakOlusturOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzTaslakOlusturCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.mustahsilMakbuzTaslakOlusturCompleted(this, new
mustahsilMakbuzTaslakOlusturCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

#### 1.1.4.1.51.2.47 MustahsilWebService.OnmustahsilMakbuzTaslakOnizlemeOperationCompleted Method

C#

```
private void OnmustahsilMakbuzTaslakOnizlemeOperationCompleted(object arg);
```

##### Description

This is OnmustahsilMakbuzTaslakOnizlemeOperationCompleted, a member of class MustahsilWebService.

##### Body Source

```
1: private void OnmustahsilMakbuzTaslakOnizlemeOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzTaslakOnizlemeCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.mustahsilMakbuzTaslakOnizlemeCompleted(this, new
mustahsilMakbuzTaslakOnizlemeCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

#### 1.1.4.1.51.2.48 MustahsilWebService.OnmustahsilMakbuzTaslakSilOperationCompleted Method

C#

```
private void OnmustahsilMakbuzTaslakSilOperationCompleted(object arg);
```

##### Description

This is OnmustahsilMakbuzTaslakSilOperationCompleted, a member of class MustahsilWebService.

##### Body Source

```
1: private void OnmustahsilMakbuzTaslakSilOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzTaslakSilCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.mustahsilMakbuzTaslakSilCompleted(this, new
mustahsilMakbuzTaslakSilCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

#### 1.1.4.1.51.2.49 MustahsilWebService.OnmustahsilMakbuzTaslakSorgulaOperationCompleted Method

C#

```
private void OnmustahsilMakbuzTaslakSorgulaOperationCompleted(object arg);
```

## Description

This is OnmustahsilMakbuzTaslakSorgulaOperationCompleted, a member of class MustahsilWebService.

## Body Source

```

1: private void OnmustahsilMakbuzTaslakSorgulaOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzTaslakSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.mustahsilMakbuzTaslakSorgulaCompleted(this, new
mustahsilMakbuzTaslakSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

## 1.1.4.1.51.2.50 MustahsilWebService.OnmustahsilMakbuzTaslaktanOlusturOperationCompleted Method

### C#

```
private void OnmustahsilMakbuzTaslaktanOlusturOperationCompleted(object arg);
```

## Description

This is OnmustahsilMakbuzTaslaktanOlusturOperationCompleted, a member of class MustahsilWebService.

## Body Source

```

1: private void OnmustahsilMakbuzTaslaktanOlusturOperationCompleted(object arg) {
2:     if ((this.mustahsilMakbuzTaslaktanOlusturCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.mustahsilMakbuzTaslaktanOlusturCompleted(this, new
mustahsilMakbuzTaslaktanOlusturCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

## 1.1.4.1.51.2.51 MustahsilWebService.OnraporBolumAIOperationCompleted Method

### C#

```
private void OnraporBolumAIOperationCompleted(object arg);
```

## Description

This is OnraporBolumAIOperationCompleted, a member of class MustahsilWebService.

## Body Source

```

1: private void OnraporBolumAIOperationCompleted(object arg) {
2:     if ((this.raporBolumAICompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumAICompleted(this, new
raporBolumAICompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

## 1.1.4.1.51.2.52 MustahsilWebService.OnraporBolumBilgisiAIOperationCompleted Method

### C#

```
private void OnraporBolumBilgisiAIOperationCompleted(object arg);
```

## Description

This is OnraporBolumBilgisiAIOperationCompleted, a member of class MustahsilWebService.

## Body Source

```
1: private void OnraporBolumBilgisiAIOperationCompleted(object arg) {
```

```

1:     if ((this.raporBolumBilgisiAlCompleted != null)) {
2:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
3:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumBilgisiAlCompleted(this, new
5:             raporBolumBilgisiAlCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
6:             invokeArgs.Cancelled, invokeArgs.UserState));
7:     }
8: }
```

#### 1.1.4.1.51.2.53 MustahsilWebService.OnraporBolumleriOlusturOperationCompleted Method

C#

```
private void OnraporBolumleriOlusturOperationCompleted(object arg);
```

##### Description

This is OnraporBolumleriOlusturOperationCompleted, a member of class MustahsilWebService.

##### Body Source

```

1: private void OnraporBolumleriOlusturOperationCompleted(object arg) {
2:     if ((this.raporBolumleriOlusturCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.raporBolumleriOlusturCompleted(this, new
6:             raporBolumleriOlusturCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

#### 1.1.4.1.51.2.54 MustahsilWebService.OnraporBolumListesiDetaigliSorgulaOperationCompleted Method

C#

```
private void OnraporBolumListesiDetaigliSorgulaOperationCompleted(object arg);
```

##### Description

This is OnraporBolumListesiDetaigliSorgulaOperationCompleted, a member of class MustahsilWebService.

##### Body Source

```

1: private void OnraporBolumListesiDetaigliSorgulaOperationCompleted(object arg) {
2:     if ((this.raporBolumListesiDetaigliSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.raporBolumListesiDetaigliSorgulaCompleted(this, new
6:             raporBolumListesiDetaigliSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

#### 1.1.4.1.51.2.55 MustahsilWebService.OnraporBolumListesiSorgulaOperationCompleted Method

C#

```
private void OnraporBolumListesiSorgulaOperationCompleted(object arg);
```

##### Description

This is OnraporBolumListesiSorgulaOperationCompleted, a member of class MustahsilWebService.

##### Body Source

```

1: private void OnraporBolumListesiSorgulaOperationCompleted(object arg) {
2:     if ((this.raporBolumListesiSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.raporBolumListesiSorgulaCompleted(this, new
6:             raporBolumListesiSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
7:             invokeArgs.Cancelled, invokeArgs.UserState));
8:     }
9: }
```

```
6: }
```

#### 1.1.4.1.51.2.56 MustahsilWebService.OnraporBolumRaporNoGuncelleImzalaOperationCompleted Method

C#

```
private void OnraporBolumRaporNoGuncelleImzalaOperationCompleted(object arg);
```

##### Description

This is OnraporBolumRaporNoGuncelleImzalaOperationCompleted, a member of class MustahsilWebService.

##### Body Source

```
1: private void OnraporBolumRaporNoGuncelleImzalaOperationCompleted(object arg) {
2:     if ((this.raporBolumRaporNoGuncelleImzalaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumRaporNoGuncelleImzalaCompleted(this, new
raporBolumRaporNoGuncelleImzalaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

#### 1.1.4.1.51.2.57 MustahsilWebService.OnraporBolumSilOperationCompleted Method

C#

```
private void OnraporBolumSilOperationCompleted(object arg);
```

##### Description

This is OnraporBolumSilOperationCompleted, a member of class MustahsilWebService.

##### Body Source

```
1: private void OnraporBolumSilOperationCompleted(object arg) {
2:     if ((this.raporBolumSilCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporBolumSilCompleted(this, new
raporBolumSilCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

#### 1.1.4.1.51.2.58 MustahsilWebService.OnrapordaBelgeSorgulaOperationCompleted Method

C#

```
private void OnrapordaBelgeSorgulaOperationCompleted(object arg);
```

##### Description

This is OnrapordaBelgeSorgulaOperationCompleted, a member of class MustahsilWebService.

##### Body Source

```
1: private void OnrapordaBelgeSorgulaOperationCompleted(object arg) {
2:     if ((this.rapordaBelgeSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.rapordaBelgeSorgulaCompleted(this, new
rapordaBelgeSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

#### 1.1.4.1.51.2.59 MustahsilWebService.OnraporDurumSorgulaOperationCompleted Method

C#

```
private void OnraporDurumSorgulaOperationCompleted(object arg);
```

## Description

This is OnraporDurumSorgulaOperationCompleted, a member of class MustahsilWebService.

## Body Source

```

1: private void OnraporDurumSorgulaOperationCompleted(object arg) {
2:     if ((this.raporDurumSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporDurumSorgulaCompleted(this, new
raporDurumSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.4.1.51.2.60 MustahsilWebService.OnraporGonderOperationCompleted Method

#### C#

```
private void OnraporGonderOperationCompleted(object arg);
```

## Description

This is OnraporGonderOperationCompleted, a member of class MustahsilWebService.

## Body Source

```

1: private void OnraporGonderOperationCompleted(object arg) {
2:     if ((this.raporGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.raporGonderCompleted(this, new
raporGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
5:     }
6: }
```

### 1.1.4.1.51.2.61 MustahsilWebService.OnsmsDurumSorgulaOperationCompleted Method

#### C#

```
private void OnsmsDurumSorgulaOperationCompleted(object arg);
```

## Description

This is OnsmsDurumSorgulaOperationCompleted, a member of class MustahsilWebService.

## Body Source

```

1: private void OnsmsDurumSorgulaOperationCompleted(object arg) {
2:     if ((this.smsDurumSorgulaCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.smsDurumSorgulaCompleted(this, new
smsDurumSorgulaCompletedEventArgs(invokeArgs.Results, invokeArgs.Error,
invokeArgs.Cancelled, invokeArgs.UserState));
5:     }
6: }
```

### 1.1.4.1.51.2.62 MustahsilWebService.OnsmsGonderOperationCompleted Method

#### C#

```
private void OnsmsGonderOperationCompleted(object arg);
```

## Description

This is OnsmsGonderOperationCompleted, a member of class MustahsilWebService.

## Body Source

```
1: private void OnsmsGonderOperationCompleted(object arg) {
```

```

2:     if ((this.smsGonderCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.smsGonderCompleted(this, new
6: smsGonderCompletedEventArgs(invokeArgs.Results, invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
6:     }

```

#### 1.1.4.1.51.2.63 MustahsilWebService.raporBolumAI Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
raporBolumAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string bolumRaporNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return);

```

#### Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
raporBolumAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string bolumRaporNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("raporBolumAl", new object[] {
5:         bolumRaporNo});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }

```

#### 1.1.4.1.51.2.64 raporBolumAIAsync Method

##### 1.1.4.1.51.2.64.1 MustahsilWebService.raporBolumAIAsync Method (string)

C#

```
public void raporBolumAlAsync(string bolumRaporNo);
```

#### Body Source

```

1: public void raporBolumAlAsync(string bolumRaporNo) {
2:     this.raporBolumAlAsync(bolumRaporNo, null);
3: }

```

##### 1.1.4.1.51.2.64.2 MustahsilWebService.raporBolumAIAsync Method (string, object)

C#

```
public void raporBolumAlAsync(string bolumRaporNo, object userState);
```

**Body Source**

```

1: public void raporBolumAlAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumAlOperationCompleted == null)) {
3:         this.raporBolumAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumAlOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumAl", new object[] {
6:         bolumRaporNo}, this.raporBolumAlOperationCompleted, userState);
7: }
```

**1.1.4.1.51.2.65 MustahsilWebService.raporBolumBilgisiAl Method****C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumBilgisiAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string bolumRaporNo);
```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumBilgisiAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string bolumRaporNo) {
4:     object[] results = this.Invoke("raporBolumBilgisiAl", new object[] {
5:         bolumRaporNo});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

**1.1.4.1.51.2.66 raporBolumBilgisiAlAsync Method****1.1.4.1.51.2.66.1 MustahsilWebService.raporBolumBilgisiAlAsync Method (string)****C#**

```
public void raporBolumBilgisiAlAsync(string bolumRaporNo);
```

**Body Source**

```

1: public void raporBolumBilgisiAlAsync(string bolumRaporNo) {
2:     this.raporBolumBilgisiAlAsync(bolumRaporNo, null);
3: }
```

**1.1.4.1.51.2.66.2 MustahsilWebService.raporBolumBilgisiAlAsync Method (string, object)****C#**

```
public void raporBolumBilgisiAlAsync(string bolumRaporNo, object userState);
```

**Body Source**

```

1: public void raporBolumBilgisiAlAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumBilgisiAlOperationCompleted == null)) {
3:         this.raporBolumBilgisiAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumBilgisiAlOperationCompleted);
```

```

4:     }
5:     this.InvokeAsync("raporBolumBilgisiAl", new object[] {
6:         bolumRaporNo}, this.raporBolumBilgisiAlOperationCompleted, userState);
7: }
```

#### 1.1.4.1.51.2.67 MustahsilWebService.raporBolumleriOlustur Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumleriOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string sonGun);
```

#### Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumleriOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string sonGun) {
4:     object[] results = this.Invoke("raporBolumleriOlustur", new object[] {
5:         input,
6:         donem,
7:         sonGun});
8:     return ((earsivServiceResult)(results[0]));
9: }
```

#### 1.1.4.1.51.2.68 raporBolumleriOlusturAsync Method

##### 1.1.4.1.51.2.68.1 MustahsilWebService.raporBolumleriOlusturAsync Method (string, string, string)

C#

```
public void raporBolumleriOlusturAsync(string input, string donem, string sonGun);
```

#### Body Source

```

1: public void raporBolumleriOlusturAsync(string input, string donem, string sonGun) {
2:     this.raporBolumleriOlusturAsync(input, donem, sonGun, null);
3: }
```

#### 1.1.4.1.51.2.68.2 MustahsilWebService.raporBolumleriOlusturAsync Method (string, string, string, object)

C#

```
public void raporBolumleriOlusturAsync(string input, string donem, string sonGun, object
userState);
```

**Body Source**

```
1: public void raporBolumleriOlusturAsync(string input, string donem, string sonGun, object
userState) {
2:     if ((this.raporBolumleriOlusturOperationCompleted == null)) {
3:         this.raporBolumleriOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumleriOlusturOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumleriOlustur", new object[] {
6:         input,
7:         donem,
8:         sonGun}, this.raporBolumleriOlusturOperationCompleted, userState);
9: }
```

#### 1.1.4.1.51.2.69 MustahsilWebService.raporBolumListesiDetayliSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumListesiDetayliSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string donem, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out raporBolumDTO[] output);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumListesiDetayliSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string donem, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out raporBolumDTO[] output) {
4:     object[] results = this.Invoke("raporBolumListesiDetayliSorgula", new object[] {
5:         donem});
6:     output = ((raporBolumDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

#### 1.1.4.1.51.2.70 raporBolumListesiDetayliSorgulaAsync Method

##### 1.1.4.1.51.2.70.1 MustahsilWebService.raporBolumListesiDetayliSorgulaAsync Method (string)

C#

```
public void raporBolumListesiDetayliSorgulaAsync(string donem);
```

**Body Source**

```
1: public void raporBolumListesiDetayliSorgulaAsync(string donem) {
2:     this.raporBolumListesiDetayliSorgulaAsync(donem, null);
```

```
3: }
```

#### 1.1.4.1.51.2.70.2 MustahsilWebService.raporBolumListesiDetayliSorgulaAsync Method (string, object)

C#

```
public void raporBolumListesiDetayliSorgulaAsync(string donem, object userState);
```

##### Body Source

```
1: public void raporBolumListesiDetayliSorgulaAsync(string donem, object userState) {
2:     if ((this.raporBolumListesiDetayliSorgulaOperationCompleted == null)) {
3:         this.raporBolumListesiDetayliSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumListesiDetayliSorgulaOperationCompleted
);
4:     }
5:     this.InvokeAsync("raporBolumListesiDetayliSorgula", new object[] {
6:         donem}, this.raporBolumListesiDetayliSorgulaOperationCompleted,
userState);
7: }
```

#### 1.1.4.1.51.2.71 MustahsilWebService.raporBolumListesiSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
raporBolumListesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return);
```

##### Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
raporBolumListesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("raporBolumListesiSorgula", new object[] {
5:         donem});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((string)(results[0]));
8: }
```

#### 1.1.4.1.51.2.72 raporBolumListesiSorgulaAsync Method

##### 1.1.4.1.51.2.72.1 MustahsilWebService.raporBolumListesiSorgulaAsync Method (string)

C#

```
public void raporBolumListesiSorgulaAsync(string donem);
```

**Body Source**

```

1: public void raporBolumListesiSorgulaAsync(string donem) {
2:     this.raporBolumListesiSorgulaAsync(donem, null);
3: }

```

**1.1.4.1.51.2.72.2 MustahsilWebService.raporBolumListesiSorgulaAsync Method (string, object)****C#**

```
public void raporBolumListesiSorgulaAsync(string donem, object userState);
```

**Body Source**

```

1: public void raporBolumListesiSorgulaAsync(string donem, object userState) {
2:     if ((this.raporBolumListesiSorgulaOperationCompleted == null)) {
3:         this.raporBolumListesiSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumListesiSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumListesiSorgula", new object[] {
6:         donem}, this.raporBolumListesiSorgulaOperationCompleted, userState);
7: }

```

**1.1.4.1.51.2.73 MustahsilWebService.raporBolumRaporNoGuncelleImzala Method****C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumRaporNoGuncelleImzala([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
1.Schema.XmlSchemaForm.Unqualified)]
string bolumRaporNo);

```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumRaporNoGuncelleImzala([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
1.Schema.XmlSchemaForm.Unqualified)]
string bolumRaporNo) {
4:     object[] results = this.Invoke("raporBolumRaporNoGuncelleImzala", new object[] {
5:         bolumRaporNo});
6:     return ((earsivServiceResult)(results[0]));
7: }

```

**1.1.4.1.51.2.74 raporBolumRaporNoGuncelleImzalaAsync Method****1.1.4.1.51.2.74.1 MustahsilWebService.raporBolumRaporNoGuncelleImzalaAsync Method (string)****C#**

```
public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo);
```

**Body Source**

```

1: public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo) {
2:     this.raporBolumRaporNoGuncelleImzalaAsync(bolumRaporNo, null);
3: }

```

**1.1.4.1.51.2.74.2 MustahsilWebService.raporBolumRaporNoGuncelleImzalaAsync Method (string, object)****C#**

```
public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo, object userState);
```

**Body Source**

```
1: public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumRaporNoGuncelleImzalaOperationCompleted == null)) {
3:         this.raporBolumRaporNoGuncelleImzalaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumRaporNoGuncelleImzalaOperationCompleted
);
4:     }
5:     this.InvokeAsync("raporBolumRaporNoGuncelleImzala", new object[] {
6:         bolumRaporNo}, this.raporBolumRaporNoGuncelleImzalaOperationCompleted,
userState);
7: }
```

**1.1.4.1.51.2.75 MustahsilWebService.raporBolumSil Method****C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string bolumRaporNo);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string bolumRaporNo) {
4:     object[] results = this.Invoke("raporBolumSil", new object[] {
5:         bolumRaporNo});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

**1.1.4.1.51.2.76 raporBolumSilAsync Method****1.1.4.1.51.2.76.1 MustahsilWebService.raporBolumSilAsync Method (string)****C#**

```
public void raporBolumSilAsync(string bolumRaporNo);
```

**Body Source**

```
1: public void raporBolumSilAsync(string bolumRaporNo) {
2:     this.raporBolumSilAsync(bolumRaporNo, null);
3: }
```

#### 1.1.4.1.51.2.76.2 MustahsilWebService.raporBolumSilAsync Method (string, object)

C#

```
public void raporBolumSilAsync(string bolumRaporNo, object userState);
```

**Body Source**

```
1: public void raporBolumSilAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumSilOperationCompleted == null)) {
3:         this.raporBolumSilOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumSilOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumSil", new object[] {
6:         bolumRaporNo}, this.raporBolumSilOperationCompleted, userState);
7: }
```

#### 1.1.4.1.51.2.77 MustahsilWebService.rapordaBelgeSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
rapordaBelgeSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string input);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
rapordaBelgeSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("rapordaBelgeSorgula", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

#### 1.1.4.1.51.2.78 rapordaBelgeSorgulaAsync Method

##### 1.1.4.1.51.2.78.1 MustahsilWebService.rapordaBelgeSorgulaAsync Method (string)

C#

```
public void rapordaBelgeSorgulaAsync(string input);
```

**Body Source**

```
1: public void rapordaBelgeSorgulaAsync(string input) {
2:     this.rapordaBelgeSorgulaAsync(input, null);
3: }
```

##### 1.1.4.1.51.2.78.2 MustahsilWebService.rapordaBelgeSorgulaAsync Method (string, object)

C#

```
public void rapordaBelgeSorgulaAsync(string input, object userState);
```

**Body Source**

```

1: public void rapordaBelgeSorgulaAsync(string input, object userState) {
2:     if ((this.rapordaBelgeSorgulaOperationCompleted == null)) {
3:         this.rapordaBelgeSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnrapordaBelgeSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("rapordaBelgeSorgula", new object[] {
6:         input}, this.rapordaBelgeSorgulaOperationCompleted, userState);
7: }
```

**1.1.4.1.51.2.79 MustahsilWebService.raporDurumSorgula Method****C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSc
hemaForm.Unqualified)]
string donem);
```

**Body Source**

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSc
hemaForm.Unqualified)]
string donem) {
4:     object[] results = this.Invoke("raporDurumSorgula", new object[] {
5:         donem});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

**1.1.4.1.51.2.80 raporDurumSorgulaAsync Method****1.1.4.1.51.2.80.1 MustahsilWebService.raporDurumSorgulaAsync Method (string)****C#**

```
public void raporDurumSorgulaAsync(string donem);
```

**Body Source**

```

1: public void raporDurumSorgulaAsync(string donem) {
2:     this.raporDurumSorgulaAsync(donem, null);
3: }
```

**1.1.4.1.51.2.80.2 MustahsilWebService.raporDurumSorgulaAsync Method (string, object)****C#**

```
public void raporDurumSorgulaAsync(string donem, object userState);
```

**Body Source**

```

1: public void raporDurumSorgulaAsync(string donem, object userState) {
2:     if ((this.raporDurumSorgulaOperationCompleted == null)) {
3:         this.raporDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporDurumSorgulaOperationCompleted);
```

```

4:      }
5:      this.InvokeAsync("raporDurumSorgula", new object[] {
6:          donem}, this.raporDurumSorgulaOperationCompleted, userState);
7:  }

```

#### 1.1.4.1.51.2.81 MustahsilWebService.raporGonder Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
string donem);

```

##### Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
string donem) {
4:     object[] results = this.Invoke("raporGonder", new object[] {
5:         donem});
6:     return ((earsivServiceResult)(results[0]));
7: }

```

#### 1.1.4.1.51.2.82 raporGonderAsync Method

##### 1.1.4.1.51.2.82.1 MustahsilWebService.raporGonderAsync Method (string)

C#

```
public void raporGonderAsync(string donem);
```

##### Body Source

```

1: public void raporGonderAsync(string donem) {
2:     this.raporGonderAsync(donem, null);
3: }

```

##### 1.1.4.1.51.2.82.2 MustahsilWebService.raporGonderAsync Method (string, object)

C#

```
public void raporGonderAsync(string donem, object userState);
```

##### Body Source

```

1: public void raporGonderAsync(string donem, object userState) {
2:     if ((this.raporGonderOperationCompleted == null)) {
3:         this.raporGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("raporGonder", new object[] {
6:         donem}, this.raporGonderOperationCompleted, userState);
7: }

```

#### 1.1.4.1.51.2.83 MustahsilWebService.smsDurumSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
smsDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out string outputDurum);
```

##### Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
smsDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out string outputDurum) {
4:     object[] results = this.Invoke("smsDurumSorgula", new object[] {
5:         input});
6:     outputDurum = ((string)(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

#### 1.1.4.1.51.2.84 smsDurumSorgulaAsync Method

##### 1.1.4.1.51.2.84.1 MustahsilWebService.smsDurumSorgulaAsync Method (string)

C#

```
public void smsDurumSorgulaAsync(string input);
```

##### Body Source

```
1: public void smsDurumSorgulaAsync(string input) {
2:     this.smsDurumSorgulaAsync(input, null);
3: }
```

##### 1.1.4.1.51.2.84.2 MustahsilWebService.smsDurumSorgulaAsync Method (string, object)

C#

```
public void smsDurumSorgulaAsync(string input, object userState);
```

##### Body Source

```
1: public void smsDurumSorgulaAsync(string input, object userState) {
2:     if ((this.smsDurumSorgulaOperationCompleted == null)) {
3:         this.smsDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnsmsDurumSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("smsDurumSorgula", new object[] {
6:         input}, this.smsDurumSorgulaOperationCompleted, userState);
```

```
7: }
```

#### 1.1.4.1.51.2.85 MustahsilWebService.smsGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
smsGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm
.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ilaveTelefonNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
int tanimliTelefonNoyaGonder);
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
smsGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm
.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ilaveTelefonNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
int tanimliTelefonNoyaGonder) {
4:     object[] results = this.Invoke("smsGonder", new object[] {
5:         input,
6:         ilaveTelefonNo,
7:         tanimliTelefonNoyaGonder});
8:     return ((earsivServiceResult)(results[0]));
9: }
```

#### 1.1.4.1.51.2.86 smsGonderAsync Method

##### 1.1.4.1.51.2.86.1 MustahsilWebService.smsGonderAsync Method (string, string, int)

C#

```
public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder);
```

**Body Source**

```
1: public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder) {
2:     this.smsGonderAsync(input, ilaveTelefonNo, tanimliTelefonNoyaGonder, null);
3: }
```

#### 1.1.4.1.51.2.86.2 MustahsilWebService.smsGonderAsync Method (string, string, int, object)

C#

```
public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder, object userState);
```

##### Body Source

```
1: public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder, object userState) {
2:     if ((this.smsGonderOperationCompleted == null)) {
3:         this.smsGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnsmsGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("smsGonder", new object[] {
6:         input,
7:         ilaveTelefonNo,
8:         tanimliTelefonNoyaGonder}, this.smsGonderOperationCompleted, userState);
9: }
```

#### 1.1.4.1.51.3 MustahsilWebService Properties

##### 1.1.4.1.51.3.1 MustahsilWebService.Url Property

C#

```
public new string Url;
```

##### Description

This is Url, a member of class MustahsilWebService.

##### 1.1.4.1.51.3.2 MustahsilWebService.UseDefaultCredentials Property

C#

```
public new bool UseDefaultCredentials;
```

##### Description

This is UseDefaultCredentials, a member of class MustahsilWebService.

#### 1.1.4.1.51.4 MustahsilWebService Events

##### 1.1.4.1.51.4.1 MustahsilWebService.belgeZipiAlCompleted Event

C#

```
public event belgeZipiAlCompletedEventHandler belgeZipiAlCompleted;
```

##### 1.1.4.1.51.4.2 MustahsilWebService.ePostaDurumSorgulaCompleted Event

C#

```
public event ePostaDurumSorgulaCompletedEventHandler ePostaDurumSorgulaCompleted;
```

##### 1.1.4.1.51.4.3 MustahsilWebService.ePostaGonderCompleted Event

C#

```
public event ePostaGonderCompletedEventHandler ePostaGonderCompleted;
```

##### 1.1.4.1.51.4.4 MustahsilWebService.kontorBilgisiGetirCompleted Event

C#

```
public event kontorBilgisiGetirCompletedEventHandler kontorBilgisiGetirCompleted;
```

**1.1.4.1.51.4.5 MustahsilWebService.mustahsilMakbuzIptalEtCompleted Event****C#**

```
public event mustahsilMakbuzIptalEtCompletedEventHandler mustahsilMakbuzIptalEtCompleted;
```

**1.1.4.1.51.4.6 MustahsilWebService.mustahsilMakbuzIptaliKaldırCompleted Event****C#**

```
public event mustahsilMakbuzIptaliKaldırCompletedEventHandler mustahsilMakbuzIptaliKaldırCompleted;
```

**1.1.4.1.51.4.7 MustahsilWebService.mustahsilMakbuzListeSorgulaCompleted Event****C#**

```
public event mustahsilMakbuzListeSorgulaCompletedEventHandler mustahsilMakbuzListeSorgulaCompleted;
```

**1.1.4.1.51.4.8 MustahsilWebService.mustahsilMakbuzListeSorgulaPortalCompleted Event****C#**

```
public event mustahsilMakbuzListeSorgulaPortalCompletedEventHandler mustahsilMakbuzListeSorgulaPortalCompleted;
```

**1.1.4.1.51.4.9 MustahsilWebService.mustahsilMakbuzOlusturCompleted Event****C#**

```
public event mustahsilMakbuzOlusturCompletedEventHandler mustahsilMakbuzOlusturCompleted;
```

**1.1.4.1.51.4.10 MustahsilWebService.mustahsilMakbuzOnizlemeCompleted Event****C#**

```
public event mustahsilMakbuzOnizlemeCompletedEventHandler mustahsilMakbuzOnizlemeCompleted;
```

**1.1.4.1.51.4.11 MustahsilWebService.mustahsilMakbuzSorgulaCompleted Event****C#**

```
public event mustahsilMakbuzSorgulaCompletedEventHandler mustahsilMakbuzSorgulaCompleted;
```

**1.1.4.1.51.4.12 MustahsilWebService.mustahsilMakbuzTaslakOlusturCompleted Event****C#**

```
public event mustahsilMakbuzTaslakOlusturCompletedEventHandler mustahsilMakbuzTaslakOlusturCompleted;
```

**1.1.4.1.51.4.13 MustahsilWebService.mustahsilMakbuzTaslakOnizlemeCompleted Event****C#**

```
public event mustahsilMakbuzTaslakOnizlemeCompletedEventHandler mustahsilMakbuzTaslakOnizlemeCompleted;
```

**1.1.4.1.51.4.14 MustahsilWebService.mustahsilMakbuzTaslakSilCompleted Event****C#**

```
public event mustahsilMakbuzTaslakSilCompletedEventHandler mustahsilMakbuzTaslakSilCompleted;
```

**1.1.4.1.51.4.15 MustahsilWebService.mustahsilMakbuzTaslakSorgulaCompleted Event****C#**

```
public event mustahsilMakbuzTaslakSorgulaCompletedEventHandler mustahsilMakbuzTaslakSorgulaCompleted;
```

**1.1.4.1.51.4.16 MustahsilWebService.mustahsilMakbuzTaslaktanOlusturCompleted Event****C#**

```
public event mustahsilMakbuzTaslaktanOlusturCompletedEventHandler  
mustahsilMakbuzTaslaktanOlusturCompleted;
```

**1.1.4.1.51.4.17 MustahsilWebService.raporBolumAlCompleted Event****C#**

```
public event raporBolumAlCompletedEventHandler raporBolumAlCompleted;
```

**1.1.4.1.51.4.18 MustahsilWebService.raporBolumBilgisiAlCompleted Event****C#**

```
public event raporBolumBilgisiAlCompletedEventHandler raporBolumBilgisiAlCompleted;
```

**1.1.4.1.51.4.19 MustahsilWebService.raporBolumleriOlusturCompleted Event****C#**

```
public event raporBolumleriOlusturCompletedEventHandler raporBolumleriOlusturCompleted;
```

**1.1.4.1.51.4.20 MustahsilWebService.raporBolumListesiDetayliSorgulaCompleted Event****C#**

```
public event raporBolumListesiDetayliSorgulaCompletedEventHandler  
raporBolumListesiDetayliSorgulaCompleted;
```

**1.1.4.1.51.4.21 MustahsilWebService.raporBolumListesiSorgulaCompleted Event****C#**

```
public event raporBolumListesiSorgulaCompletedEventHandler  
raporBolumListesiSorgulaCompleted;
```

**1.1.4.1.51.4.22 MustahsilWebService.raporBolumRaporNoGuncelleImzalaCompleted Event****C#**

```
public event raporBolumRaporNoGuncelleImzalaCompletedEventHandler  
raporBolumRaporNoGuncelleImzalaCompleted;
```

**1.1.4.1.51.4.23 MustahsilWebService.raporBolumSilCompleted Event****C#**

```
public event raporBolumSilCompletedEventHandler raporBolumSilCompleted;
```

**1.1.4.1.51.4.24 MustahsilWebService.rapordaBelgeSorgulaCompleted Event****C#**

```
public event rapordaBelgeSorgulaCompletedEventHandler rapordaBelgeSorgulaCompleted;
```

**1.1.4.1.51.4.25 MustahsilWebService.raporDurumSorgulaCompleted Event****C#**

```
public event raporDurumSorgulaCompletedEventHandler raporDurumSorgulaCompleted;
```

**1.1.4.1.51.4.26 MustahsilWebService.raporGonderCompleted Event****C#**

```
public event raporGonderCompletedEventHandler raporGonderCompleted;
```

#### 1.1.4.1.51.4.27 MustahsilWebService.smsDurumSorgulaCompleted Event

C#

```
public event smsDurumSorgulaCompletedEventHandler smsDurumSorgulaCompleted;
```

#### 1.1.4.1.51.4.28 MustahsilWebService.smsGonderCompleted Event

C#

```
public event smsGonderCompletedEventHandler smsGonderCompleted;
```

### 1.1.4.1.52 raporBolumAI Class

#### Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumAI;
```

#### File

Reference.cs ( see page 835)

#### raporBolumAI Properties

	Name	Description
	bolumRaporNo (  see page 626)	

#### 1.1.4.1.52.1 raporBolumAI Properties

##### 1.1.4.1.52.1.1 raporBolumAI.bolumRaporNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bolumRaporNo;
```

### 1.1.4.1.53 raporBolumAICompletedEventArgs Class

#### Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumAICompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs ( see page 835)

## Methods

	Name	Description
!	raporBolumAICompletedEventArgs ( <a href="#">see page 627</a> )	This is raporBolumAICompletedEventArgs, a member of class raporBolumAICompletedEventArgs.

### raporBolumAICompletedEventArgs Properties

	Name	Description
!	@return ( <a href="#">see page 627</a> )	
!	Result ( <a href="#">see page 627</a> )	

### 1.1.4.1.53.1 raporBolumAICompletedEventArgs.raporBolumAICompletedEventArgs Constructor

C#

```
internal raporBolumAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

#### Description

This is raporBolumAICompletedEventArgs, a member of class raporBolumAICompletedEventArgs.

#### Body Source

```
1: internal raporBolumAICompletedEventArgs(object[] results, System.Exception exception,
  bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

### 1.1.4.1.53.2 raporBolumAICompletedEventArgs Properties

#### 1.1.4.1.53.2.1 raporBolumAICompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

#### 1.1.4.1.53.2.2 raporBolumAICompletedEventArgs.Result Property

C#

```
public belge Result;
```

## 1.1.4.1.54 raporBolumBilgisiAI Class

#### Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAI](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumBilgisiAI;
```

#### File


[Reference.cs](#) ([see page 835](#))

**raporBolumBilgisiAI Properties**

	Name	Description
	bolumRaporNo (see page 628)	

**1.1.4.1.54.1 raporBolumBilgisiAI Properties****1.1.4.1.54.1.1 raporBolumBilgisiAI.bolumRaporNo Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bolumRaporNo;
```

**1.1.4.1.55 raporBolumBilgisiAICompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumBilgisiAICompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs (see page 835)

**Methods**

	Name	Description
	raporBolumBilgisiAICompletedEventArgs (see page 628)	This is raporBolumBilgisiAICompletedEventArgs, a member of class raporBolumBilgisiAICompletedEventArgs.

**raporBolumBilgisiAICompletedEventArgs Properties**

	Name	Description
	Result (see page 629)	

**1.1.4.1.55.1****raporBolumBilgisiAICompletedEventArgs.raporBolumBilgisiAICompletedEventArgs Constructor****C#**

```
internal raporBolumBilgisiAICompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

**Description**

This is raporBolumBilgisiAICompletedEventArgs, a member of class raporBolumBilgisiAICompletedEventArgs.

**Body Source**

```
1: internal raporBolumBilgisiAICompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

## 1.1.4.1.55.2 raporBolumBilgisiAICompletedEventArgs Properties

### 1.1.4.1.55.2.1 raporBolumBilgisiAICompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

## 1.1.4.1.56 raporBolumBilgisiAIResponse Class

### Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAIResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumBilgisiAIResponse;
```

### File

Reference.cs ([see page 835](#))

### raporBolumBilgisiAIResponse Properties

	Name	Description
	@return ( <a href="#">see page 629</a> )	

## 1.1.4.1.56.1 raporBolumBilgisiAIResponse Properties

### 1.1.4.1.56.1.1 raporBolumBilgisiAIResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

## 1.1.4.1.57 raporBolumDTO Class

### Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.raporBolumDTO](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumDTO;
```

### File

Reference.cs ([see page 835](#))

**raporBolumDTO Properties**

	Name	Description
	baslangicTarihi (see page 630)	
	bitisTarihi (see page 630)	
	bolumNo (see page 630)	
	bolumNoSpecified (see page 630)	
	bolumRaporNo (see page 630)	
	durum (see page 630)	
	durumAciklama (see page 631)	
	durumKodu (see page 631)	
	sonIslemeZamani (see page 631)	

**1.1.4.1.57.1 raporBolumDTO Properties****1.1.4.1.57.1.1 raporBolumDTO.baslangicTarihi Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string baslangicTarihi;
```

**1.1.4.1.57.1.2 raporBolumDTO.bitisTarihi Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bitisTarihi;
```

**1.1.4.1.57.1.3 raporBolumDTO.bolumNo Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public long bolumNo;
```

**1.1.4.1.57.1.4 raporBolumDTO.bolumNoSpecified Property****C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool bolumNoSpecified;
```

**1.1.4.1.57.1.5 raporBolumDTO.bolumRaporNo Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bolumRaporNo;
```

**1.1.4.1.57.1.6 raporBolumDTO.durum Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int durum;
```

#### 1.1.4.1.57.1.7 **raporBolumDTO.durumAciklama** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string durumAciklama;
```

#### 1.1.4.1.57.1.8 **raporBolumDTO.durumKodu** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string durumKodu;
```

#### 1.1.4.1.57.1.9 **raporBolumDTO.sonIslemeZamani** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string sonIslemeZamani;
```

### 1.1.4.1.58 **raporBolumleriOlustur** Class

#### Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.raporBolumleriOlustur](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumleriOlustur;
```

#### File

Reference.cs ([see page 835](#))

#### raporBolumleriOlustur Properties

	Name	Description
	donem ( <a href="#">see page 631</a> )	
	input ( <a href="#">see page 632</a> )	
	sonGun ( <a href="#">see page 632</a> )	

### 1.1.4.1.58.1 **raporBolumleriOlustur** Properties

#### 1.1.4.1.58.1.1 **raporBolumleriOlustur.donem** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

#### 1.1.4.1.58.1.2 raporBolumleriOlustur.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```


#### 1.1.4.1.58.1.3 raporBolumleriOlustur.sonGun Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string sonGun;
```

### 1.1.4.1.59 raporBolumleriOlusturCompletedEventArgs Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumleriOlusturCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs ([see page 835](#))

#### Methods

	Name	Description
	raporBolumleriOlusturCompletedEventArgs ( <a href="#">see page 632</a> )	This is raporBolumleriOlusturCompletedEventArgs, a member of class raporBolumleriOlusturCompletedEventArgs.

#### raporBolumleriOlusturCompletedEventArgs Properties

	Name	Description
	Result ( <a href="#">see page 633</a> )	

#### 1.1.4.1.59.1

### raporBolumleriOlusturCompletedEventArgs.raporBolumleriOlusturCompletedEventArgs Constructor

C#

```
internal raporBolumleriOlusturCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

#### Description

This is raporBolumleriOlusturCompletedEventArgs, a member of class raporBolumleriOlusturCompletedEventArgs.

#### Body Source

```
1: internal raporBolumleriOlusturCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

#### 1.1.4.1.59.2 raporBolumleriOlusturCompletedEventArgs Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

#### 1.1.4.1.59.2.1 **raporBolumleriOlusturCompletedEventArgs.Result** Property

C#

```
public earsivServiceResult Result;
```

### 1.1.4.1.60 **raporBolumleriOlusturResponse** Class

#### Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumleriOlusturResponse;
```

#### File

Reference.cs ([see page 835](#))

#### raporBolumleriOlusturResponse Properties

	Name	Description
	@return ( <a href="#">see page 633</a> )	

#### 1.1.4.1.60.1 **raporBolumleriOlusturResponse** Properties

##### 1.1.4.1.60.1.1 **raporBolumleriOlusturResponse.@return** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

### 1.1.4.1.61 **raporBolumListesiDetayliSorgula** Class

#### Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorgula](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumListesiDetayliSorgula;
```

#### File

Reference.cs ([see page 835](#))

#### raporBolumListesiDetayliSorgula Properties

	Name	Description
	donem ( <a href="#">see page 634</a> )	

### 1.1.4.1.61.1 raporBolumListesiDetayliSorgula Properties


#### 1.1.4.1.61.1.1 raporBolumListesiDetayliSorgula.donem Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

### 1.1.4.1.62 raporBolumListesiDetayliSorgulaCompletedEventArgs Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumListesiDetayliSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs ([see page 835](#))

#### Methods

	Name	Description
	raporBolumListesiDetayliSorgulaCompletedEventArgs ( <a href="#">see page 634</a> )	This is raporBolumListesiDetayliSorgulaCompletedEventArgs, a member of class raporBolumListesiDetayliSorgulaCompletedEventArgs.

#### raporBolumListesiDetayliSorgulaCompletedEventArgs Properties

	Name	Description
	output ( <a href="#">see page 635</a> )	
	Result ( <a href="#">see page 635</a> )	

#### 1.1.4.1.62.1

### raporBolumListesiDetayliSorgulaCompletedEventArgs.raporBolumListesiDetayliSorgulaCompletedEventArgs

#### Constructor

C#

```
internal raporBolumListesiDetayliSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

#### Description

This is raporBolumListesiDetayliSorgulaCompletedEventArgs, a member of class raporBolumListesiDetayliSorgulaCompletedEventArgs.

#### Body Source

```
1: internal raporBolumListesiDetayliSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

### 1.1.4.1.62.2 raporBolumListesiDetayliSorgulaCompletedEventArgs Properties

#### 1.1.4.1.62.2.1 raporBolumListesiDetayliSorgulaCompletedEventArgs.output Property

C#

```
public raporBolumDTO output;
```

#### 1.1.4.1.62.2.2 raporBolumListesiDetayliSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

## 1.1.4.1.63 raporBolumListesiDetayliSorgulaResponse Class

### Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorgulaResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumListesiDetayliSorgulaResponse;
```

File

Reference.cs ([see page 835](#))

### raporBolumListesiDetayliSorgulaResponse Properties

	Name	Description
	@return ( <a href="#">see page 635</a> )	
	output ( <a href="#">see page 635</a> )	

### 1.1.4.1.63.1 raporBolumListesiDetayliSorgulaResponse Properties

#### 1.1.4.1.63.1.1 raporBolumListesiDetayliSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

#### 1.1.4.1.63.1.2 raporBolumListesiDetayliSorgulaResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public raporBolumDTO output;
```

## 1.1.4.1.64 raporBolumListesiSorgula Class

### Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgula](#)

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class raporBolumListesiSorgula;
```

**File**

Reference.cs ([see page 835](#))

**raporBolumListesiSorgula Properties**

	Name	Description
	donem ( <a href="#">see page 636</a> )	

**1.1.4.1.64.1 raporBolumListesiSorgula Properties****1.1.4.1.64.1.1 raporBolumListesiSorgula.donem Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

**1.1.4.1.65 raporBolumListesiSorgulaCompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumListesiSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs ([see page 835](#))

**Methods**

	Name	Description
	raporBolumListesiSorgulaCompletedEventArgs ( <a href="#">see page 637</a> )	This is raporBolumListesiSorgulaCompletedEventArgs, a member of class raporBolumListesiSorgulaCompletedEventArgs.

**raporBolumListesiSorgulaCompletedEventArgs Properties**

	Name	Description
	@return ( <a href="#">see page 637</a> )	
	Result ( <a href="#">see page 637</a> )	

### 1.1.4.1.65.1

## **raporBolumListesiSorgulaCompletedEventArgs.raporBolumListesiSorgulaCompletedEventArgs Constructor**

C#

```
internal raporBolumListesiSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

### Description

This is raporBolumListesiSorgulaCompletedEventArgs, a member of class raporBolumListesiSorgulaCompletedEventArgs.

### Body Source

```
1: internal raporBolumListesiSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

### 1.1.4.1.65.2 raporBolumListesiSorgulaCompletedEventArgs Properties

#### 1.1.4.1.65.2.1 raporBolumListesiSorgulaCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

#### 1.1.4.1.65.2.2 raporBolumListesiSorgulaCompletedEventArgs.Result Property

C#

```
public string Result;
```

## 1.1.4.1.66 raporBolumRaporNoGuncelleImzala Class

### Class Hierarchy

```
[QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzala]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumRaporNoGuncelleImzala;
```

### File

Reference.cs (see page 835)

### raporBolumRaporNoGuncelleImzala Properties

	Name	Description
	bolumRaporNo (see page 638)	

### 1.1.4.1.66.1 raporBolumRaporNoGuncelleImzala Properties


### 1.1.4.1.66.1.1 **raporBolumRaporNoGuncellelmzala.bolumRaporNo** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bolumRaporNo;
```

### 1.1.4.1.67 **raporBolumRaporNoGuncellelmzalaCompletedEventArgs** Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumRaporNoGuncellelmzalaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs (see page 835)

#### Methods

	Name	Description
	raporBolumRaporNoGuncellelmzalaCompletedEventArgs (see page 638)	This is raporBolumRaporNoGuncellelmzalaCompletedEventArgs, a member of class raporBolumRaporNoGuncellelmzalaCompletedEventArgs.

#### raporBolumRaporNoGuncellelmzalaCompletedEventArgs Properties

	Name	Description
	Result (see page 639)	

### 1.1.4.1.67.1

### raporBolumRaporNoGuncellelmzalaCompletedEventArgs.raporBolumRaporNoGuncellelmzalaCompletedEventArgs Constructor

C#

```
internal raporBolumRaporNoGuncellelmzalaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

#### Description

This is raporBolumRaporNoGuncellelmzalaCompletedEventArgs, a member of class raporBolumRaporNoGuncellelmzalaCompletedEventArgs.

#### Body Source

```
1: internal raporBolumRaporNoGuncellelmzalaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

### 1.1.4.1.67.2 **raporBolumRaporNoGuncellelmzalaCompletedEventArgs** Properties

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com*

### 1.1.4.1.67.2.1 **raporBolumRaporNoGuncelleImzalaCompletedEventArgs.Result** Property

C#

```
public earsivServiceResult Result;
```

## 1.1.4.1.68 **raporBolumRaporNoGuncelleImzalaResponse** Class

### Class Hierarchy

QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzalaResponse
--------------------------------------------------------------------

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumRaporNoGuncelleImzalaResponse;
```

### File

Reference.cs ( [see page 835](#) )

### raporBolumRaporNoGuncelleImzalaResponse Properties

	Name	Description
	@return ( <a href="#">see page 639</a> )	

### 1.1.4.1.68.1 **raporBolumRaporNoGuncelleImzalaResponse** Properties

#### 1.1.4.1.68.1.1 **raporBolumRaporNoGuncelleImzalaResponse.@return** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

## 1.1.4.1.69 **raporBolumSil** Class

### Class Hierarchy

QNBFinansGIB.GIBEMustahsil.raporBolumSil
------------------------------------------

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumSil;
```

### File

Reference.cs ( [see page 835](#) )

### raporBolumSil Properties

	Name	Description
	bolumRaporNo ( <a href="#">see page 640</a> )	

### 1.1.4.1.69.1 raporBolumSil Properties


#### 1.1.4.1.69.1.1 raporBolumSil.bolumRaporNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bolumRaporNo;
```

### 1.1.4.1.70 raporBolumSilCompletedEventArgs Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumSilCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs (see page 835)

#### Methods

	Name	Description
!	raporBolumSilCompletedEventArgs (see page 640)	This is raporBolumSilCompletedEventArgs, a member of class raporBolumSilCompletedEventArgs.

#### raporBolumSilCompletedEventArgs Properties

	Name	Description
!	Result (see page 640)	

### 1.1.4.1.70.1 raporBolumSilCompletedEventArgs.raporBolumSilCompletedEventArgs Constructor

C#

```
internal raporBolumSilCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

#### Description

This is raporBolumSilCompletedEventArgs, a member of class raporBolumSilCompletedEventArgs.

#### Body Source

```
1: internal raporBolumSilCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

### 1.1.4.1.70.2 raporBolumSilCompletedEventArgs Properties

#### 1.1.4.1.70.2.1 raporBolumSilCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

## 1.1.4.1.71 raporBolumSilResponse Class

### Class Hierarchy

`QNBFinansGIB.GIBEMustahsil.raporBolumSilResponse`

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumSilResponse;
```

### File

Reference.cs ([see page 835](#))

### raporBolumSilResponse Properties

	Name	Description
	@return ( <a href="#">see page 641</a> )	

## 1.1.4.1.71.1 raporBolumSilResponse Properties

### 1.1.4.1.71.1.1 raporBolumSilResponse.@return Property

### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

## 1.1.4.1.72 rapordaBelgeSorgula Class

### Class Hierarchy

`QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgula`

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class rapordaBelgeSorgula;
```

### File

Reference.cs ([see page 835](#))

### rapordaBelgeSorgula Properties

	Name	Description
	input ( <a href="#">see page 642</a> )	

## 1.1.4.1.72.1 rapordaBelgeSorgula Properties


### 1.1.4.1.72.1.1 rapordaBelgeSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

## 1.1.4.1.73 rapordaBelgeSorgulaCompletedEventArgs Class

### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class rapordaBelgeSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

### File

Reference.cs (see page 835)

### Methods

	Name	Description
!	rapordaBelgeSorgulaCompletedEventArgs (see page 642)	This is rapordaBelgeSorgulaCompletedEventArgs, a member of class rapordaBelgeSorgulaCompletedEventArgs.

### rapordaBelgeSorgulaCompletedEventArgs Properties

	Name	Description
!	Result (see page 642)	

### 1.1.4.1.73.1

## rapordaBelgeSorgulaCompletedEventArgs.rapordaBelgeSorgulaCompletedEventArgs Constructor

C#

```
internal rapordaBelgeSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

### Description

This is rapordaBelgeSorgulaCompletedEventArgs, a member of class rapordaBelgeSorgulaCompletedEventArgs.

### Body Source

```
1: internal rapordaBelgeSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

## 1.1.4.1.73.2 rapordaBelgeSorgulaCompletedEventArgs Properties

### 1.1.4.1.73.2.1 rapordaBelgeSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

## 1.1.4.1.74 rapordaBelgeSorgulaResponse Class

### Class Hierarchy

`QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaResponse`

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class rapordaBelgeSorgulaResponse;
```

### File

Reference.cs ([see page 835](#))

### rapordaBelgeSorgulaResponse Properties

	Name	Description
	@return ( <a href="#">see page 643</a> )	

## 1.1.4.1.74.1 rapordaBelgeSorgulaResponse Properties

### 1.1.4.1.74.1.1 rapordaBelgeSorgulaResponse.@return Property

### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

## 1.1.4.1.75 raporDurumSorgula Class

### Class Hierarchy

`QNBFinansGIB.GIBEMustahsil.raporDurumSorgula`

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporDurumSorgula;
```

### File

Reference.cs ([see page 835](#))

### raporDurumSorgula Properties

	Name	Description
	donem ( <a href="#">see page 644</a> )	

## 1.1.4.1.75.1 raporDurumSorgula Properties


### 1.1.4.1.75.1.1 raporDurumSorgula.donem Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

### 1.1.4.1.76 raporDurumSorgulaCompletedEventArgs Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporDurumSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs (see page 835)

#### Methods

	Name	Description
!	raporDurumSorgulaCompletedEventArgs (see page 644)	This is raporDurumSorgulaCompletedEventArgs, a member of class raporDurumSorgulaCompletedEventArgs.

#### raporDurumSorgulaCompletedEventArgs Properties

	Name	Description
!	Result (see page 644)	

### 1.1.4.1.76.1

### raporDurumSorgulaCompletedEventArgs.raporDurumSorgulaCompletedEventArgs Constructor

C#

```
internal raporDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

#### Description

This is raporDurumSorgulaCompletedEventArgs, a member of class raporDurumSorgulaCompletedEventArgs.

#### Body Source

```
1: internal raporDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
2: bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:         this.results = results;
}
```

### 1.1.4.1.76.2 raporDurumSorgulaCompletedEventArgs Properties

#### 1.1.4.1.76.2.1 raporDurumSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

## 1.1.4.1.77 raporDurumSorgulaResponse Class

### Class Hierarchy

`QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaResponse`

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporDurumSorgulaResponse;
```

### File

Reference.cs ([see page 835](#))

### raporDurumSorgulaResponse Properties

	Name	Description
	@return ( <a href="#">see page 645</a> )	

## 1.1.4.1.77.1 raporDurumSorgulaResponse Properties

### 1.1.4.1.77.1.1 raporDurumSorgulaResponse.@return Property

### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

## 1.1.4.1.78 raporGonder Class

### Class Hierarchy

`QNBFinansGIB.GIBEMustahsil.raporGonder`

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporGonder;
```

### File

Reference.cs ([see page 835](#))

### raporGonder Properties

	Name	Description
	donem ( <a href="#">see page 646</a> )	

## 1.1.4.1.78.1 raporGonder Properties


### 1.1.4.1.78.1.1 raporGonder.donem Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

### 1.1.4.1.79 raporGonderCompletedEventArgs Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs ([see page 835](#))

#### Methods

	Name	Description
	raporGonderCompletedEventArgs ( <a href="#">see page 646</a> )	This is raporGonderCompletedEventArgs, a member of class raporGonderCompletedEventArgs.

#### raporGonderCompletedEventArgs Properties

	Name	Description
	Result ( <a href="#">see page 646</a> )	

### 1.1.4.1.79.1 raporGonderCompletedEventArgs.raporGonderCompletedEventArgs Constructor

C#

```
internal raporGonderCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

#### Description

This is raporGonderCompletedEventArgs, a member of class raporGonderCompletedEventArgs.

#### Body Source

```
1: internal raporGonderCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

### 1.1.4.1.79.2 raporGonderCompletedEventArgs Properties

#### 1.1.4.1.79.2.1 raporGonderCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

## 1.1.4.1.80 raporGonderResponse Class

### Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.raporGonderResponse](#)

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporGonderResponse;
```

### File

Reference.cs ([see page 835](#))

### raporGonderResponse Properties

	Name	Description
	@return ( <a href="#">see page 647</a> )	

## 1.1.4.1.80.1 raporGonderResponse Properties

### 1.1.4.1.80.1.1 raporGonderResponse.@return Property

### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

## 1.1.4.1.81 smsDurumSorgula Class

### Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.smsDurumSorgula](#)

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class smsDurumSorgula;
```

### File

Reference.cs ([see page 835](#))

### smsDurumSorgula Properties

	Name	Description
	input ( <a href="#">see page 648</a> )	

## 1.1.4.1.81.1 smsDurumSorgula Properties


### 1.1.4.1.81.1.1 smsDurumSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

### 1.1.4.1.82 smsDurumSorgulaCompletedEventArgs Class

#### Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class smsDurumSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

#### File

Reference.cs (see page 835)

#### Methods

	Name	Description
!	smsDurumSorgulaCompletedEventArgs (see page 648)	This is smsDurumSorgulaCompletedEventArgs, a member of class smsDurumSorgulaCompletedEventArgs.

#### smsDurumSorgulaCompletedEventArgs Properties

	Name	Description
!	outputDurum (see page 648)	
!	Result (see page 649)	

### 1.1.4.1.82.1

### smsDurumSorgulaCompletedEventArgs.smsDurumSorgulaCompletedEventArgs Constructor

C#

```
internal smsDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

#### Description

This is smsDurumSorgulaCompletedEventArgs, a member of class smsDurumSorgulaCompletedEventArgs.

#### Body Source

```
1: internal smsDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

### 1.1.4.1.82.2 smsDurumSorgulaCompletedEventArgs Properties

#### 1.1.4.1.82.2.1 smsDurumSorgulaCompletedEventArgs.outputDurum Property

C#

```
public string outputDurum;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

#### 1.1.4.1.82.2.2 smsDurumSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

### 1.1.4.1.83 smsDurumSorgulaResponse Class

#### Class Hierarchy

`QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaResponse`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class smsDurumSorgulaResponse;
```

#### File

Reference.cs (see page 835)

#### smsDurumSorgulaResponse Properties

	Name	Description
	@return (see page 649)	
	outputDurum (see page 649)	

#### 1.1.4.1.83.1 smsDurumSorgulaResponse Properties

##### 1.1.4.1.83.1.1 smsDurumSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

##### 1.1.4.1.83.1.2 smsDurumSorgulaResponse.outputDurum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string outputDurum;
```

### 1.1.4.1.84 smsGonder Class

#### Class Hierarchy

`QNBFinansGIB.GIBEMustahsil.smsGonder`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class smsGonder;
```

**File**

Reference.cs ([see page 835](#))

**smsGonder Properties**

	Name	Description
	ilaveTelefonNo ( <a href="#">see page 650</a> )	
	input ( <a href="#">see page 650</a> )	
	tanimliTelefonNoyaGonder ( <a href="#">see page 650</a> )	

**1.1.4.1.84.1 smsGonder Properties****1.1.4.1.84.1.1 smsGonder.ilaveTelefonNo Property****C#**


```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ilaveTelefonNo;
```

**1.1.4.1.84.1.2 smsGonder.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

**1.1.4.1.84.1.3 smsGonder.tanimliTelefonNoyaGonder Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int tanimliTelefonNoyaGonder;
```

**1.1.4.1.85 smsGonderCompletedEventArgs Class****Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class smsGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

**File**

Reference.cs ([see page 835](#))

**Methods**

	Name	Description
	smsGonderCompletedEventArgs ( <a href="#">see page 651</a> )	This is smsGonderCompletedEventArgs, a member of class smsGonderCompletedEventArgs.

**smsGonderCompletedEventArgs Properties**

	Name	Description
	Result ( <a href="#">see page 651</a> )	

### 1.1.4.1.85.1 smsGonderCompletedEventArgs.smsGonderCompletedEventArgs Constructor

C#

```
internal smsGonderCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState);
```

#### Description

This is smsGonderCompletedEventArgs, a member of class smsGonderCompletedEventArgs.

#### Body Source

```
1: internal smsGonderCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

### 1.1.4.1.85.2 smsGonderCompletedEventArgs Properties

#### 1.1.4.1.85.2.1 smsGonderCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

### 1.1.4.1.86 smsGonderResponse Class

#### Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.smsGonderResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class smsGonderResponse;
```

#### File

[Reference.cs](#) ( see page 835)

#### smsGonderResponse Properties

	Name	Description
	@return ( see page 651)	

### 1.1.4.1.86.1 smsGonderResponse Properties

#### 1.1.4.1.86.1.1 smsGonderResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

## 1.1.4.1.87 stringOutputWrapper Class

### Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.stringOutputWrapper](#)

### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class stringOutputWrapper;
```

### File

Reference.cs ([see page 835](#))

### stringOutputWrapper Properties

	Name	Description
	@return ( <a href="#">see page 652</a> )	
	output ( <a href="#">see page 652</a> )	

## 1.1.4.1.87.1 stringOutputWrapper Properties

### 1.1.4.1.87.1.1 stringOutputWrapper.@return Property

#### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

### 1.1.4.1.87.1.2 stringOutputWrapper.output Property

#### C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string output;
```

## 1.1.4.2 Structs, Records, Enums

### Summary

The following table lists structs, records, enums in this documentation.

### Enumerations

	Name	Description
	belgeFormatiEnum ( <a href="#">see page 652</a> )	

## 1.1.4.2.1 QNBFinansGIB.GIBEMustahsil.belgeFormatiEnum Enumeration

#### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
```

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

```

]
public enum belgeFormatiEnum {
    UBL,
    CSXML,
    HTML,
    PDF,
    CUSTOM,
    PDF_CUSTOM,
    PDF_UBL,
    CSXML1,
    CSXML2,
    CSXML3,
    PDF_CSXML1,
    PDF_CSXML2,
    PDF_CSXML3,
    JSON
}

```

**File**

Reference.cs ([see page 835](#))

### 1.1.4.3 Types

#### Summary

The following table lists types in this documentation.

#### Types

Name	Description
belgeZipiACompletedEventHandler ( <a href="#">see page 654</a> )	
ePostaDurumSorgulaCompletedEventHandler ( <a href="#">see page 654</a> )	
ePostaGonderCompletedEventHandler ( <a href="#">see page 655</a> )	
kontorBilgisiGetirCompletedEventHandler ( <a href="#">see page 655</a> )	
mustahsilMakbuzIptalEtCompletedEventHandler ( <a href="#">see page 655</a> )	
mustahsilMakbuzIptaliKaldirCompletedEventHandler ( <a href="#">see page 655</a> )	
mustahsilMakbuzListeSorgulaCompletedEventHandler ( <a href="#">see page 656</a> )	
mustahsilMakbuzListeSorgulaPortalCompletedEventHandler ( <a href="#">see page 656</a> )	
mustahsilMakbuzOlusturCompletedEventHandler ( <a href="#">see page 656</a> )	
mustahsilMakbuzOnizlemeCompletedEventHandler ( <a href="#">see page 656</a> )	
mustahsilMakbuzSorgulaCompletedEventHandler ( <a href="#">see page 657</a> )	
mustahsilMakbuzTaslakOlusturCompletedEventHandler ( <a href="#">see page 657</a> )	
mustahsilMakbuzTaslakOnizlemeCompletedEventHandler ( <a href="#">see page 657</a> )	
mustahsilMakbuzTaslakSilCompletedEventHandler ( <a href="#">see page 658</a> )	

mustahsilMakbuzTaslakSorgulaCompletedEventHandler (↗ see page 658)	
mustahsilMakbuzTaslaktanOlusturCompletedEventHandler (↗ see page 658)	
raporBolumAICompletedEventHandler (↗ see page 658)	
raporBolumBilgisiAICompletedEventHandler (↗ see page 659)	
raporBolumleriOlusturCompletedEventHandler (↗ see page 659)	
raporBolumListesiDetayliSorgulaCompletedEventHandler (↗ see page 659)	
raporBolumListesiSorgulaCompletedEventHandler (↗ see page 659)	
raporBolumRaporNoGuncelleImzalaCompletedEventHandler (↗ see page 660)	
raporBolumSilCompletedEventHandler (↗ see page 660)	
rapordaBelgeSorgulaCompletedEventHandler (↗ see page 660)	
raporDurumSorgulaCompletedEventHandler (↗ see page 660)	
raporGonderCompletedEventHandler (↗ see page 661)	
smsDurumSorgulaCompletedEventHandler (↗ see page 661)	
smsGonderCompletedEventHandler (↗ see page 661)	

### 1.1.4.3.1 QNBFinansGIB.GIBEMustahsil.belgeZipiAICompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeZipiAICompletedEventHandler(object sender,
belgeZipiAICompletedEventArgs e);
```

File

Reference.cs (↗ see page 835)

### 1.1.4.3.2

### QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaCompletedEventHandle r Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void ePostaDurumSorgulaCompletedEventHandler(object sender,
ePostaDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs (↗ see page 835)

#### 1.1.4.3.3

### **QNBFinansGIB.GIBEMustahsil.ePostaGonderCompletedEventHandler Type**

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void ePostaGonderCompletedEventHandler(object sender,
ePostaGonderCompletedEventArgs e);
```

File

Reference.cs (see page 835)

#### 1.1.4.3.4

### **QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirCompletedEventHandler Type**

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void kontorBilgisiGetirCompletedEventHandler(object sender,
kontorBilgisiGetirCompletedEventArgs e);
```

File

Reference.cs (see page 835)

#### 1.1.4.3.5

### **QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompletedEventHandler Type**

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzIptalEtCompletedEventHandler(object sender,
mustahsilMakbuzIptalEtCompletedEventArgs e);
```

File

Reference.cs (see page 835)

#### 1.1.4.3.6

### **QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldırCompletedEventHandler Type**

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzIptaliKaldırCompletedEventHandler(object sender,
mustahsilMakbuzIptaliKaldırCompletedEventArgs e);
```

File

Reference.cs (see page 835)

#### 1.1.4.3.7

### **QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaCompletedEventHandler** **Type**

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzListeSorgulaCompletedEventHandler(object sender,
mustahsilMakbuzListeSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 835)

#### 1.1.4.3.8

### **QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortalCompletedEventHandler** **Type**

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzListeSorgulaPortalCompletedEventHandler(object sender,
mustahsilMakbuzListeSorgulaPortalCompletedEventArgs e);
```

File

Reference.cs (see page 835)

#### 1.1.4.3.9

### **QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturCompletedEventHandler** **Type**

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzOlusturCompletedEventHandler(object sender,
mustahsilMakbuzOlusturCompletedEventArgs e);
```

File

Reference.cs (see page 835)

#### 1.1.4.3.10

### **QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCompletedEventH** **andler** **Type**

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzOnizlemeCompletedEventHandler(object sender,
mustahsilMakbuzOnizlemeCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

**1.1.4.3.11****QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzSorgulaCompletedEventHandler(object sender,
mustahsilMakbuzSorgulaCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

**1.1.4.3.12****QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzTaslakOlusturCompletedEventHandler(object sender,
mustahsilMakbuzTaslakOlusturCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

**1.1.4.3.13****QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzTaslakOnizlemeCompletedEventHandler(object sender,
mustahsilMakbuzTaslakOnizlemeCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

**1.1.4.3.14**
**QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCompletedEventHandler Type**

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzTaslakSilCompletedEventHandler(object sender,
mustahsilMakbuzTaslakSilCompletedEventArgs e);
```

**File**

Reference.cs ([see page 835](#))

**1.1.4.3.15**
**QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgulaCompletedEventHandler Type**

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzTaslakSorgulaCompletedEventHandler(object sender,
mustahsilMakbuzTaslakSorgulaCompletedEventArgs e);
```

**File**

Reference.cs ([see page 835](#))

**1.1.4.3.16**
**QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlusturCompletedEventHandler Type**
**Type**

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzTaslaktanOlusturCompletedEventHandler(object sender,
mustahsilMakbuzTaslaktanOlusturCompletedEventArgs e);
```

**File**

Reference.cs ([see page 835](#))

**1.1.4.3.17**
**QNBFinansGIB.GIBEMustahsil.raporBolumAlCompletedEventHandler Type**
**Type**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumAlCompletedEventHandler(object sender,
raporBolumAlCompletedEventArgs e);
```

**File**

Reference.cs ([see page 835](#))

#### 1.1.4.3.18

### **QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAlCompletedEventHandler Type**

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumBilgisiAlCompletedEventHandler(object sender,
raporBolumBilgisiAlCompletedEventArgs e);
```

File

Reference.cs (see page 835)

#### 1.1.4.3.19

### **QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturCompletedEventHandler Type**

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumleriOlusturCompletedEventHandler(object sender,
raporBolumleriOlusturCompletedEventArgs e);
```

File

Reference.cs (see page 835)

#### 1.1.4.3.20

### **QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorgulaCompletedEventHandler Type**

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumListesiDetayliSorgulaCompletedEventHandler(object sender,
raporBolumListesiDetayliSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 835)

#### 1.1.4.3.21

### **QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCompletedEventHandler Type**

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumListesiSorgulaCompletedEventHandler(object sender,
raporBolumListesiSorgulaCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

**1.1.4.3.22****QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzalaCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumRaporNoGuncelleImzalaCompletedEventHandler(object sender,
raporBolumRaporNoGuncelleImzalaCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

**1.1.4.3.23****QNBFinansGIB.GIBEMustahsil.raporBolumSilCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumSilCompletedEventHandler(object sender,
raporBolumSilCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

**1.1.4.3.24****QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void rapordaBelgeSorgulaCompletedEventHandler(object sender,
rapordaBelgeSorgulaCompletedEventArgs e);
```

**File**

Reference.cs (see page 835)

**1.1.4.3.25****QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporDurumSorgulaCompletedEventHandler(object sender,
raporDurumSorgulaCompletedEventArgs e);
```

**File**

Reference.cs ([see page 835](#))

**1.1.4.3.26****QNBFinansGIB.GIBEMustahsil.raporGonderCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporGonderCompletedEventHandler(object sender,
raporGonderEventArgs e);
```

**File**

Reference.cs ([see page 835](#))

**1.1.4.3.27****QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void smsDurumSorgulaCompletedEventHandler(object sender,
smsDurumSorgulaEventArgs e);
```

**File**

Reference.cs ([see page 835](#))

**1.1.4.3.28****QNBFinansGIB.GIBEMustahsil.smsGonderCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void smsGonderCompletedEventHandler(object sender,
smsGonderEventArgs e);
```

**File**

Reference.cs ([see page 835](#))

---

**1.1.5 QNBFinansGIB.GIBUserService Namespace**

This is namespace QNBFinansGIB.GIBUserService.

**Classes**

	Name	Description
	userService ( <a href="#">see page 662</a> )	

**Types**

Name	Description
logoutCompletedEventHandler ( <a href="#">see page 667</a> )	

wsLoginCompletedEventHandler (see page 667)	
---------------------------------------------	--

## 1.1.5.1 Classes

### Summary


The following table lists classes in this documentation.

### Classes

	Name	Description
	userService (see page 662)	

### 1.1.5.1.1 userService Class

#### Class Hierarchy



#### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Web.Services.WebServiceBindingAttribute(Name="UserServicePortBinding",
Namespace="http://service.csap.cs.com/")]
public class userService : System.Web.Services.Protocols.SoapHttpClientProtocol;
```

#### File

Reference.cs (see page 835)

#### Methods

	Name	Description
	userService (see page 663)	

#### userService Events

	Name	Description
	logoutCompleted (see page 666)	
	wsLoginCompleted (see page 666)	

#### userService Methods

	Name	Description
	CancelAsync (see page 663)	
	IsLocalFileSystemWebService (see page 663)	This is IsLocalFileSystemWebService, a member of class userService.
	logout (see page 664)	
	logoutAsync (see page 664)	
	OnlogoutOperationCompleted (see page 664)	This is OnlogoutOperationCompleted, a member of class userService.
	OnwsLoginOperationCompleted (see page 665)	This is OnwsLoginOperationCompleted, a member of class userService.
	wsLogin (see page 665)	
	wsLoginAsync (see page 666)	

**userService Properties**

	Name	Description
	Url (see page 666)	This is Url, a member of class userService.
	UseDefaultCredentials (see page 666)	This is UseDefaultCredentials, a member of class userService.

**1.1.5.1.1.1 userService.userService Constructor****C#**

```
public userService();
```

**Body Source**

```
1: public userService() {
2:     this.Url =
global::QNBFinansGIB.Properties.Settings.Default.QNBFinansGIB_GIBUserService_userService;
3:     if ((this.IsLocalFileSystemWebService(this.Url) == true)) {
4:         this.UseDefaultCredentials = true;
5:         this.useDefaultCredentialsSetExplicitly = false;
6:     }
7:     else {
8:         this.useDefaultCredentialsSetExplicitly = true;
9:     }
10: }
```

**1.1.5.1.1.2 userService Methods****1.1.5.1.1.2.1 userService.CancelAsync Method****C#**

```
public new void CancelAsync(object userState);
```

**Body Source**

```
1: public new void CancelAsync(object userState) {
2:     base.CancelAsync(userState);
3: }
```

**1.1.5.1.1.2.2 userService.IsLocalFileSystemWebService Method****C#**

```
private bool IsLocalFileSystemWebService(string url);
```

**Description**

This is IsLocalFileSystemWebService, a member of class userService.

**Body Source**

```
1: private bool IsLocalFileSystemWebService(string url) {
2:     if (((url == null)
3:           || (url == string.Empty))) {
4:         return false;
5:     }
6:     System.Uri wsUri = new System.Uri(url);
7:     if ((wsUri.Port >= 1024)
8:         && (string.Compare(wsUri.Host, "localhost",
System.StringComparison.OrdinalIgnoreCase) == 0)) {
9:         return true;
10:    }
11:    return false;
12: }
```

### 1.1.5.1.1.2.3 userService.logout Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.csap.cs.com.tr/",
ResponseNamespace="http://service.csap.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void logout();
```

**Body Source**

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.csap.cs.com.tr/",
ResponseNamespace="http://service.csap.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void logout() {
3:     this.Invoke("logout", new object[0]);
4: }
```

### 1.1.5.1.1.2.4 logoutAsync Method

#### 1.1.5.1.1.2.4.1 userService.logoutAsync Method ()

C#

```
public void logoutAsync();
```

**Body Source**

```
1: public void logoutAsync() {
2:     this.logoutAsync(null);
3: }
```

#### 1.1.5.1.1.2.4.2 userService.logoutAsync Method (object)

C#

```
public void logoutAsync(object userState);
```

**Body Source**

```
1: public void logoutAsync(object userState) {
2:     if ((this.logoutOperationCompleted == null)) {
3:         this.logoutOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnlogoutOperationCompleted);
4:     }
5:     this.InvokeAsync("logout", new object[0], this.logoutOperationCompleted, userState);
6: }
```

### 1.1.5.1.1.2.5 userService.OnlogoutOperationCompleted Method

C#

```
private void OnlogoutOperationCompleted(object arg);
```

**Description**

This is OnlogoutOperationCompleted, a member of class userService.

**Body Source**

```
1: private void OnlogoutOperationCompleted(object arg) {
2:     if ((this.logoutCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
4:         this.logoutCompleted(this, new
System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
```

```

5:      }
6:  }
```

#### 1.1.5.1.1.2.6 userService.OnwsLoginOperationCompleted Method

C#

```
private void OnwsLoginOperationCompleted(object arg);
```

##### Description

This is OnwsLoginOperationCompleted, a member of class userService.

##### Body Source

```

1: private void OnwsLoginOperationCompleted(object arg) {
2:     if ((this.wsLoginCompleted != null)) {
3:         System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
4:             ((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
5:         this.wsLoginCompleted(this, new
6:             System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
7:             invokeArgs.UserState));
8:     }
9: }
```

#### 1.1.5.1.1.2.7 userService.wsLogin Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.csap.cs.com.tr/",
ResponseNamespace="http://service.csap.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
wsLogin([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string userId,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string password,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string lang);
```

##### Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.csap.cs.com.tr/",
ResponseNamespace="http://service.csap.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
wsLogin([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string userId,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string password,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string lang) {
3:     this.Invoke("wsLogin", new object[] {
4:         userId,
5:         password,
6:         lang});
7: }
```

#### 1.1.5.1.1.2.8 wsLoginAsync Method

### 1.1.5.1.1.2.8.1 userService.wsLoginAsync Method (string, string, string)

C#

```
public void wsLoginAsync(string userId, string password, string lang);
```

**Body Source**

```
1: public void wsLoginAsync(string userId, string password, string lang) {
2:     this.wsLoginAsync(userId, password, lang, null);
3: }
```

### 1.1.5.1.1.2.8.2 userService.wsLoginAsync Method (string, string, string, object)

C#

```
public void wsLoginAsync(string userId, string password, string lang, object userState);
```

**Body Source**

```
1: public void wsLoginAsync(string userId, string password, string lang, object userState) {
2:     if ((this.wsLoginOperationCompleted == null)) {
3:         this.wsLoginOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnwsLoginOperationCompleted);
4:     }
5:     this.InvokeAsync("wsLogin", new object[] {
6:         userId,
7:         password,
8:         lang}, this.wsLoginOperationCompleted, userState);
9: }
```

## 1.1.5.1.1.3 userService Properties

### 1.1.5.1.1.3.1 userService.Url Property

C#

```
public new string Url;
```

**Description**

This is Url, a member of class userService.

### 1.1.5.1.1.3.2 userService.UseDefaultCredentials Property

C#

```
public new bool UseDefaultCredentials;
```

**Description**

This is UseDefaultCredentials, a member of class userService.

## 1.1.5.1.1.4 userService Events

### 1.1.5.1.1.4.1 userService.logoutCompleted Event

C#

```
public event logoutCompletedEventHandler logoutCompleted;
```

### 1.1.5.1.1.4.2 userService.wsLoginCompleted Event

C#

```
public event wsLoginCompletedEventHandler wsLoginCompleted;
```

## 1.1.5.2 Types

### Summary

The following table lists types in this documentation.

### Types

Name	Description
logoutCompletedEventHandler ( <a href="#">see page 667</a> )	
wsLoginCompletedEventHandler ( <a href="#">see page 667</a> )	

### 1.1.5.2.1 QNBFInansGIB.GIBUserService.logoutCompletedEventHandler Type

#### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void logoutCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

#### File

Reference.cs ([see page 835](#))

### 1.1.5.2.2 QNBFInansGIB.GIBUserService.wsLoginCompletedEventHandler Type

#### C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void wsLoginCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

#### File

Reference.cs ([see page 835](#))

---

## 1.1.6 QNBFInansGIB.Properties Namespace

This is namespace QNBFInansGIB.Properties.

### Classes

	Name	Description
	Resources ( <a href="#">see page 668</a> )	A strongly-typed resource class, for looking up localized strings, etc.
	Settings ( <a href="#">see page 669</a> )	This is class QNBFInansGIB.Properties.Settings.

### 1.1.6.1 Classes

#### Summary

The following table lists classes in this documentation.

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).*

## Classes

	Name	Description
	Resources (see page 668)	A strongly-typed resource class, for looking up localized strings, etc.
	Settings (see page 669)	This is class QNBFinansGIB.Properties.Settings.

### 1.1.6.1.1 Resources Class

#### Summary

A strongly-typed resource class, for looking up localized strings, etc.

#### Class Hierarchy

[QNBFinansGIB.Properties.Resources](#)

#### C#

```
[global::System.CodeDom.Compiler.GeneratedCodeAttribute("System.Resources.Tools.StronglyType
dResourceBuilder",
"4.0.0.0")]
[global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
[global::System.Runtime.CompilerServices.CompilerGeneratedAttribute()]
internal class Resources;
```

#### File

Resources.Designer.cs (see page 838)

#### Description

This class was auto-generated by the StronglyTypedResourceBuilder class via a tool like ResGen or Visual Studio. To add or remove a member, edit your .ResX file then rerun ResGen with the /str option, or rebuild your VS project.

#### Methods

	Name	Description
	Resources (see page 668)	This is Resources, a member of class Resources.

#### Resources Properties

	Name	Description
	Culture (see page 669)	Overrides the current thread's CurrentUICulture property for all resource lookups using this strongly typed resource class.
	ResourceManager (see page 669)	Returns the cached ResourceManager instance used by this class.

### 1.1.6.1.1.1 Resources.Resources Constructor

#### C#

```
[global::System.Diagnostics.CodeAnalysis.SuppressMessageAttribute("Microsoft.Performance",
"CA1811:AvoidUncalledPrivateCode")]
internal Resources();
```

#### Description

This is Resources, a member of class Resources.

#### Body Source

```
1:
[global::System.Diagnostics.CodeAnalysis.SuppressMessageAttribute("Microsoft.Performance",
"CA1811:AvoidUncalledPrivateCode")]
2: internal Resources()
3: {
```

```
4: }
```

## 1.1.6.1.1.2 Resources Properties

### 1.1.6.1.1.2.1 Resources.Culture Property

#### Summary

Overrides the current thread's CurrentUICulture property for all resource lookups using this strongly typed resource class.

#### C#

```
[global::System.ComponentModel.EditorBrowsableAttribute(global::System.ComponentModel.Editor
BrowsableState.Advanced)]
internal static global::System.Globalization.CultureInfo Culture;
```

### 1.1.6.1.1.2.2 Resources.ResourceManager Property

#### Summary


Returns the cached ResourceManager instance used by this class.

#### C#

```
[global::System.ComponentModel.EditorBrowsableAttribute(global::System.ComponentModel.Editor
BrowsableState.Advanced)]
internal static global::System.Resources.ResourceManager ResourceManager;
```

## 1.1.6.1.2 Settings Class

#### Class Hierarchy



#### C#

```
[global::System.Runtime.CompilerServices.CompilerGeneratedAttribute()]
[global::System.CodeDom.Compiler.GeneratedCodeAttribute("Microsoft.VisualStudio.Editors.SettingsDesigner.SettingsSingleFileGenerator",
"15.9.0.0")]
internal sealed class Settings : global::System.Configuration.ApplicationSettingsBase;
```

#### File

Settings.Designer.cs ([see page 840](#))

#### Description

This is class QNBFInansGIB.Properties.Settings.

#### Settings Properties

	Name	Description
	Default ( <a href="#">see page 670</a> )	This is Default, a member of class Settings.
	QNBFInansGIB_GIBEArsiv_EarsivWebService ( <a href="#">see page 670</a> )	This is QNBFInansGIB_GIBEArsiv_EarsivWebService, a member of class Settings.
	QNBFInansGIB_GIBEArsiv_MustahsilWebService ( <a href="#">see page 670</a> )	This is QNBFInansGIB_GIBEArsiv_MustahsilWebService, a member of class Settings.
	QNBFInansGIB_GIBEFatura_connectorService ( <a href="#">see page 670</a> )	This is QNBFInansGIB_GIBEFatura_connectorService, a member of class Settings.
	QNBFInansGIB_GIBEMustahsil_MustahsilWebService ( <a href="#">see page 671</a> )	This is QNBFInansGIB_GIBEMustahsil_MustahsilWebService, a member of class Settings.

	QNBFinansGIB_GIBUserService.UserService (see page 671)	This is QNBFinansGIB_GIBUserService.UserService, a member of class Settings.
-----------------------------------------------------------------------------------	--------------------------------------------------------	------------------------------------------------------------------------------

## 1.1.6.1.2.1 Settings Properties

### 1.1.6.1.2.1.1 Settings.Default Property

C#

```
public static Settings Default;
```

#### Description

This is Default, a member of class Settings.

### 1.1.6.1.2.1.2 Settings.QNBFinansGIB\_GIBEArsiv\_EarsivWebService Property

C#

```
[global::System.Configuration.ApplicationScopedSettingAttribute()]
[global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSetting.WebServiceUrl)]
[global::System.Configuration.DefaultSettingValueAttribute("https://earsivtest.efinans.com.tr:443/earsiv/ws/EarsivWebService")]
public string QNBFinansGIB_GIBEArsiv_EarsivWebService;
```

#### Description

This is QNBFinansGIB\_GIBEArsiv\_EarsivWebService, a member of class Settings.

### 1.1.6.1.2.1.3 Settings.QNBFinansGIB\_GIBEArsiv\_MustahsilWebService Property

C#

```
[global::System.Configuration.ApplicationScopedSettingAttribute()]
[global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSetting.WebServiceUrl)]
[global::System.Configuration.DefaultSettingValueAttribute("https://earsivtest.efinans.com.tr/earsiv/ws/MustahsilWebService?wsdl=1")]
public string QNBFinansGIB_GIBEArsiv_MustahsilWebService;
```

#### Description

This is QNBFinansGIB\_GIBEArsiv\_MustahsilWebService, a member of class Settings.

### 1.1.6.1.2.1.4 Settings.QNBFinansGIB\_GIBEFatura\_connectorService Property

C#

```
[global::System.Configuration.ApplicationScopedSettingAttribute()]
[global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSetting.WebServiceUrl)]
[global::System.Configuration.DefaultSettingValueAttribute("https://connectortest.efinans.com.tr:443/connector/ws/connectorService")]
public string QNBFinansGIB_GIBEFatura_connectorService;
```

#### Description

This is QNBFinansGIB\_GIBEFatura\_connectorService, a member of class Settings.

### 1.1.6.1.2.1.5 Settings.QNBFinansGIB\_GIBEMustahsil\_MustahsilWebService Property

C#

```
[global::System.Configuration.ApplicationScopedSettingAttribute()]
[global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSetting.WebServiceUrl)]
[global::System.Configuration.DefaultSettingValueAttribute("https://earsivtest.efinans.com.tr:443/earsiv/ws/MustahsilWebService")]
public string QNBFinansGIB_GIBEMustahsil_MustahsilWebService;
```

#### Description

This is QNBFinansGIB\_GIBEMustahsil\_MustahsilWebService, a member of class Settings.

### 1.1.6.1.2.1.6 Settings.QNBFinansGIB\_GIBUserService\_userService Property

C#

```
[global::System.Configuration.ApplicationScopedSettingAttribute()]
[global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSetting.WebServiceUrl)]
[global::System.Configuration.DefaultSettingValueAttribute("https://connectortest.efinans.com.tr:443/connector/ws/userService")]
public string QNBFinansGIB_GIBUserService_userService;
```

#### Description

This is QNBFinansGIB\_GIBUserService\_userService, a member of class Settings.

## 1.1.7 QNBFinansGIB.Utils Namespace

This is namespace QNBFinansGIB.Utils.

#### Classes

	Name	Description
❖ S	BoslukKaldır (see page 672)	Girdi olarak verilen bir nesnenin içerisindeki String türündeki elemanları kontrol ederek Bu string değerlerdeki boslukları kaldırırmaya yarayan bir sınıfır
❖ S	DisServisler (see page 673)	QNB Finans Firması tarafından sağlanan GIB Web Servis referanslarının tüketildiği Ve servise talep gönderilip sonuçlarının temin edildiği sınıfır.
❖ S	Enums (see page 689)	Satış Türü Bilgilerinin Bulunduğu Enum sınıfı
❖	GeriDonus (see page 691)	E-Fatura Servisinde Önizleme Metodu çağrılgıdında dönecek olan değer Burada Tipe göre Dosya (see page 691) uzantısı Zip veya PDF olacagi için Bu konu önemlidir
❖ S	GibNumarası (see page 692)	GIB Numarası değerlerinin otomatik olarak oluşturulması için hazırlanan sınıfır
❖ S	MesajSabitler (see page 694)	Yapılan Ekranda Verilecek Mesajlarla İlgili Sabit Sınıf
❖ S	Sabitler (see page 695)	Sistemde Elle Kontroller Yapılmaması ve Hatalı Veri Girişini Engellemek Amaçlı Kullanılan Sabit sınıfıdır.
❖ S	YardimciSiniflar (see page 695)	Giden Fatura ve Müstahsil Makbuzları ile ilgili olarak, Kendisi, Ana Kayda İlişkin Detaylar, Aktarılacak Klasör gibi bilgiler kullanılarak QNB Finans GIB Web Servislerine gönderilecek XML dosyalarının hazırlanması ile ilgili Metotların bulunduğu yardımçı sınıfır.

## 1.1.7.1 Classes

### Summary

The following table lists classes in this documentation.

### Classes

	Name	Description
❖ S	BoslukKaldır (see page 672)	Girdi olarak verilen bir nesnenin İçerisindeki String türündeki elemanları kontrol ederek Bu string değerlerde boslukları kaldırırmaya yarayan bir sınıfır
❖ S	DisServisler (see page 673)	QNB Finans Firması tarafından sağlanan GIB Web Servis referanslarının tüketildiği Ve servise talep gönderilip sonuçlarının temin edildiği sınıfır.
❖ S	Enums (see page 689)	Satış Türü Bilgilerinin Bulunduğu Enum sınıfı
❖ S	GeriDonus (see page 691)	E-Fatura Servisinde Önizleme Metodu çağrıldığında donecek olan değer Burada Tipe göre Dosya (see page 691) uzantısı Zip veya PDF olacagi için Bu konu önemlidir
❖ S	GibNumarası (see page 692)	GIB Numarası değerlerinin otomatik olarak oluşturulması için hazırlanan sınıfır
❖ S	MesajSabitler (see page 694)	Yapılan Ekranlarda Verilecek Mesajlarla İlgili Sabit Sınıf
❖ S	Sabitler (see page 695)	Sistemde Elle Kontroller Yapılmaması ve Hatalı Veri Girişini Engellemek Amaçlı Kullanılan Sabit sınıfıdır.
❖ S	YardimciSiniflar (see page 695)	Giden Fatura ve Müstahsil Makbuzları ile ilgili olarak, Kendisi, Ana Kayda İlişkin Detaylar, Aktarılacak Klasör gibi bilgiler kullanılarak QNB Finans GIB Web Servislerine gönderilecek XML dosyalarının hazırlanması ile ilgili Metotların bulunduğu yardımçı sınıfır.

### 1.1.7.1.1 BoslukKaldır Class

#### Summary

Girdi olarak verilen bir nesnenin İçerisindeki String türündeki elemanları kontrol ederek Bu string değerlerde boslukları kaldırırmaya yarayan bir sınıfır

#### Class Hierarchy

QNBFinansGIB.Utils.BoslukKaldır

#### C#

```
public static class BoslukKaldır;
```

#### File

BoslukKaldır.cs (see page 783)

#### BoslukKaldır Methods

	Name	Description
❖ S	BosluklarıKaldır (see page 673)	Generic olarak herhangi bir sınıf vb. kontrol edildiginde İçerisindeki string değerlerin bosluklarının kaldırılması için Hazırlanmış metottur.

### 1.1.7.1.1.1 BoslukKaldır Methods

### 1.1.7.1.1.1 BoslukKaldır.BosluklariKaldır Method

#### Summary

Generic olarak herhangi bir sınıf vb. kontrol edildiğinde içerisindeki string değerlerin boşluklarının kaldırılması için hazırlanmış metottur.

#### C#

```
public static TSelf BosluklariKaldır<TSelf>(this TSelf input);
```

#### Parameters

Parameters	Description
this TSelf input	Girdi Degeri

#### Type Parameters

Type Parameters	Description
TSelf	Girdinin ait olduğu tür, sınıf vb.

#### Returns

Girdinin boşluksuz halleri

#### Body Source

```
1: public static TSelf BosluklariKaldır<TSelf>(this TSelf input)
2: {
3:     if (input == null)
4:         return default;
5:
6:     var stringProperties = typeof(TSelf).GetProperties()
7:         .Where(p => p.PropertyType == typeof(string));
8:
9:     foreach (var stringProperty in stringProperties)
10:    {
11:        var currentValue = (string)stringProperty.GetValue(input, null);
12:        if (currentValue != null)
13:            stringProperty.SetValue(input, currentValue.Trim().TrimEnd().TrimStart(),
14: null);
15:    }
16:    return input;
17: }
```

### 1.1.7.1.2 DisServisler Class

#### Summary

QNB Finans Firması tarafından sağlanan GIB Web Servis referanslarının tüketildiği ve servise talep gönderilip sonuçlarının temin edildiği sınıfıdır.

#### Class Hierarchy

```
QNBFinansGIB.Utils.DisServisler
```

#### C#

```
public static class DisServisler;
```

#### File

DisServisler.cs (  see page 783)

## DisServisler Methods

	Name	Description
≡ S	BelgeOidKontrol ( [ see page 674] )	Gönderilen Id bilgisine sahip Faturanın Belge Oid Bilgisinin QNB Finans Tarafına gönderilmesini sağlayan metottur
≡ S	EArsivGonder ( [ see page 675] )	Oluşturulan XML dosyasının QNB Finans Tarafına gönderilmesini sağlayan metottur
≡ S	EArsivOnizleme ( [ see page 676] )	Oluşturulan XML dosyasının QNB Finans Tarafına gönderilmesini sağlayan metottur Burada da E-Faturada olduğu gibi önce Fatura Id bilgisi ile gönderip Bir sonuç gelmezse hazırlanan XML dosyası gönderilip çıktı alınmaya çalışılmaktadır
≡ S	EArsivServisineBaglan ( [ see page 677] )	E-Arsiv Servisine Baglanmak İçin Gerekli İşlemlerin gerçekleştirildiği metottur.
≡ S	EArsivSilmeyeUygunMu ( [ see page 678] )	İlgili faturanın QNB Finans servislerine gönderilip gönderilmmediği Görürtüldü ise durumuna bakarak Bu kaydın silinebilir olup olmadığını belirleye bir metottur.
≡ S	EFaturaGonder ( [ see page 678] )	Oluşturulan XML dosyasının QNB Finans Tarafına gönderilmesini sağlayan metottur
≡ S	EFaturaKullaniciListesi ( [ see page 682] )	Girilen tarihten sonraki E-Fatura Mükellef Listesini getiren metottur Bir Metottur
≡ S	EFaturaKullanicisiMi ( [ see page 683] )	Vergi Kimlik Numarası Gönderilen Tüzel Kisının E Fatura Kullanıcısı Olup Olmadığını Kontrol Eden Bir Metottur
≡ S	EFaturaOnizleme ( [ see page 684] )	Oluşturulan XML dosyasının QNB Finans Tarafında Önizlemesinin yapılmasını sağlayan metottur Eger Belge Oid numarası varsa XML dosyasını göndermez, bu numaraya sistemdeki çıktı alınır. Yoksa XML dosyası gönderilir, Mali Degeri Yoktur yazan bir filigranla yine XML üzerindeki Yapı üzerinden PDF çıktısı alınacak sekilde veri döner
≡ S	EFaturaServisineBaglan ( [ see page 685] )	E-Fatura Servisine Baglanmak İçin Gerekli olan işlemlerin gerçekleştirildiği metottur
≡ S	EFaturaSilmeyeUygunMu ( [ see page 685] )	İlgili faturanın QNB Finans servislerine gönderilip gönderilmmediği Görürtüldü ise durumuna bakarak Bu kaydın silinebilir olup olmadığını belirleye bir metottur.
≡ S	EMustahsilGonder ( [ see page 686] )	Oluşturulan XML dosyasının QNB Finans Tarafına gönderilmesini sağlayan metottur
≡ S	EMustahsilOnizleme ( [ see page 687] )	Oluşturulan XML dosyasının QNB Finans Tarafına gönderilmesini sağlayan metottur Burada da E-Faturada olduğu gibi önce Fatura Id bilgisi ile gönderip Bir sonuç gelmezse hazırlanan XML dosyası gönderilip çıktı alınmaya çalışılmaktadır
≡ S	EMustahsilServisineBaglan ( [ see page 688] )	E-Müstahsil Servisine Baglanmak İçin Gerekli işlemlerin gerçekleştirildiği metottur.
≡ S	EMustahsilSilmeyeUygunMu ( [ see page 688] )	İlgili faturanın QNB Finans servislerine gönderilip gönderilmmediği Görürtüldü ise durumuna bakarak Bu kaydın silinebilir olup olmadığını belirleye bir metottur.
≡ S	GetMD5Hash ( [ see page 689] )	Dosyanın MD5 hashi alınması için yazılan metottur

### 1.1.7.1.2.1 DisServisler Methods

#### 1.1.7.1.2.1.1 DisServisler.BelgeOidKontrol Method

##### Summary

Gönderilen Id bilgisine sahip Faturanın Belge Oid Bilgisinin QNB Finans Tarafına gönderilmesini sağlayan metottur

C#

```
public static string BelgeOidKontrol(string gidenFaturaId, DateTime? baslangicTarihi,
DateTime? bitisTarihi);
```

## Parameters

Parameters	Description
string gidenFaturald	Giden Fatura Id Bilgisi
DateTime? baslangicTarihi	Baslangic Tarihi bilgisi
DateTime? bitisTarihi	Bitis Tarihi Bilgisi

## Returns

Islem Sonucu (Buradan dönen deger gerekli yerlerde kontrol edilip ona göre kullaniciya bilgi verilmektedir.)

## Body Source

```

1: public static string BelgeOidKontrol(string gidenFaturaId, DateTime? baslangicTarihi,
2: DateTime? bitisTarihi)
3: {
4:     try
5:     {
6:         EFaturaServisineBaglan();
7:         var parametreler = new GIBEFatura.gidenBelgeleriListeleParametreleri
8:         {
9:             vkn = "3250566851",
10:            belgeTuru = "FATURA_UBL",
11:            baslangicGonderimTarihi = baslangicTarihi?.ToString("yyyyMMdd"),
12:            bitisGonderimTarihi = bitisTarihi?.ToString("yyyyMMdd")
13:        };
14:        const string sonucMesaji = "Islem Basarili";
15:        var liste = _gibEFaturaService.gidenBelgeleriListele(parametreler);
16:        foreach (var item in liste)
17:        {
18:            if (item is gidenBelgeleriListeleData nesne && nesne.yerelBelgeNo ==
gidenFaturaId)
19:                return nesne.belgeOid;
20:        }
21:
22:        return sonucMesaji;
23:    }
24:    catch (Exception ex)
25:    {
26:        return MesajSabitler.IslemBasarisiz;
27:    }
28:    finally
29:    {
30:        _gibUserService.logout();
31:    }
32: }
```

## 1.1.7.1.2.1.2 DisServisler.EArsivGonder Method

### Summary

Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan metottur

### C#

```
public static string EArsivGonder(GidenFaturaDTO gidenFatura, string dosyaAdi);
```

## Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
string dosyaAdi	Dosya Adi bilgisi

## Body Source

```

1: public static string EArsivGonder(GidenFaturaDTO gidenFatura, string dosyaAdi)
2: {
```

```

3:     try
4:     {
5:         EArsivServisineBaglan();
6:
7:         var input = "{\"islemId\":\"\" + gidenFatura.GidenFaturaId +
8: \"\", \"vkn\": \"3250566851\", \"sube\": \"DFLT\", \"kasa\": \"DFLT\", \"erpKodu\": \"TSF30125\", \"do
nenBelgeFormati\": \"9\"}";
9:         //string inputKontrol =
10:        "{\"vkn\": \"3250566851\", \"donenBelgeFormati\": \"9\", \"faturaUuid\": \"\" +
11:        gidenFatura.GidenFaturaId + "\"";
12:        var inputKontrol = "{\"faturaUuid\": \"\" + gidenFatura.GidenFaturaId +
13: \"\", \"vkn\": \"3250566851\", \"sube\": \"DFLT\", \"kasa\": \"DFLT\", \"erpKodu\": \"TSF30125\", \"do
nenBelgeFormati\": \"9\"}";
14:
15:        var belgeTemp = new GIBEArsiv.belge
16:        {
17:            belgeFormati = GIBEArsiv.belgeFormatiEnum.UBL,
18:            belgeFormatiSpecified = true,
19:            belgeIcerigi = File.ReadAllBytes(dosyaAdi)
20:        };
21:        var serviceResult = new GIBEArsiv.earsivServiceResult();
22:        _gibEArsivService.faturaSorgula(inputKontrol, out serviceResult);
23:        if (serviceResult.resultCode != "AE00000")
24:        {
25:            _gibEArsivService.faturaOlustur(input, belgeTemp, out serviceResult);
26:        }
27:        else
28:            return MesajSabitler.IslemBasarili;
29:
30:        //if (serviceResult.resultCode != "AE00000")
31:        //    return MesajSabitler.IslemBasarisiz;
32:        //else
33:        //    return MesajSabitler.IslemBasarili;
34:    }
35:    catch (Exception ex)
36:    {
37:        return MesajSabitler.IslemBasarisiz;
38:    }
39:    finally
40:    {
41:        _gibUserService.logout();
42:    }
43: }

```

#### 1.1.7.1.2.1.3 DisServisler.EArsivOnzleme Method

##### Summary

Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan metottur Burada da E-Faturada oldugu gibi önce Fatura Id bilgisi ile gönderip Bir sonuç gelmezse hazırlanan XML dosyasi gönderilip çıktı alınmaya çalışilmaktadır

##### C#

```
public static byte[] EArsivOnzleme(GidenFaturaDTO gidenFatura, string dosyaAdi);
```

##### Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
string dosyaAdi	Dosya Adi bilgisi

**Returns**

PDF olarak çıktısı alınacak dosyanın byte dizisi hali

**Body Source**

```

1: public static byte[] EArsivOnIzleme(GidenFaturaDTO gidenFatura, string dosyaAdi)
2: {
3:     try
4:     {
5:         EArsivServisineBaglan();
6:
7:         // Burada VKN ve ERP Kodu önemlidir
8:         var input = "{\"islemId\":\"" + gidenFatura.GidenFaturaId.ToUpper() +
"\\", \"faturaUuid\":\"" + gidenFatura.GidenFaturaId.ToUpper() +
"\\", \"vkn\":\"3250566851\", \"sube\":\"DFLT\", \"kasa\":\"DFLT\", \"erpKodu\":\"TSF30125\", \"do-
nenBelgeFormati\":\"3\"}";
// Buradaki 3 PDF
9:
10:        var belgeTemp = new GIBEArsiv.belge
11:        {
12:            belgeFormati = GIBEArsiv.belgeFormatiEnum.UBL,
13:            belgeFormatiSpecified = true,
14:            belgeIcerigi = File.ReadAllBytes(dosyaAdi)
15:        };
16:        var serviceResult = new GIBEArsiv.earsivServiceResult();
17:        var temp = _gibEarsivService.faturaSorgula(input, out serviceResult);
18:        if (temp != null)
19:            return temp.belgeIcerigi;
20:        else
21:        {
22:            temp = _gibEarsivService.faturaOnizleme(input, belgeTemp, out
serviceResult);
23:            return temp?.belgeIcerigi;
24:        }
25:    }
26:    catch (Exception ex)
27:    {
28:        return null;
29:    }
30:    finally
31:    {
32:        _gibUserService.logout();
33:    }
34: }
```

**1.1.7.1.2.1.4 DisServisler.EArsivServisineBaglan Method****Summary**

E-Arsiv Servisine Baglanmak İçin Gerekli İşlemlerin gerçekleştirildiği metottur.

**C#**

```
private static void EArsivServisineBaglan();
```

**Body Source**

```

1: private static void EArsivServisineBaglan()
2: {
3:     _gibUserService = new GIBUserService.userService();
4:     _gibEarsivService = new GIBEArsiv.EarsivWebService();
5:
6:     _gibUserService.CookieContainer = new System.Net.CookieContainer();
7:     _gibEarsivService.CookieContainer = _gibUserService.CookieContainer;
8:
9:     _gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, GIBVKN);
10: }
```

### 1.1.7.1.2.1.5 DisServisler.EArsivSilmeyeUygunMu Method

#### Summary

İlgili faturanın QNB Finans servislerine gönderildip gönderilmemiği Gönderildi ise durumuna bakarak Bu kaydın silinebilir olup olmadığını belirleye bir metottur.

#### C#

```
public static bool EArsivSilmeyeUygunMu(string gidenFaturaId);
```

#### Parameters

Parameters	Description
string gidenFaturaId	Giden Fatura Id Bilgisi

#### Body Source

```

1: public static bool EArsivSilmeyeUygunMu(string gidenFaturaId)
2: {
3:     try
4:     {
5:         var uygunMu = true;
6:
7:         EArsivServisineBaglan();
8:
9:         var inputKontrol = "{\"faturaUuid\":\"" + gidenFaturaId +
"\\",\"vkn\":\"3250566851\",\"sube\":\"DFLT\",\"kasa\":\"DFLT\",\"erpKodu\":\"TSF30125\",\"do-
nenBelgeFormati\":\"9\"}";
10:
11:        // var fatura = new GIBEArsiv.belge
12:        // {
13:            // belgeFormati = GIBEArsiv.belgeFormatiEnum.UBL,
14:            // belgeFormatiSpecified = true
15:        // };
16:        var serviceResult = new GIBEArsiv.earsivServiceResult();
17:        _gibEArsivService.faturaSorgula(inputKontrol, out serviceResult);
18:        if (serviceResult.resultCode == "AE00000")
19:            uygunMu = false;
20:
21:        return uygunMu;
22:    }
23:    catch (Exception ex)
24:    {
25:        return true;
26:    }
27:    finally
28:    {
29:        _gibUserService.logout();
30:    }
31: }
```

### 1.1.7.1.2.1.6 DisServisler.EFaturaGonder Method

#### Summary

Olusturulan XML dosyasının QNB Finans Tarafına gönderilmesini saglayan metottur

#### C#

```
public static string EFaturaGonder(GidenFaturaDTO gidenFatura, string dosyaAdi, string
belgeOid);
```

#### Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
string dosyaAdi	Dosya Adı Bilgisi

string belgeOid

Belge Oid Bilgisi

**Returns**

İşlem Sonucu (Buradan dönen değer gerekli yerlerde kontrol edilip ona göre kullanıcıya bilgi verilmektedir.)

**Body Source**

```

1: public static string EFaturaGonder(GidenFaturaDTO gidenFatura, string dosyaAdi, string
belgeOid)
2: {
3:     try
4:     {
5:         EFaturaServisineBaglan();
6:
7:         var parametreler = new GIBEFatura.gidenBelgeParametreleri
8:         {
9:             vergiTcKimlikNo = "3250566851",
10:            belgeTuru = "FATURA_UBL",
11:            belgeNo = gidenFatura.GidenFaturaId,
12:            belgeVersiyon = "1.0",
13:            veri = File.ReadAllBytes(dosyaAdi)
14:        };
15:        parametreler.belgeHash = GetMD5Hash(parametreler.veri);
16:        parametreler.mimeType = "application/xml";
17:        parametreler.erpKodu = GIBERP_Kodu;
18:
19:        var sonucMesaji = string.Empty;
20:
21:        try
22:        {
23:            var belgeDurumEsas =
_gibEFaturaService.gidenBelgeDurumSorgulaYerelBelgeNo(parametreler.vergiTcKimlikNo,
parametreler.belgeNo);
24:            if (belgeDurumEsas.durum != 1 && belgeDurumEsas.durum != 3)
25:            {
26:                #region Belge Oid Durumuna Göre Evrak Gönderme
27:                if (!string.IsNullOrEmpty(belgeOid))
28:                {
29:                    if (belgeOid != "Tekrar Gönder")
30:                        sonucMesaji = _gibEFaturaService.belgeGonderExt(parametreler);
31:                    else
32:                    {
33:                        var yenidenGonderDurum = false;
34:                        //var ettnDizi = new string[1];
35:                        //ettnDizi[0] = parametreler.belgeNo;
36:                        //while (yenidenGonderDurum == false)
37:                        //{
38:                            //    yenidenGonderDurum =
_gibEFaturaService.belgeleriTekrarGonder(parametreler.vergiTcKimlikNo, ettnDizi,
parametreler.belgeTuru, parametreler.alanEtiket, parametreler.gonderenEtiket);
39:                            //}
40:                            var belgeOidDizi = new string[1];
41:                            belgeOidDizi[0] = belgeOid;
42:                            while (yenidenGonderDurum == false)
43:                            {
44:                                yenidenGonderDurum =
_gibEFaturaService.belgeleriTekrarGonderBelgeOid(parametreler.vergiTcKimlikNo,
belgeOidDizi, parametreler.belgeTuru, parametreler.alanEtiket, parametreler.gonderenEtiket);
45:                            }
46:                            sonucMesaji = belgeOid;
47:                        }
48:                    }
49:                else
50:                    sonucMesaji = _gibEFaturaService.belgeGonderExt(parametreler);
51:                #endregion
52:
53:                #region Belge Durumu Kontrolü
54:

```

```

55:             if (sonucMesaji.Length > 20) return sonucMesaji;
56:             // önemli not: buradaki metotta Belge Oid'ye göre kontrol yapiliyor
57:             //var belgeDurum =
58:             _gibEFaturaService.gidenBelgeDurumSorgula(parametreler.vergiTcKimlikNo, sonucMesaji);
59:             //var durum = belgeDurum.durum;
60:             //while (durum == 1)
61:             //{
62:                 //    belgeDurum =
63:                 _gibEFaturaService.gidenBelgeDurumSorgula(parametreler.vergiTcKimlikNo, sonucMesaji);
64:                 //    durum = belgeDurum.durum;
65:                 var belgeDurum =
66:                 _gibEFaturaService.gidenBelgeDurumSorgulaYerelBelgeNo(parametreler.vergiTcKimlikNo,
parametreler.belgeNo);
67:                 var durum = belgeDurum.durum;
68:                 while (durum == 1)
69:                 {
70:                     belgeDurum =
71:                     switch (durum)
72:                     {
73:                         case 2:
74:                             sonucMesaji = MesajSabitler.IslamBasarisiz;
75:                             break;
76:                         case 3:
77:                         {
78:                             var gonderimDurumu = belgeDurum.gonderimDurumu;
79:                             switch (gonderimDurumu)
80:                             {
81:                                 case 2:
82:                                     return sonucMesaji;
83:                                 case 4:
84:                                     return sonucMesaji;
85:                                 case 3:
86:                                 {
87:                                     var gibYanitKodu = belgeDurum.gonderimCevabiKodu;
88:                                     if (gibYanitKodu > 1300)
89:                                         return sonucMesaji;
90:                                     else if
(Sabitler.TekrarGonderilebilecekKodListesi.Any(j => j == gibYanitKodu))
91:                                         return "Tekrar Gönder";
92:                                     else if
(Sabitler.TekrarGonderilebilecekKodListesi.All(j => j != gibYanitKodu) && gibYanitKodu <=
1200 && gibYanitKodu >= 1100)
93:                                         return MesajSabitler.IslamBasarisiz;
94:                                     else if (gibYanitKodu == 1210 || gibYanitKodu == 1120)
95:                                         return MesajSabitler.IslamBasarisiz;
96:                                     else
97:                                         return sonucMesaji;
98:                                     }
99:                                 }
100:                                break;
101:                            }
102:                        }
103:                    }
104:                #endregion
105:            }
106:            else if (belgeDurumEsas.durum == 3)
107:            {
108:                if (!string.IsNullOrEmpty(belgeOid))
109:                    return belgeOid;
110:                else
111:                    sonucMesaji = MesajSabitler.IslamBasarili;
112:            }
113:        else
114:        {

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

```

115:             sonucMesaji = MesajSabitler.IslamBasarisiz;
116:         }
117:
118:         return sonucMesaji;
119:     }
120:     catch (Exception)
121:     {
122:         #region Belge Oid Durumuna Göre Evrak Gönderme
123:         if (!string.IsNullOrEmpty(belgeOid))
124:         {
125:             if (belgeOid != "Tekrar Gonder")
126:                 sonucMesaji = _gibEFaturaService.belgeGonderExt(parametreler);
127:             else
128:             {
129:                 var yenidenGonderDurum = false;
130:                 //var ettnDizi = new string[1];
131:                 //ettnDizi[0] = parametreler.belgeNo;
132:                 //while (yenidenGonderDurum == false)
133:                 //{
134:                     //    yenidenGonderDurum =
_gibEFaturaService.belgeleriTekrarGonder(parametreler.vergiTcKimlikNo, ettnDizi,
parametreler.belgeTuru, parametreler.alanEtiket, parametreler.gonderenEtiket);
135:                     //}
136:                     var belgeOidDizi = new string[1];
137:                     belgeOidDizi[0] = belgeOid;
138:                     while (yenidenGonderDurum == false)
139:                     {
140:                         yenidenGonderDurum =
_gibEFaturaService.belgeleriTekrarGonderBelgeOid(parametreler.vergiTcKimlikNo,
belgeOidDizi, parametreler.belgeTuru, parametreler.alanEtiket, parametreler.gonderenEtiket);
141:                         }
142:                         sonucMesaji = belgeOid;
143:                     }
144:                 }
145:             else
146:                 sonucMesaji = _gibEFaturaService.belgeGonderExt(parametreler);
#endregion
148:
149:     #region Belge Durumu Kontrolü
150:
151:     if (sonucMesaji.Length > 20) return sonucMesaji;
152:     // önemli not: buradaki metotta Belge Oid'ye göre kontrol yapiliyor
153:     //var belgeDurum =
_gibEFaturaService.gidenBelgeDurumSorgula(parametreler.vergiTcKimlikNo, sonucMesaji);
154:     //var durum = belgeDurum.durum;
155:     //while (durum == 1)
156:     //{
157:         //    belgeDurum =
_gibEFaturaService.gidenBelgeDurumSorgula(parametreler.vergiTcKimlikNo, sonucMesaji);
158:         //    durum = belgeDurum.durum;
159:     //}
160:     var belgeDurum =
_gibEFaturaService.gidenBelgeDurumSorgulaYerelBelgeNo(parametreler.vergiTcKimlikNo,
parametreler.belgeNo);
161:     var durum = belgeDurum.durum;
162:     while (durum == 1)
163:     {
164:         belgeDurum =
_gibEFaturaService.gidenBelgeDurumSorgulaYerelBelgeNo(parametreler.vergiTcKimlikNo,
parametreler.belgeNo);
165:         durum = belgeDurum.durum;
166:     }
167:     switch (durum)
168:     {
169:         case 2:
200:             sonucMesaji = MesajSabitler.IslamBasarisiz;
201:             break;
202:         case 3:
203:             {

```

```

174:             var gonderimDurumu = belgeDurum.gonderimDurumu;
175:             switch (gonderimDurumu)
176:             {
177:                 case 2:
178:                     return sonucMesaji;
179:                 case 4:
180:                     return sonucMesaji;
181:                 case 3:
182:                 {
183:                     var gibYanitKodu = belgeDurum.gonderimCevabiKodu;
184:                     if (gibYanitKodu > 1300)
185:                         return sonucMesaji;
186:                     else if (Sabitler.TekrarGonderilebilecekKodListesi.Any(j
=> j == gibYanitKodu))
187:                         return "Tekrar Gönder";
188:                     else if (Sabitler.TekrarGonderilebilecekKodListesi.All(j
=> j != gibYanitKodu) && gibYanitKodu <= 1200 && gibYanitKodu >= 1100)
189:                         return MesajSabitler.IslamBasarisiz;
190:                     else if (gibYanitKodu == 1210 || gibYanitKodu == 1120)
191:                         return MesajSabitler.IslamBasarisiz;
192:                     else
193:                         return sonucMesaji;
194:                 }
195:             }
196:             break;
197:         }
198:     }
199: #endregion
200:     return sonucMesaji;
201: }
202: }
203: }
204: catch (Exception ex)
205: {
206:     return MesajSabitler.IslamBasarisiz;
207: }
208: }
209: finally
210: {
211:     _gibUserService.logout();
212: }
213: }
```

#### 1.1.7.1.2.1.7 DisServisler.EFaturaKullaniciListesi Method

##### Summary

Girilen tarihten sonraki E-Fatura Mükellef Listesini getiren metottur Bir Metottur

##### C#

```
public static List<string> EFaturaKullaniciListesi(DateTime islemTarihi);
```

##### Parameters

Parameters	Description
DateTime islemTarihi	Islem Tarihi Bilgisi

##### Returns

E-Fatura Kullanici Listesi

##### Body Source

```

1: public static List<string> EFaturaKullaniciListesi(DateTime islemTarihi)
2: {
3:     try
4:     {
5:         EFaturaServisineBaglan();
6:     }
```

```

7:         var vergiKimlikNoListesi = new List<string>();
8:
9:         var islemTarihiString = islemTarihi.Date.ToString("yyyyMMdd") +
islemTarihi.ToString("HHmmss");
10:        var list = _gibEFaturaService.eFaturaKayitliKullaniciListele(islemTarihiString);
11:        foreach (var item in list)
12:        {
13:            var sb = new StringBuilder();
14:            if (!string.IsNullOrEmpty(item.kayitzamani))
15:            {
16:                sb.Append(item.kayitzamani.Substring(6, 2));
17:                sb.Append("-");
18:                sb.Append(item.kayitzamani.Substring(4, 2));
19:                sb.Append("-");
20:                sb.Append(item.kayitzamani.Substring(0, 4));
21:                sb.Append(" ");
22:                sb.Append(item.kayitzamani.Substring(8, 2));
23:                sb.Append(":");
24:                sb.Append(item.kayitzamani.Substring(10, 2));
25:                sb.Append(":");
26:                sb.Append(item.kayitzamani.Substring(12, 2));
27:            }
28:            if (sb.ToString().Length > 0)
29:                vergiKimlikNoListesi.Add(item.vergiTcKimlikNo + " - " + item.unvan + " -
Kayit Zamani: " + sb.ToString());
30:            // vergiKimlikNoListesi.Add(item.vergiTcKimlikNo + " - " + item.unvan + " -
" + item.kayitzamani);
31:        }
32:
33:        return vergiKimlikNoListesi;
34:    }
35:    catch (Exception ex)
36:    {
37:        return new List<string>();
38:    }
39:    finally
40:    {
41:        _gibUserService.logout();
42:    }
43: }

```

#### 1.1.7.1.2.1.8 DisServisler.EFaturaKullanicisiMi Method

##### Summary

Vergi Kimlik Numarası Gönderilen Tüzel Kisinin E Fatura Kullanicisi Olup Olmadigini Kontrol Eden Bir Metottur

##### C#

```
public static bool EFaturaKullanicisiMi(string vergiNo);
```

##### Parameters

Parameters	Description
string vergiNo	Tüzel Kisi Vergi Kimlik Numarasi

##### Returns

Kullanici Olup Olmadigi Bilgisi

##### Body Source

```

1: public static bool EFaturaKullanicisiMi(string vergiNo)
2: {
3:     try
4:     {
5:         EFaturaServisineBaglan();
6:
7:         var kullaniciMi = _gibEFaturaService.efaturaKullanicisi(vergiNo);
8:

```

```

9:         return kullaniciMi;
10:    }
11:    catch (Exception ex)
12:    {
13:        return false;
14:    }
15:    finally
16:    {
17:        _gibUserService.logout();
18:    }
19: }
```

### 1.1.7.1.2.1.9 DisServisler.EFaturaOnizleme Method

#### Summary

Olusturulan XML dosyasinin QNB Finans Tarafinda Önizlemesinin yapılmasını saglayan metottur Eger Belge Oid numarasi varsa XML dosyasini göndermez, bu numarayla sistemdeki çıktı alınır. Yoksa XML dosyasi gönderilir, Mali Degeri Yoktur yanan bir filigranla yine XML üzerindeki Yapı üzerinden PDF çıktısı alınacak sekilde veri döner

#### C#

```
public static GeriDonus EFaturaOnIzleme(GidenFaturaDTO gidenFatura, string dosyaAdi);
```

#### Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
string dosyaAdi	Dosya Adı bilgisi

#### Returns

PDF veya ZIP olarak alınacak dosyanın Byte dizisi hali

#### Body Source

```

1: public static GeriDonus EFaturaOnIzleme(GidenFaturaDTO gidenFatura, string dosyaAdi)
2: {
3:     try
4:     {
5:         EFaturaServisineBaglan();
6:
7:         const string vergiTcKimlikNo = "3250566851";
8:         if (!File.Exists(dosyaAdi))
9:         {
10:             return null;
11:         }
12:         var veri = File.ReadAllBytes(dosyaAdi);
13:         const string belgeFormati = "PDF"; //HTML, PDF, UBL
14:         const string belgeTuru = "FATURA"; //EFATURA ve EIRSALIYE değerleri alabilir.
15:
16:         var onizleme = new byte[1];
17:
18:         var geriDonus = new GeriDonus
19:         {
20:             Dosya = onizleme,
21:             Tip = 0
22:         };
23:
24:         if (!string.IsNullOrEmpty(gidenFatura.BelgeOid))
25:         {
26:             var idListesi = new string[1];
27:             idListesi[0] = gidenFatura.BelgeOid;
28:             onizleme = _gibEFaturaService.gidenBelgeleriIndir(vergiTcKimlikNo,
idListesi, belgeTuru, belgeFormati);
29:             geriDonus.Dosya = onizleme;
30:             geriDonus.Tip = 1;
31:         }
32:     }
33: }
```

```

33:         {
34:             onizleme = _gibEFaturaService.ulbOnizleme(vergiTckKimlikNo, veri,
belgeFormati, belgeTuru);
35:             geriDonus.Dosya = onizleme;
36:             geriDonus.Tip = 0;
37:         }
38:
39:         return geriDonus;
40:     }
41:     catch (Exception ex)
42:     {
43:         return null;
44:     }
45:     finally
46:     {
47:         _gibUserService.logout();
48:     }
49: }

```

#### 1.1.7.1.2.1.10 DisServisler.EFaturaServisineBaglan Method

##### Summary

E-Fatura Servisine Baglanmak Için Gerekli olan islemlerin gerçekleştirildiği metottur

##### C#

```
private static void EFaturaServisineBaglan();
```

##### Body Source

```

1: private static void EFaturaServisineBaglan()
2: {
3:     _gibUserService = new GIBUserService.userService();
4:     _gibEFaturaService = new GIBEFatura.connectorService();
5:
6:     _gibUserService.CookieContainer = new System.Net.CookieContainer();
7:     _gibEFaturaService.CookieContainer = _gibUserService.CookieContainer;
8:
9:     _gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, GIBVKN);
10: }

```

#### 1.1.7.1.2.1.11 DisServisler.EFaturaSilmeyeUygunMu Method

##### Summary

İlgili faturanın QNB Finans servislerine gönderilip gönderilmediği Gönderildi ise durumuna bakarak Bu kaydın silinebilir olup olmadığını belirleye bir metottur.

##### C#

```
public static bool EFaturaSilmeyeUygunMu(string gidenFaturaId);
```

##### Parameters

Parameters	Description
string gidenFaturaId	Giden Fatura Id Bilgisi

##### Returns

Kaydin Silinmeye Uygun Olup Olmadigi Bilgisi

##### Body Source

```

1: public static bool EFaturaSilmeyeUygunMu(string gidenFaturaId)
2: {
3:     try
4:     {
5:         var uygunMu = true;
6:
7:         EFaturaServisineBaglan();

```

```

8:
9:         var parametreler = new GIBEFatura.gidenBelgeParametreleri
10:
11:        vergiTcKimlikNo = "3250566851",
12:        belgeTuru = "FATURA_UBL",
13:        belgeNo = gidenFaturaId,
14:        erpKodu = GIBERP_Kodu
15:    };
16:    var belgeDurumEsas =
17:        _gibEFaturaService.gidenBelgeDurumSorgulaYerelBelgeNo(parametreler.vergiTcKimlikNo,
18:        parametreler.belgeNo);
19:    if (belgeDurumEsas.durum == 1 || belgeDurumEsas.durum == 3)
20:        uygunMu = false;
21:
22:    return uygunMu;
23: }
24: catch (Exception ex)
25: {
26:     return true;
27: }
28: finally
29: {
30:     _gibUserService.logout();
}

```

### 1.1.7.1.2.1.12 DisServisler.EMustahsilGonder Method

#### Summary

Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan metottur

#### C#

```
public static string EMustahsilGonder(MustahsilMakbuzuDTO mustahsilMakbuzu, string dosyaAdi);
```

#### Parameters

Parameters	Description
MustahsilMakbuzuDTO mustahsilMakbuzu	Müstahsil Makbuzu Bilgisi
string dosyaAdi	Dosya Adi bilgisi

#### Body Source

```

1: public static string EMustahsilGonder(MustahsilMakbuzuDTO mustahsilMakbuzu, string
dosyaAdi)
2: {
3:     try
4:     {
5:         EMustahsilServisineBaglan();
6:
7:         var input = "{\"islemId\":\"\" + mustahsilMakbuzu.MustahsilMakbuzuId +
"\\\", \"vkn\": \"3250566851\", \"sube\": \"DFLT\", \"kasa\": \"DFLT\" }";
8:         var inputKontrol = "{\"islemId\":\"\" +
mustahsilMakbuzu.MustahsilMakbuzuId.ToUpper() + "\", \"uuid\": \" +
mustahsilMakbuzu.MustahsilMakbuzuId.ToUpper() +
"\", \"vkn\": \"3250566851\", \"sube\": \"DFLT\", \"kasa\": \"DFLT\" }";
9:
10:        var belgeTemp = new GIBEMustahsil.belge
11:        {
12:            belgeFormati = GIBEMustahsil.belgeFormatiEnum.UBL,
13:            belgeFormatiSpecified = true,
14:            belgeIcerigi = File.ReadAllBytes(dosyaAdi)
15:        };
16:        var serviceResult = new GIBEMustahsil.earsivServiceResult();
17:        _gibEMustahsilService.mustahsilMakbuzSorgula(inputKontrol, out serviceResult);
18:        if (serviceResult.resultCode != "AE00000")
19:        {

```

```

20:             _gibEMustahsilService.mustahsilMakbuzOlustur(input, belgeTemp, out
serviceResult);
21:         }
22:     else
23:         return MesajSabitler.IslamBasarili;
24:
25:     return serviceResult.resultCode != "AE00000" ? MesajSabitler.IslamBasarisiz :
MesajSabitler.IslamBasarili;
26:   }
27:   catch (Exception ex)
28:   {
29:     return MesajSabitler.IslamBasarisiz;
30:   }
31: finally
32: {
33:   _gibUserService.logout();
34: }
35: }
```

### 1.1.7.1.2.1.13 DisServisler.EMustahsilOnIzleme Method

#### Summary

Oluşturulan XML dosyasının QNB Finans Tarafına gönderilmesini sağlayan metottur Burada da E-Faturada olduğu gibi önce Fatura Id bilgisi ile gönderip Bir sonuç gelmezse hazırlanan XML dosyası gönderilip çıktı alınmaya çalışılmaktadır

#### C#

```
public static byte[] EMustahsilOnIzleme(MustahsilMakbuzuDTO mustahsilMakbuzu, string
dosyaAdi);
```

#### Parameters

Parameters	Description
MustahsilMakbuzuDTO mustahsilMakbuzu	Müstahsil Makbuzu Bilgisi
string dosyaAdi	Dosya Adı bilgisi

#### Returns

PDF olarak çıktısı alınacak dosyanın byte dizisi hali

#### Body Source

```

1: public static byte[] EMustahsilOnIzleme(MustahsilMakbuzuDTO mustahsilMakbuzu, string
dosyaAdi)
2: {
3:   try
4:   {
5:     EMustahsilServisineBaglan();
6:
7:     // Burada VKN ve ERP Kodu önemlidir
8:     var input = "{\"islemId\":\"" + mustahsilMakbuzu.MustahsilMakbuzuId.ToUpper() +
"\" ,\"uuid\":\"" + mustahsilMakbuzu.MustahsilMakbuzuId.ToUpper() +
"\" ,\"vkn\":\"3250566851\" ,\"sube\":\"DFLT\" ,\"kasa\":\"DFLT\" ,\"erpKodu\":\"TSF30125\" ,\"do
nenBelgeFormati\":\"3\"}";
// Buradaki 3 PDF
9:
10:    var belgeTemp = new GIBEMustahsil.belge
11:    {
12:      belgeFormati = GIBEMustahsil.belgeFormatiEnum.UBL,
13:      belgeFormatiSpecified = true,
14:      belgeIcerigi = File.ReadAllBytes(dosyaAdi)
15:    };
16:    var serviceResult = new GIBEMustahsil.earsivServiceResult();
17:    var temp = _gibEMustahsilService.mustahsilMakbuzSorgula(input, out
serviceResult);
18:    if (temp != null)
19:      return temp.belgeIcerigi;
20:  else
```

```

21:         {
22:             temp = _gibEMustahsilService.mustahsilMakbuzOnizleme(input, belgeTemp, out
serviceResult);
23:             return temp?.belgeIcerigi;
24:         }
25:     }
26:     catch (Exception ex)
27:     {
28:         return null;
29:     }
30:     finally
31:     {
32:         _gibUserService.logout();
33:     }
34: }

```

#### 1.1.7.1.2.1.14 DisServisler.EMustahsilServisineBaglan Method

##### Summary

E-Müstahsil Servisine Baglanmak için Gerekli islemlerin gerçekleştirildiği metottur.

##### C#

```
private static void EMustahsilServisineBaglan();
```

##### Body Source

```

1: private static void EMustahsilServisineBaglan()
2: {
3:     _gibUserService = new GIBUserService.userService();
4:     _gibEMustahsilService = new GIBEMustahsil.MustahsilWebService();
5:
6:     _gibUserService.CookieContainer = new System.Net.CookieContainer();
7:     _gibEMustahsilService.CookieContainer = _gibUserService.CookieContainer;
8:
9:     _gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, "tr");
10: }

```

#### 1.1.7.1.2.1.15 DisServisler.EMustahsilSilmeyeUygunMu Method

##### Summary

İlgili faturanın QNB Finans servislerine gönderilip gönderilmediği Gönderildi ise durumuna bakarak Bu kaydın silinebilir olup olmadığını belirleye bir metottur.

##### C#

```
public static bool EMustahsilSilmeyeUygunMu(string mustahsilMakbuzuId);
```

##### Parameters

Parameters	Description
string mustahsilMakbuzuld	Müstahsil Makbuzu Id Bilgisi

##### Returns

Kaydin Silinmeye Uygun Olup Olmadigi Bilgisi

##### Body Source

```

1: public static bool EMustahsilSilmeyeUygunMu(string mustahsilMakbuzuId)
2: {
3:     try
4:     {
5:         var uygunMu = true;
6:
7:         EMustahsilServisineBaglan();
8:
9:         var inputKontrol = "{\"islemId\":\"" + mustahsilMakbuzuId.ToUpper() +
"\",\"uuid\":\"" + mustahsilMakbuzuId.ToUpper() +

```

```

"\" , \"vkn\":"3250566851", \"sube\":"DFLT", \"kasa\":"DFLT"} } ;
10:         var serviceResult = new GIBEMustahsil.earsivServiceResult();
11:         _gibEMustahsilService.mustahsilMakbuzSorgula(inputKontrol, out serviceResult);
12:         if (serviceResult.resultCode == "AE00000")
13:             uygunMu = false;
14:         return uygunMu;
15:     }
16:     catch (Exception ex)
17:     {
18:         return true;
19:     }
20:     finally
21:     {
22:         _gibUserService.logout();
23:     }
24: }
25: }
```

### 1.1.7.1.2.1.16 DisServisler.GetMD5Hash Method

#### Summary

Dosyanın MD5 hashi alınması için yazılan metottur

#### C#

```
private static string GetMD5Hash(byte[] gelen);
```

#### Parameters

Parameters	Description
byte[] gelen	Girdi Bilgisi

#### Returns

Metnin veya girdinin MD5 hashlenmis hali

#### Body Source

```

1: private static string GetMD5Hash(byte[] gelen)
2: {
3:     var md5Hash = new MD5CryptoServiceProvider();
4:     var data = md5Hash.ComputeHash(gelen);
5:     var sBuilder = new StringBuilder();
6:
7:     foreach (var t in data)
8:     {
9:         sBuilder.Append(t.ToString("x2"));
10:    }
11:
12:    return sBuilder.ToString();
13: }
```

### 1.1.7.1.3 Enums Class

#### Summary

Satis Türü Bilgilerinin Bulundugu Enum sınıfı

#### Class Hierarchy

[QNBFinansGIB.Utils.Enums](#)

#### C#

```
public static class Enums;
```

**File**

Enums.cs (see page 797)

**Enums Enumerations**

	<b>Name</b>	<b>Description</b>
⌚	FaturaMakbuzGrupTur (see page 690)	Istisna Faturalarindave Müstahsil Makbuzlarında Grup Türüne Göre Kontrol yapılmasını saglayan enum Bilgisi Burada Küspe olup olmamasına göre XML içerisinde degisiklikler yapıldığı için Bu kisim önemlidir
⌚	FaturaTur (see page 690)	Faturada Türlerinin Kodlarının Bulundugu enum bilgisi Burada lade faturasi ise XML içerisinde bazi yapisal degisiklikler gerçekleştirildiği için Bu konu önemlidir.
⌚	SatisTur (see page 691)	Faturadaki Satis Türlerinin Kodlarının Bulundugu enum bilgisi Burada İhraç Kayitli ise XML içerisinde bazi yapisal degisiklikler gerçekleştirildiği için Bu konu önemlidir.

**1.1.7.1.3.1 Enums Enumerations****1.1.7.1.3.1.1 QNBFinansGIB.Utils.Enums.FaturaMakbuzGrupTur Enumeration****Summary**

Istisna Faturalarindave Müstahsil Makbuzlarında Grup Türüne Göre Kontrol yapılmasını saglayan enum Bilgisi Burada Küspe olup olmamasına göre XML içerisinde degisiklikler yapıldığı için Bu kisim önemlidir

**C#**

```
public enum FaturaMakbuzGrupTur {
    Seker = 1,
    Melas = 2,
    Kuspe = 3,
    Diger = 4,
    Malzeme = 5,
    PancarKuyruku = 6,
    Alkol = 7,
    Personel = 8
}
```

**File**

Enums.cs (see page 797)

**1.1.7.1.3.1.2 QNBFinansGIB.Utils.Enums.FaturaTur Enumeration****Summary**

Faturada Türlerinin Kodlarının Bulundugu enum bilgisi Burada lade faturasi ise XML içerisinde bazi yapisal degisiklikler gerçekleştirildiği için Bu konu önemlidir.

**C#**

```
public enum FaturaTur {
    Muhelif = 1,
    Kantin = 2,
    Ambar = 3,
    Satis = 4,
    Iade = 5,
    Fark = 6,
    Personel = 7,
    Proforma = 8,
    NoterlikMakbuzu = 9,
    Harcirah = 10
}
```

**File**Enums.cs ([see page 797](#))**1.1.7.1.3.1.3 QNBFinansGIB.Utils.Enums.SatisTur Enumeration****Summary**

Faturadaki Satis Türlerinin Kodlarının Bulundugu enum bilgisi Burada İhraç Kayitli ise XML içerisinde bazi yapisal degisiklikler gerçekleştirildiği için Bu konu önemlidir.

**C#**

```
public enum SatisTur {
    Vadeli = 1,
    Hesaben = 2,
    Pesin = 3,
    TeskilataVerilen = 4,
    TeslimattaVadeli = 5,
    CiftciyeVerilen = 6,
    IstirakeSatilan = 7,
    PersoneleSatilan = 8,
    ImalatciIhracatci = 9,
    IhracKayitli = 10,
    IstirakeSatilanRezervli = 11,
    RafFiyatGarantili = 12
}
```

**File**Enums.cs ([see page 797](#))**1.1.7.1.4 GeriDonus Class****Summary**

E-Fatura Servisinde Önizleme Metodu çağrıldığında dönecek olan deger Burada Tipe göre Dosya ([see page 691](#)) uzantisi Zip veya PDF olacagi için Bu konu önemlidir

**Class Hierarchy**

<a href="#">QNBFinansGIB.Utils.GeriDonus</a>
----------------------------------------------

**C#**

```
public class GeriDonus;
```

**File**GeriDonus.cs ([see page 825](#))**GeriDonus Properties**

	Name	Description
	Dosya ( <a href="#">see page 691</a> )	Çıktı alınacak dosyanın byte dizisi hali
	Tip ( <a href="#">see page 692</a> )	Çıktı Tipi Bilgisi

**1.1.7.1.4.1 GeriDonus Properties****1.1.7.1.4.1.1 GeriDonus.Dosya Property****Summary**

Çıktı alınacak dosyanın byte dizisi hali

**C#**

```
public byte Dosya;
```

#### 1.1.7.1.4.1.2 GeriDonus.Tip Property

##### Summary

Çıktı Tipi Bilgisi

**C#**

```
public int Tip;
```

### 1.1.7.1.5 GibNumarasi Class

##### Summary

GIB Numarasi degerlerinin otomatik olarak olusturulmasi için hazırlanan sınıftır

##### Class Hierarchy

[QNBFinansGIB.Utils.GibNumarasi](#)

**C#**

```
public static class GibNumarasi;
```

##### File

GibNumarasi.cs ([see page 826](#))

##### GibNumarasi Methods

	Name	Description
✳️ S	RastgeleGibNumarasiOlusturFaturadan ( <a href="#">see page 692</a> )	Fatura nesnesi üzerinden rastgele GIB numarasi olusturulması için Gerekli metottur
✳️ S	RastgeleGibNumarasiOlusturMakbuzdan ( <a href="#">see page 693</a> )	Müstahsil Makbuzu nesnesi üzerinden rastgele GIB numarasi olusturulması için Gerekli metottur
✳️ S	RastgeleMetinOlustur ( <a href="#">see page 693</a> )	Girilen boyut ve yazı türüne göre Rastgele metin olusturulması için hazırlanan bir metottur

#### 1.1.7.1.5.1 GibNumarasi Methods

##### 1.1.7.1.5.1.1 GibNumarasi.RastgeleGibNumarasiOlusturFaturadan Method

##### Summary

Fatura nesnesi üzerinden rastgele GIB numarasi olusturulması için Gerekli metottur

**C#**

```
public static string RastgeleGibNumarasiOlusturFaturadan(GidenFaturaDTO gidenFatura);
```

##### Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Nesnesi

##### Returns

GIB Numarasi

##### Body Source

```
1: public static string RastgeleGibNumarasiOlusturFaturadan(GidenFaturaDTO gidenFatura)
2: {
3:     var baslangicMetni = RastgeleMetinOlustur(3, false);
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

```

4:     var islemTarihi = gidenFatura.DuzenlemeTarihi ?? DateTime.Now;
5:     // maksimum 9 haneli olacagi için böyle bir güncelleme yapıldı
6:     var faturaSayisi = new Random().Next(999999999);
7:     var stringBuilder = new StringBuilder();
8:     stringBuilder.Append(baslangicMetni);
9:     stringBuilder.Append(islemTarihi.Year.ToString());
10:    stringBuilder.Append(faturaSayisi.ToString().PadLeft(9, '0'));
11:    return stringBuilder.ToString();
12: }

```

### 1.1.7.1.5.1.2 GibNumarasi.RastgeleGibNumarasiOlusturMakbuzdan Method

#### Summary

Müstahsil Makbuzu nesnesi üzerinden rastgele GIB numarası oluşturulması için Gerekli metottur

#### C#

```
public static string RastgeleGibNumarasiOlusturMakbuzdan(MustahsilMakbuzuDTO mustahsilMakbuzu);
```

#### Parameters

Parameters	Description
MustahsilMakbuzuDTO mustahsilMakbuzu	Müstahsil Makbuzu Nesnesi

#### Returns

GIB Numarası

#### Body Source

```

1: public static string RastgeleGibNumarasiOlusturMakbuzdan(MustahsilMakbuzuDTO mustahsilMakbuzu)
2: {
3:     var baslangicMetni = RastgeleMetinOlustur(3, false);
4:     var islemTarihi = mustahsilMakbuzu.MustahsilMakbuzuTarihi ?? DateTime.Now;
5:     // maksimum 9 haneli olacagi için böyle bir güncelleme yapıldı
6:     var faturaSayisi = new Random().Next(999999999);
7:     var stringBuilder = new StringBuilder();
8:     stringBuilder.Append(baslangicMetni);
9:     stringBuilder.Append(islemTarihi.Year.ToString());
10:    stringBuilder.Append(faturaSayisi.ToString().PadLeft(9, '0'));
11:    return stringBuilder.ToString();
12: }

```

### 1.1.7.1.5.1.3 GibNumarasi.RastgeleMetinOlustur Method

#### Summary

Girilen boyut ve yazı türüne göre Rastgele metin oluşturulması için hazırlanan bir metottur

#### C#

```
private static string RastgeleMetinOlustur(int size, bool lowerCase);
```

#### Parameters

Parameters	Description
int size	Istenen metnin boyutu
bool lowerCase	Yazı Tipi (Büyük Harf mi, Küçük Harf Mi)

#### Returns

Rastgele Metin Bilgisi

#### Body Source

```

1: private static string RastgeleMetinOlustur(int size, bool lowerCase)
2: {
3:     var builder = new StringBuilder(size);

```

```

4:     var random = new Random();
5:     var offset = lowerCase ? 'a' : 'A';
6:     const int lettersOffset = 26; // A...Z or a..z: length=26
7:     for (var i = 0; i < size; i++)
8:     {
9:         var @char = (char)random.Next(offset, offset + lettersOffset);
10:        builder.Append(@char);
11:    }
12:    return lowerCase ? builder.ToString().ToLower() : builder.ToString();
13: }

```

## 1.1.7.1.6 MesajSabitler Class

### Summary

Yapilan Ekranlarda Verilecek Mesajlarla Ilgili Sabit Sınıf

### Class Hierarchy

```
QNBFinansGIB.Utils.MesajSabitler
```

### C#

```
public static class MesajSabitler;
```

### File

MesajSabitler.cs (see page 831)

### MesajSabitler Fields

	Name	Description
❖	IslemBasarili (see page 694)	Islemin Basarili Olduguna Dair Mesaj Bilgisi
❖	IslemBasarisiz (see page 694)	Islemin Basarisiz Olduguna Dair Mesaj Bilgisi
❖	MesajBasligi (see page 694)	Islem Mesajlarinin Kutusunda Gösterilecek Baslik Mesaj Bilgisi

## 1.1.7.1.6.1 MesajSabitler Fields

### 1.1.7.1.6.1.1 MesajSabitler.IslemBasarili Field

#### Summary

Islemin Basarili Olduguna Dair Mesaj Bilgisi

#### C#

```
public const string IslemBasarili = "Islem Basarili";
```

### 1.1.7.1.6.1.2 MesajSabitler.IslemBasarisiz Field

#### Summary

Islemin Basarisiz Olduguna Dair Mesaj Bilgisi

#### C#

```
public const string IslemBasarisiz = "Islem Basarisiz";
```

### 1.1.7.1.6.1.3 MesajSabitler.MesajBasligi Field

#### Summary

Islem Mesajlarinin Kutusunda Gösterilecek Baslik Mesaj Bilgisi

#### C#

```
public const string MesajBasligi = "QNB Finans GIB Servis Uygulamasi";
```

## 1.1.7.1.7 Sabitler Class

### Summary

Sistemde Elle Kontroller Yapılmaması ve Hatalı Veri Girişini Engellemek Amaçlı Kullanılan Sabit sınıfıdır.

### Class Hierarchy

[QNBFinansGIB.Utils.Sabitler](#)

### C#

```
public static class Sabitler;
```

### File

Sabitler.cs ([see page 840](#))

### Sabitler Fields

	Name	Description
	TekrarGonderilebilecekKodListesi ( <a href="#">see page 695</a> )	This is TekrarGonderilebilecekKodListesi, a member of class Sabitler.

## 1.1.7.1.7.1 Sabitler Fields

### 1.1.7.1.7.1.1 Sabitler.TekrarGonderilebilecekKodListesi Field

#### C#

```
public static readonly List<int> TekrarGonderilebilecekKodListesi = new List<int> { 1110, 1120, 1130, 1131, 1132, 1133, 1140, 1141, 1142, 1143, 1150, 1160, 1161, 1170, 1171, 1172, 1175, 1176, 1177, 1180, 1181, 1190, 1195, 1215, 1230 };
```

#### Description

This is TekrarGonderilebilecekKodListesi, a member of class Sabitler.

## 1.1.7.1.8 YardimciSiniflar Class

### Summary

Giden Fatura ve Müstahsil Makbuzları ile ilgili olarak, Kendisi, Ana Kayda İlliskin Detaylar, Aktarılacak Klasör gibi bilgiler kullanılarak QNB Finans GIB Web Servislerine gönderilecek XML dosyalarının hazırlanması ile ilgili Metotların bulunduğu yardımçı sınıfı.

### Class Hierarchy

[QNBFinansGIB.Utils.YardimciSiniflar](#)

### C#

```
public static class YardimciSiniflar;
```

### File

YardimciSiniflar.cs ([see page 842](#))

### YardimciSiniflar Methods

	Name	Description
	EArsivBankaBilgileriDuzenle ( <a href="#">see page 696</a> )	E-Arsiv Kisminda Tüzel Kisi De Olsa Sahis Sirketi De Olsa Banka Bilgilerinin hazırlanıldığı kod blogu aynı olduğu için Burada tek bir yerden güncelleme yapılması için gerekli işlemlerin gerçekleştirildiği metottur.

	EArsivFaturaDetaylarıDuzenle (see page 697)	E-Arsiv Kisminda Tüzel Kisiden Gelse de Sahis Sirketinden Gelse De Fatura Detayları XML içerisinde islenirken ayni islemler gerceklestirildiginden Bu kod bloklarının tek bir yerde tutulması Birinde yapılan güncellemenin iki tarafı da etkilemesi saglandı
	EArsivStandartImzaVeFirmaBilgisiDuzenle (see page 701)	E-Arsiv Kisminda Tüzel Kisi de Olsa Sahis Sirketi De Olsa Standart Alanlar, Imza Kismi ve Faturayı Kesen Firma Kismi ile ilgili kod blokları Ayni olduğu için Burada tek bir yerden güncelleme yapılması için gerekli islemlerin gerceklestirildigi metottur.
	EArsivVergiVeDigerAlanlarDuzenle (see page 708)	E-Arsiv Kisminda Tüzel Kisi de Olsa Sahis Sirketi De Olsa Vergi, Iskonto vb. Kismi ile ilgili kod blokları Ayni olduğu için Burada tek bir yerden güncelleme yapılması için gerekli islemlerin gerceklestirildigi metottur.
	EArsivXMLOlustur (see page 713)	Giden Fatura Bilgisi Üzerinden E-Arsiv Sistemine Göndermek İçin XML Dosyasi Olusturmaya yarayan metottur
	EFaturaXMLOlustur (see page 720)	Giden Fatura Bilgisi Üzerinden E-Fatura Sistemine Göndermek İçin XML Dosyasi Olusturmaya yarayan metottur
	EMustahsilXMLOlustur (see page 739)	Müstahsil Makbuzu Bilgisi Üzerinden E-Müstahsil Sistemine Göndermek İçin XML Dosyasi Olusturmaya yarayan metottur

### 1.1.7.1.8.1 YardimciSiniflar Methods

#### 1.1.7.1.8.1.1 YardimciSiniflar.EArsivBankaBilgileriDuzenle Method

##### Summary

E-Arsiv Kisminda Tüzel Kisi De Olsa Sahis Sirketi De Olsa Banka Bilgilerinin hazirlanligi kod blogu ayni oldugu için Burada tek bir yerden güncelleme yapılması için gerekli islemlerin gerceklestirildigi metottur.

C#

```
private static void EArsivBankaBilgileriDuzenle(GidenFaturaDTO gidenFatura, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc, XmlElement root);
```

##### Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
XmlDocument doc	XML Dokümani Bilgisi
XmlAttribute xmlnscac	XML Attribute Bilgisi
XmlAttribute xmlnscbc	XML Attribute Bilgisi
XmlElement root	XML Ana Eleman Bilgisi

##### Body Source

```
1: private static void EArsivBankaBilgileriDuzenle(GidenFaturaDTO gidenFatura, XmlDocument doc, XmlAttribute xmlnscac,
2:     XmlAttribute xmlnscbc, XmlElement root)
3: {
4:     if (string.IsNullOrEmpty(gidenFatura.BankaAd)) return;
5:
6:     // Eger Banka bilgileri mevcutsa burada banka bilgileri yer almaktadir
7:     #region PaymentMeans
8:
9:     var paymentMeans = doc.CreateElement("cac", "PaymentMeans", xmlnscac.Value);
10:    var paymentMeansCode = doc.CreateElement("cbc", "PaymentMeansCode", xmlnscbc.Value);
11:    //paymentMeansCode.InnerText = "1";
12:
13:    // Burada 1 verildigi zaman Sözlesme Kapsamında yaziyor metinde
14:    // ZZZ ise Diger anlamında geliyor
15:    paymentMeansCode.InnerText = "ZZZ";
16:    paymentMeans.AppendChild(paymentMeansCode);
17:    var payeeFinancialAccount = doc.CreateElement("cac", "PayeeFinancialAccount",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

xmlnscac.Value);
18:     var payeeFinancialAccountId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
19:     if (!string.IsNullOrEmpty(gidenFatura.IbanNo))
20:         payeeFinancialAccountId.InnerText = gidenFatura.IbanNo;
21:     payeeFinancialAccount.AppendChild(payeeFinancialAccountId);
22:     var currencyCode = doc.CreateElement("cbc", "CurrencyCode", xmlnscbc.Value);
23:     currencyCode.InnerText = "TRY";
24:     payeeFinancialAccount.AppendChild(currencyCode);
25:     var paymentNote = doc.CreateElement("cbc", "PaymentNote", xmlnscbc.Value);
26:     if (!string.IsNullOrEmpty(gidenFatura.BankaAd) &&
!string.IsNullOrEmpty(gidenFatura.BankaSube))
27:         paymentNote.InnerText = gidenFatura.BankaAd + " - " + gidenFatura.BankaSube;
28:     payeeFinancialAccount.AppendChild(paymentNote);
29:     paymentMeans.AppendChild(payeeFinancialAccount);
30:     root.AppendChild(paymentMeans);
31:
32: #endregion
33: }

```

### 1.1.7.1.8.1.2 YardimciSiniflar.EArsivFaturaDetaylariDuzenle Method

#### Summary

E-Arsiv Kisminda Tüzel Kisiden Gelse de Sahis Sirketinden Gelse De Fatura Detayları XML içerisinde islenirken ayni islemeler gerçekleştirildiginden Bu kod bloklarinin tek bir yerde tutulmasi Birinde yapılan güncellemenin iki tarafı da etkilemesi saglandi

#### C#

```

private static int EArsivFaturaDetaylariDuzenle(GidenFaturaDTO gidenFatura,
GidenFaturaDetayDTO item, XmlDocument doc, XmlAttribute xmlnscac, XmlAttribute xmlnscbc,
int sayac, XmlElement root);

```

#### Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
GidenFaturaDetayDTO item	Fatura Detay Bilgisi
XmlDocument doc	XML Dokümani Bilgisi
XmlAttribute xmlnscac	XML Attribute Bilgisi
XmlAttribute xmlnscbc	XML Attribute Bilgisi
int sayac	Sayaç Bilgisi
XmlElement root	XML Ana Eleman Bilgisi

#### Body Source

```

1: private static int EArsivFaturaDetaylariDuzenle(GidenFaturaDTO gidenFatura,
GidenFaturaDetayDTO item, XmlDocument doc,
2:     XmlAttribute xmlnscac, XmlAttribute xmlnscbc, int sayac, XmlElement root)
3: {
4:     XmlAttribute currencyId;
5:     var detayBilgisi = item.BosluklariKaldir();
6:
7:     #region InvoiceLine
8:
9:     // Ölçü Birimi, KDV Hariç Tutar, Para Birimi gibi bilgiler yer almaktadir
10:
11:    #region MetaData
12:
13:    var invoiceLine = doc.CreateElement("cac", "InvoiceLine", xmlnscac.Value);
14:    var invoiceLineId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
15:    invoiceLineId.InnerText = sayac.ToString();
16:    invoiceLine.AppendChild(invoiceLineId);
17:    var quantity = doc.CreateAttribute("unitCode");
18:    quantity.Value = !string.IsNullOrEmpty(detayBilgisi.GibKisaltma) ?
detayBilgisi.GibKisaltma : "KGM";

```

```

19:     var invoicedQuantity = doc.CreateElement("cbc", "InvoicedQuantity",
xmlns:cbc.Value);
20:     invoicedQuantity.RemoveAllAttributes();
21:     invoicedQuantity.Attributes.Append(quantity);
22:     invoicedQuantity.InnerText = Decimal
23:         .Round((decimal) detayBilgisi.Miktar, 2,
MidpointRounding.AwayFromZero).ToString()
24:         .Replace(", ", ".");
25:     invoiceLine.AppendChild(invoicedQuantity);
26:     var lineExtensionAmountDetail = doc.CreateElement("cbc", "LineExtensionAmount",
xmlns:cbc.Value);
27:     lineExtensionAmountDetail.RemoveAllAttributes();
28:     currencyId = doc.CreateAttribute("currencyID");
29:     currencyId.Value = "TRY";
30:     lineExtensionAmountDetail.Attributes.Append(currencyId);
31:     lineExtensionAmountDetail.InnerText = Decimal
32:         .Round((decimal) detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
33:         .Replace(", ", ".");
34:     invoiceLine.AppendChild(lineExtensionAmountDetail);
35:
36: #endregion
37:
38: // Varsa iskonto bilgileri yer almaktadir
39:
40: #region AllowanceCharge
41:
42: var allowanceCharge = doc.CreateElement("cac", "AllowanceCharge", xmlns:cac.Value);
43: var chargeIndicator = doc.CreateElement("cbc", "ChargeIndicator", xmlns:cbc.Value);
44: chargeIndicator.InnerText = "false";
45: allowanceCharge.AppendChild(chargeIndicator);
46: decimal amount2 = 0;
47: var toplamTutar = (decimal) detayBilgisi.KdvHaricTutar;
48: var kodIskontoTuruOran = detayBilgisi.IskontoOran ?? 0;
49: if (kodIskontoTuruOran > 0)
50: {
51:     toplamTutar = Decimal.Round((decimal) detayBilgisi.Miktar * (decimal)
detayBilgisi.BirimFiyat,
52:                                     4, MidpointRounding.AwayFromZero);
53:     var toplamTutar2 = Decimal.Round(toplamTutar * (100 - kodIskontoTuruOran) *
(decimal) 0.01,
54:                                     4, MidpointRounding.AwayFromZero);
55:     amount2 = toplamTutar - toplamTutar2;
56: }
57:
58: var multiplierFactorNumeric = doc.CreateElement("cbc", "MultiplierFactorNumeric",
xmlns:cbc.Value);
59: multiplierFactorNumeric.InnerText = Decimal
60:     .Round(kodIskontoTuruOran * (decimal) 0.01, 2,
MidpointRounding.AwayFromZero).ToString()
61:     .Replace(", ", ".");
62: allowanceCharge.AppendChild(multiplierFactorNumeric);
63: var amount = doc.CreateElement("cbc", "Amount", xmlns:cbc.Value);
64: currencyId = doc.CreateAttribute("currencyID");
65: currencyId.Value = "TRY";
66: amount.RemoveAllAttributes();
67: amount.Attributes.Append(currencyId);
68: amount.InnerText = Decimal.Round(amount2, 2,
MidpointRounding.AwayFromZero).ToString()
69:     .Replace(", ", ".");
70: allowanceCharge.AppendChild(amount);
71: var baseAmount = doc.CreateElement("cbc", "BaseAmount", xmlns:cbc.Value);
72: currencyId = doc.CreateAttribute("currencyID");
73: currencyId.Value = "TRY";
74: baseAmount.RemoveAllAttributes();
75: baseAmount.Attributes.Append(currencyId);
76: baseAmount.InnerText = Decimal.Round(toplamTutar, 2,
MidpointRounding.AwayFromZero).ToString()
77:     .Replace(", ", ".");

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com)

```

78:     allowanceCharge.AppendChild(baseAmount);
79:     invoiceLine.AppendChild(allowanceCharge);
80:
81: #endregion
82:
83: // Vergi bilgileri yer almaktadir
84:
85: #region TaxTotal
86:
87: var taxTotal = doc.CreateElement("cac", "TaxTotal", xmlnscac.Value);
88: currencyId = doc.CreateAttribute("currencyID");
89: currencyId.Value = "TRY";
90: var taxAmount = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
91: taxAmount.RemoveAllAttributes();
92: taxAmount.Attributes.Append(currencyId);
93: taxAmount.InnerText = Decimal
94:     .Round((decimal) detayBilgisi.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString()
95:     .Replace(", ", ".");
96: if (item.KonaklamaVergisi > 0 && gidenFatura.DuzenlemeTarihi?.Year >= 2023)
97:     taxAmount.InnerText = Decimal
98:     .Round((decimal) detayBilgisi.KdvTutari + (decimal)
detayBilgisi.KonaklamaVergisi, 2,
99:     MidpointRounding.AwayFromZero).ToString()
100:    .Replace(", ", ".");
101: taxTotal.AppendChild(taxAmount);
102: var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xmlnscac.Value);
103: var taxableAmount = doc.CreateElement("cbc", "TaxableAmount", xmlnscbc.Value);
104: taxableAmount.RemoveAllAttributes();
105: currencyId = doc.CreateAttribute("currencyID");
106: currencyId.Value = "TRY";
107: taxableAmount.Attributes.Append(currencyId);
108: taxableAmount.InnerText = Decimal
109:     .Round((decimal) detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
110:     .Replace(", ", ".");
111: taxSubTotal.AppendChild(taxableAmount);
112: var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
113: taxAmount2.RemoveAllAttributes();
114: currencyId = doc.CreateAttribute("currencyID");
115: currencyId.Value = "TRY";
116: taxAmount2.Attributes.Append(currencyId);
117: taxAmount2.InnerText = Decimal
118:     .Round((decimal) detayBilgisi.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString()
119:     .Replace(", ", ".");
120: taxSubTotal.AppendChild(taxAmount2);
121: var percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
122: if (detayBilgisi.KdvOran != null)
123:     percent.InnerText = Decimal
124:     .Round((decimal) detayBilgisi.KdvOran, 2,
MidpointRounding.AwayFromZero).ToString("N1")
125:     .Replace(", ", ".");
126: taxSubTotal.AppendChild(percent);
127: var taxCategory = doc.CreateElement("cac", "TaxCategory", xmlnscac.Value);
128: var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
129: var taxTypeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
130: taxTypeName.InnerText = "KDV";
131: taxScheme2.AppendChild(taxTypeName);
132: var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xmlnscbc.Value);
133: taxTypeCode.InnerText = "0015";
134: taxScheme2.AppendChild(taxTypeCode);
135: taxCategory.AppendChild(taxScheme2);
136: taxSubTotal.AppendChild(taxCategory);
137: taxTotal.AppendChild(taxSubTotal);
138: if (item.KonaklamaVergisi > 0 && gidenFatura.DuzenlemeTarihi?.Year >= 2023)
139: {
140:     #region TaxSubTotal (Konaklama Vergisi İçin)
141:

```

```

142:         taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xmlnscac.Value);
143:         taxableAmount = doc.CreateElement("cbc", "TaxableAmount", xmlnscbc.Value);
144:         taxableAmount.RemoveAllAttributes();
145:         currencyId = doc.CreateAttribute("currencyID");
146:         currencyId.Value = "TRY";
147:         taxableAmount.Attributes.Append(currencyId);
148:         taxableAmount.InnerText = Decimal
149:             .Round((decimal) detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
150:             .Replace(", ", ".");
151:         taxSubTotal.AppendChild(taxableAmount);
152:         taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
153:         taxAmount2.RemoveAllAttributes();
154:         currencyId = doc.CreateAttribute("currencyID");
155:         currencyId.Value = "TRY";
156:         taxAmount2.Attributes.Append(currencyId);
157:         taxAmount2.InnerText = Decimal
158:             .Round((decimal) detayBilgisi.KonaklamaVergisi, 2,
MidpointRounding.AwayFromZero).ToString()
159:             .Replace(", ", ".");
160:         taxSubTotal.AppendChild(taxAmount2);
161:         percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
162:         percent.InnerText = Decimal
163:             .Round((decimal) 2, 2, MidpointRounding.AwayFromZero).ToString("N1")
164:             .Replace(", ", ".");
165:         taxSubTotal.AppendChild(percent);
166:         taxCategory = doc.CreateElement("cac", "TaxCategory", xmlnscac.Value);
167:         taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
168:         taxTypeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
169:         taxTypeName.InnerText = "Konaklama Vergisi";
170:         taxScheme2.AppendChild(taxTypeName);
171:         taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xmlnscbc.Value);
172:         taxTypeCode.InnerText = "0059";
173:         taxScheme2.AppendChild(taxTypeCode);
174:         taxCategory.AppendChild(taxScheme2);
175:         taxSubTotal.AppendChild(taxCategory);
176:         taxTotal.AppendChild(taxSubTotal);
177:         invoiceLine.AppendChild(taxTotal);
178:
179:     #endregion
180: }
181:
182: invoiceLine.AppendChild(taxTotal);
183:
184: #endregion
185:
186: // Fatura kesilen ürün detayı ve açıklama bilgileri yer almaktadır
187:
188: #region Item
189:
190: var invoiceItem = doc.CreateElement("cac", "Item", xmlnscac.Value);
191: if (!string.IsNullOrEmpty(detayBilgisi.MalzemeFaturaAciklamasi))
192: {
193:     var description = doc.CreateElement("cbc", "Description", xmlnscbc.Value);
194:     description.InnerText = detayBilgisi.MalzemeFaturaAciklamasi;
195:     invoiceItem.AppendChild(description);
196: }
197:
198: var itemName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
199: if (!string.IsNullOrEmpty(detayBilgisi.FaturaUrunTuru))
200:     itemName.InnerText = detayBilgisi.FaturaUrunTuru;
201: invoiceItem.AppendChild(itemName);
202: invoiceLine.AppendChild(invoiceItem);
203:
204: #endregion
205:
206: // Birim fiyat bilgileri yer almaktadır
207:
208: #region Price

```

```

209:
210:    var price = doc.CreateElement("cac", "Price", xmlnscac.Value);
211:    var priceAmount = doc.CreateElement("cbc", "PriceAmount", xmlnscbc.Value);
212:    priceAmount.RemoveAllAttributes();
213:    currencyId = doc.CreateAttribute("currencyID");
214:    currencyId.Value = "TRY";
215:    priceAmount.Attributes.Append(currencyId);
216:    priceAmount.InnerText = detayBilgisi.BirimFiyat != null
217:        ? Decimal.Round((decimal)detayBilgisi.BirimFiyat, 4,
MidpointRounding.AwayFromZero).ToString()
218:            .Replace(",", ".")
219:            : "0.00";
220:    price.AppendChild(priceAmount);
221:    invoiceLine.AppendChild(price);
222:
223: #endregion
224:
225: root.AppendChild(invoiceLine);
226:
227: #endregion
228:
229: sayac++;
230: return sayac;
231: }

```

### 1.1.7.1.8.1.3 YardimciSiniflar.EArsivStandartImzaVeFirmaBilgisiDuzenle Method

#### Summary

E-Arsiv Kisminda Tüzel Kisi de Olsa Sahis Sirketi De Olsa Standart Alanlar, Imza Kismi ve Faturayi Kesen Firma Kismi ile ilgili kod bloklari Ayni oldugu için Burada tek bir yerden güncelleme yapılması için gerekli islemlerin gerçekleştirildiği metottur.

#### C#

```

private static void EArsivStandartImzaVeFirmaBilgisiDuzenle(GidenFaturaDTO gidenFatura,
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, XmlElement root, XmlDocument doc, int
kodSatisTuruKod, int kodFaturaTuruKod, int kodFaturaGrupTuruKod, out XmlAttribute xmlnscac,
out XmlAttribute xmlnscbc);

```

#### Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi	Giden Fatura Detay Listesi Bilgisi
XmlElement root	XML Ana Eleman Bilgisi
XmlDocument doc	XML Dokümani Bilgisi
int kodSatisTuruKod	Fatura Satis Türü Bilgisi
int kodFaturaTuruKod	Fatura Türü Bilgisi
int kodFaturaGrupTuruKod	Fatura Grup Türü Bilgisi
out XmlAttribute xmlnscac	XML Attribute Bilgisi
out XmlAttribute xmlnscbc	XML Attribute Bilgisi

#### Body Source

```

1: private static void EArsivStandartImzaVeFirmaBilgisiDuzenle(GidenFaturaDTO
gidenFatura, List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, XmlElement root,
XmlDocument doc, int kodSatisTuruKod, int kodFaturaTuruKod, int kodFaturaGrupTuruKod, out
XmlAttribute xmlnscac, out XmlAttribute xmlnscbc)
2: {
3:     // Faturanın türü, düzenleme tarihi, UBL Versiyon Numarası, GIB Numarası gibi
bilgiler
4:     // yer almaktadır
5:
6:     #region Standart Bilgiler
7:
8:     root.RemoveAllAttributes();

```

```

9:
10:    // var locationAttribute = "xsi:schemaLocation";
11:    var location = doc.CreateAttribute("xsi", "schemaLocation",
12:        "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2");
13:    location.Value =
14:        "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
15:        ./xsdrt/maindoc/UBL-Invoice-2.1.xsd";
16:        //var location = doc.CreateAttribute(schemaLocation);
17:        //location.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
18:        ./xsdrt/maindoc/UBL-Invoice-2.1.xsd";
19:        var xmlns = doc.CreateAttribute("xmlns");
20:        xmlns.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2";
21:        var xmlnsn4 = doc.CreateAttribute("xmlns:n4");
22:        xmlnsn4.Value = "http://www.altova.com/samplexml/other-namespace";
23:        var xmlnsxsi = doc.CreateAttribute("xmlns:xsi");
24:        xmlnsxsi.Value = "http://www.w3.org/2001/XMLSchema-instance";
25:        xmlnscac = doc.CreateAttribute("xmlns:cac");
26:        xmlnscac.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonAggregateComponents-2";
27:        xmlnscbc = doc.CreateAttribute("xmlns:cbc");
28:        xmlnscbc.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonBasicComponents-2";
29:        var xmlnsxades = doc.CreateAttribute("xmlns:xades");
30:        //xmlnsxades.Value = "http://uri.etsi.org/01903/v1.3.2#";
31:        xmlnsxades.Value = "http://uri.etsi.org/01903/v1.3.2";
32:        var xmlnsds = doc.CreateAttribute("xmlns:ds");
33:        //xmlnsds.Value = "http://www.w3.org/2000/09/xmldsig#";
34:        xmlnsds.Value = "http://www.w3.org/2000/09/xmldsig";
35:
36:        root.Attributes.Append(location);
37:        root.Attributes.Append(xmlns);
38:        root.Attributes.Append(xmlnxsi);
39:        root.Attributes.Append(xmlnscac);
40:        root.Attributes.Append(xmlnsext);
41:        root.Attributes.Append(xmlnsds);
42:        root.Attributes.Append(xmlnxades);
43:        root.Attributes.Append(xmlnscbc);
44:        root.Attributes.Append(xmlnsn4);
45:
46:        var extUbl = doc.CreateElement("ext", "UBLExtensions", xmlnsext.Value);
47:        var extUbl2 = doc.CreateElement("ext", "UBLExtension", xmlnsext.Value);
48:        var extUbl3 = doc.CreateElement("ext", "ExtensionContent", xmlnsext.Value);
49:        extUbl2.AppendChild(extUbl3);
50:        extUbl.AppendChild(extUbl2);
51:
52:        root.AppendChild(extUbl);
53:
54:        var versionId = doc.CreateElement("cbc", "UBLVersionID", xmlnscbc.Value);
55:        versionId.InnerText = "2.1";
56:        root.AppendChild(versionId);
57:
58:        var customizationId = doc.CreateElement("cbc", "CustomizationID", xmlnscbc.Value);
59:        customizationId.InnerText = "TR1.2";
60:        root.AppendChild(customizationId);
61:
62:        var profileId = doc.CreateElement("cbc", "ProfileID", xmlnscbc.Value);
63:        profileId.InnerText = "EARSIVFATURA";
64:        root.AppendChild(profileId);
65:
66:        var id = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
67:        if (!string.IsNullOrEmpty(gidenFatura.GibNumarasi))
68:            id.InnerText = gidenFatura.GibNumarasi;
69:        else
70:            id.InnerText = "ABC" + gidenFatura.DuzenlemeTarihi?.Year +
71:                DateTime.UtcNow.Ticks.ToString().Substring(0, 9);
72:        root.AppendChild(id);

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com)

```

73:
74:     var copyIndicator = doc.CreateElement("cbc", "CopyIndicator", xmlnscbc.Value);
75:     copyIndicator.InnerText = "false";
76:     root.AppendChild(copyIndicator);
77:
78:     var gidenFaturaId = doc.CreateElement("cbc", "UUID", xmlnscbc.Value);
79:     gidenFaturaId.InnerText = gidenFatura.GidenFaturaId.Length == 36
80:         ? gidenFatura.GidenFaturaId.ToUpper()
81:         : Guid.NewGuid().ToString().ToUpper();
82:     root.AppendChild(gidenFaturaId);
83:
84:     var issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
85:     issueDate.InnerText = gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd") ??
string.Empty;
86:     root.AppendChild(issueDate);
87:
88:     var issueTime = doc.CreateElement("cbc", "IssueTime", xmlnscbc.Value);
89:     issueTime.InnerText = gidenFatura.DuzenlemeTarihi?.ToString("HH:mm:ss") ??
string.Empty;
90:     root.AppendChild(issueTime);
91:
92:     var invoiceTypeCode = doc.CreateElement("cbc", "InvoiceTypeCode", xmlnscbc.Value);
93:     invoiceTypeCode.InnerText = "SATIS";
94:     if (gidenFatura.KdvTutari == 0 || gidenFaturaDetayListesi.Any(j => j.KdvTutari ==
0))
95:         invoiceTypeCode.InnerText = "ISTISNA";
96:     if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
97:         invoiceTypeCode.InnerText = "IHRACKAYITLI";
98:     if (kodFaturaTuruKod == FaturaTur.Iade.GetHashCode())
99:         invoiceTypeCode.InnerText = "IADE";
100:    root.AppendChild(invoiceTypeCode);
101:
102:   #region Irsaliye Bilgileri
103:
104:   #region Irsaliye ve Tonaj Düzenlemesi
105:
106:   var gidenFaturaDetayListesi2 = new List<GidenFaturaDetayDTO>();
107:   foreach (var item in gidenFaturaDetayListesi)
108:   {
109:       if (!string.IsNullOrEmpty(item.IrsaliyeNo) &&
!string.IsNullOrEmpty(item.PlakaNo))
110:       {
111:           if (!gidenFaturaDetayListesi2.Any(j =>
j.IrsaliyeNo == item.IrsaliyeNo && j.PlakaNo == item.PlakaNo))
112:           {
113:               item.Tonaj = item.Miktar;
114:               gidenFaturaDetayListesi2.Add(item);
115:           }
116:           else
117:           {
118:               var index = gidenFaturaDetayListesi2.FindIndex(j =>
j.IrsaliyeNo == item.IrsaliyeNo && j.PlakaNo == item.PlakaNo);
119:               gidenFaturaDetayListesi2[index].Tonaj += item.Miktar;
120:           }
121:       }
122:   }
123:   else
124:   {
125:       gidenFaturaDetayListesi2.Add(item);
126:   }
127:   //if (gidenFaturaDetayListesi2.Count < 1)
128:   //    gidenFaturaDetayListesi2.Add(new GidenFaturaDetayDTO());
129:
130:   #endregion Irsaliye ve Tonaj Düzenlemesi
131:
132:   if (gidenFaturaDetayListesi2.Count > 0)
133:   {
134:       foreach (var item in gidenFaturaDetayListesi2)
135:       {
136:           var irsaliyeNote = doc.CreateElement("cbc", "Note", xmlnscbc.Value);
137:           irsaliyeNote.InnerText = "";

```

```

138:         if (!string.IsNullOrEmpty(item.PlakaNo))
139:             irsaliyeNote.InnerText += "Plaka No: " + item.PlakaNo;
140:         if (!string.IsNullOrEmpty(item.SevkIrsaliyesiNo))
141:             irsaliyeNote.InnerText += " Irsaliye No: " + item.SevkIrsaliyesiNo;
142:         if (item.SevkIrsaliyeTarihi != null)
143:             irsaliyeNote.InnerText +=
144:                 " Irsaliye Tarihi: " +
item.SevkIrsaliyeTarihi?.ToShortDateString();
145:         if (item.YuklemeFormuNo != null)
146:             irsaliyeNote.InnerText += " Yükleme Formu No: " + item.YuklemeFormuNo;
147:         if (item.Tonaj != null)
148:             irsaliyeNote.InnerText += " Tonaj: " + item.Tonaj;
149:         if (kodFaturaTuruKod == FaturaTur.Iade.GetHashCode() ||
150:             ((item.FaturaUrunTuru.Contains("Sartname") ||
item.FaturaUrunTuru.Contains("Kira")) &&
151:                 kodFaturaGrupTuruKod == FaturaMakbuzGrupTur.Diger.GetHashCode()) &&
152:                 !string.IsNullOrEmpty(gidenFatura.Aciklama))
153:             irsaliyeNote.InnerText += " Açıklama: " + gidenFatura.Aciklama;
154:         if (!string.IsNullOrEmpty(irsaliyeNote.InnerText))
155:             root.AppendChild(irsaliyeNote);
156:     }
157: }
158:
159: #endregion
160:
161: var sendType = doc.CreateElement("cbc", "Note", xmlnscbc.Value);
162: sendType.InnerText = "Gönderim Sekli: ELEKTRONIK";
163: root.AppendChild(sendType);
164:
165: var documentCurrencyCode = doc.CreateElement("cbc", "DocumentCurrencyCode",
xmlnscbc.Value);
166: documentCurrencyCode.InnerText = "TRY";
167: root.AppendChild(documentCurrencyCode);
168:
169: var lineCountNumeric = doc.CreateElement("cbc", "LineCountNumeric",
xmlnscbc.Value);
170: lineCountNumeric.InnerText = gidenFaturaDetayListesi.Count.ToString();
171: root.AppendChild(lineCountNumeric);
172:
173: #region Açıklama Satiri
174:
175: // #region AdditionalDocumentReference
176: //
177: // var additionalDocumentReference =
178: //     doc.CreateElement("cac", "AdditionalDocumentReference", xmlnscac.Value);
179: // var additionalDocumentReferenceId = doc.CreateElement("cbc", "ID",
xmlnscbc.Value);
180: // additionalDocumentReferenceId.InnerText = gidenFatura.GidenFaturaId;
181: // additionalDocumentReference.AppendChild(additionalDocumentReferenceId);
182: // issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
183: // issueDate.InnerText = gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd")
?? string.Empty;
184: // additionalDocumentReference.AppendChild(issueDate);
185: // var documentType = doc.CreateElement("cbc", "DocumentType", xmlnscbc.Value);
186: // documentType.InnerText = "XSLT";
187: // additionalDocumentReference.AppendChild(documentType);
188: // issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
189: // issueDate.InnerText = gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd");
190: // additionalDocumentReference.AppendChild(issueDate);
191: // documentType = doc.CreateElement("cbc", "DocumentType", xmlnscbc.Value);
192: // documentType.InnerText = "XSLT";
193: // additionalDocumentReference.AppendChild(documentType);
194: // var attachment = doc.CreateElement("cac", "Attachment", xmlnscac.Value);
195: // var embeddedDocumentBinaryObject =
196: //     doc.CreateElement("cbc", "EmbeddedDocumentBinaryObject", xmlnscbc.Value);
197: // var characterSetCode = doc.CreateAttribute("characterSetCode");
198: // characterSetCode.Value = "UTF-8";
199: // var encodingCode = doc.CreateAttribute("encodingCode");
200: // encodingCode.Value = "Base64";

```

```

201:    // // XmlAttribute fileName2 = doc.CreateAttribute("fileName");
202:    // // fileName2.Value = "efatura.xslt";
203:    // var mimeCode = doc.CreateAttribute("mimeCode");
204:    // mimeCode.Value = "application/xml";
205:    // embeddedDocumentBinaryObject.Attributes.Append(characterSetCode);
206:    // embeddedDocumentBinaryObject.Attributes.Append(encodingCode);
207:    // // embeddedDocumentBinaryObject.Attributes.Append(fileName2);
208:    // embeddedDocumentBinaryObject.Attributes.Append(mimeCode);
209:    //
210:    // #region Base 64 Metin
211:    //
212:    // var sablonAdresi = Directory.GetFiles("../..../Other");
213:    // if (sablonAdresi.Length > 0)
214:    //{
215:        // foreach (var item in sablonAdresi)
216:        //{
217:            // if (item.Contains("earsiv"))
218:            //{
219:                // var base64Metin = File.ReadAllText(item);
220:                // embeddedDocumentBinaryObject.InnerText = base64Metin;
221:                //
222:            //}
223:        //}
224:    //}
225:    //
226:    // #endregion
227:    //
228:    // attachment.AppendChild(embeddedDocumentBinaryObject);
229:    // additionalDocumentReference.AppendChild(attachment);
230:    //
231:    // root.AppendChild(additionalDocumentReference);
232:    //
233:    // additionalDocumentReference = doc.CreateElement("cac",
"AdditionalDocumentReference", xmlnscac.Value);
234:    // additionalDocumentReferenceId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
235:    // additionalDocumentReferenceId.InnerText = gidenFatura.GidenFaturaId;
236:    // additionalDocumentReference.AppendChild(additionalDocumentReferenceId);
237:    // issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
238:    // issueDate.InnerText = gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd")
?? string.Empty;
239:    // additionalDocumentReference.AppendChild(issueDate);
240:    // documentType = doc.CreateElement("cbc", "DocumentType", xmlnscbc.Value);
241:    // documentType.InnerText = "XSLT";
242:    // additionalDocumentReference.AppendChild(documentType);
243:    // attachment = doc.CreateElement("cac", "Attachment", xmlnscac.Value);
244:    // embeddedDocumentBinaryObject = doc.CreateElement("cbc",
"EmbeddedDocumentBinaryObject", xmlnscbc.Value);
245:    // characterSetCode = doc.CreateAttribute("characterSetCode");
246:    // characterSetCode.Value = "UTF-8";
247:    // encodingCode = doc.CreateAttribute("encodingCode");
248:    // encodingCode.Value = "Base64";
249:    // mimeCode = doc.CreateAttribute("mimeCode");
250:    // mimeCode.Value = "application/xml";
251:    // embeddedDocumentBinaryObject.Attributes.Append(characterSetCode);
252:    // embeddedDocumentBinaryObject.Attributes.Append(encodingCode);
253:    // embeddedDocumentBinaryObject.Attributes.Append(mimeCode);
254:    // attachment.AppendChild(embeddedDocumentBinaryObject);
255:    // additionalDocumentReference.AppendChild(attachment);
256:    //
257:    // #endregion
258:    #
259:    #endregion
260:
261:    #
262:
263:    // Faturaya iliskin imza, adres vb. bilgiler yer almaktadir
264:
265:    #region Signature
266:

```

```

267:     var signature = doc.CreateElement("cac", "Signature", xmlnsscac.Value);
268:     var signatureIdAttr = doc.CreateAttribute("schemeID");
269:     signatureIdAttr.Value = "VKN_TCKN";
270:     var signatureId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
271:     signatureId.Attributes.Append(signatureIdAttr);
272:     signatureId.InnerText = "3250566851";
273:     signature.AppendChild(signatureId);
274:     var signatoryParty = doc.CreateElement("cac", "SignatoryParty", xmlnsscac.Value);
275:     var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
276:         xmlnsscac.Value);
276:     var signatureIdAttr2 = doc.CreateAttribute("schemeID");
277:     signatureIdAttr2.Value = "VKN";
278:     var signaturePartyId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
279:     signaturePartyId.Attributes.Append(signatureIdAttr2);
280:     signaturePartyId.InnerText = "3250566851";
281:     partyIdentification.AppendChild(signaturePartyId);
282:     signatoryParty.AppendChild(partyIdentification);
283:
284: #region Postal Address
285:
286:     var postalAddress = doc.CreateElement("cac", "PostalAddress", xmlnsscac.Value);
287:     var streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
288:     streetName.InnerText = "Mithatpasa Caddesi";
289:     postalAddress.AppendChild(streetName);
290:     var buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xmlnscbc.Value);
291:     buildingNumber.InnerText = "14";
292:     postalAddress.AppendChild(buildingNumber);
293:     var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
294:         xmlnscbc.Value);
294:     citySubdivisionName.InnerText = "Çankaya";
295:     postalAddress.AppendChild(citySubdivisionName);
296:     var cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
297:     cityName.InnerText = "Ankara";
298:     postalAddress.AppendChild(cityName);
299:     var postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
300:     postalZone.InnerText = "06100";
301:     postalAddress.AppendChild(postalZone);
302:     var country = doc.CreateElement("cac", "Country", xmlnsscac.Value);
303:     var countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
304:     countryName.InnerText = "Türkiye";
305:     country.AppendChild(countryName);
306:     postalAddress.AppendChild(country);
307:     signatoryParty.AppendChild(postalAddress);
308:     signature.AppendChild(signatoryParty);
309:
310: #endregion
311:
312:     var digitalSignatureAttachment = doc.CreateElement("cac",
312: "DigitalSignatureAttachment", xmlnsscac.Value);
313:     var externalReference = doc.CreateElement("cac", "ExternalReference",
313:         xmlnsscac.Value);
314:     var uri = doc.CreateElement("cbc", "URI", xmlnscbc.Value);
315:     uri.InnerText = "#Signature";
316:     externalReference.AppendChild(uri);
317:     digitalSignatureAttachment.AppendChild(externalReference);
318:     signature.AppendChild(digitalSignatureAttachment);
319:
320:     root.AppendChild(signature);
321:
322: #endregion
323:
324: // Burada sabit degerler verilmekte olup, Faturayı kesen kuruma veya firmaya ait
324: bilgiler
325: // yer almaktadır. Bu kısımda örnek olarak TÜRKSEKER Fabrikaları Genel Müdürlüğü
325: bilgileri
326: // kullanılmıştır. Ancak değiştirip test edilebilir.
327:
328: #region AccountingSupplierParty
329:

```

```

330:     var accountingSupplierParty = doc.CreateElement("cac", "AccountingSupplierParty",
xmlnscac.Value);
331:     var party = doc.CreateElement("cac", "Party", xmlnscac.Value);
332:     var webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlnscbc.Value);
333:     webSiteUri.InnerText = "https://www.turkseker.gov.tr";
334:     party.AppendChild(webSiteUri);
335:     var accountingSupplierPartyIdAttr = doc.CreateAttribute("schemeID");
336:     accountingSupplierPartyIdAttr.Value = "VKN_TCKN";
337:     partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlnscac.Value);
338:     var accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
339:     accountingSupplierPartyIdAttr2.Value = "VKN";
340:     var accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xmlnscbc.Value);
341:     accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
342:     accountingSupplierPartyPartyId.InnerText = "3250566851";
343:     partyIdentification.AppendChild(accountingSupplierPartyPartyId);
344:     party.AppendChild(partyIdentification);
345:
346:     if (!string.IsNullOrEmpty(gidenFatura.AltBirimAd))
347:     {
348:         partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlnscac.Value);
349:         accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
350:         accountingSupplierPartyIdAttr2.Value = "SUBENO";
351:         accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xmlnscbc.Value);
352:
353:         accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
354:         accountingSupplierPartyPartyId.InnerText = gidenFatura.AltBirimAd;
355:         partyIdentification.AppendChild(accountingSupplierPartyPartyId);
356:         party.AppendChild(partyIdentification);
357:
358:         var partyName = doc.CreateElement("cac", "PartyName", xmlnscac.Value);
359:         var partyNameReal = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
360:         partyNameReal.InnerText = "TÜRKİYE SEKER FABRIKALARI A.S.";
361:         partyName.AppendChild(partyNameReal);
362:         party.AppendChild(partyName);
363:
364:         #region Postal Address
365:
366:         postalAddress = doc.CreateElement("cac", "PostalAddress", xmlnscac.Value);
367:         var postalAddressId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
368:         postalAddressId.InnerText = "3250566851";
369:         postalAddress.AppendChild(postalAddressId);
370:         streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
371:         streetName.InnerText = "Mithatpasa Caddesi";
372:         postalAddress.AppendChild(streetName);
373:         buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xmlnscbc.Value);
374:         buildingNumber.InnerText = "14";
375:         postalAddress.AppendChild(buildingNumber);
376:         citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xmlnscbc.Value);
377:         citySubdivisionName.InnerText = "Çankaya";
378:         postalAddress.AppendChild(citySubdivisionName);
379:         cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
380:         cityName.InnerText = "Ankara";
381:         postalAddress.AppendChild(cityName);
382:         postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
383:         postalZone.InnerText = "06100";
384:         postalAddress.AppendChild(postalZone);
385:         country = doc.CreateElement("cac", "Country", xmlnscac.Value);
386:         countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
387:         countryName.InnerText = "Türkiye";
388:         country.AppendChild(countryName);
389:         postalAddress.AppendChild(country);
390:         party.AppendChild(postalAddress);
391:
```

```

392:     #endregion
393:
394:     var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme", xmlnscac.Value);
395:     var taxScheme = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
396:     var taxSchemeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
397:     taxSchemeName.InnerText = "Ankara Kurumlar";
398:     taxScheme.AppendChild(taxSchemeName);
399:     partyTaxScheme.AppendChild(taxScheme);
400:     party.AppendChild(partyTaxScheme);
401:
402:     var contact = doc.CreateElement("cac", "Contact", xmlnscac.Value);
403:     var telephone = doc.CreateElement("cbc", "Telephone", xmlnscbc.Value);
404:     telephone.InnerText = "(312) 4585500";
405:     contact.AppendChild(telephone);
406:     var telefax = doc.CreateElement("cbc", "Telefax", xmlnscbc.Value);
407:     telefax.InnerText = "(312) 4585800";
408:     contact.AppendChild(telefax);
409:     var electronicMail = doc.CreateElement("cbc", "ElectronicMail", xmlnscbc.Value);
410:     electronicMail.InnerText = "maliisler@turkseker.gov.tr";
411:     contact.AppendChild(electronicMail);
412:     party.AppendChild(contact);
413:
414:     accountingSupplierParty.AppendChild(party);
415:
416:     root.AppendChild(accountingSupplierParty);
417:
418: #endregion
419: }

```

#### 1.1.7.1.8.1.4 YardimciSiniflar.EArsivVergiVeDigerAlanlarDuzenle Method

##### Summary

E-Arsiv Kisminda Tüzel Kisi de Olsa Sahis Sirketi De Olsa Vergi, Iskonto vb. Kismi ile ilgili kod bloklari Ayni oldugu için Burada tek bir yerden güncelleme yapılması için gerekli islemlerin gerçekleştirildiği metottur.

##### C#

```

private static void EArsivVergiVeDigerAlanlarDuzenle(GidenFaturaDTO gidenFatura,
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, XmlDocument doc, XmlAttribute xmlnscac,
XmlAttribute xmlnscbc, int kodFaturaGrupTuruKod, int kodSatisTuruKod, XmlElement root);

```

##### Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi	Giden Fatura Detay Listesi Bilgisi
XmlDocument doc	XML Dokümani Bilgisi
XmlAttribute xmlnscac	XML Attribute Bilgisi
XmlAttribute xmlnscbc	XML Attribute Bilgisi
int kodFaturaGrupTuruKod	Fatura Grup Türü Bilgisi
int kodSatisTuruKod	Fatura Satis Türü Bilgisi
XmlElement root	XML Ana Eleman Bilgisi

##### Body Source

```

1: private static void EArsivVergiVeDigerAlanlarDuzenle(GidenFaturaDTO gidenFatura,
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, XmlDocument doc, XmlAttribute xmlnscac,
XmlAttribute xmlnscbc, int kodFaturaGrupTuruKod, int kodSatisTuruKod, XmlElement root)
2: {
3:     #region KDVlerin Belirlenmesi
4:
5:     var faturaKdvListesi = new List<FaturaKdvDTO>();
6:     foreach (var item in gidenFaturaDetayListesi)
7:     {
8:         var kodKdvTuruOran = item.KdvOran ?? 0;

```

```

9:         if (faturaKdvListesi.All(j => j.KdvOran != kodKdvTuruOran))
10:        {
11:            var faturaKdv = new FaturaKdvDTO
12:            {
13:                KdvOran = kodKdvTuruOran,
14:                KdvTutari = item.KdvTutari,
15:                KdvHaricTutar = item.KdvHaricTutar
16:            };
17:            faturaKdvListesi.Add(faturaKdv);
18:        }
19:    else
20:    {
21:        var index = faturaKdvListesi.FindIndex(j => j.KdvOran == kodKdvTuruOran);
22:        faturaKdvListesi[index].KdvTutari += item.KdvTutari;
23:        faturaKdvListesi[index].KdvHaricTutar += item.KdvHaricTutar;
24:    }
25:
26:    if (faturaKdvListesi.Count > 0)
27:        faturaKdvListesi = faturaKdvListesi.OrderBy(j => j.KdvOran).ToList();
28:    }
29:
30:    if (gidenFaturaDetayListesi.Sum(j => j.KonaklamaVergisi) > 0 &&
31:        gidenFatura.DuzenlemeTarihi?.Year >= 2023)
32:    {
33:        var faturaKdv = new FaturaKdvDTO
34:        {
35:            KdvOran = 2,
36:            KdvTutari = gidenFaturaDetayListesi.Sum(j => j.KonaklamaVergisi),
37:            KdvHaricTutar = gidenFaturaDetayListesi.Sum(j => j.KdvHaricTutar)
38:        };
39:        faturaKdvListesi.Add(faturaKdv);
40:    }
41:
42: #endregion
43:
44: #region TaxTotal
45:
46: var sayac = 1;
47: foreach (var item in faturaKdvListesi)
48: {
49:     // Burada vergi bilgileri yer almaktadir
50:
51:     #region TaxTotal
52:
53:     var taxTotal = doc.CreateElement("cac", "TaxTotal", xmlnscac.Value);
54:     var currencyIdGeneral = doc.CreateAttribute("currencyID");
55:     currencyIdGeneral.Value = "TRY";
56:     var taxAmount = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
57:     taxAmount.RemoveAllAttributes();
58:     taxAmount.Attributes.Append(currencyIdGeneral);
59:     taxAmount.InnerText = Decimal.Round((decimal) item.KdvTutari, 2,
MidpointRounding.AwayFromZero)
60:         .ToString().Replace(", ", ".");
61:     taxTotal.AppendChild(taxAmount);
62:     var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xmlnscac.Value);
63:     var taxableAmount = doc.CreateElement("cbc", "TaxableAmount", xmlnscbc.Value);
64:     taxableAmount.RemoveAllAttributes();
65:     currencyIdGeneral = doc.CreateAttribute("currencyID");
66:     currencyIdGeneral.Value = "TRY";
67:     taxableAmount.Attributes.Append(currencyIdGeneral);
68:     taxableAmount.InnerText = Decimal
69:         .Round((decimal) item.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
70:         .Replace(", ", ".");
71:     taxSubTotal.AppendChild(taxableAmount);
72:     var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
73:     taxAmount2.RemoveAllAttributes();
74:     currencyIdGeneral = doc.CreateAttribute("currencyID");
75:     currencyIdGeneral.Value = "TRY";

```

```

76:         taxAmount2.Attributes.Append(currencyIdGeneral);
77:         taxAmount2.InnerText = Decimal.Round((decimal) item.KdvTutari, 2,
MidpointRounding.AwayFromZero)
78:             .ToString().Replace(", ", ".");
79:         taxSubTotal.AppendChild(taxAmount2);
80:         var calculationSequenceNumeric =
81:             doc.CreateElement("cbc", "CalculationSequenceNumeric", xmlnscbc.Value);
82:         calculationSequenceNumeric.InnerText = sayac + ".0";
83:         taxSubTotal.AppendChild(calculationSequenceNumeric);
84:         var percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
85:         percent.InnerText = Decimal.Round((decimal) item.KdvOran, 0,
MidpointRounding.AwayFromZero)
86:             .ToString();
87:         taxSubTotal.AppendChild(percent);
88:         var taxCategory = doc.CreateElement("cac", "TaxCategory", xmlnscac.Value);
89:         if (item.KdvTutari == 0)
90:         {
91:             if (kodFaturaGrupTuruKod == FaturaMakbuzGrupTur.Kuspe.GetHashCode())
92:             {
93:                 var taxExemptionReasonCode =
94:                     doc.CreateElement("cbc", "TaxExemptionReasonCode", xmlnscbc.Value);
95:                 taxExemptionReasonCode.InnerText = "325";
96:                 var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xmlnscbc.Value);
97:                 taxExemptionReason.InnerText = "13/i Yem Teslimleri";
98:                 taxCategory.AppendChild(taxExemptionReasonCode);
99:                 taxCategory.AppendChild(taxExemptionReason);
100:            }
101:        else
102:        {
103:            var taxExemptionReasonCode =
104:                doc.CreateElement("cbc", "TaxExemptionReasonCode", xmlnscbc.Value);
105:                taxExemptionReasonCode.InnerText = "350";
106:                var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xmlnscbc.Value);
107:                taxExemptionReason.InnerText = "Digerleri";
108:                taxCategory.AppendChild(taxExemptionReasonCode);
109:                taxCategory.AppendChild(taxExemptionReason);
110:            }
111:        }
112:
113:        if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
114:        {
115:            var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xmlnscbc.Value);
116:            taxExemptionReasonCode.InnerText = "701";
117:            var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xmlnscbc.Value);
118:            taxExemptionReason.InnerText =
119:                "3065 sayili Katma Deger Vergisi kanununun 11/1-c maddesi kapsaminda
ihraç edilmek şartıyla teslim edildiginden Katma Deger Vergisi tahsil edilmemistir.";
120:            taxCategory.AppendChild(taxExemptionReasonCode);
121:            taxCategory.AppendChild(taxExemptionReason);
122:        }
123:
124:        var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
125:        var taxTypeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
126:        taxTypeName.InnerText = item.KdvOran != 2 ? "Katma Deger Vergisi" : "Konaklama
Vergisi";
127:        var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xmlnscbc.Value);
128:        taxTypeCode.InnerText = item.KdvOran != 2 ? "0015" : "0059";
129:        taxScheme2.AppendChild(taxTypeName);
130:        taxScheme2.AppendChild(taxTypeCode);
131:        taxCategory.AppendChild(taxScheme2);
132:        taxSubTotal.AppendChild(taxCategory);
133:        taxTotal.AppendChild(taxSubTotal);
134:        root.AppendChild(taxTotal);
135:
136:    #endregion

```

```

137:     }
138:
139: #endregion
140:
141: // Burada vergi bilgileri yer almaktadir
142:
143: #region Açıklama Satiri (TaxTotal)
144:
145: //var taxTotal = doc.CreateElement("cac", "TaxTotal", xmlnscac.Value);
146: //var currencyId = doc.CreateAttribute("currencyID");
147: //currencyId.Value = "TRY";
148: //var taxAmount = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
149: //taxAmount.RemoveAllAttributes();
150: //taxAmount.Attributes.Append(currencyId);
151: //taxAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
152: //taxTotal.AppendChild(taxAmount);
153: //var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xmlnscac.Value);
154: //var taxableAmount = doc.CreateElement("cbc", "TaxableAmount", xmlnscbc.Value);
155: //taxableAmount.RemoveAllAttributes();
156: //currencyId = doc.CreateAttribute("currencyID");
157: //currencyId.Value = "TRY";
158: //taxableAmount.Attributes.Append(currencyId);
159: //taxableAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
160: //taxSubTotal.AppendChild(taxableAmount);
161: //var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
162: //taxAmount2.RemoveAllAttributes();
163: //currencyId = doc.CreateAttribute("currencyID");
164: //currencyId.Value = "TRY";
165: //taxAmount2.Attributes.Append(currencyId);
166: //taxAmount2.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
167: //taxSubTotal.AppendChild(taxAmount2);
168: //var calculationSequenceNumeric = doc.CreateElement("cbc",
"CalculationSequenceNumeric", xmlnscbc.Value);
169: //calculationSequenceNumeric.InnerText = "1.0";
170: //taxSubTotal.AppendChild(calculationSequenceNumeric);
171: //var percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
172: //if (gidenFatura.KdvHaricTutar != 0)
173: //    percent.InnerText = Decimal.Round(((decimal)gidenFatura.KdvTutari * 100) /
(decimal)gidenFatura.KdvHaricTutar, 0, MidpointRounding.AwayFromZero).ToString();
174: //else
175: //    percent.InnerText = "0";
176: //taxSubTotal.AppendChild(percent);
177: //var taxCategory = doc.CreateElement("cac", "TaxCategory", xmlnscac.Value);
178: //if (gidenFatura.KdvTutari == 0)
179: //{
180: //    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xmlnscbc.Value);
181: //    taxExemptionReasonCode.InnerText = "325";
182: //    var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xmlnscbc.Value);
183: //    taxExemptionReason.InnerText = "13/i Yem Teslimleri";
184: //    taxCategory.AppendChild(taxExemptionReasonCode);
185: //    taxCategory.AppendChild(taxExemptionReason);
186: //}
187: //if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
188: //{
189: //    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xmlnscbc.Value);
190: //    taxExemptionReasonCode.InnerText = "701";
191: //    var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xmlnscbc.Value);
192: //    taxExemptionReason.InnerText = "3065 sayili Katma Deger Vergisi kanununun
11/1-c maddesi kapsaminda ihraq edilmek sartiyla teslim edildiginden Katma Deger Vergisi
tahsil edilmemistir.";
193: //    taxCategory.AppendChild(taxExemptionReasonCode);
194: //    taxCategory.AppendChild(taxExemptionReason);

```

```

195:     //}
196:     //var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
197:     //var taxTypeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
198:     //taxTypeName.InnerText = "Katma Deger Vergisi";
199:     //var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xmlnscbc.Value);
200:     //taxTypeCode.InnerText = "0015";
201:     //taxScheme2.AppendChild(taxTypeName);
202:     //taxScheme2.AppendChild(taxTypeCode);
203:     //taxCategory.AppendChild(taxScheme2);
204:     //taxSubTotal.AppendChild(taxCategory);
205:     //taxTotal.AppendChild(taxSubTotal);
206:     //root.AppendChild(taxTotal);
207:
208: #endregion
209:
210: // KDV, KDV Hariç Tutar ve Toplam Tutar bilgileri yer almaktadir
211:
212: #region LegalMonetaryTotal
213:
214: var legalMonetaryTotal = doc.CreateElement("cac", "LegalMonetaryTotal",
xmlnscac.Value);
215: var lineExtensionAmount = doc.CreateElement("cbc", "LineExtensionAmount",
xmlnscbc.Value);
216: lineExtensionAmount.RemoveAllAttributes();
217: var currencyId = doc.CreateAttribute("currencyID");
218: currencyId.Value = "TRY";
219: lineExtensionAmount.Attributes.Append(currencyId);
220: lineExtensionAmount.InnerText = Decimal
221:     .Round((decimal) gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
222:     .Replace(", ", ".");
223: legalMonetaryTotal.AppendChild(lineExtensionAmount);
224: var taxExclusiveAmount = doc.CreateElement("cbc", "TaxExclusiveAmount",
xmlnscbc.Value);
225: taxExclusiveAmount.RemoveAllAttributes();
226: currencyId = doc.CreateAttribute("currencyID");
227: currencyId.Value = "TRY";
228: taxExclusiveAmount.Attributes.Append(currencyId);
229: taxExclusiveAmount.InnerText = Decimal
230:     .Round((decimal) gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
231:     .Replace(", ", ".");
232: legalMonetaryTotal.AppendChild(taxExclusiveAmount);
233: var taxInclusiveAmount = doc.CreateElement("cbc", "TaxInclusiveAmount",
xmlnscbc.Value);
234: taxInclusiveAmount.RemoveAllAttributes();
235: currencyId = doc.CreateAttribute("currencyID");
236: currencyId.Value = "TRY";
237: taxInclusiveAmount.Attributes.Append(currencyId);
238: taxInclusiveAmount.InnerText = Decimal
239:     .Round((decimal) gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString()
240:     .Replace(", ", ".");
241: legalMonetaryTotal.AppendChild(taxInclusiveAmount);
242: var allowanceTotalAmount = doc.CreateElement("cbc", "AllowanceTotalAmount",
xmlnscbc.Value);
243: allowanceTotalAmount.RemoveAllAttributes();
244: currencyId = doc.CreateAttribute("currencyID");
245: currencyId.Value = "TRY";
246: allowanceTotalAmount.Attributes.Append(currencyId);
247: allowanceTotalAmount.InnerText = "0.00";
248: legalMonetaryTotal.AppendChild(allowanceTotalAmount);
249: var payableAmount = doc.CreateElement("cbc", "PayableAmount", xmlnscbc.Value);
250: payableAmount.RemoveAllAttributes();
251: currencyId = doc.CreateAttribute("currencyID");
252: currencyId.Value = "TRY";
253: payableAmount.Attributes.Append(currencyId);
254: payableAmount.InnerText = Decimal
255:     .Round((decimal) gidenFatura.FaturaTutari, 2,

```

```

    MidpointRounding.AwayFromZero).ToString()
256:     .Replace(", ", ".");
257:     legalMonetaryTotal.AppendChild(payableAmount);
258:     root.AppendChild(legalMonetaryTotal);
259:
260: #endregion
261: }

```

### 1.1.7.1.8.1.5 YardimciSiniflar.EArsivXMLOlustur Method

#### Summary

Giden Fatura Bilgisi Üzerinden E-Arsiv Sistemine Göndermek İçin XML Dosyasi Olusturmaya yarayan metottur

#### C#

```
public static string EArsivXMLOlustur(GidenFaturaDTO gidenFatura, List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, string aktarilacakKlasorAdi, bool tuzelKisilikMi);
```

#### Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi	Giden Fatura Detay Listesi
string aktarilacakKlasorAdi	Olusturulan Dosyanin Aktarilacagi Klasör
bool tuzelKisilikMi	Tüzel Kisilik Mi (Sahis veya Sahis Sirketi Degil) Bilgisi

#### Returns

Kaydedilen Dosyanin Bilgisayardaki Adresi

#### Body Source

```

1: public static string EArsivXMLOlustur(GidenFaturaDTO gidenFatura,
2:     List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, string aktarilacakKlasorAdi,
3:     bool tuzelKisilikMi)
4: {
5:     if (!tuzelKisilikMi)
6:     {
7:         #region Sahis Sirketi veya Personel Kaydindan Gelecekse
8:         var doc = new XmlDocument();
9:         var declaration = doc.CreateXmlDeclaration("1.0", "UTF-8", null);
10:        var root = doc.DocumentElement;
11:        doc.InsertBefore(declaration, root);
12:        //doc.AppendChild(doc.CreateProcessingInstruction("xml-stylesheet",
13: "type=\"text/xsl\" href=\"general.xslt\"");
14:        root = doc.CreateElement("Invoice");
15:
16:        gidenFatura = gidenFatura.BosluklariKaldir();
17:
18:        var kodSatisTuruKod = 0;
19:        if (gidenFatura.SatisTuruKod != null)
20:            kodSatisTuruKod = gidenFatura.SatisTuruKod ?? 0;
21:
22:        var kodFaturaTuruKod = 0;
23:        if (gidenFatura.FaturaTuruKod != null)
24:            kodFaturaTuruKod = gidenFatura.FaturaTuruKod ?? 0;
25:
26:        var kodFaturaGrupTuruKod = 0;
27:        if (gidenFatura.FaturaGrupTuruKod != null)
28:            kodFaturaGrupTuruKod = gidenFatura.FaturaGrupTuruKod ?? 0;
29:
30:        #region Standart ve Faturaya Bagli Bilgiler
31:
32:       XmlElement partyIdentification, postalAddress, streetName, buildingNumber,
citySubdivisionName, cityName, postalZone, country, countryName, party, webSiteUri,
postalAddressId, partyTaxScheme, taxScheme, taxSchemeName, contact, telephone, telefax,

```

```

electronicMail;
33:
34:         EArsivStandartImzaVeFirmaBilgisiDuzenle(gidenFatura, gidenFaturaDetayListesi,
root, doc, kodSatisTuruKod, kodFaturaTuruKod, kodFaturaGrupTuruKod, out var xmlnscac, out
var xmlnscbc);
35:
36:         // Bu kisimda fatura kesilen firma bilgileri yer almaktadir
37:
38:         #region AccountingCustomerParty
39:
40:         var accountingCustomerParty = doc.CreateElement("cac",
"AccountingCustomerParty", xmlnscac.Value);
41:         party = doc.CreateElement("cac", "Party", xmlnscac.Value);
42:         webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlnscbc.Value);
43:         party.AppendChild(webSiteUri);
44:         var accountingCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
45:         accountingCustomerPartyIdAttr.Value = "TCKN";
46:         partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlnscac.Value);
47:         var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xmlnscbc.Value);
48:
accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerPartyIdAttr);
49:         accountingCustomerPartyPartyId.InnerText = gidenFatura.GercekKisiTcKimlikNo;
50:         partyIdentification.AppendChild(accountingCustomerPartyPartyId);
51:         party.AppendChild(partyIdentification);
52:
53:         #region Postal Address
54:
55:         postalAddress = doc.CreateElement("cac", "PostalAddress", xmlnscac.Value);
56:         postalAddressId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
57:         postalAddressId.InnerText = gidenFatura.GercekKisiTcKimlikNo;
58:         postalAddress.AppendChild(postalAddressId);
59:         var room = doc.CreateElement("cbc", "Room", xmlnscbc.Value);
60:         postalAddress.AppendChild(room);
61:         streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
62:         if (!string.IsNullOrEmpty(gidenFatura.IkametgahAdresi))
63:             streetName.InnerText = gidenFatura.IkametgahAdresi;
64:         postalAddress.AppendChild(streetName);
65:         buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xmlnscbc.Value);
66:         //buildingNumber.InnerText = "";
67:         postalAddress.AppendChild(buildingNumber);
68:         citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xmlnscbc.Value);
69:         if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
70:             citySubdivisionName.InnerText = gidenFatura.IlceAd;
71:         postalAddress.AppendChild(citySubdivisionName);
72:         cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
73:         if (!string.IsNullOrEmpty(gidenFatura.IlAd))
74:             cityName.InnerText = gidenFatura.IlAd;
75:         postalAddress.AppendChild(cityName);
76:         postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
77:         //postalZone.InnerText = "";
78:         postalAddress.AppendChild(postalZone);
79:         country = doc.CreateElement("cac", "Country", xmlnscac.Value);
80:         countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
81:         countryName.InnerText = "Türkiye";
82:         country.AppendChild(countryName);
83:         postalAddress.AppendChild(country);
84:         party.AppendChild(postalAddress);
85:
86:         #endregion
87:
88:         partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme", xmlnscac.Value);
89:         taxScheme = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
90:         taxSchemeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
91:         //if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
92:         //    taxSchemeName.InnerText = gidenFatura.VergiDairesi;
93:         taxScheme.AppendChild(taxSchemeName);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

94:         partyTaxScheme.AppendChild(taxScheme);
95:         party.AppendChild(partyTaxScheme);
96:
97:         contact = doc.CreateElement("cac", "Contact", xmlnscac.Value);
98:         telephone = doc.CreateElement("cbc", "Telephone", xmlnscbc.Value);
99:         if (!string.IsNullOrEmpty(gidenFatura.CepTelefonNo))
100:             telephone.InnerText = gidenFatura.CepTelefonNo;
101:         contact.AppendChild(telephone);
102:         telefax = doc.CreateElement("cbc", "Telefax", xmlnscbc.Value);
103:         //if (!string.IsNullOrEmpty(gidenFatura.FaksNo))
104:         //    telefax.InnerText = gidenFatura.FaksNo;
105:         contact.AppendChild(telefax);
106:         electronicMail = doc.CreateElement("cbc", "ElectronicMail", xmlnscbc.Value);
107:         if (!string.IsNullOrEmpty(gidenFatura.EpostaAdresi))
108:             electronicMail.InnerText = gidenFatura.EpostaAdresi;
109:         contact.AppendChild(electronicMail);
110:         party.AppendChild(contact);
111:
112:         var person = doc.CreateElement("cac", "Person", xmlnscac.Value);
113:         var firstName = doc.CreateElement("cbc", "FirstName", xmlnscbc.Value);
114:         firstName.InnerText = gidenFatura.GercekKisiAd;
115:         person.AppendChild(firstName);
116:         var familyName = doc.CreateElement("cbc", "FamilyName", xmlnscbc.Value);
117:         familyName.InnerText = gidenFatura.GercekKisiSoyad;
118:         person.AppendChild(familyName);
119:         party.AppendChild(person);
120:
121:         accountingCustomerParty.AppendChild(party);
122:
123:         root.AppendChild(accountingCustomerParty);
124:
125:     #endregion
126:
127:     EArsivBankaBilgileriDuzenle(gidenFatura, doc, xmlnscac, xmlnscbc, root);
128:
129:     int sayac;
130:
131:     EArsivVergiVeDigerAlanlarDuzenle(gidenFatura, gidenFaturaDetayListesi, doc,
xmlnscac, xmlnscbc, kodFaturaGrupTuruKod, kodSatisTuruKod, root);
132:
133:     sayac = 1;
134:     // Her bir fatura detayı için hazırlanan bölümdür
135:     foreach (var item in gidenFaturaDetayListesi)
136:     {
137:         sayac = EArsivFaturaDetaylarıDuzenle(gidenFatura, item, doc, xmlnscac,
xmlnscbc, sayac, root);
138:     }
139:
140:     #endregion
141:
142:     doc.AppendChild(root);
143:
144:     #region Dosya Kaydi
145:
146:     var fileName = aktarılacakKlasorAdı + "/" + gidenFatura.GidenFaturaId + ".xml";
147:     doc.Save(fileName);
148:
149:     #endregion
150:
151:     return fileName;
152:
153:     #endregion
154: }
155: else
156: {
157:     #region Tüzel Kişi Bilgisinden Gelecekse
158:
159:     var doc = new XmlDocument();
160:     var declaration = doc.CreateXmlDeclaration("1.0", "UTF-8", null);

```

```

161:         var root = doc.DocumentElement;
162:         doc.InsertBefore(declaration, root);
163:         //doc.AppendChild(doc.CreateProcessingInstruction("xml-stylesheet",
164: "type=\"text/xsl\" href=\"general.xslt\""));
164:
165:         root = doc.CreateElement("Invoice");
166:
167:         var kodSatisTuruKod = 0;
168:         if (gidenFatura.SatisTuruKod != null)
169:             kodSatisTuruKod = gidenFatura.SatisTuruKod ?? 0;
170:
171:         var kodFaturaTuruKod = 0;
172:         if (gidenFatura.FaturaTuruKod != null)
173:             kodFaturaTuruKod = gidenFatura.FaturaTuruKod ?? 0;
174:
175:         var kodFaturaGrupTuruKod = 0;
176:         if (gidenFatura.FaturaGrupTuruKod != null)
177:             kodFaturaGrupTuruKod = gidenFatura.FaturaGrupTuruKod ?? 0;
178:
179:         #region Standart ve Faturaya Bagli Bilgiler
180:
181:         XmlElement partyIdentification, postalAddress, streetName, buildingNumber,
182:         citySubdivisionName, cityName, postalZone, country, countryName, party, webSiteUri,
183:         postalAddressId, partyTaxScheme, taxScheme, taxSchemeName, contact, telephone, telefax,
184:         electronicMail, partyName, partyNameReal;
185:         EArsivStandartImzaVeFirmaBilgisiDuzenle(gidenFatura, gidenFaturaDetayListesi,
186:         root, doc, kodSatisTuruKod, kodFaturaTuruKod, kodFaturaGrupTuruKod, out var xmlnscac, out
187:         var xmlnscbc);
188:
189:         // Bu kisimda fatura kesilen firma bilgileri yer almaktadir
190:
191:         #region AccountingCustomerParty
192:
193:         var accountingCustomerParty = doc.CreateElement("cac",
194: "AccountingCustomerParty", xmlnscac.Value);
195:         party = doc.CreateElement("cac", "Party", xmlnscac.Value);
196:         webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlnscbc.Value);
197:         party.AppendChild(webSiteUri);
198:         var accountingCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
199:         accountingCustomerPartyIdAttr.Value = "TCKN";
200:         if (!string.IsNullOrEmpty(gidenFatura.VergiNo) && gidenFatura.VergiNo.Length
201: == 10)
202:             accountingCustomerPartyIdAttr.Value = "VKN";
203:         partyIdentification = doc.CreateElement("cac", "PartyIdentification",
204: xmlnscac.Value);
205:         var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
206: xmlnscbc.Value);
207:         accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerPartyIdAttr);
208:         accountingCustomerPartyPartyId.InnerText = gidenFatura.VergiNo;
209:         partyIdentification.AppendChild(accountingCustomerPartyPartyId);
210:         party.AppendChild(partyIdentification);
211:
212:         if (!string.IsNullOrEmpty(gidenFatura.VergiNo) && gidenFatura.VergiNo.Length
213: == 10)
214:         {
215:             partyName = doc.CreateElement("cac", "PartyName", xmlnscac.Value);
216:             partyNameReal = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
217:             partyNameReal.InnerText = gidenFatura.TuzelKisiAd;
218:             partyName.AppendChild(partyNameReal);
219:             party.AppendChild(partyName);
220:         }
221:
222:         #region Postal Address
223:
224:         postalAddress = doc.CreateElement("cac", "PostalAddress", xmlnscac.Value);
225:         postalAddressId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
226:         postalAddressId.InnerText = gidenFatura.VergiNo;
227:         postalAddress.AppendChild(postalAddressId);

```

```

218:         var room = doc.CreateElement("cbc", "Room", xmlnscbc.Value);
219:         postalAddress.AppendChild(room);
220:         streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
221:         if (!string.IsNullOrEmpty(gidenFatura.Adres))
222:             streetName.InnerText = gidenFatura.Adres;
223:         postalAddress.AppendChild(streetName);
224:         buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xmlnscbc.Value);
225:         //buildingNumber.InnerText = "";
226:         postalAddress.AppendChild(buildingNumber);
227:         citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xmlnscbc.Value);
228:         if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
229:             citySubdivisionName.InnerText = gidenFatura.IlceAd;
230:         postalAddress.AppendChild(citySubdivisionName);
231:         cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
232:         if (!string.IsNullOrEmpty(gidenFatura.IlAd))
233:             cityName.InnerText = gidenFatura.IlAd;
234:         postalAddress.AppendChild(cityName);
235:         postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
236:         //postalZone.InnerText = "";
237:         postalAddress.AppendChild(postalZone);
238:         country = doc.CreateElement("cac", "Country", xmlnscac.Value);
239:         countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
240:         countryName.InnerText = "Türkiye";
241:         country.AppendChild(countryName);
242:         postalAddress.AppendChild(country);
243:         party.AppendChild(postalAddress);
244:
245: #endregion
246:
247:         partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme", xmlnscac.Value);
248:         taxScheme = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
249:         taxSchemeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
250:         if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
251:             taxSchemeName.InnerText = gidenFatura.VergiDairesi;
252:         taxScheme.AppendChild(taxSchemeName);
253:         partyTaxScheme.AppendChild(taxScheme);
254:         party.AppendChild(partyTaxScheme);
255:
256:         contact = doc.CreateElement("cac", "Contact", xmlnscac.Value);
257:         telephone = doc.CreateElement("cbc", "Telephone", xmlnscbc.Value);
258:         if (!string.IsNullOrEmpty(gidenFatura.TelefonNo))
259:             telephone.InnerText = gidenFatura.TelefonNo;
260:         contact.AppendChild(telephone);
261:         telefax = doc.CreateElement("cbc", "Telefax", xmlnscbc.Value);
262:         if (!string.IsNullOrEmpty(gidenFatura.FaksNo))
263:             telefax.InnerText = gidenFatura.FaksNo;
264:         contact.AppendChild(telefax);
265:         electronicMail = doc.CreateElement("cbc", "ElectronicMail", xmlnscbc.Value);
266:         if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))
267:             electronicMail.InnerText = gidenFatura.EPostaAdresi;
268:         contact.AppendChild(electronicMail);
269:         party.AppendChild(contact);
270:
271:         if (!string.IsNullOrEmpty(gidenFatura.VergiNo) && gidenFatura.VergiNo.Length
== 11)
272:     {
273:         var liste = gidenFatura.TuzelKisiAd.Split(' ').ToList();
274:         if (liste.Count >= 1)
275:         {
276:             var person = doc.CreateElement("cac", "Person", xmlnscac.Value);
277:             var firstName = doc.CreateElement("cbc", "FirstName", xmlnscbc.Value);
278:             firstName.InnerText = liste[0];
279:             person.AppendChild(firstName);
280:             var surname = liste[0];
281:             if (liste.Count > 1)
282:                 surname = gidenFatura.TuzelKisiAd.Substring(liste[0].Length + 1);
283:             var familyName = doc.CreateElement("cbc", "FamilyName",
xmlnscbc.Value);

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

```

284:             familyName.InnerText = surname;
285:             //familyName.InnerText = liste[1];
286:             person.AppendChild(familyName);
287:             party.AppendChild(person);
288:         }
289:     }
290:
291:     accountingCustomerParty.AppendChild(party);
292:
293:     root.AppendChild(accountingCustomerParty);
294:
295: #endregion
296:
297: if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
298: {
299:     if (gidenFatura.VergiNo.Length == 10)
300:     {
301:         // Bu kisimda fatura kesilen firma bilgileri yer almaktadir (Eger
302:         sadece Tuzel Kisilikse, sahis sirketleri için bu yapilmamaktadir)
303:         #region BuyerCustomerParty
304:
305:         var buyerCustomerParty = doc.CreateElement("cac",
306: "BuyerCustomerParty", xmlnscac.Value);
307:         party = doc.CreateElement("cac", "Party", xmlnscac.Value);
308:         webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlnscbc.Value);
309:         party.AppendChild(webSiteUri);
310:         var buyerCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
311:         buyerCustomerPartyIdAttr.Value = "VKN";
312:         partyIdentification = doc.CreateElement("cac", "PartyIdentification",
313:         xmlnscac.Value);
314:         var buyerCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
315:         buyerCustomerPartyPartyId.Attributes.Append(buyerCustomerPartyIdAttr);
316:         buyerCustomerPartyPartyId.InnerText = gidenFatura.VergiNo;
317:         partyIdentification.AppendChild(buyerCustomerPartyPartyId);
318:         party.AppendChild(partyIdentification);
319:
320:         if (gidenFatura.VergiNo.Length == 10)
321:         {
322:             partyName = doc.CreateElement("cac", "PartyName", xmlnscac.Value);
323:             partyNameReal = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
324:             partyNameReal.InnerText = gidenFatura.TuzelKisiAd;
325:             partyName.AppendChild(partyNameReal);
326:             party.AppendChild(partyName);
327:
328:         #region Postal Address
329:
330:         postalAddress = doc.CreateElement("cac", "PostalAddress",
331:         xmlnscac.Value);
332:         postalAddressId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
333:         postalAddressId.InnerText = gidenFatura.VergiNo;
334:         postalAddress.AppendChild(postalAddressId);
335:         room = doc.CreateElement("cbc", "Room", xmlnscbc.Value);
336:         postalAddress.AppendChild(room);
337:         streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
338:         if (!string.IsNullOrEmpty(gidenFatura.Adres))
339:             streetName.InnerText = gidenFatura.Adres;
340:             postalAddress.AppendChild(streetName);
341:             buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
342:             xmlnscbc.Value);
343:             //buildingNumber.InnerText = "";
344:             postalAddress.AppendChild(buildingNumber);
345:             citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
346:             xmlnscbc.Value);
347:             if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
348:                 citySubdivisionName.InnerText = gidenFatura.IlceAd;
349:                 postalAddress.AppendChild(citySubdivisionName);

```

```

346:         cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
347:         if (!string.IsNullOrEmpty(gidenFatura.IlAd))
348:             cityName.InnerText = gidenFatura.IlAd;
349:             postalAddress.AppendChild(cityName);
350:             postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
351:             //postalZone.InnerText = "";
352:             postalAddress.AppendChild(postalZone);
353:             country = doc.CreateElement("cac", "Country", xmlnscac.Value);
354:             countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
355:             countryName.InnerText = "Türkiye";
356:             country.AppendChild(countryName);
357:             postalAddress.AppendChild(country);
358:             party.AppendChild(postalAddress);
359:
360: #endregion
361:
362:         partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
363:             xmlnscac.Value);
364:             taxScheme = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
365:             taxSchemeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
366:             if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
367:                 taxSchemeName.InnerText = gidenFatura.VergiDairesi;
368:                 taxScheme.AppendChild(taxSchemeName);
369:                 partyTaxScheme.AppendChild(taxScheme);
370:                 party.AppendChild(partyTaxScheme);
371:
372:         contact = doc.CreateElement("cac", "Contact", xmlnscac.Value);
373:         telephone = doc.CreateElement("cbc", "Telephone", xmlnscbc.Value);
374:         if (!string.IsNullOrEmpty(gidenFatura.TelefonNo))
375:             telephone.InnerText = gidenFatura.TelefonNo;
376:             contact.AppendChild(telephone);
377:             telefax = doc.CreateElement("cbc", "Telefax", xmlnscbc.Value);
378:             if (!string.IsNullOrEmpty(gidenFatura.FaksNo))
379:                 telefax.InnerText = gidenFatura.FaksNo;
380:                 contact.AppendChild(telefax);
381:                 electronicMail = doc.CreateElement("cbc", "ElectronicMail",
382:                     if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))
383:                         electronicMail.InnerText = gidenFatura.EPostaAdresi;
384:                         contact.AppendChild(electronicMail);
385:                         party.AppendChild(contact);
386:
387:             if (gidenFatura.VergiNo.Length == 11)
388:             {
389:                 var liste = gidenFatura.TuzelKisiAd.Split(' ').ToList();
390:                 if (liste.Count >= 1)
391:                 {
392:                     var person = doc.CreateElement("cac", "Person",
393:                         var firstName = doc.CreateElement("cbc", "FirstName",
394:                             firstName.InnerText = liste[0];
395:                             person.AppendChild(firstName);
396:                             var surname = liste[0];
397:                             if (liste.Count > 1)
398:                                 surname =
399: gidenFatura.TuzelKisiAd.Substring(liste[0].Length + 1);
400:                                 var familyName = doc.CreateElement("cbc", "FamilyName",
401:                                     familyName.InnerText = surname;
402:                                     //familyName.InnerText = liste[1];
403:                                     person.AppendChild(familyName);
404:                                     party.AppendChild(person);
405:
406:             }
407:             buyerCustomerParty.AppendChild(party);
408:             root.AppendChild(buyerCustomerParty);

```

```

409:
410:         #endregion
411:     }
412:
413:
414:     EArsivBankaBilgileriDuzenle(gidenFatura, doc, xmlnscac, xmlnscbc, root);
415:
416:     int sayac;
417:
418:     EArsivVergiVeDigerAlanlarDuzenle(gidenFatura, gidenFaturaDetayListesi, doc,
419:                                         xmlnscac, xmlnscbc, kodFaturaGrupTuruKod, kodSatisTuruKod, root);
420:
421:     sayac = 1;
422:     // Her bir fatura detayı için hazırlanan bölündür
423:     foreach (var item in gidenFaturaDetayListesi)
424:     {
425:         sayac = EArsivFaturaDetaylariDuzenle(gidenFatura, item, doc, xmlnscac,
426:                                              xmlnscbc, sayac, root);
427:
428:         #endregion
429:         doc.AppendChild(root);
430:
431:         #region Dosya Kaydi
432:
433:         var fileName = aktarilacakKlasorAdi + "/" + gidenFatura.GidenFaturaId + ".xml";
434:         doc.Save(fileName);
435:
436:         #endregion
437:
438:         return fileName;
439:
440:         #endregion
441:     }
442: }
```

### 1.1.7.1.8.1.6 YardimciSiniflar.EFaturaXMLOlustur Method

#### Summary

Giden Fatura Bilgisi Üzerinden E-Fatura Sistemine Göndermek İçin XML Dosyası Olusturmaya yarayan metottur

#### C#

```
public static string EFaturaXMLOlustur(GidenFaturaDTO gidenFatura,
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, string aktarilacakKlasorAdi);
```

#### Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi	Giden Fatura Detay Listesi
string aktarilacakKlasorAdi	Olusturulan Dosyanın Aktarılacağı Klasör

#### Returns

Kaydedilen Dosyanın Bilgisayardaki Adresi

#### Body Source

```

1: public static string EFaturaXMLOlustur(GidenFaturaDTO gidenFatura,
2:     List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, string aktarilacakKlasorAdi)
3: {
4:     var doc = new XmlDocument();
5:     var declaration = doc.CreateXmlDeclaration("1.0", "UTF-8", null);
6:     var root = doc.DocumentElement;
7:     doc.InsertBefore(declaration, root);
8:     doc.AppendChild(
```

```

9:         doc.CreateProcessingInstruction("xml-stylesheet", "type=\"text/xsl\""
10:        href=\"general.xslt\""));
11:        root = doc.CreateElement("Invoice");
12:
13:        gidenFatura = gidenFatura.BosluklariKaldir();
14:        if (string.IsNullOrEmpty(gidenFatura.VergiNo) &&
!string.IsNullOrEmpty(gidenFatura.GercekKisiTcKimlikNo))
15:            gidenFatura.VergiNo = gidenFatura.GercekKisiTcKimlikNo;
16:
17:        var kodSatisTuruKod = 0;
18:        if (gidenFatura.SatisTuruKod != null)
19:            kodSatisTuruKod = gidenFatura.SatisTuruKod ?? 0;
20:
21:        var kodFaturaTuruKod = 0;
22:        if (gidenFatura.FaturaTuruKod != null)
23:            kodFaturaTuruKod = gidenFatura.FaturaTuruKod ?? 0;
24:
25:        var kodFaturaGrupTuruKod = 0;
26:        if (gidenFatura.FaturaGrupTuruKod != null)
27:            kodFaturaGrupTuruKod = gidenFatura.FaturaGrupTuruKod ?? 0;
28:
29:        #region Standart ve Faturaya Bagli Bilgiler
30:
31:        // Faturanin türü, düzenleme tarihi, UBL Versiyon Numarasi, GIB Numarasi gibi
bilgiler
32:        // yer almaktadir
33:
34:        #region Standart Bilgiler
35:
36:        root.RemoveAllAttributes();
37:        // var locationAttribute = "xsi:schemaLocation";
38:        var location = doc.CreateAttribute("xsi", "schemaLocation",
39:            "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2");
40:        location.Value =
41:            "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
./xsdrt/maindoc/UBL-Invoice-2.1.xsd";
42:        //var location = doc.CreateAttribute(schemaLocation);
43:        //location.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
./xsdrt/maindoc/UBL-Invoice-2.1.xsd";
44:        var xmlns = doc.CreateAttribute("xmlns");
45:        xmlns.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2";
46:        var xmlnsn4 = doc.CreateAttribute("xmlns:n4");
47:        xmlnsn4.Value = "http://www.altova.com/samplexml/other-namespace";
48:        var xmlnsxsi = doc.CreateAttribute("xmlns:xsi");
49:        xmlnsxsi.Value = "http://www.w3.org/2001/XMLSchema-instance";
50:        var xmlnscac = doc.CreateAttribute("xmlns:cac");
51:        xmlnscac.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonAggregateComponents-2";
52:        var xmlnscbc = doc.CreateAttribute("xmlns:cbc");
53:        xmlnscbc.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonBasicComponents-2";
54:        var xmlnsext = doc.CreateAttribute("xmlns:ext");
55:        xmlnsext.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonExtensionComponents-2";
56:        root.Attributes.Append(location);
57:        root.Attributes.Append(xmlns);
58:        root.Attributes.Append(xmlsn4);
59:        root.Attributes.Append(xmlnsxsi);
60:        root.Attributes.Append(xmlnscac);
61:        root.Attributes.Append(xmlnscbc);
62:        root.Attributes.Append(xmlnsext);
63:        var extUbl = doc.CreateElement("ext", "UBLExtensions", xmlnsext.Value);
64:        var extUbl2 = doc.CreateElement("ext", "UBLExtension", xmlnsext.Value);
65:        var extUbl3 = doc.CreateElement("ext", "ExtensionContent", xmlnsext.Value);
66:        var extUbl4 = doc.CreateElement("n4", "auto-generated_for_wildcard",
xmlsn4.Value);
67:        extUbl3.AppendChild(extUbl4);
68:        extUbl2.AppendChild(extUbl3);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com)

```

69:     extUbl.AppendChild(extUbl2);
70:
71:     root.AppendChild(extUbl);
72:
73:     var versionId = doc.CreateElement("cbc", "UBLVersionID", xmlnscbc.Value);
74:     versionId.InnerText = "2.1";
75:     root.AppendChild(versionId);
76:
77:     var customizationId = doc.CreateElement("cbc", "CustomizationID", xmlnscbc.Value);
78:     customizationId.InnerText = "TR1.2";
79:     root.AppendChild(customizationId);
80:
81:     var profileId = doc.CreateElement("cbc", "ProfileID", xmlnscbc.Value);
82:     profileId.InnerText = "TEMELFATURA";
83:     root.AppendChild(profileId);
84:
85:     var id = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
86:     if (!string.IsNullOrEmpty(gidenFatura.GibNumarasi))
87:         id.InnerText = gidenFatura.GibNumarasi;
88:     else
89:         id.InnerText = "ABC" + gidenFatura.DuzenlemeTarihi?.Year +
90:                         DateTime.UtcNow.Ticks.ToString().Substring(0, 9);
91:     root.AppendChild(id);
92:
93:     var copyIndicator = doc.CreateElement("cbc", "CopyIndicator", xmlnscbc.Value);
94:     copyIndicator.InnerText = "false";
95:     root.AppendChild(copyIndicator);
96:
97:     var gidenFaturaId = doc.CreateElement("cbc", "UUID", xmlnscbc.Value);
98:     gidenFaturaId.InnerText = gidenFatura.GidenFaturaId.Length == 36
99:         ? gidenFatura.GidenFaturaId.ToUpper()
100:            : Guid.NewGuid().ToString().ToUpper();
101:     root.AppendChild(gidenFaturaId);
102:
103:    var issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
104:    issueDate.InnerText = gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd") ??
105: string.Empty;
106:    root.AppendChild(issueDate);
107:
108:    var issueTime = doc.CreateElement("cbc", "IssueTime", xmlnscbc.Value);
109:    issueTime.InnerText = gidenFatura.DuzenlemeTarihi?.ToString("HH:mm:ss") ??
110: string.Empty;
111:    root.AppendChild(issueTime);
112:
113:    var invoiceTypeCode = doc.CreateElement("cbc", "InvoiceTypeCode", xmlnscbc.Value);
114:    invoiceTypeCode.InnerText = "SATIS";
115:    if (gidenFatura.KdvTutari == 0 || gidenFaturaDetayListesi.Any(j => j.KdvTutari ==
0))
116:        invoiceTypeCode.InnerText = "ISTISNA";
117:    if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
118:        invoiceTypeCode.InnerText = "IHRACKAYITLI";
119:    root.AppendChild(invoiceTypeCode);
120:
121:    #region Irsaliye Bilgileri
122:
123:    #region Irsaliye ve Tonaj Düzenlemesi
124:
125:    var gidenFaturaDetayListesi2 = new List<GidenFaturaDetayDTO>();
126:    foreach (var item in gidenFaturaDetayListesi)
127:    {
128:        if (!string.IsNullOrEmpty(item.IrsaliyeNo) &&
129: !string.IsNullOrEmpty(item.PlakaNo))
130:        {
131:            if (!gidenFaturaDetayListesi2.Any(j =>
132:                j.IrsaliyeNo == item.IrsaliyeNo && j.PlakaNo == item.PlakaNo))
133:            {
item.Tonaj = item.Miktar;

```

```

134:             gidenFaturaDetayListesi2.Add(item);
135:         }
136:     }
137:     {
138:         var index = gidenFaturaDetayListesi2.FindIndex(j =>
139:             j.IrsaliyeNo == item.IrsaliyeNo && j.PlakaNo == item.PlakaNo);
140:         gidenFaturaDetayListesi2[index].Tonaj += item.Miktar;
141:     }
142: }
143: else
144:     gidenFaturaDetayListesi2.Add(item);
145: }
146: //if (gidenFaturaDetayListesi2.Count < 1)
147: //    gidenFaturaDetayListesi2.Add(new GidenFaturaDetayDTO());
148:
149: #endregion Irsaliye ve Tonaj Düzenlemesi
150:
151: if (gidenFaturaDetayListesi2.Count > 0)
152: {
153:     foreach (var item in gidenFaturaDetayListesi2)
154:     {
155:         var irsaliyeNote = doc.CreateElement("cbc", "Note", xmlnscbc.Value);
156:         irsaliyeNote.InnerText = "";
157:         if (!string.IsNullOrEmpty(item.PlakaNo))
158:             irsaliyeNote.InnerText += "Plaka No: " + item.PlakaNo;
159:         if (!string.IsNullOrEmpty(item.SevkIrsaliyesiNo))
160:             irsaliyeNote.InnerText += " Irsaliye No: " + item.SevkIrsaliyesiNo;
161:         if (item.SevkIrsaliyeTarihi != null)
162:             irsaliyeNote.InnerText += " Irsaliye Tarihi: " +
item.SevkIrsaliyeTarihi?.ToShortDateString();
163:         if (item.YuklemeFormuNo != null)
164:             irsaliyeNote.InnerText += " Yükleme Formu No: " + item.YuklemeFormuNo;
165:         if (item.Tonaj != null)
166:             irsaliyeNote.InnerText += " Tonaj: " + item.Tonaj;
167:         if (kodFaturaTuruKod == FaturaTur.Iade.GetHashCode() ||
168:             ((item.FaturaUrunTuru.Contains("Sartname") ||
item.FaturaUrunTuru.Contains("Kira")) &&
169:             kodFaturaGrupTuruKod == FaturaMakbuzGrupTur.Diger.GetHashCode()) &&
170:             !string.IsNullOrEmpty(gidenFatura.Aciklama))
171:             irsaliyeNote.InnerText += " Açıklama: " + gidenFatura.Aciklama;
172:         if (!string.IsNullOrEmpty(irsaliyeNote.InnerText))
173:             root.AppendChild(irsaliyeNote);
174:     }
175: }
176:
177: #endregion
178:
179: var documentCurrencyCode = doc.CreateElement("cbc", "DocumentCurrencyCode",
xmlnscbc.Value);
180: documentCurrencyCode.InnerText = "TRY";
181: root.AppendChild(documentCurrencyCode);
182:
183: var lineCountNumeric = doc.CreateElement("cbc", "LineCountNumeric",
xmlnscbc.Value);
184: lineCountNumeric.InnerText = gidenFaturaDetayListesi.Count.ToString();
185: root.AppendChild(lineCountNumeric);
186:
187: #region AdditionalDocumentReference
188:
189: var additionalDocumentReference = doc.CreateElement("cac",
"AdditionalDocumentReference", xmlnscac.Value);
190: var additionalDocumentReferenceId = doc.CreateElement("cbc", "ID",
xmlnscbc.Value);
191: additionalDocumentReferenceId.InnerText = gidenFatura.GidenFaturaId;
192: additionalDocumentReference.AppendChild(additionalDocumentReferenceId);
193: issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
194: issueDate.InnerText = gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd") ??
string.Empty;
195: additionalDocumentReference.AppendChild(issueDate);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

196:     var documentType = doc.CreateElement("cbc", "DocumentType", xmlnscbc.Value);
197:     documentType.InnerText = "XSLT";
198:     additionalDocumentReference.AppendChild(documentType);
199:     issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
200:     issueDate.InnerText = gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd");
201:     additionalDocumentReference.AppendChild(issueDate);
202:     documentType = doc.CreateElement("cbc", "DocumentType", xmlnscbc.Value);
203:     documentType.InnerText = "XSLT";
204:     additionalDocumentReference.AppendChild(documentType);
205:     var attachment = doc.CreateElement("cac", "Attachment", xmlnsscac.Value);
206:     var embeddedDocumentBinaryObject = doc.CreateElement("cbc",
"EmbeddedDocumentBinaryObject", xmlnscbc.Value);
207:     var characterSetCode = doc.CreateAttribute("characterSetCode");
208:     characterSetCode.Value = "UTF-8";
209:     var encodingCode = doc.CreateAttribute("encodingCode");
210:     encodingCode.Value = "Base64";
211:     // XmlAttribute fileName2 = doc.CreateAttribute("fileName");
212:     // fileName2.Value = "efatura.xslt";
213:     var mimeCode = doc.CreateAttribute("mimeCode");
214:     mimeCode.Value = "application/xml";
215:     embeddedDocumentBinaryObject.Attributes.Append(characterSetCode);
216:     embeddedDocumentBinaryObject.Attributes.Append(encodingCode);
217:     // embeddedDocumentBinaryObject.Attributes.Append(fileName2);
218:     embeddedDocumentBinaryObject.Attributes.Append(mimeCode);
219:
220: #region Base 64 Metin
221:
222: var sablonAdresi = Directory.GetFiles("../..../Other");
223: if (sablonAdresi.Length > 0)
224: {
225:     foreach (var item in sablonAdresi)
226:     {
227:         if (!item.Contains("efatura")) continue;
228:         var base64Metin = File.ReadAllText(item);
229:         embeddedDocumentBinaryObject.InnerText = base64Metin;
230:         break;
231:     }
232: }
233:
234: #endregion
235:
236: attachment.AppendChild(embeddedDocumentBinaryObject);
237: additionalDocumentReference.AppendChild(attachment);
238:
239: root.AppendChild(additionalDocumentReference);
240:
241: additionalDocumentReference = doc.CreateElement("cac",
"AdditionalDocumentReference", xmlnsscac.Value);
242: additionalDocumentReferenceId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
243: additionalDocumentReferenceId.InnerText = gidenFatura.GidenFaturaId;
244: additionalDocumentReference.AppendChild(additionalDocumentReferenceId);
245: issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
246: issueDate.InnerText = gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd") ??
string.Empty;
247: additionalDocumentReference.AppendChild(issueDate);
248: documentType = doc.CreateElement("cbc", "DocumentType", xmlnscbc.Value);
249: documentType.InnerText = "XSLT";
250: additionalDocumentReference.AppendChild(documentType);
251: attachment = doc.CreateElement("cac", "Attachment", xmlnsscac.Value);
252: embeddedDocumentBinaryObject = doc.CreateElement("cbc",
"EmbeddedDocumentBinaryObject", xmlnscbc.Value);
253: characterSetCode = doc.CreateAttribute("characterSetCode");
254: characterSetCode.Value = "UTF-8";
255: encodingCode = doc.CreateAttribute("encodingCode");
256: encodingCode.Value = "Base64";
257: mimeCode = doc.CreateAttribute("mimeCode");
258: mimeCode.Value = "application/xml";
259: embeddedDocumentBinaryObject.Attributes.Append(characterSetCode);
embeddedDocumentBinaryObject.Attributes.Append(encodingCode);

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com)

```

261:     embeddedDocumentBinaryObject.Attributes.Append(mimeCode);
262:     attachment.AppendChild(embeddedDocumentBinaryObject);
263:     additionalDocumentReference.AppendChild(attachment);
264:
265: #endregion
266:
267: #endregion
268:
269: // Faturaya iliskin imza, adres vb. bilgiler yer almaktadir
270:
271: #region Signature
272:
273: var signature = doc.CreateElement("cac", "Signature", xmlnscac.Value);
274: var signatureIdAttr = doc.CreateAttribute("schemeID");
275: signatureIdAttr.Value = "VKN_TCKN";
276: var signatureId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
277: signatureId.Attributes.Append(signatureIdAttr);
278: signatureId.InnerText = "3250566851";
279: signature.AppendChild(signatureId);
280: var signatoryParty = doc.CreateElement("cac", "SignatoryParty", xmlnscac.Value);
281: var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlnscac.Value);
282: var signatureIdAttr2 = doc.CreateAttribute("schemeID");
283: signatureIdAttr2.Value = "VKN";
284: var signaturePartyId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
285: signaturePartyId.Attributes.Append(signatureIdAttr2);
286: signaturePartyId.InnerText = "3250566851";
287: partyIdentification.AppendChild(signaturePartyId);
288: signatoryParty.AppendChild(partyIdentification);
289:
290: #region Postal Address
291:
292: var postalAddress = doc.CreateElement("cac", "PostalAddress", xmlnscac.Value);
293: var streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
294: streetName.InnerText = "Mithatpasa Caddesi";
295: postalAddress.AppendChild(streetName);
296: var buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xmlnscbc.Value);
297: buildingNumber.InnerText = "14";
298: postalAddress.AppendChild(buildingNumber);
299: var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xmlnscbc.Value);
300: citySubdivisionName.InnerText = "Çankaya";
301: postalAddress.AppendChild(citySubdivisionName);
302: var cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
303: cityName.InnerText = "Ankara";
304: postalAddress.AppendChild(cityName);
305: var postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
306: postalZone.InnerText = "06100";
307: postalAddress.AppendChild(postalZone);
308: var country = doc.CreateElement("cac", "Country", xmlnscac.Value);
309: var countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
310: countryName.InnerText = "Türkiye";
311: country.AppendChild(countryName);
312: postalAddress.AppendChild(country);
313: signatoryParty.AppendChild(postalAddress);
314: signature.AppendChild(signatoryParty);
315:
316: #endregion
317:
318: var digitalSignatureAttachment = doc.CreateElement("cac",
"DigitalSignatureAttachment", xmlnscac.Value);
319: var externalReference = doc.CreateElement("cac", "ExternalReference",
xmlnscac.Value);
320: var uri = doc.CreateElement("cbc", "URI", xmlnscbc.Value);
321: uri.InnerText = "#Signature";
322: externalReference.AppendChild(uri);
323: digitalSignatureAttachment.AppendChild(externalReference);
324: signature.AppendChild(digitalSignatureAttachment);
325:
```

```

326:     root.AppendChild(signature);
327:
328: #endregion
329:
330: // Burada sabit değerler verilmekte olup, Faturayı kesen kuruma veya firmaya ait
bilgiler
331: // yer almaktadır. Bu kısımda örnek olarak TÜRKSEKER Fabrikaları Genel Müdürlüğü
bilgileri
332: // kullanılmıştır. Ancak değiştirip test edilebilir.
333:
334: #region AccountingSupplierParty
335:
336: var accountingSupplierParty = doc.CreateElement("cac", "AccountingSupplierParty",
xmlnsCAC.Value);
337: var party = doc.CreateElement("cac", "Party", xmlnsCAC.Value);
338: var webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlnsCBC.Value);
339: webSiteUri.InnerText = "https://www.turkseker.gov.tr";
340: party.AppendChild(webSiteUri);
341: var accountingSupplierPartyIdAttr = doc.CreateAttribute("schemeID");
342: accountingSupplierPartyIdAttr.Value = "VKN_TCKN";
343: partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlnsCAC.Value);
344: var accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
345: accountingSupplierPartyIdAttr2.Value = "VKN";
346: var accountingSupplierPartyId = doc.CreateElement("cbc", "ID",
xmlnsCBC.Value);
347: accountingSupplierPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
348: accountingSupplierPartyId.InnerText = "3250566851";
349: partyIdentification.AppendChild(accountingSupplierPartyId);
350: party.AppendChild(partyIdentification);
351:
352: if (!string.IsNullOrEmpty(gidenFatura.AltBirimAd))
353: {
354:     partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlnsCAC.Value);
355:     accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
356:     accountingSupplierPartyIdAttr2.Value = "SUBENO";
357:     accountingSupplierPartyId = doc.CreateElement("cbc", "ID",
xmlnsCBC.Value);
358:
accountingSupplierPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
359:     accountingSupplierPartyId.InnerText = gidenFatura.AltBirimAd;
360:     partyIdentification.AppendChild(accountingSupplierPartyId);
361:     party.AppendChild(partyIdentification);
362: }
363:
364: var partyName = doc.CreateElement("cac", "PartyName", xmlnsCAC.Value);
365: var partyNameReal = doc.CreateElement("cbc", "Name", xmlnsCBC.Value);
366: partyNameReal.InnerText = "TÜRKİYE SEKER FABRIKALARI A.Ş.";
367: partyName.AppendChild(partyNameReal);
368: party.AppendChild(partyName);
369:
370: #region Postal Address
371:
372: postalAddress = doc.CreateElement("cac", "PostalAddress", xmlnsCAC.Value);
373: var postalAddressId = doc.CreateElement("cbc", "ID", xmlnsCBC.Value);
374: postalAddressId.InnerText = "3250566851";
375: postalAddress.AppendChild(postalAddressId);
376: streetName = doc.CreateElement("cbc", "StreetName", xmlnsCBC.Value);
377: streetName.InnerText = "Mithatpasa Caddesi";
378: postalAddress.AppendChild(streetName);
379: buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xmlnsCBC.Value);
380: buildingNumber.InnerText = "14";
381: postalAddress.AppendChild(buildingNumber);
382: citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xmlnsCBC.Value);
383: citySubdivisionName.InnerText = "Çankaya";
384: postalAddress.AppendChild(citySubdivisionName);
385: cityName = doc.CreateElement("cbc", "CityName", xmlnsCBC.Value);

```

```

386:     cityName.InnerText = "Ankara";
387:     postalAddress.AppendChild(cityName);
388:     postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
389:     postalZone.InnerText = "06100";
390:     postalAddress.AppendChild(postalZone);
391:     country = doc.CreateElement("cac", "Country", xmlnscac.Value);
392:     countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
393:     countryName.InnerText = "Türkiye";
394:     country.AppendChild(countryName);
395:     postalAddress.AppendChild(country);
396:     party.AppendChild(postalAddress);
397:
398: #endregion
399:
400: var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme", xmlnscac.Value);
401: var taxScheme = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
402: var taxSchemeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
403: taxSchemeName.InnerText = "Ankara Kurumlar";
404: taxScheme.AppendChild(taxSchemeName);
405: partyTaxScheme.AppendChild(taxScheme);
406: party.AppendChild(partyTaxScheme);
407:
408: var contact = doc.CreateElement("cac", "Contact", xmlnscac.Value);
409: var telephone = doc.CreateElement("cbc", "Telephone", xmlnscbc.Value);
410: telephone.InnerText = "(312) 4585500";
411: contact.AppendChild(telephone);
412: var telefax = doc.CreateElement("cbc", "Telefax", xmlnscbc.Value);
413: telefax.InnerText = "(312) 4585800";
414: contact.AppendChild(telefax);
415: var electronicMail = doc.CreateElement("cbc", "ElectronicMail", xmlnscbc.Value);
416: electronicMail.InnerText = "maliisler@turkseker.gov.tr";
417: contact.AppendChild(electronicMail);
418: party.AppendChild(contact);
419:
420: accountingSupplierParty.AppendChild(party);
421:
422: root.AppendChild(accountingSupplierParty);
423:
424: #endregion
425:
426: // Bu kisimda fatura kesilen firma bilgileri yer almaktadir
427:
428: #region AccountingCustomerParty
429:
430: var accountingCustomerParty = doc.CreateElement("cac", "AccountingCustomerParty",
xmlnscac.Value);
431: party = doc.CreateElement("cac", "Party", xmlnscac.Value);
432: webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlnscbc.Value);
433: party.AppendChild(webSiteUri);
434: var accountingCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
435: accountingCustomerPartyIdAttr.Value = "TCKN";
436: if (!string.IsNullOrEmpty(gidenFatura.VergiNo) && gidenFatura.VergiNo.Length ==
10)
437:     accountingCustomerPartyIdAttr.Value = "VKN";
438: partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlnscac.Value);
439: var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xmlnscbc.Value);
440: accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerPartyIdAttr);
441: accountingCustomerPartyPartyId.InnerText = gidenFatura.VergiNo;
442: partyIdentification.AppendChild(accountingCustomerPartyPartyId);
443: party.AppendChild(partyIdentification);
444:
445: if (!string.IsNullOrEmpty(gidenFatura.VergiNo) && gidenFatura.VergiNo.Length ==
10)
446: {
447:     partyName = doc.CreateElement("cac", "PartyName", xmlnscac.Value);
448:     partyNameReal = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
449:     partyNameReal.InnerText = gidenFatura.TuzelKisiAd;

```

```

450:         partyName.AppendChild(partyNameReal);
451:         party.AppendChild(partyName);
452:     }
453:
454: #region Postal Address
455:
456: postalAddress = doc.CreateElement("cac", "PostalAddress", xmlnscac.Value);
457: postalAddressId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
458: postalAddressId.InnerText = gidenFatura.VergiNo;
459: postalAddress.AppendChild(postalAddressId);
460: var room = doc.CreateElement("cbc", "Room", xmlnscbc.Value);
461: postalAddress.AppendChild(room);
462: streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
463: if (!string.IsNullOrEmpty(gidenFatura.Adres))
464:     streetName.InnerText = gidenFatura.Adres;
465: postalAddress.AppendChild(streetName);
466: buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xmlnscbc.Value);
467: //buildingNumber.InnerText = "";
468: postalAddress.AppendChild(buildingNumber);
469: citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xmlnscbc.Value);
470: if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
471:     citySubdivisionName.InnerText = gidenFatura.IlceAd;
472: postalAddress.AppendChild(citySubdivisionName);
473: cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
474: if (!string.IsNullOrEmpty(gidenFatura.IlAd))
475:     cityName.InnerText = gidenFatura.IlAd;
476: postalAddress.AppendChild(cityName);
477: postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
478: //postalZone.InnerText = "";
479: postalAddress.AppendChild(postalZone);
480: country = doc.CreateElement("cac", "Country", xmlnscac.Value);
481: countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
482: countryName.InnerText = "Türkiye";
483: country.AppendChild(countryName);
484: postalAddress.AppendChild(country);
485: party.AppendChild(postalAddress);
486:
487: #endregion
488:
489: partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme", xmlnscac.Value);
490: taxScheme = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
491: taxSchemeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
492: if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
493:     taxSchemeName.InnerText = gidenFatura.VergiDairesi;
494: taxScheme.AppendChild(taxSchemeName);
495: partyTaxScheme.AppendChild(taxScheme);
496: party.AppendChild(partyTaxScheme);
497:
498: contact = doc.CreateElement("cac", "Contact", xmlnscac.Value);
499: electronicMail = doc.CreateElement("cbc", "ElectronicMail", xmlnscbc.Value);
500: if (!string.IsNullOrEmpty(gidenFatura.EpostaAdresi))
501:     electronicMail.InnerText = gidenFatura.EpostaAdresi;
502: contact.AppendChild(electronicMail);
503: party.AppendChild(contact);
504:
505: if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
506: {
507:     if (gidenFatura.VergiNo.Length == 11)
508:     {
509:         var liste = gidenFatura.TuzelKisiAd.Split(' ').ToList();
510:         if (liste.Count >= 1)
511:         {
512:             var person = doc.CreateElement("cac", "Person", xmlnscac.Value);
513:             var firstName = doc.CreateElement("cbc", "FirstName", xmlnscbc.Value);
514:             firstName.InnerText = liste[0];
515:             person.AppendChild(firstName);
516:             var surname = liste[0];
517:             if (liste.Count > 1)

```

```

518:                     surname = gidenFatura.TuzelKisiAd.Substring(liste[0].Length + 1);
519:                     var familyName = doc.CreateElement("cbc", "FamilyName",
xmlns:cbc.Value);
520:                     familyName.InnerText = surname;
521:                     //familyName.InnerText = liste[1];
522:                     person.AppendChild(familyName);
523:                     party.AppendChild(person);
524:                 }
525:             }
526:         }
527:
528:         accountingCustomerParty.AppendChild(party);
529:
530:         root.AppendChild(accountingCustomerParty);
531:
532: #endregion
533:
534: if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
535: {
536:     if (gidenFatura.VergiNo.Length == 10)
537:     {
538:         // Bu kisimda fatura kesilen firma bilgileri yer almaktadir (Eger sadece
Tüzel Kisilikse, sahis sirketleri için bu yapilmamaktadir)
539:
540:         #region BuyerCustomerParty
541:
542:         var buyerCustomerParty = doc.CreateElement("cac", "BuyerCustomerParty",
xmlns:cac.Value);
543:         party = doc.CreateElement("cac", "Party", xmlns:cac.Value);
544:         webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlns:cbc.Value);
545:         party.AppendChild(webSiteUri);
546:         var buyerCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
547:         buyerCustomerPartyIdAttr.Value = "VKN";
548:         partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlns:cac.Value);
549:         var buyerCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xmlns:cbc.Value);
550:         buyerCustomerPartyPartyId.Attributes.Append(buyerCustomerPartyIdAttr);
551:         buyerCustomerPartyPartyId.InnerText = gidenFatura.VergiNo;
552:         partyIdentification.AppendChild(buyerCustomerPartyPartyId);
553:         party.AppendChild(partyIdentification);
554:
555:         if (gidenFatura.VergiNo.Length == 10)
556:         {
557:             partyName = doc.CreateElement("cac", "PartyName", xmlns:cac.Value);
558:             partyNameReal = doc.CreateElement("cbc", "Name", xmlns:cbc.Value);
559:             partyNameReal.InnerText = gidenFatura.TuzelKisiAd;
560:             partyName.AppendChild(partyNameReal);
561:             party.AppendChild(partyName);
562:         }
563:
564:         #region Postal Address
565:
566:         postalAddress = doc.CreateElement("cac", "PostalAddress", xmlns:cac.Value);
567:         postalAddressId = doc.CreateElement("cbc", "ID", xmlns:cbc.Value);
568:         postalAddressId.InnerText = gidenFatura.VergiNo;
569:         postalAddress.AppendChild(postalAddressId);
570:         room = doc.CreateElement("cbc", "Room", xmlns:cbc.Value);
571:         postalAddress.AppendChild(room);
572:         streetName = doc.CreateElement("cbc", "StreetName", xmlns:cbc.Value);
573:         if (!string.IsNullOrEmpty(gidenFatura.Adres))
574:             streetName.InnerText = gidenFatura.Adres;
575:         postalAddress.AppendChild(streetName);
576:         buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xmlns:cbc.Value);
577:         //buildingNumber.InnerText = "";
578:         postalAddress.AppendChild(buildingNumber);
579:         citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xmlns:cbc.Value);

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com)

```

580:         if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
581:             citySubdivisionName.InnerText = gidenFatura.IlceAd;
582:             postalAddress.AppendChild(citySubdivisionName);
583:             cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
584:             if (!string.IsNullOrEmpty(gidenFatura.IlAd))
585:                 cityName.InnerText = gidenFatura.IlAd;
586:                 postalAddress.AppendChild(cityName);
587:                 postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
588:                 //postalZone.InnerText = "";
589:                 postalAddress.AppendChild(postalZone);
590:                 country = doc.CreateElement("cac", "Country", xmlnscac.Value);
591:                 countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
592:                 countryName.InnerText = "Türkiye";
593:                 country.AppendChild(countryName);
594:                 postalAddress.AppendChild(country);
595:                 party.AppendChild(postalAddress);
596:
597:             #endregion
598:
599:             partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xmlnscac.Value);
600:
601:             taxScheme = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
602:             taxSchemeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
603:             if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
604:                 taxSchemeName.InnerText = gidenFatura.VergiDairesi;
605:                 taxScheme.AppendChild(taxSchemeName);
606:                 partyTaxScheme.AppendChild(taxScheme);
607:                 party.AppendChild(partyTaxScheme);
608:
609:             contact = doc.CreateElement("cac", "Contact", xmlnscac.Value);
610:             electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xmlnscbc.Value);
611:             if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))
612:                 electronicMail.InnerText = gidenFatura.EPostaAdresi;
613:                 contact.AppendChild(electronicMail);
614:                 party.AppendChild(contact);
615:
616:             if (gidenFatura.VergiNo.Length == 11)
617:             {
618:                 var liste = gidenFatura.TuzelKisiAd.Split(' ').ToList();
619:                 if (liste.Count >= 1)
620:                 {
621:                     var person = doc.CreateElement("cac", "Person", xmlnscac.Value);
622:                     var firstName = doc.CreateElement("cbc", "FirstName",
xmlnscbc.Value);
623:                     firstName.InnerText = liste[0];
624:                     person.AppendChild(firstName);
625:                     var surname = liste[0];
626:                     if (liste.Count > 1)
627:                         surname = gidenFatura.TuzelKisiAd.Substring(liste[0].Length +
1);
628:                         var familyName = doc.CreateElement("cbc", "FamilyName",
xmlnscbc.Value);
629:                         familyName.InnerText = surname;
630:                         //familyName.InnerText = liste[1];
631:                         person.AppendChild(familyName);
632:                         party.AppendChild(person);
633:                     }
634:
635:                     buyerCustomerParty.AppendChild(party);
636:
637:                     root.AppendChild(buyerCustomerParty);
638:
639:                 #endregion
640:             }
641:         }
642:
643:         if (!string.IsNullOrEmpty(gidenFatura.BankaAd))

```

```

644:     {
645:         // Eger Banka bilgileri mevcutsa burada banka bilgileri yer almaktadir
646:
647:         #region PaymentMeans
648:
649:         var paymentMeans = doc.CreateElement("cac", "PaymentMeans", xmlnscac.Value);
650:         var paymentMeansCode = doc.CreateElement("cbc", "PaymentMeansCode",
xmlnscbc.Value);
651:         //paymentMeansCode.InnerText = "1";
652:
653:         // Burada 1 verildigi zaman Sözlesme Kapsaminda yaziyor metinde
654:         // ZZZ ise Diger anlaminda geliyor
655:         paymentMeansCode.InnerText = "ZZZ";
656:         paymentMeans.AppendChild(paymentMeansCode);
657:         var payeeFinancialAccount = doc.CreateElement("cac", "PayeeFinancialAccount",
xmlnscac.Value);
658:         var payeeFinancialAccountId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
659:         if (!string.IsNullOrEmpty(gidenFatura.IbanNo))
660:             payeeFinancialAccountId.InnerText = gidenFatura.IbanNo;
661:         payeeFinancialAccount.AppendChild(payeeFinancialAccountId);
662:         var currencyCode = doc.CreateElement("cbc", "CurrencyCode", xmlnscbc.Value);
663:         currencyCode.InnerText = "TRY";
664:         payeeFinancialAccount.AppendChild(currencyCode);
665:         var paymentNote = doc.CreateElement("cbc", "PaymentNote", xmlnscbc.Value);
666:         if (!string.IsNullOrEmpty(gidenFatura.BankaAd) &&
!string.IsNullOrEmpty(gidenFatura.BankaSube))
667:             paymentNote.InnerText = gidenFatura.BankaAd + " - " +
gidenFatura.BankaSube;
668:         payeeFinancialAccount.AppendChild(paymentNote);
669:         paymentMeans.AppendChild(payeeFinancialAccount);
670:         root.AppendChild(paymentMeans);
671:
672:         #endregion
673:     }
674:
675:     #region KDVlerin Belirlenmesi
676:
677:     var faturaKdvListesi = new List<FaturaKdvDTO>();
678:     foreach (var item in gidenFaturaDetayListesi)
679:     {
680:         var kodKdvTuruOran = item.KdvOran ?? 0;
681:         if (faturaKdvListesi.All(j => j.KdvOran != kodKdvTuruOran))
682:         {
683:             var faturaKdv = new FaturaKdvDTO
684:             {
685:                 KdvOran = kodKdvTuruOran,
686:                 KdvTutari = item.KdvTutari,
687:                 KdvHaricTutar = item.KdvHaricTutar
688:             };
689:             faturaKdvListesi.Add(faturaKdv);
690:         }
691:         else
692:         {
693:             var index = faturaKdvListesi.FindIndex(j => j.KdvOran == kodKdvTuruOran);
694:             faturaKdvListesi[index].KdvTutari += item.KdvTutari;
695:             faturaKdvListesi[index].KdvHaricTutar += item.KdvHaricTutar;
696:         }
697:
698:         if (faturaKdvListesi.Count > 0)
699:             faturaKdvListesi = faturaKdvListesi.OrderBy(j => j.KdvOran).ToList();
700:     }
701:
702:     if (gidenFaturaDetayListesi.Sum(j => j.KonaklamaVergisi) > 0 &&
gidenFatura.DuzenlemeTarihi?.Year >= 2023)
703:     {
704:         var faturaKdv = new FaturaKdvDTO
705:         {
706:             KdvOran = 2,
707:             KdvTutari = gidenFaturaDetayListesi.Sum(j => j.KonaklamaVergisi),

```

```

708:         KdvHaricTutar = gidenFaturaDetayListesi.Sum(j => j.KdvHaricTutar)
709:     };
710:     faturaKdvListesi.Add(faturaKdv);
711: }
712:
713: #endregion
714:
715: #region TaxTotal
716:
717: var sayac = 1;
718: foreach (var item in faturaKdvListesi)
719: {
720:     // Burada vergi bilgileri yer almaktadir
721:
722:     #region TaxTotal
723:
724:     var taxTotal = doc.CreateElement("cac", "TaxTotal", xmlnscac.Value);
725:     var currencyIdGeneral = doc.CreateAttribute("currencyID");
726:     currencyIdGeneral.Value = "TRY";
727:     var taxAmount = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
728:     taxAmount.RemoveAllAttributes();
729:     taxAmount.Attributes.Append(currencyIdGeneral);
730:     taxAmount.InnerText = Decimal.Round((decimal) item.KdvTutari, 2,
MidpointRounding.AwayFromZero)
731:         .ToString().Replace(", ", ".");
732:     taxTotal.AppendChild(taxAmount);
733:     var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xmlnscac.Value);
734:     var taxableAmount = doc.CreateElement("cbc", "TaxableAmount", xmlnscbc.Value);
735:     taxableAmount.RemoveAllAttributes();
736:     currencyIdGeneral = doc.CreateAttribute("currencyID");
737:     currencyIdGeneral.Value = "TRY";
738:     taxableAmount.Attributes.Append(currencyIdGeneral);
739:     taxableAmount.InnerText = Decimal.Round((decimal) item.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero)
740:         .ToString().Replace(", ", ".");
741:     taxSubTotal.AppendChild(taxableAmount);
742:     var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
743:     taxAmount2.RemoveAllAttributes();
744:     currencyIdGeneral = doc.CreateAttribute("currencyID");
745:     currencyIdGeneral.Value = "TRY";
746:     taxAmount2.Attributes.Append(currencyIdGeneral);
747:     taxAmount2.InnerText = Decimal.Round((decimal) item.KdvTutari, 2,
MidpointRounding.AwayFromZero)
748:         .ToString().Replace(", ", ".");
749:     taxSubTotal.AppendChild(taxAmount2);
750:     var calculationSequenceNumeric = doc.CreateElement("cbc",
"CalculationSequenceNumeric", xmlnscbc.Value);
751:     calculationSequenceNumeric.InnerText = sayac + ".0";
752:     taxSubTotal.AppendChild(calculationSequenceNumeric);
753:     var percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
754:     percent.InnerText = Decimal.Round((decimal) item.KdvOran, 0,
MidpointRounding.AwayFromZero).ToString();
755:     taxSubTotal.AppendChild(percent);
756:     var taxCategory = doc.CreateElement("cac", "TaxCategory", xmlnscac.Value);
757:     if (item.KdvTutari == 0)
758:     {
759:         if (kodFaturaGrupTuruKod == FaturaMakbuzGrupTur.Kuspe.GetHashCode())
760:         {
761:             var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xmlnscbc.Value);
762:             taxExemptionReasonCode.InnerText = "325";
763:             var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xmlnscbc.Value);
764:             taxExemptionReason.InnerText = "13/i Yem Teslimleri";
765:             taxCategory.AppendChild(taxExemptionReasonCode);
766:             taxCategory.AppendChild(taxExemptionReason);
767:         }
768:     else
769:     {

```

```

770:             var taxExemptionReasonCode = doc.CreateElement("cbc",
771: "TaxExemptionReasonCode", xmlnscbc.Value);
772:             taxExemptionReasonCode.InnerText = "350";
773:             var taxExemptionReason = doc.CreateElement("cbc",
774: "TaxExemptionReason", xmlnscbc.Value);
775:             taxExemptionReason.InnerText = "Digerleri";
776:             taxCategory.AppendChild(taxExemptionReasonCode);
777:             taxCategory.AppendChild(taxExemptionReason);
778:
779:         if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
780:         {
781:             var taxExemptionReasonCode = doc.CreateElement("cbc",
782: "TaxExemptionReasonCode", xmlnscbc.Value);
783:             taxExemptionReasonCode.InnerText = "701";
784:             var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
785: xmlnscbc.Value);
786:             taxExemptionReason.InnerText =
787:                 "3065 sayili Katma Deger Vergisi kanununun 11/1-c maddesi kapsaminda
ihraq edilmek sartiyla teslim edildiginden Katma Deger Vergisi tahsil edilmemistir.";
788:             taxCategory.AppendChild(taxExemptionReasonCode);
789:             taxCategory.AppendChild(taxExemptionReason);
790:
791:             var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
792:             var taxTypeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
793:             taxTypeName.InnerText = item.KdvOran != 2 ? "Katma Deger Vergisi" :
"Konaklama Vergisi";
794:             taxScheme2.AppendChild(taxTypeName);
795:             var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xmlnscbc.Value);
796:             taxTypeCode.InnerText = item.KdvOran != 2 ? "0015" : "0059";
797:             taxScheme2.AppendChild(taxTypeCode);
798:             taxCategory.AppendChild(taxScheme2);
799:             taxSubTotal.AppendChild(taxCategory);
800:             taxTotal.AppendChild(taxSubTotal);
801:             root.AppendChild(taxTotal);
802:
803:         #endregion
804:         sayac++;
805:     }
806:
807: #endregion
808:
809: // Burada vergi bilgileri yer almaktadir (Açıklama Satiri haline getirildi)
810:
811: #region Açıklama Satiri (TaxTotal)
812:
813: //var taxTotal = doc.CreateElement("cac", "TaxTotal", xmlnscac.Value);
814: //var currencyId = doc.CreateAttribute("currencyID");
815: //currencyId.Value = "TRY";
816: //var taxAmount = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
817: //taxAmount.RemoveAllAttributes();
818: //taxAmount.Attributes.Append(currencyId);
819: //taxAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",","."));
820: //taxTotal.AppendChild(taxAmount);
821: //var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xmlnscac.Value);
822: //var taxableAmount = doc.CreateElement("cbc", "TaxableAmount", xmlnscbc.Value);
823: //taxableAmount.RemoveAllAttributes();
824: //currencyId = doc.CreateAttribute("currencyID");
825: //currencyId.Value = "TRY";
826: //taxableAmount.Attributes.Append(currencyId);
827: //taxableAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",","."));
828: //taxSubTotal.AppendChild(taxableAmount);
829: //var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
830: //taxAmount2.RemoveAllAttributes();

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com)

```

831:     //currencyId = doc.CreateAttribute("currencyID");
832:     //currencyId.Value = "TRY";
833:     //taxAmount2.Attributes.Append(currencyId);
834:     //taxAmount2.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",","."));
835:     //taxSubTotal.AppendChild(taxAmount2);
836:     //var percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
837:     //if (gidenFatura.KdvHaricTutar != 0)
838:     //    percent.InnerText = Decimal.Round(((decimal)gidenFatura.KdvTutari * 100) /
(decimal)gidenFatura.KdvHaricTutar, 0, MidpointRounding.AwayFromZero).ToString();
839:     //else
840:     //    percent.InnerText = "0";
841:     //taxSubTotal.AppendChild(percent);
842:     //var taxCategory = doc.CreateElement("cac", "TaxCategory", xmlnscac.Value);
843:     //if (gidenFatura.KdvTutari == 0)
844:     //{
845:         //    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xmlnscbc.Value);
846:         //    taxExemptionReasonCode.InnerText = "325";
847:         //    var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xmlnscbc.Value);
848:         //    taxExemptionReason.InnerText = "13/i Yem Teslimleri";
849:         //    taxCategory.AppendChild(taxExemptionReasonCode);
850:         //    taxCategory.AppendChild(taxExemptionReason);
851:     //}
852:     //if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
853:     //{
854:         //    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xmlnscbc.Value);
855:         //    taxExemptionReasonCode.InnerText = "701";
856:         //    var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xmlnscbc.Value);
857:         //    taxExemptionReason.InnerText = "3065 sayili Katma Deger Vergisi kanununun
11/1-c maddesi kapsamında ihraç edilmek şartıyla teslim edildiginden Katma Deger Vergisi
tahsil edilmemistir.";
858:         //    taxCategory.AppendChild(taxExemptionReasonCode);
859:         //    taxCategory.AppendChild(taxExemptionReason);
860:     //}
861:     //var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
862:     //var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xmlnscbc.Value);
863:     //taxTypeCode.InnerText = "0015";
864:     //taxScheme2.AppendChild(taxTypeCode);
865:     //taxCategory.AppendChild(taxScheme2);
866:     //taxSubTotal.AppendChild(taxCategory);
867:     //taxTotal.AppendChild(taxSubTotal);
868:     //root.AppendChild(taxTotal);
869:
870: #endregion
871:
872: // KDV, KDV Hariç Tutar ve Toplam Tutar bilgileri yer almaktadir
873:
874: #region LegalMonetaryTotal
875:
876: var legalMonetaryTotal = doc.CreateElement("cac", "LegalMonetaryTotal",
xmlnscac.Value);
877: var lineExtensionAmount = doc.CreateElement("cbc", "LineExtensionAmount",
xmlnscbc.Value);
878: lineExtensionAmount.RemoveAllAttributes();
879: var currencyId = doc.CreateAttribute("currencyID");
880: currencyId.Value = "TRY";
881: lineExtensionAmount.Attributes.Append(currencyId);
882: lineExtensionAmount.InnerText = Decimal
883:     .Round((decimal) gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
884:     .Replace(",",".");
885: legalMonetaryTotal.AppendChild(lineExtensionAmount);
886: var taxExclusiveAmount = doc.CreateElement("cbc", "TaxExclusiveAmount",
xmlnscbc.Value);
887: taxExclusiveAmount.RemoveAllAttributes();

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

888:     currencyId = doc.CreateAttribute("currencyID");
889:     currencyId.Value = "TRY";
890:     taxExclusiveAmount.Attributes.Append(currencyId);
891:     taxExclusiveAmount.InnerText = Decimal
892:         .Round((decimal) gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
893:             .Replace(", ", ".");
894:     legalMonetaryTotal.AppendChild(taxExclusiveAmount);
895:     var taxInclusiveAmount = doc.CreateElement("cbc", "TaxInclusiveAmount",
xmlns:cbc.Value);
896:     taxInclusiveAmount.RemoveAllAttributes();
897:     currencyId = doc.CreateAttribute("currencyID");
898:     currencyId.Value = "TRY";
899:     taxInclusiveAmount.Attributes.Append(currencyId);
900:     taxInclusiveAmount.InnerText = Decimal
901:         .Round((decimal) gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString()
902:             .Replace(", ", ".");
903:     legalMonetaryTotal.AppendChild(taxInclusiveAmount);
904:     var payableAmount = doc.CreateElement("cbc", "PayableAmount", xmlns:cbc.Value);
905:     payableAmount.RemoveAllAttributes();
906:     currencyId = doc.CreateAttribute("currencyID");
907:     currencyId.Value = "TRY";
908:     payableAmount.Attributes.Append(currencyId);
909:     payableAmount.InnerText = Decimal
910:         .Round((decimal) gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString()
911:             .Replace(", ", ".");
912:     legalMonetaryTotal.AppendChild(payableAmount);
913:     root.AppendChild(legalMonetaryTotal);
914:
915: #endregion
916:
917: sayac = 1;
918: // Her bir fatura detayı için hazırlanan bölümdür
919: foreach (var item in gidenFaturaDetayListesi)
920: {
921:     var detayBilgisi = item.BosluklariKaldir();
922:
923:     #region InvoiceLine
924:
925:     // Ölçü Birimi, KDV Haric Tutar, Para Birimi gibi bilgiler yer almaktadir
926:
927:     #region MetaData
928:
929:     var invoiceLine = doc.CreateElement("cac", "InvoiceLine", xmlns:cac.Value);
930:     var invoiceLineId = doc.CreateElement("cbc", "ID", xmlns:cbc.Value);
931:     invoiceLineId.InnerText = sayac.ToString();
932:     invoiceLine.AppendChild(invoiceLineId);
933:     var quantity = doc.CreateAttribute("unitCode");
934:     quantity.Value = !string.IsNullOrEmpty(detayBilgisi.GibKisaltma) ?
detayBilgisi.GibKisaltma : "KGM";
935:     var invoicedQuantity = doc.CreateElement("cbc", "InvoicedQuantity",
xmlns:cbc.Value);
936:     invoicedQuantity.RemoveAllAttributes();
937:     invoicedQuantity.Attributes.Append(quantity);
938:     invoicedQuantity.InnerText = Decimal
939:         .Round((decimal) detayBilgisi.Miktar, 2,
MidpointRounding.AwayFromZero).ToString()
940:             .Replace(", ", ".");
941:     invoiceLine.AppendChild(invoicedQuantity);
942:     var lineExtensionAmountDetail = doc.CreateElement("cbc",
"LineExtensionAmount", xmlns:cbc.Value);
943:     lineExtensionAmountDetail.RemoveAllAttributes();
944:     currencyId = doc.CreateAttribute("currencyID");
945:     currencyId.Value = "TRY";
946:     lineExtensionAmountDetail.Attributes.Append(currencyId);
947:     lineExtensionAmountDetail.InnerText = Decimal
948:         .Round((decimal) detayBilgisi.KdvHaricTutar, 2,

```

```

MidpointRounding.AwayFromZero).ToString()
949:           .Replace(", ", ".");
950:       invoiceLine.AppendChild(lineExtensionAmountDetail);
951:
952:   #endregion
953:
954:   // Varsa iskonto bilgileri yer almaktadir
955:
956:   #region AllowanceCharge
957:
958:       var allowanceCharge = doc.CreateElement("cac", "AllowanceCharge",
xmlnscac.Value);
959:       var chargeIndicator = doc.CreateElement("cbc", "ChargeIndicator",
xmlnscbc.Value);
960:       chargeIndicator.InnerText = "false";
961:       allowanceCharge.AppendChild(chargeIndicator);
962:       decimal amount2 = 0;
963:       var toplamTutar = (decimal) detayBilgisi.KdvHaricTutar;
964:       var kodIskontoTuruOran = detayBilgisi.IskontoOran ?? 0;
965:       if (kodIskontoTuruOran > 0)
966:       {
967:           toplamTutar = Decimal.Round((decimal) detayBilgisi.Miktar * (decimal)
detayBilgisi.BirimFiyat, 4,
968:           MidpointRounding.AwayFromZero);
969:           var toplamTutar2 = Decimal.Round(toplamTutar * (100 - kodIskontoTuruOran)
* (decimal) 0.01, 4,
970:           MidpointRounding.AwayFromZero);
971:           amount2 = toplamTutar - toplamTutar2;
972:       }
973:
974:       var multiplierFactorNumeric = doc.CreateElement("cbc",
"MultiplierFactorNumeric", xmlnscbc.Value);
975:       multiplierFactorNumeric.InnerText = Decimal
976:           .Round(kodIskontoTuruOran * (decimal) 0.01, 2,
MidpointRounding.AwayFromZero).ToString()
977:           .Replace(", ", ".");
978:       allowanceCharge.AppendChild(multiplierFactorNumeric);
979:       var amount = doc.CreateElement("cbc", "Amount", xmlnscbc.Value);
980:       currencyId = doc.CreateAttribute("currencyID");
981:       currencyId.Value = "TRY";
982:       amount.RemoveAllAttributes();
983:       amount.Attributes.Append(currencyId);
984:       amount.InnerText = Decimal.Round(amount2, 2,
MidpointRounding.AwayFromZero).ToString()
985:           .Replace(", ", ".");
986:       allowanceCharge.AppendChild(amount);
987:       var baseAmount = doc.CreateElement("cbc", "BaseAmount", xmlnscbc.Value);
988:       currencyId = doc.CreateAttribute("currencyID");
989:       currencyId.Value = "TRY";
990:       baseAmount.RemoveAllAttributes();
991:       baseAmount.Attributes.Append(currencyId);
992:       baseAmount.InnerText = Decimal.Round(toplamTutar, 2,
MidpointRounding.AwayFromZero).ToString()
993:           .Replace(", ", ".");
994:       allowanceCharge.AppendChild(baseAmount);
995:       invoiceLine.AppendChild(allowanceCharge);
996:
997:   #endregion
998:
999:   // Vergi bilgileri yer almaktadir
1000:
1001:   #region TaxTotal
1002:
1003:       var taxTotal = doc.CreateElement("cac", "TaxTotal", xmlnscac.Value);
1004:       currencyId = doc.CreateAttribute("currencyID");
1005:       currencyId.Value = "TRY";
1006:       var taxAmount = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
1007:       taxAmount.RemoveAllAttributes();
1008:       taxAmount.Attributes.Append(currencyId);

```

```

1009:         taxAmount.InnerText = Decimal.Round((decimal) detayBilgisi.KdvTutari, 2,
MidpointRounding.AwayFromZero)
1010:         .ToString().Replace(", ", ".");
1011:         if (item.KonaklamaVergisi > 0 && gidenFatura.DuzenlemeTarihi?.Year >= 2023)
1012:             taxAmount.InnerText = Decimal
1013:                 .Round((decimal) detayBilgisi.KdvTutari + (decimal)
detayBilgisi.KonaklamaVergisi, 2,
1014:                     MidpointRounding.AwayFromZero)
1015:                     .ToString().Replace(", ", ".");
1016:                     taxTotal.AppendChild(taxAmount);
1017:                     var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xmlnscac.Value);
1018:                     var taxableAmount = doc.CreateElement("cbc", "TaxableAmount", xmlnscbc.Value);
1019:                     taxableAmount.RemoveAllAttributes();
1020:                     currencyId = doc.CreateAttribute("currencyID");
1021:                     currencyId.Value = "TRY";
1022:                     taxableAmount.Attributes.Append(currencyId);
1023:                     taxableAmount.InnerText = Decimal
1024:                         .Round((decimal) detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
1025:                         .Replace(", ", ".");
1026:                         taxSubTotal.AppendChild(taxableAmount);
1027:                         var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
1028:                         taxAmount2.RemoveAllAttributes();
1029:                         currencyId = doc.CreateAttribute("currencyID");
1030:                         currencyId.Value = "TRY";
1031:                         taxAmount2.Attributes.Append(currencyId);
1032:                         taxAmount2.InnerText = Decimal.Round((decimal) detayBilgisi.KdvTutari, 2,
MidpointRounding.AwayFromZero)
1033:                             .ToString().Replace(", ", ".");
1034:                             taxSubTotal.AppendChild(taxAmount2);
1035:                             var percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
1036:                             if (detayBilgisi.KdvOran != null)
1037:                                 percent.InnerText = Decimal.Round((decimal) detayBilgisi.KdvOran, 2,
MidpointRounding.AwayFromZero)
1038:                                     .ToString("N1").Replace(", ", ".");
1039:                                     taxSubTotal.AppendChild(percent);
1040:                                     var taxCategory = doc.CreateElement("cac", "TaxCategory", xmlnscac.Value);
1041:                                     if (detayBilgisi.KdvTutari == 0)
1042:                                         {
1043:                                             if (kodFaturaGrupTuruKod == FaturaMakbuzGrupTur.Kuspe.GetHashCode())
1044:                                                 {
1045:                                                     var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xmlnscbc.Value);
1046:                                                     taxExemptionReasonCode.InnerText = "325";
1047:                                                     var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xmlnscbc.Value);
1048:                                                     taxExemptionReason.InnerText = "13/i Yem Teslimleri";
1049:                                                     taxCategory.AppendChild(taxExemptionReasonCode);
1050:                                                     taxCategory.AppendChild(taxExemptionReason);
1051:                                                 }
1052:                                             else
1053:                                                 {
1054:                                                     var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xmlnscbc.Value);
1055:                                                     taxExemptionReasonCode.InnerText = "350";
1056:                                                     var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xmlnscbc.Value);
1057:                                                     taxExemptionReason.InnerText = "Digerleri";
1058:                                                     taxCategory.AppendChild(taxExemptionReasonCode);
1059:                                                     taxCategory.AppendChild(taxExemptionReason);
1060:                                                 }
1061:                                             }
1062:
1063:                                         var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
1064:                                         var taxTypeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
1065:                                         taxTypeName.InnerText = "KDV";
1066:                                         taxScheme2.AppendChild(taxTypeName);
1067:                                         var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xmlnscbc.Value);
1068:                                         taxTypeCode.InnerText = "0015";

```

```

1069:         taxScheme2.AppendChild(taxTypeCode);
1070:         taxCategory.AppendChild(taxScheme2);
1071:         taxSubTotal.AppendChild(taxCategory);
1072:         taxTotal.AppendChild(taxSubTotal);
1073:         if (item.KonaklamaVergisi > 0 && gidenFatura.DuzenlemeTarihi?.Year >= 2023)
1074:     {
1075:         #region TaxSubTotal (Konaklama Vergisi İçin)
1076:
1077:             taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xmlnscac.Value);
1078:             taxableAmount = doc.CreateElement("cbc", "TaxableAmount", xmlnscbc.Value);
1079:             taxableAmount.RemoveAllAttributes();
1080:             currencyId = doc.CreateAttribute("currencyID");
1081:             currencyId.Value = "TRY";
1082:             taxableAmount.Attributes.Append(currencyId);
1083:             taxableAmount.InnerText = Decimal
1084:                 .Round((decimal) detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
1085:                 .Replace(", ", ".");
1086:             taxSubTotal.AppendChild(taxableAmount);
1087:             taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
1088:             taxAmount2.RemoveAllAttributes();
1089:             currencyId = doc.CreateAttribute("currencyID");
1090:             currencyId.Value = "TRY";
1091:             taxAmount2.Attributes.Append(currencyId);
1092:             taxAmount2.InnerText = Decimal
1093:                 .Round((decimal) detayBilgisi.KonaklamaVergisi, 2,
MidpointRounding.AwayFromZero)
1094:                 .ToString().Replace(", ", ".");
1095:             taxSubTotal.AppendChild(taxAmount2);
1096:             percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
1097:             percent.InnerText = Decimal
1098:                 .Round((decimal) 2, 2, MidpointRounding.AwayFromZero)
1099:                 .ToString("N1").Replace(", ", ".");
1100:             taxSubTotal.AppendChild(percent);
1101:             taxCategory = doc.CreateElement("cac", "TaxCategory", xmlnscac.Value);
1102:             taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
1103:             taxTypeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
1104:             taxTypeName.InnerText = "Konaklama Vergisi";
1105:             taxScheme2.AppendChild(taxTypeName);
1106:             taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xmlnscbc.Value);
1107:             taxTypeCode.InnerText = "0059";
1108:             taxScheme2.AppendChild(taxTypeCode);
1109:             taxCategory.AppendChild(taxScheme2);
1110:             taxSubTotal.AppendChild(taxCategory);
1111:             taxTotal.AppendChild(taxSubTotal);
1112:             invoiceLine.AppendChild(taxTotal);
1113:
1114:         #endregion
1115:     }
1116:
1117:     invoiceLine.AppendChild(taxTotal);
1118:
1119:     #endregion
1120:
1121: // Fatura kesilen ürün detayı ve açıklama bilgileri yer almaktadır
1122:
1123:     #region Item
1124:
1125:     var invoiceItem = doc.CreateElement("cac", "Item", xmlnscac.Value);
1126:     if (!string.IsNullOrEmpty(detayBilgisi.MalzemeFaturaAciklamasi))
1127:     {
1128:         var description = doc.CreateElement("cbc", "Description", xmlnscbc.Value);
1129:         description.InnerText = detayBilgisi.MalzemeFaturaAciklamasi;
1130:         invoiceItem.AppendChild(description);
1131:     }
1132:
1133:     var detayBilgisiName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
1134:     if (!string.IsNullOrEmpty(detayBilgisi.FaturaUrunturu))
1135:         detayBilgisiName.InnerText = detayBilgisi.FaturaUrunturu;

```

```

1136:         invoiceItem.AppendChild(detayBilgisiName);
1137:         invoiceLine.AppendChild(invoiceItem);
1138:
1139:     #endregion
1140:
1141:     // Birim fiyat bilgileri yer almaktadir
1142:
1143:     #region Price
1144:
1145:     var price = doc.CreateElement("cac", "Price", xmlnscac.Value);
1146:     var priceAmount = doc.CreateElement("cbc", "PriceAmount", xmlnscbc.Value);
1147:     priceAmount.RemoveAllAttributes();
1148:     currencyId = doc.CreateAttribute("currencyID");
1149:     currencyId.Value = "TRY";
1150:     priceAmount.Attributes.Append(currencyId);
1151:     priceAmount.InnerText = detayBilgisi.BirimFiyat != null
1152:         ? Decimal.Round((decimal) detayBilgisi.BirimFiyat, 4,
MidpointRounding.AwayFromZero).ToString()
1153:             .Replace(", ", ".")
1154:             : "0.00";
1155:     price.AppendChild(priceAmount);
1156:     invoiceLine.AppendChild(price);
1157:
1158:     #endregion
1159:
1160:     root.AppendChild(invoiceLine);
1161:
1162:     #endregion
1163:
1164:     sayac++;
1165: }
1166:
1167: #endregion
1168:
1169: doc.AppendChild(root);
1170:
1171: #region Dosya Kaydi
1172:
1173: var fileName = aktarilacakKlasorAdi + "/" + gidenFatura.GidenFaturaId + ".xml";
1174: doc.Save(fileName);
1175:
1176: #endregion
1177:
1178: return fileName;
1179: }

```

#### 1.1.7.1.8.1.7 YardimciSiniflar.EMustahsilXMLOlustur Method

##### Summary

Müstahsil Makbuzu Bilgisi Üzerinden E-Müstahsil Sistemine Göndermek İçin XML Dosyası Olusturmaya Yarayan Metottur

##### C#

```
public static string EMustahsilXMLOlustur(MustahsilMakbuzuDTO mustahsilMakbuzu,
List<MustahsilMakbuzuDetayDTO> mustahsilMakbuzuDetayListesi, string aktarilacakKlasorAdi);
```

##### Parameters

Parameters	Description
MustahsilMakbuzuDTO mustahsilMakbuzu	Müstahsil Makbuzu Bilgisi
List<MustahsilMakbuzuDetayDTO> mustahsilMakbuzuDetayListesi	Müstahsil Makbuzu Detay Bilgisi
string aktarilacakKlasorAdi	Olusturulan Dosyanin Aktarilacagi Klasör

##### Body Source

```

1: public static string EMustahsilXMLOlustur(MustahsilMakbuzuDTO mustahsilMakbuzu,
2:     List<MustahsilMakbuzuDetayDTO> mustahsilMakbuzuDetayListesi, string
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

aktarilacakKlasorAdi)
3: {
4:     var doc = new XmlDocument();
5:     var declaration = doc.CreateXmlDeclaration("1.0", "UTF-8", null);
6:     var root = doc.DocumentElement;
7:     doc.InsertBefore(declaration, root);
8:     doc.AppendChild(
9:         doc.CreateProcessingInstruction("xml-stylesheet", "type=\"text/xsl\""
href=\"general.xslt\"");
10:
11:    root = doc.CreateElement("CreditNote");
12:
13:    mustahsilMakbuzu = mustahsilMakbuzu.BosluklariKaldir();
14:
15:    var kodMakbuzGrupTuruKod = 0;
16:    if (mustahsilMakbuzu.MakbuzGrupTuruKod != null)
17:        kodMakbuzGrupTuruKod = mustahsilMakbuzu.MakbuzGrupTuruKod ?? 0;
18:
19:    #region Standart ve Müstahsil Makbuzuna Bagli Bilgiler
20:
21:    // Makbuzun türü, kesilme tarihi, UBL Versiyon Numarasi, GIB Numarasi gibi bilgiler
22:    // yer almaktadir
23:
24:    #region Standart Bilgiler
25:
26:    root.RemoveAllAttributes();
27:    // var locationAttribute = "xsi:schemaLocation";
28:    var location = doc.CreateAttribute("xsi", "schemaLocation",
29:        "urn:oasis:names:specification:ubl:schema:xsd:CreditNote-2");
30:    location.Value =
31:        "urn:oasis:names:specification:ubl:schema:xsd:CreditNote-2
..xsdrt/maindoc/UBL-CreditNote-2.1.xsd";
32:    var xmlns = doc.CreateAttribute("xmlns");
33:    xmlns.Value = "urn:oasis:names:specification:ubl:schema:xsd:CreditNote-2";
34:    var xmlnsn4 = doc.CreateAttribute("xmlns:n4");
35:    xmlnsn4.Value = "http://www.altova.com/samplexml/other-namespace";
36:    var xmlnsxsi = doc.CreateAttribute("xmlns:xsi");
37:    xmlnsxsi.Value = "http://www.w3.org/2001/XMLSchema-instance";
38:    var xmlnscac = doc.CreateAttribute("xmlns:cac");
39:    xmlnscac.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonAggregateComponents-2";
40:    var xmlnscbc = doc.CreateAttribute("xmlns:cbc");
41:    xmlnscbc.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonBasicComponents-2";
42:    var xmlnsext = doc.CreateAttribute("xmlns:ext");
43:    xmlnsext.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonExtensionComponents-2";
44:    root.Attributes.Append(location);
45:    root.Attributes.Append(xmlns);
46:    root.Attributes.Append(xmlsn4);
47:    root.Attributes.Append(xmlnsxsi);
48:    root.Attributes.Append(xmlnscac);
49:    root.Attributes.Append(xmlnscbc);
50:    root.Attributes.Append(xmlnsext);
51:    var extUbl = doc.CreateElement("ext", "UBLExtensions", xmlnsext.Value);
52:    var extUbl2 = doc.CreateElement("ext", "UBLExtension", xmlnsext.Value);
53:    var extUbl3 = doc.CreateElement("ext", "ExtensionContent", xmlnsext.Value);
54:    var extUbl4 = doc.CreateElement("n4", "auto-generated_for_wildcard",
xmlsn4.Value);
55:    extUbl3.AppendChild(extUbl4);
56:    extUbl2.AppendChild(extUbl3);
57:    extUbl.AppendChild(extUbl2);
58:
59:    root.AppendChild(extUbl);
60:
61:    var versionId = doc.CreateElement("cbc", "UBLVersionID", xmlnscbc.Value);
62:    versionId.InnerText = "2.1";
63:    root.AppendChild(versionId);
64:

```

```

65:     var customizationId = doc.CreateElement("cbc", "CustomizationID", xmlnscbc.Value);
66:     customizationId.InnerText = "TR1.2.1";
67:     root.AppendChild(customizationId);
68:
69:     var profileId = doc.CreateElement("cbc", "ProfileID", xmlnscbc.Value);
70:     profileId.InnerText = "EARSIVBELGE";
71:     root.AppendChild(profileId);
72:
73:     var id = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
74:     if (!string.IsNullOrEmpty(mustahsilMakbuzu.MustahsilMakbuzuNo))
75:         id.InnerText = mustahsilMakbuzu.MustahsilMakbuzuNo;
76:     else
77:         id.InnerText = "ABC" + mustahsilMakbuzu.MustahsilMakbuzuTarihi?.Year +
78:                         DateTime.UtcNow.Ticks.ToString().Substring(0, 9);
79:     root.AppendChild(id);
80:
81:     var copyIndicator = doc.CreateElement("cbc", "CopyIndicator", xmlnscbc.Value);
82:     copyIndicator.InnerText = "false";
83:     root.AppendChild(copyIndicator);
84:
85:     var mustahsilMakbuzuId = doc.CreateElement("cbc", "UUID", xmlnscbc.Value);
86:     mustahsilMakbuzuId.InnerText = mustahsilMakbuzu.MustahsilMakbuzuId.Length == 36
87:         ? mustahsilMakbuzu.MustahsilMakbuzuId.ToUpper()
88:         : Guid.NewGuid().ToString().ToUpper();
89:     root.AppendChild(mustahsilMakbuzuId);
90:
91:     var issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
92:     issueDate.InnerText =
mustahsilMakbuzu.MustahsilMakbuzuTarihi?.Date.ToString("yyyy-MM-dd") ?? string.Empty;
93:     root.AppendChild(issueDate);
94:
95:     var issueTime = doc.CreateElement("cbc", "IssueTime", xmlnscbc.Value);
96:     issueTime.InnerText =
mustahsilMakbuzu.MustahsilMakbuzuTarihi?.ToString("HH:mm:ss") ?? string.Empty;
97:     root.AppendChild(issueTime);
98:
99:     var creditNoteTypeCode = doc.CreateElement("cbc", "CreditNoteTypeCode",
xmlnscbc.Value);
100:    creditNoteTypeCode.InnerText = "MUSTAHSILMAKBUZ";
101:    root.AppendChild(creditNoteTypeCode);
102:
103:    var sendType = doc.CreateElement("cbc", "Note", xmlnscbc.Value);
104:    sendType.InnerText = "Gönderim Sekli: ELEKTRONIK";
105:    root.AppendChild(sendType);
106:
107:    var documentCurrencyCode = doc.CreateElement("cbc", "DocumentCurrencyCode",
xmlnscbc.Value);
108:    documentCurrencyCode.InnerText = "TRY";
109:    root.AppendChild(documentCurrencyCode);
110:
111:    var lineCountNumeric = doc.CreateElement("cbc", "LineCountNumeric",
xmlnscbc.Value);
112:    lineCountNumeric.InnerText = mustahsilMakbuzuDetayListesi.Count.ToString();
113:    root.AppendChild(lineCountNumeric);
114:
115:    #region AdditionalDocumentReference
116:
117:    var additionalDocumentReference = doc.CreateElement("cac",
"AdditionalDocumentReference", xmlnscac.Value);
118:    var additionalDocumentReferenceId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
119:    additionalDocumentReferenceId.InnerText =
mustahsilMakbuzu.MustahsilMakbuzuId.Length == 36
120:        ? mustahsilMakbuzu.MustahsilMakbuzuId.ToUpper()
121:        : Guid.NewGuid().ToString().ToUpper();
122:    additionalDocumentReference.AppendChild(additionalDocumentReferenceId);
123:    issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
124:    issueDate.InnerText =
mustahsilMakbuzu.MustahsilMakbuzuTarihi?.Date.ToString("yyyy-MM-dd") ?? string.Empty;
125:    additionalDocumentReference.AppendChild(issueDate);

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

```

126:     var documentType = doc.CreateElement("cbc", "DocumentType", xmlnscbc.Value);
127:     documentType.InnerText = "XSLT";
128:     additionalDocumentReference.AppendChild(documentType);
129:     var attachment = doc.CreateElement("cac", "Attachment", xmlnscac.Value);
130:     var embeddedDocumentBinaryObject = doc.CreateElement("cbc",
131: "EmbeddedDocumentBinaryObject", xmlnscbc.Value);
132:     var characterSetCode = doc.CreateAttribute("characterSetCode");
133:     characterSetCode.Value = "UTF-8";
134:     var encodingCode = doc.CreateAttribute("encodingCode");
135:     encodingCode.Value = "Base64";
136:     var mimeCode = doc.CreateAttribute("mimeCode");
137:     mimeCode.Value = "application/xml";
138:     embeddedDocumentBinaryObject.Attributes.Append(characterSetCode);
139:     embeddedDocumentBinaryObject.Attributes.Append(encodingCode);
140:     embeddedDocumentBinaryObject.Attributes.Append(mimeCode);
141:     attachment.AppendChild(embeddedDocumentBinaryObject);
142:     additionalDocumentReference.AppendChild(attachment);
143: 
144: #endregion
145: 
146: #endregion
147: 
148: // Faturaya iliskin imza, adres vb. bilgiler yer almaktadir
149: 
150: #region Signature
151: 
152: var signature = doc.CreateElement("cac", "Signature", xmlnscac.Value);
153: var signatureIdAttr = doc.CreateAttribute("schemeID");
154: signatureIdAttr.Value = "VKN_TCKN";
155: var signatureId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
156: signatureId.Attributes.Append(signatureIdAttr);
157: signatureId.InnerText = "3250566851";
158: signature.AppendChild(signatureId);
159: 
160: var signatoryParty = doc.CreateElement("cac", "SignatoryParty", xmlnscac.Value);
161: var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
162: xmlnscac.Value);
163: var signatureIdAttr2 = doc.CreateAttribute("schemeID");
164: signatureIdAttr2.Value = "VKN";
165: var signaturePartyId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
166: signaturePartyId.Attributes.Append(signatureIdAttr2);
167: signaturePartyId.InnerText = "3250566851";
168: partyIdentification.AppendChild(signaturePartyId);
169: signatoryParty.AppendChild(partyIdentification);
170: 
171: #region Postal Address
172: 
173: var postalAddress = doc.CreateElement("cac", "PostalAddress", xmlnscac.Value);
174: var streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
175: streetName.InnerText = "Mithatpasa Caddesi";
176: postalAddress.AppendChild(streetName);
177: var buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xmlnscbc.Value);
178: buildingNumber.InnerText = "14";
179: postalAddress.AppendChild(buildingNumber);
180: var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
181: xmlnscbc.Value);
182: citySubdivisionName.InnerText = "Çankaya";
183: postalAddress.AppendChild(citySubdivisionName);
184: var cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
185: cityName.InnerText = "Ankara";
186: postalAddress.AppendChild(cityName);
187: var postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
188: postalZone.InnerText = "06100";
189: postalAddress.AppendChild(postalZone);
190: var country = doc.CreateElement("cac", "Country", xmlnscac.Value);
191: var countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
192: countryName.InnerText = "Türkiye";
193: country.AppendChild(countryName);

```

```

192:     postalAddress.AppendChild(country);
193:     signatoryParty.AppendChild(postalAddress);
194:     signature.AppendChild(signatoryParty);
195:
196: #endregion
197:
198: var digitalSignatureAttachment = doc.CreateElement("cac",
199: "DigitalSignatureAttachment", xmlnscac.Value);
200: var externalReference = doc.CreateElement("cac", "ExternalReference",
xmlnscac.Value);
201: var uri = doc.CreateElement("cbc", "URI", xmlnscbc.Value);
202: uri.InnerText = "#Signature";
203: externalReference.AppendChild(uri);
204: digitalSignatureAttachment.AppendChild(externalReference);
205: signature.AppendChild(digitalSignatureAttachment);
206:
207: root.AppendChild(signature);
208:
209: #endregion
210: // Burada sabit degerler verilmekte olup, Makbuzu kesen kuruma veya firmaya ait
bilgiler
211: // yer almaktadir. Bu kisimda örnek olarak TÜRKSEKER Fabrikalari Genel Müdürlüğü
bilgileri
212: // kullanilmistir. Ancak degistirip test edilebilir.
213:
214: #region AccountingSupplierParty
215:
216: var accountingSupplierParty = doc.CreateElement("cac", "AccountingSupplierParty",
xmlnscac.Value);
217: var party = doc.CreateElement("cac", "Party", xmlnscac.Value);
218: var webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlnscbc.Value);
219: webSiteUri.InnerText = "https://www.turkseker.gov.tr";
220: party.AppendChild(webSiteUri);
221: var accountingSupplierPartyIdAttr = doc.CreateAttribute("schemeID");
222: accountingSupplierPartyIdAttr.Value = "VKN_TCKN";
223: partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlnscac.Value);
224: var accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
225: accountingSupplierPartyIdAttr2.Value = "VKN";
226: var accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xmlnscbc.Value);
227: accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
228: accountingSupplierPartyPartyId.InnerText = "3250566851";
229: partyIdentification.AppendChild(accountingSupplierPartyPartyId);
230: party.AppendChild(partyIdentification);
231:
232: if (!string.IsNullOrEmpty(mustahsilMakbuzu.AltBirimAd))
233: {
234:     partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlnscac.Value);
235:     accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
236:     accountingSupplierPartyIdAttr2.Value = "SUBENO";
237:     accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xmlnscbc.Value);
238:
accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
239:     accountingSupplierPartyPartyId.InnerText = mustahsilMakbuzu.AltBirimAd;
240:     partyIdentification.AppendChild(accountingSupplierPartyPartyId);
241:     party.AppendChild(partyIdentification);
242: }
243:
244: var partyName = doc.CreateElement("cac", "PartyName", xmlnscac.Value);
245: var partyNameReal = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
246: partyNameReal.InnerText = "TÜRKİYE SEKER FABRIKALARI A.S.";
247: partyName.AppendChild(partyNameReal);
248: party.AppendChild(partyName);
249:
250: #region Postal Address

```

```

251:
252:     postalAddress = doc.CreateElement("cac", "PostalAddress", xmlnscac.Value);
253:     var postalAddressId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
254:     postalAddressId.InnerText = "3250566851";
255:     postalAddress.AppendChild(postalAddressId);
256:     streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
257:     streetName.InnerText = "Mithatpasa Caddesi";
258:     postalAddress.AppendChild(streetName);
259:     buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xmlnscbc.Value);
260:     buildingNumber.InnerText = "14";
261:     postalAddress.AppendChild(buildingNumber);
262:     citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xmlnscbc.Value);
263:     citySubdivisionName.InnerText = "Çankaya";
264:     postalAddress.AppendChild(citySubdivisionName);
265:     cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
266:     cityName.InnerText = "Ankara";
267:     postalAddress.AppendChild(cityName);
268:     postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
269:     postalZone.InnerText = "06100";
270:     postalAddress.AppendChild(postalZone);
271:     country = doc.CreateElement("cac", "Country", xmlnscac.Value);
272:     countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
273:     countryName.InnerText = "Türkiye";
274:     country.AppendChild(countryName);
275:     postalAddress.AppendChild(country);
276:     party.AppendChild(postalAddress);
277:
278: #endregion
279:
280: var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme", xmlnscac.Value);
281: var taxScheme = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
282: var taxSchemeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
283: taxSchemeName.InnerText = "Ankara Kurumlar";
284: taxScheme.AppendChild(taxSchemeName);
285: partyTaxScheme.AppendChild(taxScheme);
286: party.AppendChild(partyTaxScheme);
287:
288: var contact = doc.CreateElement("cac", "Contact", xmlnscac.Value);
289: var telephone = doc.CreateElement("cbc", "Telephone", xmlnscbc.Value);
290: telephone.InnerText = "(312) 4585500";
291: contact.AppendChild(telephone);
292: var telefax = doc.CreateElement("cbc", "Telefax", xmlnscbc.Value);
293: telefax.InnerText = "(312) 4585800";
294: contact.AppendChild(telefax);
295: var electronicMail = doc.CreateElement("cbc", "ElectronicMail", xmlnscbc.Value);
296: electronicMail.InnerText = "maliisler@turkseker.gov.tr";
297: contact.AppendChild(electronicMail);
298: party.AppendChild(contact);
299:
300: accountingSupplierParty.AppendChild(party);
301:
302: root.AppendChild(accountingSupplierParty);
303:
304: #endregion
305:
306: // Bu kisimda makbuz kesilen firma bilgileri yer almaktadir
307:
308: #region AccountingCustomerParty
309:
310: var accountingCustomerParty = doc.CreateElement("cac", "AccountingCustomerParty",
xmlnscac.Value);
311:     party = doc.CreateElement("cac", "Party", xmlnscac.Value);
312:     webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlnscbc.Value);
313:     party.AppendChild(webSiteUri);
314:     var accountingCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
315:     accountingCustomerPartyIdAttr.Value = "TCKN";
316:     if (mustahsilMakbuzu.VergiNo.Length == 10)
317:         accountingCustomerPartyIdAttr.Value = "VKN";

```

```

318:     partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlnsCAC.Value);
319:     var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xmlNSCBC.Value);
320:     accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerPartyIdAttr);
321:     accountingCustomerPartyPartyId.InnerText = mustahsilMakbuzu.VergiNo;
322:     partyIdentification.AppendChild(accountingCustomerPartyPartyId);
323:     party.AppendChild(partyIdentification);
324:
325:     if (mustahsilMakbuzu.VergiNo.Length == 10)
326:     {
327:         partyName = doc.CreateElement("cac", "PartyName", xmlnsCAC.Value);
328:         partyNameReal = doc.CreateElement("cbc", "Name", xmlnsCBC.Value);
329:         partyNameReal.InnerText = mustahsilMakbuzu.TuzelKisiAd;
330:         partyName.AppendChild(partyNameReal);
331:         party.AppendChild(partyName);
332:     }
333:
334: #region Postal Address
335:
336: postalAddress = doc.CreateElement("cac", "PostalAddress", xmlnsCAC.Value);
337: postalAddressId = doc.CreateElement("cbc", "ID", xmlnsCBC.Value);
338: postalAddressId.InnerText = mustahsilMakbuzu.VergiNo;
339: postalAddress.AppendChild(postalAddressId);
340: var room = doc.CreateElement("cbc", "Room", xmlnsCBC.Value);
341: postalAddress.AppendChild(room);
342: streetName = doc.CreateElement("cbc", "StreetName", xmlnsCBC.Value);
343: if (!string.IsNullOrEmpty(mustahsilMakbuzu.Adres))
344:     streetName.InnerText = mustahsilMakbuzu.Adres;
345: postalAddress.AppendChild(streetName);
346: buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xmlnsCBC.Value);
347: //buildingNumber.InnerText = "";
348: postalAddress.AppendChild(buildingNumber);
349: citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xmlnsCBC.Value);
350: if (!string.IsNullOrEmpty(mustahsilMakbuzu.IlceAd))
351:     citySubdivisionName.InnerText = mustahsilMakbuzu.IlceAd;
352: postalAddress.AppendChild(citySubdivisionName);
353: cityName = doc.CreateElement("cbc", "CityName", xmlnsCBC.Value);
354: if (!string.IsNullOrEmpty(mustahsilMakbuzu.IlAd))
355:     cityName.InnerText = mustahsilMakbuzu.IlAd;
356: postalAddress.AppendChild(cityName);
357: postalZone = doc.CreateElement("cbc", "PostalZone", xmlnsCBC.Value);
358: //postalZone.InnerText = "";
359: postalAddress.AppendChild(postalZone);
360: country = doc.CreateElement("cac", "Country", xmlnsCAC.Value);
361: countryName = doc.CreateElement("cbc", "Name", xmlnsCBC.Value);
362: countryName.InnerText = "Türkiye";
363: country.AppendChild(countryName);
364: postalAddress.AppendChild(country);
365: party.AppendChild(postalAddress);
366:
367: #endregion
368:
369: partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme", xmlnsCAC.Value);
370: taxScheme = doc.CreateElement("cac", "TaxScheme", xmlnsCAC.Value);
371: taxSchemeName = doc.CreateElement("cbc", "Name", xmlnsCBC.Value);
372: if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiDairesi))
373:     taxSchemeName.InnerText = mustahsilMakbuzu.VergiDairesi;
374: taxScheme.AppendChild(taxSchemeName);
375: partyTaxScheme.AppendChild(taxScheme);
376: party.AppendChild(partyTaxScheme);
377:
378: contact = doc.CreateElement("cac", "Contact", xmlnsCAC.Value);
379: electronicMail = doc.CreateElement("cbc", "ElectronicMail", xmlnsCBC.Value);
380: if (!string.IsNullOrEmpty(mustahsilMakbuzu.EpostaAdresi))
381:     electronicMail.InnerText = mustahsilMakbuzu.EpostaAdresi;
382: contact.AppendChild(electronicMail);
383: party.AppendChild(contact);

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

```

384:
385:     if (mustahsilMakbuzu.VergiNo.Length == 11)
386:     {
387:         var liste = mustahsilMakbuzu.TuzelKisiAd.Split(' ').ToList();
388:         if (liste.Count >= 1)
389:         {
390:             var person = doc.CreateElement("cac", "Person", xmlnscac.Value);
391:             var firstName = doc.CreateElement("cbc", "FirstName", xmlnscbc.Value);
392:             firstName.InnerText = liste[0];
393:             person.AppendChild(firstName);
394:             var surname = liste[0];
395:             if (liste.Count > 1)
396:                 surname = mustahsilMakbuzu.TuzelKisiAd.Substring(liste[0].Length + 1);
397:             var familyName = doc.CreateElement("cbc", "FamilyName", xmlnscbc.Value);
398:             familyName.InnerText = surname;
399:             //familyName.InnerText = liste[1];
400:             person.AppendChild(familyName);
401:             party.AppendChild(person);
402:         }
403:     }
404:
405:     accountingCustomerParty.AppendChild(party);
406:
407:     root.AppendChild(accountingCustomerParty);
408:
409: #endregion
410:
411: if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo))
412: {
413:     if (mustahsilMakbuzu.VergiNo.Length == 10)
414:     {
415:         // Bu kisimda makbuz kesilen firma bilgileri yer almaktadir (Eger sadece
Tüzel Kisilikse, sahis sirketleri için bu yapilmamaktadir)
416:
417:         #region BuyerCustomerParty
418:
419:         var buyerCustomerParty = doc.CreateElement("cac", "BuyerCustomerParty",
xmlnscac.Value);
420:         party = doc.CreateElement("cac", "Party", xmlnscac.Value);
421:         webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlnscbc.Value);
422:         party.AppendChild(webSiteUri);
423:         var buyerCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
424:         buyerCustomerPartyIdAttr.Value = "VKN";
425:         partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlnscac.Value);
426:         var buyerCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xmlnscbc.Value);
427:         buyerCustomerPartyPartyId.Attributes.Append(buyerCustomerPartyIdAttr);
428:         buyerCustomerPartyPartyId.InnerText = mustahsilMakbuzu.VergiNo;
429:         partyIdentification.AppendChild(buyerCustomerPartyPartyId);
430:         party.AppendChild(partyIdentification);
431:
432:         if (mustahsilMakbuzu.VergiNo.Length == 10)
433:         {
434:             partyName = doc.CreateElement("cac", "PartyName", xmlnscac.Value);
435:             partyNameReal = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
436:             partyNameReal.InnerText = mustahsilMakbuzu.TuzelKisiAd;
437:             partyName.AppendChild(partyNameReal);
438:             party.AppendChild(partyName);
439:         }
440:
441:         #region Postal Address
442:
443:         postalAddress = doc.CreateElement("cac", "PostalAddress", xmlnscac.Value);
444:         postalAddressId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
445:         postalAddressId.InnerText = mustahsilMakbuzu.VergiNo;
446:         postalAddress.AppendChild(postalAddressId);
447:         room = doc.CreateElement("cbc", "Room", xmlnscbc.Value);
448:         postalAddress.AppendChild(room);

```

```

449:             streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
450:             if (!string.IsNullOrEmpty(mustahsilMakbuzu.Adres))
451:                 streetName.InnerText = mustahsilMakbuzu.Adres;
452:             postalAddress.AppendChild(streetName);
453:             buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xmlnscbc.Value);
454:             //buildingNumber.InnerText = "";
455:             postalAddress.AppendChild(buildingNumber);
456:             citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xmlnscbc.Value);
457:             if (!string.IsNullOrEmpty(mustahsilMakbuzu.IlceAd))
458:                 citySubdivisionName.InnerText = mustahsilMakbuzu.IlceAd;
459:             postalAddress.AppendChild(citySubdivisionName);
460:             cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
461:             if (!string.IsNullOrEmpty(mustahsilMakbuzu.IlAd))
462:                 cityName.InnerText = mustahsilMakbuzu.IlAd;
463:             postalAddress.AppendChild(cityName);
464:             postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
465:             //postalZone.InnerText = "";
466:             postalAddress.AppendChild(postalZone);
467:             country = doc.CreateElement("cac", "Country", xmlnscac.Value);
468:             countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
469:             countryName.InnerText = "Türkiye";
470:             country.AppendChild(countryName);
471:             postalAddress.AppendChild(country);
472:             party.AppendChild(postalAddress);
473:
474: #endregion
475:
476:             partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xmlnscac.Value);
477:             taxScheme = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
478:             taxSchemeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
479:             if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiDairesi))
480:                 taxSchemeName.InnerText = mustahsilMakbuzu.VergiDairesi;
481:             taxScheme.AppendChild(taxSchemeName);
482:             partyTaxScheme.AppendChild(taxScheme);
483:             party.AppendChild(partyTaxScheme);
484:
485:             contact = doc.CreateElement("cac", "Contact", xmlnscac.Value);
486:             electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xmlnscbc.Value);
487:             if (!string.IsNullOrEmpty(mustahsilMakbuzu.EPostaAdresi))
488:                 electronicMail.InnerText = mustahsilMakbuzu.EPostaAdresi;
489:             contact.AppendChild(electronicMail);
490:             party.AppendChild(contact);
491:
492:             if (mustahsilMakbuzu.VergiNo.Length == 11)
493:             {
494:                 var liste = mustahsilMakbuzu.TuzelKisiAd.Split(' ').ToList();
495:                 if (liste.Count >= 1)
496:                 {
497:                     var person = doc.CreateElement("cac", "Person", xmlnscac.Value);
498:                     var firstName = doc.CreateElement("cbc", "FirstName",
firstName.InnerText = liste[0];
499:                     person.AppendChild(firstName);
500:                     var surname = liste[0];
501:                     if (liste.Count > 1)
502:                         surname =
503:                         mustahsilMakbuzu.TuzelKisiAd.Substring(liste[0].Length + 1);
504:                         var familyName = doc.CreateElement("cbc", "FamilyName",
xmlnscbc.Value);
505:                         familyName.InnerText = surname;
506:                         //familyName.InnerText = liste[1];
507:                         person.AppendChild(familyName);
508:                         party.AppendChild(person);
509:                 }
510:             }

```

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com*

```

511:             buyerCustomerParty.AppendChild(party);
512:             root.AppendChild(buyerCustomerParty);
513:
514:         #endregion
515:     }
516: }
517:
518: }
519:
520: // Burada vergi bilgileri yer almaktadir
521:
522: #region TaxTotal
523:
524: var taxTotal = doc.CreateElement("cac", "TaxTotal", xmlnscac.Value);
525: var currencyId = doc.CreateAttribute("currencyID");
526: currencyId.Value = "TRY";
527: var taxAmount = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
528: taxAmount.RemoveAllAttributes();
529: taxAmount.Attributes.Append(currencyId);
530: taxAmount.InnerText = Decimal
531:     .Round((decimal) mustahsilMakbuzu.GelirVergisi, 2,
MidpointRounding.AwayFromZero).ToString()
532:     .Replace(",", ".");
533: taxTotal.AppendChild(taxAmount);
534: var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xmlnscac.Value);
535: var taxableAmount = doc.CreateElement("cbc", "TaxableAmount", xmlnscbc.Value);
536: taxableAmount.RemoveAllAttributes();
537: currencyId = doc.CreateAttribute("currencyID");
538: currencyId.Value = "TRY";
539: taxableAmount.Attributes.Append(currencyId);
540: taxableAmount.InnerText = Decimal
541:     .Round((decimal) mustahsilMakbuzu.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString()
542:     .Replace(",", ".");
543: taxSubTotal.AppendChild(taxableAmount);
544: var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
545: taxAmount2.RemoveAllAttributes();
546: currencyId = doc.CreateAttribute("currencyID");
547: currencyId.Value = "TRY";
548: taxAmount2.Attributes.Append(currencyId);
549: taxAmount2.InnerText = Decimal
550:     .Round((decimal) mustahsilMakbuzu.GelirVergisi, 2,
MidpointRounding.AwayFromZero).ToString()
551:     .Replace(",", ".");
552: taxSubTotal.AppendChild(taxAmount2);
553: var percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
554: percent.InnerText = mustahsilMakbuzu.NetTutar != 0
555:     ? Decimal.Round(((decimal) mustahsilMakbuzu.GelirVergisi * 100) / (decimal)
mustahsilMakbuzu.NetTutar,
556:     0, MidpointRounding.AwayFromZero).ToString()
557:     : "0";
558: taxSubTotal.AppendChild(percent);
559: var taxCategory = doc.CreateElement("cac", "TaxCategory", xmlnscac.Value);
560: if (mustahsilMakbuzu.GelirVergisi == 0)
561: {
562:     if (kodMakbuzGrupTuruKod == FaturaMakbuzGrupTur.Kuspe.GetHashCode())
563:     {
564:         var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xmlnscbc.Value);
565:         taxExemptionReasonCode.InnerText = "325";
566:         var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xmlnscbc.Value);
567:         taxExemptionReason.InnerText = "13/i Yem Teslimleri";
568:         taxCategory.AppendChild(taxExemptionReasonCode);
569:         taxCategory.AppendChild(taxExemptionReason);
570:     }
571:     else
572:     {
573:         var taxExemptionReasonCode = doc.CreateElement("cbc",

```

```

    "TaxExemptionReasonCode", xmlns:cbc.Value);
574:         taxExemptionReasonCode.InnerText = "350";
575:         var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xmlns:cbc.Value);
576:         taxExemptionReason.InnerText = "Digerleri";
577:         taxCategory.AppendChild(taxExemptionReasonCode);
578:         taxCategory.AppendChild(taxExemptionReason);
579:     }
580: }
581:
582: var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlns:cac.Value);
583: var taxName = doc.CreateElement("cbc", "Name", xmlns:cbc.Value);
584: taxName.InnerText = "GV STOPAJI";
585: taxScheme2.AppendChild(taxName);
586: var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xmlns:cbc.Value);
587: taxTypeCode.InnerText = "0003";
588: taxScheme2.AppendChild(taxTypeCode);
589: taxCategory.AppendChild(taxScheme2);
590: taxSubTotal.AppendChild(taxCategory);
591: taxTotal.AppendChild(taxSubTotal);
592: root.AppendChild(taxTotal);
593:
594: #endregion
595:
596: // Gelir Vergisi, Net Tutar ve Toplam Tutar bilgileri yer almaktadir
597:
598: #region LegalMonetaryTotal
599:
600: var legalMonetaryTotal = doc.CreateElement("cac", "LegalMonetaryTotal",
xmlns:cac.Value);
601: var lineExtensionAmount = doc.CreateElement("cbc", "LineExtensionAmount",
xmlns:cbc.Value);
602: lineExtensionAmount.RemoveAllAttributes();
603: currencyId = doc.CreateAttribute("currencyID");
604: currencyId.Value = "TRY";
605: lineExtensionAmount.Attributes.Append(currencyId);
606: lineExtensionAmount.InnerText = Decimal
607:     .Round((decimal) mustahsilMakbuzu.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString()
608:     .Replace(", ", ".");
609: legalMonetaryTotal.AppendChild(lineExtensionAmount);
610: var taxExclusiveAmount = doc.CreateElement("cbc", "TaxExclusiveAmount",
xmlns:cbc.Value);
611: taxExclusiveAmount.RemoveAllAttributes();
612: currencyId = doc.CreateAttribute("currencyID");
613: currencyId.Value = "TRY";
614: taxExclusiveAmount.Attributes.Append(currencyId);
615: taxExclusiveAmount.InnerText = Decimal
616:     .Round((decimal) mustahsilMakbuzu.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString()
617:     .Replace(", ", ".");
618: legalMonetaryTotal.AppendChild(taxExclusiveAmount);
619: var taxInclusiveAmount = doc.CreateElement("cbc", "TaxInclusiveAmount",
xmlns:cbc.Value);
620: taxInclusiveAmount.RemoveAllAttributes();
621: currencyId = doc.CreateAttribute("currencyID");
622: currencyId.Value = "TRY";
623: taxInclusiveAmount.Attributes.Append(currencyId);
624: taxInclusiveAmount.InnerText = Decimal
625:     .Round((decimal) mustahsilMakbuzu.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString()
626:     .Replace(", ", ".");
627: legalMonetaryTotal.AppendChild(taxInclusiveAmount);
628: var payableAmount = doc.CreateElement("cbc", "PayableAmount", xmlns:cbc.Value);
629: payableAmount.RemoveAllAttributes();
630: currencyId = doc.CreateAttribute("currencyID");
631: currencyId.Value = "TRY";
632: payableAmount.Attributes.Append(currencyId);
633: payableAmount.InnerText = Decimal

```

```

634:         .Round((decimal) mustahsilMakbuzu.NetTutar - (decimal)
mustahsilMakbuzu.GelirVergisi, 2,
635:             MidpointRounding.AwayFromZero).ToString().Replace(", ", "."));
636:     legalMonetaryTotal.AppendChild(payableAmount);
637:     root.AppendChild(legalMonetaryTotal);
638:
639: #endregion
640:
641: var sayac = 1;
642: // Her bir makbuz detayı için hazırlanan bölündür
643: foreach (var item in mustahsilMakbuzuDetayListesi)
644: {
645:     var detayBilgisi = item.BosluklariKaldır();
646:
647:     #region CreditNoteLine
648:
649:     #region MetaData
650:
651:         var creditNoteLine = doc.CreateElement("cac", "CreditNoteLine",
xmlnsCAC.Value);
652:         var creditNoteLineId = doc.CreateElement("cbc", "ID", xmlnsCBC.Value);
653:         creditNoteLineId.InnerText = sayac.ToString();
654:         creditNoteLine.AppendChild(creditNoteLineId);
655:         var quantity = doc.CreateAttribute("unitCode");
656:         quantity.Value = "KGM";
657:         var creditedQuantity = doc.CreateElement("cbc", "CreditedQuantity",
xmlnsCBC.Value);
658:         creditedQuantity.RemoveAllAttributes();
659:         creditedQuantity.Attributes.Append(quantity);
660:         creditedQuantity.InnerText = Decimal
661:             .Round((decimal) detayBilgisi.Miktar, 2,
MidpointRounding.AwayFromZero).ToString()
662:             .Replace(", ", ".");
663:         creditNoteLine.AppendChild(creditedQuantity);
664:         var lineExtensionAmountDetail = doc.CreateElement("cbc",
"LineExtensionAmount", xmlnsCBC.Value);
665:         lineExtensionAmountDetail.RemoveAllAttributes();
666:         currencyId = doc.CreateAttribute("currencyID");
667:         currencyId.Value = "TRY";
668:         lineExtensionAmountDetail.Attributes.Append(currencyId);
669:         lineExtensionAmountDetail.InnerText = Decimal
670:             .Round((decimal) detayBilgisi.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString()
671:             .Replace(", ", ".");
672:         creditNoteLine.AppendChild(lineExtensionAmountDetail);
673:
674: #endregion
675:
676: #region TaxTotal
677:
678:         taxTotal = doc.CreateElement("cac", "TaxTotal", xmlnsCAC.Value);
679:         currencyId = doc.CreateAttribute("currencyID");
680:         currencyId.Value = "TRY";
681:         taxAmount = doc.CreateElement("cbc", "TaxAmount", xmlnsCBC.Value);
682:         taxAmount.RemoveAllAttributes();
683:         taxAmount.Attributes.Append(currencyId);
684:         taxAmount.InnerText = Decimal
685:             .Round((decimal) detayBilgisi.GelirVergisi, 2,
MidpointRounding.AwayFromZero).ToString()
686:             .Replace(", ", ".");
687:         taxTotal.AppendChild(taxAmount);
688:         taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xmlnsCAC.Value);
689:         taxableAmount = doc.CreateElement("cbc", "TaxableAmount", xmlnsCBC.Value);
690:         taxableAmount.RemoveAllAttributes();
691:         currencyId = doc.CreateAttribute("currencyID");
692:         currencyId.Value = "TRY";
693:         taxableAmount.Attributes.Append(currencyId);
694:         taxableAmount.InnerText = Decimal
695:             .Round((decimal) detayBilgisi.NetTutar, 2,

```

```

MidpointRounding.AwayFromZero).ToString()
696:         .Replace(", ", ".");
697:     taxSubTotal.AppendChild(taxableAmount);
698:     taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
699:     taxAmount2.RemoveAllAttributes();
700:     currencyId = doc.CreateAttribute("currencyID");
701:     currencyId.Value = "TRY";
702:     taxAmount2.Attributes.Append(currencyId);
703:     taxAmount2.InnerText = Decimal
704:         .Round((decimal) detayBilgisi.GelirVergisi, 2,
MidpointRounding.AwayFromZero).ToString()
705:         .Replace(", ", ".");
706:     taxSubTotal.AppendChild(taxAmount2);
707:     percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
708:     percent.InnerText = "2";
709:     taxSubTotal.AppendChild(percent);
710:     taxCategory = doc.CreateElement("cac", "TaxCategory", xmlnscac.Value);
711:     taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
712:     var taxTypeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
713:     taxTypeName.InnerText = "GV STOPAJI";
714:     taxScheme2.AppendChild(taxTypeName);
715:     taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xmlnscbc.Value);
716:     taxTypeCode.InnerText = "0003";
717:     taxScheme2.AppendChild(taxTypeCode);
718:     taxCategory.AppendChild(taxScheme2);
719:     taxSubTotal.AppendChild(taxCategory);
720:     taxTotal.AppendChild(taxSubTotal);
721:     creditNoteLine.AppendChild(taxTotal);
722:
723: #endregion
724:
725: #region Item
726:
727: var creditNoteItem = doc.CreateElement("cac", "Item", xmlnscac.Value);
728: var itemName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
729: itemName.InnerText = detayBilgisi.IsinMahiyeti;
730: creditNoteItem.AppendChild(itemName);
731: creditNoteLine.AppendChild(creditNoteItem);
732:
733: #endregion
734:
735: #region Price
736:
737: var price = doc.CreateElement("cac", "Price", xmlnscac.Value);
738: var priceAmount = doc.CreateElement("cbc", "PriceAmount", xmlnscbc.Value);
739: priceAmount.RemoveAllAttributes();
740: currencyId = doc.CreateAttribute("currencyID");
741: currencyId.Value = "TRY";
742: priceAmount.Attributes.Append(currencyId);
743: priceAmount.InnerText = detayBilgisi.BirimFiyat != null
744:     ? Decimal.Round((decimal) detayBilgisi.BirimFiyat, 4,
MidpointRounding.AwayFromZero).ToString()
745:         .Replace(", ", ".")
746:         : "0.00";
747:     price.AppendChild(priceAmount);
748:     creditNoteLine.AppendChild(price);
749:
750: #endregion
751:
752: root.AppendChild(creditNoteLine);
753:
754: #endregion
755:
756: sayac++;
757: }
758:
759: #endregion
760:
761: doc.AppendChild(root);

```

```

762:
763:     #region Dosya Kaydi
764:
765:     var fileName = aktarilacakKlasorAdi + " / " + mustahsilMakbuzu.MustahsilMakbuzuId +
766:         ".xml";
767:     doc.Save(fileName);
768: #endregion
769:
770:     return fileName;
771: }

```

## 1.1.8 Classes

### Summary

The following table lists classes in this documentation.

### Classes


	Name	Description
	frmAnaSayfa (see page 752)	QNB Finans GIB Servisi için veri hazırlanan ve servisin test edildiği metodlar içeren Form sınıfıdır
	Program (see page 780)	This is class QNBFinansGIB.Program.

### 1.1.8.1 frmAnaSayfa Class

#### Summary

QNB Finans GIB Servisi için veri hazırlanan ve servisin test edildiği metodlar içeren Form sınıfıdır

#### Class Hierarchy



#### C#

```
public class frmAnaSayfa : Form;
```

#### File

FormAnaSayfa.Designer.cs (see page 820)

#### Methods

	Name	Description
	frmAnaSayfa (see page 753)	This is frmAnaSayfa, a member of class frmAnaSayfa.

#### frmAnaSayfa Methods

	Name	Description
	btnBelgeOidKontrol_Click (see page 754)	Eğer Fatura E-Fatura Mükellefine kesiliyorsa Ve Belge Oid değeri yoksa, Daha önce gönderilme ihtimaline karşılık olarak Bu bilgilerin servis üzerinden temin edilebilmesi için gerekli işlemler gerçekleştirildi
	btnEFaturaKullaniciListeAktar_Click (see page 754)	Ekrandan girilne tarihten öncesine ait Kayıtlı E-Fatura Mükellef Vergi Numara listesini dışarıya TXT formatında aktaran metottur
	btnEFaturaKullaniciListesi_Click (see page 755)	Ekrandan girilne tarihten öncesine ait Kayıtlı E-Fatura Mükellef Vergi Numara listesini getiren Ve Listbox'i dolduran metottur.
	btnEFaturaKullaniciListesiTemizle_Click (see page 756)	Ekrandan girilne tarihten öncesine ait Kayıtlı E-Fatura Mükellef Vergi Numara listesini temizlemek için hazırlanan metottur

	btnFaturaSil_Click (see page 756)	Faturanın sisteme gönderilip gönderilmemiş kontrol edilerek Buna göre silinip silinmeyeceğine karar verilmesini sağlayan metottur.
	btnGIBOnizleme_Click (see page 757)	Sistemde E-Fatura veya E-Arsiv yollansın yollanmasın Hazırlanan XML dosyalarının bu sistemlerde nasıl görüneceğine dair Önizleme alınmasını sağlayan metottur. Bu önizleme PDF veya ZIP olarak alınacak Sorun olsa da olmasa da bir mesaj ile kullanıcı bilgilendirilecektir.
	btnGIBOnizlemeMustahsil_Click (see page 758)	Sistemde E-Müstahsil Servisine yollansın yollanmasın Hazırlanan XML dosyalarının bu sistemlerde nasıl görüneceğine dair Önizleme alınmasını sağlayan metottur. Bu önizleme PDF veya ZIP olarak alınacak Sorun olsa da olmasa da bir mesaj ile kullanıcı bilgilendirilecektir.
	btnMakbuzSil_Click (see page 759)	Makbuzun sisteme gönderilip gönderilmemiş kontrol edilerek Buna göre silinip silinmeyeceğine karar verilmesini sağlayan metottur.
	btnServiseGonder_Click (see page 760)	Sistem tarafından hazırlanan XML dosyasının E-Fatura veya E-Arsiv servisine gönderilmesi için hazırlanan metottur. Burada işlemin başarılı olup olmamasına göre kullanıcı bilgilendirilecektir.
	btnServiseGonderMustahsil_Click (see page 762)	Sistem tarafından hazırlanan XML dosyasının E-Müstahsil servisine gönderilmesi için hazırlanan metottur. Burada işlemin başarılı olup olmamasına göre kullanıcı bilgilendirilecektir.
	btnXmlOlustur_Click (see page 763)	Sistemde E-Fatura ve E-Arsiv Servislerine Gönderilecek Formatta Ideal XML dosyalarının oluşturulması için XML Olustur Butonuna tıklandığı zaman Yapılacak işlemlerin hazırlandığı metottur.
	btnXmlOlusturMustahsil_Click (see page 764)	Sistemde E-Müstahsil Servislerine Gönderilecek Formatta Ideal XML dosyalarının oluşturulması için XML Olustur Butonuna tıklandığı zaman Yapılacak işlemlerin hazırlandığı metottur.
	Dispose (see page 765)	Clean up any resources being used.
	FormAnaSayfa_Shown (see page 765)	Burada Form görüntülenirken Kendi hazırladığımız Giden Fatura ve Detaylarının oluşturup listeye atıyoruz ki Buradan sonra butonlara tıklandığında Bu listeler üzerinden kolayca işlem yapılabilse
	frmAnaSayfa_FormClosed (see page 775)	Form kapandığı zaman ne yapılacağını belirten bir metottur
	InitializeComponent (see page 775)	Required method for Designer support - do not modify the contents of this method with the code editor.
S	listBox_DrawItem (see page 779)	This method is used to measure the length of the item in listbox and make it multi line without using scrollbar and let the user see more efficiently
S	listBox_MeasureItem (see page 779)	This method is used to measure the length of the item in listbox and make it multi line without using scrollbar and let the user see more efficiently
S	ZipDosyasindanPdfCikar (see page 780)	E-Fatura Sisteminden Onaylı Fatura Çıktısı PDF yerine ZIP Formatında Geldiği için bu ZIP formatındaki byte array üzerinden İçindeki PDF dosyasının alınıp yazdırılması için Gerekli metottur

### 1.1.8.1.1 frmAnaSayfa.frmAnaSayfa Constructor

C#

```
public frmAnaSayfa();
```

#### Description

This is frmAnaSayfa, a member of class frmAnaSayfa.

#### Body Source

```
1: public frmAnaSayfa()
2: {
3:     InitializeComponent();
}
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

```
4: }
```

## 1.1.8.1.2 frmAnaSayfa Methods

### 1.1.8.1.2.1 frmAnaSayfa.btnBelgeOidKontrol\_Click Method

#### Summary

Eger Fatura E-Fatura Mükellefine kesiliyorsa Ve Belge Oid degeri yoksa, Daha önce gönderilme ihtimaline karsilik olarak Bu bilgilerin servis üzerinden temin edilebilmesi için gerekli islemeler gerçekleştirildi

#### C#

```
private void btnBelgeOidKontrol_Click(object sender, EventArgs e);
```

#### Parameters

Parameters	Description
object sender	The sender info (For example Main Form)
EventArgs e	Event Arguments

#### Body Source

```

1: private void btnBelgeOidKontrol_Click(object sender, EventArgs e)
2: {
3:     #region E-Fatura Mükelleflerinin Fatura Id Bilgilerinin Temini
4:     var gidenFaturaIdListesi = new List<string>();
5:     foreach (var item in gidenFaturaListesi)
6:     {
7:         if (string.IsNullOrEmpty(item.VergiNo)) continue;
8:         var kullaniciMi = DisServisler.EFaturaKullaniciMi(item.VergiNo);
9:         if (kullaniciMi)
10:             gidenFaturaIdListesi.Add(item.GidenFaturaId);
11:     }
12: #endregion
13:
14:     var islemSonucu = string.Empty;
15:     if (gidenFaturaIdListesi.Count <= 0) return;
16:     {
17:         var builder = new StringBuilder();
18:         builder.Append(islemSonucu);
19:         foreach (var item in gidenFaturaIdListesi)
20:         {
21:             var sonuc = DisServisler.BelgeOidKontrol(item, DateTime.Now.AddMonths(-3),
DateTime.Now);
22:             if (sonuc != MesajSabitler.IslemBasarili && sonuc !=
MesajSabitler.IslemBasisiz)
23:                 builder.Append(item + " belge numarali faturanin Belge Oid degeri: " +
sonuc + " ,");
24:         }
25:         islemSonucu = builder.ToString();
26:         if (islemSonucu.Length <= 2) return;
27:         islemSonucu = islemSonucu.Substring(0, islemSonucu.Length - 2);
28:         MessageBox.Show(islemSonucu, MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
29:     }
30: }
```

### 1.1.8.1.2.2 frmAnaSayfa.btnEFaturaKullaniciListeAktar\_Click Method

#### Summary

Ekrandan girilne tarihten öncesine ait Kayitli E-Fatura Mükellef Vergi Numara listesini disariya TXT formatinda aktaran metottur

**C#**

```
private void btnEFaturaKullaniciListeAktar_Click(object sender, EventArgs e);
```

**Parameters**

Parameters	Description
object sender	The sender info (For example Main Form)
EventArgs e	Event Arguments

**Body Source**

```
1: private void btnEFaturaKullaniciListeAktar_Click(object sender, EventArgs e)
2: {
3:     if (lbEFaturaKullaniciListesi.Items.Count < 1)
4:         MessageBox.Show("Aktarilacak bir E-Fatura Kullanici listesi bulunamadi",
MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Error);
5:     else
6:     {
7:         using (var dialogKlasorSecimi = new FolderBrowserDialog())
8:         {
9:             dialogKlasorSecimi.SelectedPath = Application.StartupPath;
10:            var result = dialogKlasorSecimi.ShowDialog();
11:
12:            if (result != DialogResult.OK ||
string.IsNullOrWhiteSpace(dialogKlasorSecimi.SelectedPath)) return;
13:            var klasorAdi = dialogKlasorSecimi.SelectedPath;
14:            var ad = Guid.NewGuid().ToString();
15:            var dosyaAdi = klasorAdi + "/" + ad + ".txt";
16:            StreamWriter dosyaKaydi = new StreamWriter(dosyaAdi);
17:            foreach(var item in lbEFaturaKullaniciListesi.Items)
18:                dosyaKaydi.WriteLine(item.ToString());
19:            dosyaKaydi.Close();
20:            MessageBox.Show(dosyaAdi + " dosyasi üzerinde kayitli E-Fatura Mükellefleri
listelenmistir.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
21:        }
22:    }
23: }
```

**1.1.8.1.2.3 frmAnaSayfa.btnEFaturaKullaniciListesi\_Click Method****Summary**

Ekrandan girilne tarihten öncesine ait Kayitli E-Fatura Mükellef Vergi Numara listesini getiren Ve Listbox'i dolduran metottur.

**C#**

```
private void btnEFaturaKullaniciListesi_Click(object sender, EventArgs e);
```

**Parameters**

Parameters	Description
object sender	The sender info (For example Main Form)
EventArgs e	Event Arguments

**Body Source**

```
1: private void btnEFaturaKullaniciListesi_Click(object sender, EventArgs e)
2: {
3:     lbEFaturaKullaniciListesi.Items.Clear();
4:     var vergiKimlikNoListesi =
DisServisler.EFaturaKullaniciListesi(dtpFaturaTarihi.Value);
5:     foreach (var item in vergiKimlikNoListesi)
6:     {
7:         if (!string.IsNullOrEmpty(item))
8:             lbEFaturaKullaniciListesi.Items.Add(item);
9:     }
10:    MessageBox.Show(vergiKimlikNoListesi.Count + " adet e-fatura mükellef kaydi
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

```
bulundu", MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Information);
11: }
```

### 1.1.8.1.2.4 frmAnaSayfa.btnEFaturaKullaniciListesiTemizle\_Click Method

#### Summary

Ekrandan girilne tarihten öncesine ait Kayitli E-Fatura Mükellef Vergi Numara listesini temizlemek için hazırlanan metottur

#### C#

```
private void btnEFaturaKullaniciListesiTemizle_Click(object sender, EventArgs e);
```

#### Parameters

Parameters	Description
object sender	The sender info (For example Main Form)
EventArgs e	Event Arguments

#### Body Source

```
1: private void btnEFaturaKullaniciListesiTemizle_Click(object sender, EventArgs e)
2: {
3:     var kayitSayisi = lbEFaturaKullaniciListesi.Items.Count;
4:     lbEFaturaKullaniciListesi.Items.Clear();
5:     MessageBox.Show(kayitSayisi + " adet E-Fatura Mükellefi sagdaki listeden
temizlenmistir.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
6: }
```

### 1.1.8.1.2.5 frmAnaSayfa.btnFaturaSil\_Click Method

#### Summary

Faturanın sisteme gönderilip gönderilmemiş kontrol edilerek Buna göre silinip silinmeyeceğine karar verilmesini sağlayan metottur.

#### C#

```
private void btnFaturaSil_Click(object sender, EventArgs e);
```

#### Parameters

Parameters	Description
object sender	The sender info (For example Main Form)
EventArgs e	Event Arguments

#### Body Source

```
1: private void btnFaturaSil_Click(object sender, EventArgs e)
2: {
3:     var index = new Random().Next(gidenFaturaListesi.Count);
4:     var gidenFatura = gidenFaturaListesi[index];
5:
6:     if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
7:     {
8:         var kullaniciMi = DisServisler.EFaturaKullanicisiMi(gidenFatura.VergiNo);
9:         var sonuc = kullaniciMi ?
DisServisler.EFaturaSilmeyeUygunMu(gidenFatura.GidenFaturaId) :
DisServisler.EArsivSilmeyeUygunMu(gidenFatura.GidenFaturaId);
10:
11:        if (sonuc)
12:            MessageBox.Show(gidenFatura.GidenFaturaId + " yerel belge numaralı fatura
silinabilir", MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Information);
13:        else
14:            MessageBox.Show(gidenFatura.GidenFaturaId + " yerel belge numaralı fatura
GIB servislerine gönderildiği, onaylandığı veya onay beklediği için silinmez",
MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Error);
15:    }
```

```

16:     else
17:     {
18:         MessageBox.Show("Vergi Numarasi olmayan bir fatura silinemez.", 
MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Error);
19:     }
20: }

```

### 1.1.8.1.2.6 frmAnaSayfa.btnGIBOnizleme\_Click Method

#### Summary

Sistemde E-Fatura veya E-Arsive yollansın yollanmasın Hazırlanan XML dosyalarının bu sistemlerde nasıl görüneceğine dair Önizleme alınmasını sağlayan metottur. Bu önizleme PDF veya ZIP olarak alınacak Sorun olsa da olmasa da bir mesaj ile kullanıcı bilgilendirilecektir.

#### C#

```
private void btnGIBOnizleme_Click(object sender, EventArgs e);
```

#### Parameters

Parameters	Description
object sender	The sender info (For example Main Form)
EventArgs e	Event Arguments

#### Body Source

```

1: private void btnGIBOnizleme_Click(object sender, EventArgs e)
2: {
3:     using (var dialogKlasorSecimi = new FolderBrowserDialog())
4:     {
5:         dialogKlasorSecimi.SelectedPath = Application.StartupPath;
6:         var result = dialogKlasorSecimi.ShowDialog();
7:
8:         if (result != DialogResult.OK ||
string.IsNullOrWhiteSpace(dialogKlasorSecimi.SelectedPath)) return;
9:         var klasorAdi = dialogKlasorSecimi.SelectedPath;
10:        // Burada form yükleniği zaman hazırlanan giden faturalardan rastgele birinin
11:        // ve ona ait detay kayıtlarının seçilmesi sağlanıyor
12:        var index = new Random().Next(gidenFaturaListesi.Count);
13:        var gidenFatura = gidenFaturaListesi[index];
14:        var gidenFaturaDetayListesiTemp = new List<GidenFaturaDetayDTO>();
15:        if (gidenFaturaDetayListesi.Any(j => j.GidenFaturaId ==
gidenFatura.GidenFaturaId))
16:            gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi.Where(j =>
j.GidenFaturaId == gidenFatura.GidenFaturaId).ToList();
17:
18:        #region XML Olusturma ve Servis Önizlemesi
19:        var dosyaAdi = "";
20:        var geriDonus = new GeriDonus
21:        {
22:            Tip = 0
23:        };
24:        var dosya = new byte[1];
25:        var kullaniciMi = false;
26:        if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
27:        {
28:            kullaniciMi = DisServisler.EFaturaKullanicisiMi(gidenFatura.VergiNo);
29:            if (kullaniciMi)
30:            {
31:                dosyaAdi = YardimciSiniflar.EFaturaXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi);
32:                geriDonus = DisServisler.EFaturaOnIzleme(gidenFatura, dosyaAdi);
33:                if (geriDonus != null)
34:                    dosya = geriDonus.Dosya;
35:            }
36:        }
37:    }

```

```

38:             dosyaAdi = YardimciSiniflar.EArsivXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, true);
39:             dosya = DisServisler.EArsivOnIzleme(gidenFatura, dosyaAdi);
40:         }
41:     }
42:     else
43:     {
44:         dosyaAdi = YardimciSiniflar.EArsivXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, false);
45:         dosya = DisServisler.EArsivOnIzleme(gidenFatura, dosyaAdi);
46:     }
47:
48:     if (dosya != null && dosya.Length > 1)
49:     {
50:         var dosyaAdiTTemp = dosyaAdi.Replace("xml", "pdf");
51:         // if (kullaniciMi && !string.IsNullOrEmpty(gidenFatura.BelgeOid))
52:         //     dosyaAdiTTemp = dosyaAdi.Replace("xml", "zip");
53:         // if (geriDonus != null && geriDonus.Tip == 1)
54:         //     dosyaAdiTTemp = dosyaAdi.Replace("xml", "zip");
55:
56:         if (kullaniciMi && !string.IsNullOrEmpty(gidenFatura.BelgeOid))
57:             dosya = ZipDosyasindanPdfCikar(dosya);
58:         if (geriDonus != null && geriDonus.Tip == 1)
59:             dosya = ZipDosyasindanPdfCikar(dosya);
60:
61:         File.WriteAllBytes(dosyaAdiTTemp, dosya);
62:
63:         MessageBox.Show(dosyaAdiTTemp + " adresinde gerekli PDF veya ZIP dosyasi
olusturulmustur.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
64:         if (File.Exists(dosyaAdiTTemp))
65:             System.Diagnostics.Process.Start(dosyaAdiTTemp);
66:     }
67:     else
68:     {
69:         MessageBox.Show("Söz konusu faturanın önizlemesi oluşturulamamıştır",
MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Error);
70:     }
71:
72:     #endregion
73: }
74: }
```

### 1.1.8.1.2.7 frmAnaSayfa.btnGIBOnizlemeMustahsil\_Click Method

#### Summary

Sistemde E-Müstahsil Servisine yollansın yollanmasın Hazırlanan XML dosyalarının bu sistemlerde nasıl görüneceğine dair Önizleme alınmasını sağlayan metottur. Bu önizleme PDF veya ZIP olarak alınacak Sorun olsa da bir mesaj ile kullanıcı bilgilendirilecektir.

#### C#

```
private void btnGIBOnizlemeMustahsil_Click(object sender, EventArgs e);
```

#### Parameters

Parameters	Description
object sender	The sender info (For example Main Form)
EventArgs e	Event Arguments

#### Body Source

```

1: private void btnGIBOnizlemeMustahsil_Click(object sender, EventArgs e)
2: {
3:     using (var dialogKlasorSecimi = new FolderBrowserDialog())
4:     {
5:         dialogKlasorSecimi.SelectedPath = Application.StartupPath;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

6:         var result = dialogKlasorSecimi.ShowDialog();
7:
8:         if (result != DialogResult.OK ||
9:             string.IsNullOrWhiteSpace(dialogKlasorSecimi.SelectedPath)) return;
10:        var klasorAdi = dialogKlasorSecimi.SelectedPath;
11:        // Burada form yüklenigi zaman hazırlanan müstahsil makbuzlarindan rastgele
12:        // birinin
13:        // ve ona ait detay kayitlarinin seçilmesi saglaniyor
14:        var index = new Random().Next(mustahsilMakbuzuListesi.Count);
15:        var mustahsilMakbuzu = mustahsilMakbuzuListesi[index];
16:        var mustahsilMakbuzuDetayListesiTemp = new List<MustahsilMakbuzuDetayDTO>();
17:        if (mustahsilMakbuzuDetayListesi.Any(j => j.MustahsilMakbuzuId ==
18:            mustahsilMakbuzu.MustahsilMakbuzuId))
19:            mustahsilMakbuzuDetayListesiTemp = mustahsilMakbuzuDetayListesi.Where(j =>
20:                j.MustahsilMakbuzuId == mustahsilMakbuzu.MustahsilMakbuzuId).ToList();
21:
22:        #region XML Oluşturma ve Servis Önizlemesi
23:        var dosyaAdi = "";
24:        // var geriDonus = new GeriDonus();
25:        // geriDonus.Tip = 0;
26:        var dosya = new byte[1];
27:        if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo))
28:        {
29:            dosyaAdi = YardimciSınıflar.EMustahsilXMLOlustur(mustahsilMakbuzu,
30:                mustahsilMakbuzuDetayListesiTemp, klasorAdi);
31:            dosya = DisServisler.EMustahsilOnIzleme(mustahsilMakbuzu, dosyaAdi);
32:        }
33:        else
34:        {
35:            MessageBox.Show("Müstahsil Makbuzunu servise göndermek için vergi no
36:                zorunludur", MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Warning);
37:        }
38:
39:        if (dosya != null && dosya.Length > 1)
40:        {
41:            var dosyaAdiTempt = dosyaAdi.Replace("xml", "pdf");
42:            // if (geriDonus != null && geriDonus.Tip == 1)
43:            //     dosyaAdiTempt = dosyaAdi.Replace("xml", "zip");
44:            File.WriteAllBytes(dosyaAdiTempt, dosya);
45:
46:            MessageBox.Show(dosyaAdiTempt + " adresinde gerekli PDF veya ZIP dosyasi
47:                olusturulmustur.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
48:                MessageBoxIcon.Information);
49:
50:
51:        #endregion
52:    }
53: }
```

### 1.1.8.1.2.8 frmAnaSayfa.btnMakbuzSil\_Click Method

#### Summary

Makbuzun sisteme gönderiliip gönderilmemiği kontrol edilerek Buna göre silinip silinmeyeceğine karar verilmesini sağlayan metottur.

#### C#

```
private void btnMakbuzSil_Click(object sender, EventArgs e);
```

**Parameters**

Parameters	Description
object sender	The sender info (For example Main Form)
EventArgs e	Event Arguments

**Body Source**

```

1: private void btnMakbuzSil_Click(object sender, EventArgs e)
2: {
3:     var index = new Random().Next(mustahsilMakbuzuListesi.Count);
4:     var mustahsilMakbuzu = mustahsilMakbuzuListesi[index];
5:
6:     if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo))
7:     {
8:         var sonuc =
Disservisler.EMustahsilSilmeyeUygunMu(mustahsilMakbuzu.MustahsilMakbuzuId);
9:
10:        if (sonuc)
11:            MessageBox.Show(mustahsilMakbuzu.MustahsilMakbuzuId + " yerel belge
numarali makbuz silinebilir", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
12:        else
13:            MessageBox.Show(mustahsilMakbuzu.MustahsilMakbuzuId + " yerel belge
numarali makbuz GIB servislerine gönderildiği, onaylandığı veya onay beklediği için
silenmez", MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Error);
14:    }
15:    else
16:    {
17:        MessageBox.Show("Vergi Numarası olmayan bir makbuz silinemez.", 
MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Error);
18:    }
19: }
```

**1.1.8.1.2.9 frmAnaSayfa.btnServiseGonder\_Click Method****Summary**

Sistem tarafından hazırlanan XML dosyasının E-Fatura veya E-Arsiv servisine gönderilmesi için hazırlanan metottur. Burada işlemin başarılı olup olmamasına göre kullanıcı bilgilendirilecektir.

**C#**

```
private void btnServiseGonder_Click(object sender, EventArgs e);
```

**Parameters**

Parameters	Description
object sender	The sender info (For example Main Form)
EventArgs e	Event Arguments

**Body Source**

```

1: private void btnServiseGonder_Click(object sender, EventArgs e)
2: {
3:     using (var dialogKlasorSecimi = new FolderBrowserDialog())
4:     {
5:         dialogKlasorSecimi.SelectedPath = Application.StartupPath;
6:         var result = dialogKlasorSecimi.ShowDialog();
7:
8:         if (result != DialogResult.OK ||
string.IsNullOrEmpty(dialogKlasorSecimi.SelectedPath)) return;
9:         var klasorAdi = dialogKlasorSecimi.SelectedPath;
10:        // Burada form yükleniği zaman hazırlanan giden faturalardan rastgele birinin
11:        // ve ona ait detay kayıtlarının seçilmesi sağlanıyor
12:        var index = new Random().Next(gidenFaturaListesi.Count);
13:        var gidenFatura = gidenFaturaListesi[index];
14:        var gidenFaturaDetayListesiTemp = new List<GidenFaturaDetayDTO>();
```

```

15:         if (gidenFaturaDetayListesi.Any(j => j.GidenFaturaId ==
gidenFatura.GidenFaturaId))
16:             gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi.Where(j =>
j.GidenFaturaId == gidenFatura.GidenFaturaId).ToList();
17:
18:         #region XML Olusturma ve Servise Gönderme
19:         var dosyaAdi = "";
20:         var sonuc = "";
21:         if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
22:         {
23:             var kullaniciMi = DisServisler.EFaturaKullanicisiMi(gidenFatura.VergiNo);
24:             if (kullaniciMi)
25:             {
26:                 dosyaAdi = YardimciSiniflar.EFaturaXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi);
27:                 sonuc = DisServisler.EFaturaGonder(gidenFatura, dosyaAdi,
gidenFatura.BelgeOid);
28:                 if (sonuc != MesajSabitler.IslamBasarisiz)
29:                 {
30:                     if (sonuc.Length <= 20)
31:                         gidenFatura.BelgeOid = sonuc;
32:                 }
33:             }
34:             else
35:             {
36:                 dosyaAdi = YardimciSiniflar.EArsivXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, true);
37:                 sonuc = DisServisler.EArsivGonder(gidenFatura, dosyaAdi);
38:             }
39:         }
40:         else
41:         {
42:             if (!string.IsNullOrEmpty((gidenFatura.GercekKisiTcKimlikNo)))
43:             {
44:                 var kullaniciMi =
DisServisler.EFaturaKullanicisiMi(gidenFatura.GercekKisiTcKimlikNo);
45:                 if (kullaniciMi)
46:                 {
47:                     dosyaAdi = YardimciSiniflar.EFaturaXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi);
48:                     sonuc = DisServisler.EFaturaGonder(gidenFatura, dosyaAdi,
gidenFatura.BelgeOid);
49:                     if (sonuc != MesajSabitler.IslamBasarisiz)
50:                     {
51:                         if (sonuc.Length <= 20)
52:                             gidenFatura.BelgeOid = sonuc;
53:                     }
54:                 }
55:                 else
56:                 {
57:                     dosyaAdi = YardimciSiniflar.EArsivXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, false);
58:                     sonuc = DisServisler.EArsivGonder(gidenFatura, dosyaAdi);
59:                 }
60:             }
61:             else
62:             {
63:                 dosyaAdi = YardimciSiniflar.EArsivXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, false);
64:                 sonuc = DisServisler.EArsivGonder(gidenFatura, dosyaAdi);
65:             }
66:         }
67:
68:         if (sonuc == MesajSabitler.IslamBasarisiz)
69:         {
70:             MessageBox.Show(dosyaAdi + " dosyasinin servise gönderilmesinde bir sorun
yasanmistir.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Error);
71:         }
72:     }

```

```

73:         {
74:             MessageBox.Show(dosyaAdi + " dosyası başarıyla GIB servislerine
75: gonderilmistir.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
76: MessageBoxIcon.Information);
77:         }
78:     }
79: }
```

### 1.1.8.1.2.10 frmAnaSayfa.btnServiseGonderMustahsil\_Click Method

#### Summary

Sistem tarafından hazırlanan XML dosyasının E-Müstahsil servisine gönderilmesi için hazırlanan metottur. Burada işlemin başarılı olup olmamasına göre kullanıcı bilgilendirilecektir.

#### C#

```
private void btnServiseGonderMustahsil_Click(object sender, EventArgs e);
```

#### Parameters

Parameters	Description
object sender	The sender info (For example Main Form)
EventArgs e	Event Arguments

#### Body Source

```

1: private void btnServiseGonderMustahsil_Click(object sender, EventArgs e)
2: {
3:     using (var dialogKlasorSecimi = new FolderBrowserDialog())
4:     {
5:         dialogKlasorSecimi.SelectedPath = Application.StartupPath;
6:         var result = dialogKlasorSecimi.ShowDialog();
7:
8:         if (result != DialogResult.OK ||
9: string.IsNullOrWhiteSpace(dialogKlasorSecimi.SelectedPath)) return;
10:        // Burada form yüklediği zaman hazırlanan müstahsil makbuzlarından rastgele
birinin
11:        // ve ona ait detay kayıtlarının seçilmesi sağlanıyor
12:        var index = new Random().Next(mustahsilMakbuzuListesi.Count);
13:        var mustahsilMakbuzu = mustahsilMakbuzuListesi[index];
14:        var mustahsilMakbuzuDetayListesiTemp = new List<MustahsilMakbuzuDetayDTO>();
15:        if (mustahsilMakbuzuDetayListesi.Any(j => j.MustahsilMakbuzuId ==
mustahsilMakbuzu.MustahsilMakbuzuId))
16:            mustahsilMakbuzuDetayListesiTemp = mustahsilMakbuzuDetayListesi.Where(j =>
j.MustahsilMakbuzuId == mustahsilMakbuzu.MustahsilMakbuzuId).ToList();
17:
18:        #region XML Oluşturma ve Servise Gönderme
19:        var dosyaAdi = "";
20:        var sonuc = "";
21:        if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo))
22:        {
23:            dosyaAdi = YardimciSiniflar.EMustahsilXMLOlustur(mustahsilMakbuzu,
mustahsilMakbuzuDetayListesiTemp, klasorAdi);
24:            sonuc = DisServisler.EMustahsilGonder(mustahsilMakbuzu, dosyaAdi);
25:        }
26:        else
27:        {
28:            MessageBox.Show("Müstahsil Makbuzunu servise göndermek için vergi no
zorunludur", MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Warning);
29:        }
30:
31:        if (sonuc == MesajSabitler.IslamBasarisiz)
32:        {
33:            MessageBox.Show(dosyaAdi + " dosyasının servise gönderilmesinde bir sorun
yasanmıştır.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Error);

```

```

34:         }
35:     else
36:     {
37:         MessageBox.Show(dosyaAdi + " dosyasi basariyla GIB servislerine
gönderilmistir.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
38:     }
39:
40:     #endregion
41: }
42: }
```

### 1.1.8.1.2.11 frmAnaSayfa.btnXmlOlustur\_Click Method

#### Summary

Sistemde E-Fatura ve E-Arsiv Servislerine Gönderilecek Formatta Ideal XML dosyalarinin olusturulmasi için XML Olustur Butonuna tiklandigi zaman Yapilacak islemelerin hazirlanligi metottur.

#### C#

```
private void btnXmlOlustur_Click(object sender, EventArgs e);
```

#### Parameters

Parameters	Description
object sender	The sender info (For example Main Form)
EventArgs e	Event Arguments

#### Body Source

```

1: private void btnXmlOlustur_Click(object sender, EventArgs e)
2: {
3:     using (var dialogKlasorSecimi = new FolderBrowserDialog())
4:     {
5:         dialogKlasorSecimi.SelectedPath = Application.StartupPath;
6:         var result = dialogKlasorSecimi.ShowDialog();
7:
8:         if (result != DialogResult.OK ||
string.IsNullOrWhiteSpace(dialogKlasorSecimi.SelectedPath)) return;
9:         var klasorAdi = dialogKlasorSecimi.SelectedPath;
10:        // Burada form yüklenigi zaman hazırlanan giden faturalardan rastgele birinin
11:        // ve ona ait detay kayitlarinin seçilmesi saglaniyor
12:        var index = new Random().Next(gidenFaturaListesi.Count);
13:        var gidenFatura = gidenFaturaListesi[index];
14:        var gidenFaturaDetayListesiTemp = new List<GidenFaturaDetayDTO>();
15:        if (gidenFaturaDetayListesi.Any(j => j.GidenFaturaId ==
gidenFatura.GidenFaturaId))
16:            gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi.Where(j =>
j.GidenFaturaId == gidenFatura.GidenFaturaId).ToList();
17:
18:        #region XML Olusturma
19:        var dosyaAdi = "";
20:        if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
21:        {
22:            var kullaniciMi = DisServisler.EFaturaKullanicisiMi(gidenFatura.VergiNo);
23:            dosyaAdi = kullaniciMi ? YardimciSiniflar.EFaturaXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi) : YardimciSiniflar.EArsivXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, true);
24:        }
25:        else
26:        {
27:            if (!string.IsNullOrEmpty((gidenFatura.GercekKisiTcKimlikNo)))
28:            {
29:                var kullaniciMi =
DisServisler.EFaturaKullanicisiMi(gidenFatura.GercekKisiTcKimlikNo);
30:                dosyaAdi = kullaniciMi ?
YardimciSiniflar.EFaturaXMLOlustur(gidenFatura, gidenFaturaDetayListesiTemp, klasorAdi) :
YardimciSiniflar.EArsivXMLOlustur(gidenFatura, gidenFaturaDetayListesiTemp, klasorAdi,
```

```

    true);
31:         }
32:     else
33:         dosyaAdi = YardimciSiniflar.EArsivXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, false);
34:     }
35:
36:     MessageBox.Show(dosyaAdi + " adresinde gerekli XML dosyasi olusturulmustur.",
MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Information);
37:
38: #endregion
39: }
40: }

```

### 1.1.8.1.2.12 frmAnaSayfa.btnXmlOlusturMustahsil\_Click Method

#### Summary

Sistemde E-Müstahsil Servislerine Gönderilecek Formatta Ideal XML dosyalarinin olusturulmasi için XML Olustur Butonuna tiklandigi zaman Yapilacak islemelerin hazirlanligi metottur.

#### C#

```
private void btnXmlOlusturMustahsil_Click(object sender, EventArgs e);
```

#### Parameters

Parameters	Description
object sender	The sender info (For example Main Form)
EventArgs e	Event Arguments

#### Body Source

```

1: private void btnXmlOlusturMustahsil_Click(object sender, EventArgs e)
2: {
3:     using (var dialogKlasorSecimi = new FolderBrowserDialog())
4:     {
5:         dialogKlasorSecimi.SelectedPath = Application.StartupPath;
6:         var result = dialogKlasorSecimi.ShowDialog();
7:
8:         if (result != DialogResult.OK ||
string.IsNullOrWhiteSpace(dialogKlasorSecimi.SelectedPath)) return;
9:         var klasorAdi = dialogKlasorSecimi.SelectedPath;
10:        // Burada form yüklenigi zaman hazırlanan müstahsil makbuzlarindan rastgele
birinin
11:        // ve ona ait detay kayitlarinin seçilmesi saglaniyor
12:        var index = new Random().Next(mustahsilMakbuzuListesi.Count);
13:        var mustahsilMakbuzu = mustahsilMakbuzuListesi[index];
14:        var mustahsilMakbuzuDetayListesiTemp = new List<MustahsilMakbuzuDetayDTO>();
15:        if (mustahsilMakbuzuDetayListesi.Any(j => j.MustahsilMakbuzuId ==
mustahsilMakbuzu.MustahsilMakbuzuId))
16:            mustahsilMakbuzuDetayListesiTemp = mustahsilMakbuzuDetayListesi.Where(j =>
j.MustahsilMakbuzuId == mustahsilMakbuzu.MustahsilMakbuzuId).ToList();
17:
18:        #region XML Olusturma
19:
20:        if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo))
21:        {
22:            var dosyaAdi = YardimciSiniflar.EMustahsilXMLOlustur(mustahsilMakbuzu,
mustahsilMakbuzuDetayListesiTemp, klasorAdi);
23:            MessageBox.Show(dosyaAdi + " adresinde gerekli XML dosyasi
olusturulmustur.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
24:        }
25:        else
26:        {
27:            MessageBox.Show("Müstahsil Makbuzu olusturmak için vergi numarasi
zorunludur", MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Warning);
28:        }

```

```

29:         #endregion
30:     }
31: }
```

### 1.1.8.1.2.13 frmAnaSayfa.Dispose Method

#### Summary

Clean up any resources being used.

#### C#

```
protected override void Dispose(bool disposing);
```

#### Parameters

Parameters	Description
bool disposing	true if managed resources should be disposed; otherwise, false.

#### Body Source

```

1: protected override void Dispose(bool disposing)
2: {
3:     if (disposing && (components != null))
4:     {
5:         components.Dispose();
6:     }
7:     base.Dispose(disposing);
8: }
```

### 1.1.8.1.2.14 frmAnaSayfa.FormAnaSayfa\_Shown Method

#### Summary

Burada Form görüntülenirken Kendi hazırladığımız Giden Fatura ve Detaylarının oluşturup listeye atıyoruz ki Buradan sonra butonlara tıklandığında Bu listeler üzerinden kolayca işlem yapılabilse

#### C#

```
private void FormAnaSayfa_Shown(object sender, EventArgs e);
```

#### Parameters

Parameters	Description
object sender	The sender info (For example Main Form)
EventArgs e	Event Arguments

#### Body Source

```

1: private void FormAnaSayfa_Shown(object sender, EventArgs e)
2: {
3:     #region Ekrandaki Alanların Düzenlenmesi
4:     dtpFaturaTarihi.Format = DateTimePickerFormat.Short;
5:     lbEFaturaKullaniciListesi.DrawMode = DrawMode.OwnerDrawVariable;
6:     lbEFaturaKullaniciListesi.MeasureItem += listBox_MeasureItem;
7:     lbEFaturaKullaniciListesi.DrawItem += listBox_DrawItem;
8:     #endregion
9:
10:    #region İlk Verilerin Hazırlanması
11:
12:    #region Giden Faturalar
13:    #region Giden Faturaları Ekleme
14:    var gidenFatura = new GidenFaturaDTO
15:    {
16:        GidenFaturaId = "1",
17:        AltBirimAd = " A Birimi      ",
18:        TuzelKisiAd = "Deneme Sirketi - 1",
19:        VergiNo = "53602329864",
20:        VergiDairesi = "ANKARA",
```

```
21:         Adres = "Kizilay Gima'nin önü",
22:         FaksNo = "03121111111",
23:         BankaAd = "Türkiye İş Bankası",
24:         BankaSube = "Kizilay",
25:         IbanNo = "TR130006297372542652383131",
26:         DuzenlemeTarihi = new DateTime(2022, 1, 13),
27:         IlAd = "Ankara",
28:         IlceAd = "Çankaya",
29:         SatisTuruKod = SatisTur.Hesaben.GetHashCode(),
30:         FaturaGrupTuruKod = FaturaMakbuzGrupTur.Diger.GetHashCode(),
31:         KdvHaricTutar = 0,
32:         KdvTutari = 0,
33:         FaturaTutari = 0,
34:         KonaklamaVergisi = 0,
35:         Aciklama = "Deneme amaçlı eklenmistir"
36:     };
37:     gidenFatura.GibNumarasi =
GibNumarasi.RastgeleGibNumarasiOlusturFaturadan(gidenFatura);
38:     gidenFaturaListesi.Add(gidenFatura);
39:
40:     gidenFatura = new GidenFaturaDTO
41:     {
42:         GidenFaturaId = "2",
43:         AltBirimAd = "B Birimi      ",
44:         TuzelKisiAd = " Deneme Sirketi - 2",
45:         VergiNo = "9250936109",
46:         VergiDairesi = "ANKARA",
47:         Adres = "Kizilay YKM",
48:         FaksNo = "03121111112",
49:         BankaAd = "Vakiflar Bankası",
50:         BankaSube = "Kizilay",
51:         IbanNo = "TR530006291586775935345942",
52:         DuzenlemeTarihi = new DateTime(2022, 1, 1),
53:         IlAd = "Ankara",
54:         IlceAd = "Etimesgut",
55:         SatisTuruKod = SatisTur.Pesin.GetHashCode(),
56:         FaturaGrupTuruKod = FaturaMakbuzGrupTur.Malzeme.GetHashCode(),
57:         FaturaTuruKod = FaturaTur.Iade.GetHashCode(),
58:         KdvHaricTutar = 0,
59:         KdvTutari = 0,
60:         FaturaTutari = 0,
61:         KonaklamaVergisi = 0
62:     };
63:     gidenFatura.GibNumarasi =
GibNumarasi.RastgeleGibNumarasiOlusturFaturadan(gidenFatura);
64:     gidenFaturaListesi.Add(gidenFatura);
65:
66:     gidenFatura = new GidenFaturaDTO
67:     {
68:         GidenFaturaId = "3",
69:         AltBirimAd = "B Birimi      ",
70:         TuzelKisiAd = " Deneme Sirketi - 3",
71:         VergiNo = "5240018140",
72:         VergiDairesi = "ANKARA",
73:         Adres = "Zafer Çarsisi",
74:         FaksNo = "03121111113",
75:         BankaAd = "Vakif Katılım Bankası",
76:         BankaSube = "Kizilay",
77:         IbanNo = "TR830006214925976839299642",
78:         DuzenlemeTarihi = new DateTime(2023, 1, 11),
79:         IlAd = "Ankara",
80:         IlceAd = "Etimesgut",
81:         SatisTuruKod = SatisTur.ImalatciIhracatci.GetHashCode(),
82:         FaturaTuruKod = FaturaTur.Iade.GetHashCode(),
83:         KdvHaricTutar = 0,
84:         KdvTutari = 0,
85:         FaturaTutari = 0,
86:         KonaklamaVergisi = 0
87:     };

```

```

88:     gidenFatura.GibNumarasi =
GibNumarasi.RastgeleGibNumarasiOlusturFaturadan(gidenFatura);
89:     gidenFaturaListesi.Add(gidenFatura);
90:
91:     gidenFatura = new GidenFaturaDTO
92:     {
93:         GidenFaturaId = "4",
94:         AltBirimAd = "B Birimi      ",
95:         TuzelKisiAd = "Deneme Sirketi - 4",
96:         VergiNo = "6940116151",
97:         VergiDairesi = "ANKARA",
98:         Adres = "Göksu Parki",
99:         FaksNo = "0312111114",
100:        BankaAd = "Kuveyt Türk",
101:        BankaSube = "Kizilay",
102:        IbanNo = "TR350006267645192879857714",
103:        DuzenlemeTarihi = new DateTime(2022, 1, 31),
104:        IlAd = "Ankara",
105:        IlceAd = "Çubuk",
106:        SatisTuruKod = SatisTur.IhracKayitli.GetHashCode(),
107:        FaturaGrupTuruKod = FaturaMakbuzGrupTur.Personel.GetHashCode(),
108:        KdvHaricTutar = 0,
109:        KdvTutari = 0,
110:        FaturaTutari = 0,
111:        KonaklamaVergisi = 0
112:    };
113:    gidenFatura.GibNumarasi =
GibNumarasi.RastgeleGibNumarasiOlusturFaturadan(gidenFatura);
114:    gidenFaturaListesi.Add(gidenFatura);
115:
116:    gidenFatura = new GidenFaturaDTO
117:    {
118:        GidenFaturaId = "5",
119:        AltBirimAd = "B Birimi      ",
120:        TuzelKisiAd = "Deneme Sirketi - 3",
121:        VergiNo = "20101516422",
122:        VergiDairesi = "ANKARA",
123:        Adres = "Dost'un Önü",
124:        FaksNo = "0312111113",
125:        BankaAd = "Enpara.Com Bankadan Güzeli",
126:        BankaSube = "Karakusunlar Sube",
127:        IbanNo = "TR630006295412435711171488",
128:        DuzenlemeTarihi = new DateTime(2022, 2, 1),
129:        IlAd = "Ankara",
130:        IlceAd = "Pursaklar",
131:        SatisTuruKod = SatisTur.Vadeli.GetHashCode(),
132:        KdvHaricTutar = 0,
133:        KdvTutari = 0,
134:        FaturaTutari = 0,
135:        KonaklamaVergisi = 0
136:    };
137:    gidenFatura.GibNumarasi =
GibNumarasi.RastgeleGibNumarasiOlusturFaturadan(gidenFatura);
138:    gidenFaturaListesi.Add(gidenFatura);
139:
140:    gidenFatura = new GidenFaturaDTO
141:    {
142:        GidenFaturaId = "6",
143:        AltBirimAd = "B Birimi      ",
144:        GercekKisiTcKimlikNo = "11738150028",
145:        GercekKisiAd = "Adnan",
146:        GercekKisiSoyad = "Senses",
147:        CepTelefonNo = "05555555555",
148:        EpostaAdresi = "adnansenses@mynet.com",
149:        IkametgahAdresi = "Dost'un Önü",
150:        BankaAd = "Halkbank",
151:        BankaSube = "Etimesgut Sube",
152:        IbanNo = "TR540006234114125194267726",
153:        DuzenlemeTarihi = new DateTime(2022, 2, 2),

```

```

154:         IlAd = "Konya",
155:         IlceAd = "Beysehir",
156:         SatisTuruKod = SatisTur.RaffFiyatGarantili.GetHashCode(),
157:         GibNumarasi = "YZG2022000999999",
158:         KdvHaricTutar = 0,
159:         KdvTutari = 0,
160:         FaturaTutari = 0,
161:         KonaklamaVergisi = 0
162:     };
163:     gidenFatura.GibNumarasi =
GibNumarasi.RastgeleGibNumarasiOlusturFaturadan(gidenFatura);
164:     gidenFaturaListesi.Add(gidenFatura);
165:
166:     gidenFatura = new GidenFaturaDTO
167:     {
168:         GidenFaturaId = "7",
169:         AltBirimAd = "B Birimi      ",
170:         GercekKisiTcKimlikNo = "20077290692",
171:         GercekKisiAd = "Mehmet Emin",
172:         GercekKisiSoyad = "Akdeniz",
173:         CepTelefonNo = "05555555554",
174:         EpostaAdresi = "memo@yahoo.com",
175:         IkametgahAdresi = "Fiskiyenin orası",
176:         BankaAd = "Bank Mellat",
177:         BankaSube = "Yenimahalle Sube",
178:         IbanNo = "TR410006276748779926367358",
179:         DuzenlemeTarihi = new DateTime(2022, 1, 25),
180:         IlAd = "Agri",
181:         IlceAd = "Patnos",
182:         SatisTuruKod = SatisTur.IstirakeSatilan.GetHashCode(),
183:         GibNumarasi = "AGR2022000999999",
184:         KdvHaricTutar = 0,
185:         KdvTutari = 0,
186:         FaturaTutari = 0,
187:         KonaklamaVergisi = 0
188:     };
189:     gidenFatura.GibNumarasi =
GibNumarasi.RastgeleGibNumarasiOlusturFaturadan(gidenFatura);
190:     gidenFaturaListesi.Add(gidenFatura);
191: #endregion
192:
193: #region Giden Fatura Detayları Ekleme
194:
195: var gidenFaturaDetay = new GidenFaturaDetayDTO
196: {
197:     GidenFaturaId = "7",
198:     BirimFiyat = (decimal)0.1234,
199:     Miktar = 1000,
200:     KdvOran = 0,
201:     IskontoOran = 0,
202:     KdvHaricTutar = 1234,
203:     KdvTutari = 0,
204:     KonaklamaVergisi = 0,
205:     GibKisaltma = "KGM",
206:     IrsaliyeNo = "1",
207:     MalzemeFaturaAciklamasi = "Ofis demirbaşı için alındı",
208:     SevkIrsaliyeTarihi = new DateTime(2022, 1, 1),
209:     SevkIrsaliyesiNo = "34",
210:     PlakaNo = "06GUC777",
211:     FaturaUrunTuru = "Dizüstü Bilgisayar",
212:     Tonaj = 1,
213:     YuklemeFormuNo = 1234
214: };
215: gidenFaturaDetayListesi.Add(gidenFaturaDetay);
216:
217: gidenFaturaDetay = new GidenFaturaDetayDTO
218: {
219:     GidenFaturaId = "7",
220:     BirimFiyat = (decimal)0.1,

```

```
221:         Miktar = 10000,
222:         KdvOran = 18,
223:         IskontoOran = 0,
224:         KdvHaricTutar = 1000,
225:         KdvTutari = 180,
226:         KonaklamaVergisi = 0,
227:         GibKisaltma = "KWT",
228:         IrsaliyeNo = "1",
229:         MalzemeFaturaAciklamasi = "Ofis demirbasi 2 için alindi",
230:         SevkIrsaliyeTarihi = new DateTime(2022, 1, 1),
231:         SevkIrsaliyesiNo = "34",
232:         PlakaNo = "06GUC778",
233:         FaturaUrunturu = "Priz",
234:         Tonaj = 1,
235:         YuklemeFormuNo = 1236
236:     };
237:     gidenFaturaDetayListesi.Add(gidenFaturaDetay);
238:
239:     gidenFaturaDetay = new GidenFaturaDetayDTO
240:     {
241:         GidenFaturaId = "1",
242:         BirimFiyat = (decimal)0.1,
243:         Miktar = 10000,
244:         KdvOran = 18,
245:         IskontoOran = 0,
246:         KdvHaricTutar = 1000,
247:         KdvTutari = 180,
248:         KonaklamaVergisi = 20,
249:         GibKisaltma = "KWT",
250:         IrsaliyeNo = "1",
251:         MalzemeFaturaAciklamasi = "Konaklama için alindi",
252:         SevkIrsaliyeTarihi = new DateTime(2022, 1, 1),
253:         SevkIrsaliyesiNo = "34",
254:         PlakaNo = "06GUC778",
255:         FaturaUrunturu = "Misafirhane",
256:         Tonaj = 1,
257:         YuklemeFormuNo = 1236
258:     };
259:     gidenFaturaDetayListesi.Add(gidenFaturaDetay);
260:
261:     gidenFaturaDetay = new GidenFaturaDetayDTO
262:     {
263:         GidenFaturaId = "7",
264:         BirimFiyat = (decimal)0.1234,
265:         Miktar = 1000,
266:         KdvOran = 1,
267:         IskontoOran = 0,
268:         KdvHaricTutar = 1234,
269:         KdvTutari = (decimal)12.34,
270:         KonaklamaVergisi = 0,
271:         GibKisaltma = "MTR",
272:         PlakaNo = "06GC7447",
273:         FaturaUrunturu = "Çubuk Mikrofon"
274:     };
275:     gidenFaturaDetayListesi.Add(gidenFaturaDetay);
276:
277:     gidenFaturaDetay = new GidenFaturaDetayDTO
278:     {
279:         GidenFaturaId = "2",
280:         BirimFiyat = (decimal)0.1234,
281:         Miktar = 1000,
282:         KdvOran = 1,
283:         IskontoOran = 0,
284:         KdvHaricTutar = 1234,
285:         KdvTutari = (decimal)12.34,
286:         KonaklamaVergisi = 0,
287:         GibKisaltma = "KWT",
288:         PlakaNo = "06GC7447",
289:         FaturaUrunturu = "Çubuk Mikrofon"
```

```

290:     };
291:     gidenFaturaDetayListesi.Add(gidenFaturaDetay);
292:
293:     gidenFaturaDetay = new GidenFaturaDetayDTO
294:     {
295:         GidenFaturaId = "3",
296:         BirimFiyat = (decimal)0.124,
297:         Miktar = 5000,
298:         KdvOran = 8,
299:         IskontoOran = 0,
300:         KdvHaricTutar = 6020,
301:         KdvTutari = (decimal)481.6,
302:         KonaklamaVergisi = 0,
303:         GibKisaltma = "MON",
304:         PlakaNo = "06J1234",
305:         FaturaUrunturu = "Mouse"
306:     };
307:     gidenFaturaDetayListesi.Add(gidenFaturaDetay);
308:
309:     gidenFaturaDetay = new GidenFaturaDetayDTO
310:     {
311:         GidenFaturaId = "1",
312:         BirimFiyat = 500,
313:         Miktar = 120,
314:         KdvOran = 18,
315:         IskontoOran = 0,
316:         KdvHaricTutar = 60000,
317:         KdvTutari = 12800,
318:         KonaklamaVergisi = 1200,
319:         GibKisaltma = "LTR",
320:         PlakaNo = "06C99876",
321:         FaturaUrunturu = "Misafirhane"
322:     };
323:     gidenFaturaDetayListesi.Add(gidenFaturaDetay);
324:
325: #endregion
326:
327: #region Giden Fatura Toplamlari Hesaplama ve Olmayanlara Ekleme
328:
329: foreach (var item in gidenFaturaListesi)
330: {
331:     if (gidenFaturaDetayListesi.Any(j => j.GidenFaturaId == item.GidenFaturaId))
332:     {
333:         var gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi.Where(j =>
j.GidenFaturaId == item.GidenFaturaId).ToList();
334:         item.KdvHaricTutar = gidenFaturaDetayListesiTemp.Sum(j => j.KdvHaricTutar);
335:         item.KdvTutari = gidenFaturaDetayListesiTemp.Sum(j => j.KdvTutari);
336:         item.KonaklamaVergisi = gidenFaturaDetayListesiTemp.Sum(j =>
j.KonaklamaVergisi);
337:         item.FaturaTutari = item.KdvHaricTutar + item.KdvTutari +
item.KonaklamaVergisi;
338:     }
339:     else
340:     {
341:         gidenFaturaDetay = new GidenFaturaDetayDTO
342:         {
343:             GidenFaturaId = item.GidenFaturaId,
344:             BirimFiyat = (decimal)1.5,
345:             Miktar = 1000,
346:             KdvOran = 0,
347:             IskontoOran = 0,
348:             KdvHaricTutar = 1500,
349:             KdvTutari = 0,
350:             KonaklamaVergisi = 30,
351:             GibKisaltma = "MTR",
352:             FaturaUrunturu = "Misafirhane " + item.GidenFaturaId
353:         };
354:         item.KdvHaricTutar = gidenFaturaDetay.KdvHaricTutar;
355:         item.KdvTutari = gidenFaturaDetay.KdvTutari;

```

```

356:             item.KonaklamaVergisi = gidenFaturaDetay.KonaklamaVergisi;
357:             item.FaturaTutari = item.KdvHaricTutar + item.KdvTutari +
item.KonaklamaVergisi;
358:             gidenFaturaDetayListesi.Add(gidenFaturaDetay);
359:         }
360:     }
361:
362: #endregion
363: #endregion
364:
365: #region Müstahsil Makbuzlar
366: #region Müstahsil Makbuzlari Ekleme
367: var mustahsilMakbuzu = new MustahsilMakbuzuDTO
368:
{
369:     MustahsilMakbuzuId = "1",
370:     AltBirimAd = "A Birimi",
371:     TuzelKisiAd = "Deneme Sirketi - 1",
372:     VergiNo = "53602329864",
373:     VergiDairesi = "ANKARA",
374:     Adres = "Kizilay Gima'nin önü",
375:     FaksNo = "03121111111",
376:     BankaAd = "Türkiye İş Bankası",
377:     BankaSube = "Kizilay",
378:     IbanNo = "TR130006297372542652383131",
379:     MustahsilMakbuzuTarihi = new DateTime(2022, 4, 13),
380:     IlAd = "Ankara",
381:     IlceAd = "Çankaya",
382:     MustahsilMakbuzuNo = "MLT2022000010998",
383:     MakbuzGrupTuruKod = FaturaMakbuzGrupTur.Kuspe.GetHashCode(),
384:     NetTutar = 0,
385:     GelirVergisi = 0,
386:     MustahsilMakbuzuTutari = 0
387: };
388: mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
389:
mustahsilMakbuzu = new MustahsilMakbuzuDTO
390:
{
391:     MustahsilMakbuzuId = "2",
392:     AltBirimAd = "B Birimi",
393:     TuzelKisiAd = "Deneme Sirketi - 2",
394:     VergiNo = "9250936109",
395:     VergiDairesi = "ANKARA",
396:     Adres = "Kizilay YKM",
397:     FaksNo = "03121111112",
398:     BankaAd = "Vakıflar Bankası",
399:     BankaSube = "Kizilay",
400:     IbanNo = "TR530006291586775935345942",
401:     MustahsilMakbuzuTarihi = new DateTime(2022, 4, 1),
402:     IlAd = "Ankara",
403:     IlceAd = "Etimesgut",
404:     MakbuzGrupTuruKod = FaturaMakbuzGrupTur.Personel.GetHashCode(),
405:     NetTutar = 0,
406:     GelirVergisi = 0,
407:     MustahsilMakbuzuTutari = 0
408: };
409: mustahsilMakbuzu.MustahsilMakbuzuNo =
GibNumarasi.RastgeleGibNumarasiOlusturMakbuzdan(mustahsilMakbuzu);
410: mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
411:
mustahsilMakbuzu = new MustahsilMakbuzuDTO
412:
{
413:     MustahsilMakbuzuId = "c3da32c1-c0f1-4061-8234-ec09f83804fa",
414:     TuzelKisiAd = "Deneme Sirketi - 3",
415:     VergiNo = "5240018140",
416:     VergiDairesi = "ANKARA",
417:     Adres = "Zafer Çarsısı",
418:     FaksNo = "03121111113",
419:     BankaAd = "Vakıf Katılım Bankası",
420:     BankaSube = "Kizilay",
421:
422:
}

```

```

423:         IbanNo = "TR830006214925976839299642",
424:         MustahsilMakbuzuTarihi = new DateTime(2022, 4, 11),
425:         IlAd = "Ankara",
426:         IlceAd = "Etimesgut",
427:         NetTutar = 0,
428:         GelirVergisi = 0,
429:         MustahsilMakbuzuTutari = 0
430:     };
431:     mustahsilMakbuzu.MustahsilMakbuzuNo =
GibNumarasi.RastgeleGibNumarasiOlusturMakbuzdan(mustahsilMakbuzu);
432:     mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
433:
434:     mustahsilMakbuzu = new MustahsilMakbuzuDTO
435:     {
436:         MustahsilMakbuzuId = "4",
437:         TuzelKisiAd = "Deneme Sirketi - 4",
438:         VergiNo = "6940116151",
439:         VergiDairesi = "ANKARA",
440:         Adres = "Göksu Parki",
441:         FaksNo = "03121111114",
442:         BankaAd = "Kuveyt Türk",
443:         BankaSube = "Kızılay",
444:         IbanNo = "TR350006267645192879857714",
445:         MustahsilMakbuzuTarihi = new DateTime(2022, 4, 3),
446:         IlAd = "Ankara",
447:         IlceAd = "Çubuk",
448:         NetTutar = 0,
449:         GelirVergisi = 0,
450:         MustahsilMakbuzuTutari = 0
451:     };
452:     mustahsilMakbuzu.MustahsilMakbuzuNo =
GibNumarasi.RastgeleGibNumarasiOlusturMakbuzdan(mustahsilMakbuzu);
453:     mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
454:
455:     mustahsilMakbuzu = new MustahsilMakbuzuDTO
456:     {
457:         MustahsilMakbuzuId = "5",
458:         TuzelKisiAd = "Deneme Sirketi - 3",
459:         VergiNo = "20101516422",
460:         VergiDairesi = "ANKARA",
461:         Adres = "Dost'un Önü",
462:         FaksNo = "03121111113",
463:         BankaAd = "Enpara.Com Bankadan Güzeli",
464:         BankaSube = "Karakusunlar Sube",
465:         IbanNo = "TR630006295412435711171488",
466:         MustahsilMakbuzuTarihi = new DateTime(2022, 4, 1),
467:         IlAd = "Ankara",
468:         IlceAd = "Pursaklar",
469:         NetTutar = 0,
470:         GelirVergisi = 0,
471:         MustahsilMakbuzuTutari = 0
472:     };
473:     mustahsilMakbuzu.MustahsilMakbuzuNo =
GibNumarasi.RastgeleGibNumarasiOlusturMakbuzdan(mustahsilMakbuzu);
474:     mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
475:
476:     mustahsilMakbuzu = new MustahsilMakbuzuDTO
477:     {
478:         MustahsilMakbuzuId = "6",
479:         VergiNo = "52270709114",
480:         TuzelKisiAd = "Adnan Senses",
481:         EpostaAdresi = "adnansenses@mynet.com",
482:         Adres = "Dost'un Önü",
483:         BankaAd = "Halkbank",
484:         BankaSube = "Etimesgut Sube",
485:         IbanNo = "TR540006234114125194267726",
486:         MustahsilMakbuzuTarihi = new DateTime(2022, 4, 2),
487:         IlAd = "Konya",
488:         IlceAd = "Beyşehir",

```

```

489:         NetTutar = 0,
490:         GelirVergisi = 0,
491:         MustahsilMakbuzuTutari = 0
492:     };
493:     mustahsilMakbuzu.MustahsilMakbuzuNo =
GibNumarasi.RastgeleGibNumarasiOlusturMakbuzdan(mustahsilMakbuzu);
494:     mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
495:
496:     mustahsilMakbuzu = new MustahsilMakbuzuDTO
497:     {
498:         MustahsilMakbuzuId = "7",
499:         VergiNo = "20077290692",
500:         TuzelKisiAd = "Mehmet Emin",
501:         EPostaAdresi = "memo@yahoo.com",
502:         BankaAd = "Bank Mellat",
503:         BankaSube = "Yenimahalle Sube",
504:         IbanNo = "TR410006276748779926367358",
505:         MustahsilMakbuzuTarihi = new DateTime(2022, 4, 25),
506:         IlAd = "Agri",
507:         IlceAd = "Patnos",
508:         NetTutar = 0,
509:         GelirVergisi = 0,
510:         MustahsilMakbuzuTutari = 0
511:     };
512:     mustahsilMakbuzu.MustahsilMakbuzuNo =
GibNumarasi.RastgeleGibNumarasiOlusturMakbuzdan(mustahsilMakbuzu);
513:     mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
514: #endregion
515:
516: #region Müstahsil Makbuz Detayları Ekleme
517:
518: var mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
519: {
520:     MustahsilMakbuzuId = "7",
521:     BirimFiyat = (decimal)0.1234,
522:     Miktar = 1000,
523:     NetTutar = 1234,
524:     GelirVergisi = 0,
525:     GibKisaltma = "KGM",
526:     IsinMahiyeti = "Dizüstü Bilgisayar"
527: };
528: mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
529:
530: mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
531: {
532:     MustahsilMakbuzuId = "7",
533:     BirimFiyat = (decimal)0.1234,
534:     Miktar = 1000,
535:     NetTutar = 1234,
536:     GelirVergisi = (decimal)12.34,
537:     ToplamTutar = (decimal)1246.34,
538:     GibKisaltma = "MTR",
539:     IsinMahiyeti = "Çubuk Mikrofon"
540: };
541: mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
542:
543: mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
544: {
545:     MustahsilMakbuzuId = "2",
546:     BirimFiyat = (decimal)0.1234,
547:     Miktar = 1000,
548:     NetTutar = 1234,
549:     GelirVergisi = (decimal)12.34,
550:     ToplamTutar = (decimal)1246.34,
551:     GibKisaltma = "KWT",
552:     IsinMahiyeti = "Çubuk Mikrofon"
553: };
554: mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
555:

```

```

556:     mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
557:     {
558:         MustahsilMakbuzuId = "3",
559:         BirimFiyat = (decimal)0.124,
560:         Miktar = 5000,
561:         NetTutar = 6020,
562:         GelirVergisi = (decimal)481.6,
563:         ToplamTutar = (decimal)6500.6,
564:         GibKisaltma = "MON",
565:         IsinMahiyeti = "Mouse"
566:     };
567:     mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
568:
569:     mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
570:     {
571:         MustahsilMakbuzuId = "1",
572:         BirimFiyat = 500,
573:         Miktar = 120,
574:         NetTutar = 60000,
575:         GelirVergisi = 12800,
576:         ToplamTutar = 72800,
577:         GibKisaltma = "LTR",
578:         IsinMahiyeti = "Ayakkabi"
579:     };
580:     mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
581:
582: #endregion
583:
584: #region Müstahsil Makbuz Toplamlari Hesaplama ve Olmayanlara Ekleme
585:
586: foreach (var item in mustahsilMakbuzuListesi)
587: {
588:     if (mustahsilMakbuzuDetayListesi.Any(j => j.MustahsilMakbuzuId == item.MustahsilMakbuzuId))
589:     {
590:         var mustahsilMakbuzuDetayListesiTemp =
mustahsilMakbuzuDetayListesi.Where(j => j.MustahsilMakbuzuId == item.MustahsilMakbuzuId).ToList();
591:         item.NetTutar = mustahsilMakbuzuDetayListesiTemp.Sum(j => j.NetTutar);
592:         item.GelirVergisi = mustahsilMakbuzuDetayListesiTemp.Sum(j => j.GelirVergisi);
593:         item.MustahsilMakbuzuTutari = item.NetTutar + item.GelirVergisi;
594:     }
595:     else
596:     {
597:         mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
598:         {
599:             MustahsilMakbuzuId = item.MustahsilMakbuzuId,
600:             BirimFiyat = (decimal)1.5,
601:             Miktar = 1000,
602:             NetTutar = 1500,
603:             GelirVergisi = 0,
604:             ToplamTutar = 1500,
605:             GibKisaltma = "MTR",
606:             IsinMahiyeti = "Deneme " + item.MustahsilMakbuzuId
607:         };
608:         item.NetTutar = mustahsilMakbuzuDetay.NetTutar;
609:         item.GelirVergisi = mustahsilMakbuzuDetay.GelirVergisi;
610:         item.MustahsilMakbuzuTutari = item.NetTutar + item.GelirVergisi;
611:         mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
612:     }
613: }
614:
615: #endregion
616: #endregion
617:
618: #endregion
619: }

```

## 1.1.8.1.2.15 frmAnaSayfa.frmAnaSayfa\_FormClosed Method

### Summary

Form kapandigi zaman ne yapilacagini belirten bir metottur

### C#

```
private void frmAnaSayfa_FormClosed(object sender, FormClosedEventArgs e);
```

### Parameters

Parameters	Description
object sender	The sender info (For example Main Form)
FormClosedEventArgs e	Event Arguments

### Body Source

```
1: private void frmAnaSayfa_FormClosed(object sender, FormClosedEventArgs e)
2: {
3:     MessageBox.Show("Programi kullandiginiz için teşekkürler",
MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Information);
4:     Application.Exit();
5: }
```

## 1.1.8.1.2.16 frmAnaSayfa.InitializeComponent Method

### Summary

Required method for Designer support - do not modify the contents of this method with the code editor.

### C#

```
private void InitializeComponent();
```

### Body Source

```
1: private void InitializeComponent()
2: {
3:     this.btnXmlOlustur = new System.Windows.Forms.Button();
4:     this.btnGIBOnizleme = new System.Windows.Forms.Button();
5:     this.btnServiceGonder = new System.Windows.Forms.Button();
6:     this.gbEFaturaEArsiv = new System.Windows.Forms.GroupBox();
7:     this.btnFaturaSil = new System.Windows.Forms.Button();
8:     this.btnBelgeOidKontrol = new System.Windows.Forms.Button();
9:     this.gbEFatura = new System.Windows.Forms.GroupBox();
10:    this.btnEFaturaKullaniciListesiTemizle = new System.Windows.Forms.Button();
11:    this.btnEFaturaKullaniciListeAktar = new System.Windows.Forms.Button();
12:    this.lblMukellefListesi = new System.Windows.Forms.Label();
13:    this.lbEFaturaKullaniciListesi = new System.Windows.Forms.ListBox();
14:    this.dtpFaturaTarihi = new System.Windows.Forms.DateTimePicker();
15:    this.btnEFaturaKullaniciListesi = new System.Windows.Forms.Button();
16:    this.gbEMustahsil = new System.Windows.Forms.GroupBox();
17:    this.btnMakbuzSil = new System.Windows.Forms.Button();
18:    this.btnXmlOlusturMustahsil = new System.Windows.Forms.Button();
19:    this.btnServiceGonderMustahsil = new System.Windows.Forms.Button();
20:    this.btnGIBOnizlemeMustahsil = new System.Windows.Forms.Button();
21:    this.gbEFaturaEArsiv.SuspendLayout();
22:    this.gbEFatura.SuspendLayout();
23:    this.gbEMustahsil.SuspendLayout();
24:    this.SuspendLayout();
25:    //
26:    // btnXmlOlustur
27:    //
28:    this.btnXmlOlustur.Location = new System.Drawing.Point(8, 37);
29:    this.btnXmlOlustur.Margin = new System.Windows.Forms.Padding(4);
30:    this.btnXmlOlustur.Name = "btnXmlOlustur";
31:    this.btnXmlOlustur.Size = new System.Drawing.Size(155, 38);
32:    this.btnXmlOlustur.TabIndex = 0;
```

```

33:     this.btnXmlOlustur.Text = "XML Olustur";
34:     this.btnXmlOlustur.UseVisualStyleBackColor = true;
35:     this.btnXmlOlustur.Click += new System.EventHandler(this.btnXmlOlustur_Click);
36:     //
37:     // btnGIBOnizleme
38:     //
39:     this.btnGIBOnizleme.Location = new System.Drawing.Point(171, 37);
40:     this.btnGIBOnizleme.Margin = new System.Windows.Forms.Padding(4);
41:     this.btnGIBOnizleme.Name = "btnGIBOnizleme";
42:     this.btnGIBOnizleme.Size = new System.Drawing.Size(232, 38);
43:     this.btnGIBOnizleme.TabIndex = 1;
44:     this.btnGIBOnizleme.Text = "GIB Fatura Çıktı Önizleme";
45:     this.btnGIBOnizleme.UseVisualStyleBackColor = true;
46:     this.btnGIBOnizleme.Click += new System.EventHandler(this.btnGIBOnizleme_Click);
47:     //
48:     // btnServiseGonder
49:     //
50:     this.btnServiseGonder.Location = new System.Drawing.Point(411, 37);
51:     this.btnServiseGonder.Margin = new System.Windows.Forms.Padding(4);
52:     this.btnServiseGonder.Name = "btnServiseGonder";
53:     this.btnServiseGonder.Size = new System.Drawing.Size(220, 38);
54:     this.btnServiseGonder.TabIndex = 2;
55:     this.btnServiseGonder.Text = "Servise Gönder";
56:     this.btnServiseGonder.UseVisualStyleBackColor = true;
57:     this.btnServiseGonder.Click += new
System.EventHandler(this.btnServiseGonder_Click);
58:     //
59:     // gbEFaturaEArsiv
60:     //
61:     this.gbEFaturaEArsiv.Controls.Add(this.btnFaturaSil);
62:     this.gbEFaturaEArsiv.Controls.Add(this.btnBelgeOidKontrol);
63:     this.gbEFaturaEArsiv.Controls.Add(this.btnXmlOlustur);
64:     this.gbEFaturaEArsiv.Controls.Add(this.btnServiseGonder);
65:     this.gbEFaturaEArsiv.Controls.Add(this.btnGIBOnizleme);
66:     this.gbEFaturaEArsiv.Location = new System.Drawing.Point(16, 15);
67:     this.gbEFaturaEArsiv.Margin = new System.Windows.Forms.Padding(4);
68:     this.gbEFaturaEArsiv.Name = "gbEFaturaEArsiv";
69:     this.gbEFaturaEArsiv.Padding = new System.Windows.Forms.Padding(4);
70:     this.gbEFaturaEArsiv.Size = new System.Drawing.Size(868, 146);
71:     this.gbEFaturaEArsiv.TabIndex = 3;
72:     this.gbEFaturaEArsiv.TabStop = false;
73:     this.gbEFaturaEArsiv.Text = "E-Fatura ve E-Arsiv";
74:     //
75:     // btnFaturaSil
76:     //
77:     this.btnFaturaSil.Location = new System.Drawing.Point(297, 89);
78:     this.btnFaturaSil.Margin = new System.Windows.Forms.Padding(4);
79:     this.btnFaturaSil.Name = "btnFaturaSil";
80:     this.btnFaturaSil.Size = new System.Drawing.Size(220, 38);
81:     this.btnFaturaSil.TabIndex = 4;
82:     this.btnFaturaSil.Text = "Fatura Sil";
83:     this.btnFaturaSil.UseVisualStyleBackColor = true;
84:     this.btnFaturaSil.Click += new System.EventHandler(this.btnFaturaSil_Click);
85:     //
86:     // btnBelgeOidKontrol
87:     //
88:     this.btnBelgeOidKontrol.Location = new System.Drawing.Point(639, 37);
89:     this.btnBelgeOidKontrol.Margin = new System.Windows.Forms.Padding(4);
90:     this.btnBelgeOidKontrol.Name = "btnBelgeOidKontrol";
91:     this.btnBelgeOidKontrol.Size = new System.Drawing.Size(220, 38);
92:     this.btnBelgeOidKontrol.TabIndex = 3;
93:     this.btnBelgeOidKontrol.Text = "Belge Oid Kontrol";
94:     this.btnBelgeOidKontrol.UseVisualStyleBackColor = true;
95:     this.btnBelgeOidKontrol.Click += new
System.EventHandler(this.btnBelgeOidKontrol_Click);
96:     //
97:     // gbEFatura
98:     //
99:     this.gbEFatura.Controls.Add(this.btnEFaturaKullaniciListesiTemizle);

```

```

100:    this.gbEFatura.Controls.Add(this.btnEFaturaKullaniciListeAktar);
101:    this.gbEFatura.Controls.Add(this.lblMukellefListesi);
102:    this.gbEFatura.Controls.Add(this.lbEFaturaKullaniciListesi);
103:    this.gbEFatura.Controls.Add(this.dtpFaturaTarihi);
104:    this.gbEFatura.Controls.Add(this.btnEFaturaKullaniciListesi);
105:    this.gbEFatura.Location = new System.Drawing.Point(16, 149);
106:    this.gbEFatura.Margin = new System.Windows.Forms.Padding(4);
107:    this.gbEFatura.Name = "gbEFatura";
108:    this.gbEFatura.Padding = new System.Windows.Forms.Padding(4);
109:    this.gbEFatura.Size = new System.Drawing.Size(868, 158);
110:    this.gbEFatura.TabIndex = 4;
111:    this.gbEFatura.TabStop = false;
112:    this.gbEFatura.Text = "E-Fatura";
113:    //
114:    // btnEFaturaKullaniciListesiTemizle
115:    //
116:    this.btnEFaturaKullaniciListesiTemizle.Location = new System.Drawing.Point(8, 122);
117:    this.btnEFaturaKullaniciListesiTemizle.Margin = new
System.Windows.Forms.Padding(4);
118:    this.btnEFaturaKullaniciListesiTemizle.Name = "btnEFaturaKullaniciListesiTemizle";
119:    this.btnEFaturaKullaniciListesiTemizle.Size = new System.Drawing.Size(155, 28);
120:    this.btnEFaturaKullaniciListesiTemizle.TabIndex = 8;
121:    this.btnEFaturaKullaniciListesiTemizle.Text = "Listeyi Temizle";
122:    this.btnEFaturaKullaniciListesiTemizle.UseVisualStyleBackColor = true;
123:    this.btnEFaturaKullaniciListesiTemizle.Click += new
System.EventHandler(this.btnEFaturaKullaniciListesiTemizle_Click);
124:    //
125:    // btnEFaturaKullaniciListeAktar
126:    //
127:    this.btnEFaturaKullaniciListeAktar.Location = new System.Drawing.Point(183, 122);
128:    this.btnEFaturaKullaniciListeAktar.Margin = new System.Windows.Forms.Padding(4);
129:    this.btnEFaturaKullaniciListeAktar.Name = "btnEFaturaKullaniciListeAktar";
130:    this.btnEFaturaKullaniciListeAktar.Size = new System.Drawing.Size(220, 28);
131:    this.btnEFaturaKullaniciListeAktar.TabIndex = 7;
132:    this.btnEFaturaKullaniciListeAktar.Text = "Listeyi Disariya Aktar";
133:    this.btnEFaturaKullaniciListeAktar.UseVisualStyleBackColor = true;
134:    this.btnEFaturaKullaniciListeAktar.Click += new
System.EventHandler(this.btnEFaturaKullaniciListeAktar_Click);
135:    //
136:    // lblMukellefListesi
137:    //
138:    this.lblMukellefListesi.Font = new System.Drawing.Font("Microsoft Sans Serif",
8.25F, System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, ((byte)(162)));
139:    this.lblMukellefListesi.ForeColor = System.Drawing.Color.Red;
140:    this.lblMukellefListesi.Location = new System.Drawing.Point(8, 75);
141:    this.lblMukellefListesi.Margin = new System.Windows.Forms.Padding(4, 0, 4, 0);
142:    this.lblMukellefListesi.Name = "lblMukellefListesi";
143:    this.lblMukellefListesi.Size = new System.Drawing.Size(397, 28);
144:    this.lblMukellefListesi.TabIndex = 6;
145:    this.lblMukellefListesi.Text = "Seçilen Tarihten Sonra E-Fatura Mükellefi Olan
Kullanicilar =>";
146:    this.lblMukellefListesi.TextAlign = System.Drawing.ContentAlignment.MiddleCenter;
147:    //
148:    // lbEFaturaKullaniciListesi
149:    //
150:    this.lbEFaturaKullaniciListesi.FormattingEnabled = true;
151:    this.lbEFaturaKullaniciListesi.ItemHeight = 16;
152:    this.lbEFaturaKullaniciListesi.Location = new System.Drawing.Point(425, 34);
153:    this.lbEFaturaKullaniciListesi.Margin = new System.Windows.Forms.Padding(4);
154:    this.lbEFaturaKullaniciListesi.Name = "lbEFaturaKullaniciListesi";
155:    this.lbEFaturaKullaniciListesi.Size = new System.Drawing.Size(432, 116);
156:    this.lbEFaturaKullaniciListesi.TabIndex = 5;
157:    //
158:    // dtpFaturaTarihi
159:    //
160:    this.dtpFaturaTarihi.Location = new System.Drawing.Point(8, 38);
161:    this.dtpFaturaTarihi.Margin = new System.Windows.Forms.Padding(4);
162:    this.dtpFaturaTarihi.Name = "dtpFaturaTarihi";
163:    this.dtpFaturaTarihi.Size = new System.Drawing.Size(153, 22);

```

```

164:     this.dtpFaturaTarihi.TabIndex = 4;
165:     //
166:     // btnEFaturaKullaniciListesi
167:     //
168:     this.btnEFaturaKullaniciListesi.Location = new System.Drawing.Point(183, 34);
169:     this.btnEFaturaKullaniciListesi.Margin = new System.Windows.Forms.Padding(4);
170:     this.btnEFaturaKullaniciListesi.Name = "btneFaturaKullaniciListesi";
171:     this.btnEFaturaKullaniciListesi.Size = new System.Drawing.Size(220, 28);
172:     this.btnEFaturaKullaniciListesi.TabIndex = 3;
173:     this.btnEFaturaKullaniciListesi.Text = "E-Fatura Kullanici Listesi";
174:     this.btnEFaturaKullaniciListesi.UseVisualStyleBackColor = true;
175:     this.btnEFaturaKullaniciListesi.Click += new
System.EventHandler(this.btnEFaturaKullaniciListesi_Click);
176:     //
177:     // gbEMustahsil
178:     //
179:     this.gbEMustahsil.Controls.Add(this.btnMakbuzSil);
180:     this.gbEMustahsil.Controls.Add(this.btnXmlOlusturMustahsil);
181:     this.gbEMustahsil.Controls.Add(this.btnServiceGonderMustahsil);
182:     this.gbEMustahsil.Controls.Add(this.btnGIBOnizlemeMustahsil);
183:     this.gbEMustahsil.Location = new System.Drawing.Point(16, 314);
184:     this.gbEMustahsil.Margin = new System.Windows.Forms.Padding(4);
185:     this.gbEMustahsil.Name = "gbEMustahsil";
186:     this.gbEMustahsil.Padding = new System.Windows.Forms.Padding(4);
187:     this.gbEMustahsil.Size = new System.Drawing.Size(868, 96);
188:     this.gbEMustahsil.TabIndex = 5;
189:     this.gbEMustahsil.TabStop = false;
190:     this.gbEMustahsil.Text = "E-Müstahsil";
191:     //
192:     // btnMakbuzSil
193:     //
194:     this.btnMakbuzSil.Location = new System.Drawing.Point(639, 37);
195:     this.btnMakbuzSil.Margin = new System.Windows.Forms.Padding(4);
196:     this.btnMakbuzSil.Name = "btnMakbuzSil";
197:     this.btnMakbuzSil.Size = new System.Drawing.Size(220, 38);
198:     this.btnMakbuzSil.TabIndex = 3;
199:     this.btnMakbuzSil.Text = "Makbuz Sil";
200:     this.btnMakbuzSil.UseVisualStyleBackColor = true;
201:     this.btnMakbuzSil.Click += new System.EventHandler(this.btnMakbuzSil_Click);
202:     //
203:     // btnXmlOlusturMustahsil
204:     //
205:     this.btnXmlOlusturMustahsil.Location = new System.Drawing.Point(8, 37);
206:     this.btnXmlOlusturMustahsil.Margin = new System.Windows.Forms.Padding(4);
207:     this.btnXmlOlusturMustahsil.Name = "btnXmlOlusturMustahsil";
208:     this.btnXmlOlusturMustahsil.Size = new System.Drawing.Size(155, 38);
209:     this.btnXmlOlusturMustahsil.TabIndex = 0;
210:     this.btnXmlOlusturMustahsil.Text = "XML Olustur";
211:     this.btnXmlOlusturMustahsil.UseVisualStyleBackColor = true;
212:     this.btnXmlOlusturMustahsil.Click += new
System.EventHandler(this.btnXmlOlusturMustahsil_Click);
213:     //
214:     // btnServiceGonderMustahsil
215:     //
216:     this.btnServiceGonderMustahsil.Location = new System.Drawing.Point(411, 37);
217:     this.btnServiceGonderMustahsil.Margin = new System.Windows.Forms.Padding(4);
218:     this.btnServiceGonderMustahsil.Name = "btnServiceGonderMustahsil";
219:     this.btnServiceGonderMustahsil.Size = new System.Drawing.Size(220, 38);
220:     this.btnServiceGonderMustahsil.TabIndex = 2;
221:     this.btnServiceGonderMustahsil.Text = "Servise Gonder";
222:     this.btnServiceGonderMustahsil.UseVisualStyleBackColor = true;
223:     this.btnServiceGonderMustahsil.Click += new
System.EventHandler(this.btnServiceGonderMustahsil_Click);
224:     //
225:     // btnGIBOnizlemeMustahsil
226:     //
227:     this.btnGIBOnizlemeMustahsil.Location = new System.Drawing.Point(171, 37);
228:     this.btnGIBOnizlemeMustahsil.Margin = new System.Windows.Forms.Padding(4);
229:     this.btnGIBOnizlemeMustahsil.Name = "btnGIBOnizlemeMustahsil";

```

```

230:     this.btnGIBOnizlemeMustahsil.Size = new System.Drawing.Size(232, 38);
231:     this.btnGIBOnizlemeMustahsil.TabIndex = 1;
232:     this.btnGIBOnizlemeMustahsil.Text = "GIB Makbuz Çıktı Önizleme";
233:     this.btnGIBOnizlemeMustahsil.UseVisualStyleBackColor = true;
234:     this.btnGIBOnizlemeMustahsil.Click += new
System.EventHandler(this.btnGIBOnizlemeMustahsil_Click);
235:     //
236:     // frmAnaSayfa
237:     //
238:     this.AutoScaleDimensions = new System.Drawing.SizeF(8F, 16F);
239:     this.AutoScaleMode = System.Windows.Forms.AutoScaleMode.Font;
240:     this.AutoSize = true;
241:     this.AutoSizeMode = System.Windows.Forms.AutoSizeMode.GrowAndShrink;
242:     this.ClientSize = new System.Drawing.Size(900, 425);
243:     this.Controls.Add(this.gbEMustahsil);
244:     this.Controls.Add(this.gbEFatura);
245:     this.Controls.Add(this.gbEFaturaEArxiv);
246:     this.Margin = new System.Windows.Forms.Padding(4);
247:     this.Name = "frmAnaSayfa";
248:     this.StartPosition = System.Windows.Forms.FormStartPosition.CenterScreen;
249:     this.Text = "QNB Finans GIB Servis Uygulaması";
250:     this.FormClosed += new
System.Windows.Forms.FormClosedEventHandler(this.frmAnaSayfa_FormClosed);
251:     thisShown += new System.EventHandler(this.FormAnaSayfa_Shown);
252:     this.gbEFaturaEArxiv.ResumeLayout(false);
253:     this.gbEFatura.ResumeLayout(false);
254:     this.gbEMustahsil.ResumeLayout(false);
255:     this.ResumeLayout(false);
256: }

```

### 1.1.8.1.2.17 frmAnaSayfa.listBox\_DrawItem Method

#### Summary

This method is used to measure the length of the item in listbox and make it multi line without using scrollbar and let the user see more efficiently

#### C#

```
private static void listBox_DrawItem(object sender, DrawItemEventArgs e);
```

#### Parameters

Parameters	Description
object sender	The sender info (For example Main Form)
DrawItemEventArgs e	Event Arguments

#### Body Source

```

1: private static void listBox_DrawItem(object sender, DrawItemEventArgs e)
2: {
3:     if (!(sender is ListBox listBox)) return;
4:     e.DrawBackground();
5:     e.DrawFocusRectangle();
6:     e.Graphics.DrawString(listBox.Items[e.Index].ToString(), e.Font, new
SolidBrush(e.ForeColor), e.Bounds);
7: }

```

### 1.1.8.1.2.18 frmAnaSayfa.listBox\_MeasureItem Method

#### Summary

This method is used to measure the length of the item in listbox and make it multi line without using scrollbar and let the user see more efficiently

#### C#

```
private static void listBox_MeasureItem(object sender, MeasureItemEventArgs e);
```

**Parameters**

Parameters	Description
object sender	The sender info (For example Main Form)
MeasureItemEventArgs e	Event Arguments

**Body Source**

```

1: private static void listBox_MeasureItem(object sender, MeasureItemEventArgs e)
2: {
3:     if (!(sender is ListBox listBox)) return;
4:     e.ItemHeight = (int) e.Graphics
5:         .MeasureString(listBox.Items[e.Index].ToString(), listBox.Font,
listBox.Width).Height;
6: }
```

**1.1.8.1.2.19 frmAnaSayfa.ZipDosyasindanPdfCikar Method****Summary**

E-Fatura Sisteminden Onaylı Fatura Çıktısı PDF yerine ZIP Formatında Geldiği için bu ZIP formatındaki byte array üzerinden İçindeki PDF dosyasının alınıp yazdırılması için Gerkli metottur

**C#**

```
private static byte[] ZipDosyasindanPdfCikar(byte[] dosya);
```

**Parameters**

Parameters	Description
byte[] dosya	ZIP Byte Array

**Returns**

PDF Byte Array

**Body Source**

```

1: private static byte[] ZipDosyasindanPdfCikar(byte[] dosya)
2: {
3:     var streamZip = new MemoryStream(dosya);
4:     using (var zip = new ZipArchive(streamZip, ZipArchiveMode.Update))
5:     {
6:         foreach (var entry in zip.Entries)
7:         {
8:             var streamTemp = entry.Open();
9:             byte[] bytes;
10:            using (var ms = new MemoryStream())
11:            {
12:                streamTemp.CopyTo(ms);
13:                bytes = ms.ToArray();
14:            }
15:            dosya = bytes;
16:        }
17:    }
18:    return dosya;
19: }
```

**1.1.8.2 Program Class****Class Hierarchy**

QNBFinansGIB.Program
----------------------

**C#**

```
internal static class Program;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

**File**

Program.cs ([see page 834](#))

**Description**

This is class QNBFinansGIB.Program.

**Program Methods**

	<b>Name</b>	<b>Description</b>
 S	Main ( <a href="#">see page 781</a> )	The main entry point for the application.

## 1.1.8.2.1 Program Methods

### 1.1.8.2.1.1 Program.Main Method

**Summary**

The main entry point for the application.

**C#**

```
[STAThread]
private static void Main();
```

**Body Source**

```
1: [STAThread]
2: private static void Main()
3: {
4:     Application.EnableVisualStyles();
5:     Application.SetCompatibleTextRenderingDefault(false);
6:     Application.Run(new frmAnaSayfa());
7: }
```

# 1.2 Files

**Summary**

The following table lists files in this documentation.

**Files**

<b>Name</b>	<b>Description</b>
AssemblyInfo.cs ( <a href="#">see page 782</a> )	This is file AssemblyInfo.cs.
BoslukKaldır.cs ( <a href="#">see page 783</a> )	This is file BoslukKaldır.cs.
DisServisler.cs ( <a href="#">see page 783</a> )	This is file DisServisler.cs.
Enums.cs ( <a href="#">see page 797</a> )	This is file Enums.cs.
FaturaKdvDTO.cs ( <a href="#">see page 798</a> )	This is file FaturaKdvDTO.cs.
FormAnaSayfa.cs ( <a href="#">see page 799</a> )	This is file FormAnaSayfa.cs.
FormAnaSayfa.Designer.cs ( <a href="#">see page 820</a> )	This is file FormAnaSayfa.Designer.cs.
GeriDonus.cs ( <a href="#">see page 825</a> )	This is file GeriDonus.cs.
GibNumarasi.cs ( <a href="#">see page 826</a> )	This is file GibNumarasi.cs.
GidenFaturaDetayDTO.cs ( <a href="#">see page 827</a> )	This is file GidenFaturaDetayDTO.cs.
GidenFaturaDTO.cs ( <a href="#">see page 829</a> )	This is file GidenFaturaDTO.cs.
MesajSabitler.cs ( <a href="#">see page 831</a> )	This is file MesajSabitler.cs.

MustahsilMakbuzuDetayDTO.cs (see page 832)	This is file MustahsilMakbuzuDetayDTO.cs.
MustahsilMakbuzuDTO.cs (see page 833)	This is file MustahsilMakbuzuDTO.cs.
Program.cs (see page 834)	This is file Program.cs.
QNBFinansGIB.csproj (see page 835)	This is file QNBFinansGIB.csproj.
QNBFinansGIB.sln (see page 835)	This is file QNBFinansGIB.sln.
Reference.cs (see page 835)	This code was generated by a tool. Runtime Version:4.0.30319.42000 Changes to this file may cause incorrect behavior and will be lost if the code is regenerated.
Resources.Designer.cs (see page 838)	This code was generated by a tool. Runtime Version:4.0.30319.42000 Changes to this file may cause incorrect behavior and will be lost if the code is regenerated.
Sabitler.cs (see page 840)	This is file Sabitler.cs.
Settings.Designer.cs (see page 840)	This code was generated by a tool. Runtime Version:4.0.30319.42000 Changes to this file may cause incorrect behavior and will be lost if the code is regenerated.
YardimciSiniflar.cs (see page 842)	This is file YardimciSiniflar.cs.

## 1.2.1 AssemblyInfo.cs

This is file AssemblyInfo.cs.

### Body Source

```

1: using System.Reflection;
2: using System.Runtime.InteropServices;
3:
4: // General Information about an assembly is controlled through the following
5: // set of attributes. Change these attribute values to modify the information
6: // associated with an assembly.
7: [assembly: AssemblyTitle("QNBFinansGIB")]
8: [assembly: AssemblyDescription("")]
9: [assembly: AssemblyConfiguration("")]
10: [assembly: AssemblyCompany("")]
11: [assembly: AssemblyProduct("QNBFinansGIB")]
12: [assembly: AssemblyCopyright("Copyright © 2022")]
13: [assembly: AssemblyTrademark("")]
14: [assembly: AssemblyCulture("")]
15:
16: // Setting ComVisible to false makes the types in this assembly not visible
17: // to COM components. If you need to access a type in this assembly from
18: // COM, set the ComVisible attribute to true on that type.
19: [assembly: ComVisible(false)]
20:
21: // The following GUID is for the ID of the typelib if this project is exposed to COM
22: [assembly: Guid("044ecf1f-a1a7-459d-bed5-89780129b388")]
23:
24: // Version information for an assembly consists of the following four values:
25: //
26: //      Major Version
27: //      Minor Version
28: //      Build Number
29: //      Revision
30: //
31: // You can specify all the values or you can default the Build and Revision Numbers
32: // by using the '*' as shown below:
33: // [assembly: AssemblyVersion("1.0.*")]
34: [assembly: AssemblyVersion("1.0.0.0")]
35: [assembly: AssemblyFileVersion("1.0.0.0")]

```

## 1.2.2 BoslukKaldır.cs

This is file BoslukKaldır.cs.

### Body Source

```

1: ?using System.Linq;
2:
3: namespace QNBFinansGIB.Utils
4: {
5:     /// <summary>
6:     /// Girdi olarak verilen bir nesnenin
7:     /// İçerisindeki String türündeki elemanları kontrol ederek
8:     /// Bu string değerlerdeki boşlukları kaldırma yarayan bir sınıfı
9:     /// </summary>
10:    public static class BoslukKaldır
11:    {
12:        /// <summary>
13:        /// Generic olarak herhangi bir sınıf vb. kontrol edildiğinde
14:        /// İçerisindeki string değerlerin boşluklarının kaldırılması için
15:        /// Hazırlanmış metottur.
16:        /// </summary>
17:        /// <typeparam name="TSelf">Girdinin ait olduğu tür, sınıf vb.</typeparam>
18:        /// <param name="input">Girdi Değeri</param>
19:        /// <returns>Girdinin boşluksuz halleri</returns>
20:        public static TSelf BosluklarıKaldır<TSelf>(this TSelf input)
21:        {
22:            if (input == null)
23:                return default;
24:
25:            var stringProperties = typeof(TSelf).GetProperties()
26:                .Where(p => p.PropertyType == typeof(string));
27:
28:            foreach (var stringProperty in stringProperties)
29:            {
30:                var currentValue = (string)stringProperty.GetValue(input, null);
31:                if (currentValue != null)
32:                    stringProperty.SetValue(input,
currentValue.Trim().TrimEnd().TrimStart(), null);
33:            }
34:            return input;
35:        }
36:    }
37: }
```

### Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

## 1.2.3 DisServisler.cs

This is file DisServisler.cs.

### Body Source

```

1: ?using QNBFinansGIB.DTO;
2: using System;
3: using System.Collections.Generic;
4: using System.IO;
5: using System.Linq;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```
6: using System.Security.Cryptography;
7: using System.Text;
8: using QNBFinansGIB.GIBEFatura;
9:
10: namespace QNBFinansGIB.Utils
11: {
12:     /// <summary>
13:     /// QNB Finans Firmasi tarafindan saglanan GIB Web Servis referanslarinin
tüketildigi
14:     /// Ve servise talep gönderilip sonuçlarının temin edildiği sınıftır.
15:     /// </summary>
16:     public static class DisServisler
17:     {
18:         #region QNB GIB
19:
20:         /// <summary>
21:         /// Servis Kullanici Adi Bilgisi
22:         /// </summary>
23:         private const string GIBKullaniciAdi = "turkseker.ws";
24:
25:         /// <summary>
26:         /// Servis Sifre Bilgisi
27:         /// </summary>
28:         private const string GIBSifre = "1234qqqQ";
29:
30:         /// <summary>
31:         /// Servise Gönderilecek Vergi No Bilgisi
32:         /// </summary>
33:         private const string GIBVKN = "3250566851";
34:
35:         /// <summary>
36:         /// Servis İçin Tanimlanmis ERP Kodu Bilgisi
37:         /// </summary>
38:         private const string GIBERPKodu = "TSF30125";
39:
40:         /// <summary>
41:         /// GIB Login Servis istemcisi
42:         /// </summary>
43:         private static GIBUserService.userService _gibUserService = new
QNBFinansGIB.UserService.userService();
44:         /// <summary>
45:         /// GIB E-Fatura Servis istemcisi
46:         /// </summary>
47:         private static GIBEFatura.connectorService _gibEFaturaService = new
GIBEFatura.connectorService();
48:         /// <summary>
49:         /// GIB E-Arsiv Servis istemcisi
50:         /// </summary>
51:         private static GIBEArsiv.EarsivWebService _gibEArsivService = new
GIBEArsiv.EarsivWebService();
52:         /// <summary>
53:         /// GIB E-Arsiv Servis istemcisi
54:         /// </summary>
55:         private static GIBEMustahsil.MustahsilWebService _gibEMustahsilService = new
GIBEMustahsil.MustahsilWebService();
56:
57:         #region E-Fatura Metotlari
58:
59:         /// <summary>
60:         /// Vergi Kimlik Numarasi Gonderilen Tüzel Kisinin E Fatura Kullanicisi Olup
Olmadigini Kontrol Eden
61:         /// Bir Metottur
62:         /// </summary>
63:         /// <param name="vergiNo">Tüzel Kisi Vergi Kimlik Numarasi</param>
64:         /// <returns>Kullanici Olup Olmadigi Bilgisi</returns>
65:         public static bool EFaturaKullanicisiMi(string vergiNo)
66:         {
67:             try
68:             {
```

```
69:             EFaturaServisineBaglan();
70:
71:             var kullaniciMi = _gibEFaturaService.efaturaKullanicisi(vergiNo);
72:
73:             return kullaniciMi;
74:         }
75:         catch (Exception ex)
76:         {
77:             return false;
78:         }
79:         finally
80:         {
81:             _gibUserService.logout();
82:         }
83:     }
84:
85:     /// <summary>
86:     /// Girilen tarihten sonraki E-Fatura Mükellef Listesini getiren metottur
87:     /// Bir Metottur
88:     /// </summary>
89:     /// <param name="islemTarihi">Islem Tarihi Bilgisi</param>
90:     /// <returns>E-Fatura Kullanici Listesi</returns>
91:     public static List<string> EFaturaKullaniciListesi(DateTime islemTarihi)
92:     {
93:         try
94:         {
95:             EFaturaServisineBaglan();
96:
97:             var vergiKimlikNoListesi = new List<string>();
98:
99:             var islemTarihiString = islemTarihi.Date.ToString("yyyyMMdd") +
100:             islemTarihi.ToString("HHmmss");
101:             var list =
_gibEFaturaService.eFaturaKayitliKullaniciListele(islemTarihiString);
102:             foreach (var item in list)
103:             {
104:                 var sb = new StringBuilder();
105:                 if (!string.IsNullOrEmpty(item.kayitZamani))
106:                 {
107:                     sb.Append(item.kayitZamani.Substring(6, 2));
108:                     sb.Append("-");
109:                     sb.Append(item.kayitZamani.Substring(4, 2));
110:                     sb.Append("-");
111:                     sb.Append(item.kayitZamani.Substring(0, 4));
112:                     sb.Append(" ");
113:                     sb.Append(item.kayitZamani.Substring(8, 2));
114:                     sb.Append(":");
115:                     sb.Append(item.kayitZamani.Substring(10, 2));
116:                     sb.Append(":");
117:                     sb.Append(item.kayitZamani.Substring(12, 2));
118:                 }
119:                 if (sb.ToString().Length > 0)
vergiKimlikNoListesi.Add(item.vergiTcKimlikNo + " - " +
item.unvan + " - Kayit Zamani: " + sb.ToString());
120:                 // vergiKimlikNoListesi.Add(item.vergiTcKimlikNo + " - " +
item.unvan + " - " + item.kayitZamani);
121:             }
122:
123:             return vergiKimlikNoListesi;
124:         }
125:         catch (Exception ex)
126:         {
127:             return new List<string>();
128:         }
129:         finally
130:         {
131:             _gibUserService.logout();
132:         }
133:     }
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com)

```

134:
135:        /// <summary>
136:        /// Ilgili faturanın QNB Finans servislerine gönderilip gönderilmmediği
137:        /// Gonderildi ise durumuna bakarak
138:        /// Bu kaydın silinebilir olup olmadığını belirleye bir metottur.
139:        /// </summary>
140:        /// <param name="gidenFaturaId">Giden Fatura Id Bilgisi</param>
141:        /// <returns>Kaydin Silinmeye Uygun Olup Olmadigi Bilgisi</returns>
142:        public static bool EFaturaSilmeyeUygunMu(string gidenFaturaId)
143:        {
144:            try
145:            {
146:                var uygunMu = true;
147:
148:                EFaturaServisineBaglan();
149:
150:                var parametreler = new GIBEFatura.gidenBelgeParametreleri
151:                {
152:                    vergiTcKimlikNo = "3250566851",
153:                    belgeTuru = "FATURA_UBL",
154:                    belgeNo = gidenFaturaId,
155:                    erpKodu = GIBERPKodu
156:                };
157:                var belgeDurumEsas =
158: _gibEFaturaService.gidenBelgeDurumSorgulaYerelBelgeNo(parametreler.vergiTcKimlikNo,
159: parametreler.belgeNo);
160:                if (belgeDurumEsas.durum == 1 || belgeDurumEsas.durum == 3)
161:                    uygunMu = false;
162:
163:            }
164:            catch (Exception ex)
165:            {
166:                return true;
167:            }
168:            finally
169:            {
170:                _gibUserService.logout();
171:            }
172:
173:        /// <summary>
174:        /// Gonderilen Id bilgisine sahip Faturanın Belge Oid Bilgisinin QNB Finans
175: Tarafina göndermesini saglayan metottur
176:        /// </summary>
177:        /// <param name="gidenFaturaId">Giden Fatura Id Bilgisi</param>
178:        /// <param name="baslangicTarihi">Baslangic Tarihi bilgisi</param>
179:        /// <param name="bitisTarihi">Bitis Tarihi Bilgisi</param>
180:        /// <returns>Islem Sonucu (Buradan dönen deger gerekli yerlerde kontrol edilip
181: ona göre kullaniciya bilgi verilmektedir.)</returns>
182:        public static string BelgeOidKontrol(string gidenFaturaId, DateTime?
183: baslangicTarihi, DateTime? bitisTarihi)
184:        {
185:            try
186:            {
187:                EFaturaServisineBaglan();
188:
189:                var parametreler = new GIBEFatura.gidenBelgeleriListeleParametreleri
190:                {
191:                    vkn = "3250566851",
192:                    belgeTuru = "FATURA_UBL",
193:                    baslangicGonderimTarihi = baslangicTarihi?.ToString("yyyyMMdd"),
194:                    bitisGonderimTarihi = bitisTarihi?.ToString("yyyyMMdd")
195:                };
196:                const string sonucMesaji = "Islem Basarili";
197:                var liste = _gibEFaturaService.gidenBelgeleriListele(parametreler);
198:                foreach (var item in liste)
199:                {
200:                    if (item is gidenBelgeleriListeleData nesne && nesne.yerelBelgeNo

```

```

== gidenFaturaId)
198:                     return nesne.belgeOid;
199:                 }
200:
201:             return sonucMesaji;
202:         }
203:         catch (Exception ex)
204:         {
205:             return MesajSabitler.IslemBasarisiz;
206:         }
207:         finally
208:         {
209:             _gibUserService.logout();
210:         }
211:     }
212:
213: /// <summary>
214: /// Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan
metottur
215: /// </summary>
216: /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
217: /// <param name="dosyaAdi">Dosya Adi Bilgisi</param>
218: /// <param name="belgeOid">Belge Oid Bilgisi</param>
219: /// <returns>Islem Soncu (Buradan dönen deger gerekli yerlerde kontrol edilip
ona göre kullaniciya bilgi verilmektedir.)</returns>
220: public static string EFaturaGonder(GidenFaturaDTO gidenFatura, string
dosyaAdi, string belgeOid)
221: {
222:     try
223:     {
224:         EFaturaServisineBaglan();
225:
226:         var parametreler = new GIBEFatura.gidenBelgeParametreleri
227:         {
228:             vergiTcKimlikNo = "3250566851",
229:             belgeTuru = "FATURA_UBL",
230:             belgeNo = gidenFatura.GidenFaturaId,
231:             belgeVersiyon = "1.0",
232:             veri = File.ReadAllBytes(dosyaAdi)
233:         };
234:         parametreler.belgeHash = GetMD5Hash(parametreler.veri);
235:         parametreler.mimeType = "application/xml";
236:         parametreler.erpKodu = GIBERP_Kodu;
237:
238:         var sonucMesaji = string.Empty;
239:
240:         try
241:         {
242:             var belgeDurumEsas =
_gibEFaturaService.gidenBelgeDurumSorgulaYerelBelgeNo(parametreler.vergiTcKimlikNo,
parametreler.belgeNo);
243:             if (belgeDurumEsas.durum != 1 && belgeDurumEsas.durum != 3)
244:             {
245:                 #region Belge Oid Durumuna Göre Evrak Gönderme
246:                 if (!string.IsNullOrEmpty(belgeOid))
247:                 {
248:                     if (belgeOid != "Tekrar Gönder")
249:                         sonucMesaji =
_gibEFaturaService.belgeGonderExt(parametreler);
250:
251:                 else
252:                 {
253:                     var yenidenGonderDurum = false;
254:                     //var ettnDizi = new string[1];
255:                     //ettnDizi[0] = parametreler.belgeNo;
256:                     //while (yenidenGonderDurum == false)
257:                     //{
258:                         //    yenidenGonderDurum =
_gibEFaturaService.belgeleriTekrarGonder(parametreler.vergiTcKimlikNo, ettnDizi,
parametreler.belgeTuru, parametreler.alanEtiket, parametreler.gonderenEtiket);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

258:           //
```

```

259:           var belgeOidDizi = new string[1];
260:           belgeOidDizi[0] = belgeOid;
261:           while (yenidenGonderDurum == false)
262:           {
263:               yenidenGonderDurum =
264:               _gibEFaturaService.belgeleriTekrarGonderBelgeOid(parametreler.vergiTcKimlikNo,
265:               belgeOidDizi, parametreler.belgeTuru, parametreler.alanEtiket, parametreler.gonderenEtiket);
266:           }
267:       }
268:   else
269:       sonucMesaji =
270:       _gibEFaturaService.belgeGonderExt(parametreler);
271:   #endregion
272:   #region Belge Durumu Kontrolü
273:
274:   if (sonucMesaji.Length > 20) return sonucMesaji;
275:   // önemli not: buradaki metotta Belge Oid'ye göre kontrol
yapılıyor
276:   //var belgeDurum =
277:   _gibEFaturaService.gidenBelgeDurumSorgula(parametreler.vergiTcKimlikNo, sonucMesaji);
278:   //var durum = belgeDurum.durum;
279:   //while (durum == 1)
280:   //{
281:       // belgeDurum =
282:       _gibEFaturaService.gidenBelgeDurumSorgula(parametreler.vergiTcKimlikNo, sonucMesaji);
283:       // durum = belgeDurum.durum;
284:   }
285:   var belgeDurum =
286:   _gibEFaturaService.gidenBelgeDurumSorgulaYerelBelgeNo(parametreler.vergiTcKimlikNo,
parametreler.belgeNo);
287:   var durum = belgeDurum.durum;
288:   while (durum == 1)
289:   {
290:       belgeDurum =
291:       _gibEFaturaService.gidenBelgeDurumSorgulaYerelBelgeNo(parametreler.vergiTcKimlikNo,
parametreler.belgeNo);
292:       durum = belgeDurum.durum;
293:   }
294:   switch (durum)
295:   {
296:       case 2:
297:           sonucMesaji = MesajSabitler.IslemBasarisiz;
298:           break;
299:       case 3:
300:           var gonderimDurumu = belgeDurum.gonderimDurumu;
301:           switch (gonderimDurumu)
302:           {
303:               case 2:
304:                   return sonucMesaji;
305:               case 4:
306:                   return sonucMesaji;
307:               case 3:
308:                   var gibYanitKodu =
309:                   belgeDurum.gonderimCevabiKodu;
310:                   if (gibYanitKodu > 1300)
311:                       return sonucMesaji;
312:                   else if
(Sabitler.TekrarGonderilebilecekKodListesi.Any(j => j == gibYanitKodu))
313:                       return "Tekrar Gönder";
314:                   else if
(Sabitler.TekrarGonderilebilecekKodListesi.All(j => j != gibYanitKodu) && gibYanitKodu <=
1200 && gibYanitKodu >= 1100)
315:                       return MesajSabitler.IslemBasarisiz;

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com)

```

313:                                     else if (gibYanitKodu == 1210 || gibYanitKodu
== 1120)
314:                                         return MesajSabitler.IslemBasarisiz;
315:                                     else
316:                                         return sonucMesaji;
317:                                 }
318:                             }
319:                         }
320:                         break;
321:                     }
322:                 }
323:             #endregion
324:         }
325:         else if (belgeDurumEsas.durum == 3)
326:         {
327:             if (!string.IsNullOrEmpty(belgeOid))
328:                 return belgeOid;
329:             else
330:                 sonucMesaji = MesajSabitler.IslemBasarili;
331:             }
332:             else
333:             {
334:                 sonucMesaji = MesajSabitler.IslemBasarisiz;
335:             }
336:
337:             return sonucMesaji;
338:         }
339:     catch (Exception)
340:     {
341:         #region Belge Oid Durumuna Göre Evrak Gönderme
342:         if (!string.IsNullOrEmpty(belgeOid))
343:         {
344:             if (belgeOid != "Tekrar Gonder")
345:                 sonucMesaji =
_gibEFaturaService.belgeGonderExt(parametreler);
346:             else
347:             {
348:                 var yenidenGonderDurum = false;
349:                 //var ettnDizi = new string[1];
350:                 //ettnDizi[0] = parametreler.belgeNo;
351:                 //while (yenidenGonderDurum == false)
352:                 //{
353:                     //    yenidenGonderDurum =
_gibEFaturaService.belgeleriTekrarGonder(parametreler.vergiTcKimlikNo, ettnDizi,
parametreler.belgeTuru, parametreler.alanEtiket, parametreler.gonderenEtiket);
354:                     //}
355:                     var belgeOidDizi = new string[1];
356:                     belgeOidDizi[0] = belgeOid;
357:                     while (yenidenGonderDurum == false)
358:                     {
359:                         yenidenGonderDurum =
_gibEFaturaService.belgeleriTekrarGonderBelgeOid(parametreler.vergiTcKimlikNo,
belgeOidDizi, parametreler.belgeTuru, parametreler.alanEtiket, parametreler.gonderenEtiket);
360:                     }
361:                     sonucMesaji = belgeOid;
362:                 }
363:             }
364:             else
365:                 sonucMesaji = _gibEFaturaService.belgeGonderExt(parametreler);
366:             #endregion
367:
368:             #region Belge Durumu Kontrolü
369:
370:             if (sonucMesaji.Length > 20) return sonucMesaji;
371:             // önemli not: buradaki metotta Belge Oid'ye göre kontrol yapılıyor
372:             //var belgeDurum =
_gibEFaturaService.gidenBelgeDurumSorgula(parametreler.vergiTcKimlikNo, sonucMesaji);
373:             //var durum = belgeDurum.durum;
374:             //while (durum == 1)

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```
375:                     //{
376:                     //      belgeDurum =
377:                     _gibEFaturaService.gidenBelgeDurumSorgula(parametreler.vergiTcKimlikNo, sonucMesaji);
378:                     //      durum = belgeDurum.durum;
379:                     //}
380:                     var belgeDurum =
381: _gibEFaturaService.gidenBelgeDurumSorgulaYerelBelgeNo(parametreler.vergiTcKimlikNo,
382: parametreler.belgeNo);
383:                     var durum = belgeDurum.durum;
384:                     while (durum == 1)
385:                     {
386:                         belgeDurum =
387: _gibEFaturaService.gidenBelgeDurumSorgulaYerelBelgeNo(parametreler.vergiTcKimlikNo,
388: parametreler.belgeNo);
389:                         durum = belgeDurum.durum;
390:                     }
391:                     switch (durum)
392:                     {
393:                         case 2:
394:                             sonucMesaji = MesajSabitler.IslemBasarisiz;
395:                             break;
396:                         case 3:
397:                             var gonderimDurumu = belgeDurum.gonderimDurumu;
398:                             switch (gonderimDurumu)
399:                             {
400:                                 case 2:
401:                                     return sonucMesaji;
402:                                 case 4:
403:                                     return sonucMesaji;
404:                                 case 3:
405:                                     {
406:                                         var gibYanitKodu = belgeDurum.gonderimCevabiKodu;
407:                                         if (gibYanitKodu > 1300)
408:                                             return sonucMesaji;
409:                                         else if
410: (Sabitler.TekrarGonderilebilecekKodListesi.Any(j => j == gibYanitKodu))
411:                                             return "Tekrar Gönder";
412:                                         else if
413: (Sabitler.TekrarGonderilebilecekKodListesi.All(j => j != gibYanitKodu) && gibYanitKodu <=
414: 1200 && gibYanitKodu >= 1100)
415:                                             return MesajSabitler.IslemBasarisiz;
416:                                         else if (gibYanitKodu == 1210 || gibYanitKodu ==
417: 1120)
418:                                             return MesajSabitler.IslemBasarisiz;
419:                                         else
420:                                             return sonucMesaji;
421:                                         }
422:                                         }
423:                                         break;
424:                                     }
425:                                     catch (Exception ex)
426:                                     {
427:                                         return MesajSabitler.IslemBasarisiz;
428:                                     }
429:                                     finally
430:                                     {
431:                                         _gibUserService.logout();
432:                                     }
433:                                     }
434:                                     /// <summary>
```

```

435:      /// Olusturulan XML dosyasinin QNB Finans Tarafinda Önizlemesinin yapilmasini
436:      /// saglayan metottur
437:      /// Eger Belge Oid numarasi varsa XML dosyasini göndermez, bu numarayla
438:      /// sistemdeki çıktı alinir.
439:      /// Yoksa XML dosyasi gönderilir, Mali Degeri Yoktur yazan bir filigranla yine
440:      /// XML üzerindeki
441:      /// Yapi üzerinden PDF çıktisi alınacak sekilde veri döner
442:      /// </summary>
443:      /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
444:      /// <param name="dosyaAdi">Dosya Adi bilgisi</param>
445:      /// <returns>PDF veya ZIP olarak alınacak dosyanın Byte dizisi hali</returns>
446:      public static GeriDonus EFaturaOnIzleme(GidenFaturaDTO gidenFatura, string
447: dosyaAdi)
448:      {
449:          try
450:          {
451:              EFaturaServisineBaglan();
452:
453:              const string vergiTcKimlikNo = "3250566851";
454:              if (!File.Exists(dosyaAdi))
455:              {
456:                  return null;
457:              }
458:              var veri = File.ReadAllBytes(dosyaAdi);
459:              const string belgeFormati = "PDF"; //HTML, PDF, UBL
460:              const string belgeTuru = "FATURA"; //EFATURA ve EIRSALİYE değerleri
461:              alabilir.
462:
463:              var onizleme = new byte[1];
464:
465:              var geriDonus = new GeriDonus
466:              {
467:                  Dosya = onizleme,
468:                  Tip = 0
469:              };
470:
471:              if (!string.IsNullOrEmpty(gidenFatura.BelgeOid))
472:              {
473:                  var idListesi = new string[1];
474:                  idListesi[0] = gidenFatura.BelgeOid;
475:                  onizleme = _gibEFaturaService.gidenBelgeleriIndir(vergiTcKimlikNo,
476: idListesi, belgeTuru, belgeFormati);
477:                  geriDonus.Dosya = onizleme;
478:                  geriDonus.Tip = 1;
479:              }
480:
481:              else
482:              {
483:                  onizleme = _gibEFaturaService.ulbOnizleme(vergiTcKimlikNo, veri,
484: belgeFormati, belgeTuru);
485:                  geriDonus.Dosya = onizleme;
486:                  geriDonus.Tip = 0;
487:              }
488:
489:              return geriDonus;
490:
491:          }
492:
493:          /// <summary>
494:          /// E-Fatura Servisine Baglanmak İçin
495:          /// Gerekli olan islemlerin gerçekleştirildiği metottur
496:          /// </summary>

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

497:     private static void EFaturaServisineBaglan()
498:     {
499:         _gibUserService = new GIBUserService.userService();
500:         _gibeFaturaService = new GIBEfatura.connectorService();
501:
502:         _gibUserService.CookieContainer = new System.Net.CookieContainer();
503:         _gibeFaturaService.CookieContainer = _gibUserService.CookieContainer;
504:
505:         _gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, GIBVKN);
506:     }
507:
508:     /// <summary>
509:     /// Dosyanin MD5 hashi alinmasi için yazilan metottur
510:     /// </summary>
511:     /// <param name="gelen">Girdi Bilgisi</param>
512:     /// <returns>Metnin veya girdinin MD5 hashlenmis hali</returns>
513:     private static string GetMD5Hash(byte[] gelen)
514:     {
515:         var md5Hash = new MD5CryptoServiceProvider();
516:         var data = md5Hash.ComputeHash(gelen);
517:         var sBuilder = new StringBuilder();
518:
519:         foreach (var t in data)
520:         {
521:             sBuilder.Append(t.ToString("x2"));
522:         }
523:
524:         return sBuilder.ToString();
525:     }
526:
527: #endregion
528:
529: #region E-Arsiv Metotlari
530:
531:     /// <summary>
532:     /// Ilgili faturanın QNB Finans servislerine gönderilip gönderilmmediği
533:     /// Gönderildi ise durumuna bakarak
534:     /// Bu kaydin silinebilir olup olmadigini belirleye bir metottur.
535:     /// </summary>
536:     /// <param name="gidenFaturaId">Giden Fatura Id Bilgisi</param>
537:     /// <returns></returns>
538:     public static bool EArsivSilmeyeUygunMu(string gidenFaturaId)
539:     {
540:         try
541:         {
542:             var uygunMu = true;
543:
544:             EArsivServisineBaglan();
545:
546:             var inputKontrol = "{\"faturaUuid\":\"" + gidenFaturaId +
547: "\", \"vkn\":\"3250566851\", \"sube\": \"DFLT\", \"kasa\": \"DFLT\", \"erpKodu\": \"TSF30125\", \"do" +
548: "nenBelgeFormati\": \"9\"}";
549:
550:             // var fatura = new GIBEArsiv.belge
551:             // {
552:             //     belgeFormati = GIBEArsiv.belgeFormatiEnum.UBL,
553:             //     belgeFormatiSpecified = true
554:             // };
555:             var serviceResult = new GIBEArsiv.earsivServiceResult();
556:             _gibeArsivService.faturaSorgula(inputKontrol, out serviceResult);
557:             if (serviceResult.resultCode == "AE00000")
558:                 uygunMu = false;
559:
560:             return uygunMu;
561:         }
562:         catch (Exception ex)
563:         {
564:             return true;
565:         }
566:     }

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

564:         finally
565:     {
566:         _gibUserService.logout();
567:     }
568: }
569:
570: /// <summary>
571: /// Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan
metottur
572: /// </summary>
573: /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
574: /// <param name="dosyaAdi">Dosya Adi bilgisi</param>
575: /// <returns></returns>
576: public static string EArsivGonder(GidenFaturaDTO gidenFatura, string dosyaAdi)
577: {
578:     try
579:     {
580:         EArsivServisineBaglan();
581:
582:         var input = "{\"islemId\":\"\" + gidenFatura.GidenFaturaId +
583:         "\",\"vkn\":\"3250566851\",\"sube\":\"DFLT\",\"kasa\":\"DFLT\",\"erpKodu\":\"TSF30125\",\"do-
584:         nenBelgeFormati\":\"9\"};\n" +
585:         //string inputKontrol =
586:         "{\\"vkn\":\"3250566851\",\"donenBelgeFormati\":\"9\",\"faturaUuid\":\"\" +
587:         gidenFatura.GidenFaturaId + \"";
588:         var inputKontrol = "{\"faturaUuid\":\"\" + gidenFatura.GidenFaturaId +
589:         "\",\"vkn\":\"3250566851\",\"sube\":\"DFLT\",\"kasa\":\"DFLT\",\"erpKodu\":\"TSF30125\",\"do-
590:         nenBelgeFormati\":\"9\"}";
591:
592:         var belgeTemp = new GIBEArsiv.belge
593:         {
594:             belgeFormati = GIBEArsiv.belgeFormatiEnum.UBL,
595:             belgeFormatiSpecified = true,
596:             belgeIcerigi = File.ReadAllBytes(dosyaAdi)
597:         };
598:         var serviceResult = new GIBEArsiv.earsivServiceResult();
599:         _gibEArsivService.faturaSorgula(inputKontrol, out serviceResult);
600:         if (serviceResult.resultCode != "AE00000")
601:         {
602:             _gibEArsivService.faturaOlustur(input, belgeTemp, out
603:             serviceResult);
604:             //var belge = _gibEArsivService.faturaOlustur(input, belgeTemp, out
605:             //serviceResult);
606:             //if (serviceResult.resultCode != "AE00000")
607:             //    return MesajSabitler.IslemBasarisiz;
608:             //else
609:             //    return MesajSabitler.IslemBasarili;
610:         }
611:         catch (Exception ex)
612:         {
613:             return MesajSabitler.IslemBasarisiz;
614:         }
615:         finally
616:         {
617:             _gibUserService.logout();
618:         }
619:
620: /// <summary>
621: /// Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan
metottur

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com)

```

622:      /// Burada da E-Faturada oldugu gibi önce Fatura Id bilgisi ile gönderip
623:      /// Bir sonuç gelmezse hazırlanan XML dosyası gönderilip çıktı alınmaya
624:      /// calismaktadir
625:      /// </summary>
626:      /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
627:      /// <param name="dosyaAdi">Dosya Adı bilgisi</param>
628:      /// <returns>PDF olarak çıktısı alınacak dosyanın byte dizisi hali</returns>
629:      public static byte[] EArsivOnIzleme(GidenFaturaDTO gidenFatura, string
dosyaAdi)
630:      {
631:          try
632:          {
633:              EArsivServisineBaglan();
634:
635:              // Burada VKN ve ERP Kodu önemlidir
636:              var input = "{\"islemId\":\"\" : \"\" + gidenFatura.GidenFaturaId.ToUpper() +
"\" , \"faturaUuid\":\"\" : \"\" + gidenFatura.GidenFaturaId.ToUpper() +
"\" , \"vkn\":\"\" : \"3250566851\" , \"sube\":\"\" : \"DFLT\" , \"kasa\":\"\" : \"DFLT\" , \"erpKodu\":\"\" : \"TSF30125\" , \"do
nenBelgeFormati\":\"\" : \"3\" }";
637:              // Buradaki 3 PDF
638:
639:              var belgeTemp = new GIBEArsiv.belge
640:              {
641:                  belgeFormati = GIBEArsiv.belgeFormatiEnum.UBL,
642:                  belgeFormatiSpecified = true,
643:                  belgeIcerigi = File.ReadAllBytes(dosyaAdi)
644:              };
645:              var serviceResult = new GIBEArsiv.earsivServiceResult();
646:              var temp = _gibEArsivService.faturaSorgula(input, out serviceResult);
647:              if (temp != null)
648:                  return temp.belgeIcerigi;
649:              else
650:                  temp = _gibEArsivService.faturaOnizleme(input, belgeTemp, out
serviceResult);
651:              return temp?.belgeIcerigi;
652:          }
653:          catch (Exception ex)
654:          {
655:              return null;
656:          }
657:          finally
658:          {
659:              _gibUserService.logout();
660:          }
661:      }
662:
663:      /// <summary>
664:      /// E-Arsiv Servisine Baglanmak İçin
665:      /// Gerekli Islemelerin gerceklestirildigi metottur.
666:      /// </summary>
667:      private static void EArsivServisineBaglan()
668:      {
669:          _gibUserService = new GIBUserService.userService();
670:          _gibeArsivService = new GIBEArsiv.EarsivWebService();
671:
672:          _gibUserService.CookieContainer = new System.Net.CookieContainer();
673:          _gibeArsivService.CookieContainer = _gibUserService.CookieContainer;
674:
675:          _gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, GIBVKN);
676:      }
677:
678:      #endregion
679:
680:      #region E-Müstahsil Metotlari
681:
682:      /// <summary>
683:      /// Ilgili faturanın QNB Finans servislerine gönderilip gönderilmediği

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

684:     /// Gönderildi ise durumuna bakarak
685:     /// Bu kaydin silinebilir olup olmadigini belirleye bir metottur.
686:     /// </summary>
687:     /// <param name="mustahsilMakbuzuId">Müstahsil Makbuzu Id Bilgisi</param>
688:     /// <returns>Kaydin Silinmeye Uygun Olup Olmadigi Bilgisi</returns>
689:     public static bool EMustahsilSilmeyeUygunMu(string mustahsilMakbuzuId)
690:     {
691:         try
692:         {
693:             var uygunMu = true;
694:
695:             EMustahsilServisineBaglan();
696:
697:             var inputKontrol = "{\"islemId\":\"" + mustahsilMakbuzuId.ToUpper() +
698:                 "\",\"uuid\":\"\"", + mustahsilMakbuzuId.ToUpper() +
699:                 "\",\"vkn\":\"3250566851\",\"sube\":\"DFLT\",\"kasa\":\"DFLT\"}";
700:
701:             var serviceResult = new GIBEMustahsil.earsivServiceResult();
702:
703:             _gibEMustahsilService.mustahsilMakbuzSorgula(inputKontrol, out
704:             serviceResult);
705:             if (serviceResult.resultCode == "AE00000")
706:                 uygunMu = false;
707:
708:             return uygunMu;
709:         }
710:         catch (Exception ex)
711:         {
712:             return true;
713:         }
714:         finally
715:         {
716:             _gibUserService.logout();
717:         }
718:     }
719:     /// Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan
720:     /// metottur
721:     /// </summary>
722:     /// <param name="mustahsilMakbuzu">Müstahsil Makbuzu Bilgisi</param>
723:     /// <param name="dosyaAdi">Dosya Adi bilgisi</param>
724:     /// <returns></returns>
725:     public static string EMustahsilGonder(MustahsilMakbuzuDTO mustahsilMakbuzu,
726:     string dosyaAdi)
727:     {
728:         try
729:         {
730:             EMustahsilServisineBaglan();
731:
732:             var input = "{\"islemId\":\"" + mustahsilMakbuzu.MustahsilMakbuzuId +
733:                 "\",\"vkn\":\"3250566851\",\"sube\":\"DFLT\",\"kasa\":\"DFLT\"}";
734:             var inputKontrol = "{\"islemId\":\"" +
735:                 mustahsilMakbuzu.MustahsilMakbuzuId.ToUpper() + "\",\"uuid\":\"" +
736:                 mustahsilMakbuzu.MustahsilMakbuzuId.ToUpper() +
737:                 "\",\"vkn\":\"3250566851\",\"sube\":\"DFLT\",\"kasa\":\"DFLT\"}";
738:
739:             var belgeTemp = new GIBEMustahsil.belge
740:             {
741:                 belgeFormati = GIBEMustahsil.belgeFormatiEnum.UBL,
742:                 belgeFormatiSpecified = true,
743:                 belgeIcerigi = File.ReadAllBytes(dosyaAdi)
744:             };
745:             var serviceResult = new GIBEMustahsil.earsivServiceResult();
746:             _gibEMustahsilService.mustahsilMakbuzSorgula(inputKontrol, out
747:             serviceResult);
748:             if (serviceResult.resultCode != "AE00000")
749:             {
750:                 _gibEMustahsilService.mustahsilMakbuzOlustur(input, belgeTemp, out

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```
serviceResult);
743:         }
744:     else
745:         return MesajSabitler.IslemBasarili;
746:
747:     return serviceResult.resultCode != "AE00000" ?
MesajSabitler.IslemBasarisiz : MesajSabitler.IslemBasarili;
748:     }
749:     catch (Exception ex)
750:     {
751:         return MesajSabitler.IslemBasarisiz;
752:     }
753:     finally
754:     {
755:         _gibUserService.logout();
756:     }
757: }
758:
759: /// <summary>
760: /// Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan
metottur
761:     /// Burada da E-Faturada oldugu gibi önce Fatura Id bilgisi ile gönderip
762:     /// Bir sonuç gelmezse hazırlanan XML dosyası gönderilip çıktı alınmaya
çalisilmaktadir
763:     /// </summary>
764:     /// <param name="mustahsilMakbuzu">Mustahsil Makbuzu Bilgisi</param>
765:     /// <param name="dosyaAdi">Dosya Adı bilgisi</param>
766:     /// <returns>PDF olarak çıktısı alınacak dosyanın byte dizisi hali</returns>
767:     public static byte[] EMustahsilOnIzleme(MustahsilMakbuzuDTO mustahsilMakbuzu,
string dosyaAdi)
768:     {
769:         try
770:         {
771:             EMustahsilServisineBaglan();
772:
773:             // Burada VKN ve ERP Kodu önemlidir
774:             var input = "{\"islemId\":\"" +
mustahsilMakbuzu.MustahsilMakbuzuId.ToUpper() + "\",\"uuid\":\"" +
mustahsilMakbuzu.MustahsilMakbuzuId.ToUpper() +
"\",\"vkn\":\"3250566851\",\"sube\":\"DFLT\",\"kasa\":\"DFLT\",\"erpKodu\":\"TSF30125\",\"do
nenBelgeFormati\":\"3\"}";
// Buradaki 3 PDF
775:
776:             var belgeTemp = new GIBEMustahsil.belge
777:             {
778:                 belgeFormati = GIBEMustahsil.belgeFormatiEnum.UBL,
779:                 belgeFormatiSpecified = true,
780:                 belgeIcerigi = File.ReadAllBytes(dosyaAdi)
781:             };
782:             var serviceResult = new GIBEMustahsil.earsivServiceResult();
783:             var temp = _gibEMustahsilService.mustahsilMakbuzSorgula(input, out
serviceResult);
784:             if (temp != null)
785:                 return temp.belgeIcerigi;
786:             else
787:             {
788:                 temp = _gibEMustahsilService.mustahsilMakbuzOnizleme(input,
belgeTemp, out serviceResult);
789:                 return temp?.belgeIcerigi;
790:             }
791:         }
792:         catch (Exception ex)
793:         {
794:             return null;
795:         }
796:         finally
797:         {
798:             _gibUserService.logout();
799:         }
}
```

```

800:         }
801:
802:        /// <summary>
803:        /// E-Müstahsil Servisine Baglanmak için
804:        /// Gerekli islemlerin gerçekleştirildiği metottur.
805:        /// </summary>
806:        private static void EMustahsilServisineBaglan()
807:        {
808:            _gibUserService = new GIBUserService.userService();
809:            _gibEMustahsilService = new GIBEMustahsil.MustahsilWebService();
810:
811:            _gibUserService.CookieContainer = new System.Net.CookieContainer();
812:            _gibEMustahsilService.CookieContainer = _gibUserService.CookieContainer;
813:
814:            _gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, "tr");
815:        }
816:
817:        #endregion
818:
819:        #endregion QNB GIB
820:    }
821: }
```

**Namespaces**

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

## 1.2.4 Enums.cs

This is file Enums.cs.

**Body Source**

```

1: ?namespace QNBFinansGIB.Utils
2: {
3:     /// <summary>
4:     /// Satis Türü Bilgilerinin Bulundugu Enum sinifi
5:     /// </summary>
6:     public static class Enums
7:     {
8:         /// <summary>
9:         /// Faturadaki Satis Türlerinin Kodlarinin Bulundugu enum bilgisi
10:        /// Burada İhraç Kayitli ise XML içerisinde bazi yapisal degisiklikler
gerçeklestirildigi için
11:        /// Bu konu önemlidir.
12:        /// </summary>
13:        public enum SatisTur
14:        {
15:            Vadeli = 1,
16:            Hesaben = 2,
17:            Pesin = 3,
18:            TeskilataVerilen = 4,
19:            TeslimattaVadeli = 5,
20:            CiftciyeVerilen = 6,
21:            IstirakeSatilan = 7,
22:            PersoneleSatilan = 8,
23:            ImalatciIhracatci = 9,
24:            IhracKayitli = 10,
25:            IstirakeSatilanRezervli = 11,
26:            RaffFiyatGarantili = 12
27:        }
28:
29:        /// <summary>
30:        /// Faturada Türlerinin Kodlarinin Bulundugu enum bilgisi
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

31:      /// Burada İade faturasi ise XML içerisinde bazi yapisal degisiklikler
32:      /// gerçeklestirildigi için
33:      /// Bu konu önemlidir.
34:      /// </summary>
35:      public enum FaturaTur
36:      {
37:          Muhtelif = 1,
38:          Kantin = 2,
39:          Ambar = 3,
40:          Satis = 4,
41:          İade = 5,
42:          Fark = 6,
43:          Personel = 7,
44:          Proforma = 8,
45:          NoterlikMakbuzu = 9,
46:          Harcirah = 10
47:      }
48:      /// <summary>
49:      /// İstisna Faturalarindave Müstahsil Makbuzlarinda Grup Türüne Göre Kontrol
50:      /// yapilmasini saglayan enum Bilgisi
51:      /// Burada Küspe olup olmamasina göre XML içerisinde degisiklikler yapıldığı
52:      /// için
53:      /// Bu kisim önemlidir
54:      /// </summary>
55:      public enum FaturaMakbuzGrupTur
56:      {
57:          Seker = 1,
58:          Melas = 2,
59:          Kuspe = 3,
60:          Diger = 4,
61:          Malzeme = 5,
62:          PancarKuyrugu = 6,
63:          Alkol = 7,
64:          Personel = 8
65:      }

```

#### Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

## 1.2.5 FaturaKdvDTO.cs

This is file FaturaKdvDTO.cs.

#### Body Source

```

1: ?namespace QNBFinansGIB.DTO
2: {
3:     /// <summary>
4:     /// Fatura Detaylarinda Farkli Tür KDV Oranlari Kullanilmisse
5:     /// Çıktı tarafında (XML)
6:     /// TaxTotal kisminda bu bilgilerin ayrı ayrı gösterilmesi için hazırlanan nesnedir
7:     /// </summary>
8:     public class FaturaKdvDTO
9:     {
10:         /// <summary>
11:         /// KDV Oran Bilgisi
12:         /// </summary>
13:         public decimal? KdvOran;
14:
15:         /// <summary>

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

```

16:      /// KDV Tutari Bilgisi
17:      /// </summary>
18:      public decimal? KdvTutari;
19:
20:      /// <summary>
21:      /// KDV Hariç Tutar Bilgisi
22:      /// </summary>
23:      public decimal? KdvHaricTutar;
24:  }
25: }
```

**Namespaces**

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

## 1.2.6 FormAnaSayfa.cs

This is file FormAnaSayfa.cs.

**Body Source**

```

1: ?using QNBFinansGIB.DTO;
2: using QNBFinansGIB.Utils;
3: using System;
4: using System.Collections.Generic;
5: using System.Drawing;
6: using System.IO;
7: using System.IO.Compression;
8: using System.Linq;
9: using System.Text;
10: using System.Windows.Forms;
11: using static QNBFinansGIB.Utils.Enums;
12:
13: namespace QNBFinansGIB
14: {
15:     /// <summary>
16:     /// QNB Finans GIB Servisi için veri hazırlanan ve servisin test edildiği
metotlar içeren
17:     /// Form sınıfıdır
18:     /// </summary>
19:     public partial class frmAnaSayfa : Form
20:     {
21:         #region Sabit Elemanlar
22:         /// <summary>
23:         /// Giden Fatura Listesi
24:         /// </summary>
25:         private List<GidenFaturaDTO> gidenFaturaListesi = new List<GidenFaturaDTO>();
26:         /// <summary>
27:         /// Giden Fatura Detay Listesi
28:         /// </summary>
29:         private List<GidenFaturaDetayDTO> gidenFaturaDetayListesi = new
List<GidenFaturaDetayDTO>();
30:         /// <summary>
31:         /// Müstahsil Makbuzu Listesi
32:         /// </summary>
33:         private List<MustahsilMakbuzuDTO> mustahsilMakbuzuListesi = new
List<MustahsilMakbuzuDTO>();
34:         /// <summary>
35:         /// Müstahsil Makbuzu Detay Listesi
36:         /// </summary>
37:         private List<MustahsilMakbuzuDetayDTO> mustahsilMakbuzuDetayListesi = new
List<MustahsilMakbuzuDetayDTO>();
38:         #endregion
39:     }
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

```

40:         public frmAnaSayfa()
41:     {
42:         InitializeComponent();
43:     }
44:
45:     /// <summary>
46:     /// Burada Form görüntülenirken
47:     /// Kendi hazırladığımız Giden Fatura ve Detaylarinin olusturup listeye
atiyoruz ki
48:     /// Buradan sonra butonlara tiklandiginda
49:     /// Bu listeler üzerinden kolayca işlem yapılabilisin
50:     /// </summary>
51:     /// <param name="sender">The sender info (For example Main Form)</param>
52:     /// <param name="e">Event Arguments</param>
53:     private void FormAnaSayfa_Shown(object sender, EventArgs e)
54:     {
55:         #region Ekrandaki Alanların Düzenlenmesi
56:         dtpFaturaTarihi.Format = DateTimePickerFormat.Short;
57:         lbEFaturaKullaniciListesi.DrawMode = DrawMode.OwnerDrawVariable;
58:         lbEFaturaKullaniciListesi.MeasureItem += listBox_MeasureItem;
59:         lbEFaturaKullaniciListesi.DrawItem += listBox_DrawItem;
60:         #endregion
61:
62:         #region İlk Verilerin Hazırlanması
63:
64:         #region Giden Faturalar
65:         #region Giden Faturaları Ekleme
66:         var gidenFatura = new GidenFaturaDTO
67:         {
68:             GidenFaturaId = "1",
69:             AltBirimAd = " A Birimi      ",
70:             TuzelKisiAd = "Deneme Sirketi - 1",
71:             VergiNo = "53602329864",
72:             VergiDairesi = "ANKARA",
73:             Adres = "Kizilay Gima'nin önü",
74:             FaksNo = "03121111111",
75:             BankaAd = "Türkiye İş Bankası",
76:             BankaSube = "Kizilay",
77:             IbanNo = "TR130006297372542652383131",
78:             DuzenlemeTarihi = new DateTime(2022, 1, 13),
79:             IlAd = "Ankara",
80:             IlceAd = "Çankaya",
81:             SatisTuruKod = SatisTur.Hesaben.GetHashCode(),
82:             FaturaGrupTuruKod = FaturaMakbuzGrupTur.Diger.GetHashCode(),
83:             KdvHarcicTutar = 0,
84:             KdvTutari = 0,
85:             FaturaTutari = 0,
86:             KonaklamaVergisi = 0,
87:             Aciklama = "Deneme amaçlı eklenmiştir"
88:         };
89:         gidenFatura.GibNumarası =
GibNumarası.RastgeleGibNumarasıOlusturFaturadan(gidenFatura);
90:         gidenFaturaListesi.Add(gidenFatura);
91:
92:         gidenFatura = new GidenFaturaDTO
93:         {
94:             GidenFaturaId = "2",
95:             AltBirimAd = "B Birimi      ",
96:             TuzelKisiAd = " Deneme Sirketi - 2",
97:             VergiNo = "9250936109",
98:             VergiDairesi = "ANKARA",
99:             Adres = "Kizilay YKM",
100:            FaksNo = "03121111112",
101:            BankaAd = "Vakıflar Bankası",
102:            BankaSube = "Kizilay",
103:            IbanNo = "TR530006291586775935345942",
104:            DuzenlemeTarihi = new DateTime(2022, 1, 1),
105:            IlAd = "Ankara",
106:            IlceAd = "Etimesgut",

```

```
107:             SatisTuruKod = SatisTur.Pesin.GetHashCode(),
108:             FaturaGrupTuruKod = FaturaMakbuzGrupTur.Malzeme.GetHashCode(),
109:             FaturaTuruKod = FaturaTur.Iade.GetHashCode(),
110:             KdvHariçTutar = 0,
111:             KdvTutari = 0,
112:             FaturaTutari = 0,
113:             KonaklamaVergisi = 0
114:         };
115:         gidenFatura.GibNumarasi =
GibNumarasi.RastgeleGibNumarasiOlusturFaturadan(gidenFatura);
116:         gidenFaturaListesi.Add(gidenFatura);
117:
118:         gidenFatura = new GidenFaturaDTO
119:     {
120:         GidenFaturaId = "3",
121:         AltBirimAd = "B Birimi      ",
122:         TuzelKisiAd = " Deneme Sirketi - 3",
123:         VergiNo = "5240018140",
124:         VergiDairesi = "ANKARA",
125:         Adres = "Zafer Çarsisi",
126:         FaksNo = "0312111113",
127:         BankaAd = "Vakif Katilim Bankasi",
128:         BankaSube = "Kizilay",
129:         IbanNo = "TR830006214925976839299642",
130:         DuzenlemeTarihi = new DateTime(2023, 1, 11),
131:         IlAd = "Ankara",
132:         IlceAd = "Etimesgut",
133:         SatisTuruKod = SatisTur.ImalatciIhracatci.GetHashCode(),
134:         FaturaTuruKod = FaturaTur.Iade.GetHashCode(),
135:         KdvHariçTutar = 0,
136:         KdvTutari = 0,
137:         FaturaTutari = 0,
138:         KonaklamaVergisi = 0
139:     };
140:     gidenFatura.GibNumarasi =
GibNumarasi.RastgeleGibNumarasiOlusturFaturadan(gidenFatura);
141:     gidenFaturaListesi.Add(gidenFatura);
142:
143:     gidenFatura = new GidenFaturaDTO
144:     {
145:         GidenFaturaId = "4",
146:         AltBirimAd = "B Birimi      ",
147:         TuzelKisiAd = "Deneme Sirketi - 4",
148:         VergiNo = "6940116151",
149:         VergiDairesi = "ANKARA",
150:         Adres = "Göksu Parki",
151:         FaksNo = "0312111114",
152:         BankaAd = "Kuveyt Tür",
153:         BankaSube = "Kizilay",
154:         IbanNo = "TR350006267645192879857714",
155:         DuzenlemeTarihi = new DateTime(2022, 1, 31),
156:         IlAd = "Ankara",
157:         IlceAd = "Çubuk",
158:         SatisTuruKod = SatisTur.IhracKayitli.GetHashCode(),
159:         FaturaGrupTuruKod = FaturaMakbuzGrupTur.Personel.GetHashCode(),
160:         KdvHariçTutar = 0,
161:         KdvTutari = 0,
162:         FaturaTutari = 0,
163:         KonaklamaVergisi = 0
164:     };
165:     gidenFatura.GibNumarasi =
GibNumarasi.RastgeleGibNumarasiOlusturFaturadan(gidenFatura);
166:     gidenFaturaListesi.Add(gidenFatura);
167:
168:     gidenFatura = new GidenFaturaDTO
169:     {
170:         GidenFaturaId = "5",
171:         AltBirimAd = "B Birimi      ",
172:         TuzelKisiAd = "Deneme Sirketi - 3",
```

```
173:             VergiNo = "20101516422",
174:             VergiDairesi = "ANKARA",
175:             Adres = "Dost'un Önü",
176:             FaksNo = "03121111113",
177:             BankaAd = "Enpara.Com Bankadan Güzeli",
178:             BankaSube = "Karakusunlar Sube",
179:             IbanNo = "TR630006295412435711171488",
180:             DuzenlemeTarihi = new DateTime(2022, 2, 1),
181:             IlAd = "Ankara",
182:             IlceAd = "Pursaklar",
183:             SatisTuruKod = SatisTur.Vadeli.GetHashCode(),
184:             KdvHaricTutar = 0,
185:             KdvTutari = 0,
186:             FaturaTutari = 0,
187:             KonaklamaVergisi = 0
188:         };
189:         gidenFatura.GibNumarasi =
GibNumarasi.RastgeleGibNumarasiOlusturFaturadan(gidenFatura);
190:         gidenFaturaListesi.Add(gidenFatura);
191:
192:         gidenFatura = new GidenFaturaDTO
193:     {
194:         GidenFaturaId = "6",
195:         AltBirimAd = "B Birimi      ",
196:         GercekKisiTcKimlikNo = "11738150028",
197:         GercekKisiAd = "Adnan",
198:         GercekKisiSoyad = "Senses",
199:         CepTelefonNo = "05555555555",
200:         EPostaAdresi = "adnansenses@mynet.com",
201:         IkametgahAdresi = "Dost'un Önü",
202:         BankaAd = "Halkbank",
203:         BankaSube = "Etimesgut Sube",
204:         IbanNo = "TR540006234114125194267726",
205:         DuzenlemeTarihi = new DateTime(2022, 2, 2),
206:         IlAd = "Konya",
207:         IlceAd = "Beysehir",
208:         SatisTuruKod = SatisTur.RafFiyatGarantili.GetHashCode(),
209:         GibNumarasi = "YZG2022000999999",
210:         KdvHaricTutar = 0,
211:         KdvTutari = 0,
212:         FaturaTutari = 0,
213:         KonaklamaVergisi = 0
214:     };
215:     gidenFatura.GibNumarasi =
GibNumarasi.RastgeleGibNumarasiOlusturFaturadan(gidenFatura);
216:     gidenFaturaListesi.Add(gidenFatura);
217:
218:     gidenFatura = new GidenFaturaDTO
219:     {
220:         GidenFaturaId = "7",
221:         AltBirimAd = "B Birimi      ",
222:         GercekKisiTcKimlikNo = "20077290692",
223:         GercekKisiAd = "Mehmet Emin",
224:         GercekKisiSoyad = "Akdeniz",
225:         CepTelefonNo = "05555555554",
226:         EPostaAdresi = "memo@yahoo.com",
227:         IkametgahAdresi = "Fiskiyenin orası",
228:         BankaAd = "Bank Mellat",
229:         BankaSube = "Yenimahalle Sube",
230:         IbanNo = "TR410006276748779926367358",
231:         DuzenlemeTarihi = new DateTime(2022, 1, 25),
232:         IlAd = "Agri",
233:         IlceAd = "Patnos",
234:         SatisTuruKod = SatisTur.IstirakeSatilan.GetHashCode(),
235:         GibNumarasi = "AGR2022000999999",
236:         KdvHaricTutar = 0,
237:         KdvTutari = 0,
238:         FaturaTutari = 0,
239:         KonaklamaVergisi = 0
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

```
240:         };
241:         gidenFatura.GibNumarasi =
GibNumarasi.RastgeleGibNumarasiOlusturFaturadan(gidenFatura);
242:         gidenFaturaListesi.Add(gidenFatura);
243:         #endregion
244:
245:         #region Giden Fatura Detayları Ekleme
246:
247:         var gidenFaturaDetay = new GidenFaturaDetayDTO
248:         {
249:             GidenFaturaId = "7",
250:             BirimFiyat = (decimal)0.1234,
251:             Miktar = 1000,
252:             KdvOran = 0,
253:             IskontoOran = 0,
254:             KdvHaricTutar = 1234,
255:             KdvTutari = 0,
256:             KonaklamaVergisi = 0,
257:             GibKisaltma = "KGM",
258:             IrsaliyeNo = "1",
259:             MalzemeFaturaAciklamasi = "Ofis demirbasi için alindi",
260:             SevkIrsaliyeTarihi = new DateTime(2022, 1, 1),
261:             SevkIrsaliyesiNo = "34",
262:             PlakaNo = "06GUC777",
263:             FaturaUrunTuru = "Dizüstü Bilgisayar",
264:             Tonaj = 1,
265:             YuklemeFormuNo = 1234
266:         };
267:         gidenFaturaDetayListesi.Add(gidenFaturaDetay);
268:
269:         gidenFaturaDetay = new GidenFaturaDetayDTO
270:         {
271:             GidenFaturaId = "7",
272:             BirimFiyat = (decimal)0.1,
273:             Miktar = 10000,
274:             KdvOran = 18,
275:             IskontoOran = 0,
276:             KdvHaricTutar = 1000,
277:             KdvTutari = 180,
278:             KonaklamaVergisi = 0,
279:             GibKisaltma = "KWT",
280:             IrsaliyeNo = "1",
281:             MalzemeFaturaAciklamasi = "Ofis demirbasi 2 için alindi",
282:             SevkIrsaliyeTarihi = new DateTime(2022, 1, 1),
283:             SevkIrsaliyesiNo = "34",
284:             PlakaNo = "06GUC778",
285:             FaturaUrunTuru = "Priz",
286:             Tonaj = 1,
287:             YuklemeFormuNo = 1236
288:         };
289:         gidenFaturaDetayListesi.Add(gidenFaturaDetay);
290:
291:         gidenFaturaDetay = new GidenFaturaDetayDTO
292:         {
293:             GidenFaturaId = "1",
294:             BirimFiyat = (decimal)0.1,
295:             Miktar = 10000,
296:             KdvOran = 18,
297:             IskontoOran = 0,
298:             KdvHaricTutar = 1000,
299:             KdvTutari = 180,
300:             KonaklamaVergisi = 20,
301:             GibKisaltma = "KWT",
302:             IrsaliyeNo = "1",
303:             MalzemeFaturaAciklamasi = "Konaklama için alindi",
304:             SevkIrsaliyeTarihi = new DateTime(2022, 1, 1),
305:             SevkIrsaliyesiNo = "34",
306:             PlakaNo = "06GUC778",
307:             FaturaUrunTuru = "Misafirhane",
```

```
308:             Tonaj = 1,
309:             YuklemeFormuNo = 1236
310:         };
311:         gidenFaturaDetayListesi.Add(gidenFaturaDetay);
312:
313:         gidenFaturaDetay = new GidenFaturaDetayDTO
314:     {
315:         GidenFaturaId = "7",
316:         BirimFiyat = (decimal)0.1234,
317:         Miktar = 1000,
318:         KdvOran = 1,
319:         IskontoOran = 0,
320:         KdvHaricTutar = 1234,
321:         KdvTutari = (decimal)12.34,
322:         KonaklamaVergisi = 0,
323:         GibKisaltma = "MTR",
324:         PlakaNo = "06GC7447",
325:         FaturaUrunTuru = "Çubuk Mikrofon"
326:     };
327:     gidenFaturaDetayListesi.Add(gidenFaturaDetay);
328:
329:     gidenFaturaDetay = new GidenFaturaDetayDTO
330:     {
331:         GidenFaturaId = "2",
332:         BirimFiyat = (decimal)0.1234,
333:         Miktar = 1000,
334:         KdvOran = 1,
335:         IskontoOran = 0,
336:         KdvHaricTutar = 1234,
337:         KdvTutari = (decimal)12.34,
338:         KonaklamaVergisi = 0,
339:         GibKisaltma = "KWT",
340:         PlakaNo = "06GC7447",
341:         FaturaUrunTuru = "Çubuk Mikrofon"
342:     };
343:     gidenFaturaDetayListesi.Add(gidenFaturaDetay);
344:
345:     gidenFaturaDetay = new GidenFaturaDetayDTO
346:     {
347:         GidenFaturaId = "3",
348:         BirimFiyat = (decimal)0.124,
349:         Miktar = 5000,
350:         KdvOran = 8,
351:         IskontoOran = 0,
352:         KdvHaricTutar = 6020,
353:         KdvTutari = (decimal)481.6,
354:         KonaklamaVergisi = 0,
355:         GibKisaltma = "MON",
356:         PlakaNo = "06J1234",
357:         FaturaUrunTuru = "Mouse"
358:     };
359:     gidenFaturaDetayListesi.Add(gidenFaturaDetay);
360:
361:     gidenFaturaDetay = new GidenFaturaDetayDTO
362:     {
363:         GidenFaturaId = "1",
364:         BirimFiyat = 500,
365:         Miktar = 120,
366:         KdvOran = 18,
367:         IskontoOran = 0,
368:         KdvHaricTutar = 60000,
369:         KdvTutari = 12800,
370:         KonaklamaVergisi = 1200,
371:         GibKisaltma = "LTR",
372:         PlakaNo = "06C99876",
373:         FaturaUrunTuru = "Misafirhane"
374:     };
375:     gidenFaturaDetayListesi.Add(gidenFaturaDetay);
376:
```

```

377:         #endregion
378:
379:         #region Giden Fatura Toplamlari Hesaplama ve Olmayanlara Ekleme
380:
381:         foreach (var item in gidenFaturaListesi)
382:         {
383:             if (gidenFaturaDetayListesi.Any(j => j.GidenFaturaId ==
item.GidenFaturaId))
384:             {
385:                 var gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi.Where(j =>
j.GidenFaturaId == item.GidenFaturaId).ToList();
386:                 item.KdvHaricTutar = gidenFaturaDetayListesiTemp.Sum(j =>
j.KdvHaricTutar);
387:                 item.KdvTutari = gidenFaturaDetayListesiTemp.Sum(j =>
j.KdvTutari);
388:                 item.KonaklamaVergisi = gidenFaturaDetayListesiTemp.Sum(j =>
j.KonaklamaVergisi);
389:                 item.FaturaTutari = item.KdvHaricTutar + item.KdvTutari +
item.KonaklamaVergisi;
390:             }
391:             else
392:             {
393:                 gidenFaturaDetay = new GidenFaturaDetayDTO
394:                 {
395:                     GidenFaturaId = item.GidenFaturaId,
396:                     BirimFiyat = (decimal)1.5,
397:                     Miktar = 1000,
398:                     KdvOran = 0,
399:                     IskontoOran = 0,
400:                     KdvHaricTutar = 1500,
401:                     KdvTutari = 0,
402:                     KonaklamaVergisi = 30,
403:                     GibKisaltma = "MTR",
404:                     FaturaUrunTuru = "Misafirhane " + item.GidenFaturaId
405:                 };
406:                 item.KdvHaricTutar = gidenFaturaDetay.KdvHaricTutar;
407:                 item.KdvTutari = gidenFaturaDetay.KdvTutari;
408:                 item.KonaklamaVergisi = gidenFaturaDetay.KonaklamaVergisi;
409:                 item.FaturaTutari = item.KdvHaricTutar + item.KdvTutari +
item.KonaklamaVergisi;
410:                 gidenFaturaDetayListesi.Add(gidenFaturaDetay);
411:             }
412:         }
413:
414:         #endregion
415:         #endregion
416:
417:         #region Müstahsil Makbuzlar
418:         #region Müstahsil Makbuzlari Ekleme
419:         var mustahsilMakbuzu = new MustahsilMakbuzuDTO
420:         {
421:             MustahsilMakbuzuId = "1",
422:             AltBirimAd = "A Birimi",
423:             TuzelKisiAd = "Deneme Sirketi - 1",
424:             VergiNo = "53602329864",
425:             VergiDairesi = "ANKARA",
426:             Adres = "Kizilay Gima'nin önü",
427:             FaksNo = "03121111111",
428:             BankaAd = "Türkiye İş Bankası",
429:             BankaSube = "Kizilay",
430:             IbanNo = "TR130006297372542652383131",
431:             MustahsilMakbuzuTarihi = new DateTime(2022, 4, 13),
432:             IlAd = "Ankara",
433:             IlceAd = "Çankaya",
434:             MustahsilMakbuzuNo = "MLT2022000010998",
435:             MakbuzGrupTuruKod = FaturaMakbuzGrupTur.Kuspe.GetHashCode(),
436:             NetTutar = 0,
437:             GelirVergisi = 0,
438:             MustahsilMakbuzuTutari = 0

```

```
439:         };
440:         mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
441:
442:         mustahsilMakbuzu = new MustahsilMakbuzuDTO
443:         {
444:             MustahsilMakbuzuId = "2",
445:             AltBirimAd = "B Birimi",
446:             TuzelKisiAd = "Deneme Sirketi - 2",
447:             VergiNo = "9250936109",
448:             VergiDairesi = "ANKARA",
449:             Adres = "Kizilay YKM",
450:             FaksNo = "03121111112",
451:             BankaAd = "Vakiflar Bankasi",
452:             BankaSube = "Kizilay",
453:             IbanNo = "TR530006291586775935345942",
454:             MustahsilMakbuzuTarihi = new DateTime(2022, 4, 1),
455:             IlAd = "Ankara",
456:             IlceAd = "Etimesgut",
457:             MakbuzGrupTuruKod = FaturaMakbuzGrupTur.Personel.GetHashCode(),
458:             NetTutar = 0,
459:             GelirVergisi = 0,
460:             MustahsilMakbuzuTutari = 0
461:         };
462:         mustahsilMakbuzu.MustahsilMakbuzuNo =
GibNumarasi.RastgeleGibNumarasiOlusturMakbuzdan(mustahsilMakbuzu);
463:         mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
464:
465:         mustahsilMakbuzu = new MustahsilMakbuzuDTO
466:         {
467:             MustahsilMakbuzuId = "c3da32c1-c0f1-4061-8234-ec09f83804fa",
468:             TuzelKisiAd = "Deneme Sirketi - 3",
469:             VergiNo = "5240018140",
470:             VergiDairesi = "ANKARA",
471:             Adres = "Zafer Carsisi",
472:             FaksNo = "03121111113",
473:             BankaAd = "Vakif Katilik Bankasi",
474:             BankaSube = "Kizilay",
475:             IbanNo = "TR830006214925976839299642",
476:             MustahsilMakbuzuTarihi = new DateTime(2022, 4, 11),
477:             IlAd = "Ankara",
478:             IlceAd = "Etimesgut",
479:             NetTutar = 0,
480:             GelirVergisi = 0,
481:             MustahsilMakbuzuTutari = 0
482:         };
483:         mustahsilMakbuzu.MustahsilMakbuzuNo =
GibNumarasi.RastgeleGibNumarasiOlusturMakbuzdan(mustahsilMakbuzu);
484:         mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
485:
486:         mustahsilMakbuzu = new MustahsilMakbuzuDTO
487:         {
488:             MustahsilMakbuzuId = "4",
489:             TuzelKisiAd = "Deneme Sirketi - 4",
490:             VergiNo = "6940116151",
491:             VergiDairesi = "ANKARA",
492:             Adres = "Göksu Parki",
493:             FaksNo = "03121111114",
494:             BankaAd = "Kuveyt Tür",
495:             BankaSube = "Kizilay",
496:             IbanNo = "TR350006267645192879857714",
497:             MustahsilMakbuzuTarihi = new DateTime(2022, 4, 3),
498:             IlAd = "Ankara",
499:             IlceAd = "Çubuk",
500:             NetTutar = 0,
501:             GelirVergisi = 0,
502:             MustahsilMakbuzuTutari = 0
503:         };
504:         mustahsilMakbuzu.MustahsilMakbuzuNo =
GibNumarasi.RastgeleGibNumarasiOlusturMakbuzdan(mustahsilMakbuzu);
```

```

505:             mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
506:
507:             mustahsilMakbuzu = new MustahsilMakbuzuDTO
508:             {
509:                 MustahsilMakbuzuId = "5",
510:                 TuzelKisiAd = "Deneme Sirketi - 3",
511:                 VergiNo = "20101516422",
512:                 VergiDairesi = "ANKARA",
513:                 Adres = "Dost'un önü",
514:                 FaksNo = "03121111113",
515:                 BankaAd = "Enpara.Com Bankadan Güzeli",
516:                 BankaSube = "Karakusunlar Sube",
517:                 IbanNo = "TR63000629541243571171488",
518:                 MustahsilMakbuzuTarihi = new DateTime(2022, 4, 1),
519:                 IlAd = "Ankara",
520:                 IlceAd = "Pursaklar",
521:                 NetTutar = 0,
522:                 GelirVergisi = 0,
523:                 MustahsilMakbuzuTutari = 0
524:             };
525:             mustahsilMakbuzu.MustahsilMakbuzuNo =
GibNumarasi.RastgeleGibNumarasiOlusturMakbuzdan(mustahsilMakbuzu);
526:             mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
527:
528:             mustahsilMakbuzu = new MustahsilMakbuzuDTO
529:             {
530:                 MustahsilMakbuzuId = "6",
531:                 VergiNo = "52270709114",
532:                 TuzelKisiAd = "Adnan Senses",
533:                 EPostaAdresi = "adnansenses@mynet.com",
534:                 Adres = "Dost'un önü",
535:                 BankaAd = "Halkbank",
536:                 BankaSube = "Etimesgut Sube",
537:                 IbanNo = "TR540006234114125194267726",
538:                 MustahsilMakbuzuTarihi = new DateTime(2022, 4, 2),
539:                 IlAd = "Konya",
540:                 IlceAd = "Beysehir",
541:                 NetTutar = 0,
542:                 GelirVergisi = 0,
543:                 MustahsilMakbuzuTutari = 0
544:             };
545:             mustahsilMakbuzu.MustahsilMakbuzuNo =
GibNumarasi.RastgeleGibNumarasiOlusturMakbuzdan(mustahsilMakbuzu);
546:             mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
547:
548:             mustahsilMakbuzu = new MustahsilMakbuzuDTO
549:             {
550:                 MustahsilMakbuzuId = "7",
551:                 VergiNo = "20077290692",
552:                 TuzelKisiAd = "Mehmet Emin",
553:                 EPostaAdresi = "memo@yahoo.com",
554:                 BankaAd = "Bank Mellat",
555:                 BankaSube = "Yenimahalle Sube",
556:                 IbanNo = "TR410006276748779926367358",
557:                 MustahsilMakbuzuTarihi = new DateTime(2022, 4, 25),
558:                 IlAd = "Agri",
559:                 IlceAd = "Patnos",
560:                 NetTutar = 0,
561:                 GelirVergisi = 0,
562:                 MustahsilMakbuzuTutari = 0
563:             };
564:             mustahsilMakbuzu.MustahsilMakbuzuNo =
GibNumarasi.RastgeleGibNumarasiOlusturMakbuzdan(mustahsilMakbuzu);
565:             mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
566:             #endregion
567:
568:             #region Müstahsil Makbuz Detaylari Ekleme
569:
570:             var mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO

```

*Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com*

```
571:         {
572:             MustahsilMakbuzuId = "7",
573:             BirimFiyat = (decimal)0.1234,
574:             Miktar = 1000,
575:             NetTutar = 1234,
576:             GelirVergisi = 0,
577:             GibKisaltma = "KGM",
578:             IsinMahiyeti = "Dizüstü Bilgisayar"
579:         };
580:         mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
581:
582:         mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
583:         {
584:             MustahsilMakbuzuId = "7",
585:             BirimFiyat = (decimal)0.1234,
586:             Miktar = 1000,
587:             NetTutar = 1234,
588:             GelirVergisi = (decimal)12.34,
589:             ToplamTutar = (decimal)1246.34,
590:             GibKisaltma = "MTR",
591:             IsinMahiyeti = "Çubuk Mikrofon"
592:         };
593:         mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
594:
595:         mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
596:         {
597:             MustahsilMakbuzuId = "2",
598:             BirimFiyat = (decimal)0.1234,
599:             Miktar = 1000,
600:             NetTutar = 1234,
601:             GelirVergisi = (decimal)12.34,
602:             ToplamTutar = (decimal)1246.34,
603:             GibKisaltma = "KWT",
604:             IsinMahiyeti = "Çubuk Mikrofon"
605:         };
606:         mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
607:
608:         mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
609:         {
610:             MustahsilMakbuzuId = "3",
611:             BirimFiyat = (decimal)0.124,
612:             Miktar = 5000,
613:             NetTutar = 6020,
614:             GelirVergisi = (decimal)481.6,
615:             ToplamTutar = (decimal)6500.6,
616:             GibKisaltma = "MON",
617:             IsinMahiyeti = "Mouse"
618:         };
619:         mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
620:
621:         mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
622:         {
623:             MustahsilMakbuzuId = "1",
624:             BirimFiyat = 500,
625:             Miktar = 120,
626:             NetTutar = 60000,
627:             GelirVergisi = 12800,
628:             ToplamTutar = 72800,
629:             GibKisaltma = "LTR",
630:             IsinMahiyeti = "Ayakkabi"
631:         };
632:         mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
633:
634: #endregion
635:
636: #region Müstahsil Makbuz Toplamlari Hesaplama ve Olmayanlara Ekleme
637:
638: foreach (var item in mustahsilMakbuzuListesi)
639: {
```

```

640:             if (mustahsilMakbuzuDetayListesi.Any(j => j.MustahsilMakbuzuId == item.MustahsilMakbuzuId))
641:             {
642:                 var mustahsilMakbuzuDetayListesiTemp =
643:                     mustahsilMakbuzuDetayListesi.Where(j => j.MustahsilMakbuzuId == item.MustahsilMakbuzuId).ToList();
644:                 item.NetTutar = mustahsilMakbuzuDetayListesiTemp.Sum(j => j.NetTutar);
645:                 item.GelirVergisi = mustahsilMakbuzuDetayListesiTemp.Sum(j => j.GelirVergisi);
646:                 item.MustahsilMakbuzuTutari = item.NetTutar + item.GelirVergisi;
647:             }
648:         }
649:         mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
650:         {
651:             MustahsilMakbuzuId = item.MustahsilMakbuzuId,
652:             BirimFiyat = (decimal)1.5,
653:             Miktar = 1000,
654:             NetTutar = 1500,
655:             GelirVergisi = 0,
656:             ToplamTutar = 1500,
657:             GibKisaltma = "MTR",
658:             IsinMahiyeti = "Deneme " + item.MustahsilMakbuzuId
659:         };
660:         item.NetTutar = mustahsilMakbuzuDetay.NetTutar;
661:         item.GelirVergisi = mustahsilMakbuzuDetay.GelirVergisi;
662:         item.MustahsilMakbuzuTutari = item.NetTutar + item.GelirVergisi;
663:         mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
664:     }
665: }
666:
667: #endregion
668: #endregion
669:
670: #endregion
671: }
672:
673: /// <summary>
674: /// This method is used to meaure the length of the item in listbox and make
it multi line
675: /// without using scrollbar and let the user see more efficiently
676: /// </summary>
677: /// <param name="sender">The sender info (For example Main Form)</param>
678: /// <param name="e">Event Arguments</param>
679: private static void listBox_MeasureItem(object sender, MeasureItemEventArgs e)
680: {
681:     if (!(sender is ListBox listBox)) return;
682:     e.ItemHeight = (int) e.Graphics
683:         .MeasureString(listBox.Items[e.Index].ToString(), listBox.Font,
listBox.Width).Height;
684: }
685:
686: /// <summary>
687: /// This method is used to meaure the length of the item in listbox and make
it multi line
688: /// without using scrollbar and let the user see more efficiently
689: /// </summary>
690: /// <param name="sender">The sender info (For example Main Form)</param>
691: /// <param name="e">Event Arguments</param>
692: private static void listBox_DrawItem(object sender, DrawItemEventArgs e)
693: {
694:     if (!(sender is ListBox listBox)) return;
695:     e.DrawBackground();
696:     e.DrawFocusRectangle();
697:     e.Graphics.DrawString(listBox.Items[e.Index].ToString(), e.Font, new
SolidBrush(e.ForeColor), e.Bounds);
698: }
699:
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com)

```

700:      /// <summary>
701:      /// Form kapandigi zaman ne yapilacagini belirten bir metottur
702:      /// </summary>
703:      /// <param name="sender">The sender info (For example Main Form)</param>
704:      /// <param name="e">Event Arguments</param>
705:      private void frmAnaSayfa_FormClosed(object sender, FormClosedEventArgs e)
706:      {
707:          MessageBox.Show("Programi kullandiginiz için teşekkürler",
MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Information);
708:          Application.Exit();
709:      }
710:
711:      #region E-Fatura ve E-Arsiv Metotlari
712:      /// <summary>
713:      /// Sistemde E-Fatura ve E-Arsiv Servislerine Gönderilecek Formatta
714:      /// Ideal XML dosyalarinin olusturulmasi için XML Olustur Butonuna tiklandigi
zaman
715:      /// Yapilacak islemlerin hazirlanigi metottur.
716:      /// </summary>
717:      /// <param name="sender">The sender info (For example Main Form)</param>
718:      /// <param name="e">Event Arguments</param>
719:      private void btnXmlOlustur_Click(object sender, EventArgs e)
720:      {
721:          using (var dialogKlasorSecimi = new FolderBrowserDialog())
722:          {
723:              dialogKlasorSecimi.SelectedPath = Application.StartupPath;
724:              var result = dialogKlasorSecimi.ShowDialog();
725:
726:              if (result != DialogResult.OK ||
string.IsNullOrWhiteSpace(dialogKlasorSecimi.SelectedPath)) return;
727:              var klasorAdi = dialogKlasorSecimi.SelectedPath;
728:              // Burada form yüklenigi zaman hazırlanan giden faturalardan
rastgele birinin
729:                  // ve ona ait detay kayitlarinin seçilmesi saglanıyor
730:                  var index = new Random().Next(gidenFaturaListesi.Count);
731:                  var gidenFatura = gidenFaturaListesi[index];
732:                  var gidenFaturaDetayListesiTemp = new List<GidenFaturaDetayDTO>();
733:                  if (gidenFaturaDetayListesi.Any(j => j.GidenFaturaId ==
gidenFatura.GidenFaturaId))
734:                      gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi.Where(j =>
j.GidenFaturaId == gidenFatura.GidenFaturaId).ToList();
735:
736:                  #region XML Olusturma
737:                  var dosyaAdi = "";
738:                  if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
739:                  {
740:                      var kullaniciMi =
DisServisler.EFaturaKullanicisiMi(gidenFatura.VergiNo);
741:                      dosyaAdi = kullaniciMi ?
YardimciSiniflar.EFaturaXMLOlustur(gidenFatura, gidenFaturaDetayListesiTemp, klasorAdi) :
YardimciSiniflar.EArsivXMLOlustur(gidenFatura, gidenFaturaDetayListesiTemp, klasorAdi,
true);
742:                  }
743:                  else
744:                  {
745:                      if (!string.IsNullOrEmpty((gidenFatura.GercekKisiTcKimlikNo)))
746:                      {
747:                          var kullaniciMi =
DisServisler.EFaturaKullanicisiMi(gidenFatura.GercekKisiTcKimlikNo);
748:                          dosyaAdi = kullaniciMi ?
YardimciSiniflar.EFaturaXMLOlustur(gidenFatura, gidenFaturaDetayListesiTemp, klasorAdi) :
YardimciSiniflar.EArsivXMLOlustur(gidenFatura, gidenFaturaDetayListesiTemp, klasorAdi,
true);
749:                      }
750:                  else
751:                      dosyaAdi = YardimciSiniflar.EArsivXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, false);
752:                  }
753:

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

754:             MessageBox.Show(dosyaAdi + " adresinde gerekli XML dosyasi
olusturulmustur.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
755:
756:         #endregion
757:     }
758:
759:
760:     /// <summary>
761:     /// Sistemde E-Fatura veya E-Arsive yollansin yollanmasin
762:     /// Hazirlanan XML dosyalarinin bu sistemlerde nasil gorundugune dair
763:     /// Onizleme alinmasini saglayan metottur. Bu onizleme PDF veya ZIP olarak
alinacak
764:     /// Sorun olsa da olmasa da bir mesaj ile kullanici bilgilendirilecektir.
765:     /// </summary>
766:     /// <param name="sender">The sender info (For example Main Form)</param>
767:     /// <param name="e">Event Arguments</param>
768:     private void btnGIBOnizleme_Click(object sender, EventArgs e)
769:     {
770:         using (var dialogKlasorSecimi = new FolderBrowserDialog())
771:         {
772:             dialogKlasorSecimi.SelectedPath = Application.StartupPath;
773:             var result = dialogKlasorSecimi.ShowDialog();
774:
775:             if (result != DialogResult.OK ||
776:                 string.IsNullOrWhiteSpace(dialogKlasorSecimi.SelectedPath)) return;
777:             var klasorAdi = dialogKlasorSecimi.SelectedPath;
778:             // Burada form yüklenigi zaman hazırlanan giden faturalardan
rastgele birinin
779:             // ve ona ait detay kayitlarinin secilmesi saglaniyor
780:             var index = new Random().Next(gidenFaturaListesi.Count);
781:             var gidenFatura = gidenFaturaListesi[index];
782:             var gidenFaturaDetayListesiTemp = new List<GidenFaturaDetayDTO>();
783:             if (gidenFaturaDetayListesi.Any(j => j.GidenFaturaId ==
gidenFatura.GidenFaturaId))
784:                 gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi.Where(j =>
j.GidenFaturaId == gidenFatura.GidenFaturaId).ToList();
785:
786:             #region XML Olusturma ve Servis Onizlemesi
787:             var dosyaAdi = "";
788:             var geriDonus = new GeriDonus
789:             {
790:                 Tip = 0
791:             };
792:             var dosya = new byte[1];
793:             var kullaniciMi = false;
794:             if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
795:                 kullaniciMi =
Disservisler.EFaturaKullanicisiMi(gidenFatura.VergiNo);
796:                 if (kullaniciMi)
797:                 {
798:                     dosyaAdi = YardimciSiniflar.EFaturaXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi);
799:                     geriDonus = Disservisler.EFaturaOnIzleme(gidenFatura,
dosyaAdi);
800:
801:                     if (geriDonus != null)
802:                         dosya = geriDonus.Dosya;
803:
804:                 }
805:                 dosyaAdi = YardimciSiniflar.EArsivXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, true);
806:                 dosya = Disservisler.EArsivOnIzleme(gidenFatura, dosyaAdi);
807:
808:             }
809:
810:         }
811:         dosyaAdi = YardimciSiniflar.EArsivXMLOlustur(gidenFatura,

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

gidenFaturaDetayListesiTemp, klasorAdi, false);
812:           dosya = Disservisler.EArsivOnIzleme(gidenFatura, dosyaAdi);
813:       }
814:
815:       if (dosya != null && dosya.Length > 1)
816:       {
817:           var dosyaAdiTempt = dosyaAdi.Replace("xml", "pdf");
818:           // if (kullaniciMi && !string.IsNullOrEmpty(gidenFatura.BelgeOid))
819:           //     dosyaAdiTempt = dosyaAdi.Replace("xml", "zip");
820:           // if (geriDonus != null && geriDonus.Tip == 1)
821:           //     dosyaAdiTempt = dosyaAdi.Replace("xml", "zip");
822:
823:           if (kullaniciMi && !string.IsNullOrEmpty(gidenFatura.BelgeOid))
824:               dosya = ZipDosyasindanPdfCikar(dosya);
825:           if (geriDonus != null && geriDonus.Tip == 1)
826:               dosya = ZipDosyasindanPdfCikar(dosya);
827:
828:           File.WriteAllBytes(dosyaAdiTempt, dosya);
829:
830:           MessageBox.Show(dosyaAdiTempt + " adresinde gerekli PDF veya ZIP
dosyasi olusturulmustur.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
831:           if (File.Exists(dosyaAdiTempt))
832:               System.Diagnostics.Process.Start(dosyaAdiTempt);
833:           }
834:           else
835:           {
836:               MessageBox.Show("Söz konusu faturanın önizlemesi
olusturulamamistir", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Error);
837:           }
838:
839:           #endregion
840:       }
841:   }
842:
843:   /// <summary>
844:   /// Sistem tarafından hazırlanan XML dosyasının
845:   /// E-Fatura veya E-Arsiv servisine gönderilmesi için hazırlanan metottur.
846:   /// Burada işlemin başarılı olup olmamasına göre kullanıcı
bilgilendirilecektir.
847:   /// </summary>
848:   /// <param name="sender">The sender info (For example Main Form)</param>
849:   /// <param name="e">Event Arguments</param>
850:   private void btnServiseGonder_Click(object sender, EventArgs e)
851:   {
852:       using (var dialogKlasorSecimi = new FolderBrowserDialog())
853:       {
854:           dialogKlasorSecimi.SelectedPath = Application.StartupPath;
855:           var result = dialogKlasorSecimi.ShowDialog();
856:
857:           if (result != DialogResult.OK ||
858: string.IsNullOrWhiteSpace(dialogKlasorSecimi.SelectedPath)) return;
859:           var klasorAdi = dialogKlasorSecimi.SelectedPath;
// Burada form yükleniği zaman hazırlanan giden faturalardan
rastgele birinin
860:           // ve ona ait detay kayıtlarının seçilmesi sağlanıyor
861:           var index = new Random().Next(gidenFaturaListesi.Count);
862:           var gidenFatura = gidenFaturaListesi[index];
863:           var gidenFaturaDetayListesiTemp = new List<GidenFaturaDetayDTO>();
864:           if (gidenFaturaDetayListesi.Any(j => j.GidenFaturaId ==
gidenFatura.GidenFaturaId))
865:               gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi.Where(j =>
j.GidenFaturaId == gidenFatura.GidenFaturaId).ToList();
866:
867:           #region XML Olusturma ve Servise Gönderme
868:           var dosyaAdi = "";
869:           var sonuc = "";
870:           if (!string.IsNullOrEmpty(gidenFatura.VergiNo))

```

```

871:             {
872:                 var kullaniciMi =
DisServisler.EFaturaKullanicisiMi(gidenFatura.VergiNo);
873:                 if (kullaniciMi)
874:                 {
875:                     dosyaAdi = YardimciSiniflar.EFaturaXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi);
876:                     sonuc = DisServisler.EFaturaGonder(gidenFatura, dosyaAdi,
gidenFatura.BelgeOid);
877:                     if (sonuc != MesajSabitler.IslamBasarisiz)
878:                     {
879:                         if (sonuc.Length <= 20)
880:                             gidenFatura.BelgeOid = sonuc;
881:                     }
882:                 }
883:             }
884:             {
885:                 dosyaAdi = YardimciSiniflar.EArsivXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, true);
886:                 sonuc = DisServisler.EArsivGonder(gidenFatura, dosyaAdi);
887:             }
888:         }
889:     }
890:     {
891:         if (!string.IsNullOrEmpty((gidenFatura.GercekKisiTcKimlikNo)))
892:         {
893:             var kullaniciMi =
DisServisler.EFaturaKullanicisiMi(gidenFatura.GercekKisiTcKimlikNo);
894:             if (kullaniciMi)
895:             {
896:                 dosyaAdi =
YardimciSiniflar.EFaturaXMLOlustur(gidenFatura, gidenFaturaDetayListesiTemp, klasorAdi);
897:                 sonuc = DisServisler.EFaturaGonder(gidenFatura, dosyaAdi,
gidenFatura.BelgeOid);
898:                 if (sonuc != MesajSabitler.IslamBasarisiz)
899:                 {
900:                     if (sonuc.Length <= 20)
901:                         gidenFatura.BelgeOid = sonuc;
902:                 }
903:             }
904:             else
905:             {
906:                 dosyaAdi = YardimciSiniflar.EArsivXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, false);
907:                 sonuc = DisServisler.EArsivGonder(gidenFatura, dosyaAdi);
908:             }
909:         }
910:     }
911:     {
912:         dosyaAdi = YardimciSiniflar.EArsivXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, false);
913:         sonuc = DisServisler.EArsivGonder(gidenFatura, dosyaAdi);
914:     }
915: }
916:
917: if (sonuc == MesajSabitler.IslamBasarisiz)
918: {
919:     MessageBox.Show(dosyaAdi + " dosyasinin servise gönderilmesinde
bir sorun yasanmistir.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Error);
920: }
921: else
922: {
923:     MessageBox.Show(dosyaAdi + " dosyasi basariyla GIB servislerine
gönderilmistir.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
924: }
925:
926: #endregion

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com)

```

927:         }
928:     }
929:
930:     /// <summary>
931:     /// Eger Fatura E-Fatura Mükellefine kesiliyorsa
932:     /// Ve Belge Oid degeri yoksa,
933:     /// Daha önce gönderilme ihtimaline karsilik olarak
934:     /// Bu bilgilerin servis üzerinden temin edilebilmesi için gerekli islemeler
gerçeklestirildi
935:     /// </summary>
936:     /// <param name="sender">The sender info (For example Main Form)</param>
937:     /// <param name="e">Event Arguments</param>
938:     private void btnBelgeOidKontrol_Click(object sender, EventArgs e)
939:
940:     #region E-Fatura Mükelleflerinin Fatura Id Bilgilerinin Temini
941:     var gidenFaturaIdListesi = new List<string>();
942:     foreach (var item in gidenFaturaListesi)
943:     {
944:         if (string.IsNullOrEmpty(item.VergiNo)) continue;
945:         var kullaniciMi = DisServisler.EFaturaKullanicisiMi(item.VergiNo);
946:         if (kullaniciMi)
947:             gidenFaturaIdListesi.Add(item.GidenFaturaId);
948:     }
949:     #endregion
950:
951:     var islemSonucu = string.Empty;
952:     if (gidenFaturaIdListesi.Count <= 0) return;
953:     {
954:         var builder = new StringBuilder();
955:         builder.Append(islemSonucu);
956:         foreach (var item in gidenFaturaIdListesi)
957:         {
958:             var sonuc = DisServisler.BelgeOidKontrol(item,
DateTime.Now.AddMonths(-3), DateTime.Now);
959:             if (sonuc != MesajSabitler.IslemBasarili && sonuc !=
MesajSabitler.IslemBasarisiz)
960:                 builder.Append(item + " belge numaralı faturanın Belge Oid
degeri: " + sonuc + " ,");
961:             }
962:             islemSonucu = builder.ToString();
963:             if (islemSonucu.Length <= 2) return;
964:             islemSonucu = islemSonucu.Substring(0, islemSonucu.Length - 2);
965:             MessageBox.Show(islemSonucu, MesajSabitler.MesajBasligi,
MessageBoxButtons.OK, MessageBoxIcon.Information);
966:         }
967:     }
968:
969:     /// <summary>
970:     /// Faturanın sisteme gönderilip gönderilmemiş kontrol edilerek
971:     /// Buna göre silinip silinemeyeceğine karar verilmesini saglayan metottur.
972:     /// </summary>
973:     /// <param name="sender">The sender info (For example Main Form)</param>
974:     /// <param name="e">Event Arguments</param>
975:     private void btnFaturaSil_Click(object sender, EventArgs e)
976:
977:     {
978:         var index = new Random().Next(gidenFaturaListesi.Count);
979:         var gidenFatura = gidenFaturaListesi[index];
980:
981:         if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
982:         {
983:             var kullaniciMi =
DisServisler.EFaturaKullanicisiMi(gidenFatura.VergiNo);
984:             var sonuc = kullaniciMi ?
DisServisler.EFaturaSilmeyeUygunMu(gidenFatura.GidenFaturaId) :
DisServisler.EArsivSilmeyeUygunMu(gidenFatura.GidenFaturaId);
985:
986:             if (sonuc)
987:                 MessageBox.Show(gidenFatura.GidenFaturaId + " yerel belge
numaralı fatura silinebilir", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,

```

```

MessageBoxIcon.Information);
987:         else
988:             MessageBox.Show(gidenFatura.GidenFaturaId + " yerel belge
numarali fatura GIB servislerine gönderildiği, onaylandığı veya onay beklediği için
silenemez", MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Error);
989:         }
990:     else
991:     {
992:         MessageBox.Show("Vergi Numarası olmayan bir fatura silinemez.", 
MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Error);
993:     }
994: }
995:
996: /// <summary>
997: /// Ekrandan girilne tarihten öncesine ait
998: /// Kayitli E-Fatura Mükellef Vergi Numara listesini getiren
999: /// Ve Listbox'i dolduran metottur.
1000: /// </summary>
1001: /// <param name="sender">The sender info (For example Main Form)</param>
1002: /// <param name="e">Event Arguments</param>
1003: private void btnEFaturaKullaniciListesi_Click(object sender, EventArgs e)
1004: {
1005:     lbEFaturaKullaniciListesi.Items.Clear();
1006:     var vergiKimlikNoListesi =
DisServisler.EFaturaKullaniciListesi(dtpFaturaTarihi.Value);
1007:     foreach (var item in vergiKimlikNoListesi)
1008:     {
1009:         if (!string.IsNullOrEmpty(item))
1010:             lbEFaturaKullaniciListesi.Items.Add(item);
1011:     }
1012:     MessageBox.Show(vergiKimlikNoListesi.Count + " adet e-fatura mükellef
kayıdı bulundu", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
1013: }
1014:
1015: /// <summary>
1016: /// Ekrandan girilne tarihten öncesine ait
1017: /// Kayitli E-Fatura Mükellef Vergi Numara listesini disariya TXT formatında
aktaran metottur
1018: /// </summary>
1019: /// <param name="sender">The sender info (For example Main Form)</param>
1020: /// <param name="e">Event Arguments</param>
1021: private void btnEFaturaKullaniciListeAktar_Click(object sender, EventArgs e)
1022: {
1023:     if (lbEFaturaKullaniciListesi.Items.Count < 1)
1024:         MessageBox.Show("Aktarılacak bir E-Fatura Kullanıcı listesi
bulunamadı", MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Error);
1025:     else
1026:     {
1027:         using (var dialogKlasorSecimi = new FolderBrowserDialog())
1028:         {
1029:             dialogKlasorSecimi.SelectedPath = Application.StartupPath;
1030:             var result = dialogKlasorSecimi.ShowDialog();
1031:
1032:             if (result != DialogResult.OK ||
string.IsNullOrEmpty(dialogKlasorSecimi.SelectedPath)) return;
1033:             var klasorAdı = dialogKlasorSecimi.SelectedPath;
1034:             var ad = Guid.NewGuid().ToString();
1035:             var dosyaAdı = klasorAdı + "/" + ad + ".txt";
1036:             StreamWriter dosyaKaydi = new StreamWriter(dosyaAdı);
1037:             foreach(var item in lbEFaturaKullaniciListesi.Items)
1038:                 dosyaKaydi.WriteLine(item.ToString());
1039:             dosyaKaydi.Close();
1040:             MessageBox.Show(dosyaAdı + " dosyası üzerinde kayitli E-Fatura
Mükellefleri listelenmiştir.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
1041:         }
1042:     }
1043: }

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

1044:
1045:    /// <summary>
1046:    /// Ekrandan girilne tarihten öncesine ait
1047:    /// Kayitli E-Fatura Mükellef Vergi Numara listesini temizlemek için
1048:    /// hazirlanan metottur
1049:    /// </summary>
1049:    /// <param name="sender">The sender info (For example Main Form)</param>
1050:    /// <param name="e">Event Arguments</param>
1051:    private void btnEFaturaKullaniciListesiTemizle_Click(object sender, EventArgs e)
1052:    {
1053:        var kayitSayisi = lbEFaturaKullaniciListesi.Items.Count;
1054:        lbEFaturaKullaniciListesi.Items.Clear();
1055:        MessageBox.Show(kayitSayisi + " adet E-Fatura Mükellefi sagdaki listeden
temizlenmistir.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
1056:    }
1057:
1058:    #endregion
1059:
1060:    #region E-Müstahsil Metotlari
1061:    /// <summary>
1062:    /// Sistemde E-Müstahsil Servislerine Gönderilecek Formatta
1063:    /// Ideal XML dosyalarinin olusturulmasi için XML Olustur Butonuna tiklandigi
zaman
1064:    /// Yapilacak islemlerin hazirlanligi metottur.
1065:    /// </summary>
1066:    /// <param name="sender">The sender info (For example Main Form)</param>
1067:    /// <param name="e">Event Arguments</param>
1068:    private void btnXmlOlusturMustahsil_Click(object sender, EventArgs e)
1069:    {
1070:        using (var dialogKlasorSecimi = new FolderBrowserDialog())
1071:        {
1072:            dialogKlasorSecimi.SelectedPath = Application.StartupPath;
1073:            var result = dialogKlasorSecimi.ShowDialog();
1074:
1075:            if (result != DialogResult.OK ||
1076:                string.IsNullOrWhiteSpace(dialogKlasorSecimi.SelectedPath)) return;
1077:            var klasorAdi = dialogKlasorSecimi.SelectedPath;
1078:            // Burada form yüklenagini zaman hazırlanan müstahsil makbuzlarindan
rastgele birinin
1079:            // ve ona ait detay kayitlarinin seçilmesi saglaniyor
1080:            var index = new Random().Next(mustahsilMakbuzuListesi.Count);
1081:            var mustahsilMakbuzu = mustahsilMakbuzuListesi[index];
1082:            var mustahsilMakbuzuDetayListesiTemp = new
List<MustahsilMakbuzuDetayDTO>();
1083:            if (mustahsilMakbuzuDetayListesi.Any(j => j.MustahsilMakbuzuId ==
mustahsilMakbuzu.MustahsilMakbuzuId))
1084:                mustahsilMakbuzuDetayListesiTemp =
mustahsilMakbuzuDetayListesi.Where(j => j.MustahsilMakbuzuId ==
mustahsilMakbuzu.MustahsilMakbuzuId).ToList();
1085:
1086:        #region XML Olusturma
1087:        if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo))
1088:        {
1089:            var dosyaAdi =
YardimciSiniflar.EMustahsilXMLOlustur(mustahsilMakbuzu, mustahsilMakbuzuDetayListesiTemp,
klasorAdi);
1090:            MessageBox.Show(dosyaAdi + " adresinde gerekli XML dosyasi
olusturulmustur.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
1091:        }
1092:        else
1093:        {
1094:            MessageBox.Show("Müstahsil Makbuzu olusturmak için vergi numarasi
zorunludur", MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Warning);
1095:        }
1096:    #endregion

```

```

1097:         }
1098:     }
1099:
1100:    /// <summary>
1101:    /// Sistemde E-Müstahsil Servisine yollansın yollanmasın
1102:    /// Hazırlanan XML dosyalarının bu sistemlerde nasıl göründüğüne dair
1103:    /// Önizleme alınmasını sağlayan metottur. Bu önizleme PDF veya ZIP olarak
1104:    /// Sorun olsa da olmasa da bir mesaj ile kullanıcı bilgilendirilecektir.
1105:    /// </summary>
1106:    /// <param name="sender">The sender info (For example Main Form)</param>
1107:    /// <param name="e">Event Arguments</param>
1108:    private void btnGIBOnizlemeMustahsil_Click(object sender, EventArgs e)
1109:    {
1110:        using (var dialogKlasorSecimi = new FolderBrowserDialog())
1111:        {
1112:            dialogKlasorSecimi.SelectedPath = Application.StartupPath;
1113:            var result = dialogKlasorSecimi.ShowDialog();
1114:
1115:            if (result != DialogResult.OK ||
1116:                string.IsNullOrWhiteSpace(dialogKlasorSecimi.SelectedPath)) return;
1117:            var klasorAdi = dialogKlasorSecimi.SelectedPath;
1118:            // Burada form yükleniği zaman hazırlanan müstahsil makbuzlarından
1119:            // rastgele birinin
1120:            // ve ona ait detay kayıtlarının seçilmesi sağlanıyor
1121:            var index = new Random().Next(mustahsilMakbuzuListesi.Count);
1122:            var mustahsilMakbuzu = mustahsilMakbuzuListesi[index];
1123:            var mustahsilMakbuzuDetayListesiTemp = new
List<MustahsilMakbuzuDetayDTO>();
1124:            if (mustahsilMakbuzuDetayListesi.Any(j => j.MustahsilMakbuzuId ==
1125:                mustahsilMakbuzu.MustahsilMakbuzuId))
1126:                mustahsilMakbuzuDetayListesiTemp =
1127:                    mustahsilMakbuzuDetayListesi.Where(j => j.MustahsilMakbuzuId ==
1128:                        mustahsilMakbuzu.MustahsilMakbuzuId).ToList();
1129:
1130:            #region XML Oluşturma ve Servis Önizlemesi
1131:            var dosyaAdi = "";
1132:            // var geriDonus = new GeriDonus();
1133:            // geriDonus.Tip = 0;
1134:            var dosya = new byte[1];
1135:            if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo))
1136:            {
1137:                dosyaAdi =
YardimciSiniflar.EMustahsilXMLOlustur(mustahsilMakbuzu, mustahsilMakbuzuDetayListesiTemp,
1138:                klasorAdi);
1139:                dosya = DisServisler.EMustahsilOnIzleme(mustahsilMakbuzu,
1140:                dosyaAdi);
1141:            }
1142:            else
1143:            {
1144:                MessageBox.Show("Müstahsil Makbuzunu servise göndermek için vergi
no zorunludur", MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Warning);
1145:            }
1146:            if (dosya != null && dosya.Length > 1)
1147:            {
1148:                var dosyaAdiTemp = dosyaAdi.Replace("xml", "pdf");
1149:                // if (geriDonus != null && geriDonus.Tip == 1)
1150:                //     dosyaAdiTemp = dosyaAdi.Replace("xml", "zip");
1151:                File.WriteAllBytes(dosyaAdiTemp, dosya);
1152:            }
1153:            MessageBox.Show(dosyaAdiTemp + " adresinde gerekli PDF veya ZIP
dosyası oluşturulmuştur.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
1154:                MessageBoxIcon.Information);
1155:            if (File.Exists(dosyaAdiTemp))
1156:                System.Diagnostics.Process.Start(dosyaAdiTemp);
1157:        }

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

1153:           else
1154:           {
1155:               MessageBox.Show("Söz konusu faturanın önizlemesi
1156: olusturulamamıştır", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
1157: MessageBoxIcon.Error);
1158:           }
1159:       }
1160:   }
1161:
1162:   /// <summary>
1163:   /// Sistem tarafından hazırlanan XML dosyasının
1164:   /// E-Müstahsil servisine gönderilmesi için hazırlanan metottur.
1165:   /// Burada işlemin başarılı olup olmamasına göre kullanıcı
1166:   /// bilgilendirilecektir.
1167:   /// </summary>
1168:   /// <param name="sender">The sender info (For example Main Form)</param>
1169:   /// <param name="e">Event Arguments</param>
1170:   private void btnServiseGonderMustahsil_Click(object sender, EventArgs e)
1171:   {
1172:       using (var dialogKlasorSecimi = new FolderBrowserDialog())
1173:       {
1174:           dialogKlasorSecimi.SelectedPath = Application.StartupPath;
1175:           var result = dialogKlasorSecimi.ShowDialog();
1176:
1177:           if (result != DialogResult.OK ||
1178: string.IsNullOrWhiteSpace(dialogKlasorSecimi.SelectedPath)) return;
1179:           var klasorAdı = dialogKlasorSecimi.SelectedPath;
1180:           // Burada form yükleniği zaman hazırlanan müstahsil makbuzlarından
1181:           rastgele birinin
1182:           // ve ona ait detay kayıtlarının seçilmesi sağlanıyor
1183:           var index = new Random().Next(mustahsilMakbuzuListesi.Count);
1184:           var mustahsilMakbuzu = mustahsilMakbuzuListesi[index];
1185:           var mustahsilMakbuzuDetayListesiTemp = new
List<MustahsilMakbuzuDetayDTO>();
1186:           if (mustahsilMakbuzuDetayListesi.Any(j => j.MustahsilMakbuzuId ==
1187: mustahsilMakbuzu.MustahsilMakbuzuId))
1188:               mustahsilMakbuzuDetayListesiTemp =
1189: mustahsilMakbuzuDetayListesi.Where(j => j.MustahsilMakbuzuId ==
1190: mustahsilMakbuzu.MustahsilMakbuzuId).ToList();
1191:
1192:           #region XML Oluşturma ve Servise Gönderme
1193:           var dosyaAdı = "";
1194:           var sonuc = "";
1195:           if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo))
1196:           {
1197:               MessageBox.Show("Müstahsil Makbuzunu servise göndermek için vergi
no zorunludur", MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Warning);
1198:
1199:               if (sonuc == MesajSabitler.IslemBasarisiz)
1200:               {
1201:                   MessageBox.Show(dosyaAdı + " dosyasının servise gönderilmesinde
bir sorun yasanmıştır.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
1202: MessageBoxIcon.Error);
1203:               }
1204:               else
1205:                   MessageBox.Show(dosyaAdı + " dosyası başarıyla GIB servislerine
gönderilmistir.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
1206: MessageBoxIcon.Information);

```

```
1206:             }
1207:
1208:         #endregion
1209:     }
1210:
1211:
1212:     /// <summary>
1213:     /// Makbuzun sisteme gönderilip gönderilmemiş kontroll edilerek
1214:     /// Buna göre silinip silinmeyeceğine karar verilmesini saglayan metottur.
1215:     /// </summary>
1216:     /// <param name="sender">The sender info (For example Main Form)</param>
1217:     /// <param name="e">Event Arguments</param>
1218:     private void btnMakbuzSil_Click(object sender, EventArgs e)
1219:     {
1220:         var index = new Random().Next(mustahsilMakbuzuListesi.Count);
1221:         var mustahsilMakbuzu = mustahsilMakbuzuListesi[index];
1222:
1223:         if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo))
1224:         {
1225:             var sonuc =
DisServisler.EMustahsilSilmeyeUygunMu(mustahsilMakbuzu.MustahsilMakbuzuId);
1226:
1227:             if (sonuc)
1228:                 MessageBox.Show(mustahsilMakbuzu.MustahsilMakbuzuId + " yerel
belge numarali makbuz silinebilir", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
1229:             else
1230:                 MessageBox.Show(mustahsilMakbuzu.MustahsilMakbuzuId + " yerel
belge numarali makbuz GİB servislerine gönderildiği, onaylandığı veya onay beklediği için
silinemez", MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Error);
1231:         }
1232:         else
1233:         {
1234:             MessageBox.Show("Vergi Numarası olmayan bir makbuz silinemez.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Error);
1235:         }
1236:     }
1237:
1238: #endregion
1239:
1240: #region Diger Yardimci Metotlar
1241:
1242:     /// <summary>
1243:     /// E-Fatura Sisteminden Onaylı Fatura Çıktısı PDF yerine ZIP Formatında
1244:     /// Geldiği için bu ZIP formatındaki byte array üzerinden
1245:     /// İçindeki PDF dosyasının alınıp yazdırılması için
1246:     /// Gerekli metottur
1247:     /// </summary>
1248:     /// <param name="dosya">ZIP Byte Array</param>
1249:     /// <returns>PDF Byte Array</returns>
1250:     private static byte[] ZipDosyasindanPdfCikar(byte[] dosya)
1251:     {
1252:         var streamZip = new MemoryStream(dosya);
1253:         using (var zip = new ZipArchive(streamZip, ZipArchiveMode.Update))
1254:         {
1255:             foreach (var entry in zip.Entries)
1256:             {
1257:                 var streamTemp = entry.Open();
1258:                 byte[] bytes;
1259:                 using (var ms = new MemoryStream())
1260:                 {
1261:                     streamTemp.CopyTo(ms);
1262:                     bytes = ms.ToArray();
1263:                 }
1264:                 dosya = bytes;
1265:             }
1266:         }
1267:         return dosya;
1268:     }
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

```

1269:
1270:         #endregion
1271:
1272:
1273:
1274:     }
1275: }
```

**Namespaces**

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

## 1.2.7 FormAnaSayfa.Designer.cs

This is file FormAnaSayfa.Designer.cs.

**Body Source**

```

1: ?namespace QNBFinansGIB
2: {
3:     partial class frmAnaSayfa
4:     {
5:         /// <summary>
6:         /// Required designer variable.
7:         /// </summary>
8:         private System.ComponentModel.IContainer components = null;
9:
10:        /// <summary>
11:        /// Clean up any resources being used.
12:        /// </summary>
13:        /// <param name="disposing">true if managed resources should be disposed;
otherwise, false.</param>
14:        protected override void Dispose(bool disposing)
15:        {
16:            if (disposing && (components != null))
17:            {
18:                components.Dispose();
19:            }
20:            base.Dispose(disposing);
21:        }
22:
23:        #region Windows Form Designer generated code
24:
25:        /// <summary>
26:        /// Required method for Designer support - do not modify
27:        /// the contents of this method with the code editor.
28:        /// </summary>
29:        private void InitializeComponent()
30:        {
31:            this.btnXmlOlustur = new System.Windows.Forms.Button();
32:            this.btnGIBOnizleme = new System.Windows.Forms.Button();
33:            this.btnServiceGonder = new System.Windows.Forms.Button();
34:            this.gbEFaturaEArsiv = new System.Windows.Forms.GroupBox();
35:            this.btnFaturaSil = new System.Windows.Forms.Button();
36:            this.btnBelgeOidKontrol = new System.Windows.Forms.Button();
37:            this.gbEFatura = new System.Windows.Forms.GroupBox();
38:            this.btnEFaturaKullaniciListesiTemizle = new System.Windows.Forms.Button();
39:            this.btnEFaturaKullaniciListeAktar = new System.Windows.Forms.Button();
40:            this.lblMukellefListesi = new System.Windows.Forms.Label();
41:            this.lbEFaturaKullaniciListesi = new System.Windows.Forms.ListBox();
42:            this.dtpFaturaTarihi = new System.Windows.Forms.DateTimePicker();
43:            this.btnEFaturaKullaniciListesi = new System.Windows.Forms.Button();
44:            this.gbEMustahsil = new System.Windows.Forms.GroupBox();
45:            this.btnMakbuzSil = new System.Windows.Forms.Button();
```

```
46:         this.btnXmlOlusturMustahsil = new System.Windows.Forms.Button();
47:         this.btnServiceGonderMustahsil = new System.Windows.Forms.Button();
48:         this.btnGIBOnizlemeMustahsil = new System.Windows.Forms.Button();
49:         this.gbEFaturaEArsiv.SuspendLayout();
50:         this.gbEFatura.SuspendLayout();
51:         this.gbEMustahsil.SuspendLayout();
52:         this.SuspendLayout();
53:         //
54:         // btnXmlOlustur
55:         //
56:         this.btnXmlOlustur.Location = new System.Drawing.Point(8, 37);
57:         this.btnXmlOlustur.Margin = new System.Windows.Forms.Padding(4);
58:         this.btnXmlOlustur.Name = "btnXmlOlustur";
59:         this.btnXmlOlustur.Size = new System.Drawing.Size(155, 38);
60:         this.btnXmlOlustur.TabIndex = 0;
61:         this.btnXmlOlustur.Text = "XML Olustur";
62:         this.btnXmlOlustur.UseVisualStyleBackColor = true;
63:         this.btnXmlOlustur.Click += new
System.EventHandler(this.btnXmlOlustur_Click);
64:         //
65:         // btnGIBOnizleme
66:         //
67:         this.btnGIBOnizleme.Location = new System.Drawing.Point(171, 37);
68:         this.btnGIBOnizleme.Margin = new System.Windows.Forms.Padding(4);
69:         this.btnGIBOnizleme.Name = "btnGIBOnizleme";
70:         this.btnGIBOnizleme.Size = new System.Drawing.Size(232, 38);
71:         this.btnGIBOnizleme.TabIndex = 1;
72:         this.btnGIBOnizleme.Text = "GIB Fatura Çıktı Önizleme";
73:         this.btnGIBOnizleme.UseVisualStyleBackColor = true;
74:         this.btnGIBOnizleme.Click += new
System.EventHandler(this.btnGIBOnizleme_Click);
75:         //
76:         // btnServiceGonder
77:         //
78:         this.btnServiceGonder.Location = new System.Drawing.Point(411, 37);
79:         this.btnServiceGonder.Margin = new System.Windows.Forms.Padding(4);
80:         this.btnServiceGonder.Name = "btnServiceGonder";
81:         this.btnServiceGonder.Size = new System.Drawing.Size(220, 38);
82:         this.btnServiceGonder.TabIndex = 2;
83:         this.btnServiceGonder.Text = "Servise Gönder";
84:         this.btnServiceGonder.UseVisualStyleBackColor = true;
85:         this.btnServiceGonder.Click += new
System.EventHandler(this.btnServiceGonder_Click);
86:         //
87:         // gbEFaturaEArsiv
88:         //
89:         this.gbEFaturaEArsiv.Controls.Add(this.btnFaturaSil);
90:         this.gbEFaturaEArsiv.Controls.Add(this.btnBelgeOidKontrol);
91:         this.gbEFaturaEArsiv.Controls.Add(this.btnXmlOlustur);
92:         this.gbEFaturaEArsiv.Controls.Add(this.btnServiceGonder);
93:         this.gbEFaturaEArsiv.Controls.Add(this.btnGIBOnizleme);
94:         this.gbEFaturaEArsiv.Location = new System.Drawing.Point(16, 15);
95:         this.gbEFaturaEArsiv.Margin = new System.Windows.Forms.Padding(4);
96:         this.gbEFaturaEArsiv.Name = "gbEFaturaEArsiv";
97:         this.gbEFaturaEArsiv.Padding = new System.Windows.Forms.Padding(4);
98:         this.gbEFaturaEArsiv.Size = new System.Drawing.Size(868, 146);
99:         this.gbEFaturaEArsiv.TabIndex = 3;
100:        this.gbEFaturaEArsiv.TabStop = false;
101:        this.gbEFaturaEArsiv.Text = "E-Fatura ve E-Arsiv";
102:        //
103:        // btnFaturaSil
104:        //
105:        this.btnFaturaSil.Location = new System.Drawing.Point(297, 89);
106:        this.btnFaturaSil.Margin = new System.Windows.Forms.Padding(4);
107:        this.btnFaturaSil.Name = "btnFaturaSil";
108:        this.btnFaturaSil.Size = new System.Drawing.Size(220, 38);
109:        this.btnFaturaSil.TabIndex = 4;
110:        this.btnFaturaSil.Text = "Fatura Sil";
111:        this.btnFaturaSil.UseVisualStyleBackColor = true;
```

```

112:         this.btnFaturaSil.Click += new
System.EventHandler(this.btnFaturaSil_Click);
113:         //
114:         // btnBelgeOidKontrol
115:         //
116:         this.btnBelgeOidKontrol.Location = new System.Drawing.Point(639, 37);
117:         this.btnBelgeOidKontrol.Margin = new System.Windows.Forms.Padding(4);
118:         this.btnBelgeOidKontrol.Name = "btnBelgeOidKontrol";
119:         this.btnBelgeOidKontrol.Size = new System.Drawing.Size(220, 38);
120:         this.btnBelgeOidKontrol.TabIndex = 3;
121:         this.btnBelgeOidKontrol.Text = "Belge Oid Kontrol";
122:         this.btnBelgeOidKontrol.UseVisualStyleBackColor = true;
123:         this.btnBelgeOidKontrol.Click += new
System.EventHandler(this.btnBelgeOidKontrol_Click);
124:         //
125:         // gbEFatura
126:         //
127:         this.gbEFatura.Controls.Add(this.btnEFaturaKullaniciListesiTemizle);
128:         this.gbEFatura.Controls.Add(this.btnEFaturaKullaniciListeAktar);
129:         this.gbEFatura.Controls.Add(this.lblMukellefListesi);
130:         this.gbEFatura.Controls.Add(this.lblEFaturaKullaniciListesi);
131:         this.gbEFatura.Controls.Add(this.dtpFaturaTarihi);
132:         this.gbEFatura.Controls.Add(this.btnEFaturaKullaniciListesi);
133:         this.gbEFatura.Location = new System.Drawing.Point(16, 149);
134:         this.gbEFatura.Margin = new System.Windows.Forms.Padding(4);
135:         this.gbEFatura.Name = "gbEFatura";
136:         this.gbEFatura.Padding = new System.Windows.Forms.Padding(4);
137:         this.gbEFatura.Size = new System.Drawing.Size(868, 158);
138:         this.gbEFatura.TabIndex = 4;
139:         this.gbEFatura.TabStop = false;
140:         this.gbEFatura.Text = "E-Fatura";
141:         //
142:         // btnEFaturaKullaniciListesiTemizle
143:         //
144:         this.btnEFaturaKullaniciListesiTemizle.Location = new
System.Drawing.Point(8, 122);
145:         this.btnEFaturaKullaniciListesiTemizle.Margin = new
System.Windows.Forms.Padding(4);
146:         this.btnEFaturaKullaniciListesiTemizle.Name =
"btnEFaturaKullaniciListesiTemizle";
147:         this.btnEFaturaKullaniciListesiTemizle.Size = new System.Drawing.Size(155,
28);
148:         this.btnEFaturaKullaniciListesiTemizle.TabIndex = 8;
149:         this.btnEFaturaKullaniciListesiTemizle.Text = "Listeyi Temizle";
150:         this.btnEFaturaKullaniciListesiTemizle.UseVisualStyleBackColor = true;
151:         this.btnEFaturaKullaniciListesiTemizle.Click += new
System.EventHandler(this.btnEFaturaKullaniciListesiTemizle_Click);
152:         //
153:         // btnEFaturaKullaniciListeAktar
154:         //
155:         this.btnEFaturaKullaniciListeAktar.Location = new
System.Drawing.Point(183, 122);
156:         this.btnEFaturaKullaniciListeAktar.Margin = new
System.Windows.Forms.Padding(4);
157:         this.btnEFaturaKullaniciListeAktar.Name = "btnEFaturaKullaniciListeAktar";
158:         this.btnEFaturaKullaniciListeAktar.Size = new System.Drawing.Size(220, 28);
159:         this.btnEFaturaKullaniciListeAktar.TabIndex = 7;
160:         this.btnEFaturaKullaniciListeAktar.Text = "Listeyi Disariya Aktar";
161:         this.btnEFaturaKullaniciListeAktar.UseVisualStyleBackColor = true;
162:         this.btnEFaturaKullaniciListeAktar.Click += new
System.EventHandler(this.btnEFaturaKullaniciListeAktar_Click);
163:         //
164:         // lblMukellefListesi
165:         //
166:         this.lblMukellefListesi.Font = new System.Drawing.Font("Microsoft Sans
Serif", 8.25F, System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, ((byte)
(162)));
167:         this.lblMukellefListesi.ForeColor = System.Drawing.Color.Red;
168:         this.lblMukellefListesi.Location = new System.Drawing.Point(8, 75);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```
169:         this.lblMukellefListesi.Margin = new System.Windows.Forms.Padding(4, 0, 4,
0);
170:         this.lblMukellefListesi.Name = "lblMukellefListesi";
171:         this.lblMukellefListesi.Size = new System.Drawing.Size(397, 28);
172:         this.lblMukellefListesi.TabIndex = 6;
173:         this.lblMukellefListesi.Text = "Seçilen Tarihten Sonra E-Fatura Mükellefi
Olan Kullanicilar =>";
174:         this.lblMukellefListesi.TextAlign =
System.Drawing.ContentAlignment.MiddleCenter;
175:         //
176:         // lbEFaturaKullaniciListesi
177:         //
178:         this.lbEFaturaKullaniciListesi.FormattingEnabled = true;
179:         this.lbEFaturaKullaniciListesi.ItemHeight = 16;
180:         this.lbEFaturaKullaniciListesi.Location = new System.Drawing.Point(425,
34);
181:         this.lbEFaturaKullaniciListesi.Margin = new
System.Windows.Forms.Padding(4);
182:         this.lbEFaturaKullaniciListesi.Name = "lbEFaturaKullaniciListesi";
183:         this.lbEFaturaKullaniciListesi.Size = new System.Drawing.Size(432, 116);
184:         this.lbEFaturaKullaniciListesi.TabIndex = 5;
185:         //
186:         // dtpFaturaTarihi
187:         //
188:         this.dtpFaturaTarihi.Location = new System.Drawing.Point(8, 38);
189:         this.dtpFaturaTarihi.Margin = new System.Windows.Forms.Padding(4);
190:         this.dtpFaturaTarihi.Name = "dtpFaturaTarihi";
191:         this.dtpFaturaTarihi.Size = new System.Drawing.Size(153, 22);
192:         this.dtpFaturaTarihi.TabIndex = 4;
193:         //
194:         // btnEFaturaKullaniciListesi
195:         //
196:         this.btnEFaturaKullaniciListesi.Location = new System.Drawing.Point(183,
34);
197:         this.btnEFaturaKullaniciListesi.Margin = new
System.Windows.Forms.Padding(4);
198:         this.btnEFaturaKullaniciListesi.Name = "btnEFaturaKullaniciListesi";
199:         this.btnEFaturaKullaniciListesi.Size = new System.Drawing.Size(220, 28);
200:         this.btnEFaturaKullaniciListesi.TabIndex = 3;
201:         this.btnEFaturaKullaniciListesi.Text = "E-Fatura Kullanici Listesi";
202:         this.btnEFaturaKullaniciListesi.UseVisualStyleBackColor = true;
203:         this.btnEFaturaKullaniciListesi.Click += new
System.EventHandler(this.btnEFaturaKullaniciListesi_Click);
204:         //
205:         // gbEMustahsil
206:         //
207:         this.gbEMustahsil.Controls.Add(this.btnMakbuzSil);
208:         this.gbEMustahsil.Controls.Add(this.btnXmlOlusturMustahsil);
209:         this.gbEMustahsil.Controls.Add(this.btnServiceGonderMustahsil);
210:         this.gbEMustahsil.Controls.Add(this.btnGIBONizlemeMustahsil);
211:         this.gbEMustahsil.Location = new System.Drawing.Point(16, 314);
212:         this.gbEMustahsil.Margin = new System.Windows.Forms.Padding(4);
213:         this.gbEMustahsil.Name = "gbEMustahsil";
214:         this.gbEMustahsil.Padding = new System.Windows.Forms.Padding(4);
215:         this.gbEMustahsil.Size = new System.Drawing.Size(868, 96);
216:         this.gbEMustahsil.TabIndex = 5;
217:         this.gbEMustahsil.TabStop = false;
218:         this.gbEMustahsil.Text = "E-Müstahsil";
219:         //
220:         // btnMakbuzSil
221:         //
222:         this.btnMakbuzSil.Location = new System.Drawing.Point(639, 37);
223:         this.btnMakbuzSil.Margin = new System.Windows.Forms.Padding(4);
224:         this.btnMakbuzSil.Name = "btnMakbuzSil";
225:         this.btnMakbuzSil.Size = new System.Drawing.Size(220, 38);
226:         this.btnMakbuzSil.TabIndex = 3;
227:         this.btnMakbuzSil.Text = "Makbuz Sil";
228:         this.btnMakbuzSil.UseVisualStyleBackColor = true;
229:         this.btnMakbuzSil.Click += new
```

```

System.EventHandler(this.btnMakbuzSil_Click);
230:    //
231:    // btnXmlOlusturMustahsil
232:    //
233:    this.btnXmlOlusturMustahsil.Location = new System.Drawing.Point(8, 37);
234:    this.btnXmlOlusturMustahsil.Margin = new System.Windows.Forms.Padding(4);
235:    this.btnXmlOlusturMustahsil.Name = "btnXmlOlusturMustahsil";
236:    this.btnXmlOlusturMustahsil.Size = new System.Drawing.Size(155, 38);
237:    this.btnXmlOlusturMustahsil.TabIndex = 0;
238:    this.btnXmlOlusturMustahsil.Text = "XML Olustur";
239:    this.btnXmlOlusturMustahsil.UseVisualStyleBackColor = true;
240:    this.btnXmlOlusturMustahsil.Click += new
System.EventHandler(this.btnXmlOlusturMustahsil_Click);
241:    //
242:    // btnServiseGonderMustahsil
243:    //
244:    this.btnServiseGonderMustahsil.Location = new System.Drawing.Point(411,
37);
245:    this.btnServiseGonderMustahsil.Margin = new
System.Windows.Forms.Padding(4);
246:    this.btnServiseGonderMustahsil.Name = "btnServiseGonderMustahsil";
247:    this.btnServiseGonderMustahsil.Size = new System.Drawing.Size(220, 38);
248:    this.btnServiseGonderMustahsil.TabIndex = 2;
249:    this.btnServiseGonderMustahsil.Text = "Servise Gonder";
250:    this.btnServiseGonderMustahsil.UseVisualStyleBackColor = true;
251:    this.btnServiseGonderMustahsil.Click += new
System.EventHandler(this.btnServiseGonderMustahsil_Click);
252:    //
253:    // btnGIBOnizlemeMustahsil
254:    //
255:    this.btnGIBOnizlemeMustahsil.Location = new System.Drawing.Point(171, 37);
256:    this.btnGIBOnizlemeMustahsil.Margin = new System.Windows.Forms.Padding(4);
257:    this.btnGIBOnizlemeMustahsil.Name = "btnGIBOnizlemeMustahsil";
258:    this.btnGIBOnizlemeMustahsil.Size = new System.Drawing.Size(232, 38);
259:    this.btnGIBOnizlemeMustahsil.TabIndex = 1;
260:    this.btnGIBOnizlemeMustahsil.Text = "GIB Makbuz Cikti Onizleme";
261:    this.btnGIBOnizlemeMustahsil.UseVisualStyleBackColor = true;
262:    this.btnGIBOnizlemeMustahsil.Click += new
System.EventHandler(this.btnGIBOnizlemeMustahsil_Click);
263:    //
264:    // frmAnaSayfa
265:    //
266:    this.AutoScaleDimensions = new System.Drawing.SizeF(8F, 16F);
267:    this.AutoScaleMode = System.Windows.Forms.AutoScaleMode.Font;
268:    this.AutoSize = true;
269:    this.AutoSizeMode = System.Windows.Forms.AutoSizeMode.GrowAndShrink;
270:    this.ClientSize = new System.Drawing.Size(900, 425);
271:    this.Controls.Add(this.gbEMustahsil);
272:    this.Controls.Add(this.gbEFatura);
273:    this.Controls.Add(this.gbEFaturaEArsiv);
274:    this.Margin = new System.Windows.Forms.Padding(4);
275:    this.Name = "frmAnaSayfa";
276:    this.StartPosition = System.Windows.Forms.FormStartPosition.CenterScreen;
277:    this.Text = "QNB Finans GIB Servis Uygulamasi";
278:    this.FormClosed += new
System.Windows.Forms.FormClosedEventHandler(this.frmAnaSayfa_FormClosed);
279:    thisShown += new System.EventHandler(this.FormAnaSayfa_Shown);
280:    this.gbEFaturaEArsiv.ResumeLayout(false);
281:    this.gbEFatura.ResumeLayout(false);
282:    this.gbEMustahsil.ResumeLayout(false);
283:    this.ResumeLayout(false);
284: }
285:
286: private System.Windows.Forms.Button btnServiseGonderMustahsil;
287:
288: private System.Windows.Forms.Button btnEFaturaKullaniciListesiTemizle;
289:
290: private System.Windows.Forms.Button btnEFaturaKullaniciListeAktar;
291:
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

292:     private System.Windows.Forms.Label lblMukellefListesi;
293:
294:     private System.Windows.Forms.GroupBox gbEMustahsil;
295:     private System.Windows.Forms.Button btnMakbuzSil;
296:     private System.Windows.Forms.Button btnXmlOlusturMustahsil;
297:     private System.Windows.Forms.Button btngIBOnizlemeMustahsil;
298:     private System.Windows.Forms.Button btneFaturaKullaniciListesi;
299:     private System.Windows.Forms.DateTimePicker dtpFaturaTarihi;
300:     private System.Windows.Forms.ListBox lbEFaturaKullaniciListesi;
301:
302: #endregion
303:
304:     private System.Windows.Forms.Button btnXmlOlustur;
305:     private System.Windows.Forms.Button btngIBOnizleme;
306:     private System.Windows.Forms.Button btnServiceGonder;
307:     private System.Windows.Forms.GroupBox gbEFaturaEArsiv;
308:     private System.Windows.Forms.GroupBox gbEFatura;
309:     private System.Windows.Forms.Button btnBelgeOidKontrol;
310:     private System.Windows.Forms.Button btnFaturaSil;
311: }
312: }
313:
```

**Namespaces**

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

## 1.2.8 GeriDonus.cs

This is file GeriDonus.cs.

**Body Source**

```

1: ?namespace QNBFinansGIB.Utils
2: {
3:     /// <summary>
4:     /// E-Fatura Servisinde Önizleme Metodu çağrıldığında dönecek olan değer
5:     /// Burada Tipe göre
6:     /// Dosya uzantısı Zip veya PDF olacağı için
7:     /// Bu konu önemlidir
8:     /// </summary>
9:     public class GeriDonus
10:    {
11:        /// <summary>
12:        /// Çıktı alınacak dosyanın byte dizisi hali
13:        /// </summary>
14:        public byte[] Dosya { get; set; }
15:        /// <summary>
16:        /// Çıktı Tipi Bilgisi
17:        /// </summary>
18:        public int Tip { get; set; }
19:    }
20: }
```

**Namespaces**

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

## 1.2.9 GibNumarasi.cs

This is file GibNumarasi.cs.

### Body Source

```

1: ?using System;
2: using System.Text;
3: using QNBFinansGIB.DTO;
4:
5: namespace QNBFinansGIB.Utils
6: {
7:     /// <summary>
8:     /// GIB Numarasi degerlerinin otomatik olarak olusturulmasi için hazırlanan siniftir
9:     /// </summary>
10:    public static class GibNumarasi
11:    {
12:        /// <summary>
13:        /// Fatura nesni üzerinden rastgele GIB numarasi olusturulmasi için
14:        /// Gerekli metottur
15:        /// </summary>
16:        /// <param name="gidenFatura">Giden Fatura Nesnesi</param>
17:        /// <returns>GIB Numarasi</returns>
18:        public static string RastgeleGibNumarasiOlusturFaturadan(GidenFaturaDTO
gidenFatura)
19:        {
20:            var baslangicMetni = RastgeleMetinOlustur(3, false);
21:            var islemTarihi = gidenFatura.DuzenlemeTarihi ?? DateTime.Now;
22:            // maksimum 9 haneli olacagi için böyle bir güncelleme yapildi
23:            var faturaSayisi = new Random().Next(999999999);
24:            var stringBuilder = new StringBuilder();
25:            stringBuilder.Append(baslangicMetni);
26:            stringBuilder.Append(islemTarihi.Year.ToString());
27:            stringBuilder.Append(faturaSayisi.ToString().PadLeft(9, '0'));
28:            return stringBuilder.ToString();
29:        }
30:
31:        /// <summary>
32:        /// Müstahsil Makbuzu nesni üzerinden rastgele GIB numarasi olusturulmasi için
33:        /// Gerekli metottur
34:        /// </summary>
35:        /// <param name="mustahsilMakbuzu">Müstahsil Makbuzu Nesnesi</param>
36:        /// <returns>GIB Numarasi</returns>
37:        public static string RastgeleGibNumarasiOlusturMakbuzdan(MustahsilMakbuzuDTO
mustahsilMakbuzu)
38:        {
39:            var baslangicMetni = RastgeleMetinOlustur(3, false);
40:            var islemTarihi = mustahsilMakbuzu.MustahsilMakbuzuTarihi ?? DateTime.Now;
41:            // maksimum 9 haneli olacagi için böyle bir güncelleme yapildi
42:            var faturaSayisi = new Random().Next(999999999);
43:            var stringBuilder = new StringBuilder();
44:            stringBuilder.Append(baslangicMetni);
45:            stringBuilder.Append(islemTarihi.Year.ToString());
46:            stringBuilder.Append(faturaSayisi.ToString().PadLeft(9, '0'));
47:            return stringBuilder.ToString();
48:        }
49:
50:        /// <summary>
51:        /// Girilen boyut ve yazı türüne göre
52:        /// Rastgele metin olusturulmasi için hazırlanan bir metottur
53:        /// </summary>
54:        /// <param name="size">Istenen metnin boyutu</param>
55:        /// <param name="lowerCase">Yazı Tipi (Büyük Harf mi, Küçük Harf Mi)</param>
56:        /// <returns>Rastgele Metin Bilgisi</returns>
57:        private static string RastgeleMetinOlustur(int size, bool lowerCase)

```

```

58:         {
59:             var builder = new StringBuilder(size);
60:             var random = new Random();
61:             var offset = lowerCase ? 'a' : 'A';
62:             const int lettersOffset = 26; // A...Z or a..z: length=26
63:             for (var i = 0; i < size; i++)
64:             {
65:                 var @char = (char)random.Next(offset, offset + lettersOffset);
66:                 builder.Append(@char);
67:             }
68:             return lowerCase ? builder.ToString().ToLower() : builder.ToString();
69:         }
70:     }
71: }

```

**Namespaces**

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

## 1.2.10 GidenFaturaDetayDTO.cs

This is file GidenFaturaDetayDTO.cs.

**Body Source**

```

1: ?using System;
2:
3: namespace QNBFinansGIB.DTO
4: {
5:     /// <summary>
6:     /// Giden Fatura Detay Nesnesinde olmasi gereken alanlarla olusturulan siniftir
7:     /// Tutarlar, ürün adı, KDV ve iskonto oranları
8:     /// Malzeme faturasi ile ilgili alanlar
9:     /// Malzemenin tasindigi araç Plaka, sevk irlsaliyesi vb. bilgileri içerir.
10:    /// </summary>
11:    public class GidenFaturaDetayDTO
12:    {
13:        /// <summary>
14:        /// Giden Fatura Id Bilgisi
15:        /// </summary>
16:        public string GidenFaturaId { get; set; }
17:
18:        /// <summary>
19:        /// Fatura Detayindaki Ürün Türü Bilgisi
20:        /// </summary>
21:        public string FaturaUrunTuru { get; set; }
22:
23:        /// <summary>
24:        /// Iskonto Oran Bilgisi
25:        /// </summary>
26:        public decimal? IskontoOran;
27:
28:        /// <summary>
29:        /// Plaka No Bilgisi
30:        /// </summary>
31:        public string PlakaNo { get; set; }
32:
33:        /// <summary>
34:        /// Irsaliye No Bilgisi
35:        /// </summary>
36:        public string IrsaliyeNo { get; set; }
37:
38:        /// <summary>
39:        /// Tonaj Bilgisi

```

```

40:     /// <summary>
41:     public decimal? Tonaj;
42:
43:     /// <summary>
44:     /// Sevk Irsaliyesi No Bilgisi
45:     /// </summary>
46:     public string SevkIrsaliyesiNo { get; set; }
47:
48:     /// <summary>
49:     /// Sevk Irsaliye Tarihi Bilgisi
50:     /// </summary>
51:     public DateTime? SevkIrsaliyeTarihi { get; set; }
52:
53:     /// <summary>
54:     /// Yükleme Formu No Bilgisi
55:     /// </summary>
56:     public int? YuklemeFormuNo;
57:
58:     /// <summary>
59:     /// Birim Fiyat Bilgisi
60:     /// </summary>
61:     public decimal? BirimFiyat;
62:
63:     /// <summary>
64:     /// Miktar Bilgisi
65:     /// </summary>
66:     public decimal? Miktar;
67:
68:     /// <summary>
69:     /// KDV Hariç Tutar Bilgisi
70:     /// </summary>
71:     public decimal? KdvHaricTutar;
72:
73:     /// <summary>
74:     /// KDV Tutarı Bilgisi
75:     /// </summary>
76:     public decimal? KdvTutari;
77:
78:     /// <summary>
79:     /// Konaklama Vergisi Bilgisi
80:     /// </summary>
81:     public decimal? KonaklamaVergisi;
82:
83:     /// <summary>
84:     /// Malzeme Fatura Açıklaması Bilgisi
85:     /// </summary>
86:     public string MalzemeFaturaAciklamasi { get; set; }
87:
88:     /// <summary>
89:     /// GIB Kisaltma Bilgisi (Malzemenin Ölçü Birimi, GIB tarafında Kilogram KGM
90:     /// olarak adlandırılmalıdır)
91:     /// </summary>
92:     public string GibKisaltma { get; set; }
93:
94:     /// <summary>
95:     /// KDV Oran Bilgisi
96:     /// </summary>
97:     public decimal? KdvOran;
98:   }

```

## Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

## 1.2.11 GidenFaturaDTO.cs

This is file GidenFaturaDTO.cs.

### Body Source

```
1: ?using System;
2:
3: namespace QNBFinansGIB.DTO
4: {
5:     /// <summary>
6:     /// Giden Fatura Ana Nesnesinde Olmasi Gereken Alanlarla olusturulan siniftir
7:     /// Burada firma, iletisim, banka, fatura toplam tutari vb. bilgiler bulunmaktadır
8:     /// </summary>
9:     public class GidenFaturaDTO
10:    {
11:        /// <summary>
12:        /// Giden Fatura Id Bilgisi
13:        /// </summary>
14:        public string GidenFaturaId { get; set; }
15:
16:        /// <summary>
17:        /// Fatura Kesin Birimin Alt Sube Bilgisi
18:        /// </summary>
19:        public string AltBirimAd { get; set; }
20:
21:        /// <summary>
22:        /// Satis Turu Kod Bilgisi
23:        /// </summary>
24:        public int? SatisTuruKod;
25:
26:        /// <summary>
27:        /// Fatura Turu Kod Bilgisi
28:        /// </summary>
29:        public int? FaturaTuruKod;
30:
31:        /// <summary>
32:        /// Fatura Grup Turu Kod Bilgisi
33:        /// </summary>
34:        public int? FaturaGrupTuruKod;
35:
36:        /// <summary>
37:        /// Fatura Aciklama Bilgisi
38:        /// </summary>
39:        public string Aciklama { get; set; }
40:
41:        #region Gercek Kisi Bilgileri
42:
43:        /// <summary>
44:        /// Gercek Kisi Ad Bilgisi
45:        /// </summary>
46:        public string GercekKisiAd;
47:
48:        /// <summary>
49:        /// Gercek Kisi Soyad Bilgisi
50:        /// </summary>
51:        public string GercekKisiSoyad;
52:
53:        /// <summary>
54:        /// Gercek Kisi TC Kimlik No Bilgisi
55:        /// </summary>
56:        public string GercekKisiTcKimlikNo;
57:
58:        /// <summary>
59:        /// Ikametgah Adresi Bilgisi
```

```
60:         /// <summary>
61:         public string IkametgahAdresi;
62:
63:         /// <summary>
64:         /// Cep Telefon No Bilgisi
65:         /// </summary>
66:         public string CepTelefonNo;
67:         #endregion
68:
69:         #region Tüzel Kişi Bilgileri
70:         /// <summary>
71:         /// Tüzel Kişi Ad Bilgisi
72:         /// </summary>
73:         public string TuzelKisiAd { get; set; }
74:
75:         /// <summary>
76:         /// Vergi Numarası Bilgisi
77:         /// </summary>
78:         public string VergiNo { get; set; }
79:
80:         /// <summary>
81:         /// Vergi Dairesi Bilgisi
82:         /// </summary>
83:         public string VergiDairesi { get; set; }
84:
85:         /// <summary>
86:         /// İl Ad Bilgisi
87:         /// </summary>
88:         public string IlAd { get; set; }
89:
90:         /// <summary>
91:         /// İlçe Ad Bilgisi
92:         /// </summary>
93:         public string IlceAd { get; set; }
94:
95:         /// <summary>
96:         /// Adres Bilgisi
97:         /// </summary>
98:         public string Adres { get; set; }
99:
100:        /// <summary>
101:        /// E-Posta Adresi Bilgisi
102:        /// </summary>
103:        public string EpostaAdresi { get; set; }
104:
105:        /// <summary>
106:        /// Telefon No Bilgisi
107:        /// </summary>
108:        public string TelefonNo { get; set; }
109:
110:        /// <summary>
111:        /// Faks No Bilgisi
112:        /// </summary>
113:        public string FaksNo { get; set; }
114:
115:        /// <summary>
116:        /// IBAN No Bilgisi
117:        /// </summary>
118:        public string IbanNo { get; set; }
119:
120:        /// <summary>
121:        /// Banka Ad Bilgisi
122:        /// </summary>
123:        public string BankaAd { get; set; }
124:
125:        /// <summary>
126:        /// Banka Sube Bilgisi
127:        /// </summary>
128:        public string BankaSube { get; set; }
```

```

129:         #endregion
130:
131:         /// <summary>
132:         /// Duzenleme Tarihi Bilgisi
133:         /// </summary>
134:         public DateTime? DuzenlemeTarihi { get; set; }
135:
136:         /// <summary>
137:         /// GIB Numarasi Bilgisi
138:         /// </summary>
139:         public string GibNumarasi { get; set; }
140:
141:         /// <summary>
142:         /// Belge Oid Id alani
143:         /// </summary>
144:         public string BelgeOid { get; set; }
145:
146:         /// <summary>
147:         /// KDV Hariç Tutar Bilgisi
148:         /// </summary>
149:         public decimal? KdvHaricTutar;
150:
151:         /// <summary>
152:         /// KDV Tutari Bilgisi
153:         /// </summary>
154:         public decimal? KdvTutari;
155:
156:         /// <summary>
157:         /// Konaklama Vergisi Bilgisi
158:         /// </summary>
159:         public decimal? KonaklamaVergisi;
160:
161:         /// <summary>
162:         /// Fatura Tutari Bilgisi
163:         /// </summary>
164:         public decimal? FaturaTutari;
165:     }
166: }
```

#### Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

## 1.2.12 MesajSabitler.cs

This is file MesajSabitler.cs.

#### Body Source

```

1: ?namespace QNBFinansGIB.Utils
2: {
3:     /// <summary>
4:     /// Yapilan Ekranlarda Verilecek Mesajlarla Ilgili Sabit Sinif
5:     /// </summary>
6:     public static class MesajSabitler
7:     {
8:         /// <summary>
9:         /// Islem Basarili Olduguna Dair Mesaj Bilgisi
10:        /// </summary>
11:        public const string IslemBasarili = "Islem Basarili";
12:        /// <summary>
13:        /// Islem Basarisiz Olduguna Dair Mesaj Bilgisi
14:        /// </summary>
15:        public const string IslemBasarisiz = "Islem Basarisiz";
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

```

16:         /// <summary>
17:         /// Islem Mesajlarinin Kutusunda Gösterilecek Baslik Mesaj Bilgisi
18:         /// </summary>
19:     public const string MesajBasligi = "QNB Finans GIB Servis Uygulamasi";
20: }
21: }
```

**Namespaces**

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

## 1.2.13 MustahsilMakbuzuDetayDTO.cs

This is file MustahsilMakbuzuDetayDTO.cs.

**Body Source**

```

1: ?namespace QNBFinansGIB.DTO
2: {
3:     /// <summary>
4:     /// Müstahsil Makbuzu Detay Nesnesinde olmasi gereken alanlarla olusturulan siniftir
5:     /// Tutarlar, ürün adı, miktar, birim fiyat gibi bilgiler bulunmaktadır
6:     /// </summary>
7:     public class MustahsilMakbuzuDetayDTO
8:     {
9:         /// <summary>
10:        /// Müstahsil Makbuzu Id Bilgisi
11:        /// </summary>
12:        public string MustahsilMakbuzuId { get; set; }
13:
14:        /// <summary>
15:        /// Isin Mahiyeti Bilgisi
16:        /// </summary>
17:        public string IsinMahiyeti { get; set; }
18:
19:        /// <summary>
20:        /// Birim Fiyat Bilgisi
21:        /// </summary>
22:        public decimal? BirimFiyat;
23:
24:        /// <summary>
25:        /// Miktar Bilgisi
26:        /// </summary>
27:        public decimal? Miktar;
28:
29:        /// <summary>
30:        /// Gelir Vergisi Bilgisi
31:        /// </summary>
32:        public decimal? GelirVergisi;
33:
34:        /// <summary>
35:        /// Net Tutar Bilgisi
36:        /// </summary>
37:        public decimal? NetTutar;
38:
39:        /// <summary>
40:        /// Toplam Tutar Bilgisi
41:        /// </summary>
42:        public decimal? ToplamTutar;
43:
44:        /// <summary>
45:        /// GIB Kisaltma Bilgisi (Malzemenin Ölçü Birimi, GIB tarafinda Kilogram KGM
olarak adlandirilmaktadir)
46:        /// </summary>
```

```

47:         public string GibKisaltma { get; set; }
48:     }
49: }
```

**Namespaces**

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

## 1.2.14 MustahsilMakbuzuDTO.cs

This is file MustahsilMakbuzuDTO.cs.

**Body Source**

```

1: ?using System;
2:
3: namespace QNBFinansGIB.DTO
4: {
5:     /// <summary>
6:     /// Müstahsil Makbuzu Ana Nesnesinde Olmasi Gereken Alanlarla olusturulan siniftir
7:     /// Burada firma, iletisim, banka, Makbuz toplam tutari vb. bilgiler bulunmaktadır
8:     /// </summary>
9:     public class MustahsilMakbuzuDTO
10:    {
11:        /// <summary>
12:        /// Müstahsil Makbuzu Id Bilgisi
13:        /// </summary>
14:        public string MustahsilMakbuzuId { get; set; }
15:
16:        /// <summary>
17:        /// Makbuz Kesin Birimin Alt Sube Bilgisi
18:        /// </summary>
19:        public string AltBirimAd { get; set; }
20:
21:        /// <summary>
22:        /// Tüzel Kisi Ad Bilgisi
23:        /// </summary>
24:        public string TuzelKisiAd { get; set; }
25:
26:        /// <summary>
27:        /// Vergi Numarasi Bilgisi
28:        /// </summary>
29:        public string VergiNo { get; set; }
30:
31:        /// <summary>
32:        /// Vergi Dairesi Bilgisi
33:        /// </summary>
34:        public string VergiDairesi { get; set; }
35:
36:        /// <summary>
37:        /// Il Ad Bilgisi
38:        /// </summary>
39:        public string IlAd { get; set; }
40:
41:        /// <summary>
42:        /// İlçe Ad Bilgisi
43:        /// </summary>
44:        public string IlceAd { get; set; }
45:
46:        /// <summary>
47:        /// Adres Bilgisi
48:        /// </summary>
49:        public string Adres { get; set; }
50:
```

```

51:      /// <summary>
52:      /// E-Posta Adresi Bilgisi
53:      /// </summary>
54:      public string EpostaAdresi { get; set; }
55:
56:      /// <summary>
57:      /// Faks No Bilgisi
58:      /// </summary>
59:      public string FaksNo { get; set; }
60:
61:      /// <summary>
62:      /// IBAN No Bilgisi
63:      /// </summary>
64:      public string IbanNo { get; set; }
65:
66:      /// <summary>
67:      /// Banka Ad Bilgisi
68:      /// </summary>
69:      public string BankaAd { get; set; }
70:
71:      /// <summary>
72:      /// Banka Sube Bilgisi
73:      /// </summary>
74:      public string BankaSube { get; set; }
75:
76:      /// <summary>
77:      /// Müstahsil Makbuzu No Bilgisi
78:      /// </summary>
79:      public string MustahsilMakbuzuNo { get; set; }
80:
81:      /// <summary>
82:      /// Müstahsil Makbuzu Tarihi Bilgisi
83:      /// </summary>
84:      public DateTime? MustahsilMakbuzuTarihi { get; set; }
85:
86:      /// <summary>
87:      /// Net Tutar Bilgisi
88:      /// </summary>
89:      public decimal? NetTutar;
90:
91:      /// <summary>
92:      /// Müstahsil Makbuzu Tutar Bilgisi
93:      /// </summary>
94:      public decimal? MustahsilMakbuzuTutari;
95:
96:      /// <summary>
97:      /// Gelir Vergisi Bilgisi
98:      /// </summary>
99:      public decimal? GelirVergisi;
100:
101:     /// <summary>
102:     /// Makbuz Grup Türü Kod Bilgisi
103:     /// </summary>
104:     public int? MakbuzGrupTuruKod;
105:   }
106: }
```

## Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

## 1.2.15 Program.cs

This is file Program.cs.

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

**Body Source**

```

1: ?using System;
2: using System.Windows.Forms;
3:
4: namespace QNBFinansGIB
5: {
6:     internal static class Program
7:     {
8:         /// <summary>
9:         /// The main entry point for the application.
10:        /// </summary>
11:        [STAThread]
12:        private static void Main()
13:        {
14:            Application.EnableVisualStyles();
15:            Application.SetCompatibleTextRenderingDefault(false);
16:            Application.Run(new frmAnaSayfa());
17:        }
18:    }
19: }
```

**Namespaces**

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

## 1.2.16 QNBFinansGIB.csproj

This is file QNBFinansGIB.csproj.

1

## 1.2.17 QNBFinansGIB.sln

This is file QNBFinansGIB.sln.

## 1.2.18 Reference.cs

This code was generated by a tool. Runtime Version:4.0.30319.42000

Changes to this file may cause incorrect behavior and will be lost if the code is regenerated.

**Body Source**

```

1: ?-----
2: // <auto-generated>
3: //   This code was generated by a tool.
4: //   Runtime Version:4.0.30319.42000
5: //
6: //   Changes to this file may cause incorrect behavior and will be lost if
7: //   the code is regenerated.
8: // </auto-generated>
9: //-----
10:
11: //
12: // This source code was auto-generated by Microsoft.VSDesigner, Version
4.0.30319.42000.
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

```
13: //  
14: #pragma warning disable 1591  
15:  
16: namespace QNBFinansGIB.GIBUserService {  
17:     using System;  
18:     using System.Web.Services;  
19:     using System.Diagnostics;  
20:     using System.Web.Services.Protocols;  
21:     using System.Xml.Serialization;  
22:     using System.ComponentModel;  
23:  
24:  
25:     /// <remarks/>  
26:     [System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services",  
"4.8.4084.0")]  
27:     [System.Diagnostics.DebuggerStepThroughAttribute()]  
28:     [System.ComponentModel.DesignerCategoryAttribute("code")]  
29:     [System.Web.Services.WebServiceBindingAttribute(Name="UserServicePortBinding",  
Namespace="http://service.csap.cs.com/")]  
30:     public partial class userService :  
System.Web.Services.Protocols.SoapHttpClientProtocol {  
31:  
32:         private System.Threading.SendOrPostCallback wsLoginOperationCompleted;  
33:  
34:         private System.Threading.SendOrPostCallback logoutOperationCompleted;  
35:  
36:         private bool useDefaultCredentialsSetExplicitly;  
37:  
38:         /// <remarks/>  
39:         public userService() {  
40:             this.Url =  
global::QNBFinansGIB.Properties.Settings.Default.QNBFinansGIB_GIBUserService_userService;  
41:             if ((this.IsLocalFileSystemWebService(this.Url) == true)) {  
42:                 this.UseDefaultCredentials = true;  
43:                 this.useDefaultCredentialsSetExplicitly = false;  
44:             }  
45:             else {  
46:                 this.useDefaultCredentialsSetExplicitly = true;  
47:             }  
48:         }  
49:  
50:         public new string Url {  
51:             get {  
52:                 return base.Url;  
53:             }  
54:             set {  
55:                 if (((this.IsLocalFileSystemWebService(base.Url) == true)  
56:                     && (this.useDefaultCredentialsSetExplicitly == false))  
57:                     && (this.IsLocalFileSystemWebService(value) == false))) {  
58:                     base.UseDefaultCredentials = false;  
59:                 }  
60:                 base.Url = value;  
61:             }  
62:         }  
63:  
64:         public new bool UseDefaultCredentials {  
65:             get {  
66:                 return base.UseDefaultCredentials;  
67:             }  
68:             set {  
69:                 base.UseDefaultCredentials = value;  
70:                 this.useDefaultCredentialsSetExplicitly = true;  
71:             }  
72:         }  
73:  
74:         /// <remarks/>  
75:         public event wsLoginCompletedEventHandler wsLoginCompleted;  
76:  
77:         /// <remarks/>
```

```
78:         public event logoutCompletedEventHandler logoutCompleted;
79:
80:         /// <remarks/>
81:         [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.csap.cs.com.tr/",
ResponseNamespace="http://service.csap.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
82:         public void
wsLogin([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string userId,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string password,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string lang) {
83:             this.Invoke("wsLogin", new object[] {
84:                 userId,
85:                 password,
86:                 lang});
87:         }
88:
89:         /// <remarks/>
90:         public void wsLoginAsync(string userId, string password, string lang) {
91:             this.wsLoginAsync(userId, password, lang, null);
92:         }
93:
94:         /// <remarks/>
95:         public void wsLoginAsync(string userId, string password, string lang, object
userState) {
96:             if ((this.wsLoginOperationCompleted == null)) {
97:                 this.wsLoginOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnwsLoginOperationCompleted);
98:             }
99:             this.InvokeAsync("wsLogin", new object[] {
100:                 userId,
101:                 password,
102:                 lang}, this.wsLoginOperationCompleted, userState);
103:         }
104:
105:         private void OnwsLoginOperationCompleted(object arg) {
106:             if ((this.wsLoginCompleted != null)) {
107:                 System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
108:                 this.wsLoginCompleted(this, new
System.ComponentModel.AsyncCompletedEventArgs(invArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
109:             }
110:         }
111:
112:         /// <remarks/>
113:         [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.csap.cs.com.tr/",
ResponseNamespace="http://service.csap.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
114:         public void logout() {
115:             this.Invoke("logout", new object[0]);
116:         }
117:
118:         /// <remarks/>
119:         public void logoutAsync() {
120:             this.logoutAsync(null);
121:         }
122:
123:         /// <remarks/>
124:         public void logoutAsync(object userState) {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

125:             if ((this.logoutOperationCompleted == null)) {
126:                 this.logoutOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnlogoutOperationCompleted);
127:             }
128:             this.InvokeAsync("logout", new object[0], this.logoutOperationCompleted,
userState);
129:         }
130:
131:         private void OnlogoutOperationCompleted(object arg) {
132:             if ((this.logoutCompleted != null)) {
133:                 System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
134:                 this.logoutCompleted(this, new
System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
135:             }
136:         }
137:
138:         /// <remarks/>
139:         public new void CancelAsync(object userState) {
140:             base.CancelAsync(userState);
141:         }
142:
143:         private bool IsLocalFileSystemWebService(string url) {
144:             if (((url == null)
145:                 || (url == string.Empty))) {
146:                 return false;
147:             }
148:             System.Uri wsUri = new System.Uri(url);
149:             if (((wsUri.Port >= 1024)
150:                 && (string.Compare(wsUri.Host, "localhost",
System.StringComparison.OrdinalIgnoreCase) == 0))) {
151:                 return true;
152:             }
153:             return false;
154:         }
155:     }
156:
157:     /// <remarks/>
158:     [System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services",
"4.8.4084.0")]
159:     public delegate void wsLoginCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
160:
161:     /// <remarks/>
162:     [System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services",
"4.8.4084.0")]
163:     public delegate void logoutCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
164: }
165:
166: #pragma warning restore 1591

```

**Namespaces**

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

## 1.2.19 Resources.Designer.cs

This code was generated by a tool. Runtime Version:4.0.30319.42000

Changes to this file may cause incorrect behavior and will be lost if the code is regenerated.

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

## Body Source

```

1: ?-----
2: // <auto-generated>
3: //   This code was generated by a tool.
4: //   Runtime Version:4.0.30319.42000
5: //
6: //   Changes to this file may cause incorrect behavior and will be lost if
7: //   the code is regenerated.
8: // </auto-generated>
9: ?-----
10:
11: namespace QNBFinansGIB.Properties
12: {
13:
14:
15:     /// <summary>
16:     ///   A strongly-typed resource class, for looking up localized strings, etc.
17:     /// </summary>
18:     // This class was auto-generated by the StronglyTypedResourceBuilder
19:     // class via a tool like ResGen or Visual Studio.
20:     // To add or remove a member, edit your .ResX file then rerun ResGen
21:     // with the /str option, or rebuild your VS project.
22:
[global::System.CodeDom.Compiler.GeneratedCodeAttribute("System.Resources.Tools.StronglyType
dResourceBuilder",
"4.0.0.0")]
23:     [global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
24:     [global::System.Runtime.CompilerServices.CompilerGeneratedAttribute()]
25:     internal class Resources
26:     {
27:
28:         private static global::System.Resources.ResourceManager resourceMan;
29:
30:         private static global::System.Globalization.CultureInfo resourceCulture;
31:
32:
[global::System.Diagnostics.CodeAnalysis.SuppressMessageAttribute("Microsoft.Performance",
"CA1811:AvoidUncalledPrivateCode")]
33:         internal Resources()
34:         {
35:         }
36:
37:         /// <summary>
38:         ///   Returns the cached ResourceManager instance used by this class.
39:         /// </summary>
40:
[global::System.ComponentModel.EditorBrowsableAttribute(global::System.ComponentModel.Editor
BrowsableState.Advanced)]
41:         internal static global::System.Resources.ResourceManager ResourceManager
42:         {
43:             get
44:             {
45:                 if ((resourceMan == null))
46:                 {
47:                     global::System.Resources.ResourceManager temp = new
global::System.Resources.ResourceManager("QNBFinansGIB.Properties.Resources",
typeof(Resources).Assembly);
48:                     resourceMan = temp;
49:                 }
50:                 return resourceMan;
51:             }
52:         }
53:
54:         /// <summary>
55:         ///   Overrides the current thread's CurrentUICulture property for all
56:         ///   resource lookups using this strongly typed resource class.
57:         /// </summary>

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

```

58: [global::System.ComponentModel.EditorBrowsableAttribute(global::System.ComponentModel.EditorBrowsableState.Advanced)]
59:     internal static global::System.Globalization.CultureInfo Culture
60:     {
61:         get
62:         {
63:             return resourceCulture;
64:         }
65:         set
66:         {
67:             resourceCulture = value;
68:         }
69:     }
70: }
71: 
```

**Namespaces**

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

## 1.2.20 Sabitler.cs

This is file Sabitler.cs.

**Body Source**

```

1: ?using System.Collections.Generic;
2:
3: namespace QNBFinansGIB.Utils
4: {
5:     /// <summary>
6:     /// Sistemde Elle Kontroller Yapilmamasi ve Hatali Veri Girisini Engellemek Amaçlı
Kullanilan
7:     /// Sabit sinifidir.
8:     /// </summary>
9:     public static class Sabitler
10:    {
11:        public static readonly List<int> TekrarGonderilebilecekKodListesi = new
List<int> { 1110, 1120, 1130, 1131, 1132, 1133, 1140, 1141, 1142, 1143, 1150, 1160, 1161,
1170, 1171, 1172, 1175, 1176, 1177, 1180, 1181, 1190, 1195, 1215, 1230 };
12:    }
13: } 
```

**Namespaces**

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

## 1.2.21 Settings.Designer.cs

This code was generated by a tool. Runtime Version:4.0.30319.42000

Changes to this file may cause incorrect behavior and will be lost if the code is regenerated.

**Body Source**

```

1: ?-----
2: // <auto-generated>
3: //   This code was generated by a tool. 
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

```
4: //      Runtime Version:4.0.30319.42000
5: //
6: //      Changes to this file may cause incorrect behavior and will be lost if
7: //      the code is regenerated.
8: // </auto-generated>
9: -----
10:
11: namespace QNBFinansGIB.Properties {
12:
13:
14:     [global::System.Runtime.CompilerServices.CompilerGeneratedAttribute()]
15:
[global::System.CodeDom.Compiler.GeneratedCodeAttribute("Microsoft.VisualStudioEditors.SettingsDesigner.SettingsSingleFileGenerator",
"15.9.0.0")]
16:     internal sealed partial class Settings :
global::System.Configuration.ApplicationSettingsBase {
17:
18:         private static Settings defaultInstance =
((Settings)(global::System.Configuration.ApplicationSettingsBase.Synchronized(new
Settings())));
19:
20:         public static Settings Default {
21:             get {
22:                 return defaultInstance;
23:             }
24:         }
25:
26:         [global::System.Configuration.ApplicationScopedSettingAttribute()]
27:         [global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
28:
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSe
tting.WebServiceUrl)]
29:
[global::System.Configuration.DefaultSettingValueAttribute("https://connectortest.efinans.co
m.tr:443/connector/ws/userService")]
30:         public string QNBFinansGIB_GIBUserService_userService {
31:             get {
32:                 return ((string)(this["QNBFinansGIB_GIBUserService_userService"]));
33:             }
34:         }
35:
36:         [global::System.Configuration.ApplicationScopedSettingAttribute()]
37:         [global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
38:
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSe
tting.WebServiceUrl)]
39:
[global::System.Configuration.DefaultSettingValueAttribute("https://connectortest.efinans.co
m.tr:443/connector/ws/connectorService")]
40:         public string QNBFinansGIB_GIBEFatura_connectorService {
41:             get {
42:                 return ((string)(this["QNBFinansGIB_GIBEFatura_connectorService"]));
43:             }
44:         }
45:
46:         [global::System.Configuration.ApplicationScopedSettingAttribute()]
47:         [global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
48:
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSe
tting.WebServiceUrl)]
49:
[global::System.Configuration.DefaultSettingValueAttribute("https://earsivtest.efinans.com.t
r:443/earsiv/ws/EarsivWebService")]
50:         public string QNBFinansGIB_GIBEArsiv_EarsivWebService {
51:             get {
52:                 return ((string)(this["QNBFinansGIB_GIBEArsiv_EarsivWebService"]));
53:             }
54:         }
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

```

55:
56:         [global::System.Configuration.ApplicationScopedSettingAttribute()]
57:         [global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
58:
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSetting.WebServiceUrl)]
59:
[global::System.Configuration.DefaultSettingValueAttribute("https://earsivtest.efinans.com.tr/earsiv/ws/MustahsilWebService?wsdl=1")]
60:         public string QNBFinansGIB_GIBEArsiv_MustahsilWebService {
61:             get {
62:                 return ((string)(this[ "QNBFinansGIB_GIBEArsiv_MustahsilWebService" ]));
63:             }
64:         }
65:
66:         [global::System.Configuration.ApplicationScopedSettingAttribute()]
67:         [global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
68:
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSetting.WebServiceUrl)]
69:
[global::System.Configuration.DefaultSettingValueAttribute("https://earsivtest.efinans.com.tr:443/earsiv/ws/MustahsilWebService")]
70:         public string QNBFinansGIB_GIBEMustahsil_MustahsilWebService {
71:             get {
72:                 return
((string)(this[ "QNBFinansGIB_GIBEMustahsil_MustahsilWebService" ]));
73:             }
74:         }
75:     }
76: }
```

**Namespaces**

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

---

## 1.2.22 YardimciSiniflar.cs

This is file YardimciSiniflar.cs.

**Body Source**

```

1: ?using QNBFinansGIB.DTO;
2: using System;
3: using System.Collections.Generic;
4: using System.IO;
5: using System.Linq;
6: using System.Xml;
7: using static QNBFinansGIB.Utils.Enums;
8:
9: namespace QNBFinansGIB.Utils
10: {
11:     /// <summary>
12:     /// Giden Fatura ve Müstahsil Makbuzlari ile ilgili olarak, Kendisi, Ana Kayda
Iliskin Detaylar, Aktarilacak Klasör gibi bilgiler kullanilarak
13:     /// QNB Finans GIB Web Servislerine gönderilecek XML dosyalarinin hazırlanması
ile ilgili
14:     /// Metotların bulunduğu yardımci sınıfıdır.
15:     /// </summary>
16:     public static class YardimciSiniflar
17:     {
18:         /// <summary>
19:         /// Giden Fatura Bilgisi Üzerinden E-Fatura Sistemine Göndermek İçin
20:         /// XML Dosyası Oluşturmayla yarattır
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

21:      /// </summary>
22:      /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
23:      /// <param name="gidenFaturaDetayListesi">Giden Fatura Detay Listesi</param>
24:      /// <param name="aktarilacakKlasorAdi">Olusturulan Dosyanin Aktarilacagi
Klasör</param>
25:      /// <returns>Kaydedilen Dosyanin Bilgisayardaki Adresi</returns>
26:      public static string EFaturaXMLOlustur(GidenFaturaDTO gidenFatura,
27:          List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, string
aktarilacakKlasorAdi)
28:      {
29:          var doc = new XmlDocument();
30:          var declaration = doc.CreateXmlDeclaration("1.0", "UTF-8", null);
31:          var root = doc.DocumentElement;
32:          doc.InsertBefore(declaration, root);
33:          doc.AppendChild(
34:              doc.CreateProcessingInstruction("xml-stylesheet", "type=\\"text/xsl\\""
href=\"general.xslt\""));
35:
36:          root = doc.CreateElement("Invoice");
37:
38:          gidenFatura = gidenFatura.BosluklariKaldir();
39:          if (string.IsNullOrEmpty(gidenFatura.VergiNo) &&
!string.IsNullOrEmpty(gidenFatura.GercekKisiTcKimlikNo))
40:              gidenFatura.VergiNo = gidenFatura.GercekKisiTcKimlikNo;
41:
42:          var kodSatisTuruKod = 0;
43:          if (gidenFatura.SatisTuruKod != null)
44:              kodSatisTuruKod = gidenFatura.SatisTuruKod ?? 0;
45:
46:          var kodFaturaTuruKod = 0;
47:          if (gidenFatura.FaturaTuruKod != null)
48:              kodFaturaTuruKod = gidenFatura.FaturaTuruKod ?? 0;
49:
50:          var kodFaturaGrupTuruKod = 0;
51:          if (gidenFatura.FaturaGrupTuruKod != null)
52:              kodFaturaGrupTuruKod = gidenFatura.FaturaGrupTuruKod ?? 0;
53:
54:          #region Standart ve Faturaya Bagli Bilgiler
55:
56:          // Faturanin türü, düzenleme tarihi, UBL Versiyon Numarasi, GIB Numarasi
gibi bilgiler
57:          // yer almaktadir
58:
59:          #region Standart Bilgiler
60:
61:          root.RemoveAllAttributes();
62:          // var locationAttribute = "xsi:schemaLocation";
63:          var location = doc.CreateAttribute("xsi", "schemaLocation",
64:              "urn:oasis:names:specification:UBL:schema:xsd:Invoice-2");
65:          location.Value =
66:              "urn:oasis:names:specification:UBL:schema:xsd:Invoice-2
./xsdrt/maindoc/UBL-Invoice-2.1.xsd";
67:          //var location = doc.CreateAttribute(schemaLocation);
68:          //location.Value =
"urn:oasis:names:specification:UBL:schema:xsd:Invoice-2
./xsdrt/maindoc/UBL-Invoice-2.1.xsd";
69:          var xmlns = doc.CreateAttribute("xmlns");
70:          xmlns.Value = "urn:oasis:names:specification:UBL:schema:xsd:Invoice-2";
71:          var xmlnsn4 = doc.CreateAttribute("xmlns:n4");
72:          xmlnsn4.Value = "http://www.altova.com/simplexml/other-namespace";
73:          var xmlnsxsi = doc.CreateAttribute("xmlns:xsi");
74:          xmlnsxsi.Value = "http://www.w3.org/2001/XMLSchema-instance";
75:          var xmlnscac = doc.CreateAttribute("xmlns:cac");
76:          xmlnscac.Value =
"urn:oasis:names:specification:UBL:schema:xsd:CommonAggregateComponents-2";
77:          var xmlnscbc = doc.CreateAttribute("xmlns:cbc");
78:          xmlnscbc.Value =
"urn:oasis:names:specification:UBL:schema:xsd:CommonBasicComponents-2";
79:          var xmlnsext = doc.CreateAttribute("xmlns:ext");

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

80:             xmlnsext.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonExtensionComponents-2";
81:             root.Attributes.Append(location);
82:             root.Attributes.Append(xmlns);
83:             root.Attributes.Append(xmlnsn4);
84:             root.Attributes.Append(xmlnsxsi);
85:             root.Attributes.Append(xmlnscac);
86:             root.Attributes.Append(xmlnscbc);
87:             root.Attributes.Append(xmlnsext);
88:             var extUbl = doc.CreateElement("ext", "UBLExtensions", xmlnsext.Value);
89:             var extUbl2 = doc.CreateElement("ext", "UBLExtension", xmlnsext.Value);
90:             var extUbl3 = doc.CreateElement("ext", "ExtensionContent",
xmlnsext.Value);
91:             var extUbl4 = doc.CreateElement("n4", "auto-generated_for_wildcard",
xmlnsn4.Value);
92:             extUbl3.AppendChild(extUbl4);
93:             extUbl2.AppendChild(extUbl3);
94:             extUbl.AppendChild(extUbl2);
95:
96:             root.AppendChild(extUbl);
97:
98:             var versionId = doc.CreateElement("cbc", "UBLVersionID", xmlnscbc.Value);
99:             versionId.InnerText = "2.1";
100:            root.AppendChild(versionId);
101:
102:            var customizationId = doc.CreateElement("cbc", "CustomizationID",
xmlnscbc.Value);
103:            customizationId.InnerText = "TR1.2";
104:            root.AppendChild(customizationId);
105:
106:            var profileId = doc.CreateElement("cbc", "ProfileID", xmlnscbc.Value);
107:            profileId.InnerText = "TEMELFATURA";
108:            root.AppendChild(profileId);
109:
110:            var id = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
111:            if (!string.IsNullOrEmpty(gidenFatura.GibNumarasi))
112:                id.InnerText = gidenFatura.GibNumarasi;
113:            else
114:                id.InnerText = "ABC" + gidenFatura.DuzenlemeTarihi?.Year +
115:                               DateTime.UtcNow.Ticks.ToString().Substring(0, 9);
116:            root.AppendChild(id);
117:
118:            var copyIndicator = doc.CreateElement("cbc", "CopyIndicator",
xmlnscbc.Value);
119:            copyIndicator.InnerText = "false";
120:            root.AppendChild(copyIndicator);
121:
122:            var gidenFaturaId = doc.CreateElement("cbc", "UUID", xmlnscbc.Value);
123:            gidenFaturaId.InnerText = gidenFatura.GidenFaturaId.Length == 36
124:                ? gidenFatura.GidenFaturaId.ToUpper()
125:                : Guid.NewGuid().ToString().ToUpper();
126:            root.AppendChild(gidenFaturaId);
127:
128:            var issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
129:            issueDate.InnerText =
gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd") ?? string.Empty;
130:            root.AppendChild(issueDate);
131:
132:            var issueTime = doc.CreateElement("cbc", "IssueTime", xmlnscbc.Value);
133:            issueTime.InnerText = gidenFatura.DuzenlemeTarihi?.ToString("HH:mm:ss")
134:            ?? string.Empty;
135:            root.AppendChild(issueTime);
136:
137:            var invoiceTypeCode = doc.CreateElement("cbc", "InvoiceTypeCode",
xmlnscbc.Value);
138:            invoiceTypeCode.InnerText = "SATIS";
139:            if (gidenFatura.KdvTutari == 0 || gidenFaturaDetayListesi.Any(j =>
j.KdvTutari == 0))
                invoiceTypeCode.InnerText = "ISTISNA";

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

140:             if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
141:                 invoiceTypeCode.InnerText = "IHRACKAYITLI";
142:             if (kodFaturaTuruKod == FaturaTur.Iade.GetHashCode())
143:                 invoiceTypeCode.InnerText = "IADE";
144:             root.AppendChild(invoiceTypeCode);
145:
146:             #region Irsaliye Bilgileri
147:
148:             #region Irsaliye ve Tonaj Düzenlemesi
149:
150:             var gidenFaturaDetayListesi2 = new List<GidenFaturaDetayDTO>();
151:             foreach (var item in gidenFaturaDetayListesi)
152:             {
153:                 if (!string.IsNullOrEmpty(item.IrsaliyeNo) &&
154:                     !string.IsNullOrEmpty(item.PlakaNo))
155:                 {
156:                     if (!gidenFaturaDetayListesi2.Any(j =>
157:                         j.IrsaliyeNo == item.IrsaliyeNo && j.PlakaNo ==
158:                         item.PlakaNo))
159:                     {
160:                         item.Tonaj = item.Miktar;
161:                         gidenFaturaDetayListesi2.Add(item);
162:                     }
163:                     else
164:                     {
165:                         var index = gidenFaturaDetayListesi2.FindIndex(j =>
166:                             j.IrsaliyeNo == item.IrsaliyeNo && j.PlakaNo ==
167:                             item.PlakaNo);
168:                         gidenFaturaDetayListesi2[index].Tonaj += item.Miktar;
169:                     }
170:                 }
171:                 //if (gidenFaturaDetayListesi2.Count < 1)
172:                 //    gidenFaturaDetayListesi2.Add(new GidenFaturaDetayDTO());
173:
174:             #endregion Irsaliye ve Tonaj Düzenlemesi
175:
176:             if (gidenFaturaDetayListesi2.Count > 0)
177:             {
178:                 foreach (var item in gidenFaturaDetayListesi2)
179:                 {
180:                     var irsaliyeNote = doc.CreateElement("cbc", "Note",
181:                     xmlnscbc.Value);
182:                     irsaliyeNote.InnerText = "";
183:                     if (!string.IsNullOrEmpty(item.PlakaNo))
184:                         irsaliyeNote.InnerText += "Plaka No: " + item.PlakaNo;
185:                     if (!string.IsNullOrEmpty(item.SevkIrsaliyesiNo))
186:                         irsaliyeNote.InnerText += " Irsaliye No: " +
item.SevkIrsaliyesiNo;
187:                     if (item.SevkIrsaliyeTarihi != null)
188:                         irsaliyeNote.InnerText += " Irsaliye Tarihi: " +
item.SevkIrsaliyeTarihi?.ToShortDateString();
189:                     if (item.YuklemeFormuNo != null)
190:                         irsaliyeNote.InnerText += " Yükleme Formu No: " +
item.YuklemeFormuNo;
191:                     if (item.Tonaj != null)
192:                         irsaliyeNote.InnerText += " Tonaj: " + item.Tonaj;
193:                     if (kodFaturaTuruKod == FaturaTur.Iade.GetHashCode() ||
194:                         item.FaturaUrunTuru.Contains("Sartname") ||
item.FaturaUrunTuru.Contains("Kira")) &&
195:                         kodFaturaGrupTuruKod ==
FaturaMakbuzGrupTur.Diger.GetHashCode()) &&
196:                         !string.IsNullOrEmpty(gidenFatura.Aciklama))
197:                         irsaliyeNote.InnerText += " Açıklama: " +
gidenFatura.Aciklama;
198:                     if (!string.IsNullOrEmpty(irsaliyeNote.InnerText))
root.AppendChild(irsaliyeNote);

```

```
199:             }
200:         }
201:
202:         #endregion
203:
204:         var documentCurrencyCode = doc.CreateElement("cbc",
205: "DocumentCurrencyCode", xmlnscbc.Value);
206:         documentCurrencyCode.InnerText = "TRY";
207:         root.AppendChild(documentCurrencyCode);
208:
209:         var lineCountNumeric = doc.CreateElement("cbc", "LineCountNumeric",
210: xmlnscbc.Value);
211:         lineCountNumeric.InnerText = gidenFaturaDetayListesi.Count.ToString();
212:         root.AppendChild(lineCountNumeric);
213:
214:         #region AdditionalDocumentReference
215:
216:         var additionalDocumentReference = doc.CreateElement("cac",
217: "AdditionalDocumentReference", xmlnscac.Value);
218:         var additionalDocumentReferenceId = doc.CreateElement("cbc", "ID",
219: xmlnscbc.Value);
220:         additionalDocumentReferenceId.InnerText = gidenFatura.GidenFaturaId;
221:         additionalDocumentReference.AppendChild(additionalDocumentReferenceId);
222:         issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
223:         issueDate.InnerText =
224: gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd") ?? string.Empty;
225:         additionalDocumentReference.AppendChild(issueDate);
226:         var documentType = doc.CreateElement("cbc", "DocumentType",
227: xmlnscbc.Value);
228:         documentType.InnerText = "XSLT";
229:         additionalDocumentReference.AppendChild(documentType);
230:         issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
231:         issueDate.InnerText =
232: gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd");
233:         additionalDocumentReference.AppendChild(issueDate);
234:         documentType = doc.CreateElement("cbc", "DocumentType", xmlnscbc.Value);
235:         documentType.InnerText = "XSLT";
236:         additionalDocumentReference.AppendChild(documentType);
237:         var attachment = doc.CreateElement("cac", "Attachment", xmlnscac.Value);
238:         var embeddedDocumentBinaryObject = doc.CreateElement("cbc",
239: "EmbeddedDocumentBinaryObject", xmlnscbc.Value);
240:         var characterSetCode = doc.CreateAttribute("characterSetCode");
241:         characterSetCode.Value = "UTF-8";
242:         var encodingCode = doc.CreateAttribute("encodingCode");
243:         encodingCode.Value = "Base64";
244: // XmlAttribute fileName2 = doc.CreateAttribute("fileName");
245: // fileName2.Value = "efatura.xslt";
246:         var mimeCode = doc.CreateAttribute("mimeCode");
247:         mimeCode.Value = "application/xml";
248:         embeddedDocumentBinaryObject.Attributes.Append(characterSetCode);
249:         embeddedDocumentBinaryObject.Attributes.Append(encodingCode);
250: // embeddedDocumentBinaryObject.Attributes.Append(fileName2);
251:         embeddedDocumentBinaryObject.Attributes.Append(mimeCode);
252:
253:         #region Base 64 Metin
254:
255:         var sablonAdresi = Directory.GetFiles("../..../Other");
256:         if (sablonAdresi.Length > 0)
257:         {
258:             foreach (var item in sablonAdresi)
259:             {
260:                 if (!item.Contains("efatura")) continue;
261:                 var base64Metin = File.ReadAllText(item);
262:                 embeddedDocumentBinaryObject.InnerText = base64Metin;
263:                 break;
264:             }
265:         }
266:
267:         #endregion
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

```

260:
261:         attachment.AppendChild(embeddedDocumentBinaryObject);
262:         additionalDocumentReference.AppendChild(attachment);
263:
264:         root.AppendChild(additionalDocumentReference);
265:
266:         additionalDocumentReference = doc.CreateElement("cac",
267: "AdditionalDocumentReference", xmlnscac.Value);
267:         additionalDocumentReferenceId = doc.CreateElement("cbc", "ID",
xmlnscbc.Value);
268:         additionalDocumentReferenceId.InnerText = gidenFatura.GidenFaturaId;
269:         additionalDocumentReference.AppendChild(additionalDocumentReferenceId);
270:         issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
271:         issueDate.InnerText =
gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd") ?? string.Empty;
272:         additionalDocumentReference.AppendChild(issueDate);
273:         documentType = doc.CreateElement("cbc", "DocumentType", xmlnscbc.Value);
274:         documentType.InnerText = "XSLT";
275:         additionalDocumentReference.AppendChild(documentType);
276:         attachment = doc.CreateElement("cac", "Attachment", xmlnscac.Value);
277:         embeddedDocumentBinaryObject = doc.CreateElement("cbc",
"EmbeddedDocumentBinaryObject", xmlnscbc.Value);
278:         characterSetCode = doc.CreateAttribute("characterSetCode");
279:         characterSetCode.Value = "UTF-8";
280:         encodingCode = doc.CreateAttribute("encodingCode");
281:         encodingCode.Value = "Base64";
282:         mimeCode = doc.CreateAttribute("mimeCode");
283:         mimeCode.Value = "application/xml";
284:         embeddedDocumentBinaryObject.Attributes.Append(characterSetCode);
285:         embeddedDocumentBinaryObject.Attributes.Append(encodingCode);
286:         embeddedDocumentBinaryObject.Attributes.Append(mimeCode);
287:         attachment.AppendChild(embeddedDocumentBinaryObject);
288:         additionalDocumentReference.AppendChild(attachment);
289:
290: #endregion
291:
292: #endregion
293:
294: // Faturaya iliskin imza, adres vb. bilgiler yer almaktadir
295:
296: #region Signature
297:
298: var signature = doc.CreateElement("cac", "Signature", xmlnscac.Value);
299: var signatureIdAttr = doc.CreateAttribute("schemeID");
300: signatureIdAttr.Value = "VKN_TCKN";
301: var signatureId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
302: signatureId.Attributes.Append(signatureIdAttr);
303: signatureId.InnerText = "3250566851";
304: signature.AppendChild(signatureId);
305: var signatoryParty = doc.CreateElement("cac", "SignatoryParty",
xmlnscac.Value);
306: var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlnscac.Value);
307: var signatureIdAttr2 = doc.CreateAttribute("schemeID");
308: signatureIdAttr2.Value = "VKN";
309: var signaturePartyId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
310: signaturePartyId.Attributes.Append(signatureIdAttr2);
311: signaturePartyId.InnerText = "3250566851";
312: partyIdentification.AppendChild(signaturePartyId);
313: signatoryParty.AppendChild(partyIdentification);
314:
315: #region Postal Address
316:
317: var postalAddress = doc.CreateElement("cac", "PostalAddress",
xmlnscac.Value);
318: var streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
319: streetName.InnerText = "Mithatpasa Caddesi";
320: postalAddress.AppendChild(streetName);
321: var buildingNumber = doc.CreateElement("cbc", "BuildingNumber",

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

xmlnscbc.Value);
322:         buildingNumber.InnerText = "14";
323:         postalAddress.AppendChild(buildingNumber);
324:         var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xmlnscbc.Value);
325:         citySubdivisionName.InnerText = "Çankaya";
326:         postalAddress.AppendChild(citySubdivisionName);
327:         var cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
328:         cityName.InnerText = "Ankara";
329:         postalAddress.AppendChild(cityName);
330:         var postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
331:         postalZone.InnerText = "06100";
332:         postalAddress.AppendChild(postalZone);
333:         var country = doc.CreateElement("cac", "Country", xmlnscac.Value);
334:         var countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
335:         countryName.InnerText = "Türkiye";
336:         country.AppendChild(countryName);
337:         postalAddress.AppendChild(country);
338:         signatoryParty.AppendChild(postalAddress);
339:         signature.AppendChild(signatoryParty);
340:
341:     #endregion
342:
343:     var digitalSignatureAttachment = doc.CreateElement("cac",
"DigitalSignatureAttachment", xmlnscac.Value);
344:     var externalReference = doc.CreateElement("cac", "ExternalReference",
xmlnscac.Value);
345:     var uri = doc.CreateElement("cbc", "URI", xmlnscbc.Value);
346:     uri.InnerText = "#Signature";
347:     externalReference.AppendChild(uri);
348:     digitalSignatureAttachment.AppendChild(externalReference);
349:     signature.AppendChild(digitalSignatureAttachment);
350:
351:     root.AppendChild(signature);
352:
353: #endregion
354:
355: // Burada sabit degerler verilmekte olup, Faturayi kesen kuruma veya
firma ait bilgiler
356: // yer almaktadir. Bu kisimda örnekk olarak TÜRKSEKER Fabrikalari Genel
Müdürlüğü bilgileri
357: // kullanilmistir. Ancak degistirip test edilebilir.
358:
359: #region AccountingSupplierParty
360:
361: var accountingSupplierParty = doc.CreateElement("cac",
"AccountingSupplierParty", xmlnscac.Value);
362: var party = doc.CreateElement("cac", "Party", xmlnscac.Value);
363: var webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlnscbc.Value);
364: webSiteUri.InnerText = "https://www.turkseker.gov.tr";
365: party.AppendChild(webSiteUri);
366: var accountingSupplierPartyIdAttr = doc.CreateAttribute("schemeID");
367: accountingSupplierPartyIdAttr.Value = "VKN_TCKN";
368: partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlnscac.Value);
369: var accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
370: accountingSupplierPartyIdAttr2.Value = "VKN";
371: var accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xmlnscbc.Value);
372:
accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
373: accountingSupplierPartyPartyId.InnerText = "3250566851";
374: partyIdentification.AppendChild(accountingSupplierPartyPartyId);
375: party.AppendChild(partyIdentification);
376:
377: if (!string.IsNullOrEmpty(gidenFatura.AltBirimAd))
378: {
379:     partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlnscac.Value);

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com)

```

380:             accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
381:             accountingSupplierPartyIdAttr2.Value = "SUBENO";
382:             accountingSupplierPartyId = doc.CreateElement("cbc", "ID",
xmlns:cbc.Value);
383:
accountingSupplierPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
384:             accountingSupplierPartyId.InnerText = gidenFatura.AltBirimAd;
385:             partyIdentification.AppendChild(accountingSupplierPartyId);
386:             party.AppendChild(partyIdentification);
387:         }
388:
389:         var partyName = doc.CreateElement("cac", "PartyName", xmlns:cac.Value);
390:         var partyNameReal = doc.CreateElement("cbc", "Name", xmlns:cbc.Value);
391:         partyNameReal.InnerText = "TÜRKİYE SEKER FABRIKALARI A.S.";
392:         partyName.AppendChild(partyNameReal);
393:         party.AppendChild(partyName);
394:
395:         #region Postal Address
396:
397:         postalAddress = doc.CreateElement("cac", "PostalAddress", xmlns:cac.Value);
398:         var postalAddressId = doc.CreateElement("cbc", "ID", xmlns:cbc.Value);
399:         postalAddressId.InnerText = "3250566851";
400:         postalAddress.AppendChild(postalAddressId);
401:         streetName = doc.CreateElement("cbc", "StreetName", xmlns:cbc.Value);
402:         streetName.InnerText = "Mithatpasa Caddesi";
403:         postalAddress.AppendChild(streetName);
404:         buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xmlns:cbc.Value);
405:         buildingNumber.InnerText = "14";
406:         postalAddress.AppendChild(buildingNumber);
407:         citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xmlns:cbc.Value);
408:         citySubdivisionName.InnerText = "Çankaya";
409:         postalAddress.AppendChild(citySubdivisionName);
410:         cityName = doc.CreateElement("cbc", "CityName", xmlns:cbc.Value);
411:         cityName.InnerText = "Ankara";
412:         postalAddress.AppendChild(cityName);
413:         postalZone = doc.CreateElement("cbc", "PostalZone", xmlns:cbc.Value);
414:         postalZone.InnerText = "06100";
415:         postalAddress.AppendChild(postalZone);
416:         country = doc.CreateElement("cac", "Country", xmlns:cac.Value);
417:         countryName = doc.CreateElement("cbc", "Name", xmlns:cbc.Value);
418:         countryName.InnerText = "Türkiye";
419:         country.AppendChild(countryName);
420:         postalAddress.AppendChild(country);
421:         party.AppendChild(postalAddress);
422:
423:         #endregion
424:
425:         var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xmlns:cac.Value);
426:         var taxScheme = doc.CreateElement("cac", "TaxScheme", xmlns:cac.Value);
427:         var taxSchemeName = doc.CreateElement("cbc", "Name", xmlns:cbc.Value);
428:         taxSchemeName.InnerText = "Ankara Kurumlar";
429:         taxScheme.AppendChild(taxSchemeName);
430:         partyTaxScheme.AppendChild(taxScheme);
431:         party.AppendChild(partyTaxScheme);
432:
433:         var contact = doc.CreateElement("cac", "Contact", xmlns:cac.Value);
434:         var telephone = doc.CreateElement("cbc", "Telephone", xmlns:cbc.Value);
435:         telephone.InnerText = "(312) 4585500";
436:         contact.AppendChild(telephone);
437:         var telefax = doc.CreateElement("cbc", "Telefax", xmlns:cbc.Value);
438:         telefax.InnerText = "(312) 4585800";
439:         contact.AppendChild(telefax);
440:         var electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xmlns:cbc.Value);
441:         electronicMail.InnerText = "maliisler@turkseker.gov.tr";
442:         contact.AppendChild(electronicMail);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com)

```

443:         party.AppendChild(contact);
444:
445:         accountingSupplierParty.AppendChild(party);
446:
447:         root.AppendChild(accountingSupplierParty);
448:
449: #endregion
450:
451: // Bu kisimda fatura kesilen firma bilgileri yer almaktadir
452:
453: #region AccountingCustomerParty
454:
455:     var accountingCustomerParty = doc.CreateElement("cac",
456: "AccountingCustomerParty", xmlnscac.Value);
457:     party = doc.CreateElement("cac", "Party", xmlnscac.Value);
458:     webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlnscbc.Value);
459:     party.AppendChild(webSiteUri);
460:     var accountingCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
461:     accountingCustomerPartyIdAttr.Value = "TCKN";
462:     if (!string.IsNullOrEmpty(gidenFatura.VergiNo) &&
463: gidenFatura.VergiNo.Length == 10)
464:         accountingCustomerPartyIdAttr.Value = "VKN";
465:     partyIdentification = doc.CreateElement("cac", "PartyIdentification",
466: xmlnscac.Value);
467:     var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
468: xmlnscbc.Value);
469:
470:     accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerPartyIdAttr);
471:     accountingCustomerPartyPartyId.InnerText = gidenFatura.VergiNo;
472:     partyIdentification.AppendChild(accountingCustomerPartyPartyId);
473:     party.AppendChild(partyIdentification);
474:
475:     if (!string.IsNullOrEmpty(gidenFatura.VergiNo) &&
476: gidenFatura.VergiNo.Length == 10)
477:     {
478:         partyName = doc.CreateElement("cac", "PartyName", xmlnscac.Value);
479:         partyNameReal = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
480:         partyNameReal.InnerText = gidenFatura.TuzelKisiAd;
481:         partyName.AppendChild(partyNameReal);
482:         party.AppendChild(partyName);
483:
484: #region Postal Address
485:
486:     postalAddress = doc.CreateElement("cac", "PostalAddress", xmlnscac.Value);
487:     postalAddressId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
488:     postalAddressId.InnerText = gidenFatura.VergiNo;
489:     postalAddress.AppendChild(postalAddressId);
490:     var room = doc.CreateElement("cbc", "Room", xmlnscbc.Value);
491:     postalAddress.AppendChild(room);
492:     streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
493:     if (!string.IsNullOrEmpty(gidenFatura.Adres))
494:         streetName.InnerText = gidenFatura.Adres;
495:     postalAddress.AppendChild(streetName);
496:     buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
497: xmlnscbc.Value);
498:
499:     //buildingNumber.InnerText = "";
500:     postalAddress.AppendChild(buildingNumber);
501:     citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
502: xmlnscbc.Value);
503:
504:     if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
505:         citySubdivisionName.InnerText = gidenFatura.IlceAd;
506:     postalAddress.AppendChild(citySubdivisionName);
507:     cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
508:     if (!string.IsNullOrEmpty(gidenFatura.IlAd))
509:         cityName.InnerText = gidenFatura.IlAd;
510:     postalAddress.AppendChild(cityName);
511:     postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
512:
513:     //postalZone.InnerText = "";

```

```

504:         postalAddress.AppendChild(postalZone);
505:         country = doc.CreateElement("cac", "Country", xmlnscac.Value);
506:         countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
507:         countryName.InnerText = "Türkiye";
508:         country.AppendChild(countryName);
509:         postalAddress.AppendChild(country);
510:         party.AppendChild(postalAddress);
511:
512:     #endregion
513:
514:     partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xmlnscac.Value);
515:     taxScheme = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
516:     taxSchemeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
517:     if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
518:         taxSchemeName.InnerText = gidenFatura.VergiDairesi;
519:     taxScheme.AppendChild(taxSchemeName);
520:     partyTaxScheme.AppendChild(taxScheme);
521:     party.AppendChild(partyTaxScheme);
522:
523:     contact = doc.CreateElement("cac", "Contact", xmlnscac.Value);
524:     electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xmlnscbc.Value);
525:     if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))
526:         electronicMail.InnerText = gidenFatura.EPostaAdresi;
527:     contact.AppendChild(electronicMail);
528:     party.AppendChild(contact);
529:
530:     if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
531:     {
532:         if (gidenFatura.VergiNo.Length == 11)
533:         {
534:             var liste = gidenFatura.TuzelKisiAd.Split(' ').ToList();
535:             if (liste.Count >= 1)
536:             {
537:                 var person = doc.CreateElement("cac", "Person",
xmlnscac.Value);
538:                 var firstName = doc.CreateElement("cbc", "FirstName",
xmlnscbc.Value);
539:                 firstName.InnerText = liste[0];
540:                 person.AppendChild(firstName);
541:                 var surname = liste[0];
542:                 if (liste.Count > 1)
543:                     surname =
gidenFatura.TuzelKisiAd.Substring(liste[0].Length + 1);
544:                 var familyName = doc.CreateElement("cbc", "FamilyName",
xmlnscbc.Value);
545:                 familyName.InnerText = surname;
546:                 //familyName.InnerText = liste[1];
547:                 person.AppendChild(familyName);
548:                 party.AppendChild(person);
549:             }
550:         }
551:     }
552:
553:     accountingCustomerParty.AppendChild(party);
554:
555:     root.AppendChild(accountingCustomerParty);
556:
557: #endregion
558:
559: if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
560: {
561:     if (gidenFatura.VergiNo.Length == 10)
562:     {
563:         // Bu kisimda fatura kesilen firma bilgileri yer almaktadir (Eger
sadece Tüzel Kisilikse, sahis sirketleri için bu yapilmamaktadir)
564:
565:         #region BuyerCustomerParty

```

```

566:
567:             var buyerCustomerParty = doc.CreateElement("cac",
568: "BuyerCustomerParty", xmlnscac.Value);
569:             party = doc.CreateElement("cac", "Party", xmlnscac.Value);
570:             webSiteUri = doc.CreateElement("cbc", "WebsiteURI",
571: xmlnscbc.Value);
572:             party.AppendChild(webSiteUri);
573:             var buyerCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
574:             buyerCustomerPartyIdAttr.Value = "VKN";
575:             partyIdentification = doc.CreateElement("cac",
576: "PartyIdentification", xmlnscac.Value);
577:             var buyerCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
578: xmlnscbc.Value);
579:
buyerCustomerPartyPartyId.Attributes.Append(buyerCustomerPartyIdAttr);
580:             buyerCustomerPartyPartyId.InnerText = gidenFatura.VergiNo;
581:             partyIdentification.AppendChild(buyerCustomerPartyPartyId);
582:             party.AppendChild(partyIdentification);
583:
584:             if (gidenFatura.VergiNo.Length == 10)
585:             {
586:                 partyName = doc.CreateElement("cac", "PartyName",
587: xmlnscac.Value);
588:                 partyNameReal = doc.CreateElement("cbc", "Name",
589: xmlnscbc.Value);
590:
591:                 partyNameReal.InnerText = gidenFatura.TuzelKisiAd;
592:                 partyName.AppendChild(partyNameReal);
593:                 party.AppendChild(partyName);
594:
595:                 #region Postal Address
596:
597:                 postalAddress = doc.CreateElement("cac", "PostalAddress",
598: xmlnscac.Value);
599:                 postalAddressId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
600:                 postalAddressId.InnerText = gidenFatura.VergiNo;
601:                 postalAddress.AppendChild(postalAddressId);
602:                 room = doc.CreateElement("cbc", "Room", xmlnscbc.Value);
603:                 postalAddress.AppendChild(room);
604:                 streetName = doc.CreateElement("cbc", "StreetName",
605: xmlnscbc.Value);
606:                 if (!string.IsNullOrEmpty(gidenFatura.Adres))
607:                     streetName.InnerText = gidenFatura.Adres;
608:                 postalAddress.AppendChild(streetName);
609:                 buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
610: xmlnscbc.Value);
611:                 if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
612:                     citySubdivisionName.InnerText = gidenFatura.IlceAd;
613:                 postalAddress.AppendChild(buildingNumber);
614:                 citySubdivisionName = doc.CreateElement("cbc",
615: "CitySubdivisionName", xmlnscbc.Value);
616:                 postalAddress.AppendChild(citySubdivisionName);
617:                 cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
618:                 if (!string.IsNullOrEmpty(gidenFatura.IlAd))
619:                     cityName.InnerText = gidenFatura.IlAd;
620:                 postalAddress.AppendChild(cityName);
621:                 postalZone = doc.CreateElement("cbc", "PostalZone",
622: xmlnscbc.Value);
623:
624:                 postalAddress.AppendChild(postalZone);
625:                 country = doc.CreateElement("cac", "Country", xmlnscac.Value);
626:                 countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
627:                 countryName.InnerText = "Türkiye";
628:                 country.AppendChild(countryName);
629:                 postalAddress.AppendChild(country);
630:                 party.AppendChild(postalAddress);
631:
632:             #endregion

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com)

```

623:
624:         partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
625:             xmlnscac.Value);
626:
627:
628:
629:
630:
631:
632:
633:
634:         taxScheme = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
635:         taxSchemeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
636:         if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
637:             taxSchemeName.InnerText = gidenFatura.VergiDairesi;
638:         taxScheme.AppendChild(taxSchemeName);
639:         partyTaxScheme.AppendChild(taxScheme);
640:         party.AppendChild(partyTaxScheme);
641:
642:
643:
644:
645:
646:         contact = doc.CreateElement("cac", "Contact", xmlnscac.Value);
647:         electronicMail = doc.CreateElement("cbc", "ElectronicMail",
648:
649:
650:
651:         if (!string.IsNullOrEmpty(gidenFatura.EpostaAdresi))
652:             electronicMail.InnerText = gidenFatura.EpostaAdresi;
653:         contact.AppendChild(electronicMail);
654:         party.AppendChild(contact);
655:
656:         if (gidenFatura.VergiNo.Length == 11)
657:         {
658:             var liste = gidenFatura.TuzelKisiAd.Split(' ').ToList();
659:             if (liste.Count >= 1)
660:             {
661:                 var person = doc.CreateElement("cac", "Person",
662:                     xmlnscbc.Value);
663:                 var firstName = doc.CreateElement("cbc", "FirstName",
664:                     xmlnscbc.Value);
665:                 firstName.InnerText = liste[0];
666:                 person.AppendChild(firstName);
667:                 var surname = liste[0];
668:                 if (liste.Count > 1)
669:                     surname =
670:                         gidenFatura.TuzelKisiAd.Substring(liste[0].Length + 1);
671:                 var familyName = doc.CreateElement("cbc", "FamilyName",
672:                     xmlnscbc.Value);
673:                 familyName.InnerText = surname;
674:                 //familyName.InnerText = liste[1];
675:                 person.AppendChild(familyName);
676:                 party.AppendChild(person);
677:
678:             }
679:             buyerCustomerParty.AppendChild(party);
680:         }
681:         root.AppendChild(buyerCustomerParty);
682:     }
683:     #endregion
684: }
685:
686: if (!string.IsNullOrEmpty(gidenFatura.BankaAd))
687: {
688:     // Eger Banka bilgileri mevcutsa burada banka bilgileri yer almaktadir
689:     #region PaymentMeans
690:
691:     var paymentMeans = doc.CreateElement("cac", "PaymentMeans",
692:         xmlnscac.Value);
693:     var paymentMeansCode = doc.CreateElement("cbc", "PaymentMeansCode",
694:         xmlnscbc.Value);
695:     //paymentMeansCode.InnerText = "1";
696:
697:     // Burada 1 verildigi zaman Söylesme Kapsaminda yaziyor metinde
698:     // ZZZ ise Diger anlaminda geliyor
699:     paymentMeansCode.InnerText = "ZZZ";
700:     paymentMeans.AppendChild(paymentMeansCode);
701:     var payeeFinancialAccount = doc.CreateElement("cac",
702:         "PayeeFinancialAccount", xmlnscac.Value);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

683:             var payeeFinancialAccountId = doc.CreateElement("cbc", "ID",
xmlns:cbc.Value);
684:             if (!string.IsNullOrEmpty(gidenFatura.IbanNo))
685:                 payeeFinancialAccountId.InnerText = gidenFatura.IbanNo;
686:             payeeFinancialAccount.AppendChild(payeeFinancialAccountId);
687:             var currencyCode = doc.CreateElement("cbc", "CurrencyCode",
xmlns:cbc.Value);
688:             currencyCode.InnerText = "TRY";
689:             payeeFinancialAccount.AppendChild(currencyCode);
690:             var paymentNote = doc.CreateElement("cbc", "PaymentNote",
xmlns:cbc.Value);
691:             if (!string.IsNullOrEmpty(gidenFatura.BankaAd) &&
!string.IsNullOrEmpty(gidenFatura.BankaSube))
692:                 paymentNote.InnerText = gidenFatura.BankaAd + " - " +
gidenFatura.BankaSube;
693:             payeeFinancialAccount.AppendChild(paymentNote);
694:             paymentMeans.AppendChild(payeeFinancialAccount);
695:             root.AppendChild(paymentMeans);
696:
697:         #endregion
698:     }
699:
700:     #region KDVlerin Belirlenmesi
701:
702:     var faturaKdvListesi = new List<FaturaKdvDTO>();
703:     foreach (var item in gidenFaturaDetayListesi)
704:     {
705:         var kodKdvTuruOran = item.KdvOran ?? 0;
706:         if (faturaKdvListesi.All(j => j.KdvOran != kodKdvTuruOran))
707:         {
708:             var faturaKdv = new FaturaKdvDTO
709:             {
710:                 KdvOran = kodKdvTuruOran,
711:                 KdvTutari = item.KdvTutari,
712:                 KdvHaricTutar = item.KdvHaricTutar
713:             };
714:             faturaKdvListesi.Add(faturaKdv);
715:         }
716:         else
717:         {
718:             var index = faturaKdvListesi.FindIndex(j => j.KdvOran ==
kodKdvTuruOran);
719:             faturaKdvListesi[index].KdvTutari += item.KdvTutari;
720:             faturaKdvListesi[index].KdvHaricTutar += item.KdvHaricTutar;
721:         }
722:
723:         if (faturaKdvListesi.Count > 0)
724:             faturaKdvListesi = faturaKdvListesi.OrderBy(j =>
j.KdvOran).ToList();
725:     }
726:
727:     if (gidenFaturaDetayListesi.Sum(j => j.KonaklamaVergisi) > 0 &&
gidenFatura.DuzenlemeTarihi?.Year >= 2023)
728:     {
729:         var faturaKdv = new FaturaKdvDTO
730:         {
731:             KdvOran = 2,
732:             KdvTutari = gidenFaturaDetayListesi.Sum(j => j.KonaklamaVergisi),
733:             KdvHaricTutar = gidenFaturaDetayListesi.Sum(j => j.KdvHaricTutar)
734:         };
735:         faturaKdvListesi.Add(faturaKdv);
736:     }
737:
738: #endregion
739:
740: #region TaxTotal
741:
742: var sayac = 1;
743: foreach (var item in faturaKdvListesi)

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

744:         {
745:             // Burada vergi bilgileri yer almaktadir
746:
747:             #region TaxTotal
748:
749:             var taxTotal = doc.CreateElement("cac", "TaxTotal", xmlnscac.Value);
750:             var currencyIdGeneral = doc.CreateAttribute("currencyID");
751:             currencyIdGeneral.Value = "TRY";
752:             var taxAmount = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
753:             taxAmount.RemoveAllAttributes();
754:             taxAmount.Attributes.Append(currencyIdGeneral);
755:             taxAmount.InnerText = Decimal.Round((decimal) item.KdvTutari, 2,
MidpointRounding.AwayFromZero)
756:                 .ToString().Replace(", ", ".");
757:             taxTotal.AppendChild(taxAmount);
758:             var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal",
xmlnscac.Value);
759:             var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xmlnscbc.Value);
760:             taxableAmount.RemoveAllAttributes();
761:             currencyIdGeneral = doc.CreateAttribute("currencyID");
762:             currencyIdGeneral.Value = "TRY";
763:             taxableAmount.Attributes.Append(currencyIdGeneral);
764:             taxableAmount.InnerText = Decimal.Round((decimal) item.KdvHaricTutar,
2, MidpointRounding.AwayFromZero)
765:                 .ToString().Replace(", ", ".");
766:             taxSubTotal.AppendChild(taxableAmount);
767:             var taxAmount2 = doc.CreateElement("cbc", "TaxAmount",
xmlnscbc.Value);
768:             taxAmount2.RemoveAllAttributes();
769:             currencyIdGeneral = doc.CreateAttribute("currencyID");
770:             currencyIdGeneral.Value = "TRY";
771:             taxAmount2.Attributes.Append(currencyIdGeneral);
772:             taxAmount2.InnerText = Decimal.Round((decimal) item.KdvTutari, 2,
MidpointRounding.AwayFromZero)
773:                 .ToString().Replace(", ", ".");
774:             taxSubTotal.AppendChild(taxAmount2);
775:             var calculationSequenceNumeric = doc.CreateElement("cbc",
"CalculationSequenceNumeric", xmlnscbc.Value);
776:             calculationSequenceNumeric.InnerText = sayac + ".0";
777:             taxSubTotal.AppendChild(calculationSequenceNumeric);
778:             var percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
779:             percent.InnerText = Decimal.Round((decimal) item.KdvOran, 0,
MidpointRounding.AwayFromZero).ToString();
780:             taxSubTotal.AppendChild(percent);
781:             var taxCategory = doc.CreateElement("cac", "TaxCategory",
xmlnscac.Value);
782:             if (item.KdvTutari == 0)
783:             {
784:                 if (kodFaturaGrupTuruKod ==
FaturaMakbuzGrupTur.Kuspe.GetHashCode())
785:                     {
786:                         var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xmlnscbc.Value);
787:                         taxExemptionReasonCode.InnerText = "325";
788:                         var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xmlnscbc.Value);
789:                         taxExemptionReason.InnerText = "13/i Yem Teslimleri";
790:                         taxCategory.AppendChild(taxExemptionReasonCode);
791:                         taxCategory.AppendChild(taxExemptionReason);
792:                     }
793:                 else
794:                 {
795:                     var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xmlnscbc.Value);
796:                     taxExemptionReasonCode.InnerText = "350";
797:                     var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xmlnscbc.Value);
798:                     taxExemptionReason.InnerText = "Digerleri";
}

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

799:                     taxCategory.AppendChild(taxExemptionReasonCode);
800:                     taxCategory.AppendChild(taxExemptionReason);
801:                 }
802:             }
803:         }
804:         if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
805:         {
806:             var taxExemptionReasonCode = doc.CreateElement("cbc",
807: "TaxExemptionReasonCode", xmlnscbc.Value);
808:             taxExemptionReasonCode.InnerText = "701";
809:             var taxExemptionReason = doc.CreateElement("cbc",
810: "TaxExemptionReason", xmlnscbc.Value);
811:             taxExemptionReason.InnerText =
812:                 "3065 sayili Katma Deger Vergisi kanununun 11/1-c maddesi
813:                 kapsaminda ihraç edilmek şartıyla teslim edildiginden Katma Deger Vergisi tahsil
814:                 edilmemistir.";
815:             taxCategory.AppendChild(taxExemptionReasonCode);
816:             taxCategory.AppendChild(taxExemptionReason);
817:         }
818:     }
819:     var taxScheme2 = doc.CreateElement("cac", "TaxScheme",
820:         xmlnscac.Value);
821:     var taxTypeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
822:     taxTypeName.InnerText = item.KdvOran != 2 ? "Katma Deger Vergisi" :
823:         taxScheme2.AppendChild(taxTypeName);
824:     var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode",
825:         taxTypeCode.InnerText = item.KdvOran != 2 ? "0015" : "0059";
826:         taxScheme2.AppendChild(taxTypeCode);
827:         taxCategory.AppendChild(taxScheme2);
828:         taxSubTotal.AppendChild(taxCategory);
829:         taxTotal.AppendChild(taxSubTotal);
830:         root.AppendChild(taxTotal);
831:     }
832: #endregion
833:     sayac++;
834: #endregion
835: // Burada vergi bilgileri yer almaktadir (Açıklama Satiri haline
getirildi)
836: #region Açıklama Satiri (TaxTotal)
837: //var taxTotal = doc.CreateElement("cac", "TaxTotal", xmlnscac.Value);
838: //var currencyId = doc.CreateAttribute("currencyID");
839: //currencyId.Value = "TRY";
840: //var taxAmount = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
841: //taxAmount.RemoveAllAttributes();
842: //taxAmount.Attributes.Append(currencyId);
843: //taxAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
844: MidpointRounding.AwayFromZero).ToString().Replace(",",".");
845: //taxTotal.AppendChild(taxAmount);
846: //var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal",
847: //var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
848: //taxableAmount.RemoveAllAttributes();
849: //currencyId = doc.CreateAttribute("currencyID");
850: //currencyId.Value = "TRY";
851: //taxableAmount.Attributes.Append(currencyId);
852: //taxableAmount.InnerText =
853: Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
854: MidpointRounding.AwayFromZero).ToString().Replace(",",".");
855: //taxSubTotal.AppendChild(taxableAmount);
856: //var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

855:         //taxAmount2.RemoveAllAttributes();
856:         //currencyId = doc.CreateAttribute("currencyID");
857:         //currencyId.Value = "TRY";
858:         //taxAmount2.Attributes.Append(currencyId);
859:         //taxAmount2.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
860:         //taxSubTotal.AppendChild(taxAmount2);
861:         //var percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
862:         //if (gidenFatura.KdvHaricTutar != 0)
863:             //    percent.InnerText = Decimal.Round(((decimal)gidenFatura.KdvTutari *
100) / (decimal)gidenFatura.KdvHaricTutar, 0, MidpointRounding.AwayFromZero).ToString();
864:         //else
865:             //    percent.InnerText = "0";
866:         //taxSubTotal.AppendChild(percent);
867:         //var taxCategory = doc.CreateElement("cac", "TaxCategory",
xmlnscac.Value);
868:         //if (gidenFatura.KdvTutari == 0)
869:             //{
870:                 //    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xmlnscbc.Value);
871:                 //    taxExemptionReasonCode.InnerText = "325";
872:                 //    var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xmlnscbc.Value);
873:                 //    taxExemptionReason.InnerText = "13/i Yem Teslimleri";
874:                 //    taxCategory.AppendChild(taxExemptionReasonCode);
875:                 //    taxCategory.AppendChild(taxExemptionReason);
876:             //}
877:             //if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
878:             //{
879:                 //    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xmlnscbc.Value);
880:                 //    taxExemptionReasonCode.InnerText = "701";
881:                 //    var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xmlnscbc.Value);
882:                 //    taxExemptionReason.InnerText = "3065 sayili Katma Deger Vergisi
kanununun 11/1-c maddesi kapsamında ihraç edilmek şartıyla teslim edildiginden Katma Deger
Vergisi tahsil edilmemistir.";
883:                 //    taxCategory.AppendChild(taxExemptionReasonCode);
884:                 //    taxCategory.AppendChild(taxExemptionReason);
885:             //}
886:             //var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
887:             //var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode",
xmlnscbc.Value);
888:             //taxTypeCode.InnerText = "0015";
889:             //taxScheme2.AppendChild(taxTypeCode);
890:             //taxCategory.AppendChild(taxScheme2);
891:             //taxSubTotal.AppendChild(taxCategory);
892:             //taxTotal.AppendChild(taxSubTotal);
893:             //root.AppendChild(taxTotal);
894:
895: #endregion
896:
897: // KDV, KDV Hariç Tutar ve Toplam Tutar bilgileri yer almaktadir
898:
899: #region LegalMonetaryTotal
900:
901: var legalMonetaryTotal = doc.CreateElement("cac", "LegalMonetaryTotal",
xmlnscac.Value);
902: var lineExtensionAmount = doc.CreateElement("cbc", "LineExtensionAmount",
xmlnscbc.Value);
903: lineExtensionAmount.RemoveAllAttributes();
904: var currencyId = doc.CreateAttribute("currencyID");
905: currencyId.Value = "TRY";
906: lineExtensionAmount.Attributes.Append(currencyId);
907: lineExtensionAmount.InnerText = Decimal
908:     .Round((decimal) gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
909:     .Replace(", ", ".");
910: legalMonetaryTotal.AppendChild(lineExtensionAmount);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

911:         var taxExclusiveAmount = doc.CreateElement("cbc", "TaxExclusiveAmount",
xmlnscbc.Value);
912:         taxExclusiveAmount.RemoveAllAttributes();
913:         currencyId = doc.CreateAttribute("currencyID");
914:         currencyId.Value = "TRY";
915:         taxExclusiveAmount.Attributes.Append(currencyId);
916:         taxExclusiveAmount.InnerText = Decimal
917:             .Round((decimal) gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
918:             .Replace(", ", ".");
919:         legalMonetaryTotal.AppendChild(taxExclusiveAmount);
920:         var taxInclusiveAmount = doc.CreateElement("cbc", "TaxInclusiveAmount",
xmlnscbc.Value);
921:         taxInclusiveAmount.RemoveAllAttributes();
922:         currencyId = doc.CreateAttribute("currencyID");
923:         currencyId.Value = "TRY";
924:         taxInclusiveAmount.Attributes.Append(currencyId);
925:         taxInclusiveAmount.InnerText = Decimal
926:             .Round((decimal) gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString()
927:             .Replace(", ", ".");
928:         legalMonetaryTotal.AppendChild(taxInclusiveAmount);
929:         var payableAmount = doc.CreateElement("cbc", "PayableAmount",
xmlnscbc.Value);
930:         payableAmount.RemoveAllAttributes();
931:         currencyId = doc.CreateAttribute("currencyID");
932:         currencyId.Value = "TRY";
933:         payableAmount.Attributes.Append(currencyId);
934:         payableAmount.InnerText = Decimal
935:             .Round((decimal) gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString()
936:             .Replace(", ", ".");
937:         legalMonetaryTotal.AppendChild(payableAmount);
938:         root.AppendChild(legalMonetaryTotal);
939:
940: #endregion
941:
942: sayac = 1;
943: // Her bir fatura detayı için hazırlanan bölümdür
944: foreach (var item in gidenFaturaDetayListesi)
945: {
946:     var detayBilgisi = item.BosluklariKaldir();
947:
948:     #region InvoiceLine
949:
950:     // Ölçü Birimi, KDV Hariç Tutar, Para Birimi gibi bilgiler yer
951:     // almaktadır
952:
953:     #region MetaData
954:
955:     var invoiceLine = doc.CreateElement("cac", "InvoiceLine",
xmlnscac.Value);
956:     var invoiceLineId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
957:     invoiceLineId.InnerText = sayac.ToString();
958:     invoiceLine.AppendChild(invoiceLineId);
959:     var quantity = doc.CreateAttribute("unitCode");
960:     quantity.Value = !string.IsNullOrEmpty(detayBilgisi.GibKisaltma) ?
detayBilgisi.GibKisaltma : "KGM";
961:     var invoicedQuantity = doc.CreateElement("cbc", "InvoicedQuantity",
xmlnscbc.Value);
962:     invoicedQuantity.RemoveAllAttributes();
963:     invoicedQuantity.Attributes.Append(quantity);
964:     invoicedQuantity.InnerText = Decimal
965:         .Round((decimal) detayBilgisi.Miktar, 2,
MidpointRounding.AwayFromZero).ToString()
966:         .Replace(", ", ".");
967:     invoiceLine.AppendChild(invoicedQuantity);
968:     var lineExtensionAmountDetail = doc.CreateElement("cbc",
"LineExtensionAmount", xmlnscbc.Value);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com)

```
968:             lineExtensionAmountDetail.RemoveAllAttributes();
969:             currencyId = doc.CreateAttribute("currencyID");
970:             currencyId.Value = "TRY";
971:             lineExtensionAmountDetail.Attributes.Append(currencyId);
972:             lineExtensionAmountDetail.InnerText = Decimal
973:                 .Round((decimal) detayBilgisi.KdvHaricTutar, 2,
974:                     MidpointRounding.AwayFromZero).ToString()
975:                         .Replace(", ", ".");
976:             invoiceLine.AppendChild(lineExtensionAmountDetail);
977:
978:         #endregion
979:
980:         // Varsa iskonto bilgileri yer almaktadir
981:
982:         #region AllowanceCharge
983:
984:             var allowanceCharge = doc.CreateElement("cac", "AllowanceCharge",
985:                 xmlnscac.Value);
986:             var chargeIndicator = doc.CreateElement("cbc", "ChargeIndicator",
987:                 chargeIndicator.InnerText = "false");
988:             allowanceCharge.AppendChild(chargeIndicator);
989:             decimal amount2 = 0;
990:             var toplamTutar = (decimal) detayBilgisi.KdvHaricTutar;
991:             var kodIskontoTuruOran = detayBilgisi.IskontoOran ?? 0;
992:             if (kodIskontoTuruOran > 0)
993:             {
994:                 toplamTutar = Decimal.Round((decimal) detayBilgisi.Miktari *
995:                     (decimal) detayBilgisi.BirimFiyat, 4,
996:                         MidpointRounding.AwayFromZero);
997:                 var toplamTutar2 = Decimal.Round(toplamTutar * (100 -
998:                     kodIskontoTuruOran) * (decimal) 0.01, 4,
999:                         MidpointRounding.AwayFromZero);
999:                 amount2 = toplamTutar - toplamTutar2;
999:             }
999:             var multiplierFactorNumeric = doc.CreateElement("cbc",
1000:                 "MultiplierFactorNumeric", xmlnscbc.Value);
1001:             multiplierFactorNumeric.InnerText = Decimal
1002:                 .Round(kodIskontoTuruOran * (decimal) 0.01, 2,
1003:                     MidpointRounding.AwayFromZero).ToString()
1004:                         .Replace(", ", ".");
1005:             allowanceCharge.AppendChild(multiplierFactorNumeric);
1006:             var amount = doc.CreateElement("cbc", "Amount", xmlnscbc.Value);
1007:             currencyId = doc.CreateAttribute("currencyID");
1008:             currencyId.Value = "TRY";
1009:             amount.RemoveAllAttributes();
1010:             amount.Attributes.Append(currencyId);
1011:             amount.InnerText = Decimal.Round(amount2, 2,
1012:                 MidpointRounding.AwayFromZero).ToString()
1013:                     .Replace(", ", ".");
1014:             allowanceCharge.AppendChild(amount);
1015:             var baseAmount = doc.CreateElement("cbc", "BaseAmount",
1016:                 xmlnscbc.Value);
1017:             currencyId = doc.CreateAttribute("currencyID");
1018:             currencyId.Value = "TRY";
1019:             baseAmount.RemoveAllAttributes();
1020:             baseAmount.Attributes.Append(currencyId);
1021:             baseAmount.InnerText = Decimal.Round(toplamTutar, 2,
1022:                 MidpointRounding.AwayFromZero).ToString()
1023:                     .Replace(", ", ".");
1024:             allowanceCharge.AppendChild(baseAmount);
1025:             invoiceLine.AppendChild(allowanceCharge);
1026:
1027:         #endregion
1028:
1029:         // Vergi bilgileri yer almaktadir
1030:
1031:         #region TaxTotal
```

```

1027:
1028:         var taxTotal = doc.CreateElement("cac", "TaxTotal", xmlnscac.Value);
1029:         currencyId = doc.CreateAttribute("currencyID");
1030:         currencyId.Value = "TRY";
1031:         var taxAmount = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
1032:         taxAmount.RemoveAllAttributes();
1033:         taxAmount.Attributes.Append(currencyId);
1034:         taxAmount.InnerText = Decimal.Round((decimal) detayBilgisi.KdvTutari,
2, MidpointRounding.AwayFromZero)
1035:             .ToString().Replace(", ", ".");
1036:             if (item.KonaklamaVergisi > 0 && gidenFatura.DuzenlemeTarihi?.Year >=
2023)
1037:                 taxAmount.InnerText = Decimal
1038:                     .Round((decimal) detayBilgisi.KdvTutari + (decimal)
detayBilgisi.KonaklamaVergisi, 2,
1039:                         MidpointRounding.AwayFromZero)
1040:                         .ToString().Replace(", ", ".");
1041:                         taxTotal.AppendChild(taxAmount);
1042:                         var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal",
xmlnscac.Value);
1043:                         var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xmlnscbc.Value);
1044:                         taxableAmount.RemoveAllAttributes();
1045:                         currencyId = doc.CreateAttribute("currencyID");
1046:                         currencyId.Value = "TRY";
1047:                         taxableAmount.Attributes.Append(currencyId);
1048:                         taxableAmount.InnerText = Decimal
1049:                             .Round((decimal) detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
1050:                             .Replace(", ", ".");
1051:                             taxSubTotal.AppendChild(taxableAmount);
1052:                             var taxAmount2 = doc.CreateElement("cbc", "TaxAmount",
xmlnscbc.Value);
1053:                             taxAmount2.RemoveAllAttributes();
1054:                             currencyId = doc.CreateAttribute("currencyID");
1055:                             currencyId.Value = "TRY";
1056:                             taxAmount2.Attributes.Append(currencyId);
1057:                             taxAmount2.InnerText = Decimal.Round((decimal)
detayBilgisi.KdvTutari, 2, MidpointRounding.AwayFromZero)
1058:                                 .ToString().Replace(", ", ".");
1059:                                 taxSubTotal.AppendChild(taxAmount2);
1060:                                 var percent = doc.CreateElement("cbc", "Percent",
xmlnscbc.Value);
1061:                                 if (detayBilgisi.KdvOran != null)
1062:                                     percent.InnerText = Decimal.Round((decimal) detayBilgisi.KdvOran,
2, MidpointRounding.AwayFromZero)
1063:                                         .ToString("N1").Replace(", ", ".");
1064:                                         taxSubTotal.AppendChild(percent);
1065:                                         var taxCategory = doc.CreateElement("cac", "TaxCategory",
xmlnscac.Value);
1066:                                         if (detayBilgisi.KdvTutari == 0)
1067:                                         {
1068:                                             if (kodFaturaGrupTuruKod ==
FaturaMakbuzGrupTur.Kuspe.GetHashCode())
1069:                                             {
1070:                                                 var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xmlnscbc.Value);
1071:                                                 taxExemptionReasonCode.InnerText = "325";
1072:                                                 var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xmlnscbc.Value);
1073:                                                 taxExemptionReason.InnerText = "13/i Yem Teslimleri";
1074:                                                 taxCategory.AppendChild(taxExemptionReasonCode);
1075:                                                 taxCategory.AppendChild(taxExemptionReason);
1076:                                             }
1077:                                             else
1078:                                             {
1079:                                                 var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xmlnscbc.Value);
1080:                                                 taxExemptionReasonCode.InnerText = "350";
1081:                                                 var taxExemptionReason = doc.CreateElement("cbc",

```

```
"TaxExemptionReason", xmlnscbc.Value);
1082:        taxExemptionReason.InnerText = "Digerleri";
1083:        taxCategory.AppendChild(taxExemptionReasonCode);
1084:        taxCategory.AppendChild(taxExemptionReason);
1085:    }
1086: }
1087:
1088: var taxScheme2 = doc.CreateElement("cac", "TaxScheme",
1089:     xmlns:cac = xmlnscac.Value);
1090: var taxTypeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
1091: taxTypeName.InnerText = "KDV";
1092: taxScheme2.AppendChild(taxTypeName);
1093: var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode",
1094:     taxTypeCode.InnerText = "0015";
1095: taxScheme2.AppendChild(taxTypeCode);
1096: taxCategory.AppendChild(taxScheme2);
1097: taxSubTotal.AppendChild(taxCategory);
1098: taxTotal.AppendChild(taxSubTotal);
1099: if (item.KonaklamaVergisi > 0 && gidenFatura.DuzenlemeTarihi?.Year >=
2023)
1100: {
1101: #region TaxSubTotal (Konaklama Vergisi İçin)
1102: taxSubTotal = doc.CreateElement("cac", "TaxSubtotal",
1103:     xmlns:cac = xmlnscac.Value);
1104: taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
1105:     taxableAmount.RemoveAllAttributes();
1106: currencyId = doc.CreateAttribute("currencyID");
1107: currencyId.Value = "TRY";
1108: taxableAmount.Attributes.Append(currencyId);
1109: taxableAmount.InnerText = Decimal
1110:     .Round((decimal) detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
1111:     .Replace(", ", ".");
1112: taxSubTotal.AppendChild(taxableAmount);
1113: taxAmount2 = doc.CreateElement("cbc", "TaxAmount",
1114:     taxAmount2.RemoveAllAttributes();
1115: currencyId = doc.CreateAttribute("currencyID");
1116: currencyId.Value = "TRY";
1117: taxAmount2.Attributes.Append(currencyId);
1118: taxAmount2.InnerText = Decimal
1119:     .Round((decimal) detayBilgisi.KonaklamaVergisi, 2,
MidpointRounding.AwayFromZero)
1120:     .ToString().Replace(", ", ".");
1121: taxSubTotal.AppendChild(taxAmount2);
1122: percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
1123: percent.InnerText = Decimal
1124:     .Round((decimal) 2, 2, MidpointRounding.AwayFromZero)
1125:     .ToString("N1").Replace(", ", ".");
1126: taxSubTotal.AppendChild(percent);
1127: taxCategory = doc.CreateElement("cac", "TaxCategory",
1128:     taxScheme2 = doc.CreateElement("cac", "TaxScheme",
1129:         xmlns:cac = xmlnscac.Value);
1130:         taxTypeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
1131:         taxTypeName.InnerText = "Konaklama Vergisi";
1132:         taxScheme2.AppendChild(taxTypeName);
1133:         taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode",
1134:             taxTypeCode.InnerText = "0059";
1135:             taxScheme2.AppendChild(taxTypeCode);
1136:             taxCategory.AppendChild(taxScheme2);
1137:             taxSubTotal.AppendChild(taxCategory);
1138:             taxTotal.AppendChild(taxSubTotal);
invoiceLine.AppendChild(taxTotal);
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

```
1139:             #endregion
1140:         }
1141:
1142:         invoiceLine.AppendChild(taxTotal);
1143:
1144:     #endregion
1145:
1146:     // Fatura kesilen ürün detayı ve açıklama bilgileri yer almaktadır
1147:
1148:     #region Item
1149:
1150:     var invoiceItem = doc.CreateElement("cac", "Item", xmlnscac.Value);
1151:     if (!string.IsNullOrEmpty(detayBilgisi.MalzemeFaturaAciklamasi))
1152:     {
1153:         var description = doc.CreateElement("cbc", "Description",
1154:             description.InnerText = detayBilgisi.MalzemeFaturaAciklamasi;
1155:             invoiceItem.AppendChild(description);
1156:         }
1157:
1158:         var detayBilgisiName = doc.CreateElement("cbc", "Name",
1159:             if (!string.IsNullOrEmpty(detayBilgisi.FaturaUruturu))
1160:                 detayBilgisiName.InnerText = detayBilgisi.FaturaUruturu;
1161:             invoiceItem.AppendChild(detayBilgisiName);
1162:             invoiceLine.AppendChild(invoiceItem);
1163:
1164:     #endregion
1165:
1166:     // Birim fiyat bilgileri yer almaktadır
1167:
1168:     #region Price
1169:
1170:     var price = doc.CreateElement("cac", "Price", xmlnscac.Value);
1171:     var priceAmount = doc.CreateElement("cbc", "PriceAmount",
1172:
1173:         priceAmount.RemoveAllAttributes();
1174:         currencyId = doc.CreateAttribute("currencyID");
1175:         currencyId.Value = "TRY";
1176:         priceAmount.Attributes.Append(currencyId);
1177:         priceAmount.InnerText = detayBilgisi.BirimFiyat != null
1178:             ? Decimal.Round((decimal) detayBilgisi.BirimFiyat, 4,
MidpointRounding.AwayFromZero).ToString()
1179:                 .Replace(",", ".")
1180:                     : "0.00";
1181:             price.AppendChild(priceAmount);
1182:             invoiceLine.AppendChild(price);
1183:
1184:     #endregion
1185:     root.AppendChild(invoiceLine);
1186:
1187: #endregion
1188:
1189:     sayac++;
1190: }
1191:
1192: #endregion
1193:
1194: doc.AppendChild(root);
1195:
1196: #region Dosya Kaydi
1197:
1198: var fileName = aktarilacakKlasorAdi + "/" + gidenFatura.GidenFaturaId +
1199: ".xml";
1200: doc.Save(fileName);
1201:
1202: #endregion
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

```

1203:         return fileName;
1204:     }
1205:
1206:    /// <summary>
1207:    /// Giden Fatura Bilgisi Üzerinden E-Arsiv Sistemine Göndermek İçin
1208:    /// XML Dosyasi Olusturmaya yarayan metottur
1209:    /// </summary>
1210:    /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
1211:    /// <param name="gidenFaturaDetayListesi">Giden Fatura Detay Listesi</param>
1212:    /// <param name="aktarilacakKlasorAdi">Olusturulan Dosyanin Aktarilacagi
Klasör</param>
1213:    /// <param name="tuzelKisilikMi">Tüzel Kisilik Mi (Sahis veya Sahis Sirketi
Degil) Bilgisi</param>
1214:    /// <returns>Kaydedilen Dosyanin Bilgisayardaki Adresi</returns>
1215:    public static string EArsivXMLOlustur(GidenFaturaDTO gidenFatura,
1216:        List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, string
aktarilacakKlasorAdi, bool tuzelKisilikMi)
1217:    {
1218:        if (!tuzelKisilikMi)
1219:        {
1220:            #region Sahis Sirketi veya Personel Kaydindan Gelecekse
1221:
1222:            var doc = new XmlDocument();
1223:            var declaration = doc.CreateXmlDeclaration("1.0", "UTF-8", null);
1224:            var root = doc.DocumentElement;
1225:            doc.InsertBefore(declaration, root);
1226:            //doc.AppendChild(doc.CreateProcessingInstruction("xml-stylesheet",
"type=\text/xsl\" href=\\"general.xslt\\\""));
1227:
1228:            root = doc.CreateElement("Invoice");
1229:
1230:            gidenFatura = gidenFatura.BosluklariKaldir();
1231:
1232:            var kodSatisTuruKod = 0;
1233:            if (gidenFatura.SatisTuruKod != null)
1234:                kodSatisTuruKod = gidenFatura.SatisTuruKod ?? 0;
1235:
1236:            var kodFaturaTuruKod = 0;
1237:            if (gidenFatura.FaturaTuruKod != null)
1238:                kodFaturaTuruKod = gidenFatura.FaturaTuruKod ?? 0;
1239:
1240:            var kodFaturaGrupTuruKod = 0;
1241:            if (gidenFatura.FaturaGrupTuruKod != null)
1242:                kodFaturaGrupTuruKod = gidenFatura.FaturaGrupTuruKod ?? 0;
1243:
1244:            #region Standart ve Faturaya Bagli Bilgiler
1245:
1246:            XmlElement partyIdentification, postalAddress, streetName,
buildingNumber, citySubdivisionName, cityName, postalZone, country, countryName, party,
websiteUri, postalAddressId, partyTaxScheme, taxScheme, taxSchemeName, contact, telephone,
telefax, electronicMail;
1247:
1248:            EArsivStandartImzaVeFirmaBilgisiDuzenle(gidenFatura,
gidenFaturaDetayListesi, root, doc, kodSatisTuruKod, kodFaturaTuruKod,
kodFaturaGrupTuruKod, out var xmlnscac, out var xmlnscbc);
1249:
1250:            // Bu kisimda fatura kesilen firma bilgileri yer almaktadir
1251:
1252:            #region AccountingCustomerParty
1253:
1254:            var accountingCustomerParty = doc.CreateElement("cac",
"AccountingCustomerParty", xmlnscac.Value);
1255:            party = doc.CreateElement("cac", "Party", xmlnscac.Value);
1256:            webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlnscbc.Value);
1257:            party.AppendChild(webSiteUri);
1258:            var accountingCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
1259:            accountingCustomerPartyIdAttr.Value = "TCKN";
1260:            partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlnscac.Value);

```

```

1261:             var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xmlns:cbc.Value);
1262:             accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerPartyIdAttr);
1263:             accountingCustomerPartyPartyId.InnerText =
gidenFatura.GercekKisiTcKimlikNo;
1264:             partyIdentification.AppendChild(accountingCustomerPartyPartyId);
1265:             party.AppendChild(partyIdentification);
1266:
1267:             #region Postal Address
1268:
1269:             postalAddress = doc.CreateElement("cac", "PostalAddress",
xmlns:scac.Value);
1270:             postalAddressId = doc.CreateElement("cbc", "ID", xmlns:cbc.Value);
1271:             postalAddressId.InnerText = gidenFatura.GercekKisiTcKimlikNo;
1272:             postalAddress.AppendChild(postalAddressId);
1273:             var room = doc.CreateElement("cbc", "Room", xmlns:cbc.Value);
1274:             postalAddress.AppendChild(room);
1275:             streetName = doc.CreateElement("cbc", "StreetName", xmlns:cbc.Value);
1276:             if (!string.IsNullOrEmpty(gidenFatura.IkametgahAdresi))
1277:                 streetName.InnerText = gidenFatura.IkametgahAdresi;
1278:             postalAddress.AppendChild(streetName);
1279:             buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xmlns:cbc.Value);
1280:
1281:             //buildingNumber.InnerText = "";
1282:             postalAddress.AppendChild(buildingNumber);
1283:             citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xmlns:cbc.Value);
1284:             if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
1285:                 citySubdivisionName.InnerText = gidenFatura.IlceAd;
1286:             postalAddress.AppendChild(citySubdivisionName);
1287:             cityName = doc.CreateElement("cbc", "CityName", xmlns:cbc.Value);
1288:             if (!string.IsNullOrEmpty(gidenFatura.IlAd))
1289:                 cityName.InnerText = gidenFatura.IlAd;
1290:             postalAddress.AppendChild(cityName);
1291:             postalZone = doc.CreateElement("cbc", "PostalZone", xmlns:cbc.Value);
1292:             //postalZone.InnerText = "";
1293:             postalAddress.AppendChild(postalZone);
1294:             country = doc.CreateElement("cac", "Country", xmlns:scac.Value);
1295:             countryName = doc.CreateElement("cbc", "Name", xmlns:cbc.Value);
1296:             countryName.InnerText = "Türkiye";
1297:             country.AppendChild(countryName);
1298:             postalAddress.AppendChild(country);
1299:             party.AppendChild(postalAddress);

1300:             #endregion
1301:
1302:             partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xmlns:scac.Value);
1303:             taxScheme = doc.CreateElement("cac", "TaxScheme", xmlns:scac.Value);
1304:             taxSchemeName = doc.CreateElement("cbc", "Name", xmlns:cbc.Value);
1305:             //if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
1306:             //    taxSchemeName.InnerText = gidenFatura.VergiDairesi;
1307:             taxScheme.AppendChild(taxSchemeName);
1308:             partyTaxScheme.AppendChild(taxScheme);
1309:             party.AppendChild(partyTaxScheme);

1310:
1311:             contact = doc.CreateElement("cac", "Contact", xmlns:scac.Value);
1312:             telephone = doc.CreateElement("cbc", "Telephone", xmlns:cbc.Value);
1313:             if (!string.IsNullOrEmpty(gidenFatura.CepTelefonNo))
1314:                 telephone.InnerText = gidenFatura.CepTelefonNo;
1315:             contact.AppendChild(telephone);
1316:             telefax = doc.CreateElement("cbc", "Telefax", xmlns:cbc.Value);
1317:             //if (!string.IsNullOrEmpty(gidenFatura.FaksNo))
1318:             //    telefax.InnerText = gidenFatura.FaksNo;
1319:             contact.AppendChild(telefax);
1320:             electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xmlns:cbc.Value);
1321:             if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

1322:         electronicMail.InnerText = gidenFatura.EPostaAdresi;
1323:         contact.AppendChild(electronicMail);
1324:         party.AppendChild(contact);

1325:
1326:         var person = doc.CreateElement("cac", "Person", xmlnscac.Value);
1327:         var firstName = doc.CreateElement("cbc", "FirstName", xmlnscbc.Value);
1328:         firstName.InnerText = gidenFatura.GercekKisiAd;
1329:         person.AppendChild(firstName);
1330:         var familyName = doc.CreateElement("cbc", "FamilyName",
xmlnscbc.Value);
1331:         familyName.InnerText = gidenFatura.GercekKisiSoyad;
1332:         person.AppendChild(familyName);
1333:         party.AppendChild(person);

1334:
1335:         accountingCustomerParty.AppendChild(party);
1336:
1337:         root.AppendChild(accountingCustomerParty);

1338:
1339: #endregion
1340:
1341: EArsivBankaBilgileriDuzenle(gidenFatura, doc, xmlnscac, xmlnscbc,
root);
1342:
1343: int sayac;
1344:
1345: EArsivVergiVeDigerAlanlarDuzenle(gidenFatura,
gidenFaturaDetayListesi, doc, xmlnscac, xmlnscbc, kodFaturaGrupTuruKod, kodSatisTuruKod,
root);
1346:
1347: sayac = 1;
1348: // Her bir fatura detayı için hazırlanan bölümdür
1349: foreach (var item in gidenFaturaDetayListesi)
1350: {
1351:     sayac = EArsivFaturaDetaylariDuzenle(gidenFatura, item, doc,
xmlnscac, xmlnscbc, sayac, root);
1352: }
1353:
1354: #endregion
1355:
1356: doc.AppendChild(root);

1357:
1358: #region Dosya Kaydi
1359:
1360: var fileName = aktarilacakKlasorAdi + "/" + gidenFatura.GidenFaturaId
+ ".xml";
1361: doc.Save(fileName);
1362:
1363: #endregion
1364:
1365: return fileName;
1366:
1367: #endregion
1368: }
1369: else
1370: {
1371: #region Tüzel Kişi Bilgisinden Gelecekse
1372:
1373: var doc = new XmlDocument();
1374: var declaration = doc.CreateXmlDeclaration("1.0", "UTF-8", null);
1375: var root = doc.DocumentElement;
1376: doc.InsertBefore(declaration, root);
1377: //doc.AppendChild(doc.CreateProcessingInstruction("xml-stylesheet",
1378: "type='text/xsl'" href='general.xslt'"));
1379:
1380: root = doc.CreateElement("Invoice");
1381:
1382: var kodSatisTuruKod = 0;
1383: if (gidenFatura.SatisTuruKod != null)
kodSatisTuruKod = gidenFatura.SatisTuruKod ?? 0;

```

```

1384:
1385:         var kodFaturaTuruKod = 0;
1386:         if (gidenFatura.FaturaTuruKod != null)
1387:             kodFaturaTuruKod = gidenFatura.FaturaTuruKod ?? 0;
1388:
1389:         var kodFaturaGrupTuruKod = 0;
1390:         if (gidenFatura.FaturaGrupTuruKod != null)
1391:             kodFaturaGrupTuruKod = gidenFatura.FaturaGrupTuruKod ?? 0;
1392:
1393:         #region Standart ve Faturaya Bagli Bilgiler
1394:
1395:             XmlElement partyIdentification, postalAddress, streetName,
buildingNumber, citySubdivisionName, cityName, postalZone, country, countryName, party,
webSiteUri, postalAddressId, partyTaxScheme, taxScheme, taxSchemeName, contact, telephone,
telefax, electronicMail, partyName, partyNameReal;
1396:             EArsivStandartImzaVeFirmaBilgisiDuzenle(gidenFatura,
gidenFaturaDetayListesi, root, doc, kodSatisTuruKod, kodFaturaTuruKod,
kodFaturaGrupTuruKod, out var xmlnscac, out var xmlnscbc);
1397:
1398:             // Bu kisimda fatura kesilen firma bilgileri yer almaktadir
1399:
1400:         #region AccountingCustomerParty
1401:
1402:             var accountingCustomerParty = doc.CreateElement("cac",
"AccountingCustomerParty", xmlnscac.Value);
1403:             party = doc.CreateElement("cac", "Party", xmlnscac.Value);
1404:             webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlnscbc.Value);
1405:             party.AppendChild(webSiteUri);
1406:             var accountingCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
1407:             accountingCustomerPartyIdAttr.Value = "TCKN";
1408:             if (!string.IsNullOrEmpty(gidenFatura.VergiNo) &&
gidenFatura.VergiNo.Length == 10)
1409:                 accountingCustomerPartyIdAttr.Value = "VKN";
1410:             partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlnscac.Value);
1411:             var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xmlnscbc.Value);
1412:
accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerPartyIdAttr);
1413:             accountingCustomerPartyPartyId.InnerText = gidenFatura.VergiNo;
1414:             partyIdentification.AppendChild(accountingCustomerPartyPartyId);
1415:             party.AppendChild(partyIdentification);
1416:
1417:             if (!string.IsNullOrEmpty(gidenFatura.VergiNo) &&
gidenFatura.VergiNo.Length == 10)
1418:             {
1419:                 partyName = doc.CreateElement("cac", "PartyName", xmlnscac.Value);
1420:                 partyNameReal = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
1421:                 partyNameReal.InnerText = gidenFatura.TuzelKisiAd;
1422:                 partyName.AppendChild(partyNameReal);
1423:                 party.AppendChild(partyName);
1424:             }
1425:
1426:         #region Postal Address
1427:
1428:             postalAddress = doc.CreateElement("cac", "PostalAddress",
xmlnscac.Value);
1429:             postalAddressId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
1430:             postalAddressId.InnerText = gidenFatura.VergiNo;
1431:             postalAddress.AppendChild(postalAddressId);
1432:             var room = doc.CreateElement("cbc", "Room", xmlnscbc.Value);
1433:             postalAddress.AppendChild(room);
1434:             streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
1435:             if (!string.IsNullOrEmpty(gidenFatura.Adres))
1436:                 streetName.InnerText = gidenFatura.Adres;
1437:             postalAddress.AppendChild(streetName);
1438:             buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xmlnscbc.Value);
1439:             //buildingNumber.InnerText = "";

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

1440:         postalAddress.AppendChild(buildingNumber);
1441:         citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xmlnscbc.Value);
1442:         if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
1443:             citySubdivisionName.InnerText = gidenFatura.IlceAd;
1444:         postalAddress.AppendChild(citySubdivisionName);
1445:         cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
1446:         if (!string.IsNullOrEmpty(gidenFatura.IlAd))
1447:             cityName.InnerText = gidenFatura.IlAd;
1448:         postalAddress.AppendChild(cityName);
1449:         postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
//postalZone.InnerText = "";
1450:         postalAddress.AppendChild(postalZone);
1451:         country = doc.CreateElement("cac", "Country", xmlnscac.Value);
1452:         countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
1453:         countryName.InnerText = "Türkiye";
1454:         country.AppendChild(countryName);
1455:         postalAddress.AppendChild(country);
1456:         party.AppendChild(postalAddress);
1457:
1458:     #endregion
1459:
1460:
1461:     partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xmlnscac.Value);
1462:     taxScheme = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
1463:     taxSchemeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
1464:     if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
1465:         taxSchemeName.InnerText = gidenFatura.VergiDairesi;
1466:     taxScheme.AppendChild(taxSchemeName);
1467:     partyTaxScheme.AppendChild(taxScheme);
1468:     party.AppendChild(partyTaxScheme);
1469:
1470:     contact = doc.CreateElement("cac", "Contact", xmlnscac.Value);
1471:     telephone = doc.CreateElement("cbc", "Telephone", xmlnscbc.Value);
1472:     if (!string.IsNullOrEmpty(gidenFatura.TelefonNo))
1473:         telephone.InnerText = gidenFatura.TelefonNo;
1474:     contact.AppendChild(telephone);
1475:     telefax = doc.CreateElement("cbc", "Telefax", xmlnscbc.Value);
1476:     if (!string.IsNullOrEmpty(gidenFatura.FaksNo))
1477:         telefax.InnerText = gidenFatura.FaksNo;
1478:     contact.AppendChild(telefax);
1479:     electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xmlnscbc.Value);
1480:     if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))
1481:         electronicMail.InnerText = gidenFatura.EPostaAdresi;
1482:     contact.AppendChild(electronicMail);
1483:     party.AppendChild(contact);
1484:
1485:     if (!string.IsNullOrEmpty(gidenFatura.VergiNo) &&
gidenFatura.VergiNo.Length == 11)
1486:     {
1487:         var liste = gidenFatura.TuzelKisiAd.Split(' ').ToList();
1488:         if (liste.Count >= 1)
1489:         {
1490:             var person = doc.CreateElement("cac", "Person",
xmlnscac.Value);
1491:             var firstName = doc.CreateElement("cbc", "FirstName",
xmlnscbc.Value);
1492:             firstName.InnerText = liste[0];
1493:             person.AppendChild(firstName);
1494:             var surname = liste[0];
1495:             if (liste.Count > 1)
1496:                 surname =
gidenFatura.TuzelKisiAd.Substring(liste[0].Length + 1);
1497:             var familyName = doc.CreateElement("cbc", "FamilyName",
xmlnscbc.Value);
1498:             familyName.InnerText = surname;
//familyName.InnerText = liste[1];
1499:             person.AppendChild(familyName);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com)

```

1501:                               party.AppendChild(person);
1502:                           }
1503:                       }
1504:                   accountingCustomerParty.AppendChild(party);
1505:               root.AppendChild(accountingCustomerParty);
1506: 
1507: 
1508: 
1509: #endregion
1510: 
1511: if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
1512: {
1513:     if (gidenFatura.VergiNo.Length == 10)
1514:     {
1515:         // Bu kisimda fatura kesilen firma bilgileri yer almaktadir
1516:         (Eger sadece Tüzel Kisilikse, sahis sirketleri için bu yapılmamaktadir)
1517:             #region BuyerCustomerParty
1518: 
1519:             var buyerCustomerParty = doc.CreateElement("cac",
1520: "BuyerCustomerParty", xmlnscac.Value);
1521:             party = doc.CreateElement("cac", "Party", xmlnscac.Value);
1522:             webSiteUri = doc.CreateElement("cbc", "WebsiteURI",
1523: xmlnscbc.Value);
1524:             party.AppendChild(webSiteUri);
1525:             var buyerCustomerPartyIdAttr =
1526: doc.CreateAttribute("schemeID");
1527:             buyerCustomerPartyIdAttr.Value = "VKN";
1528:             partyIdentification = doc.CreateElement("cac",
1529: "PartyIdentification", xmlnscac.Value);
1530:             var buyerCustomerPartyPartyId = doc.CreateElement("cbc",
1531: "ID", xmlnscbc.Value);
1532:             buyerCustomerPartyPartyId.Attributes.Append(buyerCustomerPartyIdAttr);
1533:             buyerCustomerPartyPartyId.InnerText = gidenFatura.VergiNo;
1534:             partyIdentification.AppendChild(buyerCustomerPartyPartyId);
1535:             party.AppendChild(partyIdentification);
1536: 
1537: 
1538: 
1539: 
1540: 
1541: #region Postal Address
1542: 
1543: postalAddress = doc.CreateElement("cac", "PostalAddress",
1544: xmlnscac.Value);
1545: postalAddressId = doc.CreateElement("cbc", "ID",
1546: xmlnscbc.Value);
1547: postalAddressId.InnerText = gidenFatura.VergiNo;
1548: postalAddress.AppendChild(postalAddressId);
1549: room = doc.CreateElement("cbc", "Room", xmlnscbc.Value);
1550: postalAddress.AppendChild(room);
1551: streetName = doc.CreateElement("cbc", "StreetName",
1552: xmlnscbc.Value);
1553: postalAddress.AppendChild(streetName);
1554: buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
1555: xmlnscbc.Value);
1556: //buildingNumber.InnerText = "";
1557: postalAddress.AppendChild(buildingNumber);
1558: citySubdivisionName = doc.CreateElement("cbc",

```

```

"CitySubdivisionName", xmlnscbc.Value);
1557:    if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
1558:        citySubdivisionName.InnerText = gidenFatura.IlceAd;
1559:    postalAddress.AppendChild(citySubdivisionName);
1560:    cityName = doc.CreateElement("cbc", "CityName",
1561:        xmlnscbc.Value);
1562:    if (!string.IsNullOrEmpty(gidenFatura.IlAd))
1563:        cityName.InnerText = gidenFatura.IlAd;
1564:    postalAddress.AppendChild(cityName);
1565:    postalZone = doc.CreateElement("cbc", "PostalZone",
1566:        //postalZone.InnerText = "";
1567:        postalAddress.AppendChild(postalZone);
1568:        country = doc.CreateElement("cac", "Country", xmlnscac.Value);
1569:        countryName = doc.CreateElement("cbc", "Name",
1570:            xmlnscbc.Value);
1571:        cityName.InnerText = "Türkiye";
1572:        country.AppendChild(countryName);
1573:        postalAddress.AppendChild(country);
1574:        party.AppendChild(postalAddress);
1575:    #endregion
1576:    partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
1577:        xmlnscac.Value);
1578:    taxScheme = doc.CreateElement("cac", "TaxScheme",
1579:        xmlnscac.Value);
1580:    taxSchemeName = doc.CreateElement("cbc", "Name",
1581:        xmlnscbc.Value);
1582:    if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
1583:        taxSchemeName.InnerText = gidenFatura.VergiDairesi;
1584:    taxScheme.AppendChild(taxSchemeName);
1585:    partyTaxScheme.AppendChild(taxScheme);
1586:    party.AppendChild(partyTaxScheme);
1587:    contact = doc.CreateElement("cac", "Contact", xmlnscac.Value);
1588:    telephone = doc.CreateElement("cbc", "Telephone",
1589:        xmlnscbc.Value);
1590:    if (!string.IsNullOrEmpty(gidenFatura.TelefonNo))
1591:        telephone.InnerText = gidenFatura.TelefonNo;
1592:    contact.AppendChild(telephone);
1593:    telefax = doc.CreateElement("cbc", "Telefax", xmlnscbc.Value);
1594:    if (!string.IsNullOrEmpty(gidenFatura.FaksNo))
1595:        telefax.InnerText = gidenFatura.FaksNo;
1596:    contact.AppendChild(telefax);
1597:    electronicMail = doc.CreateElement("cbc", "ElectronicMail",
1598:        xmlnscbc.Value);
1599:    if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))
1600:        electronicMail.InnerText = gidenFatura.EPostaAdresi;
1601:    contact.AppendChild(electronicMail);
1602:    party.AppendChild(contact);
1603:    if (gidenFatura.VergiNo.Length == 11)
1604:    {
1605:        var liste = gidenFatura.TuzelKisiAd.Split(' ').ToList();
1606:        if (liste.Count >= 1)
1607:        {
1608:            var person = doc.CreateElement("cac", "Person",
1609:                xmlnscac.Value);
1610:            var firstName = doc.CreateElement("cbc", "FirstName",
1611:                xmlnscbc.Value);
1612:            firstName.InnerText = liste[0];
1613:            person.AppendChild(firstName);
1614:            var surname = liste[0];
1615:            if (liste.Count > 1)
1616:                surname =
1617:                    gidenFatura.TuzelKisiAd.Substring(liste[0].Length + 1);
1618:            var familyName = doc.CreateElement("cbc",
1619:                "FamilyName", xmlnscbc.Value);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com)

```

1613:                         familyName.InnerText = surname;
1614:                         //familyName.InnerText = liste[1];
1615:                         person.AppendChild(familyName);
1616:                         party.AppendChild(person);
1617:                     }
1618:                 }
1619:             buyerCustomerParty.AppendChild(party);
1620:             root.AppendChild(buyerCustomerParty);
1621:         #endregion
1622:     }
1623: }
1624: EArsivBankaBilgileriDuzenle(gidenFatura, doc, xmlnscac, xmlnscbc,
1625: root);
1626: int sayac;
1627: EArsivVergiVeDigerAlanlarDuzenle(gidenFatura,
1628: gidenFaturaDetayListesi, doc, xmlnscac, xmlnscbc, kodFaturaGrupTuruKod, kodSatisTuruKod,
1629: root);
1630: sayac = 1;
1631: // Her bir fatura detayı için hazırlanan bölümdür
1632: foreach (var item in gidenFaturaDetayListesi)
1633: {
1634:     sayac = EArsivFaturaDetaylariDuzenle(gidenFatura, item, doc,
1635: xmlnscac, xmlnscbc, sayac, root);
1636: }
1637: #endregion
1638: doc.AppendChild(root);
1639: #region Dosya Kaydi
1640: var fileName = aktarilacakKlasorAdi + "/" + gidenFatura.GidenFaturaId
1641: + ".xml";
1642: doc.Save(fileName);
1643: #endregion
1644: return fileName;
1645: #region
1646: }
1647: /// <summary>
1648: /// E-Arsiv Kismina Tüzel Kisi De Olsa Sahis Sirketi De Olsa
1649: /// Banka Bilgilerinin hazirlandigi kod blogu ayni oldugu için
1650: /// Burada tek bir yerden güncelleme yapılması için gerekli islemlerin
1651: /// gereklestirildigi metottur.
1652: /// </summary>
1653: /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
1654: /// <param name="doc">XML Dokümani Bilgisi</param>
1655: /// <param name="xmlnscac">XML Attribute Bilgisi</param>
1656: /// <param name="xmlnscbc">XML Attribute Bilgisi</param>
1657: /// <param name="root">XML Ana Eleman Bilgisi</param>
1658: private static void EArsivBankaBilgileriDuzenle(GidenFaturaDTO gidenFatura,
1659: XmlDocument doc, XmlAttribute xmlnscac,
1660: XmlAttribute xmlnscbc, XElement root)
1661: {
1662:     if (string.IsNullOrEmpty(gidenFatura.BankaAd)) return;
1663:     // Eger Banka bilgileri mevcutsa burada banka bilgileri yer almaktadir
1664:     #region PaymentMeans

```

```

1675:
1676:         var paymentMeans = doc.CreateElement("cac", "PaymentMeans",
xmlnscac.Value);
1677:         var paymentMeansCode = doc.CreateElement("cbc", "PaymentMeansCode",
xmlnscbc.Value);
1678:         //paymentMeansCode.InnerText = "1";
1679:
1680:         // Burada 1 verildigi zaman Sözlesme Kapsaminda yaziyor metinde
1681:         // ZZZ ise Diger anlaminda geliyor
1682:         paymentMeansCode.InnerText = "ZZZ";
1683:         paymentMeans.AppendChild(paymentMeansCode);
1684:         var payeeFinancialAccount = doc.CreateElement("cac",
"PayeeFinancialAccount", xmlnscac.Value);
1685:         var payeeFinancialAccountId = doc.CreateElement("cbc", "ID",
xmlnscbc.Value);
1686:         if (!string.IsNullOrEmpty(gidenFatura.IbanNo))
1687:             payeeFinancialAccountId.InnerText = gidenFatura.IbanNo;
1688:             payeeFinancialAccount.AppendChild(payeeFinancialAccountId);
1689:             var currencyCode = doc.CreateElement("cbc", "CurrencyCode",
xmlnscbc.Value);
1690:             currencyCode.InnerText = "TRY";
1691:             payeeFinancialAccount.AppendChild(currencyCode);
1692:             var paymentNote = doc.CreateElement("cbc", "PaymentNote", xmlnscbc.Value);
1693:             if (!string.IsNullOrEmpty(gidenFatura.BankaAd) &&
!string.IsNullOrEmpty(gidenFatura.BankaSube))
1694:                 paymentNote.InnerText = gidenFatura.BankaAd + " - " +
gidenFatura.BankaSube;
1695:                 payeeFinancialAccount.AppendChild(paymentNote);
1696:                 paymentMeans.AppendChild(payeeFinancialAccount);
1697:                 root.AppendChild(paymentMeans);
1698:
1699:             #endregion
1700:         }
1701:
1702:         /// <summary>
1703:         /// E-Arsiv Kismina Tüzel Kisi de Olsa Sahis Sirketi De Olsa
1704:         /// Vergi, Iskonto vb. Kismi ile ilgili kod bloklari
1705:         /// Ayni oldugu için
1706:         /// Burada tek bir yerden güncelleme yapılması için gerekli islemlerin
gerçeklestirildigi metottur.
1707:         /// </summary>
1708:         /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
1709:         /// <param name="gidenFaturaDetayListesi">Giden Fatura Detay Listesi
Bilgisi</param>
1710:         /// <param name="doc">XML Dokümani Bilgisi</param>
1711:         /// <param name="xmlnscac">XML Attribute Bilgisi</param>
1712:         /// <param name="xmlnscbc">XML Attribute Bilgisi</param>
1713:         /// <param name="kodFaturaGrupTuruKod">Fatura Grup Türü Bilgisi</param>
1714:         /// <param name="kodSatisTuruKod">Fatura Satış Türü Bilgisi</param>
1715:         /// <param name="root">XML Ana Eleman Bilgisi</param>
1716:         private static void EArsivVergiVeDigerAlanlarDuzenle(GidenFaturaDTO
gidenFatura, List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, XmlDocument doc,
XmlAttribute xmlnscac, XmlAttribute xmlnscbc, int kodFaturaGrupTuruKod, int
kodSatisTuruKod, XmlElement root)
1717:         {
1718:             #region KDVlerin Belirlenmesi
1719:
1720:             var faturaKdvListesi = new List<FaturaKdvDTO>();
1721:             foreach (var item in gidenFaturaDetayListesi)
1722:             {
1723:                 var kodKdvTuruOran = item.KdvOran ?? 0;
1724:                 if (faturaKdvListesi.All(j => j.KdvOran != kodKdvTuruOran))
1725:                 {
1726:                     var faturaKdv = new FaturaKdvDTO
1727:                     {
1728:                         KdvOran = kodKdvTuruOran,
1729:                         KdvTutari = item.KdvTutari,
1730:                         KdvHaricTutar = item.KdvHaricTutar
1731:                     };

```

```

1732:                     faturaKdvListesi.Add(faturaKdv);
1733:                 }
1734:             else
1735:             {
1736:                 var index = faturaKdvListesi.FindIndex(j => j.KdvOran ==
1737:                     faturaKdvListesi[index].KdvTutari += item.KdvTutari;
1738:                     faturaKdvListesi[index].KdvHaricTutar += item.KdvHaricTutar;
1739:                 }
1740:
1741:                 if (faturaKdvListesi.Count > 0)
1742:                     faturaKdvListesi = faturaKdvListesi.OrderBy(j =>
1743:                         j.KdvOran).ToList();
1744:                 }
1745:             if (gidenFaturaDetayListesi.Sum(j => j.KonaklamaVergisi) > 0 &&
1746:                 gidenFatura.DuzenlemeTarihi?.Year >= 2023)
1747:             {
1748:                 var faturaKdv = new FaturaKdvDTO
1749:                 {
1750:                     KdvOran = 2,
1751:                     KdvTutari = gidenFaturaDetayListesi.Sum(j => j.KonaklamaVergisi),
1752:                     KdvHaricTutar = gidenFaturaDetayListesi.Sum(j => j.KdvHaricTutar)
1753:                 };
1754:                 faturaKdvListesi.Add(faturaKdv);
1755:             }
1756:
1757:             #endregion
1758:
1759:             #region TaxTotal
1760:
1761:             var sayac = 1;
1762:             foreach (var item in faturaKdvListesi)
1763:             {
1764:                 // Burada vergi bilgileri yer almaktadir
1765:
1766:                 #region TaxTotal
1767:
1768:                 var taxTotal = doc.CreateElement("cac", "TaxTotal", xmlnscac.Value);
1769:                 var currencyIdGeneral = doc.CreateAttribute("currencyID");
1770:                 currencyIdGeneral.Value = "TRY";
1771:                 var taxAmount = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
1772:                 taxAmount.RemoveAllAttributes();
1773:                 taxAmount.Attributes.Append(currencyIdGeneral);
1774:                 taxAmount.InnerText = Decimal.Round((decimal) item.KdvTutari, 2,
MidpointRounding.AwayFromZero)
1775:                     .ToString().Replace(", ", ".");
1776:                     taxTotal.AppendChild(taxAmount);
1777:                     var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal",
xmlnscac.Value);
1778:                     var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xmlnscbc.Value);
1779:                     taxableAmount.RemoveAllAttributes();
1780:                     currencyIdGeneral = doc.CreateAttribute("currencyID");
1781:                     currencyIdGeneral.Value = "TRY";
1782:                     taxableAmount.Attributes.Append(currencyIdGeneral);
1783:                     taxableAmount.InnerText = Decimal
1784:                         .Round((decimal) item.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
1785:                             .Replace(", ", ".");
1786:                             taxSubTotal.AppendChild(taxableAmount);
1787:                             var taxAmount2 = doc.CreateElement("cbc", "TaxAmount",
xmlnscbc.Value);
1788:                             taxAmount2.RemoveAllAttributes();
1789:                             currencyIdGeneral = doc.CreateAttribute("currencyID");
1790:                             currencyIdGeneral.Value = "TRY";
1791:                             taxAmount2.Attributes.Append(currencyIdGeneral);
1792:                             taxAmount2.InnerText = Decimal.Round((decimal) item.KdvTutari, 2,
MidpointRounding.AwayFromZero)

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com)

```

1793:             .ToString().Replace(", ", "."));
1794:             taxSubTotal.AppendChild(taxAmount2);
1795:             var calculationSequenceNumeric =
1796:                 doc.CreateElement("cbc", "CalculationSequenceNumeric",
xmlns:cbc.Value);
1797:             calculationSequenceNumeric.InnerText = sayac + ".0";
1798:             taxSubTotal.AppendChild(calculationSequenceNumeric);
1799:             var percent = doc.CreateElement("cbc", "Percent", xmlns:cbc.Value);
1800:             percent.InnerText = Decimal.Round((decimal) item.KdvOran, 0,
MidpointRounding.AwayFromZero)
1801:                 .ToString();
1802:                 taxSubTotal.AppendChild(percent);
1803:                 var taxCategory = doc.CreateElement("cac", "TaxCategory",
xmlns:cac.Value);
1804:                 if (item.KdvTutari == 0)
1805:                 {
1806:                     if (kodFaturaGrupTuruKod ==
FaturaMakbuzGrupTur.Kuspe.GetHashCode())
1807:                     {
1808:                         var taxExemptionReasonCode =
doc.CreateElement("cbc", "TaxExemptionReasonCode",
xmlns:cbc.Value);
1809:                         taxExemptionReasonCode.InnerText = "325";
1810:                         var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xmlns:cbc.Value);
1811:                         taxExemptionReason.InnerText = "13/i Yem Teslimleri";
1812:                         taxCategory.AppendChild(taxExemptionReasonCode);
1813:                         taxCategory.AppendChild(taxExemptionReason);
1814:                     }
1815:                 }
1816:                 else
1817:                 {
1818:                     var taxExemptionReasonCode =
doc.CreateElement("cbc", "TaxExemptionReasonCode",
xmlns:cbc.Value);
1819:                     taxExemptionReasonCode.InnerText = "350";
1820:                     var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xmlns:cbc.Value);
1821:                     taxExemptionReason.InnerText = "Digerleri";
1822:                     taxCategory.AppendChild(taxExemptionReasonCode);
1823:                     taxCategory.AppendChild(taxExemptionReason);
1824:                 }
1825:             }
1826:         }
1827:
1828:         if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
1829:         {
1830:             var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xmlns:cbc.Value);
1831:             taxExemptionReasonCode.InnerText = "701";
1832:             var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xmlns:cbc.Value);
1833:             taxExemptionReason.InnerText =
1834:                 "3065 sayili Katma Deger Vergisi kanununun 11/1-c maddesi
kapsaminda ihraç edilmek sartiyla teslim edildiginden Katma Deger Vergisi tahsil
edilmemistir.";
1835:             taxCategory.AppendChild(taxExemptionReasonCode);
1836:             taxCategory.AppendChild(taxExemptionReason);
1837:         }
1838:
1839:         var taxScheme2 = doc.CreateElement("cac", "TaxScheme",
xmlns:cac.Value);
1840:         var taxTypeName = doc.CreateElement("cbc", "Name", xmlns:cbc.Value);
1841:         taxTypeName.InnerText = item.KdvOran != 2 ? "Katma Deger Vergisi" :
"Konaklama Vergisi";
1842:         var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode",
xmlns:cbc.Value);
1843:         taxTypeCode.InnerText = item.KdvOran != 2 ? "0015" : "0059";
1844:         taxScheme2.AppendChild(taxTypeName);
1845:         taxScheme2.AppendChild(taxTypeCode);
1846:         taxCategory.AppendChild(taxScheme2);

```

```
1847:         taxSubTotal.AppendChild(taxCategory);
1848:         taxTotal.AppendChild(taxSubTotal);
1849:         root.AppendChild(taxTotal);
1850:
1851:         #endregion
1852:     }
1853:
1854:     #endregion
1855:
1856:     // Burada vergi bilgileri yer almaktadir
1857:
1858:     #region Açıklama Satiri (TaxTotal)
1859:
1860:     //var taxTotal = doc.CreateElement("cac", "TaxTotal", xmlnscac.Value);
1861:     //var currencyId = doc.CreateAttribute("currencyID");
1862:     //currencyId.Value = "TRY";
1863:     //var taxAmount = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
1864:     //taxAmount.RemoveAllAttributes();
1865:     //taxAmount.Attributes.Append(currencyId);
1866:     //taxAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",","."));
1867:     //taxTotal.AppendChild(taxAmount);
1868:     //var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal",
xmlnscac.Value);
1869:     //var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xmlnscbc.Value);
1870:     //taxableAmount.RemoveAllAttributes();
1871:     //currencyId = doc.CreateAttribute("currencyID");
1872:     //currencyId.Value = "TRY";
1873:     //taxableAmount.Attributes.Append(currencyId);
1874:     //taxableAmount.InnerText =
Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",","."));
1875:     //taxSubTotal.AppendChild(taxableAmount);
1876:     //var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
1877:     //taxAmount2.RemoveAllAttributes();
1878:     //currencyId = doc.CreateAttribute("currencyID");
1879:     //currencyId.Value = "TRY";
1880:     //taxAmount2.Attributes.Append(currencyId);
1881:     //taxAmount2.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",","."));
1882:     //taxSubTotal.AppendChild(taxAmount2);
1883:     //var calculationSequenceNumeric = doc.CreateElement("cbc",
"CalculationSequenceNumeric", xmlnscbc.Value);
1884:     //calculationSequenceNumeric.InnerText = "1.0";
1885:     //taxSubTotal.AppendChild(calculationSequenceNumeric);
1886:     //var percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
1887:     //if (gidenFatura.KdvHaricTutar != 0)
1888:     //    percent.InnerText = Decimal.Round(((decimal)gidenFatura.KdvTutari *
100) / (decimal)gidenFatura.KdvHaricTutar, 0, MidpointRounding.AwayFromZero).ToString();
1889:     //else
1890:     //    percent.InnerText = "0";
1891:     //taxSubTotal.AppendChild(percent);
1892:     //var taxCategory = doc.CreateElement("cac", "TaxCategory",
xmlnscac.Value);
1893:     //if (gidenFatura.KdvTutari == 0)
1894:     //{
1895:         //    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xmlnscbc.Value);
1896:         //    taxExemptionReasonCode.InnerText = "325";
1897:         //    var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xmlnscbc.Value);
1898:         //    taxExemptionReason.InnerText = "13/i Yem Teslimleri";
1899:         //    taxCategory.AppendChild(taxExemptionReasonCode);
1900:         //    taxCategory.AppendChild(taxExemptionReason);
1901:     //}
1902:     //if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
1903:     //{
1904:         //    var taxExemptionReasonCode = doc.CreateElement("cbc",
```

```

    "TaxExemptionReasonCode", xmlnscbc.Value);
1905:         // taxExemptionReasonCode.InnerText = "701";
1906:         // var taxExemptionReason = doc.CreateElement("cbc",
    "TaxExemptionReason", xmlnscbc.Value);
1907:         // taxExemptionReason.InnerText = "3065 sayili Katma Deger Vergisi
kanununun 11/1-c maddesi kapsaminda ihraq edilmek sartiyla teslim edildiginden Katma Deger
Vergisi tahsil edilmemistir.";
1908:         // taxCategory.AppendChild(taxExemptionReasonCode);
1909:         // taxCategory.AppendChild(taxExemptionReason);
1910:         //}
1911:         //var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
1912:         //var taxTypeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
1913:         //taxTypeName.InnerText = "Katma Deger Vergisi";
1914:         //var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode",
xmlnscbc.Value);
1915:         //taxTypeCode.InnerText = "0015";
1916:         //taxScheme2.AppendChild(taxTypeName);
1917:         //taxScheme2.AppendChild(taxTypeCode);
1918:         //taxCategory.AppendChild(taxScheme2);
1919:         //taxSubTotal.AppendChild(taxCategory);
1920:         //taxTotal.AppendChild(taxSubTotal);
1921:         //root.AppendChild(taxTotal);
1922:
1923: #endregion
1924:
1925: // KDV, KDV Hariç Tutar ve Toplam Tutar bilgileri yer almaktadir
1926:
1927: #region LegalMonetaryTotal
1928:
1929: var legalMonetaryTotal = doc.CreateElement("cac", "LegalMonetaryTotal",
xmlnscac.Value);
1930: var lineExtensionAmount = doc.CreateElement("cbc", "LineExtensionAmount",
xmlnscbc.Value);
1931: lineExtensionAmount.RemoveAllAttributes();
1932: var currencyId = doc.CreateAttribute("currencyID");
1933: currencyId.Value = "TRY";
1934: lineExtensionAmount.Attributes.Append(currencyId);
1935: lineExtensionAmount.InnerText = Decimal
    .Round((decimal) gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
    .Replace(", ", ".");
1936: legalMonetaryTotal.AppendChild(lineExtensionAmount);
1937: var taxExclusiveAmount = doc.CreateElement("cbc", "TaxExclusiveAmount",
xmlnscbc.Value);
1938:
1939: taxExclusiveAmount.RemoveAllAttributes();
1940: currencyId = doc.CreateAttribute("currencyID");
1941: currencyId.Value = "TRY";
1942: taxExclusiveAmount.Attributes.Append(currencyId);
1943: taxExclusiveAmount.InnerText = Decimal
    .Round((decimal) gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
    .Replace(", ", ".");
1944: legalMonetaryTotal.AppendChild(taxExclusiveAmount);
1945: var taxInclusiveAmount = doc.CreateElement("cbc", "TaxInclusiveAmount",
xmlnscbc.Value);
1946:
1947: taxInclusiveAmount.RemoveAllAttributes();
1948: currencyId = doc.CreateAttribute("currencyID");
1949: currencyId.Value = "TRY";
1950: taxInclusiveAmount.Attributes.Append(currencyId);
1951: taxInclusiveAmount.InnerText = Decimal
    .Round((decimal) gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString()
    .Replace(", ", ".");
1952: legalMonetaryTotal.AppendChild(taxInclusiveAmount);
1953: var allowanceTotalAmount = doc.CreateElement("cbc",
"AllowanceTotalAmount", xmlnscbc.Value);
1954: allowanceTotalAmount.RemoveAllAttributes();
1955: currencyId = doc.CreateAttribute("currencyID");
1956: currencyId.Value = "TRY";

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

1961:         allowanceTotalAmount.Attributes.Append(currencyId);
1962:         allowanceTotalAmount.InnerText = "0.00";
1963:         legalMonetaryTotal.AppendChild(allowanceTotalAmount);
1964:         var payableAmount = doc.CreateElement("cbc", "PayableAmount",
xmlns:cbc.Value);
1965:         payableAmount.RemoveAllAttributes();
1966:         currencyId = doc.CreateAttribute("currencyID");
1967:         currencyId.Value = "TRY";
1968:         payableAmount.Attributes.Append(currencyId);
1969:         payableAmount.InnerText = Decimal
1970:             .Round((decimal) gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString()
1971:             .Replace(", ", ".");
1972:         legalMonetaryTotal.AppendChild(payableAmount);
1973:         root.AppendChild(legalMonetaryTotal);
1974:
1975:     #endregion
1976: }
1977:
1978: /// <summary>
1979: /// E-Arsiv Kismina Tüzel Kisi de Olsa Sahis Sirketi De Olsa
1980: /// Standart Alanlar, Imza Kismi ve Faturayi Kesen Firma Kismi ile ilgili kod
bloklari
1981: /// Ayni oldugu icin
1982: /// Burada tek bir yerden güncelleme yapılması için gerekli islemlerin
gerçeklestirildigi metottur.
1983: /// </summary>
1984: /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
1985: /// <param name="gidenFaturaDetayListesi">Giden Fatura Detay Listesi
Bilgisi</param>
1986: /// <param name="root">XML Ana Eleman Bilgisi</param>
1987: /// <param name="doc">XML Dokumani Bilgisi</param>
1988: /// <param name="kodSatisTuruKod">Fatura Satis Turu Bilgisi</param>
1989: /// <param name="kodFaturaTuruKod">Fatura Turu Bilgisi</param>
1990: /// <param name="kodFaturaGrupTuruKod">Fatura Grup Turu Bilgisi</param>
1991: /// <param name="xmlnscac">XML Attribute Bilgisi</param>
1992: /// <param name="xmlns:cbc">XML Attribute Bilgisi</param>
1993: private static void EArsivStandartImzaVeFirmaBilgisiDuzenle(GidenFaturaDTO
gidenFatura, List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, XmlElement root,
XmlDocument doc, int kodSatisTuruKod, int kodFaturaTuruKod, int kodFaturaGrupTuruKod, out
XmlAttribute xmlns:cac, out XmlAttribute xmlns:cbc)
1994: {
1995:     // Faturanın türü, düzenleme tarihi, UBL Versiyon Numarası, GIB Numarası
gibi bilgiler
1996:     // yer almaktadir
1997:
1998: #region Standart Bilgiler
1999:
2000:     root.RemoveAllAttributes();
2001:
2002:     // var locationAttribute = "xsi:schemaLocation";
2003:     var location = doc.CreateAttribute("xsi", "schemaLocation",
2004:         "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2");
2005:     location.Value =
2006:         "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
..xsdrt/maindoc/UBL-Invoice-2.1.xsd";
2007:     //var location = doc.CreateAttribute(schemaLocation);
2008:     //location.Value =
"urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
..xsdrt/maindoc/UBL-Invoice-2.1.xsd";
2009:     var xmlns = doc.CreateAttribute("xmlns");
2010:     xmlns.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2";
2011:     var xmlnsn4 = doc.CreateAttribute("xmlns:n4");
2012:     xmlnsn4.Value = "http://www.altova.com/samplexml/other-namespace";
2013:     var xmlnsxsi = doc.CreateAttribute("xmlns:xsi");
2014:     xmlnsxsi.Value = "http://www.w3.org/2001/XMLSchema-instance";
2015:     xmlns:cac = doc.CreateAttribute("xmlns:cac");
2016:     xmlns:cac.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonAggregateComponents-2";

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```
2017:         xmlnscbc = doc.CreateAttribute("xmlns:cbc");
2018:         xmlnscbc.Value =
2019: "urn:oasis:names:specification:ubl:schema:xsd:CommonBasicComponents-2";
2020:         var xmlnsext = doc.CreateAttribute("xmlns:ext");
2021:         xmlnsext.Value =
2022: "urn:oasis:names:specification:ubl:schema:xsd:CommonExtensionComponents-2";
2023:         var xmlnsxades = doc.CreateAttribute("xmlns:xades");
2024:         //xmlnsxades.Value = "http://uri.etsi.org/01903/v1.3.2#";
2025:         xmlnsxades.Value = "http://uri.etsi.org/01903/v1.3.2";
2026:         var xmlnsds = doc.CreateAttribute("xmlns:ds");
2027:         //xmlnsds.Value = "http://www.w3.org/2000/09/xmldsig#";
2028:         xmlnsds.Value = "http://www.w3.org/2000/09/xmldsig";
2029:
2030:         root.Attributes.Append(location);
2031:         root.Attributes.Append(xmlns);
2032:         root.Attributes.Append(xmlnsxsi);
2033:         root.Attributes.Append(xmlnscac);
2034:         root.Attributes.Append(xmlnsext);
2035:         root.Attributes.Append(xmlnsds);
2036:         root.Attributes.Append(xmlnsxades);
2037:         root.Attributes.Append(xmlnscbc);
2038:         root.Attributes.Append(xmlnsn4);
2039:
2040:         var extUbl = doc.CreateElement("ext", "UBLExtensions", xmlnsext.Value);
2041:         var extUbl2 = doc.CreateElement("ext", "UBLExtension", xmlnsext.Value);
2042:         var extUbl3 = doc.CreateElement("ext", "ExtensionContent",
2043:         xmlnsext.Value);
2044:         extUbl2.AppendChild(extUbl3);
2045:         extUbl.AppendChild(extUbl2);
2046:
2047:         root.AppendChild(extUbl);
2048:
2049:         var versionId = doc.CreateElement("cbc", "UBLVersionID", xmlnscbc.Value);
2050:         versionId.InnerText = "2.1";
2051:         root.AppendChild(versionId);
2052:
2053:         var customizationId = doc.CreateElement("cbc", "CustomizationID",
2054:         xmlnscbc.Value);
2055:         customizationId.InnerText = "TR1.2";
2056:         root.AppendChild(customizationId);
2057:
2058:         var profileId = doc.CreateElement("cbc", "ProfileID", xmlnscbc.Value);
2059:         profileId.InnerText = "EARSIVFATURA";
2060:         root.AppendChild(profileId);
2061:
2062:         var id = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
2063:         if (!string.IsNullOrEmpty(gidenFatura.GibNumarasi))
2064:             id.InnerText = gidenFatura.GibNumarasi;
2065:         else
2066:             id.InnerText = "ABC" + gidenFatura.DuzenlemeTarihi?.Year +
2067:                             DateTime.UtcNow.Ticks.ToString().Substring(0, 9);
2068:         root.AppendChild(id);
2069:
2070:         var copyIndicator = doc.CreateElement("cbc", "CopyIndicator",
2071:         xmlnscbc.Value);
2072:         copyIndicator.InnerText = "false";
2073:         root.AppendChild(copyIndicator);
2074:
2075:         var gidenFaturaId = doc.CreateElement("cbc", "UUID", xmlnscbc.Value);
2076:         gidenFaturaId.InnerText = gidenFatura.GidenFaturaId.Length == 36
2077:             ? gidenFatura.GidenFaturaId.ToUpper()
2078:             : Guid.NewGuid().ToString().ToUpper();
2079:         root.AppendChild(gidenFaturaId);
2080:
2081:         var issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
2082:         issueDate.InnerText =
2083: gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd") ?? string.Empty;
2084:         root.AppendChild(issueDate);
2085:
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

```

2080:             var issueTime = doc.CreateElement("cbc", "IssueTime", xmlnscbc.Value);
2081:             issueTime.InnerText = gidenFatura.DuzenlemeTarihi?.ToString("HH:mm:ss")
2082:             root.AppendChild(issueTime);
2083:
2084:             var invoiceTypeCode = doc.CreateElement("cbc", "InvoiceTypeCode",
2085:             xmlnscbc.Value);
2086:             invoiceTypeCode.InnerText = "SATIS";
2087:             if (gidenFatura.KdvTutari == 0 || gidenFaturaDetayListesi.Any(j =>
2088:             j.KdvTutari == 0))
2089:                 invoiceTypeCode.InnerText = "ISTISNA";
2090:             if (kodSatisTurKod == SatisTur.IhracKayitli.GetHashCode())
2091:                 invoiceTypeCode.InnerText = "IHRACKAYITLI";
2092:             if (kodFaturaTurKod == FaturaTur.Iade.GetHashCode())
2093:                 invoiceTypeCode.InnerText = "IADE";
2094:             root.AppendChild(invoiceTypeCode);
2095:
2096:             #region Irsaliye Bilgileri
2097:
2098:             #region Irsaliye ve Tonaj Düzenlemesi
2099:
2100:             var gidenFaturaDetayListesi2 = new List<GidenFaturaDetayDTO>();
2101:             foreach (var item in gidenFaturaDetayListesi)
2102:             {
2103:                 if (!string.IsNullOrEmpty(item.IrsaliyeNo) &&
2104:                     !string.IsNullOrEmpty(item.PlakaNo))
2105:                 {
2106:                     item.Tonaj = item.Miktar;
2107:                     gidenFaturaDetayListesi2.Add(item);
2108:                 }
2109:                 else
2110:                 {
2111:                     var index = gidenFaturaDetayListesi2.FindIndex(j =>
2112:                     j.IrsaliyeNo == item.IrsaliyeNo && j.PlakaNo ==
2113:                     item.PlakaNo);
2114:                     gidenFaturaDetayListesi2[index].Tonaj += item.Miktar;
2115:                 }
2116:             }
2117:             else
2118:                 gidenFaturaDetayListesi2.Add(item);
2119:             //if (gidenFaturaDetayListesi2.Count < 1)
2120:             //    gidenFaturaDetayListesi2.Add(new GidenFaturaDetayDTO());
2121:
2122:             #endregion Irsaliye ve Tonaj Düzenlemesi
2123:
2124:             if (gidenFaturaDetayListesi2.Count > 0)
2125:             {
2126:                 foreach (var item in gidenFaturaDetayListesi2)
2127:                 {
2128:                     var irsaliyeNote = doc.CreateElement("cbc", "Note",
2129:                     xmlnscbc.Value);
2130:                     irsaliyeNote.InnerText = "";
2131:                     if (!string.IsNullOrEmpty(item.PlakaNo))
2132:                         irsaliyeNote.InnerText += "Plaka No: " + item.PlakaNo;
2133:                     if (!string.IsNullOrEmpty(item.SevkIrsaliyesiNo))
2134:                         irsaliyeNote.InnerText += " Irsaliye No: " +
2135:                         item.SevkIrsaliyesiNo;
2136:                     if (item.SevkIrsaliyeTarihi != null)
2137:                         irsaliyeNote.InnerText +=
2138:                             " Irsaliye Tarihi: " +
item.SevkIrsaliyeTarihi.ToShortDateString();
2139:                     if (item.YuklemeFormuNo != null)
2140:                         irsaliyeNote.InnerText += " Yükleme Formu No: " +
item.YuklemeFormuNo;

```

```

2139:             if (item.Tonaj != null)
2140:                 irsaliyeNote.InnerText += " Tonaj: " + item.Tonaj;
2141:                 if (kodFaturaTuruKod == FaturaTur.Iade.GetHashCode() ||
2142:                     ((item.FaturaUrunTuru.Contains("Sartname") ||
2143:                      item.FaturaUrunTuru.Contains("Kira")) &&
2144:                         kodFaturaGrupTuruKod ==
2145:                           FaturaMakbuzGrupTur.Diger.GetHashCode()) &&
2146:                             !string.IsNullOrEmpty(gidenFatura.Aciklama))
2147:                             irsaliyeNote.InnerText += " Açıklama: " +
2148:                               gidenFatura.Aciklama;
2149:                               if (!string.IsNullOrEmpty(irsaliyeNote.InnerText))
2150:                                   root.AppendChild(irsaliyeNote);
2151:               }
2152:           }
2153:       var sendType = doc.CreateElement("cbc", "Note", xmlnscbc.Value);
2154:       sendType.InnerText = "Gönderim Sekli: ELEKTRONIK";
2155:       root.AppendChild(sendType);
2156:
2157:       var documentCurrencyCode = doc.CreateElement("cbc",
2158: "DocumentCurrencyCode", xmlnscbc.Value);
2159:       documentCurrencyCode.InnerText = "TRY";
2160:       root.AppendChild(documentCurrencyCode);
2161:
2162:       var lineCountNumeric = doc.CreateElement("cbc", "LineCountNumeric",
2163: xmlnscbc.Value);
2164:       lineCountNumeric.InnerText = gidenFaturaDetayListesi.Count.ToString();
2165:       root.AppendChild(lineCountNumeric);
2166:
2167: #region Açıklama Satiri
2168:
2169: // #region AdditionalDocumentReference
2170: // var additionalDocumentReference =
2171: //   doc.CreateElement("cac", "AdditionalDocumentReference",
2172: //   xmlnscac.Value);
2173: // var additionalDocumentReferenceId = doc.CreateElement("cbc", "ID",
2174: //   xmlnscbc.Value);
2175: // additionalDocumentReferenceId.InnerText = gidenFatura.GidenFaturaId;
2176: // additionalDocumentReference.AppendChild(additionalDocumentReferenceId);
2177: // issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
2178: // issueDate.InnerText =
2179: gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd") ?? string.Empty;
2180: // additionalDocumentReference.AppendChild(issueDate);
2181: // var documentType = doc.CreateElement("cbc", "DocumentType",
2182: //   xmlnscbc.Value);
2183: // documentType.InnerText = "XSLT";
2184: // additionalDocumentReference.AppendChild(documentType);
2185: // issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
2186: // issueDate.InnerText =
2187: gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd");
2188: // additionalDocumentReference.AppendChild(issueDate);
2189: // documentType = doc.CreateElement("cbc", "DocumentType",
2190: //   xmlnscbc.Value);
2191: // documentType.InnerText = "XSLT";
2192: // additionalDocumentReference.AppendChild(documentType);
2193: // var attachment = doc.CreateElement("cac", "Attachment",
2194: //   xmlnscac.Value);
2195: // var embeddedDocumentBinaryObject =
2196: //   doc.CreateElement("cbc", "EmbeddedDocumentBinaryObject",
2197: //   xmlnscbc.Value);
2198: // var characterSetCode = doc.CreateAttribute("characterSetCode");
2199: // characterSetCode.Value = "UTF-8";
2200: // var encodingCode = doc.CreateAttribute("encodingCode");
2201: // encodingCode.Value = "Base64";
2202: // /// XmlAttribute fileName2 = doc.CreateAttribute("fileName");
2203: // /// fileName2.Value = "efatura.xslt";

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com)

```

2195:         // var mimeCode = doc.CreateAttribute("mimeCode");
2196:         // mimeCode.Value = "application/xml";
2197:         // embeddedDocumentBinaryObject.Attributes.Append(characterSetCode);
2198:         // embeddedDocumentBinaryObject.Attributes.Append(encodingCode);
2199:         // // embeddedDocumentBinaryObject.Attributes.Append(fileName2);
2200:         // embeddedDocumentBinaryObject.Attributes.Append(mimeCode);
2201:         //
2202:         // #region Base 64 Metin
2203:         //
2204:         // var sablonAdresi = Directory.GetFiles("../..../Other");
2205:         // if (sablonAdresi.Length > 0)
2206:         //{
2207:             foreach (var item in sablonAdresi)
2208:             {
2209:                 if (item.Contains("earsiv"))
2210:                 {
2211:                     var base64Metin = File.ReadAllText(item);
2212:                     embeddedDocumentBinaryObject.InnerText = base64Metin;
2213:                     break;
2214:                 }
2215:             }
2216:         //
2217:         //
2218:         // #endregion
2219:         //
2220:         // attachment.AppendChild(embeddedDocumentBinaryObject);
2221:         // additionalDocumentReference.AppendChild(attachment);
2222:         //
2223:         // root.AppendChild(additionalDocumentReference);
2224:         //
2225:         // additionalDocumentReference = doc.CreateElement("cac",
2226:         "AdditionalDocumentReference", xmlnscac.Value);
2226:         // additionalDocumentReferenceId = doc.CreateElement("cbc", "ID",
2227:         xmlnscbc.Value);
2227:         // additionalDocumentReferenceId.InnerText = gidenFatura.GidenFaturaId;
2228:         // additionalDocumentReference.AppendChild(additionalDocumentReferenceId);
2229:         // issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
2230:         // issueDate.InnerText =
gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd") ?? string.Empty;
2231:         // additionalDocumentReference.AppendChild(issueDate);
2232:         // documentType = doc.CreateElement("cbc", "DocumentType",
2232:         xmlnscbc.Value);
2233:         // documentType.InnerText = "XSLT";
2234:         // additionalDocumentReference.AppendChild(documentType);
2235:         // attachment = doc.CreateElement("cac", "Attachment", xmlnscac.Value);
2236:         // embeddedDocumentBinaryObject = doc.CreateElement("cbc",
"EmbeddedDocumentBinaryObject", xmlnscbc.Value);
2237:         // characterSetCode = doc.CreateAttribute("characterSetCode");
2238:         // characterSetCode.Value = "UTF-8";
2239:         // encodingCode = doc.CreateAttribute("encodingCode");
2240:         // encodingCode.Value = "Base64";
2241:         // mimeCode = doc.CreateAttribute("mimeCode");
2242:         // mimeCode.Value = "application/xml";
2243:         // embeddedDocumentBinaryObject.Attributes.Append(characterSetCode);
2244:         // embeddedDocumentBinaryObject.Attributes.Append(encodingCode);
2245:         // embeddedDocumentBinaryObject.Attributes.Append(mimeCode);
2246:         // attachment.AppendChild(embeddedDocumentBinaryObject);
2247:         // additionalDocumentReference.AppendChild(attachment);
2248:         //
2249:         // #endregion
2250:         #
2251:         #endregion
2252:         #
2253:         #endregion
2254:         //
2255:         // Faturaya iliskin imza, adres vb. bilgiler yer almaktadir
2256:         #
2257:         #region Signature
2258:

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com)

```

2259:         var signature = doc.CreateElement("cac", "Signature", xmlnscac.Value);
2260:         var signatureIdAttr = doc.CreateAttribute("schemeID");
2261:         signatureIdAttr.Value = "VKN_TCKN";
2262:         var signatureId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
2263:         signatureId.Attributes.Append(signatureIdAttr);
2264:         signatureId.InnerText = "3250566851";
2265:         signature.AppendChild(signatureId);
2266:         var signatoryParty = doc.CreateElement("cac", "SignatoryParty",
2267:         xmlnscac.Value);
2268:         var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
2269:         xmlnscac.Value);
2270:         var signatureIdAttr2 = doc.CreateAttribute("schemeID");
2271:         signatureIdAttr2.Value = "VKN";
2272:         var signaturePartyId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
2273:         signaturePartyId.Attributes.Append(signatureIdAttr2);
2274:         signaturePartyId.InnerText = "3250566851";
2275:         partyIdentification.AppendChild(signaturePartyId);
2276:         signatoryParty.AppendChild(partyIdentification);

2277:         #region Postal Address
2278:         var postalAddress = doc.CreateElement("cac", "PostalAddress",
2279:         xmlnscac.Value);
2280:         var streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
2281:         streetName.InnerText = "Mithatpasa Caddesi";
2282:         postalAddress.AppendChild(streetName);
2283:         var buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
2284:         xmlnscbc.Value);
2285:         buildingNumber.InnerText = "14";
2286:         postalAddress.AppendChild(buildingNumber);
2287:         var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
2288:         xmlnscbc.Value);
2289:         citySubdivisionName.InnerText = "Çankaya";
2290:         postalAddress.AppendChild(citySubdivisionName);
2291:         var cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
2292:         cityName.InnerText = "Ankara";
2293:         postalAddress.AppendChild(cityName);
2294:         var postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
2295:         postalZone.InnerText = "06100";
2296:         postalAddress.AppendChild(postalZone);
2297:         var country = doc.CreateElement("cac", "Country", xmlnscac.Value);
2298:         var countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
2299:         countryName.InnerText = "Türkiye";
2300:         country.AppendChild(countryName);
2301:         postalAddress.AppendChild(country);
2302:         signatoryParty.AppendChild(postalAddress);
2303:         signature.AppendChild(signatoryParty);

2304:         #endregion
2305:         var digitalSignatureAttachment = doc.CreateElement("cac",
2306:         "DigitalSignatureAttachment", xmlnscac.Value);
2307:         var externalReference = doc.CreateElement("cac", "ExternalReference",
2308:         xmlnscac.Value);
2309:         var uri = doc.CreateElement("cbc", "URI", xmlnscbc.Value);
2310:         uri.InnerText = "#Signature";
2311:         externalReference.AppendChild(uri);
2312:         digitalSignatureAttachment.AppendChild(externalReference);
2313:         signature.AppendChild(digitalSignatureAttachment);

2314:         #endregion
2315:         // Burada sabit degerler verilmekte olup, Faturayı kesen kuruma veya
2316:         // firmaya ait bilgiler
2317:         // yer almaktadır. Bu kısımda örnek olarak TÜRKSEKER Fabrikaları Genel
2318:         // Müdürlüğü bilgileri
2319:         // kullanılmıştır. Ancak degistirip test edilebilir.

```

```

2319:
2320:    #region AccountingSupplierParty
2321:
2322:        var accountingSupplierParty = doc.CreateElement("cac",
2323: "AccountingSupplierParty", xmlnscac.Value);
2324:        var party = doc.CreateElement("cac", "Party", xmlnscac.Value);
2325:        var webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlnscbc.Value);
2326:        webSiteUri.InnerText = "https://www.turkseker.gov.tr";
2327:        party.AppendChild(webSiteUri);
2328:        var accountingSupplierPartyIdAttr = doc.CreateAttribute("schemeID");
2329:        accountingSupplierPartyIdAttr.Value = "VKN_TCKN";
2330:        partyIdentification = doc.CreateElement("cac", "PartyIdentification",
2331: xmlnscac.Value);
2332:        var accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
2333:        accountingSupplierPartyIdAttr2.Value = "VKN";
2334:        var accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
2335: xmlnscbc.Value);
2336:
2337:        accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
2338:        accountingSupplierPartyPartyId.InnerText = "3250566851";
2339:        partyIdentification.AppendChild(accountingSupplierPartyPartyId);
2340:        party.AppendChild(partyIdentification);
2341:
2342:        if (!string.IsNullOrEmpty(gidenFatura.AltBirimAd))
2343:        {
2344:            partyIdentification = doc.CreateElement("cac", "PartyIdentification",
2345: xmlnscac.Value);
2346:            accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
2347:            accountingSupplierPartyIdAttr2.Value = "SUBENO";
2348:            accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
2349: xmlnscbc.Value);
2350:
2351:            accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
2352:            accountingSupplierPartyPartyId.InnerText = gidenFatura.AltBirimAd;
2353:            partyIdentification.AppendChild(accountingSupplierPartyPartyId);
2354:            party.AppendChild(partyIdentification);
2355:
2356:            #region Postal Address
2357:
2358:            postalAddress = doc.CreateElement("cac", "PostalAddress", xmlnscac.Value);
2359:            var postalAddressId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
2360:            postalAddressId.InnerText = "3250566851";
2361:            postalAddress.AppendChild(postalAddressId);
2362:            streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
2363:            streetName.InnerText = "Mithatpasa Caddesi";
2364:            postalAddress.AppendChild(streetName);
2365:            buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
2366: xmlnscbc.Value);
2367:            buildingNumber.InnerText = "14";
2368:            postalAddress.AppendChild(buildingNumber);
2369:            citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
2370: xmlnscbc.Value);
2371:            citySubdivisionName.InnerText = "Çankaya";
2372:            postalAddress.AppendChild(citySubdivisionName);
2373:            cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
2374:            cityName.InnerText = "Ankara";
2375:            postalAddress.AppendChild(cityName);
2376:            postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
2377:            postalZone.InnerText = "06100";
2378:            postalAddress.AppendChild(postalZone);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com)

```

2379:         countryName.InnerText = "Türkiye";
2380:         country.AppendChild(countryName);
2381:         postalAddress.AppendChild(country);
2382:         party.AppendChild(postalAddress);
2383:
2384:     #endregion
2385:
2386:     var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
2387:                                         xmlnscac.Value);
2388:     var taxScheme = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
2389:     var taxSchemeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
2390:     taxSchemeName.InnerText = "Ankara Kurumlar";
2391:     taxScheme.AppendChild(taxSchemeName);
2392:     partyTaxScheme.AppendChild(taxScheme);
2393:     party.AppendChild(partyTaxScheme);
2394:
2395:     var contact = doc.CreateElement("cac", "Contact", xmlnscac.Value);
2396:     var telephone = doc.CreateElement("cbc", "Telephone", xmlnscbc.Value);
2397:     telephone.InnerText = "(312) 4585500";
2398:     contact.AppendChild(telephone);
2399:     var telefax = doc.CreateElement("cbc", "Telefax", xmlnscbc.Value);
2400:     telefax.InnerText = "(312) 4585800";
2401:     contact.AppendChild(telefax);
2402:     var electronicMail = doc.CreateElement("cbc", "ElectronicMail",
2403:                                         xmlnscbc.Value);
2404:     electronicMail.InnerText = "maliisler@turkseker.gov.tr";
2405:     contact.AppendChild(electronicMail);
2406:     party.AppendChild(contact);
2407:
2408:     accountingSupplierParty.AppendChild(party);
2409:
2410: #endregion
2411: }
2412:
2413: /// <summary>
2414: /// E-Arsiv Kismina
2415: /// Tüzel Kisiden Gelse de Sahis Sirketinden Gelse De
2416: /// Fatura Detaylari XML içerisinde islenirken aynı islemler
gerçeklestirildiginden
2417: /// Bu kod bloklarının tek bir yerde tutulması
2418: /// Birinde yapılan güncellemenin iki tarafı da etkilemesi saglandı
2419: /// </summary>
2420: /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
2421: /// <param name="item">Fatura Detay Bilgisi</param>
2422: /// <param name="doc">XML Dokümani Bilgisi</param>
2423: /// <param name="xmlnscac">XML Attribute Bilgisi</param>
2424: /// <param name="xmlnscbc">XML Attribute Bilgisi</param>
2425: /// <param name="sayac">Sayacı Bilgisi</param>
2426: /// <param name="root">XML Ana Eleman Bilgisi</param>
2427: /// <returns></returns>
2428: private static int EArsivFaturaDetaylariDuzenle(GidenFaturaDTO gidenFatura,
GidenFaturaDetayDTO item, XmlDocument doc,
2429:                                         XmlAttribute xmlnscac, XmlAttribute xmlnscbc, int sayac, XElement root)
2430: {
2431:     XmlAttribute currencyId;
2432:     var detayBilgisi = item.BosluklariKaldır();
2433:
2434:     #region InvoiceLine
2435:
2436:     // Ölçü Birimi, KDV Hariç Tutar, Para Birimi gibi bilgiler yer almaktadır
2437:
2438:     #region MetaData
2439:
2440:     var invoiceLine = doc.CreateElement("cac", "InvoiceLine", xmlnscac.Value);
2441:     var invoiceLineId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
2442:     invoiceLineId.InnerText = sayac.ToString();
2443:     invoiceLine.AppendChild(invoiceLineId);

```

```

2444:         var quantity = doc.CreateAttribute("unitCode");
2445:         quantity.Value = !string.IsNullOrEmpty(detayBilgisi.GibKisaltma) ?
detayBilgisi.GibKisaltma : "KGM";
2446:         var invoicedQuantity = doc.CreateElement("cbc", "InvoicedQuantity",
xmlns:cbc.Value);
2447:         invoicedQuantity.RemoveAllAttributes();
2448:         invoicedQuantity.Attributes.Append(quantity);
2449:         invoicedQuantity.InnerText = Decimal
2450:             .Round((decimal) detayBilgisi.Miktar, 2,
MidpointRounding.AwayFromZero).ToString()
2451:                 .Replace(",", ".");
2452:         invoiceLine.AppendChild(invoicedQuantity);
2453:         var lineExtensionAmountDetail = doc.CreateElement("cbc",
"LineExtensionAmount", xmlns:cbc.Value);
2454:         lineExtensionAmountDetail.RemoveAllAttributes();
2455:         currencyId = doc.CreateAttribute("currencyID");
2456:         currencyId.Value = "TRY";
2457:         lineExtensionAmountDetail.Attributes.Append(currencyId);
2458:         lineExtensionAmountDetail.InnerText = Decimal
2459:             .Round((decimal) detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
2460:                 .Replace(",", ".");
2461:         invoiceLine.AppendChild(lineExtensionAmountDetail);
2462:
2463: #endregion
2464:
2465: // Varsa iskonto bilgileri yer almaktadir
2466:
2467: #region AllowanceCharge
2468:
2469: var allowanceCharge = doc.CreateElement("cac", "AllowanceCharge",
xmlns:cac.Value);
2470: var chargeIndicator = doc.CreateElement("cbc", "ChargeIndicator",
xmlns:cbc.Value);
2471: chargeIndicator.InnerText = "false";
2472: allowanceCharge.AppendChild(chargeIndicator);
2473: decimal amount2 = 0;
2474: var toplamTutar = (decimal) detayBilgisi.KdvHaricTutar;
2475: var kodIskontoTuruOran = detayBilgisi.IskontoOran ?? 0;
2476: if (kodIskontoTuruOran > 0)
2477: {
2478:     toplamTutar = Decimal.Round((decimal) detayBilgisi.Miktar * (decimal)
detayBilgisi.BirimFiyat,
2479:         4, MidpointRounding.AwayFromZero);
2480:     var toplamTutar2 = Decimal.Round(toplamTutar * (100 -
kodIskontoTuruOran) * (decimal) 0.01,
2481:         4, MidpointRounding.AwayFromZero);
2482:     amount2 = toplamTutar - toplamTutar2;
2483: }
2484:
2485: var multiplierFactorNumeric = doc.CreateElement("cbc",
"MultiplierFactorNumeric", xmlns:cbc.Value);
2486: multiplierFactorNumeric.InnerText = Decimal
2487:     .Round(kodIskontoTuruOran * (decimal) 0.01, 2,
MidpointRounding.AwayFromZero).ToString()
2488:     .Replace(",", ".");
2489: allowanceCharge.AppendChild(multiplierFactorNumeric);
2490: var amount = doc.CreateElement("cbc", "Amount", xmlns:cbc.Value);
2491: currencyId = doc.CreateAttribute("currencyID");
2492: currencyId.Value = "TRY";
2493: amount.RemoveAllAttributes();
2494: amount.Attributes.Append(currencyId);
2495: amount.InnerText = Decimal.Round(amount2, 2,
MidpointRounding.AwayFromZero).ToString()
2496:     .Replace(",", ".");
2497: allowanceCharge.AppendChild(amount);
2498: var baseAmount = doc.CreateElement("cbc", "BaseAmount", xmlns:cbc.Value);
2499: currencyId = doc.CreateAttribute("currencyID");
2500: currencyId.Value = "TRY";

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com)

```

2501:         baseAmount.RemoveAllAttributes();
2502:         baseAmount.Attributes.Append(currencyId);
2503:         baseAmount.InnerText = Decimal.Round(toplamTutar, 2,
MidpointRounding.AwayFromZero).ToString()
2504:             .Replace(", ", ".");
2505:         allowanceCharge.AppendChild(baseAmount);
2506:         invoiceLine.AppendChild(allowanceCharge);
2507:
2508:     #endregion
2509:
2510:     // Vergi bilgileri yer almaktadir
2511:
2512:     #region TaxTotal
2513:
2514:     var taxTotal = doc.CreateElement("cac", "TaxTotal", xmlnscac.Value);
2515:     currencyId = doc.CreateAttribute("currencyID");
2516:     currencyId.Value = "TRY";
2517:     var taxAmount = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
2518:     taxAmount.RemoveAllAttributes();
2519:     taxAmount.Attributes.Append(currencyId);
2520:     taxAmount.InnerText = Decimal
2521:         .Round((decimal) detayBilgisi.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString()
2522:             .Replace(", ");
2523:     if (item.KonaklamaVergisi > 0 && gidenFatura.DuzenlemeTarihi?.Year >=
2023)
2524:         taxAmount.InnerText = Decimal
2525:             .Round((decimal) detayBilgisi.KdvTutari + (decimal)
detayBilgisi.KonaklamaVergisi, 2,
2526:                 MidpointRounding.AwayFromZero).ToString()
2527:                     .Replace(", ");
2528:         taxTotal.AppendChild(taxAmount);
2529:         var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xmlnscac.Value);
2530:         var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xmlnscbc.Value);
2531:
taxableAmount.RemoveAllAttributes();
2532:         currencyId = doc.CreateAttribute("currencyID");
2533:         currencyId.Value = "TRY";
2534:         taxableAmount.Attributes.Append(currencyId);
2535:         taxableAmount.InnerText = Decimal
2536:             .Round((decimal) detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
2537:                 .Replace(", ");
2538:         taxSubTotal.AppendChild(taxableAmount);
2539:         var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
2540:         taxAmount2.RemoveAllAttributes();
2541:         currencyId = doc.CreateAttribute("currencyID");
2542:         currencyId.Value = "TRY";
2543:         taxAmount2.Attributes.Append(currencyId);
2544:         taxAmount2.InnerText = Decimal
2545:             .Round((decimal) detayBilgisi.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString()
2546:                 .Replace(", ");
2547:         taxSubTotal.AppendChild(taxAmount2);
2548:         var percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
2549:         if (detayBilgisi.KdvOran != null)
2550:             percent.InnerText = Decimal
2551:                 .Round((decimal) detayBilgisi.KdvOran, 2,
MidpointRounding.AwayFromZero).ToString("N1")
2552:                     .Replace(", ");
2553:         taxSubTotal.AppendChild(percent);
2554:         var taxCategory = doc.CreateElement("cac", "TaxCategory", xmlnscac.Value);
2555:         var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
2556:         var taxTypeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
2557:         taxTypeName.InnerText = "KDV";
2558:         taxScheme2.AppendChild(taxTypeName);
2559:         var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xmlnscbc.Value);
2560:         taxTypeCode.InnerText = "0015";
2561:         taxScheme2.AppendChild(taxTypeCode);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

2562:         taxCategory.AppendChild(taxScheme2);
2563:         taxSubTotal.AppendChild(taxCategory);
2564:         taxTotal.AppendChild(taxSubTotal);
2565:         if (item.KonaklamaVergisi > 0 && gidenFatura.DuzenlemeTarihi?.Year >=
2023)
2566:     {
2567:         #region TaxSubTotal (Konaklama Vergisi İçin)
2568:
2569:         taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xmlnscac.Value);
2570:         taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xmlnscbc.Value);
2571:         taxableAmount.RemoveAllAttributes();
2572:         currencyId = doc.CreateAttribute("currencyID");
2573:         currencyId.Value = "TRY";
2574:         taxableAmount.Attributes.Append(currencyId);
2575:         taxableAmount.InnerText = Decimal
2576:             .Round((decimal) detayBilgisi.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString()
2577:                 .Replace(", ", ".");
2578:         taxSubTotal.AppendChild(taxableAmount);
2579:         taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
2580:         taxAmount2.RemoveAllAttributes();
2581:         currencyId = doc.CreateAttribute("currencyID");
2582:         currencyId.Value = "TRY";
2583:         taxAmount2.Attributes.Append(currencyId);
2584:         taxAmount2.InnerText = Decimal
2585:             .Round((decimal) detayBilgisi.KonaklamaVergisi, 2,
MidpointRounding.AwayFromZero).ToString()
2586:                 .Replace(", ", ".");
2587:         taxSubTotal.AppendChild(taxAmount2);
2588:         percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
2589:         percent.InnerText = Decimal
2590:             .Round((decimal) 2, 2,
MidpointRounding.AwayFromZero).ToString("N1")
2591:                 .Replace(", ", ".");
2592:         taxSubTotal.AppendChild(percent);
2593:         taxCategory = doc.CreateElement("cac", "TaxCategory", xmlnscac.Value);
2594:         taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
2595:         taxTypeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
2596:         taxTypeName.InnerText = "Konaklama Vergisi";
2597:         taxScheme2.AppendChild(taxTypeName);
2598:         taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xmlnscbc.Value);
2599:         taxTypeCode.InnerText = "0059";
2600:         taxScheme2.AppendChild(taxTypeCode);
2601:         taxCategory.AppendChild(taxScheme2);
2602:         taxSubTotal.AppendChild(taxCategory);
2603:         taxTotal.AppendChild(taxSubTotal);
2604:         invoiceLine.AppendChild(taxTotal);
2605:
2606:         #endregion
2607:     }
2608:
2609:     invoiceLine.AppendChild(taxTotal);
2610:
2611:     #endregion
2612:
2613:     // Fatura kesilen ürün detayı ve açıklama bilgileri yer almaktadır
2614:
2615:     #region Item
2616:
2617:     var invoiceItem = doc.CreateElement("cac", "Item", xmlnscac.Value);
2618:     if (!string.IsNullOrEmpty(detayBilgisi.MalzemeFaturaAciklamasi))
2619:     {
2620:         var description = doc.CreateElement("cbc", "Description",
xmlnscbc.Value);
2621:         description.InnerText = detayBilgisi.MalzemeFaturaAciklamasi;
2622:         invoiceItem.AppendChild(description);
2623:     }
2624:
```

```

2625:         var itemName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
2626:         if (!string.IsNullOrEmpty(detayBilgisi.FaturaUruturu))
2627:             itemName.InnerText = detayBilgisi.FaturaUruturu;
2628:         invoiceItem.AppendChild(itemName);
2629:         invoiceLine.AppendChild(invoiceItem);
2630:
2631:     #endregion
2632:
2633:     // Birim fiyat bilgileri yer almaktadir
2634:
2635:     #region Price
2636:
2637:     var price = doc.CreateElement("cac", "Price", xmlnscac.Value);
2638:     var priceAmount = doc.CreateElement("cbc", "PriceAmount", xmlnscbc.Value);
2639:     priceAmount.RemoveAllAttributes();
2640:     currencyId = doc.CreateAttribute("currencyID");
2641:     currencyId.Value = "TRY";
2642:     priceAmount.Attributes.Append(currencyId);
2643:     priceAmount.InnerText = detayBilgisi.BirimFiyat != null
2644:         ? Decimal.Round((decimal)detayBilgisi.BirimFiyat, 4,
MidpointRounding.AwayFromZero).ToString()
2645:             .Replace(",", ".")
2646:             : "0.00";
2647:     price.AppendChild(priceAmount);
2648:     invoiceLine.AppendChild(price);
2649:
2650:     #endregion
2651:
2652:     root.AppendChild(invoiceLine);
2653:
2654:     #endregion
2655:
2656:     sayac++;
2657:     return sayac;
2658: }
2659:
2660:     /// <summary>
2661:     /// Müstahsil Makbuzu Bilgisi Üzerinden E-Müstahsil Sistemine Göndermek İçin
2662:     /// XML Dosyasi Olusturmaya yarayan metottur
2663:     /// </summary>
2664:     /// <param name="mustahsilMakbuzu">Müstahsil Makbuzu Bilgisi</param>
2665:     /// <param name="mustahsilMakbuzuDetayListesi">Müstahsil Makbuzu Detay
Bilgisi</param>
2666:     /// <param name="aktarilacakKlasorAdi">Olusturulan Dosyanin Aktarilacagi
Klasör</param>
2667:     public static string EMustahsilXMLOlustur(MustahsilMakbuzuDTO
mustahsilMakbuzu,
2668:                                         List<MustahsilMakbuzuDetayDTO> mustahsilMakbuzuDetayListesi, string
aktarilacakKlasorAdi)
2669:     {
2670:         var doc = new XmlDocument();
2671:         var declaration = doc.CreateXmlDeclaration("1.0", "UTF-8", null);
2672:         var root = doc.DocumentElement;
2673:         doc.InsertBefore(declaration, root);
2674:         doc.AppendChild(
2675:             doc.CreateProcessingInstruction("xml-stylesheet", "type=\"text/xsl\""
href="\general.xslt\""));
2676:
2677:         root = doc.CreateElement("CreditNote");
2678:
2679:         mustahsilMakbuzu = mustahsilMakbuzu.BosluklariKaldir();
2680:
2681:         var kodMakbuzGrupTuruKod = 0;
2682:         if (mustahsilMakbuzu.MakbuzGrupTuruKod != null)
2683:             kodMakbuzGrupTuruKod = mustahsilMakbuzu.MakbuzGrupTuruKod ?? 0;
2684:
2685:         #region Standart ve Müstahsil Makbuzuna Bagli Bilgiler
2686:
2687:         // Makbuzun türü, kesilme tarihi, UBL Versiyon Numarasi, GIB Numarasi

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

gibi bilgiler
2688:     // yer almaktadir
2689:
2690: #region Standart Bilgiler
2691:
2692:     root.RemoveAllAttributes();
2693:     // var locationAttribute = "xsi:schemaLocation";
2694:     var location = doc.CreateAttribute("xsi", "schemaLocation",
2695:         "urn:oasis:names:specification:UBL:schema:xsd:CreditNote-2");
2696:     location.Value =
2697:         "urn:oasis:names:specification:UBL:schema:xsd:CreditNote-2
.. /xsdrt/maindoc/UBL-CreditNote-2.1.xsd";
2698:     var xmlns = doc.CreateAttribute("xmlns");
2699:     xmlns.Value = "urn:oasis:names:specification:UBL:schema:xsd:CreditNote-2";
2700:     var xmlnsn4 = doc.CreateAttribute("xmlns:n4");
2701:     xmlnsn4.Value = "http://www.altova.com/samplexml/other-namespace";
2702:     var xmlnsxsi = doc.CreateAttribute("xmlns:xsi");
2703:     xmlnsxsi.Value = "http://www.w3.org/2001/XMLSchema-instance";
2704:     var xmlnscac = doc.CreateAttribute("xmlns:cac");
2705:     xmlnscac.Value =
"urn:oasis:names:specification:UBL:schema:xsd:CommonAggregateComponents-2";
2706:     var xmlnscbc = doc.CreateAttribute("xmlns:cbc");
2707:     xmlnscbc.Value =
"urn:oasis:names:specification:UBL:schema:xsd:CommonBasicComponents-2";
2708:     var xmlnsext = doc.CreateAttribute("xmlns:ext");
2709:     xmlnsext.Value =
"urn:oasis:names:specification:UBL:schema:xsd:CommonExtensionComponents-2";
2710:     root.Attributes.Append(location);
2711:     root.Attributes.Append(xmlns);
2712:     root.Attributes.Append(xmlnsn4);
2713:     root.Attributes.Append(xmlnsxsi);
2714:     root.Attributes.Append(xmlnscac);
2715:     root.Attributes.Append(xmlnscbc);
2716:     root.Attributes.Append(xmlnsext);
2717:     var extUbl = doc.CreateElement("ext", "UBLExtensions", xmlnsext.Value);
2718:     var extUbl2 = doc.CreateElement("ext", "UBLExtension", xmlnsext.Value);
2719:     var extUbl3 = doc.CreateElement("ext", "ExtensionContent",
xmlnsext.Value);
2720:     var extUbl4 = doc.CreateElement("n4", "auto-generated_for_wildcard",
2721:         extUbl3.AppendChild(extUbl4);
2722:         extUbl2.AppendChild(extUbl3);
2723:         extUbl.AppendChild(extUbl2);
2724:
2725:         root.AppendChild(extUbl);
2726:
2727:         var versionId = doc.CreateElement("cbc", "UBLVersionID", xmlnscbc.Value);
2728:         versionId.InnerText = "2.1";
2729:         root.AppendChild(versionId);
2730:
2731:         var customizationId = doc.CreateElement("cbc", "CustomizationID",
xmlnscbc.Value);
2732:         customizationId.InnerText = "TR1.2.1";
2733:         root.AppendChild(customizationId);
2734:
2735:         var profileId = doc.CreateElement("cbc", "ProfileID", xmlnscbc.Value);
2736:         profileId.InnerText = "EARSIVBELGE";
2737:         root.AppendChild(profileId);
2738:
2739:         var id = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
2740:         if (!string.IsNullOrEmpty(mustahsilMakbuzu.MustahsilMakbuzuNo))
2741:             id.InnerText = mustahsilMakbuzu.MustahsilMakbuzuNo;
2742:         else
2743:             id.InnerText = "ABC" + mustahsilMakbuzu.MustahsilMakbuzuTarihi?.Year +
2744:                 DateTime.UtcNow.Ticks.ToString().Substring(0, 9);
2745:         root.AppendChild(id);
2746:
2747:         var copyIndicator = doc.CreateElement("cbc", "CopyIndicator",
xmlnscbc.Value);

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com)

```
2748:         copyIndicator.InnerText = "false";
2749:         root.AppendChild(copyIndicator);
2750:
2751:         var mustahsilMakbuzuId = doc.CreateElement("cbc", "UUID", xmlnscbc.Value);
2752:         mustahsilMakbuzuId.InnerText = mustahsilMakbuzu.MustahsilMakbuzuId.Length
2753:             ? mustahsilMakbuzu.MustahsilMakbuzuId.ToUpper()
2754:             : Guid.NewGuid().ToString().ToUpper();
2755:         root.AppendChild(mustahsilMakbuzuId);
2756:
2757:         var issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
2758:         issueDate.InnerText =
mustahsilMakbuzu.MustahsilMakbuzuTarihi?.Date.ToString("yyyy-MM-dd") ?? string.Empty;
2759:         root.AppendChild(issueDate);
2760:
2761:         var issueTime = doc.CreateElement("cbc", "IssueTime", xmlnscbc.Value);
2762:         issueTime.InnerText =
mustahsilMakbuzu.MustahsilMakbuzuTarihi?.ToString("HH:mm:ss") ?? string.Empty;
2763:         root.AppendChild(issueTime);
2764:
2765:         var creditNoteTypeCode = doc.CreateElement("cbc", "CreditNoteTypeCode",
xmlnscbc.Value);
2766:         creditNoteTypeCode.InnerText = "MUSTAHSILMAKBUZ";
2767:         root.AppendChild(creditNoteTypeCode);
2768:
2769:         var sendType = doc.CreateElement("cbc", "Note", xmlnscbc.Value);
2770:         sendType.InnerText = "Gönderim Sekli: ELEKTRONIK";
2771:         root.AppendChild(sendType);
2772:
2773:         var documentCurrencyCode = doc.CreateElement("cbc",
"DocumentCurrencyCode", xmlnscbc.Value);
2774:         documentCurrencyCode.InnerText = "TRY";
2775:         root.AppendChild(documentCurrencyCode);
2776:
2777:         var lineCountNumeric = doc.CreateElement("cbc", "LineCountNumeric",
xmlnscbc.Value);
2778:         lineCountNumeric.InnerText =
mustahsilMakbuzuDetayListesi.Count.ToString();
2779:         root.AppendChild(lineCountNumeric);
2780:
2781:         #region AdditionalDocumentReference
2782:
2783:             var additionalDocumentReference = doc.CreateElement("cac",
"AdditionalDocumentReference", xmlnscac.Value);
2784:             var additionalDocumentReferenceId = doc.CreateElement("cbc", "ID",
xmlnscbc.Value);
2785:             additionalDocumentReferenceId.InnerText =
mustahsilMakbuzu.MustahsilMakbuzuId.Length == 36
2786:                 ? mustahsilMakbuzu.MustahsilMakbuzuId.ToUpper()
2787:                 : Guid.NewGuid().ToString().ToUpper();
2788:             additionalDocumentReference.AppendChild(additionalDocumentReferenceId);
2789:             issueDate = doc.CreateElement("cbc", "IssueDate", xmlnscbc.Value);
2790:             issueDate.InnerText =
mustahsilMakbuzu.MustahsilMakbuzuTarihi?.Date.ToString("yyyy-MM-dd") ?? string.Empty;
2791:             additionalDocumentReference.AppendChild(issueDate);
2792:             var documentType = doc.CreateElement("cbc", "DocumentType",
xmlnscbc.Value);
2793:             documentType.InnerText = "XSLT";
2794:             additionalDocumentReference.AppendChild(documentType);
2795:             var attachment = doc.CreateElement("cac", "Attachment", xmlnscac.Value);
2796:             var embeddedDocumentBinaryObject = doc.CreateElement("cbc",
"EmbeddedDocumentBinaryObject", xmlnscbc.Value);
2797:             var characterSetCode = doc.CreateAttribute("characterSetCode");
2798:             characterSetCode.Value = "UTF-8";
2799:             var encodingCode = doc.CreateAttribute("encodingCode");
2800:             encodingCode.Value = "Base64";
2801:             var mimeCode = doc.CreateAttribute("mimeCode");
2802:             mimeCode.Value = "application/xml";
2803:             embeddedDocumentBinaryObject.Attributes.Append(characterSetCode);
```

```
2804:         embeddedDocumentBinaryObject.Attributes.Append(encodingCode);
2805:         embeddedDocumentBinaryObject.Attributes.Append(mimeCode);
2806:         attachment.AppendChild(embeddedDocumentBinaryObject);
2807:         additionalDocumentReference.AppendChild(attachment);
2808:
2809:         root.AppendChild(additionalDocumentReference);
2810:
2811: #endregion
2812:
2813: #endregion
2814:
2815: // Faturaya iliskin imza, adres vb. bilgiler yer almaktadir
2816:
2817: #region Signature
2818:
2819: var signature = doc.CreateElement("cac", "Signature", xmlnscac.Value);
2820: var signatureIdAttr = doc.CreateAttribute("schemeID");
2821: signatureIdAttr.Value = "VKN_TCKN";
2822: var signatureId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
2823: signatureId.Attributes.Append(signatureIdAttr);
2824: signatureId.InnerText = "3250566851";
2825: signature.AppendChild(signatureId);
2826: var signatoryParty = doc.CreateElement("cac", "SignatoryParty",
xmlnscac.Value);
2827: var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlnscac.Value);
2828:
2829: var signatureIdAttr2 = doc.CreateAttribute("schemeID");
2830: signatureIdAttr2.Value = "VKN";
2831: var signaturePartyId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
2832: signaturePartyId.Attributes.Append(signatureIdAttr2);
2833: signaturePartyId.InnerText = "3250566851";
2834: partyIdentification.AppendChild(signaturePartyId);
2835: signatoryParty.AppendChild(partyIdentification);
2836:
2837: #region Postal Address
2838:
2839: var postalAddress = doc.CreateElement("cac", "PostalAddress",
xmlnscac.Value);
2840: var streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
2841: streetName.InnerText = "Mithatpasa Caddesi";
2842: postalAddress.AppendChild(streetName);
2843: var buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xmlnscbc.Value);
2844: buildingNumber.InnerText = "14";
2845: postalAddress.AppendChild(buildingNumber);
2846: var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xmlnscbc.Value);
2847: citySubdivisionName.InnerText = "Çankaya";
2848: postalAddress.AppendChild(citySubdivisionName);
2849: var cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
2850: cityName.InnerText = "Ankara";
2851: postalAddress.AppendChild(cityName);
2852: var postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
2853: postalZone.InnerText = "06100";
2854: postalAddress.AppendChild(postalZone);
2855: var country = doc.CreateElement("cac", "Country", xmlnscac.Value);
2856: var countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
2857: countryName.InnerText = "Türkiye";
2858: country.AppendChild(countryName);
2859: postalAddress.AppendChild(country);
2860: signatoryParty.AppendChild(postalAddress);
2861: signature.AppendChild(signatoryParty);
2862:
2863: #endregion
2864:
2865: var digitalSignatureAttachment = doc.CreateElement("cac",
"DigitalSignatureAttachment", xmlnscac.Value);
2866: var externalReference = doc.CreateElement("cac", "ExternalReference",
xmlnscac.Value);
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

```

2866:         var uri = doc.CreateElement("cbc", "URI", xmlnscbc.Value);
2867:         uri.InnerText = "#Signature";
2868:         externalReference.AppendChild(uri);
2869:         digitalSignatureAttachment.AppendChild(externalReference);
2870:         signature.AppendChild(digitalSignatureAttachment);
2871:         root.AppendChild(signature);
2872:
2873:     #endregion
2874:
2875:     // Burada sabit degerler verilmekte olup, Makbuzu kesen kuruma veya
2876:     firmaya ait bilgiler
2877:     // yer almaktadir. Bu kisimda örnekl olarak TÜRKSEKER Fabrikalari Genel
Müdürlüğü bilgileri
2878:     // kullanilmistir. Ancak degistirip test edilebilir.
2879:
2880:     #region AccountingSupplierParty
2881:
2882:     var accountingSupplierParty = doc.CreateElement("cac",
2883: "AccountingSupplierParty", xmlnscac.Value);
2884:     var party = doc.CreateElement("cac", "Party", xmlnscac.Value);
2885:     var webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlnscbc.Value);
2886:     webSiteUri.InnerText = "https://www.turkseker.gov.tr";
2887:     party.AppendChild(webSiteUri);
2888:     var accountingSupplierPartyIdAttr = doc.CreateAttribute("schemeID");
2889:     accountingSupplierPartyIdAttr.Value = "VKN_TCKN";
2890:     partyIdentification = doc.CreateElement("cac", "PartyIdentification",
2891: xmlnscac.Value);
2892:     var accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
2893:     accountingSupplierPartyIdAttr2.Value = "VKN";
2894:     var accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
2895: xmlnscbc.Value);
2896:
2897:     accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
2898:     accountingSupplierPartyPartyId.InnerText = "3250566851";
2899:     partyIdentification.AppendChild(accountingSupplierPartyPartyId);
2900:     party.AppendChild(partyIdentification);
2901:
2902:     if (!string.IsNullOrEmpty(mustahsilMakbuzu.AltBirimAd))
2903:     {
2904:         partyIdentification = doc.CreateElement("cac", "PartyIdentification",
2905: xmlnscac.Value);
2906:         accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
2907:         accountingSupplierPartyIdAttr2.Value = "SUBENO";
2908:         accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
2909: xmlnscbc.Value);
2910:         accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
2911:         accountingSupplierPartyPartyId.InnerText =
2912: mustahsilMakbuzu.AltBirimAd;
2913:         partyIdentification.AppendChild(accountingSupplierPartyPartyId);
2914:         party.AppendChild(partyIdentification);
2915:     }
2916:
2917:     #region Postal Address
2918:
2919:     postalAddress = doc.CreateElement("cac", "PostalAddress", xmlnscac.Value);
2920:     var postalAddressId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
2921:     postalAddressId.InnerText = "3250566851";
2922:     postalAddress.AppendChild(postalAddressId);
2923:     streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
2924:     streetName.InnerText = "Mithatpasa Caddesi";
2925:     postalAddress.AppendChild(streetName);

```

```

2925:         buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xmlns:cbc.Value);
2926:         buildingNumber.InnerText = "14";
2927:         postalAddress.AppendChild(buildingNumber);
2928:         citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xmlns:cbc.Value);
2929:         citySubdivisionName.InnerText = "Çankaya";
2930:         postalAddress.AppendChild(citySubdivisionName);
2931:         cityName = doc.CreateElement("cbc", "CityName", xmlns:cbc.Value);
2932:         cityName.InnerText = "Ankara";
2933:         postalAddress.AppendChild(cityName);
2934:         postalZone = doc.CreateElement("cbc", "PostalZone", xmlns:cbc.Value);
2935:         postalZone.InnerText = "06100";
2936:         postalAddress.AppendChild(postalZone);
2937:         country = doc.CreateElement("cac", "Country", xmlns:cac.Value);
2938:         countryName = doc.CreateElement("cbc", "Name", xmlns:cbc.Value);
2939:         countryName.InnerText = "Türkiye";
2940:         country.AppendChild(countryName);
2941:         postalAddress.AppendChild(country);
2942:         party.AppendChild(postalAddress);
2943:
2944: #endregion
2945:
2946: var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xmlns:cac.Value);
2947:
2948: var taxScheme = doc.CreateElement("cac", "TaxScheme", xmlns:cac.Value);
2949: var taxSchemeName = doc.CreateElement("cbc", "Name", xmlns:cbc.Value);
2950: taxSchemeName.InnerText = "Ankara Kurumlar";
2951: taxScheme.AppendChild(taxSchemeName);
2952: partyTaxScheme.AppendChild(taxScheme);
2953: party.AppendChild(partyTaxScheme);
2954:
2955: var contact = doc.CreateElement("cac", "Contact", xmlns:cac.Value);
2956: var telephone = doc.CreateElement("cbc", "Telephone", xmlns:cbc.Value);
2957: telephone.InnerText = "(312) 4585500";
2958: contact.AppendChild(telephone);
2959: var telefax = doc.CreateElement("cbc", "Telefax", xmlns:cbc.Value);
2960: telefax.InnerText = "(312) 4585800";
2961: contact.AppendChild(telefax);
2962: var electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xmlns:cbc.Value);
2963: electronicMail.InnerText = "maliisler@turkseker.gov.tr";
2964: contact.AppendChild(electronicMail);
2965: party.AppendChild(contact);
2966:
2967: accountingSupplierParty.AppendChild(party);
2968:
2969: root.AppendChild(accountingSupplierParty);
2970:
2971: #endregion
2972: // Bu kisimda makbuz kesilen firma bilgileri yer almaktadir
2973:
2974: #region AccountingCustomerParty
2975:
2976: var accountingCustomerParty = doc.CreateElement("cac",
"AccountingCustomerParty", xmlns:cac.Value);
2977: party = doc.CreateElement("cac", "Party", xmlns:cac.Value);
2978: webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xmlns:cbc.Value);
2979: party.AppendChild(webSiteUri);
2980: var accountingCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
2981: accountingCustomerPartyIdAttr.Value = "TCKN";
2982: if (mustahsilMakbuzu.VergiNo.Length == 10)
2983:     accountingCustomerPartyIdAttr.Value = "VKN";
2984: partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xmlns:cac.Value);
2985: var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xmlns:cbc.Value);
2986:

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com)

```

accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerPartyIdAttr);
2987:     accountingCustomerPartyPartyId.InnerText = mustahsilMakbuzu.VergiNo;
2988:     partyIdentification.AppendChild(accountingCustomerPartyPartyId);
2989:     party.AppendChild(partyIdentification);
2990:
2991:     if (mustahsilMakbuzu.VergiNo.Length == 10)
2992:     {
2993:         partyName = doc.CreateElement("cac", "PartyName", xmlnscac.Value);
2994:         partyNameReal = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
2995:         partyNameReal.InnerText = mustahsilMakbuzu.TuzelKisiAd;
2996:         partyName.AppendChild(partyNameReal);
2997:         party.AppendChild(partyName);
2998:     }
2999:
3000: #region Postal Address
3001:
3002: postalAddress = doc.CreateElement("cac", "PostalAddress", xmlnscac.Value);
3003: postalAddressId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
3004: postalAddressId.InnerText = mustahsilMakbuzu.VergiNo;
3005: postalAddress.AppendChild(postalAddressId);
3006: var room = doc.CreateElement("cbc", "Room", xmlnscbc.Value);
3007: postalAddress.AppendChild(room);
3008: streetName = doc.CreateElement("cbc", "StreetName", xmlnscbc.Value);
3009: if (!string.IsNullOrEmpty(mustahsilMakbuzu.Adres))
3010:     streetName.InnerText = mustahsilMakbuzu.Adres;
3011: postalAddress.AppendChild(streetName);
3012: buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xmlnscbc.Value);
3013: //buildingNumber.InnerText = "";
3014: postalAddress.AppendChild(buildingNumber);
3015: citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xmlnscbc.Value);
3016: if (!string.IsNullOrEmpty(mustahsilMakbuzu.IlceAd))
3017:     citySubdivisionName.InnerText = mustahsilMakbuzu.IlceAd;
3018: postalAddress.AppendChild(citySubdivisionName);
3019: cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
3020: if (!string.IsNullOrEmpty(mustahsilMakbuzu.IlAd))
3021:     cityName.InnerText = mustahsilMakbuzu.IlAd;
3022: postalAddress.AppendChild(cityName);
3023: postalZone = doc.CreateElement("cbc", "PostalZone", xmlnscbc.Value);
3024: //postalZone.InnerText = "";
3025: postalAddress.AppendChild(postalZone);
3026: country = doc.CreateElement("cac", "Country", xmlnscac.Value);
3027: countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
3028: countryName.InnerText = "Türkiye";
3029: country.AppendChild(countryName);
3030: postalAddress.AppendChild(country);
3031: party.AppendChild(postalAddress);
3032:
3033: #endregion
3034:
3035: partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xmlnscac.Value);
3036: taxScheme = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
3037: taxSchemeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
3038: if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiDairesi))
3039:     taxSchemeName.InnerText = mustahsilMakbuzu.VergiDairesi;
3040: taxScheme.AppendChild(taxSchemeName);
3041: partyTaxScheme.AppendChild(taxScheme);
3042: party.AppendChild(partyTaxScheme);
3043:
3044: contact = doc.CreateElement("cac", "Contact", xmlnscac.Value);
3045: electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xmlnscbc.Value);
3046: if (!string.IsNullOrEmpty(mustahsilMakbuzu.EPostaAdresi))
3047:     electronicMail.InnerText = mustahsilMakbuzu.EPostaAdresi;
3048: contact.AppendChild(electronicMail);
3049: party.AppendChild(contact);
3050:
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com)

```

3051:             if (mustahsilMakbuzu.VergiNo.Length == 11)
3052:             {
3053:                 var liste = mustahsilMakbuzu.TuzelKisiAd.Split(' ').ToList();
3054:                 if (liste.Count >= 1)
3055:                 {
3056:                     var person = doc.CreateElement("cac", "Person", xmlnscac.Value);
3057:                     var firstName = doc.CreateElement("cbc", "FirstName",
3058:                         xmlnscbc.Value);
3059:                     person.AppendChild(firstName);
3060:                     var surname = liste[0];
3061:                     if (liste.Count > 1)
3062:                         surname =
3063:                             mustahsilMakbuzu.TuzelKisiAd.Substring(liste[0].Length + 1);
3064:                     var familyName = doc.CreateElement("cbc", "FamilyName",
3065:                         xmlnscbc.Value);
3066:                     familyName.InnerText = surname;
3067:                     //familyName.InnerText = liste[1];
3068:                     person.AppendChild(familyName);
3069:                     party.AppendChild(person);
3070:                 }
3071:             accountingCustomerParty.AppendChild(party);
3072:         root.AppendChild(accountingCustomerParty);
3073:     #endregion
3074:
3075:     if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo))
3076:     {
3077:         if (mustahsilMakbuzu.VergiNo.Length == 10)
3078:         {
3079:             // Bu kisimda makbuz kesilen firma bilgileri yer almaktadir (Eger
3080:             // sadece Tuzel Kisilikse, sahis sirketleri için bu yapilmamaktadir)
3081:             #region BuyerCustomerParty
3082:
3083:             var buyerCustomerParty = doc.CreateElement("cac",
3084: "BuyerCustomerParty", xmlnscac.Value);
3085:             party = doc.CreateElement("cac", "Party", xmlnscac.Value);
3086:             webSiteUri = doc.CreateElement("cbc", "WebsiteURI",
3087: xmlnscbc.Value);
3088:             party.AppendChild(webSiteUri);
3089:             var buyerCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
3090:             buyerCustomerPartyIdAttr.Value = "VKN";
3091:             partyIdentification = doc.CreateElement("cac",
3092: "PartyIdentification", xmlnscac.Value);
3093:             var buyerCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
3094: xmlnscbc.Value);
3095:             buyerCustomerPartyPartyId.Attributes.Append(buyerCustomerPartyIdAttr);
3096:             buyerCustomerPartyPartyId.InnerText = mustahsilMakbuzu.VergiNo;
3097:             partyIdentification.AppendChild(buyerCustomerPartyPartyId);
3098:             party.AppendChild(partyIdentification);
3099:
3100:             if (mustahsilMakbuzu.VergiNo.Length == 10)
3101:             {
3102:                 partyName = doc.CreateElement("cac", "PartyName",
3103: xmlnscbc.Value);
3104:                 partyNameReal = doc.CreateElement("cbc", "Name",
3105: xmlnscbc.Value);
3106:                 partyNameReal.InnerText = mustahsilMakbuzu.TuzelKisiAd;
3107:                 partyName.AppendChild(partyNameReal);
3108:                 party.AppendChild(partyName);
3109:             }
3110:         #region Postal Address

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com)

```

3109:         postalAddress = doc.CreateElement("cac", "PostalAddress",
3110:             xmlnscac.Value);
3111:         postalAddressId = doc.CreateElement("cbc", "ID", xmlnscbc.Value);
3112:         postalAddressId.InnerText = mustahsilMakbuzu.VergiNo;
3113:         postalAddress.AppendChild(postalAddressId);
3114:         room = doc.CreateElement("cbc", "Room", xmlnscbc.Value);
3115:         postalAddress.AppendChild(room);
3116:         streetName = doc.CreateElement("cbc", "StreetName",
3117:             xmlnscbc.Value);
3118:         if (!string.IsNullOrEmpty(mustahsilMakbuzu.Adres))
3119:             streetName.InnerText = mustahsilMakbuzu.Adres;
3120:         postalAddress.AppendChild(streetName);
3121:         buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
3122:             xmlnscbc.Value);
3123:         citySubdivisionName = doc.CreateElement("cbc",
3124:             "CitySubdivisionName", xmlnscbc.Value);
3125:         if (!string.IsNullOrEmpty(mustahsilMakbuzu.IlceAd))
3126:             citySubdivisionName.InnerText = mustahsilMakbuzu.IlceAd;
3127:         postalAddress.AppendChild(citySubdivisionName);
3128:         cityName = doc.CreateElement("cbc", "CityName", xmlnscbc.Value);
3129:         if (!string.IsNullOrEmpty(mustahsilMakbuzu.IlAd))
3130:             cityName.InnerText = mustahsilMakbuzu.IlAd;
3131:         postalAddress.AppendChild(cityName);
3132:         postalZone = doc.CreateElement("cbc", "PostalZone",
3133:             xmlnscbc.Value);
3134:         postalAddress.AppendChild(postalZone);
3135:         country = doc.CreateElement("cac", "Country", xmlnscac.Value);
3136:         countryName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
3137:         countryName.InnerText = "Türkiye";
3138:         country.AppendChild(countryName);
3139:         postalAddress.AppendChild(country);
3140:         party.AppendChild(postalAddress);
3141: 
3142: #endregion
3143: 
3144: partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
3145:             xmlnscac.Value);
3146: taxScheme = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
3147: taxSchemeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
3148: if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiDairesi))
3149:     taxSchemeName.InnerText = mustahsilMakbuzu.VergiDairesi;
3150: taxScheme.AppendChild(taxSchemeName);
3151: partyTaxScheme.AppendChild(taxScheme);
3152: party.AppendChild(partyTaxScheme);
3153: 
3154: contact = doc.CreateElement("cac", "Contact", xmlnscac.Value);
3155: electronicMail = doc.CreateElement("cbc", "ElectronicMail",
3156:             xmlnscbc.Value);
3157: if (!string.IsNullOrEmpty(mustahsilMakbuzu.EPostaAdresi))
3158:     electronicMail.InnerText = mustahsilMakbuzu.EPostaAdresi;
3159: contact.AppendChild(electronicMail);
3160: party.AppendChild(contact);
3161: 
3162: if (mustahsilMakbuzu.VergiNo.Length == 11)
3163: {
3164:     var liste = mustahsilMakbuzu.TuzelKisiAd.Split(' ').ToList();
3165:     if (liste.Count >= 1)
3166:     {
3167:         var person = doc.CreateElement("cac", "Person",
3168:             xmlnscac.Value);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com)

```

3169:                     surname =
mustahsilMakbuzu.TuzelKisiAd.Substring(liste[0].Length + 1);
3170:                     var familyName = doc.CreateElement("cbc", "FamilyName",
xmlnscbc.Value);
3171:                     familyName.InnerText = surname;
3172:                     //familyName.InnerText = liste[1];
3173:                     person.AppendChild(familyName);
3174:                     party.AppendChild(person);
3175:                 }
3176:             }
3177:         }
3178:         buyerCustomerParty.AppendChild(party);
3179:     }
3180:     root.AppendChild(buyerCustomerParty);
3181: 
```

**#endregion**

```

3182: }
3183: }
3184: }
3185: 
```

**// Burada vergi bilgileri yer almaktadir**

```

3186: 
```

**#region TaxTotal**

```

3187: 
```

```

3188: var taxTotal = doc.CreateElement("cac", "TaxTotal", xmlnscac.Value);
3189: var currencyId = doc.CreateAttribute("currencyID");
3190: currencyId.Value = "TRY";
3191: var taxAmount = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
3192: taxAmount.RemoveAllAttributes();
3193: taxAmount.Attributes.Append(currencyId);
3194: taxAmount.InnerText = Decimal
3195: .Round((decimal) mustahsilMakbuzu.GelirVergisi, 2,
3196: MidpointRounding.AwayFromZero).ToString()
3197: .Replace(", ", ".");
3198: taxTotal.AppendChild(taxAmount);
3199: var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xmlnscac.Value);
3200: var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
3201: xmlnscbc.Value);
3202: taxableAmount.RemoveAllAttributes();
3203: currencyId = doc.CreateAttribute("currencyID");
3204: currencyId.Value = "TRY";
3205: taxableAmount.Attributes.Append(currencyId);
3206: taxableAmount.InnerText = Decimal
3207: .Round((decimal) mustahsilMakbuzu.NetTutar, 2,
3208: MidpointRounding.AwayFromZero).ToString()
3209: .Replace(", ", ".");
3210: taxSubTotal.AppendChild(taxableAmount);
3211: var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
3212: taxAmount2.RemoveAllAttributes();
3213: currencyId = doc.CreateAttribute("currencyID");
3214: currencyId.Value = "TRY";
3215: taxAmount2.Attributes.Append(currencyId);
3216: taxAmount2.InnerText = Decimal
3217: .Round((decimal) mustahsilMakbuzu.GelirVergisi, 2,
3218: MidpointRounding.AwayFromZero).ToString()
3219: .Replace(", ", ".");
3220: taxSubTotal.AppendChild(taxAmount2);
3221: var percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
3222: percent.InnerText = mustahsilMakbuzu.NetTutar != 0
3223: ? Decimal.Round(((decimal) mustahsilMakbuzu.GelirVergisi * 100) /
3224: (decimal) mustahsilMakbuzu.NetTutar,
3225: 0, MidpointRounding.AwayFromZero).ToString()
3226: : "0";
3227: taxSubTotal.AppendChild(percent);
3228: var taxCategory = doc.CreateElement("cac", "TaxCategory", xmlnscac.Value);
3229: if (mustahsilMakbuzu.GelirVergisi == 0)
3230: {
            if (kodMakbuzGrupTuruKod == FaturaMakbuzGrupTur.Kuspe.GetHashCode())
            {
                var taxExemptionReasonCode = doc.CreateElement("cbc",

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

"TaxExemptionReasonCode", xmlnscbc.Value);
3231:           taxExemptionReasonCode.InnerText = "325";
3232:           var taxExemptionReason = doc.CreateElement("cbc",
3233: "TaxExemptionReason", xmlnscbc.Value);
3234:           taxExemptionReason.InnerText = "13/i Yem Teslimleri";
3235:           taxCategory.AppendChild(taxExemptionReasonCode);
3236:           taxCategory.AppendChild(taxExemptionReason);
3237:       }
3238:   {
3239:       var taxExemptionReasonCode = doc.CreateElement("cbc",
3240: "TaxExemptionReasonCode", xmlnscbc.Value);
3241:       taxExemptionReasonCode.InnerText = "350";
3242:       var taxExemptionReason = doc.CreateElement("cbc",
3243: "TaxExemptionReason", xmlnscbc.Value);
3244:       taxExemptionReason.InnerText = "Digerleri";
3245:       taxCategory.AppendChild(taxExemptionReasonCode);
3246:       taxCategory.AppendChild(taxExemptionReason);
3247:
3248:   var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
3249:   var taxName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
3250:   taxName.InnerText = "GV STOPAJI";
3251:   taxScheme2.AppendChild(taxName);
3252:   var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xmlnscbc.Value);
3253:   taxTypeCode.InnerText = "0003";
3254:   taxScheme2.AppendChild(taxTypeCode);
3255:   taxCategory.AppendChild(taxScheme2);
3256:   taxSubTotal.AppendChild(taxCategory);
3257:   taxTotal.AppendChild(taxSubTotal);
3258:   root.AppendChild(taxTotal);
3259:
3260: #endregion
3261:
3262: // Gelir Vergisi, Net Tutar ve Toplam Tutar bilgileri yer almaktadir
3263:
3264: #region LegalMonetaryTotal
3265:
3266: var legalMonetaryTotal = doc.CreateElement("cac", "LegalMonetaryTotal",
3267: xmlnscac.Value);
3268: var lineExtensionAmount = doc.CreateElement("cbc", "LineExtensionAmount",
3269: xmlnscbc.Value);
3270: lineExtensionAmount.RemoveAllAttributes();
3271: currencyId = doc.CreateAttribute("currencyID");
3272: currencyId.Value = "TRY";
3273: lineExtensionAmount.Attributes.Append(currencyId);
3274: lineExtensionAmount.InnerText = Decimal
3275:     .Round((decimal) mustahsilMakbuzu.NetTutar, 2,
3276: MidpointRounding.AwayFromZero).ToString()
3277:     .Replace(", ", ".");
3278: legalMonetaryTotal.AppendChild(lineExtensionAmount);
3279: var taxExclusiveAmount = doc.CreateElement("cbc", "TaxExclusiveAmount",
3280: xmlnscbc.Value);
3281: taxExclusiveAmount.RemoveAllAttributes();
3282: currencyId = doc.CreateAttribute("currencyID");
3283: currencyId.Value = "TRY";
3284: taxExclusiveAmount.Attributes.Append(currencyId);
3285: taxExclusiveAmount.InnerText = Decimal
3286:     .Round((decimal) mustahsilMakbuzu.NetTutar, 2,
3287: MidpointRounding.AwayFromZero).ToString()
3288:     .Replace(", ", ".");
3289: legalMonetaryTotal.AppendChild(taxExclusiveAmount);
3290: var taxInclusiveAmount = doc.CreateElement("cbc", "TaxInclusiveAmount",
3291: xmlnscbc.Value);
3292: taxInclusiveAmount.RemoveAllAttributes();
3293: currencyId = doc.CreateAttribute("currencyID");
3294: currencyId.Value = "TRY";
3295: taxInclusiveAmount.Attributes.Append(currencyId);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

3290:             taxInclusiveAmount.InnerText = Decimal
3291:                 .Round((decimal) mustahsilMakbuzu.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString()
3292:                 .Replace(", ", ".");
3293:             legalMonetaryTotal.AppendChild(taxInclusiveAmount);
3294:             var payableAmount = doc.CreateElement("cbc", "PayableAmount",
xmlns:cbc.Value);
3295:             payableAmount.RemoveAllAttributes();
3296:             currencyId = doc.CreateAttribute("currencyID");
3297:             currencyId.Value = "TRY";
3298:             payableAmount.Attributes.Append(currencyId);
3299:             payableAmount.InnerText = Decimal
3300:                 .Round((decimal) mustahsilMakbuzu.NetTutar - (decimal)
mustahsilMakbuzu.GelirVergisi, 2,
3301:                     MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
3302:             legalMonetaryTotal.AppendChild(payableAmount);
3303:             root.AppendChild(legalMonetaryTotal);
3304:
3305:         #endregion
3306:
3307:         var sayac = 1;
3308:         // Her bir makbuz detayı için hazırlanan bölündür
3309:         foreach (var item in mustahsilMakbuzuDetayListesi)
3310:         {
3311:             var detayBilgisi = item.BosluklariKaldır();
3312:
3313:             #region CreditNoteLine
3314:
3315:             #region MetaData
3316:
3317:             var creditNoteLine = doc.CreateElement("cac", "CreditNoteLine",
xmlns:cac.Value);
3318:             var creditNoteLineId = doc.CreateElement("cbc", "ID", xmlns:cbc.Value);
3319:             creditNoteLineId.InnerText = sayac.ToString();
3320:             creditNoteLine.AppendChild(creditNoteLineId);
3321:             var quantity = doc.CreateAttribute("unitCode");
3322:             quantity.Value = "KGM";
3323:             var creditedQuantity = doc.CreateElement("cbc", "CreditedQuantity",
xmlns:cbc.Value);
3324:             creditedQuantity.RemoveAllAttributes();
3325:             creditedQuantity.Attributes.Append(quantity);
3326:             creditedQuantity.InnerText = Decimal
3327:                 .Round((decimal) detayBilgisi.Miktar, 2,
MidpointRounding.AwayFromZero).ToString()
3328:                 .Replace(", ", ".");
3329:             creditNoteLine.AppendChild(creditedQuantity);
3330:             var lineExtensionAmountDetail = doc.CreateElement("cbc",
"LineExtensionAmount", xmlns:cbc.Value);
3331:             lineExtensionAmountDetail.RemoveAllAttributes();
3332:             currencyId = doc.CreateAttribute("currencyID");
3333:             currencyId.Value = "TRY";
3334:             lineExtensionAmountDetail.Attributes.Append(currencyId);
3335:             lineExtensionAmountDetail.InnerText = Decimal
3336:                 .Round((decimal) detayBilgisi.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString()
3337:                 .Replace(", ", ".");
3338:             creditNoteLine.AppendChild(lineExtensionAmountDetail);
3339:
3340:         #endregion
3341:
3342:         #region TaxTotal
3343:
3344:             taxTotal = doc.CreateElement("cac", "TaxTotal", xmlns:cac.Value);
3345:             currencyId = doc.CreateAttribute("currencyID");
3346:             currencyId.Value = "TRY";
3347:             taxAmount = doc.CreateElement("cbc", "TaxAmount", xmlns:cbc.Value);
3348:             taxAmount.RemoveAllAttributes();
3349:             taxAmount.Attributes.Append(currencyId);
3350:             taxAmount.InnerText = Decimal

```

```
3351:                               .Round((decimal) detayBilgisi.GelirVergisi, 2,
MidpointRounding.AwayFromZero).ToString()
3352:                               .Replace(",", ".");
3353:                               taxTotal.AppendChild(taxAmount);
3354:                               taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xmlnscac.Value);
3355:                               taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xmlnscbc.Value);
3356:                               taxableAmount.RemoveAllAttributes();
3357:                               currencyId = doc.CreateAttribute("currencyID");
3358:                               currencyId.Value = "TRY";
3359:                               taxableAmount.Attributes.Append(currencyId);
3360:                               taxableAmount.InnerText = Decimal
3361:                               .Round((decimal) detayBilgisi.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString()
3362:                               .Replace(",", ".");
3363:                               taxSubTotal.AppendChild(taxableAmount);
3364:                               taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xmlnscbc.Value);
3365:                               taxAmount2.RemoveAllAttributes();
3366:                               currencyId = doc.CreateAttribute("currencyID");
3367:                               currencyId.Value = "TRY";
3368:                               taxAmount2.Attributes.Append(currencyId);
3369:                               taxAmount2.InnerText = Decimal
3370:                               .Round((decimal) detayBilgisi.GelirVergisi, 2,
MidpointRounding.AwayFromZero).ToString()
3371:                               .Replace(",", ".");
3372:                               taxSubTotal.AppendChild(taxAmount2);
3373:                               percent = doc.CreateElement("cbc", "Percent", xmlnscbc.Value);
3374:                               percent.InnerText = "2";
3375:                               taxSubTotal.AppendChild(percent);
3376:                               taxCategory = doc.CreateElement("cac", "TaxCategory", xmlnscac.Value);
3377:                               taxScheme2 = doc.CreateElement("cac", "TaxScheme", xmlnscac.Value);
3378:                               var taxTypeName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
3379:                               taxTypeName.InnerText = "GV STOPAJI";
3380:                               taxScheme2.AppendChild(taxTypeName);
3381:                               taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xmlnscbc.Value);
3382:                               taxTypeCode.InnerText = "0003";
3383:                               taxScheme2.AppendChild(taxTypeCode);
3384:                               taxCategory.AppendChild(taxScheme2);
3385:                               taxSubTotal.AppendChild(taxCategory);
3386:                               taxTotal.AppendChild(taxSubTotal);
3387:                               creditNoteLine.AppendChild(taxTotal);

3388: #endregion
3389:
3390:
3391: #region Item
3392:
3393: var creditNoteItem = doc.CreateElement("cac", "Item", xmlnscac.Value);
3394: var itemName = doc.CreateElement("cbc", "Name", xmlnscbc.Value);
3395: itemName.InnerText = detayBilgisi.IsinMahiyeti;
3396: creditNoteItem.AppendChild(itemName);
3397: creditNoteLine.AppendChild(creditNoteItem);

3398: #endregion
3399:
3400:
3401: #region Price
3402:
3403: var price = doc.CreateElement("cac", "Price", xmlnscac.Value);
3404: var priceAmount = doc.CreateElement("cbc", "PriceAmount",
xmlnscbc.Value);
3405: priceAmount.RemoveAllAttributes();
3406: currencyId = doc.CreateAttribute("currencyID");
3407: currencyId.Value = "TRY";
3408: priceAmount.Attributes.Append(currencyId);
3409: priceAmount.InnerText = detayBilgisi.BirimFiyat != null
3410:     ? Decimal.Round((decimal) detayBilgisi.BirimFiyat, 4,
MidpointRounding.AwayFromZero).ToString()
3411:     .Replace(",", ".")
3412:     : "0.00";
3413: price.AppendChild(priceAmount);
```

```
3414:             creditNoteLine.AppendChild(price);
3415: 
3416:         #endregion
3417: 
3418:         root.AppendChild(creditNoteLine);
3419: 
3420:         #endregion
3421: 
3422:         sayac++;
3423:     }
3424: 
3425:     #endregion
3426: 
3427:     doc.AppendChild(root);
3428: 
3429:     #region Dosya Kaydi
3430: 
3431:     var fileName = aktarilacakKlasorAdi + "/" +
mustahsilMakbuzu.MustahsilMakbuzuId + ".xml";
3432:     doc.Save(fileName);
3433: 
3434:     #endregion
3435: 
3436:     return fileName;
3437: }
3438: }
3439: }
```

#### Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

# Index

A

ADET enumeration member 497  
aliciEpostaEkleSilGuncelle class 27  
    about aliciEpostaEkleSilGuncelle class 27  
    inputGuncellenecekEposta 27  
    inputSilinecekEposta 27  
aliciEpostaEkleSilGuncelleCompletedEventArgs class 28  
    about aliciEpostaEkleSilGuncelleCompletedEventArgs  
    class 28  
    aliciEpostaEkleSilGuncelleCompletedEventArgs 28  
    Result 28  
aliciEpostaEkleSilGuncelleResponse class 28  
    @return 29  
    about aliciEpostaEkleSilGuncelleResponse class 28  
Alkol enumeration member 690  
Ambar enumeration member 690  
ARSIV enumeration member 498  
ARSIVSMS enumeration member 498  
AssemblyInfo.cs 782

B

BAYI enumeration member 498  
belge class 29, 239, 526  
    about belge class 29, 239, 526  
belgeFormati 30, 527  
belgeFormatiSpecified 30, 527  
belgelcerigi 30, 527  
belgeNo 240  
belgeSiraNo 240  
belgeTarihi 240  
belgeTuru 240  
belgeVerisi 240  
ettn 240  
gonderenEtiket 240  
gonderenVknTckn 240  
belgeDTO class 527  
    about belgeDTO class 527  
belgeNo 530

brutUcret 530  
brutUcretSpecified 530  
kdv0\_Tutar 531  
kdv0\_TutarSpecified 531  
kdv1\_Tutar 531  
kdv1\_TutarSpecified 531  
kdv18\_Tutar 531  
kdv18\_TutarSpecified 531  
kdv8\_Tutar 531  
kdv8\_TutarSpecified 531  
kdvTevkifatTutar 531  
kdvTevkifatTutarSpecified 532  
netTahsilat 532  
netTahsilatSpecified 532  
netUcret 532  
netUcretSpecified 532  
stpj0\_Tutar 532  
stpj0\_TutarSpecified 532  
stpj1\_Tutar 532  
stpj1\_TutarSpecified 532  
stpj10\_Tutar 533  
stpj10\_TutarSpecified 533  
stpj15\_Tutar 533  
stpj15\_TutarSpecified 533  
stpj17\_Tutar 533  
stpj17\_TutarSpecified 533  
stpj2\_Tutar 533  
stpj2\_TutarSpecified 533  
stpj20\_Tutar 533  
stpj20\_TutarSpecified 534  
stpj3\_Tutar 534  
stpj3\_TutarSpecified 534  
stpj4\_Tutar 534  
stpj4\_TutarSpecified 534  
stpj5\_Tutar 534  
stpj5\_TutarSpecified 534  
stpj7\_Tutar 534  
stpj7\_TutarSpecified 534  
tip 535  
tipSpecified 535

about belgeGonderCompletedEventArgs class 240  
 belgeGonderCompletedEventArgs 241  
 Result 241  
**belgeGonderExtCompletedEventArgs** class 241  
   about belgeGonderExtCompletedEventArgs class 241  
   belgeGonderExtCompletedEventArgs 242  
   Result 242  
**belgeGonderExtWithValidateCompletedEventArgs** class 242  
   about belgeGonderExtWithValidateCompletedEventArgs class 242  
   belgeGonderExtWithValidateCompletedEventArgs 243  
   Result 243  
**belgeGonderResp** class 243  
   about belgeGonderResp class 243  
   belgeOid 244  
   errorMessage 244  
   responseStatus 244  
**belgeGonderWithValidateCompletedEventArgs** class 244  
   about belgeGonderWithValidateCompletedEventArgs class 244  
   belgeGonderWithValidateCompletedEventArgs 244  
   Result 245  
**belgeleriTekrarGonderBelgeOidCompletedEventArgs** class 245  
   about  
   belgeleriTekrarGonderBelgeOidCompletedEventArgs class 245  
   belgeleriTekrarGonderBelgeOidCompletedEventArgs 245  
   Result 246  
**belgeleriTekrarGonderCompletedEventArgs** class 246  
   about belgeleriTekrarGonderCompletedEventArgs class 246  
   belgeleriTekrarGonderCompletedEventArgs 246  
   Result 247  
**belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs** class 247  
   about  
   belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs class 247  
   belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs 247  
   Result 248  
**belgeOutputWrapper** class 30, 535  
   @return 30, 535  
   about belgeOutputWrapper class 30, 535  
   output 30, 535  
**belgev2** class 248  
   about belgev2 class 248  
   alanEtiket 249  
   aliciUnvan 249  
   belgeVersiyon 249  
   belgeXmlZipped 249  
   ekBilgiler 249  
   saticiUnvan 249  
   subeKodu 249  
   zarfId 249  
   zarfVerisi 250  
   zarfXml 250  
**belgev2Entry** class 250  
   about belgev2Entry class 250  
   key 250  
   value 250  
**belgev3** class 250  
   about belgev3 class 250  
   odenecekTutar 252  
   odenecekTutarDovizCinsi 252  
**belgev4** class 252  
   about belgev4 class 252  
   arsivlenmis 253  
   belgeHash 253  
**belgev5** class 253  
   about belgev5 class 253  
   faturaGelisTarihi 254  
**belgev6** class 254  
   about belgev6 class 254  
   profileId 256  
**belgeZipiAI** class 535  
   about belgeZipiAI class 535  
   input 536  
**belgeZipiAICompletedEventArgs** class 536  
   about belgeZipiAICompletedEventArgs class 536  
   belgeZipiAICompletedEventArgs 536  
   output 537  
   Result 537

belgeZipiAIResponse class 537	belgeleriTekrarGonderBelgeOidAsync 279
@return 537	belgeleriTekrarGonderBelgeOidCompleted 383
about belgeZipiAIResponse class 537	belgeleriTekrarGonderCompleted 383
output 538	belgeleriTekrarGonderYerelBelgeNo 279
BoslukKaldır class 672	belgeleriTekrarGonderYerelBelgeNoAsync 280
about BoslukKaldır class 672	belgeleriTekrarGonderYerelBelgeNoCompleted 383
BosluklariKaldır 673	CancelAsync 281
BoslukKaldır.cs 783	checkDateValidControl 281
<b>C</b>	
CiftciyeVerilen enumeration member 691	checkDateValidControlAsync 281, 282
cokluGidenBelgeDurumSorgulaCompletedEventArgs class 256	checkDateValidControlCompleted 383
about	cokluGidenBelgeDurumSorgula 282
cokluGidenBelgeDurumSorgulaCompletedEventArgs class 256	cokluGidenBelgeDurumSorgulaAsync 282, 283
cokluGidenBelgeDurumSorgulaCompletedEventArgs 256	cokluGidenBelgeDurumSorgulaCompleted 383
Result 257	connectorService 268
connectorService class 257	csXmlOnizleme 283
about connectorService class 257	csXmlOnizlemeAsync 284
belgeGonder 268	csXmlOnizlemeCompleted 383
belgeGonderAsync 269, 270	csXmlToUbl 285
belgeGonderCompleted 382	csXmlToUblAsync 286
belgeGonderExt 270	csXmlToUblCompleted 383
belgeGonderExtAsync 271	eFaturaKayitliKullaniciListele 286
belgeGonderExtCompleted 382	eFaturaKayitliKullaniciListeleAsync 287
belgeGonderExtWithValidate 271	eFaturaKayitliKullaniciListeleCompleted 383
belgeGonderExtWithValidateAsync 271, 272	efaturaKullaniciBilgisi 287
belgeGonderExtWithValidateCompleted 382	efaturaKullaniciBilgisiAsync 288
belgeGonderWithValidate 272	efaturaKullaniciBilgisiCompleted 384
belgeGonderWithValidateAsync 273	efaturaKullaniciListesi 288
belgeGonderWithValidateCompleted 383	efaturaKullaniciListesiAsync 289
belgelerAlindi 274	efaturaKullaniciListesiCompleted 384
belgelerAlindiAsync 274	efaturaKullanicisi 289
belgelerAlindiCompleted 383	efaturaKullanicisiAsync 290
belgelerAlindiEntegrasyonSiparisNoGuncelle 275	efaturaKullanicisiCompleted 384
belgelerAlindiEntegrasyonSiparisNoGuncelleAsync 276	elrsaliyeKayitliKullaniciListele 290
belgelerAlindiEntegrasyonSiparisNoGuncelleCompleted 383	elrsaliyeKayitliKullaniciListeleAsync 290, 291
belgeleriTekrarGonder 276	elrsaliyeKayitliKullaniciListeleCompleted 384
belgeleriTekrarGonderAsync 277	elrsaliyeKullanicisi 291
belgeleriTekrarGonderBelgeOid 278	elrsaliyeKullanicisiAsync 291, 292
	elrsaliyeKullanicisiCompleted 384
	erpBilgileriBelirle 292
	erpBilgileriBelirleAsync 292, 293
	erpBilgileriBelirleCompleted 384

faturaKepIleladeEdildi	293	gelenBelgeleriIndirCompleted	385
faturaKepIleladeEdildiAsync	293, 294	gelenBelgeleriIndirExt	309
faturaKepIleladeEdildiCompleted	384	gelenBelgeleriIndirExtAsync	310
faturaKepIleladeEdildilptal	294	gelenBelgeleriIndirExtCompleted	385
faturaKepIleladeEdildilptalAsync	295	gelenBelgeleriListele	310
faturaKepIleladeEdildilptalCompleted	384	gelenBelgeleriListeleAsync	311
faturaMailGonder	295	gelenBelgeleriListeleCompleted	385
faturaMailGonderAsync	296	gelenBelgeleriListeleExt	312
faturaMailGonderCompleted	384	gelenBelgeleriListeleExtAsync	312
faturaNoUret	297	gelenBelgeleriListeleExtCompleted	386
faturaNoUretAsync	297	gelenBelgeTutarBilgileriSorgula	313
faturaNoUretCompleted	384	gelenBelgeTutarBilgileriSorgulaAsync	313, 314
faturaTarihcesiSorgula	298	gelenBelgeTutarBilgileriSorgulaCompleted	386
faturaTarihcesiSorgulaAsync	298	gelenBelgeXmlleriniAl	314
faturaTarihcesiSorgulaCompleted	384	gelenBelgeXmlleriniAlAsync	315
faturayaltirazEdildi	299	gelenBelgeXmlleriniAlCompleted	386
faturayaltirazEdildiAsync	299, 300	gelenBelgeXmlleriniAlExt	315
faturayaltirazEdildiCompleted	385	gelenBelgeXmlleriniAlExtAsync	316
faturayaltirazEdildilptal	300	gelenBelgeXmlleriniAlExtCompleted	386
faturayaltirazEdildilptalAsync	301	gelenFaturalariArsiveKaldir	316
faturayaltirazEdildilptalCompleted	385	gelenFaturalariArsiveKaldirAsync	317
gelenBelgeDurumSorgula	301	gelenFaturalariArsiveKaldirCompleted	386
gelenBelgeDurumSorgulaAsync	302	gelenIrsaliyeleriArsiveKaldir	317
gelenBelgeDurumSorgulaCompleted	385	gelenIrsaliyeleriArsiveKaldirAsync	318
gelenBelgeDurumSorgulaExt	302	gelenIrsaliyeleriArsiveKaldirCompleted	386
gelenBelgeDurumSorgulaExtAsync	303	gelenStandartRapolariAl	318
gelenBelgeDurumSorgulaExtCompleted	385	gelenStandartRapolariAlAsync	319
gelenBelgeEkleriAl	303	gelenStandartRapolariAlCompleted	386
gelenBelgeEkleriAlAsync	304	gelenTasinanBelgeleriIndir	321
gelenBelgeEkleriAlCompleted	385	gelenTasinanBelgeleriIndirAsync	322
gelenBelgeleriAl	305	gelenTasinanBelgeleriIndirCompleted	386
gelenBelgeleriAlAsync	305, 306	gidenBelgeDurumSorgula	322
gelenBelgeleriAlCompleted	385	gidenBelgeDurumSorgulaAsync	323
gelenBelgeleriAlExt	306	gidenBelgeDurumSorgulaBelgeNo	323
gelenBelgeleriAlExt2	306	gidenBelgeDurumSorgulaBelgeNoAsync	324
gelenBelgeleriAlExt2Async	307	gidenBelgeDurumSorgulaBelgeNoCompleted	386
gelenBelgeleriAlExt2Completed	385	gidenBelgeDurumSorgulaCompleted	387
gelenBelgeleriAlExtAsync	308	gidenBelgeDurumSorgulaEtn	325
gelenBelgeleriAlExtCompleted	385		
gelenBelgeleriIndir	308		
gelenBelgeleriIndirAsync	309		

gidenBelgeDurumSorgulaEttnAsync	325	irsaliyeMailGonder	341
gidenBelgeDurumSorgulaEttnCompleted	387	irsaliyeMailGonderAsync	342
gidenBelgeDurumSorgulaExt	326	irsaliyeMailGonderCompleted	388
gidenBelgeDurumSorgulaExtAsync	326, 327	irsaliyeTarihcesiSorgula	342
gidenBelgeDurumSorgulaExtCompleted	387	irsaliyeTarihcesiSorgulaAsync	343
gidenBelgeDurumSorgulaPortal	327	irsaliyeTarihcesiSorgulaCompleted	388
gidenBelgeDurumSorgulaPortalAsync	327, 328	IsLocalFileSystemWebService	343
gidenBelgeDurumSorgulaPortalCompleted	387	kayitliKullaniciListeleExtended	344
gidenBelgeDurumSorgulaYerelBelgeNo	328	kayitliKullaniciListeleExtendedAsync	344, 345
gidenBelgeDurumSorgulaYerelBelgeNoAsync	329	kayitliKullaniciListeleExtendedCompleted	388
gidenBelgeDurumSorgulaYerelBelgeNoCompleted	387	kayitliKullaniciListeleExtendedTime	345
gidenBelgeEkleriAI	329	kayitliKullaniciListeleExtendedTimeAsync	346
gidenBelgeEkleriAIAsync	330	kayitliKullaniciListeleExtendedTimeCompleted	388
gidenBelgeEkleriAICompleted	387	kayitliKullaniciListeleExtendedVknTckn	346
gidenBelgeleriIndir	330	kayitliKullaniciListeleExtendedVknTcknAsync	347
gidenBelgeleriIndirAsync	331	kayitliKullaniciListeleExtendedVknTcknCompleted	388
gidenBelgeleriIndirCompleted	387	kontorBilgisiGetir	347
gidenBelgeleriIndirEttn	332	kontorBilgisiGetirAsync	348
gidenBelgeleriIndirEttnAsync	332, 333	kontorBilgisiGetirCompleted	388
gidenBelgeleriIndirEttnCompleted	387	OnbelgeGonderExtOperationCompleted	349
gidenBelgeleriIndirPortal	333	OnbelgeGonderExtWithValidateOperationCompleted	349
gidenBelgeleriIndirPortalAsync	333, 334	OnbelgeGonderOperationCompleted	349
gidenBelgeleriIndirPortalCompleted	387	OnbelgeGonderWithValidateOperationCompleted	350
gidenBelgeleriListele	334	OnbelgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted	350
gidenBelgeleriListeleAsync	335	OnbelgelerAlindiOperationCompleted	350
gidenBelgeleriListeleCompleted	387	OnbelgelerTekrarGonderBelgeOidOperationCompleted	350
gidenBelgeleriListelePortal	335	OnbelgelerTekrarGonderOperationCompleted	351
gidenBelgeleriListelePortalAsync	336	OnbelgelerTekrarGonderYerelBelgeNoOperationCompleted	351
gidenBelgeleriListelePortalCompleted	387	OncheckDateValidControlOperationCompleted	351
gidenBelgeTutarBilgileriSorgula	336	OncokluGidenBelgeDurumSorgulaOperationCompleted	352
gidenBelgeTutarBilgileriSorgulaAsync	337	OncsXmlOnizlemeOperationCompleted	352
gidenBelgeTutarBilgileriSorgulaCompleted	388	OncsXmlToUblOperationCompleted	352
gidenFaturalariArsiveKaldır	337	OneFaturaKayitliKullaniciListeleOperationCompleted	353
gidenFaturalariArsiveKaldırAsync	338	OneFaturaKullaniciBilgisiOperationCompleted	353
gidenFaturalariArsiveKaldırCompleted	388	OneFaturaKullaniciListesiOperationCompleted	353
gidenIrsaliyeleriArsiveKaldır	338	OneFaturaKullanicisiOperationCompleted	353
gidenIrsaliyeleriArsiveKaldırAsync	339	OneIrsaliyeKayitliKullaniciListeleOperationCompleted	354
gidenIrsaliyeleriArsiveKaldırCompleted	388		
gidenTasinanBelgeleriIndir	339		
gidenTasinanBelgeleriIndirAsync	340		
gidenTasinanBelgeleriIndirCompleted	388		

OneIrsaliyeKullanicisiOperationCompleted	354	OngidenBelgeleriListeleOperationCompleted	365
OnePbilgileriBelirleOperationCompleted	354	OngidenBelgeleriListelePortalOperationCompleted	365
OnfaturaKepilleadeEdildiptalOperationCompleted	355	OngidenBelgeTutarBilgileriSorgulaOperationCompleted	366
OnfaturaKepilleadeEdildiOperationCompleted	355	OngidenFaturalariArsiveKaldirOperationCompleted	366
OnfaturaMailGonderOperationCompleted	355	OngidenIrsaliyeleriArsiveKaldirOperationCompleted	366
OnfaturaNoUretOperationCompleted	356	OngidenTasinanBelgeleriIndirOperationCompleted	367
OnfaturaTarihcesiSorgulaOperationCompleted	356	OnirsaliyeMailGonderOperationCompleted	367
OnfaturayaltirazEdildiptalOperationCompleted	356	OnirsaliyeTarihcesiSorgulaOperationCompleted	367
OnfaturayaltirazEdildiOperationCompleted	356	OnkayitliKullaniciListeleExtendedOperationCompleted	368
OngelenBelgeDurumSorgulaExtOperationCompleted	357	OnkayitliKullaniciListeleExtendedTimeOperationComplete	d
OngelenBelgeDurumSorgulaOperationCompleted	357	368	
OngelenBelgeEkleriAIOperationCompleted	357	OnkayitliKullaniciListeleExtendedVknTcknOperationComp	leted
OngelenBelgeleriAIExt2OperationCompleted	358	368	
OngelenBelgeleriAIExtOperationCompleted	358	OnkontorBilgisiGetirOperationCompleted	368
OngelenBelgeleriAIOperationCompleted	358	OntemelKontrollerlleBelgeGonderOperationCompleted	369
OngelenBelgeleriIndirExtOperationCompleted	359	OntoplambelgeSayisiGetirOperationCompleted	369
OngelenBelgeleriIndirOperationCompleted	359	OnublOnizlemeOperationCompleted	369
OngelenBelgeleriListeleExtOperationCompleted	359	OnurunSablonlariniAIOperationCompleted	370
OngelenBelgeleriListeleOperationCompleted	359	OnwsKullanicisiKaydetOperationCompleted	370
OngelenBelgeTutarBilgileriSorgulaOperationCompleted	360	OnyereleAktarilacakBelgeleriAIExtOperationCompleted	370
OngelenBelgeXmlleriniAIExtOperationCompleted	360	OnyereleAktarilacakBelgeleriAIOperationCompleted	371
OngelenBelgeXmlleriniAIOperationCompleted	360	OnyolcuBeraberFaturalptalEtOperationCompleted	371
OngelenFaturalariArsiveKaldirOperationCompleted	361	temelKontrollerlleBelgeGonder	371
OngelenIrsaliyeleriArsiveKaldirOperationCompleted	361	temelKontrollerlleBelgeGonderAsync	372
OngelenStandartRapolariAIOperationCompleted	361	temelKontrollerlleBelgeGonderCompleted	389
OngelenTamamlananRapolariAIOperationCompleted	362	toplambelgeSayisiGetir	373
OngelenTasinanBelgeleriIndirOperationCompleted	362	toplambelgeSayisiGetirAsync	374
OngidenBelgeDurumSorgulaBelgeNoOperationComplete	d	toplambelgeSayisiGetirCompleted	389
362	ublOnizleme	375	
OngidenBelgeDurumSorgulaEttnOperationCompleted	362	ublOnizlemeAsync	375, 376
OngidenBelgeDurumSorgulaExtOperationCompleted	363	ublOnizlemeCompleted	389
OngidenBelgeDurumSorgulaOperationCompleted	363	Url	382
OngidenBelgeDurumSorgulaPortalOperationCompleted	363	urunSablonlariniAI	376
OngidenBelgeDurumSorgulaYerelBelgeNoOperationCom	pleted	urunSablonlariniAIAsync	377
364	urunSablonlariniAICompleted	389	
OngidenBelgeEkleriAIOperationCompleted	364	UseDefaultCredentials	382
OngidenBelgeleriIndirEttnOperationCompleted	364	wsKullanicisiKaydet	377
OngidenBelgeleriIndirOperationCompleted	365	wsKullanicisiKaydetAsync	378
OngidenBelgeleriIndirPortalOperationCompleted	365		

wsKullaniciKaydetCompleted 389	EFaturaSilmeyeUygunMu 685
yereleAktarilacakBelgeleriAI 378	EMustahsilGonder 686
yereleAktarilacakBelgeleriAIAsync 379	EMustahsilOnIzleme 687
yereleAktarilacakBelgeleriAICompleted 389	EMustahsilServisineBaglan 688
yereleAktarilacakBelgeleriAIExt 379	EMustahsilSilmeyeUygunMu 688
yereleAktarilacakBelgeleriAIExtAsync 380	GetMD5Hash 689
yereleAktarilacakBelgeleriAIExtCompleted 389	DisServisler.cs 783
yolcuBeraberFaturalptalEt 380	dosyalnput class 31
yolcuBeraberFaturalptalEtAsync 381, 382	about dosyalnput class 31
yolcuBeraberFaturalptalEtCompleted 389	belgelcerigi 31
CSV enumeration member 216	genelBelgeFormatEnum 31
CSXML enumeration member 216, 652	genelBelgeFormatEnumSpecified 31
CSXML1 enumeration member 216, 652	doubleStringOutputWrapper class 31, 538
CSXML2 enumeration member 216, 652	@return 32, 538
CSXML3 enumeration member 216, 652	about doubleStringOutputWrapper class 31, 538
csXmlOnizlemeCompletedEventArgs class 389	outputDurum 32, 538
about csXmlOnizlemeCompletedEventArgs class 389	outputEposta 32, 538
csXmlOnizlemeCompletedEventArgs 390	
Result 390	
csXmlToUblCompletedEventArgs class 390	
about csXmlToUblCompletedEventArgs class 390	
csXmlToUblCompletedEventArgs 391	
Result 391	
CUSTOM enumeration member 216, 652	
<b>D</b>	<b>E</b>
DEFTER enumeration member 498	earsivServiceResult class 32, 539
Diger enumeration member 690	about earsivServiceResult class 32, 539
DisServisler class 673	resultCode 33, 539
about DisServisler class 673	resultExtra 33, 539
BelgeOidKontrol 674	resultText 33, 539
EArsivGonder 675	earsivServiceResultEntry class 33, 539
EArsivOnIzleme 676	about earsivServiceResultEntry class 33, 539
EArsivServisineBaglan 677	key 34, 540
EArsivSilmeyeUygunMu 678	value 34, 540
EFaturaGonder 678	EarsivWebService class 34
EFaturaKullaniciListesi 682	about EarsivWebService class 34
EFaturaKullanicisiMi 683	aliciEpostaEkleSilGuncelle 43
EFaturaOnIzleme 684	aliciEpostaEkleSilGuncelleAsync 43
EFaturaServisineBaglan 685	aliciEpostaEkleSilGuncelleCompleted 107
	CancelAsync 44
	EarsivWebService 42
	eFaturaKayitliKullaniciListele 44
	eFaturaKayitliKullaniciListeleAsync 44, 45
	eFaturaKayitliKullaniciListeleCompleted 107
	efaturaKullanicisi 45
	efaturaKullanicisiAsync 45, 46

efaturaKullanicisiCompleted 108  
 efaturaKullanicisiKontrol 46  
 efaturaKullanicisiKontrolAsync 46  
 efaturaKullanicisiKontrolCompleted 108  
 ePostaDurumSorgula 47  
 ePostaDurumSorgulaAsync 47, 48  
 ePostaDurumSorgulaCompleted 108  
 ePostaGonder 48  
 ePostaGonderAsync 49  
 ePostaGonderCompleted 108  
 faturalptalEt 49  
 faturalptalEtAsync 50  
 faturalptalEtCompleted 108  
 faturalptaliKaldır 50  
 faturalptaliKaldırAsync 51  
 faturalptaliKaldırCompleted 108  
 faturaltirazEt 51  
 faturaltirazEtAsync 51, 52  
 faturaltirazEtCompleted 108  
 faturaltirazKaldır 52  
 faturaltirazKaldırAsync 52, 53  
 faturaltirazKaldırCompleted 108  
 faturaListeSorgula 53  
 faturaListeSorgulaAsync 53, 54  
 faturaListeSorgulaCompleted 108  
 faturaListeSorgulaCount 54  
 faturaListeSorgulaCountAsync 54, 55  
 faturaListeSorgulaCountCompleted 108  
 faturaListeSorgulaPortal 55  
 faturaListeSorgulaPortalAsync 55, 56  
 faturaListeSorgulaPortalCompleted 108  
 faturaNoUret 56  
 faturaNoUretAsync 56, 57  
 faturaNoUretCompleted 109  
 faturaOlustur 57  
 faturaOlusturAsync 58  
 faturaOlusturCompleted 109  
 faturaOlusturExt 58  
 faturaOlusturExtAsync 59  
 faturaOlusturExtCompleted 109  
 faturaOnizleme 59  
 faturaOnizlemeAsync 60  
 faturaOnizlemeCompleted 109  
 faturaSorgula 60  
 faturaSorgulaAsync 61  
 faturaSorgulaCompleted 109  
 faturaSorgulaExt 61  
 faturaSorgulaExtAsync 62  
 faturaSorgulaExtCompleted 109  
 faturaTaslakOlustur 62  
 faturaTaslakOlusturAsync 63  
 faturaTaslakOlusturCompleted 109  
 faturaTaslakOnizleme 63  
 faturaTaslakOnizlemeAsync 64  
 faturaTaslakOnizlemeCompleted 109  
 faturaTaslakSil 64  
 faturaTaslakSilAsync 65  
 faturaTaslakSilCompleted 109  
 faturaTaslakSorgula 65  
 faturaTaslakSorgulaAsync 66  
 faturaTaslakSorgulaCompleted 109  
 faturaTaslaktanOlustur 66  
 faturaTaslaktanOlusturAsync 67  
 faturaTaslaktanOlusturCompleted 109  
 faturaZipiAI 67  
 faturaZipiAIAsync 68  
 faturaZipiAICompleted 109  
 IsLocalFileSystemWebService 68  
 kontorBilgisiGetir 69  
 kontorBilgisiGetirAsync 69, 70  
 kontorBilgisiGetirCompleted 110  
 okcRaporBolumAI 70  
 okcRaporBolumAIAsync 70, 71  
 okcRaporBolumAICompleted 110  
 okcRaporKaydet 71  
 okcRaporKaydetAsync 72  
 okcRaporKaydetCompleted 110  
 okcRaporOlusturGonder 72  
 okcRaporOlusturGonderAsync 73  
 okcRaporOlusturGonderCompleted 110  
 OnaliciEpostaEkleSilGuncelleOperationCompleted 73  
 OneFaturaKayitliKullaniciListeleOperationCompleted 73

OnefaturaKullaniciKontrolOperationCompleted	74	OnraporGonderOperationCompleted	85
OnefaturaKullaniciOperationCompleted	74	OnservisSaglayicidanEpostaDurumSorgulaOperationCompleted	85
OnePostaDurumSorgulaOperationCompleted	74	OnsmsDurumSorgulaOperationCompleted	85
OnePostaGonderOperationCompleted	74	OnsmsGonderOperationCompleted	86
OnfaturaIptalEtOperationCompleted	75	OntoplxFaturaPaketDosyaGonderOperationCompleted	86
OnfaturaIptaliKaldirOperationCompleted	75	OntoplxFaturaPaketDosyasiSorgulaOperationCompleted	86
OnfaturaAltirazEtOperationCompleted	75	OntoplxFaturaPaketOnaylaOperationCompleted	87
OnfaturaAltirazKaldirOperationCompleted	76	OntoplxFaturaPaketSorgulaOperationCompleted	87
OnfaturaListeSorgulaCountOperationCompleted	76	OnyapilandirmaAyarlarıAIOperationCompleted	87
OnfaturaListeSorgulaOperationCompleted	76	raporBolumAI	87
OnfaturaListeSorgulaPortalOperationCompleted	77	raporBolumAIAsync	88
OnfaturaNoUretOperationCompleted	77	raporBolumAICompleted	110
OnfaturaOlusturExtOperationCompleted	77	raporBolumBilgisiAI	88
OnfaturaOlusturOperationCompleted	77	raporBolumBilgisiAIAsync	89
OnfaturaOnizlemeOperationCompleted	78	raporBolumBilgisiAICompleted	110
OnfaturaSorgulaExtOperationCompleted	78	raporBolumBilgisiOlustur	89
OnfaturaSorgulaOperationCompleted	78	raporBolumBilgisiOlusturAsync	90
OnfaturaTaslakOlusturOperationCompleted	79	raporBolumBilgisiOlusturCompleted	110
OnfaturaTaslakOnizlemeOperationCompleted	79	raporBolumListesiDetyaliSorgula	91
OnfaturaTaslakSilOperationCompleted	79	raporBolumListesiDetyaliSorgulaAsync	91
OnfaturaTaslakSorgulaOperationCompleted	80	raporBolumListesiDetyaliSorgulaCompleted	110
OnfaturaTaslaktanOlusturOperationCompleted	80	raporBolumListesiSorgula	92
OnfaturaZipiAIOperationCompleted	80	raporBolumListesiSorgulaAsync	92
OnkontorBilgisiGetirOperationCompleted	80	raporBolumListesiSorgulaCompleted	110
OnokcRaporBolumAIOperationCompleted	81	raporBolumListesiSorgulaWithInput	93
OnokcRaporKaydetOperationCompleted	81	raporBolumListesiSorgulaWithInputAsync	93
OnokcRaporOlusturGonderOperationCompleted	81	raporBolumListesiSorgulaWithInputCompleted	110
OnraporBolumAIOperationCompleted	82	raporBolumRaporNoGuncelleImzala	94
OnraporBolumBilgisiAIOperationCompleted	82	raporBolumRaporNoGuncelleImzalaAsync	94
OnraporBolumleriOlusturOperationCompleted	82	raporBolumRaporNoGuncelleImzalaCompleted	110
OnraporBolumListesiDetyaliSorgulaOperationCompleted	83	raporBolumSil	95
OnraporBolumListesiSorgulaOperationCompleted	83	raporBolumSilAsync	95
OnraporBolumListesiSorgulaWithInputOperationCompleted	83	raporBolumSilCompleted	111
OnraporBolumRaporNoGuncelleImzalaOperationCompleted	83	rapordaFaturaSorgula	96
OnraporBolumSilOperationCompleted	84	rapordaFaturaSorgulaAsync	96
OnrapordaFaturaSorgulaOperationCompleted	84	rapordaFaturaSorgulaCompleted	111
OnraporDurumSorgulaOperationCompleted	84	raporDurumSorgula	97
		raporDurumSorgulaAsync	97
		raporDurumSorgulaCompleted	111

raporGonder 97  
 raporGonderAsync 98  
 raporGonderCompleted 111  
 servisSaglayicidanEpostaDurumSorgula 98  
 servisSaglayicidanEpostaDurumSorgulaAsync 99  
 servisSaglayicidanEpostaDurumSorgulaCompleted 111  
 smsDurumSorgula 100  
 smsDurumSorgulaAsync 100  
 smsDurumSorgulaCompleted 111  
 smsGonder 101  
 smsGonderAsync 101, 102  
 smsGonderCompleted 111  
 topluFaturaPaketDosyaGonder 102  
 topluFaturaPaketDosyaGonderAsync 102, 103  
 topluFaturaPaketDosyaGonderCompleted 111  
 topluFaturaPaketDosyasiSorgula 103  
 topluFaturaPaketDosyasiSorgulaAsync 104  
 topluFaturaPaketDosyasiSorgulaCompleted 111  
 topluFaturaPaketOnayla 104  
 topluFaturaPaketOnaylaAsync 105  
 topluFaturaPaketOnaylaCompleted 111  
 topluFaturaPaketSorgula 105  
 topluFaturaPaketSorgulaAsync 106  
 topluFaturaPaketSorgulaCompleted 111  
 Url 107  
 UseDefaultCredentials 107  
 yapilandirmaAyarlariAI 106  
 yapilandirmaAyarlariAIAsync 107  
 yapilandirmaAyarlariAICompleted 112  
**eFaturaKayitliKullaniciHistory class 391**  
     about eFaturaKayitliKullaniciHistory class 391  
     etiket 391  
     etiketOlusturulmaZamani 392  
     silinebilmeZamani 392  
**eFaturaKayitliKullaniciListele class 112**  
     about eFaturaKayitliKullaniciListele class 112  
     kayitZamani 112  
**eFaturaKayitliKullaniciListeleCompletedEventArgs class 112, 392**  
     about eFaturaKayitliKullaniciListeleCompletedEventArgs class 112, 392  
         eFaturaKayitliKullaniciListeleCompletedEventArgs 113, 392  
         Result 113, 393  
**eFaturaKullanici class 113, 393**  
     about eFaturaKullanici class 113, 393  
     etiket 114, 393  
     kamuKurulusu 114, 393  
     kayitZamani 114, 394  
     unvan 114, 394  
     vergiTcKimlikNo 114, 394  
**efaturaKullaniciBilgisiCompletedEventArgs class 394**  
     about efaturaKullaniciBilgisiCompletedEventArgs class 394  
         efaturaKullaniciBilgisiCompletedEventArgs 394  
         Result 395  
**eFaturaKullaniciExtended class 395**  
     about eFaturaKullaniciExtended class 395  
     eFaturaKayitliKullaniciHistoryList 396  
     etiket 396  
     etiketOlusturulmaZamani 396  
     hesapTipi 396  
     hesapTipiSpecified 396  
     kamuKurulusu 396  
     kamuKurulusuSpecified 396  
     kayitZamani 396  
     tip 396  
     tipSpecified 397  
     unvan 397  
     vergiTcKimlikNo 397  
**efaturaKullaniciListesiCompletedEventArgs class 397**  
     about efaturaKullaniciListesiCompletedEventArgs class 397  
         efaturaKullaniciListesiCompletedEventArgs 397  
         Result 398  
**efaturaKullanicisi class 114**  
     about efaturaKullanicisi class 114  
     vergiTcKimlikNo 115  
**efaturaKullanicisiCompletedEventArgs class 115, 398**  
     about efaturaKullanicisiCompletedEventArgs class 115, 398  
         efaturaKullanicisiCompletedEventArgs 115, 398  
         Result 116, 399

efaturaKullaniciKontrol class 116  
     about efaturaKullaniciKontrol class 116  
     input 116

efaturaKullaniciKontrolCompletedEventArgs class 116  
     about efaturaKullaniciKontrolCompletedEventArgs class 116  
     efaturaKullaniciKontrolCompletedEventArgs 117  
         Result 117

efaturaKullaniciKontrolResponse class 117  
     @return 118  
     about efaturaKullaniciKontrolResponse class 117

efaturaKullaniciResponse class 118  
     @return 118  
     about efaturaKullaniciResponse class 118

eIrsaliyeKayitliKullaniciListeleCompletedEventArgs class 399  
     about eIrsaliyeKayitliKullaniciListeleCompletedEventArgs class 399  
     eIrsaliyeKayitliKullaniciListeleCompletedEventArgs 399  
         Result 400

eIrsaliyeKullanici class 400  
     about eIrsaliyeKullanici class 400  
     etiket 400  
     kamuKurulusu 400  
     kayitZamani 400  
     unvan 401  
     vergiTcKimlikNo 401

eIrsaliyeKullanicisiCompletedEventArgs class 401  
     about eIrsaliyeKullanicisiCompletedEventArgs class 401  
     eIrsaliyeKullanicisiCompletedEventArgs 401  
         Result 402

Enums class 689  
     about Enums class 689

Enums.cs 797

ePostaDurumSorgula class 118, 540  
     about ePostaDurumSorgula class 118, 540  
     input 119, 541

ePostaDurumSorgulaCompletedEventArgs class 119, 541  
     @return 120, 542  
     about ePostaDurumSorgulaCompletedEventArgs class 119, 541  
     ePostaDurumSorgulaCompletedEventArgs 119, 541  
     outputEposta 120, 542

Result 120, 542

ePostaGonder class 120, 542  
     about ePostaGonder class 120, 542  
     ilaveEposta 120, 542  
     input 121, 542  
     tanimliEposta 121, 543

ePostaGonderCompletedEventArgs class 121, 543  
     about ePostaGonderCompletedEventArgs class 121, 543  
     ePostaGonderCompletedEventArgs 121, 543  
         Result 122, 543

ePostaGonderResponse class 122, 544  
     @return 122, 544  
     about ePostaGonderResponse class 122, 544

erpBilgileri class 402  
     about erpBilgileri class 402  
     aciklama 402  
     kod 402

**F**

Fark enumeration member 690

FATURA enumeration member 498

faturaDTO class 122, 544  
     about faturaDTO class 122, 544  
     arsiv 124, 546  
     creationTime 124, 546  
     currency 124, 546  
     dokumanFormati 125, 547  
     durum 125, 547  
     durumSpecified 125, 547  
     duzenlenmeZamani 125, 547  
     epostaGonderimDurumu 125, 547  
     epostaGonderimDurumuSpecified 125, 547  
     erpKodu 125, 547  
     faturaSiraNo 125, 547  
     faturaSiraNoSpecified 125, 547  
     faturaZamani 126, 548  
     ilkKayitZmani 126, 548  
     indirildi 126, 548  
     indirildiSpecified 126, 548  
     invoiceld 126, 548

invoiceTypeCode 126, 548  
iptalEdenKullaniciKodu 126, 548  
iptalKaynagi 126, 548  
iptalKaynagiSpecified 126, 548  
iptalRaporTarihi 127, 549  
iptalTarihi 127, 549  
iptalTarihiExcel 127, 549  
islemlid 127, 549  
issueDate 127, 549  
itirazEdenKullaniciKodu 127, 549  
itirazKaynagi 127, 549  
itirazKaynagiSpecified 127, 549  
itirazTarihi 127, 549  
kagitFatura 128, 550  
kagitFaturaSpecified 128, 550  
kasa 128, 550  
kaynak 128, 550  
kepDurum 128, 550  
kepDurumSpecified 128, 550  
kolayFatura 128, 550  
kolayFaturaSpecified 128, 550  
okundu 128, 550  
okunduSpecified 129, 551  
payableAmount 129, 551  
payableAmountSpecified 129, 551  
profileId 129, 551  
raporTarihi 129, 551  
receiverContact 129, 551  
receiverIdentifier 129, 551  
receiverIdentifierTxt 129, 551  
receiverName 129, 551  
senderContact 130, 552  
senderName 130, 552  
sonGuncellemeZamani 130, 552  
sube 130, 552  
tanimliSubeKod 130, 552  
telNo 130, 552  
toplamTutar 130, 552  
toplamTutarSpecified 130, 552  
uuid 130, 552  
vergilerToplami 131, 553  
vergilerToplamiSpecified 131, 553  
versiyon 131, 553  
versiyonSpecified 131, 553  
yazdirildi 131, 553  
yazdirildiSpecified 131, 553  
yerelFaturaNo 131, 553  
faturalptalEt class 131  
    about faturalptalEt class 131  
    input 132  
faturalptalEtCompletedEventArgs class 132  
    about faturalptalEtCompletedEventArgs class 132  
    faturalptalEtCompletedEventArgs 132  
    Result 133  
faturalptalEtResponse class 133  
    @return 133  
    about faturalptalEtResponse class 133  
faturalptaliKaldır class 133  
    about faturalptaliKaldır class 133  
    input 134  
faturalptaliKaldırCompletedEventArgs class 134  
    about faturalptaliKaldırCompletedEventArgs class 134  
    faturalptaliKaldırCompletedEventArgs 134  
    Result 135  
faturalptaliKaldırResponse class 135  
    @return 135  
    about faturalptaliKaldırResponse class 135  
faturaltirazEt class 135  
    about faturaltirazEt class 135  
    input 136  
faturaltirazEtCompletedEventArgs class 136  
    about faturaltirazEtCompletedEventArgs class 136  
    faturaltirazEtCompletedEventArgs 136  
    Result 136  
faturaltirazEtResponse class 137  
    @return 137  
    about faturaltirazEtResponse class 137  
faturaltirazKaldır class 137  
    about faturaltirazKaldır class 137  
    input 138  
faturaltirazKaldırCompletedEventArgs class 138  
    about faturaltirazKaldırCompletedEventArgs class 138

faturaltirazKaldırCompletedEventArgs 138  
 Result 138

faturaltirazKaldırResponse class 139  
 @return 139  
 about faturaltirazKaldırResponse class 139

FaturaKdvDTO class 2  
 about FaturaKdvDTO class 2  
 KdvHarcTutar 2  
 KdvOran 3  
 KdvTutari 3

FaturaKdvDTO.cs 798

faturaKeplleladeEdildiCompletedEventArgs class 402  
 about faturaKeplleladeEdildiCompletedEventArgs class 402  
 faturaKeplleladeEdildiCompletedEventArgs 403  
 Result 403

faturaKeplleladeEdildilptalCompletedEventArgs class 403  
 about faturaKeplleladeEdildilptalCompletedEventArgs class 403  
 faturaKeplleladeEdildilptalCompletedEventArgs 404  
 Result 404

faturaListeSorgula class 139  
 about faturaListeSorgula class 139  
 input 140

faturaListeSorgulaCompletedEventArgs class 140  
 about faturaListeSorgulaCompletedEventArgs class 140  
 faturaListeSorgulaCompletedEventArgs 140  
 output 140  
 Result 141

faturaListeSorgulaCount class 141  
 about faturaListeSorgulaCount class 141  
 input 141

faturaListeSorgulaCountCompletedEventArgs class 141  
 about faturaListeSorgulaCountCompletedEventArgs class 141  
 faturaListeSorgulaCountCompletedEventArgs 142  
 output 142  
 Result 142

faturaListeSorgulaCountResponse class 142  
 @return 143  
 about faturaListeSorgulaCountResponse class 142  
 output 143

faturaListeSorgulaPortal class 143  
 about faturaListeSorgulaPortal class 143  
 input 143

faturaListeSorgulaPortalCompletedEventArgs class 143  
 about faturaListeSorgulaPortalCompletedEventArgs class 143  
 faturaListeSorgulaPortalCompletedEventArgs 144  
 output 144  
 Result 144

faturaListeSorgulaPortalResponse class 144  
 @return 145  
 about faturaListeSorgulaPortalResponse class 144  
 output 145

faturaListeSorgulaResponse class 145  
 @return 146  
 about faturaListeSorgulaResponse class 145  
 output 146

faturaNoUret class 146  
 about faturaNoUret class 146  
 input 146

faturaNoUretCompletedEventArgs class 146, 404  
 @return 147  
 about faturaNoUretCompletedEventArgs class 146, 404  
 faturaNoUretCompletedEventArgs 147, 405  
 Result 147, 405

faturaOlustur class 147  
 about faturaOlustur class 147  
 fatura 148  
 input 148

faturaOlusturCompletedEventArgs class 148  
 @return 149  
 about faturaOlusturCompletedEventArgs class 148  
 faturaOlusturCompletedEventArgs 148  
 Result 149

faturaOlusturExt class 149  
 about faturaOlusturExt class 149  
 fatura 149  
 input 149

faturaOlusturExtCompletedEventArgs class 150  
 @return 150  
 about faturaOlusturExtCompletedEventArgs class 150

faturaOlusturExtCompletedEventArgs 150  
Result 150

faturaOnizleme class 151  
about faturaOnizleme class 151  
fatura 151  
input 151

faturaOnizlemeCompletedEventArgs class 151  
@return 152  
about faturaOnizlemeCompletedEventArgs class 151  
faturaOnizlemeCompletedEventArgs 152  
Result 152

faturaSorgula class 152  
about faturaSorgula class 152  
input 153

faturaSorgulaCompletedEventArgs class 153  
@return 154  
about faturaSorgulaCompletedEventArgs class 153  
faturaSorgulaCompletedEventArgs 153  
Result 154

faturaSorgulaExt class 154  
about faturaSorgulaExt class 154  
input 154

faturaSorgulaExtCompletedEventArgs class 154  
@return 155  
about faturaSorgulaExtCompletedEventArgs class 154  
faturaSorgulaExtCompletedEventArgs 155  
Result 155

faturaTarihcesiData class 405  
about faturaTarihcesiData class 405  
bagliKayitId 406

faturaEtn 406  
islem 406  
islemAciklama 406  
islemKanali 406  
islemKanaliAciklama 406  
islemSonucu 406  
islemZamani 407  
kullanici 407  
kullanicilp 407  
zarfEtn 407

faturaTarihcesiSorgulaCompletedEventArgs class 407  
about faturaTarihcesiSorgulaCompletedEventArgs class 407  
faturaTarihcesiSorgulaCompletedEventArgs 408  
Result 408

faturaTaslakOlustur class 155  
about faturaTaslakOlustur class 155  
fatura 156  
input 156

faturaTaslakOlusturCompletedEventArgs class 156  
about faturaTaslakOlusturCompletedEventArgs class 156  
faturaTaslakOlusturCompletedEventArgs 156  
Result 157

faturaTaslakOlusturResponse class 157  
@return 157  
about faturaTaslakOlusturResponse class 157

faturaTaslakOnizleme class 157  
about faturaTaslakOnizleme class 157  
input 158

faturaTaslakOnizlemeCompletedEventArgs class 158  
about faturaTaslakOnizlemeCompletedEventArgs class 158  
faturaTaslakOnizlemeCompletedEventArgs 158  
output 159  
Result 159

faturaTaslakOnizlemeResponse class 159  
@return 159  
about faturaTaslakOnizlemeResponse class 159  
output 159

faturaTaslakSil class 160  
about faturaTaslakSil class 160  
input 160

faturaTaslakSilCompletedEventArgs class 160  
about faturaTaslakSilCompletedEventArgs class 160  
faturaTaslakSilCompletedEventArgs 161  
Result 161

faturaTaslakSilResponse class 161  
@return 161  
about faturaTaslakSilResponse class 161

faturaTaslakSorgula class 162  
about faturaTaslakSorgula class 162  
input 162

faturaTaslakSorgulaCompletedEventArgs class 162	FormAnaSayfa.Designer.cs 820
about faturaTaslakSorgulaCompletedEventArgs class 162	frmAnaSayfa class 752
faturaTaslakSorgulaCompletedEventArgs 163	about frmAnaSayfa class 752
output 163	btnBelgeOidKontrol_Click 754
Result 163	btnEFaturaKullaniciListeAktar_Click 754
faturaTaslakSorgulaResponse class 163	btnEFaturaKullaniciListesi_Click 755
@return 164	btnEFaturaKullaniciListesiTemizle_Click 756
about faturaTaslakSorgulaResponse class 163	btnFaturaSil_Click 756
output 164	btnGIBOnizleme_Click 757
faturaTaslaktanOlustur class 164	btnGIBOnizlemeMustahsil_Click 758
about faturaTaslaktanOlustur class 164	btnMakbuzSil_Click 759
input 164	btnServiseGonder_Click 760
faturaTaslaktanOlusturCompletedEventArgs class 164	btnServiseGonderMustahsil_Click 762
@return 165	btnXmlOlustur_Click 763
about faturaTaslaktanOlusturCompletedEventArgs class 164	btnXmlOlusturMustahsil_Click 764
faturaTaslaktanOlusturCompletedEventArgs 165	Dispose 765
Result 165	FormAnaSayfa_Shown 765
faturayaltirazEdildiCompletedEventArgs class 408	frmAnaSayfa 753
about faturayaltirazEdildiCompletedEventArgs class 408	frmAnaSayfa_FormClosed 775
faturayaltirazEdildiCompletedEventArgs 409	InitializeComponent 775
Result 409	listBox_DrawItem 779
faturayaltirazEdildilptalCompletedEventArgs class 409	listBox_MeasureItem 779
about faturayaltirazEdildilptalCompletedEventArgs class 409	ZipDosyasindanPdfCikar 780
faturayaltirazEdildilptalCompletedEventArgs 410	
Result 410	
faturaZipiAI class 165	
about faturaZipiAI class 165	
input 166	
faturaZipiAICompletedEventArgs class 166	
about faturaZipiAICompletedEventArgs class 166	
faturaZipiAICompletedEventArgs 166	
output 167	
Result 167	
faturaZipiAIResponse class 167	
@return 167	
about faturaZipiAIResponse class 167	
output 167	
Files 781	
FormAnaSayfa.cs 799	
	G
	gelenBelgeDurum class 410
	about gelenBelgeDurum class 410
	alimTarihi 411
	belgeNo 411
	ettn 411
	yanitDetayi 411
	yanitDurumu 411
	yanitGonderimCevabiDetayi 411
	yanitGonderimCevabiKodu 411
	yanitGonderimDurumu 412
	yanitGonderimTarihi 412
	gelenBelgeDurumSorgulaCompletedEventArgs class 412
	about gelenBelgeDurumSorgulaCompletedEventArgs class 412
	gelenBelgeDurumSorgulaCompletedEventArgs 412
	Result 413

gelenBelgeDurumSorgulaExtCompletedEventArgs class 413	gelenBelgeleriIndirCompletedEventArgs 423
about gelenBelgeDurumSorgulaExtCompletedEventArgs class 413	Result 423
gelenBelgeDurumSorgulaExtCompletedEventArgs 413	gelenBelgeleriIndirExtCompletedEventArgs class 423
Result 414	about gelenBelgeleriIndirExtCompletedEventArgs class 423
gelenBelgeDurumv2 class 414	gelenBelgeleriIndirExtCompletedEventArgs 424
about gelenBelgeDurumv2 class 414	Result 424
siraNo 415	gelenBelgeleriListeleCompletedEventArgs class 424
yereleAktarimDurumu 415	about gelenBelgeleriListeleCompletedEventArgs class 424
gelenBelgeDurumv3 class 415	gelenBelgeleriListeleCompletedEventArgs 425
about gelenBelgeDurumv3 class 415	Result 425
kepDurum 416	gelenBelgeleriListeleExtCompletedEventArgs class 425
gelenBelgeDurumv4 class 416	about gelenBelgeleriListeleExtCompletedEventArgs class 425
about gelenBelgeDurumv4 class 416	gelenBelgeleriListeleExtCompletedEventArgs 426
gibIptalDurum 417	Result 426
gelenBelgeDurumv5 class 417	gelenBelgeParametreleri class 426
about gelenBelgeDurumv5 class 417	about gelenBelgeParametreleri class 426
yanitEtn 418	alanEtiket 427
gelenBelgeEkleriAICompletedEventArgs class 418	belgeFormati 427
about gelenBelgeEkleriAICompletedEventArgs class 418	belgelerAlindiMi 427
gelenBelgeEkleriAICompletedEventArgs 419	belgelerAlindiMiSpecified 427
Result 419	belgeTuru 427
gelenBelgeleriAICompletedEventArgs class 419	belgeVersiyon 428
about gelenBelgeleriAICompletedEventArgs class 419	donusTipiVersiyon 428
gelenBelgeleriAICompletedEventArgs 419	entegrasyonHedefi 428
Result 420	erpKodu 428
gelenBelgeleriAIExt2CompletedEventArgs class 420	ettn 428
about gelenBelgeleriAIExt2CompletedEventArgs class 420	faturaTarihiBaslangic 428
gelenBelgeleriAIExt2CompletedEventArgs 420	faturaTarihiBitis 428
Result 421	gelisTarihiBaslangic 428
gelenBelgeleriAIExt2Entry class 421	gelisTarihiBitis 428
about gelenBelgeleriAIExt2Entry class 421	gonderenEtiket 429
key 421	onayDurum 429
value 421	sonAlinanBelgeSiraNumarası 429
gelenBelgeleriAIExtCompletedEventArgs class 421	subeKodu 429
about gelenBelgeleriAIExtCompletedEventArgs class 421	vergiTcKimlikNo 429
gelenBelgeleriAIExtCompletedEventArgs 422	gelenBelgeTutarBilgileri class 429
Result 422	about gelenBelgeTutarBilgileri class 429
gelenBelgeleriIndirCompletedEventArgs class 422	belgeNo 430
about gelenBelgeleriIndirCompletedEventArgs class 422	belgeTarihi 430

ettn 430  
 gondericiVkn 430  
 kdv18Oran 430  
 kdv18Tutar 431  
 kdv1Oran 431  
 kdv1Tutar 431  
 kdv8Oran 431  
 kdv8Tutar 431  
 kdvTevkifatOran 431  
 kdvTevkifatTutari 431  
 kdvToplamTutari 431  
 kdvToplamTutariDovizCinsi 431  
 malHizmetToplamTutari 432  
 malHizmetToplamTutariDovizCinsi 432  
 odenecekTutar 432  
 odenecekTutarDovizCinsi 432  
 gelenBelgeTutarBilgileriSorgulaCompletedEventArgs class 432  
     about  
     gelenBelgeTutarBilgileriSorgulaCompletedEventArgs class 432  
     gelenBelgeTutarBilgileriSorgulaCompletedEventArgs 433  
     Result 433  
 gelenBelgeXmlleriniAICompletedEventArgs class 433  
     about gelenBelgeXmlleriniAICompletedEventArgs class 433  
     gelenBelgeXmlleriniAICompletedEventArgs 434  
     Result 434  
 gelenBelgeXmlleriniAIExtCompletedEventArgs class 434  
     about gelenBelgeXmlleriniAIExtCompletedEventArgs class 434  
     gelenBelgeXmlleriniAIExtCompletedEventArgs 435  
     Result 435  
 gelenStandartRapolariAICompletedEventArgs class 435  
     about gelenStandartRapolariAICompletedEventArgs class 435  
     gelenStandartRapolariAICompletedEventArgs 436  
     Result 436  
 gelenTamamlananRapolariAICompletedEventArgs class 436  
     about gelenTamamlananRapolariAICompletedEventArgs class 436  
     gelenTamamlananRapolariAICompletedEventArgs 437  
     Result 437  
 gelenTasinanBelgeleriIndirCompletedEventArgs class 437  
     about gelenTasinanBelgeleriIndirCompletedEventArgs class 437  
     gelenTasinanBelgeleriIndirCompletedEventArgs 438  
     Result 438  
 GeriDonus class 691  
     about GeriDonus class 691  
     Dosya 691  
     Tip 692  
 GeriDonus.cs 825  
 GibNumarasi class 692  
     about GibNumarasi class 692  
     RastgeleGibNumarasiOlusturFaturadan 692  
     RastgeleGibNumarasiOlusturMakbuzdan 693  
     RastgeleMetinOlustur 693  
 GibNumarasi.cs 826  
 gidenBelgeDurum class 438  
     about gidenBelgeDurum class 438  
     aciklama 439  
     alimTarihi 439  
     belgeNo 439  
     durum 439  
     ettm 439  
     gonderimCevabiDetayi 439  
     gonderimCevabiKodu 440  
     gonderimDurumu 440  
     gonderimTarihi 440  
     olusturulmaTarihi 440  
     yanitDetayi 440  
     yanitDurumu 440  
     yanitTarihi 440  
 gidenBelgeDurumParametreleri class 440  
     about gidenBelgeDurumParametreleri class 440  
     belgeNo 441  
     belgeNoList 441  
     belgeNoTipi 441  
     belgeTuru 441  
     donusTipiVersiyon 441  
 gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs class 441  
     about  
     gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs

class 441  
 gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs 442  
 Result 442  
 gidenBelgeDurumSorgulaCompletedEventArgs class 442  
 about gidenBelgeDurumSorgulaCompletedEventArgs class 442  
 gidenBelgeDurumSorgulaCompletedEventArgs 443  
 Result 443  
 gidenBelgeDurumSorgulaEttnCompletedEventArgs class 443  
 about gidenBelgeDurumSorgulaEttnCompletedEventArgs class 443  
 gidenBelgeDurumSorgulaEttnCompletedEventArgs 444  
 Result 444  
 gidenBelgeDurumSorgulaExtCompletedEventArgs class 444  
 about gidenBelgeDurumSorgulaExtCompletedEventArgs class 444  
 gidenBelgeDurumSorgulaExtCompletedEventArgs 445  
 Result 445  
 gidenBelgeDurumSorgulaPortalCompletedEventArgs class 445  
 about  
 gidenBelgeDurumSorgulaPortalCompletedEventArgs class 445  
 gidenBelgeDurumSorgulaPortalCompletedEventArgs 446  
 Result 446  
 gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs class 446  
 about  
 gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs class 446  
 gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs 447  
 Result 447  
 gidenBelgeDurumv2 class 447  
 about gidenBelgeDurumv2 class 447  
 ulastiMi 448  
 yenidenGonderilebilirMi 448  
 gidenBelgeDurumv3 class 448  
 about gidenBelgeDurumv3 class 448  
 yerelBelgeOid 449  
 gidenBelgeDurumv4 class 450  
 about gidenBelgeDurumv4 class 450  
 gtbFiliIhracatTarihi 451  
 gtbGcbTescilNo 451  
 gtbRefNo 451  
 gidenBelgeDurumv5 class 451  
 about gidenBelgeDurumv5 class 451  
 yanitEtn 452  
 yanitVerilenBelgeEtn 452  
 gidenBelgeDurumv6 class 452  
 about gidenBelgeDurumv6 class 452  
 kepDurum 454  
 gidenBelgeEkleriAICompletedEventArgs class 454  
 about gidenBelgeEkleriAICompletedEventArgs class 454  
 gidenBelgeEkleriAICompletedEventArgs 454  
 Result 455  
 gidenBelgelerDurumSorgulaPortalParametreleri class 455  
 about gidenBelgelerDurumSorgulaPortalParametreleri class 455  
 baslangicOlusturulmaTarihi 455  
 belgeEtnListesi 455  
 belgeTuru 456  
 belgeVersiyon 456  
 bitisOlusturulmaTarihi 456  
 faturaBaslangicTarihi 456  
 faturaBitisTarihi 456  
 vknTckn 456  
 gidenBelgeleriIndirCompletedEventArgs class 456  
 about gidenBelgeleriIndirCompletedEventArgs class 456  
 gidenBelgeleriIndirCompletedEventArgs 457  
 Result 457  
 gidenBelgeleriIndirEttnCompletedEventArgs class 457  
 about gidenBelgeleriIndirEttnCompletedEventArgs class 457  
 gidenBelgeleriIndirEttnCompletedEventArgs 458  
 Result 458  
 gidenBelgeleriIndirPortalCompletedEventArgs class 458  
 about gidenBelgeleriIndirPortalCompletedEventArgs class 458  
 gidenBelgeleriIndirPortalCompletedEventArgs 459  
 Result 459  
 gidenBelgeleriIndirPortalParametreleri class 459  
 about gidenBelgeleriIndirPortalParametreleri class 459  
 baslangicGonderimTarihi 460

belgeEttnListesi 460  
belgeFormati 460  
belgeTuru 460  
bitisGonderimTarihi 460  
faturaBaslangicTarihi 460  
faturaBitisTarihi 460  
kaynak 461  
pageCount 461  
vergiTcKimlikNo 461  
gidenBelgeleriListeleCompletedEventArgs class 461  
    about gidenBelgeleriListeleCompletedEventArgs class 461  
    gidenBelgeleriListeleCompletedEventArgs 461  
        Result 462  
gidenBelgeleriListeleData class 462  
    about gidenBelgeleriListeleData class 462  
    alimDurumu 462  
    alimZamani 463  
    belgeOid 463  
    belgeTarihi 463  
    belgeTuru 463  
    ettn 463  
    hataMesaji 463  
    islemYapanVkn 463  
    kaynak 463  
    kullaniciKodu 463  
    yerelBelgeNo 464  
gidenBelgeleriListeleParametreleri class 464  
    about gidenBelgeleriListeleParametreleri class 464  
    baslangicBelgeTarihi 464  
    baslangicGonderimTarihi 464  
    belgeTuru 465  
    bitisBelgeTarihi 465  
    bitisGonderimTarihi 465  
    vkn 465  
gidenBelgeleriListelePortalCompletedEventArgs class 465  
    about gidenBelgeleriListelePortalCompletedEventArgs class 465  
    gidenBelgeleriListelePortalCompletedEventArgs 466  
        Result 466  
gidenBelgeleriListelePortalData class 466

about gidenBelgeleriListelePortalData class 466  
alanEtiket 467  
alanSubeKodu 467  
alanVergiTcKimlikNo 467  
belgeNo 467  
belgeTarihi 467  
belgeTipi 467  
belgeTuru 468  
erpKodu 468  
ettn 468  
gonderenEtiket 468  
gonderenSubeKodu 468  
gonderimZamani 468  
islemYapanVkn 468  
kaynak 468  
kullaniciKodu 468  
gidenBelgeleriListelePortalDatav2 class 469  
    about gidenBelgeleriListelePortalDatav2 class 469  
    yanitEttn 469  
gidenBelgeleriListelePortalParametreleri class 470  
    about gidenBelgeleriListelePortalParametreleri class 470  
    baslangicGonderimTarihi 470  
    belgeEttnListesi 470  
    belgeTuru 470  
    belgeVersiyon 471  
    bitisGonderimTarihi 471  
    faturaBaslangicTarihi 471  
    faturaBitisTarihi 471  
    kaynak 471  
    pageCount 471  
    vergiTcKimlikNo 471  
gidenBelgeParametreleri class 471  
    about gidenBelgeParametreleri class 471  
    alanEtiket 472  
    belgeHash 472  
    belgeNo 472  
    belgeTuru 472  
    belgeVersiyon 473  
    donusTipiVersiyon 473  
    erpKodu 473  
    gonderenEtiket 473

MimeType 473	KdvTutari 4
subeKodu 473	KonaklamaVergisi 4
vergiTcKimlikNo 473	MalzemeFaturaAciklamasi 6
veri 473	Miktar 5
xsltAdi 474	PlakaNo 6
xsltVeri 474	SevkIrsaliyesiNo 6
gidenBelgeTutarBilgileri class 474	SevkIrsaliyeTarihi 6
about gidenBelgeTutarBilgileri class 474	Tonaj 5
belgeNo 475	YuklemeFormuNo 5
belgeTarihi 475	GidenFaturaDetayDTO.cs 827
ettn 475	GidenFaturaDTO class 6
kdv18Oran 475	about GidenFaturaDTO class 6
kdv18Tutar 475	Aciklama 9
kdv1Oran 475	Adres 9
kdv1Tutar 475	AltBirimAd 9
kdv8Oran 475	BankaAd 9
kdv8Tutar 476	BankaSube 9
kdvTevkifatOran 476	BelgeOid 10
kdvTevkifatTutari 476	CepTelefonNo 7
kdvToplamTutari 476	DuzenlemeTarihi 10
kdvToplamTutariDovizCinsi 476	EPostaAdresi 10
malHizmetToplamTutari 476	FaksNo 10
malHizmetToplamTutariDovizCinsi 476	FaturaGrupTuruKod 7
odenecekTutar 476	FaturaTuruKod 7
odenecekTutarDovizCinsi 476	FaturaTutari 8
gidenBelgeTutarBilgileriSorgulaCompletedEventArgs class 477	GercekKisiAd 8
about	GercekKisiSoyad 8
gidenBelgeTutarBilgileriSorgulaCompletedEventArgs class 477	GercekKisiTcKimlikNo 8
gidenBelgeTutarBilgileriSorgulaCompletedEventArgs 477	GibNumarasi 10
Result 477	GidenFaturald 10
GidenFaturaDetayDTO class 3	IbanNo 10
about GidenFaturaDetayDTO class 3	IkametgahAdresi 8
BirimFiyat 4	IIAd 11
FaturaUrunTuru 5	IlceAd 11
GibKisaltma 5	KdvHaricTutar 8
GidenFaturald 5	KdvTutari 8
IrsaliyeNo 5	KonaklamaVergisi 9
IskontoOran 4	SatisTuruKod 9
KdvHaricTutar 4	TelefonNo 11
KdvOran 4	TuzelKisiAd 11
	VergiDairesi 11

VergiNo 11

GidenFaturaDTO.cs 829

gidenTasinanBelgeleriIndirCompletedEventArgs class 478

    about gidenTasinanBelgeleriIndirCompletedEventArgs class 478

    gidenTasinanBelgeleriIndirCompletedEventArgs 478

    Result 478

## H

Harcirah enumeration member 690

Hesaben enumeration member 691

HTML enumeration member 216, 652

Iade enumeration member 690

IhracKayitli enumeration member 691

Imalatcilhracatci enumeration member 691

IRSALIYE enumeration member 498

irsaliyeTarihcesiData class 478

    about irsaliyeTarihcesiData class 478

    bagliKayitId 479

    irsaliyeEtn 479

    islem 479

    islemAciklama 480

    islemKanali 480

    islemKanaliAciklama 480

    islemSonucu 480

    islemZamani 480

    kullanici 480

    kullanicilp 480

    zarfEtn 480

    irsaliyeTarihcesiSorgulaCompletedEventArgs class 480

        about irsaliyeTarihcesiSorgulaCompletedEventArgs class 480

        irsaliyeTarihcesiSorgulaCompletedEventArgs 481

    Result 481

IstirakeSatilan enumeration member 691

IstirakeSatilanRezervli enumeration member 691

## J

JSON enumeration member 216, 652

## K

kalanKontorBilgisi class 481

    about kalanKontorBilgisi class 481

    kalan 482

    kalanSpecified 482

    kontorBirim 482

    kontorBirimSpecified 482

    kontorTipi 483

    kontorTipiSpecified 483

    limitAsimMiktari 483

    limitAsimMiktariSpecified 483

    toplamlAlinan 483

    toplamlAlinanSpecified 483

    vknTckn 483

Kantin enumeration member 690

kayitliKullaniciListeleExtendedCompletedEventArgs class 483

    about  
    kayitliKullaniciListeleExtendedCompletedEventArgs class 483

    kayitliKullaniciListeleExtendedCompletedEventArgs 484

    Result 484

kayitliKullaniciListeleExtendedTimeCompletedEventArgs class 484

    about  
    kayitliKullaniciListeleExtendedTimeCompletedEventArgs class 484

    kayitliKullaniciListeleExtendedTimeCompletedEventArgs 485

    Result 485

kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs class 485

    about  
    kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs class 485

    kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs 486

    Result 486

KEP enumeration member 498

KEPSMS enumeration member 498

kontorAzaltResp class 486

    about kontorAzaltResp class 486

kanalTipi 487  
 kontorAzaldi 487  
 kontorTipi 487  
 miktar 487  
 miktarSpecified 487  
 odemeTipi 487  
 paketTipi 488  
 vkn 488  
**kontorBilgisiGetir** class 168, 553  
 about kontorBilgisiGetir class 168, 553  
 kontorBirim 168, 554  
 kontorTipi 168, 554  
 vknTckn 168, 554  
**kontorBilgisiGetirCompletedEventArgs** class 168, 488, 554  
 about kontorBilgisiGetirCompletedEventArgs class 168, 488, 554  
 kontorBilgisiGetirCompletedEventArgs 169, 488, 555  
 Result 169, 489, 555  
**kontorBilgisiGetirResponse** class 169, 555  
 @return 170, 555  
 about kontorBilgisiGetirResponse class 169, 555  
**Kuspe** enumeration member 690

**M**

Malzeme enumeration member 690  
**MB** enumeration member 497  
**Melas** enumeration member 690  
**MesajSabitler** class 694  
 about MesajSabitler class 694  
 IslemBasarili 694  
 IslemBasarisiz 694  
 MesajBasligi 694  
**MesajSabitler.cs** 831  
**MMK** enumeration member 498  
**Muhtelif** enumeration member 690  
**mukellefEFaturaKayit** class 489  
 about mukellefEFaturaKayit class 489  
 efaturaKullaniciListesi 489  
 vergiTcKimlikNo 489  
**mustahsilMakbuzIptalEt** class 556  
 about mustahsilMakbuzIptalEt class 556

input 556  
**mustahsilMakbuzIptalEtCompletedEventArgs** class 556  
 about mustahsilMakbuzIptalEtCompletedEventArgs class 556  
**mustahsilMakbuzIptalEtCompletedEventArgs** 557  
 Result 557  
**mustahsilMakbuzIptalEtResponse** class 557  
 @return 557  
 about mustahsilMakbuzIptalEtResponse class 557  
**mustahsilMakbuzIptaliKaldır** class 558  
 about mustahsilMakbuzIptaliKaldır class 558  
 input 558  
**mustahsilMakbuzIptaliKaldırCompletedEventArgs** class 558  
 about mustahsilMakbuzIptaliKaldırCompletedEventArgs class 558  
**mustahsilMakbuzIptaliKaldırCompletedEventArgs** 559  
 Result 559  
**mustahsilMakbuzIptaliKaldırResponse** class 559  
 @return 559  
 about mustahsilMakbuzIptaliKaldırResponse class 559  
**mustahsilMakbuzListeSorgula** class 560  
 about mustahsilMakbuzListeSorgula class 560  
 input 560  
**mustahsilMakbuzListeSorgulaCompletedEventArgs** class 560  
 about mustahsilMakbuzListeSorgulaCompletedEventArgs class 560  
**mustahsilMakbuzListeSorgulaCompletedEventArgs** 561  
 output 561  
 Result 561  
**mustahsilMakbuzListeSorgulaPortal** class 561  
 about mustahsilMakbuzListeSorgulaPortal class 561  
 input 562  
**mustahsilMakbuzListeSorgulaPortalCompletedEventArgs** class 562  
 about mustahsilMakbuzListeSorgulaPortalCompletedEventArgs class 562  
**mustahsilMakbuzListeSorgulaPortalCompletedEventArgs** 562  
 output 563  
 Result 563  
**mustahsilMakbuzListeSorgulaPortalResponse** class 563  
 @return 563

about mustahsilMakbuzListeSorgulaPortalResponse  
class 563  
output 563

mustahsilMakbuzListeSorgulaResponse class 563  
@return 564  
about mustahsilMakbuzListeSorgulaResponse class 563  
output 564

mustahsilMakbuzOlustur class 564  
about mustahsilMakbuzOlustur class 564  
belge 565  
input 565

mustahsilMakbuzOlusturEventArgs class 565  
@return 566  
about mustahsilMakbuzOlusturEventArgs class 565  
mustahsilMakbuzOlusturEventArgs 565  
Result 566

mustahsilMakbuzOnizleme class 566  
about mustahsilMakbuzOnizleme class 566  
belge 566  
input 566

mustahsilMakbuzOnizlemeEventArgs class 566  
@return 567  
about mustahsilMakbuzOnizlemeEventArgs class 566  
mustahsilMakbuzOnizlemeEventArgs 567  
Result 567

mustahsilMakbuzSorgula class 567  
about mustahsilMakbuzSorgula class 567  
input 568

mustahsilMakbuzSorgulaEventArgs class 568  
@return 569  
about mustahsilMakbuzSorgulaEventArgs class 568  
mustahsilMakbuzSorgulaEventArgs 569  
Result 569

mustahsilMakbuzTaslakOlustur class 569  
about mustahsilMakbuzTaslakOlustur class 569  
belge 570  
input 570

mustahsilMakbuzTaslakOlusturEventArgs class 570  
about  
mustahsilMakbuzTaslakOlusturEventArgs  
class 570  
mustahsilMakbuzTaslakOlusturEventArgs 570  
Result 571

mustahsilMakbuzTaslakOlusturResponse class 571  
@return 571  
about mustahsilMakbuzTaslakOlusturResponse class 571

mustahsilMakbuzTaslakOnizleme class 571  
about mustahsilMakbuzTaslakOnizleme class 571  
input 572

mustahsilMakbuzTaslakOnizlemeEventArgs class 572  
about  
mustahsilMakbuzTaslakOnizlemeEventArgs  
class 572  
mustahsilMakbuzTaslakOnizlemeEventArgs 572  
output 573  
Result 573

mustahsilMakbuzTaslakOnizlemeResponse class 573  
@return 573  
about mustahsilMakbuzTaslakOnizlemeResponse class 573  
output 573

mustahsilMakbuzTaslakSil class 574  
about mustahsilMakbuzTaslakSil class 574  
input 574

mustahsilMakbuzTaslakSilEventArgs class 574  
about mustahsilMakbuzTaslakSilEventArgs  
class 574  
mustahsilMakbuzTaslakSilEventArgs 575  
Result 575

mustahsilMakbuzTaslakSilResponse class 575  
@return 575  
about mustahsilMakbuzTaslakSilResponse class 575

mustahsilMakbuzTaslakSorgula class 576  
about mustahsilMakbuzTaslakSorgula class 576  
input 576

mustahsilMakbuzTaslakSorgulaEventArgs class 576  
about  
mustahsilMakbuzTaslakSorgulaEventArgs  
class 576  
mustahsilMakbuzTaslakSorgulaEventArgs 577

output 577	MakbuzGrupTuruKod 14
Result 577	MustahsilMakbuzuld 16
mustahsilMakbuzTaslakSorgulaResponse class 577	MustahsilMakbuzuNo 16
@return 578	MustahsilMakbuzuTarihi 16
about mustahsilMakbuzTaslakSorgulaResponse class 577	MustahsilMakbuzuTutari 14
output 578	NetTutar 15
mustahsilMakbuzTaslaktanOlustur class 578	TuzelKisiAd 16
about mustahsilMakbuzTaslaktanOlustur class 578	VergiDairesi 17
input 578	VergiNo 17
mustahsilMakbuzTaslaktanOlusturCompletedEventArgs class 578	MustahsilMakbuzuDTO.cs 833
@return 579	MustahsilWebService class 579
about	about MustahsilWebService class 579
mustahsilMakbuzTaslaktanOlusturCompletedEventArgs class 578	belgeZipiAI 585
mustahsilMakbuzTaslaktanOlusturCompletedEventArgs 579	belgeZipiAIAsync 586
Result 579	belgeZipiAICompleted 623
MustahsilMakbuzuDetayDTO class 11	CancelAsync 586
about MustahsilMakbuzuDetayDTO class 11	ePostaDurumSorgula 586
BirimFiyat 12	ePostaDurumSorgulaAsync 587
GelirVergisi 12	ePostaDurumSorgulaCompleted 623
GibKisaltma 13	ePostaGonder 587
IsinMahiyeti 13	ePostaGonderAsync 588
Miktar 12	ePostaGonderCompleted 623
MustahsilMakbuzuld 13	IsLocalFileSystemWebService 589
NetTutar 12	kontorBilgisiGetir 589
ToplamTutar 13	kontorBilgisiGetirAsync 590
MustahsilMakbuzuDetayDTO.cs 832	kontorBilgisiGetirCompleted 623
MustahsilMakbuzuDTO class 13	mustahsilMakbuzIptalEt 590
about MustahsilMakbuzuDTO class 13	mustahsilMakbuzIptalEtAsync 591
Adres 15	mustahsilMakbuzIptalEtCompleted 624
AltBirimAd 15	mustahsilMakbuzIptaliKaldır 591
BankaAd 15	mustahsilMakbuzIptaliKaldırAsync 592
BankaSube 15	mustahsilMakbuzIptaliKaldırCompleted 624
EPostaAdresi 15	mustahsilMakbuzListeSorgula 592
FaksNo 15	mustahsilMakbuzListeSorgulaAsync 593
GelirVergisi 14	mustahsilMakbuzListeSorgulaCompleted 624
IbanNo 16	mustahsilMakbuzListeSorgulaPortal 593
IlAd 16	mustahsilMakbuzListeSorgulaPortalAsync 594
IlceAd 16	mustahsilMakbuzListeSorgulaPortalCompleted 624
	mustahsilMakbuzOlustur 594
	mustahsilMakbuzOlusturAsync 595
	mustahsilMakbuzOlusturCompleted 624

mustahsilMakbuzOnizleme 595  
 mustahsilMakbuzOnizlemeAsync 596  
 mustahsilMakbuzOnizlemeCompleted 624  
 mustahsilMakbuzSorgula 596  
 mustahsilMakbuzSorgulaAsync 597  
 mustahsilMakbuzSorgulaCompleted 624  
 mustahsilMakbuzTaslakOlustur 597  
 mustahsilMakbuzTaslakOlusturAsync 598  
 mustahsilMakbuzTaslakOlusturCompleted 624  
 mustahsilMakbuzTaslakOnizleme 598  
 mustahsilMakbuzTaslakOnizlemeAsync 599  
 mustahsilMakbuzTaslakOnizlemeCompleted 624  
 mustahsilMakbuzTaslakSil 599  
 mustahsilMakbuzTaslakSilAsync 600  
 mustahsilMakbuzTaslakSilCompleted 624  
 mustahsilMakbuzTaslakSorgula 600  
 mustahsilMakbuzTaslakSorgulaAsync 601  
 mustahsilMakbuzTaslakSorgulaCompleted 624  
 mustahsilMakbuzTaslaktanOlustur 601  
 mustahsilMakbuzTaslaktanOlusturAsync 602  
 mustahsilMakbuzTaslaktanOlusturCompleted 625  
 MustahsilWebService 585  
 OnbelgeZipiAIOperationCompleted 602  
 OnePostaDurumSorgulaOperationCompleted 603  
 OnePostaGonderOperationCompleted 603  
 OnkontorBilgisiGetirOperationCompleted 603  
 OnmustahsilMakbuzIptalEtOperationCompleted 603  
 OnmustahsilMakbuzIptaliKaldirOperationCompleted 604  
 OnmustahsilMakbuzListeSorgulaOperationCompleted 604  
 OnmustahsilMakbuzListeSorgulaPortalOperationCompleted  
 604  
 OnmustahsilMakbuzOlusturOperationCompleted 605  
 OnmustahsilMakbuzOnizlemeOperationCompleted 605  
 OnmustahsilMakbuzSorgulaOperationCompleted 605  
 OnmustahsilMakbuzTaslakOlusturOperationCompleted  
 606  
 OnmustahsilMakbuzTaslakOnizlemeOperationCompleted  
 606  
 OnmustahsilMakbuzTaslakSilOperationCompleted 606  
 OnmustahsilMakbuzTaslakSorgulaOperationCompleted  
 606

OnmustahsilMakbuzTaslaktanOlusturOperationComplete  
 d  
 607  
 OnraporBolumAIOperationCompleted 607  
 OnraporBolumBilgisiAIOperationCompleted 607  
 OnraporBolumleriOlusturOperationCompleted 608  
 OnraporBolumListesiDetyaliSorgulaOperationCompleted  
 608  
 OnraporBolumListesiSorgulaOperationCompleted 608  
 OnraporBolumRaporNoGuncellelmzalaOperationComplet  
 ed  
 609  
 OnraporBolumSilOperationCompleted 609  
 OnrapordaBelgeSorgulaOperationCompleted 609  
 OnraporDurumSorgulaOperationCompleted 609  
 OnraporGonderOperationCompleted 610  
 OnsmsDurumSorgulaOperationCompleted 610  
 OnsmsGonderOperationCompleted 610  
 raporBolumAI 611  
 raporBolumAIAsync 611  
 raporBolumAICompleted 625  
 raporBolumBilgisiAI 612  
 raporBolumBilgisiAIAsync 612  
 raporBolumBilgisiAICompleted 625  
 raporBolumleriOlustur 613  
 raporBolumleriOlusturAsync 613, 614  
 raporBolumleriOlusturCompleted 625  
 raporBolumListesiDetyaliSorgula 614  
 raporBolumListesiDetyaliSorgulaAsync 614, 615  
 raporBolumListesiDetyaliSorgulaCompleted 625  
 raporBolumListesiSorgula 615  
 raporBolumListesiSorgulaAsync 615, 616  
 raporBolumListesiSorgulaCompleted 625  
 raporBolumRaporNoGuncellelmzala 616  
 raporBolumRaporNoGuncellelmzalaAsync 616, 617  
 raporBolumRaporNoGuncellelmzalaCompleted 625  
 raporBolumSil 617  
 raporBolumSilAsync 617, 618  
 raporBolumSilCompleted 625  
 rapordaBelgeSorgula 618  
 rapordaBelgeSorgulaAsync 618  
 rapordaBelgeSorgulaCompleted 625

raporDurumSorgula 619

raporDurumSorgulaAsync 619

raporDurumSorgulaCompleted 625

raporGonder 620

raporGonderAsync 620

raporGonderCompleted 625

smsDurumSorgula 621

smsDurumSorgulaAsync 621

smsDurumSorgulaCompleted 626

smsGonder 622

smsGonderAsync 622, 623

smsGonderCompleted 626

Url 623

UseDefaultCredentials 623

## N

NoterlikMakbuzu enumeration member 690

## O

OKC enumeration member 498

okcRaporBolumAI class 170

    about okcRaporBolumAI class 170

    input 170

okcRaporBolumAICompletedEventArgs class 170

    @return 171

    about okcRaporBolumAICompletedEventArgs class 170

okcRaporBolumAICompletedEventArgs 171

    Result 171

okcRaporKaydet class 171

    about okcRaporKaydet class 171

    input 172

    rapor 172

okcRaporKaydetCompletedEventArgs class 172

    about okcRaporKaydetCompletedEventArgs class 172

okcRaporKaydetCompletedEventArgs 172

    Result 173

okcRaporKaydetResponse class 173

    @return 173

    about okcRaporKaydetResponse class 173

okcRaporOlusturGonder class 173

    about okcRaporOlusturGonder class 173

    input 174

okcRaporOlusturGonderCompletedEventArgs class 174

    about okcRaporOlusturGonderCompletedEventArgs class 174

    okcRaporOlusturGonderCompletedEventArgs 174

    Result 175

okcRaporOlusturGonderResponse class 175

    @return 175

    about okcRaporOlusturGonderResponse class 175

## P

PancarKuyrugu enumeration member 690

PDF enumeration member 216, 652

PDF\_CSXML1 enumeration member 216, 652

PDF\_CSXML2 enumeration member 216, 652

PDF\_CSXML3 enumeration member 216, 652

PDF\_CUSTOM enumeration member 216, 652

PDF\_UBL enumeration member 216, 652

Personel enumeration member 690

PersoneleSatilan enumeration member 691

Pesin enumeration member 691

PORTAL enumeration member 498

Proforma enumeration member 690

Program class 780

    about Program class 780

    Main 781

Program.cs 834

## Q

QNBFinansGIB 1

QNBFinansGIB namespace 1

    Classes 752

QNBFinansGIB.csproj 835

QNBFinansGIB.DTO 1

QNBFinansGIB.DTO namespace 1

    Classes 2

QNBFinansGIB.DTO.FaturaKdvDTO 2

QNBFinansGIB.DTO.FaturaKdvDTO.KdvHaricTutar 2

QNBFinansGIB.DTO.FaturaKdvDTO.KdvOran 3

QNBFinansGIB.DTO.FaturaKdvDTO.KdvTutari 3

QNBFinansGIB.DTO.GidenFaturaDetayDTO 3	QNBFinansGIB.DTO.GidenFaturaDTO.GercekKisiTcKimlikNo 8
QNBFinansGIB.DTO.GidenFaturaDetayDTO.BirimFiyat 4	QNBFinansGIB.DTO.GidenFaturaDTO.GibNumarasi 10
QNBFinansGIB.DTO.GidenFaturaDetayDTO.FaturaUrunTuru 5	QNBFinansGIB.DTO.GidenFaturaDTO.GidenFaturald 10
QNBFinansGIB.DTO.GidenFaturaDetayDTO.GibKisaltma 5	QNBFinansGIB.DTO.GidenFaturaDTO.IbanNo 10
QNBFinansGIB.DTO.GidenFaturaDetayDTO.GidenFaturald 5	QNBFinansGIB.DTO.GidenFaturaDTO.IkametgahAdresi 8
QNBFinansGIB.DTO.GidenFaturaDetayDTO.IrsaliyeNo 5	QNBFinansGIB.DTO.GidenFaturaDTO.IIAd 11
QNBFinansGIB.DTO.GidenFaturaDetayDTO.IskontoOran 4	QNBFinansGIB.DTO.GidenFaturaDTO.IlceAd 11
QNBFinansGIB.DTO.GidenFaturaDetayDTO.KdvHaricTutar 4	QNBFinansGIB.DTO.GidenFaturaDTO.KdvHaricTutar 8
QNBFinansGIB.DTO.GidenFaturaDetayDTO.KdvOran 4	QNBFinansGIB.DTO.GidenFaturaDTO.KdvTutari 8
QNBFinansGIB.DTO.GidenFaturaDetayDTO.KdvTutari 4	QNBFinansGIB.DTO.GidenFaturaDTO.KonaklamaVergisi 9
QNBFinansGIB.DTO.GidenFaturaDetayDTO.KonaklamaVergi si 4	QNBFinansGIB.DTO.GidenFaturaDTO.SatisTuruKod 9
QNBFinansGIB.DTO.GidenFaturaDetayDTO.MalzemeFatura Aciklamasi 6	QNBFinansGIB.DTO.GidenFaturaDTO.TelponNo 11
QNBFinansGIB.DTO.GidenFaturaDetayDTO.Miktar 5	QNBFinansGIB.DTO.GidenFaturaDTO.TuzelKisiAd 11
QNBFinansGIB.DTO.GidenFaturaDetayDTO.PlakaNo 6	QNBFinansGIB.DTO.GidenFaturaDTO.VergiDairesi 11
QNBFinansGIB.DTO.GidenFaturaDetayDTO.SevkiIrsaliyesiNo 6	QNBFinansGIB.DTO.GidenFaturaDTO.VergiNo 11
QNBFinansGIB.DTO.GidenFaturaDetayDTO.SevkiIrsaliyeTari hi 6	QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO 11
QNBFinansGIB.DTO.GidenFaturaDetayDTO.Tonaj 5	QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO.BirimFiyat 12
QNBFinansGIB.DTO.GidenFaturaDetayDTO.YuklemeFormuN o 5	QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO.GelirVergi si 12
QNBFinansGIB.DTO.GidenFaturaDTO 6	QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO.GibKisaltm a 13
QNBFinansGIB.DTO.GidenFaturaDTO.Aciklama 9	QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO.IsinMahiye ti 13
QNBFinansGIB.DTO.GidenFaturaDTO.Adres 9	QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO.Miktar 12
QNBFinansGIB.DTO.GidenFaturaDTO.AltBirimAd 9	QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO.Mustahsil Makbuzuld 13
QNBFinansGIB.DTO.GidenFaturaDTO.BankaAd 9	QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO.NetTutar 12
QNBFinansGIB.DTO.GidenFaturaDTO.BankaSube 9	QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO.ToplamTut ar 13
QNBFinansGIB.DTO.GidenFaturaDTO.BelgeOid 10	QNBFinansGIB.DTO.MustahsilMakbuzuDTO 13
QNBFinansGIB.DTO.GidenFaturaDTO.CepTelefonNo 7	QNBFinansGIB.DTO.MustahsilMakbuzuDTO.Adres 15
QNBFinansGIB.DTO.GidenFaturaDTO.DuzenlemeTarihi 10	QNBFinansGIB.DTO.MustahsilMakbuzuDTO.AltBirimAd 15
QNBFinansGIB.DTO.GidenFaturaDTO.EPostaAdresi 10	QNBFinansGIB.DTO.MustahsilMakbuzuDTO.BankaAd 15
QNBFinansGIB.DTO.GidenFaturaDTO.FaksNo 10	QNBFinansGIB.DTO.MustahsilMakbuzuDTO.BankaSube 15
QNBFinansGIB.DTO.GidenFaturaDTO.FaturaGrupTuruKod 7	QNBFinansGIB.DTO.MustahsilMakbuzuDTO.EPostaAdresi 15
QNBFinansGIB.DTO.GidenFaturaDTO.FaturaTuruKod 7	QNBFinansGIB.DTO.MustahsilMakbuzuDTO.FaksNo 15
QNBFinansGIB.DTO.GidenFaturaDTO.FaturaTutari 8	QNBFinansGIB.DTO.MustahsilMakbuzuDTO.GelirVergisi 14
QNBFinansGIB.DTO.GidenFaturaDTO.GercekKisiAd 8	
QNBFinansGIB.DTO.GidenFaturaDTO.GercekKisiSoyad 8	

QNBFinansGIB.DTO.MustahsilMakbuzuDTO.IbanNo	16	QNBFinansGIB.frmAnaSayfa.frmAnaSayfa	753
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.IlAd		QNBFinansGIB.frmAnaSayfa.frmAnaSayfa_FormClosed	775
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.IlceAd	16	QNBFinansGIB.frmAnaSayfa.InitializeComponent	775
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.MakbuzGrupTur		QNBFinansGIB.frmAnaSayfa.listBox_DrawItem	779
uKod		QNBFinansGIB.frmAnaSayfa.listBox_MeasureItem	779
14		QNBFinansGIB.frmAnaSayfa.ZipDosyasindanPdfCikar	780
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.MustahsilMakbu		QNBFinansGIB.GIBEArsiv	17
zuld		QNBFinansGIB.GIBEArsiv namespace	17
16		Classes	23
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.MustahsilMakbu		Structs, Records, Enums	215
zuNo		Types	216
16		QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelle	27
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.MustahsilMakbu		QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelle.inputGu	
zuTarihi	16	nccellenenekEposta	
14		27	
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.NetTutar	15	QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelle.inputSili	
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.TuzelKisiAd	16	necekEposta	
27		27	
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.VergiDairesi	17	QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleComplet	
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.VergiNo	17	edEventArgs	
752		28	
QNBFinansGIB.frmAnaSayfa	752	QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleComplet	
QNBFinansGIB.frmAnaSayfa.btnBelgeOidKontrol_Click	754	edEventArgs.aliciEpostaEkleSilGuncelleCompletedEventArgs	
QNBFinansGIB.frmAnaSayfa.btnEFaturaKullaniciListeAktar_C		28	
lick		QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleComplet	
754		edEventArgs.Result	
QNBFinansGIB.frmAnaSayfa.btnEFaturaKullaniciListesi_Click	755	28	
QNBFinansGIB.frmAnaSayfa.btnEFaturaKullaniciListesiTemizl		QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleComplet	
e_Click		edEventHandler	
756		218	
QNBFinansGIB.frmAnaSayfa.btnFaturaSil_Click	756	QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleComplet	
QNBFinansGIB.frmAnaSayfa.btnGIBOnizleme_Click	757	edEventHandler	
QNBFinansGIB.frmAnaSayfa.btnGIBOnizlemeMustahsil_Click	758	type	218
QNBFinansGIB.frmAnaSayfa.btnMakbuzSil_Click	759	QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleRespon	
QNBFinansGIB.frmAnaSayfa.btnServiseGonder_Click	760	se	
QNBFinansGIB.frmAnaSayfa.btnServiseGonderMustahsil_Cli		28	
ck		QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleRespon	
762		se.@return	
QNBFinansGIB.frmAnaSayfa.btnXmlOlustur_Click	763	29	
QNBFinansGIB.frmAnaSayfa.btnXmlOlusturMustahsil_Click	764	QNBFinansGIB.GIBEArsiv.belge	29
QNBFinansGIB.frmAnaSayfa.Dispose	765	QNBFinansGIB.GIBEArsiv.belge.belgeFormati	30
QNBFinansGIB.frmAnaSayfa.FormAnaSayfa_Shown	765	QNBFinansGIB.GIBEArsiv.belge.belgeFormatiSpecified	30
		QNBFinansGIB.GIBEArsiv.belge.belgeFormatiCerigi	30
		QNBFinansGIB.GIBEArsiv.belgeFormatiEnum	216
		QNBFinansGIB.GIBEArsiv.belgeFormatiEnum enumeration	216
		QNBFinansGIB.GIBEArsiv.belgeOutputWrapper	30

QNBFinansGIB.GIBEArsiv.belgeOutputWrapper.@return 30	ullaniciListeleCompleted 107
QNBFinansGIB.GIBEArsiv.belgeOutputWrapper.output 30	QNBFinansGIB.GIBEArsiv.EarsivWebService.efaturaKullanici si
QNBFinansGIB.GIBEArsiv.dosyalnput 31	45
QNBFinansGIB.GIBEArsiv.dosyalnput.belgelcerigi 31	QNBFinansGIB.GIBEArsiv.EarsivWebService.efaturaKullanici siAsync 45, 46
QNBFinansGIB.GIBEArsiv.dosyalnput.genelBelgeFormatEnu m 31	QNBFinansGIB.GIBEArsiv.EarsivWebService.efaturaKullanici siCompleted 108
QNBFinansGIB.GIBEArsiv.dosyalnput.genelBelgeFormatEnu mSpecified 31	QNBFinansGIB.GIBEArsiv.EarsivWebService.efaturaKullanici siKontrol 46
QNBFinansGIB.GIBEArsiv.doubleStringOutputWrapper 31	QNBFinansGIB.GIBEArsiv.EarsivWebService.efaturaKullanici siKontrolAsync 46
QNBFinansGIB.GIBEArsiv.doubleStringOutputWrapper.@retu rn 32	QNBFinansGIB.GIBEArsiv.EarsivWebService.efaturaKullanici siKontrolCompleted 108
QNBFinansGIB.GIBEArsiv.doubleStringOutputWrapper.output Durum 32	QNBFinansGIB.GIBEArsiv.EarsivWebService.ePostaDurums orgula 47
QNBFinansGIB.GIBEArsiv.doubleStringOutputWrapper.output Eposta 32	QNBFinansGIB.GIBEArsiv.EarsivWebService.ePostaDurums orgulaAsyc 47, 48
QNBFinansGIB.GIBEArsiv.earsivServiceResult 32	QNBFinansGIB.GIBEArsiv.EarsivWebService.ePostaDurums orgulaCompleted 108
QNBFinansGIB.GIBEArsiv.earsivServiceResult.resultCode 33	QNBFinansGIB.GIBEArsiv.EarsivWebService.ePostaGonder 48
QNBFinansGIB.GIBEArsiv.earsivServiceResult.resultExtra 33	QNBFinansGIB.GIBEArsiv.EarsivWebService.ePostaGonderA sync 49
QNBFinansGIB.GIBEArsiv.earsivServiceResult.resultText 33	QNBFinansGIB.GIBEArsiv.EarsivWebService.ePostaGonderC ompleted 108
QNBFinansGIB.GIBEArsiv.earsivServiceResultEntry 33	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturalptalEt 49
QNBFinansGIB.GIBEArsiv.earsivServiceResultEntry.key 34	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturalptalEtAsy nc 50
QNBFinansGIB.GIBEArsiv.earsivServiceResultEntry.value 34	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturalptaliKaldi r 50
QNBFinansGIB.GIBEArsiv.EarsivWebService 34	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturalptaliKaldi rAsync 51
QNBFinansGIB.GIBEArsiv.EarsivWebService.aliciEpostaEkle SilGuncelle 43	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturalptaliKaldi rCompleted 108
QNBFinansGIB.GIBEArsiv.EarsivWebService.aliciEpostaEkle SilGuncelleAsyc 43	
QNBFinansGIB.GIBEArsiv.EarsivWebService.aliciEpostaEkle SilGuncelleCompleted 107	
QNBFinansGIB.GIBEArsiv.EarsivWebService.CancelAsync 44	
QNBFinansGIB.GIBEArsiv.EarsivWebService.EarsivWebServ ice 42	
QNBFinansGIB.GIBEArsiv.EarsivWebService.eFaturaKayitliK ullaniciListele 44	
QNBFinansGIB.GIBEArsiv.EarsivWebService.eFaturaKayitliK ullaniciListeleAsync 44, 45	
QNBFinansGIB.GIBEArsiv.EarsivWebService.eFaturaKayitliK	

QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaltirazEtync	51	ync	
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaltirazEtAsync	52	58	
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaltirazEtCompleted	108	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOlusturCompleted	109
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaltirazKaldır	52	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOlusturEx	58
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaltirazKaldi	52, 53	t	
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaltirazKaldi	108	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOlusturEx	59
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaltirazKaldi	53	tAsync	
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaltirazKaldi	53, 54	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOlusturEx	109
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgula	108	tCompleted	
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgula	53	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOnizleme	59
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgula	54	Async	
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgula	54, 55	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOnizleme	60
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgula	108	Completed	
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgula	54	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaSorgula	60
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgula	54, 55	Async	
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgula	108	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaSorgulaAs	61
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgula	55	ync	
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgula	55, 56	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaSorgulaC	61
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgula	108	ompleted	
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgula	55	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaSorgulaEx	62
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgula	55, 56	t	
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgula	108	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaSorgulaEx	62
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaNoUret	56	tAsync	
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaNoUretAsync	56, 57	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaSorgulaEx	63
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaNoUretCo	109	tCompleted	
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOlustur	57	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakOlu	62
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOlusturAs		stur	

64	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakOnizlemeCompleted	QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporBolumAIAsync
109		70, 71
64	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakSil	QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporBolumAICompleted
65		110
65	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakSilAsync	QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporKaydet
109		71
65	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakSilCompleted	QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporKaydetAsync
109		72
66	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakSorgula	QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporKaydetCompleted
66		110
66	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakSorgulaAsync	QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporOlusturGonder
109		72
66	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakSorgulaCompleted	QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporOlusturGonderAsync
109		73
66	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslaktanOlustur	QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporOlusturGonderCompleted
66		110
67	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslaktanOlusturAsync	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnaliciEpostaEkleSilGuncelleOperationCompleted
67		73
109	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslaktanOlusturCompleted	QNBFinansGIB.GIBEArsiv.EarsivWebService.OneFaturaKayitliKullaniciListeleOperationCompleted
109		73
68	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaZipiAI	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnefaturaKullanicisiKontrolOperationCompleted
68		74
109	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaZipiAICompleted	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnefaturaKullanicisiOperationCompleted
109		74
68	QNBFinansGIB.GIBEArsiv.EarsivWebService.lsLocalFileSystemWebService	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnePostaDurmSorgulaOperationCompleted
68		74
69	QNBFinansGIB.GIBEArsiv.EarsivWebService.kontorBilgisiGetir	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnePostaGonderOperationCompleted
69		74
69, 70	QNBFinansGIB.GIBEArsiv.EarsivWebService.kontorBilgisiGetirAsync	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturalptaliEtOperationCompleted
69, 70		75
110	QNBFinansGIB.GIBEArsiv.EarsivWebService.kontorBilgisiGetirCompleted	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturalptaliKaldırOperationCompleted
110		75
70	QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporBolumAI	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaltirazEtOperationCompleted
70		75
		QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaltirazKaldırOperationCompleted

76	ydetOperationCompleted
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaListeSorgulaCountOperationCompleted 76	81
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaListeSorgulaOperationCompleted 76	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnokcRaporOlusturGonderOperationCompleted 81
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaListeSorgulaPortalOperationCompleted 77	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnraporBolumAIOperationCompleted 82
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaNoUretOperationCompleted 77	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnraporBolumBilgisiAIOperationCompleted 82
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaOlusturExtOperationCompleted 77	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnraporBolumEriOlusturOperationCompleted 82
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaOlusturOperationCompleted 77	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnraporBolumListesiDetayliSorgulaOperationCompleted 83
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaOnizlemeOperationCompleted 78	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnraporBolumListesiSorgulaOperationCompleted 83
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaSorgulaExtOperationCompleted 78	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnraporBolumListesiSorgulaWithInputOperationCompleted 83
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaSorgulaOperationCompleted 78	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnraporBolumRaporNoGuncellelmzalaOperationCompleted 83
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaTaslakOlusturOperationCompleted 79	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnraporBolumSilOperationCompleted 84
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaTaslakOnizlemeOperationCompleted 79	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnrapordaFaturaSorgulaOperationCompleted 84
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaTaslakSilOperationCompleted 79	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnraporDurumSorgulaOperationCompleted 84
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaTaslakSorgulaOperationCompleted 80	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnraporGonderOperationCompleted 85
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaTaslaktanOlusturOperationCompleted 80	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnservisSaglayicidanEpostaDurumSorgulaOperationCompleted 85
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnfaturaZipiAIOperationCompleted 80	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnsmsDurumSorgulaOperationCompleted 85
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnkontorBilgiGetirOperationCompleted 80	QNBFinansGIB.GIBEArsiv.EarsivWebService.OnsmsGonderOperationCompleted 86
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnokcRaporBolumAIOperationCompleted 81	QNBFinansGIB.GIBEArsiv.EarsivWebService.OntoplufaturaPaketDosyaGonderOperationCompleted 86
QNBFinansGIB.GIBEArsiv.EarsivWebService.OnokcRaporKa	QNBFinansGIB.GIBEArsiv.EarsivWebService.OntoplufaturaPaketDosyasiSorgulaOperationCompleted 86

QNBFinansGIB.GIBEArsiv.EarsivWebService.OntoplufaturaP aketOnaylaOperationCompleted 87	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumList esiSorgulaWithInput 93
QNBFinansGIB.GIBEArsiv.EarsivWebService.OntoplufaturaP aketSorgulaOperationCompleted 87	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumList esiSorgulaWithInputAsync 93
QNBFinansGIB.GIBEArsiv.EarsivWebService.Onyapilandirma AyarlariAIOperationCompleted 87	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumList esiSorgulaWithInputCompleted 110
QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumAI sync 88	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumRap orNoGuncellelmzala 94
QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumAIA ompleted 110	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumRap orNoGuncellelmzalaAsync 94
QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumAIC ompleted 110	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumRap orNoGuncellelmzalaCompleted 110
QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumBilgi siAI 88	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumSil 95
QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumBilgi siAIAsync 89	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumSilA sync 95
QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumBilgi siAICompleted 110	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumSilC ompleted 111
QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumler Olustur 89	QNBFinansGIB.GIBEArsiv.EarsivWebService.rapordaFaturaS orgula 96
QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumler OlusturAsync 90	QNBFinansGIB.GIBEArsiv.EarsivWebService.rapordaFaturaS orgulaAsync 96
QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumler OlusturCompleted 110	QNBFinansGIB.GIBEArsiv.EarsivWebService.rapordaFaturaS orgulaCompleted 111
QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumList esiDetayliSorgula 91	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporDurumSor gula 97
QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumList esiDetayliSorgulaAsync 91	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporDurumSor gulaAsync 97
QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumList esiDetayliSorgulaCompleted 110	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporDurumSor gulaCompleted 111
QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumList esiSorgula 92	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporGonder 97
QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumList esiSorgulaAsync 92	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporGonderAs ync 98
QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumList esiSorgulaCompleted 110	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporGonderCo mpleted 111
	QNBFinansGIB.GIBEArsiv.EarsivWebService.servisSaglayicid anEpostaDurumSorgula

98	QNBFinansGIB.GIBEArsiv.EarsivWebService.servisSaglayiciD anEpostaDurumSorgulaAsync	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPak etSorgulaAsync
99	QNBFinansGIB.GIBEArsiv.EarsivWebService.servisSaglayiciD anEpostaDurumSorgulaCompleted	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPak etSorgulaCompleted
111	QNBFinansGIB.GIBEArsiv.EarsivWebService.smsDurumSorg ula	QNBFinansGIB.GIBEArsiv.EarsivWebService.Url
100	QNBFinansGIB.GIBEArsiv.EarsivWebService.smsDurumSorg ulaAsync	QNBFinansGIB.GIBEArsiv.EarsivWebService.UseDefaultCred entials
100	QNBFinansGIB.GIBEArsiv.EarsivWebService.smsDurumSorg ulaCompleted	QNBFinansGIB.GIBEArsiv.EarsivWebService.yapilandirmaAy arlarAI
111	QNBFinansGIB.GIBEArsiv.EarsivWebService.smsGonder	QNBFinansGIB.GIBEArsiv.EarsivWebService.yapilandirmaAy arlarAIAsync
101, 102	QNBFinansGIB.GIBEArsiv.EarsivWebService.smsGonderAsy nc	QNBFinansGIB.GIBEArsiv.EarsivWebService.yapilandirmaAy arlarAICompleted
111	QNBFinansGIB.GIBEArsiv.EarsivWebService.smsGonderCo mpleted	QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListele
102	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPak etDosyaGonder	QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListele.kayit Zamani
102, 103	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPak etDosyaGonderAsync	QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListeleCompl etedEventArgs
111	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPak etDosyaGonderCompleted	QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListeleCompl etedEventArgs.eFaturaKayitliKullaniciListeleCompletedEventA rgs
103	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPak etDosyasiSorgula	QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListeleCompl etedEventArgs.Result
104	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPak etDosyasiSorgulaAsync	QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListeleCompl etedEventHandler
111	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPak etDosyasiSorgulaCompleted	QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListeleCompl etedEventHandler.type
104	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPak etOnayla	QNBFinansGIB.GIBEArsiv.eFaturaKullanici
105	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPak etOnaylaAsync	QNBFinansGIB.GIBEArsiv.eFaturaKullanici.etiket
111	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPak etOnaylaCompleted	QNBFinansGIB.GIBEArsiv.eFaturaKullanici.kamuKurulusu
105	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPak etSorgula	QNBFinansGIB.GIBEArsiv.eFaturaKullanici.kayitZamani
105	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPak etSorgulaAsync	QNBFinansGIB.GIBEArsiv.eFaturaKullanici.unvan
111	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPak etSorgulaCompleted	QNBFinansGIB.GIBEArsiv.eFaturaKullanici.vergiTcKimlikNo
111	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPak etSorgulaCompleted	QNBFinansGIB.GIBEArsiv.efaturaKullanicisi
105	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPak etSorgula	QNBFinansGIB.GIBEArsiv.efaturaKullanicisi.vergiTcKimlikNo
105	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPak etSorgulaAsync	QNBFinansGIB.GIBEArsiv.efaturaKullanicisiCompletedEventA

rgs 115	QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEv entArgs.outputEposta 120
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiCompletedEventA rgs.efaturaKullanicisiCompletedEventArgs 115	QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEv entArgs.Result 120
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiCompletedEventA rgs.Result 116	QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEv entHandler 219
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiCompletedEvent Handler 219	QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEv entHandler type 219
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiCompletedEvent Handler type 219	QNBFinansGIB.GIBEArsiv.ePostaGonder 120
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrol 116	QNBFinansGIB.GIBEArsiv.ePostaGonder.ilaveEposta 120
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrol.input 116	QNBFinansGIB.GIBEArsiv.ePostaGonder.input 121
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrolCompleted EventArgs 116	QNBFinansGIB.GIBEArsiv.ePostaGonder.tanimliEpostayaGo nder 121
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrolCompleted EventArgs.efaturaKullanicisiKontrolCompletedEventArgs 117	QNBFinansGIB.GIBEArsiv.ePostaGonderCompletedEventArg s 121
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrolCompleted EventArgs.Result 117	QNBFinansGIB.GIBEArsiv.ePostaGonderCompletedEventArg s.ePostaGonderCompletedEventArgs 121
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrolCompleted EventHandler 219	QNBFinansGIB.GIBEArsiv.ePostaGonderCompletedEventArg s.Result 122
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrolCompleted EventHandler type 219	QNBFinansGIB.GIBEArsiv.ePostaGonderCompletedEventHa ndler 220
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrolResponse 117	QNBFinansGIB.GIBEArsiv.ePostaGonderCompletedEventHa ndler type 220
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrolResponse. @return 118	QNBFinansGIB.GIBEArsiv.ePostaGonderResponse 122
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiResponse 118	QNBFinansGIB.GIBEArsiv.ePostaGonderResponse.@return 122
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiResponse.@retur n 118	QNBFinansGIB.GIBEArsiv.faturaDTO 122
QNBFinansGIB.GIBEArsiv.ePostaDurumSorgula 118	QNBFinansGIB.GIBEArsiv.faturaDTO.arsiv 124
QNBFinansGIB.GIBEArsiv.ePostaDurumSorgula.input 119	QNBFinansGIB.GIBEArsiv.faturaDTO.creationTime 124
QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEv entArgs 119	QNBFinansGIB.GIBEArsiv.faturaDTO.currency 124
QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEv entArgs.@return 120	QNBFinansGIB.GIBEArsiv.faturaDTO.dokumanFormati 125
QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEv entArgs.ePostaDurumSorgulaCompletedEventArgs 119	QNBFinansGIB.GIBEArsiv.faturaDTO.durum 125
	QNBFinansGIB.GIBEArsiv.faturaDTO.durumSpecified 125
	QNBFinansGIB.GIBEArsiv.faturaDTO.duzenlenmeZamani 125
	QNBFinansGIB.GIBEArsiv.faturaDTO.epostaGonderimDurum u 125
	QNBFinansGIB.GIBEArsiv.faturaDTO.epostaGonderimDurum uSpecified

125	QNBFinansGIB.GIBEArsiv.faturaDTO.profileId 129
QNBFinansGIB.GIBEArsiv.faturaDTO.erpKodu 125	QNBFinansGIB.GIBEArsiv.faturaDTO.raporTarihi 129
QNBFinansGIB.GIBEArsiv.faturaDTO.faturaSiraNo 125	QNBFinansGIB.GIBEArsiv.faturaDTO.receiverContact 129
QNBFinansGIB.GIBEArsiv.faturaDTO.faturaSiraNoSpecified 125	QNBFinansGIB.GIBEArsiv.faturaDTO.receiverIdentifier 129
QNBFinansGIB.GIBEArsiv.faturaDTO.faturaZamani 126	QNBFinansGIB.GIBEArsiv.faturaDTO.receiverIdentifierTxt 129
QNBFinansGIB.GIBEArsiv.faturaDTO.ilkKayitZmani 126	QNBFinansGIB.GIBEArsiv.faturaDTO.receiverName 129
QNBFinansGIB.GIBEArsiv.faturaDTO.indirildi 126	QNBFinansGIB.GIBEArsiv.faturaDTO.senderContact 130
QNBFinansGIB.GIBEArsiv.faturaDTO.indirildiSpecified 126	QNBFinansGIB.GIBEArsiv.faturaDTO.senderName 130
QNBFinansGIB.GIBEArsiv.faturaDTO.invoiceId 126	QNBFinansGIB.GIBEArsiv.faturaDTO.sonGuncellemeZamani 130
QNBFinansGIB.GIBEArsiv.faturaDTO.invoiceTypeCode 126	QNBFinansGIB.GIBEArsiv.faturaDTO.sube 130
QNBFinansGIB.GIBEArsiv.faturaDTO.ipalEdenKullaniciKodu 126	QNBFinansGIB.GIBEArsiv.faturaDTO.tanimliSubeKod 130
QNBFinansGIB.GIBEArsiv.faturaDTO.ipalKaynagi 126	QNBFinansGIB.GIBEArsiv.faturaDTO.telNo 130
QNBFinansGIB.GIBEArsiv.faturaDTO.ipalKaynagiSpecified 126	QNBFinansGIB.GIBEArsiv.faturaDTO.toplamTutar 130
QNBFinansGIB.GIBEArsiv.faturaDTO.ipalRaporTarihi 127	QNBFinansGIB.GIBEArsiv.faturaDTO.toplamTutarSpecified 130
QNBFinansGIB.GIBEArsiv.faturaDTO.ipalTarihi 127	QNBFinansGIB.GIBEArsiv.faturaDTO.uuid 130
QNBFinansGIB.GIBEArsiv.faturaDTO.ipalTarihiExcel 127	QNBFinansGIB.GIBEArsiv.faturaDTO.vergilerToplami 131
QNBFinansGIB.GIBEArsiv.faturaDTO.islemlid 127	QNBFinansGIB.GIBEArsiv.faturaDTO.vergilerToplamiSpecifie d 131
QNBFinansGIB.GIBEArsiv.faturaDTO.issueDate 127	QNBFinansGIB.GIBEArsiv.faturaDTO.versiyon 131
QNBFinansGIB.GIBEArsiv.faturaDTO.itirazEdenKullaniciKodu 127	QNBFinansGIB.GIBEArsiv.faturaDTO.versiyonSpecified 131
QNBFinansGIB.GIBEArsiv.faturaDTO.itirazKaynagi 127	QNBFinansGIB.GIBEArsiv.faturaDTO.yazdirildi 131
QNBFinansGIB.GIBEArsiv.faturaDTO.itirazKaynagiSpecified 127	QNBFinansGIB.GIBEArsiv.faturaDTO.yazdirildiSpecified 131
QNBFinansGIB.GIBEArsiv.faturaDTO.itirazTarihi 127	QNBFinansGIB.GIBEArsiv.faturaDTO.yerelFaturaNo 131
QNBFinansGIB.GIBEArsiv.faturaDTO.kagitFatura 128	QNBFinansGIB.GIBEArsiv.faturalptalEt 131
QNBFinansGIB.GIBEArsiv.faturaDTO.kagitFaturaSpecified 128	QNBFinansGIB.GIBEArsiv.faturalptalEt.input 132
QNBFinansGIB.GIBEArsiv.faturaDTO.kasa 128	QNBFinansGIB.GIBEArsiv.faturalptalEtCompletedEventArgs 132
QNBFinansGIB.GIBEArsiv.faturaDTO.kaynak 128	QNBFinansGIB.GIBEArsiv.faturalptalEtCompletedEventArgs.f aturalptalEtCompletedEventArgs 132
QNBFinansGIB.GIBEArsiv.faturaDTO.kepDurum 128	QNBFinansGIB.GIBEArsiv.faturalptalEtCompletedEventArgs. Result 133
QNBFinansGIB.GIBEArsiv.faturaDTO.kepDurumSpecified 128	QNBFinansGIB.GIBEArsiv.faturalptalEtCompletedEventArgsHand ler 220
QNBFinansGIB.GIBEArsiv.faturaDTO.kolayFatura 128	QNBFinansGIB.GIBEArsiv.faturalptalEtCompletedEventArgsHand ler type 220
QNBFinansGIB.GIBEArsiv.faturaDTO.kolayFaturaSpecified 128	QNBFinansGIB.GIBEArsiv.faturalptalEtResponse 133
QNBFinansGIB.GIBEArsiv.faturaDTO.okundu 128	QNBFinansGIB.GIBEArsiv.faturalptalEtResponse.@return 133
QNBFinansGIB.GIBEArsiv.faturaDTO.okunduSpecified 129	
QNBFinansGIB.GIBEArsiv.faturaDTO.payableAmount 129	
QNBFinansGIB.GIBEArsiv.faturaDTO.payableAmountSpecifie d 129	

QNBFinansGIB.GIBEArsiv.faturalptaliKaldır 133	QNBFinansGIB.GIBEArsiv.faturaltirazKaldırCompletedEventArgsHandler 221
QNBFinansGIB.GIBEArsiv.faturalptaliKaldır.input 134	QNBFinansGIB.GIBEArsiv.faturaltirazKaldırCompletedEventArgsHandler type 221
QNBFinansGIB.GIBEArsiv.faturalptaliKaldırCompletedEventArgs 134	QNBFinansGIB.GIBEArsiv.faturaltirazKaldırCompletedEventArgsHandler 139
QNBFinansGIB.GIBEArsiv.faturalptaliKaldırCompletedEventArgs.faturalptaliKaldırCompletedEventArgs 134	QNBFinansGIB.GIBEArsiv.faturaltirazKaldırResponse 139
QNBFinansGIB.GIBEArsiv.faturalptaliKaldırCompletedEventArgs.Result 135	QNBFinansGIB.GIBEArsiv.faturaltirazKaldırResponse.@return 139
QNBFinansGIB.GIBEArsiv.faturalptaliKaldırCompletedEventArgs.type 220	QNBFinansGIB.GIBEArsiv.faturaListeSorgula 139
QNBFinansGIB.GIBEArsiv.faturalptaliKaldırCompletedEventArgsHandler 220	QNBFinansGIB.GIBEArsiv.faturaListeSorgula.input 140
QNBFinansGIB.GIBEArsiv.faturalptaliKaldırCompletedEventArgsHandler.type 220	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCompletedEventArgs 140
QNBFinansGIB.GIBEArsiv.faturalptaliKaldırResponse 135	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCompletedEventArgs.faturaListeSorgulaCompletedEventArgs 140
QNBFinansGIB.GIBEArsiv.faturalptaliKaldırResponse.@return 135	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCompletedEventArgs.output 140
QNBFinansGIB.GIBEArsiv.faturaltirazEt 135	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCompletedEventArgs.Result 141
QNBFinansGIB.GIBEArsiv.faturaltirazEt.input 136	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCompletedEventArgs.Handler 221
QNBFinansGIB.GIBEArsiv.faturaltirazEtCompletedEventArgs 136	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCompletedEventArgs.Handler type 221
QNBFinansGIB.GIBEArsiv.faturaltirazEtCompletedEventArgs.faturaltirazEtCompletedEventArgs 136	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCount 141
QNBFinansGIB.GIBEArsiv.faturaltirazEtCompletedEventArgs.Result 136	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCount.input 141
QNBFinansGIB.GIBEArsiv.faturaltirazEtCompletedEventArgsHandler 220	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompletedEventArgs 141
QNBFinansGIB.GIBEArsiv.faturaltirazEtCompletedEventArgsHandler.type 220	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompletedEventArgs.faturaListeSorgulaCountCompletedEventArgs 142
QNBFinansGIB.GIBEArsiv.faturaltirazEtResponse 137	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompletedEventArgs.output 142
QNBFinansGIB.GIBEArsiv.faturaltirazEtResponse.@return 137	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompletedEventArgs.Result 142
QNBFinansGIB.GIBEArsiv.faturaltirazKaldır 137	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompletedEventArgs.Handler 221
QNBFinansGIB.GIBEArsiv.faturaltirazKaldır.input 138	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompletedEventArgs.Handler type 221
QNBFinansGIB.GIBEArsiv.faturaltirazKaldırCompletedEventArgs 138	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompletedEventArgs.type 221
QNBFinansGIB.GIBEArsiv.faturaltirazKaldırCompletedEventArgs.faturaltirazKaldırCompletedEventArgs 138	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountResponse 142
QNBFinansGIB.GIBEArsiv.faturaltirazKaldırCompletedEventArgs.Result 138	

QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountResponse. @return 143	QNBFinansGIB.GIBEArsiv.faturaNoUretCompletedEventArgs. Result 147
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountResponse. output 143	QNBFinansGIB.GIBEArsiv.faturaNoUretCompletedEventHand ler 222
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortal 143	QNBFinansGIB.GIBEArsiv.faturaNoUretCompletedEventHand ler type 222
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortal.input 143	QNBFinansGIB.GIBEArsiv.faturaOlustur 147
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalCompleted EventArgs 143	QNBFinansGIB.GIBEArsiv.faturaOlustur.fatura 148
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalCompleted EventArgs.faturaListeSorgulaPortalCompletedEventArgs 144	QNBFinansGIB.GIBEArsiv.faturaOlustur.input 148
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalCompleted EventArgs.output 144	QNBFinansGIB.GIBEArsiv.faturaOlusturCompletedEventArgs 148
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalCompleted EventArgs.Result 144	QNBFinansGIB.GIBEArsiv.faturaOlusturCompletedEventArgs. @return 149
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalCompleted EventHandler 221	QNBFinansGIB.GIBEArsiv.faturaOlusturCompletedEventArgs. faturaOlusturCompletedEventArgs 148
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalCompleted EventHandler type 221	QNBFinansGIB.GIBEArsiv.faturaOlusturCompletedEventArgs. Result 149
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalResponse 144	QNBFinansGIB.GIBEArsiv.faturaOlusturCompletedEventHand ler 222
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalResponse. @return 145	QNBFinansGIB.GIBEArsiv.faturaOlusturCompletedEventHand ler type 222
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalResponse. output 145	QNBFinansGIB.GIBEArsiv.faturaOlusturExt 149
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaResponse 145	QNBFinansGIB.GIBEArsiv.faturaOlusturExt.fatura 149
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaResponse.@retu rn 146	QNBFinansGIB.GIBEArsiv.faturaOlusturExt.input 149
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaResponse.outpu t 146	QNBFinansGIB.GIBEArsiv.faturaOlusturExtCompletedEventAr gs 150
QNBFinansGIB.GIBEArsiv.faturaNoUret 146	QNBFinansGIB.GIBEArsiv.faturaOlusturExtCompletedEventAr gs.@return 150
QNBFinansGIB.GIBEArsiv.faturaNoUret.input 146	QNBFinansGIB.GIBEArsiv.faturaOlusturExtCompletedEventAr gs.faturaOlusturExtCompletedEventArgs 150
QNBFinansGIB.GIBEArsiv.faturaNoUretCompletedEventArgs 146	QNBFinansGIB.GIBEArsiv.faturaOlusturExtCompletedEventAr gs.Result 150
QNBFinansGIB.GIBEArsiv.faturaNoUretCompletedEventArgs. @return 147	QNBFinansGIB.GIBEArsiv.faturaOlusturExtCompletedEventH andler 222
QNBFinansGIB.GIBEArsiv.faturaNoUretCompletedEventArgs. faturaNoUretCompletedEventArgs 147	QNBFinansGIB.GIBEArsiv.faturaOlusturExtCompletedEventH andler type 222
	QNBFinansGIB.GIBEArsiv.faturaOnizleme 151

QNBFinansGIB.GIBEArsiv.faturaOnizleme.fatura	151	QNBFinansGIB.GIBEArsiv.faturaSorgulaExtCompletedEventArgs.Result	
QNBFinansGIB.GIBEArsiv.faturaOnizleme.input	151	155	
QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventArgs		QNBFinansGIB.GIBEArsiv.faturaSorgulaExtCompletedEventHandler	
151		223	
QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventArgs.@return		QNBFinansGIB.GIBEArsiv.faturaSorgulaExtCompletedEventHandler	
152		type 223	
QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventArgs.faturaOnizlemeCompletedEventArgs		QNBFinansGIB.GIBEArsiv.faturaTaslakOlustur	155
152		QNBFinansGIB.GIBEArsiv.faturaTaslakOlustur.fatura	156
QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventArgs.Result		QNBFinansGIB.GIBEArsiv.faturaTaslakOlustur.input	156
152		QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturCompletedEventArgs	
QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventArgs.Handler		156	
222		QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturCompletedEventArgs.faturaTaslakOlusturCompletedEventArgs	
QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventArgs.Handler		156	
type 222		QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturCompletedEventArgs.Result	
QNBFinansGIB.GIBEArsiv.faturaSorgula	152	157	
QNBFinansGIB.GIBEArsiv.faturaSorgula.input	153	QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturCompletedEventArgs.Handler	
QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventArgs		223	
153		QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturCompletedEventArgs.Handler	
QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventArgs.@return		type 223	
154		QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturResponse	157
QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventArgs.faturaSorgulaCompletedEventArgs		QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturResponse.@return	
153		157	
QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventArgs.Result		QNBFinansGIB.GIBEArsiv.faturaTaslakOnizleme	157
154		QNBFinansGIB.GIBEArsiv.faturaTaslakOnizleme.input	158
QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventArgsHandler		QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeCompletedEventArgs	
222		158	
QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventArgsHandler		QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeCompletedEventArgs.faturaTaslakOnizlemeCompletedEventArgs	
type 222		158	
QNBFinansGIB.GIBEArsiv.faturaSorgulaExt	154	QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeCompletedEventArgs.output	
QNBFinansGIB.GIBEArsiv.faturaSorgulaExt.input	154	159	
QNBFinansGIB.GIBEArsiv.faturaSorgulaExtCompletedEventArgs		QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeCompletedEventArgs.Result	
154		159	
QNBFinansGIB.GIBEArsiv.faturaSorgulaExtCompletedEventArgs.@return		QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeCompletedEventArgs.Handler	
155		223	
QNBFinansGIB.GIBEArsiv.faturaSorgulaExtCompletedEventArgs.faturaSorgulaExtCompletedEventArgs		QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeCompletedEventArgs.Handler	
155		type 223	

QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeResponse 159	164
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeResponse.@ return 159	QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaResponse.out put 164
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeResponse.out put 159	QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlustur 164
QNBFinansGIB.GIBEArsiv.faturaTaslakSil 160	QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlustur.input 164
QNBFinansGIB.GIBEArsiv.faturaTaslakSil.input 160	QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlusturCompletedE ventArgs 164
QNBFinansGIB.GIBEArsiv.faturaTaslakSilCompletedEventArgs s 160	QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlusturCompletedE ventArgs.@return 165
QNBFinansGIB.GIBEArsiv.faturaTaslakSilCompletedEventArgs. faturaTaslakSilCompletedEventArgs 161	QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlusturCompletedE ventArgs.faturaTaslaktanOlusturCompletedEventArgs 165
QNBFinansGIB.GIBEArsiv.faturaTaslakSilCompletedEventArgs. Result 161	QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlusturCompletedE ventArgs.Result 165
QNBFinansGIB.GIBEArsiv.faturaTaslakSilCompletedEventHa ndler 223	QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlusturCompletedE ventHandler 224
QNBFinansGIB.GIBEArsiv.faturaTaslakSilCompletedEventHa ndler type 223	QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlusturCompletedE ventHandler type 224
QNBFinansGIB.GIBEArsiv.faturaTaslakSilResponse 161	QNBFinansGIB.GIBEArsiv.faturaZipiAI 165
QNBFinansGIB.GIBEArsiv.faturaTaslakSilResponse.@return 161	QNBFinansGIB.GIBEArsiv.faturaZipiAI.input 166
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgula 162	QNBFinansGIB.GIBEArsiv.faturaZipiAICompletedEventArgs 166
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgula.input 162	QNBFinansGIB.GIBEArsiv.faturaZipiAICompletedEventArgs.fa turaZipiAICompletedEventArgs 166
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEve ntArgs 162	QNBFinansGIB.GIBEArsiv.faturaZipiAICompletedEventArgs.o utput 167
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEve ntArgs.faturaTaslakSorgulaCompletedEventArgs 163	QNBFinansGIB.GIBEArsiv.faturaZipiAICompletedEventArgs.R esult 167
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEve ntArgs.output 163	QNBFinansGIB.GIBEArsiv.faturaZipiAICompletedEventHandle r 224
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEve ntArgs.Result 163	QNBFinansGIB.GIBEArsiv.faturaZipiAICompletedEventHandle r type 224
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEve ntHandler 224	QNBFinansGIB.GIBEArsiv.faturaZipiAIResponse 167
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEve ntHandler type 224	QNBFinansGIB.GIBEArsiv.faturaZipiAIResponse.@return 167
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaResponse 163	QNBFinansGIB.GIBEArsiv.faturaZipiAIResponse.output 167
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaResponse.@re turn	QNBFinansGIB.GIBEArsiv.genelBelgeFormatEnum 216
	QNBFinansGIB.GIBEArsiv.genelBelgeFormatEnum enumeration 216
	QNBFinansGIB.GIBEArsiv.kontorBilgisiGetir 168

QNBFinansGIB.GIBEArsiv.kontorBilgisiGetir.kontorBirim 168	QNBFinansGIB.GIBEArsiv.okcRaporKaydetCompletedEventArgs.Result 173
QNBFinansGIB.GIBEArsiv.kontorBilgisiGetir.kontorTipi 168	QNBFinansGIB.GIBEArsiv.okcRaporKaydetCompletedEventArgsHandler 225
QNBFinansGIB.GIBEArsiv.kontorBilgisiGetir.vknTckn 168	QNBFinansGIB.GIBEArsiv.okcRaporKaydetCompletedEventArgsHandler type 225
QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirCompletedEventArgs 168	QNBFinansGIB.GIBEArsiv.okcRaporKaydetCompletedEventArgsHandler type 225
QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirCompletedEventArgs.kontorBilgisiGetirCompletedEventArgs 169	QNBFinansGIB.GIBEArsiv.okcRaporKaydetResponse 173
QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirCompletedEventArgs.Result 169	QNBFinansGIB.GIBEArsiv.okcRaporKaydetResponse.@return 173
QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirCompletedEventArgsHandler 224	QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonder 173
QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirCompletedEventArgsHandler type 224	QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonder.input 174
QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirCompletedEventArgsHandler type 224	QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderCompletedEventArgs 174
QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirResponse 169	QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderCompletedEventArgs.okcRaporOlusturGonderCompletedEventArgs 174
QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirResponse.@return 170	QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderCompletedEventArgs.Result 175
QNBFinansGIB.GIBEArsiv.okcRaporBolumAl 170	QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderCompletedEventArgsHandler 225
QNBFinansGIB.GIBEArsiv.okcRaporBolumAl.input 170	QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderCompletedEventArgsHandler type 225
QNBFinansGIB.GIBEArsiv.okcRaporBolumAlCompletedEventArgs 170	QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderResponse 175
QNBFinansGIB.GIBEArsiv.okcRaporBolumAlCompletedEventArgs.@return 171	QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderResponse.@return 175
QNBFinansGIB.GIBEArsiv.okcRaporBolumAlCompletedEventArgs.okcRaporBolumAlCompletedEventArgs 171	QNBFinansGIB.GIBEArsiv.raporBolumAl 175
QNBFinansGIB.GIBEArsiv.okcRaporBolumAlCompletedEventArgs.Result 171	QNBFinansGIB.GIBEArsiv.raporBolumAl.bolumRaporNo 176
QNBFinansGIB.GIBEArsiv.okcRaporBolumAlCompletedEventArgsHandler 225	QNBFinansGIB.GIBEArsiv.raporBolumAlCompletedEventArgs 176
QNBFinansGIB.GIBEArsiv.okcRaporBolumAlCompletedEventArgsHandler type 225	QNBFinansGIB.GIBEArsiv.raporBolumAlCompletedEventArgs.@return 177
QNBFinansGIB.GIBEArsiv.okcRaporKaydet 171	QNBFinansGIB.GIBEArsiv.raporBolumAlCompletedEventArgs.raporBolumAlCompletedEventArgs 176
QNBFinansGIB.GIBEArsiv.okcRaporKaydet.input 172	QNBFinansGIB.GIBEArsiv.raporBolumAlCompletedEventArgs.Result 177
QNBFinansGIB.GIBEArsiv.okcRaporKaydet.rapor 172	QNBFinansGIB.GIBEArsiv.raporBolumAlCompletedEventArgs.Result 177
QNBFinansGIB.GIBEArsiv.okcRaporKaydetCompletedEventArgs 172	QNBFinansGIB.GIBEArsiv.raporBolumAlCompletedEventArgsHandler 225
QNBFinansGIB.GIBEArsiv.okcRaporKaydetCompletedEventArgs.okcRaporKaydetCompletedEventArgs 172	QNBFinansGIB.GIBEArsiv.raporBolumAlCompletedEventArgsHandler type 225

QNBFinansGIB.GIBEArsiv.raporBolumAICompletedEventHandler type 225	QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturCompletedEventArgs.raporBolumleriOlusturCompletedEventArgs 182
QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAI 177	QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturCompletedEventArgs.Result 182
QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAI.bolumRaporNo 177	QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturCompletedEventHandler 226
QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAICompletedEventArgs 177	QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturCompletedEventHandler type 226
QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAICompletedEventArgs.raporBolumBilgisiAICompletedEventArgs 178	QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturResponse 182
QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAICompletedEventArgs.Result 178	QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturResponse.@return 183
QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAICompletedEventHandler 226	QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgula 183
QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAICompletedEventHandler type 226	QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaDonem 183
QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAIResponse 178	QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventArgs 183
QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAIResponse.@return 179	QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventArgs.output 184
QNBFinansGIB.GIBEArsiv.raporBolumDTO 179	QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventArgs.Result 184
QNBFinansGIB.GIBEArsiv.raporBolumDTO.baslangicTarihi 179	QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventArgs.Response 184
QNBFinansGIB.GIBEArsiv.raporBolumDTO.bitisTarihi 180	QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventArgs.Response.Handler 184
QNBFinansGIB.GIBEArsiv.raporBolumDTO.bolumNo 180	QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventArgs.Response.Output 185
QNBFinansGIB.GIBEArsiv.raporBolumDTO.bolumNoSpecified 180	QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventArgs.Result 185
QNBFinansGIB.GIBEArsiv.raporBolumDTO.bolumRaporNo 180	QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventArgs.Result.Handler 185
QNBFinansGIB.GIBEArsiv.raporBolumDTO.durum 180	QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventArgs.Result.Output 185
QNBFinansGIB.GIBEArsiv.raporBolumDTO.durumAciklama 180	QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventArgs.Result.Return 185
QNBFinansGIB.GIBEArsiv.raporBolumDTO.durumKodu 180	QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventArgs.Result.Return.Handler 185
QNBFinansGIB.GIBEArsiv.raporBolumDTO.sonIslemeZamani 180	QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventArgs.Result.Return.Output 185
QNBFinansGIB.GIBEArsiv.raporBolumleriOlustur 180	QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventArgs.Result.Return.Return 185
QNBFinansGIB.GIBEArsiv.raporBolumleriOlustur.donem 181	QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventArgs.Result.Return.Return.Handler 185
QNBFinansGIB.GIBEArsiv.raporBolumleriOlustur.input 181	QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventArgs.Result.Return.Return.Output 185
QNBFinansGIB.GIBEArsiv.raporBolumleriOlustur.sonGun 181	QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgula 185
QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturCompletedEventArgs 181	QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgula.Donem 185

QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaCompletedEventArgs	aCompletedEventArgs 189
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaCompletedEventArgs.@return	QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncellelmzalaCompletedEventArgs 190
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaCompletedEventArgs.raporBolumListesiSorgulaCompletedEventArgs	QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncellelmzalaCompletedEventArgs.Result 190
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaCompletedEventArgs.Result	QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncellelmzalaCompletedEventHandler 227
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaCompletedEventArgs.Handler	QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncellelmzalaCompletedEventHandler.type 227
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaCompletedEventArgs.type	QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncellelmzalaResponse 190
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInput	QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncellelmzalaResponse.@return 190
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInput.donem	QNBFinansGIB.GIBEArsiv.raporBolumSil 191
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInput.input	QNBFinansGIB.GIBEArsiv.raporBolumSil.bolumRaporNo 191
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventArgs	QNBFinansGIB.GIBEArsiv.raporBolumSilCompletedEventArgs 191
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventArgs.@return	QNBFinansGIB.GIBEArsiv.raporBolumSilCompletedEventArgs.raporBolumSilCompletedEventArgs 192
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventArgs.raporBolumListesiSorgulaWithInputCompletedEventArgs	QNBFinansGIB.GIBEArsiv.raporBolumSilCompletedEventArgs.Result 192
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventArgs.Result	QNBFinansGIB.GIBEArsiv.raporBolumSilCompletedEventArgs.type 227
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventArgs.Handler	QNBFinansGIB.GIBEArsiv.raporBolumSilCompletedEventArgs.type 227
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventArgs.Result	QNBFinansGIB.GIBEArsiv.raporBolumSilResponse 192
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventArgs.Handler	QNBFinansGIB.GIBEArsiv.raporBolumSilResponse.@return 192
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventArgs.type	QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgula 193
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventArgs.raporBolumListesiSorgula.input	QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgula.input 193
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventArgs.raporBolumListesiSorgulaCompletedEventArgs	QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventArgs 193
QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncellelmzala	QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventArgs.rapordaFaturaSorgulaCompletedEventArgs 194
QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncellelmzala.bolumRaporNo	QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventArgs.Result 194
QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncellelmzala	QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventArgs.type 194

QNBFInansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventHandler 227	QNBFInansGIB.GIBEArsiv.serviceReturnType 199
QNBFInansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventHandler type 227	QNBFInansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSorgula 199
QNBFInansGIB.GIBEArsiv.rapordaFaturaSorgulaResponse 194	QNBFInansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSorgula.input 199
QNBFInansGIB.GIBEArsiv.rapordaFaturaSorgulaResponse.@return 194	QNBFInansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs 199
QNBFInansGIB.GIBEArsiv.raporDurumSorgula 195	QNBFInansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.@return 200
QNBFInansGIB.GIBEArsiv.raporDurumSorgula.donem 195	QNBFInansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.outputEposta 200
QNBFInansGIB.GIBEArsiv.raporDurumSorgulaCompletedEventArgs 195	QNBFInansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.Result 201
QNBFInansGIB.GIBEArsiv.raporDurumSorgulaCompletedEventArgs.raporDurumSorgulaCompletedEventArgs 196	QNBFInansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs 200
QNBFInansGIB.GIBEArsiv.raporDurumSorgulaCompletedEventArgs.Result 196	QNBFInansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs 228
QNBFInansGIB.GIBEArsiv.raporDurumSorgulaCompletedEventArgs.Handler 228	QNBFInansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.type 228
QNBFInansGIB.GIBEArsiv.raporDurumSorgulaCompletedEventArgs.type 228	QNBFInansGIB.GIBEArsiv.smsDurumSorgula 201
QNBFInansGIB.GIBEArsiv.raporDurumSorgulaResponse 196	QNBFInansGIB.GIBEArsiv.smsDurumSorgula.input 201
QNBFInansGIB.GIBEArsiv.raporDurumSorgulaResponse.@return 196	QNBFInansGIB.GIBEArsiv.smsDurumSorgulaCompletedEventArgs 201
QNBFInansGIB.GIBEArsiv.raporGonder 197	QNBFInansGIB.GIBEArsiv.smsDurumSorgulaCompletedEventArgs.outputDurum 202
QNBFInansGIB.GIBEArsiv.raporGonder.donem 197	QNBFInansGIB.GIBEArsiv.smsDurumSorgulaCompletedEventArgs.Result 202
QNBFInansGIB.GIBEArsiv.raporGonderCompletedEventArgs 197	QNBFInansGIB.GIBEArsiv.smsDurumSorgulaCompletedEventArgs.smsDurumSorgulaCompletedEventArgs 202
QNBFInansGIB.GIBEArsiv.raporGonderCompletedEventArgs.raporGonderCompletedEventArgs 198	QNBFInansGIB.GIBEArsiv.smsDurumSorgulaCompletedEventArgs.type 228
QNBFInansGIB.GIBEArsiv.raporGonderCompletedEventArgs.Result 198	QNBFInansGIB.GIBEArsiv.smsDurumSorgulaCompletedEventArgs.Handler 228
QNBFInansGIB.GIBEArsiv.raporGonderCompletedEventArgs.type 228	QNBFInansGIB.GIBEArsiv.smsDurumSorgulaCompletedEventArgs.type 228
QNBFInansGIB.GIBEArsiv.raporGonderCompletedEventArgs.Handler type 228	QNBFInansGIB.GIBEArsiv.smsDurumSorgulaCompletedEventArgs.Handler type 228
QNBFInansGIB.GIBEArsiv.raporGonderResponse 198	QNBFInansGIB.GIBEArsiv.smsDurumSorgulaResponse 202
QNBFInansGIB.GIBEArsiv.raporGonderResponse.@return 198	QNBFInansGIB.GIBEArsiv.smsDurumSorgulaResponse.@return

203	QNBFinansGIB.GIBEArsiv.smsDurumSorgulaResponse.outputDurum	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCompletedEventHandler type 229
203	QNBFinansGIB.GIBEArsiv.smsGonder 203	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderResponse 207
203	QNBFinansGIB.GIBEArsiv.smsGonder.ilaveTelefonNo 203	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderResponse.@return 208
203	QNBFinansGIB.GIBEArsiv.smsGonder.input 203	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgula 208
204	QNBFinansGIB.GIBEArsiv.smsGonder.tanimliTelefonNoyaGonder 204	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgula.input 208
204	QNBFinansGIB.GIBEArsiv.smsGonderCompletedEventArgs	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgulaCompletedEventArgs 208
204	QNBFinansGIB.GIBEArsiv.smsGonderCompletedEventArgs.Result	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgulaCompletedEventArgs.@return 209
204	QNBFinansGIB.GIBEArsiv.smsGonderCompletedEventArgs.smsGonderCompletedEventArgs	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgulaCompletedEventArgs.Result 209
229	QNBFinansGIB.GIBEArsiv.smsGonderCompletedEventArgsHandler	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgulaCompletedEventArgs.type 229
229	QNBFinansGIB.GIBEArsiv.smsGonderCompletedEventArgsHandler type 229	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgulaCompletedEventArgs.type 229
205	QNBFinansGIB.GIBEArsiv.smsGonderResponse	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgulaCompletedEventArgs.type 209
205	QNBFinansGIB.GIBEArsiv.smsGonderResponse.@return	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgulaCompletedEventArgs.topluFaturaPaketDosyasiSorgulaCompletedEventArgs.type 209
205	QNBFinansGIB.GIBEArsiv.stringOutputWrapper	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonder 206
206	QNBFinansGIB.GIBEArsiv.stringOutputWrapper.@return	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonder.type 229
206	QNBFinansGIB.GIBEArsiv.stringOutputWrapper.output	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonder.type 229
206	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonder	QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnayla 210
206	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonder.input	QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnayla.input 210
206	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonder.zip	QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaCompletedEventArgs 210
206	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCompletedEventArgs	QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaCompletedEventArgs.type 211
207	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCompletedEventArgs.Result	QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaCompletedEventArgs.type 211
207	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCompletedEventArgs.type 207	QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaCompletedEventArgs.type 229
207	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCompletedEventArgs.topluFaturaPaketDosyaGonderCompletedEventArgs	QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaCompletedEventArgs.type 229
229	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCompletedEventArgsHandler	QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaCompletedEventArgs.type 229
229	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCompletedEventArgsHandler type 229	QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaResponse 211

QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaResponse.	QNBFinansGIB.GIBEFatura namespace 230
@return	Classes 236
211	Structs, Records, Enums 497
QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgula 212	Types 498
QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgula.input 212	QNBFinansGIB.GIBEFatura.belge 239
QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaComplete	QNBFinansGIB.GIBEFatura.belge.belgeNo 240
dEventArgs	QNBFinansGIB.GIBEFatura.belge.belgeSiraNo 240
212	QNBFinansGIB.GIBEFatura.belge.belgeTarihi 240
QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaComplete	QNBFinansGIB.GIBEFatura.belge.belgeTuru 240
dEventArgs.@return	QNBFinansGIB.GIBEFatura.belge.belgeVerisi 240
213	QNBFinansGIB.GIBEFatura.belge.ettn 240
QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaComplete	QNBFinansGIB.GIBEFatura.belge.gonderenEtiket 240
dEventArgs.Result	QNBFinansGIB.GIBEFatura.belge.gonderenVknTckn 240
213	QNBFinansGIB.GIBEFatura.belgeGonderCompletedEventArgs
QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaComplete	240
dEventArgs.topluFaturaPaketSorgulaCompletedEventArgs	QNBFinansGIB.GIBEFatura.belgeGonderCompletedEventArgs.belgeGonderCompletedEventArgs
213	241
QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaComplete	QNBFinansGIB.GIBEFatura.belgeGonderCompletedEventArgs.Result
dEventHandler	241
230	QNBFinansGIB.GIBEFatura.belgeGonderCompletedEventArgsHandler
QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaComplete	500
dEventHandler	QNBFinansGIB.GIBEFatura.belgeGonderCompletedEventArgsHandler.type 500
type 230	QNBFinansGIB.GIBEFatura.belgeGonderCompletedEventArgsHandler.type 500
QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAI 213	QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventArgs
QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAI.input 214	241
QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAICompletedE	QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventArgsHandler
ventArgs	500
214	QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventArgsHandler.type 500
QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAICompletedE	QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventArgsHandler.type 500
ventArgs.outputYapilandirma	QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventArgsHandler.type 500
215	QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventArgsHandler.type 500
QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAICompletedE	QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventArgsHandler.type 500
ventArgs.Result	QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventArgsHandler.type 500
215	QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventArgsHandler.type 500
QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAICompletedE	QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventArgsHandler.type 500
ventArgs.yapilandirmaAyarlariAICompletedEventArgs	QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventArgsHandler.type 500
214	QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventArgsHandler.type 500
QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAICompletedE	QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventArgsHandler.type 500
ventArgs.yapilandirmaAyarlariAICompletedEventArgs	QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventArgsHandler.type 500
230	QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventArgsHandler.type 500
QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAICompletedE	QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventArgsHandler.type 500
ventHandler	QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventArgsHandler.type 500
type 230	QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventArgsHandler.type 500
QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAICompletedE	QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventArgsHandler.type 500
ventHandler	QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventArgsHandler.type 500
type 230	QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventArgsHandler.type 500
QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAIResponse	QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventArgsHandler.type 500
215	QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventArgsHandler.type 500
QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAIResponse.	QNBFinansGIB.GIBEFatura.belgeGonderExtWithValidateCom
@return	pletedEventArgs
215	242
QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAIResponse.o	QNBFinansGIB.GIBEFatura.belgeGonderExtWithValidateCom
utputYapilandirma	pletedEventArgs.belgeGonderExtWithValidateCom
215	pletedEventArgs.type 500
QNBFinansGIB.GIBEFatura 230	243

QNBFinansGIB.GIBEFatura.belgeGonderExtWithValidateCompletedEventArgs.Result 243	QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidCompletedEventHandler 502
QNBFinansGIB.GIBEFatura.belgeGonderExtWithValidateCompletedEventHandler 501	QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidCompletedEventHandler type 502
QNBFinansGIB.GIBEFatura.belgeGonderExtWithValidateCompletedEventArgs.Result type 501	QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompletedEventArgs 246
QNBFinansGIB.GIBEFatura.belgeGonderResp 243	QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompletedEventArgs.belgeleriTekrarGonderCompletedEventArgs 246
QNBFinansGIB.GIBEFatura.belgeGonderResp.belgeOid 244	QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompletedEventArgs.Result 247
QNBFinansGIB.GIBEFatura.belgeGonderResp.errorMessage 244	QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompletedEventArgs 502
QNBFinansGIB.GIBEFatura.belgeGonderResp.responseStatus 244	QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompletedEventArgs type 502
QNBFinansGIB.GIBEFatura.belgeGonderWithValidateCompletedEventArgs 244	QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs 247
QNBFinansGIB.GIBEFatura.belgeGonderWithValidateCompletedEventArgs.belgeGonderWithValidateCompletedEventArgs 244	QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs.belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs 247
QNBFinansGIB.GIBEFatura.belgeGonderWithValidateCompletedEventArgs.Result 245	QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs.Result 248
QNBFinansGIB.GIBEFatura.belgeGonderWithValidateCompletedEventArgsHandler 501	QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs 502
QNBFinansGIB.GIBEFatura.belgeGonderWithValidateCompletedEventArgsHandler type 501	QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs type 502
QNBFinansGIB.GIBEFatura.belgelerAlindiCompletedEventArgsHandler 501	QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs type 502
QNBFinansGIB.GIBEFatura.belgelerAlindiCompletedEventArgsHandler type 501	QNBFinansGIB.GIBEFatura.belgev2 248
QNBFinansGIB.GIBEFatura.belgelerAlindiEntegrasyonSiparisNoGuncelleCompletedEventArgs 502	QNBFinansGIB.GIBEFatura.belgev2.alanEtiket 249
QNBFinansGIB.GIBEFatura.belgelerAlindiEntegrasyonSiparisNoGuncelleCompletedEventArgs type 502	QNBFinansGIB.GIBEFatura.belgev2.aliciUnvan 249
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidCompletedEventArgs 245	QNBFinansGIB.GIBEFatura.belgev2.belgeVersiyon 249
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidCompletedEventArgs.belgeleriTekrarGonderBelgeOidCompletedEventArgs 245	QNBFinansGIB.GIBEFatura.belgev2.belgeXmlZipped 249
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidCompletedEventArgs.belgeleriTekrarGonderBelgeOidCompletedEventArgs type 502	QNBFinansGIB.GIBEFatura.belgev2.ekBilgiler 249
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidCompletedEventArgs.Result 246	QNBFinansGIB.GIBEFatura.belgev2.saticiUnvan 249
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidCompletedEventArgs.Result 246	QNBFinansGIB.GIBEFatura.belgev2.subeKodu 249
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidCompletedEventArgs.belgeleriTekrarGonderBelgeOidCompletedEventArgs 245	QNBFinansGIB.GIBEFatura.belgev2.zarfId 249
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidCompletedEventArgs.belgeleriTekrarGonderBelgeOidCompletedEventArgs type 502	QNBFinansGIB.GIBEFatura.belgev2.zarfVerisi 250
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidCompletedEventArgs.Result 246	QNBFinansGIB.GIBEFatura.belgev2.zarfXml 250
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidCompletedEventArgs.Result 246	QNBFinansGIB.GIBEFatura.belgev2Entry 250
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidCompletedEventArgs.Result 246	QNBFinansGIB.GIBEFatura.belgev2Entry.key 250

QNBFinansGIB.GIBEFatura.belgev2Entry.value 250	QNBFinansGIB.GIBEFatura.connectorService.belgeGonderEx tCompleted 382
QNBFinansGIB.GIBEFatura.belgev3 250	QNBFinansGIB.GIBEFatura.connectorService.belgeGonderEx tWithValidate 271
QNBFinansGIB.GIBEFatura.belgev3.odenecekTutar 252	QNBFinansGIB.GIBEFatura.connectorService.belgeGonderEx tWithValidateAsync 271, 272
QNBFinansGIB.GIBEFatura.belgev3.odenecekTutarDovizCins i 252	QNBFinansGIB.GIBEFatura.connectorService.belgeGonderEx tWithValidateCompleted 382
QNBFinansGIB.GIBEFatura.belgev4 252	QNBFinansGIB.GIBEFatura.connectorService.belgeGonderWi thValidate 272
QNBFinansGIB.GIBEFatura.belgev4.arsivlenmis 253	QNBFinansGIB.GIBEFatura.connectorService.belgeGonderWi thValidateAsync 273
QNBFinansGIB.GIBEFatura.belgev4.belgeHash 253	QNBFinansGIB.GIBEFatura.connectorService.belgeGonderWi thValidateCompleted 383
QNBFinansGIB.GIBEFatura.belgev5 253	QNBFinansGIB.GIBEFatura.connectorService.belgelerAlindi 274
QNBFinansGIB.GIBEFatura.belgev5.faturaGelisTarihi 254	QNBFinansGIB.GIBEFatura.connectorService.belgelerAlindiA sync 274
QNBFinansGIB.GIBEFatura.belgev6 254	QNBFinansGIB.GIBEFatura.connectorService.belgelerAlindiC ompleted 383
QNBFinansGIB.GIBEFatura.belgev6.profileId 256	QNBFinansGIB.GIBEFatura.connectorService.belgelerAlindiE ntegrasyonSiparisNoGuncelle 275
QNBFinansGIB.GIBEFatura.checkDateValidControlComplete dEventHandler 503	QNBFinansGIB.GIBEFatura.connectorService.belgelerAlindiE ntegrasyonSiparisNoGuncelleAsync 276
QNBFinansGIB.GIBEFatura.checkDateValidControlComplete dEventHandler type 503	QNBFinansGIB.GIBEFatura.connectorService.belgelerAlindiE ntegrasyonSiparisNoGuncelleCompleted 383
QNBFinansGIB.GIBEFatura.cokluGidenBelgeDurumSorgulaC ompletedEventArgs 256	QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrar Gonder 276
QNBFinansGIB.GIBEFatura.cokluGidenBelgeDurumSorgulaC ompletedEventArgs.cokluGidenBelgeDurumSorgulaComplete dEventArgs 256	QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrar GonderAsync 277
QNBFinansGIB.GIBEFatura.cokluGidenBelgeDurumSorgulaC ompletedEventArgs.Result 257	QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrar GonderBelgeOid 278
QNBFinansGIB.GIBEFatura.cokluGidenBelgeDurumSorgulaC ompletedEventArgs 503	QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrar GonderBelgeOidAsync 279
QNBFinansGIB.GIBEFatura.cokluGidenBelgeDurumSorgulaC ompletedEventArgs type 503	QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrar GonderBelgeOidCompleted 383
QNBFinansGIB.GIBEFatura.connectorService 257	QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrar Gonder 276
QNBFinansGIB.GIBEFatura.connectorService.belgeGonder 268	QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrar GonderAsync 277
QNBFinansGIB.GIBEFatura.connectorService.belgeGonderAs ync 269, 270	QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrar GonderBelgeOid 278
QNBFinansGIB.GIBEFatura.connectorService.belgeGonderC ompleted 382	QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrar GonderBelgeOidAsync 279
QNBFinansGIB.GIBEFatura.connectorService.belgeGonderEx t 270	QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrar GonderBelgeOidCompleted 383
QNBFinansGIB.GIBEFatura.connectorService.belgeGonderEx tAsync 271	

QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrarGonderCompleted	383	ullaniciListele	286
QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrarGonderYerelBelgeNo	279	QNBFinansGIB.GIBEFatura.connectorService.eFaturaKayitliKullaniciListeleAsync	287
QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrarGonderYerelBelgeNoAsync	280	QNBFinansGIB.GIBEFatura.connectorService.eFaturaKayitliKullaniciListeleCompleted	383
QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrarGonderYerelBelgeNoCompleted	383	QNBFinansGIB.GIBEFatura.connectorService.efaturaKullaniciBilgisi	287
QNBFinansGIB.GIBEFatura.connectorService.CancelAsync	281	QNBFinansGIB.GIBEFatura.connectorService.efaturaKullaniciBilgisiAsync	288
QNBFinansGIB.GIBEFatura.connectorService.checkDateValidControl	281	QNBFinansGIB.GIBEFatura.connectorService.efaturaKullaniciBilgisiCompleted	384
QNBFinansGIB.GIBEFatura.connectorService.checkDateValidControlAsync	281, 282	QNBFinansGIB.GIBEFatura.connectorService.efaturaKullaniciListesi	288
QNBFinansGIB.GIBEFatura.connectorService.checkDateValidControlCompleted	383	QNBFinansGIB.GIBEFatura.connectorService.efaturaKullaniciListesiAsync	289
QNBFinansGIB.GIBEFatura.connectorService.cokluGidenBegelgeDurumSorgula	282	QNBFinansGIB.GIBEFatura.connectorService.efaturaKullaniciListesiCompleted	384
QNBFinansGIB.GIBEFatura.connectorService.cokluGidenBegelgeDurumSorgulaAsync	282, 283	QNBFinansGIB.GIBEFatura.connectorService.efaturaKullaniciListesi	289
QNBFinansGIB.GIBEFatura.connectorService.cokluGidenBegelgeDurumSorgulaCompleted	383	QNBFinansGIB.GIBEFatura.connectorService.efaturaKullaniciListesiAsync	290
QNBFinansGIB.GIBEFatura.connectorService.connectorService	268	QNBFinansGIB.GIBEFatura.connectorService.efaturaKullaniciListesiCompleted	384
QNBFinansGIB.GIBEFatura.connectorService.csXmlOnizleme	283	QNBFinansGIB.GIBEFatura.connectorService.elsaliyeKayitliKullaniciListele	290
QNBFinansGIB.GIBEFatura.connectorService.csXmlOnizlemeAsync	284	QNBFinansGIB.GIBEFatura.connectorService.elsaliyeKayitliKullaniciListeleAsync	290, 291
QNBFinansGIB.GIBEFatura.connectorService.csXmlOnizlemeCompleted	383	QNBFinansGIB.GIBEFatura.connectorService.elsaliyeKayitliKullaniciListeleCompleted	384
QNBFinansGIB.GIBEFatura.connectorService.csXmlToUbl	285	QNBFinansGIB.GIBEFatura.connectorService.elsaliyeKullanicisi	291
QNBFinansGIB.GIBEFatura.connectorService.csXmlToUblAsync	286	QNBFinansGIB.GIBEFatura.connectorService.elsaliyeKullanicisiAsync	291, 292
QNBFinansGIB.GIBEFatura.connectorService.csXmlToUblCompleted	383	QNBFinansGIB.GIBEFatura.connectorService.elsaliyeKullanicisiCompleted	384
QNBFinansGIB.GIBEFatura.connectorService.eFaturaKayitliKullaniciListele			

*Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).*

QNBFinansGIB.GIBEFatura.connectorService.erpBilgileriBelirleme	QNBFinansGIB.GIBEFatura.connectorService.faturayaltirazEdildi
292	299
QNBFinansGIB.GIBEFatura.connectorService.erpBilgileriBelirlemeAsync	QNBFinansGIB.GIBEFatura.connectorService.faturayaltirazEdildiAsync
292, 293	299, 300
QNBFinansGIB.GIBEFatura.connectorService.erpBilgileriBelirlemeCompleted	QNBFinansGIB.GIBEFatura.connectorService.faturayaltirazEdildiCompleted
384	385
QNBFinansGIB.GIBEFatura.connectorService.faturaKepIlelaadeEdildi	QNBFinansGIB.GIBEFatura.connectorService.faturayaltirazEdildipta
293	300
QNBFinansGIB.GIBEFatura.connectorService.faturaKepIlelaadeEdildiAsync	QNBFinansGIB.GIBEFatura.connectorService.faturayaltirazEdildiptaAsync
293, 294	301
QNBFinansGIB.GIBEFatura.connectorService.faturaKepIlelaadeEdildiCompleted	QNBFinansGIB.GIBEFatura.connectorService.faturayaltirazEdildiptaCompleted
384	385
QNBFinansGIB.GIBEFatura.connectorService.faturaKepIlelaadeEdildipta	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeDurumSorgula
294	301
QNBFinansGIB.GIBEFatura.connectorService.faturaKepIlelaadeEdildiptaAsync	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeDurumSorgulaAsync
295	302
QNBFinansGIB.GIBEFatura.connectorService.faturaKepIlelaadeEdildiptaCompleted	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeDurumSorgulaCompleted
384	385
QNBFinansGIB.GIBEFatura.connectorService.faturaMailGonder	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeDurumSorgulaExt
295	302
QNBFinansGIB.GIBEFatura.connectorService.faturaMailGonderAsync	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeDurumSorgulaExtAsync
296	303
QNBFinansGIB.GIBEFatura.connectorService.faturaMailGonderCompleted	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeDurumSorgulaExtCompleted
384	385
QNBFinansGIB.GIBEFatura.connectorService.faturaNoUret	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeEklemeAI
297	303
QNBFinansGIB.GIBEFatura.connectorService.faturaNoUretAsync	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeEklemeAIAsync
297	304
QNBFinansGIB.GIBEFatura.connectorService.faturaNoUretCompleted	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeEklemeAICompleted
384	385
QNBFinansGIB.GIBEFatura.connectorService.faturaTarihcesiSorgula	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriAI
298	305
QNBFinansGIB.GIBEFatura.connectorService.faturaTarihcesiSorgulaAsync	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriAIAsync
298	305, 306
QNBFinansGIB.GIBEFatura.connectorService.faturaTarihcesiSorgulaCompleted	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriAICompleted
384	

385	isteleExtCompleted
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriAIExt	386
306	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeTutarBilgileriSorgula
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriAIExt2	313
306	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeTutarBilgileriSorgulaAsync
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriAIExt2Async	313, 314
307	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeTutarBilgileriSorgulaCompleted
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriAIExt2Completed	386
385	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeXmlieriniAI
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriAIExtAsync	314
308	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeXmlieriniAIAsync
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriAIExtCompleted	315
385	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeXmlieriniAICompleted
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriI ndir	386
308	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeXmlieriniAIExt
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriI ndirAsync	315
309	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeXmlieriniAIExtAsync
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriI ndirCompleted	316
385	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeXmlieriniAIExtCompleted
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriI ndirExt	386
309	QNBFinansGIB.GIBEFatura.connectorService.gelenFaturalariArsiveKaldır
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriI ndirExtAsync	316
310	QNBFinansGIB.GIBEFatura.connectorService.gelenFaturalariArsiveKaldırAsync
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriI ndirExtCompleted	317
385	QNBFinansGIB.GIBEFatura.connectorService.gelenFaturalariArsiveKaldırCompleted
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriI stele	317
310	QNBFinansGIB.GIBEFatura.connectorService.gelenIrsaliyeleriArsiveKaldır
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriI steleAsync	317
311	QNBFinansGIB.GIBEFatura.connectorService.gelenIrsaliyeleriArsiveKaldırAsync
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriI steleCompleted	318
385	QNBFinansGIB.GIBEFatura.connectorService.gelenIrsaliyeleriArsiveKaldırCompleted
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriI steleExt	318
312	QNBFinansGIB.GIBEFatura.connectorService.gelenStandartR apolariAI
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriI steleExtAsync	318
312	QNBFinansGIB.GIBEFatura.connectorService.gelenStandartR apolariAIAsync
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriI	319

QNBFinansGIB.GIBEFatura.connectorService.gelenStandartR apolarAICompleted 386	326, 327
QNBFinansGIB.GIBEFatura.connectorService.gelenTamamla nanRapolariAI 320	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDur umSorgulaExtCompleted 387
QNBFinansGIB.GIBEFatura.connectorService.gelenTamamla nanRapolariAIAsync 321	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDur umSorgulaPortal 327
QNBFinansGIB.GIBEFatura.connectorService.gelenTamamla nanRapolariAICompleted 386	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDur umSorgulaPortalAsync 327, 328
QNBFinansGIB.GIBEFatura.connectorService.gelenTasinanB elgelerilIndir 321	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDur umSorgulaPortalCompleted 387
QNBFinansGIB.GIBEFatura.connectorService.gelenTasinanB elgelerilIndirAsync 322	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDur umSorgulaYerelBelgeNo 328
QNBFinansGIB.GIBEFatura.connectorService.gelenTasinanB elgelerilIndirCompleted 386	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDur umSorgulaYerelBelgeNoAsync 329
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDur umSorgula 322	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDur umSorgulaYerelBelgeNoCompleted 387
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDur umSorgulaAsync 323	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeEkle riAI 329
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDur umSorgulaBelgeNo 323	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeEkle riAIAsync 330
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDur umSorgulaBelgeNoAsync 324	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeEkle riAICompleted 387
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDur umSorgulaBelgeNoCompleted 386	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleril ndir 330
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDur umSorgulaCompleted 387	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleril ndirAsync 331
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDur umSorgulaEttn 325	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleril ndirCompleted 387
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDur umSorgulaEttnAsync 325	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleril ndirEttn 332
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDur umSorgulaEttnCompleted 387	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleril ndirEttnAsync 332, 333
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDur umSorgulaExt 326	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleril ndirEttnCompleted 387
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDur umSorgulaExtAsync	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleril ndirPortal 333
	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleril

ndirPortalAsync 333, 334	QNBFinansGIB.GIBEFatura.connectorService.gidenTasinanB elgelerilndirAsync 340
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleril ndirPortalCompleted 387	QNBFinansGIB.GIBEFatura.connectorService.gidenTasinanB elgelerilndirCompleted 388
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleril istele 334	QNBFinansGIB.GIBEFatura.connectorService.irsaliyeMailGon der 341
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleril isteleAsync 335	QNBFinansGIB.GIBEFatura.connectorService.irsaliyeMailGon derAsync 342
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleril isteleCompleted 387	QNBFinansGIB.GIBEFatura.connectorService.irsaliyeMailGon derCompleted 388
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleril istelePortal 335	QNBFinansGIB.GIBEFatura.connectorService.irsaliyeTarihces iSorgula 342
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleril istelePortalAsync 336	QNBFinansGIB.GIBEFatura.connectorService.irsaliyeTarihces iSorgulaAsync 343
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleril istelePortalCompleted 387	QNBFinansGIB.GIBEFatura.connectorService.irsaliyeTarihces iSorgulaCompleted 388
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeTut arBilgileriSorgula 336	QNBFinansGIB.GIBEFatura.connectorService.IsLocalFileSyst emWebService 343
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeTut arBilgileriSorgulaAsync 337	QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciL isteleExtended 344
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeTut arBilgileriSorgulaCompleted 388	QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciL isteleExtendedAsync 344, 345
QNBFinansGIB.GIBEFatura.connectorService.gidenFaturalari ArsiveKaldır 337	QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciL isteleExtendedCompleted 388
QNBFinansGIB.GIBEFatura.connectorService.gidenFaturalari ArsiveKaldırAsync 338	QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciL isteleExtendedTime 345
QNBFinansGIB.GIBEFatura.connectorService.gidenFaturalari ArsiveKaldırCompleted 388	QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciL isteleExtendedTimeAsync 346
QNBFinansGIB.GIBEFatura.connectorService.gidenIrsaliyeleri ArsiveKaldır 338	QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciL isteleExtendedTimeCompleted 388
QNBFinansGIB.GIBEFatura.connectorService.gidenIrsaliyeleri ArsiveKaldırAsync 339	QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciL isteleExtendedVknTckn 346
QNBFinansGIB.GIBEFatura.connectorService.gidenIrsaliyeleri ArsiveKaldırCompleted 388	QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciL isteleExtendedVknTcknAsync 347
QNBFinansGIB.GIBEFatura.connectorService.gidenTasinanB elgelerilndir 339	QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciL isteleExtendedVknTcknCompleted

388	niciBilgisiOperationCompleted
QNBFinansGIB.GIBEFatura.connectorService.kontorBilgisiGetir	353
347	QNBFinansGIB.GIBEFatura.connectorService.OnefaturaKullanicilistesiOperationCompleted
QNBFinansGIB.GIBEFatura.connectorService.kontorBilgisiGetirAsync	353
348	QNBFinansGIB.GIBEFatura.connectorService.OnefaturaKullanicisiOperationCompleted
QNBFinansGIB.GIBEFatura.connectorService.kontorBilgisiGetirCompleted	353
388	QNBFinansGIB.GIBEFatura.connectorService.OneIrsaliyeKayitliKullaniciListeleOperationCompleted
QNBFinansGIB.GIBEFatura.connectorService.OnbelgeGonderExtOperationCompleted	354
349	QNBFinansGIB.GIBEFatura.connectorService.OnbelgeGonderExtWithValidateOperationCompleted
349	QNBFinansGIB.GIBEFatura.connectorService.OnbelgeGonderOperationCompleted
349	QNBFinansGIB.GIBEFatura.connectorService.OnbelgeGonderWithValidateOperationCompleted
350	QNBFinansGIB.GIBEFatura.connectorService.OnbelgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted
350	QNBFinansGIB.GIBEFatura.connectorService.OnbelgelerAlindiOperationCompleted
350	QNBFinansGIB.GIBEFatura.connectorService.OnbelgeleriTekrarGonderBelgeOidOperationCompleted
350	QNBFinansGIB.GIBEFatura.connectorService.OnbelgeleriTekrarGonderOperationCompleted
351	QNBFinansGIB.GIBEFatura.connectorService.OnbelgeleriTekrarGonderYerelBelgeNoOperationCompleted
351	QNBFinansGIB.GIBEFatura.connectorService.OncheckDateVailidControlOperationCompleted
351	QNBFinansGIB.GIBEFatura.connectorService.OncokluGidenBelgeDurumSorgulaOperationCompleted
352	QNBFinansGIB.GIBEFatura.connectorService.OncsXmlOnizlemeOperationCompleted
352	QNBFinansGIB.GIBEFatura.connectorService.OncsXmlToUblOperationCompleted
352	QNBFinansGIB.GIBEFatura.connectorService.OneFaturaKayitliKullaniciListeleOperationCompleted
353	QNBFinansGIB.GIBEFatura.connectorService.OnefaturaKulla

QNBFinansGIB.GIBEFatura.connectorService.OngelenBelge eriAIOperationCompleted 358	363
QNBFinansGIB.GIBEFatura.connectorService.OngelenBelge eriIndirExtOperationCompleted 359	364
QNBFinansGIB.GIBEFatura.connectorService.OngelenBelge eriIndirOperationCompleted 359	364
QNBFinansGIB.GIBEFatura.connectorService.OngelenBelge eriListeleExtOperationCompleted 359	364
QNBFinansGIB.GIBEFatura.connectorService.OngelenBelge eriListeleOperationCompleted 359	365
QNBFinansGIB.GIBEFatura.connectorService.OngelenBelgeT utarBilgileriSorgulaOperationCompleted 360	365
QNBFinansGIB.GIBEFatura.connectorService.OngelenBelge XmlleriniAIExtOperationCompleted 360	365
QNBFinansGIB.GIBEFatura.connectorService.OngelenBelge XmlleriniAIOperationCompleted 360	365
QNBFinansGIB.GIBEFatura.connectorService.OngelenFatural ariArsiveKaldırOperationCompleted 361	366
QNBFinansGIB.GIBEFatura.connectorService.OngelenIrsaliye IeriArsiveKaldırOperationCompleted 361	366
QNBFinansGIB.GIBEFatura.connectorService.OngelenStanda rtRapolariAIOperationCompleted 361	366
QNBFinansGIB.GIBEFatura.connectorService.OngelenTama mlananRapolariAIOperationCompleted 362	367
QNBFinansGIB.GIBEFatura.connectorService.OngelenTasina nBelgeleriIndirOperationCompleted 362	367
QNBFinansGIB.GIBEFatura.connectorService.OngidenBelge DurumSorgulaBelgeNoOperationCompleted 362	367
QNBFinansGIB.GIBEFatura.connectorService.OngidenBelge DurumSorgulaEttnOperationCompleted 362	368
QNBFinansGIB.GIBEFatura.connectorService.OngidenBelge DurumSorgulaExtOperationCompleted 363	368
QNBFinansGIB.GIBEFatura.connectorService.OngidenBelge DurumSorgulaOperationCompleted 363	368
QNBFinansGIB.GIBEFatura.connectorService.OngidenBelge DurumSorgulaPortalOperationCompleted	368
	QNBFinansGIB.GIBEFatura.connectorService.OntemelKontrol

lerIleBelgeGonderOperationCompleted 369	QNBFinansGIB.GIBEFatura.connectorService.urunSablonlari niAIAsync 377
QNBFinansGIB.GIBEFatura.connectorService.OntoplamBelge SayisiGetirOperationCompleted 369	QNBFinansGIB.GIBEFatura.connectorService.urunSablonlari niAICompleted 389
QNBFinansGIB.GIBEFatura.connectorService.OnublOnizleme OperationCompleted 369	QNBFinansGIB.GIBEFatura.connectorService.UseDefaultCre dentials 382
QNBFinansGIB.GIBEFatura.connectorService.OnurunSablonl ariniAIOperationCompleted 370	QNBFinansGIB.GIBEFatura.connectorService.wsKullanicisiKa ydet 377
QNBFinansGIB.GIBEFatura.connectorService.OnwsKullanicis iKaydetOperationCompleted 370	QNBFinansGIB.GIBEFatura.connectorService.wsKullanicisiKa ydetAsync 378
QNBFinansGIB.GIBEFatura.connectorService.OnyereleAktaril acakBelgeleriAIExtOperationCompleted 370	QNBFinansGIB.GIBEFatura.connectorService.wsKullanicisiKa ydetCompleted 389
QNBFinansGIB.GIBEFatura.connectorService.OnyereleAktaril acakBelgeleriAIOperationCompleted 371	QNBFinansGIB.GIBEFatura.connectorService.yereleAktarilac akBelgeleriAI 378
QNBFinansGIB.GIBEFatura.connectorService.OnyolcuBerabe rFaturalptalEtOperationCompleted 371	QNBFinansGIB.GIBEFatura.connectorService.yereleAktarilac akBelgeleriAIAsync 379
QNBFinansGIB.GIBEFatura.connectorService.temelKontroller IleBelgeGonder 371	QNBFinansGIB.GIBEFatura.connectorService.yereleAktarilac akBelgeleriAICompleted 389
QNBFinansGIB.GIBEFatura.connectorService.temelKontroller IleBelgeGonderAsync 372	QNBFinansGIB.GIBEFatura.connectorService.yereleAktarilac akBelgeleriAIExt 379
QNBFinansGIB.GIBEFatura.connectorService.temelKontroller IleBelgeGonderCompleted 389	QNBFinansGIB.GIBEFatura.connectorService.yereleAktarilac akBelgeleriAIExtAsync 380
QNBFinansGIB.GIBEFatura.connectorService.toplamBelgeSa yisiGetir 373	QNBFinansGIB.GIBEFatura.connectorService.yereleAktarilac akBelgeleriAIExtCompleted 389
QNBFinansGIB.GIBEFatura.connectorService.toplamBelgeSa yisiGetirAsync 374	QNBFinansGIB.GIBEFatura.connectorService.yolcuBeraberF aturalptalEt 380
QNBFinansGIB.GIBEFatura.connectorService.toplamBelgeSa yisiGetirCompleted 389	QNBFinansGIB.GIBEFatura.connectorService.yolcuBeraberF aturalptalEtAsync 381, 382
QNBFinansGIB.GIBEFatura.connectorService.ulbOnizleme 375	QNBFinansGIB.GIBEFatura.connectorService.yolcuBeraberF aturalptalEtCompleted 389
QNBFinansGIB.GIBEFatura.connectorService.ulbOnizlemeAs ync 375, 376	QNBFinansGIB.GIBEFatura.csXmlOnizlemeCompletedEvent Args 389
QNBFinansGIB.GIBEFatura.connectorService.ulbOnizlemeCo mpleted 389	QNBFinansGIB.GIBEFatura.csXmlOnizlemeCompletedEvent Args.csXmlOnizlemeCompletedEventArgs 390
QNBFinansGIB.GIBEFatura.connectorService.Url 382	QNBFinansGIB.GIBEFatura.csXmlOnizlemeCompletedEvent Args.Result
QNBFinansGIB.GIBEFatura.connectorService.urunSablonlari niAI 376	

390	QNBFinansGIB.GIBEFatura.csXmlOnizlemeCompletedEvent	QNBFinansGIB.GIBEFatura.eFaturaKullanici.kayitZamani	394
Handler		QNBFinansGIB.GIBEFatura.eFaturaKullanici.unvan	394
503		QNBFinansGIB.GIBEFatura.eFaturaKullanici.vergiTcKimlikNo	394
QNBFinansGIB.GIBEFatura.csXmlOnizlemeCompletedEvent		QNBFinansGIB.GIBEFatura.efaturaKullaniciBilgisiCompletedE	
Handler		ventArgs	
type 503		394	
QNBFinansGIB.GIBEFatura.csXmlToUblCompletedEventArgs		QNBFinansGIB.GIBEFatura.efaturaKullaniciBilgisiCompletedE	
390		ventArgs.efaturaKullaniciBilgisiCompletedEventArgs	
QNBFinansGIB.GIBEFatura.csXmlToUblCompletedEventArgs		394	
.csXmlToUblCompletedEventArgs		QNBFinansGIB.GIBEFatura.efaturaKullaniciBilgisiCompletedE	
391		ventArgs.Result	
QNBFinansGIB.GIBEFatura.csXmlToUblCompletedEventArgs		395	
.Result		QNBFinansGIB.GIBEFatura.efaturaKullaniciBilgisiCompletedE	
391		ventHandler	
QNBFinansGIB.GIBEFatura.csXmlToUblCompletedEventHan		504	
dler		QNBFinansGIB.GIBEFatura.efaturaKullaniciBilgisiCompletedE	
503		ventHandler	
QNBFinansGIB.GIBEFatura.csXmlToUblCompletedEventHan		type 504	
dler		QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended	395
type 503		QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.eFatur	
QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciHistory	391	aKayitliKullaniciHistoryList	396
QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciHistory.etik		QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.etiket	
et		396	
391		QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.etiketO	
QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciHistory.etik		lusturulmaZamani	
etOlusturulmaZamani		396	
392		QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.hesap	
QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciHistory.silin		Tipi	
meZamani		396	
392		QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.hesap	
QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciListeleCom		TipiSpecified	
pletedEventArgs		396	
392		QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.kamuK	
QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciListeleCom		urulusu	
pletedEventArgs.eFaturaKayitliKullaniciListeleCompletedEven		396	
tArgs		QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.kamuK	
392		urulusuSpecified	
QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciListeleCom		396	
pletedEventArgs.Result		QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.kayitZa	
393		mani	
QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciListeleCom		396	
pletedEventHandler		QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.tip	396
504		QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.tipSpe	
QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciListeleCom		cified	
pletedEventHandler		397	
type 504		QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.unvan	
QNBFinansGIB.GIBEFatura.eFaturaKullanici 393		397	
QNBFinansGIB.GIBEFatura.eFaturaKullanici.etiket 393		QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.vergiTc	
QNBFinansGIB.GIBEFatura.eFaturaKullanici.kamuKurulusu		KimlikNo	
393		397	

QNBFinansGIB.GIBEFatura.efaturaKullaniciListesiCompletedEventArgs 397	QNBFinansGIB.GIBEFatura.eIrsaliyeKullanici.unvan 401 QNBFinansGIB.GIBEFatura.eIrsaliyeKullanici.vergiTcKimlikNo
QNBFinansGIB.GIBEFatura.efaturaKullaniciListesiCompletedEventArgs.efaturaKullaniciListesiCompletedEventArgs 397	401 QNBFinansGIB.GIBEFatura.eIrsaliyeKullanicisiCompletedEventArgs 401
QNBFinansGIB.GIBEFatura.efaturaKullaniciListesiCompletedEventArgs.Result 398	QNBFinansGIB.GIBEFatura.eIrsaliyeKullanicisiCompletedEventArgs.eIrsaliyeKullanicisiCompletedEventArgs 401
QNBFinansGIB.GIBEFatura.efaturaKullaniciListesiCompletedEventArgs.Result 504	QNBFinansGIB.GIBEFatura.eIrsaliyeKullanicisiCompletedEventArgs.Result 402
QNBFinansGIB.GIBEFatura.efaturaKullaniciListesiCompletedEventArgs.type 504	QNBFinansGIB.GIBEFatura.eIrsaliyeKullanicisiCompletedEventArgs.type 505
QNBFinansGIB.GIBEFatura.efaturaKullanicisiCompletedEventArgs 398	QNBFinansGIB.GIBEFatura.eIrsaliyeKullanicisiCompletedEventArgs.type 505
QNBFinansGIB.GIBEFatura.efaturaKullanicisiCompletedEventArgs.efaturaKullanicisiCompletedEventArgs 398	QNBFinansGIB.GIBEFatura.erpBilgileri 402
QNBFinansGIB.GIBEFatura.efaturaKullanicisiCompletedEventArgs.Result 399	QNBFinansGIB.GIBEFatura.erpBilgileri.aciklama 402
QNBFinansGIB.GIBEFatura.efaturaKullanicisiCompletedEventArgs.Handler 504	QNBFinansGIB.GIBEFatura.erpBilgileri.kod 402
QNBFinansGIB.GIBEFatura.efaturaKullanicisiCompletedEventArgs.Handler type 504	QNBFinansGIB.GIBEFatura.erpBilgileriBelirleCompletedEventArgs 505
QNBFinansGIB.GIBEFatura.eIrsaliyeKayitliKullaniciListeleCompletedEventArgs 399	QNBFinansGIB.GIBEFatura.erpBilgileriBelirleCompletedEventArgs.type 505
QNBFinansGIB.GIBEFatura.eIrsaliyeKayitliKullaniciListeleCompletedEventArgs.eIrsaliyeKayitliKullaniciListeleCompletedEventArgs 399	QNBFinansGIB.GIBEFatura.faturaKeplleladeEdildiCompletedEventArgs 402
QNBFinansGIB.GIBEFatura.eIrsaliyeKayitliKullaniciListeleCompletedEventArgs.eIrsaliyeKayitliKullaniciListeleCompletedEventArgs.Result 400	QNBFinansGIB.GIBEFatura.faturaKeplleladeEdildiCompletedEventArgs.faturaKeplleladeEdildiCompletedEventArgs 403
QNBFinansGIB.GIBEFatura.eIrsaliyeKayitliKullaniciListeleCompletedEventArgs.Result 505	QNBFinansGIB.GIBEFatura.faturaKeplleladeEdildiCompletedEventArgs.Result 403
QNBFinansGIB.GIBEFatura.eIrsaliyeKayitliKullaniciListeleCompletedEventArgs.type 505	QNBFinansGIB.GIBEFatura.faturaKeplleladeEdildiCompletedEventArgs.type 505
QNBFinansGIB.GIBEFatura.eIrsaliyeKullanici 400	QNBFinansGIB.GIBEFatura.faturaKeplleladeEdildilptalCompletedEventArgs 403
QNBFinansGIB.GIBEFatura.eIrsaliyeKullanici.etiket 400	QNBFinansGIB.GIBEFatura.faturaKeplleladeEdildilptalCompletedEventArgs.faturaKeplleladeEdildilptalCompletedEventArgs 404
QNBFinansGIB.GIBEFatura.eIrsaliyeKullanici.kamuKurulusu 400	QNBFinansGIB.GIBEFatura.faturaKeplleladeEdildilptalCompletedEventArgs.Result 400
QNBFinansGIB.GIBEFatura.eIrsaliyeKullanici.kayitZamani 400	QNBFinansGIB.GIBEFatura.faturaKeplleladeEdildilptalCompletedEventArgs.Result 400

404	QNBFinansGIB.GIBEFatura.faturaKepIleladeEdildilptalCompletedEventArgs
QNBFinansGIB.GIBEFatura.faturaKepIleladeEdildilptalCompletedEventArgs	407
506	QNBFinansGIB.GIBEFatura.faturaTarihcesiSorgulaCompletedEventArgs
QNBFinansGIB.GIBEFatura.faturaKepIleladeEdildilptalCompletedEventArgs	408
type 506	QNBFinansGIB.GIBEFatura.faturaTarihcesiSorgulaCompletedEventArgs.faturaTarihcesiSorgulaCompletedEventArgs
QNBFinansGIB.GIBEFatura.faturaMailGonderCompletedEventHandler	408
506	QNBFinansGIB.GIBEFatura.faturaTarihcesiSorgulaCompletedEventArgs.Result
QNBFinansGIB.GIBEFatura.faturaMailGonderCompletedEventHandler	506
type 506	QNBFinansGIB.GIBEFatura.faturaTarihcesiSorgulaCompletedEventArgs
QNBFinansGIB.GIBEFatura.faturaNoUretCompletedEventArgs	406
404	QNBFinansGIB.GIBEFatura.faturaTarihcesiSorgulaCompletedEventArgs
QNBFinansGIB.GIBEFatura.faturaNoUretCompletedEventArgs	408
faturaNoUretCompletedEventArgs	405
QNBFinansGIB.GIBEFatura.faturaNoUretCompletedEventArgs	409
Result	405
QNBFinansGIB.GIBEFatura.faturaNoUretCompletedEventHan	409
dler	506
QNBFinansGIB.GIBEFatura.faturaNoUretCompletedEventHan	507
dler	type 506
QNBFinansGIB.GIBEFatura.faturaTarihcesiData	405
QNBFinansGIB.GIBEFatura.faturaTarihcesiData.bagliKayitId	406
QNBFinansGIB.GIBEFatura.faturaTarihcesiData.faturaEtn	406
406	QNBFinansGIB.GIBEFatura.faturayaltirazEdildilptalCompletedEventArgs
QNBFinansGIB.GIBEFatura.faturaTarihcesiData.islem	406
QNBFinansGIB.GIBEFatura.faturaTarihcesiData.islemAciklam	410
a	406
QNBFinansGIB.GIBEFatura.faturaTarihcesiData.islemKanalı	410
406	QNBFinansGIB.GIBEFatura.faturayaltirazEdildilptalCompletedEventArgs.Result
QNBFinansGIB.GIBEFatura.faturaTarihcesiData.islemKanalıA	507
ciklama	406
QNBFinansGIB.GIBEFatura.faturaTarihcesiData.islemSonucu	507
406	QNBFinansGIB.GIBEFatura.faturayaltirazEdildilptalCompletedEventArgs
QNBFinansGIB.GIBEFatura.faturaTarihcesiData.islemZamani	411
407	QNBFinansGIB.GIBEFatura.gelenBelgeDurum.alimTarihi
QNBFinansGIB.GIBEFatura.faturaTarihcesiData.kullanici	411
407	QNBFinansGIB.GIBEFatura.gelenBelgeDurum.belgeNo
QNBFinansGIB.GIBEFatura.faturaTarihcesiData.kullaniciIp	411
407	QNBFinansGIB.GIBEFatura.gelenBelgeDurum.ettm
QNBFinansGIB.GIBEFatura.faturaTarihcesiData.zarfEtn	411
407	QNBFinansGIB.GIBEFatura.gelenBelgeDurum.yanitDetayı
QNBFinansGIB.GIBEFatura.faturaTarihcesiData.zarfEtn	411
407	QNBFinansGIB.GIBEFatura.gelenBelgeDurum.yanitDurumu

411	QNBFinansGIB.GIBEFatura.gelenBelgeDurumv4 416
QNBFinansGIB.GIBEFatura.gelenBelgeDurum.yanitGonderim CevabiDetayi	QNBFinansGIB.GIBEFatura.gelenBelgeDurumv4.gibIptalDuru m 417
411	QNBFinansGIB.GIBEFatura.gelenBelgeDurum.yanitGonderim CevabiKodu
411	QNBFinansGIB.GIBEFatura.gelenBelgeDurum.yanitGonderim Durumu
412	QNBFinansGIB.GIBEFatura.gelenBelgeDurum.yanitGonderim Tarihi
412	QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaComple tedEventArgs
412	QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaComple tedEventArgs.gelenBelgeDurumSorgulaCompletedEventArgs
413	QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaComple tedEventArgs.Result
507	QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaComple tedEventHandler
507	QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaComple tedEventHandler type 507
413	QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaComple tedEventHandler
413	QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaExtCo mpletedEventArgs
413	QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaExtCo mpletedEventArgs.gelenBelgeDurumSorgulaExtCompletedEv entArgs
413	QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaExtCo mpletedEventArgs.Result
414	QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaExtCo mpletedEventArgs.Result
507	QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaExtCo mpletedEventHandler
507	QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaExtCo mpletedEventHandler type 507
414	QNBFinansGIB.GIBEFatura.gelenBelgeDurumv2 414
415	QNBFinansGIB.GIBEFatura.gelenBelgeDurumv2.siraNo 415
415	QNBFinansGIB.GIBEFatura.gelenBelgeDurumv2.yereleAktar i_mDuruMu
415	QNBFinansGIB.GIBEFatura.gelenBelgeDurumv3 415
416	QNBFinansGIB.GIBEFatura.gelenBelgeDurumv3.kepDurum 416
416	QNBFinansGIB.GIBEFatura.gelenBelgeEkleriAICompletedEve ntArgs
416	QNBFinansGIB.GIBEFatura.gelenBelgeEkleriAICompletedEve ntArgs.gelenBelgeEkleriAICompletedEventArgs
419	QNBFinansGIB.GIBEFatura.gelenBelgeEkleriAICompletedEve ntArgs.Result
508	QNBFinansGIB.GIBEFatura.gelenBelgeEkleriAICompletedEve ntHandler
508	QNBFinansGIB.GIBEFatura.gelenBelgeEkleriAICompletedEve ntHandler type 508
419	QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEvent Args
419	QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEvent Args.gelenBelgeleriAICompletedEventArgs
419	QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEvent Handler
419	QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEvent Handler type 508
420	QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEvent Handler
420	QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEvent Handler type 508
420	QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEvent Handler
420	QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExt2CompletedE ventArgs
420	QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExt2CompletedE ventArgs.gelenBelgeleriAIExt2CompletedEventArgs
421	QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExt2CompletedE ventArgs.Result
508	QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExt2CompletedE ventHandler
508	QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExt2CompletedE ventHandler type 508

QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExt2Entry 421	QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleCompletedEventArgs.gelenBelgeleriListeleCompletedEventArgs 425
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExt2Entry.key 421	QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleCompletedEventArgs.Result 425
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExt2Entry.value 421	QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleCompletedEventHandler 509
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExtCompletedEventArgs.gelenBelgeleriAIExtCompletedEventArgs 421	QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleCompletedEventHandler type 509
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExtCompletedEventArgs.gelenBelgeleriAIExtCompletedEventArgs 422	QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleExtCompletedEventArgs 425
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExtCompletedEventArgs.Result 422	QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleExtCompletedEventArgs.gelenBelgeleriListeleExtCompletedEventArgs 426
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExtCompletedEventArgsHandler 508	QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleExtCompletedEventArgs.Result 426
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExtCompletedEventArgsHandler type 508	QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleExtCompletedEventArgsHandler 509
QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirCompletedEventArgs 422	QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleExtCompletedEventArgsHandler type 509
QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirCompletedEventArgs.gelenBelgeleriIndirCompletedEventArgs 423	QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri 426
QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirCompletedEventArgs.Result 423	QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.alanEtiket 427
QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirCompletedEventArgsHandler 509	QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.belgeFormati 427
QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirCompletedEventArgsHandler type 509	QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.belgelerAlindiMi 427
QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirExtCompletedEventArgs 423	QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.belgelerAlindiMiSpecified 427
QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirExtCompletedEventArgs.gelenBelgeleriIndirExtCompletedEventArgs 424	QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.belgeTuru 427
QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirExtCompletedEventArgs.Result 424	QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.belgeVersiyon 428
QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirExtCompletedEventArgsHandler 509	QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.donusTipiVersiyon 428
QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirExtCompletedEventArgsHandler type 509	QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.entegrasyonHedefi 428
QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleCompletedEventArgs 424	QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.erpKod

u 428	QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.ettн 428	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdv8Ora n 431
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.faturaT arihiBaslangic 428	QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.faturaT arihiBaslangic 428	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdv8Tuta r 431
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.faturaT arihiBitis 428	QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.faturaT arihiBitis 428	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdvTevki fatOran 431
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.gelisTar ihiBaslangic 428	QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.gelisTar ihiBitis 428	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdvTevki fatTutari 431
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.gondere nEtiket 429	QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.onayDu rum 429	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdvTopla mTutari 431
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.sonAlin anBelgeSiraNumarasi 429	QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.onayDu rum 429	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdvTopla mTutariDovizCinsi 431
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.subeKo du 429	QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.vergiTc KimlikNo 429	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.malHizm etToplamTutari 432
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri 429	QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.vergiTc KimlikNo 429	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.malHizm etToplamTutariDovizCinsi 432
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.belgeNo 430	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.belgeTar ihi 430	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.odenece kTutar 432
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.ettн 430	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.belgeTar ihi 430	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.odenece kTutarDovizCinsi 432
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.gonderici Vkn 430	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.belgeTar ihi 430	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileriSorgulaC ompletedEventArgs 432
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdv18Or an 430	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.belgeTar ihi 430	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileriSorgulaC ompletedEventArgs.Result 433
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdv18Tut ar 431	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.belgeTar ihi 431	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileriSorgulaC ompletedEventHandler 510
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdv1Ora n 431	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.belgeTar ihi 431	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileriSorgulaC ompletedEventHandler type 510
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdv1Tuta r 431	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.belgeTar ihi 431	QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAICompleted EventArgs 433
		QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAICompleted EventArgs.gelenBelgeXmlleriniAICompletedEventArgs 434
		QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAICompleted EventArgs 434

EventArgs.Result 434	QNBFinansGIB.GIBEFatura.gelenTamamlananRapolariAICompletedEventArgs 437
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAICompleted EventHandler 510	QNBFinansGIB.GIBEFatura.gelenTamamlananRapolariAICompletedEventArgs.Result 437
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAICompleted EventHandler type 510	QNBFinansGIB.GIBEFatura.gelenTamamlananRapolariAICompletedEventArgs 511
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAIExtComplet edEventArgs 434	QNBFinansGIB.GIBEFatura.gelenTamamlananRapolariAICompletedEventArgs type 511
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAIExtComplet edEventArgs.gelenBelgeXmlleriniAIExtCompletedEventArgs 435	QNBFinansGIB.GIBEFatura.gelenTasinanBelgeleriIndirCompl etedEventArgs 437
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAIExtComplet edEventArgs.Result 435	QNBFinansGIB.GIBEFatura.gelenTasinanBelgeleriIndirCompl etedEventArgs.gelenTasinanBelgeleriIndirCompletedEventArgs 438
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAIExtComplet edEventArgs 510	QNBFinansGIB.GIBEFatura.gelenTasinanBelgeleriIndirCompl etedEventArgs.Result 438
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAIExtComplet edEventArgs type 510	QNBFinansGIB.GIBEFatura.gelenTasinanBelgeleriIndirCompl etedEventArgs 512
QNBFinansGIB.GIBEFatura.gelenFaturalariArsiveKaldirCompl etedEventArgs 510	QNBFinansGIB.GIBEFatura.gelenTasinanBelgeleriIndirCompl etedEventArgs type 512
QNBFinansGIB.GIBEFatura.gelenFaturalariArsiveKaldirCompl etedEventArgs type 510	QNBFinansGIB.GIBEFatura.gidenBelgeDurum 438
QNBFinansGIB.GIBEFatura.gelenIrsaliyeleriArsiveKaldirComp letedEventArgs 511	QNBFinansGIB.GIBEFatura.gidenBelgeDurum.aciklama 439
QNBFinansGIB.GIBEFatura.gelenIrsaliyeleriArsiveKaldirComp letedEventArgs type 511	QNBFinansGIB.GIBEFatura.gidenBelgeDurum.alimTarihi 439
QNBFinansGIB.GIBEFatura.gelenStandartRapolariAIComplet edEventArgs 435	QNBFinansGIB.GIBEFatura.gidenBelgeDurum.belgeNo 439
QNBFinansGIB.GIBEFatura.gelenStandartRapolariAIComplet edEventArgs.gelenStandartRapolariAICompletedEventArgs 436	QNBFinansGIB.GIBEFatura.gidenBelgeDurum.durum 439
QNBFinansGIB.GIBEFatura.gelenStandartRapolariAIComplet edEventArgs.Result 436	QNBFinansGIB.GIBEFatura.gidenBelgeDurum.ettn 439
QNBFinansGIB.GIBEFatura.gelenStandartRapolariAIComplet edEventArgs 511	QNBFinansGIB.GIBEFatura.gidenBelgeDurum.gonderimCeva biDetayi 439
QNBFinansGIB.GIBEFatura.gelenStandartRapolariAIComplet edEventArgs type 511	QNBFinansGIB.GIBEFatura.gidenBelgeDurum.gonderimCeva biKodu 440
QNBFinansGIB.GIBEFatura.gelenStandartRapolariAIComplet edEventArgs 436	QNBFinansGIB.GIBEFatura.gidenBelgeDurum.gonderimDuru mu 440
QNBFinansGIB.GIBEFatura.gelenStandartRapolariAIComplet edEventArgs 511	QNBFinansGIB.GIBEFatura.gidenBelgeDurum.gonderimTarihi 440
QNBFinansGIB.GIBEFatura.gelenStandartRapolariAIComplet edEventArgs type 511	QNBFinansGIB.GIBEFatura.gidenBelgeDurum.olusturulmaTar ihi 440
QNBFinansGIB.GIBEFatura.gelenTamamlananRapolariAICom pletedEventArgs 436	QNBFinansGIB.GIBEFatura.gidenBelgeDurum.yanitDetayi 440

QNBFinansGIB.GIBEFatura.gidenBelgeDurum.yanitDurumu 440	443
QNBFinansGIB.GIBEFatura.gidenBelgeDurum.yanitTarihi 440	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaEttnCompletedEventArgs.gidenBelgeDurumSorgulaEttnCompletedEventArgs 444
QNBFinansGIB.GIBEFatura.gidenBelgeDurumParametreleri 440	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaEttnCompletedEventArgs.Result 444
QNBFinansGIB.GIBEFatura.gidenBelgeDurumParametreleri.b elgeNo 441	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaEttnCompletedEventArgs.Result 444
QNBFinansGIB.GIBEFatura.gidenBelgeDurumParametreleri.b elgeNoList 441	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaEttnCompletedEventArgs.Result 512
QNBFinansGIB.GIBEFatura.gidenBelgeDurumParametreleri.b elgeNoTipi 441	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaEttnCompletedEventArgs.Result type 512
QNBFinansGIB.GIBEFatura.gidenBelgeDurumParametreleri.b elgeTuru 441	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaExtCompletedEventArgs 444
QNBFinansGIB.GIBEFatura.gidenBelgeDurumParametreleri.d onusTipiVersiyon 441	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaExtCompletedEventArgs.gidenBelgeDurumSorgulaExtCompletedEventArgs 445
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaBelgeN oCompletedEventArgs 441	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaExtCompletedEventArgs.Result 445
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaBelgeN oCompletedEventArgs.gidenBelgeDurumSorgulaBelgeNoCom pletedEventArgs 442	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaExtCompletedEventArgs.Result 513
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaBelgeN oCompletedEventArgs.Result 442	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaExtCompletedEventArgs.Result type 513
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaBelgeN oCompletedEventArgs.Handler 512	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaPortalCompletedEventArgs 445
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaBelgeN oCompletedEventArgs.Handler type 512	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaPortalCompletedEventArgs.gidenBelgeDurumSorgulaPortalComplete dEventArgs 446
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaComple tedEventArgs 442	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaPortalCompletedEventArgs.Result 446
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaComple tedEventArgs.gidenBelgeDurumSorgulaCompletedEventArgs 443	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaPortalCompletedEventArgs.Result 513
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaComple tedEventArgs.Result 443	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaPortalCompletedEventArgs.Result type 513
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaComple tedEventArgs.Handler 512	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaYerelB elgeNoCompletedEventArgs 446
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaComple tedEventArgs.Handler type 512	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaYerelB elgeNoCompletedEventArgs.gidenBelgeDurumSorgulaYerelB elgeNoCompletedEventArgs 447
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaEttnCo mpletedEventArgs	

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs.Result 447	QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPortaIParametreleri 455
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventHandler 513	QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPortaIParametreleri.baslangicOlusturulmaTarihi 455
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventHandler type 513	QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPortaIParametreleri.belgeEttnListesi 455
QNBFinansGIB.GIBEFatura.gidenBelgeDurumv2 447	QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPortaIParametreleri.belgeTuru 456
QNBFinansGIB.GIBEFatura.gidenBelgeDurumv2.ulastiMi 448	QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPortaIParametreleri.belgeVersiyon 456
QNBFinansGIB.GIBEFatura.gidenBelgeDurumv2.yenidenGonderilebilirMi 448	QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPortaIParametreleri.faturaBaslangicTarihi 456
QNBFinansGIB.GIBEFatura.gidenBelgeDurumv3 448	QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPortaIParametreleri.faturaBitisTarihi 456
QNBFinansGIB.GIBEFatura.gidenBelgeDurumv3.yerelBelgeOid 449	QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPortaIParametreleri.vknTckn 456
QNBFinansGIB.GIBEFatura.gidenBelgeDurumv4 450	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEventArgs 456
QNBFinansGIB.GIBEFatura.gidenBelgeDurumv4.gtbFiilihracatTarihi 451	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEventArgs.Result 457
QNBFinansGIB.GIBEFatura.gidenBelgeDurumv4.gtbGcbTesciINo 451	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEventArgs.type 457
QNBFinansGIB.GIBEFatura.gidenBelgeDurumv4.gtbRefNo 451	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEventArgs.Result 458
QNBFinansGIB.GIBEFatura.gidenBelgeDurumv5 451	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEventArgs.type 458
QNBFinansGIB.GIBEFatura.gidenBelgeDurumv5.yanitEttn 452	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEventArgs.Result 458
QNBFinansGIB.GIBEFatura.gidenBelgeDurumv5.yanitVerilenBelgeEttn 452	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEventArgs.type 458
QNBFinansGIB.GIBEFatura.gidenBelgeDurumv6 452	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEventArgs.Result 458
QNBFinansGIB.GIBEFatura.gidenBelgeDurumv6.kepDurum 454	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEventArgs.type 458
QNBFinansGIB.GIBEFatura.gidenBelgeEkleriAICompletedEventArgs 454	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEventArgs.Result 458
QNBFinansGIB.GIBEFatura.gidenBelgeEkleriAICompletedEventArgs.gidenBelgeEkleriAICompletedEventArgs 454	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEventArgs.type 458
QNBFinansGIB.GIBEFatura.gidenBelgeEkleriAICompletedEventArgs.Result 455	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEventArgs.Result 458
QNBFinansGIB.GIBEFatura.gidenBelgeEkleriAICompletedEventArgsHandler 513	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEventArgs.Result 458
QNBFinansGIB.GIBEFatura.gidenBelgeEkleriAICompletedEventArgsHandler type 513	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEventArgs.Result 458

514	ventArgs
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirEttnCompletedEventHandler	461
type 514	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleCompletedEventEventArgs
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalCompletedEventArgs	461
458	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleCompletedEventArgs.Result
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalCompletedEventArgs.gidenBelgeleriIndirPortalCompletedEventArgs	462
459	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleCompletedEventArgs.Handler
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalCompletedEventArgs.Result	514
459	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleCompletedEventArgs.Handler
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalCompletedEventArgs.Handler	514
type 514	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.alimDurumu
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalCompletedEventArgs	462
459	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.alimZamani
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametleri.baslangicGonderimTarihi	463
460	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.belgeOid
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametleri.belgeEttnListesi	463
460	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.belgeTarihi
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametleri.belgeFormati	463
460	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.belgeTuru
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametleri.bilgiTuru	463
460	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.hataMesaji
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametleri.bitisGonderimTarihi	463
460	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.islemYapanVkn
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametleri.faturaBaslangicTarihi	463
460	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.kaynak
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametleri.faturaBitisTarihi	463
460	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.kullaniciKodu
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametleri.kaynak	463
461	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.yerelBelgeNo
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametleri.pageCount	464
461	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametreleri
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametleri.vergiTcKimlikNo	464
461	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametreleri.baslangicBelgeTarihi
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleCompletedEventArgs	464

QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametrele ri.baslangicGonderimTarihi 464	468	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.e rpKodu
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametrele ri.belgeTuru 465	468	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.e ttn
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametrele ri.bitisBelgeTarihi 465	468	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.g onderenEtiket
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametrele ri.bitisGonderimTarihi 465	468	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.g onderenSubeKodu
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametrele ri.vkn 465	468	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.g onderimZamani
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalCompl etedEventArgs 465	468	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.is lemYapanVkn
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalCompl etedEventArgs.gidenBelgeleriListelePortalCompletedEventArgs 466	468	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.k aynak
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalCompl etedEventArgs.Result 466	468	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.k ullaniciKodu
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalCompl etedEventHandler 515	469	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.v 2
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalCompl etedEventHandler.type 515	469	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.v 2.yanitEtn
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData 466	469	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParam etreleri
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.a lanEtiket 467	470	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParam etreleri.baslangicGonderimTarihi
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.a lanSubeKodu 467	470	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParam etreleri.belgeEtnListesi
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.a lanVergiTcKimlikNo 467	470	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParam etreleri.belgeTuru
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.b elgeNo 467	470	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParam etreleri.belgeVersiyon
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.b elgeTarihi 467	471	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParam etreleri.bitisGonderimTarihi
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.b elgeTipi 467	471	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParam etreleri.faturaBaslangicTarihi
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.b elgeTuru	471	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParam

etreleri.faturaBitisTarihi 471	475
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.kaynak 471	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.belgeTarihi 475
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.pageCount 471	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.ettn 475
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.vergiTcKimlikNo 471	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdv18Oran 475
QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri 471	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdv18Tutar 475
QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.alanEtiket 472	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdv1Oran 475
QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.belgeH ash 472	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdv1Tutar 475
QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.belgeNo 472	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdv8Oran 475
QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.belgeTuru 472	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdv8Tutar 476
QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.belgeVersiyon 473	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdvTevkitOran 476
QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.donusTipiVersiyon 473	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdvTevkitTutari 476
QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.erpKodu 473	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdvToplamTutari 476
QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.gondere nEtiket 473	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdvToplamTutariDovizCinsi 476
QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.mimeType 473	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.malHizmetToplamTutari 476
QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.subeKodu 473	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.malHizmetToplamTutariDovizCinsi 476
QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.vergiTc KimlikNo 473	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.odenecekTutar 476
QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.veri 473	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.odenecekTutarDovizCinsi 476
QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.xlsItAdi 474	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.SorgulaCompletedEventArgs 477
QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.xlsItVeri 474	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.SorgulaCompletedEventArgs.gidenBelgeTutarBilgileriSorgulaComplete dEventArgs
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri 474	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileriSorgulaCompletedEventArgs.gidenBelgeTutarBilgileriSorgulaComplete dEventArgs
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.belgeNo	

477	ma
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileriSorgulaCompletedEventArgs.Result	480
477	QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.islemKanalı
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileriSorgulaCompletedEventHandler	480
515	QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.islemKanalıAçıklama
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileriSorgulaCompletedEventHandler	480
type 515	QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.islemSonucu
QNBFinansGIB.GIBEFatura.gidenFaturalariArsiveKaldırCompletedEventHandler	480
515	QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.islemZamani
QNBFinansGIB.GIBEFatura.gidenFaturalariArsiveKaldırCompletedEventHandler	480
type 515	QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.kullanici
QNBFinansGIB.GIBEFatura.gidenIrsaliyeleriArsiveKaldırCompletedEventHandler	480
516	QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.kullaniciIp
QNBFinansGIB.GIBEFatura.gidenIrsaliyeleriArsiveKaldırCompletedEventHandler	480
type 516	QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.zarfEtn
QNBFinansGIB.GIBEFatura.gidenIrsaliyeleriArsiveKaldırCompletedEventHandler	480
QNBFinansGIB.GIBEFatura.gidenTasinanBelgeleriIndirCompletedEventArgs	480
478	QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiSorgulaCompletedEventArgs.irsaliyeTarihcesiSorgulaCompletedEventArgs
QNBFinansGIB.GIBEFatura.gidenTasinanBelgeleriIndirCompletedEventArgs.gidenTasinanBelgeleriIndirCompletedEventArgs	481
478	QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiSorgulaCompletedEventArgs.Result
QNBFinansGIB.GIBEFatura.gidenTasinanBelgeleriIndirCompletedEventArgs.Result	481
478	QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiSorgulaCompletedEventArgs
QNBFinansGIB.GIBEFatura.gidenTasinanBelgeleriIndirCompletedEventHandler	516
516	QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiSorgulaCompletedEventHandler
QNBFinansGIB.GIBEFatura.gidenTasinanBelgeleriIndirCompletedEventHandler	516
type 516	QNBFinansGIB.GIBEFatura.kalanKontorBilgisi
QNBFinansGIB.GIBEFatura.irsaliyeMailGonderCompletedEvent Handler	481
516	QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.kontorBirimİ
QNBFinansGIB.GIBEFatura.irsaliyeMailGonderCompletedEvent Handler	482
type 516	QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.kontorBirimİSp
QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData	482
478	QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.kontorTipi
QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.bagliKayitId	483
479	QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.kontorTipiSpec
QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.irsaliyeEtt	483
479	QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.limitAsimMiktar
QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.islem	483
479	QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.limitAsimMiktar
QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.islemAcikla	483

iSpecified 483	QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.toplamAlinan 483	QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedVknTcknCompletedEventHandler type 517
QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.toplamAlinanS pecified 483	QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.toplamAlinanS pecified 483	QNBFinansGIB.GIBEFatura.kontorAzaltResp 486
QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.vknTckn 483	QNBFinansGIB.GIBEFatura.kontorAzaltResp.kanalTipi 487	QNBFinansGIB.GIBEFatura.kontorAzaltResp.kontorAzaldi 487
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCo mpletedEventArgs 483	QNBFinansGIB.GIBEFatura.kontorAzaltResp.kontorTipi 487	QNBFinansGIB.GIBEFatura.kontorAzaltResp.miktar 487
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCo mpletedEventArgs.kayitliKullaniciListeleExtendedCompletedE ventArgs 484	QNBFinansGIB.GIBEFatura.kontorAzaltResp.miktarSpecified 487	QNBFinansGIB.GIBEFatura.kontorAzaltResp.miktar 487
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCo mpletedEventArgs.Result 484	QNBFinansGIB.GIBEFatura.kontorAzaltResp.odemeTipi 487	QNBFinansGIB.GIBEFatura.kontorAzaltResp.paketTipi 488
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCo mpletedEventHandler 517	QNBFinansGIB.GIBEFatura.kontorAzaltResp.vkn 488	QNBFinansGIB.GIBEFatura.kontorBilgisiGetirCompletedEvent Args 488
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCo mpletedEventHandler type 517	QNBFinansGIB.GIBEFatura.kontorBilgisiGetirCompletedEvent Args.kontorBilgisiGetirCompletedEventArgs 488	QNBFinansGIB.GIBEFatura.kontorBilgisiGetirCompletedEvent Args.Result 489
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTi meCompletedEventArgs 484	QNBFinansGIB.GIBEFatura.kontorBilgisiGetirCompletedEvent Handler 517	QNBFinansGIB.GIBEFatura.kontorBilgisiGetirCompletedEvent Handler
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTi meCompletedEventArgs.kayitliKullaniciListeleExtendedTimeC ompletedEventArgs 485	QNBFinansGIB.GIBEFatura.kontorBilgisiGetirCompletedEvent Handler type 517	QNBFinansGIB.GIBEFatura.kontorBirim 497
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTi meCompletedEventArgs.Result 485	QNBFinansGIB.GIBEFatura.kontorBirim enumeration 497	QNBFinansGIB.GIBEFatura.kontorTipi 498
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTi meCompletedEventHandler 517	QNBFinansGIB.GIBEFatura.kontorTipi enumeration 498	QNBFinansGIB.GIBEFatura.mukellefEFaturaKayit 489
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTi meCompletedEventHandler type 517	QNBFinansGIB.GIBEFatura.mukellefEFaturaKayit.efaturaKull anicilListesi 489	QNBFinansGIB.GIBEFatura.mukellefEFaturaKayit.vergiTcKim likNo 489
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedVkn TcknCompletedEventArgs 485	QNBFinansGIB.GIBEFatura.serviceReturnType 489	QNBFinansGIB.GIBEFatura.temelKontrollerIleBelgeGonderCo mpletedEventArgs 490
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedVkn TcknCompletedEventArgs.kayitliKullaniciListeleExtendedVkn TcknCompletedEventArgs 486	QNBFinansGIB.GIBEFatura.temelKontrollerIleBelgeGonderCo mpletedEventArgs.Result 491	QNBFinansGIB.GIBEFatura.temelKontrollerIleBelgeGonderCo mpletedEventArgs.temelKontrollerIleBelgeGonderCompletedE
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedVkn TcknCompletedEventArgs.Result 486		
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedVkn TcknCompletedEventArgs 517		

ventArgs 491	QNBFinansGIB.GIBEFatura.wsKullaniciBilgileri 494
QNBFinansGIB.GIBEFatura.temelKontrollerIleBelgeGonderCompletedEventHandler 518	QNBFinansGIB.GIBEFatura.wsKullaniciBilgileri.kullaniciKodu 494
QNBFinansGIB.GIBEFatura.temelKontrollerIleBelgeGonderCompletedEventHandler type 518	QNBFinansGIB.GIBEFatura.wsKullaniciBilgileri.sifre 494
QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirCompletedEventArgs 491	QNBFinansGIB.GIBEFatura.wsKullanicisiKaydetCompletedEventArgs 494
QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirCompletedEventArgs.Result 492	QNBFinansGIB.GIBEFatura.wsKullanicisiKaydetCompletedEventArgs.Result 495
QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirCompletedEventArgs.toplamBelgeSayisiGetirCompletedEventArgs 492	QNBFinansGIB.GIBEFatura.wsKullanicisiKaydetCompletedEventArgs.wsKullanicisiKaydetCompletedEventArgs 495
QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirCompletedEventArgs 518	QNBFinansGIB.GIBEFatura.wsKullanicisiKaydetCompletedEventArgsHandler 519
QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirCompletedEventArgs type 518	QNBFinansGIB.GIBEFatura.wsKullanicisiKaydetCompletedEventArgsHandler type 519
QNBFinansGIB.GIBEFatura.ulbOnizlemeCompletedEventArgs 492	QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAICompletedEventArgs 495
QNBFinansGIB.GIBEFatura.ulbOnizlemeCompletedEventArgs.Result 493	QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAICompletedEventArgs.Result 496
QNBFinansGIB.GIBEFatura.ulbOnizlemeCompletedEventArgs.ulbOnizlemeCompletedEventArgs 492	QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAICompletedEventArgs.yereleAktarilacakBelgeleriAICompletedEventArgs 496
QNBFinansGIB.GIBEFatura.ulbOnizlemeCompletedEventArgsHandler 518	QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAICompletedEventArgsHandler type 519
QNBFinansGIB.GIBEFatura.ulbOnizlemeCompletedEventArgsHandler type 518	QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAIExtCompletedEventArgs 496
QNBFinansGIB.GIBEFatura.urunSablonlariniAICompletedEventArgs 493	QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAIExtCompletedEventArgs.Result 497
QNBFinansGIB.GIBEFatura.urunSablonlariniAICompletedEventArgs.Result 494	QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAIExtCompletedEventArgs.yereleAktarilacakBelgeleriAIExtCompletedEventArgs 497
QNBFinansGIB.GIBEFatura.urunSablonlariniAICompletedEventArgs.urunSablonlariniAICompletedEventArgs 493	QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAIExtCompletedEventArgsHandler 519
QNBFinansGIB.GIBEFatura.urunSablonlariniAICompletedEventArgsHandler 518	QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAIExtCompletedEventArgsHandler type 519
QNBFinansGIB.GIBEFatura.urunSablonlariniAICompletedEventArgsHandler type 518	QNBFinansGIB.GIBEFatura.yolcuBeraberFaturalptalEtCompletedEventHandler

519	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj0_Tutar 532
QNBFinansGIB.GIBEFatura.yolcuBeraberFaturalptalEtCompl etedEventHandler type 519	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj0_TutarSpecifie d 532
QNBFinansGIB.GIBEMustahsil 520	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj1_Tutar 532
QNBFinansGIB.GIBEMustahsil namespace 520	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj1_TutarSpecifie d 532
Classes 523	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj10_Tutar 533
Structs, Records, Enums 652	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj10_TutarSpecifi ed 533
Types 653	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj15_Tutar 533
QNBFinansGIB.GIBEMustahsil.belge 526	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj15_TutarSpecifi ed 533
QNBFinansGIB.GIBEMustahsil.belge.belgeFormati 527	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj17_Tutar 533
QNBFinansGIB.GIBEMustahsil.belge.belgeFormatiSpecified 527	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj17_TutarSpecifi ed 533
QNBFinansGIB.GIBEMustahsil.belge.belgelcerigi 527	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj2_Tutar 533
QNBFinansGIB.GIBEMustahsil.belgeDTO 527	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj2_TutarSpecifie d 533
QNBFinansGIB.GIBEMustahsil.belgeDTO.belgeNo 530	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj20_Tutar 533
QNBFinansGIB.GIBEMustahsil.belgeDTO.brutUcret 530	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj20_TutarSpecifi ed 534
QNBFinansGIB.GIBEMustahsil.belgeDTO.brutUcretSpecified 530	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj3_Tutar 534
QNBFinansGIB.GIBEMustahsil.belgeDTO.kdv0_Tutar 531	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj3_TutarSpecifie d 534
QNBFinansGIB.GIBEMustahsil.belgeDTO.kdv0_TutarSpecifie d 531	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj4_Tutar 534
QNBFinansGIB.GIBEMustahsil.belgeDTO.kdv1_Tutar 531	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj4_TutarSpecifie d 534
QNBFinansGIB.GIBEMustahsil.belgeDTO.kdv1_TutarSpecifie d 531	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj5_Tutar 534
QNBFinansGIB.GIBEMustahsil.belgeDTO.kdv18_Tutar 531	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj5_TutarSpecifie d 534
QNBFinansGIB.GIBEMustahsil.belgeDTO.kdv18_TutarSpecifie d 531	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj7_Tutar 534
QNBFinansGIB.GIBEMustahsil.belgeDTO.kdv8_Tutar 531	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj7_TutarSpecifie d 534
QNBFinansGIB.GIBEMustahsil.belgeDTO.kdv8_TutarSpecifie d 531	QNBFinansGIB.GIBEMustahsil.belgeDTO.tip 535
QNBFinansGIB.GIBEMustahsil.belgeDTO.kdvTevkifatTutar 531	QNBFinansGIB.GIBEMustahsil.belgeDTO.tipSpecified 535
QNBFinansGIB.GIBEMustahsil.belgeDTO.kdvTevkifatTutarSp ecified 532	QNBFinansGIB.GIBEMustahsil.belgeFormatiEnum 652
QNBFinansGIB.GIBEMustahsil.belgeDTO.netTahsilat 532	QNBFinansGIB.GIBEMustahsil.belgeFormatiEnum enumeration 652
QNBFinansGIB.GIBEMustahsil.belgeDTO.netTahsilatSpecifie d 532	
QNBFinansGIB.GIBEMustahsil.belgeDTO.netUcret 532	
QNBFinansGIB.GIBEMustahsil.belgeDTO.netUcretSpecified 532	

QNBFinansGIB.GIBEMustahsil.belgeOutputWrapper 535	QNBFinansGIB.GIBEMustahsil.earsivServiceResultEntry 539
QNBFinansGIB.GIBEMustahsil.belgeOutputWrapper.@return 535	QNBFinansGIB.GIBEMustahsil.earsivServiceResultEntry.key 540
QNBFinansGIB.GIBEMustahsil.belgeOutputWrapper.output 535	QNBFinansGIB.GIBEMustahsil.earsivServiceResultEntry.value 540
QNBFinansGIB.GIBEMustahsil.belgeZipiAI 535	QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgula 540
QNBFinansGIB.GIBEMustahsil.belgeZipiAI.input 536	QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgula.input 541
QNBFinansGIB.GIBEMustahsil.belgeZipiAICompletedEventArgs 536	QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaCompletedEventArgs 541
QNBFinansGIB.GIBEMustahsil.belgeZipiAICompletedEventArgs.belgeZipiAICompletedEventArgs 536	QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaCompletedEventArgs.@return 542
QNBFinansGIB.GIBEMustahsil.belgeZipiAICompletedEventArgs.output 537	QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaCompletedEventArgs.ePostaDurumSorgulaCompletedEventArgs 541
QNBFinansGIB.GIBEMustahsil.belgeZipiAICompletedEventArgs.Result 537	QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaCompletedEventArgs.outputEposta 542
QNBFinansGIB.GIBEMustahsil.belgeZipiAICompletedEventHandler 654	QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaCompletedEventArgs.Result 542
QNBFinansGIB.GIBEMustahsil.belgeZipiAICompletedEventHandler.type 654	QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaCompletedEventArgs.Handler 654
QNBFinansGIB.GIBEMustahsil.belgeZipiAIResponse 537	QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaCompletedEventArgs.Result 542
QNBFinansGIB.GIBEMustahsil.belgeZipiAIResponse.@return 537	QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaCompletedEventArgs.Handler 654
QNBFinansGIB.GIBEMustahsil.belgeZipiAIResponse.output 538	QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaCompletedEventArgs.Result 654
QNBFinansGIB.GIBEMustahsil.doubleStringOutputWrapper 538	QNBFinansGIB.GIBEMustahsil.ePostaGonder 542
QNBFinansGIB.GIBEMustahsil.doubleStringOutputWrapper.@return 538	QNBFinansGIB.GIBEMustahsil.ePostaGonder.ilaveEposta 542
QNBFinansGIB.GIBEMustahsil.doubleStringOutputWrapper.outputDurum 538	QNBFinansGIB.GIBEMustahsil.ePostaGonder.input 542
QNBFinansGIB.GIBEMustahsil.doubleStringOutputWrapper.outputEposta 538	QNBFinansGIB.GIBEMustahsil.ePostaGonder.tanimliEposta 543
QNBFinansGIB.GIBEMustahsil.earsivServiceResult 539	QNBFinansGIB.GIBEMustahsil.ePostaGonderCompletedEventArgs 543
QNBFinansGIB.GIBEMustahsil.earsivServiceResult.resultCode 539	QNBFinansGIB.GIBEMustahsil.ePostaGonderCompletedEventArgs.Result 543
QNBFinansGIB.GIBEMustahsil.earsivServiceResult.resultExtra 539	QNBFinansGIB.GIBEMustahsil.ePostaGonderCompletedEventArgs.Handler 655
QNBFinansGIB.GIBEMustahsil.earsivServiceResult.resultText 539	QNBFinansGIB.GIBEMustahsil.ePostaGonderCompletedEventArgs.Handler 655

QNBFinansGIB.GIBEMustahsil.ePostaGonderResponse 544	QNBFinansGIB.GIBEMustahsil.faturaDTO.issueDate 549
QNBFinansGIB.GIBEMustahsil.ePostaGonderResponse.@ret urn 544	QNBFinansGIB.GIBEMustahsil.faturaDTO.itirazEdenKullanici Kodu 549
QNBFinansGIB.GIBEMustahsil.faturaDTO 544	QNBFinansGIB.GIBEMustahsil.faturaDTO.itirazKaynagi 549
QNBFinansGIB.GIBEMustahsil.faturaDTO.arsiv 546	QNBFinansGIB.GIBEMustahsil.faturaDTO.itirazKaynagiSpecif ied
QNBFinansGIB.GIBEMustahsil.faturaDTO.creationTime 546	549
QNBFinansGIB.GIBEMustahsil.faturaDTO.currency 546	QNBFinansGIB.GIBEMustahsil.faturaDTO.itirazTarihi 549
QNBFinansGIB.GIBEMustahsil.faturaDTO.dokumanFormati 547	QNBFinansGIB.GIBEMustahsil.faturaDTO.kagitFatura 550
QNBFinansGIB.GIBEMustahsil.faturaDTO.durum 547	QNBFinansGIB.GIBEMustahsil.faturaDTO.kagitFaturaSpecifie d
QNBFinansGIB.GIBEMustahsil.faturaDTO.durumSpecified 547	550
QNBFinansGIB.GIBEMustahsil.faturaDTO.duzenlenmeZaman i 547	QNBFinansGIB.GIBEMustahsil.faturaDTO.kasa 550
QNBFinansGIB.GIBEMustahsil.faturaDTO.epostaGonderimDu rumu 547	QNBFinansGIB.GIBEMustahsil.faturaDTO.kaynak 550
QNBFinansGIB.GIBEMustahsil.faturaDTO.epostaGonderimDu rumuSpecified 547	QNBFinansGIB.GIBEMustahsil.faturaDTO.kepDurum 550
QNBFinansGIB.GIBEMustahsil.faturaDTO.erpKodu 547	QNBFinansGIB.GIBEMustahsil.faturaDTO.kepDurumSpecifie d
QNBFinansGIB.GIBEMustahsil.faturaDTO.faturaSiraNo 547	550
QNBFinansGIB.GIBEMustahsil.faturaDTO.faturaSiraNoSpecifi ed 547	QNBFinansGIB.GIBEMustahsil.faturaDTO.kolayFatura 550
QNBFinansGIB.GIBEMustahsil.faturaDTO.faturaZamani 548	QNBFinansGIB.GIBEMustahsil.faturaDTO.kolayFaturaSpecifi ed
QNBFinansGIB.GIBEMustahsil.faturaDTO.ilkKayitZmani 548	550
QNBFinansGIB.GIBEMustahsil.faturaDTO.indirildi 548	QNBFinansGIB.GIBEMustahsil.faturaDTO.payableAmount
QNBFinansGIB.GIBEMustahsil.faturaDTO.indirildiSpecified 548	551
QNBFinansGIB.GIBEMustahsil.faturaDTO.invoiceld 548	QNBFinansGIB.GIBEMustahsil.faturaDTO.payableAmountSp ecified
QNBFinansGIB.GIBEMustahsil.faturaDTO.invoiceTypeCode 548	551
QNBFinansGIB.GIBEMustahsil.faturaDTO.iptalEdenKullaniciK odu 548	QNBFinansGIB.GIBEMustahsil.faturaDTO.profileId 551
QNBFinansGIB.GIBEMustahsil.faturaDTO.iptalKaynagi 548	QNBFinansGIB.GIBEMustahsil.faturaDTO.raporTarihi 551
QNBFinansGIB.GIBEMustahsil.faturaDTO.iptalKaynagiSpecifi ed 548	QNBFinansGIB.GIBEMustahsil.faturaDTO.receiverContact
QNBFinansGIB.GIBEMustahsil.faturaDTO.iptalRaporTarihi 549	551
QNBFinansGIB.GIBEMustahsil.faturaDTO.iptalTarihi 549	QNBFinansGIB.GIBEMustahsil.faturaDTO.receiverIdentifier
QNBFinansGIB.GIBEMustahsil.faturaDTO.iptalTarihiExcel 549	551
QNBFinansGIB.GIBEMustahsil.faturaDTO.islemlid 549	QNBFinansGIB.GIBEMustahsil.faturaDTO.receiverIdentifierTx t
	551
	QNBFinansGIB.GIBEMustahsil.faturaDTO.receiverName 551
	QNBFinansGIB.GIBEMustahsil.faturaDTO.senderContact 552
	QNBFinansGIB.GIBEMustahsil.faturaDTO.senderName 552
	QNBFinansGIB.GIBEMustahsil.faturaDTO.sonGuncellemeZa mani 552
	QNBFinansGIB.GIBEMustahsil.faturaDTO.sube 552
	QNBFinansGIB.GIBEMustahsil.faturaDTO.tanimliSubeKod

552	etedEventArgs
QNBFinansGIB.GIBEMustahsil.faturaDTO.telNo 552	556
QNBFinansGIB.GIBEMustahsil.faturaDTO.toplamTutar 552	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompl
QNBFinansGIB.GIBEMustahsil.faturaDTO.toplamTutarSpecifi	etedEventArgs.mustahsilMakbuzIptalEtCompletedEventArgs
ed 552	557
QNBFinansGIB.GIBEMustahsil.faturaDTO.uuid 552	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompl
QNBFinansGIB.GIBEMustahsil.faturaDTO.vergilerToplami	etedEventArgs.Result
553	557
QNBFinansGIB.GIBEMustahsil.faturaDTO.vergilerToplamiSpe	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompl
cified 553	etedEventHandler
QNBFinansGIB.GIBEMustahsil.faturaDTO.versiyon 553	655
QNBFinansGIB.GIBEMustahsil.faturaDTO.versiyonSpecified	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompl
553	etedEventHandler
QNBFinansGIB.GIBEMustahsil.faturaDTO.yazdirildi 553	type 655
QNBFinansGIB.GIBEMustahsil.faturaDTO.yazdirildiSpecified	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtRespo
553	nse
QNBFinansGIB.GIBEMustahsil.faturaDTO.yerelFaturaNo 553	557
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetir 553	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtRespo
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetir.kontorBirim	nse.@return
554	557
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetir.kontorTipi	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldir
554	558
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetir.vknTckn 554	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldir.in
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirCompletedEv	put
entArgs 554	558
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirCompletedEv	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldirC
entArgs.kontorBilgisiGetirCompletedEventArgs 555	ompletedEventArgs
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirCompletedEv	559
entArgs.Result 555	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldirC
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirCompletedEv	ompletedEventArgs
entHandler 655	559
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirCompletedEv	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldirC
entHandler type 655	ompletedEventArgs
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirResponse	559
555	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldirR
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirResponse.@	esponse
return 555	559
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEt 556	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEt.input	560
556	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula.
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompl	input
	560
	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com)

CompletedEventArgs 560	Response 563
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula CompletedEventArgs.mustahsilMakbuzListeSorgulaComplete dEventArgs 561	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula Response.@return 564
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula CompletedEventArgs.output 561	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula Response.output 564
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula CompletedEventArgs.Result 561	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlustur 564 QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlustur.belg e 565
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula CompletedEventHandler 656	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlustur.input 565
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula CompletedEventHandler type 656	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturComp letedEventArgs 565
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula Portal 561	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturComp letedEventArgs.@return 566
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula Portal.input 562	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturComp letedEventArgs.mustahsilMakbuzOlusturCompletedEventArgs 565
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula PortalCompletedEventArgs 562	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturComp letedEventArgs.Result 566
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula PortalCompletedEventArgs.mustahsilMakbuzListeSorgulaPort alCompletedEventArgs 562	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturComp letedEventHandler 656
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula PortalCompletedEventArgs.output 563	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturComp letedEventHandler type 656
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula PortalCompletedEventArgs.Result 563	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizleme 566
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula PortalCompletedEventArgs.Result 566	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizleme.bel ge 566
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula PortalCompletedEventHandler type 656	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizleme.in put 566
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula PortalResponse 563	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCo mpletedEventArgs 566
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula PortalResponse.@return 563	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCo mpletedEventArgs.@return 567
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula PortalResponse.output 563	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCo mpletedEventArgs.mustahsilMakbuzOnizlemeCompletedEven tArgs 567
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCo

mpletedEventArgs.Result 567	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturCompletedEventHandler type 657
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCompletedEventHandler 656	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturResponse 571
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCompletedEventHandler type 656	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturResponse.@return 571
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgula 567	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizleme 571
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgula.input 568	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizleme.input 572
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCompletedEventArgs 568	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeCompletedEventArgs 572
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCompletedEventArgs.@return 569	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeCompletedEventArgs.mustahsilMakbuzTaslakOnizlemeCompletedEventArgs 572
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCompletedEventArgs.mustahsilMakbuzSorgulaCompletedEventArgs 569	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeCompletedEventArgs.output 573
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCompletedEventArgs.Result 569	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeCompletedEventArgs.Result 573
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCompletedEventHandler 657	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeCompletedEventHandler 657
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCompletedEventHandler type 657	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeCompletedEventHandler type 657
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlustur 569	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeCompletedEventHandler type 657
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlustur.belge 570	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeResponse 573
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlustur.input 570	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeResponse.@return 573
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturCompletedEventArgs 570	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeResponse.output 573
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturCompletedEventArgs.mustahsilMakbuzTaslakOlusturCompletedEventArgs 570	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSil 574
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturCompletedEventArgs.Result 571	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSil.input 574
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturCompletedEventArgs. 657	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCompletedEventArgs 574
	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCompletedEventArgs.mustahsilMakbuzTaslakSilCompletedEventArgs 574

Args	578
575	
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCompletedEventArgs.Result	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlustur.input 578
575	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlusturCompletedEventArgs 578
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCompletedEventHandler	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlusturCompletedEventArgs.@return 579
658	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlusturCompletedEventArgs. type 658
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCompletedEventHandler	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlusturCompletedEventArgs.mustahsilMakbuzTaslaktanOlusturCompletedEventArgs 579
575	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlusturCompletedEventArgs.Result 579
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilResponse. @ return	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlusturCompletedEventArgs.Result 579
575	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgula a
576	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgula.input 576
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgula.CompletedEventArgs	QNBFinansGIB.GIBEMustahsil.MustahsilWebService 579 QNBFinansGIB.GIBEMustahsil.MustahsilWebService.belgeZiPiAI 585
576	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.belgeZiPiAIAsync 586
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgula.CompletedEventArgs.mustahsilMakbuzTaslakSorgulaCompletedEventArgs	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.belgeZiPiAICompleted 623
577	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.CancelAsync 586
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgula.CompletedEventArgs.output	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.ePostaDurumSorgula 586
577	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.ePostaDurumSorgulaAsync 587
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgula.CompletedEventArgs.Result	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.ePostaDurumSorgulaCompleted 623
577	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.ePostaGonder 587
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgula.CompletedEventArgs.output	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.ePostaGonderAsync 588
578	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.ePostaGonderCompleted
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlustur	

623	silMakbuzOlusturAsync
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.IsLocal FileSystemWebService 589	595
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.kontorBi IgisiGetir 589	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzOlusturCompleted 624
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.kontorBi IgisiGetirAsync 590	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzOnizleme 595
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.kontorBi IgisiGetirCompleted 623	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzOnizlemeAsync 596
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzIptalEt 590	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzOnizlemeCompleted 624
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzIptalEtAsync 591	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzSorgula 596
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzIptalEtCompleted 624	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzSorgulaAsync 597
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzIptaliKaldır 591	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzSorgulaCompleted 624
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzIptaliKaldırAsync 592	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzTaslakOlustur 597
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzIptaliKaldırCompleted 624	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzTaslakOlusturAsync 598
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzListeSorgula 592	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzTaslakOlusturCompleted 624
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzListeSorgulaAsync 593	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzTaslakOnizleme 598
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzListeSorgulaCompleted 624	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzTaslakOnizlemeAsync 599
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzListeSorgulaPortal 593	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzTaslakOnizlemeCompleted 624
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzListeSorgulaPortalAsync 594	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzTaslakSil 599
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzListeSorgulaPortalCompleted 624	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzTaslakSilAsync 600
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzOlustur 594	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzTaslakSilCompleted 624
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzTaslakSorgula 600

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakSorgulaAsync 601	606	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzTaslakOnizlemeOperationCompleted 606
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakSorgulaCompleted 624	606	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzTaslakSilOperationCompleted 606
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslaktanOlustur 601	606	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzTaslakSorgulaOperationCompleted 606
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslaktanOlusturAsync 602	606	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzTaslaktanOlusturOperationCompleted 607
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslaktanOlusturCompleted 625	607	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnraporBolumAIOperationCompleted 607
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.MustahsilWebService 585	607	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnraporBolumBilgisiAIOperationCompleted 607
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnbelgeZipiAIOperationCompleted 602	607	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnraporBolumleriOlusturOperationCompleted 608
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnePosstaDurumSorgulaOperationCompleted 603	608	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnraporBolumListesiDetayliSorgulaOperationCompleted 608
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnePostaGonderOperationCompleted 603	608	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnraporBolumListesiSorgulaOperationCompleted 608
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnkontorBilgisiGetirOperationCompleted 603	608	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnraporBolumRaporNoGuncellelmzalaOperationCompleted 609
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzIptalEtOperationCompleted 603	609	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnraporBolumSilOperationCompleted 609
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzIptaliKaldirOperationCompleted 604	609	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnrapordaBelgeSorgulaOperationCompleted 609
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzListeSorgulaOperationCompleted 604	609	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnraporDurumSorgulaOperationCompleted 609
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzListeSorgulaPortalOperationCompleted 604	609	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnraporGonderOperationCompleted 610
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzOlusturOperationCompleted 605	610	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnsmsDurumSorgulaOperationCompleted 610
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzOnizlemeOperationCompleted 605	610	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnsmsGonderOperationCompleted 610
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzSorgulaOperationCompleted 605	610	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumAI 611
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.OnmustahsilMakbuzTaslakOlusturOperationCompleted	611	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com)

lumAIAsync 611	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumSilAsync 617, 618
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumAICompleted 625	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumSilCompleted 625
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumBilgisiAI 612	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporda BelgeSorgula 618
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumBilgisiAIAsync 612	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporda BelgeSorgulaAsync 618
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumBilgisiAICompleted 625	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporda BelgeSorgulaCompleted 625
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumleriOlustur 613	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporDu rumSorgula 619
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumleriOlusturAsync 613, 614	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporDu rumSorgulaAsync 619
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumleriOlusturCompleted 625	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporDu rumSorgulaCompleted 625
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumListesiDetayliSorgula 614	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporGo nder 620
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumListesiDetayliSorgulaAsync 614, 615	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporGo nderAsync 620
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumListesiDetayliSorgulaCompleted 625	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporGo nderCompleted 625
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumListesiSorgula 615	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.smsDur umSorgula 621
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumListesiSorgulaAsync 615, 616	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.smsDur umSorgulaAsync 621
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumListesiSorgulaCompleted 625	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.smsDur umSorgulaCompleted 626
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumRaporNoGuncellelmzala 616	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.smsGon der 622
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumRaporNoGuncellelmzalaAsync 616, 617	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.smsGon derAsync 622, 623
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumRaporNoGuncellelmzalaCompleted 625	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.smsGon derCompleted 626
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumSil 617	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.Url 623 QNBFinansGIB.GIBEMustahsil.MustahsilWebService.UseDef

aultCredentials 623	630
QNBFinansGIB.GIBEMustahsil.raporBolumAI 626	QNBFinansGIB.GIBEMustahsil.raporBolumDTO.bolumNo 630
QNBFinansGIB.GIBEMustahsil.raporBolumAI.bolumRaporNo 626	QNBFinansGIB.GIBEMustahsil.raporBolumDTO.bolumNoSpe cified 630
QNBFinansGIB.GIBEMustahsil.raporBolumAICompletedEvent Args 626	QNBFinansGIB.GIBEMustahsil.raporBolumDTO.bolumRapor No 630
QNBFinansGIB.GIBEMustahsil.raporBolumAICompletedEvent Args.@return 627	QNBFinansGIB.GIBEMustahsil.raporBolumDTO.durum 630
QNBFinansGIB.GIBEMustahsil.raporBolumAICompletedEvent Args.raporBolumAICompletedEventArgs 627	QNBFinansGIB.GIBEMustahsil.raporBolumDTO.durumAcikla ma 631
QNBFinansGIB.GIBEMustahsil.raporBolumAICompletedEvent Args.Result 627	QNBFinansGIB.GIBEMustahsil.raporBolumDTO.durumKodu 631
QNBFinansGIB.GIBEMustahsil.raporBolumAICompletedEvent Handler 658	QNBFinansGIB.GIBEMustahsil.raporBolumDTO.sonIslemeZa mani 631
QNBFinansGIB.GIBEMustahsil.raporBolumAICompletedEvent Handler type 658	QNBFinansGIB.GIBEMustahsil.raporBolumleriOlustur 631
QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAI 627	QNBFinansGIB.GIBEMustahsil.raporBolumleriOlustur.donem 631
QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAI.bolumRap orNo 628	QNBFinansGIB.GIBEMustahsil.raporBolumleriOlustur.input 632
QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAICompleted EventArgs 628	QNBFinansGIB.GIBEMustahsil.raporBolumleriOlustur.sonGun 632
QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAICompleted EventArgs.raporBolumBilgisiAICompletedEventArgs 628	QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturComple tedEventArgs 632
QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAICompleted EventArgs.Result 629	QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturComple tedEventArgs.raporBolumleriOlusturCompletedEventArgs 632
QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAICompleted EventHandler 659	QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturComple tedEventArgs.Result 633
QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAICompleted EventHandler type 659	QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturComple tedEventHandler 659
QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAIResponse 629	QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturComple tedEventHandler type 659
QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAIResponse. @return 629	QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturRespon se 633
QNBFinansGIB.GIBEMustahsil.raporBolumDTO 629	QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturRespon se.@return 633
QNBFinansGIB.GIBEMustahsil.raporBolumDTO.baslangicTari hi 630	QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetyaliSorg ula 633
QNBFinansGIB.GIBEMustahsil.raporBolumDTO.bitisTarihi	QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetyaliSorg ula.donem 634

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at [support@toolsfactory.com](mailto:support@toolsfactory.com).

QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetacliSorgulaCompletedEventArgs 634	637
QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetacliSorgulaCompletedEventArgs.output 635	638
QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetacliSorgulaCompletedEventArgs.raporBolumListesiDetacliSorgulaCompletedEventArgs 634	638
QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetacliSorgulaCompletedEventArgs.Result 635	638
QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetacliSorgulaCompletedEventArgs.Handler 659	639
QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetacliSorgulaCompletedEventArgs.type 635	660
QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetacliSorgulaResponse 635	639
QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetacliSorgulaResponse.@return 635	639
QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetacliSorgulaResponse.output 635	639
QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgula 635	639
QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgula.donem 636	640
QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCompletedEventArgs 636	640
QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCompletedEventArgs.@return 637	640
QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCompletedEventArgs.raporBolumListesiSorgulaCompletedEventArgs.Args 637	640
QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCompletedEventArgs.Result 637	640
QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCompletedEventArgs.Handler 659	641
QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCompletedEventArgs.type 659	641
QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncellel mzala	642
	QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaComple

edEventArgs	Args.Result
642	646
QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaComple	QNBFinansGIB.GIBEMustahsil.raporGonderCompletedEvent
edEventArgs.rapordaBelgeSorgulaCompletedEventArgs	Handler
642	661
QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaComple	QNBFinansGIB.GIBEMustahsil.raporGonderCompletedEvent
edEventArgs.Result	Handler
642	type 661
QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaComple	QNBFinansGIB.GIBEMustahsil.raporGonderResponse 647
edEventHandler	QNBFinansGIB.GIBEMustahsil.raporGonderResponse.@retur
660	n
QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaComple	QNBFinansGIB.GIBEMustahsil.smsDurumSorgula 647
edEventHandler	QNBFinansGIB.GIBEMustahsil.smsDurumSorgula.input 648
type 660	QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompleted
QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaRespons	EventArgs
e	648
643	QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompleted
QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaRespons	EventArgs.outputDurum
e.@return	648
643	QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompleted
QNBFinansGIB.GIBEMustahsil.raporDurumSorgula 643	EventArgs.Result
QNBFinansGIB.GIBEMustahsil.raporDurumSorgula.donem	649
644	QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompleted
QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaCompleted	EventArgs.smsDurumSorgulaCompletedEventArgs
EventArgs	648
644	QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompleted
QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaCompleted	EventArgs.smsDurumSorgulaCompletedEventArgs.Result
EventArgs.rapordaBelgeSorgulaCompletedEventArgs	649
644	QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompleted
QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaCompleted	EventArgs.smsDurumSorgulaCompletedEventArgs.type
EventArgs.Result	661
644	QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompleted
QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaCompleted	EventArgs.type 661
EventArgs.Result	661
644	QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompleted
QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaCompleted	EventArgs.type 661
EventArgs.Result	661
644	QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaResponse
QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaCompleted	649
EventArgs	QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaResponse.
660	@return
QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaCompleted	649
EventArgs	QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaResponse.
660	@return
QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaResponse	649
645	QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaResponse.o
QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaResponse.	utputDurum
@return	649
645	QNBFinansGIB.GIBEMustahsil.smsGonder 649
QNBFinansGIB.GIBEMustahsil.raporGonder	QNBFinansGIB.GIBEMustahsil.smsGonder.ilaveTelefonNo
645	650
QNBFinansGIB.GIBEMustahsil.raporGonder	QNBFinansGIB.GIBEMustahsil.smsGonder.input 650
646	QNBFinansGIB.GIBEMustahsil.smsGonder.tanimliTelefonNoy
QNBFinansGIB.GIBEMustahsil.raporGonderCompletedEvent	aGonder
Args	650
646	QNBFinansGIB.GIBEMustahsil.smsGonderCompletedEventAr
QNBFinansGIB.GIBEMustahsil.raporGonderCompletedEvent	gs
Args.rapordaBelgeSorgulaCompletedEventArgs	650
646	QNBFinansGIB.GIBEMustahsil.smsGonderCompletedEventAr
QNBFinansGIB.GIBEMustahsil.raporGonderCompletedEvent	gs

gs.Result 651	666
QNBFinansGIB.GIBEMustahsil.smsGonderCompletedEventArgs 651	QNBFinansGIB.GIBUserService.userService.userService 663
QNBFinansGIB.GIBEMustahsil.smsGonderCompletedEventArgs 651	QNBFinansGIB.GIBUserService.userService.wsLogin 665
QNBFinansGIB.GIBEMustahsil.smsGonderCompletedEventArgs 661	QNBFinansGIB.GIBUserService.userService.wsLoginAsync 666
QNBFinansGIB.GIBEMustahsil.smsGonderCompletedEventArgs 661	QNBFinansGIB.GIBUserService.userService.wsLoginCompleted 666
QNBFinansGIB.GIBEMustahsil.smsGonderCompletedEventArgs type 661	QNBFinansGIB.GIBUserService.wsLoginCompletedEventHan dler 667
QNBFinansGIB.GIBEMustahsil.smsGonderResponse 651	QNBFinansGIB.GIBUserService.wsLoginCompletedEventHan dler type 667
QNBFinansGIB.GIBEMustahsil.smsGonderResponse.@return 651	QNBFinansGIB.Program 780
QNBFinansGIB.GIBEMustahsil.stringOutputWrapper 652	QNBFinansGIB.Program.Main 781
QNBFinansGIB.GIBEMustahsil.stringOutputWrapper.@return 652	QNBFinansGIB.Properties 667
QNBFinansGIB.GIBEMustahsil.stringOutputWrapper.output 652	QNBFinansGIB.Properties namespace 667 Classes 667
QNBFinansGIB.GIBUserService 661	QNBFinansGIB.Properties.Resources 668
QNBFinansGIB.GIBUserService namespace 661 Classes 662	QNBFinansGIB.Properties.Resources.Culture 669
Types 667	QNBFinansGIB.Properties.Resources.ResourceManager 669
QNBFinansGIB.GIBUserService.logoutCompletedEventHandler 667	QNBFinansGIB.Properties.Resources.Resources 668
QNBFinansGIB.GIBUserService.logoutCompletedEventHandler type 667	QNBFinansGIB.Properties.Settings 669
QNBFinansGIB.GIBUserService.userService 662	QNBFinansGIB.Properties.Settings.Default 670
QNBFinansGIB.GIBUserService.userService.CancelAsync 663	QNBFinansGIB.Properties.Settings.QNBFinansGIB_GIBEArsi v_EarsivWebService 670
QNBFinansGIB.GIBUserService.userService.IsLocalFileSyste mWebService 663	QNBFinansGIB.Properties.Settings.QNBFinansGIB_GIBEArsi v_MustahsilWebService 670
QNBFinansGIB.GIBUserService.userService.logout 664	QNBFinansGIB.Properties.Settings.QNBFinansGIB_GIBEFat ura_connectorService 670
QNBFinansGIB.GIBUserService.userService.logoutAsync 664	QNBFinansGIB.Properties.Settings.QNBFinansGIB_GIBEMus tahsil_MustahsilWebService 671
QNBFinansGIB.GIBUserService.userService.logoutComplete d 666	QNBFinansGIB.Properties.Settings.QNBFinansGIB_GIBUser Service_userService 671
QNBFinansGIB.GIBUserService.userService.OnlogoutOperati onCompleted 664	QNBFinansGIB.sln 835
QNBFinansGIB.GIBUserService.userService.OnwsLoginOper ationCompleted 665	QNBFinansGIB.Utils 671
QNBFinansGIB.GIBUserService.userService.Url 666	QNBFinansGIB.Utils namespace 671 Classes 672
QNBFinansGIB.GIBUserService.userService.UseDefaultCred entials	QNBFinansGIB.Utils.BoslukKaldır 672
	QNBFinansGIB.Utils.BoslukKaldır.BosluklarıKaldır 673
	QNBFinansGIB.Utils.DisServisler 673

QNBFinansGIB.Utils.DisServisler.BelgeOidKontrol 674	QNBFinansGIB.Utils.Sabitler 695
QNBFinansGIB.Utils.DisServisler.EArsivGonder 675	QNBFinansGIB.Utils.Sabitler.TekrarGonderilebilecekKodListesi 695
QNBFinansGIB.Utils.DisServisler.EArsivOnIzleme 676	QNBFinansGIB.Utils.YardimciSınıflar 695
QNBFinansGIB.Utils.DisServisler.EArsivServisineBaglan 677	QNBFinansGIB.Utils.YardimciSınıflar.EArsivBankaBilgileriDuzenle 696
QNBFinansGIB.Utils.DisServisler.EArsivSilmeyeUygunMu 678	QNBFinansGIB.Utils.YardimciSınıflar.EArsivFaturaDetaylarıDuzenle 697
QNBFinansGIB.Utils.DisServisler.EFaturaGonder 678	QNBFinansGIB.Utils.YardimciSınıflar.EArsivStandartImzaVeFirmaBilgisiDuzenle 701
QNBFinansGIB.Utils.DisServisler.EFaturaKullaniciListesi 682	QNBFinansGIB.Utils.YardimciSınıflar.EArsivVergiVeDigerAlanlarDuzenle 708
QNBFinansGIB.Utils.DisServisler.EFaturaKullaniciMi 683	QNBFinansGIB.Utils.YardimciSınıflar.EArsivXMLOlustur 713
QNBFinansGIB.Utils.DisServisler.EFaturaOnIzleme 684	QNBFinansGIB.Utils.YardimciSınıflar.EFaturaXMLOlustur 720
QNBFinansGIB.Utils.DisServisler.EFaturaServisineBaglan 685	QNBFinansGIB.Utils.YardimciSınıflar.EMustahsilXMLOlustur 739
QNBFinansGIB.Utils.DisServisler.EFaturaSilmeyeUygunMu 685	
QNBFinansGIB.Utils.DisServisler.EMustahsilGonder 686	
QNBFinansGIB.Utils.DisServisler.EMustahsilOnIzleme 687	
QNBFinansGIB.Utils.DisServisler.EMustahsilServisineBaglan 688	
QNBFinansGIB.Utils.DisServisler.EMustahsilSilmeyeUygunMu 688	
QNBFinansGIB.Utils.DisServisler.GetMD5Hash 689	
QNBFinansGIB.Utils.Enums 689	<b>R</b>
QNBFinansGIB.Utils.Enums.FaturaMakbuzGrupTur 690	RafFiyatGarantili enumeration member 691
QNBFinansGIB.Utils.Enums.FaturaMakbuzGrupTur enumeration 690	raporBolumAI class 175, 626
QNBFinansGIB.Utils.Enums.FaturaTur 690	about raporBolumAI class 175, 626
QNBFinansGIB.Utils.Enums.FaturaTur enumeration 690	bolumRaporNo 176, 626
QNBFinansGIB.Utils.Enums.SatisTur 691	raporBolumAICompletedEventArgs class 176, 626
QNBFinansGIB.Utils.Enums.SatisTur enumeration 691	@return 177, 627
QNBFinansGIB.Utils.GeriDonus 691	about raporBolumAICompletedEventArgs class 176, 626
QNBFinansGIB.Utils.GeriDonus.Dosya 691	raporBolumAICompletedEventArgs 176, 627
QNBFinansGIB.Utils.GeriDonus.Tip 692	Result 177, 627
QNBFinansGIB.Utils.GibNumarası 692	raporBolumBilgisiAI class 177, 627
QNBFinansGIB.Utils.GibNumarası.RastgeleGibNumarasıOlusturFaturadan 692	about raporBolumBilgisiAI class 177, 627
QNBFinansGIB.Utils.GibNumarası.RastgeleGibNumarasıOlusturMakbuzdan 693	bolumRaporNo 177, 628
QNBFinansGIB.Utils.GibNumarası.RastgeleMetinOlustur 693	raporBolumBilgisiAICompletedEventArgs class 177, 628
QNBFinansGIB.Utils.MesajSabitler 694	about raporBolumBilgisiAICompletedEventArgs class 177, 628
QNBFinansGIB.Utils.MesajSabitler.IslemBasarili 694	raporBolumBilgisiAICompletedEventArgs 178, 628
QNBFinansGIB.Utils.MesajSabitler.IslemBasarisiz 694	Result 178, 629
QNBFinansGIB.Utils.MesajSabitler.MesajBasligi 694	raporBolumBilgisiAIResponse class 178, 629
	@return 179, 629
	about raporBolumBilgisiAIResponse class 178, 629
	raporBolumDTO class 179, 629
	about raporBolumDTO class 179, 629

baslangicTarihi 179, 630  
 bitisTarihi 180, 630  
 bolumNo 180, 630  
 bolumNoSpecified 180, 630  
 bolumRaporNo 180, 630  
 durum 180, 630  
 durumAciklama 180, 631  
 durumKodu 180, 631  
 sonIslemeZamani 180, 631  
**raporBolumleriOlustur** class 180, 631  
 about **raporBolumleriOlustur** class 180, 631  
 donem 181, 631  
 input 181, 632  
 sonGun 181, 632  
**raporBolumleriOlusturCompletedEventArgs** class 181, 632  
 about **raporBolumleriOlusturCompletedEventArgs** class 181, 632  
**raporBolumleriOlusturCompletedEventArgs** 182, 632  
 Result 182, 633  
**raporBolumleriOlusturResponse** class 182, 633  
 @return 183, 633  
 about **raporBolumleriOlusturResponse** class 182, 633  
**raporBolumListesiDetayliSorgula** class 183, 633  
 about **raporBolumListesiDetayliSorgula** class 183, 633  
 donem 183, 634  
**raporBolumListesiDetayliSorgulaCompletedEventArgs** class 183, 634  
 about  
**raporBolumListesiDetayliSorgulaCompletedEventArgs** class 183, 634  
 output 184, 635  
**raporBolumListesiDetayliSorgulaCompletedEventArgs** 184, 634  
 Result 184, 635  
**raporBolumListesiDetayliSorgulaResponse** class 184, 635  
 @return 185, 635  
 about **raporBolumListesiDetayliSorgulaResponse** class 184, 635  
 output 185, 635  
**raporBolumListesiSorgula** class 185, 635  
 about **raporBolumListesiSorgula** class 185, 635  
 donem 185, 636  
**raporBolumListesiSorgulaCompletedEventArgs** class 186, 636  
 @return 186, 637  
 about **raporBolumListesiSorgulaCompletedEventArgs**  
 class 186, 636  
**raporBolumListesiSorgulaCompletedEventArgs** 186, 637  
 Result 187, 637  
**raporBolumListesiSorgulaWithInput** class 187  
 about **raporBolumListesiSorgulaWithInput** class 187  
 donem 187  
 input 187  
**raporBolumListesiSorgulaWithInputCompletedEventArgs**  
 class 187  
 @return 188  
 about  
**raporBolumListesiSorgulaWithInputCompletedEventArgs**  
 class 187  
**raporBolumListesiSorgulaWithInputCompletedEventArgs**  
 188  
 Result 188  
**raporBolumRaporNoGuncellelmzala** class 188, 637  
 about **raporBolumRaporNoGuncellelmzala** class 188, 637  
 bolumRaporNo 189, 638  
**raporBolumRaporNoGuncellelmzalaCompletedEventArgs**  
 class 189, 638  
 about  
**raporBolumRaporNoGuncellelmzalaCompletedEventArgs**  
 class 189, 638  
**raporBolumRaporNoGuncellelmzalaCompletedEventArgs**  
 190, 638  
 Result 190, 639  
**raporBolumRaporNoGuncellelmzalaResponse** class 190, 639  
 @return 190, 639  
 about **raporBolumRaporNoGuncellelmzalaResponse**  
 class 190, 639  
**raporBolumSil** class 191, 639  
 about **raporBolumSil** class 191, 639  
 bolumRaporNo 191, 640  
**raporBolumSilCompletedEventArgs** class 191, 640  
 about **raporBolumSilCompletedEventArgs** class 191, 640  
**raporBolumSilCompletedEventArgs** 192, 640  
 Result 192, 640  
**raporBolumSilResponse** class 192, 641  
 @return 192, 641  
 about **raporBolumSilResponse** class 192, 641  
**rapordaBelgeSorgula** class 641

about rapordaBelgeSorgula class 641  
 input 642

rapordaBelgeSorgulaCompletedEventArgs class 642  
 about rapordaBelgeSorgulaCompletedEventArgs class 642  
 rapordaBelgeSorgulaCompletedEventArgs 642  
 Result 642

rapordaBelgeSorgulaResponse class 643  
 @return 643  
 about rapordaBelgeSorgulaResponse class 643

rapordaFaturaSorgula class 193  
 about rapordaFaturaSorgula class 193  
 input 193

rapordaFaturaSorgulaCompletedEventArgs class 193  
 about rapordaFaturaSorgulaCompletedEventArgs class 193  
 rapordaFaturaSorgulaCompletedEventArgs 194  
 Result 194

rapordaFaturaSorgulaResponse class 194  
 @return 194  
 about rapordaFaturaSorgulaResponse class 194

raporDurumSorgula class 195, 643  
 about raporDurumSorgula class 195, 643  
 donem 195, 644

raporDurumSorgulaCompletedEventArgs class 195, 644  
 about raporDurumSorgulaCompletedEventArgs class 195, 644  
 raporDurumSorgulaCompletedEventArgs 196, 644  
 Result 196, 644

raporDurumSorgulaResponse class 196, 645  
 @return 196, 645  
 about raporDurumSorgulaResponse class 196, 645

raporGonder class 197, 645  
 about raporGonder class 197, 645  
 donem 197, 646

raporGonderCompletedEventArgs class 197, 646  
 about raporGonderCompletedEventArgs class 197, 646  
 raporGonderCompletedEventArgs 198, 646  
 Result 198, 646

raporGonderResponse class 198, 647  
 @return 198, 647  
 about raporGonderResponse class 198, 647

Reference.cs 835

Resources class 668  
 about Resources class 668  
 Culture 669  
 ResourceManager 669  
 Resources 668

Resources.Designer.cs 838

**S**

Sabitler class 695  
 about Sabitler class 695  
 TekrarGonderilebilecekKodListesi 695

Sabitler.cs 840

Satis enumeration member 690

Seker enumeration member 690

serviceReturnType class 199, 489  
 about serviceReturnType class 199, 489

servisSaglayicidanEpostaDurumSorgula class 199  
 about servisSaglayicidanEpostaDurumSorgula class 199  
 input 199

servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs class 199  
 @return 200  
 about servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs class 199  
 outputEposta 200  
 Result 201  
 servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs 200

Settings class 669  
 about Settings class 669  
 Default 670  
 QNBFinansGIB\_GIBEArsiv\_EarsivWebService 670  
 QNBFinansGIB\_GIBEArsiv\_MustahsilWebService 670  
 QNBFinansGIB\_GIBEFatura\_connectorService 670  
 QNBFinansGIB\_GIBEMustahsil\_MustahsilWebService 671  
 QNBFinansGIB\_GIBUserService\_userService 671

Settings.Designer.cs 840

SMM enumeration member 498

smsDurumSorgula class	201, 647	491
about smsDurumSorgula class	201, 647	Result 492
input 201, 648		toplasmBelgeSayisiGetirCompletedEventArgs 492
smsDurumSorgulaCompletedEventArgs class	201, 648	toplumFaturaPaketDosyaGonder class 206
about smsDurumSorgulaCompletedEventArgs class	201, 648	about toplumFaturaPaketDosyaGonder class 206
outputDurum 202, 648		input 206
Result 202, 649		paketDosyasiZip 206
smsDurumSorgulaCompletedEventArgs 202, 648		toplumFaturaPaketDosyaGonderCompletedEventArgs class
smsDurumSorgulaResponse class	202, 649	206
@return 203, 649		about
about smsDurumSorgulaResponse class	202, 649	toplumFaturaPaketDosyaGonderCompletedEventArgs
outputDurum 203, 649		class 206
smsGonder class	203, 649	Result 207
about smsGonder class	203, 649	toplumFaturaPaketDosyaGonderCompletedEventArgs 207
ilaveTelefonNo 203, 650		toplumFaturaPaketDosyaGonderResponse class 207
input 203, 650		@return 208
tanimliTelefonNoyaGonder 204, 650		about toplumFaturaPaketDosyaGonderResponse class 207
smsGonderCompletedEventArgs class	204, 650	toplumFaturaPaketDosyasiSorgula class 208
about smsGonderCompletedEventArgs class	204, 650	about toplumFaturaPaketDosyasiSorgula class 208
Result 204, 651		input 208
smsGonderCompletedEventArgs 204, 651		toplumFaturaPaketDosyasiSorgulaCompletedEventArgs class
smsGonderResponse class	205, 651	208
@return 205, 651		@return 209
about smsGonderResponse class	205, 651	about
stringOutputWrapper class	205, 652	toplumFaturaPaketDosyasiSorgulaCompletedEventArgs
@return 206, 652		class 208
about stringOutputWrapper class	205, 652	Result 209
output 206, 652		toplumFaturaPaketDosyasiSorgulaCompletedEventArgs
 <b>T</b>		209
temelKontrollerIleBelgeGonderCompletedEventArgs class	490	toplumFaturaPaketOnayla class 210
about		about toplumFaturaPaketOnayla class 210
temelKontrollerIleBelgeGonderCompletedEventArgs		input 210
class 490		toplumFaturaPaketOnaylaCompletedEventArgs class 210
Result 491		about toplumFaturaPaketOnaylaCompletedEventArgs
temelKontrollerIleBelgeGonderCompletedEventArgs 491		class 210
TeskilataVerilen enumeration member	691	Result 211
TeslimattaVadeli enumeration member	691	toplumFaturaPaketOnaylaCompletedEventArgs 211
TL enumeration member	497	toplumFaturaPaketOnaylaResponse class 211
toplasmBelgeSayisiGetirCompletedEventArgs class	491	@return 211
about toplasmBelgeSayisiGetirCompletedEventArgs class		about toplumFaturaPaketOnaylaResponse class 211
		toplumFaturaPaketSorgula class 212
		about toplumFaturaPaketSorgula class 212
		input 212
		toplumFaturaPaketSorgulaCompletedEventArgs class 212

@return 213  
 about topluFaturaPaketSorgulaCompletedEventArgs  
 class 212  
 Result 213  
 topluFaturaPaketSorgulaCompletedEventArgs 213

wsKullaniciKaydetCompletedEventArgs class 494  
 about wsKullaniciKaydetCompletedEventArgs class 494  
 Result 495  
 wsKullaniciKaydetCompletedEventArgs 495

**U**

UBL enumeration member 216, 652  
 ublOnizlemeCompletedEventArgs class 492  
 about ublOnizlemeCompletedEventArgs class 492  
 Result 493  
 ublOnizlemeCompletedEventArgs 492  
 urunSablonlariniAICompletedEventArgs class 493  
 about urunSablonlariniAICompletedEventArgs class 493  
 Result 494  
 urunSablonlariniAICompletedEventArgs 493  
 userService class 662  
 about userService class 662  
 CancelAsync 663  
 IsLocalFileSystemWebService 663  
 logout 664  
 logoutAsync 664  
 logoutCompleted 666  
 OnlogoutOperationCompleted 664  
 OnwsLoginOperationCompleted 665  
 Url 666  
 UseDefaultCredentials 666  
 userService 663  
 wsLogin 665  
 wsLoginAsync 666  
 wsLoginCompleted 666

**V**

Vadeli enumeration member 691

**W**

wsKullaniciBilgileri class 494  
 about wsKullaniciBilgileri class 494  
 kullanicikodu 494  
 sifre 494

yereleAktarilacakBelgeleriAICompletedEventArgs class 495  
 about yereleAktarilacakBelgeleriAICompletedEventArgs  
 class 495  
 Result 496  
 yereleAktarilacakBelgeleriAICompletedEventArgs 496  
 yereleAktarilacakBelgeleriAIExtCompletedEventArgs class  
 496  
 about  
 yereleAktarilacakBelgeleriAIExtCompletedEventArgs  
 class 496

**X**

XML enumeration member 216

**Y**

yapilandirmaAyarlariAI class 213  
 about yapilandirmaAyarlariAI class 213  
 input 214  
 yapilandirmaAyarlariAICompletedEventArgs class 214  
 about yapilandirmaAyarlariAICompletedEventArgs class  
 214  
 outputYapilandirma 215  
 Result 215  
 yapilandirmaAyarlariAICompletedEventArgs 214  
 yapilandirmaAyarlariAIResponse class 215  
 @return 215  
 about yapilandirmaAyarlariAIResponse class 215  
 outputYapilandirma 215  
 YardimciSiniflar class 695  
 about YardimciSiniflar class 695  
 EArsivBankaBilgileriDuzenle 696  
 EArsivFaturaDetaylariDuzenle 697  
 EArsivStandartImzaVeFirmaBilgisiDuzenle 701  
 EArsivVergiVeDigerAlanlarDuzenle 708  
 EArsivXMLOlustur 713  
 EFaturaXMLOlustur 720  
 EMustahsilXMLOlustur 739  
 YardimciSiniflar.cs 842

Result 497

yereleAktarilacakBelgeleriAIExtCompletedEventArgs 497