

QNB Finans E-Fatura E-Arsiv E-Müstahsil

QNB Finans'in sundugu GIB (Gelir İdaresi
Baskanligi) E-Fatura, E-Arsiv, E-Müstahsil gibi
servislerin nasıl kullanilacagina dair örnekler içeren
bir Windows Form uygulamasi

Table of Contents

Symbol Reference

QNBFinansGIB Namespace	1
QNBFinansGIB.DTO Namespace	1
Classes	2
FaturaKdvDTO Class	2
GidenFaturaDetayDTO Class	3
GidenFaturaDTO Class	6
MustahsilMakbuzuDetayDTO Class	11
MustahsilMakbuzuDTO Class	13
QNBFinansGIB.GIBEArsiv Namespace	16
Classes	22
aliciEpostaEkleSilGuncelle Class	26
aliciEpostaEkleSilGuncelleCompletedEventArgs Class	27
aliciEpostaEkleSilGuncelleResponse Class	28
belge Class	28
belgeOutputWrapper Class	29
dosyalInput Class	30
doubleStringOutputWrapper Class	31
earsivServiceResult Class	31
earsivServiceResultEntry Class	32
EarsivWebService Class	33
eFaturaKayitliKullaniciListele Class	94
eFaturaKayitliKullaniciListeleCompletedEventArgs Class	94
eFaturaKullanici Class	95
efaturaKullanicisi Class	96
efaturaKullanicisiCompletedEventArgs Class	97
efaturaKullanicisiKontrol Class	98
efaturaKullanicisiKontrolCompletedEventArgs Class	98
efaturaKullanicisiKontrolResponse Class	99
efaturaKullanicisiResponse Class	100
ePostaDurumSorgula Class	100
ePostaDurumSorgulaCompletedEventArgs Class	101
ePostaGonder Class	102
ePostaGonderCompletedEventArgs Class	103
ePostaGonderResponse Class	104
faturaDTO Class	104

faturalptalEt Class	113
faturalptalEtCompletedEventArgs Class	114
faturalptalEtResponse Class	115
faturalptaliKaldır Class	115
faturalptaliKaldırCompletedEventArgs Class	116
faturalptaliKaldırResponse Class	117
faturaltirazEt Class	117
faturaltirazEtCompletedEventArgs Class	118
faturaltirazEtResponse Class	119
faturaltirazKaldır Class	119
faturaltirazKaldırCompletedEventArgs Class	120
faturaltirazKaldırResponse Class	121
faturaListeSorgula Class	121
faturaListeSorgulaCompletedEventArgs Class	122
faturaListeSorgulaCount Class	123
faturaListeSorgulaCountCompletedEventArgs Class	123
faturaListeSorgulaCountResponse Class	124
faturaListeSorgulaPortal Class	125
faturaListeSorgulaPortalCompletedEventArgs Class	125
faturaListeSorgulaPortalResponse Class	126
faturaListeSorgulaResponse Class	127
faturaNoUret Class	128
faturaNoUretCompletedEventArgs Class	128
faturaOlustur Class	129
faturaOlusturCompletedEventArgs Class	130
faturaOlusturExt Class	131
faturaOlusturExtCompletedEventArgs Class	132
faturaOnizleme Class	133
faturaOnizlemeCompletedEventArgs Class	133
faturaSorgula Class	134
faturaSorgulaCompletedEventArgs Class	135
faturaSorgulaExt Class	136
faturaSorgulaExtCompletedEventArgs Class	136
faturaTaslakOlustur Class	137
faturaTaslakOlusturCompletedEventArgs Class	138
faturaTaslakOlusturResponse Class	139
faturaTaslakOnizleme Class	139
faturaTaslakOnizlemeCompletedEventArgs Class	140
faturaTaslakOnizlemeResponse Class	141
faturaTaslakSil Class	142

faturaTaslakSilCompletedEventArgs Class	142
faturaTaslakSilResponse Class	143
faturaTaslakSorgula Class	144
faturaTaslakSorgulaCompletedEventArgs Class	144
faturaTaslakSorgulaResponse Class	145
faturaTaslaktanOlustur Class	146
faturaTaslaktanOlusturCompletedEventArgs Class	146
faturaZipiAI Class	147
faturaZipiAICompletedEventArgs Class	148
faturaZipiAIResponse Class	149
kontorBilgisiGetir Class	150
kontorBilgisiGetirCompletedEventArgs Class	150
kontorBilgisiGetirResponse Class	151
okcRaporBolumAI Class	152
okcRaporBolumAICompletedEventArgs Class	152
okcRaporKaydet Class	153
okcRaporKaydetCompletedEventArgs Class	154
okcRaporKaydetResponse Class	155
okcRaporOlusturGonder Class	155
okcRaporOlusturGonderCompletedEventArgs Class	156
okcRaporOlusturGonderResponse Class	157
raporBolumAI Class	157
raporBolumAICompletedEventArgs Class	158
raporBolumBilgisiAI Class	159
raporBolumBilgisiAICompletedEventArgs Class	159
raporBolumBilgisiAIResponse Class	160
raporBolumDTO Class	161
raporBolumleriOlustur Class	162
raporBolumleriOlusturCompletedEventArgs Class	163
raporBolumleriOlusturResponse Class	164
raporBolumListesiDetacliSorgula Class	165
raporBolumListesiDetacliSorgulaCompletedEventArgs Class	165
raporBolumListesiDetacliSorgulaResponse Class	166
raporBolumListesiSorgula Class	167
raporBolumListesiSorgulaCompletedEventArgs Class	168
raporBolumListesiSorgulaWithInput Class	169
raporBolumListesiSorgulaWithInputCompletedEventArgs Class	169
raporBolumRaporNoGuncelleImzala Class	170
raporBolumRaporNoGuncelleImzalaCompletedEventArgs Class	171
raporBolumRaporNoGuncelleImzalaResponse Class	172

raporBolumSil Class	173
raporBolumSilCompletedEventArgs Class	173
raporBolumSilResponse Class	174
rapordaFaturaSorgula Class	175
rapordaFaturaSorgulaCompletedEventArgs Class	175
rapordaFaturaSorgulaResponse Class	176
raporDurumSorgula Class	177
raporDurumSorgulaCompletedEventArgs Class	177
raporDurumSorgulaResponse Class	178
raporGonder Class	179
raporGonderCompletedEventArgs Class	179
raporGonderResponse Class	180
serviceReturnType Class	181
servisSaglayicidanEpostaDurumSorgula Class	181
servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs Class	181
smsDurumSorgula Class	183
smsDurumSorgulaCompletedEventArgs Class	183
smsDurumSorgulaResponse Class	184
smsGonder Class	185
smsGonderCompletedEventArgs Class	186
smsGonderResponse Class	187
stringOutputWrapper Class	187
topluFaturaPaketDosyaGonder Class	188
topluFaturaPaketDosyaGonderCompletedEventArgs Class	188
topluFaturaPaketDosyaGonderResponse Class	189
topluFaturaPaketDosyasiSorgula Class	190
topluFaturaPaketDosyasiSorgulaCompletedEventArgs Class	190
topluFaturaPaketOnayla Class	192
topluFaturaPaketOnaylaCompletedEventArgs Class	192
topluFaturaPaketOnaylaResponse Class	193
topluFaturaPaketSorgula Class	194
topluFaturaPaketSorgulaCompletedEventArgs Class	194
yapilandirmaAyarlariAI Class	195
yapilandirmaAyarlariAICompletedEventArgs Class	196
yapilandirmaAyarlariAIResponse Class	197
Structs, Records, Enums	197
QNBFinansGIB.GIBEArxiv.belgeFormatiEnum Enumeration	198
QNBFinansGIB.GIBEArxiv.genelBelgeFormatiEnum Enumeration	198
Types	198
QNBFinansGIB.GIBEArxiv.aliciEpostaEkleSilGuncelleCompletedEventHandler Type	200

QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListeleCompletedEventHandler Type	201
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiCompletedEventHandler Type	201
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrolCompletedEventHandler Type	201
QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEventHandler Type	201
QNBFinansGIB.GIBEArsiv.ePostaGonderCompletedEventHandler Type	202
QNBFinansGIB.GIBEArsiv.faturalptalEtCompletedEventHandler Type	202
QNBFinansGIB.GIBEArsiv.faturalptaliKaldirCompletedEventHandler Type	202
QNBFinansGIB.GIBEArsiv.faturaltirazEtCompletedEventHandler Type	202
QNBFinansGIB.GIBEArsiv.faturaltirazKaldirCompletedEventHandler Type	203
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCompletedEventHandler Type	203
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompletedEventHandler Type	203
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalCompletedEventHandler Type	203
QNBFinansGIB.GIBEArsiv.faturaNoUretCompletedEventHandler Type	204
QNBFinansGIB.GIBEArsiv.faturaOlusturCompletedEventHandler Type	204
QNBFinansGIB.GIBEArsiv.faturaOlusturExtCompletedEventHandler Type	204
QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventHandler Type	204
QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventHandler Type	204
QNBFinansGIB.GIBEArsiv.faturaSorgulaExtCompletedEventHandler Type	205
QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturCompletedEventHandler Type	205
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeCompletedEventHandler Type	205
QNBFinansGIB.GIBEArsiv.faturaTaslakSilCompletedEventHandler Type	205
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEventHandler Type	206
QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlusturCompletedEventHandler Type	206
QNBFinansGIB.GIBEArsiv.faturaZipiAICompletedEventHandler Type	206
QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirCompletedEventHandler Type	206
QNBFinansGIB.GIBEArsiv.okcRaporBolumAICompletedEventHandler Type	207
QNBFinansGIB.GIBEArsiv.okcRaporKaydetCompletedEventHandler Type	207
QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderCompletedEventHandler Type	207
QNBFinansGIB.GIBEArsiv.raporBolumAICompletedEventHandler Type	207
QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAICompletedEventHandler Type	208
QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturCompletedEventHandler Type	208
QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventHandler Type	208
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaCompletedEventHandler Type	208
QNBFinansGIB.GIBEArsiv.raporBolumListesiWithInputCompletedEventHandler Type	209
QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncelleImzalaCompletedEventHandler Type	209
QNBFinansGIB.GIBEArsiv.raporBolumSilCompletedEventHandler Type	209
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventHandler Type	209
QNBFinansGIB.GIBEArsiv.raporDurumSorgulaCompletedEventHandler Type	210
QNBFinansGIB.GIBEArsiv.raporGonderCompletedEventHandler Type	210
QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSorgulaCompletedEventHandler Type	210

QNBFinansGIB.GIBEArxiv.smsDurumSorgulaCompletedEventHandler Type	210
QNBFinansGIB.GIBEArxiv.smsGonderCompletedEventHandler Type	211
QNBFinansGIB.GIBEArxiv.topluFaturaPaketDosyaGonderCompletedEventHandler Type	211
QNBFinansGIB.GIBEArxiv.topluFaturaPaketDosyasiSorgulaCompletedEventHandler Type	211
QNBFinansGIB.GIBEArxiv.topluFaturaPaketOnaylaCompletedEventHandler Type	211
QNBFinansGIB.GIBEArxiv.topluFaturaPaketSorgulaCompletedEventHandler Type	212
QNBFinansGIB.GIBEArxiv.yapilandirmaAyarlariAICompletedEventHandler Type	212
QNBFinansGIB.GIBEFatura Namespace	212
Classes	218
belge Class	221
belgeGonderCompletedEventArgs Class	222
belgeGonderExtCompletedEventArgs Class	223
belgeGonderExtWithValidateCompletedEventArgs Class	224
belgeGonderResp Class	225
belgeGonderWithValidateCompletedEventArgs Class	226
belgeleriTekrarGonderBelgeOidCompletedEventArgs Class	227
belgeleriTekrarGonderCompletedEventArgs Class	228
belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs Class	229
belgev2 Class	230
belgev2Entry Class	232
belgev3 Class	232
belgev4 Class	234
belgev5 Class	235
belgev6 Class	236
cokluGidenBelgeDurumSorgulaCompletedEventArgs Class	238
connectorService Class	239
csXmlOnizlemeCompletedEventArgs Class	343
csXmlToUblCompletedEventArgs Class	344
eFaturaKayitliKullaniciHistory Class	345
eFaturaKayitliKullaniciListeleCompletedEventArgs Class	346
eFaturaKullanici Class	347
efaturaKullaniciBilgisiCompletedEventArgs Class	348
eFaturaKullaniciExtended Class	349
efaturaKullaniciListesiCompletedEventArgs Class	351
efaturaKullanicisiCompletedEventArgs Class	352
elrsaliyeKayitliKullaniciListeleCompletedEventArgs Class	353
elrsaliyeKullanici Class	354
elrsaliyeKullanicisiCompletedEventArgs Class	355
erpBilgileri Class	356
faturaKepelleladeEdildiCompletedEventArgs Class	356

faturaKepIleladeEdildilptalCompletedEventArgs Class	357
faturaNoUretCompletedEventArgs Class	358
faturaTarihcesiData Class	359
faturaTarihcesiSorgulaCompletedEventArgs Class	361
faturayaltirazEdildiCompletedEventArgs Class	362
faturayaltirazEdildilptalCompletedEventArgs Class	363
gelenBelgeDurum Class	364
gelenBelgeDurumSorgulaCompletedEventArgs Class	366
gelenBelgeDurumSorgulaExtCompletedEventArgs Class	367
gelenBelgeDurumv2 Class	368
gelenBelgeDurumv3 Class	369
gelenBelgeDurumv4 Class	370
gelenBelgeDurumv5 Class	371
gelenBelgeEkleriAICompletedEventArgs Class	372
gelenBelgeleriAICompletedEventArgs Class	373
gelenBelgeleriAIExt2CompletedEventArgs Class	374
gelenBelgeleriAIExt2Entry Class	375
gelenBelgeleriAIExtCompletedEventArgs Class	375
gelenBelgeleriIndirCompletedEventArgs Class	376
gelenBelgeleriIndirExtCompletedEventArgs Class	377
gelenBelgeleriListeleCompletedEventArgs Class	378
gelenBelgeleriListeleExtCompletedEventArgs Class	379
gelenBelgeParametreleri Class	380
gelenBelgeTutarBilgileri Class	383
gelenBelgeTutarBilgileriSorgulaCompletedEventArgs Class	386
gelenBelgeXmlleriniAICompletedEventArgs Class	387
gelenBelgeXmlleriniAIExtCompletedEventArgs Class	388
gelenStandartRapolariAICompletedEventArgs Class	389
gelenTamamlananRapolariAICompletedEventArgs Class	390
gelenTasinanBelgeleriIndirCompletedEventArgs Class	391
gidenBelgeDurum Class	392
gidenBelgeDurumParametreleri Class	394
gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs Class	395
gidenBelgeDurumSorgulaCompletedEventArgs Class	396
gidenBelgeDurumSorgulaEttnCompletedEventArgs Class	397
gidenBelgeDurumSorgulaExtCompletedEventArgs Class	398
gidenBelgeDurumSorgulaPortalCompletedEventArgs Class	399
gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs Class	400
gidenBelgeDurumv2 Class	401
gidenBelgeDurumv3 Class	402

gidenBelgeDurumv4 Class	404
gidenBelgeDurumv5 Class	405
gidenBelgeDurumv6 Class	406
gidenBelgeEkleriAICompletedEventArgs Class	408
gidenBelgelerDurumSorgulaPortalParametreleri Class	409
gidenBelgeleriIndirCompletedEventArgs Class	410
gidenBelgeleriIndirEtnCompletedEventArgs Class	411
gidenBelgeleriIndirPortalCompletedEventArgs Class	412
gidenBelgeleriIndirPortalParametreleri Class	413
gidenBelgeleriListeleCompletedEventArgs Class	415
gidenBelgeleriListeleData Class	416
gidenBelgeleriListeleParametreleri Class	418
gidenBelgeleriListelePortalCompletedEventArgs Class	419
gidenBelgeleriListelePortalData Class	420
gidenBelgeleriListelePortalDatav2 Class	423
gidenBelgeleriListelePortalParametreleri Class	424
gidenBelgeParametreleri Class	425
gidenBelgeTutarBilgileri Class	428
gidenBelgeTutarBilgileriSorgulaCompletedEventArgs Class	431
gidenTasinanBelgeleriIndirCompletedEventArgs Class	432
irsaliyeTarihcesiData Class	432
irsaliyeTarihcesiSorgulaCompletedEventArgs Class	434
kalanKontorBilgisi Class	435
kayitliKullaniciListeleExtendedCompletedEventArgs Class	437
kayitliKullaniciListeleExtendedTimeCompletedEventArgs Class	438
kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs Class	439
kontorAzaltResp Class	440
kontorBilgisiGetirCompletedEventArgs Class	442
mukellefEFaturaKayit Class	443
serviceReturnType Class	443
temelKontrollerleBelgeGonderCompletedEventArgs Class	444
toplamBelgeSayisiGetirCompletedEventArgs Class	445
ublOnizlemeCompletedEventArgs Class	446
urunSablonlariniAICompletedEventArgs Class	447
wsKullaniciBilgileri Class	448
wsKullanicisiKaydetCompletedEventArgs Class	448
yereleAktarilacakBelgeleriAICompletedEventArgs Class	449
yereleAktarilacakBelgeleriAIExtCompletedEventArgs Class	450
Structs, Records, Enums	451
QNBFinansGIB.GIBEFatura.kontorBirim Enumeration	451

QNBFinansGIB.GIBEFatura.kontorTipi Enumeration	452
Types	452
QNBFinansGIB.GIBEFatura.belgeGonderCompletedEventHandler Type	454
QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventHandler Type	455
QNBFinansGIB.GIBEFatura.belgeGonderExtWithValidateCompletedEventHandler Type	455
QNBFinansGIB.GIBEFatura.belgeGonderWithValidateCompletedEventHandler Type	455
QNBFinansGIB.GIBEFatura.belgeleriAlindiCompletedEventHandler Type	455
QNBFinansGIB.GIBEFatura.belgeleriAlindiEntegrasyonSiparisNoGuncelleCompletedEventHandler Type	456
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidCompletedEventHandler Type	456
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompletedEventHandler Type	456
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderYerelBelgeNoCompletedEventHandler Type	456
QNBFinansGIB.GIBEFatura.checkDateValidControlCompletedEventHandler Type	457
QNBFinansGIB.GIBEFatura.cokluGidenBelgeDurumSorgulaCompletedEventHandler Type	457
QNBFinansGIB.GIBEFatura.csXmlOnizlemeCompletedEventHandler Type	457
QNBFinansGIB.GIBEFatura.csXmlToUblCompletedEventHandler Type	457
QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciListeleCompletedEventHandler Type	458
QNBFinansGIB.GIBEFatura.efaturaKullaniciBilgisiCompletedEventHandler Type	458
QNBFinansGIB.GIBEFatura.efaturaKullaniciListesiCompletedEventHandler Type	458
QNBFinansGIB.GIBEFatura.efaturaKullanicisiCompletedEventHandler Type	458
QNBFinansGIB.GIBEFatura.elrsaliyeKayitliKullaniciListeleCompletedEventHandler Type	459
QNBFinansGIB.GIBEFatura.elrsaliyeKullanicisiCompletedEventHandler Type	459
QNBFinansGIB.GIBEFatura.erpBilgileriBelirleCompletedEventHandler Type	459
QNBFinansGIB.GIBEFatura.faturaKepIleadeEdildiCompletedEventHandler Type	459
QNBFinansGIB.GIBEFatura.faturaKepIleadeEdildilptalCompletedEventHandler Type	460
QNBFinansGIB.GIBEFatura.faturaMailGonderCompletedEventHandler Type	460
QNBFinansGIB.GIBEFatura.faturaNoUretCompletedEventHandler Type	460
QNBFinansGIB.GIBEFatura.faturaTarihcesiSorgulaCompletedEventHandler Type	460
QNBFinansGIB.GIBEFatura.faturayaltirazEdildiCompletedEventHandler Type	461
QNBFinansGIB.GIBEFatura.faturayaltirazEdildilptalCompletedEventHandler Type	461
QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaCompletedEventHandler Type	461
QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaExtCompletedEventHandler Type	461
QNBFinansGIB.GIBEFatura.gelenBelgeEkleriAICompletedEventHandler Type	462
QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEventHandler Type	462
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExt2CompletedEventHandler Type	462
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExtCompletedEventHandler Type	462
QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirCompletedEventHandler Type	463
QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirExtCompletedEventHandler Type	463
QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleCompletedEventHandler Type	463
QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleExtCompletedEventHandler Type	463
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileriSorgulaCompletedEventHandler Type	464

QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAICompletedEventHandler Type	464
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAIExtCompletedEventHandler Type	464
QNBFinansGIB.GIBEFatura.gelenFaturalariArsiveKaldirCompletedEventHandler Type	464
QNBFinansGIB.GIBEFatura.gelenIrsaliyeleriArsiveKaldirCompletedEventHandler Type	465
QNBFinansGIB.GIBEFatura.gelenStandartRapolariAICompletedEventHandler Type	465
QNBFinansGIB.GIBEFatura.gelenTamamlananRapolariAICompletedEventHandler Type	465
QNBFinansGIB.GIBEFatura.gelenTasinanBelgeleriIndirCompletedEventHandler Type	466
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaBelgeNoCompletedEventHandler Type	466
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaCompletedEventHandler Type	466
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaEttnCompletedEventHandler Type	466
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaExtCompletedEventHandler Type	467
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaPortalCompletedEventHandler Type	467
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventHandler Type	467
QNBFinansGIB.GIBEFatura.gidenBelgeEkleriAICompletedEventHandler Type	467
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEventHandler Type	468
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirEttnCompletedEventHandler Type	468
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalCompletedEventHandler Type	468
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleCompletedEventHandler Type	468
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalCompletedEventHandler Type	469
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileriSorgulaCompletedEventHandler Type	469
QNBFinansGIB.GIBEFatura.gidenFaturalariArsiveKaldirCompletedEventHandler Type	469
QNBFinansGIB.GIBEFatura.gidenIrsaliyeleriArsiveKaldirCompletedEventHandler Type	470
QNBFinansGIB.GIBEFatura.gidenTasinanBelgeleriIndirCompletedEventHandler Type	470
QNBFinansGIB.GIBEFatura.irsaliyeMailGonderCompletedEventHandler Type	470
QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiSorgulaCompletedEventHandler Type	470
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCompletedEventHandler Type	471
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTimeCompletedEventHandler Type	471
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedVknTcknCompletedEventHandler Type	471
QNBFinansGIB.GIBEFatura.kontorBilgisiGetirCompletedEventHandler Type	471
QNBFinansGIB.GIBEFatura.temelKontrollerleBelgeGonderCompletedEventHandler Type	472
QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirCompletedEventHandler Type	472
QNBFinansGIB.GIBEFatura.ulbOnizlemeCompletedEventHandler Type	472
QNBFinansGIB.GIBEFatura.urunSablonlariniAICompletedEventHandler Type	472
QNBFinansGIB.GIBEFatura.wsKullanicisiKaydetCompletedEventHandler Type	473
QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAICompletedEventHandler Type	473
QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAIExtCompletedEventHandler Type	473
QNBFinansGIB.GIBEFatura.yolcuBeraberFaturalptalEtCompletedEventHandler Type	473
QNBFinansGIB.GIBEMustahsil Namespace	474
Classes	477
belge Class	480

belgeDTO Class	481
belgeOutputWrapper Class	489
belgeZipiAI Class	489
belgeZipiAICompletedEventArgs Class	490
belgeZipiAIResponse Class	491
doubleStringOutputWrapper Class	492
earsivServiceResult Class	493
earsivServiceResultEntry Class	493
ePostaDurumSorgula Class	494
ePostaDurumSorgulaCompletedEventArgs Class	495
ePostaGonder Class	496
ePostaGonderCompletedEventArgs Class	497
ePostaGonderResponse Class	498
faturaDTO Class	498
kontorBilgisiGetir Class	507
kontorBilgisiGetirCompletedEventArgs Class	508
kontorBilgisiGetirResponse Class	509
mustahsilMakbuzIptalEt Class	510
mustahsilMakbuzIptalEtCompletedEventArgs Class	510
mustahsilMakbuzIptalEtResponse Class	511
mustahsilMakbuzIptaliKaldır Class	512
mustahsilMakbuzIptaliKaldırCompletedEventArgs Class	512
mustahsilMakbuzIptaliKaldırResponse Class	513
mustahsilMakbuzListeSorgula Class	514
mustahsilMakbuzListeSorgulaCompletedEventArgs Class	514
mustahsilMakbuzListeSorgulaPortal Class	515
mustahsilMakbuzListeSorgulaPortalCompletedEventArgs Class	516
mustahsilMakbuzListeSorgulaPortalResponse Class	517
mustahsilMakbuzListeSorgulaResponse Class	517
mustahsilMakbuzOlustur Class	518
mustahsilMakbuzOlusturCompletedEventArgs Class	519
mustahsilMakbuzOnizleme Class	520
mustahsilMakbuzOnizlemeCompletedEventArgs Class	520
mustahsilMakbuzSorgula Class	521
mustahsilMakbuzSorgulaCompletedEventArgs Class	522
mustahsilMakbuzTaslakOlustur Class	523
mustahsilMakbuzTaslakOlusturCompletedEventArgs Class	524
mustahsilMakbuzTaslakOlusturResponse Class	525
mustahsilMakbuzTaslakOnizleme Class	525
mustahsilMakbuzTaslakOnizlemeCompletedEventArgs Class	526

mustahsilMakbuzTaslakOnizlemeResponse Class	527
mustahsilMakbuzTaslakSil Class	528
mustahsilMakbuzTaslakSilCompletedEventArgs Class	528
mustahsilMakbuzTaslakSilResponse Class	529
mustahsilMakbuzTaslakSorgula Class	530
mustahsilMakbuzTaslakSorgulaCompletedEventArgs Class	530
mustahsilMakbuzTaslakSorgulaResponse Class	531
mustahsilMakbuzTaslaktanOlustur Class	532
mustahsilMakbuzTaslaktanOlusturCompletedEventArgs Class	532
MustahsilWebService Class	533
raporBolumAI Class	570
raporBolumAICompletedEventArgs Class	571
raporBolumBilgisiAI Class	572
raporBolumBilgisiAICompletedEventArgs Class	572
raporBolumBilgisiAIResponse Class	573
raporBolumDTO Class	574
raporBolumleriOlustur Class	575
raporBolumleriOlusturCompletedEventArgs Class	576
raporBolumleriOlusturResponse Class	577
raporBolumListesiDetayliSorgula Class	578
raporBolumListesiDetayliSorgulaCompletedEventArgs Class	578
raporBolumListesiDetayliSorgulaResponse Class	579
raporBolumListesiSorgula Class	580
raporBolumListesiSorgulaCompletedEventArgs Class	580
raporBolumRaporNoGuncelleImzala Class	581
raporBolumRaporNoGuncelleImzalaCompletedEventArgs Class	582
raporBolumRaporNoGuncelleImzalaResponse Class	583
raporBolumSil Class	583
raporBolumSilCompletedEventArgs Class	584
raporBolumSilResponse Class	585
rapordaBelgeSorgula Class	585
rapordaBelgeSorgulaCompletedEventArgs Class	586
rapordaBelgeSorgulaResponse Class	587
raporDurumSorgula Class	587
raporDurumSorgulaCompletedEventArgs Class	588
raporDurumSorgulaResponse Class	589
raporGonder Class	589
raporGonderCompletedEventArgs Class	590
raporGonderResponse Class	591
smsDurumSorgula Class	591

smsDurumSorgulaCompletedEventArgs Class	592
smsDurumSorgulaResponse Class	593
smsGonder Class	593
smsGonderCompletedEventArgs Class	594
smsGonderResponse Class	595
stringOutputWrapper Class	596
Structs, Records, Enums	596
QNBFinansGIB.GIBEMustahsil.belgeFormatiEnum Enumeration	597
Types	597
QNBFinansGIB.GIBEMustahsil.belgeZipiAICompletedEventHandler Type	598
QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaCompletedEventHandler Type	598
QNBFinansGIB.GIBEMustahsil.ePostaGonderCompletedEventHandler Type	599
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirCompletedEventHandler Type	599
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliEtCompletedEventHandler Type	599
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldırCompletedEventHandler Type	599
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaCompletedEventHandler Type	600
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortalCompletedEventHandler Type	600
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturCompletedEventHandler Type	600
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCompletedEventHandler Type	601
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCompletedEventHandler Type	601
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturCompletedEventHandler Type	601
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeCompletedEventHandler Type	601
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCompletedEventHandler Type	602
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgulaCompletedEventHandler Type	602
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlusturCompletedEventHandler Type	602
QNBFinansGIB.GIBEMustahsil.raporBolumAICompletedEventHandler Type	602
QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAICompletedEventHandler Type	603
QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturCompletedEventHandler Type	603
QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetyaliSorgulaCompletedEventHandler Type	603
QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCompletedEventHandler Type	603
QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzalaCompletedEventHandler Type	604
QNBFinansGIB.GIBEMustahsil.raporBolumSilCompletedEventHandler Type	604
QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaCompletedEventHandler Type	604
QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaCompletedEventHandler Type	604
QNBFinansGIB.GIBEMustahsil.raporGonderCompletedEventHandler Type	605
QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompletedEventHandler Type	605
QNBFinansGIB.GIBEMustahsil.smsGonderCompletedEventHandler Type	605
QNBFinansGIB.GIBUserService Namespace	605
Classes	606
userService Class	606

Types	609
QNBFinansGIB.GIBUserService.logoutCompletedEventHandler Type	610
QNBFinansGIB.GIBUserService.wsLoginCompletedEventHandler Type	610
QNBFinansGIB.Properties Namespace	610
Classes	610
Resources Class	611
Settings Class	612
QNBFinansGIB.Utils Namespace	614
Classes	614
DisServisler Class	615
Enums Class	622
GeriDonus Class	624
MesajSabitler Class	624
YardimciSiniflar Class	625
Classes	682
frmAnaSayfa Class	682
frmAnaSayfa.frmAnaSayfa Constructor	683
frmAnaSayfa Fields	683
frmAnaSayfa Methods	684
Program Class	684
Files	685
AssemblyInfo.cs	685
DisServisler.cs	686
Enums.cs	693
FaturaKdvDTO.cs	694
FormAnaSayfa.cs	694
FormAnaSayfa.Designer.cs	710
GeriDonus.cs	713
GidenFaturaDetayDTO.cs	713
GidenFaturaDTO.cs	715
MustahsilMakbuzuDetayDTO.cs	718
MustahsilMakbuzuDTO.cs	719
Program.cs	720
QNBFinansGIB.csproj	721
QNBFinansGIB.sln	721
Reference.cs	721
Resources.Designer.cs	724
Settings.Designer.cs	726
YardimciSiniflar.cs	727

Index

a

1 Symbol Reference

1.1 QNBFinansGIB Namespace

This is namespace QNBFinansGIB.

Namespaces

Name	Description
DTO (see page 1)	This is namespace QNBFinansGIB.DTO.
GIBEArsiv (see page 16)	This is namespace QNBFinansGIB.GIBEArsiv.
GIBEFatura (see page 212)	This is namespace QNBFinansGIB.GIBEFatura.
GIBEMustahsil (see page 474)	This is namespace QNBFinansGIB.GIBEMustahsil.
GIBUserService (see page 605)	This is namespace QNBFinansGIB.GIBUserService.
Properties (see page 610)	This is namespace QNBFinansGIB.Properties.
Utils (see page 614)	This is namespace QNBFinansGIB.Utils.

Classes

	Name	Description
 frmAnaSayfa (see page 682)	QNB Finans GIB Servisi için veri hazırlanan ve servisin test edildiği metotlar içeren Form sınıfıdır	
 Program (see page 684)	This is class QNBFinansGIB.Program.	

1.1.1 QNBFinansGIB.DTO Namespace

This is namespace QNBFinansGIB.DTO.

Classes

	Name	Description
 FaturaKdvDTO (see page 2)	Fatura Detaylarında Farklı Tür KDV Oranları Kullanılmış Çıktı tarafında (XML) TaxTotal kısmında bu bilgilerin ayrı ayrı gösterilmesi için hazırlanan nesnedir	
 GidenFaturaDetayDTO (see page 3)	Giden Fatura Detayı Nesnesinde olması gereken alanlarla oluşturulan sınıfı Tutarlar, ürün adı, KDV ve İskonto oranları Malzeme faturası ile ilgili alanlar Malzemenin taşıdığı araç Plaka, sevk ırsaliyesi vb. bilgileri içerir.	
 GidenFaturaDTO (see page 6)	Giden Fatura Ana Nesnesinde Olması Gereken Alanlarla oluşturulan sınıfı Burada firma, iletişim, banka, fatura toplam tutarı vb. bilgiler bulunmaktadır	
 MustahsilMakbuzuDetayDTO (see page 11)	Müstahsil Makbuzu Detayı Nesnesinde olması gereken alanlarla oluşturulan sınıfı Tutarlar, ürün adı, miktar, birim fiyat gibi bilgiler bulunmaktadır	
 MustahsilMakbuzuDTO (see page 13)	Müstahsil Makbuzu Ana Nesnesinde Olması Gereken Alanlarla oluşturulan sınıfı Burada firma, iletişim, banka, Makbuz toplam tutarı vb. bilgiler bulunmaktadır	

1.1.1.1 Classes

Summary

The following table lists classes in this documentation.

Classes

	Name	Description
◆	FaturaKdvDTO (see page 2)	Fatura Detaylarında Farklı Tür KDV Oranları Kullanılmissa Çıktı tarafında (XML) TaxTotal kısmında bu bilgilerin ayrı ayrı gösterilmesi için hazırlanan nesnedir
◆	GidenFaturaDetayDTO (see page 3)	Giden Fatura Detay Nesnesinde olması gereken alanlarla oluşturulan sınıftır Tutarlar, ürün adı, KDV ve İskonto oranları Malzeme faturası ile ilgili alanlar Malzemenin taşındığı araç Plaka, sevk ırsaliyesi vb. bilgileri içerir.
◆	GidenFaturaDTO (see page 6)	Giden Fatura Ana Nesnesinde Olması Gereken Alanlarla oluşturulan sınıftır Burada firma, iletişim, banka, fatura toplam tutarı vb. bilgiler bulunmaktadır
◆	MustahsilMakbuzuDetayDTO (see page 11)	Müstahsil Makbuzu Detay Nesnesinde olması gereken alanlarla oluşturulan sınıftır Tutarlar, ürün adı, miktar, birim fiyat gibi bilgiler bulunmaktadır
◆	MustahsilMakbuzuDTO (see page 13)	Müstahsil Makbuzu Ana Nesnesinde Olması Gereken Alanlarla oluşturulan sınıftır Burada firma, iletişim, banka, Makbuz toplam tutarı vb. bilgiler bulunmaktadır

1.1.1.1.1 FaturaKdvDTO Class

Summary

Fatura Detaylarında Farklı Tür KDV Oranları Kullanılmissa Çıktı tarafında (XML) TaxTotal kısmında bu bilgilerin ayrı ayrı gösterilmesi için hazırlanan nesnedir

Class Hierarchy

QNBFinansGIB.DTO.FaturaKdvDTO

C#

```
public class FaturaKdvDTO;
```

File

FaturaKdvDTO.cs (see page 694)

FaturaKdvDTO Fields

	Name	Description
◆	KdvHaricTutar (see page 2)	KDV Hariç Tutar Bilgisi
◆	KdvOran (see page 3)	KDV Oran Bilgisi
◆	KdvTutari (see page 3)	KDV Tutarı Bilgisi

1.1.1.1.1.1 FaturaKdvDTO Fields

1.1.1.1.1.1 FaturaKdvDTO.KdvHaricTutar Field

Summary

KDV Hariç Tutar Bilgisi

C#

```
public decimal? KdvHaricTutar;
```

1.1.1.1.1.2 FaturaKdvDTO.KdvOran Field**Summary**

KDV Oran Bilgisi

C#

```
public decimal? KdvOran;
```

1.1.1.1.1.3 FaturaKdvDTO.KdvTutari Field**Summary**

KDV Tutari Bilgisi

C#

```
public decimal? KdvTutari;
```

1.1.1.1.2 GidenFaturaDetayDTO Class**Summary**

Giden Fatura Detay Nesnesinde olmasi gereken alanlarla olusturulan siniftir Tutarlar, ürün adı, KDV ve iskonto oranları Malzeme faturasi ile ilgili alanlar Malzemenin tasindigi araç Plaka, sevk irsaliyesi vb. bilgileri içerir.

Class Hierarchy

[QNBFinansGIB.DTO.GidenFaturaDetayDTO](#)

C#

```
public class GidenFaturaDetayDTO;
```

File

GidenFaturaDetayDTO.cs ([\[\]](#) see page 713)

GidenFaturaDetayDTO Fields

	Name	Description
❖	BirimFiyat ([] see page 4)	Birim Fiyat Bilgisi
❖	FaturaUrunTuru ([] see page 4)	Fatura Detayindaki Ürün Türü Bilgisi
❖	GibKisaltma ([] see page 4)	GIB Kisaltma Bilgisi (Malzemenin Ölçü Birimi, GIB tarafında Kilogram KGM olarak adlandırılmalıdır)
❖	GidenFaturaId ([] see page 4)	Giden Fatura Id Bilgisi
❖	IrsaliyeNo ([] see page 4)	Irsaliye No Bilgisi
❖	IskontoOran ([] see page 4)	Iskonto Oran Bilgisi
❖	KdvHaricTutar ([] see page 5)	KDV Hariç Tutar Bilgisi
❖	KdvOran ([] see page 5)	KDV Oran Bilgisi
❖	KdvTutari ([] see page 5)	KDV Tutari Bilgisi
❖	MalzemeFaturaAciklamasi ([] see page 5)	Malzeme Fatura Açıklaması Bilgisi
❖	Miktar ([] see page 5)	Miktar Bilgisi
❖	PlakaNo ([] see page 5)	Plaka No Bilgisi
❖	SevkIrsaliyesiNo ([] see page 5)	Sevk Irsaliyesi No Bilgisi
❖	Tonaj ([] see page 6)	Tonaj Bilgisi
❖	YuklemeFormuNo ([] see page 6)	Yükleme Formu No Bilgisi

GidenFaturaDetayDTO Properties

	Name	Description
	SevkIrsaliyeTarihi (see page 6)	Sevk Irsaliye Tarihi Bilgisi

1.1.1.1.2.1 GidenFaturaDetayDTO Fields**1.1.1.1.2.1.1 GidenFaturaDetayDTO.BirimFiyat Field****Summary**

Birim Fiyat Bilgisi

C#

```
public decimal? BirimFiyat;
```

1.1.1.1.2.1.2 GidenFaturaDetayDTO.FaturaUrunTuru Field**Summary**

Fatura Detayındaki Ürün Türü Bilgisi

C#

```
public string FaturaUrunTuru;
```

1.1.1.1.2.1.3 GidenFaturaDetayDTO.GibKisaltma Field**Summary**

GIB Kisaltma Bilgisi (Malzemenin Ölçü Birimi, GIB tarafında Kilogram KGM olarak adlandırılmaktadır)

C#

```
public string GibKisaltma;
```

1.1.1.1.2.1.4 GidenFaturaDetayDTO.GidenFaturaId Field**Summary**

Giden Fatura Id Bilgisi

C#

```
public string GidenFaturaId;
```

1.1.1.1.2.1.5 GidenFaturaDetayDTO.IrsaliyeNo Field**Summary**

Irsaliye No Bilgisi

C#

```
public string IrsaliyeNo;
```

1.1.1.1.2.1.6 GidenFaturaDetayDTO.IskontoOran Field**Summary**

İskonto Oran Bilgisi

C#

```
public decimal? IskontoOran;
```

1.1.1.2.1.7 GidenFaturaDetayDTO.KdvHaricTutar Field

Summary

KDV Hariç Tutar Bilgisi

C#

```
public decimal? KdvHaricTutar;
```

1.1.1.2.1.8 GidenFaturaDetayDTO.KdvOran Field

Summary

KDV Oran Bilgisi

C#

```
public decimal? KdvOran;
```

1.1.1.2.1.9 GidenFaturaDetayDTO.KdvTutari Field

Summary

KDV Tutarı Bilgisi

C#

```
public decimal? KdvTutari;
```

1.1.1.2.1.10 GidenFaturaDetayDTO.MalzemeFaturaAciklamasi Field

Summary

Malzeme Fatura Açıklaması Bilgisi

C#

```
public string MalzemeFaturaAciklamasi;
```

1.1.1.2.1.11 GidenFaturaDetayDTO.Miktar Field

Summary

Miktar Bilgisi

C#

```
public decimal? Miktar;
```

1.1.1.2.1.12 GidenFaturaDetayDTO.PlakaNo Field

Summary

Plaka No Bilgisi

C#

```
public string PlakaNo;
```

1.1.1.2.1.13 GidenFaturaDetayDTO.SevkIrsaliyesiNo Field

Summary

Sevk Irsaliyesi No Bilgisi

C#

```
public string SevkIrsaliyesiNo;
```

1.1.1.2.1.14 GidenFaturaDetayDTO.Tonaj Field

Summary

Tonaj Bilgisi

C#

```
public decimal? Tonaj;
```

1.1.1.2.1.15 GidenFaturaDetayDTO.YuklemeFormuNo Field

Summary

Yükleme Formu No Bilgisi

C#

```
public int? YuklemeFormuNo;
```

1.1.1.2.2 GidenFaturaDetayDTO Properties

1.1.1.2.2.1 GidenFaturaDetayDTO.SevkIrsaliyeTarihi Property

Summary

Sevk Irsaliye Tarihi Bilgisi

C#

```
public DateTime? SevkIrsaliyeTarihi;
```

1.1.1.3 GidenFaturaDTO Class

Summary

Giden Fatura Ana Nesnesinde Olmasi Gereken Alanlarla olusturulan sınıfı Burada firma, iletisim, banka, fatura toplam tutarı vb. bilgiler bulunmaktadır

Class Hierarchy

```
QNBFinansGIB.DTO.GidenFaturaDTO
```

C#

```
public class GidenFaturaDTO;
```

File

GidenFaturaDTO.cs ([see page 715](#))

GidenFaturaDTO Fields

	Name	Description
◆	Adres (see page 7)	Adres Bilgisi
◆	AltBirimAd (see page 7)	Fatura Kesin Birimin Alt Sube Bilgisi
◆	BankaAd (see page 7)	Banka Ad Bilgisi
◆	BankaSube (see page 7)	Banka Sube Bilgisi
◆	BelgeOid (see page 8)	Belge Oid Id alanı
◆	CepTelefonNo (see page 8)	Cep Telefon No Bilgisi
◆	EPostaAdresi (see page 8)	E-Posta Adresi Bilgisi
◆	FaksNo (see page 8)	Faks No Bilgisi
◆	FaturaTuruKod (see page 8)	Fatura Türü Kod Bilgisi
◆	FaturaTutari (see page 8)	Fatura Tutarı Bilgisi

❖	GercekKisiAd (🔗 see page 8)	Gerçek Kisi Ad Bilgisi
❖	GercekKisiSoyad (🔗 see page 9)	Gerçek Kisi Soyad Bilgisi
❖	GercekKisiTcKimlikNo (🔗 see page 9)	Gerçek Kisi TC Kimlik No Bilgisi
❖	GibNumarasi (🔗 see page 9)	GIB Numarasi Bilgisi
❖	GidenFaturaId (🔗 see page 9)	Giden Fatura Id Bilgisi
❖	IbanNo (🔗 see page 9)	IBAN No Bilgisi
❖	IkametgahAdresi (🔗 see page 9)	Ikametgah Adresi Bilgisi
❖	IlAd (🔗 see page 9)	Il Ad Bilgisi
❖	IlceAd (🔗 see page 10)	Ilçe Ad Bilgisi
❖	KdvHaricTutar (🔗 see page 10)	KDV Hariç Tutar Bilgisi
❖	KdvTutari (🔗 see page 10)	KDV Tutari Bilgisi
❖	SatisTuruKod (🔗 see page 10)	Satis Türü Kod Bilgisi
❖	TelefonNo (🔗 see page 10)	Telefon No Bilgisi
❖	TuzelKisiAd (🔗 see page 10)	Tüzel Kisi Ad Bilgisi
❖	VergiDairesi (🔗 see page 10)	Vergi Dairesi Bilgisi
❖	VergiNo (🔗 see page 11)	Vergi Numarasi Bilgisi

GidenFaturaDTO Properties

	Name	Description
	DuzenlemeTarihi (🔗 see page 11)	Düzenleme Tarihi Bilgisi

1.1.1.1.3.1 GidenFaturaDTO Fields**1.1.1.1.3.1.1 GidenFaturaDTO.Adres Field****Summary**

Adres Bilgisi

C#

```
public string Adres;
```

1.1.1.1.3.1.2 GidenFaturaDTO.AltBirimAd Field**Summary**

Fatura Kesin Birimin Alt Sube Bilgisi

C#

```
public string AltBirimAd;
```

1.1.1.1.3.1.3 GidenFaturaDTO.BankaAd Field**Summary**

Banka Ad Bilgisi

C#

```
public string BankaAd;
```

1.1.1.1.3.1.4 GidenFaturaDTO.BankaSube Field**Summary**

Banka Sube Bilgisi

C#

```
public string BankaSube;
```

1.1.1.3.1.5 GidenFaturaDTO.BelgeOid Field

Summary

Belge Oid Id alanı

C#

```
public string BelgeOid;
```

1.1.1.3.1.6 GidenFaturaDTO.CepTelefonNo Field

Summary

Cep Telefon No Bilgisi

C#

```
public string CepTelefonNo;
```

1.1.1.3.1.7 GidenFaturaDTO.EPostaAdresi Field

Summary

E-Posta Adresi Bilgisi

C#

```
public string EPostaAdresi;
```

1.1.1.3.1.8 GidenFaturaDTO.FaksNo Field

Summary

Faks No Bilgisi

C#

```
public string FaksNo;
```

1.1.1.3.1.9 GidenFaturaDTO.FaturaTuruKod Field

Summary

Fatura Türü Kod Bilgisi

C#

```
public int? FaturaTuruKod;
```

1.1.1.3.1.10 GidenFaturaDTO.FaturaTutari Field

Summary

Fatura Tutarı Bilgisi

C#

```
public decimal? FaturaTutari;
```

1.1.1.3.1.11 GidenFaturaDTO.GercekKisiAd Field

Summary

Gerçek Kişi Ad Bilgisi

C#

```
public string GercekKisiAd;
```

1.1.1.3.1.12 GidenFaturaDTO.GercekKisiSoyad Field

Summary

Gerçek Kisi Soyad Bilgisi

C#

```
public string GercekKisiSoyad;
```

1.1.1.3.1.13 GidenFaturaDTO.GercekKisiTcKimlikNo Field

Summary

Gerçek Kisi TC Kimlik No Bilgisi

C#

```
public string GercekKisiTcKimlikNo;
```

1.1.1.3.1.14 GidenFaturaDTO.GibNumarasi Field

Summary

GIB Numarasi Bilgisi

C#

```
public string GibNumarasi;
```

1.1.1.3.1.15 GidenFaturaDTO.GidenFaturald Field

Summary

Giden Fatura Id Bilgisi

C#

```
public string GidenFaturald;
```

1.1.1.3.1.16 GidenFaturaDTO.IbanNo Field

Summary

IBAN No Bilgisi

C#

```
public string IbanNo;
```

1.1.1.3.1.17 GidenFaturaDTO.IkametgahAdresi Field

Summary

Ikametgah Adresi Bilgisi

C#

```
public string IkametgahAdresi;
```

1.1.1.3.1.18 GidenFaturaDTO.IIAd Field

Summary

II Ad Bilgisi

C#

```
public string IIAd;
```

1.1.1.3.1.19 GidenFaturaDTO.IlceAd Field

Summary

İlçe Ad Bilgisi

C#

```
public string IlceAd;
```

1.1.1.3.1.20 GidenFaturaDTO.KdvHaricTutar Field

Summary

KDV Hariç Tutar Bilgisi

C#

```
public decimal? KdvHaricTutar;
```

1.1.1.3.1.21 GidenFaturaDTO.KdvTutari Field

Summary

KDV Tutarı Bilgisi

C#

```
public decimal? KdvTutari;
```

1.1.1.3.1.22 GidenFaturaDTO.SatisTuruKod Field

Summary

Satis Türü Kod Bilgisi

C#

```
public int? SatisTuruKod;
```

1.1.1.3.1.23 GidenFaturaDTO.TelefonNo Field

Summary

Telefon No Bilgisi

C#

```
public string TelefonNo;
```

1.1.1.3.1.24 GidenFaturaDTO.TuzelKisiAd Field

Summary

Tüzel Kişi Ad Bilgisi

C#

```
public string TuzelKisiAd;
```

1.1.1.3.1.25 GidenFaturaDTO.VergiDairesi Field

Summary

Vergi Dairesi Bilgisi

C#

```
public string VergiDairesi;
```

1.1.1.3.1.26 GidenFaturaDTO.VergiNo Field

Summary

Vergi Numarasi Bilgisi

C#

```
public string VergiNo;
```

1.1.1.3.2 GidenFaturaDTO Properties

1.1.1.3.2.1 GidenFaturaDTO.DuzenlemeTarihi Property

Summary

Düzenleme Tarihi Bilgisi

C#

```
public DateTime? DuzenlemeTarihi;
```

1.1.1.4 MustahsilMakbuzuDetayDTO Class

Summary

Müstahsil Makbuzu Detay Nesnesinde olmasi gereken alanlarla olusturulan siniftir Tutarlar, ürün adı, miktar, birim fiyat gibi bilgiler bulunmaktadır

Class Hierarchy

[QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO](#)

C#

```
public class MustahsilMakbuzuDetayDTO;
```

File

MustahsilMakbuzuDetayDTO.cs ([see page 718](#))

MustahsilMakbuzuDetayDTO Fields

	Name	Description
◆	BirimFiyat (see page 11)	Birim Fiyat Bilgisi
◆	GelirVergisi (see page 12)	Gelir Vergisi Bilgisi
◆	GibKisaltma (see page 12)	GIB Kisaltma Bilgisi (Malzemenin Ölçü Birimi, GIB tarafında Kilogram KGM olarak adlandırılmalıdır)
◆	IsinMahiyeti (see page 12)	Isin Mahiyeti Bilgisi
◆	Miktar (see page 12)	Miktar Bilgisi
◆	MustahsilMakbuzuld (see page 12)	Müstahsil Makbuzu Id Bilgisi
◆	NetTutar (see page 12)	Net Tutar Bilgisi
◆	ToplamTutar (see page 12)	Toplam Tutar Bilgisi

1.1.1.4.1 MustahsilMakbuzuDetayDTO Fields

1.1.1.4.1.1 MustahsilMakbuzuDetayDTO.BirimFiyat Field

Summary

Birim Fiyat Bilgisi

C#

```
public decimal? BirimFiyat;
```

1.1.1.1.4.1.2 MustahsilMakbuzuDetayDTO.GelirVergisi Field

Summary

Gelir Vergisi Bilgisi

C#

```
public decimal? GelirVergisi;
```

1.1.1.1.4.1.3 MustahsilMakbuzuDetayDTO.GibKisaltma Field

Summary

GIB Kisaltma Bilgisi (Malzemenin Ölçü Birimi, GIB tarafında Kilogram KGM olarak adlandırılmaktadır)

C#

```
public string GibKisaltma;
```

1.1.1.1.4.1.4 MustahsilMakbuzuDetayDTO.IsinMahiyeti Field

Summary

Isin Mahiyeti Bilgisi

C#

```
public string IsinMahiyeti;
```

1.1.1.1.4.1.5 MustahsilMakbuzuDetayDTO.Miktar Field

Summary

Miktar Bilgisi

C#

```
public decimal? Miktar;
```

1.1.1.1.4.1.6 MustahsilMakbuzuDetayDTO.MustahsilMakbuzuld Field

Summary

Müstahsil Makbuzu Id Bilgisi

C#

```
public string MustahsilMakbuzuld;
```

1.1.1.1.4.1.7 MustahsilMakbuzuDetayDTO.NetTutar Field

Summary

Net Tutar Bilgisi

C#

```
public decimal? NetTutar;
```

1.1.1.1.4.1.8 MustahsilMakbuzuDetayDTO.ToplamTutar Field

Summary

Toplam Tutar Bilgisi

C#

```
public decimal? ToplamTutar;
```

1.1.1.1.5 MustahsilMakbuzuDTO Class

Summary

Müstahsil Makbuzu Ana Nesnesinde Olmasi Gereken Alanlara olusturulan sınıfır Burada firma, iletisim, banka, Makbuz toplam tutarı vb. bilgiler bulunmaktadır

Class Hierarchy

```
QNBFinansGIB.DTO.MustahsilMakbuzuDTO
```

C#

```
public class MustahsilMakbuzuDTO;
```

File

MustahsilMakbuzuDTO.cs ([see page 719](#))

MustahsilMakbuzuDTO Fields

	Name	Description
◆	Adres (see page 13)	Adres Bilgisi
◆	AltBirimAd (see page 14)	Makbuz Kesin Birimin Alt Sube Bilgisi
◆	BankaAd (see page 14)	Banka Ad Bilgisi
◆	BankaSube (see page 14)	Banka Sube Bilgisi
◆	EPostaAdresi (see page 14)	E-Posta Adresi Bilgisi
◆	FaksNo (see page 14)	Faks No Bilgisi
◆	GelirVergisi (see page 14)	Gelir Vergisi Bilgisi
◆	IbanNo (see page 14)	IBAN No Bilgisi
◆	IlAd (see page 15)	Il Ad Bilgisi
◆	IlceAd (see page 15)	Ilçe Ad Bilgisi
◆	MustahsilMakbuzuld (see page 15)	Müstahsil Makbuzu Id Bilgisi
◆	MustahsilMakbuzuNo (see page 15)	Müstahsil Makbuzu No Bilgisi
◆	MustahsilMakbuzuTutari (see page 15)	Müstahsil Makbuzu Tutar Bilgisi
◆	NetTutar (see page 15)	Net Tutar Bilgisi
◆	TuzelKisiAd (see page 15)	Tüzel Kisi Ad Bilgisi
◆	VergiDairesi (see page 16)	Vergi Dairesi Bilgisi
◆	VergiNo (see page 16)	Vergi Numarasi Bilgisi

MustahsilMakbuzuDTO Properties

	Name	Description
	MustahsilMakbuzuTarihi (see page 16)	Müstahsil Makbuzu Tarihi Bilgisi

1.1.1.1.5.1 MustahsilMakbuzuDTO Fields

1.1.1.1.5.1.1 MustahsilMakbuzuDTO.Adres Field

Summary

Adres Bilgisi

C#

```
public string Adres;
```

1.1.1.5.1.2 MustahsilMakbuzuDTO.AltBirimAd Field

Summary

Makbuz Kesin Birimin Alt Sube Bilgisi

C#

```
public string AltBirimAd;
```

1.1.1.5.1.3 MustahsilMakbuzuDTO.BankaAd Field

Summary

Banka Ad Bilgisi

C#

```
public string BankaAd;
```

1.1.1.5.1.4 MustahsilMakbuzuDTO.BankaSube Field

Summary

Banka Sube Bilgisi

C#

```
public string BankaSube;
```

1.1.1.5.1.5 MustahsilMakbuzuDTO.EPostaAdresi Field

Summary

E-Posta Adresi Bilgisi

C#

```
public string EPostaAdresi;
```

1.1.1.5.1.6 MustahsilMakbuzuDTO.FaksNo Field

Summary

Faks No Bilgisi

C#

```
public string FaksNo;
```

1.1.1.5.1.7 MustahsilMakbuzuDTO.GelirVergisi Field

Summary

Gelir Vergisi Bilgisi

C#

```
public decimal? GelirVergisi;
```

1.1.1.5.1.8 MustahsilMakbuzuDTO.IbanNo Field

Summary

IBAN No Bilgisi

C#

```
public string IbanNo;
```

1.1.1.5.1.9 MustahsilMakbuzuDTO.IlAd Field

Summary

İl Ad Bilgisi

C#

```
public string IlAd;
```

1.1.1.5.1.10 MustahsilMakbuzuDTO.IlceAd Field

Summary

İlçe Ad Bilgisi

C#

```
public string IlceAd;
```

1.1.1.5.1.11 MustahsilMakbuzuDTO.MustahsilMakbuzuId Field

Summary

Müstahsil Makbuzu Id Bilgisi

C#

```
public string MustahsilMakbuzuId;
```

1.1.1.5.1.12 MustahsilMakbuzuDTO.MustahsilMakbuzuNo Field

Summary

Müstahsil Makbuzu No Bilgisi

C#

```
public string MustahsilMakbuzuNo;
```

1.1.1.5.1.13 MustahsilMakbuzuDTO.MustahsilMakbuzuTutar Field

Summary

Müstahsil Makbuzu Tutar Bilgisi

C#

```
public decimal? MustahsilMakbuzuTutar;
```

1.1.1.5.1.14 MustahsilMakbuzuDTO.NetTutar Field

Summary

Net Tutar Bilgisi

C#

```
public decimal? NetTutar;
```

1.1.1.5.1.15 MustahsilMakbuzuDTO.TuzelKisiAd Field

Summary

Tüzel Kisi Ad Bilgisi

C#

```
public string TuzelKisiAd;
```

1.1.1.5.1.16 MustahsilMakbuzuDTO.VergiDairesi Field

Summary

Vergi Dairesi Bilgisi

C#

```
public string VergiDairesi;
```

1.1.1.5.1.17 MustahsilMakbuzuDTO.VergiNo Field

Summary

Vergi Numarasi Bilgisi

C#

```
public string VergiNo;
```

1.1.1.5.2 MustahsilMakbuzuDTO Properties

1.1.1.5.2.1 MustahsilMakbuzuDTO.MustahsilMakbuzuTarihi Property

Summary

Müstahsil Makbuzu Tarihi Bilgisi

C#

```
public DateTime? MustahsilMakbuzuTarihi;
```

1.1.2 QNBFinansGIB.GIBEArxiv Namespace

1

This is namespace QNBFinansGIB.GIBEArxiv.

Classes

	Name	Description
	aliciEpostaEkleSilGuncelle (see page 26)	
	aliciEpostaEkleSilGuncelleCompletedEventArgs (see page 27)	
	aliciEpostaEkleSilGuncelleResponse (see page 28)	
	belge (see page 28)	
	belgeOutputWrapper (see page 29)	
	dosyalInput (see page 30)	
	doubleStringOutputWrapper (see page 31)	
	earsivServiceResult (see page 31)	
	earsivServiceResultEntry (see page 32)	
	EarsivWebService (see page 33)	
	eFaturaKayitliKullaniciListele (see page 94)	
	eFaturaKayitliKullaniciListeleCompletedEventArgs (see page 94)	
	eFaturaKullanici (see page 95)	
	efaturaKullanicisi (see page 96)	

	efaturaKullanicisiCompletedEventArgs (see page 97)	
	efaturaKullanicisiKontrol (see page 98)	
	efaturaKullanicisiKontrolCompletedEventArgs (see page 98)	
	efaturaKullanicisiKontrolResponse (see page 99)	
	efaturaKullanicisiResponse (see page 100)	
	ePostaDurumSorgula (see page 100)	
	ePostaDurumSorgulaCompletedEventArgs (see page 101)	
	ePostaGonder (see page 102)	
	ePostaGonderCompletedEventArgs (see page 103)	
	ePostaGonderResponse (see page 104)	
	faturaDTO (see page 104)	
	faturalptaliEt (see page 113)	
	faturalptaliEtCompletedEventArgs (see page 114)	
	faturalptaliEtResponse (see page 115)	
	faturalptaliKaldır (see page 115)	
	faturalptaliKaldırCompletedEventArgs (see page 116)	
	faturalptaliKaldırResponse (see page 117)	
	faturaltirazEt (see page 117)	
	faturaltirazEtCompletedEventArgs (see page 118)	
	faturaltirazEtResponse (see page 119)	
	faturaltirazKaldır (see page 119)	
	faturaltirazKaldırCompletedEventArgs (see page 120)	
	faturaltirazKaldırResponse (see page 121)	
	faturaListeSorgula (see page 121)	
	faturaListeSorgulaCompletedEventArgs (see page 122)	
	faturaListeSorgulaCount (see page 123)	
	faturaListeSorgulaCountCompletedEventArgs (see page 123)	
	faturaListeSorgulaCountResponse (see page 124)	
	faturaListeSorgulaPortal (see page 125)	
	faturaListeSorgulaPortalCompletedEventArgs (see page 125)	
	faturaListeSorgulaPortalResponse (see page 126)	
	faturaListeSorgulaResponse (see page 127)	
	faturaNoUret (see page 128)	
	faturaNoUretCompletedEventArgs (see page 128)	
	faturaOlustur (see page 129)	

	faturaOlusturCompletedEventArgs (see page 130)	
	faturaOlusturExt (see page 131)	
	faturaOlusturExtCompletedEventArgs (see page 132)	
	faturaOnizleme (see page 133)	
	faturaOnizlemeCompletedEventArgs (see page 133)	
	faturaSorgula (see page 134)	
	faturaSorgulaCompletedEventArgs (see page 135)	
	faturaSorgulaExt (see page 136)	
	faturaSorgulaExtCompletedEventArgs (see page 136)	
	faturaTaslakOlustur (see page 137)	
	faturaTaslakOlusturCompletedEventArgs (see page 138)	
	faturaTaslakOlusturResponse (see page 139)	
	faturaTaslakOnizleme (see page 139)	
	faturaTaslakOnizlemeCompletedEventArgs (see page 140)	
	faturaTaslakOnizlemeResponse (see page 141)	
	faturaTaslakSil (see page 142)	
	faturaTaslakSilCompletedEventArgs (see page 142)	
	faturaTaslakSilResponse (see page 143)	
	faturaTaslakSorgula (see page 144)	
	faturaTaslakSorgulaCompletedEventArgs (see page 144)	
	faturaTaslakSorgulaResponse (see page 145)	
	faturaTaslaktanOlustur (see page 146)	
	faturaTaslaktanOlusturCompletedEventArgs (see page 146)	
	faturaZipiAI (see page 147)	
	faturaZipiAICompletedEventArgs (see page 148)	
	faturaZipiAIResponse (see page 149)	
	kontorBilgisiGetir (see page 150)	
	kontorBilgisiGetirCompletedEventArgs (see page 150)	
	kontorBilgisiGetirResponse (see page 151)	
	okcRaporBolumAI (see page 152)	
	okcRaporBolumAICompletedEventArgs (see page 152)	
	okcRaporKaydet (see page 153)	
	okcRaporKaydetCompletedEventArgs (see page 154)	
	okcRaporKaydetResponse (see page 155)	
	okcRaporOlusturGonder (see page 155)	
	okcRaporOlusturGonderCompletedEventArgs (see page 156)	

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	okcRaporOlusturGonderResponse (see page 157)	
	raporBolumAI (see page 157)	
	raporBolumAICompletedEventArgs (see page 158)	
	raporBolumBilgisiAI (see page 159)	
	raporBolumBilgisiAICompletedEventArgs (see page 159)	
	raporBolumBilgisiAIResponse (see page 160)	
	raporBolumDTO (see page 161)	
	raporBolumleriOlustur (see page 162)	
	raporBolumleriOlusturCompletedEventArgs (see page 163)	
	raporBolumleriOlusturResponse (see page 164)	
	raporBolumListesiDetayliSorgula (see page 165)	
	raporBolumListesiDetayliSorgulaCompletedEventArgs (see page 165)	
	raporBolumListesiDetayliSorgulaResponse (see page 166)	
	raporBolumListesiSorgula (see page 167)	
	raporBolumListesiSorgulaCompletedEventArgs (see page 168)	
	raporBolumListesiSorgulaWithInput (see page 169)	
	raporBolumListesiSorgulaWithInputCompletedEventArgs (see page 169)	
	raporBolumRaporNoGuncellelmzala (see page 170)	
	raporBolumRaporNoGuncellelmzalaCompletedEventArgs (see page 171)	
	raporBolumRaporNoGuncellelmzalaResponse (see page 172)	
	raporBolumSil (see page 173)	
	raporBolumSilCompletedEventArgs (see page 173)	
	raporBolumSilResponse (see page 174)	
	rapordaFaturaSorgula (see page 175)	
	rapordaFaturaSorgulaCompletedEventArgs (see page 175)	
	rapordaFaturaSorgulaResponse (see page 176)	
	raporDurumSorgula (see page 177)	
	raporDurumSorgulaCompletedEventArgs (see page 177)	
	raporDurumSorgulaResponse (see page 178)	
	raporGonder (see page 179)	
	raporGonderCompletedEventArgs (see page 179)	
	raporGonderResponse (see page 180)	
	serviceReturnType (see page 181)	
	servisSaglayicidanEpostaDurumSorgula (see page 181)	
	servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs (see page 181)	
	smsDurumSorgula (see page 183)	

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	smsDurumSorgulaCompletedEventArgs (see page 183)	
	smsDurumSorgulaResponse (see page 184)	
	smsGonder (see page 185)	
	smsGonderCompletedEventArgs (see page 186)	
	smsGonderResponse (see page 187)	
	stringOutputWrapper (see page 187)	
	topluFaturaPaketDosyaGonder (see page 188)	
	topluFaturaPaketDosyaGonderCompletedEventArgs (see page 188)	
	topluFaturaPaketDosyaGonderResponse (see page 189)	
	topluFaturaPaketDosyasiSorgula (see page 190)	
	topluFaturaPaketDosyasiSorgulaCompletedEventArgs (see page 190)	
	topluFaturaPaketOnayla (see page 192)	
	topluFaturaPaketOnaylaCompletedEventArgs (see page 192)	
	topluFaturaPaketOnaylaResponse (see page 193)	
	topluFaturaPaketSorgula (see page 194)	
	topluFaturaPaketSorgulaCompletedEventArgs (see page 194)	
	yapilandirmaAyarlariAI (see page 195)	
	yapilandirmaAyarlariAICompletedEventArgs (see page 196)	
	yapilandirmaAyarlariAIResponse (see page 197)	

Structs, Records, Enums

	Name	Description
	belgeFormatiEnum (see page 198)	
	genelBelgeFormatEnum (see page 198)	

Types

Name	Description
aliciEpostaEkleSilGuncelleCompletedEventHandler (see page 200)	
eFaturaKayitliKullaniciListeleCompletedEventHandler (see page 201)	
efaturaKullanicisiCompletedEventHandler (see page 201)	
efaturaKullanicisiKontrolCompletedEventHandler (see page 201)	
ePostaDurumSorgulaCompletedEventHandler (see page 201)	
ePostaGonderCompletedEventHandler (see page 202)	
faturalptaliEtCompletedEventHandler (see page 202)	
faturalptaliKaldirCompletedEventHandler (see page 202)	
faturaltirazEtCompletedEventHandler (see page 202)	

faturaltirazKaldırCompletedEventHandler (🔗 see page 203)	
faturaListeSorgulaCompletedEventHandler (🔗 see page 203)	
faturaListeSorgulaCountCompletedEventHandler (🔗 see page 203)	
faturaListeSorgulaPortalCompletedEventHandler (🔗 see page 203)	
faturaNoUretCompletedEventHandler (🔗 see page 204)	
faturaOlusturCompletedEventHandler (🔗 see page 204)	
faturaOlusturExtCompletedEventHandler (🔗 see page 204)	
faturaOnizlemeCompletedEventHandler (🔗 see page 204)	
faturaSorgulaCompletedEventHandler (🔗 see page 204)	
faturaSorgulaExtCompletedEventHandler (🔗 see page 205)	
faturaTaslakOlusturCompletedEventHandler (🔗 see page 205)	
faturaTaslakOnizlemeCompletedEventHandler (🔗 see page 205)	
faturaTaslakSilCompletedEventHandler (🔗 see page 205)	
faturaTaslakSorgulaCompletedEventHandler (🔗 see page 206)	
faturaTaslaktanOlusturCompletedEventHandler (🔗 see page 206)	
faturaZipiAICompletedEventHandler (🔗 see page 206)	
kontorBilgisiGetirCompletedEventHandler (🔗 see page 206)	
okcRaporBolumAICompletedEventHandler (🔗 see page 207)	
okcRaporKaydetCompletedEventHandler (🔗 see page 207)	
okcRaporOlusturGonderCompletedEventHandler (🔗 see page 207)	
raporBolumAICompletedEventHandler (🔗 see page 207)	
raporBolumBilgisiAICompletedEventHandler (🔗 see page 208)	
raporBolumleriOlusturCompletedEventHandler (🔗 see page 208)	
raporBolumListesiDetayliSorgulaCompletedEventHandler (🔗 see page 208)	
raporBolumListesiSorgulaCompletedEventHandler (🔗 see page 208)	
raporBolumListesiSorgulaWithInputCompletedEventHandler (🔗 see page 209)	

raporBolumRaporNoGuncelleImzalaCompletedEventHandler (↗ see page 209)	
raporBolumSilCompletedEventHandler (↗ see page 209)	
rapordaFaturaSorgulaCompletedEventHandler (↗ see page 209)	
raporDurumSorgulaCompletedEventHandler (↗ see page 210)	
raporGonderCompletedEventHandler (↗ see page 210)	
servisSaglayicidanEpostaDurumSorgulaCompletedEventHandler (↗ see page 210)	
smsDurumSorgulaCompletedEventHandler (↗ see page 210)	
smsGonderCompletedEventHandler (↗ see page 211)	
topluFaturaPaketDosyaGonderCompletedEventHandler (↗ see page 211)	
topluFaturaPaketDosyasiSorgulaCompletedEventHandler (↗ see page 211)	
topluFaturaPaketOnaylaCompletedEventHandler (↗ see page 211)	
topluFaturaPaketSorgulaCompletedEventHandler (↗ see page 212)	
yapilandirmaAyarlariAICompletedEventHandler (↗ see page 212)	

1.1.2.1 Classes

Summary

The following table lists classes in this documentation.

Classes

	Name	Description
📦	aliciEpostaEkleSilGuncelle (↗ see page 26)	
📦	aliciEpostaEkleSilGuncelleCompletedEventArgs (↗ see page 27)	
📦	aliciEpostaEkleSilGuncelleResponse (↗ see page 28)	
📦	belge (↗ see page 28)	
📦	belgeOutputWrapper (↗ see page 29)	
📦	dosyalnput (↗ see page 30)	
📦	doubleStringOutputWrapper (↗ see page 31)	
📦	earsivServiceResult (↗ see page 31)	
📦	earsivServiceResultEntry (↗ see page 32)	
📦	EarsivWebService (↗ see page 33)	
📦	eFaturaKayitliKullaniciListele (↗ see page 94)	
📦	eFaturaKayitliKullaniciListeleCompletedEventArgs (↗ see page 94)	
📦	eFaturaKullanici (↗ see page 95)	
📦	efaturaKullanici (↗ see page 96)	
📦	efaturaKullanicisiCompletedEventArgs (↗ see page 97)	
📦	efaturaKullanicisiKontrol (↗ see page 98)	

	efaturaKullanicisiKontrolCompletedEventArgs (see page 98)	
	efaturaKullanicisiKontrolResponse (see page 99)	
	efaturaKullanicisiResponse (see page 100)	
	ePostaDurumSorgula (see page 100)	
	ePostaDurumSorgulaCompletedEventArgs (see page 101)	
	ePostaGonder (see page 102)	
	ePostaGonderCompletedEventArgs (see page 103)	
	ePostaGonderResponse (see page 104)	
	faturaDTO (see page 104)	
	faturalptalEt (see page 113)	
	faturalptalEtCompletedEventArgs (see page 114)	
	faturalptalEtResponse (see page 115)	
	faturalptaliKaldır (see page 115)	
	faturalptaliKaldırCompletedEventArgs (see page 116)	
	faturalptaliKaldırResponse (see page 117)	
	faturaltirazEt (see page 117)	
	faturaltirazEtCompletedEventArgs (see page 118)	
	faturaltirazEtResponse (see page 119)	
	faturaltirazKaldır (see page 119)	
	faturaltirazKaldırCompletedEventArgs (see page 120)	
	faturaltirazKaldırResponse (see page 121)	
	faturaListeSorgula (see page 121)	
	faturaListeSorgulaCompletedEventArgs (see page 122)	
	faturaListeSorgulaCount (see page 123)	
	faturaListeSorgulaCountCompletedEventArgs (see page 123)	
	faturaListeSorgulaCountResponse (see page 124)	
	faturaListeSorgulaPortal (see page 125)	
	faturaListeSorgulaPortalCompletedEventArgs (see page 125)	
	faturaListeSorgulaPortalResponse (see page 126)	
	faturaListeSorgulaResponse (see page 127)	
	faturaNoUret (see page 128)	
	faturaNoUretCompletedEventArgs (see page 128)	
	faturaOlustur (see page 129)	
	faturaOlusturCompletedEventArgs (see page 130)	
	faturaOlusturExt (see page 131)	

	faturaOlusturExtCompletedEventArgs (see page 132)	
	faturaOnizleme (see page 133)	
	faturaOnizlemeCompletedEventArgs (see page 133)	
	faturaSorgula (see page 134)	
	faturaSorgulaCompletedEventArgs (see page 135)	
	faturaSorgulaExt (see page 136)	
	faturaSorgulaExtCompletedEventArgs (see page 136)	
	faturaTaslakOlustur (see page 137)	
	faturaTaslakOlusturCompletedEventArgs (see page 138)	
	faturaTaslakOlusturResponse (see page 139)	
	faturaTaslakOnizleme (see page 139)	
	faturaTaslakOnizlemeCompletedEventArgs (see page 140)	
	faturaTaslakOnizlemeResponse (see page 141)	
	faturaTaslakSil (see page 142)	
	faturaTaslakSilCompletedEventArgs (see page 142)	
	faturaTaslakSilResponse (see page 143)	
	faturaTaslakSorgula (see page 144)	
	faturaTaslakSorgulaCompletedEventArgs (see page 144)	
	faturaTaslakSorgulaResponse (see page 145)	
	faturaTaslaktanOlustur (see page 146)	
	faturaTaslaktanOlusturCompletedEventArgs (see page 146)	
	faturaZipiAI (see page 147)	
	faturaZipiAICompletedEventArgs (see page 148)	
	faturaZipiAIResponse (see page 149)	
	kontorBilgisiGetir (see page 150)	
	kontorBilgisiGetirCompletedEventArgs (see page 150)	
	kontorBilgisiGetirResponse (see page 151)	
	okcRaporBolumAI (see page 152)	
	okcRaporBolumAICompletedEventArgs (see page 152)	
	okcRaporKaydet (see page 153)	
	okcRaporKaydetCompletedEventArgs (see page 154)	
	okcRaporKaydetResponse (see page 155)	
	okcRaporOlusturGonder (see page 155)	
	okcRaporOlusturGonderCompletedEventArgs (see page 156)	
	okcRaporOlusturGonderResponse (see page 157)	
	raporBolumAI (see page 157)	

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	raporBolumAICompletedEventArgs (see page 158)	
	raporBolumBilgisiAI (see page 159)	
	raporBolumBilgisiAICompletedEventArgs (see page 159)	
	raporBolumBilgisiAIResponse (see page 160)	
	raporBolumDTO (see page 161)	
	raporBolumleriOlustur (see page 162)	
	raporBolumleriOlusturCompletedEventArgs (see page 163)	
	raporBolumleriOlusturResponse (see page 164)	
	raporBolumListesiDetacliSorgula (see page 165)	
	raporBolumListesiDetacliSorgulaCompletedEventArgs (see page 165)	
	raporBolumListesiDetacliSorgulaResponse (see page 166)	
	raporBolumListesiSorgula (see page 167)	
	raporBolumListesiSorgulaCompletedEventArgs (see page 168)	
	raporBolumListesiSorgulaWithInput (see page 169)	
	raporBolumListesiSorgulaWithInputCompletedEventArgs (see page 169)	
	raporBolumRaporNoGuncelleImzala (see page 170)	
	raporBolumRaporNoGuncelleImzalaCompletedEventArgs (see page 171)	
	raporBolumRaporNoGuncelleImzalaResponse (see page 172)	
	raporBolumSil (see page 173)	
	raporBolumSilCompletedEventArgs (see page 173)	
	raporBolumSilResponse (see page 174)	
	rapordaFaturaSorgula (see page 175)	
	rapordaFaturaSorgulaCompletedEventArgs (see page 175)	
	rapordaFaturaSorgulaResponse (see page 176)	
	raporDurumSorgula (see page 177)	
	raporDurumSorgulaCompletedEventArgs (see page 177)	
	raporDurumSorgulaResponse (see page 178)	
	raporGonder (see page 179)	
	raporGonderCompletedEventArgs (see page 179)	
	raporGonderResponse (see page 180)	
	serviceReturnType (see page 181)	
	servisSaglayicidanEpostaDurumSorgula (see page 181)	
	servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs (see page 181)	
	smsDurumSorgula (see page 183)	
	smsDurumSorgulaCompletedEventArgs (see page 183)	
	smsDurumSorgulaResponse (see page 184)	

	smsGonder (see page 185)	
	smsGonderCompletedEventArgs (see page 186)	
	smsGonderResponse (see page 187)	
	stringOutputWrapper (see page 187)	
	topluFaturaPaketDosyaGonder (see page 188)	
	topluFaturaPaketDosyaGonderCompletedEventArgs (see page 188)	
	topluFaturaPaketDosyaGonderResponse (see page 189)	
	topluFaturaPaketDosyasiSorgula (see page 190)	
	topluFaturaPaketDosyasiSorgulaCompletedEventArgs (see page 190)	
	topluFaturaPaketOnayla (see page 192)	
	topluFaturaPaketOnaylaCompletedEventArgs (see page 192)	
	topluFaturaPaketOnaylaResponse (see page 193)	
	topluFaturaPaketSorgula (see page 194)	
	topluFaturaPaketSorgulaCompletedEventArgs (see page 194)	
	yapilandirmaAyarlariAI (see page 195)	
	yapilandirmaAyarlariAICompletedEventArgs (see page 196)	
	yapilandirmaAyarlariAIResponse (see page 197)	

1.1.2.1.1 aliciEpostaEkleSilGuncelle Class

Class Hierarchy

[QNBFinansGIB.GIBEArxiv.aliciEpostaEkleSilGuncelle](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class aliciEpostaEkleSilGuncelle;
```

File

[Reference.cs](#) (see page 721)

aliciEpostaEkleSilGuncelle Properties

	Name	Description
	inputGuncellenecekEposta (see page 27)	
	inputSilinecekEposta (see page 27)	

1.1.2.1.1.1 aliciEpostaEkleSilGuncelle Properties

1.1.2.1.1.1 aliciEpostaEkleSilGuncelle.inputGuncellenecekEposta Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string inputGuncellenecekEposta;
```


1.1.2.1.1.2 aliciEpostaEkleSilGuncelle.inputSilinecekEposta Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string inputSilinecekEposta;
```

1.1.2.1.2 aliciEpostaEkleSilGuncelleCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class aliciEpostaEkleSilGuncelleCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	aliciEpostaEkleSilGuncelleCompletedEventArgs (see page 27)	This is aliciEpostaEkleSilGuncelleCompletedEventArgs, a member of class aliciEpostaEkleSilGuncelleCompletedEventArgs.

aliciEpostaEkleSilGuncelleCompletedEventArgs Properties

	Name	Description
	Result (see page 28)	

1.1.2.1.2.1

aliciEpostaEkleSilGuncelleCompletedEventArgs.aliciEpostaEkleSilGuncelleCompletedEventArgs

Constructor

C#

```
internal aliciEpostaEkleSilGuncelleCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is aliciEpostaEkleSilGuncelleCompletedEventArgs, a member of class aliciEpostaEkleSilGuncelleCompletedEventArgs.

Body Source

```
1: internal aliciEpostaEkleSilGuncelleCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.2.1.2.2 aliciEpostaEkleSilGuncelleCompletedEventArgs Properties

1.1.2.1.2.2.1 aliciEpostaEkleSilGuncelleCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.3 aliciEpostaEkleSilGuncelleResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class aliciEpostaEkleSilGuncelleResponse;
```

File

Reference.cs ([see page 721](#))

aliciEpostaEkleSilGuncelleResponse Properties

	Name	Description
	@return (see page 28)	

1.1.2.1.3.1 aliciEpostaEkleSilGuncelleResponse Properties

1.1.2.1.3.1.1 aliciEpostaEkleSilGuncelleResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.4 belge Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.belge](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class belge;
```

File

Reference.cs ([see page 721](#))

belge Properties

	Name	Description
	belgeFormati (see page 29)	
	belgeFormatiSpecified (see page 29)	
	belgelcerigi (see page 29)	

1.1.2.1.4.1 belge Properties

1.1.2.1.4.1.1 belge.belgeFormati Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belgeFormatiEnum belgeFormati;
```

1.1.2.1.4.1.2 belge.belgeFormatiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool belgeFormatiSpecified;
```

1.1.2.1.4.1.3 belge.belgelcerigi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
                                              DataType="base64Binary")]
public byte belgeIcerigi;
```

1.1.2.1.5 belgeOutputWrapper Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.belgeOutputWrapper](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class belgeOutputWrapper;
```

File

[Reference.cs \(see page 721\)](#)

belgeOutputWrapper Properties

	Name	Description
	@return (see page 30)	
	output (see page 30)	

1.1.2.1.5.1 belgeOutputWrapper Properties

1.1.2.1.5.1.1 belgeOutputWrapper.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.5.1.2 belgeOutputWrapper.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge output;
```

1.1.2.1.6 dosyalInput Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.dosyalInput](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class dosyaInput;
```

File

Reference.cs ([see page 721](#))

dosyalInput Properties

	Name	Description
	belgelcerigi (see page 30)	
	genelBelgeFormatEnum (see page 30)	
	genelBelgeFormatEnumSpecified (see page 31)	

1.1.2.1.6.1 dosyalInput Properties

1.1.2.1.6.1.1 dosyalInput.belgelcerigi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
(DataType="base64Binary")]
public byte belgeIcerigi;
```

1.1.2.1.6.1.2 dosyalInput.genelBelgeFormatEnum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public genelBelgeFormatEnum genelBelgeFormatEnum;
```

1.1.2.1.6.1.3 dosyalInput.genelBelgeFormatEnumSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool genelBelgeFormatEnumSpecified;
```

1.1.2.1.7 doubleStringOutputWrapper Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.doubleStringOutputWrapper](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class doubleStringOutputWrapper;
```

File

Reference.cs ([see page 721](#))

doubleStringOutputWrapper Properties

	Name	Description
	@return (see page 31)	
	outputDurum (see page 31)	
	outputEposta (see page 31)	

1.1.2.1.7.1 doubleStringOutputWrapper Properties

1.1.2.1.7.1.1 doubleStringOutputWrapper.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.7.1.2 doubleStringOutputWrapper.outputDurum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string outputDurum;
```

1.1.2.1.7.1.3 doubleStringOutputWrapper.outputEposta Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string outputEposta;
```

1.1.2.1.8 earsivServiceResult Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.earsivServiceResult](#)

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class earsivServiceResult;
```

File

Reference.cs (see page 721)

earsivServiceResult Properties

	Name	Description
	resultCode (see page 32)	
	resultExtra (see page 32)	
	resultText (see page 32)	

1.1.2.1.8.1 earsivServiceResult Properties**1.1.2.1.8.1.1 earsivServiceResult.resultCode Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string resultCode;
```

1.1.2.1.8.1.2 earsivServiceResult.resultExtra Property**C#**

```
[System.Xml.Serialization.XmlArrayAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
[System.Xml.Serialization.XmlArrayItemAttribute("entry",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=false)]
public earsivServiceResultEntry resultExtra;
```

1.1.2.1.8.1.3 earsivServiceResult.resultText Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string resultText;
```

1.1.2.1.9 earsivServiceResultEntry Class**Class Hierarchy**

[QNBFinansGIB.GIBEArsiv.earsivServiceResultEntry](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(AnonymousType=true,
Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class earsivServiceResultEntry;
```

File

Reference.cs (see page 721)

earsivServiceResultEntry Properties


	Name	Description
	key (see page 33)	
	value (see page 33)	

1.1.2.1.9.1 earsivServiceResultEntry Properties**1.1.2.1.9.1.1 earsivServiceResultEntry.key Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public object key;
```

1.1.2.1.9.1.2 earsivServiceResultEntry.value Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public object value;
```

1.1.2.1.10 EarsivWebService Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Web.Services.WebServiceBindingAttribute(Name="EarsivWebServicePortBinding",
Namespace="http://service.csap.cs.com/")]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaOlusturExt))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(topluFaturaPaketDosyasiSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumRaporNoGuncelleImzalaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumRaporNoGuncelleImzala))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaListeSorgulaCountResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaListeSorgulaCount))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumListesiSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(topluFaturaPaketSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(yapilandirmaAyarlariAlResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(yapilandirmaAyarlariAl))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsGonderResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsGonder))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(topluFaturaPaketOnaylaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(topluFaturaPaketOnayla))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporDurumSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporDurumSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaOnizleme))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(kontorBilgisiGetirResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(kontorBilgisiGetir))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslaktanOlustur))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaItirazKaldırResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaItirazKaldır))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumListesiSorgulaWithInput))]
```

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(okcRaporOlusturGonderResponse))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(okcRaporOlusturGonder))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslakSorgulaResponse))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslakSorgula))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaListeSorgulaResponse))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaListeSorgula))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumBilgisiAlResponse))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumBilgisiAl))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporGonderResponse))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporGonder))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(efaturaKullanicisiKontrolResponse))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(efaturaKullanicisiKontrol))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaIptaliKaldirResponse))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaIptaliKaldir))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumListesiDetayliSorgulaResponse))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumListesiDetayliSorgula))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsDurumSorgulaResponse))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsDurumSorgula))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaIptalEtResponse))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaIptalEt))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslakSilResponse))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslakSil))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaZipiAlResponse))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaZipiAl))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumleriOlusturResponse))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumleriOlustur))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslakOlusturResponse))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslakOlustur))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaSorgulaExt))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(stringOutputWrapper))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaNoUret))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(ePostaGonderResponse))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(ePostaGonder))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(rapordaFaturaSorgulaResponse))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(rapordaFaturaSorgula))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumAl))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumSilResponse))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumSil))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaListeSorgulaPortalResponse))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaListeSorgulaPortal))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslakOnizlemeResponse))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTaslakOnizleme))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(servisSaglayicidanEpostaDurumSorgula))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(serviceReturnType))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(eFaturaKayitliKullaniciListele))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(doubleStringOutputWrapper))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(ePostaDurumSorgula))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaItirazEtResponse))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaItirazEt))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(efaturaKullanicisiResponse))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(efaturaKullanicisi))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaOlustur))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(aliciEpostaEkleSilGuncelleResponse))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(aliciEpostaEkleSilGuncelle))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(topluFaturaPaketDosyaGonderResponse))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(topluFaturaPaketDosyaGonder))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgeOutputWrapper))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(okcRaporBolumAl))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(okcRaporKaydetResponse))]  
[System.Xml.Serialization.XmlIncludeAttribute(typeof(okcRaporKaydet))]  
public class EarsivWebService : System.Web.Services.Protocols.SoapHttpClientProtocol;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	EarsivWebService (see page 40)	

EarsivWebService Events

	Name	Description
	aliciEpostaEkleSilGuncelleCompleted (see page 90)	
	eFaturaKayitliKullaniciListeleCompleted (see page 90)	
	efaturaKullanicisiCompleted (see page 90)	
	efaturaKullanicisiKontrolCompleted (see page 90)	
	ePostaDurumSorgulaCompleted (see page 90)	
	ePostaGonderCompleted (see page 90)	
	faturalptalEtCompleted (see page 90)	
	faturalptaliKaldirCompleted (see page 90)	
	faturaltirazEtCompleted (see page 90)	
	faturaltirazKaldirCompleted (see page 90)	
	faturaListeSorgulaCompleted (see page 90)	
	faturaListeSorgulaCountCompleted (see page 91)	
	faturaListeSorgulaPortalCompleted (see page 91)	
	faturaNoUretCompleted (see page 91)	
	faturaOlusturCompleted (see page 91)	
	faturaOlusturExtCompleted (see page 91)	
	faturaOnizlemeCompleted (see page 91)	
	faturaSorgulaCompleted (see page 91)	
	faturaSorgulaExtCompleted (see page 91)	
	faturaTaslakOlusturCompleted (see page 91)	
	faturaTaslakOnizlemeCompleted (see page 91)	
	faturaTaslakSilCompleted (see page 91)	
	faturaTaslakSorgulaCompleted (see page 91)	

	faturaTaslaktanOlusturCompleted (see page 92)	
	faturaZipiAICompleted (see page 92)	
	kontorBilgisiGetirCompleted (see page 92)	
	okcRaporBolumAICompleted (see page 92)	
	okcRaporKaydetCompleted (see page 92)	
	okcRaporOlusturGonderCompleted (see page 92)	
	raporBolumAICompleted (see page 92)	
	raporBolumBilgisiAICompleted (see page 92)	
	raporBolumleriOlusturCompleted (see page 92)	
	raporBolumListesiDetayliSorgulaCompleted (see page 92)	
	raporBolumListesiSorgulaCompleted (see page 92)	
	raporBolumListesiSorgulaWithInputCompleted (see page 93)	
	raporBolumRaporNoGuncelleImzalaCompleted (see page 93)	
	raporBolumSilCompleted (see page 93)	
	rapordaFaturaSorgulaCompleted (see page 93)	
	raporDurumSorgulaCompleted (see page 93)	
	raporGonderCompleted (see page 93)	
	servisSaglayicidanEpostaDurumSorgulaCompleted (see page 93)	
	smsDurumSorgulaCompleted (see page 93)	
	smsGonderCompleted (see page 93)	
	topluFaturaPaketDosyaGonderCompleted (see page 93)	
	topluFaturaPaketDosyasiSorgulaCompleted (see page 93)	
	topluFaturaPaketOnaylaCompleted (see page 94)	
	topluFaturaPaketSorgulaCompleted (see page 94)	
	yapilandirmaAyarlariAICompleted (see page 94)	

EarsivWebService Methods

	Name	Description
	aliciEpostaEkleSilGuncelle (see page 40)	
	aliciEpostaEkleSilGuncelleAsync (see page 41)	
	CancelAsync (see page 41)	

	eFaturaKayitliKullaniciListele (see page 41)	
	eFaturaKayitliKullaniciListeleAsync (see page 42)	
	efaturaKullanicisi (see page 42)	
	efaturaKullanicisiAsync (see page 43)	
	efaturaKullanicisiKontrol (see page 43)	
	efaturaKullanicisiKontrolAsync (see page 44)	
	ePostaDurumSorgula (see page 44)	
	ePostaDurumSorgulaAsync (see page 45)	
	ePostaGonder (see page 45)	
	ePostaGonderAsync (see page 46)	
	faturalptalEt (see page 46)	
	faturalptalEtAsync (see page 47)	
	faturalptaliKaldır (see page 47)	
	faturalptaliKaldırAsync (see page 48)	
	faturaltirazEt (see page 48)	
	faturaltirazEtAsync (see page 49)	
	faturaltirazKaldır (see page 49)	
	faturaltirazKaldırAsync (see page 50)	
	faturaListeSorgula (see page 50)	
	faturaListeSorgulaAsync (see page 51)	
	faturaListeSorgulaCount (see page 51)	
	faturaListeSorgulaCountAsync (see page 52)	
	faturaListeSorgulaPortal (see page 52)	
	faturaListeSorgulaPortalAsync (see page 53)	
	faturaNoUret (see page 53)	
	faturaNoUretAsync (see page 54)	
	faturaOlustur (see page 54)	
	faturaOlusturAsync (see page 55)	
	faturaOlusturExt (see page 55)	
	faturaOlusturExtAsync (see page 56)	
	faturaOnizleme (see page 56)	
	faturaOnizlemeAsync (see page 57)	
	faturaSorgula (see page 57)	
	faturaSorgulaAsync (see page 58)	

	faturaSorgulaExt (↗ see page 58)	
	faturaSorgulaExtAsync (↗ see page 59)	
	faturaTaslakOlustur (↗ see page 59)	
	faturaTaslakOlusturAsync (↗ see page 60)	
	faturaTaslakOnizleme (↗ see page 60)	
	faturaTaslakOnizlemeAsync (↗ see page 61)	
	faturaTaslakSil (↗ see page 61)	
	faturaTaslakSilAsync (↗ see page 62)	
	faturaTaslakSorgula (↗ see page 62)	
	faturaTaslakSorgulaAsync (↗ see page 63)	
	faturaTaslaktanOlustur (↗ see page 63)	
	faturaTaslaktanOlusturAsync (↗ see page 64)	
	faturaZipiAI (↗ see page 64)	
	faturaZipiAIAsync (↗ see page 65)	
	kontorBilgisiGetir (↗ see page 65)	
	kontorBilgisiGetirAsync (↗ see page 66)	
	okcRaporBolumAI (↗ see page 67)	
	okcRaporBolumAIAsync (↗ see page 67)	
	okcRaporKaydet (↗ see page 68)	
	okcRaporKaydetAsync (↗ see page 68)	
	okcRaporOlusturGonder (↗ see page 69)	
	okcRaporOlusturGonderAsync (↗ see page 69)	
	raporBolumAI (↗ see page 70)	
	raporBolumAIAsync (↗ see page 70)	
	raporBolumBilgisiAI (↗ see page 71)	
	raporBolumBilgisiAIAsync (↗ see page 71)	
	raporBolumleriOlustur (↗ see page 72)	
	raporBolumleriOlusturAsync (↗ see page 72)	
	raporBolumListesiDetyaliSorgula (↗ see page 73)	
	raporBolumListesiDetyaliSorgulaAsync (↗ see page 73)	
	raporBolumListesiSorgula (↗ see page 74)	

	raporBolumListesiSorgulaAsync (see page 74)	
	raporBolumListesiSorgulaWithInput (see page 75)	
	raporBolumListesiSorgulaWithInputAsync (see page 76)	
	raporBolumRaporNoGuncelleImzala (see page 76)	
	raporBolumRaporNoGuncelleImzalaAsync (see page 77)	
	raporBolumSil (see page 77)	
	raporBolumSilAsync (see page 78)	
	rapordaFaturaSorgula (see page 78)	
	rapordaFaturaSorgulaAsync (see page 78)	
	raporDurumSorgula (see page 79)	
	raporDurumSorgulaAsync (see page 79)	
	raporGonder (see page 80)	
	raporGonderAsync (see page 80)	
	servisSaglayicidanEpostaDurumSorgula (see page 81)	
	servisSaglayicidanEpostaDurumSorgulaAsync (see page 81)	
	smsDurumSorgula (see page 82)	
	smsDurumSorgulaAsync (see page 83)	
	smsGonder (see page 83)	
	smsGonderAsync (see page 84)	
	topluFaturaPaketDosyaGonder (see page 84)	
	topluFaturaPaketDosyaGonderAsync (see page 85)	
	topluFaturaPaketDosyasiSorgula (see page 85)	
	topluFaturaPaketDosyasiSorgulaAsync (see page 86)	
	topluFaturaPaketOnayla (see page 86)	
	topluFaturaPaketOnaylaAsync (see page 87)	
	topluFaturaPaketSorgula (see page 87)	
	topluFaturaPaketSorgulaAsync (see page 88)	
	yapilandirmaAyarlariAI (see page 88)	
	yapilandirmaAyarlariAIAsync (see page 89)	

EarsivWebService Properties

	Name	Description
	Url (see page 89)	This is Url, a member of class EarsivWebService.
	UseDefaultCredentials (see page 89)	This is UseDefaultCredentials, a member of class EarsivWebService.

1.1.2.1.10.1 EarsivWebService.EarsivWebService Constructor

C#

```
public EarsivWebService();
```

Body Source

```
1: public EarsivWebService() {
2:     this.Url =
global::QNBFinansGIB.Properties.Settings.Default.QNBFinansGIB_GIBEArxiv_EarsivWebService;
3:     if ((this.IsLocalFileSystemWebService(this.Url) == true)) {
4:         this.UseDefaultCredentials = true;
5:         this.useDefaultCredentialsSetExplicitly = false;
6:     }
7:     else {
8:         this.useDefaultCredentialsSetExplicitly = true;
9:     }
10: }
```

1.1.2.1.10.2 EarsivWebService Methods

1.1.2.1.10.2.1 EarsivWebService.aliciEpostaEkleSilGuncelle Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
aliciEpostaEkleSilGuncelle([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string inputGuncellencekEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string inputSilinecekEposta);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
aliciEpostaEkleSilGuncelle([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string inputGuncellencekEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string inputSilinecekEposta) {
4:     object[] results = this.Invoke("aliciEpostaEkleSilGuncelle", new object[] {
5:         inputGuncellencekEposta,
6:         inputSilinecekEposta});
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.2.1.10.2.2 aliciEpostaEkleSilGuncelleAsync Method

1.1.2.1.10.2.2.1 EarsivWebService.aliciEpostaEkleSilGuncelleAsync Method (string, string)

C#

```
public void aliciEpostaEkleSilGuncelleAsync(string inputGuncellenecekEposta, string
inputSilinecekEposta);
```

Body Source

```
1: public void aliciEpostaEkleSilGuncelleAsync(string inputGuncellenecekEposta, string
inputSilinecekEposta) {
2:     this.aliciEpostaEkleSilGuncelleAsync(inputGuncellenecekEposta, inputSilinecekEposta,
null);
3: }
```

1.1.2.1.10.2.2.2 EarsivWebService.aliciEpostaEkleSilGuncelleAsync Method (string, string, object)

C#

```
public void aliciEpostaEkleSilGuncelleAsync(string inputGuncellenecekEposta, string
inputSilinecekEposta, object userState);
```

Body Source

```
1: public void aliciEpostaEkleSilGuncelleAsync(string inputGuncellenecekEposta, string
inputSilinecekEposta, object userState) {
2:     if ((this.aliciEpostaEkleSilGuncelleOperationCompleted == null)) {
3:         this.aliciEpostaEkleSilGuncelleOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnaliciEpostaEkleSilGuncelleOperationCompleted);
4:     }
5:     this.InvokeAsync("aliciEpostaEkleSilGuncelle", new object[] {
6:         inputGuncellenecekEposta,
7:         inputSilinecekEposta},
this.aliciEpostaEkleSilGuncelleOperationCompleted, userState);
8: }
```

1.1.2.1.10.2.3 EarsivWebService.CancelAsync Method

C#

```
public new void CancelAsync(object userState);
```

Body Source

```
1: public new void CancelAsync(object userState) {
2:     base.CancelAsync(userState);
3: }
```

1.1.2.1.10.2.4 EarsivWebService.eFaturaKayitliKullaniciListele Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public eFaturaKayitliKullaniciListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml
.Schema.XmlSchemaForm.Unqualified)]
string kayitZamani);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
```

```

Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public eFaturaKullanici[]
eFaturaKayitliKullaniciListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml
.Schema.XmlSchemaForm.Unqualified)]
string kayitZamani) {
4:     object[] results = this.Invoke("eFaturaKayitliKullaniciListele", new object[] {
5:         kayitZamani});
6:     return ((eFaturaKullanici[])(results[0]));
7: }

```

1.1.2.1.10.2.5 eFaturaKayitliKullaniciListeleAsync Method

1.1.2.1.10.2.5.1 EarsivWebService.eFaturaKayitliKullaniciListeleAsync Method (string)

C#

```
public void eFaturaKayitliKullaniciListeleAsync(string kayitZamani);
```

Body Source

```

1: public void eFaturaKayitliKullaniciListeleAsync(string kayitZamani) {
2:     this.eFaturaKayitliKullaniciListeleAsync(kayitZamani, null);
3: }

```

1.1.2.1.10.2.5.2 EarsivWebService.eFaturaKayitliKullaniciListeleAsync Method (string, object)

C#

```
public void eFaturaKayitliKullaniciListeleAsync(string kayitZamani, object userState);
```

Body Source

```

1: public void eFaturaKayitliKullaniciListeleAsync(string kayitZamani, object userState) {
2:     if ((this.eFaturaKayitliKullaniciListeleOperationCompleted == null)) {
3:         this.eFaturaKayitliKullaniciListeleOperationCompleted = new
System.Threading.SendOrPostCallback(this.OneFaturaKayitliKullaniciListeleOperationCompleted)
;
4:     }
5:     this.InvokeAsync("eFaturaKayitliKullaniciListele", new object[] {
6:         kayitZamani}, this.eFaturaKayitliKullaniciListeleOperationCompleted,
userState);
7: }

```

1.1.2.1.10.2.6 EarsivWebService.efaturaKullanicisi Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
efaturaKullanicisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string vergiTcKimlikNo);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
efaturaKullanicisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])

```

```

1:     string vergiTcKimlikNo) {
2:         object[] results = this.Invoke("efaturaKullanicisi", new object[] {
3:             vergiTcKimlikNo});
4:         return ((bool)(results[0]));
5:     }
6:
7: }
```

1.1.2.1.10.2.7 efaturaKullanicisiAsync Method

1.1.2.1.10.2.7.1 EarsivWebService.efaturaKullanicisiAsync Method (string)

C#

```
public void efaturaKullanicisiAsync(string vergiTcKimlikNo);
```

Body Source

```

1: public void efaturaKullanicisiAsync(string vergiTcKimlikNo) {
2:     this.efaturaKullanicisiAsync(vergiTcKimlikNo, null);
3: }
```

1.1.2.1.10.2.7.2 EarsivWebService.efaturaKullanicisiAsync Method (string, object)

C#

```
public void efaturaKullanicisiAsync(string vergiTcKimlikNo, object userState);
```

Body Source

```

1: public void efaturaKullanicisiAsync(string vergiTcKimlikNo, object userState) {
2:     if ((this.efaturaKullanicisiOperationCompleted == null)) {
3:         this.efaturaKullanicisiOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnefaturaKullanicisiOperationCompleted);
4:     }
5:     this.InvokeAsync("efaturaKullanicisi", new object[] {
6:         vergiTcKimlikNo}, this.efaturaKullanicisiOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.8 EarsivWebService.efaturaKullanicisiKontrol Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
efaturaKullanicisiKontrol([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
string input);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
efaturaKullanicisiKontrol([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("efaturaKullanicisiKontrol", new object[] {
5:         input});
6:     return ((bool)(results[0]));
7: }
```

1.1.2.1.10.2.9 efaturaKullaniciKontrolAsync Method

1.1.2.1.10.2.9.1 EarsivWebService.efaturaKullaniciKontrolAsync Method (string)

C#

```
public void efaturaKullaniciKontrolAsync(string input);
```

Body Source

```
1: public void efaturaKullaniciKontrolAsync(string input) {
2:     this.efaturaKullaniciKontrolAsync(input, null);
3: }
```

1.1.2.1.10.2.9.2 EarsivWebService.efaturaKullaniciKontrolAsync Method (string, object)

C#

```
public void efaturaKullaniciKontrolAsync(string input, object userState);
```

Body Source

```
1: public void efaturaKullaniciKontrolAsync(string input, object userState) {
2:     if ((this.efaturaKullaniciKontrolOperationCompleted == null)) {
3:         this.efaturaKullaniciKontrolOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnefaturaKullaniciKontrolOperationCompleted);
4:     }
5:     this.InvokeAsync("efaturaKullaniciKontrol", new object[] {
6:         input}, this.efaturaKullaniciKontrolOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.10 EarsivWebService.ePostaDurumSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("outputDurum",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
ePostaDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out string outputEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return;
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("outputDurum",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
ePostaDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out string outputEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
```

```

ed) ]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("ePostaDurumSorgula", new object[] {
5:         input});
6:     outputEposta = ((string)(results[1]));
7:     @return = ((earsivServiceResult)(results[2]));
8:     return ((string)(results[0]));
9: }

```

1.1.2.1.10.2.11 ePostaDurumSorgulaAsync Method

1.1.2.1.10.2.11.1 EarsivWebService.ePostaDurumSorgulaAsync Method (string)

C#

```
public void ePostaDurumSorgulaAsync(string input);
```

Body Source

```

1: public void ePostaDurumSorgulaAsync(string input) {
2:     this.ePostaDurumSorgulaAsync(input, null);
3: }

```

1.1.2.1.10.2.11.2 EarsivWebService.ePostaDurumSorgulaAsync Method (string, object)

C#

```
public void ePostaDurumSorgulaAsync(string input, object userState);
```

Body Source

```

1: public void ePostaDurumSorgulaAsync(string input, object userState) {
2:     if ((this.ePostaDurumSorgulaOperationCompleted == null)) {
3:         this.ePostaDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnePostaDurumSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("ePostaDurumSorgula", new object[] {
6:         input}, this.ePostaDurumSorgulaOperationCompleted, userState);
7: }

```

1.1.2.1.10.2.12 EarsivWebService.ePostaGonder Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
ePostaGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string ilaveEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
int tanimliEpostayaGonder);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]

```

```

3: public earsivServiceResult
ePostaGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string ilaveEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
int tanimliEpostayaGonder) {
4:     object[] results = this.Invoke("ePostaGonder", new object[] {
5:         input,
6:         ilaveEposta,
7:         tanimliEpostayaGonder});
8:     return ((earsivServiceResult)(results[0]));
9: }

```

1.1.2.1.10.2.13 ePostaGonderAsync Method

1.1.2.1.10.2.13.1 EarsivWebService.ePostaGonderAsync Method (string, string, int)

C#

```
public void ePostaGonderAsync(string input, string ilaveEposta, int tanimliEpostayaGonder);
```

Body Source

```

1: public void ePostaGonderAsync(string input, string ilaveEposta, int
tanimliEpostayaGonder) {
2:     this.ePostaGonderAsync(input, ilaveEposta, tanimliEpostayaGonder, null);
3: }

```

1.1.2.1.10.2.13.2 EarsivWebService.ePostaGonderAsync Method (string, string, int, object)

C#

```
public void ePostaGonderAsync(string input, string ilaveEposta, int tanimliEpostayaGonder,
object userState);
```

Body Source

```

1: public void ePostaGonderAsync(string input, string ilaveEposta, int
tanimliEpostayaGonder, object userState) {
2:     if (this.ePostaGonderOperationCompleted == null) {
3:         this.ePostaGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnePostaGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("ePostaGonder", new object[] {
6:         input,
7:         ilaveEposta,
8:         tanimliEpostayaGonder}, this.ePostaGonderOperationCompleted, userState);
9: }

```

1.1.2.1.10.2.14 EarsivWebService.faturalptalEt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturalptalEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaIptalEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string input) {
4:     object[] results = this.Invoke("faturaIptalEt", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }

```

1.1.2.1.10.2.15 faturaIptalEtAsync Method**1.1.2.1.10.2.15.1 EarsivWebService.faturaIptalEtAsync Method (string)****C#**

```
public void faturaIptalEtAsync(string input);
```

Body Source

```

1: public void faturaIptalEtAsync(string input) {
2:     this.faturaIptalEtAsync(input, null);
3: }

```

1.1.2.1.10.2.15.2 EarsivWebService.faturaIptalEtAsync Method (string, object)**C#**

```
public void faturaIptalEtAsync(string input, object userState);
```

Body Source

```

1: public void faturaIptalEtAsync(string input, object userState) {
2:     if ((this.faturaIptalEtOperationCompleted == null)) {
3:         this.faturaIptalEtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaIptalEtOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaIptalEt", new object[] {
6:         input}, this.faturaIptalEtOperationCompleted, userState);
7: }

```

1.1.2.1.10.2.16 EarsivWebService.faturaIptaliKaldır Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaIptaliKaldır([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string input);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,

```

```

ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped) ]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaIptaliKaldır([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlS
chemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("faturaIptaliKaldır", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }

```

1.1.2.1.10.2.17 faturalptaliKaldırAsync Method

1.1.2.1.10.2.17.1 EarsivWebService.faturalptaliKaldırAsync Method (string)

C#

```
public void faturalptaliKaldırAsync(string input);
```

Body Source

```

1: public void faturalptaliKaldırAsync(string input) {
2:     this.faturalptaliKaldırAsync(input, null);
3: }

```

1.1.2.1.10.2.17.2 EarsivWebService.faturalptaliKaldırAsync Method (string, object)

C#

```
public void faturalptaliKaldırAsync(string input, object userState);
```

Body Source

```

1: public void faturalptaliKaldırAsync(string input, object userState) {
2:     if ((this.faturalptaliKaldırOperationCompleted == null)) {
3:         this.faturalptaliKaldırOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturalptaliKaldırOperationCompleted);
4:     }
5:     this.InvokeAsync("faturalptaliKaldır", new object[] {
6:         input}, this.faturalptaliKaldırOperationCompleted, userState);
7: }

```

1.1.2.1.10.2.18 EarsivWebService.faturaltirazEt Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaltirazEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchem
aForm.Unqualified)]
string input);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaltirazEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchem
aForm.Unqualified)])

```

```

1:     string input) {
2:         object[] results = this.Invoke("faturaItirazEt", new object[] {
3:             input});
4:         return ((earsivServiceResult)(results[0]));
5:     }
6:
7: }
```

1.1.2.1.10.2.19 faturaltirazEtAsync Method

1.1.2.1.10.2.19.1 EarsivWebService.faturaltirazEtAsync Method (string)

C#

```
public void faturaltirazEtAsync(string input);
```

Body Source

```

1: public void faturaltirazEtAsync(string input) {
2:     this.faturaltirazEtAsync(input, null);
3: }
```

1.1.2.1.10.2.19.2 EarsivWebService.faturaltirazEtAsync Method (string, object)

C#

```
public void faturaltirazEtAsync(string input, object userState);
```

Body Source

```

1: public void faturaltirazEtAsync(string input, object userState) {
2:     if ((this.faturaltirazEtOperationCompleted == null)) {
3:         this.faturaltirazEtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaltirazEtOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaltirazEt", new object[] {
6:         input}, this.faturaltirazEtOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.20 EarsivWebService.faturaltirazKaldır Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaltirazKaldır([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaltirazKaldır([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("faturaltirazKaldır", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.2.1.10.2.21 faturaltirazKaldırAsync Method

1.1.2.1.10.2.21.1 EarsivWebService.faturaltirazKaldırAsync Method (string)

C#

```
public void faturaltirazKaldırAsync(string input);
```

Body Source

```
1: public void faturaltirazKaldırAsync(string input) {
2:     this.faturaltirazKaldırAsync(input, null);
3: }
```

1.1.2.1.10.2.21.2 EarsivWebService.faturaltirazKaldırAsync Method (string, object)

C#

```
public void faturaltirazKaldırAsync(string input, object userState);
```

Body Source

```
1: public void faturaltirazKaldırAsync(string input, object userState) {
2:     if ((this.faturaltirazKaldırOperationCompleted == null)) {
3:         this.faturaltirazKaldırOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaltirazKaldırOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaltirazKaldır", new object[] {
6:         input}, this.faturaltirazKaldırOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.22 EarsivWebService.faturaListeSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaListeSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaListeSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output) {
4:     object[] results = this.Invoke("faturaListeSorgula", new object[] {
5:         input});
6:     output = ((faturaDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.2.1.10.2.23 faturaListeSorgulaAsync Method

1.1.2.1.10.2.23.1 EarsivWebService.faturaListeSorgulaAsync Method (string)**C#**

```
public void faturaListeSorgulaAsync(string input);
```

Body Source

```
1: public void faturaListeSorgulaAsync(string input) {
2:     this.faturaListeSorgulaAsync(input, null);
3: }
```

1.1.2.1.10.2.23.2 EarsivWebService.faturaListeSorgulaAsync Method (string, object)**C#**

```
public void faturaListeSorgulaAsync(string input, object userState);
```

Body Source

```
1: public void faturaListeSorgulaAsync(string input, object userState) {
2:     if ((this.faturaListeSorgulaOperationCompleted == null)) {
3:         this.faturaListeSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaListeSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaListeSorgula", new object[] {
6:         input}, this.faturaListeSorgulaOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.24 EarsivWebService.faturaListeSorgulaCount Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaListeSorgulaCount([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaListeSorgulaCount([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output) {
4:     object[] results = this.Invoke("faturaListeSorgulaCount", new object[] {
5:         input});
6:     output = ((faturaDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.2.1.10.2.25 faturaListeSorgulaCountAsync Method

1.1.2.1.10.2.25.1 EarsivWebService.faturaListeSorgulaCountAsync Method (string)

C#

```
public void faturaListeSorgulaCountAsync(string input);
```

Body Source

```
1: public void faturaListeSorgulaCountAsync(string input) {
2:     this.faturaListeSorgulaCountAsync(input, null);
3: }
```

1.1.2.1.10.2.25.2 EarsivWebService.faturaListeSorgulaCountAsync Method (string, object)

C#

```
public void faturaListeSorgulaCountAsync(string input, object userState);
```

Body Source

```
1: public void faturaListeSorgulaCountAsync(string input, object userState) {
2:     if ((this.faturaListeSorgulaCountOperationCompleted == null)) {
3:         this.faturaListeSorgulaCountOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaListeSorgulaCountOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaListeSorgulaCount", new object[] {
6:         input}, this.faturaListeSorgulaCountOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.26 EarsivWebService.faturaListeSorgulaPortal Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaListeSorgulaPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaListeSorgulaPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output) {
4:     object[] results = this.Invoke("faturaListeSorgulaPortal", new object[] {
5:         input});
6:     output = ((faturaDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.2.1.10.2.27 faturaListeSorgulaPortalAsync Method

1.1.2.1.10.2.27.1 EarsivWebService.faturaListeSorgulaPortalAsync Method (string)

C#

```
public void faturaListeSorgulaPortalAsync(string input);
```

Body Source

```
1: public void faturaListeSorgulaPortalAsync(string input) {  
2:     this.faturaListeSorgulaPortalAsync(input, null);  
3: }
```

1.1.2.1.10.2.27.2 EarsivWebService.faturaListeSorgulaPortalAsync Method (string, object)

C#

```
public void faturaListeSorgulaPortalAsync(string input, object userState);
```

Body Source

```
1: public void faturaListeSorgulaPortalAsync(string input, object userState) {  
2:     if ((this.faturaListeSorgulaPortalOperationCompleted == null)) {  
3:         this.faturaListeSorgulaPortalOperationCompleted = new  
System.Threading.SendOrPostCallback(this.OnfaturaListeSorgulaPortalOperationCompleted);  
4:     }  
5:     this.InvokeAsync("faturaListeSorgulaPortal", new object[] {  
6:         input}, this.faturaListeSorgulaPortalOperationCompleted, userState);  
7: }
```

1.1.2.1.10.2.28 EarsivWebService.faturaNoUret Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",  
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",  
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",  
Use=System.Web.Services.Description.SoapBindingUse.Literal,  
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]  
[return: System.Xml.Serialization.XmlElementAttribute("output",  
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]  
public string  
faturaNoUret([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])  
string input,  
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]  
out earsivServiceResult @return;
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",  
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",  
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",  
Use=System.Web.Services.Description.SoapBindingUse.Literal,  
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]  
2: [return: System.Xml.Serialization.XmlElementAttribute("output",  
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]  
3: public string  
faturaNoUret([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])  
string input,  
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]  
out earsivServiceResult @return {  
4:     object[] results = this.Invoke("faturaNoUret", new object[] {  
5:         input});  
6:     @return = ((earsivServiceResult)(results[1]));  
7:     return ((string)(results[0]));  
8: }
```

1.1.2.1.10.2.29 faturaNoUretAsync Method

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

1.1.2.1.10.2.29.1 EarsivWebService.faturaNoUretAsync Method (string)

C#

```
public void faturaNoUretAsync(string input);
```

Body Source

```
1: public void faturaNoUretAsync(string input) {
2:     this.faturaNoUretAsync(input, null);
3: }
```

1.1.2.1.10.2.29.2 EarsivWebService.faturaNoUretAsync Method (string, object)

C#

```
public void faturaNoUretAsync(string input, object userState);
```

Body Source

```
1: public void faturaNoUretAsync(string input, object userState) {
2:     if ((this.faturaNoUretOperationCompleted == null)) {
3:         this.faturaNoUretOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaNoUretOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaNoUret", new object[] {
6:         input}, this.faturaNoUretOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.30 EarsivWebService.faturaOlustur Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
faturaOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge fatura,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
faturaOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge fatura,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("faturaOlustur", new object[] {
```

```

5:             input,
6:             fatura});
7:     @return = ((earsivServiceResult)(results[1]));
8:     return ((belge)(results[0]));
9: }

```

1.1.2.1.10.2.31 faturaOlusturAsync Method

1.1.2.1.10.2.31.1 EarsivWebService.faturaOlusturAsync Method (string, belge)

C#

```
public void faturaOlusturAsync(string input, belge fatura);
```

Body Source

```

1: public void faturaOlusturAsync(string input, belge fatura) {
2:     this.faturaOlusturAsync(input, fatura, null);
3: }

```

1.1.2.1.10.2.31.2 EarsivWebService.faturaOlusturAsync Method (string, belge, object)

C#

```
public void faturaOlusturAsync(string input, belge fatura, object userState);
```

Body Source

```

1: public void faturaOlusturAsync(string input, belge fatura, object userState) {
2:     if ((this.faturaOlusturOperationCompleted == null)) {
3:         this.faturaOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaOlusturOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaOlustur", new object[] {
6:         input,
7:         fatura}, this.faturaOlusturOperationCompleted, userState);
8: }

```

1.1.2.1.10.2.32 EarsivWebService.faturaOlusturExt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
@return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
faturaOlusturExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
belge fatura,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return;
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
faturaOlusturExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])

```

```

    emaForm.Unqualified)]
    string input,
    [System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
    belge fatura,
    [System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("faturaOlusturExt", new object[] {
5:         input,
6:         fatura});
7:     @return = ((earsivServiceResult)(results[1]));
8:     return ((belge)(results[0]));
9: }

```

1.1.2.1.10.2.33 faturaOlusturExtAsync Method

1.1.2.1.10.2.33.1 EarsivWebService.faturaOlusturExtAsync Method (string, belge)

C#

```
public void faturaOlusturExtAsync(string input, belge fatura);
```

Body Source

```

1: public void faturaOlusturExtAsync(string input, belge fatura) {
2:     this.faturaOlusturExtAsync(input, fatura, null);
3: }

```

1.1.2.1.10.2.33.2 EarsivWebService.faturaOlusturExtAsync Method (string, belge, object)

C#

```
public void faturaOlusturExtAsync(string input, belge fatura, object userState);
```

Body Source

```

1: public void faturaOlusturExtAsync(string input, belge fatura, object userState) {
2:     if ((this.faturaOlusturExtOperationCompleted == null)) {
3:         this.faturaOlusturExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaOlusturExtOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaOlusturExt", new object[] {
6:         input,
7:         fatura}, this.faturaOlusturExtOperationCompleted, userState);
8: }

```

1.1.2.1.10.2.34 EarsivWebService.faturaOnizleme Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
faturaOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
belge fatura,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
faturaOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
belge fatura,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("faturaOnizleme", new object[] {
5:         input,
6:         fatura});
7:     @return = ((earsivServiceResult)(results[1]));
8:     return ((belge)(results[0]));
9: }

```

1.1.2.1.10.2.35 faturaOnizlemeAsync Method**1.1.2.1.10.2.35.1 EarsivWebService.faturaOnizlemeAsync Method (string, belge)****C#**

```
public void faturaOnizlemeAsync(string input, belge fatura);
```

Body Source

```

1: public void faturaOnizlemeAsync(string input, belge fatura) {
2:     this.faturaOnizlemeAsync(input, fatura, null);
3: }

```

1.1.2.1.10.2.35.2 EarsivWebService.faturaOnizlemeAsync Method (string, belge, object)**C#**

```
public void faturaOnizlemeAsync(string input, belge fatura, object userState);
```

Body Source

```

1: public void faturaOnizlemeAsync(string input, belge fatura, object userState) {
2:     if ((this.faturaOnizlemeOperationCompleted == null)) {
3:         this.faturaOnizlemeOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaOnizlemeOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaOnizleme", new object[] {
6:         input,
7:         fatura}, this.faturaOnizlemeOperationCompleted, userState);
8: }

```

1.1.2.1.10.2.36 EarsivWebService.faturaSorgula Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge

```

```

faturaSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
faturaSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("faturaSorgula", new object[] {
5:         input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }

```

1.1.2.1.10.2.37 faturaSorgulaAsync Method

1.1.2.1.10.2.37.1 EarsivWebService.faturaSorgulaAsync Method (string)

C#

```
public void faturaSorgulaAsync(string input);
```

Body Source

```

1: public void faturaSorgulaAsync(string input) {
2:     this.faturaSorgulaAsync(input, null);
3: }

```

1.1.2.1.10.2.37.2 EarsivWebService.faturaSorgulaAsync Method (string, object)

C#

```
public void faturaSorgulaAsync(string input, object userState);
```

Body Source

```

1: public void faturaSorgulaAsync(string input, object userState) {
2:     if ((this.faturaSorgulaOperationCompleted == null)) {
3:         this.faturaSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaSorgula", new object[] {
6:         input, this.faturaSorgulaOperationCompleted, userState);
7: }

```

1.1.2.1.10.2.38 EarsivWebService.faturaSorgulaExt Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]

```

```

public belge
faturaSorgulaExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("", 
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
faturaSorgulaExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("faturaSorgulaExt", new object[] {
5:         input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }

```

1.1.2.1.10.2.39 faturaSorgulaExtAsync Method**1.1.2.1.10.2.39.1 EarsivWebService.faturaSorgulaExtAsync Method (string)****C#**

```
public void faturaSorgulaExtAsync(string input);
```

Body Source

```

1: public void faturaSorgulaExtAsync(string input) {
2:     this.faturaSorgulaExtAsync(input, null);
3: }

```

1.1.2.1.10.2.39.2 EarsivWebService.faturaSorgulaExtAsync Method (string, object)**C#**

```
public void faturaSorgulaExtAsync(string input, object userState);
```

Body Source

```

1: public void faturaSorgulaExtAsync(string input, object userState) {
2:     if ((this.faturaSorgulaExtOperationCompleted == null)) {
3:         this.faturaSorgulaExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaSorgulaExtOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaSorgulaExt", new object[] {
6:         input}, this.faturaSorgulaExtOperationCompleted, userState);
7: }

```

1.1.2.1.10.2.40 EarsivWebService.faturaTaslakOlustur Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("", 
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",

```

```

Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaTaslakOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge fatura);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaTaslakOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge fatura) {
4:     object[] results = this.Invoke("faturaTaslakOlustur", new object[] {
5:         input,
6:         fatura});
7:     return ((earsivServiceResult)(results[0]));
8: }

```

1.1.2.1.10.2.41 faturaTaslakOlusturAsync Method**1.1.2.1.10.2.41.1 EarsivWebService.faturaTaslakOlusturAsync Method (string, belge)****C#**

```
public void faturaTaslakOlusturAsync(string input, belge fatura);
```

Body Source

```

1: public void faturaTaslakOlusturAsync(string input, belge fatura) {
2:     this.faturaTaslakOlusturAsync(input, fatura, null);
3: }

```

1.1.2.1.10.2.41.2 EarsivWebService.faturaTaslakOlusturAsync Method (string, belge, object)**C#**

```
public void faturaTaslakOlusturAsync(string input, belge fatura, object userState);
```

Body Source

```

1: public void faturaTaslakOlusturAsync(string input, belge fatura, object userState) {
2:     if ((this.faturaTaslakOlusturOperationCompleted == null)) {
3:         this.faturaTaslakOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaTaslakOlusturOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaTaslakOlustur", new object[] {
6:         input,
7:         fatura}, this.faturaTaslakOlusturOperationCompleted, userState);
8: }

```

1.1.2.1.10.2.42 EarsivWebService.faturaTaslakOnizleme Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,

```

```

ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped) ]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaTaslakOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
lSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out belge output);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaTaslakOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
lSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out belge output) {
4:     object[] results = this.Invoke("faturaTaslakOnizleme", new object[] {
5:         input});
6:     output = ((belge)(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }

```

1.1.2.1.10.2.43 faturaTaslakOnizlemeAsync Method**1.1.2.1.10.2.43.1 EarsivWebService.faturaTaslakOnizlemeAsync Method (string)****C#**

```
public void faturaTaslakOnizlemeAsync(string input);
```

Body Source

```

1: public void faturaTaslakOnizlemeAsync(string input) {
2:     this.faturaTaslakOnizlemeAsync(input, null);
3: }

```

1.1.2.1.10.2.43.2 EarsivWebService.faturaTaslakOnizlemeAsync Method (string, object)**C#**

```
public void faturaTaslakOnizlemeAsync(string input, object userState);
```

Body Source

```

1: public void faturaTaslakOnizlemeAsync(string input, object userState) {
2:     if ((this.faturaTaslakOnizlemeOperationCompleted == null)) {
3:         this.faturaTaslakOnizlemeOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaTaslakOnizlemeOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaTaslakOnizleme", new object[] {
6:         input}, this.faturaTaslakOnizlemeOperationCompleted, userState);
7: }

```

1.1.2.1.10.2.44 EarsivWebService.faturaTaslakSil Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaTaslakSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSche
maForm.Unqualified)]
string input);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("", 
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaTaslakSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSche
maForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("faturaTaslakSil", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }

```

1.1.2.1.10.2.45 faturaTaslakSilAsync Method**1.1.2.1.10.2.45.1 EarsivWebService.faturaTaslakSilAsync Method (string)****C#**

```
public void faturaTaslakSilAsync(string input);
```

Body Source

```

1: public void faturaTaslakSilAsync(string input) {
2:     this.faturaTaslakSilAsync(input, null);
3: }

```

1.1.2.1.10.2.45.2 EarsivWebService.faturaTaslakSilAsync Method (string, object)**C#**

```
public void faturaTaslakSilAsync(string input, object userState);
```

Body Source

```

1: public void faturaTaslakSilAsync(string input, object userState) {
2:     if ((this.faturaTaslakSilOperationCompleted == null)) {
3:         this.faturaTaslakSilOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaTaslakSilOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaTaslakSil", new object[] {
6:         input}, this.faturaTaslakSilOperationCompleted, userState);
7: }

```

1.1.2.1.10.2.46 EarsivWebService.faturaTaslakSorgula Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("", 
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaTaslakSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml

```

```
SchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaTaslakSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out faturaDTO[] output) {
4:     object[] results = this.Invoke("faturaTaslakSorgula", new object[] {
5:         input});
6:     output = ((faturaDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.2.1.10.2.47 faturaTaslakSorgulaAsync Method**1.1.2.1.10.2.47.1 EarsivWebService.faturaTaslakSorgulaAsync Method (string)****C#**

```
public void faturaTaslakSorgulaAsync(string input);
```

Body Source

```
1: public void faturaTaslakSorgulaAsync(string input) {
2:     this.faturaTaslakSorgulaAsync(input, null);
3: }
```

1.1.2.1.10.2.47.2 EarsivWebService.faturaTaslakSorgulaAsync Method (string, object)**C#**

```
public void faturaTaslakSorgulaAsync(string input, object userState);
```

Body Source

```
1: public void faturaTaslakSorgulaAsync(string input, object userState) {
2:     if ((this.faturaTaslakSorgulaOperationCompleted == null)) {
3:         this.faturaTaslakSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaTaslakSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaTaslakSorgula", new object[] {
6:         input}, this.faturaTaslakSorgulaOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.48 EarsivWebService.faturaTaslaktanOlustur Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
faturaTaslaktanOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
```

```

ed) ]
out earsivServiceResult @return ;

Body Source

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
faturaTaslaktanOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return {
4:     object[] results = this.Invoke("faturaTaslaktanOlustur", new object[] {
5:         input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }

```

1.1.2.1.10.2.49 faturaTaslaktanOlusturAsync Method

1.1.2.1.10.2.49.1 EarsivWebService.faturaTaslaktanOlusturAsync Method (string)

C#

```
public void faturaTaslaktanOlusturAsync(string input);
```

Body Source

```

1: public void faturaTaslaktanOlusturAsync(string input) {
2:     this.faturaTaslaktanOlusturAsync(input, null);
3: }

```

1.1.2.1.10.2.49.2 EarsivWebService.faturaTaslaktanOlusturAsync Method (string, object)

C#

```
public void faturaTaslaktanOlusturAsync(string input, object userState);
```

Body Source

```

1: public void faturaTaslaktanOlusturAsync(string input, object userState) {
2:     if ((this.faturaTaslaktanOlusturOperationCompleted == null)) {
3:         this.faturaTaslaktanOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaTaslaktanOlusturOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaTaslaktanOlustur", new object[] {
6:         input}, this.faturaTaslaktanOlusturOperationCompleted, userState);
7: }

```

1.1.2.1.10.2.50 EarsivWebService.faturaZipiAI Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
faturaZipiAI([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string input,

```

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
    DataType="base64Binary", IsNullable=true)] out byte[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
    RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
    ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
    Use=System.Web.Services.Description.SoapBindingUse.Literal,
    ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
    Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
faturaZipiAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
    DataType="base64Binary", IsNullable=true)] out byte[] output) {
4:     object[] results = this.Invoke("faturaZipiAl", new object[] {
5:         input});
6:     output = ((byte[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.2.1.10.2.51 faturaZipiAIAsync Method**1.1.2.1.10.2.51.1 EarsivWebService.faturaZipiAIAsync Method (string)****C#**

```
public void faturaZipiAIAsync(string input);
```

Body Source

```
1: public void faturaZipiAIAsync(string input) {
2:     this.faturaZipiAIAsync(input, null);
3: }
```

1.1.2.1.10.2.51.2 EarsivWebService.faturaZipiAIAsync Method (string, object)**C#**

```
public void faturaZipiAIAsync(string input, object userState);
```

Body Source

```
1: public void faturaZipiAIAsync(string input, object userState) {
2:     if ((this.faturaZipiAIOperationCompleted == null)) {
3:         this.faturaZipiAIOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaZipiAIOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaZipiAI", new object[] {
6:         input}, this.faturaZipiAIOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.52 EarsivWebService.kontorBilgisiGetir Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
    RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
    ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
    Use=System.Web.Services.Description.SoapBindingUse.Literal,
    ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
    Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
kontorBilgisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
```

```

string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string kontorTipi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string kontorBirimı);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
kontorBilgisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string kontorTipi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string kontorBirimı {
4:     object[] results = this.Invoke("kontorBilgisiGetir", new object[] {
5:         vknTckn,
6:         kontorTipi,
7:         kontorBirimı});
8:     return ((earsivServiceResult)(results[0]));
9: }

```

1.1.2.1.10.2.53 kontorBilgisiGetirAsync Method**1.1.2.1.10.2.53.1 EarsivWebService.kontorBilgisiGetirAsync Method (string, string, string)****C#**

```
public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string kontorBirimı);
```

Body Source

```

1: public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string
kontorBirimı) {
2:     this.kontorBilgisiGetirAsync(vknTckn, kontorTipi, kontorBirimı, null);
3: }

```

1.1.2.1.10.2.53.2 EarsivWebService.kontorBilgisiGetirAsync Method (string, string, string, object)**C#**

```
public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string kontorBirimı,
object userState);
```

Body Source

```

1: public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string
kontorBirimı, object userState) {
2:     if (this.kontorBilgisiGetirOperationCompleted == null) {
3:         this.kontorBilgisiGetirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnkontorBilgisiGetirOperationCompleted);
4:     }
5:     this.InvokeAsync("kontorBilgisiGetir", new object[] {
6:         vknTckn,
7:         kontorTipi,
8:         kontorBirimı}, this.kontorBilgisiGetirOperationCompleted, userState);
9: }

```

1.1.2.1.10.2.54 EarsivWebService.okcRaporBolumAl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
okcRaporBolumAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
okcRaporBolumAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("okcRaporBolumAl", new object[] {
5:         input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return (belge)(results[0]);
8: }
```

1.1.2.1.10.2.55 okcRaporBolumAlAsync Method

1.1.2.1.10.2.55.1 EarsivWebService.okcRaporBolumAlAsync Method (string)

C#

```
public void okcRaporBolumAlAsync(string input);
```

Body Source

```
1: public void okcRaporBolumAlAsync(string input) {
2:     this.okcRaporBolumAlAsync(input, null);
3: }
```

1.1.2.1.10.2.55.2 EarsivWebService.okcRaporBolumAlAsync Method (string, object)

C#

```
public void okcRaporBolumAlAsync(string input, object userState);
```

Body Source

```
1: public void okcRaporBolumAlAsync(string input, object userState) {
2:     if ((this.okcRaporBolumAlOperationCompleted == null)) {
3:         this.okcRaporBolumAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnokcRaporBolumAlOperationCompleted);
4:     }
5:     this.InvokeAsync("okcRaporBolumAl", new object[] {
6:         input}, this.okcRaporBolumAlOperationCompleted, userState);
```

```
7: }
```

1.1.2.1.10.2.56 EarsivWebService.okcRaporKaydet Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
okcRaporKaydet([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
dosyaInput rapor);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
okcRaporKaydet([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
dosyaInput rapor) {
4:     object[] results = this.Invoke("okcRaporKaydet", new object[] {
5:         input,
6:         rapor});
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.2.1.10.2.57 okcRaporKaydetAsync Method

1.1.2.1.10.2.57.1 EarsivWebService.okcRaporKaydetAsync Method (string, dosyaInput)

C#

```
public void okcRaporKaydetAsync(string input, dosyaInput rapor);
```

Body Source

```
1: public void okcRaporKaydetAsync(string input, dosyaInput rapor) {
2:     this.okcRaporKaydetAsync(input, rapor, null);
3: }
```

1.1.2.1.10.2.57.2 EarsivWebService.okcRaporKaydetAsync Method (string, dosyaInput, object)

C#

```
public void okcRaporKaydetAsync(string input, dosyaInput rapor, object userState);
```

Body Source

```
1: public void okcRaporKaydetAsync(string input, dosyaInput rapor, object userState) {
2:     if ((this.okcRaporKaydetOperationCompleted == null)) {
3:         this.okcRaporKaydetOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnokcRaporKaydetOperationCompleted);
4:     }
5:     this.InvokeAsync("okcRaporKaydet", new object[] {
```

```

6:           input,
7:           rapor}, this.okcRaporKaydetOperationCompleted, userState);
8: }
```

1.1.2.1.10.2.58 EarsivWebService.okcRaporOlusturGonder Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
okcRaporOlusturGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string input);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
okcRaporOlusturGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("okcRaporOlusturGonder", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.2.1.10.2.59 okcRaporOlusturGonderAsync Method

1.1.2.1.10.2.59.1 EarsivWebService.okcRaporOlusturGonderAsync Method (string)

C#

```
public void okcRaporOlusturGonderAsync(string input);
```

Body Source

```

1: public void okcRaporOlusturGonderAsync(string input) {
2:     this.okcRaporOlusturGonderAsync(input, null);
3: }
```

1.1.2.1.10.2.59.2 EarsivWebService.okcRaporOlusturGonderAsync Method (string, object)

C#

```
public void okcRaporOlusturGonderAsync(string input, object userState);
```

Body Source

```

1: public void okcRaporOlusturGonderAsync(string input, object userState) {
2:     if ((this.okcRaporOlusturGonderOperationCompleted == null)) {
3:         this.okcRaporOlusturGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnokcRaporOlusturGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("okcRaporOlusturGonder", new object[] {
6:         input}, this.okcRaporOlusturGonderOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.60 EarsivWebService.raporBolumAl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
raporBolumAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string bolumRaporNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
raporBolumAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string bolumRaporNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("raporBolumAl", new object[] {
5:         bolumRaporNo});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }
```

1.1.2.1.10.2.61 raporBolumAIAsync Method

1.1.2.1.10.2.61.1 EarsivWebService.raporBolumAIAsync Method (string)

C#

```
public void raporBolumAIAsync(string bolumRaporNo);
```

Body Source

```
1: public void raporBolumAIAsync(string bolumRaporNo) {
2:     this.raporBolumAIAsync(bolumRaporNo, null);
3: }
```

1.1.2.1.10.2.61.2 EarsivWebService.raporBolumAIAsync Method (string, object)

C#

```
public void raporBolumAIAsync(string bolumRaporNo, object userState);
```

Body Source

```
1: public void raporBolumAIAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumAIOperationCompleted == null)) {
3:         this.raporBolumAIOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumAIOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumAI", new object[] {
6:         bolumRaporNo}, this.raporBolumAIOperationCompleted, userState);
```

```
7: }
```

1.1.2.1.10.2.62 EarsivWebService.raporBolumBilgisiAl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumBilgisiAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)])
string bolumRaporNo);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumBilgisiAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)])
string bolumRaporNo) {
4:     object[] results = this.Invoke("raporBolumBilgisiAl", new object[] {
5:         bolumRaporNo});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.2.1.10.2.63 raporBolumBilgisiAlAsync Method

1.1.2.1.10.2.63.1 EarsivWebService.raporBolumBilgisiAlAsync Method (string)

C#

```
public void raporBolumBilgisiAlAsync(string bolumRaporNo);
```

Body Source

```
1: public void raporBolumBilgisiAlAsync(string bolumRaporNo) {
2:     this.raporBolumBilgisiAlAsync(bolumRaporNo, null);
3: }
```

1.1.2.1.10.2.63.2 EarsivWebService.raporBolumBilgisiAlAsync Method (string, object)

C#

```
public void raporBolumBilgisiAlAsync(string bolumRaporNo, object userState);
```

Body Source

```
1: public void raporBolumBilgisiAlAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumBilgisiAlOperationCompleted == null)) {
3:         this.raporBolumBilgisiAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumBilgisiAlOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumBilgisiAl", new object[] {
6:         bolumRaporNo}, this.raporBolumBilgisiAlOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.64 EarsivWebService.raporBolumleriOlustur Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumleriOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string sonGun);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumleriOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string sonGun) {
4:     object[] results = this.Invoke("raporBolumleriOlustur", new object[] {
5:         input,
6:         donem,
7:         sonGun});
8:     return ((earsivServiceResult)(results[0]));
9: }
```

1.1.2.1.10.2.65 raporBolumleriOlusturAsync Method

1.1.2.1.10.2.65.1 EarsivWebService.raporBolumleriOlusturAsync Method (string, string, string)

C#

```
public void raporBolumleriOlusturAsync(string input, string donem, string sonGun);
```

Body Source

```
1: public void raporBolumleriOlusturAsync(string input, string donem, string sonGun) {
2:     this.raporBolumleriOlusturAsync(input, donem, sonGun, null);
3: }
```

1.1.2.1.10.2.65.2 EarsivWebService.raporBolumleriOlusturAsync Method (string, string, string, object)

C#

```
public void raporBolumleriOlusturAsync(string input, string donem, string sonGun, object
userState);
```

Body Source

```

1: public void raporBolumleriOlusturAsync(string input, string donem, string sonGun, object
userState) {
2:     if ((this.raporBolumleriOlusturOperationCompleted == null)) {
3:         this.raporBolumleriOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumleriOlusturOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumleriOlustur", new object[] {
6:         input,
7:         donem,
8:         sonGun}, this.raporBolumleriOlusturOperationCompleted, userState);
9: }
```

1.1.2.1.10.2.66 EarsivWebService.raporBolumListesiDetayliSorgula Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumListesiDetayliSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string donem, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out raporBolumDTO[] output);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumListesiDetayliSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string donem, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out raporBolumDTO[] output) {
4:     object[] results = this.Invoke("raporBolumListesiDetayliSorgula", new object[] {
5:         donem});
6:     output = ((raporBolumDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.2.1.10.2.67 raporBolumListesiDetayliSorgulaAsync Method**1.1.2.1.10.2.67.1 EarsivWebService.raporBolumListesiDetayliSorgulaAsync Method (string)****C#**

```
public void raporBolumListesiDetayliSorgulaAsync(string donem);
```

Body Source

```

1: public void raporBolumListesiDetayliSorgulaAsync(string donem) {
2:     this.raporBolumListesiDetayliSorgulaAsync(donem, null);
3: }
```

1.1.2.1.10.2.67.2 EarsivWebService.raporBolumListesiDetayliSorgulaAsync Method (string, object)**C#**

```
public void raporBolumListesiDetayliSorgulaAsync(string donem, object userState);
```

Body Source

```

1: public void raporBolumListesiDetayliSorgulaAsync(string donem, object userState) {
2:     if ((this.raporBolumListesiDetayliSorgulaOperationCompleted == null)) {
3:         this.raporBolumListesiDetayliSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumListesiDetayliSorgulaOperationCompleted
);
4:     }
5:     this.InvokeAsync("raporBolumListesiDetayliSorgula", new object[] {
6:         donem}, this.raporBolumListesiDetayliSorgulaOperationCompleted,
userState);
7: }
```

1.1.2.1.10.2.68 EarsivWebService.raporBolumListesiSorgula Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
raporBolumListesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
raporBolumListesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("raporBolumListesiSorgula", new object[] {
5:         donem});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((string)(results[0]));
8: }
```

1.1.2.1.10.2.69 raporBolumListesiSorgulaAsync Method**1.1.2.1.10.2.69.1 EarsivWebService.raporBolumListesiSorgulaAsync Method (string)****C#**

```
public void raporBolumListesiSorgulaAsync(string donem);
```

Body Source

```

1: public void raporBolumListesiSorgulaAsync(string donem) {
2:     this.raporBolumListesiSorgulaAsync(donem, null);
3: }
```

1.1.2.1.10.2.69.2 EarsivWebService.raporBolumListesiSorgulaAsync Method (string, object)

C#

```
public void raporBolumListesiSorgulaAsync(string donem, object userState);
```

Body Source

```
1: public void raporBolumListesiSorgulaAsync(string donem, object userState) {
2:     if ((this.raporBolumListesiSorgulaOperationCompleted == null)) {
3:         this.raporBolumListesiSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumListesiSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumListesiSorgula", new object[] {
6:         donem}, this.raporBolumListesiSorgulaOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.70 EarsivWebService.raporBolumListesiSorgulaWithInput Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
raporBolumListesiSorgulaWithInput([System.Xml.Serialization.XmlElementAttribute(Form=System.
Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
raporBolumListesiSorgulaWithInput([System.Xml.Serialization.XmlElementAttribute(Form=System.
Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("raporBolumListesiSorgulaWithInput", new object[] {
5:         input,
6:         donem});
7:     @return = ((earsivServiceResult)(results[1]));
8:     return ((string)(results[0]));
9: }
```

1.1.2.1.10.2.71 raporBolumListesiSorgulaWithInputAsync Method

1.1.2.1.10.2.71.1 EarsivWebService.raporBolumListesiSorgulaWithInputAsync Method (string, string)**C#**

```
public void raporBolumListesiSorgulaWithInputAsync(string input, string donem);
```

Body Source

```
1: public void raporBolumListesiSorgulaWithInputAsync(string input, string donem) {
2:     this.raporBolumListesiSorgulaWithInputAsync(input, donem, null);
3: }
```

1.1.2.1.10.2.71.2 EarsivWebService.raporBolumListesiSorgulaWithInputAsync Method (string, string, object)**C#**

```
public void raporBolumListesiSorgulaWithInputAsync(string input, string donem, object
userState);
```

Body Source

```
1: public void raporBolumListesiSorgulaWithInputAsync(string input, string donem, object
userState) {
2:     if ((this.raporBolumListesiSorgulaWithInputOperationCompleted == null)) {
3:         this.raporBolumListesiSorgulaWithInputOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumListesiSorgulaWithInputOperationComplet
ed);
4:     }
5:     this.InvokeAsync("raporBolumListesiSorgulaWithInput", new object[] {
6:         input,
7:         donem}, this.raporBolumListesiSorgulaWithInputOperationCompleted,
userState);
8: }
```

1.1.2.1.10.2.72 EarsivWebService.raporBolumRaporNoGuncelleImzala Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumRaporNoGuncelleImzala([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string bolumRaporNo);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumRaporNoGuncelleImzala([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string bolumRaporNo) {
4:     object[] results = this.Invoke("raporBolumRaporNoGuncelleImzala", new object[] {
5:         bolumRaporNo});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.2.1.10.2.73 raporBolumRaporNoGuncelleImzalaAsync Method

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.10.2.73.1 EarsivWebService.raporBolumRaporNoGuncelleImzalaAsync Method (string)

C#

```
public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo);
```

Body Source

```
1: public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo) {
2:     this.raporBolumRaporNoGuncelleImzalaAsync(bolumRaporNo, null);
3: }
```

1.1.2.1.10.2.73.2 EarsivWebService.raporBolumRaporNoGuncelleImzalaAsync Method (string, object)

C#

```
public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo, object userState);
```

Body Source

```
1: public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumRaporNoGuncelleImzalaOperationCompleted == null)) {
3:         this.raporBolumRaporNoGuncelleImzalaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumRaporNoGuncelleImzalaOperationCompleted
);
4:     }
5:     this.InvokeAsync("raporBolumRaporNoGuncelleImzala", new object[] {
6:         bolumRaporNo}, this.raporBolumRaporNoGuncelleImzalaOperationCompleted,
userState);
7: }
```

1.1.2.1.10.2.74 EarsivWebService.raporBolumSil Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)])
string bolumRaporNo;
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified])
string bolumRaporNo) {
4:     object[] results = this.Invoke("raporBolumSil", new object[] {
5:         bolumRaporNo});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.2.1.10.2.75 raporBolumSilAsync Method

1.1.2.1.10.2.75.1 EarsivWebService.raporBolumSilAsync Method (string)

C#

```
public void raporBolumSilAsync(string bolumRaporNo);
```

Body Source

```
1: public void raporBolumSilAsync(string bolumRaporNo) {
2:     this.raporBolumSilAsync(bolumRaporNo, null);
3: }
```

1.1.2.1.10.2.75.2 EarsivWebService.raporBolumSilAsync Method (string, object)

C#

```
public void raporBolumSilAsync(string bolumRaporNo, object userState);
```

Body Source

```
1: public void raporBolumSilAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumSilOperationCompleted == null)) {
3:         this.raporBolumSilOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumSilOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumSil", new object[] {
6:         bolumRaporNo}, this.raporBolumSilOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.76 EarsivWebService.rapordaFaturaSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
rapordaFaturaSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
lSchemaForm.Unqualified)]
string input);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
rapordaFaturaSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
lSchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("rapordaFaturaSorgula", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.2.1.10.2.77 rapordaFaturaSorgulaAsync Method

1.1.2.1.10.2.77.1 EarsivWebService.rapordaFaturaSorgulaAsync Method (string)

C#

```
public void rapordaFaturaSorgulaAsync(string input);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```

1: public void rapordaFaturaSorgulaAsync(string input) {
2:     this.rapordaFaturaSorgulaAsync(input, null);
3: }

```

1.1.2.1.10.2.77.2 EarsivWebService.rapordaFaturaSorgulaAsync Method (string, object)**C#**

```
public void rapordaFaturaSorgulaAsync(string input, object userState);
```

Body Source

```

1: public void rapordaFaturaSorgulaAsync(string input, object userState) {
2:     if ((this.rapordaFaturaSorgulaOperationCompleted == null)) {
3:         this.rapordaFaturaSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnrapordaFaturaSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("rapordaFaturaSorgula", new object[] {
6:         input}, this.rapordaFaturaSorgulaOperationCompleted, userState);
7: }

```

1.1.2.1.10.2.78 EarsivWebService.raporDurumSorgula Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSc
hemaForm.Unqualified)]
string donem);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSc
hemaForm.Unqualified)]
string donem) {
4:     object[] results = this.Invoke("raporDurumSorgula", new object[] {
5:         donem});
6:     return ((earsivServiceResult)(results[0]));
7: }

```

1.1.2.1.10.2.79 raporDurumSorgulaAsync Method**1.1.2.1.10.2.79.1 EarsivWebService.raporDurumSorgulaAsync Method (string)****C#**

```
public void raporDurumSorgulaAsync(string donem);
```

Body Source

```

1: public void raporDurumSorgulaAsync(string donem) {
2:     this.raporDurumSorgulaAsync(donem, null);
3: }

```

1.1.2.1.10.2.79.2 EarsivWebService.raporDurumSorgulaAsync Method (string, object)

C#

```
public void raporDurumSorgulaAsync(string donem, object userState);
```

Body Source

```
1: public void raporDurumSorgulaAsync(string donem, object userState) {
2:     if ((this.raporDurumSorgulaOperationCompleted == null)) {
3:         this.raporDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporDurumSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("raporDurumSorgula", new object[] {
6:         donem}, this.raporDurumSorgulaOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.80 EarsivWebService.raporGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
string donem);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
string donem) {
4:     object[] results = this.Invoke("raporGonder", new object[] {
5:         donem});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.2.1.10.2.81 raporGonderAsync Method

1.1.2.1.10.2.81.1 EarsivWebService.raporGonderAsync Method (string)

C#

```
public void raporGonderAsync(string donem);
```

Body Source

```
1: public void raporGonderAsync(string donem) {
2:     this.raporGonderAsync(donem, null);
3: }
```

1.1.2.1.10.2.81.2 EarsivWebService.raporGonderAsync Method (string, object)

C#

```
public void raporGonderAsync(string donem, object userState);
```

Body Source

```

1: public void raporGonderAsync(string donem, object userState) {
2:     if ((this.raporGonderOperationCompleted == null)) {
3:         this.raporGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("raporGonder", new object[] {
6:         donem}, this.raporGonderOperationCompleted, userState);
7: }

```

1.1.2.1.10.2.82 EarsivWebService.servisSaglayicidanEpostaDurumSorgula Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("outputDurum",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
servisSaglayicidanEpostaDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out string outputEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("outputDurum",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
servisSaglayicidanEpostaDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out string outputEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("servisSaglayicidanEpostaDurumSorgula", new object[] {
5:         input});
6:     outputEposta = ((string)(results[1]));
7:     @return = ((earsivServiceResult)(results[2]));
8:     return ((string)(results[0]));
9: }

```

1.1.2.1.10.2.83 servisSaglayicidanEpostaDurumSorgulaAsync Method**1.1.2.1.10.2.83.1 EarsivWebService.servisSaglayicidanEpostaDurumSorgulaAsync Method (string)****C#**

```
public void servisSaglayicidanEpostaDurumSorgulaAsync(string input);
```

Body Source

```

1: public void servisSaglayicidanEpostaDurumSorgulaAsync(string input) {
2:     this.servisSaglayicidanEpostaDurumSorgulaAsync(input, null);
3: }
```

1.1.2.1.10.2.83.2 EarsivWebService.servisSaglayicidanEpostaDurumSorgulaAsync Method (string, object)**C#**

```
public void servisSaglayicidanEpostaDurumSorgulaAsync(string input, object userState);
```

Body Source

```

1: public void servisSaglayicidanEpostaDurumSorgulaAsync(string input, object userState) {
2:     if ((this.servisSaglayicidanEpostaDurumSorgulaOperationCompleted == null)) {
3:         this.servisSaglayicidanEpostaDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnservisSaglayicidanEpostaDurumSorgulaOperationComp
leted);
4:     }
5:     this.InvokeAsync("servisSaglayicidanEpostaDurumSorgula", new object[] {
6:         input}, this.servisSaglayicidanEpostaDurumSorgulaOperationCompleted,
userState);
7: }
```

1.1.2.1.10.2.84 EarsivWebService.smsDurumSorgula Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
smsDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSche
maForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out string outputDurum);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
smsDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSche
maForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out string outputDurum) {
4:     object[] results = this.Invoke("smsDurumSorgula", new object[] {
5:         input});
6:     outputDurum = ((string)(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.2.1.10.2.85 smsDurumSorgulaAsync Method

1.1.2.1.10.2.85.1 EarsivWebService.smsDurumSorgulaAsync Method (string)

C#

```
public void smsDurumSorgulaAsync(string input);
```

Body Source

```
1: public void smsDurumSorgulaAsync(string input) {
2:     this.smsDurumSorgulaAsync(input, null);
3: }
```

1.1.2.1.10.2.85.2 EarsivWebService.smsDurumSorgulaAsync Method (string, object)

C#

```
public void smsDurumSorgulaAsync(string input, object userState);
```

Body Source

```
1: public void smsDurumSorgulaAsync(string input, object userState) {
2:     if ((this.smsDurumSorgulaOperationCompleted == null)) {
3:         this.smsDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnsmsDurumSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("smsDurumSorgula", new object[] {
6:         input}, this.smsDurumSorgulaOperationCompleted, userState);
7: }
```

1.1.2.1.10.2.86 EarsivWebService.smsGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
smsGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm
.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ilaveTelefonNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
int tanimliTelefonNoyaGonder);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
smsGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm
.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ilaveTelefonNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
int tanimliTelefonNoyaGonder) {
4:     object[] results = this.Invoke("smsGonder", new object[] {
```

```

5:             input,
6:             ilaveTelefonNo,
7:             tanimliTelefonNoyaGonder});
8:     return ((earsivServiceResult)(results[0]));
9: }

```

1.1.2.1.10.2.87 smsGonderAsync Method

1.1.2.1.10.2.87.1 EarsivWebService.smsGonderAsync Method (string, string, int)

C#

```
public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder);
```

Body Source

```

1: public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder) {
2:     this.smsGonderAsync(input, ilaveTelefonNo, tanimliTelefonNoyaGonder, null);
3: }

```

1.1.2.1.10.2.87.2 EarsivWebService.smsGonderAsync Method (string, string, int, object)

C#

```
public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder, object userState);
```

Body Source

```

1: public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder, object userState) {
2:     if ((this.smsGonderOperationCompleted == null)) {
3:         this.smsGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnsmsGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("smsGonder", new object[] {
6:         input,
7:         ilaveTelefonNo,
8:         tanimliTelefonNoyaGonder}, this.smsGonderOperationCompleted, userState);
9: }

```

1.1.2.1.10.2.88 EarsivWebService.topluFaturaPaketDosyaGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
topluFaturaPaketDosyaGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge paketDosyasiZip);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]

```

```

3: public earsivServiceResult
topluFaturaPaketDosyaGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge paketDosyasiZip) {
4:     object[] results = this.Invoke("topluFaturaPaketDosyaGonder", new object[] {
5:         input,
6:         paketDosyasiZip});
7:     return ((earsivServiceResult)(results[0]));
8: }

```

1.1.2.1.10.2.89 topluFaturaPaketDosyaGonderAsync Method

1.1.2.1.10.2.89.1 EarsivWebService.topluFaturaPaketDosyaGonderAsync Method (string, belge)

C#

```
public void topluFaturaPaketDosyaGonderAsync(string input, belge paketDosyasiZip);
```

Body Source

```

1: public void topluFaturaPaketDosyaGonderAsync(string input, belge paketDosyasiZip) {
2:     this.topluFaturaPaketDosyaGonderAsync(input, paketDosyasiZip, null);
3: }

```

1.1.2.1.10.2.89.2 EarsivWebService.topluFaturaPaketDosyaGonderAsync Method (string, belge, object)

C#

```
public void topluFaturaPaketDosyaGonderAsync(string input, belge paketDosyasiZip, object
userState);
```

Body Source

```

1: public void topluFaturaPaketDosyaGonderAsync(string input, belge paketDosyasiZip, object
userState) {
2:     if ((this.topluFaturaPaketDosyaGonderOperationCompleted == null)) {
3:         this.topluFaturaPaketDosyaGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OntopluFaturaPaketDosyaGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("topluFaturaPaketDosyaGonder", new object[] {
6:         input,
7:         paketDosyasiZip}, this.topluFaturaPaketDosyaGonderOperationCompleted,
userState);
8: }

```

1.1.2.1.10.2.90 EarsivWebService.topluFaturaPaketDosyasiSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
@return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
topluFaturaPaketDosyasiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml
.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
topluFaturaPaketDosyasiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml
.Schema.XmlSchemaForm.Unqualified)
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("topluFaturaPaketDosyasiSorgula", new object[] {
5:         input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }

```

1.1.2.1.10.2.91 topluFaturaPaketDosyasiSorgulaAsync Method

1.1.2.1.10.2.91.1 EarsivWebService.topluFaturaPaketDosyasiSorgulaAsync Method (string)

C#

```
public void topluFaturaPaketDosyasiSorgulaAsync(string input);
```

Body Source

```

1: public void topluFaturaPaketDosyasiSorgulaAsync(string input) {
2:     this.topluFaturaPaketDosyasiSorgulaAsync(input, null);
3: }

```

1.1.2.1.10.2.91.2 EarsivWebService.topluFaturaPaketDosyasiSorgulaAsync Method (string, object)

C#

```
public void topluFaturaPaketDosyasiSorgulaAsync(string input, object userState);
```

Body Source

```

1: public void topluFaturaPaketDosyasiSorgulaAsync(string input, object userState) {
2:     if ((this.topluFaturaPaketDosyasiSorgulaOperationCompleted == null)) {
3:         this.topluFaturaPaketDosyasiSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OntopluFaturaPaketDosyasiSorgulaOperationCompleted)
;
4:     }
5:     this.InvokeAsync("topluFaturaPaketDosyasiSorgula", new object[] {
6:         input}, this.topluFaturaPaketDosyasiSorgulaOperationCompleted,
userState);
7: }

```

1.1.2.1.10.2.92 EarsivWebService.topluFaturaPaketOnayla Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
topluFaturaPaketOnayla([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema
.XmlSchemaForm.Unqualified)]
string input);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
toplufaturaPaketOnayla([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("toplufaturaPaketOnayla", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }

```

1.1.2.1.10.2.93 toplufaturaPaketOnaylaAsync Method

1.1.2.1.10.2.93.1 EarsivWebService.toplufaturaPaketOnaylaAsync Method (string)

C#

```
public void toplufaturaPaketOnaylaAsync(string input);
```

Body Source

```

1: public void toplufaturaPaketOnaylaAsync(string input) {
2:     this.toplufaturaPaketOnaylaAsync(input, null);
3: }

```

1.1.2.1.10.2.93.2 EarsivWebService.toplufaturaPaketOnaylaAsync Method (string, object)

C#

```
public void toplufaturaPaketOnaylaAsync(string input, object userState);
```

Body Source

```

1: public void toplufaturaPaketOnaylaAsync(string input, object userState) {
2:     if ((this.toplufaturaPaketOnaylaOperationCompleted == null)) {
3:         this.toplufaturaPaketOnaylaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OntoplufaturaPaketOnaylaOperationCompleted);
4:     }
5:     this.InvokeAsync("toplufaturaPaketOnayla", new object[] {
6:         input}, this.toplufaturaPaketOnaylaOperationCompleted, userState);
7: }

```

1.1.2.1.10.2.94 EarsivWebService.toplufaturaPaketSorgula Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
toplufaturaPaketSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi-
ed)]
out earsivServiceResult @return);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]

```

```

2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
topluFaturaPaketSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("topluFaturaPaketSorgula", new object[] {
5:         input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }

```

1.1.2.1.10.2.95 topluFaturaPaketSorgulaAsync Method

1.1.2.1.10.2.95.1 EarsivWebService.topluFaturaPaketSorgulaAsync Method (string)

C#

```
public void topluFaturaPaketSorgulaAsync(string input);
```

Body Source

```

1: public void topluFaturaPaketSorgulaAsync(string input) {
2:     this.topluFaturaPaketSorgulaAsync(input, null);
3: }

```

1.1.2.1.10.2.95.2 EarsivWebService.topluFaturaPaketSorgulaAsync Method (string, object)

C#

```
public void topluFaturaPaketSorgulaAsync(string input, object userState);
```

Body Source

```

1: public void topluFaturaPaketSorgulaAsync(string input, object userState) {
2:     if ((this.topluFaturaPaketSorgulaOperationCompleted == null)) {
3:         this.topluFaturaPaketSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OntoplufaturaPaketSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("topluFaturaPaketSorgula", new object[] {
6:         input}, this.topluFaturaPaketSorgulaOperationCompleted, userState);
7: }

```

1.1.2.1.10.2.96 EarsivWebService.yapilandirmaAyarlariAI Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
yapilandirmaAyarlariAI([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out string outputYapilandirma);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,

```

```

ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped) ]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
yapilandirmaAyarlariAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out string outputYapilandirma) {
4:     object[] results = this.Invoke("yapilandirmaAyarlariAl", new object[] {
5:         input});
6:     outputYapilandirma = ((string)(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }

```

1.1.2.1.10.2.97 yapilandirmaAyarlariAIAsync Method

1.1.2.1.10.2.97.1 EarsivWebService.yapilandirmaAyarlariAIAsync Method (string)

C#

```
public void yapilandirmaAyarlariAlAsync(string input);
```

Body Source

```

1: public void yapilandirmaAyarlariAlAsync(string input) {
2:     this.yapilandirmaAyarlariAlAsync(input, null);
3: }

```

1.1.2.1.10.2.97.2 EarsivWebService.yapilandirmaAyarlariAIAsync Method (string, object)

C#

```
public void yapilandirmaAyarlariAlAsync(string input, object userState);
```

Body Source

```

1: public void yapilandirmaAyarlariAlAsync(string input, object userState) {
2:     if ((this.yapilandirmaAyarlariAlOperationCompleted == null)) {
3:         this.yapilandirmaAyarlariAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnyapilandirmaAyarlariAlOperationCompleted);
4:     }
5:     this.InvokeAsync("yapilandirmaAyarlariAl", new object[] {
6:         input}, this.yapilandirmaAyarlariAlOperationCompleted, userState);
7: }

```

1.1.2.1.10.3 EarsivWebService Properties

1.1.2.1.10.3.1 EarsivWebService.Url Property

C#

```
public new string Url;
```

Description

This is Url, a member of class EarsivWebService.

1.1.2.1.10.3.2 EarsivWebService.UseDefaultCredentials Property

C#

```
public new bool UseDefaultCredentials;
```

Description

This is UseDefaultCredentials, a member of class EarsivWebService.

1.1.2.1.10.4 EarsivWebService Events

1.1.2.1.10.4.1 EarsivWebService.aliciEpostaEkleSilGuncelleCompleted Event

C#

```
public event aliciEpostaEkleSilGuncelleCompletedEventHandler  
aliciEpostaEkleSilGuncelleCompleted;
```

1.1.2.1.10.4.2 EarsivWebService.eFaturaKayitliKullaniciListeleCompleted Event

C#

```
public event eFaturaKayitliKullaniciListeleCompletedEventHandler  
eFaturaKayitliKullaniciListeleCompleted;
```

1.1.2.1.10.4.3 EarsivWebService.efaturaKullanicisiCompleted Event

C#

```
public event efaturaKullanicisiCompletedEventHandler efaturaKullanicisiCompleted;
```

1.1.2.1.10.4.4 EarsivWebService.efaturaKullanicisiKontrolCompleted Event

C#

```
public event efaturaKullanicisiKontrolCompletedEventHandler  
efaturaKullanicisiKontrolCompleted;
```

1.1.2.1.10.4.5 EarsivWebService.ePostaDurumSorgulaCompleted Event

C#

```
public event ePostaDurumSorgulaCompletedEventHandler ePostaDurumSorgulaCompleted;
```

1.1.2.1.10.4.6 EarsivWebService.ePostaGonderCompleted Event

C#

```
public event ePostaGonderCompletedEventHandler ePostaGonderCompleted;
```

1.1.2.1.10.4.7 EarsivWebService.faturaliptalEtCompleted Event

C#

```
public event faturaIptalEtCompletedEventHandler faturaIptalEtCompleted;
```

1.1.2.1.10.4.8 EarsivWebService.faturalptaliKaldirCompleted Event

C#

```
public event faturaIptaliKaldirCompletedEventHandler faturaIptaliKaldirCompleted;
```

1.1.2.1.10.4.9 EarsivWebService.faturaltirazEtCompleted Event

C#

```
public event faturaItirazEtCompletedEventHandler faturaItirazEtCompleted;
```

1.1.2.1.10.4.10 EarsivWebService.faturaltirazKaldirCompleted Event

C#

```
public event faturaItirazKaldirCompletedEventHandler faturaItirazKaldirCompleted;
```

1.1.2.1.10.4.11 EarsivWebService.faturaListeSorgulaCompleted Event

C#

```
public event faturaListeSorgulaCompletedEventHandler faturaListeSorgulaCompleted;
```

1.1.2.1.10.4.12 EarsivWebService.faturaListeSorgulaCountCompleted Event

C#

```
public event faturaListeSorgulaCountCompletedEventHandler faturaListeSorgulaCountCompleted;
```

1.1.2.1.10.4.13 EarsivWebService.faturaListeSorgulaPortalCompleted Event

C#

```
public event faturaListeSorgulaPortalCompletedEventHandler faturaListeSorgulaPortalCompleted;
```

1.1.2.1.10.4.14 EarsivWebService.faturaNoUretCompleted Event

C#

```
public event faturaNoUretCompletedEventHandler faturaNoUretCompleted;
```

1.1.2.1.10.4.15 EarsivWebService.faturaOlusturCompleted Event

C#

```
public event faturaOlusturCompletedEventHandler faturaOlusturCompleted;
```

1.1.2.1.10.4.16 EarsivWebService.faturaOlusturExtCompleted Event

C#

```
public event faturaOlusturExtCompletedEventHandler faturaOlusturExtCompleted;
```

1.1.2.1.10.4.17 EarsivWebService.faturaOnizlemeCompleted Event

C#

```
public event faturaOnizlemeCompletedEventHandler faturaOnizlemeCompleted;
```

1.1.2.1.10.4.18 EarsivWebService.faturaSorgulaCompleted Event

C#

```
public event faturaSorgulaCompletedEventHandler faturaSorgulaCompleted;
```

1.1.2.1.10.4.19 EarsivWebService.faturaSorgulaExtCompleted Event

C#

```
public event faturaSorgulaExtCompletedEventHandler faturaSorgulaExtCompleted;
```

1.1.2.1.10.4.20 EarsivWebService.faturaTaslakOlusturCompleted Event

C#

```
public event faturaTaslakOlusturCompletedEventHandler faturaTaslakOlusturCompleted;
```

1.1.2.1.10.4.21 EarsivWebService.faturaTaslakOnizlemeCompleted Event

C#

```
public event faturaTaslakOnizlemeCompletedEventHandler faturaTaslakOnizlemeCompleted;
```

1.1.2.1.10.4.22 EarsivWebService.faturaTaslakSilCompleted Event

C#

```
public event faturaTaslakSilCompletedEventHandler faturaTaslakSilCompleted;
```

1.1.2.1.10.4.23 EarsivWebService.faturaTaslakSorgulaCompleted Event

C#

```
public event faturaTaslakSorgulaCompletedEventHandler faturaTaslakSorgulaCompleted;
```

1.1.2.1.10.4.24 EarsivWebService.faturaTaslaktanOlusturCompleted Event

C#

```
public event faturaTaslaktanOlusturCompletedEventHandler faturaTaslaktanOlusturCompleted;
```

1.1.2.1.10.4.25 EarsivWebService.faturaZipiAlCompleted Event

C#

```
public event faturaZipiAlCompletedEventHandler faturaZipiAlCompleted;
```

1.1.2.1.10.4.26 EarsivWebService.kontorBilgisiGetirCompleted Event

C#

```
public event kontorBilgisiGetirCompletedEventHandler kontorBilgisiGetirCompleted;
```

1.1.2.1.10.4.27 EarsivWebService.okcRaporBolumAlCompleted Event

C#

```
public event okcRaporBolumAlCompletedEventHandler okcRaporBolumAlCompleted;
```

1.1.2.1.10.4.28 EarsivWebService.okcRaporKaydetCompleted Event

C#

```
public event okcRaporKaydetCompletedEventHandler okcRaporKaydetCompleted;
```

1.1.2.1.10.4.29 EarsivWebService.okcRaporOlusturGonderCompleted Event

C#

```
public event okcRaporOlusturGonderCompletedEventHandler okcRaporOlusturGonderCompleted;
```

1.1.2.1.10.4.30 EarsivWebService.raporBolumAlCompleted Event

C#

```
public event raporBolumAlCompletedEventHandler raporBolumAlCompleted;
```

1.1.2.1.10.4.31 EarsivWebService.raporBolumBilgisiAlCompleted Event

C#

```
public event raporBolumBilgisiAlCompletedEventHandler raporBolumBilgisiAlCompleted;
```

1.1.2.1.10.4.32 EarsivWebService.raporBolumleriOlusturCompleted Event

C#

```
public event raporBolumleriOlusturCompletedEventHandler raporBolumleriOlusturCompleted;
```

1.1.2.1.10.4.33 EarsivWebService.raporBolumListesiDetacliSorgulaCompleted Event

C#

```
public event raporBolumListesiDetacliSorgulaCompletedEventHandler raporBolumListesiDetacliSorgulaCompleted;
```

1.1.2.1.10.4.34 EarsivWebService.raporBolumListesiSorgulaCompleted Event

C#

```
public event raporBolumListesiSorgulaCompletedEventHandler raporBolumListesiSorgulaCompleted;
```

1.1.2.1.10.4.35 EarsivWebService.raporBolumListesiSorgulaWithInputCompleted Event**C#**

```
public event raporBolumListesiSorgulaWithInputCompletedEventHandler  
raporBolumListesiSorgulaWithInputCompleted;
```

1.1.2.1.10.4.36 EarsivWebService.raporBolumRaporNoGuncelleImzalaCompleted Event**C#**

```
public event raporBolumRaporNoGuncelleImzalaCompletedEventHandler  
raporBolumRaporNoGuncelleImzalaCompleted;
```

1.1.2.1.10.4.37 EarsivWebService.raporBolumSilCompleted Event**C#**

```
public event raporBolumSilCompletedEventHandler raporBolumSilCompleted;
```

1.1.2.1.10.4.38 EarsivWebService.rapordaFaturaSorgulaCompleted Event**C#**

```
public event rapordaFaturaSorgulaCompletedEventHandler rapordaFaturaSorgulaCompleted;
```

1.1.2.1.10.4.39 EarsivWebService.raporDurumSorgulaCompleted Event**C#**

```
public event raporDurumSorgulaCompletedEventHandler raporDurumSorgulaCompleted;
```

1.1.2.1.10.4.40 EarsivWebService.raporGonderCompleted Event**C#**

```
public event raporGonderCompletedEventHandler raporGonderCompleted;
```

1.1.2.1.10.4.41 EarsivWebService.servisSaglayicidanEpostaDurumSorgulaCompleted Event**C#**

```
public event servisSaglayicidanEpostaDurumSorgulaCompletedEventHandler  
servisSaglayicidanEpostaDurumSorgulaCompleted;
```

1.1.2.1.10.4.42 EarsivWebService.smsDurumSorgulaCompleted Event**C#**

```
public event smsDurumSorgulaCompletedEventHandler smsDurumSorgulaCompleted;
```

1.1.2.1.10.4.43 EarsivWebService.smsGonderCompleted Event**C#**

```
public event smsGonderCompletedEventHandler smsGonderCompleted;
```

1.1.2.1.10.4.44 EarsivWebService.topluFaturaPaketDosyaGonderCompleted Event**C#**

```
public event topluFaturaPaketDosyaGonderCompletedEventHandler  
topluFaturaPaketDosyaGonderCompleted;
```

1.1.2.1.10.4.45 EarsivWebService.topluFaturaPaketDosyasiSorgulaCompleted Event**C#**

```
public event topluFaturaPaketDosyasiSorgulaCompletedEventHandler  
topluFaturaPaketDosyasiSorgulaCompleted;
```

1.1.2.1.10.4.46 EarsivWebService.topluFaturaPaketOnaylaCompleted Event

C#

```
public event topluFaturaPaketOnaylaCompletedEventHandler topluFaturaPaketOnaylaCompleted;
```

1.1.2.1.10.4.47 EarsivWebService.topluFaturaPaketSorgulaCompleted Event

C#

```
public event topluFaturaPaketSorgulaCompletedEventHandler topluFaturaPaketSorgulaCompleted;
```

1.1.2.1.10.4.48 EarsivWebService.yapilandirmaAyarlariAlCompleted Event

C#

```
public event yapilandirmaAyarlariAlCompletedEventHandler yapilandirmaAyarlariAlCompleted;
```

1.1.2.1.11 eFaturaKayitliKullaniciListele Class

Class Hierarchy

```
[QNBFinansGIB.GIBEArxiv.eFaturaKayitliKullaniciListele]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class eFaturaKayitliKullaniciListele;
```

File

Reference.cs (see page 721)

eFaturaKayitliKullaniciListele Properties

	Name	Description
	kayitZamani (see page 94)	

1.1.2.1.11.1 eFaturaKayitliKullaniciListele Properties

1.1.2.1.11.1.1 eFaturaKayitliKullaniciListele.kayitZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kayitZamani;
```

1.1.2.1.12 eFaturaKayitliKullaniciListeleCompletedEventArgs Class

Class Hierarchy

```
[System.ComponentModel.AsyncCompletedEventArgs] --> [QNBFinansGIB.GIBEArxiv.eFaturaKayitliKullaniciListeleCompletedEventArgs]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class eFaturaKayitliKullaniciListeleCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	eFaturaKayitliKullaniciListeleCompletedEventArgs (see page 95)	This is eFaturaKayitliKullaniciListeleCompletedEventArgs, a member of class eFaturaKayitliKullaniciListeleCompletedEventArgs.

eFaturaKayitliKullaniciListeleCompletedEventArgs Properties

	Name	Description
	Result (see page 95)	

1.1.2.1.12.1**eFaturaKayitliKullaniciListeleCompletedEventArgs.eFaturaKayitliKullaniciListeleCompletedEventArgs Constructor****C#**

```
internal eFaturaKayitliKullaniciListeleCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description


This is eFaturaKayitliKullaniciListeleCompletedEventArgs, a member of class eFaturaKayitliKullaniciListeleCompletedEventArgs.

Body Source

```
1: internal eFaturaKayitliKullaniciListeleCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.2.1.12.2 eFaturaKayitliKullaniciListeleCompletedEventArgs Properties**1.1.2.1.12.2.1 eFaturaKayitliKullaniciListeleCompletedEventArgs.Result Property****C#**

```
public eFaturaKullanici Result;
```

1.1.2.1.13 eFaturaKullanici Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class eFaturaKullanici : serviceReturnType;
```

File

Reference.cs (see page 721)

eFaturaKullanici Properties**eFaturaKullanici Class**

	Name	Description
	etiket (see page 96)	
	kamuKurulusu (see page 96)	
	kayitZamani (see page 96)	
	unvan (see page 96)	
	vergiTcKimlikNo (see page 96)	

1.1.2.1.13.1 eFaturaKullanici Properties**1.1.2.1.13.1.1 eFaturaKullanici.etiket Property**

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string etiket;
```

1.1.2.1.13.1.2 eFaturaKullanici.kamuKurulusu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool kamuKurulusu;
```

1.1.2.1.13.1.3 eFaturaKullanici.kayitZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kayitZamani;
```

1.1.2.1.13.1.4 eFaturaKullanici.unvan Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string unvan;
```

1.1.2.1.13.1.5 eFaturaKullanici.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vergiTcKimlikNo;
```

1.1.2.1.14 efaturaKullanicisi Class**Class Hierarchy**

QNBFinansGIB.GIBEArsiv.efaturaKullanicisi

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class efaturaKullanicisi;
```

File

Reference.cs (see page 721)

efaturaKullanicisi Properties

	Name	Description
	vergiTcKimlikNo (see page 97)	

1.1.2.1.14.1 efaturaKullanicisi Properties**1.1.2.1.14.1.1 efaturaKullanicisi.vergiTcKimlikNo Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vergiTcKimlikNo;
```

1.1.2.1.15 efaturaKullanicisiCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class efaturaKullanicisiCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	efaturaKullanicisiCompletedEventArgs (see page 97)	This is efaturaKullanicisiCompletedEventArgs, a member of class efaturaKullanicisiCompletedEventArgs.

efaturaKullanicisiCompletedEventArgs Properties

	Name	Description
	Result (see page 98)	

1.1.2.1.15.1**efaturaKullanicisiCompletedEventArgs.efaturaKullanicisiCompletedEventArgs Constructor****C#**

```
internal efaturaKullanicisiCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is efaturaKullanicisiCompletedEventArgs, a member of class efaturaKullanicisiCompletedEventArgs.

Body Source

```
1: internal efaturaKullanicisiCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.15.2 efaturaKullanicisiCompletedEventArgs Properties

1.1.2.1.15.2.1 efaturaKullanicisiCompletedEventArgs.Result Property

C#

```
public bool Result;
```

1.1.2.1.16 efaturaKullanicisiKontrol Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class efaturaKullanicisiKontrol;
```

File

Reference.cs (see page 721)

efaturaKullanicisiKontrol Properties

	Name	Description
	input (see page 98)	

1.1.2.1.16.1 efaturaKullanicisiKontrol Properties

1.1.2.1.16.1.1 efaturaKullanicisiKontrol.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.17 efaturaKullanicisiKontrolCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```
public class efaturaKullanicisiKontrolCompletedEventArgs :  
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	efaturaKullanicisiKontrolCompletedEventArgs (see page 99)	This is efaturaKullanicisiKontrolCompletedEventArgs, a member of class efaturaKullanicisiKontrolCompletedEventArgs.

efaturaKullanicisiKontrolCompletedEventArgs Properties

	Name	Description
	Result (see page 99)	

1.1.2.1.17.1**efaturaKullanicisiKontrolCompletedEventArgs.efaturaKullanicisiKontrolCompletedEventArgs Constructor****C#**

```
internal efaturaKullanicisiKontrolCompletedEventArgs(object[] results, System.Exception  
exception, bool cancelled, object userState);
```

Description

This is efaturaKullanicisiKontrolCompletedEventArgs, a member of class efaturaKullanicisiKontrolCompletedEventArgs.

Body Source

```
1: internal efaturaKullanicisiKontrolCompletedEventArgs(object[] results, System.Exception  
exception, bool cancelled, object userState) :  
2:     base(exception, cancelled, userState) {  
3:         this.results = results;  
4:     }
```

1.1.2.1.17.2 efaturaKullanicisiKontrolCompletedEventArgs Properties**1.1.2.1.17.2.1 efaturaKullanicisiKontrolCompletedEventArgs.Result Property****C#**

```
public bool Result;
```

1.1.2.1.18 efaturaKullanicisiKontrolResponse Class**Class Hierarchy**

```
[QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrolResponse]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]  
[System.SerializableAttribute()]  
[System.Diagnostics.DebuggerStepThroughAttribute()]  
[System.ComponentModel.DesignerCategoryAttribute("code")]  
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]  
[  
public class efaturaKullanicisiKontrolResponse;
```

File

Reference.cs (see page 721)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

efaturaKullanicisiKontrolResponse Properties

	Name	Description
	@return (see page 100)	

1.1.2.1.18.1 efaturaKullanicisiKontrolResponse Properties**1.1.2.1.18.1.1 efaturaKullanicisiKontrolResponse.@return Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool @return;
```

1.1.2.1.19 efaturaKullanicisiResponse Class**Class Hierarchy**

QNBFinansGIB.GIBEArsiv.efaturaKullanicisiResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class efaturaKullanicisiResponse;
```

File

Reference.cs (see page 721)

efaturaKullanicisiResponse Properties

	Name	Description
	@return (see page 100)	

1.1.2.1.19.1 efaturaKullanicisiResponse Properties**1.1.2.1.19.1.1 efaturaKullanicisiResponse.@return Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool @return;
```

1.1.2.1.20 ePostaDurumSorgula Class**Class Hierarchy**

QNBFinansGIB.GIBEArsiv.ePostaDurumSorgula

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
```

```
public class ePostaDurumSorgula;
```

File

Reference.cs (see page 721)

ePostaDurumSorgula Properties

	Name	Description
	input (see page 101)	

1.1.2.1.20.1 ePostaDurumSorgula Properties


1.1.2.1.20.1.1 ePostaDurumSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.21 ePostaDurumSorgulaCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class ePostaDurumSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	ePostaDurumSorgulaCompletedEventArgs (see page 101)	This is ePostaDurumSorgulaCompletedEventArgs, a member of class ePostaDurumSorgulaCompletedEventArgs.

ePostaDurumSorgulaCompletedEventArgs Properties

	Name	Description
	@return (see page 102)	
	outputEposta (see page 102)	
	Result (see page 102)	

1.1.2.1.21.1

ePostaDurumSorgulaCompletedEventArgs.ePostaDurumSorgulaCompletedEventArgs Constructor

C#

```
internal ePostaDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is ePostaDurumSorgulaCompletedEventArgs, a member of class ePostaDurumSorgulaCompletedEventArgs.

Body Source

```

1: internal ePostaDurumSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.21.2 ePostaDurumSorgulaCompletedEventArgs Properties**1.1.2.1.21.2.1 ePostaDurumSorgulaCompletedEventArgs.@return Property**

C#

```
public earsivServiceResult @return;
```

1.1.2.1.21.2.2 ePostaDurumSorgulaCompletedEventArgs.outputEposta Property

C#

```
public string outputEposta;
```

1.1.2.1.21.2.3 ePostaDurumSorgulaCompletedEventArgs.Result Property

C#

```
public string Result;
```

1.1.2.1.22 ePostaGonder Class**Class Hierarchy**

```
[QNBFinansGIB.GIBEArsiv.ePostaGonder]
```

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[SerializableAttribute()]
[DebuggerStepThroughAttribute()]
[DesignerCategoryAttribute("code")]
[XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class ePostaGonder;
```

File

Reference.cs ([see page 721](#))

ePostaGonder Properties

	Name	Description
	ilaveEposta (see page 102)	
	input (see page 103)	
	tanimliEpostayaGonder (see page 103)	

1.1.2.1.22.1 ePostaGonder Properties**1.1.2.1.22.1.1 ePostaGonder.ilaveEposta Property**

C#

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ilaveEposta;
```

1.1.2.1.22.1.2 ePostaGonder.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```


1.1.2.1.22.1.3 ePostaGonder.tanimliEpostayaGonder Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int tanimliEpostayaGonder;
```

1.1.2.1.23 ePostaGonderCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class ePostaGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	ePostaGonderCompletedEventArgs (see page 103)	This is ePostaGonderCompletedEventArgs, a member of class ePostaGonderCompletedEventArgs.

ePostaGonderCompletedEventArgs Properties

	Name	Description
	Result (see page 104)	

1.1.2.1.23.1 ePostaGonderCompletedEventArgs.ePostaGonderCompletedEventArgs Constructor

C#

```
internal ePostaGonderCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is ePostaGonderCompletedEventArgs, a member of class ePostaGonderCompletedEventArgs.

Body Source

```
1: internal ePostaGonderCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.2.1.23.2 ePostaGonderCompletedEventArgs Properties

1.1.2.1.23.2.1 ePostaGonderCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.24 ePostaGonderResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.ePostaGonderResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class ePostaGonderResponse;
```

File

[Reference.cs](#) (see page 721)

ePostaGonderResponse Properties

	Name	Description
	@return (see page 104)	

1.1.2.1.24.1 ePostaGonderResponse Properties

1.1.2.1.24.1.1 ePostaGonderResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.25 faturaDTO Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.faturaDTO](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaDTO;
```

File

[Reference.cs](#) (see page 721)

faturaDTO Properties

	Name	Description
	arsiv (see page 106)	

	creationTime (↗ see page 106)
	currency (↗ see page 106)
	dokumanFormati (↗ see page 107)
	durum (↗ see page 107)
	durumSpecified (↗ see page 107)
	duzenlenmeZamani (↗ see page 107)
	epostaGonderimDurumu (↗ see page 107)
	epostaGonderimDurumuSpecified (↗ see page 107)
	erpKodu (↗ see page 107)
	faturaSiraNo (↗ see page 107)
	faturaSiraNoSpecified (↗ see page 107)
	faturaZamani (↗ see page 108)
	ilkKayitZmani (↗ see page 108)
	indirildi (↗ see page 108)
	indirildiSpecified (↗ see page 108)
	invoiceld (↗ see page 108)
	invoiceTypeCode (↗ see page 108)
	iptalEdenKullaniciKodu (↗ see page 108)
	iptalKaynagi (↗ see page 108)
	iptalKaynagiSpecified (↗ see page 108)
	iptalRaporTarihi (↗ see page 109)
	iptalTarihi (↗ see page 109)
	iptalTarihiExcel (↗ see page 109)
	islemlid (↗ see page 109)
	issueDate (↗ see page 109)
	itirazEdenKullaniciKodu (↗ see page 109)
	itirazKaynagi (↗ see page 109)
	itirazKaynagiSpecified (↗ see page 109)
	itirazTarihi (↗ see page 109)
	kagitFatura (↗ see page 110)
	kagitFaturaSpecified (↗ see page 110)
	kasa (↗ see page 110)
	kaynak (↗ see page 110)
	kepDurum (↗ see page 110)
	kepDurumSpecified (↗ see page 110)
	kolayFatura (↗ see page 110)
	kolayFaturaSpecified (↗ see page 110)
	okundu (↗ see page 110)
	okunduSpecified (↗ see page 111)

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	payableAmount (see page 111)	
	payableAmountSpecified (see page 111)	
	profileId (see page 111)	
	raporTarihi (see page 111)	
	receiverContact (see page 111)	
	receiverIdentifier (see page 111)	
	receiverIdentifierTxt (see page 111)	
	receiverName (see page 111)	
	senderContact (see page 112)	
	senderName (see page 112)	
	sonGuncellemeZamani (see page 112)	
	sube (see page 112)	
	tanimliSubeKod (see page 112)	
	telNo (see page 112)	
	toplumTutar (see page 112)	
	toplumTutarSpecified (see page 112)	
	uuid (see page 112)	
	vergilerToplami (see page 113)	
	vergilerToplamiSpecified (see page 113)	
	versiyon (see page 113)	
	versiyonSpecified (see page 113)	
	yazdirildi (see page 113)	
	yazdirildiSpecified (see page 113)	
	yerelFaturaNo (see page 113)	

1.1.2.1.25.1 faturaDTO Properties

1.1.2.1.25.1.1 faturaDTO.arsiv Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int arsiv;
```

1.1.2.1.25.1.2 faturaDTO.creationTime Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string creationTime;
```

1.1.2.1.25.1.3 faturaDTO.currency Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string currency;
```

1.1.2.1.25.1.4 faturaDTO.dokumanFormati Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string dokumanFormati;
```

1.1.2.1.25.1.5 faturaDTO.durum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int durum;
```

1.1.2.1.25.1.6 faturaDTO.durumSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool durumSpecified;
```

1.1.2.1.25.1.7 faturaDTO.duzenlenmeZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string duzenlenmeZamani;
```

1.1.2.1.25.1.8 faturaDTO.epostaGonderimDurumu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int epostaGonderimDurumu;
```

1.1.2.1.25.1.9 faturaDTO.epostaGonderimDurumuSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool epostaGonderimDurumuSpecified;
```

1.1.2.1.25.1.10 faturaDTO.erpKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string erpKodu;
```

1.1.2.1.25.1.11 faturaDTO.faturaSiraNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int faturaSiraNo;
```

1.1.2.1.25.1.12 faturaDTO.faturaSiraNoSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool faturaSiraNoSpecified;
```

1.1.2.1.25.1.13 **faturaDTO.faturaZamani** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaZamani;
```

1.1.2.1.25.1.14 **faturaDTO.ilkKayitZmani** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ilkKayitZmani;
```

1.1.2.1.25.1.15 **faturaDTO.indirildi** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int indirildi;
```

1.1.2.1.25.1.16 **faturaDTO.indirildiSpecified** Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool indirildiSpecified;
```

1.1.2.1.25.1.17 **faturaDTO.invoiceId** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string invoiceId;
```

1.1.2.1.25.1.18 **faturaDTO.invoiceTypeCode** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string invoiceTypeCode;
```

1.1.2.1.25.1.19 **faturaDTO.iptalEdenKullaniciKodu** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string iptalEdenKullaniciKodu;
```

1.1.2.1.25.1.20 **faturaDTO.iptalKaynagi** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int iptalKaynagi;
```

1.1.2.1.25.1.21 **faturaDTO.iptalKaynagiSpecified** Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool iptalKaynagiSpecified;
```

1.1.2.1.25.1.22 faturaDTO.iptalRaporTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string iptalRaporTarihi;
```

1.1.2.1.25.1.23 faturaDTO.iptalTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string iptalTarihi;
```

1.1.2.1.25.1.24 faturaDTO.iptalTarihiExcel Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string iptalTarihiExcel;
```

1.1.2.1.25.1.25 faturaDTO.islemId Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemId;
```

1.1.2.1.25.1.26 faturaDTO.issueDate Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string issueDate;
```

1.1.2.1.25.1.27 faturaDTO.itirazEdenKullaniciKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string itirazEdenKullaniciKodu;
```

1.1.2.1.25.1.28 faturaDTO.itirazKaynagi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int itirazKaynagi;
```

1.1.2.1.25.1.29 faturaDTO.itirazKaynagiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool itirazKaynagiSpecified;
```

1.1.2.1.25.1.30 faturaDTO.itirazTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string itirazTarihi;
```

1.1.2.1.25.1.31 faturaDTO.kagitFatura Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool kagitFatura;
```

1.1.2.1.25.1.32 faturaDTO.kagitFaturaSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kagitFaturaSpecified;
```

1.1.2.1.25.1.33 faturaDTO.kasa Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kasa;
```

1.1.2.1.25.1.34 faturaDTO.kaynak Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int kaynak;
```

1.1.2.1.25.1.35 faturaDTO.kepDurum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int kepDurum;
```

1.1.2.1.25.1.36 faturaDTO.kepDurumSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kepDurumSpecified;
```

1.1.2.1.25.1.37 faturaDTO.kolayFatura Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int kolayFatura;
```

1.1.2.1.25.1.38 faturaDTO.kolayFaturaSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kolayFaturaSpecified;
```

1.1.2.1.25.1.39 faturaDTO.okundu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int okundu;
```

1.1.2.1.25.1.40 faturaDTO.okunduSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool okunduSpecified;
```

1.1.2.1.25.1.41 faturaDTO.payableAmount Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal payableAmount;
```

1.1.2.1.25.1.42 faturaDTO.payableAmountSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool payableAmountSpecified;
```

1.1.2.1.25.1.43 faturaDTO.profileId Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string profileId;
```

1.1.2.1.25.1.44 faturaDTO.raporTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string raporTarihi;
```

1.1.2.1.25.1.45 faturaDTO.receiverContact Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string receiverContact;
```

1.1.2.1.25.1.46 faturaDTO.receiverIdentifier Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string receiverIdentifier;
```

1.1.2.1.25.1.47 faturaDTO.receiverIdentifierTxt Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string receiverIdentifierTxt;
```

1.1.2.1.25.1.48 faturaDTO.receiverName Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string receiverName;
```

1.1.2.1.25.1.49 faturaDTO.senderContact Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string senderContact;
```

1.1.2.1.25.1.50 faturaDTO.senderName Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string senderName;
```

1.1.2.1.25.1.51 faturaDTO.sonGuncellemeZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string sonGuncellemeZamani;
```

1.1.2.1.25.1.52 faturaDTO.sube Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string sube;
```

1.1.2.1.25.1.53 faturaDTO.tanimliSubeKod Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string tanimliSubeKod;
```

1.1.2.1.25.1.54 faturaDTO.telNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string telNo;
```

1.1.2.1.25.1.55 faturaDTO.toplamTutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal toplamTutar;
```

1.1.2.1.25.1.56 faturaDTO.toplamTutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool toplamTutarSpecified;
```

1.1.2.1.25.1.57 faturaDTO.uuid Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string uuid;
```

1.1.2.1.25.1.58 faturaDTO.vergilerToplami Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal vergilerToplami;
```

1.1.2.1.25.1.59 faturaDTO.vergilerToplamiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool vergilerToplamiSpecified;
```

1.1.2.1.25.1.60 faturaDTO.versiyon Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int versiyon;
```

1.1.2.1.25.1.61 faturaDTO.versiyonSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool versiyonSpecified;
```

1.1.2.1.25.1.62 faturaDTO.yazdirildi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int yazdirildi;
```

1.1.2.1.25.1.63 faturaDTO.yazdirildiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool yazdirildiSpecified;
```

1.1.2.1.25.1.64 faturaDTO.yerelFaturaNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yerelFaturaNo;
```

1.1.2.1.26 faturalptalEt Class

Class Hierarchy

```
QNBFinansGIB.GIBEArsiv.faturalptalEt
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturalptalEt;
```

File


Reference.cs (see page 721)

faturalptalEt Properties

	Name	Description
	input (see page 114)	

1.1.2.1.26.1 faturalptalEt Properties**1.1.2.1.26.1.1 faturalptalEt.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.27 faturalptalEtCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturalptalEtCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	faturalptalEtCompletedEventArgs (see page 114)	This is faturalptalEtCompletedEventArgs, a member of class faturalptalEtCompletedEventArgs.

faturalptalEtCompletedEventArgs Properties

	Name	Description
	Result (see page 115)	

1.1.2.1.27.1 faturalptalEtCompletedEventArgs.faturalptalEtCompletedEventArgs Constructor**C#**

```
internal faturalptalEtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is faturalptalEtCompletedEventArgs, a member of class faturalptalEtCompletedEventArgs.

Body Source

```
1: internal faturalptalEtCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
```

```
4: }
```

1.1.2.1.27.2 faturalptalEtCompletedEventArgs Properties

1.1.2.1.27.2.1 faturalptalEtCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.28 faturalptalEtResponse Class

Class Hierarchy

```
[QNBFinansGIB.GIBEArsiv.faturalptalEtResponse]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class faturalptalEtResponse;
```

File

Reference.cs (see page 721)

faturalptalEtResponse Properties

	Name	Description
	@return (see page 115)	

1.1.2.1.28.1 faturalptalEtResponse Properties

1.1.2.1.28.1.1 faturalptalEtResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.29 faturalptaliKaldır Class

Class Hierarchy

```
[QNBFinansGIB.GIBEArsiv.faturalptaliKaldır]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class faturalptaliKaldır;
```

File


Reference.cs (see page 721)

faturalptaliKaldır Properties

	Name	Description
	input (see page 116)	

1.1.2.1.29.1 faturalptaliKaldır Properties**1.1.2.1.29.1.1 faturalptaliKaldır.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.30 faturalptaliKaldırCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturalptaliKaldırCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	faturalptaliKaldırCompletedEventArgs (see page 116)	This is faturalptaliKaldırCompletedEventArgs, a member of class faturalptaliKaldırCompletedEventArgs.

faturalptaliKaldırCompletedEventArgs Properties

	Name	Description
	Result (see page 117)	

1.1.2.1.30.1 faturalptaliKaldırCompletedEventArgs.faturalptaliKaldırCompletedEventArgs Constructor**C#**

```
internal faturalptaliKaldırCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is faturalptaliKaldırCompletedEventArgs, a member of class faturalptaliKaldırCompletedEventArgs.

Body Source

```
1: internal faturalptaliKaldırCompletedEventArgs(object[] results, System.Exception exception,
2: bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:         this.results = results;
4: }
```

1.1.2.1.30.2 faturalptaliKaldırCompletedEventArgs Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

1.1.2.1.30.2.1 faturalptaliKaldırCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.31 faturalptaliKaldırResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.faturalptaliKaldırResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturalptaliKaldırResponse;
```

File

[Reference.cs](#) (see page 721)

faturalptaliKaldırResponse Properties

	Name	Description
	@return (see page 117)	

1.1.2.1.31.1 faturalptaliKaldırResponse Properties

1.1.2.1.31.1.1 faturalptaliKaldırResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.32 faturaltirazEt Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.faturaltirazEt](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaltirazEt;
```

File

[Reference.cs](#) (see page 721)

faturaltirazEt Properties

	Name	Description
	input (see page 118)	

1.1.2.1.32.1 faturaltirazEt Properties

1.1.2.1.32.1.1 faturaltirazEt.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.33 faturaltirazEtCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaItirazEtCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	faturaltirazEtCompletedEventArgs (see page 118)	This is faturaltirazEtCompletedEventArgs, a member of class faturaltirazEtCompletedEventArgs.

faturaltirazEtCompletedEventArgs Properties

	Name	Description
	Result (see page 118)	

1.1.2.1.33.1 faturaltirazEtCompletedEventArgs.faturaltirazEtCompletedEventArgs Constructor

C#

```
internal faturaItirazEtCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is faturaltirazEtCompletedEventArgs, a member of class faturaltirazEtCompletedEventArgs.

Body Source

```
1: internal faturaItirazEtCompletedEventArgs(object[] results, System.Exception exception,
2:   bool cancelled, object userState) :
3:   base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.2.1.33.2 faturaltirazEtCompletedEventArgs Properties

1.1.2.1.33.2.1 faturaltirazEtCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.34 faturaltirazEtResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.faturaltirazEtResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaltirazEtResponse;
```

File

Reference.cs ([see page 721](#))

faturaltirazEtResponse Properties

	Name	Description
	@return (see page 119)	

1.1.2.1.34.1 faturaltirazEtResponse Properties

1.1.2.1.34.1.1 faturaltirazEtResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.35 faturaltirazKaldır Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.faturaltirazKaldır](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaltirazKaldır;
```

File

Reference.cs ([see page 721](#))

faturaltirazKaldır Properties

	Name	Description
	input (see page 120)	

1.1.2.1.35.1 faturaltirazKaldır Properties

1.1.2.1.35.1.1 faturaltirazKaldır.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.36 faturaltirazKaldırCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaItirazKaldırCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	faturaltirazKaldırCompletedEventArgs (see page 120)	This is faturaltirazKaldırCompletedEventArgs, a member of class faturaltirazKaldırCompletedEventArgs.

faturaltirazKaldırCompletedEventArgs Properties

	Name	Description
	Result (see page 120)	

1.1.2.1.36.1 faturaltirazKaldırCompletedEventArgs.faturaltirazKaldırCompletedEventArgs Constructor

C#

```
internal faturaItirazKaldırCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is faturaltirazKaldırCompletedEventArgs, a member of class faturaltirazKaldırCompletedEventArgs.

Body Source

```
1: internal faturaItirazKaldırCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.2.1.36.2 faturaltirazKaldırCompletedEventArgs Properties

1.1.2.1.36.2.1 faturaltirazKaldırCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.37 faturaltirazKaldırResponse Class

Class Hierarchy

`[QNBFinansGIB.GIBEArsiv.faturaltirazKaldırResponse]`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaltirazKaldırResponse;
```

File

Reference.cs ([see page 721](#))

faturaltirazKaldırResponse Properties

	Name	Description
	@return (see page 121)	

1.1.2.1.37.1 faturaltirazKaldırResponse Properties

1.1.2.1.37.1.1 faturaltirazKaldırResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.38 faturaListeSorgula Class

Class Hierarchy

`[QNBFinansGIB.GIBEArsiv.faturaListeSorgula]`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaListeSorgula;
```

File

Reference.cs ([see page 721](#))

faturaListeSorgula Properties

	Name	Description
	input (see page 122)	

1.1.2.1.38.1 faturaListeSorgula Properties


1.1.2.1.38.1.1 faturaListeSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.39 faturaListeSorgulaCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaListeSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
!	faturaListeSorgulaCompletedEventArgs (see page 122)	This is faturaListeSorgulaCompletedEventArgs, a member of class faturaListeSorgulaCompletedEventArgs.

faturaListeSorgulaCompletedEventArgs Properties

	Name	Description
!	output (see page 122)	
!	Result (see page 123)	

1.1.2.1.39.1

faturaListeSorgulaCompletedEventArgs.faturaListeSorgulaCompletedEventArgs Constructor

C#

```
internal faturaListeSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is faturaListeSorgulaCompletedEventArgs, a member of class faturaListeSorgulaCompletedEventArgs.

Body Source

```
1: internal faturaListeSorgulaCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.2.1.39.2 faturaListeSorgulaCompletedEventArgs Properties

1.1.2.1.39.2.1 faturaListeSorgulaCompletedEventArgs.output Property

C#

```
public faturadto output;
```

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.39.2.2 faturaListeSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.40 faturaListeSorgulaCount Class

Class Hierarchy

```
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCount
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaListeSorgulaCount;
```

File

Reference.cs (see page 721)

faturaListeSorgulaCount Properties

	Name	Description
	input (see page 123)	

1.1.2.1.40.1 faturaListeSorgulaCount Properties

1.1.2.1.40.1.1 faturaListeSorgulaCount.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.41 faturaListeSorgulaCountCompletedEventArgs Class

Class Hierarchy

```
System.ComponentModel.AsyncCompletedEventArgs --> QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompletedEventArgs
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaListeSorgulaCountCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	faturaListeSorgulaCountCompletedEventArgs (see page 124)	This is faturaListeSorgulaCountCompletedEventArgs, a member of class faturaListeSorgulaCountCompletedEventArgs.

faturaListeSorgulaCountCompletedEventArgs Properties

	Name	Description
	output (see page 124)	
	Result (see page 124)	

1.1.2.1.41.1**faturaListeSorgulaCountCompletedEventArgs.faturaListeSorgulaCountCompletedEventArgs Constructor****C#**

```
internal faturaListeSorgulaCountCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is faturaListeSorgulaCountCompletedEventArgs, a member of class faturaListeSorgulaCountCompletedEventArgs.

Body Source

```
1: internal faturaListeSorgulaCountCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.2.1.41.2 faturaListeSorgulaCountCompletedEventArgs Properties**1.1.2.1.41.2.1 faturaListeSorgulaCountCompletedEventArgs.output Property****C#**

```
public faturaDTO output;
```

1.1.2.1.41.2.2 faturaListeSorgulaCountCompletedEventArgs.Result Property**C#**

```
public earsivServiceResult Result;
```

1.1.2.1.42 faturaListeSorgulaCountResponse Class**Class Hierarchy**

QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaListeSorgulaCountResponse;
```

File

Reference.cs (see page 721)

faturaListeSorgulaCountResponse Properties

	Name	Description
	@return (see page 125)	
	output (see page 125)	

1.1.2.1.42.1 faturaListeSorgulaCountResponse Properties**1.1.2.1.42.1.1 faturaListeSorgulaCountResponse.@return Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.42.1.2 faturaListeSorgulaCountResponse.output Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public faturaDTO output;
```

1.1.2.1.43 faturaListeSorgulaPortal Class**Class Hierarchy**

```
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortal
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaListeSorgulaPortal;
```

File

Reference.cs ([see page 721](#))

faturaListeSorgulaPortal Properties

	Name	Description
	input (see page 125)	

1.1.2.1.43.1 faturaListeSorgulaPortal Properties**1.1.2.1.43.1.1 faturaListeSorgulaPortal.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.44 faturaListeSorgulaPortalCompletedEventArgs Class**Class Hierarchy**

```
System.ComponentModel.AsyncCompletedEventArgs --> QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalCompletedEventArgs
```

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaListeSorgulaPortalCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	faturaListeSorgulaPortalCompletedEventArgs (see page 126)	This is faturaListeSorgulaPortalCompletedEventArgs, a member of class faturaListeSorgulaPortalCompletedEventArgs.

faturaListeSorgulaPortalCompletedEventArgs Properties

	Name	Description
	output (see page 126)	
	Result (see page 126)	

1.1.2.1.44.1**faturaListeSorgulaPortalCompletedEventArgs.faturaListeSorgulaPortalCompletedEventArgs**
Constructor**C#**

```
internal faturaListeSorgulaPortalCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is faturaListeSorgulaPortalCompletedEventArgs, a member of class faturaListeSorgulaPortalCompletedEventArgs.

Body Source

```
1: internal faturaListeSorgulaPortalCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.2.1.44.2 faturaListeSorgulaPortalCompletedEventArgs Properties**1.1.2.1.44.2.1 faturaListeSorgulaPortalCompletedEventArgs.output Property****C#**

```
public faturaDTO output;
```

1.1.2.1.44.2.2 faturaListeSorgulaPortalCompletedEventArgs.Result Property**C#**

```
public earsivServiceResult Result;
```

1.1.2.1.45 faturaListeSorgulaPortalResponse Class**Class Hierarchy**

QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalResponse

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaListeSorgulaPortalResponse;
```

File

Reference.cs (see page 721)

faturaListeSorgulaPortalResponse Properties

	Name	Description
	@return (see page 127)	
	output (see page 127)	

1.1.2.1.45.1 faturaListeSorgulaPortalResponse Properties**1.1.2.1.45.1.1 faturaListeSorgulaPortalResponse.@return Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.45.1.2 faturaListeSorgulaPortalResponse.output Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public faturaDTO output;
```

1.1.2.1.46 faturaListeSorgulaResponse Class**Class Hierarchy**

[QNBFinansGIB.GIBEArsiv.faturaListeSorgulaResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaListeSorgulaResponse;
```

File

Reference.cs (see page 721)

faturaListeSorgulaResponse Properties

	Name	Description
	@return (see page 128)	
	output (see page 128)	

1.1.2.1.46.1 faturaListeSorgulaResponse Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.46.1.1 faturaListeSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.46.1.2 faturaListeSorgulaResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public faturaDTO output;
```

1.1.2.1.47 faturaNoUret Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaNoUret;
```

File

Reference.cs (see page 721)

faturaNoUret Properties

	Name	Description
	input (see page 128)	

1.1.2.1.47.1 faturaNoUret Properties

1.1.2.1.47.1.1 faturaNoUret.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.48 faturaNoUretCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaNoUretCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs
```

File

Reference.cs (see page 721)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Methods

	Name	Description
	faturaNoUretCompletedEventArgs (see page 129)	This is faturaNoUretCompletedEventArgs, a member of class faturaNoUretCompletedEventArgs.

faturaNoUretCompletedEventArgs Properties

	Name	Description
	@return (see page 129)	
	Result (see page 129)	

1.1.2.1.48.1 faturaNoUretCompletedEventArgs.faturaNoUretCompletedEventArgs Constructor

C#

```
internal faturaNoUretCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is faturaNoUretCompletedEventArgs, a member of class faturaNoUretCompletedEventArgs.

Body Source

```
1: internal faturaNoUretCompletedEventArgs(object[] results, System.Exception exception,
  bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.48.2 faturaNoUretCompletedEventArgs Properties

1.1.2.1.48.2.1 faturaNoUretCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.2.1.48.2.2 faturaNoUretCompletedEventArgs.Result Property

C#

```
public string Result;
```

1.1.2.1.49 faturaOlustur Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.faturaOlustur](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class faturaOlustur;
```

File

[Reference.cs](#) ([see page 721](#))

faturaOlustur Properties

	Name	Description
	fatura (see page 130)	
	input (see page 130)	

1.1.2.1.49.1 faturaOlustur Properties**1.1.2.1.49.1.1 faturaOlustur.fatura Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge fatura;
```

1.1.2.1.49.1.2 faturaOlustur.input Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.50 faturaOlusturCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaOlusturCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	faturaOlusturCompletedEventArgs (see page 130)	This is faturaOlusturCompletedEventArgs, a member of class faturaOlusturCompletedEventArgs.

faturaOlusturCompletedEventArgs Properties

	Name	Description
	@return (see page 131)	
	Result (see page 131)	

1.1.2.1.50.1 faturaOlusturCompletedEventArgs.faturaOlusturCompletedEventArgs Constructor**C#**

```
internal faturaOlusturCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is faturaOlusturCompletedEventArgs, a member of class faturaOlusturCompletedEventArgs.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

Body Source

```

1: internal faturaOlusturCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;

```

1.1.2.1.50.2 faturaOlusturCompletedEventArgs Properties**1.1.2.1.50.2.1 faturaOlusturCompletedEventArgs.@return Property****C#**

```
public earsivServiceResult @return;
```

1.1.2.1.50.2.2 faturaOlusturCompletedEventArgs.Result Property**C#**

```
public belge Result;
```

1.1.2.1.51 faturaOlusturExt Class**Class Hierarchy**

```
[QNBFinansGIB.GIBEArsiv.faturaOlusturExt]
```

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[SerializableAttribute()]
[DebuggerStepThroughAttribute()]
[ComponentModel.DesignerCategoryAttribute("code")]
[XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class faturaOlusturExt;

```

File

Reference.cs ( see page 721)

faturaOlusturExt Properties

	Name	Description
	fatura ( see page 131)	
	input ( see page 131)	

1.1.2.1.51.1 faturaOlusturExt Properties**1.1.2.1.51.1.1 faturaOlusturExt.fatura Property****C#**

```

[XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge fatura;

```

1.1.2.1.51.1.2 faturaOlusturExt.input Property**C#**

```

[XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;

```

1.1.2.1.52 faturaOlusturExtCompletedEventArgs Class

Class Hierarchy



C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaOlusturExtCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
  
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	faturaOlusturExtCompletedEventArgs (see page 132)	This is faturaOlusturExtCompletedEventArgs, a member of class faturaOlusturExtCompletedEventArgs.

faturaOlusturExtCompletedEventArgs Properties

	Name	Description
	@return (see page 132)	
	Result (see page 132)	

1.1.2.1.52.1 faturaOlusturExtCompletedEventArgs.faturaOlusturExtCompletedEventArgs Constructor

C#

```

internal faturaOlusturExtCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
  
```

Description

This is faturaOlusturExtCompletedEventArgs, a member of class faturaOlusturExtCompletedEventArgs.

Body Source

```

1: internal faturaOlusturExtCompletedEventArgs(object[] results, System.Exception exception,
2:   bool cancelled, object userState) :
3:   base(exception, cancelled, userState) {
4:     this.results = results;
  
```

1.1.2.1.52.2 faturaOlusturExtCompletedEventArgs Properties

1.1.2.1.52.2.1 faturaOlusturExtCompletedEventArgs.@return Property

C#

```

public earsivServiceResult @return;
  
```

1.1.2.1.52.2.2 faturaOlusturExtCompletedEventArgs.Result Property

C#

```

public belge Result;
  
```

1.1.2.1.53 faturaOnizleme Class

Class Hierarchy

```
QNBFinansGIB.GIBEArsiv.faturaOnizleme
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaOnizleme;
```

File

Reference.cs (see page 721)

faturaOnizleme Properties

	Name	Description
	fatura (see page 133)	
	input (see page 133)	

1.1.2.1.53.1 faturaOnizleme Properties

1.1.2.1.53.1.1 faturaOnizleme.fatura Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge fatura;
```

1.1.2.1.53.1.2 faturaOnizleme.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.54 faturaOnizlemeCompletedEventArgs Class

Class Hierarchy

```
System.ComponentModel.AsyncCompletedEventArgs --> QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventArgs
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaOnizlemeCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	faturaOnizlemeCompletedEventArgs	This is faturaOnizlemeCompletedEventArgs, a member of class faturaOnizlemeCompletedEventArgs. (see page 134)

faturaOnizlemeCompletedEventArgs Properties

	Name	Description
	@return (see page 134)	
	Result (see page 134)	

1.1.2.1.54.1 faturaOnizlemeCompletedEventArgs.faturaOnizlemeCompletedEventArgs Constructor

C#

```
internal faturaOnizlemeCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is faturaOnizlemeCompletedEventArgs, a member of class faturaOnizlemeCompletedEventArgs.

Body Source

```
1: internal faturaOnizlemeCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.2.1.54.2 faturaOnizlemeCompletedEventArgs Properties

1.1.2.1.54.2.1 faturaOnizlemeCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.2.1.54.2.2 faturaOnizlemeCompletedEventArgs.Result Property

C#

```
public belge Result;
```

1.1.2.1.55 faturaSorgula Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.faturaSorgula](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class faturaSorgula;
```

File


[Reference.cs](#) ([see page 721](#))

faturaSorgula Properties

	Name	Description
	input (see page 135)	

1.1.2.1.55.1 faturaSorgula Properties**1.1.2.1.55.1.1 faturaSorgula.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.56 faturaSorgulaCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	faturaSorgulaCompletedEventArgs (see page 135)	This is faturaSorgulaCompletedEventArgs, a member of class faturaSorgulaCompletedEventArgs.

faturaSorgulaCompletedEventArgs Properties

	Name	Description
	@return (see page 136)	
	Result (see page 136)	

1.1.2.1.56.1 faturaSorgulaCompletedEventArgs.faturaSorgulaCompletedEventArgs Constructor**C#**

```
internal faturaSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState);
```

Description

This is faturaSorgulaCompletedEventArgs, a member of class faturaSorgulaCompletedEventArgs.

Body Source

```
1: internal faturaSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.2.1.56.2 faturaSorgulaCompletedEventArgs Properties

1.1.2.1.56.2.1 faturaSorgulaCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.2.1.56.2.2 faturaSorgulaCompletedEventArgs.Result Property

C#

```
public belge Result;
```

1.1.2.1.57 faturaSorgulaExt Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaSorgulaExt;
```

File

Reference.cs (see page 721)

faturaSorgulaExt Properties

	Name	Description
	input (see page 136)	

1.1.2.1.57.1 faturaSorgulaExt Properties

1.1.2.1.57.1.1 faturaSorgulaExt.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.58 faturaSorgulaExtCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaSorgulaExtCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Methods

	Name	Description
	faturaSorgulaExtCompletedEventArgs (see page 137)	This is faturaSorgulaExtCompletedEventArgs, a member of class faturaSorgulaExtCompletedEventArgs.

faturaSorgulaExtCompletedEventArgs Properties

	Name	Description
	@return (see page 137)	
	Result (see page 137)	

1.1.2.1.58.1

faturaSorgulaExtCompletedEventArgs.faturaSorgulaExtCompletedEventArgs Constructor

C#

```
internal faturaSorgulaExtCompletedEventArgs(object[] results, System.Exception exception,
    bool cancelled, object userState);
```

Description

This is faturaSorgulaExtCompletedEventArgs, a member of class faturaSorgulaExtCompletedEventArgs.

Body Source

```
1: internal faturaSorgulaExtCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.58.2 faturaSorgulaExtCompletedEventArgs Properties

1.1.2.1.58.2.1 faturaSorgulaExtCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.2.1.58.2.2 faturaSorgulaExtCompletedEventArgs.Result Property

C#

```
public belge Result;
```

1.1.2.1.59 faturaTaslakOlustur Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.faturaTaslakOlustur](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaTaslakOlustur;
```

File

[Reference.cs](#) ([see page 721](#))

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

faturaTaslakOlustur Properties


	Name	Description
	fatura (see page 138)	
	input (see page 138)	

1.1.2.1.59.1 faturaTaslakOlustur Properties**1.1.2.1.59.1.1 faturaTaslakOlustur.fatura Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge fatura;
```

1.1.2.1.59.1.2 faturaTaslakOlustur.input Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.60 faturaTaslakOlusturCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaTaslakOlusturCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	faturaTaslakOlusturCompletedEventArgs (see page 138)	This is faturaTaslakOlusturCompletedEventArgs, a member of class faturaTaslakOlusturCompletedEventArgs.

faturaTaslakOlusturCompletedEventArgs Properties

	Name	Description
	Result (see page 139)	

1.1.2.1.60.1**faturaTaslakOlusturCompletedEventArgs.faturaTaslakOlusturCompletedEventArgs Constructor****C#**

```
internal faturaTaslakOlusturCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is faturaTaslakOlusturCompletedEventArgs, a member of class faturaTaslakOlusturCompletedEventArgs.

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

Body Source

```

1: internal faturaTaslakOlusturCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }

```

1.1.2.1.60.2 faturaTaslakOlusturCompletedEventArgs Properties**1.1.2.1.60.2.1 faturaTaslakOlusturCompletedEventArgs.Result Property****C#**

```
public earsivServiceResult Result;
```

1.1.2.1.61 faturaTaslakOlusturResponse Class**Class Hierarchy**

QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturResponse
--

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaTaslakOlusturResponse:

```

File

Reference.cs (see page 721)

faturaTaslakOlusturResponse Properties

	Name	Description
	@return (see page 139)	

1.1.2.1.61.1 faturaTaslakOlusturResponse Properties**1.1.2.1.61.1.1 faturaTaslakOlusturResponse.@return Property****C#**

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;

```

1.1.2.1.62 faturaTaslakOnizleme Class**Class Hierarchy**

QNBFinansGIB.GIBEArsiv.faturaTaslakOnizleme

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]

```

```
public class faturaTaslakOnizleme;
```

File


Reference.cs (see page 721)

faturaTaslakOnizleme Properties

	Name	Description
	input (see page 140)	

1.1.2.1.62.1 faturaTaslakOnizleme Properties**1.1.2.1.62.1.1 faturaTaslakOnizleme.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.63 faturaTaslakOnizlemeCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaTaslakOnizlemeCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	faturaTaslakOnizlemeCompletedEventArgs (see page 140)	This is faturaTaslakOnizlemeCompletedEventArgs, a member of class faturaTaslakOnizlemeCompletedEventArgs.

faturaTaslakOnizlemeCompletedEventArgs Properties

	Name	Description
	output (see page 141)	
	Result (see page 141)	

1.1.2.1.63.1**faturaTaslakOnizlemeCompletedEventArgs.faturaTaslakOnizlemeCompletedEventArgs Constructor****C#**

```
internal faturaTaslakOnizlemeCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is faturaTaslakOnizlemeCompletedEventArgs, a member of class faturaTaslakOnizlemeCompletedEventArgs.

Body Source

```

1: internal faturaTaslakOnizlemeCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }

```

1.1.2.1.63.2 faturaTaslakOnizlemeCompletedEventArgs Properties**1.1.2.1.63.2.1 faturaTaslakOnizlemeCompletedEventArgs.output Property****C#**

```
public belge output;
```

1.1.2.1.63.2.2 faturaTaslakOnizlemeCompletedEventArgs.Result Property**C#**

```
public earsivServiceResult Result;
```

1.1.2.1.64 faturaTaslakOnizlemeResponse Class**Class Hierarchy**

QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeResponse

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaTaslakOnizlemeResponse ;

```

File

Reference.cs ( see page 721)

faturaTaslakOnizlemeResponse Properties

	Name	Description
	@return ( see page 141)	
	output ( see page 141)	

1.1.2.1.64.1 faturaTaslakOnizlemeResponse Properties**1.1.2.1.64.1.1 faturaTaslakOnizlemeResponse.@return Property****C#**

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;

```

1.1.2.1.64.1.2 faturaTaslakOnizlemeResponse.output Property**C#**

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge output;
```

1.1.2.1.65 faturaTaslakSil Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaTaslakSil;
```

File

Reference.cs (see page 721)

faturaTaslakSil Properties

	Name	Description
	input (see page 142)	

1.1.2.1.65.1 faturaTaslakSil Properties

1.1.2.1.65.1.1 faturaTaslakSil.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.66 faturaTaslakSilCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaTaslakSilCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	faturaTaslakSilCompletedEventArgs (see page 143)	This is faturaTaslakSilCompletedEventArgs, a member of class faturaTaslakSilCompletedEventArgs.

faturaTaslakSilCompletedEventArgs Properties

	Name	Description
	Result (see page 143)	

1.1.2.1.66.1 faturaTaslakSilCompletedEventArgs.faturaTaslakSilCompletedEventArgs Constructor

C#

```
internal faturaTaslakSilCompletedEventArgs(object[] results, System.Exception exception,
    bool cancelled, object userState);
```

Description

This is faturaTaslakSilCompletedEventArgs, a member of class faturaTaslakSilCompletedEventArgs.

Body Source

```
1: internal faturaTaslakSilCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.2.1.66.2 faturaTaslakSilCompletedEventArgs Properties

1.1.2.1.66.2.1 faturaTaslakSilCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.67 faturaTaslakSilResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.faturaTaslakSilResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class faturaTaslakSilResponse;
```

File

Reference.cs ([see page 721](#))

faturaTaslakSilResponse Properties

	Name	Description
	@return (see page 143)	

1.1.2.1.67.1 faturaTaslakSilResponse Properties

1.1.2.1.67.1.1 faturaTaslakSilResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.68 faturaTaslakSorgula Class

Class Hierarchy

```
QNBFinansGIB.GIBEArsiv.faturaTaslakSorgula
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaTaslakSorgula;
```

File

Reference.cs (see page 721)

faturaTaslakSorgula Properties

	Name	Description
	input (see page 144)	

1.1.2.1.68.1 faturaTaslakSorgula Properties

1.1.2.1.68.1.1 faturaTaslakSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.69 faturaTaslakSorgulaCompletedEventArgs Class

Class Hierarchy

```
System.ComponentModel.AsyncCompletedEventArgs --> QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEventArgs
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaTaslakSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	faturaTaslakSorgulaCompletedEventArgs (see page 145)	This is faturaTaslakSorgulaCompletedEventArgs, a member of class faturaTaslakSorgulaCompletedEventArgs.

faturaTaslakSorgulaCompletedEventArgs Properties

	Name	Description
	output (see page 145)	
	Result (see page 145)	

1.1.2.1.69.1 faturaTaslakSorgulaCompletedEventArgs.faturaTaslakSorgulaCompletedEventArgs Constructor

C#

```
internal faturaTaslakSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is faturaTaslakSorgulaCompletedEventArgs, a member of class faturaTaslakSorgulaCompletedEventArgs.

Body Source

```
1: internal faturaTaslakSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.2.1.69.2 faturaTaslakSorgulaCompletedEventArgs Properties

1.1.2.1.69.2.1 faturaTaslakSorgulaCompletedEventArgs.output Property

C#

```
public faturaDTO output;
```

1.1.2.1.69.2.2 faturaTaslakSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.70 faturaTaslakSorgulaResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv faturaTaslakSorgulaResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaTaslakSorgulaResponse;
```

File

Reference.cs ([see page 721](#))

faturaTaslakSorgulaResponse Properties

	Name	Description
	@return (see page 146)	
	output (see page 146)	

1.1.2.1.70.1 faturaTaslakSorgulaResponse Properties

1.1.2.1.70.1.1 faturaTaslakSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```


1.1.2.1.70.1.2 faturaTaslakSorgulaResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public faturaDTO output;
```

1.1.2.1.71 faturaTaslaktanOlustur Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaTaslaktanOlustur;
```

File

Reference.cs (see page 721)

faturaTaslaktanOlustur Properties

	Name	Description
	input (see page 146)	

1.1.2.1.71.1 faturaTaslaktanOlustur Properties


1.1.2.1.71.1.1 faturaTaslaktanOlustur.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.72 faturaTaslaktanOlusturCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaTaslaktanOlusturCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	faturaTaslaktanOlusturCompletedEventArgs (see page 147)	This is faturaTaslaktanOlusturCompletedEventArgs, a member of class faturaTaslaktanOlusturCompletedEventArgs.

faturaTaslaktanOlusturCompletedEventArgs Properties

	Name	Description
	@return (see page 147)	
	Result (see page 147)	

1.1.2.1.72.1**faturaTaslaktanOlusturCompletedEventArgs.faturaTaslaktanOlusturCompletedEventArgs****Constructor****C#**

```
internal faturaTaslaktanOlusturCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is faturaTaslaktanOlusturCompletedEventArgs, a member of class faturaTaslaktanOlusturCompletedEventArgs.

Body Source

```
1: internal faturaTaslaktanOlusturCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.2.1.72.2 faturaTaslaktanOlusturCompletedEventArgs Properties**1.1.2.1.72.2.1 faturaTaslaktanOlusturCompletedEventArgs.@return Property****C#**

```
public earsivServiceResult @return;
```

1.1.2.1.72.2.2 faturaTaslaktanOlusturCompletedEventArgs.Result Property**C#**

```
public belge Result;
```

1.1.2.1.73 faturaZipAI Class**Class Hierarchy**

[QNBFinansGIB.GIBEArsiv.faturaZipAI]

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
```

```
]
public class faturaZipiAI;
```

File

Reference.cs (see page 721)

faturaZipiAI Properties

	Name	Description
	input (see page 148)	

1.1.2.1.73.1 faturaZipiAI Properties**1.1.2.1.73.1.1 faturaZipiAI.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.74 faturaZipiAICompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaZipiAICompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	faturaZipiAICompletedEventArgs (see page 148)	This is faturaZipiAICompletedEventArgs, a member of class faturaZipiAICompletedEventArgs.

faturaZipiAICompletedEventArgs Properties

	Name	Description
	output (see page 149)	
	Result (see page 149)	

1.1.2.1.74.1 faturaZipiAICompletedEventArgs.faturaZipiAICompletedEventArgs Constructor**C#**

```
internal faturaZipiAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is faturaZipiAICompletedEventArgs, a member of class faturaZipiAICompletedEventArgs.

Body Source

```
1: internal faturaZipiAICompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```

2:         base(exception, cancelled, userState) {
3:             this.results = results;
4:         }

```

1.1.2.1.74.2 faturaZipiAICompletedEventArgs Properties

1.1.2.1.74.2.1 faturaZipiAICompletedEventArgs.output Property

C#

```
public byte output;
```

1.1.2.1.74.2.2 faturaZipiAICompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.75 faturaZipiAIResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.faturaZipiAIResponse](#)

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class faturaZipiAIResponse;

```

File

Reference.cs ([see page 721](#))

faturaZipiAIResponse Properties

	Name	Description
	@return (see page 149)	
	output (see page 149)	

1.1.2.1.75.1 faturaZipiAIResponse Properties

1.1.2.1.75.1.1 faturaZipiAIResponse.@return Property

C#

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;

```

1.1.2.1.75.1.2 faturaZipiAIResponse.output Property

C#

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
DataType="base64Binary", IsNullable=true)]
public byte output;

```

1.1.2.1.76 kontorBilgisiGetir Class

Class Hierarchy

```
QNBFinansGIB.GIBEArxiv.kontorBilgisiGetir
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class kontorBilgisiGetir;
```

File

Reference.cs (see page 721)

kontorBilgisiGetir Properties

	Name	Description
	kontorBirim (see page 150)	
	kontorTipi (see page 150)	
	vknTckn (see page 150)	

1.1.2.1.76.1 kontorBilgisiGetir Properties

1.1.2.1.76.1.1 kontorBilgisiGetir.kontorBirim Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kontorBirim;
```

1.1.2.1.76.1.2 kontorBilgisiGetir.kontorTipi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kontorTipi;
```

1.1.2.1.76.1.3 kontorBilgisiGetir.vknTckn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vknTckn;
```

1.1.2.1.77 kontorBilgisiGetirCompletedEventArgs Class

Class Hierarchy

```
System.ComponentModel.AsyncCompletedEventArgs --> QNBFinansGIB.GIBEArxiv.kontorBilgisiGetirCompletedEventArgs
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class kontorBilgisiGetirCompletedEventArgs :
```

```
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	kontorBilgisiGetirCompletedEventArgs (see page 151)	This is kontorBilgisiGetirCompletedEventArgs, a member of class kontorBilgisiGetirCompletedEventArgs.

kontorBilgisiGetirCompletedEventArgs Properties

	Name	Description
	Result (see page 151)	

1.1.2.1.77.1**kontorBilgisiGetirCompletedEventArgs.kontorBilgisiGetirCompletedEventArgs Constructor****C#**

```
internal kontorBilgisiGetirCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is kontorBilgisiGetirCompletedEventArgs, a member of class kontorBilgisiGetirCompletedEventArgs.

Body Source

```
1: internal kontorBilgisiGetirCompletedEventArgs(object[] results, System.Exception exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.2.1.77.2 kontorBilgisiGetirCompletedEventArgs Properties**1.1.2.1.77.2.1 kontorBilgisiGetirCompletedEventArgs.Result Property****C#**

```
public earsivServiceResult Result;
```

1.1.2.1.78 kontorBilgisiGetirResponse Class**Class Hierarchy**

```
[QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirResponse]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class kontorBilgisiGetirResponse;
```

File


Reference.cs (see page 721)

kontorBilgisiGetirResponse Properties

	Name	Description
	@return (see page 152)	

1.1.2.1.78.1 kontorBilgisiGetirResponse Properties**1.1.2.1.78.1.1 kontorBilgisiGetirResponse.@return Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.79 okcRaporBolumAI Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class okcRaporBolumAI;
```

File


Reference.cs ([see page 721](#))

okcRaporBolumAI Properties

	Name	Description
	input (see page 152)	

1.1.2.1.79.1 okcRaporBolumAI Properties**1.1.2.1.79.1.1 okcRaporBolumAI.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.80 okcRaporBolumAICompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class okcRaporBolumAICompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	okcRaporBolumAICompletedEventArgs	This is okcRaporBolumAICompletedEventArgs, a member of class okcRaporBolumAICompletedEventArgs.

okcRaporBolumAICompletedEventArgs Properties

	Name	Description
	@return (see page 153)	
	Result (see page 153)	

1.1.2.1.80.1**okcRaporBolumAICompletedEventArgs.okcRaporBolumAICompletedEventArgs Constructor****C#**

```
internal okcRaporBolumAICompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is okcRaporBolumAICompletedEventArgs, a member of class okcRaporBolumAICompletedEventArgs.

Body Source

```
1: internal okcRaporBolumAICompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.2.1.80.2 okcRaporBolumAICompletedEventArgs Properties**1.1.2.1.80.2.1 okcRaporBolumAICompletedEventArgs.@return Property****C#**

```
public earsivServiceResult @return;
```

1.1.2.1.80.2.2 okcRaporBolumAICompletedEventArgs.Result Property**C#**

```
public belge Result;
```

1.1.2.1.81 okcRaporKaydet Class**Class Hierarchy**

[QNBFinansGIB.GIBEArsiv.okcRaporKaydet](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class okcRaporKaydet;
```

File

Reference.cs (see page 721)

okcRaporKaydet Properties


	Name	Description
	input (see page 154)	
	rapor (see page 154)	

1.1.2.1.81.1 okcRaporKaydet Properties**1.1.2.1.81.1.1 okcRaporKaydet.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.81.1.2 okcRaporKaydet.rapor Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public dosyaInput rapor;
```

1.1.2.1.82 okcRaporKaydetCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class okcRaporKaydetCompletedEventArgs :
    System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	okcRaporKaydetCompletedEventArgs (see page 154)	This is okcRaporKaydetCompletedEventArgs, a member of class okcRaporKaydetCompletedEventArgs.

okcRaporKaydetCompletedEventArgs Properties

	Name	Description
	Result (see page 155)	

1.1.2.1.82.1 okcRaporKaydetCompletedEventArgs.okcRaporKaydetCompletedEventArgs Constructor**C#**

```
internal okcRaporKaydetCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is okcRaporKaydetCompletedEventArgs, a member of class okcRaporKaydetCompletedEventArgs.

Body Source

```
1: internal okcRaporKaydetCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.2.1.82.2 okcRaporKaydetCompletedEventArgs Properties

1.1.2.1.82.2.1 okcRaporKaydetCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.83 okcRaporKaydetResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.okcRaporKaydetResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class okcRaporKaydetResponse;
```

File

Reference.cs ([see page 721](#))

okcRaporKaydetResponse Properties

	Name	Description
	@return (see page 155)	

1.1.2.1.83.1 okcRaporKaydetResponse Properties

1.1.2.1.83.1.1 okcRaporKaydetResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.84 okcRaporOlusturGonder Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonder](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class okcRaporOlusturGonder;
```

File


Reference.cs ([see page 721](#))

okcRaporOlusturGonder Properties

	Name	Description
	input (see page 156)	

1.1.2.1.84.1 okcRaporOlusturGonder Properties**1.1.2.1.84.1.1 okcRaporOlusturGonder.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.85 okcRaporOlusturGonderCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class okcRaporOlusturGonderCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	okcRaporOlusturGonderCompletedEventArgs (see page 156)	This is okcRaporOlusturGonderCompletedEventArgs, a member of class okcRaporOlusturGonderCompletedEventArgs.

okcRaporOlusturGonderCompletedEventArgs Properties

	Name	Description
	Result (see page 157)	

1.1.2.1.85.1**okcRaporOlusturGonderCompletedEventArgs.okcRaporOlusturGonderCompletedEventArgs Constructor****C#**

```
internal okcRaporOlusturGonderCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is okcRaporOlusturGonderCompletedEventArgs, a member of class okcRaporOlusturGonderCompletedEventArgs.

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```

1: internal okcRaporOlusturGonderCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }

```

1.1.2.1.85.2 okcRaporOlusturGonderCompletedEventArgs Properties**1.1.2.1.85.2.1 okcRaporOlusturGonderCompletedEventArgs.Result Property****C#**

```
public earsivServiceResult Result;
```

1.1.2.1.86 okcRaporOlusturGonderResponse Class**Class Hierarchy**

QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderResponse
--

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class okcRaporOlusturGonderResponse;

```

File

Reference.cs (see page 721)

okcRaporOlusturGonderResponse Properties

	Name	Description
	@return (see page 157)	

1.1.2.1.86.1 okcRaporOlusturGonderResponse Properties**1.1.2.1.86.1.1 okcRaporOlusturGonderResponse.@return Property****C#**

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;

```

1.1.2.1.87 raporBolumAI Class**Class Hierarchy**

QNBFinansGIB.GIBEArsiv.raporBolumAI

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]

```

```
public class raporBolumAl;
```

File


Reference.cs (see page 721)

raporBolumAl Properties

	Name	Description
	bolumRaporNo (see page 158)	

1.1.2.1.87.1 raporBolumAl Properties**1.1.2.1.87.1.1 raporBolumAl.bolumRaporNo Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bolumRaporNo;
```

1.1.2.1.88 raporBolumAICompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumAICompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	raporBolumAICompletedEventArgs (see page 158)	This is raporBolumAICompletedEventArgs, a member of class raporBolumAICompletedEventArgs.

raporBolumAICompletedEventArgs Properties

	Name	Description
	@return (see page 159)	
	Result (see page 159)	

1.1.2.1.88.1 raporBolumAICompletedEventArgs.raporBolumAICompletedEventArgs Constructor**C#**

```
internal raporBolumAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is raporBolumAICompletedEventArgs, a member of class raporBolumAICompletedEventArgs.

Body Source

```
1: internal raporBolumAICompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

3:     this.results = results;
4: }

```

1.1.2.1.88.2 raporBolumAICompletedEventArgs Properties

1.1.2.1.88.2.1 raporBolumAICompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.2.1.88.2.2 raporBolumAICompletedEventArgs.Result Property

C#

```
public belge Result;
```

1.1.2.1.89 raporBolumBilgisiAI Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumBilgisiAI;
```

File

Reference.cs (see page 721)

raporBolumBilgisiAI Properties

	Name	Description
	bolumRaporNo (see page 159)	

1.1.2.1.89.1 raporBolumBilgisiAI Properties

1.1.2.1.89.1.1 raporBolumBilgisiAI.bolumRaporNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bolumRaporNo;
```

1.1.2.1.90 raporBolumBilgisiAICompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumBilgisiAICompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	raporBolumBilgisiAICompletedEventArgs	This is raporBolumBilgisiAICompletedEventArgs, a member of class raporBolumBilgisiAICompletedEventArgs. (see page 160)

raporBolumBilgisiAICompletedEventArgs Properties

	Name	Description
	Result (see page 160)	

1.1.2.1.90.1**raporBolumBilgisiAICompletedEventArgs.raporBolumBilgisiAICompletedEventArgs Constructor****C#**

```
internal raporBolumBilgisiAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is raporBolumBilgisiAICompletedEventArgs, a member of class raporBolumBilgisiAICompletedEventArgs.

Body Source

```
1: internal raporBolumBilgisiAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.90.2 raporBolumBilgisiAICompletedEventArgs Properties**1.1.2.1.90.2.1 raporBolumBilgisiAICompletedEventArgs.Result Property****C#**

```
public earsivServiceResult Result;
```

1.1.2.1.91 raporBolumBilgisiAIResponse Class**Class Hierarchy**

```
[QNBFinansGIB.GIBEArxiv.raporBolumBilgisiAIResponse]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumBilgisiAIResponse;
```

File

Reference.cs (see page 721)

raporBolumBilgisiAIResponse Properties

	Name	Description
	@return (see page 161)	

1.1.2.1.91.1 raporBolumBilgisiAIResponse Properties**1.1.2.1.91.1.1 raporBolumBilgisiAIResponse.@return Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.92 raporBolumDTO Class**Class Hierarchy**

[QNBFinansGIB.GIBEArsiv.raporBolumDTO](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumDTO;
```

File

[Reference.cs](#) ([see page 721](#))

raporBolumDTO Properties

	Name	Description
	baslangicTarihi (see page 161)	
	bitisTarihi (see page 162)	
	bolumNo (see page 162)	
	bolumNoSpecified (see page 162)	
	bolumRaporNo (see page 162)	
	durum (see page 162)	
	durumAciklama (see page 162)	
	durumKodu (see page 162)	
	sonIslemeZamani (see page 162)	

1.1.2.1.92.1 raporBolumDTO Properties**1.1.2.1.92.1.1 raporBolumDTO.baslangicTarihi Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string baslangicTarihi;
```

1.1.2.1.92.1.2 raporBolumDTO.bitisTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bitisTarihi;
```

1.1.2.1.92.1.3 raporBolumDTO.bolumNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public long bolumNo;
```

1.1.2.1.92.1.4 raporBolumDTO.bolumNoSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool bolumNoSpecified;
```

1.1.2.1.92.1.5 raporBolumDTO.bolumRaporNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bolumRaporNo;
```

1.1.2.1.92.1.6 raporBolumDTO.durum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int durum;
```

1.1.2.1.92.1.7 raporBolumDTO.durumAciklama Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string durumAciklama;
```

1.1.2.1.92.1.8 raporBolumDTO.durumKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string durumKodu;
```

1.1.2.1.92.1.9 raporBolumDTO.sonIslemeZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string sonIslemeZamani;
```

1.1.2.1.93 raporBolumleriOlustur Class

Class Hierarchy

```
QNBFinansGIB.GIBEArsiv.raporBolumleriOlustur
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumleriOlustur;
```

File

Reference.cs (see page 721)

raporBolumleriOlustur Properties

	Name	Description
	donem (see page 163)	
	input (see page 163)	
	sonGun (see page 163)	

1.1.2.1.93.1 raporBolumleriOlustur Properties**1.1.2.1.93.1.1 raporBolumleriOlustur.donem Property****C#**


```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

1.1.2.1.93.1.2 raporBolumleriOlustur.input Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.93.1.3 raporBolumleriOlustur.sonGun Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string sonGun;
```

1.1.2.1.94 raporBolumleriOlusturCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumleriOlusturCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	raporBolumleriOlusturCompletedEventArgs	This is raporBolumleriOlusturCompletedEventArgs, a member of class raporBolumleriOlusturCompletedEventArgs.

raporBolumleriOlusturCompletedEventArgs Properties

	Name	Description
	Result (see page 164)	

1.1.2.1.94.1

raporBolumleriOlusturCompletedEventArgs.raporBolumleriOlusturCompletedEventArgs Constructor

C#

```
internal raporBolumleriOlusturCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is raporBolumleriOlusturCompletedEventArgs, a member of class raporBolumleriOlusturCompletedEventArgs.

Body Source

```
1: internal raporBolumleriOlusturCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.2.1.94.2 raporBolumleriOlusturCompletedEventArgs Properties

1.1.2.1.94.2.1 raporBolumleriOlusturCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.95 raporBolumleriOlusturResponse Class

Class Hierarchy

QNBFinansGIB.GIBEArxiv.raporBolumleriOlusturResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumleriOlusturResponse;
```

File

Reference.cs (see page 721)

raporBolumleriOlusturResponse Properties

	Name	Description
	@return (see page 165)	

1.1.2.1.95.1 **raporBolumleriOlusturResponse** Properties


1.1.2.1.95.1.1 **raporBolumleriOlusturResponse.@return** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.96 **raporBolumListesiDetayliSorgula** Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumListesiDetayliSorgula;
```

File

Reference.cs (see page 721)

raporBolumListesiDetayliSorgula Properties

	Name	Description
	donem (see page 165)	

1.1.2.1.96.1 **raporBolumListesiDetayliSorgula** Properties


1.1.2.1.96.1.1 **raporBolumListesiDetayliSorgula.donem** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

1.1.2.1.97 **raporBolumListesiDetayliSorgulaCompletedEventArgs** Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumListesiDetayliSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
!	raporBolumListesiDetayliSorgulaCompletedEventArgs (see page 166)	This is raporBolumListesiDetayliSorgulaCompletedEventArgs, a member of class raporBolumListesiDetayliSorgulaCompletedEventArgs.

raporBolumListesiDetayliSorgulaCompletedEventArgs Properties

	Name	Description
!	output (see page 166)	
!	Result (see page 166)	

1.1.2.1.97.1

raporBolumListesiDetayliSorgulaCompletedEventArgs.raporBolumListesiDetayliSorgulaCompletedEventArgs Constructor

C#

```
internal raporBolumListesiDetayliSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is raporBolumListesiDetayliSorgulaCompletedEventArgs, a member of class raporBolumListesiDetayliSorgulaCompletedEventArgs.

Body Source

```
1: internal raporBolumListesiDetayliSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.97.2 raporBolumListesiDetayliSorgulaCompletedEventArgs Properties

1.1.2.1.97.2.1 raporBolumListesiDetayliSorgulaCompletedEventArgs.output Property

C#

```
public raporBolumDTO output;
```

1.1.2.1.97.2.2 raporBolumListesiDetayliSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.98 raporBolumListesiDetayliSorgulaResponse Class

Class Hierarchy

```
QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaResponse
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]

```

```
]
public class raporBolumListesiDetayliSorgulaResponse;
```

File

Reference.cs (see page 721)

raporBolumListesiDetayliSorgulaResponse Properties

	Name	Description
	@return (see page 167)	
	output (see page 167)	

1.1.2.1.98.1 raporBolumListesiDetayliSorgulaResponse Properties**1.1.2.1.98.1.1 raporBolumListesiDetayliSorgulaResponse.@return Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.98.1.2 raporBolumListesiDetayliSorgulaResponse.output Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public raporBolumDTO output;
```

1.1.2.1.99 raporBolumListesiSorgula Class**Class Hierarchy**

[QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgula](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumListesiSorgula;
```

File

Reference.cs (see page 721)

raporBolumListesiSorgula Properties


	Name	Description
	donem (see page 167)	

1.1.2.1.99.1 raporBolumListesiSorgula Properties**1.1.2.1.99.1.1 raporBolumListesiSorgula.donem Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

1.1.2.1.100 raporBolumListesiSorgulaCompletedEventArgs Class

Class Hierarchy



C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumListesiSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
  
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	raporBolumListesiSorgulaCompletedEventArgs (see page 168)	This is raporBolumListesiSorgulaCompletedEventArgs, a member of class raporBolumListesiSorgulaCompletedEventArgs.

raporBolumListesiSorgulaCompletedEventArgs Properties

	Name	Description
	@return (see page 168)	
	Result (see page 169)	

1.1.2.1.100.1

raporBolumListesiSorgulaCompletedEventArgs.raporBolumListesiSorgulaCompletedEventArgs Constructor

C#

```

internal raporBolumListesiSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
  
```

Description

This is raporBolumListesiSorgulaCompletedEventArgs, a member of class raporBolumListesiSorgulaCompletedEventArgs.

Body Source

```

1: internal raporBolumListesiSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
  
```

1.1.2.1.100.2 raporBolumListesiSorgulaCompletedEventArgs Properties

1.1.2.1.100.2.1 raporBolumListesiSorgulaCompletedEventArgs.@return Property

C#

```

public earsivServiceResult @return;
  
```

1.1.2.1.100.2.2 raporBolumListesiSorgulaCompletedEventArgs.Result Property

C#

```
public string Result;
```

1.1.2.1.101 raporBolumListesiSorgulaWithInput Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumListesiSorgulaWithInput;
```

File

Reference.cs (see page 721)

raporBolumListesiSorgulaWithInput Properties

	Name	Description
	donem (see page 169)	
	input (see page 169)	

1.1.2.1.101.1 raporBolumListesiSorgulaWithInput Properties

1.1.2.1.101.1.1 raporBolumListesiSorgulaWithInput.donem Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

1.1.2.1.101.1.2 raporBolumListesiSorgulaWithInput.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.102 raporBolumListesiSorgulaWithInputCompletedEventArgs Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumListesiSorgulaWithInputCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	raporBolumListesiSorgulaWithInputCompletedEventArgs (see page 170)	This is raporBolumListesiSorgulaWithInputCompletedEventArgs, a member of class raporBolumListesiSorgulaWithInputCompletedEventArgs.

raporBolumListesiSorgulaWithInputCompletedEventArgs Properties

	Name	Description
	@return (see page 170)	
	Result (see page 170)	

1.1.2.1.102.1**raporBolumListesiSorgulaWithInputCompletedEventArgs.raporBolumListesiSorgulaWithInputCompletedEventArgs****Constructor****C#**

```
internal raporBolumListesiSorgulaWithInputCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is raporBolumListesiSorgulaWithInputCompletedEventArgs, a member of class raporBolumListesiSorgulaWithInputCompletedEventArgs.

Body Source

```
1: internal raporBolumListesiSorgulaWithInputCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.102.2 raporBolumListesiSorgulaWithInputCompletedEventArgs Properties**1.1.2.1.102.2.1 raporBolumListesiSorgulaWithInputCompletedEventArgs.@return Property****C#**

```
public earsivServiceResult @return;
```

1.1.2.1.102.2.2 raporBolumListesiSorgulaWithInputCompletedEventArgs.Result Property**C#**

```
public string Result;
```

1.1.2.1.103 raporBolumRaporNoGuncellelmzala Class**Class Hierarchy**

[QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncellelmzala](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class raporBolumRaporNoGuncelleImzala;
```

File

Reference.cs (see page 721)

raporBolumRaporNoGuncelleImzala Properties

	Name	Description
	bolumRaporNo (see page 171)	

1.1.2.1.103.1 raporBolumRaporNoGuncelleImzala Properties**1.1.2.1.103.1.1 raporBolumRaporNoGuncelleImzala.bolumRaporNo Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bolumRaporNo;
```

1.1.2.1.104 raporBolumRaporNoGuncelleImzalaCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumRaporNoGuncelleImzalaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	raporBolumRaporNoGuncelleImzalaCompletedEventArgs (see page 172)	This is raporBolumRaporNoGuncelleImzalaCompletedEven tArgs, a member of class raporBolumRaporNoGuncelleImzalaCompletedEven tArgs.

raporBolumRaporNoGuncelleImzalaCompletedEventArgs Properties

	Name	Description
	Result (see page 172)	

1.1.2.1.104.1

raporBolumRaporNoGuncellelmzalaCompletedEventArgs.raporBolumRaporNoGuncellelmzalaCompletedEventArgs

Constructor

C#

```
internal raporBolumRaporNoGuncellelmzalaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is raporBolumRaporNoGuncellelmzalaCompletedEventArgs, a member of class raporBolumRaporNoGuncellelmzalaCompletedEventArgs.

Body Source

```
1: internal raporBolumRaporNoGuncellelmzalaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.104.2 raporBolumRaporNoGuncellelmzalaCompletedEventArgs Properties

1.1.2.1.104.2.1 raporBolumRaporNoGuncellelmzalaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.105 raporBolumRaporNoGuncellelmzalaResponse Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncellelmzalaResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumRaporNoGuncellelmzalaResponse;
```

File

Reference.cs (see page 721)

raporBolumRaporNoGuncellelmzalaResponse Properties

	Name	Description
	@return (see page 172)	

1.1.2.1.105.1 raporBolumRaporNoGuncellelmzalaResponse Properties

1.1.2.1.105.1.1 raporBolumRaporNoGuncellelmzalaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.106 raporBolumSil Class

Class Hierarchy

```
graph TD; A[QNBFinansGIB.GIBEArsiv.raporBolumSil] --> B[C#]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumSil;
```

File

Reference.cs (see page 721)

raporBolumSil Properties

	Name	Description
	bolumRaporNo (see page 173)	

1.1.2.1.106.1 raporBolumSil Properties

1.1.2.1.106.1.1 raporBolumSil.bolumRaporNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bolumRaporNo;
```

1.1.2.1.107 raporBolumSilCompletedEventArgs Class

Class Hierarchy

```
graph TD; A[System.ComponentModel.AsyncCompletedEventArgs] --> B[QNBFinansGIB.GIBEArsiv.raporBolumSilCompletedEventArgs]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumSilCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	raporBolumSilCompletedEventArgs (see page 174)	This is raporBolumSilCompletedEventArgs, a member of class raporBolumSilCompletedEventArgs.

raporBolumSilCompletedEventArgs Properties

	Name	Description
	Result (see page 174)	

1.1.2.1.107.1 raporBolumSilCompletedEventArgs.raporBolumSilCompletedEventArgs Constructor

C#

```
internal raporBolumSilCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is raporBolumSilCompletedEventArgs, a member of class raporBolumSilCompletedEventArgs.

Body Source

```
1: internal raporBolumSilCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.2.1.107.2 raporBolumSilCompletedEventArgs Properties

1.1.2.1.107.2.1 raporBolumSilCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.108 raporBolumSilResponse Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.raporBolumSilResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class raporBolumSilResponse;
```

File

Reference.cs (see page 721)

raporBolumSilResponse Properties

	Name	Description
	@return (see page 174)	

1.1.2.1.108.1 raporBolumSilResponse Properties

1.1.2.1.108.1.1 raporBolumSilResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.109 rapordaFaturaSorgula Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgula](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class rapordaFaturaSorgula;
```

File

Reference.cs ([see page 721](#))

rapordaFaturaSorgula Properties

	Name	Description
	input (see page 175)	

1.1.2.1.109.1 rapordaFaturaSorgula Properties

1.1.2.1.109.1.1 rapordaFaturaSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.110 rapordaFaturaSorgulaCompletedEventArgs Class

Class Hierarchy

[System.ComponentModel.AsyncCompletedEventArgs](#) → [QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventArgs](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class rapordaFaturaSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	rapordaFaturaSorgulaCompletedEventArgs (see page 176)	This is rapordaFaturaSorgulaCompletedEventArgs, a member of class rapordaFaturaSorgulaCompletedEventArgs.

rapordaFaturaSorgulaCompletedEventArgs Properties

	Name	Description
	Result (see page 176)	

1.1.2.1.110.1

rapordaFaturaSorgulaCompletedEventArgs.rapordaFaturaSorgulaCompletedEventArgs Constructor

C#

```
internal rapordaFaturaSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is rapordaFaturaSorgulaCompletedEventArgs, a member of class rapordaFaturaSorgulaCompletedEventArgs.

Body Source

```
1: internal rapordaFaturaSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.2.1.110.2 rapordaFaturaSorgulaCompletedEventArgs Properties

1.1.2.1.110.2.1 rapordaFaturaSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.111 rapordaFaturaSorgulaResponse Class

Class Hierarchy

```
[QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaResponse]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class rapordaFaturaSorgulaResponse;
```

File

Reference.cs (see page 721)

rapordaFaturaSorgulaResponse Properties

	Name	Description
	@return (see page 176)	

1.1.2.1.111.1 rapordaFaturaSorgulaResponse Properties

1.1.2.1.111.1.1 rapordaFaturaSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.112 raporDurumSorgula Class

Class Hierarchy

`[QNBFinansGIB.GIBEArsiv.raporDurumSorgula]`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporDurumSorgula;
```

File

Reference.cs (see page 721)

raporDurumSorgula Properties

	Name	Description
	donem (see page 177)	

1.1.2.1.112.1 raporDurumSorgula Properties

1.1.2.1.112.1.1 raporDurumSorgula.donem Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

1.1.2.1.113 raporDurumSorgulaCompletedEventArgs Class

Class Hierarchy

`System.ComponentModel.AsyncCompletedEventArgs` → `[QNBFinansGIB.GIBEArsiv.raporDurumSorgulaCompletedEventArgs]`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporDurumSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	raporDurumSorgulaCompletedEventArgs (see page 178)	This is raporDurumSorgulaCompletedEventArgs, a member of class raporDurumSorgulaCompletedEventArgs.

raporDurumSorgulaCompletedEventArgs Properties

	Name	Description
	Result (see page 178)	

1.1.2.1.113.1

raporDurumSorgulaCompletedEventArgs.raporDurumSorgulaCompletedEventArgs Constructor

C#

```
internal raporDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is raporDurumSorgulaCompletedEventArgs, a member of class raporDurumSorgulaCompletedEventArgs.

Body Source

```
1: internal raporDurumSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.2.1.113.2 raporDurumSorgulaCompletedEventArgs Properties

1.1.2.1.113.2.1 raporDurumSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.114 raporDurumSorgulaResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.raporDurumSorgulaResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporDurumSorgulaResponse;
```

File

Reference.cs ([see page 721](#))

raporDurumSorgulaResponse Properties

	Name	Description
	@return (see page 178)	

1.1.2.1.114.1 raporDurumSorgulaResponse Properties

1.1.2.1.114.1.1 raporDurumSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.115 raporGonder Class

Class Hierarchy

`QNBFinansGIB.GIBEArsiv.raporGonder`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporGonder;
```

File

Reference.cs (see page 721)

raporGonder Properties

	Name	Description
	donem (see page 179)	

1.1.2.1.115.1 raporGonder Properties

1.1.2.1.115.1.1 raporGonder.donem Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

1.1.2.1.116 raporGonderCompletedEventArgs Class

Class Hierarchy

`System.ComponentModel.AsyncCompletedEventArgs` → `QNBFinansGIB.GIBEArsiv.raporGonderCompletedEventArgs`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	raporGonderCompletedEventArgs (see page 180)	This is raporGonderCompletedEventArgs, a member of class raporGonderCompletedEventArgs.

raporGonderCompletedEventArgs Properties

	Name	Description
	Result (see page 180)	

1.1.2.1.116.1 raporGonderCompletedEventArgs.raporGonderCompletedEventArgs Constructor

C#

```
internal raporGonderCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is raporGonderCompletedEventArgs, a member of class raporGonderCompletedEventArgs.

Body Source

```
1: internal raporGonderCompletedEventArgs(object[] results, System.Exception exception,
2:   bool cancelled, object userState) :
3:   base(exception, cancelled, userState) {
4:   this.results = results;
}
```

1.1.2.1.116.2 raporGonderCompletedEventArgs Properties

1.1.2.1.116.2.1 raporGonderCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.117 raporGonderResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.raporGonderResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class raporGonderResponse;
```

File

Reference.cs ([see page 721](#))

raporGonderResponse Properties

	Name	Description
	@return (see page 180)	

1.1.2.1.117.1 raporGonderResponse Properties

1.1.2.1.117.1.1 raporGonderResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.118 serviceReturnType Class

Class Hierarchy

[QNBFinansGIB.GIBEArxiv.serviceReturnType](#)

C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(eFaturaKullanici))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class serviceReturnType;
```

File

Reference.cs ([see page 721](#))

1.1.2.1.119 servisSaglayicidanEpostaDurumSorgula Class

Class Hierarchy

[QNBFinansGIB.GIBEArxiv.servisSaglayicidanEpostaDurumSorgula](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class servisSaglayicidanEpostaDurumSorgula;
```

File

Reference.cs ([see page 721](#))

servisSaglayicidanEpostaDurumSorgula Properties

	Name	Description
	input (see page 181)	

1.1.2.1.119.1 servisSaglayicidanEpostaDurumSorgula Properties

1.1.2.1.119.1.1 servisSaglayicidanEpostaDurumSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.120 servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs Class

Class Hierarchy

[System.ComponentModel.AsyncCompletedEventArgs](#) → [QNBFinansGIB.GIBEArxiv.servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs (see page 182)	This is servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs, a member of class servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.

servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs Properties

	Name	Description
	@return (see page 182)	
	outputEposta (see page 182)	
	Result (see page 183)	

1.1.2.1.120.1**servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs****Constructor****C#**

```
internal servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs, a member of class servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.

Body Source

```
1: internal servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.2.1.120.2 servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs Properties**1.1.2.1.120.2.1 servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.@return Property****C#**

```
public earsivServiceResult @return;
```

1.1.2.1.120.2.2 servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.outputEposta Property**C#**

```
public string outputEposta;
```


1.1.2.1.120.2.3 servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs.Result Property

C#

```
public string Result;
```

1.1.2.1.121 smsDurumSorgula Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class smsDurumSorgula;
```

File

Reference.cs (see page 721)

smsDurumSorgula Properties

	Name	Description
	input (see page 183)	

1.1.2.1.121.1 smsDurumSorgula Properties


1.1.2.1.121.1.1 smsDurumSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.122 smsDurumSorgulaCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class smsDurumSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	smsDurumSorgulaCompletedEventArgs (see page 184)	This is smsDurumSorgulaCompletedEventArgs, a member of class smsDurumSorgulaCompletedEventArgs.

smsDurumSorgulaCompletedEventArgs Properties

	Name	Description
	outputDurum (see page 184)	
	Result (see page 184)	

1.1.2.1.122.1**smsDurumSorgulaCompletedEventArgs.smsDurumSorgulaCompletedEventArgs Constructor****C#**

```
internal smsDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is smsDurumSorgulaCompletedEventArgs, a member of class smsDurumSorgulaCompletedEventArgs.

Body Source

```
1: internal smsDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.2.1.122.2 smsDurumSorgulaCompletedEventArgs Properties**1.1.2.1.122.2.1 smsDurumSorgulaCompletedEventArgs.outputDurum Property****C#**

```
public string outputDurum;
```

1.1.2.1.122.2.2 smsDurumSorgulaCompletedEventArgs.Result Property**C#**

```
public earsivServiceResult Result;
```

1.1.2.1.123 smsDurumSorgulaResponse Class**Class Hierarchy**

```
[QNBFinansGIB.GIBEArsiv.smsDurumSorgulaResponse]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class smsDurumSorgulaResponse;
```

File

Reference.cs (see page 721)

smsDurumSorgulaResponse Properties

	Name	Description
	@return (see page 185)	



outputDurum (see page 185)

1.1.2.1.123.1 smsDurumSorgulaResponse Properties

1.1.2.1.123.1.1 smsDurumSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.123.1.2 smsDurumSorgulaResponse.outputDurum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string outputDurum;
```

1.1.2.1.124 smsGonder Class

Class Hierarchy

QNBFinansGIB.GIBEArsiv.smsGonder

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class smsGonder;
```

File

Reference.cs (see page 721)

smsGonder Properties

	Name	Description
	ilaveTelefonNo (see page 185)	
	input (see page 185)	
	tanimliTelefonNoyaGonder (see page 186)	

1.1.2.1.124.1 smsGonder Properties

1.1.2.1.124.1.1 smsGonder.ilaveTelefonNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ilaveTelefonNo;
```

1.1.2.1.124.1.2 smsGonder.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.124.1.3 smsGonder.tanimliTelefonNoyaGonder Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int tanimliTelefonNoyaGonder;
```

1.1.2.1.125 smsGonderCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class smsGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	smsGonderCompletedEventArgs (see page 186)	This is smsGonderCompletedEventArgs, a member of class smsGonderCompletedEventArgs.

smsGonderCompletedEventArgs Properties

	Name	Description
	Result (see page 186)	

1.1.2.1.125.1 smsGonderCompletedEventArgs.smsGonderCompletedEventArgs Constructor

C#

```
internal smsGonderCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is smsGonderCompletedEventArgs, a member of class smsGonderCompletedEventArgs.

Body Source

```
1: internal smsGonderCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.2.1.125.2 smsGonderCompletedEventArgs Properties

1.1.2.1.125.2.1 smsGonderCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.126 smsGonderResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.smsGonderResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class smsGonderResponse;
```

File

Reference.cs ([see page 721](#))

smsGonderResponse Properties

	Name	Description
	@return (see page 187)	

1.1.2.1.126.1 smsGonderResponse Properties

1.1.2.1.126.1.1 smsGonderResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.127 stringOutputWrapper Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.stringOutputWrapper](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class stringOutputWrapper;
```

File

Reference.cs ([see page 721](#))

stringOutputWrapper Properties

	Name	Description
	@return (see page 188)	
	output (see page 188)	

1.1.2.1.127.1 stringOutputWrapper Properties

1.1.2.1.127.1.1 stringOutputWrapper.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.127.1.2 stringOutputWrapper.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string output;
```

1.1.2.1.128 topluFaturaPaketDosyaGonder Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class topluFaturaPaketDosyaGonder;
```

File

Reference.cs (see page 721)

topluFaturaPaketDosyaGonder Properties

	Name	Description
	input (see page 188)	
	paketDosyasiZip (see page 188)	

1.1.2.1.128.1 topluFaturaPaketDosyaGonder Properties

1.1.2.1.128.1.1 topluFaturaPaketDosyaGonder.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.128.1.2 topluFaturaPaketDosyaGonder.paketDosyasiZip Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge paketDosyasizip;
```

1.1.2.1.129 topluFaturaPaketDosyaGonderCompletedEventArgs Class

Class Hierarchy

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class topluFaturaPaketDosyaGonderCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	topluFaturaPaketDosyaGonderCompletedEventArgs (see page 189)	This is topluFaturaPaketDosyaGonderCompletedEventArgs, a member of class topluFaturaPaketDosyaGonderCompletedEventArgs.

topluFaturaPaketDosyaGonderCompletedEventArgs Properties

	Name	Description
	Result (see page 189)	

1.1.2.1.129.1**topluFaturaPaketDosyaGonderCompletedEventArgs.topluFaturaPaketDosyaGonderCompletedEventArgs**
Constructor**C#**

```
internal topluFaturaPaketDosyaGonderCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is topluFaturaPaketDosyaGonderCompletedEventArgs, a member of class topluFaturaPaketDosyaGonderCompletedEventArgs.

Body Source

```
1: internal topluFaturaPaketDosyaGonderCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.2.1.129.2 topluFaturaPaketDosyaGonderCompletedEventArgs Properties**1.1.2.1.129.2.1 topluFaturaPaketDosyaGonderCompletedEventArgs.Result Property****C#**

```
public earsivServiceResult Result;
```

1.1.2.1.130 topluFaturaPaketDosyaGonderResponse Class**Class Hierarchy**

[QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
```

```
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class topluFaturaPaketDosyaGonderResponse;
```

File

Reference.cs (see page 721)

topluFaturaPaketDosyaGonderResponse Properties

	Name	Description
	@return (see page 190)	

1.1.2.1.130.1 topluFaturaPaketDosyaGonderResponse Properties**1.1.2.1.130.1.1 topluFaturaPaketDosyaGonderResponse.@return Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.131 topluFaturaPaketDosyasiSorgula Class**Class Hierarchy**

QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgula

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class topluFaturaPaketDosyasiSorgula;
```

File

Reference.cs (see page 721)

topluFaturaPaketDosyasiSorgula Properties

	Name	Description
	input (see page 190)	

1.1.2.1.131.1 topluFaturaPaketDosyasiSorgula Properties**1.1.2.1.131.1.1 topluFaturaPaketDosyasiSorgula.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.132 topluFaturaPaketDosyasiSorgulaCompletedEventArgs Class**Class Hierarchy**

System.ComponentModel.AsyncCompletedEventArgs → QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyasiSorgulaCompletedEventArgs

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class topluFaturaPaketDosyasiSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	topluFaturaPaketDosyasiSorgulaCompletedEventArgs (see page 191)	This is topluFaturaPaketDosyasiSorgulaCompletedEventArgs, a member of class topluFaturaPaketDosyasiSorgulaCompletedEventArgs.

topluFaturaPaketDosyasiSorgulaCompletedEventArgs Properties

	Name	Description
	@return (see page 191)	
	Result (see page 191)	

1.1.2.1.132.1**topluFaturaPaketDosyasiSorgulaCompletedEventArgs.topluFaturaPaketDosyasiSorgulaCompletedEventArgs Constructor****C#**

```
internal topluFaturaPaketDosyasiSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is topluFaturaPaketDosyasiSorgulaCompletedEventArgs, a member of class topluFaturaPaketDosyasiSorgulaCompletedEventArgs.

Body Source

```
1: internal topluFaturaPaketDosyasiSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.2.1.132.2 topluFaturaPaketDosyasiSorgulaCompletedEventArgs Properties**1.1.2.1.132.2.1 topluFaturaPaketDosyasiSorgulaCompletedEventArgs.@return Property****C#**

```
public earsivServiceResult @return;
```

1.1.2.1.132.2.2 topluFaturaPaketDosyasiSorgulaCompletedEventArgs.Result Property**C#**

```
public belge Result;
```

1.1.2.1.133 topluFaturaPaketOnayla Class

Class Hierarchy

`[QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnayla]`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class topluFaturaPaketOnayla;
```

File

Reference.cs (see page 721)

topluFaturaPaketOnayla Properties

	Name	Description
	input (see page 192)	

1.1.2.1.133.1 topluFaturaPaketOnayla Properties

1.1.2.1.133.1.1 topluFaturaPaketOnayla.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.134 topluFaturaPaketOnaylaCompletedEventArgs Class

Class Hierarchy

`System.ComponentModel.AsyncCompletedEventArgs` → `[QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaCompletedEventArgs]`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class topluFaturaPaketOnaylaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	toplufaturaPaketOnaylaCompletedEventArgs (see page 193)	This is toplufaturaPaketOnaylaCompletedEventArgs, a member of class toplufaturaPaketOnaylaCompletedEventArgs.

toplufaturaPaketOnaylaCompletedEventArgs Properties

	Name	Description
	Result (see page 193)	

1.1.2.1.134.1

toplufaturaPaketOnaylaCompletedEventArgs

C#

```
internal toplufaturaPaketOnaylaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is toplufaturaPaketOnaylaCompletedEventArgs, a member of class toplufaturaPaketOnaylaCompletedEventArgs.

Body Source

```
1: internal toplufaturaPaketOnaylaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.2.1.134.2 toplufaturaPaketOnaylaCompletedEventArgs Properties

1.1.2.1.134.2.1 toplufaturaPaketOnaylaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.135 toplufaturaPaketOnaylaResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEArsiv.toplufaturaPaketOnaylaResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class toplufaturaPaketOnaylaResponse;
```

File

Reference.cs ([see page 721](#))

toplufaturaPaketOnaylaResponse Properties

	Name	Description
	@return (see page 193)	

1.1.2.1.135.1 toplufaturaPaketOnaylaResponse Properties

1.1.2.1.135.1.1 toplufaturaPaketOnaylaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.136 topluFaturaPaketSorgula Class

Class Hierarchy

```
[QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgula]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class topluFaturaPaketSorgula;
```

File

Reference.cs (see page 721)

topluFaturaPaketSorgula Properties

	Name	Description
	input (see page 194)	

1.1.2.1.136.1 topluFaturaPaketSorgula Properties

1.1.2.1.136.1.1 topluFaturaPaketSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.137 topluFaturaPaketSorgulaCompletedEventArgs Class

Class Hierarchy

```
System.ComponentModel.AsyncCompletedEventArgs --> QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaCompletedEventArgs
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class topluFaturaPaketSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	toplufaturaPaketSorgulaCompletedEventArgs (see page 195)	This is topluFaturaPaketSorgulaCompletedEventArgs, a member of class topluFaturaPaketSorgulaCompletedEventArgs.

toplufaturaPaketSorgulaCompletedEventArgs Properties

	Name	Description
	@return (see page 195)	
	Result (see page 195)	

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.2.1.137.1

toplufaturaPaketSorgulaCompletedEventArgs

toplufaturaPaketSorgulaCompletedEventArgs Constructor

C#

```
internal toplufaturaPaketSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is toplufaturaPaketSorgulaCompletedEventArgs, a member of class toplufaturaPaketSorgulaCompletedEventArgs.

Body Source

```
1: internal toplufaturaPaketSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :  
2:     base(exception, cancelled, userState) {  
3:         this.results = results;  
4:     }
```

1.1.2.1.137.2 toplufaturaPaketSorgulaCompletedEventArgs Properties

1.1.2.1.137.2.1 toplufaturaPaketSorgulaCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.2.1.137.2.2 toplufaturaPaketSorgulaCompletedEventArgs.Result Property

C#

```
public belge Result;
```

1.1.2.1.138 yapılandırmaAyarlariAI Class

Class Hierarchy

[QNBFinansGIB.GIBEArxiv.yapilandirmaAyarlariAI]

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class yapılandırmaAyarlariAI;
```

File

Reference.cs (see page 721)

yapilandirmaAyarlariAI Properties

	Name	Description
	input (see page 196)	

1.1.2.1.138.1 yapılandırmaAyarlariAI Properties


1.1.2.1.138.1.1 **yapilandirmaAyarlariAI.input** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.2.1.139 **yapilandirmaAyarlariAICompletedEventArgs** Class

Class Hierarchy

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class yapilandirmaAyarlariAICompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	yapilandirmaAyarlariAICompletedEventArgs (see page 196)	This is yapilandirmaAyarlariAICompletedEventArgs, a member of class yapilandirmaAyarlariAICompletedEventArgs.

yapilandirmaAyarlariAICompletedEventArgs Properties

	Name	Description
	outputYapilandirma (see page 197)	
	Result (see page 197)	

1.1.2.1.139.1

yapilandirmaAyarlariAICompletedEventArgs.yapilandirmaAyarlariAICompletedEventArgs

Constructor

C#

```
internal yapilandirmaAyarlariAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is yapilandirmaAyarlariAICompletedEventArgs, a member of class yapilandirmaAyarlariAICompletedEventArgs.

Body Source

```
1: internal yapilandirmaAyarlariAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.2.1.139.2 **yapilandirmaAyarlariAICompletedEventArgs** Properties

1.1.2.1.139.2.1 **yapilandirmaAyarlariAICompletedEventArgs.outputYapilandirma** Property

C#

```
public string outputYapilandirma;
```

1.1.2.1.139.2.2 **yapilandirmaAyarlariAICompletedEventArgs.Result** Property

C#

```
public earsivServiceResult Result;
```

1.1.2.1.140 **yapilandirmaAyarlariAIResponse** Class

Class Hierarchy

[QNBFinansGIB.GIBEArxiv.yapilandirmaAyarlariAIResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class yapilandirmaAyarlariAIResponse;
```

File

Reference.cs ([see page 721](#))

yapilandirmaAyarlariAIResponse Properties

	Name	Description
	@return (see page 197)	
	outputYapilandirma (see page 197)	

1.1.2.1.140.1 **yapilandirmaAyarlariAIResponse** Properties

1.1.2.1.140.1.1 **yapilandirmaAyarlariAIResponse.@return** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.2.1.140.1.2 **yapilandirmaAyarlariAIResponse.outputYapilandirma** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string outputYapilandirma;
```

1.1.2.2 Structs, Records, Enums

Summary

The following table lists structs, records, enums in this documentation.

Enumerations

	Name	Description
	belgeFormatiEnum (see page 198)	
	genelBelgeFormatEnum (see page 198)	

1.1.2.2.1 QNBFinansGIB.GIBEArsiv.belgeFormatiEnum Enumeration

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public enum belgeFormatiEnum {
    UBL,
    CSXML,
    HTML,
    PDF,
    CUSTOM,
    PDF_CUSTOM,
    PDF_UBL,
    CSXML1,
    CSXML2,
    CSXML3,
    PDF_CSXML1,
    PDF_CSXML2,
    PDF_CSXML3,
    JSON
}
```

File

Reference.cs (see page 721)

1.1.2.2.2 QNBFinansGIB.GIBEArsiv.genelBelgeFormatEnum Enumeration

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public enum genelBelgeFormatEnum {
    XML,
    CSV
}
```

File

Reference.cs (see page 721)

1.1.2.3 Types

Summary

The following table lists types in this documentation.

Types

Name	Description
aliciEpostaEkleSilGuncelleCompletedEventHandler (↗ see page 200)	
eFaturaKayitliKullaniciListeleCompletedEventHandler (↗ see page 201)	
efaturaKullanicisiCompletedEventHandler (↗ see page 201)	
efaturaKullanicisiKontrolCompletedEventHandler (↗ see page 201)	
ePostaDurumSorgulaCompletedEventHandler (↗ see page 201)	
ePostaGonderCompletedEventHandler (↗ see page 202)	
faturalptaliEtCompletedEventHandler (↗ see page 202)	
faturalptaliKaldırCompletedEventHandler (↗ see page 202)	
faturaltirazEtCompletedEventHandler (↗ see page 202)	
faturaltirazKaldırCompletedEventHandler (↗ see page 203)	
faturaListeSorgulaCompletedEventHandler (↗ see page 203)	
faturaListeSorgulaCountCompletedEventHandler (↗ see page 203)	
faturaListeSorgulaPortalCompletedEventHandler (↗ see page 203)	
faturaNoUretCompletedEventHandler (↗ see page 204)	
faturaOlusturCompletedEventHandler (↗ see page 204)	
faturaOlusturExtCompletedEventHandler (↗ see page 204)	
faturaOnizlemeCompletedEventHandler (↗ see page 204)	
faturaSorgulaCompletedEventHandler (↗ see page 204)	
faturaSorgulaExtCompletedEventHandler (↗ see page 205)	
faturaTaslakOlusturCompletedEventHandler (↗ see page 205)	
faturaTaslakOnizlemeCompletedEventHandler (↗ see page 205)	
faturaTaslakSilCompletedEventHandler (↗ see page 205)	
faturaTaslakSorgulaCompletedEventHandler (↗ see page 206)	
faturaTaslaktanOlusturCompletedEventHandler (↗ see page 206)	
faturaZipiAICompletedEventHandler (↗ see page 206)	

kontorBilgisiGetirCompletedEventHandler (see page 206)	
okcRaporBolumAICompletedEventHandler (see page 207)	
okcRaporKaydetCompletedEventHandler (see page 207)	
okcRaporOlusturGonderCompletedEventHandler (see page 207)	
raporBolumAICompletedEventHandler (see page 207)	
raporBolumBilgisiAICompletedEventHandler (see page 208)	
raporBolumleriOlusturCompletedEventHandler (see page 208)	
raporBolumListesiDetyaliSorgulaCompletedEventHandler (see page 208)	
raporBolumListesiSorgulaCompletedEventHandler (see page 208)	
raporBolumListesiSorgulaWithInputCompletedEventHandler (see page 209)	
raporBolumRaporNoGuncelleImzalaCompletedEventHandler (see page 209)	
raporBolumSilCompletedEventHandler (see page 209)	
rapordaFaturaSorgulaCompletedEventHandler (see page 209)	
raporDurumSorgulaCompletedEventHandler (see page 210)	
raporGonderCompletedEventHandler (see page 210)	
servisSaglayicidanEpostaDurumSorgulaCompletedEventHandler (see page 210)	
smsDurumSorgulaCompletedEventHandler (see page 210)	
smsGonderCompletedEventHandler (see page 211)	
topluFaturaPaketDosyaGonderCompletedEventHandler (see page 211)	
topluFaturaPaketDosyasiSorgulaCompletedEventHandler (see page 211)	
topluFaturaPaketOnaylaCompletedEventHandler (see page 211)	
topluFaturaPaketSorgulaCompletedEventHandler (see page 212)	
yapilandirmaAyarlariAICompletedEventHandler (see page 212)	

1.1.2.3.1

QNBFinansGIB.GIBEArxiv.aliciEpostaEkleSilGuncelleCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void aliciEpostaEkleSilGuncelleCompletedEventHandler(object sender,
aliciEpostaEkleSilGuncelleCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.2**QNBFinansGIB.GIBEArxiv.eFaturaKayitliKullaniciListeleCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void eFaturaKayitliKullaniciListeleCompletedEventHandler(object sender,
eFaturaKayitliKullaniciListeleCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.3**QNBFinansGIB.GIBEArxiv.efaturaKullanicisiCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void efaturaKullanicisiCompletedEventHandler(object sender,
efaturaKullanicisiCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.4**QNBFinansGIB.GIBEArxiv.efaturaKullanicisiKontrolCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void efaturaKullanicisiKontrolCompletedEventHandler(object sender,
efaturaKullanicisiKontrolCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.5**QNBFinansGIB.GIBEArxiv.ePostaDurumSorgulaCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void ePostaDurumSorgulaCompletedEventHandler(object sender,
ePostaDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.6 QNBFinansGIB.GIBEArxiv.ePostaGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void ePostaGonderCompletedEventHandler(object sender,
ePostaGonderCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.7 QNBFinansGIB.GIBEArxiv.faturalptalEtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturalptalEtCompletedEventHandler(object sender,
faturalptalEtCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.8

QNBFinansGIB.GIBEArxiv.faturalptaliKaldırCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturalptaliKaldırCompletedEventHandler(object sender,
faturalptaliKaldırCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.9 QNBFinansGIB.GIBEArxiv.faturaltirazEtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaltirazEtCompletedEventHandler(object sender,
faturaltirazEtCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.10

QNBFinansGIB.GIBEArxiv.faturaltirazKaldırCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaltirazKaldırCompletedEventHandler(object sender,
faturaltirazKaldırCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.11

QNBFinansGIB.GIBEArxiv.faturaListeSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaListeSorgulaCompletedEventHandler(object sender,
faturaListeSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.12

QNBFinansGIB.GIBEArxiv.faturaListeSorgulaCountCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaListeSorgulaCountCompletedEventHandler(object sender,
faturaListeSorgulaCountCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.13

QNBFinansGIB.GIBEArxiv.faturaListeSorgulaPortalCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaListeSorgulaPortalCompletedEventHandler(object sender,
faturaListeSorgulaPortalCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.14 QNBFinansGIB.GIBEArsiv.faturaNoUretCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaNoUretCompletedEventHandler(object sender,
faturaNoUretCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.15 QNBFinansGIB.GIBEArsiv.faturaOlusturCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaOlusturCompletedEventHandler(object sender,
faturaOlusturCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.16

QNBFinansGIB.GIBEArsiv.faturaOlusturExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaOlusturExtCompletedEventHandler(object sender,
faturaOlusturExtCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.17

QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaOnizlemeCompletedEventHandler(object sender,
faturaOnizlemeCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.18 QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaSorgulaCompletedEventHandler(object sender,
faturaSorgulaCompletedEventArgs e);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

File

Reference.cs (see page 721)

1.1.2.3.19**QNBFinansGIB.GIBEArxiv.faturaSorgulaExtCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaSorgulaExtCompletedEventHandler(object sender,
faturaSorgulaExtCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.20**QNBFinansGIB.GIBEArxiv.faturaTaslakOlusturCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaTaslakOlusturCompletedEventHandler(object sender,
faturaTaslakOlusturCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.21**QNBFinansGIB.GIBEArxiv.faturaTaslakOnizlemeCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaTaslakOnizlemeCompletedEventHandler(object sender,
faturaTaslakOnizlemeCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.22**QNBFinansGIB.GIBEArxiv.faturaTaslakSilCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaTaslakSilCompletedEventHandler(object sender,
faturaTaslakSilCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.23

QNBFinansGIB.GIBEArxiv.faturaTaslakSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaTaslakSorgulaCompletedEventHandler(object sender,
faturaTaslakSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.24

QNBFinansGIB.GIBEArxiv.faturaTaslaktanOlusturCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaTaslaktanOlusturCompletedEventHandler(object sender,
faturaTaslaktanOlusturCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.25 QNBFinansGIB.GIBEArxiv.faturaZipiAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaZipiAlCompletedEventHandler(object sender,
faturaZipiAlCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.26

QNBFinansGIB.GIBEArxiv.kontorBilgisiGetirCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void kontorBilgisiGetirCompletedEventHandler(object sender,
kontorBilgisiGetirCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.27

QNBFinansGIB.GIBEArxiv.okcRaporBolumAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void okcRaporBolumAlCompletedEventHandler(object sender,
okcRaporBolumAlCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.28

QNBFinansGIB.GIBEArxiv.okcRaporKaydetCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void okcRaporKaydetCompletedEventHandler(object sender,
okcRaporKaydetCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.29

QNBFinansGIB.GIBEArxiv.okcRaporOlusturGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void okcRaporOlusturGonderCompletedEventHandler(object sender,
okcRaporOlusturGonderCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.30 QNBFinansGIB.GIBEArxiv.raporBolumAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumAlCompletedEventHandler(object sender,
raporBolumAlCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.31

QNBFinansGIB.GIBEArxiv.raporBolumBilgisiAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumBilgisiAlCompletedEventHandler(object sender,
raporBolumBilgisiAlCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.32

QNBFinansGIB.GIBEArxiv.raporBolumleriOlusturCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumleriOlusturCompletedEventHandler(object sender,
raporBolumleriOlusturCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.33

QNBFinansGIB.GIBEArxiv.raporBolumListesiDetayliSorgulaCompletedEvent Handler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumListesiDetayliSorgulaCompletedEventHandler(object sender,
raporBolumListesiDetayliSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.34

QNBFinansGIB.GIBEArxiv.raporBolumListesiSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumListesiSorgulaCompletedEventHandler(object sender,
raporBolumListesiSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.35

QNBFinansGIB.GIBEArxiv.raporBolumListesiSorgulaWithInputCompletedEventHandler

Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumListesiSorgulaWithInputCompletedEventHandler(object sender,
raporBolumListesiSorgulaWithInputCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.36

QNBFinansGIB.GIBEArxiv.raporBolumRaporNoGuncelleImzalaCompletedEventHandler

Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumRaporNoGuncelleImzalaCompletedEventHandler(object sender,
raporBolumRaporNoGuncelleImzalaCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.37 QNBFinansGIB.GIBEArxiv.raporBolumSilCompletedEventHandler

Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumSilCompletedEventHandler(object sender,
raporBolumSilCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.38

QNBFinansGIB.GIBEArxiv.rapordaFaturaSorgulaCompletedEventHandler

Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void rapordaFaturaSorgulaCompletedEventHandler(object sender,
rapordaFaturaSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.39

QNBFinansGIB.GIBEArxiv.raporDurumSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporDurumSorgulaCompletedEventHandler(object sender,
raporDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs ([see page 721](#))

1.1.2.3.40 QNBFinansGIB.GIBEArxiv.raporGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporGonderCompletedEventHandler(object sender,
raporGonderCompletedEventArgs e);
```

File

Reference.cs ([see page 721](#))

1.1.2.3.41

QNBFinansGIB.GIBEArxiv.servisSaglayicidanEpostaDurumSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void servisSaglayicidanEpostaDurumSorgulaCompletedEventHandler(object
sender, servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs ([see page 721](#))

1.1.2.3.42

QNBFinansGIB.GIBEArxiv.smsDurumSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void smsDurumSorgulaCompletedEventHandler(object sender,
smsDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs ([see page 721](#))

1.1.2.3.43 QNBFinansGIB.GIBEArxiv.smsGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void smsGonderCompletedEventHandler(object sender,
smsGonderCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.44

QNBFinansGIB.GIBEArxiv.topluFaturaPaketDosyaGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void topluFaturaPaketDosyaGonderCompletedEventHandler(object sender,
topluFaturaPaketDosyaGonderCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.45

QNBFinansGIB.GIBEArxiv.topluFaturaPaketDosyasiSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void topluFaturaPaketDosyasiSorgulaCompletedEventHandler(object sender,
topluFaturaPaketDosyasiSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.46

QNBFinansGIB.GIBEArxiv.topluFaturaPaketOnaylaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void topluFaturaPaketOnaylaCompletedEventHandler(object sender,
topluFaturaPaketOnaylaCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.47

QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaCompletedEventHandler

Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void topluFaturaPaketSorgulaCompletedEventHandler(object sender,
topluFaturaPaketSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.2.3.48

QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAlCompletedEventHandler

Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void yapilandirmaAyarlariAlCompletedEventHandler(object sender,
yapilandirmaAyarlariAlCompletedEventArgs e);
```

File

Reference.cs (see page 721)



1.1.3 QNBFinansGIB.GIBEFatura Namespace

This is namespace QNBFinansGIB.GIBEFatura.

Classes

	Name	Description
	belge (see page 221)	
	belgeGonderCompletedEventArgs (see page 222)	
	belgeGonderExtCompletedEventArgs (see page 223)	
	belgeGonderExtWithValidateCompletedEventArgs (see page 224)	
	belgeGonderResp (see page 225)	
	belgeGonderWithValidateCompletedEventArgs (see page 226)	
	belgeleriTekrarGonderBelgeOidCompletedEventArgs (see page 227)	
	belgeleriTekrarGonderCompletedEventArgs (see page 228)	
	belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs (see page 229)	
	belgev2 (see page 230)	

	belgev2Entry (see page 232)	
	belgev3 (see page 232)	
	belgev4 (see page 234)	
	belgev5 (see page 235)	
	belgev6 (see page 236)	
	cokluGidenBelgeDurumSorgulaCompletedEventArgs (see page 238)	
	connectorService (see page 239)	
	csXmlOnizlemeCompletedEventArgs (see page 343)	
	csXmlToUblCompletedEventArgs (see page 344)	
	eFaturaKayitliKullaniciHistory (see page 345)	
	eFaturaKayitliKullaniciListeleCompletedEventArgs (see page 346)	
	eFaturaKullanici (see page 347)	
	efaturaKullaniciBilgisiCompletedEventArgs (see page 348)	
	eFaturaKullaniciExtended (see page 349)	
	efaturaKullaniciListesiCompletedEventArgs (see page 351)	
	efaturaKullanicisiCompletedEventArgs (see page 352)	
	elrsaliyeKayitliKullaniciListeleCompletedEventArgs (see page 353)	
	elrsaliyeKullanici (see page 354)	
	elrsaliyeKullanicisiCompletedEventArgs (see page 355)	
	erpBilgileri (see page 356)	
	faturaKepIleladeEdildiCompletedEventArgs (see page 356)	
	faturaKepIleladeEdildilptalCompletedEventArgs (see page 357)	
	faturaNoUretCompletedEventArgs (see page 358)	
	faturaTarihcesiData (see page 359)	
	faturaTarihcesiSorgulaCompletedEventArgs (see page 361)	
	faturayaltirazEdildiCompletedEventArgs (see page 362)	
	faturayaltirazEdildilptalCompletedEventArgs (see page 363)	
	gelenBelgeDurum (see page 364)	
	gelenBelgeDurumSorgulaCompletedEventArgs (see page 366)	
	gelenBelgeDurumSorgulaExtCompletedEventArgs (see page 367)	
	gelenBelgeDurumv2 (see page 368)	
	gelenBelgeDurumv3 (see page 369)	
	gelenBelgeDurumv4 (see page 370)	
	gelenBelgeDurumv5 (see page 371)	
	gelenBelgeEkleriAICompletedEventArgs (see page 372)	
	gelenBelgeleriAICompletedEventArgs (see page 373)	
	gelenBelgeleriAIExt2CompletedEventArgs (see page 374)	
	gelenBelgeleriAIExt2Entry (see page 375)	

	gelenBelgeleriAIExtCompletedEventArgs (see page 375)	
	gelenBelgeleriIndirCompletedEventArgs (see page 376)	
	gelenBelgeleriIndirExtCompletedEventArgs (see page 377)	
	gelenBelgeleriListeleCompletedEventArgs (see page 378)	
	gelenBelgeleriListeleExtCompletedEventArgs (see page 379)	
	gelenBelgeParametreleri (see page 380)	
	gelenBelgeTutarBilgileri (see page 383)	
	gelenBelgeTutarBilgileriSorgulaCompletedEventArgs (see page 386)	
	gelenBelgeXmlleriniAICompletedEventArgs (see page 387)	
	gelenBelgeXmlleriniAIExtCompletedEventArgs (see page 388)	
	gelenStandartRapolariAICompletedEventArgs (see page 389)	
	gelenTamamlananRapolariAICompletedEventArgs (see page 390)	
	gelenTasinanBelgeleriIndirCompletedEventArgs (see page 391)	
	gidenBelgeDurum (see page 392)	
	gidenBelgeDurumParametreleri (see page 394)	
	gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs (see page 395)	
	gidenBelgeDurumSorgulaCompletedEventArgs (see page 396)	
	gidenBelgeDurumSorgulaEttnCompletedEventArgs (see page 397)	
	gidenBelgeDurumSorgulaExtCompletedEventArgs (see page 398)	
	gidenBelgeDurumSorgulaPortalCompletedEventArgs (see page 399)	
	gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs (see page 400)	
	gidenBelgeDurumv2 (see page 401)	
	gidenBelgeDurumv3 (see page 402)	
	gidenBelgeDurumv4 (see page 404)	
	gidenBelgeDurumv5 (see page 405)	
	gidenBelgeDurumv6 (see page 406)	
	gidenBelgeEkleriAICompletedEventArgs (see page 408)	
	gidenBelgelerDurumSorgulaPortalParametreleri (see page 409)	
	gidenBelgeleriIndirCompletedEventArgs (see page 410)	
	gidenBelgeleriIndirEttnCompletedEventArgs (see page 411)	
	gidenBelgeleriIndirPortalCompletedEventArgs (see page 412)	
	gidenBelgeleriIndirPortalParametreleri (see page 413)	
	gidenBelgeleriListeleCompletedEventArgs (see page 415)	

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	gidenBelgeleriListeleData (see page 416)	
	gidenBelgeleriListeleParametreleri (see page 418)	
	gidenBelgeleriListelePortalCompletedEventArgs (see page 419)	
	gidenBelgeleriListelePortalData (see page 420)	
	gidenBelgeleriListelePortalDatav2 (see page 423)	
	gidenBelgeleriListelePortalParametreleri (see page 424)	
	gidenBelgeParametreleri (see page 425)	
	gidenBelgeTutarBilgileri (see page 428)	
	gidenBelgeTutarBilgileriSorgulaCompletedEventArgs (see page 431)	
	gidenTasinanBelgeleriIndirCompletedEventArgs (see page 432)	
	irsaliyeTarihcesiData (see page 432)	
	irsaliyeTarihcesiSorgulaCompletedEventArgs (see page 434)	
	kalanKontorBilgisi (see page 435)	
	kayitliKullaniciListeleExtendedCompletedEventArgs (see page 437)	
	kayitliKullaniciListeleExtendedTimeCompletedEventArgs (see page 438)	
	kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs (see page 439)	
	kontorAzaltResp (see page 440)	
	kontorBilgisiGetirCompletedEventArgs (see page 442)	
	mukellefEFaturaKayit (see page 443)	
	serviceReturnType (see page 443)	
	temelKontrollerlleBelgeGonderCompletedEventArgs (see page 444)	
	toplambelgeSayisiGetirCompletedEventArgs (see page 445)	
	ublOnizlemeCompletedEventArgs (see page 446)	
	urunSablonlariniAICompletedEventArgs (see page 447)	
	wsKullaniciBilgileri (see page 448)	
	wsKullanicisiKaydetCompletedEventArgs (see page 448)	
	yereleAktarilacakBelgeleriAICompletedEventArgs (see page 449)	
	yereleAktarilacakBelgeleriAIExtCompletedEventArgs (see page 450)	

Structs, Records, Enums

	Name	Description
	kontorBirim (see page 451)	
	kontorTipi (see page 452)	

Types

Name	Description
belgeGonderCompletedEventHandler (see page 454)	
belgeGonderExtCompletedEventHandler (see page 455)	

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

belgeGonderExtWithValidateCompletedEventHandler (see page 455)	
belgeGonderWithValidateCompletedEventHandler (see page 455)	
belgelerAlindiCompletedEventHandler (see page 455)	
belgelerAlindiEntegrasyonSiparisNoGuncelleCompletedEventHandler (see page 456)	
belgeleriTekrarGonderBelgeOidCompletedEventHandler (see page 456)	
belgeleriTekrarGonderCompletedEventHandler (see page 456)	
belgeleriTekrarGonderYerelBelgeNoCompletedEventHandler (see page 456)	
checkDateValidControlCompletedEventHandler (see page 457)	
cokluGidenBelgeDurumSorgulaCompletedEventHandler (see page 457)	
csXmlIONizlemeCompletedEventHandler (see page 457)	
csXmlToUblCompletedEventHandler (see page 457)	
eFaturaKayitliKullaniciListeleCompletedEventHandler (see page 458)	
efaturaKullaniciBilgisiCompletedEventHandler (see page 458)	
efaturaKullaniciListesiCompletedEventHandler (see page 458)	
efaturaKullanicisiCompletedEventHandler (see page 458)	
eIrsaliyeKayitliKullaniciListeleCompletedEventHandler (see page 459)	
eIrsaliyeKullanicisiCompletedEventHandler (see page 459)	
erpBilgileriBelirleCompletedEventHandler (see page 459)	
faturaKeplileladeEdildiCompletedEventHandler (see page 459)	
faturaKeplileladeEdildilptalCompletedEventHandler (see page 460)	
faturaMailGonderCompletedEventHandler (see page 460)	
faturaNoUretCompletedEventHandler (see page 460)	
faturaTarihcesiSorgulaCompletedEventHandler (see page 460)	
faturayaltirazEdildiCompletedEventHandler (see page 461)	
faturayaltirazEdildilptalCompletedEventHandler (see page 461)	
gelenBelgeDurumSorgulaCompletedEventHandler (see page 461)	
gelenBelgeDurumSorgulaExtCompletedEventHandler (see page 461)	
gelenBelgeEkleriAICompletedEventHandler (see page 462)	
gelenBelgeleriAICompletedEventHandler (see page 462)	
gelenBelgeleriAIExt2CompletedEventHandler (see page 462)	
gelenBelgeleriAIExtCompletedEventHandler (see page 462)	
gelenBelgeleriIndirCompletedEventHandler (see page 463)	
gelenBelgeleriIndirExtCompletedEventHandler (see page 463)	
gelenBelgeleriListeleCompletedEventHandler (see page 463)	
gelenBelgeleriListeleExtCompletedEventHandler (see page 463)	
gelenBelgeTutarBilgileriSorgulaCompletedEventHandler (see page 464)	
gelenBelgeXmlleriniAICompletedEventHandler (see page 464)	
gelenBelgeXmlleriniAIExtCompletedEventHandler (see page 464)	
gelenFaturalariArsiveKaldirCompletedEventHandler (see page 464)	

gelenIrsaliyeleriArsiveKaldirCompletedEventHandler (§ see page 465)	
gelenStandartRapolariAICompletedEventHandler (§ see page 465)	
gelenTamamlananRapolariAICompletedEventHandler (§ see page 465)	
gelenTasinanBelgeleriIndirCompletedEventHandler (§ see page 466)	
gidenBelgeDurumSorgulaBelgeNoCompletedEventHandler (§ see page 466)	
gidenBelgeDurumSorgulaCompletedEventHandler (§ see page 466)	
gidenBelgeDurumSorgulaEttnCompletedEventHandler (§ see page 466)	
gidenBelgeDurumSorgulaExtCompletedEventHandler (§ see page 467)	
gidenBelgeDurumSorgulaPortalCompletedEventHandler (§ see page 467)	
gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventHandler (§ see page 467)	
gidenBelgeEkleriAICompletedEventHandler (§ see page 467)	
gidenBelgeleriIndirCompletedEventHandler (§ see page 468)	
gidenBelgeleriIndirEttnCompletedEventHandler (§ see page 468)	
gidenBelgeleriIndirPortalCompletedEventHandler (§ see page 468)	
gidenBelgeleriListeleCompletedEventHandler (§ see page 468)	
gidenBelgeleriListelePortalCompletedEventHandler (§ see page 469)	
gidenBelgeTutarBilgileriSorgulaCompletedEventHandler (§ see page 469)	
gidenFaturalariArsiveKaldirCompletedEventHandler (§ see page 469)	
gidenIrsaliyeleriArsiveKaldirCompletedEventHandler (§ see page 470)	
gidenTasinanBelgeleriIndirCompletedEventHandler (§ see page 470)	
irsaliyeMailGonderCompletedEventHandler (§ see page 470)	
irsaliyeTarihcesiSorgulaCompletedEventHandler (§ see page 470)	
kayitliKullaniciListeleExtendedCompletedEventHandler (§ see page 471)	
kayitliKullaniciListeleExtendedTimeCompletedEventHandler (§ see page 471)	
kayitliKullaniciListeleExtendedVknTcknCompletedEventHandler (§ see page 471)	
kontorBilgisiGetirCompletedEventHandler (§ see page 471)	
temelKontrollerIleBelgeGonderCompletedEventHandler (§ see page 472)	
toplamBelgeSayisiGetirCompletedEventHandler (§ see page 472)	
ublOnizlemeCompletedEventHandler (§ see page 472)	
urunSablonlariniAICompletedEventHandler (§ see page 472)	
wsKullanicisiKaydetCompletedEventHandler (§ see page 473)	
yereleAktarilacakBelgeleriAICompletedEventHandler (§ see page 473)	
yereleAktarilacakBelgeleriAIExtCompletedEventHandler (§ see page 473)	
yolcuBeraberFaturalptalEtCompletedEventHandler (§ see page 473)	


1.1.3.1 Classes



Summary

The following table lists classes in this documentation.

Classes

	Name	Description
	belge (see page 221)	
	belgeGonderCompletedEventArgs (see page 222)	
	belgeGonderExtCompletedEventArgs (see page 223)	
	belgeGonderExtWithValidateCompletedEventArgs (see page 224)	
	belgeGonderResp (see page 225)	
	belgeGonderWithValidateCompletedEventArgs (see page 226)	
	belgeleriTekrarGonderBelgeOidCompletedEventArgs (see page 227)	
	belgeleriTekrarGonderCompletedEventArgs (see page 228)	
	belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs (see page 229)	
	belgev2 (see page 230)	
	belgev2Entry (see page 232)	
	belgev3 (see page 232)	
	belgev4 (see page 234)	
	belgev5 (see page 235)	
	belgev6 (see page 236)	
	cokluGidenBelgeDurumSorgulaCompletedEventArgs (see page 238)	
	connectorService (see page 239)	
	csXmlOnizlemeCompletedEventArgs (see page 343)	
	csXmlToUblCompletedEventArgs (see page 344)	
	eFaturaKayitliKullaniciHistory (see page 345)	
	eFaturaKayitliKullaniciListeleCompletedEventArgs (see page 346)	
	eFaturaKullanici (see page 347)	
	efaturaKullaniciBilgisiCompletedEventArgs (see page 348)	
	eFaturaKullaniciExtended (see page 349)	
	efaturaKullaniciListesiCompletedEventArgs (see page 351)	
	efaturaKullanicisiCompletedEventArgs (see page 352)	
	elrsaliyeKayitliKullaniciListeleCompletedEventArgs (see page 353)	
	elrsaliyeKullanici (see page 354)	
	elrsaliyeKullanicisiCompletedEventArgs (see page 355)	
	erpBilgileri (see page 356)	

	faturaKepIleladeEdildiCompletedEventArgs (see page 356)	
	faturaKepIleladeEdildilptalCompletedEventArgs (see page 357)	
	faturaNoUretCompletedEventArgs (see page 358)	
	faturaTarihcesiData (see page 359)	
	faturaTarihcesiSorgulaCompletedEventArgs (see page 361)	
	faturayaltirazEdildiCompletedEventArgs (see page 362)	
	faturayaltirazEdildilptalCompletedEventArgs (see page 363)	
	gelenBelgeDurum (see page 364)	
	gelenBelgeDurumSorgulaCompletedEventArgs (see page 366)	
	gelenBelgeDurumSorgulaExtCompletedEventArgs (see page 367)	
	gelenBelgeDurumv2 (see page 368)	
	gelenBelgeDurumv3 (see page 369)	
	gelenBelgeDurumv4 (see page 370)	
	gelenBelgeDurumv5 (see page 371)	
	gelenBelgeEkleriAICompletedEventArgs (see page 372)	
	gelenBelgeleriAICompletedEventArgs (see page 373)	
	gelenBelgeleriAIExt2CompletedEventArgs (see page 374)	
	gelenBelgeleriAIExt2Entry (see page 375)	
	gelenBelgeleriAIExtCompletedEventArgs (see page 375)	
	gelenBelgeleriIndirCompletedEventArgs (see page 376)	
	gelenBelgeleriIndirExtCompletedEventArgs (see page 377)	
	gelenBelgeleriListeleCompletedEventArgs (see page 378)	
	gelenBelgeleriListeleExtCompletedEventArgs (see page 379)	
	gelenBelgeParametreleri (see page 380)	
	gelenBelgeTutarBilgileri (see page 383)	
	gelenBelgeTutarBilgileriSorgulaCompletedEventArgs (see page 386)	
	gelenBelgeXmlleriniAICompletedEventArgs (see page 387)	
	gelenBelgeXmlleriniAIExtCompletedEventArgs (see page 388)	
	gelenStandartRapolariAICompletedEventArgs (see page 389)	
	gelenTamamlananRapolariAICompletedEventArgs (see page 390)	
	gelenTasinanBelgeleriIndirCompletedEventArgs (see page 391)	
	gidenBelgeDurum (see page 392)	
	gidenBelgeDurumParametreleri (see page 394)	


	gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs (↗ see page 395)	
	gidenBelgeDurumSorgulaCompletedEventArgs (↗ see page 396)	
	gidenBelgeDurumSorgulaEttnCompletedEventArgs (↗ see page 397)	
	gidenBelgeDurumSorgulaExtCompletedEventArgs (↗ see page 398)	
	gidenBelgeDurumSorgulaPortalCompletedEventArgs (↗ see page 399)	
	gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs (↗ see page 400)	
	gidenBelgeDurumv2 (↗ see page 401)	
	gidenBelgeDurumv3 (↗ see page 402)	
	gidenBelgeDurumv4 (↗ see page 404)	
	gidenBelgeDurumv5 (↗ see page 405)	
	gidenBelgeDurumv6 (↗ see page 406)	
	gidenBelgeEkleriAICompletedEventArgs (↗ see page 408)	
	gidenBelgelerDurumSorgulaPortalParametreleri (↗ see page 409)	
	gidenBelgeleriIndirCompletedEventArgs (↗ see page 410)	
	gidenBelgeleriIndirEttnCompletedEventArgs (↗ see page 411)	
	gidenBelgeleriIndirPortalCompletedEventArgs (↗ see page 412)	
	gidenBelgeleriIndirPortalParametreleri (↗ see page 413)	
	gidenBelgeleriListeleCompletedEventArgs (↗ see page 415)	
	gidenBelgeleriListeleData (↗ see page 416)	
	gidenBelgeleriListeleParametreleri (↗ see page 418)	
	gidenBelgeleriListelePortalCompletedEventArgs (↗ see page 419)	
	gidenBelgeleriListelePortalData (↗ see page 420)	
	gidenBelgeleriListelePortalDatav2 (↗ see page 423)	
	gidenBelgeleriListelePortalParametreleri (↗ see page 424)	
	gidenBelgeParametreleri (↗ see page 425)	
	gidenBelgeTutarBilgileri (↗ see page 428)	
	gidenBelgeTutarBilgileriSorgulaCompletedEventArgs (↗ see page 431)	
	gidenTasinanBelgeleriIndirCompletedEventArgs (↗ see page 432)	
	irsaliyeTarihcesiData (↗ see page 432)	
	irsaliyeTarihcesiSorgulaCompletedEventArgs (↗ see page 434)	
	kalanKontorBilgisi (↗ see page 435)	
	kayitliKullaniciListeleExtendedCompletedEventArgs (↗ see page 437)	
	kayitliKullaniciListeleExtendedTimeCompletedEventArgs (↗ see page 438)	
	kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs (↗ see page 439)	
	kontorAzaltResp (↗ see page 440)	

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	kontorBilgisiGetirCompletedEventArgs (see page 442)	
	mukellefEFaturaKayit (see page 443)	
	serviceReturnType (see page 443)	
	temelKontrollerlleBelgeGonderCompletedEventArgs (see page 444)	
	toplambelgeSayisiGetirCompletedEventArgs (see page 445)	
	ublOnizlemeCompletedEventArgs (see page 446)	
	urunSablonlariniAlCompletedEventArgs (see page 447)	
	wsKullaniciBilgileri (see page 448)	
	wsKullanicisiKaydetCompletedEventArgs (see page 448)	
	yereleAktarilacakBelgeleriAlCompletedEventArgs (see page 449)	
	yereleAktarilacakBelgeleriAlExtCompletedEventArgs (see page 450)	

1.1.3.1.1 belge Class

Class Hierarchy



C#

```

[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev2))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class belge : serviceReturnType;
  
```

File

Reference.cs (see page 721)

belge Properties

belge Class

	Name	Description
	belgeNo (see page 222)	
	belgeSiraNo (see page 222)	
	belgeTarihi (see page 222)	
	belgeTuru (see page 222)	
	belgeVerisi (see page 222)	
	ettn (see page 222)	
	gonderenEtiket (see page 222)	
	gonderenVknTckn (see page 222)	

1.1.3.1.1.1 belge Properties

1.1.3.1.1.1 belge.belgeNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeNo;
```

1.1.3.1.1.2 belge.belgeSiraNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeSiraNo;
```

1.1.3.1.1.3 belge.belgeTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTarihi;
```

1.1.3.1.1.4 belge.belgeTuru Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTuru;
```

1.1.3.1.1.5 belge.belgeVerisi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeVerisi;
```

1.1.3.1.1.6 belge.ettn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ettn;
```

1.1.3.1.1.7 belge.gonderenEtiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gonderenEtiket;
```

1.1.3.1.1.8 belge.gonderenVknTckn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gonderenVknTckn;
```

1.1.3.1.2 belgeGonderCompletedEventArgs Class

Class Hierarchy



Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class belgeGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	belgeGonderCompletedEventArgs (see page 223)	This is belgeGonderCompletedEventArgs, a member of class belgeGonderCompletedEventArgs.

belgeGonderCompletedEventArgs Properties

	Name	Description
	Result (see page 223)	

1.1.3.1.2.1 belgeGonderCompletedEventArgs.belgeGonderCompletedEventArgs Constructor**C#**

```
internal belgeGonderCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState);
```

Description


This is belgeGonderCompletedEventArgs, a member of class belgeGonderCompletedEventArgs.

Body Source

```
1: internal belgeGonderCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.3.1.2.2 belgeGonderCompletedEventArgs Properties**1.1.3.1.2.2.1 belgeGonderCompletedEventArgs.Result Property****C#**

```
public string Result;
```

1.1.3.1.3 belgeGonderExtCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class belgeGonderExtCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
!	belgeGonderExtCompletedEventArgs	This is belgeGonderExtCompletedEventArgs, a member of class belgeGonderExtCompletedEventArgs. (see page 224)

belgeGonderExtCompletedEventArgs Properties

	Name	Description
!	Result (see page 224)	

1.1.3.1.3.1 belgeGonderExtCompletedEventArgs.belgeGonderExtCompletedEventArgs Constructor

C#

```
internal belgeGonderExtCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is belgeGonderExtCompletedEventArgs, a member of class belgeGonderExtCompletedEventArgs.

Body Source

```
1: internal belgeGonderExtCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.3.1.3.2 belgeGonderExtCompletedEventArgs Properties


1.1.3.1.3.2.1 belgeGonderExtCompletedEventArgs.Result Property

C#

```
public string Result;
```

1.1.3.1.4 belgeGonderExtWithValidateCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class belgeGonderExtWithValidateCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
!	belgeGonderExtWithValidateCompletedEventArgs	This is belgeGonderExtWithValidateCompletedEventArgs, a member of class belgeGonderExtWithValidateCompletedEventArgs. (see page 225)

belgeGonderExtWithValidateCompletedEventArgs Properties

	Name	Description
	Result (see page 225)	

1.1.3.1.4.1 belgeGonderExtWithValidateCompletedEventArgs.belgeGonderExtWithValidateCompletedEventArgs Constructor

C#

```
internal belgeGonderExtWithValidateCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is belgeGonderExtWithValidateCompletedEventArgs, a member of class belgeGonderExtWithValidateCompletedEventArgs.

Body Source

```
1: internal belgeGonderExtWithValidateCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.4.2 belgeGonderExtWithValidateCompletedEventArgs Properties

1.1.3.1.4.2.1 belgeGonderExtWithValidateCompletedEventArgs.Result Property

C#

```
public belgeGonderResp Result;
```

1.1.3.1.5 belgeGonderResp Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class belgeGonderResp : serviceReturnType;
```

File

Reference.cs (see page 721)

belgeGonderResp Properties

belgeGonderResp Class

	Name	Description
	belgeOid (see page 226)	
	errorMessage (see page 226)	
	responseStatus (see page 226)	

1.1.3.1.5.1 belgeGonderResp Properties

1.1.3.1.5.1.1 belgeGonderResp.belgeOid Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeOid;
```

1.1.3.1.5.1.2 belgeGonderResp.errorMessage Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string errorMessage;
```


1.1.3.1.5.1.3 belgeGonderResp.responseStatus Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string responseStatus;
```

1.1.3.1.6 belgeGonderWithValidateCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class belgeGonderWithValidateCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	belgeGonderWithValidateCompletedEventArgs (see page 226)	This is belgeGonderWithValidateCompletedEventArgs, a member of class belgeGonderWithValidateCompletedEventArgs.

belgeGonderWithValidateCompletedEventArgs Properties

	Name	Description
	Result (see page 227)	

1.1.3.1.6.1

belgeGonderWithValidateCompletedEventArgs.belgeGonderWithValidateCompletedEventArgs Constructor

C#

```
internal belgeGonderWithValidateCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is belgeGonderWithValidateCompletedEventArgs, a member of class belgeGonderWithValidateCompletedEventArgs.


Body Source

```

1: internal belgeGonderWithValidateCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.6.2 belgeGonderWithValidateCompletedEventArgs Properties**1.1.3.1.6.2.1 belgeGonderWithValidateCompletedEventArgs.Result Property****C#**

```
public belgeGonderResp Result;
```

1.1.3.1.7 belgeleriTekrarGonderBelgeOidCompletedEventArgs Class**Class Hierarchy****C#**

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class belgeleriTekrarGonderBelgeOidCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	belgeleriTekrarGonderBelgeOidCompletedEventArgs (see page 227)	This is belgeleriTekrarGonderBelgeOidCompletedEventArgs, a member of class belgeleriTekrarGonderBelgeOidCompletedEventArgs.

belgeleriTekrarGonderBelgeOidCompletedEventArgs Properties

	Name	Description
	Result (see page 228)	

1.1.3.1.7.1**belgeleriTekrarGonderBelgeOidCompletedEventArgs.beglериTekrarGonderBelgeOidCompletedEventArgs Constructor****C#**

```
internal belgeleriTekrarGonderBelgeOidCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is belgeleriTekrarGonderBelgeOidCompletedEventArgs, a member of class belgeleriTekrarGonderBelgeOidCompletedEventArgs.

Body Source


```

1: internal belgeleriTekrarGonderBelgeOidCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }

```

1.1.3.1.7.2 belgeleriTekrarGonderBelgeOidCompletedEventArgs Properties**1.1.3.1.7.2.1 belgeleriTekrarGonderBelgeOidCompletedEventArgs.Result Property****C#**

```
public bool Result;
```

1.1.3.1.8 belgeleriTekrarGonderCompletedEventArgs Class**Class Hierarchy****C#**

```

[System.CodeDom.Compiler.GeneratedCode("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
public class belgeleriTekrarGonderCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;

```

File

Reference.cs (↗ see page 721)

Methods

	Name	Description
👉	belgeleriTekrarGonderCompletedEventArgs (↗ see page 228)	This is belgeleriTekrarGonderCompletedEventArgs, a member of class belgeleriTekrarGonderCompletedEventArgs.

belgeleriTekrarGonderCompletedEventArgs Properties

	Name	Description
📝	Result (↗ see page 229)	

1.1.3.1.8.1**belgeleriTekrarGonderCompletedEventArgs.balgeleriTekrarGonderCompletedEventArgs Constructor****C#**

```
internal belgeleriTekrarGonderCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is belgeleriTekrarGonderCompletedEventArgs, a member of class belgeleriTekrarGonderCompletedEventArgs.

Body Source

```

1: internal belgeleriTekrarGonderCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }

```

1.1.3.1.8.2 belgeleriTekrarGonderCompletedEventArgs Properties


1.1.3.1.8.2.1 belgeleriTekrarGonderCompletedEventArgs.Result Property

C#

```
public bool Result;
```

1.1.3.1.9 belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs (see page 229)	This is belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs, a member of class belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs.

belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs Properties

	Name	Description
	Result (see page 230)	

1.1.3.1.9.1

belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs.balgeleriTekrarGonderYerelBelgeNoCompletedEventArgs Constructor

C#

```
internal belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs, a member of class belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs.

Body Source

```
1: internal belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.9.2 belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs Properties


1.1.3.1.9.2.1 belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs.Result Property

C#

```
public bool Result;
```

1.1.3.1.10 belgev2 Class

Class Hierarchy



C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class belgev2 : belge;
```

File

Reference.cs (see page 721)

belge Properties

belge Class

	Name	Description
	belgeNo (see page 222)	
	belgeSiraNo (see page 222)	
	belgeTarihi (see page 222)	
	belgeTuru (see page 222)	
	belgeVerisi (see page 222)	
	ettn (see page 222)	
	gonderenEtiket (see page 222)	
	gonderenVknTckn (see page 222)	

belgev2 Class

	Name	Description
	alanEtiket (see page 231)	
	aliciUnvan (see page 231)	
	belgeVersiyon (see page 231)	
	belgeXmlZipped (see page 231)	
	ekBilgiler (see page 231)	
	saticiUnvan (see page 231)	
	subeKodu (see page 231)	
	zarflId (see page 231)	
	zarfVerisi (see page 232)	
	zarfXml (see page 232)	

1.1.3.1.10.1 belgev2 Properties

1.1.3.1.10.1.1 belgev2.alanEtiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string alanEtiket;
```

1.1.3.1.10.1.2 belgev2.aliciUnvan Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string aliciUnvan;
```

1.1.3.1.10.1.3 belgev2.belgeVersiyon Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeVersiyon;
```

1.1.3.1.10.1.4 belgev2.belgeXmlZipped Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
    DataType="base64Binary")]
public byte belgeXmlZipped;
```

1.1.3.1.10.1.5 belgev2.ekBilgiler Property

C#

```
[System.Xml.Serialization.XmlArrayAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
[System.Xml.Serialization.XmlArrayItemAttribute("entry",
    Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=false)]
public belgev2Entry ekBilgiler;
```

1.1.3.1.10.1.6 belgev2.saticiUnvan Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string saticiUnvan;
```

1.1.3.1.10.1.7 belgev2.subeKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string subeKodu;
```

1.1.3.1.10.1.8 belgev2.zarfId Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string zarfId;
```

1.1.3.1.10.1.9 belgev2.zarfVerisi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
    DataType="base64Binary")]
public byte ZarfVerisi;
```

1.1.3.1.10.1.10 belgev2.zarfXml Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ZarfXml;
```

1.1.3.1.11 belgev2Entry Class

Class Hierarchy

[QNBFinansGIB.GIBEFatura.belgev2Entry](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(AnonymousType=true,
Namespace="http://service.connector.uut.cs.com.tr/")]
public class belgev2Entry;
```

File

Reference.cs ([see page 721](#))

belgev2Entry Properties

	Name	Description
	key (see page 232)	
	value (see page 232)	

1.1.3.1.11.1 belgev2Entry Properties

1.1.3.1.11.1.1 belgev2Entry.key Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string key;
```

1.1.3.1.11.1.2 belgev2Entry.value Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string value;
```

1.1.3.1.12 belgev3 Class

Class Hierarchy

[QNBFinansGIB.GIBEFatura.serviceReturnType](#) → [QNBFinansGIB.GIBEFatura.belge](#) → [QNBFinansGIB.GIBEFatura.belgev2](#) → [QNBFinansGIB.GIBEFatura.belgev3](#)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class belgev3 : belgev2;
```

File

Reference.cs ([see page 721](#))

belge Properties**belge Class**

	Name	Description
	belgeNo (see page 222)	
	belgeSiraNo (see page 222)	
	belgeTarihi (see page 222)	
	belgeTuru (see page 222)	
	belgeVerisi (see page 222)	
	ettn (see page 222)	
	gonderenEtiket (see page 222)	
	gonderenVknTckn (see page 222)	

belgev2 Class

	Name	Description
	alanEtiket (see page 231)	
	aliciUnvan (see page 231)	
	belgeVersiyon (see page 231)	
	belgeXmlZipped (see page 231)	
	ekBilgiler (see page 231)	
	saticiUnvan (see page 231)	
	subeKodu (see page 231)	
	zarflId (see page 231)	
	zarfVerisi (see page 232)	
	zarfXml (see page 232)	

belgev3 Class

	Name	Description
	odenecekTutar (see page 234)	
	odenecekTutarDovizCinsi (see page 234)	

1.1.3.1.12.1 belgev3 Properties

1.1.3.1.12.1.1 belgev3.odenecekTutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string odenecekTutar;
```


1.1.3.1.12.1.2 belgev3.odenecekTutarDovizCinsi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string odenecekTutarDovizCinsi;
```

1.1.3.1.13 belgev4 Class

Class Hierarchy

**C#**

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class belgev4 : belgev3;
```

File

Reference.cs (see page 721)

belge Properties

belge Class

	Name	Description
	belgeNo (see page 222)	
	belgeSiraNo (see page 222)	
	belgeTarihi (see page 222)	
	belgeTuru (see page 222)	
	belgeVerisi (see page 222)	
	ettn (see page 222)	
	gonderenEtiket (see page 222)	
	gonderenVknTckn (see page 222)	

belgev2 Class

	Name	Description
	alanEtiket (see page 231)	
	aliciUnvan (see page 231)	
	belgeVersiyon (see page 231)	
	belgeXmlZipped (see page 231)	
	ekBilgiler (see page 231)	
	saticiUnvan (see page 231)	
	subeKodu (see page 231)	

	zarfId (see page 231)	
	zarfVerisi (see page 232)	
	zarfXml (see page 232)	

belgev3 Class

	Name	Description
	odenecekTutar (see page 234)	
	odenecekTutarDovizCinsi (see page 234)	

belgev4 Class


	Name	Description
	arsivlenmis (see page 235)	
	belgeHash (see page 235)	

1.1.3.1.13.1 belgev4 Properties**1.1.3.1.13.1.1 belgev4.arsivlenmis Property**

```
C#
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string arsivlenmis;
```

1.1.3.1.13.1.2 belgev4.belgeHash Property

```
C#
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeHash;
```

1.1.3.1.14 belgev5 Class**Class Hierarchy****C#**

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class belgev5 : belgev4;
```

File

Reference.cs ([see page 721](#))

belge Properties**belge Class**

	Name	Description
	belgeNo (see page 222)	
	belgeSiraNo (see page 222)	
	belgeTarihi (see page 222)	

	belgeTuru (see page 222)	
	belgeVerisi (see page 222)	
	ettn (see page 222)	
	gonderenEtiket (see page 222)	
	gonderenVknTckn (see page 222)	

belgev2 Class

	Name	Description
	alanEtiket (see page 231)	
	aliciUnvan (see page 231)	
	belgeVersiyon (see page 231)	
	belgeXmlZipped (see page 231)	
	ekBilgiler (see page 231)	
	saticiUnvan (see page 231)	
	subeKodu (see page 231)	
	zarflId (see page 231)	
	zarfVerisi (see page 232)	
	zarfXml (see page 232)	

belgev3 Class

	Name	Description
	odenecekTutar (see page 234)	
	odenecekTutarDovizCinsi (see page 234)	

belgev4 Class


	Name	Description
	arsivlenmis (see page 235)	
	belgeHash (see page 235)	

belgev5 Class

	Name	Description
	faturaGelisTarihi (see page 236)	

1.1.3.1.14.1 belgev5 Properties**1.1.3.1.14.1.1 belgev5.faturaGelisTarihi Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaGelisTarihi;
```

1.1.3.1.15 belgev6 Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
```

```
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class belgev6 : belgev5;
```

File

Reference.cs ([see page 721](#))

belge Properties**belge Class**

	Name	Description
	belgeNo (see page 222)	
	belgeSiraNo (see page 222)	
	belgeTarihi (see page 222)	
	belgeTuru (see page 222)	
	belgeVerisi (see page 222)	
	ettn (see page 222)	
	gonderenEtiket (see page 222)	
	gonderenVknTckn (see page 222)	

belgev2 Class

	Name	Description
	alanEtiket (see page 231)	
	aliciUnvan (see page 231)	
	belgeVersiyon (see page 231)	
	belgeXmlZipped (see page 231)	
	ekBilgiler (see page 231)	
	saticiUnvan (see page 231)	
	subeKodu (see page 231)	
	zarfId (see page 231)	
	zarfVerisi (see page 232)	
	zarfXml (see page 232)	

belgev3 Class

	Name	Description
	odenecekTutar (see page 234)	
	odenecekTutarDovizCinsi (see page 234)	

belgev4 Class

	Name	Description
	arsivlenmis (see page 235)	
	belgeHash (see page 235)	

belgev5 Class


	Name	Description
	faturaGelisTarihi (see page 236)	

belgev6 Class

	Name	Description
	profileId (see page 238)	

1.1.3.1.15.1 belgev6 Properties**1.1.3.1.15.1.1 belgev6.profileId Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string profileId;
```

1.1.3.1.16 cokluGidenBelgeDurumSorgulaCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class cokluGidenBelgeDurumSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	cokluGidenBelgeDurumSorgulaCompletedEventArgs (see page 238)	This is cokluGidenBelgeDurumSorgulaCompletedEventArgs, a member of class cokluGidenBelgeDurumSorgulaCompletedEventArgs.

cokluGidenBelgeDurumSorgulaCompletedEventArgs Properties

	Name	Description
	Result (see page 239)	

1.1.3.1.16.1**cokluGidenBelgeDurumSorgulaCompletedEventArgs.cokluGidenBelgeDurumSorgulaCompletedEventArgs****Constructor****C#**

```
internal cokluGidenBelgeDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is cokluGidenBelgeDurumSorgulaCompletedEventArgs, a member of class cokluGidenBelgeDurumSorgulaCompletedEventArgs.

Body Source

```
1: internal cokluGidenBelgeDurumSorgulaCompletedEventArgs(object[] results,
```

```

System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }

```

1.1.3.1.16.2 cokluGidenBelgeDurumSorgulaCompletedEventArgs Properties

1.1.3.1.16.2.1 cokluGidenBelgeDurumSorgulaCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.17 connectorService Class

Class Hierarchy



C#

```

[System.CodeDom.Compiler.GeneratedCode("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Web.Services.WebServiceBindingAttribute(Name="ConnectorServicePortBinding",
Namespace="http://service.csap.cs.com/")]
public class connectorService : System.Web.Services.Protocols.SoapHttpClientProtocol;

```

File

Reference.cs (see page 721)

Methods

	Name	Description
☞	connectorService (see page 245)	

connectorService Events

	Name	Description
⚡	belgeGonderCompleted (see page 336)	
⚡	belgeGonderExtCompleted (see page 336)	
⚡	belgeGonderExtWithValidateCompleted (see page 337)	
⚡	belgeGonderWithValidateCompleted (see page 337)	
⚡	belgelerAlindiCompleted (see page 337)	
⚡	belgelerAlindiIntegrasyonSiparisNoGuncelleCompleted (see page 337)	
⚡	belgeleriTekrarGonderBelgeOidCompleted (see page 337)	
⚡	belgeleriTekrarGonderCompleted (see page 337)	
⚡	belgeleriTekrarGonderYerelBelgeNoCompleted (see page 337)	
⚡	checkDateValidControlCompleted (see page 337)	
⚡	cokluGidenBelgeDurumSorgulaCompleted (see page 337)	
⚡	csXmlOnizlemeCompleted (see page 337)	

	csXmlToUblCompleted (see page 337)	
	eFaturaKayitliKullaniciListeleCompleted (see page 338)	
	efaturaKullaniciBilgisiCompleted (see page 338)	
	efaturaKullaniciListesiCompleted (see page 338)	
	efaturaKullanicisiCompleted (see page 338)	
	elrsaliyeKayitliKullaniciListeleCompleted (see page 338)	
	elrsaliyeKullanicisiCompleted (see page 338)	
	erpBilgileriBelirleCompleted (see page 338)	
	faturaKeplileladeEdildiCompleted (see page 338)	
	faturaKeplileladeEdildilptalCompleted (see page 338)	
	faturaMailGonderCompleted (see page 338)	
	faturaNoUretCompleted (see page 338)	
	faturaTarihcesiSorgulaCompleted (see page 339)	
	faturayaltirazEdildiCompleted (see page 339)	
	faturayaltirazEdildilptalCompleted (see page 339)	
	gelenBelgeDurumSorgulaCompleted (see page 339)	
	gelenBelgeDurumSorgulaExtCompleted (see page 339)	
	gelenBelgeEkleriAICompleted (see page 339)	
	gelenBelgeleriAICompleted (see page 339)	
	gelenBelgeleriAIExt2Completed (see page 339)	
	gelenBelgeleriAIExtCompleted (see page 339)	
	gelenBelgeleriIndirCompleted (see page 339)	
	gelenBelgeleriIndirExtCompleted (see page 339)	
	gelenBelgeleriListeleCompleted (see page 340)	
	gelenBelgeleriListeleExtCompleted (see page 340)	
	gelenBelgeTutarBilgileriSorgulaCompleted (see page 340)	
	gelenBelgeXmlleriniAICompleted (see page 340)	
	gelenBelgeXmlleriniAIExtCompleted (see page 340)	
	gelenFaturalariArsiveKaldırCompleted (see page 340)	
	gelenIrsaliyeleriArsiveKaldırCompleted (see page 340)	
	gelenStandartRapolariAICompleted (see page 340)	
	gelenTamamlananRapolariAICompleted (see page 340)	
	gelenTasinanBelgeleriIndirCompleted (see page 340)	
	gidenBelgeDurumSorgulaBelgeNoCompleted (see page 340)	
	gidenBelgeDurumSorgulaCompleted (see page 341)	
	gidenBelgeDurumSorgulaEttnCompleted (see page 341)	
	gidenBelgeDurumSorgulaExtCompleted (see page 341)	
	gidenBelgeDurumSorgulaPortalCompleted (see page 341)	
	gidenBelgeDurumSorgulaYerelBelgeNoCompleted (see page 341)	

	gidenBelgeEkleriAICompleted (🔗 see page 341)	
	gidenBelgeleriIndirCompleted (🔗 see page 341)	
	gidenBelgeleriIndirEttnCompleted (🔗 see page 341)	
	gidenBelgeleriIndirPortalCompleted (🔗 see page 341)	
	gidenBelgeleriListeleCompleted (🔗 see page 341)	
	gidenBelgeleriListelePortalCompleted (🔗 see page 341)	
	gidenBelgeTutarBilgileriSorgulaCompleted (🔗 see page 342)	
	gidenFaturalariArsiveKaldırCompleted (🔗 see page 342)	
	gidenIrsaliyeleriArsiveKaldırCompleted (🔗 see page 342)	
	gidenTasinanBelgeleriIndirCompleted (🔗 see page 342)	
	irsaliyeMailGonderCompleted (🔗 see page 342)	
	irsaliyeTarihcesiSorgulaCompleted (🔗 see page 342)	
	kayitliKullaniciListeleExtendedCompleted (🔗 see page 342)	
	kayitliKullaniciListeleExtendedTimeCompleted (🔗 see page 342)	
	kayitliKullaniciListeleExtendedVknTcknCompleted (🔗 see page 342)	
	kontorBilgisiGetirCompleted (🔗 see page 342)	
	temelKontrollerlleBelgeGonderCompleted (🔗 see page 343)	
	toplamBelgeSayisiGetirCompleted (🔗 see page 343)	
	ublOnizlemeCompleted (🔗 see page 343)	
	urunSablonlariniAICompleted (🔗 see page 343)	
	wsKullanicisiKaydetCompleted (🔗 see page 343)	
	yereleAktarilacakBelgeleriAICompleted (🔗 see page 343)	
	yereleAktarilacakBelgeleriAIExtCompleted (🔗 see page 343)	
	yolcuBeraberFaturalptalEtCompleted (🔗 see page 343)	

connectorService Methods

	Name	Description
	belgeGonder (🔗 see page 246)	
	belgeGonderAsync (🔗 see page 247)	
	belgeGonderExt (🔗 see page 247)	
	belgeGonderExtAsync (🔗 see page 248)	
	belgeGonderExtWithValidate (🔗 see page 248)	
	belgeGonderExtWithValidateAsync (🔗 see page 249)	
	belgeGonderWithValidate (🔗 see page 249)	
	belgeGonderWithValidateAsync (🔗 see page 250)	
	belgelerAlindi (🔗 see page 251)	

	belgelerAlindiAsync (see page 252)	
	belgelerAlindiEntegrasyonSiparisNoGuncelle (see page 252)	
	belgelerAlindiEntegrasyonSiparisNoGuncelleAsync (see page 253)	
	belgeleriTekrarGonder (see page 253)	
	belgeleriTekrarGonderAsync (see page 254)	
	belgeleriTekrarGonderBelgeOid (see page 255)	
	belgeleriTekrarGonderBelgeOidAsync (see page 256)	
	belgeleriTekrarGonderYerelBelgeNo (see page 256)	
	belgeleriTekrarGonderYerelBelgeNoAsync (see page 257)	
	CancelAsync (see page 258)	
	checkDateValidControl (see page 258)	
	checkDateValidControlAsync (see page 259)	
	cokluGidenBelgeDurumSorgula (see page 259)	
	cokluGidenBelgeDurumSorgulaAsync (see page 260)	
	csXmlOnizleme (see page 260)	
	csXmlOnizlemeAsync (see page 261)	
	csXmlToUbl (see page 262)	
	csXmlToUblAsync (see page 263)	
	eFaturaKayitliKullaniciListele (see page 263)	
	eFaturaKayitliKullaniciListeleAsync (see page 264)	
	efaturaKullaniciBilgisi (see page 264)	
	efaturaKullaniciBilgisiAsync (see page 265)	
	efaturaKullaniciListesi (see page 265)	
	efaturaKullaniciListesiAsync (see page 266)	
	efaturaKullanicisi (see page 266)	
	efaturaKullanicisiAsync (see page 267)	
	elrsaliyeKayitliKullaniciListele (see page 267)	
	elrsaliyeKayitliKullaniciListeleAsync (see page 267)	
	elrsaliyeKullanicisi (see page 268)	
	elrsaliyeKullanicisiAsync (see page 268)	
	erpBilgileriBelirle (see page 269)	
	erpBilgileriBelirleAsync (see page 269)	
	faturaKeplleladeEdildi (see page 270)	
	faturaKeplleladeEdildiAsync (see page 270)	
	faturaKeplleladeEdildilptal (see page 271)	
	faturaKeplleladeEdildilptalAsync (see page 272)	
	faturaMailGonder (see page 272)	
	faturaMailGonderAsync (see page 273)	
	faturaNoUret (see page 274)	
	faturaNoUretAsync (see page 274)	

≡	faturaTarihcesiSorgula (↗ see page 275)
≡	faturaTarihcesiSorgulaAsync (↗ see page 275)
≡	faturayaltirazEdildi (↗ see page 276)
≡	faturayaltirazEdildiAsync (↗ see page 276)
≡	faturayaltirazEdildilptal (↗ see page 277)
≡	faturayaltirazEdildilptalAsync (↗ see page 278)
≡	gelenBelgeDurumSorgula (↗ see page 278)
≡	gelenBelgeDurumSorgulaAsync (↗ see page 279)
≡	gelenBelgeDurumSorgulaExt (↗ see page 279)
≡	gelenBelgeDurumSorgulaExtAsync (↗ see page 280)
≡	gelenBelgeEkleriAI (↗ see page 280)
≡	gelenBelgeEkleriAIAsync (↗ see page 281)
≡	gelenBelgeleriAI (↗ see page 282)
≡	gelenBelgeleriAIAsync (↗ see page 282)
≡	gelenBelgeleriAIExt (↗ see page 283)
≡	gelenBelgeleriAIExt2 (↗ see page 283)
≡	gelenBelgeleriAIExt2Async (↗ see page 284)
≡	gelenBelgeleriAIExtAsync (↗ see page 285)
≡	gelenBelgeleriIndir (↗ see page 285)
≡	gelenBelgeleriIndirAsync (↗ see page 286)
≡	gelenBelgeleriIndirExt (↗ see page 286)
≡	gelenBelgeleriIndirExtAsync (↗ see page 287)
≡	gelenBelgeleriListele (↗ see page 287)
≡	gelenBelgeleriListeleAsync (↗ see page 288)
≡	gelenBelgeleriListeleExt (↗ see page 289)
≡	gelenBelgeleriListeleExtAsync (↗ see page 289)
≡	gelenBelgeTutarBilgileriSorgula (↗ see page 290)
≡	gelenBelgeTutarBilgileriSorgulaAsync (↗ see page 290)
≡	gelenBelgeXmlleriniAI (↗ see page 291)
≡	gelenBelgeXmlleriniAIAsync (↗ see page 292)
≡	gelenBelgeXmlleriniAIExt (↗ see page 292)
≡	gelenBelgeXmlleriniAIExtAsync (↗ see page 293)
≡	gelenFaturalariArsiveKaldır (↗ see page 293)
≡	gelenFaturalariArsiveKaldırAsync (↗ see page 294)
≡	gelenIrsaliyeleriArsiveKaldır (↗ see page 294)
≡	gelenIrsaliyeleriArsiveKaldırAsync (↗ see page 295)
≡	gelenStandartRapolariAI (↗ see page 295)
≡	gelenStandartRapolariAIAsync (↗ see page 296)
≡	gelenTamamlananRapolariAI (↗ see page 297)
≡	gelenTamamlananRapolariAIAsync (↗ see page 298)
≡	gelenTasinanBelgeleriIndir (↗ see page 298)
≡	gelenTasinanBelgeleriIndirAsync (↗ see page 299)
≡	gidenBelgeDurumSorgula (↗ see page 299)
≡	gidenBelgeDurumSorgulaAsync (↗ see page 300)

	gidenBelgeDurumSorgulaBelgeNo (see page 300)	
	gidenBelgeDurumSorgulaBelgeNoAsync (see page 301)	
	gidenBelgeDurumSorgulaEttn (see page 302)	
	gidenBelgeDurumSorgulaEttnAsync (see page 302)	
	gidenBelgeDurumSorgulaExt (see page 303)	
	gidenBelgeDurumSorgulaExtAsync (see page 303)	
	gidenBelgeDurumSorgulaPortal (see page 304)	
	gidenBelgeDurumSorgulaPortalAsync (see page 304)	
	gidenBelgeDurumSorgulaYerelBelgeNo (see page 305)	
	gidenBelgeDurumSorgulaYerelBelgeNoAsync (see page 306)	
	gidenBelgeEkleriAl (see page 306)	
	gidenBelgeEkleriAIAsync (see page 307)	
	gidenBelgeleriIndir (see page 307)	
	gidenBelgeleriIndirAsync (see page 308)	
	gidenBelgeleriIndirEttn (see page 309)	
	gidenBelgeleriIndirEttnAsync (see page 309)	
	gidenBelgeleriIndirPortal (see page 310)	
	gidenBelgeleriIndirPortalAsync (see page 310)	
	gidenBelgeleriListele (see page 311)	
	gidenBelgeleriListeleAsync (see page 312)	
	gidenBelgeleriListelePortal (see page 312)	
	gidenBelgeleriListelePortalAsync (see page 313)	
	gidenBelgeTutarBilgileriSorgula (see page 313)	
	gidenBelgeTutarBilgileriSorgulaAsync (see page 314)	
	gidenFaturalariArsiveKaldır (see page 314)	
	gidenFaturalariArsiveKaldırAsync (see page 315)	
	gidenIrsaliyeleriArsiveKaldır (see page 315)	
	gidenIrsaliyeleriArsiveKaldırAsync (see page 316)	
	gidenTasinanBelgeleriIndir (see page 316)	
	gidenTasinanBelgeleriIndirAsync (see page 317)	
	irsaliyeMailGonder (see page 318)	
	irsaliyeMailGonderAsync (see page 319)	
	irsaliyeTarihcesiSorgula (see page 319)	
	irsaliyeTarihcesiSorgulaAsync (see page 320)	
	kayitliKullaniciListeleExtended (see page 320)	
	kayitliKullaniciListeleExtendedAsync (see page 321)	
	kayitliKullaniciListeleExtendedTime (see page 322)	
	kayitliKullaniciListeleExtendedTimeAsync (see page 322)	

	kayitliKullaniciListeleExtendedVknTckn (see page 323)	
	kayitliKullaniciListeleExtendedVknTcknAsync (see page 324)	
	kontorBilgisiGetir (see page 324)	
	kontorBilgisiGetirAsync (see page 325)	
	temelKontrollerlleBelgeGonder (see page 325)	
	temelKontrollerlleBelgeGonderAsync (see page 326)	
	toplamBelgeSayisiGetir (see page 327)	
	toplamBelgeSayisiGetirAsync (see page 328)	
	ublOnizleme (see page 329)	
	ublOnizlemeAsync (see page 330)	
	urunSablonlariniAI (see page 330)	
	urunSablonlariniAIAsync (see page 331)	
	wsKullanicisiKaydet (see page 331)	
	wsKullanicisiKaydetAsync (see page 332)	
	yereleAktarilacakBelgeleriAI (see page 332)	
	yereleAktarilacakBelgeleriAIAsync (see page 333)	
	yereleAktarilacakBelgeleriAIExt (see page 334)	
	yereleAktarilacakBelgeleriAIExtAsync (see page 334)	
	yolcuBeraberFaturalptalEt (see page 335)	
	yolcuBeraberFaturalptalEtAsync (see page 335)	

connectorService Properties

	Name	Description
	Url (see page 336)	This is Url, a member of class connectorService.
	UseDefaultCredentials (see page 336)	This is UseDefaultCredentials, a member of class connectorService.

1.1.3.1.17.1 connectorService.connectorService Constructor**C#**

```
public connectorService();
```

Body Source

```
1: public connectorService() {
2:     this.Url =
global::QNBFinansGIB.Properties.Settings.Default.QNBFinansGIB_GIBEFatura_connectorService;
3:     if ((this.IsLocalFileSystemWebService(this.Url) == true)) {
4:         this.UseDefaultCredentials = true;
5:         this.useDefaultCredentialsSetExplicitly = false;
6:     }
7:     else {
8:         this.useDefaultCredentialsSetExplicitly = true;
9:     }
10: }
```

1.1.3.1.17.2 connectorService Methods

1.1.3.1.17.2.1 connectorService.belgeGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("belgeOid",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
belgeGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeHash,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string mimeType,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeVersiyon);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("belgeOid",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
belgeGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeHash,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string mimeType,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeVersiyon) {
4:     object[] results = this.Invoke("belgeGonder", new object[] {
5:         vergiTcKimlikNo,
6:         belgeTuru,
7:         belgeNo,
```

```

8:             veri,
9:             belgeHash,
10:            mimeType,
11:            belgeVersiyon});
12:        return ((string)(results[0]));
13:    }

```

1.1.3.1.17.2.2.2 belgeGonderAsync Method

1.1.3.1.17.2.2.1 connectorService.belgeGonderAsync Method (string, string, string, byte[], string, string, string)

C#

```
public void belgeGonderAsync(string vergiTcKimlikNo, string belgeTuru, string belgeNo,
byte[] veri, string belgeHash, string mimeType, string belgeVersiyon);
```

Body Source

```

1: public void belgeGonderAsync(string vergiTcKimlikNo, string belgeTuru, string belgeNo,
byte[] veri, string belgeHash, string mimeType, string belgeVersiyon) {
2:     this.belgeGonderAsync(vergiTcKimlikNo, belgeTuru, belgeNo, veri, belgeHash,
mimeType, belgeVersiyon, null);
3: }

```

1.1.3.1.17.2.2.2 connectorService.belgeGonderAsync Method (string, string, string, byte[], string, string, string, object)

C#

```
public void belgeGonderAsync(string vergiTcKimlikNo, string belgeTuru, string belgeNo,
byte[] veri, string belgeHash, string mimeType, string belgeVersiyon, object userState);
```

Body Source

```

1: public void belgeGonderAsync(string vergiTcKimlikNo, string belgeTuru, string belgeNo,
byte[] veri, string belgeHash, string mimeType, string belgeVersiyon, object userState) {
2:     if ((this.belgeGonderOperationCompleted == null)) {
3:         this.belgeGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgeGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("belgeGonder", new object[] {
6:         vergiTcKimlikNo,
7:         belgeTuru,
8:         belgeNo,
9:         veri,
10:        belgeHash,
11:        mimeType,
12:        belgeVersiyon}, this.belgeGonderOperationCompleted, userState);
13: }

```

1.1.3.1.17.2.3 connectorService.belgeGonderExt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("belgeOid",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
belgeGonderExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
gidenBelgeParametreleri parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",

```

```

RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped]
2: [return: System.Xml.Serialization.XmlElementAttribute("belgeOid",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
belgeGonderExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)
aForm.Unqualified])
gidenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("belgeGonderExt", new object[] {
5:         parametreler});
6:     return ((string)(results[0]));
7: }

```

1.1.3.1.17.2.4 belgeGonderExtAsync Method

1.1.3.1.17.2.4.1 connectorService.belgeGonderExtAsync Method (gidenBelgeParametreleri)

C#

```
public void belgeGonderExtAsync(gidenBelgeParametreleri parametreler);
```

Body Source

```

1: public void belgeGonderExtAsync(gidenBelgeParametreleri parametreler) {
2:     this.belgeGonderExtAsync(parametreler, null);
3: }

```

1.1.3.1.17.2.4.2 connectorService.belgeGonderExtAsync Method (gidenBelgeParametreleri, object)

C#

```
public void belgeGonderExtAsync(gidenBelgeParametreleri parametreler, object userState);
```

Body Source

```

1: public void belgeGonderExtAsync(gidenBelgeParametreleri parametreler, object userState) {
2:     if ((this.belgeGonderExtOperationCompleted == null)) {
3:         this.belgeGonderExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgeGonderExtOperationCompleted);
4:     }
5:     this.InvokeAsync("belgeGonderExt", new object[] {
6:         parametreler}, this.belgeGonderExtOperationCompleted, userState);
7: }

```

1.1.3.1.17.2.5 connectorService.belgeGonderExtWithValidate Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belgeGonderResp
belgeGonderExtWithValidate([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
gidenBelgeParametreleri parametreler);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]

```

```

3: public belgeGonderResp
belgeGonderExtWithValidate([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sch
ema.XmlSchemaForm.Unqualified)]
gidenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("belgeGonderExtWithValidate", new object[] {
5:         parametreler});
6:     return ((belgeGonderResp)(results[0]));
7: }

```

1.1.3.1.17.2.6 belgeGonderExtWithValidateAsync Method

1.1.3.1.17.2.6.1 connectorService.belgeGonderExtWithValidateAsync Method (gidenBelgeParametreleri)

C#

```
public void belgeGonderExtWithValidateAsync(gidenBelgeParametreleri parametreler);
```

Body Source

```

1: public void belgeGonderExtWithValidateAsync(gidenBelgeParametreleri parametreler) {
2:     this.belgeGonderExtWithValidateAsync(parametreler, null);
3: }

```

1.1.3.1.17.2.6.2 connectorService.belgeGonderExtWithValidateAsync Method (gidenBelgeParametreleri, object)

C#

```
public void belgeGonderExtWithValidateAsync(gidenBelgeParametreleri parametreler, object
userState);
```

Body Source

```

1: public void belgeGonderExtWithValidateAsync(gidenBelgeParametreleri parametreler, object
userState) {
2:     if ((this.belgeGonderExtWithValidateOperationCompleted == null)) {
3:         this.belgeGonderExtWithValidateOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgeGonderExtWithValidateOperationCompleted);
4:     }
5:     this.InvokeAsync("belgeGonderExtWithValidate", new object[] {
6:         parametreler}, this.belgeGonderExtWithValidateOperationCompleted,
userState);
7: }

```

1.1.3.1.17.2.7 connectorService.belgeGonderWithValidate Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belgeGonderResp
belgeGonderWithValidate([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema
.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]

```

```

string belgeHash,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string mimeType,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeVersiyon);

Body Source

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("", RequestNamespace="http://service.connector.uut.cs.com.tr/", ResponseNamespace="http://service.connector.uut.cs.com.tr/", Use=System.Web.Services.Description.SoapBindingUse.Literal, ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return", Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belgeGonderResp
belgeGonderWithValidate([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeHash,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string mimeType,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeVersiyon) {
4:     object[] results = this.Invoke("belgeGonderWithValidate", new object[] {
5:         vergiTcKimlikNo,
6:         belgeTuru,
7:         belgeNo,
8:         veri,
9:         belgeHash,
10:        mimeType,
11:        belgeVersiyon});
12:     return ((belgeGonderResp)(results[0]));
13: }

```

1.1.3.1.17.2.8 belgeGonderWithValidateAsync Method

1.1.3.1.17.2.8.1 connectorService.belgeGonderWithValidateAsync Method (string, string, string, byte[], string, string, string)

C#

```
public void belgeGonderWithValidateAsync(string vergiTcKimlikNo, string belgeTuru, string belgeNo, byte[] veri, string belgeHash, string mimeType, string belgeVersiyon);
```

Body Source

```

1: public void belgeGonderWithValidateAsync(string vergiTcKimlikNo, string belgeTuru,
string belgeNo, byte[] veri, string belgeHash, string mimeType, string belgeVersiyon) {
2:     this.belgeGonderWithValidateAsync(vergiTcKimlikNo, belgeTuru, belgeNo, veri,
belgeHash, mimeType, belgeVersiyon, null);
3: }
```

1.1.3.1.17.2.8.2 connectorService.belgeGonderWithValidateAsync Method (string, string, string, byte[], string, string, string, object)

C#

```
public void belgeGonderWithValidateAsync(string vergiTcKimlikNo, string belgeTuru, string
belgeNo, byte[] veri, string belgeHash, string mimeType, string belgeVersiyon, object
userState);
```

Body Source

```
1: public void belgeGonderWithValidateAsync(string vergiTcKimlikNo, string belgeTuru,
string belgeNo, byte[] veri, string belgeHash, string mimeType, string belgeVersiyon,
object userState) {
2:     if ((this.belgeGonderWithValidateOperationCompleted == null)) {
3:         this.belgeGonderWithValidateOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgeGonderWithValidateOperationCompleted);
4:     }
5:     this.InvokeAsync("belgeGonderWithValidate", new object[] {
6:         vergiTcKimlikNo,
7:         belgeTuru,
8:         belgeNo,
9:         veri,
10:        belgeHash,
11:        mimeType,
12:        belgeVersiyon}, this.belgeGonderWithValidateOperationCompleted,
userState);
13: }
```

1.1.3.1.17.2.9 connectorService.belgelerAlindi Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
belgelerAlindi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettn",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
belgelerAlindi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettn",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru) {
3:     this.Invoke("belgelerAlindi", new object[] {
4:         vergiTcKimlikNo,
5:         ettn,
6:         belgeTuru});
7: }
```

1.1.3.1.17.2.10 belgelerAlindiAsync Method

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.2.10.1 connectorService.belgelerAlindiAsync Method (string, string[], string)

C#

```
public void belgelerAlindiAsync(string vergiTcKimlikNo, string[] ettn, string belgeTuru);
```

Body Source

```
1: public void belgelerAlindiAsync(string vergiTcKimlikNo, string[] ettn, string belgeTuru)
{
2:     this.belgelerAlindiAsync(vergiTcKimlikNo, ettn, belgeTuru, null);
3: }
```

1.1.3.1.17.2.10.2 connectorService.belgelerAlindiAsync Method (string, string[], string, object)

C#

```
public void belgelerAlindiAsync(string vergiTcKimlikNo, string[] ettn, string belgeTuru,
object userState);
```

Body Source

```
1: public void belgelerAlindiAsync(string vergiTcKimlikNo, string[] ettn, string belgeTuru,
object userState) {
2:     if ((this.belgelerAlindiOperationCompleted == null)) {
3:         this.belgelerAlindiOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgelerAlindiOperationCompleted);
4:     }
5:     this.InvokeAsync("belgelerAlindi", new object[] {
6:         vergiTcKimlikNo,
7:         ettn,
8:         belgeTuru}, this.belgelerAlindiOperationCompleted, userState);
9: }
```

1.1.3.1.17.2.11 connectorService.belgelerAlindiEntegrasyonSiparisNoGuncelle Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
belgelerAlindiEntegrasyonSiparisNoGuncelle([System.Xml.Serialization.XmlElementAttribute(For
m=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettn",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string entegrasyonHedefi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string guncellenmissiparisNumarasi);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
belgelerAlindiEntegrasyonSiparisNoGuncelle([System.Xml.Serialization.XmlElementAttribute(For
m=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettn",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
```

```

ed]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string entegrasyonHedefi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string guncellenmisSiparisNumarasi) {
3:   this.Invoke("belgelerAlindiEntegrasyonSiparisNoGuncelle", new object[] {
4:     vergiTcKimlikNo,
5:     ettn,
6:     belgeTuru,
7:     entegrasyonHedefi,
8:     guncellenmisSiparisNumarasi});
9: }

```

1.1.3.1.17.2.12 belgelerAlindiEntegrasyonSiparisNoGuncelleAsync Method

1.1.3.1.17.2.12.1 connectorService.beglelerAlindiEntegrasyonSiparisNoGuncelleAsync Method (string, string[], string, string, string)

C#

```

public void belgelerAlindiEntegrasyonSiparisNoGuncelleAsync(string vergiTcKimlikNo,
string[] ettn, string belgeTuru, string entegrasyonHedefi, string
guncellenmisSiparisNumarasi);

```

Body Source

```

1: public void belgelerAlindiEntegrasyonSiparisNoGuncelleAsync(string vergiTcKimlikNo,
2: string[] ettn, string belgeTuru, string entegrasyonHedefi, string
3: guncellenmisSiparisNumarasi) {
2:   this.belgelerAlindiEntegrasyonSiparisNoGuncelleAsync(vergiTcKimlikNo, ettn,
belgeTuru, entegrasyonHedefi, guncellenmisSiparisNumarasi, null);
3: }

```

1.1.3.1.17.2.12.2 connectorService.beglelerAlindiEntegrasyonSiparisNoGuncelleAsync Method (string, string[], string, string, object)

C#

```

public void belgelerAlindiEntegrasyonSiparisNoGuncelleAsync(string vergiTcKimlikNo,
string[] ettn, string belgeTuru, string entegrasyonHedefi, string
guncellenmisSiparisNumarasi, object userState);

```

Body Source

```

1: public void belgelerAlindiEntegrasyonSiparisNoGuncelleAsync(string vergiTcKimlikNo,
2: string[] ettn, string belgeTuru, string entegrasyonHedefi, string
3: guncellenmisSiparisNumarasi, object userState) {
2:   if ((this.belgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted == null)) {
3:     this.belgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgelerAlindiEntegrasyonSiparisNoGuncelleOperati
onCompleted);
4:   }
5:   this.InvokeAsync("belgelerAlindiEntegrasyonSiparisNoGuncelle", new object[] {
6:     vergiTcKimlikNo,
7:     ettn,
8:     belgeTuru,
9:     entegrasyonHedefi,
10:    guncellenmisSiparisNumarasi},
this.belgelerAlindiEntegrasyonSiparisNoGuncelleOperationCompleted, userState);
11: }

```

1.1.3.1.17.2.13 connectorService.begleleriTekrarGonder Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",

```

```

ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
belgeleriTekrarGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettn",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string alanEtiket,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gonderenEtiket);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
belgeleriTekrarGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettn",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string alanEtiket,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gonderenEtiket) {
4:     object[] results = this.Invoke("belgeleriTekrarGonder", new object[] {
5:         vergiTcKimlikNo,
6:         ettn,
7:         belgeTuru,
8:         alanEtiket,
9:         gonderenEtiket});
10:    return ((bool)(results[0]));
11: }

```

1.1.3.1.17.2.14 belgeleriTekrarGonderAsync Method**1.1.3.1.17.2.14.1 connectorService.belgeleriTekrarGonderAsync Method (string, string[], string, string,****C#**

```
public void belgeleriTekrarGonderAsync(string vergiTcKimlikNo, string[] ettn, string
belgeTuru, string alanEtiket, string gonderenEtiket);
```

Body Source

```

1: public void belgeleriTekrarGonderAsync(string vergiTcKimlikNo, string[] ettn, string
belgeTuru, string alanEtiket, string gonderenEtiket) {
2:     this.belgeleriTekrarGonderAsync(vergiTcKimlikNo, ettn, belgeTuru, alanEtiket,
gonderenEtiket, null);
3: }

```

1.1.3.1.17.2.14.2 connectorService.belgeleriTekrarGonderAsync Method (string, string[], string, string, object)

C#

```
public void belgeleriTekrarGonderAsync(string vergiTcKimlikNo, string[] ettn, string
belgeTuru, string alanEtiket, string gonderenEtiket, object userState);
```

Body Source

```
1: public void belgeleriTekrarGonderAsync(string vergiTcKimlikNo, string[] ettn, string
belgeTuru, string alanEtiket, string gonderenEtiket, object userState) {
2:     if ((this.belgeleriTekrarGonderOperationCompleted == null)) {
3:         this.belgeleriTekrarGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgeleriTekrarGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("belgeleriTekrarGonder", new object[] {
6:         vergiTcKimlikNo,
7:         ettn,
8:         belgeTuru,
9:         alanEtiket,
10:        gonderenEtiket}, this.belgeleriTekrarGonderOperationCompleted,
userState);
11: }
```

1.1.3.1.17.2.15 connectorService.belgeleriTekrarGonderBelgeOid Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
belgeleriTekrarGonderBelgeOid([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("belgeOid",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] belgeOid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string alanEtiket,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gonderenEtiket);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
belgeleriTekrarGonderBelgeOid([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("belgeOid",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] belgeOid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
```

```

ed]
string alanEtiket,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gonderenEtiket) {
4:     object[] results = this.Invoke("belgeleriTekrarGonderBelgeOid", new object[] {
5:         vergiTcKimlikNo,
6:         belgeOid,
7:         belgeTuru,
8:         alanEtiket,
9:         gonderenEtiket});
10:    return ((bool)(results[0]));
11: }

```

1.1.3.1.17.2.16 belgeleriTekrarGonderBelgeOidAsync Method

1.1.3.1.17.2.16.1 connectorService.belgeleriTekrarGonderBelgeOidAsync Method (string, string[], string, string, string)

C#

```

public void belgeleriTekrarGonderBelgeOidAsync(string vergiTcKimlikNo, string[] belgeOid,
string belgeTuru, string alanEtiket, string gonderenEtiket);

```

Body Source

```

1: public void belgeleriTekrarGonderBelgeOidAsync(string vergiTcKimlikNo, string[]
belgeOid, string belgeTuru, string alanEtiket, string gonderenEtiket) {
2:     this.belgeleriTekrarGonderBelgeOidAsync(vergiTcKimlikNo, belgeOid, belgeTuru,
alanEtiket, gonderenEtiket, null);
3: }

```

1.1.3.1.17.2.16.2 connectorService.belgeleriTekrarGonderBelgeOidAsync Method (string, string[], string, string, object)

C#

```

public void belgeleriTekrarGonderBelgeOidAsync(string vergiTcKimlikNo, string[] belgeOid,
string belgeTuru, string alanEtiket, string gonderenEtiket, object userState);

```

Body Source

```

1: public void belgeleriTekrarGonderBelgeOidAsync(string vergiTcKimlikNo, string[]
belgeOid, string belgeTuru, string alanEtiket, string gonderenEtiket, object userState) {
2:     if ((this.belgeleriTekrarGonderBelgeOidOperationCompleted == null)) {
3:         this.belgeleriTekrarGonderBelgeOidOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgeleriTekrarGonderBelgeOidOperationCompleted);
4:     }
5:     this.InvokeAsync("belgeleriTekrarGonderBelgeOid", new object[] {
6:         vergiTcKimlikNo,
7:         belgeOid,
8:         belgeTuru,
9:         alanEtiket,
10:        gonderenEtiket}, this.belgeleriTekrarGonderBelgeOidOperationCompleted,
userState);
11: }

```

1.1.3.1.17.2.17 connectorService.belgeleriTekrarGonderYerelBelgeNo Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
belgeleriTekrarGonderYerelBelgeNo([System.Xml.Serialization.XmlElementAttribute(Form=System.

```

```

Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("yerelBelgeNo",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] yerelBelgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string alanEtiket,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gonderenEtiket);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("", 
RequestNamespace="http://service.connector.uut.cs.com.tr/", 
ResponseNamespace="http://service.connector.uut.cs.com.tr/", 
Use=System.Web.Services.Description.SoapBindingUse.Literal, 
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return", 
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
belgeleriTekrarGonderYerelBelgeNo([System.Xml.Serialization.XmlElementAttribute(Form=System.
Xml.Schema.XmlSchemaForm.Unqualified)])
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("yerelBelgeNo",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] yerelBelgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string alanEtiket,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gonderenEtiket) {
4:     object[] results = this.Invoke("belgeleriTekrarGonderYerelBelgeNo", new object[] {
5:         vergiTcKimlikNo,
6:         yerelBelgeNo,
7:         belgeTuru,
8:         alanEtiket,
9:         gonderenEtiket});
10:    return ((bool)(results[0]));
11: }

```

1.1.3.1.17.2.18 belgeleriTekrarGonderYerelBelgeNoAsync Method**1.1.3.1.17.2.18.1 connectorService.belgeleriTekrarGonderYerelBelgeNoAsync Method (string, string[], string, string)****C#**

```
public void belgeleriTekrarGonderYerelBelgeNoAsync(string vergiTcKimlikNo, string[]
yerelBelgeNo, string belgeTuru, string alanEtiket, string gonderenEtiket);
```

Body Source

```

1: public void belgeleriTekrarGonderYerelBelgeNoAsync(string vergiTcKimlikNo, string[]
yerelBelgeNo, string belgeTuru, string alanEtiket, string gonderenEtiket) {
2:     this.belgeleriTekrarGonderYerelBelgeNoAsync(vergiTcKimlikNo, yerelBelgeNo,
belgeTuru, alanEtiket, gonderenEtiket, null);
3: }

```

1.1.3.1.17.2.18.2 connectorService.belgeleriTekrarGonderYerelBelgeNoAsync Method (string, string[], string, string, string, object)**C#**

```
public void belgeleriTekrarGonderYerelBelgeNoAsync(string vergiTcKimlikNo, string[]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```
yerelBelgeNo, string belgeTuru, string alanEtiket, string gonderenEtiket, object userState);
```

Body Source

```
1: public void belgeleriTekrarGonderYerelBelgeNoAsync(string vergiTcKimlikNo, string[] 
yerelBelgeNo, string belgeTuru, string alanEtiket, string gonderenEtiket, object userState)
{
2:     if ((this.belgeleriTekrarGonderYerelBelgeNoOperationCompleted == null)) {
3:         this.belgeleriTekrarGonderYerelBelgeNoOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgeleriTekrarGonderYerelBelgeNoOperationComplet
ed);
4:     }
5:     this.InvokeAsync("belgeleriTekrarGonderYerelBelgeNo", new object[] {
6:         vergiTcKimlikNo,
7:         yerelBelgeNo,
8:         belgeTuru,
9:         alanEtiket,
10:        gonderenEtiket},
this.belgeleriTekrarGonderYerelBelgeNoOperationCompleted, userState);
11: }
```

1.1.3.1.17.2.19 connectorService.CancelAsync Method

C#

```
public new void CancelAsync(object userState);
```

Body Source

```
1: public new void CancelAsync(object userState) {
2:     base.CancelAsync(userState);
3: }
```

1.1.3.1.17.2.20 connectorService.checkDateValidControl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
checkDateValidControl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string arg0,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string arg1);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
checkDateValidControl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string arg0,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string arg1) {
3:     this.Invoke("checkDateValidControl", new object[] {
4:         arg0,
5:         arg1});
6: }
```

1.1.3.1.17.2.21 checkDateValidControlAsync Method

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.2.21.1 connectorService.checkDateValidControlAsync Method (string, string)

C#

```
public void checkDateValidControlAsync(string arg0, string arg1);
```

Body Source

```
1: public void checkDateValidControlAsync(string arg0, string arg1) {
2:     this.checkDateValidControlAsync(arg0, arg1, null);
3: }
```

1.1.3.1.17.2.21.2 connectorService.checkDateValidControlAsync Method (string, string, object)

C#

```
public void checkDateValidControlAsync(string arg0, string arg1, object userState);
```

Body Source

```
1: public void checkDateValidControlAsync(string arg0, string arg1, object userState) {
2:     if ((this.checkDateValidControlOperationCompleted == null)) {
3:         this.checkDateValidControlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OncheckDateValidControlOperationCompleted);
4:     }
5:     this.InvokeAsync("checkDateValidControl", new object[] {
6:         arg0,
7:         arg1}, this.checkDateValidControlOperationCompleted, userState);
8: }
```

1.1.3.1.17.2.22 connectorService.cokluGidenBelgeDurumSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
cokluGidenBelgeDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
gidenBelgeDurumParametreleri parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
cokluGidenBelgeDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
gidenBelgeDurumParametreleri parametreler) {
4:     object[] results = this.Invoke("cokluGidenBelgeDurumSorgula", new object[] {
5:         vergiTcKimlikNo,
6:         parametreler});
7:     return ((serviceReturnType[])(results[0]));
8: }
```

1.1.3.1.17.2.23 cokluGidenBelgeDurumSorgulaAsync Method

1.1.3.1.17.2.23.1 connectorService.cokluGidenBelgeDurumSorgulaAsync Method (string, gidenBelgeDurumParametreleri)

C#

```
public void cokluGidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler);
```

Body Source

```
1: public void cokluGidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler) {
2:     this.cokluGidenBelgeDurumSorgulaAsync(vergiTcKimlikNo, parametreler, null);
3: }
```

1.1.3.1.17.2.23.2 connectorService.cokluGidenBelgeDurumSorgulaAsync Method (string, gidenBelgeDurumParametreleri, object)

C#

```
public void cokluGidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler, object userState);
```

Body Source

```
1: public void cokluGidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler, object userState) {
2:     if ((this.cokluGidenBelgeDurumSorgulaOperationCompleted == null)) {
3:         this.cokluGidenBelgeDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OncokluGidenBelgeDurumSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("cokluGidenBelgeDurumSorgula", new object[] {
6:         vergiTcKimlikNo,
7:         parametreler}, this.cokluGidenBelgeDurumSorgulaOperationCompleted,
userState);
8: }
```

1.1.3.1.17.2.24 connectorService.csXmlOnizleme Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
csXmlOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeVersiyon,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified),
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string xsltAdi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
csXmlOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeVersiyon,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
dataType="base64Binary", IsNullable=true) byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string xsltAdi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru) {
4:     object[] results = this.Invoke("csXmlOnizleme", new object[] {
5:         vergiTcKimlikNo,
6:         belgeVersiyon,
7:         veri,
8:         belgeFormati,
9:         xsltAdi,
10:        belgeTuru});
11:     return ((byte[])(results[0]));
12: }

```

1.1.3.1.17.2.25 csXmlOnizlemeAsync Method**1.1.3.1.17.2.25.1 connectorService.csXmlOnizlemeAsync Method (string, string, byte[], string, string, string)****C#**

```
public void csXmlOnizlemeAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[] veri,
string belgeFormati, string xsltAdi, string belgeTuru);
```

Body Source

```

1: public void csXmlOnizlemeAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[]
veri, string belgeFormati, string xsltAdi, string belgeTuru) {
2:     this.csXmlOnizlemeAsync(vergiTcKimlikNo, belgeVersiyon, veri, belgeFormati, xsltAdi,
belgeTuru, null);
3: }

```

1.1.3.1.17.2.25.2 connectorService.csXmlOnizlemeAsync Method (string, string, byte[], string, string, string, object)**C#**

```
public void csXmlOnizlemeAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[] veri,
string belgeFormati, string xsltAdi, string belgeTuru, object userState);
```

Body Source

```

1: public void csXmlOnizlemeAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[]
veri, string belgeFormati, string xsltAdi, string belgeTuru, object userState) {
2:     if ((this.csXmlOnizlemeOperationCompleted == null)) {

```

```

3:         this.csXmlOnizlemeOperationCompleted = new
System.Threading.SendOrPostCallback(this.OncsXmlOnizlemeOperationCompleted);
4:     }
5:     this.InvokeAsync("csXmlOnizleme", new object[] {
6:         vergiTcKimlikNo,
7:         belgeVersiyon,
8:         veri,
9:         belgeFormati,
10:        xsltAdi,
11:        belgeTuru}, this.csXmlOnizlemeOperationCompleted, userState);
12:   }

```

1.1.3.1.17.2.26 connectorService.csXmlToUbl Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
csXmlToUbl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFor
m.Unqualified)])
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeVersiyon,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string xsltAdi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
csXmlToUbl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFor
m.Unqualified)])
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeVersiyon,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string xsltAdi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru) {
4:     object[] results = this.Invoke("csXmlToUbl", new object[] {
5:         vergiTcKimlikNo,
6:         belgeVersiyon,
7:         veri,
8:         xsltAdi,

```

```

9:             belgeTuru));
10:        return ((byte[])(results[0]));
11:    }

```

1.1.3.1.17.2.27 csXmlToUblAsync Method

1.1.3.1.17.2.27.1 connectorService.csXmlToUblAsync Method (string, string, byte[], string, string)

C#

```
public void csXmlToUblAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[] veri,
string xsltAdi, string belgeTuru);
```

Body Source

```

1: public void csXmlToUblAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[] veri,
2:     string xsltAdi, string belgeTuru) {
3:     this.csXmlToUblAsync(vergiTcKimlikNo, belgeVersiyon, veri, xsltAdi, belgeTuru, null);

```

1.1.3.1.17.2.27.2 connectorService.csXmlToUblAsync Method (string, string, byte[], string, string, object)

C#

```
public void csXmlToUblAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[] veri,
string xsltAdi, string belgeTuru, object userState);
```

Body Source

```

1: public void csXmlToUblAsync(string vergiTcKimlikNo, string belgeVersiyon, byte[] veri,
2:     string xsltAdi, string belgeTuru, object userState) {
3:     if (((this.csXmlToUblOperationCompleted == null)) {
4:         this.csXmlToUblOperationCompleted = new
System.Threading.SendOrPostCallback(this.OncsXmlToUblOperationCompleted);
5:     }
6:     this.InvokeAsync("csXmlToUbl", new object[] {
7:         vergiTcKimlikNo,
8:         belgeVersiyon,
9:         veri,
10:        xsltAdi,
11:        belgeTuru}, this.csXmlToUblOperationCompleted, userState);

```

1.1.3.1.17.2.28 connectorService.eFaturaKayitliKullaniciListele Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public eFaturaKullanici[]
eFaturaKayitliKullaniciListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml
.Schema.XmlSchemaForm.Unqualified)])
string kayitZamani);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
2: RequestNamespace="http://service.connector.uut.cs.com.tr/",
3: ResponseNamespace="http://service.connector.uut.cs.com.tr/",
4: Use=System.Web.Services.Description.SoapBindingUse.Literal,
5: ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
3: Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public eFaturaKullanici[]
eFaturaKayitliKullaniciListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml
.Schema.XmlSchemaForm.Unqualified)])

```

```

1:     string kayitzamani) {
2:         object[] results = this.Invoke("eFaturaKayitliKullaniciListele", new object[] {
3:             kayitzamani});
4:         return ((eFaturaKullanici[])(results[0]));
5:     }
6: 
```

1.1.3.1.17.2.29 eFaturaKayitliKullaniciListeleAsync Method

1.1.3.1.17.2.29.1 connectorService.eFaturaKayitliKullaniciListeleAsync Method (string)

C#

```
public void eFaturaKayitliKullaniciListeleAsync(string kayitzamani);
```

Body Source

```

1: public void eFaturaKayitliKullaniciListeleAsync(string kayitzamani) {
2:     this.eFaturaKayitliKullaniciListeleAsync(kayitzamani, null);
3: } 
```

1.1.3.1.17.2.29.2 connectorService.eFaturaKayitliKullaniciListeleAsync Method (string, object)

C#

```
public void eFaturaKayitliKullaniciListeleAsync(string kayitzamani, object userState);
```

Body Source

```

1: public void eFaturaKayitliKullaniciListeleAsync(string kayitzamani, object userState) {
2:     if ((this.eFaturaKayitliKullaniciListeleOperationCompleted == null)) {
3:         this.eFaturaKayitliKullaniciListeleOperationCompleted = new
System.Threading.SendOrPostCallback(this.OneFaturaKayitliKullaniciListeleOperationCompleted)
;
4:     }
5:     this.InvokeAsync("eFaturaKayitliKullaniciListele", new object[] {
6:         kayitzamani}, this.eFaturaKayitliKullaniciListeleOperationCompleted,
userState);
7: } 
```

1.1.3.1.17.2.30 connectorService.efaturaKullaniciBilgisi Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public eFaturaKullanici[]
efaturaKullaniciBilgisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema
.XmlSchemaForm.Unqualified)])
string vergiTcKimlikNo); 
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public eFaturaKullanici[]
efaturaKullaniciBilgisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema
.XmlSchemaForm.Unqualified)])
string vergiTcKimlikNo) {
4:     object[] results = this.Invoke("efaturaKullaniciBilgisi", new object[] {
5:         vergiTcKimlikNo});
6:     return ((eFaturaKullanici[])(results[0])); 
```

```
7: }
```

1.1.3.1.17.2.31 efaturaKullaniciBilgisiAsync Method

1.1.3.1.17.2.31.1 connectorService.efaturaKullaniciBilgisiAsync Method (string)

C#

```
public void efaturaKullaniciBilgisiAsync(string vergiTcKimlikNo);
```

Body Source

```
1: public void efaturaKullaniciBilgisiAsync(string vergiTcKimlikNo) {
2:     this.efaturaKullaniciBilgisiAsync(vergiTcKimlikNo, null);
3: }
```

1.1.3.1.17.2.31.2 connectorService.efaturaKullaniciBilgisiAsync Method (string, object)

C#

```
public void efaturaKullaniciBilgisiAsync(string vergiTcKimlikNo, object userState);
```

Body Source

```
1: public void efaturaKullaniciBilgisiAsync(string vergiTcKimlikNo, object userState) {
2:     if ((this.efaturaKullaniciBilgisiOperationCompleted == null)) {
3:         this.efaturaKullaniciBilgisiOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnefaturaKullaniciBilgisiOperationCompleted);
4:     }
5:     this.InvokeAsync("efaturaKullaniciBilgisi", new object[] {
6:         vergiTcKimlikNo}, this.efaturaKullaniciBilgisiOperationCompleted,
userState);
7: }
```

1.1.3.1.17.2.32 connectorService.efaturaKullaniciListesi Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public mukellefEFaturaKayit[]
efaturaKullaniciListesi([System.Xml.Serialization.XmlElementAttribute("vergiTcKimlikNoListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] vergiTcKimlikNoListesi);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public mukellefEFaturaKayit[]
efaturaKullaniciListesi([System.Xml.Serialization.XmlElementAttribute("vergiTcKimlikNoListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] vergiTcKimlikNoListesi) {
4:     object[] results = this.Invoke("efaturaKullaniciListesi", new object[] {
5:         vergiTcKimlikNoListesi});
6:     return ((mukellefEFaturaKayit[])(results[0]));
7: }
```

1.1.3.1.17.2.33 efaturaKullaniciListesiAsync Method

1.1.3.1.17.2.33.1 connectorService.efaturaKullaniciListesiAsync Method (string[])**C#**

```
public void efaturaKullaniciListesiAsync(string[] vergiTcKimlikNoListesi);
```

Body Source

```
1: public void efaturaKullaniciListesiAsync(string[] vergiTcKimlikNoListesi) {
2:     this.efaturaKullaniciListesiAsync(vergiTcKimlikNoListesi, null);
3: }
```

1.1.3.1.17.2.33.2 connectorService.efaturaKullaniciListesiAsync Method (string[], object)**C#**

```
public void efaturaKullaniciListesiAsync(string[] vergiTcKimlikNoListesi, object userState);
```

Body Source

```
1: public void efaturaKullaniciListesiAsync(string[] vergiTcKimlikNoListesi, object userState) {
2:     if ((this.efaturaKullaniciListesiOperationCompleted == null)) {
3:         this.efaturaKullaniciListesiOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnefaturaKullaniciListesiOperationCompleted);
4:     }
5:     this.InvokeAsync("efaturaKullaniciListesi", new object[] {
6:         vergiTcKimlikNoListesi}, this.efaturaKullaniciListesiOperationCompleted,
userState);
7: }
```

1.1.3.1.17.2.34 connectorService.efaturaKullanicisi Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
efaturaKullanicisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
efaturaKullanicisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo) {
4:     object[] results = this.Invoke("efaturaKullanicisi", new object[] {
5:         vergiTcKimlikNo});
6:     return ((bool)(results[0]));
7: }
```

1.1.3.1.17.2.35 efaturaKullanicisiAsync Method

1.1.3.1.17.2.35.1 connectorService.efaturaKullanicisiAsync Method (string)

C#

```
public void efaturaKullanicisiAsync(string vergiTcKimlikNo);
```

Body Source

```
1: public void efaturaKullanicisiAsync(string vergiTcKimlikNo) {
2:     this.efaturaKullanicisiAsync(vergiTcKimlikNo, null);
3: }
```

1.1.3.1.17.2.35.2 connectorService.efaturaKullanicisiAsync Method (string, object)

C#

```
public void efaturaKullanicisiAsync(string vergiTcKimlikNo, object userState);
```

Body Source

```
1: public void efaturaKullanicisiAsync(string vergiTcKimlikNo, object userState) {
2:     if ((this.efaturaKullanicisiOperationCompleted == null)) {
3:         this.efaturaKullanicisiOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnefaturaKullanicisiOperationCompleted);
4:     }
5:     this.InvokeAsync("efaturaKullanicisi", new object[] {
6:         vergiTcKimlikNo}, this.efaturaKullanicisiOperationCompleted, userState);
7: }
```

1.1.3.1.17.2.36 connectorService.eIrsaliyeKayitliKullaniciListele Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public eIrsaliyeKullanici[]
eIrsaliyeKayitliKullaniciListele([System.Xml.Serialization.XmlElementAttribute(Form=System.X
ml.Schema.XmlSchemaForm.Unqualified)]
string kayitZamani);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public eIrsaliyeKullanici[]
eIrsaliyeKayitliKullaniciListele([System.Xml.Serialization.XmlElementAttribute(Form=System.X
ml.Schema.XmlSchemaForm.Unqualified)]
string kayitZamani) {
4:     object[] results = this.Invoke("eIrsaliyeKayitliKullaniciListele", new object[] {
5:         kayitZamani});
6:     return ((eIrsaliyeKullanici[])(results[0]));
7: }
```

1.1.3.1.17.2.37 eIrsaliyeKayitliKullaniciListeleAsync Method

1.1.3.1.17.2.37.1 connectorService.eIrsaliyeKayitliKullaniciListeleAsync Method (string)

C#

```
public void eIrsaliyeKayitliKullaniciListeleAsync(string kayitZamani);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

Body Source

```

1: public void eIrsaliyeKayitliKullaniciListeleAsync(string kayitZamani) {
2:     this.eIrsaliyeKayitliKullaniciListeleAsync(kayitZamani, null);
3: }

```

1.1.3.1.17.2.37.2 connectorService.eIrsaliyeKayitliKullaniciListeleAsync Method (string, object)**C#**

```
public void eIrsaliyeKayitliKullaniciListeleAsync(string kayitZamani, object userState);
```

Body Source

```

1: public void eIrsaliyeKayitliKullaniciListeleAsync(string kayitZamani, object userState) {
2:     if ((this.eIrsaliyeKayitliKullaniciListeleOperationCompleted == null)) {
3:         this.eIrsaliyeKayitliKullaniciListeleOperationCompleted = new
System.Threading.SendOrPostCallback(this.OneIrsaliyeKayitliKullaniciListeleOperationComplete
d);
4:     }
5:     this.InvokeAsync("eIrsaliyeKayitliKullaniciListele", new object[] {
6:         kayitZamani}, this.eIrsaliyeKayitliKullaniciListeleOperationCompleted,
userState);
7: }

```

1.1.3.1.17.2.38 connectorService.eIrsaliyeKullanicisi Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
eIrsaliyeKullanicisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
lSchemaForm.Unqualified)]
string vergiTcKimlikNo);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
eIrsaliyeKullanicisi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
lSchemaForm.Unqualified)]
string vergiTcKimlikNo) {
4:     object[] results = this.Invoke("eIrsaliyeKullanicisi", new object[] {
5:         vergiTcKimlikNo});
6:     return ((bool)(results[0]));
7: }

```

1.1.3.1.17.2.39 eIrsaliyeKullanicisiAsync Method**1.1.3.1.17.2.39.1 connectorService.eIrsaliyeKullanicisiAsync Method (string)****C#**

```
public void eIrsaliyeKullanicisiAsync(string vergiTcKimlikNo);
```

Body Source

```

1: public void eIrsaliyeKullanicisiAsync(string vergiTcKimlikNo) {
2:     this.eIrsaliyeKullanicisiAsync(vergiTcKimlikNo, null);

```

```
3: }
```

1.1.3.1.17.2.39.2 connectorService.eIrsaliyeKullanicisiAsync Method (string, object)

C#

```
public void eIrsaliyeKullanicisiAsync(string vergiTcKimlikNo, object userState);
```

Body Source

```
1: public void eIrsaliyeKullanicisiAsync(string vergiTcKimlikNo, object userState) {
2:     if ((this.eIrsaliyeKullanicisiOperationCompleted == null)) {
3:         this.eIrsaliyeKullanicisiOperationCompleted = new
System.Threading.SendOrPostCallback(this.OneIrsaliyeKullanicisiOperationCompleted);
4:     }
5:     this.InvokeAsync("eIrsaliyeKullanicisi", new object[] {
6:         vergiTcKimlikNo}, this.eIrsaliyeKullanicisiOperationCompleted,
userState);
7: }
```

1.1.3.1.17.2.40 connectorService.erpBilgileriBelirle Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
erpBilgileriBelirle([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
erpBilgileri erpBilgileri);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
erpBilgileriBelirle([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
erpBilgileri erpBilgileri) {
3:     this.Invoke("erpBilgileriBelirle", new object[] {
4:         vergiTcKimlikNo,
5:         erpBilgileri});
6: }
```

1.1.3.1.17.2.41 erpBilgileriBelirleAsync Method

1.1.3.1.17.2.41.1 connectorService.erpBilgileriBelirleAsync Method (string, erpBilgileri)

C#

```
public void erpBilgileriBelirleAsync(string vergiTcKimlikNo, erpBilgileri erpBilgileri);
```

Body Source

```
1: public void erpBilgileriBelirleAsync(string vergiTcKimlikNo, erpBilgileri erpBilgileri) {
2:     this.erpBilgileriBelirleAsync(vergiTcKimlikNo, erpBilgileri, null);
3: }
```

1.1.3.1.17.2.41.2 connectorService.erpBilgileriBelirleAsync Method (string, erpBilgileri, object)

C#

```
public void erpBilgileriBelirleAsync(string vergiTcKimlikNo, erpBilgileri erpBilgileri,
object userState);
```

Body Source

```
1: public void erpBilgileriBelirleAsync(string vergiTcKimlikNo, erpBilgileri erpBilgileri,
object userState) {
2:     if ((this.erpBilgileriBelirleOperationCompleted == null)) {
3:         this.erpBilgileriBelirleOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnerpBilgileriBelirleOperationCompleted);
4:     }
5:     this.InvokeAsync("erpBilgileriBelirle", new object[] {
6:         vergiTcKimlikNo,
7:         erpBilgileri}, this.erpBilgileriBelirleOperationCompleted, userState);
8: }
```

1.1.3.1.17.2.42 connectorService.faturaKepIleIadeEdildi Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
faturaKepIleIadeEdildi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string uuid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gelenGiden);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
faturaKepIleIadeEdildi([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string uuid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gelenGiden) {
4:     object[] results = this.Invoke("faturaKepIleIadeEdildi", new object[] {
5:         uuid,
6:         gelenGiden});
7:     return ((bool)(results[0]));
8: }
```

1.1.3.1.17.2.43 faturaKepIleIadeEdildiAsync Method

1.1.3.1.17.2.43.1 connectorService.faturaKepIleIadeEdildiAsync Method (string, string)

C#

```
public void faturaKepIleIadeEdildiAsync(string uuid, string gelenGiden);
```

Body Source

```

1: public void faturaKepIleIadeEdildiAsync(string uuid, string gelenGiden) {
2:     this.faturaKepIleIadeEdildiAsync(uuid, gelenGiden, null);
3: }

```

1.1.3.1.17.2.43.2 connectorService.faturaKepIleIadeEdildiAsync Method (string, string, object)**C#**

```
public void faturaKepIleIadeEdildiAsync(string uuid, string gelenGiden, object userState);
```

Body Source

```

1: public void faturaKepIleIadeEdildiAsync(string uuid, string gelenGiden, object
userState) {
2:     if ((this.faturaKepIleIadeEdildiOperationCompleted == null)) {
3:         this.faturaKepIleIadeEdildiOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaKepIleIadeEdildiOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaKepIleIadeEdildi", new object[] {
6:         uuid,
7:         gelenGiden}, this.faturaKepIleIadeEdildiOperationCompleted, userState);
8: }

```

1.1.3.1.17.2.44 connectorService.faturaKepIleIadeEdildiPtal Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
faturaKepIleIadeEdildiPtal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string uuid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gelenGiden);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
faturaKepIleIadeEdildiPtal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string uuid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gelenGiden) {
4:     object[] results = this.Invoke("faturaKepIleIadeEdildiPtal", new object[] {
5:         uuid,
6:         gelenGiden});
7:     return ((bool)(results[0]));
8: }

```

1.1.3.1.17.2.45 faturaKepIleIadeEdildiPtalAsync Method

1.1.3.1.17.2.45.1 connectorService.faturaKepIleIadeEdildiIptalAsync Method (string, string)**C#**

```
public void faturaKepIleIadeEdildiIptalAsync(string uuid, string gelenGiden);
```

Body Source

```
1: public void faturaKepIleIadeEdildiIptalAsync(string uuid, string gelenGiden) {
2:     this.faturaKepIleIadeEdildiIptalAsync(uuid, gelenGiden, null);
3: }
```

1.1.3.1.17.2.45.2 connectorService.faturaKepIleIadeEdildiIptalAsync Method (string, string, object)**C#**

```
public void faturaKepIleIadeEdildiIptalAsync(string uuid, string gelenGiden, object
userState);
```

Body Source

```
1: public void faturaKepIleIadeEdildiIptalAsync(string uuid, string gelenGiden, object
userState) {
2:     if ((this.faturaKepIleIadeEdildiIptalOperationCompleted == null)) {
3:         this.faturaKepIleIadeEdildiIptalOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaKepIleIadeEdildiIptalOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaKepIleIadeEdildiIptal", new object[] {
6:         uuid,
7:         gelenGiden}, this.faturaKepIleIadeEdildiIptalOperationCompleted,
userState);
8: }
```

1.1.3.1.17.2.46 connectorService.faturaMailGonder Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
faturaMailGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string inout,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string UUID,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string faturaNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string alicilar,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
faturaMailGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
```

```

emaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string inout,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string UUID,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string faturaNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string alicilar,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati) {
3:     this.Invoke("faturaMailGonder", new object[] {
4:         vknTckn,
5:         inout,
6:         UUID,
7:         faturaNo,
8:         alicilar,
9:         belgeFormati});
10:    }

```

1.1.3.1.17.2.47 faturaMailGonderAsync Method

1.1.3.1.17.2.47.1 connectorService.faturaMailGonderAsync Method (string, string, string, string, string, string)

C#

```
public void faturaMailGonderAsync(string vknTckn, string inout, string UUID, string faturaNo, string alicilar, string belgeFormati);
```

Body Source

```

1: public void faturaMailGonderAsync(string vknTckn, string inout, string UUID, string
faturaNo, string alicilar, string belgeFormati) {
2:     this.faturaMailGonderAsync(vknTckn, inout, UUID, faturaNo, alicilar, belgeFormati,
null);
3: }

```

1.1.3.1.17.2.47.2 connectorService.faturaMailGonderAsync Method (string, string, string, string, string, string, object)

C#

```
public void faturaMailGonderAsync(string vknTckn, string inout, string UUID, string
faturaNo, string alicilar, string belgeFormati, object userState);
```

Body Source

```

1: public void faturaMailGonderAsync(string vknTckn, string inout, string UUID, string
faturaNo, string alicilar, string belgeFormati, object userState) {
2:     if ((this.faturaMailGonderOperationCompleted == null)) {
3:         this.faturaMailGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaMailGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaMailGonder", new object[] {
6:         vknTckn,
7:         inout,
8:         UUID,
9:         faturaNo,
10:        alicilar,
11:        belgeFormati}, this.faturaMailGonderOperationCompleted, userState);
12:    }

```

1.1.3.1.17.2.48 connectorService.faturaNoUret Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
faturaNoUret([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string faturaKodu);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
faturaNoUret([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string faturaKodu) {
4:     object[] results = this.Invoke("faturaNoUret", new object[] {
5:         vknTckn,
6:         faturaKodu});
7:     return ((string)(results[0]));
8: }
```

1.1.3.1.17.2.49 faturaNoUretAsync Method

1.1.3.1.17.2.49.1 connectorService.faturaNoUretAsync Method (string, string)

C#

```
public void faturaNoUretAsync(string vknTckn, string faturaKodu);
```

Body Source

```
1: public void faturaNoUretAsync(string vknTckn, string faturaKodu) {
2:     this.faturaNoUretAsync(vknTckn, faturaKodu, null);
3: }
```

1.1.3.1.17.2.49.2 connectorService.faturaNoUretAsync Method (string, string, object)

C#

```
public void faturaNoUretAsync(string vknTckn, string faturaKodu, object userState);
```

Body Source

```
1: public void faturaNoUretAsync(string vknTckn, string faturaKodu, object userState) {
2:     if ((this.faturaNoUretOperationCompleted == null)) {
3:         this.faturaNoUretOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturaNoUretOperationCompleted);
4:     }
5:     this.InvokeAsync("faturaNoUret", new object[] {
6:         vknTckn,
```

```

7:             faturaKodu}, this.faturaNoUretOperationCompleted, userState);
8: }
```

1.1.3.1.17.2.50 connectorService.faturaTarihcesiSorgula Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
faturaTarihcesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string faturaYonu,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
faturaTarihcesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string faturaYonu,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn) {
4:     object[] results = this.Invoke("faturaTarihcesiSorgula", new object[] {
5:         ettn,
6:         faturaYonu,
7:         vknTckn});
8:     return ((serviceReturnType[])(results[0]));
9: }
```

1.1.3.1.17.2.51 faturaTarihcesiSorgulaAsync Method

1.1.3.1.17.2.51.1 connectorService.faturaTarihcesiSorgulaAsync Method (string, string, string)

C#

```
public void faturaTarihcesiSorgulaAsync(string ettn, string faturaYonu, string vknTckn);
```

Body Source

```

1: public void faturaTarihcesiSorgulaAsync(string ettn, string faturaYonu, string vknTckn) {
2:     this.faturaTarihcesiSorgulaAsync(ettn, faturaYonu, vknTckn, null);
3: }
```

1.1.3.1.17.2.51.2 connectorService.faturaTarihcesiSorgulaAsync Method (string, string, string, object)

C#

```
public void faturaTarihcesiSorgulaAsync(string ettn, string faturaYonu, string vknTckn,
```

```
object userState);
```

Body Source

```
1: public void faturaTarihcesiSorgulaAsync(string ettn, string faturaYonu, string vknTckn,
2:     object userState) {
3:     if ((this.faturaTarihcesiSorgulaOperationCompleted == null)) {
4:         this.faturaTarihcesiSorgulaOperationCompleted = new
5:             System.Threading.SendOrPostCallback(this.OnfaturaTarihcesiSorgulaOperationCompleted);
6:     }
7:     this.InvokeAsync("faturaTarihcesiSorgula", new object[] {
8:         ettn,
9:         faturaYonu,
10:        vknTckn}, this.faturaTarihcesiSorgulaOperationCompleted, userState);
11: }
```

1.1.3.1.17.2.52 connectorService.faturayaltirazEdildi Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool faturayaItirazEdildi([System.Xml.Serialization.XmlElementAttribute("ettnList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnList,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gelenGiden,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string iptalSenaryosu);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
faturayaItirazEdildi([System.Xml.Serialization.XmlElementAttribute("ettnList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnList,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gelenGiden,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string iptalSenaryosu) {
4:     object[] results = this.Invoke("faturayaItirazEdildi", new object[] {
5:         ettnList,
6:         gelenGiden,
7:         iptalSenaryosu});
8:     return ((bool)(results[0]));
9: }
```

1.1.3.1.17.2.53 faturayaltirazEdildiAsync Method**1.1.3.1.17.2.53.1 connectorService.faturayaltirazEdildiAsync Method (string[], string, string)****C#**

```
public void faturayaItirazEdildiAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu);
```

Body Source

```

1: public void faturayaItirazEdildiAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu) {
2:     this.faturayaItirazEdildiAsync(ettnList, gelenGiden, iptalSenaryosu, null);
3: }

```

1.1.3.1.17.2.53.2 connectorService.faturayaltirazEdildiAsync Method (string[], string, string, object)**C#**

```
public void faturayaItirazEdildiAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu, object userState);
```

Body Source

```

1: public void faturayaItirazEdildiAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu, object userState) {
2:     if ((this.faturayaItirazEdildiOperationCompleted == null)) {
3:         this.faturayaItirazEdildiOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturayaItirazEdildiOperationCompleted);
4:     }
5:     this.InvokeAsync("faturayaItirazEdildi", new object[] {
6:         ettnList,
7:         gelenGiden,
8:         iptalSenaryosu}, this.faturayaItirazEdildiOperationCompleted, userState);
9: }

```

1.1.3.1.17.2.54 connectorService.faturayaltirazEdildiIptal Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool
faturayaItirazEdildiIptal([System.Xml.Serialization.XmlElementAttribute("ettnList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnList,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gelenGiden,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string iptalSenaryosu);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public bool
faturayaItirazEdildiIptal([System.Xml.Serialization.XmlElementAttribute("ettnList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnList,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gelenGiden,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string iptalSenaryosu) {
4:     object[] results = this.Invoke("faturayaItirazEdildiIptal", new object[] {
5:         ettnList,
6:         gelenGiden,

```

```

7:             iptalSenaryosu});
8:         return ((bool)(results[0]));
9:     }

```

1.1.3.1.17.2.55 faturayaltirazEdildilptalAsync Method

1.1.3.1.17.2.55.1 connectorService.faturayaltirazEdildilptalAsync Method (string[], string, string)

C#

```
public void faturayaItirazEdildiIptalAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu);
```

Body Source

```

1: public void faturayaItirazEdildiIptalAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu) {
2:     this.faturayaItirazEdildiIptalAsync(ettnList, gelenGiden, iptalSenaryosu, null);
3: }

```

1.1.3.1.17.2.55.2 connectorService.faturayaltirazEdildilptalAsync Method (string[], string, string, object)

C#

```
public void faturayaItirazEdildiIptalAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu, object userState);
```

Body Source

```

1: public void faturayaItirazEdildiIptalAsync(string[] ettnList, string gelenGiden, string
iptalSenaryosu, object userState) {
2:     if ((this.faturayaItirazEdildiIptalOperationCompleted == null)) {
3:         this.faturayaItirazEdildiIptalOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnfaturayaItirazEdildiIptalOperationCompleted);
4:     }
5:     this.InvokeAsync("faturayaItirazEdildiIptal", new object[] {
6:         ettnList,
7:         gelenGiden,
8:         iptalSenaryosu}, this.faturayaItirazEdildiIptalOperationCompleted,
userState);
9: }

```

1.1.3.1.17.2.56 connectorService.gelenBelgeDurumSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType
gelenBelgeDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
```

```

2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType
gelenBelgeDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru) {
4:     object[] results = this.Invoke("gelenBelgeDurumSorgula", new object[] {
5:         vergiTcKimlikNo,
6:         ettn,
7:         belgeTuru});
8:     return ((serviceReturnType)(results[0]));
9: }

```

1.1.3.1.17.2.57 gelenBelgeDurumSorgulaAsync Method

1.1.3.1.17.2.57.1 connectorService.gelenBelgeDurumSorgulaAsync Method (string, string, string)

C#

```
public void gelenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string ettn, string belgeTuru);
```

Body Source

```

1: public void gelenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string ettn, string
belgeTuru) {
2:     this.gelenBelgeDurumSorgulaAsync(vergiTcKimlikNo, ettn, belgeTuru, null);
3: }

```

1.1.3.1.17.2.57.2 connectorService.gelenBelgeDurumSorgulaAsync Method (string, string, string, object)

C#

```
public void gelenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string ettn, string
belgeTuru, object userState);
```

Body Source

```

1: public void gelenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string ettn, string
belgeTuru, object userState) {
2:     if ((this.gelenBelgeDurumSorgulaOperationCompleted == null)) {
3:         this.gelenBelgeDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeDurumSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeDurumSorgula", new object[] {
6:         vergiTcKimlikNo,
7:         ettn,
8:         belgeTuru}, this.gelenBelgeDurumSorgulaOperationCompleted, userState);
9: }

```

1.1.3.1.17.2.58 connectorService.gelenBelgeDurumSorgulaExt Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType
gelenBelgeDurumSorgulaExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)])

```

```

gelenBelgeParametreleri parametreler);
Body Source
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType
gelenBelgeDurumSorgulaExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
gelenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("gelenBelgeDurumSorgulaExt", new object[] {
5:         parametreler});
6:     return ((serviceReturnType)(results[0]));
7: }

```

1.1.3.1.17.2.59 gelenBelgeDurumSorgulaExtAsync Method

1.1.3.1.17.2.59.1 connectorService.gelenBelgeDurumSorgulaExtAsync Method (gelenBelgeParametreleri)

C#

```
public void gelenBelgeDurumSorgulaExtAsync(gelenBelgeParametreleri parametreler);
```

Body Source

```

1: public void gelenBelgeDurumSorgulaExtAsync(gelenBelgeParametreleri parametreler) {
2:     this.gelenBelgeDurumSorgulaExtAsync(parametreler, null);
3: }

```

1.1.3.1.17.2.59.2 connectorService.gelenBelgeDurumSorgulaExtAsync Method (gelenBelgeParametreleri, object)

C#

```
public void gelenBelgeDurumSorgulaExtAsync(gelenBelgeParametreleri parametreler, object
userState);
```

Body Source

```

1: public void gelenBelgeDurumSorgulaExtAsync(gelenBelgeParametreleri parametreler, object
userState) {
2:     if ((this.gelenBelgeDurumSorgulaExtOperationCompleted == null)) {
3:         this.gelenBelgeDurumSorgulaExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeDurumSorgulaExtOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeDurumSorgulaExt", new object[] {
6:         parametreler}, this.gelenBelgeDurumSorgulaExtOperationCompleted,
userState);
7: }

```

1.1.3.1.17.2.60 connectorService.gelenBelgeEkleriAI Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gelenBelgeEkleriAI([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string uuid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
```

```

ed)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru);

Body Source
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gelenBelgeEkleriAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string uuid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru) {
4:     object[] results = this.Invoke("gelenBelgeEkleriAl", new object[] {
5:         uuid,
6:         vknTckn,
7:         belgeTuru});
8:     return ((byte[])(results[0]));
9: }

```

1.1.3.1.17.2.61 gelenBelgeEkleriAlAsync Method

1.1.3.1.17.2.61.1 connectorService.gelenBelgeEkleriAlAsync Method (string, string, string)

C#

```
public void gelenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru);
```

Body Source

```

1: public void gelenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru) {
2:     this.gelenBelgeEkleriAlAsync(uuid, vknTckn, belgeTuru, null);
3: }

```

1.1.3.1.17.2.61.2 connectorService.gelenBelgeEkleriAlAsync Method (string, string, string, object)

C#

```
public void gelenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru, object userState);
```

Body Source

```

1: public void gelenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru,
object userState) {
2:     if ((this.gelenBelgeEkleriAlOperationCompleted == null)) {
3:         this.gelenBelgeEkleriAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeEkleriAlOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeEkleriAl", new object[] {
6:         uuid,
7:         vknTckn,
8:         belgeTuru}, this.gelenBelgeEkleriAlOperationCompleted, userState);
9: }

```

1.1.3.1.17.2.62 connectorService.gelenBelgeleriAI Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gelenBelgeleriAI([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string sonAlinanBelgeSiraNumarasi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gelenBelgeleriAI([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string sonAlinanBelgeSiraNumarasi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru) {
4:     object[] results = this.Invoke("gelenBelgeleriAI", new object[] {
5:         vergiTcKimlikNo,
6:         sonAlinanBelgeSiraNumarasi,
7:         belgeTuru});
8:     return ((serviceReturnType[])(results[0]));
9: }
```

1.1.3.1.17.2.63 gelenBelgeleriAIAsync Method

1.1.3.1.17.2.63.1 connectorService.gelenBelgeleriAIAsync Method (string, string, string)

C#

```
public void gelenBelgeleriAlAsync(string vergiTcKimlikNo, string
sonAlinanBelgeSiraNumarasi, string belgeTuru);
```

Body Source

```
1: public void gelenBelgeleriAlAsync(string vergiTcKimlikNo, string
sonAlinanBelgeSiraNumarasi, string belgeTuru) {
2:     this.gelenBelgeleriAlAsync(vergiTcKimlikNo, sonAlinanBelgeSiraNumarasi, belgeTuru,
null);
3: }
```

1.1.3.1.17.2.63.2 connectorService.gelenBelgeleriAlAsync Method (string, string, string, object)

C#

```
public void gelenBelgeleriAlAsync(string vergiTcKimlikNo, string
sonAlinanBelgeSiraNumarasi, string belgeTuru, object userState);
```

Body Source

```
1: public void gelenBelgeleriAlAsync(string vergiTcKimlikNo, string
sonAlinanBelgeSiraNumarasi, string belgeTuru, object userState) {
2:     if ((this.gelenBelgeleriAlOperationCompleted == null)) {
3:         this.gelenBelgeleriAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeleriAlOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeleriAl", new object[] {
6:         vergiTcKimlikNo,
7:         sonAlinanBelgeSiraNumarasi,
8:         belgeTuru}, this.gelenBelgeleriAlOperationCompleted, userState);
9: }
```

1.1.3.1.17.2.64 connectorService.gelenBelgeleriAlExt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gelenBelgeleriAlExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gelenBelgeleriAlExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("gelenBelgeleriAlExt", new object[] {
5:         parametreler});
6:     return ((serviceReturnType[])(results[0]));
7: }
```

1.1.3.1.17.2.65 connectorService.gelenBelgeleriAlExt2 Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gelenBelgeleriAlExt2([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
lSchemaForm.Unqualified)]
string vergiTcKimlikNo,
```

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru, [System.Xml.Serialization.XmlArrayItemAttribute("entry",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=false)]
gelenBelgeleriAlExt2Entry[] parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gelenBelgeleriAlExt2([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
lSchemaForm.Unqualified])
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlArrayAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
[System.Xml.Serialization.XmlArrayItemAttribute("entry",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=false)]
gelenBelgeleriAlExt2Entry[] parametreler) {
4:     object[] results = this.Invoke("gelenBelgeleriAlExt2", new object[] {
5:         vergiTcKimlikNo,
6:         belgeTuru,
7:         parametreler});
8:     return ((serviceReturnType[])(results[0]));
9: }
```

1.1.3.1.17.2.66 gelenBelgeleriAlExt2Async Method**1.1.3.1.17.2.66.1 connectorService.gelenBelgeleriAlExt2Async Method (string, string, gelenBelgeleriAlExt2Entry[])****C#**

```
public void gelenBelgeleriAlExt2Async(string vergiTcKimlikNo, string belgeTuru,
gelenBelgeleriAlExt2Entry[] parametreler);
```

Body Source

```
1: public void gelenBelgeleriAlExt2Async(string vergiTcKimlikNo, string belgeTuru,
gelenBelgeleriAlExt2Entry[] parametreler) {
2:     this.gelenBelgeleriAlExt2Async(vergiTcKimlikNo, belgeTuru, parametreler, null);
3: }
```

1.1.3.1.17.2.66.2 connectorService.gelenBelgeleriAlExt2Async Method (string, string, gelenBelgeleriAlExt2Entry[], object)**C#**

```
public void gelenBelgeleriAlExt2Async(string vergiTcKimlikNo, string belgeTuru,
gelenBelgeleriAlExt2Entry[] parametreler, object userState);
```

Body Source

```
1: public void gelenBelgeleriAlExt2Async(string vergiTcKimlikNo, string belgeTuru,
gelenBelgeleriAlExt2Entry[] parametreler, object userState) {
2:     if ((this.gelenBelgeleriAlExt2OperationCompleted == null)) {
3:         this.gelenBelgeleriAlExt2OperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeleriAlExt2OperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeleriAlExt2", new object[] {
6:         vergiTcKimlikNo,
7:         belgeTuru,
```

```

8:             parametreler}, this.gelenBelgeleriAlExt2OperationCompleted, userState);
9: }

```

1.1.3.1.17.2.67 gelenBelgeleriAlExtAsync Method

1.1.3.1.17.2.67.1 connectorService.gelenBelgeleriAlExtAsync Method (gelenBelgeParametreleri)

C#

```
public void gelenBelgeleriAlExtAsync(gelenBelgeParametreleri parametreler);
```

Body Source

```

1: public void gelenBelgeleriAlExtAsync(gelenBelgeParametreleri parametreler) {
2:     this.gelenBelgeleriAlExtAsync(parametreler, null);
3: }

```

1.1.3.1.17.2.67.2 connectorService.gelenBelgeleriAlExtAsync Method (gelenBelgeParametreleri, object)

C#

```
public void gelenBelgeleriAlExtAsync(gelenBelgeParametreleri parametreler, object
userState);
```

Body Source

```

1: public void gelenBelgeleriAlExtAsync(gelenBelgeParametreleri parametreler, object
userState) {
2:     if ((this.gelenBelgeleriAlExtOperationCompleted == null)) {
3:         this.gelenBelgeleriAlExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeleriAlExtOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeleriAlExt", new object[] {
6:         parametreler}, this.gelenBelgeleriAlExtOperationCompleted, userState);
7: }

```

1.1.3.1.17.2.68 connectorService.gelenBelgeleriIndir Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gelenBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeFormati);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gelenBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)])
```

```

string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati) {
4:     object[] results = this.Invoke("gelenBelgeleriIndir", new object[] {
5:         vergiTcKimlikNo,
6:         ettnler,
7:         belgeTuru,
8:         belgeFormati});
9:     return ((byte[])(results[0]));
10: }

```

1.1.3.1.17.2.69 gelenBelgeleriIndirAsync Method

1.1.3.1.17.2.69.1 connectorService.gelenBelgeleriIndirAsync Method (string, string[], string, string)

C#

```
public void gelenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler, string
belgeTuru, string belgeFormati);
```

Body Source

```

1: public void gelenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler, string
belgeTuru, string belgeFormati) {
2:     this.gelenBelgeleriIndirAsync(vergiTcKimlikNo, ettnler, belgeTuru, belgeFormati,
null);
3: }

```

1.1.3.1.17.2.69.2 connectorService.gelenBelgeleriIndirAsync Method (string, string[], string, string, object)

C#

```
public void gelenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler, string
belgeTuru, string belgeFormati, object userState);
```

Body Source

```

1: public void gelenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler, string
belgeTuru, string belgeFormati, object userState) {
2:     if ((this.gelenBelgeleriIndirOperationCompleted == null)) {
3:         this.gelenBelgeleriIndirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeleriIndirOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeleriIndir", new object[] {
6:         vergiTcKimlikNo,
7:         ettnler,
8:         belgeTuru,
9:         belgeFormati}, this.gelenBelgeleriIndirOperationCompleted, userState);
10: }

```

1.1.3.1.17.2.70 connectorService.gelenBelgeleriIndirExt Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gelenBelgeleriIndirExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gelenBelgeleriIndirExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("gelenBelgeleriIndirExt", new object[] {
5:         parametreler});
6:     return ((byte[])(results[0]));
7: }

```

1.1.3.1.17.2.71 gelenBelgeleriIndirExtAsync Method**1.1.3.1.17.2.71.1 connectorService.gelenBelgeleriIndirExtAsync Method (gelenBelgeParametreleri)****C#**

```
public void gelenBelgeleriIndirExtAsync(gelenBelgeParametreleri parametreler);
```

Body Source

```

1: public void gelenBelgeleriIndirExtAsync(gelenBelgeParametreleri parametreler) {
2:     this.gelenBelgeleriIndirExtAsync(parametreler, null);
3: }

```

1.1.3.1.17.2.71.2 connectorService.gelenBelgeleriIndirExtAsync Method (gelenBelgeParametreleri, object)**C#**

```
public void gelenBelgeleriIndirExtAsync(gelenBelgeParametreleri parametreler, object
userState);
```

Body Source

```

1: public void gelenBelgeleriIndirExtAsync(gelenBelgeParametreleri parametreler, object
userState) {
2:     if ((this.gelenBelgeleriIndirExtOperationCompleted == null)) {
3:         this.gelenBelgeleriIndirExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeleriIndirExtOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeleriIndirExt", new object[] {
6:         parametreler}, this.gelenBelgeleriIndirExtOperationCompleted, userState);
7: }

```

1.1.3.1.17.2.72 connectorService.gelenBelgeleriListele Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gelenBelgeleriListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string sonAlinanBelgeSiraNumarasi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]

```

```
ed)]
string belgeTuru);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gelenBelgeleriListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string sonAlinanBelgeSiraNumarasi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru) {
4:     object[] results = this.Invoke("gelenBelgeleriListele", new object[] {
5:         vergiTcKimlikNo,
6:         sonAlinanBelgeSiraNumarasi,
7:         belgeTuru});
8:     return ((serviceReturnType[])(results[0]));
9: }
```

1.1.3.1.17.2.73 gelenBelgeleriListeleAsync Method**1.1.3.1.17.2.73.1 connectorService.gelenBelgeleriListeleAsync Method (string, string, string)****C#**

```
public void gelenBelgeleriListeleAsync(string vergiTcKimlikNo, string
sonAlinanBelgeSiraNumarasi, string belgeTuru);
```

Body Source

```
1: public void gelenBelgeleriListeleAsync(string vergiTcKimlikNo, string
sonAlinanBelgeSiraNumarasi, string belgeTuru) {
2:     this.gelenBelgeleriListeleAsync(vergiTcKimlikNo, sonAlinanBelgeSiraNumarasi,
belgeTuru, null);
3: }
```

1.1.3.1.17.2.73.2 connectorService.gelenBelgeleriListeleAsync Method (string, string, string, object)**C#**

```
public void gelenBelgeleriListeleAsync(string vergiTcKimlikNo, string
sonAlinanBelgeSiraNumarasi, string belgeTuru, object userState);
```

Body Source

```
1: public void gelenBelgeleriListeleAsync(string vergiTcKimlikNo, string
sonAlinanBelgeSiraNumarasi, string belgeTuru, object userState) {
2:     if ((this.gelenBelgeleriListeleOperationCompleted == null)) {
3:         this.gelenBelgeleriListeleOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeleriListeleOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeleriListele", new object[] {
6:         vergiTcKimlikNo,
7:         sonAlinanBelgeSiraNumarasi,
8:         belgeTuru}, this.gelenBelgeleriListeleOperationCompleted, userState);
9: }
```

1.1.3.1.17.2.74 connectorService.gelenBelgeleriListeleExt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gelenBelgeleriListeleExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gelenBelgeleriListeleExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("gelenBelgeleriListeleExt", new object[] {
5:         parametreler});
6:     return ((serviceReturnType[])(results[0]));
7: }
```

1.1.3.1.17.2.75 gelenBelgeleriListeleExtAsync Method

1.1.3.1.17.2.75.1 connectorService.gelenBelgeleriListeleExtAsync Method (gelenBelgeParametreleri)

C#

```
public void gelenBelgeleriListeleExtAsync(gelenBelgeParametreleri parametreler);
```

Body Source

```
1: public void gelenBelgeleriListeleExtAsync(gelenBelgeParametreleri parametreler) {
2:     this.gelenBelgeleriListeleExtAsync(parametreler, null);
3: }
```

1.1.3.1.17.2.75.2 connectorService.gelenBelgeleriListeleExtAsync Method (gelenBelgeParametreleri, object)

C#

```
public void gelenBelgeleriListeleExtAsync(gelenBelgeParametreleri parametreler, object
userState);
```

Body Source

```
1: public void gelenBelgeleriListeleExtAsync(gelenBelgeParametreleri parametreler, object
userState) {
2:     if ((this.gelenBelgeleriListeleExtOperationCompleted == null)) {
3:         this.gelenBelgeleriListeleExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeleriListeleExtOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeleriListeleExt", new object[] {
6:         parametreler}, this.gelenBelgeleriListeleExtOperationCompleted,
userState);
7: }
```

1.1.3.1.17.2.76 connectorService.gelenBelgeTutarBilgileriSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gelenBelgeTutarBilgileriSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string baslangicGelisTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string bitisGelisTarihi);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gelenBelgeTutarBilgileriSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string baslangicGelisTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string bitisGelisTarihi) {
4:     object[] results = this.Invoke("gelenBelgeTutarBilgileriSorgula", new object[] {
5:         vergiTcKimlikNo,
6:         belgeTuru,
7:         baslangicGelisTarihi,
8:         bitisGelisTarihi});
9:     return ((serviceReturnType[])(results[0]));
10: }
```

1.1.3.1.17.2.77 gelenBelgeTutarBilgileriSorgulaAsync Method

1.1.3.1.17.2.77.1 connectorService.gelenBelgeTutarBilgileriSorgulaAsync Method (string, string, string, string)

C#

```
public void gelenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string belgeTuru,
string baslangicGelisTarihi, string bitisGelisTarihi);
```

Body Source

```
1: public void gelenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string
belgeTuru, string baslangicGelisTarihi, string bitisGelisTarihi) {
```

```

2:     this.gelenBelgeTutarBilgileriSorgulaAsync(vergiTcKimlikNo, belgeTuru,
baslangicGelisTarihi, bitisGelisTarihi, null);
3: }

```

1.1.3.1.17.2.77.2 connectorService.gelenBelgeTutarBilgileriSorgulaAsync Method (string, string, string, string, object)

C#

```

public void gelenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string belgeTuru,
string baslangicGelisTarihi, string bitisGelisTarihi, object userState);

```

Body Source

```

1: public void gelenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string
belgeTuru, string baslangicGelisTarihi, string bitisGelisTarihi, object userState) {
2:     if ((this.gelenBelgeTutarBilgileriSorgulaOperationCompleted == null)) {
3:         this.gelenBelgeTutarBilgileriSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeTutarBilgileriSorgulaOperationCompleted
);
4:     }
5:     this.InvokeAsync("gelenBelgeTutarBilgileriSorgula", new object[] {
6:         vergiTcKimlikNo,
7:         belgeTuru,
8:         baslangicGelisTarihi,
9:         bitisGelisTarihi},
this.gelenBelgeTutarBilgileriSorgulaOperationCompleted, userState);
10: }

```

1.1.3.1.17.2.78 connectorService.gelenBelgeXmlleriniAl Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string[]
gelenBelgeXmlleriniAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string[]
gelenBelgeXmlleriniAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru) {
4:     object[] results = this.Invoke("gelenBelgeXmlleriniAl", new object[] {
5:         vergiTcKimlikNo,
6:         ettnler,
7:         belgeTuru});

```

```

8:     return ((string[])(results[0]));
9: }

```

1.1.3.1.17.2.79 gelenBelgeXmlleriniAlAsync Method

1.1.3.1.17.2.79.1 connectorService.gelenBelgeXmlleriniAlAsync Method (string, string[], string)

C#

```
public void gelenBelgeXmlleriniAlAsync(string vergiTcKimlikNo, string[] ettnler, string
belgeTuru);
```

Body Source

```

1: public void gelenBelgeXmlleriniAlAsync(string vergiTcKimlikNo, string[] ettnler, string
belgeTuru) {
2:     this.gelenBelgeXmlleriniAlAsync(vergiTcKimlikNo, ettnler, belgeTuru, null);
3: }

```

1.1.3.1.17.2.79.2 connectorService.gelenBelgeXmlleriniAlAsync Method (string, string[], string, object)

C#

```
public void gelenBelgeXmlleriniAlAsync(string vergiTcKimlikNo, string[] ettnler, string
belgeTuru, object userState);
```

Body Source

```

1: public void gelenBelgeXmlleriniAlAsync(string vergiTcKimlikNo, string[] ettnler, string
belgeTuru, object userState) {
2:     if ((this.gelenBelgeXmlleriniAlOperationCompleted == null)) {
3:         this.gelenBelgeXmlleriniAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeXmlleriniAlOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeXmlleriniAl", new object[] {
6:         vergiTcKimlikNo,
7:         ettnler,
8:         belgeTuru}, this.gelenBelgeXmlleriniAlOperationCompleted, userState);
9: }

```

1.1.3.1.17.2.80 connectorService.gelenBelgeXmlleriniAlExt Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gelenBelgeXmlleriniAlExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gelenBelgeXmlleriniAlExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("gelenBelgeXmlleriniAlExt", new object[] {
5:         parametreler});

```

```

6:     return ((byte[])(results[0]));
7: }

```

1.1.3.1.17.2.81 gelenBelgeXmlleriniAlExtAsync Method

1.1.3.1.17.2.81.1 connectorService.gelenBelgeXmlleriniAlExtAsync Method (gelenBelgeParametreleri)

C#

```
public void gelenBelgeXmlleriniAlExtAsync(gelenBelgeParametreleri parametreler);
```

Body Source

```

1: public void gelenBelgeXmlleriniAlExtAsync(gelenBelgeParametreleri parametreler) {
2:     this.gelenBelgeXmlleriniAlExtAsync(parametreler, null);
3: }

```

1.1.3.1.17.2.81.2 connectorService.gelenBelgeXmlleriniAlExtAsync Method (gelenBelgeParametreleri, object)

C#

```
public void gelenBelgeXmlleriniAlExtAsync(gelenBelgeParametreleri parametreler, object userState);
```

Body Source

```

1: public void gelenBelgeXmlleriniAlExtAsync(gelenBelgeParametreleri parametreler, object userState) {
2:     if ((this.gelenBelgeXmlleriniAlExtOperationCompleted == null)) {
3:         this.gelenBelgeXmlleriniAlExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenBelgeXmlleriniAlExtOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenBelgeXmlleriniAlExt", new object[] {
6:         parametreler}, this.gelenBelgeXmlleriniAlExtOperationCompleted,
userState);
7: }

```

1.1.3.1.17.2.82 connectorService.gelenFaturalariArsiveKaldır Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
gelenFaturalariArsiveKaldır([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("invoiceEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] invoiceEttnListesi);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
gelenFaturalariArsiveKaldır([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("invoiceEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] invoiceEttnListesi) {
3:     this.Invoke("gelenFaturalariArsiveKaldır", new object[] {
4:         vergiTcKimlikNo,
5:         invoiceEttnListesi});
6: }

```

1.1.3.1.17.2.83 gelenFaturalariArsiveKaldirAsync Method

1.1.3.1.17.2.83.1 connectorService.gelenFaturalariArsiveKaldirAsync Method (string, string[])

C#

```
public void gelenFaturalariArsiveKaldirAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi);
```

Body Source

```
1: public void gelenFaturalariArsiveKaldirAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi) {
2:     this.gelenFaturalariArsiveKaldirAsync(vergiTcKimlikNo, invoiceEttnListesi, null);
3: }
```

1.1.3.1.17.2.83.2 connectorService.gelenFaturalariArsiveKaldirAsync Method (string, string[], object)

C#

```
public void gelenFaturalariArsiveKaldirAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi, object userState);
```

Body Source

```
1: public void gelenFaturalariArsiveKaldirAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi, object userState) {
2:     if ((this.gelenFaturalariArsiveKaldirOperationCompleted == null)) {
3:         this.gelenFaturalariArsiveKaldirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenFaturalariArsiveKaldirOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenFaturalariArsiveKaldir", new object[] {
6:         vergiTcKimlikNo,
7:         invoiceEttnListesi}, this.gelenFaturalariArsiveKaldirOperationCompleted,
userState);
8: }
```

1.1.3.1.17.2.84 connectorService.gelenIrsaliyeleriArsiveKaldir Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
gelenIrsaliyeleriArsiveKaldir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute("despatchEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] despatchEttnListesi);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
gelenIrsaliyeleriArsiveKaldir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute("despatchEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] despatchEttnListesi) {
3:     this.Invoke("gelenIrsaliyeleriArsiveKaldir", new object[] {
4:         vergiTcKimlikNo,
5:         despatchEttnListesi});
6: }
```

1.1.3.1.17.2.85 gelenIrsaliyeleriArsiveKaldırAsync Method

1.1.3.1.17.2.85.1 connectorService.gelenIrsaliyeleriArsiveKaldırAsync Method (string, string[])

C#

```
public void gelenIrsaliyeleriArsiveKaldırAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi);
```

Body Source

```
1: public void gelenIrsaliyeleriArsiveKaldırAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi) {
2:     this.gelenIrsaliyeleriArsiveKaldırAsync(vergiTcKimlikNo, despatchEttnListesi, null);
3: }
```

1.1.3.1.17.2.85.2 connectorService.gelenIrsaliyeleriArsiveKaldırAsync Method (string, string[], object)

C#

```
public void gelenIrsaliyeleriArsiveKaldırAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi, object userState);
```

Body Source

```
1: public void gelenIrsaliyeleriArsiveKaldırAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi, object userState) {
2:     if ((this.gelenIrsaliyeleriArsiveKaldırOperationCompleted == null)) {
3:         this.gelenIrsaliyeleriArsiveKaldırOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenIrsaliyeleriArsiveKaldırOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenIrsaliyeleriArsiveKaldır", new object[] {
6:         vergiTcKimlikNo,
7:         despatchEttnListesi},
this.gelenIrsaliyeleriArsiveKaldırOperationCompleted, userState);
8: }
```

1.1.3.1.17.2.86 connectorService.gelenStandartRapolariAI Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gelenStandartRapolariAI([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema
.XmlSchemaForm.Unqualified)]
string gönderenVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string aliciVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string baslangicTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string bitisTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gönderimBaslangicTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gönderimBitisTarihi);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gelenStandartRapolariAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gonderenVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string aliciVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string baslangicTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string bitisTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gonderimBaslangicTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string gonderimBitisTarihi) {
4:     object[] results = this.Invoke("gelenStandartRapolariAl", new object[] {
5:         gonderenVknTckn,
6:         aliciVknTckn,
7:         baslangicTarihi,
8:         bitisTarihi,
9:         gonderimBaslangicTarihi,
10:        gonderimBitisTarihi});
11:     return ((byte[])(results[0]));
12: }

```

1.1.3.1.17.2.87 gelenStandartRapolariAIAsync Method**1.1.3.1.17.2.87.1 connectorService.gelenStandartRapolariAIAsync Method (string, string, string, string, string, string)****C#**

```
public void gelenStandartRapolariAIAsync(string gonderenVknTckn, string aliciVknTckn,
string baslangicTarihi, string bitisTarihi, string gonderimBaslangicTarihi, string
gonderimBitisTarihi);
```

Body Source

```

1: public void gelenStandartRapolariAIAsync(string gonderenVknTckn, string aliciVknTckn,
string baslangicTarihi, string bitisTarihi, string gonderimBaslangicTarihi, string
gonderimBitisTarihi) {
2:     this.gelenStandartRapolariAIAsync(gonderenVknTckn, aliciVknTckn, baslangicTarihi,
bitisTarihi, gonderimBaslangicTarihi, gonderimBitisTarihi, null);
3: }

```

1.1.3.1.17.2.87.2 connectorService.gelenStandartRapolariAIAsync Method (string, string, string, string, string, string, object)**C#**

```
public void gelenStandartRapolariAIAsync(string gonderenVknTckn, string aliciVknTckn,
string baslangicTarihi, string bitisTarihi, string gonderimBaslangicTarihi, string
gonderimBitisTarihi, object userState);
```

Body Source

```

1: public void gelenStandartRapolariAlAsync(string gonderenVknTckn, string aliciVknTckn,
2: string baslangicTarihi, string bitisTarihi, string gonderimBaslangicTarihi, string
3: gonderimBitisTarihi, object userState) {
4:     if ((this.gelenStandartRapolariAlOperationCompleted == null)) {
5:         this.gelenStandartRapolariAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenStandartRapolariAlOperationCompleted);
6:     }
7:     this.InvokeAsync("gelenStandartRapolariAl", new object[] {
8:         gonderenVknTckn,
9:         aliciVknTckn,
10:        baslangicTarihi,
11:        bitisTarihi,
12:        gonderimBaslangicTarihi,
13:        gonderimBitisTarihi}, this.gelenStandartRapolariAlOperationCompleted,
userState);
14: }
```

1.1.3.1.17.2.88 connectorService.gelenTamamlananRapolariAl Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gelenTamamlananRapolariAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
string gonderenVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string aliciVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gelisBasTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gelisBitTarihi);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gelenTamamlananRapolariAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
string gonderenVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string aliciVknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gelisBasTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string gelisBitTarihi) {
4:     object[] results = this.Invoke("gelenTamamlananRapolariAl", new object[] {
5:         gonderenVknTckn,
6:         aliciVknTckn,
```

```

7:             gelisBasTarihi,
8:             gelisBitTarihi});
9:     return ((byte[])(results[0]));
10: }

```

1.1.3.1.17.2.89 gelenTamamlananRapolariAlAsync Method

1.1.3.1.17.2.89.1 connectorService.gelenTamamlananRapolariAlAsync Method (string, string, string, string)

C#

```
public void gelenTamamlananRapolariAlAsync(string gonderenVknTckn, string aliciVknTckn,
string gelisBasTarihi, string gelisBitTarihi);
```

Body Source

```

1: public void gelenTamamlananRapolariAlAsync(string gonderenVknTckn, string aliciVknTckn,
string gelisBasTarihi, string gelisBitTarihi) {
2:     this.gelenTamamlananRapolariAlAsync(gonderenVknTckn, aliciVknTckn, gelisBasTarihi,
gelisBitTarihi, null);
3: }

```

1.1.3.1.17.2.89.2 connectorService.gelenTamamlananRapolariAlAsync Method (string, string, string, object)

C#

```
public void gelenTamamlananRapolariAlAsync(string gonderenVknTckn, string aliciVknTckn,
string gelisBasTarihi, string gelisBitTarihi, object userState);
```

Body Source

```

1: public void gelenTamamlananRapolariAlAsync(string gonderenVknTckn, string aliciVknTckn,
string gelisBasTarihi, string gelisBitTarihi, object userState) {
2:     if ((this.gelenTamamlananRapolariAlOperationCompleted == null)) {
3:         this.gelenTamamlananRapolariAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngelenTamamlananRapolariAlOperationCompleted);
4:     }
5:     this.InvokeAsync("gelenTamamlananRapolariAl", new object[] {
6:         gonderenVknTckn,
7:         aliciVknTckn,
8:         gelisBasTarihi,
9:         gelisBitTarihi}, this.gelenTamamlananRapolariAlOperationCompleted,
userState);
10: }

```

1.1.3.1.17.2.90 connectorService.gelenTasinanBelgeleriIndir Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gelenTasinanBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sch
ema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeFormati);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
```

```

1: Use=System.Web.Services.Description.SoapBindingUse.Literal,
2: ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
3: Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gelenTasinanBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati) {
4:     object[] results = this.Invoke("gelenTasinanBelgeleriIndir", new object[] {
5:         vergiTcKimlikNo,
6:         ettnler,
7:         belgeFormati});
8:     return ((byte[])(results[0]));
9: }

```

1.1.3.1.17.2.91 gelenTasinanBelgeleriIndirAsync Method

1.1.3.1.17.2.91.1 connectorService.gelenTasinanBelgeleriIndirAsync Method (string, string[], string)

C#

```
public void gelenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler,
string belgeFormati);
```

Body Source

```

1: public void gelenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler,
2: string belgeFormati) {
3:     this.gelenTasinanBelgeleriIndirAsync(vergiTcKimlikNo, ettnler, belgeFormati, null);
4: }

```

1.1.3.1.17.2.91.2 connectorService.gelenTasinanBelgeleriIndirAsync Method (string, string[], string, object)

C#

```
public void gelenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler,
string belgeFormati, object userState);
```

Body Source

```

1: public void gelenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler,
2: string belgeFormati, object userState) {
3:     if ((this.gelenTasinanBelgeleriIndirOperationCompleted == null)) {
4:         this.gelenTasinanBelgeleriIndirOperationCompleted = new
5: System.Threading.SendOrPostCallback(this.OngelenTasinanBelgeleriIndirOperationCompleted);
6:     }
7:     this.InvokeAsync("gelenTasinanBelgeleriIndir", new object[] {
8:         vergiTcKimlikNo,
9:         ettnler,
10:        belgeFormati}, this.gelenTasinanBelgeleriIndirOperationCompleted,
11: userState);
12: }

```

1.1.3.1.17.2.92 connectorService.gidenBelgeDurumSorgula Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public gidenBelgeDurum
gidenBelgeDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.

```

```

XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeOid);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public gidenBelgeDurum
gidenBelgeDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified])
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeOid) {
4:     object[] results = this.Invoke("gidenBelgeDurumSorgula", new object[] {
5:         vergiTcKimlikNo,
6:         belgeOid});
7:     return ((gidenBelgeDurum)(results[0]));
8: }

```

1.1.3.1.17.2.93 gidenBelgeDurumSorgulaAsync Method**1.1.3.1.17.2.93.1 connectorService.gidenBelgeDurumSorgulaAsync Method (string, string)****C#**

```
public void gidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string belgeOid);
```

Body Source

```

1: public void gidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string belgeOid) {
2:     this.gidenBelgeDurumSorgulaAsync(vergiTcKimlikNo, belgeOid, null);
3: }

```

1.1.3.1.17.2.93.2 connectorService.gidenBelgeDurumSorgulaAsync Method (string, string, object)**C#**

```
public void gidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string belgeOid, object userState);
```

Body Source

```

1: public void gidenBelgeDurumSorgulaAsync(string vergiTcKimlikNo, string belgeOid, object userState) {
2:     if ((this.gidenBelgeDurumSorgulaOperationCompleted == null)) {
3:         this.gidenBelgeDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeDurumSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeDurumSorgula", new object[] {
6:         vergiTcKimlikNo,
7:         belgeOid}, this.gidenBelgeDurumSorgulaOperationCompleted, userState);
8: }

```

1.1.3.1.17.2.94 connectorService.gidenBelgeDurumSorgulaBelgeNo Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
```

```
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public gidenBelgeDurum
gidenBelgeDurumSorgulaBelgeNo([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi-
ed)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi-
ed)]
string urun);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public gidenBelgeDurum
gidenBelgeDurumSorgulaBelgeNo([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi-
ed)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi-
ed)]
string urun) {
4:     object[] results = this.Invoke("gidenBelgeDurumSorgulaBelgeNo", new object[] {
5:         vergiTcKimlikNo,
6:         belgeNo,
7:         urun});
8:     return ((gidenBelgeDurum)(results[0]));
9: }
```

1.1.3.1.17.2.95 gidenBelgeDurumSorgulaBelgeNoAsync Method**1.1.3.1.17.2.95.1 connectorService.gidenBelgeDurumSorgulaBelgeNoAsync Method (string, string, string)****C#**

```
public void gidenBelgeDurumSorgulaBelgeNoAsync(string vergiTcKimlikNo, string belgeNo,
string urun);
```

Body Source

```
1: public void gidenBelgeDurumSorgulaBelgeNoAsync(string vergiTcKimlikNo, string belgeNo,
string urun) {
2:     this.gidenBelgeDurumSorgulaBelgeNoAsync(vergiTcKimlikNo, belgeNo, urun, null);
3: }
```

1.1.3.1.17.2.95.2 connectorService.gidenBelgeDurumSorgulaBelgeNoAsync Method (string, string, string, object)**C#**

```
public void gidenBelgeDurumSorgulaBelgeNoAsync(string vergiTcKimlikNo, string belgeNo,
string urun, object userState);
```

Body Source

```
1: public void gidenBelgeDurumSorgulaBelgeNoAsync(string vergiTcKimlikNo, string belgeNo,
string urun, object userState) {
2:     if ((this.gidenBelgeDurumSorgulaBelgeNoOperationCompleted == null)) {
3:         this.gidenBelgeDurumSorgulaBelgeNoOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeDurumSorgulaBelgeNoOperationCompleted);
```

```

4:      }
5:      this.InvokeAsync("gidenBelgeDurumSorgulaBelgeNo", new object[] {
6:          vergiTcKimlikNo,
7:          belgeNo,
8:          urun}, this.gidenBelgeDurumSorgulaBelgeNoOperationCompleted, userState);
9:  }

```

1.1.3.1.17.2.96 connectorService.gidenBelgeDurumSorgulaEttn Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public gidenBelgeDurum
gidenBelgeDurumSorgulaEttn([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sch
ema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ettn);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public gidenBelgeDurum
gidenBelgeDurumSorgulaEttn([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sch
ema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed])
string ettn) {
4:     object[] results = this.Invoke("gidenBelgeDurumSorgulaEttn", new object[] {
5:         vergiTcKimlikNo,
6:         ettn});
7:     return ((gidenBelgeDurum)(results[0]));
8: }

```

1.1.3.1.17.2.97 gidenBelgeDurumSorgulaEttnAsync Method

1.1.3.1.17.2.97.1 connectorService.gidenBelgeDurumSorgulaEttnAsync Method (string, string)

C#

```
public void gidenBelgeDurumSorgulaEttnAsync(string vergiTcKimlikNo, string ettn);
```

Body Source

```

1: public void gidenBelgeDurumSorgulaEttnAsync(string vergiTcKimlikNo, string ettn) {
2:     this.gidenBelgeDurumSorgulaEttnAsync(vergiTcKimlikNo, ettn, null);
3: }

```

1.1.3.1.17.2.97.2 connectorService.gidenBelgeDurumSorgulaEttnAsync Method (string, string, object)

C#

```
public void gidenBelgeDurumSorgulaEttnAsync(string vergiTcKimlikNo, string ettn, object
userState);
```

Body Source

```

1: public void gidenBelgeDurumSorgulaEttnAsync(string vergiTcKimlikNo, string ettn, object
userState) {
2:     if ((this.gidenBelgeDurumSorgulaEttnOperationCompleted == null)) {
3:         this.gidenBelgeDurumSorgulaEttnOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeDurumSorgulaEttnOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeDurumSorgulaEttn", new object[] {
6:         vergiTcKimlikNo,
7:         ettn}, this.gidenBelgeDurumSorgulaEttnOperationCompleted, userState);
8: }

```

1.1.3.1.17.2.98 connectorService.gidenBelgeDurumSorgulaExt Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType
gidenBelgeDurumSorgulaExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
gidenBelgeDurumParametreleri parametreler);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType
gidenBelgeDurumSorgulaExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
gidenBelgeDurumParametreleri parametreler) {
4:     object[] results = this.Invoke("gidenBelgeDurumSorgulaExt", new object[] {
5:         vergiTcKimlikNo,
6:         parametreler});
7:     return ((serviceReturnType)(results[0]));
8: }

```

1.1.3.1.17.2.99 gidenBelgeDurumSorgulaExtAsync Method**1.1.3.1.17.2.99.1 connectorService.gidenBelgeDurumSorgulaExtAsync Method (string,
gidenBelgeDurumParametreleri)****C#**

```

public void gidenBelgeDurumSorgulaExtAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler);

```

Body Source

```

1: public void gidenBelgeDurumSorgulaExtAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler) {
2:     this.gidenBelgeDurumSorgulaExtAsync(vergiTcKimlikNo, parametreler, null);

```

```
3: }
```

1.1.3.1.17.2.99.2 connectorService.gidenBelgeDurumSorgulaExtAsync Method (string, gidenBelgeDurumParametreleri, object)

C#

```
public void gidenBelgeDurumSorgulaExtAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler, object userState);
```

Body Source

```
1: public void gidenBelgeDurumSorgulaExtAsync(string vergiTcKimlikNo,
gidenBelgeDurumParametreleri parametreler, object userState) {
2:     if ((this.gidenBelgeDurumSorgulaExtOperationCompleted == null)) {
3:         this.gidenBelgeDurumSorgulaExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeDurumSorgulaExtOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeDurumSorgulaExt", new object[] {
6:         vergiTcKimlikNo,
7:         parametreler}, this.gidenBelgeDurumSorgulaExtOperationCompleted,
userState);
8: }
```

1.1.3.1.17.2.100 connectorService.gidenBelgeDurumSorgulaPortal Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gidenBelgeDurumSorgulaPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.S
chema.XmlSchemaForm.Unqualified)]
gidenBelgelerDurumSorgulaPortalParametreleri parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gidenBelgeDurumSorgulaPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.S
chema.XmlSchemaForm.Unqualified)]
gidenBelgelerDurumSorgulaPortalParametreleri parametreler) {
4:     object[] results = this.Invoke("gidenBelgeDurumSorgulaPortal", new object[] {
5:         parametreler});
6:     return ((serviceReturnType[])(results[0]));
7: }
```

1.1.3.1.17.2.101 gidenBelgeDurumSorgulaPortalAsync Method

1.1.3.1.17.2.101.1 connectorService.gidenBelgeDurumSorgulaPortalAsync Method (gidenBelgelerDurumSorgulaPortalParametreleri)

C#

```
public void gidenBelgeDurumSorgulaPortalAsync(gidenBelgelerDurumSorgulaPortalParametreleri
parametreler);
```

Body Source

```

1: public void
gidenBelgeDurumSorgulaPortalAsync(gidenBelgelerDurumSorgulaPortalParametreleri
parametreler) {
2:     this.gidenBelgeDurumSorgulaPortalAsync(parametreler, null);
3: }

```

**1.1.3.1.17.2.101.2 connectorService.gidenBelgeDurumSorgulaPortalAsync Method
(gidenBelgelerDurumSorgulaPortalParametreleri, object)****C#**

```
public void gidenBelgeDurumSorgulaPortalAsync(gidenBelgelerDurumSorgulaPortalParametreleri
parametreler, object userState);
```

Body Source

```

1: public void
gidenBelgeDurumSorgulaPortalAsync(gidenBelgelerDurumSorgulaPortalParametreleri
parametreler, object userState) {
2:     if ((this.gidenBelgeDurumSorgulaPortalOperationCompleted == null)) {
3:         this.gidenBelgeDurumSorgulaPortalOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeDurumSorgulaPortalOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeDurumSorgulaPortal", new object[] {
6:         parametreler}, this.gidenBelgeDurumSorgulaPortalOperationCompleted,
userState);
7: }

```

1.1.3.1.17.2.102 connectorService.gidenBelgeDurumSorgulaYerelBelgeNo Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public gidenBelgeDurum
gidenBelgeDurumSorgulaYerelBelgeNo([System.Xml.Serialization.XmlElementAttribute(Form=System
.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string yerelBelgeNo);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public gidenBelgeDurum
gidenBelgeDurumSorgulaYerelBelgeNo([System.Xml.Serialization.XmlElementAttribute(Form=System
.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string yerelBelgeNo) {
4:     object[] results = this.Invoke("gidenBelgeDurumSorgulaYerelBelgeNo", new object[] {
5:         vergiTcKimlikNo,
6:         yerelBelgeNo});
7:     return ((gidenBelgeDurum)(results[0]));
8: }

```

1.1.3.1.17.2.103 gidenBelgeDurumSorgulaYerelBelgeNoAsync Method

1.1.3.1.17.2.103.1 connectorService.gidenBelgeDurumSorgulaYerelBelgeNoAsync Method (string, string)

C#

```
public void gidenBelgeDurumSorgulaYerelBelgeNoAsync(string vergiTcKimlikNo, string
yerelBelgeNo);
```

Body Source

```
1: public void gidenBelgeDurumSorgulaYerelBelgeNoAsync(string vergiTcKimlikNo, string
yerelBelgeNo) {
2:     this.gidenBelgeDurumSorgulaYerelBelgeNoAsync(vergiTcKimlikNo, yerelBelgeNo, null);
3: }
```

1.1.3.1.17.2.103.2 connectorService.gidenBelgeDurumSorgulaYerelBelgeNoAsync Method (string, string, object)

C#

```
public void gidenBelgeDurumSorgulaYerelBelgeNoAsync(string vergiTcKimlikNo, string
yerelBelgeNo, object userState);
```

Body Source

```
1: public void gidenBelgeDurumSorgulaYerelBelgeNoAsync(string vergiTcKimlikNo, string
yerelBelgeNo, object userState) {
2:     if ((this.gidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted == null)) {
3:         this.gidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeDurumSorgulaYerelBelgeNoOperationComple
ted);
4:     }
5:     this.InvokeAsync("gidenBelgeDurumSorgulaYerelBelgeNo", new object[] {
6:         vergiTcKimlikNo,
7:         yerelBelgeNo},
this.gidenBelgeDurumSorgulaYerelBelgeNoOperationCompleted, userState);
8: }
```

1.1.3.1.17.2.104 connectorService.gidenBelgeEkleriAI Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gidenBelgeEkleriAI([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
schemaForm.Unqualified)]
string uuid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
```

```

3: public byte[]
gidenBelgeEkleriAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string uuid,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru) {
4:     object[] results = this.Invoke("gidenBelgeEkleriAl", new object[] {
5:         uuid,
6:         vknTckn,
7:         belgeTuru});
8:     return ((byte[])(results[0]));
9: }

```

1.1.3.1.17.2.105 gidenBelgeEkleriAlAsync Method

1.1.3.1.17.2.105.1 connectorService.gidenBelgeEkleriAlAsync Method (string, string, string)

C#

```
public void gidenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru);
```

Body Source

```

1: public void gidenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru) {
2:     this.gidenBelgeEkleriAlAsync(uuid, vknTckn, belgeTuru, null);
3: }

```

1.1.3.1.17.2.105.2 connectorService.gidenBelgeEkleriAlAsync Method (string, string, string, object)

C#

```
public void gidenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru, object userState);
```

Body Source

```

1: public void gidenBelgeEkleriAlAsync(string uuid, string vknTckn, string belgeTuru,
object userState) {
2:     if ((this.gidenBelgeEkleriAlOperationCompleted == null)) {
3:         this.gidenBelgeEkleriAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeEkleriAlOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeEkleriAl", new object[] {
6:         uuid,
7:         vknTckn,
8:         belgeTuru}, this.gidenBelgeEkleriAlOperationCompleted, userState);
9: }

```

1.1.3.1.17.2.106 connectorService.gidenBelgeleriIndir Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gidenBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("belgeOidListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] belgeOidListesi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]

```

```

string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati);

Body Source

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gidenBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("belgeOidListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] belgeOidListesi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati) {
4:     object[] results = this.Invoke("gidenBelgeleriIndir", new object[] {
5:         vergiTcKimlikNo,
6:         belgeOidListesi,
7:         belgeTuru,
8:         belgeFormati});
9:     return ((byte[])(results[0]));
10: }

```

1.1.3.1.17.2.107 gidenBelgeleriIndirAsync Method

1.1.3.1.17.2.107.1 connectorService.gidenBelgeleriIndirAsync Method (string, string[], string, string)

C#

```
public void gidenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] belgeOidListesi,
string belgeTuru, string belgeFormati);
```

Body Source

```

1: public void gidenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] belgeOidListesi,
string belgeTuru, string belgeFormati) {
2:     this.gidenBelgeleriIndirAsync(vergiTcKimlikNo, belgeOidListesi, belgeTuru,
belgeFormati, null);
3: }

```

1.1.3.1.17.2.107.2 connectorService.gidenBelgeleriIndirAsync Method (string, string[], string, string, object)

C#

```
public void gidenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] belgeOidListesi,
string belgeTuru, string belgeFormati, object userState);
```

Body Source

```

1: public void gidenBelgeleriIndirAsync(string vergiTcKimlikNo, string[] belgeOidListesi,
string belgeTuru, string belgeFormati, object userState) {
2:     if ((this.gidenBelgeleriIndirOperationCompleted == null)) {
3:         this.gidenBelgeleriIndirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeleriIndirOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeleriIndir", new object[] {
6:         vergiTcKimlikNo,
7:         belgeOidListesi,
8:         belgeTuru,

```

```

9:             belgeFormati}, this.gidenBelgeleriIndirOperationCompleted, userState);
10: }

```

1.1.3.1.17.2.108 connectorService.gidenBelgeleriIndirEttn Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gidenBelgeleriIndirEttn([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("belgeEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] belgeEttnListesi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati;

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute(""),
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gidenBelgeleriIndirEttn([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("belgeEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] belgeEttnListesi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati) {
4:     object[] results = this.Invoke("gidenBelgeleriIndirEttn", new object[] {
5:         vergiTcKimlikNo,
6:         belgeEttnListesi,
7:         belgeTuru,
8:         belgeFormati});
9:     return ((byte[])(results[0]));
10: }

```

1.1.3.1.17.2.109 gidenBelgeleriIndirEttnAsync Method

1.1.3.1.17.2.109.1 connectorService.gidenBelgeleriIndirEttnAsync Method (string, string[], string, string)

C#

```

public void gidenBelgeleriIndirEttnAsync(string vergiTcKimlikNo, string[] belgeEttnListesi,
string belgeTuru, string belgeFormati);

```

Body Source

```

1: public void gidenBelgeleriIndirEttnAsync(string vergiTcKimlikNo, string[]
belgeEttnListesi, string belgeTuru, string belgeFormati) {
2:     this.gidenBelgeleriIndirEttnAsync(vergiTcKimlikNo, belgeEttnListesi, belgeTuru,
belgeFormati, null);
3: }

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.17.2.109.2 connectorService.gidenBelgeleriIndirEttnAsync Method (string, string[], string, string, object)

C#

```
public void gidenBelgeleriIndirEttnAsync(string vergiTcKimlikNo, string[] belgeEttnListesi,
string belgeTuru, string belgeFormati, object userState);
```

Body Source

```
1: public void gidenBelgeleriIndirEttnAsync(string vergiTcKimlikNo, string[]
belgeEttnListesi, string belgeTuru, string belgeFormati, object userState) {
2:     if ((this.gidenBelgeleriIndirEttnOperationCompleted == null)) {
3:         this.gidenBelgeleriIndirEttnOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeleriIndirEttnOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeleriIndirEttn", new object[] {
6:         vergiTcKimlikNo,
7:         belgeEttnListesi,
8:         belgeTuru,
9:         belgeFormati}, this.gidenBelgeleriIndirEttnOperationCompleted,
userState);
10: }
```

1.1.3.1.17.2.110 connectorService.gidenBelgeleriIndirPortal Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
gidenBelgeleriIndirPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
gidenBelgeleriIndirPortalParametreleri parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
gidenBelgeleriIndirPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sche
ma.XmlSchemaForm.Unqualified)]
gidenBelgeleriIndirPortalParametreleri parametreler) {
4:     object[] results = this.Invoke("gidenBelgeleriIndirPortal", new object[] {
5:         parametreler});
6:     return ((byte[])(results[0]));
7: }
```

1.1.3.1.17.2.111 gidenBelgeleriIndirPortalAsync Method

1.1.3.1.17.2.111.1 connectorService.gidenBelgeleriIndirPortalAsync Method (gidenBelgeleriIndirPortalParametreleri)

C#

```
public void gidenBelgeleriIndirPortalAsync(gidenBelgeleriIndirPortalParametreleri
parametreler);
```

Body Source

```

1: public void gidenBelgeleriIndirPortalAsync(gidenBelgeleriIndirPortalParametreleri
parametreler) {
2:     this.gidenBelgeleriIndirPortalAsync(parametreler, null);
3: }

```

1.1.3.1.17.2.111.2 connectorService.gidenBelgeleriIndirPortalAsync Method (gidenBelgeleriIndirPortalParametreleri, object)

C#

```
public void gidenBelgeleriIndirPortalAsync(gidenBelgeleriIndirPortalParametreleri
parametreler, object userState);
```

Body Source

```

1: public void gidenBelgeleriIndirPortalAsync(gidenBelgeleriIndirPortalParametreleri
parametreler, object userState) {
2:     if ((this.gidenBelgeleriIndirPortalOperationCompleted == null)) {
3:         this.gidenBelgeleriIndirPortalOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeleriIndirPortalOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeleriIndirPortal", new object[] {
6:         parametreler}, this.gidenBelgeleriIndirPortalOperationCompleted,
userState);
7: }

```

1.1.3.1.17.2.112 connectorService.gidenBelgeleriListele Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gidenBelgeleriListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified])
gidenBelgeleriListeleParametreleri parametreler);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
gidenBelgeleriListele([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified])
gidenBelgeleriListeleParametreleri parametreler) {
4:     object[] results = this.Invoke("gidenBelgeleriListele", new object[] {
5:         parametreler});
6:     return ((serviceReturnType[])(results[0]));
7: }

```

1.1.3.1.17.2.113 gidenBelgeleriListeleAsync Method

1.1.3.1.17.2.113.1 connectorService.gidenBelgeleriListeleAsync Method (gidenBelgeleriListeleParametreleri)

C#

```
public void gidenBelgeleriListeleAsync(gidenBelgeleriListeleParametreleri parametreler);
```

Body Source

```
1: public void gidenBelgeleriListeleAsync(gidenBelgeleriListeleParametreleri parametreler) {  
2:     this.gidenBelgeleriListeleAsync(parametreler, null);  
3: }
```

1.1.3.1.17.2.113.2 connectorService.gidenBelgeleriListeleAsync Method (gidenBelgeleriListeleParametreleri, object)

C#

```
public void gidenBelgeleriListeleAsync(gidenBelgeleriListeleParametreleri parametreler,  
object userState);
```

Body Source

```
1: public void gidenBelgeleriListeleAsync(gidenBelgeleriListeleParametreleri parametreler,  
object userState) {  
2:     if ((this.gidenBelgeleriListeleOperationCompleted == null)) {  
3:         this.gidenBelgeleriListeleOperationCompleted = new  
System.Threading.SendOrPostCallback(this.OngidenBelgeleriListeleOperationCompleted);  
4:     }  
5:     this.InvokeAsync("gidenBelgeleriListele", new object[] {  
6:         parametreler}, this.gidenBelgeleriListeleOperationCompleted, userState);  
7: }
```

1.1.3.1.17.2.114 connectorService.gidenBelgeleriListelePortal Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",  
RequestNamespace="http://service.connector.uut.cs.com.tr/",  
ResponseNamespace="http://service.connector.uut.cs.com.tr/",  
Use=System.Web.Services.Description.SoapBindingUse.Literal,  
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]  
[return: System.Xml.Serialization.XmlElementAttribute("return",  
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]  
public serviceReturnType[]  
gidenBelgeleriListelePortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc  
hema.XmlSchemaForm.Unqualified)]  
gidenBelgeleriListelePortalParametreleri parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",  
RequestNamespace="http://service.connector.uut.cs.com.tr/",  
ResponseNamespace="http://service.connector.uut.cs.com.tr/",  
Use=System.Web.Services.Description.SoapBindingUse.Literal,  
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]  
2: [return: System.Xml.Serialization.XmlElementAttribute("return",  
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]  
3: public serviceReturnType[]  
gidenBelgeleriListelePortal([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc  
hema.XmlSchemaForm.Unqualified)]  
gidenBelgeleriListelePortalParametreleri parametreler) {  
4:     object[] results = this.Invoke("gidenBelgeleriListelePortal", new object[] {  
5:         parametreler});  
6:     return ((serviceReturnType[])(results[0]));  
7: }
```

1.1.3.1.17.2.115 gidenBelgeleriListelePortalAsync Method

1.1.3.1.17.2.115.1 connectorService.gidenBelgeleriListelePortalAsync Method (gidenBelgeleriListelePortalParametreleri)

C#

```
public void gidenBelgeleriListelePortalAsync(gidenBelgeleriListelePortalParametreleri
parametreler);
```

Body Source

```
1: public void gidenBelgeleriListelePortalAsync(gidenBelgeleriListelePortalParametreleri
parametreler) {
2:     this.gidenBelgeleriListelePortalAsync(parametreler, null);
3: }
```

1.1.3.1.17.2.115.2 connectorService.gidenBelgeleriListelePortalAsync Method (gidenBelgeleriListelePortalParametreleri, object)

C#

```
public void gidenBelgeleriListelePortalAsync(gidenBelgeleriListelePortalParametreleri
parametreler, object userState);
```

Body Source

```
1: public void gidenBelgeleriListelePortalAsync(gidenBelgeleriListelePortalParametreleri
parametreler, object userState) {
2:     if ((this.gidenBelgeleriListelePortalOperationCompleted == null)) {
3:         this.gidenBelgeleriListelePortalOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeleriListelePortalOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenBelgeleriListelePortal", new object[] {
6:         parametreler}, this.gidenBelgeleriListelePortalOperationCompleted,
userState);
7: }
```

1.1.3.1.17.2.116 connectorService.gidenBelgeTutarBilgileriSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
gidenBelgeTutarBilgileriSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string baslangicGonderimTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string bitisGonderimTarihi);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
```

```

3: public serviceReturnType[]
gidenBelgeTutarBilgileriSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string baslangicGonderimTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string bitisGonderimTarihi) {
4:     object[] results = this.Invoke("gidenBelgeTutarBilgileriSorgula", new object[] {
5:         vergiTcKimlikNo,
6:         belgeTuru,
7:         baslangicGonderimTarihi,
8:         bitisGonderimTarihi});
9:     return ((serviceReturnType[])(results[0]));
10: }

```

1.1.3.1.17.2.117 gidenBelgeTutarBilgileriSorgulaAsync Method

1.1.3.1.17.2.117.1 connectorService.gidenBelgeTutarBilgileriSorgulaAsync Method (string, string, string)

C#

```
public void gidenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string belgeTuru,
string baslangicGonderimTarihi, string bitisGonderimTarihi);
```

Body Source

```

1: public void gidenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string
belgeTuru, string baslangicGonderimTarihi, string bitisGonderimTarihi) {
2:     this.gidenBelgeTutarBilgileriSorgulaAsync(vergiTcKimlikNo, belgeTuru,
baslangicGonderimTarihi, bitisGonderimTarihi, null);
3: }

```

1.1.3.1.17.2.117.2 connectorService.gidenBelgeTutarBilgileriSorgulaAsync Method (string, string, string, object)

C#

```
public void gidenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string belgeTuru,
string baslangicGonderimTarihi, string bitisGonderimTarihi, object userState);
```

Body Source

```

1: public void gidenBelgeTutarBilgileriSorgulaAsync(string vergiTcKimlikNo, string
belgeTuru, string baslangicGonderimTarihi, string bitisGonderimTarihi, object userState) {
2:     if ((this.gidenBelgeTutarBilgileriSorgulaOperationCompleted == null)) {
3:         this.gidenBelgeTutarBilgileriSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenBelgeTutarBilgileriSorgulaOperationCompleted
);
4:     }
5:     this.InvokeAsync("gidenBelgeTutarBilgileriSorgula", new object[] {
6:         vergiTcKimlikNo,
7:         belgeTuru,
8:         baslangicGonderimTarihi,
9:         bitisGonderimTarihi},
this.gidenBelgeTutarBilgileriSorgulaOperationCompleted, userState);
10: }

```

1.1.3.1.17.2.118 connectorService.gidenFaturalariArsiveKaldir Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped]
public void
gidenFaturalariArsiveKaldır([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("invoiceEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] invoiceEttnListesi);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
gidenFaturalariArsiveKaldır([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("invoiceEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] invoiceEttnListesi) {
3:     this.Invoke("gidenFaturalariArsiveKaldır", new object[] {
4:         vergiTcKimlikNo,
5:         invoiceEttnListesi});
6: }

```

1.1.3.1.17.2.119 gidenFaturalariArsiveKaldırAsync Method**1.1.3.1.17.2.119.1 connectorService.gidenFaturalariArsiveKaldırAsync Method (string, string[])****C#**

```

public void gidenFaturalariArsiveKaldırAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi);

```

Body Source

```

1: public void gidenFaturalariArsiveKaldırAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi) {
2:     this.gidenFaturalariArsiveKaldırAsync(vergiTcKimlikNo, invoiceEttnListesi, null);
3: }

```

1.1.3.1.17.2.119.2 connectorService.gidenFaturalariArsiveKaldırAsync Method (string, string[], object)**C#**

```

public void gidenFaturalariArsiveKaldırAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi, object userState);

```

Body Source

```

1: public void gidenFaturalariArsiveKaldırAsync(string vergiTcKimlikNo, string[]
invoiceEttnListesi, object userState) {
2:     if ((this.gidenFaturalariArsiveKaldırOperationCompleted == null)) {
3:         this.gidenFaturalariArsiveKaldırOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenFaturalariArsiveKaldırOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenFaturalariArsiveKaldır", new object[] {
6:         vergiTcKimlikNo,
7:         invoiceEttnListesi}, this.gidenFaturalariArsiveKaldırOperationCompleted,
userState);
8: }

```

1.1.3.1.17.2.120 connectorService.gidenIrsaliyeleriArsiveKaldır Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,

```

```
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped) ]
public void gidenIrsaliyeleriArsiveKaldir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute("despatchEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] despatchEttnListesi);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("", RequestNamespace="http://service.connector.uut.cs.com.tr/", ResponseNamespace="http://service.connector.uut.cs.com.tr/", Use=System.Web.Services.Description.SoapBindingUse.Literal, ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped) ]
2: public void gidenIrsaliyeleriArsiveKaldir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute("despatchEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] despatchEttnListesi) {
3:     this.Invoke("gidenIrsaliyeleriArsiveKaldir", new object[] {
4:         vergiTcKimlikNo,
5:         despatchEttnListesi});
6: }
```

1.1.3.1.17.2.121 gidenIrsaliyeleriArsiveKaldirAsync Method**1.1.3.1.17.2.121.1 connectorService.gidenIrsaliyeleriArsiveKaldirAsync Method (string, string[])****C#**

```
public void gidenIrsaliyeleriArsiveKaldirAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi);
```

Body Source

```
1: public void gidenIrsaliyeleriArsiveKaldirAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi) {
2:     this.gidenIrsaliyeleriArsiveKaldirAsync(vergiTcKimlikNo, despatchEttnListesi, null);
3: }
```

1.1.3.1.17.2.121.2 connectorService.gidenIrsaliyeleriArsiveKaldirAsync Method (string, string[], object)**C#**

```
public void gidenIrsaliyeleriArsiveKaldirAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi, object userState);
```

Body Source

```
1: public void gidenIrsaliyeleriArsiveKaldirAsync(string vergiTcKimlikNo, string[]
despatchEttnListesi, object userState) {
2:     if ((this.gidenIrsaliyeleriArsiveKaldirOperationCompleted == null)) {
3:         this.gidenIrsaliyeleriArsiveKaldirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenIrsaliyeleriArsiveKaldirOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenIrsaliyeleriArsiveKaldir", new object[] {
6:         vergiTcKimlikNo,
7:         despatchEttnListesi},
this.gidenIrsaliyeleriArsiveKaldirOperationCompleted, userState);
8: }
```

1.1.3.1.17.2.122 connectorService.gidenTasinanBelgelerilndir Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("", RequestNamespace="http://service.connector.uut.cs.com.tr/", ResponseNamespace="http://service.connector.uut.cs.com.tr/", Use=System.Web.Services.Description.SoapBindingUse.Literal,
```

```

ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped) ]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true) ]
public byte[]
gidenTasinanBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("", RequestNamespace="http://service.connector.uut.cs.com.tr/", ResponseNamespace="http://service.connector.uut.cs.com.tr/", Use=System.Web.Services.Description.SoapBindingUse.Literal, ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped) ]
2: [return: System.Xml.Serialization.XmlElementAttribute("return", Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true) ]
3: public byte[]
gidenTasinanBelgeleriIndir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("ettnler", Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] ettnler,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati) {
4:     object[] results = this.Invoke("gidenTasinanBelgeleriIndir", new object[] {
5:         vergiTcKimlikNo,
6:         ettnler,
7:         belgeFormati});
8:     return ((byte[])(results[0]));
9: }

```

1.1.3.1.17.2.123 gidenTasinanBelgeleriIndirAsync Method**1.1.3.1.17.2.123.1 connectorService.gidenTasinanBelgeleriIndirAsync Method (string, string[], string)****C#**

```
public void gidenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler, string belgeFormati);
```

Body Source

```

1: public void gidenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler, string belgeFormati) {
2:     this.gidenTasinanBelgeleriIndirAsync(vergiTcKimlikNo, ettnler, belgeFormati, null);
3: }

```

1.1.3.1.17.2.123.2 connectorService.gidenTasinanBelgeleriIndirAsync Method (string, string[], string, object)**C#**

```
public void gidenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler, string belgeFormati, object userState);
```

Body Source

```

1: public void gidenTasinanBelgeleriIndirAsync(string vergiTcKimlikNo, string[] ettnler, string belgeFormati, object userState) {
2:     if ((this.gidenTasinanBelgeleriIndirOperationCompleted == null)) {
3:         this.gidenTasinanBelgeleriIndirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OngidenTasinanBelgeleriIndirOperationCompleted);
4:     }
5:     this.InvokeAsync("gidenTasinanBelgeleriIndir", new object[] {
6:         vergiTcKimlikNo,

```

```

7:             ettnler,
8:             belgeFormati}, this.gidenTasinanBelgeleriIndirOperationCompleted,
userState);
9: }
```

1.1.3.1.17.2.124 connectorService.irsaliyeMailGonder Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
irsaliyeMailGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string inout,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string UUID,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string irsaliyeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string alicilar,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
irsaliyeMailGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string inout,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string UUID,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string irsaliyeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string alicilar,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati) {
3:     this.Invoke("irsaliyeMailGonder", new object[] {
4:         vknTckn,
5:         inout,
6:         UUID,
7:         irsaliyeNo,
8:         alicilar,
9:         belgeFormati});
10: }
```

1.1.3.1.17.2.125 irsaliyeMailGonderAsync Method

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

1.1.3.1.17.2.125.1 connectorService.irsaliyeMailGonderAsync Method (string, string, string, string, string, string)

C#

```
public void irsaliyeMailGonderAsync(string vknTckn, string inout, string UUID, string
irsaliyeNo, string alicilar, string belgeFormati);
```

Body Source

```
1: public void irsaliyeMailGonderAsync(string vknTckn, string inout, string UUID, string
irsaliyeNo, string alicilar, string belgeFormati) {
2:     this.irsaliyeMailGonderAsync(vknTckn, inout, UUID, irsaliyeNo, alicilar,
belgeFormati, null);
3: }
```

1.1.3.1.17.2.125.2 connectorService.irsaliyeMailGonderAsync Method (string, string, string, string, string, string, object)

C#

```
public void irsaliyeMailGonderAsync(string vknTckn, string inout, string UUID, string
irsaliyeNo, string alicilar, string belgeFormati, object userState);
```

Body Source

```
1: public void irsaliyeMailGonderAsync(string vknTckn, string inout, string UUID, string
irsaliyeNo, string alicilar, string belgeFormati, object userState) {
2:     if ((this.irsaliyeMailGonderOperationCompleted == null)) {
3:         this.irsaliyeMailGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnirsaliyeMailGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("irsaliyeMailGonder", new object[] {
6:         vknTckn,
7:         inout,
8:         UUID,
9:         irsaliyeNo,
10:        alicilar,
11:        belgeFormati}, this.irsaliyeMailGonderOperationCompleted, userState);
12: }
```

1.1.3.1.17.2.126 connectorService.irsaliyeTarihcesiSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
irsaliyeTarihcesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string irasliyeYonu,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
```

```

2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
irsaliyeTarihcesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string irasliyeYonu,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn) {
4:     object[] results = this.Invoke("irsaliyeTarihcesiSorgula", new object[] {
5:         ettn,
6:         irasliyeYonu,
7:         vknTckn});
8:     return ((serviceReturnType[])(results[0]));
9: }

```

1.1.3.1.17.2.127 **irsaliyeTarihcesiSorgulaAsync** Method

1.1.3.1.17.2.127.1 **connectorService.irsaliyeTarihcesiSorgulaAsync** Method (string, string, string)

C#

```
public void irsaliyeTarihcesiSorgulaAsync(string ettn, string irasliyeYonu, string vknTckn);
```

Body Source

```

1: public void irsaliyeTarihcesiSorgulaAsync(string ettn, string irasliyeYonu, string
vknTckn) {
2:     this.irsaliyeTarihcesiSorgulaAsync(ettn, irasliyeYonu, vknTckn, null);
3: }

```

1.1.3.1.17.2.127.2 **connectorService.irsaliyeTarihcesiSorgulaAsync** Method (string, string, string, object)

C#

```
public void irsaliyeTarihcesiSorgulaAsync(string ettn, string irasliyeYonu, string vknTckn,
object userState);
```

Body Source

```

1: public void irsaliyeTarihcesiSorgulaAsync(string ettn, string irasliyeYonu, string
vknTckn, object userState) {
2:     if ((this.irsaliyeTarihcesiSorgulaOperationCompleted == null)) {
3:         this.irsaliyeTarihcesiSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnirsaliyeTarihcesiSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("irsaliyeTarihcesiSorgula", new object[] {
6:         ettn,
7:         irasliyeYonu,
8:         vknTckn}, this.irsaliyeTarihcesiSorgulaOperationCompleted, userState);
9: }

```

1.1.3.1.17.2.128 **connectorService.kayitliKullaniciListeleExtended** Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
kayitliKullaniciListeleExtended([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string urun,

```

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
int gecmisEklensin, [System.Xml.Serialization.XmlIgnoreAttribute()] bool
gecmisEklensinSpecified;
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("", RequestNamespace="http://service.connector.uut.cs.com.tr/", ResponseNamespace="http://service.connector.uut.cs.com.tr/", Use=System.Web.Services.Description.SoapBindingUse.Literal, ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return", Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
kayitliKullaniciListeleExtended([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string urun,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
int gecmisEklensin,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
[System.Xml.Serialization.XmlIgnoreAttribute()] bool gecmisEklensinSpecified) {
4:     object[] results = this.Invoke("kayitliKullaniciListeleExtended", new object[] {
5:         urun,
6:         gecmisEklensin,
7:         gecmisEklensinSpecified});
8:     return ((byte[])(results[0]));
9: }
```

1.1.3.1.17.2.129 kayitliKullaniciListeleExtendedAsync Method**1.1.3.1.17.2.129.1 connectorService.kayitliKullaniciListeleExtendedAsync Method (string, int, bool)****C#**

```
public void kayitliKullaniciListeleExtendedAsync(string urun, int gecmisEklensin, bool gecmisEklensinSpecified);
```

Body Source

```
1: public void kayitliKullaniciListeleExtendedAsync(string urun, int gecmisEklensin, bool gecmisEklensinSpecified) {
2:     this.kayitliKullaniciListeleExtendedAsync(urun, gecmisEklensin, gecmisEklensinSpecified, null);
3: }
```

1.1.3.1.17.2.129.2 connectorService.kayitliKullaniciListeleExtendedAsync Method (string, int, bool, object)**C#**

```
public void kayitliKullaniciListeleExtendedAsync(string urun, int gecmisEklensin, bool gecmisEklensinSpecified, object userState);
```

Body Source

```
1: public void kayitliKullaniciListeleExtendedAsync(string urun, int gecmisEklensin, bool gecmisEklensinSpecified, object userState) {
2:     if ((this.kayitliKullaniciListeleExtendedOperationCompleted == null)) {
3:         this.kayitliKullaniciListeleExtendedOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnkayitliKullaniciListeleExtendedOperationCompleted);
4:     }
5:     this.InvokeAsync("kayitliKullaniciListeleExtended", new object[] {
6:         urun,
7:         gecmisEklensin,
8:         gecmisEklensinSpecified},
this.kayitliKullaniciListeleExtendedOperationCompleted, userState);
9: }
```

1.1.3.1.17.2.130 connectorService.kayitliKullaniciListeleExtendedTime Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
kayitliKullaniciListeleExtendedTime([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string kayitzamani,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string urun,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
int gecmisEklensin, [System.Xml.Serialization.XmlIgnoreAttribute()] bool
gecmisEklensinSpecified);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
kayitliKullaniciListeleExtendedTime([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string kayitzamani,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string urun,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
int gecmisEklensin,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
[System.Xml.Serialization.XmlIgnoreAttribute()] bool gecmisEklensinSpecified) {
4:     object[] results = this.Invoke("kayitliKullaniciListeleExtendedTime", new object[] {
5:         kayitzamani,
6:         urun,
7:         gecmisEklensin,
8:         gecmisEklensinSpecified});
9:     return ((byte[])(results[0]));
10: }
```

1.1.3.1.17.2.131 kayitliKullaniciListeleExtendedTimeAsync Method

1.1.3.1.17.2.131.1 connectorService.kayitliKullaniciListeleExtendedTimeAsync Method (string, string, int, bool)

C#

```
public void kayitliKullaniciListeleExtendedTimeAsync(string kayitzamani, string urun, int
gecmisEklensin, bool gecmisEklensinSpecified);
```

Body Source

```
1: public void kayitliKullaniciListeleExtendedTimeAsync(string kayitzamani, string urun,
int gecmisEklensin, bool gecmisEklensinSpecified) {
2:     this.kayitliKullaniciListeleExtendedTimeAsync(kayitzamani, urun, gecmisEklensin,
gecmisEklensinSpecified, null);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```
3: }
```

1.1.3.1.17.2.131.2 connectorService.kayitliKullaniciListeleExtendedTimeAsync Method (string, string, int, bool, object)

C#

```
public void kayitliKullaniciListeleExtendedTimeAsync(string kayitZamani, string urun, int
gecmisEklensin, bool gecmisEklensinSpecified, object userState);
```

Body Source

```
1: public void kayitliKullaniciListeleExtendedTimeAsync(string kayitZamani, string urun,
int gecmisEklensin, bool gecmisEklensinSpecified, object userState) {
2:     if (((this.kayitliKullaniciListeleExtendedTimeOperationCompleted == null)) {
3:         this.kayitliKullaniciListeleExtendedTimeOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnkayitliKullaniciListeleExtendedTimeOperationCompl
eted);
4:     }
5:     this.InvokeAsync("kayitliKullaniciListeleExtendedTime", new object[] {
6:         kayitZamani,
7:         urun,
8:         gecmisEklensin,
9:         gecmisEklensinSpecified},
this.kayitliKullaniciListeleExtendedTimeOperationCompleted, userState);
10: }
```

1.1.3.1.17.2.132 connectorService.kayitliKullaniciListeleExtendedVknTckn Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
kayitliKullaniciListeleExtendedVknTckn([System.Xml.Serialization.XmlElementAttribute(Form=Sy
stem.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string urun);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
kayitliKullaniciListeleExtendedVknTckn([System.Xml.Serialization.XmlElementAttribute(Form=Sy
stem.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string urun) {
4:     object[] results = this.Invoke("kayitliKullaniciListeleExtendedVknTckn", new
object[] {
5:         vknTckn,
6:         urun});
7:     return ((byte[])(results[0]));
8: }
```

1.1.3.1.17.2.133 kayitliKullaniciListeleExtendedVknTcknAsync Method

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

1.1.3.1.17.2.133.1 connectorService.kayitliKullaniciListeleExtendedVknTcknAsync Method (string, string)**C#**

```
public void kayitliKullaniciListeleExtendedVknTcknAsync(string vknTckn, string urun);
```

Body Source

```
1: public void kayitliKullaniciListeleExtendedVknTcknAsync(string vknTckn, string urun) {
2:     this.kayitliKullaniciListeleExtendedVknTcknAsync(vknTckn, urun, null);
3: }
```

1.1.3.1.17.2.133.2 connectorService.kayitliKullaniciListeleExtendedVknTcknAsync Method (string, string, object)**C#**

```
public void kayitliKullaniciListeleExtendedVknTcknAsync(string vknTckn, string urun, object userState);
```

Body Source

```
1: public void kayitliKullaniciListeleExtendedVknTcknAsync(string vknTckn, string urun,
object userState) {
2:     if ((this.kayitliKullaniciListeleExtendedVknTcknOperationCompleted == null)) {
3:         this.kayitliKullaniciListeleExtendedVknTcknOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnkayitliKullaniciListeleExtendedVknTcknOperationCo
mpleted);
4:     }
5:     this.InvokeAsync("kayitliKullaniciListeleExtendedVknTckn", new object[] {
6:         vknTckn,
7:         urun}, this.kayitliKullaniciListeleExtendedVknTcknOperationCompleted,
userState);
8: }
```

1.1.3.1.17.2.134 connectorService.kontorBilgisiGetir Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public kalanKontorBilgisi
kontorBilgisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
schemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string kontorTipi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string kontorBirim);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public kalanKontorBilgisi
kontorBilgisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xm
schemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
```

```

ed]
string kontorTipi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string kontorBirimii) {
4:     object[] results = this.Invoke("kontorBilgisiGetir", new object[] {
5:         vknTckn,
6:         kontorTipi,
7:         kontorBirimii});
8:     return ((kalanKontorBilgisi)(results[0]));
9: }

```

1.1.3.1.17.2.135 kontorBilgisiGetirAsync Method

1.1.3.1.17.2.135.1 connectorService.kontorBilgisiGetirAsync Method (string, string, string)

C#

```
public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string kontorBirimii);
```

Body Source

```

1: public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string
kontorBirimii) {
2:     this.kontorBilgisiGetirAsync(vknTckn, kontorTipi, kontorBirimii, null);
3: }

```

1.1.3.1.17.2.135.2 connectorService.kontorBilgisiGetirAsync Method (string, string, string, object)

C#

```
public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string kontorBirimii,
object userState);
```

Body Source

```

1: public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string
kontorBirimii, object userState) {
2:     if ((this.kontorBilgisiGetirOperationCompleted == null)) {
3:         this.kontorBilgisiGetirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnkontorBilgisiGetirOperationCompleted);
4:     }
5:     this.InvokeAsync("kontorBilgisiGetir", new object[] {
6:         vknTckn,
7:         kontorTipi,
8:         kontorBirimii}, this.kontorBilgisiGetirOperationCompleted, userState);
9: }

```

1.1.3.1.17.2.136 connectorService.temelKontrollerleBelgeGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("belgeOid",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
temelKontrollerleBelgeGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified),
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)

```

```

ed)]
string belgeHash,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string mimeType,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeVersiyon;

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("", RequestNamespace="http://service.connector.uut.cs.com.tr/", ResponseNamespace="http://service.connector.uut.cs.com.tr/", Use=System.Web.Services.Description.SoapBindingUse.Literal, ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("belgeOid", Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
temelKontrollerIleBelgeGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true) byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeHash,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string mimeType,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeVersiyon) {
4:     object[] results = this.Invoke("temelKontrollerIleBelgeGonder", new object[] {
5:         vergiTcKimlikNo,
6:         belgeNo,
7:         veri,
8:         belgeHash,
9:         mimeType,
10:        belgeVersiyon});
11:    return ((string)(results[0]));
12: }

```

1.1.3.1.17.2.137 temelKontrollerIleBelgeGonderAsync Method**1.1.3.1.17.2.137.1 connectorService.temelKontrollerIleBelgeGonderAsync Method (**string**, **string**, **byte[]**, **string**, **string**, **string**)****C#**

```
public void temelKontrollerIleBelgeGonderAsync(string vergiTcKimlikNo, string belgeNo, byte[] veri, string belgeHash, string mimeType, string belgeVersiyon);
```

Body Source

```

1: public void temelKontrollerIleBelgeGonderAsync(string vergiTcKimlikNo, string belgeNo, byte[] veri, string belgeHash, string mimeType, string belgeVersiyon) {
2:     this.temelKontrollerIleBelgeGonderAsync(vergiTcKimlikNo, belgeNo, veri, belgeHash, mimeType, belgeVersiyon, null);
3: }

```

1.1.3.1.17.2.137.2 connectorService.temelKontrollerIleBelgeGonderAsync Method (string, string, byte[], string, string, string, object)

C#

```
public void temelKontrollerIleBelgeGonderAsync(string vergiTcKimlikNo, string belgeNo,
byte[] veri, string belgeHash, string mimeType, string belgeVersiyon, object userState);
```

Body Source

```
1: public void temelKontrollerIleBelgeGonderAsync(string vergiTcKimlikNo, string belgeNo,
byte[] veri, string belgeHash, string mimeType, string belgeVersiyon, object userState) {
2:     if ((this.temelKontrollerIleBelgeGonderOperationCompleted == null)) {
3:         this.temelKontrollerIleBelgeGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OntemelKontrollerIleBelgeGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("temelKontrollerIleBelgeGonder", new object[] {
6:         vergiTcKimlikNo,
7:         belgeNo,
8:         veri,
9:         belgeHash,
10:        mimeType,
11:        belgeVersiyon}, this.temelKontrollerIleBelgeGonderOperationCompleted,
userState);
12: }
```

1.1.3.1.17.2.138 connectorService.toplamBelgeSayisiGetir Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int
toplambelgesayisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeYonu,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeBaslangicTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeBitisTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeBaslangicZamani,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeBitisZamani);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
```

```

3: public int
toplamBelgeSayisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi-
ed)]
string belgeTuru,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi-
ed)]
string belgeYonu,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi-
ed)]
string belgeBaslangicTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi-
ed)]
string belgeBitisTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi-
ed)]
string belgeBaslangicZamani,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi-
ed)]
string belgeBitisZamani) {
4:     object[] results = this.Invoke("toplamBelgeSayisiGetir", new object[] {
5:         vergiTcKimlikNo,
6:         belgeTuru,
7:         belgeYonu,
8:         belgeBaslangicTarihi,
9:         belgeBitisTarihi,
10:        belgeBaslangicZamani,
11:        belgeBitisZamani});
12:     return ((int)(results[0]));
13: }

```

1.1.3.1.17.2.139 toplamBelgeSayisiGetirAsync Method

1.1.3.1.17.2.139.1 connectorService.toplamBelgeSayisiGetirAsync Method (string, string, string, string, string, string)

C#

```
public void toplamBelgeSayisiGetirAsync(string vergiTcKimlikNo, string belgeTuru, string
belgeYonu, string belgeBaslangicTarihi, string belgeBitisTarihi, string
belgeBaslangicZamani, string belgeBitisZamani);
```

Body Source

```

1: public void toplamBelgeSayisiGetirAsync(string vergiTcKimlikNo, string belgeTuru, string
belgeYonu, string belgeBaslangicTarihi, string belgeBitisTarihi, string
belgeBaslangicZamani, string belgeBitisZamani) {
2:     this.toplamBelgeSayisiGetirAsync(vergiTcKimlikNo, belgeTuru, belgeYonu,
belgeBaslangicTarihi, belgeBitisTarihi, belgeBaslangicZamani, belgeBitisZamani, null);
3: }

```

1.1.3.1.17.2.139.2 connectorService.toplamBelgeSayisiGetirAsync Method (string, string, string, string, string, string, object)

C#

```
public void toplamBelgeSayisiGetirAsync(string vergiTcKimlikNo, string belgeTuru, string
belgeYonu, string belgeBaslangicTarihi, string belgeBitisTarihi, string
belgeBaslangicZamani, string belgeBitisZamani, object userState);
```

Body Source

```

1: public void toplamBelgeSayisiGetirAsync(string vergiTcKimlikNo, string belgeTuru,
string belgeYonu, string belgeBaslangicTarihi, string belgeBitisTarihi, string
belgeBaslangicZamani, string belgeBitisZamani, object userState) {
2:     if ((this.toplamBelgeSayisiGetirOperationCompleted == null)) {
3:         this.toplamBelgeSayisiGetirOperationCompleted = new

```

```

System.Threading.SendOrPostCallback(this.OntoplamBelgeSayisiGetirOperationCompleted);
4:      }
5:      this.InvokeAsync("toplambelgesayisiGetir", new object[] {
6:          vergiTcKimlikNo,
7:          belgeTuru,
8:          belgeYonu,
9:          belgeBaslangicTarihi,
10:         belgeBitisTarihi,
11:         belgeBaslangicZamani,
12:         belgeBitisZamani}, this.toplambelgesayisiGetirOperationCompleted,
userState);
13:     }

```

1.1.3.1.17.2.140 connectorService.ulblOnizleme Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
DataType="base64Binary", IsNullable=true)] byte[] veri,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeFormati,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeTuru) {
4:     object[] results = this.Invoke("ulblOnizleme", new object[] {
5:         vergiTcKimlikNo,
6:         veri,
7:         belgeFormati,
8:         belgeTuru});
9:     return ((byte[])(results[0]));
10:   }

```

1.1.3.1.17.2.141 ulblOnizlemeAsync Method

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

1.1.3.1.17.2.141.1 connectorService.ulblOnizlemeAsync Method (string, byte[], string, string)

C#

```
public void ulblOnizlemeAsync(string vergiTcKimlikNo, byte[] veri, string belgeFormati,
string belgeTuru);
```

Body Source

```
1: public void ulblOnizlemeAsync(string vergiTcKimlikNo, byte[] veri, string belgeFormati,
string belgeTuru) {
2:     this.ulblOnizlemeAsync(vergiTcKimlikNo, veri, belgeFormati, belgeTuru, null);
3: }
```

1.1.3.1.17.2.141.2 connectorService.ulblOnizlemeAsync Method (string, byte[], string, string, object)

C#

```
public void ulblOnizlemeAsync(string vergiTcKimlikNo, byte[] veri, string belgeFormati,
string belgeTuru, object userState);
```

Body Source

```
1: public void ulblOnizlemeAsync(string vergiTcKimlikNo, byte[] veri, string belgeFormati,
string belgeTuru, object userState) {
2:     if ((this.ulblOnizlemeOperationCompleted == null)) {
3:         this.ulblOnizlemeOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnulblOnizlemeOperationCompleted);
4:     }
5:     this.InvokeAsync("ulblOnizleme", new object[] {
6:         vergiTcKimlikNo,
7:         veri,
8:         belgeFormati,
9:         belgeTuru}, this.ulblOnizlemeOperationCompleted, userState);
10: }
```

1.1.3.1.17.2.142 connectorService.urunSablonlariniAl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
public byte[]
urunSablonlariniAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string urun);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, DataType="base64Binary", IsNullable=true)]
3: public byte[]
urunSablonlariniAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string urun) {
```

```

4:     object[] results = this.Invoke("urunSablonlariniAl", new object[] {
5:         vergiTcKimlikNo,
6:         urun});
7:     return ((byte[])(results[0]));
8: }

```

1.1.3.1.17.2.143 urunSablonlariniAlAsync Method

1.1.3.1.17.2.143.1 connectorService.urunSablonlariniAlAsync Method (string, string)

C#

```
public void urunSablonlariniAlAsync(string vergiTcKimlikNo, string urun);
```

Body Source

```

1: public void urunSablonlariniAlAsync(string vergiTcKimlikNo, string urun) {
2:     this.urunSablonlariniAlAsync(vergiTcKimlikNo, urun, null);
3: }

```

1.1.3.1.17.2.143.2 connectorService.urunSablonlariniAlAsync Method (string, string, object)

C#

```
public void urunSablonlariniAlAsync(string vergiTcKimlikNo, string urun, object userState);
```

Body Source

```

1: public void urunSablonlariniAlAsync(string vergiTcKimlikNo, string urun, object
userState) {
2:     if ((this.urunSablonlariniAlOperationCompleted == null)) {
3:         this.urunSablonlariniAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnurunSablonlariniAlOperationCompleted);
4:     }
5:     this.InvokeAsync("urunSablonlariniAl", new object[] {
6:         vergiTcKimlikNo,
7:         urun}, this.urunSablonlariniAlOperationCompleted, userState);
8: }

```

1.1.3.1.17.2.144 connectorService.wsKullaniciKaydet Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public wsKullaniciBilgileri
wsKullaniciKaydet([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("urunList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] urunList,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string erpKodu);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public wsKullaniciBilgileri
wsKullaniciKaydet([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)])

```

```

string vergiTcKimlikNo, [System.Xml.Serialization.XmlElementAttribute("urunList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] string[] urunList,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string erpKodu) {
4:     object[] results = this.Invoke("wsKullanicisiKaydet", new object[] {
5:         vergiTcKimlikNo,
6:         urunList,
7:         erpKodu});
8:     return ((wsKullaniciBilgileri)(results[0]));
9: }

```

1.1.3.1.17.2.145 wsKullanicisiKaydetAsync Method

1.1.3.1.17.2.145.1 connectorService.wsKullanicisiKaydetAsync Method (string, string[], string)

C#

```

public void wsKullanicisiKaydetAsync(string vergiTcKimlikNo, string[] urunList, string
erpKodu);

```

Body Source

```

1: public void wsKullanicisiKaydetAsync(string vergiTcKimlikNo, string[] urunList, string
erpKodu) {
2:     this.wsKullanicisiKaydetAsync(vergiTcKimlikNo, urunList, erpKodu, null);
3: }

```

1.1.3.1.17.2.145.2 connectorService.wsKullanicisiKaydetAsync Method (string, string[], string, object)

C#

```

public void wsKullanicisiKaydetAsync(string vergiTcKimlikNo, string[] urunList, string
erpKodu, object userState);

```

Body Source

```

1: public void wsKullanicisiKaydetAsync(string vergiTcKimlikNo, string[] urunList, string
erpKodu, object userState) {
2:     if ((this.wsKullanicisiKaydetOperationCompleted == null)) {
3:         this.wsKullanicisiKaydetOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnwsKullanicisiKaydetOperationCompleted);
4:     }
5:     this.InvokeAsync("wsKullanicisiKaydet", new object[] {
6:         vergiTcKimlikNo,
7:         urunList,
8:         erpKodu}, this.wsKullanicisiKaydetOperationCompleted, userState);
9: }

```

1.1.3.1.17.2.146 connectorService.yereleAktarilacakBelgeleriAI Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
yereleAktarilacakBelgeleriAI([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.S
chema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string entegrasyonHedefi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
yereleAktarilacakBelgeleriAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.S
chema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string entegrasyonHedefi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string belgeTuru) {
4:     object[] results = this.Invoke("yereleAktarilacakBelgeleriAl", new object[] {
5:         vergiTcKimlikNo,
6:         entegrasyonHedefi,
7:         belgeTuru});
8:     return ((serviceReturnType[])(results[0]));
9: }

```

1.1.3.1.17.2.147 yereleAktarilacakBelgeleriAIAsync Method**1.1.3.1.17.2.147.1 connectorService.yereleAktarilacakBelgeleriAIAsync Method (string, string, string)****C#**

```
public void yereleAktarilacakBelgeleriAIAsync(string vergiTcKimlikNo, string
entegrasyonHedefi, string belgeTuru);
```

Body Source

```

1: public void yereleAktarilacakBelgeleriAIAsync(string vergiTcKimlikNo, string
entegrasyonHedefi, string belgeTuru) {
2:     this.yereleAktarilacakBelgeleriAIAsync(vergiTcKimlikNo, entegrasyonHedefi,
belgeTuru, null);
3: }

```

**1.1.3.1.17.2.147.2 connectorService.yereleAktarilacakBelgeleriAIAsync Method (string, string, string,
object)****C#**

```
public void yereleAktarilacakBelgeleriAIAsync(string vergiTcKimlikNo, string
entegrasyonHedefi, string belgeTuru, object userState);
```

Body Source

```

1: public void yereleAktarilacakBelgeleriAIAsync(string vergiTcKimlikNo, string
entegrasyonHedefi, string belgeTuru, object userState) {
2:     if ((this.yereleAktarilacakBelgeleriAIOperationCompleted == null)) {
3:         this.yereleAktarilacakBelgeleriAIOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnyereleAktarilacakBelgeleriAIOperationCompleted);
4:     }
5:     this.InvokeAsync("yereleAktarilacakBelgeleriAI", new object[] {
6:         vergiTcKimlikNo,
7:         entegrasyonHedefi,
8:         belgeTuru}, this.yereleAktarilacakBelgeleriAIOperationCompleted,
userState);
9: }

```

1.1.3.1.17.2.148 connectorService.yereleAktarilacakBelgeleriAlExt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public serviceReturnType[]
yereleAktarilacakBelgeleriAlExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public serviceReturnType[]
yereleAktarilacakBelgeleriAlExt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
gelenBelgeParametreleri parametreler) {
4:     object[] results = this.Invoke("yereleAktarilacakBelgeleriAlExt", new object[] {
5:         parametreler});
6:     return ((serviceReturnType[])(results[0]));
7: }
```

1.1.3.1.17.2.149 yereleAktarilacakBelgeleriAlExtAsync Method

1.1.3.1.17.2.149.1 connectorService.yereleAktarilacakBelgeleriAlExtAsync Method (gelenBelgeParametreleri)

C#

```
public void yereleAktarilacakBelgeleriAlExtAsync(gelenBelgeParametreleri parametreler);
```

Body Source

```
1: public void yereleAktarilacakBelgeleriAlExtAsync(gelenBelgeParametreleri parametreler) {
2:     this.yereleAktarilacakBelgeleriAlExtAsync(parametreler, null);
3: }
```

1.1.3.1.17.2.149.2 connectorService.yereleAktarilacakBelgeleriAlExtAsync Method (gelenBelgeParametreleri, object)

C#

```
public void yereleAktarilacakBelgeleriAlExtAsync(gelenBelgeParametreleri parametreler,
object userState);
```

Body Source

```
1: public void yereleAktarilacakBelgeleriAlExtAsync(gelenBelgeParametreleri parametreler,
object userState) {
2:     if ((this.yereleAktarilacakBelgeleriAlExtOperationCompleted == null)) {
3:         this.yereleAktarilacakBelgeleriAlExtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnyereleAktarilacakBelgeleriAlExtOperationCompleted
);
4:     }
5:     this.InvokeAsync("yereleAktarilacakBelgeleriAlExt", new object[] {
6:         parametreler}, this.yereleAktarilacakBelgeleriAlExtOperationCompleted,
userState);
```

7: }

1.1.3.1.17.2.150 connectorService.yolcuBeraberFaturalptalEt Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
yolcuBeraberFaturaIptalEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string seriSiraNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string pusulaTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeOid);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.connector.uut.cs.com.tr/",
ResponseNamespace="http://service.connector.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
yolcuBeraberFaturaIptalEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vergiTcKimlikNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string ettn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string seriSiraNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string pusulaTarihi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string belgeOid) {
3:     this.Invoke("yolcuBeraberFaturaIptalEt", new object[] {
4:         vergiTcKimlikNo,
5:         ettn,
6:         seriSiraNo,
7:         pusulaTarihi,
8:         belgeOid});
```

1.1.3.1.17.2.151 yolcuBeraberFaturalptalEtAsync Method

1.1.3.1.17.2.151.1 connectorService.yolcuBeraberFaturalptalEtAsync Method (string, string, string, string)

C#

```
public void yolcuBeraberFaturaIptalEtAsync(string vergiTcKimlikNo, string ettn, string
seriSiraNo, string pusulaTarihi, string belgeOid);
```

Body Source

```

1: public void yolcuBeraberFaturaIptalEtAsync(string vergiTcKimlikNo, string ettn, string
seriSiraNo, string pusulaTarihi, string belgeOid) {
2:     this.yolcuBeraberFaturaIptalEtAsync(vergiTcKimlikNo, ettn, seriSiraNo, pusulaTarihi,
belgeOid, null);
3: }

```

1.1.3.1.17.2.151.2 connectorService.yolcuBeraberFaturaIptalEtAsync Method (string, string, string, string, string, object)**C#**

```
public void yolcuBeraberFaturaIptalEtAsync(string vergiTcKimlikNo, string ettn, string
seriSiraNo, string pusulaTarihi, string belgeOid, object userState);
```

Body Source

```

1: public void yolcuBeraberFaturaIptalEtAsync(string vergiTcKimlikNo, string ettn, string
seriSiraNo, string pusulaTarihi, string belgeOid, object userState) {
2:     if ((this.yolcuBeraberFaturaIptalEtOperationCompleted == null)) {
3:         this.yolcuBeraberFaturaIptalEtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnyolcuBeraberFaturaIptalEtOperationCompleted);
4:     }
5:     this.InvokeAsync("yolcuBeraberFaturaIptalEt", new object[] {
6:         vergiTcKimlikNo,
7:         ettn,
8:         seriSiraNo,
9:         pusulaTarihi,
10:        belgeOid}, this.yolcuBeraberFaturaIptalEtOperationCompleted, userState);
11: }

```

1.1.3.1.17.3 connectorService Properties**1.1.3.1.17.3.1 connectorService.Url Property****C#**

```
public new string Url;
```

Description

This is Url, a member of class connectorService.

1.1.3.1.17.3.2 connectorService.UseDefaultCredentials Property**C#**

```
public new bool UseDefaultCredentials;
```

Description

This is UseDefaultCredentials, a member of class connectorService.

1.1.3.1.17.4 connectorService Events**1.1.3.1.17.4.1 connectorService.belgeGonderCompleted Event****C#**

```
public event belgeGonderCompletedEventHandler belgeGonderCompleted;
```

1.1.3.1.17.4.2 connectorService.belgeGonderExtCompleted Event**C#**

```
public event belgeGonderExtCompletedEventHandler belgeGonderExtCompleted;
```

1.1.3.1.17.4.3 connectorService.belgeGonderExtWithValidateCompleted Event**C#**

```
public event belgeGonderExtWithValidateCompletedEventHandler  
belgeGonderExtWithValidateCompleted;
```

1.1.3.1.17.4.4 connectorService.belgeGonderWithValidateCompleted Event**C#**

```
public event belgeGonderWithValidateCompletedEventHandler belgeGonderWithValidateCompleted;
```

1.1.3.1.17.4.5 connectorService.belgelerAlindiCompleted Event**C#**

```
public event belgelerAlindiCompletedEventHandler belgelerAlindiCompleted;
```

1.1.3.1.17.4.6 connectorService.belgelerAlindiEntegrasyonSiparisNoGuncelleCompleted Event**C#**

```
public event belgelerAlindiEntegrasyonSiparisNoGuncelleCompletedEventHandler  
belgelerAlindiEntegrasyonSiparisNoGuncelleCompleted;
```

1.1.3.1.17.4.7 connectorService.belgeleriTekrarGonderBelgeOidCompleted Event**C#**

```
public event belgeleriTekrarGonderBelgeOidCompletedEventHandler  
belgeleriTekrarGonderBelgeOidCompleted;
```

1.1.3.1.17.4.8 connectorService.belgeleriTekrarGonderCompleted Event**C#**

```
public event belgeleriTekrarGonderCompletedEventHandler belgeleriTekrarGonderCompleted;
```

1.1.3.1.17.4.9 connectorService.belgeleriTekrarGonderYerelBelgeNoCompleted Event**C#**

```
public event belgeleriTekrarGonderYerelBelgeNoCompletedEventHandler  
belgeleriTekrarGonderYerelBelgeNoCompleted;
```

1.1.3.1.17.4.10 connectorService.checkDateValidControlCompleted Event**C#**

```
public event checkDateValidControlCompletedEventHandler checkDateValidControlCompleted;
```

1.1.3.1.17.4.11 connectorService.cokluGidenBelgeDurumSorgulaCompleted Event**C#**

```
public event cokluGidenBelgeDurumSorgulaCompletedEventHandler  
cokluGidenBelgeDurumSorgulaCompleted;
```

1.1.3.1.17.4.12 connectorService.csXmlOnizlemeCompleted Event**C#**

```
public event csXmlOnizlemeCompletedEventHandler csXmlOnizlemeCompleted;
```

1.1.3.1.17.4.13 connectorService.csXmlToUblCompleted Event**C#**

```
public event csXmlToUblCompletedEventHandler csXmlToUblCompleted;
```

1.1.3.1.17.4.14 connectorService.eFaturaKayitliKullaniciListeleCompleted Event**C#**

```
public event eFaturaKayitliKullaniciListeleCompletedEventHandler  
eFaturaKayitliKullaniciListeleCompleted;
```

1.1.3.1.17.4.15 connectorService.efaturaKullaniciBilgisiCompleted Event**C#**

```
public event efaturaKullaniciBilgisiCompletedEventHandler efaturaKullaniciBilgisiCompleted;
```

1.1.3.1.17.4.16 connectorService.efaturaKullaniciListesiCompleted Event**C#**

```
public event efaturaKullaniciListesiCompletedEventHandler efaturaKullaniciListesiCompleted;
```

1.1.3.1.17.4.17 connectorService.efaturaKullanicisiCompleted Event**C#**

```
public event efaturaKullanicisiCompletedEventHandler efaturaKullanicisiCompleted;
```

1.1.3.1.17.4.18 connectorService.eIrsaliyeKayitliKullaniciListeleCompleted Event**C#**

```
public event eIrsaliyeKayitliKullaniciListeleCompletedEventHandler  
eIrsaliyeKayitliKullaniciListeleCompleted;
```

1.1.3.1.17.4.19 connectorService.eIrsaliyeKullanicisiCompleted Event**C#**

```
public event eIrsaliyeKullanicisiCompletedEventHandler eIrsaliyeKullanicisiCompleted;
```

1.1.3.1.17.4.20 connectorService.erpBilgileriBelirleCompleted Event**C#**

```
public event erpBilgileriBelirleCompletedEventHandler erpBilgileriBelirleCompleted;
```

1.1.3.1.17.4.21 connectorService.faturaKepIleIadeEdildiCompleted Event**C#**

```
public event faturaKepIleIadeEdildiCompletedEventHandler faturaKepIleIadeEdildiCompleted;
```

1.1.3.1.17.4.22 connectorService.faturaKepIleIadeEdildiIptalCompleted Event**C#**

```
public event faturaKepIleIadeEdildiIptalCompletedEventHandler  
faturaKepIleIadeEdildiIptalCompleted;
```

1.1.3.1.17.4.23 connectorService.faturaMailGonderCompleted Event**C#**

```
public event faturaMailGonderCompletedEventHandler faturaMailGonderCompleted;
```

1.1.3.1.17.4.24 connectorService.faturaNoUretCompleted Event**C#**

```
public event faturaNoUretCompletedEventHandler faturaNoUretCompleted;
```

1.1.3.1.17.4.25 connectorService.faturaTarihcesiSorgulaCompleted Event**C#**

```
public event faturaTarihcesiSorgulaCompletedEventHandler faturaTarihcesiSorgulaCompleted;
```

1.1.3.1.17.4.26 connectorService.faturayaltirazEdildiCompleted Event**C#**

```
public event faturayaItirazEdildiCompletedEventHandler faturayaItirazEdildiCompleted;
```

1.1.3.1.17.4.27 connectorService.faturayaltirazEdildiIptalCompleted Event**C#**

```
public event faturayaItirazEdildiIptalCompletedEventHandler faturayaItirazEdildiIptalCompleted;
```

1.1.3.1.17.4.28 connectorService.gelenBelgeDurumSorgulaCompleted Event**C#**

```
public event gelenBelgeDurumSorgulaCompletedEventHandler gelenBelgeDurumSorgulaCompleted;
```

1.1.3.1.17.4.29 connectorService.gelenBelgeDurumSorgulaExtCompleted Event**C#**

```
public event gelenBelgeDurumSorgulaExtCompletedEventHandler gelenBelgeDurumSorgulaExtCompleted;
```

1.1.3.1.17.4.30 connectorService.gelenBelgeEkleriAlCompleted Event**C#**

```
public event gelenBelgeEkleriAlCompletedEventHandler gelenBelgeEkleriAlCompleted;
```

1.1.3.1.17.4.31 connectorService.gelenBelgeleriAlCompleted Event**C#**

```
public event gelenBelgeleriAlCompletedEventHandler gelenBelgeleriAlCompleted;
```

1.1.3.1.17.4.32 connectorService.gelenBelgeleriAlExt2Completed Event**C#**

```
public event gelenBelgeleriAlExt2CompletedEventHandler gelenBelgeleriAlExt2Completed;
```

1.1.3.1.17.4.33 connectorService.gelenBelgeleriAlExtCompleted Event**C#**

```
public event gelenBelgeleriAlExtCompletedEventHandler gelenBelgeleriAlExtCompleted;
```

1.1.3.1.17.4.34 connectorService.gelenBelgeleriIndirCompleted Event**C#**

```
public event gelenBelgeleriIndirCompletedEventHandler gelenBelgeleriIndirCompleted;
```

1.1.3.1.17.4.35 connectorService.gelenBelgeleriIndirExtCompleted Event**C#**

```
public event gelenBelgeleriIndirExtCompletedEventHandler gelenBelgeleriIndirExtCompleted;
```

1.1.3.1.17.4.36 connectorService.gelenBelgeleriListeleCompleted Event**C#**

```
public event gelenBelgeleriListeleCompletedEventHandler gelenBelgeleriListeleCompleted;
```

1.1.3.1.17.4.37 connectorService.gelenBelgeleriListeleExtCompleted Event**C#**

```
public event gelenBelgeleriListeleExtCompletedEventHandler  
gelenBelgeleriListeleExtCompleted;
```

1.1.3.1.17.4.38 connectorService.gelenBelgeTutarBilgileriSorgulaCompleted Event**C#**

```
public event gelenBelgeTutarBilgileriSorgulaCompletedEventHandler  
gelenBelgeTutarBilgileriSorgulaCompleted;
```

1.1.3.1.17.4.39 connectorService.gelenBelgeXmlleriniAlCompleted Event**C#**

```
public event gelenBelgeXmlleriniAlCompletedEventHandler gelenBelgeXmlleriniAlCompleted;
```

1.1.3.1.17.4.40 connectorService.gelenBelgeXmlleriniAlExtCompleted Event**C#**

```
public event gelenBelgeXmlleriniAlExtCompletedEventHandler  
gelenBelgeXmlleriniAlExtCompleted;
```

1.1.3.1.17.4.41 connectorService.gelenFaturalariArsiveKaldirCompleted Event**C#**

```
public event gelenFaturalariArsiveKaldirCompletedEventHandler  
gelenFaturalariArsiveKaldirCompleted;
```

1.1.3.1.17.4.42 connectorService.gelenIrsaliyeleriArsiveKaldirCompleted Event**C#**

```
public event gelenIrsaliyeleriArsiveKaldirCompletedEventHandler  
gelenIrsaliyeleriArsiveKaldirCompleted;
```

1.1.3.1.17.4.43 connectorService.gelenStandartRapolariAlCompleted Event**C#**

```
public event gelenStandartRapolariAlCompletedEventHandler gelenStandartRapolariAlCompleted;
```

1.1.3.1.17.4.44 connectorService.gelenTamamlananRapolariAlCompleted Event**C#**

```
public event gelenTamamlananRapolariAlCompletedEventHandler  
gelenTamamlananRapolariAlCompleted;
```

1.1.3.1.17.4.45 connectorService.gelenTasinanBelgeleriIndirCompleted Event**C#**

```
public event gelenTasinanBelgeleriIndirCompletedEventHandler  
gelenTasinanBelgeleriIndirCompleted;
```

1.1.3.1.17.4.46 connectorService.gidenBelgeDurumSorgulaBelgeNoCompleted Event**C#**

```
public event gidenBelgeDurumSorgulaBelgeNoCompletedEventHandler
```

```
gidenBelgeDurumSorgulaBelgeNoCompleted;
```

1.1.3.1.17.4.47 connectorService.gidenBelgeDurumSorgulaCompleted Event

C#

```
public event gidenBelgeDurumSorgulaCompletedEventHandler gidenBelgeDurumSorgulaCompleted;
```

1.1.3.1.17.4.48 connectorService.gidenBelgeDurumSorgulaEttnCompleted Event

C#

```
public event gidenBelgeDurumSorgulaEttnCompletedEventHandler gidenBelgeDurumSorgulaEttnCompleted;
```

1.1.3.1.17.4.49 connectorService.gidenBelgeDurumSorgulaExtCompleted Event

C#

```
public event gidenBelgeDurumSorgulaExtCompletedEventHandler gidenBelgeDurumSorgulaExtCompleted;
```

1.1.3.1.17.4.50 connectorService.gidenBelgeDurumSorgulaPortalCompleted Event

C#

```
public event gidenBelgeDurumSorgulaPortalCompletedEventHandler gidenBelgeDurumSorgulaPortalCompleted;
```

1.1.3.1.17.4.51 connectorService.gidenBelgeDurumSorgulaYerelBelgeNoCompleted Event

C#

```
public event gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventHandler gidenBelgeDurumSorgulaYerelBelgeNoCompleted;
```

1.1.3.1.17.4.52 connectorService.gidenBelgeEkleriAlCompleted Event

C#

```
public event gidenBelgeEkleriAlCompletedEventHandler gidenBelgeEkleriAlCompleted;
```

1.1.3.1.17.4.53 connectorService.gidenBelgeleriIndirCompleted Event

C#

```
public event gidenBelgeleriIndirCompletedEventHandler gidenBelgeleriIndirCompleted;
```

1.1.3.1.17.4.54 connectorService.gidenBelgeleriIndirEttnCompleted Event

C#

```
public event gidenBelgeleriIndirEttnCompletedEventHandler gidenBelgeleriIndirEttnCompleted;
```

1.1.3.1.17.4.55 connectorService.gidenBelgeleriIndirPortalCompleted Event

C#

```
public event gidenBelgeleriIndirPortalCompletedEventHandler gidenBelgeleriIndirPortalCompleted;
```

1.1.3.1.17.4.56 connectorService.gidenBelgeleriListeleCompleted Event

C#

```
public event gidenBelgeleriListeleCompletedEventHandler gidenBelgeleriListeleCompleted;
```

1.1.3.1.17.4.57 connectorService.gidenBelgeleriListelePortalCompleted Event

C#

```
public event gidenBelgeleriListelePortalCompletedEventHandler gidenBelgeleriListelePortalCompleted;
```

1.1.3.1.17.4.58 connectorService.gidenBelgeTutarBilgileriSorgulaCompleted Event

C#

```
public event gidenBelgeTutarBilgileriSorgulaCompletedEventHandler  
gidenBelgeTutarBilgileriSorgulaCompleted;
```

1.1.3.1.17.4.59 connectorService.gidenFaturalariArsiveKaldirCompleted Event

C#

```
public event gidenFaturalariArsiveKaldirCompletedEventHandler  
gidenFaturalariArsiveKaldirCompleted;
```

1.1.3.1.17.4.60 connectorService.gidenIrsaliyeleriArsiveKaldirCompleted Event

C#

```
public event gidenIrsaliyeleriArsiveKaldirCompletedEventHandler  
gidenIrsaliyeleriArsiveKaldirCompleted;
```

1.1.3.1.17.4.61 connectorService.gidenTasinanBelgeleriIndirCompleted Event

C#

```
public event gidenTasinanBelgeleriIndirCompletedEventHandler  
gidenTasinanBelgeleriIndirCompleted;
```

1.1.3.1.17.4.62 connectorService.irsaliyeMailGonderCompleted Event

C#

```
public event irsaliyeMailGonderCompletedEventHandler irsaliyeMailGonderCompleted;
```

1.1.3.1.17.4.63 connectorService.irsaliyeTarihcesiSorgulaCompleted Event

C#

```
public event irsaliyeTarihcesiSorgulaCompletedEventHandler  
irsaliyeTarihcesiSorgulaCompleted;
```

1.1.3.1.17.4.64 connectorService.kayitliKullaniciListeleExtendedCompleted Event

C#

```
public event kayitliKullaniciListeleExtendedCompletedEventHandler  
kayitliKullaniciListeleExtendedCompleted;
```

1.1.3.1.17.4.65 connectorService.kayitliKullaniciListeleExtendedTimeCompleted Event

C#

```
public event kayitliKullaniciListeleExtendedTimeCompletedEventHandler  
kayitliKullaniciListeleExtendedTimeCompleted;
```

1.1.3.1.17.4.66 connectorService.kayitliKullaniciListeleExtendedVknTcknCompleted Event

C#

```
public event kayitliKullaniciListeleExtendedVknTcknCompletedEventHandler  
kayitliKullaniciListeleExtendedVknTcknCompleted;
```

1.1.3.1.17.4.67 connectorService.kontorBilgisiGetirCompleted Event

C#

```
public event kontorBilgisiGetirCompletedEventHandler kontorBilgisiGetirCompleted;
```

1.1.3.1.17.4.68 connectorService.temelKontrollerIleBelgeGonderCompleted Event**C#**

```
public event temelKontrollerIleBelgeGonderCompletedEventHandler
temelKontrollerIleBelgeGonderCompleted;
```

1.1.3.1.17.4.69 connectorService.toplamBelgeSayisiGetirCompleted Event**C#**

```
public event toplamBelgeSayisiGetirCompletedEventHandler toplamBelgeSayisiGetirCompleted;
```

1.1.3.1.17.4.70 connectorService.ulbOnizlemeCompleted Event**C#**

```
public event ulbOnizlemeCompletedEventHandler ulbOnizlemeCompleted;
```

1.1.3.1.17.4.71 connectorService.urunSablonlariniAlCompleted Event**C#**

```
public event urunSablonlariniAlCompletedEventHandler urunSablonlariniAlCompleted;
```

1.1.3.1.17.4.72 connectorService.wsKullanicisiKaydetCompleted Event**C#**

```
public event wsKullanicisiKaydetCompletedEventHandler wsKullanicisiKaydetCompleted;
```

1.1.3.1.17.4.73 connectorService.yereleAktarilacakBelgeleriAlCompleted Event**C#**


```
public event yereleAktarilacakBelgeleriAlCompletedEventHandler
yereleAktarilacakBelgeleriAlCompleted;
```

1.1.3.1.17.4.74 connectorService.yereleAktarilacakBelgeleriAlExtCompleted Event**C#**

```
public event yereleAktarilacakBelgeleriAlExtCompletedEventHandler
yereleAktarilacakBelgeleriAlExtCompleted;
```

1.1.3.1.17.4.75 connectorService.yolcuBeraberFaturaIptalEtCompleted Event**C#**

```
public event yolcuBeraberFaturaIptalEtCompletedEventHandler
yolcuBeraberFaturaIptalEtCompleted;
```

1.1.3.1.18 csXmlOnizlemeCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class csXmlOnizlemeCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	csXmlOnizlemeCompletedEventArgs	This is csXmlOnizlemeCompletedEventArgs, a member of class csXmlOnizlemeCompletedEventArgs. (see page 344)

csXmlOnizlemeCompletedEventArgs Properties

	Name	Description
	Result (see page 344)	

1.1.3.1.18.1 csXmlOnizlemeCompletedEventArgs.csXmlOnizlemeCompletedEventArgs Constructor

C#

```
internal csXmlOnizlemeCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is csXmlOnizlemeCompletedEventArgs, a member of class csXmlOnizlemeCompletedEventArgs.

Body Source

```
1: internal csXmlOnizlemeCompletedEventArgs(object[] results, System.Exception exception,
2:   bool cancelled, object userState) :
3:   base(exception, cancelled, userState) {
4:   this.results = results;
}
```

1.1.3.1.18.2 csXmlOnizlemeCompletedEventArgs Properties

1.1.3.1.18.2.1 csXmlOnizlemeCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.19 csXmlToUblCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class csXmlToUblCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	csXmlToUblCompletedEventArgs	This is csXmlToUblCompletedEventArgs, a member of class csXmlToUblCompletedEventArgs. (see page 345)

csXmlToUblCompletedEventArgs Properties

	Name	Description
	Result (see page 345)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.19.1 csXmlToUblCompletedEventArgs.csXmlToUblCompletedEventArgs Constructor

C#

```
internal csXmlToUblCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is csXmlToUblCompletedEventArgs, a member of class csXmlToUblCompletedEventArgs.

Body Source

```
1: internal csXmlToUblCompletedEventArgs(object[] results, System.Exception exception, bool
2:     cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.3.1.19.2 csXmlToUblCompletedEventArgs Properties

1.1.3.1.19.2.1 csXmlToUblCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.20 eFaturaKayitliKullaniciHistory Class

Class Hierarchy

```
[QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciHistory]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
")]
public class eFaturaKayitliKullaniciHistory;
```

File

Reference.cs (see page 721)

eFaturaKayitliKullaniciHistory Properties

	Name	Description
	etiket (see page 345)	
	etiketOlusturulmaZamani (see page 346)	
	silinmeZamani (see page 346)	

1.1.3.1.20.1 eFaturaKayitliKullaniciHistory Properties

1.1.3.1.20.1.1 eFaturaKayitliKullaniciHistory.etiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string etiket;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

1.1.3.1.20.1.2 eFaturaKayitliKullaniciHistory.etiketOlusturulmaZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string etiketOlusturulmaZamani;
```


1.1.3.1.20.1.3 eFaturaKayitliKullaniciHistory.silinmeZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string silinmeZamani;
```

1.1.3.1.21 eFaturaKayitliKullaniciListeleCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class eFaturaKayitliKullaniciListeleCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
!	eFaturaKayitliKullaniciListeleCompletedEventArgs (see page 346)	This is eFaturaKayitliKullaniciListeleCompletedEventArgs, a member of class eFaturaKayitliKullaniciListeleCompletedEventArgs.

eFaturaKayitliKullaniciListeleCompletedEventArgs Properties

	Name	Description
!	Result (see page 347)	

1.1.3.1.21.1

eFaturaKayitliKullaniciListeleCompletedEventArgs.eFaturaKayitliKullaniciListeleCompletedEventArgs

Constructor

C#

```
internal eFaturaKayitliKullaniciListeleCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is eFaturaKayitliKullaniciListeleCompletedEventArgs, a member of class eFaturaKayitliKullaniciListeleCompletedEventArgs.

Body Source

```
1: internal eFaturaKayitliKullaniciListeleCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
```

```

3:     this.results = results;
4: }
```

1.1.3.1.21.2 eFaturaKayitliKullaniciListeleCompletedEventArgs Properties

1.1.3.1.21.2.1 eFaturaKayitliKullaniciListeleCompletedEventArgs.Result Property

C#

```
public eFaturaKullanici Result;
```

1.1.3.1.22 eFaturaKullanici Class

Class Hierarchy



C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[SerializableAttribute()]
[Diagnostics.DebuggerStepThroughAttribute()]
[ComponentModel.DesignerCategoryAttribute("code")]
[XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class eFaturaKullanici : serviceReturnType;
```

File

Reference.cs (see page 721)

eFaturaKullanici Properties

eFaturaKullanici Class

	Name	Description
	etiket (see page 347)	
	kamuKurulusu (see page 347)	
	kayitZamani (see page 348)	
	unvan (see page 348)	
	vergiTcKimlikNo (see page 348)	

1.1.3.1.22.1 eFaturaKullanici Properties

1.1.3.1.22.1.1 eFaturaKullanici.etiket Property

C#

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string etiket;
```

1.1.3.1.22.1.2 eFaturaKullanici.kamuKurulusu Property

C#

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool kamuKurulusu;
```

1.1.3.1.22.1.3 eFaturaKullanici.kayitZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kayitZamani;
```

1.1.3.1.22.1.4 eFaturaKullanici.unvan Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string unvan;
```


1.1.3.1.22.1.5 eFaturaKullanici.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vergiTcKimlikNo;
```

1.1.3.1.23 efaturaKullaniciBilgisiCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class efaturaKullaniciBilgisiCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (↗ see page 721)

Methods

	Name	Description
!	efaturaKullaniciBilgisiCompletedEventArgs (↗ see page 348)	This is efaturaKullaniciBilgisiCompletedEventArgs, a member of class efaturaKullaniciBilgisiCompletedEventArgs.

efaturaKullaniciBilgisiCompletedEventArgs Properties

	Name	Description
!	Result (↗ see page 349)	

1.1.3.1.23.1

efaturaKullaniciBilgisiCompletedEventArgs.efaturaKullaniciBilgisiCompletedEventArgs Constructor

C#

```
internal efaturaKullaniciBilgisiCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is efaturaKullaniciBilgisiCompletedEventArgs, a member of class efaturaKullaniciBilgisiCompletedEventArgs.

Body Source

```

1: internal efaturaKullaniciBilgisiCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }

```

1.1.3.1.23.2 efaturaKullaniciBilgisiCompletedEventArgs Properties**1.1.3.1.23.2.1 efaturaKullaniciBilgisiCompletedEventArgs.Result Property****C#**

```
public eFaturaKullanici Result;
```

1.1.3.1.24 eFaturaKullaniciExtended Class**Class Hierarchy****C#**

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
")]
public class eFaturaKullaniciExtended : serviceReturnType;

```

File

Reference.cs (see page 721)

eFaturaKullaniciExtended Properties**eFaturaKullaniciExtended Class**

	Name	Description
	eFaturaKayitliKullaniciHistoryList (see page 350)	
	etiket (see page 350)	
	etiketOlusturulmaZamani (see page 350)	
	hesapTipi (see page 350)	
	hesapTipiSpecified (see page 350)	
	kamuKurulusu (see page 350)	
	kamuKurulusuSpecified (see page 350)	
	kayitZamani (see page 350)	
	tip (see page 350)	
	tipSpecified (see page 351)	
	unvan (see page 351)	
	vergiTcKimlikNo (see page 351)	

1.1.3.1.24.1 eFaturaKullaniciExtended Properties

1.1.3.1.24.1.1 eFaturaKullaniciExtended.eFaturaKayitliKullaniciHistoryList Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("eFaturaKayitliKullaniciHistoryList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public eFaturaKayitliKullaniciHistory eFaturaKayitliKullaniciHistoryList;
```

1.1.3.1.24.1.2 eFaturaKullaniciExtended.etiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string etiket;
```

1.1.3.1.24.1.3 eFaturaKullaniciExtended.etiketOlusturulmaZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string etiketOlusturulmaZamani;
```

1.1.3.1.24.1.4 eFaturaKullaniciExtended.hesapTipi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int hesapTipi;
```

1.1.3.1.24.1.5 eFaturaKullaniciExtended.hesapTipiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool hesapTipiSpecified;
```

1.1.3.1.24.1.6 eFaturaKullaniciExtended.kamuKurulusu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool kamuKurulusu;
```

1.1.3.1.24.1.7 eFaturaKullaniciExtended.kamuKurulusuSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kamuKurulusuSpecified;
```

1.1.3.1.24.1.8 eFaturaKullaniciExtended.kayitZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kayitZamani;
```

1.1.3.1.24.1.9 eFaturaKullaniciExtended.tip Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int tip;
```

1.1.3.1.24.1.10 eFaturaKullaniciExtended.tipSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool tipSpecified;
```

1.1.3.1.24.1.11 eFaturaKullaniciExtended.unvan Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string unvan;
```


1.1.3.1.24.1.12 eFaturaKullaniciExtended.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vergiTcKimlikNo;
```

1.1.3.1.25 efaturaKullaniciListesiCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class efaturaKullaniciListesiCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
!	efaturaKullaniciListesiCompletedEventArgs (see page 351)	This is efaturaKullaniciListesiCompletedEventArgs, a member of class efaturaKullaniciListesiCompletedEventArgs.

efaturaKullaniciListesiCompletedEventArgs Properties

	Name	Description
!	Result (see page 352)	

1.1.3.1.25.1

efaturaKullaniciListesiCompletedEventArgs.efaturaKullaniciListesiCompletedEventArgs Constructor

C#

```
internal efaturaKullaniciListesiCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is efaturaKullaniciListesiCompletedEventArgs, a member of class efaturaKullaniciListesiCompletedEventArgs.

Body Source

```
1: internal efaturaKullaniciListesiCompletedEventArgs(object[] results, System.Exception
```

```

exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }

```

1.1.3.1.25.2 efaturaKullaniciListesiCompletedEventArgs Properties

1.1.3.1.25.2.1 efaturaKullaniciListesiCompletedEventArgs.Result Property

C#

```
public mukellefEFaturaKayit Result;
```

1.1.3.1.26 efaturaKullanicisiCompletedEventArgs Class

Class Hierarchy



C#

```

[System.CodeDom.Compiler.GeneratedCode("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
public class efaturaKullanicisiCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;

```

File

Reference.cs (see page 721)

Methods

	Name	Description
!	efaturaKullanicisiCompletedEventArgs (see page 352)	This is efaturaKullanicisiCompletedEventArgs, a member of class efaturaKullanicisiCompletedEventArgs.

efaturaKullanicisiCompletedEventArgs Properties

	Name	Description
!	Result (see page 353)	

1.1.3.1.26.1

efaturaKullanicisiCompletedEventArgs.efaturaKullanicisiCompletedEventArgs Constructor

C#

```
internal efaturaKullanicisiCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is efaturaKullanicisiCompletedEventArgs, a member of class efaturaKullanicisiCompletedEventArgs.

Body Source

```

1: internal efaturaKullanicisiCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:         this.results = results;

```

1.1.3.1.26.2 efaturaKullanicisiCompletedEventArgs Properties


1.1.3.1.26.2.1 efaturaKullanicisiCompletedEventArgs.Result Property

C#

```
public bool Result;
```

1.1.3.1.27 elrsaliyeKayitliKullaniciListeleCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class eIrsaliyeKayitliKullaniciListeleCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (↗ see page 721)

Methods

	Name	Description
身旁	elrsaliyeKayitliKullaniciListeleCompletedEventArgs (↗ see page 353)	This is elrsaliyeKayitliKullaniciListeleCompletedEventArgs, a member of class elrsaliyeKayitliKullaniciListeleCompletedEventArgs.

elrsaliyeKayitliKullaniciListeleCompletedEventArgs Properties

	Name	Description
结果	Result (↗ see page 354)	

1.1.3.1.27.1

elrsaliyeKayitliKullaniciListeleCompletedEventArgs.elrsaliyeKayitliKullaniciListeleCompletedEventArgs

Constructor

C#

```
internal eIrsaliyeKayitliKullaniciListeleCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is elrsaliyeKayitliKullaniciListeleCompletedEventArgs, a member of class elrsaliyeKayitliKullaniciListeleCompletedEventArgs.

Body Source

```
1: internal eIrsaliyeKayitliKullaniciListeleCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.3.1.27.2 elrsaliyeKayitliKullaniciListeleCompletedEventArgs Properties


1.1.3.1.27.2.1 **eIrsaliyeKayitliKullaniciListeleCompletedEventArgs.Result** Property

C#

```
public eIrsaliyeKullanici Result;
```

1.1.3.1.28 **eIrsaliyeKullanici** Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class eIrsaliyeKullanici : serviceReturnType;
```

File

Reference.cs (see page 721)

eIrsaliyeKullanici Properties

eIrsaliyeKullanici Class

	Name	Description
	etiket (see page 354)	
	kamuKuruluşu (see page 354)	
	kayitZamani (see page 354)	
	unvan (see page 355)	
	vergiTcKimlikNo (see page 355)	

1.1.3.1.28.1 **eIrsaliyeKullanici** Properties

1.1.3.1.28.1.1 **eIrsaliyeKullanici.etiket** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string etiket;
```

1.1.3.1.28.1.2 **eIrsaliyeKullanici.kamuKurulusu** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool kamuKurulusu;
```

1.1.3.1.28.1.3 **eIrsaliyeKullanici.kayitZamani** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kayitZamani;
```

1.1.3.1.28.1.4 elrsaliyeKullanici.unvan Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string unvan;
```

1.1.3.1.28.1.5 elrsaliyeKullanici.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vergiTcKimlikNo;
```

1.1.3.1.29 elrsaliyeKullanicisiCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class eIrsaliyeKullanicisiCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	eIrsaliyeKullanicisiCompletedEventArgs (see page 355)	This is eIrsaliyeKullanicisiCompletedEventArgs, a member of class eIrsaliyeKullanicisiCompletedEventArgs.

elrsaliyeKullanicisiCompletedEventArgs Properties

	Name	Description
	Result (see page 356)	

1.1.3.1.29.1

elrsaliyeKullanicisiCompletedEventArgs.eIrsaliyeKullanicisiCompletedEventArgs Constructor

C#

```
internal eIrsaliyeKullanicisiCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is elrsaliyeKullanicisiCompletedEventArgs, a member of class elrsaliyeKullanicisiCompletedEventArgs.

Body Source

```
1: internal eIrsaliyeKullanicisiCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.3.1.29.2 elrsaliyeKullanicisiCompletedEventArgs Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.29.2.1 **elrsaliyeKullaniciCompletedEventArgs.Result** Property

C#

```
public bool Result;
```

1.1.3.1.30 **erpBilgileri** Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
public class erpBilgileri;
```

File

Reference.cs (see page 721)

erpBilgileri Properties

	Name	Description
	aciklama (see page 356)	
	kod (see page 356)	

1.1.3.1.30.1 **erpBilgileri** Properties

1.1.3.1.30.1.1 **erpBilgileri.aciklama** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string aciklama;
```

1.1.3.1.30.1.2 **erpBilgileri.kod** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kod;
```

1.1.3.1.31 **faturaKepIleLadeEdildiCompletedEventArgs** Class

Class Hierarchy

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaKepIleLadeEdildiCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	faturaKepIleIadeEdildiCompletedEventArgs (see page 357)	This is faturaKepIleIadeEdildiCompletedEventArgs, a member of class faturaKepIleIadeEdildiCompletedEventArgs.

faturaKepIleIadeEdildiCompletedEventArgs Properties

	Name	Description
	Result (see page 357)	

1.1.3.1.31.1**faturaKepIleIadeEdildiCompletedEventArgs.faturaKepIleIadeEdildiCompletedEventArgs Constructor****C#**

```
internal faturaKepIleIadeEdildiCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description


This is faturaKepIleIadeEdildiCompletedEventArgs, a member of class faturaKepIleIadeEdildiCompletedEventArgs.

Body Source

```
1: internal faturaKepIleIadeEdildiCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.31.2 faturaKepIleIadeEdildiCompletedEventArgs Properties**1.1.3.1.31.2.1 faturaKepIleIadeEdildiCompletedEventArgs.Result Property****C#**

```
public bool Result;
```

1.1.3.1.32 faturaKepIleIadeEdildiIptaCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaKepIleIadeEdildiIptaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	faturaKepIleladeEdildilptalCompletedEventArgs (see page 358)	This is faturaKepIleladeEdildilptalCompletedEventArgs, a member of class faturaKepIleladeEdildilptalCompletedEventArgs.

faturaKepIleladeEdildilptalCompletedEventArgs Properties

	Name	Description
	Result (see page 358)	

1.1.3.1.32.1

faturaKepIleladeEdildilptalCompletedEventArgs.faturaKepIleladeEdildilptalCompletedEventArgs Constructor

C#

```
internal faturaKepIleladeEdildilptalCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is faturaKepIleladeEdildilptalCompletedEventArgs, a member of class faturaKepIleladeEdildilptalCompletedEventArgs.

Body Source

```
1: internal faturaKepIleladeEdildilptalCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.32.2 faturaKepIleladeEdildilptalCompletedEventArgs Properties

1.1.3.1.32.2.1 faturaKepIleladeEdildilptalCompletedEventArgs.Result Property

C#

```
public bool Result;
```

1.1.3.1.33 faturaNoUretCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaNoUretCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs {
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	faturaNoUretCompletedEventArgs (see page 359)	This is faturaNoUretCompletedEventArgs, a member of class faturaNoUretCompletedEventArgs.

faturaNoUretCompletedEventArgs Properties

	Name	Description
	Result (see page 359)	

1.1.3.1.33.1 faturaNoUretCompletedEventArgs.faturaNoUretCompletedEventArgs Constructor**C#**

```
internal faturaNoUretCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description


This is faturaNoUretCompletedEventArgs, a member of class faturaNoUretCompletedEventArgs.

Body Source

```
1: internal faturaNoUretCompletedEventArgs(object[] results, System.Exception exception,
 2:   bool cancelled, object userState) :
 3:   base(exception, cancelled, userState) {
 4:     this.results = results;
}
```

1.1.3.1.33.2 faturaNoUretCompletedEventArgs Properties**1.1.3.1.33.2.1 faturaNoUretCompletedEventArgs.Result Property****C#**

```
public string Result;
```

1.1.3.1.34 faturaTarihcesiData Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class faturaTarihcesiData : serviceReturnType;
```

File

Reference.cs (see page 721)

faturaTarihcesiData Properties**faturaTarihcesiData Class**

	Name	Description
	bagliKayitId (see page 360)	
	faturaEtn (see page 360)	
	islem (see page 360)	
	islemAciklama (see page 360)	
	islemKanali (see page 360)	

	islemKanaliAciklama (see page 360)	
	islemSonucu (see page 360)	
	islemZamani (see page 361)	
	kullanici (see page 361)	
	kullanicilp (see page 361)	
	zarfEtn (see page 361)	

1.1.3.1.34.1 faturaTarihcesiData Properties

1.1.3.1.34.1.1 faturaTarihcesiData.bagliKayitId Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bagliKayitId;
```

1.1.3.1.34.1.2 faturaTarihcesiData.faturaEtn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaEtn;
```

1.1.3.1.34.1.3 faturaTarihcesiData.islem Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public short islem;
```

1.1.3.1.34.1.4 faturaTarihcesiData.islemAciklama Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemAciklama;
```

1.1.3.1.34.1.5 faturaTarihcesiData.islemKanali Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public sbyte islemKanali;
```

1.1.3.1.34.1.6 faturaTarihcesiData.islemKanaliAciklama Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemKanaliAciklama;
```

1.1.3.1.34.1.7 faturaTarihcesiData.islemSonucu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemSonucu;
```

1.1.3.1.34.1.8 faturaTarihcesiData.islemZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemZamani;
```

1.1.3.1.34.1.9 faturaTarihcesiData.kullanici Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kullanici;
```

1.1.3.1.34.1.10 faturaTarihcesiData.kullaniciIp Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kullaniciIp;
```


1.1.3.1.34.1.11 faturaTarihcesiData.zarfEttn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string zarfEttn;
```

1.1.3.1.35 faturaTarihcesiSorgulaCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturaTarihcesiSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	faturaTarihcesiSorgulaCompletedEventArgs (see page 362)	This is faturaTarihcesiSorgulaCompletedEventArgs, a member of class faturaTarihcesiSorgulaCompletedEventArgs.

faturaTarihcesiSorgulaCompletedEventArgs Properties

	Name	Description
	Result (see page 362)	

1.1.3.1.35.1

faturaTarihcesiSorgulaCompletedEventArgs.faturaTarihcesiSorgulaCompletedEventArgs

Constructor

C#

```
internal faturaTarihcesiSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is faturaTarihcesiSorgulaCompletedEventArgs, a member of class faturaTarihcesiSorgulaCompletedEventArgs.

Body Source

```
1: internal faturaTarihcesiSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.3.1.35.2 faturaTarihcesiSorgulaCompletedEventArgs Properties

1.1.3.1.35.2.1 faturaTarihcesiSorgulaCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.36 faturayaltirazEdildiCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturayaItirazEdildiCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	faturayaltirazEdildiCompletedEventArgs (see page 363)	This is faturayaltirazEdildiCompletedEventArgs, a member of class faturayaltirazEdildiCompletedEventArgs.

faturayaltirazEdildiCompletedEventArgs Properties

	Name	Description
	Result (see page 363)	

1.1.3.1.36.1

faturayaltirazEdildiCompletedEventArgs.faturayaltirazEdildiCompletedEventArgs Constructor

C#

```
internal faturayaItirazEdildiCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is faturayaltirazEdildiCompletedEventArgs, a member of class faturayaltirazEdildiCompletedEventArgs.

Body Source

```
1: internal faturayaItirazEdildiCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.36.2 faturayaltirazEdildiCompletedEventArgs Properties


1.1.3.1.36.2.1 faturayaltirazEdildiCompletedEventArgs.Result Property

C#

```
public bool Result;
```

1.1.3.1.37 faturayaltirazEdildilptalCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class faturayaItirazEdildiIptalCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
≡	faturayaltirazEdildilptalCompletedEventArgs (see page 364)	This is faturayaltirazEdildilptalCompletedEventArgs, a member of class faturayaltirazEdildilptalCompletedEventArgs.

faturayaltirazEdildilptalCompletedEventArgs Properties

	Name	Description
≡	Result (see page 364)	

1.1.3.1.37.1 faturayaltirazEdildilptalCompletedEventArgs.faturayaltirazEdildilptalCompletedEventArgs

S Constructor

C#

```
internal faturayaItirazEdildiIptalCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is faturayaltirazEdildilptalCompletedEventArgs, a member of class faturayaltirazEdildilptalCompletedEventArgs.

Body Source

```
1: internal faturayaItirazEdildiIptalCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.3.1.37.2 faturayaltirazEdildilptalCompletedEventArgs Properties


1.1.3.1.37.2.1 faturayaltirazEdildilptalCompletedEventArgs.Result Property

C#

```
public bool Result;
```

1.1.3.1.38 gelenBelgeDurum Class

Class Hierarchy



C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv2))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv5))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[Serializable()]
[DebuggerStepThrough()]
[DesignerCategory("code")]
[XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class gelenBelgeDurum : serviceReturnType;
```

File

Reference.cs (see page 721)

gelenBelgeDurum Properties

gelenBelgeDurum Class

	Name	Description
	alimTarihi (see page 365)	
	belgeNo (see page 365)	
	ettn (see page 365)	
	yanitDetayi (see page 365)	
	yanitDurumu (see page 365)	

	yanitGonderimCevabiDetayi (see page 365)	
	yanitGonderimCevabiKodu (see page 365)	
	yanitGonderimDurumu (see page 366)	
	yanitGonderimTarihi (see page 366)	

1.1.3.1.38.1 gelenBelgeDurum Properties

1.1.3.1.38.1.1 gelenBelgeDurum.alimTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string alimTarihi;
```

1.1.3.1.38.1.2 gelenBelgeDurum.belgeNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeNo;
```

1.1.3.1.38.1.3 gelenBelgeDurum.ettn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ettn;
```

1.1.3.1.38.1.4 gelenBelgeDurum.yanitDetayi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yanitDetayi;
```

1.1.3.1.38.1.5 gelenBelgeDurum.yanitDurumu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int yanitDurumu;
```

1.1.3.1.38.1.6 gelenBelgeDurum.yanitGonderimCevabiDetayi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yanitGonderimCevabiDetayi;
```

1.1.3.1.38.1.7 gelenBelgeDurum.yanitGonderimCevabiKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int yanitGonderimCevabiKodu;
```

1.1.3.1.38.1.8 gelenBelgeDurum.yanitGonderimDurumu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int yanitGonderimDurumu;
```


1.1.3.1.38.1.9 gelenBelgeDurum.yanitGonderimTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yanitGonderimTarihi;
```

1.1.3.1.39 gelenBelgeDurumSorgulaCompletedEventArgs Class

Class Hierarchy

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeDurumSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	gelenBelgeDurumSorgulaCompletedEventArgs (see page 366)	This is gelenBelgeDurumSorgulaCompletedEventArgs, a member of class gelenBelgeDurumSorgulaCompletedEventArgs.

gelenBelgeDurumSorgulaCompletedEventArgs Properties

	Name	Description
	Result (see page 367)	

1.1.3.1.39.1

gelenBelgeDurumSorgulaCompletedEventArgs.gelenBelgeDurumSorgulaCompletedEventArgs Constructor

C#

```
internal gelenBelgeDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gelenBelgeDurumSorgulaCompletedEventArgs, a member of class gelenBelgeDurumSorgulaCompletedEventArgs.

Body Source

```
1: internal gelenBelgeDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.3.1.39.2 gelenBelgeDurumSorgulaCompletedEventArgs Properties

1.1.3.1.39.2.1 gelenBelgeDurumSorgulaCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.40 gelenBelgeDurumSorgulaExtCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeDurumSorgulaExtCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (↗ see page 721)

Methods

	Name	Description
	gelenBelgeDurumSorgulaExtCompletedEventArgs (↗ see page 367)	This is gelenBelgeDurumSorgulaExtCompletedEventArgs, a member of class gelenBelgeDurumSorgulaExtCompletedEventArgs.

gelenBelgeDurumSorgulaExtCompletedEventArgs Properties

	Name	Description
	Result (↗ see page 368)	

1.1.3.1.40.1

gelenBelgeDurumSorgulaExtCompletedEventArgs.gelenBelgeDurumSorgulaExtCompletedEventArgs Properties

Constructor

C#

```
internal gelenBelgeDurumSorgulaExtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gelenBelgeDurumSorgulaExtCompletedEventArgs, a member of class gelenBelgeDurumSorgulaExtCompletedEventArgs.

Body Source

```
1: internal gelenBelgeDurumSorgulaExtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.3.1.40.2 gelenBelgeDurumSorgulaExtCompletedEventArgs Properties


1.1.3.1.40.2.1 gelenBelgeDurumSorgulaExtCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.41 gelenBelgeDurumv2 Class

Class Hierarchy



C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv5))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class gelenBelgeDurumv2 : gelenBelgeDurum;
```

File

Reference.cs (see page 721)

gelenBelgeDurum Properties

gelenBelgeDurum Class

	Name	Description
	alimTarihi (see page 365)	
	belgeNo (see page 365)	
	ettn (see page 365)	
	yanitDetayi (see page 365)	
	yanitDurumu (see page 365)	
	yanitGonderimCevabiDetayi (see page 365)	
	yanitGonderimCevabiKodu (see page 365)	
	yanitGonderimDurumu (see page 366)	
	yanitGonderimTarihi (see page 366)	

gelenBelgeDurumv2 Class

	Name	Description
	siraNo (see page 369)	
	yereleAktarimDurumu (see page 369)	

1.1.3.1.41.1 gelenBelgeDurumv2 Properties

1.1.3.1.41.1.1 gelenBelgeDurumv2.siraNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public long siraNo;
```


1.1.3.1.41.1.2 gelenBelgeDurumv2.yereleAktarimDurumu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int yereleAktarimDurumu;
```

1.1.3.1.42 gelenBelgeDurumv3 Class

Class Hierarchy



C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv5))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class gelenBelgeDurumv3 : gelenBelgeDurumv2;
```

File

Reference.cs (see page 721)

gelenBelgeDurum Properties

gelenBelgeDurum Class

	Name	Description
	alimTarihi (see page 365)	
	belgeNo (see page 365)	
	ettn (see page 365)	
	yanitDetayi (see page 365)	
	yanitDurumu (see page 365)	
	yanitGonderimCevabiDetayi (see page 365)	
	yanitGonderimCevabiKodu (see page 365)	
	yanitGonderimDurumu (see page 366)	
	yanitGonderimTarihi (see page 366)	

gelenBelgeDurumv2 Class


	Name	Description
	siraNo (see page 369)	
	yereleAktarimDurumu (see page 369)	

gelenBelgeDurumv3 Class

	Name	Description
	kepDurum (see page 370)	

1.1.3.1.42.1 gelenBelgeDurumv3 Properties**1.1.3.1.42.1.1 gelenBelgeDurumv3.kepDurum Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kepDurum;
```

1.1.3.1.43 gelenBelgeDurumv4 Class**Class Hierarchy****C#**

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv5))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class gelenBelgeDurumv4 : gelenBelgeDurumv3;
```

File

Reference.cs ([see page 721](#))

gelenBelgeDurum Properties**gelenBelgeDurum Class**

	Name	Description
	alimTarihi (see page 365)	
	belgeNo (see page 365)	
	ettn (see page 365)	
	yanitDetayi (see page 365)	
	yanitDurumu (see page 365)	
	yanitGonderimCevabiDetayi (see page 365)	
	yanitGonderimCevabiKodu (see page 365)	
	yanitGonderimDurumu (see page 366)	
	yanitGonderimTarihi (see page 366)	

gelenBelgeDurumv2 Class

	Name	Description
	siraNo (see page 369)	
	yereleAktarimDurumu (see page 369)	

gelenBelgeDurumv3 Class


	Name	Description
	kepDurum (see page 370)	

gelenBelgeDurumv4 Class

	Name	Description
	giblptalDurum (see page 371)	

1.1.3.1.43.1 gelenBelgeDurumv4 Properties**1.1.3.1.43.1.1 gelenBelgeDurumv4.giblptalDurum Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string giblptalDurum;
```

1.1.3.1.44 gelenBelgeDurumv5 Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute	Namespace="http://service.connector.uut.cs.com.tr/"]
public class gelenBelgeDurumv5 : gelenBelgeDurumv4;
```

File

Reference.cs ([see page 721](#))

gelenBelgeDurum Properties**gelenBelgeDurum Class**

	Name	Description
	alimTarihi (see page 365)	
	belgeNo (see page 365)	
	ettn (see page 365)	
	yanitDetayi (see page 365)	
	yanitDurumu (see page 365)	
	yanitGonderimCevabiDetayi (see page 365)	
	yanitGonderimCevabiKodu (see page 365)	
	yanitGonderimDurumu (see page 366)	
	yanitGonderimTarihi (see page 366)	

gelenBelgeDurumv2 Class

	Name	Description
	siraNo (see page 369)	
	yereleAktarimDurumu (see page 369)	

gelenBelgeDurumv3 Class

	Name	Description
	kepDurum (see page 370)	

gelenBelgeDurumv4 Class


	Name	Description
	giblptalDurum (see page 371)	

gelenBelgeDurumv5 Class

	Name	Description
	yanitEttn (see page 372)	

1.1.3.1.44.1 gelenBelgeDurumv5 Properties**1.1.3.1.44.1.1 gelenBelgeDurumv5.yanitEttn Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yanitEttn;
```

1.1.3.1.45 gelenBelgeEkleriAICompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeEkleriAICompletedEventArgs : 
System.ComponentModel.AsyncCompletedEventArgs;
```

FileReference.cs ([see page 721](#))**Methods**

	Name	Description
	gelenBelgeEkleriAICompletedEventArgs (see page 373)	This is gelenBelgeEkleriAICompletedEventArgs, a member of class gelenBelgeEkleriAICompletedEventArgs.

gelenBelgeEkleriAICompletedEventArgs Properties

	Name	Description
	Result (see page 373)	

1.1.3.1.45.1

gelenBelgeEkleriAICompletedEventArgs.gelenBelgeEkleriAICompletedEventArgs Constructor

C#

```
internal gelenBelgeEkleriAICompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is gelenBelgeEkleriAICompletedEventArgs, a member of class gelenBelgeEkleriAICompletedEventArgs.

Body Source

```
1: internal gelenBelgeEkleriAICompletedEventArgs(object[] results, System.Exception exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.45.2 gelenBelgeEkleriAICompletedEventArgs Properties


1.1.3.1.45.2.1 gelenBelgeEkleriAICompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.46 gelenBelgeleriAICompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeleriAICompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
≡	gelenBelgeleriAICompletedEventArgs (see page 373)	This is gelenBelgeleriAICompletedEventArgs, a member of class gelenBelgeleriAICompletedEventArgs.

gelenBelgeleriAICompletedEventArgs Properties

	Name	Description
≡	Result (see page 374)	

1.1.3.1.46.1 gelenBelgeleriAICompletedEventArgs.gelenBelgeleriAICompletedEventArgs Constructor

C#

```
internal gelenBelgeleriAICompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description


This is gelenBelgeleriAICompletedEventArgs, a member of class gelenBelgeleriAICompletedEventArgs.

Body Source

```
1: internal gelenBelgeleriAICompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.46.2 gelenBelgeleriAICompletedEventArgs Properties**1.1.3.1.46.2.1 gelenBelgeleriAICompletedEventArgs.Result Property****C#**

```
public serviceReturnType Result;
```

1.1.3.1.47 gelenBelgeleriAIExt2CompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeleriAIExt2CompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	gelenBelgeleriAIExt2CompletedEventArgs (see page 374)	This is gelenBelgeleriAIExt2CompletedEventArgs, a member of class gelenBelgeleriAIExt2CompletedEventArgs.

gelenBelgeleriAIExt2CompletedEventArgs Properties

	Name	Description
	Result (see page 375)	

1.1.3.1.47.1**gelenBelgeleriAIExt2CompletedEventArgs.gelenBelgeleriAIExt2CompletedEventArgs Constructor****C#**

```
internal gelenBelgeleriAIExt2CompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is gelenBelgeleriAIExt2CompletedEventArgs, a member of class gelenBelgeleriAIExt2CompletedEventArgs.

Body Source

```
1: internal gelenBelgeleriAIExt2CompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
```

```

3:     this.results = results;
4: }
```

1.1.3.1.47.2 gelenBelgeleriAIExt2CompletedEventArgs Properties

1.1.3.1.47.2.1 gelenBelgeleriAIExt2CompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.48 gelenBelgeleriAIExt2Entry Class

Class Hierarchy

```
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExt2Entry
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(AnonymousType=true,
Namespace="http://service.connector.uut.cs.com.tr/")]
public class gelenBelgeleriAIExt2Entry;
```

File

Reference.cs (see page 721)

gelenBelgeleriAIExt2Entry Properties

	Name	Description
	key (see page 375)	
	value (see page 375)	

1.1.3.1.48.1 gelenBelgeleriAIExt2Entry Properties

1.1.3.1.48.1.1 gelenBelgeleriAIExt2Entry.key Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string key;
```

1.1.3.1.48.1.2 gelenBelgeleriAIExt2Entry.value Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string value;
```

1.1.3.1.49 gelenBelgeleriAIExtCompletedEventArgs Class

Class Hierarchy

```
System.ComponentModel.AsyncCompletedEventArgs --> QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExtCompletedEventArgs
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
public class gelenBelgeleriAIExtCompletedEventArgs :  
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	gelenBelgeleriAIExtCompletedEventArgs (see page 376)	This is gelenBelgeleriAIExtCompletedEventArgs, a member of class gelenBelgeleriAIExtCompletedEventArgs.

gelenBelgeleriAIExtCompletedEventArgs Properties

	Name	Description
	Result (see page 376)	

1.1.3.1.49.1**gelenBelgeleriAIExtCompletedEventArgs.gelenBelgeleriAIExtCompletedEventArgs Constructor****C#**

```
internal gelenBelgeleriAIExtCompletedEventArgs(object[] results, System.Exception  
exception, bool cancelled, object userState);
```

Description

This is gelenBelgeleriAIExtCompletedEventArgs, a member of class gelenBelgeleriAIExtCompletedEventArgs.

Body Source

```
1: internal gelenBelgeleriAIExtCompletedEventArgs(object[] results, System.Exception  
exception, bool cancelled, object userState) :  
2:     base(exception, cancelled, userState) {  
3:         this.results = results;  
4:     }
```

1.1.3.1.49.2 gelenBelgeleriAIExtCompletedEventArgs Properties**1.1.3.1.49.2.1 gelenBelgeleriAIExtCompletedEventArgs.Result Property****C#**

```
public serviceReturnType Result;
```

1.1.3.1.50 gelenBelgeleriIndirCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]  
[System.Diagnostics.DebuggerStepThroughAttribute()]  
[System.ComponentModel.DesignerCategoryAttribute("code")]  
public class gelenBelgeleriIndirCompletedEventArgs :  
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
📑	gelenBelgeleriIndirCompletedEventArgs	This is gelenBelgeleriIndirCompletedEventArgs, a member of class gelenBelgeleriIndirCompletedEventArgs. (see page 377)

gelenBelgeleriIndirCompletedEventArgs Properties

	Name	Description
📝	Result (see page 377)	

1.1.3.1.50.1

gelenBelgeleriIndirCompletedEventArgs.gelenBelgeleriIndirCompletedEventArgs Constructor

C#

```
internal gelenBelgeleriIndirCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gelenBelgeleriIndirCompletedEventArgs, a member of class gelenBelgeleriIndirCompletedEventArgs.

Body Source

```
1: internal gelenBelgeleriIndirCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.3.1.50.2 gelenBelgeleriIndirCompletedEventArgs Properties


1.1.3.1.50.2.1 gelenBelgeleriIndirCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.51 gelenBelgeleriIndirExtCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCode("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeleriIndirExtCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
📑	gelenBelgeleriIndirExtCompletedEventArgs	This is gelenBelgeleriIndirExtCompletedEventArgs, a member of class gelenBelgeleriIndirExtCompletedEventArgs. (see page 378)

gelenBelgeleriIndirExtCompletedEventArgs Properties

	Name	Description
	Result (see page 378)	

1.1.3.1.51.1**gelenBelgeleriIndirExtCompletedEventArgs.gelenBelgeleriIndirExtCompletedEventArgs Constructor****C#**

```
internal gelenBelgeleriIndirExtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description


This is gelenBelgeleriIndirExtCompletedEventArgs, a member of class gelenBelgeleriIndirExtCompletedEventArgs.

Body Source

```
1: internal gelenBelgeleriIndirExtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.51.2 gelenBelgeleriIndirExtCompletedEventArgs Properties**1.1.3.1.51.2.1 gelenBelgeleriIndirExtCompletedEventArgs.Result Property****C#**

```
public byte Result;
```

1.1.3.1.52 gelenBelgeleriListeleCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeleriListeleCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	gelenBelgeleriListeleCompletedEventArgs (see page 379)	This is gelenBelgeleriListeleCompletedEventArgs, a member of class gelenBelgeleriListeleCompletedEventArgs.

gelenBelgeleriListeleCompletedEventArgs Properties

	Name	Description
	Result (see page 379)	

1.1.3.1.52.1

gelenBelgeleriListeleCompletedEventArgs.gelenBelgeleriListeleCompletedEventArgs Constructor

C#

```
internal gelenBelgeleriListeleCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gelenBelgeleriListeleCompletedEventArgs, a member of class gelenBelgeleriListeleCompletedEventArgs.

Body Source

```
1: internal gelenBelgeleriListeleCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.52.2 gelenBelgeleriListeleCompletedEventArgs Properties


1.1.3.1.52.2.1 gelenBelgeleriListeleCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.53 gelenBelgeleriListeleExtCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeleriListeleExtCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	gelenBelgeleriListeleExtCompletedEventArgs (see page 380)	This is gelenBelgeleriListeleExtCompletedEventArgs, a member of class gelenBelgeleriListeleExtCompletedEventArgs.

gelenBelgeleriListeleExtCompletedEventArgs Properties

	Name	Description
	Result (see page 380)	

1.1.3.1.53.1

gelenBelgeleriListeleExtCompletedEventArgs.gelenBelgeleriListeleExtCompletedEventArgs Constructor

C#

```
internal gelenBelgeleriListeleExtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gelenBelgeleriListeleExtCompletedEventArgs, a member of class gelenBelgeleriListeleExtCompletedEventArgs.

Body Source

```
1: internal gelenBelgeleriListeleExtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.3.1.53.2 gelenBelgeleriListeleExtCompletedEventArgs Properties

1.1.3.1.53.2.1 gelenBelgeleriListeleExtCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.54 gelenBelgeParametreleri Class

Class Hierarchy

```
[QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
public class gelenBelgeParametreleri:
```

File

Reference.cs (see page 721)

gelenBelgeParametreleri Properties

	Name	Description
	alanEtiket (see page 381)	
	belgeFormati (see page 381)	
	belgelerAlindiMi (see page 381)	
	belgelerAlindiMiSpecified (see page 381)	
	belgeTuru (see page 381)	
	belgeVersiyon (see page 382)	
	donusTipiVersiyon (see page 382)	

	entegrasyonHedefi (see page 382)	
	erpKodu (see page 382)	
	ettm (see page 382)	
	faturaTarihiBaslangic (see page 382)	
	faturaTarihiBitis (see page 382)	
	gelisTarihiBaslangic (see page 382)	
	gelisTarihiBitis (see page 382)	
	gonderenEtiket (see page 383)	
	onayDurum (see page 383)	
	sonAlinanBelgeSiraNumarasi (see page 383)	
	subeKodu (see page 383)	
	vergiTcKimlikNo (see page 383)	

1.1.3.1.54.1 gelenBelgeParametreleri Properties

1.1.3.1.54.1.1 gelenBelgeParametreleri.alanEtiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("alanEtiket",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public string alanEtiket;
```

1.1.3.1.54.1.2 gelenBelgeParametreleri.belgeFormati Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeFormati;
```

1.1.3.1.54.1.3 gelenBelgeParametreleri.belgelerAlindiMi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool belgelerAlindiMi;
```

1.1.3.1.54.1.4 gelenBelgeParametreleri.belgelerAlindiMiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool belgelerAlindiMiSpecified;
```

1.1.3.1.54.1.5 gelenBelgeParametreleri.belgeTuru Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTuru;
```

1.1.3.1.54.1.6 gelenBelgeParametreleri.belgeVersiyon Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeVersiyon;
```

1.1.3.1.54.1.7 gelenBelgeParametreleri.donusTipiVersiyon Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donusTipiVersiyon;
```

1.1.3.1.54.1.8 gelenBelgeParametreleri.entegrasyonHedefi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string entegrasyonHedefi;
```

1.1.3.1.54.1.9 gelenBelgeParametreleri.erpKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string erpKodu;
```

1.1.3.1.54.1.10 gelenBelgeParametreleri.ettn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("ettn",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public string ettn;
```

1.1.3.1.54.1.11 gelenBelgeParametreleri.faturaTarihiBaslangic Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaTarihiBaslangic;
```

1.1.3.1.54.1.12 gelenBelgeParametreleri.faturaTarihiBitis Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaTarihiBitis;
```

1.1.3.1.54.1.13 gelenBelgeParametreleri.gelisTarihiBaslangic Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gelisTarihiBaslangic;
```

1.1.3.1.54.1.14 gelenBelgeParametreleri.gelisTarihiBitis Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gelisTarihiBitis;
```

1.1.3.1.54.1.15 gelenBelgeParametreleri.gonderenEtiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("gonderenEtiket",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public string gonderenEtiket;
```

1.1.3.1.54.1.16 gelenBelgeParametreleri.onayDurum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string onayDurum;
```

1.1.3.1.54.1.17 gelenBelgeParametreleri.sonAlinanBelgeSiraNumarasi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string sonAlinanBelgeSiraNumarasi;
```

1.1.3.1.54.1.18 gelenBelgeParametreleri.subeKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string subeKodu;
```

1.1.3.1.54.1.19 gelenBelgeParametreleri.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vergiTcKimlikNo;
```

1.1.3.1.55 gelenBelgeTutarBilgileri Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class gelenBelgeTutarBilgileri : serviceReturnType;
```

File

Reference.cs (see page 721)

gelenBelgeTutarBilgileri Properties

gelenBelgeTutarBilgileri Class

	Name	Description
	belgeNo (see page 384)	
	belgeTarihi (see page 384)	
	ettn (see page 384)	

	gondericiVkn (see page 384)	
	kdv18Oran (see page 384)	
	kdv18Tutar (see page 385)	
	kdv1Oran (see page 385)	
	kdv1Tutar (see page 385)	
	kdv8Oran (see page 385)	
	kdv8Tutar (see page 385)	
	kdvTevkifatOran (see page 385)	
	kdvTevkifatTutari (see page 385)	
	kdvToplamTutari (see page 385)	
	kdvToplamTutariDovizCinsi (see page 385)	
	malHizmetToplamTutari (see page 386)	
	malHizmetToplamTutariDovizCinsi (see page 386)	
	odenecekTutar (see page 386)	
	odenecekTutarDovizCinsi (see page 386)	

1.1.3.1.55.1 gelenBelgeTutarBilgileri Properties

1.1.3.1.55.1.1 gelenBelgeTutarBilgileri.belgeNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeNo;
```

1.1.3.1.55.1.2 gelenBelgeTutarBilgileri.belgeTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTarihi;
```

1.1.3.1.55.1.3 gelenBelgeTutarBilgileri.ettn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ettn;
```

1.1.3.1.55.1.4 gelenBelgeTutarBilgileri.gondericiVkn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gondericiVkn;
```

1.1.3.1.55.1.5 gelenBelgeTutarBilgileri.kdv18Oran Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv18Oran;
```

1.1.3.1.55.1.6 gelenBelgeTutarBilgileri.kdv18Tutar Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv18Tutar;
```

1.1.3.1.55.1.7 gelenBelgeTutarBilgileri.kdv1Oran Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv1Oran;
```

1.1.3.1.55.1.8 gelenBelgeTutarBilgileri.kdv1Tutar Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv1Tutar;
```

1.1.3.1.55.1.9 gelenBelgeTutarBilgileri.kdv8Oran Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv8Oran;
```

1.1.3.1.55.1.10 gelenBelgeTutarBilgileri.kdv8Tutar Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv8Tutar;
```

1.1.3.1.55.1.11 gelenBelgeTutarBilgileri.kdvTevkifatOran Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdvTevkifatOran;
```

1.1.3.1.55.1.12 gelenBelgeTutarBilgileri.kdvTevkifatTutari Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdvTevkifatTutari;
```

1.1.3.1.55.1.13 gelenBelgeTutarBilgileri.kdvToplamTutari Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdvToplamTutari;
```

1.1.3.1.55.1.14 gelenBelgeTutarBilgileri.kdvToplamTutariDovizCinsi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdvToplamTutariDovizCinsi;
```

1.1.3.1.55.1.15 gelenBelgeTutarBilgileri.malHizmetToplamTutari Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string malHizmetToplamTutari;
```

1.1.3.1.55.1.16 gelenBelgeTutarBilgileri.malHizmetToplamTutariDovizCinsi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string malHizmetToplamTutariDovizCinsi;
```

1.1.3.1.55.1.17 gelenBelgeTutarBilgileri.odenecekTutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string odenecekTutar;
```


1.1.3.1.55.1.18 gelenBelgeTutarBilgileri.odenecekTutarDovizCinsi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string odenecekTutarDovizCinsi;
```

1.1.3.1.56 gelenBelgeTutarBilgileriSorgulaCompletedEventArgs Class

Class Hierarchy

**C#**

```
[System.CodeDom.Compiler.GeneratedCode("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
public class gelenBelgeTutarBilgileriSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	gelenBelgeTutarBilgileriSorgulaCompletedEventArgs (see page 387)	This is gelenBelgeTutarBilgileriSorgulaCompletedEventArgs, a member of class gelenBelgeTutarBilgileriSorgulaCompletedEventArgs.

gelenBelgeTutarBilgileriSorgulaCompletedEventArgs Properties

	Name	Description
	Result (see page 387)	

1.1.3.1.56.1

gelenBelgeTutarBilgileriSorgulaCompletedEventArgs.gelenBelgeTutarBilgileriSorgulaCompletedEventArgs

Constructor

C#

```
internal gelenBelgeTutarBilgileriSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is gelenBelgeTutarBilgileriSorgulaCompletedEventArgs, a member of class gelenBelgeTutarBilgileriSorgulaCompletedEventArgs.

Body Source

```
1: internal gelenBelgeTutarBilgileriSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.56.2 gelenBelgeTutarBilgileriSorgulaCompletedEventArgs Properties


1.1.3.1.56.2.1 gelenBelgeTutarBilgileriSorgulaCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.57 gelenBelgeXmlleriniAlCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeXmlleriniAlCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
!	gelenBelgeXmlleriniAlCompletedEventArgs (see page 388)	This is gelenBelgeXmlleriniAlCompletedEventArgs, a member of class gelenBelgeXmlleriniAlCompletedEventArgs.

gelenBelgeXmlleriniAlCompletedEventArgs Properties

	Name	Description
!	Result (see page 388)	

1.1.3.1.57.1

gelenBelgeXmlleriniAICompletedEventArgs.gelenBelgeXmlleriniAICompletedEventArgs Constructor

C#

```
internal gelenBelgeXmlleriniAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gelenBelgeXmlleriniAICompletedEventArgs, a member of class gelenBelgeXmlleriniAICompletedEventArgs.

Body Source

```
1: internal gelenBelgeXmlleriniAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.57.2 gelenBelgeXmlleriniAICompletedEventArgs Properties


1.1.3.1.57.2.1 gelenBelgeXmlleriniAICompletedEventArgs.Result Property

C#

```
public string Result;
```

1.1.3.1.58 gelenBelgeXmlleriniAIExtCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenBelgeXmlleriniAIExtCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	gelenBelgeXmlleriniAIExtCompletedEventArgs (see page 389)	This is gelenBelgeXmlleriniAIExtCompletedEventArgs, a member of class gelenBelgeXmlleriniAIExtCompletedEventArgs.

gelenBelgeXmlleriniAIExtCompletedEventArgs Properties

	Name	Description
	Result (see page 389)	

1.1.3.1.58.1

gelenBelgeXmlleriniAIExtCompletedEventArgs.gelenBelgeXmlleriniAIExtCompletedEventArgs Constructor

C#

```
internal gelenBelgeXmlleriniAIExtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gelenBelgeXmlleriniAIExtCompletedEventArgs, a member of class gelenBelgeXmlleriniAIExtCompletedEventArgs.

Body Source

```
1: internal gelenBelgeXmlleriniAIExtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.3.1.58.2 gelenBelgeXmlleriniAIExtCompletedEventArgs Properties


1.1.3.1.58.2.1 gelenBelgeXmlleriniAIExtCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.59 gelenStandartRapolariAICompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenStandartRapolariAICompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
!	gelenStandartRapolariAICompletedEventArgs (see page 390)	This is gelenStandartRapolariAICompletedEventArgs, a member of class gelenStandartRapolariAICompletedEventArgs.

gelenStandartRapolariAICompletedEventArgs Properties

	Name	Description
!	Result (see page 390)	

1.1.3.1.59.1

gelenStandartRapolariAICompletedEventArgs.gelenStandartRapolariAICompletedEventArgs Constructor

C#

```
internal gelenStandartRapolariAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gelenStandartRapolariAICompletedEventArgs, a member of class gelenStandartRapolariAICompletedEventArgs.

Body Source

```
1: internal gelenStandartRapolariAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.3.1.59.2 gelenStandartRapolariAICompletedEventArgs Properties

1.1.3.1.59.2.1 gelenStandartRapolariAICompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.60 gelenTamamlananRapolariAICompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenTamamlananRapolariAICompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	gelenTamamlananRapolariAICompletedEventArgs (see page 391)	This is gelenTamamlananRapolariAICompletedEventArgs, a member of class gelenTamamlananRapolariAICompletedEventArgs.

gelenTamamlananRapolariAICompletedEventArgs Properties

	Name	Description
	Result (see page 391)	

1.1.3.1.60.1

gelenTamamlananRapolariAICompletedEventArgs.gelenTamamlananRapolariAICompletedEventArgs

Constructor

C#

```
internal gelenTamamlananRapolariAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gelenTamamlananRapolariAICompletedEventArgs, a member of class gelenTamamlananRapolariAICompletedEventArgs.

Body Source

```
1: internal gelenTamamlananRapolariAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.60.2 gelenTamamlananRapolariAICompletedEventArgs Properties


1.1.3.1.60.2.1 gelenTamamlananRapolariAICompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.61 gelenTasinanBelgeleriIndirCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gelenTasinanBelgeleriIndirCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	gelenTasinanBelgeleriIndirCompletedEventArgs (see page 392)	This is gelenTasinanBelgeleriIndirCompletedEventArgs, a member of class gelenTasinanBelgeleriIndirCompletedEventArgs.

gelenTasinanBelgeleriIndirCompletedEventArgs Properties

	Name	Description
	Result (see page 392)	

1.1.3.1.61.1

gelenTasinanBelgeleriIndirCompletedEventArgs.gelenTasinanBelgeleriIndirCompletedEventArgs Constructor

C#

```
internal gelenTasinanBelgeleriIndirCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gelenTasinanBelgeleriIndirCompletedEventArgs, a member of class gelenTasinanBelgeleriIndirCompletedEventArgs.

Body Source

```
1: internal gelenTasinanBelgeleriIndirCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.3.1.61.2 gelenTasinanBelgeleriIndirCompletedEventArgs Properties

1.1.3.1.61.2.1 gelenTasinanBelgeleriIndirCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.62 gidenBelgeDurum Class

Class Hierarchy



C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv2))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class gidenBelgeDurum : serviceReturnType;
```

File

Reference.cs (↗ see page 721)

gidenBelgeDurum Properties

gidenBelgeDurum Class

	Name	Description
	aciklama (↗ see page 393)	
	alimTarihi (↗ see page 393)	
	belgeNo (↗ see page 393)	
	durum (↗ see page 393)	

	ettn (see page 393)	
	gonderimCevabiDetayi (see page 393)	
	gonderimCevabiKodu (see page 394)	
	gonderimDurumu (see page 394)	
	gonderimTarihi (see page 394)	
	olusturulmaTarihi (see page 394)	
	yanitDetayi (see page 394)	
	yanitDurumu (see page 394)	
	yanitTarihi (see page 394)	

1.1.3.1.62.1 **gidenBelgeDurum** Properties

1.1.3.1.62.1.1 **gidenBelgeDurum.aciklama** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string aciklama;
```

1.1.3.1.62.1.2 **gidenBelgeDurum.alimTarihi** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string alimTarihi;
```

1.1.3.1.62.1.3 **gidenBelgeDurum.belgeNo** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeNo;
```

1.1.3.1.62.1.4 **gidenBelgeDurum.durum** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int durum;
```

1.1.3.1.62.1.5 **gidenBelgeDurum.ettn** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ettn;
```

1.1.3.1.62.1.6 **gidenBelgeDurum.gonderimCevabiDetayi** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gonderimCevabiDetayi;
```

1.1.3.1.62.1.7 gidenBelgeDurum.gonderimCevabiKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int gonderimCevabiKodu;
```

1.1.3.1.62.1.8 gidenBelgeDurum.gonderimDurumu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int gonderimDurumu;
```

1.1.3.1.62.1.9 gidenBelgeDurum.gonderimTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gonderimTarihi;
```

1.1.3.1.62.1.10 gidenBelgeDurum.olusturulmaTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string olusturulmaTarihi;
```

1.1.3.1.62.1.11 gidenBelgeDurum.yanitDetayi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yanitDetayi;
```

1.1.3.1.62.1.12 gidenBelgeDurum.yanitDurumu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int yanitDurumu;
```

1.1.3.1.62.1.13 gidenBelgeDurum.yanitTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yanitTarihi;
```

1.1.3.1.63 gidenBelgeDurumParametreleri Class

Class Hierarchy

```
QNBFinansGIB.GIBEFatura.gidenBelgeDurumParametreleri
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
[""]]
```

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
public class gidenBelgeDurumParametreleri;
```

File

Reference.cs (see page 721)

gidenBelgeDurumParametreleri Properties

	Name	Description
	belgeNo (see page 395)	
	belgeNoList (see page 395)	
	belgeNoTipi (see page 395)	
	belgeTuru (see page 395)	
	donusTipiVersiyon (see page 395)	

1.1.3.1.63.1 gidenBelgeDurumParametreleri Properties**1.1.3.1.63.1.1 gidenBelgeDurumParametreleri.belgeNo Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeNo;
```

1.1.3.1.63.1.2 gidenBelgeDurumParametreleri.belgeNoList Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute("belgeNoList",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public string belgeNoList;
```

1.1.3.1.63.1.3 gidenBelgeDurumParametreleri.belgeNoTipi Property**C#**


```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeNoTipi;
```

1.1.3.1.63.1.4 gidenBelgeDurumParametreleri.belgeTuru Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTuru;
```

1.1.3.1.63.1.5 gidenBelgeDurumParametreleri.donusTipiVersiyon Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donusTipiVersiyon;
```

1.1.3.1.64 gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs (see page 396)	This is gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs, a member of class gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs.

gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs Properties

	Name	Description
	Result (see page 396)	

1.1.3.1.64.1**gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs.gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs**
Constructor**C#**

```
internal gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description


This is gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs, a member of class gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs.

Body Source

```
1: internal gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.3.1.64.2 gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs Properties**1.1.3.1.64.2.1 gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs.Result Property****C#**

```
public gidenBelgeDurum Result;
```

1.1.3.1.65 gidenBelgeDurumSorgulaCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
public class gidenBelgeDurumSorgulaCompletedEventArgs :  
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	gidenBelgeDurumSorgulaCompletedEventArgs (see page 397)	This is gidenBelgeDurumSorgulaCompletedEventArgs, a member of class gidenBelgeDurumSorgulaCompletedEventArgs.

gidenBelgeDurumSorgulaCompletedEventArgs Properties

	Name	Description
	Result (see page 397)	

1.1.3.1.65.1**gidenBelgeDurumSorgulaCompletedEventArgs.gidenBelgeDurumSorgulaCompletedEventArgs Constructor****C#**

```
internal gidenBelgeDurumSorgulaCompletedEventArgs(object[] results, System.Exception  
exception, bool cancelled, object userState);
```

Description


This is gidenBelgeDurumSorgulaCompletedEventArgs, a member of class gidenBelgeDurumSorgulaCompletedEventArgs.

Body Source

```
1: internal gidenBelgeDurumSorgulaCompletedEventArgs(object[] results, System.Exception  
exception, bool cancelled, object userState) :  
2:     base(exception, cancelled, userState) {  
3:         this.results = results;  
4:     }
```

1.1.3.1.65.2 gidenBelgeDurumSorgulaCompletedEventArgs Properties**1.1.3.1.65.2.1 gidenBelgeDurumSorgulaCompletedEventArgs.Result Property****C#**

```
public gidenBelgeDurum Result;
```

1.1.3.1.66 gidenBelgeDurumSorgulaEttnCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]  
[System.Diagnostics.DebuggerStepThrough()]  
[System.ComponentModel.DesignerCategoryAttribute("code")]  
public class gidenBelgeDurumSorgulaEttnCompletedEventArgs :  
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	gidenBelgeDurumSorgulaEttnCompletedEventArgs (see page 398)	This is gidenBelgeDurumSorgulaEttnCompletedEventArgs, a member of class gidenBelgeDurumSorgulaEttnCompletedEventArgs.

gidenBelgeDurumSorgulaEttnCompletedEventArgs Properties

	Name	Description
	Result (see page 398)	

1.1.3.1.66.1

gidenBelgeDurumSorgulaEttnCompletedEventArgs.gidenBelgeDurumSorgulaEttnCompletedEventArgs Constructor

C#

```
internal gidenBelgeDurumSorgulaEttnCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gidenBelgeDurumSorgulaEttnCompletedEventArgs, a member of class gidenBelgeDurumSorgulaEttnCompletedEventArgs.

Body Source

```
1: internal gidenBelgeDurumSorgulaEttnCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.66.2 gidenBelgeDurumSorgulaEttnCompletedEventArgs Properties


1.1.3.1.66.2.1 gidenBelgeDurumSorgulaEttnCompletedEventArgs.Result Property

C#

```
public gidenBelgeDurum Result;
```

1.1.3.1.67 gidenBelgeDurumSorgulaExtCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeDurumSorgulaExtCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
!	gidenBelgeDurumSorgulaExtCompletedEventArgs (see page 399)	This is gidenBelgeDurumSorgulaExtCompletedEventArgs, a member of class gidenBelgeDurumSorgulaExtCompletedEventArgs.

gidenBelgeDurumSorgulaExtCompletedEventArgs Properties

	Name	Description
!	Result (see page 399)	

1.1.3.1.67.1

gidenBelgeDurumSorgulaExtCompletedEventArgs.gidenBelgeDurumSorgulaExtCompletedEventArgs Constructor

C#

```
internal gidenBelgeDurumSorgulaExtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gidenBelgeDurumSorgulaExtCompletedEventArgs, a member of class gidenBelgeDurumSorgulaExtCompletedEventArgs.

Body Source

```
1: internal gidenBelgeDurumSorgulaExtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.3.1.67.2 gidenBelgeDurumSorgulaExtCompletedEventArgs Properties


1.1.3.1.67.2.1 gidenBelgeDurumSorgulaExtCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.68 gidenBelgeDurumSorgulaPortalCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeDurumSorgulaPortalCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs {
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	gidenBelgeDurumSorgulaPortalCompletedEventArgs	This is gidenBelgeDurumSorgulaPortalCompletedEventArgs, a member of class gidenBelgeDurumSorgulaPortalCompletedEventArgs.

gidenBelgeDurumSorgulaPortalCompletedEventArgs Properties

	Name	Description
	Result (see page 400)	

1.1.3.1.68.1

gidenBelgeDurumSorgulaPortalCompletedEventArgs.gidenBelgeDurumSorgulaPortalCompletedEventArgs

Constructor

C#

```
internal gidenBelgeDurumSorgulaPortalCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gidenBelgeDurumSorgulaPortalCompletedEventArgs, a member of class gidenBelgeDurumSorgulaPortalCompletedEventArgs.

Body Source

```
1: internal gidenBelgeDurumSorgulaPortalCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.68.2 gidenBelgeDurumSorgulaPortalCompletedEventArgs Properties


1.1.3.1.68.2.1 gidenBelgeDurumSorgulaPortalCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.69 gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
!	gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs (see page 401)	This is gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs, a member of class gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs.

gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs Properties

	Name	Description
!	Result (see page 401)	

1.1.3.1.69.1

gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs.gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs

Constructor

C#

```
internal gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs, a member of class gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs.

Body Source

```
1: internal gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.3.1.69.2 gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs Properties


1.1.3.1.69.2.1 gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs.Result Property

C#

```
public gidenBelgeDurum Result;
```

1.1.3.1.70 gidenBelgeDurumv2 Class

Class Hierarchy



C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]

```

```
public class gidenBelgeDurumv2 : gidenBelgeDurum;
```

File

Reference.cs (see page 721)

gidenBelgeDurum Properties**gidenBelgeDurum Class**

	Name	Description
	aciklama (see page 393)	
	alimTarihi (see page 393)	
	belgeNo (see page 393)	
	durum (see page 393)	
	ettn (see page 393)	
	gonderimCevabiDetayi (see page 393)	
	gonderimCevabiKodu (see page 394)	
	gonderimDurumu (see page 394)	
	gonderimTarihi (see page 394)	
	olusturulmaTarihi (see page 394)	
	yanitDetayi (see page 394)	
	yanitDurumu (see page 394)	
	yanitTarihi (see page 394)	

gidenBelgeDurumv2 Class


	Name	Description
	ulastiMi (see page 402)	
	yenidenGonderilebilirMi (see page 402)	

1.1.3.1.70.1 gidenBelgeDurumv2 Properties**1.1.3.1.70.1.1 gidenBelgeDurumv2.ulastiMi Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool ulastiMi;
```

1.1.3.1.70.1.2 gidenBelgeDurumv2.yenidenGonderilebilirMi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool yenidenGonderilebilirMi;
```

1.1.3.1.71 gidenBelgeDurumv3 Class**Class Hierarchy****C#**

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv4))]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv5)) ]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv6)) ]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class gidenBelgeDurumv3 : gidenBelgeDurumv2;
```

File

Reference.cs ([see page 721](#))

gidenBelgeDurum Properties**gidenBelgeDurum Class**

	Name	Description
	aciklama (see page 393)	
	alimTarihi (see page 393)	
	belgeNo (see page 393)	
	durum (see page 393)	
	ettn (see page 393)	
	gonderimCevabiDetayi (see page 393)	
	gonderimCevabiKodu (see page 394)	
	gonderimDurumu (see page 394)	
	gonderimTarihi (see page 394)	
	olusturulmaTarihi (see page 394)	
	yanitDetayi (see page 394)	
	yanitDurumu (see page 394)	
	yanitTarihi (see page 394)	

gidenBelgeDurumv2 Class

	Name	Description
	ulastiMi (see page 402)	
	yenidenGonderilebilirMi (see page 402)	

gidenBelgeDurumv3 Class


	Name	Description
	yerelBelgeOid (see page 403)	

1.1.3.1.71.1 gidenBelgeDurumv3 Properties**1.1.3.1.71.1.1 gidenBelgeDurumv3.yerelBelgeOid Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yerelBelgeOid;
```

1.1.3.1.72 gidenBelgeDurumv4 Class

Class Hierarchy



C#

```

[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
public class gidenBelgeDurumv4 : gidenBelgeDurumv3;
  
```

File

Reference.cs (see page 721)

gidenBelgeDurum Properties

gidenBelgeDurum Class

	Name	Description
	aciklama (see page 393)	
	alimTarihi (see page 393)	
	belgeNo (see page 393)	
	durum (see page 393)	
	ettn (see page 393)	
	gonderimCevabiDetayi (see page 393)	
	gonderimCevabiKodu (see page 394)	
	gonderimDurumu (see page 394)	
	gonderimTarihi (see page 394)	
	olusturulmaTarihi (see page 394)	
	yanitDetayi (see page 394)	
	yanitDurumu (see page 394)	
	yanitTarihi (see page 394)	

gidenBelgeDurumv2 Class

	Name	Description
	ulastiMi (see page 402)	
	yenidenGonderilebilirMi (see page 402)	

gidenBelgeDurumv3 Class

	Name	Description
	yerelBelgeOid (see page 403)	

gidenBelgeDurumv4 Class

	Name	Description
	gtbFilfilhracatTarihi (see page 405)	

	gtbGcbTescilNo (see page 405)	
	gtbRefNo (see page 405)	

1.1.3.1.72.1 gidenBelgeDurumv4 Properties

1.1.3.1.72.1.1 gidenBelgeDurumv4.gtbFiiliIhracatTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gtbFiiliIhracatTarihi;
```

1.1.3.1.72.1.2 gidenBelgeDurumv4.gtbGcbTescilNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gtbGcbTescilNo;
```


1.1.3.1.72.1.3 gidenBelgeDurumv4.gtbRefNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gtbRefNo;
```

1.1.3.1.73 gidenBelgeDurumv5 Class

Class Hierarchy



C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class gidenBelgeDurumv5 : gidenBelgeDurumv4;
```

File

Reference.cs (see page 721)

gidenBelgeDurum Properties

gidenBelgeDurum Class

	Name	Description
	aciklama (see page 393)	
	alimTarihi (see page 393)	
	belgeNo (see page 393)	
	durum (see page 393)	
	ettn (see page 393)	
	gonderimCevabiDetayi (see page 393)	
	gonderimCevabiKodu (see page 394)	

	gonderimDurumu (see page 394)	
	gonderimTarihi (see page 394)	
	olusturulmaTarihi (see page 394)	
	yanitDetayi (see page 394)	
	yanitDurumu (see page 394)	
	yanitTarihi (see page 394)	

gidenBelgeDurumv2 Class

	Name	Description
	ulastiMi (see page 402)	
	yenidenGonderilebilirMi (see page 402)	

gidenBelgeDurumv3 Class

	Name	Description
	yerelBelgeOid (see page 403)	

gidenBelgeDurumv4 Class

	Name	Description
	gtbFiilihracatTarihi (see page 405)	
	gtbGcbTescilNo (see page 405)	
	gtbRefNo (see page 405)	

gidenBelgeDurumv5 Class


	Name	Description
	yanitEtn (see page 406)	
	yanitVerilenBelgeEtn (see page 406)	

1.1.3.1.73.1 gidenBelgeDurumv5 Properties**1.1.3.1.73.1.1 gidenBelgeDurumv5.yanitEtn Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yanitEtn;
```

1.1.3.1.73.1.2 gidenBelgeDurumv5.yanitVerilenBelgeEtn Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yanitVerilenBelgeEtn;
```

1.1.3.1.74 gidenBelgeDurumv6 Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
```

```
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class gidenBelgeDurumv6 : gidenBelgeDurumv5;
```

File

Reference.cs ([see page 721](#))

gidenBelgeDurum Properties**gidenBelgeDurum Class**

	Name	Description
	aciklama (see page 393)	
	alimTarihi (see page 393)	
	belgeNo (see page 393)	
	durum (see page 393)	
	ettn (see page 393)	
	gonderimCevabiDetayi (see page 393)	
	gonderimCevabiKodu (see page 394)	
	gonderimDurumu (see page 394)	
	gonderimTarihi (see page 394)	
	olusturulmaTarihi (see page 394)	
	yanitDetayi (see page 394)	
	yanitDurumu (see page 394)	
	yanitTarihi (see page 394)	

gidenBelgeDurumv2 Class

	Name	Description
	ulastiMi (see page 402)	
	yenidenGonderilebilirMi (see page 402)	

gidenBelgeDurumv3 Class

	Name	Description
	yerelBelgeOid (see page 403)	

gidenBelgeDurumv4 Class

	Name	Description
	gtbFiihlhracatTarihi (see page 405)	
	gtbGcbTescilNo (see page 405)	
	gtbRefNo (see page 405)	

gidenBelgeDurumv5 Class

	Name	Description
	yanitEtn (see page 406)	
	yanitVerilenBelgeEtn (see page 406)	

gidenBelgeDurumv6 Class

	Name	Description
	kepDurum (see page 408)	

1.1.3.1.74.1 gidenBelgeDurumv6 Properties**1.1.3.1.74.1.1 gidenBelgeDurumv6.kepDurum Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kepDurum;
```

1.1.3.1.75 gidenBelgeEkleriAICompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeEkleriAICompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	gidenBelgeEkleriAICompletedEventArgs (see page 408)	This is gidenBelgeEkleriAICompletedEventArgs, a member of class gidenBelgeEkleriAICompletedEventArgs.

gidenBelgeEkleriAICompletedEventArgs Properties

	Name	Description
	Result (see page 409)	

1.1.3.1.75.1**gidenBelgeEkleriAICompletedEventArgs.gidenBelgeEkleriAICompletedEventArgs Constructor****C#**

```
internal gidenBelgeEkleriAICompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is gidenBelgeEkleriAICompletedEventArgs, a member of class gidenBelgeEkleriAICompletedEventArgs.

Body Source

```
1: internal gidenBelgeEkleriAICompletedEventArgs(object[] results, System.Exception exception,
2: bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.3.1.75.2 gidenBelgeEkleriAICompletedEventArgs Properties

1.1.3.1.75.2.1 gidenBelgeEkleriAICompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.76 gidenBelgelerDurumSorgulaPortalParametreleri Class

Class Hierarchy

`[QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPortalParametreleri]`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class gidenBelgelerDurumSorgulaPortalParametreleri;
```

File

Reference.cs (see page 721)

gidenBelgelerDurumSorgulaPortalParametreleri Properties

	Name	Description
	baslangicOlusturulmaTarihi (see page 409)	
	belgeEttnListesi (see page 409)	
	belgeTuru (see page 410)	
	belgeVersiyon (see page 410)	
	bitisOlusturulmaTarihi (see page 410)	
	faturaBaslangicTarihi (see page 410)	
	faturaBitisTarihi (see page 410)	
	vknTckn (see page 410)	

1.1.3.1.76.1 gidenBelgelerDurumSorgulaPortalParametreleri Properties

1.1.3.1.76.1.1 gidenBelgelerDurumSorgulaPortalParametreleri.baslangicOlusturulmaTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string baslangicOlusturulmaTarihi;
```

1.1.3.1.76.1.2 gidenBelgelerDurumSorgulaPortalParametreleri.belgeEttnListesi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("belgeEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public string belgeEttnListesi;
```

1.1.3.1.76.1.3 **gidenBelgelerDurumSorgulaPortalParametreleri.belgeTuru** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTuru;
```

1.1.3.1.76.1.4 **gidenBelgelerDurumSorgulaPortalParametreleri.belgeVersiyon** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeVersiyon;
```

1.1.3.1.76.1.5 **gidenBelgelerDurumSorgulaPortalParametreleri.bitisOlusturulmaTarihi** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bitisOlusturulmaTarihi;
```

1.1.3.1.76.1.6 **gidenBelgelerDurumSorgulaPortalParametreleri.faturaBaslangicTarihi** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaBaslangicTarihi;
```

1.1.3.1.76.1.7 **gidenBelgelerDurumSorgulaPortalParametreleri.faturaBitisTarihi** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaBitisTarihi;
```


1.1.3.1.76.1.8 **gidenBelgelerDurumSorgulaPortalParametreleri.vknTckn** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vknTckn;
```

1.1.3.1.77 **gidenBelgeleriIndirCompletedEventArgs** Class

Class Hierarchy

**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeleriIndirCompletedEventArgs :
    System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
!	gidenBelgeleriIndirCompletedEventArgs	This is gidenBelgeleriIndirCompletedEventArgs, a member of class gidenBelgeleriIndirCompletedEventArgs.

gidenBelgeleriIndirCompletedEventArgs Properties

	Name	Description
!	Result (see page 411)	

1.1.3.1.77.1

gidenBelgeleriIndirCompletedEventArgs.gidenBelgeleriIndirCompletedEventArgs Constructor

C#

```
internal gidenBelgeleriIndirCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gidenBelgeleriIndirCompletedEventArgs, a member of class gidenBelgeleriIndirCompletedEventArgs.

Body Source

```
1: internal gidenBelgeleriIndirCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.3.1.77.2 gidenBelgeleriIndirCompletedEventArgs Properties


1.1.3.1.77.2.1 gidenBelgeleriIndirCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.78 gidenBelgeleriIndirEttnCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCode("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
public class gidenBelgeleriIndirEttnCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
!	gidenBelgeleriIndirEttnCompletedEventArgs	This is gidenBelgeleriIndirEttnCompletedEventArgs, a member of class gidenBelgeleriIndirEttnCompletedEventArgs.

gidenBelgeleriIndirEttnCompletedEventArgs Properties

	Name	Description
	Result (see page 412)	

1.1.3.1.78.1**gidenBelgeleriIndirEttnCompletedEventArgs.gidenBelgeleriIndirEttnCompletedEventArgs Constructor****C#**

```
internal gidenBelgeleriIndirEttnCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gidenBelgeleriIndirEttnCompletedEventArgs, a member of class gidenBelgeleriIndirEttnCompletedEventArgs.

Body Source

```
1: internal gidenBelgeleriIndirEttnCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.3.1.78.2 gidenBelgeleriIndirEttnCompletedEventArgs Properties**1.1.3.1.78.2.1 gidenBelgeleriIndirEttnCompletedEventArgs.Result Property****C#**

```
public byte Result;
```

1.1.3.1.79 gidenBelgeleriIndirPortalCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeleriIndirPortalCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	gidenBelgeleriIndirPortalCompletedEventArgs (see page 413)	This is gidenBelgeleriIndirPortalCompletedEventArgs, a member of class gidenBelgeleriIndirPortalCompletedEventArgs.

gidenBelgeleriIndirPortalCompletedEventArgs Properties

	Name	Description
	Result (see page 413)	

1.1.3.1.79.1

gidenBelgeleriIndirPortalCompletedEventArgs.gidenBelgeleriIndirPortalCompletedEventArgs Constructor

C#

```
internal gidenBelgeleriIndirPortalCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gidenBelgeleriIndirPortalCompletedEventArgs, a member of class gidenBelgeleriIndirPortalCompletedEventArgs.

Body Source

```
1: internal gidenBelgeleriIndirPortalCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.3.1.79.2 gidenBelgeleriIndirPortalCompletedEventArgs Properties

1.1.3.1.79.2.1 gidenBelgeleriIndirPortalCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.80 gidenBelgeleriIndirPortalParametreleri Class

Class Hierarchy

QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParametreleri

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class gidenBelgeleriIndirPortalParametreleri;
```

File

Reference.cs (see page 721)

gidenBelgeleriIndirPortalParametreleri Properties

	Name	Description
	baslangicGonderimTarihi (see page 414)	
	belgeEttnListesi (see page 414)	
	belgeFormati (see page 414)	
	belgeTuru (see page 414)	
	bitisGonderimTarihi (see page 414)	
	faturaBaslangicTarihi (see page 414)	
	faturaBitisTarihi (see page 414)	

	kaynak (see page 415)	
	pageCount (see page 415)	
	vergiTcKimlikNo (see page 415)	

1.1.3.1.80.1 gidenBelgeleriIndirPortalParametreleri Properties

1.1.3.1.80.1.1 gidenBelgeleriIndirPortalParametreleri.baslangicGonderimTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string baslangicGonderimTarihi;
```

1.1.3.1.80.1.2 gidenBelgeleriIndirPortalParametreleri.belgeEttnListesi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("belgeEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public string belgeEttnListesi;
```

1.1.3.1.80.1.3 gidenBelgeleriIndirPortalParametreleri.belgeFormati Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeFormati;
```

1.1.3.1.80.1.4 gidenBelgeleriIndirPortalParametreleri.belgeTuru Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTuru;
```

1.1.3.1.80.1.5 gidenBelgeleriIndirPortalParametreleri.bitisGonderimTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bitisGonderimTarihi;
```

1.1.3.1.80.1.6 gidenBelgeleriIndirPortalParametreleri.faturaBaslangicTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaBaslangicTarihi;
```

1.1.3.1.80.1.7 gidenBelgeleriIndirPortalParametreleri.faturaBitisTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaBitisTarihi;
```

1.1.3.1.80.1.8 gidenBelgeleriIndirPortalParametreleri.kaynak Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kaynak;
```

1.1.3.1.80.1.9 gidenBelgeleriIndirPortalParametreleri.pageCount Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string pageCount;
```


1.1.3.1.80.1.10 gidenBelgeleriIndirPortalParametreleri.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vergiTcKimlikNo;
```

1.1.3.1.81 gidenBelgeleriListeleCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeleriListeleCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
!	gidenBelgeleriListeleCompletedEventArgs (see page 415)	This is gidenBelgeleriListeleCompletedEventArgs, a member of class gidenBelgeleriListeleCompletedEventArgs.

gidenBelgeleriListeleCompletedEventArgs Properties

	Name	Description
!	Result (see page 416)	

1.1.3.1.81.1

gidenBelgeleriListeleCompletedEventArgs.gidenBelgeleriListeleCompletedEventArgs Constructor

C#

```
internal gidenBelgeleriListeleCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gidenBelgeleriListeleCompletedEventArgs, a member of class gidenBelgeleriListeleCompletedEventArgs.

Body Source

```

1: internal gidenBelgeleriListeleCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }

```

1.1.3.1.81.2 gidenBelgeleriListeleCompletedEventArgs Properties**1.1.3.1.81.2.1 gidenBelgeleriListeleCompletedEventArgs.Result Property****C#**

```
public serviceReturnType Result;
```

1.1.3.1.82 gidenBelgeleriListeleData Class**Class Hierarchy****C#**

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
")]
public class gidenBelgeleriListeleData : serviceReturnType;

```

File

Reference.cs (see page 721)

gidenBelgeleriListeleData Properties**gidenBelgeleriListeleData Class**

	Name	Description
	alimDurumu (see page 416)	
	alimZamani (see page 417)	
	belgeOid (see page 417)	
	belgeTarihi (see page 417)	
	belgeTuru (see page 417)	
	ettn (see page 417)	
	hataMesaji (see page 417)	
	islemYapanVkn (see page 417)	
	kaynak (see page 417)	
	kullaniciKodu (see page 417)	
	yerelBelgeNo (see page 418)	

1.1.3.1.82.1 gidenBelgeleriListeleData Properties**1.1.3.1.82.1.1 gidenBelgeleriListeleData.alimDurumu Property****C#**

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string alimDurumu;

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.82.1.2 **gidenBelgeleriListeleData.alimZamani** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string alimZamani;
```

1.1.3.1.82.1.3 **gidenBelgeleriListeleData.belgeOid** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeOid;
```

1.1.3.1.82.1.4 **gidenBelgeleriListeleData.belgeTarihi** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTarihi;
```

1.1.3.1.82.1.5 **gidenBelgeleriListeleData.belgeTuru** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTuru;
```

1.1.3.1.82.1.6 **gidenBelgeleriListeleData.ettn** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ettn;
```

1.1.3.1.82.1.7 **gidenBelgeleriListeleData.hataMesaji** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string hataMesaji;
```

1.1.3.1.82.1.8 **gidenBelgeleriListeleData.islemYapanVkn** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemYapanVkn;
```

1.1.3.1.82.1.9 **gidenBelgeleriListeleData.kaynak** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kaynak;
```

1.1.3.1.82.1.10 **gidenBelgeleriListeleData.kullaniciKodu** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kullaniciKodu;
```

1.1.3.1.82.1.11 gidenBelgeleriListeleData.yerelBelgeNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yerelBelgeNo;
```

1.1.3.1.83 gidenBelgeleriListeleParametreleri Class

Class Hierarchy

```
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametreleri
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
public class gidenBelgeleriListeleParametreleri;
```

File

Reference.cs (see page 721)

gidenBelgeleriListeleParametreleri Properties

	Name	Description
	baslangicBelgeTarihi (see page 418)	
	baslangicGonderimTarihi (see page 418)	
	belgeTuru (see page 419)	
	bitisBelgeTarihi (see page 419)	
	bitisGonderimTarihi (see page 419)	
	vkn (see page 419)	

1.1.3.1.83.1 gidenBelgeleriListeleParametreleri Properties

1.1.3.1.83.1.1 gidenBelgeleriListeleParametreleri.baslangicBelgeTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string baslangicBelgeTarihi;
```

1.1.3.1.83.1.2 gidenBelgeleriListeleParametreleri.baslangicGonderimTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string baslangicGonderimTarihi;
```

1.1.3.1.83.1.3 **gidenBelgeleriListeleParametreleri.belgeTuru** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTuru;
```

1.1.3.1.83.1.4 **gidenBelgeleriListeleParametreleri.bitisBelgeTarihi** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bitisBelgeTarihi;
```

1.1.3.1.83.1.5 **gidenBelgeleriListeleParametreleri.bitisGonderimTarihi** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bitisGonderimTarihi;
```


1.1.3.1.83.1.6 **gidenBelgeleriListeleParametreleri.vkn** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vkn;
```

1.1.3.1.84 **gidenBelgeleriListelePortalCompletedEventArgs** Class

Class Hierarchy

**C#**

```
[System.CodeDom.Compiler.GeneratedCode("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
public class gidenBelgeleriListelePortalCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	gidenBelgeleriListelePortalCompletedEventArgs (see page 420)	This is gidenBelgeleriListelePortalCompletedEventArgs, a member of class gidenBelgeleriListelePortalCompletedEventArgs.

gidenBelgeleriListelePortalCompletedEventArgs Properties

	Name	Description
	Result (see page 420)	

1.1.3.1.84.1

gidenBelgeleriListelePortalCompletedEventArgs.gidenBelgeleriListelePortalCompletedEventArgs Constructor

C#

```
internal gidenBelgeleriListelePortalCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is gidenBelgeleriListelePortalCompletedEventArgs, a member of class gidenBelgeleriListelePortalCompletedEventArgs.

Body Source

```
1: internal gidenBelgeleriListelePortalCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.3.1.84.2 gidenBelgeleriListelePortalCompletedEventArgs Properties


1.1.3.1.84.2.1 gidenBelgeleriListelePortalCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.85 gidenBelgeleriListelePortalData Class

Class Hierarchy



C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeleriListelePortalDatav2))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[SerializableAttribute()]
[Diagnostics.DebuggerStepThroughAttribute()]
[ComponentModel.DesignerCategory("code")]
[XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class gidenBelgeleriListelePortalData : serviceReturnType;
```

File

Reference.cs (see page 721)

gidenBelgeleriListelePortalData Properties

gidenBelgeleriListelePortalData Class

	Name	Description
	alanEtiket (see page 421)	
	alanSubeKodu (see page 421)	
	alanVergiTcKimlikNo (see page 421)	
	belgeNo (see page 421)	
	belgeTarihi (see page 421)	
	belgeTipi (see page 421)	

	belgeTuru (see page 422)	
	erpKodu (see page 422)	
	ettn (see page 422)	
	gonderenEtiket (see page 422)	
	gonderenSubeKodu (see page 422)	
	gonderimZamani (see page 422)	
	islemYapanVkn (see page 422)	
	kaynak (see page 422)	
	kullaniciKodu (see page 422)	

1.1.3.1.85.1 gidenBelgeleriListelePortalData Properties

1.1.3.1.85.1.1 gidenBelgeleriListelePortalData.alanEtiket Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string alanEtiket;
```

1.1.3.1.85.1.2 gidenBelgeleriListelePortalData.alanSubeKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string alanSubeKodu;
```

1.1.3.1.85.1.3 gidenBelgeleriListelePortalData.alanVergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string alanVergiTcKimlikNo;
```

1.1.3.1.85.1.4 gidenBelgeleriListelePortalData.belgeNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeNo;
```

1.1.3.1.85.1.5 gidenBelgeleriListelePortalData.belgeTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTarihi;
```

1.1.3.1.85.1.6 gidenBelgeleriListelePortalData.belgeTipi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTipi;
```

1.1.3.1.85.1.7 gidenBelgeleriListelePortalData.belgeTuru Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTuru;
```

1.1.3.1.85.1.8 gidenBelgeleriListelePortalData.erpKodu Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string erpKodu;
```

1.1.3.1.85.1.9 gidenBelgeleriListelePortalData.ettn Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ettn;
```

1.1.3.1.85.1.10 gidenBelgeleriListelePortalData.gonderenEtiket Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gonderenEtiket;
```

1.1.3.1.85.1.11 gidenBelgeleriListelePortalData.gonderenSubeKodu Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gonderenSubeKodu;
```

1.1.3.1.85.1.12 gidenBelgeleriListelePortalData.gonderimZamani Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gonderimZamani;
```

1.1.3.1.85.1.13 gidenBelgeleriListelePortalData.islemYapanVkn Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemYapanVkn;
```

1.1.3.1.85.1.14 gidenBelgeleriListelePortalData.kaynak Property**C#**


```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kaynak;
```

1.1.3.1.85.1.15 gidenBelgeleriListelePortalData.kullaniciKodu Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kullaniciKodu;
```

1.1.3.1.86 gidenBelgeleriListelePortalDatav2 Class

Class Hierarchy



C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
public class gidenBelgeleriListelePortalDatav2 : gidenBelgeleriListelePortalData;
  
```

File

Reference.cs (see page 721)

gidenBelgeleriListelePortalData Properties

gidenBelgeleriListelePortalData Class

	Name	Description
	alanEtiket (see page 421)	
	alanSubeKodu (see page 421)	
	alanVergiTcKimlikNo (see page 421)	
	belgeNo (see page 421)	
	belgeTarihi (see page 421)	
	belgeTipi (see page 421)	
	belgeTuru (see page 422)	
	erpKodu (see page 422)	
	ettm (see page 422)	
	gonderenEtiket (see page 422)	
	gonderenSubeKodu (see page 422)	
	gonderimZamani (see page 422)	
	islemYapanVkn (see page 422)	
	kaynak (see page 422)	
	kullaniciKodu (see page 422)	

gidenBelgeleriListelePortalDatav2 Class

	Name	Description
	yanitEttm (see page 423)	

1.1.3.1.86.1 gidenBelgeleriListelePortalDatav2 Properties

1.1.3.1.86.1.1 gidenBelgeleriListelePortalDatav2.yanitEttm Property

C#

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yanitEttm;
  
```

1.1.3.1.87 gidenBelgeleriListelePortalParametreleri Class

Class Hierarchy

```
[QNBFInansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
")]
public class gidenBelgeleriListelePortalParametreleri;
```

File

Reference.cs ([see page 721](#))

gidenBelgeleriListelePortalParametreleri Properties

	Name	Description
	baslangicGonderimTarihi (see page 424)	
	belgeEttnListesi (see page 424)	
	belgeTuru (see page 424)	
	belgeVersiyon (see page 425)	
	bitisGonderimTarihi (see page 425)	
	faturaBaslangicTarihi (see page 425)	
	faturaBitisTarihi (see page 425)	
	kaynak (see page 425)	
	pageCount (see page 425)	
	vergiTcKimlikNo (see page 425)	

1.1.3.1.87.1 gidenBelgeleriListelePortalParametreleri Properties

1.1.3.1.87.1.1 gidenBelgeleriListelePortalParametreleri.baslangicGonderimTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string baslangicGonderimTarihi;
```

1.1.3.1.87.1.2 gidenBelgeleriListelePortalParametreleri.belgeEttnListesi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("belgeEttnListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public string belgeEttnListesi;
```

1.1.3.1.87.1.3 gidenBelgeleriListelePortalParametreleri.belgeTuru Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTuru;
```

1.1.3.1.87.1.4 gidenBelgeleriListelePortalParametreleri.belgeVersiyon Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeVersiyon;
```

1.1.3.1.87.1.5 gidenBelgeleriListelePortalParametreleri.bitisGonderimTarihi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bitisGonderimTarihi;
```

1.1.3.1.87.1.6 gidenBelgeleriListelePortalParametreleri.faturaBaslangicTarihi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaBaslangicTarihi;
```

1.1.3.1.87.1.7 gidenBelgeleriListelePortalParametreleri.faturaBitisTarihi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaBitisTarihi;
```

1.1.3.1.87.1.8 gidenBelgeleriListelePortalParametreleri.kaynak Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kaynak;
```

1.1.3.1.87.1.9 gidenBelgeleriListelePortalParametreleri.pageCount Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string pageCount;
```

1.1.3.1.87.1.10 gidenBelgeleriListelePortalParametreleri.vergiTcKimlikNo Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vergiTcKimlikNo;
```

1.1.3.1.88 gidenBelgeParametreleri Class**Class Hierarchy**

```
QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
[""]]
```

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
public class gidenBelgeParametreleri;
```

File

Reference.cs ([see page 721](#))

gidenBelgeParametreleri Properties

	Name	Description
	alanEtiket (see page 426)	
	belgeHash (see page 426)	
	belgeNo (see page 426)	
	belgeTuru (see page 426)	
	belgeVersiyon (see page 427)	
	donusTipiVersiyon (see page 427)	
	erpKodu (see page 427)	
	gonderenEtiket (see page 427)	
	mimeType (see page 427)	
	subeKodu (see page 427)	
	vergiTcKimlikNo (see page 427)	
	veri (see page 427)	
	xsltAdi (see page 428)	
	xsltVeri (see page 428)	

1.1.3.1.88.1 gidenBelgeParametreleri Properties**1.1.3.1.88.1.1 gidenBelgeParametreleri.alanEtiket Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string alanEtiket;
```

1.1.3.1.88.1.2 gidenBelgeParametreleri.belgeHash Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeHash;
```

1.1.3.1.88.1.3 gidenBelgeParametreleri.belgeNo Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeNo;
```

1.1.3.1.88.1.4 gidenBelgeParametreleri.belgeTuru Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTuru;
```

1.1.3.1.88.1.5 gidenBelgeParametreleri.belgeVersiyon Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeVersiyon;
```

1.1.3.1.88.1.6 gidenBelgeParametreleri.donusTipiVersiyon Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donusTipiVersiyon;
```

1.1.3.1.88.1.7 gidenBelgeParametreleri.erpKodu Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string erpKodu;
```

1.1.3.1.88.1.8 gidenBelgeParametreleri.gonderenEtiket Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string gonderenEtiket;
```

1.1.3.1.88.1.9 gidenBelgeParametreleri.mimeType Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string mimeType;
```

1.1.3.1.88.1.10 gidenBelgeParametreleri.subeKodu Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string subeKodu;
```

1.1.3.1.88.1.11 gidenBelgeParametreleri.vergiTcKimlikNo Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vergiTcKimlikNo;
```

1.1.3.1.88.1.12 gidenBelgeParametreleri.veri Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
(DataType="base64Binary"))]
public byte veri;
```

1.1.3.1.88.1.13 gidenBelgeParametreleri.xsltAdi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string xsltAdi;
```

1.1.3.1.88.1.14 gidenBelgeParametreleri.xsltVeri Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
Data_Type="base64Binary")]
public byte xsltVeri;
```

1.1.3.1.89 gidenBelgeTutarBilgileri Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
public class gidenBelgeTutarBilgileri : serviceReturnType;
```

File

Reference.cs (see page 721)

gidenBelgeTutarBilgileri Properties

gidenBelgeTutarBilgileri Class

	Name	Description
	belgeNo (see page 429)	
	belgeTarihi (see page 429)	
	ettn (see page 429)	
	kdv18Oran (see page 429)	
	kdv18Tutar (see page 429)	
	kdv1Oran (see page 429)	
	kdv1Tutar (see page 429)	
	kdv8Oran (see page 429)	
	kdv8Tutar (see page 430)	
	kdvTevkifatOran (see page 430)	
	kdvTevkifatTutari (see page 430)	
	kdvToplamTutari (see page 430)	
	KdvToplamTutariDovizCinsi (see page 430)	
	malHizmetToplamTutari (see page 430)	
	malHizmetToplamTutariDovizCinsi (see page 430)	
	odenecekTutar (see page 430)	

	odenekTutarDovizCinsi (see page 430)	
---	--	--

1.1.3.1.89.1 **gidenBelgeTutarBilgileri** Properties

1.1.3.1.89.1.1 **gidenBelgeTutarBilgileri.belgeNo** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeNo;
```

1.1.3.1.89.1.2 **gidenBelgeTutarBilgileri.belgeTarihi** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeTarihi;
```

1.1.3.1.89.1.3 **gidenBelgeTutarBilgileri.ettn** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ettn;
```

1.1.3.1.89.1.4 **gidenBelgeTutarBilgileri.kdv18Oran** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv18Oran;
```

1.1.3.1.89.1.5 **gidenBelgeTutarBilgileri.kdv18Tutar** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv18Tutar;
```

1.1.3.1.89.1.6 **gidenBelgeTutarBilgileri.kdv1Oran** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv1Oran;
```

1.1.3.1.89.1.7 **gidenBelgeTutarBilgileri.kdv1Tutar** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv1Tutar;
```

1.1.3.1.89.1.8 **gidenBelgeTutarBilgileri.kdv8Oran** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv8Oran;
```

1.1.3.1.89.1.9 gidenBelgeTutarBilgileri.kdv8Tutar Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdv8Tutar;
```

1.1.3.1.89.1.10 gidenBelgeTutarBilgileri.kdvTevkifatOran Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdvTevkifatOran;
```

1.1.3.1.89.1.11 gidenBelgeTutarBilgileri.kdvTevkifatTutari Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdvTevkifatTutari;
```

1.1.3.1.89.1.12 gidenBelgeTutarBilgileri.kdvToplamTutari Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdvToplamTutari;
```

1.1.3.1.89.1.13 gidenBelgeTutarBilgileri.kdvToplamTutariDovizCinsi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kdvToplamTutariDovizCinsi;
```

1.1.3.1.89.1.14 gidenBelgeTutarBilgileri.malHizmetToplamTutari Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string malHizmetToplamTutari;
```

1.1.3.1.89.1.15 gidenBelgeTutarBilgileri.malHizmetToplamTutariDovizCinsi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string malHizmetToplamTutariDovizCinsi;
```

1.1.3.1.89.1.16 gidenBelgeTutarBilgileri.odenecekTutar Property**C#**


```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string odenecekTutar;
```

1.1.3.1.89.1.17 gidenBelgeTutarBilgileri.odenecekTutarDovizCinsi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string odenecekTutarDovizCinsi;
```

1.1.3.1.90 gidenBelgeTutarBilgileriSorgulaCompletedEventArgs Class

Class Hierarchy



C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenBelgeTutarBilgileriSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;

```

File

Reference.cs (see page 721)

Methods

	Name	Description
!	gidenBelgeTutarBilgileriSorgulaCompletedEventArgs (see page 431)	This is gidenBelgeTutarBilgileriSorgulaCompletedEventArgs, a member of class gidenBelgeTutarBilgileriSorgulaCompletedEventArgs.

gidenBelgeTutarBilgileriSorgulaCompletedEventArgs Properties

	Name	Description
!	Result (see page 431)	

1.1.3.1.90.1

gidenBelgeTutarBilgileriSorgulaCompletedEventArgs.gidenBelgeTutarBilgileriSorgulaCompletedEventArgs

Constructor

C#

```

internal gidenBelgeTutarBilgileriSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);

```

Description

This is gidenBelgeTutarBilgileriSorgulaCompletedEventArgs, a member of class gidenBelgeTutarBilgileriSorgulaCompletedEventArgs.

Body Source

```

1: internal gidenBelgeTutarBilgileriSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }

```

1.1.3.1.90.2 gidenBelgeTutarBilgileriSorgulaCompletedEventArgs Properties

1.1.3.1.90.2.1 gidenBelgeTutarBilgileriSorgulaCompletedEventArgs.Result Property

C#


```

public serviceReturnType Result;

```

1.1.3.1.91 gidenTasinanBelgeleriIndirCompletedEventArgs Class

Class Hierarchy



C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class gidenTasinanBelgeleriIndirCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;

```

File

Reference.cs (see page 721)

Methods

	Name	Description
≡	gidenTasinanBelgeleriIndirCompletedEventArgs (see page 432)	This is gidenTasinanBelgeleriIndirCompletedEventArgs, a member of class gidenTasinanBelgeleriIndirCompletedEventArgs.

gidenTasinanBelgeleriIndirCompletedEventArgs Properties

	Name	Description
≡	Result (see page 432)	

1.1.3.1.91.1

gidenTasinanBelgeleriIndirCompletedEventArgs.gidenTasinanBelgeleriIndirCompletedEventArgs

Constructor

C#

```

internal gidenTasinanBelgeleriIndirCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);

```

Description

This is gidenTasinanBelgeleriIndirCompletedEventArgs, a member of class gidenTasinanBelgeleriIndirCompletedEventArgs.

Body Source

```

1: internal gidenTasinanBelgeleriIndirCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }

```

1.1.3.1.91.2 gidenTasinanBelgeleriIndirCompletedEventArgs Properties

1.1.3.1.91.2.1 gidenTasinanBelgeleriIndirCompletedEventArgs.Result Property

C#


```

public byte Result;

```

1.1.3.1.92 irsaliyeTarihcesiData Class

Class Hierarchy



Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
")]
public class irsaliyeTarihcesiData : serviceReturnType;
```

File

Reference.cs (see page 721)

irsaliyeTarihcesiData Properties**irsaliyeTarihcesiData Class**

	Name	Description
	bagliKayitId (see page 433)	
	irsaliyeEttn (see page 433)	
	islem (see page 433)	
	islemAciklama (see page 434)	
	islemKanali (see page 434)	
	islemKanaliAciklama (see page 434)	
	islemSonucu (see page 434)	
	islemZamani (see page 434)	
	kullanici (see page 434)	
	kullanicilp (see page 434)	
	zarfEttn (see page 434)	

1.1.3.1.92.1 irsaliyeTarihcesiData Properties**1.1.3.1.92.1.1 irsaliyeTarihcesiData.bagliKayitId Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bagliKayitId;
```

1.1.3.1.92.1.2 irsaliyeTarihcesiData.irsaliyeEttn Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string irsaliyeEttn;
```

1.1.3.1.92.1.3 irsaliyeTarihcesiData.islem Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public short islem;
```

1.1.3.1.92.1.4 **irsaliyeTarihcesiData.islemAciklama** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemAciklama;
```

1.1.3.1.92.1.5 **irsaliyeTarihcesiData.islemKanali** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public sbyte islemKanali;
```

1.1.3.1.92.1.6 **irsaliyeTarihcesiData.islemKanaliAciklama** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemKanaliAciklama;
```

1.1.3.1.92.1.7 **irsaliyeTarihcesiData.islemSonucu** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemSonucu;
```

1.1.3.1.92.1.8 **irsaliyeTarihcesiData.islemZamani** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemZamani;
```

1.1.3.1.92.1.9 **irsaliyeTarihcesiData.kullanici** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kullanici;
```

1.1.3.1.92.1.10 **irsaliyeTarihcesiData.kullaniciIp** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kullaniciIp;
```


1.1.3.1.92.1.11 **irsaliyeTarihcesiData.zarfEtn** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string zarfEtn;
```

1.1.3.1.93 **irsaliyeTarihcesiSorgulaCompletedEventArgs** Class

Class Hierarchy



Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class irsaliyeTarihcesiSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	irsaliyeTarihcesiSorgulaCompletedEventArgs (see page 435)	This is irsaliyeTarihcesiSorgulaCompletedEventArgs , a member of class irsaliyeTarihcesiSorgulaCompletedEventArgs .

irsaliyeTarihcesiSorgulaCompletedEventArgs Properties

	Name	Description
	Result (see page 435)	

1.1.3.1.93.1**irsaliyeTarihcesiSorgulaCompletedEventArgs.irsaliyeTarihcesiSorgulaCompletedEventArgs Constructor****C#**

```
internal irsaliyeTarihcesiSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is **irsaliyeTarihcesiSorgulaCompletedEventArgs**, a member of class **irsaliyeTarihcesiSorgulaCompletedEventArgs**.

Body Source

```
1: internal irsaliyeTarihcesiSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.93.2 irsaliyeTarihcesiSorgulaCompletedEventArgs Properties**1.1.3.1.93.2.1 irsaliyeTarihcesiSorgulaCompletedEventArgs.Result Property****C#**

```
public serviceReturnType Result;
```

1.1.3.1.94 kalanKontorBilgisi Class**Class Hierarchy**

[QNBFinansGIB.GIBEFatura.kalanKontorBilgisi](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
```

```
/ " ) ]
public class kalanKontorBilgisi;
```

File

Reference.cs ([see page 721](#))

kalanKontorBilgisi Properties

	Name	Description
	kalan (see page 436)	
	kalanSpecified (see page 436)	
	kontorBirim (see page 436)	
	kontorBirimSpecified (see page 436)	
	kontorTipi (see page 437)	
	kontorTipiSpecified (see page 437)	
	limitAsimMiktari (see page 437)	
	limitAsimMiktariSpecified (see page 437)	
	toplamlAlinan (see page 437)	
	toplamlAlinanSpecified (see page 437)	
	vknTckn (see page 437)	

1.1.3.1.94.1 kalanKontorBilgisi Properties**1.1.3.1.94.1.1 kalanKontorBilgisi.kalan Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal kalan;
```

1.1.3.1.94.1.2 kalanKontorBilgisi.kalanSpecified Property**C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kalanSpecified;
```

1.1.3.1.94.1.3 kalanKontorBilgisi.kontorBirim Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public kontorBirim kontorBirim;
```

1.1.3.1.94.1.4 kalanKontorBilgisi.kontorBirimSpecified Property**C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kontorBirimSpecified;
```

1.1.3.1.94.1.5 kalanKontorBilgisi.kontorTipi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public kontorTipi kontorTipi;
```

1.1.3.1.94.1.6 kalanKontorBilgisi.kontorTipiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kontorTipiSpecified;
```

1.1.3.1.94.1.7 kalanKontorBilgisi.limitAsimMiktari Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal limitAsimMiktari;
```

1.1.3.1.94.1.8 kalanKontorBilgisi.limitAsimMiktariSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool limitAsimMiktariSpecified;
```

1.1.3.1.94.1.9 kalanKontorBilgisi.toplamAlinan Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal toplamAlinan;
```

1.1.3.1.94.1.10 kalanKontorBilgisi.toplamAlinanSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool toplamAlinanSpecified;
```


1.1.3.1.94.1.11 kalanKontorBilgisi.vknTckn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vknTckn;
```

1.1.3.1.95 kayitliKullaniciListeleExtendedCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class kayitliKullaniciListeleExtendedCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
!	kayitliKullaniciListeleExtendedCompletedEventArgs (see page 438)	This is kayitliKullaniciListeleExtendedCompletedEventArgs, a member of class kayitliKullaniciListeleExtendedCompletedEventArgs.

kayitliKullaniciListeleExtendedCompletedEventArgs Properties

	Name	Description
!	Result (see page 438)	

1.1.3.1.95.1

kayitliKullaniciListeleExtendedCompletedEventArgs.kayitliKullaniciListeleExtendedCompletedEventArgs

Constructor

C#

```
internal kayitliKullaniciListeleExtendedCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is kayitliKullaniciListeleExtendedCompletedEventArgs, a member of class kayitliKullaniciListeleExtendedCompletedEventArgs.

Body Source

```
1: internal kayitliKullaniciListeleExtendedCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.3.1.95.2 kayitliKullaniciListeleExtendedCompletedEventArgs Properties

1.1.3.1.95.2.1 kayitliKullaniciListeleExtendedCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.96 kayitliKullaniciListeleExtendedTimeCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class kayitliKullaniciListeleExtendedTimeCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
!	kayitliKullaniciListeleExtendedTimeCompletedEventArgs (see page 439)	This is kayitliKullaniciListeleExtendedTimeCompletedEventArgs, a member of class kayitliKullaniciListeleExtendedTimeCompletedEventArgs.

kayitliKullaniciListeleExtendedTimeCompletedEventArgs Properties

	Name	Description
!	Result (see page 439)	

1.1.3.1.96.1

kayitliKullaniciListeleExtendedTimeCompletedEventArgs.kayitliKullaniciListeleExtendedTimeCompletedEventArgs Constructor

C#

```
internal kayitliKullaniciListeleExtendedTimeCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is kayitliKullaniciListeleExtendedTimeCompletedEventArgs, a member of class kayitliKullaniciListeleExtendedTimeCompletedEventArgs.

Body Source

```
1: internal kayitliKullaniciListeleExtendedTimeCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.3.1.96.2 kayitliKullaniciListeleExtendedTimeCompletedEventArgs Properties


1.1.3.1.96.2.1 kayitliKullaniciListeleExtendedTimeCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.97 kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs	This is kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs, a member of class kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs.

kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs Properties

	Name	Description
	Result (see page 440)	

1.1.3.1.97.1

kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs.kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs

Constructor

C#

```
internal kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs, a member of class kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs.

Body Source

```
1: internal kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.3.1.97.2 kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs Properties

1.1.3.1.97.2.1 kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.98 kontorAzaltResp Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class kontorAzaltResp : serviceReturnType;
```

File

Reference.cs ([see page 721](#))

kontorAzaltResp Properties**kontorAzaltResp Class**

	Name	Description
	kanalTipi (see page 441)	
	kontorAzaldi (see page 441)	
	kontorTipi (see page 441)	
	miktar (see page 441)	
	miktarSpecified (see page 441)	
	odemeTipi (see page 441)	
	paketTipi (see page 442)	
	vkn (see page 442)	

1.1.3.1.98.1 kontorAzaltResp Properties**1.1.3.1.98.1.1 kontorAzaltResp.kanalTipi Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int kanalTipi;
```

1.1.3.1.98.1.2 kontorAzaltResp.kontorAzaldi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool kontorAzaldi;
```

1.1.3.1.98.1.3 kontorAzaltResp.kontorTipi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kontorTipi;
```

1.1.3.1.98.1.4 kontorAzaltResp.miktar Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal miktar;
```

1.1.3.1.98.1.5 kontorAzaltResp.miktarSpecified Property**C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool miktarSpecified;
```

1.1.3.1.98.1.6 kontorAzaltResp.odemeTipi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int odemeTipi;
```

1.1.3.1.98.1.7 kontorAzaltResp.paketTipi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int paketTipi;
```


1.1.3.1.98.1.8 kontorAzaltResp.vkn Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vkn;
```

1.1.3.1.99 kontorBilgisiGetirCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class kontorBilgisiGetirCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	kontorBilgisiGetirCompletedEventArgs (see page 442)	This is kontorBilgisiGetirCompletedEventArgs, a member of class kontorBilgisiGetirCompletedEventArgs.

kontorBilgisiGetirCompletedEventArgs Properties

	Name	Description
	Result (see page 443)	

1.1.3.1.99.1

kontorBilgisiGetirCompletedEventArgs.kontorBilgisiGetirCompletedEventArgs Constructor

C#

```
internal kontorBilgisiGetirCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is kontorBilgisiGetirCompletedEventArgs, a member of class kontorBilgisiGetirCompletedEventArgs.

Body Source

```
1: internal kontorBilgisiGetirCompletedEventArgs(object[] results, System.Exception exception,
2:   bool cancelled, object userState) :
3:   base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.3.1.99.2 kontorBilgisiGetirCompletedEventArgs Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.3.1.99.2.1 kontorBilgisiGetirCompletedEventArgs.Result Property

C#

```
public kalanKontorBilgisi Result;
```

1.1.3.1.100 mukellefEFaturaKayit Class

Class Hierarchy

[QNBFinansGIB.GIBEFatura.mukellefEFaturaKayit](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
/")]
public class mukellefEFaturaKayit;
```

File

[Reference.cs](#) (see page 721)

mukellefEFaturaKayit Properties

	Name	Description
	efaturaKullaniciListesi (see page 443)	
	vergiTcKimlikNo (see page 443)	

1.1.3.1.100.1 mukellefEFaturaKayit Properties

1.1.3.1.100.1.1 mukellefEFaturaKayit.efaturaKullaniciListesi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("efaturaKullaniciListesi",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=true)]
public eFaturaKullanici efaturaKullaniciListesi;
```

1.1.3.1.100.1.2 mukellefEFaturaKayit.vergiTcKimlikNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
public string vergiTcKimlikNo;
```

1.1.3.1.101 serviceReturnType Class

Class Hierarchy

[QNBFinansGIB.GIBEFatura.serviceReturnType](#)

C#


```
[System.Xml.Serialization.XmlIncludeAttribute(typeof\(belgeGonderResp\))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof\(eIrsaliyeKullanici\))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof\(gidenBelgeleriListelePortalData\))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof\(gidenBelgeleriListelePortalDatav2\))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof\(gelenBelgeTutarBilgileri\))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof\(gidenBelgeTutarBilgileri\))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof\(irsaliyeTarihcesiData\))]
```

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(kontorAzaltResp))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaTarihcesiData))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeleriListeleData))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurum))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv2))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gelenBelgeDurumv5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurum))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv2))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(gidenBelgeDurumv6))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(eFaturaKullaniciExtended))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(eFaturaKullanici))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belge))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev2))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev3))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev4))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev5))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgev6))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr/")]
public class serviceReturnType;
```

File

Reference.cs ([see page 721](#))

1.1.3.1.102 temelKontrollerIleBelgeGonderCompletedEventArgs Class

Class Hierarchy**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class temelKontrollerIleBelgeGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	temelKontrollerIleBelgeGonderCompletedEventArgs (see page 445)	This is temelKontrollerIleBelgeGonderCompletedEventArgs, a member of class temelKontrollerIleBelgeGonderCompletedEventArgs.

temelKontrollerIleBelgeGonderCompletedEventArgs Properties

	Name	Description
	Result (see page 445)	

1.1.3.1.102.1

temelKontrollerIleBelgeGonderCompletedEventArgs.temelKontrollerIleBelgeGonderCompletedEventArgs

Constructor

C#

```
internal temelKontrollerIleBelgeGonderCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is temelKontrollerIleBelgeGonderCompletedEventArgs, a member of class temelKontrollerIleBelgeGonderCompletedEventArgs.

Body Source

```
1: internal temelKontrollerIleBelgeGonderCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.102.2 temelKontrollerIleBelgeGonderCompletedEventArgs Properties


1.1.3.1.102.2.1 temelKontrollerIleBelgeGonderCompletedEventArgs.Result Property

C#

```
public string Result;
```

1.1.3.1.103 toplamBelgeSayisiGetirCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class toplamBelgeSayisiGetirCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	toplamBelgeSayisiGetirCompletedEventArgs (see page 446)	This is toplamBelgeSayisiGetirCompletedEventArgs, a member of class toplamBelgeSayisiGetirCompletedEventArgs.

toplambelgesayisiGetirCompletedEventArgs Properties

	Name	Description
	Result (see page 446)	

1.1.3.1.103.1

toplambelgesayisiGetirCompletedEventArgs.toplambelgesayisiGetirCompletedEventArgs s Constructor

C#

```
internal toplambelgesayisiGetirCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is toplambelgesayisiGetirCompletedEventArgs, a member of class toplambelgesayisiGetirCompletedEventArgs.

Body Source

```
1: internal toplambelgesayisiGetirCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :  
2:     base(exception, cancelled, userState) {  
3:         this.results = results;  
4:     }
```

1.1.3.1.103.2 toplambelgesayisiGetirCompletedEventArgs Properties

1.1.3.1.103.2.1 toplambelgesayisiGetirCompletedEventArgs.Result Property

C#

```
public int Result;
```

1.1.3.1.104 ublOnizlemeCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class ublOnizlemeCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
💡	ublOnizlemeCompletedEventArgs (see page 446)	This is ublOnizlemeCompletedEventArgs, a member of class ublOnizlemeCompletedEventArgs.

ublOnizlemeCompletedEventArgs Properties

	Name	Description
💡	Result (see page 447)	

1.1.3.1.104.1 ublOnizlemeCompletedEventArgs.ulbOnizlemeCompletedEventArgs Constructor

C#

```
internal ublOnizlemeCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

Description

This is ublOnizlemeCompletedEventArgs, a member of class ublOnizlemeCompletedEventArgs.

Body Source

```
1: internal ublOnizlemeCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.3.1.104.2 ublOnizlemeCompletedEventArgs Properties


1.1.3.1.104.2.1 ublOnizlemeCompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.105 urunSablonlariniAICompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class urunSablonlariniAICompletedEventArgs :
    System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	urunSablonlariniAICompletedEventArgs (see page 447)	This is urunSablonlariniAICompletedEventArgs, a member of class urunSablonlariniAICompletedEventArgs.

urunSablonlariniAICompletedEventArgs Properties

	Name	Description
	Result (see page 448)	

1.1.3.1.105.1

urunSablonlariniAICompletedEventArgs.urunSablonlariniAICompletedEventArgs Constructor

C#

```
internal urunSablonlariniAICompletedEventArgs(object[] results, System.Exception exception,
    bool cancelled, object userState);
```

Description

This is urunSablonlariniAICompletedEventArgs, a member of class urunSablonlariniAICompletedEventArgs.

Body Source

```
1: internal urunSablonlariniAICompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
```

```

3:     this.results = results;
4: }
```

1.1.3.1.105.2 urunSablonlariniAICompletedEventArgs Properties

1.1.3.1.105.2.1 urunSablonlariniAICompletedEventArgs.Result Property

C#

```
public byte Result;
```

1.1.3.1.106 wsKullaniciBilgileri Class

Class Hierarchy

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[SerializableAttribute()]
[Diagnostics.DebuggerStepThroughAttribute()]
[ComponentModel.DesignerCategoryAttribute("code")]
[XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr")]
public class wsKullaniciBilgileri;
```

File

Reference.cs (see page 721)

wsKullaniciBilgileri Properties

	Name	Description
	kullaniciKodu (see page 448)	
	sifre (see page 448)	

1.1.3.1.106.1 wsKullaniciBilgileri Properties

1.1.3.1.106.1.1 wsKullaniciBilgileri.kullaniciKodu Property

C#

```

[XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kullaniciKodu;
```

1.1.3.1.106.1.2 wsKullaniciBilgileri.sifre Property

C#

```

[XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string sifre;
```

1.1.3.1.107 wsKullanicisiKaydetCompletedEventArgs Class

Class Hierarchy

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[Diagnostics.DebuggerStepThroughAttribute()]
[ComponentModel.DesignerCategoryAttribute("code")]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
public class wsKullanicisiKaydetCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	wsKullanicisiKaydetCompletedEventArgs (see page 449)	This is wsKullanicisiKaydetCompletedEventArgs, a member of class wsKullanicisiKaydetCompletedEventArgs.

wsKullanicisiKaydetCompletedEventArgs Properties

	Name	Description
	Result (see page 449)	

1.1.3.1.107.1**wsKullanicisiKaydetCompletedEventArgs.wsKullanicisiKaydetCompletedEventArgs Constructor****C#**

```
internal wsKullanicisiKaydetCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is wsKullanicisiKaydetCompletedEventArgs, a member of class wsKullanicisiKaydetCompletedEventArgs.

Body Source

```
1: internal wsKullanicisiKaydetCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.3.1.107.2 wsKullanicisiKaydetCompletedEventArgs Properties**1.1.3.1.107.2.1 wsKullanicisiKaydetCompletedEventArgs.Result Property****C#**

```
public wsKullaniciBilgileri Result;
```

1.1.3.1.108 yereleAktarilacakBelgeleriAlCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class yereleAktarilacakBelgeleriAlCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
!	yereleAktarilacakBelgeleriAICompletedEventArgs (see page 450)	This is yereleAktarilacakBelgeleriAICompletedEventArgs, a member of class yereleAktarilacakBelgeleriAICompletedEventArgs.

yereleAktarilacakBelgeleriAICompletedEventArgs Properties

	Name	Description
!	Result (see page 450)	

1.1.3.1.108.1

yereleAktarilacakBelgeleriAICompletedEventArgs.yereleAktarilacakBelgeleriAICompletedEventArgs Constructor

C#

```
internal yereleAktarilacakBelgeleriAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is yereleAktarilacakBelgeleriAICompletedEventArgs, a member of class yereleAktarilacakBelgeleriAICompletedEventArgs.

Body Source

```
1: internal yereleAktarilacakBelgeleriAICompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.3.1.108.2 yereleAktarilacakBelgeleriAICompletedEventArgs Properties


1.1.3.1.108.2.1 yereleAktarilacakBelgeleriAICompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.1.109 yereleAktarilacakBelgeleriAIExtCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class yereleAktarilacakBelgeleriAIExtCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs {
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	yereleAktarilacakBelgeleriAIExtCompletedEventArgs	This is yereleAktarilacakBelgeleriAIExtCompletedEventArgs, a member of class yereleAktarilacakBelgeleriAIExtCompletedEventArgs.

yereleAktarilacakBelgeleriAIExtCompletedEventArgs Properties

	Name	Description
	Result (see page 451)	

1.1.3.1.109.1

yereleAktarilacakBelgeleriAIExtCompletedEventArgs.yereleAktarilacakBelgeleriAIExtCompletedEventArgs

Constructor

C#

```
internal yereleAktarilacakBelgeleriAIExtCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is yereleAktarilacakBelgeleriAIExtCompletedEventArgs, a member of class yereleAktarilacakBelgeleriAIExtCompletedEventArgs.

Body Source

```
1: internal yereleAktarilacakBelgeleriAIExtCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.3.1.109.2 yereleAktarilacakBelgeleriAIExtCompletedEventArgs Properties

1.1.3.1.109.2.1 yereleAktarilacakBelgeleriAIExtCompletedEventArgs.Result Property

C#

```
public serviceReturnType Result;
```

1.1.3.2 Structs, Records, Enums

Summary

The following table lists structs, records, enums in this documentation.

Enumerations

	Name	Description
	kontorBirimi (see page 451)	
	kontorTipi (see page 452)	

1.1.3.2.1 QNBFinansGIB.GIBEFatura.kontorBirimi Enumeration

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
```

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
")]
public enum kontorBirim {
    ADET,
    TL,
    MB
}
```

File

Reference.cs (see page 721)

1.1.3.2.2 QNBFinansGIB.GIBEFatura.kontorTipi Enumeration

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.connector.uut.cs.com.tr
")]
public enum kontorTipi {
    FATURA,
    DEFTER,
    KEP,
    KEPSMS,
    ARSIV,
    ARSIVSMS,
    IRSALIYE,
    SMM,
    MMK,
    PORTAL,
    OKC,
    BAYI
}
```

File

Reference.cs (see page 721)

1.1.3.3 Types

Summary

The following table lists types in this documentation.

Types

Name	Description
belgeGonderCompletedEventHandler (see page 454)	
belgeGonderExtCompletedEventHandler (see page 455)	
belgeGonderExtWithValidateCompletedEventHandler (see page 455)	
belgeGonderWithValidateCompletedEventHandler (see page 455)	
belgelerAlindiCompletedEventHandler (see page 455)	
belgelerAlindiEntegrasyonSiparisNoGuncelleCompletedEventHandler (see page 456)	
belgeleriTekrarGonderBelgeOidCompletedEventHandler (see page 456)	

belgeleriTekrarGonderCompletedEventHandler (see page 456)	
belgeleriTekrarGonderYerelBelgeNoCompletedEventHandler (see page 456)	
checkDateValidControlCompletedEventHandler (see page 457)	
cokluGidenBelgeDurumSorgulaCompletedEventHandler (see page 457)	
csXmlOnizlemeCompletedEventHandler (see page 457)	
csXmlToUblCompletedEventHandler (see page 457)	
eFaturaKayitliKullaniciListeleCompletedEventHandler (see page 458)	
efaturaKullaniciBilgisiCompletedEventHandler (see page 458)	
efaturaKullaniciListesiCompletedEventHandler (see page 458)	
efaturaKullanicisiCompletedEventHandler (see page 458)	
elrsaliyeKayitliKullaniciListeleCompletedEventHandler (see page 459)	
elrsaliyeKullanicisiCompletedEventHandler (see page 459)	
erpBilgileriBelirleCompletedEventHandler (see page 459)	
faturaKepIleLadeEdildiCompletedEventHandler (see page 459)	
faturaKepIleLadeEdildilptalCompletedEventHandler (see page 460)	
faturaMailGonderCompletedEventHandler (see page 460)	
faturaNoUretCompletedEventHandler (see page 460)	
faturaTarihcesiSorgulaCompletedEventHandler (see page 460)	
faturayAltirazEdildiCompletedEventHandler (see page 461)	
faturayAltirazEdildilptalCompletedEventHandler (see page 461)	
gelenBelgeDurumSorgulaCompletedEventHandler (see page 461)	
gelenBelgeDurumSorgulaExtCompletedEventHandler (see page 461)	
gelenBelgeEkleriAICompletedEventHandler (see page 462)	
gelenBelgeleriAICompletedEventHandler (see page 462)	
gelenBelgeleriAIExt2CompletedEventHandler (see page 462)	
gelenBelgeleriAIExtCompletedEventHandler (see page 462)	
gelenBelgeleriIndirCompletedEventHandler (see page 463)	
gelenBelgeleriIndirExtCompletedEventHandler (see page 463)	
gelenBelgeleriListeleCompletedEventHandler (see page 463)	
gelenBelgeleriListeleExtCompletedEventHandler (see page 463)	
gelenBelgeTutarBilgileriSorgulaCompletedEventHandler (see page 464)	
gelenBelgeXmlleriniAICompletedEventHandler (see page 464)	
gelenBelgeXmlleriniAIExtCompletedEventHandler (see page 464)	
gelenFaturalariArsiveKaldirCompletedEventHandler (see page 464)	
gelenIrsaliyeleriArsiveKaldirCompletedEventHandler (see page 465)	
gelenStandartRapolariAICompletedEventHandler (see page 465)	
gelenTamamlananRapolariAICompletedEventHandler (see page 465)	
gelenTasinanBelgeleriIndirCompletedEventHandler (see page 466)	
gidenBelgeDurumSorgulaBelgeNoCompletedEventHandler (see page 466)	
gidenBelgeDurumSorgulaCompletedEventHandler (see page 466)	

gidenBelgeDurumSorgulaEttnCompletedEventHandler (see page 466)	
gidenBelgeDurumSorgulaExtCompletedEventHandler (see page 467)	
gidenBelgeDurumSorgulaPortalCompletedEventHandler (see page 467)	
gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventHandler (see page 467)	
gidenBelgeEkleriAICompletedEventHandler (see page 467)	
gidenBelgelerilndirCompletedEventHandler (see page 468)	
gidenBelgelerilndirEttnCompletedEventHandler (see page 468)	
gidenBelgelerilndirPortalCompletedEventHandler (see page 468)	
gidenBelgeleriListeleCompletedEventHandler (see page 468)	
gidenBelgeleriListelePortalCompletedEventHandler (see page 469)	
gidenBelgeTutarBilgileriSorgulaCompletedEventHandler (see page 469)	
gidenFaturalariArsiveKaldirCompletedEventHandler (see page 469)	
gidenIrsaliyeleriArsiveKaldirCompletedEventHandler (see page 470)	
gidenTasinanBelgelerilndirCompletedEventHandler (see page 470)	
irsaliyeMailGonderCompletedEventHandler (see page 470)	
irsaliyeTarihcesiSorgulaCompletedEventHandler (see page 470)	
kayitliKullaniciListeleExtendedCompletedEventHandler (see page 471)	
kayitliKullaniciListeleExtendedTimeCompletedEventHandler (see page 471)	
kayitliKullaniciListeleExtendedVknTcknCompletedEventHandler (see page 471)	
kontorBilgisiGetirCompletedEventHandler (see page 471)	
temelKontrollerlleBelgeGonderCompletedEventHandler (see page 472)	
toplamBelgeSayisiGetirCompletedEventHandler (see page 472)	
ublOnizlemeCompletedEventHandler (see page 472)	
urunSablonlariniAICompletedEventHandler (see page 472)	
wsKullanicisiKaydetCompletedEventHandler (see page 473)	
yereleAktarilacakBelgeleriAICompletedEventHandler (see page 473)	
yereleAktarilacakBelgeleriAIExtCompletedEventHandler (see page 473)	
yolcuBeraberFaturalptalEtCompletedEventHandler (see page 473)	

1.1.3.3.1 QNBFinansGIB.GIBEFatura.belgeGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeGonderCompletedEventHandler(object sender,
belgeGonderEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.2

QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeGonderExtCompletedEventHandler(object sender,
belgeGonderExtCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.3

QNBFinansGIB.GIBEFatura.belgeGonderExtWithValidateCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeGonderExtWithValidateCompletedEventHandler(object sender,
belgeGonderExtWithValidateCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.4

QNBFinansGIB.GIBEFatura.belgeGonderWithValidateCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeGonderWithValidateCompletedEventHandler(object sender,
belgeGonderWithValidateCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.5 QNBFinansGIB.GIBEFatura.belgelerAlindiCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgelerAlindiCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.6

QNBFinansGIB.GIBEFatura.belgelerAlindiEntegrasyonSiparisNoGuncelleCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgelerAlindiEntegrasyonSiparisNoGuncelleCompletedEventHandler(object
sender, System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.7

QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeleriTekrarGonderBelgeOidCompletedEventHandler(object sender,
belgeleriTekrarGonderBelgeOidCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.8

QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeleriTekrarGonderCompletedEventHandler(object sender,
belgeleriTekrarGonderCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.9

QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderYerelBelgeNoCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeleriTekrarGonderYerelBelgeNoCompletedEventHandler(object sender,
belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs e);
```

File

Reference.cs ([see page 721](#))

1.1.3.3.10**QNBFinansGIB.GIBEFatura.checkDateValidControlCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void checkDateValidControlCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs ([see page 721](#))

1.1.3.3.11**QNBFinansGIB.GIBEFatura.cokluGidenBelgeDurumSorgulaCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void cokluGidenBelgeDurumSorgulaCompletedEventHandler(object sender,
cokluGidenBelgeDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs ([see page 721](#))

1.1.3.3.12**QNBFinansGIB.GIBEFatura.csXmlOnizlemeCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void csXmlOnizlemeCompletedEventHandler(object sender,
csXmlOnizlemeCompletedEventArgs e);
```

File

Reference.cs ([see page 721](#))

1.1.3.3.13 QNBFinansGIB.GIBEFatura.csXmlToUblCompletedEventHandler Type**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void csXmlToUblCompletedEventHandler(object sender,
csXmlToUblCompletedEventArgs e);
```

File

Reference.cs ([see page 721](#))

1.1.3.3.14

QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciListeleCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void eFaturaKayitliKullaniciListeleCompletedEventHandler(object sender,
eFaturaKayitliKullaniciListeleCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.15

QNBFinansGIB.GIBEFatura.efaturaKullaniciBilgisiCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void efaturaKullaniciBilgisiCompletedEventHandler(object sender,
efaturaKullaniciBilgisiCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.16

QNBFinansGIB.GIBEFatura.efaturaKullaniciListesiCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void efaturaKullaniciListesiCompletedEventHandler(object sender,
efaturaKullaniciListesiCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.17

QNBFinansGIB.GIBEFatura.efaturaKullanicisiCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void efaturaKullanicisiCompletedEventHandler(object sender,
efaturaKullanicisiCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.18

QNBFinansGIB.GIBEFatura.eIrsaliyeKayitliKullaniciListeleCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void eIrsaliyeKayitliKullaniciListeleCompletedEventHandler(object sender,
eIrsaliyeKayitliKullaniciListeleCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.19

QNBFinansGIB.GIBEFatura.eIrsaliyeKullanicisiCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void eIrsaliyeKullanicisiCompletedEventHandler(object sender,
eIrsaliyeKullanicisiCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.20

QNBFinansGIB.GIBEFatura.erpBilgileriBelirleCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void erpBilgileriBelirleCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.21

QNBFinansGIB.GIBEFatura.faturaKepIleIadeEdildiCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaKepIleIadeEdildiCompletedEventHandler(object sender,
faturaKepIleIadeEdildiCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.22

QNBFinansGIB.GIBEFatura.faturaKepIleIadeEdildiIptalCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaKepIleIadeEdildiIptalCompletedEventHandler(object sender,
faturaKepIleIadeEdildiIptalCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.23

QNBFinansGIB.GIBEFatura.faturaMailGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaMailGonderCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.24 QNBFinansGIB.GIBEFatura.faturaNoUretCompletedEventHandler

Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaNoUretCompletedEventHandler(object sender,
faturaNoUretCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.25

QNBFinansGIB.GIBEFatura.faturaTarihcesiSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturaTarihcesiSorgulaCompletedEventHandler(object sender,
faturaTarihcesiSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.26

QNBFinansGIB.GIBEFatura.faturayaltirazEdildiCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturayaItirazEdildiCompletedEventHandler(object sender,
faturayaItirazEdildiCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.27

QNBFinansGIB.GIBEFatura.faturayaltirazEdildilptalCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void faturayaItirazEdildiIptalCompletedEventHandler(object sender,
faturayaItirazEdildiIptalCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.28

QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeDurumSorgulaCompletedEventHandler(object sender,
gelenBelgeDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.29

QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeDurumSorgulaExtCompletedEventHandler(object sender,
gelenBelgeDurumSorgulaExtCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.30

QNBFinansGIB.GIBEFatura.gelenBelgeEkleriAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeEkleriAlCompletedEventHandler(object sender,
gelenBelgeEkleriAlCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.31

QNBFinansGIB.GIBEFatura.gelenBelgeleriAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeleriAlCompletedEventHandler(object sender,
gelenBelgeleriAlCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.32

QNBFinansGIB.GIBEFatura.gelenBelgeleriAlExt2CompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeleriAlExt2CompletedEventHandler(object sender,
gelenBelgeleriAlExt2CompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.33

QNBFinansGIB.GIBEFatura.gelenBelgeleriAlExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeleriAlExtCompletedEventHandler(object sender,
gelenBelgeleriAlExtCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.34

QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeleriIndirCompletedEventHandler(object sender,
gelenBelgeleriIndirCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.35

QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeleriIndirExtCompletedEventHandler(object sender,
gelenBelgeleriIndirExtCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.36

QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeleriListeleCompletedEventHandler(object sender,
gelenBelgeleriListeleCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.37

QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeleriListeleExtCompletedEventHandler(object sender,
gelenBelgeleriListeleExtCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.38

QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileriSorgulaCompletedEvent Handler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeTutarBilgileriSorgulaCompletedEventHandler(object sender,
gelenBelgeTutarBilgileriSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.39

QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeXmlleriniAlCompletedEventHandler(object sender,
gelenBelgeXmlleriniAlCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.40

QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAlExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenBelgeXmlleriniAlExtCompletedEventHandler(object sender,
gelenBelgeXmlleriniAlExtCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.41

QNBFinansGIB.GIBEFatura.gelenFaturalariArsiveKaldirCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenFaturalariArsiveKaldirCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.42**QNBFinansGIB.GIBEFatura.gelenIrsaliyeleriArsiveKaldırCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenIrsaliyeleriArsiveKaldırCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.43**QNBFinansGIB.GIBEFatura.gelenStandartRapolariAlCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenStandartRapolariAlCompletedEventHandler(object sender,
gelenStandartRapolariAlCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.44**QNBFinansGIB.GIBEFatura.gelenTamamlananRapolariAlCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenTamamlananRapolariAlCompletedEventHandler(object sender,
gelenTamamlananRapolariAlCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.45

QNBFinansGIB.GIBEFatura.gelenTasinanBelgeleriIndirCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gelenTasinanBelgeleriIndirCompletedEventHandler(object sender,
gelenTasinanBelgeleriIndirCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.46

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaBelgeNoCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeDurumSorgulaBelgeNoCompletedEventHandler(object sender,
gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.47

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeDurumSorgulaCompletedEventHandler(object sender,
gidenBelgeDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.48

QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaEttnCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeDurumSorgulaEttnCompletedEventHandler(object sender,
gidenBelgeDurumSorgulaEttnCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.49**QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaExtCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeDurumSorgulaExtCompletedEventHandler(object sender,
gidenBelgeDurumSorgulaExtCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.50**QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaPortalCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeDurumSorgulaPortalCompletedEventHandler(object sender,
gidenBelgeDurumSorgulaPortalCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.51**QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventHandler(object sender,
gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.52**QNBFinansGIB.GIBEFatura.gidenBelgeEkleriAICompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
```

```
public delegate void gidenBelgeEkleriAlCompletedEventHandler(object sender,
gidenBelgeEkleriAlCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.53**QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeleriIndirCompletedEventHandler(object sender,
gidenBelgeleriIndirCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.54**QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirEttnCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeleriIndirEttnCompletedEventHandler(object sender,
gidenBelgeleriIndirEttnCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.55**QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeleriIndirPortalCompletedEventHandler(object sender,
gidenBelgeleriIndirPortalCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.56**QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeleriListeleCompletedEventHandler(object sender,
gidenBelgeleriListeleCompletedEventArgs e);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

File

Reference.cs (see page 721)

1.1.3.3.57**QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeleriListelePortalCompletedEventHandler(object sender,
gidenBelgeleriListelePortalCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.58**QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileriSorgulaCompletedEventHan****dler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenBelgeTutarBilgileriSorgulaCompletedEventHandler(object sender,
gidenBelgeTutarBilgileriSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.59**QNBFinansGIB.GIBEFatura.gidenFaturalariArsiveKaldirCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenFaturalariArsiveKaldirCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.60

QNBFinansGIB.GIBEFatura.gidenIrsaliyeleriArsiveKaldirCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenIrsaliyeleriArsiveKaldirCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.61

QNBFinansGIB.GIBEFatura.gidenTasinanBelgeleriIndirCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void gidenTasinanBelgeleriIndirCompletedEventHandler(object sender,
gidenTasinanBelgeleriIndirCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.62

QNBFinansGIB.GIBEFatura.irsaliyeMailGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void irsaliyeMailGonderCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.63

QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void irsaliyeTarihcesiSorgulaCompletedEventHandler(object sender,
irsaliyeTarihcesiSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.64**QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCompletedEvent Handler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void kayitliKullaniciListeleExtendedCompletedEventHandler(object sender,
    kayitliKullaniciListeleExtendedCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.65**QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTimeCompletedEvent Handler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void kayitliKullaniciListeleExtendedTimeCompletedEventHandler(object
    sender, kayitliKullaniciListeleExtendedTimeCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.66**QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedVknTcknCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void kayitliKullaniciListeleExtendedVknTcknCompletedEventHandler(object
    sender, kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.67**QNBFinansGIB.GIBEFatura.kontorBilgisiGetirCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void kontorBilgisiGetirCompletedEventHandler(object sender,
    kontorBilgisiGetirCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.68**QNBFinansGIB.GIBEFatura.temelKontrollerIleBelgeGonderCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void temelKontrollerIleBelgeGonderCompletedEventHandler(object sender,
temelKontrollerIleBelgeGonderCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.69**QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void toplamBelgeSayisiGetirCompletedEventHandler(object sender,
toplambelgesayisiGetirCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.70 QNBFinansGIB.GIBEFatura.ublOnizlemeCompletedEventHandler**Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void ublOnizlemeCompletedEventHandler(object sender,
ublonizlemeCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.71**QNBFinansGIB.GIBEFatura.urunSablonlariniAlCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void urunSablonlariniAlCompletedEventHandler(object sender,
urunSablonlariniAlCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.72

QNBFinansGIB.GIBEFatura.wsKullanicisiKaydetCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void wsKullanicisiKaydetCompletedEventHandler(object sender,
wsKullanicisiKaydetCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.73

QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAlCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void yereleAktarilacakBelgeleriAlCompletedEventHandler(object sender,
yereleAktarilacakBelgeleriAlCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.74

QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAlExtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void yereleAktarilacakBelgeleriAlExtCompletedEventHandler(object sender,
yereleAktarilacakBelgeleriAlExtCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.3.3.75

QNBFinansGIB.GIBEFatura.yolcuBeraberFaturalptalEtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void yolcuBeraberFaturalptalEtCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs ([see page 721](#))

1.1.4 QNBFinansGIB.GIBEMustahsil Namespace

This is namespace QNBFinansGIB.GIBEMustahsil.

Classes

	Name	Description
	belge (see page 480)	
	belgeDTO (see page 481)	
	belgeOutputWrapper (see page 489)	
	belgeZipiAI (see page 489)	
	belgeZipiAICompletedEventArgs (see page 490)	
	belgeZipiAIResponse (see page 491)	
	doubleStringOutputWrapper (see page 492)	
	earsivServiceResult (see page 493)	
	earsivServiceResultEntry (see page 493)	
	ePostaDurumSorgula (see page 494)	
	ePostaDurumSorgulaCompletedEventArgs (see page 495)	
	ePostaGonder (see page 496)	
	ePostaGonderCompletedEventArgs (see page 497)	
	ePostaGonderResponse (see page 498)	
	faturaDTO (see page 498)	
	kontorBilgisiGetir (see page 507)	
	kontorBilgisiGetirCompletedEventArgs (see page 508)	
	kontorBilgisiGetirResponse (see page 509)	
	mustahsilMakbuliptalEt (see page 510)	
	mustahsilMakbuliptalEtCompletedEventArgs (see page 510)	
	mustahsilMakbuliptalEtResponse (see page 511)	
	mustahsilMakbuliptaliKaldır (see page 512)	
	mustahsilMakbuliptaliKaldırCompletedEventArgs (see page 512)	
	mustahsilMakbuliptaliKaldırResponse (see page 513)	

	mustahsilMakbuzListeSorgula (see page 514)	
	mustahsilMakbuzListeSorgulaCompletedEventArgs (see page 514)	
	mustahsilMakbuzListeSorgulaPortal (see page 515)	
	mustahsilMakbuzListeSorgulaPortalCompletedEventArgs (see page 516)	
	mustahsilMakbuzListeSorgulaPortalResponse (see page 517)	
	mustahsilMakbuzListeSorgulaResponse (see page 517)	
	mustahsilMakbuzOlustur (see page 518)	
	mustahsilMakbuzOlusturCompletedEventArgs (see page 519)	
	mustahsilMakbuzOnizleme (see page 520)	
	mustahsilMakbuzOnizlemeCompletedEventArgs (see page 520)	
	mustahsilMakbuzSorgula (see page 521)	
	mustahsilMakbuzSorgulaCompletedEventArgs (see page 522)	
	mustahsilMakbuzTaslakOlustur (see page 523)	
	mustahsilMakbuzTaslakOlusturCompletedEventArgs (see page 524)	
	mustahsilMakbuzTaslakOlusturResponse (see page 525)	
	mustahsilMakbuzTaslakOnizleme (see page 525)	
	mustahsilMakbuzTaslakOnizlemeCompletedEventArgs (see page 526)	
	mustahsilMakbuzTaslakOnizlemeResponse (see page 527)	
	mustahsilMakbuzTaslakSil (see page 528)	
	mustahsilMakbuzTaslakSilCompletedEventArgs (see page 528)	
	mustahsilMakbuzTaslakSilResponse (see page 529)	
	mustahsilMakbuzTaslakSorgula (see page 530)	
	mustahsilMakbuzTaslakSorgulaCompletedEventArgs (see page 530)	
	mustahsilMakbuzTaslakSorgulaResponse (see page 531)	
	mustahsilMakbuzTaslaktanOlustur (see page 532)	
	mustahsilMakbuzTaslaktanOlusturCompletedEventArgs (see page 532)	
	MustahsilWebService (see page 533)	
	raporBolumAI (see page 570)	
	raporBolumAICompletedEventArgs (see page 571)	
	raporBolumBilgisiAI (see page 572)	
	raporBolumBilgisiAICompletedEventArgs (see page 572)	
	raporBolumBilgisiAIResponse (see page 573)	
	raporBolumDTO (see page 574)	
	raporBolumleriOlustur (see page 575)	

	raporBolumleriOlusturCompletedEventArgs (see page 576)	
	raporBolumleriOlusturResponse (see page 577)	
	raporBolumListesiDetayliSorgula (see page 578)	
	raporBolumListesiDetayliSorgulaCompletedEventArgs (see page 578)	
	raporBolumListesiDetayliSorgulaResponse (see page 579)	
	raporBolumListesiSorgula (see page 580)	
	raporBolumListesiSorgulaCompletedEventArgs (see page 580)	
	raporBolumRaporNoGuncelleImzala (see page 581)	
	raporBolumRaporNoGuncelleImzalaCompletedEventArgs (see page 582)	
	raporBolumRaporNoGuncelleImzalaResponse (see page 583)	
	raporBolumSil (see page 583)	
	raporBolumSilCompletedEventArgs (see page 584)	
	raporBolumSilResponse (see page 585)	
	rapordaBelgeSorgula (see page 585)	
	rapordaBelgeSorgulaCompletedEventArgs (see page 586)	
	rapordaBelgeSorgulaResponse (see page 587)	
	raporDurumSorgula (see page 587)	
	raporDurumSorgulaCompletedEventArgs (see page 588)	
	raporDurumSorgulaResponse (see page 589)	
	raporGonder (see page 589)	
	raporGonderCompletedEventArgs (see page 590)	
	raporGonderResponse (see page 591)	
	smsDurumSorgula (see page 591)	
	smsDurumSorgulaCompletedEventArgs (see page 592)	
	smsDurumSorgulaResponse (see page 593)	
	smsGonder (see page 593)	
	smsGonderCompletedEventArgs (see page 594)	
	smsGonderResponse (see page 595)	
	stringOutputWrapper (see page 596)	

Structs, Records, Enums

	Name	Description
	belgeFormatiEnum (see page 597)	

Types

Name	Description
belgeZipAICompletedEventHandler (see page 598)	
ePostaDurumSorgulaCompletedEventHandler (see page 598)	
ePostaGonderCompletedEventHandler (see page 599)	

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

kontorBilgisiGetirCompletedEventHandler (↗ see page 599)	
mustahsilMakbuzIptalEtCompletedEventHandler (↗ see page 599)	
mustahsilMakbuzIptaliKaldırCompletedEventHandler (↗ see page 599)	
mustahsilMakbuzListeSorgulaCompletedEventHandler (↗ see page 600)	
mustahsilMakbuzListeSorgulaPortalCompletedEventHandler (↗ see page 600)	
mustahsilMakbuzOlusturCompletedEventHandler (↗ see page 600)	
mustahsilMakbuzOnizlemeCompletedEventHandler (↗ see page 601)	
mustahsilMakbuzSorgulaCompletedEventHandler (↗ see page 601)	
mustahsilMakbuzTaslakOlusturCompletedEventHandler (↗ see page 601)	
mustahsilMakbuzTaslakOnizlemeCompletedEventHandler (↗ see page 601)	
mustahsilMakbuzTaslakSilCompletedEventHandler (↗ see page 602)	
mustahsilMakbuzTaslakSorgulaCompletedEventHandler (↗ see page 602)	
mustahsilMakbuzTaslaktanOlusturCompletedEventHandler (↗ see page 602)	
raporBolumAICompletedEventHandler (↗ see page 602)	
raporBolumBilgisiAICompletedEventHandler (↗ see page 603)	
raporBolumleriOlusturCompletedEventHandler (↗ see page 603)	
raporBolumListesiDetayliSorgulaCompletedEventHandler (↗ see page 603)	
raporBolumListesiSorgulaCompletedEventHandler (↗ see page 603)	
raporBolumRaporNoGuncelleImzalaCompletedEventHandler (↗ see page 604)	
raporBolumSilCompletedEventHandler (↗ see page 604)	
rapordaBelgeSorgulaCompletedEventHandler (↗ see page 604)	
raporDurumSorgulaCompletedEventHandler (↗ see page 604)	
raporGonderCompletedEventHandler (↗ see page 605)	
smsDurumSorgulaCompletedEventHandler (↗ see page 605)	
smsGonderCompletedEventHandler (↗ see page 605)	

1.1.4.1 Classes

Summary

The following table lists classes in this documentation.

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Classes

	Name	Description
	belge (↗ see page 480)	
	belgeDTO (↗ see page 481)	
	belgeOutputWrapper (↗ see page 489)	
	belgeZipiAI (↗ see page 489)	
	belgeZipiAICompletedEventArgs (↗ see page 490)	
	belgeZipiAIResponse (↗ see page 491)	
	doubleStringOutputWrapper (↗ see page 492)	
	earsivServiceResult (↗ see page 493)	
	earsivServiceResultEntry (↗ see page 493)	
	ePostaDurumSorgula (↗ see page 494)	
	ePostaDurumSorgulaCompletedEventArgs (↗ see page 495)	
	ePostaGonder (↗ see page 496)	
	ePostaGonderCompletedEventArgs (↗ see page 497)	
	ePostaGonderResponse (↗ see page 498)	
	faturaDTO (↗ see page 498)	
	kontorBilgisiGetir (↗ see page 507)	
	kontorBilgisiGetirCompletedEventArgs (↗ see page 508)	
	kontorBilgisiGetirResponse (↗ see page 509)	
	mustahsilMakbulptalEt (↗ see page 510)	
	mustahsilMakbulptalEtCompletedEventArgs (↗ see page 510)	
	mustahsilMakbulptalEtResponse (↗ see page 511)	
	mustahsilMakbulptaliKaldır (↗ see page 512)	
	mustahsilMakbulptaliKaldırCompletedEventArgs (↗ see page 512)	
	mustahsilMakbulptaliKaldırResponse (↗ see page 513)	
	mustahsilMakbulzListeSorgula (↗ see page 514)	
	mustahsilMakbulzListeSorgulaCompletedEventArgs (↗ see page 514)	
	mustahsilMakbulzListeSorgulaPortal (↗ see page 515)	
	mustahsilMakbulzListeSorgulaPortalCompletedEventArgs (↗ see page 516)	
	mustahsilMakbulzListeSorgulaPortalResponse (↗ see page 517)	

	mustahsilMakbuzListeSorgulaResponse (see page 517)	
	mustahsilMakbuzOlustur (see page 518)	
	mustahsilMakbuzOlusturCompletedEventArgs (see page 519)	
	mustahsilMakbuzOnizleme (see page 520)	
	mustahsilMakbuzOnizlemeCompletedEventArgs (see page 520)	
	mustahsilMakbuzSorgula (see page 521)	
	mustahsilMakbuzSorgulaCompletedEventArgs (see page 522)	
	mustahsilMakbuzTaslakOlustur (see page 523)	
	mustahsilMakbuzTaslakOlusturCompletedEventArgs (see page 524)	
	mustahsilMakbuzTaslakOlusturResponse (see page 525)	
	mustahsilMakbuzTaslakOnizleme (see page 525)	
	mustahsilMakbuzTaslakOnizlemeCompletedEventArgs (see page 526)	
	mustahsilMakbuzTaslakOnizlemeResponse (see page 527)	
	mustahsilMakbuzTaslakSil (see page 528)	
	mustahsilMakbuzTaslakSilCompletedEventArgs (see page 528)	
	mustahsilMakbuzTaslakSilResponse (see page 529)	
	mustahsilMakbuzTaslakSorgula (see page 530)	
	mustahsilMakbuzTaslakSorgulaCompletedEventArgs (see page 530)	
	mustahsilMakbuzTaslakSorgulaResponse (see page 531)	
	mustahsilMakbuzTaslaktanOlustur (see page 532)	
	mustahsilMakbuzTaslaktanOlusturCompletedEventArgs (see page 532)	
	MustahsilWebService (see page 533)	
	raporBolumAI (see page 570)	
	raporBolumAICompletedEventArgs (see page 571)	
	raporBolumBilgisiAI (see page 572)	
	raporBolumBilgisiAICompletedEventArgs (see page 572)	
	raporBolumBilgisiAIResponse (see page 573)	
	raporBolumDTO (see page 574)	
	raporBolumleriOlustur (see page 575)	
	raporBolumleriOlusturCompletedEventArgs (see page 576)	
	raporBolumleriOlusturResponse (see page 577)	
	raporBolumListesiDetyaliSorgula (see page 578)	
	raporBolumListesiDetyaliSorgulaCompletedEventArgs (see page 578)	
	raporBolumListesiDetyaliSorgulaResponse (see page 579)	
	raporBolumListesiSorgula (see page 580)	

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	raporBolumListesiSorgulaCompletedEventArgs (see page 580)	
	raporBolumRaporNoGuncelleImzala (see page 581)	
	raporBolumRaporNoGuncelleImzalaCompletedEventArgs (see page 582)	
	raporBolumRaporNoGuncelleImzalaResponse (see page 583)	
	raporBolumSil (see page 583)	
	raporBolumSilCompletedEventArgs (see page 584)	
	raporBolumSilResponse (see page 585)	
	rapordaBelgeSorgula (see page 585)	
	rapordaBelgeSorgulaCompletedEventArgs (see page 586)	
	rapordaBelgeSorgulaResponse (see page 587)	
	raporDurumSorgula (see page 587)	
	raporDurumSorgulaCompletedEventArgs (see page 588)	
	raporDurumSorgulaResponse (see page 589)	
	raporGonder (see page 589)	
	raporGonderCompletedEventArgs (see page 590)	
	raporGonderResponse (see page 591)	
	smsDurumSorgula (see page 591)	
	smsDurumSorgulaCompletedEventArgs (see page 592)	
	smsDurumSorgulaResponse (see page 593)	
	smsGonder (see page 593)	
	smsGonderCompletedEventArgs (see page 594)	
	smsGonderResponse (see page 595)	
	stringOutputWrapper (see page 596)	

1.1.4.1.1 belge Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.belge](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class belge;
```

File

[Reference.cs \(see page 721\)](#)

belge Properties

	Name	Description
	belgeFormati (see page 481)	
	belgeFormatiSpecified (see page 481)	
	belgelcerigi (see page 481)	

1.1.4.1.1.1 belge Properties

1.1.4.1.1.1.1 belge.belgeFormati Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belgeFormatiEnum belgeFormati;
```

1.1.4.1.1.1.2 belge.belgeFormatiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool belgeFormatiSpecified;
```

1.1.4.1.1.1.3 belge.belgeIcerigi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
DataTypes="base64Binary")]
public byte belgeIcerigi;
```

1.1.4.1.2 belgeDTO Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class belgeDTO : faturaDTO;
```

File

Reference.cs (see page 721)

faturaDTO Properties

	Name	Description
	arsiv (see page 500)	
	creationTime (see page 500)	
	currency (see page 500)	
	dokumanFormati (see page 501)	
	durum (see page 501)	
	durumSpecified (see page 501)	
	duzenlenmeZamani (see page 501)	
	epostaGonderimDurumu (see page 501)	
	epostaGonderimDurumuSpecified (see page 501)	
	erpKodu (see page 501)	

	faturaSiraNo (see page 501)
	faturaSiraNoSpecified (see page 501)
	faturaZamani (see page 502)
	ilkKayitZmani (see page 502)
	indirildi (see page 502)
	indirildiSpecified (see page 502)
	invoiceId (see page 502)
	invoiceTypeCode (see page 502)
	iptalEdenKullaniciKodu (see page 502)
	iptalKaynagi (see page 502)
	iptalKaynagiSpecified (see page 502)
	iptalRaporTarihi (see page 503)
	iptalTarihi (see page 503)
	iptalTarihiExcel (see page 503)
	islemId (see page 503)
	issueDate (see page 503)
	itirazEdenKullaniciKodu (see page 503)
	itirazKaynagi (see page 503)
	itirazKaynagiSpecified (see page 503)
	itirazTarihi (see page 503)
	kagitFatura (see page 504)
	kagitFaturaSpecified (see page 504)
	kasa (see page 504)
	kaynak (see page 504)
	kepDurum (see page 504)
	kepDurumSpecified (see page 504)
	kolayFatura (see page 504)
	kolayFaturaSpecified (see page 504)
	okundu (see page 504)
	okunduSpecified (see page 505)
	payableAmount (see page 505)
	payableAmountSpecified (see page 505)
	profileId (see page 505)
	raporTarihi (see page 505)
	receiverContact (see page 505)
	receiverIdentifier (see page 505)
	receiverIdentifierTxt (see page 505)
	receiverName (see page 505)
	senderContact (see page 506)

	senderName (see page 506)	
	sonGuncellemeZamani (see page 506)	
	sube (see page 506)	
	tanimliSubeKod (see page 506)	
	telNo (see page 506)	
	toplamTutar (see page 506)	
	toplamTutarSpecified (see page 506)	
	uuid (see page 506)	
	vergilerToplami (see page 507)	
	vergilerToplamiSpecified (see page 507)	
	versiyon (see page 507)	
	versiyonSpecified (see page 507)	
	yazdirildi (see page 507)	
	yazdirildiSpecified (see page 507)	
	yerelFaturaNo (see page 507)	

belgeDTO Class

	Name	Description
	belgeNo (see page 484)	
	brutUcret (see page 484)	
	brutUcretSpecified (see page 484)	
	kdv0_Tutar (see page 485)	
	kdv0_TutarSpecified (see page 485)	
	kdv1_Tutar (see page 485)	
	kdv1_TutarSpecified (see page 485)	
	kdv18_Tutar (see page 485)	
	kdv18_TutarSpecified (see page 485)	
	kdv8_Tutar (see page 485)	
	kdv8_TutarSpecified (see page 485)	
	kdvTevkifatTutar (see page 485)	
	kdvTevkifatTutarSpecified (see page 486)	
	netTahsilat (see page 486)	
	netTahsilatSpecified (see page 486)	
	netUcret (see page 486)	
	netUcretSpecified (see page 486)	
	stpj0_Tutar (see page 486)	
	stpj0_TutarSpecified (see page 486)	
	stpj1_Tutar (see page 486)	

	stpj1_TutarSpecified (↗ see page 486)	
	stpj10_Tutar (↗ see page 487)	
	stpj10_TutarSpecified (↗ see page 487)	
	stpj15_Tutar (↗ see page 487)	
	stpj15_TutarSpecified (↗ see page 487)	
	stpj17_Tutar (↗ see page 487)	
	stpj17_TutarSpecified (↗ see page 487)	
	stpj2_Tutar (↗ see page 487)	
	stpj2_TutarSpecified (↗ see page 487)	
	stpj20_Tutar (↗ see page 487)	
	stpj20_TutarSpecified (↗ see page 488)	
	stpj3_Tutar (↗ see page 488)	
	stpj3_TutarSpecified (↗ see page 488)	
	stpj4_Tutar (↗ see page 488)	
	stpj4_TutarSpecified (↗ see page 488)	
	stpj5_Tutar (↗ see page 488)	
	stpj5_TutarSpecified (↗ see page 488)	
	stpj7_Tutar (↗ see page 488)	
	stpj7_TutarSpecified (↗ see page 488)	
	tip (↗ see page 489)	
	tipSpecified (↗ see page 489)	

1.1.4.1.2.1 belgeDTO Properties

1.1.4.1.2.1.1 belgeDTO.belgeNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string belgeNo;
```

1.1.4.1.2.1.2 belgeDTO.brutUcret Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal brutUcret;
```

1.1.4.1.2.1.3 belgeDTO.brutUcretSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool brutUcretspecified;
```

1.1.4.1.2.1.4 belgeDTO.kdv0_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal kdv0_Tutar;
```

1.1.4.1.2.1.5 belgeDTO.kdv0_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kdv0_TutarSpecified;
```

1.1.4.1.2.1.6 belgeDTO.kdv1_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal kdv1_Tutar;
```

1.1.4.1.2.1.7 belgeDTO.kdv1_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kdv1_TutarSpecified;
```

1.1.4.1.2.1.8 belgeDTO.kdv18_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal kdv18_Tutar;
```

1.1.4.1.2.1.9 belgeDTO.kdv18_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kdv18_TutarSpecified;
```

1.1.4.1.2.1.10 belgeDTO.kdv8_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal kdv8_Tutar;
```

1.1.4.1.2.1.11 belgeDTO.kdv8_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kdv8_TutarSpecified;
```

1.1.4.1.2.1.12 belgeDTO.kdvTevkifatTutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal kdvTevkifatTutar;
```

1.1.4.1.2.1.13 belgeDTO.kdvTevkifatTutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kdvtlevkifatTutarSpecified;
```

1.1.4.1.2.1.14 belgeDTO.netTahsilat Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal netTahsilat;
```

1.1.4.1.2.1.15 belgeDTO.netTahsilatSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool netTahsilatSpecified;
```

1.1.4.1.2.1.16 belgeDTO.netUcret Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal netUcret;
```

1.1.4.1.2.1.17 belgeDTO.netUcretSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool netUcretSpecified;
```

1.1.4.1.2.1.18 belgeDTO.stpj0_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj0_Tutar;
```

1.1.4.1.2.1.19 belgeDTO.stpj0_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj0_TutarSpecified;
```

1.1.4.1.2.1.20 belgeDTO.stpj1_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj1_Tutar;
```

1.1.4.1.2.1.21 belgeDTO.stpj1_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj1_TutarSpecified;
```

1.1.4.1.2.1.22 belgeDTO.stpj10_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj10_Tutar;
```

1.1.4.1.2.1.23 belgeDTO.stpj10_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj10_TutarSpecified;
```

1.1.4.1.2.1.24 belgeDTO.stpj15_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj15_Tutar;
```

1.1.4.1.2.1.25 belgeDTO.stpj15_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj15_TutarSpecified;
```

1.1.4.1.2.1.26 belgeDTO.stpj17_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj17_Tutar;
```

1.1.4.1.2.1.27 belgeDTO.stpj17_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj17_TutarSpecified;
```

1.1.4.1.2.1.28 belgeDTO.stpj2_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj2_Tutar;
```

1.1.4.1.2.1.29 belgeDTO.stpj2_TutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj2_TutarSpecified;
```

1.1.4.1.2.1.30 belgeDTO.stpj20_Tutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj20_Tutar;
```

1.1.4.1.2.1.31 belgeDTO.stpj20_TutarSpecified Property**C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj20_TutarSpecified;
```

1.1.4.1.2.1.32 belgeDTO.stpj3_Tutar Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj3_Tutar;
```

1.1.4.1.2.1.33 belgeDTO.stpj3_TutarSpecified Property**C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj3_TutarSpecified;
```

1.1.4.1.2.1.34 belgeDTO.stpj4_Tutar Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj4_Tutar;
```

1.1.4.1.2.1.35 belgeDTO.stpj4_TutarSpecified Property**C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj4_TutarSpecified;
```

1.1.4.1.2.1.36 belgeDTO.stpj5_Tutar Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj5_Tutar;
```

1.1.4.1.2.1.37 belgeDTO.stpj5_TutarSpecified Property**C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj5_TutarSpecified;
```

1.1.4.1.2.1.38 belgeDTO.stpj7_Tutar Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal stpj7_Tutar;
```

1.1.4.1.2.1.39 belgeDTO.stpj7_TutarSpecified Property**C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool stpj7_TutarSpecified;
```

1.1.4.1.2.1.40 belgeDTO.tip Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int tip;
```

1.1.4.1.2.1.41 belgeDTO.tipSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool tipSpecified;
```

1.1.4.1.3 belgeOutputWrapper Class

Class Hierarchy

```
QNBFinansGIB.GIBEMustahsil.belgeOutputWrapper
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class belgeOutputWrapper;
```

File

Reference.cs (see page 721)

belgeOutputWrapper Properties

	Name	Description
	@return (see page 489)	
	output (see page 489)	

1.1.4.1.3.1 belgeOutputWrapper Properties

1.1.4.1.3.1.1 belgeOutputWrapper.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.3.1.2 belgeOutputWrapper.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge output;
```

1.1.4.1.4 belgeZipAI Class

Class Hierarchy

```
QNBFinansGIB.GIBEMustahsil.belgeZipAI
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class belgeZipiAI;
```

File


Reference.cs (see page 721)

belgeZipiAI Properties

	Name	Description
	input (see page 490)	

1.1.4.1.4.1 belgeZipiAI Properties**1.1.4.1.4.1.1 belgeZipiAI.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.5 belgeZipiAICompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class belgeZipiAICompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	belgeZipiAICompletedEventArgs (see page 490)	This is belgeZipiAICompletedEventArgs, a member of class belgeZipiAICompletedEventArgs.

belgeZipiAICompletedEventArgs Properties

	Name	Description
	output (see page 491)	
	Result (see page 491)	

1.1.4.1.5.1 belgeZipiAICompletedEventArgs.belgeZipiAICompletedEventArgs Constructor**C#**

```
internal belgeZipiAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is belgeZipiAICompletedEventArgs, a member of class belgeZipiAICompletedEventArgs.

Body Source

```
1: internal belgeZipiAICompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.4.1.5.2 belgeZipiAICompletedEventArgs Properties

1.1.4.1.5.2.1 belgeZipiAICompletedEventArgs.output Property

C#

```
public byte output;
```

1.1.4.1.5.2.2 belgeZipiAICompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.6 belgeZipiAIResponse Class

Class Hierarchy

```
[QNBFinansGIB.GIBEMustahsil.belgeZipiAIResponse]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class belgeZipiAIResponse;
```

File

Reference.cs (see page 721)

belgeZipiAIResponse Properties

	Name	Description
	@return (see page 491)	
	output (see page 492)	

1.1.4.1.6.1 belgeZipiAIResponse Properties

1.1.4.1.6.1.1 belgeZipiAIResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.6.1.2 belgeZipiAIResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified,
    DataType="base64Binary", IsNullable=true)]
public byte output;
```

1.1.4.1.7 doubleStringOutputWrapper Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.doubleStringOutputWrapper](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class doubleStringOutputWrapper;
```

File

Reference.cs ([see page 721](#))

doubleStringOutputWrapper Properties

	Name	Description
	@return (see page 492)	
	outputDurum (see page 492)	
	outputEposta (see page 492)	

1.1.4.1.7.1 doubleStringOutputWrapper Properties

1.1.4.1.7.1.1 doubleStringOutputWrapper.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.7.1.2 doubleStringOutputWrapper.outputDurum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string outputDurum;
```

1.1.4.1.7.1.3 doubleStringOutputWrapper.outputEposta Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string outputEposta;
```

1.1.4.1.8 earsivServiceResult Class

Class Hierarchy

`QNBFinansGIB.GIBEMustahsil.earsivServiceResult`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class earsivServiceResult;
```

File

Reference.cs (see page 721)

earsivServiceResult Properties

	Name	Description
	resultCode (see page 493)	
	resultExtra (see page 493)	
	resultText (see page 493)	

1.1.4.1.8.1 earsivServiceResult Properties

1.1.4.1.8.1.1 earsivServiceResult.resultCode Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string resultCode;
```

1.1.4.1.8.1.2 earsivServiceResult.resultExtra Property

C#

```
[System.Xml.Serialization.XmlArrayAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
[System.Xml.Serialization.XmlArrayItemAttribute("entry",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified, IsNullable=false)]
public earsivServiceResultEntry resultExtra;
```

1.1.4.1.8.1.3 earsivServiceResult.resultText Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string resultText;
```

1.1.4.1.9 earsivServiceResultEntry Class

Class Hierarchy

`QNBFinansGIB.GIBEMustahsil.earsivServiceResultEntry`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(AnonymousType=true,
Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class earsivServiceResultEntry;
```

File

Reference.cs (see page 721)

earsivServiceResultEntry Properties

	Name	Description
	key (see page 494)	
	value (see page 494)	

1.1.4.1.9.1 earsivServiceResultEntry Properties**1.1.4.1.9.1.1 earsivServiceResultEntry.key Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public object key;
```

1.1.4.1.9.1.2 earsivServiceResultEntry.value Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public object value;
```

1.1.4.1.10 ePostaDurumSorgula Class**Class Hierarchy**

[QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgula](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class ePostaDurumSorgula;
```

File

Reference.cs (see page 721)

ePostaDurumSorgula Properties

	Name	Description
	input (see page 495)	

1.1.4.1.10.1 ePostaDurumSorgula Properties


1.1.4.1.10.1.1 ePostaDurumSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.11 ePostaDurumSorgulaCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class ePostaDurumSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
≡	ePostaDurumSorgulaCompletedEventArgs (see page 495)	This is ePostaDurumSorgulaCompletedEventArgs, a member of class ePostaDurumSorgulaCompletedEventArgs.

ePostaDurumSorgulaCompletedEventArgs Properties

	Name	Description
≡	@return (see page 496)	
≡	outputEposta (see page 496)	
≡	Result (see page 496)	

1.1.4.1.11.1

ePostaDurumSorgulaCompletedEventArgs.ePostaDurumSorgulaCompletedEventArgs Constructor

C#

```
internal ePostaDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is ePostaDurumSorgulaCompletedEventArgs, a member of class ePostaDurumSorgulaCompletedEventArgs.

Body Source

```
1: internal ePostaDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.4.1.11.2 ePostaDurumSorgulaCompletedEventArgs Properties

1.1.4.1.11.2.1 ePostaDurumSorgulaCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.4.1.11.2.2 ePostaDurumSorgulaCompletedEventArgs.outputEposta Property

C#

```
public string outputEposta;
```

1.1.4.1.11.2.3 ePostaDurumSorgulaCompletedEventArgs.Result Property

C#

```
public string Result;
```

1.1.4.1.12 ePostaGonder Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.ePostaGonder](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class ePostaGonder;
```

File

Reference.cs ([see page 721](#))

ePostaGonder Properties

	Name	Description
	ilaveEposta (see page 496)	
	input (see page 496)	
	tanimliEpostayaGonder (see page 497)	

1.1.4.1.12.1 ePostaGonder Properties

1.1.4.1.12.1.1 ePostaGonder.ilaveEposta Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ilaveEposta;
```

1.1.4.1.12.1.2 ePostaGonder.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```


1.1.4.1.12.1.3 ePostaGonder.tanimliEpostaGonder Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int tanimliEpostaGonder;
```

1.1.4.1.13 ePostaGonderCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class ePostaGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	ePostaGonderCompletedEventArgs (see page 497)	This is ePostaGonderCompletedEventArgs, a member of class ePostaGonderCompletedEventArgs.

ePostaGonderCompletedEventArgs Properties

	Name	Description
	Result (see page 497)	

1.1.4.1.13.1 ePostaGonderCompletedEventArgs.ePostaGonderCompletedEventArgs Constructor

C#

```
internal ePostaGonderCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is ePostaGonderCompletedEventArgs, a member of class ePostaGonderCompletedEventArgs.

Body Source

```
1: internal ePostaGonderCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.4.1.13.2 ePostaGonderCompletedEventArgs Properties

1.1.4.1.13.2.1 ePostaGonderCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.14 ePostaGonderResponse Class

Class Hierarchy

`[QNBFinansGIB.GIBEMustahsil.ePostaGonderResponse]`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class ePostaGonderResponse;
```

File

Reference.cs (see page 721)

ePostaGonderResponse Properties

	Name	Description
	@return (see page 498)	

1.1.4.1.14.1 ePostaGonderResponse Properties

1.1.4.1.14.1.1 ePostaGonderResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.15 faturaDTO Class

Class Hierarchy

`[QNBFinansGIB.GIBEMustahsil.faturaDTO]`

C#

```
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgeDTO))]
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class faturaDTO;
```

File

Reference.cs (see page 721)

faturaDTO Properties

	Name	Description
	arsiv (see page 500)	
	creationTime (see page 500)	
	currency (see page 500)	
	dokumanFormati (see page 501)	
	durum (see page 501)	

	durumSpecified (see page 501)	
	duzenlenmeZamani (see page 501)	
	epostaGonderimDurumu (see page 501)	
	epostaGonderimDurumuSpecified (see page 501)	
	erpKodu (see page 501)	
	faturaSiraNo (see page 501)	
	faturaSiraNoSpecified (see page 501)	
	faturaZamani (see page 502)	
	ilkKayitZmani (see page 502)	
	indirildi (see page 502)	
	indirildiSpecified (see page 502)	
	invoiceId (see page 502)	
	invoiceTypeCode (see page 502)	
	iptalEdenKullaniciKodu (see page 502)	
	iptalKaynagi (see page 502)	
	iptalKaynagiSpecified (see page 502)	
	iptalRaporTarihi (see page 503)	
	iptalTarihi (see page 503)	
	iptalTarihiExcel (see page 503)	
	islemlid (see page 503)	
	issueDate (see page 503)	
	itirazEdenKullaniciKodu (see page 503)	
	itirazKaynagi (see page 503)	
	itirazKaynagiSpecified (see page 503)	
	itirazTarihi (see page 503)	
	kagitFatura (see page 504)	
	kagitFaturaSpecified (see page 504)	
	kasa (see page 504)	
	kaynak (see page 504)	
	kepDurum (see page 504)	
	kepDurumSpecified (see page 504)	
	kolayFatura (see page 504)	
	kolayFaturaSpecified (see page 504)	
	okundu (see page 504)	
	okunduSpecified (see page 505)	
	payableAmount (see page 505)	
	payableAmountSpecified (see page 505)	
	profileId (see page 505)	

	raporTarihi (see page 505)
	receiverContact (see page 505)
	receiverIdentifier (see page 505)
	receiverIdentifierTxt (see page 505)
	receiverName (see page 505)
	senderContact (see page 506)
	senderName (see page 506)
	sonGuncellemeZamani (see page 506)
	sube (see page 506)
	tanimliSubeKod (see page 506)
	telNo (see page 506)
	toplumTutar (see page 506)
	toplumTutarSpecified (see page 506)
	uuid (see page 506)
	vergilerToplami (see page 507)
	vergilerToplamiSpecified (see page 507)
	versiyon (see page 507)
	versiyonSpecified (see page 507)
	yazdirildi (see page 507)
	yazdirildiSpecified (see page 507)
	yerelFaturaNo (see page 507)

1.1.4.1.15.1 faturaDTO Properties

1.1.4.1.15.1.1 faturaDTO.arsiv Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int arsiv;
```

1.1.4.1.15.1.2 faturaDTO.creationTime Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string creationTime;
```

1.1.4.1.15.1.3 faturaDTO.currency Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string currency;
```

1.1.4.1.15.1.4 faturaDTO.dokumanFormati Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string dokumanFormati;
```

1.1.4.1.15.1.5 faturaDTO.durum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int durum;
```

1.1.4.1.15.1.6 faturaDTO.durumSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool durumSpecified;
```

1.1.4.1.15.1.7 faturaDTO.duzenlenmeZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string duzenlenmeZamani;
```

1.1.4.1.15.1.8 faturaDTO.epostaGonderimDurumu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int epostaGonderimDurumu;
```

1.1.4.1.15.1.9 faturaDTO.epostaGonderimDurumuSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool epostaGonderimDurumuSpecified;
```

1.1.4.1.15.1.10 faturaDTO.erpKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string erpKodu;
```

1.1.4.1.15.1.11 faturaDTO.faturaSiraNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int faturaSiraNo;
```

1.1.4.1.15.1.12 faturaDTO.faturaSiraNoSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool faturaSiraNoSpecified;
```

1.1.4.1.15.1.13 **faturaDTO.faturaZamani** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string faturaZamani;
```

1.1.4.1.15.1.14 **faturaDTO.ilkKayitZmani** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ilkKayitZmani;
```

1.1.4.1.15.1.15 **faturaDTO.indirildi** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int indirildi;
```

1.1.4.1.15.1.16 **faturaDTO.indirildiSpecified** Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool indirildiSpecified;
```

1.1.4.1.15.1.17 **faturaDTO.invoiceId** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string invoiceId;
```

1.1.4.1.15.1.18 **faturaDTO.invoiceTypeCode** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string invoiceTypeCode;
```

1.1.4.1.15.1.19 **faturaDTO.iptalEdenKullaniciKodu** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string iptalEdenKullaniciKodu;
```

1.1.4.1.15.1.20 **faturaDTO.iptalKaynagi** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int iptalKaynagi;
```

1.1.4.1.15.1.21 **faturaDTO.iptalKaynagiSpecified** Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool iptalKaynagiSpecified;
```

1.1.4.1.15.1.22 faturaDTO.iptalRaporTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string iptalRaporTarihi;
```

1.1.4.1.15.1.23 faturaDTO.iptalTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string iptalTarihi;
```

1.1.4.1.15.1.24 faturaDTO.iptalTarihiExcel Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string iptalTarihiExcel;
```

1.1.4.1.15.1.25 faturaDTO.islemId Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string islemId;
```

1.1.4.1.15.1.26 faturaDTO.issueDate Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string issueDate;
```

1.1.4.1.15.1.27 faturaDTO.itirazEdenKullaniciKodu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string itirazEdenKullaniciKodu;
```

1.1.4.1.15.1.28 faturaDTO.itirazKaynagi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int itirazKaynagi;
```

1.1.4.1.15.1.29 faturaDTO.itirazKaynagiSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool itirazKaynagiSpecified;
```

1.1.4.1.15.1.30 faturaDTO.itirazTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string itirazTarihi;
```

1.1.4.1.15.1.31 faturaDTO.kagitFatura Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public bool kagitFatura;
```

1.1.4.1.15.1.32 faturaDTO.kagitFaturaSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kagitFaturaSpecified;
```

1.1.4.1.15.1.33 faturaDTO.kasa Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kasa;
```

1.1.4.1.15.1.34 faturaDTO.kaynak Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int kaynak;
```

1.1.4.1.15.1.35 faturaDTO.kepDurum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int kepDurum;
```

1.1.4.1.15.1.36 faturaDTO.kepDurumSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kepDurumSpecified;
```

1.1.4.1.15.1.37 faturaDTO.kolayFatura Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int kolayFatura;
```

1.1.4.1.15.1.38 faturaDTO.kolayFaturaSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool kolayFaturaSpecified;
```

1.1.4.1.15.1.39 faturaDTO.okundu Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int okundu;
```

1.1.4.1.15.1.40 faturaDTO.okunduSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool okunduSpecified;
```

1.1.4.1.15.1.41 faturaDTO.payableAmount Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal payableAmount;
```

1.1.4.1.15.1.42 faturaDTO.payableAmountSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool payableAmountSpecified;
```

1.1.4.1.15.1.43 faturaDTO.profileId Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string profileId;
```

1.1.4.1.15.1.44 faturaDTO.raporTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string raporTarihi;
```

1.1.4.1.15.1.45 faturaDTO.receiverContact Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string receiverContact;
```

1.1.4.1.15.1.46 faturaDTO.receiverIdentifier Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string receiverIdentifier;
```

1.1.4.1.15.1.47 faturaDTO.receiverIdentifierTxt Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string receiverIdentifierTxt;
```

1.1.4.1.15.1.48 faturaDTO.receiverName Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string receiverName;
```

1.1.4.1.15.1.49 faturaDTO.senderContact Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string senderContact;
```

1.1.4.1.15.1.50 faturaDTO.senderName Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string senderName;
```

1.1.4.1.15.1.51 faturaDTO.sonGuncellemeZamani Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string sonGuncellemeZamani;
```

1.1.4.1.15.1.52 faturaDTO.sube Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string sube;
```

1.1.4.1.15.1.53 faturaDTO.tanimliSubeKod Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string tanimliSubeKod;
```

1.1.4.1.15.1.54 faturaDTO.telNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string telNo;
```

1.1.4.1.15.1.55 faturaDTO.toplamTutar Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal toplamTutar;
```

1.1.4.1.15.1.56 faturaDTO.toplamTutarSpecified Property

C#

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool toplamTutarSpecified;
```

1.1.4.1.15.1.57 faturaDTO.uuid Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string uuid;
```

1.1.4.1.15.1.58 faturaDTO.vergilerToplami Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public decimal vergilerToplami;
```

1.1.4.1.15.1.59 faturaDTO.vergilerToplamiSpecified Property**C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool vergilerToplamiSpecified;
```

1.1.4.1.15.1.60 faturaDTO.versiyon Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int versiyon;
```

1.1.4.1.15.1.61 faturaDTO.versiyonSpecified Property**C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool versiyonSpecified;
```

1.1.4.1.15.1.62 faturaDTO.yazdirildi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int yazdirildi;
```

1.1.4.1.15.1.63 faturaDTO.yazdirildiSpecified Property**C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool yazdirildiSpecified;
```

1.1.4.1.15.1.64 faturaDTO.yerelFaturaNo Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string yerelFaturaNo;
```

1.1.4.1.16 kontorBilgisiGetir Class**Class Hierarchy**

```
QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetir
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class kontorBilgisiGetir;
```

File

Reference.cs (see page 721)

kontorBilgisiGetir Properties

	Name	Description
	kontorBirim (see page 508)	
	kontorTipi (see page 508)	
	vknTckn (see page 508)	

1.1.4.1.16.1 kontorBilgisiGetir Properties**1.1.4.1.16.1.1 kontorBilgisiGetir.kontorBirim Property****C#**


```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kontorBirim;
```

1.1.4.1.16.1.2 kontorBilgisiGetir.kontorTipi Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string kontorTipi;
```

1.1.4.1.16.1.3 kontorBilgisiGetir.vknTckn Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string vknTckn;
```

1.1.4.1.17 kontorBilgisiGetirCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class kontorBilgisiGetirCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	kontorBilgisiGetirCompletedEventArgs (see page 509)	This is kontorBilgisiGetirCompletedEventArgs, a member of class kontorBilgisiGetirCompletedEventArgs.

kontorBilgisiGetirCompletedEventArgs Properties

	Name	Description
	Result (see page 509)	

1.1.4.1.17.1

kontorBilgisiGetirCompletedEventArgs.kontorBilgisiGetirCompletedEventArgs Constructor

C#

```
internal kontorBilgisiGetirCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is kontorBilgisiGetirCompletedEventArgs, a member of class kontorBilgisiGetirCompletedEventArgs.

Body Source

```
1: internal kontorBilgisiGetirCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.4.1.17.2 kontorBilgisiGetirCompletedEventArgs Properties

1.1.4.1.17.2.1 kontorBilgisiGetirCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.18 kontorBilgisiGetirResponse Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class kontorBilgisiGetirResponse;
```

File

Reference.cs (see page 721)

kontorBilgisiGetirResponse Properties

	Name	Description
	@return (see page 509)	

1.1.4.1.18.1 kontorBilgisiGetirResponse Properties

1.1.4.1.18.1.1 kontorBilgisiGetirResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.19 mustahsilMakbuzIptalEt Class

Class Hierarchy

```
[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEt]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzIptalEt;
```

File

Reference.cs (see page 721)

mustahsilMakbuzIptalEt Properties

	Name	Description
	input (see page 510)	

1.1.4.1.19.1 mustahsilMakbuzIptalEt Properties

1.1.4.1.19.1.1 mustahsilMakbuzIptalEt.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.20 mustahsilMakbuzIptalEtCompletedEventArgs Class

Class Hierarchy

```
System.ComponentModel.AsyncCompletedEventArgs --> QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompletedEventArgs
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzIptalEtCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	mustahsilMakbuzIptalEtCompletedEventArgs (see page 511)	This is mustahsilMakbuzIptalEtCompletedEventArgs, a member of class mustahsilMakbuzIptalEtCompletedEventArgs.

mustahsilMakbuzIptalEtCompletedEventArgs Properties

	Name	Description
	Result (see page 511)	

1.1.4.1.20.1

mustahsilMakbuzIptalEtCompletedEventArgs.mustahsilMakbuzIptalEtCompletedEventArgs Constructor

C#

```
internal mustahsilMakbuzIptalEtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzIptalEtCompletedEventArgs, a member of class mustahsilMakbuzIptalEtCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzIptalEtCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.4.1.20.2 mustahsilMakbuzIptalEtCompletedEventArgs Properties

1.1.4.1.20.2.1 mustahsilMakbuzIptalEtCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.21 mustahsilMakbuzIptalEtResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzIptalEtResponse;
```

File

Reference.cs ([see page 721](#))

mustahsilMakbuzIptalEtResponse Properties

	Name	Description
	@return (see page 511)	

1.1.4.1.21.1 mustahsilMakbuzIptalEtResponse Properties

1.1.4.1.21.1.1 mustahsilMakbuzIptalEtResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.22 mustahsilMakbuzIptaliKaldır Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldır](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzIptaliKaldır;
```

File

Reference.cs ([see page 721](#))

mustahsilMakbuzIptaliKaldır Properties

	Name	Description
	input (see page 512)	

1.1.4.1.22.1 mustahsilMakbuzIptaliKaldır Properties

1.1.4.1.22.1.1 mustahsilMakbuzIptaliKaldır.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.23 mustahsilMakbuzIptaliKaldırCompletedEventArgs Class

Class Hierarchy

[System.ComponentModel.AsyncCompletedEventArgs](#) → [QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldırCompletedEventArgs](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzIptaliKaldırCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	mustahsilMakbuzIptaliKaldırCompletedEventArgs (see page 513)	This is mustahsilMakbuzIptaliKaldırCompletedEventArgs, a member of class mustahsilMakbuzIptaliKaldırCompletedEventArgs.

mustahsilMakbuzIptaliKaldırCompletedEventArgs Properties

	Name	Description
	Result (see page 513)	

1.1.4.1.23.1

mustahsilMakbuzIptaliKaldırCompletedEventArgs.mustahsilMakbuzIptaliKaldırCompletedEventArgs

Constructor

C#

```
internal mustahsilMakbuzIptaliKaldırCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzIptaliKaldırCompletedEventArgs, a member of class mustahsilMakbuzIptaliKaldırCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzIptaliKaldırCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.23.2 mustahsilMakbuzIptaliKaldırCompletedEventArgs Properties

1.1.4.1.23.2.1 mustahsilMakbuzIptaliKaldırCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.24 mustahsilMakbuzIptaliKaldırResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldırResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzIptaliKaldırResponse;
```

File

[Reference.cs](#) ([see page 721](#))

mustahsilMakbuzIptaliKaldırResponse Properties

	Name	Description
	@return (see page 513)	

1.1.4.1.24.1 mustahsilMakbuzIptaliKaldırResponse Properties

1.1.4.1.24.1.1 mustahsilMakbuzIptaliKaldırResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.25 mustahsilMakbuzListeSorgula Class

Class Hierarchy

`QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzListeSorgula;
```

File

Reference.cs (see page 721)

mustahsilMakbuzListeSorgula Properties

	Name	Description
	input (see page 514)	

1.1.4.1.25.1 mustahsilMakbuzListeSorgula Properties

1.1.4.1.25.1.1 mustahsilMakbuzListeSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.26 mustahsilMakbuzListeSorgulaCompletedEventArgs Class

Class Hierarchy

`System.ComponentModel.AsyncCompletedEventArgs` → `QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaCompletedEventArgs`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzListeSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	mustahsilMakbuzListeSorgulaCompletedEventArgs (see page 515)	This is mustahsilMakbuzListeSorgulaCompletedEventArgs, a member of class mustahsilMakbuzListeSorgulaCompletedEventArgs.

mustahsilMakbuzListeSorgulaCompletedEventArgs Properties

	Name	Description
	output (see page 515)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	Result (see page 515)	
---	-----------------------	--

1.1.4.1.26.1

mustahsilMakbuzListeSorgulaCompletedEventArgs.mustahsilMakbuzListeSorgulaCompletedEventArgs Constructor

C#

```
internal mustahsilMakbuzListeSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzListeSorgulaCompletedEventArgs, a member of class mustahsilMakbuzListeSorgulaCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzListeSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.26.2 mustahsilMakbuzListeSorgulaCompletedEventArgs Properties

1.1.4.1.26.2.1 mustahsilMakbuzListeSorgulaCompletedEventArgs.output Property

C#

```
public belgeDTO output;
```

1.1.4.1.26.2.2 mustahsilMakbuzListeSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.27 mustahsilMakbuzListeSorgulaPortal Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortal](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzListeSorgulaPortal;
```

File

[Reference.cs \(see page 721\)](#)

mustahsilMakbuzListeSorgulaPortal Properties

	Name	Description
	input (see page 516)	

1.1.4.1.27.1 mustahsilMakbuzListeSorgulaPortal Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.


1.1.4.1.27.1.1 mustahsilMakbuzListeSorgulaPortal.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.28 mustahsilMakbuzListeSorgulaPortalCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzListeSorgulaPortalCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
!	mustahsilMakbuzListeSorgulaPortalCompletedEventArgs (see page 516)	This is mustahsilMakbuzListeSorgulaPortalCompletedEventArgs, a member of class mustahsilMakbuzListeSorgulaPortalCompletedEventArgs.

mustahsilMakbuzListeSorgulaPortalCompletedEventArgs Properties

	Name	Description
!	output (see page 517)	
!	Result (see page 517)	

1.1.4.1.28.1

mustahsilMakbuzListeSorgulaPortalCompletedEventArgs.mustahsilMakbuzListeSorgulaPortalCompletedEventArgs Constructor

C#

```
internal mustahsilMakbuzListeSorgulaPortalCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzListeSorgulaPortalCompletedEventArgs, a member of class mustahsilMakbuzListeSorgulaPortalCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzListeSorgulaPortalCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.28.2 mustahsilMakbuzListeSorgulaPortalCompletedEventArgs Properties

1.1.4.1.28.2.1 mustahsilMakbuzListeSorgulaPortalCompletedEventArgs.output Property

C#

```
public belgeDTO output;
```

1.1.4.1.28.2.2 mustahsilMakbuzListeSorgulaPortalCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.29 mustahsilMakbuzListeSorgulaPortalResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortalResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzListeSorgulaPortalResponse;
```

File

Reference.cs ([see page 721](#))

mustahsilMakbuzListeSorgulaPortalResponse Properties

	Name	Description
	@return (see page 517)	
	output (see page 517)	

1.1.4.1.29.1 mustahsilMakbuzListeSorgulaPortalResponse Properties

1.1.4.1.29.1.1 mustahsilMakbuzListeSorgulaPortalResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.29.1.2 mustahsilMakbuzListeSorgulaPortalResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belgeDTO output;
```

1.1.4.1.30 mustahsilMakbuzListeSorgulaResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzListeSorgulaResponse;
```

File

Reference.cs (see page 721)

mustahsilMakbuzListeSorgulaResponse Properties

	Name	Description
	@return (see page 518)	
	output (see page 518)	

1.1.4.1.30.1 mustahsilMakbuzListeSorgulaResponse Properties**1.1.4.1.30.1.1 mustahsilMakbuzListeSorgulaResponse.@return Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.30.1.2 mustahsilMakbuzListeSorgulaResponse.output Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belgeDTO output;
```

1.1.4.1.31 mustahsilMakbuzOlustur Class**Class Hierarchy**

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlustur

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzOlustur;
```

File

Reference.cs (see page 721)

mustahsilMakbuzOlustur Properties

	Name	Description
	belge (see page 519)	
	input (see page 519)	

1.1.4.1.31.1 mustahsilMakbuzOlustur Properties

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

1.1.4.1.31.1.1 mustahsilMakbuzOlustur.belge Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge belge;
```


1.1.4.1.31.1.2 mustahsilMakbuzOlustur.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.32 mustahsilMakbuzOlusturCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzOlusturCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	mustahsilMakbuzOlusturCompletedEventArgs (see page 519)	This is mustahsilMakbuzOlusturCompletedEventArgs, a member of class mustahsilMakbuzOlusturCompletedEventArgs.

mustahsilMakbuzOlusturCompletedEventArgs Properties

	Name	Description
	@return (see page 520)	
	Result (see page 520)	

1.1.4.1.32.1

mustahsilMakbuzOlusturCompletedEventArgs.mustahsilMakbuzOlusturCompletedEventArgs

Constructor

C#

```
internal mustahsilMakbuzOlusturCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzOlusturCompletedEventArgs, a member of class mustahsilMakbuzOlusturCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzOlusturCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
```

```
4: }
```

1.1.4.1.32.2 mustahsilMakbuzOlusturCompletedEventArgs Properties

1.1.4.1.32.2.1 mustahsilMakbuzOlusturCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```


1.1.4.1.32.2.2 mustahsilMakbuzOlusturCompletedEventArgs.Result Property

C#

```
public belge Result;
```

1.1.4.1.33 mustahsilMakbuzOnizleme Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzOnizleme;
```

File

Reference.cs (see page 721)

mustahsilMakbuzOnizleme Properties

	Name	Description
	belge (see page 520)	
	input (see page 520)	

1.1.4.1.33.1 mustahsilMakbuzOnizleme Properties

1.1.4.1.33.1.1 mustahsilMakbuzOnizleme.belge Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge belge;
```


1.1.4.1.33.1.2 mustahsilMakbuzOnizleme.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.34 mustahsilMakbuzOnizlemeCompletedEventArgs Class

Class Hierarchy



Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzOnizlemeCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	mustahsilMakbuzOnizlemeCompletedEventArgs (see page 521)	This is mustahsilMakbuzOnizlemeCompletedEventArgs, a member of class mustahsilMakbuzOnizlemeCompletedEventArgs.

mustahsilMakbuzOnizlemeCompletedEventArgs Properties

	Name	Description
	@return (see page 521)	
	Result (see page 521)	

1.1.4.1.34.1**mustahsilMakbuzOnizlemeCompletedEventArgs.mustahsilMakbuzOnizlemeCompletedEventArgs Constructor****C#**

```
internal mustahsilMakbuzOnizlemeCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzOnizlemeCompletedEventArgs, a member of class mustahsilMakbuzOnizlemeCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzOnizlemeCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.34.2 mustahsilMakbuzOnizlemeCompletedEventArgs Properties**1.1.4.1.34.2.1 mustahsilMakbuzOnizlemeCompletedEventArgs.@return Property****C#**

```
public earsivServiceResult @return;
```

1.1.4.1.34.2.2 mustahsilMakbuzOnizlemeCompletedEventArgs.Result Property**C#**

```
public belge Result;
```

1.1.4.1.35 mustahsilMakbuzSorgula Class**Class Hierarchy**

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgula](#)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class mustahsilMakbuzSorgula;
```

File

Reference.cs ([see page 721](#))

mustahsilMakbuzSorgula Properties

	Name	Description
	input (see page 522)	

1.1.4.1.35.1 mustahsilMakbuzSorgula Properties**1.1.4.1.35.1.1 mustahsilMakbuzSorgula.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.36 mustahsilMakbuzSorgulaCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	mustahsilMakbuzSorgulaCompletedEventArgs (see page 523)	This is mustahsilMakbuzSorgulaCompletedEventArgs, a member of class mustahsilMakbuzSorgulaCompletedEventArgs.

mustahsilMakbuzSorgulaCompletedEventArgs Properties

	Name	Description
	@return (see page 523)	
	Result (see page 523)	

1.1.4.1.36.1

mustahsilMakbuzSorgulaCompletedEventArgs.mustahsilMakbuzSorgulaCompletedEventArgs Constructor

C#

```
internal mustahsilMakbuzSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzSorgulaCompletedEventArgs, a member of class mustahsilMakbuzSorgulaCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :  
2:     base(exception, cancelled, userState) {  
3:         this.results = results;  
4:     }
```

1.1.4.1.36.2 mustahsilMakbuzSorgulaCompletedEventArgs Properties

1.1.4.1.36.2.1 mustahsilMakbuzSorgulaCompletedEventArgs.@return Property

C#

```
public earsivServiceResult @return;
```

1.1.4.1.36.2.2 mustahsilMakbuzSorgulaCompletedEventArgs.Result Property

C#

```
public belge Result;
```

1.1.4.1.37 mustahsilMakbuzTaslakOlustur Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlustur](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzTaslakOlustur;
```

File

[Reference.cs](#) (see page 721)

mustahsilMakbuzTaslakOlustur Properties

	Name	Description
	belge (see page 524)	
	input (see page 524)	

1.1.4.1.37.1 mustahsilMakbuzTaslakOlustur Properties

1.1.4.1.37.1.1 mustahsilMakbuzTaslakOlustur.belge Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge belge;
```

1.1.4.1.37.1.2 mustahsilMakbuzTaslakOlustur.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.38 mustahsilMakbuzTaslakOlusturCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzTaslakOlusturCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	mustahsilMakbuzTaslakOlusturCompletedEventArgs (see page 524)	This is mustahsilMakbuzTaslakOlusturCompletedEventArgs, a member of class mustahsilMakbuzTaslakOlusturCompletedEventArgs.

mustahsilMakbuzTaslakOlusturCompletedEventArgs Properties

	Name	Description
	Result (see page 525)	

1.1.4.1.38.1

mustahsilMakbuzTaslakOlusturCompletedEventArgs.mustahsilMakbuzTaslakOlusturCompletedEventArgs

Constructor

C#

```
internal mustahsilMakbuzTaslakOlusturCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzTaslakOlusturCompletedEventArgs, a member of class mustahsilMakbuzTaslakOlusturCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzTaslakOlusturCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
```

```

2:         base(exception, cancelled, userState) {
3:             this.results = results;
4:         }

```

1.1.4.1.38.2 mustahsilMakbuzTaslakOlusturCompletedEventArgs Properties

1.1.4.1.38.2.1 mustahsilMakbuzTaslakOlusturCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.39 mustahsilMakbuzTaslakOlusturResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturResponse](#)

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[SerializableAttribute()]
[DebuggerStepThroughAttribute()]
[ComponentModel.DesignerCategoryAttribute("code")]
[XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzTaslakOlusturResponse;

```

File

Reference.cs ([see page 721](#))

mustahsilMakbuzTaslakOlusturResponse Properties

	Name	Description
	@return (see page 525)	

1.1.4.1.39.1 mustahsilMakbuzTaslakOlusturResponse Properties

1.1.4.1.39.1.1 mustahsilMakbuzTaslakOlusturResponse.@return Property

C#

```

[XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;

```

1.1.4.1.40 mustahsilMakbuzTaslakOnizleme Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizleme](#)

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[SerializableAttribute()]
[DebuggerStepThroughAttribute()]
[ComponentModel.DesignerCategoryAttribute("code")]
[XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzTaslakOnizleme;

```

File


Reference.cs ([see page 721](#))

mustahsilMakbuzTaslakOnizleme Properties

	Name	Description
	input (see page 526)	

1.1.4.1.40.1 mustahsilMakbuzTaslakOnizleme Properties**1.1.4.1.40.1.1 mustahsilMakbuzTaslakOnizleme.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.41 mustahsilMakbuzTaslakOnizlemeCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzTaslakOnizlemeCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

FileReference.cs ([see page 721](#))**Methods**

	Name	Description
	mustahsilMakbuzTaslakOnizlemeCompletedEventArgs (see page 526)	This is mustahsilMakbuzTaslakOnizlemeCompletedEventArgs , a member of class mustahsilMakbuzTaslakOnizlemeCompletedEventArgs .

mustahsilMakbuzTaslakOnizlemeCompletedEventArgs Properties

	Name	Description
	output (see page 527)	
	Result (see page 527)	

1.1.4.1.41.1**mustahsilMakbuzTaslakOnizlemeCompletedEventArgs.mustahsilMakbuzTaslakOnizlemeCompletedEventArgs Constructor****C#**

```
internal mustahsilMakbuzTaslakOnizlemeCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzTaslakOnizlemeCompletedEventArgs, a member of class mustahsilMakbuzTaslakOnizlemeCompletedEventArgs.

Body Source

```

1: internal mustahsilMakbuzTaslakOnizlemeCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }

```

1.1.4.1.41.2 mustahsilMakbuzTaslakOnizlemeCompletedEventArgs Properties**1.1.4.1.41.2.1 mustahsilMakbuzTaslakOnizlemeCompletedEventArgs.output Property****C#**

```
public belge output;
```

1.1.4.1.41.2.2 mustahsilMakbuzTaslakOnizlemeCompletedEventArgs.Result Property**C#**

```
public earsivServiceResult Result;
```

1.1.4.1.42 mustahsilMakbuzTaslakOnizlemeResponse Class**Class Hierarchy**

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeResponse
--

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzTaslakOnizlemeResponse;

```

File

Reference.cs ([\[?\]](#) see page 721)

mustahsilMakbuzTaslakOnizlemeResponse Properties

	Name	Description
	@return ([?] see page 527)	
	output ([?] see page 527)	

1.1.4.1.42.1 mustahsilMakbuzTaslakOnizlemeResponse Properties**1.1.4.1.42.1.1 mustahsilMakbuzTaslakOnizlemeResponse.@return Property****C#**

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;

```

1.1.4.1.42.1.2 mustahsilMakbuzTaslakOnizlemeResponse.output Property**C#**

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge output;

```

1.1.4.1.43 mustahsilMakbuzTaslakSil Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSil](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzTaslakSil;
```

File

Reference.cs ([see page 721](#))

mustahsilMakbuzTaslakSil Properties

	Name	Description
	input (see page 528)	

1.1.4.1.43.1 mustahsilMakbuzTaslakSil Properties

1.1.4.1.43.1.1 mustahsilMakbuzTaslakSil.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.44 mustahsilMakbuzTaslakSilCompletedEventArgs Class

Class Hierarchy

[System.ComponentModel.AsyncCompletedEventArgs](#) → [QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCompletedEventArgs](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzTaslakSilCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	mustahsilMakbuzTaslakSilCompletedEventArgs (see page 529)	This is mustahsilMakbuzTaslakSilCompletedEventArgs, a member of class mustahsilMakbuzTaslakSilCompletedEventArgs.

mustahsilMakbuzTaslakSilCompletedEventArgs Properties

	Name	Description
	Result (see page 529)	

1.1.4.1.44.1

mustahsilMakbuzTaslakSilCompletedEventArgs.mustahsilMakbuzTaslakSilCompletedEventArgs Constructor

C#

```
internal mustahsilMakbuzTaslakSilCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzTaslakSilCompletedEventArgs, a member of class mustahsilMakbuzTaslakSilCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzTaslakSilCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.4.1.44.2 mustahsilMakbuzTaslakSilCompletedEventArgs Properties

1.1.4.1.44.2.1 mustahsilMakbuzTaslakSilCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.45 mustahsilMakbuzTaslakSilResponse Class

Class Hierarchy

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilResponse

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzTaslakSilResponse;
```

File

Reference.cs (see page 721)

mustahsilMakbuzTaslakSilResponse Properties

	Name	Description
	@return (see page 529)	

1.1.4.1.45.1 mustahsilMakbuzTaslakSilResponse Properties

1.1.4.1.45.1.1 mustahsilMakbuzTaslakSilResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.46 mustahsilMakbuzTaslakSorgula Class

Class Hierarchy

`QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgula`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzTaslakSorgula;
```

File

Reference.cs (see page 721)

mustahsilMakbuzTaslakSorgula Properties

	Name	Description
	input (see page 530)	

1.1.4.1.46.1 mustahsilMakbuzTaslakSorgula Properties

1.1.4.1.46.1.1 mustahsilMakbuzTaslakSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.47 mustahsilMakbuzTaslakSorgulaCompletedEventArgs Class

Class Hierarchy

`System.ComponentModel.AsyncCompletedEventArgs` → `QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgulaCompletedEventArgs`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzTaslakSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	mustahsilMakbuzTaslakSorgulaCompletedEventArgs (see page 531)	This is mustahsilMakbuzTaslakSorgulaCompletedEventArgs, a member of class mustahsilMakbuzTaslakSorgulaCompletedEventArgs.

mustahsilMakbuzTaslakSorgulaCompletedEventArgs Properties

	Name	Description
	output (see page 531)	

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	Result (see page 531)	
--	---	--

1.1.4.1.47.1

mustahsilMakbuzTaslakSorgulaCompletedEventArgs.mustahsilMakbuzTaslakSorgulaCompletedEventArgs Constructor

C#

```
internal mustahsilMakbuzTaslakSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzTaslakSorgulaCompletedEventArgs, a member of class mustahsilMakbuzTaslakSorgulaCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzTaslakSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.47.2 mustahsilMakbuzTaslakSorgulaCompletedEventArgs Properties

1.1.4.1.47.2.1 mustahsilMakbuzTaslakSorgulaCompletedEventArgs.output Property

C#

```
public belgeDTO output;
```

1.1.4.1.47.2.2 mustahsilMakbuzTaslakSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.48 mustahsilMakbuzTaslakSorgulaResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgulaResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzTaslakSorgulaResponse;
```

File

[Reference.cs \(\[see page 721\]\(#\) \)](#)

mustahsilMakbuzTaslakSorgulaResponse Properties

	Name	Description
	@return (see page 532)	
	output (see page 532)	

1.1.4.1.48.1 mustahsilMakbuzTaslakSorgulaResponse Properties

1.1.4.1.48.1.1 mustahsilMakbuzTaslakSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.48.1.2 mustahsilMakbuzTaslakSorgulaResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belgeDTO output;
```

1.1.4.1.49 mustahsilMakbuzTaslaktanOlustur Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlustur](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class mustahsilMakbuzTaslaktanOlustur;
```

File

Reference.cs ([see page 721](#))

mustahsilMakbuzTaslaktanOlustur Properties

	Name	Description
	input (see page 532)	

1.1.4.1.49.1 mustahsilMakbuzTaslaktanOlustur Properties

1.1.4.1.49.1.1 mustahsilMakbuzTaslaktanOlustur.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.50 mustahsilMakbuzTaslaktanOlusturCompletedEventArgs Class

Class Hierarchy

[System.ComponentModel.AsyncCompletedEventArgs](#) → [QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlusturCompletedEventArgs](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class mustahsilMakbuzTaslaktanOlusturCompletedEventArgs :
```

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	mustahsilMakbuzTaslaktanOlusturCompletedEventArgs (see page 533)	This is mustahsilMakbuzTaslaktanOlusturCompletedEventArgs, a member of class mustahsilMakbuzTaslaktanOlusturCompletedEventArgs.

mustahsilMakbuzTaslaktanOlusturCompletedEventArgs Properties

	Name	Description
	@return (see page 533)	
	Result (see page 533)	

1.1.4.1.50.1**mustahsilMakbuzTaslaktanOlusturCompletedEventArgs.mustahsilMakbuzTaslaktanOlusturCompletedEventArgs****Constructor****C#**

```
internal mustahsilMakbuzTaslaktanOlusturCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is mustahsilMakbuzTaslaktanOlusturCompletedEventArgs, a member of class mustahsilMakbuzTaslaktanOlusturCompletedEventArgs.

Body Source

```
1: internal mustahsilMakbuzTaslaktanOlusturCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.4.1.50.2 mustahsilMakbuzTaslaktanOlusturCompletedEventArgs Properties**1.1.4.1.50.2.1 mustahsilMakbuzTaslaktanOlusturCompletedEventArgs.@return Property****C#**

```
public earsivServiceResult @return;
```

1.1.4.1.50.2.2 mustahsilMakbuzTaslaktanOlusturCompletedEventArgs.Result Property**C#**

```
public belge Result;
```

1.1.4.1.51 MustahsilWebService Class**Class Hierarchy**

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Web.Services.WebServiceBindingAttribute(Name="MustahsilWebServicePortBinding",
Namespace="http://service.csap.cs.com/")]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzOlustur))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(ePostaGonderResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(ePostaGonder))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsDurumSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsDurumSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumListesiDetayliSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumListesiDetayliSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzIptaliKaldirResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzIptaliKaldır))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(rapordaBelgeSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(rapordaBelgeSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumlerOlusturResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumleriOlustur))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslaktanOlustur))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(doubleStringOutputWrapper))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(ePostaDurumSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzOnizleme))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumSilResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumSil))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgeOutputWrapper))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumAl))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakOlusturResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakOlustur))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakOnizlemeResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakOnizleme))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(stringOutputWrapper))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumListesiSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(kontorBilgisiGetirResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(kontorBilgisiGetir))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsGonderResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(smsGonder))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporDurumSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporDurumSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakSilResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzTaslakSil))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzIptalEtResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzIptalEt))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumRaporNoGuncelleImzalaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumRaporNoGuncelleImzala))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporGonderResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporGonder))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumBilgisiAlResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(raporBolumBilgisiAl))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzListeSorgulaResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzListeSorgula))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(faturaDTO))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzListeSorgulaPortalResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(mustahsilMakbuzListeSorgulaPortal))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgeZipiAlResponse))]
[System.Xml.Serialization.XmlIncludeAttribute(typeof(belgeZipiAl))]
public class MustahsilWebService : System.Web.Services.Protocols.SoapHttpClientProtocol;
```

File

Reference.cs (see page 721)

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

Methods

	Name	Description
⚡	MustahsilWebService (see page 538)	

MustahsilWebService Events

	Name	Description
⚡	belgeZipiAICompleted (see page 567)	
⚡	ePostaDurumSorgulaCompleted (see page 568)	
⚡	ePostaGonderCompleted (see page 568)	
⚡	kontorBilgisiGetirCompleted (see page 568)	
⚡	mustahsilMakbuzIptalEtCompleted (see page 568)	
⚡	mustahsilMakbuzIptaliKaldirCompleted (see page 568)	
⚡	mustahsilMakbuzListeSorgulaCompleted (see page 568)	
⚡	mustahsilMakbuzListeSorgulaPortalCompleted (see page 568)	
⚡	mustahsilMakbuzOlusturCompleted (see page 568)	
⚡	mustahsilMakbuzOnizlemeCompleted (see page 568)	
⚡	mustahsilMakbuzSorgulaCompleted (see page 568)	
⚡	mustahsilMakbuzTaslakOlusturCompleted (see page 568)	
⚡	mustahsilMakbuzTaslakOnizlemeCompleted (see page 569)	
⚡	mustahsilMakbuzTaslakSilCompleted (see page 569)	
⚡	mustahsilMakbuzTaslakSorgulaCompleted (see page 569)	
⚡	mustahsilMakbuzTaslaktanOlusturCompleted (see page 569)	
⚡	raporBolumAICompleted (see page 569)	
⚡	raporBolumBilgisiAICompleted (see page 569)	
⚡	raporBolumleriOlusturCompleted (see page 569)	
⚡	raporBolumListesiDetailliSorgulaCompleted (see page 569)	
⚡	raporBolumListesiSorgulaCompleted (see page 569)	
⚡	raporBolumRaporNoGuncellelmzalaCompleted (see page 569)	
⚡	raporBolumSilCompleted (see page 569)	

	rapordaBelgeSorgulaCompleted (↗ see page 570)	
	raporDurumSorgulaCompleted (↗ see page 570)	
	raporGonderCompleted (↗ see page 570)	
	smsDurumSorgulaCompleted (↗ see page 570)	
	smsGonderCompleted (↗ see page 570)	

MustahsilWebService Methods

	Name	Description
	belgeZipiAI (↗ see page 538)	
	belgeZipiAIAsync (↗ see page 539)	
	CancelAsync (↗ see page 539)	
	ePostaDurumSorgula (↗ see page 539)	
	ePostaDurumSorgulaAsync (↗ see page 540)	
	ePostaGonder (↗ see page 540)	
	ePostaGonderAsync (↗ see page 541)	
	kontorBilgisiGetir (↗ see page 542)	
	kontorBilgisiGetirAsync (↗ see page 542)	
	mustahsilMakbuzIptalEt (↗ see page 543)	
	mustahsilMakbuzIptalEtAsync (↗ see page 543)	
	mustahsilMakbuzIptaliKaldır (↗ see page 544)	
	mustahsilMakbuzIptaliKaldırAsync (↗ see page 544)	
	mustahsilMakbuzListeSorgula (↗ see page 545)	
	mustahsilMakbuzListeSorgulaAsync (↗ see page 545)	
	mustahsilMakbuzListeSorgulaPortal (↗ see page 546)	
	mustahsilMakbuzListeSorgulaPortalAsync (↗ see page 546)	
	mustahsilMakbuzOlustur (↗ see page 547)	
	mustahsilMakbuzOlusturAsync (↗ see page 547)	
	mustahsilMakbuzOnizleme (↗ see page 548)	
	mustahsilMakbuzOnizlemeAsync (↗ see page 548)	
	mustahsilMakbuzSorgula (↗ see page 549)	
	mustahsilMakbuzSorgulaAsync (↗ see page 550)	

	mustahsilMakbuzTaslakOlustur (↗ see page 550)	
	mustahsilMakbuzTaslakOlusturAsync (↗ see page 551)	
	mustahsilMakbuzTaslakOnizleme (↗ see page 551)	
	mustahsilMakbuzTaslakOnizlemeAsync (↗ see page 552)	
	mustahsilMakbuzTaslakSil (↗ see page 552)	
	mustahsilMakbuzTaslakSilAsync (↗ see page 553)	
	mustahsilMakbuzTaslakSorgula (↗ see page 553)	
	mustahsilMakbuzTaslakSorgulaAsync (↗ see page 554)	
	mustahsilMakbuzTaslaktanOlustur (↗ see page 554)	
	mustahsilMakbuzTaslaktanOlusturAsync (↗ see page 555)	
	raporBolumAI (↗ see page 555)	
	raporBolumAIAsync (↗ see page 556)	
	raporBolumBilgisiAI (↗ see page 556)	
	raporBolumBilgisiAIAsync (↗ see page 557)	
	raporBolumleriOlustur (↗ see page 557)	
	raporBolumleriOlusturAsync (↗ see page 558)	
	raporBolumListesiDetayliSorgula (↗ see page 558)	
	raporBolumListesiDetayliSorgulaAsync (↗ see page 559)	
	raporBolumListesiSorgula (↗ see page 559)	
	raporBolumListesiSorgulaAsync (↗ see page 560)	
	raporBolumRaporNoGuncelleImzala (↗ see page 560)	
	raporBolumRaporNoGuncelleImzalaAsync (↗ see page 561)	
	raporBolumSil (↗ see page 561)	
	raporBolumSilAsync (↗ see page 562)	
	rapordaBelgeSorgula (↗ see page 562)	
	rapordaBelgeSorgulaAsync (↗ see page 563)	
	raporDurumSorgula (↗ see page 563)	
	raporDurumSorgulaAsync (↗ see page 563)	
	raporGonder (↗ see page 564)	
	raporGonderAsync (↗ see page 564)	
	smsDurumSorgula (↗ see page 565)	
	smsDurumSorgulaAsync (↗ see page 565)	

	smsGonder (see page 566)	
	smsGonderAsync (see page 567)	

MustahsilWebService Properties

	Name	Description
	Url (see page 567)	This is Url, a member of class MustahsilWebService.
	UseDefaultCredentials (see page 567)	This is UseDefaultCredentials, a member of class MustahsilWebService.

1.1.4.1.51.1 MustahsilWebService.MustahsilWebService Constructor**C#**

```
public MustahsilWebService();
```

Body Source

```
1: public MustahsilWebService() {
2:     this.Url =
global::QNBFinansGIB.Properties.Settings.Default.QNBFinansGIB_GIBEMustahsil_MustahsilWebServ
ice;
3:     if ((this.IsLocalFileSystemWebService(this.Url) == true)) {
4:         this.UseDefaultCredentials = true;
5:         this.useDefaultCredentialsSetExplicitly = false;
6:     }
7:     else {
8:         this.useDefaultCredentialsSetExplicitly = true;
9:     }
10: }
```

1.1.4.1.51.2 MustahsilWebService Methods**1.1.4.1.51.2.1 MustahsilWebService.belgeZipiAI Method****C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
belgeZipiAI([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
DataType="base64Binary", IsNullable=true)] out byte[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
belgeZipiAI([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed,
```

```

1:     object[] results = this.Invoke("belgeZipiAl", new object[] {
2:         input});
3:     output = ((byte[][])(results[1]));
4:     return ((earsivServiceResult)(results[0]));
5: }

```

1.1.4.1.51.2.2 belgeZipiAIAsync Method

1.1.4.1.51.2.2.1 MustahsilWebService.belgeZipiAIAsync Method (string)

C#

```
public void belgeZipiAIAsync(string input);
```

Body Source

```

1: public void belgeZipiAIAsync(string input) {
2:     this.belgeZipiAIAsync(input, null);
3: }

```

1.1.4.1.51.2.2.2 MustahsilWebService.belgeZipiAIAsync Method (string, object)

C#

```
public void belgeZipiAIAsync(string input, object userState);
```

Body Source

```

1: public void belgeZipiAIAsync(string input, object userState) {
2:     if ((this.belgeZipiAIOperationCompleted == null)) {
3:         this.belgeZipiAIOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnbelgeZipiAIOperationCompleted);
4:     }
5:     this.InvokeAsync("belgeZipiAl", new object[] {
6:         input}, this.belgeZipiAIOperationCompleted, userState);
7: }

```

1.1.4.1.51.2.3 MustahsilWebService.CancelAsync Method

C#

```
public new void CancelAsync(object userState);
```

Body Source

```

1: public new void CancelAsync(object userState) {
2:     base.CancelAsync(userState);
3: }

```

1.1.4.1.51.2.4 MustahsilWebService.ePostaDurumSorgula Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("outputDurum",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
ePostaDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out string outputEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return;

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("outputDurum",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
ePostaDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out string outputEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("ePostaDurumSorgula", new object[] {
5:         input});
6:     outputEposta = ((string)(results[1]));
7:     @return = ((earsivServiceResult)(results[2]));
8:     return ((string)(results[0]));
9: }

```

1.1.4.1.51.2.5 ePostaDurumSorgulaAsync Method**1.1.4.1.51.2.5.1 MustahsilWebService.ePostaDurumSorgulaAsync Method (string)****C#**

```
public void ePostaDurumSorgulaAsync(string input);
```

Body Source

```

1: public void ePostaDurumSorgulaAsync(string input) {
2:     this.ePostaDurumSorgulaAsync(input, null);
3: }

```

1.1.4.1.51.2.5.2 MustahsilWebService.ePostaDurumSorgulaAsync Method (string, object)**C#**

```
public void ePostaDurumSorgulaAsync(string input, object userState);
```

Body Source

```

1: public void ePostaDurumSorgulaAsync(string input, object userState) {
2:     if ((this.ePostaDurumSorgulaOperationCompleted == null)) {
3:         this.ePostaDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnePostaDurumSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("ePostaDurumSorgula", new object[] {
6:         input}, this.ePostaDurumSorgulaOperationCompleted, userState);
7: }

```

1.1.4.1.51.2.6 MustahsilWebService.ePostaGonder Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
ePostaGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaF

```

```

    orm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string ilaveEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
int tanimliEpostayaGonder;

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
ePostaGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string ilaveEposta,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
int tanimliEpostayaGonder) {
4:     object[] results = this.Invoke("ePostaGonder", new object[] {
5:         input,
6:         ilaveEposta,
7:         tanimliEpostayaGonder});
8:     return ((earsivServiceResult)(results[0]));
9: }

```

1.1.4.1.51.2.7 ePostaGonderAsync Method**1.1.4.1.51.2.7.1 MustahsilWebService.ePostaGonderAsync Method (string, string, int)****C#**

```
public void ePostaGonderAsync(string input, string ilaveEposta, int tanimliEpostayaGonder);
```

Body Source

```

1: public void ePostaGonderAsync(string input, string ilaveEposta, int
tanimliEpostayaGonder) {
2:     this.ePostaGonderAsync(input, ilaveEposta, tanimliEpostayaGonder, null);
3: }

```

1.1.4.1.51.2.7.2 MustahsilWebService.ePostaGonderAsync Method (string, string, int, object)**C#**

```
public void ePostaGonderAsync(string input, string ilaveEposta, int tanimliEpostayaGonder,
object userState);
```

Body Source

```

1: public void ePostaGonderAsync(string input, string ilaveEposta, int
tanimliEpostayaGonder, object userState) {
2:     if ((this.ePostaGonderOperationCompleted == null)) {
3:         this.ePostaGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnePostaGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("ePostaGonder", new object[] {
6:         input,
7:         ilaveEposta,
8:         tanimliEpostayaGonder}, this.ePostaGonderOperationCompleted, userState);
9: }

```

1.1.4.1.51.2.8 MustahsilWebService.kontorBilgisiGetir Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
kontorBilgisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string kontorTipi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string kontorBirim);

```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
kontorBilgisiGetir([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string vknTckn,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string kontorTipi,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string kontorBirim);
4:     object[] results = this.Invoke("kontorBilgisiGetir", new object[] {
5:         vknTckn,
6:         kontorTipi,
7:         kontorBirim});
8:     return ((earsivServiceResult)(results[0]));
9: }
```

1.1.4.1.51.2.9 kontorBilgisiGetirAsync Method

1.1.4.1.51.2.9.1 MustahsilWebService.kontorBilgisiGetirAsync Method (string, string, string)

C#

```
public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string kontorBirim);
```

Body Source

```
1: public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string
kontorBirim) {
2:     this.kontorBilgisiGetirAsync(vknTckn, kontorTipi, kontorBirim, null);
3: }
```

1.1.4.1.51.2.9.2 MustahsilWebService.kontorBilgisiGetirAsync Method (string, string, string, object)

C#

```
public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string kontorBirim,
object userState);
```

Body Source

```

1: public void kontorBilgisiGetirAsync(string vknTckn, string kontorTipi, string
kontorBirim, object userState) {
2:     if ((this.kontorBilgisiGetirOperationCompleted == null)) {
3:         this.kontorBilgisiGetirOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnkontorBilgisiGetirOperationCompleted);
4:     }
5:     this.InvokeAsync("kontorBilgisiGetir", new object[] {
6:         vknTckn,
7:         kontorTipi,
8:         kontorBirim}, this.kontorBilgisiGetirOperationCompleted, userState);
9: }
```

1.1.4.1.51.2.10 MustahsilWebService.mustahsilMakbuzIptalEt Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzIptalEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string input);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
mustahsilMakbuzIptalEt([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.
XmlSchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("mustahsilMakbuzIptalEt", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.4.1.51.2.11 mustahsilMakbuzIptalEtAsync Method**1.1.4.1.51.2.11.1 MustahsilWebService.mustahsilMakbuzIptalEtAsync Method (string)****C#**

```
public void mustahsilMakbuzIptalEtAsync(string input);
```

Body Source

```

1: public void mustahsilMakbuzIptalEtAsync(string input) {
2:     this.mustahsilMakbuzIptalEtAsync(input, null);
3: }
```

1.1.4.1.51.2.11.2 MustahsilWebService.mustahsilMakbuzIptalEtAsync Method (string, object)**C#**

```
public void mustahsilMakbuzIptalEtAsync(string input, object userState);
```

Body Source

```
1: public void mustahsilMakbuzIptalEtAsync(string input, object userState) {
```

```

2:     if (((this.mustahsilMakbuzIptalEtOperationCompleted == null)) {
3:         this.mustahsilMakbuzIptalEtOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzIptalEtOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzIptalEt", new object[] {
6:         input}, this.mustahsilMakbuzIptalEtOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.12 MustahsilWebService.mustahsilMakbuzIptaliKaldır Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzIptaliKaldır([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string input);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
mustahsilMakbuzIptaliKaldır([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("mustahsilMakbuzIptaliKaldır", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.4.1.51.2.13 mustahsilMakbuzIptaliKaldırAsync Method

1.1.4.1.51.2.13.1 MustahsilWebService.mustahsilMakbuzIptaliKaldırAsync Method (string)

C#

```
public void mustahsilMakbuzIptaliKaldırAsync(string input);
```

Body Source

```

1: public void mustahsilMakbuzIptaliKaldırAsync(string input) {
2:     this.mustahsilMakbuzIptaliKaldırAsync(input, null);
3: }
```

1.1.4.1.51.2.13.2 MustahsilWebService.mustahsilMakbuzIptaliKaldırAsync Method (string, object)

C#

```
public void mustahsilMakbuzIptaliKaldırAsync(string input, object userState);
```

Body Source

```

1: public void mustahsilMakbuzIptaliKaldırAsync(string input, object userState) {
2:     if (((this.mustahsilMakbuzIptaliKaldırOperationCompleted == null)) {
3:         this.mustahsilMakbuzIptaliKaldırOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzIptaliKaldırOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzIptaliKaldır", new object[] {
6:         input}, this.mustahsilMakbuzIptaliKaldırOperationCompleted, userState);
```

```
7: }
```

1.1.4.1.51.2.14 MustahsilWebService.mustahsilMakbuzListeSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzListeSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out belgeDTO[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
mustahsilMakbuzListeSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Sc
hema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out belgeDTO[] output) {
4:     object[] results = this.Invoke("mustahsilMakbuzListeSorgula", new object[] {
5:         input});
6:     output = ((belgeDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.4.1.51.2.15 mustahsilMakbuzListeSorgulaAsync Method

1.1.4.1.51.2.15.1 MustahsilWebService.mustahsilMakbuzListeSorgulaAsync Method (string)

C#

```
public void mustahsilMakbuzListeSorgulaAsync(string input);
```

Body Source

```
1: public void mustahsilMakbuzListeSorgulaAsync(string input) {
2:     this.mustahsilMakbuzListeSorgulaAsync(input, null);
3: }
```

1.1.4.1.51.2.15.2 MustahsilWebService.mustahsilMakbuzListeSorgulaAsync Method (string, object)

C#

```
public void mustahsilMakbuzListeSorgulaAsync(string input, object userState);
```

Body Source

```
1: public void mustahsilMakbuzListeSorgulaAsync(string input, object userState) {
2:     if ((this.mustahsilMakbuzListeSorgulaOperationCompleted == null)) {
3:         this.mustahsilMakbuzListeSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzListeSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzListeSorgula", new object[] {
6:         input}, this.mustahsilMakbuzListeSorgulaOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.16 MustahsilWebService.mustahsilMakbuzListeSorgulaPortal Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzListeSorgulaPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.
Xml.Schema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out belgeDTO[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
mustahsilMakbuzListeSorgulaPortal([System.Xml.Serialization.XmlElementAttribute(Form=System.
Xml.Schema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out belgeDTO[] output) {
4:     object[] results = this.Invoke("mustahsilMakbuzListeSorgulaPortal", new object[] {
5:         input});
6:     output = ((belgeDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.4.1.51.2.17 mustahsilMakbuzListeSorgulaPortalAsync Method

1.1.4.1.51.2.17.1 MustahsilWebService.mustahsilMakbuzListeSorgulaPortalAsync Method (string)

C#

```
public void mustahsilMakbuzListeSorgulaPortalAsync(string input);
```

Body Source

```
1: public void mustahsilMakbuzListeSorgulaPortalAsync(string input) {
2:     this.mustahsilMakbuzListeSorgulaPortalAsync(input, null);
3: }
```

1.1.4.1.51.2.17.2 MustahsilWebService.mustahsilMakbuzListeSorgulaPortalAsync Method (string, object)

C#

```
public void mustahsilMakbuzListeSorgulaPortalAsync(string input, object userState);
```

Body Source

```
1: public void mustahsilMakbuzListeSorgulaPortalAsync(string input, object userState) {
2:     if ((this.mustahsilMakbuzListeSorgulaPortalOperationCompleted == null)) {
3:         this.mustahsilMakbuzListeSorgulaPortalOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzListeSorgulaPortalOperationComplet
ed);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzListeSorgulaPortal", new object[] {
6:         input}, this.mustahsilMakbuzListeSorgulaPortalOperationCompleted,
userState);
7: }
```

1.1.4.1.51.2.18 MustahsilWebService.mustahsilMakbuzOlustur Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
mustahsilMakbuzOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
belge belge,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
mustahsilMakbuzOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
belge belge,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("mustahsilMakbuzOlustur", new object[] {
5:         input,
6:         belge});
7:     @return = ((earsivServiceResult)(results[1]));
8:     return ((belge)(results[0]));
9: }
```

1.1.4.1.51.2.19 mustahsilMakbuzOlusturAsync Method

1.1.4.1.51.2.19.1 MustahsilWebService.mustahsilMakbuzOlusturAsync Method (string, belge)

C#

```
public void mustahsilMakbuzOlusturAsync(string input, belge belge);
```

Body Source

```
1: public void mustahsilMakbuzOlusturAsync(string input, belge belge) {
2:     this.mustahsilMakbuzOlusturAsync(input, belge, null);
3: }
```

1.1.4.1.51.2.19.2 MustahsilWebService.mustahsilMakbuzOlusturAsync Method (string, belge, object)

C#

```
public void mustahsilMakbuzOlusturAsync(string input, belge belge, object userState);
```

Body Source

```

1: public void mustahsilMakbuzOlusturAsync(string input, belge belge, object userState) {
2:     if ((this.mustahsilMakbuzOlusturOperationCompleted == null)) {
3:         this.mustahsilMakbuzOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzOlusturOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzOlustur", new object[] {
6:         input,
7:         belge}, this.mustahsilMakbuzOlusturOperationCompleted, userState);
8: }
```

1.1.4.1.51.2.20 MustahsilWebService.mustahsilMakbuzOnizleme Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
mustahsilMakbuzOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
belge belge,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
mustahsilMakbuzOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
belge belge,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("mustahsilMakbuzOnizleme", new object[] {
5:         input,
6:         belge});
7:     @return = ((earsivServiceResult)(results[1]));
8:     return ((belge)(results[0]));
9: }
```

1.1.4.1.51.2.21 mustahsilMakbuzOnizlemeAsync Method**1.1.4.1.51.2.21.1 MustahsilWebService.mustahsilMakbuzOnizlemeAsync Method (string, belge)****C#**

```
public void mustahsilMakbuzOnizlemeAsync(string input, belge belge);
```

Body Source

```

1: public void mustahsilMakbuzOnizlemeAsync(string input, belge belge) {
2:     this.mustahsilMakbuzOnizlemeAsync(input, belge, null);
3: }

```

1.1.4.1.51.2.21.2 MustahsilWebService.mustahsilMakbuzOnizlemeAsync Method (string, belge, object)**C#**

```
public void mustahsilMakbuzOnizlemeAsync(string input, belge belge, object userState);
```

Body Source

```

1: public void mustahsilMakbuzOnizlemeAsync(string input, belge belge, object userState) {
2:     if ((this.mustahsilMakbuzOnizlemeOperationCompleted == null)) {
3:         this.mustahsilMakbuzOnizlemeOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzOnizlemeOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzOnizleme", new object[] {
6:         input,
7:         belge}, this.mustahsilMakbuzOnizlemeOperationCompleted, userState);
8: }

```

1.1.4.1.51.2.22 MustahsilWebService.mustahsilMakbuzSorgula Method**C#**

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
@return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)
public belge
mustahsilMakbuzSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [@return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
mustahsilMakbuzSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("mustahsilMakbuzSorgula", new object[] {
5:         input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }

```

1.1.4.1.51.2.23 mustahsilMakbuzSorgulaAsync Method

1.1.4.1.51.2.23.1 MustahsilWebService.mustahsilMakbuzSorgulaAsync Method (string)

C#

```
public void mustahsilMakbuzSorgulaAsync(string input);
```

Body Source

```
1: public void mustahsilMakbuzSorgulaAsync(string input) {
2:     this.mustahsilMakbuzSorgulaAsync(input, null);
3: }
```

1.1.4.1.51.2.23.2 MustahsilWebService.mustahsilMakbuzSorgulaAsync Method (string, object)

C#

```
public void mustahsilMakbuzSorgulaAsync(string input, object userState);
```

Body Source

```
1: public void mustahsilMakbuzSorgulaAsync(string input, object userState) {
2:     if ((this.mustahsilMakbuzSorgulaOperationCompleted == null)) {
3:         this.mustahsilMakbuzSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzSorgula", new object[] {
6:         input}, this.mustahsilMakbuzSorgulaOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.24 MustahsilWebService.mustahsilMakbuzTaslakOlustur Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzTaslakOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.S
chema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge belge);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
mustahsilMakbuzTaslakOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.S
chema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
belge belge) {
4:     object[] results = this.Invoke("mustahsilMakbuzTaslakOlustur", new object[] {
5:         input,
6:         belge});
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.4.1.51.2.25 mustahsilMakbuzTaslakOlusturAsync Method

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

1.1.4.1.51.2.25.1 MustahsilWebService.mustahsilMakbuzTaslakOlusturAsync Method (string, belge)

C#

```
public void mustahsilMakbuzTaslakOlusturAsync(string input, belge belge);
```

Body Source

```
1: public void mustahsilMakbuzTaslakOlusturAsync(string input, belge belge) {
2:     this.mustahsilMakbuzTaslakOlusturAsync(input, belge, null);
3: }
```

1.1.4.1.51.2.25.2 MustahsilWebService.mustahsilMakbuzTaslakOlusturAsync Method (string, belge, object)

C#

```
public void mustahsilMakbuzTaslakOlusturAsync(string input, belge belge, object userState);
```

Body Source

```
1: public void mustahsilMakbuzTaslakOlusturAsync(string input, belge belge, object
userState) {
2:     if ((this.mustahsilMakbuzTaslakOlusturOperationCompleted == null)) {
3:         this.mustahsilMakbuzTaslakOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzTaslakOlusturOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzTaslakOlustur", new object[] {
6:         input,
7:         belge}, this.mustahsilMakbuzTaslakOlusturOperationCompleted, userState);
8: }
```

1.1.4.1.51.2.26 MustahsilWebService.mustahsilMakbuzTaslakOnizleme Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzTaslakOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out belge output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
mustahsilMakbuzTaslakOnizleme([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.
Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out belge output) {
4:     object[] results = this.Invoke("mustahsilMakbuzTaslakOnizleme", new object[] {
5:         input});
6:     output = ((belge)(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.4.1.51.2.27 mustahsilMakbuzTaslakOnizlemeAsync Method

1.1.4.1.51.2.27.1 MustahsilWebService.mustahsilMakbuzTaslakOnizlemeAsync Method (string)

C#

```
public void mustahsilMakbuzTaslakOnizlemeAsync(string input);
```

Body Source

```
1: public void mustahsilMakbuzTaslakOnizlemeAsync(string input) {
2:     this.mustahsilMakbuzTaslakOnizlemeAsync(input, null);
3: }
```

1.1.4.1.51.2.27.2 MustahsilWebService.mustahsilMakbuzTaslakOnizlemeAsync Method (string, object)

C#

```
public void mustahsilMakbuzTaslakOnizlemeAsync(string input, object userState);
```

Body Source

```
1: public void mustahsilMakbuzTaslakOnizlemeAsync(string input, object userState) {
2:     if ((this.mustahsilMakbuzTaslakOnizlemeOperationCompleted == null)) {
3:         this.mustahsilMakbuzTaslakOnizlemeOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzTaslakOnizlemeOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzTaslakOnizleme", new object[] {
6:         input}, this.mustahsilMakbuzTaslakOnizlemeOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.28 MustahsilWebService.mustahsilMakbuzTaslakSil Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzTaslakSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
mustahsilMakbuzTaslakSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("mustahsilMakbuzTaslakSil", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.4.1.51.2.29 mustahsilMakbuzTaslakSilAsync Method

1.1.4.1.51.2.29.1 MustahsilWebService.mustahsilMakbuzTaslakSilAsync Method (string)

C#

```
public void mustahsilMakbuzTaslakSilAsync(string input);
```

Body Source

```
1: public void mustahsilMakbuzTaslakSilAsync(string input) {
2:     this.mustahsilMakbuzTaslakSilAsync(input, null);
3: }
```

1.1.4.1.51.2.29.2 MustahsilWebService.mustahsilMakbuzTaslakSilAsync Method (string, object)

C#

```
public void mustahsilMakbuzTaslakSilAsync(string input, object userState);
```

Body Source

```
1: public void mustahsilMakbuzTaslakSilAsync(string input, object userState) {
2:     if ((this.mustahsilMakbuzTaslakSilOperationCompleted == null)) {
3:         this.mustahsilMakbuzTaslakSilOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzTaslakSilOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzTaslakSil", new object[] {
6:         input}, this.mustahsilMakbuzTaslakSilOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.30 MustahsilWebService.mustahsilMakbuzTaslakSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
mustahsilMakbuzTaslakSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.S
chema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out belgeDTO[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
mustahsilMakbuzTaslakSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.S
chema.XmlSchemaForm.Unqualified)]
string input, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out belgeDTO[] output) {
4:     object[] results = this.Invoke("mustahsilMakbuzTaslakSorgula", new object[] {
5:         input});
6:     output = ((belgeDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.4.1.51.2.31 mustahsilMakbuzTaslakSorgulaAsync Method

1.1.4.1.51.2.31.1 MustahsilWebService.mustahsilMakbuzTaslakSorgulaAsync Method (string)

C#

```
public void mustahsilMakbuzTaslakSorgulaAsync(string input);
```

Body Source

```
1: public void mustahsilMakbuzTaslakSorgulaAsync(string input) {
2:     this.mustahsilMakbuzTaslakSorgulaAsync(input, null);
3: }
```

1.1.4.1.51.2.31.2 MustahsilWebService.mustahsilMakbuzTaslakSorgulaAsync Method (string, object)

C#

```
public void mustahsilMakbuzTaslakSorgulaAsync(string input, object userState);
```

Body Source

```
1: public void mustahsilMakbuzTaslakSorgulaAsync(string input, object userState) {
2:     if ((this.mustahsilMakbuzTaslakSorgulaOperationCompleted == null)) {
3:         this.mustahsilMakbuzTaslakSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzTaslakSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzTaslakSorgula", new object[] {
6:         input}, this.mustahsilMakbuzTaslakSorgulaOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.32 MustahsilWebService.mustahsilMakbuzTaslaktanOlustur Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
mustahsilMakbuzTaslaktanOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return;
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
mustahsilMakbuzTaslaktanOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("mustahsilMakbuzTaslaktanOlustur", new object[] {
5:         input});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }
```

1.1.4.1.51.2.33 mustahsilMakbuzTaslaktanOlusturAsync Method

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

1.1.4.1.51.2.33.1 MustahsilWebService.mustahsilMakbuzTaslaktanOlusturAsync Method (string)

C#

```
public void mustahsilMakbuzTaslaktanOlusturAsync(string input);
```

Body Source

```
1: public void mustahsilMakbuzTaslaktanOlusturAsync(string input) {
2:     this.mustahsilMakbuzTaslaktanOlusturAsync(input, null);
3: }
```

1.1.4.1.51.2.33.2 MustahsilWebService.mustahsilMakbuzTaslaktanOlusturAsync Method (string, object)

C#

```
public void mustahsilMakbuzTaslaktanOlusturAsync(string input, object userState);
```

Body Source

```
1: public void mustahsilMakbuzTaslaktanOlusturAsync(string input, object userState) {
2:     if ((this.mustahsilMakbuzTaslaktanOlusturOperationCompleted == null)) {
3:         this.mustahsilMakbuzTaslaktanOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnmustahsilMakbuzTaslaktanOlusturOperationCompleted
);
4:     }
5:     this.InvokeAsync("mustahsilMakbuzTaslaktanOlustur", new object[] {
6:         input}, this.mustahsilMakbuzTaslaktanOlusturOperationCompleted,
userState);
7: }
```

1.1.4.1.51.2.34 MustahsilWebService.raporBolumAl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public belge
raporBolumAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaF
orm.Unqualified)]
string bolumRaporNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public belge
raporBolumAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaF
orm.Unqualified)]
string bolumRaporNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("raporBolumAl", new object[] {
5:         bolumRaporNo});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((belge)(results[0]));
8: }
```

1.1.4.1.51.2.35 raporBolumAlAsync Method

1.1.4.1.51.2.35.1 MustahsilWebService.raporBolumAlAsync Method (string)

C#

```
public void raporBolumAlAsync(string bolumRaporNo);
```

Body Source

```
1: public void raporBolumAlAsync(string bolumRaporNo) {
2:     this.raporBolumAlAsync(bolumRaporNo, null);
3: }
```

1.1.4.1.51.2.35.2 MustahsilWebService.raporBolumAlAsync Method (string, object)

C#

```
public void raporBolumAlAsync(string bolumRaporNo, object userState);
```

Body Source

```
1: public void raporBolumAlAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumAlOperationCompleted == null)) {
3:         this.raporBolumAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumAlOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumAl", new object[] {
6:         bolumRaporNo}, this.raporBolumAlOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.36 MustahsilWebService.raporBolumBilgisiAl Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumBilgisiAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string bolumRaporNo);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumBilgisiAl([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string bolumRaporNo) {
4:     object[] results = this.Invoke("raporBolumBilgisiAl", new object[] {
5:         bolumRaporNo});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.4.1.51.2.37 raporBolumBilgisiAlAsync Method

1.1.4.1.51.2.37.1 MustahsilWebService.raporBolumBilgisiAlAsync Method (string)

C#

```
public void raporBolumBilgisiAlAsync(string bolumRaporNo);
```

Body Source

```
1: public void raporBolumBilgisiAlAsync(string bolumRaporNo) {
2:     this.raporBolumBilgisiAlAsync(bolumRaporNo, null);
3: }
```

1.1.4.1.51.2.37.2 MustahsilWebService.raporBolumBilgisiAlAsync Method (string, object)

C#

```
public void raporBolumBilgisiAlAsync(string bolumRaporNo, object userState);
```

Body Source

```
1: public void raporBolumBilgisiAlAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumBilgisiAlOperationCompleted == null)) {
3:         this.raporBolumBilgisiAlOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumBilgisiAlOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumBilgisiAl", new object[] {
6:         bolumRaporNo}, this.raporBolumBilgisiAlOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.38 MustahsilWebService.raporBolumleriOlustur Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumleriOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string sonGun);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumleriOlustur([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.X
mlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string sonGun) {
4:     object[] results = this.Invoke("raporBolumleriOlustur", new object[] {
```

```

5:             input,
6:             donem,
7:             sonGun});
8:     return ((earsivServiceResult)(results[0]));
9: }

```

1.1.4.1.51.2.39 raporBolumleriOlusturAsync Method

1.1.4.1.51.2.39.1 MustahsilWebService.raporBolumleriOlusturAsync Method (string, string, string)

C#

```
public void raporBolumleriOlusturAsync(string input, string donem, string sonGun);
```

Body Source

```

1: public void raporBolumleriOlusturAsync(string input, string donem, string sonGun) {
2:     this.raporBolumleriOlusturAsync(input, donem, sonGun, null);
3: }

```

1.1.4.1.51.2.39.2 MustahsilWebService.raporBolumleriOlusturAsync Method (string, string, string, object)

C#

```
public void raporBolumleriOlusturAsync(string input, string donem, string sonGun, object
userState);
```

Body Source

```

1: public void raporBolumleriOlusturAsync(string input, string donem, string sonGun, object
userState) {
2:     if ((this.raporBolumleriOlusturOperationCompleted == null)) {
3:         this.raporBolumleriOlusturOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumleriOlusturOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumleriOlustur", new object[] {
6:         input,
7:         donem,
8:         sonGun}, this.raporBolumleriOlusturOperationCompleted, userState);
9: }

```

1.1.4.1.51.2.40 MustahsilWebService.raporBolumListesiDetayliSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumListesiDetayliSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string donem, [System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out raporBolumDTO[] output);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumListesiDetayliSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xm
l.Schema.XmlSchemaForm.Unqualified)]
string donem, [System.Xml.Serialization.XmlElementAttribute("output",

```

```

Form=System.Xml.Schema.XmlSchemaForm.Unqualified)] out raporBolumDTO[] output) {
4:     object[] results = this.Invoke("raporBolumListesiDetayliSorgula", new object[] {
5:         donem});
6:     output = ((raporBolumDTO[])(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }

```

1.1.4.1.51.2.41 raporBolumListesiDetayliSorgulaAsync Method

1.1.4.1.51.2.41.1 MustahsilWebService.raporBolumListesiDetayliSorgulaAsync Method (string)

C#

```
public void raporBolumListesiDetayliSorgulaAsync(string donem);
```

Body Source

```

1: public void raporBolumListesiDetayliSorgulaAsync(string donem) {
2:     this.raporBolumListesiDetayliSorgulaAsync(donem, null);
3: }

```

1.1.4.1.51.2.41.2 MustahsilWebService.raporBolumListesiDetayliSorgulaAsync Method (string, object)

C#

```
public void raporBolumListesiDetayliSorgulaAsync(string donem, object userState);
```

Body Source

```

1: public void raporBolumListesiDetayliSorgulaAsync(string donem, object userState) {
2:     if ((this.raporBolumListesiDetayliSorgulaOperationCompleted == null)) {
3:         this.raporBolumListesiDetayliSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumListesiDetayliSorgulaOperationCompleted
);
4:     }
5:     this.InvokeAsync("raporBolumListesiDetayliSorgula", new object[] {
6:         donem}, this.raporBolumListesiDetayliSorgulaOperationCompleted,
userState);
7: }

```

1.1.4.1.51.2.42 MustahsilWebService.raporBolumListesiSorgula Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string
raporBolumListesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])
string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return;

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public string
raporBolumListesiSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)])

```

```

string donem,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out earsivServiceResult @return) {
4:     object[] results = this.Invoke("raporBolumListesiSorgula", new object[] {
5:         donem});
6:     @return = ((earsivServiceResult)(results[1]));
7:     return ((string)(results[0]));
8: }

```

1.1.4.1.51.2.43 raporBolumListesiSorgulaAsync Method

1.1.4.1.51.2.43.1 MustahsilWebService.raporBolumListesiSorgulaAsync Method (string)

C#

```
public void raporBolumListesiSorgulaAsync(string donem);
```

Body Source

```

1: public void raporBolumListesiSorgulaAsync(string donem) {
2:     this.raporBolumListesiSorgulaAsync(donem, null);
3: }

```

1.1.4.1.51.2.43.2 MustahsilWebService.raporBolumListesiSorgulaAsync Method (string, object)

C#

```
public void raporBolumListesiSorgulaAsync(string donem, object userState);
```

Body Source

```

1: public void raporBolumListesiSorgulaAsync(string donem, object userState) {
2:     if ((this.raporBolumListesiSorgulaOperationCompleted == null)) {
3:         this.raporBolumListesiSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumListesiSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumListesiSorgula", new object[] {
6:         donem}, this.raporBolumListesiSorgulaOperationCompleted, userState);
7: }

```

1.1.4.1.51.2.44 MustahsilWebService.raporBolumRaporNoGuncelleImzala Method

C#

```

[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumRaporNoGuncelleImzala([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string bolumRaporNo);

```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumRaporNoGuncelleImzala([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string bolumRaporNo) {
4:     object[] results = this.Invoke("raporBolumRaporNoGuncelleImzala", new object[] {

```

```

5:             bolumRaporNo});
6:         return ((earsivServiceResult)(results[0]));
7:     }

```

1.1.4.1.51.2.45 raporBolumRaporNoGuncelleImzalaAsync Method

1.1.4.1.51.2.45.1 MustahsilWebService.raporBolumRaporNoGuncelleImzalaAsync Method (string)

C#

```
public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo);
```

Body Source

```

1: public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo) {
2:     this.raporBolumRaporNoGuncelleImzalaAsync(bolumRaporNo, null);
3: }

```

1.1.4.1.51.2.45.2 MustahsilWebService.raporBolumRaporNoGuncelleImzalaAsync Method (string, object)

C#

```
public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo, object userState);
```

Body Source

```

1: public void raporBolumRaporNoGuncelleImzalaAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumRaporNoGuncelleImzalaOperationCompleted == null)) {
3:         this.raporBolumRaporNoGuncelleImzalaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumRaporNoGuncelleImzalaOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumRaporNoGuncelleImzala", new object[] {
6:         bolumRaporNo}, this.raporBolumRaporNoGuncelleImzalaOperationCompleted,
userState);
7: }

```

1.1.4.1.51.2.46 MustahsilWebService.raporBolumSil Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporBolumSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string bolumRaporNo);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporBolumSil([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchema
Form.Unqualified)]
string bolumRaporNo) {
4:     object[] results = this.Invoke("raporBolumSil", new object[] {
5:         bolumRaporNo});
6:     return ((earsivServiceResult)(results[0]));
7: }

```

1.1.4.1.51.2.47 raporBolumSilAsync Method

1.1.4.1.51.2.47.1 MustahsilWebService.raporBolumSilAsync Method (string)

C#

```
public void raporBolumSilAsync(string bolumRaporNo);
```

Body Source

```
1: public void raporBolumSilAsync(string bolumRaporNo) {
2:     this.raporBolumSilAsync(bolumRaporNo, null);
3: }
```

1.1.4.1.51.2.47.2 MustahsilWebService.raporBolumSilAsync Method (string, object)

C#

```
public void raporBolumSilAsync(string bolumRaporNo, object userState);
```

Body Source

```
1: public void raporBolumSilAsync(string bolumRaporNo, object userState) {
2:     if ((this.raporBolumSilOperationCompleted == null)) {
3:         this.raporBolumSilOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporBolumSilOperationCompleted);
4:     }
5:     this.InvokeAsync("raporBolumSil", new object[] {
6:         bolumRaporNo}, this.raporBolumSilOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.48 MustahsilWebService.rapordaBelgeSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
rapordaBelgeSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string input);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
rapordaBelgeSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.Xml
SchemaForm.Unqualified)]
string input) {
4:     object[] results = this.Invoke("rapordaBelgeSorgula", new object[] {
5:         input});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.4.1.51.2.49 rapordaBelgeSorgulaAsync Method

1.1.4.1.51.2.49.1 MustahsilWebService.rapordaBelgeSorgulaAsync Method (string)

C#

```
public void rapordaBelgeSorgulaAsync(string input);
```

Body Source

```
1: public void rapordaBelgeSorgulaAsync(string input) {
2:     this.rapordaBelgeSorgulaAsync(input, null);
3: }
```

1.1.4.1.51.2.49.2 MustahsilWebService.rapordaBelgeSorgulaAsync Method (string, object)

C#

```
public void rapordaBelgeSorgulaAsync(string input, object userState);
```

Body Source

```
1: public void rapordaBelgeSorgulaAsync(string input, object userState) {
2:     if ((this.rapordaBelgeSorgulaOperationCompleted == null)) {
3:         this.rapordaBelgeSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnrapordaBelgeSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("rapordaBelgeSorgula", new object[] {
6:         input}, this.rapordaBelgeSorgulaOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.50 MustahsilWebService.raporDurumSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSc
hemaForm.Unqualified)]
string donem);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSc
hemaForm.Unqualified)]
string donem) {
4:     object[] results = this.Invoke("raporDurumSorgula", new object[] {
5:         donem});
6:     return ((earsivServiceResult)(results[0]));
7: }
```

1.1.4.1.51.2.51 raporDurumSorgulaAsync Method

1.1.4.1.51.2.51.1 MustahsilWebService.raporDurumSorgulaAsync Method (string)

C#

```
public void raporDurumSorgulaAsync(string donem);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

Body Source

```

1: public void raporDurumSorgulaAsync(string donem) {
2:     this.raporDurumSorgulaAsync(donem, null);
3: }

```

1.1.4.1.51.2.51.2 MustahsilWebService.raporDurumSorgulaAsync Method (string, object)**C#**

```
public void raporDurumSorgulaAsync(string donem, object userState);
```

Body Source

```

1: public void raporDurumSorgulaAsync(string donem, object userState) {
2:     if ((this.raporDurumSorgulaOperationCompleted == null)) {
3:         this.raporDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporDurumSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("raporDurumSorgula", new object[] {
6:         donem}, this.raporDurumSorgulaOperationCompleted, userState);
7: }

```

1.1.4.1.51.2.52 MustahsilWebService.raporGonder Method**C#**

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
raporGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
string donem);
```

Body Source

```

1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
raporGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaFo
rm.Unqualified)]
string donem) {
4:     object[] results = this.Invoke("raporGonder", new object[] {
5:         donem});
6:     return ((earsivServiceResult)(results[0]));
7: }

```

1.1.4.1.51.2.53 raporGonderAsync Method**1.1.4.1.51.2.53.1 MustahsilWebService.raporGonderAsync Method (string)****C#**

```
public void raporGonderAsync(string donem);
```

Body Source

```

1: public void raporGonderAsync(string donem) {
2:     this.raporGonderAsync(donem, null);
3: }

```

1.1.4.1.51.2.53.2 MustahsilWebService.raporGonderAsync Method (string, object)

C#

```
public void raporGonderAsync(string donem, object userState);
```

Body Source

```
1: public void raporGonderAsync(string donem, object userState) {
2:     if ((this.raporGonderOperationCompleted == null)) {
3:         this.raporGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnraporGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("raporGonder", new object[] {
6:         donem}, this.raporGonderOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.54 MustahsilWebService.smsDurumSorgula Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
smsDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out string outputDurum);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
smsDurumSorgula([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
out string outputDurum) {
4:     object[] results = this.Invoke("smsDurumSorgula", new object[] {
5:         input});
6:     outputDurum = ((string)(results[1]));
7:     return ((earsivServiceResult)(results[0]));
8: }
```

1.1.4.1.51.2.55 smsDurumSorgulaAsync Method

1.1.4.1.51.2.55.1 MustahsilWebService.smsDurumSorgulaAsync Method (string)

C#

```
public void smsDurumSorgulaAsync(string input);
```

Body Source

```
1: public void smsDurumSorgulaAsync(string input) {
2:     this.smsDurumSorgulaAsync(input, null);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```
3: }
```

1.1.4.1.51.2.55.2 MustahsilWebService.smsDurumSorgulaAsync Method (string, object)

C#

```
public void smsDurumSorgulaAsync(string input, object userState);
```

Body Source

```
1: public void smsDurumSorgulaAsync(string input, object userState) {
2:     if ((this.smsDurumSorgulaOperationCompleted == null)) {
3:         this.smsDurumSorgulaOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnsmsDurumSorgulaOperationCompleted);
4:     }
5:     this.InvokeAsync("smsDurumSorgula", new object[] {
6:         input}, this.smsDurumSorgulaOperationCompleted, userState);
7: }
```

1.1.4.1.51.2.56 MustahsilWebService.smsGonder Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
[return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult
smsGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm
.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ilaveTelefonNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
int tanimliTelefonNoyaGonder);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.earsiv.uut.cs.com.tr/",
ResponseNamespace="http://service.earsiv.uut.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: [return: System.Xml.Serialization.XmlElementAttribute("return",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
3: public earsivServiceResult
smsGonder([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm
.Unqualified)]
string input,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
string ilaveTelefonNo,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualifi
ed)]
int tanimliTelefonNoyaGonder) {
4:     object[] results = this.Invoke("smsGonder", new object[] {
5:         input,
6:         ilaveTelefonNo,
7:         tanimliTelefonNoyaGonder});
8:     return ((earsivServiceResult)(results[0]));
9: }
```

1.1.4.1.51.2.57 smsGonderAsync Method

1.1.4.1.51.2.57.1 MustahsilWebService.smsGonderAsync Method (string, string, int)

C#

```
public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder);
```

Body Source

```
1: public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder) {
2:     this.smsGonderAsync(input, ilaveTelefonNo, tanimliTelefonNoyaGonder, null);
3: }
```

1.1.4.1.51.2.57.2 MustahsilWebService.smsGonderAsync Method (string, string, int, object)

C#

```
public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder, object userState);
```

Body Source

```
1: public void smsGonderAsync(string input, string ilaveTelefonNo, int
tanimliTelefonNoyaGonder, object userState) {
2:     if ((this.smsGonderOperationCompleted == null)) {
3:         this.smsGonderOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnsmsGonderOperationCompleted);
4:     }
5:     this.InvokeAsync("smsGonder", new object[] {
6:         input,
7:         ilaveTelefonNo,
8:         tanimliTelefonNoyaGonder}, this.smsGonderOperationCompleted, userState);
9: }
```

1.1.4.1.51.3 MustahsilWebService Properties

1.1.4.1.51.3.1 MustahsilWebService.Url Property

C#

```
public new string Url;
```

Description

This is Url, a member of class MustahsilWebService.

1.1.4.1.51.3.2 MustahsilWebService.UseDefaultCredentials Property

C#

```
public new bool UseDefaultCredentials;
```

Description

This is UseDefaultCredentials, a member of class MustahsilWebService.

1.1.4.1.51.4 MustahsilWebService Events

1.1.4.1.51.4.1 MustahsilWebService.belgeZipiAlCompleted Event

C#

```
public event belgeZipiAlCompletedEventHandler belgeZipiAlCompleted;
```

1.1.4.1.51.4.2 MustahsilWebService.ePostaDurumSorgulaCompleted Event**C#**

```
public event ePostaDurumSorgulaCompletedEventHandler ePostaDurumSorgulaCompleted;
```

1.1.4.1.51.4.3 MustahsilWebService.ePostaGonderCompleted Event**C#**

```
public event ePostaGonderCompletedEventHandler ePostaGonderCompleted;
```

1.1.4.1.51.4.4 MustahsilWebService.kontorBilgisiGetirCompleted Event**C#**

```
public event kontorBilgisiGetirCompletedEventHandler kontorBilgisiGetirCompleted;
```

1.1.4.1.51.4.5 MustahsilWebService.mustahsilMakbuzIptalEtCompleted Event**C#**

```
public event mustahsilMakbuzIptalEtCompletedEventHandler mustahsilMakbuzIptalEtCompleted;
```

1.1.4.1.51.4.6 MustahsilWebService.mustahsilMakbuzIptaliKaldırCompleted Event**C#**

```
public event mustahsilMakbuzIptaliKaldırCompletedEventHandler mustahsilMakbuzIptaliKaldırCompleted;
```

1.1.4.1.51.4.7 MustahsilWebService.mustahsilMakbuzListeSorgulaCompleted Event**C#**

```
public event mustahsilMakbuzListeSorgulaCompletedEventHandler mustahsilMakbuzListeSorgulaCompleted;
```

1.1.4.1.51.4.8 MustahsilWebService.mustahsilMakbuzListeSorgulaPortalCompleted Event**C#**

```
public event mustahsilMakbuzListeSorgulaPortalCompletedEventHandler mustahsilMakbuzListeSorgulaPortalCompleted;
```

1.1.4.1.51.4.9 MustahsilWebService.mustahsilMakbuzOlusturCompleted Event**C#**

```
public event mustahsilMakbuzOlusturCompletedEventHandler mustahsilMakbuzOlusturCompleted;
```

1.1.4.1.51.4.10 MustahsilWebService.mustahsilMakbuzOnizlemeCompleted Event**C#**

```
public event mustahsilMakbuzOnizlemeCompletedEventHandler mustahsilMakbuzOnizlemeCompleted;
```

1.1.4.1.51.4.11 MustahsilWebService.mustahsilMakbuzSorgulaCompleted Event**C#**

```
public event mustahsilMakbuzSorgulaCompletedEventHandler mustahsilMakbuzSorgulaCompleted;
```

1.1.4.1.51.4.12 MustahsilWebService.mustahsilMakbuzTaslakOlusturCompleted Event**C#**

```
public event mustahsilMakbuzTaslakOlusturCompletedEventHandler mustahsilMakbuzTaslakOlusturCompleted;
```

1.1.4.1.51.4.13 MustahsilWebService.mustahsilMakbuzTaslakOnizlemeCompleted Event**C#**

```
public event mustahsilMakbuzTaslakOnizlemeCompletedEventHandler  
mustahsilMakbuzTaslakOnizlemeCompleted;
```

1.1.4.1.51.4.14 MustahsilWebService.mustahsilMakbuzTaslakSilCompleted Event**C#**

```
public event mustahsilMakbuzTaslakSilCompletedEventHandler  
mustahsilMakbuzTaslakSilCompleted;
```

1.1.4.1.51.4.15 MustahsilWebService.mustahsilMakbuzTaslakSorgulaCompleted Event**C#**

```
public event mustahsilMakbuzTaslakSorgulaCompletedEventHandler  
mustahsilMakbuzTaslakSorgulaCompleted;
```

1.1.4.1.51.4.16 MustahsilWebService.mustahsilMakbuzTaslaktanOlusturCompleted Event**C#**

```
public event mustahsilMakbuzTaslaktanOlusturCompletedEventHandler  
mustahsilMakbuzTaslaktanOlusturCompleted;
```

1.1.4.1.51.4.17 MustahsilWebService.raporBolumAlCompleted Event**C#**

```
public event raporBolumAlCompletedEventHandler raporBolumAlCompleted;
```

1.1.4.1.51.4.18 MustahsilWebService.raporBolumBilgisiAlCompleted Event**C#**

```
public event raporBolumBilgisiAlCompletedEventHandler raporBolumBilgisiAlCompleted;
```

1.1.4.1.51.4.19 MustahsilWebService.raporBolumleriOlusturCompleted Event**C#**

```
public event raporBolumleriOlusturCompletedEventHandler raporBolumleriOlusturCompleted;
```

1.1.4.1.51.4.20 MustahsilWebService.raporBolumListesiDetayliSorgulaCompleted Event**C#**

```
public event raporBolumListesiDetayliSorgulaCompletedEventHandler  
raporBolumListesiDetayliSorgulaCompleted;
```

1.1.4.1.51.4.21 MustahsilWebService.raporBolumListesiSorgulaCompleted Event**C#**

```
public event raporBolumListesiSorgulaCompletedEventHandler  
raporBolumListesiSorgulaCompleted;
```

1.1.4.1.51.4.22 MustahsilWebService.raporBolumRaporNoGuncelleImzalaCompleted Event**C#**

```
public event raporBolumRaporNoGuncelleImzalaCompletedEventHandler  
raporBolumRaporNoGuncelleImzalaCompleted;
```

1.1.4.1.51.4.23 MustahsilWebService.raporBolumSilCompleted Event**C#**

```
public event raporBolumSilCompletedEventHandler raporBolumSilCompleted;
```

1.1.4.1.51.4.24 MustahsilWebService.rapordaBelgeSorgulaCompleted Event**C#**

```
public event rapordaBelgeSorgulaCompletedEventHandler rapordaBelgeSorgulaCompleted;
```

1.1.4.1.51.4.25 MustahsilWebService.raporDurumSorgulaCompleted Event**C#**

```
public event raporDurumSorgulaCompletedEventHandler raporDurumSorgulaCompleted;
```

1.1.4.1.51.4.26 MustahsilWebService.raporGonderCompleted Event**C#**

```
public event raporGonderCompletedEventHandler raporGonderCompleted;
```

1.1.4.1.51.4.27 MustahsilWebService.smsDurumSorgulaCompleted Event**C#**

```
public event smsDurumSorgulaCompletedEventHandler smsDurumSorgulaCompleted;
```

1.1.4.1.51.4.28 MustahsilWebService.smsGonderCompleted Event**C#**

```
public event smsGonderCompletedEventHandler smsGonderCompleted;
```

1.1.4.1.52 raporBolumAI Class**Class Hierarchy**

QNBFinansGIB.GIBEMustahsil.raporBolumAI

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumAI;
```

File

Reference.cs ( see page 721)

raporBolumAI Properties


	Name	Description
	bolumRaporNo ( see page 570)	

1.1.4.1.52.1 raporBolumAI Properties**1.1.4.1.52.1.1 raporBolumAI.bolumRaporNo Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bolumRaporNo;
```

1.1.4.1.53 raporBolumAICompletedEventArgs Class

Class Hierarchy



C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumAICompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;

```

File

Reference.cs (see page 721)

Methods

	Name	Description
!	raporBolumAICompletedEventArgs (see page 571)	This is raporBolumAICompletedEventArgs, a member of class raporBolumAICompletedEventArgs.

raporBolumAICompletedEventArgs Properties

	Name	Description
!	@return (see page 571)	
!	Result (see page 571)	

1.1.4.1.53.1 raporBolumAICompletedEventArgs.raporBolumAICompletedEventArgs Constructor

C#

```

internal raporBolumAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);

```

Description

This is raporBolumAICompletedEventArgs, a member of class raporBolumAICompletedEventArgs.

Body Source

```

1: internal raporBolumAICompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}

```

1.1.4.1.53.2 raporBolumAICompletedEventArgs Properties

1.1.4.1.53.2.1 raporBolumAICompletedEventArgs.@return Property

C#

```

public earsivServiceResult @return;

```

1.1.4.1.53.2.2 raporBolumAICompletedEventArgs.Result Property

C#

```

public belge Result;

```

1.1.4.1.54 raporBolumBilgisiAI Class

Class Hierarchy

```
[QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAI]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumBilgisiAI;
```

File

Reference.cs ([see page 721](#))

raporBolumBilgisiAI Properties

	Name	Description
	bolumRaporNo (see page 572)	

1.1.4.1.54.1 raporBolumBilgisiAI Properties

1.1.4.1.54.1.1 raporBolumBilgisiAI.bolumRaporNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bolumRaporNo;
```

1.1.4.1.55 raporBolumBilgisiAICompletedEventArgs Class

Class Hierarchy

```
System.ComponentModel.AsyncCompletedEventArgs --> QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAICompletedEventArgs
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumBilgisiAICompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	raporBolumBilgisiAICompletedEventArgs (see page 573)	This is raporBolumBilgisiAICompletedEventArgs, a member of class raporBolumBilgisiAICompletedEventArgs.

raporBolumBilgisiAICompletedEventArgs Properties

	Name	Description
	Result (see page 573)	

1.1.4.1.55.1

raporBolumBilgisiAICompletedEventArgs.raporBolumBilgisiAICompletedEventArgs Constructor

C#

```
internal raporBolumBilgisiAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is raporBolumBilgisiAICompletedEventArgs, a member of class raporBolumBilgisiAICompletedEventArgs.

Body Source

```
1: internal raporBolumBilgisiAICompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.4.1.55.2 raporBolumBilgisiAICompletedEventArgs Properties

1.1.4.1.55.2.1 raporBolumBilgisiAICompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.56 raporBolumBilgisiAIResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAIResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumBilgisiAIResponse;
```

File

Reference.cs ([see page 721](#))

raporBolumBilgisiAIResponse Properties

	Name	Description
	@return (see page 573)	

1.1.4.1.56.1 raporBolumBilgisiAIResponse Properties

1.1.4.1.56.1.1 raporBolumBilgisiAIResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.57 raporBolumDTO Class

Class Hierarchy

```
[QNBFinansGIB.GIBEMustahsil.raporBolumDTO]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumDTO;
```

File

Reference.cs ([see page 721](#))

raporBolumDTO Properties

	Name	Description
	baslangicTarihi (see page 574)	
	bitisTarihi (see page 574)	
	bolumNo (see page 574)	
	bolumNoSpecified (see page 575)	
	bolumRaporNo (see page 575)	
	durum (see page 575)	
	durumAciklama (see page 575)	
	durumKodu (see page 575)	
	sonIslemeZamani (see page 575)	

1.1.4.1.57.1 raporBolumDTO Properties

1.1.4.1.57.1.1 raporBolumDTO.baslangicTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string baslangicTarihi;
```

1.1.4.1.57.1.2 raporBolumDTO.bitisTarihi Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bitisTarihi;
```

1.1.4.1.57.1.3 raporBolumDTO.bolumNo Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public long bolumNo;
```

1.1.4.1.57.1.4 raporBolumDTO.bolumNoSpecified Property**C#**

```
[System.Xml.Serialization.XmlIgnoreAttribute()]
public bool bolumNoSpecified;
```

1.1.4.1.57.1.5 raporBolumDTO.bolumRaporNo Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bolumRaporNo;
```

1.1.4.1.57.1.6 raporBolumDTO.durum Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int durum;
```

1.1.4.1.57.1.7 raporBolumDTO.durumAciklama Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string durumAciklama;
```

1.1.4.1.57.1.8 raporBolumDTO.durumKodu Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string durumKodu;
```

1.1.4.1.57.1.9 raporBolumDTO.sonIslemeZamani Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string sonIslemeZamani;
```

1.1.4.1.58 raporBolumleriOlustur Class**Class Hierarchy**

```
QNBFinansGIB.GIBEMustahsil.raporBolumleriOlustur
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumleriOlustur;
```

File

Reference.cs (see page 721)

raporBolumleriOlustur Properties

	Name	Description
	donem (see page 576)	
	input (see page 576)	
	sonGun (see page 576)	

1.1.4.1.58.1 raporBolumleriOlustur Properties**1.1.4.1.58.1.1 raporBolumleriOlustur.donem Property****C#**


```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

1.1.4.1.58.1.2 raporBolumleriOlustur.input Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.58.1.3 raporBolumleriOlustur.sonGun Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string sonGun;
```

1.1.4.1.59 raporBolumleriOlusturCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumleriOlusturCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	raporBolumleriOlusturCompletedEventArgs (see page 577)	This is raporBolumleriOlusturCompletedEventArgs, a member of class raporBolumleriOlusturCompletedEventArgs.

raporBolumleriOlusturCompletedEventArgs Properties

	Name	Description
	Result (see page 577)	

1.1.4.1.59.1

raporBolumleriOlusturCompletedEventArgs.raporBolumleriOlusturCompletedEventArgs Constructor

C#

```
internal raporBolumleriOlusturCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is raporBolumleriOlusturCompletedEventArgs, a member of class raporBolumleriOlusturCompletedEventArgs.

Body Source

```
1: internal raporBolumleriOlusturCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4:     }
```

1.1.4.1.59.2 raporBolumleriOlusturCompletedEventArgs Properties

1.1.4.1.59.2.1 raporBolumleriOlusturCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.60 raporBolumleriOlusturResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumleriOlusturResponse;
```

File

Reference.cs ([see page 721](#))

raporBolumleriOlusturResponse Properties

	Name	Description
	@return (see page 577)	

1.1.4.1.60.1 raporBolumleriOlusturResponse Properties

1.1.4.1.60.1.1 raporBolumleriOlusturResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.61 raporBolumListesiDetayliSorgula Class

Class Hierarchy

`QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorgula`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumListesiDetayliSorgula;
```

File

Reference.cs (see page 721)

raporBolumListesiDetayliSorgula Properties

	Name	Description
	donem (see page 578)	

1.1.4.1.61.1 raporBolumListesiDetayliSorgula Properties

1.1.4.1.61.1.1 raporBolumListesiDetayliSorgula.donem Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

1.1.4.1.62 raporBolumListesiDetayliSorgulaCompletedEventArgs Class

Class Hierarchy

`System.ComponentModel.AsyncCompletedEventArgs` → `QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorgulaCompletedEventArgs`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumListesiDetayliSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	raporBolumListesiDetayliSorgulaCompletedEventArgs (see page 579)	This is raporBolumListesiDetayliSorgulaCompletedEventArgs, a member of class raporBolumListesiDetayliSorgulaCompletedEventArgs.

raporBolumListesiDetayliSorgulaCompletedEventArgs Properties

	Name	Description
	output (see page 579)	

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

	Result (see page 579)	
---	---	--

1.1.4.1.62.1

raporBolumListesiDetayliSorgulaCompletedEventArgs.raporBolumListesiDetayliSorgulaCompletedEventArgs Constructor

C#

```
internal raporBolumListesiDetayliSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState);
```

Description

This is raporBolumListesiDetayliSorgulaCompletedEventArgs, a member of class raporBolumListesiDetayliSorgulaCompletedEventArgs.

Body Source

```
1: internal raporBolumListesiDetayliSorgulaCompletedEventArgs(object[] results,
System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.62.2 raporBolumListesiDetayliSorgulaCompletedEventArgs Properties

1.1.4.1.62.2.1 raporBolumListesiDetayliSorgulaCompletedEventArgs.output Property

C#

```
public raporBolumDTO output;
```

1.1.4.1.62.2.2 raporBolumListesiDetayliSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.63 raporBolumListesiDetayliSorgulaResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorgulaResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumListesiDetayliSorgulaResponse;
```

File

[Reference.cs \(\[see page 721\]\(#\) \)](#)

raporBolumListesiDetayliSorgulaResponse Properties

	Name	Description
	@return (see page 580)	
	output (see page 580)	

1.1.4.1.63.1 raporBolumListesiDetayliSorgulaResponse Properties

1.1.4.1.63.1.1 raporBolumListesiDetayliSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.63.1.2 raporBolumListesiDetayliSorgulaResponse.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute("output",
Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public raporBolumDTO output;
```

1.1.4.1.64 raporBolumListesiSorgula Class

Class Hierarchy

```
[QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgula]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumListesiSorgula;
```

File

Reference.cs ( see page 721)

raporBolumListesiSorgula Properties

	Name	Description
	donem ( see page 580)	

1.1.4.1.64.1 raporBolumListesiSorgula Properties

1.1.4.1.64.1.1 raporBolumListesiSorgula.donem Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

1.1.4.1.65 raporBolumListesiSorgulaCompletedEventArgs Class

Class Hierarchy

```
[System.ComponentModel.AsyncCompletedEventArgs] --> [QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCompletedEventArgs]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumListesiSorgulaCompletedEventArgs :
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	raporBolumListesiSorgulaCompletedEventArgs (see page 581)	This is raporBolumListesiSorgulaCompletedEventArgs, a member of class raporBolumListesiSorgulaCompletedEventArgs.

raporBolumListesiSorgulaCompletedEventArgs Properties

	Name	Description
	@return (see page 581)	
	Result (see page 581)	

1.1.4.1.65.1**raporBolumListesiSorgulaCompletedEventArgs.raporBolumListesiSorgulaCompletedEventArgs****Constructor****C#**

```
internal raporBolumListesiSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is raporBolumListesiSorgulaCompletedEventArgs, a member of class raporBolumListesiSorgulaCompletedEventArgs.

Body Source

```
1: internal raporBolumListesiSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:         this.results = results;
4: }
```

1.1.4.1.65.2 raporBolumListesiSorgulaCompletedEventArgs Properties**1.1.4.1.65.2.1 raporBolumListesiSorgulaCompletedEventArgs.@return Property****C#**

```
public earsivServiceResult @return;
```

1.1.4.1.65.2.2 raporBolumListesiSorgulaCompletedEventArgs.Result Property**C#**

```
public string Result;
```

1.1.4.1.66 raporBolumRaporNoGuncellelmzala Class**Class Hierarchy**

```
[QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncellelmzala]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
```

```
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class raporBolumRaporNoGuncelleImzala;
```

File

Reference.cs (see page 721)

raporBolumRaporNoGuncelleImzala Properties

	Name	Description
	bolumRaporNo (see page 582)	

1.1.4.1.66.1 raporBolumRaporNoGuncelleImzala Properties**1.1.4.1.66.1.1 raporBolumRaporNoGuncelleImzala.bolumRaporNo Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bolumRaporNo;
```

1.1.4.1.67 raporBolumRaporNoGuncelleImzalaCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumRaporNoGuncelleImzalaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	raporBolumRaporNoGuncelleImzalaCompletedEventArgs (see page 582)	This is raporBolumRaporNoGuncelleImzalaCompletedEventArgs, a member of class raporBolumRaporNoGuncelleImzalaCompletedEventArgs.

raporBolumRaporNoGuncelleImzalaCompletedEventArgs Properties

	Name	Description
	Result (see page 583)	

1.1.4.1.67.1**raporBolumRaporNoGuncelleImzalaCompletedEventArgs.raporBolumRaporNoGuncelleImzalaCompletedEventArgs Constructor****C#**

```
internal raporBolumRaporNoGuncelleImzalaCompletedEventArgs(object[] results,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```
System.Exception exception, bool cancelled, object userState);
```

Description

This is raporBolumRaporNoGuncellelmzalaCompletedEventArgs, a member of class raporBolumRaporNoGuncellelmzalaCompletedEventArgs.

Body Source

```
1: internal raporBolumRaporNoGuncellelmzalaCompletedEventArgs(object[] results,
2: System.Exception exception, bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.4.1.67.2 raporBolumRaporNoGuncellelmzalaCompletedEventArgs Properties**1.1.4.1.67.2.1 raporBolumRaporNoGuncellelmzalaCompletedEventArgs.Result Property****C#**

```
public earsivServiceResult Result;
```

1.1.4.1.68 raporBolumRaporNoGuncellelmzalaResponse Class**Class Hierarchy**

```
[QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncellelmzalaResponse]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumRaporNoGuncellelmzalaResponse;
```

File

Reference.cs (see page 721)

raporBolumRaporNoGuncellelmzalaResponse Properties

	Name	Description
	@return (see page 583)	

1.1.4.1.68.1 raporBolumRaporNoGuncellelmzalaResponse Properties**1.1.4.1.68.1.1 raporBolumRaporNoGuncellelmzalaResponse.@return Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.69 raporBolumSil Class**Class Hierarchy**

```
[QNBFinansGIB.GIBEMustahsil.raporBolumSil]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class raporBolumSil;
```

File

Reference.cs (see page 721)

raporBolumSil Properties

	Name	Description
	bolumRaporNo (see page 584)	

1.1.4.1.69.1 raporBolumSil Properties**1.1.4.1.69.1.1 raporBolumSil.bolumRaporNo Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string bolumRaporNo;
```

1.1.4.1.70 raporBolumSilCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporBolumSilCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	raporBolumSilCompletedEventArgs (see page 584)	This is raporBolumSilCompletedEventArgs, a member of class raporBolumSilCompletedEventArgs.

raporBolumSilCompletedEventArgs Properties

	Name	Description
	Result (see page 585)	

1.1.4.1.70.1 raporBolumSilCompletedEventArgs.raporBolumSilCompletedEventArgs Constructor**C#**

```
internal raporBolumSilCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is `raporBolumSilCompletedEventArgs`, a member of class `raporBolumSilCompletedEventArgs`.

Body Source

```
1: internal raporBolumSilCompletedEventArgs(object[] results, System.Exception exception,
2:     bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:     this.results = results;
}
```

1.1.4.1.70.2 `raporBolumSilCompletedEventArgs` Properties

1.1.4.1.70.2.1 `raporBolumSilCompletedEventArgs.Result` Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.71 `raporBolumSilResponse` Class

Class Hierarchy

`QNBFinansGIB.GIBEMustahsil.raporBolumSilResponse`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategory("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporBolumSilResponse;
```

File

`Reference.cs` (see page 721)

`raporBolumSilResponse` Properties

	Name	Description
	<code>@return</code> (see page 585)	

1.1.4.1.71.1 `raporBolumSilResponse` Properties

1.1.4.1.71.1.1 `raporBolumSilResponse.@return` Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.72 `rapordaBelgeSorgula` Class

Class Hierarchy

`QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgula`

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class rapordaBelgeSorgula;
```

File


Reference.cs ([see page 721](#))

rapordaBelgeSorgula Properties

	Name	Description
	input (see page 586)	

1.1.4.1.72.1 rapordaBelgeSorgula Properties**1.1.4.1.72.1.1 rapordaBelgeSorgula.input Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.73 rapordaBelgeSorgulaCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class rapordaBelgeSorgulaCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	rapordaBelgeSorgulaCompletedEventArgs (see page 586)	This is rapordaBelgeSorgulaCompletedEventArgs, a member of class rapordaBelgeSorgulaCompletedEventArgs.

rapordaBelgeSorgulaCompletedEventArgs Properties

	Name	Description
	Result (see page 587)	

1.1.4.1.73.1**rapordaBelgeSorgulaCompletedEventArgs.rapordaBelgeSorgulaCompletedEventArgs Constructor****C#**

```
internal rapordaBelgeSorgulaCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is rapordaBelgeSorgulaCompletedEventArgs, a member of class rapordaBelgeSorgulaCompletedEventArgs.

Body Source

```

1: internal rapordaBelgeSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }

```

1.1.4.1.73.2 rapordaBelgeSorgulaCompletedEventArgs Properties**1.1.4.1.73.2.1 rapordaBelgeSorgulaCompletedEventArgs.Result Property****C#**

```
public earsivServiceResult Result;
```

1.1.4.1.74 rapordaBelgeSorgulaResponse Class**Class Hierarchy**

QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaResponse
--

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class rapordaBelgeSorgulaResponse;

```

File

Reference.cs (see page 721)

rapordaBelgeSorgulaResponse Properties

	Name	Description
	@return (see page 587)	

1.1.4.1.74.1 rapordaBelgeSorgulaResponse Properties**1.1.4.1.74.1.1 rapordaBelgeSorgulaResponse.@return Property****C#**

```

[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;

```

1.1.4.1.75 raporDurumSorgula Class**Class Hierarchy**

QNBFinansGIB.GIBEMustahsil.raporDurumSorgula
--

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Diagnostics.DebuggerStepThroughAttribute()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]

```

```
public class raporDurumSorgula;
```

File


Reference.cs (see page 721)

raporDurumSorgula Properties

	Name	Description
	donem (see page 588)	

1.1.4.1.75.1 raporDurumSorgula Properties**1.1.4.1.75.1.1 raporDurumSorgula.donem Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

1.1.4.1.76 raporDurumSorgulaCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporDurumSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	raporDurumSorgulaCompletedEventArgs (see page 588)	This is raporDurumSorgulaCompletedEventArgs, a member of class raporDurumSorgulaCompletedEventArgs.

raporDurumSorgulaCompletedEventArgs Properties

	Name	Description
	Result (see page 589)	

1.1.4.1.76.1**raporDurumSorgulaCompletedEventArgs.raporDurumSorgulaCompletedEventArgs Constructor****C#**

```
internal raporDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is raporDurumSorgulaCompletedEventArgs, a member of class raporDurumSorgulaCompletedEventArgs.

Body Source

```
1: internal raporDurumSorgulaCompletedEventArgs(object[] results, System.Exception
exception, bool cancelled, object userState) :
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```

2:         base(exception, cancelled, userState) {
3:             this.results = results;
4:         }

```

1.1.4.1.76.2 raporDurumSorgulaCompletedEventArgs Properties

1.1.4.1.76.2.1 raporDurumSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.77 raporDurumSorgulaResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaResponse](#)

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[SerializableAttribute()]
[DebuggerStepThroughAttribute()]
[ComponentModel.DesignerCategoryAttribute("code")]
[XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporDurumSorgulaResponse;

```

File

Reference.cs ([see page 721](#))

raporDurumSorgulaResponse Properties

	Name	Description
	@return (see page 589)	

1.1.4.1.77.1 raporDurumSorgulaResponse Properties

1.1.4.1.77.1.1 raporDurumSorgulaResponse.@return Property

C#

```

[XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;

```

1.1.4.1.78 raporGonder Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.raporGonder](#)

C#

```

[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[SerializableAttribute()]
[DebuggerStepThroughAttribute()]
[ComponentModel.DesignerCategoryAttribute("code")]
[XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporGonder;

```

File


Reference.cs ([see page 721](#))

raporGonder Properties

	Name	Description
	donem (see page 590)	

1.1.4.1.78.1 raporGonder Properties**1.1.4.1.78.1.1 raporGonder.donem Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string donem;
```

1.1.4.1.79 raporGonderCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class raporGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	raporGonderCompletedEventArgs (see page 590)	This is raporGonderCompletedEventArgs, a member of class raporGonderCompletedEventArgs.

raporGonderCompletedEventArgs Properties

	Name	Description
	Result (see page 591)	

1.1.4.1.79.1 raporGonderCompletedEventArgs.raporGonderCompletedEventArgs Constructor**C#**

```
internal raporGonderCompletedEventArgs(object[] results, System.Exception exception, bool cancelled, object userState);
```

Description

This is raporGonderCompletedEventArgs, a member of class raporGonderCompletedEventArgs.

Body Source

```
1: internal raporGonderCompletedEventArgs(object[] results, System.Exception exception,
   bool cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.79.2 raporGonderCompletedEventArgs Properties

1.1.4.1.79.2.1 **raporGonderCompletedEventArgs.Result** Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.80 **raporGonderResponse** Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.raporGonderResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class raporGonderResponse;
```

File

[Reference.cs](#) (see page 721)

raporGonderResponse Properties

	Name	Description
	@return (see page 591)	

1.1.4.1.80.1 **raporGonderResponse** Properties

1.1.4.1.80.1.1 **raporGonderResponse.@return** Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.81 **smsDurumSorgula** Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.smsDurumSorgula](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class smsDurumSorgula;
```

File

[Reference.cs](#) (see page 721)

smsDurumSorgula Properties

	Name	Description
	input (see page 592)	

1.1.4.1.81.1 smsDurumSorgula Properties


1.1.4.1.81.1.1 smsDurumSorgula.input Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.82 smsDurumSorgulaCompletedEventArgs Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class smsDurumSorgulaCompletedEventArgs :
System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
!	smsDurumSorgulaCompletedEventArgs (see page 592)	This is smsDurumSorgulaCompletedEventArgs, a member of class smsDurumSorgulaCompletedEventArgs.

smsDurumSorgulaCompletedEventArgs Properties

	Name	Description
!	outputDurum (see page 593)	
!	Result (see page 593)	

1.1.4.1.82.1

smsDurumSorgulaCompletedEventArgs.smsDurumSorgulaCompletedEventArgs Constructor

C#

```
internal smsDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
bool cancelled, object userState);
```

Description

This is smsDurumSorgulaCompletedEventArgs, a member of class smsDurumSorgulaCompletedEventArgs.

Body Source

```
1: internal smsDurumSorgulaCompletedEventArgs(object[] results, System.Exception exception,
2: bool cancelled, object userState) :
3:     base(exception, cancelled, userState) {
4:         this.results = results;
4: }
```

1.1.4.1.82.2 smsDurumSorgulaCompletedEventArgs Properties

1.1.4.1.82.2.1 smsDurumSorgulaCompletedEventArgs.outputDurum Property

C#

```
public string outputDurum;
```

1.1.4.1.82.2.2 smsDurumSorgulaCompletedEventArgs.Result Property

C#

```
public earsivServiceResult Result;
```

1.1.4.1.83 smsDurumSorgulaResponse Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaResponse](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class smsDurumSorgulaResponse;
```

File

Reference.cs ([see page 721](#))

smsDurumSorgulaResponse Properties

	Name	Description
	@return (see page 593)	
	outputDurum (see page 593)	

1.1.4.1.83.1 smsDurumSorgulaResponse Properties

1.1.4.1.83.1.1 smsDurumSorgulaResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.83.1.2 smsDurumSorgulaResponse.outputDurum Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string outputDurum;
```

1.1.4.1.84 smsGonder Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.smsGonder](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class smsGonder;
```

File

Reference.cs ([see page 721](#))

smsGonder Properties

	Name	Description
	ilaveTelefonNo (see page 594)	
	input (see page 594)	
	tanimliTelefonNoyaGonder (see page 594)	

1.1.4.1.84.1 smsGonder Properties**1.1.4.1.84.1.1 smsGonder.ilaveTelefonNo Property****C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string ilaveTelefonNo;
```

1.1.4.1.84.1.2 smsGonder.input Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string input;
```

1.1.4.1.84.1.3 smsGonder.tanimliTelefonNoyaGonder Property**C#**

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public int tanimliTelefonNoyaGonder;
```

1.1.4.1.85 smsGonderCompletedEventArgs Class**Class Hierarchy****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
public class smsGonderCompletedEventArgs : System.ComponentModel.AsyncCompletedEventArgs;
```

File

Reference.cs ([see page 721](#))

Methods

	Name	Description
	smsGonderCompletedEventArgs (see page 595)	This is smsGonderCompletedEventArgs, a member of class smsGonderCompletedEventArgs.

smsGonderCompletedEventArgs Properties

	Name	Description
	Result (see page 595)	

1.1.4.1.85.1 smsGonderCompletedEventArgs.smsGonderCompletedEventArgs Constructor**C#**

```
internal smsGonderCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState);
```

Description

This is smsGonderCompletedEventArgs, a member of class smsGonderCompletedEventArgs.

Body Source

```
1: internal smsGonderCompletedEventArgs(object[] results, System.Exception exception, bool
cancelled, object userState) :
2:     base(exception, cancelled, userState) {
3:     this.results = results;
4: }
```

1.1.4.1.85.2 smsGonderCompletedEventArgs Properties**1.1.4.1.85.2.1 smsGonderCompletedEventArgs.Result Property****C#**

```
public earsivServiceResult Result;
```

1.1.4.1.86 smsGonderResponse Class**Class Hierarchy**

```
[QNBFinansGIB.GIBEMustahsil.smsGonderResponse]
```

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
]
public class smsGonderResponse;
```

File

Reference.cs (see page 721)

smsGonderResponse Properties

	Name	Description
	@return (see page 596)	

1.1.4.1.86.1 smsGonderResponse Properties

1.1.4.1.86.1.1 smsGonderResponse.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.87 stringOutputWrapper Class

Class Hierarchy

[QNBFinansGIB.GIBEMustahsil.stringOutputWrapper](#)

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.Serializable()]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public class stringOutputWrapper;
```

File

Reference.cs ([see page 721](#))

stringOutputWrapper Properties

	Name	Description
	@return (see page 596)	
	output (see page 596)	

1.1.4.1.87.1 stringOutputWrapper Properties

1.1.4.1.87.1.1 stringOutputWrapper.@return Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public earsivServiceResult @return;
```

1.1.4.1.87.1.2 stringOutputWrapper.output Property

C#

```
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
public string output;
```

1.1.4.2 Structs, Records, Enums

Summary

The following table lists structs, records, enums in this documentation.

Enumerations

	Name	Description
	belgeFormatiEnum (see page 597)	

1.1.4.2.1 QNBFinansGIB.GIBEMustahsil.belgeFormatiEnum Enumeration

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Xml", "4.8.4084.0")]
[System.SerializableAttribute()]
[System.Xml.Serialization.XmlTypeAttribute(Namespace="http://service.earsiv.uut.cs.com.tr/")]
public enum belgeFormatiEnum {
    UBL,
    CSXML,
    HTML,
    PDF,
    CUSTOM,
    PDF_CUSTOM,
    PDF_UBL,
    CSXML1,
    CSXML2,
    CSXML3,
    PDF_CSXML1,
    PDF_CSXML2,
    PDF_CSXML3,
    JSON
}
```

File

Reference.cs ([see page 721](#))

1.1.4.3 Types

Summary

The following table lists types in this documentation.

Types

Name	Description
belgeZipiACompletedEventHandler (see page 598)	
ePostaDurumSorgulaCompletedEventHandler (see page 598)	
ePostaGonderCompletedEventHandler (see page 599)	
kontorBilgisiGetirCompletedEventHandler (see page 599)	
mustahsilMakbuzIptalEtCompletedEventHandler (see page 599)	
mustahsilMakbuzIptaliKaldirCompletedEventHandler (see page 599)	
mustahsilMakbuzListeSorgulaCompletedEventHandler (see page 600)	
mustahsilMakbuzListeSorgulaPortalCompletedEventHandler (see page 600)	
mustahsilMakbuzOlusturCompletedEventHandler (see page 600)	
mustahsilMakbuzOnizlemeCompletedEventHandler (see page 601)	

mustahsilMakbuzSorgulaCompletedEventHandler (see page 601)	
mustahsilMakbuzTaslakOlusturCompletedEventHandler (see page 601)	
mustahsilMakbuzTaslakOnizlemeCompletedEventHandler (see page 601)	
mustahsilMakbuzTaslakSilCompletedEventHandler (see page 602)	
mustahsilMakbuzTaslakSorgulaCompletedEventHandler (see page 602)	
mustahsilMakbuzTaslaktanOlusturCompletedEventHandler (see page 602)	
raporBolumAICompletedEventHandler (see page 602)	
raporBolumBilgisiAICompletedEventHandler (see page 603)	
raporBolumleriOlusturCompletedEventHandler (see page 603)	
raporBolumListesiDetyaliSorgulaCompletedEventHandler (see page 603)	
raporBolumListesiSorgulaCompletedEventHandler (see page 603)	
raporBolumRaporNoGuncelleImzalaCompletedEventHandler (see page 604)	
raporBolumSilCompletedEventHandler (see page 604)	
rapordaBelgeSorgulaCompletedEventHandler (see page 604)	
raporDurumSorgulaCompletedEventHandler (see page 604)	
raporGonderCompletedEventHandler (see page 605)	
smsDurumSorgulaCompletedEventHandler (see page 605)	
smsGonderCompletedEventHandler (see page 605)	

1.1.4.3.1 QNBFinansGIB.GIBEMustahsil.belgeZipiAICompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void belgeZipiAICompletedEventHandler(object sender,
belgeZipiAICompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.4.3.2

QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void ePostaDurumSorgulaCompletedEventHandler(object sender,
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
ePostaDurumSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.4.3.3

QNBFinansGIB.GIBEMustahsil.ePostaGonderCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void ePostaGonderCompletedEventHandler(object sender,
ePostaGonderCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.4.3.4

QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void kontorBilgisiGetirCompletedEventHandler(object sender,
kontorBilgisiGetirCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.4.3.5

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzIptalEtCompletedEventHandler(object sender,
mustahsilMakbuzIptalEtCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.4.3.6

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldırCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzIptaliKaldırCompletedEventHandler(object sender,
mustahsilMakbuzIptaliKaldırCompletedEventArgs e);
```

File

Reference.cs ([see page 721](#))

1.1.4.3.7

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaCompletedEventHandler

Type**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzListeSorgulaCompletedEventHandler(object sender,
mustahsilMakbuzListeSorgulaCompletedEventArgs e);
```

File

Reference.cs ([see page 721](#))

1.1.4.3.8

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortalCompletedEventHandler

Type**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzListeSorgulaPortalCompletedEventHandler(object sender,
mustahsilMakbuzListeSorgulaPortalCompletedEventArgs e);
```

File

Reference.cs ([see page 721](#))

1.1.4.3.9

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturCompletedEventHandler

Type**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzOlusturCompletedEventHandler(object sender,
mustahsilMakbuzOlusturCompletedEventArgs e);
```

File

Reference.cs ([see page 721](#))

1.1.4.3.10

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzOnizlemeCompletedEventHandler(object sender,
mustahsilMakbuzOnizlemeCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.4.3.11

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzSorgulaCompletedEventHandler(object sender,
mustahsilMakbuzSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.4.3.12

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzTaslakOlusturCompletedEventHandler(object sender,
mustahsilMakbuzTaslakOlusturCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.4.3.13

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzTaslakOnizlemeCompletedEventHandler(object sender,
mustahsilMakbuzTaslakOnizlemeCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.4.3.14**QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzTaslakSilCompletedEventHandler(object sender,
mustahsilMakbuzTaslakSilCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.4.3.15**QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgulaCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzTaslakSorgulaCompletedEventHandler(object sender,
mustahsilMakbuzTaslakSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.4.3.16**QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlusturCompletedEventHandler****Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void mustahsilMakbuzTaslaktanOlusturCompletedEventHandler(object sender,
mustahsilMakbuzTaslaktanOlusturCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.4.3.17**QNBFinansGIB.GIBEMustahsil.raporBolumAlCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumAlCompletedEventHandler(object sender,
raporBolumAlCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.4.3.18**QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAlCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumBilgisiAlCompletedEventHandler(object sender,
raporBolumBilgisiAlCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.4.3.19**QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumleriOlusturCompletedEventHandler(object sender,
raporBolumleriOlusturCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.4.3.20**QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetaigliSorgulaCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumListesiDetaigliSorgulaCompletedEventHandler(object sender,
raporBolumListesiDetaigliSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.4.3.21**QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
```

```
public delegate void raporBolumListesiSorgulaCompletedEventHandler(object sender,
raporBolumListesiSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.4.3.22

QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzalaCompletedEventHandler Type

Type**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumRaporNoGuncelleImzalaCompletedEventHandler(object sender,
raporBolumRaporNoGuncelleImzalaCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.4.3.23

QNBFinansGIB.GIBEMustahsil.raporBolumSilCompletedEventHandler Type

Type**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporBolumSilCompletedEventHandler(object sender,
raporBolumSilCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.4.3.24

QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaCompletedEventHandler Type

Type**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void rapordaBelgeSorgulaCompletedEventHandler(object sender,
rapordaBelgeSorgulaCompletedEventArgs e);
```

File

Reference.cs (see page 721)

1.1.4.3.25

QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaCompletedEventHandler Type

Type**C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporDurumSorgulaCompletedEventHandler(object sender,
raporDurumSorgulaCompletedEventArgs e);
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

File

Reference.cs ([see page 721](#))

1.1.4.3.26**QNBFinansGIB.GIBEMustahsil.raporGonderCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void raporGonderCompletedEventHandler(object sender,
raporGonderEventArgs e);
```

File

Reference.cs ([see page 721](#))

1.1.4.3.27**QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void smsDurumSorgulaCompletedEventHandler(object sender,
smsDurumSorgulaEventArgs e);
```

File

Reference.cs ([see page 721](#))

1.1.4.3.28**QNBFinansGIB.GIBEMustahsil.smsGonderCompletedEventHandler Type****C#**

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void smsGonderCompletedEventHandler(object sender,
smsGonderEventArgs e);
```

File

Reference.cs ([see page 721](#))

1.1.5 QNBFinansGIB.GIBUserService Namespace

This is namespace QNBFinansGIB.GIBUserService.

Classes

	Name	Description
	userService (see page 606)	

Types

Name	Description
logoutCompletedEventHandler (see page 610)	

wsLoginCompletedEventHandler (see page 610)	
---	--

1.1.5.1 Classes

Summary


The following table lists classes in this documentation.

Classes

	Name	Description
	userService (see page 606)	

1.1.5.1.1 userService Class

Class Hierarchy



C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
[System.Diagnostics.DebuggerStepThrough()]
[System.ComponentModel.DesignerCategoryAttribute("code")]
[System.Web.Services.WebServiceBindingAttribute(Name="UserServicePortBinding",
Namespace="http://service.csap.cs.com/")]
public class userService : System.Web.Services.Protocols.SoapHttpClientProtocol;
```

File

Reference.cs (see page 721)

Methods

	Name	Description
	userService (see page 607)	

userService Events

	Name	Description
	logoutCompleted (see page 609)	
	wsLoginCompleted (see page 609)	

userService Methods

	Name	Description
	CancelAsync (see page 607)	
	logout (see page 607)	
	logoutAsync (see page 607)	
	wsLogin (see page 608)	
	wsLoginAsync (see page 608)	

userService Properties

	Name	Description
	Url (see page 609)	This is Url, a member of class userService.
	UseDefaultCredentials (see page 609)	This is UseDefaultCredentials, a member of class userService.

1.1.5.1.1.1 userService.userService Constructor

C#

```
public userService();
```

Body Source

```
1: public userService() {
2:     this.Url =
global::QNBFinansGIB.Properties.Settings.Default.QNBFinansGIB_GIBUserService_userService;
3:     if ((this.IsLocalFileSystemWebService(this.Url) == true)) {
4:         this.UseDefaultCredentials = true;
5:         this.useDefaultCredentialsSetExplicitly = false;
6:     }
7:     else {
8:         this.useDefaultCredentialsSetExplicitly = true;
9:     }
10: }
```

1.1.5.1.1.2 userService Methods

1.1.5.1.1.2.1 userService.CancelAsync Method

C#

```
public new void CancelAsync(object userState);
```

Body Source

```
1: public new void CancelAsync(object userState) {
2:     base.CancelAsync(userState);
3: }
```

1.1.5.1.1.2.2 userService.logout Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.csap.cs.com.tr/",
ResponseNamespace="http://service.csap.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void logout();
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.csap.cs.com.tr/",
ResponseNamespace="http://service.csap.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void logout() {
3:     this.Invoke("logout", new object[0]);
4: }
```

1.1.5.1.1.2.3 logoutAsync Method

1.1.5.1.1.2.3.1 userService.logoutAsync Method ()

C#

```
public void logoutAsync();
```

Body Source

```
1: public void logoutAsync() {
2:     this.logoutAsync(null);
3: }
```

1.1.5.1.1.2.3.2 userService.logoutAsync Method (object)

C#

```
public void logoutAsync(object userState);
```

Body Source

```
1: public void logoutAsync(object userState) {
2:     if ((this.logoutOperationCompleted == null)) {
3:         this.logoutOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnlogoutOperationCompleted);
4:     }
5:     this.InvokeAsync("logout", new object[0], this.logoutOperationCompleted, userState);
6: }
```

1.1.5.1.1.2.4 userService.wsLogin Method

C#

```
[System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.csap.cs.com.tr/",
ResponseNamespace="http://service.csap.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
public void
wsLogin([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string userId,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string password,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string lang);
```

Body Source

```
1: [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.csap.cs.com.tr/",
ResponseNamespace="http://service.csap.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
2: public void
wsLogin([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string userId,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string password,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string lang) {
3:     this.Invoke("wsLogin", new object[] {
4:         userId,
5:         password,
6:         lang});
7: }
```

1.1.5.1.1.2.5 wsLoginAsync Method

1.1.5.1.1.2.5.1 userService.wsLoginAsync Method (string, string, string)

C#

```
public void wsLoginAsync(string userId, string password, string lang);
```

Body Source

```
1: public void wsLoginAsync(string userId, string password, string lang) {
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```
2:     this.wsLoginAsync(userId, password, lang, null);
3: }
```

1.1.5.1.1.2.5.2 userService.wsLoginAsync Method (string, string, string, object)

C#

```
public void wsLoginAsync(string userId, string password, string lang, object userState);
```

Body Source

```
1: public void wsLoginAsync(string userId, string password, string lang, object userState) {
2:     if ((this.wsLoginOperationCompleted == null)) {
3:         this.wsLoginOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnwsLoginOperationCompleted);
4:     }
5:     this.InvokeAsync("wsLogin", new object[] {
6:         userId,
7:         password,
8:         lang}, this.wsLoginOperationCompleted, userState);
9: }
```

1.1.5.1.1.3 userService Properties

1.1.5.1.1.3.1 userService.Url Property

C#

```
public new string Url;
```

Description

This is Url, a member of class userService.

1.1.5.1.1.3.2 userService.UseDefaultCredentials Property

C#

```
public new bool UseDefaultCredentials;
```

Description

This is UseDefaultCredentials, a member of class userService.

1.1.5.1.1.4 userService Events

1.1.5.1.1.4.1 userService.logoutCompleted Event

C#

```
public event logoutCompletedEventHandler logoutCompleted;
```

1.1.5.1.1.4.2 userService.wsLoginCompleted Event

C#

```
public event wsLoginCompletedEventHandler wsLoginCompleted;
```

1.1.5.2 Types

Summary

The following table lists types in this documentation.

Types

Name	Description
logoutCompletedEventHandler (see page 610)	
wsLoginCompletedEventHandler (see page 610)	

1.1.5.2.1 QNBFinansGIB.GIBUserService.logoutCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void logoutCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs ([see page 721](#))

1.1.5.2.2 QNBFinansGIB.GIBUserService.wsLoginCompletedEventHandler Type

C#

```
[System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services", "4.8.4084.0")]
public delegate void wsLoginCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
```

File

Reference.cs ([see page 721](#))

1.1.6 QNBFinansGIB.Properties Namespace

This is namespace QNBFinansGIB.Properties.

Classes

	Name	Description
	Resources (see page 611)	A strongly-typed resource class, for looking up localized strings, etc.
	Settings (see page 612)	This is class QNBFinansGIB.Properties.Settings.

1.1.6.1 Classes

Summary

The following table lists classes in this documentation.

Classes

	Name	Description
	Resources (see page 611)	A strongly-typed resource class, for looking up localized strings, etc.
	Settings (see page 612)	This is class QNBFinansGIB.Properties.Settings.

1.1.6.1.1 Resources Class

Summary

A strongly-typed resource class, for looking up localized strings, etc.

Class Hierarchy

[QNBFinansGIB.Properties.Resources](#)

C#

```
[global::System.CodeDom.Compiler.GeneratedCodeAttribute("System.Resources.Tools.StronglyType
dResourceBuilder",
"4.0.0.0")]
[global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
[global::System.Runtime.CompilerServices.CompilerGeneratedAttribute()]
internal class Resources;
```

File

Resources.Designer.cs ([see page 724](#))

Description

This class was auto-generated by the StronglyTypedResourceBuilder class via a tool like ResGen or Visual Studio. To add or remove a member, edit your .ResX file then rerun ResGen with the /str option, or rebuild your VS project.

Methods

	Name	Description
	Resources (see page 611)	This is Resources, a member of class Resources.

Resources Properties

	Name	Description
	Culture (see page 612)	Overrides the current thread's CurrentUICulture property for all resource lookups using this strongly typed resource class.
	ResourceManager (see page 612)	Returns the cached ResourceManager instance used by this class.

1.1.6.1.1.1 Resources.Resources Constructor

C#

```
[global::System.Diagnostics.CodeAnalysis.SuppressMessageAttribute("Microsoft.Performance",
"CA1811:AvoidUncalledPrivateCode")]
internal Resources();
```

Description

This is Resources, a member of class Resources.

Body Source

```
1:
[global::System.Diagnostics.CodeAnalysis.SuppressMessageAttribute("Microsoft.Performance",
"CA1811:AvoidUncalledPrivateCode")]
2: internal Resources()
3: {
4: }
```

1.1.6.1.1.2 Resources Properties

1.1.6.1.1.2.1 Resources.Culture Property

Summary

Overrides the current thread's CurrentUICulture property for all resource lookups using this strongly typed resource class.

C#

```
[global::System.ComponentModel.EditorBrowsableAttribute(global::System.ComponentModel.EditorBrowsableState.Advanced)]
internal static global::System.Globalization.CultureInfo Culture;
```

1.1.6.1.1.2.2 Resources.ResourceManager Property

Summary


Returns the cached ResourceManager instance used by this class.

C#

```
[global::System.ComponentModel.EditorBrowsableAttribute(global::System.ComponentModel.EditorBrowsableState.Advanced)]
internal static global::System.Resources.ResourceManager ResourceManager;
```

1.1.6.1.2 Settings Class

Class Hierarchy



C#

```
[global::System.Runtime.CompilerServices.CompilerGeneratedAttribute()]
[global::System.CodeDom.Compiler.GeneratedCodeAttribute("Microsoft.VisualStudio.Editors.SettingsDesigner.SettingsSingleFileGenerator",
"15.9.0.0")]
internal sealed class Settings : global::System.Configuration.ApplicationSettingsBase;
```

File

Settings.Designer.cs ([see page 726](#))

Description

This is class QNBFinansGIB.Properties.Settings.

Settings Properties

	Name	Description
	Default (see page 613)	This is Default, a member of class Settings.
	QNBFinansGIB_GIBEArsiv_EarsivWebService (see page 613)	This is QNBFinansGIB_GIBEArsiv_EarsivWebService, a member of class Settings.
	QNBFinansGIB_GIBEArsiv_MustahsilWebService (see page 613)	This is QNBFinansGIB_GIBEArsiv_MustahsilWebService, a member of class Settings.
	QNBFinansGIB_GIBEFatura_connectorService (see page 613)	This is QNBFinansGIB_GIBEFatura_connectorService, a member of class Settings.
	QNBFinansGIB_GIBEMustahsil_MustahsilWebService (see page 613)	This is QNBFinansGIB_GIBEMustahsil_MustahsilWebService, a member of class Settings.
	QNBFinansGIB_GIBUserService_userService (see page 614)	This is QNBFinansGIB_GIBUserService_userService, a member of class Settings.

1.1.6.1.2.1 Settings Properties

1.1.6.1.2.1.1 Settings.Default Property

C#

```
public static Settings Default;
```

Description

This is Default, a member of class Settings.

1.1.6.1.2.1.2 Settings.QNBFInansGIB_GIBEArsiv_EarsivWebService Property

C#

```
[global::System.Configuration.ApplicationScopedSettingAttribute()]
[global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSetting.WebServiceUrl)]
[global::System.Configuration.DefaultSettingValueAttribute("https://earsivtest.efinans.com.tr:443/earsiv/ws/EarsivWebService")]
public string QNBFInansGIB_GIBEArsiv_EarsivWebService;
```

Description

This is QNBFInansGIB_GIBEArsiv_EarsivWebService, a member of class Settings.

1.1.6.1.2.1.3 Settings.QNBFInansGIB_GIBEArsiv_MustahsilWebService Property

C#

```
[global::System.Configuration.ApplicationScopedSettingAttribute()]
[global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSetting.WebServiceUrl)]
[global::System.Configuration.DefaultSettingValueAttribute("https://earsivtest.efinans.com.tr/earsiv/ws/MustahsilWebService?wsdl=1")]
public string QNBFInansGIB_GIBEArsiv_MustahsilWebService;
```

Description

This is QNBFInansGIB_GIBEArsiv_MustahsilWebService, a member of class Settings.

1.1.6.1.2.1.4 Settings.QNBFInansGIB_GIBEFatura_connectorService Property

C#

```
[global::System.Configuration.ApplicationScopedSettingAttribute()]
[global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSetting.WebServiceUrl)]
[global::System.Configuration.DefaultSettingValueAttribute("https://connectortest.efinans.com.tr:443/connector/ws/connectorService")]
public string QNBFInansGIB_GIBEFatura_connectorService;
```

Description

This is QNBFInansGIB_GIBEFatura_connectorService, a member of class Settings.

1.1.6.1.2.1.5 Settings.QNBFInansGIB_GIBEMustahsil_MustahsilWebService Property

C#

```
[global::System.Configuration.ApplicationScopedSettingAttribute()]
[global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSetting.WebServiceUrl)]
```

```
tting.WebServiceUrl)]
[global::System.Configuration.DefaultSettingValueAttribute("https://earsivtest.efinans.com.tr:443/earsiv/ws/MustahsilWebService")]
public string QNBFinansGIB_GIBEMustahsil_MustahsilWebService;
```

Description

This is QNBFinansGIB_GIBEMustahsil_MustahsilWebService, a member of class Settings.

1.1.6.1.2.1.6 Settings.QNBFinansGIB_GIBUserService_userService Property**C#**

```
[global::System.Configuration.ApplicationScopedSettingAttribute()]
[global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSetting.WebServiceUrl)]
[global::System.Configuration.DefaultSettingValueAttribute("https://connectortest.efinans.com.tr:443/connector/ws/userService")]
public string QNBFinansGIB_GIBUserService_userService;
```

Description

This is QNBFinansGIB_GIBUserService_userService, a member of class Settings.

1.1.7 QNBFinansGIB.Utils Namespace

This is namespace QNBFinansGIB.Utils.

Classes

	Name	Description
	DisServisler (see page 615)	QNB Finans Firması tarafından sağlanan GIB Web Servis referanslarının tüketildiği ve servise talep gönderiliş sonuçlarının temin edildiği sınıfı.
	Enums (see page 622)	Satış Türü Bilgilerinin Bulunduğu Enum sınıfı
	GeriDonus (see page 624)	E-Fatura Servisinde Önizleme Metodu çağrılmışında dönenek olan değer. Burada Tipe göre Dosya (see page 624) uzantısı Zip veya PDF olacak için Bu konu önemlidir
	MesajSabitler (see page 624)	Yapılan Ekranlarda Verilecek Mesajlarla İlgili Sabit Sınıf
	YardimciSiniflar (see page 625)	Giden Fatura ve Müstahsil Makbuzları ile ilgili olarak, Kendisi, Ana Kayda İlliskin Detaylar, Aktarılacak Klasör gibi bilgiler kullanılarak QNB Finans GIB Web Servislerine gönderilecek XML dosyalarının hazırlanması ile ilgili Metotların bulunduğu yardımcı sınıfı.

1.1.7.1 Classes

Summary

The following table lists classes in this documentation.

Classes

	Name	Description
	DisServisler (see page 615)	QNB Finans Firması tarafından sağlanan GIB Web Servis referanslarının tüketildiği ve servise talep gönderiliş sonuçlarının temin edildiği sınıfı.
	Enums (see page 622)	Satış Türü Bilgilerinin Bulunduğu Enum sınıfı
	GeriDonus (see page 624)	E-Fatura Servisinde Önizleme Metodu çağrılmışında dönenek olan değer. Burada Tipe göre Dosya (see page 624) uzantısı Zip veya PDF olacak için Bu konu önemlidir

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

 	MesajSabitler (see page 624)	Yapilan Ekranlarda Verilecek Mesajlarla Ilgili Sabit Sinif
 	YardimciSınıflar (see page 625)	Giden Fatura ve Müstahsil Makbuzları ile ilgili olarak, Kendisi, Ana Kayda İlişkin Detaylar, Aktarılacak Klasör gibi bilgiler kullanılarak QNB Finans GIB Web Servislerine gönderilecek XML dosyalarının hazırlanması ile ilgili Metotların bulunduğu yardımçı sınıfıtır.

1.1.7.1.1 DisServisler Class

Summary

QNB Finans Firması tarafından sağlanan GIB Web Servis referanslarının tüketildiği ve servise talep gönderilip sonuçlarının temin edildiği sınıfıdır.

Class Hierarchy

`QNBFinansGIB.Utils.DisServisler`

C#

```
public static class DisServisler;
```

File

DisServisler.cs (see page 686)

DisServisler Methods

	Name	Description
 	EArsivGonder (see page 615)	Olusturulan XML dosyasının QNB Finans Tarafına gönderilmesini saglayan metottur
 	EArsivOnzleme (see page 616)	Olusturulan XML dosyasının QNB Finans Tarafına gönderilmesini saglayan metottur Burada da E-Faturada olduğu gibi önce Fatura Id bilgisi ile gönderip Bir sonuç gelmezse hazırlanan XML dosyası gönderilip çıktı alınmaya çalışılmaktadır
 	EFaturaGonder (see page 617)	Olusturulan XML dosyasının QNB Finans Tarafına gönderilmesini saglayan metottur
 	EFaturaKullanicisiMi (see page 618)	Vergi Kimlik Numarası Gönderilen Tüzel Kisının E Fatura Kullanicisi Olup Olmadığını Kontrol Eden Bir Metottur
 	EFaturaOnzleme (see page 619)	Olusturulan XML dosyasının QNB Finans Tarafında Önizlemesinin yapılmasını saglayan metottur Eger Belge Oid numarası varsa XML dosyasını göndermez, bu numarayla sistemdeki çıktı alınır. Yoksa XML dosyası gönderilir, Mali Degeri Yuktur yazan bir filigranla yine XML üzerindeki Yapı üzerinden PDF çıktısı alınacak sekilde veri döner
 	EMustahsilGonder (see page 620)	Olusturulan XML dosyasının QNB Finans Tarafına gönderilmesini saglayan metottur
 	EMustahsilOnzleme (see page 621)	Olusturulan XML dosyasının QNB Finans Tarafına gönderilmesini saglayan metottur Burada da E-Faturada olduğu gibi önce Fatura Id bilgisi ile gönderip Bir sonuç gelmezse hazırlanan XML dosyası gönderilip çıktı alınmaya çalışılmaktadır
 	GetMD5Hash (see page 622)	Dosyanın MD5 hashi alınması için yazılan metottur

1.1.7.1.1.1 DisServisler Methods

1.1.7.1.1.1 DisServisler.EArsivGonder Method

Summary

Olusturulan XML dosyasının QNB Finans Tarafına gönderilmesini saglayan metottur

C#

```
public static string EArsivGonder(GidenFaturaDTO gidenFatura, string dosyaAdi);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
string dosyaAdi	Dosya Adı bilgisi

Body Source

```

1: public static string EArsivGonder(GidenFaturaDTO gidenFatura, string dosyaAdi)
2: {
3:     try
4:     {
5:         gibUserService = new GIBUserService.userService();
6:         gibEArsivService = new GIBEArsiv.EarsivWebService();
7:
8:         gibUserService.CookieContainer = new System.Net.CookieContainer();
9:         gibEArsivService.CookieContainer = gibUserService.CookieContainer;
10:
11:        gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, GIBVKN);
12:
13:        string input = "{\"islemId\":\"" + gidenFatura.GidenFaturaId +
"\\", \"vkn\":\"3250566851\", \"sube\":\"DFLT\", \"kasa\":\"DFLT\", \"erpKodu\":\"TSF30125\", \"do-
nenBelgeFormati\":\"9\"}";
14:
15:        var belgeTemp = new GIBEArsiv.belge();
16:        belgeTemp.belgeFormati = GIBEArsiv.belgeFormatiEnum.UBL;
17:        belgeTemp.belgeFormatiSpecified = true;
18:        belgeTemp.belgeIcerigi = System.IO.File.ReadAllBytes(dosyaAdi);
19:        GIBEArsiv.earsivServiceResult serviceResult = new
GIBEArsiv.earsivServiceResult();
20:        var belge = gibEArsivService.faturaOlustur(input, belgeTemp, out serviceResult);
21:
22:        if (serviceResult.resultCode != "AE00000")
23:            return MesajSabitler.IslemBasarisiz;
24:        else
25:            return MesajSabitler.IslemBasarili;
26:    }
27:    catch (System.Exception ex)
28:    {
29:        return MesajSabitler.IslemBasarisiz;
30:    }
31:    finally
32:    {
33:        gibUserService.logout();
34:    }
35: }
```

1.1.7.1.1.2 DisServisler.EArsivOnzleme Method**Summary**

Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan metottur Burada da E-Faturada oldugu gibi önce Fatura Id bilgisi ile gönderip Bir sonuç gelmezse hazırlanan XML dosyasi gönderiliip çıktı alınmaya çalışilmaktadir

C#

```
public static byte[] EArsivOnzleme(GidenFaturaDTO gidenFatura, string dosyaAdi);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
string dosyaAdi	Dosya Adı bilgisi

Returns

PDF olarak çıktısı alınacak dosyanın byte dizisi hali

Body Source

```

1: public static byte[] EArsivOnIzleme(GidenFaturaDTO gidenFatura, string dosyaAdi)
2: {
3:     try
4:     {
5:         gibUserService = new GIBUserService.userService();
6:         gibEArsivService = new GIBEArsiv.EarsivWebService();
7:
8:         gibUserService.CookieContainer = new System.Net.CookieContainer();
9:         gibEArsivService.CookieContainer = gibUserService.CookieContainer;
10:
11:        gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, GIBVKN);
12:
13:        // Burada VKN ve ERP Kodu önemlidir
14:        string input = "{\"islemId\":\"" + gidenFatura.GidenFaturaId.ToUpper() +
"\" ,\"faturaUuid\":\"\" :\"\" + gidenFatura.GidenFaturaId.ToUpper() +
"\" ,\"vkn\":\"\" :\"3250566851\" ,\"sube\":\"\" :\"DFLT\" ,\"kasa\":\"\" :\"DFLT\" ,\"erpKodu\":\"\" :\"TSF30125\" ,\"do
nenBelgeFormati\":\"\" :\"3\" }";
// Buradaki 3 PDF
15:
16:        var belgeTemp = new GIBEArsiv.belge();
17:        belgeTemp.belgeFormati = GIBEArsiv.belgeFormatiEnum.UBL;
18:        belgeTemp.belgeFormatiSpecified = true;
19:        belgeTemp.belgeIcerigi = System.IO.File.ReadAllBytes(dosyaAdi);
20:
21:        GIBEArsiv.earsivServiceResult serviceResult = new
GIBEArsiv.earsivServiceResult();
22:        var temp = gibEArsivService.faturaSorgula(input, out serviceResult);
23:        if (temp != null)
24:            return temp.belgeIcerigi;
25:        else
26:        {
27:            temp = gibEArsivService.faturaOnizleme(input, belgeTemp, out serviceResult);
28:            if (temp != null)
29:                return temp.belgeIcerigi;
30:            else
31:                return null;
32:        }
33:    }
34:    catch (System.Exception ex)
35:    {
36:        return null;
37:    }
38:    finally
39:    {
40:        gibUserService.logout();
41:    }
42: }
```

1.1.7.1.1.3 DisServisler.EFaturaGonder Method

Summary

Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan metottur

C#

```
public static string EFaturaGonder(GidenFaturaDTO gidenFatura, string dosyaAdi);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
string dosyaAdi	Dosya Adı bilgisi

Returns

İslém Sonucu (Buradan dönen değerlerde kontrol edilip ona göre kullanıcıya bilgi verilmektedir.)

Body Source

```

1: public static string EFaturaGonder(GidenFaturaDTO gidenFatura, string dosyaAdi)
2: {
3:     try
4:     {
5:         gibUserService = new GIBUserService.userService();
6:         gibEFaturaService = new GIBEFatura.connectorService();
7:
8:         gibUserService.CookieContainer = new System.Net.CookieContainer();
9:         gibEFaturaService.CookieContainer = gibUserService.CookieContainer;
10:
11:        gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, GIBVKN);
12:
13:        var parametreler = new GIBEFatura.gidenBelgeParametreleri();
14:        parametreler.vergiTcKimlikNo = "3250566851";
15:        parametreler.belgeTuru = "FATURA_UBL";
16:        parametreler.belgeNo = gidenFatura.GidenFaturaId;
17:        parametreler.belgeVersiyon = "1.0";
18:        parametreler.veri = System.IO.File.ReadAllBytes(dosyaAdi);
19:        parametreler.belgeHash = GetMD5Hash(parametreler.veri);
20:        parametreler.mimeType = "application/xml";
21:        parametreler.erpKodu = GIBERP.Kodu;
22:
23:        return gibEFaturaService.belgeGonderExt(parametreler);
24:    }
25:    catch (System.Exception ex)
26:    {
27:        return MesajSabitler.IslémBasarisiz;
28:    }
29:    finally
30:    {
31:        gibUserService.logout();
32:    }
33: }
```

1.1.7.1.1.4 DisServisler.EFaturaKullanicisiMi Method**Summary**

Vergi Kimlik Numarası Gönderilen Tüzel Kisinin E Fatura Kullanicisi Olup Olmadigini Kontrol Eden Bir Metottur

C#

```
public static bool EFaturaKullanicisiMi(string vergiNo);
```

Parameters

Parameters	Description
string vergiNo	Tüzel Kişi Vergi Kimlik Numarası

Returns

Kullanici Olup Olmadigi Bilgisi

Body Source

```

1: public static bool EFaturaKullanicisiMi(string vergiNo)
2: {
3:     try
4:     {
5:         var kullaniciMi = false;
6:
7:         gibUserService = new GIBUserService.userService();
8:         gibEFaturaService = new GIBEFatura.connectorService();
9:
```

```

10:         gibUserService.CookieContainer = new System.Net.CookieContainer();
11:         gibEFaturaService.CookieContainer = gibUserService.CookieContainer;
12:
13:         gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, GIBVKN);
14:
15:         kullaniciMi = gibEFaturaService.efaturaKullanicisi(vergiNo);
16:
17:         return kullaniciMi;
18:     }
19:     catch (System.Exception ex)
20:     {
21:         return false;
22:     }
23:     finally
24:     {
25:         gibUserService.logout();
26:     }
27: }
```

1.1.7.1.1.5 DisServisler.EFaturaOnizleme Method

Summary

Olusturulan XML dosyasinin QNB Finans Tarafinda Önizlemesinin yapilmasini saglayan metottur Eger Belge Oid numarasi varsa XML dosyasini göndermez, bu numarayla sistemdeki çıktı alınır. Yoksa XML dosyasi gönderilir, Mali Degeri Yoktur yanan bir filigranla yine XML üzerindeki Yapı üzerinden PDF çıktısı alınacak sekilde veri döner

C#

```
public static GeriDonus EFaturaOnIzleme(GidenFaturaDTO gidenFatura, string dosyaAdi);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
string dosyaAdi	Dosya Adi bilgisi

Returns

PDF veya ZIP olarak alınacak dosyanın Byte dizisi hali

Body Source

```

1: public static GeriDonus EFaturaOnIzleme(GidenFaturaDTO gidenFatura, string dosyaAdi)
2: {
3:     try
4:     {
5:         gibUserService = new GIBUserService.userService();
6:         gibEFaturaService = new GIBEFatura.connectorService();
7:
8:         gibUserService.CookieContainer = new System.Net.CookieContainer();
9:         gibEFaturaService.CookieContainer = gibUserService.CookieContainer;
10:
11:        gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, GIBVKN);
12:
13:        string vergiTcKimlikNo = "3250566851";
14:        if (!File.Exists(dosyaAdi))
15:        {
16:            return null;
17:        }
18:        byte[] veri = System.IO.File.ReadAllBytes(dosyaAdi);
19:        string belgeFormati = "PDF"; //HTML, PDF, UBL
20:        string belgeTuru = "FATURA"; //EFATURA ve EIRSALIYE değerleri alabilir.
21:
22:        byte[] onizleme = new byte[1];
23:
24:        var geriDonus = new GeriDonus
25:        {
26:            Dosya = onizleme,
```

```

27:             Tip = 0
28:         };
29:
30:         if (!string.IsNullOrEmpty(gidenFatura.BelgeOid))
31:         {
32:             var idListesi = new string[1];
33:             idListesi[0] = gidenFatura.BelgeOid;
34:             onizleme = gibEFaturaService.gidenBelgeleriIndir(vergiTcKimlikNo,
idListesi, belgeTuru, belgeFormati);
35:             geriDonus.Dosya = onizleme;
36:             geriDonus.Tip = 1;
37:         }
38:     else
39:     {
40:         onizleme = gibEFaturaService.ulnOnizleme(vergiTcKimlikNo, veri,
belgeFormati, belgeTuru);
41:         geriDonus.Dosya = onizleme;
42:         geriDonus.Tip = 0;
43:     }
44:
45:     return geriDonus;
46: }
47: catch (System.Exception ex)
48: {
49:     return null;
50: }
51: finally
52: {
53:     gibUserService.logout();
54: }
55: }
```

1.1.7.1.1.6 DisServisler.EMustahsilGonder Method

Summary

Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan metottur

C#

```
public static string EMustahsilGonder(MustahsilMakbuzuDTO mustahsilMakbuzu, string
dosyaAdi);
```

Parameters

Parameters	Description
MustahsilMakbuzuDTO mustahsilMakbuzu	Müstahsil Makbuzu Bilgisi
string dosyaAdi	Dosya Adi bilgisi

Body Source

```

1: public static string EMustahsilGonder(MustahsilMakbuzuDTO mustahsilMakbuzu, string
dosyaAdi)
2: {
3:     try
4:     {
5:         gibUserService = new GIBUserService.userService();
6:         gibEMustahsilService = new GIBEMustahsil.MustahsilWebService();
7:
8:         gibUserService.CookieContainer = new System.Net.CookieContainer();
9:         gibEMustahsilService.CookieContainer = gibUserService.CookieContainer;
10:
11:        gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, "tr");
12:
13:        string input = "{\"islemId\":\"" + mustahsilMakbuzu.MustahsilMakbuzuId +
"\" , \"vkn\":"+ "3250566851\" , \"sube\":"+ "DFLT\" , \"kasa\":"+ "DFLT\" }";
14:
15:        var belgeTemp = new GIBEMustahsil.belge();
16:        belgeTemp.belgeFormati = GIBEMustahsil.belgeFormatiEnum.UBL;
```

```

17:         belgeTemp.belgeFormatiSpecified = true;
18:         belgeTemp.belgeIcerigi = System.IO.File.ReadAllBytes(dosyaAdi);
19:         GIBEMustahsil.earsivServiceResult serviceResult = new
GIBEMustahsil.earsivServiceResult();
20:         var belge = gibEMustahsilService.mustahsilMakbuzOlustur(input, belgeTemp, out
serviceResult);
21:
22:         if (serviceResult.resultCode != "AE00000")
23:             return MesajSabitler.IslemBasarisiz;
24:         else
25:             return MesajSabitler.IslemBasarili;
26:     }
27:     catch (System.Exception ex)
28:     {
29:         return MesajSabitler.IslemBasarisiz;
30:     }
31:     finally
32:     {
33:         gibUserService.logout();
34:     }
35: }
```

1.1.7.1.1.7 DisServisler.EMustahsilOnizleme Method

Summary

Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan metottur Burada da E-Faturada oldugu gibi önce Fatura Id bilgisi ile gönderip Bir sonuç gelmezse hazırlanan XML dosyası gönderilip çıktı alınmaya çalışılmaktadır

C#

```
public static byte[] EMustahsilOnIzleme(MustahsilMakbuzuDTO mustahsilMakbuzu, string
dosyaAdi);
```

Parameters

Parameters	Description
MustahsilMakbuzuDTO mustahsilMakbuzu	Müstahsil Makbuzu Bilgisi
string dosyaAdi	Dosya Adı bilgisi

Returns

PDF olarak çıktısı alınacak dosyanın byte dizisi hali

Body Source

```

1: public static byte[] EMustahsilOnIzleme(MustahsilMakbuzuDTO mustahsilMakbuzu, string
dosyaAdi)
2: {
3:     try
4:     {
5:         gibUserService = new GIBUserService.userService();
6:         gibEMustahsilService = new GIBEMustahsil.MustahsilWebService();
7:
8:         gibUserService.CookieContainer = new System.Net.CookieContainer();
9:         gibEMustahsilService.CookieContainer = gibUserService.CookieContainer;
10:
11:        gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, "tr");
12:
13:        // Burada VKN ve ERP Kodu önemlidir
14:        string input = "{\"islemId\":\"" +
mustahsilMakbuzu.MustahsilMakbuzuId.ToUpper() + "\",\"uuid\":\"" +
mustahsilMakbuzu.MustahsilMakbuzuId.ToUpper() +
"\",\"vkn\":\"3250566851\",\"sube\":\"DFLT\",\"kasa\":\"DFLT\",\"erpKodu\":\"TSF30125\",\"do
nenBelgeFormati\":\"3\"}";
// Buradaki 3 PDF
15:
16:        var belgeTemp = new GIBEMustahsil.belge();
17:        belgeTemp.belgeFormati = GIBEMustahsil.belgeFormatiEnum.UBL;
```

```

18:         belgeTemp.belgeFormatiSpecified = true;
19:         belgeTemp.belgeIcerigi = System.IO.File.ReadAllBytes(dosyaAdi);
20:
21:         GIBEMustahsil.earsivServiceResult serviceResult = new
GIBEMustahsil.earsivServiceResult();
22:         var temp = gibEMustahsilService.mustahsilMakbuzSorgula(input, out
serviceResult);
23:         if (temp != null)
24:             return temp.belgeIcerigi;
25:         else
26:             {
27:                 temp = gibEMustahsilService.mustahsilMakbuzOnizleme(input, belgeTemp, out
serviceResult);
28:                 if (temp != null)
29:                     return temp.belgeIcerigi;
30:                 else
31:                     return null;
32:             }
33:         }
34:     catch (System.Exception ex)
35:     {
36:         return null;
37:     }
38:     finally
39:     {
40:         gibUserService.logout();
41:     }
42: }
```

1.1.7.1.1.8 DisServisler.GetMD5Hash Method

Summary

Dosyanın MD5 hashi alınması için yazılan metottur

C#

```
public static string GetMD5Hash(byte[] gelen);
```

Parameters

Parameters	Description
byte[] gelen	Girdi Bilgisi

Returns

Metnin veya girdinin MD5 hashlenmis hali

Body Source

```

1: public static string GetMD5Hash(byte[] gelen)
2: {
3:     MD5 md5Hash = new MD5CryptoServiceProvider();
4:     byte[] data = md5Hash.ComputeHash(gelen);
5:     StringBuilder sBuilder = new StringBuilder();
6:
7:     for (int i = 0; i < data.Length; i++)
8:     {
9:         sBuilder.Append(data[i].ToString("x2"));
10:    }
11:
12:    return sBuilder.ToString();
13: }
```

1.1.7.1.2 Enums Class

Summary

Satis Türü Bilgilerinin Bulundugu Enum sınıfı

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Class Hierarchy

[QNBFinansGIB.Utils.Enums](#)

C#

```
public static class Enums;
```

File

Enums.cs ([see page 693](#))

Enums Enumerations

	Name	Description
⊕	FaturaTur (see page 623)	Faturada Türlerinin Kodlarının Bulundugu enum bilgisi Burada lade faturasi ise XML içerisinde bazi yapisal degisiklikler gerçekleştirildiği için Bu konu önemlidir.
⊕	SatisTur (see page 623)	Faturadaki Satis Türlerinin Kodlarının Bulundugu enum bilgisi Burada İhraç Kayitli ise XML içerisinde bazi yapisal degisiklikler gerçekleştirildiği için Bu konu önemlidir.

1.1.7.1.2.1 Enums Enumerations

1.1.7.1.2.1.1 QNBFinansGIB.Utils.Enums.FaturaTur Enumeration

Summary

Faturada Türlerinin Kodlarının Bulundugu enum bilgisi Burada lade faturasi ise XML içerisinde bazi yapisal degisiklikler gerçekleştirildiği için Bu konu önemlidir.

C#

```
public enum FaturaTur {
    Muhtelif = 1,
    Kantin = 2,
    Ambar = 3,
    Satis = 4,
    Iade = 5,
    Fark = 6,
    Personel = 7,
    Proforma = 8,
    NoterlikMakbuzu = 9,
    Harcirah = 10
}
```

File

Enums.cs ([see page 693](#))

1.1.7.1.2.1.2 QNBFinansGIB.Utils.Enums.SatisTur Enumeration

Summary

Faturadaki Satis Türlerinin Kodlarının Bulundugu enum bilgisi Burada İhraç Kayitli ise XML içerisinde bazi yapisal degisiklikler gerçekleştirildiği için Bu konu önemlidir.

C#

```
public enum SatisTur {
    Vadeli = 1,
    Hesaben = 2,
    Pesin = 3,
    TeskilataVerilen = 4,
    TeslimattaVadeli = 5,
    CiftciyeVerilen = 6,
    IstirakeSatilan = 7,
```

```

PersoneleSatilan = 8,
ImalatciIhracatci = 9,
IhracKayitli = 10,
IstirakeSatilanRezervli = 11,
RafFiyatGarantili = 12
}

```

File

Enums.cs ([see page 693](#))

1.1.7.1.3 GeriDonus Class

Summary

E-Fatura Servisinde Önizleme Metodu çağrıldığında dönecek olan değer Burada Tipe göre Dosya ([see page 624](#)) uzantısı Zip veya PDF olacağı için Bu konu önemlidir

Class Hierarchy

[QNBFinansGIB.Utils.GeriDonus](#)

C#

```
public class GeriDonus;
```

File

GeriDonus.cs ([see page 713](#))

GeriDonus Properties

	Name	Description
	Dosya (see page 624)	Çıktı alınacak dosyanın byte dizisi hali
	Tip (see page 624)	Çıktı Tipi Bilgisi

1.1.7.1.3.1 GeriDonus Properties

1.1.7.1.3.1.1 GeriDonus.Dosya Property

Summary

Çıktı alınacak dosyanın byte dizisi hali

C#

```
public byte Dosya;
```

1.1.7.1.3.1.2 GeriDonus.Tip Property

Summary

Çıktı Tipi Bilgisi

C#

```
public int Tip;
```

1.1.7.1.4 MesajSabitler Class

Summary

Yapılan Ekranlarda Verilecek Mesajlarla İlgili Sabit Sınıf

Class Hierarchy

[QNBFinansGIB.Utils.MesajSabitler](#)

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

C#

```
public static class MesajSabitler;
```

File

GeriDonus.cs (see page 713)

MesajSabitler Fields

	Name	Description
❖ S	IslemBasarili (see page 625)	Islemin Basarili Olduguna Dair Mesaj Bilgisi
❖ S	IslemBasarisiz (see page 625)	Islemin Basarisiz Olduguna Dair Mesaj Bilgisi
❖ S	MesajBasligi (see page 625)	Islem Mesajlarinin Kutusunda Gösterilecek Baslik Mesaj Bilgisi

1.1.7.1.4.1 MesajSabitler Fields**1.1.7.1.4.1.1 MesajSabitler.IslemBasarili Field****Summary**

Islemin Basarili Olduguna Dair Mesaj Bilgisi

C#

```
public static string IslemBasarili = "Islem Basarili";
```

1.1.7.1.4.1.2 MesajSabitler.IslemBasarisiz Field**Summary**

Islemin Basarisiz Olduguna Dair Mesaj Bilgisi

C#

```
public static string IslemBasarisiz = "Islem Basarisiz";
```

1.1.7.1.4.1.3 MesajSabitler.MesajBasligi Field**Summary**

Islem Mesajlarinin Kutusunda Gösterilecek Baslik Mesaj Bilgisi

C#

```
public static string MesajBasligi = "QNB Finans GIB Servis Uygulamasi";
```

1.1.7.1.5 YardimciSiniflar Class**Summary**

Giden Fatura ve Müstahsil Makbuzlari ile ilgili olarak, Kendisi, Ana Kayda Iliskin Detaylar, Aktarilacak Klasör gibi bilgiler kullanilarak QNB Finans GIB Web Servislerine gönderilecek XML dosyalarinin hazırlanması ile ilgili Metotlarin bulunduğu yardimci siniftir.

Class Hierarchy

QNBFinansGIB.Utils.YardimciSiniflar

C#

```
public static class YardimciSiniflar;
```

File

YardimciSiniflar.cs (see page 727)

YardimciSınıflar Methods

	Name	Description
ESH	EArsivXMLOlustur (see page 626)	Giden Fatura Bilgisi Üzerinden E-Arsiv Sistemine Göndermek İçin XML Dosyasi Olusturmaya yarayan metottur
ESH	EFaturaXMLOlustur (see page 655)	Giden Fatura Bilgisi Üzerinden E-Fatura Sistemine Göndermek İçin XML Dosyasi Olusturmaya yarayan metottur
ESH	EMustahsilXMLOlustur (see page 671)	Müstahsil Makbuzu Bilgisi Üzerinden E-Müstahsil Sistemine Göndermek İçin XML Dosyasi Olusturmaya yarayan metottur

1.1.7.1.5.1 YardimciSınıflar Methods**1.1.7.1.5.1.1 YardimciSınıflar.EArsivXMLOlustur Method****Summary**

Giden Fatura Bilgisi Üzerinden E-Arsiv Sistemine Göndermek İçin XML Dosyasi Olusturmaya yarayan metottur

C#

```
public static string EArsivXMLOlustur(GidenFaturaDTO gidenFatura, List<GidenFaturaDetayDTO>
gidenFaturaDetayListesi, string aktarilacakKlasorAdi, bool mustahsilMakbuzuMi);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi	Giden Fatura Detay Listesi
string aktarilacakKlasorAdi	Olusturulan Dosyanin Aktarilacagi Klasör
bool mustahsilMakbuzuMi	Tüzel Kisi Mi Bilgisi

Returns

Kaydedilen Dosyanin Bilgisayardaki Adresi

Body Source

```

1: public static string EArsivXMLOlustur(GidenFaturaDTO gidenFatura,
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, string aktarilacakKlasorAdi, bool
mustahsilMakbuzuMi)
2: {
3:     if (!mustahsilMakbuzuMi)
4:     {
5:         #region Sahis Sirketi veya Personel Kaydindan Gelecekse
6:
7:         XmlDocument doc = new XmlDocument();
8:         XmlDeclaration declaration;
9:         declaration = doc.CreateXmlDeclaration("1.0", "UTF-8", null);
10:        XmlElement root = doc.DocumentElement;
11:        doc.InsertBefore(declaration, root);
12:        //doc.AppendChild(doc.CreateProcessingInstruction("xml-stylesheet",
"type='text/xsl' href='general.xslt');");
13:
14:        root = doc.CreateElement("Invoice");
15:
16:        var kodSatisTuruKod = 0;
17:        if (gidenFatura.SatisTuruKod != null)
18:            kodSatisTuruKod = gidenFatura.SatisTuruKod ?? 0;
19:
20:        var kodFaturaTuruKod = 0;
21:        if (gidenFatura.FaturaTuruKod != null)
22:            kodFaturaTuruKod = gidenFatura.FaturaTuruKod ?? 0;
23:
24:        #region Standart ve Faturaya Bagli Bilgiler
25:
```

```

26:          // Faturanın türü, düzenleme tarihi, UBL Versiyon Numarasi, GIB Numarasi gibi
bilgiler
27:          // yer almaktadir
28:          #region Standart Bilgiler
29:          root.RemoveAllAttributes();
30:
31:          string locationAttribute = "xsi:schemaLocation";
32:          XmlAttribute location = doc.CreateAttribute("xsi", "schemaLocation",
"urn:oasis:names:specification:ubl:schema:xsd:Invoice-2");
33:          location.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
./xsdr/maindoc/UBL-Invoice-2.1.xsd";
34:          //XmlAttribute location = doc.CreateAttribute(schemaLocation);
35:          //location.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
./xsdr/maindoc/UBL-Invoice-2.1.xsd";
36:          XmlAttribute xmlns = doc.CreateAttribute("xmlns");
37:          xmlns.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2";
38:          XmlAttribute xmlnsn4 = doc.CreateAttribute("xmlns:n4");
39:          xmlnsn4.Value = "http://www.altova.com/samplexml/other-namespace";
40:          XmlAttribute xmlnsxsi = doc.CreateAttribute("xmlns:xsi");
41:          xmlnsxsi.Value = "http://www.w3.org/2001/XMLSchema-instance";
42:          XmlAttribute xmlnscac = doc.CreateAttribute("xmlns:cac");
43:          xmlnscac.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonAggregateComponents-2";
44:          XmlAttribute xmlnscbc = doc.CreateAttribute("xmlns:cbc");
45:          xmlnscbc.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonBasicComponents-2";
46:          XmlAttribute xmlnsext = doc.CreateAttribute("xmlns:ext");
47:          xmlnsext.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonExtensionComponents-2";
48:          XmlAttribute xmlnsxades = doc.CreateAttribute("xmlns:xades");
49:          //xmlnsxades.Value = "http://uri.etsi.org/01903/v1.3.2#";
50:          xmlnsxades.Value = "http://uri.etsi.org/01903/v1.3.2";
51:          XmlAttribute xmlnsds = doc.CreateAttribute("xmlns:ds");
52:          //xmlnsds.Value = "http://www.w3.org/2000/09/xmldsig#";
53:          xmlnsds.Value = "http://www.w3.org/2000/09/xmldsig";
54:
55:          root.Attributes.Append(location);
56:          root.Attributes.Append(xmlns);
57:          root.Attributes.Append(xmlnsxsi);
58:          root.Attributes.Append(xmlnscac);
59:          root.Attributes.Append(xmlnsext);
60:          root.Attributes.Append(xlmnsds);
61:          root.Attributes.Append(xmlnsxades);
62:          root.Attributes.Append(xmlnscbc);
63:          root.Attributes.Append(xmlnsn4);
64:
65:          var extUbl = doc.CreateElement("ext", "UBLExtensions", xlmnsext.Value);
66:          var extUbl2 = doc.CreateElement("ext", "UBLExtension", xlmnsext.Value);
67:          var extUbl3 = doc.CreateElement("ext", "ExtensionContent", xlmnsext.Value);
68:          extUbl2.AppendChild(extUbl3);
69:          extUbl.AppendChild(extUbl2);
70:
71:          root.AppendChild(extUbl);
72:
73:          var versionId = doc.CreateElement("cbc", "UBLVersionID", xlmnscbc.Value);
74:          versionId.InnerText = "2.1";
75:          root.AppendChild(versionId);
76:
77:          var customizationId = doc.CreateElement("cbc", "CustomizationID",
xlmnscbc.Value);
78:          customizationId.InnerText = "TR1.2";
79:          root.AppendChild(customizationId);
80:
81:          var profileId = doc.CreateElement("cbc", "ProfileID", xlmnscbc.Value);
82:          profileId.InnerText = "EARSIVFATURA";
83:          root.AppendChild(profileId);
84:
85:          var id = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
86:          if (!string.IsNullOrEmpty(gidenFatura.GibNumarasi))

```

```

87:             id.InnerText = gidenFatura.GibNumarasi;
88:         else
89:             id.InnerText = "ABC" + gidenFatura.DuzenlemeTarihi?.Year +
DateTime.UtcNow.Ticks.ToString().Substring(0, 9);
90:         root.AppendChild(id);
91:
92:         var copyIndicator = doc.CreateElement("cbc", "CopyIndicator", xlmnscbc.Value);
93:         copyIndicator.InnerText = "false";
94:         root.AppendChild(copyIndicator);
95:
96:         var gidenFaturaId = doc.CreateElement("cbc", "UUID", xlmnscbc.Value);
97:         gidenFaturaId.InnerText = gidenFatura.GidenFaturaId.Length == 36 ?
gidenFatura.GidenFaturaId.ToUpper() : Guid.NewGuid().ToString().ToUpper();
98:         root.AppendChild(gidenFaturaId);
99:
100:        var issueDate = doc.CreateElement("cbc", "IssueDate", xlmnscbc.Value);
101:        issueDate.InnerText =
gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd");
102:        root.AppendChild(issueDate);
103:
104:        var issueTime = doc.CreateElement("cbc", "IssueTime", xlmnscbc.Value);
105:        issueTime.InnerText = gidenFatura.DuzenlemeTarihi?.ToString("HH:mm:ss");
106:        root.AppendChild(issueTime);
107:
108:        var invoiceTypeCode = doc.CreateElement("cbc", "InvoiceTypeCode",
xlmnscbc.Value);
109:        invoiceTypeCode.InnerText = "SATIS";
110:        if (gidenFatura.KdvTutari == 0 || gidenFaturaDetayListesi.Any(j =>
j.KdvTutari == 0))
111:            invoiceTypeCode.InnerText = "ISTISNA";
112:        if (kodSatisTuruKod == SatisTur.Ihrackayitli.GetHashCode())
113:            invoiceTypeCode.InnerText = "IHRACKAYITLI";
114:        if (kodFaturaTuruKod == FaturaTur.Iade.GetHashCode())
115:            invoiceTypeCode.InnerText = "IADE";
116:        root.AppendChild(invoiceTypeCode);
117:
118:        #region Irsaliye Bilgileri
119:
120:        #region Irsaliye ve Tonaj Düzenlemesi
121:
122:        var gidenFaturaDetayListesi2 = new List<GidenFaturaDetayDTO>();
123:        var gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi;
124:        foreach (var item in gidenFaturaDetayListesiTemp)
125:        {
126:            if (!string.IsNullOrEmpty(item.IrsaliyeNo) &&
!string.IsNullOrEmpty(item.PlakaNo))
127:            {
128:                if (!gidenFaturaDetayListesi2.Any(j => j.IrsaliyeNo ==
item.IrsaliyeNo && j.PlakaNo == item.PlakaNo))
129:                {
130:                    item.Tonaj = item.Miktar;
131:                    gidenFaturaDetayListesi2.Add(item);
132:                }
133:                else
134:                {
135:                    var index = gidenFaturaDetayListesi2.FindIndex(j => j.IrsaliyeNo ==
item.IrsaliyeNo && j.PlakaNo == item.PlakaNo);
136:                    gidenFaturaDetayListesi2[index].Tonaj =
gidenFaturaDetayListesi2[index].Tonaj + item.Miktar;
137:                }
138:            }
139:        }
140:        //if (gidenFaturaDetayListesi2.Count < 1)
141:        //    gidenFaturaDetayListesi2.Add(new GidenFaturaDetayDTO());
142:
143:        #endregion Irsaliye ve Tonaj Düzenlemesi
144:
145:        if (gidenFaturaDetayListesi2.Count > 0)
146:        {

```

```

147:         foreach (var item in gidenFaturaDetayListesi2)
148:     {
149:         var irsaliyeNote = doc.CreateElement("cbc", "Note", xlmnscbc.Value);
150:         irsaliyeNote.InnerText = "Plaka No: " + item.PlakaNo;
151:         if (!string.IsNullOrEmpty(item.SevkIrsaliyesiNo))
152:             irsaliyeNote.InnerText += " Irsaliye No: " +
item.SevkIrsaliyesiNo;
153:         if (item.SevkIrsaliyeTarihi != null)
154:             irsaliyeNote.InnerText += " Irsaliye Tarihi: " +
item.SevkIrsaliyeTarihi?.ToShortDateString();
155:         if (item.YuklemeFormuNo != null)
156:             irsaliyeNote.InnerText += " Yükleme Formu No: " +
item.YuklemeFormuNo;
157:         if (item.Tonaj != null)
158:             irsaliyeNote.InnerText += " Tonaj: " + item.Tonaj;
159:         root.AppendChild(irsaliyeNote);
160:     }
161: }
162:
163: #endregion
164:
165: var sendType = doc.CreateElement("cbc", "Note", xlmnscbc.Value);
166: sendType.InnerText = "Gönderim Sekli: ELEKTRONIK";
167: root.AppendChild(sendType);
168:
169: var documentCurrencyCode = doc.CreateElement("cbc", "DocumentCurrencyCode",
xlmnscbc.Value);
170: documentCurrencyCode.InnerText = "TRY";
171: root.AppendChild(documentCurrencyCode);
172:
173: var lineCountNumeric = doc.CreateElement("cbc", "LineCountNumeric",
xlmnscbc.Value);
174: lineCountNumeric.InnerText = gidenFaturaDetayListesi.Count.ToString();
175: root.AppendChild(lineCountNumeric);
176:
177: #endregion
178:
179: // Faturaya iliskin imza, adres vb. bilgiler yer almaktadir
180: #region Signature
181: var signature = doc.CreateElement("cac", "Signature", xlmnscac.Value);
182: XmlAttribute signatureIdAttr = doc.CreateAttribute("schemeID");
183: signatureIdAttr.Value = "VKN_TCKN";
184: var signatureId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
185: signatureId.Attributes.Append(signatureIdAttr);
186: signatureId.InnerText = "3250566851";
187: signature.AppendChild(signatureId);
188: var signatoryParty = doc.CreateElement("cac", "SignatoryParty",
xlmnscac.Value);
189: var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
190: XmlAttribute signatureIdAttr2 = doc.CreateAttribute("schemeID");
191: signatureIdAttr2.Value = "VKN";
192: var signaturePartyId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
193: signaturePartyId.Attributes.Append(signatureIdAttr2);
194: signaturePartyId.InnerText = "3250566851";
195: partyIdentification.AppendChild(signaturePartyId);
196: signatoryParty.AppendChild(partyIdentification);
197:
198: #region Postal Address
199: var postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
200: var streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
201: streetName.InnerText = "Mithatpasa Caddesi";
202: postalAddress.AppendChild(streetName);
203: var buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
204: buildingNumber.InnerText = "14";
205: postalAddress.AppendChild(buildingNumber);
206: var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```

207:         citySubdivisionName.InnerText = "Çankaya";
208:         postalAddress.AppendChild(citySubdivisionName);
209:         var cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
210:         cityName.InnerText = "Ankara";
211:         postalAddress.AppendChild(cityName);
212:         var postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
213:         postalZone.InnerText = "06100";
214:         postalAddress.AppendChild(postalZone);
215:         var country = doc.CreateElement("cac", "Country", xlmnscac.Value);
216:         var countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
217:         countryName.InnerText = "Türkiye";
218:         country.AppendChild(countryName);
219:         postalAddress.AppendChild(country);
220:         signatoryParty.AppendChild(postalAddress);
221:         signature.AppendChild(signatoryParty);
222:
223:     #endregion
224:
225:     var digitalSignatureAttachment = doc.CreateElement("cac",
226: "DigitalSignatureAttachment", xlmnscac.Value);
226:     var externalReference = doc.CreateElement("cac", "ExternalReference",
227: xlmnscac.Value);
227:     var uri = doc.CreateElement("cbc", "URI", xlmnscbc.Value);
228:     uri.InnerText = "#Signature";
229:     externalReference.AppendChild(uri);
230:     digitalSignatureAttachment.AppendChild(externalReference);
231:     signature.AppendChild(digitalSignatureAttachment);
232:
233:     root.AppendChild(signature);
234: #endregion
235:
236: // Burada sabit degerler verilmekte olup, Faturayi kesen kuruma veya firmaya
ait bilgiler
237: // yer almaktadir. Bu kisimda örnek olarak TÜRKSEKER Fabrikalari Genel
Müdürlüğü bilgileri
238: // kullanilmistir. Ancak degistirip test edilebilir.
239: #region AccountingSupplierParty
240:
241:     var accountingSupplierParty = doc.CreateElement("cac",
242: "AccountingSupplierParty", xlmnscac.Value);
243:     var party = doc.CreateElement("cac", "Party", xlmnscac.Value);
244:     var webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
244:     webSiteUri.InnerText = "https://www.turkseker.gov.tr";
245:     party.AppendChild(webSiteUri);
246:     XmlAttribute accountingSupplierPartyIdAttr = doc.CreateAttribute("schemeID");
247:     accountingSupplierPartyIdAttr.Value = "VKN_TCKN";
248:     partyIdentification = doc.CreateElement("cac", "PartyIdentification",
249: xlmnscac.Value);
249:     XmlAttribute accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
250:     accountingSupplierPartyIdAttr2.Value = "VKN";
251:     var accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
251: xlmnscbc.Value);
252:
accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
253:     accountingSupplierPartyPartyId.InnerText = "3250566851";
254:     partyIdentification.AppendChild(accountingSupplierPartyPartyId);
255:     party.AppendChild(partyIdentification);
256:
257:     if (!string.IsNullOrEmpty(gidenFatura.AltBirimAd))
258:     {
259:         partyIdentification = doc.CreateElement("cac", "PartyIdentification",
259: xlmnscac.Value);
260:         accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
261:         accountingSupplierPartyIdAttr2.Value = "SUBENO";
262:         accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
262: xlmnscbc.Value);
263:
accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
264:         accountingSupplierPartyPartyId.InnerText = gidenFatura.AltBirimAd;

```

```

265:             partyIdentification.AppendChild(accountingSupplierPartyPartyId);
266:             party.AppendChild(partyIdentification);
267:         }
268:
269:         var partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
270:         var partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
271:         partyNameReal.InnerText = "TÜRKİYE SEKER FABRIKALARI A.S.";
272:         partyName.AppendChild(partyNameReal);
273:         party.AppendChild(partyName);
274:
275:         #region Postal Address
276:         postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
277:         var postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
278:         postalAddressId.InnerText = "32250566851";
279:         postalAddress.AppendChild(postalAddressId);
280:         streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
281:         streetName.InnerText = "Mithatpasa Caddesi";
282:         postalAddress.AppendChild(streetName);
283:         buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xlmnscbc.Value);
284:         buildingNumber.InnerText = "14";
285:         postalAddress.AppendChild(buildingNumber);
286:         citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
287:         citySubdivisionName.InnerText = "Çankaya";
288:         postalAddress.AppendChild(citySubdivisionName);
289:         cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
290:         cityName.InnerText = "Ankara";
291:         postalAddress.AppendChild(cityName);
292:         postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
293:         postalZone.InnerText = "06100";
294:         postalAddress.AppendChild(postalZone);
295:         country = doc.CreateElement("cac", "Country", xlmnscac.Value);
296:         countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
297:         countryName.InnerText = "Türkiye";
298:         country.AppendChild(countryName);
299:         postalAddress.AppendChild(country);
300:         party.AppendChild(postalAddress);
301:
302:         #endregion
303:
304:         var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xlmnscac.Value);
305:         var taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
306:         var taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
307:         taxSchemeName.InnerText = "Ankara Kurumlar";
308:         taxScheme.AppendChild(taxSchemeName);
309:         partyTaxScheme.AppendChild(taxScheme);
310:         party.AppendChild(partyTaxScheme);
311:
312:         var contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
313:         var telephone = doc.CreateElement("cbc", "Telephone", xlmnscbc.Value);
314:         telephone.InnerText = "(312) 4585500";
315:         contact.AppendChild(telephone);
316:         var telefax = doc.CreateElement("cbc", "Telefax", xlmnscbc.Value);
317:         telefax.InnerText = "(312) 4585800";
318:         contact.AppendChild(telefax);
319:         var electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xlmnscbc.Value);
320:         electronicMail.InnerText = "maliisler@turkseker.gov.tr";
321:         contact.AppendChild(electronicMail);
322:         party.AppendChild(contact);
323:
324:         accountingSupplierParty.AppendChild(party);
325:
326:         root.AppendChild(accountingSupplierParty);
327:         #endregion
328:
329:         // Bu kisimda fatura kesilen firma bilgileri yer almaktadir
330:         #region AccountingCustomerParty

```

```

331:
332:         var accountingCustomerParty = doc.CreateElement("cac",
333:             "AccountingCustomerParty", xlmnscac.Value);
334:         party = doc.CreateElement("cac", "Party", xlmnscac.Value);
335:         webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
336:         party.AppendChild(webSiteUri);
337:         XmlAttribute accountingCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
338:         accountingCustomerPartyIdAttr.Value = "TCKN";
339:         partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
340:         var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
341:
342:         accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerPartyIdAttr);
343:         accountingCustomerPartyPartyId.InnerText = gidenFatura.GercekKisiTcKimlikNo;
344:         partyIdentification.AppendChild(accountingCustomerPartyPartyId);
345:         party.AppendChild(partyIdentification);

346:         #region Postal Address
347:         postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
348:         postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
349:         postalAddressId.InnerText = gidenFatura.GercekKisiTcKimlikNo;
350:         postalAddress.AppendChild(postalAddressId);
351:         var room = doc.CreateElement("cbc", "Room", xlmnscbc.Value);
352:         postalAddress.AppendChild(room);
353:         streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
354:         if (!string.IsNullOrEmpty(gidenFatura.IkametgahAdresi))
355:             streetName.InnerText = gidenFatura.IkametgahAdresi;
356:         postalAddress.AppendChild(streetName);
357:         buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xlmnscbc.Value);
358:         //buildingNumber.InnerText = "";
359:         postalAddress.AppendChild(buildingNumber);
360:         citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
361:         if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
362:             citySubdivisionName.InnerText = gidenFatura.IlceAd;
363:         postalAddress.AppendChild(citySubdivisionName);
364:         cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
365:         if (!string.IsNullOrEmpty(gidenFatura.IlAd))
366:             cityName.InnerText = gidenFatura.IlAd;
367:         postalAddress.AppendChild(cityName);
368:         postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
369:         //postalZone.InnerText = "";
370:         postalAddress.AppendChild(postalZone);
371:         country = doc.CreateElement("cac", "Country", xlmnscac.Value);
372:         countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
373:         countryName.InnerText = "Türkiye";
374:         country.AppendChild(countryName);
375:         postalAddress.AppendChild(country);
376:         party.AppendChild(postalAddress);

377:     #endregion
378:

379:     partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme", xlmnscac.Value);
380:     taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
381:     taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
382:     //if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
383:     //    taxSchemeName.InnerText = gidenFatura.VergiDairesi;
384:     taxScheme.AppendChild(taxSchemeName);
385:     partyTaxScheme.AppendChild(taxScheme);
386:     party.AppendChild(partyTaxScheme);

387:     contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
388:     telephone = doc.CreateElement("cbc", "Telephone", xlmnscbc.Value);
389:     if (!string.IsNullOrEmpty(gidenFatura.CepTelefonNo))
390:         telephone.InnerText = gidenFatura.CepTelefonNo;
391:     contact.AppendChild(telephone);
392:     telefax = doc.CreateElement("cbc", "Telefax", xlmnscbc.Value);
393:     //if (!string.IsNullOrEmpty(gidenFatura.FaksNo))

```

```

395:         //    telefax.InnerText = gidenFatura.FaksNo;
396:         contact.AppendChild(telefax);
397:         electronicMail = doc.CreateElement("cbc", "ElectronicMail", xlmnscbc.Value);
398:         if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))
399:             electronicMail.InnerText = gidenFatura.EPostaAdresi;
400:         contact.AppendChild(electronicMail);
401:         party.AppendChild(contact);
402:
403:         var person = doc.CreateElement("cac", "Person", xlmnscac.Value);
404:         var firstName = doc.CreateElement("cbc", "FirstName", xlmnscbc.Value);
405:         firstName.InnerText = gidenFatura.GercekKisiAd;
406:         person.AppendChild(firstName);
407:         var familyName = doc.CreateElement("cbc", "FamilyName", xlmnscbc.Value);
408:         familyName.InnerText = gidenFatura.GercekKisiSoyad;
409:         person.AppendChild(familyName);
410:         party.AppendChild(person);
411:
412:         accountingCustomerParty.AppendChild(party);
413:
414:         root.AppendChild(accountingCustomerParty);
415: #endregion
416:
417: if (!string.IsNullOrEmpty(gidenFatura.BankaAd))
418: {
419:     // Eger Banka bilgileri mevcutsa burada banka bilgileri yer almaktadir
420: #region PaymentMeans
421:
422:     var paymentMeans = doc.CreateElement("cac", "PaymentMeans",
xlmnscac.Value);
423:     var paymentMeansCode = doc.CreateElement("cbc", "PaymentMeansCode",
xlmnscbc.Value);
424:     paymentMeansCode.InnerText = "1";
425:     paymentMeans.AppendChild(paymentMeansCode);
426:     var payeeFinancialAccount = doc.CreateElement("cac",
"PayeeFinancialAccount", xlmnscac.Value);
427:     var payeeFinancialAccountId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
428:     if (!string.IsNullOrEmpty(gidenFatura.IbanNo))
429:         payeeFinancialAccountId.InnerText = gidenFatura.IbanNo;
430:     payeeFinancialAccount.AppendChild(payeeFinancialAccountId);
431:     var currencyCode = doc.CreateElement("cbc", "CurrencyCode",
xlmnscbc.Value);
432:     currencyCode.InnerText = "TRY";
433:     payeeFinancialAccount.AppendChild(currencyCode);
434:     var paymentNote = doc.CreateElement("cbc", "PaymentNote", xlmnscbc.Value);
435:     if (!string.IsNullOrEmpty(gidenFatura.BankaAd) &&
!string.IsNullOrEmpty(gidenFatura.BankaSube))
436:         paymentNote.InnerText = gidenFatura.BankaAd + " - " +
gidenFatura.BankaSube;
437:         payeeFinancialAccount.AppendChild(paymentNote);
438:         paymentMeans.AppendChild(payeeFinancialAccount);
439:         root.AppendChild(paymentMeans);
440:
441: #endregion
442: }
443:
444: #region KDVlerin Belirlenmesi
445:
446: var faturaKdvListesi = new List<FaturaKdvDTO>();
447: foreach (var item in gidenFaturaDetayListesi)
448: {
449:     decimal kodKdvTuruOran = item.KdvOran ?? 0;
450:     if (!faturaKdvListesi.Any(j => j.KdvOran == kodKdvTuruOran))
451:     {
452:         var faturaKdv = new FaturaKdvDTO
453:         {
454:             KdvOran = kodKdvTuruOran,
455:             KdvTutari = item.KdvTutari,
456:             KdvHaricTutar =
item.KdvHaricTutar

```

```

457:         };
458:         faturaKdvListesi.Add(faturaKdv);
459:     }
460:     else
461:     {
462:         var index = faturaKdvListesi.FindIndex(j => j.KdvOran ==
kodKdvTuruOran);
463:         faturaKdvListesi[index].KdvTutari += item.KdvTutari;
464:         faturaKdvListesi[index].KdvHaricTutar += item.KdvHaricTutar;
465:     }
466:     if (faturaKdvListesi.Count > 0)
467:         faturaKdvListesi = faturaKdvListesi.OrderBy(j => j.KdvOran).ToList();
468:     }
469:
470: #endregion
471:
472: #region TaxTotal
473:
474:     var sayac = 1;
475:     foreach (var item in faturaKdvListesi)
476:     {
477:         // Burada vergi bilgileri yer almaktadir
478:         #region TaxTotal
479:
480:         var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
481:         XmlAttribute currencyIdGeneral = doc.CreateAttribute("currencyID");
482:         currencyIdGeneral.Value = "TRY";
483:         var taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
484:         taxAmount.RemoveAllAttributes();
485:         taxAmount.Attributes.Append(currencyIdGeneral);
486:         taxAmount.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
487:         taxTotal.AppendChild(taxAmount);
488:         var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xlmnscac.Value);
489:         var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xlmnscbc.Value);
490:         taxableAmount.RemoveAllAttributes();
491:         currencyIdGeneral = doc.CreateAttribute("currencyID");
492:         currencyIdGeneral.Value = "TRY";
493:         taxableAmount.Attributes.Append(currencyIdGeneral);
494:         taxableAmount.InnerText = Decimal.Round((decimal)item.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
495:         taxSubTotal.AppendChild(taxableAmount);
496:         var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
497:         taxAmount2.RemoveAllAttributes();
498:         currencyIdGeneral = doc.CreateAttribute("currencyID");
499:         currencyIdGeneral.Value = "TRY";
500:         taxAmount2.Attributes.Append(currencyIdGeneral);
501:         taxAmount2.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
502:         taxSubTotal.AppendChild(taxAmount2);
503:         var calculationSequenceNumeric = doc.CreateElement("cbc",
"CalculationSequenceNumeric", xlmnscbc.Value);
504:         calculationSequenceNumeric.InnerText = sayac + ".0";
505:         taxSubTotal.AppendChild(calculationSequenceNumeric);
506:         var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
507:         percent.InnerText = Decimal.Round((decimal)item.KdvOran, 0,
MidpointRounding.AwayFromZero).ToString();
508:         taxSubTotal.AppendChild(percent);
509:         var taxCategory = doc.CreateElement("cac", "TaxCategory", xlmnscac.Value);
510:         if (item.KdvTutari == 0)
511:         {
512:             var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
513:             taxExemptionReasonCode.InnerText = "325";
514:             var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
515:             taxExemptionReason.InnerText = "13/i Yem Teslimleri";
516:             taxCategory.AppendChild(taxExemptionReasonCode);

```

```

517:             taxCategory.AppendChild(taxExemptionReason);
518:         }
519:         if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
520:         {
521:             var taxExemptionReasonCode = doc.CreateElement("cbc",
522: "TaxExemptionReasonCode", xlmnscbc.Value);
523:             taxExemptionReasonCode.InnerText = "701";
524:             var taxExemptionReason = doc.CreateElement("cbc",
525: "TaxExemptionReason", xlmnscbc.Value);
526:             taxExemptionReason.InnerText = "3065 sayili Katma Deger Vergisi
kanununun 11/1-c maddesi kapsaminda ihraç edilmek sartiyla teslim edildiginden Katma Deger
Vergisi tahsil edilmemistir.";
527:             taxCategory.AppendChild(taxExemptionReasonCode);
528:             taxCategory.AppendChild(taxExemptionReason);
529:         }
530:         var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
531:         var taxTypeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
532:         taxTypeName.InnerText = "Katma Deger Vergisi";
533:         var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xlmnscbc.Value);
534:         taxTypeCode.InnerText = "0015";
535:         taxScheme2.AppendChild(taxTypeName);
536:         taxScheme2.AppendChild(taxTypeCode);
537:         taxCategory.AppendChild(taxScheme2);
538:         taxSubTotal.AppendChild(taxCategory);
539:         taxTotal.AppendChild(taxSubTotal);
540:         root.AppendChild(taxTotal);

541:     }
542: 
```

#endregion

```

543: 
```

#endregion

```

544: 
```

// Burada vergi bilgileri yer almaktadir

```

545: #region Açiklama Satiri (TaxTotal)
546: 
```

```

547: 
```

```

548: //var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
549: //XmlAttribute currencyId = doc.CreateAttribute("currencyID");
550: //currencyId.Value = "TRY";
551: //var taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
552: //taxAmount.RemoveAllAttributes();
553: //taxAmount.Attributes.Append(currencyId);
554: //taxAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",","."));
555: //taxTotal.AppendChild(taxAmount);
556: //var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xlmnscac.Value);
557: //var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xlmnscbc.Value);
558: //taxableAmount.RemoveAllAttributes();
559: //currencyId = doc.CreateAttribute("currencyID");
560: //currencyId.Value = "TRY";
561: //taxableAmount.Attributes.Append(currencyId);
562: //taxableAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvHaricTutar,
2, MidpointRounding.AwayFromZero).ToString().Replace(",",".");
563: //taxSubTotal.AppendChild(taxableAmount);
564: //var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
565: //taxAmount2.RemoveAllAttributes();
566: //currencyId = doc.CreateAttribute("currencyID");
567: //currencyId.Value = "TRY";
568: //taxAmount2.Attributes.Append(currencyId);
569: //taxAmount2.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",",".");
570: //taxSubTotal.AppendChild(taxAmount2);
571: //var calculationSequenceNumeric = doc.CreateElement("cbc",
"CalculationSequenceNumeric", xlmnscbc.Value);
572: //calculationSequenceNumeric.InnerText = "1.0";
573: //taxSubTotal.AppendChild(calculationSequenceNumeric);
574: //var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
575: //if (gidenFatura.KdvHaricTutar != 0)
576: //    percent.InnerText = Decimal.Round(((decimal)gidenFatura.KdvTutari *

```

```

100) / (decimal)gidenFatura.KdvHaricTutar, 0, MidpointRounding.AwayFromZero).ToString();
577:     //else
578:         // percent.InnerText = "0";
579:         //taxSubTotal.AppendChild(percent);
580:         //var taxCategory = doc.CreateElement("cac", "TaxCategory", xlmnscac.Value);
581:         //if (gidenFatura.KdvTutari == 0)
582:             //{
583:                 // var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
584:                 // taxExemptionReasonCode.InnerText = "325";
585:                 // var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xlmnscbc.Value);
586:                 // taxExemptionReason.InnerText = "13/i Yem Teslimleri";
587:                 // taxCategory.AppendChild(taxExemptionReasonCode);
588:                 // taxCategory.AppendChild(taxExemptionReason);
589:             //}
590:             //if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
591:             //{
592:                 // var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
593:                 // taxExemptionReasonCode.InnerText = "701";
594:                 // var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xlmnscbc.Value);
595:                 // taxExemptionReason.InnerText = "3065 sayili Katma Deger Vergisi
kanununun 11/1-c maddesi kapsamında ihraç edilmek şartıyla teslim edildiginden Katma Deger
Vergisi tahsil edilmemistir.";
596:                 // taxCategory.AppendChild(taxExemptionReasonCode);
597:                 // taxCategory.AppendChild(taxExemptionReason);
598:             //}
599:             //var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
600:             //var taxTypeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
601:             //taxTypeName.InnerText = "Katma Deger Vergisi";
602:             //var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xlmnscbc.Value);
603:             //taxTypeCode.InnerText = "0015";
604:             //taxScheme2.AppendChild(taxTypeName);
605:             //taxScheme2.AppendChild(taxTypeCode);
606:             //taxCategory.AppendChild(taxScheme2);
607:             //taxSubTotal.AppendChild(taxCategory);
608:             //taxTotal.AppendChild(taxSubTotal);
609:             //root.AppendChild(taxTotal);
610:
611: #endregion
612:
613: // KDV, KDV Hariç Tutar ve Toplam Tutar bilgileri yer almaktadir
614: #region LegalMonetaryTotal
615:
616:     var legalMonetaryTotal = doc.CreateElement("cac", "LegalMonetaryTotal",
xlmnscac.Value);
617:     var lineExtensionAmount = doc.CreateElement("cbc", "LineExtensionAmount",
xlmnscbc.Value);
618:     lineExtensionAmount.RemoveAllAttributes();
619:     var currencyId = doc.CreateAttribute("currencyID");
620:     currencyId.Value = "TRY";
621:     lineExtensionAmount.Attributes.Append(currencyId);
622:     lineExtensionAmount.InnerText =
Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
623:     legalMonetaryTotal.AppendChild(lineExtensionAmount);
624:     var taxExclusiveAmount = doc.CreateElement("cbc", "TaxExclusiveAmount",
xlmnscbc.Value);
625:     taxExclusiveAmount.RemoveAllAttributes();
626:     currencyId = doc.CreateAttribute("currencyID");
627:     currencyId.Value = "TRY";
628:     taxExclusiveAmount.Attributes.Append(currencyId);
629:     taxExclusiveAmount.InnerText =
Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
630:     legalMonetaryTotal.AppendChild(taxExclusiveAmount);
631:     var taxInclusiveAmount = doc.CreateElement("cbc", "TaxInclusiveAmount",

```

```

xlmnscbc.Value);
632:     taxInclusiveAmount.RemoveAllAttributes();
633:     currencyId = doc.CreateAttribute("currencyID");
634:     currencyId.Value = "TRY";
635:     taxInclusiveAmount.Attributes.Append(currencyId);
636:     taxInclusiveAmount.InnerText =
Decimal.Round((decimal)gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
637:     legalMonetaryTotal.AppendChild(taxInclusiveAmount);
638:     var allowanceTotalAmount = doc.CreateElement("cbc", "AllowanceTotalAmount",
xlmnscbc.Value);
639:     allowanceTotalAmount.RemoveAllAttributes();
640:     currencyId = doc.CreateAttribute("currencyID");
641:     currencyId.Value = "TRY";
642:     allowanceTotalAmount.Attributes.Append(currencyId);
643:     allowanceTotalAmount.InnerText = "0.00";
644:     legalMonetaryTotal.AppendChild(allowanceTotalAmount);
645:     var payableAmount = doc.CreateElement("cbc", "PayableAmount", xlmnscac.Value);
646:     payableAmount.RemoveAllAttributes();
647:     currencyId = doc.CreateAttribute("currencyID");
648:     currencyId.Value = "TRY";
649:     payableAmount.Attributes.Append(currencyId);
650:     payableAmount.InnerText = Decimal.Round((decimal)gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
651:     legalMonetaryTotal.AppendChild(payableAmount);
652:     root.AppendChild(legalMonetaryTotal);
653: #endregion
654:
655: sayac = 1;
656: // Her bir fatura detayı için hazırlanan bölümdür
657: foreach (var item in gidenFaturaDetayListesi)
{
659:     #region InvoiceLine
660:
661:     // Ölçü Birimi, KDV Hariç Tutar, Para Birimi gibi bilgiler yer almaktadır
662:     #region MetaData
663:         var invoiceLine = doc.CreateElement("cac", "InvoiceLine", xlmnscac.Value);
664:         var invoiceLineId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
665:         invoiceLineId.InnerText = sayac.ToString();
666:         invoiceLine.AppendChild(invoiceLineId);
667:         var quantity = doc.CreateAttribute("unitCode");
668:         if (!string.IsNullOrEmpty(item.GibKisaltma))
669:             quantity.Value = item.GibKisaltma;
670:         else
671:             quantity.Value = "KGM";
672:         var invoicedQuantity = doc.CreateElement("cbc", "InvoicedQuantity",
xlmnscbc.Value);
673:         invoicedQuantity.RemoveAllAttributes();
674:         invoicedQuantity.Attributes.Append(quantity);
675:         invoicedQuantity.InnerText = Decimal.Round((decimal)item.Miktar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
676:         invoiceLine.AppendChild(invoicedQuantity);
677:         var lineExtensionAmountDetail = doc.CreateElement("cbc",
"LineExtensionAmount", xlmnscbc.Value);
678:         lineExtensionAmountDetail.RemoveAllAttributes();
679:         currencyId = doc.CreateAttribute("currencyID");
680:         currencyId.Value = "TRY";
681:         lineExtensionAmountDetail.Attributes.Append(currencyId);
682:         lineExtensionAmountDetail.InnerText =
Decimal.Round((decimal)item.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
683:         invoiceLine.AppendChild(lineExtensionAmountDetail);
684:     #endregion
685:
686:     // Varsa iskonto bilgileri yer almaktadır
687:     #region AllowanceCharge
688:
689:         var allowanceCharge = doc.CreateElement("cac", "AllowanceCharge",
xlmnscac.Value);

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

690:         var chargeIndicator = doc.CreateElement("cbc", "ChargeIndicator",
xlmnscbc.Value);
691:         chargeIndicator.InnerText = "false";
692:         allowanceCharge.AppendChild(chargeIndicator);
693:         decimal amount2 = 0;
694:         decimal toplamTutar = (decimal)item.KdvHaricTutar;
695:         decimal kodIskontoTuruOran = item.IskontoOran ?? 0;
696:         if (kodIskontoTuruOran > 0)
697:         {
698:             toplamTutar = Decimal.Round((decimal)item.Miktar *
(decimal)item.BirimFiyat, 4, MidpointRounding.AwayFromZero);
699:             decimal toplamTutar2 = Decimal.Round(toplamTutar * (100 -
kodIskontoTuruOran) * (decimal)0.01, 4, MidpointRounding.AwayFromZero);
700:             amount2 = toplamTutar - toplamTutar2;
701:         }
702:         var multiplierFactorNumeric = doc.CreateElement("cbc",
"MultiplierFactorNumeric", xlmnscbc.Value);
703:         multiplierFactorNumeric.InnerText = Decimal.Round(kodIskontoTuruOran *
(decimal)0.01, 2, MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
704:         allowanceCharge.AppendChild(multiplierFactorNumeric);
705:         var amount = doc.CreateElement("cbc", "Amount", xlmnscbc.Value);
706:         currencyId = doc.CreateAttribute("currencyID");
707:         currencyId.Value = "TRY";
708:         amount.RemoveAllAttributes();
709:         amount.Attributes.Append(currencyId);
710:         amount.InnerText = Decimal.Round(amount2, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
711:         allowanceCharge.AppendChild(amount);
712:         var baseAmount = doc.CreateElement("cbc", "BaseAmount", xlmnscbc.Value);
713:         currencyId = doc.CreateAttribute("currencyID");
714:         currencyId.Value = "TRY";
715:         baseAmount.RemoveAllAttributes();
716:         baseAmount.Attributes.Append(currencyId);
717:         baseAmount.InnerText = Decimal.Round(toplamTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
718:         allowanceCharge.AppendChild(baseAmount);
719:         invoiceLine.AppendChild(allowanceCharge);
720:
721: #endregion
722:
723: // Vergi bilgileri yer almaktadir
724: #region TaxTotal
725: var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
726: currencyId = doc.CreateAttribute("currencyID");
727: currencyId.Value = "TRY";
728: var taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
729: taxAmount.RemoveAllAttributes();
730: taxAmount.Attributes.Append(currencyId);
731: taxAmount.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
732: taxTotal.AppendChild(taxAmount);
733: var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xlmnscac.Value);
734: var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xlmnscbc.Value);
735: taxableAmount.RemoveAllAttributes();
736: currencyId = doc.CreateAttribute("currencyID");
737: currencyId.Value = "TRY";
738: taxableAmount.Attributes.Append(currencyId);
739: taxableAmount.InnerText = Decimal.Round((decimal)item.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
740: taxSubTotal.AppendChild(taxableAmount);
741: var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
742: taxAmount2.RemoveAllAttributes();
743: currencyId = doc.CreateAttribute("currencyID");
744: currencyId.Value = "TRY";
745: taxAmount2.Attributes.Append(currencyId);
746: taxAmount2.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
747: taxSubTotal.AppendChild(taxAmount2);

```

```

748:         var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
749:         if (item.KdvOran != null)
750:             percent.InnerText = Decimal.Round((decimal)item.KdvOran, 2,
MidpointRounding.AwayFromZero).ToString("N1").Replace(",","");
751:             taxSubTotal.AppendChild(percent);
752:             var taxCategory = doc.CreateElement("cac", "TaxCategory", xlmnscac.Value);
753:             var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
754:             var taxTypeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
755:             taxTypeName.InnerText = "KDV";
756:             taxScheme2.AppendChild(taxTypeName);
757:             var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xlmnscbc.Value);
758:             taxTypeCode.InnerText = "0015";
759:             taxScheme2.AppendChild(taxTypeCode);
760:             taxCategory.AppendChild(taxScheme2);
761:             taxSubTotal.AppendChild(taxCategory);
762:             taxTotal.AppendChild(taxSubTotal);
763:             invoiceLine.AppendChild(taxTotal);
764: #endregion
765:
766: // Fatura kesilen ürün detayı ve açıklama bilgileri yer almaktadır
767: #region Item
768: var invoiceItem = doc.CreateElement("cac", "Item", xlmnscac.Value);
769: if (!string.IsNullOrEmpty(item.MalzemeFaturaAciklamasi))
770: {
771:     var description = doc.CreateElement("cbc", "Description",
xlmnscbc.Value);
772:     description.InnerText = item.MalzemeFaturaAciklamasi;
773:     invoiceItem.AppendChild(description);
774: }
775: var itemName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
776: if (!string.IsNullOrEmpty(item.FaturaUrunTuru))
777:     itemName.InnerText = item.FaturaUrunTuru;
778: invoiceItem.AppendChild(itemName);
779: invoiceLine.AppendChild(invoiceItem);
780: #endregion
781:
782: // Birim fiyat bilgileri yer almaktadır
783: #region Price
784:
785: var price = doc.CreateElement("cac", "Price", xlmnscac.Value);
786: var priceAmount = doc.CreateElement("cbc", "PriceAmount", xlmnscbc.Value);
787: priceAmount.RemoveAllAttributes();
788: currencyId = doc.CreateAttribute("currencyID");
789: currencyId.Value = "TRY";
790: priceAmount.Attributes.Append(currencyId);
791: if (item.BirimFiyat != null)
792:     priceAmount.InnerText = Decimal.Round((decimal)item.BirimFiyat, 4,
MidpointRounding.AwayFromZero).ToString().Replace(",","");
793: else
794:     priceAmount.InnerText = "0.00";
795: price.AppendChild(priceAmount);
796: invoiceLine.AppendChild(price);
797:
798: #endregion
799:
800: root.AppendChild(invoiceLine);
801: #endregion
802:
803: sayac++;
804: }
805:
806: #endregion
807:
808: doc.AppendChild(root);
809:
810: #region Dosya Kaydi
811:
812: var fileName = aktarilacakKlasorAdi + "/" + gidenFatura.GidenFaturaId +
".xml";

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

813:         doc.Save(fileName);
814:
815:     #endregion
816:
817:     return fileName;
818:
819:     #endregion
820: }
821: else
822: {
823:     #region Tüzel Kisi Bilgisinden Gelecekse
824:
825:     XmlDocument doc = new XmlDocument();
826:     XmlDeclaration declaration;
827:     declaration = doc.CreateXmlDeclaration("1.0", "UTF-8", null);
828:     XmlElement root = doc.DocumentElement;
829:     doc.InsertBefore(declaration, root);
830:     //doc.AppendChild(doc.CreateProcessingInstruction("xml-stylesheet",
831: "type=\"text/xsl\" href=\"general.xslt\""));
832:     root = doc.CreateElement("Invoice");
833:
834:     var kodSatisTuruKod = 0;
835:     if (gidenFatura.SatisTuruKod != null)
836:         kodSatisTuruKod = gidenFatura.SatisTuruKod ?? 0;
837:
838:     var kodFaturaTuruKod = 0;
839:     if (gidenFatura.FaturaTuruKod != null)
840:         kodFaturaTuruKod = gidenFatura.FaturaTuruKod ?? 0;
841:
842:     #region Standart ve Faturaya Bagli Bilgiler
843:
844:     // Faturanin türü, düzenleme tarihi, UBL Versiyon Numarasi, GIB Numarasi gibi
bilgiler
845:     // yer almaktadir
846:     #region Standart Bilgiler
847:     root.RemoveAllAttributes();
848:
849:     string locationAttribute = "xsi:schemaLocation";
850:     XmlAttribute location = doc.CreateAttribute("xsi", "schemaLocation",
"urn:oasis:names:specification:ubl:schema:xsd:Invoice-2");
851:     location.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
..../xsdrt/maindoc/UBL-Invoice-2.1.xsd";
852:     //XmlAttribute location = doc.CreateAttribute(schemaLocation);
853:     //location.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
..../xsdrt/maindoc/UBL-Invoice-2.1.xsd";
854:     XmlAttribute xmlns = doc.CreateAttribute("xmlns");
855:     xmlns.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2";
856:     XmlAttribute xmlnsn4 = doc.CreateAttribute("xmlns:n4");
857:     xmlnsn4.Value = "http://www.altova.com/samplexml/other-namespace";
858:     XmlAttribute xmlnsxsi = doc.CreateAttribute("xmlns:xsi");
859:     xmlnsxsi.Value = "http://www.w3.org/2001/XMLSchema-instance";
860:     XmlAttribute xmlnscac = doc.CreateAttribute("xmlns:cac");
861:     xmlnscac.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonAggregateComponents-2";
862:     XmlAttribute xmlnscbc = doc.CreateAttribute("xmlns:cbc");
863:     xmlnscbc.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonBasicComponents-2";
864:     XmlAttribute xmlnsext = doc.CreateAttribute("xmlns:ext");
865:     xmlnsext.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonExtensionComponents-2";
866:     XmlAttribute xmlnsxades = doc.CreateAttribute("xmlns:xades");
867:     //xmlnsxades.Value = "http://uri.etsi.org/01903/v1.3.2#";
868:     xmlnsxades.Value = "http://uri.etsi.org/01903/v1.3.2";
869:     XmlAttribute xmlnsds = doc.CreateAttribute("xmlns:ds");
870:     //xmlnsds.Value = "http://www.w3.org/2000/09/xmldsig#";
871:     xmlnsds.Value = "http://www.w3.org/2000/09/xmldsig";
872:
873:     root.Attributes.Append(location);

```

```

874:         root.Attributes.Append(xlmns);
875:         root.Attributes.Append(xlmnsxsi);
876:         root.Attributes.Append(xlmnscac);
877:         root.Attributes.Append(xlmnsext);
878:         root.Attributes.Append(xlmnsds);
879:         root.Attributes.Append(xlmnsxades);
880:         root.Attributes.Append(xlmnscbc);
881:         root.Attributes.Append(xlmnsn4);
882:
883:         var extUbl = doc.CreateElement("ext", "UBLExtensions", xlmnsext.Value);
884:         var extUbl2 = doc.CreateElement("ext", "UBLExtension", xlmnsext.Value);
885:         var extUbl3 = doc.CreateElement("ext", "ExtensionContent", xlmnsext.Value);
886:         extUbl2.AppendChild(extUbl3);
887:         extUbl.AppendChild(extUbl2);
888:
889:         root.AppendChild(extUbl);
890:
891:         var versionId = doc.CreateElement("cbc", "UBLVersionID", xlmnscbc.Value);
892:         versionId.InnerText = "2.1";
893:         root.AppendChild(versionId);
894:
895:         var customizationId = doc.CreateElement("cbc", "CustomizationID",
xlmnscbc.Value);
896:         customizationId.InnerText = "TR1.2";
897:         root.AppendChild(customizationId);
898:
899:         var profileId = doc.CreateElement("cbc", "ProfileID", xlmnscbc.Value);
900:         profileId.InnerText = "EARSIVFATURA";
901:         root.AppendChild(profileId);
902:
903:         var id = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
904:         if (!string.IsNullOrEmpty(gidenFatura.GibNumarasi))
905:             id.InnerText = gidenFatura.GibNumarasi;
906:         else
907:             id.InnerText = "ABC" + gidenFatura.DuzenlemeTarihi?.Year +
DateTime.UtcNow.Ticks.ToString().Substring(0, 9);
908:         root.AppendChild(id);
909:
910:         var copyIndicator = doc.CreateElement("cbc", "CopyIndicator", xlmnscbc.Value);
911:         copyIndicator.InnerText = "false";
912:         root.AppendChild(copyIndicator);
913:
914:         var gidenFaturaId = doc.CreateElement("cbc", "UUID", xlmnscbc.Value);
915:         gidenFaturaId.InnerText = gidenFatura.GidenFaturaId.Length == 36 ?
gidenFatura.GidenFaturaId.ToUpper() : Guid.NewGuid().ToString().ToUpper();
916:         root.AppendChild(gidenFaturaId);
917:
918:         var issueDate = doc.CreateElement("cbc", "IssueDate", xlmnscbc.Value);
919:         issueDate.InnerText =
gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd");
920:         root.AppendChild(issueDate);
921:
922:         var issueTime = doc.CreateElement("cbc", "IssueTime", xlmnscbc.Value);
923:         issueTime.InnerText = gidenFatura.DuzenlemeTarihi?.ToString("HH:mm:ss");
924:         root.AppendChild(issueTime);
925:
926:         var invoiceTypeCode = doc.CreateElement("cbc", "InvoiceTypeCode",
xlmnscbc.Value);
927:         invoiceTypeCode.InnerText = "SATIS";
928:         if (gidenFatura.KdvTutari == 0 || gidenFaturaDetayListesi.Any(j =>
j.KdvTutari == 0))
929:             invoiceTypeCode.InnerText = "ISTISNA";
930:             if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
931:                 invoiceTypeCode.InnerText = "IHRACKAYITLI";
932:                 if (kodFaturaTuruKod == FaturaTur.Iade.GetHashCode())
933:                     invoiceTypeCode.InnerText = "IADE";
934:                     root.AppendChild(invoiceTypeCode);
935:
936: #region Irsaliye Bilgileri

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```

937:
938:    #region Irsaliye ve Tonaj Düzenlemesi
939:
940:    var gidenFaturaDetayListesi2 = new List<GidenFaturaDetayDTO>();
941:    var gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi;
942:    foreach (var item in gidenFaturaDetayListesiTemp)
943:    {
944:        if (!string.IsNullOrEmpty(item.IrsaliyeNo) &&
!string.IsNullOrEmpty(item.PlakaNo))
945:        {
946:            if (!gidenFaturaDetayListesi2.Any(j => j.IrsaliyeNo ==
item.IrsaliyeNo && j.PlakaNo == item.PlakaNo))
947:            {
948:                item.Tonaj = item.Miktar;
949:                gidenFaturaDetayListesi2.Add(item);
950:            }
951:            else
952:            {
953:                var index = gidenFaturaDetayListesi2.FindIndex(j => j.IrsaliyeNo ==
item.IrsaliyeNo && j.PlakaNo == item.PlakaNo);
954:                gidenFaturaDetayListesi2[index].Tonaj =
gidenFaturaDetayListesi2[index].Tonaj + item.Miktar;
955:            }
956:        }
957:    }
958:    //if (gidenFaturaDetayListesi2.Count < 1)
959:    //    gidenFaturaDetayListesi2.Add(new GidenFaturaDetayDTO());
960:
961:    #endregion Irsaliye ve Tonaj Düzenlemesi
962:
963:    if (gidenFaturaDetayListesi2.Count > 0)
964:    {
965:        foreach (var item in gidenFaturaDetayListesi2)
966:        {
967:            var irsaliyeNote = doc.CreateElement("cbc", "Note", xlmnscbc.Value);
968:            irsaliyeNote.InnerText = "Plaka No: " + item.PlakaNo;
969:            if (!string.IsNullOrEmpty(item.SevkIrsaliyesiNo))
970:                irsaliyeNote.InnerText += " Irsaliye No: " +
item.SevkIrsaliyesiNo;
971:                if (item.SevkIrsaliyeTarihi != null)
972:                    irsaliyeNote.InnerText += " Irsaliye Tarihi: " +
item.SevkIrsaliyeTarihi?.ToShortDateString();
973:                    if (item.YuklemeFormuNo != null)
974:                        irsaliyeNote.InnerText += " Yukleme Formu No: " +
item.YuklemeFormuNo;
975:                        if (item.Tonaj != null)
976:                            irsaliyeNote.InnerText += " Tonaj: " + item.Tonaj;
977:                            root.AppendChild(irsaliyeNote);
978:                        }
979:                    }
980:
981:    #endregion
982:
983:    var sendType = doc.CreateElement("cbc", "Note", xlmnscbc.Value);
984:    sendType.InnerText = "Gönderim Sekli: ELEKTRONIK";
985:    root.AppendChild(sendType);
986:
987:    var documentCurrencyCode = doc.CreateElement("cbc", "DocumentCurrencyCode",
xlmnscbc.Value);
988:    documentCurrencyCode.InnerText = "TRY";
989:    root.AppendChild(documentCurrencyCode);
990:
991:    var lineCountNumeric = doc.CreateElement("cbc", "LineCountNumeric",
xlmnscbc.Value);
992:    lineCountNumeric.InnerText = gidenFaturaDetayListesi.Count.ToString();
993:    root.AppendChild(lineCountNumeric);
994:
995:    #endregion
996:
```

```

997:      // Faturaya iliskin imza, adres vb. bilgiler yer almaktadir
998:      #region Signature
999:      var signature = doc.CreateElement("cac", "Signature", xlmnscac.Value);
1000:     XmlAttribute signatureIdAttr = doc.CreateAttribute("schemeID");
1001:     signatureIdAttr.Value = "VKN_TCKN";
1002:     var signatureId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
1003:     signatureId.Attributes.Append(signatureIdAttr);
1004:     signatureId.InnerText = "3250566851";
1005:     signature.AppendChild(signatureId);
1006:     var signatoryParty = doc.CreateElement("cac", "SignatoryParty",
xlmnscac.Value);
1007:     var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
1008:     XmlAttribute signatureIdAttr2 = doc.CreateAttribute("schemeID");
1009:     signatureIdAttr2.Value = "VKN";
1010:     var signaturePartyId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
1011:     signaturePartyId.Attributes.Append(signatureIdAttr2);
1012:     signaturePartyId.InnerText = "3250566851";
1013:     partyIdentification.AppendChild(signaturePartyId);
1014:     signatoryParty.AppendChild(partyIdentification);
1015:
1016:     #region Postal Address
1017:     var postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
1018:     var streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
1019:     streetName.InnerText = "Mithatpasa Caddesi";
1020:     postalAddress.AppendChild(streetName);
1021:     var buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
1022:     buildingNumber.InnerText = "14";
1023:     postalAddress.AppendChild(buildingNumber);
1024:     var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
1025:     citySubdivisionName.InnerText = "Çankaya";
1026:     postalAddress.AppendChild(citySubdivisionName);
1027:     var cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
1028:     cityName.InnerText = "Ankara";
1029:     postalAddress.AppendChild(cityName);
1030:     var postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
1031:     postalZone.InnerText = "06100";
1032:     postalAddress.AppendChild(postalZone);
1033:     var country = doc.CreateElement("cac", "Country", xlmnscac.Value);
1034:     var countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1035:     countryName.InnerText = "Türkiye";
1036:     country.AppendChild(countryName);
1037:     postalAddress.AppendChild(country);
1038:     signatoryParty.AppendChild(postalAddress);
1039:     signature.AppendChild(signatoryParty);
1040:
1041:     #endregion
1042:
1043:     var digitalSignatureAttachment = doc.CreateElement("cac",
"DigitalSignatureAttachment", xlmnscac.Value);
1044:     var externalReference = doc.CreateElement("cac", "ExternalReference",
xlmnscac.Value);
1045:     var uri = doc.CreateElement("cbc", "URI", xlmnscbc.Value);
1046:     uri.InnerText = "#Signature";
1047:     externalReference.AppendChild(uri);
1048:     digitalSignatureAttachment.AppendChild(externalReference);
1049:     signature.AppendChild(digitalSignatureAttachment);
1050:
1051:     root.AppendChild(signature);
1052:     #endregion
1053:
1054:     // Burada sabit degerler verilmekte olup, Faturayı kesen kuruma veya firmaya
ait bilgiler
1055:     // yer almaktadir. Bu kisimda örnek olarak TÜRKSEKER Fabrikaları Genel
Müdürlüğü bilgileri
1056:     // kullanilmistir. Ancak degistirip test edilebilir.
1057:     #region AccountingSupplierParty

```

```

1058:
1059:     var accountingSupplierParty = doc.CreateElement("cac",
1060:         "AccountingSupplierParty", xlmnscac.Value);
1061:     var party = doc.CreateElement("cac", "Party", xlmnscac.Value);
1062:     var webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
1063:     webSiteUri.InnerText = "https://www.turkseker.gov.tr";
1064:     party.AppendChild(webSiteUri);
1065:     XmlAttribute accountingSupplierPartyIdAttr = doc.CreateAttribute("schemeID");
1066:     accountingSupplierPartyIdAttr.Value = "VKN_TCKN";
1067:     partyIdentification = doc.CreateElement("cac", "PartyIdentification",
1068:         xlmnscac.Value);
1069:     XmlAttribute accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
1070:     accountingSupplierPartyIdAttr2.Value = "VKN";
1071:     var accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
1072:         xlmnscbc.Value);
1073:     partyIdentification.AppendChild(accountingSupplierPartyPartyId);
1074:
1075:     if (!string.IsNullOrEmpty(gidenFatura.AltBirimAd))
1076:     {
1077:         partyIdentification = doc.CreateElement("cac", "PartyIdentification",
1078:             xlmnscac.Value);
1079:         accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
1080:         accountingSupplierPartyIdAttr2.Value = "SUBENO";
1081:         accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
1082:             xlmnscbc.Value);
1083:         accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
1084:         accountingSupplierPartyPartyId.InnerText = gidenFatura.AltBirimAd;
1085:         partyIdentification.AppendChild(accountingSupplierPartyPartyId);
1086:         party.AppendChild(partyIdentification);
1087:
1088:         var partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
1089:         var partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1090:         partyNameReal.InnerText = "TÜRKİYE SEKER FABRIKALARI A.S.";
1091:         partyName.AppendChild(partyNameReal);
1092:         party.AppendChild(partyName);
1093:
#region Postal Address
1094:         postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
1095:         var postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
1096:         postalAddressId.InnerText = "3250566851";
1097:         postalAddress.AppendChild(postalAddressId);
1098:         streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
1099:         streetName.InnerText = "Mithatpasa Caddesi";
1100:         postalAddress.AppendChild(streetName);
1101:         buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xlmnscbc.Value);
1102:         buildingNumber.InnerText = "14";
1103:         postalAddress.AppendChild(buildingNumber);
1104:         citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
1105:             xlmnscbc.Value);
1106:         citySubdivisionName.InnerText = "Çankaya";
1107:         postalAddress.AppendChild(citySubdivisionName);
1108:         cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
1109:         cityName.InnerText = "Ankara";
1110:         postalAddress.AppendChild(cityName);
1111:         postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
1112:         postalZone.InnerText = "06100";
1113:         postalAddress.AppendChild(postalZone);
1114:         country = doc.CreateElement("cac", "Country", xlmnscac.Value);
1115:         countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1116:         countryName.InnerText = "Türkiye";
1117:         country.AppendChild(countryName);
1118:         postalAddress.AppendChild(country);
1119:         party.AppendChild(postalAddress);

```

```

1119:
1120:    #endregion
1121:
1122:    var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xlmnscac.Value);
1123:    var taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
1124:    var taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1125:    taxSchemeName.InnerText = "Ankara Kurumlar";
1126:    taxScheme.AppendChild(taxSchemeName);
1127:    partyTaxScheme.AppendChild(taxScheme);
1128:    party.AppendChild(partyTaxScheme);
1129:
1130:    var contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
1131:    var telephone = doc.CreateElement("cbc", "Telephone", xlmnscbc.Value);
1132:    telephone.InnerText = "(312) 4585500";
1133:    contact.AppendChild(telephone);
1134:    var telefax = doc.CreateElement("cbc", "Telefax", xlmnscbc.Value);
1135:    telefax.InnerText = "(312) 4585800";
1136:    contact.AppendChild(telefax);
1137:    var electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xlmnscbc.Value);
1138:    electronicMail.InnerText = "maliisler@turkseker.gov.tr";
1139:    contact.AppendChild(electronicMail);
1140:    party.AppendChild(contact);
1141:
1142:    accountingSupplierParty.AppendChild(party);
1143:
1144:    root.AppendChild(accountingSupplierParty);
1145:    #endregion
1146:
1147: // Bu kisimda fatura kesilen firma bilgileri yer almaktadir
1148: #region AccountingCustomerParty
1149:
1150: var accountingCustomerParty = doc.CreateElement("cac",
"AccountingCustomerParty", xlmnscac.Value);
1151: party = doc.CreateElement("cac", "Party", xlmnscac.Value);
1152: webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
1153: party.AppendChild(webSiteUri);
1154: XmlAttribute accountingCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
1155: accountingCustomerPartyIdAttr.Value = "TCKN";
1156: if (!string.IsNullOrEmpty(gidenFatura.VergiNo) && gidenFatura.VergiNo.Length
== 10)
1157:     accountingCustomerPartyIdAttr.Value = "VKN";
1158: partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
1159: var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
1160:
accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerPartyIdAttr);
1161: accountingCustomerPartyPartyId.InnerText = gidenFatura.VergiNo;
1162: partyIdentification.AppendChild(accountingCustomerPartyPartyId);
1163: party.AppendChild(partyIdentification);
1164:
if (!string.IsNullOrEmpty(gidenFatura.VergiNo) && gidenFatura.VergiNo.Length
== 10)
1166: {
1167:     partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
1168:     partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1169:     partyNameReal.InnerText = gidenFatura.TuzelKisiAd;
1170:     partyName.AppendChild(partyNameReal);
1171:     party.AppendChild(partyName);
1172: }
1173:
#region Postal Address
postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
1176: postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
1177: postalAddressId.InnerText = gidenFatura.VergiNo;
1178: postalAddress.AppendChild(postalAddressId);
1179: var room = doc.CreateElement("cbc", "Room", xlmnscbc.Value);

```

```

1180:         postalAddress.AppendChild(room);
1181:         streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
1182:         if (!string.IsNullOrEmpty(gidenFatura.Adres))
1183:             streetName.InnerText = gidenFatura.Adres;
1184:         postalAddress.AppendChild(streetName);
1185:         buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xlmnscbc.Value);
1186:         //buildingNumber.InnerText = "";
1187:         postalAddress.AppendChild(buildingNumber);
1188:         citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
1189:         if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
1190:             citySubdivisionName.InnerText = gidenFatura.IlceAd;
1191:         postalAddress.AppendChild(citySubdivisionName);
1192:         cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
1193:         if (!string.IsNullOrEmpty(gidenFatura.IlAd))
1194:             cityName.InnerText = gidenFatura.IlAd;
1195:         postalAddress.AppendChild(cityName);
1196:         postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
1197:         //postalZone.InnerText = "";
1198:         postalAddress.AppendChild(postalZone);
1199:         country = doc.CreateElement("cac", "Country", xlmnscac.Value);
1200:         countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1201:         countryName.InnerText = "Türkiye";
1202:         country.AppendChild(countryName);
1203:         postalAddress.AppendChild(country);
1204:         party.AppendChild(postalAddress);
1205:
1206: #endregion
1207:
1208:         partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme", xlmnscac.Value);
1209:         taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
1210:         taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1211:         if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
1212:             taxSchemeName.InnerText = gidenFatura.VergiDairesi;
1213:         taxScheme.AppendChild(taxSchemeName);
1214:         partyTaxScheme.AppendChild(taxScheme);
1215:         party.AppendChild(partyTaxScheme);
1216:
1217:         contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
1218:         telephone = doc.CreateElement("cbc", "Telephone", xlmnscbc.Value);
1219:         if (!string.IsNullOrEmpty(gidenFatura.TelefonNo))
1220:             telephone.InnerText = gidenFatura.TelefonNo;
1221:         contact.AppendChild(telephone);
1222:         telefax = doc.CreateElement("cbc", "Telefax", xlmnscbc.Value);
1223:         if (!string.IsNullOrEmpty(gidenFatura.FaksNo))
1224:             telefax.InnerText = gidenFatura.FaksNo;
1225:         contact.AppendChild(telefax);
1226:         electronicMail = doc.CreateElement("cbc", "ElectronicMail", xlmnscbc.Value);
1227:         if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))
1228:             electronicMail.InnerText = gidenFatura.EPostaAdresi;
1229:         contact.AppendChild(electronicMail);
1230:         party.AppendChild(contact);
1231:
1232:         if (!string.IsNullOrEmpty(gidenFatura.VergiNo) && gidenFatura.VergiNo.Length
== 11)
1233:     {
1234:         var liste = gidenFatura.TuzelKisiAd.Split(' ').ToList();
1235:         if (liste.Count > 1)
1236:         {
1237:             var person = doc.CreateElement("cac", "Person", xlmnscac.Value);
1238:             var firstName = doc.CreateElement("cbc", "FirstName", xlmnscbc.Value);
1239:             firstName.InnerText = liste[0];
1240:             person.AppendChild(firstName);
1241:             var familyName = doc.CreateElement("cbc", "FamilyName",
xlmnscbc.Value);
1242:             familyName.InnerText = liste[1];
1243:             person.AppendChild(familyName);
1244:             party.AppendChild(person);
1245:         }

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

1246:         }
1247:
1248:         accountingCustomerParty.AppendChild(party);
1249:
1250:         root.AppendChild(accountingCustomerParty);
1251:         #endregion
1252:
1253:         if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
1254:         {
1255:             if (gidenFatura.VergiNo.Length == 10)
1256:             {
1257:                 // Bu kisimda fatura kesilen firma bilgileri yer almaktadir (Eger
1258:                 sadece Tuzel Kisilikse, sahis sirketleri için bu yapilmamaktadir)
1259:                 #region BuyerCustomerParty
1260:
1261:                 var buyerCustomerParty = doc.CreateElement("cac",
1262: "BuyerCustomerParty", xlmnscac.Value);
1263:                 party = doc.CreateElement("cac", "Party", xlmnscac.Value);
1264:                 webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
1265:                 party.AppendChild(webSiteUri);
1266:                 XmlAttribute buyerCustomerPartyIdAttr =
1267: doc.CreateAttribute("schemeID");
1268:                 buyerCustomerPartyIdAttr.Value = "VKN";
1269:                 partyIdentification = doc.CreateElement("cac", "PartyIdentification",
1270: xlmnscac.Value);
1271:                 var buyerCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
1272: buyerCustomerPartyPartyId.Attributes.Append(buyerCustomerPartyIdAttr);
1273:                 buyerCustomerPartyPartyId.InnerText = gidenFatura.VergiNo;
1274:                 partyIdentification.AppendChild(buyerCustomerPartyPartyId);
1275:                 party.AppendChild(partyIdentification);
1276:
1277:                 if (gidenFatura.VergiNo.Length == 10)
1278:                 {
1279:                     partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
1280:                     partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1281:                     partyNameReal.InnerText = gidenFatura.TuzelKisiAd;
1282:                     partyName.AppendChild(partyNameReal);
1283:                     party.AppendChild(partyName);
1284:
1285:                     #region Postal Address
1286:                     postalAddress = doc.CreateElement("cac", "PostalAddress",
1287: xlmnscac.Value);
1288:                     postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
1289:                     postalAddressId.InnerText = gidenFatura.VergiNo;
1290:                     postalAddress.AppendChild(postalAddressId);
1291:                     room = doc.CreateElement("cbc", "Room", xlmnscbc.Value);
1292:                     postalAddress.AppendChild(room);
1293:                     streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
1294:                     if (!string.IsNullOrEmpty(gidenFatura.Adres))
1295:                         streetName.InnerText = gidenFatura.Adres;
1296:                     postalAddress.AppendChild(streetName);
1297:                     buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
1298: xlmnscbc.Value);
1299:
1300:                     //buildingNumber.InnerText = "";
1301:                     postalAddress.AppendChild(buildingNumber);
1302:                     citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
1303: xlmnscbc.Value);
1304:
1305:                     if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
1306:                         citySubdivisionName.InnerText = gidenFatura.IlceAd;

```

```

1307:             country = doc.CreateElement("cac", "Country", xlmnscac.Value);
1308:             countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1309:             countryName.InnerText = "Türkiye";
1310:             country.AppendChild(countryName);
1311:             postalAddress.AppendChild(country);
1312:             party.AppendChild(postalAddress);

1313:         #endregion

1314:         partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xlmnscac.Value);
1317:         taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
1318:         taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1319:         if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
1320:             taxSchemeName.InnerText = gidenFatura.VergiDairesi;
1321:         taxScheme.AppendChild(taxSchemeName);
1322:         partyTaxScheme.AppendChild(taxScheme);
1323:         party.AppendChild(partyTaxScheme);

1324:         contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
1325:         telephone = doc.CreateElement("cbc", "Telephone", xlmnscbc.Value);
1326:         if (!string.IsNullOrEmpty(gidenFatura.TelponNo))
1327:             telephone.InnerText = gidenFatura.TelponNo;
1328:         contact.AppendChild(telephone);
1329:         telefax = doc.CreateElement("cbc", "Telefax", xlmnscbc.Value);
1330:         if (!string.IsNullOrEmpty(gidenFatura.FaksNo))
1331:             telefax.InnerText = gidenFatura.FaksNo;
1332:         contact.AppendChild(telefax);
1333:         electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xlmnscbc.Value);
1334:         if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))
1335:             electronicMail.InnerText = gidenFatura.EPostaAdresi;
1336:         contact.AppendChild(electronicMail);
1337:         party.AppendChild(contact);

1338:         if (gidenFatura.VergiNo.Length == 11)
1339:         {
1340:             var liste = gidenFatura.TuzelKisiAd.Split(' ').ToList();
1341:             if (liste.Count > 1)
1342:             {
1343:                 var person = doc.CreateElement("cac", "Person",
xlmnscac.Value);
1344:                 var firstName = doc.CreateElement("cbc", "FirstName",
xlmnscbc.Value);
1345:                 firstName.InnerText = liste[0];
1346:                 person.AppendChild(firstName);
1347:                 var familyName = doc.CreateElement("cbc", "FamilyName",
xlmnscbc.Value);
1348:                 familyName.InnerText = liste[1];
1349:                 person.AppendChild(familyName);
1350:                 party.AppendChild(person);
1351:             }
1352:         }

1353:         buyerCustomerParty.AppendChild(party);

1354:         root.AppendChild(buyerCustomerParty);
1355:     #endregion
1356: }
1357: }
1358: root.AppendChild(buyerCustomerParty);
1359: #endregion
1360: }
1361: }
1362: if (!string.IsNullOrEmpty(gidenFatura.BankaAd))
1363: {
1364:     // Eger Banka bilgileri mevcutsa burada banka bilgileri yer almaktadir
1365:     #region PaymentMeans
1366:     var paymentMeans = doc.CreateElement("cac", "PaymentMeans",
xlmnscac.Value);
1367:     var paymentMeansCode = doc.CreateElement("cbc", "PaymentMeansCode",

```

```

xlmnscbc.Value);
1370:         paymentMeansCode.InnerText = "1";
1371:         paymentMeans.AppendChild(paymentMeansCode);
1372:         var payeeFinancialAccount = doc.CreateElement("cac",
"PayeeFinancialAccount", xlmnscac.Value);
1373:         var payeeFinancialAccountId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
1374:         if (!string.IsNullOrEmpty(gidenFatura.IbanNo))
1375:             payeeFinancialAccountId.InnerText = gidenFatura.IbanNo;
1376:             payeeFinancialAccount.AppendChild(payeeFinancialAccountId);
1377:             var currencyCode = doc.CreateElement("cbc", "CurrencyCode",
xlmnscbc.Value);
1378:             currencyCode.InnerText = "TRY";
1379:             payeeFinancialAccount.AppendChild(currencyCode);
1380:             var paymentNote = doc.CreateElement("cbc", "PaymentNote", xlmnscbc.Value);
1381:             if (!string.IsNullOrEmpty(gidenFatura.BankaAd) &&
!string.IsNullOrEmpty(gidenFatura.BankaSube))
1382:                 paymentNote.InnerText = gidenFatura.BankaAd + " - " +
gidenFatura.BankaSube;
1383:                 payeeFinancialAccount.AppendChild(paymentNote);
1384:                 paymentMeans.AppendChild(payeeFinancialAccount);
1385:                 root.AppendChild(paymentMeans);
1386:
1387:             #endregion
1388:         }
1389:
1390:         #region KDVlerin Belirlenmesi
1391:
1392:         var faturaKdvListesi = new List<FaturaKdvDTO>();
1393:         foreach (var item in gidenFaturaDetayListesi)
1394:         {
1395:             decimal kodKdvTuruOran = item.KdvOran ?? 0;
1396:             if (!faturaKdvListesi.Any(j => j.KdvOran == kodKdvTuruOran))
1397:             {
1398:                 var faturaKdv = new FaturaKdvDTO
1399:                 {
1400:                     KdvOran = kodKdvTuruOran,
1401:                     KdvTutari = item.KdvTutari,
1402:                     KdvHaricTutar = item.KdvHaricTutar
1403:                 };
1404:                 faturaKdvListesi.Add(faturaKdv);
1405:             }
1406:             else
1407:             {
1408:                 var index = faturaKdvListesi.FindIndex(j => j.KdvOran ==
kodKdvTuruOran);
1409:                 faturaKdvListesi[index].KdvTutari += item.KdvTutari;
1410:                 faturaKdvListesi[index].KdvHaricTutar += item.KdvHaricTutar;
1411:             }
1412:             if (faturaKdvListesi.Count > 0)
1413:                 faturaKdvListesi = faturaKdvListesi.OrderBy(j => j.KdvOran).ToList();
1414:             }
1415:
1416:         #endregion
1417:
1418:         #region TaxTotal
1419:
1420:         var sayac = 1;
1421:         foreach (var item in faturaKdvListesi)
1422:         {
1423:             // Burada vergi bilgileri yer almaktadir
1424:             #region TaxTotal
1425:
1426:             var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
1427:             XmlAttribute currencyIdGeneral = doc.CreateAttribute("currencyID");
1428:             currencyIdGeneral.Value = "TRY";
1429:             var taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
1430:             taxAmount.RemoveAllAttributes();
1431:             taxAmount.Attributes.Append(currencyIdGeneral);

```

```

1432:         taxAmount.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",","."));
1433:         taxTotal.AppendChild(taxAmount);
1434:         var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xlmnscac.Value);
1435:         var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xlmnscbc.Value);
1436:         taxableAmount.RemoveAllAttributes();
1437:         currencyIdGeneral = doc.CreateAttribute("currencyID");
1438:         currencyIdGeneral.Value = "TRY";
1439:         taxableAmount.Attributes.Append(currencyIdGeneral);
1440:         taxableAmount.InnerText = Decimal.Round((decimal)item.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",","."));
1441:         taxSubTotal.AppendChild(taxableAmount);
1442:         var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
1443:         taxAmount2.RemoveAllAttributes();
1444:         currencyIdGeneral = doc.CreateAttribute("currencyID");
1445:         currencyIdGeneral.Value = "TRY";
1446:         taxAmount2.Attributes.Append(currencyIdGeneral);
1447:         taxAmount2.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",","."));
1448:         taxSubTotal.AppendChild(taxAmount2);
1449:         var calculationSequenceNumeric = doc.CreateElement("cbc",
"CalculationSequenceNumeric", xlmnscbc.Value);
1450:         calculationSequenceNumeric.InnerText = sayac + ".0";
1451:         taxSubTotal.AppendChild(calculationSequenceNumeric);
1452:         var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
1453:         percent.InnerText = Decimal.Round((decimal)item.KdvOran, 0,
MidpointRounding.AwayFromZero).ToString();
1454:         taxSubTotal.AppendChild(percent);
1455:         var taxCategory = doc.CreateElement("cac", "TaxCategory", xlmnscac.Value);
1456:         if (item.KdvTutari == 0)
1457:         {
1458:             var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
1459:             taxExemptionReasonCode.InnerText = "325";
1460:             var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
1461:             taxExemptionReason.InnerText = "13/i Yem Teslimleri";
1462:             taxCategory.AppendChild(taxExemptionReasonCode);
1463:             taxCategory.AppendChild(taxExemptionReason);
1464:         }
1465:         if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
1466:         {
1467:             var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
1468:             taxExemptionReasonCode.InnerText = "701";
1469:             var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
1470:             taxExemptionReason.InnerText = "3065 sayili Katma Deger Vergisi
kanununun 11/1-c maddesi kapsaminda ihraç edilmek sartiyla teslim edildiginden Katma Deger
Vergisi tahsil edilmemistir.";
1471:             taxCategory.AppendChild(taxExemptionReasonCode);
1472:             taxCategory.AppendChild(taxExemptionReason);
1473:         }
1474:         var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
1475:         var taxTypeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1476:         taxTypeName.InnerText = "Katma Deger Vergisi";
1477:         var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xlmnscbc.Value);
1478:         taxTypeCode.InnerText = "0015";
1479:         taxScheme2.AppendChild(taxTypeName);
1480:         taxScheme2.AppendChild(taxTypeCode);
1481:         taxCategory.AppendChild(taxScheme2);
1482:         taxSubTotal.AppendChild(taxCategory);
1483:         taxTotal.AppendChild(taxSubTotal);
1484:         root.AppendChild(taxTotal);
1485:
1486: #endregion
1487: }
1488:

```

```

1489:         #endregion
1490:
1491:         // Burada vergi bilgileri yer almaktadir
1492:         #region Açıklama Satiri (TaxTotal)
1493:
1494:         //var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
1495:         //XmlAttribute currencyId = doc.CreateAttribute("currencyID");
1496:         //currencyId.Value = "TRY";
1497:         //var taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
1498:         //taxAmount.RemoveAllAttributes();
1499:         //taxAmount.Attributes.Append(currencyId);
1500:         //taxAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",","."));
1501:         //taxTotal.AppendChild(taxAmount);
1502:         //var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xlmnscac.Value);
1503:         //var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xlmnscbc.Value);
1504:         //taxableAmount.RemoveAllAttributes();
1505:         //currencyId = doc.CreateAttribute("currencyID");
1506:         //currencyId.Value = "TRY";
1507:         //taxableAmount.Attributes.Append(currencyId);
1508:         //taxableAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvHaricTutar,
2, MidpointRounding.AwayFromZero).ToString().Replace(",","."));
1509:         //taxSubTotal.AppendChild(taxableAmount);
1510:         //var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
1511:         //taxAmount2.RemoveAllAttributes();
1512:         //currencyId = doc.CreateAttribute("currencyID");
1513:         //currencyId.Value = "TRY";
1514:         //taxAmount2.Attributes.Append(currencyId);
1515:         //taxAmount2.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",","."));
1516:         //taxSubTotal.AppendChild(taxAmount2);
1517:         //var calculationSequenceNumeric = doc.CreateElement("cbc",
"CalculationSequenceNumeric", xlmnscbc.Value);
1518:         //calculationSequenceNumeric.InnerText = "1.0";
1519:         //taxSubTotal.AppendChild(calculationSequenceNumeric);
1520:         //var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
1521:         //if (gidenFatura.KdvHaricTutar != 0)
1522:             //    percent.InnerText = Decimal.Round(((decimal)gidenFatura.KdvTutari *
100) / (decimal)gidenFatura.KdvHaricTutar, 0, MidpointRounding.AwayFromZero).ToString();
1523:             //else
1524:                 //    percent.InnerText = "0";
1525:                 //taxSubTotal.AppendChild(percent);
1526:                 //var taxCategory = doc.CreateElement("cac", "TaxCategory", xlmnscac.Value);
1527:                 //if (gidenFatura.KdvTutari == 0)
1528:                     //{
1529:                         //    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
1530:                         //    taxExemptionReasonCode.InnerText = "325";
1531:                         //    var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xlmnscbc.Value);
1532:                         //    taxExemptionReason.InnerText = "13/i Yem Teslimleri";
1533:                         //    taxCategory.AppendChild(taxExemptionReasonCode);
1534:                         //    taxCategory.AppendChild(taxExemptionReason);
1535:                     //}
1536:                     //if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
1537:                     //{
1538:                         //    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
1539:                         //    taxExemptionReasonCode.InnerText = "701";
1540:                         //    var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xlmnscbc.Value);
1541:                         //    taxExemptionReason.InnerText = "3065 sayili Katma Deger Vergisi
kanununun 11/1-c maddesi kapsaminda ihraq edilmek sartiyla teslim edildiginden Katma Deger
Vergisi tahsil edilmemistir.";
1542:                         //    taxCategory.AppendChild(taxExemptionReasonCode);
1543:                         //    taxCategory.AppendChild(taxExemptionReason);
1544:                     //}
1545:                     //var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);

```

```

1546:         //var taxTypeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1547:         //taxTypeName.InnerText = "Katma Deger Vergisi";
1548:         //var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xlmnscbc.Value);
1549:         //taxTypeCode.InnerText = "0015";
1550:         //taxScheme2.AppendChild(taxTypeName);
1551:         //taxScheme2.AppendChild(taxTypeCode);
1552:         //taxCategory.AppendChild(taxScheme2);
1553:         //taxSubTotal.AppendChild(taxCategory);
1554:         //taxTotal.AppendChild(taxSubTotal);
1555:         //root.AppendChild(taxTotal);
1556:
1557: #endregion
1558:
1559: // KDV, KDV Hariç Tutar ve Toplam Tutar bilgileri yer almaktadir
1560: #region LegalMonetaryTotal
1561:
1562:     var legalMonetaryTotal = doc.CreateElement("cac", "LegalMonetaryTotal",
xlmnscac.Value);
1563:     var lineExtensionAmount = doc.CreateElement("cbc", "LineExtensionAmount",
xlmnscbc.Value);
1564:     lineExtensionAmount.RemoveAllAttributes();
1565:     var currencyId = doc.CreateAttribute("currencyID");
1566:     currencyId.Value = "TRY";
1567:     lineExtensionAmount.Attributes.Append(currencyId);
1568:     lineExtensionAmount.InnerText =
Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",",".");
1569:     legalMonetaryTotal.AppendChild(lineExtensionAmount);
1570:     var taxExclusiveAmount = doc.CreateElement("cbc", "TaxExclusiveAmount",
xlmnscbc.Value);
1571:     taxExclusiveAmount.RemoveAllAttributes();
1572:     currencyId = doc.CreateAttribute("currencyID");
1573:     currencyId.Value = "TRY";
1574:     taxExclusiveAmount.Attributes.Append(currencyId);
1575:     taxExclusiveAmount.InnerText =
Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",",".");
1576:     legalMonetaryTotal.AppendChild(taxExclusiveAmount);
1577:     var taxInclusiveAmount = doc.CreateElement("cbc", "TaxInclusiveAmount",
xlmnscbc.Value);
1578:     taxInclusiveAmount.RemoveAllAttributes();
1579:     currencyId = doc.CreateAttribute("currencyID");
1580:     currencyId.Value = "TRY";
1581:     taxInclusiveAmount.Attributes.Append(currencyId);
1582:     taxInclusiveAmount.InnerText =
Decimal.Round((decimal)gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",",".");
1583:     legalMonetaryTotal.AppendChild(taxInclusiveAmount);
1584:     var allowanceTotalAmount = doc.CreateElement("cbc", "AllowanceTotalAmount",
xlmnscbc.Value);
1585:     allowanceTotalAmount.RemoveAllAttributes();
1586:     currencyId = doc.CreateAttribute("currencyID");
1587:     currencyId.Value = "TRY";
1588:     allowanceTotalAmount.Attributes.Append(currencyId);
1589:     allowanceTotalAmount.InnerText = "0.00";
1590:     legalMonetaryTotal.AppendChild(allowanceTotalAmount);
1591:     var payableAmount = doc.CreateElement("cbc", "PayableAmount", xlmnscbc.Value);
1592:     payableAmount.RemoveAllAttributes();
1593:     currencyId = doc.CreateAttribute("currencyID");
1594:     currencyId.Value = "TRY";
1595:     payableAmount.Attributes.Append(currencyId);
1596:     payableAmount.InnerText = Decimal.Round((decimal)gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",",".");
1597:     legalMonetaryTotal.AppendChild(payableAmount);
1598:     root.AppendChild(legalMonetaryTotal);
1599: #endregion
1600:
1601: sayac = 1;
1602: // Her bir fatura edtayı için hazırlanan bölümdür

```

```

1603:         foreach (var item in gidenFaturaDetayListesi)
1604:     {
1605:         #region InvoiceLine
1606:
1607:         // Ölçü Birimi, KDV Hariç Tutar, Para Birimi gibi bilgiler yer almaktadir
1608:         #region MetaData
1609:         var invoiceLine = doc.CreateElement("cac", "InvoiceLine", xlmnscac.Value);
1610:         var invoiceLineId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
1611:         invoiceLineId.InnerText = sayac.ToString();
1612:         invoiceLine.AppendChild(invoiceLineId);
1613:         var quantity = doc.CreateAttribute("unitCode");
1614:         if (!string.IsNullOrEmpty(item.GibKisaltma))
1615:             quantity.Value = item.GibKisaltma;
1616:         else
1617:             quantity.Value = "KGM";
1618:         var invoicedQuantity = doc.CreateElement("cbc", "InvoicedQuantity",
xlmnscbc.Value);
1619:         invoicedQuantity.RemoveAllAttributes();
1620:         invoicedQuantity.Attributes.Append(quantity);
1621:         invoicedQuantity.InnerText = Decimal.Round((decimal)item.Miktar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
1622:         invoiceLine.AppendChild(invoicedQuantity);
1623:         var lineExtensionAmountDetail = doc.CreateElement("cbc",
"LineExtensionAmount", xlmnscbc.Value);
1624:         lineExtensionAmountDetail.RemoveAllAttributes();
1625:         currencyId = doc.CreateAttribute("currencyID");
1626:         currencyId.Value = "TRY";
1627:         lineExtensionAmountDetail.Attributes.Append(currencyId);
1628:         lineExtensionAmountDetail.InnerText =
Decimal.Round((decimal)item.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
1629:         invoiceLine.AppendChild(lineExtensionAmountDetail);
1630:     #endregion
1631:
1632:     // Varsa iskonto bilgileri yer almaktadir
1633:     #region AllowanceCharge
1634:
1635:     var allowanceCharge = doc.CreateElement("cac", "AllowanceCharge",
xlmnscac.Value);
1636:     var chargeIndicator = doc.CreateElement("cbc", "ChargeIndicator",
xlmnscbc.Value);
1637:     chargeIndicator.InnerText = "false";
1638:     allowanceCharge.AppendChild(chargeIndicator);
1639:     decimal amount2 = 0;
1640:     decimal toplamTutar = (decimal)item.KdvHaricTutar;
1641:     decimal kodIskontoTuruOran = item.IskontoOran ?? 0;
1642:     if (kodIskontoTuruOran > 0)
1643:     {
1644:         toplamTutar = Decimal.Round((decimal)item.Miktar *
(decimal)item.BirimFiyat, 4, MidpointRounding.AwayFromZero);
1645:         decimal toplamTutar2 = Decimal.Round(toplamTutar * (100 -
kodIskontoTuruOran) * (decimal)0.01, 4, MidpointRounding.AwayFromZero);
1646:         amount2 = toplamTutar - toplamTutar2;
1647:     }
1648:     var multiplierFactorNumeric = doc.CreateElement("cbc",
"MultiplierFactorNumeric", xlmnscbc.Value);
1649:     multiplierFactorNumeric.InnerText = Decimal.Round(kodIskontoTuruOran *
(decimal)0.01, 2, MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
1650:     allowanceCharge.AppendChild(multiplierFactorNumeric);
1651:     var amount = doc.CreateElement("cbc", "Amount", xlmnscbc.Value);
1652:     currencyId = doc.CreateAttribute("currencyID");
1653:     currencyId.Value = "TRY";
1654:     amount.RemoveAllAttributes();
1655:     amount.Attributes.Append(currencyId);
1656:     amount.InnerText = Decimal.Round(amount2, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
1657:     allowanceCharge.AppendChild(amount);
1658:     var baseAmount = doc.CreateElement("cbc", "BaseAmount", xlmnscbc.Value);
1659:     currencyId = doc.CreateAttribute("currencyID");

```

```

1660:         currencyId.Value = "TRY";
1661:         baseAmount.RemoveAllAttributes();
1662:         baseAmount.Attributes.Append(currencyId);
1663:         baseAmount.InnerText = Decimal.Round(toplamTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
1664:         allowanceCharge.AppendChild(baseAmount);
1665:         invoiceLine.AppendChild(allowanceCharge);
1666:
1667:     #endregion
1668:
1669:     // Vergi bilgileri yer almaktadir
1670:     #region TaxTotal
1671:     var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
1672:     currencyId = doc.CreateAttribute("currencyID");
1673:     currencyId.Value = "TRY";
1674:     var taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
1675:     taxAmount.RemoveAllAttributes();
1676:     taxAmount.Attributes.Append(currencyId);
1677:     taxAmount.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
1678:     taxTotal.AppendChild(taxAmount);
1679:     var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xlmnscac.Value);
1680:     var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xlmnscbc.Value);
1681:     taxableAmount.RemoveAllAttributes();
1682:     currencyId = doc.CreateAttribute("currencyID");
1683:     currencyId.Value = "TRY";
1684:     taxableAmount.Attributes.Append(currencyId);
1685:     taxableAmount.InnerText = Decimal.Round((decimal)item.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
1686:     taxSubTotal.AppendChild(taxableAmount);
1687:     var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
1688:     taxAmount2.RemoveAllAttributes();
1689:     currencyId = doc.CreateAttribute("currencyID");
1690:     currencyId.Value = "TRY";
1691:     taxAmount2.Attributes.Append(currencyId);
1692:     taxAmount2.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
1693:     taxSubTotal.AppendChild(taxAmount2);
1694:     var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
1695:     if (item.KdvOran != null)
1696:         percent.InnerText = Decimal.Round((decimal)item.KdvOran, 2,
MidpointRounding.AwayFromZero).ToString("N1").Replace(", ", ".");
1697:     taxSubTotal.AppendChild(percent);
1698:     var taxCategory = doc.CreateElement("cac", "TaxCategory", xlmnscac.Value);
1699:     var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
1700:     var taxTypeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1701:     taxTypeName.InnerText = "KDV";
1702:     taxScheme2.AppendChild(taxTypeName);
1703:     var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xlmnscbc.Value);
1704:     taxTypeCode.InnerText = "0015";
1705:     taxScheme2.AppendChild(taxTypeCode);
1706:     taxCategory.AppendChild(taxScheme2);
1707:     taxSubTotal.AppendChild(taxCategory);
1708:     taxTotal.AppendChild(taxSubTotal);
1709:     invoiceLine.AppendChild(taxTotal);
1710:   #endregion
1711:
1712:   // Fatura kesilen ürün detayı ve açıklama bilgileri yer almaktadir
1713:   #region Item
1714:   var invoiceItem = doc.CreateElement("cac", "Item", xlmnscac.Value);
1715:   if (!string.IsNullOrEmpty(item.MalzemeFaturaAciklamasi))
1716:   {
1717:       var description = doc.CreateElement("cbc", "Description",
xlmnscbc.Value);
1718:       description.InnerText = item.MalzemeFaturaAciklamasi;
1719:       invoiceItem.AppendChild(description);
1720:   }
1721:   var itemName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);

```

```

1722:         if (!string.IsNullOrEmpty(item.FaturaUrunTuru))
1723:             itemName.InnerText = item.FaturaUrunTuru;
1724:             invoiceItem.AppendChild(itemName);
1725:             invoiceLine.AppendChild(invoiceItem);
1726:             #endregion
1727:
1728:             // Birim fiyat bilgileri yer almaktadir
1729:             #region Price
1730:
1731:             var price = doc.CreateElement("cac", "Price", xmLNScac.Value);
1732:             var priceAmount = doc.CreateElement("cbc", "PriceAmount", xmLNScbc.Value);
1733:             priceAmount.RemoveAllAttributes();
1734:             currencyId = doc.CreateAttribute("currencyID");
1735:             currencyId.Value = "TRY";
1736:             priceAmount.Attributes.Append(currencyId);
1737:             if (item.BirimFiyat != null)
1738:                 priceAmount.InnerText = Decimal.Round((decimal)item.BirimFiyat, 4,
MidpointRounding.AwayFromZero).ToString().Replace(",",".");
1739:             else
1740:                 priceAmount.InnerText = "0.00";
1741:             price.AppendChild(priceAmount);
1742:             invoiceLine.AppendChild(price);
1743:
1744:             #endregion
1745:
1746:             root.AppendChild(invoiceLine);
1747:             #endregion
1748:
1749:             sayac++;
1750:         }
1751:
1752:         #endregion
1753:
1754:         doc.AppendChild(root);
1755:
1756:         #region Dosya Kaydi
1757:
1758:         var fileName = aktarilacakKlasorAdi + "/" + gidenFatura.GidenFaturaId +
".xml";
1759:         doc.Save(fileName);
1760:
1761:         #endregion
1762:
1763:         return fileName;
1764:
1765:         #endregion
1766:     }
1767: }
```

1.1.7.1.5.1.2 YardimciSiniflar.EFaturaXMLOlustur Method

Summary

Giden Fatura Bilgisi Üzerinden E-Fatura Sistemine Göndermek İçin XML Dosyası Olusturmaya yarayan metottur

C#

```
public static string EFaturaXMLOlustur(GidenFaturaDTO gidenFatura,
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, string aktarilacakKlasorAdi);
```

Parameters

Parameters	Description
GidenFaturaDTO gidenFatura	Giden Fatura Bilgisi
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi	Giden Fatura Detay Listesi
string aktarilacakKlasorAdi	Olusturulan Dosyanin Aktarilacagi Klasör

Returns

Kaydedilen Dosyanın Bilgisayarındaki Adresi

Body Source

```

1: public static string EFaturaXMLOlustur(GidenFaturaDTO gidenFatura,
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, string aktarilacakKlasorAdi)
2: {
3:     XmlDocument doc = new XmlDocument();
4:     XmlDeclaration declaration;
5:     declaration = doc.CreateXmlDeclaration("1.0", "UTF-8", null);
6:     XmlElement root = doc.DocumentElement;
7:     doc.InsertBefore(declaration, root);
8:     doc.AppendChild(doc.CreateProcessingInstruction("xml-stylesheet",
"type=\\"text/xsl\\" href=\"general.xslt\\\""));
9:
10:    root = doc.CreateElement("Invoice");
11:
12:    var kodSatisTuruKod = 0;
13:    if (gidenFatura.SatisTuruKod != null)
14:        kodSatisTuruKod = gidenFatura.SatisTuruKod ?? 0;
15:
16:    var kodFaturaTuruKod = 0;
17:    if (gidenFatura.FaturaTuruKod != null)
18:        kodFaturaTuruKod = gidenFatura.FaturaTuruKod ?? 0;
19:
20:    #region Standart ve Faturaya Bagli Bilgiler
21:
22:    // Faturanın türü, düzenleme tarihi, UBL Versiyon Numarasi, GIB Numarasi gibi
bilgiler
23:    // yer almaktadir
24:    #region Standart Bilgiler
25:    root.RemoveAllAttributes();
26:    string locationAttribute = "xsi:schemaLocation";
27:    XmlAttribute location = doc.CreateAttribute("xsi", "schemaLocation",
"urn:oasis:names:specification:ubl:schema:xsd:Invoice-2");
28:    location.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
./xsdrt/maindoc/UBL-Invoice-2.1.xsd";
29:    //XmlAttribute location = doc.CreateAttribute(schemaLocation);
30:    //location.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
./xsdrt/maindoc/UBL-Invoice-2.1.xsd";
31:    XmlAttribute xlmns = doc.CreateAttribute("xmlns");
32:    xlmns.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2";
33:    XmlAttribute xlmnscn4 = doc.CreateAttribute("xmlns:n4");
34:    xlmnscn4.Value = "http://www.altova.com/samplexml/other-namespace";
35:    XmlAttribute xlmnssxi = doc.CreateAttribute("xmlns:xsi");
36:    xlmnssxi.Value = "http://www.w3.org/2001/XMLSchema-instance";
37:    XmlAttribute xlmnscac = doc.CreateAttribute("xmlns:cac");
38:    xlmnscac.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonAggregateComponents-2";
39:    XmlAttribute xlmnscbc = doc.CreateAttribute("xmlns:cbc");
40:    xlmnscbc.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonBasicComponents-2";
41:    XmlAttribute xlmnsext = doc.CreateAttribute("xmlns:ext");
42:    xlmnsext.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonExtensionComponents-2";
43:    root.Attributes.Append(location);
44:    root.Attributes.Append(xlmns);
45:    root.Attributes.Append(xlmnscn4);
46:    root.Attributes.Append(xlmnssxi);
47:    root.Attributes.Append(xlmnscac);
48:    root.Attributes.Append(xlmnscbc);
49:    root.Attributes.Append(xlmnsext);
50:    var extUbl = doc.CreateElement("ext", "UBLExtensions", xlmnsext.Value);
51:    var extUbl2 = doc.CreateElement("ext", "UBLExtension", xlmnsext.Value);
52:    var extUbl3 = doc.CreateElement("ext", "ExtensionContent", xlmnsext.Value);
53:    var extUbl4 = doc.CreateElement("n4", "auto-generated_for_wildcard",
xlmnscn4.Value);

```

```

54:     extUbl3.AppendChild(extUbl4);
55:     extUbl2.AppendChild(extUbl3);
56:     extUbl.AppendChild(extUbl2);
57:
58:     root.AppendChild(extUbl);
59:
60:     var versionId = doc.CreateElement("cbc", "UBLVersionID", xlmnscbc.Value);
61:     versionId.InnerText = "2.1";
62:     root.AppendChild(versionId);
63:
64:     var customizationId = doc.CreateElement("cbc", "CustomizationID", xlmnscbc.Value);
65:     customizationId.InnerText = "TR1.2";
66:     root.AppendChild(customizationId);
67:
68:     var profileId = doc.CreateElement("cbc", "ProfileID", xlmnscbc.Value);
69:     profileId.InnerText = "TEMELFATURA";
70:     root.AppendChild(profileId);
71:
72:     var id = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
73:     if (!string.IsNullOrEmpty(gidenFatura.GibNumarasi))
74:         id.InnerText = gidenFatura.GibNumarasi;
75:     else
76:         id.InnerText = "ABC" + gidenFatura.DuzenlemeTarihi?.Year +
DateTime.UtcNow.Ticks.ToString().Substring(0, 9);
77:     root.AppendChild(id);
78:
79:     var copyIndicator = doc.CreateElement("cbc", "CopyIndicator", xlmnscbc.Value);
80:     copyIndicator.InnerText = "false";
81:     root.AppendChild(copyIndicator);
82:
83:     var gidenFaturaId = doc.CreateElement("cbc", "UUID", xlmnscbc.Value);
84:     gidenFaturaId.InnerText = gidenFatura.GidenFaturaId.Length == 36 ?
gidenFatura.GidenFaturaId.ToUpper() : Guid.NewGuid().ToString().ToUpper();
85:     root.AppendChild(gidenFaturaId);
86:
87:     var issueDate = doc.CreateElement("cbc", "IssueDate", xlmnscbc.Value);
88:     issueDate.InnerText = gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd");
89:     root.AppendChild(issueDate);
90:
91:     var issueTime = doc.CreateElement("cbc", "IssueTime", xlmnscbc.Value);
92:     issueTime.InnerText = gidenFatura.DuzenlemeTarihi?.ToString("HH:mm:ss");
93:     root.AppendChild(issueTime);
94:
95:     var invoiceTypeCode = doc.CreateElement("cbc", "InvoiceTypeCode", xlmnscbc.Value);
96:     invoiceTypeCode.InnerText = "SATIS";
97:     if (gidenFatura.KdvTutari == 0 || gidenFaturaDetayListesi.Any(j => j.KdvTutari ==
0))
98:         invoiceTypeCode.InnerText = "ISTISNA";
99:     if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
100:         invoiceTypeCode.InnerText = "IHRACKAYITLI";
101:     if (kodFaturaTuruKod == FaturaTur.Iade.GetHashCode())
102:         invoiceTypeCode.InnerText = "IADE";
103:     root.AppendChild(invoiceTypeCode);
104:
105: #region Irsaliye Bilgileri
106:
107: #region Irsaliye ve Tonaj Düzenlemesi
108:
109: var gidenFaturaDetayListesi2 = new List<GidenFaturaDetayDTO>();
110: var gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi;
111: foreach (var item in gidenFaturaDetayListesiTemp)
112: {
113:     if (!string.IsNullOrEmpty(item.IrsaliyeNo) &&
!string.IsNullOrEmpty(item.PlakaNo))
114:     {
115:         if (!gidenFaturaDetayListesi2.Any(j => j.IrsaliyeNo == item.IrsaliyeNo &&
j.PlakaNo == item.PlakaNo))
116:         {
117:             item.Tonaj = item.Miktar;

```

```

118:             gidenFaturaDetayListesi2.Add(item);
119:         }
120:     else
121:     {
122:         var index = gidenFaturaDetayListesi2.FindIndex(j => j.IrsaliyeNo ==
item.IrsaliyeNo && j.PlakaNo == item.PlakaNo);
123:         gidenFaturaDetayListesi2[index].Tonaj =
gidenFaturaDetayListesi2[index].Tonaj + item.Miktar;
124:     }
125: }
126: }
127: //if (gidenFaturaDetayListesi2.Count < 1)
128: //    gidenFaturaDetayListesi2.Add(new GidenFaturaDetayDTO());
129:
130: #endregion Irsaliye ve Tonaj Düzenlemesi
131:
132: if (gidenFaturaDetayListesi2.Count > 0)
133: {
134:     foreach (var item in gidenFaturaDetayListesi2)
135:     {
136:         var irsaliyeNote = doc.CreateElement("cbc", "Note", xlmnscbc.Value);
137:         irsaliyeNote.InnerText = "Plaka No: " + item.PlakaNo;
138:         if (!string.IsNullOrEmpty(item.SevkIrsaliyesiNo))
139:             irsaliyeNote.InnerText += " Irsaliye No: " + item.SevkIrsaliyesiNo;
140:         if (item.SevkIrsaliyeTarihi != null)
141:             irsaliyeNote.InnerText += " Irsaliye Tarihi: " +
item.SevkIrsaliyeTarihi?.ToShortDateString();
142:         if (item.YuklemeFormuNo != null)
143:             irsaliyeNote.InnerText += " Yükleme Formu No: " + item.YuklemeFormuNo;
144:         if (item.Tonaj != null)
145:             irsaliyeNote.InnerText += " Tonaj: " + item.Tonaj;
146:         root.AppendChild(irsaliyeNote);
147:     }
148: }
149:
150: #endregion
151:
152: var documentCurrencyCode = doc.CreateElement("cbc", "DocumentCurrencyCode",
xlmnscbc.Value);
153: documentCurrencyCode.InnerText = "TRY";
154: root.AppendChild(documentCurrencyCode);
155:
156: var lineCountNumeric = doc.CreateElement("cbc", "LineCountNumeric",
xlmnscbc.Value);
157: lineCountNumeric.InnerText = gidenFaturaDetayListesi.Count.ToString();
158: root.AppendChild(lineCountNumeric);
159:
160: #region AdditionalDocumentReference
161:
162: var additionalDocumentReference = doc.CreateElement("cac",
"AdditionalDocumentReference", xlmnscac.Value);
163: var additionalDocumentReferenceId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
164: additionalDocumentReferenceId.InnerText = gidenFatura.GidenFaturaId;
165: additionalDocumentReference.AppendChild(additionalDocumentReferenceId);
166: issueDate = doc.CreateElement("cbc", "IssueDate", xlmnscbc.Value);
167: issueDate.InnerText = gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd");
168: additionalDocumentReference.AppendChild(issueDate);
169: var documentType = doc.CreateElement("cbc", "DocumentType", xlmnscbc.Value);
170: documentType.InnerText = "XSLT";
171: additionalDocumentReference.AppendChild(documentType);
172: var attachment = doc.CreateElement("cac", "Attachment", xlmnscac.Value);
173: var embeddedDocumentBinaryObject = doc.CreateElement("cbc",
"EmbeddedDocumentBinaryObject", xlmnscbc.Value);
174: XmlAttribute characterSetCode = doc.CreateAttribute("characterSetCode");
175: characterSetCode.Value = "UTF-8";
176: XmlAttribute encodingCode = doc.CreateAttribute("encodingCode");
177: encodingCode.Value = "Base64";
178: XmlAttribute mimeCode = doc.CreateAttribute("mimeCode");
179: mimeCode.Value = "application/xml";

```

```

180:     embeddedDocumentBinaryObject.Attributes.Append(characterSetCode);
181:     embeddedDocumentBinaryObject.Attributes.Append(encodingCode);
182:     embeddedDocumentBinaryObject.Attributes.Append(mimeCode);
183:     attachment.AppendChild(embeddedDocumentBinaryObject);
184:     additionalDocumentReference.AppendChild(attachment);
185:
186:     root.AppendChild(additionalDocumentReference);
187:
188: #endregion
189:
190: #endregion
191:
192: // Faturaya iliskin imza, adres vb. bilgiler yer almaktadir
193: #region Signature
194: var signature = doc.CreateElement("cac", "Signature", xlmnscac.Value);
195: XmlAttribute signatureIdAttr = doc.CreateAttribute("schemeID");
196: signatureIdAttr.Value = "VKN_TCKN";
197: var signatureId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
198: signatureId.Attributes.Append(signatureIdAttr);
199: signatureId.InnerText = "3250566851";
200: signature.AppendChild(signatureId);
201: var signatoryParty = doc.CreateElement("cac", "SignatoryParty", xlmnscac.Value);
202: var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
203: XmlAttribute signatureIdAttr2 = doc.CreateAttribute("schemeID");
204: signatureIdAttr2.Value = "VKN";
205: var signaturePartyId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
206: signaturePartyId.Attributes.Append(signatureIdAttr2);
207: signaturePartyId.InnerText = "3250566851";
208: partyIdentification.AppendChild(signaturePartyId);
209: signatoryParty.AppendChild(partyIdentification);
210:
211: #region Postal Address
212: var postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
213: var streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
214: streetName.InnerText = "Mithatpasa Caddesi";
215: postalAddress.AppendChild(streetName);
216: var buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xlmnscbc.Value);
217: buildingNumber.InnerText = "14";
218: postalAddress.AppendChild(buildingNumber);
219: var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
220: citySubdivisionName.InnerText = "Çankaya";
221: postalAddress.AppendChild(citySubdivisionName);
222: var cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
223: cityName.InnerText = "Ankara";
224: postalAddress.AppendChild(cityName);
225: var postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
226: postalZone.InnerText = "06100";
227: postalAddress.AppendChild(postalZone);
228: var country = doc.CreateElement("cac", "Country", xlmnscac.Value);
229: var countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
230: countryName.InnerText = "Türkiye";
231: country.AppendChild(countryName);
232: postalAddress.AppendChild(country);
233: signatoryParty.AppendChild(postalAddress);
234: signature.AppendChild(signatoryParty);
235:
236: #endregion
237:
238: var digitalSignatureAttachment = doc.CreateElement("cac",
"DigitalSignatureAttachment", xlmnscac.Value);
239: var externalReference = doc.CreateElement("cac", "ExternalReference",
xlmnscac.Value);
240: var uri = doc.CreateElement("cbc", "URI", xlmnscbc.Value);
241: uri.InnerText = "#Signature";
242: externalReference.AppendChild(uri);
243: digitalSignatureAttachment.AppendChild(externalReference);
244: signature.AppendChild(digitalSignatureAttachment);

```

```

245:
246:     root.AppendChild(signature);
247:     #endregion
248:
249:     // Burada sabit değerler verilmekte olup, Faturayı kesen kuruma veya firmaya ait
250:     // bilgiler yer almaktadır. Bu kısımda örnek olarak TÜRKSEKER Fabrikaları Genel Müdürlüğü
251:     // bilgileri kullanılmıştır. Ancak değiştirip test edilebilir.
252:     #region AccountingSupplierParty
253:
254:     var accountingSupplierParty = doc.CreateElement("cac", "AccountingSupplierParty",
xlmnscac.Value);
255:     var party = doc.CreateElement("cac", "Party", xlmnscac.Value);
256:     var webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
257:     webSiteUri.InnerText = "https://www.turkseker.gov.tr";
258:     party.AppendChild(webSiteUri);
259:     XmlAttribute accountingSupplierPartyIdAttr = doc.CreateAttribute("schemeID");
260:     accountingSupplierPartyIdAttr.Value = "VKN_TCKN";
261:     partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
262:     XmlAttribute accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
263:     accountingSupplierPartyIdAttr2.Value = "VKN";
264:     var accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
265:     accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
266:     accountingSupplierPartyPartyId.InnerText = "3250566851";
267:     partyIdentification.AppendChild(accountingSupplierPartyPartyId);
268:     party.AppendChild(partyIdentification);
269:
270:     if (!string.IsNullOrEmpty(gidenFatura.AltBirimAd))
271:     {
272:         partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
273:         accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
274:         accountingSupplierPartyIdAttr2.Value = "SUBENO";
275:         accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
276:
277:         accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
278:         accountingSupplierPartyPartyId.InnerText = gidenFatura.AltBirimAd;
279:         partyIdentification.AppendChild(accountingSupplierPartyPartyId);
280:         party.AppendChild(partyIdentification);
281:
282:         var partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
283:         var partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
284:         partyNameReal.InnerText = "TÜRKİYE SEKER FABRIKALARI A.S.";
285:         partyName.AppendChild(partyNameReal);
286:         party.AppendChild(partyName);
287:
288:         #region Postal Address
289:         postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
290:         var postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
291:         postalAddressId.InnerText = "3250566851";
292:         postalAddress.AppendChild(postalAddressId);
293:         streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
294:         streetName.InnerText = "Mithatpasa Caddesi";
295:         postalAddress.AppendChild(streetName);
296:         buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xlmnscbc.Value);
297:         buildingNumber.InnerText = "14";
298:         postalAddress.AppendChild(buildingNumber);
299:         citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
300:         citySubdivisionName.InnerText = "Çankaya";
301:         postalAddress.AppendChild(citySubdivisionName);
302:         cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
303:         cityName.InnerText = "Ankara";
304:         postalAddress.AppendChild(cityName);

```

```

305:     postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
306:     postalZone.InnerText = "06100";
307:     postalAddress.AppendChild(postalZone);
308:     country = doc.CreateElement("cac", "Country", xlmnscac.Value);
309:     countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
310:     countryName.InnerText = "Türkiye";
311:     country.AppendChild(countryName);
312:     postalAddress.AppendChild(country);
313:     party.AppendChild(postalAddress);
314:
315: #endregion
316:
317: var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme", xlmnscac.Value);
318: var taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
319: var taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
320: taxSchemeName.InnerText = "Ankara Kurumlar";
321: taxScheme.AppendChild(taxSchemeName);
322: partyTaxScheme.AppendChild(taxScheme);
323: party.AppendChild(partyTaxScheme);
324:
325: var contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
326: var telephone = doc.CreateElement("cbc", "Telephone", xlmnscbc.Value);
327: telephone.InnerText = "(312) 4585500";
328: contact.AppendChild(telephone);
329: var telefax = doc.CreateElement("cbc", "Telefax", xlmnscbc.Value);
330: telefax.InnerText = "(312) 4585800";
331: contact.AppendChild(telefax);
332: var electronicMail = doc.CreateElement("cbc", "ElectronicMail", xlmnscbc.Value);
333: electronicMail.InnerText = "maliisler@turkseker.gov.tr";
334: contact.AppendChild(electronicMail);
335: party.AppendChild(contact);
336:
337: accountingSupplierParty.AppendChild(party);
338:
339: root.AppendChild(accountingSupplierParty);
340: #endregion
341:
342: // Bu kisimda fatura kesilen firma bilgileri yer almaktadir
343: #region AccountingCustomerParty
344:
345: var accountingCustomerParty = doc.CreateElement("cac", "AccountingCustomerParty",
xlmnscac.Value);
346: party = doc.CreateElement("cac", "Party", xlmnscac.Value);
347: webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
348: party.AppendChild(webSiteUri);
349: XmlAttribute accountingCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
350: accountingCustomerPartyIdAttr.Value = "TCKN";
351: if (!string.IsNullOrEmpty(gidenFatura.VergiNo) && gidenFatura.VergiNo.Length == 10)
352:     accountingCustomerPartyIdAttr.Value = "VKN";
353: partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
354: var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
355: accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerPartyIdAttr);
356: accountingCustomerPartyPartyId.InnerText = gidenFatura.VergiNo;
357: partyIdentification.AppendChild(accountingCustomerPartyPartyId);
358: party.AppendChild(partyIdentification);
359:
360: if (!string.IsNullOrEmpty(gidenFatura.VergiNo) && gidenFatura.VergiNo.Length == 10)
361: {
362:     partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
363:     partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
364:     partyNameReal.InnerText = gidenFatura.TuzelKisiAd;
365:     partyName.AppendChild(partyNameReal);
366:     party.AppendChild(partyName);
367: }
368:
369: #region Postal Address
370: postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);

```

```

371:     postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
372:     postalAddressId.InnerText = gidenFatura.VergiNo;
373:     postalAddress.AppendChild(postalAddressId);
374:     var room = doc.CreateElement("cbc", "Room", xlmnscbc.Value);
375:     postalAddress.AppendChild(room);
376:     streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
377:     if (!string.IsNullOrEmpty(gidenFatura.Adres))
378:         streetName.InnerText = gidenFatura.Adres;
379:     postalAddress.AppendChild(streetName);
380:     buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xlmnscbc.Value);
381:     //buildingNumber.InnerText = "";
382:     postalAddress.AppendChild(buildingNumber);
383:     citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
384:     if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
385:         citySubdivisionName.InnerText = gidenFatura.IlceAd;
386:     postalAddress.AppendChild(citySubdivisionName);
387:     cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
388:     if (!string.IsNullOrEmpty(gidenFatura.IlAd))
389:         cityName.InnerText = gidenFatura.IlAd;
390:     postalAddress.AppendChild(cityName);
391:     postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
392:     //postalZone.InnerText = "";
393:     postalAddress.AppendChild(postalZone);
394:     country = doc.CreateElement("cac", "Country", xlmnscac.Value);
395:     countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
396:     countryName.InnerText = "Türkiye";
397:     country.AppendChild(countryName);
398:     postalAddress.AppendChild(country);
399:     party.AppendChild(postalAddress);
400:
401: #endregion
402:
403: partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme", xlmnscac.Value);
404: taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
405: taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
406: if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
407:     taxSchemeName.InnerText = gidenFatura.VergiDairesi;
408: taxScheme.AppendChild(taxSchemeName);
409: partyTaxScheme.AppendChild(taxScheme);
410: party.AppendChild(partyTaxScheme);
411:
412: contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
413: electronicMail = doc.CreateElement("cbc", "ElectronicMail", xlmnscbc.Value);
414: if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))
415:     electronicMail.InnerText = gidenFatura.EPostaAdresi;
416: contact.AppendChild(electronicMail);
417: party.AppendChild(contact);
418:
419: if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
420: {
421:     if (gidenFatura.VergiNo.Length == 11)
422:     {
423:         var liste = gidenFatura.TuzelKisiAd.Split(' ').ToList();
424:         if (liste.Count > 1)
425:         {
426:             var person = doc.CreateElement("cac", "Person", xlmnscac.Value);
427:             var firstName = doc.CreateElement("cbc", "FirstName", xlmnscbc.Value);
428:             firstName.InnerText = liste[0];
429:             person.AppendChild(firstName);
430:             var familyName = doc.CreateElement("cbc", "FamilyName",
xlmnscbc.Value);
431:             familyName.InnerText = liste[1];
432:             person.AppendChild(familyName);
433:             party.AppendChild(person);
434:         }
435:     }
436: }
437:
```

```

438:     accountingCustomerParty.AppendChild(party);
439:
440:     root.AppendChild(accountingCustomerParty);
441: #endregion
442:
443:     if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
444:     {
445:         if (gidenFatura.VergiNo.Length == 10)
446:         {
447:             // Bu kısımda fatura kesilen firma bilgileri yer almaktadır (Eğer sadece
Tüzel Kisilikse, sahis şirketleri için bu yapılmamaktadır)
448:             #region BuyerCustomerParty
449:
450:             var buyerCustomerParty = doc.CreateElement("cac", "BuyerCustomerParty",
xlmnscac.Value);
451:             party = doc.CreateElement("cac", "Party", xlmnscac.Value);
452:             webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
453:             party.AppendChild(webSiteUri);
454:             XmlAttribute buyerCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
455:             buyerCustomerPartyIdAttr.Value = "VKN";
456:             partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
457:             var buyerCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
458:             buyerCustomerPartyPartyId.Attributes.Append(buyerCustomerPartyIdAttr);
459:             buyerCustomerPartyPartyId.InnerText = gidenFatura.VergiNo;
460:             partyIdentification.AppendChild(buyerCustomerPartyPartyId);
461:             party.AppendChild(partyIdentification);
462:
463:             if (gidenFatura.VergiNo.Length == 10)
464:             {
465:                 partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
466:                 partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
467:                 partyNameReal.InnerText = gidenFatura.TuzelKisiAd;
468:                 partyName.AppendChild(partyNameReal);
469:                 party.AppendChild(partyName);
470:             }
471:
472:             #region Postal Address
473:             postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
474:             postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
475:             postalAddressId.InnerText = gidenFatura.VergiNo;
476:             postalAddress.AppendChild(postalAddressId);
477:             room = doc.CreateElement("cbc", "Room", xlmnscbc.Value);
478:             postalAddress.AppendChild(room);
479:             streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
480:             if (!string.IsNullOrEmpty(gidenFatura.Adres))
481:                 streetName.InnerText = gidenFatura.Adres;
482:             postalAddress.AppendChild(streetName);
483:             buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
484:             //buildingNumber.InnerText = "";
485:             postalAddress.AppendChild(buildingNumber);
486:             citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
487:             if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
488:                 citySubdivisionName.InnerText = gidenFatura.IlceAd;
489:             postalAddress.AppendChild(citySubdivisionName);
490:             cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
491:             if (!string.IsNullOrEmpty(gidenFatura.IlAd))
492:                 cityName.InnerText = gidenFatura.IlAd;
493:             postalAddress.AppendChild(cityName);
494:             postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
495:             //postalZone.InnerText = "";
496:             postalAddress.AppendChild(postalZone);
497:             country = doc.CreateElement("cac", "Country", xlmnscac.Value);
498:             countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
499:             countryName.InnerText = "Türkiye";
500:             country.AppendChild(countryName);

```

```

501:             postalAddress.AppendChild(country);
502:             party.AppendChild(postalAddress);
503:
504:         #endregion
505:
506:         partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xlmnscac.Value);
507:         taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
508:         taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
509:         if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
510:             taxSchemeName.InnerText = gidenFatura.VergiDairesi;
511:         taxScheme.AppendChild(taxSchemeName);
512:         partyTaxScheme.AppendChild(taxScheme);
513:         party.AppendChild(partyTaxScheme);
514:
515:         contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
516:         electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xlmnscbc.Value);
517:         if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))
518:             electronicMail.InnerText = gidenFatura.EPostaAdresi;
519:         contact.AppendChild(electronicMail);
520:         party.AppendChild(contact);
521:
522:         if (gidenFatura.VergiNo.Length == 11)
523:         {
524:             var liste = gidenFatura.TuzelKisiAd.Split(' ').ToList();
525:             if (liste.Count > 1)
526:             {
527:                 var person = doc.CreateElement("cac", "Person", xlmnscac.Value);
528:                 var firstName = doc.CreateElement("cbc", "FirstName",
xlmnscbc.Value);
529:                 firstName.InnerText = liste[0];
530:                 person.AppendChild(firstName);
531:                 var familyName = doc.CreateElement("cbc", "FamilyName",
xlmnscbc.Value);
532:                 familyName.InnerText = liste[1];
533:                 person.AppendChild(familyName);
534:                 party.AppendChild(person);
535:             }
536:         }
537:
538:         buyerCustomerParty.AppendChild(party);
539:
540:         root.AppendChild(buyerCustomerParty);
541:     #endregion
542: }
543: }
544:
545: if (!string.IsNullOrEmpty(gidenFatura.BankaAd))
546: {
547: // Eger Banka bilgileri mevcutsa burada banka bilgileri yer almaktadir
548: #region PaymentMeans
549:
550: var paymentMeans = doc.CreateElement("cac", "PaymentMeans", xlmnscac.Value);
551: var paymentMeansCode = doc.CreateElement("cbc", "PaymentMeansCode",
xlmnscbc.Value);
552: paymentMeansCode.InnerText = "1";
553: paymentMeans.AppendChild(paymentMeansCode);
554: var payeeFinancialAccount = doc.CreateElement("cac", "PayeeFinancialAccount",
xlmnscac.Value);
555: var payeeFinancialAccountId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
556: if (!string.IsNullOrEmpty(gidenFatura.IbanNo))
557:     payeeFinancialAccountId.InnerText = gidenFatura.IbanNo;
558: payeeFinancialAccount.AppendChild(payeeFinancialAccountId);
559: var currencyCode = doc.CreateElement("cbc", "CurrencyCode", xlmnscbc.Value);
560: currencyCode.InnerText = "TRY";
561: payeeFinancialAccount.AppendChild(currencyCode);
562: var paymentNote = doc.CreateElement("cbc", "PaymentNote", xlmnscbc.Value);
563: if (!string.IsNullOrEmpty(gidenFatura.BankaAd) &&

```

```

!string.IsNullOrEmpty(gidenFatura.BankaSube))
564:         paymentNote.InnerText = gidenFatura.BankaAd + " - " +
gidenFatura.BankaSube;
565:         payeeFinancialAccount.AppendChild(paymentNote);
566:         paymentMeans.AppendChild(payeeFinancialAccount);
567:         root.AppendChild(paymentMeans);
568:
569:     #endregion
570: }
571:
572: #region KDVlerin Belirlenmesi
573:
574: var faturaKdvListesi = new List<FaturaKdvDTO>();
575: foreach (var item in gidenFaturaDetayListesi)
576: {
577:     decimal kodKdvTuruOran = item.KdvOran ?? 0;
578:     if (!faturaKdvListesi.Any(j => j.KdvOran == kodKdvTuruOran))
579:     {
580:         var faturaKdv = new FaturaKdvDTO
581:         {
582:             KdvOran = kodKdvTuruOran,
583:             KdvTutari = item.KdvTutari,
584:             KdvHaricTutar = item.KdvHaricTutar
585:         };
586:         faturaKdvListesi.Add(faturaKdv);
587:     }
588:     else
589:     {
590:         var index = faturaKdvListesi.FindIndex(j => j.KdvOran == kodKdvTuruOran);
591:         faturaKdvListesi[index].KdvTutari += item.KdvTutari;
592:         faturaKdvListesi[index].KdvHaricTutar += item.KdvHaricTutar;
593:     }
594:     if (faturaKdvListesi.Count > 0)
595:         faturaKdvListesi = faturaKdvListesi.OrderBy(j => j.KdvOran).ToList();
596: }
597:
598: #endregion
599:
600: #region TaxTotal
601:
602: var sayac = 1;
603: foreach (var item in faturaKdvListesi)
604: {
605:     // Burada vergi bilgileri yer almaktadir
606:     #region TaxTotal
607:
608:     var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
609:     XmlAttribute currencyIdGeneral = doc.CreateAttribute("currencyID");
610:     currencyIdGeneral.Value = "TRY";
611:     var taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
612:     taxAmount.RemoveAllAttributes();
613:     taxAmount.Attributes.Append(currencyIdGeneral);
614:     taxAmount.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
615:     taxTotal.AppendChild(taxAmount);
616:     var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xlmnscac.Value);
617:     var taxableAmount = doc.CreateElement("cbc", "TaxableAmount", xlmnscbc.Value);
618:     taxableAmount.RemoveAllAttributes();
619:     currencyIdGeneral = doc.CreateAttribute("currencyID");
620:     currencyIdGeneral.Value = "TRY";
621:     taxableAmount.Attributes.Append(currencyIdGeneral);
622:     taxableAmount.InnerText = Decimal.Round((decimal)item.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",", ".");
623:     taxSubTotal.AppendChild(taxableAmount);
624:     var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
625:     taxAmount2.RemoveAllAttributes();
626:     currencyIdGeneral = doc.CreateAttribute("currencyID");
627:     currencyIdGeneral.Value = "TRY";
628:     taxAmount2.Attributes.Append(currencyIdGeneral);

```

```

629:         taxAmount2.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
630:         taxSubTotal.AppendChild(taxAmount2);
631:         var calculationSequenceNumeric = doc.CreateElement("cbc",
"CalculationSequenceNumeric", xlmnscbc.Value);
632:         calculationSequenceNumeric.InnerText = sayac + ".0";
633:         taxSubTotal.AppendChild(calculationSequenceNumeric);
634:         var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
635:         percent.InnerText = Decimal.Round((decimal)item.KdvOran, 0,
MidpointRounding.AwayFromZero).ToString();
636:         taxSubTotal.AppendChild(percent);
637:         var taxCategory = doc.CreateElement("cac", "TaxCategory", xlmnscac.Value);
638:         if (item.KdvTutari == 0)
639:         {
640:             var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
641:             taxExemptionReasonCode.InnerText = "325";
642:             var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xlmnscbc.Value);
643:             taxExemptionReason.InnerText = "13/i Yem Teslimleri";
644:             taxCategory.AppendChild(taxExemptionReasonCode);
645:             taxCategory.AppendChild(taxExemptionReason);
646:         }
647:         if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
648:         {
649:             var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
650:             taxExemptionReasonCode.InnerText = "701";
651:             var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xlmnscbc.Value);
652:             taxExemptionReason.InnerText = "3065 sayili Katma Deger Vergisi kanununun
11/1-c maddesi kapsaminda ihrac edilmek sartiyla teslim edildiginden Katma Deger Vergisi
tahsil edilmemistir.";
653:             taxCategory.AppendChild(taxExemptionReasonCode);
654:             taxCategory.AppendChild(taxExemptionReason);
655:         }
656:         var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
657:         var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xlmnscbc.Value);
658:         taxTypeCode.InnerText = "0015";
659:         taxScheme2.AppendChild(taxTypeCode);
660:         taxCategory.AppendChild(taxScheme2);
661:         taxSubTotal.AppendChild(taxCategory);
662:         taxTotal.AppendChild(taxSubTotal);
663:         root.AppendChild(taxTotal);
664:
665: #endregion
666:
667:     sayac++;
668: }
669:
670: #endregion
671:
672: // Burada vergi bilgileri yer almaktadir (Açıklama Satiri haline getirildi)
673: #region Açıklama Satiri (TaxTotal)
674:
675: //var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
676: //XmlAttribute currencyId = doc.CreateAttribute("currencyID");
677: //currencyId.Value = "TRY";
678: //var taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
679: //taxAmount.RemoveAllAttributes();
680: //taxAmount.Attributes.Append(currencyId);
681: //taxAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
682: //taxTotal.AppendChild(taxAmount);
683: //var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xlmnscac.Value);
684: //var taxableAmount = doc.CreateElement("cbc", "TaxableAmount", xlmnscbc.Value);
685: //taxableAmount.RemoveAllAttributes();
686: //currencyId = doc.CreateAttribute("currencyID");
687: //currencyId.Value = "TRY";

```

```

688:     //taxableAmount.Attributes.Append(currencyId);
689:     //taxableAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",","."));
690:     //taxSubTotal.AppendChild(taxableAmount);
691:     //var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
692:     //taxAmount2.RemoveAllAttributes();
693:     //currencyId = doc.CreateAttribute("currencyID");
694:     //currencyId.Value = "TRY";
695:     //taxAmount2.Attributes.Append(currencyId);
696:     //taxAmount2.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",","."));
697:     //taxSubTotal.AppendChild(taxAmount2);
698:     //var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
699:     //if (gidenFatura.KdvHaricTutar != 0)
700:     //{
701:         //    percent.InnerText = Decimal.Round(((decimal)gidenFatura.KdvTutari * 100) /
(decimal)gidenFatura.KdvHaricTutar, 0, MidpointRounding.AwayFromZero).ToString();
702:     //}
703:     //taxSubTotal.AppendChild(percent);
704:     //var taxCategory = doc.CreateElement("cac", "TaxCategory", xlmnscac.Value);
705:     //if (gidenFatura.KdvTutari == 0)
706:     //{
707:         //    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
708:         //    taxExemptionReasonCode.InnerText = "325";
709:         //    var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xlmnscbc.Value);
710:         //    taxExemptionReason.InnerText = "13/i Yem Teslimleri";
711:         //    taxCategory.AppendChild(taxExemptionReasonCode);
712:         //    taxCategory.AppendChild(taxExemptionReason);
713:     //}
714:     //if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
715:     //{
716:         //    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
717:         //    taxExemptionReasonCode.InnerText = "701";
718:         //    var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xlmnscbc.Value);
719:         //    taxExemptionReason.InnerText = "3065 sayili Katma Deger Vergisi kanununun
11/1-c maddesi kapsaminda ihraq edilmek sartiyla teslim edildiginden Katma Deger Vergisi
tahsil edilmemistir.";
720:         //    taxCategory.AppendChild(taxExemptionReasonCode);
721:         //    taxCategory.AppendChild(taxExemptionReason);
722:     //}
723:     //var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
724:     //var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xlmnscbc.Value);
725:     //taxTypeCode.InnerText = "0015";
726:     //taxScheme2.AppendChild(taxTypeCode);
727:     //taxCategory.AppendChild(taxScheme2);
728:     //taxSubTotal.AppendChild(taxCategory);
729:     //taxTotal.AppendChild(taxSubTotal);
730:     //root.AppendChild(taxTotal);
731:
732: #endregion
733:
734: // KDV, KDV Hariç Tutar ve Toplam Tutar bilgileri yer almaktadir
735: #region LegalMonetaryTotal
736:
737: var legalMonetaryTotal = doc.CreateElement("cac", "LegalMonetaryTotal",
xlmnscac.Value);
738: var lineExtensionAmount = doc.CreateElement("cbc", "LineExtensionAmount",
xlmnscbc.Value);
739: lineExtensionAmount.RemoveAllAttributes();
740: var currencyId = doc.CreateAttribute("currencyID");
741: currencyId.Value = "TRY";
742: lineExtensionAmount.Attributes.Append(currencyId);
743: lineExtensionAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvHaricTutar,
2, MidpointRounding.AwayFromZero).ToString().Replace(",","."));
744: legalMonetaryTotal.AppendChild(lineExtensionAmount);

```

```

745:     var taxExclusiveAmount = doc.CreateElement("cbc", "TaxExclusiveAmount",
xlmnscbc.Value);
746:     taxExclusiveAmount.RemoveAllAttributes();
747:     currencyId = doc.CreateAttribute("currencyID");
748:     currencyId.Value = "TRY";
749:     taxExclusiveAmount.Attributes.Append(currencyId);
750:     taxExclusiveAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvHaricTutar,
2, MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
751:     legalMonetaryTotal.AppendChild(taxExclusiveAmount);
752:     var taxInclusiveAmount = doc.CreateElement("cbc", "TaxInclusiveAmount",
xlmnscbc.Value);
753:     taxInclusiveAmount.RemoveAllAttributes();
754:     currencyId = doc.CreateAttribute("currencyID");
755:     currencyId.Value = "TRY";
756:     taxInclusiveAmount.Attributes.Append(currencyId);
757:     taxInclusiveAmount.InnerText = Decimal.Round((decimal)gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
758:     legalMonetaryTotal.AppendChild(taxInclusiveAmount);
759:     var payableAmount = doc.CreateElement("cbc", "PayableAmount", xlmnscbc.Value);
760:     payableAmount.RemoveAllAttributes();
761:     currencyId = doc.CreateAttribute("currencyID");
762:     currencyId.Value = "TRY";
763:     payableAmount.Attributes.Append(currencyId);
764:     payableAmount.InnerText = Decimal.Round((decimal)gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
765:     legalMonetaryTotal.AppendChild(payableAmount);
766:     root.AppendChild(legalMonetaryTotal);
767: #endregion
768:
769:     sayac = 1;
770: // Her bir fatura edtayı için hazırlanan bölümdür
771: foreach (var item in gidenFaturaDetayListesi)
772: {
773:     #region InvoiceLine
774:
775:     // Ölçü Birimi, KDV Hariç Tutar, Para Birimi gibi bilgiler yer almaktadir
776:     #region MetaData
777:     var invoiceLine = doc.CreateElement("cac", "InvoiceLine", xlmnscac.Value);
778:     var invoiceLineId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
779:     invoiceLineId.InnerText = sayac.ToString();
780:     invoiceLine.AppendChild(invoiceLineId);
781:     var quantity = doc.CreateAttribute("unitCode");
782:     if (!string.IsNullOrEmpty(item.GibKisaltma))
783:         quantity.Value = item.GibKisaltma;
784:     else
785:         quantity.Value = "KGM";
786:     var invoicedQuantity = doc.CreateElement("cbc", "InvoicedQuantity",
xlmnscbc.Value);
787:     invoicedQuantity.RemoveAllAttributes();
788:     invoicedQuantity.Attributes.Append(quantity);
789:     invoicedQuantity.InnerText = Decimal.Round((decimal)item.Miktar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
790:     invoiceLine.AppendChild(invoicedQuantity);
791:     var lineExtensionAmountDetail = doc.CreateElement("cbc",
"LineExtensionAmount", xlmnscbc.Value);
792:     lineExtensionAmountDetail.RemoveAllAttributes();
793:     currencyId = doc.CreateAttribute("currencyID");
794:     currencyId.Value = "TRY";
795:     lineExtensionAmountDetail.Attributes.Append(currencyId);
796:     lineExtensionAmountDetail.InnerText =
Decimal.Round((decimal)item.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
797:     invoiceLine.AppendChild(lineExtensionAmountDetail);
798: #endregion
799:
800: // Varsa iskonto bilgileri yer almaktadir
801: #region AllowanceCharge
802:
803:     var allowanceCharge = doc.CreateElement("cac", "AllowanceCharge",

```

```

xlmnscac.Value);
804:         var chargeIndicator = doc.CreateElement("cbc", "ChargeIndicator",
xlmnscbc.Value);
805:         chargeIndicator.InnerText = "false";
806:         allowanceCharge.AppendChild(chargeIndicator);
807:         decimal amount2 = 0;
808:         decimal toplamTutar = (decimal)item.KdvHaricTutar;
809:         decimal kodIskontoTuruOran = item.IskontoOran ?? 0;
810:         if (kodIskontoTuruOran > 0)
811:         {
812:             toplamTutar = Decimal.Round((decimal)item.Miktar *
(decimal)item.BirimFiyat, 4, MidpointRounding.AwayFromZero);
813:             decimal toplamTutar2 = Decimal.Round(toplamTutar * (100 -
kodIskontoTuruOran) * (decimal)0.01, 4, MidpointRounding.AwayFromZero);
814:             amount2 = toplamTutar - toplamTutar2;
815:         }
816:         var multiplierFactorNumeric = doc.CreateElement("cbc",
"MultiplierFactorNumeric", xlmnscbc.Value);
817:         multiplierFactorNumeric.InnerText = Decimal.Round(kodIskontoTuruOran *
(decimal)0.01, 2, MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
818:         allowanceCharge.AppendChild(multiplierFactorNumeric);
819:         var amount = doc.CreateElement("cbc", "Amount", xlmnscbc.Value);
820:         currencyId = doc.CreateAttribute("currencyID");
821:         currencyId.Value = "TRY";
822:         amount.Attributes.RemoveAllAttributes();
823:         amount.Attributes.Append(currencyId);
824:         amount.InnerText = Decimal.Round(amount2, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
825:         allowanceCharge.AppendChild(amount);
826:         var baseAmount = doc.CreateElement("cbc", "BaseAmount", xlmnscbc.Value);
827:         currencyId = doc.CreateAttribute("currencyID");
828:         currencyId.Value = "TRY";
829:         baseAmount.RemoveAllAttributes();
830:         baseAmount.Attributes.Append(currencyId);
831:         baseAmount.InnerText = Decimal.Round(toplamTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
832:         allowanceCharge.AppendChild(baseAmount);
833:         invoiceLine.AppendChild(allowanceCharge);
834:
835: #endregion
836:
837: // Vergi bilgileri yer almaktadir
838: #region TaxTotal
839: var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
840: currencyId = doc.CreateAttribute("currencyID");
841: currencyId.Value = "TRY";
842: var taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
843: taxAmount.RemoveAllAttributes();
844: taxAmount.Attributes.Append(currencyId);
845: taxAmount.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
846: taxTotal.AppendChild(taxAmount);
847: var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xlmnscac.Value);
848: var taxableAmount = doc.CreateElement("cbc", "TaxableAmount", xlmnscbc.Value);
849: taxableAmount.RemoveAllAttributes();
850: currencyId = doc.CreateAttribute("currencyID");
851: currencyId.Value = "TRY";
852: taxableAmount.Attributes.Append(currencyId);
853: taxableAmount.InnerText = Decimal.Round((decimal)item.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
854: taxSubTotal.AppendChild(taxableAmount);
855: var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
856: taxAmount2.RemoveAllAttributes();
857: currencyId = doc.CreateAttribute("currencyID");
858: currencyId.Value = "TRY";
859: taxAmount2.Attributes.Append(currencyId);
860: taxAmount2.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
861: taxSubTotal.AppendChild(taxAmount2);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

862:         var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
863:         if (item.KdvOran != null)
864:             percent.InnerText = Decimal.Round((decimal)item.KdvOran, 2,
MidpointRounding.AwayFromZero).ToString("N1").Replace(",","."));
865:             taxSubTotal.AppendChild(percent);
866:             var taxCategory = doc.CreateElement("cac", "TaxCategory", xlmnscac.Value);
867:             if (item.KdvTutari == 0)
868:             {
869:                 var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
870:                 taxExemptionReasonCode.InnerText = "325";
871:                 var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xlmnscbc.Value);
872:                 taxExemptionReason.InnerText = "13/i Yem Teslimleri";
873:                 taxCategory.AppendChild(taxExemptionReasonCode);
874:                 taxCategory.AppendChild(taxExemptionReason);
875:             }
876:             var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
877:             var taxTypeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
878:             taxTypeName.InnerText = "KDV";
879:             taxScheme2.AppendChild(taxTypeName);
880:             var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xlmnscbc.Value);
881:             taxTypeCode.InnerText = "0015";
882:             taxScheme2.AppendChild(taxTypeCode);
883:             taxCategory.AppendChild(taxScheme2);
884:             taxSubTotal.AppendChild(taxCategory);
885:             taxTotal.AppendChild(taxSubTotal);
886:             invoiceLine.AppendChild(taxTotal);
887: #endregion
888:
889: // Fatura kesilen ürün detayı ve açıklama bilgileri yer almaktadır
890: #region Item
891: var invoiceItem = doc.CreateElement("cac", "Item", xlmnscac.Value);
892: if (!string.IsNullOrEmpty(item.MalzemeFaturaAciklamasi))
893: {
894:     var description = doc.CreateElement("cbc", "Description", xlmnscbc.Value);
895:     description.InnerText = item.MalzemeFaturaAciklamasi;
896:     invoiceItem.AppendChild(description);
897: }
898: var itemName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
899: if (!string.IsNullOrEmpty(item.FaturaUrunturu))
900:     itemName.InnerText = item.FaturaUrunturu;
901: invoiceItem.AppendChild(itemName);
902: invoiceLine.AppendChild(invoiceItem);
903: #endregion
904:
905: // Birim fiyat bilgileri yer almaktadır
906: #region Price
907:
908: var price = doc.CreateElement("cac", "Price", xlmnscac.Value);
909: var priceAmount = doc.CreateElement("cbc", "PriceAmount", xlmnscbc.Value);
910: priceAmount.RemoveAllAttributes();
911: currencyId = doc.CreateAttribute("currencyID");
912: currencyId.Value = "TRY";
913: priceAmount.Attributes.Append(currencyId);
914: if (item.BirimFiyat != null)
915:     priceAmount.InnerText = Decimal.Round((decimal)item.BirimFiyat, 4,
MidpointRounding.AwayFromZero).ToString().Replace(",",".");
916: else
917:     priceAmount.InnerText = "0.00";
918: price.AppendChild(priceAmount);
919: invoiceLine.AppendChild(price);
920:
921: #endregion
922:
923: root.AppendChild(invoiceLine);
924: #endregion
925:
926: sayac++;

```

```

927:     }
928:
929: #endregion
930:
931: doc.AppendChild(root);
932:
933: #region Dosya Kaydi
934:
935: var fileName = aktarilacakKlasorAdi + "/" + gidenFatura.GidenFaturaId + ".xml";
936: doc.Save(fileName);
937:
938: #endregion
939:
940: return fileName;
941: }

```

1.1.7.1.5.1.3 YardimciSiniflar.EMustahsilXMLOlustur Method

Summary

Müstahsil Makбуza Bilgisi Üzerinden E-Müstahsil Sistemine Göndermek İçin XML Dosyası Olusturmaya yarayan metottur

C#

```
public static string EMustahsilXMLOlustur(MustahsilMakbuzaDTO mustahsilMakbuza,
List<MustahsilMakbuzaDetayDTO> mustahsilMakbuzaDetayListesi, string aktarilacakKlasorAdi);
```

Parameters

Parameters	Description
MustahsilMakbuzaDTO mustahsilMakbuza	Müstahsil Makbuza Bilgisi
List<MustahsilMakbuzaDetayDTO> mustahsilMakbuzaDetayListesi	Müstahsil Makbuza Detay Bilgisi
string aktarilacakKlasorAdi	Olusturulan Dosyanın Aktarılacağı Klasör

Body Source

```

1: public static string EMustahsilXMLOlustur(MustahsilMakbuzaDTO mustahsilMakbuza,
List<MustahsilMakbuzaDetayDTO> mustahsilMakbuzaDetayListesi, string aktarilacakKlasorAdi)
2: {
3:     XmlDocument doc = new XmlDocument();
4:     XmlDeclaration declaration;
5:     declaration = doc.CreateXmlDeclaration("1.0", "UTF-8", null);
6:    XmlElement root = doc.DocumentElement;
7:     doc.InsertBefore(declaration, root);
8:     doc.AppendChild(doc.CreateProcessingInstruction("xml-stylesheet",
"type=\\"text/xsl\\" href=\\"general.xslt\\\""));
9:
10:    root = doc.CreateElement("CreditNote");
11:
12:    #region Standart ve Müstahsil Makbuza Bagli Bilgiler
13:
14:    // Makbuzun türü, kesilme tarihi, UBL Versiyon Numarasi, GIB Numarasi gibi bilgiler
15:    // yer almaktadir
16:    #region Standart Bilgiler
17:    root.RemoveAllAttributes();
18:    string locationAttribute = "xsi:schemaLocation";
19:    XmlAttribute location = doc.CreateAttribute("xsi", "schemaLocation",
"urn:oasis:names:specification:ubl:schema:xsd:CreditNote-2");
20:    location.Value = "urn:oasis:names:specification:ubl:schema:xsd:CreditNote-2
../../../../maindoc/UBL-CreditNote-2.1.xsd";
21:    XmlAttribute xlmns = doc.CreateAttribute("xmlns");
22:    xlmns.Value = "urn:oasis:names:specification:ubl:schema:xsd:CreditNote-2";
23:    XmlAttribute xlmnssn4 = doc.CreateAttribute("xmlns:n4");
24:    xlmnssn4.Value = "http://www.altova.com/samplexml/other-namespace";
25:    XmlAttribute xlmnssxi = doc.CreateAttribute("xmlns:xsi");
26:    xlmnssxi.Value = "http://www.w3.org/2001/XMLSchema-instance";
27:    XmlAttribute xlmnscac = doc.CreateAttribute("xmlns:cac");
28:    xlmnscac.Value =

```

```

"urn:oasis:names:specification:ubl:schema:xsd:CommonAggregateComponents-2";
29:     XmlAttribute xlmnscbc = doc.CreateAttribute("xmlns:cac");
30:     xlmnscbc.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonBasicComponents-2";
31:     XmlAttribute xlmnsext = doc.CreateAttribute("xmlns:ext");
32:     xlmnsext.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonExtensionComponents-2";
33:     root.Attributes.Append(location);
34:     root.Attributes.Append(xlmns);
35:     root.Attributes.Append(xlmnssn4);
36:     root.Attributes.Append(xlmnssxi);
37:     root.Attributes.Append(xlmnscac);
38:     root.Attributes.Append(xlmnscbc);
39:     root.Attributes.Append(xlmnsext);
40:     var extUbl = doc.CreateElement("ext", "UBLExtensions", xlmnsext.Value);
41:     var extUbl2 = doc.CreateElement("ext", "UBLExtension", xlmnsext.Value);
42:     var extUbl3 = doc.CreateElement("ext", "ExtensionContent", xlmnsext.Value);
43:     var extUbl4 = doc.CreateElement("n4", "auto-generated_for_wildcard",
xlmnssn4.Value);
44:     extUbl3.AppendChild(extUbl4);
45:     extUbl2.AppendChild(extUbl3);
46:     extUbl.AppendChild(extUbl2);
47:
48:     root.AppendChild(extUbl);
49:
50:     var versionId = doc.CreateElement("cbc", "UBLVersionID", xlmnscbc.Value);
51:     versionId.InnerText = "2.1";
52:     root.AppendChild(versionId);
53:
54:     var customizationId = doc.CreateElement("cbc", "CustomizationID", xlmnscbc.Value);
55:     customizationId.InnerText = "TR1.2.1";
56:     root.AppendChild(customizationId);
57:
58:     var profileId = doc.CreateElement("cbc", "ProfileID", xlmnscbc.Value);
59:     profileId.InnerText = "EARSIVBELGE";
60:     root.AppendChild(profileId);
61:
62:     var id = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
63:     if (!string.IsNullOrEmpty(mustahsilMakbuzu.MustahsilMakbuzuNo))
64:         id.InnerText = mustahsilMakbuzu.MustahsilMakbuzuNo;
65:     else
66:         id.InnerText = "ABC" + mustahsilMakbuzu.MustahsilMakbuzuTarihi?.Year +
DateTime.UtcNow.Ticks.ToString().Substring(0, 9);
67:     root.AppendChild(id);
68:
69:     var copyIndicator = doc.CreateElement("cbc", "CopyIndicator", xlmnscbc.Value);
70:     copyIndicator.InnerText = "false";
71:     root.AppendChild(copyIndicator);
72:
73:     var mustahsilMakbuzuId = doc.CreateElement("cbc", "UUID", xlmnscbc.Value);
74:     mustahsilMakbuzuId.InnerText = mustahsilMakbuzu.MustahsilMakbuzuId.Length == 36 ?
mustahsilMakbuzu.MustahsilMakbuzuId.ToUpper() : Guid.NewGuid().ToString().ToUpper();
75:     root.AppendChild(mustahsilMakbuzuId);
76:
77:     var issueDate = doc.CreateElement("cbc", "IssueDate", xlmnscbc.Value);
78:     issueDate.InnerText =
mustahsilMakbuzu.MustahsilMakbuzuTarihi?.Date.ToString("yyyy-MM-dd");
79:     root.AppendChild(issueDate);
80:
81:     var issueTime = doc.CreateElement("cbc", "IssueTime", xlmnscbc.Value);
82:     issueTime.InnerText =
mustahsilMakbuzu.MustahsilMakbuzuTarihi?.ToString("HH:mm:ss");
83:     root.AppendChild(issueTime);
84:
85:     var creditNoteTypeCode = doc.CreateElement("cbc", "CreditNoteTypeCode",
xlmnscbc.Value);
86:     creditNoteTypeCode.InnerText = "MUSTAHSILMAKBUZ";
87:     root.AppendChild(creditNoteTypeCode);
88:
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```

89:     var sendType = doc.CreateElement("cbc", "Note", xlmnscbc.Value);
90:     sendType.InnerText = "Gönderim Sekli: ELEKTRONIK";
91:     root.AppendChild(sendType);
92:
93:     var documentCurrencyCode = doc.CreateElement("cbc", "DocumentCurrencyCode",
xlmnscbc.Value);
94:     documentCurrencyCode.InnerText = "TRY";
95:     root.AppendChild(documentCurrencyCode);
96:
97:     var lineCountNumeric = doc.CreateElement("cbc", "LineCountNumeric",
xlmnscbc.Value);
98:     lineCountNumeric.InnerText = mustahsilMakbuzuDetayListesi.Count.ToString();
99:     root.AppendChild(lineCountNumeric);
100:
101:    #region AdditionalDocumentReference
102:
103:    var additionalDocumentReference = doc.CreateElement("cac",
"AdditionalDocumentReference", xlmnscac.Value);
104:    var additionalDocumentReferenceId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
105:    additionalDocumentReferenceId.InnerText =
mustahsilMakbuzu.MustahsilMakbuzuId.Length == 36 ?
mustahsilMakbuzu.MustahsilMakbuzuId.ToUpper() : Guid.NewGuid().ToString().ToUpper();
106:    additionalDocumentReference.AppendChild(additionalDocumentReferenceId);
107:    issueDate = doc.CreateElement("cbc", "IssueDate", xlmnscbc.Value);
108:    issueDate.InnerText =
mustahsilMakbuzu.MustahsilMakbuzuTarihi?.Date.ToString("yyyy-MM-dd");
109:    additionalDocumentReference.AppendChild(issueDate);
110:    var documentType = doc.CreateElement("cbc", "DocumentType", xlmnscbc.Value);
111:    documentType.InnerText = "XSLT";
112:    additionalDocumentReference.AppendChild(documentType);
113:    var attachment = doc.CreateElement("cac", "Attachment", xlmnscac.Value);
114:    var embeddedDocumentBinaryObject = doc.CreateElement("cbc",
"EmbeddedDocumentBinaryObject", xlmnscbc.Value);
115:    XmlAttribute characterSetCode = doc.CreateAttribute("characterSetCode");
116:    characterSetCode.Value = "UTF-8";
117:    XmlAttribute encodingCode = doc.CreateAttribute("encodingCode");
118:    encodingCode.Value = "Base64";
119:    XmlAttribute mimeCode = doc.CreateAttribute("mimeCode");
120:    mimeCode.Value = "application/xml";
121:    embeddedDocumentBinaryObject.Attributes.Append(characterSetCode);
122:    embeddedDocumentBinaryObject.Attributes.Append(encodingCode);
123:    embeddedDocumentBinaryObject.Attributes.Append(mimeCode);
124:    attachment.AppendChild(embeddedDocumentBinaryObject);
125:    additionalDocumentReference.AppendChild(attachment);
126:
127:    root.AppendChild(additionalDocumentReference);
128:
129:    #endregion
130:
131:    #endregion
132:
133:    // Faturaya iliskin imza, adres vb. bilgiler yer almaktadir
134:    #region Signature
135:    var signature = doc.CreateElement("cac", "Signature", xlmnscac.Value);
136:    XmlAttribute signatureIdAttr = doc.CreateAttribute("schemeID");
137:    signatureIdAttr.Value = "VKN_TCKN";
138:    var signatureId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
139:    signatureId.Attributes.Append(signatureIdAttr);
140:    signatureId.InnerText = "3250566851";
141:    signature.AppendChild(signatureId);
142:    var signatoryParty = doc.CreateElement("cac", "SignatoryParty", xlmnscac.Value);
143:    var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
144:    XmlAttribute signatureIdAttr2 = doc.CreateAttribute("schemeID");
145:    signatureIdAttr2.Value = "VKN";
146:    var signaturePartyId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
147:    signaturePartyId.Attributes.Append(signatureIdAttr2);
148:    signaturePartyId.InnerText = "3250566851";
149:    partyIdentification.AppendChild(signaturePartyId);

```

```

150:     signatoryParty.AppendChild(partyIdentification);
151:
152: #region Postal Address
153: var postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
154: var streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
155: streetName.InnerText = "Mithatpasa Caddesi";
156: postalAddress.AppendChild(streetName);
157: var buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xlmnscbc.Value);
158: buildingNumber.InnerText = "14";
159: postalAddress.AppendChild(buildingNumber);
160: var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
161: citySubdivisionName.InnerText = "Çankaya";
162: postalAddress.AppendChild(citySubdivisionName);
163: var cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
164: cityName.InnerText = "Ankara";
165: postalAddress.AppendChild(cityName);
166: var postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
167: postalZone.InnerText = "06100";
168: postalAddress.AppendChild(postalZone);
169: var country = doc.CreateElement("cac", "Country", xlmnscac.Value);
170: var countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
171: countryName.InnerText = "Türkiye";
172: country.AppendChild(countryName);
173: postalAddress.AppendChild(country);
174: signatoryParty.AppendChild(postalAddress);
175: signature.AppendChild(signatoryParty);
176:
177: #endregion
178:
179: var digitalSignatureAttachment = doc.CreateElement("cac",
"DigitalSignatureAttachment", xlmnscac.Value);
180: var externalReference = doc.CreateElement("cac", "ExternalReference",
xlmnscac.Value);
181: var uri = doc.CreateElement("cbc", "URI", xlmnscbc.Value);
182: uri.InnerText = "#Signature";
183: externalReference.AppendChild(uri);
184: digitalSignatureAttachment.AppendChild(externalReference);
185: signature.AppendChild(digitalSignatureAttachment);
186:
187: root.AppendChild(signature);
188: #endregion
189:
190: // Burada sabit degerler verilmekte olup, Makbuzu kesen kuruma veya firmaya ait
bilgiler
191: // yer almaktadir. Bu kisimda örnek olarak TÜRKSEKER Fabrikalari Genel Müdürlüğü
bilgileri
192: // kullanilmistir. Ancak degistirip test edilebilir.
193: #region AccountingSupplierParty
194:
195: var accountingSupplierParty = doc.CreateElement("cac", "AccountingSupplierParty",
xlmnscac.Value);
196: var party = doc.CreateElement("cac", "Party", xlmnscac.Value);
197: var webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
198: webSiteUri.InnerText = "https://www.turkseker.gov.tr";
199: party.AppendChild(webSiteUri);
200: XmlAttribute accountingSupplierPartyIdAttr = doc.CreateAttribute("schemeID");
201: accountingSupplierPartyIdAttr.Value = "VKN_TCKN";
202: partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
203: XmlAttribute accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
204: accountingSupplierPartyIdAttr2.Value = "VKN";
205: var accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
206: accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
207: accountingSupplierPartyPartyId.InnerText = "3250566851";
208: partyIdentification.AppendChild(accountingSupplierPartyPartyId);
209: party.AppendChild(partyIdentification);
210:
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

211:     if (!string.IsNullOrEmpty(mustahsilMakbuzu.AltBirimAd))
212:     {
213:         partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
214:         accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
215:         accountingSupplierPartyIdAttr2.Value = "SUBENO";
216:         accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
217:
accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
218:         accountingSupplierPartyPartyId.InnerText = mustahsilMakbuzu.AltBirimAd;
219:         partyIdentification.AppendChild(accountingSupplierPartyPartyId);
220:         party.AppendChild(partyIdentification);
221:     }
222:
223:     var partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
224:     var partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
225:     partyNameReal.InnerText = "TÜRKİYE SEKER FABRIKALARI A.S.";
226:     partyName.AppendChild(partyNameReal);
227:     party.AppendChild(partyName);
228:
229: #region Postal Address
230:     postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
231:     var postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
232:     postalAddressId.InnerText = "3250566851";
233:     postalAddress.AppendChild(postalAddressId);
234:     streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
235:     streetName.InnerText = "Mithatpasa Caddesi";
236:     postalAddress.AppendChild(streetName);
237:     buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xlmnscbc.Value);
238:     buildingNumber.InnerText = "14";
239:     postalAddress.AppendChild(buildingNumber);
240:     citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
241:     citySubdivisionName.InnerText = "Çankaya";
242:     postalAddress.AppendChild(citySubdivisionName);
243:     cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
244:     cityName.InnerText = "Ankara";
245:     postalAddress.AppendChild(cityName);
246:     postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
247:     postalZone.InnerText = "06100";
248:     postalAddress.AppendChild(postalZone);
249:     country = doc.CreateElement("cac", "Country", xlmnscac.Value);
250:     countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
251:     countryName.InnerText = "Türkiye";
252:     country.AppendChild(countryName);
253:     postalAddress.AppendChild(country);
254:     party.AppendChild(postalAddress);
255:
256: #endregion
257:
258:     var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme", xlmnscac.Value);
259:     var taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
260:     var taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
261:     taxSchemeName.InnerText = "Ankara Kurumlar";
262:     taxScheme.AppendChild(taxSchemeName);
263:     partyTaxScheme.AppendChild(taxScheme);
264:     party.AppendChild(partyTaxScheme);
265:
266:     var contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
267:     var telephone = doc.CreateElement("cbc", "Telephone", xlmnscbc.Value);
268:     telephone.InnerText = "(312) 4585500";
269:     contact.AppendChild(telephone);
270:     var telefax = doc.CreateElement("cbc", "Telefax", xlmnscbc.Value);
271:     telefax.InnerText = "(312) 4585800";
272:     contact.AppendChild(telefax);
273:     var electronicMail = doc.CreateElement("cbc", "ElectronicMail", xlmnscbc.Value);
274:     electronicMail.InnerText = "maliisler@turkseker.gov.tr";
275:     contact.AppendChild(electronicMail);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

276:     party.AppendChild(contact);
277:
278:     accountingSupplierParty.AppendChild(party);
279:
280:     root.AppendChild(accountingSupplierParty);
281: #endregion
282:
283: // Bu kisimda makbuz kesilen firma bilgileri yer almaktadir
284: #region AccountingCustomerParty
285:
286:     var accountingCustomerParty = doc.CreateElement("cac", "AccountingCustomerParty",
xlmnscac.Value);
287:     party = doc.CreateElement("cac", "Party", xlmnscac.Value);
288:     webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
289:     party.AppendChild(webSiteUri);
290:     XmlAttribute accountingCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
291:     accountingCustomerPartyIdAttr.Value = "TCKN";
292:     if (mustahsilMakbuzu.VergiNo.Length == 10)
293:         accountingCustomerPartyIdAttr.Value = "VKN";
294:     partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
295:     var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
296:     accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerPartyIdAttr);
297:     accountingCustomerPartyPartyId.InnerText = mustahsilMakbuzu.VergiNo;
298:     partyIdentification.AppendChild(accountingCustomerPartyPartyId);
299:     party.AppendChild(partyIdentification);
300:
301:     if (mustahsilMakbuzu.VergiNo.Length == 10)
302:     {
303:         partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
304:         partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
305:         partyNameReal.InnerText = mustahsilMakbuzu.TuzelKisiAd;
306:         partyName.AppendChild(partyNameReal);
307:         party.AppendChild(partyName);
308:     }
309:
310: #region Postal Address
311: postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
312: postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
313: postalAddressId.InnerText = mustahsilMakbuzu.VergiNo;
314: postalAddress.AppendChild(postalAddressId);
315: var room = doc.CreateElement("cbc", "Room", xlmnscbc.Value);
316: postalAddress.AppendChild(room);
317: streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
318: if (!string.IsNullOrEmpty(mustahsilMakbuzu.Adres))
319:     streetName.InnerText = mustahsilMakbuzu.Adres;
320: postalAddress.AppendChild(streetName);
321: buildingNumber = doc.CreateElement("cbc", "BuildingNumber", xlmnscbc.Value);
322: //buildingNumber.InnerText = "";
323: postalAddress.AppendChild(buildingNumber);
324: citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
325: if (!string.IsNullOrEmpty(mustahsilMakbuzu.IlceAd))
326:     citySubdivisionName.InnerText = mustahsilMakbuzu.IlceAd;
327: postalAddress.AppendChild(citySubdivisionName);
328: cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
329: if (!string.IsNullOrEmpty(mustahsilMakbuzu.IlAd))
330:     cityName.InnerText = mustahsilMakbuzu.IlAd;
331: postalAddress.AppendChild(cityName);
332: postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
333: //postalZone.InnerText = "";
334: postalAddress.AppendChild(postalZone);
335: country = doc.CreateElement("cac", "Country", xlmnscac.Value);
336: countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
337: countryName.InnerText = "Turkiye";
338: country.AppendChild(countryName);
339: postalAddress.AppendChild(country);
340: party.AppendChild(postalAddress);

```

```

341:
342: #endregion
343:
344: partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme", xlmnscac.Value);
345: taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
346: taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
347: if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiDairesi))
348:     taxSchemeName.InnerText = mustahsilMakbuzu.VergiDairesi;
349: taxScheme.AppendChild(taxSchemeName);
350: partyTaxScheme.AppendChild(taxScheme);
351: party.AppendChild(partyTaxScheme);
352:
353: contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
354: electronicMail = doc.CreateElement("cbc", "ElectronicMail", xlmnscbc.Value);
355: if (!string.IsNullOrEmpty(mustahsilMakbuzu.EPostaAdresi))
356:     electronicMail.InnerText = mustahsilMakbuzu.EPostaAdresi;
357: contact.AppendChild(electronicMail);
358: party.AppendChild(contact);
359:
360: if (mustahsilMakbuzu.VergiNo.Length == 11)
361: {
362:     var liste = mustahsilMakbuzu.TuzelKisiAd.Split(' ').ToList();
363:     if (liste.Count > 1)
364:     {
365:         var person = doc.CreateElement("cac", "Person", xlmnscac.Value);
366:         var firstName = doc.CreateElement("cbc", "FirstName", xlmnscbc.Value);
367:         firstName.InnerText = liste[0];
368:         person.AppendChild(firstName);
369:         var familyName = doc.CreateElement("cbc", "FamilyName", xlmnscbc.Value);
370:         familyName.InnerText = liste[1];
371:         person.AppendChild(familyName);
372:         party.AppendChild(person);
373:     }
374: }
375:
376: accountingCustomerParty.AppendChild(party);
377:
378: root.AppendChild(accountingCustomerParty);
379: #endregion
380:
381: if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo))
382: {
383:     if (mustahsilMakbuzu.VergiNo.Length == 10)
384:     {
385:         // Bu kisimda makbuz kesilen firma bilgileri yer almaktadir (Eger sadece
Tüzel Kisilikse, sahis sirketleri için bu yapilmamaktadir)
386:         #region BuyerCustomerParty
387:
388:         var buyerCustomerParty = doc.CreateElement("cac", "BuyerCustomerParty",
xlmnscac.Value);
389:         party = doc.CreateElement("cac", "Party", xlmnscac.Value);
390:         webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
391:         party.AppendChild(webSiteUri);
392:         XmlAttribute buyerCustomerPartyIdAttr = doc.CreateAttribute("schemeID");
393:         buyerCustomerPartyIdAttr.Value = "VKN";
394:         partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
395:         var buyerCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
396:         buyerCustomerPartyPartyId.Attributes.Append(buyerCustomerPartyIdAttr);
397:         buyerCustomerPartyPartyId.InnerText = mustahsilMakbuzu.VergiNo;
398:         partyIdentification.AppendChild(buyerCustomerPartyPartyId);
399:         party.AppendChild(partyIdentification);
400:
401:         if (mustahsilMakbuzu.VergiNo.Length == 10)
402:         {
403:             partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
404:             partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
405:             partyNameReal.InnerText = mustahsilMakbuzu.TuzelKisiAd;

```

```

406:             partyName.AppendChild(partyNameReal);
407:             party.AppendChild(partyName);
408:         }
409:
410:         #region Postal Address
411:         postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
412:         postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
413:         postalAddressId.InnerText = mustahsilMakbuzu.VergiNo;
414:         postalAddress.AppendChild(postalAddressId);
415:         room = doc.CreateElement("cbc", "Room", xlmnscbc.Value);
416:         postalAddress.AppendChild(room);
417:         streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
418:         if (!string.IsNullOrEmpty(mustahsilMakbuzu.Adres))
419:             streetName.InnerText = mustahsilMakbuzu.Adres;
420:         postalAddress.AppendChild(streetName);
421:         buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
422:         //buildingNumber.InnerText = "";
423:         postalAddress.AppendChild(buildingNumber);
424:         citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
425:         if (!string.IsNullOrEmpty(mustahsilMakbuzu.IlceAd))
426:             citySubdivisionName.InnerText = mustahsilMakbuzu.IlceAd;
427:         postalAddress.AppendChild(citySubdivisionName);
428:         cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
429:         if (!string.IsNullOrEmpty(mustahsilMakbuzu.IlAd))
430:             cityName.InnerText = mustahsilMakbuzu.IlAd;
431:         postalAddress.AppendChild(cityName);
432:         postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
433:         //postalZone.InnerText = "";
434:         postalAddress.AppendChild(postalZone);
435:         country = doc.CreateElement("cac", "Country", xlmnscac.Value);
436:         countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
437:         countryName.InnerText = "Türkiye";
438:         country.AppendChild(countryName);
439:         postalAddress.AppendChild(country);
440:         party.AppendChild(postalAddress);
441:
442:         #endregion
443:
444:         partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xlmnscac.Value);
445:         taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
446:         taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
447:         if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiDairesi))
448:             taxSchemeName.InnerText = mustahsilMakbuzu.VergiDairesi;
449:         taxScheme.AppendChild(taxSchemeName);
450:         partyTaxScheme.AppendChild(taxScheme);
451:         party.AppendChild(partyTaxScheme);
452:
453:         contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
454:         electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xlmnscbc.Value);
455:         if (!string.IsNullOrEmpty(mustahsilMakbuzu.EPostaAdresi))
456:             electronicMail.InnerText = mustahsilMakbuzu.EPostaAdresi;
457:         contact.AppendChild(electronicMail);
458:         party.AppendChild(contact);
459:
460:         if (mustahsilMakbuzu.VergiNo.Length == 11)
461:         {
462:             var liste = mustahsilMakbuzu.TuzelKisiAd.Split(' ').ToList();
463:             if (liste.Count > 1)
464:             {
465:                 var person = doc.CreateElement("cac", "Person", xlmnscac.Value);
466:                 var firstName = doc.CreateElement("cbc", "FirstName",
xlmnscbc.Value);
467:                 firstName.InnerText = liste[0];
468:                 person.AppendChild(firstName);
469:                 var familyName = doc.CreateElement("cbc", "FamilyName",

```

```

xlmnscbc.Value);
470:                     familyName.InnerText = liste[1];
471:                     person.AppendChild(familyName);
472:                     party.AppendChild(person);
473:                 }
474:             }
475:
476:             buyerCustomerParty.AppendChild(party);
477:
478:             root.AppendChild(buyerCustomerParty);
479:             #endregion
480:         }
481:     }
482:
483: // Burada vergi bilgileri yer almaktadir
484: #region TaxTotal
485:
486: var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
487: XmlAttribute currencyId = doc.CreateAttribute("currencyID");
488: currencyId.Value = "TRY";
489: var taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
490: taxAmount.RemoveAllAttributes();
491: taxAmount.Attributes.Append(currencyId);
492: taxAmount.InnerText = Decimal.Round((decimal)mustahsilMakbuzu.GelirVergisi, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
493: taxTotal.AppendChild(taxAmount);
494: var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xlmnscac.Value);
495: var taxableAmount = doc.CreateElement("cbc", "TaxableAmount", xlmnscbc.Value);
496: taxableAmount.RemoveAllAttributes();
497: currencyId = doc.CreateAttribute("currencyID");
498: currencyId.Value = "TRY";
499: taxableAmount.Attributes.Append(currencyId);
500: taxableAmount.InnerText = Decimal.Round((decimal)mustahsilMakbuzu.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
501: taxSubTotal.AppendChild(taxableAmount);
502: var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
503: taxAmount2.RemoveAllAttributes();
504: currencyId = doc.CreateAttribute("currencyID");
505: currencyId.Value = "TRY";
506: taxAmount2.Attributes.Append(currencyId);
507: taxAmount2.InnerText = Decimal.Round((decimal)mustahsilMakbuzu.GelirVergisi, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
508: taxSubTotal.AppendChild(taxAmount2);
509: var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
510: if (mustahsilMakbuzu.NetTutar != 0)
511:     percent.InnerText = Decimal.Round(((decimal)mustahsilMakbuzu.GelirVergisi *
100) / (decimal)mustahsilMakbuzu.NetTutar, 0, MidpointRounding.AwayFromZero).ToString();
512: else
513:     percent.InnerText = "0";
514: taxSubTotal.AppendChild(percent);
515: var taxCategory = doc.CreateElement("cac", "TaxCategory", xlmnscac.Value);
516: if (mustahsilMakbuzu.GelirVergisi == 0)
517: {
518:     var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
519:     taxExemptionReasonCode.InnerText = "325";
520:     var taxExemptionReason = doc.CreateElement("cbc", "TaxExemptionReason",
xlmnscbc.Value);
521:     taxExemptionReason.InnerText = "13/i Yem Teslimleri";
522:     taxCategory.AppendChild(taxExemptionReasonCode);
523:     taxCategory.AppendChild(taxExemptionReason);
524: }
525: var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
526: var taxName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
527: taxName.InnerText = "GV STOPAJI";
528: taxScheme2.AppendChild(taxName);
529: var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xlmnscbc.Value);
530: taxTypeCode.InnerText = "0003";
531: taxScheme2.AppendChild(taxTypeCode);

```

```

532:     taxCategory.AppendChild(taxScheme2);
533:     taxSubTotal.AppendChild(taxCategory);
534:     taxTotal.AppendChild(taxSubTotal);
535:     root.AppendChild(taxTotal);
536:
537: #endregion
538:
539: // Gelir Vergisi, Net Tutar ve Toplam Tutar bilgileri yer almaktadir
540: #region LegalMonetaryTotal
541:
542:     var legalMonetaryTotal = doc.CreateElement("cac", "LegalMonetaryTotal",
xlmnscac.Value);
543:     var lineExtensionAmount = doc.CreateElement("cbc", "LineExtensionAmount",
xlmnscbc.Value);
544:     lineExtensionAmount.RemoveAllAttributes();
545:     currencyId = doc.CreateAttribute("currencyID");
546:     currencyId.Value = "TRY";
547:     lineExtensionAmount.Attributes.Append(currencyId);
548:     lineExtensionAmount.InnerText = Decimal.Round((decimal)mustahsilMakbuzu.NetTutar,
2, MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
549:     legalMonetaryTotal.AppendChild(lineExtensionAmount);
550:     var taxExclusiveAmount = doc.CreateElement("cbc", "TaxExclusiveAmount",
xlmnscbc.Value);
551:     taxExclusiveAmount.RemoveAllAttributes();
552:     currencyId = doc.CreateAttribute("currencyID");
553:     currencyId.Value = "TRY";
554:     taxExclusiveAmount.Attributes.Append(currencyId);
555:     taxExclusiveAmount.InnerText = Decimal.Round((decimal)mustahsilMakbuzu.NetTutar,
2, MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
556:     legalMonetaryTotal.AppendChild(taxExclusiveAmount);
557:     var taxInclusiveAmount = doc.CreateElement("cbc", "TaxInclusiveAmount",
xlmnscbc.Value);
558:     taxInclusiveAmount.RemoveAllAttributes();
559:     currencyId = doc.CreateAttribute("currencyID");
560:     currencyId.Value = "TRY";
561:     taxInclusiveAmount.Attributes.Append(currencyId);
562:     taxInclusiveAmount.InnerText = Decimal.Round((decimal)mustahsilMakbuzu.NetTutar,
2, MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
563:     legalMonetaryTotal.AppendChild(taxInclusiveAmount);
564:     var payableAmount = doc.CreateElement("cbc", "PayableAmount", xlmnscbc.Value);
565:     payableAmount.RemoveAllAttributes();
566:     currencyId = doc.CreateAttribute("currencyID");
567:     currencyId.Value = "TRY";
568:     payableAmount.Attributes.Append(currencyId);
569:     payableAmount.InnerText = Decimal.Round((decimal)mustahsilMakbuzu.NetTutar -
(decimal)mustahsilMakbuzu.GelirVergisi, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
570:     legalMonetaryTotal.AppendChild(payableAmount);
571:     root.AppendChild(legalMonetaryTotal);
572: #endregion
573:
574:     var sayac = 1;
575: // Her bir makbuz detayı için hazırlanan bölümdür
576: foreach (var item in mustahsilMakbuzuDetayListesi)
577: {
578:     #region CreditNoteLine
579:
580:     #region MetaData
581:         var creditNoteLine = doc.CreateElement("cac", "CreditNoteLine",
xlmnscac.Value);
582:         var creditNoteLineId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
583:         creditNoteLineId.InnerText = sayac.ToString();
584:         creditNoteLine.AppendChild(creditNoteLineId);
585:         var quantity = doc.CreateAttribute("unitCode");
586:         quantity.Value = "KGM";
587:         var creditedQuantity = doc.CreateElement("cbc", "CreditedQuantity",
xlmnscbc.Value);
588:         creditedQuantity.RemoveAllAttributes();
589:         creditedQuantity.Attributes.Append(quantity);

```

```

590:     creditedQuantity.InnerText = Decimal.Round((decimal)item.Miktar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",","."));
591:     creditNoteLine.AppendChild(creditedQuantity);
592:     var lineExtensionAmountDetail = doc.CreateElement("cbc",
"LineExtensionAmount", xlmnscbc.Value);
593:     lineExtensionAmountDetail.RemoveAllAttributes();
594:     currencyId = doc.CreateAttribute("currencyID");
595:     currencyId.Value = "TRY";
596:     lineExtensionAmountDetail.Attributes.Append(currencyId);
597:     lineExtensionAmountDetail.InnerText = Decimal.Round((decimal)item.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",","."));
598:     creditNoteLine.AppendChild(lineExtensionAmountDetail);
599: #endregion
600:
601: #region TaxTotal
602: taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
603: currencyId = doc.CreateAttribute("currencyID");
604: currencyId.Value = "TRY";
605: taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
606: taxAmount.RemoveAllAttributes();
607: taxAmount.Attributes.Append(currencyId);
608: taxAmount.InnerText = Decimal.Round((decimal)item.GelirVergisi, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",",".");
609: taxTotal.AppendChild(taxAmount);
610: taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xlmnscac.Value);
611: taxableAmount = doc.CreateElement("cbc", "TaxableAmount", xlmnscbc.Value);
612: taxableAmount.RemoveAllAttributes();
613: currencyId = doc.CreateAttribute("currencyID");
614: currencyId.Value = "TRY";
615: taxableAmount.Attributes.Append(currencyId);
616: taxableAmount.InnerText = Decimal.Round((decimal)item.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",",".");
617: taxSubTotal.AppendChild(taxableAmount);
618: taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
619: taxAmount2.RemoveAllAttributes();
620: currencyId = doc.CreateAttribute("currencyID");
621: currencyId.Value = "TRY";
622: taxAmount2.Attributes.Append(currencyId);
623: taxAmount2.InnerText = Decimal.Round((decimal)item.GelirVergisi, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",",".");
624: taxSubTotal.AppendChild(taxAmount2);
625: percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
626: percent.InnerText = "2";
627: taxSubTotal.AppendChild(percent);
628: taxCategory = doc.CreateElement("cac", "TaxCategory", xlmnscac.Value);
629: taxScheme2 = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
630: var taxTypeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
631: taxTypeName.InnerText = "GV STOPAJI";
632: taxScheme2.AppendChild(taxTypeName);
633: taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xlmnscbc.Value);
634: taxTypeCode.InnerText = "0003";
635: taxScheme2.AppendChild(taxTypeCode);
636: taxCategory.AppendChild(taxScheme2);
637: taxSubTotal.AppendChild(taxCategory);
638: taxTotal.AppendChild(taxSubTotal);
639: creditNoteLine.AppendChild(taxTotal);
640: #endregion
641:
642: #region Item
643: var creditNoteItem = doc.CreateElement("cac", "Item", xlmnscac.Value);
644: var itemName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
645: itemName.InnerText = item.IsinMahiyeti;
646: creditNoteItem.AppendChild(itemName);
647: creditNoteLine.AppendChild(creditNoteItem);
648: #endregion
649:
650: #region Price
651:
652: var price = doc.CreateElement("cac", "Price", xlmnscac.Value);

```

```

653:         var priceAmount = doc.CreateElement("cbc", "PriceAmount", xlmnscbc.Value);
654:         priceAmount.RemoveAllAttributes();
655:         currencyId = doc.CreateAttribute("currencyID");
656:         currencyId.Value = "TRY";
657:         priceAmount.Attributes.Append(currencyId);
658:         if (item.BirimFiyat != null)
659:             priceAmount.InnerText = Decimal.Round((decimal)item.BirimFiyat, 4,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
660:         else
661:             priceAmount.InnerText = "0.00";
662:         price.AppendChild(priceAmount);
663:         creditNoteLine.AppendChild(price);
664:
665: #endregion
666:
667: root.AppendChild(creditNoteLine);
668: #endregion
669:
670: sayac++;
671: }
672:
673: #endregion
674:
675: doc.AppendChild(root);
676:
677: #region Dosya Kaydi
678:
679: var fileName = aktarilacakKlasorAdi + "/" + mustahsilMakbuzu.MustahsilMakbuzuId +
".xml";
680: doc.Save(fileName);
681:
682: #endregion
683:
684: return fileName;
685: }

```

1.1.8 Classes

Summary

The following table lists classes in this documentation.

Classes


	Name	Description
	frmAnaSayfa (see page 682)	QNB Finans GIB Servisi için veri hazırlanan ve servisin test edildiği metodlar içeren Form sınıfıdır
	Program (see page 684)	This is class QNBFinansGIB.Program.

1.1.8.1 frmAnaSayfa Class

Summary

QNB Finans GIB Servisi için veri hazırlanan ve servisin test edildiği metodlar içeren Form sınıfıdır

Class Hierarchy



C#

```
public class frmAnaSayfa : Form;
```

File

FormAnaSayfa.Designer.cs ([see page 710](#))

Methods

	Name	Description
💡	frmAnaSayfa (see page 683)	This is frmAnaSayfa, a member of class frmAnaSayfa.

frmAnaSayfa Fields

	Name	Description
❖	gidenFaturaDetayListesi (see page 683)	Giden Fatura Detay Listesi
❖	gidenFaturaListesi (see page 683)	Giden Fatura Listesi
❖	mustahsilMakbuzuDetayListesi (see page 684)	Müstahsil Makbuzu Detay Listesi
❖	mustahsilMakbuzuListesi (see page 684)	Müstahsil Makbuzu Listesi

frmAnaSayfa Methods

	Name	Description
💡	Dispose (see page 684)	Clean up any resources being used.

1.1.8.1.1 frmAnaSayfa.frmAnaSayfa Constructor

C#

```
public frmAnaSayfa();
```

Description

This is frmAnaSayfa, a member of class frmAnaSayfa.

Body Source

```
1: public frmAnaSayfa()
2: {
3:     InitializeComponent();
4: }
```

1.1.8.1.2 frmAnaSayfa Fields

1.1.8.1.2.1 frmAnaSayfa.gidenFaturaDetayListesi Field

Summary

Giden Fatura Detay Listesi

C#

```
public List<GidenFaturaDetayDTO> gidenFaturaDetayListesi = new List<GidenFaturaDetayDTO>();
```

1.1.8.1.2.2 frmAnaSayfa.gidenFaturaListesi Field

Summary

Giden Fatura Listesi

C#

```
public List<GidenFaturaDTO> gidenFaturaListesi = new List<GidenFaturaDTO>();
```

1.1.8.1.2.3 frmAnaSayfa.mustahsilMakbuzuDetayListesi Field

Summary

Müstahsil Makbuzu Detay Listesi

C#

```
public List<MustahsilMakbuzuDetayDTO> mustahsilMakbuzuDetayListesi = new
List<MustahsilMakbuzuDetayDTO>();
```

1.1.8.1.2.4 frmAnaSayfa.mustahsilMakbuzuListesi Field

Summary

Müstahsil Makbuzu Listesi

C#

```
public List<MustahsilMakbuzuDTO> mustahsilMakbuzuListesi = new List<MustahsilMakbuzuDTO>();
```

1.1.8.1.3 frmAnaSayfa Methods

1.1.8.1.3.1 frmAnaSayfa.Dispose Method

Summary

Clean up any resources being used.

C#

```
protected override void Dispose(bool disposing);
```

Parameters

Parameters	Description
bool disposing	true if managed resources should be disposed; otherwise, false.

Body Source

```
1: protected override void Dispose(bool disposing)
2: {
3:     if (disposing && (components != null))
4:     {
5:         components.Dispose();
6:     }
7:     base.Dispose(disposing);
8: }
```

1.1.8.2 Program Class

Class Hierarchy

```
QNBFinansGIB.Program
```

C#

```
public static class Program;
```

File

Program.cs (see page 720)

Description

This is class QNBFinansGIB.Program.

1.2 Files

Summary

The following table lists files in this documentation.

Files

Name	Description
AssemblyInfo.cs (see page 685)	This is file AssemblyInfo.cs.
DisServisler.cs (see page 686)	This is file DisServisler.cs.
Enums.cs (see page 693)	This is file Enums.cs.
FaturaKdvDTO.cs (see page 694)	This is file FaturaKdvDTO.cs.
FormAnaSayfa.cs (see page 694)	This is file FormAnaSayfa.cs.
FormAnaSayfa.Designer.cs (see page 710)	This is file FormAnaSayfa.Designer.cs.
GeriDonus.cs (see page 713)	This is file GeriDonus.cs.
GidenFaturaDetayDTO.cs (see page 713)	This is file GidenFaturaDetayDTO.cs.
GidenFaturaDTO.cs (see page 715)	This is file GidenFaturaDTO.cs.
MustahsilMakbuzuDetayDTO.cs (see page 718)	This is file MustahsilMakbuzuDetayDTO.cs.
MustahsilMakbuzuDTO.cs (see page 719)	This is file MustahsilMakbuzuDTO.cs.
Program.cs (see page 720)	This is file Program.cs.
QNBFinansGIB.csproj (see page 721)	This is file QNBFinansGIB.csproj.
QNBFinansGIB.sln (see page 721)	This is file QNBFinansGIB.sln.
Reference.cs (see page 721)	This code was generated by a tool. Runtime Version:4.0.30319.42000 Changes to this file may cause incorrect behavior and will be lost if the code is regenerated.
Resources.Designer.cs (see page 724)	This code was generated by a tool. Runtime Version:4.0.30319.42000 Changes to this file may cause incorrect behavior and will be lost if the code is regenerated.
Settings.Designer.cs (see page 726)	This code was generated by a tool. Runtime Version:4.0.30319.42000 Changes to this file may cause incorrect behavior and will be lost if the code is regenerated.
YardimciSiniflar.cs (see page 727)	This is file YardimciSiniflar.cs.

1.2.1 AssemblyInfo.cs

This is file AssemblyInfo.cs.

Body Source

```

1: ?using System.Reflection;
2: using System.Runtime.CompilerServices;
3: using System.Runtime.InteropServices;
4:
5: // General Information about an assembly is controlled through the following
6: // set of attributes. Change these attribute values to modify the information
7: // associated with an assembly.
8: [assembly: AssemblyTitle("QNBFinansGIB")]
9: [assembly: AssemblyDescription("")]

```

```

10: [assembly: AssemblyConfiguration("")]
11: [assembly: AssemblyCompany("")]
12: [assembly: AssemblyProduct("QNBFinansGIB")]
13: [assembly: AssemblyCopyright("Copyright © 2022")]
14: [assembly: AssemblyTrademark("")]
15: [assembly: AssemblyCulture("")]
16:
17: // Setting ComVisible to false makes the types in this assembly not visible
18: // to COM components. If you need to access a type in this assembly from
19: // COM, set the ComVisible attribute to true on that type.
20: [assembly: ComVisible(false)]
21:
22: // The following GUID is for the ID of the typelib if this project is exposed to COM
23: [assembly: Guid("044ecf1f-ala7-459d-bed5-89780129b388")]
24:
25: // Version information for an assembly consists of the following four values:
26: //
27: //      Major Version
28: //      Minor Version
29: //      Build Number
30: //      Revision
31: //
32: // You can specify all the values or you can default the Build and Revision Numbers
33: // by using the '*' as shown below:
34: // [assembly: AssemblyVersion("1.0.*")]
35: [assembly: AssemblyVersion("1.0.0.0")]
36: [assembly: AssemblyFileVersion("1.0.0.0")]

```

1.2.2 DisServisler.cs

This is file DisServisler.cs.

Body Source

```

1: ?using QNBFinansGIB.DTO;
2: using System.IO;
3: using System.Security.Cryptography;
4: using System.Text;
5:
6: namespace QNBFinansGIB.Utils
7: {
8:     /// <summary>
9:     /// QNB Finans Firmasi tarafindan saglanan GIB Web Servis referanslarinin
10:    /// tüketildigi
11:    /// </summary>
12:    public static class DisServisler
13:    {
14:        #region QNB GIB
15:
16:        /// <summary>
17:        /// Servis Kullanici Adi Bilgisi
18:        /// </summary>
19:        private static readonly string GIBKullaniciAdi = "turkseker.ws";
20:        /// <summary>
21:        /// Servis Sifre Bilgisi
22:        /// </summary>
23:        private static readonly string GIBSifre = "1234qqqQ";
24:        /// <summary>
25:        /// Servise Gönderilecek Vergi No Bilgisi
26:        /// </summary>
27:        private static readonly string GIBVKN = "3250566851";
28:        /// <summary>
29:        /// Servis Için Tanimlanmis ERP Kodu Bilgisi
30:        /// </summary>
31:        private static readonly string GIBERP_Kodu = "TSF30125";

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

32:         /// <summary>
33:         /// GIB Login Servis istemcisi
34:         /// </summary>
35:         private static GIBUserService.userService gibUserService = new
GIBUserService.userService();
36:         /// <summary>
37:         /// GIB E-Fatura Servis istemcisi
38:         /// </summary>
39:         private static GIBEFatura.connectorService gibEFaturaService = new
GIBEFatura.connectorService();
40:         /// <summary>
41:         /// GIB E-Arsiv Servis istemcisi
42:         /// </summary>
43:         private static GIBEArsiv.EarsivWebService gibEArsivService = new
GIBEArsiv.EarsivWebService();
44:         /// <summary>
45:         /// GIB E-Arsiv Servis istemcisi
46:         /// </summary>
47:         private static GIBEMustahsil.MustahsilWebService gibEMustahsilService = new
GIBEMustahsil.MustahsilWebService();
48:
49:         /// <summary>
50:             /// Vergi Kimlik Numarasi Gönderilen Tüzel Kisinin E Fatura Kullanicisi Olup
Olmadigini Kontrol Eden
51:             /// Bir Metottur
52:             /// </summary>
53:             /// <param name="vergiNo">Tüzel Kisi Vergi Kimlik Numarasi</param>
54:             /// <returns>Kullanici Olup Olmadigi Bilgisi</returns>
55:             public static bool EFaturaKullanicisiMi(string vergiNo)
56:             {
57:                 try
58:                 {
59:                     var kullaniciMi = false;
60:
61:                     gibUserService = new GIBUserService.userService();
62:                     gibEFaturaService = new GIBEFatura.connectorService();
63:
64:                     gibUserService.CookieContainer = new System.Net.CookieContainer();
65:                     gibEFaturaService.CookieContainer = gibUserService.CookieContainer;
66:
67:                     gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, GIBVKN);
68:
69:                     kullaniciMi = gibEFaturaService.efaturaKullanicisi(vergiNo);
70:
71:                     return kullaniciMi;
72:                 }
73:                 catch (System.Exception ex)
74:                 {
75:                     return false;
76:                 }
77:                 finally
78:                 {
79:                     gibUserService.logout();
80:                 }
81:             }
82:
83:             /// <summary>
84:             /// Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan
metottur
85:             /// </summary>
86:             /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
87:             /// <param name="dosyaAdi">Dosya Adi bilgisi</param>
88:             /// <returns>Islem Sonucu (Buradan dönen deger gerekli yerlerde kontrol edilip
ona göre kullaniciya bilgi verilmektedir.)</returns>
89:             public static string EFaturaGonder(GidenFaturaDTO gidenFatura, string dosyaAdi)
90:             {
91:                 try
92:                 {
93:                     gibUserService = new GIBUserService.userService();

```

```

94:             gibEFaturaService = new GIBEFatura.connectorService();
95:
96:             gibUserService.CookieContainer = new System.Net.CookieContainer();
97:             gibEFaturaService.CookieContainer = gibUserService.CookieContainer;
98:
99:             gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, GIBVKN);
100:
101:            var parametreler = new GIBEFatura.gidenBelgeParametreleri();
102:            parametreler.vergiTcKimlikNo = "3250566851";
103:            parametreler.belgeTuru = "FATURA_UBL";
104:            parametreler.belgeNo = gidenFatura.GidenFaturaId;
105:            parametreler.belgeVersiyon = "1.0";
106:            parametreler.veri = System.IO.File.ReadAllBytes(dosyaAdi);
107:            parametreler.belgeHash = GetMD5Hash(parametreler.veri);
108:            parametreler.mimeType = "application/xml";
109:            parametreler.erpKodu = GIBERP_Kodu;
110:
111:            return gibEFaturaService.belgeGonderExt(parametreler);
112:        }
113:        catch (System.Exception ex)
114:        {
115:            return MesajSabitler.IslemBasarisiz;
116:        }
117:        finally
118:        {
119:            gibUserService.logout();
120:        }
121:    }
122:
123:    /// <summary>
124:    /// Olusturulan XML dosyasinin QNB Finans Tarafinda Önizlemesinin yapilmasini
125:    /// saglayan metottur
126:    /// Eger Belge Oid numarasi varsa XML dosyasini göndermez, bu numarayla
127:    /// sistemdeki cikti alınır.
128:    /// Yoksa XML dosyasi gönderilir, Mali Degeri Yontur yazan bir filigranla yine
129:    /// XML üzerindeki
130:    /// Yapi üzerinden PDF çıktısı alınacak sekilde veri döner
131:    /// </summary>
132:    /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
133:    /// <param name="dosyaAdi">Dosya Adı bilgisi</param>
134:    /// <returns>PDF veya ZIP olarak alınacak dosyanın Byte dizisi hali</returns>
135:    public static GeriDonus EFaturaOnIzleme(GidenFaturaDTO gidenFatura, string
dosyaAdi)
136:    {
137:        try
138:        {
139:            gibUserService = new GIBUserService.userService();
140:            gibEFaturaService = new GIBEFatura.connectorService();
141:
142:            gibUserService.CookieContainer = new System.Net.CookieContainer();
143:            gibEFaturaService.CookieContainer = gibUserService.CookieContainer;
144:
145:            gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, GIBVKN);
146:
147:            string vergiTcKimlikNo = "3250566851";
148:            if (!File.Exists(dosyaAdi))
149:            {
150:                return null;
151:            }
152:            byte[] veri = System.IO.File.ReadAllBytes(dosyaAdi);
153:            string belgeFormati = "PDF"; //HTML, PDF, UBL
154:            string belgeTuru = "FATURA"; //EFATURA ve EIRSALIYE degerleri alabilir.
155:
156:            byte[] onizleme = new byte[1];
157:
158:            var geriDonus = new GeriDonus
{
    Dosya = onizleme,
    Tip = 0
}

```

```
159:         };
160:
161:         if (!string.IsNullOrEmpty(gidenFatura.BelgeOid))
162:         {
163:             var idListesi = new string[1];
164:             idListesi[0] = gidenFatura.BelgeOid;
165:             onizleme = gibEFaturaService.gidenBelgeleriIndir(vergiTcKimlikNo,
idListesi, belgeTuru, belgeFormati);
166:             geriDonus.Dosya = onizleme;
167:             geriDonus.Tip = 1;
168:         }
169:         else
170:         {
171:             onizleme = gibEFaturaService.ulbOnizleme(vergiTcKimlikNo, veri,
belgeFormati, belgeTuru);
172:             geriDonus.Dosya = onizleme;
173:             geriDonus.Tip = 0;
174:         }
175:
176:         return geriDonus;
177:     }
178:     catch (System.Exception ex)
179:     {
180:         return null;
181:     }
182:     finally
183:     {
184:         gibUserService.logout();
185:     }
186: }
187:
188: /// <summary>
189: /// Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan
metottur
190: /// </summary>
191: /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
192: /// <param name="dosyaAdi">Dosya Adi bilgisi</param>
193: /// <returns></returns>
194: public static string EArsivGonder(GidenFaturaDTO gidenFatura, string dosyaAdi)
195: {
196:     try
197:     {
198:         gibUserService = new GIBUserService.userService();
199:         gibEArsivService = new GIBEArsiv.EarsivWebService();
200:
201:         gibUserService.CookieContainer = new System.Net.CookieContainer();
202:         gibEArsivService.CookieContainer = gibUserService.CookieContainer;
203:
204:         gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, GIBVKN);
205:
206:         string input = "{\"islemId\":\"" + gidenFatura.GidenFaturaId +
"\" , \"vkn\":"+ "3250566851\" , \"sube\":"+ "DFLT\" , \"kasa\":"+ "DFLT\" , \"erpKodu\":"+ "TSF30125\" , \"do" +
nenBelgeFormati\":"+ "9\" }";
207:
208:         var belgeTemp = new GIBEArsiv.belge();
209:         belgeTemp.belgeFormati = GIBEArsiv.belgeFormatiEnum.UBL;
210:         belgeTemp.belgeFormatiSpecified = true;
211:         belgeTemp.belgeIcerigi = System.IO.File.ReadAllBytes(dosyaAdi);
212:         GIBEArsiv.earsivServiceResult serviceResult = new
GIBEArsiv.earsivServiceResult();
213:         var belge = gibEArsivService.faturaOlustur(input, belgeTemp, out
serviceResult);
214:
215:         if (serviceResult.resultCode != "AE00000")
216:             return MesajSabitler.IslemBasarisiz;
217:         else
218:             return MesajSabitler.IslemBasarili;
219:     }
220:     catch (System.Exception ex)
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```
221:         {
222:             return MesajSabitler.IslamBasarisiz;
223:         }
224:     }
225:     {
226:         gibUserService.logout();
227:     }
228: }
229:
230: /// <summary>
231: /// Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan
metottur
232:     /// Burada da E-Faturada oldugu gibi önce Fatura Id bilgisi ile gönderip
233:     /// Bir sonuç gelmezse hazırlanan XML dosyasi gönderilip çıktı alınmaya
çalismaktadir
234:     /// </summary>
235:     /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
236:     /// <param name="dosyaAdi">Dosya Adi bilgisi</param>
237:     /// <returns>PDF olarak çıktısı alınacak dosyanın byte dizisi hali</returns>
238:     public static byte[] EArsivOnIzleme(GidenFaturaDTO gidenFatura, string
dosyaAdi)
239:     {
240:         try
241:         {
242:             gibUserService = new GIBUserService.userService();
243:             gibEArsivService = new GIBEArsiv.EarsivWebService();
244:
245:             gibUserService.CookieContainer = new System.Net.CookieContainer();
246:             gibEArsivService.CookieContainer = gibUserService.CookieContainer;
247:
248:             gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, GIBVKN);
249:
250:             // Burada VKN ve ERP Kodu önemlidir
251:             string input = "{\"islemId\":\"" + gidenFatura.GidenFaturaId.ToUpper()
+ "\",\"faturaUuid\":\"" + gidenFatura.GidenFaturaId.ToUpper() +
"\",\"vkn\":\"3250566851\",\"sube\":\"DFLT\",\"kasa\":\"DFLT\",\"erpKodu\":\"TSF30125\",\"do
nenBelgeFormati\":\"3\"}";
// Buradaki 3 PDF
252:
253:             var belgeTemp = new GIBEArsiv.belge();
254:             belgeTemp.belgeFormati = GIBEArsiv.belgeFormatiEnum.UBL;
255:             belgeTemp.belgeFormatiSpecified = true;
256:             belgeTemp.belgeIcerigi = System.IO.File.ReadAllBytes(dosyaAdi);
257:
258:             GIBEArsiv.earsivServiceResult serviceResult = new
GIBEArsiv.earsivServiceResult();
259:             var temp = gibEArsivService.faturaSorgula(input, out serviceResult);
260:             if (temp != null)
261:                 return temp.belgeIcerigi;
262:             else
263:             {
264:                 temp = gibEArsivService.faturaOnizleme(input, belgeTemp, out
serviceResult);
265:                 if (temp != null)
266:                     return temp.belgeIcerigi;
267:                 else
268:                     return null;
269:             }
270:         }
271:         catch (System.Exception ex)
272:         {
273:             return null;
274:         }
275:     }
276:     finally
277:     {
278:         gibUserService.logout();
279:     }
280: }
```

```
281:      /// <summary>
282:      /// Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan
metottur
283:      /// </summary>
284:      /// <param name="mustahsilMakbuzu">Müstahsil Makbuzu Bilgisi</param>
285:      /// <param name="dosyaAdi">Dosya Adi bilgisi</param>
286:      /// <returns></returns>
287:      public static string EMustahsilGonder(MustahsilMakbuzuDTO mustahsilMakbuzu,
string dosyaAdi)
288:      {
289:          try
290:          {
291:              gibUserService = new GIBUserService.userService();
292:              gibEMustahsilService = new GIBEMustahsil.MustahsilWebService();
293:
294:              gibUserService.CookieContainer = new System.Net.CookieContainer();
295:              gibEMustahsilService.CookieContainer = gibUserService.CookieContainer;
296:
297:              gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, "tr");
298:
299:              string input = "{\"islemId\":\"" + mustahsilMakbuzu.MustahsilMakbuzuId
+ "\", \"vkn\":\"3250566851\", \"sube\":\"DFLT\", \"kasa\":\"DFLT\"}";
300:
301:              var belgeTemp = new GIBEMustahsil.belge();
302:              belgeTemp.belgeFormati = GIBEMustahsil.belgeFormatiEnum.UBL;
303:              belgeTemp.belgeFormatiSpecified = true;
304:              belgeTemp.belgeIcerigi = System.IO.File.ReadAllBytes(dosyaAdi);
305:              GIBEMustahsil.earsivServiceResult serviceResult = new
GIBEMustahsil.earsivServiceResult();
306:              var belge = gibEMustahsilService.mustahsilMakbuzOlustur(input,
belgeTemp, out serviceResult);
307:
308:              if (serviceResult.resultCode != "AE00000")
309:                  return MesajSabitler.IslemBasarisiz;
310:              else
311:                  return MesajSabitler.IslemBasarili;
312:          }
313:          catch (System.Exception ex)
314:          {
315:              return MesajSabitler.IslemBasarisiz;
316:          }
317:          finally
318:          {
319:              gibUserService.logout();
320:          }
321:      }
322:
323:      /// <summary>
324:      /// Olusturulan XML dosyasinin QNB Finans Tarafina gönderilmesini saglayan
metottur
325:      /// Burada da E-Faturada oldugu gibi önce Fatura Id bilgisi ile gönderip
326:      /// Bir sonuç gelmezse hazırlanan XML dosyasi gönderilip çıktı alınmaya
çalisilmaktadir
327:      /// </summary>
328:      /// <param name="mustahsilMakbuzu">Müstahsil Makbuzu Bilgisi</param>
329:      /// <param name="dosyaAdi">Dosya Adi bilgisi</param>
330:      /// <returns>PDF olarak çiktisi alınacak dosyanın byte dizisi hali</returns>
331:      public static byte[] EMustahsilOnIzleme(MustahsilMakbuzuDTO mustahsilMakbuzu,
string dosyaAdi)
332:      {
333:          try
334:          {
335:              gibUserService = new GIBUserService.userService();
336:              gibEMustahsilService = new GIBEMustahsil.MustahsilWebService();
337:
338:              gibUserService.CookieContainer = new System.Net.CookieContainer();
339:              gibEMustahsilService.CookieContainer = gibUserService.CookieContainer;
340:
341:              gibUserService.wsLogin(GIBKullaniciAdi, GIBSifre, "tr");
```

```

342:
343:         // Burada VKN ve ERP Kodu önemlidir
344:         string input = "{\"islemId\":\"" +
mustahsilMakbuzu.MustahsilMakbuzuId.ToUpper() + "\",\"uuid\":\"" +
mustahsilMakbuzu.MustahsilMakbuzuId.ToUpper() +
"\",\"vkn\":\"3250566851\",\"sube\":\"DFLT\",\"kasa\":\"DFLT\",\"erpKodu\":\"TSF30125\",\"do
nenBelgeFormati\":\"3\"}";
// Buradaki 3 PDF
345:
346:         var belgeTemp = new GIBEMustahsil.belge();
347:         belgeTemp.belgeFormati = GIBEMustahsil.belgeFormatiEnum.UBL;
348:         belgeTemp.belgeFormatiSpecified = true;
349:         belgeTemp.belgeIcerigi = System.IO.File.ReadAllBytes(dosyaAdi);
350:
351:         GIBEMustahsil.earsivServiceResult serviceResult = new
GIBEMustahsil.earsivServiceResult();
352:         var temp = gibEMustahsilService.mustahsilMakbuzSorgula(input, out
serviceResult);
353:         if (temp != null)
354:             return temp.belgeIcerigi;
355:         else
356:         {
357:             temp = gibEMustahsilService.mustahsilMakbuzOnizleme(input,
belgeTemp, out serviceResult);
358:             if (temp != null)
359:                 return temp.belgeIcerigi;
360:             else
361:                 return null;
362:         }
363:     }
364:     catch (System.Exception ex)
365:     {
366:         return null;
367:     }
368:     finally
369:     {
370:         gibUserService.logout();
371:     }
372: }
373:
374: /// <summary>
375: /// Dosyanin MD5 hashi alinmasi icin yazilan metottur
376: /// </summary>
377: /// <param name="gelen">Girdi Bilgisi</param>
378: /// <returns>Metnin veya girdinin MD5 hashlenmis hali</returns>
379: public static string GetMD5Hash(byte[] gelen)
380: {
381:     MD5 md5Hash = new MD5CryptoServiceProvider();
382:     byte[] data = md5Hash.ComputeHash(gelen);
383:     StringBuilder sBuilder = new StringBuilder();
384:
385:     for (int i = 0; i < data.Length; i++)
386:     {
387:         sBuilder.Append(data[i].ToString("x2"));
388:     }
389:
390:     return sBuilder.ToString();
391: }
392:
393: #endregion QNB GIB
394: }
395: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.3 Enums.cs

This is file Enums.cs.

Body Source

```

1: ?namespace QNBFinansGIB.Utils
2: {
3:     /// <summary>
4:     /// Satış Türü Bilgilerinin Bulunduğu Enum sınıfı
5:     /// </summary>
6:     public static class Enums
7:     {
8:         /// <summary>
9:         /// Faturadaki Satış Türlerinin Kodlarının Bulunduğu enum bilgisi
10:        /// Burada İhraç Kayıtlı ise XML içerisinde bazı yapısal değişiklikler
gerçekleştirildiği için
11:        /// Bu konu önemlidir.
12:        /// </summary>
13:        public enum SatisTur
14:        {
15:            Vadeli = 1,
16:            Hesaben = 2,
17:            Pesin = 3,
18:            TeskilataVerilen = 4,
19:            TeslimattaVadeli = 5,
20:            CiftciyeVerilen = 6,
21:            IstirakeSatilan = 7,
22:            PersoneleSatilan = 8,
23:            ImalatciIhracatci = 9,
24:            IhracKayitli = 10,
25:            IstirakeSatilanRezervli = 11,
26:            RaffiyatGarantili = 12
27:        }
28:
29:        /// <summary>
30:        /// Faturada Türlerinin Kodlarının Bulunduğu enum bilgisi
31:        /// Burada İade faturası ise XML içerisinde bazı yapısal değişiklikler
gerçekleştirildiği için
32:        /// Bu konu önemlidir.
33:        /// </summary>
34:        public enum FaturaTur
35:        {
36:            Muhtelif = 1,
37:            Kantin = 2,
38:            Ambar = 3,
39:            Satis = 4,
40:            Iade = 5,
41:            Fark = 6,
42:            Personel = 7,
43:            Proforma = 8,
44:            NoterlikMakbuzu = 9,
45:            Harcirah = 10
46:        }
47:    }
48: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.4 FaturaKdvDTO.cs

This is file FaturaKdvDTO.cs.

Body Source

```

1: ?namespace QNBFinansGIB.DTO
2: {
3:     /// <summary>
4:     /// Fatura Detaylarinda Farkli Tür KDV Oranlari Kullanilmisse
5:     /// Çikti tarafinda (XML)
6:     /// TaxTotal kisminda bu bilgilerin ayri ayri gösterilmesi için hazırlanan nesnedir
7:     /// </summary>
8:     public class FaturaKdvDTO
9:     {
10:         /// <summary>
11:         /// KDV Oran Bilgisi
12:         /// </summary>
13:         public decimal? KdvOran;
14:
15:         /// <summary>
16:         /// KDV Tutari Bilgisi
17:         /// </summary>
18:         public decimal? KdvTutari;
19:
20:         /// <summary>
21:         /// KDV Hariç Tutar Bilgisi
22:         /// </summary>
23:         public decimal? KdvHaricTutar;
24:     }
25: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.5 FormAnaSayfa.cs

This is file FormAnaSayfa.cs.

Body Source

```

1: ?using QNBFinansGIB.DTO;
2: using QNBFinansGIB.Utils;
3: using System;
4: using System.Collections.Generic;
5: using System.IO;
6: using System.Linq;
7: using System.Windows.Forms;
8:
9: namespace QNBFinansGIB
10: {
11:     /// <summary>
12:     /// QNB Finans GIB Servisi için veri hazırlanan ve servisin test edildigi metodlar
iceren
13:     /// Form sinifidir
14:     /// </summary>
15:     public partial class frmAnaSayfa : Form
16:     {
17:         #region Sabit Elemanlar
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
18:         /// <summary>
19:         /// Giden Fatura Listesi
20:         /// </summary>
21:         public List<GidenFaturaDTO> gidenFaturaListesi = new List<GidenFaturaDTO>();
22:         /// <summary>
23:         /// Giden Fatura Detay Listesi
24:         /// </summary>
25:         public List<GidenFaturaDetayDTO> gidenFaturaDetayListesi = new
List<GidenFaturaDetayDTO>();
26:         /// <summary>
27:         /// Müstahsil Makbuzu Listesi
28:         /// </summary>
29:         public List<MustahsilMakbuzuDTO> mustahsilMakbuzuListesi = new
List<MustahsilMakbuzuDTO>();
30:         /// <summary>
31:         /// Müstahsil Makbuzu Detay Listesi
32:         /// </summary>
33:         public List<MustahsilMakbuzuDetayDTO> mustahsilMakbuzuDetayListesi = new
List<MustahsilMakbuzuDetayDTO>();
34:     #endregion
35:
36:     public frmAnaSayfa()
37:     {
38:         InitializeComponent();
39:     }
40:
41:     /// <summary>
42:     /// Burada Form görüntülenirken
43:     /// Kendi hazırladığımız Giden Fatura ve Detaylarinin olusturup listeye
atiyoruz ki
44:     /// Buradan sonra butonlara tiklandiginda
45:     /// Bu listeler üzerinden kolayca islem yapilabilsin
46:     /// </summary>
47:     /// <param name="sender"></param>
48:     /// <param name="e"></param>
49:     private void FormAnaSayfa_Shown(object sender, EventArgs e)
50:     {
51:         #region Ilk Verilerin Hazirlanmasi
52:
53:         #region Giden Faturalar
54:         #region Giden Faturalari Ekleme
55:         var gidenFatura = new GidenFaturaDTO
56:         {
57:             GidenFaturaId = "1",
58:             AltBirimAd = "A Birimi",
59:             TuzelKisiAd = "Deneme Sirketi - 1",
60:             VergiNo = "53602329864",
61:             VergiDairesi = "ANKARA",
62:             Adres = "Kizilay Gima'nin önü",
63:             FaksNo = "03121111111",
64:             BankaAd = "Türkiye İş Bankası",
65:             BankaSube = "Kızılay",
66:             IbanNo = "TR130006297372542652383131",
67:             DuzenlemeTarihi = new DateTime(2022, 1, 13),
68:             IlAd = "Ankara",
69:             IlceAd = "Çankaya",
70:             SatisTuruKod = 1,
71:             GibNumarası = "MLT2022000010998",
72:             KdvHaricTutar = 0,
73:             KdvTutari = 0,
74:             FaturaTutari = 0,
75:         };
76:         gidenFaturaListesi.Add(gidenFatura);
77:
78:         gidenFatura = new GidenFaturaDTO
79:         {
80:             GidenFaturaId = "2",
81:             AltBirimAd = "B Birimi",
82:             TuzelKisiAd = "Deneme Sirketi - 2",
```

```
83:             VergiNo = "9250936109",
84:             VergiDairesi = "ANKARA",
85:             Adres = "Kizilay YKM",
86:             FaksNo = "0312111112",
87:             BankaAd = "Vakiflar Bankasi",
88:             BankaSube = "Kizilay",
89:             IbanNo = "TR530006291586775935345942",
90:             DuzenlemeTarihi = new DateTime(2022, 1, 1),
91:             IlAd = "Ankara",
92:             IlceAd = "Etimesgut",
93:             SatisTuruKod = 2,
94:             GibNumarasi = "MLT2022000099999",
95:             KdvHaricTutar = 0,
96:             KdvTutari = 0,
97:             FaturaTutari = 0,
98:         };
99:         gidenFaturaListesi.Add(gidenFatura);
100:
101:        gidenFatura = new GidenFaturaDTO
102:        {
103:            GidenFaturaId = "3",
104:            TuzelKisiAd = "Deneme Sirketi - 3",
105:            VergiNo = "5240018140",
106:            VergiDairesi = "ANKARA",
107:            Adres = "Zafer Carsisi",
108:            FaksNo = "0312111113",
109:            BankaAd = "Vakif Katilim Bankasi",
110:            BankaSube = "Kizilay",
111:            IbanNo = "TR830006214925976839299642",
112:            DuzenlemeTarihi = new DateTime(2022, 1, 11),
113:            IlAd = "Ankara",
114:            IlceAd = "Etimesgut",
115:            SatisTuruKod = 2,
116:            FaturaTuruKod = 5, // İade Faturasi
117:            GibNumarasi = "KST202200009999",
118:            KdvHaricTutar = 0,
119:            KdvTutari = 0,
120:            FaturaTutari = 0,
121:        };
122:        gidenFaturaListesi.Add(gidenFatura);
123:
124:        gidenFatura = new GidenFaturaDTO
125:        {
126:            GidenFaturaId = "4",
127:            TuzelKisiAd = "Deneme Sirketi - 4",
128:            VergiNo = "6940116151",
129:            VergiDairesi = "ANKARA",
130:            Adres = "Göksu Parki",
131:            FaksNo = "0312111114",
132:            BankaAd = "Kuveyt Tür",
133:            BankaSube = "Kizilay",
134:            IbanNo = "TR350006267645192879857714",
135:            DuzenlemeTarihi = new DateTime(2022, 1, 31),
136:            IlAd = "Ankara",
137:            IlceAd = "Çubuk",
138:            SatisTuruKod = 10, //İhraç Kayitli Fatura
139:            GibNumarasi = "ILG202200009999",
140:            KdvHaricTutar = 0,
141:            KdvTutari = 0,
142:            FaturaTutari = 0,
143:        };
144:        gidenFaturaListesi.Add(gidenFatura);
145:
146:        gidenFatura = new GidenFaturaDTO
147:        {
148:            GidenFaturaId = "5",
149:            TuzelKisiAd = "Deneme Sirketi - 3",
150:            VergiNo = "20101516422",
151:            VergiDairesi = "ANKARA",
```

```

152:             Adres = "Dost'un Önү",
153:             FaksNo = "0312111113",
154:             BankaAd = "Enpara.Com Bankadan Güzeli",
155:             BankaSube = "Karakusunlar Sube",
156:             IbanNo = "TR630006295412435711171488",
157:             DuzenlemeTarihi = new DateTime(2022, 2, 1),
158:             IlAd = "Ankara",
159:             IlceAd = "Pursaklar",
160:             SatisTuruKod = 2,
161:             GibNumarasi = "SUS2022000999999",
162:             KdvHaricTutar = 0,
163:             KdvTutari = 0,
164:             FaturaTutari = 0,
165:         };
166:         gidenFaturaListesi.Add(gidenFatura);
167:
168:         gidenFatura = new GidenFaturaDTO
169:     {
170:         GidenFaturaId = "6",
171:         GercekKisiTcKimlikNo = "52270709114",
172:         GercekKisiAd = "Adnan",
173:         GercekKisiSoyad = "Senses",
174:         CepTelefonNo = "05555555555",
175:         EPostaAdresi = "adnansenses@mynet.com",
176:         IkametgahAdresi = "Dost'un Önү",
177:         BankaAd = "Halkbank",
178:         BankaSube = "Etimesgut Sube",
179:         IbanNo = "TR540006234114125194267726",
180:         DuzenlemeTarihi = new DateTime(2022, 2, 2),
181:         IlAd = "Konya",
182:         IlceAd = "Beysehir",
183:         SatisTuruKod = 10,
184:         GibNumarasi = "YZG2022000999999",
185:         KdvHaricTutar = 0,
186:         KdvTutari = 0,
187:         FaturaTutari = 0,
188:     };
189:     gidenFaturaListesi.Add(gidenFatura);
190:
191:     gidenFatura = new GidenFaturaDTO
192:     {
193:         GidenFaturaId = "7",
194:         GercekKisiTcKimlikNo = "20077290692",
195:         GercekKisiAd = "Mehmet Emin",
196:         GercekKisiSoyad = "Akdeniz",
197:         CepTelefonNo = "05555555554",
198:         EPostaAdresi = "memo@yahoo.com",
199:         IkametgahAdresi = "Fiskiyenin orasi",
200:         BankaAd = "Bank Mellat",
201:         BankaSube = "Yenimahalle Sube",
202:         IbanNo = "TR410006276748779926367358",
203:         DuzenlemeTarihi = new DateTime(2022, 1, 25),
204:         IlAd = "Agri",
205:         IlceAd = "Patnos",
206:         SatisTuruKod = 11,
207:         GibNumarasi = "AGR2022000999999",
208:         KdvHaricTutar = 0,
209:         KdvTutari = 0,
210:         FaturaTutari = 0,
211:     };
212:     gidenFaturaListesi.Add(gidenFatura);
213: #endregion
214:
215: #region Giden Fatura Detaylari Ekleme
216:
217: var gidenFaturaDetay = new GidenFaturaDetayDTO
218: {
219:     GidenFaturaId = "7",
220:     BirimFiyat = (decimal)0.1234,

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```
221:             Miktar = 1000,
222:             KdvOran = 0,
223:             IskontoOran = 0,
224:             KdvHaricTutar = 1234,
225:             KdvTutari = 0,
226:             GibKisaltma = "KGM",
227:             IrsaliyeNo = "1",
228:             MalzemeFaturaAciklamasi = "Ofis demirbasi için alindi",
229:             SevkIrsaliyeTarihi = new DateTime(2022, 1, 1),
230:             SevkIrsaliyesiNo = "34",
231:             PlakaNo = "06GUC777",
232:             FaturaUrunTuru = "Dizüstü Bilgisayar",
233:             Tonaj = 1,
234:             YuklemeFormuNo = 1234
235:         };
236:         gidenFaturaDetayListesi.Add(gidenFaturaDetay);
237:
238:         gidenFaturaDetay = new GidenFaturaDetayDTO
239:         {
240:             GidenFaturaId = "7",
241:             BirimFiyat = (decimal)0.1,
242:             Miktar = 10000,
243:             KdvOran = 18,
244:             IskontoOran = 0,
245:             KdvHaricTutar = 1000,
246:             KdvTutari = 180,
247:             GibKisaltma = "KWT",
248:             IrsaliyeNo = "1",
249:             MalzemeFaturaAciklamasi = "Ofis demirbasi 2 için alindi",
250:             SevkIrsaliyeTarihi = new DateTime(2022, 1, 1),
251:             SevkIrsaliyesiNo = "34",
252:             PlakaNo = "06GUC778",
253:             FaturaUrunTuru = "Priz",
254:             Tonaj = 1,
255:             YuklemeFormuNo = 1236
256:         };
257:         gidenFaturaDetayListesi.Add(gidenFaturaDetay);
258:
259:         gidenFaturaDetay = new GidenFaturaDetayDTO
260:         {
261:             GidenFaturaId = "7",
262:             BirimFiyat = (decimal)0.1234,
263:             Miktar = 1000,
264:             KdvOran = 1,
265:             IskontoOran = 0,
266:             KdvHaricTutar = 1234,
267:             KdvTutari = (decimal)12.34,
268:             GibKisaltma = "MTR",
269:             PlakaNo = "06GC7447",
270:             FaturaUrunTuru = "Çubuk Mikrofon",
271:         };
272:         gidenFaturaDetayListesi.Add(gidenFaturaDetay);
273:
274:         gidenFaturaDetay = new GidenFaturaDetayDTO
275:         {
276:             GidenFaturaId = "2",
277:             BirimFiyat = (decimal)0.1234,
278:             Miktar = 1000,
279:             KdvOran = 1,
280:             IskontoOran = 0,
281:             KdvHaricTutar = 1234,
282:             KdvTutari = (decimal)12.34,
283:             GibKisaltma = "KWT",
284:             PlakaNo = "06GC7447",
285:             FaturaUrunTuru = "Çubuk Mikrofon",
286:         };
287:         gidenFaturaDetayListesi.Add(gidenFaturaDetay);
288:
289:         gidenFaturaDetay = new GidenFaturaDetayDTO
```

```

290:         {
291:             GidenFaturaId = "3",
292:             BirimFiyat = (decimal)0.124,
293:             Miktar = 5000,
294:             KdvOran = 8,
295:             IskontoOran = 0,
296:             KdvHaricTutar = 6020,
297:             KdvTutari = (decimal)481.6,
298:             GibKisaltma = "MON",
299:             PlakaNo = "06J1234",
300:             FaturaUruturu = "Mouse",
301:         };
302:         gidenFaturaDetayListesi.Add(gidenFaturaDetay);
303:
304:         gidenFaturaDetay = new GidenFaturaDetayDTO
305:         {
306:             GidenFaturaId = "1",
307:             BirimFiyat = 500,
308:             Miktar = 120,
309:             KdvOran = 18,
310:             IskontoOran = 0,
311:             KdvHaricTutar = 60000,
312:             KdvTutari = 12800,
313:             GibKisaltma = "LTR",
314:             PlakaNo = "06C99876",
315:             FaturaUruturu = "Ayakkabi",
316:         };
317:         gidenFaturaDetayListesi.Add(gidenFaturaDetay);
318:
319: #endregion
320:
321: #region Giden Fatura Toplamlari Hesaplama ve Olmayanlara Ekleme
322:
323: foreach (var item in gidenFaturaListesi)
324: {
325:     if (gidenFaturaDetayListesi.Any(j => j.GidenFaturaId ==
item.GidenFaturaId))
326:     {
327:         var gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi.Where(j
=> j.GidenFaturaId == item.GidenFaturaId).ToList();
328:         item.KdvHaricTutar = gidenFaturaDetayListesiTemp.Sum(j =>
j.KdvHaricTutar);
329:         item.KdvTutari = gidenFaturaDetayListesiTemp.Sum(j => j.KdvTutari);
330:         item.FaturaTutari = item.KdvHaricTutar + item.KdvTutari;
331:     }
332:     else
333:     {
334:         gidenFaturaDetay = new GidenFaturaDetayDTO
335:         {
336:             GidenFaturaId = item.GidenFaturaId,
337:             BirimFiyat = (decimal)1.5,
338:             Miktar = 1000,
339:             KdvOran = 1,
340:             IskontoOran = 0,
341:             KdvHaricTutar = 1500,
342:             KdvTutari = 15,
343:             GibKisaltma = "MTR",
344:             FaturaUruturu = "Deneme " + item.GidenFaturaId,
345:         };
346:         item.KdvHaricTutar = gidenFaturaDetay.KdvHaricTutar;
347:         item.KdvTutari = gidenFaturaDetay.KdvTutari;
348:         item.FaturaTutari = item.KdvHaricTutar + item.KdvTutari;
349:         gidenFaturaDetayListesi.Add(gidenFaturaDetay);
350:     }
351: }
352:
353: #endregion
354: #endregion
355:

```

```
356:         #region Müstahsil Makbuzlar
357:         #region Müstahsil Makbuzlari Ekleme
358:         var mustahsilMakbuzu = new MustahsilMakbuzuDTO
359:         {
360:             MustahsilMakbuzuId = "1",
361:             AltBirimAd = "A Birimi",
362:             TuzelKisiAd = "Deneme Sirketi - 1",
363:             VergiNo = "53602329864",
364:             VergiDairesi = "ANKARA",
365:             Adres = "Kizilay Gima'nin önü",
366:             FaksNo = "03121111111",
367:             BankaAd = "Türkiye İş Bankası",
368:             BankaSube = "Kizilay",
369:             IbanNo = "TR130006297372542652383131",
370:             MustahsilMakbuzuTarihi = new DateTime(2022, 2, 13),
371:             IlAd = "Ankara",
372:             IlceAd = "Çankaya",
373:             MustahsilMakbuzuNo = "MLT2022000010998",
374:             NetTutar = 0,
375:             GelirVergisi = 0,
376:             MustahsilMakbuzuTutari = 0,
377:         };
378:         mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
379:
380:         mustahsilMakbuzu = new MustahsilMakbuzuDTO
381:         {
382:             MustahsilMakbuzuId = "2",
383:             AltBirimAd = "B Birimi",
384:             TuzelKisiAd = "Deneme Sirketi - 2",
385:             VergiNo = "9250936109",
386:             VergiDairesi = "ANKARA",
387:             Adres = "Kizilay YKM",
388:             FaksNo = "03121111112",
389:             BankaAd = "Vakıflar Bankası",
390:             BankaSube = "Kizilay",
391:             IbanNo = "TR530006291586775935345942",
392:             MustahsilMakbuzuTarihi = new DateTime(2022, 2, 1),
393:             IlAd = "Ankara",
394:             IlceAd = "Etimesgut",
395:             MustahsilMakbuzuNo = "MLT2022000099999",
396:             NetTutar = 0,
397:             GelirVergisi = 0,
398:             MustahsilMakbuzuTutari = 0,
399:         };
400:         mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
401:
402:         mustahsilMakbuzu = new MustahsilMakbuzuDTO
403:         {
404:             MustahsilMakbuzuId = "3",
405:             TuzelKisiAd = "Deneme Sirketi - 3",
406:             VergiNo = "5240018140",
407:             VergiDairesi = "ANKARA",
408:             Adres = "Zafer Çarsısı",
409:             FaksNo = "03121111113",
410:             BankaAd = "Vakıf Katılım Bankası",
411:             BankaSube = "Kizilay",
412:             IbanNo = "TR830006214925976839299642",
413:             MustahsilMakbuzuTarihi = new DateTime(2022, 2, 11),
414:             IlAd = "Ankara",
415:             IlceAd = "Etimesgut",
416:             MustahsilMakbuzuNo = "KST2022000009999",
417:             NetTutar = 0,
418:             GelirVergisi = 0,
419:             MustahsilMakbuzuTutari = 0,
420:         };
421:         mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
422:
423:         mustahsilMakbuzu = new MustahsilMakbuzuDTO
424:         {
```

```
425:         MustahsilMakbuzuId = "4",
426:         TuzelKisiAd = "Deneme Sirketi - 4",
427:         VergiNo = "6940116151",
428:         VergiDairesi = "ANKARA",
429:         Adres = "Göksu Parki",
430:         FaksNo = "03121111114",
431:         BankaAd = "Kuveyt Tür",
432:         BankaSube = "Kizilay",
433:         IbanNo = "TR350006267645192879857714",
434:         MustahsilMakbuzuTarihi = new DateTime(2022, 2, 3),
435:         IlAd = "Ankara",
436:         IlceAd = "Çubuk",
437:         MustahsilMakbuzuNo = "ILG202200009999",
438:         NetTutar = 0,
439:         GelirVergisi = 0,
440:         MustahsilMakbuzuTutari = 0,
441:     };
442:     mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
443:
444:     mustahsilMakbuzu = new MustahsilMakbuzuDTO
445:     {
446:         MustahsilMakbuzuId = "5",
447:         TuzelKisiAd = "Deneme Sirketi - 3",
448:         VergiNo = "20101516422",
449:         VergiDairesi = "ANKARA",
450:         Adres = "Dost'un Önü",
451:         FaksNo = "03121111113",
452:         BankaAd = "Enpara.Com Bankadan Güzeli",
453:         BankaSube = "Karakusunlar Sube",
454:         IbanNo = "TR630006295412435711171488",
455:         MustahsilMakbuzuTarihi = new DateTime(2022, 2, 1),
456:         IlAd = "Ankara",
457:         IlceAd = "Pursaklar",
458:         MustahsilMakbuzuNo = "SUS2022000999999",
459:         NetTutar = 0,
460:         GelirVergisi = 0,
461:         MustahsilMakbuzuTutari = 0,
462:     };
463:     mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
464:
465:     mustahsilMakbuzu = new MustahsilMakbuzuDTO
466:     {
467:         MustahsilMakbuzuId = "6",
468:         VergiNo = "52270709114",
469:         TuzelKisiAd = "Adnan Senses",
470:         EpostaAdresi = "adnansenses@mynet.com",
471:         Adres = "Dost'un Önü",
472:         BankaAd = "Halkbank",
473:         BankaSube = "Etimesgut Sube",
474:         IbanNo = "TR540006234114125194267726",
475:         MustahsilMakbuzuTarihi = new DateTime(2022, 2, 2),
476:         IlAd = "Konya",
477:         IlceAd = "Beysehir",
478:         MustahsilMakbuzuNo = "YZG2022000999999",
479:         NetTutar = 0,
480:         GelirVergisi = 0,
481:         MustahsilMakbuzuTutari = 0,
482:     };
483:     mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
484:
485:     mustahsilMakbuzu = new MustahsilMakbuzuDTO
486:     {
487:         MustahsilMakbuzuId = "7",
488:         VergiNo = "20077290692",
489:         TuzelKisiAd = "Mehmet Emin",
490:         EpostaAdresi = "memo@yahoo.com",
491:         BankaAd = "Bank Mellat",
492:         BankaSube = "Yenimahalle Sube",
493:         IbanNo = "TR410006276748779926367358",
```

```
494:             MustahsilMakbuzuTarihi = new DateTime(2022, 1, 25),
495:             IlAd = "Agri",
496:             IlceAd = "Patnos",
497:             MustahsilMakbuzuNo = "AGR2022000999999",
498:             NetTutar = 0,
499:             GelirVergisi = 0,
500:             MustahsilMakbuzuTutari = 0,
501:         };
502:         mustahsilMakbuzuListesi.Add(mustahsilMakbuzu);
503: #endregion
504:
505: #region Müstahsil Makbuz Detayları Ekleme
506:
507: var mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
508: {
509:     MustahsilMakbuzuId = "7",
510:     BirimFiyat = (decimal)0.1234,
511:     Miktar = 1000,
512:     NetTutar = 1234,
513:     GelirVergisi = 0,
514:     GibKisaltma = "KGM",
515:     IsinMahiyeti = "Dizüstü Bilgisayar",
516: };
517: mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
518:
519: mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
520: {
521:     MustahsilMakbuzuId = "7",
522:     BirimFiyat = (decimal)0.1234,
523:     Miktar = 1000,
524:     NetTutar = 1234,
525:     GelirVergisi = (decimal)12.34,
526:     ToplamTutar = (decimal)1246.34,
527:     GibKisaltma = "MTR",
528:     IsinMahiyeti = "Çubuk Mikrofon",
529: };
530: mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
531:
532: mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
533: {
534:     MustahsilMakbuzuId = "2",
535:     BirimFiyat = (decimal)0.1234,
536:     Miktar = 1000,
537:     NetTutar = 1234,
538:     GelirVergisi = (decimal)12.34,
539:     ToplamTutar = (decimal)1246.34,
540:     GibKisaltma = "KWT",
541:     IsinMahiyeti = "Çubuk Mikrofon",
542: };
543: mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
544:
545: mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
546: {
547:     MustahsilMakbuzuId = "3",
548:     BirimFiyat = (decimal)0.124,
549:     Miktar = 5000,
550:     NetTutar = 6020,
551:     GelirVergisi = (decimal)481.6,
552:     ToplamTutar = (decimal)6500.6,
553:     GibKisaltma = "MON",
554:     IsinMahiyeti = "Mouse",
555: };
556: mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
557:
558: mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
559: {
560:     MustahsilMakbuzuId = "1",
561:     BirimFiyat = 500,
562:     Miktar = 120,
```

```

563:             NetTutar = 60000,
564:             GelirVergisi = 12800,
565:             ToplamTutar = 72800,
566:             GibKisaltma = "LTR",
567:             IsinMahiyeti = "Ayakkabi",
568:         };
569:         mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
570:
571:     #endregion
572:
573:     #region Müstahsil Makbuz Toplamlari Hesaplama ve Olmayanlara Ekleme
574:
575:     foreach (var item in mustahsilMakbuzuListesi)
576:     {
577:         if (mustahsilMakbuzuDetayListesi.Any(j => j.MustahsilMakbuzuId == item.MustahsilMakbuzuId))
578:         {
579:             var mustahsilMakbuzuDetayListesiTemp =
mustahsilMakbuzuDetayListesi.Where(j => j.MustahsilMakbuzuId == item.MustahsilMakbuzuId).ToList();
580:             item.NetTutar = mustahsilMakbuzuDetayListesiTemp.Sum(j =>
j.NetTutar);
581:             item.GelirVergisi = mustahsilMakbuzuDetayListesiTemp.Sum(j =>
j.GelirVergisi);
582:             item.MustahsilMakbuzuTutari = item.NetTutar + item.GelirVergisi;
583:         }
584:         else
585:         {
586:             mustahsilMakbuzuDetay = new MustahsilMakbuzuDetayDTO
587:             {
588:                 MustahsilMakbuzuId = item.MustahsilMakbuzuId,
589:                 BirimFiyat = (decimal)1.5,
590:                 Miktar = 1000,
591:                 NetTutar = 1500,
592:                 GelirVergisi = 15,
593:                 ToplamTutar = 1515,
594:                 GibKisaltma = "MTR",
595:                 IsinMahiyeti = "Deneme " + item.MustahsilMakbuzuId,
596:             };
597:             item.NetTutar = mustahsilMakbuzuDetay.NetTutar;
598:             item.GelirVergisi = mustahsilMakbuzuDetay.GelirVergisi;
599:             item.MustahsilMakbuzuTutari = item.NetTutar + item.GelirVergisi;
600:             mustahsilMakbuzuDetayListesi.Add(mustahsilMakbuzuDetay);
601:         }
602:     }
603:
604:     #endregion
605:     #endregion
606:
607:     #endregion
608: }
609:
610: /// <summary>
611: /// Form kapandigi zaman ne yapilacagini belirten bir metottur
612: /// </summary>
613: /// <param name="sender"></param>
614: /// <param name="e"></param>
615: private void frmAnaSayfa_FormClosed(object sender, FormClosedEventArgs e)
616: {
617:     MessageBox.Show("Programi kullandiginiz için teşekkürler",
MesajSabitler.MesajBasligi, MessageBoxButtons.OK, MessageBoxIcon.Information);
618:     Application.Exit();
619: }
620:
621: #region E-Fatura ve E-Arsiv Metotlari
622: /// <summary>
623: /// Sistemde E-Fatura ve E-Arsiv Servislerine Gönderilecek Formatta
624: /// Ideal XML dosyalarinin olusturulmasi için XML Olustur Butonuna tiklandigi
zaman

```

```

625:         /// Yapiacak islemlerin hazirlanigi metottur.
626:         /// </summary>
627:         /// <param name="sender"></param>
628:         /// <param name="e"></param>
629:         private void btnXmlOlustur_Click(object sender, EventArgs e)
630:     {
631:         using (var dialogKlasorSecimi = new FolderBrowserDialog())
632:         {
633:             dialogKlasorSecimi.SelectedPath = Application.StartupPath;
634:             DialogResult result = dialogKlasorSecimi.ShowDialog();
635:
636:             if (result == DialogResult.OK &&
!string.IsNullOrEmpty(dialogKlasorSecimi.SelectedPath))
637:             {
638:                 var klasorAdi = dialogKlasorSecimi.SelectedPath;
// Burada form yüklenigi zaman hazırlanan giden faturalardan
rastgele birinin
639:                 // ve ona ait detay kayitlarinin seçilmesi saglaniyor
640:                 var index = new Random().Next(gidenFaturaListesi.Count);
641:                 var gidenFatura = gidenFaturaListesi[index];
642:                 var gidenFaturaDetayListesiTemp = new List<GidenFaturaDetayDTO>();
643:                 if (gidenFaturaDetayListesi.Any(j => j.GidenFaturaId ==
gidenFatura.GidenFaturaId))
644:                     gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi.Where(j
=> j.GidenFaturaId == gidenFatura.GidenFaturaId).ToList();
645:
646:                 #region XML Olusturma
647:                 var dosyaAdi = "";
648:                 if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
649:                 {
650:                     var kullaniciMi =
Disservisler.EFaturaKullanicisiMi(gidenFatura.VergiNo);
651:                     if (kullaniciMi)
652:                     {
653:                         dosyaAdi = YardimciSiniflar.EFaturaXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi);
654:                     }
655:                     else
656:                     {
657:                         dosyaAdi = YardimciSiniflar.EArsivXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, true);
658:                     }
659:                 }
660:                 else
661:                 {
662:                     dosyaAdi = YardimciSiniflar.EArsivXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, false);
663:                 }
664:
665:                 MessageBox.Show(dosyaAdi + " adresinde gerekli XML dosyası
olusturulmustur.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
666:
667:                 #endregion
668:             }
669:         }
670:     }
671:
672:
673:     /// <summary>
674:     /// Sistemde E-Fatura veya E-Arsive yollansın yollanmasın
675:     /// Hazırlanan XML dosyalarının bu sistemlerde nasıl göründüğüne dair
676:     /// Önizleme alınmasını sağlayan metottur. Bu önizleme PDF veya ZIP olarak
alinacak
677:     /// Sorun olsa da olmasa da bir mesaj ile kullanıcı bilgilendirilecektir.
678:     /// </summary>
679:     /// <param name="sender"></param>
680:     /// <param name="e"></param>
681:     private void btnGIBOnizleme_Click(object sender, EventArgs e)
682:     {

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

683:         using (var dialogKlasorSecimi = new FolderBrowserDialog())
684:     {
685:         dialogKlasorSecimi.SelectedPath = Application.StartupPath;
686:         DialogResult result = dialogKlasorSecimi.ShowDialog();
687:
688:         if (result == DialogResult.OK &&
!string.IsNullOrWhiteSpace(dialogKlasorSecimi.SelectedPath))
689:     {
690:             var klasorAdi = dialogKlasorSecimi.SelectedPath;
// Burada form yükleniği zaman hazırlanan giden faturalardan
rastgele birinin
692:                 // ve ona ait detay kayıtlarının seçilmesi sağlanıyor
693:                 var index = new Random().Next(gidenFaturaListesi.Count);
694:                 var gidenFatura = gidenFaturaListesi[index];
695:                 var gidenFaturaDetayListesiTemp = new List<GidenFaturaDetayDTO>();
696:                 if (gidenFaturaDetayListesi.Any(j => j.GidenFaturaId ==
gidenFatura.GidenFaturaId))
697:                     gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi.Where(j
=> j.GidenFaturaId == gidenFatura.GidenFaturaId).ToList();
698:
699:                 #region XML Oluşturma ve Servis Önizlemesi
700:                 var dosyaAdi = "";
701:                 var geriDonus = new GeriDonus();
702:                 geriDonus.Tip = 0;
703:                 var dosya = new byte[1];
704:                 var kullaniciMi = false;
705:                 if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
706:                 {
707:                     kullaniciMi =
Disservisler.EFaturaKullanicisiMi(gidenFatura.VergiNo);
708:                     if (kullaniciMi)
709:                     {
710:                         dosyaAdi = YardimciSiniflar.EFaturaXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi);
711:                         geriDonus = Disservisler.EFaturaOnIzleme(gidenFatura,
dosyaAdi);
712:                         if (geriDonus != null)
713:                             dosya = geriDonus.Dosya;
714:                         }
715:                         else
716:                         {
717:                             dosyaAdi = YardimciSiniflar.EArsivXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, true);
718:                             dosya = Disservisler.EArsivOnIzleme(gidenFatura, dosyaAdi);
719:                         }
720:                         }
721:                         else
722:                         {
723:                             dosyaAdi = YardimciSiniflar.EArsivXMLOlustur(gidenFatura,
gidenFaturaDetayListesiTemp, klasorAdi, false);
724:                             dosya = Disservisler.EArsivOnIzleme(gidenFatura, dosyaAdi);
725:                         }
726:
727:                         if (dosya != null && dosya.Length > 1)
728:                         {
729:                             var dosyaAdiTTemp = dosyaAdi.Replace("xml", "pdf");
730:                             if (kullaniciMi && !string.IsNullOrEmpty(gidenFatura.BelgeOid))
731:                                 dosyaAdiTTemp = dosyaAdi.Replace("xml", "zip");
732:                             if (geriDonus != null && geriDonus.Tip == 1)
733:                                 dosyaAdiTTemp = dosyaAdi.Replace("xml", "zip");
734:
735:                             File.WriteAllBytes(dosyaAdiTTemp, dosya);
736:
737:                             MessageBox.Show(dosyaAdiTTemp + " adresinde gerekli PDF veya
ZIP dosyasi olusturulmustur.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
738:                         }
739:                         else
740:                         {

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

741:                         MessageBox.Show("Söz konusu faturanın önizlemesi  

742: olusturulamamistir", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,  

743: MessageBoxIcon.Error);
744:                     }
745:                 }
746:             }
747:         }
748:
749:         /// <summary>
750:         /// Sistem tarafından hazırlanan XML dosyasının
751:         /// E-Fatura veya E-Arsiv servisine gönderilmesi için hazırlanan metottur.
752:         /// Burada işlemin başarılı olup olmamasına göre kullanıcı  

753:         /// bilgilendirilecektir.
754:         /// </summary>
755:         /// <param name="sender"></param>
756:         /// <param name="e"></param>
757:         private void btnServiseGonder_Click(object sender, EventArgs e)
758:         {
759:             using (var dialogKlasorSecimi = new FolderBrowserDialog())
760:             {
761:                 dialogKlasorSecimi.SelectedPath = Application.StartupPath;
762:                 DialogResult result = dialogKlasorSecimi.ShowDialog();
763:
764:                 if (result == DialogResult.OK &&  

765: !string.IsNullOrWhiteSpace(dialogKlasorSecimi.SelectedPath))
766:                 {
767:                     var klasorAdi = dialogKlasorSecimi.SelectedPath;
768:                     // Burada form yükleniği zaman hazırlanan giden faturalardan  

769:                     rastgele birinin
770:                     // ve ona ait detay kayıtlarının seçilmesi sağlanıyor
771:                     var index = new Random().Next(gidenFaturaListesi.Count);
772:                     var gidenFatura = gidenFaturaListesi[index];
773:                     var gidenFaturaDetayListesiTemp = new List<GidenFaturaDetayDTO>();
774:                     if (gidenFaturaDetayListesi.Any(j => j.GidenFaturaId ==
775: gidenFatura.GidenFaturaId))
776:                         gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi.Where(j  

777: => j.GidenFaturaId == gidenFatura.GidenFaturaId).ToList();
778:
779:                     #region XML Oluşturma ve Servise Gönderme
780:                     var dosyaAdi = "";
781:                     var sonuc = "";
782:                     var kullaniciMi = false;
783:                     if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
784:                     {
785:                         kullaniciMi =
786: DisServisler.EFaturaKullanicisiMi(gidenFatura.VergiNo);
787:                         if (kullaniciMi)
788:                         {
789:                             dosyaAdi = YardimciSiniflar.EFaturaXMLOlustur(gidenFatura,
790: gidenFaturaDetayListesiTemp, klasorAdi);
791:                             sonuc = DisServisler.EFaturaGonder(gidenFatura, dosyaAdi);
792:                             if (sonuc != MesajSabitler.IslemBasarisiz)
793:                             {
794:                                 if (sonuc.Length <= 20)
795:                                     gidenFatura.BelgeOid = sonuc;
796:                             }
797:                         else
798:                         {
799:                             dosyaAdi = YardimciSiniflar.EArsivXMLOlustur(gidenFatura,

```

```

gidenFaturaDetayListesiTemp, klasorAdi, false);
800:           sonuc = DisServisler.EArsivGonder(gidenFatura, dosyaAdi);
801:       }
802:
803:       if (sonuc == MesajSabitler.IslemBasarisiz)
804:       {
805:           MessageBox.Show(dosyaAdi + " dosyasinin servise
gönderilmesinde bir sorun yasanmistir.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Error);
806:           }
807:       else
808:       {
809:           MessageBox.Show(dosyaAdi + " dosyasi basariyla GIB
servislerine gönderilmistir.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
810:           }
811:
812:           #endregion
813:       }
814:   }
815: }
816: #endregion
817:
818: #region E-Müstahsil Metotlari
819: /// <summary>
820: /// Sistemde E-Müstahsil Servislerine Gönderilecek Formatta
821: /// Ideal XML dosyalarinin olusturulmasi için XML Olustur Butonuna tiklandigi
zaman
822: /// Yapilacak islemlerin hazirlanligi metottur.
823: /// </summary>
824: /// <param name="sender"></param>
825: /// <param name="e"></param>
826: private void btnXmlOlusturMustahsil_Click(object sender, EventArgs e)
827: {
828:     using (var dialogKlasorSecimi = new FolderBrowserDialog())
829:     {
830:         dialogKlasorSecimi.SelectedPath = Application.StartupPath;
831:         DialogResult result = dialogKlasorSecimi.ShowDialog();
832:
833:         if (result == DialogResult.OK &&
!string.IsNullOrEmpty(dialogKlasorSecimi.SelectedPath))
834:         {
835:             var klasorAdi = dialogKlasorSecimi.SelectedPath;
836:             // Burada form yüklenigi zaman hazırlanan müstahsil
makbuzlarindan rastgele birinin
837:             // ve ona ait detay kayitlarinin seçilmesi saglaniyor
838:             var index = new Random().Next(mustahsilMakbuzuListesi.Count);
839:             var mustahsilMakbuzu = mustahsilMakbuzuListesi[index];
840:             var mustahsilMakbuzuDetayListesiTemp = new
List<MustahsilMakbuzuDetayDTO>();
841:             if (mustahsilMakbuzuDetayListesi.Any(j => j.MustahsilMakbuzuId ==
mustahsilMakbuzu.MustahsilMakbuzuId))
842:                 mustahsilMakbuzuDetayListesiTemp =
mustahsilMakbuzuDetayListesi.Where(j => j.MustahsilMakbuzuId ==
mustahsilMakbuzu.MustahsilMakbuzuId).ToList();
843:
844:             #region XML Olusturma
845:             var dosyaAdi = "";
846:             if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo))
847:             {
848:                 dosyaAdi =
YardimciSiniflar.EMustahsilXMLOlustur(mustahsilMakbuzu, mustahsilMakbuzuDetayListesiTemp,
klasorAdi);
849:                 MessageBox.Show(dosyaAdi + " adresinde gerekli XML dosyasi
olusturulmustur.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
850:             }
851:             else
852:             {

```

```

853:             MessageBox.Show("Müstahsil Makbuzu olusturmak için vergi
numarası zorunludur", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Warning);
854:         }
855:     #endregion
856:   }
857: }
858:
859:
860: /// <summary>
861: /// Sistemde E-Müstahsil Servisine yollansın yollanmasın
862: /// Hazırlanan XML dosyalarının bu sistemlerde nasıl görüneceği dair
863: /// Önizleme alınmasını saglayan metottur. Bu önizleme PDF veya ZIP olarak
alinacak
864: /// Sorun olsa da olmaya bir mesaj ile kullanıcı bilgilendirilecektir.
865: /// </summary>
866: /// <param name="sender"></param>
867: /// <param name="e"></param>
868: private void btngIBONizlemeMustahsil_Click(object sender, EventArgs e)
869: {
870:     using (var dialogKlasorSecimi = new FolderBrowserDialog())
871:     {
872:         dialogKlasorSecimi.SelectedPath = Application.StartupPath;
873:         DialogResult result = dialogKlasorSecimi.ShowDialog();
874:
875:         if (result == DialogResult.OK &&
!string.IsNullOrWhiteSpace(dialogKlasorSecimi.SelectedPath))
876:         {
877:             var klasorAdı = dialogKlasorSecimi.SelectedPath;
878:             // Burada form yükleniği zaman hazırlanan müstahsil
makbuzlarından rastgele birinin
879:             // ve ona ait detay kayıtlarının seçilmesi sağlanıyor
880:             var index = new Random().Next(mustahsilMakbuzuListesi.Count);
881:             var mustahsilMakbuzu = mustahsilMakbuzuListesi[index];
882:             var mustahsilMakbuzuDetayListesiTemp = new
List<MustahsilMakbuzuDetayDTO>();
883:             if (mustahsilMakbuzuDetayListesi.Any(j => j.MustahsilMakbuzuId ==
mustahsilMakbuzu.MustahsilMakbuzuId))
884:                 mustahsilMakbuzuDetayListesiTemp =
mustahsilMakbuzuDetayListesi.Where(j => j.MustahsilMakbuzuId ==
mustahsilMakbuzu.MustahsilMakbuzuId).ToList();
885:
886:             #region XML Oluşturma ve Servis Önizlemesi
887:             var dosyaAdı = "";
888:             var geriDonus = new GeriDonus();
889:             geriDonus.Tip = 0;
890:             var dosya = new byte[1];
891:             if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo))
892:             {
893:                 dosyaAdı =
YardimciSiniflar.EMustahsilXMLOlustur(mustahsilMakbuzu, mustahsilMakbuzuDetayListesiTemp,
klasorAdı);
894:                 dosya = DisServisler.EMustahsilOnIzleme(mustahsilMakbuzu,
dosyaAdı);
895:             }
896:             else
897:             {
898:                 MessageBox.Show("Müstahsil Makbuzunu servise göndermek için
vergi no zorunludur", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Warning);
899:             }
900:
901:             if (dosya != null && dosya.Length > 1)
902:             {
903:                 var dosyaAdiTTemp = dosyaAdı.Replace("xml", "pdf");
904:                 if (geriDonus != null && geriDonus.Tip == 1)
905:                     dosyaAdiTTemp = dosyaAdı.Replace("xml", "zip");
906:
907:                 File.WriteAllBytes(dosyaAdiTTemp, dosya);

```

```

908:
909:             MessageBox.Show(dosyaAdiTemp + " adresinde gerekli PDF veya
ZIP dosyasi olusturulmustur.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
910:         }
911:         else
912:         {
913:             MessageBox.Show("Söz konusu faturanin önizlemesi
olusturulamamistir", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Error);
914:         }
915:
916:         #endregion
917:     }
918: }
919:
920:
921: /// <summary>
922: /// Sistem tarafindan hazırlanan XML dosyasinin
923: /// E-Müstahsil servisine gönderilmesi için hazırlanan metottur.
924: /// Burada islemin basarili olup olmamasina göre kullanici
bilgilendirilecektir.
925: /// </summary>
926: /// <param name="sender"></param>
927: /// <param name="e"></param>
928: private void btnServiseGonderMustahsil_Click(object sender, EventArgs e)
929:
930:     using (var dialogKlasorSecimi = new FolderBrowserDialog())
931:
932:         dialogKlasorSecimi.SelectedPath = Application.StartupPath;
933:         DialogResult result = dialogKlasorSecimi.ShowDialog();
934:
935:         if (result == DialogResult.OK &&
!string.IsNullOrWhiteSpace(dialogKlasorSecimi.SelectedPath))
936:         {
937:             var klasorAdi = dialogKlasorSecimi.SelectedPath;
// Burada form yüklenigi zaman hazırlanan müstahsil
makbuzlarindan rastgele birinin
938:             // ve ona ait detay kayitlarinin seçilmesi saglaniyor
939:             var index = new Random().Next(mustahsilMakbuzuListesi.Count);
940:             var mustahsilMakbuzu = mustahsilMakbuzuListesi[index];
941:             var mustahsilMakbuzuDetayListesiTemp = new
List<MustahsilMakbuzuDetayDTO>();
942:             if (mustahsilMakbuzuDetayListesi.Any(j => j.MustahsilMakbuzuId ==
mustahsilMakbuzu.MustahsilMakbuzuId))
943:                 mustahsilMakbuzuDetayListesiTemp =
mustahsilMakbuzuDetayListesi.Where(j => j.MustahsilMakbuzuId ==
mustahsilMakbuzu.MustahsilMakbuzuId).ToList();
944:
945:             #region XML Olusturma ve Servise Gönderme
946:             var dosyaAdi = "";
947:             var sonuc = "";
948:             if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo))
949:             {
950:                 dosyaAdi =
YardimciSiniflar.EMustahsilXMLOlustur(mustahsilMakbuzu, mustahsilMakbuzuDetayListesiTemp,
klasorAdi);
951:                 sonuc = DisServisler.EMustahsilGonder(mustahsilMakbuzu,
dosyaAdi);
952:             }
953:             else
954:             {
955:                 MessageBox.Show("Müstahsil Makbuzunu servise göndermek için
vergi no zorunludur", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Warning);
956:             }
957:
958:             if (sonuc == MesajSabitler.IslamBasarisiz)
959:             {

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

961:             MessageBox.Show(dosyaAdi + " dosyasinin servise
gönderilmesinde bir sorun yasamistir.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Error);
962:         }
963:         else
964:         {
965:             MessageBox.Show(dosyaAdi + " dosyasi basariyla GIB
servislerine gönderilmistir.", MesajSabitler.MesajBasligi, MessageBoxButtons.OK,
MessageBoxIcon.Information);
966:         }
967:
968:         #endregion
969:     }
970: }
971: }
972: #endregion
973: }
974: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.6 FormAnaSayfa.Designer.cs

This is file FormAnaSayfa.Designer.cs.

Body Source

```

1: ?namespace QNBFinansGIB
2: {
3:     partial class frmAnaSayfa
4:     {
5:         /// <summary>
6:         /// Required designer variable.
7:         /// </summary>
8:         private System.ComponentModel.IContainer components = null;
9:
10:        /// <summary>
11:        /// Clean up any resources being used.
12:        /// </summary>
13:        /// <param name="disposing">true if managed resources should be disposed;
otherwise, false.</param>
14:        protected override void Dispose(bool disposing)
15:        {
16:            if (disposing && (components != null))
17:            {
18:                components.Dispose();
19:            }
20:            base.Dispose(disposing);
21:        }
22:
23:        #region Windows Form Designer generated code
24:
25:        /// <summary>
26:        /// Required method for Designer support - do not modify
27:        /// the contents of this method with the code editor.
28:        /// </summary>
29:        private void InitializeComponent()
30:        {
31:            this.btnXmlOlustur = new System.Windows.Forms.Button();
32:            this.btnGIBOnizleme = new System.Windows.Forms.Button();
33:            this.btnServiceGonder = new System.Windows.Forms.Button();
34:            this.groupBox1 = new System.Windows.Forms.GroupBox();
```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
35:         this.groupBox2 = new System.Windows.Forms.GroupBox();
36:         this.btnXmlOlusturMustahsil = new System.Windows.Forms.Button();
37:         this.btnServiseGonderMustahsil = new System.Windows.Forms.Button();
38:         this.btnGIBONizlemeMustahsil = new System.Windows.Forms.Button();
39:         this.groupBox1.SuspendLayout();
40:         this.groupBox2.SuspendLayout();
41:         this.SuspendLayout();
42:         //
43:         // btnXmlOlustur
44:         //
45:         this.btnXmlOlustur.Location = new System.Drawing.Point(6, 30);
46:         this.btnXmlOlustur.Name = "btnXmlOlustur";
47:         this.btnXmlOlustur.Size = new System.Drawing.Size(116, 58);
48:         this.btnXmlOlustur.TabIndex = 0;
49:         this.btnXmlOlustur.Text = "XML Olustur";
50:         this.btnXmlOlustur.UseVisualStyleBackColor = true;
51:         this.btnXmlOlustur.Click += new
System.EventHandler(this.btnXmlOlustur_Click);
52:         //
53:         // btnGIBONizleme
54:         //
55:         this.btnGIBONizleme.Location = new System.Drawing.Point(140, 30);
56:         this.btnGIBONizleme.Name = "btnGIBONizleme";
57:         this.btnGIBONizleme.Size = new System.Drawing.Size(174, 58);
58:         this.btnGIBONizleme.TabIndex = 1;
59:         this.btnGIBONizleme.Text = "GIB Fatura Cikti Onizleme";
60:         this.btnGIBONizleme.UseVisualStyleBackColor = true;
61:         this.btnGIBONizleme.Click += new
System.EventHandler(this.btnGIBONizleme_Click);
62:         //
63:         // btnServiseGonder
64:         //
65:         this.btnServiseGonder.Location = new System.Drawing.Point(331, 30);
66:         this.btnServiseGonder.Name = "btnServiseGonder";
67:         this.btnServiseGonder.Size = new System.Drawing.Size(165, 58);
68:         this.btnServiseGonder.TabIndex = 2;
69:         this.btnServiseGonder.Text = "Servise Gonder";
70:         this.btnServiseGonder.UseVisualStyleBackColor = true;
71:         this.btnServiseGonder.Click += new
System.EventHandler(this.btnServiseGonder_Click);
72:         //
73:         // groupBox1
74:         //
75:         this.groupBox1.Controls.Add(this.btnXmlOlustur);
76:         this.groupBox1.Controls.Add(this.btnServiseGonder);
77:         this.groupBox1.Controls.Add(this.btnGIBONizleme);
78:         this.groupBox1.Location = new System.Drawing.Point(12, 12);
79:         this.groupBox1.Name = "groupBox1";
80:         this.groupBox1.Size = new System.Drawing.Size(502, 119);
81:         this.groupBox1.TabIndex = 3;
82:         this.groupBox1.TabStop = false;
83:         this.groupBox1.Text = "E-Fatura ve E-Arsiv";
84:         //
85:         // groupBox2
86:         //
87:         this.groupBox2.Controls.Add(this.btnXmlOlusturMustahsil);
88:         this.groupBox2.Controls.Add(this.btnServiseGonderMustahsil);
89:         this.groupBox2.Controls.Add(this.btnGIBONizlemeMustahsil);
90:         this.groupBox2.Location = new System.Drawing.Point(12, 137);
91:         this.groupBox2.Name = "groupBox2";
92:         this.groupBox2.Size = new System.Drawing.Size(502, 119);
93:         this.groupBox2.TabIndex = 4;
94:         this.groupBox2.TabStop = false;
95:         this.groupBox2.Text = "E-Müstahsil";
96:         //
97:         // btnXmlOlusturMustahsil
98:         //
99:         this.btnXmlOlusturMustahsil.Location = new System.Drawing.Point(6, 30);
100:        this.btnXmlOlusturMustahsil.Name = "btnXmlOlusturMustahsil";
```

```
101:         this.btnXmlOlusturMustahsil.Size = new System.Drawing.Size(116, 58);
102:         this.btnXmlOlusturMustahsil.TabIndex = 0;
103:         this.btnXmlOlusturMustahsil.Text = "XML Olustur";
104:         this.btnXmlOlusturMustahsil.UseVisualStyleBackColor = true;
105:         this.btnXmlOlusturMustahsil.Click += new
System.EventHandler(this.btnXmlOlusturMustahsil_Click);
106:         //
107:         // btnServiseGonderMustahsil
108:         //
109:         this.btnServiseGonderMustahsil.Location = new System.Drawing.Point(331,
30);
110:         this.btnServiseGonderMustahsil.Name = "btnServiseGonderMustahsil";
111:         this.btnServiseGonderMustahsil.Size = new System.Drawing.Size(165, 58);
112:         this.btnServiseGonderMustahsil.TabIndex = 2;
113:         this.btnServiseGonderMustahsil.Text = "Servise Gonder";
114:         this.btnServiseGonderMustahsil.UseVisualStyleBackColor = true;
115:         this.btnServiseGonderMustahsil.Click += new
System.EventHandler(this.btnServiseGonderMustahsil_Click);
116:         //
117:         // btnGIBOnizlemeMustahsil
118:         //
119:         this.btnGIBOnizlemeMustahsil.Location = new System.Drawing.Point(140, 30);
120:         this.btnGIBOnizlemeMustahsil.Name = "btnGIBOnizlemeMustahsil";
121:         this.btnGIBOnizlemeMustahsil.Size = new System.Drawing.Size(174, 58);
122:         this.btnGIBOnizlemeMustahsil.TabIndex = 1;
123:         this.btnGIBOnizlemeMustahsil.Text = "GIB Makbuz Cikti Onizleme";
124:         this.btnGIBOnizlemeMustahsil.UseVisualStyleBackColor = true;
125:         this.btnGIBOnizlemeMustahsil.Click += new
System.EventHandler(this.btnGIBOnizlemeMustahsil_Click);
126:         //
127:         // frmAnaSayfa
128:         //
129:         this.AutoScaleDimensions = new System.Drawing.SizeF(6F, 13F);
130:         this.AutoScaleMode = System.Windows.Forms.AutoScaleMode.Font;
131:         this.AutoSize = true;
132:         this.AutoSizeMode = System.Windows.Forms.AutoSizeMode.GrowAndShrink;
133:         this.ClientSize = new System.Drawing.Size(526, 272);
134:         this.Controls.Add(this.groupBox2);
135:         this.Controls.Add(this.groupBox1);
136:         this.Name = "frmAnaSayfa";
137:         this.StartPosition = System.Windows.Forms.FormStartPosition.CenterScreen;
138:         this.Text = "QNB Finans GIB Servis Uygulamasi";
139:         this.FormClosed += new
System.Windows.Forms.FormClosedEventHandler(this.frmAnaSayfa_FormClosed);
140:         thisShown += new System.EventHandler(this.FormAnaSayfa_Shown);
141:         this.groupBox1.ResumeLayout(false);
142:         this.groupBox2.ResumeLayout(false);
143:         this.ResumeLayout(false);
144:     }
145: }
146: #endregion
147:
148:
149: private System.Windows.Forms.Button btnXmlOlustur;
150: private System.Windows.Forms.Button btnGIBOnizleme;
151: private System.Windows.Forms.Button btnServiseGonder;
152: private System.Windows.Forms.GroupBox groupBox1;
153: private System.Windows.Forms.GroupBox groupBox2;
154: private System.Windows.Forms.Button btnXmlOlusturMustahsil;
155: private System.Windows.Forms.Button btnServiseGonderMustahsil;
156: private System.Windows.Forms.Button btnGIBOnizlemeMustahsil;
157: }
158: }
159:
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.7 GeriDonus.cs

This is file GeriDonus.cs.

Body Source

```

1: ?namespace QNBFinansGIB.Utils
2: {
3:     /// <summary>
4:     /// E-Fatura Servisinde Önizleme Metodu çağrıldığında dönecek olan değer
5:     /// Burada Tipe göre
6:     /// Dosya uzantısı Zip veya PDF olacağı için
7:     /// Bu konu önemlidir
8:     /// </summary>
9:     public class GeriDonus
10:    {
11:        /// <summary>
12:        /// Çıktı alınacak dosyanın byte dizisi hali
13:        /// </summary>
14:        public byte[] Dosya { get; set; }
15:        /// <summary>
16:        /// Çıktı Tipi Bilgisi
17:        /// </summary>
18:        public int Tip { get; set; }
19:    }
20:
21:    /// <summary>
22:    /// Yapılan Ekranlarda Verilecek Mesajlarla İlgili Sabit Sınıf
23:    /// </summary>
24:    public static class MesajSabitler
25:    {
26:        /// <summary>
27:        /// İşlem Basarılı Olduguna Dair Mesaj Bilgisi
28:        /// </summary>
29:        public static string IslemBasarili = "Islem Basarili";
30:        /// <summary>
31:        /// İşlem Basarisiz Olduguna Dair Mesaj Bilgisi
32:        /// </summary>
33:        public static string IslemBasarisiz = "Islem Basarisiz";
34:        /// <summary>
35:        /// İşlem Mesajlarının Kutusunda Gösterilecek Başlık Mesaj Bilgisi
36:        /// </summary>
37:        public static string MesajBasligi = "QNB Finans GIB Servis Uygulaması";
38:    }
39: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.8 GidenFaturaDetayDTO.cs

This is file GidenFaturaDetayDTO.cs.

Body Source

```
1: ?using System;
2:
3: namespace QNBFinansGIB.DTO
4: {
5:     /// <summary>
6:     /// Giden Fatura Detay Nesnesinde olmasi gereken alanlarla olusturulan siniftir
7:     /// Tutarlar, ürün adı, KDV ve iskonto oranları
8:     /// Malzeme faturasi ile ilgili alanlar
9:     /// Malzemenin tasindigi araç Plaka, sevk irsaliyesi vb. bilgileri içerir.
10:    /// </summary>
11:    public class GidenFaturaDetayDTO
12:    {
13:        /// <summary>
14:        /// Giden Fatura Id Bilgisi
15:        /// </summary>
16:        public string GidenFaturaId;
17:
18:        /// <summary>
19:        /// Fatura Detayindaki Ürün Türü Bilgisi
20:        /// </summary>
21:        public string FaturaUrunTuru;
22:
23:        /// <summary>
24:        /// Iskonto Oran Bilgisi
25:        /// </summary>
26:        public decimal? IskontoOran;
27:
28:        /// <summary>
29:        /// Plaka No Bilgisi
30:        /// </summary>
31:        public string PlakaNo;
32:
33:        /// <summary>
34:        /// Irsaliye No Bilgisi
35:        /// </summary>
36:        public string IrsaliyeNo;
37:
38:        /// <summary>
39:        /// Tonaj Bilgisi
40:        /// </summary>
41:        public decimal? Tonaj;
42:
43:        /// <summary>
44:        /// Sevk Irsaliyesi No Bilgisi
45:        /// </summary>
46:        public string SevkIrsaliyesiNo;
47:
48:        /// <summary>
49:        /// Sevk Irsaliye Tarihi Bilgisi
50:        /// </summary>
51:        public DateTime? SevkIrsaliyeTarihi { get; set; }
52:
53:        /// <summary>
54:        /// Yükleme Formu No Bilgisi
55:        /// </summary>
56:        public int? YuklemeFormuNo;
57:
58:        /// <summary>
59:        /// Birim Fiyat Bilgisi
60:        /// </summary>
61:        public decimal? BirimFiyat;
62:
63:        /// <summary>
64:        /// Miktar Bilgisi
65:        /// </summary>
66:        public decimal? Miktar;
```

```

67:         /// <summary>
68:         /// KDV Hariç Tutar Bilgisi
69:         /// </summary>
70:         public decimal? KdvHaricTutar;
71:
72:         /// <summary>
73:         /// KDV Tutari Bilgisi
74:         /// </summary>
75:         public decimal? KdvTutari;
76:
77:         /// <summary>
78:         /// Malzeme Fatura Açıklaması Bilgisi
79:         /// </summary>
80:         public string MalzemeFaturaAciklamasi;
81:
82:         /// <summary>
83:         /// GIB Kisaltma Bilgisi (Malzemenin Ölçü Birimi, GIB tarafında Kilogram KGM
84:         /// olarak adlandırılmaktadır)
85:         /// </summary>
86:         public string GibKisaltma;
87:
88:         /// <summary>
89:         /// KDV Oran Bilgisi
90:         /// </summary>
91:         public decimal? KdvOran;
92:     }
93: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.9 GidenFaturaDTO.cs

This is file GidenFaturaDTO.cs.

Body Source

```

1: ?using System;
2:
3: namespace QNBFinansGIB.DTO
4: {
5:     /// <summary>
6:     /// Giden Fatura Ana Nesnesinde Olması Gereken Alanlarla olusturulan sınıfıtır
7:     /// Burada firma, iletisim, banka, fatura toplam tutarı vb. bilgiler bulunmaktadır
8:     /// </summary>
9:     public class GidenFaturaDTO
10:    {
11:        /// <summary>
12:        /// Giden Fatura Id Bilgisi
13:        /// </summary>
14:        public string GidenFaturaId;
15:
16:        /// <summary>
17:        /// Fatura Kesin Birimin Alt Sube Bilgisi
18:        /// </summary>
19:        public string AltBirimAd;
20:
21:        /// <summary>
22:        /// Satış Türü Kod Bilgisi
23:        /// </summary>
24:        public int? SatisTuruKod;
25:    }
```

```
26:     /// <summary>
27:     /// Fatura Türü Kod Bilgisi
28:     /// </summary>
29:     public int? FaturaTuruKod;
30:
31:     #region Gerçek Kişi Bilgileri
32:
33:     /// <summary>
34:     /// Gerçek Kişi Ad Bilgisi
35:     /// </summary>
36:     public string GercekKisiAd;
37:
38:     /// <summary>
39:     /// Gerçek Kişi Soyad Bilgisi
40:     /// </summary>
41:     public string GercekKisiSoyad;
42:
43:     /// <summary>
44:     /// Gerçek Kişi TC Kimlik No Bilgisi
45:     /// </summary>
46:     public string GercekKisiTcKimlikNo;
47:
48:     /// <summary>
49:     /// İkametgah Adresi Bilgisi
50:     /// </summary>
51:     public string IkametgahAdresi;
52:
53:     /// <summary>
54:     /// Cep Telefon No Bilgisi
55:     /// </summary>
56:     public string CepTelefonNo;
57:     #endregion
58:
59:     #region Tüzel Kişi Bilgileri
60:     /// <summary>
61:     /// Tüzel Kişi Ad Bilgisi
62:     /// </summary>
63:     public string TuzelKisiAd;
64:
65:     /// <summary>
66:     /// Vergi Numarası Bilgisi
67:     /// </summary>
68:     public string VergiNo;
69:
70:     /// <summary>
71:     /// Vergi Dairesi Bilgisi
72:     /// </summary>
73:     public string VergiDairesi;
74:
75:     /// <summary>
76:     /// İl Ad Bilgisi
77:     /// </summary>
78:     public string IlAd;
79:
80:     /// <summary>
81:     /// İlçe Ad Bilgisi
82:     /// </summary>
83:     public string IlceAd;
84:
85:     /// <summary>
86:     /// Adres Bilgisi
87:     /// </summary>
88:     public string Adres;
89:
90:     /// <summary>
91:     /// E-Posta Adresi Bilgisi
92:     /// </summary>
93:     public string EPostaAdresi;
94:
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```

95:         /// <summary>
96:         /// Telefon No Bilgisi
97:         /// </summary>
98:         public string TelefonNo;
99:
100:        /// <summary>
101:        /// Faks No Bilgisi
102:        /// </summary>
103:        public string FaksNo;
104:
105:        /// <summary>
106:        /// IBAN No Bilgisi
107:        /// </summary>
108:        public string IbanNo;
109:
110:        /// <summary>
111:        /// Banka Ad Bilgisi
112:        /// </summary>
113:        public string BankaAd;
114:
115:        /// <summary>
116:        /// Banka Sube Bilgisi
117:        /// </summary>
118:        public string BankaSube;
119:        #endregion
120:
121:        /// <summary>
122:        /// Düzenleme Tarihi Bilgisi
123:        /// </summary>
124:        public DateTime? DuzenlemeTarihi { get; set; }
125:
126:        /// <summary>
127:        /// GIB Numarasi Bilgisi
128:        /// </summary>
129:        public string GibNumarasi;
130:
131:        /// <summary>
132:        /// Belge Oid Id alani
133:        /// </summary>
134:        public string BelgeOid;
135:
136:        /// <summary>
137:        /// KDV Hariç Tutar Bilgisi
138:        /// </summary>
139:        public decimal? KdvHaricTutar;
140:
141:        /// <summary>
142:        /// KDV Tutari Bilgisi
143:        /// </summary>
144:        public decimal? KdvTutari;
145:
146:        /// <summary>
147:        /// Fatura Tutari Bilgisi
148:        /// </summary>
149:        public decimal? FaturaTutari;
150:    }
151: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.10 MustahsilMakbuzuDetayDTO.cs

This is file MustahsilMakbuzuDetayDTO.cs.

Body Source

```

1: ?namespace QNBFinansGIB.DTO
2: {
3:     /// <summary>
4:     /// Müstahsil Makbuzu Detay Nesnesinde olmasi gereken alanlarla olusturulan siniftir
5:     /// Tutarlar, ürün adı, miktar, birim fiyat gibi bilgiler bulunmaktadır
6:     /// </summary>
7:     public class MustahsilMakbuzuDetayDTO
8:     {
9:         /// <summary>
10:        /// Müstahsil Makbuzu Id Bilgisi
11:        /// </summary>
12:        public string MustahsilMakbuzuId;
13:
14:        /// <summary>
15:        /// Isin Mahiyeti Bilgisi
16:        /// </summary>
17:        public string IsinMahiyeti;
18:
19:        /// <summary>
20:        /// Birim Fiyat Bilgisi
21:        /// </summary>
22:        public decimal? BirimFiyat;
23:
24:        /// <summary>
25:        /// Miktar Bilgisi
26:        /// </summary>
27:        public decimal? Miktar;
28:
29:        /// <summary>
30:        /// Gelir Vergisi Bilgisi
31:        /// </summary>
32:        public decimal? GelirVergisi;
33:
34:        /// <summary>
35:        /// Net Tutar Bilgisi
36:        /// </summary>
37:        public decimal? NetTutar;
38:
39:        /// <summary>
40:        /// Toplam Tutar Bilgisi
41:        /// </summary>
42:        public decimal? ToplamTutar;
43:
44:        /// <summary>
45:        /// GIB Kisaltma Bilgisi (Malzemenin Ölçü Birimi, GIB tarafında Kilogram KGM
46:        /// olarak adlandırılmaktadır)
47:        /// </summary>
48:        public string GibKisaltma;
49:    }

```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.11 MustahsilMakbuzuDTO.cs

This is file MustahsilMakbuzuDTO.cs.

Body Source

```
1: ?using System;
2:
3: namespace QNBFinansGIB.DTO
4: {
5:     /// <summary>
6:     /// Müstahsil Makbuzu Ana Nesnesinde Olmasi Gereken Alanlarla olusturulan siniftir
7:     /// Burada firma, iletisim, banka, Makbuz toplam tutari vb. bilgiler bulunmaktadır
8:     /// </summary>
9:     public class MustahsilMakbuzuDTO
10:    {
11:        /// <summary>
12:        /// Müstahsil Makbuzu Id Bilgisi
13:        /// </summary>
14:        public string MustahsilMakbuzuId;
15:
16:        /// <summary>
17:        /// Makbuz Kesin Birimin Alt Sube Bilgisi
18:        /// </summary>
19:        public string AltBirimAd;
20:
21:        /// <summary>
22:        /// Tüzel Kisi Ad Bilgisi
23:        /// </summary>
24:        public string TuzelKisiAd;
25:
26:        /// <summary>
27:        /// Vergi Numarasi Bilgisi
28:        /// </summary>
29:        public string VergiNo;
30:
31:        /// <summary>
32:        /// Vergi Dairesi Bilgisi
33:        /// </summary>
34:        public string VergiDairesi;
35:
36:        /// <summary>
37:        /// Il Ad Bilgisi
38:        /// </summary>
39:        public string IlAd;
40:
41:        /// <summary>
42:        /// İlçe Ad Bilgisi
43:        /// </summary>
44:        public string IlceAd;
45:
46:        /// <summary>
47:        /// Adres Bilgisi
48:        /// </summary>
49:        public string Adres;
50:
51:        /// <summary>
52:        /// E-Posta Adresi Bilgisi
53:        /// </summary>
54:        public string EpostaAdresi;
55:
56:        /// <summary>
57:        /// Faks No Bilgisi
58:        /// </summary>
59:        public string FaksNo;
```

```

60:         /// <summary>
61:         /// IBAN No Bilgisi
62:         /// </summary>
63:         public string IbanNo;
64:
65:         /// <summary>
66:         /// Banka Ad Bilgisi
67:         /// </summary>
68:         public string BankaAd;
69:
70:         /// <summary>
71:         /// Banka Sube Bilgisi
72:         /// </summary>
73:         public string BankaSube;
74:
75:         /// <summary>
76:         /// Müstahsil Makbuzu No Bilgisi
77:         /// </summary>
78:         public string MustahsilMakbuzuNo;
79:
80:         /// <summary>
81:         /// Müstahsil Makbuzu Tarihi Bilgisi
82:         /// </summary>
83:         public DateTime? MustahsilMakbuzuTarihi { get; set; }
84:
85:         /// <summary>
86:         /// Net Tutar Bilgisi
87:         /// </summary>
88:         public decimal? NetTutar;
89:
90:         /// <summary>
91:         /// Müstahsil Makbuzu Tutar Bilgisi
92:         /// </summary>
93:         public decimal? MustahsilMakbuzuTutari;
94:
95:         /// <summary>
96:         /// Gelir Vergisi Bilgisi
97:         /// </summary>
98:         public decimal? GelirVergisi;
99:
100:    }
101: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.12 Program.cs

This is file Program.cs.

Body Source

```

1: ?using System;
2: using System.Collections.Generic;
3: using System.Linq;
4: using System.Windows.Forms;
5:
6: namespace QNBFinansGIB
7: {
8:     static class Program
9:     {
10:         /// <summary>
11:         /// The main entry point for the application.

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

12:         /// </summary>
13:         [STAThread]
14:         static void Main()
15:         {
16:             Application.EnableVisualStyles();
17:             Application.SetCompatibleTextRenderingDefault(false);
18:             Application.Run(new frmAnaSayfa());
19:         }
20:     }
21: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.13 QNBFinansGIB.csproj

This is file QNBFinansGIB.csproj.

1.2.14 QNBFinansGIB.sln

This is file QNBFinansGIB.sln.

1.2.15 Reference.cs

This code was generated by a tool. Runtime Version:4.0.30319.42000

Changes to this file may cause incorrect behavior and will be lost if the code is regenerated.

Body Source

```

1: ?-----
2: // <auto-generated>
3: //   This code was generated by a tool.
4: //   Runtime Version:4.0.30319.42000
5: //
6: //   Changes to this file may cause incorrect behavior and will be lost if
7: //   the code is regenerated.
8: // </auto-generated>
9: ?-----
10:
11: //
12: // This source code was auto-generated by Microsoft.VSDesigner, Version
13: // 4.0.30319.42000.
14: //
15: #pragma warning disable 1591
16: namespace QNBFinansGIB.GIBUserService {
17:     using System;
18:     using System.Web.Services;
19:     using System.Diagnostics;
20:     using System.Web.Services.Protocols;
21:     using System.Xml.Serialization;
22:     using System.ComponentModel;
23: }
```

```
24:
25:     /// <remarks/>
26:     [System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services",
27: "4.8.4084.0")]
28:     [System.Diagnostics.DebuggerStepThroughAttribute()]
29:     [System.ComponentModel.DesignerCategoryAttribute("code")]
30:     [System.Web.Services.WebServiceBindingAttribute(Name="UserServicePortBinding",
Namespace="http://service.csap.cs.com/")]
31:     public partial class userService :
System.Web.Services.Protocols.SoapHttpClientProtocol {
32:
33:         private System.Threading.SendOrPostCallback wsLoginOperationCompleted;
34:
35:         private System.Threading.SendOrPostCallback logoutOperationCompleted;
36:
37:         private bool useDefaultCredentialsSetExplicitly;
38:
39:         /// <remarks/>
40:         public userService() {
41:             this.Url =
global::QNBFINANSGIB.Properties.Settings.Default.QNBFINANSGIB_GIBUserService_userService;
42:             if ((this.IsLocalFileSystemWebService(this.Url) == true)) {
43:                 this.UseDefaultCredentials = true;
44:                 this.useDefaultCredentialsSetExplicitly = false;
45:             }
46:             else {
47:                 this.useDefaultCredentialsSetExplicitly = true;
48:             }
49:
50:             public new string Url {
51:                 get {
52:                     return base.Url;
53:                 }
54:                 set {
55:                     if (((((this.IsLocalFileSystemWebService(base.Url) == true)
56:                         && (this.useDefaultCredentialsSetExplicitly == false))
57:                         && (this.IsLocalFileSystemWebService(value) == false))) {
58:                         base.UseDefaultCredentials = false;
59:                     }
60:                     base.Url = value;
61:                 }
62:             }
63:
64:             public new bool UseDefaultCredentials {
65:                 get {
66:                     return base.UseDefaultCredentials;
67:                 }
68:                 set {
69:                     base.UseDefaultCredentials = value;
70:                     this.useDefaultCredentialsSetExplicitly = true;
71:                 }
72:             }
73:
74:             /// <remarks/>
75:             public event wsLoginCompletedEventHandler wsLoginCompleted;
76:
77:             /// <remarks/>
78:             public event logoutCompletedEventHandler logoutCompleted;
79:
80:             /// <remarks/>
81:             [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.csap.cs.com.tr/",
ResponseNamespace="http://service.csap.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
82:             public void
wsLogin([System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.U
nqualified)])
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```

string userId,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string password,
[System.Xml.Serialization.XmlElementAttribute(Form=System.Xml.Schema.XmlSchemaForm.Unqualified)]
string lang) {
83:         this.Invoke("wsLogin", new object[] {
84:             userId,
85:             password,
86:             lang});
87:     }
88:
89:     /// <remarks/>
90:     public void wsLoginAsync(string userId, string password, string lang) {
91:         this.wsLoginAsync(userId, password, lang, null);
92:     }
93:
94:     /// <remarks/>
95:     public void wsLoginAsync(string userId, string password, string lang, object
userState) {
96:         if ((this.wsLoginOperationCompleted == null)) {
97:             this.wsLoginOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnwsLoginOperationCompleted);
98:         }
99:         this.InvokeAsync("wsLogin", new object[] {
100:             userId,
101:             password,
102:             lang}, this.wsLoginOperationCompleted, userState);
103:     }
104:
105:     private void OnwsLoginOperationCompleted(object arg) {
106:         if ((this.wsLoginCompleted != null)) {
107:             System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =
((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
108:             this.wsLoginCompleted(this, new
System.ComponentModel.AsyncCompletedEventArgs(invokeArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
109:         }
110:     }
111:
112:     /// <remarks/>
113:     [System.Web.Services.Protocols.SoapDocumentMethodAttribute("",
RequestNamespace="http://service.csap.cs.com.tr/",
ResponseNamespace="http://service.csap.cs.com.tr/",
Use=System.Web.Services.Description.SoapBindingUse.Literal,
ParameterStyle=System.Web.Services.Protocols.SoapParameterStyle.Wrapped)]
114:     public void logout() {
115:         this.Invoke("logout", new object[0]);
116:     }
117:
118:     /// <remarks/>
119:     public void logoutAsync() {
120:         this.logoutAsync(null);
121:     }
122:
123:     /// <remarks/>
124:     public void logoutAsync(object userState) {
125:         if ((this.logoutOperationCompleted == null)) {
126:             this.logoutOperationCompleted = new
System.Threading.SendOrPostCallback(this.OnlogoutOperationCompleted);
127:         }
128:         this.InvokeAsync("logout", new object[0], this.logoutOperationCompleted,
userState);
129:     }
130:
131:     private void OnlogoutOperationCompleted(object arg) {
132:         if ((this.logoutCompleted != null)) {
133:             System.Web.Services.Protocols.InvokeCompletedEventArgs invokeArgs =

```

```

((System.Web.Services.Protocols.InvokeCompletedEventArgs)(arg));
134:         this.logoutCompleted(this, new
System.ComponentModel.AsyncCompletedEventArgs(invokerArgs.Error, invokeArgs.Cancelled,
invokeArgs.UserState));
135:     }
136:   }
137:
138:   /// <remarks/>
139:   public new void CancelAsync(object userState) {
140:     base.CancelAsync(userState);
141:   }
142:
143:   private bool IsLocalFileSystemWebService(string url) {
144:     if (((url == null)
145:           || (url == string.Empty))) {
146:       return false;
147:     }
148:     System.Uri wsUri = new System.Uri(url);
149:     if (((wsUri.Port >= 1024)
150:           && (string.Compare(wsUri.Host, "localhost",
System.StringComparison.OrdinalIgnoreCase) == 0))) {
151:       return true;
152:     }
153:     return false;
154:   }
155: }
156:
157: /// <remarks/>
158: [System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services",
"4.8.4084.0")]
159: public delegate void wsLoginCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
160:
161: /// <remarks/>
162: [System.CodeDom.Compiler.GeneratedCodeAttribute("System.Web.Services",
"4.8.4084.0")]
163: public delegate void logoutCompletedEventHandler(object sender,
System.ComponentModel.AsyncCompletedEventArgs e);
164: }
165:
166: #pragma warning restore 1591

```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.16 Resources.Designer.cs

This code was generated by a tool. Runtime Version:4.0.30319.42000

Changes to this file may cause incorrect behavior and will be lost if the code is regenerated.

Body Source

```

1: ?!---
2: // <auto-generated>
3: //   This code was generated by a tool.
4: //   Runtime Version:4.0.30319.42000
5: //
6: //   Changes to this file may cause incorrect behavior and will be lost if
7: //   the code is regenerated.
8: // </auto-generated>
9: ?!---
10:

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```
11: namespace QNBFinansGIB.Properties
12: {
13:
14:
15:     /// <summary>
16:     /// A strongly-typed resource class, for looking up localized strings, etc.
17:     /// </summary>
18:     // This class was auto-generated by the StronglyTypedResourceBuilder
19:     // class via a tool like ResGen or Visual Studio.
20:     // To add or remove a member, edit your .ResX file then rerun ResGen
21:     // with the /str option, or rebuild your VS project.
22:
[global::System.CodeDom.Compiler.GeneratedCodeAttribute("System.Resources.Tools.StronglyType
dResourceBuilder",
"4.0.0.0")]
23:     [global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
24:     [global::System.Runtime.CompilerServices.CompilerGeneratedAttribute()]
25:     internal class Resources
26:     {
27:
28:         private static global::System.Resources.ResourceManager resourceMan;
29:
30:         private static global::System.Globalization.CultureInfo resourceCulture;
31:
32:
[global::System.Diagnostics.CodeAnalysis.SuppressMessageAttribute("Microsoft.Performance",
"CA1811:AvoidUncalledPrivateCode")]
33:         internal Resources()
34:         {
35:         }
36:
37:         /// <summary>
38:         /// Returns the cached ResourceManager instance used by this class.
39:         /// </summary>
40:
[global::System.ComponentModel.EditorBrowsableAttribute(global::System.ComponentModel.Editor
BrowsableState.Advanced)]
41:         internal static global::System.Resources.ResourceManager ResourceManager
42:         {
43:             get
44:             {
45:                 if ((resourceMan == null))
46:                 {
47:                     global::System.Resources.ResourceManager temp = new
global::System.Resources.ResourceManager("QNBFinansGIB.Properties.Resources",
typeof(Resources).Assembly);
48:                     resourceMan = temp;
49:                 }
50:                 return resourceMan;
51:             }
52:         }
53:
54:         /// <summary>
55:         /// Overrides the current thread's CurrentUICulture property for all
56:         /// resource lookups using this strongly typed resource class.
57:         /// </summary>
58:
[global::System.ComponentModel.EditorBrowsableAttribute(global::System.ComponentModel.Editor
BrowsableState.Advanced)]
59:         internal static global::System.Globalization.CultureInfo Culture
60:         {
61:             get
62:             {
63:                 return resourceCulture;
64:             }
65:             set
66:             {
67:                 resourceCulture = value;
68:             }
}
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

69:         }
70:     }
71: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.17 Settings.Designer.cs

This code was generated by a tool. Runtime Version:4.0.30319.42000

Changes to this file may cause incorrect behavior and will be lost if the code is regenerated.

Body Source

```

1: ?-----
2: //<auto-generated>
3: //  This code was generated by a tool.
4: //  Runtime Version:4.0.30319.42000
5: //
6: //  Changes to this file may cause incorrect behavior and will be lost if
7: //  the code is regenerated.
8: //</auto-generated>
9: ?-----

10:
11: namespace QNBFinansGIB.Properties {
12:
13:
14:     [global::System.Runtime.CompilerServices.CompilerGeneratedAttribute()]
15:
[global::System.CodeDom.Compiler.GeneratedCodeAttribute("Microsoft.VisualStudioEditors.SettingsDesigner.SettingsSingleFileGenerator",
"15.9.0.0")]
16:     internal sealed partial class Settings :
global::System.Configuration.ApplicationSettingsBase {
17:
18:         private static Settings defaultInstance =
((Settings)(global::System.Configuration.ApplicationSettingsBase.Synchronized(new
Settings())));
19:
20:         public static Settings Default {
21:             get {
22:                 return defaultInstance;
23:             }
24:         }
25:
26:         [global::System.Configuration.ApplicationScopedSettingAttribute()]
27:         [global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
28:
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSetting.WebServiceUrl)]
29:
[global::System.Configuration.DefaultSettingValueAttribute("https://connectortest.efinans.com.tr:443/connector/ws/userService")]
30:         public string QNBFinansGIB_GIBUserService_userService {
31:             get {
32:                 return ((string)(this["QNBFinansGIB_GIBUserService_userService"]));
33:             }
34:         }
35:
36:         [global::System.Configuration.ApplicationScopedSettingAttribute()]
37:         [global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
38:
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```

[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSetting.WebServiceUrl)]
39:
[global::System.Configuration.DefaultSettingValueAttribute("https://connectortest.efinans.com.tr:443/connector/ws/connectorService")]
40:    public string QNBFinansGIB_GIBEFatura_connectorService {
41:        get {
42:            return ((string)(this["QNBFinansGIB_GIBEFatura_connectorService"]));
43:        }
44:    }
45:
46:    [global::System.Configuration.ApplicationScopedSettingAttribute()]
47:    [global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
48:
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSetting.WebServiceUrl)]
49:
[global::System.Configuration.DefaultSettingValueAttribute("https://earsivtest.efinans.com.tr:443/earsiv/ws/EarsivWebService")]
50:    public string QNBFinansGIB_GIBEArsiv_EarsivWebService {
51:        get {
52:            return ((string)(this["QNBFinansGIB_GIBEArsiv_EarsivWebService"]));
53:        }
54:    }
55:
56:    [global::System.Configuration.ApplicationScopedSettingAttribute()]
57:    [global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
58:
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSetting.WebServiceUrl)]
59:
[global::System.Configuration.DefaultSettingValueAttribute("https://earsivtest.efinans.com.tr/earsiv/ws/MustahsilWebService?wsdl=1")]
60:    public string QNBFinansGIB_GIBEArsiv_MustahsilWebService {
61:        get {
62:            return ((string)(this["QNBFinansGIB_GIBEArsiv_MustahsilWebService"]));
63:        }
64:    }
65:
66:    [global::System.Configuration.ApplicationScopedSettingAttribute()]
67:    [global::System.Diagnostics.DebuggerNonUserCodeAttribute()]
68:
[global::System.Configuration.SpecialSettingAttribute(global::System.Configuration.SpecialSetting.WebServiceUrl)]
69:
[global::System.Configuration.DefaultSettingValueAttribute("https://earsivtest.efinans.com.tr:443/earsiv/ws/MustahsilWebService")]
70:    public string QNBFinansGIB_GIBEMustahsil_MustahsilWebService {
71:        get {
72:            return
73: ((string)(this["QNBFinansGIB_GIBEMustahsil_MustahsilWebService"]));
74:        }
75:    }
76: }
```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

1.2.18 YardimciSiniflar.cs

This is file YardimciSiniflar.cs.

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

Body Source

```

1: ?using QNBFInansGIB.DTO;
2: using System;
3: using System.Collections.Generic;
4: using System.Linq;
5: using System.Xml;
6: using static QNBFInansGIB.Utils.Enums;
7:
8: namespace QNBFInansGIB.Utils
9: {
10:     /// <summary>
11:     /// Giden Fatura ve Müstahsil Makbuzlari ile ilgili olarak, Kendisi, Ana Kayda
12:     /// Ilinikin Detaylar, Aktarilacak Klasör gibi bilgiler kullanilarak
13:     /// QNB Finans GIB Web Servislerine gönderilecek XML dosyalarinin hazırlanmasi
14:     /// ile ilgili
15:     /// Metotlarin bulundugu yardimci siniftir.
16:     /// </summary>
17:     public static class YardimciSiniflar
18:     {
19:         /// <summary>
20:         /// Giden Fatura Bilgisi Üzerinden E-Fatura Sistemine Göndermek İçin
21:         /// XML Dosyasi Olusturmaya yarayan metottur
22:         /// </summary>
23:         /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
24:         /// <param name="gidenFaturaDetayListesi">Giden Fatura Detay Listesi</param>
25:         /// <param name="aktarilacakKlasorAdi">Olusturulan Dosyanin Aktarilacagi
26:         /// Klasör</param>
27:         /// <returns>Kaydedilen Dosyanin Bilgisayardaki Adresi</returns>
28:         public static string EFaturaXMLOlustur(GidenFaturaDTO gidenFatura,
29: List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, string aktarilacakKlasorAdi)
30:         {
31:             XmlDocument doc = new XmlDocument();
32:             XmlDeclaration declaration;
33:             declaration = doc.CreateXmlDeclaration("1.0", "UTF-8", null);
34:             XmlElement root = doc.DocumentElement;
35:             doc.InsertBefore(declaration, root);
36:             doc.AppendChild(doc.CreateProcessingInstruction("xml-stylesheet",
37: "type=\"text/xsl\" href=\"general.xslt\""));
38:             root = doc.CreateElement("Invoice");
39:             var kodSatisTuruKod = 0;
40:             if (gidenFatura.SatisTuruKod != null)
41:                 kodSatisTuruKod = gidenFatura.SatisTuruKod ?? 0;
42:             var kodFaturaTuruKod = 0;
43:             if (gidenFatura.FaturaTuruKod != null)
44:                 kodFaturaTuruKod = gidenFatura.FaturaTuruKod ?? 0;
45:             #region Standart ve Faturaya Bagli Bilgiler
46:             // Faturanin türü, düzenleme tarihi, UBL Versiyon Numarasi, GIB Numarasi
47:             // yer almaktadir
48:             #region Standart Bilgiler
49:             root.RemoveAllAttributes();
50:             string locationAttribute = "xsi:schemaLocation";
51:             XmlAttribute location = doc.CreateAttribute("xsi", "schemaLocation",
52: "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2");
53:             location.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
54: ./xsdrt/maindoc/UBL-Invoice-2.1.xsd";
55:             //XmlAttribute location = doc.CreateAttribute(schemaLocation);
56:             //location.Value =
57: "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
58: ./xsdrt/maindoc/UBL-Invoice-2.1.xsd";
59:             XmlAttribute xlmns = doc.CreateAttribute("xmlns");
60:             xlmns.Value = "urn:oasis:names:specification:ubl:schema:xsd:Invoice-2";

```

```

57:         XmlAttribute xlmnsn4 = doc.CreateAttribute("xmlns:n4");
58:         xlmnsn4.Value = "http://www.altova.com/samplexml/other-namespace";
59:         XmlAttribute xlmnsxsi = doc.CreateAttribute("xmlns:xsi");
60:         xlmnsxsi.Value = "http://www.w3.org/2001/XMLSchema-instance";
61:         XmlAttribute xlmnscac = doc.CreateAttribute("xmlns:cac");
62:         xlmnscac.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonAggregateComponents-2";
63:             XmlAttribute xlmnscbc = doc.CreateAttribute("xmlns:cbc");
64:             xlmnscbc.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonBasicComponents-2";
65:                 XmlAttribute xlmnsext = doc.CreateAttribute("xmlns:ext");
66:                 xlmnsext.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonExtensionComponents-2";
67:                     root.Attributes.Append(location);
68:                     root.Attributes.Append(xlmns);
69:                     root.Attributes.Append(xlmnsn4);
70:                     root.Attributes.Append(xlmnsxsi);
71:                     root.Attributes.Append(xlmnscac);
72:                     root.Attributes.Append(xlmnscbc);
73:                     root.Attributes.Append(xlmnsext);
74:                     var extUbl = doc.CreateElement("ext", "UBLExtensions", xlmnsext.Value);
75:                     var extUbl2 = doc.CreateElement("ext", "UBLExtension", xlmnsext.Value);
76:                     var extUbl3 = doc.CreateElement("ext", "ExtensionContent",
xlmnsext.Value);
77:                     var extUbl4 = doc.CreateElement("n4", "auto-generated_for_wildcard",
xlmnsn4.Value);
78:                     extUbl3.AppendChild(extUbl4);
79:                     extUbl2.AppendChild(extUbl3);
80:                     extUbl.AppendChild(extUbl2);
81:
82:                     root.AppendChild(extUbl);
83:
84:                     var versionId = doc.CreateElement("cbc", "UBLVersionID", xlmnscbc.Value);
85:                     versionId.InnerText = "2.1";
86:                     root.AppendChild(versionId);
87:
88:                     var customizationId = doc.CreateElement("cbc", "CustomizationID",
xlmnscbc.Value);
89:                     customizationId.InnerText = "TR1.2";
90:                     root.AppendChild(customizationId);
91:
92:                     var profileId = doc.CreateElement("cbc", "ProfileID", xlmnscbc.Value);
93:                     profileId.InnerText = "TEMELFATURA";
94:                     root.AppendChild(profileId);
95:
96:                     var id = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
97:                     if (!string.IsNullOrEmpty(gidenFatura.GibNumarasi))
98:                         id.InnerText = gidenFatura.GibNumarasi;
99:                     else
100:                         id.InnerText = "ABC" + gidenFatura.DuzenlemeTarihi?.Year +
DateTime.UtcNow.Ticks.ToString().Substring(0, 9);
101:                         root.AppendChild(id);
102:
103:                     var copyIndicator = doc.CreateElement("cbc", "CopyIndicator",
xlmnscbc.Value);
104:                     copyIndicator.InnerText = "false";
105:                     root.AppendChild(copyIndicator);
106:
107:                     var gidenFaturaId = doc.CreateElement("cbc", "UUID", xlmnscbc.Value);
108:                     gidenFaturaId.InnerText = gidenFatura.GidenFaturaId.Length == 36 ?
gidenFatura.GidenFaturaId.ToUpper() : Guid.NewGuid().ToString().ToUpper();
109:                     root.AppendChild(gidenFaturaId);
110:
111:                     var issueDate = doc.CreateElement("cbc", "IssueDate", xlmnscbc.Value);
112:                     issueDate.InnerText =
gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd");
113:                     root.AppendChild(issueDate);
114:
115:                     var issueTime = doc.CreateElement("cbc", "IssueTime", xlmnscbc.Value);

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

116:             issueTime.InnerText = gidenFatura.DuzenlemeTarihi?.ToString("HH:mm:ss");
117:             root.AppendChild(issueTime);
118:
119:             var invoiceTypeCode = doc.CreateElement("cbc", "InvoiceTypeCode",
xlmnscbc.Value);
120:             invoiceTypeCode.InnerText = "SATIS";
121:             if (gidenFatura.KdvTutari == 0 || gidenFaturaDetayListesi.Any(j =>
j.KdvTutari == 0))
122:                 invoiceTypeCode.InnerText = "ISTISNA";
123:             if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
124:                 invoiceTypeCode.InnerText = "IHRACKAYITLI";
125:             if (kodFaturaTuruKod == FaturaTur.Iade.GetHashCode())
126:                 invoiceTypeCode.InnerText = "IADE";
127:             root.AppendChild(invoiceTypeCode);
128:
129:             #region Irsaliye Bilgileri
130:
131:             #region Irsaliye ve Tonaj Düzenlemesi
132:
133:             var gidenFaturaDetayListesi2 = new List<GidenFaturaDetayDTO>();
134:             var gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi;
135:             foreach (var item in gidenFaturaDetayListesiTemp)
136:             {
137:                 if (!string.IsNullOrEmpty(item.IrsaliyeNo) &&
!string.IsNullOrEmpty(item.PlakaNo))
138:                 {
139:                     if (!gidenFaturaDetayListesi2.Any(j => j.IrsaliyeNo ==
item.IrsaliyeNo && j.PlakaNo == item.PlakaNo))
140:                     {
141:                         item.Tonaj = item.Miktar;
142:                         gidenFaturaDetayListesi2.Add(item);
143:                     }
144:                 else
145:                 {
146:                     var index = gidenFaturaDetayListesi2.FindIndex(j =>
j.IrsaliyeNo == item.IrsaliyeNo && j.PlakaNo == item.PlakaNo);
147:                     gidenFaturaDetayListesi2[index].Tonaj =
gidenFaturaDetayListesi2[index].Tonaj + item.Miktar;
148:                 }
149:             }
150:         }
151: //if (gidenFaturaDetayListesi2.Count < 1)
152: //    gidenFaturaDetayListesi2.Add(new GidenFaturaDetayDTO());
153:
154: #endregion Irsaliye ve Tonaj Düzenlemesi
155:
156: if (gidenFaturaDetayListesi2.Count > 0)
157: {
158:     foreach (var item in gidenFaturaDetayListesi2)
159:     {
160:         var irsaliyeNote = doc.CreateElement("cbc", "Note",
xlmnscbc.Value);
161:         irsaliyeNote.InnerText = "Plaka No: " + item.PlakaNo;
162:         if (!string.IsNullOrEmpty(item.SevkIrsaliyesiNo))
163:             irsaliyeNote.InnerText += " Irsaliye No: " +
item.SevkIrsaliyesiNo;
164:         if (item.SevkIrsaliyeTarihi != null)
165:             irsaliyeNote.InnerText += " Irsaliye Tarihi: " +
item.SevkIrsaliyeTarihi?.ToShortDateString();
166:         if (item.YuklemeFormuNo != null)
167:             irsaliyeNote.InnerText += " Yükleme Formu No: " +
item.YuklemeFormuNo;
168:         if (item.Tonaj != null)
169:             irsaliyeNote.InnerText += " Tonaj: " + item.Tonaj;
170:         root.AppendChild(irsaliyeNote);
171:     }
172: }
173:
174: #endregion

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

175:
176:         var documentCurrencyCode = doc.CreateElement("cbc",
"DocumentCurrencyCode", xlmnscbc.Value);
177:         documentCurrencyCode.InnerText = "TRY";
178:         root.AppendChild(documentCurrencyCode);
179:
180:         var lineCountNumeric = doc.CreateElement("cbc", "LineCountNumeric",
xlmnscbc.Value);
181:         lineCountNumeric.InnerText = gidenFaturaDetayListesi.Count.ToString();
182:         root.AppendChild(lineCountNumeric);
183:
184:         #region AdditionalDocumentReference
185:
186:         var additionalDocumentReference = doc.CreateElement("cac",
"AdditionalDocumentReference", xlmnscac.Value);
187:         var additionalDocumentReferenceId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
188:         additionalDocumentReferenceId.InnerText = gidenFatura.GidenFaturaId;
189:         additionalDocumentReference.AppendChild(additionalDocumentReferenceId);
190:         issueDate = doc.CreateElement("cbc", "IssueDate", xlmnscbc.Value);
191:         issueDate.InnerText =
gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd");
192:         additionalDocumentReference.AppendChild(issueDate);
193:         var documentType = doc.CreateElement("cbc", "DocumentType",
xlmnscbc.Value);
194:         documentType.InnerText = "XSLT";
195:         additionalDocumentReference.AppendChild(documentType);
196:         var attachment = doc.CreateElement("cac", "Attachment", xlmnscac.Value);
197:         var embeddedDocumentBinaryObject = doc.CreateElement("cbc",
"EmbeddedDocumentBinaryObject", xlmnscbc.Value);
198:         XmlAttribute characterSetCode = doc.CreateAttribute("characterSetCode");
199:         characterSetCode.Value = "UTF-8";
200:         XmlAttribute encodingCode = doc.CreateAttribute("encodingCode");
201:         encodingCode.Value = "Base64";
202:         XmlAttribute mimeCode = doc.CreateAttribute("mimeCode");
203:         mimeCode.Value = "application/xml";
204:         embeddedDocumentBinaryObject.Attributes.Append(characterSetCode);
205:         embeddedDocumentBinaryObject.Attributes.Append(encodingCode);
206:         embeddedDocumentBinaryObject.Attributes.Append(mimeCode);
207:         attachment.AppendChild(embeddedDocumentBinaryObject);
208:         additionalDocumentReference.AppendChild(attachment);
209:
210:         root.AppendChild(additionalDocumentReference);
211:
212:         #endregion
213:
214:         #endregion
215:
216:         // Faturaya iliskin imza, adres vb. bilgiler yer almaktadir
217:         #region Signature
218:         var signature = doc.CreateElement("cac", "Signature", xlmnscac.Value);
219:         XmlAttribute signatureIdAttr = doc.CreateAttribute("schemeID");
220:         signatureIdAttr.Value = "VKN_TCKN";
221:         var signatureId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
222:         signatureId.Attributes.Append(signatureIdAttr);
223:         signatureId.InnerText = "3250566851";
224:         signature.AppendChild(signatureId);
225:         var signatoryParty = doc.CreateElement("cac", "SignatoryParty",
xlmnscac.Value);
226:
227:         var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
228:         XmlAttribute signatureIdAttr2 = doc.CreateAttribute("schemeID");
229:         signatureIdAttr2.Value = "VKN";
230:         var signaturePartyId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
231:         signaturePartyId.Attributes.Append(signatureIdAttr2);
232:         signaturePartyId.InnerText = "3250566851";
233:         partyIdentification.AppendChild(signaturePartyId);
234:         signatoryParty.AppendChild(partyIdentification);

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```

235:             #region Postal Address
236:             var postalAddress = doc.CreateElement("cac", "PostalAddress",
xlmnscac.Value);
237:             var streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
238:             streetName.InnerText = "Mithatpasa Caddesi";
239:             postalAddress.AppendChild(streetName);
240:             var buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
241:             buildingNumber.InnerText = "14";
242:             postalAddress.AppendChild(buildingNumber);
243:             var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
244:             citySubdivisionName.InnerText = "Çankaya";
245:             postalAddress.AppendChild(citySubdivisionName);
246:             var cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
247:             cityName.InnerText = "Ankara";
248:             postalAddress.AppendChild(cityName);
249:             var postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
250:             postalZone.InnerText = "06100";
251:             postalAddress.AppendChild(postalZone);
252:             var country = doc.CreateElement("cac", "Country", xlmnscac.Value);
253:             var countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
254:             countryName.InnerText = "Türkiye";
255:             country.AppendChild(countryName);
256:             postalAddress.AppendChild(country);
257:             signatoryParty.AppendChild(postalAddress);
258:             signature.AppendChild(signatoryParty);
259:
260:             #endregion
261:
262:             var digitalSignatureAttachment = doc.CreateElement("cac",
"DigitalSignatureAttachment", xlmnscac.Value);
263:             var externalReference = doc.CreateElement("cac", "ExternalReference",
xlmnscac.Value);
264:             var uri = doc.CreateElement("cbc", "URI", xlmnscbc.Value);
265:             uri.InnerText = "#Signature";
266:             externalReference.AppendChild(uri);
267:             digitalSignatureAttachment.AppendChild(externalReference);
268:             signature.AppendChild(digitalSignatureAttachment);
269:
270:             root.AppendChild(signature);
271:             #endregion
272:
273:             // Burada sabit degerler verilmekte olup, Faturayı kesen kuruma veya
1
firma ait bilgiler
274:             // yer almaktadır. Bu kısımda örnek olarak TÜRKSEKER Fabrikaları Genel
Müdürlüğü bilgileri
275:             // kullanılmıştır. Ancak degistirip test edilebilir.
276:             #region AccountingSupplierParty
277:
278:             var accountingSupplierParty = doc.CreateElement("cac",
"AccountingSupplierParty", xlmnscac.Value);
279:             var party = doc.CreateElement("cac", "Party", xlmnscac.Value);
280:             var webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
281:             webSiteUri.InnerText = "https://www.turkseker.gov.tr";
282:             party.AppendChild(webSiteUri);
283:             XmlAttribute accountingSupplierPartyIdAttr =
doc.CreateAttribute("schemeID");
284:             accountingSupplierPartyIdAttr.Value = "VKN_TCKN";
285:             partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
286:             XmlAttribute accountingSupplierPartyIdAttr2 =
doc.CreateAttribute("schemeID");
287:             accountingSupplierPartyIdAttr2.Value = "VKN";
288:             var accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
289:             accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
290:             accountingSupplierPartyPartyId.InnerText = "3250566851";

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

291:         partyIdentification.AppendChild(accountingSupplierPartyPartyId);
292:         party.AppendChild(partyIdentification);
293:
294:         if (!string.IsNullOrEmpty(gidenFatura.AltBirimAd))
295:         {
296:             partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
297:             accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
298:             accountingSupplierPartyIdAttr2.Value = "SUBENO";
299:             accountingSupplierPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
300:
301:             accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
302:             accountingSupplierPartyId.InnerText = gidenFatura.AltBirimAd;
303:             partyIdentification.AppendChild(accountingSupplierPartyPartyId);
304:             party.AppendChild(partyIdentification);
305:
306:             var partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
307:             var partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
308:             partyNameReal.InnerText = "TÜRKİYE SEKER FABRIKALARI A.S.";
309:             partyName.AppendChild(partyNameReal);
310:             party.AppendChild(partyName);
311:
312:             #region Postal Address
313:             postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
314:             var postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
315:             postalAddressId.InnerText = "3250566851";
316:             postalAddress.AppendChild(postalAddressId);
317:             streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
318:             streetName.InnerText = "Mithatpasa Caddesi";
319:             postalAddress.AppendChild(streetName);
320:             buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
321:
322:             buildingNumber.InnerText = "14";
323:             postalAddress.AppendChild(buildingNumber);
324:             citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
325:
326:             citySubdivisionName.InnerText = "Çankaya";
327:             postalAddress.AppendChild(citySubdivisionName);
328:             cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
329:             cityName.InnerText = "Ankara";
330:             postalAddress.AppendChild(cityName);
331:             postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
332:             postalZone.InnerText = "06100";
333:             postalAddress.AppendChild(postalZone);
334:             country = doc.CreateElement("cac", "Country", xlmnscac.Value);
335:             countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
336:             countryName.InnerText = "Türkiye";
337:             country.AppendChild(countryName);
338:             postalAddress.AppendChild(country);
339:             party.AppendChild(postalAddress);
340:
341:             #endregion
342:
343:             var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xlmnscac.Value);
344:             var taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
345:             var taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
346:             taxSchemeName.InnerText = "Ankara Kurumlar";
347:             taxScheme.AppendChild(taxSchemeName);
348:             partyTaxScheme.AppendChild(taxScheme);
349:             party.AppendChild(partyTaxScheme);
350:
351:             var contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
352:             var telephone = doc.CreateElement("cbc", "Telephone", xlmnscbc.Value);
353:             telephone.InnerText = "(312) 4585500";
            contact.AppendChild(telephone);
            var telefax = doc.CreateElement("cbc", "Telefax", xlmnscbc.Value);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

354:                     telefax.InnerText = "(312) 4585800";
355:                     contact.AppendChild(telefax);
356:                     var electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xlmnscbc.Value);
357:                     electronicMail.InnerText = "maliisler@turkseker.gov.tr";
358:                     contact.AppendChild(electronicMail);
359:                     party.AppendChild(contact);
360:
361:                     accountingSupplierParty.AppendChild(party);
362:
363:                     root.AppendChild(accountingSupplierParty);
364: #endregion
365:
366: // Bu kisimda fatura kesilen firma bilgileri yer almaktadir
367: #region AccountingCustomerParty
368:
369:         var accountingCustomerParty = doc.CreateElement("cac",
370: "AccountingCustomerParty", xlmnscac.Value);
371:         party = doc.CreateElement("cac", "Party", xlmnscac.Value);
372:         webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
373:         party.AppendChild(webSiteUri);
374:         XmlAttribute accountingCustomerPartyIdAttr =
doc.CreateAttribute("schemeID");
375:         accountingCustomerPartyIdAttr.Value = "TCKN";
376:         if (!string.IsNullOrEmpty(gidenFatura.VergiNo) &&
gidenFatura.VergiNo.Length == 10)
377:             accountingCustomerPartyIdAttr.Value = "VKN";
378:         partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
379:         var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
380:
accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerPartyIdAttr);
381:         accountingCustomerPartyPartyId.InnerText = gidenFatura.VergiNo;
382:         partyIdentification.AppendChild(accountingCustomerPartyPartyId);
383:         party.AppendChild(partyIdentification);
384:         if (!string.IsNullOrEmpty(gidenFatura.VergiNo) &&
gidenFatura.VergiNo.Length == 10)
385:         {
386:             partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
387:             partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
388:             partyNameReal.InnerText = gidenFatura.TuzelKisiAd;
389:             partyName.AppendChild(partyNameReal);
390:             party.AppendChild(partyName);
391:         }
392:
393: #region Postal Address
394:         postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
395:         postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
396:         postalAddressId.InnerText = gidenFatura.VergiNo;
397:         postalAddress.AppendChild(postalAddressId);
398:         var room = doc.CreateElement("cbc", "Room", xlmnscbc.Value);
399:         postalAddress.AppendChild(room);
400:         streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
401:         if (!string.IsNullOrEmpty(gidenFatura.Adres))
402:             streetName.InnerText = gidenFatura.Adres;
403:         postalAddress.AppendChild(streetName);
404:         buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
405:         //buildingNumber.InnerText = "";
406:         postalAddress.AppendChild(buildingNumber);
407:         citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
408:         if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
409:             citySubdivisionName.InnerText = gidenFatura.IlceAd;
410:         postalAddress.AppendChild(citySubdivisionName);
411:         cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
412:         if (!string.IsNullOrEmpty(gidenFatura.IlAd))

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

413:         cityName.InnerText = gidenFatura.IlAd;
414:         postalAddress.AppendChild(cityName);
415:         postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
416:         //postalZone.InnerText = "";
417:         postalAddress.AppendChild(postalZone);
418:         country = doc.CreateElement("cac", "Country", xlmnscac.Value);
419:         countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
420:         countryName.InnerText = "Türkiye";
421:         country.AppendChild(countryName);
422:         postalAddress.AppendChild(country);
423:         party.AppendChild(postalAddress);
424:
425:     #endregion
426:
427:     partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xlmnscac.Value);
428:     taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
429:     taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
430:     if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
431:         taxSchemeName.InnerText = gidenFatura.VergiDairesi;
432:     taxScheme.AppendChild(taxSchemeName);
433:     partyTaxScheme.AppendChild(taxScheme);
434:     party.AppendChild(partyTaxScheme);
435:
436:     contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
437:     electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xlmnscbc.Value);
438:     if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))
439:         electronicMail.InnerText = gidenFatura.EPostaAdresi;
440:     contact.AppendChild(electronicMail);
441:     party.AppendChild(contact);
442:
443:     if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
444:     {
445:         if (gidenFatura.VergiNo.Length == 11)
446:         {
447:             var liste = gidenFatura.TuzelKisiAd.Split(' ').ToList();
448:             if (liste.Count > 1)
449:             {
450:                 var person = doc.CreateElement("cac", "Person",
xlmnscac.Value);
451:                 var firstName = doc.CreateElement("cbc", "FirstName",
xlmnscbc.Value);
452:                 firstName.InnerText = liste[0];
453:                 person.AppendChild(firstName);
454:                 var familyName = doc.CreateElement("cbc", "FamilyName",
xlmnscbc.Value);
455:                 familyName.InnerText = liste[1];
456:                 person.AppendChild(familyName);
457:                 party.AppendChild(person);
458:             }
459:         }
460:     }
461:
462:     accountingCustomerParty.AppendChild(party);
463:
464:     root.AppendChild(accountingCustomerParty);
465: #endregion
466:
467:     if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
468:     {
469:         if (gidenFatura.VergiNo.Length == 10)
470:         {
471:             // Bu kisimda fatura kesilen firma bilgileri yer almaktadir (Eger
sadece Tüzel Kisilikse, sahis sirketleri için bu yapılmamaktadir)
472:             #region BuyerCustomerParty
473:
474:             var buyerCustomerParty = doc.CreateElement("cac",
"BuyerCustomerParty", xlmnscac.Value);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

475:                     party = doc.CreateElement("cac", "Party", xlmnscac.Value);
476:                     webSiteUri = doc.CreateElement("cbc", "WebsiteURI",
xlmnscbc.Value);
477:                     party.AppendChild(webSiteUri);
478:                     XmlAttribute buyerCustomerPartyIdAttr =
doc.CreateAttribute("schemeID");
479:                     buyerCustomerPartyIdAttr.Value = "VKN";
480:                     partyIdentification = doc.CreateElement("cac",
"PartyIdentification", xlmnscac.Value);
481:                     var buyerCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
482:
buyerCustomerPartyPartyId.Attributes.Append(buyerCustomerPartyIdAttr);
483:                     buyerCustomerPartyPartyId.InnerText = gidenFatura.VergiNo;
484:                     partyIdentification.AppendChild(buyerCustomerPartyPartyId);
485:                     party.AppendChild(partyIdentification);
486:
487:                     if (gidenFatura.VergiNo.Length == 10)
488:                     {
489:                         partyName = doc.CreateElement("cac", "PartyName",
xlmnscac.Value);
490:                         partyNameReal = doc.CreateElement("cbc", "Name",
xlmnscbc.Value);
491:                         partyNameReal.InnerText = gidenFatura.TuzelKisiAd;
492:                         partyName.AppendChild(partyNameReal);
493:                         party.AppendChild(partyName);
494:                     }
495:
496:                     #region Postal Address
497:                     postalAddress = doc.CreateElement("cac", "PostalAddress",
xlmnscac.Value);
498:                     postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
499:                     postalAddressId.InnerText = gidenFatura.VergiNo;
500:                     postalAddress.AppendChild(postalAddressId);
501:                     room = doc.CreateElement("cbc", "Room", xlmnscbc.Value);
502:                     postalAddress.AppendChild(room);
503:                     streetName = doc.CreateElement("cbc", "StreetName",
xlmnscbc.Value);
504:                     if (!string.IsNullOrEmpty(gidenFatura.Adres))
505:                         streetName.InnerText = gidenFatura.Adres;
506:                     postalAddress.AppendChild(streetName);
507:                     buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
508:                     //buildingNumber.InnerText = "";
509:                     postalAddress.AppendChild(buildingNumber);
510:                     citySubdivisionName = doc.CreateElement("cbc",
"CitySubdivisionName", xlmnscbc.Value);
511:                     if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
512:                         citySubdivisionName.InnerText = gidenFatura.IlceAd;
513:                     postalAddress.AppendChild(citySubdivisionName);
514:                     cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
515:                     if (!string.IsNullOrEmpty(gidenFatura.IlAd))
516:                         cityName.InnerText = gidenFatura.IlAd;
517:                     postalAddress.AppendChild(cityName);
518:                     postalZone = doc.CreateElement("cbc", "PostalZone",
xlmnscbc.Value);
519:                     //postalZone.InnerText = "";
520:                     postalAddress.AppendChild(postalZone);
521:                     country = doc.CreateElement("cac", "Country", xlmnscac.Value);
522:                     countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
523:                     countryName.InnerText = "Türkiye";
524:                     country.AppendChild(countryName);
525:                     postalAddress.AppendChild(country);
526:                     party.AppendChild(postalAddress);
527:
528:                     #endregion
529:
530:                     partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xlmnscac.Value);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```

531:         taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
532:         taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
533:         if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
534:             taxSchemeName.InnerText = gidenFatura.VergiDairesi;
535:         taxScheme.AppendChild(taxSchemeName);
536:         partyTaxScheme.AppendChild(taxScheme);
537:         party.AppendChild(partyTaxScheme);
538:
539:         contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
540:         electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xlmnscbc.Value);
541:         if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))
542:             electronicMail.InnerText = gidenFatura.EPostaAdresi;
543:         contact.AppendChild(electronicMail);
544:         party.AppendChild(contact);
545:
546:         if (gidenFatura.VergiNo.Length == 11)
547:         {
548:             var liste = gidenFatura.TuzelKisiAd.Split(' ').ToList();
549:             if (liste.Count > 1)
550:             {
551:                 var person = doc.CreateElement("cac", "Person",
xlmnscac.Value);
552:                 var firstName = doc.CreateElement("cbc", "FirstName");
553:                 firstName.InnerText = liste[0];
554:                 person.AppendChild(firstName);
555:                 var familyName = doc.CreateElement("cbc", "FamilyName",
xlmnscbc.Value);
556:                 familyName.InnerText = liste[1];
557:                 person.AppendChild(familyName);
558:                 party.AppendChild(person);
559:             }
560:         }
561:
562:         buyerCustomerParty.AppendChild(party);
563:
564:         root.AppendChild(buyerCustomerParty);
565:         #endregion
566:     }
567: }
568:
569: if (!string.IsNullOrEmpty(gidenFatura.BankaAd))
570: {
571: // Eger Banka bilgileri mevcutsa burada banka bilgileri yer almaktadir
572: #region PaymentMeans
573:
574: var paymentMeans = doc.CreateElement("cac", "PaymentMeans",
xlmnscac.Value);
575: var paymentMeansCode = doc.CreateElement("cbc", "PaymentMeansCode",
xlmnscbc.Value);
576: paymentMeansCode.InnerText = "1";
577: paymentMeans.AppendChild(paymentMeansCode);
578: var payeeFinancialAccount = doc.CreateElement("cac",
"PayeeFinancialAccount", xlmnscac.Value);
579: var payeeFinancialAccountId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
580:
581: if (!string.IsNullOrEmpty(gidenFatura.IbanNo))
582:     payeeFinancialAccountId.InnerText = gidenFatura.IbanNo;
583: payeeFinancialAccount.AppendChild(payeeFinancialAccountId);
584: var currencyCode = doc.CreateElement("cbc", "CurrencyCode",
xlmnscbc.Value);
585: currencyCode.InnerText = "TRY";
586: payeeFinancialAccount.AppendChild(currencyCode);
587: var paymentNote = doc.CreateElement("cbc", "PaymentNote",
xlmnscbc.Value);
588: if (!string.IsNullOrEmpty(gidenFatura.BankaAd) &&
!string.IsNullOrEmpty(gidenFatura.BankaSube))
    paymentNote.InnerText = gidenFatura.BankaAd + " - " +

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

gidenFatura.BankaSube;
589:     payeeFinancialAccount.AppendChild(paymentNote);
590:     paymentMeans.AppendChild(payeeFinancialAccount);
591:     root.AppendChild(paymentMeans);
592:
593:     #endregion
594: }
595:
596: #region KDVlerin Belirlenmesi
597:
598: var faturaKdvListesi = new List<FaturaKdvDTO>();
599: foreach (var item in gidenFaturaDetayListesi)
600: {
601:     decimal kodKdvTuruOran = item.KdvOran ?? 0;
602:     if (!faturaKdvListesi.Any(j => j.KdvOran == kodKdvTuruOran))
603:     {
604:         var faturaKdv = new FaturaKdvDTO
605:         {
606:             KdvOran = kodKdvTuruOran,
607:             KdvTutari = item.KdvTutari,
608:             KdvHaricTutar = item.KdvHaricTutar
609:         };
610:         faturaKdvListesi.Add(faturaKdv);
611:     }
612:     else
613:     {
614:         var index = faturaKdvListesi.FindIndex(j => j.KdvOran ==
kodKdvTuruOran);
615:         faturaKdvListesi[index].KdvTutari += item.KdvTutari;
616:         faturaKdvListesi[index].KdvHaricTutar += item.KdvHaricTutar;
617:     }
618:     if (faturaKdvListesi.Count > 0)
619:         faturaKdvListesi = faturaKdvListesi.OrderBy(j =>
j.KdvOran).ToList();
620:     }
621:
622:     #endregion
623:
624: #region TaxTotal
625:
626: var sayac = 1;
627: foreach (var item in faturaKdvListesi)
628: {
629:     // Burada vergi bilgileri yer almaktadir
630:     #region TaxTotal
631:
632:     var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
633:     XmlAttribute currencyIdGeneral = doc.CreateAttribute("currencyID");
634:     currencyIdGeneral.Value = "TRY";
635:     var taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
636:     taxAmount.RemoveAllAttributes();
637:     taxAmount.Attributes.Append(currencyIdGeneral);
638:     taxAmount.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
639:     taxTotal.AppendChild(taxAmount);
640:     var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal",
xlmnscac.Value);
641:     var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xlmnscbc.Value);
642:     taxableAmount.RemoveAllAttributes();
643:     currencyIdGeneral = doc.CreateAttribute("currencyID");
644:     currencyIdGeneral.Value = "TRY";
645:     taxableAmount.Attributes.Append(currencyIdGeneral);
646:     taxableAmount.InnerText = Decimal.Round((decimal)item.KdvHaricTutar,
2, MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
647:     taxSubTotal.AppendChild(taxableAmount);
648:     var taxAmount2 = doc.CreateElement("cbc", "TaxAmount",
xlmnscbc.Value);
649:     taxAmount2.RemoveAllAttributes();

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

650:             currencyIdGeneral = doc.CreateAttribute("currencyID");
651:             currencyIdGeneral.Value = "TRY";
652:             taxAmount2.Attributes.Append(currencyIdGeneral);
653:             taxAmount2.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
654:             taxSubTotal.AppendChild(taxAmount2);
655:             var calculationSequenceNumeric = doc.CreateElement("cbc",
"CalculationSequenceNumeric", xlmnscbc.Value);
656:             calculationSequenceNumeric.InnerText = sayac + ".0";
657:             taxSubTotal.AppendChild(calculationSequenceNumeric);
658:             var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
659:             percent.InnerText = Decimal.Round((decimal)item.KdvOran, 0,
MidpointRounding.AwayFromZero).ToString();
660:             taxSubTotal.AppendChild(percent);
661:             var taxCategory = doc.CreateElement("cac", "TaxCategory",
xlmnscac.Value);
662:             if (item.KdvTutari == 0)
663:             {
664:                 var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
665:                 taxExemptionReasonCode.InnerText = "325";
666:                 var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
667:                 taxExemptionReason.InnerText = "13/i Yem Teslimleri";
668:                 taxCategory.AppendChild(taxExemptionReasonCode);
669:                 taxCategory.AppendChild(taxExemptionReason);
670:             }
671:             if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
672:             {
673:                 var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
674:                 taxExemptionReasonCode.InnerText = "701";
675:                 var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
676:                 taxExemptionReason.InnerText = "3065 sayili Katma Deger Vergisi
kanununun 11/1-c maddesi kapsamında ihraç edilmek şartıyla teslim edildiginden Katma Deger
Vergisi tahsil edilmemistir.";
677:                 taxCategory.AppendChild(taxExemptionReasonCode);
678:                 taxCategory.AppendChild(taxExemptionReason);
679:             }
680:             var taxScheme2 = doc.CreateElement("cac", "TaxScheme",
xlmnscac.Value);
681:             var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode",
xlmnscbc.Value);
682:             taxTypeCode.InnerText = "0015";
683:             taxScheme2.AppendChild(taxTypeCode);
684:             taxCategory.AppendChild(taxScheme2);
685:             taxSubTotal.AppendChild(taxCategory);
686:             taxTotal.AppendChild(taxSubTotal);
687:             root.AppendChild(taxTotal);
688:
689:             #endregion
690:
691:             sayac++;
692:         }
693:
694:         #endregion
695:
696:         // Burada vergi bilgileri yer almaktadir (Açıklama Satiri haline
getirildi)
697:         #region Açıklama Satiri (TaxTotal)
698:
699:         //var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
700:         //XmlAttribute currencyId = doc.CreateAttribute("currencyID");
701:         //currencyId.Value = "TRY";
702:         //var taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
703:         //taxAmount.RemoveAllAttributes();
704:         //taxAmount.Attributes.Append(currencyId);
705:         //taxAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari, 2,

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

    MidpointRounding.AwayFromZero).ToString().Replace(", ", "."));
706:         //taxTotal.AppendChild(taxAmount);
707:         //var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal",
xlmnscac.Value);
708:         //var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
709:             //taxableAmount.RemoveAllAttributes();
710:             //currencyId = doc.CreateAttribute("currencyID");
711:             //currencyId.Value = "TRY";
712:             //taxableAmount.Attributes.Append(currencyId);
713:             //taxableAmount.InnerText =
Decimal.Round((decimal)gidenFatura.KdvHanicTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", "."));
714:         //taxSubTotal.AppendChild(taxableAmount);
715:         //var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
716:         //taxAmount2.RemoveAllAttributes();
717:         //currencyId = doc.CreateAttribute("currencyID");
718:         //currencyId.Value = "TRY";
719:         //taxAmount2.Attributes.Append(currencyId);
720:         //taxAmount2.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", "."));
721:         //taxSubTotal.AppendChild(taxAmount2);
722:         //var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
723:         //if (gidenFatura.KdvHanicTutar != 0)
724:             //    percent.InnerText = Decimal.Round(((decimal)gidenFatura.KdvTutari *
100) / (decimal)gidenFatura.KdvHanicTutar, 0, MidpointRounding.AwayFromZero).ToString();
725:         //else
726:             //    percent.InnerText = "0";
727:         //taxSubTotal.AppendChild(percent);
728:         //var taxCategory = doc.CreateElement("cac", "TaxCategory",
xlmnscac.Value);
729:         //if (gidenFatura.KdvTutari == 0)
730:             //{
731:                 //    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
732:                 //    taxExemptionReasonCode.InnerText = "325";
733:                 //    var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
734:                 //    taxExemptionReason.InnerText = "13/i Yem Teslimleri";
735:                 //    taxCategory.AppendChild(taxExemptionReasonCode);
736:                 //    taxCategory.AppendChild(taxExemptionReason);
737:             //}
738:             //if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
739:             //{
740:                 //    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
741:                 //    taxExemptionReasonCode.InnerText = "701";
742:                 //    var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
743:                 //    taxExemptionReason.InnerText = "3065 sayili Katma Deger Vergisi
kanununun 11/1-c maddesi kapsamında ihraç edilmek şartıyla teslim edildiginden Katma Deger
Vergisi tahsil edilmemistir.";
744:                 //    taxCategory.AppendChild(taxExemptionReasonCode);
745:                 //    taxCategory.AppendChild(taxExemptionReason);
746:             //}
747:             //var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
748:             //var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode",
xlmnscbc.Value);
749:             //taxTypeCode.InnerText = "0015";
750:             //taxScheme2.AppendChild(taxTypeCode);
751:             //taxCategory.AppendChild(taxScheme2);
752:             //taxSubTotal.AppendChild(taxCategory);
753:             //taxTotal.AppendChild(taxSubTotal);
754:             //root.AppendChild(taxTotal);
755:
756: #endregion
757:
758: // KDV, KDV Hariç Tutar ve Toplam Tutar bilgileri yer almaktadir
759: #region LegalMonetaryTotal

```

```

760:
761:         var legalMonetaryTotal = doc.CreateElement("cac", "LegalMonetaryTotal",
762:             xlmnscac.Value);
763:         var lineExtensionAmount = doc.CreateElement("cbc", "LineExtensionAmount",
764:             xlmnscbc.Value);
765:         lineExtensionAmount.RemoveAllAttributes();
766:         var currencyId = doc.CreateAttribute("currencyID");
767:         currencyId.Value = "TRY";
768:         lineExtensionAmount.Attributes.Append(currencyId);
769:         lineExtensionAmount.InnerText =
    Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
    MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
770:         legalMonetaryTotal.AppendChild(lineExtensionAmount);
771:         var taxExclusiveAmount = doc.CreateElement("cbc", "TaxExclusiveAmount",
    xlmnscbc.Value);
772:         taxExclusiveAmount.RemoveAllAttributes();
773:         currencyId = doc.CreateAttribute("currencyID");
774:         currencyId.Value = "TRY";
    taxExclusiveAmount.Attributes.Append(currencyId);
    taxExclusiveAmount.InnerText =
    Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
    MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
775:         legalMonetaryTotal.AppendChild(taxExclusiveAmount);
776:         var taxInclusiveAmount = doc.CreateElement("cbc", "TaxInclusiveAmount",
    xlmnscbc.Value);
777:         taxInclusiveAmount.RemoveAllAttributes();
778:         currencyId = doc.CreateAttribute("currencyID");
779:         currencyId.Value = "TRY";
    taxInclusiveAmount.Attributes.Append(currencyId);
    taxInclusiveAmount.InnerText =
    Decimal.Round((decimal)gidenFatura.FaturaTutari, 2,
    MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
780:         legalMonetaryTotal.AppendChild(taxInclusiveAmount);
781:         var payableAmount = doc.CreateElement("cbc", "PayableAmount",
    xlmnscbc.Value);
782:         payableAmount.RemoveAllAttributes();
783:         currencyId = doc.CreateAttribute("currencyID");
784:         currencyId.Value = "TRY";
    payableAmount.Attributes.Append(currencyId);
    payableAmount.InnerText =
    Decimal.Round((decimal)gidenFatura.FaturaTutari, 2,
    MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
785:         legalMonetaryTotal.AppendChild(payableAmount);
786:         root.AppendChild(legalMonetaryTotal);
    #endregion
787:
788:
789:         sayac = 1;
    // Her bir fatura edtayı için hazırlanan bölümdür
790:         foreach (var item in gidenFaturaDetayListesi)
    {
        #region InvoiceLine
791:
792:         // Ölçü Birimi, KDV Hariç Tutar, Para Birimi gibi bilgiler yer
793:         // almaktadır
794:         #region MetaData
795:             var invoiceLine = doc.CreateElement("cac", "InvoiceLine",
    xlmnscac.Value);
796:             var invoiceLineId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
797:             invoiceLineId.InnerText = sayac.ToString();
    invoiceLine.AppendChild(invoiceLineId);
    var quantity = doc.CreateAttribute("unitCode");
798:             if (!string.IsNullOrEmpty(item.GibKisaltma))
    quantity.Value = item.GibKisaltma;
799:             else
    quantity.Value = "KGM";
    var invoicedQuantity = doc.CreateElement("cbc", "InvoicedQuantity",
    xlmnscbc.Value);
800:             invoicedQuantity.RemoveAllAttributes();
801:             invoicedQuantity.Attributes.Append(quantity);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

813:             invoicedQuantity.InnerText = Decimal.Round((decimal)item.Miktar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
814:             invoiceLine.AppendChild(invoicedQuantity);
815:             var lineExtensionAmountDetail = doc.CreateElement("cbc",
"LineExtensionAmount", xlmnscbc.Value);
816:             lineExtensionAmountDetail.RemoveAllAttributes();
817:             currencyId = doc.CreateAttribute("currencyID");
818:             currencyId.Value = "TRY";
819:             lineExtensionAmountDetail.Attributes.Append(currencyId);
820:             lineExtensionAmountDetail.InnerText =
Decimal.Round((decimal)item.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
821:             invoiceLine.AppendChild(lineExtensionAmountDetail);
822:             #endregion
823:
824:             // Vergi bilgileri yer almaktadir
825:             #region TaxTotal
826:
827:             var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
828:             var taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
829:             chargeIndicator.InnerText = "false";
830:             allowanceCharge.AppendChild(chargeIndicator);
831:             decimal amount2 = 0;
832:             decimal toplamTutar = (decimal)item.KdvHaricTutar;
833:             decimal kodIskontoTuruOran = item.IskontoOran ?? 0;
834:             if (kodIskontoTuruOran > 0)
835:             {
836:                 toplamTutar = Decimal.Round((decimal)item.Miktar *
(decimal)item.BirimFiyat, 4, MidpointRounding.AwayFromZero);
837:                 decimal toplamTutar2 = Decimal.Round(toplamTutar * (100 -
kodIskontoTuruOran) * (decimal)0.01, 4, MidpointRounding.AwayFromZero);
838:                 amount2 = toplamTutar - toplamTutar2;
839:             }
840:             var multiplierFactorNumeric = doc.CreateElement("cbc",
"MultiplierFactorNumeric", xlmnscbc.Value);
841:             multiplierFactorNumeric.InnerText = Decimal.Round(kodIskontoTuruOran *
(decimal)0.01, 2, MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
842:             allowanceCharge.AppendChild(multiplierFactorNumeric);
843:             var amount = doc.CreateElement("cbc", "Amount", xlmnscbc.Value);
844:             currencyId = doc.CreateAttribute("currencyID");
845:             currencyId.Value = "TRY";
846:             amount.RemoveAllAttributes();
847:             amount.Attributes.Append(currencyId);
848:             amount.InnerText = Decimal.Round(amount2, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
849:             allowanceCharge.AppendChild(amount);
850:             var baseAmount = doc.CreateElement("cbc", "BaseAmount",
xlmnscbc.Value);
851:             currencyId = doc.CreateAttribute("currencyID");
852:             currencyId.Value = "TRY";
853:             baseAmount.RemoveAllAttributes();
854:             baseAmount.Attributes.Append(currencyId);
855:             baseAmount.InnerText = Decimal.Round(toplamTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
856:             allowanceCharge.AppendChild(baseAmount);
857:             invoiceLine.AppendChild(allowanceCharge);
858:
859:             #endregion
860:
861:             // Vergi bilgileri yer almaktadir
862:             #region TaxTotal
863:             var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
864:             var taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
865:             taxAmount.RemoveAllAttributes();
866:             taxAmount.Attributes.Append(currencyId);
867:
868:

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

869:             taxAmount.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
870:             taxTotal.AppendChild(taxAmount);
871:             var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal",
xlmnscac.Value);
872:             var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
taxableAmount.RemoveAllAttributes();
873:             currencyId = doc.CreateAttribute("currencyID");
874:             currencyId.Value = "TRY";
875:             taxableAmount.Attributes.Append(currencyId);
876:             taxableAmount.InnerText = Decimal.Round((decimal)item.KdvHaricTutar,
2, MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
877:             taxSubTotal.AppendChild(taxableAmount);
878:             var taxAmount2 = doc.CreateElement("cbc", "TaxAmount",
xlmnscbc.Value);
879:             taxAmount2.RemoveAllAttributes();
880:             currencyId = doc.CreateAttribute("currencyID");
881:             currencyId.Value = "TRY";
882:             taxAmount2.Attributes.Append(currencyId);
883:             taxAmount2.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
884:             taxSubTotal.AppendChild(taxAmount2);
885:             var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
886:             if (item.KdvOran != null)
887:                 percent.InnerText = Decimal.Round((decimal)item.KdvOran, 2,
MidpointRounding.AwayFromZero).ToString("N1").Replace(", ", ".");
888:             taxSubTotal.AppendChild(percent);
889:             var taxCategory = doc.CreateElement("cac", "TaxCategory",
xlmnscac.Value);
890:             if (item.KdvTutari == 0)
891:             {
892:                 var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
893:                 taxExemptionReasonCode.InnerText = "325";
894:                 var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
895:                 taxExemptionReason.InnerText = "13/i Yem Teslimleri";
896:                 taxCategory.AppendChild(taxExemptionReasonCode);
897:                 taxCategory.AppendChild(taxExemptionReason);
898:             }
899:             var taxScheme2 = doc.CreateElement("cac", "TaxScheme",
xlmnscac.Value);
900:             var taxTypeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
901:             taxTypeName.InnerText = "KDV";
902:             taxScheme2.AppendChild(taxTypeName);
903:             var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode",
xlmnscbc.Value);
904:             taxTypeCode.InnerText = "0015";
905:             taxScheme2.AppendChild(taxTypeCode);
906:             taxCategory.AppendChild(taxScheme2);
907:             taxSubTotal.AppendChild(taxCategory);
908:             taxTotal.AppendChild(taxSubTotal);
909:             invoiceLine.AppendChild(taxTotal);
910:             #endregion
911:
912:
913:             // Fatura kesilen ürün detayı ve açıklama bilgileri yer almaktadır
914:             #region Item
915:             var invoiceItem = doc.CreateElement("cac", "Item", xlmnscac.Value);
916:             if (!string.IsNullOrEmpty(item.MalzemeFaturaAciklamasi))
917:             {
918:                 var description = doc.CreateElement("cbc", "Description",
xlmnscbc.Value);
919:                 description.InnerText = item.MalzemeFaturaAciklamasi;
920:                 invoiceItem.AppendChild(description);
921:             }
922:             var itemName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
923:             if (!string.IsNullOrEmpty(item.FaturaUrunturu))
924:                 itemName.InnerText = item.FaturaUrunturu;

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

925:                     invoiceItem.AppendChild(itemName);
926:                     invoiceLine.AppendChild(invoiceItem);
927: #endregion
928:
929: // Birim fiyat bilgileri yer almaktadir
930: #region Price
931:
932:         var price = doc.CreateElement("cac", "Price", xlmnscac.Value);
933:         var priceAmount = doc.CreateElement("cbc", "PriceAmount",
xlmnscbc.Value);
934:         priceAmount.RemoveAllAttributes();
935:         currencyId = doc.CreateAttribute("currencyID");
936:         currencyId.Value = "TRY";
937:         priceAmount.Attributes.Append(currencyId);
938:         if (item.BirimFiyat != null)
939:             priceAmount.InnerText = Decimal.Round((decimal)item.BirimFiyat,
4, MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
940:         else
941:             priceAmount.InnerText = "0.00";
942:         price.AppendChild(priceAmount);
943:         invoiceLine.AppendChild(price);
944:
945: #endregion
946:
947:         root.AppendChild(invoiceLine);
948: #endregion
949:
950:         sayac++;
951:     }
952:
953: #endregion
954:
955: doc.AppendChild(root);
956:
957: #region Dosya Kaydi
958:
959:         var fileName = aktarilacakKlasorAdi + "/" + gidenFatura.GidenFaturaId +
".xml";
960:         doc.Save(fileName);
961:
962: #endregion
963:
964:         return fileName;
965:
966:
967: /// <summary>
968: /// Giden Fatura Bilgisi Üzerinden E-Arsiv Sistemine Göndermek İçin
969: /// XML Dosyasi Olusturmaya yarayan metottur
970: /// </summary>
971: /// <param name="gidenFatura">Giden Fatura Bilgisi</param>
972: /// <param name="gidenFaturaDetayListesi">Giden Fatura Detay Listesi</param>
973: /// <param name="aktarilacakKlasorAdi">Olusturulan Dosyanin Aktarilacagi
Klasör</param>
974: /// <param name="mustahsilMakbuzuMi">Tüzel Kisi Mi Bilgisi</param>
975: /// <returns>Kaydedilen Dosyanin Bilgisayardaki Adresi</returns>
976: public static string EArsivXMLOlustur(GidenFaturaDTO gidenFatura,
List<GidenFaturaDetayDTO> gidenFaturaDetayListesi, string aktarilacakKlasorAdi, bool
mustahsilMakbuzuMi)
977: {
978:     if (!mustahsilMakbuzuMi)
979:     {
980:         #region Sahis Sirketi veya Personel Kaydindan Gelecekse
981:
982:         XmlDocument doc = new XmlDocument();
983:         XmlDeclaration declaration;
984:         declaration = doc.CreateXmlDeclaration("1.0", "UTF-8", null);
985:         XmlElement root = doc.DocumentElement;
986:         doc.InsertBefore(declaration, root);
987:         //doc.AppendChild(doc.CreateProcessingInstruction("xml-stylesheet",

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

"type=\"text/xsl\" href=\"general.xslt\""));
988:
989:     root = doc.CreateElement("Invoice");
990:
991:     var kodSatisTuruKod = 0;
992:     if (gidenFatura.SatisTuruKod != null)
993:         kodSatisTuruKod = gidenFatura.SatisTuruKod ?? 0;
994:
995:     var kodFaturaTuruKod = 0;
996:     if (gidenFatura.FaturaTuruKod != null)
997:         kodFaturaTuruKod = gidenFatura.FaturaTuruKod ?? 0;
998:
999:     #region Standart ve Faturaya Bagli Bilgiler
1000:
1001:    // Faturanin türü, düzenleme tarihi, UBL Versiyon Numarasi, GIB
Numarasi gibi bilgiler
1002:    // yer almaktadir
1003:    #region Standart Bilgiler
1004:    root.RemoveAllAttributes();
1005:
1006:    string locationAttribute = "xsi:schemaLocation";
1007:    XmlAttribute location = doc.CreateAttribute("xsi", "schemaLocation",
"urn:oasis:names:specification:ubl:schema:xsd:Invoice-2");
1008:    location.Value =
"urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
./xsdrt/maindoc/UBL-Invoice-2.1.xsd";
1009:    //XmlAttribute location = doc.CreateAttribute(schemaLocation);
1010:    //location.Value =
"urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
./xsdrt/maindoc/UBL-Invoice-2.1.xsd";
1011:    XmlAttribute xlmns = doc.CreateAttribute("xmlns");
1012:    xlmns.Value =
"urn:oasis:names:specification:ubl:schema:xsd:Invoice-2";
1013:    XmlAttribute xlmnsn4 = doc.CreateAttribute("xmlns:n4");
1014:    xlmnsn4.Value = "http://www.altova.com/samplexml/other-namespace";
1015:    XmlAttribute xlmnsxsi = doc.CreateAttribute("xmlns:xsi");
1016:    xlmnsxsi.Value = "http://www.w3.org/2001/XMLSchema-instance";
1017:    XmlAttribute xlmnscac = doc.CreateAttribute("xmlns:cac");
1018:    xlmnscac.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonAggregateComponents-2";
1019:    XmlAttribute xlmnscbc = doc.CreateAttribute("xmlns:cbc");
1020:    xlmnscbc.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonBasicComponents-2";
1021:    XmlAttribute xlmnsext = doc.CreateAttribute("xmlns:ext");
1022:    xlmnsext.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonExtensionComponents-2";
1023:    XmlAttribute xlmnsxades = doc.CreateAttribute("xmlns:xades");
1024:    //xlmnsxades.Value = "http://uri.etsi.org/01903/v1.3.2#";
1025:    xlmnsxades.Value = "http://uri.etsi.org/01903/v1.3.2";
1026:    XmlAttribute xlmnsds = doc.CreateAttribute("xmlns:ds");
1027:    //xlmnsds.Value = "http://www.w3.org/2000/09/xmldsig#";
1028:    xlmnsds.Value = "http://www.w3.org/2000/09/xmldsig";
1029:
1030:    root.Attributes.Append(location);
1031:    root.Attributes.Append(xlmns);
1032:    root.Attributes.Append(xlmnsxsi);
1033:    root.Attributes.Append(xlmnscac);
1034:    root.Attributes.Append(xlmnsext);
1035:    root.Attributes.Append(xlmnsds);
1036:    root.Attributes.Append(xlmnsxades);
1037:    root.Attributes.Append(xlmnscbc);
1038:    root.Attributes.Append(xlmnsn4);
1039:
1040:    var extUbl = doc.CreateElement("ext", "UBLExtensions",
xlmnsext.Value);
1041:    var extUbl2 = doc.CreateElement("ext", "UBLExtension",
xlmnsext.Value);
1042:    var extUbl3 = doc.CreateElement("ext", "ExtensionContent",
xlmnsext.Value);

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```
1043:         extUbl2.AppendChild(extUbl3);
1044:         extUbl.AppendChild(extUbl2);
1045:
1046:         root.AppendChild(extUbl);
1047:
1048:         var versionId = doc.CreateElement("cbc", "UBLVersionID",
1049:                                         xlmnscbc.Value);
1050:         versionId.InnerText = "2.1";
1051:         root.AppendChild(versionId);
1052:
1053:         var customizationId = doc.CreateElement("cbc", "CustomizationID",
1054:                                               xlmnscbc.Value);
1055:         customizationId.InnerText = "TR1.2";
1056:         root.AppendChild(customizationId);
1057:
1058:         var profileId = doc.CreateElement("cbc", "ProfileID", xlmnscbc.Value);
1059:         profileId.InnerText = "EARSIVFATURA";
1060:         root.AppendChild(profileId);
1061:
1062:         var id = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
1063:         if (!string.IsNullOrEmpty(gidenFatura.GibNumarasi))
1064:             id.InnerText = gidenFatura.GibNumarasi;
1065:         else
1066:             id.InnerText = "ABC" + gidenFatura.DuzenlemeTarihi?.Year +
1067: DateTime.UtcNow.Ticks.ToString().Substring(0, 9);
1068:         root.AppendChild(id);
1069:
1070:         var copyIndicator = doc.CreateElement("cbc", "CopyIndicator",
1071:                                               xlmnscbc.Value);
1072:         copyIndicator.InnerText = "false";
1073:         root.AppendChild(copyIndicator);
1074:
1075:         var gidenFaturaId = doc.CreateElement("cbc", "UUID", xlmnscbc.Value);
1076:         gidenFaturaId.InnerText = gidenFatura.GidenFaturaId.Length == 36 ?
1077: gidenFatura.GidenFaturaId.ToUpper() : Guid.NewGuid().ToString().ToUpper();
1078:         root.AppendChild(gidenFaturaId);
1079:
1080:         var issueDate = doc.CreateElement("cbc", "IssueDate", xlmnscbc.Value);
1081:         issueDate.InnerText =
1082: gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd");
1083:         root.AppendChild(issueDate);
1084:
1085:         var issueTime = doc.CreateElement("cbc", "IssueTime", xlmnscbc.Value);
1086:         issueTime.InnerText =
1087: gidenFatura.DuzenlemeTarihi?.ToString("HH:mm:ss");
1088:         root.AppendChild(issueTime);
1089:
1090:         var invoiceTypeCode = doc.CreateElement("cbc", "InvoiceTypeCode",
1091:                                               xlmnscbc.Value);
1092:         invoiceTypeCode.InnerText = "SATIS";
1093:         if (gidenFatura.KdvTutari == 0 || gidenFaturaDetayListesi.Any(j =>
j.KdvTutari == 0))
1094:             invoiceTypeCode.InnerText = "ISTISNA";
1095:         if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
1096:             invoiceTypeCode.InnerText = "IHRACKAYITLI";
1097:         if (kodFaturaTuruKod == FaturaTur.Iade.GetHashCode())
1098:             invoiceTypeCode.InnerText = "IADE";
1099:         root.AppendChild(invoiceTypeCode);
1100:
1101: #region Irsaliye Bilgileri
1102:
1103: #region Irsaliye ve Tonaj Düzenlemesi
1104:
1105: var gidenFaturaDetayListesi2 = new List<GidenFaturaDetayDTO>();
1106: var gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi;
1107: foreach (var item in gidenFaturaDetayListesiTemp)
1108: {
1109:     if (!string.IsNullOrEmpty(item.IrsaliyeNo) &&
1110: !string.IsNullOrEmpty(item.PlakaNo))
```

```

1102:             {
1103:                 if (!gidenFaturaDetayListesi2.Any(j => j.IrsaliyeNo ==
item.IrsaliyeNo && j.PlakaNo == item.PlakaNo))
1104:                 {
1105:                     item.Tonaj = item.Miktar;
1106:                     gidenFaturaDetayListesi2.Add(item);
1107:                 }
1108:                 else
1109:                 {
1110:                     var index = gidenFaturaDetayListesi2.FindIndex(j =>
j.IrsaliyeNo == item.IrsaliyeNo && j.PlakaNo == item.PlakaNo);
1111:                     gidenFaturaDetayListesi2[index].Tonaj =
gidenFaturaDetayListesi2[index].Tonaj + item.Miktar;
1112:                 }
1113:             }
1114:         }
1115:         //if (gidenFaturaDetayListesi2.Count < 1)
1116:         //    gidenFaturaDetayListesi2.Add(new GidenFaturaDetayDTO());
1117:
1118: #endregion Irsaliye ve Tonaj Düzenlemesi
1119:
1120: if (gidenFaturaDetayListesi2.Count > 0)
1121: {
1122:     foreach (var item in gidenFaturaDetayListesi2)
1123:     {
1124:         var irsaliyeNote = doc.CreateElement("cbc", "Note",
xlmnscbc.Value);
1125:         irsaliyeNote.InnerText = "Plaka No: " + item.PlakaNo;
1126:         if (!string.IsNullOrEmpty(item.SevkIrsaliyesiNo))
1127:             irsaliyeNote.InnerText += " Irsaliye No: " +
item.SevkIrsaliyesiNo;
1128:             if (item.SevkIrsaliyeTarihi != null)
1129:                 irsaliyeNote.InnerText += " Irsaliye Tarihi: " +
item.SevkIrsaliyeTarihi?.ToShortDateString();
1130:             if (item.YuklemeFormuNo != null)
1131:                 irsaliyeNote.InnerText += " Yükleme Formu No: " +
item.YuklemeFormuNo;
1132:             if (item.Tonaj != null)
1133:                 irsaliyeNote.InnerText += " Tonaj: " + item.Tonaj;
1134:             root.AppendChild(irsaliyeNote);
1135:     }
1136: }
1137:
1138: #endregion
1139:
1140: var sendType = doc.CreateElement("cbc", "Note", xlmnscbc.Value);
1141: sendType.InnerText = "Gönderim Sekli: ELEKTRONIK";
1142: root.AppendChild(sendType);
1143:
1144: var documentCurrencyCode = doc.CreateElement("cbc",
"DocumentCurrencyCode", xlmnscbc.Value);
1145: documentCurrencyCode.InnerText = "TRY";
1146: root.AppendChild(documentCurrencyCode);
1147:
1148: var lineCountNumeric = doc.CreateElement("cbc", "LineCountNumeric",
xlmnscbc.Value);
1149: lineCountNumeric.InnerText = gidenFaturaDetayListesi.Count.ToString();
1150: root.AppendChild(lineCountNumeric);
1151:
1152: #endregion
1153:
1154: // Faturaya iliskin imza, adres vb. bilgiler yer almaktadir
1155: #region Signature
1156: var signature = doc.CreateElement("cac", "Signature", xlmnscac.Value);
1157: XmlAttribute signatureIdAttr = doc.CreateAttribute("schemeID");
1158: signatureIdAttr.Value = "VKN_TCKN";
1159: var signatureId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
1160: signatureId.Attributes.Append(signatureIdAttr);
1161: signatureId.InnerText = "3250566851";

```

```

1162:                     signature.AppendChild(signatureId);
1163:                     var signatoryParty = doc.CreateElement("cac", "SignatoryParty",
xlmnscac.Value);
1164:                     var partyIdentification = doc.CreateElement("cac",
"PartyIdentification", xlmnscac.Value);
1165:                    XmlAttribute signatureIdAttr2 = doc.CreateAttribute("schemeID");
1166:                     signatureIdAttr2.Value = "VKN";
1167:                     var signaturePartyId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
1168:                     signaturePartyId.Attributes.Append(signatureIdAttr2);
1169:                     signaturePartyId.InnerText = "3250566851";
1170:                     partyIdentification.AppendChild(signaturePartyId);
1171:                     signatoryParty.AppendChild(partyIdentification);

1172:
1173: #region Postal Address
1174: var postalAddress = doc.CreateElement("cac", "PostalAddress",
xlmnscac.Value);
1175: var streetName = doc.CreateElement("cbc", "StreetName",
xlmnscbc.Value);
1176: streetName.InnerText = "Mithatpasa Caddesi";
1177: postalAddress.AppendChild(streetName);
1178: var buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
1179: buildingNumber.InnerText = "14";
1180: postalAddress.AppendChild(buildingNumber);
1181: var citySubdivisionName = doc.CreateElement("cbc",
"CitySubdivisionName", xlmnscbc.Value);
1182: citySubdivisionName.InnerText = "Çankaya";
1183: postalAddress.AppendChild(citySubdivisionName);
1184: var cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
1185: cityName.InnerText = "Ankara";
1186: postalAddress.AppendChild(cityName);
1187: var postalZone = doc.CreateElement("cbc", "PostalZone",
xlmnscbc.Value);
1188: postalZone.InnerText = "06100";
1189: postalAddress.AppendChild(postalZone);
1190: var country = doc.CreateElement("cac", "Country", xlmnscac.Value);
1191: var countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1192: countryName.InnerText = "Türkiye";
1193: country.AppendChild(countryName);
1194: postalAddress.AppendChild(country);
1195: signatoryParty.AppendChild(postalAddress);
1196: signature.AppendChild(signatoryParty);

1197:
1198: #endregion
1199:
1200: var digitalSignatureAttachment = doc.CreateElement("cac",
"DigitalSignatureAttachment", xlmnscac.Value);
1201: var externalReference = doc.CreateElement("cac", "ExternalReference",
xlmnscac.Value);
1202: var uri = doc.CreateElement("cbc", "URI", xlmnscbc.Value);
1203: uri.InnerText = "#Signature";
1204: externalReference.AppendChild(uri);
1205: digitalSignatureAttachment.AppendChild(externalReference);
1206: signature.AppendChild(digitalSignatureAttachment);

1207:
1208: root.AppendChild(signature);
1209: #endregion
1210:
1211: // Burada sabit degerler verilmekte olup, Faturayı kesen kuruma veya
firmaya ait bilgiler
1212: // yer almaktadır. Bu kısımda örnek olarak TÜRKSEKER Fabrikaları
Genel Müdürlüğü bilgileri
1213: // kullanılmaktır. Ancak degistirip test edilebilir.
1214: #region AccountingSupplierParty
1215:
1216: var accountingSupplierParty = doc.CreateElement("cac",
"AccountingSupplierParty", xlmnscac.Value);
1217: var party = doc.CreateElement("cac", "Party", xlmnscac.Value);
1218: var webSiteUri = doc.CreateElement("cbc", "WebsiteURI",

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

xlmnscbc.Value);
1219:         webSiteUri.InnerText = "https://www.turkseker.gov.tr";
1220:         party.AppendChild(webSiteUri);
1221:         XmlAttribute accountingSupplierPartyIdAttr =
doc.CreateAttribute("schemeID");
1222:             accountingSupplierPartyIdAttr.Value = "VKN_TCKN";
1223:             partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
1224:             XmlAttribute accountingSupplierPartyIdAttr2 =
doc.CreateAttribute("schemeID");
1225:                 accountingSupplierPartyIdAttr2.Value = "VKN";
1226:                 var accountingSupplierPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
1227:
accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
1228:             accountingSupplierPartyPartyId.InnerText = "3250566851";
1229:             partyIdentification.AppendChild(accountingSupplierPartyPartyId);
1230:             party.AppendChild(partyIdentification);
1231:
1232:             if (!string.IsNullOrEmpty(gidenFatura.AltBirimAd))
1233:             {
1234:                 partyIdentification = doc.CreateElement("cac",
"PartyIdentification", xlmnscac.Value);
1235:                 accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
1236:                     accountingSupplierPartyIdAttr2.Value = "SUBENO";
1237:                     accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
1238:
accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
1239:             accountingSupplierPartyPartyId.InnerText = gidenFatura.AltBirimAd;
1240:             partyIdentification.AppendChild(accountingSupplierPartyPartyId);
1241:             party.AppendChild(partyIdentification);
1242:
1243:
1244:             var partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
1245:             var partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1246:             partyNameReal.InnerText = "TÜRKİYE SEKER FABRIKALARI A.S.";
1247:             partyName.AppendChild(partyNameReal);
1248:             party.AppendChild(partyName);
1249:
1250:             #region Postal Address
1251:             postalAddress = doc.CreateElement("cac", "PostalAddress",
xlmnscac.Value);
1252:
var postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
1253:             postalAddressId.InnerText = "3250566851";
1254:             postalAddress.AppendChild(postalAddressId);
1255:             streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
1256:             streetName.InnerText = "Mithatpasa Caddesi";
1257:             postalAddress.AppendChild(streetName);
1258:             buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
1259:
buildingNumber.InnerText = "14";
1260:             postalAddress.AppendChild(buildingNumber);
1261:             citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
1262:
citySubdivisionName.InnerText = "Çankaya";
1263:             postalAddress.AppendChild(citySubdivisionName);
1264:             cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
1265:             cityName.InnerText = "Ankara";
1266:             postalAddress.AppendChild(cityName);
1267:             postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
1268:             postalZone.InnerText = "06100";
1269:             postalAddress.AppendChild(postalZone);
1270:             country = doc.CreateElement("cac", "Country", xlmnscac.Value);
1271:             countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1272:             countryName.InnerText = "Türkiye";
1273:             country.AppendChild(countryName);
1274:             postalAddress.AppendChild(country);
1275:             party.AppendChild(postalAddress);

```

```

1276:
1277: #endregion
1278:
1279: var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
1280: xlmnscac.Value);
1281: var taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
1282: var taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1283: taxSchemeName.InnerText = "Ankara Kurumlar";
1284: taxScheme.AppendChild(taxSchemeName);
1285: partyTaxScheme.AppendChild(taxScheme);
1286: party.AppendChild(partyTaxScheme);

1287: var contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
1288: var telephone = doc.CreateElement("cbc", "Telephone", xlmnscbc.Value);
1289: telephone.InnerText = "(312) 4585500";
1290: contact.AppendChild(telephone);
1291: var telefax = doc.CreateElement("cbc", "Telefax", xlmnscbc.Value);
1292: telefax.InnerText = "(312) 4585800";
1293: contact.AppendChild(telefax);
1294: var electronicMail = doc.CreateElement("cbc", "ElectronicMail",
1295: xlmnscbc.Value);
1296: electronicMail.InnerText = "maliisler@turkseker.gov.tr";
1297: contact.AppendChild(electronicMail);
1298: party.AppendChild(contact);

1299: accountingSupplierParty.AppendChild(party);
1300:
1301: root.AppendChild(accountingSupplierParty);
1302: #endregion
1303:
1304: // Bu kisimda fatura kesilen firma bilgileri yer almaktadir
1305: #region AccountingCustomerParty
1306:
1307: var accountingCustomerParty = doc.CreateElement("cac",
1308: "AccountingCustomerParty", xlmnscac.Value);
1309: party = doc.CreateElement("cac", "Party", xlmnscac.Value);
1310: webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
1311: party.AppendChild(webSiteUri);
1312: XmlAttribute accountingCustomerPartyIdAttr =
1313: doc.CreateAttribute("schemeID");
1314: accountingCustomerPartyIdAttr.Value = "TCKN";
1315: partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
1316: var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
1317: accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerPartyIdAttr);
1318: accountingCustomerPartyPartyId.InnerText =
gidenFatura.GercekKisiTcKimlikNo;
1319: partyIdentification.AppendChild(accountingCustomerPartyPartyId);
1320: party.AppendChild(partyIdentification);

1321: #region Postal Address
1322: postalAddress = doc.CreateElement("cac", "PostalAddress",
xlmnscac.Value);
1323: postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
1324: postalAddressId.InnerText = gidenFatura.GercekKisiTcKimlikNo;
1325: postalAddress.AppendChild(postalAddressId);
1326: var room = doc.CreateElement("cbc", "Room", xlmnscbc.Value);
1327: postalAddress.AppendChild(room);
1328: streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
1329: if (!string.IsNullOrEmpty(gidenFatura.IkametgahAdresi))
1330: streetName.InnerText = gidenFatura.IkametgahAdresi;
1331: postalAddress.AppendChild(streetName);
1332: buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
1333: //buildingNumber.InnerText = "";
1334: postalAddress.AppendChild(buildingNumber);
citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",

```

```

xlmnscbc.Value);
1335:    if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
1336:        citySubdivisionName.InnerText = gidenFatura.IlceAd;
1337:    postalAddress.AppendChild(citySubdivisionName);
1338:    cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
1339:    if (!string.IsNullOrEmpty(gidenFatura.IlAd))
1340:        cityName.InnerText = gidenFatura.IlAd;
1341:    postalAddress.AppendChild(cityName);
1342:    postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
1343:    //postalZone.InnerText = "";
1344:    postalAddress.AppendChild(postalZone);
1345:    country = doc.CreateElement("cac", "Country", xlmnscac.Value);
1346:    countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1347:    countryName.InnerText = "Türkiye";
1348:    country.AppendChild(countryName);
1349:    postalAddress.AppendChild(country);
1350:    party.AppendChild(postalAddress);
1351:
1352: #endregion
1353:
1354: xlmnscac.Value);
1355: taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
1356: taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1357: //if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
1358: //    taxSchemeName.InnerText = gidenFatura.VergiDairesi;
1359: taxScheme.AppendChild(taxSchemeName);
1360: partyTaxScheme.AppendChild(taxScheme);
1361: party.AppendChild(partyTaxScheme);
1362:
1363: contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
1364: telephone = doc.CreateElement("cbc", "Telephone", xlmnscbc.Value);
1365: if (!string.IsNullOrEmpty(gidenFatura.CepTelefonNo))
1366:     telephone.InnerText = gidenFatura.CepTelefonNo;
1367: contact.AppendChild(telephone);
1368: telefax = doc.CreateElement("cbc", "Telefax", xlmnscbc.Value);
1369: //if (!string.IsNullOrEmpty(gidenFatura.FaksNo))
1370: //    telefax.InnerText = gidenFatura.FaksNo;
1371: contact.AppendChild(telefax);
1372: electronicMail = doc.CreateElement("cbc", "ElectronicMail",
1373: if (!string.IsNullOrEmpty(gidenFatura.EPostaAdresi))
1374:     electronicMail.InnerText = gidenFatura.EPostaAdresi;
1375: contact.AppendChild(electronicMail);
1376: party.AppendChild(contact);
1377:
1378: var person = doc.CreateElement("cac", "Person", xlmnscac.Value);
1379: var firstName = doc.CreateElement("cbc", "FirstName", xlmnscbc.Value);
1380: firstName.InnerText = gidenFatura.GercekKisiAd;
1381: person.AppendChild(firstName);
1382: var familyName = doc.CreateElement("cbc", "FamilyName",
1383: familyName.InnerText = gidenFatura.GercekKisiSoyad;
1384: person.AppendChild(familyName);
1385: party.AppendChild(person);
1386:
1387: accountingCustomerParty.AppendChild(party);
1388:
1389: root.AppendChild(accountingCustomerParty);
1390: #endregion
1391:
1392: if (!string.IsNullOrEmpty(gidenFatura.BankaAd))
1393: {
1394:     // Eger Banka bilgileri mevcutsa burada banka bilgileri yer
1395:     #region PaymentMeans
1396:
1397:     var paymentMeans = doc.CreateElement("cac", "PaymentMeans",
xlmnscac.Value);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

1398:             var paymentMeansCode = doc.CreateElement("cbc",
1399: "PaymentMeansCode", xlmnscbc.Value);
1400:             paymentMeansCode.InnerText = "1";
1401:             paymentMeans.AppendChild(paymentMeansCode);
1402:             var payeeFinancialAccount = doc.CreateElement("cac",
1403: "PayeeFinancialAccount", xlmnscac.Value);
1404:             var payeeFinancialAccountId = doc.CreateElement("cbc", "ID",
1405: xlmnscbc.Value);
1406:             if (!string.IsNullOrEmpty(gidenFatura.IbanNo))
1407:                 payeeFinancialAccountId.InnerText = gidenFatura.IbanNo;
1408:             payeeFinancialAccount.AppendChild(payeeFinancialAccountId);
1409:             var currencyCode = doc.CreateElement("cbc", "CurrencyCode",
1410: xlmnscbc.Value);
1411:             currencyCode.InnerText = "TRY";
1412:             payeeFinancialAccount.AppendChild(currencyCode);
1413:             var paymentNote = doc.CreateElement("cbc", "PaymentNote",
1414: xlmnscbc.Value);
1415:             if (!string.IsNullOrEmpty(gidenFatura.BankaAd) &&
1416: !string.IsNullOrEmpty(gidenFatura.BankaSube))
1417:                 paymentNote.InnerText = gidenFatura.BankaAd + " - " +
1418: gidenFatura.BankaSube;
1419:             payeeFinancialAccount.AppendChild(paymentNote);
1420:             paymentMeans.AppendChild(payeeFinancialAccount);
1421:             root.AppendChild(paymentMeans);
1422:         }
1423:     }
1424: 
```

1

```

1425: #endregion
1426:
1427: #region KDVlerin Belirlenmesi
1428:
1429: var faturaKdvListesi = new List<FaturaKdvDTO>();
1430: foreach (var item in gidenFaturaDetayListesi)
1431: {
1432:     decimal kodKdvTuruOran = item.KdvOran ?? 0;
1433:     if (!faturaKdvListesi.Any(j => j.KdvOran == kodKdvTuruOran))
1434:     {
1435:         var faturaKdv = new FaturaKdvDTO
1436:         {
1437:             KdvOran = kodKdvTuruOran,
1438:             KdvTutari = item.KdvTutari,
1439:             KdvHaricTutar = item.KdvHaricTutar
1440:         };
1441:         faturaKdvListesi.Add(faturaKdv);
1442:     }
1443:     else
1444:     {
1445:         var index = faturaKdvListesi.FindIndex(j => j.KdvOran ==
1446: faturaKdvListesi[index].KdvTutari += item.KdvTutari;
1447: faturaKdvListesi[index].KdvHaricTutar += item.KdvHaricTutar;
1448:     }
1449:     if (faturaKdvListesi.Count > 0)
1450:         faturaKdvListesi = faturaKdvListesi.OrderBy(j =>
1451: j.KdvOran).ToList();
1452:     }
1453: }
```

1

```

1454: #endregion
1455: #region TaxTotal
1456: var sayac = 1;
1457: foreach (var item in faturaKdvListesi)
1458: {
1459:     // Burada vergi bilgileri yer almaktadir
1460:     #region TaxTotal
1461:     var taxTotal = doc.CreateElement("cac", "TaxTotal",
1462: xlmnscac.Value);
1463:     XmlAttribute currencyIdGeneral =
1464: 
```

```

doc.CreateAttribute("currencyID");
1457:                               currencyIdGeneral.Value = "TRY";
1458:                               var taxAmount = doc.CreateElement("cbc", "TaxAmount",
xlmnscbc.Value);
1459:                               taxAmount.RemoveAllAttributes();
1460:                               taxAmount.Attributes.Append(currencyIdGeneral);
1461:                               taxAmount.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",",".");
1462:                               taxTotal.AppendChild(taxAmount);
1463:                               var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal",
xlmnscac.Value);
1464:                               var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xlmnscbc.Value);
1465:                               taxableAmount.RemoveAllAttributes();
1466:                               currencyIdGeneral = doc.CreateAttribute("currencyID");
1467:                               currencyIdGeneral.Value = "TRY";
1468:                               taxableAmount.Attributes.Append(currencyIdGeneral);
1469:                               taxableAmount.InnerText =
Decimal.Round((decimal)item.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",",".");
1470:                               taxSubTotal.AppendChild(taxableAmount);
1471:                               var taxAmount2 = doc.CreateElement("cbc", "TaxAmount",
xlmnscbc.Value);
1472:                               taxAmount2.RemoveAllAttributes();
1473:                               currencyIdGeneral = doc.CreateAttribute("currencyID");
1474:                               currencyIdGeneral.Value = "TRY";
1475:                               taxAmount2.Attributes.Append(currencyIdGeneral);
1476:                               taxAmount2.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",",".");
1477:                               taxSubTotal.AppendChild(taxAmount2);
1478:                               var calculationSequenceNumeric = doc.CreateElement("cbc",
"CalculationSequenceNumeric", xlmnscbc.Value);
1479:                               calculationSequenceNumeric.InnerText = sayac + ".0";
1480:                               taxSubTotal.AppendChild(calculationSequenceNumeric);
1481:                               var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
1482:                               percent.InnerText = Decimal.Round((decimal)item.KdvOran, 0,
MidpointRounding.AwayFromZero).ToString();
1483:                               taxSubTotal.AppendChild(percent);
1484:                               var taxCategory = doc.CreateElement("cac", "TaxCategory",
xlmnscac.Value);
1485:                               if (item.KdvTutari == 0)
1486:                               {
1487:                                   var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
1488:                                   taxExemptionReasonCode.InnerText = "325";
1489:                                   var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
1490:                                   taxExemptionReason.InnerText = "13/i Yem Teslimleri";
1491:                                   taxCategory.AppendChild(taxExemptionReasonCode);
1492:                                   taxCategory.AppendChild(taxExemptionReason);
1493:                               }
1494:                               if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
1495:                               {
1496:                                   var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
1497:                                   taxExemptionReasonCode.InnerText = "701";
1498:                                   var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
1499:                                   taxExemptionReason.InnerText = "3065 sayili Katma Deger
Vergisi kanununun 11/1-c maddesi kapsamında ihraç edilmek sartiyla teslim edildiginden
Katma Deger Vergisi tahsil edilmemistir.";
1500:                                   taxCategory.AppendChild(taxExemptionReasonCode);
1501:                                   taxCategory.AppendChild(taxExemptionReason);
1502:                               }
1503:                               var taxScheme2 = doc.CreateElement("cac", "TaxScheme",
xlmnscac.Value);
1504:                               var taxTypeName = doc.CreateElement("cbc", "Name",
xlmnscbc.Value);
1505:                               taxTypeName.InnerText = "Katma Deger Vergisi";

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

1506:             var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode",
xlmnscbc.Value);
1507:             taxTypeCode.InnerText = "0015";
1508:             taxScheme2.AppendChild(taxTypeName);
1509:             taxScheme2.AppendChild(taxTypeCode);
1510:             taxCategory.AppendChild(taxScheme2);
1511:             taxSubTotal.AppendChild(taxCategory);
1512:             taxTotal.AppendChild(taxSubTotal);
1513:             root.AppendChild(taxTotal);
1514:
1515:         #endregion
1516:     }
1517:
1518: #endregion
1519:
1520: // Burada vergi bilgileri yer almaktadir
1521: #region Açıklama Satiri (TaxTotal)
1522:
1523: //var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
1524: //XmlAttribute currencyId = doc.CreateAttribute("currencyID");
1525: //currencyId.Value = "TRY";
1526: //var taxAmount = doc.CreateElement("cbc", "TaxAmount",
xlmnscbc.Value);
1527: //taxAmount.RemoveAllAttributes();
1528: //taxAmount.Attributes.Append(currencyId);
1529: //taxAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari,
2, MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
1530: //taxTotal.AppendChild(taxAmount);
1531: //var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal",
xlmnscac.Value);
1532: //var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xlmnscbc.Value);
1533: //taxableAmount.RemoveAllAttributes();
1534: //currencyId = doc.CreateAttribute("currencyID");
1535: //currencyId.Value = "TRY";
1536: //taxableAmount.Attributes.Append(currencyId);
1537: //taxableAmount.InnerText =
Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
1538: //taxSubTotal.AppendChild(taxableAmount);
1539: //var taxAmount2 = doc.CreateElement("cbc", "TaxAmount",
xlmnscbc.Value);
1540: //taxAmount2.RemoveAllAttributes();
1541: //currencyId = doc.CreateAttribute("currencyID");
1542: //currencyId.Value = "TRY";
1543: //taxAmount2.Attributes.Append(currencyId);
1544: //taxAmount2.InnerText =
Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
1545: //taxSubTotal.AppendChild(taxAmount2);
1546: //var calculationSequenceNumeric = doc.CreateElement("cbc",
"CalculationSequenceNumeric", xlmnscbc.Value);
1547: //calculationSequenceNumeric.InnerText = "1.0";
1548: //taxSubTotal.AppendChild(calculationSequenceNumeric);
1549: //var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
1550: //if (gidenFatura.KdvHaricTutar != 0)
1551: //    percent.InnerText =
Decimal.Round(((decimal)gidenFatura.KdvTutari * 100) / (decimal)gidenFatura.KdvHaricTutar,
0, MidpointRounding.AwayFromZero).ToString();
1552: //else
1553: //    percent.InnerText = "0";
1554: //taxSubTotal.AppendChild(percent);
1555: //var taxCategory = doc.CreateElement("cac", "TaxCategory",
xlmnscac.Value);
1556: //if (gidenFatura.KdvTutari == 0)
1557: //{
1558: //    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
1559: //    taxExemptionReasonCode.InnerText = "325";

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

1560:           //      var taxExemptionReason = doc.CreateElement("cbc",
1561: "TaxExemptionReason", xlmnscbc.Value);
1562:           //      taxExemptionReason.InnerText = "13/i Yem Teslimleri";
1563:           //      taxCategory.AppendChild(taxExemptionReasonCode);
1564:           //      taxCategory.AppendChild(taxExemptionReason);
1565:           //}
1566:           //if (kodSatisTurKod == SatisTur.IhracKayitli.GetHashCode())
1567:           //{
1568:           //    var taxExemptionReasonCode = doc.CreateElement("cbc",
1569: "TaxExemptionReasonCode", xlmnscbc.Value);
1570:           //    taxExemptionReasonCode.InnerText = "701";
1571:           //    var taxExemptionReason = doc.CreateElement("cbc",
1572: "TaxExemptionReason", xlmnscbc.Value);
1573:           //    taxExemptionReason.InnerText = "3065 sayili Katma Deger Vergisi
kanununun 11/1-c maddesi kapsamında ihraç edilmek şartıyla teslim edildiginden Katma Deger
Vergisi tahsil edilmemistir.";
1574:           //    taxCategory.AppendChild(taxExemptionReasonCode);
1575:           //    taxCategory.AppendChild(taxExemptionReason);
1576:           //}
1577:           //var taxScheme2 = doc.CreateElement("cac", "TaxScheme",
1578: xlmnscac.Value);
1579:           //var taxTypeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1580:           //taxTypeName.InnerText = "Katma Deger Vergisi";
1581:           //var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode",
1582: xlmnscbc.Value);
1583:           //taxTypeCode.InnerText = "0015";
1584:           //taxScheme2.AppendChild(taxTypeName);
1585:           //taxScheme2.AppendChild(taxTypeCode);
1586:           //taxCategory.AppendChild(taxScheme2);
1587:           //taxSubTotal.AppendChild(taxCategory);
1588:           //taxTotal.AppendChild(taxSubTotal);
1589:           //root.AppendChild(taxTotal);

1590: #endregion
1591: // KDV, KDV Hariç Tutar ve Toplam Tutar bilgileri yer almaktadir
1592: #region LegalMonetaryTotal
1593: var legalMonetaryTotal = doc.CreateElement("cac",
1594: "LegalMonetaryTotal", xlmnscac.Value);
1595: var lineExtensionAmount = doc.CreateElement("cbc",
1596: "LineExtensionAmount", xlmnscbc.Value);
1597: lineExtensionAmount.RemoveAllAttributes();
1598: var currencyId = doc.CreateAttribute("currencyID");
1599: currencyId.Value = "TRY";
1600: lineExtensionAmount.Attributes.Append(currencyId);
1601: lineExtensionAmount.InnerText =
Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
1602: legalMonetaryTotal.AppendChild(lineExtensionAmount);
1603: var taxExclusiveAmount = doc.CreateElement("cbc",
1604: "TaxExclusiveAmount", xlmnscbc.Value);
1605: taxExclusiveAmount.RemoveAllAttributes();
1606: var currencyId = doc.CreateAttribute("currencyID");
1607: currencyId.Value = "TRY";
1608: taxExclusiveAmount.Attributes.Append(currencyId);
1609: taxExclusiveAmount.InnerText =
Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
1610: legalMonetaryTotal.AppendChild(taxExclusiveAmount);
1611: var taxInclusiveAmount = doc.CreateElement("cbc",
1612: "TaxInclusiveAmount", xlmnscbc.Value);
1613: taxInclusiveAmount.RemoveAllAttributes();
1614: var currencyId = doc.CreateAttribute("currencyID");
1615: currencyId.Value = "TRY";
1616: taxInclusiveAmount.Attributes.Append(currencyId);
1617: taxInclusiveAmount.InnerText =
Decimal.Round((decimal)gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");

```

```

1612:             legalMonetaryTotal.AppendChild(taxInclusiveAmount);
1613:             var allowanceTotalAmount = doc.CreateElement("cbc",
1614: "AllowanceTotalAmount", xlmnscbc.Value);
1615:             allowanceTotalAmount.RemoveAllAttributes();
1616:             currencyId = doc.CreateAttribute("currencyID");
1617:             currencyId.Value = "TRY";
1618:             allowanceTotalAmount.Attributes.Append(currencyId);
1619:             allowanceTotalAmount.InnerText = "0.00";
1620:             legalMonetaryTotal.AppendChild(allowanceTotalAmount);
1621:             var payableAmount = doc.CreateElement("cbc", "PayableAmount",
1622: xlmnscbc.Value);
1623:             payableAmount.RemoveAllAttributes();
1624:             currencyId = doc.CreateAttribute("currencyID");
1625:             currencyId.Value = "TRY";
1626:             payableAmount.Attributes.Append(currencyId);
1627:             payableAmount.InnerText =
1628: Decimal.Round((decimal)gidenFatura.FaturaTutari, 2,
1629: MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
1630:             legalMonetaryTotal.AppendChild(payableAmount);
1631:             root.AppendChild(legalMonetaryTotal);
1632:             #endregion
1633:             sayac = 1;
1634:             // Her bir fatura detayı için hazırlanan bölümdür
1635:             foreach (var item in gidenFaturaDetayListesi)
1636:             {
1637:                 #region InvoiceLine
1638:                 // Ölçü Birimi, KDV Hariç Tutar, Para Birimi gibi bilgiler yer
1639:                 #region MetaData
1640:                 var invoiceLine = doc.CreateElement("cac", "InvoiceLine",
1641: xlmnscac.Value);
1642:                 var invoiceLineId = doc.CreateElement("cbc", "ID",
1643: xlmnscbc.Value);
1644:                 invoiceLineId.InnerText = sayac.ToString();
1645:                 invoiceLine.AppendChild(invoiceLineId);
1646:                 var quantity = doc.CreateAttribute("unitCode");
1647:                 if (!string.IsNullOrEmpty(item.GibKisaltma))
1648:                     quantity.Value = item.GibKisaltma;
1649:                 else
1650:                     quantity.Value = "KGM";
1651:                 var invoicedQuantity = doc.CreateElement("cbc",
1652: "InvoicedQuantity", xlmnscbc.Value);
1653:                 invoicedQuantity.RemoveAllAttributes();
1654:                 invoicedQuantity.Attributes.Append(quantity);
1655:                 invoicedQuantity.InnerText = Decimal.Round((decimal)item.Miktar,
1656: 2, MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
1657:                 invoiceLine.AppendChild(invoicedQuantity);
1658:                 var lineExtensionAmountDetail = doc.CreateElement("cbc",
1659: "LineExtensionAmount", xlmnscbc.Value);
1660:                 lineExtensionAmountDetail.RemoveAllAttributes();
1661:                 currencyId = doc.CreateAttribute("currencyID");
1662:                 currencyId.Value = "TRY";
1663:                 lineExtensionAmountDetail.Attributes.Append(currencyId);
1664:                 lineExtensionAmountDetail.InnerText =
1665: Decimal.Round((decimal)item.KdvHaricTutar, 2,
1666: MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
1667:                 invoiceLine.AppendChild(lineExtensionAmountDetail);
1668:             #endregion
1669:             // Varsa iskonto bilgileri yer almaktadır
1670:             #region AllowanceCharge
1671:             var allowanceCharge = doc.CreateElement("cac", "AllowanceCharge",
1672: xlmnscac.Value);
1673:             var chargeIndicator = doc.CreateElement("cbc", "ChargeIndicator",
1674: xlmnscbc.Value);
1675:             chargeIndicator.InnerText = "false";

```

```

1667:             allowanceCharge.AppendChild(chargeIndicator);
1668:             decimal amount2 = 0;
1669:             decimal toplamTutar = (decimal)item.KdvHaricTutar;
1670:             decimal kodIskontoTuruOran = item.IskontoOran ?? 0;
1671:             if (kodIskontoTuruOran > 0)
1672:             {
1673:                 toplamTutar = Decimal.Round((decimal)item.Miktar *
1674: (decimal)item.BirimFiyat, 4, MidpointRounding.AwayFromZero);
1675:                 decimal toplamTutar2 = Decimal.Round(toplamTutar * (100 -
kodIskontoTuruOran) * (decimal)0.01, 4, MidpointRounding.AwayFromZero);
1676:                 amount2 = toplamTutar - toplamTutar2;
1677:             }
1678:             var multiplierFactorNumeric = doc.CreateElement("cbc",
"MultiplierFactorNumeric", xlmnscbc.Value);
1679:             multiplierFactorNumeric.InnerText =
Decimal.Round(kodIskontoTuruOran * (decimal)0.01, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
1680:             allowanceCharge.AppendChild(multiplierFactorNumeric);
1681:             var amount = doc.CreateElement("cbc", "Amount", xlmnscbc.Value);
1682:             currencyId = doc.CreateAttribute("currencyID");
1683:             currencyId.Value = "TRY";
1684:             amount.RemoveAllAttributes();
1685:             amount.Attributes.Append(currencyId);
1686:             amount.InnerText = Decimal.Round(amount2, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
1687:             allowanceCharge.AppendChild(amount);
1688:             var baseAmount = doc.CreateElement("cbc", "BaseAmount",
xlmnscbc.Value);
1689:             currencyId = doc.CreateAttribute("currencyID");
1690:             currencyId.Value = "TRY";
1691:             baseAmount.RemoveAllAttributes();
1692:             baseAmount.Attributes.Append(currencyId);
1693:             baseAmount.InnerText = Decimal.Round(toplamTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
1694:             allowanceCharge.AppendChild(baseAmount);
1695:             invoiceLine.AppendChild(allowanceCharge);
1696:         #endregion
1697:
1698:         // Vergi bilgileri yer almaktadir
1699:         #region TaxTotal
1700:         var taxTotal = doc.CreateElement("cac", "TaxTotal",
xlmnscac.Value);
1701:         currencyId = doc.CreateAttribute("currencyID");
1702:         currencyId.Value = "TRY";
1703:         var taxAmount = doc.CreateElement("cbc", "TaxAmount",
xlmnscbc.Value);
1704:         taxAmount.RemoveAllAttributes();
1705:         taxAmount.Attributes.Append(currencyId);
1706:         taxAmount.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
1707:         taxTotal.AppendChild(taxAmount);
1708:         var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal",
xlmnscac.Value);
1709:         var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xlmnscbc.Value);
1710:         taxableAmount.RemoveAllAttributes();
1711:         currencyId = doc.CreateAttribute("currencyID");
1712:         currencyId.Value = "TRY";
1713:         taxableAmount.Attributes.Append(currencyId);
1714:         taxableAmount.InnerText =
Decimal.Round((decimal)item.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
1715:         taxSubTotal.AppendChild(taxableAmount);
1716:         var taxAmount2 = doc.CreateElement("cbc", "TaxAmount",
xlmnscbc.Value);
1717:         taxAmount2.RemoveAllAttributes();
1718:         currencyId = doc.CreateAttribute("currencyID");
1719:         currencyId.Value = "TRY";

```

```

1720:                     taxAmount2.Attributes.Append(currencyId);
1721:                     taxAmount2.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
1722:                     taxSubTotal.AppendChild(taxAmount2);
1723:                     var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
1724:                     if (item.KdvOran != null)
1725:                         percent.InnerText = Decimal.Round((decimal)item.KdvOran, 2,
MidpointRounding.AwayFromZero).ToString("N1").Replace(", ", ".");
1726:                     taxSubTotal.AppendChild(percent);
1727:                     var taxCategory = doc.CreateElement("cac", "TaxCategory",
xlmnscac.Value);
1728:                     var taxScheme2 = doc.CreateElement("cac", "TaxScheme",
xlmnscac.Value);
1729:                     var taxTypeName = doc.CreateElement("cbc", "Name",
xlmnscbc.Value);
1730:                     taxTypeName.InnerText = "KDV";
1731:                     taxScheme2.AppendChild(taxTypeName);
1732:                     var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode",
xlmnscbc.Value);
1733:                     taxTypeCode.InnerText = "0015";
1734:                     taxScheme2.AppendChild(taxTypeCode);
1735:                     taxCategory.AppendChild(taxScheme2);
1736:                     taxSubTotal.AppendChild(taxCategory);
1737:                     taxTotal.AppendChild(taxSubTotal);
1738:                     invoiceLine.AppendChild(taxTotal);
1739: #endregion

1740:
1741: // Fatura kesilen ürün detayı ve açıklama bilgileri yer almaktadır
1742: #region Item
1743: var invoiceItem = doc.CreateElement("cac", "Item",
xlmnscac.Value);
1744: if (!string.IsNullOrEmpty(item.MalzemeFaturaAciklamasi))
1745: {
1746:     var description = doc.CreateElement("cbc", "Description",
xlmnscbc.Value);
1747:     description.InnerText = item.MalzemeFaturaAciklamasi;
1748:     invoiceItem.AppendChild(description);
1749: }
1750: var itemName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
1751: if (!string.IsNullOrEmpty(item.FaturaUrunTuru))
1752:     itemName.InnerText = item.FaturaUrunTuru;
1753: invoiceItem.AppendChild(itemName);
1754: invoiceLine.AppendChild(invoiceItem);
1755: #endregion

1756:
1757: // Birim fiyat bilgileri yer almaktadır
1758: #region Price
1759:
1760: var price = doc.CreateElement("cac", "Price", xlmnscac.Value);
1761: var priceAmount = doc.CreateElement("cbc", "PriceAmount",
xlmnscbc.Value);
1762: priceAmount.RemoveAllAttributes();
1763: currencyId = doc.CreateAttribute("currencyID");
1764: currencyId.Value = "TRY";
1765: priceAmount.Attributes.Append(currencyId);
1766: if (item.BirimFiyat != null)
1767:     priceAmount.InnerText =
Decimal.Round((decimal)item.BirimFiyat, 4,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
1768: else
1769:     priceAmount.InnerText = "0.00";
1770: price.AppendChild(priceAmount);
1771: invoiceLine.AppendChild(price);

1772:
1773: #endregion

1774:
1775: root.AppendChild(invoiceLine);
1776: #endregion
1777:
```

```

1778:           sayac++;
1779:       }
1780:
1781:       #endregion
1782:
1783:       doc.AppendChild(root);
1784:
1785:       #region Dosya Kaydi
1786:
1787:       var fileName = aktarilacakKlasorAdi + "/" + gidenFatura.GidenFaturaId
+ ".xml";
1788:       doc.Save(fileName);
1789:
1790:       #endregion
1791:
1792:       return fileName;
1793:
1794:       #endregion
1795:   }
1796:   else
1797:   {
1798:       #region Tüzel Kisi Bilgisinden Gelecekse
1799:
1800:       XmlDocument doc = new XmlDocument();
1801:       XmlDeclaration declaration;
1802:       declaration = doc.CreateXmlDeclaration("1.0", "UTF-8", null);
1803:       XmlElement root = doc.DocumentElement;
1804:       doc.InsertBefore(declaration, root);
1805:       //doc.AppendChild(doc.CreateProcessingInstruction("xml-stylesheet",
1806: "type=\"text/xsl\" href=\"general.xslt\""));
1807:
1808:       root = doc.CreateElement("Invoice");
1809:
1810:       var kodSatisTuruKod = 0;
1811:       if (gidenFatura.SatisTuruKod != null)
1812:           kodSatisTuruKod = gidenFatura.SatisTuruKod ?? 0;
1813:
1814:       var kodFaturaTuruKod = 0;
1815:       if (gidenFatura.FaturaTuruKod != null)
1816:           kodFaturaTuruKod = gidenFatura.FaturaTuruKod ?? 0;
1817:
1818:       #region Standart ve Faturaya Bagli Bilgiler
1819:
1820:       // Faturanin türü, düzenleme tarihi, UBL Versiyon Numarasi, GIB
Numarasi gibi bilgiler
1821:       // yer almaktadir
1822:       #region Standart Bilgiler
1823:       root.RemoveAllAttributes();
1824:
1825:       string locationAttribute = "xsi:schemaLocation";
1826:       XmlAttribute location = doc.CreateAttribute("xsi", "schemaLocation",
"urn:oasis:names:specification:ubl:schema:xsd:Invoice-2");
1827:       location.Value =
"urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
./xsdrt/maindoc/UBL-Invoice-2.1.xsd";
1828:       //XmlAttribute location = doc.CreateAttribute(schemaLocation);
1829:       //location.Value =
"urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
./xsdrt/maindoc/UBL-Invoice-2.1.xsd";
1830:
1831:       XmlAttribute xlmns = doc.CreateAttribute("xmlns");
1832:       xlmns.Value =
"urn:oasis:names:specification:ubl:schema:xsd:Invoice-2";
1833:       XmlAttribute xlmnsn4 = doc.CreateAttribute("xmlns:n4");
1834:       xlmnsn4.Value = "http://www.altova.com/samplexml/other-namespace";
1835:       XmlAttribute xlmnsxsi = doc.CreateAttribute("xmlns:xsi");
1836:       xlmnsxsi.Value = "http://www.w3.org/2001/XMLSchema-instance";
1837:       XmlAttribute xlmnscac = doc.CreateAttribute("xmlns:cac");
1838:       xlmnscac.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonAggregateComponents-2";

```

```
1837:             XmlAttribute xlmnscbc = doc.CreateAttribute("xmlns:cbc");
1838:             xlmnscbc.Value =
1839:             "urn:oasis:names:specification:ubl:schema:xsd:CommonBasicComponents-2";
1840:             xlmnsext = doc.CreateAttribute("xmlns:ext");
1841:             xlmnsext.Value =
1842:             "urn:oasis:names:specification:ubl:schema:xsd:CommonExtensionComponents-2";
1843:             XmlAttribute xlmnsxades = doc.CreateAttribute("xmlns:xades");
1844:             //xlmnsxades.Value = "http://uri.etsi.org/01903/v1.3.2#";
1845:             xlmnsxades.Value = "http://uri.etsi.org/01903/v1.3.2";
1846:             XmlAttribute xlmnsds = doc.CreateAttribute("xmlns:ds");
1847:             //xlmnsds.Value = "http://www.w3.org/2000/09/xmldsig#";
1848:             xlmnsds.Value = "http://www.w3.org/2000/09/xmldsig";
1849:
1850:             root.Attributes.Append(location);
1851:             root.Attributes.Append(xlmns);
1852:             root.Attributes.Append(xlmnsxsi);
1853:             root.Attributes.Append(xlmnscac);
1854:             root.Attributes.Append(xlmnsext);
1855:             root.Attributes.Append(xlmnsds);
1856:             root.Attributes.Append(xlmnsxades);
1857:             root.Attributes.Append(xlmnscbc);
1858:             root.Attributes.Append(xlmnsn4);
1859:             var extUbl = doc.CreateElement("ext", "UBLExtensions",
1860:             xlmnsext.Value);
1861:             var extUbl2 = doc.CreateElement("ext", "UBLExtension",
1862:             xlmnsext.Value);
1863:             var extUbl3 = doc.CreateElement("ext", "ExtensionContent",
1864:             xlmnsext.Value);
1865:             extUbl2.AppendChild(extUbl3);
1866:             extUbl.AppendChild(extUbl2);
1867:             root.AppendChild(extUbl);
1868:             var versionId = doc.CreateElement("cbc", "UBLVersionID",
1869:             xlmnscbc.Value);
1870:             versionId.InnerText = "2.1";
1871:             root.AppendChild(versionId);
1872:
1873:             var customizationId = doc.CreateElement("cbc", "CustomizationID",
1874:             xlmnscbc.Value);
1875:             customizationId.InnerText = "TR1.2";
1876:             root.AppendChild(customizationId);
1877:
1878:             var profileId = doc.CreateElement("cbc", "ProfileID", xlmnscbc.Value);
1879:             profileId.InnerText = "EARSIVFATURA";
1880:             root.AppendChild(profileId);
1881:
1882:             var id = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
1883:             if (!string.IsNullOrEmpty(gidenFatura.GibNumarasi))
1884:                 id.InnerText = gidenFatura.GibNumarasi;
1885:             else
1886:                 id.InnerText = "ABC" + gidenFatura.DuzenlemeTarihi?.Year +
1887:                 DateTime.UtcNow.Ticks.ToString().Substring(0, 9);
1888:             root.AppendChild(id);
1889:
1890:             var copyIndicator = doc.CreateElement("cbc", "CopyIndicator",
1891:             xlmnscbc.Value);
1892:             copyIndicator.InnerText = "false";
1893:             root.AppendChild(copyIndicator);
1894:
1895:             var gidenFaturaId = doc.CreateElement("cbc", "UUID", xlmnscbc.Value);
1896:             gidenFaturaId.InnerText = gidenFatura.GidenFaturaId.Length == 36 ?
1897:             gidenFatura.GidenFaturaId.ToUpper() : Guid.NewGuid().ToString().ToUpper();
1898:             root.AppendChild(gidenFaturaId);
1899:
1900:             var issueDate = doc.CreateElement("cbc", "IssueDate", xlmnscbc.Value);
1901:             issueDate.InnerText =
1902:             gidenFatura.DuzenlemeTarihi?.Date.ToString("yyyy-MM-dd");
```

```

1895:         root.AppendChild(issueDate);
1896:
1897:         var issueTime = doc.CreateElement("cbc", "IssueTime", xlmnscbc.Value);
1898:         issueTime.InnerText =
1899:             gidenFatura.DuzenlemeTarihi?.ToString("HH:mm:ss"));
1900:             root.AppendChild(issueTime);
1901:
1902:             var invoiceTypeCode = doc.CreateElement("cbc", "InvoiceTypeCode",
1903:                 xlmnscbc.Value);
1904:                 invoiceTypeCode.InnerText = "SATIS";
1905:                 if (gidenFatura.KdvTutari == 0 || gidenFaturaDetayListesi.Any(j =>
1906:                     j.KdvTutari == 0))
1907:                         invoiceTypeCode.InnerText = "ISTISNA";
1908:                         if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
1909:                             invoiceTypeCode.InnerText = "IHRACKAYITLI";
1910:                             if (kodFaturaTuruKod == FaturaTur.Iade.GetHashCode())
1911:                                 invoiceTypeCode.InnerText = "IADE";
1912:                                 root.AppendChild(invoiceTypeCode);
1913:
1914: #region Irsaliye Bilgileri
1915:
1916: #region Irsaliye ve Tonaj Düzenlemesi
1917:
1918: var gidenFaturaDetayListesi2 = new List<GidenFaturaDetayDTO>();
1919: var gidenFaturaDetayListesiTemp = gidenFaturaDetayListesi;
1920: foreach (var item in gidenFaturaDetayListesiTemp)
1921: {
1922:     if (!string.IsNullOrEmpty(item.IrsaliyeNo) &&
1923:         !string.IsNullOrEmpty(item.PlakaNo))
1924:     {
1925:         if (!gidenFaturaDetayListesi2.Any(j => j.IrsaliyeNo ==
1926:             item.IrsaliyeNo && j.PlakaNo == item.PlakaNo))
1927:         {
1928:             item.Tonaj = item.Miktar;
1929:             gidenFaturaDetayListesi2.Add(item);
1930:         }
1931:     }
1932: }
1933: //if (gidenFaturaDetayListesi2.Count < 1)
1934: //    gidenFaturaDetayListesi2.Add(new GidenFaturaDetayDTO());
1935:
1936: #endregion Irsaliye ve Tonaj Düzenlemesi
1937:
1938: if (gidenFaturaDetayListesi2.Count > 0)
1939: {
1940:     foreach (var item in gidenFaturaDetayListesi2)
1941:     {
1942:         var irsaliyeNote = doc.CreateElement("cbc", "Note",
1943:             xlmnscbc.Value);
1944:             irsaliyeNote.InnerText = "Plaka No: " + item.PlakaNo;
1945:             if (!string.IsNullOrEmpty(item.SevkIrsaliyesiNo))
1946:                 irsaliyeNote.InnerText += " Irsaliye No: " +
1947:                     item.SevkIrsaliyesiNo;
1948:                     if (item.SevkIrsaliyeTarihi != null)
1949:                         irsaliyeNote.InnerText += " Irsaliye Tarihi: " +
item.SevkIrsaliyeTarihi?.ToShortDateString();
1950:                     if (item.YuklemeFormuNo != null)
1951:                         irsaliyeNote.InnerText += " Yukleme Formu No: " +
item.YuklemeFormuNo;
1952:                     if (item.Tonaj != null)
1953:                         irsaliyeNote.InnerText += " Tonaj: " + item.Tonaj;
root.AppendChild(irsaliyeNote);

```

```
1953:         }
1954:     }
1955:
1956: #endregion
1957:
1958:     var sendType = doc.CreateElement("cbc", "Note", xlmnscbc.Value);
1959:     sendType.InnerText = "Gönderim Sekli: ELEKTRONIK";
1960:     root.AppendChild(sendType);
1961:
1962:     var documentCurrencyCode = doc.CreateElement("cbc",
1963: "DocumentCurrencyCode", xlmnscbc.Value);
1964:     documentCurrencyCode.InnerText = "TRY";
1965:     root.AppendChild(documentCurrencyCode);
1966:
1967:     var lineCountNumeric = doc.CreateElement("cbc", "LineCountNumeric",
1968: xlmnscbc.Value);
1969:     lineCountNumeric.InnerText = gidenFaturaDetayListesi.Count.ToString();
1970:     root.AppendChild(lineCountNumeric);
1971:
1972: #endregion
1973:
1974: // Faturaya iliskin imza, adres vb. bilgiler yer almaktadir
1975: #region Signature
1976: var signature = doc.CreateElement("cac", "Signature", xlmnscac.Value);
1977: XmlAttribute signatureIdAttr = doc.CreateAttribute("schemeID");
1978: signatureIdAttr.Value = "VKN_TCKN";
1979: var signatureId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
1980: signatureId.Attributes.Append(signatureIdAttr);
1981: signatureId.InnerText = "3250566851";
1982: signature.AppendChild(signatureId);
1983: var signatoryParty = doc.CreateElement("cac", "SignatoryParty",
1984: "PartyIdentification", xlmnscac.Value);
1985: XmlAttribute signatureIdAttr2 = doc.CreateAttribute("schemeID");
1986: signatureIdAttr2.Value = "VKN";
1987: var signaturePartyId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
1988: signaturePartyId.Attributes.Append(signatureIdAttr2);
1989: signaturePartyId.InnerText = "3250566851";
1990: partyIdentification.AppendChild(signaturePartyId);
1991: signatoryParty.AppendChild(partyIdentification);
1992:
1993: #region Postal Address
1994: var postalAddress = doc.CreateElement("cac", "PostalAddress",
1995: xlmnscac.Value);
1996:
1997: var streetName = doc.CreateElement("cbc", "StreetName",
1998: xlmnscbc.Value);
1999: streetName.InnerText = "Mithatpasa Caddesi";
2000: postalAddress.AppendChild(streetName);
2001: var buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
2002: xlmnscbc.Value);
2003: buildingNumber.InnerText = "14";
2004: postalAddress.AppendChild(buildingNumber);
2005: var citySubdivisionName = doc.CreateElement("cbc",
2006: "CitySubdivisionName", xlmnscbc.Value);
2007: citySubdivisionName.InnerText = "Çankaya";
2008: postalAddress.AppendChild(citySubdivisionName);
2009: var cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
2010: cityName.InnerText = "Ankara";
2011: postalAddress.AppendChild(cityName);
2012: var postalZone = doc.CreateElement("cbc", "PostalZone",
2013: xlmnscbc.Value);
2014: postalZone.InnerText = "06100";
2015: postalAddress.AppendChild(postalZone);
2016: var country = doc.CreateElement("cac", "Country", xlmnscac.Value);
2017: var countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
2018: countryName.InnerText = "Türkiye";
2019: country.AppendChild(countryName);
2020: postalAddress.AppendChild(country);
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```

2013:                     signatoryParty.AppendChild(postalAddress);
2014:                     signature.AppendChild(signatoryParty);
2015:
2016: #endregion
2017:
2018:         var digitalSignatureAttachment = doc.CreateElement("cac",
2019: "DigitalSignatureAttachment", xlmnscac.Value);
2019:         var externalReference = doc.CreateElement("cac", "ExternalReference",
xlmnscac.Value);
2020:         var uri = doc.CreateElement("cbc", "URI", xlmnscbc.Value);
2021:         uri.InnerText = "#Signature";
2022:         externalReference.AppendChild(uri);
2023:         digitalSignatureAttachment.AppendChild(externalReference);
2024:         signature.AppendChild(digitalSignatureAttachment);
2025:
2026:         root.AppendChild(signature);
2027: #endregion
2028:
2029: // Burada sabit degerler verilmekte olup, Faturayı kesen kuruma veya
firmaya ait bilgiler
2030: // yer almaktadır. Bu kısımda örnek olarak TÜRKSEKER Fabrikaları
Genel Müdürlüğü bilgileri
2031: // kullanılmıştır. Ancak degistirip test edilebilir.
2032: #region AccountingSupplierParty
2033:
2034:         var accountingSupplierParty = doc.CreateElement("cac",
"AccountingSupplierParty", xlmnscac.Value);
2035:         var party = doc.CreateElement("cac", "Party", xlmnscac.Value);
2036:         var webSiteUri = doc.CreateElement("cbc", "WebsiteURI",
xlmnscbc.Value);
2037:         webSiteUri.InnerText = "https://www.turkseker.gov.tr";
2038:         party.AppendChild(webSiteUri);
2039:         XmlAttribute accountingSupplierPartyIdAttr =
doc.CreateAttribute("schemeID");
2040:         accountingSupplierPartyIdAttr.Value = "VKN_TCKN";
2041:         partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
2042:         XmlAttribute accountingSupplierPartyIdAttr2 =
doc.CreateAttribute("schemeID");
2043:         accountingSupplierPartyIdAttr2.Value = "VKN";
2044:         var accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
2045:
accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
2046:         accountingSupplierPartyPartyId.InnerText = "3250566851";
2047:         partyIdentification.AppendChild(accountingSupplierPartyPartyId);
2048:         party.AppendChild(partyIdentification);
2049:
if (!string.IsNullOrEmpty(gidenFatura.AltBirimAd))
{
    partyIdentification = doc.CreateElement("cac",
"PartyIdentification", xlmnscac.Value);
2053:     accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
2054:     accountingSupplierPartyIdAttr2.Value = "SUBENO";
2055:     accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
2056:
accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
2057:     accountingSupplierPartyPartyId.InnerText = gidenFatura.AltBirimAd;
2058:     partyIdentification.AppendChild(accountingSupplierPartyPartyId);
2059:     party.AppendChild(partyIdentification);
2060:
}
2061:
var partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
2063: var partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
2064: partyNameReal.InnerText = "TÜRKİYE SEKER FABRIKALARI A.S.";
2065: partyName.AppendChild(partyNameReal);
2066: party.AppendChild(partyName);
2067:

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

2068:         #region Postal Address
2069:         postalAddress = doc.CreateElement("cac", "PostalAddress",
2070:                                         xlmnscac.Value);
2071:         var postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
2072:         postalAddressId.InnerText = "3250566851";
2073:         postalAddress.AppendChild(postalAddressId);
2074:         streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
2075:         streetName.InnerText = "Mithatpasa Caddesi";
2076:         postalAddress.AppendChild(streetName);
2077:         buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
2078:                                         xlmnscbc.Value);
2079:         buildingNumber.InnerText = "14";
2080:         postalAddress.AppendChild(buildingNumber);
2081:         citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
2082:                                         xlmnscbc.Value);
2083:         citySubdivisionName.InnerText = "Çankaya";
2084:         postalAddress.AppendChild(citySubdivisionName);
2085:         cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
2086:         cityName.InnerText = "Ankara";
2087:         postalAddress.AppendChild(cityName);
2088:         postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
2089:         postalZone.InnerText = "06100";
2090:         postalAddress.AppendChild(postalZone);
2091:         country = doc.CreateElement("cac", "Country", xlmnscac.Value);
2092:         countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
2093:         countryName.InnerText = "Türkiye";
2094:         country.AppendChild(countryName);
2095:         postalAddress.AppendChild(country);
2096:         party.AppendChild(postalAddress);

#endregion

var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
2097:                                         xlmnscac.Value);
2098:         var taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
2099:         var taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
2100:         taxSchemeName.InnerText = "Ankara Kurumlar";
2101:         taxScheme.AppendChild(taxSchemeName);
2102:         partyTaxScheme.AppendChild(taxScheme);
2103:         party.AppendChild(partyTaxScheme);

2104:         var contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
2105:         var telephone = doc.CreateElement("cbc", "Telephone", xlmnscbc.Value);
2106:         telephone.InnerText = "(312) 4585500";
2107:         contact.AppendChild(telephone);
2108:         var telefax = doc.CreateElement("cbc", "Telefax", xlmnscbc.Value);
2109:         telefax.InnerText = "(312) 4585800";
2110:         contact.AppendChild(telefax);
2111:         var electronicMail = doc.CreateElement("cbc", "ElectronicMail",
2112:                                         xlmnscbc.Value);
2113:         electronicMail.InnerText = "maliisler@turkseker.gov.tr";
2114:         contact.AppendChild(electronicMail);
2115:         party.AppendChild(contact);

2116:         accountingSupplierParty.AppendChild(party);

2117:         root.AppendChild(accountingSupplierParty);
2118: #endregion

// Bu kisimda fatura kesilen firma bilgileri yer almaktadir
2119: #region AccountingCustomerParty
2120:
2121:
2122:         var accountingCustomerParty = doc.CreateElement("cac",
2123:                                         "AccountingCustomerParty", xlmnscac.Value);
2124:         party = doc.CreateElement("cac", "Party", xlmnscac.Value);
2125:         webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
2126:         party.AppendChild(webSiteUri);
2127:         XmlAttribute accountingCustomerPartyIdAttr =
2128:             doc.CreateAttribute("schemeID");

```

```

2130:             accountingCustomerPartyIdAttr.Value = "TCKN";
2131:             if (!string.IsNullOrEmpty(gidenFatura.VergiNo) &&
gidenFatura.VergiNo.Length == 10)
2132:                 accountingCustomerPartyIdAttr.Value = "VKN";
2133:                 partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
2134:                 var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
2135:
accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerPartyIdAttr);
2136:                 accountingCustomerPartyPartyId.InnerText = gidenFatura.VergiNo;
2137:                 partyIdentification.AppendChild(accountingCustomerPartyPartyId);
2138:                 party.AppendChild(partyIdentification);
2139:
2140:             if (!string.IsNullOrEmpty(gidenFatura.VergiNo) &&
gidenFatura.VergiNo.Length == 10)
2141:             {
2142:                 partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
2143:                 partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
2144:                 partyNameReal.InnerText = gidenFatura.TuzelKisiAd;
2145:                 partyName.AppendChild(partyNameReal);
2146:                 party.AppendChild(partyName);
2147:             }
2148:
2149:             #region Postal Address
2150:             postalAddress = doc.CreateElement("cac", "PostalAddress",
2151:             postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
2152:             postalAddressId.InnerText = gidenFatura.VergiNo;
2153:             postalAddress.AppendChild(postalAddressId);
2154:             var room = doc.CreateElement("cbc", "Room", xlmnscbc.Value);
2155:             postalAddress.AppendChild(room);
2156:             streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
2157:             if (!string.IsNullOrEmpty(gidenFatura.Adres))
2158:                 streetName.InnerText = gidenFatura.Adres;
2159:             postalAddress.AppendChild(streetName);
2160:             buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
2161:
2162:             //buildingNumber.InnerText = "";
2163:             postalAddress.AppendChild(buildingNumber);
2164:             citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
2165:
2166:             if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
2167:                 citySubdivisionName.InnerText = gidenFatura.IlceAd;
2168:                 postalAddress.AppendChild(citySubdivisionName);
2169:                 cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
2170:                 if (!string.IsNullOrEmpty(gidenFatura.IlAd))
2171:                     cityName.InnerText = gidenFatura.IlAd;
2172:                     postalAddress.AppendChild(cityName);
2173:                     postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
2174:                     //postalZone.InnerText = "";
2175:                     postalAddress.AppendChild(postalZone);
2176:                     country = doc.CreateElement("cac", "Country", xlmnscac.Value);
2177:                     countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
2178:                     countryName.InnerText = "Türkiye";
2179:                     country.AppendChild(countryName);
2180:                     postalAddress.AppendChild(country);
2181:                     party.AppendChild(postalAddress);
2182:
2183:             #endregion
2184:             partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xlmnscac.Value);
2185:             taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
2186:             taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
2187:             if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
2188:                 taxSchemeName.InnerText = gidenFatura.VergiDairesi;
2189:                 taxScheme.AppendChild(taxSchemeName);
2190:                 partyTaxScheme.AppendChild(taxScheme);

```

```

2190:         party.AppendChild(partyTaxScheme);
2191:
2192:         contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
2193:         telephone = doc.CreateElement("cbc", "Telephone", xlmnscbc.Value);
2194:         if (!string.IsNullOrEmpty(gidenFatura.TelponNo))
2195:             telephone.InnerText = gidenFatura.TelponNo;
2196:         contact.AppendChild(telephone);
2197:         telefax = doc.CreateElement("cbc", "Telefax", xlmnscbc.Value);
2198:         if (!string.IsNullOrEmpty(gidenFatura.FaksNo))
2199:             telefax.InnerText = gidenFatura.FaksNo;
2200:         contact.AppendChild(telefax);
2201:         electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xlmnscbc.Value);
2202:         if (!string.IsNullOrEmpty(gidenFatura.EpostaAdresi))
2203:             electronicMail.InnerText = gidenFatura.EpostaAdresi;
2204:         contact.AppendChild(electronicMail);
2205:         party.AppendChild(contact);
2206:
2207:         if (!string.IsNullOrEmpty(gidenFatura.VergiNo) &&
gidenFatura.VergiNo.Length == 11)
2208:         {
2209:             var liste = gidenFatura.TuzelKisiAd.Split(' ').ToList();
2210:             if (liste.Count > 1)
2211:             {
2212:                 var person = doc.CreateElement("cac", "Person",
xlmnscac.Value);
2213:                 var firstName = doc.CreateElement("cbc", "FirstName",
xlmnscbc.Value);
2214:                 firstName.InnerText = liste[0];
2215:                 person.AppendChild(firstName);
2216:                 var familyName = doc.CreateElement("cbc", "FamilyName",
xlmnscbc.Value);
2217:                 familyName.InnerText = liste[1];
2218:                 person.AppendChild(familyName);
2219:                 party.AppendChild(person);
2220:             }
2221:         }
2222:
2223:         accountingCustomerParty.AppendChild(party);
2224:
2225:         root.AppendChild(accountingCustomerParty);
2226: #endregion
2227:
2228:         if (!string.IsNullOrEmpty(gidenFatura.VergiNo))
2229:         {
2230:             if (gidenFatura.VergiNo.Length == 10)
2231:             {
// Bu kisimda fatura kesilen firma bilgileri yer almaktadir
(Eger sadece Tuzel Kisilikse, sahis sirketleri icin bu yapilmamaktadir)
2232:                 #region BuyerCustomerParty
2233:
2234:                 var buyerCustomerParty = doc.CreateElement("cac",
"BuyerCustomerParty", xlmnscac.Value);
2235:                 party = doc.CreateElement("cac", "Party", xlmnscac.Value);
2236:                 webSiteUri = doc.CreateElement("cbc", "WebsiteURI",
xlmnscbc.Value);
2237:
2238:                 party.AppendChild(webSiteUri);
2239:                 XmlAttribute buyerCustomerPartyIdAttr =
doc.CreateAttribute("schemeID");
2240:                 buyerCustomerPartyIdAttr.Value = "VKN";
2241:                 partyIdentification = doc.CreateElement("cac",
"PartyIdentification", xlmnscac.Value);
2242:                 var buyerCustomerPartyPartyId = doc.CreateElement("cbc",
"ID", xlmnscbc.Value);
2243:
2244:                 buyerCustomerPartyPartyId.Attributes.Append(buyerCustomerPartyIdAttr);
2245:                 buyerCustomerPartyPartyId.InnerText = gidenFatura.VergiNo;
2246:                 partyIdentification.AppendChild(buyerCustomerPartyPartyId);
2247:                 party.AppendChild(partyIdentification);

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

2247:
2248:        if (gidenFatura.VergiNo.Length == 10)
2249:        {
2250:            partyName = doc.CreateElement("cac", "PartyName",
2251:                xlmnscac.Value);
2252:            partyNameReal = doc.CreateElement("cbc", "Name",
2253:                xlmnscbc.Value);
2254:            partyNameReal.InnerText = gidenFatura.TuzelKisiAd;
2255:            partyName.AppendChild(partyNameReal);
2256:            party.AppendChild(partyName);
2257:
2258:        #endregion Postal Address
2259:        postalAddress = doc.CreateElement("cac", "PostalAddress",
2260:            xlmnscac.Value);
2261:            postalAddressId = doc.CreateElement("cbc", "ID",
2262:                xlmnscbc.Value);
2263:            postalAddressId.InnerText = gidenFatura.VergiNo;
2264:            postalAddress.AppendChild(postalAddressId);
2265:            room = doc.CreateElement("cbc", "Room", xlmnscbc.Value);
2266:            postalAddress.AppendChild(room);
2267:            streetName = doc.CreateElement("cbc", "StreetName",
2268:                xlmnscbc.Value);
2269:            if (!string.IsNullOrEmpty(gidenFatura.Adres))
2270:                streetName.InnerText = gidenFatura.Adres;
2271:            postalAddress.AppendChild(streetName);
2272:            buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
2273:                //buildingNumber.InnerText = "";
2274:                postalAddress.AppendChild(buildingNumber);
2275:                citySubdivisionName = doc.CreateElement("cbc",
2276:                    "CitySubdivisionName", xlmnscbc.Value);
2277:                if (!string.IsNullOrEmpty(gidenFatura.IlceAd))
2278:                    citySubdivisionName.InnerText = gidenFatura.IlceAd;
2279:                postalAddress.AppendChild(citySubdivisionName);
2280:                cityName = doc.CreateElement("cbc", "CityName",
2281:                    xlmnscbc.Value);
2282:                if (!string.IsNullOrEmpty(gidenFatura.IlAd))
2283:                    cityName.InnerText = gidenFatura.IlAd;
2284:                postalAddress.AppendChild(cityName);
2285:                postalZone = doc.CreateElement("cbc", "PostalZone",
2286:                    xlmnscbc.Value);
2287:                    //postalZone.InnerText = "";
2288:                    postalAddress.AppendChild(postalZone);
2289:                    country = doc.CreateElement("cac", "Country", xlmnscac.Value);
2290:                    countryName = doc.CreateElement("cbc", "Name",
2291:                        xlmnscac.Value);
2292:                        countryName.InnerText = "Türkiye";
2293:                        country.AppendChild(countryName);
2294:                        postalAddress.AppendChild(country);
2295:                        party.AppendChild(postalAddress);
2296:
2297:        #endregion
2298:
2299:        partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
2300:            xlmnscac.Value);
2301:            taxScheme = doc.CreateElement("cac", "TaxScheme",
2302:                xlmnscac.Value);
2303:                taxSchemeName = doc.CreateElement("cbc", "Name",
2304:                    xlmnscbc.Value);
2305:                    if (!string.IsNullOrEmpty(gidenFatura.VergiDairesi))
2306:                        taxSchemeName.InnerText = gidenFatura.VergiDairesi;
2307:                        taxScheme.AppendChild(taxSchemeName);
2308:                        partyTaxScheme.AppendChild(taxScheme);
2309:                        party.AppendChild(partyTaxScheme);
2310:
2311:            contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
2312:            telephone = doc.CreateElement("cbc", "Telephone",
2313:                xlmnscbc.Value);

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

2302:             if (!string.IsNullOrEmpty(gidenFatura.TelefonNo))
2303:                 telephone.InnerText = gidenFatura.TelefonNo;
2304:             contact.AppendChild(telephone);
2305:             telefax = doc.CreateElement("cbc", "Telefax", xlmnscbc.Value);
2306:             if (!string.IsNullOrEmpty(gidenFatura.FaksNo))
2307:                 telefax.InnerText = gidenFatura.FaksNo;
2308:             contact.AppendChild(telefax);
2309:             electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xlmnscbc.Value);
2310:             if (!string.IsNullOrEmpty(gidenFatura.EpostaAdresi))
2311:                 electronicMail.InnerText = gidenFatura.EpostaAdresi;
2312:             contact.AppendChild(electronicMail);
2313:             party.AppendChild(contact);

2314:             if (gidenFatura.VergiNo.Length == 11)
2315:             {
2316:                 var liste = gidenFatura.TuzelKisiAd.Split(' ').ToList();
2317:                 if (liste.Count > 1)
2318:                 {
2319:                     var person = doc.CreateElement("cac", "Person",
xlmnscac.Value);
2320:                     var firstName = doc.CreateElement("cbc", "FirstName",
xlmnscbc.Value);
2321:                     firstName.InnerText = liste[0];
2322:                     person.AppendChild(firstName);
2323:                     var familyName = doc.CreateElement("cbc",
"FamilyName", xlmnscbc.Value);
2324:                     familyName.InnerText = liste[1];
2325:                     person.AppendChild(familyName);
2326:                     party.AppendChild(person);
2327:                 }
2328:             }
2329:         }
2330:         buyerCustomerParty.AppendChild(party);
2331:     }
2332:     root.AppendChild(buyerCustomerParty);
2333: #endregion
2334: }
2335: }
2336: }
2337: if (!string.IsNullOrEmpty(gidenFatura.BankaAd))
2338: {
2339: // Eger Banka bilgileri mevcutsa burada banka bilgileri yer
2340: almaktadir
2341: #region PaymentMeans
2342: var paymentMeans = doc.CreateElement("cac", "PaymentMeans",
xlmnscac.Value);
2343: var paymentMeansCode = doc.CreateElement("cbc",
"PaymentMeansCode", xlmnscbc.Value);
2344: paymentMeansCode.InnerText = "1";
2345: paymentMeans.AppendChild(paymentMeansCode);
2346: var payeeFinancialAccount = doc.CreateElement("cac",
"PayeeFinancialAccount", xlmnscac.Value);
2347: var payeeFinancialAccountId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
2348: if (!string.IsNullOrEmpty(gidenFatura.IbanNo))
2349:     payeeFinancialAccountId.InnerText = gidenFatura.IbanNo;
2350: payeeFinancialAccount.AppendChild(payeeFinancialAccountId);
2351: var currencyCode = doc.CreateElement("cbc", "CurrencyCode",
xlmnscbc.Value);
2352: currencyCode.InnerText = "TRY";
2353: payeeFinancialAccount.AppendChild(currencyCode);
2354: var paymentNote = doc.CreateElement("cbc", "PaymentNote",
xlmnscbc.Value);
2355: if (!string.IsNullOrEmpty(gidenFatura.BankaAd) &
!string.IsNullOrEmpty(gidenFatura.BankaSube))
2356:     paymentNote.InnerText = gidenFatura.BankaAd + " - " +
gidenFatura.BankaSube;

```

```

2358:             payeeFinancialAccount.AppendChild(paymentNote);
2359:             paymentMeans.AppendChild(payeeFinancialAccount);
2360:             root.AppendChild(paymentMeans);
2361:
2362:         #endregion
2363:     }
2364:
2365:     #region KDVlerin Belirlenmesi
2366:
2367:     var faturaKdvListesi = new List<FaturaKdvDTO>();
2368:     foreach (var item in gidenFaturaDetayListesi)
2369:     {
2370:         decimal kodKdvTuruOran = item.KdvOran ?? 0;
2371:         if (!faturaKdvListesi.Any(j => j.KdvOran == kodKdvTuruOran))
2372:         {
2373:             var faturaKdv = new FaturaKdvDTO
2374:             {
2375:                 KdvOran = kodKdvTuruOran,
2376:                 KdvTutari = item.KdvTutari,
2377:                 KdvHaricTutar = item.KdvHaricTutar
2378:             };
2379:             faturaKdvListesi.Add(faturaKdv);
2380:         }
2381:         else
2382:         {
2383:             var index = faturaKdvListesi.FindIndex(j => j.KdvOran ==
2384:                 faturaKdvListesi[index].KdvTutari += item.KdvTutari;
2385:                 faturaKdvListesi[index].KdvHaricTutar += item.KdvHaricTutar;
2386:             }
2387:             if (faturaKdvListesi.Count > 0)
2388:                 faturaKdvListesi = faturaKdvListesi.OrderBy(j =>
j.KdvOran).ToList();
2389:         }
2390:
2391:     #endregion
2392:
2393:     #region TaxTotal
2394:
2395:     var sayac = 1;
2396:     foreach (var item in faturaKdvListesi)
2397:     {
2398:         // Burada vergi bilgileri yer almaktadir
2399:         #region TaxTotal
2400:
2401:         var taxTotal = doc.CreateElement("cac", "TaxTotal",
xlmnscac.Value);
2402:             XmlAttribute currencyIdGeneral =
doc.CreateAttribute("currencyID");
2403:                 currencyIdGeneral.Value = "TRY";
2404:                 var taxAmount = doc.CreateElement("cbc", "TaxAmount",
xlmnscbc.Value);
2405:                     taxAmount.RemoveAllAttributes();
2406:                     taxAmount.Attributes.Append(currencyIdGeneral);
2407:                     taxAmount.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
2408:                     taxTotal.AppendChild(taxAmount);
2409:                     var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal",
xlmnscac.Value);
2410:                         var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xlmnscbc.Value);
2411:                             taxableAmount.RemoveAllAttributes();
2412:                             currencyIdGeneral = doc.CreateAttribute("currencyID");
2413:                               currencyIdGeneral.Value = "TRY";
2414:                               taxableAmount.Attributes.Append(currencyIdGeneral);
2415:                               taxableAmount.InnerText =
Decimal.Round((decimal)item.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
2416:                               taxSubTotal.AppendChild(taxableAmount);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

2417:             var taxAmount2 = doc.CreateElement("cbc", "TaxAmount",
2418:                                         xlmnscbc.Value);
2419:             taxAmount2.RemoveAllAttributes();
2420:             currencyIdGeneral = doc.CreateAttribute("currencyID");
2421:             currencyIdGeneral.Value = "TRY";
2422:             taxAmount2.Attributes.Append(currencyIdGeneral);
2423:             taxAmount2.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",","."));
2424:             taxSubTotal.AppendChild(taxAmount2);
2425:             var calculationSequenceNumeric = doc.CreateElement("cbc",
"CalculationSequenceNumeric", xlmnscbc.Value);
2426:             calculationSequenceNumeric.InnerText = sayac + ".0";
2427:             taxSubTotal.AppendChild(calculationSequenceNumeric);
2428:             var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
percent.InnerText = Decimal.Round((decimal)item.KdvOran, 0,
MidpointRounding.AwayFromZero).ToString();
2429:             taxSubTotal.AppendChild(percent);
2430:             var taxCategory = doc.CreateElement("cac", "TaxCategory",
xlmnscac.Value);
2431:             if (item.KdvTutari == 0)
2432:             {
2433:                 var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
2434:                 taxExemptionReasonCode.InnerText = "325";
2435:                 var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
taxExemptionReason.InnerText = "13/i Yem Teslimleri";
2436:                 taxCategory.AppendChild(taxExemptionReasonCode);
2437:                 taxCategory.AppendChild(taxExemptionReason);
2438:             }
2439:             if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
2440:             {
2441:                 var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
2442:                 taxExemptionReasonCode.InnerText = "701";
2443:                 var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
2444:                 taxExemptionReason.InnerText = "3065 sayili Katma Deger
Vergisi kanununun 11/1-c maddesi kapsamında ihraç edilmek şartıyla teslim edildiginden
Katma Deger Vergisi tahsil edilmemistir.";
2445:                 taxCategory.AppendChild(taxExemptionReasonCode);
2446:                 taxCategory.AppendChild(taxExemptionReason);
2447:             }
2448:             var taxScheme2 = doc.CreateElement("cac", "TaxScheme",
xlmnscac.Value);
2449:             var taxTypeName = doc.CreateElement("cbc", "Name",
xlmnscbc.Value);
2450:             taxTypeName.InnerText = "Katma Deger Vergisi";
2451:             var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode",
xlmnscbc.Value);
2452:             taxTypeCode.InnerText = "0015";
2453:             taxScheme2.AppendChild(taxTypeName);
2454:             taxScheme2.AppendChild(taxTypeCode);
2455:             taxCategory.AppendChild(taxScheme2);
2456:             taxSubTotal.AppendChild(taxCategory);
2457:             taxTotal.AppendChild(taxSubTotal);
2458:             root.AppendChild(taxTotal);
2459:         }
2460:     }
2461: #endregion
2462: }
2463: #endregion
2464: // Burada vergi bilgileri yer almaktadir
2465: #region Açıklama Satiri (TaxTotal)
2466: //var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
2467: //XmlAttribute currencyId = doc.CreateAttribute("currencyID");
2468: //currencyId.Value = "TRY";

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

2472:           //var taxAmount = doc.CreateElement("cbc", "TaxAmount",
xlmnscbc.Value);
2473:           //taxAmount.RemoveAllAttributes();
2474:           //taxAmount.Attributes.Append(currencyId);
2475:           //taxAmount.InnerText = Decimal.Round((decimal)gidenFatura.KdvTutari,
2, MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
2476:           //taxTotal.AppendChild(taxAmount);
2477:           //var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal",
xlmnscac.Value);
2478:           //var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xlmnscbc.Value);
2479:           //taxableAmount.RemoveAllAttributes();
2480:           //currencyId = doc.CreateAttribute("currencyID");
2481:           //currencyId.Value = "TRY";
2482:           //taxableAmount.Attributes.Append(currencyId);
2483:           //taxableAmount.InnerText =
Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
2484:           //taxSubTotal.AppendChild(taxableAmount);
2485:           //var taxAmount2 = doc.CreateElement("cbc", "TaxAmount",
xlmnscbc.Value);
2486:           //taxAmount2.RemoveAllAttributes();
2487:           //currencyId = doc.CreateAttribute("currencyID");
2488:           //currencyId.Value = "TRY";
2489:           //taxAmount2.Attributes.Append(currencyId);
2490:           //taxAmount2.InnerText =
Decimal.Round((decimal)gidenFatura.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
2491:           //taxSubTotal.AppendChild(taxAmount2);
2492:           //var calculationSequenceNumeric = doc.CreateElement("cbc",
"CalculationSequenceNumeric", xlmnscbc.Value);
2493:           //calculationSequenceNumeric.InnerText = "1.0";
2494:           //taxSubTotal.AppendChild(calculationSequenceNumeric);
2495:           //var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
2496:           //if (gidenFatura.KdvHaricTutar != 0)
2497:           //    percent.InnerText =
Decimal.Round(((decimal)gidenFatura.KdvTutari * 100) / (decimal)gidenFatura.KdvHaricTutar,
0, MidpointRounding.AwayFromZero).ToString();
2498:           //else
2499:           //    percent.InnerText = "0";
2500:           //taxSubTotal.AppendChild(percent);
2501:           //var taxCategory = doc.CreateElement("cac", "TaxCategory",
xlmnscac.Value);
2502:           //if (gidenFatura.KdvTutari == 0)
2503:           //{
2504:           //    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
2505:           //    taxExemptionReasonCode.InnerText = "325";
2506:           //    var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
2507:           //    taxExemptionReason.InnerText = "13/i Yem Teslimleri";
2508:           //    taxCategory.AppendChild(taxExemptionReasonCode);
2509:           //    taxCategory.AppendChild(taxExemptionReason);
2510:           //}
2511:           //if (kodSatisTuruKod == SatisTur.IhracKayitli.GetHashCode())
2512:           //{
2513:           //    var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
2514:           //    taxExemptionReasonCode.InnerText = "701";
2515:           //    var taxExemptionReason = doc.CreateElement("cbc",
"TaxExemptionReason", xlmnscbc.Value);
2516:           //    taxExemptionReason.InnerText = "3065 sayili Katma Deger Vergisi
kanununun 11/1-c maddesi kapsaminda ihraç edilmek sartiyla teslim edildiginden Katma Deger
Vergisi tahsil edilmemistir.";
2517:           //    taxCategory.AppendChild(taxExemptionReasonCode);
2518:           //    taxCategory.AppendChild(taxExemptionReason);
2519:           //}
2520:           //var taxScheme2 = doc.CreateElement("cac", "TaxScheme",
xlmnscac.Value);

```

```
2521:         //var taxTypeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
2522:         //taxTypeName.InnerText = "Katma Deger Vergisi";
2523:         //var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode",
xlmnscbc.Value);
2524:         //taxTypeCode.InnerText = "0015";
2525:         //taxScheme2.AppendChild(taxTypeName);
2526:         //taxScheme2.AppendChild(taxTypeCode);
2527:         //taxCategory.AppendChild(taxScheme2);
2528:         //taxSubTotal.AppendChild(taxCategory);
2529:         //taxTotal.AppendChild(taxSubTotal);
2530:         //root.AppendChild(taxTotal);
2531:
2532: #endregion
2533:
2534: // KDV, KDV Haric Tutar ve Toplam Tutar bilgileri yer almaktadir
2535: #region LegalMonetaryTotal
2536:
2537:         var legalMonetaryTotal = doc.CreateElement("cac",
"LegalMonetaryTotal", xlmnscac.Value);
2538:         var lineExtensionAmount = doc.CreateElement("cbc",
"LineExtensionAmount", xlmnscbc.Value);
2539:         lineExtensionAmount.RemoveAllAttributes();
2540:         var currencyId = doc.CreateAttribute("currencyID");
2541:         currencyId.Value = "TRY";
2542:         lineExtensionAmount.Attributes.Append(currencyId);
2543:         lineExtensionAmount.InnerText =
Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
2544:         legalMonetaryTotal.AppendChild(lineExtensionAmount);
2545:         var taxExclusiveAmount = doc.CreateElement("cbc",
"TaxExclusiveAmount", xlmnscbc.Value);
2546:         taxExclusiveAmount.RemoveAllAttributes();
2547:         currencyId = doc.CreateAttribute("currencyID");
2548:         currencyId.Value = "TRY";
2549:         taxExclusiveAmount.Attributes.Append(currencyId);
2550:         taxExclusiveAmount.InnerText =
Decimal.Round((decimal)gidenFatura.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
2551:         legalMonetaryTotal.AppendChild(taxExclusiveAmount);
2552:         var taxInclusiveAmount = doc.CreateElement("cbc",
"TaxInclusiveAmount", xlmnscbc.Value);
2553:         taxInclusiveAmount.RemoveAllAttributes();
2554:         currencyId = doc.CreateAttribute("currencyID");
2555:         currencyId.Value = "TRY";
2556:         taxInclusiveAmount.Attributes.Append(currencyId);
2557:         taxInclusiveAmount.InnerText =
Decimal.Round((decimal)gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
2558:         legalMonetaryTotal.AppendChild(taxInclusiveAmount);
2559:         var allowanceTotalAmount = doc.CreateElement("cbc",
"AllowanceTotalAmount", xlmnscbc.Value);
2560:         allowanceTotalAmount.RemoveAllAttributes();
2561:         currencyId = doc.CreateAttribute("currencyID");
2562:         currencyId.Value = "TRY";
2563:         allowanceTotalAmount.Attributes.Append(currencyId);
2564:         allowanceTotalAmount.InnerText = "0.00";
2565:         legalMonetaryTotal.AppendChild(allowanceTotalAmount);
2566:         var payableAmount = doc.CreateElement("cbc", "PayableAmount",
xlmnscbc.Value);
2567:         payableAmount.RemoveAllAttributes();
2568:         currencyId = doc.CreateAttribute("currencyID");
2569:         currencyId.Value = "TRY";
2570:         payableAmount.Attributes.Append(currencyId);
2571:         payableAmount.InnerText =
Decimal.Round((decimal)gidenFatura.FaturaTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
2572:         legalMonetaryTotal.AppendChild(payableAmount);
2573:         root.AppendChild(legalMonetaryTotal);
2574: #endregion
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

2575:
2576:    sayac = 1;
2577:    // Her bir fatura edtayı için hazırlanan bölümdür
2578:    foreach (var item in gidenFaturaDetayListesi)
2579:    {
2580:        #region InvoiceLine
2581:
2582:        // Ölçü Birimi, KDV Hariç Tutar, Para Birimi gibi bilgiler yer
2583:        #region MetaData
2584:        var invoiceLine = doc.CreateElement("cac", "InvoiceLine",
2585:            xlmnscac.Value);
2586:        var invoiceLineId = doc.CreateElement("cbc", "ID",
2587:            invoiceLineId.InnerText = sayac.ToString());
2588:        invoiceLine.AppendChild(invoiceLineId);
2589:        var quantity = doc.CreateAttribute("unitCode");
2590:        if (!string.IsNullOrEmpty(item.GibKisaltma))
2591:            quantity.Value = item.GibKisaltma;
2592:        else
2593:            quantity.Value = "KGM";
2594:        var invoicedQuantity = doc.CreateElement("cbc",
2595:            "InvoicedQuantity", xlmnscbc.Value);
2596:        invoicedQuantity.Attributes.Append(quantity);
2597:        invoicedQuantity.InnerText = Decimal.Round((decimal)item.Miktar,
2, MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
2598:        invoiceLine.AppendChild(invoicedQuantity);
2599:        var lineExtensionAmountDetail = doc.CreateElement("cbc",
2600:            "LineExtensionAmount", xlmnscbc.Value);
2601:        lineExtensionAmountDetail.RemoveAllAttributes();
2602:        currencyId = doc.CreateAttribute("currencyID");
2603:        currencyId.Value = "TRY";
2604:        lineExtensionAmountDetail.Attributes.Append(currencyId);
2605:        lineExtensionAmountDetail.InnerText =
2606:            Decimal.Round((decimal)item.KdvHaricTutar, 2,
2607:                MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
2608:        invoiceLine.AppendChild(lineExtensionAmountDetail);
2609:    #endregion
2610:
2611:    // Varsa iskonto bilgileri yer almaktadir
2612:    #region AllowanceCharge
2613:
2614:    var allowanceCharge = doc.CreateElement("cac", "AllowanceCharge",
2615:        xlmnscac.Value);
2616:    var chargeIndicator = doc.CreateElement("cbc", "ChargeIndicator",
2617:        chargeIndicator.InnerText = "false");
2618:    allowanceCharge.AppendChild(chargeIndicator);
2619:    decimal amount2 = 0;
2620:    decimal toplamTutar = (decimal)item.KdvHaricTutar;
2621:    decimal kodIskontoTuruOran = item.IskontoOran ?? 0;
2622:    if (kodIskontoTuruOran > 0)
2623:    {
2624:        toplamTutar = Decimal.Round((decimal)item.Miktar *
2625:            (decimal)item.BirimFiyat, 4, MidpointRounding.AwayFromZero);
2626:        decimal toplamTutar2 = Decimal.Round(toplamTutar * (100 -
2627:            kodIskontoTuruOran) * (decimal)0.01, 4, MidpointRounding.AwayFromZero);
2628:        amount2 = toplamTutar - toplamTutar2;
2629:    }
2630:    var multiplierFactorNumeric = doc.CreateElement("cbc",
2631:        "MultiplierFactorNumeric", xlmnscbc.Value);
2632:    multiplierFactorNumeric.InnerText =
2633:        Decimal.Round(kodIskontoTuruOran * (decimal)0.01, 2,
2634:            MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
2635:    allowanceCharge.AppendChild(multiplierFactorNumeric);
2636:    var amount = doc.CreateElement("cbc", "Amount", xlmnscbc.Value);
2637:    currencyId = doc.CreateAttribute("currencyID");
2638:    currencyId.Value = "TRY";

```

```

2629:                     amount.RemoveAllAttributes();
2630:                     amount.Attributes.Append(currencyId);
2631:                     amount.InnerText = Decimal.Round(amount2, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",",".");
2632:                     allowanceCharge.AppendChild(amount);
2633:                     var baseAmount = doc.CreateElement("cbc", "BaseAmount",
xlmnscbc.Value);
2634:                     currencyId = doc.CreateAttribute("currencyID");
2635:                     currencyId.Value = "TRY";
2636:                     baseAmount.RemoveAllAttributes();
2637:                     baseAmount.Attributes.Append(currencyId);
2638:                     baseAmount.InnerText = Decimal.Round(toplamTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",",".");
2639:                     allowanceCharge.AppendChild(baseAmount);
2640:                     invoiceLine.AppendChild(allowanceCharge);

2641: #endregion
2642:
2643:
2644: // Vergi bilgileri yer almaktadir
2645: #region TaxTotal
2646: var taxTotal = doc.CreateElement("cac", "TaxTotal",
xlmnscac.Value);
2647: currencyId = doc.CreateAttribute("currencyID");
2648: currencyId.Value = "TRY";
2649: var taxAmount = doc.CreateElement("cbc", "TaxAmount",
xlmnscbc.Value);
2650: taxAmount.RemoveAllAttributes();
2651: taxAmount.Attributes.Append(currencyId);
2652: taxAmount.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",",".");
2653: taxTotal.AppendChild(taxAmount);
2654: var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal",
xlmnscac.Value);
2655: var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xlmnscbc.Value);
2656: taxableAmount.RemoveAllAttributes();
2657: currencyId = doc.CreateAttribute("currencyID");
2658: currencyId.Value = "TRY";
2659: taxableAmount.Attributes.Append(currencyId);
2660: taxableAmount.InnerText =
Decimal.Round((decimal)item.KdvHaricTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",",".");
2661: taxSubTotal.AppendChild(taxableAmount);
2662: var taxAmount2 = doc.CreateElement("cbc", "TaxAmount",
xlmnscbc.Value);
2663: taxAmount2.RemoveAllAttributes();
2664: currencyId = doc.CreateAttribute("currencyID");
2665: currencyId.Value = "TRY";
2666: taxAmount2.Attributes.Append(currencyId);
2667: taxAmount2.InnerText = Decimal.Round((decimal)item.KdvTutari, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",",".");
2668: taxSubTotal.AppendChild(taxAmount2);
2669: var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
2670: if (item.KdvOran != null)
2671:     percent.InnerText = Decimal.Round((decimal)item.KdvOran, 2,
MidpointRounding.AwayFromZero).ToString("N1").Replace(",",".");
2672: taxSubTotal.AppendChild(percent);
2673: var taxCategory = doc.CreateElement("cac", "TaxCategory",
xlmnscac.Value);
2674: var taxScheme2 = doc.CreateElement("cac", "TaxScheme",
xlmnscac.Value);
2675: var taxTypeName = doc.CreateElement("cbc", "Name",
xlmnscbc.Value);
2676: taxTypeName.InnerText = "KDV";
2677: taxScheme2.AppendChild(taxTypeName);
2678: var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode",
xlmnscbc.Value);
2679: taxTypeCode.InnerText = "0015";
2680: taxScheme2.AppendChild(taxTypeCode);

```

```
2681:             taxCategory.AppendChild(taxScheme2);
2682:             taxSubTotal.AppendChild(taxCategory);
2683:             taxTotal.AppendChild(taxSubTotal);
2684:             invoiceLine.AppendChild(taxTotal);
2685:         #endregion
2686:
2687:         // Fatura kesilen ürün detayı ve açıklama bilgileri yer almaktadır
2688:         #region Item
2689:         var invoiceItem = doc.CreateElement("cac", "Item",
2690:             { if (!string.IsNullOrEmpty(item.MalzemeFaturaAciklamasi))
2691:                 {
2692:                     var description = doc.CreateElement("cbc", "Description",
2693:                         description.InnerText = item.MalzemeFaturaAciklamasi;
2694:                         invoiceItem.AppendChild(description);
2695:                 }
2696:                 var itemName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
2697:                 if (!string.IsNullOrEmpty(item.FaturaUrunTuru))
2698:                     itemName.InnerText = item.FaturaUrunTuru;
2699:                     invoiceItem.AppendChild(itemName);
2700:                     invoiceLine.AppendChild(invoiceItem);
2701:                 #endregion
2702:
2703:                 // Birim fiyat bilgileri yer almaktadır
2704:                 #region Price
2705:
2706:                 var price = doc.CreateElement("cac", "Price", xlmnscac.Value);
2707:                 var priceAmount = doc.CreateElement("cbc", "PriceAmount",
2708:                     priceAmount.RemoveAllAttributes();
2709:                     currencyId = doc.CreateAttribute("currencyID");
2710:                     currencyId.Value = "TRY";
2711:                     priceAmount.Attributes.Append(currencyId);
2712:                     if (item.BirimFiyat != null)
2713:                         priceAmount.InnerText =
2714:                         Decimal.Round((decimal)item.BirimFiyat, 4,
2715:                         MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
2716:                         else
2717:                             priceAmount.InnerText = "0.00";
2718:                             price.AppendChild(priceAmount);
2719:                             invoiceLine.AppendChild(price);
2720:
2721:                         #endregion
2722:                         root.AppendChild(invoiceLine);
2723:                         #endregion
2724:
2725:                         sayac++;
2726:                     }
2727:                 #endregion
2728:
2729:                 doc.AppendChild(root);
2730:
2731:                 #region Dosya Kaydi
2732:
2733:                 var fileName = aktarilacakKlasorAdi + "/" + gidenFatura.GidenFaturaId
2734:                 + ".xml";
2735:                 doc.Save(fileName);
2736:
2737:                 #endregion
2738:
2739:                 return fileName;
2740:             #endregion
2741:         }
2742:     }
2743:
```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```

2744:         /// <summary>
2745:         /// Müstahsil Makbuzu Bilgisi Üzerinden E-Müstahsil Sistemine Göndermek İçin
2746:         /// XML Dosyasi Olusturmaya yarayan metottur
2747:         /// </summary>
2748:         /// <param name="mustahsilMakbuzu">Müstahsil Makbuzu Bilgisi</param>
2749:         /// <param name="mustahsilMakbuzuDetayListesi">Müstahsil Makbuzu Detay
2750:         /// <param name="aktarilacakKlasorAdi">Olusturulan Dosyanin Aktarilacagi
2751:         /// Klasör</param>
2751:         public static string EMustahsilXMLOlustur(MustahsilMakbuzuDTO
mustahsilMakbuzu, List<MustahsilMakbuzuDetayDTO> mustahsilMakbuzuDetayListesi, string
aktarilacakKlasorAdi)
2752:         {
2753:             XmlDocument doc = new XmlDocument();
2754:             XmlDeclaration declaration;
2755:             declaration = doc.CreateXmlDeclaration("1.0", "UTF-8", null);
2756:             XmlElement root = doc.DocumentElement;
2757:             doc.InsertBefore(declaration, root);
2758:             doc.AppendChild(doc.CreateProcessingInstruction("xml-stylesheet",
"type=\\"text/xsl\\" href=\\"general.xslt\\\""));
2759:             root = doc.CreateElement("CreditNote");
2760:
2761:
2762:             #region Standart ve Müstahsil Makbuzuna Bagli Bilgiler
2763:
2764:             // Makbuzun türü, kesilme tarihi, UBL Versiyon Numarasi, GIB Numarasi
2764:             givi bilgiler
2765:             // yer almaktadir
2766:             #region Standart Bilgiler
2767:             root.RemoveAllAttributes();
2768:             string locationAttribute = "xsi:schemaLocation";
2769:             XmlAttribute location = doc.CreateAttribute("xsi", "schemaLocation",
"urn:oasis:names:specification:ubl:schema:xsd:CreditNote-2");
2770:             location.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CreditNote-2
../../../../maindoc/UBL-CreditNote-2.1.xsd";
2771:             XmlAttribute xlmns = doc.CreateAttribute("xmlns");
2772:             xlmns.Value = "urn:oasis:names:specification:ubl:schema:xsd:CreditNote-2";
2773:             XmlAttribute xlmnssn4 = doc.CreateAttribute("xmlns:n4");
2774:             xlmnssn4.Value = "http://www.altova.com/samplexml/other-namespace";
2775:             XmlAttribute xlmnss xsi = doc.CreateAttribute("xmlns:xsi");
2776:             xlmnss xsi.Value = "http://www.w3.org/2001/XMLSchema-instance";
2777:             XmlAttribute xlmnscac = doc.CreateAttribute("xmlns:cac");
2778:             xlmnscac.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonAggregateComponents-2";
2779:             XmlAttribute xlmnscbc = doc.CreateAttribute("xmlns:cbc");
2780:             xlmnscbc.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonBasicComponents-2";
2781:             XmlAttribute xlmnsext = doc.CreateAttribute("xmlns:ext");
2782:             xlmnsext.Value =
"urn:oasis:names:specification:ubl:schema:xsd:CommonExtensionComponents-2";
2783:             root.Attributes.Append(location);
2784:             root.Attributes.Append(xlmns);
2785:             root.Attributes.Append(xlmnssn4);
2786:             root.Attributes.Append(xlmnss xsi);
2787:             root.Attributes.Append(xlmnscac);
2788:             root.Attributes.Append(xlmnscbc);
2789:             root.Attributes.Append(xlmnsext);
2790:             var extUbl = doc.CreateElement("ext", "UBLExtensions", xlmnsext.Value);
2791:             var extUbl2 = doc.CreateElement("ext", "UBLExtension", xlmnsext.Value);
2792:             var extUbl3 = doc.CreateElement("ext", "ExtensionContent",
xlmnsext.Value);
2793:             var extUbl4 = doc.CreateElement("n4", "auto-generated_for_wildcard",
xlmnssn4.Value);
2794:             extUbl3.AppendChild(extUbl4);
2795:             extUbl2.AppendChild(extUbl3);
2796:             extUbl.AppendChild(extUbl2);
2797:
2798:             root.AppendChild(extUbl);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

2799:
2800:        var versionId = doc.CreateElement("cbc", "UBLVersionID", xlmnscbc.Value);
2801:        versionId.InnerText = "2.1";
2802:        root.AppendChild(versionId);
2803:
2804:        var customizationId = doc.CreateElement("cbc", "CustomizationID",
xlmnscbc.Value);
2805:        customizationId.InnerText = "TR1.2.1";
2806:        root.AppendChild(customizationId);
2807:
2808:        var profileId = doc.CreateElement("cbc", "ProfileID", xlmnscbc.Value);
2809:        profileId.InnerText = "EARSIVBELGE";
2810:        root.AppendChild(profileId);
2811:
2812:        var id = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
2813:        if (!string.IsNullOrEmpty(mustahsilMakbuzu.MustahsilMakbuzuNo))
2814:            id.InnerText = mustahsilMakbuzu.MustahsilMakbuzuNo;
2815:        else
2816:            id.InnerText = "ABC" + mustahsilMakbuzu.MustahsilMakbuzuTarihi?.Year
+ DateTime.UtcNow.Ticks.ToString().Substring(0, 9);
2817:        root.AppendChild(id);
2818:
2819:        var copyIndicator = doc.CreateElement("cbc", "CopyIndicator",
xlmnscbc.Value);
2820:        copyIndicator.InnerText = "false";
2821:        root.AppendChild(copyIndicator);
2822:
2823:        var mustahsilMakbuzuId = doc.CreateElement("cbc", "UUID", xlmnscbc.Value);
2824:        mustahsilMakbuzuId.InnerText = mustahsilMakbuzu.MustahsilMakbuzuId.Length
== 36 ? mustahsilMakbuzu.MustahsilMakbuzuId.ToUpper() : Guid.NewGuid().ToString().ToUpper();
2825:        root.AppendChild(mustahsilMakbuzuId);
2826:
2827:        var issueDate = doc.CreateElement("cbc", "IssueDate", xlmnscbc.Value);
2828:        issueDate.InnerText =
mustahsilMakbuzu.MustahsilMakbuzuTarihi?.Date.ToString("yyyy-MM-dd");
2829:        root.AppendChild(issueDate);
2830:
2831:        var issueTime = doc.CreateElement("cbc", "IssueTime", xlmnscbc.Value);
2832:        issueTime.InnerText =
mustahsilMakbuzu.MustahsilMakbuzuTarihi?.ToString("HH:mm:ss");
2833:        root.AppendChild(issueTime);
2834:
2835:        var creditNoteTypeCode = doc.CreateElement("cbc", "CreditNoteTypeCode",
xlmnscbc.Value);
2836:        creditNoteTypeCode.InnerText = "MUSTAHSILMAKBUZ";
2837:        root.AppendChild(creditNoteTypeCode);
2838:
2839:        var sendType = doc.CreateElement("cbc", "Note", xlmnscbc.Value);
2840:        sendType.InnerText = "Gönderim Sekli: ELEKTRONIK";
2841:        root.AppendChild(sendType);
2842:
2843:        var documentCurrencyCode = doc.CreateElement("cbc",
"DocumentCurrencyCode", xlmnscbc.Value);
2844:        documentCurrencyCode.InnerText = "TRY";
2845:        root.AppendChild(documentCurrencyCode);
2846:
2847:        var lineCountNumeric = doc.CreateElement("cbc", "LineCountNumeric",
xlmnscbc.Value);
2848:        lineCountNumeric.InnerText =
mustahsilMakbuzuDetayListesi.Count.ToString();
2849:        root.AppendChild(lineCountNumeric);
2850:
2851:        #region AdditionalDocumentReference
2852:
2853:        var additionalDocumentReference = doc.CreateElement("cac",
"AdditionalDocumentReference", xlmnscac.Value);
2854:        var additionalDocumentReferenceId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
2855:        additionalDocumentReferenceId.InnerText =

```

```

mustahsilMakbuzu.MustahsilMakbuzuId.Length == 36 ?
mustahsilMakbuzu.MustahsilMakbuzuId.ToUpper() : Guid.NewGuid().ToString().ToUpper();
2856:         additionalDocumentReference.AppendChild(additionalDocumentReferenceId);
2857:         issueDate = doc.CreateElement("cbc", "IssueDate", xlmnscbc.Value);
2858:         issueDate.InnerText =
mustahsilMakbuzu.MustahsilMakbuzuTarihi?.Date.ToString("yyyy-MM-dd");
2859:         additionalDocumentReference.AppendChild(issueDate);
2860:         var documentType = doc.CreateElement("cbc", "DocumentType",
xlmnscbc.Value);
2861:         documentType.InnerText = "XSLT";
2862:         additionalDocumentReference.AppendChild(documentType);
2863:         var attachment = doc.CreateElement("cac", "Attachment", xlmnscac.Value);
2864:         var embeddedDocumentBinaryObject = doc.CreateElement("cbc",
"EmbeddedDocumentBinaryObject", xlmnscbc.Value);
2865:         XmlAttribute characterSetCode = doc.CreateAttribute("characterSetCode");
2866:         characterSetCode.Value = "UTF-8";
2867:         XmlAttribute encodingCode = doc.CreateAttribute("encodingCode");
2868:         encodingCode.Value = "Base64";
2869:         XmlAttribute mimeCode = doc.CreateAttribute("mimeCode");
2870:         mimeCode.Value = "application/xml";
2871:         embeddedDocumentBinaryObject.Attributes.Append(characterSetCode);
2872:         embeddedDocumentBinaryObject.Attributes.Append(encodingCode);
2873:         embeddedDocumentBinaryObject.Attributes.Append(mimeCode);
2874:         attachment.AppendChild(embeddedDocumentBinaryObject);
2875:         additionalDocumentReference.AppendChild(attachment);
2876:
2877:         root.AppendChild(additionalDocumentReference);
2878:
2879: #endregion
2880:
2881: #endregion
2882:
2883: // Faturaya iliskin imza, adres vb. bilgiler yer almaktadir
2884: #region Signature
2885: var signature = doc.CreateElement("cac", "Signature", xlmnscac.Value);
2886: XmlAttribute signatureIdAttr = doc.CreateAttribute("schemeID");
2887: signatureIdAttr.Value = "VKN_TCKN";
2888: var signatureId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
2889: signatureId.Attributes.Append(signatureIdAttr);
2890: signatureId.InnerText = "3250566851";
2891: signature.AppendChild(signatureId);
2892: var signatoryParty = doc.CreateElement("cac", "SignatoryParty",
xlmnscac.Value);
2893: var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
2894: XmlAttribute signatureIdAttr2 = doc.CreateAttribute("schemeID");
2895: signatureIdAttr2.Value = "VKN";
2896: var signaturePartyId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
2897: signaturePartyId.Attributes.Append(signatureIdAttr2);
2898: signaturePartyId.InnerText = "3250566851";
2899: partyIdentification.AppendChild(signaturePartyId);
2900: signatoryParty.AppendChild(partyIdentification);
2901:
2902: #region Postal Address
2903: var postalAddress = doc.CreateElement("cac", "PostalAddress",
xlmnscac.Value);
2904: var streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
2905: streetName.InnerText = "Mithatpasa Caddesi";
2906: postalAddress.AppendChild(streetName);
2907: var buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
2908: buildingNumber.InnerText = "14";
2909: postalAddress.AppendChild(buildingNumber);
2910: var citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
2911: citySubdivisionName.InnerText = "Çankaya";
2912: postalAddress.AppendChild(citySubdivisionName);
2913: var cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
2914: cityName.InnerText = "Ankara";

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

```

2915:         postalAddress.AppendChild(cityName);
2916:         var postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
2917:         postalZone.InnerText = "06100";
2918:         postalAddress.AppendChild(postalZone);
2919:         var country = doc.CreateElement("cac", "Country", xlmnscac.Value);
2920:         var countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
2921:         countryName.InnerText = "Türkiye";
2922:         country.AppendChild(countryName);
2923:         postalAddress.AppendChild(country);
2924:         signatoryParty.AppendChild(postalAddress);
2925:         signature.AppendChild(signatoryParty);

2926:
2927:     #endregion
2928:

2929:     var digitalSignatureAttachment = doc.CreateElement("cac",
2930: "DigitalSignatureAttachment", xlmnscac.Value);
2931:     var externalReference = doc.CreateElement("cac", "ExternalReference",
2932: xlmnscac.Value);
2933:     var uri = doc.CreateElement("cbc", "URI", xlmnscbc.Value);
2934:     uri.InnerText = "#Signature";
2935:     externalReference.AppendChild(uri);
2936:     digitalSignatureAttachment.AppendChild(externalReference);
2937:     signature.AppendChild(digitalSignatureAttachment);

2938:     root.AppendChild(signature);
2939: #endregion

2940: // Burada sabit degerler verilmekte olup, Makbuzu kesen kuruma veya
2941: firmaya ait bilgiler
2942: // yer almaktadir. Bu kisimda örnek olarak TÜRKSEKER Fabrikalari Genel
2943: Müdürlüğü bilgileri
2944: // kullanilmistir. Ancak degistirip test edilebilir.
2945: #region AccountingSupplierParty
2946:
2947:     var accountingSupplierParty = doc.CreateElement("cac",
2948: "AccountingSupplierParty", xlmnscac.Value);
2949:     var party = doc.CreateElement("cac", "Party", xlmnscac.Value);
2950:     var webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
2951:     webSiteUri.InnerText = "https://www.turkseker.gov.tr";
2952:     party.AppendChild(webSiteUri);
2953:     XmlAttribute accountingSupplierPartyIdAttr =
2954: doc.CreateAttribute("schemeID");
2955:     accountingSupplierPartyIdAttr.Value = "VKN_TCKN";
2956:     var partyIdentification = doc.CreateElement("cac", "PartyIdentification",
2957: xlmnscac.Value);
2958:     XmlAttribute accountingSupplierPartyIdAttr2 =
2959: doc.CreateAttribute("schemeID");
2960:     accountingSupplierPartyIdAttr2.Value = "VKN";
2961:     var accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
2962: xlmnscbc.Value);
2963:     accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
2964:     accountingSupplierPartyPartyId.InnerText = "3250566851";
2965:     partyIdentification.AppendChild(accountingSupplierPartyPartyId);
2966:     party.AppendChild(partyIdentification);

2967:     if (!string.IsNullOrEmpty(mustahsilMakbuzu.AltBirimAd))
2968:     {
2969:         partyIdentification = doc.CreateElement("cac", "PartyIdentification",
2970: xlmnscac.Value);
2971:         accountingSupplierPartyIdAttr2 = doc.CreateAttribute("schemeID");
2972:         accountingSupplierPartyIdAttr2.Value = "SUBENO";
2973:         accountingSupplierPartyPartyId = doc.CreateElement("cbc", "ID",
2974: xlmnscbc.Value);
2975:         accountingSupplierPartyPartyId.Attributes.Append(accountingSupplierPartyIdAttr2);
2976:         accountingSupplierPartyPartyId.InnerText =
2977: mustahsilMakbuzu.AltBirimAd;
2978:         partyIdentification.AppendChild(accountingSupplierPartyPartyId);
2979:

```

```

2970:             party.AppendChild(partyIdentification);
2971:         }
2972:
2973:         var partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
2974:         var partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
2975:         partyNameReal.InnerText = "TÜRKİYE SEKER FABRIKALARI A.S.";
2976:         partyName.AppendChild(partyNameReal);
2977:         party.AppendChild(partyName);
2978:
2979:         #region Postal Address
2980:         postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
2981:         var postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
2982:         postalAddressId.InnerText = "3250566851";
2983:         postalAddress.AppendChild(postalAddressId);
2984:         streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
2985:         streetName.InnerText = "Mithatpasa Caddesi";
2986:         postalAddress.AppendChild(streetName);
2987:         buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
2988:         buildingNumber.InnerText = "14";
2989:         postalAddress.AppendChild(buildingNumber);
2990:         citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
2991:         citySubdivisionName.InnerText = "Çankaya";
2992:         postalAddress.AppendChild(citySubdivisionName);
2993:         cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
2994:         cityName.InnerText = "Ankara";
2995:         postalAddress.AppendChild(cityName);
2996:         postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
2997:         postalZone.InnerText = "06100";
2998:         postalAddress.AppendChild(postalZone);
2999:         country = doc.CreateElement("cac", "Country", xlmnscac.Value);
3000:         countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
3001:         countryName.InnerText = "Türkiye";
3002:         country.AppendChild(countryName);
3003:         postalAddress.AppendChild(country);
3004:         party.AppendChild(postalAddress);
3005:
3006:         #endregion
3007:
3008:         var partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xlmnscac.Value);
3009:         var taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
3010:         var taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
3011:         taxSchemeName.InnerText = "Ankara Kurumlar";
3012:         taxScheme.AppendChild(taxSchemeName);
3013:         partyTaxScheme.AppendChild(taxScheme);
3014:         party.AppendChild(partyTaxScheme);
3015:
3016:         var contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
3017:         var telephone = doc.CreateElement("cbc", "Telephone", xlmnscbc.Value);
3018:         telephone.InnerText = "(312) 4585500";
3019:         contact.AppendChild(telephone);
3020:         var telefax = doc.CreateElement("cbc", "Telefax", xlmnscbc.Value);
3021:         telefax.InnerText = "(312) 4585800";
3022:         contact.AppendChild(telefax);
3023:         var electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xlmnscbc.Value);
3024:         electronicMail.InnerText = "maliisler@turkseker.gov.tr";
3025:         contact.AppendChild(electronicMail);
3026:         party.AppendChild(contact);
3027:
3028:         accountingSupplierParty.AppendChild(party);
3029:
3030:         root.AppendChild(accountingSupplierParty);
3031:         #endregion
3032:
3033:         // Bu kisimda makbuz kesilen firma bilgileri yer almaktadir
3034:         #region AccountingCustomerParty

```

```

3035:
3036:        var accountingCustomerParty = doc.CreateElement("cac",
3037: "AccountingCustomerParty", xlmnscac.Value);
3038:        party = doc.CreateElement("cac", "Party", xlmnscac.Value);
3039:        webSiteUri = doc.CreateElement("cbc", "WebsiteURI", xlmnscbc.Value);
3040:        party.AppendChild(webSiteUri);
3041:        XmlAttribute accountingCustomerIdAttr =
doc.CreateAttribute("schemeID");
3042:        accountingCustomerIdAttr.Value = "TCKN";
3043:        if (mustahsilMakbuzu.VergiNo.Length == 10)
3044:            accountingCustomerIdAttr.Value = "VKN";
3045:        partyIdentification = doc.CreateElement("cac", "PartyIdentification",
xlmnscac.Value);
3046:        var accountingCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
3047:        accountingCustomerPartyPartyId.Attributes.Append(accountingCustomerIdAttr);
3048:        accountingCustomerPartyPartyId.InnerText = mustahsilMakbuzu.VergiNo;
3049:        partyIdentification.AppendChild(accountingCustomerPartyPartyId);
3050:        party.AppendChild(partyIdentification);
3051:        if (mustahsilMakbuzu.VergiNo.Length == 10)
3052:        {
3053:            partyName = doc.CreateElement("cac", "PartyName", xlmnscac.Value);
3054:            partyNameReal = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
3055:            partyNameReal.InnerText = mustahsilMakbuzu.TuzelKisiAd;
3056:            partyName.AppendChild(partyNameReal);
3057:            party.AppendChild(partyName);
3058:        }
3059:
3060:        #region Postal Address
3061:        postalAddress = doc.CreateElement("cac", "PostalAddress", xlmnscac.Value);
3062:        postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
3063:        postalAddressId.InnerText = mustahsilMakbuzu.VergiNo;
3064:        postalAddress.AppendChild(postalAddressId);
3065:        var room = doc.CreateElement("cbc", "Room", xlmnscbc.Value);
3066:        postalAddress.AppendChild(room);
3067:        streetName = doc.CreateElement("cbc", "StreetName", xlmnscbc.Value);
3068:        if (!string.IsNullOrEmpty(mustahsilMakbuzu.Adres))
3069:            streetName.InnerText = mustahsilMakbuzu.Adres;
3070:        postalAddress.AppendChild(streetName);
3071:        buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
xlmnscbc.Value);
3072:        //buildingNumber.InnerText = "";
3073:        postalAddress.AppendChild(buildingNumber);
3074:        citySubdivisionName = doc.CreateElement("cbc", "CitySubdivisionName",
xlmnscbc.Value);
3075:        if (!string.IsNullOrEmpty(mustahsilMakbuzu.IlceAd))
3076:            citySubdivisionName.InnerText = mustahsilMakbuzu.IlceAd;
3077:        postalAddress.AppendChild(citySubdivisionName);
3078:        cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
3079:        if (!string.IsNullOrEmpty(mustahsilMakbuzu.IlAd))
3080:            cityName.InnerText = mustahsilMakbuzu.IlAd;
3081:        postalAddress.AppendChild(cityName);
3082:        postalZone = doc.CreateElement("cbc", "PostalZone", xlmnscbc.Value);
3083:        //postalZone.InnerText = "";
3084:        postalAddress.AppendChild(postalZone);
3085:        country = doc.CreateElement("cac", "Country", xlmnscac.Value);
3086:        countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
3087:        countryName.InnerText = "Türkiye";
3088:        country.AppendChild(countryName);
3089:        postalAddress.AppendChild(country);
3090:        party.AppendChild(postalAddress);
3091:
3092:        #endregion
3093:
3094:        partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xlmnscac.Value);
3095:        taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

3096:         taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
3097:         if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiDairesi))
3098:             taxSchemeName.InnerText = mustahsilMakbuzu.VergiDairesi;
3099:         taxScheme.AppendChild(taxSchemeName);
3100:         partyTaxScheme.AppendChild(taxScheme);
3101:         party.AppendChild(partyTaxScheme);
3102:
3103:         contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
3104:         electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xlmnscbc.Value);
3105:         if (!string.IsNullOrEmpty(mustahsilMakbuzu.EPostaAdresi))
3106:             electronicMail.InnerText = mustahsilMakbuzu.EPostaAdresi;
3107:         contact.AppendChild(electronicMail);
3108:         party.AppendChild(contact);
3109:
3110:         if (mustahsilMakbuzu.VergiNo.Length == 11)
3111:     {
3112:         var liste = mustahsilMakbuzu.TuzelKisiAd.Split(' ').ToList();
3113:         if (liste.Count > 1)
3114:     {
3115:             var person = doc.CreateElement("cac", "Person", xlmnscac.Value);
3116:             var firstName = doc.CreateElement("cbc", "FirstName",
xlmnscbc.Value);
3117:             firstName.InnerText = liste[0];
3118:             person.AppendChild(firstName);
3119:             var familyName = doc.CreateElement("cbc", "FamilyName",
xlmnscbc.Value);
3120:             familyName.InnerText = liste[1];
3121:             person.AppendChild(familyName);
3122:             party.AppendChild(person);
3123:         }
3124:     }
3125:
3126:     accountingCustomerParty.AppendChild(party);
3127:
3128:     root.AppendChild(accountingCustomerParty);
3129: #endregion
3130:
3131:     if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiNo))
3132:     {
3133:         if (mustahsilMakbuzu.VergiNo.Length == 10)
3134:     {
3135:         // Bu kisimda makbuz kesilen firma bilgileri yer almaktadir (Eger
sadece Tuzel Kisilikse, sahis sirketleri icin bu yapilmamaktadir)
3136:         #region BuyerCustomerParty
3137:
3138:             var buyerCustomerParty = doc.CreateElement("cac",
"BuyerCustomerParty", xlmnscac.Value);
3139:             party = doc.CreateElement("cac", "Party", xlmnscac.Value);
3140:             webSiteUri = doc.CreateElement("cbc", "WebsiteURI",
xlmnscbc.Value);
3141:             party.AppendChild(webSiteUri);
3142:             XmlAttribute buyerCustomerPartyIdAttr =
doc.CreateAttribute("schemeID");
3143:             buyerCustomerPartyIdAttr.Value = "VKN";
3144:             partyIdentification = doc.CreateElement("cac",
"PartyIdentification", xlmnscac.Value);
3145:             var buyerCustomerPartyPartyId = doc.CreateElement("cbc", "ID",
xlmnscbc.Value);
3146:
buyerCustomerPartyPartyId.Attributes.Append(buyerCustomerPartyIdAttr);
3147:             buyerCustomerPartyPartyId.InnerText = mustahsilMakbuzu.VergiNo;
3148:             partyIdentification.AppendChild(buyerCustomerPartyPartyId);
3149:             party.AppendChild(partyIdentification);
3150:
3151:             if (mustahsilMakbuzu.VergiNo.Length == 10)
3152:     {
3153:                 partyName = doc.CreateElement("cac", "PartyName",
xlmnscac.Value);

```

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

3154:                     partyNameReal = doc.CreateElement("cbc", "Name",
xlmnscbc.Value);
3155:                     partyNameReal.InnerText = mustahsilMakbuzu.TuzelKisiAd;
3156:                     partyName.AppendChild(partyNameReal);
3157:                     party.AppendChild(partyName);
3158:                 }
3159:
3160:
3161: #region Postal Address
3162:         postalAddress = doc.CreateElement("cac", "PostalAddress",
xlmnscac.Value);
3163:         postalAddressId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
3164:         postalAddressId.InnerText = mustahsilMakbuzu.VergiNo;
3165:         postalAddress.AppendChild(postalAddressId);
3166:         room = doc.CreateElement("cbc", "Room", xlmnscbc.Value);
3167:         postalAddress.AppendChild(room);
3168:         streetName = doc.CreateElement("cbc", "StreetName",
xlmnscbc.Value);
3169:         if (!string.IsNullOrEmpty(mustahsilMakbuzu.Adres))
3170:             streetName.InnerText = mustahsilMakbuzu.Adres;
3171:         postalAddress.AppendChild(streetName);
3172:         buildingNumber = doc.CreateElement("cbc", "BuildingNumber",
//buildingNumber.InnerText = "";
3173:         postalAddress.AppendChild(buildingNumber);
3174:         citySubdivisionName = doc.CreateElement("cbc",
"CitySubdivisionName", xlmnscbc.Value);
3175:         if (!string.IsNullOrEmpty(mustahsilMakbuzu.IlceAd))
3176:             citySubdivisionName.InnerText = mustahsilMakbuzu.IlceAd;
3177:         postalAddress.AppendChild(citySubdivisionName);
3178:         cityName = doc.CreateElement("cbc", "CityName", xlmnscbc.Value);
3179:         if (!string.IsNullOrEmpty(mustahsilMakbuzu.IlAd))
3180:             cityName.InnerText = mustahsilMakbuzu.IlAd;
3181:         postalAddress.AppendChild(cityName);
3182:         postalZone = doc.CreateElement("cbc", "PostalZone",
//postalZone.InnerText = "";
3183:         postalAddress.AppendChild(postalZone);
3184:         country = doc.CreateElement("cac", "Country", xlmnscac.Value);
3185:         countryName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
3186:         countryName.InnerText = "Türkiye";
3187:         country.AppendChild(countryName);
3188:         postalAddress.AppendChild(country);
3189:         party.AppendChild(postalAddress);
3190:
3191:
3192: #endregion
3193:
3194:         partyTaxScheme = doc.CreateElement("cac", "PartyTaxScheme",
xlmnscac.Value);
3195:         taxScheme = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
3196:         taxSchemeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
3197:         if (!string.IsNullOrEmpty(mustahsilMakbuzu.VergiDairesi))
3198:             taxSchemeName.InnerText = mustahsilMakbuzu.VergiDairesi;
3199:         taxScheme.AppendChild(taxSchemeName);
3200:         partyTaxScheme.AppendChild(taxScheme);
3201:         party.AppendChild(partyTaxScheme);
3202:
3203:         contact = doc.CreateElement("cac", "Contact", xlmnscac.Value);
3204:         electronicMail = doc.CreateElement("cbc", "ElectronicMail",
xlmnscbc.Value);
3205:         if (!string.IsNullOrEmpty(mustahsilMakbuzu.EPostaAdresi))
3206:             electronicMail.InnerText = mustahsilMakbuzu.EPostaAdresi;
3207:         contact.AppendChild(electronicMail);
3208:         party.AppendChild(contact);
3209:
3210:         if (mustahsilMakbuzu.VergiNo.Length == 11)
3211:         {
3212:             var liste = mustahsilMakbuzu.TuzelKisiAd.Split(' ').ToList();
3213:             if (liste.Count > 1)
3214:             {

```

```

3215:                     var person = doc.CreateElement("cac", "Person",
3216:                         xlmnscac.Value);
3217:                     var firstName = doc.CreateElement("cbc", "FirstName",
3218:                         xlmnscbc.Value);
3219:                     firstName.InnerText = liste[0];
3220:                     person.AppendChild(firstName);
3221:                     var familyName = doc.CreateElement("cbc", "FamilyName",
3222:                         xlmnscbc.Value);
3223:                     familyName.InnerText = liste[1];
3224:                     person.AppendChild(familyName);
3225:                     party.AppendChild(person);
3226:                 }
3227:             }
3228:         }
3229:     }
3230: }
3231: }
3232: }
3233: // Burada vergi bilgileri yer almaktadir
3234: #region TaxTotal
3235:
3236: var taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
3237: XmlAttribute currencyId = doc.CreateAttribute("currencyID");
3238: currencyId.Value = "TRY";
3239: var taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
3240: taxAmount.RemoveAllAttributes();
3241: taxAmount.Attributes.Append(currencyId);
3242: taxAmount.InnerText =
Decimal.Round((decimal)mustahsilMakbuzu.GelirVergisi, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
3243: taxTotal.AppendChild(taxAmount);
3244: var taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xlmnscac.Value);
3245: var taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xlmnscbc.Value);
3246: taxableAmount.RemoveAllAttributes();
3247: currencyId = doc.CreateAttribute("currencyID");
3248: currencyId.Value = "TRY";
3249: taxableAmount.Attributes.Append(currencyId);
3250: taxableAmount.InnerText =
Decimal.Round((decimal)mustahsilMakbuzu.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
3251: taxSubTotal.AppendChild(taxableAmount);
3252: var taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
3253: taxAmount2.RemoveAllAttributes();
3254: currencyId = doc.CreateAttribute("currencyID");
3255: currencyId.Value = "TRY";
3256: taxAmount2.Attributes.Append(currencyId);
3257: taxAmount2.InnerText =
Decimal.Round((decimal)mustahsilMakbuzu.GelirVergisi, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
3258: taxSubTotal.AppendChild(taxAmount2);
3259: var percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
3260: if (mustahsilMakbuzu.NetTutar != 0)
3261:     percent.InnerText =
Decimal.Round(((decimal)mustahsilMakbuzu.GelirVergisi * 100) /
(decimal)mustahsilMakbuzu.NetTutar, 0, MidpointRounding.AwayFromZero).ToString();
3262: else
3263:     percent.InnerText = "0";
3264: taxSubTotal.AppendChild(percent);
3265: var taxCategory = doc.CreateElement("cac", "TaxCategory", xlmnscac.Value);
3266: if (mustahsilMakbuzu.GelirVergisi == 0)
3267: {
3268:     var taxExemptionReasonCode = doc.CreateElement("cbc",
"TaxExemptionReasonCode", xlmnscbc.Value);
3269:     taxExemptionReasonCode.InnerText = "325";
3270:     var taxExemptionReason = doc.CreateElement("cbc",

```

Created with a commercial version of Doc-O-Matic. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

```

"TaxExemptionReason", xlmnscbc.Value);
3271:     taxExemptionReason.InnerText = "13/i Yem Teslimleri";
3272:     taxCategory.AppendChild(taxExemptionReasonCode);
3273:     taxCategory.AppendChild(taxExemptionReason);
3274: }
3275: var taxScheme2 = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
3276: var taxName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
3277: taxName.InnerText = "GV STOPAJI";
3278: taxScheme2.AppendChild(taxName);
3279: var taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xlmnscbc.Value);
3280: taxTypeCode.InnerText = "0003";
3281: taxScheme2.AppendChild(taxTypeCode);
3282: taxCategory.AppendChild(taxScheme2);
3283: taxSubTotal.AppendChild(taxCategory);
3284: taxTotal.AppendChild(taxSubTotal);
3285: root.AppendChild(taxTotal);
3286:
3287: #endregion
3288:
3289: // Gelir Vergisi, Net Tutar ve Toplam Tutar bilgileri yer almaktadir
3290: #region LegalMonetaryTotal
3291:
3292: var legalMonetaryTotal = doc.CreateElement("cac", "LegalMonetaryTotal",
xlmnscac.Value);
3293: var lineExtensionAmount = doc.CreateElement("cbc", "LineExtensionAmount",
3294: lineExtensionAmount.RemoveAllAttributes();
3295: currencyId = doc.CreateAttribute("currencyID");
3296: currencyId.Value = "TRY";
3297: lineExtensionAmount.Attributes.Append(currencyId);
3298: lineExtensionAmount.InnerText =
Decimal.Round((decimal)mustahsilMakbuzu.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
3299: legalMonetaryTotal.AppendChild(lineExtensionAmount);
3300: var taxExclusiveAmount = doc.CreateElement("cbc", "TaxExclusiveAmount",
xlmnscbc.Value);
3301: taxExclusiveAmount.RemoveAllAttributes();
3302: currencyId = doc.CreateAttribute("currencyID");
3303: currencyId.Value = "TRY";
3304: taxExclusiveAmount.Attributes.Append(currencyId);
3305: taxExclusiveAmount.InnerText =
Decimal.Round((decimal)mustahsilMakbuzu.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
3306: legalMonetaryTotal.AppendChild(taxExclusiveAmount);
3307: var taxInclusiveAmount = doc.CreateElement("cbc", "TaxInclusiveAmount",
xlmnscbc.Value);
3308: taxInclusiveAmount.RemoveAllAttributes();
3309: currencyId = doc.CreateAttribute("currencyID");
3310: currencyId.Value = "TRY";
3311: taxInclusiveAmount.Attributes.Append(currencyId);
3312: taxInclusiveAmount.InnerText =
Decimal.Round((decimal)mustahsilMakbuzu.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
3313: legalMonetaryTotal.AppendChild(taxInclusiveAmount);
3314: var payableAmount = doc.CreateElement("cbc", "PayableAmount",
xlmnscbc.Value);
3315: payableAmount.RemoveAllAttributes();
3316: currencyId = doc.CreateAttribute("currencyID");
3317: currencyId.Value = "TRY";
3318: payableAmount.Attributes.Append(currencyId);
3319: payableAmount.InnerText =
Decimal.Round((decimal)mustahsilMakbuzu.NetTutar - (decimal)mustahsilMakbuzu.GelirVergisi,
2, MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
3320: legalMonetaryTotal.AppendChild(payableAmount);
3321: root.AppendChild(legalMonetaryTotal);
3322: #endregion
3323:
3324: var sayac = 1;
3325: // Her bir makbuz detayı için hazırlanan bölümdür

```

```

3326:         foreach (var item in mustahsilMakbuzuDetayListesi)
3327:     {
3328:         #region CreditNoteLine
3329:         #region MetaData
3330:         var creditNoteLine = doc.CreateElement("cac", "CreditNoteLine",
3331:         xlmnscac.Value);
3332:         var creditNoteLineId = doc.CreateElement("cbc", "ID", xlmnscbc.Value);
3333:         creditNoteLineId.InnerText = sayac.ToString();
3334:         creditNoteLine.AppendChild(creditNoteLineId);
3335:         var quantity = doc.CreateAttribute("unitCode");
3336:         quantity.Value = "KGM";
3337:         var creditedQuantity = doc.CreateElement("cbc", "CreditedQuantity",
3338:         xlmnscbc.Value);
3339:         creditedQuantity.RemoveAllAttributes();
3340:         creditedQuantity.Attributes.Append(quantity);
3341:         creditedQuantity.InnerText = Decimal.Round((decimal)item.Miktar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",",".");
3342:         creditNoteLine.AppendChild(creditedQuantity);
3343:         var lineExtensionAmountDetail = doc.CreateElement("cbc",
"LineExtensionAmount", xlmnscbc.Value);
3344:         lineExtensionAmountDetail.RemoveAllAttributes();
3345:         currencyId = doc.CreateAttribute("currencyID");
3346:         currencyId.Value = "TRY";
3347:         lineExtensionAmountDetail.Attributes.Append(currencyId);
3348:         lineExtensionAmountDetail.InnerText =
Decimal.Round((decimal)item.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",",".");
3349:         creditNoteLine.AppendChild(lineExtensionAmountDetail);
3350:     #endregion
3351:     #region TaxTotal
3352:     taxTotal = doc.CreateElement("cac", "TaxTotal", xlmnscac.Value);
3353:     currencyId = doc.CreateAttribute("currencyID");
3354:     currencyId.Value = "TRY";
3355:     taxAmount = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
3356:     taxAmount.RemoveAllAttributes();
3357:     taxAmount.Attributes.Append(currencyId);
3358:     taxAmount.InnerText = Decimal.Round((decimal)item.GelirVergisi, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",",".");
3359:     taxTotal.AppendChild(taxAmount);
3360:     taxSubTotal = doc.CreateElement("cac", "TaxSubtotal", xlmnscac.Value);
3361:     taxableAmount = doc.CreateElement("cbc", "TaxableAmount",
xlmnscbc.Value);
3362:     taxableAmount.RemoveAllAttributes();
3363:     currencyId = doc.CreateAttribute("currencyID");
3364:     currencyId.Value = "TRY";
3365:     taxableAmount.Attributes.Append(currencyId);
3366:     taxableAmount.InnerText = Decimal.Round((decimal)item.NetTutar, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",",".");
3367:     taxSubTotal.AppendChild(taxableAmount);
3368:     taxAmount2 = doc.CreateElement("cbc", "TaxAmount", xlmnscbc.Value);
3369:     taxAmount2.RemoveAllAttributes();
3370:     currencyId = doc.CreateAttribute("currencyID");
3371:     currencyId.Value = "TRY";
3372:     taxAmount2.Attributes.Append(currencyId);
3373:     taxAmount2.InnerText = Decimal.Round((decimal)item.GelirVergisi, 2,
MidpointRounding.AwayFromZero).ToString().Replace(",",".");
3374:     taxSubTotal.AppendChild(taxAmount2);
3375:     percent = doc.CreateElement("cbc", "Percent", xlmnscbc.Value);
3376:     percent.InnerText = "2";
3377:     taxSubTotal.AppendChild(percent);
3378:     taxCategory = doc.CreateElement("cac", "TaxCategory", xlmnscac.Value);
3379:     taxScheme2 = doc.CreateElement("cac", "TaxScheme", xlmnscac.Value);
3380:     var taxTypeName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
3381:     taxTypeName.InnerText = "GV STOPAJI";
3382:     taxScheme2.AppendChild(taxTypeName);
3383:     taxTypeCode = doc.CreateElement("cbc", "TaxTypeCode", xlmnscbc.Value);
3384:     taxTypeCode.InnerText = "0003";

```

```

3385:             taxScheme2.AppendChild(taxTypeCode);
3386:             taxCategory.AppendChild(taxScheme2);
3387:             taxSubTotal.AppendChild(taxCategory);
3388:             taxTotal.AppendChild(taxSubTotal);
3389:             creditNoteLine.AppendChild(taxTotal);
3390:             #endregion
3391:
3392:             #region Item
3393:             var creditNoteItem = doc.CreateElement("cac", "Item", xlmnscac.Value);
3394:             var itemName = doc.CreateElement("cbc", "Name", xlmnscbc.Value);
3395:             itemName.InnerText = item.IsinMahiyeti;
3396:             creditNoteItem.AppendChild(itemName);
3397:             creditNoteLine.AppendChild(creditNoteItem);
3398:             #endregion
3399:
3400:             #region Price
3401:
3402:             var price = doc.CreateElement("cac", "Price", xlmnscac.Value);
3403:             var priceAmount = doc.CreateElement("cbc", "PriceAmount",
3404:             xlmnscbc.Value);
3405:             priceAmount.RemoveAllAttributes();
3406:             currencyId = doc.CreateAttribute("currencyID");
3407:             currencyId.Value = "TRY";
3408:             priceAmount.Attributes.Append(currencyId);
3409:             if (item.BirimFiyat != null)
3410:                 priceAmount.InnerText = Decimal.Round((decimal)item.BirimFiyat,
3411:                 4, MidpointRounding.AwayFromZero).ToString().Replace(", ", ".");
3412:             else
3413:                 priceAmount.InnerText = "0.00";
3414:             price.AppendChild(priceAmount);
3415:             creditNoteLine.AppendChild(price);
3416:
3417:             #endregion
3418:
3419:             sayac++;
3420:         }
3421:
3422:         #endregion
3423:
3424:         doc.AppendChild(root);
3425:
3426:         #region Dosya Kaydi
3427:
3428:             var fileName = aktarilacakKlasorAdi + "/" +
3429:             mustahsilMakbuzu.MustahsilMakbuzuId + ".xml";
3430:             doc.Save(fileName);
3431:
3432:             #endregion
3433:
3434:             return fileName;
3435:         }
3436:     }
3437: }

```

Namespaces

Name	Description
QNBFinansGIB (see page 1)	This is namespace QNBFinansGIB.

Index

A

ADET enumeration member 451
 aliciEpostaEkleSilGuncelle class 26
 about aliciEpostaEkleSilGuncelle class 26
 inputGuncellenecekEposta 27
 inputSilinecekEposta 27
 aliciEpostaEkleSilGuncelleCompletedEventArgs class 27
 about aliciEpostaEkleSilGuncelleCompletedEventArgs class 27
 aliciEpostaEkleSilGuncelleCompletedEventArgs 27
 Result 28
 aliciEpostaEkleSilGuncelleResponse class 28
 @return 28
 about aliciEpostaEkleSilGuncelleResponse class 28
 Ambar enumeration member 623
 ARSIV enumeration member 452
 ARSIVSMS enumeration member 452
 AssemblyInfo.cs 685

B

BAYI enumeration member 452
 belge class 28, 221, 480
 about belge class 28, 221, 480
 belgeFormati 29, 481
 belgeFormatiSpecified 29, 481
 belgelcerigi 29, 481
 belgeNo 222
 belgeSiraNo 222
 belgeTarihi 222
 belgeTuru 222
 belgeVerisi 222
 ettn 222
 gonderenEtiket 222
 gonderenVknTckn 222
 belgeDTO class 481
 about belgeDTO class 481
 belgeNo 484
 brutUcret 484
 brutUcretSpecified 484
 kdv0_Tutar 485
 kdv0_TutarSpecified 485
 kdv1_Tutar 485
 kdv1_TutarSpecified 485
 kdv18_Tutar 485
 kdv18_TutarSpecified 485
 kdv8_Tutar 485
 kdv8_TutarSpecified 485
 kdvTevkifatTutar 485
 kdvTevkifatTutarSpecified 486
 netTahsilat 486
 netTahsilatSpecified 486
 netUcret 486
 netUcretSpecified 486
 stpj0_Tutar 486
 stpj0_TutarSpecified 486
 stpj1_Tutar 486
 stpj1_TutarSpecified 486
 stpj10_Tutar 487
 stpj10_TutarSpecified 487
 stpj15_Tutar 487
 stpj15_TutarSpecified 487
 stpj17_Tutar 487
 stpj17_TutarSpecified 487
 stpj2_Tutar 487
 stpj2_TutarSpecified 487
 stpj20_Tutar 487
 stpj20_TutarSpecified 488
 stpj3_Tutar 488
 stpj3_TutarSpecified 488
 stpj4_Tutar 488
 stpj4_TutarSpecified 488
 stpj5_Tutar 488
 stpj5_TutarSpecified 488
 stpj7_Tutar 488
 stpj7_TutarSpecified 488
 tip 489
 tipSpecified 489
 belgeGonderCompletedEventArgs class 222
 about belgeGonderCompletedEventArgs class 222

belgeGonderCompletedEventArgs 223	about belgeOutputWrapper class 29, 489
Result 223	output 30, 489
belgeGonderExtCompletedEventArgs class 223	belgev2 class 230
about belgeGonderExtCompletedEventArgs class 223	about belgev2 class 230
belgeGonderExtCompletedEventArgs 224	alanEtiket 231
Result 224	aliciUnvan 231
belgeGonderExtWithValidateCompletedEventArgs class 224	belgeVersiyon 231
about belgeGonderExtWithValidateCompletedEventArgs class 224	belgeXmlZipped 231
belgeGonderExtWithValidateCompletedEventArgs 225	ekBilgiler 231
Result 225	saticiUnvan 231
belgeGonderResp class 225	subeKodu 231
about belgeGonderResp class 225	zarfId 231
belgeOid 226	zarfVerisi 232
errorMessage 226	zarfXml 232
responseStatus 226	belgev2Entry class 232
belgeGonderWithValidateCompletedEventArgs class 226	about belgev2Entry class 232
about belgeGonderWithValidateCompletedEventArgs class 226	key 232
belgeGonderWithValidateCompletedEventArgs 226	value 232
Result 227	belgev3 class 232
belgeleriTekrarGonderBelgeOidCompletedEventArgs class 227	about belgev3 class 232
about	odenecekTutar 234
belgeleriTekrarGonderBelgeOidCompletedEventArgs class 227	odenecekTutarDovizCinsi 234
belgeleriTekrarGonderBelgeOidCompletedEventArgs 227	belgev4 class 234
Result 228	about belgev4 class 234
belgeleriTekrarGonderCompletedEventArgs class 228	arsivlenmis 235
about belgeleriTekrarGonderCompletedEventArgs class 228	belgeHash 235
belgeleriTekrarGonderCompletedEventArgs 228	belgev5 class 235
Result 229	about belgev5 class 235
belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs class 229	faturaGelisTarihi 236
about	belgev6 class 236
belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs class 229	profileId 238
belgeleriTekrarGonderYerelBelgeNoCompletedEventArgs 229	belgeZipiAI class 489
Result 230	about belgeZipiAI class 489
belgeOutputWrapper class 29, 489	input 490
@return 30, 489	belgeZipiAICompletedEventArgs class 490
	about belgeZipiAICompletedEventArgs class 490
	belgeZipiAICompletedEventArgs 490
	output 491
	Result 491
	belgeZipiAIResponse class 491

@return 491
about belgeZipAIResponse class 491
output 492

C

CiftciyeVerilen enumeration member 623
cokluGidenBelgeDurumSorgulaCompletedEventArgs class 238
 about
 cokluGidenBelgeDurumSorgulaCompletedEventArgs
 class 238
 cokluGidenBelgeDurumSorgulaCompletedEventArgs 238
 Result 239
connectorService class 239
 about connectorService class 239
 belgeGonder 246
 belgeGonderAsync 247
 belgeGonderCompleted 336
 belgeGonderExt 247
 belgeGonderExtAsync 248
 belgeGonderExtCompleted 336
 belgeGonderExtWithValidate 248
 belgeGonderExtWithValidateAsync 249
 belgeGonderExtWithValidateCompleted 337
 belgeGonderWithValidate 249
 belgeGonderWithValidateAsync 250, 251
 belgeGonderWithValidateCompleted 337
belgelerAlindi 251
belgelerAlindiAsync 252
belgelerAlindiCompleted 337
belgelerAlindiEntegrasyonSiparisNoGuncelle 252
belgelerAlindiEntegrasyonSiparisNoGuncelleAsync 253
belgelerAlindiEntegrasyonSiparisNoGuncelleCompleted 337
belgeleriTekrarGonder 253
belgeleriTekrarGonderAsync 254, 255
belgeleriTekrarGonderBelgeOid 255
belgeleriTekrarGonderBelgeOidAsync 256
belgeleriTekrarGonderBelgeOidCompleted 337
belgeleriTekrarGonderCompleted 337
belgeleriTekrarGonderYerelBelgeNo 256
belgeleriTekrarGonderYerelBelgeNoAsync 257

belgeleriTekrarGonderYerelBelgeNoCompleted 337
CancelAsync 258
checkDateValidControl 258
checkDateValidControlAsync 259
checkDateValidControlCompleted 337
cokluGidenBelgeDurumSorgula 259
cokluGidenBelgeDurumSorgulaAsync 260
cokluGidenBelgeDurumSorgulaCompleted 337
connectorService 245
csXmlOnizleme 260
csXmlOnizlemeAsync 261
csXmlOnizlemeCompleted 337
csXmlToUbl 262
csXmlToUblAsync 263
csXmlToUblCompleted 337
eFaturaKayitliKullaniciListele 263
eFaturaKayitliKullaniciListeleAsync 264
eFaturaKayitliKullaniciListeleCompleted 338
efaturaKullaniciBilgisi 264
efaturaKullaniciBilgisiAsync 265
efaturaKullaniciBilgisiCompleted 338
efaturaKullaniciListesi 265
efaturaKullaniciListesiAsync 266
efaturaKullaniciListesiCompleted 338
efaturaKullanicisi 266
efaturaKullanicisiAsync 267
efaturaKullanicisiCompleted 338
elrsaliyeKayitliKullaniciListele 267
elrsaliyeKayitliKullaniciListeleAsync 267, 268
elrsaliyeKayitliKullaniciListeleCompleted 338
elrsaliyeKullanicisi 268
elrsaliyeKullanicisiAsync 268, 269
elrsaliyeKullanicisiCompleted 338
erpBilgileriBelirle 269
erpBilgileriBelirleAsync 269, 270
erpBilgileriBelirleCompleted 338
faturaKepIleladeEdildi 270
faturaKepIleladeEdildiAsync 270, 271
faturaKepIleladeEdildiCompleted 338
faturaKepIleladeEdildilptal 271
faturaKepIleladeEdildilptalAsync 272

faturaKepIleladeEdildilptalCompleted	338	gelenBelgeleriListeleAsync	288
faturaMailGonder	272	gelenBelgeleriListeleCompleted	340
faturaMailGonderAsync	273	gelenBelgeleriListeleExt	289
faturaMailGonderCompleted	338	gelenBelgeleriListeleExtAsync	289
faturaNoUret	274	gelenBelgeleriListeleExtCompleted	340
faturaNoUretAsync	274	gelenBelgeTutarBilgileriSorgula	290
faturaNoUretCompleted	338	gelenBelgeTutarBilgileriSorgulaAsync	290, 291
faturaTarihcesiSorgula	275	gelenBelgeTutarBilgileriSorgulaCompleted	340
faturaTarihcesiSorgulaAsync	275	gelenBelgeXmlleriniAl	291
faturaTarihcesiSorgulaCompleted	339	gelenBelgeXmlleriniAlAsync	292
faturayaltirazEdildi	276	gelenBelgeXmlleriniAlCompleted	340
faturayaltirazEdildiAsync	276, 277	gelenBelgeXmlleriniAlExt	292
faturayaltirazEdildiCompleted	339	gelenBelgeXmlleriniAlExtAsync	293
faturayaltirazEdildilptal	277	gelenBelgeXmlleriniAlExtCompleted	340
faturayaltirazEdildilptalAsync	278	gelenFaturalariArsiveKaldir	293
faturayaltirazEdildilptalCompleted	339	gelenFaturalariArsiveKaldirAsync	294
gelenBelgeDurumSorgula	278	gelenFaturalariArsiveKaldirCompleted	340
gelenBelgeDurumSorgulaAsync	279	gelenIrsaliyeleriArsiveKaldir	294
gelenBelgeDurumSorgulaCompleted	339	gelenIrsaliyeleriArsiveKaldirAsync	295
gelenBelgeDurumSorgulaExt	279	gelenIrsaliyeleriArsiveKaldirCompleted	340
gelenBelgeDurumSorgulaExtAsync	280	gelenStandartRapolariAl	295
gelenBelgeDurumSorgulaExtCompleted	339	gelenStandartRapolariAlAsync	296
gelenBelgeEkleriAl	280	gelenStandartRapolariAlCompleted	340
gelenBelgeEkleriAlAsync	281	gelenTamamlananRapolariAl	297
gelenBelgeEkleriAlCompleted	339	gelenTamamlananRapolariAlAsync	298
gelenBelgeleriAl	282	gelenTamamlananRapolariAlCompleted	340
gelenBelgeleriAlAsync	282, 283	gelenTasinanBelgeleriIndir	298
gelenBelgeleriAlCompleted	339	gelenTasinanBelgeleriIndirAsync	299
gelenBelgeleriAlExt	283	gelenTasinanBelgeleriIndirCompleted	340
gelenBelgeleriAlExt2	283	gidenBelgeDurumSorgula	299
gelenBelgeleriAlExt2Async	284	gidenBelgeDurumSorgulaAsync	300
gelenBelgeleriAlExt2Completed	339	gidenBelgeDurumSorgulaBelgeNo	300
gelenBelgeleriAlExtAsync	285	gidenBelgeDurumSorgulaBelgeNoAsync	301
gelenBelgeleriAlExtCompleted	339	gidenBelgeDurumSorgulaBelgeNoCompleted	340
gelenBelgeleriIndir	285	gidenBelgeDurumSorgulaCompleted	341
gelenBelgeleriIndirAsync	286	gidenBelgeDurumSorgulaEttn	302
gelenBelgeleriIndirCompleted	339	gidenBelgeDurumSorgulaEttnAsync	302
gelenBelgeleriIndirExt	286	gidenBelgeDurumSorgulaEttnCompleted	341
gelenBelgeleriIndirExtAsync	287	gidenBelgeDurumSorgulaExt	303
gelenBelgeleriIndirExtCompleted	339	gidenBelgeDurumSorgulaExtAsync	303, 304
gelenBelgeleriListele	287	gidenBelgeDurumSorgulaExtCompleted	341

gidenBelgeDurumSorgulaPortal 304
 gidenBelgeDurumSorgulaPortalAsync 304, 305
 gidenBelgeDurumSorgulaPortalCompleted 341
 gidenBelgeDurumSorgulaYerelBelgeNo 305
 gidenBelgeDurumSorgulaYerelBelgeNoAsync 306
 gidenBelgeDurumSorgulaYerelBelgeNoCompleted 341
 gidenBelgeEkleriAI 306
 gidenBelgeEkleriAIAsync 307
 gidenBelgeEkleriAICompleted 341
 gidenBelgeleriIndir 307
 gidenBelgeleriIndirAsync 308
 gidenBelgeleriIndirCompleted 341
 gidenBelgeleriIndirEttn 309
 gidenBelgeleriIndirEttnAsync 309, 310
 gidenBelgeleriIndirEttnCompleted 341
 gidenBelgeleriIndirPortal 310
 gidenBelgeleriIndirPortalAsync 310, 311
 gidenBelgeleriIndirPortalCompleted 341
 gidenBelgeleriListele 311
 gidenBelgeleriListeleAsync 312
 gidenBelgeleriListeleCompleted 341
 gidenBelgeleriListelePortal 312
 gidenBelgeleriListelePortalAsync 313
 gidenBelgeleriListelePortalCompleted 341
 gidenBelgeTutarBilgileriSorgula 313
 gidenBelgeTutarBilgileriSorgulaAsync 314
 gidenBelgeTutarBilgileriSorgulaCompleted 342
 gidenFaturalariArsiveKaldır 314
 gidenFaturalariArsiveKaldırAsync 315
 gidenFaturalariArsiveKaldırCompleted 342
 gidenIrsaliyeleriArsiveKaldır 315
 gidenIrsaliyeleriArsiveKaldırAsync 316
 gidenIrsaliyeleriArsiveKaldırCompleted 342
 gidenTasinanBelgeleriIndir 316
 gidenTasinanBelgeleriIndirAsync 317
 gidenTasinanBelgeleriIndirCompleted 342
 irsaliyeMailGonder 318
 irsaliyeMailGonderAsync 319
 irsaliyeMailGonderCompleted 342
 irsaliyeTarihcesiSorgula 319
 irsaliyeTarihcesiSorgulaAsync 320
 irsaliyeTarihcesiSorgulaCompleted 342
 kayitliKullaniciListeleExtended 320
 kayitliKullaniciListeleExtendedAsync 321
 kayitliKullaniciListeleExtendedCompleted 342
 kayitliKullaniciListeleExtendedTime 322
 kayitliKullaniciListeleExtendedTimeAsync 322, 323
 kayitliKullaniciListeleExtendedTimeCompleted 342
 kayitliKullaniciListeleExtendedVknTckn 323
 kayitliKullaniciListeleExtendedVknTcknAsync 324
 kayitliKullaniciListeleExtendedVknTcknCompleted 342
 kontorBilgisiGetir 324
 kontorBilgisiGetirAsync 325
 kontorBilgisiGetirCompleted 342
 temelKontrollerleBelgeGonder 325
 temelKontrollerleBelgeGonderAsync 326, 327
 temelKontrollerleBelgeGonderCompleted 343
 toplamBelgeSayisiGetir 327
 toplamBelgeSayisiGetirAsync 328
 toplamBelgeSayisiGetirCompleted 343
 ublOnizleme 329
 ublOnizlemeAsync 330
 ublOnizlemeCompleted 343
 Url 336
 urunSablonlariniAI 330
 urunSablonlariniAIAsync 331
 urunSablonlariniAICompleted 343
 UseDefaultCredentials 336
 wsKullanicisiKaydet 331
 wsKullanicisiKaydetAsync 332
 wsKullanicisiKaydetCompleted 343
 yereleAktarilacakBelgeleriAI 332
 yereleAktarilacakBelgeleriAIAsync 333
 yereleAktarilacakBelgeleriAICompleted 343
 yereleAktarilacakBelgeleriAIExt 334
 yereleAktarilacakBelgeleriAIExtAsync 334
 yereleAktarilacakBelgeleriAIExtCompleted 343
 yolcuBeraberFaturalptalEt 335
 yolcuBeraberFaturalptalEtAsync 335, 336
 yolcuBeraberFaturalptalEtCompleted 343
 CSV enumeration member 198
 CSXML enumeration member 198, 597

CSXML1 enumeration member 198, 597	resultCode 32, 493
CSXML2 enumeration member 198, 597	resultExtra 32, 493
CSXML3 enumeration member 198, 597	resultText 32, 493
csXmlOnizlemeCompletedEventArgs class 343	earsivServiceResultEntry class 32, 493
about csXmlOnizlemeCompletedEventArgs class 343	about earsivServiceResultEntry class 32, 493
csXmlOnizlemeCompletedEventArgs 344	key 33, 494
Result 344	value 33, 494
csXmlToUblCompletedEventArgs class 344	EarsivWebService class 33
about csXmlToUblCompletedEventArgs class 344	about EarsivWebService class 33
csXmlToUblCompletedEventArgs 345	aliciEpostaEkleSilGuncelle 40
Result 345	aliciEpostaEkleSilGuncelleAsync 41
CUSTOM enumeration member 198, 597	aliciEpostaEkleSilGuncelleCompleted 90
	CancelAsync 41
	EarsivWebService 40
	eFaturaKayitliKullaniciListele 41
	eFaturaKayitliKullaniciListeleAsync 42
	eFaturaKayitliKullaniciListeleCompleted 90
	efaturaKullanicisi 42
	efaturaKullanicisiAsync 43
	efaturaKullanicisiCompleted 90
	efaturaKullanicisiKontrol 43
	efaturaKullanicisiKontrolAsync 44
	efaturaKullanicisiKontrolCompleted 90
	ePostaDurumSorgula 44
	ePostaDurumSorgulaAsync 45
	ePostaDurumSorgulaCompleted 90
	ePostaGonder 45
	ePostaGonderAsync 46
	ePostaGonderCompleted 90
	faturalptalEt 46
	faturalptalEtAsync 47
	faturalptalEtCompleted 90
	faturalptaliKaldir 47
	faturalptaliKaldirAsync 48
	faturalptaliKaldirCompleted 90
	faturaltirazEt 48
	faturaltirazEtAsync 49
	faturaltirazEtCompleted 90
	faturaltirazKaldir 49
	faturaltirazKaldirAsync 50
	faturaltirazKaldirCompleted 90

faturaListeSorgula 50	faturaTaslaktanOlusturCompleted 92
faturaListeSorgulaAsync 51	faturaZipiAI 64
faturaListeSorgulaCompleted 90	faturaZipiAIAsync 65
faturaListeSorgulaCount 51	faturaZipiAICompleted 92
faturaListeSorgulaCountAsync 52	kontorBilgisiGetir 65
faturaListeSorgulaCountCompleted 91	kontorBilgisiGetirAsync 66
faturaListeSorgulaPortal 52	kontorBilgisiGetirCompleted 92
faturaListeSorgulaPortalAsync 53	okcRaporBolumAI 67
faturaListeSorgulaPortalCompleted 91	okcRaporBolumAIAsync 67
faturaNoUret 53	okcRaporBolumAICompleted 92
faturaNoUretAsync 54	okcRaporKaydet 68
faturaNoUretCompleted 91	okcRaporKaydetAsync 68
faturaOlustur 54	okcRaporKaydetCompleted 92
faturaOlusturAsync 55	okcRaporOlusturGonder 69
faturaOlusturCompleted 91	okcRaporOlusturGonderAsync 69
faturaOlusturExt 55	okcRaporOlusturGonderCompleted 92
faturaOlusturExtAsync 56	raporBolumAI 70
faturaOlusturExtCompleted 91	raporBolumAIAsync 70
faturaOnizleme 56	raporBolumAICompleted 92
faturaOnizlemeAsync 57	raporBolumBilgisiAI 71
faturaOnizlemeCompleted 91	raporBolumBilgisiAIAsync 71
faturaSorgula 57	raporBolumBilgisiAICompleted 92
faturaSorgulaAsync 58	raporBolumleriOlustur 72
faturaSorgulaCompleted 91	raporBolumleriOlusturAsync 72
faturaSorgulaExt 58	raporBolumleriOlusturCompleted 92
faturaSorgulaExtAsync 59	raporBolumListesiDetayliSorgula 73
faturaSorgulaExtCompleted 91	raporBolumListesiDetayliSorgulaAsync 73
faturaTaslakOlustur 59	raporBolumListesiDetayliSorgulaCompleted 92
faturaTaslakOlusturAsync 60	raporBolumListesiSorgula 74
faturaTaslakOlusturCompleted 91	raporBolumListesiSorgulaAsync 74, 75
faturaTaslakOnizleme 60	raporBolumListesiSorgulaCompleted 92
faturaTaslakOnizlemeAsync 61	raporBolumListesiSorgulaWithInput 75
faturaTaslakOnizlemeCompleted 91	raporBolumListesiSorgulaWithInputAsync 76
faturaTaslakSil 61	raporBolumListesiSorgulaWithInputCompleted 93
faturaTaslakSilAsync 62	raporBolumRaporNoGuncellelmzala 76
faturaTaslakSilCompleted 91	raporBolumRaporNoGuncellelmzalaAsync 77
faturaTaslakSorgula 62	raporBolumRaporNoGuncellelmzalaCompleted 93
faturaTaslakSorgulaAsync 63	raporBolumSil 77
faturaTaslakSorgulaCompleted 91	raporBolumSilAsync 78
faturaTaslaktanOlustur 63	raporBolumSilCompleted 93
faturaTaslaktanOlusturAsync 64	rapordaFaturaSorgula 78

rapordaFaturaSorgulaAsync 78, 79
 rapordaFaturaSorgulaCompleted 93
 raporDurumSorgula 79
 raporDurumSorgulaAsync 79, 80
 raporDurumSorgulaCompleted 93
 raporGonder 80
 raporGonderAsync 80
 raporGonderCompleted 93
 servisSaglayicidanEpostaDurumSorgula 81
 servisSaglayicidanEpostaDurumSorgulaAsync 81, 82
 servisSaglayicidanEpostaDurumSorgulaCompleted 93
 smsDurumSorgula 82
 smsDurumSorgulaAsync 83
 smsDurumSorgulaCompleted 93
 smsGonder 83
 smsGonderAsync 84
 smsGonderCompleted 93
 topluFaturaPaketDosyaGonder 84
 topluFaturaPaketDosyaGonderAsync 85
 topluFaturaPaketDosyaGonderCompleted 93
 topluFaturaPaketDosyasiSorgula 85
 topluFaturaPaketDosyasiSorgulaAsync 86
 topluFaturaPaketDosyasiSorgulaCompleted 93
 topluFaturaPaketOnayla 86
 topluFaturaPaketOnaylaAsync 87
 topluFaturaPaketOnaylaCompleted 94
 topluFaturaPaketSorgula 87
 topluFaturaPaketSorgulaAsync 88
 topluFaturaPaketSorgulaCompleted 94
 Url 89
 UseDefaultCredentials 89
 yapilandirmaAyarlariAI 88
 yapilandirmaAyarlariAIAsync 89
 yapilandirmaAyarlariAICompleted 94
eFaturaKayitliKullaniciHistory class 345
 about eFaturaKayitliKullaniciHistory class 345
 etiket 345
 etiketOlusturulmaZamani 346
 silinmeZamani 346
eFaturaKayitliKullaniciListele class 94
 about eFaturaKayitliKullaniciListele class 94
 kayitZamani 94
eFaturaKayitliKullaniciListeleCompletedEventArgs class 94, 346
 about eFaturaKayitliKullaniciListeleCompletedEventArgs class 94, 346
eFaturaKayitliKullaniciListeleCompletedEventArgs 95, 346
 Result 95, 347
eFaturaKullanici class 95, 347
 about eFaturaKullanici class 95, 347
 etiket 96, 347
 kamuKurulusu 96, 347
 kayitZamani 96, 348
 unvan 96, 348
 vergiTcKimlikNo 96, 348
efaturaKullaniciBilgisiCompletedEventArgs class 348
 about efaturaKullaniciBilgisiCompletedEventArgs class 348
efaturaKullaniciBilgisiCompletedEventArgs 348
 Result 349
eFaturaKullaniciExtended class 349
 about eFaturaKullaniciExtended class 349
eFaturaKayitliKullaniciHistoryList 350
 etiket 350
 etiketOlusturulmaZamani 350
 hesapTipi 350
 hesapTipiSpecified 350
 kamuKurulusu 350
 kamuKurulusuSpecified 350
 kayitZamani 350
 tip 350
 tipSpecified 351
 unvan 351
 vergiTcKimlikNo 351
efaturaKullaniciListesiCompletedEventArgs class 351
 about efaturaKullaniciListesiCompletedEventArgs class 351
efaturaKullaniciListesiCompletedEventArgs 351
 Result 352
efaturaKullanicisi class 96
 about efaturaKullanicisi class 96
 vergiTcKimlikNo 97
efaturaKullanicisiCompletedEventArgs class 97, 352

about efaturaKullanicisiCompletedEventArgs class 97, 352
 efaturaKullanicisiCompletedEventArgs 97, 352
 Result 98, 353
efaturaKullanicisiKontrol class 98
 about efaturaKullanicisiKontrol class 98
 input 98
efaturaKullanicisiKontrolCompletedEventArgs class 98
 about efaturaKullanicisiKontrolCompletedEventArgs class 98
 efaturaKullanicisiKontrolCompletedEventArgs 99
 Result 99
efaturaKullanicisiKontrolResponse class 99
 @return 100
 about efaturaKullanicisiKontrolResponse class 99
efaturaKullanicisiResponse class 100
 @return 100
 about efaturaKullanicisiResponse class 100
eIrsaliyeKayitliKullaniciListeleCompletedEventArgs class 353
 about eIrsaliyeKayitliKullaniciListeleCompletedEventArgs class 353
 eIrsaliyeKayitliKullaniciListeleCompletedEventArgs 353
 Result 354
eIrsaliyeKullanici class 354
 about eIrsaliyeKullanici class 354
 etiket 354
 kamuKurulusu 354
 kayitZamani 354
 unvan 355
 vergiTcKimlikNo 355
eIrsaliyeKullanicisiCompletedEventArgs class 355
 about eIrsaliyeKullanicisiCompletedEventArgs class 355
 eIrsaliyeKullanicisiCompletedEventArgs 355
 Result 356
Enums class 622
 about Enums class 622
Enums.cs 693
ePostaDurumSorgula class 100, 494
 about ePostaDurumSorgula class 100, 494
 input 101, 495
ePostaDurumSorgulaCompletedEventArgs class 101, 495
 @return 102, 496
 about ePostaDurumSorgulaCompletedEventArgs class 101, 495
 ePostaDurumSorgulaCompletedEventArgs 101, 495
 outputEposta 102, 496
 Result 102, 496
ePostaGonder class 102, 496
 about ePostaGonder class 102, 496
 ilaveEposta 102, 496
 input 103, 496
 tanimliEpostaGonder 103, 497
ePostaGonderCompletedEventArgs class 103, 497
 about ePostaGonderCompletedEventArgs class 103, 497
 ePostaGonderCompletedEventArgs 103, 497
 Result 104, 497
ePostaGonderResponse class 104, 498
 @return 104, 498
 about ePostaGonderResponse class 104, 498
erpBilgileri class 356
 about erpBilgileri class 356
 aciklama 356
 kod 356

F

Fark enumeration member 623
 FATURA enumeration member 452
faturaDTO class 104, 498
 about faturaDTO class 104, 498
 arsiv 106, 500
 creationTime 106, 500
 currency 106, 500
 dokumanFormati 107, 501
 durum 107, 501
 durumSpecified 107, 501
 duzenlenmeZamani 107, 501
 epostaGonderimDurumu 107, 501
 epostaGonderimDurumuSpecified 107, 501
 erpKodu 107, 501
 faturaSiraNo 107, 501
 faturaSiraNoSpecified 107, 501
 faturaZamani 108, 502
 ilkKayitZmani 108, 502

indirildi 108, 502
 indirildiSpecified 108, 502
 invoiceId 108, 502
 invoiceTypeCode 108, 502
 iptalEdenKullaniciKodu 108, 502
 iptalKaynagi 108, 502
 iptalKaynagiSpecified 108, 502
 iptalRaporTarihi 109, 503
 iptalTarihi 109, 503
 iptalTarihiExcel 109, 503
 islemId 109, 503
 issueDate 109, 503
 itirazEdenKullaniciKodu 109, 503
 itirazKaynagi 109, 503
 itirazKaynagiSpecified 109, 503
 itirazTarihi 109, 503
 kagitFatura 110, 504
 kagitFaturaSpecified 110, 504
 kasa 110, 504
 kaynak 110, 504
 kepDurum 110, 504
 kepDurumSpecified 110, 504
 kolayFatura 110, 504
 kolayFaturaSpecified 110, 504
 okundu 110, 504
 okunduSpecified 111, 505
 payableAmount 111, 505
 payableAmountSpecified 111, 505
 profileId 111, 505
 raporTarihi 111, 505
 receiverContact 111, 505
 receiverIdentifier 111, 505
 receiverIdentifierTxt 111, 505
 receiverName 111, 505
 senderContact 112, 506
 senderName 112, 506
 sonGuncellemeZamani 112, 506
 sube 112, 506
 tanimliSubeKod 112, 506
 telNo 112, 506
 toplamTutar 112, 506
 toplamTutarSpecified 112, 506
 uuid 112, 506
 vergilerToplami 113, 507
 vergilerToplamiSpecified 113, 507
 versiyon 113, 507
 versiyonSpecified 113, 507
 yazdirildi 113, 507
 yazdirildiSpecified 113, 507
 yerelFaturaNo 113, 507
 faturalptalEt class 113
 about faturalptalEt class 113
 input 114
 faturalptalEtCompletedEventArgs class 114
 about faturalptalEtCompletedEventArgs class 114
 faturalptalEtCompletedEventArgs 114
 Result 115
 faturalptalEtResponse class 115
 @return 115
 about faturalptalEtResponse class 115
 faturalptaliKaldır class 115
 about faturalptaliKaldır class 115
 input 116
 faturalptaliKaldırCompletedEventArgs class 116
 about faturalptaliKaldırCompletedEventArgs class 116
 faturalptaliKaldırCompletedEventArgs 116
 Result 117
 faturalptaliKaldırResponse class 117
 @return 117
 about faturalptaliKaldırResponse class 117
 faturaltirazEt class 117
 about faturaltirazEt class 117
 input 118
 faturaltirazEtCompletedEventArgs class 118
 about faturaltirazEtCompletedEventArgs class 118
 faturaltirazEtCompletedEventArgs 118
 Result 118
 faturaltirazEtResponse class 119
 @return 119
 about faturaltirazEtResponse class 119
 faturaltirazKaldır class 119
 about faturaltirazKaldır class 119

input 120
faturaltirazKaldırCompletedEventArgs class 120
 about **faturaltirazKaldırCompletedEventArgs** class 120
faturaltirazKaldırCompletedEventArgs 120
 Result 120
faturaltirazKaldırResponse class 121
 @return 121
 about **faturaltirazKaldırResponse** class 121
FaturaKdvDTO class 2
 about **FaturaKdvDTO** class 2
 KdvHarcTutar 2
 KdvOran 3
 KdvTutari 3
FaturaKdvDTO.cs 694
faturaKepİleladeEdildiCompletedEventArgs class 356
 about **faturaKepİleladeEdildiCompletedEventArgs** class 356
 faturaKepİleladeEdildiCompletedEventArgs 357
 Result 357
faturaKepİleladeEdildilptalCompletedEventArgs class 357
 about **faturaKepİleladeEdildilptalCompletedEventArgs** class 357
 faturaKepİleladeEdildilptalCompletedEventArgs 358
 Result 358
faturaListeSorgula class 121
 about **faturaListeSorgula** class 121
 input 122
faturaListeSorgulaCompletedEventArgs class 122
 about **faturaListeSorgulaCompletedEventArgs** class 122
 faturaListeSorgulaCompletedEventArgs 122
 output 122
 Result 123
faturaListeSorgulaCount class 123
 about **faturaListeSorgulaCount** class 123
 input 123
faturaListeSorgulaCountCompletedEventArgs class 123
 about **faturaListeSorgulaCountCompletedEventArgs** class 123
 faturaListeSorgulaCountCompletedEventArgs 124
 output 124
 Result 124
faturaListeSorgulaCountResponse class 124
 @return 125
 about **faturaListeSorgulaCountResponse** class 124
 output 125
faturaListeSorgulaPortal class 125
 about **faturaListeSorgulaPortal** class 125
 input 125
faturaListeSorgulaPortalCompletedEventArgs class 125
 about **faturaListeSorgulaPortalCompletedEventArgs** class 125
 faturaListeSorgulaPortalCompletedEventArgs 126
 output 126
 Result 126
faturaListeSorgulaPortalResponse class 126
 @return 127
 about **faturaListeSorgulaPortalResponse** class 126
 output 127
faturaListeSorgulaResponse class 127
 @return 128
 about **faturaListeSorgulaResponse** class 127
 output 128
faturaNoUret class 128
 about **faturaNoUret** class 128
 input 128
faturaNoUretCompletedEventArgs class 128, 358
 @return 129
 about **faturaNoUretCompletedEventArgs** class 128, 358
 faturaNoUretCompletedEventArgs 129, 359
 Result 129, 359
faturaOlustur class 129
 about **faturaOlustur** class 129
 fatura 130
 input 130
faturaOlusturCompletedEventArgs class 130
 @return 131
 about **faturaOlusturCompletedEventArgs** class 130
 faturaOlusturCompletedEventArgs 130
 Result 131
faturaOlusturExt class 131
 about **faturaOlusturExt** class 131
 fatura 131
 input 131

faturaOlusturExtCompletedEventArgs class 132
 @return 132
 about faturaOlusturExtCompletedEventArgs class 132
 faturaOlusturExtCompletedEventArgs 132
 Result 132

faturaOnizleme class 133
 about faturaOnizleme class 133
 fatura 133
 input 133

faturaOnizlemeCompletedEventArgs class 133
 @return 134
 about faturaOnizlemeCompletedEventArgs class 133
 faturaOnizlemeCompletedEventArgs 134
 Result 134

faturaSorgula class 134
 about faturaSorgula class 134
 input 135

faturaSorgulaCompletedEventArgs class 135
 @return 136
 about faturaSorgulaCompletedEventArgs class 135
 faturaSorgulaCompletedEventArgs 135
 Result 136

faturaSorgulaExt class 136
 about faturaSorgulaExt class 136
 input 136

faturaSorgulaExtCompletedEventArgs class 136
 @return 137
 about faturaSorgulaExtCompletedEventArgs class 136
 faturaSorgulaExtCompletedEventArgs 137
 Result 137

faturaTarihcesiData class 359
 about faturaTarihcesiData class 359
 bagliKayitId 360
 faturaEttn 360
 islem 360
 islemAciklama 360
 islemKanali 360
 islemKanaliAciklama 360
 islemSonucu 360
 islemZamani 361
 kullanici 361

kullanicilp 361
 zarfEttn 361

faturaTarihcesiSorgulaCompletedEventArgs class 361
 about faturaTarihcesiSorgulaCompletedEventArgs class 361
 faturaTarihcesiSorgulaCompletedEventArgs 362
 Result 362

faturaTaslakOlustur class 137
 about faturaTaslakOlustur class 137
 fatura 138
 input 138

faturaTaslakOlusturCompletedEventArgs class 138
 about faturaTaslakOlusturCompletedEventArgs class 138
 faturaTaslakOlusturCompletedEventArgs 138
 Result 139

faturaTaslakOlusturResponse class 139
 @return 139
 about faturaTaslakOlusturResponse class 139

faturaTaslakOnizleme class 139
 about faturaTaslakOnizleme class 139
 input 140

faturaTaslakOnizlemeCompletedEventArgs class 140
 about faturaTaslakOnizlemeCompletedEventArgs class 140
 faturaTaslakOnizlemeCompletedEventArgs 140
 output 141
 Result 141

faturaTaslakOnizlemeResponse class 141
 @return 141
 about faturaTaslakOnizlemeResponse class 141
 output 141

faturaTaslakSil class 142
 about faturaTaslakSil class 142
 input 142

faturaTaslakSilCompletedEventArgs class 142
 about faturaTaslakSilCompletedEventArgs class 142
 faturaTaslakSilCompletedEventArgs 143
 Result 143

faturaTaslakSilResponse class 143
 @return 143
 about faturaTaslakSilResponse class 143

faturaTaslakSorgula class 144
 about faturaTaslakSorgula class 144
 input 144
 faturaTaslakSorgulaCompletedEventArgs class 144
 about faturaTaslakSorgulaCompletedEventArgs class 144
 faturaTaslakSorgulaCompletedEventArgs 145
 output 145
 Result 145
 faturaTaslakSorgulaResponse class 145
 @return 146
 about faturaTaslakSorgulaResponse class 145
 output 146
 faturaTaslaktanOlustur class 146
 about faturaTaslaktanOlustur class 146
 input 146
 faturaTaslaktanOlusturCompletedEventArgs class 146
 @return 147
 about faturaTaslaktanOlusturCompletedEventArgs class 146
 faturaTaslaktanOlusturCompletedEventArgs 147
 Result 147
 faturayaltirazEdildiCompletedEventArgs class 362
 about faturayaltirazEdildiCompletedEventArgs class 362
 faturayaltirazEdildiCompletedEventArgs 363
 Result 363
 faturayaltirazEdildilptalCompletedEventArgs class 363
 about faturayaltirazEdildilptalCompletedEventArgs class 363
 faturayaltirazEdildilptalCompletedEventArgs 364
 Result 364
 faturaZipiAI class 147
 about faturaZipiAI class 147
 input 148
 faturaZipiAICompletedEventArgs class 148
 about faturaZipiAICompletedEventArgs class 148
 faturaZipiAICompletedEventArgs 148
 output 149
 Result 149
 faturaZipiAIResponse class 149
 @return 149
 about faturaZipiAIResponse class 149
 output 149
 Files 685
 FormAnaSayfa.cs 694
 FormAnaSayfa.Designer.cs 710
 frmAnaSayfa class 682
 about frmAnaSayfa class 682
 Dispose 684
 frmAnaSayfa 683
 gidenFaturaDetayListesi 683
 gidenFaturaListesi 683
 mustahsilMakbuzuDetayListesi 684
 mustahsilMakbuzuListesi 684

G

gelenBelgeDurum class 364
 about gelenBelgeDurum class 364
 alimTarihi 365
 belgeNo 365
 ettn 365
 yanitDetayı 365
 yanitDurumu 365
 yanitGonderimCevabiDetayı 365
 yanitGonderimCevabiKodu 365
 yanitGonderimDurumu 366
 yanitGonderimTarihi 366
 gelenBelgeDurumSorgulaCompletedEventArgs class 366
 about gelenBelgeDurumSorgulaCompletedEventArgs class 366
 gelenBelgeDurumSorgulaCompletedEventArgs 366
 Result 367
 gelenBelgeDurumSorgulaExtCompletedEventArgs class 367
 about gelenBelgeDurumSorgulaExtCompletedEventArgs class 367
 gelenBelgeDurumSorgulaExtCompletedEventArgs 367
 Result 368
 gelenBelgeDurumv2 class 368
 about gelenBelgeDurumv2 class 368
 siraNo 369
 yereleAktarimDurumu 369
 gelenBelgeDurumv3 class 369
 about gelenBelgeDurumv3 class 369

kepDurum 370
 gelenBelgeDurumv4 class 370
 about gelenBelgeDurumv4 class 370
 giblptalDurum 371
 gelenBelgeDurumv5 class 371
 about gelenBelgeDurumv5 class 371
 yanitEtn 372
 gelenBelgeEkleriAICompletedEventArgs class 372
 about gelenBelgeEkleriAICompletedEventArgs class 372
 gelenBelgeEkleriAICompletedEventArgs 373
 Result 373
 gelenBelgeleriAICompletedEventArgs class 373
 about gelenBelgeleriAICompletedEventArgs class 373
 gelenBelgeleriAICompletedEventArgs 373
 Result 374
 gelenBelgeleriAIExt2CompletedEventArgs class 374
 about gelenBelgeleriAIExt2CompletedEventArgs class 374
 gelenBelgeleriAIExt2CompletedEventArgs 374
 Result 375
 gelenBelgeleriAIExt2Entry class 375
 about gelenBelgeleriAIExt2Entry class 375
 key 375
 value 375
 gelenBelgeleriAIExtCompletedEventArgs class 375
 about gelenBelgeleriAIExtCompletedEventArgs class 375
 gelenBelgeleriAIExtCompletedEventArgs 376
 Result 376
 gelenBelgeleriIndirCompletedEventArgs class 376
 about gelenBelgeleriIndirCompletedEventArgs class 376
 gelenBelgeleriIndirCompletedEventArgs 377
 Result 377
 gelenBelgeleriIndirExtCompletedEventArgs class 377
 about gelenBelgeleriIndirExtCompletedEventArgs class 377
 gelenBelgeleriIndirExtCompletedEventArgs 378
 Result 378
 gelenBelgeleriListeleCompletedEventArgs class 378
 about gelenBelgeleriListeleCompletedEventArgs class 378
 gelenBelgeleriListeleCompletedEventArgs 379
 Result 379

gelenBelgeleriListeleExtCompletedEventArgs class 379
 about gelenBelgeleriListeleExtCompletedEventArgs class 379
 gelenBelgeleriListeleExtCompletedEventArgs 380
 Result 380
 gelenBelgeParametreleri class 380
 about gelenBelgeParametreleri class 380
 alanEtiket 381
 belgeFormati 381
 belgelerAlindiMi 381
 belgelerAlindiMiSpecified 381
 belgeTuru 381
 belgeVersiyon 382
 donusTipiVersiyon 382
 entegrasyonHedefi 382
 erpKodu 382
 ettn 382
 faturaTarihiBaslangic 382
 faturaTarihiBitis 382
 gelisTarihiBaslangic 382
 gelisTarihiBitis 382
 gonderenEtiket 383
 onayDurum 383
 sonAlinanBelgeSiraNumarasi 383
 subeKodu 383
 vergiTcKimlikNo 383
 gelenBelgeTutarBilgileri class 383
 about gelenBelgeTutarBilgileri class 383
 belgeNo 384
 belgeTarihi 384
 ettn 384
 gondericiVkn 384
 kdv18Oran 384
 kdv18Tutar 385
 kdv1Oran 385
 kdv1Tutar 385
 kdv8Oran 385
 kdv8Tutar 385
 kdvTevkifatOran 385
 kdvTevkifatTutari 385
 kdvToplamTutari 385

kdvToplamTutariDovizCinsi 385	aciklama 393
malHizmetToplamTutari 386	alimTarihi 393
malHizmetToplamTutariDovizCinsi 386	belgeNo 393
odencekTutar 386	durum 393
odencekTutarDovizCinsi 386	ettn 393
gelenBelgeTutarBilgileriSorgulaCompletedEventArgs class 386	gonderimCevabiDetayi 393
about gelenBelgeTutarBilgileriSorgulaCompletedEventArgs class 386	gonderimCevabiKodu 394
gelenBelgeTutarBilgileriSorgulaCompletedEventArgs 387	gonderimDurumu 394
Result 387	gonderimTarihi 394
gelenBelgeXmlleriniAICompletedEventArgs class 387	olusturulmaTarihi 394
about gelenBelgeXmlleriniAICompletedEventArgs class 387	yanitDetayi 394
gelenBelgeXmlleriniAICompletedEventArgs 388	yanitDurumu 394
Result 388	yanitTarihi 394
gelenBelgeXmlleriniAIExtCompletedEventArgs class 388	gidenBelgeDurumParametreleri class 394
about gelenBelgeXmlleriniAIExtCompletedEventArgs class 388	about gidenBelgeDurumParametreleri class 394
gelenBelgeXmlleriniAIExtCompletedEventArgs 389	belgeNo 395
Result 389	belgeNoList 395
gelenStandartRapolariAICompletedEventArgs class 389	belgeNoTipi 395
about gelenStandartRapolariAICompletedEventArgs class 389	belgeTuru 395
gelenStandartRapolariAICompletedEventArgs 390	donusTipiVersiyon 395
Result 390	gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs class 395
gelenTamamlananRapolariAICompletedEventArgs class 390	about gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs class 395
about gelenTamamlananRapolariAICompletedEventArgs class 390	gidenBelgeDurumSorgulaBelgeNoCompletedEventArgs 396
gelenTamamlananRapolariAICompletedEventArgs 391	Result 396
Result 391	gidenBelgeDurumSorgulaCompletedEventArgs class 396
gelenTasinanBelgeleriIndirCompletedEventArgs class 391	about gidenBelgeDurumSorgulaCompletedEventArgs class 396
about gelenTasinanBelgeleriIndirCompletedEventArgs class 391	gidenBelgeDurumSorgulaCompletedEventArgs 397
gelenTasinanBelgeleriIndirCompletedEventArgs 392	Result 397
Result 392	gidenBelgeDurumSorgulaEttnCompletedEventArgs class 397
GeriDonus class 624	about gidenBelgeDurumSorgulaEttnCompletedEventArgs class 397
about GeriDonus class 624	gidenBelgeDurumSorgulaEttnCompletedEventArgs 398
Dosya 624	Result 398
Tip 624	gidenBelgeDurumSorgulaExtCompletedEventArgs class 398
GeriDonus.cs 713	about gidenBelgeDurumSorgulaExtCompletedEventArgs class 398
gidenBelgeDurum class 392	gidenBelgeDurumSorgulaExtCompletedEventArgs 399
about gidenBelgeDurum class 392	Result 399

gidenBelgeDurumSorgulaPortalCompletedEventArgs class 399	about gidenBelgeDurumSorgulaPortalCompletedEventArgs class 399	belgeEttnListesi 409 belgeTuru 410 belgeVersiyon 410 bitisOlusturulmaTarihi 410 faturaBaslangicTarihi 410 faturaBitisTarihi 410 vknTckn 410
gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs class 400	about gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs class 400	gidenBelgeleriIndirCompletedEventArgs class 410 about gidenBelgeleriIndirCompletedEventArgs class 410 gidenBelgeleriIndirCompletedEventArgs 411 Result 411
gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs 401	gidenBelgeDurumSorgulaYerelBelgeNoCompletedEventArgs 401	gidenBelgeleriIndirEtnCompletedEventArgs class 411 about gidenBelgeleriIndirEtnCompletedEventArgs class 411
Result 401	Result 401	gidenBelgeleriIndirEtnCompletedEventArgs 412 Result 412
gidenBelgeDurumv2 class 401	about gidenBelgeDurumv2 class 401	gidenBelgeleriIndirPortalCompletedEventArgs class 412 about gidenBelgeleriIndirPortalCompletedEventArgs class 412
ulastiMi 402	yenidenGonderilebilirMi 402	gidenBelgeleriIndirPortalCompletedEventArgs 413 Result 413
gidenBelgeDurumv3 class 402	about gidenBelgeDurumv3 class 402	gidenBelgeleriIndirPortalParametreleri class 413 about gidenBelgeleriIndirPortalParametreleri class 413
yerelBelgeOid 403	yerelBelgeOid 403	baslangicGonderimTarihi 414
gidenBelgeDurumv4 class 404	about gidenBelgeDurumv4 class 404	belgeEttnListesi 414
gtbFiihlhracatTarihi 405	gtbGcbTescilNo 405	belgeFormati 414
gtbRefNo 405	gtbRefNo 405	belgeTuru 414
gidenBelgeDurumv5 class 405	about gidenBelgeDurumv5 class 405	bitisGonderimTarihi 414
yanitEtn 406	yanitVerilenBelgeEtn 406	faturaBaslangicTarihi 414
gidenBelgeDurumv6 class 406	about gidenBelgeDurumv6 class 406	faturaBitisTarihi 414
kepDurum 408	Result 409	kaynak 415
gidenBelgeEkleriAICompletedEventArgs class 408	about gidenBelgeEkleriAICompletedEventArgs class 408	pageCount 415
gidenBelgeEkleriAICompletedEventArgs 408	Result 409	vergiTcKimlikNo 415
gidenBelgelerDurumSorgulaPortalParametreleri class 409	about gidenBelgelerDurumSorgulaPortalParametreleri class 409	gidenBelgeleriListeleCompletedEventArgs class 415 about gidenBelgeleriListeleCompletedEventArgs class 415
baslangicOlusturulmaTarihi 409	baslangicOlusturulmaTarihi 409	gidenBelgeleriListeleCompletedEventArgs 415 Result 416
		gidenBelgeleriListeleData class 416 about gidenBelgeleriListeleData class 416
		alimDurumu 416
		alimZamani 417

belgeOid 417
 belgeTarihi 417
 belgeTuru 417
 ettn 417
 hataMesaji 417
 islemYapanVkn 417
 kaynak 417
 kullanicikodu 417
 yerelBelgeNo 418
 gidenBelgeleriListeleParametreleri class 418
 about gidenBelgeleriListeleParametreleri class 418
 baslangicBelgeTarihi 418
 baslangicGonderimTarihi 418
 belgeTuru 419
 bitisBelgeTarihi 419
 bitisGonderimTarihi 419
 vkn 419
 gidenBelgeleriListelePortalCompletedEventArgs class 419
 about gidenBelgeleriListelePortalCompletedEventArgs class 419
 gidenBelgeleriListelePortalCompletedEventArgs 420
 Result 420
 gidenBelgeleriListelePortalData class 420
 about gidenBelgeleriListelePortalData class 420
 alanEtiket 421
 alanSubeKodu 421
 alanVergiTcKimlikNo 421
 belgeNo 421
 belgeTarihi 421
 belgeTipi 421
 belgeTuru 422
 erpKodu 422
 ettm 422
 gonderenEtiket 422
 gonderenSubeKodu 422
 gonderimZamani 422
 islemYapanVkn 422
 kaynak 422
 kullanicikodu 422
 gidenBelgeleriListelePortalDatav2 class 423
 about gidenBelgeleriListelePortalDatav2 class 423

yanitEttm 423
 gidenBelgeleriListelePortalParametreleri class 424
 about gidenBelgeleriListelePortalParametreleri class 424
 baslangicGonderimTarihi 424
 belgeEttnListesi 424
 belgeTuru 424
 belgeVersiyon 425
 bitisGonderimTarihi 425
 faturaBaslangicTarihi 425
 faturaBitisTarihi 425
 kaynak 425
 pageCount 425
 vergiTcKimlikNo 425
 gidenBelgeParametreleri class 425
 about gidenBelgeParametreleri class 425
 alanEtiket 426
 belgeHash 426
 belgeNo 426
 belgeTuru 426
 belgeVersiyon 427
 donusTipiVersiyon 427
 erpKodu 427
 gonderenEtiket 427
 mimeType 427
 subeKodu 427
 vergiTcKimlikNo 427
 veri 427
 xsltAdi 428
 xsltVeri 428
 gidenBelgeTutarBilgileri class 428
 about gidenBelgeTutarBilgileri class 428
 belgeNo 429
 belgeTarihi 429
 ettm 429
 kdv18Oran 429
 kdv18Tutar 429
 kdv1Oran 429
 kdv1Tutar 429
 kdv8Oran 429
 kdv8Tutar 430
 kdvTevkitOran 430

kdvTevkifatTutari	430	EPostaAdresi	8
kdvToplamTutari	430	FaksNo	8
kdvToplamTutariDovizCinsi	430	FaturaTuruKod	8
malHizmetToplamTutari	430	FaturaTutari	8
malHizmetToplamTutariDovizCinsi	430	GercekKisiAd	8
odencekTutar	430	GercekKisiSoyad	9
odencekTutarDovizCinsi	430	GercekKisiTckimlikNo	9
gidenBelgeTutarBilgileriSorgulaCompletedEventArgs	class 431	GibNumarasi	9
about		GidenFaturald	9
gidenBelgeTutarBilgileriSorgulaCompletedEventArgs	class 431	IbanNo	9
gidenBelgeTutarBilgileriSorgulaCompletedEventArgs	431	IkametgahAdresi	9
Result	431	IlAd	9
GidenFaturaDetayDTO	class 3	IlceAd	10
about GidenFaturaDetayDTO	class 3	KdvHaricTutar	10
BirimFiyat	4	KdvTutari	10
FaturaUrunTuru	4	SatisTuruKod	10
GibKisaltma	4	TelefonNo	10
GidenFaturald	4	TuzelKisiAd	10
IrsaliyeNo	4	VergiDairesi	10
IskontoOran	4	VergiNo	11
KdvHaricTutar	5	GidenFaturaDTO.cs	715
KdvOran	5	gidenTasinanBelgeleriIndirCompletedEventArgs	class 432
KdvTutari	5	about gidenTasinanBelgeleriIndirCompletedEventArgs	class 432
MalzemeFaturaAciklamasi	5	gidenTasinanBelgeleriIndirCompletedEventArgs	432
Miktar	5	Result	432
PlakaNo	5	H	
SevkIrsaliyesiNo	5	Harcirah	enumeration member 623
SevkIrsaliyeTarihi	6	Hesaben	enumeration member 623
Tonaj	6	HTML	enumeration member 198, 597
YuklemeFormuNo	6	I	
GidenFaturaDetayDTO.cs	713	Iade	enumeration member 623
GidenFaturaDTO	class 6	IhracKayitli	enumeration member 623
about GidenFaturaDTO	class 6	Imalatcilhracatci	enumeration member 623
Adres	7	IRSALIYE	enumeration member 452
AltBirimAd	7	irsaliyeTarihcesiData	class 432
BankaAd	7	about irsaliyeTarihcesiData	class 432
BankaSube	7	bagliKayitId	433
BelgeOid	8	irsaliyeEtnn	433
CepTelefonNo	8		
DuzenlemeTarihi	11		

islem 433
 islemAciklama 434
 islemKanali 434
 islemKanaliAciklama 434
 islemSonucu 434
 islemZamani 434
 kullanici 434
 kullanicilp 434
 zarfEtn 434
 irsaliyeTarihcesiSorgulaCompletedEventArgs class 434
 about irsaliyeTarihcesiSorgulaCompletedEventArgs class 434
 irsaliyeTarihcesiSorgulaCompletedEventArgs 435
 Result 435
 IstirakeSatilan enumeration member 623
 IstirakeSatilanRezervli enumeration member 623

J

JSON enumeration member 198, 597

K

kalanKontorBilgisi class 435
 about kalanKontorBilgisi class 435
 kalan 436
 kalanSpecified 436
 kontorBirim 436
 kontorBirimSpecified 436
 kontorTipi 437
 kontorTipiSpecified 437
 limitAsimMiktari 437
 limitAsimMiktariSpecified 437
 toplumAlinan 437
 toplumAlinanSpecified 437
 vknTckn 437
 Kantis enumeration member 623
 kayitliKullaniciListeleExtendedCompletedEventArgs class 437
 about
 kayitliKullaniciListeleExtendedCompletedEventArgs class 437
 kayitliKullaniciListeleExtendedCompletedEventArgs 438
 Result 438

 kayitliKullaniciListeleExtendedTimeCompletedEventArgs
 class 438
 about
 kayitliKullaniciListeleExtendedTimeCompletedEventArgs
 class 438
 kayitliKullaniciListeleExtendedTimeCompletedEventArgs
 439
 Result 439

 kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs
 class 439
 about
 kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs
 class 439
 kayitliKullaniciListeleExtendedVknTcknCompletedEventArgs
 440
 Result 440

 KEP enumeration member 452
 KEPSMS enumeration member 452
 kontorAzaltResp class 440
 about kontorAzaltResp class 440
 kanalTipi 441
 kontorAzaldi 441
 kontorTipi 441
 miktar 441
 miktarSpecified 441
 odemeTipi 441
 paketTipi 442
 vkn 442

 kontorBilgisiGetir class 150, 507
 about kontorBilgisiGetir class 150, 507
 kontorBirim 150, 508
 kontorTipi 150, 508
 vknTckn 150, 508
 kontorBilgisiGetirCompletedEventArgs class 150, 442, 508
 about kontorBilgisiGetirCompletedEventArgs class 150,
 442, 508
 kontorBilgisiGetirCompletedEventArgs 151, 442, 509
 Result 151, 443, 509

 kontorBilgisiGetirResponse class 151, 509
 @return 152, 509
 about kontorBilgisiGetirResponse class 151, 509

M

MB enumeration member 451

MesajSabitler class 624

- about MesajSabitler class 624
- IslemBasarili 625
- IslemBasarisiz 625
- MesajBasligi 625

MMK enumeration member 452

Muhtelif enumeration member 623

mukellefEFaturaKayit class 443

- about mukellefEFaturaKayit class 443
- efaturaKullaniciListesi 443
- vergiTcKimlikNo 443

mustahsilMakbuzIptalEt class 510

- about mustahsilMakbuzIptalEt class 510
- input 510

mustahsilMakbuzIptalEtCompletedEventArgs class 510

- about mustahsilMakbuzIptalEtCompletedEventArgs class 510
- mustahsilMakbuzIptalEtCompletedEventArgs 511
- Result 511

mustahsilMakbuzIptalEtResponse class 511

- @return 511
- about mustahsilMakbuzIptalEtResponse class 511

mustahsilMakbuzIptaliKaldır class 512

- about mustahsilMakbuzIptaliKaldır class 512
- input 512

mustahsilMakbuzIptaliKaldırCompletedEventArgs class 512

- about mustahsilMakbuzIptaliKaldırCompletedEventArgs class 512
- mustahsilMakbuzIptaliKaldırCompletedEventArgs 513
- Result 513

mustahsilMakbuzIptaliKaldırResponse class 513

- @return 513
- about mustahsilMakbuzIptaliKaldırResponse class 513

mustahsilMakbuzListeSorgula class 514

- about mustahsilMakbuzListeSorgula class 514
- input 514

mustahsilMakbuzListeSorgulaCompletedEventArgs class 514

- about mustahsilMakbuzListeSorgulaCompletedEventArgs
- class 514
- mustahsilMakbuzListeSorgulaCompletedEventArgs 515
- output 515
- Result 515

mustahsilMakbuzListeSorgulaPortal class 515

- about mustahsilMakbuzListeSorgulaPortal class 515
- input 516

mustahsilMakbuzListeSorgulaPortalCompletedEventArgs class 516

- about mustahsilMakbuzListeSorgulaPortalCompletedEventArgs class 516
- mustahsilMakbuzListeSorgulaPortalCompletedEventArgs 516
- output 517
- Result 517

mustahsilMakbuzListeSorgulaPortalResponse class 517

- @return 517
- about mustahsilMakbuzListeSorgulaPortalResponse class 517
- output 517

mustahsilMakbuzListeSorgulaResponse class 517

- @return 518
- about mustahsilMakbuzListeSorgulaResponse class 517
- output 518

mustahsilMakbuzOlustur class 518

- about mustahsilMakbuzOlustur class 518
- belge 519
- input 519

mustahsilMakbuzOlusturCompletedEventArgs class 519

- @return 520
- about mustahsilMakbuzOlusturCompletedEventArgs class 519
- mustahsilMakbuzOlusturCompletedEventArgs 519
- Result 520

mustahsilMakbuzOnizleme class 520

- about mustahsilMakbuzOnizleme class 520
- belge 520
- input 520

mustahsilMakbuzOnizlemeCompletedEventArgs class 520

- @return 521
- about mustahsilMakbuzOnizlemeCompletedEventArgs class 520

mustahsilMakbuzOnizlemeCompletedEventArgs 521
 Result 521

mustahsilMakbuzSorgula class 521
 about mustahsilMakbuzSorgula class 521
 input 522

mustahsilMakbuzSorgulaCompletedEventArgs class 522
 @return 523
 about mustahsilMakbuzSorgulaCompletedEventArgs class 522
 mustahsilMakbuzSorgulaCompletedEventArgs 523
 Result 523

mustahsilMakbuzTaslakOlustur class 523
 about mustahsilMakbuzTaslakOlustur class 523
 belge 524
 input 524

mustahsilMakbuzTaslakOlusturCompletedEventArgs class 524
 about
 mustahsilMakbuzTaslakOlusturCompletedEventArgs class 524
 mustahsilMakbuzTaslakOlusturCompletedEventArgs 524
 Result 525

mustahsilMakbuzTaslakOlusturResponse class 525
 @return 525
 about mustahsilMakbuzTaslakOlusturResponse class 525

mustahsilMakbuzTaslakOnizleme class 525
 about mustahsilMakbuzTaslakOnizleme class 525
 input 526

mustahsilMakbuzTaslakOnizlemeCompletedEventArgs class 526
 about
 mustahsilMakbuzTaslakOnizlemeCompletedEventArgs class 526
 mustahsilMakbuzTaslakOnizlemeCompletedEventArgs 526
 output 527
 Result 527

mustahsilMakbuzTaslakOnizlemeResponse class 527
 @return 527
 about mustahsilMakbuzTaslakOnizlemeResponse class 527
 output 527

mustahsilMakbuzTaslakSil class 528
 about mustahsilMakbuzTaslakSil class 528

input 528

mustahsilMakbuzTaslakSilCompletedEventArgs class 528
 about mustahsilMakbuzTaslakSilCompletedEventArgs class 528
 mustahsilMakbuzTaslakSilCompletedEventArgs 529
 Result 529

mustahsilMakbuzTaslakSilResponse class 529
 @return 529
 about mustahsilMakbuzTaslakSilResponse class 529

mustahsilMakbuzTaslakSorgula class 530
 about mustahsilMakbuzTaslakSorgula class 530
 input 530

mustahsilMakbuzTaslakSorgulaCompletedEventArgs class 530
 about
 mustahsilMakbuzTaslakSorgulaCompletedEventArgs class 530
 mustahsilMakbuzTaslakSorgulaCompletedEventArgs 531
 output 531
 Result 531

mustahsilMakbuzTaslakSorgulaResponse class 531
 @return 532
 about mustahsilMakbuzTaslakSorgulaResponse class 531
 output 532

mustahsilMakbuzTaslaktanOlustur class 532
 about mustahsilMakbuzTaslaktanOlustur class 532
 input 532

mustahsilMakbuzTaslaktanOlusturCompletedEventArgs class 532
 @return 533
 about
 mustahsilMakbuzTaslaktanOlusturCompletedEventArgs class 532
 mustahsilMakbuzTaslaktanOlusturCompletedEventArgs 533
 Result 533

MustahsilMakbuzuDetayDTO class 11
 about MustahsilMakbuzuDetayDTO class 11
 BirimFiyat 11
 GelirVergisi 12
 GibKisaltma 12
 IsinMahiyeti 12
 Miktar 12

MustahsilMakbuzuld 12	mustahsilMakbuzIptalEtAsync 543
NetTutar 12	mustahsilMakbuzIptalEtCompleted 568
ToplamTutar 12	mustahsilMakbuzIptaliKaldır 544
MustahsilMakbuzuDetayDTO.cs 718	mustahsilMakbuzIptaliKaldırAsync 544
MustahsilMakbuzuDTO class 13	mustahsilMakbuzIptaliKaldırCompleted 568
about MustahsilMakbuzuDTO class 13	mustahsilMakbuzListeSorgula 545
Adres 13	mustahsilMakbuzListeSorgulaAsync 545
AltBirimAd 14	mustahsilMakbuzListeSorgulaCompleted 568
BankaAd 14	mustahsilMakbuzListeSorgulaPortal 546
BankaSube 14	mustahsilMakbuzListeSorgulaPortalAsync 546
EPostaAdresi 14	mustahsilMakbuzListeSorgulaPortalCompleted 568
FaksNo 14	mustahsilMakbuzOlustur 547
GelirVergisi 14	mustahsilMakbuzOlusturAsync 547
IbanNo 14	mustahsilMakbuzOlusturCompleted 568
IlAd 15	mustahsilMakbuzOnizleme 548
IlceAd 15	mustahsilMakbuzOnizlemeAsync 548, 549
MustahsilMakbuzuld 15	mustahsilMakbuzOnizlemeCompleted 568
MustahsilMakbuzuNo 15	mustahsilMakbuzSorgula 549
MustahsilMakbuzuTarihi 16	mustahsilMakbuzSorgulaAsync 550
MustahsilMakbuzuTutari 15	mustahsilMakbuzSorgulaCompleted 568
NetTutar 15	mustahsilMakbuzTaslakOlustur 550
TuzelKisiAd 15	mustahsilMakbuzTaslakOlusturAsync 551
VergiDairesi 16	mustahsilMakbuzTaslakOlusturCompleted 568
VergiNo 16	mustahsilMakbuzTaslakOnizleme 551
MustahsilMakbuzuDTO.cs 719	mustahsilMakbuzTaslakOnizlemeAsync 552
MustahsilWebService class 533	mustahsilMakbuzTaslakOnizlemeCompleted 569
about MustahsilWebService class 533	mustahsilMakbuzTaslakSil 552
belgeZipiAI 538	mustahsilMakbuzTaslakSilAsync 553
belgeZipiAIAsync 539	mustahsilMakbuzTaslakSilCompleted 569
belgeZipiAICompleted 567	mustahsilMakbuzTaslakSorgula 553
CancelAsync 539	mustahsilMakbuzTaslakSorgulaAsync 554
ePostaDurumSorgula 539	mustahsilMakbuzTaslakSorgulaCompleted 569
ePostaDurumSorgulaAsync 540	mustahsilMakbuzTaslaktanOlustur 554
ePostaDurumSorgulaCompleted 568	mustahsilMakbuzTaslaktanOlusturAsync 555
ePostaGonder 540	mustahsilMakbuzTaslaktanOlusturCompleted 569
ePostaGonderAsync 541	MustahsilWebService 538
ePostaGonderCompleted 568	raporBolumAI 555
kontorBilgisiGetir 542	raporBolumAIAsync 556
kontorBilgisiGetirAsync 542	raporBolumAICompleted 569
kontorBilgisiGetirCompleted 568	raporBolumBilgisiAI 556
mustahsilMakbuzIptalEt 543	raporBolumBilgisiAIAsync 557

raporBolumBilgisiAICompleted 569
 raporBolumleriOlustur 557
 raporBolumleriOlusturAsync 558
 raporBolumleriOlusturCompleted 569
 raporBolumListesiDetayliSorgula 558
 raporBolumListesiDetayliSorgulaAsync 559
 raporBolumListesiDetayliSorgulaCompleted 569
 raporBolumListesiSorgula 559
 raporBolumListesiSorgulaAsync 560
 raporBolumListesiSorgulaCompleted 569
 raporBolumRaporNoGuncelleImzala 560
 raporBolumRaporNoGuncelleImzalaAsync 561
 raporBolumRaporNoGuncelleImzalaCompleted 569
 raporBolumSil 561
 raporBolumSilAsync 562
 raporBolumSilCompleted 569
 rapordaBelgeSorgula 562
 rapordaBelgeSorgulaAsync 563
 rapordaBelgeSorgulaCompleted 570
 raporDurumSorgula 563
 raporDurumSorgulaAsync 563, 564
 raporDurumSorgulaCompleted 570
 raporGonder 564
 raporGonderAsync 564, 565
 raporGonderCompleted 570
 smsDurumSorgula 565
 smsDurumSorgulaAsync 565, 566
 smsDurumSorgulaCompleted 570
 smsGonder 566
 smsGonderAsync 567
 smsGonderCompleted 570
 Url 567
 UseDefaultCredentials 567

N

NoterlikMakbuzu enumeration member 623

O

OKC enumeration member 452
 okcRaporBolumAI class 152

about okcRaporBolumAI class 152
 input 152
 okcRaporBolumAICompletedEventArgs class 152
 @return 153
 about okcRaporBolumAICompletedEventArgs class 152
 okcRaporBolumAICompletedEventArgs 153
 Result 153
 okcRaporKaydet class 153
 about okcRaporKaydet class 153
 input 154
 rapor 154
 okcRaporKaydetCompletedEventArgs class 154
 about okcRaporKaydetCompletedEventArgs class 154
 okcRaporKaydetCompletedEventArgs 154
 Result 155
 okcRaporKaydetResponse class 155
 @return 155
 about okcRaporKaydetResponse class 155
 okcRaporOlusturGonder class 155
 about okcRaporOlusturGonder class 155
 input 156
 okcRaporOlusturGonderCompletedEventArgs class 156
 about okcRaporOlusturGonderCompletedEventArgs class 156
 okcRaporOlusturGonderCompletedEventArgs 156
 Result 157
 okcRaporOlusturGonderResponse class 157
 @return 157
 about okcRaporOlusturGonderResponse class 157

P

PDF enumeration member 198, 597
 PDF_CSXML1 enumeration member 198, 597
 PDF_CSXML2 enumeration member 198, 597
 PDF_CSXML3 enumeration member 198, 597
 PDF_CUSTOM enumeration member 198, 597
 PDF_UBL enumeration member 198, 597
 Personel enumeration member 623
 PersoneleSatilan enumeration member 623
 Pesin enumeration member 623
 PORTAL enumeration member 452

Proforma enumeration member	623	QNBFinansGIB.DTO.GidenFaturaDTO.Adres	7
Program class	684	QNBFinansGIB.DTO.GidenFaturaDTO.AltBirimAd	7
about Program class	684	QNBFinansGIB.DTO.GidenFaturaDTO.BankaAd	7
Program.cs	720	QNBFinansGIB.DTO.GidenFaturaDTO.BankaSube	7
Q			
QNBFinansGIB	1	QNBFinansGIB.DTO.GidenFaturaDTO.BelgeOid	8
QNBFinansGIB namespace	1	QNBFinansGIB.DTO.GidenFaturaDTO.CepTelefonNo	8
Classes	682	QNBFinansGIB.DTO.GidenFaturaDTO.DuzenlemeTarihi	11
QNBFinansGIB.csproj	721	QNBFinansGIB.DTO.GidenFaturaDTO.EPostaAdresi	8
QNBFinansGIB.DTO	1	QNBFinansGIB.DTO.GidenFaturaDTO.FaksNo	8
QNBFinansGIB.DTO namespace	1	QNBFinansGIB.DTO.GidenFaturaDTO.FaturaTuruKod	8
Classes	2	QNBFinansGIB.DTO.GidenFaturaDTO.FaturaTutari	8
QNBFinansGIB.DTO.FaturaKdvDTO	2	QNBFinansGIB.DTO.GidenFaturaDTO.GercekKisiAd	8
QNBFinansGIB.DTO.FaturaKdvDTO.KdvHaricTutar	2	QNBFinansGIB.DTO.GidenFaturaDTO.GercekKisiSoyad	9
QNBFinansGIB.DTO.FaturaKdvDTO.KdvOran	3	QNBFinansGIB.DTO.GidenFaturaDTO.GercekKisiTcKimlikNo	9
QNBFinansGIB.DTO.FaturaKdvDTO.KdvTutari	3	QNBFinansGIB.DTO.GidenFaturaDTO.GibNumarasi	9
QNBFinansGIB.DTO.GidenFaturaDetayDTO	3	QNBFinansGIB.DTO.GidenFaturaDTO.GidenFaturalId	9
QNBFinansGIB.DTO.GidenFaturaDetayDTO.BirimFiyat	4	QNBFinansGIB.DTO.GidenFaturaDTO.IbanNo	9
QNBFinansGIB.DTO.GidenFaturaDetayDTO.FaturaUrunTuru	4	QNBFinansGIB.DTO.GidenFaturaDTO.IkametgahAdresi	9
QNBFinansGIB.DTO.GidenFaturaDetayDTO.GibKisaltma	4	QNBFinansGIB.DTO.GidenFaturaDTO.IlAd	9
QNBFinansGIB.DTO.GidenFaturaDetayDTO.GidenFaturalId	4	QNBFinansGIB.DTO.GidenFaturaDTO.IlceAd	10
QNBFinansGIB.DTO.GidenFaturaDetayDTO.IrsaliyeNo	4	QNBFinansGIB.DTO.GidenFaturaDTO.KdvHaricTutar	10
QNBFinansGIB.DTO.GidenFaturaDetayDTO.IskontoOran	4	QNBFinansGIB.DTO.GidenFaturaDTO.KdvTutari	10
QNBFinansGIB.DTO.GidenFaturaDetayDTO.KdvHaricTutar	5	QNBFinansGIB.DTO.GidenFaturaDTO.SatisTuruKod	10
QNBFinansGIB.DTO.GidenFaturaDetayDTO.KdvOran	5	QNBFinansGIB.DTO.GidenFaturaDTO.TelefonNo	10
QNBFinansGIB.DTO.GidenFaturaDetayDTO.KdvTutari	5	QNBFinansGIB.DTO.GidenFaturaDTO.TuzelKisiAd	10
QNBFinansGIB.DTO.GidenFaturaDetayDTO.MalzemeFatura		QNBFinansGIB.DTO.GidenFaturaDTO.VergiDairesi	10
Aciklamasi		QNBFinansGIB.DTO.GidenFaturaDTO.VergiNo	11
5		QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO	11
QNBFinansGIB.DTO.GidenFaturaDetayDTO.Miktar	5	QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO.BirimFiyat	11
QNBFinansGIB.DTO.GidenFaturaDetayDTO.PlakaNo	5	QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO.GelirVergi	
QNBFinansGIB.DTO.GidenFaturaDetayDTO.SevkiIrsaliyesiNo	5	si	
QNBFinansGIB.DTO.GidenFaturaDetayDTO.SevkiIrsaliyeTarihi	6	12	
QNBFinansGIB.DTO.GidenFaturaDetayDTO.Tonaj	6	QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO.GibKisaltma	
QNBFinansGIB.DTO.GidenFaturaDetayDTO.YuklemeFormunu	6	12	
QNBFinansGIB.DTO.GidenFaturaDTO	6	QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO.IsinMahiye	
		ti	
		12	
		QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO.Miktar	12
		QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO.Mustahsil	
		Makbuzuld	
		12	

QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO.NetTutar 12	QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelle 26
QNBFinansGIB.DTO.MustahsilMakbuzuDetayDTO.ToplamTut ar 12	QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelle.inputGu ncellenenekEposta 27
QNBFinansGIB.DTO.MustahsilMakbuzuDTO 13	QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelle.inputSili necekEposta 27
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.Adres 13	QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelle.Complet edEventArgs
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.AltBirimAd 14	QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleComplet edEventArgs.aliciEpostaEkleSilGuncelleCompletedEventArgs 27
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.BankaAd 14	QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleComplet edEventArgs.aliciEpostaEkleSilGuncelleCompletedEventArgs.Result 28
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.BankaSube 14	QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleComplet edEventArgs.aliciEpostaEkleSilGuncelleCompletedEventArgs.Result 28
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.EPostaAdresi 14	QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleComplet edEventArgs.aliciEpostaEkleSilGuncelleCompletedEventArgs.Result 28
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.FaksNo 14	QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleComplet edEventArgs.aliciEpostaEkleSilGuncelleCompletedEventArgs.Result 28
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.GelirVergisi 14	QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleComplet edEventArgs.aliciEpostaEkleSilGuncelleCompletedEventArgs.Result 28
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.IbanNo 14	QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleComplet edEventArgs.aliciEpostaEkleSilGuncelleCompletedEventArgs.Result 28
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.IIAd 15	QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleComplet edEventArgs.aliciEpostaEkleSilGuncelleCompletedEventArgs.Result 200
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.IIceAd 15	QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleComplet edEventArgs.aliciEpostaEkleSilGuncelleCompletedEventArgs.Result 200
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.MustahsilMakbu zuldu 15	QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleComplet edEventArgs.aliciEpostaEkleSilGuncelleCompletedEventArgs.Result 200
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.MustahsilMakbu zuNo 15	QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleRespon se 28
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.MustahsilMakbu zuTarihi 16	QNBFinansGIB.GIBEArsiv.aliciEpostaEkleSilGuncelleRespon se.@return 28
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.MustahsilMakbu zuTutari 15	QNBFinansGIB.GIBEArsiv.belge 28
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.NetTutar 15	QNBFinansGIB.GIBEArsiv.belge.belgeFormati 29
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.TuzelKisiAd 15	QNBFinansGIB.GIBEArsiv.belge.belgeFormatiSpecified 29
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.VergiDairesi 16	QNBFinansGIB.GIBEArsiv.belge.belgeFormatiEnum 198
QNBFinansGIB.DTO.MustahsilMakbuzuDTO.VergiNo 16	QNBFinansGIB.GIBEArsiv.belgeFormatiEnum enumeration 198
QNBFinansGIB.frmAnaSayfa 682	QNBFinansGIB.GIBEArsiv.belgeOutputWrapper 29
QNBFinansGIB.frmAnaSayfa.Dispose 684	QNBFinansGIB.GIBEArsiv.belgeOutputWrapper.@return 30
QNBFinansGIB.frmAnaSayfa.frmAnaSayfa 683	QNBFinansGIB.GIBEArsiv.belgeOutputWrapper.output 30
QNBFinansGIB.frmAnaSayfa.gidenFaturaDetayListesi 683	QNBFinansGIB.GIBEArsiv.dosyalnput 30
QNBFinansGIB.frmAnaSayfa.gidenFaturaListesi 683	QNBFinansGIB.GIBEArsiv.dosyalnput.belgelcerigi 30
QNBFinansGIB.frmAnaSayfa.mustahsilMakbuzuDetayListesi 684	QNBFinansGIB.GIBEArsiv.dosyalnput.genelBelgeFormatEnu m 30
QNBFinansGIB.frmAnaSayfa.mustahsilMakbuzuListesi 684	QNBFinansGIB.GIBEArsiv.dosyalnput.genelBelgeFormatEnu mSpecified 31
QNBFinansGIB.GIBEArsiv 16	QNBFinansGIB.GIBEArsiv.doubleStringOutputWrapper 31
QNBFinansGIB.GIBEArsiv namespace 16	QNBFinansGIB.GIBEArsiv.doubleStringOutputWrapper.@retu rn 31
Classes 22	
Structs, Records, Enums 197	
Types 198	

QNBFinansGIB.GIBEArsiv.doubleStringOutputWrapper.output Durum 31	44	QNBFinansGIB.GIBEArsiv.EarsivWebService.efaturaKullanici siKontrolCompleted 90
QNBFinansGIB.GIBEArsiv.doubleStringOutputWrapper.output Eposta 31		QNBFinansGIB.GIBEArsiv.EarsivWebService.ePostaDurumS orgula 44
QNBFinansGIB.GIBEArsiv.earsivServiceResult 31		QNBFinansGIB.GIBEArsiv.EarsivWebService.ePostaDurumS orgulaAsync 45
QNBFinansGIB.GIBEArsiv.earsivServiceResult.resultCode 32		QNBFinansGIB.GIBEArsiv.EarsivWebService.ePostaDurumS orgulaCompleted 90
QNBFinansGIB.GIBEArsiv.earsivServiceResult.resultExtra 32		QNBFinansGIB.GIBEArsiv.EarsivWebService.ePostaGonder 45
QNBFinansGIB.GIBEArsiv.earsivServiceResult.resultText 32		QNBFinansGIB.GIBEArsiv.EarsivWebService.ePostaGonderA sync 46
QNBFinansGIB.GIBEArsiv.earsivServiceResultEntry 32		QNBFinansGIB.GIBEArsiv.EarsivWebService.ePostaGonderC ompleted 90
QNBFinansGIB.GIBEArsiv.earsivServiceResultEntry.key 33		QNBFinansGIB.GIBEArsiv.EarsivWebService.faturalptalEt 46
QNBFinansGIB.GIBEArsiv.earsivServiceResultEntry.value 33		QNBFinansGIB.GIBEArsiv.EarsivWebService.faturalptalEtAsy nc 47
QNBFinansGIB.GIBEArsiv.EarsivWebService 33		QNBFinansGIB.GIBEArsiv.EarsivWebService.faturalptaliKaldi r 47
QNBFinansGIB.GIBEArsiv.EarsivWebService.aliciEpostaEkle SilGuncelle 40		QNBFinansGIB.GIBEArsiv.EarsivWebService.faturalptaliKaldi rAsync 48
QNBFinansGIB.GIBEArsiv.EarsivWebService.aliciEpostaEkle SilGuncelleAsync 41		QNBFinansGIB.GIBEArsiv.EarsivWebService.faturalptaliKaldi rCompleted 90
QNBFinansGIB.GIBEArsiv.EarsivWebService.aliciEpostaEkle SilGuncelleCompleted 90		QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaltirazEt 48
QNBFinansGIB.GIBEArsiv.EarsivWebService.CancelAsync 41		QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaltirazEtAsy nc 49
QNBFinansGIB.GIBEArsiv.EarsivWebService.EarsivWebService ce 40		QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaltirazKaldi r 49
QNBFinansGIB.GIBEArsiv.EarsivWebService.eFaturaKayitliK ullaniciListele 41		QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaltirazKaldi rAsync 50
QNBFinansGIB.GIBEArsiv.EarsivWebService.eFaturaKayitliK ullaniciListeleAsync 42		QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaltirazKaldi rCompleted 90
QNBFinansGIB.GIBEArsiv.EarsivWebService.eFaturaKayitliK ullaniciListeleCompleted 90		QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaltirazEtCo mpleted 90
QNBFinansGIB.GIBEArsiv.EarsivWebService.efaturaKullanici si 42		QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaltirazKaldi r 49
QNBFinansGIB.GIBEArsiv.EarsivWebService.efaturaKullanici siAsync 43		QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaltirazKaldi rAsync 50
QNBFinansGIB.GIBEArsiv.EarsivWebService.efaturaKullanici siCompleted 90		QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaltirazKaldi rCompleted 90
QNBFinansGIB.GIBEArsiv.EarsivWebService.efaturaKullanici siKontrol 43		
QNBFinansGIB.GIBEArsiv.EarsivWebService.efaturaKullanici siKontrolAsync		

90	56
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgula	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOnizlemeAsync
50	57
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgulaAsync	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOnizlemeCompleted
51	91
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgulaCompleted	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaSorgula
90	57
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgulaCount	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaSorgulaAsyn
51	58
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgulaCountAsync	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaSorgulaCom
52	91
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgulaCountCompleted	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaSorgulaEx
91	58
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgulaPortal	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaSorgulaEx
52	59
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgulaPortalAsync	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaSorgulaEx
53	91
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaListeSorgulaPortalCompleted	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakOlu
91	stur
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaNoUret	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakOlu
53	sturAsync
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaNoUretAsync	60
54	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakOlu
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaNoUretCompleted	sturCompleted
91	91
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOlustur	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakOni
54	zleme
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOlusturAsync	60
55	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakOni
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOlusturCompleted	zlemeAsync
91	61
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOlusturEx	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakOni
55	zlemeCompleted
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOlusturEx	91
56	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakSil
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOlusturEx	61
56	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakSil
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOlusturEx	62
56	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakSil
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOlusturEx	Completed
91	91
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaOnizleme	QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakSor
	gula
	62

QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakSorgulaAsync 63	rGonderAsync 69
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslakSorgulaCompleted 91	QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporOlusturGonderCompleted 92
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslaktanOlustur 63	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumAI 70
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslaktanOlusturAsync 64	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumAISync 70
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaTaslaktanOlusturCompleted 92	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumAICompleted 92
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaZipiAI 64	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumBilgi siAI 71
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaZipiAIAsync 65	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumBilgi siAIAsync 71
QNBFinansGIB.GIBEArsiv.EarsivWebService.faturaZipiAICompleted 92	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumBilgi siAICompleted 92
QNBFinansGIB.GIBEArsiv.EarsivWebService.kontorBilgisiGetir 65	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumleri Olustur 72
QNBFinansGIB.GIBEArsiv.EarsivWebService.kontorBilgisiGetirAsync 66	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumleri OlusturAsync 72
QNBFinansGIB.GIBEArsiv.EarsivWebService.kontorBilgisiGetirCompleted 92	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumleri OlusturCompleted 92
QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporBolumAI 67	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumListesiDeta lyiSorgula 73
QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporBolumAIAsync 67	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumListesiDeta lyiSorgulaAsync 73
QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporBolumAICompleted 92	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumListesiDeta lyiSorgulaCompleted 92
QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporKaydet 68	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumListesiSorgula 74
QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporKaydetAsync 68	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumListesiSorgulaAsync 74, 75
QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporKaydetCompleted 92	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumListesiSorgulaCompleted 92
QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporOlusturGonder 69	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumListesiSorgulaWithInput 75
QNBFinansGIB.GIBEArsiv.EarsivWebService.okcRaporOlustur 69	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumListesiSorgula 75

esiSorgulaWithInputAsync 76	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumList esiSorgulaWithInputCompleted 93	QNBFinansGIB.GIBEArsiv.EarsivWebService.servisSaglayicid anEpostaDurumSorgulaCompleted 93
QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumRap orNoGuncellelmzala 76	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumRap orNoGuncellelmzalaAsync 77	QNBFinansGIB.GIBEArsiv.EarsivWebService.smsDurumSorg ula 82
QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumRap orNoGuncellelmzalaCompleted 93	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumRap orNoGuncellelmzalaCompleted 93	QNBFinansGIB.GIBEArsiv.EarsivWebService.smsDurumSorg ulaAsynchronous 83
QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumSil 77	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumSilA sync 78	QNBFinansGIB.GIBEArsiv.EarsivWebService.smsDurumSorg ulaCompleted 93
QNBFinansGIB.GIBEArsiv.EarsivWebService.raporBolumSilC ompleted 93	QNBFinansGIB.GIBEArsiv.EarsivWebService.rapordaFaturaP olgula 78	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPak etDosyaGonder 84
QNBFinansGIB.GIBEArsiv.EarsivWebService.rapordaFaturaS orgulaAsync 78, 79	QNBFinansGIB.GIBEArsiv.EarsivWebService.rapordaFaturaS orgulaCompleted 93	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPak etDosyaGonderAsynchronous 85
QNBFinansGIB.GIBEArsiv.EarsivWebService.rapordaFaturaS orgulaCompleted 93	QNBFinansGIB.GIBEArsiv.EarsivWebService.rapordaFaturaS orgulaCompleted 79	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPak etDosyaSorgula 85
QNBFinansGIB.GIBEArsiv.EarsivWebService.raporDurumSor gula 79	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporDurumSor gulaAsync 79, 80	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPak etDosyaSorgulaCompleted 93
QNBFinansGIB.GIBEArsiv.EarsivWebService.raporDurumSor gulaCompleted 93	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporDurumSor gulaCompleted 93	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPak etOnayla 86
QNBFinansGIB.GIBEArsiv.EarsivWebService.raporGonder 80	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporGonderAs ync 80	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPak etOnaylaAsynchronous 87
QNBFinansGIB.GIBEArsiv.EarsivWebService.raporGonderCo mpleted 93	QNBFinansGIB.GIBEArsiv.EarsivWebService.raporGonderCo mpleted 93	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPak etOnaylaCompleted 94
QNBFinansGIB.GIBEArsiv.EarsivWebService.servisSaglayicid anEpostaDurumSorgula 81	QNBFinansGIB.GIBEArsiv.EarsivWebService.servisSaglayicid anEpostaDurumSorgulaAsync 81, 82	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPak etSorgula 87
QNBFinansGIB.GIBEArsiv.EarsivWebService.servisSaglayicid anEpostaDurumSorgulaAsync 81, 82	QNBFinansGIB.GIBEArsiv.EarsivWebService.servisSaglayicid anEpostaDurumSorgulaAsync 81, 82	QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPak etSorgulaAsynchronous 88
		QNBFinansGIB.GIBEArsiv.EarsivWebService.topluFaturaPak et

etSorgulaCompleted 94	QNBFinansGIB.GIBEArsiv.efaturaKullanicisiCompletedEventArgs.Result 98
QNBFinansGIB.GIBEArsiv.EarsivWebService.Url 89	QNBFinansGIB.GIBEArsiv.efaturaKullanicisiCompletedEvent Handler 201
QNBFinansGIB.GIBEArsiv.EarsivWebService.UseDefaultCred entials 89	QNBFinansGIB.GIBEArsiv.efaturaKullanicisiCompletedEvent Handler type 201
QNBFinansGIB.GIBEArsiv.EarsivWebService.yapilandirmaAy arlariAI 88	QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrol 98
QNBFinansGIB.GIBEArsiv.EarsivWebService.yapilandirmaAy arlariAIAsync 89	QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrol.input 98
QNBFinansGIB.GIBEArsiv.EarsivWebService.yapilandirmaAy arlariAICompleted 94	QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrolCompleted EventArgs 98
QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListele 94	QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrolCompleted EventArgs.efaturaKullanicisiKontrolCompletedEventArgs 99
QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListele.kayit Zamani 94	QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrolCompleted EventArgs.Result 99
QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListeleCom pletedEventArgs 94	QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrolCompleted EventHandler 201
QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListeleCom pletedEventArgs.eFaturaKayitliKullaniciListeleCompletedEventA rgs 95	QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrolCompleted EventHandler type 201
QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListeleCom pletedEventArgs.Result 95	QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrolResponse 99
QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListeleCom pletedEventHandler 201	QNBFinansGIB.GIBEArsiv.efaturaKullanicisiKontrolResponse. @return 100
QNBFinansGIB.GIBEArsiv.eFaturaKayitliKullaniciListeleCom pletedEventHandler type 201	QNBFinansGIB.GIBEArsiv.efaturaKullanicisiResponse 100
QNBFinansGIB.GIBEArsiv.eFaturaKullanici 95	QNBFinansGIB.GIBEArsiv.ePostaDurumSorgula 100
QNBFinansGIB.GIBEArsiv.eFaturaKullanici.etiket 96	QNBFinansGIB.GIBEArsiv.ePostaDurumSorgula.input 101
QNBFinansGIB.GIBEArsiv.eFaturaKullanici.kamuKurulusu 96	QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEv entArgs 101
QNBFinansGIB.GIBEArsiv.eFaturaKullanici.kayitZamani 96	QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEv entArgs.@return 102
QNBFinansGIB.GIBEArsiv.eFaturaKullanici.unvan 96	QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEv entArgs.ePostaDurumSorgulaCompletedEventArgs 101
QNBFinansGIB.GIBEArsiv.eFaturaKullanici.vergiTcKimlikNo 96	QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEv entArgs.outputEposta 102
QNBFinansGIB.GIBEArsiv.efaturaKullanicisi 96	QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEv entArgs.Result 102
QNBFinansGIB.GIBEArsiv.efaturaKullanicisi.vergiTcKimlikNo 97	QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEv entArgs.Result 102
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiCompletedEventA rgs 97	QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEv entArgs.Result 102
QNBFinansGIB.GIBEArsiv.efaturaKullanicisiCompletedEventA rgs.efaturaKullanicisiCompletedEventArgs 97	QNBFinansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEv entArgs.Result 102

QNBFInansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEventHandler	QNBFInansGIB.GIBEArsiv.faturaDTO.faturaZamani 108
201	QNBFInansGIB.GIBEArsiv.faturaDTO.ilkKayitZmani 108
QNBFInansGIB.GIBEArsiv.ePostaDurumSorgulaCompletedEventHandler type 201	QNBFInansGIB.GIBEArsiv.faturaDTO.indirildi 108
	QNBFInansGIB.GIBEArsiv.faturaDTO.indirildiSpecified 108
QNBFInansGIB.GIBEArsiv.ePostaGonder 102	QNBFInansGIB.GIBEArsiv.faturaDTO.invoiceId 108
QNBFInansGIB.GIBEArsiv.ePostaGonder.ilaveEposta 102	QNBFInansGIB.GIBEArsiv.faturaDTO.invoiceTypeCode 108
QNBFInansGIB.GIBEArsiv.ePostaGonder.input 103	QNBFInansGIB.GIBEArsiv.faturaDTO.ipalEdenKullaniciKodu 108
QNBFInansGIB.GIBEArsiv.ePostaGonder.tanimliEpostayaGonder 103	QNBFInansGIB.GIBEArsiv.faturaDTO.ipalKaynagi 108
QNBFInansGIB.GIBEArsiv.ePostaGonderCompletedEventArgs 103	QNBFInansGIB.GIBEArsiv.faturaDTO.ipalKaynagiSpecified 108
QNBFInansGIB.GIBEArsiv.ePostaGonderCompletedEventArgs.ePostaGonderCompletedEventArgs 103	QNBFInansGIB.GIBEArsiv.faturaDTO.ipalRaporTarihi 109
QNBFInansGIB.GIBEArsiv.ePostaGonderCompletedEventArgs.Result 104	QNBFInansGIB.GIBEArsiv.faturaDTO.ipalTarihi 109
QNBFInansGIB.GIBEArsiv.ePostaGonderCompletedEventHandler 202	QNBFInansGIB.GIBEArsiv.faturaDTO.ipalTarihiExcel 109
QNBFInansGIB.GIBEArsiv.ePostaGonderCompletedEventHandler type 202	QNBFInansGIB.GIBEArsiv.faturaDTO.islemlid 109
QNBFInansGIB.GIBEArsiv.ePostaGonderResponse 104	QNBFInansGIB.GIBEArsiv.faturaDTO.issueDate 109
QNBFInansGIB.GIBEArsiv.ePostaGonderResponse.@return 104	QNBFInansGIB.GIBEArsiv.faturaDTO.itirazEdenKullaniciKodu 109
QNBFInansGIB.GIBEArsiv.faturaDTO 104	QNBFInansGIB.GIBEArsiv.faturaDTO.itirazKaynagi 109
QNBFInansGIB.GIBEArsiv.faturaDTO.arsiv 106	QNBFInansGIB.GIBEArsiv.faturaDTO.itirazKaynagiSpecified 109
QNBFInansGIB.GIBEArsiv.faturaDTO.creationTime 106	QNBFInansGIB.GIBEArsiv.faturaDTO.itirazTarihi 109
QNBFInansGIB.GIBEArsiv.faturaDTO.currency 106	QNBFInansGIB.GIBEArsiv.faturaDTO.kagitFatura 110
QNBFInansGIB.GIBEArsiv.faturaDTO.dokumanFormati 107	QNBFInansGIB.GIBEArsiv.faturaDTO.kagitFaturaSpecified 110
QNBFInansGIB.GIBEArsiv.faturaDTO.durum 107	QNBFInansGIB.GIBEArsiv.faturaDTO.kasa 110
QNBFInansGIB.GIBEArsiv.faturaDTO.durumSpecified 107	QNBFInansGIB.GIBEArsiv.faturaDTO.kaynak 110
QNBFInansGIB.GIBEArsiv.faturaDTO.duzenlenmeZamani 107	QNBFInansGIB.GIBEArsiv.faturaDTO.kepDurum 110
QNBFInansGIB.GIBEArsiv.faturaDTO.epostaGonderimDurumu 107	QNBFInansGIB.GIBEArsiv.faturaDTO.kepDurumSpecified 110
QNBFInansGIB.GIBEArsiv.faturaDTO.epostaGonderimDurumuSpecified 107	QNBFInansGIB.GIBEArsiv.faturaDTO.kolayFatura 110
QNBFInansGIB.GIBEArsiv.faturaDTO.erpKodu 107	QNBFInansGIB.GIBEArsiv.faturaDTO.kolayFaturaSpecified 110
QNBFInansGIB.GIBEArsiv.faturaDTO.faturaSiraNo 107	QNBFInansGIB.GIBEArsiv.faturaDTO.okundu 110
QNBFInansGIB.GIBEArsiv.faturaDTO.faturaSiraNoSpecified 107	QNBFInansGIB.GIBEArsiv.faturaDTO.okunduSpecified 111
	QNBFInansGIB.GIBEArsiv.faturaDTO.payableAmount 111
	QNBFInansGIB.GIBEArsiv.faturaDTO.payableAmountSpecified 111
	QNBFInansGIB.GIBEArsiv.faturaDTO.profileId 111
	QNBFInansGIB.GIBEArsiv.faturaDTO.raporTarihi 111
	QNBFInansGIB.GIBEArsiv.faturaDTO.receiverContact 111
	QNBFInansGIB.GIBEArsiv.faturaDTO.receiverIdentifier 111
	QNBFInansGIB.GIBEArsiv.faturaDTO.receiverIdentifierTxt

111	QNBFinansGIB.GIBEArsiv.faturaDTO.receiverName 111	QNBFinansGIB.GIBEArsiv.faturalptaliKaldirCompletedEventArgs.faturalptaliKaldirCompletedEventArgs
112	QNBFinansGIB.GIBEArsiv.faturaDTO.senderContact 112	116
112	QNBFinansGIB.GIBEArsiv.faturaDTO.senderName 112	QNBFinansGIB.GIBEArsiv.faturalptaliKaldirCompletedEventArgs.Result
112	QNBFinansGIB.GIBEArsiv.faturaDTO.sonGuncellemeZamani 112	117
112	QNBFinansGIB.GIBEArsiv.faturaDTO.sube 112	QNBFinansGIB.GIBEArsiv.faturalptaliKaldirCompletedEventHandler
112	QNBFinansGIB.GIBEArsiv.faturaDTO.tanimliSubeKod 112	202
112	QNBFinansGIB.GIBEArsiv.faturaDTO.telNo 112	QNBFinansGIB.GIBEArsiv.faturalptaliKaldirCompletedEventHandler.type
112	QNBFinansGIB.GIBEArsiv.faturaDTO.toplamTutar 112	202
112	QNBFinansGIB.GIBEArsiv.faturaDTO.toplamTutarSpecified 112	QNBFinansGIB.GIBEArsiv.faturalptaliKaldirResponse
112	QNBFinansGIB.GIBEArsiv.faturaDTO.uuid 112	QNBFinansGIB.GIBEArsiv.faturalptaliKaldirResponse.@return
113	QNBFinansGIB.GIBEArsiv.faturaDTO.vergilerToplami 113	117
113	QNBFinansGIB.GIBEArsiv.faturaDTO.vergilerToplamiSpecifie	QNBFinansGIB.GIBEArsiv.faturaltirazEt
113	d	QNBFinansGIB.GIBEArsiv.faturaltirazEt.input
113	QNBFinansGIB.GIBEArsiv.faturaDTO.yazdirildi 113	QNBFinansGIB.GIBEArsiv.faturaltirazEtCompletedEventArgs
113	QNBFinansGIB.GIBEArsiv.faturaDTO.yazdirildiSpecified 113	118
113	QNBFinansGIB.GIBEArsiv.faturaDTO.yerelFaturaNo 113	QNBFinansGIB.GIBEArsiv.faturaltirazEtCompletedEventArgs.faturaltirazEtCompletedEventArgs
113	QNBFinansGIB.GIBEArsiv.faturalptalEt 113	118
114	QNBFinansGIB.GIBEArsiv.faturalptalEt.input 114	QNBFinansGIB.GIBEArsiv.faturaltirazEtCompletedEventHand
114	QNBFinansGIB.GIBEArsiv.faturalptalEtCompletedEventArgs	ler
114	atURALPTALETCOMPLETEDEVENTARGS	202
114	QNBFinansGIB.GIBEArsiv.faturalptalEtCompletedEventArgs.faturalptalEtCompletedEventArgs.type	QNBFinansGIB.GIBEArsiv.faturaltirazEtCompletedEventHand
115	QNBFinansGIB.GIBEArsiv.faturalptalEtCompletedEventArgs.Result	ler.type
115	QNBFinansGIB.GIBEArsiv.faturalptalEtCompletedEventArgs.type	202
202	QNBFinansGIB.GIBEArsiv.faturalptalEtCompletedEventHand	QNBFinansGIB.GIBEArsiv.faturaltirazEtCompletedEventHand
202	ler	ler
202	type	type
115	QNBFinansGIB.GIBEArsiv.faturalptalEtResponse 115	202
115	QNBFinansGIB.GIBEArsiv.faturalptalEtResponse.@return	QNBFinansGIB.GIBEArsiv.faturaltirazKaldir 119
116	QNBFinansGIB.GIBEArsiv.faturalptaliKaldir 115	QNBFinansGIB.GIBEArsiv.faturaltirazKaldir.input
116	QNBFinansGIB.GIBEArsiv.faturalptaliKaldir.input 116	120
116	QNBFinansGIB.GIBEArsiv.faturalptaliKaldirCompletedEventAr	QNBFinansGIB.GIBEArsiv.faturaltirazKaldirCompletedEventA
116	gs	rgs
116	116	120
		QNBFinansGIB.GIBEArsiv.faturaltirazKaldirCompletedEventA
		rgs.faturaltirazKaldirCompletedEventArgs
		120
		QNBFinansGIB.GIBEArsiv.faturaltirazKaldirCompletedEventA
		rgs.Result
		120
		QNBFinansGIB.GIBEArsiv.faturaltirazKaldirCompletedEventH
		andler
		203
		QNBFinansGIB.GIBEArsiv.faturaltirazKaldirCompletedEventH
		andler

type 203	output 125
QNBFinansGIB.GIBEArsiv.faturaltirazKaldırResponse	121
QNBFinansGIB.GIBEArsiv.faturaltirazKaldırResponse.@return	121
QNBFinansGIB.GIBEArsiv.faturaListeSorgula	121
QNBFinansGIB.GIBEArsiv.faturaListeSorgula.input	122
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCompletedEventArgs	122
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCompletedEventArgs.faturaListeSorgulaCompletedEventArgs	122
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCompletedEventArgs.output	122
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCompletedEventArgs.Result	123
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCompletedEventHandler	203
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCompletedEventHandler.type	203
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCount	123
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCount.input	123
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompletedEventArgs	123
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompletedEventArgs.faturaListeSorgulaCountCompletedEventArgs	124
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompletedEventArgs.output	124
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompletedEventArgs.Result	124
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompletedEventHandler	203
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountCompletedEventHandler.type	203
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountResponse	124
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountResponse.@return	125
QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountResponse.	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaCountResponse.
	output
	125
	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortal
	125
	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortal.input
	125
	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalCompletedEventArgs
	125
	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalCompletedEventArgs.faturaListeSorgulaPortalCompletedEventArgs
	126
	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalCompletedEventArgs.output
	126
	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalCompletedEventArgs.Result
	126
	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalCompletedEventArgs.ResultHandler
	203
	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalCompletedEventArgs.type
	203
	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalResponse
	126
	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalResponse.@return
	127
	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaPortalResponse.output
	127
	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaResponse
	127
	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaResponse.@return
	128
	QNBFinansGIB.GIBEArsiv.faturaListeSorgulaResponse.output
	128
	QNBFinansGIB.GIBEArsiv.faturaNoUret
	128
	QNBFinansGIB.GIBEArsiv.faturaNoUret.input
	128
	QNBFinansGIB.GIBEArsiv.faturaNoUretCompletedEventArgs
	128
	QNBFinansGIB.GIBEArsiv.faturaNoUretCompletedEventArgs.@return
	129
	QNBFinansGIB.GIBEArsiv.faturaNoUretCompletedEventArgs.faturaNoUretCompletedEventArgs
	129
	QNBFinansGIB.GIBEArsiv.faturaNoUretCompletedEventArgs.Result
	129
	QNBFinansGIB.GIBEArsiv.faturaNoUretCompletedEventArgs.ResultHandler

ler 204	gs 133
QNBFinansGIB.GIBEArsiv.faturaNoUretCompletedEventHand ler type 204	QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventAr gs.@return 134
QNBFinansGIB.GIBEArsiv.faturaOlustur 129	QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventAr gs.faturaOnizlemeCompletedEventArgs 134
QNBFinansGIB.GIBEArsiv.faturaOlustur.fatura 130	QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventAr gs.Result 134
QNBFinansGIB.GIBEArsiv.faturaOlustur.input 130	QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventAr gs.Result 134
QNBFinansGIB.GIBEArsiv.faturaOlusturCompletedEventArgs 130	QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventHa ndler 204
QNBFinansGIB.GIBEArsiv.faturaOlusturCompletedEventArgs. @return 131	QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventHa ndler 204
QNBFinansGIB.GIBEArsiv.faturaOlusturCompletedEventArgs. faturaOlusturCompletedEventArgs 130	QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventHa ndler type 204
QNBFinansGIB.GIBEArsiv.faturaOlusturCompletedEventArgs. Result 131	QNBFinansGIB.GIBEArsiv.faturaSorgula 134
QNBFinansGIB.GIBEArsiv.faturaOlusturCompletedEventHand ler 204	QNBFinansGIB.GIBEArsiv.faturaSorgula.input 135
QNBFinansGIB.GIBEArsiv.faturaOlusturCompletedEventHand ler type 204	QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventArgs 135
QNBFinansGIB.GIBEArsiv.faturaOlusturExt 131	QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventArgs .faturaSorgulaCompletedEventArgs 135
QNBFinansGIB.GIBEArsiv.faturaOlusturExt.fatura 131	QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventArgs .Result 136
QNBFinansGIB.GIBEArsiv.faturaOlusturExt.input 131	QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventArgs .faturaSorgulaCompletedEventArgs 135
QNBFinansGIB.GIBEArsiv.faturaOlusturExtCompletedEventAr gs 132	QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventArgs .Result 136
QNBFinansGIB.GIBEArsiv.faturaOlusturExtCompletedEventArgs. @return 132	QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventHan dler 204
QNBFinansGIB.GIBEArsiv.faturaOlusturExtCompletedEventArgs. faturaOlusturExtCompletedEventArgs 132	QNBFinansGIB.GIBEArsiv.faturaSorgulaCompletedEventHan dler type 204
QNBFinansGIB.GIBEArsiv.faturaOlusturExtCompletedEventArgs. Result 132	QNBFinansGIB.GIBEArsiv.faturaSorgulaExt 136
QNBFinansGIB.GIBEArsiv.faturaOlusturExtCompletedEventH andler 204	QNBFinansGIB.GIBEArsiv.faturaSorgulaExt.input 136
QNBFinansGIB.GIBEArsiv.faturaOlusturExtCompletedEventH andler type 204	QNBFinansGIB.GIBEArsiv.faturaSorgulaExtCompletedEventA rgs 136
QNBFinansGIB.GIBEArsiv.faturaOnizleme 133	QNBFinansGIB.GIBEArsiv.faturaSorgulaExtCompletedEventA rgs.faturaSorgulaExtCompletedEventArgs 137
QNBFinansGIB.GIBEArsiv.faturaOnizleme.fatura 133	QNBFinansGIB.GIBEArsiv.faturaSorgulaExtCompletedEventA rgs.Result 137
QNBFinansGIB.GIBEArsiv.faturaOnizleme.input 133	QNBFinansGIB.GIBEArsiv.faturaSorgulaExtCompletedEventH
QNBFinansGIB.GIBEArsiv.faturaOnizlemeCompletedEventAr	

andler 205	141
QNBFinansGIB.GIBEArsiv.faturaSorgulaExtCompletedEventH andler type 205	QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeResponse.out put 141
QNBFinansGIB.GIBEArsiv.faturaTaslakOlustur 137	QNBFinansGIB.GIBEArsiv.faturaTaslakSil 142
QNBFinansGIB.GIBEArsiv.faturaTaslakOlustur.fatura 138	QNBFinansGIB.GIBEArsiv.faturaTaslakSil.input 142
QNBFinansGIB.GIBEArsiv.faturaTaslakOlustur.input 138	QNBFinansGIB.GIBEArsiv.faturaTaslakSilCompletedEventArg s 142
QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturCompletedEve ntArgs 138	QNBFinansGIB.GIBEArsiv.faturaTaslakSilCompletedEventArg s.faturaTaslakSilCompletedEventArgs 143
QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturCompletedEve ntArgs.faturaTaslakOlusturCompletedEventArgs 138	QNBFinansGIB.GIBEArsiv.faturaTaslakSilCompletedEventArgs.Result 143
QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturCompletedEve ntArgs.Result 139	QNBFinansGIB.GIBEArsiv.faturaTaslakSilCompletedEventArgs.Handler 205
QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturCompletedEve ntHandler 205	QNBFinansGIB.GIBEArsiv.faturaTaslakSilCompletedEventArgs.Handler type 205
QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturCompletedEve ntHandler type 205	QNBFinansGIB.GIBEArsiv.faturaTaslakSilResponse 143
QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturResponse 139	QNBFinansGIB.GIBEArsiv.faturaTaslakSilResponse.@return 143
QNBFinansGIB.GIBEArsiv.faturaTaslakOlusturResponse.@re turn 139	QNBFinansGIB.GIBEArsiv.faturaTaslakSorgula 144
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizleme 139	QNBFinansGIB.GIBEArsiv.faturaTaslakSorgula.input 144
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizleme.input 140	QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEve ntArgs 144
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeCompletedE ventArgs 140	QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEve ntArgs.faturaTaslakSorgulaCompletedEventArgs 145
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeCompletedE ventArgs.faturaTaslakOnizlemeCompletedEventArgs 140	QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEve ntArgs.output 145
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeCompletedE ventArgs.output 141	QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEve ntArgs.Result 145
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeCompletedE ventArgs.Result 141	QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEve ntHandler 206
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeCompletedE ventHandler 205	QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaCompletedEve ntHandler type 206
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeCompletedE ventHandler type 205	QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaResponse 145
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeResponse 141	QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaResponse.@re turn 146
QNBFinansGIB.GIBEArsiv.faturaTaslakOnizlemeResponse.@ return	QNBFinansGIB.GIBEArsiv.faturaTaslakSorgulaResponse.out put 146

QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlustur 146	QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirCompletedEventArgs 150
QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlustur.input 146	QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirCompletedEventArgs.kontorBilgisiGetirCompletedEventArgs 151
QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlusturCompletedEventArgs 146	QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirCompletedEventArgs.Result 151
QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlusturCompletedEventArgs.@return 147	QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirCompletedEventArgs.Result 151
QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlusturCompletedEventArgs.faturaTaslaktanOlusturCompletedEventArgs 147	QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirCompletedEvent Handler 206
QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlusturCompletedEventArgs.Result 147	QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirCompletedEvent Handler type 206
QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlusturCompletedEventArgs.Handler 206	QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirResponse 151
QNBFinansGIB.GIBEArsiv.faturaTaslaktanOlusturCompletedEventArgs.type 206	QNBFinansGIB.GIBEArsiv.kontorBilgisiGetirResponse.@return 152
QNBFinansGIB.GIBEArsiv.faturaZipiAI 147	QNBFinansGIB.GIBEArsiv.okcRaporBolumAI 152
QNBFinansGIB.GIBEArsiv.faturaZipiAI.input 148	QNBFinansGIB.GIBEArsiv.okcRaporBolumAI.input 152
QNBFinansGIB.GIBEArsiv.faturaZipiAICompletedEventArgs 148	QNBFinansGIB.GIBEArsiv.okcRaporBolumAICompletedEventArgs 152
QNBFinansGIB.GIBEArsiv.faturaZipiAICompletedEventArgs.faturaZipiAICompletedEventArgs 148	QNBFinansGIB.GIBEArsiv.okcRaporBolumAICompletedEventArgs.@return 153
QNBFinansGIB.GIBEArsiv.faturaZipiAICompletedEventArgs.output 149	QNBFinansGIB.GIBEArsiv.okcRaporBolumAICompletedEventArgs.okcRaporBolumAICompletedEventArgs 153
QNBFinansGIB.GIBEArsiv.faturaZipiAICompletedEventArgs.Result 149	QNBFinansGIB.GIBEArsiv.okcRaporBolumAICompletedEventArgs.Result 153
QNBFinansGIB.GIBEArsiv.faturaZipiAICompletedEventArgs.Handler 206	QNBFinansGIB.GIBEArsiv.okcRaporBolumAICompletedEvent Handler 207
QNBFinansGIB.GIBEArsiv.faturaZipiAICompletedEventArgs.Handler.type 206	QNBFinansGIB.GIBEArsiv.okcRaporBolumAICompletedEvent Handler type 207
QNBFinansGIB.GIBEArsiv.faturaZipiAIResponse 149	QNBFinansGIB.GIBEArsiv.okcRaporKaydet 153
QNBFinansGIB.GIBEArsiv.faturaZipiAIResponse.@return 149	QNBFinansGIB.GIBEArsiv.okcRaporKaydet.input 154
QNBFinansGIB.GIBEArsiv.faturaZipiAIResponse.output 149	QNBFinansGIB.GIBEArsiv.okcRaporKaydet.rapor 154
QNBFinansGIB.GIBEArsiv.genelBelgeFormatEnum 198	QNBFinansGIB.GIBEArsiv.okcRaporKaydetCompletedEventArgs 154
QNBFinansGIB.GIBEArsiv.genelBelgeFormatEnum enumeration 198	QNBFinansGIB.GIBEArsiv.okcRaporKaydetCompletedEventArgs.okcRaporKaydetCompletedEventArgs 154
QNBFinansGIB.GIBEArsiv.kontorBilgisiGetir 150	QNBFinansGIB.GIBEArsiv.okcRaporKaydetCompletedEventArgs.Result 155
QNBFinansGIB.GIBEArsiv.kontorBilgisiGetir.kontorBirim 150	
QNBFinansGIB.GIBEArsiv.kontorBilgisiGetir.kontorTipi 150	
QNBFinansGIB.GIBEArsiv.kontorBilgisiGetir.vknTckn 150	

QNBFinansGIB.GIBEArsiv.okcRaporKaydetCompletedEventH andler 207	QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAI 159
QNBFinansGIB.GIBEArsiv.okcRaporKaydetCompletedEventH andler type 207	QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAI.bolumRaporN o 159
QNBFinansGIB.GIBEArsiv.okcRaporKaydetResponse 155	QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAICompletedEve ntArgs 159
QNBFinansGIB.GIBEArsiv.okcRaporKaydetResponse.@retur n 155	QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAICompletedEve ntArgs.raporBolumBilgisiAICompletedEventArgs 160
QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonder 155	QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAICompletedEve ntArgs.Result 160
QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonder.input 156	QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAICompletedEve ntHandler 208
QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderComplete dEventArgs 156	QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAICompletedEve ntHandler type 208
QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderComplete dEventArgs.okcRaporOlusturGonderCompletedEventArgs 156	QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAIResponse 160
QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderComplete dEventArgs.Result 157	QNBFinansGIB.GIBEArsiv.raporBolumBilgisiAIResponse.@ret urn 161
QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderComplete dEventHandler 207	QNBFinansGIB.GIBEArsiv.raporBolumDTO 161
QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderComplete dEventHandler type 207	QNBFinansGIB.GIBEArsiv.raporBolumDTO.baslangicTarihi 161
QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderResponse 157	QNBFinansGIB.GIBEArsiv.raporBolumDTO.bitisTarihi 162
QNBFinansGIB.GIBEArsiv.okcRaporOlusturGonderResponse. @return 157	QNBFinansGIB.GIBEArsiv.raporBolumDTO.bolumNo 162
QNBFinansGIB.GIBEArsiv.raporBolumAI 157	QNBFinansGIB.GIBEArsiv.raporBolumDTO.bolumNoSpecificie d 162
QNBFinansGIB.GIBEArsiv.raporBolumAI.bolumRaporNo 158	QNBFinansGIB.GIBEArsiv.raporBolumDTO.bolumRaporNo 162
QNBFinansGIB.GIBEArsiv.raporBolumAICompletedEventArgs 158	QNBFinansGIB.GIBEArsiv.raporBolumDTO.durum 162
QNBFinansGIB.GIBEArsiv.raporBolumAICompletedEventArgs. .@return 159	QNBFinansGIB.GIBEArsiv.raporBolumDTO.durumAciklama 162
QNBFinansGIB.GIBEArsiv.raporBolumAICompletedEventArgs. .raporBolumAICompletedEventArgs 158	QNBFinansGIB.GIBEArsiv.raporBolumDTO.durumKodu 162
QNBFinansGIB.GIBEArsiv.raporBolumAICompletedEventArgs. .Result 159	QNBFinansGIB.GIBEArsiv.raporBolumDTO.sonIslemeZamani 162
QNBFinansGIB.GIBEArsiv.raporBolumAICompletedEventHan dler 207	QNBFinansGIB.GIBEArsiv.raporBolumleriOlustur 162
QNBFinansGIB.GIBEArsiv.raporBolumAICompletedEventHan dler type 207	QNBFinansGIB.GIBEArsiv.raporBolumleriOlustur.donem 163
	QNBFinansGIB.GIBEArsiv.raporBolumleriOlustur.input 163
	QNBFinansGIB.GIBEArsiv.raporBolumleriOlustur.sonGun 163
	QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturCompletedE ventArgs 163
	QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturCompletedE ventArgs.raporBolumleriOlusturCompletedEventArgs 164

QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturCompletedEventArgs.Result 164	QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaCompletedEventArgs.@return 168
QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturCompletedEventHandler 208	QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaCompletedEventArgs.raporBolumListesiSorgulaCompletedEventArgs 168
QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturCompletedEventHandler type 208	QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaCompletedEventArgs.Result 169
QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturResponse 164	QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaCompletedEventArgs.Handler 208
QNBFinansGIB.GIBEArsiv.raporBolumleriOlusturResponse. @return 165	QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaCompletedEventArgs.Handler type 208
QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgula 165	QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInput 169
QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgula.donem 165	QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInput.donem 169
QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventArgs 165	QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInput.input 169
QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventArgs.output 166	QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventArgs 169
QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventArgs.raporBolumListesiDetayliSorgulaCompletedEventArgs 166	QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventArgs.@return 170
QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventArgs.Result 166	QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventArgs.raporBolumListesiSorgulaWithInputCompletedEventArgs 170
QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventArgs.Handler 208	QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventArgs.Result 170
QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaCompletedEventArgs.Handler type 208	QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventArgs.Handler 209
QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaResponse 166	QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaWithInputCompletedEventArgs.Handler type 209
QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaResponse. @return 167	QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncelleImzala 170
QNBFinansGIB.GIBEArsiv.raporBolumListesiDetayliSorgulaResponse.output 167	QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncelleImzala.bolumRaporNo 171
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgula 167	QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncelleImzalaCompletedEventArgs 171
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgula.donem 167	QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncelleImzalaCompletedEventArgs 171
QNBFinansGIB.GIBEArsiv.raporBolumListesiSorgulaCompletedEventArgs 168	QNBFinansGIB.GIBEArsiv.raporBolumRaporNoGuncelleImzala

aCompletedEventArgs.raporBolumRaporNoGuncellelmzalaCo mpletedEventArgs 172	QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedE ventHandler type 209
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventArgs.Result 172	QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaResponse 176
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventArgs. @return 172	QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaResponse.@ return 176
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventArgs. type 209	QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgula 177
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventArgs. type 209	QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgula.donem 177
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventArgs. 172	QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEve ntArgs 177
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventArgs. 172	QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEve ntArgs.raporDurumSorgulaCompletedEventArgs 178
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventArgs. 172	QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEve ntArgs.Result 178
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventArgs. 173	QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEve ntHandler 210
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventArgs. 174	QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEve ntHandler type 210
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventArgs. Result 174	QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaResponse 178
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventArgs. 174	QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaResponse.@re turn 178
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventArgs. 209	QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEvent Handler 179
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventArgs. type 209	QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEvent Handler type 179
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventArgs. 174	QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEvent Handler type 180
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventArgs. 174	QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEvent Handler Result 180
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventArgs. 175	QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEvent Handler type 180
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventArgs. 175	QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEvent Handler 180
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventArgs. 175	QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEvent Handler type 180
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventArgs. 176	QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEvent Handler 180
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventArgs. 176	QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEvent Handler type 180
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventArgs. 209	QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEvent Handler Result 180
QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEventArgs. 209	QNBFinansGIB.GIBEArsiv.rapordaFaturaSorgulaCompletedEvent Handler servisSaglayicidanEpostaDurumSo rgula

181	185
QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSo rgula.input	QNBFinansGIB.GIBEArsiv.smsGonder 185
181	QNBFinansGIB.GIBEArsiv.smsGonder.ilaveTelefonNo 185
QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSo rgulaCompletedEventArgs	QNBFinansGIB.GIBEArsiv.smsGonder.input 185
181	QNBFinansGIB.GIBEArsiv.smsGonder.tanimliTelefonNoyaGo nder
QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSo rgulaCompletedEventArgs.@return	186
182	QNBFinansGIB.GIBEArsiv.smsGonderCompletedEventArgs
QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSo rgulaCompletedEventArgs.outputEposta	186
182	QNBFinansGIB.GIBEArsiv.smsGonderCompletedEventArgs.R esult
QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSo rgulaCompletedEventArgs.Result	186
183	QNBFinansGIB.GIBEArsiv.smsGonderCompletedEventArgs.s msGonderCompletedEventArgs
QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSo rgulaCompletedEventArgs.servisSaglayicidanEpostaDurumSo rgulaCompletedEventArgs	211
182	QNBFinansGIB.GIBEArsiv.smsGonderCompletedEventHandl er
QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSo rgulaCompletedEventHandler	211
210	QNBFinansGIB.GIBEArsiv.smsGonderCompletedEventHandl er type 211
QNBFinansGIB.GIBEArsiv.servisSaglayicidanEpostaDurumSo rgulaCompletedEventHandler	QNBFinansGIB.GIBEArsiv.smsGonderResponse 187
type 210	QNBFinansGIB.GIBEArsiv.smsGonderResponse.@return 187
QNBFinansGIB.GIBEArsiv.smsDurumSorgula 183	QNBFinansGIB.GIBEArsiv.stringOutputWrapper 187
QNBFinansGIB.GIBEArsiv.smsDurumSorgula.input 183	QNBFinansGIB.GIBEArsiv.stringOutputWrapper.@return 188
QNBFinansGIB.GIBEArsiv.smsDurumSorgulaCompletedEven tArgs	QNBFinansGIB.GIBEArsiv.stringOutputWrapper.output 188
183	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonder 188
QNBFinansGIB.GIBEArsiv.smsDurumSorgulaCompletedEven tArgs.outputDurum	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonder.inp ut 188
184	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonder.p aketDosyasiZip 188
QNBFinansGIB.GIBEArsiv.smsDurumSorgulaCompletedEven tArgs.Result	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCo mpletedEventArgs 188
184	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCo mpletedEventArgs.Result 189
QNBFinansGIB.GIBEArsiv.smsDurumSorgulaCompletedEven tArgs.smsDurumSorgulaCompletedEventArgs	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCo mpletedEventArgs.topluFaturaPaketDosyaGonderCompleted EventArgs 189
184	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCo mpletedEventArgs.topluFaturaPaketDosyaGonderCompleted EventArgs.type 210
QNBFinansGIB.GIBEArsiv.smsDurumSorgulaCompletedEven tHandler	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCo mpletedEventArgs.topluFaturaPaketDosyaGonderCompleted EventArgs.type 210
210	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCo mpletedEventArgs.topluFaturaPaketDosyaGonderCompleted EventArgs.type 210
QNBFinansGIB.GIBEArsiv.smsDurumSorgulaCompletedEven tHandler	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCo mpletedEventArgs.topluFaturaPaketDosyaGonderCompleted EventArgs.type 210
type 210	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCo mpletedEventArgs.topluFaturaPaketDosyaGonderCompleted EventArgs.type 210
QNBFinansGIB.GIBEArsiv.smsDurumSorgulaResponse 184	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCo mpletedEventArgs.topluFaturaPaketDosyaGonderCompleted EventArgs.type 210
QNBFinansGIB.GIBEArsiv.smsDurumSorgulaResponse.@ret urn	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCo mpletedEventArgs.type 211
185	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCo mpletedEventArgs.type 211
QNBFinansGIB.GIBEArsiv.smsDurumSorgulaResponse.outpu tDurum	QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderCo mpletedEventArgs.type 211

QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderResponse	QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgula 194
189	QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgula.input 194
QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaGonderResponse. @return	QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaComplete dEventArgs
190	194
QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaSorgula	QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaComplete dEventArgs. @return
190	195
QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaSorgula.i nput	QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaComplete dEventArgs.Result
190	195
QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaSorgulaC ompletedEventArgs	QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaComplete dEventArgs.topluFaturaPaketSorgulaCompletedEventArgs
190	195
QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaSorgulaC ompletedEventArgs. @return	QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaComplete dEventArgs.Handler
191	212
QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaSorgulaC ompletedEventArgs.Result	QNBFinansGIB.GIBEArsiv.topluFaturaPaketSorgulaComplete dEventArgs.Handler type
191	212
QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaSorgulaC ompletedEventArgs.topluFaturaPaketDosyaSorgulaComple tedExceptionArgs	QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAI 195
191	QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAI.input 196
QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaSorgulaC ompletedEventArgs.topluFaturaPaketDosyaSorgulaComple tedExceptionArgs.type	QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAICompletedE ventArgs
211	196
QNBFinansGIB.GIBEArsiv.topluFaturaPaketDosyaSorgulaC ompletedEventArgs.type	QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAICompletedE ventArgs.outputYapilandirma
211	197
QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnayla	QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAICompletedE ventArgs.Result
192	197
QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnayla.input	QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAICompletedE ventArgs.yapilandirmaAyarlariAICompletedEventArgs
192	196
QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaCompletedEventArgs.Result	QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAICompletedE ventHandler
193	212
QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaCompletedEventArgs.topluFaturaPaketOnaylaCompletedEventArgs	QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAICompletedE ventHandler type
193	212
QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaCompletedEventArgs.type	QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAIResponse
211	197
QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaCompletedEventArgs.type	QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAIResponse. @return
193	197
QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaResponse	QNBFinansGIB.GIBEArsiv.yapilandirmaAyarlariAIResponse.o utputYapilandirma
193	197
QNBFinansGIB.GIBEArsiv.topluFaturaPaketOnaylaResponse. @return	QNBFinansGIB.GIBEFatura 212
193	QNBFinansGIB.GIBEFatura namespace 212
	Classes 218

Structs, Records, Enums	451	225
Types	452	
QNBFinansGIB.GIBEFatura.belge	221	QNBFinansGIB.GIBEFatura.belgeGonderExtWithValidateCompletedEventHandler
QNBFinansGIB.GIBEFatura.belge.belgeNo	222	455
QNBFinansGIB.GIBEFatura.belge.belgeSiraNo	222	QNBFinansGIB.GIBEFatura.belgeGonderExtWithValidateCompletedEventHandler
QNBFinansGIB.GIBEFatura.belge.belgeTarihi	222	type 455
QNBFinansGIB.GIBEFatura.belge.belgeTuru	222	QNBFinansGIB.GIBEFatura.belgeGonderResp
QNBFinansGIB.GIBEFatura.belge.belgeVerisi	222	225
QNBFinansGIB.GIBEFatura.belge.ettn	222	QNBFinansGIB.GIBEFatura.belgeGonderResp.belgeOid
QNBFinansGIB.GIBEFatura.belge.gonderenEtiket	222	226
QNBFinansGIB.GIBEFatura.belge.gonderenVknTckn	222	QNBFinansGIB.GIBEFatura.belgeGonderResp.errorMessage
QNBFinansGIB.GIBEFatura.belgeGonderCompletedEventArgs	222	226
QNBFinansGIB.GIBEFatura.belgeGonderCompletedEventArgs.belgeGonderCompletedEventArgs	223	QNBFinansGIB.GIBEFatura.belgeGonderResp.responseStatus
QNBFinansGIB.GIBEFatura.belgeGonderCompletedEventArgs.Result	223	226
QNBFinansGIB.GIBEFatura.belgeGonderCompletedEventHandler	454	QNBFinansGIB.GIBEFatura.belgeGonderWithValidateCompletedEventArgs.belgeGonderWithValidateCompletedEventArgs
QNBFinansGIB.GIBEFatura.belgeGonderCompletedEventHandler.type	454	226
QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventArgs	223	QNBFinansGIB.GIBEFatura.belgeGonderWithValidateCompletedEventArgs.Result
QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventArgs.belgeGonderExtCompletedEventArgs	224	227
QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEventArgs.Result	224	QNBFinansGIB.GIBEFatura.belgeGonderWithValidateCompletedEventHandler
QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEvent Handler	455	455
QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEvent Handler.type	455	QNBFinansGIB.GIBEFatura.belgeGonderWithValidateCompletedEventHandler.type
QNBFinansGIB.GIBEFatura.belgeGonderExtCompletedEvent Handler	455	455
QNBFinansGIB.GIBEFatura.belgeGonderExtWithValidateCompletedEventArgs	224	QNBFinansGIB.GIBEFatura.belgelerAlindiCompletedEventHandler
QNBFinansGIB.GIBEFatura.belgeGonderExtWithValidateCompletedEventArgs.belgeGonderExtWithValidateCompletedEventArgs	225	455
QNBFinansGIB.GIBEFatura.belgeGonderExtWithValidateCompletedEventArgs.belgeGonderExtWithValidateCompletedEventArgs.belgeGonderExtWithValidateCompletedEventArgs	225	QNBFinansGIB.GIBEFatura.belgelerAlindiEntegrasyonSiparisNoGuncelleCompletedEventHandler
QNBFinansGIB.GIBEFatura.belgeGonderExtWithValidateCompletedEventArgs.Result	228	456
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidCompletedEventArgs	227	QNBFinansGIB.GIBEFatura.belgelerAlindiEntegrasyonSiparisNoGuncelleCompletedEventHandler.type
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidCompletedEventArgs.belgeleriTekrarGonderBelgeOidCompletedEventArgs	227	456
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidCompletedEventArgs.Result	228	QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidCompletedEventArgs.Result
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidCompletedEventArgs.Result	228	QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidCompletedEventArgs.Result

ompletedEventHandler 456	QNBFinansGIB.GIBEFatura.belgev2Entry.value 232
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderBelgeOidC ompletedEventHandler type 456	QNBFinansGIB.GIBEFatura.belgev3 232
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompleted EventArgs 228	QNBFinansGIB.GIBEFatura.belgev3.odenecekTutar 234
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompleted EventArgs.belgeleriTekrarGonderCompletedEventArgs 228	QNBFinansGIB.GIBEFatura.belgev3.odenecekTutarDovizCins i 234
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompleted EventArgs.Result 229	QNBFinansGIB.GIBEFatura.belgev4 234
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompleted EventArgs 456	QNBFinansGIB.GIBEFatura.belgev4.arsivlenmis 235
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompleted EventArgs type 456	QNBFinansGIB.GIBEFatura.belgev4.belgeHash 235
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompleted EventArgs 229	QNBFinansGIB.GIBEFatura.belgev5 235
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompleted EventArgs.Result 230	QNBFinansGIB.GIBEFatura.belgev5.faturaGelisTarihi 236
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompleted EventArgs type 456	QNBFinansGIB.GIBEFatura.belgev6 236
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderCompleted EventArgs NoCompletedEventArgs 229	QNBFinansGIB.GIBEFatura.belgev6.profileId 238
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderYerelBelge NoCompletedEventArgs.belgeleriTekrarGonderYerelBelgeNo CompletedEventArgs 229	QNBFinansGIB.GIBEFatura.checkDateValidControlComplete dEventHandler 457
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderYerelBelge NoCompletedEventArgs.Result 230	QNBFinansGIB.GIBEFatura.checkDateValidControlComplete dEventHandler type 457
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderYerelBelge NoCompletedEventArgs 456	QNBFinansGIB.GIBEFatura.cokluGidenBelgeDurumSorgulaC ompletedEventArgs 238
QNBFinansGIB.GIBEFatura.belgeleriTekrarGonderYerelBelge NoCompletedEventArgs type 456	QNBFinansGIB.GIBEFatura.cokluGidenBelgeDurumSorgulaC ompletedEventArgs.cokluGidenBelgeDurumSorgulaComple teEventArgs 238
QNBFinansGIB.GIBEFatura.belgev2 230	QNBFinansGIB.GIBEFatura.cokluGidenBelgeDurumSorgulaC ompletedEventArgs.Result 239
QNBFinansGIB.GIBEFatura.belgev2.alanEtiket 231	QNBFinansGIB.GIBEFatura.cokluGidenBelgeDurumSorgulaC ompletedEventArgs 457
QNBFinansGIB.GIBEFatura.belgev2.aliciUnvan 231	QNBFinansGIB.GIBEFatura.connectorService 239
QNBFinansGIB.GIBEFatura.belgev2.belgeVersiyon 231	QNBFinansGIB.GIBEFatura.connectorService.belgeGonder 246
QNBFinansGIB.GIBEFatura.belgev2.belgeXmlZipped 231	QNBFinansGIB.GIBEFatura.connectorService.belgeGonderAs ync 247
QNBFinansGIB.GIBEFatura.belgev2.ekBilgiler 231	QNBFinansGIB.GIBEFatura.connectorService.belgeGonderC ompleted 336
QNBFinansGIB.GIBEFatura.belgev2.saticiUnvan 231	QNBFinansGIB.GIBEFatura.connectorService.belgeGonderEx t 247
QNBFinansGIB.GIBEFatura.belgev2.subeKodu 231	QNBFinansGIB.GIBEFatura.connectorService.belgeGonderEx tAsync 248
QNBFinansGIB.GIBEFatura.belgev2.zarfIld 231	
QNBFinansGIB.GIBEFatura.belgev2.zarfVerisi 232	
QNBFinansGIB.GIBEFatura.belgev2.zarfXml 232	
QNBFinansGIB.GIBEFatura.belgev2Entry 232	
QNBFinansGIB.GIBEFatura.belgev2Entry.key 232	

QNBFinansGIB.GIBEFatura.connectorService.belgeGonderEx tCompleted 336	QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrar GonderCompleted 337
QNBFinansGIB.GIBEFatura.connectorService.belgeGonderEx tWithValidate 248	QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrar GonderYerelBelgeNo 256
QNBFinansGIB.GIBEFatura.connectorService.belgeGonderEx tWithValidateAsync 249	QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrar GonderYerelBelgeNoAsync 257
QNBFinansGIB.GIBEFatura.connectorService.belgeGonderEx tWithValidateCompleted 337	QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrar GonderYerelBelgeNoCompleted 337
QNBFinansGIB.GIBEFatura.connectorService.belgeGonderWi thValidate 249	QNBFinansGIB.GIBEFatura.connectorService.CancelAsync 258
QNBFinansGIB.GIBEFatura.connectorService.belgeGonderWi thValidateAsync 250, 251	QNBFinansGIB.GIBEFatura.connectorService.checkDateValid Control 258
QNBFinansGIB.GIBEFatura.connectorService.belgeGonderWi thValidateCompleted 337	QNBFinansGIB.GIBEFatura.connectorService.checkDateValid ControlAsync 259
QNBFinansGIB.GIBEFatura.connectorService.belgelerAlindi 251	QNBFinansGIB.GIBEFatura.connectorService.checkDateValid ControlCompleted 337
QNBFinansGIB.GIBEFatura.connectorService.belgelerAlindiA sync 252	QNBFinansGIB.GIBEFatura.connectorService.cokluGidenBel geDurumSorgula 259
QNBFinansGIB.GIBEFatura.connectorService.belgelerAlindiC ompleted 337	QNBFinansGIB.GIBEFatura.connectorService.cokluGidenBel geDurumSorgulaAsync 260
QNBFinansGIB.GIBEFatura.connectorService.belgelerAlindiE ntegrasyonSiparisNoGuncelle 252	QNBFinansGIB.GIBEFatura.connectorService.cokluGidenBel geDurumSorgulaCompleted 337
QNBFinansGIB.GIBEFatura.connectorService.belgelerAlindiE ntegrasyonSiparisNoGuncelleAsync 253	QNBFinansGIB.GIBEFatura.connectorService.connectorServ ice 245
QNBFinansGIB.GIBEFatura.connectorService.belgelerAlindiE ntegrasyonSiparisNoGuncelleCompleted 337	QNBFinansGIB.GIBEFatura.connectorService.csXmlOnizleme 260
QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrar Gonder 253	QNBFinansGIB.GIBEFatura.connectorService.csXmlOnizleme Async 261
QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrar GonderAsync 254, 255	QNBFinansGIB.GIBEFatura.connectorService.csXmlOnizleme Completed 337
QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrar GonderBelgeOid 255	QNBFinansGIB.GIBEFatura.connectorService.csXmlToUbl 262
QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrar GonderBelgeOidAsync 256	QNBFinansGIB.GIBEFatura.connectorService.csXmlToUblAs ync 263
QNBFinansGIB.GIBEFatura.connectorService.belgeleriTekrar GonderBelgeOidCompleted 337	QNBFinansGIB.GIBEFatura.connectorService.csXmlToUblCo mpleted 337
	QNBFinansGIB.GIBEFatura.connectorService.eFaturaKayitliK

ullaniciListele 263	QNBFinansGIB.GIBEFatura.connectorService.erpBilgileriBelirle e 269
QNBFinansGIB.GIBEFatura.connectorService.eFaturaKayitliKullaniciListeleAsync 264	QNBFinansGIB.GIBEFatura.connectorService.erpBilgileriBelirle eAsync 269, 270
QNBFinansGIB.GIBEFatura.connectorService.eFaturaKayitliKullaniciListeleCompleted 338	QNBFinansGIB.GIBEFatura.connectorService.erpBilgileriBelirle eCompleted 338
QNBFinansGIB.GIBEFatura.connectorService.efaturaKullaniciBilgisi 264	QNBFinansGIB.GIBEFatura.connectorService.faturaKepIlela deEdildi 270
QNBFinansGIB.GIBEFatura.connectorService.efaturaKullaniciBilgisiAsync 265	QNBFinansGIB.GIBEFatura.connectorService.faturaKepIlela deEdildiAsync 270, 271
QNBFinansGIB.GIBEFatura.connectorService.efaturaKullaniciBilgisiCompleted 338	QNBFinansGIB.GIBEFatura.connectorService.faturaKepIlela deEdildiCompleted 338
QNBFinansGIB.GIBEFatura.connectorService.efaturaKullaniciListesi 265	QNBFinansGIB.GIBEFatura.connectorService.faturaKepIlela deEdildiPiltal 271
QNBFinansGIB.GIBEFatura.connectorService.efaturaKullaniciListesiAsync 266	QNBFinansGIB.GIBEFatura.connectorService.faturaKepIlela deEdildiPiltalAsync 272
QNBFinansGIB.GIBEFatura.connectorService.efaturaKullaniciListesiCompleted 338	QNBFinansGIB.GIBEFatura.connectorService.faturaKepIlela deEdildiPiltalCompleted 338
QNBFinansGIB.GIBEFatura.connectorService.efaturaKullaniciSisi 266	QNBFinansGIB.GIBEFatura.connectorService.faturaMailGonder 272
QNBFinansGIB.GIBEFatura.connectorService.efaturaKullaniciSisiAsync 267	QNBFinansGIB.GIBEFatura.connectorService.faturaMailGonderAsync 273
QNBFinansGIB.GIBEFatura.connectorService.efaturaKullaniciSisiCompleted 338	QNBFinansGIB.GIBEFatura.connectorService.faturaMailGonderCompleted 338
QNBFinansGIB.GIBEFatura.connectorService.elrsaliyeKayitliKullaniciListele 267	QNBFinansGIB.GIBEFatura.connectorService.faturaNoUret 274
QNBFinansGIB.GIBEFatura.connectorService.elrsaliyeKayitliKullaniciListeleAsync 267, 268	QNBFinansGIB.GIBEFatura.connectorService.faturaNoUretAs ync 274
QNBFinansGIB.GIBEFatura.connectorService.elrsaliyeKayitliKullaniciListeleCompleted 338	QNBFinansGIB.GIBEFatura.connectorService.faturaNoUretC ompleted 338
QNBFinansGIB.GIBEFatura.connectorService.elrsaliyeKullanicisi 268	QNBFinansGIB.GIBEFatura.connectorService.faturaTarihcesi Sorgula 275
QNBFinansGIB.GIBEFatura.connectorService.elrsaliyeKullanicisiAsync 268, 269	QNBFinansGIB.GIBEFatura.connectorService.faturaTarihcesi SorgulaAsync 275
QNBFinansGIB.GIBEFatura.connectorService.elrsaliyeKullanicisiCompleted 338	QNBFinansGIB.GIBEFatura.connectorService.faturaTarihcesi SorgulaCompleted 339

QNBFinansGIB.GIBEFatura.connectorService.faturayaltirazE dildi 276	339	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri AIExt 283
QNBFinansGIB.GIBEFatura.connectorService.faturayaltirazE dildiAsync 276, 277	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri AIExt2 283	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri AIExt2Async 284
QNBFinansGIB.GIBEFatura.connectorService.faturayaltirazE dildiCompleted 339	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri AIExt2Completed 339	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri AIExtAsync 285
QNBFinansGIB.GIBEFatura.connectorService.faturayaltirazE dildilptl 277	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri AIExt2Completed 339	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri AIExtCompleted 339
QNBFinansGIB.GIBEFatura.connectorService.faturayaltirazE dildilptlAsync 278	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri AIExtAsync 285	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri AIExtCompleted 339
QNBFinansGIB.GIBEFatura.connectorService.faturayaltirazE dildilptlCompleted 339	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri AIExtCompleted 339	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri ndir 285
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeDurumSorgula 278	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri ndir 285	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri ndirAsync 286
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeDurumSorgulaAsync 279	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri ndirAsync 286	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri ndirCompleted 339
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeDurumSorgulaCompleted 339	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri ndirExt 286	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri ndirExt 286
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeDurumSorgulaExt 279	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri ndirExtAsync 287	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri ndirExtCompleted 339
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeDurumSorgulaExtAsync 280	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri ndirExt 287	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri ndirExtAsync 288
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeDurumSorgulaExtCompleted 339	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri ndirExtCompleted 339	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri ndirExtCompleted 340
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeEkle riAI 280	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriL istele 287	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriL istele 288
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeEkle riAIAsync 281	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriL isteleAsync 288	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriL isteleCompleted 340
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeEkle riAICompleted 339	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriL isteleExt 289	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriL isteleExt 289
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri AI 282	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriL isteleExtAsync 289	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriL isteleExtAsync 289
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri AIAsync 282, 283	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriL isteleExt 289	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriL isteleExt 289
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleri AICompleted	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriL isteleExt 289	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeleriL isteleExt 289

isteleExtCompleted 340	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeTut arBilgileriSorgula 290	QNBFinansGIB.GIBEFatura.connectorService.apolariAICompleted 340
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeTut arBilgileriSorgulaAsync 290, 291	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeTut arBilgileriSorgulaCompleted 340	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeTut arBilgileriSorgulaAsync 298
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeXmll eriniAI 291	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeXmll eriniAICompleted 340	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeXmll eriniAICompleted 340
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeXmll eriniAIAsyc 292	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeXmll eriniAIExt 292	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeXmll eriniAIAsyc 299
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeXmll eriniAICompleted 340	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeXmll eriniAIExt 293	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeXmll eriniAIExtCompleted 340
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeXmll eriniAIExtAsyc 293	QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeXmll eriniAIExtCompleted 340	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDur umSorgula 299
QNBFinansGIB.GIBEFatura.connectorService.gelenBelgeXmll eriniKaldır 293	QNBFinansGIB.GIBEFatura.connectorService.gelenFaturalari ArsiveKaldır 293	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDur umSorgulaAsyc 300
QNBFinansGIB.GIBEFatura.connectorService.gelenFaturalari ArsiveKaldırAsyc 294	QNBFinansGIB.GIBEFatura.connectorService.gelenFaturalari ArsiveKaldırCompleted 340	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDur umSorgulaBelgeNo 300
QNBFinansGIB.GIBEFatura.connectorService.gelenIrsaliyeleri ArsiveKaldır 294	QNBFinansGIB.GIBEFatura.connectorService.gelenIrsaliyeleri ArsiveKaldırAsyc 295	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDur umSorgulaBelgeNoAsyc 301
QNBFinansGIB.GIBEFatura.connectorService.gelenIrsaliyeleri ArsiveKaldırCompleted 340	QNBFinansGIB.GIBEFatura.connectorService.gelenIrsaliyeleri ArsiveKaldırCompleted 340	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDur umSorgulaBelgeNoCompleted 340
QNBFinansGIB.GIBEFatura.connectorService.gelenStandartR apolariAI 295	QNBFinansGIB.GIBEFatura.connectorService.gelenStandartR apolariAIAsyc 296	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDur umSorgulaCompleted 341
QNBFinansGIB.GIBEFatura.connectorService.gelenStandartR apolariAI 295	QNBFinansGIB.GIBEFatura.connectorService.gelenStandartR apolariAIAsyc 296	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDur umSorgulaExt 303
QNBFinansGIB.GIBEFatura.connectorService.gelenStandartR apolariAI 295	QNBFinansGIB.GIBEFatura.connectorService.gelenStandartR apolariAIAsyc 296	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDur umSorgulaExtAsyc 303

303, 304	
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaExtCompleted	ndirPortalAsync 310, 311
341	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgelerilndirPortalCompleted 341
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaPortal	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleriListe 311
304	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleriListeAsync 312
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaPortalAsync	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleriListeCompleted 341
304, 305	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleriListePortal 312
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaPortalCompleted	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleriListePortalAsync 313
341	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleriListePortalCompleted 341
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaYerelBelgeNo	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeTutarBilgileriSorgula 313
305	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeTutarBilgileriSorgulaAsync 314
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaYerelBelgeNoAsync	QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeTutarBilgileriSorgulaCompleted 342
306	QNBFinansGIB.GIBEFatura.connectorService.gidenFaturalariArsiveKaldır 314
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeDurumSorgulaYerelBelgeNoCompleted	QNBFinansGIB.GIBEFatura.connectorService.gidenFaturalariArsiveKaldırAsync 315
341	QNBFinansGIB.GIBEFatura.connectorService.gidenFaturalariArsiveKaldırCompleted 342
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeEkleriAI	QNBFinansGIB.GIBEFatura.connectorService.gidenIrsaliyeleriArsiveKaldır 315
306	QNBFinansGIB.GIBEFatura.connectorService.gidenIrsaliyeleriArsiveKaldırAsync 316
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeEkleriAIAsync	QNBFinansGIB.GIBEFatura.connectorService.gidenIrsaliyeleriArsiveKaldırCompleted 341
307	QNBFinansGIB.GIBEFatura.connectorService.gidenTasinanBelgeleriIndir 316
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeEkleriAICompleted	
341	
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgelerilndir	
307	
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgelerilndirAsync	
308	
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgelerilndirCompleted	
341	
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgelerilndirEtn	
309	
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgelerilndirEtnAsync	
309, 310	
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgelerilndirEtnCompleted	
341	
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgelerilndirPortal	
310	
QNBFinansGIB.GIBEFatura.connectorService.gidenBelgeleril	

QNBFinansGIB.GIBEFatura.connectorService.gidenTasinanB elgelerilndirAsync 317	324	QNBFinansGIB.GIBEFatura.connectorService.kontorBilgisiGe tirAsync 325
QNBFinansGIB.GIBEFatura.connectorService.gidenTasinanB elgelerilndirCompleted 342	325	QNBFinansGIB.GIBEFatura.connectorService.kontorBilgisiGe tirCompleted 342
QNBFinansGIB.GIBEFatura.connectorService.irsaliyeMailGon der 318	326	QNBFinansGIB.GIBEFatura.connectorService.temelKontroller IleBelgeGonder 325
QNBFinansGIB.GIBEFatura.connectorService.irsaliyeMailGon derAsync 319	326	QNBFinansGIB.GIBEFatura.connectorService.temelKontroller IleBelgeGonderAsync 327
QNBFinansGIB.GIBEFatura.connectorService.irsaliyeMailGon derCompleted 342	327	QNBFinansGIB.GIBEFatura.connectorService.temelKontroller IleBelgeGonderCompleted 343
QNBFinansGIB.GIBEFatura.connectorService.irsaliyeTarihces iSorgula 319	327	QNBFinansGIB.GIBEFatura.connectorService.toplamBelgeSa yisiGetir 327
QNBFinansGIB.GIBEFatura.connectorService.irsaliyeTarihces iSorgulaAsync 320	328	QNBFinansGIB.GIBEFatura.connectorService.toplamBelgeSa yisiGetirAsync 328
QNBFinansGIB.GIBEFatura.connectorService.irsaliyeTarihces iSorgulaCompleted 342	328	QNBFinansGIB.GIBEFatura.connectorService.toplamBelgeSa yisiGetirCompleted 343
QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciL isteleExtended 320	329	QNBFinansGIB.GIBEFatura.connectorService.ulbOnizleme 329
QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciL isteleExtendedAsync 321	330	QNBFinansGIB.GIBEFatura.connectorService.ulbOnizlemeAs ync 330
QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciL isteleExtendedCompleted 342	330	QNBFinansGIB.GIBEFatura.connectorService.ulbOnizlemeCo mpleted 343
QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciL isteleExtendedTime 322	336	QNBFinansGIB.GIBEFatura.connectorService.Url 336
QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciL isteleExtendedTimeAsync 322, 323	336	QNBFinansGIB.GIBEFatura.connectorService.urunSablonlari niAl 330
QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciL isteleExtendedTimeCompleted 342	331	QNBFinansGIB.GIBEFatura.connectorService.urunSablonlari niAlAsync 331
QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciL isteleExtendedVknTckn 323	343	QNBFinansGIB.GIBEFatura.connectorService.urunSablonlari niAlCompleted 343
QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciL isteleExtendedVknTcknAsync 324	336	QNBFinansGIB.GIBEFatura.connectorService.UseDefaultCre dentials 336
QNBFinansGIB.GIBEFatura.connectorService.kayitliKullaniciL isteleExtendedVknTcknCompleted 342	331	QNBFinansGIB.GIBEFatura.connectorService.wsKullanicisiKa ydet 331
QNBFinansGIB.GIBEFatura.connectorService.kontorBilgisiGe tir	332	QNBFinansGIB.GIBEFatura.connectorService.wsKullanicisiKa ydetAsync 332

QNBFinansGIB.GIBEFatura.connectorService.wsKullaniciSiKa ydetCompleted 343	345
QNBFinansGIB.GIBEFatura.connectorService.yereleAktarilac akBelgeleriAl 332	QNBFinansGIB.GIBEFatura.csXmlToUblCompletedEventHan dler 457
QNBFinansGIB.GIBEFatura.connectorService.yereleAktarilac akBelgeleriAIAsync 333	QNBFinansGIB.GIBEFatura.csXmlToUblCompletedEventHan dler type 457
QNBFinansGIB.GIBEFatura.connectorService.yereleAktarilac akBelgeleriAICompleted 343	QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciHistory 345
QNBFinansGIB.GIBEFatura.connectorService.yereleAktarilac akBelgeleriAIExt 334	QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciHistory.etik et 345
QNBFinansGIB.GIBEFatura.connectorService.yereleAktarilac akBelgeleriAIExtAsync 334	QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciHistory.etik etOlusturulmaZamani 346
QNBFinansGIB.GIBEFatura.connectorService.yereleAktarilac akBelgeleriAIExtCompleted 343	QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciHistory.silin meZamani 346
QNBFinansGIB.GIBEFatura.connectorService.yolcuBeraberF aturalptalEt 335	QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciListeleCom pletedEventArgs 346
QNBFinansGIB.GIBEFatura.connectorService.yolcuBeraberF aturalptalEtAsync 335, 336	QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciListeleCom pletedEventArgs.eFaturaKayitliKullaniciListeleCompletedEven tArgs 346
QNBFinansGIB.GIBEFatura.connectorService.yolcuBeraberF aturalptalEtCompleted 343	QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciListeleCom pletedEventArgs.Result 347
QNBFinansGIB.GIBEFatura.csXmlOnizlemeCompletedEvent Args 343	QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciListeleCom pletedEventHandler 458
QNBFinansGIB.GIBEFatura.csXmlOnizlemeCompletedEvent Args.csXmlOnizlemeCompletedEventArgs 344	QNBFinansGIB.GIBEFatura.eFaturaKayitliKullaniciListeleCom pletedEventHandler type 458
QNBFinansGIB.GIBEFatura.csXmlOnizlemeCompletedEvent Args.Result 344	QNBFinansGIB.GIBEFatura.eFaturaKullanici 347
QNBFinansGIB.GIBEFatura.csXmlOnizlemeCompletedEvent Handler 457	QNBFinansGIB.GIBEFatura.eFaturaKullanici.etiket 347
QNBFinansGIB.GIBEFatura.csXmlOnizlemeCompletedEvent Handler type 457	QNBFinansGIB.GIBEFatura.eFaturaKullanici.kamuKurulusu 347
QNBFinansGIB.GIBEFatura.csXmlToUblCompletedEventArgs 344	QNBFinansGIB.GIBEFatura.eFaturaKullanici.kayitZamani 348
QNBFinansGIB.GIBEFatura.csXmlToUblCompletedEventArgs .csXmlToUblCompletedEventArgs 345	QNBFinansGIB.GIBEFatura.eFaturaKullanici.unvan 348
QNBFinansGIB.GIBEFatura.csXmlToUblCompletedEventArgs .Result	QNBFinansGIB.GIBEFatura.eFaturaKullanici.vergiTcKimlikNo 348
	QNBFinansGIB.GIBEFatura.efaturaKullaniciBilgisiCompletedE ventArgs 348
	QNBFinansGIB.GIBEFatura.efaturaKullaniciBilgisiCompletedE ventArgs.efaturaKullaniciBilgisiCompletedEventArgs 348
	QNBFinansGIB.GIBEFatura.efaturaKullaniciBilgisiCompletedE ventArgs.Result 349
	QNBFinansGIB.GIBEFatura.efaturaKullaniciBilgisiCompletedE

ventHandler	type 458
458	
QNBFinansGIB.GIBEFatura.efaturaKullaniciBilgisiCompletedEventArgs	QNBFinansGIB.GIBEFatura.efaturaKullanicisiCompletedEventArgs
ventHandler	352
type 458	
QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended	QNBFinansGIB.GIBEFatura.efaturaKullanicisiCompletedEventArgs
349	efaturaKullanicisiCompletedEventArgs
QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.eFaturaKayitliKullaniciHistoryList	352
350	
QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.etiket	QNBFinansGIB.GIBEFatura.efaturaKullanicisiCompletedEventArgs.Result
350	353
QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.hesapTipi	QNBFinansGIB.GIBEFatura.efaturaKullanicisiCompletedEventArgs.Handler
350	458
QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.hesapTipiSpecified	QNBFinansGIB.GIBEFatura.efaturaKullanicisiCompletedEventArgs.Handler
350	type 458
QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.kamuKurulusu	QNBFinansGIB.GIBEFatura.eIrsaliyeKayitliKullaniciListeleCompletedEventArgs
350	353
QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.kamuKurulusuSpecified	QNBFinansGIB.GIBEFatura.eIrsaliyeKayitliKullaniciListeleCompletedEventArgs.Result
350	354
QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.kayitZamani	QNBFinansGIB.GIBEFatura.eIrsaliyeKayitliKullaniciListeleCompletedEventArgs.Handler
350	459
QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.tip	QNBFinansGIB.GIBEFatura.eIrsaliyeKayitliKullaniciListeleCompletedEventArgs
350	type 459
QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.tipSpecified	QNBFinansGIB.GIBEFatura.eIrsaliyeKullanici
351	354
QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.unvan	QNBFinansGIB.GIBEFatura.eIrsaliyeKullanici.etiket
351	354
QNBFinansGIB.GIBEFatura.eFaturaKullaniciExtended.vergiTcKimlikNo	QNBFinansGIB.GIBEFatura.eIrsaliyeKullanici.kamuKurulusu
351	354
QNBFinansGIB.GIBEFatura.efaturaKullaniciListesiCompletedEventArgs	QNBFinansGIB.GIBEFatura.eIrsaliyeKullanici.kayitZamani
351	354
QNBFinansGIB.GIBEFatura.efaturaKullaniciListesiCompletedEventArgs.efaturaKullaniciListesiCompletedEventArgs	QNBFinansGIB.GIBEFatura.eIrsaliyeKullaniciListeleCompletedEventArgs
351	355
QNBFinansGIB.GIBEFatura.efaturaKullaniciListesiCompletedEventArgs.Result	QNBFinansGIB.GIBEFatura.eIrsaliyeKullanicisiCompletedEventArgs
352	355
QNBFinansGIB.GIBEFatura.efaturaKullaniciListesiCompletedEventArgs.Handler	QNBFinansGIB.GIBEFatura.eIrsaliyeKullanicisiCompletedEventArgs.Result
458	355
QNBFinansGIB.GIBEFatura.efaturaKullaniciListesiCompletedEventArgs.Handler	QNBFinansGIB.GIBEFatura.eIrsaliyeKullanicisiCompletedEventArgs
356	356
QNBFinansGIB.GIBEFatura.efaturaKullaniciListesiCompletedEventArgs.Handler	QNBFinansGIB.GIBEFatura.eIrsaliyeKullanicisiCompletedEventArgs

ntHandler 459	s 358
QNBFinansGIB.GIBEFatura.eIrsaliyeKullanicisiCompletedEventHandler type 459	QNBFinansGIB.GIBEFatura.faturaNoUretCompletedEventArgs.faturaNoUretCompletedEventArgs 359
QNBFinansGIB.GIBEFatura.erpBilgileri 356	QNBFinansGIB.GIBEFatura.faturaNoUretCompletedEventArgs.Result 359
QNBFinansGIB.GIBEFatura.erpBilgileri.aciklama 356	QNBFinansGIB.GIBEFatura.faturaNoUretCompletedEventArgs.Result 359
QNBFinansGIB.GIBEFatura.erpBilgileri.kod 356	QNBFinansGIB.GIBEFatura.faturaNoUretCompletedEventArgs.Result 359
QNBFinansGIB.GIBEFatura.erpBilgileriBelirleCompletedEventHandler 459	QNBFinansGIB.GIBEFatura.faturaNoUretCompletedEventArgs.Result 359
QNBFinansGIB.GIBEFatura.erpBilgileriBelirleCompletedEventHandler type 459	QNBFinansGIB.GIBEFatura.faturaTarihcesiData 359
QNBFinansGIB.GIBEFatura.faturaKepIleladeEdildiCompletedEventArgs 356	QNBFinansGIB.GIBEFatura.faturaTarihcesiData.bagliKayitId 360
QNBFinansGIB.GIBEFatura.faturaKepIleladeEdildiCompletedEventArgs.faturaKepIleladeEdildiCompletedEventArgs 357	QNBFinansGIB.GIBEFatura.faturaTarihcesiData.faturaEtn 360
QNBFinansGIB.GIBEFatura.faturaKepIleladeEdildiCompletedEventArgs.Result 357	QNBFinansGIB.GIBEFatura.faturaTarihcesiData.islem 360
QNBFinansGIB.GIBEFatura.faturaKepIleladeEdildiCompletedEventHandler 459	QNBFinansGIB.GIBEFatura.faturaTarihcesiData.islemAciklama 360
QNBFinansGIB.GIBEFatura.faturaKepIleladeEdildiCompletedEventHandler type 459	QNBFinansGIB.GIBEFatura.faturaTarihcesiData.islemKanali 360
QNBFinansGIB.GIBEFatura.faturaKepIleladeEdildiCompletedEventHandler 357	QNBFinansGIB.GIBEFatura.faturaTarihcesiData.islemKanaliAciplama 360
QNBFinansGIB.GIBEFatura.faturaKepIleladeEdildiDilptalCompletedEventArgs 358	QNBFinansGIB.GIBEFatura.faturaTarihcesiData.islemSonucu 360
QNBFinansGIB.GIBEFatura.faturaKepIleladeEdildiDilptalCompletedEventArgs.faturaKepIleladeEdildiDilptalCompletedEventArgs 358	QNBFinansGIB.GIBEFatura.faturaTarihcesiData.islemZamani 361
QNBFinansGIB.GIBEFatura.faturaKepIleladeEdildiDilptalCompletedEventArgs.Result 358	QNBFinansGIB.GIBEFatura.faturaTarihcesiData.kullanici 361
QNBFinansGIB.GIBEFatura.faturaKepIleladeEdildiDilptalCompletedEventHandler 460	QNBFinansGIB.GIBEFatura.faturaTarihcesiData.kullaniciIcip 361
QNBFinansGIB.GIBEFatura.faturaKepIleladeEdildiDilptalCompletedEventHandler type 460	QNBFinansGIB.GIBEFatura.faturaTarihcesiData.zarfEtn 361
QNBFinansGIB.GIBEFatura.faturaMailGonderCompletedEvent Handler 460	QNBFinansGIB.GIBEFatura.faturaTarihcesiSorgulaCompletedEventArgs 361
QNBFinansGIB.GIBEFatura.faturaMailGonderCompletedEvent Handler type 460	QNBFinansGIB.GIBEFatura.faturaTarihcesiSorgulaCompletedEventArgs.faturaTarihcesiSorgulaCompletedEventArgs 362
QNBFinansGIB.GIBEFatura.faturaNoUretCompletedEventArgs	QNBFinansGIB.GIBEFatura.faturaTarihcesiSorgulaCompletedEventArgs.Result 362

type 460	QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaCompletedEventArgs
QNBFinansGIB.GIBEFatura.faturayaltirazEdildiCompletedEventArgs	366
362	QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaCompletedEventArgs.gelenBelgeDurumSorgulaCompletedEventArgs
QNBFinansGIB.GIBEFatura.faturayaltirazEdildiCompletedEventArgs.faturayaltirazEdildiCompletedEventArgs	366
363	QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaCompletedEventArgs.Result
QNBFinansGIB.GIBEFatura.faturayaltirazEdildiCompletedEventArgs.Result	367
363	QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaCompletedEventArgs.Handler
QNBFinansGIB.GIBEFatura.faturayaltirazEdildiCompletedEventHandler	461
461	QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaCompletedEventArgs.type
QNBFinansGIB.GIBEFatura.faturayaltirazEdildiCompletedEventHandler	461
type 461	QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaExtCompletedEventArgs
363	367
QNBFinansGIB.GIBEFatura.faturayaltirazEdildilptalCompletedEventArgs.faturayaltirazEdildilptalCompletedEventArgs	364
364	QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaExtCompletedEventArgs.Result
QNBFinansGIB.GIBEFatura.faturayaltirazEdildilptalCompletedEventArgs.Result	368
364	QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaExtCompletedEventArgs.type
QNBFinansGIB.GIBEFatura.faturayaltirazEdildilptalCompletedEventArgs.type	461
461	QNBFinansGIB.GIBEFatura.gelenBelgeDurumSorgulaExtCompletedEventArgs.type
QNBFinansGIB.GIBEFatura.gelenBelgeDurum	364
364	QNBFinansGIB.GIBEFatura.gelenBelgeDurumv2
QNBFinansGIB.GIBEFatura.gelenBelgeDurum.alimTarihi	365
365	QNBFinansGIB.GIBEFatura.gelenBelgeDurumv2.siraNo
QNBFinansGIB.GIBEFatura.gelenBelgeDurum.belgeNo	365
365	QNBFinansGIB.GIBEFatura.gelenBelgeDurumv2.yereleAktarimDurumu
QNBFinansGIB.GIBEFatura.gelenBelgeDurum.ettn	365
365	369
QNBFinansGIB.GIBEFatura.gelenBelgeDurum.yanitDetayi	365
365	QNBFinansGIB.GIBEFatura.gelenBelgeDurumv3
QNBFinansGIB.GIBEFatura.gelenBelgeDurum.yanitDurumu	365
365	QNBFinansGIB.GIBEFatura.gelenBelgeDurumv3.kepDurum
QNBFinansGIB.GIBEFatura.gelenBelgeDurum.yanitGonderimCevabiDetayi	365
365	370
QNBFinansGIB.GIBEFatura.gelenBelgeDurum.yanitGonderimCevabiKodu	365
365	QNBFinansGIB.GIBEFatura.gelenBelgeDurumv4
QNBFinansGIB.GIBEFatura.gelenBelgeDurum.yanitGonderimDurumu	366
366	371
QNBFinansGIB.GIBEFatura.gelenBelgeDurum.yanitGonderimTarihi	366
366	QNBFinansGIB.GIBEFatura.gelenBelgeDurumv5.yanitEtn
QNBFinansGIB.GIBEFatura.gelenBelgeDurum.yanitGonderimTarihi	366
366	372
QNBFinansGIB.GIBEFatura.gelenBelgeEkleriAICompletedEventArgs	372
372	QNBFinansGIB.GIBEFatura.gelenBelgeEkleriAICompletedEventArgs.gelenBelgeEkleriAICompletedEventArgs
QNBFinansGIB.GIBEFatura.gelenBelgeEkleriAICompletedEventArgs.gelenBelgeEkleriAICompletedEventArgs.Args	373

QNBFinansGIB.GIBEFatura.gelenBelgeEkleriAICompletedEventArgs.Result 373	QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExtCompletedEventHandler 462
QNBFinansGIB.GIBEFatura.gelenBelgeEkleriAICompletedEventHandler 462	QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExtCompletedEventHandler type 462
QNBFinansGIB.GIBEFatura.gelenBelgeEkleriAICompletedEventHandler type 462	QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirCompletedEventArgs 376
QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEventArgs 373	QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirCompletedEventArgs.gelenBelgeleriIndirCompletedEventArgs 377
QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEventArgs.gelenBelgeleriAICompletedEventArgs 373	QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirCompletedEventArgs.Result 377
QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEventArgs.Result 374	QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirCompletedEventArgs.Handler 463
QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEventArgs.Handler 462	QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirCompletedEventArgs.type 463
QNBFinansGIB.GIBEFatura.gelenBelgeleriAICompletedEventArgs.Handler type 462	QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirExtCompletedEventArgs 377
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExt2CompletedEventArgs 374	QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirExtCompletedEventArgs.gelenBelgeleriIndirExtCompletedEventArgs 378
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExt2CompletedEventArgs.gelenBelgeleriAIExt2CompletedEventArgs 374	QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirExtCompletedEventArgs.Result 378
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExt2CompletedEventArgs.Result 375	QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirExtCompletedEventArgs.Handler 463
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExt2CompletedEventArgs.Handler 462	QNBFinansGIB.GIBEFatura.gelenBelgeleriIndirExtCompletedEventArgs.type 463
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExt2CompletedEventArgs.Handler type 462	QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleCompletedEventArgs 378
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExt2Entry 375	QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleCompletedEventArgs.gelenBelgeleriListeleCompletedEventArgs 379
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExt2Entry.key 375	QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleCompletedEventArgs.Result 379
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExt2Entry.value 375	QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleCompletedEventArgs.Handler 463
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExtCompletedEventArgs 375	QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleCompletedEventArgs.type 463
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExtCompletedEventArgs.gelenBelgeleriAIExtCompletedEventArgs 376	QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleCompletedEventArgs.Handler type 463
QNBFinansGIB.GIBEFatura.gelenBelgeleriAIExtCompletedEventArgs.Result 376	QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleExtCompletedEventArgs

379	ihiBitis
QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleExtComplete dEventArgs.gelenBelgeleriListeleExtCompletedEventArgs	382
380	QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.gondere nEtiket
QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleExtComplete dEventArgs.Result	383
380	QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.onayDu rum
QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleExtComplete dEventHandler	383
463	QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.sonAlin anBelgeSiraNumarası
QNBFinansGIB.GIBEFatura.gelenBelgeleriListeleExtComplete dEventHandler	383
type 463	QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.subeKo du
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri 380	383
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.alanEtik et	QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.vergiTc KimlikNo
381	383
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.belgeFo rmati	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri 383
381	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.belgeNo
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.belgeler AlindiMi	384
381	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.belgeTar ihi
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.belgeler AlindiMiSpecified	384
381	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.ettn 384
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.belgeTu ru	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.gonderici Vkn
381	384
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.belgeVe rsiyon	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdv18Or an
382	384
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.donusTi piVersiyon	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdv18Tut ar
382	385
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.entegra syonHedefi	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdv1Ora n
382	385
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.erpKod u	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdv1Tuta r
382	385
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.ettn 382	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdv8Ora n
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.faturaT arihiBaslangic	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdv8Tuta r
382	385
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.faturaT arihiBitis	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdvTevki fatOran
382	385
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.gelisTar ihiBaslangic	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdvTevki fatTutari
382	385
QNBFinansGIB.GIBEFatura.gelenBelgeParametreleri.gelisTar	QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdvTopla

mTutari 385	389
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.kdvTopla mTutariDovizCinsi 385	QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAIExtComplet edEventArgs.Result 389
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.malHizm etToplamTutari 386	QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAIExtComplet edEventHandler 464
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.malHizm etToplamTutariDovizCinsi 386	QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAIExtComplet edEventHandler type 464
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.odenece kTutar 386	QNBFinansGIB.GIBEFatura.gelenFaturalariArsiveKaldirCompl etedEventHandler 464
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileri.odenece kTutarDovizCinsi 386	QNBFinansGIB.GIBEFatura.gelenFaturalariArsiveKaldirCompl etedEventHandler type 464
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileriSorgulaC ompletedEventArgs 386	QNBFinansGIB.GIBEFatura.gelenIrsaliyeleriArsiveKaldirComp letedEventHandler 465
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileriSorgulaC ompletedEventArgs.gelenBelgeTutarBilgileriSorgulaComple tEventArgs 387	QNBFinansGIB.GIBEFatura.gelenIrsaliyeleriArsiveKaldirComp letedEventHandler type 465
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileriSorgulaC ompletedEventArgs.Result 387	QNBFinansGIB.GIBEFatura.gelenStandartRapolariAIComplet edEventArgs 389
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileriSorgulaC ompletedEventHandler 464	QNBFinansGIB.GIBEFatura.gelenStandartRapolariAIComplet edEventArgs.gelenStandartRapolariAICompletedEventArgs 390
QNBFinansGIB.GIBEFatura.gelenBelgeTutarBilgileriSorgulaC ompletedEventHandler type 464	QNBFinansGIB.GIBEFatura.gelenStandartRapolariAIComplet edEventArgs.Result 390
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAICompleted EventArgs 387	QNBFinansGIB.GIBEFatura.gelenStandartRapolariAIComplet edEventHandler 465
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAICompleted EventArgs.gelenBelgeXmlleriniAICompletedEventArgs 388	QNBFinansGIB.GIBEFatura.gelenStandartRapolariAIComplet edEventHandler type 465
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAICompleted EventArgs.Result 388	QNBFinansGIB.GIBEFatura.gelenTamamlananRapolariAICom pletedEventArgs 390
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAICompleted EventHandler 464	QNBFinansGIB.GIBEFatura.gelenTamamlananRapolariAICom pletedEventArgs.gelenTamamlananRapolariAICompletedEv entArgs 391
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAICompleted EventHandler type 464	QNBFinansGIB.GIBEFatura.gelenTamamlananRapolariAICom pletedEventArgs.Result 391
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAIExtComplet edEventArgs 388	QNBFinansGIB.GIBEFatura.gelenTamamlananRapolariAICom pletedEventHandler 465
QNBFinansGIB.GIBEFatura.gelenBelgeXmlleriniAIExtComplet edEventArgs.gelenBelgeXmlleriniAIExtCompletedEventArgs	QNBFinansGIB.GIBEFatura.gelenTamamlananRapolariAICom pletedEventHandler type 465

QNBFinansGIB.GIBEFatura.gelenTasinanBelgeleriIndirCompl etedEventArgs 391	elgeNoTipi 395
QNBFinansGIB.GIBEFatura.gelenTasinanBelgeleriIndirCompl etedEventArgs.gelenTasinanBelgeleriIndirCompletedEventArgs 392	QNBFinansGIB.GIBEFatura.gidenBelgeDurumParametreleri.b elgeTuru 395
QNBFinansGIB.GIBEFatura.gelenTasinanBelgeleriIndirCompl etedEventArgs.Result 392	QNBFinansGIB.GIBEFatura.gidenBelgeDurumParametreleri.d onusTipiVersiyon 395
QNBFinansGIB.GIBEFatura.gelenTasinanBelgeleriIndirCompl etedEventArgs.Handler 466	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaBelgeN oCompletedEventArgs 395
QNBFinansGIB.GIBEFatura.gelenTasinanBelgeleriIndirCompl etedEventArgsHandler type 466	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaBelgeN oCompletedEventArgs.gidenBelgeDurumSorgulaBelgeNoCom pletedEventArgs 396
QNBFinansGIB.GIBEFatura.gidenBelgeDurum 392	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaBelgeN oCompletedEventArgs.Result 396
QNBFinansGIB.GIBEFatura.gidenBelgeDurum.aciklama 393	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaBelgeN oCompletedEventArgs.Handler 466
QNBFinansGIB.GIBEFatura.gidenBelgeDurum.alimTarihi 393	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaBelgeN oCompletedEventArgsHandler type 466
QNBFinansGIB.GIBEFatura.gidenBelgeDurum.belgeNo 393	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaBelgeN oCompletedEventArgs.Result 396
QNBFinansGIB.GIBEFatura.gidenBelgeDurum.durum 393	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaBelgeN oCompletedEventArgs.Result 396
QNBFinansGIB.GIBEFatura.gidenBelgeDurum.ettn 393	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaBelgeN oCompletedEventArgs.Result 396
QNBFinansGIB.GIBEFatura.gidenBelgeDurum.gonderimCeva biDetayi 393	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaComple tedEventArgs 396
QNBFinansGIB.GIBEFatura.gidenBelgeDurum.gonderimCeva biKodu 394	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaComple tedEventArgs.gidenBelgeDurumSorgulaCompletedEventArgs 397
QNBFinansGIB.GIBEFatura.gidenBelgeDurum.gonderimDuru mu 394	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaComple tedEventArgs.Result 397
QNBFinansGIB.GIBEFatura.gidenBelgeDurum.gonderimTarihi 394	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaComple tedEventArgs.Handler 466
QNBFinansGIB.GIBEFatura.gidenBelgeDurum.olusturulmaTar ihi 394	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaComple tedEventArgsHandler type 466
QNBFinansGIB.GIBEFatura.gidenBelgeDurum.yanitDetayi 394	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaEttnCo mpletedEventArgs 397
QNBFinansGIB.GIBEFatura.gidenBelgeDurum.yanitDurumu 394	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaEttnCo mpletedEventArgs.gidenBelgeDurumSorgulaEttnCompletedEv entArgs 398
QNBFinansGIB.GIBEFatura.gidenBelgeDurum.yanitTarihi 394	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaEttnCo mpletedEventArgs.Result 398
QNBFinansGIB.GIBEFatura.gidenBelgeDurumParametreleri 394	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaEttnCo mpletedEventArgs.Handler 466
QNBFinansGIB.GIBEFatura.gidenBelgeDurumParametreleri.b elgeNo 395	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaEttnCo mpletedEventArgs.Result 398
QNBFinansGIB.GIBEFatura.gidenBelgeDurumParametreleri.b elgeNoList 395	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaEttnCo mpletedEventArgs.Handler 466
QNBFinansGIB.GIBEFatura.gidenBelgeDurumParametreleri.b	QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaEttnCo mpletedEventArgs.Result 398

mpletedEventHandler type 466	derilebilirMi 402
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaExtCo mpletedEventArgs 398	QNBFinansGIB.GIBEFatura.gidenBelgeDurumv3 402
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaExtCo mpletedEventArgs.gidenBelgeDurumSorgulaExtCompletedEv entArgs 399	QNBFinansGIB.GIBEFatura.gidenBelgeDurumv3.yerelBelgeO id 403
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaExtCo mpletedEventArgs.Result 399	QNBFinansGIB.GIBEFatura.gidenBelgeDurumv4 404
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaExtCo mpletedEventArgs 467	QNBFinansGIB.GIBEFatura.gidenBelgeDurumv4.gtbFiiilhrac atTarihi 405
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaExtCo mpletedEventHandler type 467	QNBFinansGIB.GIBEFatura.gidenBelgeDurumv4.gtbGcbTesci INo 405
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaPortalCo mpletedEventArgs 399	QNBFinansGIB.GIBEFatura.gidenBelgeDurumv4.gtbRefNo 405
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaPortalCo mpletedEventArgs.gidenBelgeDurumSorgulaPortalComplete dEventArgs 400	QNBFinansGIB.GIBEFatura.gidenBelgeDurumv5 405
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaPortalCo mpletedEventArgs.Result 400	QNBFinansGIB.GIBEFatura.gidenBelgeDurumv5.yanitEtt n 406
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaPortalCo mpletedEventArgs 467	QNBFinansGIB.GIBEFatura.gidenBelgeDurumv5.yanitVerilen BelgeEtt n 406
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaPortalCo mpletedEventHandler type 467	QNBFinansGIB.GIBEFatura.gidenBelgeDurumv6 406
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaYerelB elgeNoCompletedEventArgs 400	QNBFinansGIB.GIBEFatura.gidenBelgeEkleriAICompletedEve ntArgs 408
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaYerelB elgeNoCompletedEventArgs.gidenBelgeDurumSorgulaYerelB elgeNoCompletedEventArgs 401	QNBFinansGIB.GIBEFatura.gidenBelgeEkleriAICompletedEve ntArgs.gidenBelgeEkleriAICompletedEventArgs 408
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaYerelB elgeNoCompletedEventArgs.Result 401	QNBFinansGIB.GIBEFatura.gidenBelgeEkleriAICompletedEve ntArgs.Result 409
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaYerelB elgeNoCompletedEventArgs 467	QNBFinansGIB.GIBEFatura.gidenBelgeEkleriAICompletedEve ntHandler 467
QNBFinansGIB.GIBEFatura.gidenBelgeDurumSorgulaYerelB elgeNoCompletedEventArgs type 467	QNBFinansGIB.GIBEFatura.gidenBelgeEkleriAICompletedEve ntHandler type 467
QNBFinansGIB.GIBEFatura.gidenBelgeDurumv2 401	QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPorta IParametreleri 409
QNBFinansGIB.GIBEFatura.gidenBelgeDurumv2.ulastiMi 402	QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPorta IParametreleri.baslangicOlusturulmaTarihi 409
QNBFinansGIB.GIBEFatura.gidenBelgeDurumv2.yenidenGon	QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPorta IParametreleri.belgeEtt nListesi 409
	QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPorta IParametreleri.belgeTuru 410

QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPorta IParametreleri.belgeVersiyon 410	413	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalComplet edEventHandler
QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPorta IParametreleri.bitisOlusturulmaTarihi 410	468	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalComplet edEventHandler
QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPorta IParametreleri.faturaBaslangicTarihi 410	468	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalComplet edEventHandler
QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPorta IParametreleri.faturaBitisTarihi 410	413	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParamet releri
QNBFinansGIB.GIBEFatura.gidenBelgelerDurumSorgulaPorta IParametreleri.vknTckn 410	414	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParamet releri.baslangicGonderimTarihi
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEve ntArgs 410	414	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParamet releri.belgeEttnListesi
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEve ntArgs.gidenBelgeleriIndirCompletedEventArgs 411	414	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParamet releri.belgeFormati
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEve ntArgs.Result 411	414	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParamet releri.bitisGonderimTarihi
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEve ntHandler 468	414	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParamet releri.faturaBaslangicTarihi
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirCompletedEve ntHandler type 468	414	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParamet releri.faturaBitisTarihi
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirEttnCompleted EventArgs 411	414	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParamet releri.kaynak
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirEttnCompleted EventArgs.gidenBelgeleriIndirEttnCompletedEventArgs 412	415	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParamet releri.pageCount
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirEttnCompleted EventArgs.Result 412	415	QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalParamet releri.vergiTcKimlikNo
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirEttnCompleted EventHandler 468	415	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleCompletedE ventArgs
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirEttnCompleted EventHandler type 468	415	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleCompletedE ventArgs.gidenBelgeleriListeleCompletedEventArgs
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalComplet edEventArgs 412	415	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleCompletedE ventArgs.Result
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalComplet edEventArgs.gidenBelgeleriIndirPortalCompletedEventArgs 413	416	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleCompletedE ventHandler
QNBFinansGIB.GIBEFatura.gidenBelgeleriIndirPortalComplet edEventArgs.Result	468	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleCompletedE

Created with a commercial version of [Doc-O-Matic](#). In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com.

ventHandler type 468	QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametreleri.vkn 419
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData 416	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalCompletedEventArgs 419
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.alimDurumu 416	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalCompletedEventArgs.gidenBelgeleriListelePortalCompletedEventArgs.Result 420
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.alimZamani 417	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalCompletedEventArgs.Result 420
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.belgeOid 417	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalCompletedEventArgs.Handler 469
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.belgeTarihi 417	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalCompletedEventArgs.HandlerType 469
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.belgeTuru 417	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData 420
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.ettn 417	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.alanEtiket 421
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.hataMesaji 417	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.alanSubeKodu 421
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.islemYapanVkn 417	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.alanVergiTcKimlikNo 421
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.kaynak 417	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.bolgeNo 421
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.kullaniciKodu 417	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.bolgeTarihi 421
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleData.yerelBelgeNo 418	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.bolgeTipi 421
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametreleri 418	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.bolgeTuru 422
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametreleri.baslangicBelgeTarihi 418	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.erpKodu 422
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametreleri.baslangicGonderimTarihi 418	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.efttn 422
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametreleri.belgeTuru 419	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.gonderenEtiket 422
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametreleri.bitisBelgeTarihi 419	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.gonderenSubeKodu
QNBFinansGIB.GIBEFatura.gidenBelgeleriListeleParametreleri.bitisGonderimTarihi 419	

422	QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.alanEtiket
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.gonderimZamani	426
422	QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.belgeHash
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.islemYapanVkn	426
422	QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.belgeNo
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.kaynak	426
422	QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.belgeTuru
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.kullaniciKodu	426
422	QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.belgeVersiyon
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.2	427
423	QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.donusTipiVersiyon
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalData.2.yanitEtn	427
423	QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.erpKodu
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri	427
424	QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.gondereEtiket
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.baslangicGonderimTarihi	427
424	QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.mimeType
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.belgeEttnListesi	427
424	QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.subeKodu
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.belgeTuru	427
424	QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.vergiTcKimlikNo
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.belgeVersiyon	427
425	QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.veri
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.bitisGonderimTarihi	428
425	QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.xsltAdi
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.faturaBaslangicTarihi	428
425	QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri.xsltVeri
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.faturaBitisTarihi	428
425	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.kaynak	429
425	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.belgeNo
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.pageCount	429
425	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.belgeTarihi
QNBFinansGIB.GIBEFatura.gidenBelgeleriListelePortalParametreleri.vergiTcKimlikNo	429
425	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.ettn
QNBFinansGIB.GIBEFatura.gidenBelgeParametreleri	429
	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdv18Tutar
	429
	QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdv1Orta
	429

n	469	
429		QNBFinansGIB.GIBEFatura.gidenFaturalariArsiveKaldirCompl
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdv1Tuta		etedEventHandler
r		type 469
429		QNBFinansGIB.GIBEFatura.gidenIrsaliyeleriArsiveKaldirComp
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdv8Ora		letedEventHandler
n	470	
429		QNBFinansGIB.GIBEFatura.gidenIrsaliyeleriArsiveKaldirComp
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdv8Tuta		letedEventHandler
r		type 470
430		QNBFinansGIB.GIBEFatura.gidenTasinanBelgeleriIndirCompl
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdvTevki		etedEventArgs
fatOran	432	
430		QNBFinansGIB.GIBEFatura.gidenTasinanBelgeleriIndirCompl
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdvTevki		etedEventArgs.gidenTasinanBelgeleriIndirCompletedEventArgs
fatTutari	432	
430		QNBFinansGIB.GIBEFatura.gidenTasinanBelgeleriIndirCompl
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdvTopla		etedEventArgs.Result
mTutari	432	
430		QNBFinansGIB.GIBEFatura.gidenTasinanBelgeleriIndirCompl
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.kdvTopla		etedEventArgs.gidenTasinanBelgeleriIndirCompletedEventArgs
mTutariDovizCinsi	470	
430		QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.malHizm
etToplamTutari		etedEventHandler
430		type 470
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.malHizm		QNBFinansGIB.GIBEFatura.irsaliyeMailGonderCompletedEve
etToplamTutariDovizCinsi	470	ntHandler
430		QNBFinansGIB.GIBEFatura.irsaliyeMailGonderCompletedEve
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.odenece		ntHandler
kTutar	470	type 470
430		QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData 432
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileri.odenece		QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.bagliKayitId
kTutarDovizCinsi	430	
430		QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.432
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileriSorgulaC	433	
ompletedEventArgs		QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.irsaliyeEttm
431		433
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileriSorgulaC		QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.islem 433
ompletedEventArgs.gidenBelgeTutarBilgileriSorgulaComple		QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.islemAcikla
dEventArgs	431	ma
431		434
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileriSorgulaC		QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.islemKanalı
ompletedEventArgs.Result	431	434
431		QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.islemKanalı
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileriSorgulaC		Aciklama
ompletedEventArgs	469	434
469		QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.islemSonuc
QNBFinansGIB.GIBEFatura.gidenBelgeTutarBilgileriSorgulaC		u
ompletedEventHandler		434
type 469		QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.islemZama
QNBFinansGIB.GIBEFatura.gidenFaturalariArsiveKaldirCompl		ni
etedEventHandler		

434	mpletedEventArgs.kayitliKullaniciListeleExtendedCompletedE ventArgs
QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.kullanici 434	438
QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.kullanicilp 434	QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCo mpletedEventArgs.Result
QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiData.zarfEtn 434	QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCo mpletedEventHandler
QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiSorgulaComplete dEventArgs	471
QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiSorgulaComplete dEventArgs.irsaliyeTarihcesiSorgulaCompletedEventArgs	QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCo mpletedEventHandler
435	type 471
QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiSorgulaComplete dEventArgs.Result	QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTi meCompletedEventArgs
435	438
QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiSorgulaComplete dEventArgs.Result	QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTi meCompletedEventArgs.kayitliKullaniciListeleExtendedTimeC ompletedEventArgs
470	439
QNBFinansGIB.GIBEFatura.irsaliyeTarihcesiSorgulaComplete dEventHandler	QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTi meCompletedEventArgs.Result
type 470	439
QNBFinansGIB.GIBEFatura.kalanKontorBilgisi 435	QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTi meCompletedEventArgs
QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.kalan 436	471
QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.kalanSpecified 436	QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTi meCompletedEventArgs
QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.kontorBirim 436	471
QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.kontorBirimSp ecified	QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedTi meCompletedEventArgs
436	471
QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.kontorTipi 437	QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedV nTcknCompletedEventArgs
QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.kontorTipiSpec ified	439
437	QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedV nTcknCompletedEventArgs
QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.limitAsimMiktar i	440
437	QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedV nTcknCompletedEventArgs.Result
QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.limitAsimMiktar iSpecified	440
437	QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedV nTcknCompletedEventArgs
QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.toplamAlinan 437	471
QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.toplamAlinanS pecified	QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedV nTcknCompletedEventArgs
437	type 471
QNBFinansGIB.GIBEFatura.kalanKontorBilgisi.vknTckn 437	QNBFinansGIB.GIBEFatura.kontorAzaltResp
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCo mpletedEventArgs	440
437	QNBFinansGIB.GIBEFatura.kontorAzaltResp.kanalTipi
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCo mpletedEventArgs	441
437	QNBFinansGIB.GIBEFatura.kontorAzaltResp.kontorAzaldi
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCo mpletedEventArgs	441
437	QNBFinansGIB.GIBEFatura.kontorAzaltResp.kontorTipi
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCo mpletedEventArgs	441
437	QNBFinansGIB.GIBEFatura.kontorAzaltResp.miktar
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCo mpletedEventArgs	441
437	QNBFinansGIB.GIBEFatura.kontorAzaltResp.miktarSpecified
QNBFinansGIB.GIBEFatura.kayitliKullaniciListeleExtendedCo mpletedEventArgs	441

QNBFinansGIB.GIBEFatura.kontorAzaltResp.odemeTipi	441	446
QNBFinansGIB.GIBEFatura.kontorAzaltResp.paketTipi	442	QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirComplete dEventArgs.toplamBelgeSayisiGetirCompletedEventArgs
QNBFinansGIB.GIBEFatura.kontorAzaltResp.vkn	442	446
QNBFinansGIB.GIBEFatura.kontorBilgisiGetirCompletedEvent Args	442	QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirComplete dEventHandler
QNBFinansGIB.GIBEFatura.kontorBilgisiGetirCompletedEvent Args.kontorBilgisiGetirCompletedEventArgs	442	472
QNBFinansGIB.GIBEFatura.kontorBilgisiGetirCompletedEvent Args.Result	443	QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirComplete dEventHandler type
QNBFinansGIB.GIBEFatura.kontorBilgisiGetirCompletedEvent Handler	471	472
QNBFinansGIB.GIBEFatura.kontorBilgisiGetirCompletedEvent Handler	471	QNBFinansGIB.GIBEFatura.ulbOnizlemeCompletedEventArgs
QNBFinansGIB.GIBEFatura.kontorBilgisiGetirCompletedEvent Handler	471	446
QNBFinansGIB.GIBEFatura.kontorBirim	451	QNBFinansGIB.GIBEFatura.ulbOnizlemeCompletedEventArgs
QNBFinansGIB.GIBEFatura.kontorBirim enumeration	451	446
QNBFinansGIB.GIBEFatura.kontorTipi	452	QNBFinansGIB.GIBEFatura.ulbOnizlemeCompletedEventHan dler
QNBFinansGIB.GIBEFatura.kontorTipi enumeration	452	472
QNBFinansGIB.GIBEFatura.mukellefEFaturaKayit	443	QNBFinansGIB.GIBEFatura.ulbOnizlemeCompletedEventHan dler
QNBFinansGIB.GIBEFatura.mukellefEFaturaKayit.efaturaKull anicilListesi	443	472
QNBFinansGIB.GIBEFatura.mukellefEFaturaKayit.vergiTcKim likNo	443	QNBFinansGIB.GIBEFatura.urunSablonlariniAICompletedEve ntArgs
QNBFinansGIB.GIBEFatura.serviceReturnType	443	447
QNBFinansGIB.GIBEFatura.temelKontrollerIleBelgeGonderCo mpletedEventArgs	444	QNBFinansGIB.GIBEFatura.urunSablonlariniAICompletedEve ntHandler
QNBFinansGIB.GIBEFatura.temelKontrollerIleBelgeGonderCo mpletedEventArgs.Result	445	472
QNBFinansGIB.GIBEFatura.temelKontrollerIleBelgeGonderCo mpletedEventArgs.temelKontrollerIleBelgeGonderCompletedE ventArgs	445	QNBFinansGIB.GIBEFatura.urunSablonlariniAICompletedEve ntHandler
QNBFinansGIB.GIBEFatura.temelKontrollerIleBelgeGonderCo mpletedEventArgs.temelKontrollerIleBelgeGonderCompletedE ventHandler	472	472
QNBFinansGIB.GIBEFatura.temelKontrollerIleBelgeGonderCo mpletedEventArgs.type	472	QNBFinansGIB.GIBEFatura.wsKullaniciBilgileri
QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirComplete dEventArgs	445	448
QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirComplete dEventArgs.Result	445	QNBFinansGIB.GIBEFatura.wsKullaniciBilgileri.kullaniciKodu
QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirComplete dEventArgs	445	448
QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirComplete dEventArgs.Result	445	QNBFinansGIB.GIBEFatura.wsKullaniciBilgileri.sifre
QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirComplete dEventArgs	445	448
QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirComplete dEventArgs.Result	445	QNBFinansGIB.GIBEFatura.wsKullanicisiKaydetCompletedEv entArgs
QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirComplete dEventArgs	445	449
QNBFinansGIB.GIBEFatura.toplamBelgeSayisiGetirComplete dEventArgs.Result	445	QNBFinansGIB.GIBEFatura.wsKullanicisiKaydetCompletedEv entArgs.wsKullanicisiKaydetCompletedEventArgs

449	QNBFinansGIB.GIBEMustahsil.belge.belgeFormati 481
QNBFinansGIB.GIBEFatura.wsKullanicisiKaydetCompletedEventHandler 473	QNBFinansGIB.GIBEMustahsil.belge.belgeFormatiSpecified 481
QNBFinansGIB.GIBEFatura.wsKullanicisiKaydetCompletedEventHandler type 473	QNBFinansGIB.GIBEMustahsil.belge.belgelcerigi 481
QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAICompletedEventArgs 449	QNBFinansGIB.GIBEMustahsil.belgeDTO 481
QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAICompletedEventArgs.Result 450	QNBFinansGIB.GIBEMustahsil.belgeDTO.belgeNo 484
QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAICompletedEventArgs.yereleAktarilacakBelgeleriAICompletedEventArgs 450	QNBFinansGIB.GIBEMustahsil.belgeDTO.brutUcret 484
QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAICompletedEventArgs.Handler 473	QNBFinansGIB.GIBEMustahsil.belgeDTO.brutUcretSpecified 484
QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAICompletedEventArgs.Result 473	QNBFinansGIB.GIBEMustahsil.belgeDTO.kdv0_Tutar 485
QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAICompletedEventArgs.type 473	QNBFinansGIB.GIBEMustahsil.belgeDTO.kdv0_TutarSpecified 485
QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAIExtCompletedEventArgs 450	QNBFinansGIB.GIBEMustahsil.belgeDTO.kdv1_Tutar 485
QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAIExtCompletedEventArgs.Result 451	QNBFinansGIB.GIBEMustahsil.belgeDTO.kdv1_TutarSpecified 485
QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAIExtCompletedEventArgs.yereleAktarilacakBelgeleriAIExtCompletedEventArgs 451	QNBFinansGIB.GIBEMustahsil.belgeDTO.kdv18_Tutar 485
QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAIExtCompletedEventArgs.Handler 473	QNBFinansGIB.GIBEMustahsil.belgeDTO.kdv18_TutarSpecified 485
QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAIExtCompletedEventArgs.Result 473	QNBFinansGIB.GIBEMustahsil.belgeDTO.kdvTevkifatTutar 485
QNBFinansGIB.GIBEFatura.yereleAktarilacakBelgeleriAIExtCompletedEventArgs.type 473	QNBFinansGIB.GIBEMustahsil.belgeDTO.kdvTevkifatTutarSpecified 486
QNBFinansGIB.GIBEFatura.yolcuBeraberFaturalptalEtCompletedEventHandler 473	QNBFinansGIB.GIBEMustahsil.belgeDTO.netTahsilat 486
QNBFinansGIB.GIBEFatura.yolcuBeraberFaturalptalEtCompletedEventHandler type 473	QNBFinansGIB.GIBEMustahsil.belgeDTO.netTahsilatSpecified 486
QNBFinansGIB.GIBEMustahsil 474	QNBFinansGIB.GIBEMustahsil.belgeDTO.netUcret 486
QNBFinansGIB.GIBEMustahsil namespace 474	QNBFinansGIB.GIBEMustahsil.belgeDTO.netUcretSpecified 486
Classes 477	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj0_Tutar 486
Structs, Records, Enums 596	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj0_TutarSpecified 486
Types 597	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj1_Tutar 486
QNBFinansGIB.GIBEMustahsil.belge 480	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj1_TutarSpecified 486
	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj10_Tutar 487
	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj10_TutarSpecified 487

487	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj15_Tutar 487	QNBFinansGIB.GIBEMustahsil.belgeZipiAICompletedEventArgs.belgeZipiAICompletedEventArgs
487	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj15_TutarSpecified 487	490
487	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj17_Tutar 487	QNBFinansGIB.GIBEMustahsil.belgeZipiAICompletedEventArgs.output
487	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj17_TutarSpecified 487	491
487	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj2_Tutar 487	QNBFinansGIB.GIBEMustahsil.belgeZipiAICompletedEventEventArgs.Result
487	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj2_TutarSpecified 487	491
487	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj20_Tutar 487	QNBFinansGIB.GIBEMustahsil.belgeZipiAICompletedEventHandler
488	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj20_TutarSpecified 488	598
488	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj3_Tutar 488	QNBFinansGIB.GIBEMustahsil.belgeZipiAICompletedEventHandler
488	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj3_TutarSpecified 488	type 598
488	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj4_Tutar 488	QNBFinansGIB.GIBEMustahsil.belgeZipiAIResponse
488	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj4_TutarSpecified 488	491
488	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj5_Tutar 488	QNBFinansGIB.GIBEMustahsil.belgeZipiAIResponse.output
488	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj5_TutarSpecified 488	492
488	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj7_Tutar 488	QNBFinansGIB.GIBEMustahsil.doubleStringOutputWrapper
488	QNBFinansGIB.GIBEMustahsil.belgeDTO.stpj7_TutarSpecified 488	492
489	QNBFinansGIB.GIBEMustahsil.belgeDTO.tip 489	QNBFinansGIB.GIBEMustahsil.doubleStringOutputWrapper.outputDurum
489	QNBFinansGIB.GIBEMustahsil.belgeDTO.tipSpecified 489	492
597	QNBFinansGIB.GIBEMustahsil.belgeFormatiEnum 597	QNBFinansGIB.GIBEMustahsil.doubleStringOutputWrapper.outputEposta
597	QNBFinansGIB.GIBEMustahsil.belgeFormatiEnum enumeration 597	492
489	QNBFinansGIB.GIBEMustahsil.belgeOutputWrapper 489	QNBFinansGIB.GIBEMustahsil.earsivServiceResult
489	QNBFinansGIB.GIBEMustahsil.belgeOutputWrapper.@return 489	QNBFinansGIB.GIBEMustahsil.earsivServiceResult.resultCode
489	QNBFinansGIB.GIBEMustahsil.belgeOutputWrapper.output 489	493
489	QNBFinansGIB.GIBEMustahsil.belgeZipiAI 489	QNBFinansGIB.GIBEMustahsil.earsivServiceResult.resultExtra
490	QNBFinansGIB.GIBEMustahsil.belgeZipiAI.input 490	493
490	QNBFinansGIB.GIBEMustahsil.belgeZipiAICompletedEventArgs 490	QNBFinansGIB.GIBEMustahsil.earsivServiceResult.resultText
490		493
494		QNBFinansGIB.GIBEMustahsil.earsivServiceResultEntry
494		493
494		QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgula
495		494
		QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgula.input
		495
		QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaComple

edEventArgs 495	501
QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaComple tedEventArgs.@return 496	QNBFinansGIB.GIBEMustahsil.faturaDTO.durum 501
QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaComple tedEventArgs.ePostaDurumSorgulaCompletedEventArgs 495	QNBFinansGIB.GIBEMustahsil.faturaDTO.durumSpecified 501
QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaComple tedEventArgs.outputEposta 496	QNBFinansGIB.GIBEMustahsil.faturaDTO.duzenlenmeZaman i 501
QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaComple tedEventArgs.Result 496	QNBFinansGIB.GIBEMustahsil.faturaDTO.epostaGonderimDu rumu 501
QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaComple tedEventHandler 598	QNBFinansGIB.GIBEMustahsil.faturaDTO.epostaGonderimDu rumuSpecified 501
QNBFinansGIB.GIBEMustahsil.ePostaDurumSorgulaComple tedEventHandler type 598	QNBFinansGIB.GIBEMustahsil.faturaDTO.erpKodu 501
QNBFinansGIB.GIBEMustahsil.ePostaGonder 496	QNBFinansGIB.GIBEMustahsil.faturaDTO.faturaSiraNo 501
QNBFinansGIB.GIBEMustahsil.ePostaGonder.ilaveEposta 496	QNBFinansGIB.GIBEMustahsil.faturaDTO.faturaSiraNoSpecifi ed 501
QNBFinansGIB.GIBEMustahsil.ePostaGonder.input 496	QNBFinansGIB.GIBEMustahsil.faturaDTO.faturaZamani 502
QNBFinansGIB.GIBEMustahsil.ePostaGonder.tanimliEpostay aGonder 497	QNBFinansGIB.GIBEMustahsil.faturaDTO.ilkKayitZmani 502
QNBFinansGIB.GIBEMustahsil.ePostaGonderCompletedEven tArgs 497	QNBFinansGIB.GIBEMustahsil.faturaDTO.indirildi 502
QNBFinansGIB.GIBEMustahsil.ePostaGonderCompletedEven tArgs.ePostaGonderCompletedEventArgs 497	QNBFinansGIB.GIBEMustahsil.faturaDTO.indirildiSpecified 502
QNBFinansGIB.GIBEMustahsil.ePostaGonderCompletedEven tArgs.Result 497	QNBFinansGIB.GIBEMustahsil.faturaDTO.invoiceld 502
QNBFinansGIB.GIBEMustahsil.ePostaGonderCompletedEven tHandler 599	QNBFinansGIB.GIBEMustahsil.faturaDTO.invoiceTypeCode 502
QNBFinansGIB.GIBEMustahsil.ePostaGonderCompletedEven tHandler type 599	QNBFinansGIB.GIBEMustahsil.faturaDTO.iptalEdenKullaniciK odu 502
QNBFinansGIB.GIBEMustahsil.ePostaGonderResponse 498	QNBFinansGIB.GIBEMustahsil.faturaDTO.iptalKaynagi 502
QNBFinansGIB.GIBEMustahsil.ePostaGonderResponse.@ret urn 498	QNBFinansGIB.GIBEMustahsil.faturaDTO.iptalKaynagiSpecifi ed 502
QNBFinansGIB.GIBEMustahsil.faturaDTO 498	QNBFinansGIB.GIBEMustahsil.faturaDTO.iptalRaporTarihi 503
QNBFinansGIB.GIBEMustahsil.faturaDTO.arsiv 500	QNBFinansGIB.GIBEMustahsil.faturaDTO.iptalTarihi 503
QNBFinansGIB.GIBEMustahsil.faturaDTO.creationTime 500	QNBFinansGIB.GIBEMustahsil.faturaDTO.iptalTarihiExcel 503
QNBFinansGIB.GIBEMustahsil.faturaDTO.currency 500	QNBFinansGIB.GIBEMustahsil.faturaDTO.islemlid 503
QNBFinansGIB.GIBEMustahsil.faturaDTO.dokumanFormati	QNBFinansGIB.GIBEMustahsil.faturaDTO.issueDate 503

QNBFinansGIB.GIBEMustahsil.faturaDTO.kagitFatura 504	QNBFinansGIB.GIBEMustahsil.faturaDTO.vergilerToplamiSpecified 507
QNBFinansGIB.GIBEMustahsil.faturaDTO.kagitFaturaSpecified 504	QNBFinansGIB.GIBEMustahsil.faturaDTO.versiyon 507
QNBFinansGIB.GIBEMustahsil.faturaDTO.kasa 504	QNBFinansGIB.GIBEMustahsil.faturaDTO.versiyonSpecified 507
QNBFinansGIB.GIBEMustahsil.faturaDTO.kaynak 504	QNBFinansGIB.GIBEMustahsil.faturaDTO.yazdirildi 507
QNBFinansGIB.GIBEMustahsil.faturaDTO.kepDurum 504	QNBFinansGIB.GIBEMustahsil.faturaDTO.yazdirildiSpecified 507
QNBFinansGIB.GIBEMustahsil.faturaDTO.kepDurumSpecified 504	QNBFinansGIB.GIBEMustahsil.faturaDTO.yerelFaturaNo 507
QNBFinansGIB.GIBEMustahsil.faturaDTO.kolayFatura 504	QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetir 507
QNBFinansGIB.GIBEMustahsil.faturaDTO.kolayFaturaSpecified 504	QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetir.kontorBirim 508
QNBFinansGIB.GIBEMustahsil.faturaDTO.okundu 504	QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetir.kontorTipi 508
QNBFinansGIB.GIBEMustahsil.faturaDTO.okunduSpecified 505	QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetir.vknTckn 508
QNBFinansGIB.GIBEMustahsil.faturaDTO.payableAmount 505	QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirCompletedEventArgs 508
QNBFinansGIB.GIBEMustahsil.faturaDTO.payableAmountSpecified 505	QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirCompletedEventArgs.kontorBilgisiGetirCompletedEventArgs 509
QNBFinansGIB.GIBEMustahsil.faturaDTO.profileId 505	QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirCompletedEventArgs.Result 509
QNBFinansGIB.GIBEMustahsil.faturaDTO.raporTarihi 505	QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirCompletedEventArgs.Result 509
QNBFinansGIB.GIBEMustahsil.faturaDTO.receiverContact 505	QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirCompletedEventArgs.Result 509
QNBFinansGIB.GIBEMustahsil.faturaDTO.receiverIdentifier 505	QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirCompletedEventArgs.Result 509
QNBFinansGIB.GIBEMustahsil.faturaDTO.receiverIdentifierTxt 505	QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirCompletedEventArgs.Result 509
QNBFinansGIB.GIBEMustahsil.faturaDTO.receiverName 505	QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirResponse 509
QNBFinansGIB.GIBEMustahsil.faturaDTO.senderContact 506	QNBFinansGIB.GIBEMustahsil.kontorBilgisiGetirResponse.@return 509
QNBFinansGIB.GIBEMustahsil.faturaDTO.senderName 506	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEt 510
QNBFinansGIB.GIBEMustahsil.faturaDTO.sonGuncellemeZamani 506	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEt.input 510
QNBFinansGIB.GIBEMustahsil.faturaDTO.sube 506	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompletedEventArgs 510
QNBFinansGIB.GIBEMustahsil.faturaDTO.tanimliSubeKod 506	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompletedEventArgs.mustahsilMakbuzIptalEtCompletedEventArgs 511
QNBFinansGIB.GIBEMustahsil.faturaDTO.telNo 506	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompletedEventArgs.mustahsilMakbuzIptalEtCompletedEventArgs.Result 511
QNBFinansGIB.GIBEMustahsil.faturaDTO.toplamTutar 506	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompletedEventArgs.Result 511
QNBFinansGIB.GIBEMustahsil.faturaDTO.toplamTutarSpecified 506	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompletedEventArgs.Result 511
QNBFinansGIB.GIBEMustahsil.faturaDTO.uuid 506	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompletedEventArgs.Result 511
QNBFinansGIB.GIBEMustahsil.faturaDTO.vergilerToplami 507	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompletedEventArgs.Result 511

Created with a commercial version of **Doc-O-Matic**. In order to make this message disappear you need to register this software. If you have problems registering this software please contact us at support@toolsfactory.com

QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtCompletedEventHandler type 599	515	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaCompletedEventHandler 600
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtResponse 511		QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaCompletedEventHandler type 600
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptalEtResponse. @return 511		QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortal 515
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldır 512		QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortal <input type="text"/> 516
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldır.in put 512		QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortalCompletedEventArgs 516
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldırC ompletedEventArgs 512		QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortalCompletedEventArgs.mustahsilMakbuzListeSorgulaPort alCompletedEventArgs 516
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldırC ompletedEventArgs.mustahsilMakbuzIptaliKaldırCompletedEv entArgs 513		QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortalCompletedEventArgs.Result 517
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldırC ompletedEventArgs.Result 513		QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortalCompletedEventArgs.Result 517
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldırC ompletedEventArgs 599		QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortalCompletedEventArgs 600
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldırC ompletedEventArgs.type 599		QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortalCompletedEventArgs type 600
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldırR esponse 513		QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortalResponse 517
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzIptaliKaldırR esponse. @return 513		QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortalResponse. @return 517
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula 514		QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaPortalResponse.output 517
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula. input 514		QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaResponse 517
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula CompletedEventArgs 514		QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaResponse. @return 518
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula CompletedEventArgs.mustahsilMakbuzListeSorgulaComple tEventArgs 515		QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgulaResponse.output 518
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula CompletedEventArgs.output 515		QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlustur 518
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzListeSorgula CompletedEventArgs.Result		QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlustur.belg e

519	522
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlustur.input	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCompletedEventArgs
519	522
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturCompletedEventArgs	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCompletedEventArgs.@return
519	523
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturCompletedEventArgs.@return	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCompletedEventArgs
520	523
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturCompletedEventArgs.mustahsilMakbuzOlusturCompletedEventArgs	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCompletedEventArgs.Result
519	523
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturCompletedEventArgs.Result	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCompletedEventArgs.Handler
520	601
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturCompletedEventArgs.Handler	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgulaCompletedEventArgs.type
600	601
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOlusturCompletedEventArgs.Handler	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlustur
type 600	523
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizleme	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlustur.belge
520	524
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizleme.belge	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlustur.input
520	524
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizleme.input	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturCompletedEventArgs
520	524
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCompletedEventArgs	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturCompletedEventArgs.mustahsilMakbuzTaslakOlusturCompletedEventArgs
520	524
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCompletedEventArgs.@return	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturCompletedEventArgs.Result
521	525
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCompletedEventArgs.mustahsilMakbuzOnizlemeCompletedEventArgs	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturCompletedEventArgs.Handler
521	601
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCompletedEventArgs.Result	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturCompletedEventArgs.type
521	601
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCompletedEventArgs.Handler	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturResponse
601	525
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzOnizlemeCompletedEventArgs.Handler	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOlusturResponse.@return
type 601	525
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgula 521	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizleme
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzSorgula.input	

525	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilResponse
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizleme.input	529
526	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilResponse.@return
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeCompletedEventArgs	529
526	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgula
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeCompletedEventArgs.mustahsilMakbuzTaslakOnizlemeCompletedEventArgs	530
526	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgula.a.input
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeCompletedEventArgs.output	530
527	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgula.CompletedEventArgs
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeCompletedEventArgs.Result	530
527	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgula.CompletedEventArgs.mustahsilMakbuzTaslakSorgulaCompletedEventArgs
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeCompletedEventHandler	531
601	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgula.CompletedEventArgs.output
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeCompletedEventHandler	531
type 601	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgula.CompletedEventArgs.Result
527	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgula.CompletedEventArgs
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeResponse	531
527	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgula.CompletedEventArgs
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeResponse.@return	602
527	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgula.CompletedEventArgs
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakOnizlemeResponse.output	602
527	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgula.Response
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSil	531
528	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgula.Response.@return
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSil.input	532
528	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSorgula.Response.output
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCompletedEventArgs	532
528	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlustur
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCompletedEventArgs.mustahsilMakbuzTaslakSilCompletedEventArgs	532
529	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlustur
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCompletedEventArgs.Result	532
529	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlustur
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCompletedEventArgs	532
602	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlusturCompletedEventArgs
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslakSilCompletedEventArgs	532
type 602	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlusturCompletedEventArgs.@return
533	QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlustur

sturCompletedEventArgs.mustahsilMakbuzTaslaktanOlusturC ompletedEventArgs 533	silMakbuzIptalEt 543
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlu sturCompletedEventArgs.Result 533	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzIptalEtAsync 543
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlu sturCompletedEventHandler 602	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzIptalEtCompleted 568
QNBFinansGIB.GIBEMustahsil.mustahsilMakbuzTaslaktanOlu sturCompletedEventHandler type 602	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzIptaliKaldır 544
QNBFinansGIB.GIBEMustahsil.MustahsilWebService 533	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzIptaliKaldırAsync 544
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.belgeZi piAl 538	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzIptaliKaldırCompleted 568
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.belgeZi piAlAsync 539	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzListeSorgula 545
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.belgeZi piAlCompleted 567	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzListeSorgulaAsync 545
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.Cancel Async 539	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzListeSorgulaCompleted 568
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.ePosta DurumSorgula 539	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzListeSorgulaPortal 546
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.ePosta DurumSorgulaAsync 540	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzListeSorgulaPortalAsync 546
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.ePosta DurumSorgulaCompleted 568	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzListeSorgulaPortalCompleted 568
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.ePosta Gonder 540	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzOlustur 547
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.ePosta GonderAsync 541	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzOlusturAsync 547
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.ePosta GonderCompleted 568	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzOlusturCompleted 568
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.kontorBi lgisiGetir 542	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzOnizleme 548
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.kontorBi lgisiGetirAsync 542	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzOnizlemeAsync 548, 549
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.kontorBi lgisiGetirCompleted 568	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah silMakbuzOnizlemeCompleted 568
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustah	

QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzSorgula 549	569	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.MustahsilWebService 538
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzSorgulaAsync 550	568	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumAI 555
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzSorgulaCompleted 568	569	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumAIAsync 556
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakOlustur 550	569	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumAICompleted 569
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakOlusturAsync 551	569	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumBilgisiAI 556
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakOlusturCompleted 568	569	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumBilgisiAIAsync 557
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakOnizleme 551	569	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumBilgisiAICompleted 569
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakOnizlemeAsync 552	569	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumleriOlustur 557
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakOnizlemeCompleted 569	569	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumleriOlusturAsync 558
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakSil 552	569	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumleriOlusturCompleted 569
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakSilAsync 553	569	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumListesiDetayliSorgula 558
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakSilCompleted 569	569	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumListesiDetayliSorgulaAsync 559
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakSorgula 553	569	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumListesiDetayliSorgulaCompleted 569
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakSorgulaAsync 554	569	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumListesiSorgula 559
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslakSorgulaCompleted 569	569	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumListesiSorgulaAsync 560
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslaktanOlustur 554	569	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumListesiSorgulaCompleted 569
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslaktanOlusturAsync 555	569	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBolumRaporNoGuncellelmzala 560
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.mustahsilMakbuzTaslaktanOlusturCompleted	560	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo

lumRaporNoGuncelleIzmalaAsync 561	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumRaporNoGuncelleIzmalaCompleted 569	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.smsGon derAsync 567
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumSil 561	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumSilAsync 562	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.smsGon derCompleted 570
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporBo lumSilCompleted 569	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.Url 567	QNBFinansGIB.GIBEMustahsil.MustahsilWebService.UseDef aultCredentials 567
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporda BelgeSorgula 562	QNBFinansGIB.GIBEMustahsil.raporBolumAI 570	QNBFinansGIB.GIBEMustahsil.raporBolumAI 570
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporda BelgeSorgulaAsync 563	QNBFinansGIB.GIBEMustahsil.raporBolumAI.bolumRaporNo 570	QNBFinansGIB.GIBEMustahsil.raporBolumAICompletedEvent Args 571
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporda BelgeSorgulaCompleted 570	QNBFinansGIB.GIBEMustahsil.raporBolumAICompletedEvent Args.@return 571	QNBFinansGIB.GIBEMustahsil.raporBolumAICompletedEvent Args.raporBolumAICompletedEventArgs 571
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporDu rumSorgula 563	QNBFinansGIB.GIBEMustahsil.raporBolumAICompletedEvent Args.Result 571	QNBFinansGIB.GIBEMustahsil.raporBolumAICompletedEvent Handler 602
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporDu rumSorgulaAsync 563, 564	QNBFinansGIB.GIBEMustahsil.raporBolumAICompletedEvent Handler type 602	QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAI 572
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporDu rumSorgulaCompleted 570	QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAI.bolumRap orNo 572	QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAICompleted EventArgs 572
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporGo nder 564	QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAICompleted EventArgs.raporBolumBilgisiAICompletedEventArgs 573	QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAICompleted EventArgs.raporBolumBilgisiAICompletedEventArgs 573
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporGo nderAsync 564, 565	QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAICompleted EventArgs.Result 573	QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAICompleted EventArgs 603
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.raporGo nderCompleted 570	QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAICompleted EventArgs type 603	QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAIResponse 573
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.smsDur umSorgula 565		
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.smsDur umSorgulaAsync 565, 566		
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.smsDur umSorgulaCompleted 570		
QNBFinansGIB.GIBEMustahsil.MustahsilWebService.smsGon der 566		

QNBFinansGIB.GIBEMustahsil.raporBolumBilgisiAIResponse. @return 573	QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturRespon se.@return 577
QNBFinansGIB.GIBEMustahsil.raporBolumDTO 574	QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorg ula 578
QNBFinansGIB.GIBEMustahsil.raporBolumDTO.baslangicTari hi 574	QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorg ula.donem 578
QNBFinansGIB.GIBEMustahsil.raporBolumDTO.bitisTarihi 574	QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorg ulaCompletedEventArgs 578
QNBFinansGIB.GIBEMustahsil.raporBolumDTO.bolumNo 574	QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorg ulaCompletedEventArgs.output 579
QNBFinansGIB.GIBEMustahsil.raporBolumDTO.bolumNoSpe cified 575	QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorg ulaCompletedEventArgs.raporBolumListesiDetayliSorgulaCom pletedEventArgs 579
QNBFinansGIB.GIBEMustahsil.raporBolumDTO.bolumRapor No 575	QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorg ulaCompletedEventArgs.Result 579
QNBFinansGIB.GIBEMustahsil.raporBolumDTO.durum 575	QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorg ulaCompletedEventArgs.raporBolumListesiDetayliSorgulaCom pletedEventArgs 603
QNBFinansGIB.GIBEMustahsil.raporBolumDTO.durumAcikla ma 575	QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorg ulaCompletedEventArgs.type 603
QNBFinansGIB.GIBEMustahsil.raporBolumDTO.durumKodu 575	QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorg ulaResponse 579
QNBFinansGIB.GIBEMustahsil.raporBolumDTO.sonIslemeZa mani 575	QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorg ulaResponse. @return 580
QNBFinansGIB.GIBEMustahsil.raporBolumleriOlustur 575	QNBFinansGIB.GIBEMustahsil.raporBolumListesiDetayliSorg ulaResponse.output 580
QNBFinansGIB.GIBEMustahsil.raporBolumleriOlustur.donem 576	QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgula 580
QNBFinansGIB.GIBEMustahsil.raporBolumleriOlustur.input 576	QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgula.don em 580
QNBFinansGIB.GIBEMustahsil.raporBolumleriOlustur.sonGun 576	QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCom pletedEventArgs 580
QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturComple tedEventArgs 576	QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCom pletedEventArgs.Result 581
QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturComple tedEventArgs.raporBolumleriOlusturCompletedEventArgs 577	QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCom pletedEventArgs. @return 581
QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturComple tedEventArgs.Result 577	QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCom pletedEventArgs.raporBolumListesiSorgulaCompletedEventAr gs 581
QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturComple tedEventHandler 603	QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCom pletedEventArgs.Result 581
QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturComple tedEventHandler type 603	QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCom pletedEventArgs.raporBolumListesiSorgulaCompletedEventAr gs 581
QNBFinansGIB.GIBEMustahsil.raporBolumleriOlusturRespon se 577	QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCom pletedEventArgs.Result 581

581	QNBFinansGIB.GIBEMustahsil.raporBolumSilResponse	585
QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCompletedEventHandler 603	QNBFinansGIB.GIBEMustahsil.raporBolumSilResponse.@return 585	
QNBFinansGIB.GIBEMustahsil.raporBolumListesiSorgulaCompletedEventHandler type 603	QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgula 585	
QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzala 581	QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgula.input 586	
QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzala.bolumRaporNo 582	QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaComplet edEventArgs	
QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzalaCompletedEventArgs 582	QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaComplet edEventArgs.rapordaBelgeSorgulaCompletedEventArgs 586	
QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzalaCompletedEventArgs.rapordaBelgeSorgulaComplet edEventArgs.Result 587	QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaComplet edEventArgs.Result	587
QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzalaCompletedEventArgs.rapordaBelgeSorgulaComplet edEventArgs.Result 587	QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaComplet edEventArgs	604
QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzalaCompletedEventArgs.Result 583	QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaComplet edEventArgs	604
QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzalaCompletedEventArgs.Result 604	QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaRespons e	
QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzalaCompletedEventArgs.Result type 604	QNBFinansGIB.GIBEMustahsil.rapordaBelgeSorgulaRespons e.@return	587
QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzalaResponse 583	QNBFinansGIB.GIBEMustahsil.raporDurumSorgula 587	
QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzalaResponse 583	QNBFinansGIB.GIBEMustahsil.raporDurumSorgula.donem 588	
QNBFinansGIB.GIBEMustahsil.raporBolumRaporNoGuncelleImzalaResponse.@return 583	QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaCompleted EventArgs	
QNBFinansGIB.GIBEMustahsil.raporBolumSil 583	QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaCompleted EventArgs.rapordaBelgeSorgulaCompletedEventArgs 588	
QNBFinansGIB.GIBEMustahsil.raporBolumSil.bolumRaporNo 584	QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaCompleted EventArgs.Result	
QNBFinansGIB.GIBEMustahsil.raporBolumSilCompletedEven tArgs 584	QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaCompleted EventArgs.Result	589
QNBFinansGIB.GIBEMustahsil.raporBolumSilCompletedEven tArgs.rapordaBelgeSorgulaCompletedEventArgs 584	QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaCompleted EventArgs	
QNBFinansGIB.GIBEMustahsil.raporBolumSilCompletedEven tArgs.Result 585	QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaCompleted EventArgs	604
QNBFinansGIB.GIBEMustahsil.raporBolumSilCompletedEven tHandler 604	QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaResponse 589	
QNBFinansGIB.GIBEMustahsil.raporBolumSilCompletedEven tHandler type 604	QNBFinansGIB.GIBEMustahsil.raporDurumSorgulaResponse. @return 589	
	QNBFinansGIB.GIBEMustahsil.raporGonder 589	

QNBFinansGIB.GIBEMustahsil.raporGonder.donem 590	QNBFinansGIB.GIBEMustahsil.smsGonder.input 594
QNBFinansGIB.GIBEMustahsil.raporGonderCompletedEventArgs 590	QNBFinansGIB.GIBEMustahsil.smsGonder.tanimliTelefonNo 594
QNBFinansGIB.GIBEMustahsil.raporGonderCompletedEventArgs.raporGonderCompletedEventArgs 590	QNBFinansGIB.GIBEMustahsil.smsGonderCompletedEventArgs 594
QNBFinansGIB.GIBEMustahsil.raporGonderCompletedEventArgs.Result 591	QNBFinansGIB.GIBEMustahsil.smsGonderCompletedEventArgs.Result 595
QNBFinansGIB.GIBEMustahsil.raporGonderCompletedEventArgs.Handler 605	QNBFinansGIB.GIBEMustahsil.smsGonderCompletedEventArgs.Handler 605
QNBFinansGIB.GIBEMustahsil.raporGonderCompletedEventArgs.Handler type 605	QNBFinansGIB.GIBEMustahsil.smsGonderCompletedEventArgs.Handler 605
QNBFinansGIB.GIBEMustahsil.raporGonderResponse 591	QNBFinansGIB.GIBEMustahsil.smsGonderCompletedEventArgs.Handler type 605
QNBFinansGIB.GIBEMustahsil.raporGonderResponse.@return 591	QNBFinansGIB.GIBEMustahsil.smsGonderResponse 595
QNBFinansGIB.GIBEMustahsil.smsDurumSorgula 591	QNBFinansGIB.GIBEMustahsil.smsGonderResponse.@return 596
QNBFinansGIB.GIBEMustahsil.smsDurumSorgula.input 592	QNBFinansGIB.GIBEMustahsil.stringOutputWrapper 596
QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompletedEventArgs 592	QNBFinansGIB.GIBEMustahsil.stringOutputWrapper.@return 596
QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompletedEventArgs.outputDurum 593	QNBFinansGIB.GIBEMustahsil.stringOutputWrapper.output 596
QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompletedEventArgs.Result 593	QNBFinansGIB.GIBUserService 605
QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompletedEventArgs.smsDurumSorgulaCompletedEventArgs 592	QNBFinansGIB.GIBUserService namespace 605
QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompletedEventArgs.Handler 605	Classes 606
QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaCompletedEventArgs.Handler type 605	Types 609
QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaResponse 593	QNBFinansGIB.GIBUserService.logoutCompletedEventArgs 610
QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaResponse.@return 593	QNBFinansGIB.GIBUserService.logoutCompletedEventArgs.Handler 610
QNBFinansGIB.GIBEMustahsil.smsDurumSorgulaResponse.outputDurum 593	QNBFinansGIB.GIBUserService.userService 606
QNBFinansGIB.GIBEMustahsil.smsGonder 593	QNBFinansGIB.GIBUserService.userService.CancelAsync 607
QNBFinansGIB.GIBEMustahsil.smsGonder.ilaveTelefonNo 594	QNBFinansGIB.GIBUserService.userService.logout 607
	QNBFinansGIB.GIBUserService.userService.logoutAsync 607, 608
	QNBFinansGIB.GIBUserService.userService.logoutCompleted 609
	QNBFinansGIB.GIBUserService.userService.Url 609
	QNBFinansGIB.GIBUserService.userService.UseDefaultCredentials

609	QNBFinansGIB.Utils.DisServisler.EFaturaKullanicisiMi 618
QNBFinansGIB.GIBUserService.userService.userService 607	QNBFinansGIB.Utils.DisServisler.EFaturaOnIzleme 619
QNBFinansGIB.GIBUserService.userService.wsLogin 608	QNBFinansGIB.Utils.DisServisler.EMustahsilGonder 620
QNBFinansGIB.GIBUserService.userService.wsLoginAsync 608, 609	QNBFinansGIB.Utils.DisServisler.EMustahsilOnIzleme 621
QNBFinansGIB.GIBUserService.userService.wsLoginComplet ed	QNBFinansGIB.Utils.DisServisler.GetMD5Hash 622
609	QNBFinansGIB.Utils.Enums 622
QNBFinansGIB.GIBUserService.wsLoginCompletedEventHan dler	QNBFinansGIB.Utils.Enums.FaturaTur 623
610	QNBFinansGIB.Utils.Enums.FaturaTur enumeration 623
QNBFinansGIB.GIBUserService.wsLoginCompletedEventHan dler	QNBFinansGIB.Utils.Enums.SatisTur 623
type 610	QNBFinansGIB.Utils.Enums.SatisTur enumeration 623
QNBFinansGIB.Program 684	QNBFinansGIB.Utils.GeriDonus 624
QNBFinansGIB.Properties 610	QNBFinansGIB.Utils.GeriDonus.Dosya 624
QNBFinansGIB.Properties namespace 610	QNBFinansGIB.Utils.GeriDonus.Tip 624
Classes 610	QNBFinansGIB.Utils.MesajSabitler 624
QNBFinansGIB.Properties.Resources 611	QNBFinansGIB.Utils.MesajSabitler.IslamBasarili 625
QNBFinansGIB.Properties.Resources.Culture 612	QNBFinansGIB.Utils.MesajSabitler.IslamBasarisiz 625
QNBFinansGIB.Properties.Resources.ResourceManager 612	QNBFinansGIB.Utils.MesajSabitler.MesajBasligi 625
QNBFinansGIB.Properties.Resources.Resources 611	QNBFinansGIB.Utils.YardimciSınıflar 625
QNBFinansGIB.Properties.Settings 612	QNBFinansGIB.Utils.YardimciSınıflar.EArsivXMLOlustur 626
QNBFinansGIB.Properties.Settings.Default 613	QNBFinansGIB.Utils.YardimciSınıflar.EFaturaXMLOlustur 655
QNBFinansGIB.Properties.Settings.QNBFinansGIB_GIBEArsi v_EarsivWebService	QNBFinansGIB.Utils.YardimciSınıflar.EMustahsilXMLOlustur
613	671
QNBFinansGIB.Properties.Settings.QNBFinansGIB_GIBEArsi v_MustahsilWebService	R
613	RafFiyatGarantili enumeration member 623
QNBFinansGIB.Properties.Settings.QNBFinansGIB_GIBEFat ura_connectorService	raporBolumAI class 157, 570
613	about raporBolumAI class 157, 570
QNBFinansGIB.Properties.Settings.QNBFinansGIB_GIBEMus tahsil_MustahsilWebService	bolumRaporNo 158, 570
613	raporBolumAICompletedEventArgs class 158, 571
QNBFinansGIB.Properties.Settings.QNBFinansGIB_GIBUser Service_userService	@return 159, 571
614	about raporBolumAICompletedEventArgs class 158, 571
QNBFinansGIB.sln 721	raporBolumAICompletedEventArgs 158, 571
QNBFinansGIB.Utils 614	Result 159, 571
QNBFinansGIB.Utils namespace 614	raporBolumBilgisiAI class 159, 572
Classes 614	about raporBolumBilgisiAI class 159, 572
QNBFinansGIB.Utils.DisServisler 615	bolumRaporNo 159, 572
QNBFinansGIB.Utils.DisServisler.EArsivGonder 615	raporBolumBilgisiAICompletedEventArgs class 159, 572
QNBFinansGIB.Utils.DisServisler.EArsivOnIzleme 616	about raporBolumBilgisiAICompletedEventArgs class
QNBFinansGIB.Utils.DisServisler.EFaturaGonder 617	159, 572
	raporBolumBilgisiAICompletedEventArgs 160, 573
	Result 160, 573

raporBolumBilgisiAISResponse class 160, 573
 @return 161, 573
 about raporBolumBilgisiAISResponse class 160, 573

raporBolumDTO class 161, 574
 about raporBolumDTO class 161, 574
 baslangicTarihi 161, 574
 bitisTarihi 162, 574
 bolumNo 162, 574
 bolumNoSpecified 162, 575
 bolumRaporNo 162, 575
 durum 162, 575
 durumAciklama 162, 575
 durumKodu 162, 575
 sonIslemeZamani 162, 575

raporBolumleriOlustur class 162, 575
 about raporBolumleriOlustur class 162, 575
 donem 163, 576
 input 163, 576
 sonGun 163, 576

raporBolumleriOlusturCompletedEventArgs class 163, 576
 about raporBolumleriOlusturCompletedEventArgs class 163, 576
 raporBolumleriOlusturCompletedEventArgs 164, 577
 Result 164, 577

raporBolumleriOlusturResponse class 164, 577
 @return 165, 577
 about raporBolumleriOlusturResponse class 164, 577

raporBolumListesiDetayliSorgula class 165, 578
 about raporBolumListesiDetayliSorgula class 165, 578
 donem 165, 578

raporBolumListesiDetayliSorgulaCompletedEventArgs class 165, 578
 about raporBolumListesiDetayliSorgulaCompletedEventArgs class 165, 578
 output 166, 579
 raporBolumListesiDetayliSorgulaCompletedEventArgs 166, 579
 Result 166, 579

raporBolumListesiDetayliSorgulaResponse class 166, 579
 @return 167, 580
 about raporBolumListesiDetayliSorgulaResponse class 166, 579

output 167, 580
 raporBolumListesiSorgula class 167, 580
 about raporBolumListesiSorgula class 167, 580
 donem 167, 580

raporBolumListesiSorgulaCompletedEventArgs class 168, 580
 @return 168, 581
 about raporBolumListesiSorgulaCompletedEventArgs class 168, 580
 raporBolumListesiSorgulaCompletedEventArgs 168, 581
 Result 169, 581

raporBolumListesiSorgulaWithInput class 169
 about raporBolumListesiSorgulaWithInput class 169
 donem 169
 input 169

raporBolumListesiSorgulaWithInputCompletedEventArgs class 169
 @return 170
 about
 raporBolumListesiSorgulaWithInputCompletedEventArgs class 169
 raporBolumListesiSorgulaWithInputCompletedEventArgs 170
 Result 170

raporBolumRaporNoGuncellelmzala class 170, 581
 about raporBolumRaporNoGuncellelmzala class 170, 581
 bolumRaporNo 171, 582

raporBolumRaporNoGuncellelmzalaCompletedEventArgs class 171, 582
 about
 raporBolumRaporNoGuncellelmzalaCompletedEventArgs class 171, 582
 raporBolumRaporNoGuncellelmzalaCompletedEventArgs 172, 582
 Result 172, 583

raporBolumRaporNoGuncellelmzalaResponse class 172, 583
 @return 172, 583
 about raporBolumRaporNoGuncellelmzalaResponse class 172, 583

raporBolumSil class 173, 583
 about raporBolumSil class 173, 583
 bolumRaporNo 173, 584

raporBolumSilCompletedEventArgs class 173, 584
 about raporBolumSilCompletedEventArgs class 173, 584
 raporBolumSilCompletedEventArgs 174, 584

Result 174, 585
raporBolumSilResponse class 174, 585
 @return 174, 585
 about **raporBolumSilResponse** class 174, 585
rapordaBelgeSorgula class 585
 about **rapordaBelgeSorgula** class 585
 586
rapordaBelgeSorgulaCompletedEventArgs class 586
 about **rapordaBelgeSorgulaCompletedEventArgs** class 586
rapordaBelgeSorgulaCompletedEventArgs 586
 Result 587
rapordaBelgeSorgulaResponse class 587
 @return 587
 about **rapordaBelgeSorgulaResponse** class 587
rapordaFaturaSorgula class 175
 about **rapordaFaturaSorgula** class 175
 175
rapordaFaturaSorgulaCompletedEventArgs class 175
 about **rapordaFaturaSorgulaCompletedEventArgs** class 175
rapordaFaturaSorgulaCompletedEventArgs 176
 Result 176
rapordaFaturaSorgulaResponse class 176
 @return 176
 about **rapordaFaturaSorgulaResponse** class 176
raporDurumSorgula class 177, 587
 about **raporDurumSorgula** class 177, 587
 donem 177, 588
raporDurumSorgulaCompletedEventArgs class 177, 588
 about **raporDurumSorgulaCompletedEventArgs** class 177, 588
raporDurumSorgulaCompletedEventArgs 178, 588
 Result 178, 589
raporDurumSorgulaResponse class 178, 589
 @return 178, 589
 about **raporDurumSorgulaResponse** class 178, 589
raporGonder class 179, 589
 about **raporGonder** class 179, 589
 donem 179, 590
raporGonderCompletedEventArgs class 179, 590
 about **raporGonderCompletedEventArgs** class 179, 590
raporGonderCompletedEventArgs 180, 590
 Result 180, 591
raporGonderResponse class 180, 591
 @return 180, 591
 about **raporGonderResponse** class 180, 591
Reference.cs 721
Resources class 611
 about **Resources** class 611
Culture 612
ResourceManager 612
Resources 611
Resources.Designer.cs 724

S

Satis enumeration member 623
serviceReturnType class 181, 443
 about **serviceReturnType** class 181, 443
servisSaglayicidanEpostaDurumSorgula class 181
 about **servisSaglayicidanEpostaDurumSorgula** class 181
 181
servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs class 181
 @return 182
 about
 servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs class 181
 182
outputEposta 182
Result 183
servisSaglayicidanEpostaDurumSorgulaCompletedEventArgs 182
Settings class 612
 about **Settings** class 612
Default 613
QNBFinansGIB_GIBEArsiv_EarsivWebService 613
QNBFinansGIB_GIBEArsiv_MustahsilWebService 613
QNBFinansGIB_GIBEFatura_connectorService 613
QNBFinansGIB_GIBEMustahsil_MustahsilWebService 613
QNBFinansGIB_GIBUserService_userService 614
Settings.Designer.cs 726
SMM enumeration member 452

smsDurumSorgula class	183, 591	445
about smsDurumSorgula class	183, 591	Result 446
input	183, 592	toplumBelgeSayisiGetirCompletedEventArgs 446
smsDurumSorgulaCompletedEventArgs class	183, 592	toplumFaturaPaketDosyaGonder class 188
about smsDurumSorgulaCompletedEventArgs class	183, 592	about toplumFaturaPaketDosyaGonder class 188
outputDurum	184, 593	input 188
Result	184, 593	paketDosyasiZip 188
smsDurumSorgulaCompletedEventArgs	184, 592	toplumFaturaPaketDosyaGonderCompletedEventArgs class
smsDurumSorgulaResponse class	184, 593	188
@return	185, 593	about
about smsDurumSorgulaResponse class	184, 593	toplumFaturaPaketDosyaGonderCompletedEventArgs
outputDurum	185, 593	class 188
smsGonder class	185, 593	Result 189
about smsGonder class	185, 593	toplumFaturaPaketDosyaGonderCompletedEventArgs 189
ilaveTelefonNo	185, 594	toplumFaturaPaketDosyaGonderResponse class 189
input	185, 594	@return 190
tanimliTelefonNoyaGonder	186, 594	about toplumFaturaPaketDosyaGonderResponse class 189
smsGonderCompletedEventArgs class	186, 594	toplumFaturaPaketDosyasiSorgula class 190
about smsGonderCompletedEventArgs class	186, 594	about toplumFaturaPaketDosyasiSorgula class 190
Result	186, 595	input 190
smsGonderCompletedEventArgs	186, 595	toplumFaturaPaketDosyasiSorgulaCompletedEventArgs class
smsGonderResponse class	187, 595	190
@return	187, 596	@return 191
about smsGonderResponse class	187, 595	about
stringOutputWrapper class	187, 596	toplumFaturaPaketDosyasiSorgulaCompletedEventArgs
@return	188, 596	class 190
about stringOutputWrapper class	187, 596	Result 191
output	188, 596	toplumFaturaPaketDosyasiSorgulaCompletedEventArgs
topluFaturaPaketOnayla class		191
about topluFaturaPaketOnayla class		toplumFaturaPaketOnayla class 192
input	192	about topluFaturaPaketOnayla class 192
topluFaturaPaketOnaylaCompletedEventArgs class		input 192
about topluFaturaPaketOnaylaCompletedEventArgs		toplumFaturaPaketOnaylaCompletedEventArgs class 192
class	192	about topluFaturaPaketOnaylaCompletedEventArgs
Result	193	class 192
temelKontrollerIleBelgeGonderCompletedEventArgs		Result 193
445		toplumFaturaPaketOnaylaCompletedEventArgs 193
topluFaturaPaketOnaylaResponse class		toplumFaturaPaketOnaylaResponse class 193
@return	193	@return 193
about topluFaturaPaketOnaylaResponse class		about topluFaturaPaketOnaylaResponse class 193
193		toplumFaturaPaketSorgula class 194
topluFaturaPaketSorgula class		about topluFaturaPaketSorgula class 194
about topluFaturaPaketSorgula class		input 194
194		toplumFaturaPaketSorgulaCompletedEventArgs class 194

@return 195	wsKullanicisiKaydetCompletedEventArgs 449
about topluFaturaPaketSorgulaCompletedEventArgs class 194	
Result 195	X
topluFaturaPaketSorgulaCompletedEventArgs 195	XML enumeration member 198
U	Y
UBL enumeration member 198, 597	yapilandirmaAyarlariAI class 195
ublOnizlemeCompletedEventArgs class 446	about yapilandirmaAyarlariAI class 195
about ublOnizlemeCompletedEventArgs class 446	input 196
Result 447	yapilandirmaAyarlariAICompletedEventArgs class 196
ublOnizlemeCompletedEventArgs 446	about yapilandirmaAyarlariAICompletedEventArgs class 196
urunSablonlariniAICompletedEventArgs class 447	outputYapilandirma 197
about urunSablonlariniAICompletedEventArgs class 447	Result 197
Result 448	yapilandirmaAyarlariAICompletedEventArgs 196
urunSablonlariniAICompletedEventArgs 447	yapilandirmaAyarlariAIResponse class 197
userService class 606	@return 197
about userService class 606	about yapilandirmaAyarlariAIResponse class 197
CancelAsync 607	outputYapilandirma 197
logout 607	YardimciSiniflar class 625
logoutAsync 607, 608	about YardimciSiniflar class 625
logoutCompleted 609	EArsivXMLOlustur 626
Url 609	EFaturaXMLOlustur 655
UseDefaultCredentials 609	EMustahsilXMLOlustur 671
userService 607	YardimciSiniflar.cs 727
wsLogin 608	yereleAktarilacakBelgeleriAICompletedEventArgs class 449
wsLoginAsync 608, 609	about yereleAktarilacakBelgeleriAICompletedEventArgs class 449
wsLoginCompleted 609	Result 450
V	yereleAktarilacakBelgeleriAICompletedEventArgs 450
Vadeli enumeration member 623	yereleAktarilacakBelgeleriAIExtCompletedEventArgs class 450
W	about
wsKullaniciBilgileri class 448	yereleAktarilacakBelgeleriAIExtCompletedEventArgs class 450
about wsKullaniciBilgileri class 448	Result 451
kullaniciKodu 448	yereleAktarilacakBelgeleriAIExtCompletedEventArgs 451
sifre 448	
wsKullanicisiKaydetCompletedEventArgs class 448	
about wsKullanicisiKaydetCompletedEventArgs class 448	
Result 449	