
Table of Contents

.....	1
.....	1
INITIALIZATION	1
.....	2
CALCULATIONS	2
.....	2
OUTPUTS	2
COMMAND WINDOW OUTPUTS	2
.....	2
ACADEMIC INTEGRITY STATEMENT	2

```
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
% ENGR 133
% Program Description
%
%
% Assignment Information
%   Assignment:      Ma3_Task 1
%   Author:          Yolanda, chen3633@purdue.edu
%   Team ID:         LC1-15
%   Contributor:     Collin Gernhardt, cgernhar@purdue.edu
%                   Rachel Evrard, revrard@purdue.edu
%                   Jonathan Budiman, jbudiman@purdue.edu
%   My contributor(s) helped me:
%       [ ] understand the assignment expectations without
%           telling me how they will approach it.
%       [ ] understand different ways to think about a solution
%           without helping me plan my solution.
%       [ ] think through the meaning of a specific error or
%           bug present in my code without looking at my code.
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
```

INITIALIZATION

```
s = 50;
w = 60;
Aconst = 0.75;
vert = 45*(180/pi);
slatAng = 30*(180/pi);
```

CALCULATIONS

```
[F1, F2, F3] = Ma3_Task4_fractions_chen3633(slatAng, s, w);  
b = Ma3_Task4_transmission_chen3633(F1, F2, F3, slatAng, w, s, vert,  
Aconst);  
c = Ma3_Task4_absorb_chen3633(F2, vert, slatAng, Aconst, s, w);
```

OUTPUTS

```
fprintf("The transmission value for Blind 1 at setting 1 is %f.\n", b)  
fprintf("The absorption value for Blind 1 at setting 1 is %f\n",c)  
%%
```

```
The transmission value for Blind 1 at setting 1 is 0.108569.  
The absorption value for Blind 1 at setting 1 is 0.827630
```

COMMAND WINDOW OUTPUTS

```
%setting 1  
%The transmission value for Blind 1 at setting 1 is 0.108569.  
%The absorption value for Blind 1 at setting 1 is 0.827630  
%setting 2  
%The transmission value for Blind 1 at setting 1 is -0.927919.  
%The absorption value for Blind 1 at setting 1 is 1.380940  
%setting 3  
%The transmission value for Blind 1 at setting 1 is 1.186630.  
%The absorption value for Blind 1 at setting 1 is -0.136585  
%
```

ACADEMIC INTEGRITY STATEMENT

I have not used source code obtained from any other unauthorized source, either modified or unmodified. Neither have I provided access to my code to another. The project I am submitting is my own original work.

Published with MATLAB® R2020b