Relations between & operations on sets

Methods: Logic, Part 1b

Michael Franke

Content covered

- relations between sets:
  - (proper) subset (proper) superset
- operations on sets:
  - power set
  - logical operations:
    - intersection
   - union
    - difference
    - complement

Subsets

For any two sets X and Y, X is a **subset** of Y if all elements of X are also elements of Y.

If X is a subset of Y, we write: $X \subseteq Y$.

If X is not a subset of Y, we write: $X \nsubseteq Y$.

Example 1: $A \subseteq B$

Subsets

For any two sets X and Y, X is a **subset** of Y if all elements of X are also elements of Y.

If X is a subset of Y, we write: $X \subseteq Y$.

If X is not a subset of Y, we write: $X \nsubseteq Y$.

Example 2: $C \nsubseteq B$

Proper subsets

For any two sets X and Y, X is a **proper subset** of Y if all elements of X are also elements of Y and there is at least one element $y \in Y$ such that $y \notin Y$.

If X is a proper subset of Y, we write: $X \subset Y$.

If X is not a proper subset of Y, we write: $X \not\subset Y$.

Example 3: $A \subset B$

Proper subsets

For any two sets X and Y, X is a **proper subset** of Y if all elements of X are also elements of Y and there is at least one element $y \in Y$ such that $y \notin Y$.

If X is a proper subset of Y, we write: $X \subset Y$.

If X is not a proper subset of Y, we write: $X \not\subset Y$.

Example 4: $B \not\subset B$ **(but** $B \subseteq B$**)**

Superset and proper supersets

If X is a (proper) subset of Y, then Y is a **(proper) superset** of X.
If Y is a superset of X, we write: $X \subseteq Y$ or $Y \supseteq X$.

Power set

The **power set** $\mathcal{P}(X)$ of X is the set of all subsets of X:

$\mathcal{P}(X) = \{Y \mid Y \subseteq X\}$

Example 5:

$X = \{a, b\}$

$\mathcal{P}(X) = \{\emptyset, \{a\}, \{b\}, \{a, b\}\}$

Logical operations on sets

$$X \cap Y = \{z \mid z \in X \text{ and } z \in Y\} \qquad \text{[intersection]}$$
$$X \cup Y = \{z \mid z \in X \text{ or } z \in Y\} \qquad \text{[union]}$$
$$X \setminus Y = \{z \mid z \in X \text{ and } z \notin Y\} \qquad \text{[difference]}$$
$$\overline{X} = \{z \in U \mid z \notin X\} \qquad \text{[complement]}$$

Example: Intersection

Example: Union

Example: Difference

Example 8: $C \setminus B = \{h\}$ **and** $B \setminus C = \varnothing$

Example: Complement

B

C

c d e

h

j

b

f

i

a

g