Emacs


(I'm past the first level but haven't beaten it yet)

Vim is a good Editor

- It is (I've used it for 15+ years)
- Emacs isn't the only game in town
- Learning Vim is good for your Geek Soul
- Some IDEs are good

But, We're Here For

Emacs



Richard Stallman

- Core Contributor to Emacs
- Invented Copyleft
- •GNU
- Your Patron Saint
- Regardless of what else you may think, he's done us a great service

What's in it for me?

- Get Up and Running With Emacs
- Clojure + SLIME
- Emacs will serve you for _years

No One <u>Uses</u> Emacs

- You <u>Extend</u> it
- Yes, this means you will learn Emacs Lisp
- elisp is Not Elegant, but it Works
- Editors and IDEs that You can't Extend at runtime will annoy the crap out of you because...

They Suck.

Where?

- Linux: apt-get install emacs
- OS X:Aquamacs
- Windows: Clojure-Box
- http://gnu.org/software/emacs

Do this Right Now

What?

- mkdir -p ~/personal/projects/
- cd ~/personal/projects/
- git clone git://github.com/kyleburton/krbemacs.git
- In -s ~/personal/projects/krbemacs/.emacs ~/.emacs

Do this Right Now

That's It

(if I did things right)

Excited?

(no? go sit on your .vimrc)

Oh yeah: Clojure

- cd ~/personal/projects
- git clone git://github.com/kyleburton/sandbox.git
- cd sandbox
- bash bin/install
- http://github.com/richhickey/clojure/tree/ master
- http://github.com/richhickey/clojure-master/ tree/master

Mea Carpal! [Tunnel]

- M -> 'Meta' aka ALT
- C -> Control
- Repeat after me:
 - Control-H question mark

Help

- Did you Remember? "C-h?"
- I'm lost: C-g (cancel, get me outahere)
- C-h m -> help on current mode
- C-h a -> apropos
- C-h f -> function
- C-h k -> What does 'M-C-R C-%28x' do?

But This Sucks!

• No it doesn't, you just have to *learn*, you impatient clod. Be patient. Ask questions.



Ceiling Cat wundrz: why U not do twotorial?

So How do IX?

- Undo: C-_ (control shift underscore)
- Top/Bottom: M-<, M->
- Forward/Backward: C-f, C-b, M-f, M-b
- Open File: C-x C-f
- Save File: C-x C-s

So How do IX?

- Delete: C-d, M-d, C-k, M-<backspace>
- Repeat: C-u <number> <<something>>
- Keyboard Macros: C-x (, C-x), C-x e
- Search: C-s, C-r
- Line: C-a, C-e

So How do IX?

- Windows: C-x 2, C-x 3, C-x o C-x 1, C-x 0
- Buffers: C-x b, C-x k
- Prev/Next: C-p, C-n, in minibuffer: M-p, M-n
- Completion: M-/, <tab> (in minibuffer)

You don't know the half of it

- Do the tutorial
- Ask questions
 - We're friendly
 - We won't bite
 - Everyone will learn
- Download a Quick Ref Card

Run SLIME

- M-- M-x slime^M
- clojure^M

Houston We've got Repl

SLIME

- Load/Compile File: C-x C-l
- Execute Form: C-x C-e

Paredit

- Can't type invalid syntax (teh hotness)
- M-O a (M-<left>), 'pop' out one level
- M-O c (M-<right>), 'push' closing paren fwd
- M-O d (M-<down>), 'break' into 2 exprs
- Lots more, read: C-h m

nan (You!