





Sound output circuit taken from <https://hw.speccy.cz/melodik2.html>
by way of <https://github.com/electrified/rc2014-ym2149/blob/main/README.md>





BITSY Mark I is a single board computer based around an MC68000 CPU.
© 2025 Rob Gowin
https://github.com/codesmythe/BITSY_MK_I
Licensed under CC-BY-SA-NC 4.0.

Sheet: /PSG_NOPP/
File: PSG_NOPP.kicad_sch

Title: BITSY Mark I – An MC68000 Single Board Computer

Size: A	Date: 2025-11-09	Rev: V1E
KiCad E.D.A. 8.0.9		Id: 3/8






We'll generate IORQ for FF xxxx, which catches all our peripherals except IDE.

BITSY Mark I is a single board computer based around an MC68000 CPU.
 © 2025 Rob Gowin
https://github.com/codesmythe/BITSY_MK_I
 Licensed under CC-BY-SA-NC 4.0.

Sheet: /CONTROL/
 File: CONTROL.kicad_sch

Title: BITSY Mark I – An MC68000 Single Board Computer

Size: A	Date: 2025-11-09	Rev: V1E
KiCad E.D.A. 8.0.9		Id: 6/8




BITSY Mark I is a single board computer based around an MC68000 CPU.
 © 2025 Rob Gowin
https://github.com/codesmythe/BITSY_MK_I
 Licensed under CC-BY-SA-NC 4.0.

Sheet: /RCBUS/
 File: RCBUS40-Z80.kicad_sch

Title: BITSY Mark I – An MC68000 Single Board Computer

Size: A	Date: 2025-11-09	Rev: V1E
KiCad E.D.A. 8.0.9		Id: 7/8



BITSY Mark I is a single board computer based around an MC68000 CPU.
 © 2025 Rob Gowin
https://github.com/codesmythe/BITSY_MK_I
 Licensed under CC-BY-SA-NC 4.0.

Sheet: /IDE/
 File: IDE.kicad_sch

Title: BITSY Mark I – An MC68000 Single Board Computer

Size: A	Date: 2025-11-09	Rev: V1E
KiCad E.D.A. 8.0.9		Id: 9/8