

OFF-PAGE AUTOMATION · PREPARED FOR XEGENTS

Citations & Web 2.0

How the automation builds real directory listings and web-property backlinks — what runs on its own, what needs one human click, and exactly what accounts must be created.

Built + deployed live · qanry.com dashboard

20 web 2.0 articles live · 26 citation accounts built

HOW YOU RUN IT

Browser or Claude Code?

Both drive the **same engine**. The heavy automation (signup, captcha-solving, email-verify, publishing) always runs **server-side** — never inside your browser tab. You just trigger and monitor.



The web dashboard

best for daily use

- **Yes, it works in the browser** — this is the main control surface for your team.
- Trigger a citation campaign or web2 publish, watch progress, review + approve.
- The new **“Ready to finish” queue** shows every prepared account + its login.
- No technical skill needed — point, click, approve.



Claude Code power / automation

- The same jobs as slash-commands (**/citation-submit**, **/content...**).
- Best for bulk runs, scripting, and the **local finish tool**.
- Runs the one job a browser can't: opening a real logged-in window to finish a listing.

The one thing the hosted browser can't do — and the fix

A hosted dashboard can't hold a live, logged-in browser session open for a directory. So the **final “click Publish”** on the directories that block full automation runs **locally** — either you open the directory yourself with the login we provide, or you run **one command** (`python tools/finish_citation.py`) which opens a real browser already logged in and pauses for your click. Everything up to that click is automated.

Server

Signup · captcha · verify · publish (automated)

Browser

Trigger · monitor · approve · the finish queue


Local

The final human “Publish” click (headed browser)

CITATIONS

The citation flow

A citation is your business listed on a directory with an exact, consistent **Name · Address · Phone · Website**. Consistency across many directories is what lifts local rankings.



What this build already produced

84

directories wired with real
signup URLs

26

accounts created +
prepared (US/UK/CA/AU)

15

captchas auto-solved
during the run

Web-property backlinks

A web 2.0 property is a real article on a high-authority platform (dev.to, Mastodon, Telegra.ph...) carrying one editorial link back to the site. **20 are already live.** Extending to “one per platform” depends on account creation — and most platforms block automated signup on purpose.

PLATFORM	STATUS	ACCOUNT CREATION NEEDED
Telegra.ph	Live	None — anonymous API
dev.to · Mataroa · Mastodon · Micro.blog	Live	House accounts already set — publishing now
WordPress.com · Tumblr	Manual	Register a developer OAuth app → user token
Blogger	Manual	Google account → Blogger API OAuth
GitHub Pages · GitLab Pages	Manual	Access token (repo / api scope) + a repo/project
Hashnode · Hatena · Ghost	Manual	Sign up → personal API token
LiveJournal · Dreamwidth	Manual	Signup (captcha / invite code) → user + password
Medium	N/A	Publish API retired by Medium

Why not just auto-create them all?

Every serious platform now defends signup against bots (Write.as returns “Bot detected”, Blogger needs a Google login, WordPress.com/Tumblr require a registered OAuth app, Dreamwidth needs an invite code). This is the same wall every citation tool hits. The **publisher for all 17 is already built** — the moment an account’s token is pasted into the config, that platform publishes. So the one-time work is **creating each account by hand** (2 minutes each), using the shared catch-all email for verification.

Easy platforms worth adding next (open API, minimal friction)

JustPaste.it · additional Mastodon/Fediverse instances · Notion public pages · Hashnode · Bear Blog · additional WriteFreely hosts. Each is a short publisher add-on; the platform list is data-driven, so new platforms slot in without re-engineering the pipeline.

What to provide, once

A short one-time checklist unlocks the remaining platforms. Every token is pasted into one config value and the system takes over from there.

For web 2.0 (one-time per platform)

- **WordPress.com** — create an app at developer.wordpress.com → OAuth token + your blog address.
- **Tumblr** — register an app at tumblr.com/oauth/apps → token + blog name.
- **GitHub / GitLab Pages** — a token with write scope + a repo / project id.
- **Hashnode / Ghost / Hatena** — sign up, copy the personal API key.

For citations (already handled)

- The client's **real, exact NAP** — the one thing we never invent.
- The shared **catch-all mailbox** — already live on qanry.com.
- The captcha-solver + proxy — already wired and working.
- Nothing else — the accounts + listings build themselves.

Live right now

20

web 2.0 articles published,
each with a backlink

26

directory accounts
created + ready to finish

1-click

local tool finishes each
handoff listing

The bottom line

Everything up to the final “Publish” is automated end-to-end. The last click exists only where a platform deliberately blocks bots — and it's a genuine one-click, done in your browser or by a single local command. Provide the handful of platform tokens once, and both citations and web 2.0 run at scale.