

SikGu!

Table of Contents

1. Board Controller.....	1
1.1. POST □□□ □□.....	1
1.2. GET □□□ □□.....	3
1.3. GETS □□□ □□ □□.....	5
1.4. PATCH □□□ □□.....	7
1.5. DELETE □□□ □□.....	10

v1.0.0, 2023.05.17

1. Board Controller

1.1. POST □□□ □□

curl-request

```
$ curl 'http://localhost:8080/boards?_csrf=c7ed8a52-431a-47d2-850f-c49ea4fc0cbf' -i -X POST \
-H 'Content-Type: application/json;charset=UTF-8' \
-H 'Accept: application/json' \
-H 'Authorization: Bearer test-token' \
-d '{
  "title" : "□□",
  "body" : "□□",
  "total" : 4,
  "passedGender" : "ANY",
  "mealTime" : "2023-05-25T13:30:00"
}'
```

httpie-request

```
$ echo '{
  "title" : "□□",
  "body" : "□□",
  "total" : 4,
  "passedGender" : "ANY",
  "mealTime" : "2023-05-25T13:30:00"
}' | http POST 'http://localhost:8080/boards?_csrf=c7ed8a52-431a-47d2-850f-c49ea4fc0cbf' \
  'Content-Type:application/json;charset=UTF-8' \
```

```
'Accept:application/json' \
'Authorization:Bearer test-token'
```

http-request

```
POST /boards?_csrf=c7ed8a52-431a-47d2-850f-c49ea4fc0cbf HTTP/1.1
Content-Type: application/json;charset=UTF-8
Accept: application/json
Authorization: Bearer test-token
Content-Length: 124
Host: localhost:8080
```

```
{
  "title" : "",
  "body" : "",
  "total" : 4,
  "passedGender" : "ANY",
  "mealTime" : "2023-05-25T13:30:00"
}
```

request-body

```
{
  "title" : "",
  "body" : "",
  "total" : 4,
  "passedGender" : "ANY",
  "mealTime" : "2023-05-25T13:30:00"
}
```

Table 1. request-fields

Path	Type	Description
title	String	□□□ □□
body	String	□□□ □□
total	Number	□□□ □ □□
passedGender	String	□□□ □□ □□
mealTime	String	□□ □□

http-response

```
HTTP/1.1 201 Created
Content-Type: application/json
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
```

Expires: 0
X-Frame-Options: DENY
Content-Length: 227

```
{
  "memberId" : 1,
  "boardId" : 1,
  "title" : "",
  "body" : "",
  "createdAt" : "2023-05-17T17:06:57.664322",
  "updatedAt" : null,
  "total" : 4,
  "passedGender" : "ANY",
  "mealTime" : "2023-05-25T13:30:00"
}
```

response-body

```
{
  "memberId" : 1,
  "boardId" : 1,
  "title" : "",
  "body" : "",
  "createdAt" : "2023-05-17T17:06:57.664322",
  "updatedAt" : null,
  "total" : 4,
  "passedGender" : "ANY",
  "mealTime" : "2023-05-25T13:30:00"
}
```

Table 2. request-headers

Name	Description
Authorization	Bearer token

1.2. GET /boards/1

curl-request

```
$ curl 'http://localhost:8080/boards/1' -i -X GET \
  -H 'Authorization: Bearer test-token' \
  -H 'Accept: application/json'
```

httpie-request

```
$ http GET 'http://localhost:8080/boards/1' \
  'Authorization:Bearer test-token' \
  'Accept:application/json'
```

http-request

```
GET /boards/1 HTTP/1.1
Authorization: Bearer test-token
Accept: application/json
Host: localhost:8080
```

Table 3. request-headers

Name	Description
Authorization	认证令牌

request-body

http-response

```
HTTP/1.1 200 OK
Content-Type: application/json
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
X-Frame-Options: DENY
Content-Length: 235

{
  "memberId" : 1,
  "boardId" : 1,
  "title" : "测试标题",
  "body" : "测试内容",
  "createdAt" : "2023-05-20T13:30:00",
  "updatedAt" : null,
  "total" : 3,
  "passedGender" : "MALE",
  "mealTime" : "2023-05-21T14:00:00"
}
```

response-body

```
{
  "memberId" : 1,
  "boardId" : 1,
  "title" : "测试标题",
  "body" : "测试内容",
  "createdAt" : "2023-05-20T13:30:00",
  "updatedAt" : null,
  "total" : 3,
```

```
"passedGender" : "MALE",
"mealTime" : "2023-05-21T14:00:00"
}
```

Table 4. response-fields

Path	Type	Description
memberId	Number	멤버 ID
boardId	Number	board ID
title	String	제목
body	String	내용
createdAt	String	생성 시간
updatedAt	Null	수정 시간
total	Number	총 개수
passedGender	String	성별
mealTime	String	식사 시간

Table 5. /boards/{board-id}

Parameter	Description
board-id	board ID

1.3. GETS 요청 방법

curl-request

```
$ curl 'http://localhost:8080/boards' -i -X GET \
-H 'Authorization: Bearer test-token' \
-H 'Accept: application/json'
```

httpie-request

```
$ http GET 'http://localhost:8080/boards' \
'Authorization:Bearer test-token' \
'Accept:application/json'
```

http-request

```
GET /boards HTTP/1.1
Authorization: Bearer test-token
Accept: application/json
Host: localhost:8080
```

request-body

Table 6. request-headers

Name	Description
Authorization	토큰 값

http-response

```
HTTP/1.1 200 OK
Content-Type: application/json
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
X-Frame-Options: DENY
Content-Length: 454
```

```
[ {
  "memberId" : 1,
  "boardId" : 1,
  "title" : "001",
  "body" : "001",
  "createdAt" : "2023-05-20T13:30:00",
  "updatedAt" : null,
  "total" : 3,
  "passedGender" : "MALE",
  "mealTime" : "2023-05-21T14:00:00"
}, {
  "memberId" : 2,
  "boardId" : 3,
  "title" : "002",
  "body" : "002",
  "createdAt" : "2023-05-20T13:30:00",
  "updatedAt" : null,
  "total" : 4,
  "passedGender" : "FEMALE",
  "mealTime" : "2023-05-21T14:00:00"
} ]
```

Table 7. response-fields

Path	Type	Description
[].memberId	Number	회원 번호
[].boardId	Number	게시판 번호
[].title	String	제목

Path	Type	Description
[].body	String	□□□ □□
[].createdAt	String	□□□ □□□
[].updatedAt	Null	□□□ □□□
[].total	Number	□□□ □
[].passedGender	String	□□□ □□ □□
[].mealTime	String	□□ □□

response-body

```
[ {
  "memberId" : 1,
  "boardId" : 1,
  "title" : "□□1",
  "body" : "□□1",
  "createdAt" : "2023-05-20T13:30:00",
  "updatedAt" : null,
  "total" : 3,
  "passedGender" : "MALE",
  "mealTime" : "2023-05-21T14:00:00"
}, {
  "memberId" : 2,
  "boardId" : 3,
  "title" : "□□2",
  "body" : "□□2",
  "createdAt" : "2023-05-20T13:30:00",
  "updatedAt" : null,
  "total" : 4,
  "passedGender" : "FEMALE",
  "mealTime" : "2023-05-21T14:00:00"
} ]
```

1.4. PATCH □□□ □□

curl-request

```
$ curl 'http://localhost:8080/boards/1?_csrf=7cad8f99-76e7-4b45-9cfb-fa524eb1bafc' -i
-X PATCH \
  -H 'Content-Type: application/json;charset=UTF-8' \
  -H 'Accept: application/json' \
  -H 'Authorization: Bearer test-token' \
  -d '{
    "boardId" : 1,
    "title" : "□□",
    "body" : "□□",
    "total" : 4,
```

```
"passedGender" : "ANY",
"mealTime" : "2023-05-20T13:30:00"
}'
```

httpie-request

```
$ echo '{
  "boardId" : 1,
  "title" : " ",
  "body" : " ",
  "total" : 4,
  "passedGender" : "ANY",
  "mealTime" : "2023-05-20T13:30:00"
}' | http PATCH 'http://localhost:8080/boards/1?_csrf=7cad8f99-76e7-4b45-9cfb-
fa524eb1bafc' \
  'Content-Type:application/json;charset=UTF-8' \
  'Accept:application/json' \
  'Authorization:Bearer test-token'
```

http-request

```
PATCH /boards/1?_csrf=7cad8f99-76e7-4b45-9cfb-fa524eb1bafc HTTP/1.1
Content-Type: application/json;charset=UTF-8
Accept: application/json
Authorization: Bearer test-token
Content-Length: 141
Host: localhost:8080

{
  "boardId" : 1,
  "title" : " ",
  "body" : " ",
  "total" : 4,
  "passedGender" : "ANY",
  "mealTime" : "2023-05-20T13:30:00"
}
```

Table 8. request-headers

Name	Description
Authorization	Bearer test-token

request-body

```
{
  "boardId" : 1,
  "title" : " ",
  "body" : " ",
  "total" : 4,
```



```

"passedGender" : "ANY",
"mealTime" : "2023-05-20T13:30:00"
}

```

Table 9. request-fields

Path	Type	Description
boardId	Number	판 번호
title	String	제목
body	String	내용
total	Number	총 게시물 수
passedGender	String	성별
mealTime	String	식사 시간

http-response

```

HTTP/1.1 200 OK
Content-Type: application/json
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
X-Frame-Options: DENY
Content-Length: 249

{
  "memberId" : 1,
  "boardId" : 1,
  "title" : "제목",
  "body" : "내용",
  "createdAt" : "2023-05-17T17:06:57.6134",
  "updatedAt" : "2023-05-17T17:06:57.61341",
  "total" : 3,
  "passedGender" : "MALE",
  "mealTime" : "2023-05-20T13:30:00"
}

```

response-body

```

{
  "memberId" : 1,
  "boardId" : 1,
  "title" : "제목",
  "body" : "내용",
  "createdAt" : "2023-05-17T17:06:57.6134",
  "updatedAt" : "2023-05-17T17:06:57.61341",

```

```

"total" : 3,
"passedGender" : "MALE",
"mealTime" : "2023-05-20T13:30:00"
}

```

Table 10. response-fields

Path	Type	Description
memberId	Number	회원 번호
boardId	Number	게시판 번호
title	String	제목
body	String	내용
createdAt	String	생성 일자
updatedAt	String	수정 일자
total	Number	게시판 글 개수
passedGender	String	성별
mealTime	String	식사 시간

Table 11. /boards/{board-id}

Parameter	Description
board-id	게시판 번호

1.5. DELETE 게시판 글

curl-request

```

$ curl 'http://localhost:8080/boards/1?_csrf=c5a470b1-4162-46dd-b785-144d647f82dc' -i
-X DELETE \
  -H 'Authorization: Bearer test-token' \
  -H 'Accept: application/json'

```

httpie-request

```

$ http DELETE 'http://localhost:8080/boards/1?_csrf=c5a470b1-4162-46dd-b785-144d647f82dc' \
  'Authorization:Bearer test-token' \
  'Accept:application/json'

```

http-request

```

DELETE /boards/1?_csrf=c5a470b1-4162-46dd-b785-144d647f82dc HTTP/1.1
Authorization: Bearer test-token
Accept: application/json

```

Host: localhost:8080

Table 12. request-headers

Name	Description
Authorization	□□□ □□

request-body

http-response

```
HTTP/1.1 204 No Content
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Pragma: no-cache
Expires: 0
X-Frame-Options: DENY
```

response-body

Table 13. /boards/{board-id}

Parameter	Description
board-id	□□□ □□□