



ETON API

Intro

[API 종류](#)

[API 상세](#)

[User](#)

[Board](#)

[Member](#)

[Progress](#)

[Task](#)

User

[\[GET\] Get user info](#)

[\[PUT\] Modify user info](#)

[\[GET\] Get the user's tasks](#)

[\[POST\] Check if the email is available before sign-up](#)

[\[POST\] Sign up](#)

[\[POST\] Login](#)

[\[POST\] Login with Github account](#)

[\[POST\] Logout](#)

Board

[\[GET\] Get a project info](#)

[\[GET\] Get all projects the user's involved in](#)

[\[POST\] Create new project](#)

[\[PATCH\] Modify the project title](#)

[\[DELETE\] Delete a project](#)

Member

[\[GET\] Get all members of the project](#)

[\[GET\] Get user info by user name](#)

[\[POST\] Add new member to the project](#)

[\[DELETE\] Delete a member of the project](#)

Progress

[\[GET\] Get a progress list](#)

[\[POST\] Create new progress](#)

- [PUT] Modify the progress title
- [PUT] Modify the progress order
- [DELETE] Delete the progress

Task

- [GET] Get a task list by board
- [GET] Get a task list by user
- [POST] Create new task
- [PATCH] Modify the task
- [DELETE] Delete the task
- [PATCH] Change the task's order in one progress
- [PATCH] Change the task's order between progresses

Intro

ETON 프로젝트의 Web API는 업무를 조직적으로 관리할 필요가 있는 사용자가 업무를 손쉽게 생성, 조회, 변경을 하기 위해 필요한 인터페이스입니다.

API 종류

- User: 사용자 정보를 다루는 API
- Board: 프로젝트 정보를 다루는 API
- Member: 프로젝트와 참여 멤버 정보를 조회, 변경하기 위한 API
- Progress: 프로젝트의 업무를 진행 상태 별로 관리하기 위한 API
- Task: 업무를 관리하고 진행 상태 및 사용자와 연결 짓기 위한 API

API 상세

API 종류, 메소드, 내용 순서로 기술하였습니다.

User

Get user info	<code>getUserInfo</code>	특정 유저의 정보 얻기
Modify user info	<code>modifyUserInfo</code>	유저 정보 수정
Sign up	<code>BasicSignup</code>	회원 가입
Login	<code>BasicLogin</code>	회원 로그인
Login with Github account	<code>SocialLogin</code>	소셜 로그인

Board

Get a project info	<code>getBoardInfo</code>	특정 프로젝트의 정보 얻기
Get the user's projects	<code>getAllBoard</code>	특정 유저가 참여한 프로젝트 정보 얻기
Create new project	<code>createNewBoard</code>	새로운 프로젝트 생성
Modify the project title	<code>modifyBoardTitle</code>	프로젝트 정보 수정
Delete a project	<code>deleteBoard</code>	프로젝트 삭제

Member

Get all members of the project	<code>getAllMemberInfo</code>	프로젝트에 참여한 모든 유저 정보
Get user info by user name	<code>getMemberInfo</code>	유저 이름으로 유저 정보 얻기
Add new member to the project	<code>addMember</code>	프로젝트에 새 멤버 추가
Delete a member of the project	<code>deleteMember</code>	프로젝트에서 특정 멤버 삭제

Progress

Get a progress list	<code>getProgressList</code>	프로젝트의 모든 진행 상태
Create new progress	<code>createProgress</code>	새 진행 상태 만들기
Modify the progress title	<code>modifyProgressTitle</code>	진행 상태 제목 수정
Modify the progress order	<code>modifyProgressOrder</code>	진행 상태 순서 수정
Delete the progress	<code>deleteProgress</code>	진행 상태 및 하위 업무 삭제

Task

Get a task list by board	<code>getAllTaskByBoard</code>	해당 프로젝트의 모든 업무 얻기
Get a task list by user	<code>getAllTaskByUser</code>	특정 유저의 업무 목록 조회
Create new task	<code>createTask</code>	새 업무 생성
Modify the task	<code>modifyTask</code>	업무 수정
Delete the task	<code>deleteTask</code>	업무 삭제
Change the task's order in one progress	<code>modifyTaskOrderInProgress</code>	같은 진행 상태 내 업무 순서 변경
Change the task's order between progresses	<code>modifyTaskProgressOrder</code>	다른 진행 상태 간 업무 순서 변경



access token을 헤더에 담아 전달하실 때 `Bearer {token}` 이렇게 전달해주셔야 access token 이 authorized됩니다.

User

[GET] Get user info

https://geteton.ga/users/userinfo

유저 정보 가져오기

method	구분	Aa 이름	required	type	설명
GET	Headers	<u>authorization</u>	<input checked="" type="checkbox"/>	string	Access token

Response

- 200: OK

```
{
  "data": {
    "userInfo": {
      "id": 18,
      "username": "Choi Goya",
      "email": "choi@goya.com",
      "picture": null,
      "createdAt": "2021-02-11T10:24:16.000Z",
      "updatedAt": "2021-02-11T10:24:16.000Z"
    }
  },
  "message": "Ok"
}
```

- 403: Forbidden

```
{ "message": "Invalid access token." }
```

- 404: Not Found

```
{ "message": "Access token has been tempered." }
```

[PUT] Modify user info

https://geteton.ga/users/userinfo

유저 정보 수정

method	구분	Aa 이름	<input checked="" type="checkbox"/> required	type	설명
PUT	Headers	<u>authorization</u>	<input checked="" type="checkbox"/>	string	Access token
	Body params	<u>username</u>	<input type="checkbox"/>	string	The user's nickname
	Body params	<u>email</u>	<input type="checkbox"/>	string	The user's email
	Body params	<u>password</u>	<input type="checkbox"/>	string	The user's password

Response

- 200: OK

```
{
  "id": "3",
  "message": "Your info got modified."
}
```

- 403: Forbidden

```
{ "message": "Invalid access token." }
```

- 404: Not Found

```
{ "message": "Not found." }
```

[GET] Get the user's tasks

https://geteton.ga/users/mytask?user_id=USER_ID

유저의 모든 업무 불러오기

method	구분	이름	required	type	설명
GET	Headers	<u>authorization</u>	<input checked="" type="checkbox"/>	string	Access token
	Query Params	<u>user_id</u>	<input checked="" type="checkbox"/>	integer	The user's nickname

Response

- 200: OK

```
{
  "data": {
    "myTask": {
      {
        "title": {boards_title},
        "taskList": [
          {
            "id": "1",
            "title": "create",
          }, {
            "id": "2",
            "title": "read",
          }
        ]
      },
      {
        "title": {boards_title2},
        "taskList": [
          {
            "id": "4",
            "title": "update",
          }, {
            "id": "6",
            "title": "delete",
          }, {
            "id": "7",
            "title": "test",
          }
        ]
      }
    ]
  },
  "message": "ok"
}
```

- 403: Forbidden

```
{ "message": "Invalid access token." }
```

- 404: Not Found

```
{ "message": "Not found." }
```

[POST] Check if the email is available before sign-up

<https://geteton.ga/users/signup/email>

회원 가입 전 이메일 중복 검사

method	구분	Aa 이름	<input checked="" type="checkbox"/> required	type	설명
POST	Body params	<u>email</u>	<input checked="" type="checkbox"/>	string	Email the user want to sign up with

Response

- 200: OK

```
{ "message": "You can use this email" }
```

- 409: Conflict

```
{ "message": "This email's already registered." }
```

[POST] Sign up

<https://geteton.ga/users/signup/>

일반 회원 가입

method	구분	Aa 이름	required	type	설명
POST	Body params	<u>email</u>	<input checked="" type="checkbox"/>	string	The user's email
	Body params	<u>password</u>	<input checked="" type="checkbox"/>	string	The user's password
	Body params	<u>username</u>	<input checked="" type="checkbox"/>	string	The user's nickname

Response

- 201: Created

```
{ "message": "Your sign-up completed" }
```

- 403: Forbidden

```
{ "message": "Invalid access token." }
```

- 409: Conflict

```
{ "message": "This email's already registered." }
```

[POST] Login

<https://geteton.ga/users/signin/basic>

로그인

method	구분	Aa 이름	required	type	설명
POST	Body params	<u>email</u>	<input checked="" type="checkbox"/>	string	The user's email
	Body params	<u>password</u>	<input checked="" type="checkbox"/>	string	The user's password

Response

- 200: OK

```
{
  "data": { accessToken },
  "message": "ok"
}
```

- 403: Forbidden

```
{ "message": "Invalid user id or password" }
```

[POST] Login with Github account

<https://geteton.ga/users/signin/github>

로그인의 사본

method	구분	Aa 이름	<input checked="" type="checkbox"/> required	type	설명
POST	Body params	<u>authorizationCode</u>	<input checked="" type="checkbox"/>	string	Authorization code given by Github

Response

- 200: OK

```
{
  "data": { accessToken },
  "message": "ok"
}
```

- 403: Forbidden

```
{
  "message": "Invalid user id specified in request/Delegation denied"
}
```

[POST] Logout

https://geteton.ga/users/signout

로그인의 사본

method	구분	Aa 이름	required	type	설명
POST	Headers	<u>authorization</u>	<input checked="" type="checkbox"/>	string	Access token

Response

- 200: OK

```
{
  "id": {id},
  "message": "You're logged out."
}
```

- 403: Forbidden

```
{ "message": "Not authorized." }
```

Board

[GET] Get a project info

https://geteton.ga/boards/one?board_id=BOARD_ID

모든 프로젝트 불러오기

method	구분	Aa 이름	required	type	설명
GET	Headers	<u>authorization</u>	<input checked="" type="checkbox"/>	string	Access token
	Query Params	<u>board_id</u>	<input checked="" type="checkbox"/>	integer	The project's ID

Response

- 200: OK

```
{
  "data": {
    "boardInfo": {
      "id": 2,
      "title": "demo-board2",
      "prg_priority": "31",
      "admin_userid": 1,
      "createdAt": "2021-02-10T13:02:23.000Z",
      "updatedAt": "2021-02-11T04:20:52.000Z"
    }
  },
  "message": "Ok."
}
```

- 403: Forbidden

```
{ "message": "Invalid access token." }
```

- 404: Not Found

```
{ "message": "Not Found." }
```

[GET] Get all projects the user's involved in

https://geteton.ga/boards/all?user_id=USER_ID

특정 사용자가 참여하는 모든 프로젝트 불러오기

method	구분	Aa 이름	required	type	설명
GET	Headers	<u>authorization</u>	<input checked="" type="checkbox"/>	string	Access token
	Query Params	<u>user_id</u>	<input checked="" type="checkbox"/>	integer	The user's ID

Response

- 200: OK

```
{
  "data": {
    "boardList": [
      {
        "id": "1",
        "title": "project",
        "admin_userId": "1",
        "prg_priority": "2,1",
      }, {
        "id": "2",
        "title": "project2",
        "admin_userId": "1",
        "prg_priority": "1,2",
      }
    ]
  },
  "message": "ok"
}
```

- 403: Forbidden

```
{ "message": "Invalid access token." }
```

- 404: Not Found

```
{ "message": "Not Found." }
```

[POST] Create new project

<https://geteton.ga/boards/>

새 프로젝트 추가

method	구분	Aa 이름	required	type	설명
POST	Headers	<u>authorization</u>	<input checked="" type="checkbox"/>	string	Access token
	Body params	<u>title</u>	<input checked="" type="checkbox"/>	string	The project's title
		<u>Untitled</u>	<input type="checkbox"/>		
		<u>Untitled</u>	<input type="checkbox"/>		

Response

- 200: OK

```
{
  "id": {board_id},
  "message": "Created."
}
```

- 403: Forbidden

```
{ "message": "Invalid access token." }
```

- 404: Not Found

```
{ "message": "create failed." }
```

[PATCH] Modify the project title

```
https://geteton.ga/boards/title?board_id=BOARD_ID
```

프로젝트 제목 수정

method	구분	Aa 이름	required	type	설명
PATCH	Headers	<u>authorization</u>	<input checked="" type="checkbox"/>	string	Access token

method	구분	Aa 이름	required	type	설명
	Query params	<u>board_id</u>	<input checked="" type="checkbox"/>	integer	The project's ID
	Body params	<u>title</u>	<input checked="" type="checkbox"/>	string	The project's title
		<u>Untitled</u>	<input type="checkbox"/>		

Response

- 200: OK

```
{ "message": "Ok." }
```

- 403: Forbidden

```
{ "message": "Invalid access token." }
```

- 404: Not Found

```
{ "message": "Not Found." }
```

[DELETE] Delete a project

https://geteton.ga/boards?board_id=BOARD_ID

프로젝트 삭제

method	구분	Aa 이름	required	type	설명
DELETE	Headers	<u>authorization</u>	<input checked="" type="checkbox"/>	string	Access token
	Query params	<u>board_id</u>	<input checked="" type="checkbox"/>	integer	The project's ID
		<u>Untitled</u>	<input type="checkbox"/>		

Response

- 200: OK

```
{ "message": "Deleted." }
```

- 403: Forbidden

```
{ "message": "Invalid access token." }
```

- 404: Not Found

```
{ "message": "failed." }
```

Member

[GET] Get all members of the project

https://geteton.ga/member?board_id=BOARD_ID

프로젝트에 참여한 모든 멤버 불러오기

method	구분	이름	required	type	설명
GET	Headers	<u>authorization</u>	<input checked="" type="checkbox"/>	string	Access token
	Query params	<u>board_id</u>	<input checked="" type="checkbox"/>	integer	The project's ID
		<u>Untitled</u>	<input type="checkbox"/>		

Response

- 200: OK

```
{
  "data": { "userList" : [
    { "id": "1", "name": "사람1" },
    { "id": "2", "name": "사람2" }
  ]
},
  "message": "Ok"
}
```

- 403: Forbidden

```
{ "message": "Invalid access token." }
```

- 404: Not Found

```
{ "message": "Not Found." }
```

[GET] Get user info by user name

https://geteton.ga/member/userinfo?username=USER_NAME

특정 유저 정보 가져오기

method	구분	Aa 이름	<input checked="" type="checkbox"/> required	type	설명
GET	Headers	<u>authorization</u>	<input checked="" type="checkbox"/>	string	Access token
	Query Params	<u>username</u>	<input checked="" type="checkbox"/>	string	The user you want to check that person exists

Response

- 200: OK

```
{
  "data": {
    "userInfo": [
      {
        "id": 1,
        "username": "Choi Goya",
        "email": "choi@goya.com",
        "picture": "https://avatars.githubusercontent.com/u/72098",
        "createdAt": "2021-02-10T13:02:22.000Z",
        "updatedAt": "2021-02-10T13:02:22.000Z"
      }
    ]
  },
  "message": "Ok."
}
```

- 403: Forbidden

```
{ "message": "Invalid access token." }
```

- 404: Not Found

```
{ "message": "There's no user or please submit correct name." }
```

[POST] Add new member to the project

https://geteton.ga/member

프로젝트 참여 멤버 추가

method	구분	Aa 이름	required	type	설명
POST	Headers	<u>authorization</u>	<input checked="" type="checkbox"/>	string	Access token
	Body params	<u>board_id</u>	<input checked="" type="checkbox"/>	integer	The project's ID
	Body params	<u>user_id</u>	<input checked="" type="checkbox"/>	integer	New participant of the project
		<u>Untitled</u>	<input type="checkbox"/>		

Response

- 201: Created

```
{  
  "id": "21", //user_id  
  "message": "The user was added to the project."  
}
```

- 403: Forbidden

```
{ "message": "Invalid access token." }
```

- 409: Conflict

```
{ "message": "The user's already a member of the project." }
```

[DELETE] Delete a member of the project

https://geteton.ga/member?board_id=BOARD_ID&user_id=USER_ID

프로젝트 참여 멤버 삭제

method	구분	이름	required	type	설명
DELETE	Headers	<u>authorization</u>	<input checked="" type="checkbox"/>	string	Access token
	Query params	<u>board_id</u>	<input checked="" type="checkbox"/>	integer	The project's ID
	Query params	<u>user_id</u>	<input checked="" type="checkbox"/>	integer	The user's ID
		<u>Untitled</u>	<input type="checkbox"/>		

Response

- 200: OK

```
{ "message": "The member was removed from the project." }
```

- 403: Forbidden

```
{ "message": "Invalid access token." }
```

- 404: Not Found

```
{ "message": "The user isn't a member of the project" }
```

Progress

[GET] Get a progress list

https://geteton.ga/progress?board_id=BOARD_ID

진행 상태 리스트 불러오기

method	구분	Aa 이름	required	type	설명
GET	Headers	<u>authorization</u>	<input checked="" type="checkbox"/>	string	Access token
	Query Params	<u>board_id</u>	<input checked="" type="checkbox"/>	integer	The project's ID
		<u>Untitled</u>	<input type="checkbox"/>		

Response

- 200: OK

```
{
  "data": { "progressList" : {
    "1" : { // key = progress_id
      "id" : "1", // <ProgressList /> name 세팅을 위해서
      "title" : "안녕",
      "task_priority" : '1,2'
    },
    "2" : {
      "id" : "2",
      "title" : "progress 2",
      "task_priority" : '3', //'3,4'
    },
  }
},
  message: "ok"
}
```

- 403: Forbidden

```
{ "message": "Invalid access token." }
```

- 404: Not Found

```
{ "message": "Not Found." }
```

[POST] Create new progress

https://geteton.ga/progress

새 진행 상태 만들기

method	구분	Aa 이름	required	type	설명
POST	Headers	<u>authorization</u>	<input checked="" type="checkbox"/>	string	Access token
	Body params	<u>board_id</u>	<input checked="" type="checkbox"/>	integer	The project's ID.
	Body params	<u>title</u>	<input checked="" type="checkbox"/>	string	The progress's title.
		<u>Untitled</u>	<input type="checkbox"/>		

Response

- 201: Created

```
{
  "id": {progress_id},
  "message": "ok"
}
```

- 403: Forbidden

```
{ "message": "Invalid access token." }
```

- 409: Conflict

```
{ "message": "The progress is already added." }
```

[PUT] Modify the progress title

https://geteton.ga/progress/title

진행 상태 제목 수정

method	구분	이름	required	type	설명
PUT	Headers	authorization	<input checked="" type="checkbox"/>	string	Access token
	Body params	board_id	<input checked="" type="checkbox"/>	integer	The project's ID
	Body params	progress_id	<input checked="" type="checkbox"/>	integer	The progress's ID
	Body params	title	<input checked="" type="checkbox"/>	string	The progress's title
		Untitled	<input type="checkbox"/>		

Response

- 200: OK

```
{ "message": "Ok." }
```

- 403: Forbidden

```
{ "message": "Invalid access token." }
```

- 409: Conflict

```
{ "message": "The progress already exists on the board." }
```

[PUT] Modify the progress order

<https://geteton.ga/progress/order>

진행 상태 순서 수정

method	구분	이름	required	type	설명
PUT	Headers	authorization	<input checked="" type="checkbox"/>	string	Access token
	Body params	board_id	<input checked="" type="checkbox"/>	integer	The project's ID

method	구분	Aa 이름	required	type	설명
	Body params	<u>progress_id</u>	<input checked="" type="checkbox"/>	integer	The progress's ID
	Body params	<u>prg_priority</u>	<input checked="" type="checkbox"/>	string	Progress order
		<u>Untitled</u>	<input type="checkbox"/>		

Response

- 200: OK

```
{ "message": "Ok." }
```

- 403: Forbidden

```
{ "message": "Invalid access token." }
```

- 404: Not Found

```
{ "message": "Not found." }
```

[DELETE] Delete the progress

<https://geteton.ga/progress?>

[board_id=BOARD_ID&progress_id=PROGRESS_ID&prg_priority=PRG_PRIORITY](https://geteton.ga/progress?board_id=BOARD_ID&progress_id=PROGRESS_ID&prg_priority=PRG_PRIORITY)

진행 상태 삭제

method	구분	Aa 이름	required	type	설명
DELETE	Headers	<u>authorization</u>	<input checked="" type="checkbox"/>	string	Access token
	Query params	<u>board_id</u>	<input checked="" type="checkbox"/>	integer	The project's ID
	Query params	<u>progress_id</u>	<input checked="" type="checkbox"/>	integer	The progress's ID
	Query params	<u>prg_priority</u>	<input checked="" type="checkbox"/>	string	Progress order

▼ method	▼ 구분	Aa 이름	<input checked="" type="checkbox"/> required	▼ type	☰ 설명
		<u>Untitled</u>	<input type="checkbox"/>		

Response

- 200: OK

```
{
  "id": {progress_id},
  "message": "Ok"
}
```

- 403: Forbidden

```
{ "message": "Invalid access token." }
```

- 404: Not Found

```
{ "message": "The progress does not exist." }
```

Task

[GET] Get a task list by board

https://geteton.ga/task/boards?board_id=BOARD_ID

업무 목록 불러오기

▼ method	▼ 구분	Aa 이름	<input checked="" type="checkbox"/> required	▼ type	☰ 설명
POST	Headers	<u>authorization</u>	<input checked="" type="checkbox"/>	string	Access token
	Query params	<u>board_id</u>	<input checked="" type="checkbox"/>	integer	The project's ID
		<u>Untitled</u>	<input type="checkbox"/>		

Response

- 200: OK

```

{
  "taskList" : {
    "100" : {
      "id" : "100",
      "title" : "task card 1",
      "description" : "내용입니다",
      "progressId" : "3",
      "progressTitle" : "progress-3",
      "boardId" : "1"
    },
    2 : {
      "id" : "2",
      "title" : "task card 2",
      "description" : "내용입니다"
    },
    3 : {
      "id" : "3",
      "title" : "task card 3",
      "description" : "내용입니다"
    },
    4 : {
      "id" : "4",
      "title" : "task card 4",
      "description" : "내용입니다"
    }
  },
  "message" : "ok"
}

```

- 403: Forbidden

```
{ "message": "Invalid access token." }
```

[GET] Get a task list by user

<https://geteton.ga/task/user>

업무 목록 불러오기

▼ method	▼ 구분	Aa 이름	<input checked="" type="checkbox"/> required	▼ type	☰ 설명
POST	Headers	<u>authorization</u>	<input checked="" type="checkbox"/>	string	Access token
	Query params	<u>board_id</u>	<input checked="" type="checkbox"/>	integer	The project's ID
		<u>Untitled</u>	<input type="checkbox"/>		

Response

- 200: OK

```

{
  "data": {
    "taskList": {
      "100": {
        "id": "100",
        "title": "task card 1",
        "description": "내용입니다"
      },
      2: {
        "id": "2",
        "title": "task card 2",
        "description": "내용입니다"
      },
      3: {
        "id": "3",
        "title": "task card 3",
        "description": "내용입니다"
      },
      4: {
        "id": "4",
        "title": "task card 4",
        "description": "내용입니다"
      }
    }
  },
  "message": "Ok"
}

```

- 403: Forbidden

```

{ "message": "Invalid access token." }

```

[POST] Create new task

https://geteton.ga/task

새 업무 생성

method	구분	Aa 이름	required	type	설명
POST	Headers	<u>authorization</u>	<input checked="" type="checkbox"/>	string	Access token
	Body params	<u>board_id</u>	<input checked="" type="checkbox"/>	integer	The project's ID//이건 없어도 될듯하여
	Body params	<u>progress_id</u>	<input checked="" type="checkbox"/>	integer	The progress's ID

method	구분	Aa 이름	required	type	설명
	Body params	<u>title</u>	<input checked="" type="checkbox"/>	string	The progress's title
		<u>Untitled</u>	<input type="checkbox"/>		

Response

- 201: Created

```
{
  "id": {task_id},
  "message": "ok"
}
```

- 403: Forbidden

```
{ "message": "Invalid access token." }
```

[PATCH] Modify the task

<https://geteton.ga/task>

새 업무 생성의 사본

method	구분	Aa 이름	required	type	설명
PATCH	Headers	<u>authorization</u>	<input checked="" type="checkbox"/>	string	Access token
	Body params	<u>board_id</u>	<input checked="" type="checkbox"/>	integer	The project's ID//필요없을듯하여
	Body params	<u>task_id</u>	<input checked="" type="checkbox"/>	integer	The task's ID
	Body params	<u>title</u>	<input checked="" type="checkbox"/>	string	The progress's title
	Body params	<u>description</u>	<input checked="" type="checkbox"/>	string	The progress's description
		<u>Untitled</u>	<input type="checkbox"/>		

Response

- 200: OK

```
{
  "message": "ok"
}
```

- 403: Forbidden

```
{ "message": "Invalid access token." }
```

[DELETE] Delete the task

https://geteton.ga/task?

board_id=BOARD_ID&progress_id=PROGRESS_ID&task_id=TASK_ID&task_priority=TASK_PRIORITY

업무 삭제

method	구분	이름	required	type	설명
PATCH	Headers	<u>authorization</u>	<input checked="" type="checkbox"/>	string	Access token
	Query params	<u>board_id</u>	<input checked="" type="checkbox"/>	integer	The project's ID//필요없을듯여
	Query params	<u>progress_id</u>	<input checked="" type="checkbox"/>	integer	The progress's ID//필요없을듯여
	Query params	<u>task_id</u>	<input checked="" type="checkbox"/>	integer	The task's ID
	Query params	<u>task_priority</u>	<input checked="" type="checkbox"/>	string	Task order//필요없을듯여
		<u>Untitled</u>	<input type="checkbox"/>		

Response

- 200: OK

```
{
  "message": "ok"
}
```

- 403: Forbidden

```
{ "message": "Invalid access token." }
```

[PATCH] Change the task's order in one progress

https://geteton.ga/task/vertical

같은 진행 상태 내 업무 위치 변경

method	구분	이름	required	type	설명
PATCH	Headers	<u>authorization</u>	<input checked="" type="checkbox"/>	string	Access token
	Body params	<u>board_id</u>	<input checked="" type="checkbox"/>	integer	The project's ID//필요없을듯여
	Body params	<u>progress_id</u>	<input checked="" type="checkbox"/>	integer	The progress's ID
	Body params	<u>task_id</u>	<input checked="" type="checkbox"/>	integer	The task's ID
	Body params	<u>task_priority</u>	<input checked="" type="checkbox"/>	string	Task order
		<u>Untitled</u>	<input type="checkbox"/>		

Response

- 200: OK

```
{ "message": "Ok." }
```

- 403: Forbidden

```
{ "message": "Invalid access token." }
```

[PATCH] Change the task's order between progresses

https://geteton.ga/task/horizontal

다른 진행 상태 간 업무 위치 변경

method	구분	Aa 이름	<input checked="" type="checkbox"/> required	type	설명
PATCH	Headers	<u>authorization</u>	<input checked="" type="checkbox"/>	string	Access token
	Body params	<u>board_id</u>	<input checked="" type="checkbox"/>	integer	The project's ID
	Body params	<u>progress_id</u>	<input checked="" type="checkbox"/>	integer	The progress's ID (source)
	Body params	<u>task_id</u>	<input checked="" type="checkbox"/>	integer	The task's ID (source)
	Body params	<u>target</u>	<input checked="" type="checkbox"/>	object	ex: { progress_id: 3, task_priority: '2,1' }
	Body params	<u>source</u>	<input checked="" type="checkbox"/>	object	ex: { progress_id: 2, task_priority: '5,3' }
		<u>Untitled</u>	<input type="checkbox"/>		

Response

- 200: OK

```
{ "message": "Ok." }
```

- 403: Forbidden

```
{ "message": "Invalid access token." }
```