

PET ANIMAL BREEDING

A pet or companion animal is a domestic animal kept for a person's company, amusement and enjoyment as opposed to livestock, laboratory animals, working animals and sport animals which are kept for economic reasons. They are kept for their attractive appearance and their loyal or playful characteristics or for their songs. Pets also generally seem to provide their owners with non-trivial health benefits, helps to relieve stress. There are now a medically – approved class of “therapy animals” mostly dogs that are brought to visit confined humans. Walking a dog can provide both the owner and the dog with exercise, fresh air and social interaction.

The most popular pets are Dogs, Cats and Birds (Parrot, Myna, love birds) and few fancy species of rodents like guinea pigs, hamsters and fancy (white) rats. Even peacocks, fishes are also kept in many household as pets.

Dogs are closest to humans. Since the beginning of civilization, dogs have been selected and bred for different purposes like Companionship, Sports, Hunting and Guarding etc. Although dogs were domesticated in pre historic period Wild, Feral and street dogs are still found in different countries.

WHY PET ANIMAL OR PET BIRD

A pet is an animal kept for companionship and enjoyment or a household animal, as opposed to livestock, laboratory animals, working animals or sport animals, which are kept for economic reasons.

The most popular pets are noted for their loyal or playful characteristics, for their attractive appearance, or for their song.

Pets also generally seem to provide their owners with non-trivial health benefits; keeping pets has been shown to help relieve stress to those who like having animals around.

There is now a medically-approved class of "therapy animals," mostly dogs that are brought to visit confined humans.

Walking a dog can provide both the owner and the dog with exercise, fresh air, and social interaction.

Pet animals vary from dog, cat, horse, pig, lovebirds, pigeons, fishes, etc.

SELECTION OF BREED TO KEEP

The **American Kennel Club** (AKC) divides dogs into seven groups

- Sporting (Gun dogs) Group
- Non-sporting (Utility group)
- Working Breeds
- Herding Dogs
- Hound Group
- Terrier Breeds

- Toy Breeds

The non-sporting group includes several breeds that could easily fit elsewhere; the Dalmatian and Standard Poodle have sporting dog personalities and energy level; the Chow was originally hunting dogs.

The breed of choice depends on the utility and preference

SPORTING GROUP

Dogs in the sporting group include the setters, pointers, spaniels, retrievers etc all bred to hunt game birds. Some work in water, others on land, and still others in both. Their personalities range from mild to hard-headed to tough, but all are suitable **family dogs** for an active household of patient owners.

Cocker Spaniels will not abide rough handling or teasing.

The stars of the sporting group are the Golden Retriever and Labrador Retriever.

Enjoy the attention of well-behaved children.

Relatively easy to train, easy to care for, and often seem to be perpetually young.

The setters are very high energy dogs that are fine for active families, and the pointers are working dogs that tolerate children but are not particularly easy to train as house pets.

[Labrador](#)



[Golden Retriever](#)



[Cocker spaniel](#)



[Pointer](#)



HOUND GROUP

Two basic types are scent and sight hounds.

Scent hounds: follow their noses anywhere, and sight hounds, whose gaze lingers on the horizon in the search for game.

Some of the scent hounds are lethargic; others are almost frenzied to get about the business of following a trail. Most are difficult to obedience train because their noses are always responding to the pungent world of odors far beyond the ken of humans.

The scent hounds are Basset; Beagle; Bloodhound; Dachsunds (three coats types -- wire, smooth, and long --- and two sizes -- standard and miniature); American and English Foxhounds.

The sight hounds are pictures of grace and elegance with their long legs, slender bodies, and long noses.

Eg: Afghan hound; Basenji; Greyhound; Rhodesian ridgeback; Saluki; and Whippet.

Rhodesian Ridgebacks are also used as guard dogs, and Greyhounds still race at tracks in several states.

Many sight hound owners participate in lure coursing, a chasing sport that mimics the hunts for which their dogs were originally bred.

Breeds commonly seen in India: Beagle, [Dachshund](#) and [Greyhound](#)



WORKING BREEDS

These are medium-to-giant size and are often independent and difficult to manage. Some were developed to guard palaces, homes, and livestock, Others were draft animals, hauling carts of fish or cheese or carrying the goods of nomadic tribes.

Many of these breeds are aloof and independent with strangers. Working dogs should be accustomed to children at an early age, for a child's staring, quick and unpredictable movements.

Saint Bernard, Portuguese water dog and Siberian husky have the mildest temperaments, and the Akita, Rottweiler, Boxer, Komondor, and Doberman can be the most domineering.

The remaining working breeds are Bernese mountain dog, Bullmastiff; Great Dane; Mastiff

A working breed that is not socialized as a puppy and young adult can easily become a domineering pet prone to jumping on people and furniture, growling at children and unconfident adults, and refusing to come when called or lie down on command.

With few exceptions, working breeds are not suitable for first time dog owners without a commitment to formal obedience training and willingness to establish and maintain control from the moment the puppy walks in the door.

Many of the working breeds have thick, downy undercoats and moderately long topcoats that shed once or twice each year. The undercoats are fine and drift everywhere; the topcoats are somewhat coarse and can pierce human skin.

Those who are unprepared for the volume of hair involved will wonder just how all that fuzz fit on one dog, so be sure you don't mind ubiquitous hair if you consider one of these breeds.

Other working breeds that need a firm hand are Akita, Alaskan malamute, Boxer, Bullmastiff, Mastiff, Doberman, Komondor, and Siberian husky.

Akitas, Malamutes, Boxers, Komondor can be dog aggressive, and Akitas and Mals will hunt small game and cats.

Working dogs that are easier to handle are Portuguese water dog, Samoyed, Bernese Mountain Dog, Great Dane, and Saint Bernard.

Boxer



Dobermann Pinscher



Great Dane



St. Bernard



Rottweiler



TERRIERS

The terriers are also hunting dogs, but their game is generally vermin, not birds and animals for the dinner table. With few exceptions, terriers developed in the British Isles to control rats, mice, foxes, and other predatory animals that raided farmer's grains and chickens, shopkeepers storage bins, and housewives' kitchen larders.

The terriers come in wire, smooth, and soft coats and in short- and long-legged body types.

Terrier temperament is fiery. The smallest terriers are scrappy, ready to take on even giant sized adversaries.

Some terriers are happy and can be nippy with overactive children. They can also be quite independent and difficult to train for the weak-of-will.

The wire-haired terriers have special grooming needs. Dead hairs must be pulled out of their coats to maintain good coat color and texture. Many terrier owners prefer to have a groomer do the job.

The hard-coated terriers are Australian, Border, Irish, Lake land, Norwich, Scottish, Sealyham, Skye, Welsh, West Highland White, and Wire haired Fox.

Three terriers, the Border, Irish, and the Soft-coated Wheaten, are considered to be generally good with children. The others are recommended only for families with older, well-behaved youngsters.

TOY BREEDS

Toy dogs, often smaller versions of other breeds, were developed as companions in various nations.

Diminutive size does not mean a mildness of temperament; many little dogs are as tough as their larger cousins.

As a rule (Pug excepted), they do not like small children, and their movements can be too quick for elderly family members. Many breeders of toy dogs keep their puppies until they are 10-12 weeks old instead of selling them at the more-typical eight weeks. And many will not sell to a family with young children or very active children.

Toy dogs are generally easy care pets. Some (Pomeranian, Yorkshire Terrier, Maltese, and Pekingese) require heavy grooming; some (Japanese Chin, Toy Poodle, and English Toy Spaniel) require moderate grooming; and other require little or no grooming.

The important thing is to keep the long, fine hairs free of tangles and mats to avoid pain and skin problems for the dog and a big grooming or vet bill for you. Some need relatively more exercise than larger breeds.

Most are less than 12 inches tall and weigh less than 12 pounds.

The toy breeds are Chihuahua (long-haired and smooth-coated), English Toy Spaniel, Japanese Chin, Maltese, Toy Manchester Terrier, Miniature Pinscher, Pekingese, Pomeranian, Toy Poodle, Pug, Silky Terrier, and Yorkshire Terrier.

Pomeranian**PUG**

NON-SPORTING DOGS

This is a diverse group of dogs ranging in size from the small Bichon Frise to the 60-pound Dalmatian. Several of these breeds could easily fit another group.

These dogs have come to be known as companions even though they started out with a variety of jobs in their native lands.

English bulldog was designed to grab a bull by the snout and hang on for dear life until the animal could be killed.

The Dalmatian was a Gypsy camp dog in Europe and then a coach dog in England. The Standard Poodle was a German hunting dog, the Tibetan Terrier alerted the monastery to the approach of strangers and the Finnish Spitz hunted large game birds.

Of the non-sporting dogs, the Dalmatian is the most misunderstood. The Dalmatian is an active, independent, athletic dog that needs a firm hand

The remaining non-sporting breeds are Boston Terrier, Bulldog, French Bulldog, Lhasa Apso, Tibetan Spaniel, Tibetan Terrier.

**Bull Dog****Dalmatian****Lhasa Apso****Poodle**



HERDING DOGS

Recently AKC separated herding dogs from the working group. These are the dogs who began their careers as livestock herders in the British Isles, on the European Continent, and in the US, the indispensable farmers' dogs that could work dawn-to-dusk to bring the sheep to the barn or to market. Several of these breeds have gone on to excel in police work, search and rescue, tracking, service to handicapped owners, and as sentries and couriers during wartime.


The German Shepherd, a versatile working dog, is part of this group, as is the Border Collie.

Most herding dogs are active, intelligent, courageous, and determined. Many are favorites for obedience competition for their strong working bond with their owners. They are mostly medium-to-large in size, but include the smaller Shetland Sheepdog and the Corgis.

The Border Collie is not a breed for everyone. It is very smart and must be kept very busy. A walk won't do unless he gets to fetch something, herd something, or climb over, under, around, and through something.

The other herding breeds are calmer. The German Shepherd is prone to temperament problems because of over breeding, so it is imperative to seek out a responsible breeder who deals only in dogs of good temperament. These dogs also must have work to do or they can become destructive.

German Shepherd



Border Collie



CHOOSING A DOG

An infinite variety of size, shape, coat texture and inherited ability in the pedigree breeds-developed by knowledgeable dog breeders over the years.

In the past-developed for herding, tracking game, retrieving, guarding or as warning watch dogs.

Dogs suitable for these jobs are still present today, although the majority of the dogs are kept in idleness and boredom.

The important matter to consider are size, coat type, dog or bitch, adult or puppy, pedigree or mongrel.

SIZE

Giant breeds

Magnificent animals, often gentle in temperament and very quiet and restful in the house, making themselves quite small in their own corner. However, they do need a lot of room in a car or every thing, from collar to veterinary treatment, costs more. They need more food, more medication and boarding kennel cost are higher. Giant breeds tend to be short lived.

Large breeds

May be aggressive with other dogs if not properly controlled. Large breeds which have full swishing tails can do a lot of damage within the home.

Long haired breeds

They may need an hour's grooming every day. Professional trimming for Poodles and Terriers is a regular expense.

Medium size dogs

Suit many families, their home and their cars. There is plenty of choice within this group.

Small dogs

This category tends to be noisy. Small terrier bred to the vermin exterminators has quick snapping jaws which may make them unsuitable as pets for small children.

Very small toy dogs

Dog less than 4.5 kg in weight are not really suitable for the rough tumble of family life. Toy dogs tend to become devoted to one or two adults who handle them carefully.

COAT TYPE

There is variety of coat type in dogs, from absolutely hairless, naked skinned Chinese Crested, through to smooth-coated dogs like Bull Terriers, thick double weatherproof coats like Labradors; Spaniel type silky coats; harsh, bristly Terrier coats, curly, non-shedding poodles; rough, wiry Wolfhounds; to the dog with very deep corded coat like Puli.

All dog hair tangles and mats more quickly than human hair. Smooth-coated dogs require minimal grooming and mud dries on them quickly if they have been swimming or wallowing.

All coat types will require some attention. Dog such as the Old English Sheep dog and the Afghan will need to be brushed and combed daily in order to keep the skin healthy and the coat clean. Long-haired dogs tend to smell when they are wet or damp. Poodles and Bedlingtons will require clipping and bathing every 6-8 weeks.

ALSATIAN / GERMAN SHEPHERD

Place of origin Germany

Is a working dog developed originally for herding sheep. Because of their strength, intelligence and abilities in obedience training they are employed as police dogs and war dogs, around the world.

The German Shepherd Dog is the world's leading police, guard and military dog

A double-coated animal, Hair smooth and glossy, Under-coat woolly and protects from cold. Usually grey, dark tan and various shades of black and white. Average height of male 60-70cm and of female 55-60 cm. Body weight 25-35 kg.

Ears are erect and smooth, well-muscled, strong and long neck, Long hairy tail slightly curved at the end, may extend up to the hock.

BEAGLE

The Beagle is a breed of small to medium-sized. A member of the Hound Group, it is similar in appearance to the Foxhound. But smaller, with shorter legs and longer, softer ears.

Beagles are scent hounds, developed primarily for tracking hare, rabbit, and other game.

Intelligent, and are popular as pets because of their size, even temper, and lack of inherited health problems.

BOXER

Origin – Germany, A medium-sized sturdy dog with broad head, short nose and strong jaws

Muscular body covered with smooth coat of red, fawn or brindle. Tail placed high and docked leaving behind 4-5cm stump, Height 45-60 cm and body weight 25-30 kg; males slightly heavier than female.

BULL DOG

Origin : England, A low statured animal, broad and compact body, Head characteristically heavy and face wrinkled; nose short, wide and black; jaws broad and square. Body coat short, fine and smooth; whole coat colour acceptable and it may be various degree of red, brindle, fawn, fallow and white. Short tail thick at the root and tapering at the tip. Males heavier than females; average height 35-40 cm and body weight 20-25 kg

DACHSHUND

Origin : Germany; Low set, short limbed animal with compact long body. There are 2 recognized strains of Dachshund, viz. Dachshund and Miniature Dachshund; each strain has 3 varieties, viz. smooth haired; long haired; wire haired. Ears long and thick, large and drooping with rounded tip; height 20-25 cm and body weight 3-5 kg.

DALMATIAN

Origin from Dalmatia (Austria), Strong dog having muscular body, Body coat smooth and white colour with black spots or liver spots which may vary in size but never form patches, Ears set high and gradually tapering to a round point and covered with spotted hair. Height 50-60 cm and body weight 22-25 kg; tail short, fine and straight.

DOBERMANN PINSCHER

Origin- Germany; An alert dog has smooth, compact and muscular body; Body coat smooth, short, thick, and glossy; Colour black, brown or blue; Extremities light in colour; ears small and erect, but slightly dropped forward. Tail docked in early life leaving behind 2-3 cm long stump

Height of adult male 65-70 cm and of adult female 60-65 cm; body weight 25-35 kg.

GREAT DANE

Origin – Germany; Large-sized, muscular and strong animal of active disposition

Coat short, dense, soft and glossy; Colour whole black, fawn, pure white with black or blue patches; Ears small and erect with falling tip; Face long and narrow

Average height usually more than 75 cm and body weight more than 55 kg

Tail thick at the root and tapering to the termination below the hock joint.

GREYHOUND

Origin - Egypt

Large-limbed, slender, thin animal; broad chest and narrow waist; Face long and narrow with blunt, pointer nose

Coat fine short and smooth, common colour red and fawn, specimen of black, brindle, white and other colours are also acceptable. tail is low set, long, tapering and strong.

Height of adult male 70-75 cm and of female 65-70 cm; body weight 25-35 kg;

LHASA APSO

Origin - Tibet

Small active house dog, Body completely covered with long, straight, dense coat with golden, smoke, black, white, brown or parti-colour; Ears drooping and eyes dark

Average height 20-25 cm; Body weight 6-7 kg.

The Lhasa matures slowly. Don't expect too much too soon.

POMERANIAN

Origin - Poland

The Pomeranian (often known as a Pom) is a breed of dog of the Spitz type, named for the Pomerania region in Central Europe (today part of eastern Germany and northern Poland) and classed as a toy dog breed because of its small size ; Very active ; Outer coat long, straight, course and thicker around the neck; undercoat soft and woolly. Pomeranian comes in the widest variety of colors, including white, black, brown, red, orange, cream, blue, sable, black and tan, brown and tan, spotted, brindle, plus combinations of those colors. The most common colors are orange, black or cream/white.

Height 15-28 cm and Body weight 1.5-3.9 kg; Ears are small and erect, Tail hairy and carried on the back.

POODLE

Origin - Germany; A small animal of majestic look; various strains are standard Poodle, miniature Poodle, blue Poodle and toy Poodle

Coat thick, curly and fluffy of different colors like whole white, black, brown, apricot, blue and silver; Ears long, wide and drooping.

Height 25-40 cm and body weight 3-25 kg, depending upon the strain; Toys are smallest followed by miniature and standard strains; Tail docked and held high.

PUG

Origin – China; Small breed; Short back and rounded ribs; Coat short, soft, fine, smooth and glossy of black, silver on apricot fawn; Ears are rose or button shaped; Tail tightly curled and often double curled.

Height 25-30cm and body weight 6-8 kg

LABRADOR

Origin - New Found land ; They have webbed paws for swimming, useful when they retrieve their prey, hence the name retriever; Active dog of strong body; Coat short, dense, smooth and glossy; Colour black, chocolate or yellow and free from markings, Ears large and hanging close to head

Height 50-60 cm and body weight 25-35 kg; tail thick at the root and tapering toward the tip

GOLDEN RETRIEVER

Origin – Scotland; Active and powerful animal; Coat flat or wavy and dense with water-resistant undercoat; Colour any shade of gold and cream but not red or tan; Ears moderate in size and Tail long, straight and feathered.

Height 50-60 cm ; Body Weight 30-35 kg

COCKER SPANIEL

Origin - England ; Small sporting dog of compact body ; Head round with deep and broad muzzle

Ears long, drooping and covered with fine hair ; Coat flat, close, silky, soft and wavy of black, black and tan, liver-red and roan colour ; The tail docked in early life and remains in line with the back

Height 35-40 cm and body weight 11-13 kg

SAINT BERNARD

Origin - Switzerland

One of the heaviest dogs with a massive and broad forehead, straight back, deep chest and heavy legs ; Coat either short-haired or long-haired; Thighs and tail well feathered in long-haired dogs ; Tail set high, long and slightly curved, and always carried low.

Height 65-75 cm and body weight 75-90 kg ; Occasionally 90 to 100 kg in some specimens

POINTER

Origin – Spain; Active dog; Compact and muscular body with broad chest; coat short, fine, smooth and uniformly distributed; Colour lemon, orange, lemon and white, liver and white, black and white and sometimes whole black; Ears set fairly high, medium sized and lying close to the head ; Tail fairly long, smooth, tapering and carried straight in line with back.

Height 60-65 cm and body weight 25-30 kg

THE ROTTWEILER

The Rottweiler, ("Butchers Dog"), is a "medium to large size, stalwart dog". Breed originating in Germany as a herding dog. The skull is of medium length, broad between the ears. The forehead line is moderately arched as seen from the side. The coat consists of a top coat and an undercoat. The top coat is of medium length, coarse, dense and flat. The hair is a little longer on the hind-legs. It is a hardy and very intelligent breed. Some records indicate that earlier Rottweilers may have also been used for hunting although the modern Rottweiler has a relatively low hunting instinct. Rottweilers also worked as draught dogs, pulling carts to carry livestock to slaughter, meat and other products to market.

COLLIE

A collie is a distinctive type of herding dog. Originating in Britain, especially in the upland areas of the north and west. It is a medium-sized, fairly lightly-built dog with a pointed snout, and many

types have a distinctive white pattern over the shoulders. Collies are very active and agile, and most types have a very strong herding instinct. The fur may be short, flat, or long, and the tail may be smooth, feathered, or bushy vary in colouration, with the usual base colours being black, black-and-tan, red, red-and-tan.

Many types have white along with the main color, usually under the belly and chest, over the shoulders, and on parts of the face and legs.

DOG BREEDS OF INDIA

RAJAPALAYAM

This breed is a native of Rajapalayam in Tamil Nadu; hunting dog in Tamil Nadu and Karnataka.

It is a hound, and therefore should be kept in optimum working condition; Dogs tail, long and slender with broad chest and narrow waist. Body coat short and dense

The most prized colour is milk white, with a pink nose and golden eyes. However, other colours including spotted or solid, black, and brown, are known to occur.

The height at shoulder usually 40-50 cm. Males always heavier than females.

RAMPUR HOUND

The Rampur Greyhound is native to the Rampur region of Northern India, which lies between Delhi and Bareilly. Thin, slender dog of bony appearance. Coat short, close and rough of fawn to brown colour; Ears small and half curved; Chest broad and waist narrow with raised croup; Tail long, straight and tapering.

Height 40-60 cm and body weight 25-40 kg

MUDHOL HOUND

The Mudhol Hound is an Indian breed of dog of the sight hound type. It is a common companion among village folk in India's Deccan Plateau, who use the dog for hunting and guarding.

The head is long and narrow, broad between the ears with a tapering muzzle. The nose is large, and may be black, liver, or flesh coloured.

Height: Males : 68–72 cm ; Females : 64–68 cm

The chest is strong and deep with well sprung ribs. The abdomen is tucked in. The hind quarters appear wide and well-muscled. The tail is strong at the base, not too long, set low and carried in a natural curve. There are two coat varieties—one with an entirely smooth coat and the other with silky featherings on the ears, legs, and tail. All colours and combinations of colours are acceptable

HIMALAYAN SHEEPDOG

The Himalayan Sheepdog is an Nepali breed of dog that has become a very rare breed. Often called the Bhote kukur -- Similar in appearance to the Tibetan Mastiff.

Large body and have been known to have a loud bark. It is a large breed. Its height typically lies between 26 to 32 inch (66 to 82 cm) range. Lighter breed in comparison with The Tibetan Mastiff and its weight range is from 28 to 38 kg (62 to 84 lbs). Its double coat is long, and found in a wide variety of colors from solid black to light brown with the rarest being white. This breed normally has different shades throughout its body. The usual resemblance in almost all dogs of this breed is a white color fur patch on the chest. It sheds its double coat once a year. All dogs of this breed have long, round and hairy tail.

COMBAI

Found in the south of India. This breed of dog is slightly shorter than the Rajapalayam , but appears heavier because of its powerful build. The Combai is usually red or brown, with a black mask, and with a dark line along the back. The Combai has more powerful jaws, often with a black mouth, much more pendent ears, rich red colour and a savage temper. Their coats are easily maintainable, and are less prone to skin disorders, fungal and yeast infections, and parasite infestation.

CHIPPIPARAI

The Chippiparai is a sight hound breed of dog from the south of India. Thought to be a descendant of the Saluki, today it is found in the area around Periyar Lake. Used primarily for hunting wild boar, deer and hare and is also used for guarding the home. The typical color is a silver-grey, with very limited or no white markings. Other colors, particularly variations of grey and fawn, also occur.

KANNI DOG

From Tamil Nadu,

Dog for the sheep farming in the grazing land.

The name Kanni comes from the fact that the dog used to be given as a gift to the bridegroom just before the marriage. Usually of four colours, brown, cream, black & tan and brindle. The breed is now extremely rare, and on the verge of extinction. Efforts to revive the breed have not been taken up, as specimens are few, and there exists little information about them. Found among the flock of Vembur sheep and Kanni goat. It is a good watch dog.

DOG OR BITCH ?

One of the major decisions when the pet owner should consider while acquiring a dog.

In the larger, guarding breeds males tend to be significantly larger in size, more dominate in temperament and require firm handling.

Bitches in general are more sympathetic and kindly with children and often intuitively quicker to define their owner's wish.

Bitches can experience mood swings and variable temperament during the estrous cycle.

If you want a dog as a permanent companion to be available for anything the family wants to do, then the male is perhaps more suitable, unless there are definite plan to control estrus in the bitches.

SELECTION OF PUPS

Should have the breed characters.

Decide the type - large, medium or small.

Breed of dog based on space availability, temperament of the neighbor, compound wall, etc.

Purchased from a member of kennel club

At 4-6 weeks of age look very fine and lovable. A healthy pup should be fat, with bright eyes, but should not be pot bellied.

The litter can be watched for the individual pup behaviour. A boldest and loveliest pup should be selected and not the one that lags behind or hides.

Should have loose, pliable skin and glossy coat, Give maximum consideration to the breed conformation.

Bright and clear eyes would denote good condition. Avoid pups with discharge from the eyes or nostrils.

Pups below average in bodyweight (According to the breed) should not be selected. When the litter size is large, some of the pups might be under weight.

Overshot or undershot jaws, and such other congenital deformities should be avoided especially if the animals, are to be presented for shows.

The gums should be pink in colour. Paleness of the gum indicates poor condition.

Tail should not be broken or crooked.

Ears should not have any discharge or foul smell.

PEDIGREE AND PEDIGREE CHART

A pedigree is a diagram of family tree showing the relationship between individuals

Chart that shows all the known phenotypes for an organism and its ancestors

Helps to track the generations of an animal starting with a single couple

Is like a family tree, typically used for animals

Would track his breed and the breed of his ancestors. Charts may also ensure an animal is a purebred

USE OF PEDIGREE CHART

To show ancestral lineage

To show the breeding lines of dogs (also in horses)

To show the descendants of a particular life form.

To prove the purity of the animal.

To track the ancestry of animals and assist in the planning of suitable breeding programs

To enhance desirable traits

To permit entry into clubs or societies and result in higher breeding

KENNEL CLUB

A kennel club (*Kennel council* or *canine council*) is an organization for canine affairs that concerns itself with the breeding, showing and promotion of more than one breed of dog.

Also referred to as 'all-breed clubs', although "all" means only those breeds that they have decided to recognize, and "breed" means purebred dogs, not including dog hybrids and crossbreeds or mixed breed dogs. A club that handles only one breed is known as a breed club

Maintain breed standard, record pedigrees, and issue the rules for conformation dog shows and trials and accreditation of judges.

Serve as registries, which are lists of adult purebred dogs and lists of litters of puppies born to purebred parents. Today dog clubs for mixed breed dogs are gaining ground and are now sometimes categorized as kennel clubs. The original purpose of a kennel club, however, was the breeding and showing of conformation bench pure breeds, and this remains the most widely-accepted definition.

KENNEL CLUB OF INDIA AND THEIR ROLE

The Kennel Club of India (KCI) is a registry of Purebred Dogs in India.

Promotes and sanctions events for purebred dogs, including Annual Dog Shows and Speciality Shows.

Established Kennel Clubs in India during British colonisation include Hyderabad, Ootacamund , Mysore, Calcutta.

These followed procedures followed in the Kennel Club in the United Kingdom

Is the leading authority on registration on purebreds and maintains the only recognized registry.

Issues Pedigrees for purebreds and litters.

Hosts annual shows across the country and awards championships to various breeds of dogs.

REGISTRATION IN A KENNEL CLUB

The KCI registers litters of puppies born in India whose Sire and Dam have both been registered with the KCI

It also registers puppies/dogs which have been imported from other countries

Registers puppies/dogs which are purebred but whose parents do not carry any papers.

These dogs are registered as purebreds with Unknown Pedigree.

The most common registered breeds with the KCI include: Labrador Retrievers, Golden Retrievers, German Shepherd Dogs, Dachshunds, Dalmatians, Doberman Pinchers and Pugs.

Pedigree Certificates are issued by the KCI.

REGISTERED KENNEL CLUBS IN INDIA

Andhra Pradesh KC, Bangalore KC, Gujarat KC, GSD KC, Orissa KC, Coimbatore KC, Bombay KC, Doon valley KC, Amrithsar KC, Delhi KC, North Calcutta KC, Bihar KC, Malabar KC, Cochin KC, Hyderabad KC, Palakkad KC, Nagpur KC, Patiala KC, Poona KC, KanpurKC, Kodaikanal KC, Ludhiana KC, Madurai KC, UP KC, Calicut KC, Thrissur KC, Madras KC, Mumbai KC, Trivandrum KC.

PUBERTY:

The dog attains puberty at 6-12 months of age depending on the breed, plane of nutrition and management.

In a few breeds it may be as long as 20-24 months for the appearance of the first oestrus.

Puberty in free living stray dog sets in earlier than in pets and kennel dogs.

Females mature earlier than the males of the same breed when reared under identical management.

OESTRUS DETECTION

A bitch in heat is an ideal illustration of a private as well as a public nuisance. She is undesirable at home and unwelcome abroad.

The vulva swells up. A clear discharge through the vulva followed by a bloody discharge will be noticed. This continues for 8 to 10 days or a little longer.

During this period, even though a number of male dogs are attracted towards the female, the female will drive them away.

The above stage is followed by a pinkish or watery discharge for some more days.

She stands with the tail raised and tilted to one side and is receptive to the male.

The heat period lasts for about 21 days, and recurs after about six months.

It is always advisable to breed dogs after one year.

The signs of heat can be easily identified in short-coated breeds.

In long haired breeds, staining the floor with drops of blood when the dog sits on its haunches, should be indicative to observe her for the symptoms of heat.

MATING MANAGEMENT

When a female dog comes to heat she may be restrained till she is ready for mating which is evident from her posture.

Take her to the dog of your choice. If possible it is better to take the female dog earlier to the dog and leave her with the dog.

This gives her ample time to get settled. Mating takes place one or two days after the discharge of blood is stopped. This may be by the 10th to the 13th day after the onset of the oestrous cycle, in larger breeds and earlier in smaller breeds.

Once a decision has been made to breed, the health of the animal must be thoroughly evaluated. Written records should be kept.

For bitches these should included information concerning previous estrus period i.e. length of proestrus, estrus and diestrus; signs of pseudo pregnancy, occurrence of any abnormal cycle; previous breeding date and the outcomes; vaginal cytology information and complete health record

The bitch is usually brought to the male for breeding. Courtship behaviour is initiated by the male dog, and the female either will respond positively or will reject the male by showing avoidance or aggression.

Courtship behaviour in the male include intense sniffing of the female's face, flank, and urogenital area; licking of the vulva; and chasing or playing behaviours.

If the female stands for mounting, the male Will mount and clasp the flanks of the female with his forelegs.

In the dog the os penis allows intromission to occur prior to the development of an erection.

An erection develops immediately after intromission and is accompanied by rapid stepping movement of the males, hind legs.

The enlargement of the bulbus glandis occurs at this time and is eventually responsible for the coital tie.

The first portion of the do's ejaculate contains only sperm free prostatic fluid and is ejaculated within 1 minute of intromission.

Following the development of an erection, the male will dismount by placing both front feet to one side and lifting one hind leg over the female's back so that they are "locked" or "tied" together tail to tail.

The enlarged bulbus glandis of the male prevents withdrawal of the penis from the female's vagina during the tie.

The sperm-rich portion of the semen is ejaculated during the first 1-5 minutes of the tie.

Internal ties normally last between 5 and 60 minutes. The female and male should be allowed to separate naturally, once the bulbus glandis has reduced in size sufficiently.

The average gestation length in a bitch is 63 ± 2 days but it ranges 55 to 75 days under different conditions

PSEUDO PREGNANCY- This is a phenomenon seen in many adult bitches.

After the oestrus period, the mammary glands are enlarged and will show secretion of milk.

The bitch shows all the symptoms of pregnancy and impending parturition. But the bitch will not be carrying any pup.

This does not in any way interfere with its breeding capacity. They become pregnant and litter normally during the subsequent seasons

BREEDING GUIDE TO BITCH

Sl. No.	Average Values of Breeding Behaviour	Bitch
1	Age at puberty	6-12 months
2	Age at breeding	12-18 months
3	Type of oestrous cycle	Monoestrus (but usually 2 oestrous cycles per year)
4	Length of oestrous cycle	6 months
5	Length of oestrus (heat)	6-13 days
6	Gestation period	55-75 days (63 days)
7	Time of ovulation	48-60 hours after the receptive phase
8	Proper time of AI	2-3 days after onset of true oestrus
9	Breeding season	Biannual: August to September, February to March
10	Return of heat after parturition	16-20 weeks
11	Recurrence after non-conception	Twice yearly

12	Age of weaning	4-6 weeks
13	Time of fertilized ova entering uterus	5-6 days post-coitus
14	Time of implantation begins	15 days post-coitus
15	Type of placenta	Endotheliochorial
16	Expulsion of placenta	Immediately after each foetus
17	Average no. of pups born	4-8 pups
18	Birth weight	65-500g
19	Breeding span	7-8 years
20	Life span	10-15 years (Record is 32 years)

Artificial Insemination in Bitch

- AI should be done in correct stage of heat, confirmed by testing either using a male or by vaginal smear examination (Cornified epithelial cells). Normally ovulation occurs about 48 hours after commencement of true estrus.
- The hindlegs should be elevated at the time of AI. Pass the pipette, connected with syringe, Insert until the tip is in the region of cervix. Speculum and suitable illumination is used.

Characters of semen and AI

Volume	0.3 – 23 ml
Ph	5.9-7.2
Avg concentration of semen	1,428 mill/ejaculate
Collection of semen for AI	2-3 times a week
Site for semen deposition	Cervix
Volume of diluted semen required for AI	1.5 ml
Minimum number of sperms required/AI	15 million
Rate of semen dilution for AI	1:10
Extenders used for dilution	Egg yolk citrate or heat treated milk
Lifespan of diluted semen	6 days at 4 °C
Life span of fresh/neat semen	18 hours

BREEDS OF CAT**SHORT HAIRED BREEDS****Abyssinian****Burmese****British Shorthair****American
short hair****Bombay Breed****American
wire hair****Oci cat**



Egyptian Mau



Exotic short hair



Japanese Bobtail



Asian/Malayan



Scottish Fold



Siamese



Singapura



Sphynx

LONG HAired BREEDS



**Himalayan &
Kashmir**



Persian



Turkish Angora



Norwegian Forest cat



Tiffany

BREEDING MANAGEMENT OF CATS

MALE AND FEMALE REPRODUCTIVE ORGAN

- The ovaries are relatively small, lima bean shaped; following ovulation the ova spend approximately 2 days moving through the oviducts to the uterus.
- In cats, the first stage of meiosis takes place before ovulation.

- Unlike the dog's ova, the ova of that are ready for fertilization immediately upon ovulation and movement into the oviducts.
- Most female cats have four functioning pairs of mammary gland, which located in two parallel rows.
- The male cats are capable of sexual activity and mating throughout the year, but during winter their activity is reduced.
- The penis of cat is shaped and positioned so that it deflected slightly downward and caudally (rather than cranially, as in other domestic species) when erect.
- This allows intromission when the male mounts a receptive female.
- An additional unique characteristic is cat the external surface of the glans portion of the cat's penis is spiked.
- These are directed towards the base of the penis and provide stimulation to the walls of the female cat's vagina during mating
- This stimulation is necessary for the Luteinizing hormone surge in the female cat that subsequently leads to ovulation.

REPRODUCTIVE DETAILS

- Female cats are seasonally polyestrous, and the season begins in January and end in October
- Cats normally reach sexual maturity at 5–10 months (females) and to 5–7 months (males), although this can vary depending on breed.
- Oestrus cycle is 14-21 days and during this period more number of males is attracted. Males will fight each other and succeeded male will mate.

SIGNS OF ESTRUS

- The female in estrus can be identified by the 'calling', although this can be more like shrieking or wailing in some breeds such as Siamese. Some Persians content themselves with dainty little mews and miaows.
- The female displays some brazen behaviour, rolling and dragging herself around the floor, flicking her tail and raising her rump to expose the reddened vulva.
- She may also lose interest in her food. Picking her up by her neck folds (as an interested tom would do) and stroke along her back may show positive response with pleasure, pads her feet and raises her tail.

BREEDING OF CAT

- If a decision has been made to breed, the health of the cat must be thoroughly evaluated.
- For female, information like previous estrus period, breeding date and the outcome, health record, vaccination detail, disease history should be noted.
- The timing of breeding is best determined by the queen/s behaviour.
- As the queen enters estrus, she begins to show a coital crouch when in the presence of a male cat or in response to genital stimulation.
- A receptive female will solicit attention from the male cat and allow mounting and intromission.

- Mating in cats occurs rapidly, lasting between 30 seconds and 5 minutes.
- The tom cat mounts and clasps the flanks of the female with his forelegs, her with his hind limbs, and grasps the dorsal aspect of her neck with his teeth.
- This grip is inhibited, and so only in very rare case penetrates the female's skin.
- Almost immediately, the male treads rapidly with his hind limbs and shows pelvic thrusts, resulting in intromission.
- In domestic cats, intromission is almost immediate followed by ejaculation.
- The male immediately begins to dismount this causes the female to elicit a very shrill postcopulatory cry, after which she usually turns aggressively towards the male.
- The aggressiveness is less towards known mates.
- After mating female will vigorously roll on the floor, it shows other reactions like rubbing and licking that lasts between 30 seconds and several minutes.
- If the male is present she usually adopts a receptive position shortly after and breeding begins again.
- Cats resume mating within 30 minutes and experienced pair will mate ten times in an hour.
- For LH surge and ovulation minimum of four mating is essential within a period of 24 hours.
- The estrus period will normally end abruptly by 24 to 36 hours after initiation of mating.
- The female cat will not come to estrus until the kittens are weaned or until next breeding season.
- If the female does not conceive, she will either enter pseudopregnancy or return to estrus cycle.
- The gestation period for cats is between 63–67 days, with an average length of 66 days.
- The size of a litter averages three to five kittens, with the first litter usually smaller than subsequent litters.
- Kittens are weaned at between six and seven weeks, and
- Females can have two to three litters per year
- Cats are ready to go to new homes at about 12 weeks old, or when they are ready to leave their mother.

PREGNANCY DIAGNOSIS

- The first sign is the distinct change in the teat at about 3 weeks of gestation, it turns from a pale colour to pink and becomes enlarged and more firm.
- Next sign is failure to return to estrus. Pregnancy can be palpated as early as 15 days onwards.
- Uterine locules feel like a string of small distinct lumps about the size of walnuts, separated from one another along each uterine horn.
- Palpation beyond 30 to 35 days of pregnancy becomes difficult because the uterus becomes diffusely enlarged and separation between fetuses is difficult to detect.
- Ultrasonic examination of abdomen can be used as early as 14 to 15 day of gestation.

- After about four weeks, the queen's stomach starts to distend, the nipples become very prominent, and she begins to look pregnant.
- By around 28 days, all the kitten's internal organs have formed, and the embryos are about 2.5 cm long. The skeleton develops from about 40 days, and at 50 days, the kittens quicken – show signs of movement.

MANAGEMENT AT QUEENING

- A quiet place that is free from draft and cool place is suitable for queening.
- The pregnant cat should be introduced to this area 1 week prior to expected date of queening.
- This allows her to become adjusted to the area and have her scent deposited throughout the queening area before the kittens are born.
- Queening boxes may also be provided; it should provide easy access to the mother while preventing young kittens from escaping.
- The box should also be large enough for the mother to stretch out in full length on her side and have room to spare.
- A box that measured 1 to 2 times the length of the queen is ideal.
- Old towels, mattress pads or cloth diapers can be provided as bedding material.

SIGNS OF PARTURITION

- The average length of gestation is 63 to 65 days and female will show signs as early as 61 days.
- At the final week of gestation, the mammary gland enlarge rapidly, milk can be squeezed at last 1 to 2 days.
- One reliable mean is the body temperature of the queen, during the advanced stage of parturition, the body temperature should be monitored regularly, and normally the female's body temperature falls down 12 to 36 hours prior to parturition.
- The rectal temperature usually falls from 101.5 ° F to 98-100 ° F.
- The average time between initiation of strong uterine contraction of 2 stage labour to birth of kitten is around 10 to 30 minutes, and the total litter will born within 2 to 6 hours.
- Sometimes the female may take rest and will not show sign of labour for up to 2 hours between kittens.
- But active straining and signs of hard labour for more than 30 to 60 minutes is a sign of dystocia.
- Cats can be surgically sterilized (spayed or castrated) as early as 7 weeks to limit unwanted reproduction.

- This surgery also prevents undesirable sex-related behaviour, such as aggression, territory marking (spraying urine) in males and yowling (calling) in females.