

Phase 1 Domain Design

Preferred covered reading edition

FINALIZED BASELINE | ALL THREE DECISION GATES CLOSED

Fixed ten-minute holds and professional-confirmed overlap exceptions

AESTHENDA CORE

Phase 1 - Domain Design

Version: v2.2

Status: FINALIZED BASELINE - DG-01, DG-02, and DG-03 approved and reconciled

Prepared: September 7, 2026

Authority: AESTHENDA CORE v2.2 Master Blueprint, approved capability addendum, and approved DG-01 and DG-02/DG-03 governing amendments

This document replaces the abbreviated alignment review as the current Phase 1 working authority. It does not overwrite or invalidate the archived review or early working draft. It merges only material that is consistent with the v2.2 product foundation. DG-01, DG-02, and DG-03 are incorporated as approved. The domain baseline is closed for these decision gates.

1. Domain objective

Aesthenda models one independent beauty or wellness professional and the clients of that professional's business. The Business Account is the tenant, ownership, billing, and data-isolation boundary. The professional is the sole owner-operator in v1. Team, staff, front-desk, multi-professional assignment, commissions, and role-management experiences are deferred.

Operational policy belongs to the business unless security, account isolation, transaction integrity, processor constraints, or law imposes a platform boundary. Every interface uses the same canonical domain decisions.

2. Vocabulary and first-release scope

Concept	User-facing term	Domain treatment
Person delivering services	Professional / you	One owner-professional per Business Account in v1. provider may exist only as an internal legacy term.
Commercial tenant	Your business	Business Account is the isolation and ownership boundary.
Customer	Client	Account-scoped business record; no login is required merely to book.
Delivery context	Location	One primary location is the simple default. Mobile, virtual, and additional locations are optional.
Room, chair, station, or equipment	Managed outside Aesthenda in v1	No v1 Resource entity, reservation, assignment, capacity rule, or availability validation. Resource scheduling may be reconsidered after v1 through a separately approved phase.
Automated actor	Assistant / automation	Conditional Agent / Automation Identity with narrowly scoped authority and provenance.

The initial market is the United States and the initial currency is USD. Designs must not prevent later localization. Square is the initial payment processor; exact supported methods depend on processor and merchant eligibility, and external payments may be recorded.

3. Entity inventory

Required entities

Professional; Business Account; Client; Service; Appointment; Availability; Calendar; Business Profile; Booking Page; Notification; Payment; Invoice; Policy Configuration; Audit Event; Consent / Communication Preference; Integration Connection.

Conditional entities

Location; Appointment Item; Calendar Block; Agent / Automation Identity.

Supporting records

Service Segment Definition; Appointment Segment; Appointment Snapshot; Appointment Status Event; Booking Session / Slot Hold; Payment Attempt / Refund / Allocation; Invoice Line Item; Policy Version; Theme Configuration / Theme Version; Asset Reference; Notification Attempt; External Reference; Client Merge Record; Idempotency Record; Outbox Event.

Supporting records are implementation-facing parts of an approved entity, not new user-facing product modules.

Deferred entities

Resource scheduling and capacity records for rooms, chairs, stations, waiting areas, or equipment; employee and staff records; staff roles and assignments; front-desk identities; team schedules; commissions; memberships; gift cards and stored-value ledgers; advanced packages; multi-professional appointment assignment; advanced marketing automation.

4. Required entity definitions

4.1 Professional

Purpose. Represents the independent owner-operator who configures and runs the business and performs its services.

Ownership and scope. Belongs to one Business Account in v1 and carries owner authority inside that account. Authentication credentials may be managed by the identity boundary, but access never derives from a caller-supplied account identifier.

Lifecycle. onboarding -> active -> unavailable -> inactive -> archived.

Relationships. Owns the Business Account; performs Services; has Availability and a Calendar; creates and changes Appointments; publishes policy and booking-page versions; is the actor for audited overrides.

Invariants. Only an active professional receives new appointments. Deactivation triggers review of future appointments. Historical records preserve the professional display facts in effect at the time.

4.2 Business Account

Purpose. Tenant, ownership, billing, configuration, and data-isolation boundary for one professional's business.

Lifecycle. trial -> active -> past_due -> suspended -> closed -> archived.

Relationships. Owns every protected business record directly or through a provable parent; has one owner-professional in v1; has one Business Profile and one or more versioned Booking Page publications.

Invariants. Cross-account access or relationships are forbidden. Closure stops new bookings but does not erase protected history. The account always retains one accountable owner while active.

4.3 Client

Purpose. Account-local customer record containing identity, contact points, preferences, history, consent, and booking restrictions.

Lifecycle. lead -> active -> inactive -> booking_restricted -> merged -> archived.

Relationships. Has Appointments, Payments, Invoices, consent records, notes, forms, assets, and Notifications. May be linked to a verified client identity without becoming a global shared client record.

Invariants. Clients can book without creating a permanent account. Duplicate detection uses normalized account-scoped contact data. A merge preserves history, consent, balances, source identifiers, and audit evidence; records from different Business Accounts never merge.

4.4 Service

Purpose. Bookable offering with name, description, price presentation, timing, policy linkage, and public visibility.

Lifecycle. draft -> active -> hidden -> archived.

Relationships. Belongs to a Business Account; is performed by its Professional; may contain ordered Service Segment Definitions; may use an enabled Location; appears through Booking Page publications and Appointment Items.

Invariants. Public services require a positive bookable duration and valid price presentation. Price types may be fixed, starting-at, variable, or consultation-required. Edits never rewrite historical appointment or invoice snapshots. New services begin with zero before/after buffer unless the business changes them.

4.5 Appointment

Purpose. Canonical scheduled commitment between the Business Account, one Client, one Professional, and one or more Services.

Lifecycle. requested -> pending_payment -> confirmed -> checked_in -> in_service -> completed; alternate terminal states: cancelled, declined, no_show.

Relationships. Has one or more Appointment Items and materialized Appointment Segments; reserves professional-calendar time; may use an enabled Location as delivery context; may have Payments, an Invoice, Notifications, notes, forms, consent, snapshots, status events, and an overlap decision.

Invariants. Start precedes end. Every consequential create, move, restore, or material edit runs canonical validation. One appointment may contain multiple services and timed segments, but only one professional in v1. Existing terms retain the service, price, timing, policy, consent, and presentation versions applied when confirmed or consequentially changed.

4.6 Availability

Purpose. Versioned recurring and date-specific definition of when the professional and enabled delivery contexts may be booked.

Lifecycle. draft -> active -> superseded -> archived.

Relationships. Belongs to a Business Account; applies to the Professional and conditionally to Location; is interpreted by Calendar and Scheduling.

Invariants. Recurring rules use the saved local time zone. Date-specific exceptions override recurring rules. Availability is necessary but never sufficient for a bookable slot; service-segment timing, holds, existing appointments, overlap policy, and travel must also pass. Rooms, chairs, stations, and equipment do not participate in v1 Availability.

4.7 Calendar

Purpose. Account-scoped scheduling view and synchronization boundary for Appointments, Availability, Calendar Blocks, and approved external busy events.

Lifecycle. active -> disconnected -> error -> archived.

Relationships. Belongs to a Business Account; displays the Professional schedule and enabled delivery contexts; may connect through an Integration Connection.

Invariants. Aesthenda appointments remain canonical. Sync is idempotent and uses stable external references. Disconnecting stops future sync without deleting Aesthenda appointments. Simultaneous appointments display active work, processing time, and the next hands-on segment. No v1 calendar layer displays or validates room, chair, station, or equipment occupancy.

4.8 Business Profile

Purpose. Public identity and essential operational presentation for the business.

Lifecycle. incomplete -> draft -> published -> unpublished -> archived.

Relationships. Belongs to one Business Account; supplies public facts to Booking Page, Notifications, Invoices, and reports.

Invariants. Required legal/contact facts must validate before publication. Public changes are previewable. Branding assets meet file-safety and accessibility requirements. Unpublishing hides public discovery without deleting operational records.

4.9 Booking Page

Purpose. Versioned public booking experience through which a client discovers Services, sees real-time availability, supplies required details and consent, satisfies payment terms, and confirms an Appointment.

Lifecycle. draft -> preview -> published -> paused -> archived.

Relationships. Uses Business Profile, selected Services, published Policy Version, Theme Version, Availability, Booking Sessions / Holds, Clients, Appointments, Payments, consent, and Notifications.

Invariants. Publication requires valid essential configuration. Availability is revalidated at confirmation. Prices, timing, policies, consent, and payment facts cannot be altered or concealed by theme styling. Slugs are unique in their required scope. A failed save/publication leaves the prior published version available.

4.10 Notification

Purpose. Transactional or authorized marketing communication over supported channels.

Lifecycle. created -> queued -> processing -> sent -> delivered; alternatives: failed, cancelled, suppressed, bounced.

Relationships. Belongs to a Business Account; targets a Client, Professional, or approved destination; may reference an Appointment, Payment, or Invoice; has delivery attempts and consent context.

Invariants. Transactional and marketing consent are separate. Idempotency prevents duplicate delivery. Sensitive internal data never appears in insecure client communications. Delivery, failure, suppression, and opt-out facts are auditable.

4.11 Payment

Purpose. Records attempted or completed movement of money for appointments, deposits, tips, balances, refunds, and external-payment evidence.

Lifecycle. created -> pending -> authorized -> captured -> settled; alternatives: failed, cancelled, partially_refunded, refunded, disputed, reversed.

Relationships. Belongs to a Business Account; may belong to a Client and apply to Appointments or Invoices; has processor references, attempts, refunds, disputes, allocations, reconciliation records, and audit evidence.

Invariants. Amounts use integer minor units plus currency. Raw card or bank credentials are never stored. Processor calls are idempotent; signed provider facts control external settlement truth. Refunds do not exceed refundable captured value. Financial records are corrected through append-only adjustments, reversals, or refunds, not deletion.

4.12 Invoice

Purpose. Itemized amount owed, including service charges, taxes, fees, tips, discounts, credits, payments, and balance.

Lifecycle. draft -> open -> partially_paid -> paid; alternatives: void, uncollectible, refunded.

Relationships. Belongs to a Business Account and normally a Client; contains Invoice Line Items; may reference Appointments and Services; receives Payment Allocations.

Invariants. Totals reconcile to their components. Finalized invoices receive an account-scoped reference and retain historical names, prices, rates, and descriptions. Material post-finalization changes use controlled adjustment or void/reissue behavior.

4.13 Policy Configuration

Purpose. Typed, versioned business-controlled operating policy.

Lifecycle. draft -> validated -> published -> superseded -> archived.

Relationships. Belongs to a Business Account; contains Policy Versions and rules scoped business-wide, by Service, conditionally by Location, and by explicit Appointment override; is snapshotted on consequential records.

Invariants. Effective resolution follows authorized appointment override -> service -> enabled location -> business -> visible recommendation. A recommendation becomes saved policy only after acceptance/publication. Published versions are immutable. Security, isolation, integrity, processor, and legal boundaries cannot be overridden.

4.14 Audit Event

Purpose. Append-only evidence of security-sensitive or consequential business action.

Lifecycle. append-only; correction occurs through a linked new event.

Relationships. Identifies Business Account, actor/provenance, action, target, timestamp, source, policy/version context, safe before/after digests, outcome, and correlation.

Invariants. Ordinary interfaces cannot edit or delete audit evidence. Overrides, publication, refunds, integration changes, retention actions, agent actions, and support access produce audit evidence. Prohibited secrets and unnecessary client content are excluded.

4.15 Consent / Communication Preference

Purpose. Records a client's agreement, refusal, withdrawal, and channel preferences with exact policy/form version.

Lifecycle. granted -> withdrawn or superseded; prior evidence remains historically true.

Relationships. Belongs to a Business Account and Client; may reference Booking Session, Appointment, form, policy, channel, and source.

Invariants. Transactional and marketing bases remain distinct. Withdrawal stops future optional marketing but does not erase prior evidence or suppress legally/operationally necessary transactional messages.

4.16 Integration Connection

Purpose. Scoped link between a Business Account and an external provider such as payments, calendar, or communications.

Lifecycle. pending -> active -> degraded -> disconnected -> revoked.

Relationships. Owns encrypted/referenced credentials, explicit scopes, external references, webhook receipts, sync cursors, and provenance.

Invariants. Integrations invoke allowlisted canonical actions and never gain generic database access. Webhooks are authenticated, deduplicated, account-mapped, and normalized before changing business state. Disconnecting revokes future access but preserves required evidence.

5. Conditional entity definitions

5.1 Location

Materializes only when a distinct physical, mobile, virtual, or additional delivery context must carry its own address/instructions, time zone, availability, travel behavior, or public presentation. One primary context remains the simple default. Lifecycle: draft -> active -> closed -> archived. Future appointments require review before closure or time-zone change. Historical appointments retain the delivery-context snapshot.

5.2 Appointment Item

Represents one Service within an Appointment, including the booked service version, price presentation, ordered Service Segments, policy references, and adjustments. It enables multiple services without multiple professionals. Historical versions are immutable snapshots.

5.3 Calendar Block

Reserves protected non-client time on the Professional's calendar and conditionally at an enabled Location. Lifecycle: active -> moved -> cancelled -> completed. A block participates in availability and conflict checks but is not a client Appointment.

5.4 Agent / Automation Identity

Represents a scoped automated actor and its provenance. Lifecycle: enabled -> suspended -> revoked -> archived. Every invocation carries the initiating actor, Business Account, purpose, allowlisted capabilities, expiry, and confirmation evidence. It cannot access the database or bypass canonical actions, policy, permissions, validation, or audit.

6. Supporting timing and publication records

- **Service Segment Definition:** ordered active or processing interval with duration and Professional-occupancy behavior. It has no v1 room, chair, station, or equipment fields.

- **Appointment Segment:** scheduled materialization of a segment for one appointment revision.

- **Appointment Snapshot:** immutable service, price, timing, delivery, policy, consent, and presentation facts at a consequential revision.
- **Appointment Status Event:** append-only from/to transition with actor, source, time, and reason when required.
- **Booking Session / Slot Hold:** short-lived client transaction context and concurrency reservation. All businesses use a fixed ten-minute booking hold, timed by the server from hold creation. There is no business, Service, or Appointment duration setting. Release early on explicit cancel/close; otherwise expire automatically. Confirmation revalidates the hold and current scheduling state; an expired hold cannot confirm from stale client state.
- **Theme Configuration / Version:** allowlisted colors, type choices, backgrounds, accents, buttons, cards, density, imagery references, accessibility validation, and publication state. Theme changes never alter canonical booking facts or flow.
- **Overlap Decision:** policy version, fit analysis, exact conflict intervals, affected Appointment and segment revisions, warnings, authenticated professional actor, explicit confirmation and timestamp, and outcome. Approval does not erase the conflict or change scheduled duration. Public callers cannot supply professional exception authority.

7. Relationship and ownership invariants

1. Every protected record is scoped to one Business Account directly or by a provable parent chain.
2. Every first-release Appointment has exactly one Professional, one Client, and one or more Appointment Items.
3. A Client, Service, Payment, Invoice, Policy, Theme, Integration Connection, or Appointment from one account can never reference a protected record in another account.
4. Public identifiers and URLs do not authorize access.
5. Service, price, timing, policy, consent, and publication changes create new versions or snapshots rather than rewriting historical facts.
6. Writes occur through canonical application actions. UI, mobile, AI, voice, integrations, and background work do not own alternate business logic.
7. External processors are authoritative only for their settlement/delivery facts; Aesthenda reconciles those facts into canonical business records.

8. Lifecycle summary

Business Account: trial -> active -> past_due -> suspended -> closed -> archived

Service: draft -> active -> hidden -> archived

Policy/Theme: draft -> validated -> published -> superseded -> archived

Booking Page: draft -> preview -> published -> paused -> archived

Appointment: requested -> pending_payment -> confirmed -> checked_in -> in_service -> completed

\-> cancelled | declined | no_show

Payment: created -> pending -> authorized -> captured -> settled

\-> failed | cancelled | partially_refunded | refunded | disputed | reversed

Integration: pending -> active -> degraded -> disconnected -> revoked

Transitions are enforced by the owning domain and recorded when consequential. Restoring or reactivating an archived record requires current validation.

9. Audit, retention, and deletion

The later approved Phase 5 retention decisions are incorporated where they do not conflict with the master blueprint:

Data class	Current approved baseline
Client identity/contact, ordinary booking history, private notes, message content, consent evidence	3 years after the last relevant appointment, then delete or irreversibly anonymize unless a documented legal/dispute hold applies.
Payment, refund, reconciliation, and standard audit evidence	7 years from the financial event or audit event.
Raw payment webhooks	90 days, then securely delete while retaining only necessary normalized evidence for 7 years.
AI transcript content	Store only when needed for audit/support, redact, retain 3 years, prohibit secondary training.
Holds, cache, and idempotency records	Short operational retention; not a substitute for business history.

Retention execution is authenticated, scoped, hold-aware, idempotent, verifiable across storage/search/cache copies, and itself audited. Financial and audit facts are never silently erased.

10. Approved cross-phase decisions

- **DG-01 - APPROVED OPTION B:** v1 does not track, reserve, assign, or validate rooms, chairs, stations, waiting areas, equipment, resource pools, or resource capacity. The independent professional manages those outside Aesthenda. v1 scheduling uses only the Professional's calendar, Availability, Service/Appointment segments, buffers, holds, travel, existing Appointments, and effective overlap policy. Resource scheduling is deferred beyond v1 and requires separate approval.
- **DG-02 - APPROVED OPTION A:** All businesses use a fixed ten-minute booking hold, timed by the server from hold creation. There is no business, Service, or Appointment duration setting. Release early on explicit cancel/close; otherwise expire automatically. Confirmation revalidates the hold and current scheduling state; an expired hold cannot confirm from stale client state.
- **DG-03 - APPROVED OPTION B:** Public booking never offers or confirms a non-fitting hands-on overlap. The authenticated owner-professional may manually book it after a specific warning and explicit confirmation bound to the exact request and current affected revisions. Published policy alone cannot authorize a hands-on conflict. Record the warning, actor, time, affected Appointments and segments, policy version, confirmation, and outcome. Preserve the full booked duration unless the professional explicitly edits it; never silently shorten work or move an existing appointment.

11. Phase 1 acceptance record

The required and conditional v2.2 v1 entities are defined with ownership, lifecycle, relationships, scope, audit treatment, retention baseline, and invariants. Team complexity and v1 Resource scheduling are removed; multi-service timed appointments, intentional overlap, optional delivery contexts, and versioned booking-page themes are represented. The three recorded cross-phase gates are resolved.

Phase status: Phase 1 v2.2 baseline finalized and closed for DG-01 through DG-03. The decisions are propagated to the governing amendment, Phases 4-6 scheduling amendments, Phase Six handoff, and Phase Seven UI source. Later phase review and production implementation require their own authorization.