

Phase 3 Business Rules

Preferred covered reading edition

FINALIZED BASELINE | ALL THREE DECISION GATES CLOSED

Fixed ten-minute holds and professional-confirmed overlap exceptions

AESTHENDA CORE

Phase 3 - Business Rules

Version: v2.2

Status: FINALIZED BASELINE - DG-01, DG-02, and DG-03 approved and reconciled

Prepared: September 7, 2026

Authority: AESTHENDA CORE v2.2 Master Blueprint, approved capability addendum, and approved DG-01 and DG-02/DG-03 governing amendments

This record replaces the abbreviated alignment review as the current Phase 3 working authority while preserving the review and early rule catalog. Stable identifiers are retained where their meaning remains compatible; team/multi-professional assumptions and universal operating defaults are removed. Later Phase 5/6 decisions and the approved DG-02/DG-03 amendment are incorporated into the governing product foundation.

1. Governing principle

Aesthenda represents, validates, explains, versions, and consistently enforces policy. The professional controls the business's operating policy. Security, account isolation, transaction integrity, processor constraints, abuse controls, and applicable law remain non-configurable platform boundaries.

Every booking channel resolves the same effective saved policy. Recommendations are visible starting values, not universal mandates. Existing Appointment terms retain the policy version applied at confirmation or consequential revision.

2. Policy resolution hierarchy

When multiple values could apply, resolve in this order:

1. authorized explicit Appointment override;
2. Service-specific setting;
3. Location-specific setting when Location is enabled;
4. Business-wide setting;
5. visible Aesthenda starting recommendation.

The interface and action response identify the effective value and source. A recommendation becomes saved business policy only after explicit acceptance or publication. Platform boundaries always supersede business configuration.

3. Platform invariants

- No confirmed Appointment exists without a valid time range, Business Account, Client, Service context, Professional, attributable actor, and required policy/consent/payment facts.
- Every protected record and action is scoped to one Business Account; cross-account relationships and disclosure are forbidden.
- Policy changes are versioned and never silently rewrite existing Appointment terms.
- Consequential overrides require explicit confirmation and append-only audit evidence.
- Aesthenda never hides a known conflict, payment state, policy source, or client-facing consequence.
- Public booking cannot override a blocked invariant. Professional exceptions use a distinct authorized action.
- AI, voice, integrations, and UI cannot bypass canonical actions, policy, permission, validation, idempotency, or audit.
- Temporary holds and repeated requests are concurrency-safe and idempotent.

4. Operating policies and platform safeguards

Policy	Scope	Starting posture	Required behavior
Processing-time occupancy	Service or segment	Explicit configuration	Each segment declares whether the Professional is occupied or released. v1 does not model client use of rooms, chairs, stations, waiting areas, or equipment.
Intentional overlap	Business, Service, segment, or case-by-case	Off unless enabled	Modes may include compatible-processing, selected Services, configured maximum concurrent clients, or professional approval. Never forced.
Conflict override	Business permission	Owner-professional allowed where safe	Show affected facts, bind confirmation to the exact request, and audit. Never label a known conflict conflict-free. DG-03 permits a case-specific confirmed hands-on exception; public booking still blocks it.
Service buffers	Business default with Service override	Zero minutes	Optional before/after buffers; configured occupancy blocks relevant time.
Same-day booking	Business or Service	Visible recommendation, not a mandate	Enable, disable, or restrict by Service and notice.
Minimum booking notice	Business or Service	Visible recommendation	Configurable duration; no universal four-hour rule.
Advance booking window	Business or Service	Visible recommendation	Configurable duration; no forced 30/60/90-day choice.
Cancellation window	Business or Service	Visible recommendation	Configurable duration with client-visible terms.
Deposit/payment treatment	Business or Service	No forced policy	Deposit, full prepayment, no prepayment, or eligible provider-held card reference; refunds/forfeiture/credit/transfer subject to processor, integrity, and law.
Deposit-preserving reschedule	Business	No forced count	Configurable count, unlimited option, or case-by-case decision.
Repeated no-shows	Business	No automatic blocking	Configurable threshold and response: warn, require payment, require approval, or restrict online booking.
Temporary booking hold	Platform safeguard	Fixed ten minutes for every business	Server-timed expiry; early release on explicit cancel/close. No business, Service, or Appointment duration override.
Travel time	Delivery/Appointment context	Zero unless enabled	Configurable duration; advanced origin/destination automation may be later.
Room/chair/station/equipment use	Outside Aesthenda v1	Not represented	The independent professional manages these outside the system. They do not affect v1 Availability, slot calculation, assignment, reservation, or validation.

5. Rule catalog

5.1 Appointment validation - APT

- **APT-001:** Every Appointment belongs to exactly one Business Account.
- **APT-002:** Every Appointment has one delivery context: the primary business context or an enabled physical, mobile, virtual, or additional Location.
- **APT-003:** An Appointment requires one Client, a valid start/end range, one Professional, and at least one Service/Appointment Item.
- **APT-004:** An Appointment may contain multiple Services and timed segments, but not multiple professionals in v1.
- **APT-005:** Each Appointment Item references a Service version the Professional is permitted to perform.
- **APT-006:** Timing falls within effective Availability unless an authorized, previewed exception is permitted.
- **APT-007:** Enabled Location and travel requirements pass their applicable rules. Rooms, chairs, stations, and equipment are outside v1 validation.
- **APT-008:** The timeline includes active work, processing, buffers, and travel when enabled.
- **APT-009:** Full validation runs on create, reschedule, restore, or material modification.
- **APT-010:** Public booking revalidates the selected slot immediately before confirmation.
- **APT-011:** Historical revisions preserve Service name, price, duration, segments, delivery, policy, consent, and presentation snapshots.
- **APT-012:** Public booking never bypasses failed validation or a blocked invariant.
- **APT-013:** A professional action may bypass only an explicitly overrideable warning and only with required confirmation/evidence.
- **APT-014:** Every override records actor, time, source, reason when provided, rule/warning basis, prior decision, affected segments, policy version, and outcome.

5.2 Intentional overlap - DBL

- **DBL-001:** Scheduling distinguishes hands-on/active segments from processing/released segments.
- **DBL-002:** Published policy may enable overlap globally, for selected Services, for selected processing segments, or by professional approval; it may also disable overlap completely.
- **DBL-003:** Public availability offers an overlap only when the complete Service fits the eligible window and all effective limits pass.
- **DBL-004:** Public booking blocks an overlap that exceeds the configured concurrent-client limit, does not fit, or violates a hard invariant.
- **DBL-005:** A Client cannot participate in two Appointments simultaneously.
- **DBL-006:** DG-01 is approved: v1 overlap never checks, reserves, assigns, or reports room, chair, station, waiting-area, equipment, pool, or other Resource capacity.
- **DBL-007:** A professional outside-policy overlap uses preview plus exact-request confirmation and records complete evidence.
- **DBL-008:** Shade only the exact conflicting interval amber on both affected appointments, keeping their normal colors elsewhere. Show the same highlight while placing or moving the appointment, before the confirmation warning, and retain it after approval while the conflict exists. Use no persistent overlap label or extra icon. Tap or click reveals the overlap duration, affected appointments, and approval details. Provide the same details through keyboard interaction and screen-reader text without adding visible clutter.
- **DBL-009:** Public booking never offers or confirms a non-fitting hands-on overlap. The authenticated owner-professional may manually book it after a specific warning and explicit confirmation bound to the exact request and current affected revisions. Published policy alone cannot authorize a hands-on conflict. Record the warning, actor, time, affected Appointments and segments, policy version, confirmation, and outcome. Preserve the full booked duration unless the professional explicitly edits it;

never silently shorten work or move an existing appointment.

- **DBL-010:** An Appointment-specific exception does not silently change the published overlap policy or Service definition.

5.3 Processing time - PRC

- **PRC-001:** A Service may contain one or more ordered active and processing segments.
- **PRC-002:** Every segment has a positive duration and sequence position.
- **PRC-003:** Every segment declares whether the Professional is occupied or released.
- **PRC-004:** A released Professional may accept compatible work only when effective overlap policy permits it.
- **PRC-005:** A Client may remain in a room, chair, station, or waiting area during processing, but Aesthenda v1 does not represent or validate that occupancy.
- **PRC-006:** Service and Appointment segments contain no v1 Resource identifier, assignment, reservation, quantity, pool, or capacity rule.
- **PRC-007:** Public and normal-fit scheduling prove the Professional can return for every next hands-on segment. A professional manual exception may knowingly overlap that return after exact warning and confirmation under DG-03; the system must not describe the result as conflict-free.
- **PRC-008:** New work cannot silently delay a previously confirmed return segment.
- **PRC-009:** Public availability exposes only overlaps satisfying the full Service-segment fit, effective policy, Professional Availability, buffers, travel, existing Appointments, and holds.
- **PRC-010:** Optimization follows explicit saved settings; AI never invents occupancy or timing assumptions.

5.4 Buffer time - BUF

- **BUF-001:** A Service may define a before-buffer, after-buffer, or both.
- **BUF-002:** New Services begin with zero-minute buffers unless the business changes them.
- **BUF-003:** A buffer blocks the configured interval on the Professional's calendar; it does not reserve or validate a room, chair, station, or equipment item.
- **BUF-004:** Buffers are not represented to clients as active Service time.
- **BUF-005:** Clients see expected arrival and completion information relevant to them.
- **BUF-006:** Professional views show the complete blocked timeline.
- **BUF-007:** A buffer cannot overlap another reservation for the same blocked subject unless effective policy allows a warned exception.
- **BUF-008:** Buffer changes trigger conflict review for affected future Appointments.
- **BUF-009:** A business-wide buffer default may be overridden by Service.
- **BUF-010:** Zero is a starting posture, not a prohibition on business-defined preparation or cleanup time.

5.5 Time off and Availability exceptions - TMO

- **TMO-001:** Time off overrides recurring Professional Availability.
- **TMO-002:** An enabled Location closure overrides Availability at that Location.
- **TMO-003:** Time off may cover a full day or a specific interval.
- **TMO-004:** Active time off prevents new public booking in the affected interval.
- **TMO-005:** Creating time off identifies every conflicting future Appointment.
- **TMO-006:** Each conflict must be rescheduled, cancelled, or intentionally retained by an authorized professional.
- **TMO-007:** Time off never silently cancels or moves an existing Appointment.

- **TMO-008:** Removing time off restores eligible Availability but creates no Appointment automatically.
- **TMO-009:** A date-specific override takes precedence over recurring weekly Availability.
- **TMO-010:** Where multiple delivery contexts are enabled, Availability plus travel rules prevent impossible commitments.

Resolution order: enabled Location closure -> Professional time off -> date-specific override -> recurring weekly Availability.

5.6 Cancellation and rescheduling - CAN

- **CAN-001:** The policy accepted at booking is snapshotted on the Appointment.
- **CAN-002:** Cancellation/rescheduling policy may vary by Service; page presentation uses the effective published policy.
- **CAN-003:** The Client sees and accepts applicable terms before confirmation.
- **CAN-004:** Cancellation records actor, time, source, policy version, reason when required, and financial outcome.
- **CAN-005:** Cancellation changes lifecycle state and never deletes the Appointment.
- **CAN-006:** Deposit/payment treatment follows the saved policy, processor constraints, and law.
- **CAN-007:** Rescheduling preserves, transfers, refunds, or forfeits payment only as the saved policy permits.
- **CAN-008:** Rescheduling runs full Appointment validation and uses one controlled change, not unrelated cancel/create records.
- **CAN-009:** Released time returns to Availability unless another rule blocks it.
- **CAN-010:** The professional may waive a fee or override an overrideable policy outcome.
- **CAN-011:** A waiver/override is previewed and audited.
- **CAN-012:** Client self-service becomes unavailable after the effective deadline, with a useful contact/recovery path.
- **CAN-013:** The professional retains authorized administrative change access subject to hard platform boundaries.
- **CAN-014:** A professional-initiated cancellation shows and resolves collected-money consequences before completion.

No universal 24/48-hour cancellation, deposit-forfeiture, or reschedule-count default is established.

5.7 Booking windows and same-day booking - WIN / SDY

- **WIN-001:** Every published booking policy defines a maximum advance window.
- **WIN-002:** Every published booking policy defines minimum notice.
- **WIN-003:** Service-specific values may override the business-wide value.
- **WIN-004:** Professional-created Appointments may operate outside public windows only through an authorized action and remain subject to hard validation.
- **WIN-005:** A Client cannot select a time whose full Service finishes outside applicable Availability.
- **WIN-006:** Displayed Availability includes Professional-calendar rules, segments, buffers, existing Appointments, holds, travel, and overlap policy; it excludes Resource capacity in v1.
- **WIN-007:** Window changes affect new booking decisions and do not cancel existing Appointments.
- **SDY-001:** Same-day booking is a business or Service setting.
- **SDY-002:** Minimum notice still applies when same-day booking is enabled.
- **SDY-003:** Each Service may allow, prohibit, or inherit same-day booking.
- **SDY-004:** Same-day Appointments pass the same canonical validation as future Appointments.
- **SDY-005:** Same-day Services may use the effective published payment mode.
- **SDY-006:** Communications combine or suppress already-past reminders to avoid redundant messages.

No fixed four-hour notice, 30/60/90-day horizon, or enabled-by-default same-day rule is established.

5.8 Client records and merging - CLI

- **CLI-001:** Client identity is Business Account-specific in v1.
- **CLI-002:** Only Clients within the same Business Account may merge.
- **CLI-003:** The professional selects the surviving profile after preview.
- **CLI-004:** Appointments, Payments, Invoices, forms, notes, assets, and communication history remain linked to the survivor.
- **CLI-005:** Consent evidence retains original dates, sources, decisions, and versions.
- **CLI-006:** Conflicting identity/contact/preference fields require review.
- **CLI-007:** Any future stored-value balance merges through auditable ledger behavior, not field addition.
- **CLI-008:** Merge records actor, time, source profiles, survivor, and before/after evidence.
- **CLI-009:** Source records remain internal redirects for historical references.
- **CLI-010:** Aesthenda may suggest but never automatically execute a merge.
- **CLI-011:** Cross-account Client merge or history sharing is forbidden.
- **CLI-012:** Reversal uses a controlled recovery process, not an ordinary Client action.

5.9 Payments - PAY

- **PAY-001:** Square is the initial processor; eligible methods depend on processor and merchant configuration.
- **PAY-002:** USD is the initial currency; amounts are integer minor units with currency code.
- **PAY-003:** The professional may publish deposit, full prepayment, no prepayment, or eligible processor-held card-reference requirements.
- **PAY-004:** Collected deposits/prepayments apply to the final Appointment/Invoice balance according to saved terms.
- **PAY-005:** Refunds cannot exceed refundable captured value.
- **PAY-006:** Tips, tax, fees, discounts, principal, and credits are tracked separately.
- **PAY-007:** Approved external cash or other payments may be recorded and are visibly marked not processor-verified.
- **PAY-008:** Failed or unresolved payment cannot silently confirm an Appointment whose policy requires completed payment terms.
- **PAY-009:** Signed processor events are authoritative for external settlement facts and are reconciled into canonical Aesthenda state.
- **PAY-010:** Financial facts are not hard-deleted.
- **PAY-011:** Corrections use adjustment, reversal, refund, dispute, or a new transaction.
- **PAY-012:** Payment/refund creation is idempotent and retry-safe.
- **PAY-013:** Raw card, bank, or other sensitive credentials are never stored by Aesthenda.
- **PAY-014:** Interfaces distinguish pending, authorized, captured, settled, failed, refunded, reversed, and disputed states.

5.10 Appointment status - STS

- **STS-001:** An Appointment whose published terms require payment remains pending until the required canonical payment state is satisfied.
- **STS-002:** Only eligible reserved states reduce public Availability; exact status mapping is owned by Appointment/Scheduling contracts.
- **STS-003:** Cancelled or declined Appointments cannot check in.
- **STS-004:** In-service requires a valid checked-in state or authorized audited correction.
- **STS-005:** Completed cannot return to in-service without an audited correction.

- **STS-006:** No-show triggers the saved policy, not a universal penalty.
- **STS-007:** Every transition records actor, time, source, prior state, new state, and reason when required.
- **STS-008:** Notifications originate from the authoritative committed transition.
- **STS-009:** Repeated transition requests do not duplicate financial, notification, or audit side effects.

5.11 Services and pricing - SRV

- **SRV-001:** Every public Service requires name, positive duration, valid price presentation, and the Business Account's Professional.
- **SRV-002:** Lifecycle is draft, active, hidden, or archived.
- **SRV-003:** Only active and public Services appear on a published Booking Page.
- **SRV-004:** Price presentation may be fixed, starting-at, variable, or consultation-required.
- **SRV-005:** Price changes affect new Appointment revisions only.
- **SRV-006:** Existing Appointments retain booked Service name, price, duration, and timing structure.
- **SRV-007:** A Service may be limited to enabled delivery contexts.
- **SRV-008:** A Service may define instructions, payment requirements, forms, cancellation rules, add-ons, segments, buffers, and overlap eligibility. It has no v1 room, chair, station, or equipment requirement.
- **SRV-009:** Archiving prevents new bookings while preserving history.
- **SRV-010:** A Service with future or historical use is not permanently deleted through ordinary interfaces.

5.12 Slot calculation and booking concurrency - SLT

- **SLT-001:** Slots derive from Professional Availability, Service/Appointment segments, buffers, travel, existing Appointments, overlap policy, and active holds. v1 slot calculation excludes Resource capacity.
- **SLT-002:** Calculation uses the latest committed scheduling information.
- **SLT-003:** Selecting a slot is not confirmation; a server-side hold protects checkout.
- **SLT-004:** Equivalent holds cannot reserve Professional-calendar time beyond the effective overlap limit.
- **SLT-005:** Holds expire automatically and release early on explicit cancel/close.
- **SLT-006:** All businesses use a fixed ten-minute booking hold, timed by the server from hold creation. There is no business, Service, or Appointment duration setting. Release early on explicit cancel/close; otherwise expire automatically. Confirmation revalidates the hold and current scheduling state; an expired hold cannot confirm from stale client state.
- **SLT-007:** Expired/released holds restore otherwise eligible Availability.
- **SLT-008:** Confirmation reruns full validation against current state.
- **SLT-009:** Concurrent requests cannot commit Appointments beyond the effective Professional-calendar and Service-segment overlap policy.
- **SLT-010:** Repeating the same confirmation cannot create duplicate Appointments, charges, or Notifications.
- **SLT-011:** Payment failure or unresolved outcome follows the hold/payment contract and never creates false confirmation.
- **SLT-012:** Clients receive a clear, privacy-safe recovery when a hold expires or a slot becomes unavailable.

5.13 Delivery contexts and travel - LOC

- **LOC-001:** One primary delivery context is the simple default; explicit Location records are optional.
- **LOC-002:** A Service identifies supported contexts only when more than the default must be distinguished.
- **LOC-003:** Availability may differ by enabled Location.
- **LOC-004:** The Professional cannot accept travel-impossible commitments.

- **LOC-005:** Travel time is configurable and begins at zero unless enabled.
- **LOC-006:** An enabled Location closure overrides Availability there.
- **LOC-007:** Before confirmation, the Client sees applicable name, address/link, instructions, and time zone.
- **LOC-008:** Changing delivery context reruns full validation.
- **LOC-009:** A context with future or historical Appointments is archived rather than ordinarily deleted.
- **LOC-010:** Historical Appointment snapshots preserve their delivery facts.

5.14 Consent, forms, notes, and photos - CON / FRM

- **CON-001:** Transactional basis and marketing consent are recorded separately.
- **CON-002:** Optional marketing consent is not a condition of necessary Appointment communications.
- **CON-003:** Consent evidence includes version, source, time, Client response, and relevant purpose/channel.
- **CON-004:** Withdrawal stops future optional marketing.
- **CON-005:** Withdrawal does not erase prior evidence or suppress required transactional communication.
- **CON-006:** Sensitive notes never appear in public booking.
- **CON-007:** Authorized access/correction/export/deletion requests follow a controlled, audited workflow.
- **CON-008:** Account-specific Client data is not shared across Business Accounts.
- **CON-009:** Photos require a defined business purpose, permission where required, and protected access.
- **CON-010:** Internal restrictions, private notes, and audit details are never exposed to the Client.
- **FRM-001:** A form may be assigned to selected Services.
- **FRM-002:** Required forms complete by the configured deadline.
- **FRM-003:** Appointment requirements snapshot the form and policy versions.
- **FRM-004:** Form edits never rewrite prior submissions.
- **FRM-005:** Submissions record form version and time.
- **FRM-006:** Professional-only notes are never client-visible.
- **FRM-007:** Client-visible content is explicitly marked shareable.
- **FRM-008:** An asset links to a Client, Appointment, or both with upload/provenance facts.
- **FRM-009:** Deletion requires confirmation and follows retention/hold rules.
- **FRM-010:** Aesthenda is not a clinical record system; collection of regulated medical records requires a separately approved product/compliance scope.
- **FRM-011:** Historical submissions remain readable while retained even if their form is archived.

5.15 Notifications - NTF

- **NTF-001:** Appointment messages originate from authoritative committed events.
- **NTF-002:** An event produces no more than one message per configured channel and recipient unless a deliberate resend action occurs.
- **NTF-003:** Retry/replay is deduplicated.
- **NTF-004:** Confirmation sends only after canonical confirmation.
- **NTF-005:** Reschedule includes new time, time zone, delivery context, Services, and relevant policy/payment facts.
- **NTF-006:** Cancellation communicates the final financial outcome or clearly pending state.
- **NTF-007:** Timing uses the Appointment's saved time zone.

- **NTF-008:** Same-day bookings omit reminders whose send time already passed.
- **NTF-009:** Useful delivery failure is visible to the professional with recovery.
- **NTF-010:** Private notes, secrets, and complete payment data never enter client messages.
- **NTF-011:** Supported channel preferences resolve independently and respect transactional/marketing distinctions.

5.16 No-shows and booking restrictions - NSH

- **NSH-001:** Only an eligible confirmed Appointment may be marked no-show.
- **NSH-002:** No-show records actor, time, and source.
- **NSH-003:** Saved policy controls the financial outcome.
- **NSH-004:** The professional may waive an overrideable consequence.
- **NSH-005:** Waiver records the decision and reason when required.
- **NSH-006:** Policy may warn, require payment, require approval, or restrict online booking after a configured threshold.
- **NSH-007:** Restriction never cancels existing Appointments automatically.
- **NSH-008:** Restriction never erases Client history.
- **NSH-009:** Client messaging is neutral and does not expose internal restriction details.
- **NSH-010:** The starting posture is no automatic block.
- **NSH-011:** Removing a restriction restores eligibility while preserving audit history.

5.17 Calendar synchronization - SYN

- **SYN-001:** Aesthenda is canonical for Appointments created in Aesthenda.
- **SYN-002:** Authorized external busy events may block Availability.
- **SYN-003:** Private external details are minimized and imported only when necessary and authorized.
- **SYN-004:** Sync is retry-safe and idempotent.
- **SYN-005:** Stable external identifiers prevent duplicates.
- **SYN-006:** Disconnecting stops future sync without deleting Aesthenda Appointments.
- **SYN-007:** External changes cannot silently rewrite a paid or protected Aesthenda Appointment.
- **SYN-008:** A known degraded sync state does not present unreliable Availability as certain.
- **SYN-009:** The professional sees connection state and last successful sync.

5.18 Time zones - TIM

- **TIM-001:** Stored scheduled times use UTC instants plus the relevant saved time-zone context.
- **TIM-002:** Clients see the Appointment time in its delivery-context time zone.
- **TIM-003:** The professional sees that time zone unless deliberately choosing another display preference.
- **TIM-004:** Every active delivery context has a valid IANA-style time-zone identifier.
- **TIM-005:** Recurring Availability uses local wall-clock time.
- **TIM-006:** Daylight-saving transitions cannot create duplicate or nonexistent confirmed times.
- **TIM-007:** Changing a time zone triggers review of affected future Appointments.
- **TIM-008:** Notifications use the Appointment's saved time-zone facts.
- **TIM-009:** History preserves the original instant, local representation, and time zone.

5.19 Audit, retention, and deletion - AUD

- **AUD-001:** Critical business and security actions create append-only Audit Events.
- **AUD-002:** Evidence identifies actor/provenance, Business Account, action, target, time, source, policy/version context, outcome, and correlation.
- **AUD-003:** Appointments, Payments, Invoices, policy acceptance, consent, and audit facts are not silently hard-deleted.
- **AUD-004:** Archiving prevents new use while preserving retained history.
- **AUD-005:** Restoration requires current validation.
- **AUD-006:** Financial correction uses adjustments, reversals, disputes, or refunds.
- **AUD-007:** Client merge preserves source identifiers and mapping.
- **AUD-008:** Professional exceptions always create evidence.
- **AUD-009:** Ordinary product interfaces cannot edit audit history.
- **AUD-010:** Approved later retention baseline is 3 years after last Appointment for ordinary Client/booking/content records, 7 years for payment/refund/standard audit evidence, and 90 days for raw payment webhooks before normalized-evidence retention; legal/dispute holds may suspend action.
- **AUD-011:** Sensitive audit/support access requires explicit authorization; support has no default access.

6. Override matrix

Rule class	Public/client	Owner-professional	Required evidence
Published compatible overlap within saved fit/limit	May book	May book	Policy/version and fit result
Public non-fit or limit excess	Blocked	Separate exception action may be available	Preview, exact warning, actor, confirmation, affected segments, policy version, audit
Hands-on overlap for one professional	Never offered or confirmed	Explicit manual exception after warning	Exact request and revision-bound confirmation; actor, time, affected intervals and segments, policy version, audit
Room/chair/station/equipment capacity	Not evaluated in v1	Not evaluated in v1	Managed by the independent professional outside Aesthenda; no system exception or evidence record
Public booking window / same-day / cancellation deadline	No bypass	May use explicit administrative action where policy marks overrideable	Consequence preview and audit
Fee/deposit/no-show consequence	No unilateral waiver	May waive when lawful and processor-compatible	Prior outcome, chosen outcome, reason when required, audit
Invalid time, cross-account access, failed authentication/authorization, impossible monetary integrity, processor/law boundary	Never	Never	Safe error plus security/operational audit as applicable

Warnings never substitute for blocked invariants. A professional exception is a named, authorized action, not an ignored error.

7. Client-disclosure rules

Before confirmation, disclose the effective Service name, price presentation, expected timing, delivery context, payment/deposit requirement, cancellation/rescheduling terms, required consent/forms, and any client-relevant policy. After change, disclose the authoritative new time/state and financial outcome or pending status.

Do not disclose private notes, internal restriction reasons, other Clients/Appointments, audit details, integration diagnostics, or protected-resource existence. Intentional overlap affects available times but does not burden the Client with internal operational complexity or outside-system room/chair/station/equipment management.

8. Error and explanation catalog

Code	Meaning	Safe recovery
AUTHENTICATION_REQUIRED	No valid actor/session; target existence remains undisclosed.	Authenticate/verify.
PERMISSION_DENIED	Actor lacks a safely disclosable capability or required confirmation.	Use authorized actor or complete step-up/confirmation.
ACCOUNT_SCOPE_MISMATCH	Trusted account and target context disagree.	No client recovery; security audit.
VALIDATION_FAILED	Typed or business input is invalid.	Correct safe field details.
NOT_FOUND	Requested record is absent or intentionally undisclosed.	Return to safe list/start.
STATE_CONFLICT	State/revision changed.	Refresh and re-preview.
SLOT_UNAVAILABLE	Time no longer fits or hold expired.	Recalculate Availability.
PUBLIC_OVERLAP_NOT_ELIGIBLE	Complete Service does not fit the allowed overlap window.	Choose another time; professional may separately preview an exception.
PUBLIC_OVERLAP_LIMIT_EXCEEDED	Saved concurrent-client limit would be exceeded.	Choose another time; professional may separately preview an exception.
PAYMENT_TERMS_UNSATISFIED	Required published payment condition is incomplete.	Complete the required safe payment step.
IDEMPOTENCY_CONFLICT	Same key was reused for different input.	Review and submit a new deliberate request/key.
RATE_LIMITED	Platform abuse/traffic budget was exceeded.	Retry after the supplied safe interval.
PROVIDER_PENDING	External outcome is not final.	Show status resource and controlled polling/event path.
PROVIDER_UNAVAILABLE	External provider failed or timed out.	Retry or use an allowed alternative; never claim success.
INTERNAL_FAILURE	Unexpected failure.	Preserve last valid state; show correlation reference and safe retry/support path.

Human copy may improve without changing code meaning. Errors never reveal cross-account or protected-record existence.

9. Representative rule tests

ID	Required proof
BR-01	The same actor/input/policy through web, mobile, AI, voice, and integration returns equivalent decisions and evidence.
BR-02	Business recommendation is visible but does not become policy until accepted/published.
BR-03	Service setting overrides business setting; authorized Appointment override wins; source is shown.
BR-04	Existing Appointment retains its booked policy after later publication.
BR-05	Public compatible overlap appears only when the full Service fits and the configured limit passes.
BR-06	Public non-fit/limit excess blocks with the correct stable code.
BR-07	Professional exception cannot save without exact warning confirmation and complete audit evidence.
BR-08	No v1 domain entity, database table, action field, UI control, or test path tracks, reserves, assigns, or validates rooms, chairs, stations, waiting areas, equipment, pools, or Resource capacity.
BR-09	Public hands-on conflicts are hidden/rejected; professional exceptions require exact warning confirmation, even when published policy enables compatible overlap.
BR-10	Zero-buffer starting posture still allows business and Service overrides.
BR-11	Same-day, notice, horizon, cancellation, deposit, reschedule, no-show, and travel behavior follows saved policy rather than hidden constants.
BR-12	Every business receives a ten-minute server-timed hold; early release, expiry, stale-confirmation rejection, and idempotency are enforced.
BR-13	Concurrent confirmations cannot exceed effective Professional-calendar and Service-segment overlap rules.
BR-14	Payment pending/unknown never becomes settled or confirms when terms are unsatisfied.
BR-15	Cancellation/reschedule produces one Appointment history and one clear financial outcome.
BR-16	Cross-account IDs fail without disclosure at every rule/action boundary.
BR-17	Policy, consent, Service, timing, price, delivery, and presentation snapshots remain historically true.
BR-18	Retention actions honor approved periods and legal/dispute holds, remove derived copies, and audit the outcome.
BR-19	Theme publication cannot alter or hide canonical price, duration, policy, payment, consent, or Availability.
BR-20	AI/integration cannot perform a consequential action without the same policy, permission, confirmation, idempotency, and audit path.

10. Approved cross-phase decisions

- **DG-01 - APPROVED OPTION B:** v1 does not track, reserve, assign, or validate rooms, chairs, stations, waiting areas, equipment, Resource pools, or Resource capacity. The independent professional manages these outside Aesthenda. v1 concurrency uses only the Professional's calendar, Availability, Service/Appointment segments, buffers, travel, holds, existing Appointments, configured concurrent-client limit, and effective overlap policy.

- **DG-02 - APPROVED OPTION A:** All businesses use a fixed ten-minute booking hold, timed by the server from hold creation. There is no business, Service, or Appointment duration setting. Release early on explicit cancel/close; otherwise expire automatically. Confirmation revalidates the hold and current scheduling state; an expired hold cannot confirm from stale client state.

- **DG-03 - APPROVED OPTION B:** Public booking never offers or confirms a non-fitting hands-on overlap. The authenticated owner-professional may manually book it after a specific warning and explicit confirmation bound to the exact request and current affected revisions. Published policy alone cannot authorize a hands-on conflict. Record the warning, actor, time, affected Appointments and segments, policy version, confirmation, and outcome. Preserve the full booked duration unless the professional explicitly edits it; never silently shorten work or move an existing appointment.

11. Phase 3 acceptance record

The v2.2 baseline now contains stable rule definitions, the policy-resolution hierarchy, override matrix, client-disclosure rules, stable error/explanation catalog, and representative tests. Universal four-hour, 24/48-hour, 30/60/90-day, deposit, reschedule-count, automatic-block, travel, and other unapproved operating defaults are removed. Zero-minute buffers and business-controlled policy remain explicit. DG-01 removes Resource scheduling cleanly from every v1 rule path.

Phase status: Phase 3 v2.2 baseline finalized and closed for DG-01 through DG-03. The decisions are propagated to the governing amendment, Phases 4-6 scheduling amendments, Phase Six handoff, and Phase Seven UI source. Later phase review and production implementation require their own authorization.

Approved scheduling acceptance scenarios

With zero buffers and other rules satisfied, a 10:00-10:15 application, 10:15-10:45 released processing segment, and 10:45-11:30 haircut permit a fitting 30-minute public service in the processing gap. A 45-minute service at 10:15 ends at 11:00 and is not offered publicly. A manual booking previews amber from 10:45 to 11:00 on both appointments, warns of the 15-minute overlap, and requires Book anyway before saving. Go back returns to editing without committing. Approval preserves the 45-minute booking and existing haircut timing.

- Preview, decline, approval, and later calendar display preserve the exact amber conflict interval without a persistent label or icon. Details work by tap, click, keyboard, and screen reader.

- At the server expiry boundary, a stale public confirmation is rejected. Repeated requests do not extend an existing hold or create duplicate appointments.

- If an affected appointment changes after preview, invalidate confirmation and request a fresh preview and confirmation.

- Public callers, integrations, and agents cannot grant themselves professional exception authority. Agent-assisted drafts require the professional confirmation required by Phase Six.

- Cross-account access, invalid time ranges, same-client simultaneous appointments, and payment-integrity constraints remain blocking.