

AESTHENDA CORE

Phase 7 UI Blueprint and Review Package

Screen behavior for one independent beauty and wellness professional

v2.2 REVIEW DRAFT | September 13, 2026

D01/D02 approved; D03/D04 partial; D05-D09 pending approval.

1 Purpose and approval boundary

Turn the approved product journeys and canonical actions into complete screen behavior before implementation. Phase Seven defines what every professional, client, agent, and integration-facing surface must show and request; it does not authorize production implementation, endpoint deployment, or launch. This revision supplies decision language and screen behavior for the seven open items. Each assumption marked A requires product-owner approval; preparing this package does not record that approval.

Governing scope

- One independent professional per business account; many clients; no staff, front-desk, team, or multi-professional workflows in v1.
- Mobile-first professional experience centered on Today, Calendar, Clients, and a fast create action.
- All writes invoke Phase Six canonical actions. No screen, agent, or integration owns booking rules, payment truth, authorization, or database access.

2 Design principles

- Progressive disclosure: essential daily work first; advanced policy and configuration in plain-language settings.
- Explain consequences: warnings state what will happen and why; they never replace a blocked invariant.
- Truthful state: pending provider or background work is shown as pending, never as a completed success.
- Accessible by default: keyboard, screen-reader labels, visible focus, contrast, clear error recovery, and reduced-motion-safe interactions.

3 Navigation and screen inventory

Surface	Primary jobs
Today	Review the day, next appointment, urgent payment or confirmation states, and fast create actions.
Calendar	View availability and appointments; create, move, cancel, or complete through canonical actions.
Clients	Find a client, review permitted history, add or update a client, and prepare communications.
Services & Availability	Manage services, timing segments, policy-backed availability, and published booking fit.
Booking Page	Preview and publish the public experience; show policy disclosures and published availability.

Surface	Primary jobs
Payments	Review payment status, collect or record payments, and initiate refunds with required step-up.
Communications	Review delivery state and send/resend approved client communications.
Settings & Integrations	Edit policy and business settings; connect/disconnect integrations with confirmations.
Assistant & Activity	Use scoped AI assistance and view auditable business activity; no hidden autonomous actions.

4 Core flow specifications

Professional launch and daily operation

- First use guides the professional to add a service, set availability, add essential brand information, review policy recommendations, preview, and publish.
- Today prioritizes next actions and visible operational risk: pending payment, overdue confirmation, conflict, expiring hold, and failed communication.
- Fast create previews the exact conflict interval while placing or moving an appointment. A manual hands-on overlap requires a specific warning and explicit Book anyway confirmation before save. Go back returns to editing. Preserve the full scheduled duration and existing appointment timing.

Shade only the exact conflicting interval amber on both affected appointments, keeping their normal colors elsewhere. Show the same highlight while placing or moving the appointment, before the confirmation warning, and retain it after approval while the conflict exists. Use no persistent overlap label or extra icon. Tap or click reveals the overlap duration, affected appointments, and approval details. Provide the same details through keyboard interaction and screen-reader text without adding visible clutter.

With zero buffers and other rules satisfied, a 10:00-10:15 application, 10:15-10:45 released processing segment, and 10:45-11:30 haircut permit a fitting 30-minute public service in the processing gap. A 45-minute service at 10:15 ends at 11:00 and is not offered publicly. A manual booking previews amber from 10:45 to 11:00 on both appointments, warns of the 15-minute overlap, and requires Book anyway before saving. Go back returns to editing without committing. Approval preserves the 45-minute booking and existing haircut timing.

When timing changes after preview, refresh the amber intervals and warning and obtain new confirmation. Approval details are professional-only. Exact amber values and contrast treatment remain Phase Eight styling work; keyboard and screen-reader access must expose the same details without a visible label or extra icon.

Public booking and client access

- Public visitors may discover services and availability and begin a possession-bound booking session. Offer only full-fit services within eligible processing windows and effective limits; never offer or confirm a non-fitting hands-on overlap.
- Client verification is required before booking confirmation, payment collection, or access to protected appointment details. Use passwordless email/SMS link or code by default; passkeys are optional for returning clients.
- Booking screens show price/payment terms, selected service, date/time, applicable policy, and final confirmation. Every business uses the same ten-minute server-timed hold. Show its server-derived expiry, release on explicit cancel/close, and handle expiry safely. There is no business hold-duration setting. The proposed checkout sequence and recovery states are specified under P7-D03/P7-D04 in section 8.

Consequential actions and agent use

- Refunds, publication, retention/deletion, integration disconnect, and support break-glass require recent strong authentication and explicit confirmation.
- AI/voice agents may answer questions, show published availability, and prepare drafts. They must obtain spoken or visual confirmation before consequential actions and repeat the key facts being confirmed.

5 Required state model

Every relevant screen must specify the following states. The exact copy may vary by surface, but action meaning and recovery remain consistent.

First use / empty: Explain the next useful action without implying missing data is an error.

Loading / offline: Preserve context, identify what is unavailable, and offer safe retry or later recovery.

Validation: Point to the correct field with an understandable explanation and retain valid input.

Conflict / no availability: Show the current state, why the requested time no longer fits, and safe next actions.

Pending / timeout / failed: Render accepted or pending work with status, controlled retry/polling behavior, and no false success.

Permission / privacy: Use privacy-first disclosure. Do not reveal protected-resource existence when a caller lacks scope.

Warning / confirmation: State consequences, show key facts, require explicit confirmation where the action is consequential, and record evidence.

Expired action: Explain that a hold, link, or session expired and direct the user to restart safely.

6 UI to action contract

- The UI sends typed input and presentation metadata only. Trusted actor identity, business account scope, permissions, policy version, idempotency, and concurrency enforcement remain server-side.
- The UI renders canonical result fields: status, resource references, revision, warnings, next actions, safe display facts, error code, retryability, and correlation support data where appropriate.
- Each action screen displays effective policy and its source when the policy changes the outcome.
- Public surfaces observe platform-managed rate budgets for availability, holds, and verification. Business owners do not configure anti-abuse thresholds.

7 Phase Seven acceptance gate

- Every inventory screen has responsive layouts, low-fidelity flows, interaction/state specifications, content/copy guidance, and accessibility annotations.
- Critical flows cover successful, validation, conflict, no-availability, payment, permission, pending, failed, expired, and recovery paths.
- Usability prototypes demonstrate that a professional can publish quickly, operate the day confidently, and understand policy consequences without enterprise complexity.
- No UI design duplicates or bypasses canonical scheduling, payment, policy, client, audit, or account-isolation logic. This package completes the written decision proposals only. Responsive layouts, prototypes, usability evidence, and application tests remain to be completed under this gate.

8 Phase Seven approval decision log

Decision status is unchanged. D01 and D02 are approved; D03 and D04 are approved only for their existing DG-02/DG-03 portions; D05-D09 remain pending. The 16 assumptions below are the complete approval set for the new behavior in this revision. Existing requirements in sections 1-7 retain their prior authority.

Read each decision with its numbered assumptions and review check. Approve, revise, or defer each item using the record at the end. A decision approval covers only its listed assumptions; approved governing rules are not reopened. Review checks are acceptance scenarios, not claims that software or prototypes have passed.

Decision and status	Approved scope or proposed approval
P7-D01 — APPROVED	Approved: mobile-first primary navigation is Today, Calendar, Clients, and a prominent fast Create action. Create offers Add Appointment, Add Client, Block Time, and Record Payment; Today may surface context-specific shortcuts such as Confirm, Reschedule, and Collect Payment.
P7-D02 — APPROVED	Approved: guided first use is service, availability, essential brand information, policy review, public booking-page preview, then publish. Preview is required before publication; the screen clearly identifies any remaining required setup.
P7-D03 PARTIAL	Approve A03.1-A03.4: service and time selection, verification, review/payment, and return to an interrupted session. DG-02 holds and the public overlap block stay approved.
P7-D04 PARTIAL	Approve A04.1-A04.3: no-availability, expired-hold, stale-preview, and uncertain-save recovery. DG-03 manual warnings and minimal amber presentation stay approved.
P7-D05 PENDING	Approve A05.1-A05.2: plain-language state copy and truthful recovery actions across professional, client, agent, and integration-facing surfaces.
P7-D06 PENDING	Approve A06.1-A06.2: preview, fresh strong authentication, explicit final confirmation, and cancellation/recovery for consequential actions.
P7-D07 PENDING	Approve A07.1-A07.2: responsive alternatives, focus, keyboard and screen-reader behavior, and accessibility review cases before styling.
P7-D08 PENDING	Approve A08.1-A08.2: agent/voice action preview, specific confirmation, secure handoff, and auditable results.
P7-D09 PENDING	Approve A09.1: the Phase Eight handoff boundary and the evidence still required before Phase Seven completion.

P7 D03 Public booking and verification

Decision requested. Approve the following sequence and recovery behavior (A03.1-A03.4).

Binding inputs. All businesses use a fixed ten-minute booking hold, timed by the server from hold creation. There is no business, Service, or Appointment duration setting. Release early on explicit cancel/close; otherwise expire automatically. Confirmation revalidates the hold and current scheduling state; an expired hold cannot confirm from stale client state. Retries cannot restart an existing hold. DG-03 excludes non-fitting hands-on overlaps from public results and confirmation. P6-D04 requires verification before payment collection, confirmation, or protected appointment access.

A03.1 - APPROVAL REQUIRED. Selection and hold entry. Show published service name, price terms, full duration, and delivery context; allow compatible combinations only where enabled. Then show server-returned times with date and time zone. Selecting a time requests a possession-bound hold/session; enter checkout only after that request succeeds. Show the server-derived expiry throughout checkout. Editing service or time releases the old hold and recalculates choices before a new hold is requested; never silently substitute a time or shorten a service.

A03.2 - APPROVAL REQUIRED. Verification screen. After hold creation, request the email/SMS link or code needed to verify the session; offer a passkey to eligible returning clients. Explain why verification is needed and show a masked destination. Keep Change contact and server-permitted Resend available. An invalid/expired code stays on verification with correction or a new-code action; rate limits show the server-permitted next attempt without revealing account existence. Changing the destination requires verification again. Verification does not extend the hold.

A03.3 - APPROVAL REQUIRED. Review, payment, and result. After verification, collect required details/forms/consent and show service, full start/end, time zone, price, amount due now, remaining balance, and applicable policy/version. Label the final action with its actual consequence and amount where relevant. Invoke the canonical payment/booking sequence for the published payment mode. Show booking and payment statuses separately: accepted or pending work is not success. Show a booking confirmation only from the final canonical booking result, with the current payment state. A definite payment failure permits another attempt only when the server allows it and the hold remains valid; otherwise use A04.1.

A03.4 - APPROVAL REQUIRED. Interrupted or uncertain checkout. On refresh, return from a verification link, or reconnect, retrieve the scoped session and action status before resuming. Retain permitted valid input within that session; this does not authorize new device storage or longer retention. If scope cannot be restored, request verification or a new session before protected detail. If payment may have started, show “We are checking your payment and booking. Check status before trying again.” Resolve that attempt before offering another payment or booking. A payment completed after hold expiry never revives the expired hold or implies a confirmed booking. Show known payment facts and only server-authorized recovery/contact actions; do not promise an automatic refund or replacement slot.

Review check. Walk through successful no-payment and payment-required booking; invalid/expired verification; refresh on another verification surface; rate limiting; payment failure; and payment still pending when the ten-minute hold expires. Confirmation always rechecks server state. All public recovery paths keep private appointments and overlap evidence hidden.

P7 D04 Warnings and recovery

Decision requested. Approve A04.1-A04.3 for no availability, hold expiry, changed scheduling state, and uncertain saves.

Binding inputs. Preserve section 4 and DG-03 exactly: amber covers only the conflicting interval on both appointments before warning and after approval, normal colors elsewhere, with no persistent overlap label or extra icon. Details remain available by tap/click, keyboard, and screen reader. Only the authenticated owner-professional may confirm the exact warning-bound exception; published policy alone cannot authorize it. Record the warning, actor, time, affected Appointments and segments, policy version, confirmation, and outcome. Preserve the full booked duration unless the professional explicitly edits it; never silently shorten work or move an existing appointment.

A04.1 - APPROVAL REQUIRED. No time or expired hold. When no eligible times remain, show “No times fit this selection. Try another date or change your services.” Offer only applicable alternatives returned by the server; no other professional or invented waitlist. At server expiry, stop confirmation and show “Your hold expired. Choose an available time to continue.” Preserve permitted valid details, fetch fresh availability, and require deliberate selection for a new ten-minute hold. Explicit Cancel/Close requests release and exits checkout. If release cannot be acknowledged offline, explain that release is unconfirmed and the server expiry still applies. Do not assume a browser close guarantees delivery. Expiry during a possibly submitted action first follows A03.4/A04.3.

A04.2 - APPROVAL REQUIRED. Stale preview or rejected exception. A create, move, or material edit that changes a conflict obtains a new server preview. Show full requested start/end, exact conflict minutes and affected appointments/segments, plus warning basis and policy source. If timing or affected revisions change after preview, discard the earlier confirmation, refresh amber intervals and the warning, and obtain a new explicit confirmation. Go back preserves the editable draft without committing; an unsuccessful move leaves the existing appointment unchanged. For creation, keep the approved Book anyway and Go back wording. For moves/edits, propose Save change anyway and Go back. When the canonical action blocks an invariant, show correction choices without an override control.

A04.3 - APPROVAL REQUIRED. Unknown outcome and retry. While submission is pending, prevent duplicate submission and show Check status. A timeout means the outcome is unknown, not that nothing saved. Use the existing action identity and canonical status/retry guidance; never create a fresh booking/payment attempt to resolve an uncertain response. If failure is definite and retryable, retain valid input and offer Retry. Otherwise offer the safe next action or a support reference without private diagnostics. Offline screens keep context but do not claim a committed write. Reconnect retrieves current revisions before resubmission.

Review check. Use the approved 10:15-11:00 example: public booking rejects it; professional preview and saved calendar shade only 10:45-11:00 on both appointments; Go back saves nothing; Book anyway preserves both timings. Repeat after a concurrent change, after a declined warning, with an invariant block, at hold expiry, and after a lost save response. No retry duplicates a record.

P7 D05 Plain language state copy

Decision requested. Approve A05.1-A05.2 as the copy contract for all critical screens.

A05.1 - APPROVAL REQUIRED. Message structure. State what happened, the safe reason if known, and the next useful action. Use the same meaning for clients and professionals while respecting their disclosure scope. Put field errors beside the field and retain valid input. Keep internal error codes, tokens, policy-engine terms, and provider diagnostics out of primary copy; a safe support reference may appear in secondary help. Use service names, dates/time zones, and money/currency when they clarify the next action.

A05.2 - APPROVAL REQUIRED. State labels and recovery. Use these proposed patterns, adapting only facts the server safely supplies: empty, “No appointments today. Add an appointment”; loading, “Loading available times”; offline, “You are offline. Reconnect to check current times”; validation, “Enter a valid email address”; denied/expired private access, “We cannot open this appointment. Verify access or contact the business”; definite failure, “We could not save this change. Review it and try again” only if retry is allowed. Use A03.4 for uncertain payment, A04.1 for expiry/no availability, and A04.3 for unknown saves. A confirmed booking with failed message delivery stays confirmed and reports delivery separately. Success copy names only the outcome actually committed.

Review check. Review empty, loading, validation, no availability, conflict, permission, pending, timeout, failed, expired, and final success states. Each provides a truthful next step; public copy reveals no private-resource existence.

P7 D06 Consequential confirmations

Decision requested. Approve A06.1-A06.2 as the shared confirmation interaction. P6-D05 already requires fresh strong authentication, explicit confirmation, and a narrow, short-lived, audited grant for these actions.

A06.1 - APPROVAL REQUIRED. Preview and final action. Show target, current facts, consequence, and a clear Cancel action before submission. Refund: payment, amount/currency, destination, and resulting balance. Publication: reviewed version, public exposure, and readiness results. Retention/deletion: exact scope and server-reported effects, including records retained and reversibility. Disconnect: connection, lost access/sync, and treatment of existing data. Support break-glass: reason, authorized scope, and server-reported grant duration. Use action-specific labels such as Refund amount, Publish page, Confirm deletion, Disconnect, or Authorize support access; never a generic Yes. Support access appears only to an actor already authorized by the canonical action.

A06.2 - APPROVAL REQUIRED. Authentication and recovery. Keep the preview as a draft while the secure strong-authentication step runs. Authentication success returns to the current preview for explicit final confirmation; it does not submit the action. Changed target, amount, version, permission, or expired grant requires refreshed facts and any server-required step-up before another confirmation. Cancel/back/authentication failure commits nothing. After submission, show pending and check status before retrying; leaving the screen does not imply cancellation of accepted work. Do not collect credentials in a general text field or voice transcript.

Review check. For each of the five action types, review confirm, cancel, failed/expired authentication, changed facts, denied access, and timeout. Publication still requires the approved preview; a failed publish preserves the prior live version.

P7 D07 Responsive and accessible behavior

Decision requested. Approve A07.1-A07.2 before detailed layouts. Phase 2 already requires keyboard access, visible focus, text scaling, adequate contrast, accessible status, and reduced-motion support.

A07.1 - APPROVAL REQUIRED. Layout and input alternatives. Keep Today, Calendar, Clients, and Create reachable on narrow screens, with secondary surfaces in the menu. Reflow forms and action summaries for text enlargement without clipping prices, times, errors, or final actions. Offer an agenda view and a form-based move/edit path alongside the calendar and drag interactions. All actions work with keyboard and touch without hover or drag dependence. Keep the selected date, time zone, draft, and task context when changing layout.

A07.2 - APPROVAL REQUIRED. Focus, announcements, and review. Dialogs have a programmatic name, contain focus, and return focus to the trigger or a logical successor when closed. Validation focuses an error summary or first invalid field and associates each error with its input. Announce meaningful pending, result, and expiry changes without repeated per-second countdown announcements. Give appointment/segment descriptions and overlap details to assistive technology; expose the same details through keyboard/tap without persistent overlap labels or extra icons. Reduced motion removes nonessential movement. Review narrow/wide views, enlarged text, long names, dense calendars, touch, keyboard-only operation, screen readers, and reduced motion. Final numeric targets, conformance standard, and audit method remain Phase Eight/Eleven decisions; this is not a conformance certification.

Review check. Complete booking, expiry recovery, a manual overlap, a non-drag move, and a consequential confirmation through keyboard and assistive technology. No essential action disappears with text enlargement, and amber detail remains accessible without visible clutter.

P7 D08 Agent and voice interactions

Decision requested. Approve A08.1-A08.2. P6-D10 already allows questions, published availability, and drafts without confirmation, and requires explicit spoken or visual confirmation for every consequential action, with no persistent consequential delegation in v1.

A08.1 - APPROVAL REQUIRED. Action preview and consent. Show or read back the exact action, authorized target, service, full time/time zone, amount, and policy consequence as applicable. For a manual overlap, include the exact conflict interval/minutes and affected appointments only to the authenticated professional. Ask for an explicit action-specific confirmation; silence, unrelated agreement, or low-confidence speech leaves a draft and prompts clarification. Editing any key fact requires a new preview and confirmation. The same canonical permissions, revisions, warning token, verification, and step-up gates apply; speech cannot bypass them.

A08.2 - APPROVAL REQUIRED. Secure handoff and result. When verification or strong authentication is needed, move to the approved secure screen and resume the draft only after authorized completion. If that surface is unavailable, keep the draft and explain the next step. Show or speak accepted/pending status until a final result arrives. After a lost connection, check the existing action before retrying. Provide an authorized Activity entry/reference for the action, actor, confirmed facts, time, and outcome; no new raw-audio retention is proposed. A client-facing agent never reads private notes, overlap evidence, or another client's identity.

Review check. Review ambiguous speech, corrected details, expired authentication, stale overlap evidence, unavailable secure handoff, pending result, and reconnect. No consequential action occurs without fresh, specific authorized confirmation.

P7 D09 Phase Eight boundary and approval record

Decision requested. Approve A09.1 as the handoff boundary.

A09.1 - APPROVAL REQUIRED. Behavior and visual ownership. Phase Seven owns navigation, screen meaning, state/recovery paths, content, accessibility behavior, and confirmation timing. Phase Eight owns final type, spacing, color tokens, component styling, responsive breakpoints, and detailed contrast treatment. It must preserve the approved exact amber intervals, normal appointment colors elsewhere, and absence of persistent overlap labels/extra icons. Prototypes use neutral styling without granting token approval. Resolve the conformance standard and audit method with Phase Eight/Eleven. A visual change that changes behavior returns to the affected P7 decision; a change to DG-02/DG-03 requires a governing amendment.

Review check. The Phase Eight brief carries the approved hold and overlap requirements and each accepted P7 assumption. Token choices cannot alter timing, disclosure, confirmation, or recovery behavior.

Approval record

Product owner: record Approve, Revise, or Defer for each row, with name, date, and any exact exceptions. All rows remain unrecorded in this package. Partial acceptance must name the accepted assumption IDs and preserve the pending remainder. No response or document delivery counts as approval.

Decision	Assumptions requiring approval	Owner outcome and date
P7-D03	A03.1-A03.4	Not recorded
P7-D04	A04.1-A04.3	Not recorded
P7-D05	A05.1-A05.2	Not recorded
P7-D06	A06.1-A06.2	Not recorded
P7-D07	A07.1-A07.2	Not recorded
P7-D08	A08.1-A08.2	Not recorded
P7-D09	A09.1	Not recorded

Remaining handoff evidence

After product-owner decisions, complete the section 7 layout/prototype and usability evidence for every applicable screen. Phase Six consolidation must specify the canonical payment/booking status and recovery contract, including payment completion after hold expiry; the UI behavior above does not invent settlement, refund, or replacement-booking policy. Resolve server-provided next actions and authorized support/contact routes before implementation. Technical storage, polling intervals, rate budgets, and grant lifetimes remain outside this UI decision package.

Authority and traceability

Authority within Revise and Revive Files: Governance DG-02/DG-03 Amendment and Phase 1-3 Decision Register; Phase 6 Approved Handoff and Scheduling Amendment; finalized Phase 2 UX and Phase 3 Business Rules baselines. These approved records control conflicting drafts. DG-01 excludes Resource scheduling. D01/D02 and approved scheduling prose are preserved.