

VentureDive

Flutter Training

ANIMATIONS

Agenda

- Types of Animation in Flutter
- Implicit Animation
- Practical example for Implicit Animation
- Custom Implicit Animation
- Practical demonstration for Implicit Animation
- Essential Animation Concepts
- Explicit Animation
- Practical Examples for Explicit Animations
- Lottie/Flare animations

Types of Animation in Flutter

- In flutter there are two types of animations
- Implicit Animation
  - Predefined animation widgets provided by flutter library are known as implicit animation widgets.
  - These widgets contains the properties of animation with which user can play.
  - In flutter all implict animated widgets inherits the class ImplicitlyAnimatedWidget.
- Explicit Animation
  - There are many situations in which we require custom animations, these user defined animation are called explicit animation which are implemented by exploiting animation library..

Implicit Animation:

- One of the most easiest part of the animations
- User to perform basic animations by using widgets given by flutter class.
- When to use
  - When animation is only in one direction. That is either forward or backward.
  - Animation does not repeat.
  - Animation is not continuous or infinite.
  - The fluter already provide the animated version of the required widget.

Implicit Animation: Widgets Vs Animated Widgets

- Align = AnimatedAlign
- Container = AnimatedContainer
- Opacity = AnimatedOpacity
- PhysicalModel = AnimatedPhysicalModel
- Positioned = AnimatedPositioned
- DefaultTextStyle = AnimatedDefaultTextStyle

Implicit Widgets Demo

- All implicit widgets has animation properties which user can exploit
- The process of transforming from old to new state of position or angle values are called interpolation.
- We will check this properties in the demo.





VentureDive

Custom Implicit Widgets

- you want to create a basic animation
- animation that doesn’t repeat forever
- animation that is not infinite or continuous
- It is just one widget or widget tree
- You can not find it in implicit animations given by flutter
- Then you can create custom implicit widget by using flutter class TweenAnimationBuilder.

Custom Implicit Widgets TweenAnimationBuilder

- Takes three parameter
- duration parameter, Time duration for rendering the given animation.
- The range of values to interpolate named as Tween parameter
- The builder parameter, which returns what my animated widget will look like at a given moment in time
    a. This builder function takes a parameter that is the same type as your Tween values, which basically tells Flutter what the current animation value is at a given moment.

Custom Implicit Widgets Example: Doppler Effect



Custom Implicit Widgets Example: Doppler Effect

- We will first give a practical demonstration for using TweenAnimationBuilder class of flutter.
- Then finally we will present the concept of doppler effect and code an animation that will animate the colors of solar flares.



Essential Animation Concepts

- Animation: a core class in Flutter’s animation library, interpolates the values used to guide an animation.
- Animation Controller: a subclass of Animation. It has a job of managing the behaviour of animation.
- Tween: interpolates between the range of data as used by the object being animated
- Listeners: to monitor animation state changes.

Animation

- knows nothing about what is onscreen.
- abstract class that understands its current value and its state (completed or dismissed)
- An Animation object sequentially generates interpolated numbers between two values over a certain duration.
- The value can be of any user specified type example:
    - Double
    - Color

Example: Curved Animation a sub type of Animation

- Apply Non linear transformation by generating values in non linear sequence.

```
animation = CurvedAnimation(parent: controller, curve: Curves.easeIn);
class ShakeCurve extends Curve {
  @override
  double transform(double t) => sin(t);
}
```



More Examples of Curved Animation

- https://api.flutter.dev/flutter/animation/Curves-class.html

Animation Controller

- AnimationController derives from Animation<double>
- Generates a new value whenever the hardware is ready for a new frame.
- By default, an AnimationController linearly produces the numbers from 0.0 to 1.0 in a specified duration.
- `Example:`
- `controller = AnimationController(duration: const Duration(seconds: 2), vsync: this);`
- The presence of vsync prevents offscreen animations from consuming unnecessary resources.

Tween

- A Tween is a stateless object that takes only begin and end.
- The sole job of a Tween is to define a mapping from an input range to an output range
- The input range is commonly 0.0 to 1.0,
- By default, the AnimationController object ranges from 0.0 to 1.0. If you need a different range or a different data type, you can use a Tween to configure an animation to interpolate to a different range or data type.
- For example, the following Tween goes from -200.0 to 0.0:
- `tween = Tween<double>(begin: -200, end: 0);`

Listeners

- An Animation object can have Listeners and StatusListeners.
- A Listener is called whenever the value of the animation changes.
- The most common behavior of a Listener is to call setState() to cause a rebuild.
- A StatusListener is called when an animation begins, ends, moves forward, or moves reverse.

When to use Explicit Animation

- When the animation is repeated
- When the animation is continuous
- When the animation is complex and cannot be contained in a custom widget.

Code Walk Through

- In the demo we will use all of the four class defined above to produce some interesting animations.

Lottie Animations Demo

- In the demo we will use use a Lottie animation file for complex animations.

Rive/Flare Animations Demo

- User for advance controls over animations inside flutter app.
- src: Flutter Support (Updated) - Rive
- Video src:Use Rive and Flutter for dynamic, interactive, & animated experiences (Flutter Interact '19)
- Design Teddy flare file in rive: Teddy design and animation, made in 2Dimensions Flare by user JcToon
- Teddy flare file in rive: Teddy



VentureDive

When to choose which type of Flutter Animation



VentureDive

- Take home assignment
  Complete all Todos marked in the project.
- BONUS ASSIGNMENT:
  - Create a custom Implicit animation shown on right hand side to incorporate adaptive slider in animation which dynamically update the color animation relative to slider's position
    - For reference you can check official flutter blog and video to solve this exercise.
      - Custom Implicit Animations in Flutter…with TweenAnimationBuilder
      - Creating your own Custom Implicit Animations with TweenAnimationBuilder



Assignment submission

Upload your code on github and submit it’s link on the Google chat group.

References

- https://www.youtube.com/playlist?list=PLjxrf2q8roU2HdJQDjJzOeO6J3FoFLWr2
- https://flutter.dev/docs/codelabs/implicit-animations
- https://pub.dev/packages/lottie#-installing-tab-
- https://flutter.dev/docs/development/ui/animations/tutorial#essential-animation-concepts-and-classes

VentureDive

End