ILLYUM

MASTER BLUEPRINT & PRODUCT REQUIREMENTS

Approved baseline for prompt-guided development in Google AI Studio

Owner profile: Non-coder / single owner
Build method: One prompt, one implementation step, one audit at a time
Document date: 04 November 2026

This document records the approved ILLYUM product plan. It is the implementation reference; do not silently change its requirements.

1. Product Vision

ILLYUM is a single-user AI-assisted content creation application. It converts an original story source into a short-form script, Google Flow-compatible video prompts, two thumbnail prompts, and separate YouTube and Instagram SEO packages.

Primary principles

- The owner is a non-coder; the UI and guidance must not require manual coding.
- Build in small phases and verify each phase before moving forward.
- Preserve original source facts and all approved skill boundaries.
- Save, review, edit, approve, version, copy and export generated work.
- Never claim untested features, guaranteed virality, or fabricated keyword trends.

2. Application Structure

Main navigation

- Dashboard
- Projects
- Create New Project
- Settings

Project workspace tabs

- Source Story
- Script
- Video Prompts
- Thumbnail Prompts
- SEO

SEO tab: must contain separate YouTube SEO and Instagram SEO sub-tabs. Store and display their results separately.

Core journey

- Create a project and add the original story source.
- Choose video duration and Hindi/English language for Skill 1.
- Generate, edit, review and approve the script.
- Generate video prompts and exactly two thumbnail prompt options from the approved script.
- Generate SEO using both original source and approved script.
- Review separate YouTube and Instagram results; copy/export and revisit later.

3. Skill 1 — Story-to-Script (APPROVED)

- Input: story source, selected total duration, selected language (Hindi or English).
- Part count is determined by selected duration; it is not fixed at four.
- Every part is maximum 8 seconds.
- Part 1 is a curiosity-based Hook; middle parts develop the story; final part has a meaningful Ending.
- Preserve source facts/events. Do not invent facts, characters, or incidents. Flag incomplete/ambiguous source information.
- Avoid unnecessary words/repetition; keep a natural, connected voiceover in selected language.
- Each part outputs: Part Number, Part Type (Hook/Story/Ending), Voiceover Script, Estimated Audio Duration.
- User can edit, save, and approve. Downstream skills use the approved script only.

4. Skill 2 — Script-to-Video Generation Prompt (APPROVED)

- Direct input is ONLY the approved Skill 1 script; do not directly use original story source.
- Create one detailed Google Flow-compatible prompt per script part. Each part max 8 seconds; final may be shorter.
- Every prompt explicitly states selected ratio and resolution: 9:16 vertical Shorts/Reels or 16:9 horizontal YouTube landscape.
- Include visual description, characters, environment, actions, expressions, camera angle/movement/zoom/composition/transitions, lighting and action timeline.
- Maintain character and scene continuity across parts.
- Include exact approved voiceover, same language, consistent male/female narrator voice, pitch/tone/accent/delivery.
- Narration must not become character dialogue; lip-sync only when a character speaks.
- Keep music identity consistent; sync SFX; prioritize voice clarity; define audio timing and natural transitions.
- Structured output: part number, script reference, duration, ratio, resolution, visuals, character, environment, camera, lighting, timeline, exact voiceover, voice, music, SFX, audio timeline, continuity, complete prompt.
- Text prompts only; no storyboard images. Review compatibility/safety; no guarantee of error-free generation.

5. Skill 3 — Script-to-Thumbnail Generation Prompt (APPROVED)

- Direct input is ONLY the approved Skill 1 script; do not directly use original story source.
- Do not generate images; provide prompts only.
- Exactly two options: OPTION A and OPTION B. They must be fundamentally different concepts/vibes.
- Analyze the whole script; choose the strongest visual moment, not automatically the first scene.
- Identify emotion, mystery/shock, main subject, conflict and curiosity angle. Do not reveal the whole ending or mislead.
- Maintain character appearance consistency; prioritize mobile visibility, focal point, hierarchy and uncluttered composition.
- Text optional; if used, suggest 2–5 accurate words.
- Specify 9:16 vertical for Shorts/Reels or 16:9 horizontal for YouTube thumbnail.
- Include vibe, concept, composition, subject, lighting/colors, text, ratio, mobile visibility and complete prompt; avoid distortions, extra limbs/fingers, blur, unnatural proportions, unwanted text and watermarks.

6. Skill 4 — Story & Script-to-SEO (APPROVED)

- Use BOTH original main source story and approved Skill 1 script.
- Analyze source story and script separately, then perform combined SEO analysis.
- Do not include original article name, author, website or link in SEO description.
- Save YouTube SEO and Instagram SEO separately.
- YouTube title must exactly equal the first hook from the approved script; do not rewrite it.
- YouTube description: attractive intro, story lines, topic, natural keywords, curiosity, CTA, transparent AI-assisted disclosure and relevant hashtags.
- YouTube tags: primary, secondary, long-tail, question-based and related search phrases; comma-separated.
- Instagram caption: hook, short story intro, searchable keywords, curiosity, CTA and transparent AI-assisted disclosure.
- Instagram keywords and hashtags must be relevant and not excessive.
- Live keyword research where possible; separate primary/secondary/long-tail, trending/evergreen. Never invent volume, rankings or trends; disclose when research unavailable.
- No irrelevant trends, keyword stuffing, or ranking/virality guarantees.

- Optimize YouTube for search relevance, title/description, thumbnail-title match, interest, retention, watch time and satisfaction; Instagram for caption/search/hashtags, watch time, shares, saves and engagement.

7. Dependency & Data Flow

Source Story + duration + language → Skill 1 → review/approval.

Approved Skill 1 script → Skill 2 video prompts.

Approved Skill 1 script → Skill 3 exactly two thumbnail prompts.

Original Source Story + Approved Skill 1 script → Skill 4 → separate YouTube SEO and Instagram SEO.

If the approved script changes, older Skill 2, Skill 3 and Skill 4 outputs become Stale and require regeneration or explicit review.

8. Logical System Architecture

- Frontend/UI: dashboard, navigation, project tabs, forms, review, approvals, status, copy/export.
- Backend/API: validation, dependency enforcement, persistence and generation coordination.
- Authentication/access: suitable for the single owner.
- Database: projects, sources, scripts, parts, prompts, SEO, history and statuses.
- File storage: source uploads and exports where supported.
- AI Workflow Orchestrator: calls skills in order and enforces approvals.
- Four separate skill engines; AI model provider; optional search/trends provider.

The exact technology stack, database, authentication, hosting and paid providers were not finalized. Explain trade-offs, costs and security implications and obtain approval before consequential choices. Never expose API keys in client code.

9. Planned Data Entities

- Users
- Projects
- Source Stories
- Scripts
- Script Parts
- Video Prompts
- Thumbnail Prompts
- SEO Results
- SEO Research
- Generation History

Keep outputs linked to project, source/script version, platform/skill, status and generation history. Preserve project isolation and approved versions.

10. Status, Versioning & Error Handling

- Project states: Draft, Source Ready, Script In Progress, Script Needs Review, Script Approved, Video Prompts In Progress, Video Prompts Ready, Thumbnail Prompts Ready, SEO In Progress, SEO Ready, Complete, Error/Needs Attention.
- Skill states: Not Started, Queued (if applicable), Running, Succeeded, Failed, Needs Review, Approved, Stale.
- Never overwrite an approved script without retaining its prior version.
- Store input version references for every downstream output.
- On errors, preserve inputs, explain the issue and next action, and offer safe retry.

- Do not expose secrets or sensitive stack traces. Avoid duplicate records on retry.

11. Security, Usability & Scope

- Protect user data; secure provider credentials; never put API keys in browser code.
- Provide readable labels, clear validation, progress indicators, accessible contrast and responsive layout where feasible.
- Do not require manual coding from the owner.
- Out of scope unless separately approved: multi-user collaboration, team roles, auto-publishing, payments, subscriptions, analytics dashboards and native mobile apps.

12. Development Phases

Phase	Scope
0	Read PRD, establish baseline and inspect AI Studio project
1	App foundation, navigation, project workspace and separate SEO tabs
2	Project management and source story intake/persistence
3	Skill 1 Story-to-Script
4	Skill 2 video prompts
5	Skill 3 thumbnail prompts
6	Skill 4 SEO
7	Orchestration, dependency gates, stale invalidation, history and errors
8	Copy/export, settings, security, accessibility and polish
9	Full acceptance audit and release readiness

13. Phase Audit & Acceptance

- At each phase end, compare implementation to requirement IDs and run tests.
- Report completed, partial, missing, errors, changed files and test evidence.
- Update the persistent build tracker and change log.
- Wait for the user's review and acceptance before locking the phase and moving forward.
- Final release requires all applicable acceptance tests to pass and explicit user acceptance.

14. Important Google Tool Roles

Google AI Studio: intended prompt-driven app-building environment. **Google Flow:** downstream video-generation tool related to Skill 2 prompts. Do not confuse their roles. AI Studio's ability to retain/update tracker files must be verified; otherwise save updated tracker contents as durable files.

This PDF is a regenerated printable version of the approved blueprint captured in the project context. The original previously generated PDF binary was not available in the current working folder at package creation time.