Smart Helmet: Control Room Screens for v1.00

Wireframes of what we can build now. Workers are linked to helmets and shifts.

Prepared for **Thella Group Services and Imperium Corporate** Designed and prepared by **90Ten Group** 20 October 2026 v1.00

01 What we can build now

We say worker on the screens. The helmet is the device the worker carries. A worker and a helmet are linked for one shift at a time. Names and times are sample data.


No.	Screen	What it does	When
1	Overview	Workers on shift and where they are on a map. Open alarms.	v1.00
2	Sign in	At the lamp room we link a worker to a helmet for a shift.	v1.00
3	Shift view	Who is seen and who is not. Helmets nobody signed for.	v1.00
4	Headcount	Everyone signed in by where they were last seen. Mark people safe.	v1.00
5	One worker	Their day and commands to the helmet.	v1.00
6	Alarm and last seen	What happened and where and who is nearby.	v1.00
7	Helmets and settings	Which helmets may log in. Alarm settings for each one.	v1.00
8	Bluetooth test	Every Bluetooth device the helmets hear.	v1.00

NOT IN V1.00

The underground trail and data saved with no signal and fences and live video and calls and photos and videos and software updates. They come in later versions.

02 Screen 1: Overview


The first thing the control room sees.



1. Four numbers at the top. Workers on shift means signed in with a helmet.
2. The site map. Each filled circle is a worker and a ring is an alarm. Positions come from the helmet GPS.
3. The alarms list. The newest is at the top.

03 Screen 2: Sign in


At the lamp room we link a worker to a helmet for this shift. The link is a record kept by the application.



1. Find the worker by name or employee number. We load the worker list once from the mine.
2. Type or scan the helmet number. The screen shows if the helmet is seen now and its battery. Both come from the helmet report. The report also says if the helmet is worn so we can show that too.
3. Pick the shift and the section.
4. Sign in links this worker and this helmet for this shift. Return ends the link when the helmet comes back.
5. Everyone signed in today. The same helmet can go to another worker on the next shift and the history keeps who had it.

04 Screen 3: Shift view


Who is seen and who is not. This is where the control room finds problems early.



1. Pick the shift.
2. Workers signed in whose helmet reported in the last 5 minutes. A worn check shows a helmet that is not on the head.
3. Workers signed in whose helmet has not reported. We show the last place and the time. Underground the helmet may simply have no signal so this is a prompt to check and not an alarm.
4. A helmet that reports but nobody is signed in to it. We can link it to a worker on the spot.
5. Workers who handed their helmet back.

05 Screen 4: Headcount


For a muster or an evacuation. It shows everyone signed in by where they were last seen.



1. The numbers and a button to print the list.
2. Groups by the place each worker was last seen. The last group is people we have not seen.
3. The workers in the chosen group with the time they were last seen.
4. A supervisor ticks each person as safe at the muster point.

06 Screen 5: One worker


Pick a worker to see their day and to send the helmet a command.



1. A list of workers with a search box. A filled dot means the helmet is seen.
2. Where the worker has been today with the time.
3. The same route on the map.
4. Commands in v1.00: start or stop recording and join a Wi-Fi network. Photos and messages need a file server so they come later.

07 Screen 6: Alarm and last seen


What opens when an alarm comes in.



1. The alarm bar with two buttons.
2. The last seen card with place and time and battery.
3. Who is close to the worker by GPS. The dashed box shows what comes later.
4. The way the worker came on the map.

08 Screen 7: Helmets and settings


Which helmets may log in and how each one behaves.



1. Add a helmet by its device number.
2. Only helmets in the list can log in. The document has no password so this is a check the application adds. The list also shows who each helmet is issued to.
3. Settings from the helmet start-up reply: alarm temperature and helmet off delay and no movement time and picture quality and beacon scanning and positioning and video upload.
4. The helmet reads these when it switches on so a change reaches it at the next start-up.

09 Screen 8: Bluetooth test

Every Bluetooth device the helmets hear. This is how we find out which beacons work.



1. The tabs. The beacons tab is for the next version.
2. Every Bluetooth device the helmets hear with signal strength.
3. How we use it: put a real beacon beside a helmet and see if it shows up.