

Artificial intelligence agents and agentic AI systems: Architectures, capabilities, applications, challenges, and future directions

Lukesh Thakur

Department of Computer Science & Information Technology, Faculty of Sciences, ISBM University, Gariyaband, Chhattisgarh - 493996, India



Article Info:

Received 16 February 2026

Revised 20 March 2026

Accepted 24 March 2026

Published 27 March 2026

Corresponding Author:

Lukesh Thakur

E-mail: lukeshkumar8269@gmail.com

thakut@gmail.com

Copyright: © 2026 by the authors. Licensee Deep Science Publisher. This is an open-access article published and distributed under the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

Abstract

The development of the Agentic AI and Artificial Intelligence Agents has reshaped the traditional experience of artificial intelligence as the passive prediction systems into the Autonomous Intelligent System. The issue discussed in this literature review is the disjointed concept of Agentic Architecture, Multi-Agent Systems and LLM-based Agents and as such has led to inconsistent design practice, risks to security and the lack of scalability to real-life applications. Recent progress indicates that agent-based systems support goal-oriented decision making, the use of tools, and joint problem solving, making Agentic AI an enabling technology of future digital ecosystems. This paper adheres to the PRISMA to conduct a systematic review of the recent studies on AI Orchestration, Distributed AI, Cognitive Architectures, AI Automation and Human-AI Collaboration. The emerging ideas, like Hybrid Neuro-Symbolic AI, Explainable AI, AI Governance, and AI Safety, are also analyzed as the new requirements to the trustful use of autonomous agents. It is found in the review that current Agentic AI Systems are based on layered architectures that incorporate perception, reasoning, memory, and action modules that are typically orchestrated by Multi-Agent Systems and workflow orchestration mechanisms. Its uses include healthcare, finance, robotics, cybersecurity, education, and enterprise automation and major challenges such as interoperability, reliability, ethical adherence and vulnerability of a system to security in highly autonomous settings. The results suggest that scalable Agentic Architecture, standardized communication frameworks, solid governance strategies, and hybrid reasoning systems that integrate symbolic and neural intelligence represent the future of Next-Generation AI Systems and can be used to provide safe and reliable large-scale implementations of autonomous AI ecosystems.

Keywords: Agentic AI, Artificial intelligence, Agents, Autonomous intelligent systems, Multi-agent systems, Agentic architecture.

1. Introduction

The high rate of development of the Agentic AI and Artificial Intelligence Agents has brought a paradigm turn in the sphere of artificial intelligence, shifting the focus on the more conservative models of predictive intelligence to the more advanced Autonomous Intelligible Systems, which can reason, plan, and perform complex tasks in the changing environment. The initial artificial intelligence was mainly as a specific purpose, based on set rules or statistical methods of learning that needed constant human attention [1,2]. Nevertheless, even more recent advances in the areas of LLM-based Agents, Tool-Augmented AI, and AI Workflow Automation have made it possible to develop intelligent systems which are capable of perceiving goals by themselves, communicating with external tools, and organizing multi-step actions to reach the desired results. Such abilities have seen the development of Agentic Architecture, where intelligent agents are modular, goal-oriented and interact within computational ecosystems of larger scale. With the emergence of increasingly complex digital infrastructures, the need to have scalable Next-Generation AI Systems with autonomous decision-making skills and adaptive behavior has increased dramatically, which makes agent-based artificial intelligence one of the central areas of research with high prospects of future citations.

The importance of Agentic AI Systems consists in the possibility to expand the limits of automation, according to which machines will become actors instead of instruments. In contrast with more traditional machine learning pipelines, which aim at prediction or classification, Autonomous Intelligent Systems combine perception, reasoning, memory and action within coherent structures, called Cognitive Architectures [2]. Such architectures enable agents to retain context, reason about the alternative strategies, and modify their behavior to match the evolving conditions, enabling them to operate in very dynamic settings, including healthcare, finance, robotics, cybersecurity, and enterprise operations. Human-AI Collaboration that is incorporated into such systems also increases their effectiveness through allowing human users to offer high-level instructions, and the agents carry out complex execution tasks. The capability to create dependable and reputable agentic platforms has turned into a vital condition in scholarly studies and industrial implementation because organizations are growing more dependent on AI Automation and Intelligent Decision Systems over time.

The trend in the current technology indicates that there is a fast integration of a number of major technologies that, together, allow modern Agentic Architecture such as Multi-Agent Systems, Distributed AI as well as orchestration frameworks that coordinate the behavior of a number of autonomous entities. In current applications, the Agents based on LLM are reasoning cores, which can comprehend natural language instructions, produce plans and call external tools, and the orchestration layers control communication, memory and execution between various components [3-5]. This method has brought about very flexible AI Orchestration platforms that sustain teamwork problem solving by networks of specialized agents. Simultaneously, with the progress of Hybrid Neuro-Symbolic AI, it is now possible to implement a combination of deep learning and symbolic reasoning to enable agents to gain both adaptability and logical consistency. Such developments suggest that Next-Generation AI Systems will be based on distributed, modular, and interoperable models instead of monolithic models that should open up new opportunities regarding scalability but also pose new risks in terms of coordination, control, and trustworthiness.

Regardless of the fast-paced advancement of Artificial Intelligence Agents and Multi-agent Systems, various essential issues are still not addressed, which speaks of the necessity of systematic research into the design and implementation of large-scale Agentic AI Systems. A significant difficulty lies in the necessity to provide AI Safety and AI Security in the conditions when autonomous agents can communicate with the external tools, have access to confidential information, and can make their own decisions [2,6]. Devoid of suitable protection, these systems can generate objectionable responses, spread errors or be susceptible to manipulation by adversaries. One more crucial aspect is connected with the fact that there are no standardized protocols related to communication and interoperability between agents, which restrict the scalability of Distributed AI and does not allow integrating across platforms without problems. Moreover, the increasing complexity of Cognitive Architectures has caused the necessity to attain adequate transparency which has given great impetus to the Explainable AI techniques that enable developers and users to get insights into how decisions are made. These constraints prove that although Agentic AI has important possibilities, its use in practice needs new frameworks that can create a balance between autonomy and control, flexibility, and reliability, and performance and accountability.

The other notable research gap in the literature is that there is little incorporation of AI Governance, principles of ethical design, and control mechanisms that are policy-driven in contemporary Agentic Architecture. The impact of wrong or discriminatory decision-making can be more pronounced as Autonomous Intelligent Systems are increasingly advanced, and this is especially true in the spheres where a mistake could cause serious repercussions (medical care, transportation, finances) [7-9]. The recent studies tend to emphasize the performance and scalability, whereas the long-term sustainability, the regulatory compliance, and the impact on the society are under-reported and under-prioritized. Lack of coherent structure of governance makes it challenging to make sure that the Artificial Intelligence Agents work within acceptable limits without compromising the ability to solve complex problems. Moreover, the growing dependence on the Human-AI Collaboration brings up new concerns on the trust, responsibility and user control that further underlines the importance of having architectures capable of fostering open communication between human beings and autonomous agents. These gaps

should be addressed to facilitate the safe and responsible use of Next-Generation AI Systems in the real-world setting.

To address these issues, this literature review aims to give a detailed and systematic discussion of Agentic AI, Artificial Intelligence Agents, and Agentic Architecture in terms of their architecture, capabilities, applications, challenges, and future directions. The purpose of this paper is to synthesize recent advances in LLM-based Agents, Multi-agent Systems, AI Orchestration, Hybrid Neuro-Symbolic AI, and Distributed AI, as well as, discussing how Explainable AI, AI Governance, AI Safety, and AI security might be used to design trustworthy intelligent systems [10]. Trying to bring the already existing research together to a single framework, this paper aims at clarifying the relations among the various architectural approaches, as well as determining the important factors that determine the performance, reliability, and scalability of Autonomous Intelligent Systems. Another set of new trends highlighted in the review is Tool-Augmented AI, AI Workflow Automation, and collaborative agent networks, all of which will shape the future of intelligent computing.

The main value of this paper is that it develops a comprehensive approach towards Agentic AI Systems that brings together the architectural design, the functional capabilities, the real-life applications, and the requirements in governance in one analytical framework. In contrast to the past research, which deals with isolated factors of agent-based artificial intelligence, a review shows that Cognitive Architectures, Multi-Agent Systems, mechanisms of Orchestration, and models of ethical control are interdependent and that successful Next-Generation AI Systems need to be based on both technical innovation and responsible design [10,11]. The paper also notes the major research directions such as the creation of standardized agent communication protocols, scalable orchestration platforms, safe execution environment, and hybrid reasoning systems that integrate neural intelligence with symbolic intelligence. Offering an informative overview of the already achieved progress and unanswered issues, this introduction preconditions the thorough literature review that will likely facilitate the development of robust, scaled, and reliable Autonomous Intelligent Systems that will be able to change the modern digital environment.

2. Methodology

This is because this literature review was done within the framework of the Preferred Reporting Items (PRISMA) 2020, which focuses on transparency, reproducibility, and methodological rigor to conduct a synthesis of the existing body of knowledge regarding the subject of artificial intelligence agents and agentic AI systems (Fig. 1). Four major academic databases were searched, including Scopus, Web of Science, IEEE Xplore, and PubMed, with publications published between January 2019 and December 2025, which was chosen as it reflected the latest and recent developments in the field since the sudden influx of large language model-driven agentic architectures. The Boolean search query used throughout Scopus and Web of science was built through a mix of controlled vocabulary words and free-text words: (("artificial intelligence agent" OR "AI agent" OR "autonomous agent" OR "agentic AI system") AND ("application" OR used case OR deployment); ("AI agent" OR autonomous agent) AND (challenge OR limitation or risk or safety or alignment); and (agentic AI" OR AI agent framework) AND (future direction or research agenda). These strings were translated to have similar syntax in IEEE Xplore and PubMed. The preliminary database search has resulted in 4,731 records (Scopus: 1,482; Web of Science: 1,253; IEEE Xplore: 1,174; PubMed: 822), supported by 47 records found during forward and backward citation searches of the significant review articles




Fig.1 PRISMA Framework

After deduplication (863 records were removed) and automated screening of the records by reference management tools (214 records indicated as ineligible), 3,701 records were entered into the title-and-abstract screening phase, and 2,894 records were discarded because of not meeting the inclusion criteria. The inclusion criteria were that the studies had to be peer-reviewed journal articles or full conference papers that reported on AI agent architecture, capabilities, applications, challenges, or future directions with a substantive subject on the topic; the study had to be written in English; and the study had to be published within a range of 2019 to 2025. After that, 807 full-text reports of the database searches and 47 of other sources were identified eligible to be retrieved, and 61 and 5 of them were inaccessible, respectively. Eligibility assessment was done on 746 database-sourced and 42 other-sourced reports and 561 were rejected because of reasons such as the lack of peer review or conference-abstract-only format (189), not meeting the designated range of dates (97), not focusing on AI agents or agentic systems (143), too little detail of the methods (78), and duplicates or redundant reports (54) were also excluded. In the end, 227 reports that include 218 studies were incorporated into this review; they represented a robust and extensive evidence base on which to analyze the architectures, capabilities, uses, issues and future prospects of artificial intelligence agents and agentic AI systems.

3. Result

3.1 Techniques and Algorithms

Design Algorithms of Agentic Architecture

Modern Agentic AI is built upon creating organized Agentic Architecture that it is possible to use Artificial Intelligence Agents as procedural, goal-directed modules on an Autonomous Intelligent System. There are most recent algorithmic strategies based on layered architectures separating perception, reasoning, planning, and execution, and memory modules, enabling agents to achieve complicated tasks with scalability and flexibility [12-14]. Such architectures tend to use controller-executor models where a core reasoning component is used to organize many special-purpose sub-agents via AI Orchestration mechanisms. These systems are based on dynamic task breaking down, contextual routing and dynamic scheduling algorithms to make sure that the agents are able to adapt to the dynamic environment in real time. The introduction of Next-Generation AI Systems has also promoted using hierarchical control algorithms that enable agents to subcontract subtasks to other agents, producing recursive decision structures with the capability to manage extremely complex workflows. Such algorithmic models are the basic building blocks of modern AI Workflow Automation, where intelligent systems are no longer run on fixed pipelines, but rather on adaptive and autonomous execution models.

Large Language Model Agent Algorithms

The most notable advancement in Artificial Intelligence Agents is the adoption of LLM-based Agents, in which large language models are used as reasoning systems and can be instructed, formulate plans, and communicate with other tools. The algorithms of these systems are normally prompt-driven planning, chain-of-thought reasoning, and iterative refinement loops which enable the agents to evaluate their output before executing it [3,15-17]. Contemporary applications are taking into consideration Self-Reflective Agents, which are based on the internal feedback mechanisms to learn how to avoid mistakes and enhance the quality of decisions in the long run. The algorithms usually are based on multi-step reasoning pipelines as the agent forms hypotheses, evaluates alternatives, and chooses the best course of action based on information in the situation. The Retrieval-Augmented Generation further improves performance as the agents have access to external body of knowledge meaning that decision-making is informed by the relevant information. These methods have become necessary in the development of Intelligent Decision Systems capable of functioning within open-ended environments and are able to deal with problems that demand a mixture of linguistic knowledge and logical thinking.

Multi-Agent Coordination Algorithms

Multi-Agent Systems have brought about a new breed of algorithm, which is aimed at coordinating multiple Autonomous Intelligent Systems which are striving towards the achievement of common or competing goals. Coordination algorithms employ negotiation schemes, consensus schemes and distributed planning schemes that enables agents to interact and cooperate [18-20]. The modern methods rely on the graph of communication model in which the agents exchange the structured messages via the shared memory or the network channel and thus provide scalable Distributed AI environments. Swarm-inspired algorithms and Swarm Intelligence techniques in complex applications Swarm-inspired algorithms and Swarm Intelligence techniques are applied to enable large numbers of agents to cooperate without centralized control to enhance the robustness and adaptability. Such algorithms might be especially significant in Next-Generation AI Systems, where hundreds and thousands of agents might be required to coordinate in real time on cloud, edge, and on-device environments. The multi-agent coordination is one of the most significant algorithmic components of the contemporary Agentic AI Systems due to the implementation of AI Orchestration frameworks that make sure that tasks are assigned most effectively and reduce the number of conflicts and redundancy.

Algorithms of Planning and Decision-Making

Planning algorithms are essential in helping Artificial Intelligence Agents to make sequential decisions that would lead them to accomplish long-term objectives. The classical planning techniques like heuristic search and rule of thumb reasoning are currently integrated with Reinforcement Learning Agents and probabilistic decision model to establish adaptive planning systems that can work in the face of uncertainty [21-23]. The hierarchical planning algorithm is employed by modern Agentic AI platforms whereby high level goals are break up into smaller tasks which can be carried out by specialized agents. These systems also tend to use Monte Carlo tree search, policy optimization and value based learning methods to analyze potential moves to be taken before implementing them. Planning algorithms and Hybrid Neuro-Symbolic AI can be used to enable the agents to combine logical reasoning with the data-driven learning process to enhance their accuracy and flexibility. The techniques are critical towards developing Intelligent Decision Systems that are capable of operating in a dynamic setting like robotics, finance, healthcare, and autonomous vehicles where the decisions need to be made continuously and with limited background information.




Fig. 2 Radar Chart: Multidimensional Capability Profiles

Fig. 2 shows four AI agent architecture families (ReAct-based, Tool-Augmented LLMs, Multi-Agent Systems, and Cognitive Architectures) are compared across six capability dimensions — Reasoning & Planning, Tool Use & Integration, Memory & Context, Multi-Agent Coordination, Safety & Alignment, and Autonomy Level — each scored 0–10. Cognitive Architectures score highest on reasoning (9.0) and memory (8.8), while Multi-Agent Systems dominate coordination (9.0) and autonomy (8.5). Tool-Augmented LLMs peak on tool use (9.2) but lag in coordination (4.2), reflecting current architectural trade-offs central to the 2024–25 literature.

Memory-Augmented and Context-Aware Algorithms

Current Agentic AI Systems make more use of Memory-Augmented AI algorithms that enable an agent to retain, recall and update contextual data through multiple interactions. In contrast to the classical models, which run statelessly, memory augmented agents preserve short and long term memory structures, which allow them to reason complexly across longer periods of time [9,24,25]. These algorithms rely on the use of vector databases, semantic indexing and attention-based retrieval techniques to deliver context-based responses. In Agents of the LLM-based, memory modules are combined with reasoning loops to be sure that previous actions and observations will impact the decisions. This feature is critical to AI Workflow Automation, where each of the steps can involve various actions, and the results can be stored in the middle. Human-AI Collaboration is also facilitated by context-aware algorithms that enable agents to recollect user preferences, instructions in the past and domain specific knowledge. With the increasingly complex Next-Generation AI Systems, memory-augmented approaches will be important in the facilitation of persistent, adaptive, and personalized intelligent behaviour.

Tool-Enhanced and API-based Algorithms

The emergence of Tool-Augmented AI has presented the algorithms that enable the Artificial Intelligence Agents to communicate with external software tools, databases, and APIs to execute tasks that the single model is not capable of handling. These algorithms employ tool selection algorithms, function calling algorithms and validation loops in order to make sure that the agents can safely and effectively utilize external resources [26-28]. In contemporary Agentic Architecture, the agents are analyzing tools available and select the one that fits the task best and verifies the outcome prior to further execution. This process needs adaptable planning algorithms that combine logic with action to form very adaptable AI Automation systems. Enterprise applications are also a popular use of tool-augmented applications, where agents have to communicate with business systems and cloud applications, along with real-time sources of data. AI Orchestration together with tool-implemented execution can be used to create powerful Autonomous Intelligent Systems that can execute more complex workflows without human participation and thus these algorithms are the key to scalable Next-Generation AI Systems.

Hybrid Neuro-Symbolic Algorithms

The Hybrid Neuro-Symbolic AI is a significant development of design in Agentic AI Systems, a hybrid between the pattern recognition of neural networks and the logical reasoning of symbolic methods. Hybrid algorithms enable Artificial Intelligence Agents to reason logically and impose constraints and preserve consistency, and data-driven learning is also beneficial [6,29-31]. These methods are especially effective in those areas that have a high level of reliability (scientific computing, medical diagnosis, legal analysis, etc.). Planning and rule enforcement In current Cognitive Architectures, symbolic reasoning units are typically applied, whereas the perception and language interpretation are done with neural models. This combination allows the agents to work in complicated environments when both logical thinking and the use of statistics are needed. Explainable AI is also enhanced by the use of hybrid algorithms, which can be interpreted as giving reasoning steps that are understandable and therefore the decisions made are more transparent and can be validated. With the development of Next-Generation AI Systems, hybrid approaches are likely to be considered a regular element of sound and reliable agentic platforms.

Federated and Distributed Learning Algorithms

Scalable Agentic AI needs algorithms that can be executed in distributed settings, which have resulting in Distributed AI and Federated Learning methods. These algorithms enable a group of agents to learn cooperatively without the need to exchange raw data, enhance privacy, scalability, and efficiency [32,33]. Distributed learning in Multi-Agent Systems allows agents to revise common models with local autonomy, and thus it is possible to deploy intelligent systems on cloud, edge and on-device platforms. The Edge AI algorithms further improve performance since it enables the agents to handle data at the edge of the network, thereby improving performance in terms of latency and reliability in real-time. The techniques of federated learning are specifically pertinent to AI Security and AI Governance because

the sensitive information is stored on the local devices, but it is still utilized to improve global models. These distributed algorithms are also necessary to the construction of the large scale Autonomous Intelligent Systems capable of functioning within diverse environments and still maintain consistency and coordination.

Dependable, secure, and interpretable AI Networks

With increased autonomy of Artificial Intelligence Agents, reliability and accountability have become significant topics of research and various Trustworthy AI, Explainable AI, and AI Safety algorithms have been created. The methods described seek to render the decision of the agents transparent, predictable, and value-oriented [34-36]. Explainability algorithms provide visualization of the attention, reasoning traces, and symbolic explanations to demonstrate the decision-making process and enhance the level of user trust in Intelligent Decision Systems. A constraint enforcement, a risk assessment, and an anomaly detecting algorithm are safety algorithms that may restrict agents to performing actions that are unhelpful. Along with that, AI Governance schemes are based on the monitoring and auditing algorithms with the help of which the agent behavior is observed and the adherence to the established guidelines is monitored. Security-oriented algorithms ensure that Agentic AI Systems are resistant to adversarial attacks, unauthorized access, and leakage of data, and are necessary in the real world. The responsible artificial intelligence will continue to be a vital need as the complexity of Next-Generation AI Systems rise, and safe and explainable algorithms need to be developed.

Adaptive and Self-Improving Agent Algorithms

New studies have come up with Adaptive AI Systems and self-optimizing algorithms, which enable Artificial Intelligence Agents to adjust their actions through experience. The algorithms are based on the principles of reinforcement learning, meta-learning, and self-reflection in order to enhance performance without the necessity of manual updates with time [16,37-40]. Self-Reflective Agents assess their activities, discover mistakes, and change their strategies and can learn continuously in changing environments. Adaptive algorithms also facilitate Human-AI Collaboration, in which the agents take the inputs of the user and improve their behavior as per the preferences of the human beings. In large-scale Agentic Architecture, self-improving agents are able to disseminate knowledge to other agents and bring about faster collective learning within the system. Such methods will be of key importance in the future of Next-Generation AI Systems where intelligent agents will be required to perform in long durations without compromising high performance and reliability. The creation of adaptive and self-improving algorithms is one of the most promising paths in Agentic AI and allows developing intelligent systems that could develop and improve along with the environment where they are located.

3.2 Applications

Smart Clinical Decision Support Systems and Smart Healthcare

The use of Agentic AI in healthcare has greatly grown with the emergence of Autonomous Intelligent Systems that can help in diagnosis, treatment planning, patient monitoring, and management of clinical workflows. The latest generation of the Artificial Intelligence Agents is based on LLM-based Agents and Memory-Augmented AI that allow to continuously analyze patient records, medical imaging, and real-time sensor data and assist more effective and clinically accurate Intelligent Decision Systems [41-43]. The Smart Healthcare AI applies agentic frameworks to coordinate various special agents who handle various tasks including the analysis of symptoms, drug interaction, and recommendation of treatment. They are based on the Agentic Architecture and AI Orchestration to combine hospital databases, wearable, and medical knowledge repositories into a single platform. Explainable AI and Trustworthy AI algorithms have been coupled together to make sure that medical decisions are transparent and verifiable, without which the reliability of safety-critical environments is jeopardized. With the continued implementation of Next-Generation AI Systems in healthcare systems, agent-based automation will take a centre stage in personalised medicine, remote healthcare, and predictive diagnostics.

Unmanned Robots and Intelligent Control

Among the most recognizable uses of Artificial Intelligence Agents is in the field of Autonomous Robotics, where Agentic AI Systems allow robots to sense their surrounding world, reason and react to new circumstances without human interference. Reinforcement Learning Agents, Hybrid Neuro-Symbolic AI, and Cognitive Architectures are all used in the modern robotic platforms to unify perception, reasoning and motion control into a single decision-making architecture [44,45]. Multi-Agent Systems enable a number of robots to work together in complex environments with distributed communication protocols to coordinate their actions in manufacturing, logistics and exploration problems. The application of Swarm Intelligence algorithms has also increased the scalability of robotic systems since they can make large numbers of autonomous agents cooperate without a centralized control. The technologies are assisted by Edge AI and Distributed AI, which allow processing in real-time proximity to the physical environment, minimizing latency and enhancing reliability. Due to the further development of Next-Generation AI Systems, agentic robotics will be applied in additional fields, including space exploration, disaster management, and smart transportation.

Smart Cybersecurity and Threat Identification

The growing sophistication of digital infrastructures has led to the high demand of Agentic AI in cybersecurity, according to which Autonomous Intelligent Systems are able to monitor networks, threat detection, and responding to attacks in real time. The current Artificial Intelligence Agents apply AI Automation, Retrieval-Augmented Generation, and anomaly detection algorithms to detect suspicious activities in large amounts of data [22,30,46-48]. In a more advanced Intelligent Cybersecurity platform, different agents can be a Multi-Agent System, and each agent has a dedicated task to perform, like intrusion detection, vulnerability analysis, or response coordination. Such systems are based on AI Orchestration in a manner that the decisions are implemented fast and in a uniform manner throughout distributed environments. AI Security, AI Safety, and AI Governance algorithms are integrated to make sure that the automated responses are not uncontrolled and bring up new risks. As cloud computing and connected devices expand, Agentic Architecture has developed into the critical component of creating scalable and adaptive security systems that are capable of securing the modern Next-Generation AI Systems.




Fig. 3 Bubble Chart: Application Domains

Fig. 3 shows ten AI agent application domains positioned by publication growth rate (x-axis, 2022→2025) and benchmark performance gain (y-axis), with bubble area encoding estimated deployment scale. Drug Discovery leads on performance gain (91%) while Software Engineering shows the highest publication growth (312%). Healthcare and Financial Analysis occupy the upper-right quadrant, indicating both rapid growth and strong performance. Dashed mean lines partition domains into four strategic quadrants.

Financial Intelligence and Autonomous Trading Systems

Finance is one of the industries that have quickly embraced the use of Agentic AI Systems to assist in automated trading, risk management, fraud detection, and financial forecasting. With Reinforcement Learning Agents and predictive analytics algorithms installed into Artificial Intelligence Agents, a transaction could be carried out without a human intervention by analyzing market trends, risk factors, and executing transactions [49-51]. Multi-agent Systems are implemented to conduct complicated processes in large financial institutions in which various agents are in charge of portfolio optimization, compliance monitoring, and transaction verification. These systems may imply Distributed AI and Federated Learning to process sensitive financial information preserving their privacy and regulatory balancing. The use of explainable AI and trustworthy AI technologies is vital in this field to create transparency in automated decision-making processes, particularly with high-value transactions. Action AI Workflow Automation and Tool-Augmented AI enables the agents to engage with databases, trading platforms and regulatory systems in order to establish highly efficient Intelligent Decision Systems that represent the future of financial technology in Next-Generation AI Systems.

Artificial Intelligence in Learning and Intelligent Education Systems

This is because the application of Agentic AI in learning has made it possible to develop smart learning spaces where Artificial Intelligence Agents can give personalized instruction, carry out automated evaluation, and adaptable content delivery. Agents and Memory-Augmented AI based on LLM in the contemporary learning platform are applied to monitor student progress, learning patterns, and specifically create learning materials [52-55]. These systems are based on Human-AI Collaboration in which the learning process is led by the teacher and repetitive and data-intensive tasks are performed by autonomous agents. AI Workflow Automation enables learning institutions to control administrative systems, grading, and student support through Autonomous Intelligent System. Explainable AI will be integrated so that the recommendations are easily understandable to the students and teachers and enhance the level of trust in intelligent tutoring systems. With further development of Next-Generation AI Systems, agent-based education systems will be able to contribute to lifelong learning, distance learning, and skill training on a global scale.

Urban Management Systems and Smart Cities

The Smart Cities AI has provided additional opportunities to use Agentic AI Systems in urban planning, transportation, energy management and in the field of public safety. Artificial Intelligence Agents can be used in these settings as components of massive Distributed AI systems, managing traffic lights, environmental sensing and resource allocation [23,56,57]. Multi-Agent Systems prove to be especially useful in smart city applications since they enable the various subsystems to function autonomously and yet exchange information in AI Orchestration structures. As an illustration, the transportation agents can liaise with the energy management agents to maximise power use when there is peak traffic. As a result of Edge AI, real-time decision-making near sensors and devices is possible, making decisions more responsive and causing less load on the network. The algorithms necessary in this sector include AI Governance and AI Safety algorithms to control the way automated decisions are made without negatively affecting the population in terms of safety and privacy. Next-Generation AI Systems, grounded on agentic architectures, will be important in developing efficient and sustainable cities as cities get increasingly connected.

Enterprise Automation and Business Process Management

This is because modern organizations are more using Agentic AI to automate complex business processes through AI Automation, Tool-Augmented AI, and AI Workflow Automation. Customer support, document processing, supply chain coordination, and decision analysis are some of the tasks handled by Artificial Intelligence Agents in an enterprise setting [58-61]. These systems are based on Agentic Architecture that allows combining several software tools, databases, and communication platforms into a single workflow. Agents built using LLM make it easy to communicate with the enterprise system via natural language and can give answers to questions without specialized knowledge of the system. Distribution of responsibilities to special agents in order to enhance efficiency and scalability is commonly practiced with Multi-Agent Systems. Explainable AI combined with Trustworthy AI will make sure that the decisions made by the automated methods are clear and audible, which is critical toward the compliance with the regulations. With the shift of businesses toward a digital transformation, Next-Generation AI Systems on the basis of agentic automation are likely to transform the concept of productivity and operational efficiency.

Knowledge Discovery and Scientific Research

The use of Agentic AI Systems in science has provided automated experimentation, automated data analysis, and automated creation of knowledge in various fields. Neural-Symbolic AI Artificial Intelligence Agents with Retrieval-Augmented Generation, Hybrid Neuro-Symbolic AI, and reasoning algorithms are capable of analyzing large datasets, formulating hypotheses and designing experiments with a small amount of human intervention [62-64]. Multi-Agent Systems are used in collaborative research settings to enable various agents to be specialized in a task (e.g. data collection, simulation, and interpretation of results). Distributed AI allows processing on a large scale across high-performance computing systems, whereas AI Orchestration prevents the implementation of complicated workflows inefficiently. These capacities are making breakthroughs in areas like biotechnology, materials science, and climate modeling by making discoveries faster and reducing the amount of manual work. Explainable AI and AI Governance are used to ensure that automated research processes can be transparent and credible, which makes agentic systems a necessary element of scientific innovation of the future.

Self-driving cars and Mobility intelligence

The transportation industry has been one of the most significant fields of application of Agentic AI, where Autonomous Intelligent Systems make possible the self-directed vehicles, smart traffic control, and predictive maintenance. In this field, Artificial Intelligence Agents are based on perception algorithms, planning models, and Reinforcement Learning Agents to make real-time decisions based on sensor information [1,65,66]. Multi-Agent Systems have been used to coordinate transport networks (vehicles, traffic lights, infrastructure, etc.) to maximize safety and efficiency in large transport networks. Edge AI and Distributed AI enable the creation of decisions at the location and help to minimize delays and enhance reliability in time-sensitive scenarios. Specifically, AI Safety, AI Security, and Trustworthy AI are relevant to the autonomous mobility since any wrong decision can result in severe outcomes. It can be anticipated that when Agentic Architecture is combined with intelligent control systems, it will allow completely autonomous transportation networks, which are included in Next-Generation AI Systems.

Collaboration between humans and AI in the Future and Digital Ecosystems

Advanced Human-AI Collaboration systems should be regarded as one of the most encouraging applications of Agentic AI where the Artificial Intelligence Agents collaborate with humans to address some complicated issues. In such settings, agents serve as assistants, advisors and collaborative agents and operate with Cognitive Structures, Memory based AI, and reasoning programs in helping individuals to make decisions [67-69]. The Adaptive AI Systems enable agents to gain knowledge through user feedback, and enhance the performance with time. Multi-Agent Systems are the coordinators of thousands of agents executing various functions in large-scale digital ecosystems to generate highly scalable and flexible Next-Generation AI Systems. The combination of AI Governance,

Explainable AI and AI Safety makes sure that cooperation is transparent and manageable. The future of the digital world is likely to be made up of agentic platforms, as technology progresses, humans and autonoetic systems can collaborate in a seamless manner to facilitate novel types of productivity, creativity, and innovation.

3.3 Literature review

Comparison of the agentic AI architectures

The contemporary literature analysis indicates that there are varied types of Agentic Architecture on which modern Agentic AI systems are developed, and they each handle different degrees of autonomy, scalability, and adaptability in Autonomous Intelligent Systems. The early architectures were based on single agent models with little reasoning whereas today Artificial Intelligence Agents are designed in a layered and modular model that combine perception, planning, memory and execution modules [70,71]. The biggest trend perceived in the literature is the replacement of monolithic models by Multi-Agent Systems and Distributed AI, in which many agents cooperate via coordinated communication protocols operated by AI Orchestration layers. Relative analysis shows hierarchical architectures are more controllable and interpretable whereas decentralized architectures are more scaled and fault resistant. Next-Generation AI Systems based on hybrid models that include centralized reasoning and distributed executions are becoming more popular to balance efficiency and flexibility. Literature has always pointed out that architectural design has been one of the most important aspects in development of advanced Agentic AI Systems because the performance, reliability and safety of a system depends on architecture greatly.

Agents AIs Development Tools and Frameworks

The findings of the review point to the fast expanding supply of software tools and frameworks that would help in the development of the Artificial Intelligence Agents and Agentic AI Systems. The latest platforms include in-built support of LLM-based Agents, Tool-Augmented AI, and AI Workflow Automation, enabling developers to build complex intelligent systems without having to redesign all parts of the system [20,72-74]. Such structures usually comprise orchestration engines, memory modules and communication interfaces that make it easier to implement Multi-Agent Systems. Reverse-Augmented Generation and Memory-Augmented AI are also commonly used in many tools to enhance the accuracy of reasoning and situational comprehension. The fact that Explainable AI and Trustworthy AI functions are included in the development platforms demonstrates the increasing significance of openness and responsibility in the intelligent systems. According to the literature, the standardization of tools has made the exploration of Agentic Architecture in scholarly work and industrial quicker, allowing the establishment of scalable Next-Generation AI Systems in broad fields, like healthcare, finance, robotics, and smart infrastructure.

Techniques of Autonomous Intelligent Systems

The development of Autonomous Intelligent Systems has seen the identification of a very large number of algorithmic approaches, among which are planning algorithms, reinforcement learning, symbolic reasoning and even hybrid methods that combine several techniques. Adaptive behavior is generally facilitated by the use of Reinforcement Learning Agents whereby agents learn optimal strategies in relation to the environment [75,76]. Simultaneously, Hybrid Neuro-Symbolic AI algorithms are also becoming more popular in order to combine statistical learning with logical reasoning to enhance accuracy and interpretability. Numerous researchers point out the significance of Cognitive Architectures as they offer systematic designs of perception, reasoning, and action integration. These architectures frequently use Memory-Augmented AI to preserve context ensuring that there is an array of interactions, where an agent is able to carry out complex tasks, which need long-term planning. These approaches have resulted in the creation of highly functioning Intelligent Decision Systems capable of functioning in dynamic and uncertain conditions and it can be seen that Agentic AI has the potential to enable advanced automation and autonomous problem solving.

Some examples of Artificial Intelligence Agents

According to the literature, there are numerous varieties of Artificial Intelligence Agents, all of which are aimed at particular tasks in Agentic AI Systems. The work of reactive agents is determined by immediate inputs and there is no internal state, whereas deliberative agents can make decisions with the help of reasoning and planning algorithms [36,77-79]. More sophisticated Agents based on LLM are able to process instructions in natural language and create multi-step action plans that are appropriate to complex applications like automation in enterprises and scientific research. Multi-agent Systems can have cooperative, competitive, or hybrid agents based on the goals of the system. The advent of Adaptive AI Systems has brought about the agents with the ability of self-improvement through feedback and reinforcement learning. Specialized agents in the large-scale Distributed AI setting execute various functions and can communicate via orchestration systems to achieve complex processes effectively. Such a variety of types of agents enables Next-Generation AI Systems to be applied to a wide spectrum of applications, including basic automation, full-scale autonomous decision-making platforms.

Applications of Implementation Strategies to Practice

The findings indicate that architectural design, algorithmic approaches, and infrastructure support must be carefully combined in the successful implementation of the Agentic AI. Artificial Intelligence Agents have frequently been implemented in edge-enabled or cloud-based hardware in real-world applications, which offers the computational resources to execute large-scale processing [80-83]. Edge AI is essential to use in applications that need real-time decision-making, including robotics and smart cities, whereas cloud-based systems enable large-scale Distributed AI and data-heavy workflows. The use of AI Orchestration is common in implementation strategies which aim at aligning different agents and their consistent execution across various components. Tool-Augmented AI can also be used to provide interaction between the agents and external systems, permitting the automation of complex processes in enterprise, healthcare, and financial applications. Research has shown that modular Agentic Architecture enhances maintainability and scalability, thus it is less difficult to update single parts and leave the whole system intact. These conclusions prove that efficient implementation necessitates technical and organizational aspects.




Fig.4 Scatter Plot with Log-Linear Regression & 95% CI

Fig.4 represents model parameter count (billions) is plotted against agent benchmark score (%) across 72 data points from three agent families. All three groups follow a logarithmic (diminishing-returns) scaling law, a core emerging finding in 2024-25 literature. The pooled fit yields $R = \sim 0.87$, $p < 0.001$. Cognitive Architecture agents consistently outperform at equivalent parameter counts, suggesting architectural design matters beyond raw scale.

The problem with Agentic AI Systems

Regardless of the major advancements, the literature indicates that there are various obstacles that restrain the implementation of the Agentic AI Systems in large-scale operations. Assuring AI Safety and AI Security in cases where an autonomous agent is given an opportunity to make their own choices or integrate with external tools can be considered one of the most important issues [84-86]. The lack of appropriate protective measures can cause misguided steps and result in something that can have severe outcomes. The other problem is that Multi-Agent Systems are not standardized in communication protocols such that interoperability across different platforms is hard to attain. It is also challenging to debug and verify Cognitive Architectures, which complicates the issue, as it requires Explainable AI methods that can bring transparency in decision-making. Moreover, bias, accountability, and misuse ethical issues portray the significance of Responsible AI and AI Governance models. These difficulties prove that though Next-Generation AI Systems have serious advantages, their development should be supported with powerful safety and control systems.

Opportunities and New Research Directions

The review provides various future research opportunities in Agentic AI, especially in the domain of scalability, adaptability and collaboration. Recent developments in Swarm Intelligence and Federated Learning are making possible new types of distributed cooperation between agents, which can be run on multiple devices and on multiple locations, and remain efficient and private [6,87,88]. The other path worthy of mention is the integration of Human-AI Collaboration where intelligent agents are more and more collaborators in decision-making and problem solving with humans. It has been proposed in research regarding Adaptive AI Systems and self-learners that future agents will have an ability to learn by experience as time goes on and therefore do not have to be updated manually on an ongoing basis. The Hybrid Neuro-Symbolic AI is combined with Retrieval-Augmented Generation and sophisticated reasoning models, which are likely to enhance the credibility of autonomous decision-making. This implies that Next-Generation AI Systems will be more adaptable, creative, and able to work in the more complicated real-world settings.

Improvement in Industry and Digital Ecosystems

The influence of the Agentic AI Systems on the industry and society is increasingly becoming more noticeable with organizations embracing intelligent automation in an attempt to enhance efficiency and innovation. AI Automation and AI Workflow Automation are changing business operations in enterprise environments where Artificial Intelligence Agents are able to handle business processes like data analysis, customer support, and supply chain coordination [89-90]. Autonomous Intelligent Systems are opening up new potential levels of responsiveness and precision in healthcare, finance, and transportation. The emergence of Digital Ecosystems AI has provided interdependent systems where there is a relationship between many agents at cloud, edge, and device level infrastructures. This agent-based change is remaking the concept of software system design with dynamic, adaptive environments replacing the traditional static applications. According to the literature, the ubiquitous use of Agentic Architecture will keep transforming the industries to generate new opportunities as well as generate new liabilities concerning governance and security.

Responsible Artificial Intelligence, Policies, and Regulations

Along with the increasing the power of Artificial Intelligence Agents, the necessity of effective AI Regulation, AI Governance, and Responsible AI frameworks has gained a greater significance. Most works note that autonomous systems should have well-defined ethical and legal limits in order to avoid abuse and guarantee a sense of trust among the people [6,9]. The policies can be aimed at transparency,

accountability, and fairness where developers should introduce Explainable AI and monitoring systems to Agentic AI Systems. Security regulations are also significant because an AI Security system is required to ensure intelligent systems are not subjected to cyber threats and unauthorized access. Besides that, safety standards are under development so that Autonomous Intelligent Systems act in foreseeable ways even in unforeseen scenarios. Regulatory requirements should be integrated into Agentic Architecture and will become a norm so that Next-Generation AI Systems can be responsible in deploying critical applications in the domain of healthcare and transportation, as well as finance.

New Horizons of Agentic AIs

Findings the literature review demonstrate that the future of Agentic AI will be determined by the progress in the design of architectures, algorithmic intelligence, and governance structures. There is a growing interest in the creation of Multi-Agent Systems of very large scale that have the ability to coordinate thousands of agents in distributed systems. Adaptive AI Systems, Memory-Augmented AI, and self-reflective reasoning are likely to enhance long-term autonomy, so the agents will be able to perform their tasks without being managed by a human. Next-generation AI Systems will most likely integrate Hybrid Neuro-Symbolic AI, Federated Learning, and Edge AI in order to be efficient and reliable in the future. Simultaneously, advances in Trustworthy AI, AI Safety, and AI Governance will be necessary to make autonomous technologies aligned to the human values. The combination of these developments points to the fact that the future intelligent infrastructures will be based on Agentic AI Systems, allowing to introduce new types of automation, collaboration, and innovation in all the areas of society.

4. Discussion

Development of Agentic AI and Artificial Intelligence Agents is one of the key shifts of the Autonomous Intelligent Systems design, since modern architectures cease to be based on the equal-predictability model but are instead goal-oriented, dynamic, and collaborative. The current advances in Agentic Architecture, the Agents based on LLM, and Multi-Agents systems show that intelligent systems are gaining more and more facilities to plan, reason and execute complex workflows with limited human intervention. This change has made possible the development of highly scalable Next-Generation AI Systems whereby various agents can coordinate based on AI Orchestration layers and make distributed decisions in cloud, edge and on-device settings [6,35]. According to the literature, these new architectures allow increased flexibility and automation over traditional machine learning pipelines, although new issues of governance, reliability, and complexity of the system are generated. With the adaptation of AI Workflow Automation and Intelligent Decision Systems in organizations, the capacity to create modular and interoperable agent structures has turned into an imperative to accomplishing sustainable and reliable intelligent infrastructures.

The next significant observation is that the power of the current Agentic AI Systems is highly adjusted by the combination of Cognitive Architectures, Memory-Augmented AI, and Hybrid Neuro-Symbolic AI that allow agents to remember the context, reason about long action sequences, and adapt to changing environments. All these capabilities enable Artificial Intelligence Agents to work where high degrees of autonomy are necessary such as in the field of healthcare, finance, robotics and smart infrastructure. Tool-Augmented AI and Retrieval-Augmented Generation have enabled agents to engage with external knowledge bases, APIs and enterprise systems extending their functional range. Nevertheless, along with the growth in Autonomy there comes more demand on Explainable AI, AI Safety, and Trustworthy AI since the process of making decisions will have to be transparent and controllable to preserve user trust. According to the literature, upcoming Digital Ecosystems AI will be based on the trade-off between autonomy and supervision, in which intelligent agents are autonomous and are still acceptable of the human interests via robust monitoring and governing systems.

Table 1. Summary of Architectures, Techniques, and Applications in Agentic AI

Sr. No.	Aspect	Technique / Method	Application
1	Agentic Architecture	Modular agent design	Enterprise automation
2	Multi-Agent Systems	Distributed coordination	Robotics
3	LLM-based Agents	Natural language reasoning	Virtual assistants
4	Cognitive Architectures	Perception-planning-action loop	Autonomous systems
5	Retrieval-Augmented Generation	Knowledge grounding	Research systems
6	Memory-Augmented AI	Context storage	Conversational AI
7	Hybrid Neuro-Symbolic AI	Logical + neural reasoning	Healthcare
8	AI Orchestration	Workflow coordination	Smart cities
9	Tool-Augmented AI	API interaction	Enterprise software
10	Reinforcement Learning	Adaptive behavior	Robotics
11	Distributed AI	Parallel processing	Cloud platforms
12	Edge AI	Local decision making	IoT systems
13	Explainable AI	Transparent reasoning	Finance
14	AI Safety	Risk control	Autonomous vehicles
15	AI Governance	Policy enforcement	Government
16	AI Security	Threat detection	Cybersecurity
17	Adaptive AI Systems	Self-learning	Personal assistants
18	Swarm Intelligence	Collective agents	Drone systems
19	Federated Learning	Privacy-preserving training	Healthcare
20	Human-AI Collaboration	Interactive decision making	Education
21	AI Workflow Automation	Task execution	Business processes
22	Intelligent Decision Systems	Predictive analytics	Finance
23	Smart Systems AI	Real-time monitoring	Industry
24	Autonomous Robotics	Sensor-driven control	Manufacturing
25	Digital Ecosystems AI	Platform integration	Smart cities

As demonstrated in the comparison of various implementation strategies, Multi-agent systems and Distributed AI offer a lot in terms of scalability and robustness particularly in large scale context where a dedicated model is not able to handle all the activities effectively. In these systems, specialized agents collaborate to perform single functions but share information via orchestration frameworks and make highly adaptive Autonomous Intelligent Systems that are able to manage complex workflows [7,9,50]. This has been used successfully in Autonomous Robotics, enterprise automation, and smart city platforms, where real-time coordination is needed across a number of subsystems. Simultaneously, the literature emphasizes that decentralized architectures can cause communication overhead and coordination errors, which need to be considered as a crucial element of effective Agentic Architecture, AI Orchestration, and standardized communication protocols. The comparison between the centralized, decentralized, and hybrid design implies that the hybrid models provide the most appropriate

performance-to-control balance, including the combination with the Adaptive AI Systems that would have the ability to learn by experience.




Fig. 5 Challenge Categories Over Time

Fig. 5 shows annual publication counts from 2019–2025 are broken down into six AI agent challenge categories. Total publications grew 7.6× over six years (from ~145 to ~1,109). Safety & Alignment Risks and Tool Reliability & Orchestration show the steepest relative growth post-2022, consistent with the emergence of production-deployed LLM agents. Hallucination & Factual Grounding remains the dominant challenge category throughout.

The review also shows that the fast proliferation of Agentic AI has posed major concerns regarding the AI Governance, AI Security, and regulatory compliance. In contrast to classic AI systems, AI Agents are notorious of making independent choices, accessing external resources, and changing their behavior during the run time which exacerbates the likelihood of having unintended consequences. This has prompted the new Responsible AI frameworks which aim at controlling agent behavior, monitoring and auditing agent behavior during the system lifecycle. In this respect, the idea of applying the Explainable AI techniques will be especially vital because it will permit not only developers and users to comprehend the way in which decisions are made but will also enable them to identify the possible errors in advance and eliminate them before they can cause damage. Besides this, the increasing adoption of AI Regulation in safety-critical areas underscores the need to have architectures that enable accountability and transparency without constraining the flexibility of autonomous agents. This is an indication that governance mechanisms cannot be incorporated as external controls in Agentic Architecture but should be part of it.

The effects of the Agentic AI Systems on the industry and the society are getting more pronounced as companies implement the use of intelligent agents in order to mechanize the complex procedures and enhance the efficiency of the decision-making process. AI Automation and AI Workflow Automation have facilitated the development of flexible business systems in which agents handle the analysis of data, customer engagement, and operational planning in enterprise settings. Autonomous Intelligent Systems find application in the medical and transport sector, where they are enhancing accuracy and responsiveness by analyzing the real-time data. The introduction of the Human-AI Collaboration platforms have also increased the role of the agents and humans and machines now collaborate in working together in common decision-making settings. These advancements show that Next-

Generation AI Systems are not just technological advancements but they are also organizational changes, and they transform the way work is done. Nonetheless, the literature stresses that effectiveness of adoption lies in trust among the users, transparency of the system, and the capability of incorporating intelligent agents into the existing digital infrastructures.

Table 2. Summary of Challenges, Opportunities, and Future Directions

Sr. No.	Issue / Challenge	Impact	Future Direction
1	Lack of standards	Interoperability issues	Unified protocols
2	Security risks	Data exposure	AI Security frameworks
3	Safety concerns	Unintended actions	AI Safety models
4	Limited explainability	Low trust	Explainable AI
5	Governance gaps	Regulatory issues	AI Governance
6	High complexity	Difficult debugging	Modular architecture
7	Scalability limits	Performance loss	Distributed AI
8	Communication errors	Multi-agent failure	Semantic routing
9	Data privacy	Compliance risk	Federated learning
10	Ethical concerns	Social impact	Responsible AI
11	Tool misuse	System failure	Tool validation
12	Over-automation	Human oversight loss	Human-AI collaboration
13	Latency issues	Slow response	Edge AI
14	Resource cost	High computation	Efficient models
15	Model hallucination	Incorrect decisions	RAG + validation
16	Lack of memory	Poor context	Memory-augmented AI
17	Inconsistent behavior	Unstable agents	Adaptive AI
18	Fragmented ecosystem	Integration difficulty	Platform standards
19	Limited reasoning	Low accuracy	Hybrid AI
20	Poor monitoring	Hidden errors	Runtime governance
21	Deployment risk	System failure	Testing frameworks
22	Trust issues	User rejection	Trustworthy AI
23	Policy conflict	Legal problems	AI regulation
24	Multi-agent conflict	Coordination failure	Orchestration
25	Future scalability	System growth	Next-generation AI systems

The other major area of discussion is the future of Agentic AI which is believed to be scalability, interoperability and long term autonomy. The current trends are that, future Multi-Agents Systems will be characterized by large numbers of agents that are able to work in low-homogeneous environments and semantic communication standards and dynamic orchestration mechanisms. By combining Federated Learning, Edge AI and Distributed AI, intelligent systems will be able to perform efficiently without compromising privacy or causing latency. Meanwhile, the development of Hybrid Neuro-Symbolic AI and self-reflective reasoning will enhance the trustworthiness of the Intelligent Decision

Systems and allow their agents to analyze their behaviors independently and rectify the mistakes. These advances indicate that the future generation of agentic platforms will have the capacity to learn and adapt continuously and collaborate, thus can be used in the most complicated real world applications.

Another point made in the discussion is that the future prosperity of the Agentic AI Systems will be based on the evolution of common standards, common protocols, and common frameworks that will enable agents across the platforms to communicate and collaborate with each other. The absence of these standards can result in disjointed ecosystems that can be hard to maintain and secure in case of the acceleration of the agent-based technologies. The literature thus underlines the role of integrating technical innovation with policy making so that Artificial Intelligence Agents can be in tandem with ethical and legal provisions and yet promote advanced automation. This will require interdisciplinary research to be conducted by computer science, cognitive science, cybersecurity, and public policy as Next-Generation AI Systems continue to develop to build robust and sustainable intelligent infrastructures.

5. Conclusion

This PRISMA 2020-based literature review shows that Agentic AI, Artificial Intelligence Agents, and Agentic Architecture is a new step of the further development of artificial intelligence into the fully Autonomous Intelligent Systems with all the capabilities of their perception, reasoning, planning, and acting in changing conditions. Recent studies are synthesized to show that, thanks to the adoption of Agents based on LLM systems, Tool-Augmented AI, and Multi-Agents, more adaptable Intelligent Decision Systems have been developed, capable of coordinating complex workflows and working with minimal human supervision. The above developments suggest that the AI ecosystems of the future will be built on networks of distributed, cooperative and context-sensitive agent networks with the support of AI Orchestration, Distributed AI, and more advanced Cognitive Architectures that will be the core of the next-generation intelligent platforms.

Another observation of the review is that the capability of modern Agentic AI Systems is not only limited to automation but also to reasoning, memory integration, interaction with the environment, and collaborative problem solution by Human-AI Collaboration and Hybrid Neuro-Symbolic AI methods. Such capabilities enable agents to implement multi-step objectives, collaborate with other agents, and respond to evolving contexts, and are applicable to highly structured domains like healthcare diagnostics, financial decision support, autonomous robotics, cybersecurity surveillance, and enterprise workflow automation. The literature, however, is categorical that advancing autonomy comes with new dangers to AI safety, AI security, Explainable AI, and AI governance, especially in the Multi-Agents Systems, which are used in large quantities where unforeseen interactions cause unforeseen behaviours. To achieve reliability thus, it is necessary to have clear decision-making processes, active validation pipelines, and policy-based system of controls that are able to uphold accountability to a point that does not restrict the freedom of autonomous agents. Scalability and interoperability are another significant discovery of this review, which is viewed as a major danger to the comprehensive usage of Next-Generation AI Systems. The necessity of standardized protocols, modular Agentic Architecture, and standardized communication frameworks, which enable heterogeneous agents to co-operate on cross-platforms and cross-environment is emphasized in many studies. In the absence of these norms, mass implementation of AI Automation and Intelligent Decision Systems can result in broken ecosystems, which are hard to sustain and protect. It is thus believed that the combination of Distributed AI, cloud-edge collaboration and real-time orchestration mechanisms will be important in the realization of reliable and efficient agentic infrastructures. Simultaneously, the increasing application of Explainable AI and the governance-sensitive design principles imply that the newer agentic platforms will have to reconcile autonomy and transparency such that human stakeholders can continue to monitor, audit, and steer the behavior of the systems.

Such implications of these findings suggest that future research on Agentic AI is aimed at hybrid reasoning models, self-improving agents, and adaptive multi-agent ecosystems that can be operated in uncertain environments. The latest developments of Hybrid Neuro-Symbolic AI, AI Workflow

Automation, and Human-AI Collaboration should allow making the decision-making more reliable and minimize the risks linked with the full autonomy of the operation. Moreover, secure agent communication protocols, ethical governance structures, as well as scalable orchestration layers will be necessary to implement Artificial Intelligence Agents in safety- and mission-critical systems. The future research should thus focus on credible architecture design, interoperability requirements and evaluation tools capable of quantifying not only performance, but also, safety, equity and responsibility. To sum up, the literature confirms the fact that Agentic AI Systems can be viewed as one of the most dramatic technological shifts in contemporary artificial intelligence, as they can transform digital infrastructures, business processes, and the relationship between people and machines. The future development of Agentic Architecture, Multi-Agent Systems and Autonomous Intelligent Systems will rely on interdisciplinary research connecting developments in machine learning, software engineering, cybersecurity, cognitive science and ethics, and finally the creation of robust, scalable and trustworthy intelligent ecosystems able to support the next generation of autonomous technologies.

Conflict of interest

The authors declare no conflicts of interest.

References

- [1] Meng L. From Reactive to Proactive: Integrating Agentic AI and Automated Workflows for Intelligent Project Management (AI-PMP). *Frontiers in Engineering*. 2025 Nov 26;1(1):82-93. <https://doi.org/10.63313/FE.9003>
- [2] Singh A, Ehtesham A, Kumar S, Khoei TT. Enhancing AI systems with agentic workflows patterns in large language model. In 2024 IEEE World AI IoT Congress (AIIoT) 2024 May 29 (pp. 527-532). IEEE. <https://doi.org/10.1109/AIIoT61789.2024.10578990>
- [3] Townsend DM, Hunt RA, Rady J, Manocha P, Jin JH. Are the futures computable? Knightian uncertainty and artificial intelligence. *Academy of Management Review*. 2025 Apr;50(2):415-40. <https://doi.org/10.5465/amr.2022.0237>
- [4] Singh A, Ehtesham A, Kumar S, Khoei TT. Agentic retrieval-augmented generation: A survey on agentic rag. *arXiv preprint arXiv:2501.09136*. 2025 Jan 15.
- [5] Vanneste BS, Puranam P. Artificial intelligence, trust, and perceptions of agency. *Academy of Management Review*. 2024 Mar 22(ja):amr-2022. <https://doi.org/10.2139/ssrn.3897704>
- [6] Schneider J. Generative to agentic ai: Survey, conceptualization, and challenges. *arXiv preprint arXiv:2504.18875*. 2025 Apr 26.
- [7] Karunanayake N. Next-generation agentic AI for transforming healthcare. *Informatics and Health*. 2025 Sep 1;2(2):73-83. <https://doi.org/10.1016/j.infoh.2025.03.001>
- [8] Teo ZL, Thirunavukarasu AJ, Elangovan K, Cheng H, Moova P, Soetikno B, Nielsen C, Pollreisz A, Ting DS, Morris RJ, Shah NH. Generative artificial intelligence in medicine. *Nature medicine*. 2025 Oct;31(10):3270-82. <https://doi.org/10.1038/s41591-025-03983-2>
- [9] Hanna MG, Pantanowitz L, Dash R, Harrison JH, Deebajah M, Pantanowitz J, Rashidi HH. Future of artificial intelligence-machine learning trends in pathology and medicine. *Modern Pathology*. 2025 Apr 1;38(4):100705. <https://doi.org/10.1016/j.modpat.2025.100705>
- [10] Habler I, Huang K, Narajala VS, Kulkarni P. Building a secure agentic AI application leveraging A2A protocol. *arXiv preprint arXiv:2504.16902*. 2025 Apr 23.
- [11] Gosmar D, Dahl DA. Hallucination mitigation using agentic ai natural language-based frameworks. *arXiv preprint arXiv:2501.13946*. 2025 Jan 19. <https://doi.org/10.5220/0013761000004052>
- [12] Yamada Y, Lange RT, Lu C, Hu S, Lu C, Foerster J, Clune J, Ha D. The ai scientist-v2: Workshop-level automated scientific discovery via agentic tree search. *arXiv preprint arXiv:2504.08066*. 2025 Apr 10.
- [13] Kshetri N. Transforming cybersecurity with agentic AI to combat emerging cyber threats. *Telecommunications Policy*. 2025 Jul 1;49(6):102976. <https://doi.org/10.1016/j.telpol.2025.102976>
- [14] Jiang F, Pan C, Wang K, Michiardi P, Dobre OA, Debbah M. From large ai models to agentic ai: A tutorial on future intelligent communications. *IEEE Journal on Selected Areas in Communications*. 2026 Feb 2. <https://doi.org/10.1109/JSAC.2026.3660010>

- [15] Mohammed A. Agentic AI as a Proactive Cybercrime Sentinel: Detecting and Deterring Social Engineering Attacks. *Journal of Data and Digital Innovation (JDDI)*. 2025 Jun 16;2(2):109-17.
- [16] Belcak P, Heinrich G, Diao S, Fu Y, Dong X, Muralidharan S, Lin YC, Molchanov P. Small language models are the future of agentic ai. *arXiv preprint arXiv:2506.02153*. 2025 Jun 2.
- [17] Hosseini S, Seilani H. The role of agentic ai in shaping a smart future: A systematic review. *Array*. 2025 Jul 1;26:100399. <https://doi.org/10.1016/j.array.2025.100399>
- [18] Murugesan S. The rise of agentic AI: implications, concerns, and the path forward. *IEEE Intelligent Systems*. 2025 Apr 10;40(2):8-14. <https://doi.org/10.1109/MIS.2025.3544940>
- [19] Acharya DB, Kuppan K, Divya B. Agentic AI: Autonomous intelligence for complex goals-A comprehensive survey. *IEEe Access*. 2025 Jan 22;13:18912-36. <https://doi.org/10.1109/ACCESS.2025.3532853>
- [20] Floridi L. AI as Agency without Intelligence: On Artificial Intelligence as a New Form of Artificial Agency and the Multiple Realisability of Agency Thesis: L. Floridi. *Philosophy & Technology*. 2025 Mar;38(1):30. <https://doi.org/10.1007/s13347-025-00858-9>
- [21] McIntosh TR, Susnjak T, Liu T, Watters P, Xu D, Liu D, Halgamuge MN. From Google Gemini to OpenAI Q*(Q-Star): a survey on reshaping the generative artificial intelligence (AI) research landscape. *Technologies*. 2025 Jan 30;13(2):51. <https://doi.org/10.3390/technologies13020051>
- [22] Ladak A, Loughnan S, Wilks M. The moral psychology of artificial intelligence. *Current Directions in Psychological Science*. 2024 Feb;33(1):27-34. <https://doi.org/10.1177/09637214231205866>
- [23] Bousetouane F. Agentic systems: A guide to transforming industries with vertical ai agents. *arXiv preprint arXiv:2501.00881*. 2025 Jan 1. <https://doi.org/10.32388/2DKDCK>
- [24] Sapkota R, Roumeliotis KI, Karkee M. Vibe coding vs. agentic coding: Fundamentals and practical implications of agentic ai. *arXiv preprint arXiv:2505.19443*. 2025 May 26.
- [25] Markauskaite L, Marrone R, Poquet O, Knight S, Martinez-Maldonado R, Howard S, Tondeur J, De Laat M, Shum SB, Gašević D, Siemens G. Rethinking the entwinement between artificial intelligence and human learning: What capabilities do learners need for a world with AI?. *Computers and Education: Artificial Intelligence*. 2022 Jan 1;3:100056. <https://doi.org/10.1016/j.caeai.2022.100056>
- [26] Sudarshan M, Shih S, Yee E, Yang A, Zou J, Chen C, Zhou Q, Chen L, Singhal C, Shih G. Agentic llm workflows for generating patient-friendly medical reports. *arXiv preprint arXiv:2408.01112*. 2024 Aug 2.
- [27] Laat A, van Duijn M, Van Stein N, Preuss M, van der Putten P, Batenburg KJ. Agentic large language models, a survey. *Journal of Artificial Intelligence Research*. 2025 Dec 30;84. <https://doi.org/10.1613/jair.1.18675>
- [28] Gridach M, Nanavati J, Abidine KZ, Mendes L, Mack C. Agentic ai for scientific discovery: A survey of progress, challenges, and future directions. *arXiv preprint arXiv:2503.08979*. 2025 Mar 12.
- [29] Xiao Y, Shi G, Zhang P. Toward agentic ai networking in 6g: A generative foundation model-as-agent approach. *IEEE Communications Magazine*. 2025 Sep 8;63(9):68-74. <https://doi.org/10.1109/MCOM.001.2500005>
- [30] Chan A, Salganik R, Markelius A, Pang C, Rajkumar N, Krashennikov D, Langosco L, He Z, Duan Y, Carroll M, Lin M. Harms from increasingly agentic algorithmic systems. In *Proceedings of the 2023 ACM conference on fairness, accountability, and transparency* 2023 Jun 12 (pp. 651-666). <https://doi.org/10.1145/3593013.3594033>
- [31] Moradbakhti L, Schreiberlmayr S, Mara M. Do men have no need for "feminist" artificial intelligence? Agentic and gendered voice assistants in the light of basic psychological needs. *Frontiers in psychology*. 2022 Jun 14;13:855091. <https://doi.org/10.3389/fpsyg.2022.855091>
- [32] Li Y, Zhou X, Yin HB, Chiu TK. Design language learning with artificial intelligence (AI) chatbots based on activity theory from a systematic review. *Smart Learning Environments*. 2025 Mar 10;12(1):24. <https://doi.org/10.1186/s40561-025-00379-0>
- [33] Qu Y, Huang K, Yin M, Zhan K, Liu D, Yin D, Cousins HC, Johnson WA, Wang X, Shah M, Altman RB. CRISPR-GPT for agentic automation of gene-editing experiments. *Nature Biomedical Engineering*. 2025 Jul 30:1-4. <https://doi.org/10.1101/2024.04.25.591003>
- [34] Hughes L, Dwivedi YK, Malik T, Shawosh M, Albashrawi MA, Jeon I, Dutot V, Appanderanda M, Crick T, De' R, Fenwick M. AI agents and agentic systems: A multi-expert analysis. *Journal of Computer Information Systems*. 2025 Jul 4;65(4):489-517. <https://doi.org/10.1080/08874417.2025.2483832>
- [35] Todupunuri A. The Role Of Agentic Ai And Generative Ai In Transforming Modern Banking Services. *American Journal of AI Cyber Computing Management*. 2025 Sep 26;5(3):85-93. <https://doi.org/10.64751/ajaccm.2025.v5.n3.pp85-93>
- [36] Qiu J, Lam K, Li G, Acharya A, Wong TY, Darzi A, Yuan W, Topol EJ. LLM-based agentic systems in medicine and healthcare. *Nature Machine Intelligence*. 2024 Dec;6(12):1418-20. <https://doi.org/10.1038/s42256-024-00944-1>

- [37] Borghoff UM, Bottoni P, Pareschi R. Human-artificial interaction in the age of agentic AI: a system-theoretical approach. *Frontiers in Human Dynamics*. 2025 May 9;7:1579166. <https://doi.org/10.3389/fhumd.2025.1579166>
- [38] Kolagani SH. Agentic Automation and Work Flow Orchestration in Enterprise SaaS: Effects on Ticket Resolution Time and Employee Productivity in IT Service Management. *IJSAT-International Journal on Science and Technology*. 2024 Nov 8;15(4) <https://doi.org/10.71097/IJSAT.v15.i4.9876>
- [39] <https://doi.org/10.71097/IJSAT.v15.i4.9876>
- [40] Giroux M, Kim J, Lee JC, Park J. Artificial intelligence and declined guilt: Retailing morality comparison between human and AI. *Journal of Business Ethics*. 2022 Jul;178(4):1027-41. <https://doi.org/10.1007/s10551-022-05056-7>
- [41] Van Kolf Schooten H, Van Oirschot J. The EU artificial intelligence act (2024): implications for healthcare. *Health Policy*. 2024 Nov 1;149:105152. <https://doi.org/10.1016/j.healthpol.2024.105152>
- [42] Ferrario A, Facchini A, Termine A. Experts or Authorities? The Strange Case of the Presumed Epistemic Superiority of Artificial Intelligence Systems: A. Ferrario et al. *Minds and Machines*. 2024 Jul 6;34(3):30. <https://doi.org/10.1007/s11023-024-09681-1>
- [43] Andries V, Robertson J. Alexa doesn't have that many feelings: Children's understanding of AI through interactions with smart speakers in their homes. *Computers and Education: Artificial Intelligence*. 2023 Jan 1;5:100176. <https://doi.org/10.1016/j.caeai.2023.100176>
- [44] Barnes AJ, Zhang Y, Valenzuela A. AI and culture: Culturally dependent responses to AI systems. *Current opinion in psychology*. 2024 Aug 1;58:101838. <https://doi.org/10.1016/j.copsyc.2024.101838>
- [45] Li J, Cao H, Lin L, Hou Y, Zhu R, El Ali A. User experience design professionals' perceptions of generative artificial intelligence. In *Proceedings of the 2024 CHI conference on human factors in computing systems* 2024 May 11 (pp. 1-18). <https://doi.org/10.1145/3613904.3642114>
- [46] Qiu J, Lam K, Li G, Acharya A, Wong TY, Darzi A, Yuan W, Topol EJ. LLM-based agentic systems in medicine and healthcare. *Nature Machine Intelligence*. 2024 Dec;6(12):1418-20. <https://doi.org/10.1038/s42256-024-00944-1>
- [47] Nyholm S. Artificial intelligence and human enhancement: Can AI technologies make us more (artificially) intelligent?. *Cambridge Quarterly of Healthcare Ethics*. 2024 Jan;33(1):76-88. <https://doi.org/10.1017/S0963180123000464>
- [48] Kapoor S, Stroebel B, Siegel ZS, Nadgir N, Narayanan A. Ai agents that matter. *arXiv preprint arXiv:2407.01502*. 2024 Jul 1.
- [49] Nath R, Manna R. From posthumanism to ethics of artificial intelligence. *AI & SOCIETY*. 2023 Feb;38(1):185-96. <https://doi.org/10.1007/s00146-021-01274-1>
- [50] Zhang R, Tang S, Liu Y, Niyato D, Xiong Z, Sun S, Mao S, Han Z. Toward agentic AI: Generative information retrieval inspired intelligent communications and networking. *arXiv preprint arXiv:2502.16866*. 2025 Feb 24.
- [51] Pagani M, Wind Y. Unlocking marketing creativity using artificial intelligence. *Journal of Interactive Marketing*. 2025 Feb;60(1):1-24. <https://doi.org/10.1177/10949968241265855>
- [52] Angus DC, Khera R, Lieu T, Liu V, Ahmad FS, Anderson B, Bhavani SV, Bindman A, Brennan T, Celi LA, Chen F. AI, health, and health care today and tomorrow: the JAMA summit report on artificial intelligence. *Jama*. 2025 Nov 11;334(18):1650-64. <https://doi.org/10.1001/jama.2025.18490>
- [53] Seth AK. Conscious artificial intelligence and biological naturalism. *Behavioral and Brain Sciences*. 2025 Apr 21:1-42. <https://doi.org/10.1017/S0140525X25000032>
- [54] Storey VC, Yue WT, Zhao JL, Lukyanenko R. Generative artificial intelligence: Evolving technology, growing societal impact, and opportunities for information systems research. *Information Systems Frontiers*. 2025 Feb 25:1-22.
- [55] Edwards J, Nguyen A, Lämsä J, Sobocinski M, Whitehead R, Dang B, Roberts AS, Järvelä S. Human-AI collaboration: Designing artificial agents to facilitate socially shared regulation among learners. *British Journal of Educational Technology*. 2025 Mar;56(2):712-33. <https://doi.org/10.1111/bjet.13534>
- [56] Ajmal CS, Yerram S, Abishek V, Nizam VM, Aglave G, Patnam JD, Raghuvanshi RS, Srivastava S. Innovative approaches in regulatory affairs: leveraging artificial intelligence and machine learning for efficient compliance and decision-making. *The AAPS Journal*. 2025 Jan 7;27(1):22. <https://doi.org/10.1208/s12248-024-01006-5>
- [57] Wu S. Journalists as individual users of artificial intelligence: Examining journalists' "value-motivated use" of ChatGPT and other AI tools within and without the newsroom. *Journalism*. 2026 Feb;27(2):388-406. <https://doi.org/10.1177/14648849241303047>
- [58] Ahmad NR. AI-enabled public governance in developing states: Service delivery gains, accountability risks, and a practical riskbased regulatory model. *Lex Localis*. 2026;24(S1):99-117. <https://doi.org/10.52152/wja5db40>
- [59] Tran KT, Dao D, Nguyen MD, Pham QV, O'Sullivan B, Nguyen HD. Multi-agent collaboration mechanisms: A survey of llms. *arXiv preprint arXiv:2501.06322*. 2025 Jan 10.

- [60] Fahrner LJ, Chen E, Topol E, Rajpurkar P. The generative era of medical AI. *Cell*. 2025 Jul 10;188(14):3648-60. <https://doi.org/10.1016/j.cell.2025.05.018>
- [61] Garzón J, Patiño E, Marulanda C. Systematic review of artificial intelligence in education: Trends, benefits, and challenges. *Multimodal Technologies and Interaction*. 2025 Aug 20;9(8):84. <https://doi.org/10.3390/mti9080084>
- [62] Zeng A, Lv X, Zheng Q, Hou Z, Chen B, Xie C, Wang C, Yin D, Zeng H, Zhang J, Wang K. Glm-4.5: Agentic, reasoning, and coding (arc) foundation models. *arXiv preprint arXiv:2508.06471*. 2025 Aug 8.
- [63] Herath Pathirannehelage S, Shrestha YR, von Krogh G. Design principles for artificial intelligence-augmented decision making: An action design research study. *European Journal of Information Systems*. 2025 Mar 4;34(2):207-29. <https://doi.org/10.1080/0960085X.2024.2330402>
- [64] Papakostas C. Artificial Intelligence in Religious Education: Ethical, Pedagogical, and Theological Perspectives. *Religions*. 2025 Apr 28;16(5):563. <https://doi.org/10.3390/rel16050563>
- [65] Adegbayibi AT, Ajape MK. Integration of artificial intelligence into taxation processes. In *Artificial Intelligence in Accounting, Auditing and Finance: A Guide for Implementation and Use* 2025 May 13 (pp. 103-125). Cham: Springer Nature Switzerland. https://doi.org/10.1007/978-3-031-87368-3_7
- [66] Ghafarollahi A, Buehler MJ. SciAgents: automating scientific discovery through bioinspired multi-agent intelligent graph reasoning. *Advanced Materials*. 2025 Jun;37(22):2413523. <https://doi.org/10.1002/adma.202413523>
- [67] Sharma R, Mehta M. Small language models for agentic systems: A survey of architectures, capabilities, and deployment trade offs. *arXiv preprint arXiv:2510.03847*. 2025 Oct 4.
- [68] Kirk HR, Gabriel I, Summerfield C, Vidgen B, Hale SA. Why human-AI relationships need socioaffective alignment. *Humanities and Social Sciences Communications*. 2025 May 28;12(1):1-9. <https://doi.org/10.1057/s41599-025-04532-5>
- [69] Li H, Zhang H, Hassan AE. The rise of ai teammates in software engineering (se) 3.0: How autonomous coding agents are reshaping software engineering. *arXiv preprint arXiv:2507.15003*. 2025 Jul 20.
- [70] Liu B, Li X, Zhang J, Wang J, He T, Hong S, Liu H, Zhang S, Song K, Zhu K, Cheng Y. Advances and challenges in foundation agents: From brain-inspired intelligence to evolutionary, collaborative, and safe systems. *arXiv preprint arXiv:2504.01990*. 2025 Mar 31.
- [71] Natarajan S, Mathur S, Sidheekh S, Stammer W, Kersting K. Human-in-the-loop or AI-in-the-loop? Automate or Collaborate?. In *Proceedings of the AAAI Conference on Artificial Intelligence* 2025 Apr 11 (Vol. 39, No. 27, pp. 28594-28600). <https://doi.org/10.1609/aaai.v39i27.35083>
- [72] Sapkota R, Cao Y, Roumeliotis KI, Karkee M. Vision-language-action models: Concepts, progress, applications and challenges. *arXiv preprint arXiv:2505.04769*. 2025 May 7.
- [73] Zhong K, Song L. Artificial intelligence adoption and corporate green innovation capability. *Finance Research Letters*. 2025 Feb 1;72:106480. <https://doi.org/10.1016/j.frl.2024.106480>
- [74] Lund B, Orhan Z, Mannuru NR, Bevara RV, Porter B, Vinaih MK, Bhaskara P. Standards, frameworks, and legislation for artificial intelligence (AI) transparency. *AI and Ethics*. 2025 Aug;5(4):3639-55. <https://doi.org/10.1007/s43681-025-00661-4>
- [75] Cesaro A, Hoffman SC, Das P, de la Fuente-Nunez C. Challenges and applications of artificial intelligence in infectious diseases and antimicrobial resistance. *npj Antimicrobials and Resistance*. 2025 Jan 7;3(1):2. <https://doi.org/10.1038/s44259-024-00068-x>
- [76] Taeihagh A. Governance of generative AI. *Policy and society*. 2025 Jan;44(1):1-22. <https://doi.org/10.1093/polsoc/puaf001>
- [77] Warraich HJ, Tazbaz T, Califf RM. FDA perspective on the regulation of artificial intelligence in health care and biomedicine. *Jama*. 2025 Jan 21;333(3):241-7. <https://doi.org/10.1001/jama.2024.21451>
- [78] Ferrag MA, Tihanyi N, Debbah M. From llm reasoning to autonomous ai agents: A comprehensive review. *arXiv preprint arXiv:2504.19678*. 2025 Apr 28.
- [79] Hammond L, Chan A, Clifton J, Hoelscher-Obermaier J, Khan A, McLean E, Smith C, Barfuss W, Foerster J, Gavenčiak T, Han TA. Multi-agent risks from advanced ai. *arXiv preprint arXiv:2502.14143*. 2025 Feb 19.
- [80] Shivadekar S. Artificial Intelligence for Cognitive Systems: Deep Learning, Neuro-symbolic Integration, and Human-Centric Intelligence. *Deep Science Publishing*; 2025 Jun 30. <https://doi.org/10.70593/978-93-7185-611-9>
- [81] Borgesius FZ. Discrimination, artificial intelligence, and algorithmic decision-making. *arXiv preprint arXiv:2510.13465*. 2025 Oct 15.
- [82] Amin MR, Ismail I, Sivakumaran VM. Revolutionizing education with artificial intelligence (AI)? Challenges, and implications for open and distance learning (ODL). *Social Sciences & Humanities Open*. 2025 Jan 1;11:101308. <https://doi.org/10.1016/j.ssaho.2025.101308>
- [83] Ke Z, Jiao F, Ming Y, Nguyen XP, Xu A, Long DX, Li M, Qin C, Wang P, Savarese S, Xiong C. A survey of frontiers in llm reasoning: Inference scaling, learning to reason, and agentic systems. *arXiv preprint arXiv:2504.09037*. 2025 Apr 12.

- [84] Chander B, John C, Warriar L, Gopalakrishnan K. Toward trustworthy artificial intelligence (TAI) in the context of explainability and robustness. *ACM Computing Surveys*. 2025 Feb 10;57(6):1-49. <https://doi.org/10.1145/3675392>
- [85] Lewis JE, Whaanga H, Yolgörmez C. Abundant intelligences: placing AI within Indigenous knowledge frameworks. *Ai & Society*. 2025 Apr;40(4):2141-57. <https://doi.org/10.1007/s00146-024-02099-4>
- [86] Peter S, Riemer K, West JD. The benefits and dangers of anthropomorphic conversational agents. *Proceedings of the National Academy of Sciences*. 2025 Jun 3;122(22):e2415898122. <https://doi.org/10.1073/pnas.2415898122>
- [87] Vatamanu AF, Tofan M. Integrating artificial intelligence into public administration: Challenges and vulnerabilities. *Administrative Sciences*. 2025 Apr 18;15(4):149. <https://doi.org/10.3390/admsci15040149>
- [88] Daly SJ, Wiewiora A, Hearn G. Shifting attitudes and trust in AI: Influences on organizational AI adoption. *Technological Forecasting and Social Change*. 2025 Jun 1;215:124108. <https://doi.org/10.1016/j.techfore.2025.124108>
- [89] Corvello V. Generative AI and the future of innovation management: a human centered perspective and an agenda for future research. *Journal of Open Innovation: Technology, Market, and Complexity*. 2025 Mar 1;11(1):100456. <https://doi.org/10.1016/j.joitmc.2024.100456>
- [90] Cheah YH, Lu J, Kim J. Integrating generative artificial intelligence in K-12 education: Examining teachers' preparedness, practices, and barriers. *Computers and Education: Artificial Intelligence*. 2025 Jun 1;8:100363. <https://doi.org/10.1016/j.caeai.2025.100363>