

Localo UI Foundation Blueprint

Updated with Admin Shops UX, reusable components, icon system, and Create Shop wizard decisions

Document purpose

This updated blueprint preserves the already completed UI foundation work and adds the latest decisions for UI-8 Admin Shops, including Admin Shops List, Admin Shop Details, Create Shop wizard, reusable component strategy, category/icon handling, location selector direction, and implementation prompts for Codex.

Current status

- Backend Phase 0-9 complete and runtime-stabilized for Admin Login.
- UI-0 Documentation complete.
- UI-1 Foundation Packages complete.
- UI-2 Theme Setup complete.
- UI-3 API Client Foundation complete.
- UI-4 Shared UI Components complete.
- UI-5 Brand Theme Sync complete.
- UI-5.5 Shared UI Primitive UX Alignment complete.
- UI-6 Admin App Shell complete.
- UI-7 Admin Auth/Login complete and verified end-to-end.
- Next focus: UI-8 Admin Shops.

1. UI-8 Admin Shops Phase Plan

Admin Shops is the first real admin business workflow. It should be split into small implementation phases so we keep the same smooth, reviewable approach used for backend work.

Phase	Scope	Notes
UI-8.1 Admin Shops List	List, search, filter, summary cards, table, pagination, loading/empty/error states.	No create/edit/details logic yet except visible entry points.
UI-8.2 Admin Shop Details	Profile overview, status, contact, address, metrics, quick actions, tabs.	Read-only/detail-first. Actions can route to future phases.
UI-8.3 Admin Create/Edit Shop Form	Step wizard for creating and editing shop profile.	Products and owner assignment are not part of create page.
UI-8.4 Admin Add/Update Shop Products	Admin can manage products for shops whose owners need help.	Separate products workflow.
UI-8.5 Admin Shop Status + Owner Assignment	Approve/suspend/publish and assign/change owner.	Focused mutation screens/modals.
UI-8.6 Admin Shops Runtime Polish	Runtime QA, visual polish, edge states, route cleanup.	Finalize after all shop sub-phases.

2. Shared Component Strategy for UI-8

All new shop screens should prefer reusable components when a pattern will appear again. Styling should be centralized so a single future style update improves every page.

Core shared components needed

- Icon with lucide-react wrapper and custom SVG support.
- DropdownMenu for actions, table row menus, and topbar menus.
- Card with enough variants/flexibility to support summary cards, content cards, detail cards, and form cards.
- SummaryCard / MetricCard built on Card for stats like Total Shops, Active Shops, Products, Rating.
- FilterBar / FilterPanel for reusable search + flexible filters.
- Tabs for details pages.
- InfoGrid / DescriptionList for profile/detail fields.
- ActionList for quick actions on details pages.
- Breadcrumbs for create/edit/detail routes.

- StepWizard for Create/Edit Shop wizard.

Reusable vs feature-local rule

- packages/ui should contain generic primitives: Icon, DropdownMenu, Card, SummaryCard, FilterBar, Tabs, InfoGrid, ActionList, Breadcrumbs, StepWizard.
- apps/admin/src/features/shops should contain shop-specific blocks: ShopStatusBadge, ShopApprovalBadge, ShopHeroCard, ShopDetailsCards, ShopFormSections.
- Do not create one-off table/card/filter implementations if the same pattern belongs in shared UI.
- If styling is not perfect now, keep component structure clean so visual polish can happen later without reworking logic.

3. Icon System Decision

Before building UI-8 screens, add shared Icon support using lucide-react inside packages/ui. Apps should use from @localo/ui rather than importing lucide-react directly.

- Icon props: name, size, iconSize, wrapperSize, bg, outline, outlineTone, tone, shape, onClick, disabled, className, iconClassName, wrapperClassName, title, aria-label.
- Support custom SVG/component injection for icons that lucide cannot cover.
- size controls width/height by default; iconSize and wrapperSize allow wrapper and glyph to be controlled independently.
- Use currentColor for SVG paths/strokes.
- Click support should be keyboard accessible and render button semantics safely.
- Decorative icons should be aria-hidden by default unless aria-label/title is provided.
- Required names include shop, search, filter, refresh, plus, user, users, mapPin, check, clock, alert, package, star, moreHorizontal, eye, edit, trash, x, chevrons, dashboard, categories, products, support, commission, audit, settings, logout, bell, phone, mail, globe, calendar, shield, lock, note, activity, image, truck, owner.

4. Design Assets Added

The following design references have been added under localo/designs/admin/shop and should be treated as visual references for Codex and future implementation.

- localo/designs/admin/shop/admin-shop-list-design.png
- localo/designs/admin/shop/admin-shop-details-design.png
- localo/designs/admin/shop/admin-create-shop-step1-design.png
- localo/designs/admin/shop/admin-create-shop-step2-design.png
- localo/designs/admin/shop/admin-create-shop-step3-design.png
- localo/designs/admin/shop/admin-create-shop-step4-design.png
- localo/designs/admin/shop/admin-create-shop-step5-design.png
- localo/designs/admin/shop/admin-create-shop-step6-design.png

Do not use the design screenshots as UI. Use them only as visual references for layout, spacing, proportions, and component behavior.

5. UI-8.1 Admin Shops List UX

The list page should feel like a premium operations dashboard, not a raw table. It must include a top Create Shop action and reusable table/filter/summary components.

Page structure

- Header: title "Shops", subtitle, Refresh button, Create Shop primary button.
- Summary cards: Total Shops, Active Shops, Pending Approval, Suspended Shops.
- Filter toolbar: search, status filter, approval filter, reset filters. It should later support arbitrary filter fields.
- Table card: All Shops header, showing count, rows, actions, pagination.
- States: loading skeletons, empty state, filtered empty state, error state with retry.

Table columns

- Shop: avatar/icon, shop name, slug, category.
- Owner: owner name and email or Not assigned.
- Location: area/city.
- Status: ACTIVE/PENDING/SUSPENDED/DRAFT badges.
- Approval: Approved/Waiting Review/Not Approved.
- Products: product count if available, otherwise dash.
- Rating: star rating or No rating.
- Created: formatted date/time.
- Actions: View, Edit, More dropdown.

UI-8.1 decisions

- Create Shop route should be /shops/new.
- View route should be /shops/[shopId].
- Edit route should be /shops/[shopId]/edit.
- Row click is not required initially; keep actions explicit.
- Dropdown menu is needed for future Manage Products, Change Status, Assign Owner actions.
- No product/form/detail/status mutation implementation inside UI-8.1.

6. UI-8.2 Admin Shop Details UX

The details page should provide a complete admin overview for one shop with quick actions and tabs, while keeping mutation-heavy workflows for later phases.

- Route: /shops/[shopId].
- Top: Back to Shops breadcrumb/back link, shop title, slug/category, status badge, Edit Shop, Actions dropdown, Add Product button.
- Hero card: logo/avatar, owner, phone, email, website, location, joined date, approved date, shop ID.
- Tabs: Overview, Products, Business Info, Media, Hours, Locations, Owner & Team, Activity.

- Overview cards: About Shop, Business Address/map preview, Shop Status & Approval, Key Metrics, Contact & Communication, Quick Actions, Business Hours, Recent Activity, Notes.
- Feature-local components: ShopHeroCard, ShopAboutCard, ShopAddressCard, ShopStatusApprovalCard, ShopQuickActionsCard, ShopStatusBadge, ShopApprovalBadge.
- Shared components used: Card, Icon, Badge, Tabs, InfoGrid, SummaryCard, ActionList, DropdownMenu.

7. UI-8.3 Admin Create/Edit Shop Wizard UX

Create/Edit Shop should be a guided step wizard. Each step must validate before the user can move forward. Products and owner assignment are separate workflows, not part of the create page.

Wizard steps

Step	Name	Purpose	Required?
1	Basic Info	Shop name, slug, short/full description.	Required
2	Contact Details	Contact person, phone, email, website, WhatsApp/support email optional.	Required basics
3	Category & Discovery	Primary category, subcategory, tags, discovery/visibility settings.	Required category
4	Location	Accurate address, map selector, lat/lng, city/state/pincode.	Required
5	Shop Payment Details	UPI/bank/GST/PAN/settlement notes.	Optional for now
6	Review & Create	Review all sections and submit.	Required

Wizard behavior

- Step UI should be reusable and generic: StepWizard, StepWizardHeader, StepWizardStep, StepWizardFooter.
- Next validates the current step.
- Back is always allowed.
- Completed previous steps can be clicked.
- Future steps remain locked until prior steps are valid.
- Final Create validates all steps.
- Cancel returns to /shops and should be exposed via breadcrumbs/header actions.

Slug validation

Slug must allow only lowercase a-z, numbers, and hyphen. No spaces, uppercase letters, underscores, leading hyphen, trailing hyphen, or special characters.

```
/^[a-z0-9]+(?:-[a-z0-9]+)*$/
```

- Valid: greenleaf-store, daily-needs-24, freshmart.
- Invalid: GreenLeaf, green leaf, green_leaf, green@leaf, -greenleaf, greenleaf-.
- Slug should auto-generate from shop name but remain editable.
- Show preview such as /shops/greenleaf-store.

8. Category and Icon Storage Decision

Categories should be managed centrally and used across admin, public web, and future mobile UI. Create Shop should fetch the category list rather than hardcoding category options.

- Category data should include id, name, slug, description, iconName, iconUrl/svgUrl optional, color optional, parentId optional.
- Prefer iconName for themeable shared icons through the @localo/ui Icon system.
- Use iconUrl/svgUrl only when a category requires custom artwork.
- Admin Category UI later should manage category icon name/SVG URL so the same category icon is reused across the whole site.
- Create Shop stores selected category IDs/primaryCategoryId according to existing backend shape.

9. Location Selector Decision

Location cannot be simple free text only. It should be accurate, user-friendly, and as free/open as practical for now.

- Recommended first approach: Leaflet + OpenStreetMap tiles + Nominatim geocoding.
- Use debounced search or explicit Search button; do not call public geocoder on every keystroke.
- Support map preview, pin marker, drag pin to adjust location, Use Current Location optional, and manual address override fields.
- Store addressLine1, addressLine2, landmark, area, city, state, postalCode, country, latitude, longitude, formattedAddress, and optional place/osm id if available.
- Production caution: public Nominatim has usage policies; later consider caching, rate limiting, hosted geocoder, or self-hosted service.

10. Shop Payment Details Step

Payment details should exist as a step because Localo will need commission, payouts, settlements, and invoice workflows. For now it is optional and should not block creation.

- Fields: receiver/account holder name, UPI ID, bank name, account number, IFSC, GST number optional, PAN optional, settlement notes optional.
- The step should show "Optional for now" and offer Skip for Now.
- Do not force backend schema changes if payment fields do not exist yet.
- If backend cannot store these details yet, keep the design and TODO ready but do not block Create Shop.

11. Prompt for Codex - UI-8.1 Admin Shops List

Read docs/AI_CODING_RULES.md, docs/PROJECT_STRUCTURE.md, docs/ui/UI_PROJECT_STRUCTURE.md, docs/ui/UI_CODE_STANDARDS.md, docs/ui/UI_THEME_GUIDE.md, docs/ui/UI_IMPLEMENTATION_PLAN.md, and docs/ui/localo_ui_foundation_blueprint.pdf. Also inspect designs/admin/shop/admin-shop-list-design.png, packages/ui/src, packages/theme/src, packages/api-client/src, apps/admin/src/config, apps/admin/src/templates, and apps/admin/src/features/auth for existing patterns.

Implement UI-8.1 Admin Shops List only.

Scope: Build the Admin Shops list screen with real API integration if the API client supports it, or add only the missing typed API-client methods for existing backend endpoints. Do not build shop details, create/edit forms, products, owner assignment, or status mutation modals.

Required route: apps/admin/src/app/(admin)/shops/page.tsx should stay thin and render a feature template.

Create feature structure under apps/admin/src/features/shops with templates, blocks, hooks, config, and index exports. Use shared @localo/ui components wherever possible.

Required UX: header with Shops title, subtitle, Refresh button, Create Shop button linking to /shops/new; summary metric cards; filter toolbar with search, status filter, approval filter, reset; premium shops table card; pagination; loading, empty, filtered-empty, and error states.

Reusable component rule: before creating feature-only components, check whether a generic shared component exists or should be improved. Summary cards should use or extend a reusable Card/SummaryCard. Filters should use or create a reusable FilterBar pattern. Actions should use DropdownMenu once available. Icons should use from @localo/ui once available; otherwise keep temporary text/icon placeholders and do not import random icon libraries directly.

Table columns: Shop, Owner, Location, Status, Approval, Products, Rating, Created, Actions. Actions should show View, Edit, and More as future workflow entry points. Use routes /shops/[shopId], /shops/[shopId]/edit, and /shops/new as planned.

Styling: use Localo admin theme, light gray background, white rounded cards, deep navy text, green primary actions, soft borders, subtle shadows, desktop-first but responsive-safe. Do not chase pixel-perfect styling now; prioritize clean reusable structure and functionality.

API: inspect @localo/api-client shops module. The list should call GET /admin/shops with supported filters/pagination. Do not change backend contracts.

Checks: corepack pnpm --filter @localo/admin typecheck; corepack pnpm --filter @localo/ui typecheck; corepack pnpm --filter @localo/api-client typecheck; corepack pnpm -r typecheck.

At the end, summarize completed work, files changed, reusable components used/added, API methods used/added, commands run, checks, assumptions, and pending items.

12. Implementation Principles Going Forward

- Functionality first, styling polish later where necessary.
- Keep screens phase-scoped and do not overbuild future workflows early.
- Use shared components so styling once updates everywhere.
- Keep all route values centralized through AdminRoutes/helpers.
- Keep designs in localo/designs/admin/shop as references, not rendered UI.
- Update the PDF/docs whenever UI phase decisions change.