```
@import url('https://fonts.googleapis.com/css2?family=Freckle+Face&display=swap');
   --fname: "Source Sans Pro",sans-serif;
body{
   margin: 0;
   padding: 0;
.main-wrapper{
   height: 75px;
   width: 100%;
   float: left;
.main-wrapper .logo{
   height: 75px;
   width: 77px;
   margin-left: 16px;
   cursor: pointer;
.main-wrapper .logo img{
   height: 42px;
   width: 45px;
   float: left;
   padding-top: 15px;
   padding-left: 15px;
   cursor: pointer;
.main-wrapper .logo img:hover{
   opacity: 0.8;
    float: left;
   height: 75px;
   width: 120px;
    /* background-color: darkgoldenrod; */
    text-decoration: none;
   display: inline-block;
   padding-top: 25px;
   font-family: "Source Sans Pro",sans-serif;
   font-size: 18px;
   padding-left: 15px;
   content: '';
height: 10px;
   width: 10px;
   margin-left: 5px;
   margin-top: 2px;
```

```
float: right;
    display: block;
    background-color: black;
    border-top: 5px solid white;
    border-right: 5px solid white;
    border-bottom:5px solid black;
    border-left:5px solid black;
    outline: none;
   border-bottom-left-radius:2px;
   border-top-left-radius:2px;
   box-sizing: border-box;
   transform: rotate(315deg);
.box1:hover{
   background-color: #059862;
   height: 75px;
    width: 140px;
.box2 a{
    text-decoration: none;
   display: inline-block;
    padding-top: 25px;
   font-family: "Source Sans Pro",sans-serif;
   text-transform: capitalize;
   font-size: 18px;
   padding-left: 20px;
.box2 a::after{
   height: 10px;
    width: 10px;
    margin-left: 5px;
    margin-top: 2px;
    float: right;
    display: block;
   background-color: black;
    border-top: 5px solid white;
    border-right: 5px solid white;
   border-bottom:5px solid black;
   border-left:5px solid black;
   border-bottom-left-radius:2px;
   border-top-left-radius:2px;
   box-sizing: border-box;
   transform: rotate(315deg);
    background-color: #059862;
```

```
float: left;
   height: 75px;
   width: 120px;
.box3 a{
   text-decoration: none;
   padding-top: 25px;
   font-family: "Source Sans Pro",sans-serif;
   text-transform: capitalize;
   font-size: 18px;
   padding-left: 20px;
   height: 10px;
   width: 10px;
   margin-left: 5px;
   margin-top: 2px;
   float: right;
   background-color: black;
   border-right: 5px solid white;
   border-bottom:5px solid black;
   border-left:5px solid black;
   border-bottom-left-radius:2px;
   border-top-left-radius:2px;
   box-sizing: border-box;
transform: rotate(315deg);
   background-color: #059862;
   height: 75px;
   width: 87px;
   text-decoration: none;
   display: inline-block;
   padding-top: 25px;
   font-family: "Source Sans Pro", sans-serif;
   text-transform: capitalize;
   font-size: 18px;
   padding-left: 15px;
   box-sizing: border-box;
.box4:hover{
   background-color: #059862;
```

```
height: 75px;
   width: 130px;
   margin-left: 70px;
   cursor: pointer;
.icons i#fa{
   padding-left: 18px;
    font-size: large;
   padding-top: 27px;
   cursor: pointer;
 icons i#fa:hover{
.anchor{
    float: right;
   height: 75px;
   width: auto;
.anchor a,.language a,.code_box a,.language_css a,.code_box_css a,.language_js a,.code_box_js a,.language_ptn
a,.code_box_ptn a,.language_sql a,.code_box_sql a{
   background-color: #4CAF50;
   border-radius: 50px;
   padding: 10px 21px;
    text-align: center;
    text-decoration: none;
   display: inline-block;
   font-size: large;
   margin: 15px 2px;
    cursor: pointer;
    font-family: var(--fname);
   text-transform: capitalize;
 an chor\ a: hover,. language\ a: hover,. code\_box\ a: hover,. language\_css\ a: hover,. code\_box\_css\ a: hover,. language\_js
a:hover,.code_box_js a:hover,.language_ptn a:hover,.code_box_ptn a:hover,.language_sql a:hover,.code_box_sql a:hover{
   opacity: 0.8;
.header{
   height: 542px;
   width: 100%;
   float: left;
   background-color: #282A35;
.header h1{
   font-size: 65px;
```

```
font-weight: 700;
   line-height: 105px;
   text-align: center;
   font-family: var(--fname);
   margin-top: 100px;
.header h2{
   margin-top: -30px;
   margin-left: 445px;
   font-family: var(--fname);
formbox{
   height: 45px;
   width: 36%;
   position: absolute;
   top: 60%;
   left: 50%;
   transform: translate(-50%,-60%);
   border-radius: 30px;
   background-color: aqua;
   height: 45px;
   outline: none;
   float: left;
   padding-left: 20px;
   letter-spacing: 2px;
   box-sizing: border-box;
   border-top-left-radius: 20px;
   border-bottom-left-radius: 20px;
::placeholder{
   font-weight: 600;
   font-size: 15px;
   font-family: var(--fname);
   letter-spacing: 0;
.formbox input[type="reset"]{
   height: 45px;
   border: none;
   box-sizing: border-box;
   cursor: pointer;
   background-color: white;
   font-size: 15px;
   font-weight: 600;
.formbox button{
   height: 45px;
   float: left;
```

```
box-sizing: border-box;
   background-color:#04AA6D;
   font-size: large;
   font-weight: 600;
   color: white;
   border-top-right-radius: 20px;
   border-bottom-right-radius: 20px;
   opacity: 0.8;
   display: inline-block;
   /* background-color: #04aa6d; */
   margin-left: 21%;
   margin-top: 35px;
   font-size: 22px;
   font-weight: 700;
   text-transform: capitalize;
   font-family: var(--fname);
   text-decoration: underline;
   cursor: pointer;
.svgimg{
   margin-top: -100px;
   height: 720px;
   margin-top: -10px;
   width: 100%;
   background-color: #d9eee1;
   height:550px;
   margin: 80px auto;
   display: flex;
   /* background-color: cadetblue; */
.language{
   height: 550px;
```

```
text-align:center;
.language h1{
    font-size: 90px;
    font-weight: 700;
    font-family: var(--fname);
.language p{
    font-size: 18px;
    margin-top: -30px;
   font-family: var(--fname);
   font-weight: 600;
#hbtn,#hbtn2,#hbtn3,#hbtn4{
    font-family: var(--fname);
   font-size:large;
.example{
   height: 550px;
    width: 50%;
.code_box{
   height: 460px;
    width: 595px;
    margin-left: 40px;
    margin-top: 50px;
   border-radius: 5px;
   background-color: #E7E9EB;
   box-shadow: 1px 1px 5px gray;
.code_box h3{
    font-family: var(--fname);
    font-size: 22px;
    font-weight: 600;
   padding-top: 35px;
   padding-left: 20px;
.code_box a{
   margin-top: 20px;
   margin-left: 18px;
#hbtn5{
   font-family: var(--fname);
    font-size:large;
   height:300px;
   width:560px;
   margin-left: 18px;
   background-color: white;
   border-left: 4px solid #04AA6D;
.code img{
   object-fit: fill;
```

```
height: 650px;
    width: 100%;
    background-color: #fff4a3;
    float: left;
   height:550px;
   width: 95%;
    margin: 80px auto;
   display: flex;
.language_css{
   height: 550px;
   text-align:center;
.language_css h1{
    font-size: 90px;
    font-weight: 700;
    font-family: var(--fname);
.language_css p{
    font-size: 18px;
    margin-top: -30px;
    font-family: var(--fname);
    font-weight: 600;
#cbtn,#cbtn2,#cbtn3,#cbtn4{
   width: 23%;
    font-family: var(--fname);
    font-size:large;
.example_css{
   height: 550px;
   width: 50%;
.code_box_css{
   height: 460px;
   width: 595px;
   margin-left: 40px;
   margin-top: 50px;
   border-radius: 5px;
   background-color: #E7E9EB;
   box-shadow: 1px 1px 5px gray;
.code_box_css h3{
    font-family: var(--fname);
    font-size: 22px;
    font-weight: 600;
   padding-top: 35px;
   padding-left: 20px;
    margin-top: 20px;
   margin-left: 18px;
#cbtn5{
    width: 26%;
    font-family: var(--fname);
    font-size:large;
.code_css{
   height:300px;
```

```
width:560px;
    margin-left: 18px;
    background-color: white;
.code_css img{
   object-fit: fill;
.main_js{
   height: 620px;
    width: 100%;
   background-color: #282a35;
.main_js .container{
   height:550px;
   margin: 80px auto;
   display: flex;
.language_js{
   height: 550px;
    width: 50%;
   text-align:center;
.language_js h1{
    font-size: 70px;
    font-weight: 700;
    font-family: var(--fname);
.language_js p{
    font-size: 18px;
    font-family: var(--fname);
    font-weight: 600;
#Jbtn,#Jbtn2,#Jbtn3{
   font-family: var(--fname);
    font-size:16px;
    padding: 12px 18px;
   font-weight: 600;
.example_js{
   height: 550px;
.code_box_js{
   height: 460px;
   width: 595px;
    margin-left: 40px;
   margin-top: 50px;
   border-radius: 5px;
    background-color: #E7E9EB;
    box-shadow: 1px 1px 5px gray;
```

```
.code_box_js h3{
    font-family: var(--fname);
    font-size: 22px;
    font-weight: 600;
   padding-top: 35px;
    padding-left: 20px;
.code_box_js a{
   margin-top: 20px;
   margin-left: 18px;
#jbtn5{
   width: 26%;
    font-family: var(--fname);
    font-size:large;
.code_js{
   height:300px;
   width:560px;
   margin-left: 18px;
   background-color: white;
   border-left: 4px solid #04AA6D;
.code_js img{
.main_ptn{
   height: 620px;
    width: 100%;
   background-color: #f3ecea;
   float: left;
.main_ptn .container_ptn{
   height:550px;
   margin: 80px auto;
.language_ptn{
   height: 550px;
    text-align:center;
.language_ptn h1{
    font-size: 70px;
    font-weight: 700;
   font-family: var(--fname);
.language_ptn p{
   font-size: 18px;
    font-family: var(--fname);
   font-weight: 600;
#pbtn,#pbtn2,#pbtn3{
    font-family: var(--fname);
    width: 26%;
```

```
font-size:16px;
    padding: 12px 18px;
    font-weight: 600;
.example_ptn{
   height: 550px;
   width: 50%;
.code_box_ptn{
   height: 460px;
   width: 595px;
   margin-left: 40px;
   margin-top: 50px;
   border-radius: 5px;
   background-color: #E7E9EB;
   box-shadow: 1px 1px 5px gray;
.code_box_ptn h3{
   font-family: var(--fname);
    font-size: 22px;
    font-weight: 600;
   padding-top: 35px;
   padding-left: 20px;
.code_box_ptn a{
   margin-top: 20px;
   margin-left: 18px;
#pbtn5{
   width: 26%;
    font-family: var(--fname);
   font-size:large;
.code_ptn{
   height:300px;
   width:560px;
   margin-left: 18px;
   background-color: white;
.code_ptn img{
   object-fit: fill;
.main_sql{
   height: 620px;
    width: 100%;
   background-color: #96d4d4;
.main_sql .container_sql{
   height:550px;
   margin: 80px auto;
    display: flex;
.language_sql{
   height: 550px;
width: 50%;
```

```
text-align:center;
    /* background-color: cornsilk; */
.language_sql h1{
    font-size: 70px;
    font-weight: 700;
    font-family: var(--fname);
.language_sql p{
    font-size: 18px;
   font-family: var(--fname);
   font-weight: 600;
#sbtn,#sbtn2,#sbtn3{
    font-family: var(--fname);
   font-size:16px;
   padding: 12px 18px;
   font-weight: 600;
.example_sql{
   height: 550px;
   width: 50%;
.code_box_sql{
   height: 460px;
   width: 595px;
   margin-left: 40px;
   margin-top: 50px;
   background-color: #E7E9EB;
   box-shadow: 1px 1px 5px gray;
.code_box_sql h3{
    font-family: var(--fname);
    font-size: 22px;
    font-weight: 600;
    padding-top: 35px;
   padding-left: 20px;
.code_box_sql a{
   margin-top: 20px;
   margin-left: 18px;
#sbtn5{
    width: 26%;
    font-family: var(--fname);
    font-size:large;
.code_sql{
   height:300px;
   width:560px;
   margin-left: 18px;
   background-color: white;
   border-left: 4px solid #04AA6D;
.code_sql img{
    object-fit: fill;
```

```
.wrapbox{
   height: auto;
   width: 100%;
   background-color: #282A35;
.combined{
   margin: 130px auto;
   height: auto;
   width: 100%;
   display: flex;
   row-gap: 40px;
   padding-bottom: 20px;
   box-sizing: border-box;
   flex-wrap: wrap;
   column-gap: 20px;
   background-color:#282A35;
.combined .lngbox{
   height: 260px;
   width: 43%;
   margin-top: 20px;
   margin-left: 55px;
   border-radius: 5px;
   background-color: cadetblue;
.lngbox#php{
   background-color: #ffc0c7;
.lngbox#js{
   background-color: #fff4a3;
.lngbox#java{
   background-color: #f3ecea;
.lngbox#cpp{
   background-color: #d9eee1;
.lngbox#w3{
   background-color: #96d4d4;
.lngbox#bstp{
   background-color: #E7E9EB;
.lngbox#C{
   background-color: #ffc0c7;
.lngbox#csharp{
   background-color: #fff4a3;
.lngbox h2{
   text-align: center;
   font-family: var(--fname);
   font-size: 45px;
   margin-top: 50px;
.lngbox p{
   text-align: center;
   font-size: 17px;
   margin-top: -20px;
   font-weight: 600;
   font-family: var(--fname);
.lngbox a{
  height: auto;
```

```
width: 150px;
   border-radius: 50px;
   padding: 12px 25px;
   text-align: center;
   text-decoration: none;
   font-size: medium;
   font-weight: 600;
   margin: 22px 33%;
   cursor: pointer;
   font-family: var(--fname);
   text-transform: capitalize;
.combobox{
   height: auto;
   width: 100%;
   margin-top: -120px;
   background-color: #282A35;
   display: flex;
   justify-content: space-between;
   padding: 20px 55px;
   column-gap: 25px;
   row-gap: 30px;
   box-sizing: border-box;
   display: block;
   height: 110px;
   text-decoration: none;
   line-height: 110px;
   text-align: center;
   padding: 0 20px;
   font-size: 27px;
   font-weight: bold;
   font-family: var(--fname);
   background-color: #059862;
   border-radius: 6px;
.include a:hover{
   opacity: 0.8;
.wrapbox#soft{
   background-color: #282A35;
   height: 480px;
combined#include{
   margin-top: 20px;
.lngbox#s1{
```

```
text-align: center;
   line-height: 110px;
   font-size: 27px;
   font-weight: bold;
   font-family: var(--fname);
   height: 115px;
.code_editor{
   background-color: #282A35;
   float: left;
   height: 750px;
   width: 100%;
.code_editor h1{
   font-size: 62px;
   font-family: var(--fname);
   font-weight: 700;
   text-align: center;
   color: white;
.code_editor p{
   text-align: center;
   font-size: 18px;
   margin-top: -18px;
   font-weight: 600;
   font-family: var(--fname);
.imgbox{
   height: 375px;
   margin-top: 45px;
   border-radius: 5px;
   margin-left: 200px;
   background-color: #282a35;
   border-bottom-left-radius: 5px;
   border-bottom-right-radius: 5px;
.imghead{
   border-top-left-radius: 5px;
   border-top-right-radius: 5px;
   height: 80px;
   width: 100%;
   background-color: whitesmoke;
.circle{
   margin-left: 15px;
   width: 70px;
   height: 40px;
.imgbox i{
   float: left;
   padding: 12px 3px;
   font-size: 15px;
```

```
margin-left: 115px;
   margin-top: 8px;
   border-radius: 2px;
   height: 23px;
   width: 62%;
   background-color:white;
   padding-top: 4px;
   padding-left: 5px;
   font-family: var(--fname);
   font-size: 13px;
   font-weight: 600;
   color: gray;
   height: 41px;
   width: 100%;
.dvlp a{
   font-size: 15px;
   padding: 12px 18px;
   font-weight: 600;
   color: black;
   font-family: var(--fname);
   background-color: #E7E9EB;
.imgbox img{
   height: 295px;
   width: 100%;
   border-bottom-left-radius: 5px;
   border-bottom-right-radius: 5px;
   height: 160px;
   width: 800px;
   margin-top: 10px;
   margin-left: 200px;
.FAB a, .FAB #kp{
   text-decoration: none;
   font-family: var(--fname);
    font-weight: bold;
   border-radius: 5px;
   float: left;
   background-color:#059862;
   margin-top: 10px;
   padding: 11px 18px;
.FAB #kp{
   background-color:#fff4a3;
   margin-top: 16px;
   padding: 11px 23px;
```

```
height: 950px;
width: 100%;
   background-color: #282A35;
.w3schoolspaces h1{
   text-align: center;
   font-size: 60px;
   font-weight: 700;
   margin-top: 70px;
   font-family: var(--fname);
.w3schoolspaces p{
   text-align: center;
   font-size: 20px;
   font-family: var(--fname);
   font-weight: 600;
.w3schoolspaces img{
   height: 68%;
   border-radius: 8px;
   margin-left: 120px;
   margin-top: 40px;
.iconstrack{
   height: 550px;
   width: 100%;
   float: left;
   background-color: #282A35;
.iconstrack img{
   margin-top: 8px;
   margin-left: 135px;
.iconstrack a,.mylearning a,.prouser a,.career a{
   background-color: #04AA6D;
   border-radius: 50px;
   padding: 16px 76px;
   text-align: center;
   text-decoration: none;
   display: inline-block;
   font-size: larger;
   font-weight: 600;
   margin-left: 525px;
   margin-top: 48px;
   cursor: pointer;
   font-family: var(--fname);
.iconstrack a:hover,.mylearning a:hover,.prouser a:hover,.career a:hover{
   opacity: 0.8;
```

```
.mylearning{
   height: 900px;
width: 100%;
   background-color: #D9EEE1;
.mylearning h1{
   font-size: 60px;
   margin-left: 37%;
   margin-top: 80px;
   font-family: var(--fname);
.mylearning p{
   text-align: center;
font-size: 18px;
   margin-top: -10px;
   font-weight: bold;
   font-family: var(--fname);
   height: 288px;
   width: 930px;
   background-color: white;
   margin-top: 95px;
   margin-left: 210px;
   border-radius: 15px;
.liam h3{
   font-size: 28px;
   font-family: var(--fname);
   margin-left: 38px;
   margin-top: 40px;
   font-weight: lighter;
   text-align: justify;
   font-size: 16.8px;
   word-spacing: -1px;
   margin-left: 38px;
   font-weight: lighter;
   font-family: var(--fname);
   line-height: 22px;
   margin-top: -19px;
   color: gray;
   display: inline-block;
   margin-left: 38px;
   margin-top: 15px;
   font-weight: 600;
   text-decoration: none;
   font-size: 16px;
   background-color: #282A35;
   padding: 16px 50px;
   border-radius: 25px;
   font-family: var(--fname);
```

```
margin-left: 25px;
    font-size: 17px;
   font-weight: 600;
    font-family: var(--fname);
   box-shadow: 3px 3px 3px lightgray;
   height: 440px;
   width: 340px;
   background-color: white;
   float: left;
   margin-left: 555px;
   margin-top: -335px;
   border-radius: 15px;
   object-fit: cover;
   margin-left: 128px;
   margin-top: 29px;
   font-size: 16px;
   font-family: var(--fname);
   font-weight: 600;
.Goodjob p{
   margin-left: 137px;
   font-size: 13px;
   word-spacing: 2px;
   margin-top: -10px;
   color: #282A35;
.Goodjob p#SC{
   margin-left: 32px;
   margin-top: -2px;
.Goodjob img{
   height: 175px;
   margin-left: 2px;
   margin-top: -10px;
.scorebox{
   height:135px;
   margin-top: -12px;
   margin-left: 8px;
   display: flex;
   justify-content: center;
   align-items: center;
   flex-wrap: wrap;
   column-gap: 10px;
.scorecont{
   height: 53px;
   width: 40%;
   border-radius: 8px;
   border: 1px solid lightgray;
.scorecont h4{
   margin-left: 13px;
   margin-top: 8px;
   font-size: 16px;
```

```
margin-left: 10px;
   margin-top: -25px;
   font-size: 14px;
.mylearning a#Suff{
   margin-top: 95px;
   font-size: 18px;
   font-weight: bold;
   padding: 15px 80px;
   height: 550px;
   width: 100%;
   float: left;
   background-color: #282A35;
.prouser h1{
   text-align: center;
   margin-left: 15px;
   margin-top: 65px;
   font-weight: 800;
   word-spacing: -5px;
   font-size: 44px;
   font-family: var(--fname);
.prouser p{
   text-align: center;
   font-size: 24px;
   margin-top: -8px;
   font-family: var(--fname);
.parabox{
   margin-top: 10px;
   margin-left: 440px;
   height: 170px;
   width: 40%;
   font-size: large;
   text-align: justify;
   padding-left: 50px;
   padding-top: 10px;
   font-weight: 600;
   font-family: var(--fname);
.parabox i{
   margin-top: 25px;
   font-size: 20px;
.parabox ul{
   list-style: none;
   margin: 0 14%; padding: 0;
```

```
.parabox ul li{
   font-family: var(--fname);
   margin: 0;
   font-size: 19px;
   padding: 0;
   margin-top: -5px;
   height: 40px;
.prouser a#LM{
   margin-top:0;
   font-size: 18px;
   padding: 15px 102px;
.colorpicker{
   height: 460px;
   width: 100%;
   background-color: #F3ECEA;
   font-family: var(--fname);
   font-size: 60px;
   text-align: center;
   margin-top: 100px;
   text-align: center;
   font-size: large;
   margin-top: -20px;
   font-weight: bold;
   font-family: var(--fname);
.colorpicker img{
   margin-left: 592px;
   margin-top: 4px;
.colorpicker img:hover{
   opacity: 0.6;
   cursor: pointer;
.codegame{
   height: 600px;
   width: 100%;
   background-color: #96D4D4;
.codegame h1{
   text-align: center;
   margin-top: 88px;
   font-size: 48px;
   font-weight: lighter;
   font-family: 'Freckle Face', cursive;
.codegame p{
```

```
text-align: center;
    font-family: 'Freckle Face', cursive;
   font-size: 32px;
   margin-top: -30px;
.codegame img{
   margin-top: -8px;
   margin-left: 602px;
.codegame img:hover{
   opacity: 0.7;
.playgame{
   margin-top: 40px;
.codegame a,.webtemp a,.w3computer a{
   margin-left: 575px;
   margin-top: 150px;
   font-weight: 700;
   text-decoration: none;
   font-size: 17px;
   background-color: #282A35;
   padding: 17px 57px;
   border-radius: 25px;
   font-family: var(--fname);
.codegame a:hover,.webtemp a:hover{
   background-color: black;
   height: 545px;
   width: 100%;
   background-color: #282A35;
.quiz h1{
   text-align: center;
   margin-top: 95px;
   font-size: 58px;
   font-family: var(--fname);
   text-align: center;
   font-size: large;
   margin-top: -10px;
   margin-left: 15px;
   font-weight: bold;
   font-family: var(--fname);
.exmp{
   margin-left: 80px;
   margin-top: 35px;
   height: 195px;
   width: 555px;
   background-color: #96D4D4;
   float: left;
```

```
.exmp h2{
   text-align: center;
   margin-top: 80px;
   margin-left: 10px;
   font-size: xx-large;
   font-family: var(--fname);
.exmp:hover{
   opacity: 0.8;
.webtemp{
   float: left;
   height: 820px; width: 100%;
   background-color: #E7E9EB;
.webtemp h1{
   text-align: center;
   margin-top: 80px;
   font-size: 60px;
   font-family: var(--fname);
.webtemp p{
   text-align: center;
   font-size: 18px;
   margin-top: -10px;
   font-weight: 600;
   font-family: var(--fname);
.imgcontainer{
   margin-left: 180px;
   margin-top: 30px;
   height: 375px;
   width: 990px;
   border-top-left-radius: 10px;
   border-top-right-radius: 10px;
   position: relative;
   background-color: #ffffff;
.imgcontainer img#leftimg{
   height: 350px;
   width: 480px;
   margin-left: 5px;
   border-radius:5px;
   border: 2px solid #808080;
   position: absolute;
   z-index: 0;
.imgcontainer img#rightimg{
   height: 350px;
   width: 480px;
   display: inline-block;
   margin-left: 500px;
   border-radius:5px;
imgcontainer img#middleimg{
```

```
height: 355px;
   width: 490px;
   z-index: 1;
   margin-left: 250px;
   margin-top: 17px;
   position: absolute;
   border-radius:5px;
   border: 2px solid #808080;
.webtemp a#Browsebtn{
   top: 58px;
   left: -228px;
   font-size: 19px;
   font-weight: lighter;
   padding: 20px 250px;
   height: 470px;
   width: 100%;
   background-color: #282A35;
   margin-top: 70px;
   margin-left: 62px;
   font-size: 55px;
   color: #FFC0C7;
   font-family: var(--fname);
   margin-top: 80px;
   margin-left: 62px;
   font-size: 46px;
   font-family: var(--fname);
.career a#careerbtn{
   margin-left: 62px;
   margin-top: 47px;
   font-size: 17px;
   padding: 22px 56px;
   height: 180px;
   width: 180px;
   position: relative;
   left: 920px;
   top: -120px;
   z-index: 1;
   transform: rotate(-20deg);
.arrow img{
   height: 180px;
   width: 180px;
.w3circleimg{
   float: right;
```

```
height: 215px;
   width: 215px;
   z-index: 0;
   border-radius: 150px;
   position: relative;
   top: -270px;
   right: 70px;
   background-color: #52A772;
.w3circleimg img{
   position: absolute;
   height: 136px;
   transform: rotate(10deg);
   width: 136px;
   margin-top: 48px;
   margin-left: 35px;
   border-radius: 150px;
.w3computer{
   height: 980px;
   width: 100%;
   /* background-color: #808080; */
.w3computer h1{
   font-size: 55px;
   font-family: var(--fname);
   text-align: center;
   margin-top: 100px;
.w3computer p,.w3computer p#secondpara{
   text-align: center;
   font-family: var(--fname);
   font-size: 18px;
   font-weight: bold;
   margin-top: -10px;
.w3computer p#secondpara{
   font-size: 15px;
   margin-top: 30px;
.comp{
   margin-left: 210px;
   margin-top: 38px;
   height: 445px;
   border-radius: 5px;
   width: 930px;
   background-color: #E3E6E8;
.imgarea{
   background-image: url('w3img/img_nature_wide.jpg');
   background-repeat: no-repeat;
   background-size: cover;
   float: left;
   margin-left: 5px;
   margin-top: 10px;
   height: 320px;
   width: 99%;
   background-color: #52A772;
imgarea h4{
```

```
font-weight: lighter;
   margin-left: 12px;
   margin-top: 7px;
   letter-spacing: 5px;
   font-size: larger;
.imgarea h3{
   text-align: center;
   font-size: medium;
font-weight: lighter;
   font-family: var(--fname);
   margin-top: 262px;
   border-top-left-radius: 5px;
   border-top-right-radius: 5px;
   height: 45px;
   width: 100%;
   background-color: whitesmoke;
.compcircle{
   margin-left: 10px;
   width: 70px;
   height: 40px;
.compcircle i{
   float: left;
   padding: 12px 3px;
   font-size: 15px;
   float: left;
   margin-left: 110px;
   margin-top: 8px;
   border-radius: 2px;
   height: 22px;
   background-color:white;
.comppath span{
   padding-top: 4px;
   padding-left: 5px;
   font-family: var(--fname);
   font-size: 13px;
   font-weight: 600;
   color: gray;
.compend{
   margin-top: 12px;
   margin-left: 430px;
   float: left;
   height: 50px;
   width: 100px;
.compend i{
   padding: 12px 3px;
   font-size: 15px;
.emptydiv{
   margin-left: 650px;
```

```
height: 100px;
   width: 50px;
   background-color: #282A35;
.w3computer a{
   font-size: large;
   margin-left: 440px;
   padding: 21px 175px;
.w3computer a:hover{
   background-color: #059862;
.footer{
   height: 375px;
   width: 100%;
   background-color: #282A35;
   float: left;
.buttonsgroup{
   margin-left: 12px;
   margin-top: 30px;
   height: 100px;
   width: 98%;
.buttonsgroup a{
   font-weight: bold;
   font-size: 14px;
   font-family: var(--fname);
   text-decoration: none;
   background-color: #fff4a3;
   display: inline-block;
   border-radius: 5px;
   margin-top: 25px;
   margin-left: 13px;
   padding: 12px 15px;
.buttonsgroup a:hover{
   background-color: #f1f1f1;
.rightanchor{
   margin-right: 20px;
   margin-top: 35px;
   float: right;
   height: 40px;
   width: 160px;
rightanchor span{
   font-family: var(--fname);
   letter-spacing: 4px;
   font-weight: lighter;
   font-size: 14px;
.rightanchor span:hover{
.fagroup{
```

```
margin-right: 22px;
    float: right;
   height: 60px;
   width: 210px;
.fagroup i{
   padding: 15px 15px;
   margin-top: 5px;
.fagroup i:hover{
   background-color: white;
   border-radius: 5px;
   letter-spacing: 0.2px;
    line-height: 1.6;
   font-family: var(--fname);
   margin-left: -10px;
   margin-top: 70px;
   font-size: 14px;
   text-align: center;
   color:#4CAF50;
.footer i#thumbsup{
   margin-top: 25px;
   margin-left: 660px;
   font-size: 38px;
.footer i#thumbsup:hover{
   opacity: 0.6;
    cursor: pointer;
```