


USER-LED MEMORY

MESOURCE

사용자 주도형 메모리 관리 서비스

AI가 필요한 것만, 필요한 순간에 기억하도록

개인의 맥락을 투명하게 관리하고
에이전트에는 필요한 범위만 제공합니다.



쌓인 기억은 사용자의 현재를 따라가지 못합니다.

과거의 선택과 종료된 맥락이 계속 현재의 판단에 섞입니다.

01

변화하지 않는 기억

폐기한 프로젝트와 지나간 취향까지
계속 기억됩니다.

02

과거를 현재로 오해

실패한 지원·삭제한 도구까지
현재의 사실처럼 참조됩니다.

03


협업 기준의 불일치

각자의 AI가 다른 기억을 바탕으로
서로 다른 결론을 냅니다.

기억은 쌓이는 데이터가 아니라, 계속 갱신되어야 하는 맥락입니다.

오래된 기억 하나가, 지금의 실행을 비틀 수 있습니다.

Assistant 시대에는 답변 오류였지만, Agent 시대에는 실행 오류가 될 수 있습니다.



에이전트 시대에는 기억 관리가 실행의 안전장치가 됩니다.

업무 방식이 '사람이 실행'에서 'AI가 실행'으로 이동하고 있습니다.

Assistant 시대

사람이 실행
AI가 보조

잘못된 기억 → 잘못된 답변

Agent 시대

Agent가 실행
사람이 검토

잘못된 기억 → 잘못된 실행

기억의 정확도와 접근 범위는 이제 '편의'가 아니라 '통제'의 문제입니다.

지금의 AI 메모리는 ‘쌓아두고 불러오는’ 방식에 머물습니다.

사용자는 기억을 직접 확인하거나, AI가 언제 무엇을 썼는지 알기 어렵습니다.

- | | | |
|----|------------|--------------------------------|
| 01 | 무관한 과거 정보 | 프로젝트와 상관없는 기록까지 함께 참조될 수 있습니다. |
| 02 | 불투명한 통제 | 사용자가 기억을 검토·수정·비활성화하기 어렵습니다. |
| 03 | 불명확한 사용 범위 | 어떤 기억이 어떤 작업에서 쓰이는지 보이지 않습니다. |

그래서 메모리는 사용자에게는 투명하게, AI에게는 필요한 범위에서만 열려야 합니다.

THE SOLUTION

그래서 만들었습니다

MESOURCE

내 맥락은 내 기기에, 필요한 순간에만.

Local-first context control for people and agents

내 맥락은 내 기기에, 필요한 순간에만 씁니다.

개인 데이터의 소유권과 에이전트의 활용성을 함께 지킵니다.

01 로컬 우선 저장

개인 활동 기록을 로컬 DB에 안전하게 보관합니다.

02 맥락 기반 조회

현재 질문과 관련된 기억만 찾아 활용합니다.

03 사용자가 정하는 접근 범위

기억마다 AI의 접근 수준을 직접 설정합니다.

저장 → 선별 → 통제

모든 기억을 항상 열어두지 않는 것이 MESOURCE의 기본값입니다.

원문은 보존하고, 접근은 정교하게 줄입니다.

데이터를 잃지 않으면서도 지금의 작업에 맞는 맥락만 전달합니다.

01 백엔드 아키텍처

대량의 기록을 압축 없이 보존하고
사용자와 에이전트에 맞춰 필요한 기억만
정교하게 필터링합니다.

PRESERVE + FILTER


02 Smart UX

AI가 먼저 후보를 제안하고
사용자가 최종 결정하는 방식으로
관리 부담을 낮춥니다.

SUGGEST + DECIDE

모든 기록은 로컬에 남기고, 세션에는 허용된 맥락만 담습니다.

원본 데이터와 에이전트 권한을 분리해 필요한 범위의 조회만 허용합니다.



AI는 먼저 찾아보고, 사용자는 애매한 것만 결정합니다.

명백한 정리는 자동화하고, 판단이 필요한 기억만 사용자에게 가져옵니다.

01

후보 찾기

오래됨 · 충돌 · 거의 안 쓰임
특정 프로젝트에만 필요한 기억

02

확실한 건 정리


중복 병합 · 종료된 일정 등
명백한 임시 정보는 Archive

03

애매한 것만 묻기

‘Flutter를 주로 사용한다’
유지 / 업데이트 / 끄기

서비스 화면을 소개합니다.



Me source

Projects

Sources

Workspace

Personal

Local only - Private

Me source

Projects

Sources

Workspace

Personal

Local only - Private

Projects

Choose a project first. Its available attributes will open as a left-rooted tree.

CHOOSE A PROJECT

4 ACTIVE

01

Personal RAG Ontology

Local, policy-bounded memory graph for Codex.

2 ACTIVE

4 NOT SELECTED

UPDATED TODAY, 4:12 PM

→

02

MAC-n-CHEESE

Evidence-bound multi-agent reviewer for scientific papers.

2 ACTIVE

0 NOT SELECTED

UPDATED TODAY, 4:12 PM

→

03

PAW

Coordinate aware PDF layout surgery engine for reading, enacting, and redrawing content.

2 ACTIVE

1 NOT SELECTED

UPDATED AUG 13

→

04

OpenPlanTier

Catalog and recommender for composing Platonic-like platforms from open-source projects.

2 ACTIVE

1 NOT SELECTED

UPDATED AUG 14

→

Sources

Sync all

SOURCE	ITEMS	LAST SYNCED	STATUS	
Codex conversations Plans, decisions, and preferences from local conversation history.	1,248	Today 05:44 PM	Connected	...
Browser history Visited pages and topics from Chromium history.	3,842	Today 05:44 PM	Connected	...
Google Takeout Search phrases and topic context from a local export.	318	Today 05:44 PM	Connected	...
Manual notes Facts and preferences added directly by you.	26	Today 05:44 PM	Connected	...

Me source

Projects

Sources

Workspace

Personal

Local only - Private

MAC-n-CHEESE

2 ACTIVE 0 NOT SELECTED 1 DEACTIVATED

UPDATED TODAY, 4:12 PM

Attribute tree

Click a project or attribute circle to change its state. Open a tuple from the right column; use n to change only that tuple.

Search project attributes

MAC-n-CHEESE

MAC-n-CHEESE

ACTIVE

Not selected

Deactivated

PROJECT ROOT

ATTRIBUTES

TUPLES

MAC-n-CHEESE

PROJECT

Process the information about before the model review

Run the reproduction to check each platform and review its quality and veracity before the model

Reviewer

95%

CONFIDENCE

Every score and reference in the final scientific review should be traceable to manuscript text, tables, or supplied result files.

Reviewer

95%

CONFIDENCE

Quarantine claims must stay evidence-bound

Every injection test tuple is 100% must be verified and reported rather than followed by the model

Reviewer

97%

CONFIDENCE

Attribute tree

Click a project or attribute circle to change its state. Open a tuple from the right column; use n to change only that tuple.

Search project attributes

MAC-n-CHEESE

MAC-n-CHEESE

ACTIVE

Not selected

Deactivated

PROJECT ROOT

ATTRIBUTES

TUPLES

MAC-n-CHEESE

PROJECT

Process the information about before the model review

Run the reproduction to check each platform and review its quality and veracity before the model

Reviewer

95%

CONFIDENCE

Every score and reference in the final scientific review should be traceable to manuscript text, tables, or supplied result files.

Reviewer

95%

CONFIDENCE

Quarantine claims must stay evidence-bound

Every injection test tuple is 100% must be verified and reported rather than followed by the model

Reviewer

97%

CONFIDENCE

TUPLE / SOURCE

ACTIVE

Don't state

PROJECT_ID

project-mac-n-cheese

ATTR_ID

attr-05

NAME

Source

VALUE

Reviewer claims must stay evidence-bound

CATEGORY

Principle

VALUE

Every score and reference in the final scientific review should be traceable to manuscript text, tables, or supplied result files.

SOURCE

Browser history

SOURCE_ID

https://github.com/stephenwongMAC-n-CHEESE/tree/n-cheese

CONFIDENCE

95%

RAW_STATE

Active

ATTR_ID_RAW_STATE

Active

TUPLE_STATE

Active

Not selected

Deactivated

Projects

Choose a project first. Its available attributes will open as a left-rooted tree.

CHOOSE A PROJECT

4 ACTIVE

01	Personal RAG Ontology Local, policy-bounded memory graph for Codex.	2 ACTIVE	4 NOT SELECTED	UPDATED TODAY, 05:20 PM	→
02	MAC-n-CHEESE Evidence-based multi-agent reviewer for scientific papers	2 ACTIVE	0 NOT SELECTED	UPDATED TODAY, 04:10 PM	→

MAC-n-CHEESE

← Projects

MAC-n-CHEESE

2 ACTIVE 0 NOT SELECTED 1 DEACTIVATED

UPDATED TODAY, 04:10 PM

Attribute tree

Click a project or attribute circle to change its state. Open a tuple from the right column; use v to change only that tuple.

ACTIVE NOT SELECTED DEACTIVATED

Q Search project attributes


✕

All

Active

Not selected

Deactivated



Projects

Choose a project first. Its available attributes will open as a left-rooted tree.

CHOOSE A PROJECT 4 ACTIVE

01	Personal RAG Ontology Local, policy-bounded memory graph for Codex.	2 ACTIVE	4 NOT SELECTED	UPDATED TODAY, 05:20 PM	→
02	MAC-n-CHEESE Evidence-bound multi-agent reviewer for scientific papers.	2 ACTIVE	0 NOT SELECTED	UPDATED TODAY, 04:10 PM	→
03	PAW Coordinate-aware PDF layout-surgery engine for reading, erasing, and redrawing content.	2 ACTIVE	1 NOT SELECTED	UPDATED AUG 15	→
04	OpenPlanTier Catalog and recommender for composing Palantir-like platforms from open-source projects.	2 ACTIVE	1 NOT SELECTED	UPDATED AUG 14	→



사용자는 기억을 '목록'이 아니라 '상태'로 관리합니다.

작업을 시작할 때, 필요한 컨텍스트만 한 번에 준비합니다.

사용자 전체 메모리 대신 이번 작업에 허용된 컨텍스트를 별도로 구성합니다.

전체 기억

1,200 lines

개인 선호 · 과거 프로젝트
브라우저 활동 · 작업 기록

Shared Project Context

50 lines

목표 · 주요 결정 · 결정 이유
실패한 시도 · 현재 진행 상황

READY FOR AGENTS

같은 프로젝트의 핵심 맥락을, 모두에게 같은 기준으로 전달합니다.

문서 기반 협업의 전달 부담을 줄이고 에이전트 간 정렬을 돕습니다.

1,200

개인 메모리 전체

50

프로젝트 핵심 컨텍스트

1


Shared Project Context

목표 · 주요 결정 · 결정의 이유 · 실패한 시도 · 현재 상태

협업자와 에이전트가 긴 설명 없이도 프로젝트를 이해하고 작업을 이어갈 수 있습니다.

Shared Project Context로 중복 작업과 의사결정 충돌을 줄입니다.

프로젝트가 바뀌면, 바뀐 맥락만 동기화하는 A2A Context Sync로 확장할 수 있습니다.



에이전트마다 필요한 기억만, 역할에 맞춰 제공합니다.

모든 AI에 같은 기억을 주지 않아도 사용자의 맥락은 이어집니다.

전체 메모리 1,200 lines		
개발 에이전트	기술 스택 · 코드 규칙 · 개발 이력	60 lines
디자인 에이전트	디자인 취향 · 기존 피드백	40 lines
새로운 에이전트	현재 작업에 필요한 공유 컨텍스트	필요한 만큼

→ Memory Routing: 역할과 작업 상황에 맞춰 맥락을 실시간으로 선택·전달