

AI COMPATIBILITY AND THE HUMAN ROLE

Across all 26 career domains listed on itmap.in

Where AI is being used, how much work it can assist, what can safely be automated, and why human accountability remains

Research report for MapIT | Evidence snapshot: 29 July 2026

Domain-level analysis with representative role clusters from MapIT's 696-role directory

Central finding

AI compatibility is high across nearly every digital IT domain, but high assistance does not equal safe autonomy. The most durable human work is defining the problem, validating evidence, handling exceptions, leading people, protecting users and accepting responsibility for consequential outcomes.

Report map

Section	Purpose
1	Executive summary
2	Scope: MapIT's 26 domains and representative roles
3	Method: AI compatibility, task assistance, autonomy and human accountability
4	Cross-domain findings and charts
5	Domain-by-domain analysis (26 profiles)
6	How the human role changes by seniority
7	Implications for careers, learning and MapIT product design
8	Source register and limitations

How to use this report

- Use the domain overview to compare where AI is already useful and where physical, relational or governance work limits automation.
- Use the role profiles to update MapIT pages with task-level AI examples and explicit human-critical skills.
- Treat all percentages labelled MapIT estimate as analytical ranges, not measured headcount reduction or guaranteed productivity.
- Review the estimates at least every six months because tool capability, deployment policy and regulation are changing quickly.

Terminology

Term	Meaning in this report
AI compatibility	How well the domain's recurring work can be supported by current AI methods, data and tool integrations.
AI-assisted task share	Estimated share of recurring work where AI can materially accelerate, draft, analyse, recommend or prepare evidence.
AI-autonomous task share	Estimated share that can run end-to-end inside pre-approved rules, permissions, monitoring and recovery controls.
Human-accountability floor	Estimated share of consequential outputs that should still have a named human owner, reviewer or decision-maker.

1. Executive summary

MapIT scope. The current MapIT application contains 26 career domains and 696 role records. This report analyses every domain and uses representative roles from the role directory rather than pretending that one percentage applies identically to all 696 titles [M1][M2].

Labour-market context. The ILO estimates that one in four workers is in an occupation with some generative-AI exposure, but says job transformation is more likely than whole-job replacement because occupations contain tasks that still require human input [E1]. The World Economic Forum reports that employers currently see 47% of work tasks as mainly human, 22% as mainly technology and 30% as combined; by 2030 they expect the three modes to be closer to equal [E2].

Observed use is uneven. Anthropic reports that 49% of occupations in its pooled data have seen AI used for at least one-quarter of their tasks, while also introducing an 'effective AI coverage' measure that adjusts for task frequency and success [E3]. This reinforces the report's decision to separate theoretical compatibility from safe, reliable autonomy.

Productivity gains do not remove review. A Microsoft Research analysis of three field experiments involving 4,867 developers found a 26.08% increase in completed tasks for developers with an AI coding assistant [E5]. Yet developer surveys continue to show a trust gap and frustration with plausible but incorrect output [E6]. The practical operating model is therefore human-AI collaboration, not unattended substitution.

The seven strongest findings

- AI/ML, software engineering, automation/low-code, technical writing, web/CMS, QA and data/Bi have the highest compatibility because their work is highly digital, structured and represented in code, text or data.
- Cybersecurity, architecture, governance, product management and executive leadership combine high AI assistance with very high human accountability. AI can prepare evidence, but humans must own decisions.
- Automation is highest where inputs, outputs, permissions and recovery can be clearly bounded. It is lower where work depends on negotiation, physical intervention, safety or novel incidents.
- Entry-level work changes fastest because triage, drafting, search, formatting and routine implementation are highly assistable. Entry roles do not disappear automatically, but their learning expectations rise.
- Senior roles remain highly exposed to AI assistance, yet their accountability grows: architecture, risk acceptance, incident command, stakeholder trust and ethical judgement cannot be delegated to a tool.
- Physical domains such as hardware, IoT, telecom and infrastructure retain substantial human work even when AI improves diagnosis, prediction and design.
- Green Computing has a special tension: AI can optimise energy and carbon, but AI itself increases infrastructure demand. Humans must decide whether efficiency reduces absolute impact or only enables more consumption.

MapIT analytical range, not a labour forecast

26	72-97	30-85%	5-65%
domains analysed	AI compatibility scores	AI-assisted task ranges	bounded autonomy ranges

Do not publish these numbers as job-loss percentages. They estimate task-level compatibility under present-day conditions. Adoption depends on organisation, data quality, regulation, customer expectations, system criticality and access to skilled reviewers.

2. Scope: MapIT's 26 domains

The Career Domains workspace currently organises MapIT into the following domain families. The internal role map then expands each family from trainee and associate roles through specialist, lead, architect, management and executive levels [M1][M2].

#	Career domain	Representative MapIT roles
1	IT Support and End-User Computing	Help Desk Technician, Service Desk Analyst, Desktop Support Engineer, Technical Support Engineer
2	Systems and Infrastructure	System Administrator, Linux Administrator, Infrastructure Engineer, Virtualization Engineer
3	Networking and NOC Operations	NOC Analyst, Network Engineer, Network Automation Engineer, Network Architect
4	Cloud Computing	Cloud Engineer, Cloud Administrator, Cloud Platform Engineer, Cloud Architect
5	Cybersecurity	SOC Analyst, Security Engineer, Incident Response Specialist, Threat Hunter
6	Software Development and Engineering	Software Engineer, Frontend Developer, Backend Developer, Staff Engineer
7	Quality Assurance and Testing	QA Analyst, Automation Tester, Performance Tester, SDET
8	DevOps, SRE and Platform Engineering	DevOps Engineer, Site Reliability Engineer, Platform Engineer, Kubernetes Engineer
9	Data Analytics and Business Intelligence	Data Analyst, BI Analyst, Power BI Developer, Analytics Consultant
10	Data Engineering, Data Science and AI/ML	Data Engineer, Data Scientist, Machine Learning Engineer, LLM Engineer
11	Database Administration	Database Administrator, PostgreSQL DBA, Database Performance Engineer, Database Reliability Engineer
12	ITSM and IT Operations	ITSM Analyst, Incident Manager, Problem Manager, Service Delivery Manager
13	ERP, CRM and Business Applications	SAP Functional Consultant, Salesforce Administrator, ERP Developer, ServiceNow Consultant
14	Product, Project and Program Management	Product Manager, Technical Project Manager, Scrum Master, Program Manager
15	Business Analysis, Solutioning and Consulting	Business Analyst, Functional Consultant, Solution Consultant, Implementation Consultant
16	UI/UX Design and Creative Technology	UI Designer, UX Designer, Product Designer, UX Researcher
17	Web, CMS and Digital Technology	Web Developer, WordPress Developer, CMS Developer, Technical SEO Specialist
18	Automation, RPA and Low-Code/No-Code	Automation Analyst, RPA Developer, Power Automate Developer, Automation Architect
19	Technical Writing and Knowledge Management	Technical Writer, API Documentation Writer, Knowledge Management Analyst, Documentation Manager
20	Sales Engineering and Customer Success Technology	Sales Engineer, Solutions Consultant, Technical Account Manager, Customer Success Manager
21	Hardware, Embedded Systems and IoT	Hardware Engineer, Embedded Systems Engineer, Firmware Engineer, IoT Engineer
22	Telecommunications, Voice and Collaboration	Telecom Engineer, VoIP Engineer, Unified Communications Engineer, Contact Center Technology Lead

#	Career domain	Representative MapIT roles
23	Governance, Risk, Compliance and IT Audit	IT Auditor, GRC Analyst, Privacy Analyst, Risk Manager
24	Technology Architecture	Solution Architect, Cloud Architect, Security Architect, Data Architect
25	Executive Technology Leadership	IT Manager, Director of Engineering, Chief Information Officer, Chief Technology Officer
26	Green Computing and Sustainable IT	Green Software Engineer, Cloud Sustainability Analyst, GreenOps Analyst, Data Center Sustainability Engineer

3. Method and interpretation

3.1 AI Compatibility Index

The 0-100 index is a MapIT analytical construct, not an external market statistic. It combines five equally transparent dimensions:

Dimension	Assessment question
Digital input coverage	How much of the work already exists as text, code, images, telemetry, structured records or machine-readable process events.
Repeatability and structure	Whether recurring task patterns, quality rules and expected outputs can be defined.
Reference and training availability	Whether reliable examples, standards, documentation or historical outcomes exist.
Tool and API integration	Whether current platforms expose safe ways for AI to read context and take action.
Safe delegation potential	Whether permissions, reversible actions, monitoring and exception paths allow bounded autonomy.

3.2 Why three percentages are shown

AI-assisted task share: AI contributes materially, but a person may still prompt, contextualise, review, combine or communicate the result.

AI-autonomous task share: AI can complete a bounded workflow under rules, identity restrictions, observability and recovery. This is deliberately lower.

Human-accountability floor: The portion of consequential outputs requiring a named human owner. It overlaps with AI-assisted work; a task can be heavily AI-assisted and still need 100% human accountability.

3.3 Evidence hierarchy

- Level A - occupational and workforce evidence: ILO, WEF and task-use research.
- Level B - observed product capability: official documentation for enterprise, developer, cloud, security, analytics, design and automation tools.
- Level C - MapIT estimate: ranges derived from task structure, current tools, risk and physical/relational constraints.
- Level D - future outlook: reasoned projection for 2028-2030, explicitly separated from current capability.

The ILO cautions that AI-exposure indicators vary by method and should be treated as signals of possible change rather than forecasts of employment outcomes [E4]. That warning applies directly to this report.

4. Cross-domain overview

The table below answers 'how much' at a high level. Each range refers to recurring tasks, not the percentage of a job or workforce expected to disappear.

#	Domain	AI index	Use stage	AI-assisted	Autonomous	Human accountability
1	IT Support and End-User Computing	85	Scaling	45-65%	25-40%	70-90%
2	Systems and Infrastructure	78	Scaling	35-55%	20-35%	75-95%
3	Networking and NOC Operations	76	Scaling	35-55%	20-35%	75-95%
4	Cloud Computing	88	Established	45-65%	30-45%	75-95%
5	Cybersecurity	90	Established	50-70%	25-40%	85-100%
6	Software Development and Engineering	95	Established	60-80%	30-50%	75-95%
7	Quality Assurance and Testing	92	Established	55-75%	35-55%	75-95%
8	DevOps, SRE and Platform Engineering	90	Scaling	50-70%	30-45%	80-100%
9	Data Analytics and Business Intelligence	92	Established	55-75%	35-55%	75-95%
10	Data Engineering, Data Science and AI/ML	97	Established	65-85%	40-60%	85-100%
11	Database Administration	80	Scaling	40-60%	25-40%	80-100%
12	ITSM and IT Operations	88	Scaling	50-70%	30-50%	75-95%
13	ERP, CRM and Business Applications	82	Scaling	40-60%	25-40%	75-95%
14	Product, Project and Program Management	85	Scaling	45-65%	20-35%	85-100%
15	Business Analysis, Solutioning and Consulting	88	Scaling	50-70%	25-40%	85-100%
16	UI/UX Design and Creative Technology	90	Established	50-70%	25-40%	85-100%
17	Web, CMS and Digital Technology	93	Established	60-80%	35-55%	70-90%
18	Automation, RPA and Low-Code/No-Code	95	Established	65-85%	45-65%	65-90%
19	Technical Writing and Knowledge Management	94	Established	60-80%	35-55%	75-95%
20	Sales Engineering and Customer Success Technology	88	Scaling	50-70%	20-35%	85-100%
21	Hardware, Embedded Systems and IoT	72	Selective	30-50%	15-30%	85-100%

#	Domain	AI index	Use stage	AI-assisted	Autonomous	Human accountability
22	Telecommunications, Voice and Collaboration	78	Selective	35-55%	20-35%	80-100%
23	Governance, Risk, Compliance and IT Audit	86	Scaling	45-65%	20-35%	90-100%
24	Technology Architecture	82	Scaling	35-55%	15-30%	95-100%
25	Executive Technology Leadership	75	Selective	30-50%	5-20%	95-100%
26	Green Computing and Sustainable IT	83	Emerging	40-60%	20-35%	90-100%

Interpretation: A domain can have an AI-assisted range of 60-80% and a human-accountability range of 75-95%. These measures are not expected to add to 100 because assistance and accountability overlap.

4.1 AI compatibility by domain




Figure 1. MapIT analytical scores. High scores indicate that current AI can work effectively with the domain's common digital artefacts; they do not mean that the domain is easy to automate safely.

4.2 Assistance, autonomy and accountability




Figure 2. Midpoints of the estimated ranges. Human accountability remains highest in architecture, governance, leadership, cybersecurity and sustainable IT even when AI assistance is substantial.

4.3 The key pattern: AI use and human ownership rise together




Figure 3. Bubble size reflects the midpoint of bounded autonomy. The upper-right area contains domains where AI is heavily used but human sign-off, context and responsibility remain essential.

What the charts imply

- High digital exposure produces more AI assistance, not automatically fewer humans.
- Autonomy grows when workflows are standardised, permissioned, observable and reversible.
- The highest-value human work increasingly sits around the AI workflow: framing, validation, integration, exception handling and accountability.
- Physical work, crisis leadership, trust and governance remain strong constraints on end-to-end automation.

5. Domain-by-domain analysis

Each profile uses representative roles from MapIT and describes common task changes across the domain. Role-level exposure will vary: a junior reporting analyst, a principal architect and a department head should not share one automation percentage.

01 IT Support and End-User Computing

Current use stage: Scaling | Evidence examples: P1

85	45-65%	25-40%	70-90%
AI compatibility	AI-assisted tasks	Bounded autonomy	Human accountability

REPRESENTATIVE MAPIT ROLES

Help Desk Technician, Service Desk Analyst, Desktop Support Engineer, Technical Support Engineer, IT Support Lead

WHERE AI IS USED NOW

- Ticket classification and priority prediction.
- Knowledge retrieval and response drafting.
- Incident and conversation summarisation.
- Self-service troubleshooting and guided diagnostics.
- Sentiment, sla-risk and escalation signals.

HUMAN ROLE

Diagnose ambiguous or multi-system faults, communicate with empathy, verify security-sensitive actions, perform physical repair, manage escalations and own restoration of service.

2028-2030 direction Routine L1 work becomes increasingly agent-led; human roles move toward complex support, device experience, knowledge governance and security-aware escalation.	Control risks Incorrect fixes, excessive permissions, privacy leakage, over-automation of vulnerable users and loss of diagnostic skill.
--	---

Current tool examples: ServiceNow Now Assist, Microsoft Copilot, vendor support copilots | Sources: P1

02 Systems and Infrastructure

Current use stage: Scaling | Evidence examples: P2, P3

78	35-55%	20-35%	75-95%
AI compatibility	AI-assisted tasks	Bounded autonomy	Human accountability

REPRESENTATIVE MAPIT ROLES

System Administrator, Linux Administrator, Infrastructure Engineer, Virtualization Engineer, Infrastructure Architect

WHERE AI IS USED NOW

- Log and configuration analysis.
- Script and command generation.
- Patch and capacity prioritisation.
- Backup and recovery validation.
- Anomaly detection and runbook guidance.

HUMAN ROLE

Approve and sequence changes, understand legacy dependencies, verify backups, lead recovery, protect privileged access and handle physical or data-centre interventions.

2028-2030 direction Autonomous remediation expands within tightly controlled environments, but infrastructure ownership remains human because failures can affect whole organisations.	Control risks Unsafe commands, configuration drift, hidden dependencies, privilege misuse and false confidence in automated recovery.
---	--

Current tool examples: Azure Copilot, Amazon Q Developer, infrastructure AIOps platforms | Sources: P2, P3

03 Networking and NOC Operations

Current use stage: Scaling | Evidence examples: P4

76	35-55%	20-35%	75-95%
AI compatibility	AI-assisted tasks	Bounded autonomy	Human accountability

REPRESENTATIVE MAPIT ROLES

NOC Analyst, Network Engineer, Network Automation Engineer, Network Architect, Network Operations Lead

WHERE AI IS USED NOW

- Fault correlation and anomaly detection.
- Natural-language network queries.
- Capacity and traffic forecasting.
- Configuration generation and compliance checks.
- Root-cause suggestions and predictive maintenance.

HUMAN ROLE

Design topology and resilience, validate changes, resolve novel cross-layer failures, coordinate carriers and field teams, and decide during high-impact outages.

2028-2030 direction Intent-based networking and closed-loop remediation grow, but humans remain responsible for policy, blast radius and physical connectivity.	Control risks Incorrect correlation, automated propagation of bad policy, opaque vendor models and weak visibility into encrypted or multi-vendor networks.
---	---

Current tool examples: Juniper Marvis AI, Cisco AI networking, telecom AIOps | Sources: P4

04 Cloud Computing

Current use stage: Established | Evidence examples: P2, P3

88	45-65%	30-45%	75-95%
AI compatibility	AI-assisted tasks	Bounded autonomy	Human accountability

REPRESENTATIVE MAPIT ROLES

Cloud Engineer, Cloud Administrator, Cloud Platform Engineer, Cloud Architect, Cloud Engineering Manager

WHERE AI IS USED NOW

- Architecture and migration suggestions.
- Infrastructure-as-code generation.
- Cost, capacity and sustainability optimisation.
- Incident investigation across logs and metrics.
- Security posture and policy recommendations.

HUMAN ROLE

Choose service and data boundaries, balance cost, resilience, sovereignty and security, approve production change, lead disaster recovery and own provider risk.

2028-2030 direction Cloud copilots become operational control surfaces; safe autonomy depends on policy-as-code, identity limits, observability and reversible actions.	Control risks Vendor lock-in, destructive actions, cost amplification, data residency violations and generated architectures that ignore organisational constraints.
--	---

Current tool examples: Gemini Cloud Assist, Microsoft Copilot for Azure, Amazon Q Developer | Sources: P2, P3

05 Cybersecurity

Current use stage: Established | Evidence examples: P5, P6

90	50-70%	25-40%	85-100%
AI compatibility	AI-assisted tasks	Bounded autonomy	Human accountability

REPRESENTATIVE MAPIT ROLES

SOC Analyst, Security Engineer, Incident Response Specialist, Threat Hunter, Security Architect

WHERE AI IS USED NOW

- Alert triage and investigation summaries.
- Detection-query and playbook generation.
- Phishing, malware and threat-intelligence analysis.
- Vulnerability prioritisation.
- Identity and exposure correlation.

HUMAN ROLE

Form adversarial hypotheses, preserve evidence, authorise containment, distinguish attack from anomaly, communicate legal and business impact, and own risk acceptance.

2028-2030 direction Agentic SOC workflows handle enrichment and routine containment, while human judgement concentrates on novel attacks, deception, evidence and crisis command.	Control risks Prompt injection through hostile content, attacker manipulation, false positives, missed context, evidence contamination and automation of destructive containment.
---	---

Current tool examples: Microsoft Security Copilot, Google Security Operations Gemini, vendor SOC copilots | Sources: P5, P6

06 Software Development and Engineering

Current use stage: Established | Evidence examples: P7, E5, E6

95	60-80%	30-50%	75-95%
AI compatibility	AI-assisted tasks	Bounded autonomy	Human accountability

REPRESENTATIVE MAPIT ROLES

Software Engineer, Frontend Developer, Backend Developer, Staff Engineer, Software Architect

WHERE AI IS USED NOW

- Code and test generation.
- Code explanation, review and refactoring.
- Debugging and issue localisation.
- Documentation and migration assistance.
- Prototype and implementation planning.

HUMAN ROLE

Define requirements, choose architecture, review correctness and security, understand product context, resolve trade-offs and remain accountable for maintainability and user impact.

2028-2030 direction More implementation becomes delegated to coding agents; engineering value shifts toward specification, evaluation, systems thinking and software stewardship.	Control risks Almost-correct code, insecure dependencies, licence concerns, codebase inconsistency, hidden defects and skill erosion.
--	--

Current tool examples: GitHub Copilot, coding agents, IDE-based AI assistants | Sources: P7, E5, E6

07 Quality Assurance and Testing

Current use stage: Established | Evidence examples: P7

92	55-75%	35-55%	75-95%
AI compatibility	AI-assisted tasks	Bounded autonomy	Human accountability

REPRESENTATIVE MAPIT ROLES

QA Analyst, Automation Tester, Performance Tester, SDET, Quality Engineering Lead

WHERE AI IS USED NOW

- Test-case and test-data generation.
- Unit, api and ui automation drafting.
- Defect clustering and duplicate detection.
- Visual regression and accessibility checks.
- Risk-based regression selection.

HUMAN ROLE

Define quality risk, challenge requirements, perform exploratory testing, assess business consequences, validate generated tests and decide whether evidence supports release.

2028-2030 direction Autonomous test generation and maintenance increase, but humans remain essential for oracle design, unexpected behaviour and quality strategy.	Control risks Tests that reproduce implementation assumptions, weak coverage of business logic, false pass confidence and synthetic data leakage.
---	--

Current tool examples: GitHub Copilot testing, AI test platforms, visual testing systems | Sources: P7

08 DevOps, SRE and Platform Engineering

Current use stage: Scaling | Evidence examples: P2, P3

90	50-70%	30-45%	80-100%
AI compatibility	AI-assisted tasks	Bounded autonomy	Human accountability

REPRESENTATIVE MAPIT ROLES

DevOps Engineer, Site Reliability Engineer, Platform Engineer, Kubernetes Engineer, SRE Manager

WHERE AI IS USED NOW

- Pipeline and configuration generation.
- Incident correlation and timeline summaries.
- Capacity, reliability and cost recommendations.
- Runbook retrieval and auto-remediation proposals.
- Change-risk and deployment analysis.

HUMAN ROLE

Set SLOs and error budgets, define platform guardrails, approve risky change, command incidents, select rollback or fix-forward and protect reliability over short-term speed.

2028-2030 direction AI agents operate routine platform workflows; humans supervise objectives, permissions, failure boundaries and post-incident learning.	Control risks Runaway remediation, cascading failures, inadequate rollback, hidden state changes and optimisation that harms reliability.
--	---

Current tool examples: AIOps, cloud operations copilots, AI-assisted observability | Sources: P2, P3

09 Data Analytics and Business Intelligence

Current use stage: Established | Evidence examples: P8

92	55-75%	35-55%	75-95%
AI compatibility	AI-assisted tasks	Bounded autonomy	Human accountability

REPRESENTATIVE MAPIT ROLES

Data Analyst, BI Analyst, Power BI Developer, Analytics Consultant, Head of Analytics

WHERE AI IS USED NOW

- Natural-language queries and sql/dax generation.
- Dashboard and narrative creation.
- Data cleaning suggestions.
- Anomaly detection and forecasting.
- Insight summarisation and audience tailoring.

HUMAN ROLE

Define metrics and semantic meaning, validate data quality, distinguish correlation from causation, select appropriate methods and communicate uncertainty to decision-makers.

2028-2030 direction Self-service analytics expands, but trusted semantic models and data literacy become more important because fluent answers can still be wrong.	Control risks Fabricated calculations, metric ambiguity, biased data, privacy leakage and confident causal claims from descriptive patterns.
---	---

Current tool examples: Power BI Copilot, Tableau AI features, analytics copilots | Sources: P8

10 Data Engineering, Data Science and AI/ML

Current use stage: Established | Evidence examples: E3, G1

97	65-85%	40-60%	85-100%
AI compatibility	AI-assisted tasks	Bounded autonomy	Human accountability

REPRESENTATIVE MAPIT ROLES

Data Engineer, Data Scientist, Machine Learning Engineer, LLM Engineer, Chief AI Officer

WHERE AI IS USED NOW

- Data-pipeline and feature-code generation.
- Experiment design and model tuning assistance.
- Synthetic data and labelling support.
- Evaluation, monitoring and documentation.
- Agent, rag and model workflow construction.

HUMAN ROLE

Frame the problem, establish valid data and evaluation, choose the minimum capable model, manage safety and bias, interpret results and own deployment consequences.

2028-2030 direction AutoML and agentic development compress model-building cycles; scarce human skills move to evaluation science, governance, domain expertise and responsible product design.	Control risks Data leakage, benchmark gaming, biased labels, ungrounded models, unsafe autonomy, high compute impact and weak accountability.
--	--

Current tool examples: AI coding copilots, AutoML, model evaluation and orchestration platforms | Sources: E3, G1

11 Database Administration

Current use stage: Scaling | Evidence examples: P9

80	40-60%	25-40%	80-100%
AI compatibility	AI-assisted tasks	Bounded autonomy	Human accountability

REPRESENTATIVE MAPIT ROLES

Database Administrator, PostgreSQL DBA, Database Performance Engineer, Database Reliability Engineer, Database Architect

WHERE AI IS USED NOW

- Sql generation and explanation.
- Query-plan and index recommendations.
- Performance anomaly detection.
- Backup, capacity and health analysis.
- Migration and schema-change planning.

HUMAN ROLE

Protect data integrity, approve schema and access changes, validate recovery, manage concurrency and replication trade-offs, and own irreversible data operations.

2028-2030 direction Autonomous databases reduce routine tuning and patching; human DB roles shift toward data reliability, governance, architecture and recovery assurance.	Control risks Destructive queries, incorrect tuning, privacy exposure, state inconsistency and over-trust in automated backup or failover.
--	---

Current tool examples: Copilot in SQL tools, Oracle Autonomous Database, database observability AI | Sources: P9

12 ITSM and IT Operations

Current use stage: Scaling | Evidence examples: P1

88	50-70%	30-50%	75-95%
AI compatibility	AI-assisted tasks	Bounded autonomy	Human accountability

REPRESENTATIVE MAPIT ROLES

ITSM Analyst, Incident Manager, Problem Manager, Service Delivery Manager, Head of IT Operations

WHERE AI IS USED NOW

- Case classification and routing.
- Incident, change and problem summaries.
- Virtual-agent fulfilment.
- Sla breach prediction.
- Pattern discovery across incidents and known errors.

HUMAN ROLE

Own service policy, assess change risk, lead major incidents, negotiate priorities, communicate business impact and verify that automation follows service-management controls.

2028-2030 direction AI becomes embedded in request, incident and knowledge workflows; humans focus on service design, exceptions, governance and stakeholder trust.	Control risks Incorrect routing, poor knowledge reuse, automation bias, weak auditability and customer frustration when escalation is blocked.
--	---

Current tool examples: ServiceNow Now Assist, ITSM virtual agents, predictive operations | Sources: P1

13 ERP, CRM and Business Applications

Current use stage: Scaling | Evidence examples: P10, P11

82	40-60%	25-40%	75-95%
AI compatibility	AI-assisted tasks	Bounded autonomy	Human accountability

REPRESENTATIVE MAPIT ROLES

SAP Functional Consultant, Salesforce Administrator, ERP Developer, ServiceNow Consultant, Business Applications Manager

WHERE AI IS USED NOW

- Transaction and case summarisation.
- Forecasting, recommendations and lead scoring.
- Workflow and form generation.
- Master-data anomaly detection.
- Support, training and process guidance.

HUMAN ROLE

Design business process, protect master data and segregation of duties, manage exceptions, validate financial or customer outcomes and preserve relationships and regulatory controls.

2028-2030 direction Embedded agents execute multi-step workflows across ERP and CRM, increasing the need for process ownership, identity controls and audit trails.	Control risks Incorrect transactions, biased recommendations, data contamination, segregation-of-duties breaches and hidden cross-system actions.
--	--

Current tool examples: SAP Joule, Salesforce Agentforce, Microsoft Dynamics copilots | Sources: P10, P11

14 Product, Project and Program Management

Current use stage: Scaling | Evidence examples: E2

85	45-65%	20-35%	85-100%
AI compatibility	AI-assisted tasks	Bounded autonomy	Human accountability

REPRESENTATIVE MAPIT ROLES

Product Manager, Technical Project Manager, Scrum Master, Program Manager, Chief Product Officer

WHERE AI IS USED NOW

- Research and feedback synthesis.
- Requirements, roadmap and status drafting.
- Meeting notes and action tracking.
- Risk, dependency and schedule analysis.
- Scenario generation and experiment planning.

HUMAN ROLE

Decide what should be built, discover real user needs, prioritise scarce resources, resolve conflict, lead teams and own outcome, ethics and delivery commitments.

2028-2030 direction Administrative coordination becomes heavily automated; human differentiation rests on judgement, discovery, leadership and the ability to stop low-value work.	Control risks Synthetic certainty, biased prioritisation, surveillance of teams, shallow customer understanding and automation of bureaucracy.
---	---

Current tool examples: Work-management copilots, product analytics AI, meeting assistants | Sources: E2

15 Business Analysis, Solutioning and Consulting

Current use stage: Scaling | Evidence examples: E2

88	50-70%	25-40%	85-100%
AI compatibility	AI-assisted tasks	Bounded autonomy	Human accountability

REPRESENTATIVE MAPIT ROLES

Business Analyst, Functional Consultant, Solution Consultant, Implementation Consultant, Consulting Manager

WHERE AI IS USED NOW

- Requirements and workshop synthesis.
- Process mapping and gap analysis.
- User-story and acceptance-criteria drafting.
- Traceability and impact analysis.
- Solution options and presentation preparation.

HUMAN ROLE

Elicit unstated needs, reconcile competing interests, challenge assumptions, validate feasibility, manage organisational change and take responsibility for recommended solutions.

2028-2030 direction AI accelerates artefact production, but consultants and analysts gain value by diagnosing the real problem and facilitating decisions across people and systems.	Control risks Automating misunderstood processes, fabricated stakeholder consensus, weak domain context and confidential-data exposure.
---	--

Current tool examples: Enterprise copilots, process intelligence tools, AI-assisted requirements platforms | Sources: E2

16 UI/UX Design and Creative Technology

Current use stage: Established | Evidence examples: P12, P13

90	50-70%	25-40%	85-100%
AI compatibility	AI-assisted tasks	Bounded autonomy	Human accountability

REPRESENTATIVE MAPIT ROLES

UI Designer, UX Designer, Product Designer, UX Researcher, Head of Design

WHERE AI IS USED NOW

- Concept, layout and variant generation.
- Prototype and copy drafting.
- Research transcript synthesis.
- Design-system application.
- Accessibility and consistency checking.

HUMAN ROLE

Conduct and interpret user research, exercise taste and empathy, design for excluded users, protect consent and dark-pattern boundaries, and decide what experience should exist.

2028-2030 direction Generative interfaces shorten production; strong designers become curators, researchers, systems designers and guardians of human-centred outcomes.	Control risks Homogeneous design, inaccessible output, synthetic-user substitution, copyright issues and manipulation through persuasive design.
--	---

Current tool examples: Figma AI, Adobe Firefly, generative prototyping tools | Sources: P12, P13

17 Web, CMS and Digital Technology

Current use stage: Established | Evidence examples: P14, P7

93	60-80%	35-55%	70-90%
AI compatibility	AI-assisted tasks	Bounded autonomy	Human accountability

REPRESENTATIVE MAPIT ROLES

Web Developer, WordPress Developer, CMS Developer, Technical SEO Specialist, Digital Platform Manager

WHERE AI IS USED NOW

- Site, page and component generation.
- Content and metadata drafting.
- Seo and search-intent analysis.
- Performance, accessibility and security checks.
- Personalisation and content operations.

HUMAN ROLE

Set brand and editorial standards, validate code and content, protect privacy and accessibility, manage platform architecture and ensure digital work serves business and users.

2028-2030 direction Commodity websites become highly automated; human roles concentrate on differentiated experience, governance, integration and trustworthy content.	Control risks Low-quality content at scale, SEO spam, insecure plugins, inaccessible templates, hallucinated claims and brand dilution.
---	--

Current tool examples: WordPress AI builders, CMS copilots, AI web development platforms | Sources: P14, P7

18 Automation, RPA and Low-Code/No-Code

Current use stage: Established | Evidence examples: P15, P16

95	65-85%	45-65%	65-90%
AI compatibility	AI-assisted tasks	Bounded autonomy	Human accountability

REPRESENTATIVE MAPIT ROLES

Automation Analyst, RPA Developer, Power Automate Developer, Automation Architect, Head of Automation

WHERE AI IS USED NOW

- Natural-language workflow and app creation.
- Process mining and candidate discovery.
- Connector and expression generation.
- Test and documentation generation.
- Agentic execution across approved systems.

HUMAN ROLE

Choose worthwhile processes, simplify before automating, design exceptions, set permissions, validate controls, monitor outcomes and retire brittle automations.

2028-2030 direction Citizen development and agents expand rapidly; governance, process ownership and operational resilience become the scarce skills.	Control risks Scaling bad processes, shadow automation, credential exposure, uncontrolled agents and fragile dependencies.
--	---

Current tool examples: Microsoft Power Platform Copilot, UiPath Autopilot, enterprise agent platforms | Sources: P15, P16

19 Technical Writing and Knowledge Management

Current use stage: Established | Evidence examples: G1

94	60-80%	35-55%	75-95%
AI compatibility	AI-assisted tasks	Bounded autonomy	Human accountability

REPRESENTATIVE MAPIT ROLES

Technical Writer, API Documentation Writer, Knowledge Management Analyst, Documentation Manager, Head of Technical Documentation

WHERE AI IS USED NOW

- First-draft and outline generation.
- Summarisation and content transformation.
- Api and release-note assistance.
- Translation and terminology checks.
- Semantic search, tagging and knowledge retrieval.

HUMAN ROLE

Verify every technical claim, structure information for real user tasks, maintain source authority, protect confidential information and own clarity, accuracy and compliance.

2028-2030 direction Drafting becomes cheap; trusted documentation depends on source-grounded workflows, editorial judgement, information architecture and governance.	Control risks Plausible inaccuracies, stale content multiplication, loss of provenance, confidential-data leakage and generic language.
--	--

Current tool examples: Enterprise copilots, AI documentation assistants, retrieval-based knowledge systems | Sources: G1

20 Sales Engineering and Customer Success Technology

Current use stage: Scaling | Evidence examples: P11

88	50-70%	20-35%	85-100%
AI compatibility	AI-assisted tasks	Bounded autonomy	Human accountability

REPRESENTATIVE MAPIT ROLES

Sales Engineer, Solutions Consultant, Technical Account Manager, Customer Success Manager, Director of Solutions Engineering

WHERE AI IS USED NOW

- Account and industry research.
- Proposal, demo and response drafting.
- Call summaries and action extraction.
- Lead, churn and expansion prediction.
- Onboarding and support guidance.

HUMAN ROLE

Build trust, discover hidden constraints, negotiate, design credible solutions, handle objections, make commitments and protect customers from unsuitable recommendations.

2028-2030 direction AI manages preparation and routine follow-up; human advantage remains credibility, relationship, live diagnosis and commercial judgement.	Control risks Fabricated product claims, biased scoring, privacy misuse, over-personalisation and commitments not supported by delivery teams.
---	--

Current tool examples: CRM copilots, Salesforce Agentforce, conversation intelligence | Sources: P11

21 Hardware, Embedded Systems and IoT

Current use stage: Selective | Evidence examples: P17

72	30-50%	15-30%	85-100%
AI compatibility	AI-assisted tasks	Bounded autonomy	Human accountability

REPRESENTATIVE MAPIT ROLES

Hardware Engineer, Embedded Systems Engineer, Firmware Engineer, IoT Engineer, Hardware Architect

WHERE AI IS USED NOW

- Design simulation and optimisation.
- Firmware and test-code generation.
- Computer-vision quality inspection.
- Predictive maintenance and anomaly detection.
- Digital twins and fleet analytics.

HUMAN ROLE

Perform physical installation and repair, validate safety and timing in the real world, handle laboratory and field testing, manage supply-chain constraints and sign off devices.

2028-2030 direction AI co-design and digital twins accelerate development, but embodied constraints, safety and physical verification preserve a large human role.	Control risks Unsafe generated firmware, model drift at the edge, sensor bias, cyber-physical harm and unverified simulation assumptions.
---	--

Current tool examples: Azure IoT analytics, AWS IoT predictive maintenance, EDA AI | Sources: P17

22 Telecommunications, Voice and Collaboration

Current use stage: Selective | Evidence examples: P18

78	35-55%	20-35%	80-100%
AI compatibility	AI-assisted tasks	Bounded autonomy	Human accountability

REPRESENTATIVE MAPIT ROLES

Telecom Engineer, VoIP Engineer, Unified Communications Engineer, Contact Center Technology Lead, Telecom Manager

WHERE AI IS USED NOW

- Network fault correlation.
- Traffic and capacity optimisation.
- Call-quality and sentiment analytics.
- Predictive maintenance.
- Configuration, support and knowledge assistance.

HUMAN ROLE

Design resilient services, manage spectrum and regulatory constraints, coordinate carriers and field repairs, protect emergency communications and decide during outages.

2028-2030 direction AI-native networks expand gradually because telecom systems have specialised protocols, long asset lives and high reliability requirements.	Control risks Biased call analytics, opaque optimisation, service discrimination, privacy concerns and automated actions that affect critical communications.
--	--

Current tool examples: Telecom AIOps, contact-centre AI, AI-RAN research | Sources: P18

23 Governance, Risk, Compliance and IT Audit

Current use stage: Scaling | Evidence examples: G1

86	45-65%	20-35%	90-100%
AI compatibility	AI-assisted tasks	Bounded autonomy	Human accountability

REPRESENTATIVE MAPIT ROLES

IT Auditor, GRC Analyst, Privacy Analyst, Risk Manager, Chief Compliance Officer

WHERE AI IS USED NOW

- Control and regulation mapping.
- Policy and evidence summarisation.
- Continuous control monitoring.
- Risk-register and audit-workpaper drafting.
- Exception and anomaly identification.

HUMAN ROLE

Maintain independence, determine materiality, challenge management, interpret law and context, protect due process and personally sign or stand behind assurance conclusions.

2028-2030 direction Continuous assurance becomes more automated, while human auditors focus on evidence quality, governance of AI itself and difficult judgement calls.	Control risks False compliance, circular evidence, biased risk scores, confidential-data exposure and AI reviewing AI-generated controls without independent challenge.
--	--

Current tool examples: GRC copilots, continuous-control monitoring, policy intelligence | Sources: G1

24 Technology Architecture

Current use stage: Scaling | Evidence examples: G1, P2

82	35-55%	15-30%	95-100%
AI compatibility	AI-assisted tasks	Bounded autonomy	Human accountability

REPRESENTATIVE MAPIT ROLES

Solution Architect, Cloud Architect, Security Architect, Data Architect, Enterprise Architect

WHERE AI IS USED NOW

- Reference-pattern and option discovery.
- Diagram and decision-record drafting.
- Cost, performance and threat analysis.
- Dependency mapping.
- Standards and documentation assistance.

HUMAN ROLE

Define system boundaries, integrate organisational realities, resolve cross-domain trade-offs, preserve long-term coherence and accept accountability for structural decisions.

2028-2030 direction AI can generate many plausible architectures; the architect's value is selecting, challenging and governing one that fits real constraints over time.	Control risks Pattern copying without context, hidden assumptions, vendor bias, underestimation of socio-technical change and excessive complexity.
--	--

Current tool examples: Cloud architecture copilots, diagram assistants, enterprise knowledge systems | Sources: G1, P2

25 Executive Technology Leadership

Current use stage: Selective | Evidence examples: G1, E2

75	30-50%	5-20%	95-100%
AI compatibility	AI-assisted tasks	Bounded autonomy	Human accountability

REPRESENTATIVE MAPIT ROLES

IT Manager, Director of Engineering, Chief Information Officer, Chief Technology Officer, Chief AI Officer

WHERE AI IS USED NOW

- Briefing and decision-pack preparation.
- Portfolio and scenario analysis.
- Forecasting and risk sensing.
- Communication drafting.
- Market, talent and operational intelligence.

HUMAN ROLE

Set purpose and strategy, allocate capital, shape culture, manage stakeholders, accept legal and ethical responsibility, and decide when not to automate or invest.

2028-2030 direction Executives use AI as an always-available analyst, but delegation of final decisions remains limited by accountability, legitimacy and incomplete information.	Control risks Automation bias, synthetic consensus, confidential strategy leakage, weak provenance and executives outsourcing judgement to persuasive outputs.
--	---

Current tool examples: Enterprise copilots, strategy intelligence platforms, board analytics | Sources: G1, E2

26 Green Computing and Sustainable IT

Current use stage: Emerging | Evidence examples: P19, P20

83	40-60%	20-35%	90-100%
AI compatibility	AI-assisted tasks	Bounded autonomy	Human accountability

REPRESENTATIVE MAPIT ROLES

Green Software Engineer, Cloud Sustainability Analyst, GreenOps Analyst, Data Center Sustainability Engineer, IT Asset and E-waste Analyst, Sustainable AI Analyst

WHERE AI IS USED NOW

- Energy, carbon and water data analysis.
- Carbon-aware scheduling and workload optimisation.
- Cloud and data-centre efficiency recommendations.
- Life-cycle and procurement modelling.
- Sustainability reporting and e-waste route optimisation.

HUMAN ROLE

Set credible system boundaries, verify environmental data and claims, balance carbon with resilience and justice, challenge unnecessary demand, govern procurement and own public reporting.

2028-2030 direction AI will optimise IT's environmental footprint while also increasing compute demand; the defining human responsibility is deciding whether efficiency gains reduce absolute impact.	Control risks Greenwashing, rebound effects, incomplete life-cycle boundaries, burden shifting, poor emissions factors and optimisation that ignores communities or water constraints.
---	---

Current tool examples: SCI tooling, Carbon Aware SDK, cloud carbon dashboards, CodeCarbon | Sources: P19, P20

6. How the human role changes by seniority

AI does not affect every level of a domain in the same way. The role ladder in MapIT should therefore show both increasing AI use and increasing human accountability.

Career level	AI commonly handles	Human contribution	Primary risk	MapIT learning emphasis
Trainee / entry	Search, summarise, draft, classify, generate routine code or content.	Verify, learn fundamentals, gather evidence, communicate and escalate.	Becoming dependent without understanding the task.	Foundations, verification, safe use and hands-on practice.
Associate / professional	Prepare analysis, implementation options, tests, reports and workflow actions.	Integrate systems, handle exceptions, apply domain context and document decisions.	Accepting fluent output without checking context.	Domain depth, debugging, data quality and control awareness.
Senior specialist / lead	Model scenarios, investigate incidents, review large artefact sets and propose optimisation.	Make trade-offs, mentor, design guardrails, challenge assumptions and own technical quality.	Automation bias and loss of independent challenge.	Architecture, risk, evaluation and leadership.
Manager / architect	Produce decision packs, identify patterns, compare options and monitor portfolios.	Set policy, allocate resources, accept risk, coordinate stakeholders and ensure accountability.	Delegating responsibility to an analytical system.	Governance, organisational design and socio-technical judgement.
Director / executive	Summarise strategic information, forecast, simulate and draft communications.	Set purpose, make irreversible decisions, protect legitimacy and take legal/ethical responsibility.	Synthetic certainty, weak provenance and strategy leakage.	AI governance, portfolio judgement, ethics and change leadership.

Eight durable human responsibilities across IT

Problem framing: Choosing the actual outcome, boundaries, constraints and definition of success.

Context integration: Combining technical, organisational, legal, customer and physical realities.

Verification: Testing claims, tracing sources, reviewing code, validating data and challenging model output.

Exception handling: Responding when the situation is novel, ambiguous, adversarial or outside the automation's rules.

Accountability: Authorising changes, accepting risk and remaining answerable to customers, regulators and society.

Human relationships: Trust, empathy, negotiation, leadership, mentoring and conflict resolution.

Physical and safety work: Installation, repair, laboratory testing, field response and safety sign-off.

Ethics and restraint: Deciding when a technically feasible feature, model or automation should not be deployed.

7. Implications for careers and MapIT

7.1 What job seekers should learn

- Keep the core technical skill. AI makes weak fundamentals harder to detect until something fails.
- Learn task decomposition: specify context, constraints, desired evidence and acceptance tests.
- Build verification habits: source checking, test design, threat modelling, data validation and independent reasoning.
- Learn the AI-enabled version of the domain toolchain, not only a generic chatbot.
- Develop human-critical skills that match the domain: incident leadership in SRE, empathy in support, research in UX, materiality in audit, or life-cycle reasoning in Green IT.
- Create portfolio evidence that compares a baseline workflow with an AI-assisted workflow, including quality, time, risk and human review.

7.2 Recommended MapIT data fields

Field	MapIT use
ai_compatibility_score	0-100 analytical score with methodology version.
ai_assisted_task_share	Minimum and maximum estimated recurring-task share.
ai_autonomy_share	Minimum and maximum share suitable for bounded end-to-end execution.
human_accountability_floor	Minimum and maximum share needing named human ownership.
ai_use_cases	Task-level examples, not generic 'uses AI' labels.
human_critical_tasks	Tasks where context, relationship, physical action, safety or sign-off dominate.
ai_risks	Hallucination, security, privacy, bias, deskilling, safety and sustainability.
evidence_type	Observed tool capability, workforce research, job-posting evidence or MapIT estimate.
role_level_adjustment	Entry, professional, senior, architect/manager and executive variation.
last_verified_at	Date and source used for each AI claim.

7.3 Recommended website presentation

- Show three separate badges: AI-assisted, bounded automation and human-critical - never one vague 'AI-proof' or 'AI compatible' label.
- Display ranges and evidence dates; place the methodology tooltip beside every percentage.
- Add a 'How AI changes this role' tab to each role profile with current uses, human responsibility, risks and learning actions.
- Allow users to compare roles by AI assistance and human accountability in the existing Comparator.
- Add filters for AI-enabled tools, AI governance requirements, physical work, customer interaction and final-sign-off responsibility.
- Retain role-level differences. A junior analyst and an analytics director belong to the same domain but have different task exposure and accountability.
- Do not market a high compatibility score as employability, redundancy risk or guaranteed productivity.

7.4 Suggested MapIT proposition

Explore not only what an IT role does, but what AI can assist, what it can safely automate, and what still needs a human to understand, decide and own.

8. Limitations and maintenance rules

- The scores are not direct measurements of current adoption in every Indian or global employer.
- The ranges describe recurring task potential, not the probability that a worker loses a job.
- Enterprise access to AI varies by data residency, budget, security approval, customer policy and regulatory constraints.
- Product capabilities can change faster than occupational taxonomies; official documentation should be rechecked every quarter.
- AI output quality depends on context, model, tool integration, data quality and reviewer skill.
- Role titles vary between employers. MapIT should map task clusters and skills, not rely only on titles.
- Human-accountability estimates are deliberately conservative for safety, security, financial, legal, physical and public-impact work.
- Future outlook statements are scenarios, not guarantees.

Maintenance cadence

Interval	Review	Trigger for earlier update
Quarterly	Tool examples, product permissions and current links.	Major agent/autonomy release, product retirement or regulatory change.
Six-monthly	Domain scores and task-share ranges.	Strong new task-level research or clear change in employer practice.
Annually	MapIT methodology, domain boundaries and role-level adjustments.	Material redesign of the MapIT role taxonomy.
At publication	Every factual claim and source date.	Broken links, disputed evidence or a high-risk user report.

Source register

The source register separates MapIT internal taxonomy sources, workforce evidence, governance frameworks and examples of currently available AI capabilities. Product sources demonstrate capability, not universal employer adoption.

ID	Source	Owner	Use in report
M1	MapIT Technical Workings and YouTube Presentation Script	Internal MapIT library document	MapIT snapshot: 26 career domains, 696 role records and current application data model.
M2	List of Job Categories and Roles	Internal MapIT role map	Representative role titles and role-family structure used in this report.
M3	MapIT Green Computing Learning Directory	Internal MapIT library report	Green Computing and Sustainable IT role clusters, tools and learning routes.
E1	Generative AI and Jobs: A Refined Global Index of Occupational Exposure Official link	International Labour Organization	Task-level occupational exposure; emphasises transformation rather than whole-job replacement.
E2	The Future of Jobs Report 2025 Official link	World Economic Forum	Employer expectations for human-only, technology-only and human-machine task delivery.
E3	Anthropic Economic Index - Economic Primitives (January 2026) Official link	Anthropic	Observed task coverage and effective AI coverage across occupations.
E4	Workers' Exposure to AI: What Indicators Tell Us - and What They Don't Official link	International Labour Organization	Explains why exposure estimates are signals of possible task change, not employment forecasts.
E5	The Effects of Generative AI on High-Skilled Work Official link	Microsoft Research	Three field experiments involving 4,867 developers; productivity evidence for coding assistants.
E6	2025 Developer Survey - AI Official link	Stack Overflow	Developer use, trust and workflow limitations of AI tools.
G1	Artificial Intelligence Risk Management Framework (AI RMF 1.0) Official link	NIST	Governance, human oversight, measurement and risk-management principles.
P1	Now Assist Official link	ServiceNow	AI assistance for service management, cases, knowledge and workflows.
P2	Gemini Cloud Assist Official link	Google Cloud	AI assistance for cloud design, operations, troubleshooting and optimisation.
P3	Microsoft Copilot for Azure Official link	Microsoft	Natural-language assistance for Azure operations and resource management.
P4	Marvis Virtual Network Assistant Official link	Juniper Networks	AIOps, network assurance, anomaly correlation and conversational networking.
P5	Microsoft Security Copilot Official link	Microsoft	AI assistance for security operations, exposure management and incident response.
P6	Gemini in Google Security Operations Official link	Google Cloud	AI-assisted investigation, detection and security operations.

ID	Source	Owner	Use in report
P7	GitHub Copilot Documentation Official link	GitHub	Code generation, code review, testing and software-development assistance.
P8	Copilot for Power BI Official link	Microsoft	Natural-language report creation, analysis and semantic-model interaction.
P9	Copilot in SQL Server Management Studio Official link	Microsoft	AI-supported database questions and T-SQL development.
P10	Joule Official link	SAP	AI assistance and agents embedded in enterprise business workflows.
P11	Agentforce Official link	Salesforce	AI agents and assistance for sales, service and CRM workflows.
P12	Figma AI Official link	Figma	AI-supported design generation, editing and design-system workflows.
P13	Adobe Firefly Official link	Adobe	Generative content production with enterprise creative workflows.
P14	AI Website Builder Official link	WordPress.com	Prompt-based website generation and editing.
P15	Copilot in Microsoft Power Platform Official link	Microsoft	Natural-language app, workflow and automation development.
P16	UiPath Autopilot Official link	UiPath	AI-assisted automation, testing and process work.
P17	AWS IoT SiteWise - Predictive Maintenance Official link	Amazon Web Services	Industrial data, anomaly detection and predictive maintenance examples.
P18	AI in Networks: The Telco AI Opportunity Official link	GSMA Intelligence	Telecom AI deployment patterns and network-specific constraints.
P19	Software Carbon Intensity Specification Official link	Green Software Foundation	Method for measuring software carbon intensity.
P20	Energy and AI Official link	International Energy Agency	Electricity and infrastructure implications of AI and data-centre growth.

Prepared for itmap.in. Analytical estimates should be published with the evidence date, calculation method and explicit statement that AI exposure is not a forecast of job elimination.