

Style guide: Ruby

A [rubocop file](#) is provided in QPixel and rubocop is included in the QPixel bundle. Use `bundle exec rubocop` for Ruby style checking; you can also use `bundle exec rubocop -Da` for auto-correction.

In general, we follow “the” [Ruby Style Guide](#), with a few exceptions. The most important rules and those exceptions are detailed here. Exceptions and departures from the Style Guide are highlighted in **purple**.

Most editors can (and should!) be configured to automatically apply many of these code style rules for you, and to check your code as you write.

You should also read about [when it's appropriate to break these rules](#).

Indentation [↗](#)

Use spaces for indentation; do not use tab stops. Use two spaces per indentation level.

```
1 def my_method
2   'something'
3 end
```

Maximum Line Length [↗](#)

Limit lines to **120** characters. This rule is **not enforced for lines that must contain long URLs**, as splitting them generally introduces more chance for error and makes the code less readable. Use a linter exception to avoid generating rubocop errors for these.

Spaces & Braces [↗](#)

No space after `(` or `[` or before `)` or `]`. Use spaces around `{` and `}`, **including for hash literals**.

Spaces are **not** required around `{` and `}` when used for string interpolation.

```
1 # Not allowed:
2 some( arg )
3 [ 1, 2, 3 ]
4 ary.each{|e| puts e}
5 {a: 1, b: 2, c: 3}
6 "#{ interpolated }"
7
8 # Use instead:
9 some(arg)
10 [1, 2, 3]
11 ary.each { |e| puts e }
12 { a: 1, b: 2, c: 3 }
13 "#{interpolated}"
```

Line Continuation [↗](#)

Line continuation with `\` is only permitted for string literals. **Remember that long URLs should not be split and are exempt from maximum line lengths**.

Multi-line Method Chains [↗](#)

Use the leading `.` style and **align the continuation with the initial method call**:

```
1 # Not allowed:
2 one.two.three.
3     four
4
5 # Use instead:
6 one.two.three
7     .four
```