Document Title: Test Coverage – Course and Tutor Registration Feature

Application: MindBridge AI Tutor

Prepared By: Tony McGraw

Date: October 17, 2026

Version: 1.0

Test Coverage Table

Test Type	Description	Environment	Environment Justification	Pass/Fail Criteria
Functional Testing	Does the registration workflow complete correctly from start to finish?	QA	Functional testing is assigned to the QA environment because it requires a fully operational application and a populated test database but does not require real student PII. The QA environment's scrubbed database provides realistic test data without exposing sensitive information, making it the appropriate and safe choice for this test type.	pass
Negative/Error Handing Testing	What happens when invalid or unexpected input is entered? (Consider the known HTTP 500 defect triggered by special characters in the payment field.	QA,DEV	This type of testing is assigned to both QA & Dev because it can be done with both a working application and not a full running application. It can be done at both code-level or non-code level.	Fail
Regression Testing	After a bug fix or update, does the registration workflow still work as expected?	QA	Regression testing is assigned to the QA environment because it only needs anonymized data and an already working application.	Pass
Usability Testing	Can a real student navigate the multi-step registration process intuitively?	Staging	Real users are always used in the staging environment & it will involve using real or realistic PII. Running it in other environments does not fit the standards for usability testing. We need a fully functional app that can take in real user data	Pass

Responsive Design Testing	Does the registration workflow display and function correctly on smaller screen sizes? (viewports below 400px.)	QA,Staging	This test can be done in both QA and staging environments because we need a fully working application. User date can be anonymized or not anonymized for this test. Testing this in DEV would not give us a full running app that can show different screen sizes.	Fail

KNOWN DEFECTS AFFECTING THIS FEATURE

Defect ID: DEF-001

Description: Entering a special character (for example, @) into the payment field bypasses front-end validation and causes the application to return an HTTP 500 Internal Server Error.

Visible In: Browser Network tab

Recommended Test Environment: QA (localhost:8081)

Reason: This defect can be safely reproduced and documented in the QA environment using anonymized test payment data. Testing in QA eliminates any risk to real user accounts or financial systems while allowing developers to investigate the issue.

Defect ID: DEF-002

Description: Minimizing the screen to 400px or less causes things to overlap. The responsiveness is incorrect.

Visible In: User Interface/Mobile Devices

Recommended Test Environment: QA

Reason: This defect can safely be reproduced in the QA environment using a mobile device emulator. Testing in QA eliminates the risk of exposing user data.