



www.kamaka.de

Zentrale
Ulmer Strasse 130
73431 Aalen

Tel. +49 7361-9662-0
Fax. +49 7361-9662-29
Email: info@kamaka.de

Büro Nord
Robert-Bosch-Strasse 25
25335 Elmshorn

Tel. +49 4121-463900
Fax. +49 4121-463901
Email: schroeder@kamaka.de

Industrial Solutions

Manufacturers	Products
	Frequency Control Products, Quartz Crystals, Crystal Oscillators XO's, VCXOs, TCXOs, VC-TCXOs, OCXOs, Automotive Crystals, Automotive Oscillators, Filters, Ceramic Resonators, SMD & THT Products, RoHS, REACH compliant Applications: Commercial, Industrial, GPS, Bluetooth, Wireless LAN, Sensor
	Power Inductors, RF Inductors, RF Coils, Chokes, Transformers, Custom Products New Harowe® Resolver Products: Housed & Frameless Brushless, Heavy Duty Quality Standards set by the accreditation of their MIL-PRF-39010, "R" failure rate Applications: Hi-Rel, Medical, Down Hole, Railway, Industrial, Motor Commutation
	Overvoltage Protection Solutions: TVS - Transient Voltage Suppressors GDT - Gas Discharge Tubes, TSS - Thyristor Surge Suppressors Surge Protection on AC/DC Power Supply, Industrial & Medical Systems Applications: Industrial Automation, Power Supplies, Transport
	Highly Efficient Dual Regulated Output Ambient Energy Manager Ultra-Low-Power-Start-up; Ultra-Low-Power Boost Regulator Integrated LDO Regulator at low voltage 1.8V and high voltage 4.2V; Flexible Energy Storage Management; Input Voltage 380mV; Input Power 11µW Smallest Footprint; package QFN-24-pin; Smallest external BOM
	Development and production of custom and mobile portable power systems Aerospace / UAV: Rechargeable batteries: High energy density (up to 240Wh/Kg) Medical & Industrial products: standard and custom Li-Ion rechargeable batteries Micro-grid energy storage systems
	Electromechanical Relays: range from 1A to 80A & AC or DC Coils, SPDT PC-DIP, SPDT, DPDT, Subminiature DPDT, Low Profile SPDT/DPDT, Automotive Relays, SPDT 10Amp, 20Amp /DPDT 10Amp HAT, KLT, SPR Latching Relays, Reed Switches, Mini Reed Relays, Small Dry Reed Relays, Proximity Switches, OKI Reeds, Latching Relays. Applications: circuits with long lifetime and high reliability
	Power Semiconductor Products: Diodes, Thyristors, Modular Blocks, Heat Sinks, Isolated Modules, Crossed-Field Amplifiers, Absorbers. Approvals: ISO9001:2008, AQAP 2110:2009. Applications: New Energy, Inverters, High Power Switching Units, High Power Rectifiers, Commercial Applications
	Super-Capacitors up to 2.8V, wide Temp. range -40 to +65°C; -25 to +70°C EDLC (Green Caps): 3F to 3000F, 2.5V to 2.7V, very low ESR Hybrid-Supercaps: 250F to 7500F, 2.8V, Low ESR Applications: Hybrid Vehicles, Renewable Energy System PV, Wind, UPS High Power Performance vs. Battery, Maintenance-free, Environmental
	Mission critical Thin & Thick Film Chip Resistors, Precision Chip Resistors, High Frequency Products, Resistor Networks, Chip Attenuators, Current Sense Resistors, High Power Chip Resistors, Power Moisture & Zero Ohm Chip Resistors (Jumpers), High Voltage Chip Resistors, Silicon Resistors Applications: High Quality Industrial, Medical, Hybrids, Special Applications
	Character Displays & Graphic LCD Displays, TN, STN, FSTN, COB, TAB TFT LCD, OLED Display Modules, Industrial Panel PC's, ARM 9 System Applications: Industrial Measuring Instruments, Control Devices
	High Reliability Hybrid Microcircuit Crystal Oscillators TTL-LVTTL-CMOS-HC/ACMOS-GATED-ECL, Complementary Outputs Multiple Frequency Outputs, High Shock & Vibration Designs, High Temp. range Surface Mount Packages: Leadless Chip Carrier, J-Lead, Gull Wing Lead
	Adapter Products, 1:1 Footprint conversion, ASIC/ FPGA Adapters to include code reconstruction and re-targeting, Interconnect Pitch Adapters, Programming Adapter Functionality Upgrade, Production & Test Sockets, Atmel AVR Adapters, Reverse Engineering of Small Plastic & Metal Parts Applications: Adapter Solutions, Device Specific Package Conversion

The copyright of the used pictorial material is owned by the respective manufacturer.

Convince yourself from our Website: www.kamaka.de

Power Management

Manufacturers	Products
	AC/DC Power Supplies New Generation Series JETA with EMC Filter 60 to 5000W Input: 3-phase 400VAC, 230VAC, 115VAC; Output: 5 to 60; 12 to 60; 24 to 60VDC Temp. Range -50°C to +85°C; PFC up to 93% DC/DC-Converters Series JETD with EMC Filter 25 to 800W Input: 12, 24, 27, 48VDC; Output: 3 to 60; 5 to 60; 9 to 60VDC Temp. Range -60°C to +125°C; Efficiency up to 93%
	Isolated single, dual and triple output DC/DC Converters from 0.25 to 2100 W Module & Open Frame Converters, SMT&THT, Brick Assembly Modules (CBAM™) Commercial-off-the-shelf (COTS) Converters, 5 year warranty Applications: Avionics, Defense, Industrial, Marine, Medical Applications
	Single and dual output DC/DC Converters from 1 to 50W, 2 year warranty Industry Standard Footprints SIP, DIP, SMT, 1x1 and 1x2 thru hole patterns, Switch mode AC/DC Supplies; encapsulated PCB mount from 4 to 60 W, Din Rail mount 120W to 480W, Chassis mount AC/DC Power Supplies from 25W to 150W Applications: Industrial, Railway, Commercial and Medical Applications
	Highest Energy and Power Density Capacitors with MTBF>5.000.000 hours Product range 68 µF to 240.000µF (10V to 125V) 85°C, 125°C and 200°C. Very low ESR, very high current handling capability, Highest levels of quality High Temperature Products +200°C for Oil and Gas exploration Applications: Power hold up Avionics, Laser Pulse Power, Phased Array Radar Pulse Power, Replacement of Standard Capacitors and Batteries
	AC/DC Power Supply Chargers up to 1200W Electric Vehicle DC/DC Converters up to 450W AC/DC Power LED Drivers from 18 to 150W, constant voltage, dimmable Applications: Electric Vehicles, E-Bikes, LED Lightning, 5 year warranty
	Hermetic Power MOSFETs, Voltage Regulators, Schottky Diodes, Rectifiers Hybrid single, dual and triple DC/DC Converters from 5W to 120W, EMI Filters High Temperature single and dual DC/DC Converters up to 200°C, 5 W to 20W Applications: High Reliability Avionics, High Temperature Products for Oil & Gas
	Super Cap UPS System Products - Battery is not used Back-up Power Supply version with DC input & DC output or AC input & AC output Long life time, wide operating temperature range, long output & high reliability Main features for Outdoor Environment Applications: maintenance-free design
	Single and dual output DC/DC Converters from 1W to 72W High Power LED Drivers 18W to 64W, DC/DC Step Down Converters Products are certified by CE and RoHS compliant, 2 year warranty Applications: Commercial and Industrial Applications
	VME Bus Power Converters, AC/DC- and DC/DC-Converters up to 250W Hi-Rel Cabin and Electronics Bay Power Supplies for the Civil Aerospace Market IFEC – In Flight Entertainment and Communication Products for Civil Aircrafts Power Supplies for Industrial Sub-sea Systems for the Oil and Gas Industry Applications: Civil Avionics, Civil Aircrafts, Industrial, Military, Oil & Gas
	Design and Manufacturing RD Center for standard and customized Converters Encapsulated, Brick DC/DC Converters from 5W to 960W, Input 12:1/ 8:1/ 4:1/ 2:1 Open Frame Single & Dual DC/DC Converters up to 50W Applications: High End Industry, Automation, Telecom, Datacom, Transportation, Railway and Critical Aerospace Missions
	Isolated DC/DC Converters 1,5W to 150W, 700 kinds of standardized Converters constant current, constant voltage DC/DC Converters up 600W Non-isolated DC/DC Converters 5W to 75W, POL Converters AC/DC Converters from 5W to 200W, Electric Vehicle Components

KAMAKA Service

KAMAKA was established in 1992

Anti- Counterfeiting Program
Life Cycle Management
Project Management
Requirements Engineering
Supplier Management
Traceability is guaranteed

Total Quality Management: DIN EN 9120:2009 technically equivalent to AS9120A and SJAC9120
DIN EN ISO 9001:2008, DIN EN 61340-5-1 ESD compliant storage & handling process

The copyright of the used pictorial material is owned by the respective manufacturer.

Convince yourself from our Website: www.kamaka.de