





# CONTENT

Augmented Reality (AR) - Digital meets real	2
3D preview of 92	3
Integrate Eaton eCAD catalog inside your CAD System	4
2D derivations and Bill-Of-Material (BOM)	5
Technical drawings	6
Technical data	7
Get a free E-Learning training for Eaton eCAD catalog	8








#### AR

Augmented Reality, often shortened to AR, is a technology that blends digital information into the real world. For more information, please click here or directly try yourself by scanning the QR code with your phone.













Please scan the QR code above and open on AR-enabled device.

There is a possibility that the configuration will fail. If that happens, please try a different product.








#### 3D view





#### **HOW TO ACTIVATE 3D?**

To activate the interactive 3D view in Acrobat Reader, you need to select, at the top of the page, **Options** and then Trust this document



**€** Zoom

Moves you toward or away from objects in the scene when you drag vertically. You can also zoom with the hand tool by holding down Shift as you drag.



Moves the model vertically and horizontally only. You can also pan with the hand tool: Ctrl-drag.



Turns 3D objects around relative to the screen. How the objects move depends on the starting view, where you start dragging and the direction in which you drag.







### **CAD** plugins

With our CAD integrations, you can use 3Dfindit directly in your CAD system and make your work easier with additional comfort functions, such as replacing a part and many more.




To the plugins








2D derivation







ISO view

Bill-Of-Materials

N°	Description	Amount
1.1	278474	1







## Technical drawings







#### Technical data

MANUID (Product number of the Manufacturer)	278474
DESCSHORT (Short Description)	Stand alone base, for overload relay, ZB65
DESCLONG (Long Description)	Base for separate mounting of overload relay frame size ZB65
MANUTYPEDESC (Manufacturer Type Description)	ZB65-XEZ
PREVIEW (Preview)	//_pool_/c4/3a/2300pic-16_580x580.png
INTNO (International product number)	04015082784744
BUYER_PID ()	278474
MANUNAME (Manufacturer Name)	Eaton
DELTIME (Delivery Time)	0
PRODSTAT (Product status)	Master2016
AAB382 (Type of accessory)	Base
AAO057 (Product type)	ZB65-XEZ
AAO663 (GTIN)	04015082784744
AAU731 (Manufacturer product family)	ZB65
AAU732 (Manufacturer product root)	ZB
AAW338 (Manufacturer product designation)	Stand alone base, for overload relay, ZB65
AAO735 (name of supplier)	Eaton
AAD931 (customs tariff number (TARIC))	AAT042
BAB392 (certificate/approval)	CE
NOCUPEROU (Number of content units per order unit)	1
PRICEQUANTITY (Price Quantity)	1
QUANTITYMIN (Minimum Order Quantity)	2
QUANTITYINT (Quantity Scale)	2
CTN (Customs tariff number)	85389099
COO (Country of origin)	DE
WEIGHT ()	137
LENGTH ()	92
WIDTH ()	60
DEPTH ()	119







#### E-Learning

Discover free training for 3Dfindit, the search engine for engineers, designers, and architects. Our 30 to 50-minute interactive courses provide you with comprehensive knowledge about the platform. Upon successful completion, you will receive a certificate. Start your first course now and master 3Dfindit!



Learn more

Start course