

 +91 917 589 21 53

 info@shabbir-hardware.com

 shabbir-hardware.com



**SHABBIR
HARDWARE**

About Us

At Shabbir Hardware, we are passionate about keeping the world moving — literally.

As a young and ambitious startup, we specialize in supplying high-quality casters for a wide range of applications. From hospital beds and medical trolleys to hotel luggage carts, shopping mall trolleys, industrial equipment, and anything that moves on wheels, we deliver mobility solutions that are smooth, durable, and reliable.

Our strength lies in our focus on quality, innovation, and customer satisfaction. Whether you are in healthcare, hospitality, retail, or manufacturing, we provide precision-engineered casters that ensure effortless movement and long-lasting performance.

At Shabbir Hardware, our goal is to be your trusted partner for all caster needs — helping you keep things rolling, one wheel at a time.



Product Catalog

2023





Table of Contents



Black Rubber Caster	03
Black PU/PVC Caster	04
Red PU/PVC Caster Wheel	05
Yellow PP Caster	06
Red PVC Light Duty Caster	07
Yellow PP Caster	03
Red PVC Light Duty Caster	07
Maroon PU/PVC Caster Wheels	08
Scaffolding Rubber / CI Bonded Caster Wheels	09
Cast Iron Caster	10
Grey Polyurethane/PVC Caster (Anti Skid)	11
Grey Rubber Caster (Foam Type)	12
Solid Rubber Caster	13
Polypropylene Caster (MD)	14
Red Polyurethane Caster	15
Forged Caster	16
Wheel Options	17
Adjustable PU/PVC Caster	18
Low Profile Nylon Caster	19
Leveling Caster	20
Brown TPR Caster	21
Medical (Twin) Caster	22
Medical Caster	23


Black Rubber Caster

Housing

Pressed steel, zinc plated, needle / roller bearing

Material

Black rubber + Steel core

**W0008XXXA****W0008XXXAF****W0008XXXAB****W0008XXXAT****W0008XXXABT**

Art No.	Wheel Diameter X Wheel Height	Overall Height	Top Plate Size	Bolt Hole Spacing	Bolt Hole Diameter	Load Capacity (Kg)	Stem Diameter
W008075A	75x23	96	82x67	60x45	11x8.5	40	10x30
W008100A	100x27	130	102x84	80x60	14x9	60	12x45
W008125A	125x34	155	102x84	80x60	14x9	100	12x45
W008150A	150x40	195	135x105	105x75	16x11	130	16x40
W008200A	200x46	235	135x105	105x75	16x11	150	16x40


Black PU/PVC Caster

Housing

Pressed steel, Powder coated, Double ball bearing

Material

Polyurethane / PVC

**W007B0XXPU****W007B0XXPUF****W007B0XXPUB****W007B0XXPUT****W007B0XXPUBT**

Art No.	Wheel Diameter X Wheel Height	Overall Height	Top Plate Size	Bolt Hole Spacing	Bolt Hole Diameter	Load Capacity (Kg)	Stem Diameter
W007B042PU	40x20	60	60x43	30x45	6x9	50	8/10/12 X 25
W007B050PU	50x24	71	70x50	35x50	8x11	60	8/10/12 X 25
W007B063PU	63x3	90	92x62	45x72	8x11	70	8/10/12 X 25

Red PU/PVC Caster Wheel

Housing
Pressed steel, zinc plated, Double ball bearing

Material
PU / PVC



W004XXXPVC




W004XXXPVCF



W004XXXPVCB



W004XXXPVCT



W004XXXPVCBT

Art No.	Wheel Diameter X Wheel Height	Overall Height	Top Plate Size	Bolt Hole Spacing	Bolt Hole Diameter	Load Capacity (Kg)	Stem Diameter
W004075PVC	75x30	105	93x62	45x72	13x10	80	10/12 x 30
W0040100PVC	100x30	130	93x62	45x72	13x10	90	10/12 x 30
W0040125PVC	125x30	155	93x62	45x72	13x10	100	10/12 x 30

Yellow PP Caster

Housing
Pressed steel, zinc plated, Double ball bearing

Material
Polypropylene



W004XXXPP



W004XXXPPF



W004XXXPPB



W004XXXPPT



W004XXXPPBT

Art No.	Wheel Diameter X Wheel Height	Overall Height	Top Plate Size	Bolt Hole Spacing	Bolt Hole Diameter	Load Capacity (Kg)	Stem Diameter
W004075PP	75x30	105	93x62	45x72	13x10	80	10/12 x 30
W0040100PP	100x30	130	93x62	45x72	13x10	90	10/12 x 30
W0040125PP	125x30	155	93x62	45x72	13x10	100	10/12 x 30

Red PVC Light Duty Caster

Housing
Pressed steel, zinc plated

Material
PVC



W007B050PVC



W007B050PVCB



W007B050PVCT



W007B050PVCBT

Art No.	Wheel Diameter X Wheel Height	Overall Height	Top Plate Size	Bolt Hole Spacing	Bolt Hole Diameter	Load Capacity (Kg)	Stem Diameter
W007B050PVC	50x20	68	50x50	36x36	11x6.2	35	8/10/12 x 25

Maroon PU/PVC Caster Wheels

Housing

Pressed steel, zinc plated, Double ball bearing

Material

PU / PVC



W004XXXPVC



W004XXXPVCF



W004XXXPVCB



W004XXXPVCT



W004XXXPVCBT

Art No.	Wheel Diameter X Wheel Height	Overall Height	Top Plate Size	Bolt Hole Spacing	Bolt Hole Diameter	Load Capacity (Kg)	Stem Diameter
W004075PVC	75x30	105	93x62	45x72	13x10	80	10/12 x 30
W0040100PVC	100x30	130	93x62	45x72	13x10	90	10/12 x 30
W0040125PVC	125x30	155	93x62	45x72	13x10	100	10/12 x 30

Scaffolding Rubber / CI Bonded Caster Wheels



W00XXXSCAFF



W00XXXSCAFFB



W00XXXSCAFFBP

Art No.	Wheel Diameter X Wheel Height	Overall Height	Top Plate Size	Bolt Hole Spacing	Load Capacity (Kg)
W00150SCAFF	150x40	195	60x120	NA	130
W00200SCAFF	200x46	235	60x120	NA	150
W00150SCAFFB	150x50	195	60x120	NA	180
W00200SCAFFB	200x50	235	60x120	NA	220
W00150SCAFFBP	150x50	195	NA	35x90	180
W00200SCAFFBP	200x50	235	NA	35x90	220


Cast Iron Caster

Housing
Pressed steel, Zinc plated

Material
Cast Iron



W004XXXC



W004XXXCF

Art No.	Wheel Diameter X Wheel Height	Overall Height	Top Plate Size	Bolt Hole Spacing	Bolt Hole Diameter	Load Capacity (Kg)
W004050C	50x20	71	93x62	45x72	13x10	80
W004075C	75x25	105	93x62	45x72	13x10	90
W004100C	100x40	130	93x62	45x72	13x10	100

Grey Polyurethane/PVC Caster (Anti Skid)

Housing
Solid steel welded construction, zinc plated
Material
Polyurethane / PVC



W005XXXYGVC



W005XXXYGVCF



W005XXXYGVCB

Art No.	Wheel Diameter X Wheel Height	Overall Height	Top Plate Size	Bolt Hole Spacing	Bolt Hole Diameter	Load Capacity (Kg)
W005100YGVC	100x50	135	115x100	85x73	20x13	200
W005125YGVC	125x50	158	115x100	85x73	20x13	250
W005150YGVC	150x50	188	115x100	85x73	20x13	300

Grey Rubber Caster (Foam Type)

Housing
Solid steel welded construction, zinc plated
Material
Foam rubber



W005XXXGBL



W005XXXGBLF



W005XXXGBLB

Art No.	Wheel Diameter X Wheel Height	Overall Height	Top Plate Size	Bolt Hole Spacing	Bolt Hole Diameter	Load Capacity (Kg)
W005100GBL	100x53	135	115x100	85x73	20x13	180
W005125GBL	125x53	158	115x100	85x73	20x13	200
W005150GBL	150x53	188	115x100	85x73	20x13	230
W005200GBL	200x53	237	115x100	85x73	20x13	250

Solid Rubber Caster

Housing

Solid steel welded construction, zinc plated

Material

Polypropylene

**W00XXXXPP****W00XXXXPPF****W00XXXXPPB**

Art No.	Wheel Diameter X Wheel Height	Overall Height	Top Plate Size	Bolt Hole Spacing	Bolt Hole Diameter	Load Capacity (Kg)
W005100PP	100x42	135	115x100	85x73	20x13	130
W005125PP	125x42	158	115x100	85x73	20x13	185
W005150PP	150x42	188	115x100	85x73	20x13	250
W005200PP	200x42	237	115x100	85x73	20x13	300

Polypropylene Caster (MD)

Housing
Solid steel welded construction,
zinc plated
Material
Polypropylene



W00XXXXPP



W00XXXXPPF



W00XXXXPPB

Art No.	Wheel Diameter X Wheel Height	Overall Height	Top Plate Size	Bolt Hole Spacing	Bolt Hole Diameter	Load Capacity (Kg)
W005100PP	100x42	135	115x100	85x73	20x13	130
W005125PP	125x42	158	115x100	85x73	20x13	185
W005150PP	150x42	188	115x100	85x73	20x13	250
W005200PP	200x42	237	115x100	85x73	20x13	300

Red Polyurethane Caster

Housing
Solid steel welded construction,
zinc plated
Material
Polyurethane



W00XXXXPU



W00XXXXPUF



W00XXXXPUB

Art No.	Wheel Diameter X Wheel Height	Overall Height	Top Plate Size	Bolt Hole Spacing	Bolt Hole Diameter	Load Capacity (Kg)
W005100PU	100x50	135	115x100	85x73	20x13	200
W005125PU	125x50	158	115x100	85x73	20x13	250
W005150PU	150x50	188	115x100	85x73	20x13	350
W005200PU	200x50	237	115x100	85x73	20x13	380

Forged Caster

Housing

Solid steel welded construction



Wheel Options



Adjustable PU/PVC Caster

Housing
Made of Pressed Steel Bracket Galvanized
Material
PU/PVC



W004XXXADJ



W004XXXADJ

Art No.	Wheel Diameter X Wheel Height	Overall Height	Top Plate Size	Bolt Hole Spacing	Bolt Hole Diameter	Load Capacity (Kg)
W004050ADJ	50x24	70	60x60	45x45	6.2	50
W004065ADJ	65x32	89	92x63	75x47	8x11	80
W004075ADJ	75x32	107	92x63	75x47	8x11	90
W004100ADJ	100x32	110	92x63	75x47	8x11	100

Low Profile Nylon Caster

Housing
Made of pressed steel, electrophoresis finish,
double ballrace swivel head

Material
Nylon/PP



W007BXXXNY



W007BXXXNYF



W007BXXXNYB



W007BXXXNYB

Art No.	Wheel Diameter X Wheel Height	Overall Height	Top Plate Size	Bolt Hole Spacing	Bolt Hole Diameter	Load Capacity (Kg)
W007B050NY	50x30	70	72x53	55x38	6x8	100
W007B065NY	65x40	90.2	95x68	72x43	9x11	200
W007B075NY	75x45	105	105x80	72x43	9x11	250

Leveling Caster



W018-40F



W018-60F



W018-80F



W018-100F



W018-120F

Optional Fixed Stem



W018-XXS

Art No.	Wheel Diameter X Wheel Height	Overall Height	Top Plate Size	Bolt Hole Spacing	Load Capacity (Kg) Four Wheel	Load Capacity (Kg) Single Wheel
W018-40F/S	40x19.2	75+8	55x55x3	42x42	100	50
W018-60F/S	50x24	85+10	73x73x5	58x58	500	250
W018-80F/S	62x30.7	110+12	90x90x5	70x70	1000	500
W018-100F/S	75x32	120+12	95x95x5	70x70	1500	750
W018-120F/S	75x32	120+12	95x95x6	70x70	2000	1000
W018-150F/S	90x55	132+15	100x100x6	70x70	3000	1500

Brown TPR Caster

Housing
Made of pressed steel, chrome plated, double ballrace swivel head
Material
Thermoplastic Rubber



W007B0XXTPR



W007B0XXTPRF



W007B0XXTPRB



W007B0XXTPRP



W007B0XXTPRBP



W007B0XXTPRT



W007B0XXTPRBT

Art No.	Wheel Diameter X Wheel Height	Overall Height	Top Plate Size	Bolt Hole Spacing	Bolt Hole Diameter	Hole Diameter	Threaded Stem Diameter	Load Capacity (Kg)
W007B025TPR	25x12	37	38x30	29x21	4	/	6x15	10
W007B032TPR	32x12	44	39x33	30x24	4	/	6x15	15
W007B038TPR	38x16	52	46x39	36x28	5	6.5	6x15	20
W007B050TPR	50x20	77	60x49	45x32	6	10.5	10x25	35
W007B063TPR	63x20	90	70x52	52x33	6	12.5	12x30	45
W007B075TPR	75x25	104	73x60	54x39	8	12.5	12x30	55

Medical (Twin) Caster

Application

Hospital beds, Medical equipment trolleys

Material
PU-TPR



M00XXXTWTPR



M00XXXTWTPRB



M00XXXTWTPRPT



M00XXXTWTPRBT

Art No.	Wheel Diameter X Wheel Height	Overall Height	Top Plate Size	Bolt Hole Spacing	Bolt Hole Diameter	Hole Diameter	Threaded Stem Diameter	Load Capacity (Kg)
M00075TWTPR	75x56	102	76x61	60x75	8.5	12x30	-	60
M00100TWTPR	100x56	125	90x75	70x55	8.5	12x30	-	80
M00125TWTPR	125x65	155	80x75	70x55	8.5	16x30	28	125

Medical Caster

Application

Hospital beds, Medical equipment trolleys

Material
PU-TPR



M00XXXTPR



M00XXXTPRB



M00XXXTPRT



M00XXXTPRBT



M00XXXTPRP



M00XXXTPRBP

Art No.	Wheel Diameter X Wheel Height	Overall Height	Top Plate Size	Bolt Hole Spacing	Bolt Hole Diameter	Hole Diameter	Load Capacity (Kg)
M00075TPR	75x30	102	76x61	60x45	8.5	12x30	60
M00100TPR	100x30	125	90x75	70x55	8.5	12x30	80
M00125TPR	125x30	155	80x75	70x55	8.5	16x30	125



Contact

Thank you for taking the time to go through our catalog. We sincerely appreciate your interest in Shabbir Hardware and our range of caster solutions. We look forward to building a long-term business relationship with you and supporting your mobility needs with our quality products.

Huzefa Jabalpurwala

Customer success partner at
Shabbir Hardware

+91 917 589 21 53

info@shabbir-hardware.com

shabbir-hardware.com

Thank you

