[plugin:unplugin-vue-markdown] Language `[11]` not found, you may need to load it first

/Users/uglee/Coding/algorithm-practice/lectures/week05/2_lab/lab_05_en.md__slidev_15.md

```
    at Object.getLanguage (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shi
    at codeToTokensBase (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shiki
    at file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/core/dist/index
    at Array.map (<anonymous>)
    at codeToTokensWithThemes (file:///Users/uglee/Coding/algorithm-practice/node_modules/(
    at codeToTokens (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/c
    at codeToHast (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at Object.codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shik
    at markdownit.options.highlight (file:///Users/uglee/Coding/algorithm-practice/node_mo
```

Click outside, press `Esc` key, or fix the code to dismiss.

You can also disable this overlay by setting server.hmr.overlay to false in vite.config.js.

[plugin:unplugin-vue-markdown] Language `[11]` not found, you may need to load it first

/Users/uglee/Coding/algorithm-practice/lectures/week05/2_lab/lab_05_en.md__slidev_15.md

```
    at Object.getLanguage (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shi
    at codeToTokensBase (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shiki
    at file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/core/dist/index
    at Array.map (<anonymous>)
    at codeToTokensWithThemes (file:///Users/uglee/Coding/algorithm-practice/node_modules/(
    at codeToTokens (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/c
    at codeToHast (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at Object.codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shik
    at markdownit.options.highlight (file:///Users/uglee/Coding/algorithm-practice/node_mo
```

Click outside, press `Esc` key, or fix the code to dismiss.

You can also disable this overlay by setting server.hmr.overlay to false in vite.config.js.

To

- Ex
- Ex

Lab

Sect

A-1

A-2

A-3

B-1

```
[plugin:unplugin-vue-markdown] Language `[11]` not found, you may need to load it first

/Users/uglee/Coding/algorithm-practice/lectures/week05/2_lab/lab_05_en.md__slidev_15.md

    at Object.getLanguage (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shi
    at codeToTokensBase (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shiki
    at file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/core/dist/index
    at Array.map (<anonymous>)
    at codeToTokensWithThemes (file:///Users/uglee/Coding/algorithm-practice/node_modules/(
    at codeToTokens (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/c
    at codeToHast (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at Object.codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shik
    at markdownit.options.highlight (file:///Users/uglee/Coding/algorithm-practice/node_mo

Click outside, press Esc key, or fix the code to dismiss.
You can also disable this overlay by setting server.hmr.overlay to false in vite.config.js.
```

[plugin:unplugin-vue-markdown] Language `[11]` not found, you may need to load it first

/Users/uglee/Coding/algorithm-practice/lectures/week05/2_lab/lab_05_en.md__slidev_15.md

```
    at Object.getLanguage (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shi
    at codeToTokensBase (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shiki
    at file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/core/dist/index
    at Array.map (<anonymous>)
    at codeToTokensWithThemes (file:///Users/uglee/Coding/algorithm-practice/node_modules/(
    at codeToTokens (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/c
    at codeToHast (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at Object.codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shik
    at markdownit.options.highlight (file:///Users/uglee/Coding/algorithm-practice/node_mo
```

Click outside, press `Esc` key, or fix the code to dismiss.

You can also disable this overlay by setting server.hmr.overlay to false in vite.config.js.

[plugin:unplugin-vue-markdown] Language `[11]` not found, you may need to load it first

/Users/uglee/Coding/algorithm-practice/lectures/week05/2_lab/lab_05_en.md__slidev_15.md

```
    at Object.getLanguage (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shi
    at codeToTokensBase (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shiki
    at file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/core/dist/index
    at Array.map (<anonymous>)
    at codeToTokensWithThemes (file:///Users/uglee/Coding/algorithm-practice/node_modules/(
    at codeToTokens (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/c
    at codeToHast (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at Object.codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shik
    at markdownit.options.highlight (file:///Users/uglee/Coding/algorithm-practice/node_mo
```

Click outside, press `Esc` key, or fix the code to dismiss.

You can also disable this overlay by setting server.hmr.overlay to false in vite.config.js.

A-1

Goal:

Cas

```
Coins

Greed
  500
  = 6
```

Cas

```
Coins

Greed
  4 -

Optim
  3 -
```

Why does greedy fail? The coins are not in a divisor relationship – picking the locally best coin can block a globally better combination.

[plugin:unplugin-vue-markdown] Language `[11]` not found, you may need to load it first

/Users/uglee/Coding/algorithm-practice/lectures/week05/2_lab/lab_05_en.md__slidev_15.md

```
    at Object.getLanguage (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shi
    at codeToTokensBase (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shiki
    at file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/core/dist/index
    at Array.map (<anonymous>)
    at codeToTokensWithThemes (file:///Users/uglee/Coding/algorithm-practice/node_modules/(
    at codeToTokens (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/c
    at codeToHast (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at Object.codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shik
    at markdownit.options.highlight (file:///Users/uglee/Coding/algorithm-practice/node_mo
```

Click outside, press `Esc` key, or fix the code to dismiss.

You can also disable this overlay by setting `server.hmr.overlay` to `false` in `vite.config.js`.

A-

```
def c
    c
    r
    r
    f

    r
```

Run:

[plugin:unplugin-vue-markdown] Language `[11]` not found, you may need to load it first

/Users/uglee/Coding/algorithm-practice/lectures/week05/2_lab/lab_05_en.md__slidev_15.md

```
    at Object.getLanguage (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shi
    at codeToTokensBase (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shiki
    at file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/core/dist/index
    at Array.map (<anonymous>)
    at codeToTokensWithThemes (file:///Users/uglee/Coding/algorithm-practice/node_modules/(
    at codeToTokens (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/c
    at codeToHast (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at Object.codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shik
    at markdownit.options.highlight (file:///Users/uglee/Coding/algorithm-practice/node_mo
```

Click outside, press Esc key, or fix the code to dismiss.

You can also disable this overlay by setting server.hmr.overlay to false in vite.config.js.

A-

```
def c
```

Key

Coin set Greedy DP Same?

[plugin:unplugin-vue-markdown] Language `[11]` not found, you may need to load it first

/Users/uglee/Coding/algorithm-practice/lectures/week05/2_lab/lab_05_en.md__slidev_15.md

```
    at Object.getLanguage (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shi
    at codeToTokensBase (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shiki
    at file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/core/dist/index
    at Array.map (<anonymous>)
    at codeToTokensWithThemes (file:///Users/uglee/Coding/algorithm-practice/node_modules/
    at codeToTokens (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/c
    at codeToHast (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at Object.codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shik
    at markdownit.options.highlight (file:///Users/uglee/Coding/algorithm-practice/node_mo
```

Click outside, press Esc key, or fix the code to dismiss.

You can also disable this overlay by setting server.hmr.overlay to false in vite.config.js.

[plugin:unplugin-vue-markdown] Language `[11]` not found, you may need to load it first

/Users/uglee/Coding/algorithm-practice/lectures/week05/2_lab/lab_05_en.md__slidev_15.md

```
    at Object.getLanguage (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shi
    at codeToTokensBase (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shiki
    at file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/core/dist/index
    at Array.map (<anonymous>)
    at codeToTokensWithThemes (file:///Users/uglee/Coding/algorithm-practice/node_modules/(
    at codeToTokens (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/c
    at codeToHast (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at Object.codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shik
    at markdownit.options.highlight (file:///Users/uglee/Coding/algorithm-practice/node_mo
```

Click outside, press `Esc` key, or fix the code to dismiss.

You can also disable this overlay by setting server.hmr.overlay to false in vite.config.js.

A-2

Probl
can b

Knaps

Item

A
B
C

Gree

Step
Step
Step

[plugin:unplugin-vue-markdown] Language `[11]` not found, you may need to load it first

/Users/uglee/Coding/algorithm-practice/lectures/week05/2_lab/lab_05_en.md__slidev_15.md

```
    at Object.getLanguage (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shi
    at codeToTokensBase (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shiki
    at file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/core/dist/index
    at Array.map (<anonymous>)
    at codeToTokensWithThemes (file:///Users/uglee/Coding/algorithm-practice/node_modules/(
    at codeToTokens (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/c
    at codeToHast (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at Object.codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shik
    at markdownit.options.highlight (file:///Users/uglee/Coding/algorithm-practice/node_mo
```

Click outside, press `Esc` key, or fix the code to dismiss.

You can also disable this overlay by setting `server.hmr.overlay` to `false` in `vite.config.js`.

A-2

```
def f
    #
    s
    t
    r

    f

    r
```

[plugin:unplugin-vue-markdown] Language `[11]` not found, you may need to load it first

/Users/uglee/Coding/algorithm-practice/lectures/week05/2_lab/lab_05_en.md__slidev_15.md

```
    at Object.getLanguage (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shi
    at codeToTokensBase (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shiki
    at file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/core/dist/index
    at Array.map (<anonymous>)
    at codeToTokensWithThemes (file:///Users/uglee/Coding/algorithm-practice/node_modules/(
    at codeToTokens (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/c
    at codeToHast (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at Object.codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shik
    at markdownit.options.highlight (file:///Users/uglee/Coding/algorithm-practice/node_mo
```

Click outside, press Esc key, or fix the code to dismiss.

You can also disable this overlay by setting server.hmr.overlay to false in vite.config.js.

Run: `python examples/fractional_knapsack.py`

A-2

Why t
Fra
0-1

Why

- Pic
- If y
- **Tir**

[plugin:unplugin-vue-markdown] Language `[11]` not found, you may need to load it first

/Users/uglee/Coding/algorithm-practice/lectures/week05/2_lab/lab_05_en.md__slidev_15.md

```
    at Object.getLanguage (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shi
    at codeToTokensBase (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shiki
    at file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/core/dist/index
    at Array.map (<anonymous>)
    at codeToTokensWithThemes (file:///Users/uglee/Coding/algorithm-practice/node_modules/(
    at codeToTokens (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/c
    at codeToHast (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at Object.codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shik
    at markdownit.options.highlight (file:///Users/uglee/Coding/algorithm-practice/node_mo
```

Click outside, press `Esc` key, or fix the code to dismiss.

You can also disable this overlay by setting `server.hmr.overlay` to `false` in `vite.config.js`.

[plugin:unplugin-vue-markdown] Language `[11]` not found, you may need to load it first

/Users/uglee/Coding/algorithm-practice/lectures/week05/2_lab/lab_05_en.md__slidev_15.md

```
    at Object.getLanguage (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shi
    at codeToTokensBase (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shiki
    at file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/core/dist/index
    at Array.map (<anonymous>)
    at codeToTokensWithThemes (file:///Users/uglee/Coding/algorithm-practice/node_modules/(
    at codeToTokens (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/c
    at codeToHast (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at Object.codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shik
    at markdownit.options.highlight (file:///Users/uglee/Coding/algorithm-practice/node_mo
```

Click outside, press `Esc` key, or fix the code to dismiss.

You can also disable this overlay by setting server.hmr.overlay to false in vite.config.js.

A-3

Probl

Text:

Chara
'a'

Gree

Step
Step
Step
Step

Key

No co

[plugin:unplugin-vue-markdown] Language `[11]` not found, you may need to load it first

/Users/uglee/Coding/algorithm-practice/lectures/week05/2_lab/lab_05_en.md__slidev_15.md

```
    at Object.getLanguage (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shi
    at codeToTokensBase (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shiki
    at file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/core/dist/index
    at Array.map (<anonymous>)
    at codeToTokensWithThemes (file:///Users/uglee/Coding/algorithm-practice/node_modules/(
    at codeToTokens (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/c
    at codeToHast (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at Object.codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shik
    at markdownit.options.highlight (file:///Users/uglee/Coding/algorithm-practice/node_mo
```

Click outside, press `Esc` key, or fix the code to dismiss.

You can also disable this overlay by setting `server.hmr.overlay` to `false` in `vite.config.js`.

[plugin:unplugin-vue-markdown] Language `[11]` not found, you may need to load it first

/Users/uglee/Coding/algorithm-practice/lectures/week05/2_lab/lab_05_en.md__slidev_15.md

```
    at Object.getLanguage (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shi
    at codeToTokensBase (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shiki
    at file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/core/dist/index
    at Array.map (<anonymous>)
    at codeToTokensWithThemes (file:///Users/uglee/Coding/algorithm-practice/node_modules/(
    at codeToTokens (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/c
    at codeToHast (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at Object.codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shik
    at markdownit.options.highlight (file:///Users/uglee/Coding/algorithm-practice/node_mo
```

Click outside, press `Esc` key, or fix the code to dismiss.

You can also disable this overlay by setting server.hmr.overlay to false in vite.config.js.

A-

```
impor

class
    d

    d

def b
    h
    h
    w

    r

def generate_codes(root, prefix="", codes=None):
    if codes is None: codes = {}
    if root.char is not None:           # leaf node
```

[plugin:unplugin-vue-markdown] Language `[11]` not found, you may need to load it first

/Users/uglee/Coding/algorithm-practice/lectures/week05/2_lab/lab_05_en.md__slidev_15.md

```
    at Object.getLanguage (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shi
    at codeToTokensBase (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shiki
    at file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/core/dist/index
    at Array.map (<anonymous>)
    at codeToTokensWithThemes (file:///Users/uglee/Coding/algorithm-practice/node_modules/(
    at codeToTokens (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/c
    at codeToHast (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at Object.codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shik
    at markdownit.options.highlight (file:///Users/uglee/Coding/algorithm-practice/node_mo
```

Click outside, press `Esc` key, or fix the code to dismiss.

You can also disable this overlay by setting `server.hmr.overlay` to `false` in `vite.config.js`.

A-3

Text:

ASCII
Fixed
Huffm
Entro

Why

- At
- Th
- Pr

Tim

- n =
- Ea

[plugin:unplugin-vue-markdown] Language `[11]` not found, you may need to load it first

/Users/uglee/Coding/algorithm-practice/lectures/week05/2_lab/lab_05_en.md__slidev_15.md

```
    at Object.getLanguage (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shi
    at codeToTokensBase (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shiki
    at file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/core/dist/index
    at Array.map (<anonymous>)
    at codeToTokensWithThemes (file:///Users/uglee/Coding/algorithm-practice/node_modules/(
    at codeToTokens (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/c
    at codeToHast (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at Object.codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shik
    at markdownit.options.highlight (file:///Users/uglee/Coding/algorithm-practice/node_mo
```

Click outside, press Esc key, or fix the code to dismiss.

You can also disable this overlay by setting server.hmr.overlay to false in vite.config.js.

[plugin:unplugin-vue-markdown] Language `[11]` not found, you may need to load it first

/Users/uglee/Coding/algorithm-practice/lectures/week05/2_lab/lab_05_en.md__slidev_15.md

```
    at Object.getLanguage (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shi
    at codeToTokensBase (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shiki
    at file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/core/dist/index
    at Array.map (<anonymous>)
    at codeToTokensWithThemes (file:///Users/uglee/Coding/algorithm-practice/node_modules/(
    at codeToTokens (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/c
    at codeToHast (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at Object.codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shik
    at markdownit.options.highlight (file:///Users/uglee/Coding/algorithm-practice/node_mo
```

Click outside, press `Esc` key, or fix the code to dismiss.

You can also disable this overlay by setting server.hmr.overlay to false in vite.config.js.

[plugin:unplugin-vue-markdown] Language `[11]` not found, you may need to load it first

/Users/uglee/Coding/algorithm-practice/lectures/week05/2_lab/lab_05_en.md__slidev_15.md

```
    at Object.getLanguage (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shi
    at codeToTokensBase (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shiki
    at file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/core/dist/index
    at Array.map (<anonymous>)
    at codeToTokensWithThemes (file:///Users/uglee/Coding/algorithm-practice/node_modules/(
    at codeToTokens (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/c
    at codeToHast (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at Object.codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shik
    at markdownit.options.highlight (file:///Users/uglee/Coding/algorithm-practice/node_mo
```

Click outside, press `Esc` key, or fix the code to dismiss.

You can also disable this overlay by setting server.hmr.overlay to false in vite.config.js.

[plugin:unplugin-vue-markdown] Language `[11]` not found, you may need to load it first

/Users/uglee/Coding/algorithm-practice/lectures/week05/2_lab/lab_05_en.md__slidev_15.md

```
    at Object.getLanguage (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shi
    at codeToTokensBase (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shiki
    at file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/core/dist/index
    at Array.map (<anonymous>)
    at codeToTokensWithThemes (file:///Users/uglee/Coding/algorithm-practice/node_modules/(
    at codeToTokens (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/c
    at codeToHast (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at Object.codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shik
    at markdownit.options.highlight (file:///Users/uglee/Coding/algorithm-practice/node_mo
```

Click outside, press `Esc` key, or fix the code to dismiss.

You can also disable this overlay by setting `server.hmr.overlay` to `false` in `vite.config.js`.

B-1

Gree

Sorte
A:
E:

Selec
Pic
Ski
Ski
Pic
Ski
Ski
Ski
Pic
Ski

Resul

```
[plugin:unplugin-vue-markdown] Language `[11]` not found, you may need to load it first

/Users/uglee/Coding/algorithm-practice/lectures/week05/2_lab/lab_05_en.md__slidev_15.md

    at Object.getLanguage (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shi
    at codeToTokensBase (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shiki
    at file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/core/dist/index
    at Array.map (<anonymous>)
    at codeToTokensWithThemes (file:///Users/uglee/Coding/algorithm-practice/node_modules/(
    at codeToTokens (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/c
    at codeToHast (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at Object.codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shik
    at markdownit.options.highlight (file:///Users/uglee/Coding/algorithm-practice/node_mo

Click outside, press Esc key, or fix the code to dismiss.
You can also disable this overlay by setting server.hmr.overlay to false in vite.config.js.
```

B-1

```
def a
```

[plugin:unplugin-vue-markdown] Language `[11]` not found, you may need to load it first

/Users/uglee/Coding/algorithm-practice/lectures/week05/2_lab/lab_05_en.md__slidev_15.md

```
    at Object.getLanguage (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shi
    at codeToTokensBase (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shiki
    at file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/core/dist/index
    at Array.map (<anonymous>)
    at codeToTokensWithThemes (file:///Users/uglee/Coding/algorithm-practice/node_modules/(
    at codeToTokens (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/c
    at codeToHast (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at Object.codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shik
    at markdownit.options.highlight (file:///Users/uglee/Coding/algorithm-practice/node_mo
```

Click outside, press `Esc` key, or fix the code to dismiss.

You can also disable this overlay by setting `server.hmr.overlay` to `false` in `vite.config.js`.

Why

- Choosing the meeting that **finishes earliest** leaves the most room for future meetings
- This greedy choice property is provably optimal

[plugin:unplugin-vue-markdown] Language `[11]` not found, you may need to load it first

/Users/uglee/Coding/algorithm-practice/lectures/week05/2_lab/lab_05_en.md__slidev_15.md

```
    at Object.getLanguage (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shi
    at codeToTokensBase (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shiki
    at file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/core/dist/index
    at Array.map (<anonymous>)
    at codeToTokensWithThemes (file:///Users/uglee/Coding/algorithm-practice/node_modules/(
    at codeToTokens (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/c
    at codeToHast (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at Object.codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shik
    at markdownit.options.highlight (file:///Users/uglee/Coding/algorithm-practice/node_mo
```

Click outside, press `Esc` key, or fix the code to dismiss.

You can also disable this overlay by setting server.hmr.overlay to false in vite.config.js.

Su

Wha

- Co
- Fra
- Hu
- Ac

Whe

```
Greed
  1.

  2.
```

Hon

See `homework/README.md` for assignment details.

Next week

[plugin:unplugin-vue-markdown] Language `[11]` not found, you may need to load it first

/Users/uglee/Coding/algorithm-practice/lectures/week05/2_lab/lab_05_en.md__slidev_15.md

```
    at Object.getLanguage (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shi
    at codeToTokensBase (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shiki
    at file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/core/dist/index
    at Array.map (<anonymous>)
    at codeToTokensWithThemes (file:///Users/uglee/Coding/algorithm-practice/node_modules/(
    at codeToTokens (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/c
    at codeToHast (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at Object.codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shik
    at markdownit.options.highlight (file:///Users/uglee/Coding/algorithm-practice/node_mo
```

Click outside, press `Esc` key, or fix the code to dismiss.

You can also disable this overlay by setting `server.hmr.overlay` to `false` in `vite.config.js`.

[plugin:unplugin-vue-markdown] Language `[11]` not found, you may need to load it first

/Users/uglee/Coding/algorithm-practice/lectures/week05/2_lab/lab_05_en.md__slidev_15.md

```
    at Object.getLanguage (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shi
    at codeToTokensBase (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shiki
    at file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/core/dist/index
    at Array.map (<anonymous>)
    at codeToTokensWithThemes (file:///Users/uglee/Coding/algorithm-practice/node_modules/(
    at codeToTokens (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/c
    at codeToHast (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shikijs/cor
    at Object.codeToHtml (file:///Users/uglee/Coding/algorithm-practice/node_modules/@shik
    at markdownit.options.highlight (file:///Users/uglee/Coding/algorithm-practice/node_mo
```

Click outside, press `Esc` key, or fix the code to dismiss.

You can also disable this overlay by setting server.hmr.overlay to false in vite.config.js.