Swaminarayan University
Mid Sem Examination
Subject: JavaScript
Date: 28th October, 2026

Name:_____
GR No.: _____
Enrollment No: _____

Q1. Which standard does JavaScript follow?

A. HTML
B. CSS
C. ECMAScript
D. SQL

Q2. What is printed?

```
console.log(typeof 123n);
```

A. number B. object
C. string D. bigint

Q3. Which pairing is incorrect?

A. Chrome — V8
B. Firefox — SpiderMonkey
C. Safari — V8
D. Edge — V8

Q4. What is printed?

```
let message = "Hello";
console.log(Message);
```

A. Prints Hello B. Prints undefined
C. Throws an error D. Prints Message

Q5. What is Node.js?

A. A browser engine
B. A CSS framework
C. A database
D. A JavaScript runtime

Q6. What happens?

```
let user = "Vikas";
let User = "Amit";
console.log(User);
```

A. Vikas B. Amit
C. Undefined D. Error

Q7. Which technology adds webpage behavior?

A. HTML
B. CSS
C. JavaScript
D. JSON

Q8. What is printed?

```
let x;
let y = null;
console.log(typeof x, typeof y);
```

A. undefined object B. null object
C. undefined null D. object object

Q9. Which group contains only primitive types?

A. Number, Array,
B. String, Object
C. Function, BigInt
D. Symbol, BigInt

Q10. What is printed?

```
let age = 20;
age = 21;
console.log(age);
```

A. 20 B. 21
C. undefined D. Error

Q11. Which variable name is valid?

A. 2marks
B. first-name
C. $marks
D. function

Q12. What is printed?

```
let a = [10, 20];
let b = { score: 30 };
console.log(typeof a, typeof b)
```

A. array object B. object object
C. array function D. object function

Q13. Which keyword prevents reassignment?

A. let
B. var
C. typeof
D. const

Q14. What is printed?

```
let name = "Alice";
let message = `Hello ${name}`;
console.log(message);
```

A. Hello Alice B. Hello name
C. Hello ${name} D. Error

Q15. Which expression evaluates to false?

A. null == undefined
B. [] == 0
C. NaN === NaN
D. "0" == 0

Q16. What is printed?

```
console.log(17 % 5);
```

A. 2 B. 3
C. 5 D. 12

Q17. What does === compare?

A. Value only
B. Value and type
C. Type only
D. Variable names

Q18. What is printed?

```
let m = 2;
let n = m++ + ++m;
console.log(m, n);
```

A. 2 4 B. 3 5
C. 4 6 D. 5 7

Q19. Which operator gives the remainder?

A. /
B. **
C. %
D. *

Q20. What is printed?

```
console.log("5" + 3);
console.log("5" - 3);
```

A. 8 / 2 B. 53 / 2
C. 53 / 53 D. 8 / NaN

Q21. Which condition includes temperatures from 15 to 25?

A. t >= 15 || t <= 25
B. t > 15 && t < 25
C. t <= 15 && t >= 25
D. t >= 15 && t <= 25

Q22. What is printed?

```
let n = 10;
if (n % 5 !== 0) {
   console.log("Yes")
}
else {
    console.log("No")
};
```

A. Yes B. Both
C. Nothing D. No

Q23. Which suits many exact values of one variable?

A. while
B. return
C. continue
D. switch

Q24. What is printed?

```
let n = "5";
console.log(n===5 ? "A" : n == 5 ? "B" : "C");
```

A. A B. B
C. C D. Error

Q25. Which branch handles unmatched switch cases?

A. else
B. break
C. default
D. continue

Q26. What is printed?

```
let passed = false;
if (!passed){
  if (passed) { console.log("Go") }
  else { console.log("Wait") };
}
```

A. Go B. Wait
C. Nothing D. Error

Q27. A reverse loop starts at 10 and uses i >= 1; i -= 3. How many times does it run?

A. 3
B. 4
C. 5
D. 10

Q28. What is printed?

```
for (let i = 1; i <= 3; i++) {
  console.log(i);
}
```

A. 0 / 1 / 2 B. 1 / 2
C. 1 / 2 / 3 D. 1 / 2 / 3 / 4

Q29. What does continue do?

A. Ends the loop
B. Skips the iteration
C. Ends the program
D. Resets the counter

Q30. What is printed?

```
let count = 0;
for (let i = 1; i <= 3; i++) {
  for (let j = 1; j <= i; j++) {
      count++;
 }
}
console.log(count);
```

A. 3 B. 9
C. 5 D. 6

Q31. Which loop always runs at least once?

A. for
B. while
C. do...while
D. None

Q32. What is printed?

```
for (let i = 1; i <= 5; i++) {
  if (i === 3) continue;
  if (i === 5) break;
  console.log(i);
}
```

A. 1 / 2 / 4 B. 1 / 2 / 3 / 4
C. 1 / 2 / 4 / 5 D. 1 / 2

Q33. When does a for loop's update run normally?

A. Before initialization
B. After the body, before the next check
C. Before every body execution
D. Only after the loop ends

Q34. What is printed?

```
function add(a, b) {
return a + b;
}
console.log(add(2, 3));
```

A. 23 B. undefined
C. 2 D. 5

Q35. What are parameters?

A. Variables in a function definition
B. Values passed during a call
C. Returned values
D. Global variables only

Q36. What is printed?

```
var score = 50;
function test() {
  console.log(score);
  var score = 90;
  console.log(score);
}
test();
```

A. 50 / 90 B. 90 / 90
C. undefined / 90 D. Error

Q37. A function without a return value returns:

A. 0
B. undefined
C. null
D. false

Q38. What is printed?

```
function test() {
  if (true) {
      var x = 20;
  }
  return x;
}
console.log(test());
```

A. undefined B. null
C. Error D. 20

Q39. What is the variable lookup order?

A. Current → outer → global
B. Global → outer → current
C. Outer → current → global
D. Current → inner → global

Q40. What is printed?

```
function square(n) {
    return n * n;
}
console.log(square(4));
```

A. 8 B. 4
C. 16 D. undefined