MLOPS PILOT INTEGRATION WITH MLFLOW

Office of Compensation & Working Conditions

Sponsor: David Oh – Data Scientist



REMY STEWART

Cornell University
PhD Candidate in Sociology &
Information Sciences

BACKGROUND


From starting a machine learning (ML) project to a model in production...

- Acquiring data
- Transforming data into proper formats
- Running & tracking experiments
- Comparing experiment performance
- Packaging final models for deployment
- Successfully deploying models
- Monitoring live performance
- Retraining & redeploying over time

How can we streamline these steps to support reproducibility, transparency, and team collaboration?




MACHINE LEARNING OPERATIONS (MLOPS)





MLOps encompasses a range of best practices designed to support all stages of the ML project lifecycle.


MLFLOW





TWO SIDES OF MLFLOW

User Interface (UI)



Python Application Programming Interface (API)

```
mlflow.log params(best cv params)
predicted prob df = helpers.force prediction(pd.DataFrame
signature = mlflow.models.infer_signature(task_train, pred
mlflow.sklearn.log model(cross val, "logreg model", conda
                         registered_model_name="sklearn_or
# Logging all associated metrics into Mlflow- note the ar
mlflow.log metric("Accuracy", accuracy score)
mlflow.log metrics(prf micro)
mlflow.log metrics(prf sample)
mlflow.log metric("Hamming Score", hamming score result)
mlflow.log_metric("Hamming_Loss", hamming_loss)
# Logging classification label counts figure, current note
row_sums = predicted_prob_df.sum(axis=1)
row_sum_plot = row_sums.value_counts().plot(kind='bar')
row sum plot = row sum plot.get figure()
mlflow.log_figure(row_sum_plot, "row_sum_plot.png")
mlflow.log_artifact("sklearn_mlflow_example.ipynb")
mlflow.log artifact("./pyfiles/helpers.py")
```




PROJECT OBJECTIVES

- 1. Establish a central MLflow server supporting remote access
- 2. Test & document MLflow's features
- Develop example Python scripts demonstrating MLflow code integration
- Provide guidance on MLflow's ability to support BLS data science use cases



ESTABLISHING THE REMOTE SERVER



Central location to track projects & experiments

Accessible from individual work computers

Stores a range of ML project "artifacts"

- Models themselves
- Chosen model parameters
- Data visualizations
- Performance metrics

- Code files

- Project documentation

* Not using S3 for BLS remote server




TESTING MLFLOW FEATURES

huggingface-onet-experiments > Comparing 4 Runs from 1 Experiment

Comparing 4 Runs from 1 Experiment

Visualizations

Remote server UI demonstration





MLFLOW EXAMPLE CODE

6 Example Code Walkthroughs

- 5 ML libraries
- 4 unique algorithms
- 3 public data sets

Delineating MLflow integration from initial data preparation to live model deployment



3.0 Model Deployment

Now that we've successfully ran our MLflow Project and logged the model within MLflow, we can move to locally deploying our if facilitated by the mlflow models serve command:

```
mlflow models serve --model-uri
```

The call specifies the artifact path on the remote server that houses our logged model, which can be found through this run's ass within the MLflow UI. We additionally set the local port for the deployed model to send data to to test the model's ability to generate predictions. The following output confirms that a Gunicorn local server was successfully launched that now hosts our model:

```
127.0.0.1:7000 -w 1 ${GUNICORN_CMD_ARGS} -- mlflow.pyfunc.scoring_server.wsgi:app' [2022-07-19 11:07:13 -0400] [2669324] [INFO] Starting gunicorn 20.1.0 [2022-07-19 11:07:13 -0400] [2669324] [INFO] Listening at: http://127.0.0.1:7000 (2669324)
```

Let's send a test data sample to our deployed model to verify whether it can produce robust predictions on unseen data. Since we our text vectorizer and our logistic classifier into one live pipeline, we can send over a raw string sample through curl. Following to DataFrame format the model was trained on, we specify the column of our task text and create a previously unseen task description model.

If you see [0] following this curl call, that means the model has successfully generated a prediction on the test string. Within the example notebook this code is sourced from, the logged model is the last model out of the 37 models cycled through the one-vs task. We're therefore receiving a single prediction for class membership regarding this General Work Activity from the ONET data

MLFLOW AT BLS

BLS MLFlow Pilot Integration Documentation

Remy Stewart, BLS Civic Digital Fellow, Summer 2022

With the increase of machine learning applications across BLS offices, there is a growin collaboration across teams, and assist with transitioning models from experimentation t location to facilitate the practices of machine learning operations within organizations—machine learning model lifecycles.

This documentation serves as an introduction to MLflow overall and towards its pilot ap needs for BLS data scientists, and tips for how to best incorporate the platform's comp Jupyter Notebooks within this repository's examples folder that offer code walkthrough transformer models processing three different public BLS-affiliated data sets. The mlproscripts into production environments.

- BLS MLFlow Pilot Integration Documentation
 - · What is MLOps?
 - Example Use Cases for MLflow
- · Overview of MLflow
 - MLflow Tracking
 - What can be recorded via MLflow Tracking?
 - MLflow Tracking UI
 - Setting Up the BLS Mlflow Server
 - MLflow Projects
 - MLflow Models
 - Model Flavors

- Documenting how MLflow can best support BLS data science
- How to reproduce the remote server configuration
- Opportunities & challenges regarding MLflow for BLS use
- Future work towards scalability & comprehensive implementation



THANK YOU FOR A FANTASTIC SUMMER!

Special thanks to David Oh, Brandon Kopp, and Lowell Mason for their support of this project.



REMY STEWART

Cornell University
PhD Candidate in Sociology &
Information Sciences