```
<?php
include '../template/header.php';
?>
    <div id="content">
    <div id="about">
         <h1>About Us</h1>
      We are the highly motivated, highly dedicated San Jose State Students.
We are experts and professionals. Disciplined, physically and mentally tough.
Trained and proficient in our coupon selling skills.
         <h1>Contact Us</h1>
             sunshinewonderkids@gmail.com
    </div>
    </div>
<?php
include '../template/footer.php';
?>
```

```
<?php
    include("connection.php");
    include '../template/header.php';
?>
<div id="content">
<div id="contact">
<?php
    $coupId = $_REQUEST['coupId'];
    $acctId = $_REQUEST['acctId'];
    today = date('Y-m-d H:i:s');
    $query = "SELECT * FROM CART WHERE CART_COUP_ID = $coupId AND CART_ACCT_ID = $acctId";
    $result = mysql_query($query) or die(mysql_error());
    if(mysql_num_rows($result) != 0){
        echo "Your coupon already exist and has been incremented.";
        mysql_query("UPDATE CART SET CART_QUAN=CART_QUAN+1 WHERE CART_ACCT_ID=$acctId
AND CART_COUP_ID=$coupId") or die(mysql_error());
        mysql_query("UPDATE COUPONS SET COUP_LEFT=COUP_LEFT-1 WHERE COUP_ID=$coupId") or
die(mysql_error());
    }else{
        echo "Your item has been added to your shopping cart.";
        mysql_query("INSERT INTO CART (CART_ACCT_ID, CART_COUP_ID, CART_QUAN, CART_DATE)
VALUES ('$acctId', '$coupId', '1', '$today')") or die(mysql_error());
        mysql_query("UPDATE COUPONS SET COUP_LEFT=COUP_LEFT-1 WHERE COUP_ID=$coupId") or
die(mysql_error());
    }
   include("close.php");
?>
</div>
```

2012-05-09 09:22

addCart.php

```
</div>
<script>
window.setTimeout(function(){window.location = "http://sunshine.engr.sjsu.edu/pages/shoppingCart.php?acctId=<?
php echo $acctId; ?>";}, 2000);
</script>
<?php
    include '../template/footer.php';
?>
2012-05-09 09:22
                            checkOut.php
                                                     Page 1
<?php
    include '../template/header.php';
?>
<div id="content">
<div id="contact" class="no-margin-input">
         <h1>Billing Information</h1>
         <?php include("connection.php");</pre>
              $acctId = $_REQUEST['acctId'];
              $subTotal = $_REQUEST['subTotal'];
         ?>
                       <form action = "processCheckOut.php">
                       Name: <input type="text" name="bName" /> (As is on card)</br>
                       Address: <input type="text" name="bAddress" /></br>
                       City: <input type="text" name="bCity" /></br>
                       State: <input type="text" name="bState" /></br>
```

Zip Code: <input type="text" name="bZip" /></br>

```
Security Code: <input type="text" name="bCode" /></br>
                      Expiration Date:
                      Month: <select name="month">
                           <option value="1">January</option>
                           <option value="2">February</option>
                           <option value="3">March</option>
                           <option value="4">April</option>
                           <option value="5">May</option>
                           <option value="6">June</option>
                           <option value="7">July</option>
                           <option value="8">August</option>
                           <option value="9">September</option>
                           <option value="10">October</option>
                           <option value="11">November</option>
                           <option value="12">December</option>
                      </select>
                      Year: <select name="year">
                           <option value="2012">2012</option>
                           <option value="2013">2013</option>
                           <option value="2014">2014</option>
                           <option value="2015">2015</option>
                      <input type="hidden" name="acctId" value="<?php echo $acctId ?>" />
                      <input type="hidden" name="subTotal" value="<?php echo $subTotal ?>" />
                      <input type="submit" />
                      </form>
             <?php include("close.php"); ?>
    </div>
</div>
<?php
    include '../template/footer.php';
?>
2012-05-09 09:22
                            close.php
                                                 Page 1
<?
    mysql_close($db);
?>
```

Card Number: <input type="text" name="bNumber" /></br>



```
<?
    $comp = "localhost";
    $user = "shinetheweb";
    $pwd = "urmysunshine";

$db = mysql_connect($comp, $user, $pwd);
    mysql_select_db("sunshinedeals");
?>
```

```
<?php
    include '../template/header.php';
?>

<div id="content">
    <div id="contact">
        <h1>Contact Us</h1>
        sunshinewonderkids@gmail.com
</div>
</div>
</div>

include '../template/footer.php';
```

contact.php

Page 1

2012-05-09 09:22

```
<?php
    include('../template/header.php');
?>
<div id="content">
<div id="cart">
<h2>Coupon Table</h2>
<?php
include("connection.php");
$result = "SELECT * FROM COUPONS";
if(isset($_REQUEST['sort'])){
switch ($_REQUEST['sort'])
{
case 'id':
 $result .= " ORDER BY COUP_ID";
 break;
case 'title':
 $result .= " ORDER BY COUP_NAME";
 break;
case 'total':
 $result .= " ORDER BY COUP_TOTAL";
```

file:///C|/code.txt[5/9/2012 9:25:06 AM]

2012-05-09 09:22

couponTable.php

Page 1

```
break;
case 'left':
 $result .= " ORDER BY COUP_LEFT";
 break;
case 'price':
 $result .= " ORDER BY COUP_PRICE";
 break:
case 'category':
 $result .= " ORDER BY COUP_CATNAME";
 break;
case 'vendor':
 $result .= " ORDER BY COUP_VENDOR";
 break:
case 'desc':
 $result .= " ORDER BY COUP_DESC";
 break:
case 'start':
 $result .= " ORDER BY COUP_START";
 break;
case 'end':
 $result .= " ORDER BY COUP_EXPR";
 break:
default:
}else{
    $result .= " ORDER BY COUP_ID";
}
//echo $result;
                         couponTable.php
                                                 Page 2
2012-05-09 09:22
$result = mysql_query($result) or die(mysql_error());
\$acctId = 0;
if(isset($_REQUEST['acctId'])){
$acctId = $_REQUEST['acctId'];
}
echo"
<a href='couponTable.php?sort=title&acctId=$acctId'>Title</a>";
```

```
echo "
<a href='couponTable.php?sort=category&acctId=$acctId'>Category</a>
<a href='couponTable.php?sort=desc&acctId=$acctId'>Description</a>
<a href='couponTable.php?sort=left&acctId=$acctId'>Left</a>
<a href='couponTable.php?sort=price&acctId=$acctId'>Price</a>
<th></th>
";
while($row = mysql_fetch_array($result))
if($row['COUP_LEFT']==0){
 }else{
 $coupId = $row['COUP_ID'];
 echo "";
 if(isset($_SESSION['current_user'])){
  $coupUrl = "viewCoupon.php?coupId=$coupId";
 else{
  $coupUrl = "viewCoupon.php?coupId=$coupId";
 echo '<a href="'.$coupUrl."'><div class="crop"><img name="myimage" src="'.$row['COUP_IMGLOC'].""
width="60" height="60" alt="image" /></div>'.$row['COUP_NAME'].'</a>';
 echo "" . $row['COUP_CATNAME'] . "";
 echo "" . $row['COUP_DESC'] . "";
 echo "" . $row['COUP_LEFT'] . "";
 echo "$" . $row['COUP_PRICE'] . "";
 if(isset($ SESSION['current user']) && $ SESSION['acctType'] != 1){
  $url = "addCart.php?coupId=$coupId&acctId=$acctId";
 }
 else{
  $url = "login.php";
 echo "<a href="". $url ."">Add</a>";
 echo "";
 }
 }
    echo "";
include("connection.php");
?>
</div>
</div>
<?php
```

include('../template/footer.php');

<?php

```
include '../template/header.php';
<div id="content">
<div style="margin: 0 auto;width:500px;">
<h1>Create Coupon</h1>
<?php
include("connection.php");
    $acctId = $_REQUEST['acctId'];
$query = "SELECT * FROM ACCOUNTS WHERE ACCT_ID = $acctId";
$results = mysql_query($query) or die(mysql_error());
$row = mysql fetch array($results);
$name = $row['ACCT_NAME'];
?>
<form action = "processCoupon.php">
Create New Coupon</br>
Title: <input type="text" name="title" /></br>
Vendor's Name: <?php echo $name; ?></br>
<input type="hidden" name="vName" value="<?php echo $name ?>" />
Quantity: <input type="text" name="quantity" size="3"/></br>
Price: <input type="text" name="price" size="5"/></br>
Category:
<select name="category">
<option value="Food">Food</option>
<option value="Health">Health</option>
<option value="Clothes">Clothes</option>
<option value="Entertainment">Entertainment</option>
</select></br>
Start:</br>
Month: <select name="sMonth">
<option value="1">January</option>
<option value="2">February</option>
<option value="3">March</option>
<option value="4">April</option>
<option value="5">May</option>
<option value="6">June</option>
<option value="7">July</option>
```

```
<option value="8">August</option>
<option value="9">September</option>
<option value="10">October</option>
<option value="11">November</option>
<option value="12">December</option>
</select>
Day: <select name="sDay">
<?php
for($i=1;$i<32;$i++)
print "<option value='$i'>$i</option>";
?>
</select>
2012-05-09 09:22
                                                     Page 2
                          createCoupon.php
Year: <select name="sYear">
<option value="2012">2012</option>
<option value="2013">2013</option>
<option value="2014">2014</option>
<option value="2015">2015</option>
</select>
Time: <input type="text" name="sHour" size="1"/>:<input type="text" name="sMinute" size="3"/></br>
Expiration:</br>
Month: <select name="month">
<option value="1">January</option>
<option value="2">February</option>
<option value="3">March</option>
<option value="4">April</option>
<option value="5">May</option>
<option value="6">June</option>
<option value="7">July</option>
<option value="8">August</option>
<option value="9">September</option>
<option value="10">October</option>
<option value="11">November</option>
<option value="12">December</option>
</select>
Day: <select name="day">
for($i=1;$i<32;$i++)
print "<option value='$i'>$i</option>";
}
?>
```

</select>

```
Year: <select name="year">
<option value="2012">2012</option>
<option value="2013">2013</option>
<option value="2014">2014</option>
<option value="2015">2015</option>
</select>
Time: <input type="text" name="hour" size="1"/>:<input type="text" name="minute" size="3"/></br>
Description: </br><textarea name="description" cols="40" rows="5">
</textarea></br>
Image URL: <input type="text" name="url" /></br>
<input type="hidden" name="acctId" value="<?php echo $acctId ?>" />
<input class="button" type="submit" />
</form>
</div>
</div>
<?php
    include '../template/footer.php';
?>
2012-05-09 09:22
                         db_logUser.mobile.php
                                                         Page 1
<?php
    include '../templates/headerPages.php';
?>
<div id="content">
<script type="text/javascript">
    setTimeout(function() {
         window.location.href = '../';
    }, 7000);
</script>
<?php
    mysql_connect('localhost', 'shinetheweb', 'urmysunshine') or die ("There's a problem with the connection");
    mysql_select_db('sunshinedeals');
    $errors = "";
    if(!strchr($_POST['luser'],'@'))
         $errors .= "Please provide a valid email address.</br>";
```

```
if(!isset($_POST['lpwd']))
         $errors := "Please provide a password.</br>";
    if($errors == ""){
         $email = trim($_POST['luser']);
         $pass = trim($_POST['lpwd']);
         $encrypted = sha1(md5($pass));
         $sql = "SELECT * FROM ACCOUNTS WHERE ACCT_EMAIL = '$email'";
         $check = mysql_query($sql) or die (mysql_error());
         $check2 = mysql_num_rows($check);
         if (\text{scheck2} == 0)
              die('That user does not exist in our database. <a href=register.php>Click Here to Register</a>');
         while($info = mysql_fetch_array($check)) {
              $encrypted = stripslashes($encrypted);
              $info['ACCT_PASS'] = stripslashes($info['ACCT_PASS']);
              if ($encrypted != $info['ACCT_PASS']) {
                  echo "<div id='contact'>";
                  echo "<h1>Login Failed</h1>";
                  echo "";
                  echo "Incorrect email or password, please try again.";
                  echo "";
                  echo "</div>";
             else{
                  session_start();
                  $ SESSION['current user'] = "1";
                  $test = $_SESSION['current_user'];
                  if(isset($ SESSION['views']))
                       $_SESSION['views']=$_SESSION['views']+1;
                  else
                       $_SESSION['views']=1;
                  echo "<div id='contact'>";
                  echo "<h1>Login Successful!</h1>";
                  echo "";
2012-05-09 09:22
                         db_logUser.mobile.php
                                                        Page 2
                  echo "Login succesful!</br>
<br/>
Redirecting to member page in 7 seconds.";
                  echo "";
                  echo "</div>";
         }
```

}

```
<?php
    include '../template/header.php';
7>
<div id="content">
<?php
    mysql_connect('localhost', 'shinetheweb', 'urmysunshine') or die ("There's a problem with the connection");
    mysql select db('sunshinedeals');
    $errors = "";
    if(!strchr($_POST['luser'],'@'))
         $errors .= "Please provide a valid email address.</br>";
    if(!isset($ POST['lpwd']))
         $errors := "Please provide a password.</br>";
    if($errors == ""){
         $email = trim($_POST['luser']);
         $pass = trim($_POST['lpwd']);
         $encrypted = sha1(md5($pass));
         $sql = "SELECT * FROM ACCOUNTS WHERE ACCT_EMAIL = '$email'";
         $check = mysql_query($sql) or die (mysql_error());
         $check2 = mysql_num_rows($check);
         if (\text{scheck2} == 0)
              die('That user does not exist in our database. <a href=register.php>Click Here to Register</a>');
         while($info = mysql_fetch_array($check)) {
              $encrypted = stripslashes($encrypted);
              $info['ACCT_PASS'] = stripslashes($info['ACCT_PASS']);
              if ($encrypted != $info['ACCT_PASS']) {
                   echo "<div id='contact'>";
                   echo "<h1>Login Failed</h1>";
                   echo "";
                   echo "Incorrect email or password, please try again.";
                   echo "";
                   echo "</div>";
              else{
                   $row = mysql_fetch_array($check);
                   session start();
                   $_SESSION['current_user'] = $info['ACCT_ID'];
                   $_SESSION['acctType'] = $info['ACCT_TYPE'];
                   if(isset($_SESSION['views']))
                       $ SESSION['views']=$ SESSION['views']+1;
                   else
                       $ SESSION['views']=1;
```

```
echo "<div id='contact'>";
                  echo "<h1>Login Successful!</h1>";
                  echo "";
                  echo "Login succesful!</br>
/br> Redirecting to home page in 7 seconds.";
                  echo "";
                  echo "</div>";
                  echo "<script type='text/javascript'>";
                  echo "window.location = '/index.php';";
                           db_logUser.php
2012-05-09 09:22
                                                    Page 2
                  echo "</script>";
              }
         }
    }
    else{
         echo "<div id='contact'>";
         echo "<h1>Login Failed</h1>";
         echo "";
         echo $errors;
         echo "</br><b>Please go back and try again.</b>";
         echo "";
         echo "</div>";
</div>
</div>
<?php
```

include '../template/footer.php';

?>

```
2012-05-09 09:22
                          db_regUser.mobile.php
                                                           Page 1
<?php
    include '../templates/headerPages.php';
<script type="text/javascript">
    setTimeout(function() {
         window.location.href = '../';
     }, 7000);
</script>
<?php
mysql_connect('localhost', 'shinetheweb', 'urmysunshine') or die ("There's a problem with the connection");
mysql_select_db('sunshinedeals');
$errors = "";
if(!isset($_POST['ruser']))
     $errors := "Please provide a username.</br>";
if(!isset($_POST['rpwd']))
     $errors := "Please provide a password.</br>";
if(!isset($_POST['email']))
    $errors .= "Please provide a email address.</br>";
if(!isset($_POST['squest']))
```

```
$errors := "Please provide a secret question.</br>";
if(!isset($ POST['sanser']))
    $errors .= "Please provide a secret answer.</br>";
if(!strchr($ POST['email'],'@'))
    $errors .= "Please provide a valid email address.</br>";
if($errors == ""){
    $username = trim($_POST['ruser']);
    $password = trim($_POST['rpwd']);
    $email = trim($_POST['email']);
    $squest = trim($ POST['squest']);
    $sanser = trim($_POST['sanser']);
    $userRole = $_POST['role'];
    $sql = "INSERT INTO ACCOUNTS (ACCT_NAME, ACCT_PASS, ACCT_EMAIL, ACCT_SQUEST,
ACCT_SANSER, ACCT_TYPE) VALUES ('$username', SHA1(MD5('$password')), '$email', '$squest',
SHA1(MD5('$sanser')), '$userRole')";
    mysql_query($sql) or die (mysql_error());
    echo "<div id='content'>";
    echo "<div id='register'>";
    echo "<h1>Registration Success</h1>";
    echo "Please login and enjoy~!</br>
</br>
You will automatically be redirected to the main page in 7
seconds.";
    echo "</div>";
    echo "</div>";
    }
    else{
         echo "<div id='content'>";
         echo "<div id='contact'>";
         echo "<h1>Registration Failed</h1>";
         echo "";
         echo $errors;
         echo "</br><b>Please go back and try again.</b>";
         echo "";
         echo "</div>";
2012-05-09 09:22
                         db regUser.mobile.php
                                                       Page 2
         echo "</div>";
    }
?>
</body>
</html>
```



```
<?php
    include '../template/header.php';
<script type="text/javascript">
    setTimeout(function() {
         window.location.href = '../../';
     }, 7000);
</script>
<?php
mysql_connect('localhost', 'shinetheweb', 'urmysunshine') or die ("There's a problem with the connection");
mysql select db('sunshinedeals');
$errors = "";
if(!isset($_POST['ruser']))
    $errors := "Please provide a username.</br>";
if(!isset($_POST['rpwd']))
     $errors := "Please provide a password.</br>";
if(!isset($_POST['email']))
    $errors := "Please provide a email address.</br>";
if(!isset($_POST['squest']))
     $errors .= "Please provide a secret question.</br>";
if(!isset($_POST['sanser']))
     $errors .= "Please provide a secret answer.</br>";
if(!strchr($_POST['email'],'@'))
    $errors .= "Please provide a valid email address.</br>";
if($errors == ""){
    $username = trim($_POST['ruser']);
    $password = trim($_POST['rpwd']);
    $email = trim($_POST['email']);
     $squest = trim($ POST['squest']);
    $sanser = trim($_POST['sanser']);
    $userRole = $_POST['role'];
     $sql = "INSERT INTO ACCOUNTS (ACCT NAME, ACCT PASS, ACCT EMAIL, ACCT SQUEST,
ACCT_SANSER, ACCT_TYPE) VALUES ('$username', SHA1(MD5('$password')), '$email', '$squest',
SHA1(MD5('$sanser')), '$userRole')";
    mysql_query($sql) or die (mysql_error());
    echo "<div id='content'>";
    echo "<div id='contact'>";
    echo "<h1>Registration Success</h1>";
    echo "Please login and enjoy~!</br>
</br>
You will automatically be redirected to the main page in 7
seconds.";
    echo "</div>";
    echo "</div>";
     }
    else{
```

```
echo "<div id='content'>";
        echo "<div id='contact'>";
        echo "<h1>Registration Failed</h1>";
        echo "";
        echo $errors;
        echo "</br><bb/>echo try again.</b>";
        echo "";
        echo "</div>";
                                                  Page 2
                         db_regUser.php
2012-05-09 09:22
        echo "</div>";
    }
?>
<?php
    include '../template/footer.php';
?>
```

```
<?php
echo '<footer>';
echo '<div><nav>';
echo '<a href="/pages/about.php">About Us';
echo '<a href="couponTable.php">Browse/a>';
if(!isset($_SESSION['current_user'])){
echo '<a href="login.php">Login/a>';
echo '<a href="register.php">Register</a>';
elseif($_SESSION['current_user'] == nil){
echo '<a href="login.php">Login/a>';
echo '<a href="register.php">Register</a>';
elseif($_SESSION['current_user'] >= 0){
    if($_SESSION['acctType'] == 1){
        echo '<a href="couponTable.php">Browse/a>';
        echo "<a href='createCoupon.php?acctId=".$_SESSION['current_user']."'>Create Coupon
        <a href='inventory.php?acctId=".$_SESSION['current_user']."'>Inventory
        <a href='transaction.php?acctId=".$_SESSION['current_user']."'>Transactions
        <a href='/pages/editAccount.php'>Settings
        <!--<a href='editAccount.php?acctId=".$_SESSION['current_user']."'>Edit Account</a>-->";
    else{
        echo"<a href='couponTable.php?acctId=".$_SESSION['current_user']."'>Search
```

delete.footerPages.php

2012-05-09 09:22

```
<a href='shoppingCart.php?acctId=".$_SESSION['current_user']."'>Shopping Cart
        <a href='purchaseHistory.php?acctId=".$_SESSION['current_user']."'>Purchase History
        <a href='/pages/editAccount.php'>Settings
        <!--<a href='editAccount.php?acctId=".$_SESSION['current_user']."'>Edit Account</a>-->";
    echo "<a href='logout.php'>Logout</a>";
}
echo '</nav></div>';
echo '<a href="http://play.google.com/store/apps/details?id=com.sunshinewonderkids.sunshinedeals">
 <img alt="Get it on Google Play"
   src="http://www.android.com/images/brand/get_it_on_play_logo_small.png" />
</a>':
echo '<img src="../images/app-store_coming-soon.png"/>';
echo '<span> </span> <img src="../images/wp7_marketplace.png"/>';
echo '<span> </span> <img src="../images/palm-app-store.png"/>';
echo '<span> </span><img src="../images/bb-appworld.png"/>';
echo '</footer></body></html>';
?>
```

```
<?php
session_start();
echo '<html lang="en">';
echo '<head>';
echo '<meta charset="utf-8" />';
echo '<title>Sunshine Deals</title>';
echo '<link href="../styles/style.css" rel="stylesheet" type="text/css">';
echo '<script src="http://ajax.googleapis.com/ajax/libs/jquery/1.7.2/jquery.min.js"
type="text/javascript"></script><script src="../jquery.countdown1.2.js" type="text/javascript"></script>';
echo '<!--[if lt IE 9]>
<script src="http://html5shim.googlecode.com/svn/trunk/html5.js"></script>
<![endif]-->';
```

delete.headerPages.php

2012-05-09 09:22

```
echo '</head>';
echo '<body>';
echo '<header>';
echo '<a href="../"><img src="../images/logo.png" alt="Sunshine Deals"></a>';
echo '<nav>';
echo '';
echo '<a href="/pages/searchform.php">Search/i></a>';
if(!isset($ SESSION['current user'])){
echo '<a href="login.php">Login/li></a>';
echo '<a href="register.php">Register</a>';
echo '<a href="couponTable.php">Browse/a>';
elseif($_SESSION['current_user'] == nil){
echo '<a href="login.php">Login/i></a>';
echo '<a href="register.php">Register/a>';
echo '<a href="couponTable.php">Browse/a>';
elseif($_SESSION['current_user'] >= 0){
    if($ SESSION['acctType'] == 1){
        echo "<a href='couponTable.php?acctId=".$_SESSION['current_user']."'>Browse</a>
href='createCoupon.php?acctId=".$_SESSION['current_user']."'>Create Coupon
        <a href='inventory.php?acctId=".$_SESSION['current_user']."'>Inventory
        <a href='purchaseHistory.php?acctId=".$_SESSION['current_user']."'>Transactions
        <a href='/pages/editAccount.php'>Settings
        <!--<a href='editAccount.php?acctId=".$_SESSION['current_user']."'>Edit Account</a>-->";
    }
    else{
        echo"<a href='couponTable.php?acctId=".$_SESSION['current_user']."'>Browse
        <a href='shoppingCart.php?acctId=".$_SESSION['current_user']."'>Shopping Cart
        <a href='purchaseHistory.php?acctId=".$_SESSION['current_user']."'>Purchase History
        <a href='/pages/editAccount.php'>Settings
        <!--<a href='editAccount.php?acctId=".$ SESSION['current user']."'>Edit Account
    echo "<a href='logout.php'>Logout</a>";
}
echo '';
echo '</nav>';
echo '</header>';
?>
```

```
<?php
    include '../template/header.php';
?>
<div id="content">
<div class="no-margin-input" id="contact">
<?php
include("connection.php");
$acctId = $_SESSION['current_user'];
$query = "SELECT * FROM ACCOUNTS WHERE ACCT_ID = $acctId";
$result = mysql_query($query);
$row = mysql_fetch_array($result);
?>
<form action = "updateAccount.php">
E-mail: <input type="text" name="email" value="<?php print $row["ACCT_EMAIL"] ?>" /></br>
Current Password: <input type="password" name="currentPwd" /></br>
New Password: <input type="password" name="pwdA" /></br>
Confirm New Password: <input type="password" name="pwdB" /></br>
New Security Question: <input type="text" name="question" value="<?php print $row["ACCT_SQUEST"] ?>"
/></br>
New Security Answer: <input type="password" name="answer" value="<?php print $row["ACCT_SANSER"] ?>"
/></br>
<input type="hidden" name="acctId" value="<?php echo $acctId ?>" />
<input type="submit" value="Submit" />
</form>
<?php
include("close.php");
</div>
</div>
<?php
    include '../template/footer.php';
?>
```

```
<?php
    include('../template/header.php');
?>
<div id="content">
<div style="margin: 0 auto 30px; width: 500px;">
<form action = "updateCoupon.php">
include("connection.php");
$coupId = $_REQUEST['coupId'];
$acctId = $_REQUEST['acctId'];
$query = "SELECT * FROM COUPONS WHERE COUP_ID = $coupId";
$result = mysql_query($query) or die(mysql_error());
$row = mysql_fetch_array($result) or die(mysql_error());
$start = date("F", strtotime($row['COUP_START']));
$vendor = $row['COUP_VENDOR'];
?>
<h1>Edit Coupon</h1>
Create New Coupon</br>
Title: <input type="text" name="title" value="<?php print $row["COUP_NAME"] ?>" /></br>
Quantity: <input type="text" name="quantity" size="3"/ value=<?php print $row['COUP_TOTAL']?> ></br>
Price: <input type="text" name="price" size="5" value=<?php print $row['COUP_PRICE']?> /></br>
Category:
<select name="category" value=<?php print $row['COUP_CATNAME']?>>
<option value="Food">Food</option>
<option value="Health">Health</option>
<option value="Clothes">Clothes</option>
<option value="Entertainment">Entertainment</option>
</select></br>
Start:</br>
<?php
//echo $start;
?>
Month: <select name="sMonth">
```

editCoupon.php

<option value="1">January</option>

2012-05-09 09:22

```
<option value="2" >February</option>
    <option value="3">March</option>
    <option value="4">April</option>
    <option value="5">May</option>
    <option value="6">June</option>
    <option value="7">July</option>
    <option value="8">August</option>
    <option value="9">September</option>
    <option value="10">October</option>
    <option value="11">November</option>
    <option value="12">December</option>
</select>
Day: <select name="sDay">
<?php
for($i=1;$i<32;$i++)
print "<option value='$i'>$i</option>";
2012-05-09 09:22
                           editCoupon.php
                                                   Page 2
?>
</select>
Year: <select name="sYear">
<option value="2012">2012</option>
<option value="2013">2013</option>
<option value="2014">2014</option>
<option value="2015">2015</option>
</select>
Time: <input type="text" name="sHour" size="1"/>:<input type="text" name="sMinute" size="3"/></br>
Expiration:</br>
Month: <select name="month">
<option value="1">January</option>
<option value="2">February</option>
<option value="3">March</option>
<option value="4">April</option>
<option value="5">May</option>
<option value="6">June</option>
<option value="7">July</option>
<option value="8">August</option>
<option value="9">September</option>
<option value="10">October</option>
<option value="11">November</option>
<option value="12">December</option>
</select>
Day: <select name="day">
<?php
```

```
for($i=1;$i<32;$i++)
print "<option value='$i'>$i</option>";
?>
</select>
Year: <select name="year">
<option value="2012">2012</option>
<option value="2013">2013</option>
<option value="2014">2014</option>
<option value="2015">2015</option>
</select>
Time: <input type="text" name="hour" size="1"/>:<input type="text" name="minute" size="3"/></br>
Description: </br><textarea name="description" cols="40" rows="5" ><?php print $row['COUP_DESC']?>
</textarea></br>
Image URL: <input type="text" name="url" value="<?php print $row['COUP_IMGLOC']?>"/></br>
<input type="hidden" name="vName" value="<?php echo $vendor ?>" />
<input type="hidden" name="coupId" value="<?php echo $coupId ?>" />
<input type="hidden" name="acctId" value="<?php echo $acctId ?>" />
<input type="hidden" name="left" value="<?php echo $row['COUP LEFT'] ?>" />
<input type="submit" />
<?php
include("close.php");
?>
</form>
</div>
</div>
<?php
2012-05-09 09:22
                           editCoupon.php
                                                    Page 3
    include('../template/header.php');
?>
```

2012-05-09 09:22

editQuantity.php

Page 1

<?php
include '../template/header.php';</pre>

```
?>
<div id="content">
<div id="quantity">
<h1>Edit Quantity</h1>
<?php
include("connection.php");
$coupId = $ REQUEST['coupId'];
$acctId = $_REQUEST['acctId'];
$query = "SELECT * FROM COUPONS WHERE COUP ID = $coupId";
$result = mysql_query($query) or die(mysql_error());
$row = mysql fetch array($result) or die (mysql error());
$couponTableTotal = $row['COUP_TOTAL'];
$couponTableLeft = $row['COUP LEFT'];
$couponImage = $row['COUP_IMGLOC'];
$couponName = $row['COUP_NAME'];
$query = "SELECT * FROM CART WHERE CART_ACCT_ID = $acctId AND CART_COUP_ID = $coupId";
$result = mysql query($query) or die(mysql error());
$row = mysql_fetch_array($result) or die (mysql_error());
$customerQuantity = $row['CART QUAN'];
echo "<div class='crop'><img src='$couponImage'/></div>$couponName";
echo "<form action = 'updateQuantity.php'>";
echo "Quantity:<select name = 'quantity'>";
for($i=0;$i<=$couponTableLeft+$customerQuantity;$i++)
{
    if($i==$customerQuantity){
        echo "<option selected='selected' value='$i'>$i</option>";
    }else{
        echo "<option value='$i'>$i</option>";
    }
echo "</select>";
//$nestQuery = "SELECT * FROM COUPONS WHERE COUP.id IN(SELECT CART_COUP_ID FROM CART
WHERE CART ACCT ID = $id))";
//$query = "SELECT * FROM COUPONS WHERE COUP_ID = $coupId";
//$result = mysql_query($query) or die(mysql_error());
//$row = mysql_fetch_array($result) or die(mysql_error());
//$vendor = $row['COUP_VENDOR'];
//echo $row['COUP_LEFT'];
?>
Set quantity to 0 to delete from Shopping Cart.
<input type="hidden" name="coupId" value="<?php echo $coupId ?>" />
<input type="hidden" name="acctId" value="<?php echo $acctId ?>" />
<input class="button" type="submit" />
</form>
<?php
include("close.php");
```

```
2012-05-09 09:22 editQuantity.php Page 2

</div>
</div>
</php
include '../template/footer.php';
?>
```

footerPages.mobile.php

Page 1

2012-05-09 09:22

```
<?php
echo '<footer>';
echo '<div><nav>';
echo '<a href="/pages/about.php">About Us';
echo "<a href='/pages/searchform.php'>Search</a>";
if(!isset($_SESSION['current_user'])){
echo '<a href="/pages/login.php">Login/a>';
echo '<a href="/pages/register.php">Register/a>';
echo '<a href="/pages/couponTable.php">Browse/a>';
elseif($_SESSION['current_user'] >= 0){
    echo '<a href="/pages/couponTable.php">Browse/a>';
    if(S_SESSION['acctType'] == 1){
        echo "<a href='/pages/createCoupon.php?acctId=".$_SESSION['current_user']."'>Create
Coupon</a>";
        echo "<a href='/pages/inventory.php?acctId=".$_SESSION['current_user']."'>Inventory</a>";
        echo "<a href='/pages/purchaseHistory.php?
acctId=".$_SESSION['current_user']."'>Transactions</a>";
        echo "<a href='/pages/editAccount.php'>Settings/a>";
```

2012-05-09 09:22

footer.php

```
}
    else{
        echo"<a href='/pages/shoppingCart.php?acctId=".$_SESSION['current_user']."'>Shopping
Cart</a>";
        echo "<a href='/pages/purchaseHistory.php?acctId=".$_SESSION['current_user']."'>Purchase
History</a>";
        echo "<a href='/pages/editAccount.php'>Settings</a>";
    echo "<a href='/pages/logout.php'>Logout</a>";
}
echo '</nav></div>';
echo '<a href="http://play.google.com/store/apps/details?id=com.sunshinewonderkids.sunshinedeals">
 <img alt="Get it on Google Play"
   src="http://www.android.com/images/brand/get_it_on_play_logo_small.png" />
</a>':
echo '<img src="../images/app-store_coming-soon.png"/>';
echo '<span> </span> <img src="../images/wp7_marketplace.png"/>';
echo '<span> </span> <img src="../images/palm-app-store.png"/>';
echo '<span> </span><img src="../images/bb-appworld.png"/>';
echo '</footer></body></html>';
?>
```

```
2012-05-09 09:22 header.mobile.php <?php
```

echo '<html>'; echo '<head>';

```
echo '<meta name="viewport" content="width=320; user-scalable=no" />'; echo '<meta http-equiv="Content-type" content="text/html; charset=utf-8">'; echo '<title>Sunshine Deals</title>'; echo '<link href="../style/style.css" rel="stylesheet" type="text/css">'; echo '<script src="//ajax.googleapis.com/ajax/libs/jquery/1.7.2/jquery.min.js" type="text/javascript"></script>'; echo '<script src="../../jquery.countdown1.2.js" type="text/javascript"></script>'; echo '</head>'; echo '</head>'; echo '<center><a href="#"><img src="../../images/logo.png" alt="Sunshine Deals"></a></center>'; echo '</br>'; echo '</br>';
```

?>

2012-05-09 09:22

headerPages.mobile.php

Page 1

```
<?php
echo '<html lang="en">';
echo '<head>';
echo '<meta charset="utf-8" />';
echo '<title>Sunshine Deals</title>';
echo '<link href="../style/style.css" rel="stylesheet" type="text/css">';
echo '<script src="http://ajax.googleapis.com/ajax/libs/jquery/1.7.2/jquery.min.js"
type="text/javascript"></script><script src="../jquery.countdown1.2.js" type="text/javascript"></script>';
echo '</head>';
echo '<body>';
echo '<center><a href="../"><img src="../images/logo.png" alt="Sunshine Deals"></a>';
?>
```

```
2012-05-09 09:22
```

header.php

Page 1

```
<?php
session_start();
include("connection.php");
echo '<!DOCTYPE html>';
echo '<html lang="en">';
echo '<head>':
echo '<meta charset="utf-8" />';
echo '<title>Sunshine Deals</title>';
echo 'k href="/styles/style.css" rel="stylesheet" type="text/css">';
echo '<script src="//ajax.googleapis.com/ajax/libs/jquery/1.7.2/jquery.min.js" type="text/javascript"></script>';
echo '<script src="jquery.countdown1.2.js" type="text/javascript"></script>';
echo '<!--[if lt IE 9]>
<script src="http://html5shim.googlecode.com/svn/trunk/html5.js"></script>
<![endif]-->';
echo '</head>';
echo '<body>';
echo '<header>';
echo '<a href="/"><img src="/images/logo.png" alt="Sunshine Deals"></a>';
echo '<nav>';
echo '';
echo "<a href='/pages/searchform.php'>Search</a>";
if(!isset($_SESSION['current_user'])){
    echo '<a href="/pages/couponTable.php">Browse/a>';
    echo '<a href="/pages/register.php">Register/a>';
    echo '<a href="/pages/login.php">Login/;
elseif($_SESSION['current_user'] >= 0){
    if($_SESSION['acctType'] == 1){
         echo "<a href='/pages/couponTable.php?acctId=".$_SESSION['current_user']."'>Browse</a>";
         echo"<a href='/pages/createCoupon.php?acctId=".$_SESSION['current_user']."'>Create
Coupon</a>";
         echo "<a href='/pages/inventory.php?acctId=".$_SESSION['current_user']."'>Inventory</a>";
```

```
echo "<a href='/pages/purchaseHistory.php?
acctId=".$_SESSION['current_user']."'>Transactions/a>";
        echo "<a href='/pages/editAccount.php'>Settings/a>";
    }
    else{
        echo"<a href='/pages/couponTable.php?acctId=".$_SESSION['current_user']."'>Browse</a>";
        echo "<a href='/pages/couponTable.php?acctId=".$_SESSION['current_user']."'>Search</a>";
        echo "<a href='/pages/shoppingCart.php?acctId=".$ SESSION['current user']."'>Cart</a>";
        echo "<a href='/pages/purchaseHistory.php?acctId=".$_SESSION['current_user']."'>Purchase
History</a>";
        echo "<a href='/pages/settings.php'>Settings/a>";
    echo "<a href='/pages/logout.php'>Logout</a>";
}
echo '';
echo '</nav>';
echo '</header>';
?>
2012-05-09 09:22
                           index3.php
                                                 Page 1
<?php
    include 'template/header.php';
?>
    <div id="content">
    <article>
      <div id="coupon-image" class="crop">
         <img src="images/spa.jpg" alt="Spa Coupon" />
      </div>
      <div id="coupon-description">
         <h1>Flourishing Florist</h1>
         We are committed to offering only the finest floral arrangements and gifts, backed by service that is
friendly and prompt. Because all of our customers are important, our professional staff is dedicated to making your
experience a pleasant one. That is why we always go the extra mile to make your floral gift perfect.
      </div>
      <div id="coupon-pricing">
         <h1>$150</h1>
```

Buy

```
\langle ul \rangle
          <h3>$400</h3>Value
          <h3>62%</h3>Discount
          <h3>$250</h3>You Save
        <h2 id="time">3 days <span>4:15:32</span></h2>
        <h3>Time Left to Buy</h3>
        <script>
          $('#time').countdown({date: new Date(2012, 4-1, 29)});
        </script>
      </div>
    </article>
    <aside>
      <div id="sponsored-deal">
        <h3>Go on a great trip to a beach</h3>
      </div>
      <div id="sponsored-deal-link">
        <a href="#">See the deal now â†'</a>
      </div>
      <h2>More Deals</h2>
      ul id="more-deals">
        <li>>
          <div class="crop">
            <img src="images/rockClimbing.jpg" alt="Rock Climbing" />
          </div>
          Rock Climbing - $20
        <
          <div class="crop">
            <img src="images/sailing.jpg" alt="Sailing" />
          </div>
          Sailing - $30
        <
          <div class="crop">
            <img src="images/rockClimbing.jpg" alt="Rock Climbing" />
          </div>
          Rock Climbing - $20
        </aside>
2012-05-09 09:22
                           index3.php
                                               Page 2
```

```
</div>
</php
include 'template/footer.php';
```

<!DOCTYPE html><html lang="en"><head><meta charset="utf-8" /><title>Sunshine Deals</title><link

```
href="../styles/style.css" rel="stylesheet" type="text/css"><script
src="http://ajax.googleapis.com/ajax/libs/jquery/1.7.2/jquery.min.js"
type="text/javascript"></script></head><body><header><a href="/"><img src="../images/logo.png" alt="Sunshine"
Deals"/></a></header>
    <div id="content">
    <article>
      <div id="coupon-image" class="crop">
        <img src="../images/spa.jpg" alt="Spa Coupon" />
      </div>
      <div id="coupon-description">
        <h1>Mobile App Dev Update</h1>
        We are committed to offering the best services to our users. So we are proud to announce that we have
deployed mobile apps for our services on to the Android and iOS platforms. As for the other major mobile platforms,
we have prototypes underway for Blackberry OS, WebOS, and Windows Phone 7. See screenshots below and give us
some feedback at <script type="text/javascript" language="JavaScript">
          &lt:!--
        var prefix = 'ma' + 'il' + 'to';
        var path = 'hr' + 'ef' + '=';
        var addy82825 = 'asksce' + '@' + 'gmail' + '.'
+ 'com';
        document.write( '<a ' + path + \" + prefix + ':' + addy82825 + \'&gt;' );
        document.write( addy82825 );
        document.write( '<\/a&gt;');
        //-->
      </script><a href="mailto:sunshinewonderkids@gmail.com"><u>sunshinewonderkids@gmail.com</u></a>
<noscript>
      This email address is being protected from spam bots, you need JavaScript enabled to view it or by visiting us
in E294.
      </noscript>
      </div>
    </article>
    <aside>
      <div id="sponsored-deal">
        <h3>Development Progress</h3>
      </div>
      <div id="sponsored-deal-link">
        <a href="#">Read now â†'</a>
      </div>
      <h2>Old Entries</h2>
      </aside>
  </div>
```

```
<?php
    include '../template/footer.php';
2012-05-09 09:22
                           index.mobile.php
                                                      Page 1
<html>
    <head>
         <meta name="viewport" content="width=320; user-scalable=no" />
         <meta http-equiv="Content-type" content="text/html; charset=utf-8">
         <title>Sunshine Deals</title>
         <link href="style/style.css" rel="stylesheet" type="text/css">
         <script src="//ajax.googleapis.com/ajax/libs/jquery/1.7.2/jquery.min.js" type="text/javascript"></script>
         <script src="../jquery.countdown1.2.js" type="text/javascript"></script>
    </head>
    <body>
         <center><a href="#"><img src="../images/logo.png" alt="Sunshine Deals"></a></center>
         </br>
         <?php
              session_start();
              if($ SESSION['views'] == 0)
                   echo "<center><a href='pages/login.php' class='btn large'>Login</a></center>";
              else
                   echo "<center><a href='pages/logout.php' class='btn large'>Logout</a></center>";
         <center><a href="pages/register.php" class="btn large"w>Register</a></center>
```

</body>

</html>

```
?>
            <div id="content">
            <article>
            <div id="coupon-image" class="crop">
                        <img src="<?php echo $row['COUP_IMGLOC']; ?>" alt="<?php echo $row['COUP_NAME']; ?> Coupon"
/>
                  </div>
                  <div id="coupon-description">
                       <h1><?php echo $row['COUP_NAME']; ?></h1>
                        <?php echo $row['COUP DESC']; ?>
                  </div>
                  <div id="coupon-pricing">
                       <h1>$<?php echo $row['COUP_PRICE']; ?></h1>
                        <?php if(isset($_SESSION['current_user']) && $_SESSION['acctType'] != 1){ echo "<a class='button'</pre>
href='/pages/addCart.php?coupId=\$random\&acctId=''.\$\_SESSION['current\_user'].'''>Buy</a>''; } else \{?>addCart.php?coupId=\$random\&acctId=''.\$\_SESSION['current\_user'].'''>Buy</a>''; } else \{?>addCart.php?coupId=\frac{1}{2} else \{?>addCart.php?coupId=\f
                        <a class="button" href="pages/login.php">Buy</a>
                        <?php } ?>
                        \langle ul \rangle
                             <h3><?php echo $row['COUP LEFT']; ?></h3>Remain
                        <h2 id="time">3 days <span>4:15:32</span></h2>
                        <h3>Time Left to Buy</h3>
                        <?php
                                   $tempArray = explode("-",$row['COUP_EXPR']);
                                   $dayArray = explode(" ", $tempArray[2]);
                                   $timeArray = explode(":", $dayArray[1]);
                        ?>
                       <script>
                             $('#time').countdown({date: new Date(<?php echo $tempArray[0]; ?>, <?php echo $tempArray[1]; ?>-1,
 <?php echo $dayArray[0]; ?>,<?php echo $timeArray[0]; ?>, <?php echo $timeArray[1]; ?>, <?php echo</pre>
 $timeArray[2]; ?>)});
                       </script>
                  </div>
            <div style="clear:both;"></div>
            <div id="disqus_thread"></div>
                  </article>
            <?php
                       include 'template/sponsoredDeals.php';
</div>
 <?php
            include 'template/footer.php';
 ?>
```

```
<?php
    include '../template/header.php';
?>
<div id="content">
<div id="cart">
<h1>Inventory</h1>
<?php
include("connection.php");
$acctId = $_REQUEST['acctId'];
$query = "SELECT *
FROM COUPONS
LEFT JOIN ACCOUNTS ON ACCOUNTS.ACCT_NAME = COUPONS.COUP_VENDOR
WHERE ACCOUNTS.ACCT_ID = $acctId";
if(isset($_REQUEST['sort'])){
switch ($_REQUEST['sort'])
case 'id':
$query .= " ORDER BY COUPONS.COUP_ID";
break;
case 'title':
$query .= "ORDER BY COUPONS.COUP_NAME";
break;
case 'total':
$query .= " ORDER BY COUPONS.COUP_TOTAL";
break;
case 'left':
$query .= " ORDER BY COUPONS.COUP_LEFT";
break;
case 'price':
$query .= "ORDER BY COUPONS.COUP_PRICE";
break;
case 'category':
$query .= " ORDER BY COUPONS.COUP_CATNAME";
break;
case 'vendor':
$query .= " ORDER BY COUPONS.COUP_VENDOR";
break;
case 'desc':
$query .= " ORDER BY COUPONS.COUP_DESC";
break:
case 'start':
$query .= "ORDER BY COUPONS.COUP_START";
break;
case 'end':
```

```
$query .= " ORDER BY COUPONS.COUP_EXPR";
break:
default:
}
}else{
$query .= " ORDER BY COUPONS.COUP_ID";
                                           Page 2
2012-05-09 09:22
                       inventory.php
//echo $result;
$result = mysql_query($query) or die(mysql_error());
echo"
IMG</a>
<a href='inventory.php?sort=id&acctId=$acctId'>ID</a>
<a href='inventory.php?sort=title&acctId=$acctId'>Title</a>
<a href='inventory.php?sort=total&acctId=$acctId'>Quantity</a>
<a href='inventory.php?sort=left&acctId=$acctId'>Left</a>
<a href='inventory.php?sort=price&acctId=$acctId'>Price</a>
<a href='inventory.php?sort=category&acctId=$acctId'>Category</a>
<a href='inventory.php?sort=vendor&acctId=$acctId'>Vendor</a>
<a href='inventory.php?sort=desc&acctId=$acctId'>Description</a>
<a href='inventory.php?sort=start&acctId=$acctId'>Start Date</a>
<a href='inventory.php?sort=end&acctId=$acctId'>End Date</a>
";
while($row = mysql_fetch_array($result))
$coupId = $row['COUP_ID'];
echo "";
echo '<img name="myimage" src="'.$row['COUP IMGLOC'].'" width="60" height="60" alt="image" />;
echo "<a href='editCoupon.php?coupId=$coupId&acctId=$acctId'>" . $row['COUP_ID'] . "</a>";
echo "" . $row['COUP_NAME'] . "";
echo "" . $row['COUP_TOTAL'] . "";
echo "" . $row['COUP_LEFT'] . "";
echo "" . $row['COUP_PRICE'] . "";
echo "" . $row['COUP_CATNAME'] . "";
echo "" . $row['COUP_VENDOR'] . "";
echo "" . $row['COUP_DESC'] . "";
echo "" . $row['COUP_START'] . "";
echo "" . $row['COUP_EXPR'] . "";
echo "";
```

```
}
echo "";
include("connection.php");
?>
</div>
</div>
<?php
     include '../template/footer.php';
?>
                           jquery.countdown1.2.js
                                                            Page 1
2012-05-09 09:22
/*!
* jQuery Countdown Timer 1.2 Plugin
* Copyright 2011 Tom Ellis http://www.webmuse.co.uk
* Licensed under MIT License
* See http://www.webmuse.co.uk/license/
*/
(function($) {
     $.fn.countdown = function( options ) {
          var defaults = {
                    date: new Date(),
                    updateTime: 1000,
                    htmlTemplate: "<h2>%{d} < span class=\\"cd-time\">Days</span> %{h}:%{m}:%{s}</h2>",
                    minus: false,
                    onChange: null,
                    onComplete: null,
                    leadingZero: true
               },
               opts = \{\},
               rDate = /(\% \setminus \{d\}) \% \setminus \{m\} / (m) / (s) / g,
               rDays = /\% \langle d \rangle /,
               rMonths = /\%\{mo\}/,
               rHours = /\% \{h\}/,
               rMins = /\% \setminus \{m \setminus \}/,
```

```
rSecs = /\% \setminus \{s \setminus \}/,
              complete = false,
              template,
              floor = Math.floor,
              onChange = null,
              onComplete = null;
         $.extend(opts, defaults, options);
         template = opts.htmlTemplate;
         return this.each(function() {
              var $this = $(this),
                   timer.
                   TodaysDate = new Date(),
                   CountdownDate = new Date(opts.date),
                   msPerDay = 864E5, //24 * 60 * 60 * 1000
                   timeLeft = CountdownDate.getTime() - TodaysDate.getTime(),
                   e daysLeft = timeLeft / msPerDay,
                   totalDaysLeft = floor(e daysLeft),
                   daysLeft = floor(e_daysLeft % 30),
                   daysLeft = totalDaysLeft,
                   e monthsLeft = totalDaysLeft / 30,
                   monthsLeft = floor(e_monthsLeft),
                   e_hrsLeft = (e_daysLeft - totalDaysLeft)*24, //Gets remainder and * 24
                   hrsLeft = floor(e_hrsLeft),
                   minsLeft = floor((e hrsLeft - hrsLeft)*60),
                   e minsleft = (e hrsLeft - hrsLeft)*60, //Gets remainder and * 60
                   secLeft = floor((e minsleft - minsLeft)*60),
                   time = "";
2012-05-09 09:22
                          iquery.countdown1.2.js
                                                          Page 2
              if( opts.onChange){
                   $this.bind("change", opts.onChange);
              }
              if( opts.onComplete ){
                   $this.bind("complete", opts.onComplete);
              }
              if ( opts.leadingZero ) {
                   if ( minsLeft < 10) {
                        minsLeft = "0" + minsLeft;
```

```
}
                   if ( secLeft < 10) {
                        secLeft = "0" + secLeft;
                   }
              }
              //Set initial time
              if ( TodaysDate <= CountdownDate || opts.minus ) {
                   time = template.replace( rMonths, monthsLeft ).replace( rDays, daysLeft ).replace( rHours, hrsLeft
).replace( rMins, minsLeft ).replace(rSecs, secLeft);
              } else {
                   time = template.replace( rDate, "00");
                   complete = true;
              }
              timer = window.setInterval(function(){
                   TodaysDate = new Date(),
                   CountdownDate = new Date(opts.date),
                   msPerDay = 864E5, //24 * 60 * 60 * 1000
                   timeLeft = CountdownDate.getTime() - TodaysDate.getTime(),
                   e_daysLeft = timeLeft / msPerDay,
                   totalDaysLeft = floor(e_daysLeft),
                   daysLeft = floor(e_daysLeft % 30),
                   daysLeft = totalDaysLeft,
                   e_monthsLeft = totalDaysLeft / 30,
                   monthsLeft = floor(e monthsLeft),
                   e_hrsLeft = (e_daysLeft - totalDaysLeft)*24, //Gets remainder and * 24
                   hrsLeft = floor(e hrsLeft),
                   minsLeft = floor((e_hrsLeft - hrsLeft)*60),
                   e minsleft = (e hrsLeft - hrsLeft)*60, //Gets remainder and * 60
                   secLeft = floor((e_minsleft - minsLeft)*60),
                   time = "";
                   if ( opts.leadingZero ) {
                        if ( minsLeft < 10) {
                             minsLeft = "0" + minsLeft;
                        if ( secLeft < 10) {
                             secLeft = "0" + secLeft;
                        }
```

```
}
                    if ( TodaysDate <= CountdownDate || opts.minus ) {
                         time = template.replace( rMonths, monthsLeft ).replace( rDays, daysLeft ).replace( rHours,
hrsLeft ).replace( rMins, minsLeft ).replace(rSecs, secLeft);
                    } else {
                         time = template.replace( rDate, "00");
                         complete = true;
                    }
                    $this.html( time );
                    $this.trigger('change', [timer] );
                    if (complete){
                         $this.trigger('complete');
                         clearInterval( timer );
                    }
               }, opts.updateTime);
            $this.html( time );
               if (complete){
                    $this.trigger('complete');
                    clearInterval( timer );
               }
          });
     };
```

})(jQuery);

```
<?php
    include '../templates/header.php';
?>
   <div id="content">
    <div id="register">
       <h1>Login:</h1>
       <form name="login" action="db_logUser.php" method="post">
         \langle ul \rangle
           <input type="text" name="luser" id="luser" value="Email Address"</li>
onfocus="if(this.value==this.defaultValue)this.value=";" onblur="if(this.value==")this.value=this.defaultValue;"/>
           <input type="password" name="lpwd" id="lpwd" value="Password"</li>
onfocus="if(this.value==this.defaultValue)this.value=";" onblur="if(this.value==")this.value=this.defaultValue;"/>
           <input class="button" type="submit" value="Submit" />
         </form>
    <a href="../pages/forgotpax.php">Forgot Password/User Name
  </div>
</body>
</html>
```

2012-05-09 09:22

login.mobile.php

```
<?php
    include '../template/header.php';
?>
    <div id="content">
    <div id="register">
      <h1>Login:</h1>
      <form name="login" action="db_logUser.php" method="post">
         <l>
           <input type="text" name="luser" id="luser" value="Email Address"</li>
onfocus="if(this.value==this.defaultValue)this.value=";" onblur="if(this.value==")this.value=this.defaultValue;"/>
           <input type="password" name="lpwd" id="lpwd" value="Password"</li>
onfocus="if(this.value==this.defaultValue)this.value=";" onblur="if(this.value==")this.value=this.defaultValue;"/>
           <input class="button" type="submit" value="Submit" />
         </form>
    <a href="/pages/passwordRecovery.php">Forgot Password</a>
    </div>
  </div>
<?php
    include '../template/footer.php';
?>
```

2012-05-09 09:22

login.php

2012-05-09 09:22

logout.php

Page 1

<?php

```
session_start();
    $_SESSION['current_user'] = NULL;
unset($_SESSION['current_user']);
header("Location: http://sunshine.engr.sjsu.edu/");
exit;
?>
```

```
var deviceInfo = function() {
  document.getElementById("platform").innerHTML = device.platform;
  document.getElementById("version").innerHTML = device.version;
  document.getElementById("uuid").innerHTML = device.uuid;
  document.getElementById("name").innerHTML = device.name;
  document.getElementById("width").innerHTML = screen.width;
  document.getElementById("height").innerHTML = screen.height;
  document.getElementById("colorDepth").innerHTML = screen.colorDepth;
};
var getLocation = function() {
  var suc = function(p) {
    alert(p.coords.latitude + " " + p.coords.longitude);
  var locFail = function() {
  };
  navigator.geolocation.getCurrentPosition(suc, locFail);
};
var beep = function() {
  navigator.notification.beep(2);
};
var vibrate = function() {
  navigator.notification.vibrate(0);
};
function roundNumber(num) {
  var dec = 3;
  var result = Math.round(num * Math.pow(10, dec)) / Math.pow(10, dec);
  return result:
}
var accelerationWatch = null;
function updateAcceleration(a) {
  document.getElementById('x').innerHTML = roundNumber(a.x);
  document.getElementById('y').innerHTML = roundNumber(a.y);
  document.getElementById('z').innerHTML = roundNumber(a.z);
}
var toggleAccel = function() {
  if (accelerationWatch !== null) {
```

```
navigator.accelerometer.clearWatch(accelerationWatch);
    updateAcceleration({
       x:"",
       y:"",
       z:""
     });
    accelerationWatch = null;
  } else {
    var options = \{\};
    options.frequency = 1000;
     accelerationWatch = navigator.accelerometer.watchAcceleration(
         updateAcceleration, function(ex) {
            alert("accel fail (" + ex.name + ": " + ex.message + ")");
2012-05-09 09:22
                             main.mobile.js
                                                       Page 2
          }, options);
  }
};
var preventBehavior = function(e) {
  e.preventDefault();
};
function dump_pic(data) {
  var viewport = document.getElementById('viewport');
  console.log(data);
  viewport.style.display = "";
  viewport.style.position = "absolute";
  viewport.style.top = "10px";
  viewport.style.left = "10px";
  document.getElementById("test_img").src = "data:image/jpeg;base64," + data;
function fail(msg) {
  alert(msg);
function show_pic() {
  navigator.camera.getPicture(dump_pic, fail, {
    quality: 50
  });
function close() {
  var viewport = document.getElementById('viewport');
  viewport.style.position = "relative";
```

}

```
viewport.style.display = "none";
function contacts_success(contacts) {
  alert(contacts.length
       + 'contacts returned.'
       + (contacts[2] && contacts[2].name? ('Third contact is '+ contacts[2].name.formatted)
           : "));
}
function get_contacts() {
  var obj = new ContactFindOptions();
  obj.filter = "";
  obj.multiple = true;
  navigator.contacts.find(
       [ "displayName", "name" ], contacts_success,
       fail, obj);
}
function check_network() {
  var networkState = navigator.network.connection.type;
  var states = \{\};
  states[Connection.UNKNOWN] = 'Unknown connection';
  states[Connection.ETHERNET] = 'Ethernet connection';
2012-05-09 09:22
                            main.mobile.js
                                                     Page 3
  states[Connection.WIFI] = 'WiFi connection';
  states[Connection.CELL_2G] = 'Cell 2G connection';
  states[Connection.CELL_3G] = 'Cell 3G connection';
  states[Connection.CELL_4G] = 'Cell 4G connection';
  states[Connection.NONE] = 'No network connection';
  confirm('Connection type:\n' + states[networkState]);
}
var watchID = null;
function updateHeading(h) {
  document.getElementById('h').innerHTML = h.magneticHeading;
function toggleCompass() {
  if (watchID !== null) {
    navigator.compass.clearWatch(watchID);
    watchID = null;
```

```
updateHeading({ magneticHeading : "Off"});
} else {
    var options = { frequency: 1000 };
    watchID = navigator.compass.watchHeading(updateHeading, function(e) {
        alert('Compass Error: ' + e.code);
    }, options);
}

function init() {
    // the next line makes it impossible to see Contacts on the HTC Evo since it
    // doesn't have a scroll button
    // document.addEventListener("touchmove", preventBehavior, false);
    document.addEventListener("deviceready", deviceInfo, true);
}
```

```
2012-05-09 09:22 menu.php Page 1

<html>
<header><h1>Menu</h1></header>
<body>
<?php
include("connection.php");

$acctId = $_REQUEST['acctId'];
```

```
$query = "SELECT * FROM ACCOUNTS WHERE ACCT ID = $acctId";
$results = mysql_query($query) or die(mysql_error());
$row = mysql_fetch_array($results);
echo "Hello " .$row['ACCT_NAME'];
if($row['ACCT_TYPE']=='1'){
?>
<form action = "createCoupon.php"><input type="hidden" name="acctId" value="<?php echo $acctId ?>" /><button</pre>
type="submit">Create Coupon</button></form>
<form action = "inventory.php"><input type="hidden" name="acctId" value="<?php echo $acctId ?>" /><button</pre>
type="submit">Inventory</button></form>
<form action = "shoppingCart.php"><input type="hidden" name="acctId" value="<?php echo $acctId ?>" /><button</pre>
type="submit">Transactions</button></form>
<form action = "editAccount.php"><input type="hidden" name="acctId" value="<?php echo $acctId ?>" /><button</pre>
type="submit">Edit Account</button></form>
<?php
}else{
?>
<form action = "couponTable.php"><input type="hidden" name="acctId" value="<?php echo $acctId ?>" /><button</pre>
type="submit">Browse</button></form>
<form action = "search.php"><input type="hidden" name="acctId" value="<?php echo $acctId ?>" /><button</pre>
type="submit">Search</button></form>
<form action = "shoppingCart.php"><input type="hidden" name="acctId" value="<?php echo $acctId ?>" /><button</pre>
type="submit">Shopping Cart</button></form>
<form action = "purchaseHistory.php"><input type="hidden" name="acctId" value="<?php echo $acctId ?>"
/><button type="submit">Purchase History</button></form>
<form action = "editAccount.php"><input type="hidden" name="acctId" value="<?php echo $acctId ?>" /><button</pre>
type="submit">Edit Account</button></form>
<?php
include("close.php");
?>
</body>
```

</html>

```
<html>
<header><h1>Menu</h1></header>
<body>
<?php
include("connection.php");
    $acctId = $ REQUEST['acctId'];
$query = "SELECT * FROM ACCOUNTS WHERE ACCT_ID = $acctId";
$results = mysql_query($query) or die(mysql_error());
$row = mysql_fetch_array($results);
echo "Hello " .$row['ACCT_NAME'];
if($row['ACCT_TYPE']=='1'){
<form action = "createCoupon.php"><input type="hidden" name="acctId" value="<?php echo $acctId ?>" /><button</pre>
type="submit">Create Coupon</button></form>
<form action = "inventory.php"><input type="hidden" name="acctId" value="<?php echo $acctId ?>" /><button</pre>
type="submit">Inventory</button></form>
<form action = "shoppingCart.php"><input type="hidden" name="acctId" value="<?php echo $acctId ?>" /><button</pre>
type="submit">Transactions</button></form>
<form action = "purchaseHistory.php"><input type="hidden" name="acctId" value="<?php echo $acctId ?>"
/><button type="submit">Purchase History</button></form>
<form action = "editAccount.php"><input type="hidden" name="acctId" value="<?php echo $acctId ?>" /><button</pre>
type="submit">Edit Account</button></form>
<?php
}else{
?>
<form action = "couponTable.php"><input type="hidden" name="acctId" value="<?php echo $acctId ?>" /><button</pre>
type="submit">Browse</button></form>
<form action = "search.php"><input type="hidden" name="acctId" value="<?php echo $acctId ?>" /><button</pre>
type="submit">Search</button></form>
<form action = "shoppingCart.php"><input type="hidden" name="acctId" value="<?php echo $acctId ?>" /><button</pre>
type="submit">Shopping Cart</button></form>
<form action = "purchaseHistory.php"><input type="hidden" name="acctId" value="<?php echo $acctId ?>"
/><button type="submit">Purchase History</button></form>
<form action = "editAccount.php"><input type="hidden" name="acctId" value="<?php echo $acctId ?>" /><button</pre>
type="submit">Edit Account</button></form>
```

menu.php.save

2012-05-09 09:22

```
</html>
  2012-05-09 09:22
                            menu.php.save.1
                                                      Page 1
  <html>
  <header><h1>Menu</h1></header>
  <body>
  <?php
  include("connection.php");
      $acctId = $_REQUEST['acctId'];
  $query = "SELECT * FROM ACCOUNTS WHERE ACCT_ID = $acctId";
  $results = mysql_query($query) or die(mysql_error());
  $row = mysql_fetch_array($results);
  echo "Hello " .$row['ACCT_NAME'];
  if($row['ACCT_TYPE']=='1'){
  <form action = "createCoupon.php"><input type="hidden" name="acctId" value="<?php echo $acctId ?>" /><button</pre>
file:///Cl/code.txt[5/9/2012 9:25:06 AM]
```

<?php

</body>

include("close.php");

```
type="submit">Create Coupon</button></form>
<form action = "inventory.php"><input type="hidden" name="acctId" value="<?php echo $acctId ?>" /><button</pre>
type="submit">Inventory</button></form>
<form action = "shoppingCart.php"><input type="hidden" name="acctId" value="<?php echo $acctId ?>" /><button</pre>
type="submit">Transactions</button></form>
<form action = "editAccount.php"><input type="hidden" name="acctId" value="<?php echo $acctId ?>" /><button</pre>
type="submit">Edit Account</button></form>
<?php
}else{
?>
<form action = "couponTable.php"><input type="hidden" name="acctId" value="<?php echo $acctId ?>" /><button</pre>
type="submit">Browse</button></form>
<form action = "search.php"><input type="hidden" name="acctId" value="<?php echo $acctId ?>" /><button
type="submit">Search</button></form>
<form action = "shoppingCart.php"><input type="hidden" name="acctId" value="<?php echo $acctId ?>" /><button</pre>
type="submit">Shopping Cart</button></form>
<form action = "purchaseHistory.php"><input type="hidden" name="acctId" value="<?php echo $acctId ?>"
/><button type="submit">Purchase History</button></form>
<form action = "editAccount.php"><input type="hidden" name="acctId" value="<?php echo $acctId ?>" /><button</pre>
type="submit">Edit Account</button></form>
<?php
include("close.php");
?>
</body>
</html>
```

```
<?php
    include '../template/header.php';
<div id="content">
<div class="no-margin-input" id="contact">
<?php
include("connection.php");
$email = $_REQUEST['email'];
$query = "SELECT ACCT_SQUEST, ACCT_ID FROM ACCOUNTS WHERE ACCT_EMAIL='$email'";
$result = mysql_query($query) or die(mysql_error());
if(mysql_num_rows($result)){
    $row = mysql_fetch_array($result);
?>
<form action = "passwordUpdate.php">
New Password: <input type="password" name="pwdA" />
    Confirm New Password: <input type="password" name="pwdB" />
    Question: <?php print $row["ACCT_SQUEST"] ?>
    Answer: <input type="password" name="answer" />
<input type="hidden" name="acctId" value="<?php echo $row['ACCT_ID'] ?>" />
<input type="submit" />
</form>
<?php
}else{
    echo "User does not exist.";
?>
<?php
include("close.php");
?>
</div>
</div>
<?php
    include '../template/footer.php';
?>
```

```
2012-05-09 09:22
```

passwordRecovery.php

Page 1

```
<?php
    include '../template/header.php';
?>

<div id="content">
    <div id="contact">

<form action = "passwordProcess.php">
E-mail: <input type="text" name="email" /></br>
    <input type="submit" />
    </form>

</div>
</div>
</div>
</php
    include '../template/footer.php';
?>
```

```
<?php
    include '../template/header.php';
?>
<div id="content">
<div id="contact">
<h1>Account Update</h1>
<?php
include("connection.php");
$acctId = $_REQUEST['acctId'];
pwdA = REQUEST[pwdA'];
pwdB = \text{REQUEST['pwdB']};
$answer = $_REQUEST['answer'];
$query = "SELECT * FROM ACCOUNTS WHERE ACCT_ID = $acctId";
$result = mysql_query($query) or die(mysql_error());
$row = mysql_fetch_array($result);
    if($row['ACCT_SANSER']==sha1(md5($answer))){
        if(pwdA==pwdB)
            echo "Password has been updated.";
            pwdA = sha1(md5(pwdA));
            answer = sha1(md5(answer));
            mysql_query("UPDATE ACCOUNTS SET ACCT_PASS='$pwdA' WHERE ACCT_ID = $acctId") or
```

2012-05-09 09:22

passwordUpdate.php

```
die(mysql_error());
         }else{
              echo "New Password and Confirm Password needs to match.";
     }else{
         echo "Wrong Answer";
     }
include("close.php");
?>
</div>
</div>
<?php
    include '../template/footer.php';
?>
                         processCheckOut.php
2012-05-09 09:22
                                                        Page 1
<?php
    include '../template/header.php';
?>
<div id="content">
<div id="contact">
<h1>Process Check Out.</h1>
<?php
    include("connection.php");
    $month = $_REQUEST['month'];
    $year = $_REQUEST['year'];
```

\$bZip = \$_REQUEST['bZip'];

```
$bCity = $_REQUEST['bCity'];
    $bState = $ REQUEST['bState'];
    $bNumber = $ REQUEST['bNumber'];
    $bCode = $ REQUEST['bCode'];
    $bAddress = $ REQUEST['bAddress'];
    $bName = $ REQUEST['bName'];
    $bSubTotal = $_REQUEST['subTotal'];
    $acctId = $ REQUEST['acctId'];
    $lastFour = substr($bNumber, -4);
    $bNumber = sha1(md5($bNumber));
    bCode = sha1(md5(bCode));
    $today = date('Y-m-d H:i:s');
    $query = "SELECT COUPONS.COUP VENDOR, COUPONS.COUP PRICE, CART.CART QUAN,
COUPONS.COUP_IMGLOC, COUPONS.COUP_ID FROM CART LEFT JOIN COUPONS ON
COUPONS.COUP ID = CART.CART COUP ID
    WHERE CART.CART ACCT ID = $acctId";
    $result = mysql query($query) or die(mysql error());
    while($row = mysql fetch array($result)){
        mysql_query("INSERT INTO PURCHASES (PUR_ACCT_ID, PUR_VENDNAME, PUR_COUP_ID,
PUR_QUAN, PUR_PRICE, PUR_PAID, PUR_DATE, PUR_BADD, PUR_BCTY, PUR_BSTA, PUR_BZIP,
PUR BNAME, PUR CCN, PUR CCLFN, PUR CCEX, PUR CCSN) VALUES ('$acctId', '$row[COUP VENDOR]',
'$row[COUP_ID]', '$row[CART_QUAN]', '$row[COUP_PRICE]', '$bSubTotal', '$today', '$bAddress', '$bCity',
'$bState', '$bZip', '$bName', '$bNumber', '$lastFour', '$year-$month-00 00:00:00', '$bCode')") or die(mysql error());
    }
    $query2 = "SELECT * FROM CART WHERE CART ACCT ID = $acctId";
    $result2 = mysql query($query2);
    while($row = mysql fetch array($result2)){
        mysql_query("DELETE FROM CART WHERE CART_ACCT_ID = $acctId") or die(mysql_error());
    }
    include("close.php");
?>
</div>
</div>
<?php
    include '../template/footer.php';
?>
```

```
<?php
    include '../template/header.php';
<div id="content">
<div id="contact">
<h1>Coupon Added</h1>
<?php
    include("connection.php");
    $acctId = $_REQUEST['acctId'];
    $title = $_REQUEST["title"];
    $quantity = $ REQUEST["quantity"];
    $price = $_REQUEST["price"];
    $category = $ REQUEST["category"];
    $vName = $_REQUEST["vName"];
    $description = $_REQUEST["description"];
    $month = $_REQUEST["month"];
    dy = REQUEST["day"];
    $year = $_REQUEST["year"];
    $hour = $_REQUEST["hour"];
    $minute = $ REQUEST["minute"];
    $sMonth = $_REQUEST["sMonth"];
    sDay = REQUEST["sDay"];
    $sYear = $_REQUEST["sYear"];
    $sHour = $ REQUEST["sHour"];
    $sMinute = $_REQUEST["sMinute"];
    url = \REQUEST["url"];
    echo "'$title', $quantity, $price, '$category', '$vName', '$description', '2012-04-14 21:28:49', '2012-04-
14 21:28:49";
    mysql_query("INSERT INTO COUPONS (COUP_NAME, COUP_TOTAL, COUP_LEFT, COUP_PRICE,
COUP CATNAME, COUP VENDOR, COUP DESC, COUP IMGLOC, COUP START, COUP EXPR) VALUES
('$title', '$quantity', '$quantity', '$price', '$category', '$vName', '$description', '$url', '$sYear-$sMonth-$sDay
$sHour:$sDay:00', '$year-$month-$day $hour:$day:00');");
    include("connection.php");
?>
</div>
</div>
<script>
window.setTimeout(function(){window.location = "http://sunshine.engr.sjsu.edu/pages/shoppingCart.php?acctId=<?
php echo $acctId; ?>";}, 2000);
</script>
```

```
<?php
    include '../template/footer.php';
2012-05-09 09:22
                            process.php
                                                   Page 1
<?php
    include('../template/header.php');
?>
<div id="content">
<form action = "testProcess.php">
<div>
    <input type="radio" name="ccard" value="visa" checked="checked" />
    Visa
    <input type="radio" name="ccard" value="mastarcard" /> MasterCard
     <input type="radio" name="ccard" value="discover" /> Discover <br/>>
    Credit Card number:
    <input type="text" name="ccnumber" size="20" /> <br />
    <label>
         <input type="checkbox" name="express" />
         Express shipping? ($10 extra)
    </label> <br />
    <input type="submit" />
</div>
</form>
<form action="welcome.php" method="post">
Name: <input type="text" name="fname" />
Age: <input type="text" name="age" />
<input type="submit" />
</form>
</div>
<?php
    include('../template/footer.php');
?>
```

```
2012-05-09 09:22
                       purchaseHistory.php
                                                  Page 1
<?php
    include '../template/header.php';
?>
<div id="content">
<div id="cart">
<h1>Purchase History</h1>
<?php
include("connection.php");
$acctId = $_REQUEST['acctId'];
$result = mysql_query("SELECT * FROM ACCOUNTS WHERE ACCT_ID = $acctId");
$type = mysql_fetch_array($result);
if(\text{type}['ACCT\_TYPE'] == 0)
$query1 = "SELECT *
FROM PURCHASES
LEFT JOIN COUPONS ON COUPONS.COUP_ID = PURCHASES.PUR_COUP_ID
```

```
WHERE PURCHASES.PUR_ACCT_ID =\$acctId";
if(isset($_REQUEST['sort'])){
    switch ($_REQUEST['sort'])
    {
        case 'title':
        $query1 .= "ORDER BY COUPONS.COUP_NAME";
        break;
        case 'vendor':
        $query1 .= "ORDER BY COUPONS.COUP VENDOR";
        break:
        case 'card':
        $query1 .= "ORDER BY PURCHASES.PUR_CCLFN";
        break:
        case 'price':
        $query1 .= "ORDER BY COUPONS.COUP_PRICE";
        break:
        case 'quantity':
        $query1 .= "ORDER BY PURCHASES.PUR_QUAN";
        break;
        case 'paid':
        $query1 .= "ORDER BY PURCHASES.PUR_PAID";
        case 'date':
        $query1 .= "ORDER BY PURCHASES.PUR_DATE";
        break:
        default:
}else{
    $query1 .= " ORDER BY COUPONS.COUP_ID";
}
$result1 = mysql_query($query1) or die(mysql_error());
2012-05-09 09:22
                      purchaseHistory.php
                                               Page 2
echo "
<a href='purchaseHistory.php?sort=title&acctId=$acctId'>Title</a>
<a href='purchaseHistory.php?sort=vendor&acctId=$acctId'>Vendor</a>
<a href='purchaseHistory.php?sort=card&acctId=$acctId'>Credit Card</a>
<a href='purchaseHistory.php?sort=price&acctId=$acctId'>Price</a>
<a href='purchaseHistory.php?sort=quantity&acctId=$acctId'>Quantity</a>
```

```
<a href='purchaseHistory.php?sort=paid&acctId=$acctId'>Paid</a>
<a href='purchaseHistory.php?sort=date&acctId=$acctId'>Date</a>
";
while(srow = mysql_fetch_array(sresult1))
 $coupId = $row['COUP_ID'];
 echo "";
 echo "" . $row['COUP_NAME'] . "";
 echo "" . $row['COUP VENDOR'] . "";
 echo "******* . $row['PUR_CCLFN'] . "";
 echo "" . $row['COUP_PRICE'] . "";
 echo "" . $row['PUR_QUAN'] . "";
 echo "" . $row['PUR_PAID'] . "";
 echo "" . $row['PUR_DATE'] . "";
 echo "";
 }
    echo "";
}else{
$result = mysql_query("SELECT * FROM ACCOUNTS WHERE ACCT_ID = $acctId") or die (mysql_error());
$row = mysql fetch array($result) or die (mysql error());
$vendorName = $row['ACCT_NAME'];
$query1 = "SELECT * FROM PURCHASES WHERE PUR VENDNAME='$vendorName'";
if(isset($ REQUEST['sort'])){
    switch ($_REQUEST['sort'])
    {
        case 'name':
        $query1 .= " ORDER BY PURCHASES.PUR_BNAME";
        break;
        case 'price':
        $query1 .= " ORDER BY PURCHASES.PUR_PRICE";
        case 'quantity':
        $query1 .= "ORDER BY PURCHASES.PUR_QUAN";
        break;
        case 'paid':
        $query1 .= "ORDER BY PURCHASES.PUR_PAID";
        break:
        case 'date':
```

```
$query1 .= "ORDER BY PURCHASES.PUR_DATE";
       break:
       case 'address':
       $query1 .= "ORDER BY PURCHASES.PUR_BADD";
       break;
       case 'city':
       $query1 .= "ORDER BY PURCHASES.PUR BCTY";
       break:
       case 'state':
       $query1 .= "ORDER BY PURCHASES.PUR_BSTA";
       break:
       case 'zip':
       $query1 .= "ORDER BY PURCHASES.PUR_BZIP";
       break:
       case 'leftFour':
        $query1 .= " ORDER BY PURCHASES.PUR_CCLFN";
       break;
       case 'expr':
       $query1 .= "ORDER BY PURCHASES.PUR_CCEX";
       default:
    }
}else{
   $query1 .= "ORDER BY PURCHASES.PUR_DATE";
$result1 = mysql_query($query1) or die(mysql_error());
echo "
<a href='purchaseHistory.php?sort=name&acctId=$acctId'>Name</a>
<a href='purchaseHistory.php?sort=price&acctId=$acctId'>Price</a>
<a href='purchaseHistory.php?sort=quantity&acctId=$acctId'>Quantity</a>
<a href='purchaseHistory.php?sort=paid&acctId=$acctId'>Paid</a>
<a href='purchaseHistory.php?sort=date&acctId=$acctId'>Date</a>
<a href='purchaseHistory.php?sort=address&acctId=$acctId'>Address</a>
<a href='purchaseHistory.php?sort=city&acctId=$acctId'>City</a>
<a href='purchaseHistory.php?sort=state&acctId=$acctId'>State</a>
<a href='purchaseHistory.php?sort=zip&acctId=$acctId'>Zip</a>
<a href='purchaseHistory.php?sort=leftFour&acctId=$acctId'>Left Four</a>
<a href='purchaseHistory.php?sort=expr&acctId=$acctId'>Expiration</a>
";
while($row = mysql_fetch_array($result1))
echo "";
echo "" . $row['PUR BNAME'] . "";
 echo "" . $row['PUR_PRICE'] . "";
 echo "" . $row['PUR QUAN'] . "";
```

```
echo "" . $row['PUR_PAID'] . "";
echo "" . $row['PUR_DATE'] . "";
echo "" . $row['PUR_BADD'] . "";
echo "" . $row['PUR_BCTY'] . "";
echo "" . $row['PUR_BSTA'] . "";
2012-05-09 09:22
                     purchaseHistory.php
                                             Page 4
echo "" . $row['PUR_BZIP'] . "";
echo "" . $row['PUR_CCLFN'] . "";
echo "" . $row['PUR_CCEX'] . "";
echo "";
   echo "";
}
   include("close.php");
?>
</div>
</div>
<?php
   include '../template/footer.php';
```

?>

```
<?php
    include '../templates/header.php';
<div id="register">
      <h1>Register Below:</h1>
      <form name="register" action="db_regUser.php" method="post">
         <l>
           <input type="text" name="email" id="email" value="Email"</li>
onfocus="if(this.value==this.defaultValue)this.value=";" onblur="if(this.value==")this.value=this.defaultValue;"/>
           <input type="text" name="ruser" id="ruser" value="Username"</li>
onfocus="if(this.value==this.defaultValue)this.value=";" onblur="if(this.value==")this.value=this.defaultValue;"/>
           <input type="password" width="500px" name="rpwd" id="rpwd" value="Password"</pre>
onfocus="if(this.value==this.defaultValue)this.value=";" onblur="if(this.value==")this.value=this.defaultValue;"/>
           <input type="text" name="squest" id="squest" value="Secret Question"</li>
onfocus="if(this.value==this.defaultValue)this.value=";" onblur="if(this.value==")this.value=this.defaultValue;"/>
           <input type="password" name="sanser" id="sanser" value="Secret Answer"</li>
onfocus="if(this.value==this.defaultValue)this.value=";" onblur="if(this.value==")this.value=this.defaultValue;"/>
           <select id="role" name="role">
                  <option id="suser" name="suser" value="0">User</option>
                  <option id="svendor" name="svendor" value="1">Vendor</option>
             </select>
           <input class="button" type="submit" value="Submit" />
         </form>
    </div>
```

Page 1

2012-05-09 09:22

register.mobile.php

```
</div>
</body>
</html>
```

```
<input type="text" name="ruser" id="ruser" value="Username"</pre>
onfocus="if(this.value==this.defaultValue)this.value=";" onblur="if(this.value==")this.value=this.defaultValue;"/>
           <input type="password" width="500px" name="rpwd" id="rpwd" value="Password"</li>
onfocus="if(this.value==this.defaultValue)this.value=";" onblur="if(this.value==")this.value=this.defaultValue;"/>
           <input type="text" name="squest" id="squest" value="Secret Question"</pre>
onfocus="if(this.value==this.defaultValue)this.value=";" onblur="if(this.value==")this.value=this.defaultValue;"/>
           <input type="text" name="sanser" id="sanser" value="Secret Answer"</li>
onfocus="if(this.value==this.defaultValue)this.value=";" onblur="if(this.value==")this.value=this.defaultValue;"/>
           <select id="role" name="role">
                  <option id="suser" name="suser" value="0">User</option>
                  <option id="svendor" name="svendor" value="1">Vendor</option>
              </select>
           <input class="button" type="submit" value="Submit" />
         </form>
    </div>
  </div>
<?php
    include '../template/footer.php';
?>
```

```
2012-05-09 09:22
```

searchform.php

Page 1

```
<?php
    include('../template/header.php');
<div id="content">
<div id="cart">
<?php
$link = mysql_connect('localhost', 'shinetheweb', 'urmysunshine') or die('Could not connect: '. mysql_error());
mysql_select_db('sunshinedeals') or die('Could not select database');
if(!isset($_REQUEST['keyword']))
    die('Invalid Keyword');
$keyword = trim($_REQUEST['keyword']);
if(strlen(\$keyword) < 2)
    die('Invalid Keyword');
$searchquery = "SELECT * FROM COUPONS WHERE COUP_NAME LIKE '%$keyword%' OR
COUP_CATNAME LIKE '%$keyword%'
             OR COUP_VENDOR LIKE '%$keyword%' OR COUP_DESC LIKE '%$keyword%'";
if(isset($_REQUEST['sort']))
    switch($_REQUEST['sort'])
        case 'id':
             $searchquery .= " ORDER BY COUP_ID";
             break:
        case 'title':
             $searchquery .= " ORDER BY COUP_NAME";
             break;
        case 'category':
             $searchquery .= " ORDER BY COUP_CATNAME";
             break;
```

Page 1

searchresult.php

2012-05-09 09:22

```
case 'desc':
            $searchquery .= " ORDER BY COUP_DESC";
            break;
        case 'price':
            $searchquery .= " ORDER BY COUP_PRICE";
        case 'left':
            $searchquery .= " ORDER BY COUP_LEFT";
        default:
            $searchquery .= " ORDER BY COUP_ID";
$result = mysql_query($searchquery);
if(isset($_REQUEST['acctId']))
{
    $acctId=$_REQUEST['acctId'];
    $urlending = "&acctId=$acctId&keyword=$keyword";
}
2012-05-09 09:22
                        searchresult.php
                                               Page 2
else
    $urlending = "&keyword=$keyword";
}
echo"
<a href='searchresult.php?sort=title$urlending'>Title</a>";
echo "
<a href='searchresult.php?sort=category$urlending'>Category</a>
<a href='searchresult.php?sort=desc$urlending'>Description</a>
<a href='searchresult.php?sort=left$urlending'>Left</a>
<a href='searchresult.php?sort=price$urlending'>Price</a>
";
while($row = mysql_fetch_array($result))
echo '<!-- Row exec -->';
    if($row['COUP_LEFT']==0) { }
    else {
```

```
$coupId = $row['COUP_ID'];
        echo "";
        if(isset($_SESSION['current_user']))
             $coupUrl = "viewCoupon.php?coupId=$coupId";
        else
             $coupUrl = "viewCoupon.php?coupId=$coupId";
        {
        echo '<a href="'.$coupUrl."'><div class="crop"><img name="myimage"
src="'.\$row['COUP_IMGLOC']." width="60" height="60" alt="image" /></div>'.\$row['COUP_NAME'].'</a>';
        echo "" . $row['COUP_CATNAME'] . "";
        echo "" . $row['COUP_DESC'] . "";
        echo "" . $row['COUP_LEFT'] . "";
        echo "" . $row['COUP_PRICE'] . "";
             if(isset($_SESSION['current_user']) && $_SESSION['acctType'] != 1){
                 $url = "addCart.php?coupId=$coupId&acctId=$acctId";
             }
            else {
                 $url = "login.php";
        echo "<a href="". $url ."">Add</a>";
        echo "";
    }
}
echo "";
mysql_free_result($result);
mysql_close($link);
?>
</div>
</div>
<?php
2012-05-09 09:22
                        searchresult.php
                                               Page 3
    include('../template/footer.php');
?>
```



```
<?php
    include('../template/headerPages.php');
<div id="content">
<div id="cart">
<?php
$link = mysql connect('localhost', 'shinetheweb', 'urmysunshine') or die('Could not connect: '. mysql error());
mysql_select_db('sunshinedeals') or die('Could not select database');
if(!isset($_REQUEST['keyword']))
    die('Invalid Keyword');
$keyword = trim($_REQUEST['keyword']);
if(strlen(\$keyword) < 2)
    die('Invalid Keyword');
$searchquery = "SELECT * FROM COUPONS WHERE LOWER(COUP_NAME) LIKE LOWER('%$keyword%')
OR LOWER(COUP_CATNAME) LIKE LOWER('%$keyword%')
                              OR LOWER(COUP_VENDOR) LIKE LOWER('%$keyword%') OR
LOWER(COUP_DESC) LIKE LOWER('%$keyword%')";
if(isset($_REQUEST['sort']))
    switch($_REQUEST['sort'])
    {
        case 'id':
             $searchquery .= " ORDER BY COUP_ID";
             break:
        case 'title':
             $searchquery .= " ORDER BY COUP_NAME";
             break:
        case 'category':
             $searchquery .= " ORDER BY COUP_CATNAME";
        case 'desc':
             $searchquery .= " ORDER BY COUP_DESC";
             break;
        case 'price':
             $searchquery .= " ORDER BY COUP_PRICE";
             break:
        case 'left':
             $searchquery .= " ORDER BY COUP_LEFT";
             break:
        default:
             $searchquery .= " ORDER BY COUP_ID";
             break;
    }
}
```

```
$row = mysql_fetch_array($result);
size = 0:
echo"
2012-05-09 09:22
                      searchresult.php.BAK
                                                 Page 2
<a href='searchresult.php?sort=title&acctId=$acctId&keyword=$keyword'>Title</a>";
echo "
<a href='searchresult.php?sort=category&acctId=$acctId&keyword=$keyword'>Category</a>
<a href='searchresult.php?sort=desc&acctId=$acctId&keyword=$keyword'>Description</a>
<a href='searchresult.php?sort=left&acctId=$acctId&keyword=$keyword'>Left</a>
<a href='searchresult.php?sort=price&acctId=$acctId&keyword=$keyword'>Price</a>
<th></th>
";
while($row = mysql_fetch_array($result))
 if($row['COUP_LEFT']==0){
 }else{
 $coupId = $row['COUP_ID'];
 echo "";
 if(isset($_SESSION['current_user'])){
  $coupUrl = "viewCoupon.php?coupId=$coupId";
 else{
  $coupUrl = "viewCoupon.php?coupId=$coupId";
 echo '<a href="'.$coupUrl."'><div class="crop"><img name="myimage" src="'.$row['COUP_IMGLOC']."'
width="60" height="60" alt="image" /></div>'.$row['COUP_NAME'].'</a>';
 echo "" . $row['COUP_CATNAME'] . "";
 echo "" . $row['COUP_DESC'] . "";
 echo "" . $row['COUP_LEFT'] . "";
 echo "" . $row['COUP_PRICE'] . "";
 if(isset($_SESSION['current_user']) && $_SESSION['acctType'] != 1){
  $url = "addCart.php?coupId=$coupId&acctId=$acctId";
 }
 else{
  $url = "login.php";
 echo "<a href="". $url ."">Add</a>";
```

```
echo "";
    echo "";
?>
<?php
    mysql_free_result($result);
    mysql_close($link);
?>
</div>
</div>
<?php
include('../template/footerPages.php');
?>
2012-05-09 09:22
                            serv.php
                                                Page 1
\langle ul \rangle
    <?php
         $db = mysql_connect('localhost', 'shinetheweb', 'urmysunshine');
         mysql_select_db("sunshinedeals");
         $results = mysql_query("SELECT * FROM COUPONS;") or die(mysql_error());
         while ($row = mysql_fetch_array($results)){
    ?>
         <!= $row["COUP_NAME"] ?>
    <?php
         mysql_close($db);
```

<?php include '../template/footer.php';

2012-05-09 09:22

shoppingCart.php

Page 1

```
<?php
    include('../template/header.php');
?>
<div id="content">
<div id="cart">
<h1>Shopping Cart</h1>
<?php
include("connection.php");
$acctId = $_REQUEST['acctId'];
$query1 = "SELECT COUPONS.COUP_NAME, COUPONS.COUP_PRICE, CART.CART_QUAN,
COUPONS.COUP_IMGLOC, COUPONS.COUP_ID
FROM CART
LEFT JOIN COUPONS ON COUPONS.COUP_ID = CART.CART_COUP_ID
WHERE CART.CART_ACCT_ID =\( \)acctId";
if(isset($_REQUEST['sort'])){
    switch ($_REQUEST['sort'])
    {
        case 'title':
        $query1 .= "ORDER BY COUPONS.COUP_NAME";
        break;
        case 'price':
        $query1 .= "ORDER BY COUPONS.COUP_PRICE";
        break;
        case 'quantity':
        $query1 .= " ORDER BY CART.CART_QUAN";
        break:
        default:
}else{
    $query1 .= " ORDER BY COUPONS.COUP_ID";
$result1 = mysql_query($query1) or die(mysql_error());
table = "CART";
sum = 0;
echo "
<a href='shoppingCart.php?sort=title&acctId=$acctId'>Title</a>
<a href='shoppingCart.php?sort=quantity&acctId=$acctId'>Quantity</a>
<a href='shoppingCart.php?sort=price&acctId=$acctId'>Price</a>
";
while($row = mysql_fetch_array($result1))
 $coupId = $row['COUP_ID'];
```

```
$sum += $row['COUP_PRICE'] * $row['CART_QUAN'];
echo "";
echo "" . '<a href="viewCoupon.php?coupId='.$coupId.'&acctId='.$acctId.'"><div
class="crop"><img name="myimage" src="'.$row['COUP_IMGLOC']." width="60" height="60" alt="image"
/></div>' . $row['COUP_NAME'] . "</a>";
2012-05-09 09:22
                     shoppingCart.php
                                          Page 2
echo "<a href='editQuantity.php?coupId=$coupId&acctId=$acctId'>" . $row['CART_QUAN'] .
"</a>";
echo "$" . $row['COUP_PRICE'] . "";
echo "";
   echo '
       $'.\sum.'';
   echo '
       Total';
   echo "";
   include("close.php");
?>
<a href="checkOut.php?acctId=<?php echo $acctId ?>" class="button">Check out</a>
</div>
```

</div></php

?>

include('../template/footer.php');

Page 1

```
<?php
$query = "SELECT * FROM COUPONS WHERE COUP ID = 1";
$result = mysql_query($query) or die(mysql_error());
$Coupon1 = mysql_fetch_array($result) or die(mysql_error());
$query = "SELECT * FROM COUPONS WHERE COUP_ID = 2";
$result = mysql_query($query) or die(mysql_error());
$Coupon2 = mysql_fetch_array($result) or die(mysql_error());
$query = "SELECT * FROM COUPONS WHERE COUP_ID = 3";
$result = mysql query($query) or die(mysql error());
$Coupon3 = mysql_fetch_array($result) or die(mysql_error());
$query = "SELECT * FROM COUPONS WHERE COUP ID = 4";
$result = mysql_query($query) or die(mysql_error());
$Coupon4 = mysql fetch array($result) or die(mysql error());
?>
    <aside>
      <
        <a href="/pages/viewCoupon.php?coupId=<?php echo $Coupon4['COUP ID']; ?>">
          <div class="crop">
            <img src="<?php echo $Coupon4['COUP IMGLOC']; ?>" alt="Rock Climbing" />
          </div>
          <?php echo $Coupon4['COUP NAME']; ?> - $<?php echo $Coupon4['COUP PRICE']; ?>
```

```
</a>
 <h2>More Deals</h2>
<
  <a href="/pages/viewCoupon.php?coupId=<?php echo $Coupon1['COUP_ID']; ?>">
   <div class="crop">
     <img src="<?php echo $Coupon1['COUP_IMGLOC']; ?>" alt="Rock Climbing" />
   </div>
   <?php echo $Coupon1['COUP_NAME']; ?> - $<?php echo $Coupon1['COUP_PRICE']; ?>
  </a>
 i>
  <a href="/pages/viewCoupon.php?coupId=<?php echo $Coupon2['COUP ID']; ?>">
   <div class="crop">
     <img src="<?php echo $Coupon2['COUP IMGLOC']; ?>" alt="Rock Climbing" />
   </div>
   <?php echo $Coupon2['COUP NAME']; ?> - $<?php echo $Coupon2['COUP PRICE']; ?>
 </a>
  i>
 <a href="/pages/viewCoupon.php?coupId=<?php echo $Coupon3['COUP_ID']; ?>">
   <div class="crop">
     <img src="<?php echo $Coupon3['COUP_IMGLOC']; ?>" alt="Rock Climbing" />
   <?php echo $Coupon3['COUP_NAME']; ?> - $<?php echo $Coupon3['COUP_PRICE']; ?>
 </a>
```

2012-05-09 09:22

sponsoredDeals.php

Page 2

</aside>

2012-05-09 09:22

style.css

Page 1

/*Universal Styles*/
a{

```
color: #545454;
  text-decoration: none;
.button{
  background-color: #00eb76;
  border: 0px;
  color: #f8f9ec;
  display: block;
  font-size: 24px;
  font-weight: bold;
  margin-top: 5px;
  padding: 10px 0;
  text-decoration: none;
  width: 100%;
.button, .crop, nav li.active, nav a:hover{
  -webkit-border-radius: 6px;
    -moz-border-radius: 6px;
       border-radius: 6px;
}
article{
  float:left;
  margin-right: 30px;
  width: 540px;
}
aside{
  float: right;
  width: 330px;
aside h2{
  border-bottom: 1px solid #545454;
  margin-bottom: 6px;
aside img{
  width: 330px;
}
body{
  background: #f8f9ee url('../images/background.jpg') repeat top left;
  color: #545454;
  font-family: "HelveticaNeue-Light", "Helvetica Neue Light", "Helvetica Neue", Helvetica, Arial, "Lucida Grande",
sans-serif;
  font-weight: 300;
  margin: 30px 0 0 0;
}
footer{
  margin: 0 auto 30px;
```

```
style.css
                                                    Page 2
2012-05-09 09:22
}
footer div{
  overflow: hidden;
  width: 900px;
footer nav, footer ul{
  margin: 0 0 0px 0;
h1, h2, h3{
  margin: 0;
h1{
  font-size: 24px;
h2{
  font-size: 18px;
header, #content{
  width: 900px;
  margin: 0 auto;
header{
  border-bottom: 1px solid #545454;
}
header a {
  float:left;
li{
  float:left;
  list-style:none;
  padding: 0;
aside, header, #content, #coupon-image, .crop{
```

```
overflow: hidden;
nav{
  float:right;
  margin:105px 0 30px;
nav{
  overflow: hidden;
nav a:visited{
                                                   Page 3
2012-05-09 09:22
                              style.css
  color: #545454;
nav li{
  padding: 5px 7px;
nav li.active, nav a:hover{
  background: #e2e3d8;
nav ul{
  margin: 0;
  padding: 0px;
nav a:active{
  color: #545454;
}
p{
  font-family: Constantia, "Lucida Bright", Lucidabright, "Lucida Serif", Lucida, "DejaVu Serif", "Bitstream Vera
Serif", "Liberation Serif", Georgia, serif;
  line-height: 150%;
}
ul{
  float:right;
#content{
```

```
border-bottom: 1px solid #545454;
  margin: 30px auto;
/*End Universal Styles*/
/*Coupon Page Styles*/
#coupon-description{
  float:left;
  margin: 15px 15px 0 0;
  width: 320px;
#coupon-description p{
  margin-top:0px;
#coupon-image{
  max-height: 540px;
  width: 540px;
#coupon-image img{
  margin-bottom: -3px;
  width: 100%;
}
                                                  Page 4
2012-05-09 09:22
                             style.css
#coupon-pricing{
  float: right;
  margin-top: 15px;
  text-align: center;
  width: 200px;
}
#coupon-pricing h1{
  color: #00eb76;
  font-size: 24px;
}
#coupon-pricing h3{
  font-size: 18px;
#coupon-pricing > h3{
  font-size: 14px;
```

```
font-weight: normal;
#coupon-pricing li{
  margin: 0 auto;
  float: none;
}
#coupon-pricing ul{
  margin-top: 15px;
  padding: 0;
  width: 100%;
.more-deals{
  margin-top: 0px;
  width: 330px;
}
.more-deals, .more-deals li{
  width: 330px;
.more-deals li{
  margin: 0 0 15px;
.more-deals .crop{
  height: 150px;
  margin-bottom: 5px;
  width: 330px;
}
#sponsored-deal{
  background: url('../images/beach.jpg');
  background-position: 0px;
  -webkit-border-radius: 6px 6px 0 0;
    -moz-border-radius: 6px 6px 00;
2012-05-09 09:22
                                                   Page 5
                              style.css
       border-radius: 6px 6px 0 0;
  color: #f8f9ec;
  height: 90px;
  padding: 15px;
}
```

```
#sponsored-deal-link{
  background: #e2e3d8;
  border-top: 1px solid #545454;
  -webkit-border-radius: 0 0 6px 6px;
    -moz-border-radius: 0 0 6px 6px;
       border-radius: 0 0 6px 6px;
  margin-bottom: 20px;
  padding: 5px 15px;
  text-align: right;
}
#sponsored-deal-link a{
  color: #545454;
  text-decoration: underline;
/*End Coupon Page Styles*/
/*About Us Page Styles*/
#about{
    margin: 0 auto;
    width: 330px;
}
#about h1{
  color: #fe72a5;
  margin-bottom: 5px;
#about li{
  float: none;
  margin-bottom: 15px;
  width: 100%;
}
#about p{
  background: #e2e3d8;
  -webkit-border-radius: 6px;
    -moz-border-radius: 6px;
       border-radius: 6px;
  -webkit-box-shadow: inset 0px 1px 1px 0px #bdbeb6;
    -moz-box-shadow: inset 0px 1px 1px 0px #bdbeb6;
       box-shadow: inset 0px 1px 1px 0px #bdbeb6;
  float: none;
  margin: 0 auto 30px;
  overflow: hidden;
  padding: 15px;
  width: 300px;
#about input{
```

```
border: 1px solid #a5a69e;
  -webkit-border-radius: 6px;
    -moz-border-radius: 6px;
       border-radius: 6px;
  -webkit-box-shadow: inset 0px 1px 0px 0px #e0e0e0, 0px 1px 0px 0px #f7fff4;
    -moz-box-shadow: inset 0px 1px 0px 0px #e0e0e0, 0px 1px 0px 0px #f7fff4;
       box-shadow: inset 0px 1px 0px 0px #e0e0e0, 0px 1px 0px 0px #f7fff4;
  color: #545454;
  font-size: 18px;
  height: 15px;
  padding: 10px;
}
#about input[type=text]{
  width: 278px;
#about input[type=submit]{
  background: #FE72A5;
  border: 0:
  -webkit-box-shadow: none;
    -moz-box-shadow: none;
       box-shadow: none;
  color: #f7fff4:
  float: right;
  font-size: 18px;
  font-weight: bold;
  height: 40px;
  width: 90px;
}
/*Contact Us Page Styes*/
#contact{
    margin: 0 auto;
    width: 330px;
}
#contact h1{
  color: #fe72a5;
  margin-bottom: 5px;
}
#contact li{
  float: none;
  margin-bottom: 15px;
  width: 100%;
}
```

```
#contact p{
  background: #e2e3d8;
  -webkit-border-radius: 6px;
    -moz-border-radius: 6px;
       border-radius: 6px;
  -webkit-box-shadow: inset 0px 1px 1px 0px #bdbeb6;
    -moz-box-shadow: inset 0px 1px 1px 0px #bdbeb6;
       box-shadow: inset 0px 1px 1px 0px #bdbeb6;
2012-05-09 09:22
                             style.css
                                                  Page 7
  float: none;
  margin: 0 auto 30px;
  overflow: hidden;
  padding: 15px;
  width: 300px;
#contact input{
  border: 1px solid #a5a69e;
  -webkit-border-radius: 6px;
    -moz-border-radius: 6px;
       border-radius: 6px;
  -webkit-box-shadow: inset 0px 1px 0px 0px #e0e0e0, 0px 1px 0px 0px #f7fff4;
    -moz-box-shadow: inset 0px 1px 0px 0px #e0e0e0, 0px 1px 0px 0px #f7fff4;
       box-shadow: inset 0px 1px 0px 0px #e0e0e0, 0px 1px 0px 0px #f7fff4;
  color: #545454;
  font-size: 18px;
  height: 15px;
  padding: 10px;
}
#contact input[type=text], #contact.no-margin-input input[type=password]{
  margin-bottom: -10px;
  height: 40px;
  padding: 0px 0 0px 5px;
  width: 272px;
#contact.small{
  width: 200px;
}
#contact.no-margin-input select{
  margin-top: 20px;
```

```
#contact.no-margin-input {
  width: 500px;
#contact.no-margin-input input[type=text], #contact.no-margin-input input[type=password]{
  margin: 0px 0 10px 0;
#contact label{
  margin-bottom: 30px;
  padding-right: 5px;
#contact input[type=submit]{
  background: #FE72A5;
  border: 0;
  -webkit-box-shadow: none;
    -moz-box-shadow: none;
2012-05-09 09:22
                             style.css
                                                  Page 8
       box-shadow: none;
  color: #f7fff4;
  float: right;
  font-size: 18px;
  font-weight: bold;
  height: 40px;
  margin: 20px 0 30px;
  width: 90px;
/*Register Page Styles*/
#register{
  margin: 0 auto;
  width: 330px;
#register h1{
  color: #fe72a5;
  margin-bottom: 5px;
}
#register li{
  float: none;
  margin-bottom: 12px;
```

```
width: 100%;
#register ul{
  background: #e2e3d8;
  -webkit-border-radius: 6px;
    -moz-border-radius: 6px;
       border-radius: 6px;
  -webkit-box-shadow: inset 0px 1px 1px 0px #bdbeb6;
    -moz-box-shadow: inset 0px 1px 1px 0px #bdbeb6;
       box-shadow: inset 0px 1px 1px 0px #bdbeb6;
  float: none;
  margin: 0 auto 30px;
  overflow: hidden;
  padding: 15px;
  width: 300px;
#register input{
  border: 1px solid #a5a69e;
  -webkit-border-radius: 6px;
    -moz-border-radius: 6px;
       border-radius: 6px;
  -webkit-box-shadow: inset 0px 1px 0px 0px #e0e0e0, 0px 1px 0px 0px #f7fff4;
    -moz-box-shadow: inset 0px 1px 0px 0px #e0e0e0, 0px 1px 0px 0px #f7fff4;
       box-shadow: inset 0px 1px 0px 0px #e0e0e0, 0px 1px 0px 0px #f7fff4;
  color: #545454;
  font-size: 18px;
  height: 40px;
#register input[type=text], #register input[type=password]{
2012-05-09 09:22
                             style.css
                                                  Page 9
  padding-left: 10px;
  width: 300px;
#register input[type=submit]{
  background: #FE72A5;
  border: 0:
  -webkit-box-shadow: none:
    -moz-box-shadow: none;
       box-shadow: none;
  color: #f7fff4;
  float: right;
```

```
font-size: 18px;
  font-weight: bold;
  height: 40px;
  line-height: 4px;
  width: 90px;
}
/* Shopping cart styles */
#cart{
  margin-bottom: 30px;
  overflow: hidden;
#cart a{
  text-decoration: underline;
#cart h2{
  font-size: 22px;
  margin: 0px 0px 20px 0px;
#cart table{
  border: 0px;
  border-collapse:collapse;
  margin-bottom: 15px;
  width: 100%;
#cart td{
  border: 0px;
  border-bottom: 1px solid #E8E8D3;
  padding: 5px;
#cart td:last-child, #cart th:last-child{
  text-align:right;
#cart td.deal{
  line-height: 50px;
  padding: 5px 0;
#cart th{
  border: 0px;
  text-align: left;
  padding: 5px;
```

```
#cart tr:last-child td{
  border-bottom: 0px;
#cart .button{
  background-color: #fde540;
  display: block;
  float: right;
  text-align: center;
  width: 200px;
#cart .crop, #quantity .crop{
  float:left;
  margin: 0px 10px 0px 0px;
#cart .crop, #cart .crop img, #quantity .crop, #quantity .crop img{
  height: 50px;
   width: 50px;
#cart .crop img{
  width: auto;
#cart .quantity{
  text-align: center;
#cart .total td{
  border: 0px;
/* End Shopping cart styles */
/* Quantity page styles */
#quantity{
  margin: 0 auto 30px;
  overflow: hidden;
  width: 365px;
#quantity h1{
  color: #FE72A5;
input.button{
  float: right;
  width: 200px;
/* End Quantity page styles */
```

```
/*Universal Styles*/
  color: #545454;
  text-decoration: none;
a.button{
  background-color: #00eb76;
  color: #f8f9ec;
  display: block;
  font-size: 24px;
  font-weight: bold;
  margin-top: 5px;
  padding: 10px 0;
  text-decoration: none;
  width: 100%;
a.button, .crop, nav li.active, nav a:hover{
  -webkit-border-radius: 6px;
    -moz-border-radius: 6px;
       border-radius: 6px;
}
article{
  float:none;
  margin-right: 30px;
  width: 540px;
}
aside{
  float: none;
  width: 330px;
aside h2{
  border-bottom: 1px solid #545454;
}
body{
  background: #f8f9ee url('../images/background.jpg') repeat top left;
  color: #545454;
```

```
font-family: "HelveticaNeue-Light", "Helvetica Neue Light", "Helvetica Neue", Helvetica, Arial, "Lucida Grande",
sans-serif;
  font-weight: 300;
  margin: 30px 0 0 0;
footer{
  margin: 0 auto;
  width: 900px;
footer nav{
  margin: 0 0 30px 0;
                            style.mobile.css
2012-05-09 09:22
                                                       Page 2
h1, h2, h3{
  margin: 0;
h1{
  font-size: 24px;
h2{
  font-size: 18px;
header, #content{
  margin: 0 auto;
}
header{
  border-bottom: 1px solid #545454;
header a {
  float:left;
}
li{
  float:none;
  list-style:none;
  padding: 0;
```

}

```
aside, header, #content, #coupon-image, .crop{
  overflow: hidden;
nav{
  float:right;
  margin:105px 0 30px;
nav{
  overflow: hidden;
nav a:visited{
  color: #545454;
}
nav li{
  padding: 5px 7px;
nav li.active, nav a:hover{
  background: #e2e3d8;
nav ul{
                                                      Page 3
2012-05-09 09:22
                            style.mobile.css
  margin: 0;
nav a:active{
  color: #545454;
}
p{
  font-family: Constantia, "Lucida Bright", Lucidabright, "Lucida Serif", Lucida, "DejaVu Serif", "Bitstream Vera
Serif", "Liberation Serif", Georgia, serif;
  line-height: 150%;
}
ul{
  float:none;
}
```

```
#content{
  margin: 30px auto;
/*End Universal Styles*/
/*Coupon Page Styles*/
#coupon-description{
  float:none;
  margin: 15px 15px 00;
  width: 320px;
#coupon-description p{
  margin-top:0px;
#coupon-image{
  height: 150px;
  width: 540px;
#coupon-pricing{
  float: none;
  margin-top: 15px;
  text-align: center;
  width: 200px;
#coupon-pricing h1{
  color: #00eb76;
  font-size: 24px;
}
#coupon-pricing h3{
  font-size: 18px;
}
#coupon-pricing > h3{
  font-size: 14px;
  font-weight: normal;
                                                     Page 4
2012-05-09 09:22
                           style.mobile.css
}
#coupon-pricing li{
  margin-left: 14px;
```

```
}
#coupon-pricing li:first-child{
  width: 45px;
  margin-left: 0;
#coupon-pricing ul{
  margin-top: 15px;
  padding: 0;
#more-deals{
  margin-top: 6px;
  width: 330px;
#more-deals, #more-deals li{
  width: 330px;
#more-deals li{
  margin: 0 0 15px;
}
#more-deals .crop{
  height: 150px;
  margin-bottom: 5px;
  width: 330px;
}
#sponsored-deal{
  background: url('../images/beach.jpg');
  background-position: 0px;
  -webkit-border-radius: 6px 6px 0 0;
    -moz-border-radius: 6px 6px 00;
       border-radius: 6px 6px 0 0;
  color: #f8f9ec;
  height: 90px;
  padding: 15px;
#sponsored-deal-link{
  background: #e2e3d8;
  border-top: 1px solid #545454;
  -webkit-border-radius: 0 0 6px 6px;
    -moz-border-radius: 0 0 6px 6px;
       border-radius: 0 0 6px 6px;
  margin-bottom: 20px;
  padding: 5px 15px;
  text-align: right;
```

```
#sponsored-deal-link a{
  color: #545454;
  text-decoration: underline;
/*End Coupon Page Styles*/
/*About Us Page Styles*/
#about{
    margin: 0 auto;
    width: 330px;
}
#about h1{
  color: #fe72a5;
  margin-bottom: 5px;
}
#about li{
  float: none;
  margin-bottom: 15px;
  width: 100%;
#about p{
  background: #e2e3d8;
  -webkit-border-radius: 6px;
    -moz-border-radius: 6px;
       border-radius: 6px;
  -webkit-box-shadow: inset 0px 1px 1px 0px #bdbeb6;
    -moz-box-shadow: inset 0px 1px 1px 0px #bdbeb6;
       box-shadow: inset 0px 1px 1px 0px #bdbeb6;
  float: none;
  margin: 0 auto 30px;
  overflow: hidden;
  padding: 15px;
  width: 300px;
#about input{
  border: 1px solid #a5a69e;
  -webkit-border-radius: 6px;
    -moz-border-radius: 6px;
       border-radius: 6px;
  -webkit-box-shadow: inset 0px 1px 0px 0px #e0e0e0, 0px 1px 0px 0px #f7fff4;
    -moz-box-shadow: inset 0px 1px 0px 0px #e0e0e0, 0px 1px 0px 0px #f7fff4;
```

```
box-shadow: inset 0px 1px 0px 0px #e0e0e0, 0px 1px 0px 0px #f7fff4;
  color: #545454;
  font-size: 18px;
  height: 15px;
  padding: 10px;
#about input[type=text]{
  width: 278px;
2012-05-09 09:22
                           style.mobile.css
                                                     Page 6
#about input[type=submit]{
  background: #FE72A5;
  border: 0;
  -webkit-box-shadow: none;
    -moz-box-shadow: none;
       box-shadow: none;
  color: #f7fff4;
  float: right;
  font-size: 18px;
  font-weight: bold;
  height: 40px;
  width: 90px;
/*Contact Us Page Styes*/
#contact{
    margin: 0 auto;
    width: 330px;
}
#contact h1{
  color: #fe72a5;
  margin-bottom: 5px;
}
#contact li{
  float: none;
  margin-bottom: 15px;
  width: 100%;
}
#contact p{
  background: #e2e3d8;
```

```
-webkit-border-radius: 6px;
    -moz-border-radius: 6px;
       border-radius: 6px;
  -webkit-box-shadow: inset 0px 1px 1px 0px #bdbeb6;
    -moz-box-shadow: inset 0px 1px 1px 0px #bdbeb6;
       box-shadow: inset 0px 1px 1px 0px #bdbeb6;
  float: none:
  margin: 0 auto 30px;
  overflow: hidden;
  padding: 15px;
  width: 300px;
#contact input{
  border: 1px solid #a5a69e;
  -webkit-border-radius: 6px;
    -moz-border-radius: 6px;
       border-radius: 6px;
  -webkit-box-shadow: inset 0px 1px 0px 0px #e0e0e0, 0px 1px 0px 0px #f7fff4;
    -moz-box-shadow: inset 0px 1px 0px 0px #e0e0e0, 0px 1px 0px 0px #f7fff4;
       box-shadow: inset 0px 1px 0px 0px #e0e0e0, 0px 1px 0px 0px #f7fff4;
  color: #545454;
2012-05-09 09:22
                           style.mobile.css
                                                     Page 7
  font-size: 18px;
  height: 15px;
  padding: 10px;
}
#contact input[type=text]{
  width: 278px;
#contact input[type=submit]{
  background: #FE72A5;
  border: 0:
  -webkit-box-shadow: none;
    -moz-box-shadow: none;
       box-shadow: none;
  color: #f7fff4;
  float: right;
  font-size: 18px;
  font-weight: bold;
  height: 40px;
  width: 90px;
}
```

```
/*Register Page Styles*/
#register{
  margin: 0 auto;
  width: 330px;
#register h1{
  color: #fe72a5;
  margin-bottom: 5px;
#register li{
  float: none;
  margin-bottom: 12px;
  width: 100%;
}
#register ul{
  background: #e2e3d8;
  -webkit-border-radius: 6px;
    -moz-border-radius: 6px;
       border-radius: 6px;
  -webkit-box-shadow: inset 0px 1px 1px 0px #bdbeb6;
    -moz-box-shadow: inset 0px 1px 1px 0px #bdbeb6;
       box-shadow: inset 0px 1px 1px 0px #bdbeb6;
  float: none;
  margin: 0 auto 30px;
  overflow: hidden;
  padding: 15px;
  width: 300px;
#register input{
                           style.mobile.css
                                                     Page 8
2012-05-09 09:22
  border: 1px solid #a5a69e;
  -webkit-border-radius: 6px;
    -moz-border-radius: 6px;
       border-radius: 6px;
  -webkit-box-shadow: inset 0px 1px 0px 0px #e0e0e0, 0px 1px 0px 0px #f7fff4;
    -moz-box-shadow: inset 0px 1px 0px 0px #e0e0e0, 0px 1px 0px 0px #f7fff4;
       box-shadow: inset 0px 1px 0px 0px #e0e0e0, 0px 1px 0px 0px #f7fff4;
  color: #545454;
  font-size: 18px;
  height: 8px;
```

```
padding: 18px 10px 17px;
#register input[type=text], #register input[type=password]{
  width: 300px;
#register input[type=submit]{
  background: #FE72A5;
  border: 0;
  -webkit-box-shadow: none;
    -moz-box-shadow: none;
       box-shadow: none;
  color: #f7fff4;
  float: right;
  font-size: 18px;
  font-weight: bold;
  height: 40px;
  line-height: 4px;
  width: 90px;
/* Shopping cart styles */
  margin-bottom: 30px;
  overflow: hidden;
#cart h2{
  font-size: 22px;
  margin: 0px 0px 20px 0px;
#cart table{
  border: 0px;
  border-collapse:collapse;
  margin-bottom: 15px;
  width: 100%;
#cart td{
  border: 0px;
  border-bottom: 1px solid #E8E8D3;
#cart td:last-child, #cart th:last-child{
  text-align:right;
```

```
#cart td.deal{
  line-height: 50px;
  padding: 5px 0;
#cart th{
  bordeR: 0px;
  text-align: left;
#cart tr:last-child td{
  border-bottom: 0px;
#cart .button{
  background-color: #fde540;
  display: block;
  float: right;
  text-align: center;
  width: 200px;
#cart .crop{
  float:left;
  margin: 0px 10px 0px 0px;
#cart .crop, #cart .crop img{
  height: 50px;
   width: 50px;
#cart .crop img{
  width: auto;
#cart .quantity{
  text-align: center;
#cart .total td{
  border: 0px;
/* End Shopping cart styles */
/* Stage Buttons */
.btn{
     border: 1px solid #555;
     -webkit-border-radius: 5px;
     border-radius: 5px;
     text-align:center;
     display:block;
     background:#444;
     width:150px;
     color:#9ab:
     font-size:1.1em;
     text-decoration:none;
     padding:1.2em 0;
     float:none;
```

```
DROP DATABASE IF EXISTS SUNSHINEDEALS;
DROP DATABASE IF EXISTS sunshinedeals;
CREATE DATABASE sunshinedeals;
CREATE USER 'shinetheweb'@'localhost' IDENTIFIED BY 'urmysunshine';
USE sunshinedeals;
GRANT ALL ON sunshinedeals.* TO 'shinetheweb'@'localhost';
DROP TABLE IF EXISTS ACCOUNTS;
DROP TABLE IF EXISTS CART;
DROP TABLE IF EXISTS PURCHASES;
DROP TABLE IF EXISTS LOCATIONS;
DROP TABLE IF EXISTS COUPONS;
CREATE TABLE ACCOUNTS (
   ACCT_ID INT NOT NULL PRIMARY KEY AUTO_INCREMENT,
   ACCT_NAME VARCHAR(50) UNIQUE,
   ACCT_PASS varchar(40),
   ACCT_EMAIL varchar(32) UNIQUE,
   ACCT_SQUEST varchar(100),
   ACCT SANSER varchar(100),
   ACCT_TYPE INT NOT NULL,
   ACCT_JOIN TIMESTAMP DEFAULT CURRENT_TIMESTAMP
);
CREATE TABLE COUPONS (
   COUP ID INT NOT NULL PRIMARY KEY AUTO INCREMENT,
```

sunshine.sql

Page 1

2012-05-09 09:22

```
COUP_NAME varchar(50) UNIQUE,
   COUP TOTAL INT,
   COUP LEFT INT,
   COUP PRICE DECIMAL(15,2),
   COUP CATNAME VARCHAR(30),
   COUP VENDOR VARCHAR(50),
   COUP_DESC VARCHAR(1000),
   COUP IMGLOC VARCHAR(200),
   COUP_START TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
   COUP EXPR TIMESTAMP
);
CREATE TABLE CART (
   CART_ID INT NOT NULL PRIMARY KEY AUTO_INCREMENT,
   CART ACCT ID INT NOT NULL,
   CART_COUP_ID INT NOT NULL,
   CART QUAN INT,
   CART_DATE TIMESTAMP DEFAULT CURRENT_TIMESTAMP
);
CREATE TABLE PURCHASES (
   PUR ID INT NOT NULL PRIMARY KEY AUTO INCREMENT,
   PUR_ACCT_ID INT NOT NULL,
   PUR VENDNAME VARCHAR(50) NOT NULL,
   PUR_COUP_ID INT NOT NULL,
   PUR QUAN INT NOT NULL,
   PUR PRICE DECIMAL(15,2) NOT NULL,
   PUR PAID DECIMAL(15,2) NOT NULL,
                     sunshine.sql
                                      Page 2
2012-05-09 09:22
   PUR DATE TIMESTAMP DEFAULT CURRENT TIMESTAMP,
   PUR BADD varchar(50) NOT NULL,
   PUR BCTY varchar(30) NOT NULL,
   PUR BSTA char(2) NOT NULL,
   PUR BZIP char(5) NOT NULL,
   PUR BNAME varchar(50) NOT NULL,
   PUR_CCN varchar(50) NOT NULL,
   PUR CCLFN char(5) NOT NULL,
   PUR CCEX DATE NOT NULL,
   PUR CCSN varchar(50) NOT NULL
);
CREATE UNIQUE INDEX ACCT INDEX ON ACCOUNTS(ACCT ID, ACCT NAME);
CREATE UNIQUE INDEX COUP INDEX ON COUPONS(COUP ID, COUP NAME);
CREATE INDEX CART INDEX ON CART(CART ID ASC);
CREATE INDEX PUR INDEX ON PURCHASES(PUR ID ASC);
```

ALTER TABLE CART ADD CONSTRAINT CARTFK_ACCT FOREIGN KEY(CART_ACCT_ID) REFERENCES ACCOUNTS(ACCT_ID);

ALTER TABLE CART ADD CONSTRAINT CARTFK_COUP FOREIGN KEY(CART_COUP_ID) REFERENCES COUPONS(COUP_ID);

ALTER TABLE PURCHASES ADD CONSTRAINT PURFK_ACCT FOREIGN KEY(PUR_ACCT_ID) REFERENCES ACCOUNTS(ACCT_ID);

ALTER TABLE PURCHASES ADD CONSTRAINT PURFK_COUP FOREIGN KEY(PUR_COUP_ID) REFERENCES COUPOUNS(COUP_ID);

INSERT INTO ACCOUNTS (ACCT_NAME, ACCT_PASS, ACCT_EMAIL, ACCT_SQUEST, ACCT_SANSER, ACCT_TYPE)

VALUES ('Lamborghini',SHA1(MD5('Aventador')), 'lambo@lamborghini.com', 'What is your logo?', SHA1(MD5('A Bull.')), 1);

INSERT INTO ACCOUNTS (ACCT_NAME, ACCT_PASS, ACCT_EMAIL, ACCT_SQUEST, ACCT_SANSER, ACCT_TYPE)

VALUES ('Michelin',SHA1(MD5('the wheel')), 'tires@michelin.com', 'Who need us?', SHA1(MD5('Things that move')), 1);

INSERT INTO ACCOUNTS (ACCT_NAME, ACCT_PASS, ACCT_EMAIL, ACCT_SQUEST, ACCT_SANSER, ACCT_TYPE)

VALUES ('Ikea',SHA1(MD5('HomeLiving')), 'products@ikea.com', 'What is my nationality?', SHA1(MD5('Swiss')), 1);

INSERT INTO ACCOUNTS (ACCT_NAME, ACCT_PASS, ACCT_EMAIL, ACCT_SQUEST, ACCT_SANSER, ACCT_TYPE)

VALUES ('Johnson & Johnson Baby',SHA1(MD5('Adorable')), 'baby@jsandjs.com', 'Who do we tailor for?', SHA1(MD5('Babies')), 1);

INSERT INTO ACCOUNTS (ACCT_NAME, ACCT_PASS, ACCT_EMAIL, ACCT_SQUEST, ACCT_SANSER, ACCT_TYPE)

VALUES ('Boeing',SHA1(MD5('BuyA747')), 'buyaplane@boeing.com', 'What do we make?', SHA1(MD5('We make planes')), 1);

INSERT INTO ACCOUNTS (ACCT_NAME, ACCT_PASS, ACCT_EMAIL, ACCT_SQUEST, ACCT_SANSER, ACCT_TYPE)

VALUES ('Hawaiian Airlines',SHA1(MD5('vacation')), 'flyaa@ha.com', 'Who do we serve?', SHA1(MD5('People who travel')), 1);

INSERT INTO ACCOUNTS (ACCT_NAME, ACCT_PASS, ACCT_EMAIL, ACCT_SQUEST, ACCT_SANSER, ACCT_TYPE)

VALUES ('Krispy Kreme',SHA1(MD5('Doughnuts')), 'doughnuts@krispyk.com', 'Who loves us?', SHA1(MD5('The Police')), 1);

INSERT INTO ACCOUNTS (ACCT_NAME, ACCT_PASS, ACCT_EMAIL, ACCT_SQUEST, ACCT_SANSER, ACCT_TYPE)

VALUES ('Nintendo',SHA1(MD5('Legend')), 'gaming@nintendo.com', 'Whats our motto?', SHA1(MD5('Wii Like to Play')), 1);

INSERT INTO ACCOUNTS (ACCT_NAME, ACCT_PASS, ACCT_EMAIL, ACCT_SQUEST, ACCT_SANSER, ACCT_TYPE)

VALUES ('Epic Games',SHA1(MD5('WARS')), 'gaming@egames.com', 'What are we selling?', SHA1(MD5('Gears of War')), 1);

INSERT INTO ACCOUNTS (ACCT_NAME, ACCT_PASS, ACCT_EMAIL, ACCT_SQUEST, ACCT_SANSER, ACCT_TYPE)

VALUES ('Scientists',SHA1(MD5('LHC')), 'LHC@science.com', 'Whats out purpose?', SHA1(MD5('Build the universe')), 1);

INSERT INTO ACCOUNTS (ACCT_NAME, ACCT_PASS, ACCT_EMAIL, ACCT_SQUEST, ACCT_SANSER, ACCT_TYPE)

VALUES ('General Dynamics Land Systems',SHA1(MD5('Abrams')), 'tanks@gdls.mil', 'What are we selling?', SHA1(MD5('Machines of War')), 1);

INSERT INTO ACCOUNTS (ACCT_NAME, ACCT_PASS, ACCT_EMAIL, ACCT_SQUEST, ACCT_SANSER, ACCT_TYPE)

VALUES ('Lockheed Martin',SHA1(MD5('WARS')), 'fjets@lockheedmartin.mil', 'What are we selling?', SHA1(MD5('Fighter Jets')), 1);

INSERT INTO ACCOUNTS (ACCT_NAME, ACCT_PASS, ACCT_EMAIL, ACCT_SQUEST, ACCT_SANSER, ACCT_TYPE)

VALUES ('Hasselblad USA',SHA1(MD5('Camera')), 'prophoto@Hasselblad.com', 'What are we selling?', SHA1(MD5('Professional Cameras')), 1);

INSERT INTO COUPONS (COUP_NAME, COUP_TOTAL, COUP_LEFT, COUP_PRICE, COUP_CATNAME, COUP_VENDOR, COUP_DESC, COUP_IMGLOC, COUP_EXPR)

VALUES ('Lamborgini Aventador LP700-4',10,10,380000.00,'Automotive','Lamborghini','The Lamborgini Aventador is a two-door, two-seater supercar. Named after a champion bull, the Aventador is serious because it is powered by a 6.5L V12 that generates a mind-blowing 690 BHP and 690 Nm of torque. 0 to 60 only takes 2.9 seconds and has an estimated top speed of 217 MPH. Original Price is \$400,000. Do you think you can grab this bull by its horns?', '../images/coupons/aventador.jpg', '2012-06-05 11:59PM');

INSERT INTO COUPONS (COUP_NAME, COUP_TOTAL, COUP_LEFT, COUP_PRICE, COUP_CATNAME, COUP_VENDOR, COUP_DESC, COUP_IMGLOC, COUP_EXPR)

2012-05-09 09:22

sunshine.sql

Page 3

VALUES ('Michelin Tires',80,80,85.00,'Automotive','Michelin','If it was not obvious already, we make tires for anything and everything, including but not limited to automobiles, motorcycles, aircrafts, and the Space Shuttle. Our specially made tires are <i>green</i> which reduce fuel consumption, increases life expectancy, and better grip on any terrain. Safe, long lasting, and fairly cheap, what are you waiting for? Original Price: \$100.00. Buy Michelin Defender Tires.', '../images/coupons/michelindefender.jpg', '2012-06-05 11:59PM');

INSERT INTO COUPONS (COUP_NAME, COUP_TOTAL, COUP_LEFT, COUP_PRICE, COUP_CATNAME, COUP_VENDOR, COUP_DESC, COUP_IMGLOC, COUP_EXPR)

VALUES ('Folldal Bed',50,50,899.00,'Home','Ikea','The Folldal bed comes with a bed frame in Grann white and a king mattress. The Bed comes comes with soft, hardwearing, and simple maintenance leather that lasts long and easy to maintain. Just wipe clean with a damp cloth and it will be good as new. The bed sides are also adjustable to allow mattresses of different shapes and heights to comfortable fit inside. Some Assembly Required. Original Price: \$999.00. Sleep in comfort now.', '../images/coupons/folldalbed.jpg', '2012-06-05 11:59PM');

INSERT INTO COUPONS (COUP_NAME, COUP_TOTAL, COUP_LEFT, COUP_PRICE, COUP_CATNAME, COUP_VENDOR, COUP_DESC, COUP_IMGLOC, COUP_EXPR)

VALUES ('Johnson & Johnson Baby Lotion',1500,1500,3.99,'Baby','Johnson & Johnson Baby','The new Johnson and Johnson Baby Lotion is the number 1 choice in hospitals and moms everywhere. It has the unmistakable baby fresh scent that is gentle, mild on the skin, and pleasant for babies. Its fast absorbing formula leaves the skin feeling soft and smooth, not oily or slippery. Instructions: gently apply the lotion on the baby. Original Price: \$5.99. Make your baby feel soft!', '../images/coupons/jandjbl.jpg', '2012-06-05 11:59PM');

INSERT INTO COUPONS (COUP_NAME, COUP_TOTAL, COUP_LEFT, COUP_PRICE, COUP_CATNAME, COUP_VENDOR, COUP_DESC, COUP_IMGLOC, COUP_EXPR)

VALUES ('Boeing 747-8F',3,3,319000000.00, 'Travel', 'Boeing', 'Ever been to the airport and got tired of waiting in

long lines to check in? Are you finding it hard to find timing that work around your schedule? WELL DO NOT WORRY! The iconic Boeing 747 is 42 years old. This new 747-8F is a fuel-efficient and maneuverable aircraft. Since you own it, you no longer have to worry about tickets or timings. Simply call your pilot and tell him or her that you need to be somewhere now. The 747-8F is large and spacious so you can take anything with you. Original Price: \$320 million. Fly like POTUS and the Space Shuttle.', '../images/coupons/boeing747.jpg', '2012-06-05 11:59PM'); INSERT INTO COUPONS (COUP_NAME, COUP_TOTAL, COUP_LEFT, COUP_PRICE, COUP_CATNAME, COUP_VENDOR, COUP_DESC, COUP_IMGLOC, COUP_EXPR)

VALUES ('Flight to Hawaii',35,35,199.99,'Travel','Hawaiian Airlines','Are you getting bored and/or tired of work? Then you need a Vacation! Fly Hawaiian Airlines to Hawaii with your family for ten days of relaxation and fun. We are fast, friendly, and cheap so join us on your trip to Hawaii. Other companies get you there but we get you there without hassle, your choice. Other offers: 299.99. Fly Hawaiian Airlines Now!', '../images/coupons/hawaiianair.jpg', '2012-06-05 11:59PM');

INSERT INTO COUPONS (COUP_NAME, COUP_TOTAL, COUP_LEFT, COUP_PRICE, COUP_CATNAME, COUP_VENDOR, COUP_DESC, COUP_IMGLOC, COUP_EXPR)

VALUES ('Krispy Kreme Glazed Doughnuts',75,75,5.99,'Food','Krispy Kreme','Are you hungry? Yes, skip a few sentences. No, continue reading. Krispy Kreme has been making doughnuts since 1937. We know how to make them doughnuts. We make them doughnuts delicious, mouth-watering, and warm. Are you hungry now? I hope so because we have two dozen Krispy Kreme glazed doughnuts for a discounted price. Available for everyone including the Police. Original Price: \$7.99 each. Come and get your doughnuts.', '../images/coupons/kkd.jpg', '2012-06-05 11:59PM');

INSERT INTO COUPONS (COUP_NAME, COUP_TOTAL, COUP_LEFT, COUP_PRICE, COUP_CATNAME, COUP_VENDOR, COUP_DESC, COUP_IMGLOC, COUP_EXPR)

VALUES ('The Legend of Zelda',20,20,19.99,'Gaming','Nintendo','Love games? Have no life? I guess not because you are reading this description. Kidding aside, Zelda is a classic Japanese RPG that has touched the hearts of many generations worldwide. We here with a classic Zelda game remake for the 3DS platform at a exclusive price for those young and old to reminisce.', '../images/coupons/lozelda.jpg', '2012-06-05 11:59PM');

INSERT INTO COUPONS (COUP_NAME, COUP_TOTAL, COUP_LEFT, COUP_PRICE, COUP_CATNAME, COUP_VENDOR, COUP_DESC, COUP_IMGLOC, COUP_EXPR)

VALUES ('Gears of War 3',25,25,17.99,'Gaming','Epic Games','Is it the end of the world? Are muscular monsters with rifles knocking on your front door? Well great, we have just the game for you to immerse yourself in a reality of gory action where you either brutally kill monsters or get brutally killed.', '../images/coupons/gow3.jpg', '2012-06-05 11:59PM');

INSERT INTO COUPONS (COUP_NAME, COUP_TOTAL, COUP_LEFT, COUP_PRICE, COUP_CATNAME, COUP_VENDOR, COUP_DESC, COUP_IMGLOC, COUP_EXPR)

VALUES ('Large Hadron Collider',1,1,90000000000.00,'Science','Scientists','Did you ever want to win the science fair? Have you ever wondered what would happen if you smashed multiple particles together at an extremely high velocity? Well now, you can! The Large Hadron Collider that you purchase will be an exact replica of the LHC built and operated by the European Organization for Nuclear Research (CERN). The LHC will lie in a tunnel that is 27 kilometers in circumference. Note that the LHC operates at operates at approximately 1.12 microjoules per nucleon. Original Price: Contact us for details. Buy an LHC and become the next famous scientist.', '../images/coupons/hadroncollider.jpg', '2012-06-05 11:59PM');

INSERT INTO COUPONS (COUP_NAME, COUP_TOTAL, COUP_LEFT, COUP_PRICE, COUP_CATNAME, COUP_VENDOR, COUP_DESC, COUP_IMGLOC, COUP_EXPR)

VALUES ('M1A2 TUSK Abrams Tank',12,12,6100000.00,'Military','General Dynamics Land Systems','Named after General Creighton Abrams, the M1 is a highly mobile and heavily armored third generation main battle tank. Weighing at nearly 62 metric tons and a maximum speed of 35mph, this colossal beast can quickly change the outcome on a battlefield. Its primary and secondary armaments include a 105mm rifled cannon, 120mm smoothbore cannon, .50-cal machine gun that makes most enemies back down without a fight. Background checks may apply. Original price: \$6.21 million. Get this and win some more battles.', '../images/coupons/m1abrams.png', '2012-06-05 11:59PM');

INSERT INTO COUPONS (COUP_NAME, COUP_TOTAL, COUP_LEFT, COUP_PRICE, COUP_CATNAME, COUP_VENDOR, COUP_DESC, COUP_IMGLOC, COUP_EXPR)

VALUES ('F-22 Raptor',15,15,145000000,'Military','Lockheed Martin','The F-22 Raptor is a Stealth Air Superiority Strike Fighter that dominates the sky, war or not. Its stealth armor prevents most enemies to know what is

happening until its already too late. Its thrust vectoring makes the F-22 Raptor outmaneuvers any and all other fighter jets. Its top speed of Mach 2.25 (1500 mph) and multiple armaments means that it has very little competition. Background checks required. Original price: \$150 million. Get it now and own the sky!', '../images/coupons/f22.jpg', '2012-06-05 11:59PM');

INSERT INTO COUPONS (COUP_NAME, COUP_TOTAL, COUP_LEFT, COUP_PRICE, COUP_CATNAME, COUP_VENDOR, COUP_DESC, COUP_IMGLOC, COUP_EXPR)

VALUES ('Hasselblad H4D-60',4,4,39995,'Photography','Hasselblad USA','The Hasselblad H4D-60 is probably the most expensive digital camera in the world. This DSLR camera has an astonishing 60 megapixel 40 x 54 mm sensor. Aided by the Absolute Position Lock processor, Hasselblad's True Focus system allows the photographer to focus on the composition without constantly fiddling with the focus. The camera has a capture rate of 1.4 seconds per capture and shutter speed ranges from an 800th of a second to 32 seconds. Original Price: \$41,995', '../images/coupons/hasselbladH4D-60.jpg', '2012-06-05 11:59PM');

```
<?php
include '../template/headerPages.php';
<header><script src="sorttable.js"></script></header>
<div id="content">
<div id="cart">
<a href="testShoppingCart.php?sort=title">Title</a>
<a href="testShoppingCart.php?sort=desc">Description</a>
<a href="testShoppingCart.php?sort=price">Price</a>
<?php
include("connection.php");
$result = "SELECT * FROM COUPONS";
switch ($_REQUEST['sort'])
case 'id':
 $result .= " ORDER BY COUP_ID";
 break;
case 'title':
 $result .= " ORDER BY COUP_NAME";
break;
case 'total':
 $result .= " ORDER BY COUP_TOTAL";
break:
case 'left':
 $result .= " ORDER BY COUP_LEFT";
break;
case 'price':
 $result .= " ORDER BY COUP_PRICE";
break;
case 'category':
 $result .= " ORDER BY COUP_CATNAME";
break:
case 'vendor':
 $result .= " ORDER BY COUP_VENDOR";
 break;
case 'desc':
 $result .= " ORDER BY COUP_DESC";
break;
case 'start':
 $result .= " ORDER BY COUP_START";
break:
case 'end':
 $result .= " ORDER BY COUP_EXPR";
break;
default:
```

```
}
```

```
testShoppingCart.php
2012-05-09 09:22
//echo $result;
$table = "COUPONS";
$result = mysql_query($result) or die(mysql_error());
sum = 0;
//echo mysql_field_name($result, 0);//name of columns
//echo mysql_num_fields($result);//num of columns
while($row = mysql_fetch_array($result))
 $test = $row['COUP_ID'];
 $sum += $row['COUP_PRICE'];
 echo "";
 echo "" . $row['COUP_NAME'] . "";
 echo "" . $row['COUP_DESC'] . "";
 echo "" . $row['COUP_PRICE'] . "";
 echo "";
 }
    echo "
                $" . (double)$sum . "
       Total
       ";
    echo "";
    echo"<a href='#' class='button'>Check-out</a>";
include("connection.php");
?>
</div>
</div>
    include '../template/footerPages.php';
?>
```

Page 2

```
<?php
    include '../template/header.php';
?>
<div id="content">
<div id="contact">
<h1>Account Update</h1>
<?php
include("connection.php");
$acctId = $_REQUEST['acctId'];
$email = $_REQUEST['email'];
$currentPwd = $_REQUEST['currentPwd'];
pwdA = REQUEST[pwdA'];
pwdB = \text{REQUEST['pwdB']};
$question = $_REQUEST['question'];
$answer = $_REQUEST['answer'];
$query = "SELECT * FROM ACCOUNTS WHERE ACCT_ID = $acctId";
$result = mysql_query($query);
$row = mysql_fetch_array($result);
    if($row['ACCT_PASS']==sha1(md5($currentPwd))){
        if(pwdA==pwdB)
             echo "Account has been updated.";
             pwdA = sha1(md5(pwdA));
             if($answer != $row['ACCT_SANSER']){
```

updateAccount.php

Page 1

2012-05-09 09:22

```
answer = sha1(md5(answer));
             mysql_query("UPDATE ACCOUNTS SET ACCT_PASS='$pwdA', ACCT_EMAIL='$email',
ACCT_SQUEST='$question', ACCT_SANSER='$answer' WHERE ACCT_ID = $acctId") or die(mysql_error());
             echo "New Password and Confirm Password needs to match.";
    }else{
        echo "Wrong Password";
    }
include("close.php");
?>
</div>
</div>
<?php
    include '../template/footer.php';
?>
2012-05-09 09:22
                         updateCoupon.php
                                                  Page 1
<?php
    include("connection.php");
    $coupId = $_REQUEST['coupId'];
    $acctId = $_REQUEST['acctId'];
    $title = $_REQUEST["title"];
    $quantity = $_REQUEST["quantity"];
    $left = $_REQUEST["left"];
    $price = $_REQUEST["price"];
    $category = $_REQUEST["category"];
    $vName = $_REQUEST["vName"];
    $description = $_REQUEST["description"];
    $month = $_REQUEST["month"];
    dy = REQUEST["day"];
    $year = $_REQUEST["year"];
```

```
$hour = $_REQUEST["hour"];
    $minute = $ REQUEST["minute"];
    $sMonth = $ REQUEST["sMonth"];
    sDay = \REQUEST["sDay"];
    $sYear = $ REQUEST["sYear"];
    $sHour = $ REQUEST["sHour"];
    $sMinute = $_REQUEST["sMinute"];
    $url = $ REQUEST["url"];
    echo "'$title', $quantity, $price, '$category', '$vName', '$description', '2012-04-14 21:28:49', '2012-04-
14 21:28:49";
    mysql_query("UPDATE COUPONS SET COUP_NAME='$title', COUP_TOTAL='$quantity',
COUP_LEFT='$left', COUP_PRICE='$price', COUP_CATNAME='$category', COUP_VENDOR='$vName',
COUP_DESC='$description', COUP_IMGLOC='$url', COUP_START='$sYear-$sMonth-$sDay $sHour:$sDay:00',
COUP_EXPR='$year-$month-$day $hour:$day:00' WHERE COUP_ID = $coupId");
    include("close.php");
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN"
    "http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">
<a href="http://www.w3.org/1999/xhtml">
    <head>
        <meta http-equiv="Refresh" content="5;url=inventory.php?acctId=<?php echo $acctId?>" />
        <title>Coupon Information</title>
    </head>
    <body>
        <h1>Thank You</h1>
            Your request has been processed.
        </body>
</html>
```

```
<?php
    include '../template/header.php';
<div id="content">
<div id="contact">
<h1>Quantity Updated</h1>
<?php
include("connection.php");
$coupId = $_REQUEST['coupId'];
$acctId = $_REQUEST['acctId'];
$quantity = $_REQUEST['quantity'];
$query = "SELECT * FROM CART WHERE CART COUP ID = $coupId AND CART ACCT ID = $acctId";
$result = mysql_query($query) or die(mysql_error());
$row = mysql fetch array($result) or die (mysql error());
$currentQuantity = $row['CART_QUAN'];
if($quantity==0){
    echo "Removing Coupon from Shopping Cart.";
    mysql_query("DELETE FROM CART WHERE CART_ACCT_ID = $acctId AND CART_COUP_ID =
$coupId") or die(mysql_error());
    mysql_query("UPDATE COUPONS SET COUP_LEFT=COUP_LEFT+$currentQuantity WHERE
COUP_ID=$coupId") or die(mysql_error());
}elseif($currentQuantity < $quantity){</pre>
    $sum = $quantity - $currentQuantity;
    echo "Increasing Quantity by $sum.";
    mysql_query("UPDATE CART SET CART_QUAN=CART_QUAN+$sum WHERE CART_ACCT_ID=$acctId
AND CART COUP ID = $coupId") or die(mysql error());
    mysql_query("UPDATE COUPONS SET COUP_LEFT=COUP_LEFT-$sum WHERE COUP_ID=$coupId") or
die(mysql_error());
}elseif($currentQuantity > $quantity){
    $sum = $currentQuantity - $quantity;
    echo "Decreasing Quantity by $sum.";
    mysql_query("UPDATE CART SET CART_QUAN=CART_QUAN-$sum WHERE CART_ACCT_ID=$acctId
AND CART COUP ID = $coupId") or die(mysql error());
    mysql_query("UPDATE COUPONS SET COUP_LEFT=COUP_LEFT+$sum WHERE COUP_ID=$coupId") or
die(mysql_error());
}else{
    echo "No changes have been made.";
include("close.php");
?>
</div>
</div>
<script>
window.setTimeout(function(){window.location = "http://sunshine.engr.sjsu.edu/pages/shoppingCart.php?acctId=<?
php echo $acctId; ?>";}, 2000);
</script>
```

```
<?php
    include '../template/footer.php';
2012-05-09 09:22
                           vendorMenu.php
                                                     Page 1
<?php
include '../template/headerPages.php';
<div id="content">
<h1>Vendor Menu</h1>
<body>
<form action = "createCoupon.php"><button type="submit">Create Coupon</button></form>
<form action = "inventory.php"><button type="submit">Coupon Inventory</button></form>
<form action = "testShoppingCart.php"><button type="submit">Transactions</button></form>
<form action = "editAccount.php"><button type="submit">Edit Account</button></form>
</div>
<?php
    include '../template/footerPages.php';
?>
```

```
<?php
    include('../template/header.php');
<div id="content">
<article>
<?php
include("connection.php");
$coupId = $_REQUEST['coupId'];
$query = "SELECT * FROM COUPONS WHERE COUP_ID = $coupId";
$result = mysql_query($query) or die(mysql_error());
$row = mysql_fetch_array($result) or die(mysql_error());
if(0 < $row['COUP_LEFT']){
    "Title: ".$row['COUP_NAME']."
     Total: ".$row['COUP_TOTAL']."
     Left: ".$row['COUP_LEFT']."
     Price: ".$row['COUP_PRICE']."
     Category: ".$row['COUP_CATNAME']."
     Vendor: ".$row['COUP_VENDOR']."
     Description: ".$row['COUP_DESC']."
```

viewCoupon.php

Page 1

2012-05-09 09:22

```
Start Date: ".$row['COUP_START']."
     End Date: ".$row['COUP_EXPR']."";
    '<img name="myimage" src="'.$row['COUP_IMGLOC']." width="60" height="60" alt="image" />';
    if(isset($_REQUEST['acctId'])){
         $acctId = $_REQUEST['acctId'];
         "<a href='addCart.php?coupId=$coupId&acctId=$acctId'>Add Coupon</a>";
}else{
         "Coupon ".$row['COUP ID']." is sold out.";
?>
<div id="coupon-image" class="crop">
         <img src="<?php echo $row['COUP_IMGLOC']; ?>" alt="Spa Coupon" />
      </div>
      <div id="coupon-description">
         <h1><?php echo $row['COUP_NAME']; ?></h1>
         <?php echo $row['COUP_DESC']; ?>
      </div>
      <div id="coupon-pricing">
         <h1>$<?php echo $row['COUP_PRICE']; ?></h1>
         <?php if(isset($_SESSION['current_user']) && $_SESSION['acctType'] != 1){ echo "<a class='button'</pre>
href='/pages/addCart.php?coupId=$coupId&acctId=".$_SESSION['current_user']."'>Buy</a>"; }else{?>
         <a class="button" href="/pages/login.php">Buy</a>
         <?php } ?>
         \langle ul \rangle
           <h3><?php echo $row['COUP_LEFT']; ?></h3>Remain
         <h2 id="time">3 days <span>4:15:32</span></h2>
         <h3>Time Left to Buy</h3>
         <?php
             $tempArray = explode("-",$row['COUP_EXPR']);
             $dayArray = explode(" ", $tempArray[2]);
             $timeArray = explode(":", $dayArray[1]);
2012-05-09 09:22
                          viewCoupon.php
                                                    Page 2
         ?>
         <script>
           $('#time').countdown({date: new Date(<?php echo $tempArray[0]; ?>, <?php echo $tempArray[1]; ?>-1,
<?php echo $dayArray[0]; ?>,<?php echo $timeArray[0]; ?>, <?php echo $timeArray[1]; ?>, <?php echo
$timeArray[2]; ?>)});
         </script>
      </div>
    <div style="clear:both;"></div>
    <div id="disqus_thread"></div>
<script type="text/javascript">
```

```
/* * * CONFIGURATION VARIABLES: EDIT BEFORE PASTING INTO YOUR WEBPAGE * * */
  var disgus shortname = 'sunshineDeals'; // required: replace example with your forum shortname
  /* * * DON'T EDIT BELOW THIS LINE * * */
  (function() {
    var dsq = document.createElement('script'); dsq.type = 'text/javascript'; dsq.async = true;
    dsq.src = 'http://' + disqus_shortname + '.disqus.com/embed.js';
    (document.getElementsByTagName('head')[0] || document.getElementsByTagName('body')[0]).appendChild(dsq);
  })();
</script>
<noscript>Please enable JavaScript to view the <a href="http://disgus.com/?ref_noscript">comments powered by
Disqus.</a></noscript>
</article>
<?php include("../template/sponsoredDeals.php");</pre>
include("close.php");
?>
</div>
<?php
    include('../template/footer.php');
```

?>