

20 |

Id

4 2015-01-04

For example, return the following Ids for the above Weather table:

Approach: Using JOIN and DATEDIFF() clause [Accepted]

weather w ON DATEDIFF(weather.date, w.date) = 1 AND weather. Temperature > w. Temperature

2 +---+

## Solution

JOIN

```
Algorithm
MySQL uses DATEDIFF to compare two date type values.
So, we can get the result by joining this table weather with itself and use this DATEDIFF() function.
MySQL
  SELECT
      weather.id AS 'Id'
  FROM
      weather
```

Rate this article: \* \* \* \* \*

```
O Previous
                                                                                         Next 1
Comments: 124
                                                                                        Sort By -
            Type comment here... (Markdown is supported)
            Preview
                                                                                          Post
            YuJuiChen # 49 @ October 9, 2018 1:06 PM
           I want to ask a question, why can't I use the
           code below (I got the same result)?:
                                                Read More
           49 A V C Share  Reply
            SHOW 9 REPLIES
            richik * 34 ② July 6, 2018 12:43 PM
            Simple Solution:
            select b.id from Weather a, Weather b
            where b.Recorddate = dateadd(day,1,a.recorddate)
            and a.temperature < b.temperature
            30 A V C Share   Reply
            maddy9 * 47 • February 13, 2019 1:41 AM
           LAG window function not supported??
            19 A V C Share  Reply
```

**SHOW 8 REPLIES** mazurok \* 16 ② November 18, 2018 4:12 AM The simplest and best way to get yesterday's date is: SUBDATE(current\_date, 1) https://stackoverflow.com/a/7147028/4536543 So, my answer is: Read More **SHOW 3 REPLIES** 

jixingman ★ 24 ② March 16, 2019 5:12 AM SELECT DISTINCT a.ld FROM Weather a, Weather b WHERE a.Temperature > b.Temperature AND DATEDIFF(a.Recorddate,b.Recorddate) = 1 22 A V C Share Reply **SHOW 1 REPLY** Candice\_q\_zhao ★ 14 ② October 25, 2018 4:04 PM As I known, the DATEDIFF() function needs three parameters, why there only two and it can work? 14 A V Share Reply

SHOW 2 REPLIES toussaint\_jackj # 20 ② July 12, 2018 5:53 AM SELECT T1.Id

FROM Weather T1 JOIN Weather T2 ON T1.Id = (T2.Id + 1)WHERE T1.Temperature > T2.Temperature Read More 18 ∧ ∨ © Share → Reply **SHOW 2 REPLIES** junffy\_junfei ★ 10 ② October 25, 2018 8:45 PM

from Weather as a join Weather as b on a.ld = b.ld + 1Read More 10 A V Share Reply **SHOW 5 REPLIES** 

Simple query using a WHERE clause. No subquery or join required:

My query was like this, but wrong. Anlyone can help? Thanks!

johnny7124 🛊 5 🧿 October 12, 2018 7:55 AM

select a.ld as Id

This solution is accepted Oracle: select a.id from weather a where a.temperature > (select b.temperature from weather b where b.recorddate=a.recorddate-1) 5 A V Share Reply **SHOW 2 REPLIES** rmulani2 🛊 8 🗿 October 17, 2018 9:29 AM

select W2.Id from Weather as W1, Weather as W2 where DATEDIFF(W2.RecordDate, W1.RecordDate) = 1 and W1.Temperature < W2.Temperature; 6 A V Share Reply **SHOW 1 REPLY** 

( 1 2 3 4 5 6 ... 12 13 >