

# Programming Assignment 1

## Problem 1

Use clingo to find all solutions to the 10 queens problem that have no queens in the  $4 * 4 = 16$  squares in the 4 to 7 rows and columns of the board. ( Assuming the board starts from 1)

## Problem 2

Use clingo to find all solutions to the n-queens problem for  $n=3,4,5,6,7,8,9,10,11,12$ . Draw a table that lists the number of solutions and the times to compute all solutions. Use the CPU time that clingo returns. Since the output is large, do not copy them into the submission.

## Problem 3

Use clingo to find all solutions to the sudoku problem below.

1					7		9	
	3			2				8
		9	6			5		
		5	3			9		
	1			8				2
6					4			
3							1	
	4							7
		7				3		

## Problem 4

Use clingo to find all solutions to the 16x16 Sudoku problem below

	6						8	11			15	14			16
15	11				16	14				12			6		
13		9	12					3	16	14		15	11	10	
2		16		11		15	10	1							
	15	11	10			16	2	13	8	9	12				
12	13			4	1	5	6	2	3					11	10
5		6	1	12		9		15	11	10	7	16			3
	2				10		11	6		5			13		9
10	7	15	11	16				12	13						6
9						1			2		16	10			11
1		4	6	9	13			7		11		3	16		
16	14			7		10	15	4	6	1				13	8
11	10		15				16	9	12	13			1	5	4
		12		1	4	6		16				11	10		
		5		8	12	13		10			11	2			14
3	16			10			7			6				12	

## Problem 5

Use clingo to find all solutions to the Offset Sudoku problem below.

4					6	1	3	
6	1	9	3	2	7		5	
5				4	1	9		6
		4	6	9	2	3		5
		5		3	4		6	
	6	3	1		5	7		4
7	8	1	2	6			4	3
9			5		3	2		1
	5	2		1		6	7	9

## Problem 6

Use clingo to find all solutions to the Anti-Knight Sudoku problem presented below.

	8							
2			7					
					6			9
6			4			7		
		8			9			5
5			8					
					5			6
							1	

## Problem 7

Use clingo to find all solutions to the alphabet Sudoku problem presented below.

E		F		B		D	Z	
B		Z	E	F				
	D		H				B	F
					E	Z		D
				H	Z	B	C	
G		E		C		F		
	G		B		F			Z
Z	F					H		G
	E	A	Z		H	C		

## Problem 8.

Use clingo to determine how many bishops can be placed on a chessboard so that they do not attack each other.

- (a) Find the maximum value of bishops when the chessboard is  $n$  by  $n$ , where  $n$  is 3, 4, 5, 6, 7, 8.
- (b) Infer the general function  $f(n)$  that returns the maximum value of bishops.

## Problem 9.

About a set  $X$  of numbers, we say that it is almost sum-free if the sum of two different elements of  $X$  never belongs to  $X$ . For instance, the set  $\{1, 2, 4\}$  is almost sum-free. Almost-Schur number  $A(k)$  is the largest integer  $n$  for which the interval  $\{1, \dots, n\}$  can be partitioned into  $k$  almost sum-free sets.

Use clingo to find the exact values of  $A(1)$ ,  $A(2)$ ,  $A(3)$  and try to find the largest lower bound for  $A(4)$ , i.e., the largest number  $l$  such that  $A(4) \geq l$ .

Hint: you do not need to find all partitions to find the values of  $A(k)$ .