


SHIWAM KUMAR SINHA

## ASSIGNMENT:12(Micro-Service)

### CRUD OPERATIONS RESULTS:

#### CREATE ORDER API



```
1 • use newordshipdb;
2 • show tables;
3 • select* from ordermanagement;
```

Result Grid								
Filter Rows: [ ] Edit: [ ] Export/Import: [ ] Wrap Cell Content: [ ]								
	id	order_date	customer_id	customer_name	order_number	order_product	order_type	quantity
2		2024-03-18	123	John Doe	ORD123	ProductABC	Online	2
3		2024-03-25	1235	SK SINHA	ORD-00155	Product dX	Type cd	12

## GET ALL ORDER

GET <http://localhost:3262/order/getAllOrder> Send

Params Authorization Headers (9) **Body** Pre-request Script Tests Settings Cookies Beautify

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL ☒ JSON

```
6 //-----"quantity": "12",
7 //-----"customer_name": "SK-SINHA",
8 //-----"customer_id": 1235,
9 //-----"order_date": "2024-03-25"
10 //}
11 //}
12 //-----"shipment_address": "12gfb3-Main-St",
13 //-----"shipment_date": "2027-03-15",
14 //-----"shipmenter_name": "John-bzzzvDoe"
15 //}
16
17
```

Body Cookies Headers (5) Test Results Status: 200 OK Time: 84 ms Size: 510 B Save as example

Pretty Raw Preview Visualize **JSON** Text

```
1 [
2   {
3     "id": 2,
4     "orderNumber": "ORD123",
5     "order_type": "Online",
6     "order_product": "ProductABC",
7     "quantity": "2",
8     "customer_name": "John Doe",
9     "customer_id": 123,
10    "order_date": "2024-03-18"
11  },
12 ]
```

## GET ORDER BY ID

GET <http://localhost:3262/order/getOrderData/2> Send

Params Authorization Headers (9) **Body** Pre-request Script Tests Settings Cookies Beautify

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL ☒ JSON

```
6 //-----"quantity": "12",
7 //-----"customer_name": "SK-SINHA",
8 //-----"customer_id": 1235,
9 //-----"order_date": "2024-03-25"
10 //}
11 //}
12 //-----"shipment_address": "12gfb3-Main-St",
13 //-----"shipment_date": "2027-03-15",
14 //-----"shipmenter_name": "John-bzzzvDoe"
15 //}
16
17
```

Body Cookies Headers (5) Test Results Status: 200 OK Time: 24 ms Size: 189 B Save as example

Pretty Raw Preview Visualize **Text** Text

```
1 Got the data successfully
```

## UPDATE DATA BY ID

<http://localhost:3262/order/UpdateOrder/2> Save

PUT <http://localhost:3262/order/UpdateOrder/2> Send

Params Authorization Headers (9) **Body** Pre-request Script Tests Settings Cookies Beautify

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL ☒ JSON

```
1 {
2   -----
3   -----"orderNumber": "ORD-00155",
4   -----"order_type": "Type-cvd",
5   -----"order_product": "Product-vdX",
6   -----"quantity": "125",
7   -----"customer_name": "SK-vvSINHA",
8   -----"customer_id": 12325,
9   -----"order_date": "2024-03-15"
10 }
11 //}
12 //-----"shipment address": "12gfb3-Main-St",
```

Body Cookies Headers (5) Test Results Status: 200 OK Time: 73 ms Size: 189 B Save as example

Pretty Raw Preview Visualize **Text** Text

```
1 data updated Successfully
```

Result Grid								
	id	order_date	customer_id	customer_name	order_number	order_product	order_type	quantity
	2	2024-03-15	12325	SK vvSINHA	ORD-00155	Product vdX	Type cvd	125
	3	2024-03-25	1235	SK SINHA	ORD-00155	Product dX	Type cd	12
	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

updated data

## DELETE DATA

DELETE <http://localhost:3262/order/DeleteOrder/2> Save Send

Params Authorization Headers (9) **Body** Pre-request Script Tests Settings Cookies Beautify

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL ☒ JSON

```

1 // {
2 //   "orderNumber": "ORD-00155",
3 //   "orderType": "Type-cvd",
4 //   "orderProduct": "Product-vdX",
5 //   "quantity": "125",
6 //   "customerName": "SK-vvSINHA",
7 //   "customer_id": "12325",
8 //   "order_date": "2024-03-15"
9 // }
10 // {
11 //   "shipment_address": "12gfb3-Main-St",
12 // }

```

Body Cookies Headers (5) Test Results Status: 200 OK Time: 72 ms Size: 184 B Save as example

Pretty Raw Preview Visualize Text 1 Deleted Successfully

## Place order shipment

POST <http://localhost:3262/order/placeOrderShipment> Send

Params Authorization Headers (9) **Body** Pre-request Script Tests Settings Cookies Beautify

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL ☒ JSON

```

6 // {
7 //   "quantity": "125",
8 //   "customer_name": "SK-vvSINHA",
9 //   "customer_id": "12325",
10 //   "order_date": "2024-03-15"
11 // }
12 {
13   "shipment_address": "12gfb3-Main-St",
14   "shipment_date": "2027-03-15",
15   "shipmenter_name": "John-bzzzvDoe"
16 }
17

```

Body Cookies Headers (5) Test Results Status: 200 OK Time: 299 ms Size: 191 B Save as example

Pretty Raw Preview Visualize Text 1 shipment successfully added

Limit to 1000 rows

```

1 • use newordshipdb;
2 • show tables;
3 • select* from shipment_service;

```

Result Grid				
	shipment_id	shipment_address	shipment_date	shipmenter_name
	1	123 Main St	2024-03-15	John Doe

## Rest Assured test Cases Result:

### 1. Testing for "<http://localhost:3262/order/getAllOrder>"

```
Servers Terminal Data Source Explorer Properties Console x JUnit Results of running method Test_1.TestallGetData
<terminated> Test_1.TestallGetData [TestNG] C:\Users\Shiwam Sinha\p2\pool\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86_64_17.0.9.v20231028-08
[RemoteTestNG] detected TestNG version 7.4.0
200
914
application/json
Get testalldata API testcases Passed successfully
PASSED: TestallGetData

=====
Default test
Tests run: 1, Failures: 0, Skips: 0
=====

Default suite
Total tests run: 1, Passes: 1, Failures: 0, Skips: 0
```

### //2. Testing for [http://localhost:3262/order/getOrderData/{ord\\_id}](http://localhost:3262/order/getOrderData/{ord_id})

```
Servers Terminal Data Source Explorer Properties Console x JUnit Results of running method Test_1.Test_fun_1
<terminated> Test_1.Test_fun_1 [TestNG] C:\Users\Shiwam Sinha\p2\pool\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86_64_17.0.9.v20231028-0858\jre\bin\javaw.exe (18-Mar-2024, 12:38:36 pm - 12:38:44 pm) [pid: 16740]
[RemoteTestNG] detected TestNG version 7.4.0
200
text/plain; charset=UTF-8
HTTP/1.1 200
Get OrderbyId testcases Passed successfully
PASSED: Test_fun_1

=====
Default test
Tests run: 1, Failures: 0, Skips: 0
=====

Default suite
Total tests run: 1, Passes: 1, Failures: 0, Skips: 0
```

### //3. Testing for <http://localhost:3262/order/CreateOrder>

```
<terminated> Test_1.testCreateOrder [TestNG] C:\Users\Shiwam Sinha\p2\pool\plugins\org.eclipse.justj
[RemoteTestNG] detected TestNG version 7.4.0
200
text/plain; charset=UTF-8
HTTP/1.1 200
CreateOrder API Passed successfully
PASSED: testCreateOrder

=====
Default test
Tests run: 1, Failures: 0, Skips: 0
=====

Default suite
Total tests run: 1, Passes: 1, Failures: 0, Skips: 0
```

#### 4. Testing for [http://localhost:3262/UpdateOrder/{ord\\_id}](http://localhost:3262/UpdateOrder/{ord_id})

```
Servers Terminal Data Source Explorer Properties Console x JUnit Results of running method Test_1.testUpdateOrder
:terminated> Test_1.testUpdateOrder [TestNG] C:\Users\Shiwam Sinha\p2\pool\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86_64_17.0.9.v20231028-0858\
[RemoteTestNG] detected TestNG version 7.4.0
404
application/json
HTTP/1.1 404
Update order API test passed successfully
PASSED: testUpdateOrder

=====
    Default test
    Tests run: 1, Failures: 0, Skips: 0
=====

=====
Default suite
Total tests run: 1, Passes: 1, Failures: 0, Skips: 0
=====
```

#### 5. Testing for [http://localhost:3262/DeleteOrder/{ord\\_id}](http://localhost:3262/DeleteOrder/{ord_id})

```
[RemoteTestNG] detected TestNG version 7.4.0
404
application/json
HTTP/1.1 404
delete order API test passed successfully
PASSED: testDeleteOrder

=====
    Default test
    Tests run: 1, Failures: 0, Skips: 0
=====

=====
Default suite
Total tests run: 1, Passes: 1, Failures: 0, Skips: 0
=====
```