



Automated cross-reference audit: Legacy C++ Hardcoded APVTS Parameters (v0.2.0) vs. Modern JSON Architecture (v0.3.0).

THE KLANG FARMER



v0.2.0: Page 0 (Voice 1)




v0.3.0: Page 0 (Voice 1)


PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
Carrier 1: Pitch / Freq carrier1_pitch	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	100% parameter match across bounds, type, and calibrated defaults.

PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
Carrier 1: Shape carrier1_shape	EXACT MATCH	Float (def: 0.000)	Float (def: 0.000) Fmt: waveshape	100% parameter match across bounds, type, and calibrated defaults.
Carrier 1: Modulation Depth carrier1_depth	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	100% parameter match across bounds, type, and calibrated defaults.
Carrier 1: Tracking carrier1_tracking	EXACT MATCH	Choice [3] (def: 0)	Choice [3] (def: 0)	100% parameter match across bounds, type, and calibrated defaults.

THE KLANG FARMER





v0.2.0: Page 0 (Voice 1)





v0.3.0: Page 0 (Voice 1)

PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
Modulator 1: Shape mod1_shape	EXACT MATCH	Float (def: 0.000)	Float (def: 0.000) Fmt: waveshape	100% parameter match across bounds, type, and calibrated defaults.
Modulator 1: Speed mod1_speed	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	100% parameter match across bounds, type, and calibrated defaults.
Modulator 1: Pitch Tracking mod1_track	EXACT MATCH	Choice [3] (def: 0)	Choice [3] (def: 0)	100% parameter match across bounds, type, and calibrated defaults.

PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
Modulator 1: Type	EXACT MATCH	Choice [3] (def: 0)	Choice [3] (def: 0)	100% parameter match across bounds, type, and
				
v0.2.0: Page 0 (Voice 1)		v0.3.0: Page 0 (Voice 1)		



PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
PitchEnv 1: Slope <i>pitchenv1_slope</i>	EXACT MATCH	Float (def: 0.589)	Float (def: 0.589)	100% parameter match across bounds, type, and calibrated defaults.
PitchEnv 1: Depth <i>pitchenv1_depth</i>	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	100% parameter match across bounds, type, and calibrated defaults.
PitchEnv 1: Decay <i>pitchenv1_decay</i>	EXACT MATCH	Float (def: 0.381)	Float (def: 0.381)	100% parameter match across bounds, type, and calibrated defaults.

PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
PitchEnv 1: Target pitch	EXACT MATCH	Choice [4] (def: 0)	Choice [4] (def: 0)	100% parameter match across bounds, type, and
				
v0.2.0: Page 1 (Voice 2)		v0.3.0: Page 1 (Voice 2)		



PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
Carrier 2: Pitch / Freq carrier2_pitch	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	100% parameter match across bounds, type, and calibrated defaults.
Carrier 2: Shape carrier2_shape	EXACT MATCH	Float (def: 0.000)	Float (def: 0.000) Fmt: waveshape	100% parameter match across bounds, type, and calibrated defaults.
Carrier 2: Modulation Depth carrier2_depth	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	100% parameter match across bounds, type, and calibrated defaults.

PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
Carrier 2: Tracking ca	EXACT MATCH	Choice [3] (def: 0)	Choice [3] (def: 0)	100% parameter match across bounds, type, and
				
v0.2.0: Page 1 (Voice 2)		v0.3.0: Page 1 (Voice 2)		

PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
Modulator 2: Shape mod2_shape	EXACT MATCH	Float (def: 0.000)	Float (def: 0.000) Fmt: waveshape	100% parameter match across bounds, type, and calibrated defaults.
Modulator 2: Speed mod2_speed	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	100% parameter match across bounds, type, and calibrated defaults.
Modulator 2: Pitch Tracking mod2_track	EXACT MATCH	Choice [3] (def: 0)	Choice [3] (def: 0)	100% parameter match across bounds, type, and calibrated defaults.


PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
Modulator 2: Type	EXACT MATCH	Choice [3] (def: 0)	Choice [3] (def: 0)	100% parameter match across bounds, type, and
				
v0.2.0: Page 1 (Voice 2)		v0.3.0: Page 1 (Voice 2)		

PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
PitchEnv 2: Slope pitchenv2_slope	EXACT MATCH	Float (def: 0.589)	Float (def: 0.589)	100% parameter match across bounds, type, and calibrated defaults.
PitchEnv 2: Depth pitchenv2_depth	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	100% parameter match across bounds, type, and calibrated defaults.
PitchEnv 2: Decay pitchenv2_decay	EXACT MATCH	Float (def: 0.381)	Float (def: 0.381)	100% parameter match across bounds, type, and calibrated defaults.


PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
PitchEnv 2: Target pitch	EXACT MATCH	Choice [4] (def: 0)	Choice [4] (def: 0)	100% parameter match across bounds, type, and
				
v0.2.0: The Klang Farmer		v0.3.0: The Klang Farmer		

PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
Noise: S&H Rate noise_sh_rate	EXACT MATCH	Float (def: 1.000)	Float (def: 1.000)	100% parameter match across bounds, type, and calibrated defaults.
Noise: Filter noise_filter	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	100% parameter match across bounds, type, and calibrated defaults.
Noise: Drive noise_drive	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	100% parameter match across bounds, type, and calibrated defaults.
Noise: Decay noise_decay	EXACT MATCH	Float (def: 0.308)	Float (def: 0.308)	100% parameter match across

THE KLANG FARMER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
PARAMETER				bounds, type, and calibrated defaults.



ef:



ef:

v0.2.0: The Klang Farmer





Mixer: Ring

Mod Level



v0.3.0: The Klang Farmer

100% parameter match across bounds, type, and calibrated defaults.

PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
Mixer: Noise Level mixer_noise_level	EXACT MATCH	Float (def: 0.000)	Float (def: 0.000)	100% parameter match across bounds, type, and calibrated defaults.
Drive: Amount drive_amount	FX SLOT MIGRATION	Float (def: 0.400)	Float (def: 0.000)	Static FX block purged in Item 4 (commit 4001296); superseded by 8 Multi-Instance FX slots in fx.json.
Drive: Bias drive_bias	FX SLOT MIGRATION	Float (def: 0.500)	Float (def: 0.000)	Static FX block purged in Item 4 (commit 4001296); superseded by 8 Multi-Instance FX slots in fx.json.

THE KLANG FARMER PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
Static FX block purged in Item 4				
 v0.2.0: Page 0 (Voice 1) FX Filter: Cutoff fxfilter_cutoff		Float (def: 1.000)	Float (def: 1.000)	(commit 4001296); superseded by 8 Multi-Instance FX slots in fx.json.
PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
Filter 1: Cutoff filter1_cutoff		Float (def: 1.000)	Float (def: 1.000)	100% parameter match across Static FX block purged in Item 4 (commit 4001296);
FX Filter: Resonance fxfilter_resonance		Float (def: 0.000)	Float (def: 0.000)	superseded by 8 Multi-Instance FX slots in fx.json.
Filter 1: Resonance filter1_resonance		Float (def: 0.000)	Float (def: 0.000)	100% parameter match across Static FX block purged in Item 4 (commit 4001296);
Filter 1: Type filter1_type		Choice [4] (def: 0)	Choice [4] (def: 0)	100% parameter match across Static FX block purged in Item 4 (commit 4001296);
Pre-Limiter: Input Gain pre_limiter_gain		Float (def: 0.333)	Float (def: 0.333)	superseded by 8 Multi-Instance FX slots in fx.json.
Filter 1: Slope filter1_slope		Choice [5] (def: 1)	Choice [5] (def: 1)	100% parameter match across Static FX block purged in Item 4 (commit 4001296);



PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
Pre-Limiter: Release	FX SLOT MIGRATION	Float (def: 0.630)	Float (def: 0.630)	Static FX block purged in Item 4 (commit 4001296); superseded by 8 Multi-Instance FX slots in fx.json.
FilterEnv 1: Slope	EXACT MATCH	Float (def: 0.589)	Float (def: 0.589)	100% parameter match across Static FX block purged in Item 4 (commit 4001296);
Post-Limiter: Input Gain	FX SLOT MIGRATION	Float (def: 0.333)	Float (def: 0.333)	Static FX block purged in Item 4 (commit 4001296); superseded by 8 Multi-Instance FX slots in fx.json.
FilterEnv 1: Depth	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	100% parameter match across Static FX block purged in Item 4 (commit 4001296);
FilterEnv 1: Decay	EXACT MATCH	Float (def: 0.381)	Float (def: 0.381)	100% parameter match across Static FX block purged in Item 4 (commit 4001296);
Post-Limiter: Threshold	FX SLOT MIGRATION	Float (def: 1.000)	Float (def: 1.000)	Static FX block purged in Item 4 (commit 4001296); superseded by 8 Multi-Instance FX slots in fx.json.

PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
FilterEnv 1: Post-Drive  v0.2.0: Page 1 (Voice 2)	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	100% parameter match across bounds, type, and calibrated defaults.
WaveFolder: Fold  v0.2.0: Page 1 (Voice 2)	FX SLOT MIGRATION	Float (def: 0.000)	Float (def: 0.000)	(commit 4001296); superseded by 8 Multi-Instance FX slots in fx.json.
Filter 2: Cutoff 	EXACT MATCH	Float (def: 1.000)	Float (def: 1.000)	100% parameter match across bounds, type, and calibrated defaults.
WaveFolder: Bias 	FX SLOT MIGRATION	Float (def: 0.500)	Float (def: 0.500)	100% parameter match across bounds, type, and calibrated defaults.
Filter 2: Resonance 	EXACT MATCH	Float (def: 0.000)	Float (def: 0.000)	100% parameter match across bounds, type, and calibrated defaults.
Filter 2: Type  WaveFolder: Filter  filter2_type	EXACT MATCH	Choice [4] (def: 0)	Choice [4] (def: 0)	100% parameter match across bounds, type, and calibrated defaults.
Filter 2: Slope  filter2_slope	EXACT MATCH	Choice [5] (def: 1)	Choice [5] (def: 1)	100% parameter match across

PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
FilterEnv 2: Post-Drive freqshift_range	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	100% parameter match across Static FX block boundaries, Item 4
freqshift_blend	FX SLOT MIGRATION	Float (def: 0.000)	Float (def: 0.038)	(commit 4001296); superseded by 8
PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
Filter 3: Cutoff filter3_cutoff	EXACT MATCH	Float (def: 1.000)	Float (def: 1.000)	100% parameter match across Static FX block purged in Item 4 boundaries, type, and (commit 4001296);
Filter 3: Resonance filter3_resonance	EXACT MATCH	Float (def: 0.000)	Float (def: 0.000)	100% parameter match across Static FX block purged in Item 4 boundaries, type, and (commit 4001296);
FilterEnv 3: Slope filterenv3_slope	EXACT MATCH	Float (def: 0.589)	Float (def: 0.589)	100% parameter match across Static FX block purged in Item 4 boundaries, type, and (commit 4001296);
freqshift_width	FX SLOT MIGRATION	Float (def: 0.500)	Float (def: 0.500)	superseded by 8 Multi-Instance FX slots in fx.json.

THE KLANG FARMER PARAMETER	STATUS STATUS	LEGACY V0.2.0	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES AUDIT NOTES
FilterEnv 3: Depth filter3_depth	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	Float (def: 0.500)	100% parameter match across bounds, type, and calibrated defaults.
Post-Drive grit_rate	EXACT MATCH	Float (def: 0.500)	Float (def: 1.000)	Float (def: 1.000)	Multi-Instance 100% parameter match across fx.json.
Filter 3: Type filter3_type	EXACT MATCH	Choice [4] (def: 0)	Choice [4] (def: 0)	Choice [4] (def: 0)	100% parameter match across bounds, type, and calibrated defaults.
Amp: Level amp_level	EXACT MATCH	Float (def: 1.000)	Float (def: 1.000)	Float (def: 1.000)	100% parameter match across bounds, type, and calibrated defaults.
Filter 3: Slope Grit: Low Shelf filter3_slope grit_low	EXACT MATCH	Choice [5] (def: 1)	Choice [5] (def: 1)	Choice [5] (def: 1)	100% parameter match across bounds, type, and calibrated defaults.
Amp: Pan amp_pan	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	Float (def: 0.500)	100% parameter match across bounds, type, and calibrated defaults.
Amp: Drive Grit: High Shelf grit_high	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	Float (def: 0.500)	100% parameter match across bounds, type, and calibrated defaults.
Velocity: Slope vel_slope	EXACT MATCH	Float (def: 0.589)	Float (def: 0.589)	Float (def: 0.589)	100% parameter match across fx.json.

16/29


THE KLANG FARMER PARAMETER	STATUS	LEGACY v0.2.0	CURRENT v0.3.0 (JSON)	AUDIT NOTES
KeyTrack: Volume	EXACT MATCH	Float (def: 0.000)	Float (def: 0.000)	bounds, type, and 100% parameter match across fx.json.
	EXACT MATCH	Float (def: 0.125)	Float (def: 0.000)	Static FX block bounds, type, and 100% parameter match across fx.json.
	EXACT MATCH	Float (def: 0.000)	Float (def: 0.000)	Static FX block bounds, type, and 100% parameter match across fx.json.
Slop: Depth	EXACT MATCH	Float (def: 0.000)	Float (def: 0.000)	match across both (commit, type, and calibrated defaults).
Phase Linear:	FX SLOT MIGRATION	Float (def: 0.621)	—	superseded by 8
Cutoff	EXACT MATCH	Float (def: 0.621)	—	Multi-Instance 100% parameter match across fx.json.
disperser_cutoff	EXACT MATCH	Float (def: 0.000)	Float (def: 0.000)	bounds, type, and 100% parameter match across fx.json.
Slop: Decay	EXACT MATCH	Float (def: 0.000)	Float (def: 0.000)	calibrated defaults.
ModEnv 1: Slope	EXACT MATCH	Float (def: 0.589)	Float (def: 0.589)	Static FX block bounds, type, and 100% parameter match across fx.json.
ModEnv 1: Resonance	EXACT MATCH	Float (def: 0.000)	Float (def: 0.000)	Static FX block bounds, type, and 100% parameter match across fx.json.
disperser_resonance	EXACT MATCH	Float (def: 0.500)	Float (def: 0.000)	Static FX block bounds, type, and 100% parameter match across fx.json.
ModEnv 1: Depth	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	Static FX block bounds, type, and 100% parameter match across fx.json.
Amp: Limiter	EXACT MATCH	Choice [2] (def: 1)	Choice [2] (def: 1)	Static FX block bounds, type, and 100% parameter match across fx.json.
amp_limiter	EXACT MATCH	Choice [2] (def: 1)	Choice [2] (def: 1)	Static FX block bounds, type, and 100% parameter match across fx.json.
ModEnv 1: Decay	EXACT MATCH	Float (def: 0.381)	Float (def: 0.381)	Static FX block bounds, type, and 100% parameter match across fx.json.
EQ: Frequency	EXACT MATCH	Float (def: 1.000)	Float (def: 1.000)	Static FX block bounds, type, and 100% parameter match across fx.json.
modenv1_decay	EXACT MATCH	Float (def: 0.381)	Float (def: 0.381)	Static FX block bounds, type, and 100% parameter match across fx.json.
eq_freq	EXACT MATCH	Float (def: 1.000)	Float (def: 1.000)	Static FX block bounds, type, and 100% parameter match across fx.json.


THE KLANG FARMER PARAMETER	STATUS	LEGACY V0.2.0	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
ModEnv 2: Slope	EXACT MATCH	Float (def: 0.589)	Float (def: 0.589)	Float (def: 0.589)	100% parameter match across Static FX block bounds, type, and calibrated defaults.
EQ: Gain	EXACT MATCH	Float (def: 0.381)	Float (def: 0.381)	Float (def: 0.381)	100% parameter match across Static FX block bounds, type, and calibrated defaults.
ModEnv 3: Slope	EXACT MATCH	Float (def: 0.589)	Float (def: 0.589)	Float (def: 0.589)	100% parameter match across Static FX block bounds, type, and calibrated defaults.
Pre FX 1: Type	EXACT MATCH	Choice [14] (def: 4)	Choice [14] (def: 4)	Choice [14] (def: 4)	100% parameter match across Static FX block bounds, type, and calibrated defaults.
ModEnv 3: Depth Filter	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	Float (def: 0.000)	100% parameter match across Static FX block bounds, type, and calibrated defaults.
Pre FX 2: Type	EXACT MATCH	Choice [14] (def: 13)	Choice [14] (def: 13)	Choice [14] (def: 13)	100% parameter match across Static FX block bounds, type, and calibrated defaults.
ModEnv 3: Decay	EXACT MATCH	Float (def: 0.381)	Float (def: 0.381)	Float (def: 0.381)	100% parameter match across Static FX block bounds, type, and calibrated defaults.
Pre FX 3: Type	EXACT MATCH	Choice [14] (def: 11)	Choice [14] (def: 11)	Choice [14] (def: 11)	100% parameter match across Static FX block bounds, type, and calibrated defaults.
ModEnv 1: Destination	EXACT MATCH	Choice [11] (def: 0)	Choice [11] (def: 0)	Choice [11] (def: 0)	100% parameter match across Static FX block bounds, type, and calibrated defaults.



THE KLANG PLANTER PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
ModEnv 2: Pre FX 4: Type pre_fx_4_type	EXACT MATCH	Choice [14] (def: 0)	Choice [14] (def: 0)	100% parameter match across Static FX block bounds, type, and 4
Post FX 2: Type post_fx_2_type	EXACT MATCH	Choice [14] (def: 3)	Choice [14] (def: 3)	match across Static FX block bounds, type, and 4
FX Filter: Slope fxfilter_slope	FX SLOT MIGRATION	Choice [5] (def: 1)	Choice [5] (def: 1)	calibrated defaults. superseded by 8
Post FX 3: Type post_fx_3_type	EXACT MATCH	Choice [14] (def: 9)	Choice [14] (def: 9)	Multi-Instance 100% parameter match across fx.json. bounds, type, and
Carrier: Pitch planter_carrier_pitch	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	100% parameter match across Static FX block bounds, type, and
Post Limiter Type Enable pre_limiter_enable	EXACT MATCH	Choice [14] (def: 1)	Choice [14] (def: 1)	calibrated defaults. superseded by 8
Carrier: Shape planter_carrier_shape	EXACT MATCH	Float (def: 0.000)	Float (def: 0.000)	100% parameter match across Static FX block bounds, type, and
Pre FX 1: Param 1 pre_fx_1_p1	EXACT MATCH	Float (def: 0.400)	Fmt: waveshape Float (def: 0.400)	calibrated defaults. superseded by 8
Carrier: Mod Depth planter_carrier_depth	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	100% parameter match across Static FX block bounds, type, and
Post FX 1: Param 1 post_limiter_enable	EXACT MATCH	Float (def: 1.000)	Float (def: 1.000)	calibrated defaults. superseded by 8
Carrier: Tracking planter_carrier_tracking	EXACT MATCH	Choice [3] (def: 0)	Choice [3] (def: 0)	Multi-Instance 100% parameter match across fx.json.

THE KLANG PLANTER PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	ADDITIONAL NOTES
Pre FX 1: Param 2	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	bounds, type, and 100% parameter match across fx.json. Static FX block bounds, type, and 100% parameter match across fx.json. Static FX block
3 Phase Smear: Order	EXACT MATCH FX SLOT MIGRATION	Float (def: 0.500)	Choice [2] (def: 0)	Multi-Instance (commit 4001296): superseded by 8
Post FX 1: Param 3	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	Multi-Instance 100% parameter match across fx.json. bounds, type, and calibrated defaults.
Modulator: Shape	SAFE ADDITION EXACT MATCH	Float (def: 0.000)	Float (def: 0.000) Fmt: waveshape	New parameter introduced in v0.3.0 in fx.json. 100% parameter match across bounds, type, and calibrated defaults.
Pre FX 1: Param 4	EXACT MATCH	Float (def: 1.000)	Float (def: 1.000)	bounds, type, and calibrated defaults.
Resonance Modulator: Speed	SAFE ADDITION EXACT MATCH	—	Float (def: 0.500)	New parameter introduced in v0.3.0 in fx.json. 100% parameter match across bounds, type, and calibrated defaults.
Post FX 1: Param 4 Stages	EXACT MATCH SAFE ADDITION	Float (def: 0.500)	Float (def: 0.500)	bounds, type, and calibrated defaults.
Modulator: Tracking	EXACT MATCH	Choice [3] (def: 2)	Choice [3] (def: 2)	New parameter introduced in v0.3.0 in fx.json. 100% parameter match across bounds, type, and calibrated defaults.
Pre FX 2: Param Amount	SAFE ADDITION EXACT MATCH	Float (def: 0.000)	Float (def: 0.000) 0.125)	New parameter introduced in v0.3.0 in fx.json. 100% parameter match across bounds, type, and calibrated defaults.

THE KLANG PLANTER PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
Mod FX 2: Param 1	EXACT MATCH	Float (def: 1.000)	Choice [3] (def: 1.000)	100% parameter match across bounds, type, and calibrated defaults.
Param 2 post_fx_2_p2	EXACT MATCH	Float (def: 1.000)	Float (def: 1.000)	100% parameter match across bounds, type, and calibrated defaults.
Pre FX 2: Param 3	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	100% parameter match across bounds, type, and calibrated defaults.
PitchEnv: Slope Post FX 2: Param 3	EXACT MATCH	Float (def: 0.589)	Float (def: 0.589)	100% parameter match across bounds, type, and calibrated defaults.
PitchEnv: Depth Pre FX 2: Param 4	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	100% parameter match across bounds, type, and calibrated defaults.
PitchEnv: Decay Post FX 2: Param 4	EXACT MATCH	Float (def: 0.381)	Float (def: 0.381)	100% parameter match across bounds, type, and calibrated defaults.
PitchEnv: Target planter_pitchenv_target	EXACT MATCH	Choice [4] (def: 0)	Choice [4] (def: 0)	100% parameter match across calibrated defaults.


THE KLANG PLANTER PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
Pre FX 3: Param 1 1  2 pre_fx_3_p2	EXACT MATCH	Float (def: 0.000)	Float (def: 0.000)	bounds, type, and 100% parameter match across calibrated defaults.
Noise: S&H Rate planter_noise_sh_rate Pre FX 3: Param 3 3 pre_fx_3_p3	EXACT MATCH	Float (def: 1.000)	Float (def: 1.000)	match across bounds, type, and 100% parameter calibrated defaults.
Noise: DJ Filter planter_noise_filter Post FX 3: Param 3 3 post_fx_3_p3	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	match across bounds, type, and 100% parameter calibrated defaults.
Noise: Decay planter_noise_decay Pre FX 3: Param 4 4 pre_fx_3_p4	EXACT MATCH	Float (def: 0.308)	Float (def: 0.308)	match across bounds, type, and 100% parameter calibrated defaults.
Noise: FM / Noise planter_noise_crossfade	EXACT MATCH	Float (def: 1.000)	Float (def: 1.000)	match across bounds, type, and 100% parameter calibrated defaults.

THE KLANG PLANTER PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
Post FX 3: Param 4	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	bounds, type, and 100% parameter match across calibrated defaults.
 Param 1 post_fx_4_p1	EXACT MATCH	Float (def: 1.000)	Float (def: 1.000)	match across bounds, type, and calibrated defaults.
Pre FX 4: Param 2	EXACT MATCH	Float (def: 0.158)	Float (def: 0.158)	100% parameter match across bounds, type, and calibrated defaults.
Filter: Cutoff Post FX 4: Param 2	EXACT MATCH EXACT MATCH	Float (def: 1.000) Float (def: 0.000)	Float (def: 1.000) Float (def: 0.000)	match across 100% parameter bounds, type, and calibrated defaults.
Filter: Resonance Pre FX 4: Param 3	EXACT MATCH EXACT MATCH	Float (def: 0.000) Float (def: 0.750)	Float (def: 0.000) Float (def: 0.750)	match across 100% parameter bounds, type, and calibrated defaults.
Filter: Type Post FX 4: Param 3	EXACT MATCH EXACT MATCH	Choice [4] (def: 0) Float (def: 0.500)	Choice [4] (def: 0) Float (def: 0.500)	match across 100% parameter bounds, type, and calibrated defaults.
Filter: Slope planter_filter_slope	EXACT MATCH	Choice [5] (def: 1)	Choice [5] (def: 1)	match across calibrated defaults. 100% parameter


PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
Pre FX 4: Param 4	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	bounds, type, and 100% parameter match across calibrated defaults.
				
v0.2.0: The Klang Planter		v0.3.0: The Klang Planter		

PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
FilterEnv: Slope planter_filterenv_slope	EXACT MATCH	Float (def: 0.589)	Float (def: 0.589)	100% parameter match across bounds, type, and calibrated defaults.
FilterEnv: Depth planter_filterenv_depth	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	100% parameter match across bounds, type, and calibrated defaults.
FilterEnv: Decay planter_filterenv_decay	EXACT MATCH	Float (def: 0.381)	Float (def: 0.381)	100% parameter match across bounds, type, and calibrated defaults.
FilterEnv: Drive planter_filterenv_drive	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	100% parameter match across

THE KLANG FARMER PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
bounds, type, and calibrated defaults.				




v0.2.0: Page 4 (Amplifier)




v0.3.0: Page 4 (Amplifier)

PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
Amp: Drive planter_amp_drive	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	100% parameter match across bounds, type, and calibrated defaults.
Amp: Pan planter_amp_pan	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	100% parameter match across bounds, type, and calibrated defaults.
Amp: Vel Slope planter_amp_vel_slope	EXACT MATCH	Float (def: 0.750)	Float (def: 0.750)	100% parameter match across bounds, type, and calibrated defaults.
Amp: Velocity planter_amp_vel_floor	EXACT MATCH	Float (def: 0.500)	Float (def: 0.500)	100% parameter match across

THE KLANG PLANTER PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
				bounds, type, and calibrated defaults.



v0.2.0: The Klang Planter



v0.3.0: The Klang Planter

PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
AmpEnv: Claps planter_ampenv_claps	EXACT MATCH	Float (def: 0.000)	Float (def: 0.000)	100% parameter match across bounds, type, and calibrated defaults.
AmpEnv: Clap Speed planter_ampenv_clapspeed	EXACT MATCH	Float (def: 0.143)	Float (def: 0.143)	100% parameter match across bounds, type, and calibrated defaults.
AmpEnv: Slope planter_ampenv_slope	EXACT MATCH	Float (def: 0.589)	Float (def: 0.589)	100% parameter match across bounds, type, and calibrated defaults.

THE KLANG FARMER
PARAMETER

STATUS


LEGACY
V0.2.0

CURRENT
V0.3.0
(JSON)


AUDIT NOTES

100% parameter
match across

Audio parameter page (def: 381)





Audio parameter page (def: 381)



v0.2.0: The Klang Farmer

v0.3.0: The Klang Farmer

PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
Center Frequency bell_eq_freq	SAFE ADDITION	—	Float (def: 0.000)	New parameter introduced in v0.3.0 in fx.json.
Width bell_eq_width	SAFE ADDITION	—	Float (def: 0.000)	New parameter introduced in v0.3.0 in fx.json.
Gain bell_eq_gain	SAFE ADDITION	—	Float (def: 0.000)	New parameter introduced in v0.3.0 in fx.json.
DJ Filter bell_eq_djfilter	SAFE ADDITION	—	Float (def: 0.000)	New parameter introduced in v0.3.0 in fx.json.

PARAMETER	STATUS	LEGACY V0.2.0	CURRENT V0.3.0 (JSON)	AUDIT NOTES
Rate chorus_rate	SAFE ADDITION	—	Float (def: 0.000)	New parameter introduced in v0.3.0 in fx.json.
  v0.2.0: The Klang Planter v0.3.0: The Klang Planter				
Mix chorus_mix	SAFE ADDITION	—	Float (def: 0.000)	New parameter introduced in v0.3.0 in fx.json.
PARAMETER Rate flanger_rate	SAFE ADDITION	—	CURRENT V0.3.0 Float (def: (JSON) 0.000)	New parameter introduced in v0.3.0 in fx.json.
Limiter: Enable Depth planter_limiter_enable flanger_depth	SAFE SAFE ADDITION ADDITION	—	Choice [2] (def: Float (def: 0.000)	New parameter introduced in v0.3.0 in planter.json.
Feedback Limiter: Gain flanger_feedback planter_limiter_gain	SAFE SAFE ADDITION ADDITION	—	Float (def: Float (def: 0.000) 0.333)	New parameter introduced in v0.3.0 in fx.json. planter.json.
Mix Limiter: Threshold planter_limiter_thresh	SAFE ADDITION SAFE ADDITION	—	Float (def: 0.000) Float (def: 1.000)	New parameter introduced in v0.3.0 in fx.json. v0.3.0 in planter.json.
Rate phaser_rate	SAFE ADDITION	—	Float (def: 0.000)	New parameter introduced in v0.3.0 in fx.json.

PARAMETER PARAMETER	STATUS STATUS	LEGACY LEGACY v0.2.0 v0.2.0	CURRENT CURRENT v0.3.0 (JSON) (JSON)	AUDIT NOTES AUDIT NOTES
Depth phaser_depth	SAFE ADDITION	—	Float (def: 0.000)	New parameter introduced in v0.3.0 in fx.json.
Limiter: Release planter_limiter_release	SAFE ADDITION	—	Float (def: 0.630)	New parameter introduced in v0.3.0 in planter.json.
Feedback phaser_feedback	SAFE ADDITION	—	Float (def: 0.000)	New parameter introduced in v0.3.0 in fx.json.
Mix phaser_mix	SAFE ADDITION	—	Float (def: 0.000)	New parameter introduced in v0.3.0 in fx.json.
Waveform ringmod_wave	SAFE ADDITION	—	Float (def: 0.000)	New parameter introduced in v0.3.0 in fx.json.
Division delay_div	SAFE ADDITION	—	Float (def: 0.000)	New parameter introduced in v0.3.0 in fx.json.
Feedback delay_feedback	SAFE ADDITION	—	Float (def: 0.000)	New parameter introduced in v0.3.0 in fx.json.
Tone delay_tone	SAFE ADDITION	—	Float (def: 0.000)	New parameter introduced in v0.3.0 in fx.json.
Mix delay_mix	SAFE ADDITION	—	Float (def: 0.000)	New parameter introduced in v0.3.0 in fx.json.
Limiter wavefolder_limiter	SAFE ADDITION	—	Float (def: 0.000)	New parameter introduced in v0.3.0 in fx.json.