



FARMACIA POS

System Documentation

Version: 1.0

Date: June 16, 2026

Prepared for: Cody (New Owner)

System: Farmacia Apollo — Pharmacy Management System

React 18 + Vite + Tailwind CSS + Supabase (PostgreSQL) + shadcn/ui

Table of Contents

Farmacia POS — Complete System Documentation

SECTION 1 — SYSTEM OVERVIEW

SECTION 2 — USER ROLES

SECTION 3 — ADMIN PORTAL

SECTION 4 — POS (POINT OF SALE)

SECTION 5 — DOCTOR PORTAL

SECTION 6 — CUSTOMER PORTAL

SECTION 7 — DATABASE MAP

SECTION 8 — STORAGE

SECTION 9 — NOTIFICATIONS

SECTION 10 — COMPLETE USER JOURNEYS

SECTION 11 — BUTTON INVENTORY

APPENDIX A — FILE STRUCTURE

APPENDIX B — SECURITY NOTES

Farmacia POS — Complete System Documentation

Version: 1.0
Date: 2026-06-16
Prepared for: Cody (New Owner)
System: Farmacia Apollo — Pharmacy Management System
Stack: React 18 + Vite + Tailwind CSS + Supabase (PostgreSQL) + shadcn/ui

SECTION 1 — SYSTEM OVERVIEW

Architecture Overview

Farmacia POS is a multi-tenant pharmacy management system built as a single-page React application backed by Supabase. It serves four distinct user roles through three portals plus a customer-facing mobile web app.



Four Portals

PORTAL	URL	TECHNOLOGY	USERS
Admin Portal	/admin/*	React + React Router	Admin
POS Terminal	/pos , /inventory	React	Cashier, Inventory Staff
Doctor Portal	/doctor/*	React + React Router	Doctor
Customer Portal	/customer-app/	Vanilla JS SPA	Customer

Supabase Project

- URL:** `https://ieinjhonepkudxxpmuly.supabase.co`
- Auth:** Email/password with role-based access
- RLS:** Comprehensive — every business table has RLS policies
- Storage:** `customer-documents` bucket for prescription uploads
- Multi-tenant:** All data scoped by `org_id`

SECTION 2 — USER ROLES

Role Matrix

ROLE	PORTAL ACCESS	CREATE	READ	UPDATE	DELETE
Admin	All portals	All	All	All	All
POS (Cashier)	POS only	Sales, Customers	Inventory (read), Sales	None	None
Inventory	/inventory	Inventory, POs	Inventory, Suppliers	Inventory, POs	Inventory
Doctor	/doctor/*	Appointments, Notes, Preorders	Patients, Inventory (read)	Appointments, Notes, Preorder status	Appointments, Notes
Customer	/customer-app/	Orders, Appointments, Prescription uploads	Own data only	Own profile	None

Admin

- **Full system access** — all 20 admin pages
- Can create/manage users of any role
- Can view all sales, inventory, audit logs
- Can approve/reject prescription uploads
- Can manage suppliers and purchase orders
- Can configure tax (IVA) and bank accounts
- Can close any open shift

POS (Cashier)

- **POS Terminal** (/pos)
- Product search and cart management
- Checkout with cash/card/transfer/insurance
- Apply discount codes
- Create customers at checkout
- Start/close own shift
- **Cannot:** access admin pages, modify inventory, void sales without admin PIN

Inventory Staff

- **Inventory Dashboard** (/inventory)
- Add/edit/delete medications
- Manage stock levels
- Create purchase orders
- Receive purchase orders
- **Cannot:** process sales, access admin reports

Doctor

- **Doctor Portal** (/doctor/*)
- View patient directory (read-only)
- Create/edit/delete appointments
- Create/edit/delete medical notes
- Create preorders (medication reservations)
- **Cannot:** create prescriptions (POS-only), modify patient records, access sales data

Customer

- **Customer Portal** (/customer-app/)
- View shop catalog
- Upload prescriptions

- Book appointments
- Track orders
- Manage health profile (height, weight, vitals)
- View notifications
- **Cannot:** access any admin/pos/doctor functionality

SECTION 3 — ADMIN PORTAL

Navigation Structure

The admin sidebar has **20 menu items**:

#	LABEL	PATH	ICON	DESCRIPTION
1	Resumen	/admin	BarChart3	Dashboard overview
2	Usuarios	/admin/users	Users	User management
3	Clientes	/admin/customers	UserCircle	Customer database
4	Médicos	/admin/doctors	Stethoscope	Doctor profiles
5	Ventas	/admin/sales	ShoppingCart	Sales history
6	Inventario (Admin)	/admin/inventory	Package	Inventory monitoring
7	Descuentos	/admin/discounts	Ticket	Promo codes
8	Turnos	/admin/shifts	Clock	Shift records
9	Auditoría	/admin/audit	Shield	Audit trail
10	Proveedores	/admin/suppliers	Truck	Suppliers & POs
11	Reportes COFEPRIS	/admin/reports	FileText	Regulatory reports
12	Análisis	/admin/analytics	TrendingUp	Analytics & reports
13	Contabilidad	/admin/accounting	BookOpen	Akaunting integration
14	Configuración	/admin/settings	Settings	Tax & bank accounts
15	Recetas médicas	/admin/prescriptions	ClipboardList	Prescription review
16	Solicitudes de recarga	/admin/preorders	Pill	Preorder management
17	Citas	/admin/appointments	CalendarDays	Appointment mgmt
18	Pedidos	/admin/orders	ShoppingCart	Order workflow
19	Reporte de reorden	/admin/reorder-report	AlertTriangle	Low-stock report
20	Portal Cliente	/customer-app/ (external)	Smartphone	Opens customer portal

PAGE: Resumen (Overview)

Purpose: Admin landing dashboard with 10 stat cards and 3 quick actions.

Stat Cards (clickable → navigate to respective page):

- Ingresos totales → Ventas
- Total de ventas → Ventas
- Artículos en inventario → Inventario
- Usuarios totales → Usuarios
- Stock bajo → Inventario
- Sin existencias → Inventario
- Recetas pendientes → Recetas médicas

- Recargas pendientes → Solicitudes de recarga
- Citas hoy → Citas
- Pedidos pendientes → Pedidos

Quick Actions:

- Gestionar usuarios → /admin/users
- Ver ventas → /admin/sales
- Monitorear inventario → /admin/inventory

Tables: `sales` , `inventory` , `profiles` , `customer_documents` , `preorders` , `appointments`

PAGE: Usuarios (Users)

Purpose: Manage all system users.

Buttons:

BUTTON	FLOW
Agregar usuario	Opens dialog → Form (name, email, password, role, location, PIN) → <code>createUser()</code> → Supabase Auth + <code>profiles</code> row created via trigger
Edit (per row)	Opens dialog with user data → <code>updateProfile()</code> → <code>profiles</code> updated
Delete (Trash2)	Confirm → <code>deleteProfile()</code> → <code>profiles</code> deleted

Tables: `profiles` , `locations`

PAGE: Clientes (Customers)

Purpose: Customer database for sales and appointments.

Buttons:

BUTTON	FLOW
Agregar cliente	Dialog → <code>full_name</code> , <code>phone</code> , <code>email</code> , <code>CURP</code> , <code>address</code> , <code>DOB</code> , <code>notes</code> → <code>createCustomer()</code> → <code>customers</code>
View profile (Eye)	Navigate to <code>/admin/customers/:customerId</code>
Edit	Dialog → <code>updateCustomer()</code>
Delete	Confirm → <code>deleteCustomer()</code>

Tables: `customers`

PAGE: Médicos (Doctors)

Purpose: Manage doctor professional profiles.

Buttons:

BUTTON	FLOW
Editar perfil / Completar perfil	Dialog → <code>license_number</code> , <code>specialty</code> , <code>phone</code> , <code>is_active</code> → <code>upsertDoctorProfile()</code> → <code>doctor_profiles</code>

Tables: `profiles` , `doctor_profiles`

PAGE: Ventas (Sales)

Purpose: Full sales history with details, export, and Akaunting sync.

Buttons:

BUTTON	FLOW
Imprimir PDF	<code>printReport()</code> → opens print dialog
Exportar CSV	<code>exportSalesCSV()</code> → downloads CSV
Show Voided / Hide Voided	Toggle filter
Retry sync (RotateCcw)	<code>syncSaleById()</code> → Akaunting sync
Expand row (chevron)	Shows sale items, payments, customer

Tables: `sales`, `sale_items`, `customers`

PAGE: Inventario (Admin)

Purpose: Inventory monitoring dashboard.

Content:

- Stock levels, expiry tracking, sales velocity
- Low-stock alerts
- Out-of-stock alerts

Buttons: None (read-only monitoring)

Tables: `inventory`, `sales` (with `sale_items`)

PAGE: Descuentos (Discounts)

Purpose: Create and manage discount codes.

Buttons:

BUTTON	FLOW
Agregar descuento	Dialog → code, value (%) → <code>createDiscount()</code> → <code>discounts</code>
Edit	Inline edit → <code>createDiscount()</code> (upsert)
Delete	Confirm → <code>deleteDiscount()</code>

Tables: `discounts`

PAGE: Turnos (Shifts)

Purpose: Shift history and cash reconciliation.

Buttons:

BUTTON	FLOW
Imprimir PDF	Print shift report
Exportar CSV	Download shifts CSV
Expand row	Shows sales during shift, variance

Tables: `shifts`, `locations`

PAGE: Recetas médicas (Prescriptions)

Purpose: Review customer-uploaded prescription documents.

Status Workflow: `pending` → `reviewed` → `approved` → `dispensed`

Or: `pending` / `reviewed` → `rejected`

Buttons:

BUTTON	FLOW
Revisar	<code>pending</code> → <code>reviewed</code> → <code>updateCustomerDocumentStatus()</code> + <code>createNotification()</code>
Rechazar	→ <code>rejected</code> → <code>updateCustomerDocumentStatus()</code>
Aprobar	<code>reviewed</code> → <code>approved</code> → <code>updateCustomerDocumentStatus()</code> + <code>createNotification()</code>
Marcar surtida	<code>approved</code> → <code>dispensed</code> → <code>updateCustomerDocumentStatus()</code>
Ver archivo	Opens <code>file_url</code> in new tab (Supabase Storage)

Tables: `customer_documents`, `customers`, `notifications`

PAGE: Solicitudes de recarga (Preorders)

Purpose: Manage medication preorders from customers/doctors.

Status Workflow: `pending` → `approved` → `ready` → `delivered` → `completed`

Or: `pending` → `cancelled`

Buttons:

BUTTON	FLOW
Status buttons per row	<code>updatePreorderStatus()</code> → <code>preorders</code> + <code>createNotification()</code>
Limpiar	Clear date filter

Tables: `preorders`, `customers`, `inventory`, `notifications`

PAGE: Citas (Appointments)

Purpose: Manage patient appointments.

Status Workflow: `pending` → `confirmed` → `completed`

Or: `pending` / `confirmed` → `cancelled`

Buttons:

BUTTON	FLOW
Confirmar	<code>pending</code> → <code>confirmed</code> → <code>updateAppointment()</code> + <code>createNotification()</code>
Completar	<code>confirmed</code> → <code>completed</code> → <code>updateAppointment()</code> + <code>createNotification()</code>
Cancelar	→ <code>cancelled</code> → <code>updateAppointment()</code> + <code>createNotification()</code>

Tables: `appointments`, `customers`, `profiles`, `notifications`

PAGE: Pedidos (Orders)

Purpose: Manage customer orders (sales with status workflow).

Status Workflow: `processing` → `ready` → `shipped` → `delivered` → `completed`

Or: any → `cancelled`

Buttons:

BUTTON	FLOW
Status buttons	<code>updateSaleStatus()</code> → <code>sales</code>
Completed	Also calls <code>decrementInventoryItem()</code> → <code>inventory</code> reduced

BUTTON	FLOW
Cancelled	Also calls <code>incrementInventory()</code> → <code>inventory</code> restored
Expand row	Shows items, customer, payments

Tables: `sales`, `sale_items`, `customers`, `inventory`, `notifications`

PAGE: Perfil de Cliente (Customer Profile)

Path: `/admin/customers/:customerId`

Purpose: Detailed customer view with history tabs.

Tabs:

- Recetas — `getCustomerPrescriptions()`
- Recargas — `getCustomerPreorders()`
- Citas — `getCustomerAppointments()`
- Pedidos — `getCustomerOrders()`

Buttons:

BUTTON	FLOW
Back arrow	Navigate to <code>/admin/customers</code>

Tables: `customers`, `customer_documents`, `preorders`, `appointments`, `sales`

PAGE: Reporte de reorden (Reorder Report)

Purpose: Low-stock report with suggested reorder quantities.

Buttons:

BUTTON	FLOW
Exportar CSV	Download CSV

Tables: `inventory`, `suppliers`

PAGE: Configuración (Settings)

Purpose: Tax (IVA) config and bank accounts.

Buttons:

BUTTON	FLOW
IVA toggle	Enable/disable IVA
Guardar configuración	<code>saveTaxSettingsDb()</code> → <code>tax_settings</code>
Agregar cuenta	Bank account form → <code>createBankAccount()</code> → <code>bank_accounts</code>
Edit / Delete (per account)	<code>updateBankAccount()</code> / <code>deleteBankAccount()</code>

Tables: `tax_settings`, `bank_accounts`

PAGE: Proveedores (Suppliers)

Purpose: Two-tab page — supplier directory and purchase orders.

Tabs: Proveedores / Órdenes de compra

Buttons:

BUTTON	FLOW
Nuevo proveedor	Dialog → name, contact, phone, email, notes → <code>upsertSupplier()</code>
Nueva orden	Dialog → supplier, items → <code>createPurchaseOrder()</code> → <code>purchase_orders</code> + <code>purchase_order_items</code>
Edit (supplier)	<code>upsertSupplier()</code>
Delete (supplier)	<code>deleteSupplier()</code>
Edit / Recibir (PO)	<code>updatePurchaseOrder()</code> / <code>receivePurchaseOrder()</code> → inventory incremented
Sugerir reorden	Auto-fills PO items based on low stock

Tables: `suppliers`, `purchase_orders`, `purchase_order_items`, `inventory`, `inventory_movements`

PAGE: Auditoría (Audit Log)

Purpose: Full system activity trail.

Buttons:

BUTTON	FLOW
Actualizar	Refresh data
Exportar CSV	Download CSV
Action filter	Filter by action type

Tables: `audit_log`

PAGE: Contabilidad (Accounting)

Purpose: Akaunting accounting integration.

Buttons:

BUTTON	FLOW
Guardar configuración	<code>saveAkauntingSettings()</code> → <code>akaunting_settings</code>
Probar conexión	Test API connection
Abrir Akaunting	Opens Akaunting URL
Sincronizar clientes	<code>syncAllCustomers()</code>
Sincronizar productos	<code>syncAllItems()</code>
Sincronizar ventas	<code>syncAllSales()</code>

Tables: `akaunting_settings`, `akaunting_mappings`

PAGE: Análisis (Analytics / Reports)

Purpose: Sales analytics, profit reports, product analysis.

Tabs: Overview / Sales / Profit / Products / Inventory

Buttons:

BUTTON	FLOW
Cargar Ventas	Load sales summary
Cargar Ganancias	Load profit report

BUTTON	FLOW
Cerrar Todos	<code>closeAllOpenShifts()</code>
Cerrar (per shift)	<code>closeShift()</code>
Exportar (x5 tabs)	Download CSV per tab

Tables: `sales`, `inventory`, `shifts`

SECTION 4 — POS (POINT OF SALE)

Access

- **URL:** `/pos`
- **Role:** `pos` OR `admin`
- **Shift Requirement:** Must have an open shift to use

Main Interface (Two Views)

VIEW	DESCRIPTION
<code>main</code>	Product grid + cart panel
<code>checkout</code>	Payment screen

Top Navigation Bar

BUTTON	ACTION
Search / Barcode	Real-time product search. Barcode auto-adds if exact match.
Devolución	Opens <code>ReturnModal</code> — process refund by original sale ID
Anular venta	Opens void dialog — requires admin PIN
Cerrar turno	Opens <code>closeShiftModal</code> — count cash, close shift
Admin	Navigate to <code>/admin</code> (admin only)
Logout	End session

Product Grid

- Shows top 10 best-selling items by default
- Cards show: Name, Use, Price, Stock, Expiry status
- `Rx` badge if `requires_prescription === true`
- **Click card** → add to cart (disabled if expired or OOS)

Cart Panel

BUTTON	ACTION
—	Decrease qty by 1 (removes if 0)
+	Increase qty by 1 (capped at stock)
	Remove item from cart
Price input	Edit price. >10% discount triggers admin PIN
Rx # input	Enter prescription number (Rx items only)
Discount code + Ticket	Apply global discount code

BUTTON	ACTION
Ir a cobrar	Proceed to checkout

Checkout Flow

```

Cashier clicks "Ir a cobrar"
├─ Cart has Rx items? → PrescriptionModal opens
│   │   (Patient name, CURP, Doctor name,
│   │   License, Address, Phone,
│   │   Prescription #, Date)
│   └─ "Continuar al pago" → Save Rx data → proceed
└─ No Rx items → Checkout view opens
    ├─ Order summary (items, subtotal, discount, IVA, total)
    ├─ Customer selector (search existing / create new)
    ├─ Payment selection:
    │   • Cash → enter amountGiven → change auto-calculated
    │   • Card → enter authorization number
    │   • Transferencia → select bank + reference number
    │   • Insurance → no extra fields
    ├─ Split payment toggle → add multiple payments
    │   (must sum exactly to finalTotal)
    └─ "Finalizar venta" → completeSale()
        ├─ Revalidate expiry + stock (race condition defense)
        ├─ Validate payments sum correctly
        ├─ createSaleWithPayments(sale, items, payments)
        │   → INSERT sales, sale_items, sale_payments
        │   → UPDATE inventory (decrement qty)
        │   → INSERT inventory_movements
        │   → INSERT prescriptions (if Rx items)
        │   → INSERT audit_log (SALE_COMPLETE)
        │   → Background: sync to Akaunting
        └─ ReceiptModal opens automatically
            ├─ Header: pharmacy name, timestamp
            ├─ Folio, Cashier, Customer
            ├─ Items with qty × price
            ├─ Subtotal, Discount, IVA, TOTAL
            ├─ Payment details, Change (if cash)
            └─ Footer: "¡Gracias por su compra!"
                ├─ "Cerrar" → close modal
                ├─ "Imprimir" → print receipt
                └─ "Generar Factura" → toast (not implemented)

```

Discount Application

- Cashier enters code → clicks Ticket icon
- `findDiscount(code)` → queries `discounts` table
- If found: applies % discount to subtotal
- IVA calculated on discounted subtotal
- `finalTotal = subtotalAfterDisc + ivaAmount`

Shift Logic

Start Shift:

```

No active shift → ShiftGate blocks POS
├─ Cashier enters starting cash
├─ "Open Shift" → createShift()
│   → INSERT shifts (status='open')
│   → INSERT audit_log (SHIFT_OPEN)
└─ POS becomes accessible

```

End Shift:

```

"Cerrar turno" → CloseShiftModal
├─ Step 1: Enter closing cash + notes
├─ "Ver resumen" → Step 2
│   └─ Calculates variance = closingCash - expectedCash
│   └─ Color-coded: green (balanced), red (short), yellow (over)
└─ "Confirmar cierre" → closeShift()
    └─ UPDATE shifts (status='closed', totals)
    └─ INSERT audit_log (SHIFT_CLOSE)
    └─ POS blocked again

```

SECTION 5 — DOCTOR PORTAL

Access

- **URL:** `/doctor/*`
- **Role:** `doctor`
- **Navigation:** Sidebar with 6 tabs

Pages

ROUTE	LABEL	DESCRIPTION
<code>/doctor</code>	Resumen	Dashboard with stats and today's appointments
<code>/doctor/appointments</code>	Citas	Appointment management
<code>/doctor/customers</code>	Pacientes	Patient directory (read-only)
<code>/doctor/preorders</code>	Preórdenes	Medication preorders
<code>/doctor/medical-notes</code>	Notas médicas	Medical notes
<code>/doctor/profile</code>	Mi perfil	Doctor's professional profile (read-only)

Resumen (Overview)

- 4 stat cards: Citas hoy, Preórdenes pendientes, Pacientes, Notas médicas
- List of today's appointments
- **No actions** — read-only dashboard

Citas (Appointments)**Buttons:**

BUTTON	FLOW
Nueva cita	Dialog → patient, date/time, status, notes → <code>createAppointment()</code> → <code>appointments</code>
Confirmar	<code>pending</code> → <code>confirmed</code> → <code>updateAppointment()</code>
Completar	<code>confirmed</code> → <code>completed</code> → <code>updateAppointment()</code>
Cancelar	→ <code>cancelled</code> → <code>updateAppointment()</code>
Editar	Opens edit dialog
Eliminar	Confirm → <code>deleteAppointment()</code>

Tables: `appointments`, `customers`**Pacientes (Patients)**

- Search by name, phone, CURP, email

- Click row → detail dialog
- Shows: phone, email, address, DOB, medical note count, purchase history
- **Read-only** — no edit/delete

Tables: `customers`, `sales`, `sale_items`

Preórdenes (Preorders)

Buttons:

BUTTON	FLOW
Nueva preórden	Dialog → patient, medication (dropdown with stock), qty, notes → <code>createPreorder()</code> → <code>preorders</code>
Listo	<code>pending</code> → <code>ready</code> → <code>updatePreorderStatus()</code>
Entregado	<code>ready</code> → <code>picked_up</code> → <code>updatePreorderStatus()</code>
Cancelar	<code>pending</code> → <code>cancelled</code> → <code>updatePreorderStatus()</code>

Tables: `preorders`, `customers`, `inventory`

Notas médicas (Medical Notes)

Buttons:

BUTTON	FLOW
Nueva nota	Dialog → patient, note content → <code>createMedicalNote()</code> → <code>medical_notes</code>
Ver más / Ver menos	Expand/collapse long notes
Editar	Opens edit dialog → <code>updateMedicalNote()</code>
Eliminar	Confirm → <code>deleteMedicalNote()</code>

Tables: `medical_notes`, `customers`

Important Notes

- **Doctors do NOT create prescriptions** — prescriptions are created at POS checkout when controlled medications are sold
- Doctors see `requires_prescription` flag in preorder inventory dropdown
- Doctor profile is managed by admin, read-only for doctor

SECTION 6 — CUSTOMER PORTAL

Access

- **URL:** `/customer-app/`
- **Technology:** Vanilla JS SPA (not React)
- **Auth:** Supabase Auth (email/password)
- **Device:** Mobile-first (max-width 430px)

Bottom Navigation (5 Tabs)

TAB	DATA-PAGE	DESCRIPTION
 Hoy	<code>home</code>	Daily progress dashboard
 Cuerpo	<code>body</code>	Body metrics (weight, BMI, vitals)
 Salud	<code>health</code>	Health tracking (meds, vitals, water, exercise)
 Consulta	<code>consulta</code>	Appointments (in-person + video)
 Shop	<code>shop</code>	Product catalog

Additional Menu Items (Hamburger)

ITEM	PAGE
 Mis Prescripciones	Prescription upload + history
 Mis Pedidos	Order tracking
 Metas	Goals & rewards
 Logros	Achievements
 Cuidador	Family profiles
 Guías	Health guides
 Configuración	Settings

HOME (Hoy) — Daily Progress Dashboard

Displays:

- Date header
- Circular progress ring (composite of steps, water, calories, exercise, protein)
- Streak card (🔥 12 días)
- Quick action buttons: +Agua, +Pasos, +Calorías, +Ejercicio
- Today's medications
- Upcoming appointments
- Recent activity

Buttons:

BUTTON	FLOW
+Agua	<code>Store.addWater(1)</code> → progress updates
+Pasos	<code>Store.addSteps(500)</code> → progress updates
+Calorías	Food log modal → <code>Store.addFoodLog()</code>
+Ejercicio	Exercise modal → <code>Store.addExercise()</code>
 Med reminder	Mark dose taken/skipped

BODY (Cuerpo) — Body Metrics

Displays:

- Weight tracker
- BMI card (requires height)
- Body fat %, Lean mass, Ideal weight
- Water intake progress
- Macronutrients
- Heart rate zones
- Quick actions: Registrar peso, Medir presión, Glucosa, Registrar frecuencia cardíaca

Buttons:

BUTTON	FLOW
 Configurar altura	<code>showHeightModal()</code> → enter height → <code>Store.updateProfile({ height })</code>
Registrar peso	Weight modal → <code>Store.addWeightLog()</code>
Medir presión	BP modal → <code>Store.addVitalEntry()</code>

BUTTON	FLOW
Glucosa	Glucose modal → <code>Store.addVitalEntry()</code>
Frecuencia cardíaca	HR modal → <code>Store.addVitalEntry()</code>

HEALTH (Salud) — Health Tracking

Displays:

- Medication schedules
- Vitals log (blood pressure, heart rate, glucose, weight)
- Water tracker (14 segments)
- Exercise log
- Food diary
- Sleep tracker
- Fasting tracker
- Check-in

Buttons:

BUTTON	FLOW
+ Medicamento	Medication modal → <code>Store.addMedicine()</code>
+ Recordatorio	Schedule modal → <code>Store.addMedicineSchedule()</code>
Registrar signo vital	Vital modal → <code>Store.addVitalEntry()</code>
+ Vasos	<code>Store.addWater(1)</code>
+ Ejercicio	Exercise modal → <code>Store.addExercise()</code>
+ Comida	Food modal → <code>Store.addFoodLog()</code>

SHOP (Tienda) — Product Catalog

Displays:

- Search bar
- Category tabs: Todos, Con Prescripción, Sin Prescripción, Vitaminas
- Product grid with name, brand, price, stock, Rx badge
- Cart button (top right)

Buttons:

BUTTON	FLOW
Category tab	Filter by <code>inventory.category</code>
Product card	Opens product detail modal
Agregar al carrito	<code>Store.addToCart()</code> → <code>updateCartBadge()</code>
 Cart	Opens cart modal → checkout
 Subir Prescripción	Opens prescription upload

Checkout Flow:

```

Cart modal → "Ir a pagar"
├── Checkout modal → patient info, payment method
├── "Confirmar pedido" → `FarmaciaAPI.placeOrder(cartItems, checkoutData)`
│   ├── INSERT sales (status='processing')
│   ├── INSERT sale_items
│   ├── `decrement_inventory` RPC (reduce stock)
│   └── `createNotification()` (admin notified)
└── Order confirmation → "Seguir comprando"

```

CONSULTA (Appointments)

Displays:

- Two sections: Presencial (in-person) and Video

In-Person Flow:

```

"Agendar cita presencial" → showInPersonConsulta()
├── Shows available locations with wait times
├── Click location → showLocationBooking(locationId)
│   ├── Estimated time calculated from current wait
│   ├── Form: name, reason, notes
│   └── "Unirme a la lista" → confirmInPersonBooking()
│       └── `FarmaciaAPI.createAppointment()` → `appointments`
└── Back button returns to location list

```

Video Flow:

```

"Agendar video consulta" → showVideoConsulta()
├── Shows available doctors
├── Click doctor → showVideoBooking(doctorId)
│   ├── Date picker + time slots
│   └── "Confirmar" → confirmVideoBooking()
│       └── `FarmaciaAPI.createAppointment()` → `appointments`
└── Back button returns to doctor list

```

PRESCRIPTIONS (Mis Prescripciones)

Displays:

- Active prescriptions count
- Prescription cards (local + Supabase)
- Refill request button
- Upload new prescription button

Buttons:

BUTTON	FLOW
Subir Prescripción	<code>showUploadPrescriptionModal()</code> → camera or file upload → <code>FarmaciaAPI.uploadPrescription(file)</code> → Storage bucket + <code>customer_documents</code>
Solicitar recarga	Refill modal → select pharmacy → <code>FarmaciaAPI.requestRefill()</code>
Ver detalle	Prescription detail modal

Upload Flow:

```

Customer selects file
|
|— File uploaded to Supabase Storage (customer-documents bucket)
|— Public URL generated
|— `FarmaciaAPI.uploadPrescription()` → INSERT customer_documents
   (document_type='receta', status='pending', file_url=publicUrl)
|
|— Admin sees in Admin → Recetas médicas
   → Admin reviews → approves/rejects
   → Customer sees status update

```

ORDERS (Mis Pedidos)

Displays:

- Order history from Supabase + localStorage fallback
- Status badges: processing, ready, shipped, delivered, completed, cancelled

Data Source:

- Primary: `FarmaciaAPI.getCustomerOrders()` → `sales` table (customer-scoped)
- Fallback: `localStorage` (`apollo_orders`)

NOTIFICATIONS

Access: Bell icon in header

Flow:

```

Click bell → showNotificationModal()
|
|— `FarmaciaAPI.getNotifications()` → `notifications` table
|— Displays list with icon, title, message, time
|— Unread items highlighted
|
|— Click item → markCustomerNotificationRead(id)
   → `FarmaciaAPI.markNotificationRead()` → UPDATE notifications
   → Badge count decrements
|
|— "Marcar todas" → markAllCustomerNotificationsRead()
   → `FarmaciaAPI.markAllNotificationsRead()`

```

Polling: Badge count polls every 30 seconds via `pollNotificationCount()`

SECTION 7 — DATABASE MAP

Complete Table Directory

#	TABLE	PURPOSE	PORTALS
1	<code>organizations</code>	Top-level pharmacy business	All
2	<code>locations</code>	Branches / sucursales	All
3	<code>profiles</code>	User accounts (extends auth.users)	All
4	<code>customers</code>	Customer directory	All
5	<code>inventory</code>	Product catalog & live stock	All
6	<code>inventory_movements</code>	Stock change audit log	Admin, POS
7	<code>inventory_batches</code>	FEFO/FIFO lot tracking	Admin, POS
8	<code>stock_adjustments</code>	Manual inventory corrections	Admin, POS
9	<code>sales</code>	Transaction headers	Admin, POS, Customer

#	TABLE	PURPOSE	PORTALS
10	sale_items	Transaction line items	Admin, POS, Customer
11	sale_payments	Split payment records	Admin, POS
12	returns	Return headers	Admin, POS
13	return_items	Return line items	Admin, POS
14	discounts	Promo codes	Admin, POS
15	shifts	Cashier shift tracking	Admin, POS
16	tax_settings	Per-org IVA config	Admin
17	bank_accounts	Bank details for transfers	Admin, POS
18	suppliers	Vendor directory	Admin
19	purchase_orders	PO headers	Admin
20	purchase_order_items	PO line items	Admin
21	supplier_products	Supplier ↔ inventory links	Admin
22	prescriptions	COFEPRIS prescription records	Admin, POS, Doctor, Customer
23	customer_documents	Uploaded patient files	Admin, Customer
24	doctor_profiles	Extended doctor data	Admin, Doctor
25	appointments	Doctor-patient scheduling	Admin, Doctor, Customer
26	preorders	Medication reservations	Admin, POS, Doctor, Customer
27	medical_notes	Clinical notes	Admin, Doctor, Customer (read)
28	notifications	In-app alerts	Admin, Customer
29	audit_log	System activity trail	Admin
30	akaunting_settings	Accounting integration config	Admin
31	akaunting_mappings	ID sync registry	Admin

Entity Relationships

```

organizations
├── locations
├── profiles (extends auth.users)
│   ├── doctor_profiles
│   └── customers (linked via customers.profile_id)
├── inventory
│   ├── inventory_batches
│   ├── inventory_movements
│   ├── stock_adjustments
│   └── supplier_products
├── discounts
├── shifts
├── sales
│   ├── sale_items
│   ├── sale_payments
│   └── prescriptions (1:1 via sale_id)
├── returns
│   └── return_items
├── suppliers
│   ├── purchase_orders
│   │   └── purchase_order_items
│   └── supplier_products
├── appointments
├── preorders
├── medical_notes
├── customer_documents
├── notifications
├── audit_log
├── tax_settings
├── bank_accounts
├── akaunting_settings
└── akaunting_mappings

```

Key Database Functions (RPC)

FUNCTION	PURPOSE
<code>decrement_inventory(p_id, p_qty)</code>	Atomically reduce stock + increment sales_count
<code>handle_new_user()</code>	Trigger: auto-create profiles row on signup
<code>get_my_org_id()</code>	Returns current user's org_id
<code>is_admin()</code>	True if role = 'admin'
<code>is_org_staff()</code>	True if role is admin/pos/inventory/doctor

SECTION 8 — STORAGE

Bucket: `customer-documents`

Purpose: Store customer-uploaded prescription images and documents.

Created by: `MIGRATION_create_storage_bucket_customer_documents.sql`

RLS Policies:

- Authenticated users can upload (`INSERT`)
- Authenticated users can read (`SELECT`)

Upload Flow:

```
Customer selects file in portal
├─ `sb.storage.from('customer-documents').upload(filePath, file)`
│   └─ filePath = `recetas/{orgId}/{customerId}/{timestamp}_{filename}`
├─ `sb.storage.from('customer-documents').getPublicUrl(filePath)`
│   └─ Returns public URL
└─ `customer_documents` row created with file_url
```

Admin Access:

- Admin views document list in Recetas médicas page
- Clicks "Ver archivo" → opens public URL in new tab
- File is served directly from Supabase CDN

Security:

- Bucket is `public = true` (files accessible by URL)
- Path includes `org_id` and `customer_id` for implicit scoping
- No org-level isolation at bucket level — relies on app-level filtering

SECTION 9 — NOTIFICATIONS

Notification System

Table: `notifications`

Who Creates:

- Admin actions (prescription review, preorder status change, appointment status change, order status change)
- System events

Who Receives:

- Customers: own notifications via `profile_id` OR `customer_id`
- Admins: all org notifications

Where They Appear:

- **Customer Portal:** Bell icon in header → modal panel
- **Admin Portal:** Not integrated into UI (notifications are customer-facing)

Notification Types:

TYPE	ICON	TRIGGER
<code>prescription</code>		Prescription status change
<code>refill</code>		Refill request update
<code>appointment</code>		Appointment status change
<code>order</code>		Order status change
<code>default</code>		General notification

Flow:

Admin changes status (e.g., approves prescription)

```

├─ `updateCustomerDocumentStatus(id, 'approved')`
├─ `createNotification({
  │   customer_id: doc.customer_id,
  │   type: 'prescription',
  │   title: 'Prescripción aprobada',
  │   message: '...'
  │ })`
└─

```

Customer sees:

- Badge count increments
- Notification appears in modal
- Polling updates every 30s

SECTION 10 — COMPLETE USER JOURNEYS

A. Customer Journey

- SIGNUP**
 - Customer opens /customer-app/
 - Clicks "Crear cuenta"
 - Enters name, email, password
 - FarmaciaAPI.signUp() → Supabase Auth
 - handle_new_user() trigger → creates profiles + customers rows
 - showToast("Cuenta creada")
- PROFILE SETUP**
 - Onboarding modal appears
 - Enters height (required for BMI)
 - Optional: birthdate, gender
 - completeOnboarding() → Store.updateProfile()
 - Height saved to localStorage (userProfile key)
- PRESCRIPTION UPLOAD**
 - Navigates to Mis Prescripciones
 - Clicks "Subir Prescripción"
 - Takes photo or selects file
 - File uploaded to Storage bucket
 - customer_documents row created (status='pending')
 - Admin notified
- ADMIN REVIEW**
 - Admin sees in Recetas médicas (status=pending)
 - Clicks "Revisar" → status='reviewed'
 - Clicks "Aprobar" → status='approved'
 - createNotification() → customer notified
- SHOP**
 - Customer browses shop
 - Adds items to cart
 - Items with requires_prescription need approved prescription
 - Proceeds to checkout
 - Enters patient info, selects payment
 - placeOrder() → sales + sale_items created
- ORDER TRACKING**
 - Customer sees order in Mis Pedidos
 - Status updates: processing → ready → shipped → delivered
 - Notifications sent at each status change
- APPOINTMENT**
 - Navigates to Consulta
 - Selects in-person or video
 - Fills form → createAppointment()
 - Sees appointment in list
 - Admin confirms → customer notified

B. Doctor Journey

1. LOGIN
 - Doctor logs in at /login
 - role='doctor' → redirected to /doctor
2. VIEW PATIENTS
 - Navigates to Pacientes
 - Searches patient
 - Clicks row → sees details + purchase history
 - Read-only — cannot edit
3. CREATE APPOINTMENT
 - Citas → "Nueva cita"
 - Selects patient, date/time
 - createAppointment() → appointments
 - Patient can see in customer portal
4. CREATE PREORDER
 - Preórdenes → "Nueva preórden"
 - Selects patient, medication, quantity
 - createPreorder() → preorders (status='pending')
 - Admin sees in Solicitudes de recarga
 - Admin marks "ready" → doctor marks "delivered"
5. MEDICAL NOTES
 - Notas médicas → "Nueva nota"
 - Selects patient, writes note
 - createMedicalNote() → medical_notes
 - Patient can read (via customer portal)

C. Admin Journey

1. INVENTORY MANAGEMENT
 - Admin → Inventario (Admin)
 - Monitors stock levels, expiry dates
 - Low stock → goes to Proveedores
 - "Nueva orden" → creates purchase order
 - Items received → inventory incremented
2. PRESCRIPTION REVIEW
 - Admin → Recetas médicas
 - Sees uploaded prescriptions (pending)
 - Reviews document → "Aprobar" or "Rechazar"
 - Customer notified automatically
3. ORDER PROCESSING
 - Admin → Pedidos
 - Sees customer orders (processing)
 - Picks and packs → "Ready"
 - Ships → "Shipped"
 - Delivered → "Completed" (inventory decremented)
 - Cancelled → "Cancelled" (inventory restored)
4. SALES REPORTING
 - Admin → Análisis
 - Sets date range → "Cargar Ventas"
 - Views sales summary, top products, profit
 - Exports CSV
5. USER MANAGEMENT
 - Admin → Usuarios
 - "Agregar usuario" → creates cashier/doctor/inventory staff
 - Sets role, location, PIN
 - User can immediately log in

D. Cashier (POS) Journey

1. START SHIFT
 - Cashier logs in → redirected to /pos
 - No active shift → ShiftGate appears
 - Enters starting cash → "Open Shift"
 - POS becomes accessible
2. PROCESS SALE
 - Searches product (or scans barcode)
 - Product added to cart
 - Adjusts quantities if needed
 - Applies discount code if customer has one
 - Selects customer (search/create)
 - Clicks "Ir a cobrar"
 - If Rx items: enters prescription data
 - Selects payment method (cash/card/transfer/insurance)
 - "Finalizar venta"
 - Receipt prints automatically
3. END SHIFT
 - "Cerrar turno"
 - Counts cash → enters closing amount
 - Views variance (short/over/balanced)
 - "Confirmar cierre"
 - POS blocked until next shift

SECTION 11 — BUTTON INVENTORY

Admin Portal Buttons

PAGE	BUTTON	ACTION	NEXT PAGE	TABLES
Overview	Stat card (10x)	Navigate	Respective page	—
Overview	Quick action (3x)	Navigate	Users/Sales/Inventory	—
Users	Agregar usuario	Open dialog	—	profiles
Users	Edit	Open dialog	—	profiles
Users	Delete	Confirm delete	—	profiles
Customers	Agregar cliente	Open dialog	—	customers
Customers	View profile	Navigate	CustomerProfile	—
Customers	Edit	Open dialog	—	customers
Customers	Delete	Confirm delete	—	customers
Doctors	Editar perfil	Open dialog	—	doctor_profiles
Sales	Imprimir PDF	Print	—	sales
Sales	Exportar CSV	Download	—	sales
Sales	Retry sync	Sync	—	sales
Discounts	Agregar descuento	Open dialog	—	discounts
Discounts	Edit	Inline edit	—	discounts
Discounts	Delete	Confirm delete	—	discounts
Prescriptions	Revisar	Status → reviewed	—	customer_documents
Prescriptions	Rechazar	Status → rejected	—	customer_documents
Prescriptions	Aprobar	Status → approved	—	customer_documents

PAGE	BUTTON	ACTION	NEXT PAGE	TABLES
Prescriptions	Marcar surtida	Status → dispensed	—	customer_documents
Preorders	Status buttons	Status transition	—	preorders
Appointments	Confirmar	Status → confirmed	—	appointments
Appointments	Completar	Status → completed	—	appointments
Appointments	Cancelar	Status → cancelled	—	appointments
Orders	Status buttons	Status transition	—	sales
Suppliers	Nuevo proveedor	Open dialog	—	suppliers
Suppliers	Nueva orden	Open dialog	—	purchase_orders
Suppliers	Recibir	Receive PO	—	purchase_orders, inventory
Audit	Actualizar	Refresh	—	audit_log
Audit	Exportar CSV	Download	—	audit_log
Settings	Guardar config	Save tax	—	tax_settings
Settings	Agregar cuenta	Add bank	—	bank_accounts
Accounting	Guardar config	Save Akaunting	—	akaunting_settings
Accounting	Sincronizar	Sync data	—	akaunting_mappings
Reports	Cargar Ventas	Load	—	sales
Reports	Cerrar Todos	Close shifts	—	shifts
Reports	Exportar	Download CSV	—	Various

POS Buttons

LOCATION	BUTTON	ACTION	TABLES
Top nav	Devolución	Open return modal	returns, return_items, inventory
Top nav	Anular venta	Void sale (PIN required)	sales, inventory
Top nav	Cerrar turno	Close shift	shifts
Product grid	Product card	Add to cart	—
Cart	—	Decrease qty	—
Cart	+	Increase qty	—
Cart		Remove item	—
Cart	Price input	Override price (PIN if >10%)	sales
Cart	Ticket icon	Apply discount	discounts
Cart	Ir a cobrar	Go to checkout	—
Checkout	Payment method	Select payment	sale_payments
Checkout	Pago dividido toggle	Enable split pay	sale_payments
Checkout	Finalizar venta	Complete sale	sales, sale_items, inventory
Receipt	Imprimir	Print receipt	—

Doctor Portal Buttons

PAGE	BUTTON	ACTION	TABLES
Appointments	Nueva cita	Create appointment	appointments
Appointments	Confirmar	Status → confirmed	appointments
Appointments	Completar	Status → completed	appointments
Appointments	Cancelar	Status → cancelled	appointments
Appointments	Editar	Edit dialog	appointments
Appointments	Eliminar	Delete	appointments
Preorders	Nueva preorden	Create preorder	preorders
Preorders	Listo	Status → ready	preorders
Preorders	Entregado	Status → picked_up	preorders
Preorders	Cancelar	Status → cancelled	preorders
Medical Notes	Nueva nota	Create note	medical_notes
Medical Notes	Editar	Edit note	medical_notes
Medical Notes	Eliminar	Delete note	medical_notes

Customer Portal Buttons

PAGE	BUTTON	ACTION	TABLES
Home	+Agua	Add water	localStorage
Home	+Pasos	Add steps	localStorage
Home	+Calorías	Log food	localStorage
Home	+Ejercicio	Log exercise	localStorage
Body	 Configurar altura	Set height	localStorage
Body	Registrar peso	Log weight	localStorage
Health	+Medicamento	Add medicine	localStorage
Health	Registrar vital	Log vital	localStorage
Shop	Category tab	Filter products	inventory
Shop	Agregar al carrito	Add to cart	localStorage
Shop	Ir a pagar	Checkout	sales, sale_items
Consulta	Unirme a la lista	Book in-person	appointments
Consulta	Confirmar (video)	Book video	appointments
Prescriptions	Subir Prescripción	Upload file	customer_documents, Storage
Prescriptions	Solicitar recarga	Request refill	preorders
Settings	Logout	End session	—

APPENDIX A — FILE STRUCTURE

```

/Users/admin/Farmacia/farmacia-pos/
├── src/
│   ├── App.jsx           # Main router
│   ├── main.jsx          # Entry point
│   ├── pages/
│   │   ├── AdminDashboard.jsx # Admin shell + sidebar
│   │   ├── PoSDashboard.jsx  # POS terminal
│   │   ├── InventoryDashboard.jsx # Inventory module
│   │   ├── DoctorDashboard.jsx # Doctor portal shell
│   │   ├── LoginPage.jsx     # Auth login
│   │   ├── ReportsPage.jsx   # Analytics
│   │   └── ...
│   ├── components/
│   │   ├── admin/          # 19 admin components
│   │   ├── pos/            # POS components
│   │   ├── ui/             # shadcn/ui components
│   │   ├── ReceiptModal.jsx
│   │   ├── CloseShiftModal.jsx
│   │   ├── ShiftGate.jsx
│   │   └── ...
│   ├── contexts/
│   │   ├── AuthContext.jsx  # Auth state
│   │   └── ShiftContext.jsx # Shift state
│   ├── lib/
│   │   ├── db.js           # All Supabase operations (~1700 lines)
│   │   ├── supabase.js     # Supabase client init
│   │   ├── auditLog.js     # Audit constants
│   │   └── ...
│   └── public/
│       ├── customer-app/   # Customer portal (vanilla JS)
│       │   ├── index.html
│       │   ├── css/style.css
│       │   └── js/
│       │       ├── app.js   # Main SPA (~9500 lines)
│       │       ├── api.js   # Supabase API layer
│       │       ├── store.js # localStorage data layer
│       │       ├── data.js  # Constants & keys
│       │       ├── calculations.js # Health calculations
│       │       ├── tracking.js # Sleep/fasting/check-in
│       │       ├── notifications.js # Push notification manager
│       │       ├── voiceAI.js # Voice assistant
│       │       └── components.js # Shared components
│       ├── supabase_schema_fixed.sql # Base schema
│       ├── MIGRATION_*.sql          # Various migrations
│       └── .env / .env.local        # Supabase credentials

```

APPENDIX B — SECURITY NOTES

Authentication

- Supabase Auth with email/password
- JWT tokens with role claim
- Role checked at route level (ProtectedRoute)
- Admin PIN required for price overrides and voids

Authorization (RLS)

- Every business table has RLS enabled
- `org_id` isolation on all tables
- Staff policies: `org_id = get_my_org_id()`
- Customer policies: `profile_id = auth.uid()` or via `customers` subquery
- `SECURITY DEFINER` helper functions for role checks

Known Issues (Fixed/Planned)

-  C1: showToast undefined → Fixed
-  C2: render functions not on window → Fixed
-  C3: anon access to inventory RPC → Migration ready
-  C4: inventory RPC no org check → Migration ready

-  C5: .env tracked → .gitignore fixed, .env untracked
 -  C6: hardcoded org_id → Migration ready
 -  C7: store.js no try/catch → Fixed
 -  C5b: Credentials in git history → Requires key rotation + history rewrite
-

End of Documentation