

Oregon Psilocybin — Law, Safety & Field Identification

Private educational reference · Eugene & Florence, Oregon · AiBhive Oregon Plant Medicine

Not a cultivation manual. This document does *not* contain instructions for growing, propagating, or manufacturing psilocybin mushrooms. Home cultivation remains illegal under U.S. federal law and is not authorized by Oregon Measure 109 licensed service centers. Possession outside approved contexts may still carry criminal penalties.

Educational use only. Wild mushroom misidentification kills. Never consume any mushroom unless a qualified expert confirms identity. Call Oregon Poison Center **1-800-222-1222** for exposures.

1. Oregon law in plain language

Oregon voters passed **Measure 109 (2020)**, creating a regulated framework for **psilocybin services** at licensed facilities with trained facilitators. This is *not* a home-grow or wild-foraging permit.

- **Licensed services (Measure 109):** Adults 21+ may consume psilocybin at state-licensed centers after preparation sessions. Products are produced under OLCC oversight — not harvested from your local wood chips.
- **Measure 110 / decriminalization:** Personal possession of small amounts of controlled substances was reclassified; this is *not* legalization of manufacture or distribution.
- **Federal law:** Psilocybin remains Schedule I. Interstate activity, large quantities, and manufacturing (including cultivation) can trigger federal prosecution.
- **Wild foraging:** Taking mushrooms from public or private land may violate park rules, trespass law, and drug statutes depending on quantity and intent.

Official resource: **Oregon Psilocybin Services (OLCC)** — oregon.gov/olcc/psilocybin

2. Wild Oregon species vs. “Golden Teacher” and indoor strains

Online forums often discuss *Psilocybe cubensis* varieties such as **Golden Teacher**, **B+**, or “Penis Envy.” These are **tropical/subtropical species** associated with *indoor laboratory cultivation* — they are **not** native wild mushrooms of the Willamette Valley or Oregon coast.

In western Oregon you are far more likely to encounter **wood-loving psilocybes** on mulch and forest debris:

Species	Where near Eugene / Florence	Key ID features
<i>Psilocybe cyanescens</i> Wavy cap	Wood-chip beds, landscaped areas, trail margins after fall rains	Caramel cap with wavy edge; stem bruises blue; purple-brown spore print; on wood not pasture
<i>Psilocybe azurescens</i> Flying saucer	Coastal wood chips, dune edges — Florence north toward Astoria	Large cap; potent; strong blue bruising; coastal specialty
<i>Psilocybe semilanceata</i> Liberty cap	Occasional in valley pastures in cool wet weather	Tiny conical cap; grows from grass not logs

Why “easiest strain” advice does not map to Oregon fields: Beginner-friendly cubensis strains refer to controlled indoor grows. Outdoor Oregon foraging requires expert mycology — different species, different habitats, deadly lookalikes.

3. Deadly lookalikes — learn these first

Galerina marginata (funeral bell)

Grows on the **same wood substrates** as psilocybes. Contains amatoxins — same toxin class as death cap. Brown cap, brown spore print (not purple-brown), rust-brown gills. A spore print is mandatory for any wood-inhabiting gilled mushroom.

Jack-o-lantern (*Omphalotus*)

Orange clustered mushrooms on wood — not psilocybes but cause severe GI illness.

Amanita species

Fly agaric and panther cap are psychoactive but not psilocybin-based; several amanitas are lethal. See companion library entries.

4. Field identification workflow (safety)

- Habitat first:** Wood chips vs. pasture vs. dung — rules out many species immediately.
- Spore print:** Place cap on white and dark paper 4–12 hours. Psilocybes: purple-brown to blackish brown.
- Bruising:** Blue-green bruising on stem/cap suggests psilocybin chemistry — not definitive alone.

4. **Microscopy / expert:** Use Mushroom Observer, PSMS, or a mycological society before any consumption decision.
5. **Document:** Photograph cap, gills, stem base, and habitat — never rely on a single angle.

5. Seasonality — Eugene & Florence

- **Valley (Eugene):** Wood-chip psilocybes peak after first sustained fall rains (October–December). Frost ends most fruiting.
- **Coast (Florence):** Milder temperatures extend season; *P. azurescens* often later into winter. Higher humidity — more slime molds and rot; ID harder.
- **Spring:** Generally poor for wood-lovers; edible morels and oysters are different season entirely.

6. Harm reduction (if using licensed Oregon services)

- Complete preparation and integration sessions with licensed facilitators.
- Disclose medications (SSRIs, lithium, tramadol) — serious interactions possible.
- Do not combine with alcohol or cannabis without facilitator guidance.
- Arrange sober transport; no driving the day of a session.

7. Why cultivation guides are excluded from this library

Sterile cultivation of psilocybin-containing fungi involves manufacturing a Schedule I substance under federal law. Oregon’s licensed model uses approved production facilities — not home “tek” guides. For legal access in Oregon, use the OLCC licensee directory. For wild specimens, prioritize **identification education** and mycological societies.

8. Further reading (external)

- Oregon Psilocybin Services — OLCC
- Puget Sound Mycological Society (PNW-applicable ID resources)
- Mushroom Observer — community photos with GPS
- Paul Stamets, *Psilocybin Mushrooms of the World* (identification focus)