




PRESS PROOF APPROVALS & RECORDS



Calibration based on PANTONE®+ Solid Coated color book  
Only use actual PANTONE®+ Solid Coated (ending in “C”)



Approve online at:  
[www.just1label.com](http://www.just1label.com)



Part Number

VN.5HTP.REV03

Description

VN.5HTP.REV03\_2x5\_FINAL\_OUTLINED

Die/Tooling

(R) H 2.0000 x W 5.0000

Material

White Poly (Removable)

Finish

Gloss Finish

100% TARGETS



CYAN



MAGENTA



YELLOW



BLACK

50% TARGETS



CYAN



MAGENTA



YELLOW



BLACK

PLEASE REVIEW  
BEFORE SIGNING

Please review all artwork for design, spelling, and all other content based edits. Please SIGN in appropriate box to the right (signature will be accepted as full approval to proceed with production of any open orders.). Labels larger than the available area on this proof may not be to scale. Color may shift when laminated or coated during the finishing process. Please request finished proofs if final color is critical.

PLEASE NOTE: CUSTOMER SIGNATURE WILL AUTHORIZE JUST ONE LABEL TO PROCEED WITHOUT FURTHER CONSULTATION. Please be careful in reviewing this proof. Signing parties are FULLY responsible for any orders that are authorized by approving this proof. Mistakes are costly and time consuming and may delay scheduled product release dates. Just One Label, LLC accepts no responsibility for the content of labels printed in accordance with this sign-off, including any errors, omissions, inaccuracies, or compliance with any laws or regulations. Accordingly, we the customer, accept the risk of, and agree to indemnify and hold harmless Just One Label, LLC from and against any and all claims, losses, liabilities, expenses, and costs incurred which arise in connection with any information included on or absent from this document.

Customer

Blueroot Health

Proof Output File

VN.5HTP.REV03\_2x5\_FINAL\_OUTLINED.pdf

Proof Output Date

Tuesday, May 13, 2025

Signature

*John Troup*

Signature Date

05/13/25