

PRESS PROOF APPROVALS & RECORDS

Calibration based on PANTONE®+ Solid Coated color book
Only use actual PANTONE®+ Solid Coated (ending in "C")

Approve online at:
www.just1label.com Only use actual PANTONE®+ Solid Coated (ending in "C")







| ⁰¬ Part Number | VN.M5.REV04 |
|-----------------------|--------------------------------------|
| ■ Description | VN.M5.REV04_2.875x7.5_FINAL_OUTLINED |
| □ Die/Tooling | (Z554) H 2.8750 x W 7.5000 |
| Material | White Poly (Removable) |
| ₩ Finish | Gloss Finish |





PLEASE REVIEW BEFORE SIGNING

Please review all artwork for design, spelling, and all other content based edits. Please SIGN in appropriate box to the right (signature will be accepted as full approval to proceed with production of any open orders.). Labels larger than the available area on this proof may not be to scale. Color may shift when laminated or coated during the finishing process. Please request finished proofs if final color is critical.

PLEASE NOTE: CUSTOMER SIGNATURE WILL AUTHORIZE JUST ONE LABEL TO PROCEED WITHOUT FURTHER CONSULTATION. Please be careful in reviewing this proof. Signing parties are FULLY responsible for any orders that are authorized by approving this proof. Mistakes are costly and time consuming and may delay scheduled product release dates. Just One Label, LLC accepts no responsibility for the content of labels printed in accordance with this sign-off, including any errors, omissions, inaccuracies, or compliance with any laws or regulations. Accordingly, we the customer, accept the risk of, and agree to indemnify and hold harmless Just One Label, LLC from and against any and all claims, losses, liabilities, expenses, and costs incurred which arise in connection with any information included on or absent from this document.

| ■ Customer | Blueroot Health | |
|---------------------------|--|--|
| Proof Output File | VN.M5.REV04_2.875x7.5_FINAL_OUTLINED.p df | |
| ☐ Proof Output Date | Tuesday, August 5, 2025 | |
| 3 Signature John Troup | | |
| ☐ Signature Date 08/05/25 | | |