Exercise Solutions for Math 20

Linear, Quadratic, and Rational Equations

Nile Jocson <novoseiversia@gmail.com>

November 8, 2024

Contents

1																												3
	1.1	Find t																										
		1.1.a																										
		1.1.b	2	$\frac{2x+3}{4}$	_	$\frac{x-}{2}$	<u>-1</u> :	= -	$-\frac{1}{3}$																			3
		1.1.c																										
		1.1.d																										
		1.1.e			-																							
		1.1.f	$\frac{1}{x}$	$\frac{x}{x-1}$	+ ;	$\frac{x}{x^2+}$	$\frac{-5}{2x}$	-3	=	$\frac{1}{x}$	1 +3																	4

1

Find the solution set of the following equations.

1.1.a x + 9 = 5 - 3x

$$\Rightarrow x + 3x = 5 - 9$$

Solve for x.

$$\Rightarrow 4x = -4$$

$$\Rightarrow x = -1$$

1.1.b $\frac{2x+3}{4} - \frac{x-1}{2} = -\frac{1}{3}$

$$\Rightarrow \frac{3(2x+3)}{12} - \frac{6(x-1)}{12} = -\frac{4}{12}$$

$$LCM = 12$$

$$\Rightarrow \frac{6x+9}{12} - \frac{6x-6}{12} = -\frac{4}{12}$$

$$\Rightarrow (6x + 9) - (6x - 6) = -4$$
$$\Rightarrow 6x + 9 - 6x + 6 = -4$$

$$\Rightarrow 6x + 9 - 6x + 6 = -4$$

$$\Rightarrow 15 = -4$$

$$\Rightarrow x \in \emptyset$$

1.1.c $3x^2 - 2x + 1 = 0$

$$\Rightarrow \frac{-(-2)\pm\sqrt{(-2)^2-4(3)(1)}}{2(3)}$$

Use the quadratic formula.

$$\Rightarrow \frac{2\pm\sqrt{-8}}{6}$$

$$\Rightarrow \frac{2\pm\sqrt{4}\sqrt{-2}}{6}$$

$$\Rightarrow \frac{2 \pm 2i\sqrt{2}}{6}$$

$$\Rightarrow \frac{1 \pm i\sqrt{2}}{3}$$

$$\Rightarrow \frac{1}{3} \pm \frac{\sqrt{2}}{3}i$$

$$\Rightarrow \frac{2\pm\sqrt{-8}}{6}$$

$$\Rightarrow \frac{2\pm\sqrt{4}\sqrt{-2}}{6}$$

$$\Rightarrow \frac{2\pm2i\sqrt{2}}{6}$$

$$\Rightarrow \frac{2\pm2i\sqrt{2}}{6}$$

$$\Rightarrow \frac{1\pm i\sqrt{2}}{3}$$

$$\Rightarrow \frac{1}{3} \pm \frac{\sqrt{2}}{3}i$$

$$\Rightarrow x \in \{\frac{1}{3} + \frac{\sqrt{2}}{3}i, \frac{1}{3} - \frac{\sqrt{2}}{3}i\}$$

1.1.d $4x^2 + 2x = 2$

$$\Rightarrow 4x^2 + 2x - 2 = 0$$

Rewrite in standard form.

$$\Rightarrow 2x^2 + x - 1 = 0$$

$$\Rightarrow 2x^2 + 2x - x - 1 = 0$$

Factor by grouping.

$$\Rightarrow 2x(x+1) - 1(x+1) = 0$$

$$\Rightarrow (2x-1)(x+1) = 0$$

$$\Rightarrow x \in \{-1, \frac{1}{2}\}$$

1.1.e $16x^2 + 9 = 24x$

$$\Rightarrow 16x^2 - 24x + 9 = 0$$

Rewrite in standard form.

$$\Rightarrow 16x^2 - 12x - 12x + 9 = 0$$

Factor by grouping.

$$\Rightarrow 4x(4x - 3) - 3(4x - 3) = 0$$

$$\Rightarrow (4x - 3)^2 = 0$$

$$\Rightarrow x = \frac{3}{4}$$

1.1.f $\frac{x}{x-1} + \frac{x-5}{x^2+2x-3} = \frac{1}{x+3}$

$$\Rightarrow \frac{x}{x-1} + \frac{x-5}{(x-1)(x+3)} = \frac{1}{x+3}$$
$$\Rightarrow \frac{x(x+3)}{(x-1)(x+3)} + \frac{x-5}{(x-1)(x+3)} = \frac{x-1}{(x-1)(x+3)}$$

$$LCM = (x-1)(x+3)$$

$$\Rightarrow \frac{x^2 + 3x}{(x-1)(x+3)} + \frac{x-5}{(x-1)(x+3)} = \frac{x-1}{(x-1)(x+3)}$$

$$\Rightarrow x^2 + 3x + x - 5 = x - 1$$

Eliminate denominator.
$$x \in \{-3, 1\}$$
 are undefined points.

$$\Rightarrow x^2 + 3x + x - 5 - x + 1 = 0$$

$$\Rightarrow x^2 + 3x - 4 = 0$$

$$\Rightarrow (x+4)(x-1) = 0$$

Factor by grouping.

$$\Rightarrow x = -4$$