	*	Boolean	Pot Deferred	Pot Deferred	Rat Dafarrad
Iterator	Pot.debug	Pot.some (object, callback [, context])	Pot.Deferred.prototype.reduce (calback [, initial [, context]])	Pot.Deferred.repeat (max, callback [, context])	Pot. Dejerred Pot. getJSON (url [, options])
new Pot.Iter ()	Object Pot.update (target, obj1 [, obj2 [,]])	Pot.items (object [, caliback [, context]])	Pot.Deferred Pot.Deferred.prototype.every (callback [, context])	Pot.Deferred Pot.Deferred.iterate (iter [, callback [, context]])	Pot.Deferred Pot.jsonp (url [, options])
Pot.iter Pot.tolter (x)	String Pot.stringify (x [, ignoreBoolean = false])	Array Pot.zip (object [, callback [, context]])	Pot.Deferred Pot.Deferred.prototype.some (callback [, context])	Pot. Deferred Pot. Deferred. filter (object, callback [, context])	Pot.Deferred Pot.loadScript (url [, options])
Array Pot.range ([begin = 0,] end [, step = 1])	Array Pot.arrayize (x [, index])	Deferred	Pot.Deferred Pot.Deferred.prototype.items ([callback [, context]])	Pot.Deferred Pot.Deferred.map (object, callback [, context])	URI
Number String Pot.indexOf (object, subject [, from = 0])	Number Pot.now ()	prototype Basic	Pot.Deferred Pot.Deferred.prototype.zip ([callback [, context]])	Pot.Deferred Pot.Deferred.reduce (object, callback [, initial [, context]])	String Pot.urlEncode (string)
Number String Pot.lastIndexOf (object, subject [, from])	String Pot.trim (text [, chars [, ignoreCase = false]])	Pot.Deferred new Pot.Deferred ([options])	Static	Pot.Deferred Pot.Deferred.every (object, callback [, context])	String Pot.urlDecode (string)
# Synchronous Iterator → Core.Iterator	String Pot.rescape (pattern)	Pot.Deferred Pot.Deferred.prototype.then (callback [, errback])	Pot.Deferred Pot.Deferred.begin (callback)	Pot.Deferred Pot.Deferred.some (object, callback [, context])	DropFile
# Asynchronous Iterator → Deferred. Iterator	Object Pot.currentDocument ()	Pot.Deferred Pot.Deferred.prototype.rescue (errback)	Pot.Deferred Pot.Deferred.flush (callback)	ot.Deferred Pot.Deferred.items (object [, callback [, context]])	Pot.DropFile new Pot.DropFile (target [, options])
# Asynchronous Iterator on Chain Deferred.prototype.Iterator	String Pot.currentURI ()	Pot.Deferred Pot.Deferred.prototype.ensure (callback)	Pot.Deferred Pot.Deferred.callLater (seconds, callback)	Pot.Deferred Pot.Deferred.zip (object [, callback [, context]])	Pot.DropFile.prototype.clearDropEvents
Core	Object Pot.currentWindow ()	Pot.Deferred Pot.Deferred.prototype.begin ([args])	Pot.Deferred Pot.Deferred.callLazy (callback)	Workeroid	Pot.Deferred Pot.DropFile.prototype.upload (url [, options])
Boolean Pot.isString (x)	* Pot.localEval (code [, scope])	Pot.Deferred Pot.Deferred.prototype.raise ([args])	Pot.Deferred Pot.Deferred.wait (seconds [, value])	Pot.Workeroid new Pot.Workeroid (script)	Serializer
Boolean Pot.isObject (x)	* Pot.globalEval (code)	Pot.Deferred Pot.Deferred.prototype.end ()	Pot.Deferred Pot.Deferred.till (cond)	Pot.Workeroid Pot.Workeroid.prototype.postMessage (data)	String Pot.serializeToJSON (value)
Boolean Pot.isFunction (x)	Object Pot.override (obj, props [, converters], overrider)	Pot.Deferred Pot.Deferred.prototype.cancel ()	Pot.Deferred Pot.Deferred.succeed ([args])	Pot.Workeroid Pot.Workeroid.prototype.terminate ()	* Pot.parseFromJSON (text)
Boolean Pot.isNumber (x)	Array Pot.tokenize (code)	Pot.Deferred Array Pot.Deferred.prototype.canceller (func)	Pot.Deferred Pot.Deferred.failure ([args])	Pot.Workeroid.prototype.onmessage	String Pot.serializeToQueryString (params)
Boolean Pot.isBoolean (x)	String Pot.joinTokens (tokens)	Pot.Deferred Number * Pot.Deferred.prototype.speed (speeds)	Pot.Deferred Pot.Deferred.maybeDeferred (x)	Pot.Workeroid.prototype.onerror	Array Object Pot.parseFromQueryString (queryString [, toObject = false])
Boolean Pot.isRegExp (x)	String Pot.getErrorMessage (error [, defaults = 'error'])	Pot.Deferred Boolean Pot.Deferred.prototype.async (isAsync)	Pot.Deferred Pot.Deferred.parallel (deferredList [, deferredList2 [,]])	Signal	XPCOM
Boolean Pot.isDate (x)	String Pot.getFunctionCode (func)	Pot.Deferred Pot.Deferred.prototype.wait (seconds [, value])	Pot.Deferred Pot.Deferred.chain (args [, args2 [,]])	Object Array Pot.attach (object, signalName, callback [, useCapture])	Void Pot.throughout (cond)
Boolean Pot.isError (x)	Array Pot.globalize ([target [, advised = false]])	Pot.Deferred Pot.Deferred.prototype.till (cond)	Function Pot.Deferred.deferrize (object [, func])	Object/Array Pot.attachAfter (object, signalName, callback)	* Pot.evalInSandbox (code, url)
Boolean Pot.isArray (x)	Iterator	Pot.Deferred * Pot.Deferred.prototype.args ([args])	Function Pot.Deferred.deferreed (object [, func])	Object/Array Pot.attachBefore (object, signalName, callback)	Window Object * Pot.getChromeWindow ([uri])
Boolean Pot.isArrayLike (x)	Object Array Pot.forEach (object, callback [, context])	Pot.Deferred * Pot.Deferred .prototype.data ([key [, value]])	Boolean Pot.Deferred.isFired (deferred)	Object/Array Pot.attachPropAfter (object, propName, callback)	Window Object * Pot.getMostRecentWindow ()
Boolean Pot.isNumeric (x)	Void Pot.forEver (callback [, context])	prototype Iterator	* Pot.Deferred.lastResult (deferred [, value])	Object/Array Pot.attachPropBefore (object, propName, callback)	Plugin
Boolean Pot.isWindow (x)	Void Pot.repeat (max, callback [, context])	Pot.Deferred Pot.Deferred.prototype.forEach (callback [, context])	* Pot.Deferred.lastError (deferred [, value])	Boolean Pot.detach (object [, signalName [, callback [, useCapture]]])	Boolean Pot.addPlugin (name [, func [, force = false]])
Boolean Pot.isDocument (x)	* Pot.iterate (iter [, callback [, context]])	Pot.Deferred Pot.Deferred.prototype.forEver (callback [, context])	Number Pot.Deferred.register (name [, func])	Void Pot.detachAll ([object [, signals]])	Boolean Pot.removePlugin (name)
Boolean Pot.isElement (x)	Object Array Pot.filter (object, callback [, context])	Pot.Deferred Pot.Deferred.prototype.repeat (callback [, context])	Number Pot.Deferred.unregister (name)	Pot.Deferred Pot.signal (object, signalName [,args])	Boolean Pot.hasPlugin (name)
Boolean Pot.isBuiltinMethod (func)	Object Array Pot.map (object, callback [, context])	Pot.Deferred Pot.Deferred.prototype.iterate ([callback [, context]])	Iterator	Boolean Pot.cancelEvent (event)	Pot.listPlugin
Boolean Pot.isStopIter (stopIteration)	* Pot.reduce (object, callback [, initial [, context]])	Pot.Deferred Pot.Deferred.prototype.filter (callback [, context])	Pot.Deferred Pot.Deferred.forEach (object, callback [, context])	Net	jQuery Plugin
Pot.StopIteration Object	Boolean Pot.every (object, callback [, context])	Pot.Deferred Pot.Deferred.prototype.map (callback [, context])	Pot.Deferred Pot.Deferred.forEver (callback [, context])	Pot.Deferred Pot.request (url (, options))	Void Pot.deferrizejQueryAjax ()