Problem: Identification of the concentration graph in Pearson correlation network

Generator: Dominant Diagonal

Algorithms: Simulaneous Inference, Bonferroni, Holm, Benjamini-Hochberg, Benjamini-Yekutieli

Parameters: N=20, n=40, S_sg=500, S_obs=100, significance level alpha=0.05, densities: from the interval [0.1, 0.9] (20 equally spaced points)





Problem: Identification of Pearson correlation network

Generator: Dominant Diagonal

Algorithms: Simulaneous Inference, Bonferroni, Holm, Benjamini-Hochberg, Benjamini-Yekutieli

Parameters: N=20, n=100, S_sg=500, S_obs=100, significance level alpha=0.05, densities: 20 equally spaced points on an interval [0.1, 0.9]



Problem: Identification of Pearson correlation network

Generator: Dominant Diagonal

Algorithms: Simulaneous Inference, Bonferroni, Holm, Benjamini-Hochberg, Benjamini-Yekutieli

Parameters: N=20, n=300, S_sg=500, S_obs=100, significance level alpha=0.05, densities: 20 equally spaced points on an interval [0.1, 0.9]



Problem: Identification of Pearson correlation network

Generator: Dominant Diagonal

Algorithms: Simulaneous Inference, Bonferroni, Holm, Benjamini-Hochberg, Benjamini-Yekutieli

Parameters: N=30, n=60, S_sg=500, S_obs=100, significance level alpha=0.05, densities: 20 equally spaced points on an interval [0.1, 0.9]



Problem: Identification of partial correlation network

Generator: Dominant Diagonal

Algorithms: Simulaneous Inference, Bonferroni, Holm, Benjamini-Hochberg, Benjamini-Yekutieli

Parameters: N=20, n=40, S_sg=500, S_obs=100, significance level alpha=0.05, densities: 20 equally spaced points on an interval [0.1, 0.9]



Problem: Identification of partial correlation network

Generator: Dominant Diagonal

Algorithms: Simulaneous Inference, Bonferroni, Holm, Benjamini-Hochberg, Benjamini-Yekutieli

Parameters: N=20, n=100, S_sg=500, S_obs=100, significance level alpha=0.05, densities: 20 equally spaced points on an interval [0.1, 0.9]



Problem: Identification of partial correlation network

Generator: Dominant Diagonal

Algorithms: Simulaneous Inference, Bonferroni, Holm, Benjamini-Hochberg, Benjamini-Yekutieli

Parameters: N=20, n=300, S_sg=500, S_obs=100, significance level alpha=0.05, densities: 20 equally spaced points on an interval [0.1, 0.9]



Problem: Identification of Fechner correlation network

Generator: Dominant Diagonal

Algorithms: Simulaneous Inference, Bonferroni, Holm, Benjamini-Hochberg, Benjamini-Yekutieli

Parameters: N=20, n=40, S_sg=500, S_obs=100, significance level alpha=0.05, densities: 20 equally spaced points on an interval [0.1, 0.9]



Problem: Identification of Fechner correlation network

Generator: Dominant Diagonal

Algorithms: Simulaneous Inference, Bonferroni, Holm, Benjamini-Hochberg, Benjamini-Yekutieli

Parameters: N=20, n=100, S_sg=500, S_obs=100, significance level alpha=0.05, densities: 20 equally spaced points on an interval [0.1, 0.9]



Problem: Identification of Fechner correlation network

Generator: Dominant Diagonal

Algorithms: Simulaneous Inference, Bonferroni, Holm, Benjamini-Hochberg, Benjamini-Yekutieli

Parameters: N=20, n=300, S_sg=500, S_obs=100, significance level alpha=0.05, densities: 20 equally spaced points on an interval [0.1, 0.9]



Problem: Identification of Kendall correlation network

Generator: Dominant Diagonal

Algorithms: Simulaneous Inference, Bonferroni, Holm, Benjamini-Hochberg, Benjamini-Yekutieli

Parameters: N=20, n=40, S_sg=500, S_obs=100, significance level alpha=0.05, densities: 20 equally spaced points on an interval [0.1, 0.9]



Problem: Identification of Kendall correlation network

Generator: Dominant Diagonal

Algorithms: Simulaneous Inference, Bonferroni, Holm, Benjamini-Hochberg, Benjamini-Yekutieli

Parameters: N=20, n=100, S_sg=500, S_obs=100, significance level alpha=0.05, densities: 20 equally spaced points on an interval [0.1, 0.9]



Problem: Identification of Kendall correlation network

Generator: Dominant Diagonal

Algorithms: Simulaneous Inference, Bonferroni, Holm, Benjamini-Hochberg, Benjamini-Yekutieli

Parameters: N=20, n=300, S_sg=500, S_obs=100, significance level alpha=0.05, densities: 20 equally spaced points on an interval [0.1, 0.9]



TNR
FOR
FDR
TPR
BA
F1
MCC
SI
B
H
BH
BY