


Problem: Identification of the concentration graph in Pearson correlation network

Generator: Dominant Diagonal

Algorithms: Simultaneous Inference, Bonferroni, Holm, Benjamini-Hochberg, Benjamini-Yekutieli

Parameters: N=20, n=40, S_sg=500, S_obs=100, significance level alpha=0.05, densities: from the interval [0.1, 0.9] (20 equally spaced points)




Problem: Identification of the concentration graph in Pearson correlation network

Generator: Dominant Diagonal

Algorithms: Simultaneous Inference, Bonferroni, Holm, Benjamini-Hochberg, Benjamini-Yekutieli

Parameters: N=20, n=100, S_sg=500, S_obs=100, significance level $\alpha=0.05$, densities: from the interval [0.1, 0.9] (20 equally spaced points)




Problem: Identification of the concentration graph in Pearson correlation network

Generator: Dominant Diagonal

Algorithms: Simultaneous Inference, Bonferroni, Holm, Benjamini-Hochberg, Benjamini-Yekutieli

Parameters: $N=20$, $n=300$, $S_{sg}=500$, $S_{obs}=100$, significance level $\alpha=0.05$, densities: from the interval $[0.1, 0.9]$ (20 equally spaced points)




Problem: Identification of the concentration graph in Pearson correlation network

Generator: Dominant Diagonal

Algorithms: Simulaneous Inference, Bonferroni, Holm, Benjamini-Hochberg, Benjamini-Yekutieli

Parameters: N=30, n=60, S_sg=500, S_obs=100, significance level $\alpha=0.05$, densities: from the interval [0.1, 0.9] (20 equally spaced points)




Problem: Identification of the concentration graph in partial correlation network

Generator: Dominant Diagonal

Algorithms: Simultaneous Inference, Bonferroni, Holm, Benjamini-Hochberg, Benjamini-Yekutieli

Parameters: $N=20$, $n=40$, $S_{sg}=500$, $S_{obs}=100$, significance level $\alpha=0.05$, densities: from the interval $[0.1, 0.9]$ (20 equally spaced points)




Problem: Identification of the concentration graph in partial correlation network

Generator: Dominant Diagonal

Algorithms: Simultaneous Inference, Bonferroni, Holm, Benjamini-Hochberg, Benjamini-Yekutieli

Parameters: $N=20$, $n=100$, $S_{sg}=500$, $S_{obs}=100$, significance level $\alpha=0.05$, densities: from the interval $[0.1, 0.9]$ (20 equally spaced points)




Problem: Identification of the concentration graph in partial correlation network

Generator: Dominant Diagonal

Algorithms: Simultaneous Inference, Bonferroni, Holm, Benjamini-Hochberg, Benjamini-Yekutieli

Parameters: $N=20$, $n=300$, $S_{sg}=500$, $S_{obs}=100$, significance level $\alpha=0.05$, densities: from the interval $[0.1, 0.9]$ (20 equally spaced points)




Problem: Identification of the concentration graph in Fechner correlation network

Generator: Dominant Diagonal

Algorithms: Simultaneous Inference, Bonferroni, Holm, Benjamini-Hochberg, Benjamini-Yekutieli

Parameters: N=20, n=40, S_sg=500, S_obs=100, significance level $\alpha=0.05$, densities: from the interval [0.1, 0.9] (20 equally spaced points)




Problem: Identification of the concentration graph in Fechner correlation network

Generator: Dominant Diagonal

Algorithms: Simultaneous Inference, Bonferroni, Holm, Benjamini-Hochberg, Benjamini-Yekutieli

Parameters: $N=20$, $n=100$, $S_{sg}=500$, $S_{obs}=100$, significance level $\alpha=0.05$, densities: from the interval $[0.1, 0.9]$ (20 equally spaced points)




Problem: Identification of the concentration graph in Fechner correlation network

Generator: Dominant Diagonal

Algorithms: Simultaneous Inference, Bonferroni, Holm, Benjamini-Hochberg, Benjamini-Yekutieli

Parameters: $N=20$, $n=300$, $S_{sg}=500$, $S_{obs}=100$, significance level $\alpha=0.05$, densities: from the interval $[0.1, 0.9]$ (20 equally spaced points)




Problem: Identification of the concentration graph in Kendall correlation network

Generator: Dominant Diagonal

Algorithms: Simultaneous Inference, Bonferroni, Holm, Benjamini-Hochberg, Benjamini-Yekutieli

Parameters: $N=20$, $n=40$, $S_{sg}=500$, $S_{obs}=100$, significance level $\alpha=0.05$, densities: from the interval $[0.1, 0.9]$ (20 equally spaced points)




Problem: Identification of the concentration graph in Kendall correlation network

Generator: Dominant Diagonal

Algorithms: Simultaneous Inference, Bonferroni, Holm, Benjamini-Hochberg, Benjamini-Yekutieli

Parameters: N=20, n=100, S_sg=500, S_obs=100, significance level $\alpha=0.05$, densities: from the interval [0.1, 0.9] (20 equally spaced points)



Problem: Identification of the concentration graph in Kendall correlation network

Generator: Dominant Diagonal

Algorithms: Simultaneous Inference, Bonferroni, Holm, Benjamini-Hochberg, Benjamini-Yekutieli

Parameters: $N=20$, $n=300$, $S_{sg}=500$, $S_{obs}=100$, significance level $\alpha=0.05$, densities: from the interval $[0.1, 0.9]$ (20 equally spaced points)

