

DOCUMENTATION

Portfolio Setup Guide

A step-by-step installation guide for the COGENSZ Portfolio – a high-performance, cinematic portfolio built with Vite, React 19, Tailwind CSS v4, and Framer Motion. Follow this guide to get the project running on your local machine in under 5 minutes.

● TECH STACK

01

React 19

Vite 8

Tailwind CSS v4

Framer Motion 12

Lucide React

JetBrains Mono

Inter

● PREREQUISITES

02

Node.js
Required: >= 18.x (LTS recommended)
Download: nodejs.org/en/download

npm
Required: >= 9.x
Bundled with Node.js

Git
Any recent version
Download: git-scm.com

Code Editor
VS Code recommended
code.visualstudio.com

● INSTALLATION

03

- 1 Clone the Repository
- Download the project source code to your local machine.

BASH

```
git clone https://your-repo-url/cogensz-portfolio.git
```

```
cd cogensz-portfolio
```

2

Install Dependencies

Install all required packages defined in `package.json`. This includes React, Framer Motion, Tailwind, and all dev tools.

```
npm install
```

3

Start the Development Server

Launch Vite's hot-module-replacing dev server. The site will open instantly.

```
npm run dev
```

Output:

```
VITE v8.0.0 ready in ~300 ms
```

```
→ Local:   http://localhost:5173/
```

```
→ Network: use --host to expose
```

✦ Open **`http://localhost:5173`** in your browser. The page will hot-reload automatically whenever you save a file — no manual refresh needed.

4

Build for Production (Optional)

When you're ready to deploy, generate an optimised production bundle in the `/dist` folder.

```
npm run build    # compile & optimise to /dist
npm run preview  # preview the production build locally
```

SCRIPTS REFERENCE

04



REFERENCE

COMMAND	DESCRIPTION
<code>npm run dev</code>	Start local dev server at localhost:5173
<code>npm run build</code>	Build optimised production bundle to /dist
<code>npm run preview</code>	Preview production build locally
<code>npm run lint</code>	Run ESLint across the source files

ENVIRONMENT VARIABLES

05

No environment variables are required to run the project. If you extend it with a backend contact form or CMS, create a `.env` file at the project root:

```
.ENV

# Paste your values here — never commit this file to version control
VITE_API_URL=https://your-api-endpoint.com
VITE_EMAILJS_SERVICE_ID=your_service_id
VITE_EMAILJS_TEMPLATE_ID=your_template_id
VITE_EMAILJS_PUBLIC_KEY=your_public_key
```

✦ All Vite environment variables **must** be prefixed with **VITE_** to be accessible in the browser. Never expose secret keys in client-side code.

FOLDER STRUCTURE

06

```
TREE

cogensz-portfolio/
├─ public/
│   └─ favicon.svg
├─ src/
│   ├─ components/
│   │   ├─ Navbar.jsx           # sticky blur-glass navigation
│   │   ├─ Hero.jsx            # parallax full-screen hero
│   │   ├─ Marquee.jsx         # infinite tech-stack ticker
│   │   ├─ ProjectGallery.jsx  # horizontal scroll gallery
│   │   ├─ About.jsx           # word-reveal about section
│   │   ├─ Skills.jsx          # skill grid + process strip
│   │   ├─ Contact.jsx         # CTA contact section
│   │   ├─ Footer.jsx          # sticky-reveal footer
│   │   ├─ ProgressBar.jsx     # scroll progress bar
│   │   └─ BackToTop.jsx       # floating back-to-top
│   ├─ App.jsx                 # root layout
│   ├─ main.jsx                # React DOM entry point
│   └─ index.css               # Tailwind base + global styles
├─ index.html
├─ vite.config.js
├─ package.json
└─ README.md
```