Core - Bug # 19038

Status:	Resolved	**Priority:**	Should have
Author:	Christian Kuhn	**Category:**	
Created:	2008-06-30	**Assigned To:**	Christian Kuhn
Updated:	2009-03-20	**Due date:**	
TYPO3 Version:	4.2		
PHP Version:	5.2		
Complexity:			
Is Regression:			
Sprint Focus:			
Subject:	template->startPage returns invalid XHTML		

Description

The doctype header of template->docType='xhtml_trans' does not produce valid xhtml markup in template->startPage().

template->docType="xhtml_trans"
template->startPage('foo');

<!DOCTYPE html
    PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
    "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html>
.....

W3 validator returns:
Line 7, Column 1: Missing xmlns attribute for element html. The value should be: http://www.w3.org/1999/xhtml
<html>
Many Document Types based on XML need a mandatory xmlns="" on the root element. For example, the root element for XHTML will look like:
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">

Line 4, Column 5: XML Parsing Error: XML declaration allowed only at the start of the document .

(issue imported from #M8861)

Related issues:		
related to Core - Bug # 15617: template->docType is not compatible with IE	**Resolved**	2006-02-13
duplicates Core - Bug # 16033: Login-Page (typo3/index.php): removing whitesp...	**Resolved**	2006-04-12

History

#1 - 2009-03-20 00:27 - Christian Kuhn

Resolved as duplicate of #16033