

Core - Bug # 27415

Status:	Accepted	Priority:	Should have
Author:	René Wagner	Category:	Fluid
Created:	2011-06-13	Assigned To:	
Updated:	2015-06-15	Due date:	
TYPO3 Version:	6.2		
PHP Version:			
Complexity:			
Is Regression:	No		
Sprint Focus:			
Subject:	ViewHelper Forms with method get and action parameter do not address to right action		
Description			
<p>A form like the following is rendered invalid:</p> <pre><f:form action="list" method="get" id="searchForm" name="searchForm">...</f:form></pre> <p>The reason is, it is addressing the action as a query string in the form action attribute. This query string gets completely substituted by the form fields inside the form.</p> <p>Resolution: On get formulars, render the query string as hidden form fields.</p> <p>Manual workaround:</p> <pre><f:form action="list" method="get" id="searchForm" name="searchForm"> <f:form.hidden name="action" value="list" /> ... </f:form></pre>			
Related issues:			
related to TYPO3.Fluid - Task # 11636: Form viewhelper not functional with me...		Resolved	2010-12-22

History

#1 - 2011-06-19 20:19 - Stefan Neufeind

- Status changed from New to Accepted

#2 - 2011-06-19 20:20 - Stefan Neufeind

At least it would be up to the browser to merge the two (get-arguments from action-URL and from the form). I agree this doesn't seem right. And checking with at least Firefox 4 those arguments are lost as you describe.

Same holds true for fluid in FLOW3.

#3 - 2011-06-20 09:59 - Bastian Waidelich

The way we should probably implement this, would be to create the action URI as before, parse it with **parse_url()** and retrieve the query parameters with **parse_str()** And then we could create the hidden fields from them. This should happen for GET only and it should be possible to deactivate it IMO.

#4 - 2013-01-02 13:37 - Anja Leichsenring

- *Project changed from Extbase MVC Framework to Fluid*
- *Category changed from 963 to Fluid: ViewHelpers*

#5 - 2013-04-15 21:46 - Wouter Wolters

TYPO3 Fluid has an implementation for this AFAICS

#6 - 2013-10-21 17:43 - Clément MICHELET

Seems to be fixed in Flow3 in issue #11636

Any hope to have backport for 6.2 ?

With this bug, I can't expect to have in working state in the same time :

- a table with results
- a filter form for table
- a paginate widget

Pass hidden value didn't work with 6.1.5.

Set the form method to post imply to persist form values which is an alternative solution but imply also many new checks to handle.

#7 - 2013-10-21 20:17 - Marc Bastian Heinrichs

- *Target version set to Fluid 6.2*

We could not backport this 1:1 because we have to have realurl in mind.

#8 - 2014-09-16 11:22 - Alexander Opitz

- *Project changed from Fluid to Core*
- *Category changed from Fluid: ViewHelpers to Fluid*
- *Target version changed from Fluid 6.2 to 7.0*
- *TYPO3 Version set to 6.2*
- *Is Regression set to No*

#9 - 2014-12-23 19:43 - Mathias Schreiber

- *Target version changed from 7.0 to 7.1 (Cleanup)*

#10 - 2015-06-15 17:44 - Benjamin Mack

- *Target version changed from 7.1 (Cleanup) to 7.4 (Backend)*