

Core - Bug # 49444

Status:	Closed	Priority:	Should have
Author:	Christian Eßl	Category:	File Abstraction Layer (FAL)
Created:	2013-06-26	Assigned To:	
Updated:	2014-03-11	Due date:	
TYPO3 Version:	6.1		
PHP Version:			
Complexity:	medium		
Is Regression:	No		
Sprint Focus:			
Subject:	No file found for given UID after deleting a referenced image file		
Description			
How to reproduce:			
<ul style="list-style-type: none">- create a content element of type "image" with a referenced image file- delete the image file in filelist- try to access the previously created content element in the backend.			
You will get the following exception:			
Uncaught TYPO3 Exception			
#1317178604: No file found for given UID. (More information)			
TYPO3\CMS\Core\Resource\Exception\FileDoesNotExistException thrown in file			
/usr/www/users/naderq/typo3/sysex/core/Classes/Resource/ResourceFactory.php in line 266.			
Related issues:			
related to Core - Bug # 46785: FileDoesNotExistException		Resolved	2013-03-29
related to Core - Bug # 50575: Fatal error while adding files to tt_content		Closed	2013-07-30

History

#1 - 2013-06-26 20:28 - Jigal van Hemert

- Category set to File Abstraction Layer (FAL)
- Complexity set to medium

#2 - 2013-06-28 11:49 - Alexander Opitz

- Status changed from New to Needs Feedback
- Assigned To set to Alexander Opitz

Do you have a backtrace? Did you use TYPO3 CMS 6.1.0 or 6.1.1?

#3 - 2013-07-09 23:32 - Benjamin no-lastname-given

I have a similar Problem:

After deleting files & records of a YAG-Gallery i always get this exception in the backend when i try to open the page in the YAG-View.

This is the stacktrace:

<http://htmlpaste.com/16ee05c3a40796e2a7c96e80942ecbe29fbd0cb9>

#4 - 2013-07-10 00:28 - Benjamin no-lastname-given

Here some more information:

I used TYPO3 6.1.1.

The file causing the exception was : `"/typo3conf/ext/yag/Resources/Public/Icons/imageNotFound.jpg"`.

The cause for the exception was that the record in `"sys_file"` for this file had `deleted=1`.

So a attempt to use this file and scale ist resulted in the exception.

I did not expect that FAL is used for such resources files - is that necessary?

I fixed my problem by setting `deleted=0` with phpmyadmin.

Sadly i do not know how/when the `deleted=1` has been set..

#5 - 2013-08-19 12:03 - Alexander Opitz

@Benjamin

This problem was caused by another issue which should be fixed with 6.1.3 (IMHO, but maybe I remember false and it will only be fixed in 6.2).

So my question stays:

@Christian Eßl

Can you post a backtrace please?

#6 - 2013-09-03 22:18 - Ernesto Baschny

- Target version set to next-patchlevel

This will most probably also be fixed with the patch for #51562, which should also be backported to 6.0 and 6.1.

#7 - 2013-09-12 09:32 - Alexander Opitz

- Is Regression set to No

Please test this with TYPO3 6.1.5 (will be released tomorrow if nothing critical happens today) and report then if it is working.

#8 - 2013-11-06 08:32 - Alexander Opitz

Hi,

as 6.1.5 is released. Is the issue gone or does it persist in the new version of TYPO3 CMS?

#9 - 2013-11-28 09:41 - Stefan Froemken

Hi Alexander,

this problem is still there. Here is a backtrace:

Uncaught TYPO3 Exception

#1317178604: No file found for given UID. (More information)

TYPO3\CMS\Core\Resource\Exception\FileDoesNotExistException thrown in file
/kunden/removedPath/typo3cms/typo3_src-6.2.0-2013-11-27/typo3/sysex/core/Classes/Resource/ResourceFactory.php in line 348.

14 TYPO3\CMS\Core\Resource\ResourceFactory::getFileObject("226165")

```
/kunden/removedPath/typo3cms/typo3_src-6.2.0-2013-11-27/typo3/sysex/core/Classes/Resource/FileReference.php:
00110: $factory = \TYPO3\CMS\Core\Utility\GeneralUtility::makeInstance('TYPO3\CMS\Core\Resource\ResourceFactory');
00111: }
00112: $this->originalFile = $factory->getFileObject($fileReferenceData['uid_local']);
00113: $this->fileRepository = \TYPO3\CMS\Core\Utility\GeneralUtility::makeInstance('TYPO3\CMS\Core\Resource\FileRepository');
00114: if (!is_object($this->originalFile)) {
```

13 TYPO3\CMS\Core\Resource\FileReference::__construct(array)

12 ReflectionClass::newInstanceArgs(array)

```
/kunden/removedPath/typo3cms/typo3_src-6.2.0-2013-11-27/typo3/sysex/core/Classes/Utility/GeneralUtility.php:
04147: array_shift($constructorArguments);
04148: $reflectedClass = new \ReflectionClass($finalClassName);
04149: $instance = $reflectedClass->newInstanceArgs($constructorArguments);
04150: } else {
04151: $fullyQualifiedClassName = '\\' . $finalClassName;
```

11 TYPO3\CMS\Core\Utility\GeneralUtility::makeInstance("TYPO3\CMS\Core\Resource\FileReference", array)

```
/kunden/removedPath/typo3cms/typo3_src-6.2.0-2013-11-27/typo3/sysex/core/Classes/Resource/ResourceFactory.php:
00576: public function createFileReferenceObject(array $fileReferenceData) {
00577: /** @var FileReference $fileReferenceObject */
00578: $fileReferenceObject = GeneralUtility::makeInstance('TYPO3\CMS\Core\Resource\FileReference', $fileReferenceData);
00579: return $fileReferenceObject;
00580: }
```

10 TYPO3\CMS\Core\Resource\ResourceFactory::createFileReferenceObject(array)

```
/kunden/removedPath/typo3cms/typo3_src-6.2.0-2013-11-27/typo3/sysex/core/Classes/Resource/ResourceFactory.php:
00561: }
00562: }
00563: $this->fileReferenceInstances[$uid] = $this->createFileReferenceObject($fileReferenceData);
00564: }
00565: return $this->fileReferenceInstances[$uid];
```

9 TYPO3\CMS\Core\Resource\ResourceFactory::getFileReferenceObject("15140")

```
/kunden/removedPath/typo3cms/typo3_src-6.2.0-2013-11-27/typo3/sysex/backend/Classes/Utility/BackendUtility.php:
01557: );
01558: foreach ($referenceUids as $referenceUid) {
01559: $fileReferenceObject = ResourceFactory::getInstance()->getFileReferenceObject($referenceUid['uid']);
01560: $fileObject = $fileReferenceObject->getOriginalFile();
01561:
```

8 TYPO3\CMS\Backend\Utility\BackendUtility::thumbCode(array, "tt_content", "image", "../..")

/kunden/removedPath/typo3cms/typo3_src-6.2.0-2013-11-27/typo3/sysex/recordlist/Classes/RecordList/AbstractDatabaseRecordList.php:

```
00532: */
00533: public function thumbCode($row, $table, $field) {
00534:     return BackendUtility::thumbCode($row, $table, $field, $this->backPath);
00535: }
00536:
```

7 TYPO3\CMS\Recordlist\RecordList\AbstractDatabaseRecordList::thumbCode(array, "tt_content", "image")

/kunden/removedPath/typo3cms/typo3_src-6.2.0-2013-11-27/typo3/sysex/backend/Classes/View/PageLayoutView.php:

```
01287:     if ($row['CType'] 'textpic' || $row['CType'] 'image') {
01288:         if ($row['image']) {
01289:             $out .= $this->thumbCode($row, 'tt_content', 'image') . '
';
01290:             if ($row['imagecaption']) {
01291:                 $out .= $this->linkEditContent($this->renderText($row['imagecaption']), $row) . '
';
01292:             }
01293:         }
01294:     }
01295: }
```

6 TYPO3\CMS\Backend\View\PageLayoutView::tt_content_drawItem(array, boolean)

/kunden/removedPath/typo3cms/typo3_src-6.2.0-2013-11-27/typo3/sysex/backend/Classes/View/PageLayoutView.php:

```
00456:     !$this->tt_contentConfig['languageMode']);
00457:     $isRTE = $RTE && $this->isRTEforField('tt_content', $row, 'bodytext');
00458:     $innerContent = '
    ' . $this->tt_content_drawItem($row, $isRTE) . '
';
00459:     $singleElementHTML .= '
    ' . $innerContent . '
    ' . $this->tt_content_drawFooter($row);
00460:     // NOTE: this is the end tag for
```

5 TYPO3\CMS\Backend\View\PageLayoutView::getTable_tt_content(1)

/kunden/removedPath/typo3cms/typo3_src-6.2.0-2013-11-27/typo3/sysex/backend/Classes/View/PageLayoutView.php:

```
00203:     break;
00204:     case 'tt_content':
00205:         return $this->getTable_tt_content($id);
00206:     break;
00207: }
```

4 TYPO3\CMS\Backend\View\PageLayoutView::getTable("tt_content", 1, "")

/kunden/removedPath/typo3cms/typo3_src-6.2.0-2013-11-27/typo3/sysex/recordlist/Classes/RecordList/AbstractDatabaseRecordList.php:

```
00435: }
00436: // Finally, render the list:
00437: $this->HTMLcode .= $this->getTable($tableName, $this->id, implode(',', $fields));
00438: }
00439: }
```

3 TYPO3\CMS\Recordlist\RecordList\AbstractDatabaseRecordList::generateList()

/kunden/removedPath/typo3cms/typo3_src-6.2.0-2013-11-27/typo3/sysex/backend/Classes/Controller/PageLayoutController.php:

```
00938: $dblist->HTMLcode .= $this->doc->getVersionSelector($this->id);
```

```

00939: // Generate the list of elements here:
00940: $dblist->generateList();
00941: // Adding the list content to the tableOutput variable:
00942: $tableOutput[$table] = ($h_func ? $h_func . '

```

```

': ") . $dblist->HTMLcode . ($h_func_b ? '
'. $h_func_b : "");

```

```

2 TYPO3\CMS\Backend\Controller\PageLayoutController::renderListContent()

```

```

/kunden/removedPath/typo3cms/typo3_src-6.2.0-2013-11-27/typo3/sysex/typo3cms/Backend/Classes/Controller/PageLayoutController.php:

```

```

00541: } else {
00542: // All other listings
00543: $body .= $this->renderListContent();
00544: }
00545: // Setting up the buttons and markers for docheader

```

```

1 TYPO3\CMS\Backend\Controller\PageLayoutController::main()

```

```

/kunden/removedPath/typo3cms/typo3_src-6.2.0-2013-11-27/typo3/sysex/cms/layout/db_layout.php:

```

```

00139: }
00140: $SOBE->clearCache();
00141: $SOBE->main();
00142: $SOBE->printContent();

```

#10 - 2013-11-28 10:35 - Stefan Froemken

This is only a "bad" workaround, if you don't have a backup, removed some entries in sys_file manually by DB or something else:

Find all tt_content-elements which are broken (sys_file record was not found):

```

SELECT DISTINCT tt_content.uid AS Inhaltselement, tt_content.pid AS Seite
FROM tt_content
LEFT JOIN sys_file_reference
ON tt_content.uid = sys_file_reference.uid_foreign
LEFT JOIN sys_file
ON sys_file_reference.uid_local = sys_file.uid
WHERE sys_file_reference.tablenames = "tt_content"
AND sys_file.uid IS NULL

```

Make a screenshot or export it as CSV with help of phpMyAdmin.

Delete all references records where NO sys_file-record exists:

```

DELETE FROM sys_file_reference
USING tt_content
LEFT JOIN sys_file_reference
ON tt_content.uid = sys_file_reference.uid_foreign
LEFT JOIN sys_file
ON sys_file_reference.uid_local = sys_file.uid
WHERE sys_file_reference.tablenames = "tt_content"

```

AND sys_file.uid IS NULL

Now you can access pagemodul and add missing images again with help of CSV-Export of first Query.

Stefan

#11 - 2014-01-14 18:15 - Alexander Opitz

Hi Stefan,

```
| TYPO3\CMS\Core\Resource\ResourceFactory::getFileObject("226165")
```

uid 226165? Do you really have so much file objects in this typo3 installation? What is the highest uid in your sys_file table?

Maybe something else went wrong.

#12 - 2014-03-11 12:08 - Stefan Froemken

Hello Alexander,

the highest value is 377.174. And a COUNT of all records is nearly 60.000. We have imported nearly 47.000 files from DAM.

Stefan

#13 - 2014-03-11 13:47 - Stefan Froemken

You can close this ticket now. Many patches were merged into the core in the last months. And one of them also solves this problem here.

#14 - 2014-03-11 14:19 - Alexander Opitz

- Status changed from Needs Feedback to Closed
- Assigned To deleted (Alexander Opitz)
- Target version deleted (next-patchlevel)

After discussion with Stefan directly, the issue behind the high uid numbers are cleared out and also was resolved.

Thanks Stefan.