## **TYPO3.Flow - Bug # 33078**

Status:NewPriority:Should haveAuthor:Jörg OhnheiserCategory:Security

 Created:
 2012-01-10
 Assigned To:

 Updated:
 2012-03-07
 Due date:

PHP Version:

Has patch: No

Complexity:

Affected Flow version: FLOW3 1.0.2

Subject: No Redirect to Login

### **Description**

I think this is a Bug with the Security Subsystem.

I'm only getting a Exception when i'm not login or i've no rights to access the controller.

But i'm awaiting a redirect to login when i've no Login Data or?

i've attached my policy and setting yaml file.

You are not allowed to perform this action.

- 10 TYPO3\FLOW3\Security\Authorization\Interceptor\AccessDeny Original::invoke()
- 9 TYPO3\FLOW3\Security\Authorization\RequestFilter\_Original::filterRequest(TYPO3\FLOW3\MVC\Web\Request)
- 8 TYPO3\FLOW3\Security\Authorization\FilterFirewall Original::blockIllegalRequests(TYPO3\FLOW3\MVC\Web\Request)

7

TYPO3\FLOW3\Security\Aspect\RequestDispatchingAspect\_Original::blockIllegalRequestsAndForwardToAuthenticationEntryPoints(TYPO0) oints(TYPO3\FLOW3\AOP\JoinPoint)

- 6 TYPO3\FLOW3\AOP\Advice\AroundAdvice\_Original::invoke(TYPO3\FLOW3\AOP\JoinPoint)
- 5 TYPO3\FLOW3\AOP\Advice\AdviceChain Original::proceed(TYPO3\FLOW3\AOP\JoinPoint)
- 4 TYPO3\FLOW3\MVC\Dispatcher::dispatch(TYPO3\FLOW3\MVC\Web\Request, TYPO3\FLOW3\MVC\Web\Response)
- 3 TYPO3\FLOW3\MVC\Web\RequestHandler\_Original::handleRequest()
- ${\tt 2 TYPO3\FLOW3\Core\Bootstrap::} handle WebRequest()\\$
- 1 TYPO3\FLOW3\Core\Bootstrap::run()

Please include more helpful information!

## Related issues:

related to TYPO3.Flow - Bug # 33055: AccessDeniedException instead of WebRedi... New 2012-01-09

### History

# #1 - 2012-01-10 08:37 - Jörg Ohnheiser

2015-08-03 1/2

- File Policy.yaml added
- File Settings.yaml added

# #2 - 2012-01-10 12:01 - Jörg Ohnheiser

Similar to <a href="http://forge.typo3.org/issues/33055">http://forge.typo3.org/issues/33055</a>

## #3 - 2012-01-10 19:36 - Johannes K

Did you try to call the protected action manually, or via a Fluid generated link?

I'm asking, because to call protected action you also need to pass a csrfToken in the URL.

If the link is generated by Fluid, the URL contains the csrfToken automatically.

Another option is to annotate the action with @FLOW3\SkipCsrfProtection.

No real documentation for this yet, but here is an explanation:

 $\hbox{\hbox{$[[http://media.netlogix.de/community/details/artikel/csrf-protection-in-typo3-phoenix-kindly-provided-by-flow3]]}}$ 

### #4 - 2012-03-07 17:45 - Karsten Dambekalns

- Category changed from - Error Handler Report - to Security

## **Files**

| Policy.yaml   | 517 Bytes | 2012-01-10 | Jörg Ohnheiser |
|---------------|-----------|------------|----------------|
| Settings.yaml | 536 Bytes | 2012-01-10 | Jörg Ohnheiser |

2015-08-03 2/2