TYPO3.Flow - Bug # 26582

Status: **Priority:** Rejected Must have Author: Category: Regine Rosewich Persistence Created: 2011-05-03 Assigned To: Karsten Dambekalns **Updated:** 2011-10-20 Due date: PHP Version:

PHP Version:
Has patch:
Complexity:

Affected Flow version:

Subject: Repository remove() throws error even if __identity is furnished

Description

The attempt to remove an object from the repository throws an error even if the __identity (flow3_persistence_identifier) is furnished. If the object to remove is explicitly

searched with a query before removing it, the remove() works. Maybe the object-constellation causes the error as the 'complete' object consist of an abstract-object and the real-object joined with @InheritanceType("JOINED").

The error-message is as follows:

A detached entity can not be removed. #0

/Applications/MAMP/htdocs/FLOW3/Packages/Framework/FLOW3/Resources/PHP/Doctrine/ORM/UnitOfWork.php(1264):

Doctrine\ORM\UnitOfWork->doRemove(Object(F3\WeluPdm\Domain\Model\Stammdaten\Klasse), Array)

#1

/Applications/MAMP/htdocs/FLOW3/Packages/Framework/FLOW3/Resources/PHP/Doctrine/ORM/EntityManager.php(472):

Doctrine\ORM\UnitOfWork->remove(Object(F3\WeluPdm\Domain\Model\Stammdaten\Klasse))

#2

/Applications/MAMP/htdocs/FLOW3/Data/Temporary/Development/Cache/Code/FLOW3_Object_Classes/F3_FLOW3_Persistence_Doctrine
Doctrine PersistenceManager Original.php(147):

Doctrine\ORM\EntityManager->remove(Object(F3\WeluPdm\Domain\Model\Stammdaten\Klasse))

#3

/Applications/MAMP/htdocs/FLOW3/Data/Temporary/Development/Cache/Code/FLOW3_Object_Classes/F3_FLOW3_Persistence_Doctrine_Repository_Original.php(100):

F3\FLOW3\Persistence\Doctrine\PersistenceManager_Original->remove(Object(F3\WeluPdm\Domain\Model\Stammdaten\Klasse)) #4 /A sse))

#4

/Applications/MAMP/htdocs/FLOW3/Data/Temporary/Development/Cache/Code/FLOW3_Object_Classes/F3_WeluPdm_Service_ExtDirect_ce_ExtDirect_V1_Controller_Stammdaten_KlassifizierungController_Original.php(200):

 $F3\FLOW3\Persistence\Doctrine\Repository_Original->remove(Object(F3\WeluPdm\Domain\Model\Stammdaten\Klasse))$

#5 [internal function]:

F3\WeluPdm\Service\ExtDirect\V1\Controller\Stammdaten\KlassifizierungController_Original->removeKlasseAction(Object(F3\WeluPdm\Direct))

WeluPdm\Domain\Model\Stammdaten\Klasse))

#6

/Applications/MAMP/htdocs/FLOW3/Data/Temporary/Development/Cache/Code/FLOW3_Object_Classes/F3_FLOW3_MVC_Controller_ActionController_Original.php(283): call_user_func_array(Array, Array)

#7

/Applications/MAMP/htdocs/FLOW3/Data/Temporary/Development/Cache/Code/FLOW3_Object_Classes/F3_FLOW3_MVC_Controller_ActionController_Original.php(183): F3\FLOW3\MVC\Controller\ActionController_Original->callActionMethod()

/Applications/MAMP/htdocs/FLOW3/Data/Temporary/Development/Cache/Code/FLOW3_Object_Classes/F3_FLOW3_MVC_Dispatcher_Cispatcher_Original.php(106):

F3\FLOW3\MVC\Controller\ActionController_Original->processRequest(Object(F3\FLOW3\MVC\Web\Request),

2015-08-03 1/4

```
#9
/Applications/MAMP/htdocs/FLOW3/Data/Temporary/Development/Cache/Code/FLOW3 Object Classes/F3 FLOW3 MVC Dispatcher.p
ispatcher.php(101): F3\FLOW3\MVC\Dispatcher_Original->dispatch(Object(F3\FLOW3\MVC\Web\Request),
Object(F3\ExtJS\ExtDirect\TransactionResponse))
#10 [internal function]: F3\FLOW3\MVC\Dispatcher->dispatch(Object(F3\FLOW3\MVC\Web\Request),
Object(F3\ExtJS\ExtDirect\TransactionResponse))
#11
/Applications/MAMP/htdocs/FLOW3/Data/Temporary/Development/Cache/Code/FLOW3_Object_Classes/F3_FLOW3_MVC_Dispatcher.p
ispatcher.php(89): call user func array(Array, Array)
#12
/Applications/MAMP/htdocs/FLOW3/Data/Temporary/Development/Cache/Code/FLOW3_Object_Classes/F3_FLOW3_AOP_Advice_Advice
dvice AdviceChain Original.php(74):
F3\FLOW3\MVC\Dispatcher->FLOW3_AOP_Proxy_invokeJoinPoint(Object(F3\FLOW3\AOP\JoinPoint))
#13
/Applications/MAMP/htdocs/FLOW3/Data/Temporary/Development/Cache/Code/FLOW3 Object Classes/F3 FLOW3 Security Aspect F
y_Aspect_RequestDispatchingAspect_Original.php(131):
F3\FLOW3\AOP\Advice\AdviceChain_Original->proceed(Object(F3\FLOW3\AOP\JoinPoint))
#14
/Applications/MAMP/htdocs/FLOW3/Data/Temporary/Development/Cache/Code/FLOW3_Object_Classes/F3_FLOW3_AOP_Advice_Arou
dvice_AroundAdvice_Original.php(48):
F3\FLOW3\Security\Aspect\RequestDispatchingAspect_Original->setAccessDeniedResponseHeader(Object(F3\FLOW3\AOP\JoinPoint))[
JoinPoint))
#15
/Applications/MAMP/htdocs/FLOW3/Data/Temporary/Development/Cache/Code/FLOW3_Object_Classes/F3_FLOW3_AOP_Advice_Advice
dvice AdviceChain Original.php(72):
F3\FLOW3\AOP\Advice\AroundAdvice Original->invoke(Object(F3\FLOW3\AOP\JoinPoint))
/Applications/MAMP/htdocs/FLOW3/Data/Temporary/Development/Cache/Code/FLOW3_Object_Classes/F3_FLOW3_Security_Aspect_F
y Aspect RequestDispatchingAspect Original.php(92):
F3\FLOW3\AOP\Advice\AdviceChain_Original->proceed(Object(F3\FLOW3\AOP\JoinPoint))
#17
/Applications/MAMP/htdocs/FLOW3/Data/Temporary/Development/Cache/Code/FLOW3 Object Classes/F3 FLOW3 AOP Advice Arou
dvice AroundAdvice Original.php(48):
F3\FLOW3\Security\Aspect\RequestDispatchingAspect_Original->blockIllegalRequestsAndForwardToAuthenticationEntryPoints(Object(F3))
ts(Object(F3\FLOW3\AOP\JoinPoint))
#18
/Applications/MAMP/htdocs/FLOW3/Data/Temporary/Development/Cache/Code/FLOW3_Object_Classes/F3_FLOW3_AOP_Advice_Advice
dvice_AdviceChain_Original.php(72):
F3\FLOW3\AOP\Advice\AroundAdvice Original->invoke(Object(F3\FLOW3\AOP\JoinPoint))
#19
/Applications/MAMP/htdocs/FLOW3/Data/Temporary/Development/Cache/Code/FLOW3_Object_Classes/F3_FLOW3_Security_Aspect_F
y Aspect RequestDispatchingAspect Original.php(75):
F3\FLOW3\AOP\Advice\AdviceChain_Original->proceed(Object(F3\FLOW3\AOP\JoinPoint))
#20
/Applications/MAMP/htdocs/FLOW3/Data/Temporary/Development/Cache/Code/FLOW3_Object_Classes/F3_FLOW3_AOP_Advice_Arou
dvice AroundAdvice Original.php(48):
F3\FLOW3\Security\Aspect\RequestDispatchingAspect Original->initializeSecurity(Object(F3\FLOW3\AOP\JoinPoint))
#21
/Applications/MAMP/htdocs/FLOW3/Data/Temporary/Development/Cache/Code/FLOW3 Object Classes/F3 FLOW3 AOP Advice Advice
dvice AdviceChain Original.php(72):
F3\FLOW3\AOP\Advice\AroundAdvice_Original->invoke(Object(F3\FLOW3\AOP\JoinPoint))
#22
```

Object(F3\ExtJS\ExtDirect\TransactionResponse))

2015-08-03 2/4

```
/Applications/MAMP/htdocs/FLOW3/Data/Temporary/Development/Cache/Code/FLOW3_Object_Classes/F3_FLOW3_MVC_Dispatcher.pdf
ispatcher.php(115): F3\FLOW3\AOP\Advice\AdviceChain_Original->proceed(Object(F3\FLOW3\AOP\JoinPoint))
#23
//Applications/MAMP/htdocs/FLOW3/Data/Temporary/Development/Cache/Code/FLOW3_Object_Classes/F3_ExtJS_ExtDirect_RequestHandler_Original.php(115): F3\FLOW3\MVC\Dispatcher->dispatch(Object(F3\FLOW3\MVC\Web\Request),
Object(F3\ExtJS\ExtDirect\TransactionResponse))
#24 //Applications/MAMP/htdocs/FLOW3/Packages/Framework/FLOW3/Classes/Core/Bootstrap.php(320):
F3\ExtJS\ExtDirect\RequestHandler_Original->handleRequest()
#25 //Applications/MAMP/htdocs/FLOW3/Packages/Framework/FLOW3/Classes/Core/Bootstrap.php(174):
F3\FLOW3\Core\Bootstrap->handleWebRequest()
#26 //Applications/MAMP/htdocs/FLOW3/Web/index.php(38): F3\FLOW3\Core\Bootstrap->run()
#27 {main}
```

History

#1 - 2011-05-03 13:39 - Regine Rosewich

And here's the query preliminary to the faulty remove()

```
11-05-03 13:01:49 12529 DEBUG FLOW3 SELECT t1.flow3_persistence_identifier AS flow3_persistence_identifier2, t1.neuanlagedatum AS neuanlagedatum3, t1.aenderungdatum AS aenderungdatum4, t0.klasse AS klasse5, t0.bezeichnung AS bezeichnung6, t0.anzeigefolge AS anzeigefolge7, t0.verwendung AS verwendung8, t1.neuanlageParty_id AS neuanlageParty_id9, t1.aenderungParty_id AS aenderungParty_id10, t1.dtype FROM welupdm_stammdaten_klasse t0 INNER JOIN welupdm_stammdaten_abstractstammdatum t1 ON t0.flow3_persistence_identifier = t1.flow3_persistence_identifier WHERE t1.flow3_persistence_identifier = ? [logged in F3\FLOW3\Persistence\Doctrine\Logging\SqlLogger_Original::startQuery()] params => array (

0 => 7904495e-b9e7-4ea6-aec2-6ba267a845e8
)

types => array (

0 => 2
```

#2 - 2011-06-28 11:40 - Karsten Dambekalns

- Category set to Persistence
- Status changed from New to Needs Feedback
- Priority changed from Should have to Must have
- Target version set to 1230

Can you show me the code that does the remove? Specifically, where does the object come from that is given to remove?

It seems it is a clone, thus detached and therefore not removable. When fetching it, it's not detached, thus the removal works.

#3 - 2011-06-29 16:47 - Regine Rosewich

Hi Karsten,

2015-08-03 3/4

#4 - 2011-08-04 08:51 - Sebastian Kurfuerst
- Status changed from Needs Feedback to Rejected

#5 - 2011-10-20 01:37 - Karsten Dambekalns
- Target version changed from 1230 to 1.0.0

#6 - 2011-10-20 15:13 - Regine Rosewich

Hi Karsten,
as the error was caused by a misunderstanding of FLOW3 by myself and I soon afterwards got the trick, I entirely forgot this bug-report.

The bug-report is therefore outdated. Just throw it away. Sorry for the inconvenience.

I almost forgot that error. But it is exactly as you wrote. The object is a cloned one. Thus it's o.k. that the removal has to be done by first querying the

database and then removing the object.

You can put the Bug to 'solved'.

Thanx.

Regine

2015-08-03 4/4